

The Beach Boys • Production Music Libraries • Massenburg on Recording, Pt. 2

U.S. \$4.95 CANADA \$5.95 SEPTEMBER 1989


MIX

Pacific Rim Special
• **Recording in Japan & Australia**
• **Listings of Top Studios**

THE RECORDING INDUSTRY MAGAZINE

Directory:
Southern California
Recording Studios

Controversy in L.A.—
Drawing the Line
Between Home and
Commercial Studios



Interview: The Airplane's
Paul Kantner

*****3-DIGIT 940
MX 940830PARRRY70893 99DEC 1
DAVE BARRY
PING PONG PRODUCTIONS
PO BOX 708
SOUTH SAN FRANC CA 94083

THE POWER

Mitsubishi X-880 32-Track
Digital Tape Recorder
PD Format

Neve VR 60-
Input Console

Neve VR Series • Flying Faders

Cherokee Recording Studios: Los Angeles
Telephone: (213) 653-3412

PACKAGE

Flying Faders Console
Automation System
with Recall Facilities

Mitsubishi Auto
Locator X-880
with Metering

Automation • Mitsubishi X-880



Neve

A Siemens Company

Exclusive North American Distributor of



MITSUBISHI
DIGITAL PRO AUDIO

CT: (203) 744-6230 • NY: (212) 956-6464 • TN: (615) 329-9584 • CA: (213) 461-6383 • TORONTO: (416) 365-3363

MIX

SEPTEMBER 1989

THE RECORDING INDUSTRY MAGAZINE

VOL. 13, NO. 9



FAST LANE

PAGE 20



FIELD TEST

PAGE 116



THE BEACH BOYS

PAGE 142



MUSIC NOTES

PAGE 148

AUDIO

- 17 Insider Audio:** The Muse Digital Mastering Console *by Ken Pohlmann*
- 20 The Fast Lane:** The Time Has Come *by Stephen St. Croix*
- 25 Juxtapositions:** Audio in Digital Times *by Mel Lambert*
- 33 Controversy in L.A.:** When Is a Home Studio Not a Home Studio? *by Linda Jacobson, Tom Kenny and Randy Alberts*
- 48 Production Music Libraries:** A World of Sounds at Your Fingertips *by George Petersen*
- 60 Lace & Filligree:** The Search for Transparency and Detail *by George Massenburt*
- 98 Radio and Digital Audio:** Near and Far Horizons *by Skip Pizzi and Dan Daley*
- 126 Studio View:** NovaStar—Anatomy of a Project Studio *by Lou CasaBianca*
- 156 After-Mix:** Duplitronics Stretches the Speed of Sound *by Philip De Lancie*

LIVE SOUND

- 131 Sound Reinforcement News/Tour Update** *by Mark Herman*
- 137 Troubleshooting:** Mixing Console Insights *by Mark Herman*

INTERNATIONAL FOCUS: PACIFIC RIM RECORDING

- 74 The Digitization of Australia** *by Andrew Symaniz*
- 83 Recording in Japan:** An American View *by Leslie Ann Jones*
- 91 Directory of Pacific Rim Recording Studios**

PRODUCTS


- 113 Preview/Hot Off The Shelf**
- 116 Field Test:** Opcode's Vision *by Larry Oppenheimer*
- 122 Auditions:** Seck Consoles, API Lunchbox, Alesis QuadraVerb *by George Petersen*

MUSIC

- 67 Lunching with Bonzai:** Plane Talk with Paul Kantner *by Mr. Bonzai*
- 142 The Beach Boys:** Some Thoughts on Turning 30 *by David Schwartz*
- 148 Music & Recording Notes:** Coughing Behavior of Classical Music Audiences; Celestial Navigations
- 150 M.I. Update:** Summer Lethargy at Summer NAMM *by Craig Anderton*

FROM THE EDITOR

Founded 1977 by
David M. Schwartz and Penny Riker Jacob



Cover: The control room of Studio A at Rumbo Recorders (Canoga Park, Calif.) has been remodeled recently and re-equipped with a new 60-input Neve V Series console with Flying Faders. Owners Daryl Dragon and Toni Tennille hired Greg Edward as design consultant and Dave Gulb to do the remodeling construction. **Photo:** Ed Freeman. **Inset photo:** Jay Blakesberg.

DEPARTMENTS

- 6 Current
- 11 Industry Notes
- 12 Sessions/Studio News
- 187 Classifieds
- 192 Ad Index

DIRECTORY

- 163 Southern California Recording Studios



Circulation independently audited and certified by Business Publications Audit of Circulation since 1985.

Mix magazine is published at 6400 Hollis St., #12, Emeryville, CA 94608 and is © 1989 by NBB Acquisitions, Inc. Mix (ISSN 0164-9957) is published monthly. Subscriptions are available for \$46.00 per year. Subscriptions outside U.S.A. are \$61.00 per year. Single copy price is \$4.95, back issues \$6.00. Missed issues within the U.S. must be claimed within 45 days of publication date and abroad, within 90 days. Send subscription applications, subscription inquiries and changes of address to Mix magazine, PO Box 3714, Escondido, CA 92025-3714 or call one of these toll free numbers: in CA, 1 (800) 255-3302; outside CA, 1 (800) 354-8152. POSTMASTER: Send address changes to Mix magazine, PO Box 3714, Escondido, CA 92025-3714. Address all other correspondence to Mix magazine, 6400 Hollis St., #12, Emeryville, CA 94608, (415) 653-3307, Fax: (415) 653-5142. Second Class postage paid at Oakland, CA, and additional mailing offices. Mix magazine is distributed in pro audio stores, music stores and other related businesses. If you have a recording or music related business and would like to distribute Mix, please give us a call. Display advertising rates, specs and closing dates are available upon request. This publication may not be reproduced or quoted in whole or in part by printed or electronic means, without written permission of the publishers.

Rarely has a controversy brewed in the L.A. studio biz such as we're seeing right now in a confrontation between commercial and private studios. It is a problem that goes to the roots of our business, with no easy answers and no escaping the fallout.

Ever since home studios became "professional enough" to create master tracks, they have been cutting into the client base of the commercial studio community. Although this certainly isn't a new phenomenon in L.A., where many of the majors began as "illegal" private studios themselves, it is a problem that has come to a head in recent months.

The more aggressive of these private rooms promise relief from the frenetic pace of recording in the city, and a more home-like environment in which to record. This is often done in an underground fashion so as to avoid conflicts with the zoning departments and other business commissions. This places them unfairly in competition with commercial studios, who pay premiums for their right to operate as above-ground businesses.

The main issue being considered in all this is where to draw the line between public and private operation with respect to the professional musician/recordists' reality. Can you record your own master tracks at home for commercial exploitation? How about tracks for a friend? How about a friend of a friend who wants to pay you for production assistance? Where does it stop?

This is a sticky issue, one that needs to be resolved soon to keep the studio business healthy. This month, Linda Jacobson, Tom Kenny and Randy Alberts talked to a number of L.A. studio owners to get their opinions on what can be done to end this civil war.

Keep Reading,

A handwritten signature in black ink, appearing to read 'David M. Schwartz'. The signature is stylized and somewhat cursive.

David M. Schwartz
Editor-in-Chief



SONY'S NEW UHF WIRELESS SYSTEM GIVES YOU

A wireless system you can count on to do its job when your job is on the line. The new Sony WRT-28 UHF transmitter and WRR-28 UHF receiver utilize state-of-the-art surface mount technol-



ogy for the ultimate in reliability and miniaturization.

Sony advances wireless technology to a new plateau with transparent sound quality and superior interference rejection. Plus the

**EVERYTHING YOU'D WANT
FROM A WIRED MICROPHONE SYSTEM WITHOUT THE WIRE.**



versatility of a switchable linear or compander mode.

Amazingly light and compact, the 28 Series UHF system goes anywhere, performing over a wide operational range. Powered by "AA"

batteries, available worldwide. The Sony UHF Wireless System.

SONY®

It performs like a wired microphone. With no strings attached.

To find out more, call us at 1-800-635-SONY.

Sony Communications Products Company, 1600 Queen Anne Rd., Teaneck, NJ 07666. © 1989 Sony Corporation of America. Sony is a registered trademark of Sony.

PROFESSIONAL AUDIO

CURRENT

OTARI BUYS SOUND WORKSHOP

Otari Corporation, the U.S. subsidiary of Otari, Inc. of Japan, announced the purchase of all assets, inventories and interests of Sound Workshop Professional Audio Products Inc., Sound Workshop Inc. and Digital Creations Corp., effective June 26.

The horizontal marketing approach now allows Otari to manufacture and provide complete studio packages. In addition to consoles and tape recorders, Otari picked up the Digital Creations automation packages. "Systems integration is becoming the wave of the future," marketing manager John Carey says. "The studio of the future is becoming an integrated device—it's a mixer, a processor, a recorder. So the expertise of a mixing console company combined with the expertise of a tape recorder company is a very logical way of moving into the future, it seems to me."

Otari Corporation will direct worldwide sales and marketing from its California offices, while design and manufacturing will continue at the Plainview, New York, facilities.

SOUNDWORKS WEST BUYS HITSVILLE

Hitsville Recording Studios, established by Motown Record Industries in 1969 and legendary home to artists such as Michael Jackson, Diana Ross and Marvin Gaye, ended its 20-year run in Los Angeles in early July. Soundworks West, Ltd., which operates Soundworks in New York City, negotiated a multimillion-dollar purchase from The Gordy Company.

"While the legacy of Hitsville remains at the spirit of the facility, we have made an aggressive com-

mitment to thrust the studio into the 21st century," said new owners Alan Ramer and Robert C. Diez d'Aux. The facility has been renamed Soundworks West.

END OF AN ERA FOR ATLANTIC

There will be no more session work at Atlantic Recording; Studio A, Studio B—the whole second floor—is now vacant. In a somewhat surprising move, general manager Tony O'Brien informed the staff on June 7 that Atlantic was ending 32 years of audio recording in New York, effective June 15. The equipment's been sold, the gold records have been taken off the walls and footsteps now echo where Aretha Franklin, Ray Charles and others once wailed.

The official reasons given for closure were tied to noise and a "stiff" increase in rent, according to Bobby Warner, former Atlantic engineer who is now manager of quality assurance. Apparently there was leakage from Studio A, and the new landlords, Eastgate Realty, were having trouble attracting tenants to the building at 1841 Broadway. Also, across the street, the New York Coliseum is in the process of a two-year renovation, with all the attendant noise that brings. And finally, the building's owners made it more expensive to occupy two floors of prime N.Y. real estate.

Atlantic still operates out of the third floor, using their mastering and tape duplication facilities for in-house projects only. The label has maintained a mix room, to leave open the possibility for overdubs. In all, 12 to 15 people lost their jobs, according to Warner.

"I was devastated, myself, having grown up here," Warner says. "Studio A is where I got my feet wet. The sad thing is the second floor is still open for us to walk through.

There is no life there, but the ghosts still remain."

NARAS TRUSTEES EXPAND GRAMMYS, EDUCATION

At the annual meeting of the Recording Academy Board of Trustees in St. Petersburg, Fla., May 18-20, members agreed to expand portions of the Grammy Awards and educational funding.

Among the changes: allowing limited eligibility in certain categories of singles and songs from previously released albums; division of the hard rock/heavy metal category into separate categories; broadening of eligibility requirements in the Best New Artist and Producer of the Year categories; and a reduction in the number of Grammy Award entries permitted to members.

Also, the National Student Awards and the "Grammy in the Schools" project will be funded on a national level, there will continue to be matching scholarships and grants to various chapters, and the research-oriented *NARAS Journal* will be revived.

MIX ANNOUNCES TEC AWARDS HALL OF FAME

Wally Heider, George Martin and Rupert Neve, innovators who share a lifetime of dedication to audio excellence, will be inducted into the TEC Hall of Fame at the awards ceremony on Oct. 19 at Manhattan Center Studios in New York. Contact Karen Dunn at *Mix* for more information: (415) 653-3307.

In related news, Agfa Magnetic Tape will contribute a \$5,000 matching grant in the form of PEM 469 audio mastering tape to the recipient of the Technical Excellence & Creativity Award for Outstanding Recording School/Program. ■

In an age of disk and digital, why buy analog?

We know there are some applications where our 32-channel digital machine, the DTR-900, is the only answer. But if your business is such that you can do anything you want to do in the analog domain, and at the same time do less damage to your budget, then our brand new analog 24-channel MTR-100A may be the perfect machine for you.

When you consider that the MTR-100 will literally *change forever* the way engineers interface with audio machines, and

transport is pinchrollerless to give you the legendary tape handling ballistics of our MTR-90.

What's more, with its optional EC-103 chase synchronizer, the MTR-100 maintains frame-lock in forward and reverse from 0.2X to 2.5X play speed, and will typically park with zero frame error.

Then, there's the sound. New cylindrical-contour heads built by Otari especially for the MTR-100 result in remarkably low crosstalk and outstanding low-frequency performance. Pre-amps are located directly beneath the heads to further improve frequency response, and HX-Pro* is built-in for enhanced high frequency headroom. (An optional internal noise reduction package houses Dolby* SR/A.) Add all these features to gapless, seamless, punch-in, punch-out, which is also built-in, and your

MTR-100's sonic performance will rival, or beat any digital machine in the world.

So there you have it. With these powerful benefits available in analog, does it make sense to go digital? Sure, for some applications. But analyze your needs carefully before you buy. For many applications, a hot

analog tape machine like the MTR-100 is the right choice.

And because we can see both sides of the question, put us to work. We have information that can help you make the right decision. Call Otari at (415) 341-5900 for the "Technology You Can Trust".



Reel motors that approach one horsepower are driven by pulse width modulation amplifiers to tape speeds up to 474 ips.



The MTR-100's auto-alignment saves you hours of time by eliminating constant tweaking and re-tweaking between sessions.


that this new way will save you hours spent in non-productive time, the analog choice begins to make even more sense. You see, the MTR-100 features full Auto-Alignment that allows total recalibration of the record and reproduce electronics. This means you can compensate for different tapes in a *fraction* of the time that it previously took, and your studio is not bogged down with constant tweaking and re-tweaking between sessions.

And if you think digital machines have a corner on high performance transports, think again! The MTR-100's new transport incorporates reel motors that approach one horsepower—you'll get fast wind speeds of up to 474 inches per second! Of course, the

OTARI®



* Trademark Dolby Laboratories Licensing Corporation



Graham Nash

Member, Rock & Roll Hall of Fame

Fostex Equipment: E-16 MTR, 4050 MIDI Remote, T-20 Headphones.

Recent Projects: Graham's recent solo album, "Innocent Eyes" (Atlantic) was recorded in Los Angeles, Hawaii and Massachusetts. Most of the compositions and arrangements were worked out at home on his E-16. The hit "Shadowland" from CSN&Y's latest album, "American Dream" (Atlantic), was recorded on the E-16.

TIMBUK3

Pat & Barbara K. MacDonald

Fostex Equipment: D-20 Digital Master Recorder, E-8 MTR, 4030/4035 Synchronizer / Controller, 4010 SMPTE Time Code Generator, RM-865 and RM-900 Near-Field Reference Monitors, T-20 Headphones.

Recent Projects: TIMBUK3's first album, "Greetings from TIMBUK3" (I.R.S.), was recorded on a B-16 (forerunner of the E-16). Their third and newest album, "Edge of Allegiance" (I.R.S.), is the first digital project for the group. They use a D-20.

Tom Scott

Musician/Composer

Fostex Equipment: E-16 MTR (2), E-2 Master Recorder, 4030/4035 Synchronizer / Controller, 4010 SMPTE Time Code Generator, T-20 Headphones.

Recent Projects: Nationally recognized band leader of "The Pat Sajak Show", Tom's latest albums are "Streamlines" and "Flashpoint" (GRP Records). He also scored the NBC TV Movie "American River", and the film "Sea of Love" starring Al Pacino features his distinctive sax.

FOSTEX PRO



PROJECT STUDIOS.

Throughout the audio production cycle—from composition/demo to multitrack master to digital stereo master—you'll find Fostex products in use by professional composers, arrangers, engineers and producers. You hear the results of Fostex Project Studios every day on TV, film soundtracks and, of course, radio & records. Trust Fostex for great products at great prices. Trust in yourself for the sound of success.

Fostex®

©1989 Fostex Corporation of America
15431 Blackburn Ave. • Norwalk, CA 90650
(213) 921-1112 • FAX (213) 802-1964



Stewart Levin
Musician/Composer

Fostex Equipment: B-16 MTR, 4030/4035 Synchronizer/Controller, 4010 SMPTE Time Code Generator, T-20 Headphones.

Recent Projects: Stewart writes the music for several popular TV shows — "thirtysomething", "The Wonder Years", "The Dick Van Dyke Show '88" — and he scored the feature film "Heathers"

APPRECIABILITY

GML CLIENTS SPEAK FOR THEMSELVES

RESPONSIVE

"It just works. The system is virtually transparent to the user. No complicated displays... No time consuming keystrokes."

TOM McCORMACK, THE BURBANK STUDIOS, CA

DEPENDABLE

"Reliability is a major concern in day to day operation. The GML system has been nearly flawless."

TETSU TAKAHASHI, SEDIC STUDIOS, TOKYO

PRECISION

"Fader and Mute accuracy so precise, my confidence in the system to reproduce every detail is unquestioned."

BRUCE SWEDIEN, MIXER, CA

COMPATIBILITY

"GML's ability to convert SSL and Necam mix disks allows us to maintain compatibility, assuring room to room flexibility for our clients."

STEVEN BRAMBERG, ATLANTIC STUDIOS, NYC

ENGINEER ENGINEERED

"For the mixer, the operation is effortless and intuitive. When complex problems do need to be addressed, the Editor provides an easy to use off-line function for any eventuality."

MICK GUZAUSKI, MIXER, CA

PALETTE-ABILITY

"It provokes an environment that enhances the creative process..."

CHICK COREA, ARTIST, PRODUCER, CA

ORTHOGENETIC

"GML's system architecture assures that our investment will remain on the cutting edge of technology for years to come."

STEPHEN FLOOD, MASTERROCK STUDIOS, LONDON

GML
GEORGE MASSENBURG LABS

TEC
TECHNICAL EXCELLENCE FOR CREATIVITY
1989 NOMINEE

THE AUTOMATION STANDARD

7821 BURNET AVENUE, VAN NUYS, CALIFORNIA 91405, FAX 818-781-3828, TELEPHONE 818-781-1022

Circle #182 on Reader Service Card

S T A F F

EDITOR-IN-CHIEF David M. Schwartz

PUBLISHER Hillel Resner

MANAGING EDITOR Blair Jackson
ASSOCIATE EDITOR Paul Potyén
PRODUCT EDITOR George Petersén
TECHNICAL EDITOR Ken Pohlmann
SENIOR EDITOR John Woram
CONSULTING EDITOR Stephen St. Croix
EDITOR-AT-LARGE Mr. Banzai
SOUND REINFORCEMENT EDITOR Mark Herman
TEC AWARDS EDITOR Karen Margroff Dunn
ASSISTANT EDITORS
Linda Jacobson Tom Kenny
EDITORIAL ASSISTANTS
Alexandra Behr Jeanne Zanussi
CONTRIBUTING EDITORS
Iain Blair Lou CasaBianca Dan Daley
Philip De Lancie Bob Hodas Mel Lambert
Larry Oppenheimer Bruce Pilato Tony Thomas

ART DIRECTOR Tim Gleason
ASSOCIATE ART DIRECTOR Dave Marrs
ASSISTANT ART DIRECTOR Patricia Law
PRODUCTION MANAGER Georgia George

DIRECTOR OF ADVERTISING SALES
Jeffrey Turner
WESTERN REGIONAL ADVERTISING MANAGER
Horton Firmin
SOUTHERN CALIFORNIA/SOUTHWEST AD MGR.
Sue Horwitz
EASTERN ADVERTISING MANAGER
Michele Kanatous
SALES ADMINISTRATOR Neil McKamey
SALES ASSISTANTS
Randy Alberts Robin Saunders
ASSISTANT TO THE PUBLISHER Jane Byer
CLASSIFIEDS MANAGER Robin Boyce
CLASSIFIEDS ASSISTANT Jeffry Forlenza

DIRECTORIES & BUSINESSPAGES!
ADVERTISING MANAGER Lauri Newman
DIRECTORIES ASSISTANTS
Jean Mahon Melissa McMillion

DIRECTOR, INFORMATION &
MARKETING SERVICES
Ron Neilson
DESIGN AND PRODUCTION
Michael Zipkin

PRODUCTION DIRECTOR Anne Letsch
PRODUCTION ASSISTANT Teri Bell
ADVERTISING TRAFFIC COORDINATOR Donna Burrison
TYPOGRAPHY Linda Dierking
CIRCULATION COORDINATOR Cindy Lukk
CIRCULATION ASSISTANT Hugh Swarts

CONTROLLER Craig Kennedy
ASSISTANT CONTROLLER Jan Stimmel
ACCOUNTS PAYABLE/RECEIVABLE Loreta Fabros
OFFICE MANAGER Barbara Kochioulos
WAREHOUSE MANAGER Charles Nielsen
RECEPTIONIST Angelique McGruder

ACT III PUBLISHING

PRESIDENT Paul David Schaeffer
CHIEF OPERATING OFFICER
Robert C. Gardner
SENIOR VICE PRESIDENT, TECHNICAL DIVISION
Kevin J. Condon
SENIOR VICE PRESIDENT, CORPORATE DEVELOPMENT
& PLANNING Martha Lovini
VICE PRESIDENT, FINANCE & ADMINISTRATION Sam Scheeter
DIRECTOR OF PLANNING Mark Gunther
DIRECTOR OF CIRCULATION Steve Wigginton
ACT III PUBLISHING, TECHNICAL DIVISION
ALSO PUBLISHERS OF:
ELECTRONIC MUSICIAN
CORPORATE VIDEO DECISIONS
BROADCAST MANAGEMENT OF ENGINEERING

NATIONAL EDITORIAL ADVERTISING and BUSINESS OFFICES,
6400 Hallis St. #12, Emeryville, CA 94608, (415) 653-3307, IMC
736, FAX: (415) 653-5142 **SOUTHERN CALIFORNIA ADVERTIS-**
ING OFFICES, 19725 Sherman Way, Suite 160, Canoga Park,
CA 91306, (818) 709-4662 **EAST COAST ADVERTISING OFFI-**
ES, 401 Park Ave. South, New York, NY 10016, (212) 545-5166
DIRECTORIES ADVERTISING, (800) 344-LIST

INDUSTRY NOTES

Solid State Logic (Oxford, UK) promoted Colin Pringle to marketing director . . . Rick Plushner, Western regional sales manager at Neve (Bethel, CT), is also national sales manager for Mitsubishi's PCM line, working out of the Hollywood office. . . In Bourne End, UK, Focusrite Audio Engineering has resumed shipping back orders for Rupert Neve-certified ISA modules. Former Sony digital developer Richard Salter joined Focusrite as development director. . . JBL Professional appointed Gary Lynn as product manager for Soundcraft USA in Northridge, CA, and software designer Steve Bartlett as electronics product manager for JBL and UREI electronic products. Jim Chase joined JBL as Western regional manager; Tim Crable is the new customer service manager. . . In New York City, Dreamhire Pro Audio Rentals brought aboard Ken Thornhill and Brian Macaluso as general manager and tech manager, respectively. . . Thomas Volpicella is now the Northeast regional sales manager for Fuji Photo Film U.S.A. (Elmsford, NY), focusing on pro videotape sales. . . Studer Revox (Nashville, TN) promoted Joe Bean to Eastern sales manager for pro dealer products, and David Purple joined as "Nashville-South" sales rep. . . Pro audio dealer SGAudio recently opened its doors—445 W. Erie St., Suite 201, Chicago, IL 60610. . . Also in Chicago, Bob Coleman of Editel/Chicago and Ted Kay and Sheldon Elias of TMK-Elias Music announced a business alliance between their corporate production divisions. . . Software manufacturer Hybrid Arts hired Steve Cunningham as vice president of sales and marketing out of Los Angeles. . . Studio Support Services was started by Steve Bramberg to provide referrals, consultations, etc.: 15 Sintsink Dr. W., Port Washington, NY 11050. . . Jerry Burdick joined The Post Group in Los Angeles as executive vice president. . . In Carson, CA, S.W. Park is now executive vice president of U.S. operations for Sunkyong Magnetic/America, Inc. (formerly a branch of Sunkyong America) . . . Stewart Electronics of Rancho Cor-

dova, CA, signed On-Line Marketing (Wadsworth, OH) and Lienau Associates (Columbus, MD) as factory reps for its amp, mixer and direct box lines . . . Those interested in presenting papers at the January 1990 SMPTE Television Conference should call (914) 761-1100 by September 15, 1989, or write to SMPTE Program Coordinator Marilyn Waldman, 595 W. Hartsdale Ave., White Plains, NY 10607. . . Rental/production company Fox Television of America opened an online PAL editing suite in New York City. . . David Anglin and David "Roy" Webster were honored by Ampex Recording Media Corp. (Redwood City, CA) for excellence in engineering and manufacturing, respectively. . . Locate PR firm RPS Communications at this new address: 520 Arthur St., Centerport, NY 11721 . . . AMS AudioFile's new So Cal, Nevada and Arizona rep is Comlogic in Los Angeles. . . Mike Kramer of A.S.T. (NYC) won the "Dealer of the Year" award from Ashly Audio (Rochester, NY), and Dick Bellew and Dave Formet of Dick Bellew Sales walked away with the "Rep of the Year" award. . . Mark IV Industries (West Amherst, NY) acquired the assets of Electro Sound, Inc., which will continue to manufacture and market tape duplicating systems in Sunnyvale, CA. . . In Dallas, Tele-Image hired special effects whiz David Hyland as editor; David Baertsch also joined as an editor. . . . Lani Ridley is now vice president of worldwide sales for 3-D animation company Cubi-comp Corp. in Hayward, CA. . . Former Prince and Robert Plant tour techie Bec Moore was promoted to studio manager at Dallas Sound Lab, and Johnny Marshall now holds the executive vice president title. . . Valley International, Inc., has a new sales director, Jorgen Ravn. . . ProSystems (Meadville, PA) announced four new sales reps: On-Line Marketing (Wadsworth, OH), Essential Marketing (St. Joseph, MO), On The Road Marketing (Upper Montclair, NJ) and Audio Associates (Fulton, MD) . . . Silver Peak Marketing of Wheatridge, CO, will represent Klark-Teknik (Farmingdale, NY) in the West. . . ■

IT'S THE LITTLE THINGS ABOUT THE IL SERIES THAT YOU'LL APPRECIATE.

Take a close look at the Soundtracs IL Production console. An outstanding console that's achieving acclaim amongst commercial recording studios around the World. Designed to meet a production climate that's radically changing with engineering that matches efficiency with vision.

More important, though, listen to the way it sounds. This 32 bus console offers very low noise, minimal crosstalk and a degree of sonic transparency that sets new standards.

Combine these attributes with a sensitive yet effective equaliser section to create one of the sweetest sounds to be found anywhere, perfect for high quality track laying.

And while our crystal clear layout is free of gimmickry, we've included a number of unique features and sophisticated circuit designs which, together with Soundtracs Tracmix fader automation, provides versatility to set your creativity free.

Little things in themselves. But in the Soundtracs IL, add up to a rather special production console.



IL4832
IL3632

SOUNDTRACS

CREATIVE ENGINEERING

SOUNDTRACS PLC, 91 EWELL ROAD, SURBITON, SURREY
KT6 6AH ENGLAND. TELEPHONE (01) 399 3392/8101
FAX: (01) 399 6821. TELEX: 8951073 STRACS G

SPECIFICATIONS:

- 48 OR 36 CHANNELS □ 104 OR 80 INPUTS ON REMIX
- INTERCHANNEL CROSSTALK BETTER THAN -88dB @ 1kHz
- MIX NOISE 32 INPUT ROUTED BETTER THAN -82dB .

EXCLUSIVE US DISTRIBUTOR:

SAMSON[®]
Technologies Corp.

SAMSON TECHNOLOGIES CORPORATION, 485-19
SOUTH BROADWAY, HICKSVILLE, NY 11801, USA
TELEPHONE (516) 932 3810. FAX (516) 932 3815

S T A F F

EDITOR-IN-CHIEF David M. Schwartz

PUBLISHER Hillel Resner

MANAGING EDITOR Blair Jackson
 ASSOCIATE EDITOR Paul Potylen
 PRODUCT EDITOR George Petersen
 TECHNICAL EDITOR Ken Pohlmann
 SENIOR EDITOR John Woram
 CONSULTING EDITOR Stephen St. Croix
 EDITOR-AT-LARGE Mr. Bonzai
 SOUND REINFORCEMENT EDITOR Mark Herman
 TEC AWARDS EDITOR Karen Margroff Dunn
 ASSISTANT EDITORS
 Linda Jacobson Tom Kenny
 EDITORIAL ASSISTANTS
 Alexandra Behr Jeanne Zanussi
 CONTRIBUTING EDITORS
 Iain Blair Lou CasaBianca Dan Daley
 Philip De Lancie Bob Hodas Mel Lambert
 Larry Oppenheimer Bruce Pilato Tony Thomas

ART DIRECTOR Tim Gleason
 ASSOCIATE ART DIRECTOR Dave Marrs
 ASSISTANT ART DIRECTOR Patricia Law
 PRODUCTION MANAGER Georgia George

DIRECTOR OF ADVERTISING SALES
 Jeffrey Turner
 WESTERN REGIONAL ADVERTISING MANAGER
 Harton Firmin
 SOUTHERN CALIFORNIA/SOUTHWEST AD MGR.
 Sue Horwitz
 EASTERN ADVERTISING MANAGER
 Michele Kanatous
 SALES ADMINISTRATOR Neil McKamey
 SALES ASSISTANTS
 Randy Alberts Robin Saunders
 ASSISTANT TO THE PUBLISHER Jane Byer
 CLASSIFIEDS MANAGER Robin Boyce
 CLASSIFIEDS ASSISTANT Jeffrey Forlenza

DIRECTORIES & BUSINESSPAGES!
 ADVERTISING MANAGER Lauri Newman
 DIRECTORIES ASSISTANTS
 Jean Mahon Melissa McMillion

DIRECTOR, INFORMATION &
 MARKETING SERVICES
 Ron Neilson
 DESIGN AND PRODUCTION
 Michael Zipkin

PRODUCTION DIRECTOR Anne Letsch
 PRODUCTION ASSISTANT Teri Bell
 ADVERTISING TRAFFIC COORDINATOR Donna Burriston
 TYPOGRAPHY Linda Dierking
 CIRCULATION COORDINATOR Cindy Lukk
 CIRCULATION ASSISTANT Hugh Swarts

CONTROLLER Craig Kennedy
 ASSISTANT CONTROLLER Jan Stimmel
 ACCOUNTS PAYABLE/RECEIVABLE Loreta Fabros
 OFFICE MANAGER Barbara Kochiovelos
 WAREHOUSE MANAGER Charles Nielsen
 RECEPTIONIST Angelique McGruder

ACT III PUBLISHING

PRESIDENT Paul David Schaeffer
 CHIEF OPERATING OFFICER
 Robert C. Gardner
 SENIOR VICE PRESIDENT, TECHNICAL DIVISION
 Kevin J. Condon
 SENIOR VICE PRESIDENT, CORPORATE DEVELOPMENT
 & PLANNING Martha Larini
 VICE PRESIDENT, FINANCE & ADMINISTRATION Sam Scheffer
 DIRECTOR OF PLANNING Mark Gunther
 DIRECTOR OF CIRCULATION Steve Wigginton
 ACT III PUBLISHING, TECHNICAL DIVISION
 ALSO PUBLISHERS OF:
 ELECTRONIC MUSICIAN
 CORPORATE VIDEO DECISIONS
 BROADCAST MANAGEMENT OF ENGINEERING

NATIONAL EDITORIAL ADVERTISING and BUSINESS OFFICES,
 6400 Hollis St. #12, Emeryville, CA 94608, (415) 653-3307, IMC
 736, FAX: (415) 653-5142. **SOUTHERN CALIFORNIA ADVERTISING
 OFFICES,** 19725 Sherman Way, Suite 160, Canoga Park, CA
 91306, (818) 709-4662. **EAST COAST ADVERTISING OFFICE,**
 401 Park Ave. South, New York, NY 10016, (212) 545-5166.
DIRECTORIES ADVERTISING, (800) 344-LIST.

INDUSTRY NOTES

Solid State Logic (Oxford, UK) promoted **Colin Pringle** to marketing director... **Rick Plushner**, Western regional sales manager at **Neve** (Bethel, CT), is also national sales manager for **Mitsubishi's PCM line**, working out of the Hollywood office... In **Bourne End, UK**, **Focusrite Audio Engineering** has resumed shipping back orders for **Rupert Neve-certified ISA modules**. Former **Sony digital developer Richard Salter** joined **Focusrite** as development director... **JBL Professional** appointed **Gary Lynn** as product manager for **Soundcraft USA** in **Northridge, CA**, and software designer **Steve Bartlett** as electronics product manager for **JBL** and **UREI** electronic products. **Jim Chase** joined **JBL** as Western regional manager; **Tim Crable** is the new customer service manager... In **New York City**, **Dreamhire Pro Audio Rentals** brought aboard **Ken Thornhill** and **Brian Macaluso** as general manager and tech manager, respectively... **Thomas Volpicella** is now the Northeast regional sales manager for **Fuji Photo Film U.S.A.** (Elmsford, NY), focusing on pro videotape sales... **Studer Revox** (Nashville, TN) promoted **Joe Bean** to Eastern sales manager for pro dealer products, and **David Purple** joined as "Nashville-South" sales rep... Pro audio dealer **SGAudio** recently opened its doors—445 W. Erie St., Suite 201, Chicago, IL 60610... Also in Chicago, **Bob Coleman** of **Editel/Chicago** and **Ted Kay** and **Sheldon Elias** of **TMK-Elias Music** announced a business alliance between their corporate production divisions... Software manufacturer **Hybrid Arts** hired **Steve Cunningham** as vice president of sales and marketing out of Los Angeles... **Studio Support Services** was started by **Steve Bramberg** to provide referrals, consultations, etc.: 15 Sintsink Dr. W., Port Washington, NY 11050... **Jerry Burdick** joined **The Post Group** in Los Angeles as executive vice president... In **Carson, CA**, **S.W. Park** is now executive vice president of U.S. operations for **Sunkyoung Magnetic/America, Inc.** (formerly a branch of **Sunkyoung America**)... **Stewart Electronics** of **Rancho Cor-**

dova, CA, signed **On-Line Marketing** (Wadsworth, OH) and **Lienau Associates** (Columbus, MD) as factory reps for its amp, mixer and direct box lines... Those interested in presenting papers at the **January 1990 SMPTE Television Conference** should call (914) 761-1100 by September 15, 1989, or write to SMPTE Program Coordinator **Marilyn Waldman**, 595 W. Hartsdale Ave., White Plains, NY 10607... Rental/production company **Fox Television of America** opened an online PAL editing suite in **New York City**... **David Anglin** and **David "Roy" Webster** were honored by **Ampex Recording Media Corp.** (Redwood City, CA) for excellence in engineering and manufacturing, respectively... **Locate PR firm RPS Communications** at this new address: 520 Arthur St., Centerport, NY 11721... **AMS AudioFile's** new So Cal, Nevada and Arizona rep is **Comlogic** in Los Angeles... **Mike Kramer** of **A.S.T.** (NYC) won the "Dealer of the Year" award from **Ashly Audio** (Rochester, NY), and **Dick Bellew** and **Dave Forment** of **Dick Bellew Sales** walked away with the "Rep of the Year" award... **Mark IV Industries** (West Amherst, NY) acquired the assets of **Electro Sound, Inc.**, which will continue to manufacture and market tape duplicating systems in **Sunnyvale, CA**... In **Dallas**, **Tele-Image** hired special effects whiz **David Hyland** as editor; **David Baertsch** also joined as an editor... **Lani Ridley** is now vice president of worldwide sales for 3-D animation company **Cubcomp Corp.** in **Hayward, CA**... Former **Prince** and **Robert Plant** tour techie **Bec Moore** was promoted to studio manager at **Dallas Sound Lab**, and **Johnny Marshall** now holds the executive vice president title... **Valley International, Inc.**, has a new sales director, **Jorgen Ravn**... **ProSystems** (Meadville, PA) announced four new sales reps: **On-Line Marketing** (Wadsworth, OH), **Essential Marketing** (St. Joseph, MO), **On The Road Marketing** (Upper Montclair, NJ) and **Audio Associates** (Fulton, MD)... **Silver Peak Marketing** of **Wheatridge, CO**, will represent **Klark-Teknik** (Farmingdale, NY) in the West... ■

SESSIONS AND STUDIO NEWS

SOUTHERN CAL

In Topanga Park, Virgin Records artist **Clark Datchler** (formerly with Johnny Hates Jazz) was at **Topanga Skyline Recording** with producer **Humberto Gatica**. . . Singer/songwriter **Jamie Michaels** started work on a second album for Innersong Records at **Brainstorm Studios** in Studio City. . . In Burbank, **The Replacements** were at **The Enterprise**, with engineer **Toby Scott** mixing recent live performances for Warner Bros. **Fred Kelly Jr.** assisted. . . At **Artisan Sound Recorders** in Hollywood, engineer **Greg Fulginiti** recently mastered LPs for **XTC** with producer **Ivan Ivan**, **Starship** with **Mickey Thomas** and **Paul Atkinson**, and **Walking Wounded** with producer **Jeff Eyrich**. . . Elektra artists **Faster Pussycat** recorded vocals and overdubs for their LP at **Summa Music Group** in West Hollywood. **John Jansen** engineered, assisted by **Kyle Bess**. . . **Curiosity Killed the Cat** was at **Larrabee** in L.A. mixing their latest for Phonogram UK. **Nathan East** produced the album and **Femi Jiya** mixed. . . At **Aire L.A.** in Glendale, **Fattburger** was in tracking their upcoming album, with **Mitch Gibson** engineering and **Rob Seifert** and **Jackie Forsting** assisting. . . **Jefferson Airplane** recorded at **Rumbo Recorders** in Canoga Park for their upcoming release on Epic Records. **Ron Nevison** and **Greg Edward** shared production duties, with **Gina Immel** assisting. . . Composer **Dwight Mikkelsen** worked on his current album for Capitol Records with **Richard Preuss** at **PR Productions** in Diamond Bar. Orchestra overdubs for the project took place at Burbank's **Juniper Studios** with **Steve Sharp**. . . **Miles Copeland** was at **Devonshire Studios** in North Hollywood producing overdubs for **Timbuk3's** latest I.R.S. album. **Stanley Johnston** engineered, **Judd Levison** assisted. . . **Philip Bailey** recorded lead and background vocals for his upcoming album at **Valley Center Studios** in Van Nuys, with **Dean Burt** at the board and **Dave Bates**

assisting. . . **Carl Wilson** of **Beach Boys** fame made **Alpha Studios** in Burbank his first stop on a worldwide tour of recording studios. At Alpha he recorded "Run, Don't Walk," a track from his upcoming album. **Phil Galston** produced and **Jay Rifkin** engineered. . . Musician **James Early** was at **Hit City West** recording keyboards and drum machines for Capitol artist **MC Hammer's** dance remix of "They Put Me in the Mix." Engineer **Kevin "Kvoc" O'Connor** was assisted by keyboard programmer **John David Hiler**. . . Producers **Santiono Scotti** and **Gip Noble** were at **WEC Recording Studio** in Universal City working with country singer **Mary Ann Brown**. **Darryl Coit** engineered the album project. . .

SOUTHWEST

In Phoenix, **Vintage Recorders** reports a flurry of activity: the **Beach Boys** were in to record lead vocals and steel drum for their upcoming single "Island Girl," with **Vintage** owner **Billy Moss** engineering and **Al Jardine** producing; and **Stevie Nicks** recorded lead vocals for the next **Fleetwood Mac** release, with **Greg Ladanyi** producing, **Dennis Mays** engineering and **Paula Wolak** assisting. . . **Planet Dallas** reports that Houston-based **Tokyo** recorded their version of "99th Floor," to be released on **We-Miix Records**. **Rick Rooney** engineered and **Patrick Keel** produced. . . **Dayspring Records** artist **Wayne Watson** cut "It Is Well Worth My Soul" at **Rivendell Recorders** in Houston. **Paul Mills** was at the board. . . Cutting tracks at **Arlyn Studios** in Austin: **Tailgators**, with **Mike Stewart** and **Don Levy** producing, and **Hightops**, with **Ray Summay** producing. . .

NORTHWEST

Production sound recording for *Birds Past*, a film about the making of Hitchcock's *The Birds*, was handled by, appropriately, **Little Wing Recording** of San Francisco

. . . At **Engineered Sound Productions** in Salinas, CA, **Bruce Pittenger** engineered and assisted with production on an album project by Christian artist **Stacy Reiswig**. . . **Al Eaton** was working at **One Little Indian Music** in Richmond, CA, with **Too Short**. They remixed "I Ain't Trippin'," the follow-up single from their **Jive/RCA** album *Life Is Too Short*. . . Actor **Sydney Walker** was at **Robert Berke Sound** in San Francisco to record the voice of "Grandpa Time," a children's clock that tells stories, reminds them when it's bedtime and wakes them up. **Terry Strauss** produced the project. . . Bay Area rocker **Jeff Fogerty** was at **Starlight Sound** in Richmond, CA, working on tunes for his upcoming debut album. **Bill Thompson** was at the board. . . New Jersey's **Skid Row** went into **Mushroom Studios** in Vancouver, BC, to record "Holiday in the Sun" for an upcoming anti-drug album. **Bruce Fairbairn** produced the tune, with **Mike Fraser** at the controls and **Tilde Fiorda** assisting. The album, titled *Make a Difference*, features cuts by **Bon Jovi** and **Russia's Gorky Park**. . . **The Zacharys** stopped by **Alameda Digital Recording** (Alameda, CA) to record tunes for their upcoming release, with **Jeanne Zanussi** producing and **George Petersen** and **J.J. Jenkins** engineering and mixing. . . **Avalanche Recording** in Northglenn, CO, has been busy with demo work, including a three-song project for **Peace**, a Denver-based hip hop group. **Jamie Jones**, **Bill Thomas** and **Karl Martin** produced and programmed the tracks, with **Thomas** doubling as engineer. . . Audio recording and post-production was completed at **Poolside Studios** in San Francisco for "Visionettes," a collection of 30-second audio/video vignettes that will be distributed to cable stations across the country. **Lisa Simonson** wrote the music and **David E. Nelson** engineered. . . **The Monks of Doom's Cosmodemonic Telegraph Company** was recorded for **Rough Trade Records** at **Mobius Music** in San Francisco. **Oliver DiCicco** engineered and

NETWORK YOUR SOUND EFFECTS TO EVERY SOUND ROOM IN THE STUDIO.

The M&E Organizer System puts all your sound effects and production music CDs in one central location. And lets you access the effects from any room in the studio.

Introducing new interfaces for the Sony® CDK-006 Auto Disc Loader.

These interfaces include:

- RS232 Communication
- AES/EBU Digital Output
- Optional AES/EBU D/A conversion to professional 16 BIT four times over sampling DAC.
- Up to 8 work station link up to a single central location for the CDK-006.
- Up to 8 CDK-006s tied to a single computer.

The M&E Organizer System is both Macintosh™ and IBM™ compatible and comes with the catalog listings of the CD libraries you already own.

Ask about our other interfaces and our software only packages.

To order, call Gefen Systems at **818-884-6294**

•• Does not apply to the Macintosh Interface.

Macintosh is a registered trademark of Apple Computers, Inc.
Sony is a trademark of Sony Corporation of America.
IBM is a registered trademark of International Business Machines.



Gefen Systems is proud to offer the new BBC Sound Effects Library on compact disc. The library has **18 CDs** with digital stereo recording.

To order, call **818-884-6294** or FAX us at **818-884-3108**.



GEFEN SYSTEMS

**5068 SAN FELICIANO DRIVE
WOODLAND HILLS, CA 91364**

David Cook assisting... At Editel/NY, engineer Jonathan Porath digitally mixed and synched "If You Don't Know Me By Now," the latest music video by Elektra artists Simply Red... New York-based On the Edge started cutting basics and overdubs for their debut release at Sound on Sound Recording in New York City. Producer David Amlen worked closely with engineer Bryce Goggin... The soundtrack for a film produced for the Hartford Architecture Conservancy and narrated by Katherine Hepburn was completed by The Tape Works in Hartford, CT. The studio provided extensive sound effects work and a musical score... Baker Sound Studios in Philadelphia reports brisk activity in radio and TV work, including recording a new theme for "John Madden's Sports Calendar"... The Bridge was in at PCI Recording Studios in Rochester, NY, with producer Joe Kaltenbach and engineers Steve Forney and Jeff Corcoran to record their debut LP... Studio A at New York's Sanctuary Recording saw Marcus Miller, Lenny White and Bernard Wright (also known as The Jamaica Boys) tracking for their upcoming Warner Bros. album. Miller produced with Bruce Miller on the knobs and Eric Hurtig assisting... Back at D&D Recording for their third consecutive album were PolyGram/Tin Pan Apple artists The Fat Boys, with producer/engineer Franklin Grant and producer Cliff Branch... Pop vocalist Steven Andrews was at Big Mo Recording Studio in Wheaton, MD, working on a single, "It's All Theatre." The song's writer, Charlie Barnett, served as arranger and producer, and Ed Eastridge was at the board... At Presence Studios in East Haven, CT, Abe Kelly's new LP for CBS was mixed by Dennis Mitchell... Freddie Jackson was at Giant Sound in Manhattan to record vocals with engineer David Kennedy... Steven Remote's ASL Mobile Audio unit was in Boston for live radio broadcasts on WBCN-FM. The shows included Mercury/PolyGram artist Michelle Shocked from the Berklee Performance Center, Arista recording act The Jeff Healey Band and Capitol artist Jon Butcher, individually, from the Paradise Rock Club. The broadcasts were recorded, engineered, produced and mixed by Remote, with assistance from Scott Hartmann and Andy Slot... Also in Boston, Editel Sound completed audio post-production of WCVB-TV's children's television series *A Likely Story*, engineered and mixed by Chris Anderson... M.C. EZ & Troop stopped by Island Media Services to put finishing touches on a new album for Sleeping Bag Records. Al Watts engineered the sessions, with Curt Frasca as-

sisting... Tom Pomposello, in association with Frank Doyle and John Mitchell of Native Jam Productions, was producing "The Big Show" for MTV at Pyramid Recording Studios in New York City. Engineers included Werner F, Tim Hatfield, Mark Plati and Laura Freed... Ellen Rigas was recently at White Crow Audio in Burlington, VT, tracking basics with producer Adam Steinberg, with Tom Dube at the desk... Would you believe a gospel rap song? Producer Dan Winans has just completed one with artist Greg Carter at Roar Productions in Columbia, MD...

SOUTHEAST

Jamie Hoover was in studio A at Reflection Sound in Charlotte, NC, producing a new album for the group 8 or 9 Feet with engineer Mark Williams... At Criteria Recording Studios in Miami, CBS recording artists Pimpinella mixed their upcoming release. Fernando Adour produced the sessions; Ted Stein engineered with assistance from Carlos Nieto... Other Miami activity was reported by Audio Arts Recording, where composer/arranger Carlos Marmo recorded themes for Univision Television Network's news magazine show *Portada* and talk show *Cristina*. Engineering was Jorge Pacheco... Five-time *Star Search* winner Shannon Nesmith laid down tracks for her first release at Front Row Productions in Birmingham, AL. Scott McDavid and Tony Wachter produced, with Wachter working the faders.

STUDIO NEWS

A to Z Studios, a new 24-track facility in La Verne, CA, opened its doors on July 17. Owned by Dick Zahniser and designed by Carl Yancher of Lakeside Associates, the facility includes a new Trident Series 80B and Sony APR-24 multitrack recorder. Chief engineer is Shawn Michael... Vintage Recorders in Phoenix recently opened a George Augspurger-designed control room, complete with a custom bi-amp monitoring system and Perreux power amps. The fully digital studio installed an SSL 4040E G Series console, a Sony 3324 digital 24-track and a Mitsubishi X-80 digital 2-track... Steven Durr and Associates have been keeping busy with numerous projects, including acoustical design of a new network facility and complete audio post-production studio for Kentucky Educational Network in Lexington... Under new ownership: Skyline Recording in Topanga Park, CA, is now Topanga Skyline Recording and boasts a new Neve V Series MkIII console. ■

WORLD SERIES

"The EQ makes outboard equalisation a thing of the past, and the computer with its full sized keyboard has transformed our console into the most powerful and flexible music production system currently available."

John Hudson

Mayfair Recording Studios, London

"C'est la première console à me permettre de réaliser toutes les idées et toutes les envies sonores que j'ai pu avoir sans effort et sans stress. Il n'y a plus aucune limite à la créativité. C'est le seul instrument de musique qui traduise exactement mes émotions. Faire du mixage est un réel plaisir."

Dominique Blanc-Francard

"It's great to have been involved in the development of the new computer system and its new software features. The huge increase in speed and flexibility of operation makes it by far the most advanced mixing system available. As for the sound, I'm delighted with the end result. The transparent musicality of the new electronics is a pleasure to experience, whether mixing or recording. I'd be at a disadvantage to have to work with anything else."

Bob Clearmountain

今や私には空気のような存在である。——時には、音の発想の手足となりあるときは、複雑な要求にも応えてくれ、いや、もしかしたら求めた以上のものを与えてくれるかもしれない可能性を秘めている。今や私の仕事空間には必要不可欠なコンソールである。

内 沼 映 二 **Eiji Uchinuma**




Solid State Logic

Begbroke, Oxford, England OX5 1RU (0865) 842300

Paris (1) 34 60 46 66 • Milan (2) 612 17 20 • New York (212) 315 1111 • Los Angeles (213) 463 4444 • Tokyo (81) 3 320 1101
U.S. TOLL FREE NUMBER 800 343 0101

Merge, filter, channelize,
echo, transpose, map
and scale, up to
128 different MIDI devices
simultaneously...



with a hot coffee in one hand.



Introducing MIDIInet™, the ultimate MIDI studio integration tool for all New England Digital workstations, including the new Synclavier® 6400. MIDIInet combines the functionality of a fast, powerful 8 port MIDI processor with an expandable 8-in by 8-out patchbay. MIDIInet's unmatched processing capabilities mark the difference between professional performance and hours of wasted time and frustration. Your incoming and outgoing data can be handled simultaneously on all 8 ports, with a dazzling range of processing functions available. What's more, even the most complex system routing and processing routines can be programmed simply by drawing lines between device icons. Kid's stuff! For more information on the MIDIInet option call 1-800-848-4400 ext 356 (9 to 5 EST).



by Ken C. Pohlmann


THE MUSE

AUDIO ANIMATION UNVEILS A DIGITAL MASTERING CONSOLE

Without question, the compact disc has revitalized the record business. Sales of recorded music are stronger than ever, as former customers—long absent from record stores—return in droves, attracted to the new format. And as with the introduction of any new format, record labels are busy combing the back catalogs for re-release on CD. This surge in reissues, along with continued interest in new recordings, has made CD mastering one of the hottest areas in the business.

Many mastering studios are using their cutting lathes less and less, and instead are turning to PQ editors and the PCM-1630 for more and more of their business. But the task of mastering to a digital format, along with the increased demands of signal processing for CD remastering, has placed new pressure on the mastering console. Many analog consoles are no longer adequate, and considerable interest is focusing on digital consoles.

Audio Animation is a new company on the scene, founded in 1986 in Knoxville, Tennessee. Its premiere product, the Muse, is a digital transfer console with the four cardinal aspects of digital console technology as the design criteria: computational clout and speed, precision, flexibility, and friendly ergonomics. To handle the bulk of the processing chores, Audio Animation has developed its own proprietary processor, named the Fire Engine. Constructed of discrete parts, it smokes along at 400 MIPS (million instructions per second). The Muse uses 16 Fire Engines. Of course, it would be silly to ignore off-the-shelf technology, thus the Muse also employs 40 DSP 56000 chips to perform tasks such as FFT computation and I/O. Minimum data path width is 24 bits, and it bulges up to 56 bits when necessary. The Muse uses FIR meth-



ods for filtering (as opposed to IIR), thus there is zero phase distortion throughout in the system, at any equalization setting from tight notches to smooth filters. This is important: total linear phase throughout the recording and reproduction chain is becoming a priority in recording.

A modem is used for long-distance diagnostics, controlled by the RAM-based, modular operating system. The bus structure may be expanded to a larger frame. The control surface connects to the processing rack via a fiber optic link. P&G automated faders are used for input and output levels, as well as optical pots to control trim and balance. Interestingly, no A/D or D/A converters are provided with the

The Muse is designed to satisfy the increased demands of mastering in the digital domain.

IT'S THE LITTLE THINGS ABOUT THE IL SERIES THAT YOU'LL APPRECIATE.

Take a close look at the Soundtracs IL Production console. An outstanding console that's achieving acclaim amongst commercial recording studios around the World. Designed to meet a production climate that's radically changing with engineering that matches efficiency with vision.

More important, though, listen to the way it sounds. This 32 bus console offers very low noise, minimal crosstalk and a degree of sonic transparency that sets new standards.

Combine these attributes with a sensitive yet effective equaliser section to create one of the sweetest sounds to be found anywhere, perfect for high quality track laying.

And while our crystal clear layout is free of gimmicky, we've included a number of unique features and sophisticated circuit designs which, together with Soundtracs Tracmix fader automation, provides versatility to set your creativity free.

Little things in themselves. But in the Soundtracs IL, add up to a rather special production console.



SOUNDTRACS PLC, 91 EWELL ROAD, SURBITON, SURREY
KT6 6AH ENGLAND TELEPHONE (01) 399 3392/8101
FAX (01) 399 6821 TELEX: 8951073 STRACS G

SPECIFICATIONS:

- 48 OR 36 CHANNELS □ 104 OR 80 INPUTS ON REMIX
- INTERCHANNEL CROSSTALK BETTER THAN -88dB @ 1KHz
- MIX NOISE 32 INPUT ROUTED BETTER THAN -82dB

EXCLUSIVE US DISTRIBUTOR:

SAMSON[®]
Technologies Corp.

SAMSON TECHNOLOGIES CORPORATION, 485-19
SOUTH BROADWAY, HICKSVILLE, NY 11801, USA.
TELEPHONE (516) 932 3810 FAX (516) 932 3815

system; users are expected to supply their own. Given the sometimes fanatical opinions on converters and I/O filters, and the surge toward new conversion architectures, this is probably a wise move.

A user can specify equalization or dynamic range changes; a typical system has two EQ panels and two dynamic range panels. The infinite band equalization mode allows complete specification of response: a 5-band parametric EQ provides settings for 1,024 center frequencies from 20 Hz to 20 kHz, continuous Q range from 0.01 to 50.0, boost or cut from -40 to +20 dB, and bands are not restricted to any range. The high and low bands

Total linear phase throughout the recording chain is becoming a priority.

are switchable between peak and shelf. A user can specify a filter's -3 dB points and width, and select from a menu of types. The infinite band mode of the dynamic range controller allows mapping of any input level to any output level. Limiter, compressor, expander and noise gate operations are all available. The dynamic range controller provides over 2,000 settings for ratio, threshold, attack and decay. There are no limits on threshold and ratio settings. High-resolution, 101-segment bar graphs are used, and peak hold and compare functions are provided.

The automation system provides over 80 minutes of automatic function updating at 100 updates per second. Automation editing can be performed from the physical controls, as well as a graphics package. All control settings, automation programs and system configurations can be saved and recalled in real time. Disk storage is used, and all information is synchronized via SMPTE.

The control surface is surprisingly reminiscent of an analog console. For example, the EQ and dynamic range panels support the time-honored, one-knob/one-function method. An EQ panel has 15 primary knobs, and a dynamic range controller has eight

primary knobs. Embedded displays indicate control status. On the other hand, much of the information is conveyed via a high-resolution color monitor. The menu is largely icon-driven; a user grabs blocks of functions and connects signal paths by drawing lines. Ten different displays are available. Between the knobs and the CRT, one is free to proceed according to need or inclination. You can equalize or change dynamics with a knob, or design an elaborate curve with the graphics package. You can combine the two, for example, drawing only a portion of a desired frequency response curve. The user is free to configure processing modules; route signals; edit automation instructions; monitor any point in the signal chain with line, headphones or VU meter; adjust time code; and perform other tasks. Overall, it is easy to use the system, which offers good information flow to the user. Of course, an important measure of any digital device is its ability to interface with other devices. The Muse will accept a sample rate in the range from 30 to 100 kHz, and the sample rate is automatically slave-driven by the source. The system inputs and outputs AES/EBU, SDIF-2 and RS-232. There is a user-selectable option for de-emphasis and preemphasis.

Audio Animation plans to begin shipping the Muse in September; beta site testing has taken place over the summer. Estimated price is \$135,000. Initial plans call for production of ten to 20 consoles per year. Future plans call for reduction of principal circuitry to silicon; reportedly this will be capitalized by a second round of venture financing later this year. The company is also committed to development of digital recording consoles. In addition, availability of proprietary chips may stimulate development of digital audio products for the consumer market. For now, the Muse makes an impressive debut for a new company on the scene. More importantly, it is a sign that recent developments in digital audio processing are being applied energetically to real-world tasks such as mastering. ■

Ken C. Pohlmann, author of Principles of Digital Audio and The Compact Disc: A Handbook of Theory and Use also heads the music engineering department at the University of Miami.

MIC MADNESS!



FOR THE BEST FOR LESS CALL US LAST

TOLL FREE
(800) 356-5844
(608) 271-1100

FULL COMPASS SYSTEMS

5618 Odana Rd. Madison, WI 53719-1208

FOR THE BEST FOR LESS CALL US LAST

AKG • Audio-Technica • Beyerdynamic • Crown • Countryman • Electro-Voice • HME • Light Wave • Nady • Ramsa • Samsong • Sennheiser • Shure • Sony • Stewart • Telex • Toa • Vega • Williams •

by Stephen St. Croix

THE TIME HAS COME

"It is the nature of the cosmos, that any and all projects with a deadline shall, by the natural laws of the universe, miss said deadline, thereby causing great stress to all involved and to the very fabric of space and time itself. So it is and so it shall always be." —*Universal Law #1*

It does not matter in the least, for example, how early I begin one of these columns; it will be finished about three days *after* the deadline, and I will have stayed up several nights to do even that. It is only due

to the current state of technological advancement (three minutes after I spell-check the final here in Maryland, it appears in San Francisco by wire), and by the grace of *Mix* (who moved their deadline forward by ten days last



ILLUSTRATION BY JIM PEARSON

year—I suspect in anticipation of Universal Law #1) for even answering the phone when I call a few days after the last day that I am allowed to call.

Wait. Let me give you another example. I found out several months ago that my secretary has been picking up my airline tickets and actually *changing* the accompanying itinerary sheet so that I think the plane leaves one-and-a-half hours before it actually does. She claims that this is necessary to get me to the airport on time.

This, of course, is absurd! The fact that I have a ten-year history of finding myself in a position that requires me to run to the gate for all my weekly flights to L.A. merely reinforces the observations that led to Universal Law #1. The fact that it has been several months now since I have *had* to run to a gate simply shows a certain blossoming maturity on my part. This in no way supports her theory that falsifying relative time references can compensate for and thereby correct any basic personality trait of *this* man.

By the way, I figured out what she was doing after the first two months, and decided there were better things to do with my time than spend that extra 20 minutes watching waiting fliers smoke while their babies choke. My secretary must have figured that one out real fast and so countered with the Random Time Dilation Principle. This involves an occasional random ticket appearing on my desk *without* the departure times altered, so that if I tried to absorb the “extra” time, I found myself spending that night on the wrong coast. Nice. So now I can’t afford to take the chance, and her system continues to work.

Okay, okay, maybe I come a bit close to the wire (or perhaps even lean on it a bit) when it comes to writing or flying. I offer no excuse or explanation, as it is, well... it is... Universal Law #1! Yeah, that’s it!

Sure, none of *you* engineers have ever fallen subject to this law. None of you have ever spent the last five nights before a “drop dead” in the studio while your family and friends fade to a distant memory. But a lot of you must have evil twin brothers, because I sure have spent a lot of those panicked last nights with *somebody*!


And you manufacturers—is it be-

AUDIO • VIDEO • MIDI



- Studio packages
- Automation
- Synchronization
- Digital FX
- MIDI Work Station
- Music/Film Scoring Packages

- Buy/Sell/Trade New and Used Equipment
- Leasing Available
- Experienced Staff
- Volume Dealer



2641 E. McDOWELL
PHOENIX, AZ 85008

602-267-0600

EAR PROFESSIONAL AUDIO/VIDEO

OTARI

TASCAM
TEAC Production Products

Fostex



Soundcraft



lexicon




YAMAHA

Roland

SONY.

Circle #045 on Reader Service Card



PRINTING IS OUR SPECIALTY

Not to mention:
7" and 12" record pressing,
cassette duplication,
CD mastering/digital editing,
record, cassette and CD packaging,
cassette mastering,
disc mastering,
plating/electroforming,
typesetting,
color separations and negatives,
drop shipments and warehousing.

(513) 681-8400



2832 Spring Grove Avenue
Cincinnati, Ohio 45225

Circle #046 on Reader Service Card

fore or after AES and NAB that you leave on those two-week island vacations? Oh, yes, it must be *before*, because of all the extra time there is while the paint is drying on the new prototypes. Yeah, here too. We at Marshall Electronic generally leave about a month before each show to catch a couple hundred totally rad waves in Australia.

It seems that in the final analysis I lead three lives—my personal life, my work life and my deadline life.

Now boys and girls: DON'T TRY THIS AT HOME! It is Universal Law #2

that your deadline life shall attempt to steal as much time as possible from your personal life, leaving only your deadline and work lives remaining. It is a lot like really bad science fiction, only it's *real*.

It is the nature of our industry to be deadline-driven, of course. I can't see it any other way. All toys are brought to you sooner, even if a bit prematurely, by the competitive need to "make the show." All records, all television shows, all films (and all else) would slip smoothly past their promised due date if there was no penalty for doing so. Movie teasers would cheerfully claim, "Coming probably

this summer, or fall at the latest, but definitely by Christmas: *StarBars XX!*"

One of the associated scientific principles of Universal Law #1 is that the amount of energy that must go into a project in order to make the deadline increases logarithmically as said deadline approaches. Note that no matter how professional you are, how long you have been doing this or how many projects you have been through, you never stay up all night 60 days before the deadline. No, this is simply not possible without violating the basic physical laws of the universe.

You must wait until the deadline is close enough for that log curve to begin to bend up. *Then* and only then will the rules of quantum mechanics allow you to realize that you will have to cancel that most important personal event, whatever it is, booked who knows how many months ago, involving most or all of your closest friends, to spend 38 straight hours in front of a mixing desk, computer terminal or soldering iron.

Maybe it's the final Michael Jackson concert. Or the only combined alignment of all the planets with a total solar eclipse in the next 2,300 years. Or the one weekend in your life that your rich buddy wants to leave his twin turbo, nitrous-breathing Testarossa with you to drive so the gas won't go stale. Or a week on Maui with the Ku sisters.


Whatever. In any case it is gone. And you *let* it go; just so that you could deliver. Responsibility, honor, understanding of the importance—the critical nature—of the project. Who taught us these abstract concepts anyway, and why aren't they here to help out at the midnight hour?

Well, I just thought that it might help a bit (perhaps make you feel a little better the next time it happens) to know that somewhere out there is a writer who understands and sympathizes. In fact, he officially salutes your perseverance and sense of responsibility.

But he has to cut it short. He's a bit busy right now trying to get his column out before the deadline. ■

Many years ago, before the public was aware of synthesizers, Steve St. Croix did a show in a hick town, and as he entered the hall, he passed the marquee: "Stephen St. Croix on the ARD Sympathizer."

When ROCK 'N' ROLL was born . . . ANVIL CASES WERE THERE



- 6 distinct product lines –
- A.T.A. heavy-duty shipping to lightweight carrying cases
- Custom measuring and designing available • 15 attractive colors
- Building quality cases since 1952


Call Today For More Information



4128 Temple City Blvd. • Rosemead, CA 91770 • (800) 423-4279 • CA: (800) 242-4466 or (818) 575-8614

Circle #088 on Reader Service Card

"Professional reverb, \$200... Unbelievable!"



That's what professional studio owners, record producers and experienced engineers are saying about the Alesis MICROVERB® II Digital Reverb. They're used to spending \$2000 to \$10,000 on a digital reverb. But it's not expensive reverb they're after...it's great *sounding* reverb. Deep, rich, dense. Full of character. The sound that MICROVERB® II delivers in dead quiet 16 bit stereo.

One simple knob chooses MICROVERB® II's 16 classic reverb programs. Each one carefully crafted. Each one worth the full price alone. This is not only one of the greatest all purpose reverbs ever made, it's also the greatest value. Simple, direct, timeless. MICROVERB® II is a front line, master quality digital processor that will dramatically improve the sound of your music.

Don't be fooled. There's plenty of cheap reverbs out there. But they *sound* cheap. Don't trash your music and waste your money

with a wimpyverb, or try to make do with a captured reverb in a keyboard, when you can have MICROVERB® II. Use it on your next demo tape. Wrap it around your next hit record. Isn't it great when price isn't an issue for the very best?



MICROVERB® II is the first and last word in professional reverb. Believe it.

We can prove it. Call **1-800-5-ALESIS** toll free, and we'll send you "The MICROVERB® II Demo Tape" so you can hear a classic professional reverb in action.

Then see your Alesis dealer.



Tap
Into
The Future

MidiTap...
MediaLink
Fiber Optic
Connectivity
Solutions...



LONE WOLF

Circle #146 on Reader Service Card

1505 Aviation Boulevard Redondo Beach CA 90278 (213) 379-2036 Fax: (213) 374-2496

by Mel Lambert

AUDIO IN DIGITAL TIMES

A REPORT ON THE AES' SEVENTH INTERNATIONAL CONFERENCE

You don't need much of a crystal ball to predict that digital technology will continue to revolutionize the way in which we record, process, manipulate and edit audio. That the majority of recording and production facilities have dabbled in things binary—if only through exposure to a humble DAT recorder or a microprocessor controlled sound bender—is self-evident. What might be less obvious, however, is the fundamental revolution in creativity and practical operations that the Age of Digital will represent.


Once the audio material is converted to ones and zeros, we can subject it to some pretty mind numbing sonic gymnastics. The big question is how do we keep up with all these rapid advances? Reading *Mix* certainly keeps you abreast of news from the industry. But monthly magazines don't have enough space to cover the theory of most audio technology, let alone the rapid advancements being made in microprocessor design and implementation.

So where do you go for an injection of digital wisdom? I know of at least two outstanding textbooks that will bring anyone up to speed pretty rapidly: Ken Pohlmann's *Principles of Digital Audio*, now in its second, enlarged edition; and John Watkinson's highly readable and comprehensive tome, *The Art of Digital Audio*. (Both of these texts, plus others on the subject, are available through the Mix Bookshelf, call [800] 233 9604 or [415] 653 3307 for more information.)

But no sooner is the ink dry on any textbook worthy of the name—more so in a rapidly expanding subject such as digital audio—than it's partially out of date. One way of keeping up with

advancing technology is through the various international conventions held during the year, including the NAB, SMPTE and AES gatherings. These and other specialized events can be a gold mine of new informa-

Below,
Toronto Skyline



Your Horn Got The Blues?



In much the same manner that our large format twin 15" FSM-U and our T.E.C. Award winning PBM Series monitors have greatly improved upon accepted industry standards, our new **SGM-15B** establishes a higher level of performance for compact primary monitors.

Whether in a near field environment or soffit mounted, the 15B possesses the unique ability to resolve the subtlest of details at both high and low sound pressure levels with music as diverse as full blown rock to a string quartet. Pin-point imaging, extended bandwidth and exceptional transient capabilities are benefits of the patented Tannoy Dual Concentric transducer known by audio experts around the world.

Of course, any primary reference loudspeaker should be able to satisfy a wide variety of musical demands, but as is all too painfully obvious, many popular monitors only perform well with certain types of music and generally must be pushed relatively hard to achieve "THEIR SOUND". Understanding the need for a true mid-sized high SPL reference monitor Tannoy engineers have achieved a design that is non-fatiguing, accurate and above all **MUSICAL**.

FEATURES

- Tannoy's **Dual Concentric** design incorporates the flare of the 15" L.F. cone as a direct extension of the H.F. compression driver. This patented design results in the **purest point source** and eliminates the need for the typical horn assembly and its associated "Non Musical" imperfections.
- Gird acoustic reinforced L.F. cone assembly with high compliance rolled surround, providing extended low frequency response with strong but **balanced punch**.
- **Sync-source** time compensated, gold plated hard-wired crossovers provide finer detail resolution and **three bands** of adjustment.
- Internally braced medite cabinet critically damped with TF-1 lagging to eliminate unwanted resonance, and is sized to **retro-fit** existing soffets.
- High power handling capability to take advantage of today's advanced digital formats and high current super amps.

TANNOY Professional Products

Go For The Gold

tion for the active audio professional.

Against this background, the Audio Engineering Society is to be warmly congratulated for its recent international conference, held in Toronto during mid-May. Titled "Audio in Digital Times," the conference comprised almost 50 technical papers covering a remarkably coherent spectrum of theoretical and practical topics, ranging from trends in basic digital technology, through consumer audio, to applications in film and broadcasting. Chairman of the technical program planning committee was *Mix* columnist and University of Miami professor Ken Pohlmann; program chairman was Robert Finger of Matsushita Electric Corporation. According to conference coordinator Ann Smyth, the total attendance was just short of 450 participants.

Following Pohlmann's opening remarks, the four-day conference kicked off on Sunday afternoon with a fascinating pair of tutorial presentations by Takeaki Anazawa and Almon Clegg of Nippon Columbia/Denon, and Stanley Lipshitz and John Vanderkooy of the University of Waterloo, Ontario. Anazawa and Clegg's paper detailed the historic work carried out by Denon in the late '60s, culminating in 1972 with the introduction of the world's first PCM recorder, the DN-023R, which used 2-inch videotape running at a sampling frequency of 47.25 kHz and 13-bit linear quantization.

The Lipshitz/Vanderkooy tutorial combined a visually appealing overview of digital quantization and conversion basics, with practical demonstrations of the sonic effects of variable sampling frequency and the use of dither signals. The information took on a tangible reality because it was presented with real-world examples. Such concepts as how aliasing products fall back into the passband when the Nyquist bandwidth-limiting theorem is ignored take on a whole new meaning when you can actually hear the results for yourself.

During the second day of the conference, Bart Locanthe of BNL Research Associates chaired a session entitled "State-of-the-Art and Trends in Basic Technology." As part of this session, Jim Lemke of Recording Physics discussed recent advances in recording systems and predicted that within two

years we will have recorders capable of holding 60 minutes of stereo material on a 2-inch floppy disk cartridge, with a recording capacity of no less than 1.25 Gbits per square inch! He concluded that magnetic media will offer a significant advantage over optical media in terms of access times and packing densities.

This same theme was explored by Takeo Yamamoto of Pioneer Electronic Corporation. His paper titled "Optical Recording Technology: Can Optical Discs Be Applicable to Digital Audio Workstations?" ultimately concluded "no." Analyzing the various alternatives available for opto-magnetic/erasable technologies designed to store large amounts of data on reusable media, Yamamoto explained that a bottleneck results from the difficulty of quickly accessing data for real-time replay of more than a handful of tracks from optical discs. For high-speed access and real-time playback of more than, let's say, four tracks of 16-bit/48kHz audio, we need to consider hard disk drives, but for high-volume, removable media holding completed mixes and edited material, magneto-optical is the way to go.

Three complementary papers by Gene Frantz of Texas Instruments, Edmund Cheng of Silicon Compiler Systems and James Johnson of AT&T/Bell Laboratories provided valuable insight into the onboard processing power of today's number-crunching engines. Also discussed were currently available options for top-end designers using advanced CAD systems to lay out complex, multilayer boards.


Monday's afternoon session, "Conversion Techniques and Performance Evaluation," chaired by David Haynes of Integrated Media Systems, considered in further detail some of the building blocks available to the digital designer. Louis Fielder of Dolby Laboratories provided a fascinating glimpse into the world of psychoacoustics and noise-shaping algorithms in his paper "Human Auditory Capabilities and the Consequences in Digital Audio Converter Design," while Bob Adams, formerly with dbx/Carillon Technology, now with Analog Devices, described the internal workings of his elegant two-chip design for 20-bit conversion using noise-shaping/digital decimation techniques.

Remy Fourre of UltraAnalog Inc. described techniques for testing dual 20-bit D/A converters running at sam-

New Standard.



The Josephson C-603, with its wide selection of interchangeable capsules, is sure to become the new standard in your studio, too. It's manufactured in Germany by MB Electronic, and provides the unaltered, transparent sound pickup that's made MB mics famous since 1966. Hear it at your favorite pro audio dealer, or call us for information.



JOSEPHSON ENGINEERING
3729 Corkerhill,
San Jose, Calif. 95121
(408) 238-6062
Fax (408) 238-6022

.....tools of the trade

Circle #043 on Reader Service Card

SEPTEMBER 1989, MIX 27

WORLDWIDE DEALER/REPRESENTATIVES:

EAST COAST: STUDIO CONSULTANTS, INC. 212-586-7378	MID-US: MILAM AUDIO 309-346-3161
WEST COAST: EVERYTHING AUDIO 818-842-4175 WESTLAKE AUDIO 213-851-9800	EUROPE: SYCO SYSTEMS (LONDON) 01-724-2451 JAPAN: NISSHO IWAJ (NY) 212-704-6692

Circle #042 on Reader Service Card

api audio products, inc.
7951 TWIST LANE,
SPRINGFIELD, VA 22153
703-455-8188 FAX 703-455-4240

SEPTEMBER 1989, MIX 29

JUXTAPOSITIONS

pling frequencies up to 200 kHz, areas we may well be entering in the not-too-distant future. Jimmy Naylor of Burr-Brown Corporation described his

digital systems in the digital domain, analog domain or a combination of the two, including the design of distortion analyzers based on Motorola DSP56001 high-speed processors. His test data included distortion and fre-

World." Ludwig summarized the results of an extensive survey among 21 mastering and production engineers. While most participants were reasonably happy with the current state-of-the-art in digital recording systems, Ludwig concluded that more work

JUXTAPOSITIONS

elements of an audio workstation, including details of his firm's 64-channel, 24-bit Digital Audio Bus.

Again, because of session conflicts, I was unable to attend the session entitled "Digital Signal Processing: Architectures and Music Applications," chaired by Jeff Borish of Euphonics. Jean Marie Adrien of IRCAM, Paris, described "Dynamic Modeling of Instruments for Sound Synthesis," while Julius Smith of NeXT Computer provided insight into the DSP architecture and audio capabilities of the firm's Cube PC. Kevin Kloker of Motorola

outlined "VLSI Architectures for Digital Audio Signal Processing"; John Snell of Timber Engineering, San Geronimo, Calif., described "Multiprocessor DSP Architectures and Implications for Software"; Ken Bogdanowicz covered "Using Multiple Processors for Real-Time Audio Effects"; and Dan Weiss of Daniel Weiss Engineering, Switzerland, detailed "Experiments with the AT&T DSP32 Digital Signal Processors in Digital Audio Applications."

The last session of the conference, "Digital Audio in Film and Broadcasting," chaired by Randy Hoffner of NBC, New York, walked a useful line

between the theoretical and practical aspects of digital audio. Skip Pizzi of National Public Radio covered a lot of bases during his paper "Digital Audio Applications in Radio Broadcasting," including the strong role to be played by DAT and random-access editing systems, while Ronald Uhlig of Eastman Kodak Company analyzed the "Feasibility of Digital Sound on Motion Picture Film," which reported on the recent findings of a SMPTE Study Group.

Doug McKenzie of Master's Workshop, Ontario, presented a very interesting analysis of "Digital Sound Post-Production for Television and Theatrical Motion Pictures," which included a detailed look at Soundmaster, a computer-based editing system offering enhanced machine control of analog and digital transports. In his paper titled "Transmission Suite for Digital Broadcasting," Benjamin Bernfeld of Harmonia Mundi Acustica described a broadcast center in Switzerland that is equipped with 16-input stereo digital consoles, sampling frequency converters and DSP capabilities. Eichi Miyasaka of NHK, Tokyo, described a new discrete, 4-channel, surround sound system for high-definition television (HDTV) that uses a 15-bit signal companded to 8-bit, or a 16-to-11 reduction for stereo transmissions. Finally, in his paper "Digital Audio for Video Production and Post-Production," Brian Lilly of Sony Broadcast, New Jersey, described various building blocks for the TV studio and post facility of the very near future, including editing, signal distribution and routing, bit-rate conversions, format conversion and synchronization.

All in all, the conference represented a great deal of interesting information during four days of technical sessions and discussions with participants into the wee small hours. For those of you unable to attend the conference, AES plans to publish the entire proceedings this summer. A complete collection of papers will cost between \$30 and \$40. Watch these pages for further details, or call Jesse Klapholtz, managing editor of the *AES Journal*, at (212) 661-8528. ■

Mel Lambert has been actively involved with professional audio on both sides of the Atlantic for the past 14 years, and now heads up Media&Marketing, a consulting service for the pro audio industry.

PACIFIQUE RECORDING STUDIO

ANNOUNCING THE OPENING OF THE NEW ROOM.

NEVE V SERIES 60 INPUT W/NECAM 96

STUDER A820 MULTI TRACK
A820 1/2 INCH

KRK MONITORS

818-761-8042

10616 MAGNOLIA BLVD. N. HOLLYWOOD 91601

Circle #044 on Reader Service Card

Programs for Digital Reverberation"); Dave Rossum of E-mu Systems ("Digital Dither in Music and Sound Synthesis"); and Karlheinz Brandenburg of the University of Erlangen-Nurnberg ("Low Bit Rate Coding of High-Quality Digital Audio").

Tuesday afternoon, Len Feldman of Leonard Feldman Electronic Laboratories chaired a session entitled "Consumer Digital Audio," during which Stephen Mascenik of Nakamichi Corporation described the company's work in developing a magneto-optical recorder. The talk included a practical demonstration of a prototype deck capable of storing up to 20 minutes of stereo audio on a 3.5-inch removable disc.

K. Yamamoto of Sony Corporation, Japan, described a new set of DSP chips being used in consumer surround sound systems, while Irwin Zucker of Yamaha Electronics outlined the development of custom chips that allow a variety of ambiances to be re-created in a consumer's listening room. The system uses a dedicated set of four extra loudspeakers located in the room's top four corners. Finally,

Stanley Quinn of Frederiksen and Shu Laboratories described a new technique for compressing 16-bit digital signals for potential use in satellite transmission systems.

On Wednesday morning I chaired a session entitled "Digital Studio Design and Practice," during which Tim

applications and practical implementations of the Multichannel Audio Digital Interface (MADI), including the requirement for a separate master word-clock line in addition to the 56-channel serial bit stream running at almost 100 megabits per second via fiber optic links.

In his paper "Communications in the Digital Audio Studio," Jim Wilkinson of Sony Broadcast & Communications, UK, tied together a variety of themes, including synchronization and digital interfaces, plus various message modes available within the AES/EBU and MADI formats to identify source and destination studios.

In a trio of related papers, Mark Goldstein of Integrated Media Systems described techniques for synchronizing digital systems to one another, in addition to master time code streams, while Bill Cavanaugh of New England Digital considered the various software and hardware interface designs for digital audio workstations. Finally, Charles Anderson of WaveFrame Corporation wrapped up the session with a comprehensive treatise on communication among the major hardware

...but the big question is: "How do we keep up with all these rapid advances in the age of digital?"

Shelton of the BBC Research Department, UK, provided an in-depth description of the types of problems encountered while synchronizing various word and bit clocks used in digital recording and processing systems. Paul Lidbetter of Neve Electronic Laboratories, UK, described the various

don't forget your lunch!

THE 512b MIC PRE:

The new API 512b-
An all discrete EQ size
mic preamp/instrument
direct box in one.

THE 550b EQ:

The new API 550b-
The same circuit as
the famous all discrete
550A, but with four
bands and more
frequencies.

THE 500-b4:

The new API 500-b4-
A portable rack for API
modules, with the
traveling engineer or
musician in mind.



api

WORLDWIDE DEALER/REPRESENTATIVES:

EAST COAST: STUDIO CONSULTANTS, INC. 212-586-7378	MID-US: MILAM AUDIO 309-346-3161
WEST COAST: EVERYTHING AUDIO 818-842-4175 WESTLAKE AUDIO 213-851-9800	EUROPE: SYCO SYSTEMS (LONDON) 01-724-2451 JAPAN: NISSHO IWAI (NY)212-704-6692

api audio products, inc.
7951 TWIST LANE,
SPRINGFIELD, VA 22153
703-455-8188 FAX 703-455-4240

Circle #042 on Reader Service Card

elements of an audio workstation, including details of his firm's 64-channel, 24-bit Digital Audio Bus.

Again, because of session conflicts, I was unable to attend the session entitled "Digital Signal Processing: Architectures and Music Applications," chaired by Jeff Borish of Euphonics. Jean Marie Adrien of IRCAM, Paris, described "Dynamic Modeling of Instruments for Sound Synthesis," while Julius Smith of NeXT Computer provided insight into the DSP architecture and audio capabilities of the firm's Cube PC. Kevin Kloker of Motorola

outlined "VLSI Architectures for Digital Audio Signal Processing"; John Snell of Timber Engineering, San Geronimo, Calif., described "Multiprocessor DSP Architectures and Implications for Software"; Ken Bogdanowicz covered "Using Multiple Processors for Real-Time Audio Effects"; and Dan Weiss of Daniel Weiss Engineering, Switzerland, detailed "Experiments with the AT&T DSP32 Digital Signal Processors in Digital Audio Applications."

The last session of the conference, "Digital Audio in Film and Broadcasting," chaired by Randy Hoffner of NBC, New York, walked a useful line

between the theoretical and practical aspects of digital audio. Skip Pizzi of National Public Radio covered a lot of bases during his paper "Digital Audio Applications in Radio Broadcasting," including the strong role to be played by DAT and random-access editing systems, while Ronald Uhlig of Eastman Kodak Company analyzed the "Feasibility of Digital Sound on Motion Picture Film," which reported on the recent findings of a SMPTE Study Group.

Doug McKenzie of Master's Workshop, Ontario, presented a very interesting analysis of "Digital Sound Post-Production for Television and Theatrical Motion Pictures," which included a detailed look at Soundmaster, a computer-based editing system offering enhanced machine control of analog and digital transports. In his paper titled "Transmission Suite for Digital Broadcasting," Benjamin Bernfeld of Harmonia Mundi Acustica described a broadcast center in Switzerland that is equipped with 16-input stereo digital consoles, sampling frequency converters and DSP capabilities. Elichi Miyasaka of NHK, Tokyo, described a new discrete, 4-channel, surround sound system for high-definition television (HDTV) that uses a 15-bit signal companded to 8-bit, or a 16-to-11 reduction for stereo transmissions. Finally, in his paper "Digital Audio for Video Production and Post-Production," Brian Lilly of Sony Broadcast, New Jersey, described various building blocks for the TV studio and post facility of the very near future, including editing, signal distribution and routing, bit-rate conversions, format conversion and synchronization.

All in all, the conference represented a great deal of interesting information during four days of technical sessions and discussions with participants into the wee small hours. For those of you unable to attend the conference, AES plans to publish the entire proceedings this summer. A complete collection of papers will cost between \$30 and \$40. Watch these pages for further details, or call Jesse Klapholtz, managing editor of the *AES Journal*, at (212) 661-8528. ■

Mel Lambert has been actively involved with professional audio on both sides of the Atlantic for the past 14 years, and now heads up Media&Marketing, a consulting service for the pro audio industry.

PACIFIQUE RECORDING STUDIO

ANNOUNCING THE OPENING OF
THE NEW ROOM.

NEVE V SERIES 60 INPUT W/NECAM 96

STUDER A820 MULTI TRACK
A820 1/2 INCH

KRK MONITORS

818-761-8042

10616 MAGNOLIA BLVD. N. HOLLYWOOD 91601

THERE CAN BE ONLY ONE WORLD LEADER IN MUSICAL SIGNAL PROCESSING.



THE SGE - STUDIO SUPER-EFFECTOR

- 9 stunning studio effects at once!
- Bandwidth to 20kHz
- 2 full octaves of pitch transposing
- 200 memory locations
- Real time Performance Midi®
- Amazing distortion and overdrive
- Full parameter programmability
- Rugged internal power supply
- 16 Bit state-of-the-art D-A converters
- Hyperspeed edit buttons
- Sys-ex codes
- Random access keypad
- Studio presets of the finest guitar sounds
- Stereo in/out
- Software updateable-never becomes obsolete

Effects

- Harmonic Exciter
- Noise Gate
- Envelope Filter
- Pitch Transposer (over 2 full octaves)
- Equalizer
- Peak Limiter
- Expander
- Compressor
- Stereo Flange
- Overdrive • Distortion
- Stereo Delay • Stereo Echo • Tap Delay
- Stereo Imaging, Panning • Digital Reverb
- Gated Reverb • Reverses • Stereo Chorus

A.R.T. proudly introduces one of the most powerful signal processors ever built. 9 shimmering effects at once with sound purity that is beyond description! The ability to mix and match nearly every effect you can think of. All fully programmable, at a breakthrough price from the world innovator in musical signal processing ...

A.R.T.

APPLIED RESEARCH & TECHNOLOGY INC.

Circle #141 on Reader Service Card

Export Distributors:
 THE NETHERLANDS/Audioscript B.V./Soest. 02155-2044/FINLAND/MS-Audiotron/Helsinki/90-5664644/SWEDEN/Muskantor & Co./Molndal/031-878080/France/High Fidelity Services SA/Paris/(1) 42.85.00.40/CANADA/Yorkville Sound LTD. Scarborough/416-751-8481/ITALY/FRATTELLI CRASIO/PAVIA/0385 48 029/WEST GERMANY/PME Audio/BAD FRIEDRICHSHALD/07136-6029/
 SWITZERLAND/Musikengros P. Gutter Sissach/061-98 1757/HONG KONG/Audio Consultants LTD. Kowloon/3-7125251/JAPAN/Nihon Electro Harmonix/Tokyo 03-3232-7601/THAILAND/Beh Ngiep
 Seng Musical Instruments/Bangkok/222-5281/INDONESIA/PT Kirana Yudha Teknik/Jakarta/3806222 SINGAPORE/Lingtec PTE. LTD./7471951 SPAIN/Aplicaciones Electronicas Quasar SA/Madrid/
 6861300/TURKEY/Kadri Cadmak/Istanbul/(1) 1661672/DENMARK/M.I. Musik/Kobenhavn/1-854800 U.K./Harmon U.K./Slough/075 376911 NEW ZEALAND/Maser Digitek/Auckland/444-3583/4/
 ISRAEL/JAZZ ROCK/ToI Aviv/03-24-9941/ARGENTINA/Lagos Sarmiento/Buenos Aires/40-6455/NORWAY/AUDIOTRON OSLO/2 35 20 96/TAIWAN/Sea Power Co./TAIPEI/02314 1113/
 GREECE/ZOZEF/PIRAEUS/014170151

APPLIED RESEARCH & TECHNOLOGY INC., 215 Tremont Street, Rochester, New York 14608, (716) 436-2720, TELEX: 4949793 ARTROC, FAX (716) 436-3942



CHEROKEE:

RECORDING
STUDIOS

The Legend continues . . .

CONTROL ROOM I



CONTROL ROOM II



CONTROL ROOM III



MIC-PRE/EQUALIZER MODULES



Now available "A" Range Modules. Call for details.

CHEROKEE RECORDING STUDIOS INC.
751 North Fairfax Avenue • Los Angeles, California 90046-7290 • (213) 653-3412

Circle #168 on Reader Service Card



WHEN IS A HOME STUDIO NOT A HOME STUDIO?

by Linda Jacobson, Tom Kenny and Randy Alberts

Home recording studios are not new, especially in Los Angeles. But in the dawn of tape recording, only a few adventurous souls recorded music in their garages and basements. Everybody else wanted things simple, so they went to large, ambient, professional service facilities. Today it's far more commonplace for a creative person to assemble and operate a recording system in a spare bedroom, where complete albums can be tracked, even mixed down for CD mastering. And for some people this phenomenon has become a foundation for new businesses.

One such business is now closed. In June the Los Angeles City Department of Building & Safety ordered the

A Forum of Studio Owners and Other Recording Professionals in L.A.

closure of producer/songwriter Chas Sanford's home studio, Secret Sound L.A., claiming the business violated residential zoning laws. This occurred not long after a meeting was held by a new, informal organization of about 40 major recording facilities, the Hollywood Association of Recording Professionals (HARP). HARP formed because studio folks wanted to talk

about common business issues, like insurance and bill collection. When HARP members saw a brochure about Sanford's studio, they began to wonder about zoning laws, and they invited a rep from the Building & Safety Dept. HARP's members learned that zoning laws prevent studios from existing in residential neighborhoods. And the zoning official learned about Secret Sound L.A.

Before Secret Sound was closed (with two weeks' notice), Sanford contacted the mass media about the ruling's "unconstitutionality" and blamed the closure on HARP. HARP denies Sanford's allegations that the group went to extreme lengths to close his studio to "set an example" for other big-time home setups.

Sanford appeared on TV and held interviews with the *Los Angeles Times*

Grand sound... for less than 1/3 of a grand!



The impressive new AT4031 Studio Cardioid Capacitor Microphone.

Our new AT4031 makes a great first impression. And it builds from there. The sound is effortless and natural over the entire spectrum of voices and musical instruments. It's the result of wide, flat frequency response, low distortion, and excellent dynamic range.

Very fast transient response

The outstanding performance is the product of uncommon precision inside the fixed-charge element. The diaphragm is only 0.00016" thick (just 4 *microns*), including the ultra-thin vacuum-deposited gold conductive layer. Very fast transient response and wide bandwidth are assured. With its high sensitivity (-44 dBm)

and low distortion, the AT4031 meets the stringent dynamic range demands of today's storage and playback media.

Uniform, predictable performance

You'll find the AT4031 very easy to use. The uniform, predictable cardioid pattern translates into off-axis attenuation, not coloration. An integral second-order high-pass filter lets you roll off the bass at 12 dB per octave, when wind noise or room rumble must be controlled. An effective foam windscreens is also standard.

No-compromise performance

The AT4031 is intended for those professionals who will

accept no compromise in performance, yet need a tough, reliable microphone. But, listen for yourself. Based on extensive field tests in studios and on stages around the country, we think you'll agree that what you hear is precisely what you need...the new AT4031 Studio Cardioid Capacitor microphone.



audio-technica®

1221 Commerce Drive, Stow, OH 44224
(216) 686-2600



and national wire services, saying, "The zoning law invoked in this instance is antiquated. The way it reads, you can't do anything in your home that you can be compensated for. [Using] a strict interpretation, you can't write a song or an article [at home]. This isn't the type of thing the law was written for. It was written for auto mechanics who have 20 cars in their front yard."

Frank Eberhard, the city's chief zoning administrator, told the Associated Press that strictly speaking, a home business operator violates the city's zoning code, unless the home/business immediately adjoins a commercial zone. "But unless there's a neighborhood complaint, there's not a real heavy enforcement of those rulings."

The HARP/Sanford incident may be isolated, but what it represents is not: home studios have affected commercial studio business, and the growing trend of home-based workers—a trend cutting across almost all service industries—affects the workforce in traditional industrial and business centers. (Last year, market researchers at Link Resources Corp. reported that over 9.5 million Americans are self-employed, operating businesses from their homes.)

Mix contacted studio professionals in Los Angeles—some connected to the HARP/Sanford incident directly and some connected only by industry affiliation—to document their perspectives on home recording. They are:

Chas Sanford, who has produced releases for Stevie Nicks, Chicago and Rod Stewart. His home in the Wood-

Chas Sanford

land Hills part of L.A. contains a recording studio with a Solid State Logic console, digital multitrack, audio/video synchronization and top-quality monitors, outboard devices, mics, synths and samplers. (The studio itself was built in 1980 by the house's former owner.)

Buddy Brundo, co-owner of Conway Recording Studios in Hollywood, and spokesperson for HARP.

Shelly Yakus, a partner in Hollywood's A&M Studios, which started out 27 years ago in Herb Alpert's garage.

Darryl Caseine, manager of Encore Studios in Burbank.

WHAT IS YOUR POSITION ON THE HARP VS. SECRET SOUND/L.A. SITUATION?

Brundo: We have *no* problem with personal use studios, artists' home studios. They are operating within the law. Our issue is with blatant, commercial, for-hire, advertised, home studios, *a la* Secret Sound. We are against those in principle, but we are not an enforcement agency.

Caseine: It's been HARP vs. Chas Sanford and the home studio, and it's very disappointing to me. We have not been affected by the home studios—except for three days all year, including holidays, we've been locked out. People who are worried about home studios have to look in the mirror and say, "What am I doing wrong? Do my

"As an artist, I can sympathize with an individual's right to create in his home. However, I feel no one has the right to operate a commercial business without meeting all legal requirements. I have the same equipment found in many home studios, and if all I had to do was meet my payments I would be happy. But as a commercial business I must comply with federal, state and local requirements such as building, electrical, handicap, fire, plus all the applicable taxes and medical coverage for my employees. It is clear how this affects not only Lion Share, but the entire entertainment industry, and jeopardizes the very fiber on which the city was built."

—Terry Williams,
Lion Share Recording Studios

Bernie Grundman MASTERING

Featuring All Digital Domain Processing

Complete Digital and Analog Mastering for Compact Disc Cassette and LP Disc

FAX (213) 465-8367
Phone (213) 465-6264
6054 Sunset, Hollywood CA 90028

Circle #059 on Reader Service Card

The art of shaping sound.

SONEX is a high-performance acoustical foam that upgrades your studio inexpensively. Ideal for a temporary isolation booth, it can also eliminate slap echo and harsh resonances in the main room or silence noisy tape equipment in the control booth. Write for our color brochure today.



Alpha Audio. Acoustics

2049 West Broad Street
Richmond, Virginia 23220 USA
(804) 358-3852 FAX: (804) 358-0406
Acoustic Products for the Audio Industry

Circle #060 on Reader Service Card



Studio owners did a double-take when they saw this color brochure. Shown here are two pages from the six-pager put out last spring by Secret Sound L.A.

a real studio?" I happen to have a real studio, and it's hard to convince them over the phone. So I printed up an equipment list with pictures. My studio never has been open to the general public. I built it for my own projects and obviously a lot of people build rooms like this, and if they sit there writing for a couple of months it gets expensive. I let my friends work here—I've had four, maybe five outside projects in three years, but never anybody off the street or anyone that came from HARP studios. I charge for the sessions I produce for record companies to try to support the lease payments.

Yakus: I wish it had been approached from the point of view of having [Sanford's] studio pay the same fees and taxes associated with commercial studios, instead of giving him two weeks to close his studio, which is his livelihood. A&M is for home studios, as long as the home studios pay the same taxes and must have the same permits as commercial studios. However, I would not like to see any more commercial-only studios in homes. This becomes unfair competition because the home studio owner does not have to lease a large space at exorbitant

posed to cease all production, mixing, anything involved with doing records for commercial purposes. It can also be interpreted if I write a song and that song gets used on a record, that's for commercial use, according to the zoning law. That's the part that rubs me the wrong way.

In the meantime, I'm going to apply for a variance [in the zoning law]. The city's chief zoning administrator suggested I apply for it and just keep appealing, because he believes the law is going to be changed. I've been asked to propose something to the city council to amend the law so it would be based on neighborhood im-

pact, making noise or disturbing the character in your neighborhood. I got all my neighbors to sign the variance application, and most of them didn't even know I had a studio. There's a lot of motivation for the city to change the law, because they need to cut down on traffic and gas consumption. It's all about being able to do what you want in your own home, which would seem to be constitutional.

About my brochure: when you're a producer, you set up a budget, you talk to the A&R guy, and they ask, "Where are you going to do the record?" When you say, "in my house," they say, "Wouldn't you want to go to

Right Between The Ears

For pure, transparent, accurate stereo recording just "point and shoot" a Sanken. Japan's oldest and most original microphone manufacturer has the world's first line of professional portable MS-stereo condenser mics in the world. They're rugged, reliable and all Sanken mics feature titanium diaphragms that are corrosion-free and immune to temperature and humidity changes.

Sanken is **the** microphone for TV and radio broadcasting, motion picture making and studio recording. Try our stereo image with your visuals and get the real picture.



Japan's most original microphone maker.



For your local dealer, call:

Audio Intervisual Design
(213) 469-4773

Our Aim is True — Our Image is Pure

Why the world's top studios overwhelmingly choose Mitsubishi digital

Of the top studios in Los Angeles, Nashville, New York and London, the overwhelming choice for digital is Mitsubishi. Why? Because the vast majority of top producers insist on Mitsubishi for their digital work. And why is that? Because Mitsubishi sounds best.

Mitsubishi machines make digital recording profitable for the studio owner. They attract more and better clientele – and command higher rates. Plus they're more productive and more reliable in professional recording applications.

New X-880 32-channel digital

Mitsubishi's new X-880 is smaller and lighter thanks to LSI technology. It uses less power and runs quieter. It's our *third* generation multi-track (we've been at this longer than anyone). And it's fully compatible with X-850 recorders, so you'll be compatible with most other top studios.

All the features of its predecessors are here and more, including improved design auto-locator and a sample accurate chase synchronizer option for 64-track lockup.

Call for a brochure or demonstration in your studio.

 **Neve**

A Siemens Company

Exclusive North American Distributor of

 **MITSUBISHI**
DIGITAL PRO AUDIO

CT: (203) 744-6230 • NY: (212) 956-6464 • TN: (615) 329-9584 • CA: (213) 461-6383
CANADA-ONT: (416) 365-3363



rates. However, when a creative person opens a studio at home and tries to create his own stuff there, and does some outside business to offset it, there is a balance.

WHERE DO YOU DRAW THE LINE BETWEEN "HOME STUDIO" AND "COMMERCIAL STUDIO"?

Brundo: [Sanford's studio] is a commercial studio that's in a house. If he contends that he isn't, the argument against that is you don't print up a six-page, 8x10 color brochure that says on the back, "Call for rates." Next thing, press releases showed up at all the magazines [Editor's note: including Mix] detailing the artists and producers working in his room. This is in clear violation of the zoning code in the city of Los Angeles. And when you do that kind of activity, there's a chance you're going to get caught. We feel that the creative mind has nothing to do with this problem here. There are two separate issues being blurred into one.

Caseine: A commercial studio is basically a studio for hire; for instance, when a label calls and says they'd like to come in with an act that's totally independent of your studio, you're a

"The home studios haven't really affected Capitol, but I don't think we could accurately say that without doing an exhaustive study. This issue has given the recording business a nasty profile that we should collectively try to rectify as quickly as possible. We may not like conforming to city ordinances, but they exist for everyone's safety, and that should be our biggest concern."

**—Charles Comelli,
Capitol Records Studios**

commercial studio. You call it a "home studio" when whoever owns the situation, and the house, is directly involved with the project. I have no problem with that. Robby Buchanan has a gorgeous home studio, and most of the time he's involved in what's going on there. My daughter and Buddy Brundo's cousin both work for [producer] Dennis Lambert, who has a home studio, and most of the stuff done there is his stuff—either he's producer or executive producer.

Sanford: What should be judged is impact on the neighborhood. If someone's got trucks coming in and it's

loud and noisy, then that's what it should be judged on as a commercial facility. If someone is quiet and [his or her studio] is soundproofed, and they're doing their own work in there, even if they have friends coming in to work there, it's a home studio.

Yakus: Is a studio commercial when you, the owner, get paid for work you've professionally done? Or is it commercial when your studio is booked by an outside producer and group for which you are receiving money? This needs to be readdressed by the city zoning commission. If you are a songwriter and only use your studio to develop songs, and you place your song onto other people's albums, but you get a royalty if it's a hit because you're the songwriter—you've made money from what you've done in your home. That's commercial.

People are trying to draw the line, but I don't think it can be drawn. All home studios that make any money from what they create are commercial. Their product goes out in the commercial market. It's sold to people in stores. The problem with this whole thing is, if these people are breaking zoning laws and stealing one loaf of

Maxell has the classics.




Photo: Bill Milne

Circle #173 on Reader Service Card



bread, has Chas Sanford stolen two loaves of bread? And does that make him any more of a "criminal" than anyone else who owns a home studio?

IS THIS A LEGAL ISSUE OR A BUSINESS ISSUE?

Brundo: It's a legal issue, that's all. In principle, HARP is against commercial home studios, but we are not an enforcement agency, we will not report anyone, we have no lists; it's not worth our time. I told Dennis Lambert, who has a home personal-use studio, "Instead of coming down on HARP and blaming us for people's

problems, you should do the same thing we did: have a meeting with the city. And decide what you can do and what you can't do." The law is very clear. When you operate a commercial studio for hire in your house, you violate the zoning laws. Another issue that concerns HARP is...you understand the complexity and [electrical] power requirements of what we're building today. We don't want to have an accident out there, because an accident will affect our entire industry. If something happens inside one of those unregulated, commercial user's houses, we're going to have a hard

time getting insurance—we *already* have a hard time getting insurance.

Caseine: It's a business issue, and at the first HARP meeting there was a lot of anger. Are we jealous of Chas Sanford? I think it's a business issue because it has hurt the commercial studios. If the labels can work at some of these home studios and pay lesser rates and get the quality they want, then that's business.

Sanford: A business issue. I think it's business-motivated. These [HARP-affiliated] studios are trying to protect their own interests and keep a monopoly on the business they have. Ninety-nine percent of the big artists with home studios record tracks at a big studio, come home and spend

"We have a Trident room and an automated Neve room. The Trident room has been directly and measurably affected by the home studios, and it's unfair. The Neve room hasn't been hurt yet, but perhaps it will when more home facilities start financing Neve and SSL consoles."

—Joe Deranteriasian,
Pacifique Recording Studios

And now, heavy metal.



D2 Composite Digital Video Cassettes

1/2 Inch Betacam SP

Whatever you're into, Maxell makes a full line of superior media. Like new BQ betacam tape. And, after a decade of making innovations in metal, we offer new SP metal betacam and D-2 tapes.

These new metal tapes have a ceramic surface coating to inhibit corrosion, not output. A conductive backcoating to resist dust, static,

and instability. With an ultra-smooth binder system to make our oxide coatings invincible, even to relentless shuttling while editing.

Of course, all our video and audiotapes, and video floppy disks share this level of durability. And technology. But most of all, Maxell shares your taste—for the very best.

maxell

22-08 Route 208, Fair Lawn, NJ 07410
© 1989 Maxell Corporation of America

SUPER NATURAL CONTROL

Ultra-High Performance
Equalizers from Rane.



Now you can bring the crisp, dynamic sound of the studio to the stage, with advanced equalizer technology from Rane.

OUR CONSTANT-Q GRAPHIC EQUALIZERS can sweeten the sound *and* minimize feedback because of consistently sharper filter response. And less interaction between sliders means you'll save time and effort.

HIGHLY FLEXIBLE PARAMETRICS kill feedback with the surgical precision of extremely narrow notch filter capacity. Five fully independent bands give you the power to both sweeten and control feedback simultaneously.

SOLID TECHNOLOGY from right here in the U.S.A. has earned Rane a reputation for reliability. Super natural sound is why demanding professionals choose Rane.



RANE

10802-47th Ave. W.,
Everett, WA 98204.
(206)355-6000.

Circle #170 on Reader Service Card

"We interface quite nicely with the clients who use large, MIDI-based rooms [at home] to do their pre-production before finishing and mixing with us. But if you're talking about a fully outfitted home studio that is advertising and renting out commercial time, they are breaking the law and are competing with a very unfair advantage."

—John Ross, Wildcat Studios

woodshedding time on ideas and go back to the big room to mix. The market is changing.

Yakus: That's hard to answer because the zoning laws need to be reworked. Are you breaking the law when you go home tonight to write this story and accept payment for it? It may have to be determined in the courts. I think as long as it doesn't upset the neighbors, it's fine. No matter how loose they make the zoning laws, they're going to keep one thing: If your neighbor complains, your neighbor wins. So there are a lot of drawbacks to having a studio in your home. You can be closed up any minute. But no matter how much they relax [the zoning law], they have to do something, because the laws are antiquated.

WHAT ADJUSTMENTS SHOULD COMMERCIAL STUDIOS MAKE TO COMPETE WITH HOME STUDIOS?

Brundo: None, there's no competition. Producer/artist-based home studios have nothing to do with us. We can coexist. Home studios have always been there; and they will always be there. But we want them to conform to the same laws as we do.

Caseine: Clean your house. Big stu-

"Most of my clients have home recording gear, and it's the best thing that ever happened to our industry. It's just a shame that a few of the larger operations have abused the privilege of using their homes to record in. When someone has to pay off a million-dollar equipment loan, they are no longer an artist painting at home, but a service-providing businessman. My only hope is that by the time this article is printed the whole issue will be resolved and we can all go back to making records again."

**—Skip Saylor,
Skip Saylor Recording**

dios have to make life as easy as possible for the client. Rates aside, you have to create an atmosphere that he or she wants to come to, so when they're here, it's like being at home. I had one client who did almost \$600,000 with me last year, so I gave him an office with a bed and he can take a shower here. Not every studio can do this, but you do all the other little things. You find out what the basic client wants. We're a service organization; we have to give the kind of service that each client wants, and everybody's a little different in what they want.

Sanford: They mutually benefit each other, because it's all part of the creative process. If everybody put their

"If more home facilities start to buy SSLs and book their time for a commercial purpose, we will be more affected. For now, we are booked 100 percent of the time and don't feel their effect as much as the other commercial studios in town. It's unfair to everyone when a home studio can use a less expensive yet more aesthetically appealing residential environment to attract clients away from a commercial business zone, but if it is fair, then maybe I should relocate Larrabee to my house and build a tennis court and pool in order to compete on a level playing field. Everyone should be able to compete equally."

—Kevin Mills, Larrabee Sound

energy into being associated with the best work possible, that's what's going to generate the most business... but only a very small percentage have a major studio in their house. If business isn't as good as it used to be, that may be due to competition, but people are mistaken if they think the main reason is home studios. It just has to do with the way big studios do business. Some of these older rooms represent an old way of doing things and don't want things to change. They're not going to keep people from doing work at home, and most of the people who can afford [working at] the big rooms have their own home studios. If [big studios] work in conjunction with home studios, they'll be fine.

Yakus: There have to be more affordable rooms for new artists in commercial studios. Commercial studios need to acknowledge that they have to co-

Solid State Logic

**Skip
Saylor**
RECORDING

506 N. Larchmont Blvd.
Los Angeles, CA 90004
(213) 467-3515

Circle #077 on Reader Service Card

PROMUSIC

**Already in the
Nineties.**

**OVER 90 CDs
OF THE FINEST IN
PRODUCTION MUSIC.**

exclusively representing
• **BOOSEY & HAWKES** •
• **CAVENDISH** • **INTERMEDE**
• **COLOURSOUND** • **FOCUS** •
• **M.C.T.** • **PARRY** • **RED BUS**
Music Libraries

for our
complete information package call
1-800-322-7879

PROMUSIC inc.

6555 N.W. 9th Avenue, Suite 303
Fort Lauderdale, FL 33309
Phone 305-776-2070
Fax 305-776-2074

Circle #078 on Reader Service Card



this—would you want one next to *your* house? Successful musicians want to minimize expenses, so of course they're going to do everything in their houses; but most of them do not rent their studios to outside clients. We just want to see the business prosper and grow, and everybody be happy.

People say that if you're a songwriter, [according to zoning laws] you can't write songs in your house. You *can* have an office in your house. But residential areas are exactly that. It is mandated by the state and people of

“The legality of home recording is only one of many issues that professional recording studios have to deal with. Modern technology has evolved to the point that professionals working in a home environment are able to produce a quality product. Many problems—such as stolen equipment, UL listings and troublesome accounts—face pro studios, and by meeting and talking about them we have a better chance of solving our mutual problems.”

—Victor Levine, Amigo Studios

exist with home studios. They're not going to be able to knock these people out. Everything else will fall into place naturally, as long as home studios conform to the same laws that commercial studios conform to. Fair competition is healthy. Also, we used to spend days trying to re-create a demo done on cassette at home. The songwriter now brings a multitrack tape from the home studio and we add the final touches and mix it. I call that working together and I like it. Also, the rock group that gets off the ground in a home studio today will be the business of A&M tomorrow.

Even though we charge more money than home studios, we're not threatened because we can offer a lot more services, and our clients like that.

HOW HAS THE HOME STUDIO PHENOMENON AFFECTED THE RECORDING INDUSTRY AS A WHOLE?

Brundo: It's made it better and bigger. It has enabled creative people to get out of bed at 4 in the morning and do their own stuff. But all we ask is that if you're in Europe on vacation for two months, don't put your studio on hire. And then I would ask



(213) 828-6487 FAX (213) 470-6176

7 DAYS 9 A.M. — 7 P.M.

■ SHIP VIA UPS/FED-EX ■ AMEX • VISA • MC

2624 Wilshire Blvd. Santa Monica CA 90403

RECORDABLE DAT's IN STOCK NOW!

■ HOME D.A.T.

AIWA XD-999 995.
 SONY DTC-M100 1400.
 SONY DTC-300ES 1650.
 SONY DTC-500ES 1750.
 SONY DTC-1000ES 1950.
 JVC XD-Z700 1750.
 JVC XC-Z1100 1850.
 JVC XD-Z900 2250.
 AKAI D-9000 1800.
 PIONEER D-900 1800.

■ PORTABLE D.A.T.

SONY TCD-D10 2250.
 Includes all factory accessories.

■ PROFESSIONAL D.A.T.

PANASONIC SV-3500 CALL
 PANASONIC SV-250 CALL
 FOSTEX D-20 CALL
 SHARP SX-D100 CALL
 SONY PCM-2500 CALL
 SONY PCM-2000 CALL

■ BLANK TAPE—ALWAYS IN STOCK

Maxell, TDK, Fuji, Panasonic

■ COMPLETE INVENTORY OF ACCESSORIES

■ FULL WRITTEN WARRANTY PLUS FREE LOANERS

■ IMMEDIATE DELIVERY

■ NO DEPOSITS REQUIRED

■ ENGLISH OWNERS MANUALS

■ A/C ADAPTORS INCLUDED

More features, more power more flexibility

“ Last year I completed 1138 sessions that could not have happened without AMS AudioFile.

No other single piece of equipment has ever generated the client response of AudioFile and with Version 8 software we can now even go after business that we couldn't before. This client response means CRC are now looking to buy a fourth system. ”

Tim Butler, Chicago Recording Company, Chicago.

“ To be fair to AMS I must have been AudioFile's biggest sceptic and it took me a long time to decide to purchase my first system. I now own three AudioFiles and for anyone who knows me, that more than speaks for itself. ”

Dennis Weinrich, Videasonics, London.

“ Version 8 software has so rapidly broadened our user base to include many top recording artistes throughout Europe that it was inevitable we had to buy another AudioFile. ”

Andy Hilton, Hilton Sound, London.

“ The AudioFile is a powerful device in any audio application, but its ultimate strength is that it gives us a total system approach. Engineering and facility service can be achieved like never before in terms of quality and budget for the client as well as the studio. ”

Jimmy Dolan, Streeterville, Chicago.



“ We bought our first AudioFile in 87, added a second in 88 and have now just added our third. Of course we looked round at the competition each time before we bought, but each time decided there was still nothing faster or more flexible than AudioFile. ”

Steve Cook, Magmasters, London.

“ As our knowledge and business has expanded, we've added our second AudioFile and we know our clients and ourselves are now ready for a totally digital post production suite. ”

Alek Gousse, Videaudio, Brussels.

“ Barcud's experience in post production proves that it is possible to be successful with AudioFile outside Soho. Having one AudioFile convinced us of the need to obtain a second machine, because of the enormous amount of time saved in a dubb and the cost effectiveness of such a facility. ”

Hywel Wiliam, Barcud, Caernarvon.

“ We went to NAB 87 to check out disc based systems and bought an AudioFile. At NAB 88 we ordered a second and at NAB 89 we just ordered our third. The power of the latest AudioFile upgrades makes me even more convinced that we have chosen the right system for our needs at Sync Sound. ”

Bill Marino, Sync Sound, New York.

Satisfied

More customers



Music Recording Consoles



Hard Disc Editor



Digitally Assignable Consoles



DMX/RMX Digital Audio Processors



Calrec Standard and SoundField Microphones



Custom Broadcast Consoles



Digital Mixing Consoles

ams
AUDIOFILE

AMS Industries plc

AMS/Calrec. AMS Industries Park, Burnley, Lancs. BB11 5ES. Tel (0282) 57011 Telex 63108 AMS-G. Fax (0282) 39542
AMS/Calrec. USA. 3927 Stone Way North, Seattle, WA98103 USA. Tel (206) 633 1956. Fax (206) 547 6890

Demonstration systems available throughout the United States



Circle #171 on Reader Service Card

The Queen's Award for Export Achievement to Edendeck Ltd 1984/85 and AMS Industries plc 1986. In July 1985 Edendeck Ltd became AMS Industries plc

OVER 200 SYSTEMS IN DAILY OPERATION
NOW WITH TIMEFLEX

THE HISTORY CONTINUES



11114 CUMPSTON ST. • NORTH HOLLYWOOD, CA 91601 • 818-980-5605

Circle #064 on Reader Service Card

"Sure, some home studios affect commercial studios, but they still track and mix with us. There is a distinction between a legal home studio and an illegal commercial facility. Fifteen years ago, after I crossed that line, the city closed down my home studio. However, the city worked with me for two years, allowing it to become Soundcastle. That closure was the greatest thing to ever happen to me. Selling a studio in today's market is challenging, yet the potential for financial success may be greater than in the days of the Putnams and Heiders."

**—Buddy King,
Soundcastle Recording Studios**

California that when you're in a residential area, you are not going to have a business. The guys with their 4-track, 8-track and 24-track personal-use home studios are not involved in this. But if they do make their studios commercial, they are at risk from the city because they are in violation of the law. It's almost like speeding on the freeway: one guy gets caught and a hundred get away.

Caseine: We're currently working on something for Warner Bros. that was done in a home studio. We're restructuring the whole project; obviously, it's not cost-effective like that. I asked a couple of vice presidents from Warner Bros., "Have you ever thought of opening your own studio, like A&M or the old RCA Records?" They said producers and engineers like certain places and will continue wanting to work in those places. And that's the key. You must develop a relationship with these people, and deal on a friendship basis. You give people what they want now. [Home studios have] made people more professional.

Sanford: I think it's great! There

—CONTINUED ON PAGE 186

"The home studios will affect us more in the future. As the technology progresses and gets less expensive, an artist will be able to get a sound closer to that of a commercial studio. For now the question is, 'What is a home studio?' Is it a full-blown, 24-track facility in a 6,000-square-foot house, or is it a Fostex 8-track in some kid's bedroom?"

—John Goodenough, JE Sound

HAVE THE PACKAGING BLUES GOT YOU DOWN?

Don't know where to turn for superior quality products at competitive prices? Then come to the source, Stoughton Printing Co. We have been supplying top quality products for the recording industry since 1965. Direct board record jackets, 7 and 12 inch sleeves, labels. CD booklets and inlay cards. We even offer special "custom-look" generic CD long boxes with windows, ready for immediate shipping.

Record or CD packaging - whatever your needs, if it's worth doing, it's worth doing right. Come to the source . . .



stoughton printing co.

130 N. Sunset Avenue, City of Industry, CA 91744
From Los Angeles: (213) 686-2753
(818) 961-3678

Quality Printing For The Record Industry Since 1965

© 1988 Stoughton Printing Co.

Circle #065 on Reader Service Card

WE CARE

Did you know Aerosmith uses

AGFA



Aerosmith—the band that taught a generation to “Walk This Way.”

They've been turning hard rock into gold and platinum for almost twenty years.

Today, Aerosmith is using a new hit-making formula: bias-compatible AGFA PEM 469. “Only AGFA captures the intensity of our music—the life of it,” says lead singer Steven Tyler. “We need a tape as dynamic as our music...a tape that delivers all our energy and emotion.”

In the studio, these music masters are master craftsmen. They care about their audio tape because they know it's more than just a recording session.

It's “Sweet Emotion.”

AGFA magnetic tape—from research and development, through manufacturing, to delivery and service—we care!

Agfa Corp., 100 Challenger Road,
Ridgely Park, NJ 07660 Telephone (201) 440-2500



MUSIC PRODUCTION LIBRARIES

Before we get started, I want you to forget everything you've ever heard about production music libraries. Based on the "stock" music of yesterday you know what to expect: a cliché-riddled horn section blaring out ad nauseum while a mushy string arrangement buries the melody line into oblivion; audio quality, of course, should equal any World War II-vintage wire recording transcription.

Now for a quick dose of reality. The decade of the '90s is a scant three or four months away, and it's about time that these misconceptions about production music were placed in a time capsule where they belong. Having heard samples and demos from the more than 30 libraries listed in this article, I must say that I was surprised by what I heard. The overall sound quality was excellent—many of the libraries offered digitally recorded and/or mixed product; arrangements were anything but banal, and most of the tracks definitely had a distinctly '80s, if not '90s feel.

The diversity of available material is almost overwhelming in scope, including: classical, folk, country, jazz,

**A
WORLD
OF
SOUND
AT YOUR
FINGERTIPS**

rock, fusion, religious, new age, ethnic, reggae, children's, period pieces, traditional, patriotic, historical, electronic, and of course everybody's all-purpose favorite, middle-of-the-road. Whether you're in the market for jingles, commercial backgrounds, or music to set the mood for A/V, films, television, radio, spoken word programs or a high-level sales presentation, the bottom line is that there's literally something to suit any production.

Another point worth mentioning is the proliferation of current production music offerings on compact disc. Besides its well-known advantages—improved sound quality, 60- to 70-minute storage capacity and relative imperviousness to scratches and other physical damage—the CD medium offers quick cueing and the ability to rapidly audition different selections, two obvious advantages in a quick-paced production environment. A number of libraries are also available in tape or LP form, particularly with music catering to specialized needs, or the many vast collections of older material that provide an important resource, yet would not be economi-

by George Petersen



SOUND IDEAS PRODUCTION MUSIC

105 WEST BEAVER CREEK ROAD
SUITE #4
RICHMOND HILL, ONTARIO
CANADA L4B 1C6

First 30 CD Volumes now in stock.

The Sound Ideas Production Music Library sounds incredible and it's yours to preview by simply calling a Sound Ideas' account executive for a free demonstration. In Canada (416) 886-5000. In U.S.A. 1-800-387-3030.

Remaining worldwide distribution by

STUDER INTERNATIONAL AG

CH-8105 Regensdorf, Switzerland, Althardsstrasse 10. Telefon 01840 29 60. Telefax (CCITT G 3/2), 01840 47 37.



Exclusive distribution
in Canada, United
States and Australia.



**IF YOU WANT
THE BEST PRODUCTION
16 TRACK,
YOU'LL HAVE TO SPEND
A LITTLE LESS.**

There's no getting around it. No one beats the 60/16 on features. At any price.

Check it out. Two speeds without recalibrating each time you switch. Proprietary head technology so accurate that final EQing decisions can be made right in sync mode without rewind and repro verification. Gapless/seamless punch in/out with superior transparency. And unlike other 16s, the 60/16 has built-in dbx professional Type -I.

The compact, rugged 60/16 also gives you lightning fast lockup for use with synchronizers, incredibly precise spot erase, D-sub multi-connectors for faster setup with fewer cables and, oh yes, brilliant sound.

There simply *is* no finer 16 track available. Compare it with any other machine out there. Then compare the price. If money is an issue, you may have to settle for the best.



TASCAM

© 1988 TEAC Corporation of America, 7733 Telegraph Road, Montebello, CA 90640. 213/726-0303.

Circle # 196 on Reader Service Card

—CONTINUED FROM PAGE 48

ically viable to release on CD.

Basically, music libraries fall into two groups: those operating on a "buy-out" basis, and those operating on a "per-use, or unlimited use "blanket" licensing arrangement. Typically, a buyout agreement allows the unlimited use of music for a one-time charge. Licensing contracts and rates can take a variety of forms. "Needle-drop" (sometimes referred to as "laser-drop" with CD collections) refers to the use of a partial or entire music selection in a single segment of a production; thus if the same theme is used in two different parts of a film, then two needle-drop charges would occur. A "per-production" rate allows the unlimited use of a particular library or selection in a single production for a set fee, which depends on the audience market size/type, distribution medium and the project's total length. A "theme rate" covers the use of a particular selection on several projects, especially in jingles, television ads and radio spots. An "annual blanket" offers unlimited library use for a yearly payment.

How does one pick a production music library? The easy answer is to select the company whose music and use arrangements best fit your needs. Buyout, per-use and blanket licenses all afford different advantages and disadvantages, depending on your particular situation, and it's best to weigh all the facts before you decide. Some decisions are simple: for example, a hot set of 30- and 60-second jingle beds is an inappropriate choice for the dramatic film producer. The subjective evaluation of the quality of a library's offerings is a more difficult question—after all, no one knows your musical needs better than you. Fortunately, all the companies will provide demos of their wares upon request; their addresses are listed at the end of this article.

Available on an annual license basis, the AirCraft music library is a growing collection with 30 CDs of contemporary music themes. Each disc offers five to ten music selections, presented in fully and partially orchestrated long versions, along with 60-, 30-, 15- and 10-second edits, as well as bumpers, shotguns and stingers (with 40 to 100 tracks per disc). A "SpeedSearch" feature places all the 30-second cuts at the beginning of each CD, so users can easily audition all the themes in

minutes. Continual CD updates are included as part of the annual subscription, and license fees are based on usage requirements.

The New Production Library from Airforce Broadcast Services is a collection of 14 CDs, designed specifically for radio spot production. The NPL provides over 400 different commercial-length tracks, with many alternate versions and 250 random-length tracks for promos, sweepers and spot building. A three-year lease (rates depend on market size) includes a Sound Ideas sound effects set (either the 28-disc Series 1000 or 22-disc Series 2000); library update CDs are deliv-

ered every other month during the lease.

Designed for radio spot production, Vortex is a new library from American Image Productions, offered on a market-exclusive basis with rates depending on market size. The initial Vortex release is 15 CDs, with an average of 15 basic themes per disc with 30/60-second and stinger versions of each theme, and alternate mixes where applicable. Two update CDs are provided each quarter for three years. The library's "cookbook" catalog lists track titles and descriptions and gives instructions for customizing tracks with an Ensoniq Mirage or EPS digital sam-

212 • 333 • 2206
800 • 445 • 3330

THE INNOVATIVE RENTAL PEOPLE

The TOY Specialists

Pro-Audio Rentals

333 W 52ND ST
NEW YORK, NY
10019

WE PROUDLY OFFER:

- ▶ The largest selection of synthesizers, drum computers, and MIDI devices anywhere.
- ▶ A comprehensive collection of vintage outboard and microphones.
- ▶ All the finest in digital recorders:
 - Mitsubishi X-880/X-850/X-86HS/X-86
 - Sony 3348/3324A/3402/1630
 - AMS Audiofile IV • Studer D820X
- ▶ 'Round the block support anywhere in the USA
- ▶ The best on time record in the industry
- ▶ Offices opened 7 days a week
- ▶ Service available 24 hours a day

▶ **WE'RE THE ONLY CALL YOU NEED TO MAKE!** ▶

Circle #047 on Reader Service Card

new age, jazz-funk and contemporary themes. The CDs can be purchased individually for \$20 (plus usage fees), and about half the discs in the library include commercial-length cuts.

Available on either a per-disk buy-out (\$150 per CD/\$125 LP) or on an annual blanket (\$900 for 17 CDs, including all future updates), the Dimension Production Music Library is designed for either A/V or broadcast applications. The Platinum Series is the latest offering, with seven CDs in a variety of genres from sports and industrial to rock and country—all a minimum of 2:30, along with commercial edits and alternate mixes. The

Gold Series contains a broad variety of tempos and styles in a complete ten-CD set.

FirstCom/Music House offers over 50 hours of all-new music for broadcast and A/V applications, available on one- or two-year blanket agreements or on a per-use basis. Discs in the Digital Production Library are arranged according to tempo, with fast-paced, medium and slow offerings, along with four CDs of specialized and seasonal music, and three discs of useful production elements for sweetening and track building. Music House features styles ranging from solos to 75-piece orchestras on 33 CDs tailored

for A/V and multi-image use. An IBM PC-compatible software package minimizes search time and speeds indexing of both libraries.

Manhattan Production Music contains 24 CDs, each with seven to 26 pieces (and up to 99 cuts) arranged according to "themes," such as "Power and Glory," "City Life" or "Film at Eleven," as well as specialty discs, like "Effects" and "Holiday & Patriotic Themes." All the music is digitally mastered and in most cases is provided in long-form and 60/30/20/10-second formats. The library can be licensed on an annual blanket or a unique "needle-drop blanket" basis.

The Network Production Music Library includes 77 volumes of instrumental music on CD, including a variety of moods and musical types—in long and commercial-length edits—available on a per-production, single theme or annual blanket license. New from Network is the ShowMusic™ library, with all the musical elements for a complete multimedia show (including generic vocal themes, underscores, transitions and fanfares). Six CDs have been released to date, with new shows to be added monthly. Also new is the Jingles Library set, with 420 jingles (including a lyrics notebook for adapting material to the music) on 30 CDs, available on a market-exclusive basis.

Well-known over the past 20 years for its sports themes, the NFL Films Music Library contains a wide variety of music—suited for anything from corporate presentations to children's films—with more than 30 LPs available. Each is priced at \$10, not including a needle-drop, per-production or annual blanket license, with prices determined by market size and audience type. NFL Films has recently released its first two music CDs, with 37 and 46 themes, each priced at \$20, plus applicable license fees.

Omnimusic's production library includes 36 CDs, with 15 to 33 themes per disc (over 850 themes total), available on an annual blanket, per-production or needle-drop basis. The library is also available on Teldec vinyl LPs on request. Designed specifically for broadcast production, the new Professional Broadcast Series is a nine-CD set (with additional releases every 90 days), packed with 60/30/10-second beds, logos, stingers, cues and bumpers. Each PBS disc is digitally recorded, with a minimum of 24 dif-



PROSÓNUS, producers of the Studio Reference Disc and the PROSÓNUS Sound Library, announces the first independent, commercially available No NOISE™ system in the United States.

The critically acclaimed Sonic Solutions No NOISE™ System is available for all your audio needs

including:

- Removal of tape hiss...
- Removal of clicks and spikes...
- Removal of SMPTE bleed...
- CD Pre-Mastering...and other Digital Audio Services.

Call Now 1-800-999-6191 for a demonstration and to find out how you can offer your clients No NOISE™



1616 Vista Del Mar • Hollywood, CA 90028

Circle #051 on Reader Service Card

—CONTINUED FROM PAGE 48

ically viable to release on CD.

Basically, music libraries fall into two groups: those operating on a "buy-out" basis, and those operating on a per-use, or unlimited use "blanket" licensing arrangement. Typically, a buyout agreement allows the unlimited use of music for a one-time charge. Licensing contracts and rates can take a variety of forms. "Needle-drop" (sometimes referred to as "laser-drop" with CD collections) refers to the use of a partial or entire music selection in a single segment of a production; thus if the same theme is used in two different parts of a film, then two needle-drop charges would occur. A "per-production" rate allows the unlimited use of a particular library or selection in a single production for a set fee, which depends on the audience market size/type, distribution medium and the project's total length. A "theme rate" covers the use of a particular selection on several projects, especially in jingles, television ads and radio spots. An "annual blanket" offers unlimited library use for a yearly payment.

How does one pick a production music library? The easy answer is to select the company whose music and use arrangements best fit your needs. Buyout, per-use and blanket licenses all afford different advantages and disadvantages, depending on your particular situation, and it's best to weigh all the facts before you decide. Some decisions are simple: for example, a hot set of 30- and 60-second jingle beds is an inappropriate choice for the dramatic film producer. The subjective evaluation of the quality of a library's offerings is a more difficult question—after all, no one knows your musical needs better than you. Fortunately, all the companies will provide demos of their wares upon request; their addresses are listed at the end of this article.

Available on an annual license basis, the AirCraft music library is a growing collection with 30 CDs of contemporary music themes. Each disc offers five to ten music selections, presented in fully and partially orchestrated long versions, along with 60-, 30-, 15- and 10-second edits, as well as bumpers, shotguns and stingers (with 40 to 100 tracks per disc). A "SpeedSearch" feature places all the 30-second cuts at the beginning of each CD, so users can easily audition all the themes in

minutes. Continual CD updates are included as part of the annual subscription, and license fees are based on usage requirements.

The New Production Library from Airforce Broadcast Services is a collection of 14 CDs, designed specifically for radio spot production. The NPL provides over 400 different commercial-length tracks, with many alternate versions and 250 random-length tracks for promos, sweepers and spot building. A three-year lease (rates depend on market size) includes a Sound Ideas sound effects set (either the 28-disc Series 1000 or 22-disc Series 2000); library update CDs are deliv-

ered every other month during the lease.

Designed for radio spot production, Vortex is a new library from American Image Productions, offered on a market-exclusive basis with rates depending on market size. The initial Vortex release is 15 CDs, with an average of 15 basic themes per disc with 30/60-second and stinger versions of each theme, and alternate mixes where applicable. Two update CDs are provided each quarter for three years. The library's "cookbook" catalog lists track titles and descriptions and gives instructions for customizing tracks with an Ensoniq Mirage or EPS digital sam-

212 • 333 • 2206
800 • 445 • 3330

THE INNOVATIVE RENTAL PEOPLE

The TOY Specialists

Pro-Audio Rentals

333 W 52ND ST
NEW YORK, NY
10019

WE PROUDLY OFFER:

- ▶ The largest selection of synthesizers, drum computers, and MIDI devices anywhere.
- ▶ A comprehensive collection of vintage outboard and microphones.
- ▶ All the finest in digital recorders:
 - Mitsubishi X-880/X-850/X-86HS/X-86
 - Sony 3348/3324A/3402/1630
 - AMS Audiofile IV • Studer D820X
- ▶ 'Round the block support anywhere in the USA
- ▶ The best on time record in the industry
- ▶ Offices opened 7 days a week
- ▶ Service available 24 hours a day

▶ **WE'RE THE ONLY CALL YOU NEED TO MAKE!** ▶

Circle #047 on Reader Service Card



EUROPADISK, LTD.

**DMM[®]
MASTERING**

Direct Metal Mastering—a quantum leap in LP quality

RECORD PRESSING

LP/7"—Audiophile quality

CASSETTE DUPLICATION

- State of-the-art European Equipment
- Dolby HX-PRO on Master & Duplicators
- Fast Turnaround

JACKET & INSERT PRINTING

CD PACKAGES

DIGITAL STUDIO

- CD Masters
- Neve DTC
- Sony Editing

EUROPADISK, LTD.

75 Varick Street
New York, NY 10013
(212) 226-4401

pler (available optionally). AIP also markets Champion, a ten-CD library for broadcast commercials, corporate videos, film and multi-image productions, with 125 full-length themes, alternates, 60/30-second edits and stingers. Champion's low buyout price also includes Tech Effects, a collection of electronic effects on vinyl disc.

Associated Production Music is the exclusive North American licensing representative of the KPM, Bruton, Sonoton, Themes Intl., Conroy and Shepherd's Bush libraries, offering over 25,000 titles for television, commercials, A/V production and films. *The Color Purple* and *Who Framed Roger Rabbit* are two of the feature films that have used APM material. The KPM and Bruton libraries are extensive, each with more than 50 CDs and hundreds of LPs spanning a wide spectrum of musical styles: contemporary pop/rock, action, classical, comedy, industrial, jazz and historical. APM is currently expanding its compact disc offerings at the rate of about 100 discs per year; CDs are priced at \$15, plus per-production, needle-drop or annual blanket fees based on medium and program length. A new release is Broadcast One, a 25-CD set designed for radio and TV spot production, with full-length beds, 29- to 59-second edits and underscores. Broadcast One includes "The Editor's Companion," with 440 logos, fanfares and stingers. New releases are added to the package every three months.

Audio Action is the exclusive representative of ten different libraries: Sound Stage, Josef Weinberger, D.I. Music and Champion (all from the UK); Kosinus, K-Vox and KOKA Media—formerly RCA Media—(France); Primrose and Beat Records (Italy); and Image Music (Australia). Over 100 CDs are available, with each library releasing new material every four to six weeks. Selections range from classical to industrial and new age. CDs are priced at \$20, and may be licensed on a needle-drop, per-production or annual basis.

Brown Bag Productions offers five CD libraries for radio and TV spot production: Starfire, Escape, Power Tools, Flashpoint! and Eclipse. Each is offered on a market-exclusive, 26-month lease, with over 300 cuts—logos, effects, 60- and 30-second beds. Flashpoint combines the talents of legendary Spirit guitarist Randy California with synthwiz Mark Koenig,

while Eclipse (the latest Brown Bag release) provides 420 cuts—107 logos, 270 effects and 43 long beds—on a single CD featuring Bob Lee and Mark Hiskey, with woodwind and reed performances by Bob Rebbholz.

The Professional is the newest production music offering from Capitol Production Music, a division of Capitol Records. The package is available on 34 compact discs (with approximately 70 minutes of music on each), with new additions released on a regular basis. Designed expressly for video/film scoring, broadcast commercials, multi-image and corporate training applications, The Professional is licensed on an annual blanket or needle-drop basis, with pricing determined by market size or intended usage. Capitol also maintains a vast inventory (over 1,000 records and tape reels) of older material, dating back to the early days of broadcasting, including selections used on classic TV shows such as *The Lone Ranger*, *Lassie* and *I Love Lucy*.


Century 21 Programming offers three 15-disc packages available on a three-year lease. The Compact Disc Production Library boasts 900 music tracks, 325 random-length accents and 260 stereo sound effects. Laser Lightning is a hit radio-oriented collection of 1,160 rock instrumentals, 368 sound effects and 250 punctuators tailored for drive-shift rock DJs. Generation Three has 910 mass-appeal instrumentals—commercial-length beds, IDs, accents and longer themes—as well as 368 SFX. Rates are based on market size and include a CD library, Sony CD player, catalog and three updates per year.

Comprehensive Video Supply buyout music production library is a set of five CDs developed specifically for Comprehensive by Valentino, Inc. Priced at \$995, the library provides over 145 different musical motifs, with each disc containing 50 to 55 minutes of stereo music arrangements in varying lengths.

The DeWolfe Music Library, with 22 representative offices worldwide, offers over 75 CDs on a needle-drop, production blanket or unlimited annual license basis, with rates depending on market and intended audience. Themes range from orchestral to jazz, pop, rock and electronic, as well as discs of characteristic music pieces from China and Japan. DeWolfe also distributes the Rouge series, featuring

Welcome to the
ScoreMaster™ Production Music Index

© Copyright 1988, 1989
Computer Music Consortium, Inc.
(212) 645-4183



Project Log

Main Menu

Preferences...



Start a Project



Click on a choice to
start working...



Help System

Music Index



Above: ScoreMaster's welcome screen navigates the user through the music auditioning procedure. Below: a simple click of a mouse allows users to choose from a variety of music styles, with short samples of each music selection playable from CD-ROM.

Project Libraries: BR, FC, KP, NW, OM
No Current Project

Click on a Music Style

Industrial	1 Solo	
Classical	Space/Celestial	Americana
Fanfares/Logos/Stings	Pleasant Moods	Jazz
Sports/Activity	Dramatic Moods	Regions
		Specialty

Score with ScoreMaster

Finding the "right" piece of music for your next project can be a real chore, with dozens of libraries available and thousands of tracks to choose from. Fortunately, with a little bit of help from CD-ROM technology, this difficult process is getting a lot easier. Unveiled at this year's NAB convention, *ScoreMaster™* is a production music library index and audition system that provides a complete cross-reference of

music from a number of leading music libraries. Developed for the Macintosh computer, ScoreMaster gives quick onscreen access to titles from different libraries; the "Audition" CD-ROM holds short digitized sections of each piece to be played directly from the computer.

The software can be loaded with catalog indexes and selections from up to six libraries—Bruton, Firstcom Digital, KPM, MusicHouse, Network and Omnimusic—with more libraries to be added in future vol-

—CONTINUED ON PAGE 58

The Alternative Music Library!

Call for our
Compact Disc
Demo

800-227-1954

212-333-5766

FAX

212-262-0814

MANHATTAN

PRODUCTION MUSIC

P.O. Box 1268, Radio City Station
New York, New York 10101

Circle #049 on Reader Service Card

GET YOUR
MUSIC'S
WORTH

Signature™
COMPACT
disc
DIGITAL AUDIO

MUSIC LIBRARY

You won't believe
it's a buy-out.

Call for a sample
1-800-888-7151

Circle #050 on Reader Service Card

new age, jazz, funk and contemporary themes. The CDs can be purchased individually for \$20 (plus usage fees), and about half the discs in the library include commercial-length cuts.

Available on either a per-disk buy-out (\$150 per CD/\$125 LP) or on an annual blanket (\$900 for 17 CDs, including all future updates), the Dimension Production Music Library is designed for either A/V or broadcast applications. The Platinum Series is the latest offering, with seven CDs in a variety of genres from sports and industrial to rock and country—all a minimum of 2:30, along with commercial edits and alternate mixes. The

Gold Series contains a broad variety of tempos and styles in a complete ten-CD set.

FirstCom/Music House offers over 50 hours of all-new music for broadcast and A/V applications, available on one- or two-year blanket agreements or on a per-use basis. Discs in the Digital Production Library are arranged according to tempo, with fast-paced, medium and slow offerings, along with four CDs of specialized and seasonal music, and three discs of useful production elements for sweetening and track building. Music House features styles ranging from solos to 75-piece orchestras on 33 CDs tailored

for A/V and multi-image use. An IBM PC-compatible software package minimizes search time and speeds indexing of both libraries.

Manhattan Production Music contains 24 CDs, each with seven to 26 pieces (and up to 99 cuts) arranged according to "themes," such as "Power and Glory," "City Life" or "Film at Eleven," as well as specialty discs, like "Effects" and "Holiday & Patriotic Themes." All the music is digitally mastered and in most cases is provided in long-form and 60/30/20/10-second formats. The library can be licensed on an annual blanket or a unique "needle-drop blanket" basis.

The Network Production Music Library includes 77 volumes of instrumental music on CD, including a variety of moods and musical types—in long and commercial-length edits—available on a per-production, single theme or annual blanket license. New from Network is the ShowMusic™ library, with all the musical elements for a complete multimedia show (including generic vocal themes, underscores, transitions and fanfares). Six CDs have been released to date, with new shows to be added monthly. Also new is the Jingles Library set, with 420 jingles (including a lyrics notebook for adapting material to the music) on 30 CDs, available on a market-exclusive basis.

Well-known over the past 20 years for its sports themes, the NFL Films Music Library contains a wide variety of music—suited for anything from corporate presentations to children's films—with more than 30 LPs available. Each is priced at \$10, not including a needle-drop, per-production or annual blanket license, with prices determined by market size and audience type. NFL Films has recently released its first two music CDs, with 37 and 46 themes, each priced at \$20, plus applicable license fees.

Omnimusic's production library includes 36 CDs, with 15 to 33 themes per disc (over 850 themes total), available on an annual blanket, per-production or needle-drop basis. The library is also available on Teldec vinyl LPs on request. Designed specifically for broadcast production, the new Professional Broadcast Series is a nine-CD set (with additional releases every 90 days), packed with 60/30/10-second beds, logos, stingers, cues and bumpers. Each CBS disc is digitally recorded, with a minimum of 24 dif-



PROSŌNUS, producers of the Studio Reference Disc and the PROSŌNUS Sound Library, announces the first independent, commercially available No NOISE™ system in the United States.

The critically acclaimed Sonic Solutions No NOISE™ System is available for all your audio needs

including:

- Removal of tape hiss...
- Removal of clicks and spikes...
- Removal of SMPTE bleed...
- CD Pre-Mastering...and other Digital Audio Services.

Call Now 1-800-999-6191 for a demonstration and to find out how you can offer your clients No NOISE™



1616 Vista Del Mar • Hollywood, CA 90028

Circle #051 on Reader Service Card



Fresh.



Canned.

People say that the AirCraft Music Library has the freshest sound around. Maybe that's because it hasn't been sittin' on the shelf for years. Call 1-800-343-2514 and we'll send you our latest demo. Once you've heard our fresh sound, you'll never settle for canned music again.

The AirCraft Music Library. For people who can tell the difference between fresh and canned.



The AirCraft Music Library
77 North Washington Street, Boston, MA 02114 1(617) 367-4962
25 East 21st Street New York, NY 10010 1 800 343-2514
Circle #163 on Reader Service Card

ferent themes, available on an annual license.

The Cutting Edge, from Philadelphia Music Works, is a two-CD buyout set of digitally recorded music beds, sweepers, sounders and contemporary effects. Designed specifically for radio production, the Cutting Edge is available on either a market exclusive or nonexclusive basis, with fees depending on the station's Arbitron rating.

Another CD buyout package for radio production is Lazor Cuts™ from Powersound Products. Recently expanded into a two-CD set, Lazor Cuts Edition Two features all-new, digitally recorded material including logos, IDs, bumpers, FX, a selection of 30/60-second commercial beds, and even 100Hz/1kHz/10kHz test tones. Lazor Cuts is available on a sliding fee, based on station market size.

Promusic is the exclusive U.S. agent for the Parry, Cavendish, Boosey & Hawkes, Colorsound, Intermede, Focus and MCT libraries, with over 90 CDs (each over one hour long) and hundreds of LPs available in almost every music genre. The company has recently expanded its offerings by adding the Emil Ascher and Regent Recorded music collections, the Cav-

endish Classical Series (on DAT and analog tapes) and the London-based Red Bus Music Library (eight CDs of diversified, new material with more to come). Promusic is offered on a needle-drop, production blanket or annual license basis.

The Signature Music Library offers 76 themes on four CDs. Especially suited for A/V and video program applications, each digitally recorded theme runs from three to five minutes in length and is designed for easy editing and looping. The CDs, available separately or as a set, are supplied under a 50-year license (for a one-time fee) for spoken communications or commercial applications; other uses—such as pay-to-view—require a separate license.

Also available on a buyout basis, the SoperSound Music Library offers a diversity of production music (14 volumes, ranging from orchestral and industrial to pop, acoustic, new age and fusion), as well as separate volumes of 60/30/10-second timed music beds and stingers. All can be ordered on LP or tape, while seven of the production music volumes have been released on CD, with one to three CDs in each volume. Designed

PRODUCTION MUSIC LIBRARIES

AirCRAFT Music Library

77 N. Washington St.
Boston, MA 02114
(617) 367-4962, (800) 343-2514

Airforce Broadcast Services

216 Carlton St., Suite 300
Toronto, ON, M5A 2L1 Canada
(416) 961-2541

American Image Productions

1719 West End Ave., Suite 603
Memphis, TN 37203
(615) 327-4521, (800) 344-4202

Associated Production Music

6255 Sunset Blvd.
Hollywood, CA 90028
(213) 461-3211, (800) 543-4276

Audio Action

444 Lakeside Dr., Suite 340
Burbank, CA 91510
(818) 845-8020, (800) 533-1293

Brown Bag Productions

4134 S. Eudora St.
Englewood, CO 80110
(303) 756-9949

Capitol Production Music

1750 N. Vine St.
Hollywood, CA 90028
(213) 461-2701

Century 21 Programming

14444 Beltwood Pkwy
Dallas, TX 75244
(214) 934-2121, (800) 937-2100

Comprehensive Video Supply

148 Veterans Dr.
Northvale, NJ 07647
(201) 767-7990

APM

PRODUCTION MUSIC LIBRARY

- Five music libraries: KPM, Bruton, Sonoton, Themes and Conroy
- 100 new CD's annually
- Annual agreement
- Toll Free 1-800-543-4276 Music Hotline
- Music on Consignment
- Needledrop Production Blanket

Associated Production Music
6255 Sunset Blvd., Suite 820 • Hollywood, CA 90028
800 543-4276 • 213 461-3211 • FAX: 213 461-9102

Circle #054 on Reader Service Card

De Wolfe Music Library
25 West 45th St.
New York, NY 10036
(212) 382-0220, (800) 221-6713

Dimension, Inc.
PO Box 1149
Okeechobee, FL 34973-1149
(813) 763-4107 (800) 634-0091

FirstCom/Music House
13747 Montfort Dr Suite 220
Dallas, TX 75240
(214) 934-2222 (800) 858-8880

L.A. Air Force
1097 D-Bar K Dr
Durango, CO 81301
(303) 247-5082

Manhattan Production Music
PO Box 1268, Radio City Station
New York, NY 10101
(212) 333-5766, (800) 227-1954

Network Production Music
16935 West Bernardo Dr
San Diego, CA 92127
(619) 451-6400 (800) 854-2075

NFL Films Music Library
330 Fellowship Rd.
Mt Laurel, NJ 08054
(609) 778-1600, (800) 257-5853

Omnimusic
52 Main St
Port Washington, NY 11050
(516) 883-0121, (800) 828-OMNI

Philadelphia Music Works
PO Box 947
Bryn Mawr, PA 11050
(215) 825-5656, (800) 368-0033

PowerSound Productions
1307 W North Ave
Pittsburgh, PA 15233
(412) 323-5300

The Production Garden
10521 Gulldale Ave
San Antonio, TX 78216
(512) 222-8865, (800) 247-5317

Promusic
6555 NW 9th Ave #303
Ft Lauderdale, FL 33309
(305) 776-2070

Signature Music
PO Box 98
Buchanan, MI 49107
(616) 695-3068, (800) 888-7151

SoperSound Library
PO Box 498
Palo Alto, CA 94301
(415) 321-4022, (800) 227-9980

Sound Ideas
105 West Beaver Creek Rd, Suite #4
Richmond Hill, ON,
L4B 1C6 Canada
(416) 886-5000, (800) 387-3030

Sounds Interesting Productions
922 Massachusetts Ave #12
Cambridge, MA 02139
(617) 876-1646

**Southern Library of
Recorded Music**
6777 Hollywood Blvd #209
Hollywood, CA 90028
(213) 469-9910

Studio C Music Library
PO Box 767, Murray Hill Station
New York, NY 10156-0602
(212) 986-2219

TRF Production Music
40 E 49th St
New York, NY 10017
(212) 753-3234

Valentino, Inc.
151 W 46th St
New York, NY 10036
(212) 869-5210, (800) 223-6278

ZM Squared
903 Edgewood Ln
Cinnaminson, NJ 08077
(609) 786-0612

VSO For Your AMPEX[®] Tape Machine



Take your AMPEX Tape Machine into the '90's!

The VP-90 with advanced variable speed technology is a new VSO for MM1200 and ATR100 series tape machines. Best of all, it's available now!

1515 Manning Ave., Ste. 4
Los Angeles, CA 90024
(213) 475-7570



**BRAINSTORM
ELECTRONICS, INC.**

...Intelligent Solutions For The Recording Studio

*AMPEX is a registered trademark of AMPEX Corporation

Circle #052 on Reader Service Card

NOISE REDUCTION FOR UNDER \$10.

MIXING CONSOLES

SWITCHES

MICROPHONE
CONNECTORS

SNAKE CABLES

BATTERY CONTACTS



PLUGS & JACKS

PATCHBAYS

FADERS, POTS

TERMINAL STRIPS

SPEAKER TERMINALS

CRAMOLIN[®]

Even the finest equipment in the world can't guarantee a noise-free recording. One "dirty" connection anywhere in the electrical path can cause unwanted noise or signal loss.

"MORE THAN A CONTACT CLEANER"

CRAMOLIN[®] is a fast-acting, anti-oxidizing lubricant that cleans and preserves all metal surfaces, including gold.

When applied to metal contacts and connectors, **CRAMOLIN[®]** removes resistive oxides as it forms a protective molecular layer that adheres to the metal surfaces and maintains maximum electrical conductivity.

CRAMOLIN[®] - USED BY THOSE WHO DEMAND THE BEST:

Bell & Howell
Boeing
Capitol Records

Hewlett Packard
John Fluke Mfg.
McIntosh Labs

MCI(Sony)
Motorola
NASA

Nakamichi
RCA
Switchcraft

SINCE 1956

CAIG LABORATORIES INC.

1175-O Industrial Ave., (P.O. Box J) - Escondido, CA 92025-0051 U.S.A. • (619) 743-7143 • FAX: (619) 743-2460

Circle #053 on Reader Service Card

**NEW
COMPACT
DISCS**

CARLIN MUSIC

New Digital Music Library
Compact Discs added to
50,000 selections
of music already in the
TRF MUSIC LIBRARIES.

Be among the first to use the
latest in production music.

Exclusively available through

TRF

PRODUCTION MUSIC LIBRARIES

The largest source for production music

Call or write for free catalogs and music
sampler (212) 753-3234, TRF Production Music
Libraries, Dept. MX 989, 40 E. 49th St., New
York, NY 10017.

Circle #057 on Reader Service Card

to speed music searches and cuesheet printing, the Soper MusicSelector™ (\$95) is an IBM-based data file of the entire Soper catalog, available for use with Lotus 1-2-3, Reflex or PFS: Professional File programs.

The Sound Ideas Production Music Library is a new, 25-CD collection of themes for film, A/V, broadcast and commercial production. Ranging from industrial and corporate to rock, dramatic, sports and travel, over 200 themes—700 music tracks—are provided, with 30/60-second and rhythm track versions where appropriate. The library is licensed by an annual blanket, with small market and educational rates available.

The Sounds Interesting Music Library offers six volumes of promotional and commercial themes on cassette tapes (reel-to-reel versions are also available). A variety of themes are provided ranging from two-second tags to five-minute music selections, including news, sports, classical, pop and high-tech. The library is licensed on a needle-drop or buyout basis.

Part of the Peer-Southern Organization, the Southern Library of Recorded Music includes nearly 100 CDs, in many genres: swing, classical, fusion, new age, acoustic, jazz, show music, jingles and an assortment of international music. Each CD is priced at \$13.50, plus annual blanket or needle-drop fees.

—FROM PAGE 53, SCOREMASTER

umes. ScoreMaster organizes the libraries into major music types, which are divided into "styles" with key words for easy retrieval. Each style is broken down into tempo and group size. Once the desired parameters are entered, the program makes a list of appropriate titles, including selection length, CD/cut number and a brief description of the track. Another useful feature is a project log database, which organizes the production paperwork and prints out project sheets to simplify the licensing procedure.

Hardware requirements are an Apple Macintosh with at least 1 MB of memory, a hard disk and a Mac-compatible CD-ROM drive. ScoreMaster is available through Computer Music Consortium, 142 W. 24th St., 8th Floor, New York, NY 10011; (212) 645-4183.

—George Petersen

The Production Music Library Association

Seven years ago a group of music libraries held an impromptu meeting at a trade show to discuss common goals and problems facing their industry. All the participants sensed the need for continuing this dialog among the companies, and the Production Music Library Association was formed at a later date. "The reason we exist," explains TRF Music's Mike Nurko, the current president of the 14-member PMLA, "is to make the industry aware of music libraries and let people know where they can obtain music, as well as educating music users about obtaining proper licenses for using music in their productions. If someone wants to check if they have the proper license for music—even if it's not production music—we'd help them. We feel it's in our interest to make people aware of copyright law and get proper licenses, regardless of where the music is coming from, even if it's a Michael Jackson album."

While the PMLA is concerned with the unauthorized use of music library materials, the problem is not as rampant as one might expect. "Obviously, there's some piracy going on out there," Nurko feels, "but we take the position that there's more ignorance than piracy. If they know the law, most people will get a proper license for the music. We protect the rights of the publishers and composers who are the rightful copyright owners, and we do exchange information, which cuts down on those who are using music illegally. Previously, not having an association, people could just go around and abuse one library after another."

According to Nurko, the future outlook for the production music industry is bright, especially in terms of expanding markets in new technologies, such as cable TV and the burgeoning sales of videotapes and videodiscs. More traditional avenues for library music are also now beginning to open. "There's an increasing number of feature

DEWOLFE

Music Library

Over **60**
Compact
Discs...

SFX CD's

Call the **CD**
HOTLINE...

1-800-221-6713

DEWOLFE MUSIC LIBRARY

25 WEST 45TH STREET

NEW YORK, NY 10036

212-382-0220

FAX 212-382-0278

AMERICAN EXPRESS WELCOME

Circle #058 on Reader Service Card

films and major television programs that are using production music," notes Nurko, "whereas several years ago, it would be almost unheard of. The vast amount of production music has improved so greatly that more and more multimillion dollar feature films can find production music that's as good as or better than what they could have recorded. The cost of producing music has grown and, as long as clients can find what they need in production music, it's less expensive than recording an original piece."

The Production Music Library Association is located at 40 East 49th St., New York, NY 10017; (212) 832-1098. —George Petersen

TRF Music has released over 70 CDs of new, digitally recorded production music, adding to its vast collection of over 50,000 selections from the TRF Alpha, Bosworth, Carlin, Chappell, Demeter, Folkways, Music Scene, Montparnasse and Tele Music libraries. Recently, TRF music was used in *Working Girl* and *Moonstruck*, as well as *Kate & Allie*, *20/20*, *Sesame Street* and *Saturday Night Live*. Offerings include A/V, industrial, new age, electronic, sports, classical, rock, children's, period, country, jazz and jingles—available on CD, LPs or tape—on needle-drop, per-production or annual blanket licenses.

Valentino has expanded its CD production music library, now at a total of 34 discs, with as many as 13 themes on each. Styles range from international and industrial to rock, pop, new age, jazz and specialty; most offer commercial length and rhythm track versions in addition to the full length theme. CDs are priced at \$20 each, plus annual blanket or per-use fees.


"Themes," from ZM Squared, is a music library of 69 volumes available on reel-to-reel tape or cassette. The Themes library covers a variety of genres: sports, industrial, religious, jazz, rock, period and classical, to name a few. ZM Squared also offers a number of specialty releases, such as "The Wedding Album," a low-cost volume of music designed for wedding videographers. All music is licensed on a buyout basis, and a six-CD "Best of Themes" collection is in production at presstime. ■

- world class 4 band EQ
- 24 monitor/fx returns w/EQ



The Cutting Wedge™

ACOUSTICAL TILE



Comparison of 2 inch foam acoustical tile: SONEX NRC obtained from SONEX brochure. Cutting Wedge NRC Obtained from Riverbank Acoustical Labs.

**LESS MONEY
MORE NRC**

THAN:



Make the Comparison! Pricing and Documentation Available at Our Who's Who of Pro Audio Dealers:

American Music - American Pro Audio - Audio Village - Bananas at Large - Boynton Studios - Bradley Broadcast Sales - Distributors West - E.A.R.S. - East Coast Music Mall - Everything Audio - Full Compass Systems - Gand Music - HiFi Buys - Hy James - J&R Music World - Keyboard Exchange - Ma Mahoney's - Manny's Pro Audio - Martin Audio/Video - New World Audio Express - Music Loft/Musicians Co-Op - Performance Audio - Professional Audio Services - Radio Systems, Inc. - RF Specialties Group - Rhythm City - Russo Music - Skip's Music - Synthony Music - The Source - Thoroughbred Music - Washington Music - West L.A. Music - Wise Music

Circle #055 on Reader Service Card

DISC **MAKERS

Complete manufacturing for the audio industry.

COMPLETE PACKAGES FOR:

- Cassette Duplication
- Record Pressing
- Compact Disc Replication

All packages are completely retail ready, and include all necessary steps.

**SAVE MONEY
Deal Directly
With The
Manufacturer**



In-house art department for complete design, typesetting, film work, and printing. In-house mastering department for a great sounding product.

**CALL FOR OUR
FREE FULL COLOR
CATALOG.**


1-800-468-9353
(In PA: 215-232-4140)

DISC **MAKERS

1650 Broadway, Suite 1010 New York, NY 10019
(212) 265-6662

Circle #056 on Reader Service Card

SEPTEMBER 1989, MIX 59



4806 PARK GLEN RD.
MINNEAPOLIS, MN 55416
612-925-9423

Circle #073 on Reader Service Card

the garden of eden of adam, but hippie ghosts in the flesh. How have

PHOTO: JAY BLAKESBERG

SEPTEMBER 1989, MIX 67



INTERNATIONAL UPDATE: THE PACIFIC RIM

Farm (situated in the bush on New South Wales' north coast), rooms for Albert Productions' new facility and a private production suite for renowned Aussie producer Mark Moffatt. More recently, McGrath has built live rooms for Rich Music Studios and Festival Records. A redesign of Festival's control room is in the works.

McGrath's background in film was put to good use some time ago when he was commissioned to build a new studio for Sydney musician, composer and sci-fi fan Andrew Thomas Wilson. Wilson required a one-room musical composition and production suite that would comfortably house his battery of more than 20 keyboard instruments, recording equipment, and engineering and advertising personnel. The result: Transistor Music, a space capsule-like visual and aural environment that exudes style, mood, even humor.

The 40-foot-long studio is encased within a Faraday cage and is mechanically decoupled from the room-shell, wrapped in a vibration isolation blanket and floated on a sand substrate and concrete base. About 150 tons of earth were excavated in order to accommodate the Helmholtz resonators above the studio ceiling. The cavity beneath the raised "client island" at the rear of the studio is used as a Helmholtz resonator, with throat openings wedged between the rise in the steps.

A great deal of what is often mistaken for decoration is actually functional. The grooves in the walls are in fact hard-working slot resonators, positioned at nodal points in the room and tuned for broadband acoustic absorption. Most of the curved interior surfaces were fabricated by ships' carpenters using plywood and grainless custom wood with routed relief. An automotive refinisher applied coats of Porsche Blue acrylic enamel to produce the sheen that appears deceptively metallic.

Transistor has become the major site for all of Wilson's jingle writing, musical underscoring and sound effects work. Wilson is also known locally for his "less-commercial" new age recordings and dance-oriented numbers. His album *Carnarvon*, released in 1985, was a landmark recording in Australia—the first digitally recorded CD release of an Australian artist. His follow-up to *Carnarvon*—composed

and produced entirely in his studio—is entitled *Moebius*, and is expected to be released internationally at the end of this year.

INDEPENDENT ON THE MOVE

One of the most successful independent studio owner/managers is Paul Rich, who recently celebrated two years of operation at his Sydney location, Rich Music Studios, by upgrading to an SSL E Series console with Total Recall. It is the first major studio in Australia to extensively cable with Monster hi-fi and "oxygen-free" Mogami. Rich's most recent purchase is a Mitsubishi X-850 32-track recorder with Apogee filters.

Rich Music is a relatively new facility that's on the move. There's plenty of work coming in for jingles, and for established artists such as Mental As Anything, Dragon and Divinyls, as well as a broad range of "up-and-coming" bands, including Tall Tales and True, Gondwanaland and Lime Spiders. Rich also fosters local audio engineering talent, with in-house theory and practical application on the SSL and its accompaniment of outboard equipment. Rich is currently planning a second studio and intends to establish his own record label—Skyscraper Records.

"We specialize mainly in music mixdown," Rich says. "The reason for our recent upgrade was to capitalize on the major selling point of the studio—our acoustically accurate control room. The studio is based on American design principles, with reflective front runner materials and accurate bass trapping."

FILM AND TV

Although an increasing number of commercial studios in Australia now supplement their session bookings by conducting audio engineering courses, the most widely recognized institution in this country is the Australian Film, Television and Radio School (AFTRS). During a recent relocation in Sydney, AFTRS spent close to \$7 million on equipment upgrades to create a fully professional film, TV and radio production training complex. Student productions have won some 500 national and international awards since the school opened in 1973.

The new facility has been constructed so that sound and video can be

patched to any studio in the building. Following lengthy consultation with industry professionals, owners decided on a virtual console for the main mixing theater. The new automated Harrison Series Ten console—the centerpiece of one of five main studios—is capable of being reconfigured for either music recording or film work. Other Series Ten users in Australia include Pro-image of Melbourne and Soundfirm and Videolab in Sydney.

AFTRS' dedicated post-production suite is also equipped with an impressive lineup of new equipment, featuring an Amek Angela console with 36 mono inputs and eight stereo input modules. And next year's students will be among the first in the country to experience first-hand the AMS AudioFile hard disk recorder, configured for eight tracks and 15 minutes of digital audio. Commercial facilities in Sydney with AudioFile systems include TV station ATN-7, which has purchased three, and Pro-image (ECV), which now has two.

Pro-image's newest facility for sound mixing and audio post-production at its Sydney headquarters is the \$1.6 million Studio 2. On delivery of the country's first Sony 48-track machine last April, it was immediately sent out to tape a TV concert special of Richard Clapton's Band and guest stars Jimmy Barnes, Vanetta Fields and members of INXS. The mixdown for the show's network screening was conducted by Rhinoceros engineer Al Wright on Pro-image's new 60-channel Sound Workshop Series 34 automated console.

Pro-image engineer Mark Bergin says that using the hard disk recorder for audio production enables track laying to be done "two to three times faster than with multitrack, and people are coming to the studio just because it has the AudioFile." Pro-image personnel are also enthusiastic about the editing capabilities of the Adams-Smith synchronizer. The Sony 48-track digital, Otari MTR-100 and even the AudioFile can be locked up for extra tracks, while the 24-track Dolby SR noise reduction on the Otari machine ensures quality analog recordings on par with digital.

Jon Marsh Studios also purchased an AudioFile recently, with disk space for two hours of audio. For the moment, Marsh has teamed up the Audio-

more like 14 bits. Then, too, increasing the Nyquist frequency and introducing dither each have a direct positive relationship on "effective resolution." But we do not really end up with a specification that is in any way comparable to what we remember hearing in analog systems. What's more, with the exception of gross frequency response, we do not seem to have any parallel relationships between the technologies.

As far as listening tests go, something we did just the other night might be of interest here. An artist, a producer and I did a well-controlled, double-blindfold test of two digital tape machines—a randomly assigned A-B-C test. Admittedly, source material was a digital multitrack of something we've been working on, but it sounds pretty good, with lots of real musicians. As it turned out, we all picked the 96kHz machine as the better of the two. But more telling, in multiple passes we all picked the console (input) as the best sound each time; the artist, incidentally, was the quickest to clearly identify it.

So I submit, rather boldly, that we need more bits and/or more bandwidth. Not just a little more. Lots more.

LIMITERS AND THE QUEST FOR HIGHER RESOLUTION


Let's take the rather elusive, truly effective digital limiter as an example of a crying need for more "effective" resolution in conversion. As I write this, I can't say that I am at all certain at what point we will be able to come up with enough bits to make a really good digital limiter.

A good digital limiter, in my mind, is tied to how much resolution we have available that we're willing to throw away. Why? Well, let's continue to assume for the moment that what we perceive to be lacking in purely digital domain signal handling is related to the limited resolution of 16-bit systems with some degree of non-linearity (again, which can deteriorate performance to 14 bits or less).

Assuming this, if we take a signal source that we want to control and reduce its dynamic range, what we're inevitably doing is lopping off—truncating—bits from the top of the range, whether we restore the level (or normalize) by multiplication or not. So, a 16-bit dynamic range signal compressed 12 dB now has a net 14-bit dynamic range. If we go further and compress it 24 dB, it's now a 12-bit

signal. Go further still, and compress it as I would compress a vocal on certain sessions, and you're talking about compressing by as much as 30 or 40 dB in some places. Add to this the fact that we want to leave a bit of headroom when we're working in digital, and we've got a very low resolution signal to contend with if we want to do all our compression in data domain.

So, I propose that to construct a digital limiter that can really work as well as I would like and need it to, we would need the equivalent of 22-bit conversion. That's great, you say, but that could be as much as ten years away. Well, that may either depend on when the military is going to force industry to deliver more performance, or upon an entirely new look at conversion methods that accurately squeeze more data out of linear inputs. And keep in mind—the audio industry is quite possibly not going to be the one to drive this market. American R&D dollars are certainly not there. In fact, I can't think of anything in audio, save the so-called "low-distortion A/D converter," that was designed solely for use in audio. Certainly the integrated circuit was not.



TRIDENT

American Pro Audio proudly announces
Trident consoles now in stock!

Series 80C/featuring

- world class Trident mic pre-amps
- famous Trident 4 band EQ
- 48 track split monitors w/EQ
- priced from \$74,500

Contact Dick McCalley
or Lee Windsperger

also
available

Trident 24: songwriters producers

- 24 subgroups from \$22,950
- 8 aux. sends for effects
- world class 4 band EQ
- 24 monitor/fx returns w/EQ

A M E R I C A N
PRO AUDIO INCORPORATED

4806 PARK GLEN RD.
MINNEAPOLIS, MN 55416
612-925-9423

Recording Engineers Agree.



Trident sounds best.

Among the world's top engineers and producers, the cost effective choice for sound quality is almost always Trident. Stop by AudioTechniques for a demonstration. And see if you don't agree.

AudioTechniques

A Manny's Music Company.

(212) 586-5989

1619 Broadway, New York, N.Y. 10019 FAX: 489-4936

Circle #079 on Reader Service Card

Lowest Prices on AMPEX Tape

Ampex 456 Grand Master® Studio Mastering Tape

As low as... 2" \$114.08 per reel

As low as... 1" \$ 52.68 per reel

As low as... 1/2" \$ 30.43 per reel

As low as... 1/4" \$ 9.43 bulk

COMPLETE CATALOGUE AVAILABLE UPON REQUEST.

Name brand audio and video supplies at unbelievable savings.

AEG-Telefunken Mastering • Telefunken\Lyrec Duplicating

BASF pure chrome cassettes • R-DAT Digital Tape

Cassette duplication • Cassette packages available • J-card printing

Custom cassette labels • Direct "on the cassette" printing.

Video Duplication • Sony Video Supplies • Audio & Video Accessories

HRC Magnetics 1611 Herring Waco, Texas 76708

CALL TOLL FREE 1-800-443-8457 Nationwide

Circle #074 on Reader Service Card

Even the early '40s German "paper-backed-tape" audio recorders that preceded the development of the modern tape machine may have been designed primarily to time-shift Adolph Hitler's speeches, and not for use in providing music or entertainment.

So where is all this leading us? Why this search for higher resolution and ever more transparent audio gear? The answer may be found in two words: clarity and detail.

THE LOST ART OF HI-FI

One thing I'd really like to see is some true attention paid to good old hi-fi, which, to a great extent, has become a lost art. It's been years since we've had a lot of really exciting hi-fi recordings. Go back and listen to stuff done in the '60s, like Phil Ramone pop, Verve jazz recordings, the *Reader's Digest* Charles Gerhardt series, any Stokowski classical recording or the Angel classical series. The quality, detail and musicality of that product was simply fantastic. Go back even earlier and listen to the Westminster/Sonotape prerecorded tape library, or the Sinatra recordings, or the Nat King Cole recordings that Wally Heider did or any Rudy Van Gelder jazz. That's what drew me and many others into this business in the first place.

In earlier times, recording engineers were often nerdy electronic engineers, and one imagines that they spent the better part of their time working on mods and maintenance. More than a few, such as Bill Putnam, more or less built all the gear they used. An engineer would put up a couple of very good mics in the right place in a good room, and the producer (now more like an A&R person) sat with him, and when it was really bad it was just sort of dismissed with a "hey, let's try it again." But when it was good, it was excellent, really stunning. Despite all the technological advances, and all the tricks and techniques we have at our disposal today, recording as an art hasn't actually gotten that much better.

For me all this presents a real challenge, because I certainly do now and will want in the future to take advantage of all the technology that's out there, and I rarely do the kind of true hi-fi stuff that in my heart I admire so much. But I like to remember that there's a place for both kinds of recordings—the straight-ahead, two-mics, push-record-and-that's-it-type,

BATTERY IS COMING!

3 NEW ROOMS IN NYC: SSL, STUDER, NEVE
CONTACT CHRISTOPHER RICH 212-727-0016

Circle #181 on Reader Service Card

Software that solves audio production problems.

A family of programs for IBM AT compatibles that automate many of the record keeping chores of audio production work, especially for film and video post production

Sound & Music Cataloging

- Organize Tapes, Samples, CDs, DATs, Film & Records
- Enter your own data or use our free catalog listings of CD sound & music libraries
- Search with multiple words using "and" "or" & "not"
- Control CDs via interface to Sony CDK-006 jukebox

Effects Spotting

- Manage spotting lists referenced to reel, scene, timecode or feet/frame
- Search, copy & paste from effects catalog to spotting lists

Cue Sheet Printing

- Prints standard re-recording cue sheets in feet/frames or timecode on any size paper
- Shows title, description, ID number, position, fades, handles & internal events
- Allows 96 tracks per pre-mix
- Extensive conformation functions facilitate picture changes
- Multiple fonts & colors

ADR Printouts

- Simply enter basic spotting information once to print standard cue/line sheets as well as a variety of other forms
- Sort and refine before printing to create specific printouts by character or reel
- Transfer spotting information into Cue Sheet program for easy Cue Sheet printing

Leonardo Software

- 10378 Holman Avenue
Los Angeles, CA 90024
- Phone (213) 277-5161
Fax (213) 277-9086

and the multitracked, organized, much analyzed and overdubbed sessions that we end up editing, assembling and mixing with tweezers and a microscope. Inarguably, what's really important is being able to touch that emotional nerve in our listener.

What it may come down to is that when we as engineers make records of this latter variety, we are, in a sense, usurping the control once in the hands of talented people such as band leaders, arrangers and musicians. When music is conceived, coordinated and carefully noted, and the musicians motivated and well-rehearsed, pretty much all you had to do as an engineer was to throw up great microphones, and everything was already there. I'd like to think that what we do now with all our technology and editing and overdubbing is, in effect, serving to replace that. And again, the only reason I can give you as to why records are made the way they are is not so much that they come out better this way, but that it's a safer investment to assemble them a bit at a time. Strangely, there are only a few people in the business who seem to be able to conceive of a complete musical thought in their heads. And, of course, you can't help but wonder about a process that sacrifices spontaneity in order to get the best possible performance.

It's very clear that many of the artists with whom I've been fortunate enough to work are certainly professional enough and capable enough to pull off a really solid track in one or maybe three takes and turn to me and say, "Let's edit a good one together." But still, we take it again and again, listening over and over and endlessly comparing one take to another to form composite tracks and get the best performance we can down on the master.

So, why do we do it? Look at the great live performers. Take Frank Sinatra—a great live performer if there ever was one. Here's an artist who, throughout his career, has hated to rehearse and has often refused to do anything in more than one or two takes. As a matter of fact, Nelson Riddle stopped working with him because he refused to rehearse and insisted upon that "one take, in and out" way of putting things to tape. Frank Sinatra could do that. For what he was doing, he was able to pull it off. And it was often stunning. But this

stuff that we're doing is a little different.

Now, it's true, we did do three records like that with Linda Ronstadt, and she, for the most part, did live vocals with an orchestra [*Lush Life*, *What's New* and *Sentimental Reasons*], and I think that they were great. But when you start doing rhythm records, you can't really do that. You just have to be able to fit more sound in. There's much more going on in the recording than just a voice and an orchestra, and the only way you can do that is to play with the parts, and utilize all the multitrack and overdubbing capabilities available to you in the modern recording studio.

Is that sacrificing the art and concept of hi-fi? Maybe so. If it is, I'm as guilty as the next guy (I think of myself as someone who only dreams of making truly hi-fi recordings anyway). That's not necessarily a good or bad thing; it's simply a function of the reality of the way things are today. We, the ones who are out there doing the gig, have to be aware of the commercial realities and the competition that we face, however distasteful that may seem to some. You can't put a disclaimer on the record jacket saying, "Hey, we're really sorry about the drum sound, but in fact, we just couldn't overdub anything, because philosophically we're against it, blah, blah..." I mean, nobody wants to hear about that. They just want to rock. In my view, what it really comes down to—to paraphrase The Troggs—is whether you're doing it straight in one take, or assembling it piece by piece with tweezers from 50 takes, the real goal for the group here is "to be of one heart." If you can pull that off, one way or the other, you've got a piece of music that has the power to move people.

In a way, it may be that many of us have been simply seduced by technology. We've been led subtly to believe that a synthesizer has the power and detail—the lace and filigree—of a large orchestra, a group of talented musicians playing together. That's not true now, and it won't be even in the future. The detail of a big room filled with musicians working together and feeding off each other, both mentally and harmonically—however foolishly romantic it might sound—will never be replaced by machinery, no matter how sophisticated it may get. ■

The Automation System

FLYING FADERS™



Flying Faders in Neve V Series Console

Neve's Fourth Generation Moving Fader Automation System

Unique Features:

- Unparalleled accuracy with 4,096 digital steps
- Total Mix Memory keeps all moves, not just the last pass
- Harddisk and 3.5" floppy for permanent mix storage
- Global and local fader and mute mode controls
- MATCH buttons for automatic nulling
- Both Master-Slave and Necam™-style grouping
- Stereo fader for 2T bus master
- Color VDU with pull-downs and pop-ups, and built-in HELP!
- TRIM for one or all faders, in 1/10 dB steps
- Interface to A-S 2600 for locates, cycling, punch-ins, etc.
- Retrofits to other consoles

Flying Faders
Designed in cooperation with



TEC
TECHNICAL EXCELLENCE FOR QUALITY
1989 NOMINEE



Neve

A Siemens Company

RUPERT NEVE INC., BERKSHIRE INDUSTRIAL PARK, BETHEL,
CONNECTICUT 06801, U.S.A. • TELEPHONE: (203) 744-6230. TELEX: 96 9638.
FACSIMILE: (203) 792-7863

NEVE ELECTRONICS INTERNATIONAL LIMITED, MELBOURN, ROYSTON, HERTS SG8
6AU, ENGLAND • TELEPHONE: ROYSTON (0763) 60776.
TELEX: 81381. CABLES: NEVE CAMBRIDGE. FACSIMILE: (0763) 61886.

SIEMENS AG, POSTFACH 326 A-1031, WEIN, VIENNA, AUSTRIA • TELEPHONE: 43-222-
72930. TELEX: 100-847-1372-35. FACSIMILE: 431-72935040.

RUPERT NEVE INC., 260 WEST 52ND STREET, SUITE 25E, NEW YORK, NY 10019, U.S.A. •
TELEPHONE: (212) 956-6464. FACSIMILE: (212) 262-0848

RUPERT NEVE INC., 6353 WEST SUNSET BLVD., SUITE 402, HOLLYWOOD, CALIFORNIA
90028, U.S.A. • TELEPHONE: (213) 874-8124. FACSIMILE: (213) 874-1406

RUPERT NEVE INC., 1221 16TH AVENUE SOUTH, NASHVILLE, TENNESSEE 37212, U.S.A. •
TELEPHONE: (615) 329-9584. FACSIMILE: (615) 329-1473

SOUNDSTATION II... Now with TIMEWARP™



Digital Audio Disc Recorder and Production Centre



SOUNDSTATION II

SOUNDSTATION II, the unique Digital Audio Editing and Post Production System from DAR, now offers Stereo TimeWarp!

Permitting superb quality time compression and expansion *without pitch change*, TimeWarp complements **SOUNDSTATION**'s vast repertoire of rapid and transparent editing capabilities. From simple spotting of sound effects to timecode, to complex dialogue and soundtrack editing,

SOUNDSTATION II offers unparalleled power, speed and ease of use.

- Fast "tapelike" Recording and Editing
- All Editing on one Display – No Paging or Menus
- Instant Copy, Loop, Cut, Paste, Gain and Crossfade
- Scrolling Preview of Audio
- Digital and Analogue Inputs and Outputs
- 8 Track Hours in 9 Rack Units
- Affordable configurations for every application

See how **SOUNDSTATION II** will give your studio the competitive edge in – Video and Film Post Production – Multitrack Music – Dialogue Editing – CD Mastering. **Phone DAR for a free demonstration video tape now!**

U.S.A. Tel. No: (213) 466 9151

U.K. Tel. No: (03727) 42848


DIGITAL AUDIO RESEARCH



by Mr. Bonzai

PAUL KANTNER

PLANE TALK



Things were pretty hush-hush at L.A.'s Record Plant during the second flight of Jefferson Airplane. The band had secreted themselves away in Studio 1, while little news bits were leaked to the press about Paul Kantner, Grace Slick, Jorma Kaukonen, Jack Casady and Marty Balin getting together again for the first time since 1973. Being one of those '60s pilgrims who trekked to San Francisco so long ago and got my brains and clothes rearranged, I was downright curious about what was going on.

Up on the roof of the studio are some potted palms and a wooden deck surrounded by ventilator ducts and rumbling air conditioners. It ain't the Garden of Eden or Allah, but

there's a certain charm—the Hollywood sign staggering in the hills, the drone of traffic on nearby Santa Monica Boulevard (We love it!), and the backstage ambience of the Friday afternoon staff party. It's engineers, musicians, receptionists, seconds, accountants, tamales, refried beans and a keg of Coors. Down below, in the dark chambers of rock, some kind of history is being made. When Paul Kantner came up to grab a snack during a session break, I asked Rose, the studio manager, to introduce us. We edged into a conversation about all the hoopla.

Seems that the media has chosen to make 1989 the year of facing our hippie ghosts in the flesh. How have

LUNCHING WITH BONZAI

you done? How have they done? The Airplane launched a new era from their flightpads in San Francisco, and then Woodstock paved the way for the rolling revues that have thundered around the world ever since. Stadium concerts, T-shirt franchises and sound reinforcement have become megabiz. Some things have changed since those freewheelin' early days.

Bonzai: How does it feel to have all this attention coming toward Jefferson Airplane after such a long time?

of their old material and they're usually awful. We're hoping to avoid the sequel curse. We only do it once every 20 or 25 years. [Laughs] Besides, we all have other projects—I'm writing a theater piece.

Bonzai: A musical?

Kantner: God forbid calling it a musical. It's a theater piece with music. I've been strongly influenced by the ideas of Robert Wilson, the avant-garde theater creator. He is one of my current flames of the sentient life force. I'm taking a story and using rock and roll to allow the audience to make its own conclusions. It will encompass

break down?

Kantner: Pretty well scattered between me and Grace, and Jorma and Marty.

Bonzai: Why did you choose to record in Los Angeles?

Kantner: We like going to Disneyland, and L.A. is a good Disneyland, unless you get too inured in it. To live down here really well you have to be fabulously wealthy.

Bonzai: You can hang loose in San Francisco?

Kantner: Yeah. As Robin Williams says, it's a game preserve for people—strange people. A lot of strange peo-

PHOTO: JAY BLAKESBERG



Paul Kantner and Grace Slick singing together at a free concert in SF, 1988.

Kantner: Through Starship, KBC, Hot Tuna and other ventures, we've all had our share of attention. So, it's nothing new really.

Bonzai: Isn't there a different slant to it now, with a lot of nostalgia attached?

Kantner: The Airplane Rides Again! Relive those thrilling days of yesteryear! [Laughs] We've always been riding, so it's not really different for us. We've just been riding in different places. Hopefully, this will be a good sequel.

Bonzai: Long time coming for Airplane II...

Kantner: Well, none of us were crass enough to do it unless it felt right. It just had to occur, and it did occur naturally. You see all these old bands getting together to do nostalgia tours

everything from comedy to spoken word, as well as rock and roll and some interesting visual elements. It's a long-term experiment/goal, because it takes a long time to create large-scale theater.

Bonzai: How is the music on this new album different from the early Airplane?

Kantner: It's hard for me to point from within—it's just the music that we make. Every album we've made has been totally different.

Bonzai: Is the lineup the same as the original gang?

Kantner: Yes, except for the drummer. We've been working with Kenny Aronoff, from the John Cougar band—excellent drummer.

Bonzai: How do the writing credits

ple end up in San Francisco for all sorts of different reasons. San Francisco was a magnet, long before the '60s. In the '60s it just blossomed in one particular way, but it's always been a magnet, since the vigilante days, the Gold Rush days, the railroad days, the lumber days. It's a seaport, which in the old days attracted people, because that's where all the travelers came. You get a lot out of a little time in San Francisco.

You can spend the same amount of time in Kansas, for instance, and get the same thing, but it takes longer. On the other hand, things move at a much faster pace in New York and Los Angeles, but it's just too dramatically traumatic for us poor little fools from the outerlands to endure. It's like liv-

ing in Disneyland.

Bonzai: There is a lot of spinning of wheels in New York and L.A.?

Kantner: There's spinning of wheels everywhere. People coast more here because it's where the famous people go. Most go into a period of decline and coast on their reputations.

Bonzai: Why was Jefferson Airplane the first of the Bay Area bands to sign a major contract?

Kantner: Random factors. A big accident. We just happened to be in the right place at the right time and we were pretty good.

Bonzai: Those were the days of communal activity. . .

Kantner: By some of us; not all of us. Grace is extraordinarily private.

Bonzai: Has that scene changed?

Kantner: Well, I was just reading in the paper this morning about these old people's communes down in the Fairfax district of L.A. That's all we were talking about. "Artistes" usually seek out the less expensive real estate where there are low rents and freedom of expression. People don't bother you too much, so you get away with a lot more than you can in Bel-Air. Communes were very financially appropriate in those days.


You might trace it back to Robert Heinlein's book *Stranger in a Strange Land*. It provided a model for the Age of Aquarius and all that. People were trying for something that hadn't been done for awhile, if ever—particularly in the crucible of sex, drugs, rock and roll, and various odd mysticisms. Children had been raised well to expect a lot, and didn't get it from the normal channels that were presented at the time. There was freedom and a lack of trauma in our lives, in the way that World War II was for an earlier generation. Maybe ours was the first generation to say "screw you" when someone said "grow up, be a man, join the Army."

Rock and roll should be dangerous—you're not quite sure what you're getting into. It makes your heart pound a little more, and expectations grow a little higher. You push yourself past your normal limits and break down the walls that people put up. It's interesting to see what happens. Sometimes people die, but people died in World War II.

Bonzai: If chances are taken, there will be casualties.

Kantner: Soldiers are in the front lines of science. New fields of tech-

What a difference a year makes.



Every musician has a choice. You can wait for your big break, hope it comes, and hope it's something you can handle. Or you can make your own break — by getting the finest, most *practical* music education available. Doing it right may not take as long as you think.

If your music is worth a year of your life, a wide choice of one-year programs is waiting for you at the acclaimed Grove School of Music in Los Angeles. Each program offers the intensive precision education you'll need to cut through the competition as a versatile composer, arranger, instrumentalist, singer, or recording engineer.

Dramatically expanding your knowledge of musical styles, harmony, and the

latest technology, the Grove School has one constant mission: preparing you to meet the real demands of today's music industry. That's why all Grove instructors are working professionals with proven ability to make

a living in music.

If you want to make a living doing what you love, find out what a difference a year can make. Send us the coupon below, and we'll send you more information. Or call us toll-free at 800-234-7683 (818-904-9400 within California). See why Grove graduates are the lifeblood of tomorrow's music.

Grove
SCHOOL OF MUSIC

Building careers in music.

Grove
SCHOOL OF MUSIC

MAIL COUPON TO: Grove School of Music, 14539 Sylvan Street,
Van Nuys, California 91411
800-234-GROVE (818-904-9400 within California)

PLEASE PRINT

NAME _____

STREET _____

CITY _____

STATE _____

ZIP _____

PHONE (____) _____

MIX 9/89

I'd like to know more about the programs checked below:

- | | | |
|---|--|--------------------------------------|
| <input type="checkbox"/> General Musicianship | <input type="checkbox"/> Percussion | <input type="checkbox"/> Bass |
| <input type="checkbox"/> Composing and Arranging | <input type="checkbox"/> Professional Instrumental | <input type="checkbox"/> Guitar |
| <input type="checkbox"/> Electronic Composing and Arranging | <input type="checkbox"/> Recording Engineering | <input type="checkbox"/> Keyboard |
| | <input type="checkbox"/> Songwriting | <input type="checkbox"/> Synthesizer |
| | <input type="checkbox"/> Film/Video Composing | <input type="checkbox"/> Vocal |

nology and development come out of wartime, because of the necessity of self-preservation. When the war is over, it turns to productive uses sometimes, as in medical advances—even recording. From Hitler's Germany we got the tape recorder. The strides in medicine come forward greatly during wartime and in such things as the space programs.

Artists gather together and make advances, opening up new places to develop, like Soho in New York, Venice here, the Haight in San Francisco. These areas are now gentrified colonies, upper-middle class. In the past it was definitively lower class. Strange people, drug addicts, artists, bums, avant-garde, all developed in a certain cauldron that is interesting to be a part of. That's what San Francisco has always been about since I've been there.

Bonzai: Does that mean that artists always have to continually move on and redefine. . .

Kantner: Hopefully, of course. That's the unfortunate job of the artist: never to be comfortable.

Bonzai: What about all this remembrance of the "Summer of Love"—will we ever have another one?

Kantner: No, of course not, but there is something about it that is charming to remember. We like to go back to the places of our childhood to see what it was really like, and sit there for awhile and absorb. We haven't moved away from it, so we are still children, struggling mightily to remain adolescents as long as possible.

Bonzai: What did you learn from Bill Graham?

Kantner: That if you talk softer to him, it works. If you yell at him he just turns up the volume a notch. And you turn up the volume two notches, and he goes three. He yelled at me once and I just started talking quieter and quieter. And he's never yelled at me again. He didn't know what to do with it.

Bonzai: I'm sure a lot of musicians are going to take note of this. . .

Kantner: Well, he will, too. [Laughs] The unexpected is one of the best things about being in rock and roll. You have to do something unexpected. If you do the same thing every night, you bore yourself more than anybody else. It shows, and your music goes downhill.

We're going to tour again as a band and are hoping to have a place in the set every night where the spotlight will be turned on one band member and that person will have to do something new that is not called for in the normal set. The plan is to bring something to the table that will fascinate us—not the audience. Hopefully, it will work for the audience too. It could be music, spoken word, a poem, even a burst of flashpaper. Anything is open, as long as you don't hurt yourself or someone else.

Bonzai: It almost sounds like the kind of enthusiasm you would find in a new band. . .

Kantner: It is. We've been apart long enough to be a new band. We've all done stuff on our own, and nobody has faded into obscurity, as it were. There are various levels of being that we've been through, and here we are again doing this. God knows how long it will last. It's working now, it's fun, and we have no obligation to continue it. We only plan on making one record, touring a bit and seeing what happens.

Bonzai: Can you give me some of your early background?

Kantner: Catholic military school. In the second grade I had to march to breakfast with a rifle while listening to the strains of John Philip Sousa. That was my early musical experience, along with the music of the church. A full high military mass is quite impressive to a 6-year-old.

Bonzai: What was your first instrument?

Kantner: I took piano lessons to get out of math class. It wasn't until the folk music boom of the late '50s and early '60s that I got back into music. Pete Seeger was my father figure, musically and inspirationally in terms of social action. I find him a very rounded person in dealing with life from a musical standpoint. He can still bring a tear to my eye with just a banjo, or a 12-string guitar and a few well-placed choruses. It's hard to get that reaction from a jaded rock and roll person.

Bonzai: What is the role of rock and roll?

Kantner: A rock and roll musician lives on the edge of good and bad, positive and negative. You walk the gauntlet of total pleasure, happiness, completion—and excess, drug addiction or crashing in cars like James Dean, one of the first rock and rollers. You walk that fine line and are given

access to anything, just because of the amount of money you make. If you are young enough, and have lack of control, you can go over the edge without anyone being able to stop you.

Bonzai: How close to the edge have you gone?

Kantner: I don't get too close to the edge. My edges are more accidental. I had a motorcycle crash, tore my head open, and left my brains on the pavement. It left some room for development, [Laughs] much like a good earthquake does, or a good fire. I moved recently and the moving man said that there is nothing quite as good for cleaning up your life as a good fire or a good move.

You can travel safely across country by freeway, or you can explore the side roads. You can hang out and meet people and get much more from the experience. And as a result, you're likely to contribute more. As a songwriter, you find material for songs. Rock and roll is very good for this kind of thing, because you do travel around the country. You can make contacts and spend time in new places. I love to be in a strange city, get in the car and go get lost.

That's the spirit of rock and roll. That's how our band got together originally and how we got together again. We all went off on our own paths, which eventually ran together again.

Bonzai: I guess there has to be some luck involved. . .

Kantner: We're all alive, relatively sentient, and not drooling. And there are some nice songs coming out of it.

Bonzai: I read a funny comment you made about Marty being able to get away with sentimental stuff. . .

Kantner: Jorma thought I was a little harsh, but I meant it as a great compliment. Marty can get away with that stuff, while I can't write a love song to save my life. I always have to clutter it up with science fiction, girls with hungry eyes and riding tigers. Within every song I write, there is a love song, but to just to sit down and write a simple verse and a chorus that is really effective is one of the greatest arts in the world. I don't have it yet.

Bonzai: How are today's kids doing?

Kantner: I have no idea. How would I know? We didn't know back when we were beginning. When Jefferson Airplane went out to play the "Human Be-In" [Jan. 14, 1966], we expected a couple of hundred people. All of a sudden there were 20,000, all looking

It's Time To Rack Up Another Hit.



It's hard to follow a great act. Expectations run high. The performance must be flawless. When we decided to carry the legacies of our LA-2A, LA-4 and 1176LN into the next generation, we knew exactly what we were getting into.

Our new 7110 Limiter/Compressor incorporates the characteristics of its predecessors, is the natural addition to a legendary line and has all the potential to become a major hit in its own right. The 7110 combines both peak and average limiting action, producing smooth, predictable RMS style performance like the LA-2A and LA-4 with the precise automatic peak control of the 1176LN.

The 7110, with our exclusive program dependent Smart-Slope,[™] gives you adjustable compression curves from 1.5:1 through infinity:1. You set

threshold, attack, release time and output level – the 7110 automatically rides the gain with split second response.

To make set-up as simple as possible, we've included an Automatic Preset function. Punch the button on the front panel – the 7110 automatically defaults to program dependent attack and release times, and presets the peak threshold and ratio to consistently used settings. Perhaps the best news of all, the

7110 produces crystal clean sound and is virtually transparent.

Just another limiter/compressor? We don't believe so. After you've heard it for yourself, we think you'll agree. Stop by your local JBL/UREI dealer and give it a listen. And, get ready to rack up another hit.



The 7110 combines the smooth predictable RMS style performance of the LA-4 with the precise automatic peak control of the 1176LN.



**UREI
ELECTRONIC
PRODUCTS**

TEC
1988 NOMINEE

JBL Professional
8500 Balboa Boulevard, Northridge, CA 91329
© 1988 – JBL Incorporated A Harman International Company

weird. [Laughs] It was a children's army—a strength in numbers.

There is a full range of interests in kids, just as in adults. You can't appeal to all of them. Half of them will never hear of you. There are fundamentalists, murderers, car thieves, college graduates, chemistry majors. Kids are not just one type of being.

Bonzai: Tell me about the tension between the artist and the business side of music. Any thoughts about preparing a young artist for the rigors of the business world?

Kantner: You can't prepare for it. It's like a ritual that you have to go through. It's part of the weeding-out process. It's been said that true writers write because they have to. Whether any one reads it or not is unimportant.

Bonzai: Who is your audience now? People who have grown up with you?

Kantner: We've never known—you can never project who your audience is. There will be some who have followed our careers, but a lot of them don't connect to that world at all any more. It's hard to tell. I assume that a

lot of people our age like what we are doing. And we are going to present it in a way that will be enjoyable, with the celebratory, unexpected touch of the strange—a harvest celebration, bonfires, joy and exultation and everything the church was supposed to be and wasn't.

Bonzai: When will the album be released?

Kantner: Late summer. Speaking of summer, "Summer of Love" is the song I referred to when I was talking about Marty. You asked about the Summer of Love phenomenon. That's the last thing that we would want to do, because it is so cloying and embarrassing. But the song is so charming and real that it brings a tear to your eye. Marty can get away with it, "Baby, I loved you—what a summer it was."

Bonzai: What's the label for the new album?

Kantner: Epic, appropriately titled. We have some good people on the album: David Paich, Mike Porcaro playing a little bass with Jack, and a guitar player named Mike Landau who's added some nice landscaping to the album.

Bonzai: How has it been working

with Ron Nevison as producer?

Kantner: It's worked splendidly. He came down a bit from his place of telling bands what to do. Many bands need that, but we could barely handle that kind of thing. He's come up with just great suggestions. He's done what a producer is supposed to do. Many producers are really only engineers, and talk for the sake of talking. When Nevison comes up with something, 80 percent of the time it is perfectly complementary, really supportive and works with what we are doing. He's added a nice touch.


Bonzai: Any last message to the world?

Kantner: Check out Nicaragua, both musically and poetically, for a strange energy pattern. I'm going down for awhile while the album is being mixed. I hope to come back and hear a great finished album, if I live.

Bonzai: Is it safe down there?

Kantner: More or less. Is it safe in L.A.?

Our roving interviewer Mr. Bonzai will not reveal if, in fact, he wore flowers in his hair when he went to San Francisco.



And some people still want to record in L.A.?

CARRERA RECORDING STUDIO

1504 COLUMBIA AVE. #3

RIVERSIDE, CA 92507

(714) 784-5777

“In blindfold listening tests with the best software sequencers, the Alesis MMT-8 won hands down for the best feel.”

— Jay Graydon.

Producer, Engineer,
Songwriter, Studio Guitarist,
Grammy Winner.



Personal computers are great for editing notes and sorting out the MIDI spaghetti in a complex composition. But when it's time to play your latest song they often miss the beat.

There's a reason. Personal computers have to deal with many tasks simultaneously. The notes in your composition have to fight for time on a computer that's busy updating a screen, checking a mouse, and doing other non-musical tasks. Even if you quantize your music, this results in random timing errors during playback, which is readily perceived as a loss of feel. We call it *MIDI slop*. You wouldn't accept sloppy playing from a triple-scale studio band, so why accept it from your computer?

The MMT-8, on the other hand, is the best sequencer you can own because it was designed to perform only one task: making music. It plays back notes exactly as you played them in, or exactly how you want them quantized. All with pin-point accuracy, so your songs will have the exact rhythmic feel you intended. The same *meaning*.

At less than the price of the average sequencer software, you can't afford not to add the MMT-8 to your MIDI studio. Plus, its logical 8-track layout and tape recorder style controls will keep you gravitating to the MMT-8 for all your songwriting. And some astonishingly comprehensive editing too.

And now your work can be stored and retrieved instantly on 3.5 inch floppies with the Alesis Data Disk. It's a direct MIDI to disk, 800K capacity, universal data storage medium for the MMT-8 and virtually any other MIDI hardware — like Alesis drum machines and programmable effects processors.



The Alesis Data Disk

The Alesis MMT-8 MIDI Sequencer won't do your taxes or spreadsheets, but it *will* play your music in the pocket. And that's the *musical* bottom line.

See your Alesis dealer for
a demonstration.



LOS ANGELES: Alesis Corporation, 3630 Holdrege Avenue Los Angeles, California 90016 LONDON: 6, Letchworth Business Center Avenue One, Letchworth, Hertfordshire SG6 2HR

Circle #145 on Reader Service Card

T H E D I G I T I Z A T I O N O F

AUSTRALIA

by Andrew Symaniz



For decades there's been a healthy and diverse live music scene in Australia, but it's only in the last few years that Australian acts have really earned international recognition. Because only a handful of establishments can be considered the "big league," there's a psychological advantage in being the first studio in the country with new equipment and/or facilities—particularly when it comes to attracting overseas clientele. While most of Australia's leading recording studios have now acquired digital multitrack and mastering, few have forsaken their trusty analog workhorses exclusively in favor of digital.

THE BIG LEAGUE

Metropolis Audio—previously known as the audio division of AAV Australia—has specialized in soundtrack production for numerous films and TV series, including *Crocodile Dundee* and *Mad Max*, and recorded Australian and international acts such as John Farnham, Jimmy Barnes, The Little River Band, Pseudo Echo, Whitney Houston, Frank Sinatra and Elton John. For 11 years it has also been a leader in mobile audio recording.

Metropolis was the first facility in the country to purchase a fully functional DASH system—Sony PCM-3324 24-track digital recorder and Sony PCM-1610 mastering. Now, six years later, the five-studio complex in Melbourne offers a variety of 24/48-track



(Photo above) Transistor Music,
(left) Rhinoceros Recordings

Sheer Opulence of Sound



TLM 170

The studio microphone which achieves that elusive perfection. There is no comparison. Each one handcrafted by NEUMANN—the world leader in microphone technology for over half a century.

Gotham Audio Corporation
1790 Broadway
New York, NY 10019-1412
Headquarters • 212-765-3410
West Coast • 818-785-2211

GOTHAM

Circle #151 on Reader Service Card

Gotham Canada
416-665-2542
Audio Export/Georg Neumann & Co.
Badstrasse 14 ·
Heilbronn/Necker, West Germany

analog and DASH, and both systems are equally at home either in the studios or out on location in the OB van.

Studios 301 (EMI Records/Australia) remains one of the few full-service facilities in the country, offering comprehensive music recording and mixing, film, commercial and post-production services, disc cutting, CD master preparation and format conversions within the same complex. Having initially gone with the Sony 3324 DASH system, 301 changed over to a pair of Mitsubishi X-880 32-track machines last year. Studio manager Martin Bengel acknowledges that the 24- and 48-track analog format continues to be the universal standard, despite "strong demand for digital in the U.S. and UK; particularly from major acts that tour and record here."

When Rhinoceros Recordings was conceived nine years ago, the studio was little more than a modest collection of home recording equipment in a dusty office space in Sydney. Then youthful recording entrepreneurs Andrew Scott and David Nicholas—having already spent several years on the

road with local rock bands—began planning a more stylish Aussie studio that would be of international standard. Now, they believe, they have created the best-equipped rock and roll studio in the country.

With a major extension and equipment upgrade one year ago, Rhino has become the first Australian facility to use ProDigi-format multitrack recorders and the first studio in the country to acquire the Solid State Logic G Series console. Presently configured with 56-channel modules and Total Recall™, the console is capable of handling up to 72 channels. As such, it is one of the largest single-frame units ever built by SSL. The two-studio facility (with a third suite currently being built for production work) offers 96 tracks of Mitsubishi X-850 digital and 48 tracks of Studer analog multitrack.

Maintenance and service remain the cornerstones of Rhino's growing reputation, as the studio attracts about as many contemporary music projects as it can handle. The potentially lucrative advertising market "is not top priority, at present," says Scott, who

confesses to favoring album work since "bands are a lot more fun to work with."

Included in the daily lockout rate for Rhino's new Studio 2—now one of the most expensive in the land at \$3,000 per day—is a comprehensive range of outboard equipment and, Scott adds, "plenty of food, private lounge areas and no pinball machines!" There's even mezzanine-level sleeping quarters planned for artists' exclusive use. Staying at Rhino recently were INXS, Jimmy Barnes, Noise-works, Choirboys, 1927, Ian Moss, Midnight Oil, Kylie Minogue and Jason Donovan.

STUDIO DESIGNERS

The design of Rhino's new studio and 1,000-square-foot control room was a collaborative effort between noted UK acoustician Neil Grant (also working at the time on Peter Gabriel's Real World Studios) and Melbourne architect and studio designer Peter Brown.

Brown's post-apocalyptic style of interior decor was once publicized as "designer rubble," in reference to its deliberate dull color schemes, rusted metalwork, distressed paintwork, unfinished steel and generous amounts of exposed concrete. Brown attributes much of his recent success in the industry to his strong musical background: his other work includes interiors for two Melbourne nightclubs, Checkpoint Charlie and Metro, and numerous face-lifts for radio stations around the country.

The construction and design of radio station 3TT's new premises in South Melbourne is Brown's latest venture. He has also received invitations from abroad, including Paris radio station Pacifique FM and a San Francisco nightclub.

Another Australian studio designer, Ian McGrath, has been in demand lately. McGrath was the principal designer of one of the first acoustically treated control room/studio facilities in the country, Airborne Sound Recorders. Since then, he has worked as set designer on 15 feature films, including major Australian productions *The Year of Living Dangerously* and *Road Warrior*, where he was employed as artistic director.

McGrath has also overseen the building of numerous recording studios in and around Sydney, including Music



HOW CAN YOU BEAT THE BEST SOUND AT THE BEST PRICE?

JBL 4400 series monitors are in stock and on sale from as low as \$169.00 each. Call us for free information on the complete line of JBL monitors.

Hundreds of brands of audio equipment for the professional, less than 1 hour from NYC and Philadelphia


Russo Professional Systems

1989 Arena Drive, Trenton, NJ 08610
(609)888-1808 FAX (609)888-3492

Circle #004 on Reader Service Card

DO NOT OPERATE SWITCH
AMPLIFIER POWERED.

STEREO
BRIDGE MONO



THIS AMPLIFIER IS EQUIPPED WITH...
T GAIN 775V OR 22V...
PUT. REMOVE PIP CARD OR COVER...
ESS GAIN SWITCH.

UTION: TO PREVENT ELECTRIC SHOCK DO NOT
GIVE TOP OR BOTTOM COVERS. NO USER SERVICE
TS INSIDE. REFER SERVICING TO QUALIFIED SERVICE
SONNEL. DISCONNECT POWER CORD BEFORE REMO
N PLUG-IN PANEL TO ACCESS GAIN SWITCH.

TENTION: DEBRANCHER AVANT D'OUVRIR

ARNING: TO REDUCE THE RISK OF FIRE OR
CTRIC SHOCK DO NOT EXPOSE THIS EQUIPMENT
RAIN OR MOISTURE

These days, it seems like everyone's putting in a plug for Crown.

And we don't just mean celebrity endorsements, either. We're talking about Crown's exclusive Plug-In Panel (P.I.P.)™ technology—yet another reason why so many big names insist on touring with Crown Macro-Tech™ amplifiers.

Crown's unique P.I.P. modules slide easily into the back of any Macro-Tech amp, giving you dozens of additional amplifier functions as you need them.

Electronic crossovers. 32-step precision attenuation (shown above). And now, for the first time ever, total remote control and monitoring of up to 2,000 amplifiers from one central computer (IQ System 2000™).

Only Crown gives you all these expandable options. Plus a list of standard features that really wowed them at the Patent Office.

Like Crown's exclusive Multi-Mode® (A, AB + B) and Grounded Bridge

Circuitry for earth-shaking power with almost no distortion. Our patented IOC® indicator that flashes if any distortion equals or exceeds 0.05%. Unique ODEP™ circuitry that can actually prevent overload and overheating damage. And, of course, front panel LEDs that tell you the operating status of each amplifier at a glance.

All this plus your choice of stereo, bridge mono or parallel mono modes. And a transferable No-Fault Warranty* that only the most reliable amp in the industry could afford to offer: 3 years parts and labor, free round-trip shipping, plus a 3-year extendible option.

With this much going for it, it's no wonder Crown Macro-Tech is the most talked-about amp on the touring circuit today. Call us today for more information. Because chances are, you'll be putting in a plug for Crown one day, too.



1718 W. Mishawaka Road, Elkhart, IN 46517
219/294-8000

Circle #188 on Reader Service Card

*Contact a Crown representative for full details.

Farm (situated in the bush on New South Wales' north coast), rooms for Albert Productions' new facility and a private production suite for renowned Aussie producer Mark Moffatt. More recently, McGrath has built live rooms for Rich Music Studios and Festival Records. A redesign of Festival's control room is in the works.

McGrath's background in film was put to good use some time ago when he was commissioned to build a new studio for Sydney musician, composer and sci-fi fan Andrew Thomas Wilson. Wilson required a one-room musical composition and production suite that would comfortably house his battery of more than 20 keyboard instruments, recording equipment, and engineering and advertising personnel. The result: Transistor Music, a space capsule-like visual and aural environment that exudes style, mood, even humor.

The 40-foot-long studio is encased within a Faraday cage and is mechanically decoupled from the room-shell, wrapped in a vibration isolation blanket and floated on a sand substrate and concrete base. About 150 tons of earth were excavated in order to accommodate the Helmholtz resonators above the studio ceiling. The cavity beneath the raised "client island" at the rear of the studio is used as a Helmholtz resonator, with throat openings wedged between the rise in the steps.

A great deal of what is often mistaken for decoration is actually functional. The grooves in the walls are in fact hard-working slot resonators, positioned at nodal points in the room and tuned for broadband acoustic absorption. Most of the curved interior surfaces were fabricated by ships' carpenters using plywood and grainless custom wood with routed relief. An automotive refinisher applied coats of Porsche Blue acrylic enamel to produce the sheen that appears deceptively metallic.

Transistor has become the major site for all of Wilson's jingle writing, musical underscoring and sound effects work. Wilson is also known locally for his "less-commercial" new age recordings and dance-oriented numbers. His album *Carnarvon*, released in 1985, was a landmark recording in Australia—the first digitally recorded CD release of an Australian artist. His follow-up to *Carnarvon*—composed

and produced entirely in his studio—is entitled *Moebius*, and is expected to be released internationally at the end of this year.

INDEPENDENT ON THE MOVE

One of the most successful independent studio owner/managers is Paul Rich, who recently celebrated two years of operation at his Sydney location, Rich Music Studios, by upgrading to an SSL E Series console with Total Recall. It is the first major studio in Australia to extensively cable with Monster hi-fi and "oxygen-free" Mogami. Rich's most recent purchase is a Mitsubishi X-850 32-track recorder with Apogee filters.

Rich Music is a relatively new facility that's on the move. There's plenty of work coming in for jingles, and for established artists such as Mental As Anything, Dragon and Divinyls, as well as a broad range of "up-and-coming" bands, including Tall Tales and True, Gondwanaland and Lime Spiders. Rich also fosters local audio engineering talent, with in-house theory and practical application on the SSL and its accompaniment of outboard equipment. Rich is currently planning a second studio and intends to establish his own record label—Skyscraper Records.

"We specialize mainly in music mixdown," Rich says. "The reason for our recent upgrade was to capitalize on the major selling point of the studio—our acoustically accurate control room. The studio is based on American design principles, with reflective front runner materials and accurate bass trapping."

FILM AND TV

Although an increasing number of commercial studios in Australia now supplement their session bookings by conducting audio engineering courses, the most widely recognized institution in this country is the Australian Film, Television and Radio School (AFTRS). During a recent relocation in Sydney, AFTRS spent close to \$7 million on equipment upgrades to create a fully professional film, TV and radio production training complex. Student productions have won some 500 national and international awards since the school opened in 1973.

The new facility has been constructed so that sound and video can be

patched to any studio in the building. Following lengthy consultation with industry professionals, owners decided on a virtual console for the main mixing theater. The new automated Harrison Series Ten console—the centerpiece of one of five main studios—is capable of being reconfigured for either music recording or film work. Other Series Ten users in Australia include Pro-image of Melbourne and Soundfirm and Videolab in Sydney.


AFTRS' dedicated post-production suite is also equipped with an impressive lineup of new equipment, featuring an Amek Angela console with 36 mono inputs and eight stereo input modules. And next year's students will be among the first in the country to experience first-hand the AMS AudioFile hard disk recorder, configured for eight tracks and 15 minutes of digital audio. Commercial facilities in Sydney with AudioFile systems include TV station ATN-7, which has purchased three, and Pro-image (ECV), which now has two.

Pro-image's newest facility for sound mixing and audio post-production at its Sydney headquarters is the \$1.6 million Studio 2. On delivery of the country's first Sony 48-track machine last April, it was immediately sent out to tape a TV concert special of Richard Clapton's Band and guest stars Jimmy Barnes, Vanetta Fields and members of INXS. The mixdown for the show's network screening was conducted by Rhinoceros engineer Al Wright on Pro-image's new 60-channel Sound Workshop Series 34 automated console.

Pro-image engineer Mark Bergin says that using the hard disk recorder for audio production enables track laying to be done "two to three times faster than with multitrack, and people are coming to the studio just because it has the AudioFile." Pro-image personnel are also enthusiastic about the editing capabilities of the Adams-Smith synchronizer. The Sony 48-track digital, Otari MTR-100 and even the AudioFile can be locked up for extra tracks, while the 24-track Dolby SR noise reduction on the Otari machine ensures quality analog recordings on par with digital.

Jon Marsh Studios also purchased an AudioFile recently, with disk space for two hours of audio. For the moment, Marsh has teamed up the Audio-

THE AUDIO POST ROOM



DIGITAL AUDIO FOR VIDEO AND FILM

A state of the art audio-for-vision editing suite usually requires considerable investment in equipment, but above all, the patience and dexterity of skilled engineers to manipulate several tape sources to VT and film. Miracles can be performed, but the editor is often constrained from creative experimentation by the limitations of both time and his facilities.

Solid State Logic conceived ScreenSound to put more creative power and time into the hands of the editor by

eliminating logistical problems. Instead, we provide an entire editing suite in one integrated unit, with a simple pen and tablet control surface, enabling rapid editing, laying

up and track-slipping, all with the digital sound integrity necessary to meet today's broadcast standards.

ScreenSound provides the first working environment built around the editor, not the equipment, leaving him free to use his creative skills on the final soundtrack.



ScreenSound


SSL DIGITAL

Solid State Logic

Begbroke, Oxford, England OX5 1RU (0865) 842300

Paris (1) 34 60 46 66 • Milan (2) 612 17 20 • New York (212) 315 1111 • Los Angeles (213) 463 4444 • Tokyo (81) 3 320 1101
U.S. TOLL FREE NUMBER 800 343 0101

It's A Matter Of Taste.



Vocal microphone selection is often based on a matter of taste and not on specs alone. The Milab VIP-50 strikes the perfect balance between art and technology.

Just ask renowned recording engineer Bruce Swedien. "The VIP-50 is the first microphone to come along in over a decade that I would consider one of my first choices for vocals. I love the sonic clarity on vocals."

Demo a VIP-50 in your studio. We're sure you'll love the way it sounds too. It's a matter of taste... the Milab VIP-50.

Milab

MICROPHONE LABORATORIES

Distributed exclusively by Klark-Teknik Electronics, Inc.
30B Banfi Plaza N., Farmingdale, N.Y. 11735
516-249-3660. Fax 516-420-1863.

File with a DDA analog console. However, later this year he expects to take delivery of an AMS Logic 1 digital mixing console, which will be installed in his second post-production studio, currently under construction. This studio will become the first fully integrated professional digital recording facility in the country. Marsh is confident that the AMS system linked up with video playback will boost productivity by bringing in post-production work on commercials, documentaries, corporate video and other TV work.

ESP'S SERIES III MFX

Following an unsettling period earlier this year, Australian synthesizer/audio workstation manufacturer Fairlight Instruments—now known as Electric Sound and Picture—is back on track. Products demonstrated at recent major trade shows include new software that enhances ESP hardware upgrades for the Series III MFX (music and effects) system. The 32-bit 68020/math co-processor-based "Waveform Supervisor" board greatly improves the efficiency of the system, and with the addition of two ESDI disk drives enables recording of eight tracks directly to hard disk.

A future software release for the hard disk recorder will feature individual, nondestructive editing on all tracks. ESP's managing director Kim Rylie believes that the upgraded Series III system, with its many improvements—dynamic voice allocation, on-line access to sound synthesis, processing and optical sound libraries, enhancements to CAPS, Cue List Sequencer, global synchronization and compatibility with the newer ES bus synchronizers—will strengthen the Series III's position as "the most flexible and least expensive 'true variable sample-rate' system on the market."

DIGITAL RADIO

Broadcaster 3TT in Melbourne is vying to become the first completely digital radio station in Australia—from microphone to transmitter input—with on-air material sourced from multi-play CD machines and programs compiled on an eight-hour, fully redundant, Winchester disk system.

Perth-based radio systems manufacturer PKE International installed the first stage of the \$1 million "Ouija" system early this year. Although the

Circle #007 on Reader Service Card

station's on-air studios have been fitted with conventional radio consoles and touchpad controllers, they are expected to be replaced with touchscreen VDTs. PKE has spent the last three years developing the Ouija system to control virtually all broadcasting functions, including on-air operations such as crossfading via touchscreen. All the control functions in the system use standard RS-232 communications.

It has been suggested that the station could even be controlled via satellite when fully operational, and operators could do programs from home using a Ouija touchscreen and modem. According to PKE's director of marketing, Frank McQuillin, the Ouija system is primarily aimed at the growing radio networks in Australia that do not need full production facilities for their satellite services. ■

Andrew Symaniz is an Australian-based freelance writer.

Metropolis Audio



LENGTH AFTER LENGTH. CASSETTE AFTER CASSETTE.
ON THIS YOU CAN RELY.



NEW!

NOW OFFERING BOTH TYPE I AND TYPE II CASSETTES IN SEVEN LENGTHS—FROM 5 TO 90 MINUTES.

Ampeg Recording Media Corporation • 401 Broadway • Redwood City • CA 94063 • (415) 367-3809

Circle #133 on Reader Service Card



The Choice of Legends

The Studiomaster Series II 16.16.2 is one of the very few affordable mixing consoles in the world which can truly offer features and audio specifications normally the privilege of top professionals.

The on-board MIDI controlled muting (MCM) system - an idea pioneered by Studiomaster - is now in 2nd generation form. MCM II responds to MIDI Note On, Note Off and Key Number information and can also READ and WRITE MIDI commands for direct communication with MIDI sequencers. The system mutes input channels and aux returns. Once mastered, it reveals a whole host of creative possibilities as well as being a very useful tool for noise elimination.

Its MIDI functions, however, are not at the expense of audio facilities. As a result, the Series II is not confined to just programming suite applications; it is a superb control room console for up to 24-track studios.

Key features of the Series II include 4 band sweep EQ (described by Sound On Sound magazine as 'simply superb'), 6 auxiliaries, outstanding on-board monitoring facilities, 100mm ALPS faders, phase reverse, 48V phantom power, expandable to 40 inputs and 24 tape monitors, rack mount power supply. Also available as 16.4.2 and 16.8.2.



Before you disregard the idea of having a mixing console tailored to your specific needs, take a look at Studiomaster's Custom Console System, Series III.

A Series III can be used in any type of environment by virtue of its range of 12 different modules including mono and stereo inputs, aux masters, left, right and group outputs, communications and tape monitors.

Any size from 8.4.2 or 12.2 to 40.8.16.2 can be built using the unique expandable base frame units. The console can either be supplied to your specifications, or you can start with a smaller size and build up as your needs change.

Key features of Series III include balanced inputs, 3-band sweep EQ, 6 auxiliaries, RIFA on stereo inputs, SEND and RETURN points, AUX RETURNS with EQ or subgroup routing, 8 group busses, up to 16 remix busses. External power supply.

Note New Address

For detailed color literature, contact Jim Giordano, Paul Reeve or Tony Allen at STUDIOMASTER, INC., 3941 East Miraloma, Anaheim, CA 92807 Tel (714) 524 2227 FAX (714) 824 5096

STUDIOMASTER

THE SOUND EXPERIENCE

Studiomaster Canadian Dealers: VICTORY Music Store, 8125 995 6705 - EDMONTON, Alberta, Canada. (403) 439 8007 HIFI/FI Music Shop, 422 5671 - MONTREAL, Quebec, Canada. (514) 878 2910. COTILLON'S Stereo Music Store, 614 250 1741 - Oshawa, Ontario, Canada. (416) 592 3877 ST. JOHN'S RHYTHM/101 Guy Berger, Suite 6, Terminal 1513 - 546 8310 - TORONTO Stereo Music Store, 4150 593 8888 VIKING/UMR Music Music, (604) 438 3541

RECORDING IN

J A P A N

AN
AMERICAN
VIEW

by Leslie Ann Jones as
told to Linda Jacobson

Editor's note: Leslie Ann Jones has engineered recordings by Dave Edmunds, Angela Bofill, Narada Michael Walden, Bobby McFerrin, Holly Near and Marlon Jackson. A native of Los Angeles, she moved to San Francisco in 1978 and for six years worked as staff engineer at the Automatt, then worked as an independent for three years. In late 1987 she moved back to Southern California to work as a staff engineer for Capitol Records. Here she



PHOTO: IRENE YOUNG

speaks about her experiences recording in Japan.

As an engineer at Capitol Records, I work with several Japanese clients in Los Angeles. Most of the work I do for them involves commercial projects. One client, Kazuo Yoshie, owns a company called Mr. Music, one of the top jingle companies in Japan.

Jingles are done a little differently in Japan than they are here—in Japan, most of the commercials are released as singles, as well. Whenever I do

Studio Spotlight:

Sound Sky Studios, Tokyo

Highlighting the recently completed Sound Sky Studios in Nakano, Tokyo, are two separate recording areas, each with their own 96-input Neve V Series console and GML Moving Fader automation system. Also available are Otari DTR-900, Mitsubishi X-850 and Sony PCM-3348 digital multitrack recorders, as well as Otari MTR-100A analog machines. A generous supply of outboard equipment is on hand, as well as a collection of vintage Neumann and AKG mics.

Shown here is the control room for Studio 2. Electronically operated double doors separate the room from the three adjacent acoustically isolated recording spaces, each lined with perforated, brickwork

tiles on the walls.

According to studio designer Sam Toyoshima, "Sky was built as an exclusive studio building," and with that in mind, great attention was paid to noise control. Also in-

cluded in the complex are a kitchen and a large lounge. "I am happy that my vision of what a studio ought to be has found such clear expression," adds studio owner Dave Ishigaki. ■



work here for Yoshie, we actually do 3- or 4-minute songs. But the songs never mention the product; they evoke a particular *feeling* about the product. For instance, the first thing I did with Mr. Music was for Suntori brandy, and the song was called "Brandy and Water." It was sung by a popular background vocal group from Los Angeles, The Waters (Julia, Maxine and Orin Waters). It was released as a single and even won an award. We've done commercials with Crystal Gayle singing, with the Tonight Show Band playing on them—the company wants a particular feeling on the song, whether it's big band, jazz, country or pop, and all these get cut as single-length songs, then they take whatever they want from the song and use it for the radio or TV commercial. So we hardly ever mix a 10-second or a 15-second spot.

My client has a studio, Cricket Studio, at his office in the Aoyama section of Tokyo, and he has a partnership with another person, Katsunori Nagasawa, who is president of Rackyo Records, the record division of Mr.

Music. They have an artist on the label, a female vocal group called Eve, who were going to do a Christmas album [for Christmas '88]. So I was asked by the label to come to Japan last fall to record and mix their Christmas album. (Capitol has a remote rate when engineers go outside of the Capitol studios. That includes my travel time and all work time in Japan.)

They also flew over Bill Elliot, an arranger. He was there by the time I got there. Half of this record was to be standard, classical, Christmas music, and the other half was to be sort of pop-disco Christmas stuff. Bill arranged both. The classical part was done with an actual orchestra, the pop stuff was all synth. So by the time I got to Tokyo they had already recorded most of the synth stuff, using a couple of engineers who were on staff at Cricket.

When I got there, we were scheduled to record the classical music the next night. That was recorded at a CBS studio in Tokyo, CBS/Roppongi, named after the area of Japan it's in.

I was told when I got there that

there were no women engineers in Japan, that no one knew of any—no women assistants, no women techs—so right away I was prepared for the worst. [Laughs] "Here comes the white girl!" I was sort of prepared for people to look at me strangely but it didn't happen, no more so than on the train where I was the only Caucasian. I was just sort of out of my element anyway, on the whole trip [laughs]. My client spoke enough English to get by, of course Bill and I spoke English, but no one in the orchestra spoke English, and the assistant and setup person they gave me spoke Japanese. And I had jet lag, so I could barely put two words together!

So the first night I arranged how I wanted the room to be and wrote out the kinds of mics I wanted and went back and forth with translation—through my client—to make sure they knew what instruments I was talking about.

The studio was pretty much a '70s-type studio, which actually was a bit of a handicap for the orchestral recording we were doing, because the

Neutrik ProFi™... phono connectors that break "no" ground

"Grounding" noise is completely eliminated due to a retractable ground contact that makes first and breaks last.

Another
Neutrik
innovation



Neutrik USA, Inc. • 1600 Malone Street • Millville, NJ 08332
TEL: 609-327-3113 • FAX 609-825-4804

NEUTRIK USA, INC. 

Circle #008 on Reader Service Card

studio portion had both hard surfaces and carpeted surfaces. It was not a huge room, so it was a bit of a challenge trying to decide where to put everybody to get whatever benefit I could from the room layout—I was doing timpani and harp, percussion and bells, plus violins and French horns; it wasn't a large orchestra but it had all the elements of one. So I had to place some instruments where I would not have ordinarily; my first

choice would have been to rip up the whole rug, but I couldn't.

The control room had a Neve, I believe an 8048, and Studer 24-track machines. It was a Westlake-style room, the kind where you can barely look over the console and out the glass [laughs]. I can't remember if the monitors were Westlakes or UREIs. They had a decent complement of outboard gear. It was very neat and clean, upstairs, next to a large game room

JAPAN & THE WEST IN RECORDING

To understand the Japanese studio scene, it is beneficial to first examine the musical environment in Japan and see how it compares to the West. One obvious difference is in the Japanese record companies, which are mainly owned by major consumer electronic/audio manufacturers, such as Nippon Columbia/Denon, CBS/Sony, Toshiba/EMI and Victor Musical Industries. Other heavy investors in record labels are broadcasting companies and both music and book publishers.

Of course, there are independent record companies, too, but they are far less common than in the U.S. or Europe. These indies have no systematic distribution channels and must deal directly with retailers. As a result, their market share is minuscule compared to the giants of the Japanese record industry, and they don't have much of an impact on the recording studio business.

These are not the best of times for many Japanese recording studios. Capital outlays for equipment continues to increase, with more studio clients demanding such amenities as automated mixing consoles and digital multitrack recorders. On the other hand, since these new technologies improve productivity, studio usage time has actually declined, resulting in less revenue. As in the United States, many studios that are having a rough time making it solely on music recording have turned to the post-production industry for new business.

Clearly, part of the large investment in studio equipment stems from a desire to imitate or emulate the famous studios in the U.S. or Great Britain, the acknowledged leaders in this area. Only a few studio design firms exist in Japan, so studios tend to be alike. A frequent comment by foreign clients is that many studios have a similar look, and it becomes difficult to tell them apart after a while.


As a result, top managers at Japanese studios tend to keep a close watch on Western trends in studio design, equipment or sound. For example, when the "big" studio sound exemplified by such facilities as Power Station in New York became fashionable, some Japanese studios remodeled their rooms to be more "live" and more in line with prevailing tastes in recording. More common is the pursuit of the "hot" console: if a famous American or British studio is changing a console—say, switching to an SSL or Neve—their Japanese counterparts sometimes make new investment plans accordingly, trying to gauge the trends as they see them. A by-product of this kind of approach is everyone in Japan appears to be seeking the same equipment, one more reason Japanese studios seem to be standardized and lacking in personality compared to those in the U.S. or UK.

While most engineers prefer the sound quality of the PD (ProDigi) format, the more common DASH format is preferred by studio owners, from a business standpoint. The studios' acceptance of digital recording came rather quickly here compared to their Western counter-

—CONTINUED ON PAGE 86

CASE AND CABINET HARDWARE

OVER 300 DIFFERENT PRODUCTS IN STOCK



3 DEPOTS

NEW JERSEY:

29 B. Ethel Avenue
Hawthorne, New Jersey 07506
Telephone: (201) 423-4404

DETROIT:

2669 Guoin St.
Detroit, Michigan 48027
Telephone: (313) 961-9111

LOS ANGELES:

1111 Rancho Conejo Blvd.
Unit 303
Newbury Park, California 91320
Telephone: (805) 499-5932

PENN FABRICATION (USA) INC.

—FROM PAGE 85

parts. A current concern among studios is the problem of console size. With the number of Sony PCM-3348 48-track recorders on the rise, many studios fear that their 56-input consoles are inadequate.

Most of the Japanese record companies and management offices are located in the Minato-ku and Shibuya-ku districts of Tokyo. The real estate prices in these areas are very high, even by the standards of this incredibly expensive city. This has influenced the operation and management of those companies and their recording studios. But recently, another area of Tokyo has started to draw attention. Shibaura, on the Tokyo Bay shore (about 25 minutes by car from the record company centers), has emerged as an attractive source of real estate with its unoccupied warehouse-type buildings that can be converted into big studios. However, since trendy businesses such as high fashion de-

signers, chic restaurants and night-clubs started moving into the area, the property values have begun to escalate there, too.

Another recent trend has found some hit-making composers building their own private studios, for tax purposes. Though started as private studios, they are often rented out to recoup some of the investment.

Small labels whose product is distributed by larger record companies that have their own studios usually have special deals worked out for the use of those recording facilities. However, because of the drop in record sales due to the rise of rental record shops, better home recording equipment and increased competition from independent studios, the recording studio divisions of the big record companies have had to become more self-sustaining, with many making their studios available to outside artists for the first time. —Kohei Shibata

with a TV. They had a large mix room there, too. As for mics, I used the same kind of stuff I would have used here, other than perhaps not having as wide a choice as I would have liked for the orchestra.

If I didn't know I was in Japan, it would have been easy to believe I was in an American studio. One thing that *was* different was the cue boxes. They were all designed for both 1/4-inch stereo and mini-stereo, so the violin players would come in, open their cases and take out their violins, their bows and their Walkman headphones. Everybody would plug in their own phones, which is great, because you didn't have to worry about adapters or anything like that.

The most difficult part of working there was that my assistant did not speak English. They really had their stuff together; there's a chart for the engineer and another that says "assistant" on it; that goes without saying. Here, I always have to ask for a chart and get, "Oh, we don't have any extra," as if they're surprised I can read one! There, the first thing the assistant does is mark numbers on the chart, and normally assumes that he is going to do all the punch-ins and locates. In this case, however, because Bill and I spoke only English, the assistant could not follow us and did not know where we wanted to work from or the sections we wanted to go to. So, many times I would have to go over to where he was, just behind me, and point on the chart to where I wanted to go and where I wanted to punch in. That became too time-consuming, so I ended up doing it myself. And I felt badly about it, because I knew he felt that he had somehow failed because he was not quick enough. I had to try to explain to him, through an interpreter, that it was just because of the language barrier, it wasn't that he hadn't done a good job. That was the hardest part.

After we finished all the orchestral stuff, I worked at Cricket Studio, where we did all the vocals and some of what was left of the synthesizer work. The vocals were in English—Eve are from Okinawa and speak excellent English. The feeling I got was that because there are a lot of military personnel in Okinawa, people have a tendency to speak much better English. And they also went to an English school. So



LEARN THE ART OF RECORDING

THE RECORDING WORKSHOP IS THE WORLD'S LEADING SCHOOL FOR "HANDS-ON" TRAINING IN MUSIC RECORDING TECHNOLOGY. IN OUR INTENSIVE, 5-WEEK PROGRAM, YOU'LL LEARN THE CREATIVE OPERATION OF PROFESSIONAL RECORDING EQUIPMENT. WE'LL TEACH YOU THE JOB SKILLS NEEDED TO SUCCESSFULLY START YOUR CAREER AS A RECORDING ENGINEER, PRODUCER OR STUDIO MUSICIAN.

- ▶ NO PREVIOUS EXPERIENCE NECESSARY
- ▶ INTENSIVE, 5-WEEK PROGRAM GIVES YOU MORE QUALITY, IN-STUDIO EXPERIENCE THAN MOST LONG-TERM SCHOOLS
- ▶ 6-STUDIO RECORDING COMPLEX FILLED WITH THE LATEST EQUIPMENT: DAT, MIDI, ETC. . . .
- ▶ JOB/INTERNSHIP PLACEMENT ASSISTANCE
- ▶ LOW-COST, ON CAMPUS HOUSING
- ▶ FINANCIAL AID AVAILABLE



FOR FREE BROCHURE, PLEASE CALL OR WRITE TODAY

THE RECORDING WORKSHOP

1-800-848-9900 1-614-663-2510

455-X MASSIEVILLE ROAD, CHILLICOTHE, OHIO 45601

OHIO STATE BOARD OF SCHOOL AND COLLEGE REGISTRATION #80-07-0696T

Circle #010 on Reader Service Card

The Essentials of Recording.


The Model 363 is engineered to be an essential component of the recording process. We've incorporated practical, time-saving features for easy studio use while delivering the sound quality expected from Dolby.

The model 363 is our first unit to offer Dolby SR Spectral Recording and Dolby A-type noise reduction in one package. Dolby SR provides a substantial extension

of available headroom, increased signal-to-noise ratio, and distortion-free recording at a cost far below the digital alternative, with the convenience and speed of editing that only analog tape allows.

The Model 363 contains: two channels in a 1-U high frame, record/play switchable either from the tape recorder or locally, transformerless balanced and floating input and output circuits, Auto Compare test facility with built-in noise generator and LED metering, and a hard bypass facility.

All audio facilities — music recording, video post-production, broadcast and film — will find the Model 363 is simply the most compact, essential unit available for outstanding audio.



100 Potrero Avenue, San Francisco, CA 94103-4813, Phone 415-556-0200, Telex 34409, Facsimile 415-863-1373
346 Chisnam Road, London SW9 6AP, Phone 01-720-1111, Telex 99305, Facsimile 01-720 4118. Dolby and the Double-D symbol are trademarks of Dolby Laboratories Licensing Corporation. © Dolby Laboratories Inc., 1989. S89/8545

Dolby

once we got to Cricket it was quite easy. Cricket has a wonderful collection of tube mics; whenever Yoshie is here [in the U.S.] he buys things to bring back to his studio.

Cricket is in the basement of a three-story building, and it's quite small but very well laid out. The studio portion has wood floors and really wonderful cue boxes that I wish we had here: they were quite small and each one had both individual mixes plus stereo. And they were on roll-around stands. They weren't home-made, but nobody could tell me who designed them and I kept trying to find out because I wanted to see if we could get them for our studios.

Cricket has an Otari 24-track and a Soundcraft TS 24 console. They used 811s for speakers—the single-woofer model—and they sounded wonderful. I had brought my CD player and CDs, and when I'd been at CBS/Rappongi I played the same stuff there as at Cricket, and it sounded much better at Cricket. It was a very clean room, with bleached pine floors and a "coffin" behind the console that held the out-

board gear. They have Tube-Tech compressors and a couple of LA-2As and dbxes, Prime Times and REV7s—the usual complement of outboard equipment you would find anywhere. I rented a Studer ½-inch to mix on, and a couple of AMS reverb/delay units. He had two engineers there who helped me; one spoke English a bit better than the other. Yoshie speaks excellent English, so we had no problems.

I haven't been in too many home studios in Japan, and this was so clean and so well done, and designed by a top studio designer [Masami "Sam" Toyoshima, who designed AIR Montserrat, Virgin Records/UK and the new Abbey Road], so I'm not sure it was typical. It just felt like a very special place. Not that I couldn't have found that here, but my experience with home studios is that they function well and have all the right gear, but you usually don't bring Jeff Cooper in to design your home studio. I'm saying "home studio" because Cricket is private, not open to the public. It's for Mr. Music and Rackyo Records.

After the project was mixed, they

didn't go to black vinyl, but to cassette and CD, I believe. And when they mastered it, I was told they had to add only a dB at 30 cycles and that's it, which says a lot for the control room design at Cricket. And that's unusual, because it is a small room and the speakers are close to you.

They were very happy with the results, and the mastering engineer was surprised and wanted to know who did it! [Laughs] And that was on the orchestral stuff only; on the pop-disco stuff, they didn't do anything.

The only thing that was quintessentially Japanese was just how polite people are. I think that's true whether you're in a studio or not. Everyone is really concerned about doing the best job they can. I felt like I was very well taken care of, in both studios. I've wanted to go to Japan for about seven years. Even growing up I was interested in Eastern philosophy. So for me it was a dream come true, to go and have it paid for. [Laughs] I know now that I will go again, and next time I will take more time so I can see more of Japan. ■

Drawmer
Ingenuity

DISTRIBUTED IN THE USA BY:
QUEST MARKETING,
4451 NORTH LOG CABIN DRIVE,
SUITE 132
SMYRNA,
GA 30080
TEL: 404 432 6405
FAX: 404 333 9335

QUEST MARKETING,
P.O. BOX 20,
ALBURNDALE,
M4 02166
TEL: 617 954 9456
FAX: 617 959 7758

A FAMILIAR FACE...




DS 201 OFTEN EMULATED...
"FREQUENCY CONSCIOUS"
DUAL NOISE GATE STILL UNSURPASSED

DRAWMER DISTRIBUTION CHARLOTTE ST BUSINESS CENTRE CHARLOTTE STREET WAKEFIELD WEST YORKSHIRE ENGLAND TEL: 0924 378649 TELEX: 556649 FAX: 0924 290460

Circle #011 on Reader Service Card

The Essentials Defined.



Relay-controlled "hard" bypass of all circuitry.

Provides SR users with accurate verification of decode calibration levels and playback frequency response.

Two-channels of SR and A-type noise reduction.

Three cards available: Cat. No. 300 — SR and A-type module; Cat. No. 350 — SR module only; and the Cat. No. 450 — A-type module only.

Multi-turn level controls on each channel for setting all levels.

Balanced transformerless input and output circuits.

Generates Dolby tone for A-type or Dolby noise for SR; also activates Auto Compare mode for SR alignment.

Allows checking of the non-decoded signal from tape during recording or playback.

Four element LED calibration displays.

Front panel control of record/play switching. Can also be switched under tape recorder remote control via connector on rear panel.

Toggle switches allow selection of A-type, no processing, or SR.

Model 363

100 Potrero Avenue, San Francisco, CA 94103-4813, Phone 415-558-0200, Telex 34409, Facsimile 415-863-1373, 346 Clapham Road, London SW9 9AP, Phone 01-720-1111, Telex 919109, Facsimile 01-720-4118. Dolby and the Double-D symbol are trademarks of Dolby Laboratories Licensing Corporation. © Dolby Laboratories Inc., 1989. S89/8546

Dolby


Amek APC 1000 at Sunset Sound

Al Schmitt – Engineer

"A very comfortable, musical console with a great control surface.

Among the finest consoles I've ever worked on."

(5-Time Grammy Winner, Best Engineered Recording: Hatari - 1962,
George Benson/"Breezin'" - 1976, Steely Dan/"AJA" - 1977 & "FM" - 1978, Toto/"Toto IV" - 1982)



Paul Camarata – President, Sunset Sound

"The AMEK APC-1000 console offers our clients greatly enhanced creative capabilities to meet the demanding requirements of increasingly complex record, jingle, and film sessions at our studio. Its outstanding sonic qualities, superior recall and reset functions, compact construction, and GML automation system satisfies our most discriminating customer.

We are very pleased to have added it to our collection of consoles. I am sure it feels right at home!"

Don Murray – Engineer

"An unbeatable combination – 64 channels of Amek & GML! So much in such a compact package!"

(3-time Grammy nominees: 1985, 1986, 1987; GRP Records, Hiroshima, Elton John, Yes, The Jacksons, Dave Grusini)

Bob Schaper – Engineer

"Clean and quick! A musical tool with great flexibility."

(Melissa Manchester, Ringo Starr, Bryan Adams, "La Bamba", "Karate Kid")

Bobby Brooks – Engineer

"This is the console for the '90's. Definitely the one for my clients who need a lot of inputs. I love it! I think Amek's got it goin' on!"

(Stevie Wonder, Jody Watley, Teena Marie, Rick James, Temptations, Pebbles)



Head Office, Factory and Sales: AMEK Systems and Controls Ltd., New Islington Mill, Regent Trading Estate, Oldfield Road, Salford M5 4SX, England.
Telephone: 061-834 6747. Telex: 668127. Fax: 061-834 0593.

AMEK/TAC US Operations: 10815 Burbank Blvd, North Hollywood CA 91601. Telephone: 818/508 9788. Fax: 818/508 8619.

PACIFIC RIM

STUDIO LISTINGS

The following Pacific Rim Studio Listings were compiled with the assistance of Neve, Otari, Solid State Logic and Sony. If you would like your studio to be included in future Pacific Rim List-

ings, or if you wish to update information published in this issue, write or FAX the Mix Directories Department, 6400 Hollis St. #12, Emeryville, CA 94608; FAX (415) 653-5142.

AUSTRALIA

AAV AUSTRALIA; 180 Bank St.; South Melbourne, VIC 3205 Australia; (61) (3) 699-1844.

ABC RADIO BROADCASTING CENTRE STUDIOS; PO Box 9994; Hobart, TAS 7001 Australia; (61) (2) 35-3251; Telex: AA58032; FAX: (61) (2) 35-3220. Manager: Vic Holloway

BRUCE ADDERLEY SOUND STUDIOS; Lot 5 Fairmaid Rd.; Kialla, VIC 3631 Australia; (61) (58) 27-1300. Manager: Bruce Adderley, Heather Adderley

ADELAIDE RECORDING STUDIOS PTY. LTD.; 7 Moger Ln.; Adelaide, SA 5000 Australia; (61) (8) 223-7755.

ALBERT PRODUCTIONS; 139 King St.; Sydney, NSW 2000 Australia; (61) (2) 232-2144; Telex: 27194.

ALBERT STUDIOS; 9 Rangers Rd.; Neutral Bay, NSW 2089 Australia; (61) (2) 909-3111; FAX: (61) (2) 909-3035; E-Mail: RICCOBONO-AA. Manager: Bruce Brown

ARMSTRONG AUDIO; 180 Bank St.; Melbourne, VIC 3205 Australia; (61) (3) 699-1844.

ATA SOUND STUDIOS; 96 Glebe Point Rd.; Sydney, NSW 2037 Australia.

AUDIO LOC SOUND DESIGN PTY. LTD.; 255B Penhurst St.; Willoughby, NSW 2068 Australia; (61) (2) 411-3157.

AXENT RECORDING STUDIO; 11A Queen Victoria St.; Kogarah, NSW 2217 Australia; (61) (2) 587-0694; (61) (2) 587-7946. Manager: Ross McGregor

BARCOO STUDIOS; 32 Barcoo St.; East Roseville, NSW 2069 Australia; (61) (2) 406-5535.

BENDIGO STREET PRODUCTIONS; 22 Bendigo St.; Richmond, VIC 3121 Australia; (61) (3) 229-0201.

BLUE HARBOUR RECORDING STUDIO; 3rd Fl., 357 Sussex St.; Sydney, NSW 2000 Australia; (61) (2) 267-2752. Manager: Louie Shelton

BUSH TRAKS RECORDING STUDIOS; Unit 1 Bush Factory; Cullen St.; Nimbun, NSW 2480 Australia; (61) (66) 89-1290; FAX: (61) (66) 89-1109. Manager: Ruth Miller

CASTLERIDGE STUDIOS; 166 Centre Rd.; Bentleigh, VIC 3204 Australia; (61) (3) 557-3667.

CBS STUDIO; 11-19 Hargrave St.; East Sydney, NSW 2010 Australia; (61) (2) 332-0320; Telex: AA121246; FAX: (61) (2) 331-1377. Manager: David Spargo

CENTRAL RECORDERS; 420 Elizabeth St.; Surry Hills, Sydney, NSW 2010 Australia; (61) (2) 699-7931.

CHARLES STREET STUDIOS; Charles St.; Prahan, VIC 3181 Australia; (61) (3) 529-2388.

CINEMA INTERNATIONAL CORP.; 278 Stirling St.; Perth, WA 6000 Australia; (61) (9) 328-5677.

THE CITY STUDIO; 186 Rochford St.; Erskineville, NSW 2043 Australia; (61) (2) 519-8952.

CLARION; 63 Thompson Rd.; North Freemantle, WA 6159 Australia.

THE COTTAGE; 514 Springsvale Rd.; Nunawading, VIC 3131 Australia; (61) (3) 232-4133; FAX: (61) (3) 235-4225.

CREATIVE SPACE SOUND STUDIOS; 22 Heussler Terrace; Milton, QLD 4064 Australia; (61) (7) 369-8108.

DEX AUDIO; 87-91 Arden St.; North Melbourne, VIC 3051 Australia; (61) (3) 329-2877; Telex: AA30625 (attn. ME2346); FAX: (61) (3) 326-5282. Manager: Daniel Desiere, Greg Williams.

EARTH MEDIA RECORDING CO.; 14 Glen St.; Milsons Point, NSW 2061 Australia; (61) (2) 929-8869; (61) (2) 929-4808. Manager: Alan Lancaster

EGGAT FIVE UNION STREET; 16 A Chatsworth Ave.; Brighton, VIC 3186 Australia; (61) (3) 596-4338.

EMERALD CITY STUDIO; 5/505 Pittwater Rd., PO Box 704; Brookvale, NSW 2100 Australia; (61) (2) 939-1943; (61) (2) 938-3664; FAX: (61) (2) 905-0676. Manager: John Zulaikha

EMI RECORDING STUDIO; 301 Castlereagh St.; Sydney, NSW 2000 Australia; (61) (2) 20912.

FAIRLIGHT INSTRUMENTS; 15-19 Boundary St.; Rushcutters Bay, NSW 2011 Australia; (61) (2) 331-6333; Telex: AA27998; FAX: (61) (2) 332-3362; E-Mail: FAIRLIGHT-AA. Manager: Rob Young

FAST FORWARD RECORDERS; 219 Wonga Rd.; Warranwood, VIC 3134 Australia; (61) (3) 876-2211; FAX: (61) (3) 876-4253. Manager: Graham Williams

FESTIVAL STUDIOS; Bulwarra Rd.; Pyrmont, NSW 2009 Australia; (61) (2) 660-4022.

FOX COLUMBIA FILM DISTRIBUTORS; 505 George St.; Sydney, NSW 2000 Australia; (61) (2) 264-7877; Telex: 26278.

GRAPEVINE STUDIOS; 138 Gover St.; North Adelaide, SA 5006 Australia; (61) (8) 267-4455. Manager: Brian Braidwood

GREVILLEA RECORDING STUDIOS; 26 Wallace St., PO Box 312; Albion, QLD 4010 Australia; (61) (7) 262-8422; (61) (7) 262-8228; FAX: (61) (7) 862-1422. Manager: Rodney Jacobson

HADLEY STUDIO; 5 Egret Pl.; Calala; Tamworth, NSW 2340 Australia; (61) (67) 65-7813. Manager: Eric Scott

HENDON STUDIOS; 113 Tapley's Hill Rd.; Hendon, SA 5014 Australia; (61) (8) 45-2277; Telex: AA88206.

ICOM; 175 Gibbs St.; Chatswood, NSW Australia; (61) (2) 406-5488.

ILOURA PRODUCTIONS; 50 Rouse St.; Port Melbourne, VIC 3207 Australia; (61) (3) 645-3233.

IDENTITIES; 32 Berry St.; Clyde, NSW 2142 Australia; (61) (2) 897-1878; FAX: (61) (2) 897-1969. Manager: Steve Gibbins

JUMBUCK PRODUCTIONS PTY. LTD.; 73 Amelia St.; Fortitude Valley, QLD 4006 Australia; (61) (7) 52-8577.

LIPS STUDIO; 67 Lipson St.; Port Adelaide, SA 5015 Australia; (61) (8) 47-8266.

L.P. RECORDING STUDIOS; 92 Nelson St.; Fairfield, NSW 2165 Australia; (61) (2) 722-369.

MELBOURNE PRODUCTION FACILITIES; 55 York St.; South Melbourne, VIC 3205 Australia; (61) (3) 699-6588; Telex: AA37688 CAMFIL

MELBOURNE STREET PRODUCTIONS; 97 Melbourne St.; North Adelaide, SA 5006 Australia; (61) (8) 239-0344; FAX: (61) (8) 267-3682. Manager: Phill Jones

METROPOLIS AUDIO; 180 Bank St., PO Box 296; South Melbourne, VIC 3205 Australia; (61) (3) 696-2111; FAX: (61) (3) 696-2895.

MOONLIGHT STUDIOS; 15/104 Old Pittwater Rd.; Brookvale, NSW 2100 Australia; (61) (2) 939-2462. Manager: John Cobbin

PARADISE RECORDERS; PO Box 165; Kings Cross, NSW 2011; 70 Judge St.; Woolloomooloo, NSW 2011 Australia; (61) (2) 357-1599. Manager: Kevin Davidson

PLANET SOUND STUDIOS; 22 Olive St.; Subiaco, WA 6008 Australia; (61) (9) 382-2211; FAX: (61) (9) 381-5372. Manager: Graham Owens

PLATINUM AUSTRALIA PTY. LTD.; 643 Chapel St.; S. Yarra, VIC 3141 Australia; (61) (3) 241-7483; FAX: (61) (3) 824-0370. Manager: Chris Gough

POONS HEAD STUDIOS; 2386 Canning Highway E.; Freemantle, W. Australia; (61) (2) 683-1254; Telex: 10715679.

POWERPLANT RECORDING STUDIOS; 22-24 Little Cardigan St.; Carlton, VIC 3053 Australia; (61) (3) 348-1300; FAX: (61) (3) 348-1649. Manager: Adrian Barker

PRO IMAGE; 182 Normandy Rd.; S. Melbourne, VIC 3205 Australia.

THE PRODUCTION WORKSHOP; 335 Queensberry St.; North Melbourne, VIC 3051 Australia; (61) (3) 328-3085. Manager: David Briggs


PYRAMID STUDIOS; 1 Leigh St.; Victoria Park, Perth, W. Australia; (61) (9) 361-7586.

REEL TIME; 48 Oxford St.; Darlinghurst, NSW 2010 Australia; (61) (2) 331-3313. Manager: Mark Tinson

REGENCY RECORDING; PO Box 217; 4/13-17 Japaddy St.; Mordialloc, VIC 3195 Australia; (61) (3) 587-1956; FAX: (61) (3) 587-2384. Manager: Fiona Horman

STAR QUAD MULTI-CHANNEL AUDIO CABLE

Worldwide
exclusive



L-4E4-16AT

Request full
line catalog

- Unique 4 conductor channel design combats RF and EMI noise
- Ideal for studio or stage
- Crosslinked polyethylene and foil shields for Quick and Easy assembly
- >130 dB crosstalk; 2 to 24 channels

CANARE

CANARE CABLE, INC.

511 5th. St., Unit G, San Fernando, CA 91340
Phone: (818) 365-2446 FAX: (818) 365-0479


Circle #012 on Reader Service Card

THRIFTY ELECTRONICS THE SOUND SHACK



Speaker Components

NS-10M · Visonik · David · JBL



YAMAHA Nakamichi Hafler



Professional
Products Repair delivery
and much more

13643 Burbank Blvd
Van Nuys, CA 91401
(818) 786-1610 (213) 873-2976
Since 1953

Circle #013 on Reader Service Card

INTERNATIONAL UPDATE: PAC RIM

RHINOCEROS STUDIOS; 200-218 Goulburn St.; Sydney, NSW 2010 Australia; (61) (2) 211-5833; FAX: (61) (2) 281-3248. Manager: Jacqueline Murray

RICH MUSIC STUDIOS; 432 Kent St., 1st Fl.; Sydney, NSW 2000 Australia; (61) (2) 264-7734; FAX: (61) (2) 264-2397. Manager: Paul Rich

RICHMOND—THE STUDIO; 12 Adolph St.; Richmond, VIC 3121 Australia; (61) (3) 429-4922. Manager: Michael Holmes. Lobby Loyde

ROSSWOOD PRODUCTIONS PTY. LTD.; 36 Gosbell St.; Paddington, NSW 2021 Australia; (61) (2) 331-5154; (61) (2) 331-5028; Telex: AA20967; FAX: (61) (2) 360-1583.

SAE STUDIOS; 68-72 Wentworth Ave.; Sydney, NSW 2000 Australia; (61) (2) 211-3711; FAX: (61) (2) 211-3308. Manager: Guy Nicholson

SHELTER RECORDING STUDIOS; 23 Franklin Rd.; Wanneroo, WA 6065 Australia; (61) (9) 405-3788; FAX: (61) (9) 306-2177. Manager: Andy Priest

SILKWOOD SOUND STUDIOS; Rear 62 York St.; Bakehouse Ln.; North Fitzroy, VIC 3068 Australia; (61) (3) 486-2716; FAX: (61) (3) 482-2731. Manager: Vyt Karazija

SING SING RECORDING STUDIO; 9 Gordon St.; Richmond, VIC 3121 Australia; (61) (3) 438-4622. Manager: Trevor Reading

SOUND AUSTRALIA; 4th Floor, 131 Leichhardt St.; Spring Hill, QLD 4000 Australia; (61) (7) 221-8588.

SOUNDTRACK AUSTRALIA; 105 Rundle St.; Kent Town, SA 5067 Australia; (61) (8) 42-2251; FAX: (61) (8) 42-2252. Manager: Bob Allan

SPECTANGLE PRODUCTIONS; 40 George St.; North Hobart, Tasmania, 7002 Australia; (61) (02) 346-687.

STARSOUND STUDIOS; OTQ Channel 9; Sir Samuel Griffith Dr., Mt. Coot-tha, Brisbane, QLD 4000 Australia; (61) (7) 369-9999; FAX: (61) (7) 369-3512. Manager: Ray Champion

STUDIO RB-X; 356 Swan St.; Richmond, VIC 3121 Australia; (61) (3) 429-6199. Manager: Janette Ashley

STUDIO 78; 78 Chandos St.; St. Leonards, NSW 2065 Australia; (61) (2) 439-7888; Telex: AA23361 RNP.

STUDIOS 301 (EMI RECORDS AUSTRALIA); 301 Castle-reagh St.; Sydney, NSW 2000 Australia; (61) (2) 217-7701; FAX: (61) (2) 217-7799. Manager: Fiona Simpson

SUITE 16 AUDIO PRODUCTIONS; 70 Sylvan Rd.; Toowong, QLD 4066 Australia; (61) (7) 371-8822; FAX: (61) (7) 870-9224. Manager: Murray Lyons

SUN STUDIOS; 8th Fl., 8-24 Kippax St.; Surry Hills, NSW 2010 Australia; (61) (2) 212-3537. Manager: Peter Radna

SUNSHINE STUDIOS; 10 Buchanan St.; West End, QLD 4101 Australia; (61) (7) 844-6844; (61) (7) 844-6845. Manager: Leon Prescott

SUPREME STUDIOS; 11 Young St.; Paddington, NSW 2021 Australia; (61) (2) 331-2666.

TASMANIAN FILM CORPORATION; 1-3 Bowen Rd.; Moonah, Tasmania, 7008 Australia; (61) (54) 286-263.

TRACKDOWN STUDIOS; Briggs & Church St.; Camperdown, NSW 2050 Australia; (61) (2) 516-4533; FAX: (61) (2) 519-1258.

TRACKS STUDIOS; 1152 Hay St.; West Perth, WA 6005 Australia; (61) (9) 321-4522; Telex: AA92881 (PE 527 WOOMERA); FAX: (61) (9) 322-2316. Manager: Amanda Curtin

TRAFALGAR RECORDING STUDIOS; 74B Trafalgar St.; Annandale, NSW 2038 Australia; (61) (2) 660-0385; FAX: (61) (2) 660-7180. Manager: Donna Francis

TRANSISTOR MUSIC; 78 Mansfield St.; Rozelle, NSW 2039 Australia; (61) (2) 810-6999; Telex: AA70842; FAX: (61) (2) 810-5395; E-Mail: TRANSISTOR-AA. Manager: Simon Riley

ULTRA ART; 56 Robert St.; Rozelle, NSW 2039 Australia; (61) (2) 810-0779; (61) (2) 818-3586; Telex: AA127113 ULTRA ART; FAX: (61) (2) 290-3278.

UNITED SOUND; 21 Pier St.; Sydney, NSW 2000 Australia; (61) (2) 261-381.

THE VOICE PLANT; Basement, 440 Queen St.; Brisbane, QLD 4000 Australia; (61) (7) 229-2577.

WAREHOUSE SOUND SYSTEMS PTY. LTD.; 77 Argyle St.; Fitzroy, VIC 3065 Australia; (61) (3) 417-4866.

ZAP PRODUCTIONS PTY. LTD.; 24 Carlotta St.; Artarmon, NSW 2064 Australia; (61) (2) 438-4333; FAX: (61) (2) 439-5172.

HONG KONG

CBS/SONY HK LTD.; 22 Nanking St.; Hong Kong, Hong Kong; (852) (3) 327-087.

CROWN RECORDS; 84 Gloucester Rd.; Wanchai, Hong Kong; (852) (5) 273-828.

K.P.S. STUDIOS LTD.; 3 Somerset Rd.; Kowloon Tong, Kowloon, Hong Kong; (852) (3) 387-157; Telex: 84198 KAKUI HX.

PANASONIC STUDIOS; 635 King's Rd.; North Point, Hong Kong; (852) (5) 615-086.

POLYGRAM RECORDS LTD.; Garley Bldg., 233-239 Nathan Rd.; Kowloon, Hong Kong; (852) (3) 735-5491; FAX: (852) (3) 695-345. Manager: Joseph Ip

REDIFFUSION (HONG KONG) LTD.; Television House, Broadcast Dr.; Kowloon, Hong Kong; (852) K-374-111.

SALON FILMS (HONG KONG) LTD.; Mayson Garden Bldg., 2C-E Ground Floor, Wing Hing St.; Causeway Bay, Hong Kong; (852) (5) 781-051-4; Telex: 75303 SALON HX.

SILVER PLANET RECORDS LTD.; Sing Tao Bldg., 1 Wang Kwong Rd.; Tower B, 2nd Fl.; Kowloon Bay, Kowloon, Hong Kong; (852) (3) 798-2522; FAX: (852) (3) 795-3015. Manager: Jentzon Too

STUDIO 'A' PRODUCTION COMPANY LTD.; 45-47 Kimberley Rd.; Tsimshatsui, Kowloon, Hong Kong; (852) (3) 721-3391-3.

TOPMOST STUDIO; 263 Prince Edward Rd.; Kowloon, Hong Kong; (852) (3) 713-1105.

JAPAN

ALFA RECORDS; 3-5-39 Minato-ku; Tokyo, 108 Japan; (81) (3) 455-1791; FAX: (81) (3) 452-5763. Manager: Mitsuo Koike

ALTA STUDIO; 3-24-3 Shinjuku; Shinjuku-ku; Tokyo, 160 Japan; (81) (3) 350-1290; FAX: (81) (3) 350-1293. Manager: Yukio Nakajima

AMP RECORDING; Floraiya Bldg., 5-2-1 Rappongi; Minato-ku, Tokyo, 106 Japan; (81) (3) 404-9111; Telex: 23715.

AMUSE STUDIOS; 5-16-3 Nakamachi, Setagaya-ku; Tokyo, Japan; (81) (3) 702-0909.

AOI STUDIOS; 1-1-14 Azabu-juban; Minato-ku; Tokyo, 106 Japan; (81) (3) 582-7311; FAX: (81) (3) 702-0352. Manager: Kenji Kuroda

APOLLON ONGAKU KOGYO; 1-5 Wakaba, Shinjuku-ku; Tokyo, Japan; (81) (3) 353-0191.

APPO SOUND PROJECT; 1-43-8 Nishikubo Musashino; Tokyo, Japan; (81) (422) 54-7345.

ARCADIA; Nikko Palace Minami Aoyama 102; 6-9-2 Minami Aoyama Minato-ku; Tokyo, Japan; (81) (3) 486-9233.

ASAHI SOUND; 6-4-10 Roppongi Minato-ku; Tokyo, Japan; (81) (3) 405-3056.

AVACO CREATIVE STUDIOS; 2-3-18 Nishi-waseda; Shinjuku-ku; Tokyo, 160 Japan; (81) (3) 203-4181; FAX: (81) (3) 203-4186. Manager: Hiroshi Kobayashi

AVIC; Shin Yotuya Ekimae Bldg. 8F; 1-5 Yotuya Shinjuku-ku; Tokyo, Japan; (81) (3) 356-8052.

BACK PAGE; Akasaka Bldg. B1; 4-9-6 Akasaka Minato-ku; Tokyo, Japan; (81) (3) 479-0974.

BIRDMAN; Roppongi Sangyo Bldg.; 3-7-17 Roppongi Minato-ku; Tokyo, Japan; (81) (3) 403-2832.

BUNKA MURA; 2-24-1 Dogen-zaka; Shibuya-ku; Tokyo, 150 Japan.

BURNISH STONE STUDIO; Burnish Setagaya B1, 4-14-5 Setagay; Setagaya-ku; Tokyo, 154 Japan; (81) (3) 479-3834; FAX: (81) (3) 429-9229. Manager: Tomoko Takaya

CBS SONY ROPPONGI; 3-17-7 Roppongi Minato-ku; Tokyo, Japan; (81) (3) 585-5399.

CBS SONY SINANOMACHI; 6-8 Minai Motomachi Shinjuku-ku; Tokyo, Japan; (81) (3) 358-8071.

CHERRY ISLAND, Miyahiro Bldg. 4F; 3-5-15 Kita Aoyama Minato-ku; Tokyo, Japan; (81) (3) 478-7781.

COLUMBIA RECORDS; 4-14-4 Akasaka; Minato-ku; Tokyo, 107 Japan; (81) (3) 584-8111; FAX: (81) (3) 582-9857. Manager: Norio Akada

CROWN RECORDS; 2-10-8 Akasaka; Minato-ku; Tokyo, Japan; (81) (3) 562-4745.

C.R.S.; 2-10-8 Minato-ku Akasaka; Tokyo, Japan; (81) (3) 589-8664.

DELTA STUDIO; 4-6-1 Hyakunin-cho; Shinjuku-ku; Tokyo, 160 Japan; (81) (3) 367-6211; FAX: (81) (3) 367-6214. Manager: Syohei Ishibashi.

DIGITAL STUDIO; 1-4-1 Higashi-yama; Meguro-ku; Tokyo, 153 Japan; (81) (3) 711-7741; FAX: (81) (3) 411-7743. Manager: Takashi Yoshizaki

DISCOMATE; Villa Gloria 7F; 2-31-7 Jingumae Shibuya-ku; Tokyo, Japan; (81) (3) 470-2256.

DOWNTOWN; Miyabi Bldg. 1F; 3-8-9 Shimoya Taito-ku; Tokyo, Japan; (81) (3) 874-4534.

DVC; 1-1-1 Ichigaya-kaga-cho; Shinjuku-ku; Tokyo, 162 Japan; (81) (3) 266-2514; FAX: (81) (3) 266-4773. Manager: Seiji Kishimoto

ECHO HOUSE; Echo Bldg. B1; 6-15-23 Roppongi Minato-ku; Tokyo, Japan; (81) (3) 403-8495.

EGM; 3-4-13 Takaban Meguro-ku; Tokyo, Japan; (81) (3) 792-6493.

EMUZU PLOT; 2-2-2 Hinodai Hino-shi; Tokyo, Japan; (81) (425) 82-0622.

EPICURUS; 8-27 Sakuragaoka Shibuya-ku; Tokyo, Japan; (81) (3) 476-5623.

FARM STUDIO; 3-5-7 Azabu-juban; Minato-ku; Tokyo, Japan.

FIRST SOUND; Yokokura Bldg.; 6-10-9 Jingumae Shibuya-ku; Tokyo, Japan; (81) (3) 499-1215.

FREEDOM STUDIOS; 2-16-36 Okubo; Shinjuku-ku; Tokyo, 162 Japan; (81) (3) 200-3481; FAX: (81) (3) 200-3704. Manager: Zensei Kawasaki

FREPORT STUDIO; #2 Seiko Bldg.; 2-20-7 Akasaka, Minato-ku; Tokyo, 107 Japan; (81) (3) 589-2931; FAX: (81) (3) 584-2395. Manager: Saburo Nakamura.

GOLD RUSH STUDIO; 2-17-10 Kojima-cho; Taito-ku; Tokyo, 111 Japan; (81) (3) 851-6102; FAX: (81) (3) 851-7947. Manager: Michiko Hama

GREEN DOOR; 1-12-1 Shinjuku, Ste. 404; Shinjuku-ku; Tokyo, 160 Japan; (81) (3) 356-5019; FAX: (81) (3) 356-5178. Manager: Kinji Yoshino

HITOKUCHIZAKA STUDIOS; 4-3-31 Kudan-kita; Chiyoda-ku; Tokyo, 102 Japan; (81) (3) 263-1097; FAX: (81) (3) 239-6759. Manager: Yoshiaki Watanabe.

IMPULSE; 103 Hainesu Minami Azabu; 1-1-5 Minami Azabu Minato-ku; Tokyo, Japan; (81) (3) 457-5223.

JAK; Azabu Nagasaka Bldg. 1F; 1-4-8 Azabu 10 Ban Minato-ku; Tokyo, Japan; (81) (3) 587-2393.

JIVE; Amenity Fukazawa; 8-10-17 Fukazawa Setagaya-ku; Tokyo, Japan; (81) (3) 705-2471.

JVC AOYAMA STUDIOS (JVC VICTOR MUSICAL INDUSTRIES); 2-21-1 Jingu-mae; Shibuya-ku; Tokyo, 150 Japan; (81) (3) 403-0111; FAX: (81) (3) 404-7406. Manager: Ryouichi Muraoka

KAN'NONAZKI MARINE STUDIOS; 2-1157-2 Hashiri-mizu; Yokosuka-shi; Kanagawa, 239 Japan; (81) (468) 43-6144; FAX: (81) (468) 43-5493. Manager: Hitoshi Shishido

KAWAGUCHIKO; 5631 Funatu Kawaguchiko-cho; Minami Tsuru-gun; Yamanashi, Japan; (81) (555) 73-1097.

KAZUHIKO KATO STUDIOS; 5-15 Roppongi 6; Minato-ku; Tokyo, 106 Japan; (81) (3) 589-3750.

KEY STONE IZU; 1030-55 Aza Ushitose Yahatano; Ito-shi Shizuoka, Japan; (81) (557) 54-0911.

KEY-STONE STUDIO; 1-8-4 Ohashi; Meguro-ku; Tokyo, 153 Japan; (81) (3) 780-1732; FAX: (81) (3) 780-1733. Manager: Mika Itagaki

KIM; Nikko Palace Minami Aoyama B1, 1, 2F; 6-9-2 Minami Aoyama Minato-ku; Tokyo, Japan; (81) (3) 498-8860.

KING RECORD CO., LTD.; 2-12-13 Otowa; Bunkyo-ku; Tokyo, 108 Japan; (81) (3) 945-2116; Telex: J24963 KIN-GRECD. Owner: Kazumitsu Machijiri. Manager: Toshio Kikuta

L.D.K.; Kyoritz Bldg. 1F; 1-26-11 Otowa Bunkyo-ku; Tokyo, Japan; (81) (3) 946-3105.

MAD; Beruza Roppongi B1; 4-1-9 Roppongi Minato-ku; Tokyo, Japan; (81) (3) 583-3515.

MAGNET STUDIO; Azabu-dai National Court, 3-4-41; Moto-azabu 3, Minato-ku, Tokyo, 106 Japan; (81) (3) 403-8495; FAX: (81) (3) 423-4485. Manager: Masahiko Yamaura

MARINE STUDIO; 2-1157-2 Hashirimizu; Yokosuka-shi; Kanagawa-ken, Japan.

MEDIA BAM STUDIOS; 2-4-1 Shibakoen, Minato-ku; Tokyo, Japan; (81) (3) 433-3182.

MEGURO STUDIO CO. LTD.; 15-22 Shimomeguro 6-Chome; Meguro-ku; Tokyo, 153 Japan.

MEIJO-ABA STUDIO; 5-1-15 Nishitemma, Kita-ku; Osaka-shi; Osaka, 530 Japan; (81) (6) 362-6433; FAX: (81) (6) 362-6437. Manager: Masaaki Hamaguchi

MELDAC; 4-26-15 Sendagaya; Shibuya-ku; Tokyo, 151 Japan; (81) (3) 404-1441; FAX: (81) (3) 401-8426. Manager: Kawanabe, Hayakawa.

MOURI STUDIO; 3-5-5 Meguro, Meguro-ku; Tokyo, 153 Japan; (81) (3) 712-0151.

MOVIE CENTRE; 1-13 Yotsuya, Shinjuku-ku; Tokyo, 160 Japan.

MUSIC INN; 4-26-15 Sendagaya; Shibuya-ku; Tokyo, 151 Japan; (81) (3) 404-0555; FAX: (81) (3) 401-8426. Manager: Kawanabe, Hayakawa

MUSIC STUDIO WILL; 4-17-3 Sugao Miyamae-ku Kawasaki; Kanagawa, Japan; (81) (44) 977-0321.

NICHION STUDIOS; #32 Mori Bldg., 3-4-30 Shiba-koen; Minato-ku; Tokyo, 105 Japan; (81) (3) 437-5701; FAX: (81) (3) 437-5666. Manager: Toshio Kurebayashi

NIKKATSU STUDIO CENTER; 9-6-24 Akasaka, Minato-ku; Tokyo, Japan.

NIPPON COLUMBIA CO. LTD.; 4-14-14 Akasaka; Minato-ku; Tokyo, Japan; (81) (3) 584-8141.

NIPPON GAKKI SEIZO (YAMAHA); 10-1 Nakazawa-cho, Hamamatsu-shi; Shizuoka-ken, Japan; (81) (532) 61-1111.

NIPPON PHONOGRAM; Wako Bldg., 4-8-5 Roppongi; Minato-ku; Tokyo, 160 Japan; (81) (3) 479-3712; FAX: (81) (3) 403-7550. Manager: Suenori Fukui

NOTA; Lion's Mansion Kojimachi B1; 2-5-3 Kojimachi Chiyoda-ku; Tokyo, Japan; (81) (3) 234-0769.

OMNIBUS JAPAN; 7-2-1 Akasaka, Minato-ku; Tokyo, Japan; (81) (3) 423-6681.

ONGAKUKAN; 28 Sakacho Shinjuku-ku; Tokyo, Japan; (81) (3) 359-3621.

ONKIO HAUS, INC.; 1-23-8 Ginza; Chou-ku; Tokyo, 104 Japan; (81) (3) 564-4181; FAX: (81) (3) 567-0935. Manager: Hisao Yamamoto

PALE GREEN; 6-4-20 Akasaka Minato-ku; Tokyo, Japan; (81) (3) 585-9950.

PAN STUDIO; 3-11-18 Isogo-ku; Yokohama-shi; Kanagawa, 235 Japan; (81) (45) 753-2192; FAX: (81) (45) 761-0332. Manager: Tsuneo Matsumoto

PENINSULAR; 1-20-4 Komazawa; Setagaya-ku; Tokyo, Japan.

PHONOGRAM; Wako Bldg. 7F; 4-8-5 Roppongi Minato-ku; Tokyo, Japan; (81) (3) 479-3712.

POLYDOOR KK STUDIOS; 1-8-4 Ohashi, Meguro-ku; Tokyo, 153 Japan; (81) (3) 462-5131.

PROSEN; To-kei Bldg., 1-4-2 Akasaka; Minato-ku; Tokyo, 107 Japan; (81) (3) 404-4880; FAX: (81) (3) 404-6062. Manager: Ahara

RANT; 7-9-15 Minami Aoyama; Minato-ku; Tokyo, Japan; (81) (3) 486-1731.

SEDC AUDIO; 6-2-27 Roppongi; Minato-ku; Tokyo, Japan; (81) (3) 470-9701.

SHALOM; 4-7-6 Aobadai Meguro-ku; Tokyo, Japan; (81) (3) 465-2411.

GIVE YOUR EMT PLATE A NEW IMAGE

TIMELORD's TL140 board will give your EMT plate a significantly improved SN ratio, a wider, deeper stereo image, more detail, extended high end response, equal left and right decay times.

And it still keeps the smooth EMT character.

Our TL140 will reduce the noise of your EMT plate by 15dB if you are using a tube amp and by 7dB for transistor amps.

Easy installation, just takes 2 to 3 hours.

"TIMELORD's TL140 boards have brought our EMT140 plates into the digital age: the improvement was outstanding. The S/N improved by 16dB, overnight we had 4 new reverbs!" Malcolm Atkins, Manager of Air Studios London.

"The TL140 mod has given our EMT plates a new life. The dullness has completely gone, depth has improved dramatically, both channels sound equal and noise is less than any of our digital reverbs." Susumu Mera, Chief engineer of Freedom Studio Tokyo.

REMOTE METER FOR EMT PLATES

TIMELORD has manufactured remote meters for the EMT 140/240 plates. Featuring the same scale, impedance, screw fixing centers and escutcheon size.

PRICES TL140 \$125 per channel
Meter \$85

Payment by check or International Money Order in US currency only.

Time lord

3-5-10, SHINJUKU, ZUSHI-SHI, KANAGAWA
249, JAPAN
PHONE: 0468-73-6226 FAX: 0468-73-5206

INTERNATIONAL UPDATE: PAC RIM

SHANGRI-LA STUDIO; 2-27-3 Jingu-mae, Shibuya-ku, Tokyo, 150 Japan; (81) (3) 404-8400; FAX: (81) (3) 404-8957. Manager: Teruo Yamaguchi

SMILE GARAGE; Yokohama Soko, 3-20-20 Kaigan; Minato-ku; Tokyo, 108 Japan; (81) (3) 453-5642; FAX: (81) (3) 453-5436. Manager: Masayuki Matsumoto

SOMEWHERE STUDIO; 1-29-1 Gohongi, Meguro-ku; Tokyo, 153 Japan; (81) (3) 793-0668; FAX: (81) (3) 793-0532. Manager: Naosi Tei

SOUND ATELLER; 2-19-2 Daida, Setagaya-ku; Tokyo, Japan.

SOUND CITY CO., LTD.; 2-2-1 Azabudai; Minato-ku; Tokyo, Japan.

SOUND CREATORS, INC.; 4-7-6 Akasaka Minato-ku; Tokyo, Japan.

SOUND DESIGN; 2-32-1 Sendagaya Shibuya-ku; Tokyo, Japan; (81) (3) 404-6797.

SOUND INN STUDIOS; NTV Annex, 6th Fl., 5-6 Yonbancho; Chiyoda-ku; Tokyo, 102 Japan; (81) (3) 234-4311; FAX: (81) (3) 234-4385. Manager: Junnosuke Koizumi

SOUND SKY; 3-2-10 Nakano Nakano-ku; Tokyo, Japan; (81) (3) 381-2611.

SOUND VALLEY STUDIOS; BF Hageta Bldg., 21 Hon-shiocho; Shinjuku-ku; Tokyo, 160 Japan; (81) (3) 353-7731; FAX: (81) (3) 351-7459. Manager: Eiji Uchinuma

SOUNDCRAFT; 75 Waseda-cho Shinjuku-ku; Tokyo, Japan; (81) (3) 202-2341.

STUDIO A; Studio City Bldg.; 3-5-39 Shibaura; Minato-ku, Tokyo, 108 Japan; (81) (3) 455-1791.

STUDIO CMS; 2-17-10 Kojima, Taito-ku; Tokyo, 111 Japan; (81) (3) 863-3946.

STUDIO SKY (TECHNICAL 88); 5-10-1 Jingu-mae, Shibuya-ku; Tokyo, 150 Japan; (81) (3) 409-8988. Manager: Seiji Iwai

STUDIO THREE EIGHT; 4-21-12 Shinbashi, Minato-ku; Tokyo, Japan; (81) (3) 578-0038.

STUDIO TWO TWO ONE; 4-26-15 Sendagaya; Shibuya-ku; Tokyo, 151 Japan; (81) (3) 401-8221. Manager: Katsuyuki Handa

STUDIO Z'D, INC.; 4-26-15 Sendagaya, Shibuya-ku; Tokyo, Japan.

SUNRISE STUDIO; 4-11-10 Roppongi; Minato-ku; Tokyo, Japan.

TAIHEI RECORDING; 1-20-1 Nishi Shinjuku; Shinjuku-ku; Tokyo, Japan; (81) (3) 343-1111.

TAKE ONE STUDIO; 2nd Take Building, 1-9-1 Shinjuku; Shinjuku-ku; Tokyo, 150 Japan; (81) (3) 354-3317; FAX: (81) (3) 341-4720. Manager: Ken'ichi Akino

TALK STUDIO; 1-26-3 Zenpukuiji, Suginani-ku; Tokyo, 167 Japan; (81) (3) 394-4368.

TAMCO; 4-13-5 Akasaka Minato-ku; Tokyo, Japan; (81) (3) 585-5618.

TAMUCO; 2-1 Shiba-kouen; Minato-ku; Tokyo, Japan.

TBS MIDORIYAMA STUDIOS; 2100 Midoriyama, Midori-ku; Yokohama-shi; Kanagawa, 227 Japan; (81) (45) 962-1111; FAX: (81) (45) 962-1200. Manager: Kobayashi

TDK CORE; 9F, Fujikage Bldg.; 1-5 Motosakasaka 1, Minato-ku; Tokyo, 107 Japan; (81) (3) 470-1701. Manager: Hajime Tomizawa

TEICHKU SUGINAMI STUDIO; 3-20-1 Suginami-ku; Tokyo, 166 Japan; (81) (3) 312-1191. Owner: Jyujinankho. Manager: Seizho Ohsaki

TERRA STUDIO (TOSHIBA EMI); T33, 2-2-43, Higashi-Shagawa; Shinagawa-ku; Tokyo, 140 Japan; (81) (3) 458-5367; FAX: (81) (3) 458-5377. Manager: Takashi Ahara

TOHOKU SHINSHA; 4-17-7 Akasaka; Minato-ku; Tokyo, 107 Japan; (81) (3) 582-0211.

TOKYO FUN; 2-24-1 Dogenzaka, Shibuya-ku; Tokyo, Japan.

TOKYO SHASHIN SENMONGAKKO; 11 Yonban-cho, Chiyoda-ku; Tokyo, Japan; (81) (3) 221-0202.

TOKYO TV CENTRE CO. LTD.; 1-2 Hamacho, Nihombashi, Chuoku; Tokyo, 103 Japan.

TOSHIBA-EMI; 2-2-17 Akasaka, Minato-ku; Tokyo, 107 Japan; (81) (3) 587-9019; FAX: (81) (3) 224-9527. Manager: Isao Ito

VALLEY STUDIOS; B1 Hageta Bldg., 21 Honshio-Cho; Shinjuku-ku; Tokyo, Japan; (81) (3) 355-3088.

VICTOR RECORDING STUDIO; 4-26-18 Jingu-mae, Shibuya-ku; Tokyo, 150 Japan; (81) (3) 405-5151; Telex: 24293.

VINCENT STUDIO; BF Villa Pallenon; 3-55-12 Sendagaya, Shibuya-ku; Tokyo, 151 Japan; (81) (3) 479-1131; FAX: (81) (3) 497-1962. Manager: Hideo Suzuki

WARNER PIONEER; Roppongi Fuji Bldg.; 4-11-10 Roppongi, Minato-ku; Tokyo, 106 Japan; (81) (3) 479-1131; FAX: (81) (3) 404-6359. Manager: Masayuki Amano

WARNER STUDIOS; Ayoama Twin Tower Bldg.; 1-1-1 Minami-Aoyama, Aoyama; Minato-ku, Tokyo, 107 Japan; (81) (3) 475-2051; Telex: 26876.

WONDER STATION; 6-4-5 Roppongi; Minato-ku; Tokyo, 106 Japan; (81) (3) 405-5586; FAX: (81) (3) 405-7937. Manager: Suminobu Hamada

YAMAHA EPICURUS STUDIOS; 8-27 Sakuragaoka; Shibuya-ku; Tokyo, 150 Japan; (81) (3) 476-5623; FAX: (81) (3) 476-3261. Manager: Mitsuko Naito

YAMAHA MUSIC FOUNDATION; 3-24-22 Shimo-meguro; Meguro-ku; Tokyo, 153 Japan; (81) (3) 719-3111; FAX: (81) (3) 794-1654. Manager: Noriaki Shime

ZERO STUDIO; 2-13 Sarugaku-cho; Shibuya-ku; Tokyo, 150 Japan; (81) (3) 496-6969; FAX: (81) (3) 496-8110. Manager: Masahiko Iwase

MALAYSIA

AODAUDIO SON. BHD.; 6 Jalan 17/54, 46400; Petaling Jaya, Malaysia; (60) (03) 756-0600; FAX: (60) (03) 756-0470.

FAMILY GROUP MUSICAL SDN BHD; #1074 Jalan Sental Pesar; Kuala Lumpur, 13-16 Malaysia; (60) (3) 442-5103. Manager: Yahaya Koming

KINE GRAPHIC SDN BHD; 204 Jalan Mahkota; Taman Maluri; Jalan Ceras, Kuala Lumpur, 55100 Malaysia; (60) (3) 985-4552; Telex: FOTO MA 32789. Manager: Kan Karunanithy

R.K. STUDIOS; 3 Jalan 5524111; Taman Megah, Petaling Jaya; Selangor, Malaysia; (60) 759-719; (60) 759-485.

SAMICHAEL SDN BHD; 71-1 Medan Setia Satu; Plaza Damansara, Bukit Damansara; Kuala Lumpur, 50490 Malaysia; (60) (3) 255-8211. Manager: A. Rahman Sulaiman

SUMMIT AUDIO ENTERPRISE (M) SDN BHD; 35, Jalan 1-119 Jalan Ceras; Taman Bukit Hijau, Cheras; Kuala Lumpur, 56000 Malaysia; (60) (3) 930-1188; FAX: (60) (3) 971-8871. Manager: K.C. Lee

SYNCHRO SOUND RECORDING STUDIO; PO Box 2975, 93758 Kuching; Sarawak, Malaysia; (60) (82) 457-040; (60) (82) 457-050.

NEW ZEALAND

CRESCENDO; 58 Kent Terraces, 1st Fl.; Wellington, New Zealand; (64) (4) 851-718.

CRYSTAL PALACE SOUND STUDIOS; 537 Mt. Eden Rd.; Auckland, New Zealand; (64) (9) 687-398.

ECHO PARK; 16 Liverpool St.; Auckland, New Zealand; (64) (9) 796-297.

HARLEQUIN; 112 Albert St.; Auckland, New Zealand; (64) (9) 779-353.

MANDRILL RECORDING STUDIOS; 11 York St.; Parnell, New Zealand; (64) (9) 793-222.

MARMALADE STUDIOS LIMITED; 173 Victoria St.; PO Box 27-266; Wellington, New Zealand; (64) (4) 859-051; FAX: (64) (4) 854-253. Manager: Dave Ginnane

MASCOT RECORDING STUDIOS; Auckland, New Zealand; (64) (9) 793-763.

SONIC RECORDING STUDIOS; 17-19 Elizabeth St.; Wellington 1, New Zealand; (64) (4) 849-395.

SOUNDTRAX (NZ) LTD.; 175 Victoria St.; PO Box 27195; Wellington, New Zealand; (64) (4) 859-727; Telex: NZ30384.

SOUNDWORKS STUDIOS LTD.; 4-8 Coudry St., Eden Terrace; PO Box 47-288; Ponsonby, Auckland, New Zealand; (64) (9) 392-340.

STEBBING RECORDING STUDIOS; 108-114 Jervois Rd.; Herne Bay, Auckland, New Zealand; (64) (9) 762-426.

STUDIO CENTRE; PO Box 2396, Bowan St.; Wellington, New Zealand; (64) (4) 721-777.

SINGAPORE

AUDIO VISUAL WORKSHOP PTE LTD.; 1 Raffles Pl. #03-04; OUB Centre, 0104 Singapore; (65) 535-0913. Manager: Chia Lai Meng

CATHAY FILM SERVICES (PTE) LTD.; Cathay Cinema Bldg. 1st & 2nd Fls.; Dhoby Ghaut, 0922 Singapore; (65) 323-295; (65) 323-296; Telex: CATHAY RS 21124.

J.J. JINGLES & MUSIC PRODUCTIONS PTE LTD.; #03-05 Serene Centre, 10, Jalan Serene, 1025 Singapore; (65) 466-6777; FAX: (65) 466-3154. Manager: Jeremy Monteiro

METROPOLIS PRODUCTIONS; 5001 Beach Rd. #0398H; Golden Mile Complex, 0719 Singapore.

MIDI-CITY STUDIO PTE LTD.; Blk 26, Kallang Pl. #07-16/17; 1233 Singapore; (65) 298-9288; FAX: (65) 298-0988. Manager: Andrew Teo

THE POST PRODUCTION SHOP PTE., LTD.; 1-G Paya Lebar Rd.; 1440 Singapore; (65) 344-3244; Telex: 37233 PPSHS.

SOUTH KOREA

ASIA RECORDS; 167-14 Whayang-dong; Sundong-ku; Seoul, 133-130 South Korea; (82) (2) 462-1611; FAX: (82) (2) 462-1613. Manager: Lee Jung Gal

HANKOOK RECORD CO. LTD.; 541-9 Shinsa-dong; Kangnam-ku; Seoul, 135-120 South Korea; (82) (2) 542-1833; FAX: (82) (2) 544-3214. Manager: Yun Won Yun

JIGU RECORDS; 233 Daeja-ri, Byokje-eup, Koyang-ku; Kyunggi-do, 411-830 South Korea; (82) (2) 387-3111; FAX: (82) (344) 63-9261. Manager: Jang In Suk

OASIS RECORD COMPANY; 196-18 Anyang 7-dong; Anyang City; Kyunggi-do, 430-017 South Korea; (82) (343) 2-3660; FAX: (82) (343) 46-9660. Manager: Kim Man Kyu

SEOUL RECORDING STUDIOS; 300-16 Echong-dong; Yong San-ku; Seoul, 140-030 South Korea; (82) (2) 794-1193; FAX: (82) (2) 793-0348. Manager: Choi Se Young

SHINSEGYE SOUND; 35-8, 1 ga Jangchung-dong; Choong-ku; Seoul, 100-391 South Korea; (82) (2) 267-7163; FAX: (82) (2) 267-7164. Manager: Jung Do Won

TEAKWANG RECORD; 205-10 Anyang 7-dong; Anyang; Kyunggi-do, 430-017 South Korea; (82) (343) 3-4448; FAX: (82) (343) 46-3369. Manager: Lee Hun

UNIVERSAL RECORDING STUDIO; 345-1 Majang-dong; Sungdong-ku; Seoul, South Korea; (82) (2) 293-3390. Manager: Lee Chung

TAIWAN

A-STRING RECORDING STUDIO; 224 Sec. 4 Pa-Teh Rd.; Taipei, Taiwan, Republic of China; (886) (2) 764-2378; (886) (2) 761-0121. Manager: Chien-pin Chen

FIRST RECORDS/PLATINUM STUDIOS; 114-116 Chengyi North Rd.; San-chung City; Taipei Hsien, 241 Taiwan; (886) (2) 980-5355; FAX: (886) (2) 989-9393. Manager: Chang Cho-Pin

GOOD SOUND STUDIO; 12th Floor, 1256 Chen-Te Road; Taipei, Taiwan; (886) (2) 882-6719.

THAILAND

BUTTERFLY; 22/5 Sukumvit 11; Bangkok, 10110 Thailand; (66) (2) 255-1122-3. Manager: Nantika Kanchanawat

M.M. STUDIO ENTERTAINMENT CO. LTD.; 2508/7 Flat 1, Project 3; Dindang Rd.; Phayatai, Bangkok, 10400 Thailand; (66) (2) 246-0906; (66) (2) 246-7093. Manager: Prathuang Udomkijnapap

SRI SIAM SOUND STUDIO; 473 Soi Sulthiporn, Prachasongkhrao Rd.; Khet Huaykwang; Bangkok, 10400 Thailand; (66) (2) 245-5982; (66) (2) 245-2363; Telex: 87341 TNPC TH. Manager: Satit Klongvessa



r e a d y • s i t • g o

The modern recording environment requires a diverse array of equipment to accomplish a wide-range of challenging tasks--from commercial record production to video post-production. With a complete line of highest-quality professional recording gear, Peavey's Audio Media Research division is uniquely qualified to meet your needs as a recording engineer/producer/enthusiast. We've got the tools of your trade... We're *ready*. Just *sit* and *go*...

Circle #134 on Reader Service Card

PEAVEY[®]

AUDIO MEDIA
RESEARCH™



A DIVISION OF PEAVEY ELECTRONICS
71* A Street / Meridian, MS 39302 2898
(601) 483-5372 / Telex 504115 / Fax (601) 484-4278



This is probably going to sound like one of those advertisements encouraging people to discover their true potential. In a sense, it is.

Because with the new Roland GS-6 Digital Guitar Sound System, you suddenly have the ability to do things with sounds you couldn't have otherwise. And the reason you can do so is simply this: Since the GS-6 is a sophisticated guitar pre-amp, you're able to simulate an incredible array of amplifier sounds.

And since its signal processing is based on Pro-Audio DSP technology, you're also able to create an incredible array of fresh new sounds.

You can choose from eight reverb modes, two of which are actually digital simulations of "spring" reverbs. (Remember that wonderful sound the old Fender Twin amp made that nothing else could? Now something else can.)

You can choose from four different chorus modes with a feedback control for creating flanging effects, as well as panning delay with up to 999 milliseconds of delay.

You can also choose from eight different distortion modes, including Special 1 and Special 2 settings. And even better, you can tailor those distortion modes simply by using its programmable pre drive and post drive controls, as well as its three-bank EQ with mid-range frequency.

Of course, while digital processing gives you a far greater range of sounds, it also

gives you far greater flexibility and control. When you want sounds that are big and broad and seem to sustain themselves forever, that's exactly what you'll get. And when you want sounds that are more subtle, the Roland GS-6 will deliver them without degrading sound quality.

Speaking of which, the sound quality in a GS-6 is nothing short of remarkable. Among other things, we've equipped it with both digital noise suppression as well as hum cancellation. That way, you have the ability to create ear-splitting distortion sounds while still maintaining studio-quality noise specifications.



If you're considering the GS-6, here's something else to consider: the FC-100 MK II Foot Controller.

Which brings us to our final point. Hopefully, you've noticed that we call the GS-6 a "Sound System." Unlike modular set-ups, ours is fully integrated with all of the processing contained in one rack-mounted unit.

And because it's programmable, you can store up to 64 patches in the memory and then call up those patches simply by pushing a button. All of which makes the new Roland GS-6 ideal for both studio and live applications.

As we see it, in order to create truly amazing guitar sounds you really need two things: the equipment and the imagination. The first one we've provided. The second one is up to you.

Roland®

Roland Corp US, 7200 Dominion Circle, Los Angeles, CA 90040-3647
213 685-5141



DIGITAL AUDIO

IN THE RADIO STATION

—
THE
NEAR
AND FAR
HORIZONS
—



ILLUSTRATION: WILLIAM CONE

by Dan Daley and Skip Pizzi

Radio is still a powerful force in America, nearly 80 years after its inception. Persuasive without being invasive like its bastard progeny, television, it has maintained a consistency of technology as well as impact; while video has been the focus of various

**THE CD
WILL BE THE
PRIMARY SOURCE
OF MUSIC PLAYBACK
ON RADIO STATIONS
IN THE U.S. BY
THE END OF
THIS DECADE.**

new formats over the past two decades, radio has been relatively insulated from these upheavals.

That is beginning to change. The digital revolution, which has so influenced both video and audio production, is starting to make itself felt in radio, albeit slowly and tentatively. The simplest beginnings lie in the use of compact discs and prerecorded DAT tapes as source programming material. But the line from this to the concept of all-digital broadcasting is a long one that stretches to an indefinite point somewhere in the future.

THE JOURNEY FROM STUDIO TO LISTENER

A radio station's signal path has two major domains: audio and RF. The first is the domain in which all production takes place; the second is the form in which transmission occurs. Digital techniques will eventually replace their analog counterparts in both areas and, in fact, the process has already

JOHN WORAM'S BASICS

DIGITAL'S DYNAMIC RANGE

The *dynamic range*, in decibels, of an audio system or transmission medium is the difference between the lowest and highest level the system is capable of handling. The lower limit is usually the residual noise level of the system; the upper limit, the point at which the system begins to distort the signal passing through it. Dynamic range is often expressed as the *ratio* of output to input voltage or power. Dynamic range may be used to describe the level-handling capability of both a transmitter and a receiver of an audio signal. Thus, the human ear also has a dynamic range. ■

© 1989 J. Woram, *Sound Recording Handbook* (Howard W. Sams & Co.)



1989 TEC Awards
Hall of Fame
Inductees



Wally Heider



George Martin



Rupert Neve

THE 1989 TEC AWARDS

Thursday, Oct. 19, 1989
6:00-10:30 pm

Manhattan Center Studios
311 West 34th Street
New York City, New York

Don't miss the recording
industry's most prestigious annual
event, on the second evening of the
AES Convention.

To order tickets
to the 1989
TEC Awards
call Karen Dunn
at (415) 653-3307,
or write:
TEC Tickets,
Mix magazine,
6400 Hollis Street #12,
Emeryville, CA
94608.

begun.

In the audio sector, widened dynamic range and flat frequency response of digital storage media are as advantageous to the broadcaster as to anyone else. But digital audio's time domain accuracy is more important to radio broadcasters than to the general user.

Most traditional analog audio re-

coding systems have no integral speed control system, nor any need for synchronization to an external reference, and rely on mechanical means to determine record and playback speeds. Recorders with center-track pilot tone or time code, or fitted for time code operation, are exceptions to this, but aren't often used in the typical radio facility. So digital

audio's inherent need for synchronization, and its attendant speed accuracy brings the radio broadcaster a valuable fringe benefit in its consistently accurate playback speed.

The relative stereo phase coherency resulting from this speed stability solves another nagging problem: mono compatibility of playback sources. The proliferation of the broadcast audio cartridge ("cart") format has improved the convenience and speed of operation in the broadcast control room, but often at the expense of fidelity, especially in the area of tape-path azimuth stability. Digital audio's performance here exceeds even that of analog open-reel by a wide margin, providing rock-steady stereo imaging and consistently perfect mono compatibility.

Another "minor" attribute of digital audio systems that is important to the radio broadcaster is fast access time. The growing availability of production music and sound libraries on CD is a welcome trend here, too. And the high storage density these formats offer is saving precious shelf space. Moreover, unlike most other storage formats used in radio, the audio qual-

F1 at WGBH

While digital technology could be the Grand Unification Theory of both audio and video, both regions, unlike physics, are still consumer-driven and commercially based media. Thus, on one hand the chicken-and-egg equation that plagues most new formats (i.e., why make it if few people are buying it/why buy it if few people are making it) applies here in spades. On the other hand, the budgetary constraints that radio generally labors under mean capital for implementation of new technologies isn't as readily available as it is in the better-financed atmosphere of television. Radio revenues are up, but the inclination of many station owners and their CFOs is to leave well enough alone and take the gravy. Why fix it if it ain't broke?

Broke or not, radio is going to enter a digital domain substantially at some point. Pioneering steps are being taken today in several areas. At WGBH in Boston, for instance, they've been involved in an FCC-authorized experiment since 1986 in which certain programming at specified times is broadcast over 2.5 megahertz of the UHF band using Sony PCM-F1 technology. According to Dave McCarn, director of engineering at WGBH, the PCM signal is formatted as a video signal. The show, called *Morning Pro Musica*, is broadcast over the UHF television spectrum due to the bandwidth requirements of the format, one hour each morning over various New England FM stations. This signal can be received by any VCR through a television antenna, but it requires another F1 on the receiver side to translate the PCM information into something listenable. The VCR is set to channel 44, and the video output is sent to a

PCM decoder, then to the stereo system. One advantage in this system is the ability to time-delay the reception of the broadcast by recording it.

McCarn says this approach is not as obscure as it may seem, since there are a fair number of F1s in the Boston area, due to a substantial population of audio professionals. And, as he points out, it is one of the few systems that has end-user hardware currently available. He says the response from those who can participate has been positive and the experiment will continue.

Another digital application that has been going on a bit longer at WGBH is the digital station-to-transmitter link (STL) for live broadcasts of the Boston Symphony Orchestra. The distance, between 15 to 20 miles, is handled via microwave, supplanting the use of telephone lines. McCarn says the signal-to-noise ratio has improved considerably from about 65 dB to 90 dB. The digital hardware in this instance is the dbx 700 unit, which McCarn points out has a higher sample rate of 150 as opposed to the standard 44.1 rate. This could be considered a partial digital broadcast, since transmission from the source point is digital, and from the transmitter on out it's analog.

McCarn acknowledges the commercially driven nature of radio, saying that when digital indicates an ability to improve a bottom line it'll take off. But he wistfully notes that Europe is ahead of the U.S. in this field, as they have been in accepting DAT.

However, McCarn looks ahead optimistically at several new digital formats that could have an impact on radio in the near term. One of them is Dolby Labs' Adaptive Delta Modulation system (ADM). Accord-

—CONTINUED ON PAGE 107

MEETING THE MAKERS

This scattered, petri dish sort of experimentation in digital radio has kept enthusiasm low-keyed on the manufacturing end. Anders Madsen, sales and marketing manager for Pacific Recorders in Chatsworth, Calif., one of the largest suppliers of broadcast consoles in the world, agrees that radio is insulated from the leading edge of technological change. But that is mainly due to the constricted budgets of the medium, he feels. "The realities of radio are different from those of TV and studios," Madsen says. "Technology is driven by consumer buying, not professional buying. DAT didn't reach here in sufficient numbers to capitalize on consumers' interest. The economy of scale was never realized on the part of the manufacturers, and it hung up there at three or four grand. A few studios bought it and that's it.

"It's my opinion, and the opinion of many others, that technological innovation is fine for its own

—CONTINUED ON PAGE 102

Phoenix puts Vancouver on World Stage with Sony Digital Audio



Phoenix Recorders Inc., the first all-digital studio west of Toronto and north of L.A. is changing the face of the recording industry in Vancouver.

Built for digital from the ground up, Phoenix boasts an impressive array of Sony digital audio equipment, featuring a PCM-3348 and PCM-3324 multi-track machines. Phoenix is the only facility in Western

Canada capable of 48-track digital recording, along with 24-to-24 track electronic editing and dubbing.

Phoenix chose to go with Sony digital audio because of its performance, track configuration and market penetration elsewhere in the world. Digital offered Phoenix exceptional dynamic range, the ability to take things off tape and lay

them on again in different places without the signal losses and degradation that's typical of analog.

The decision to go all digital has already paid dividends for Phoenix. Fully one-third of the production of radio and television commercials in Vancouver is now completed at Phoenix Recorders Inc. The studio also counts among its recent credits the John Denver album "Higher Ground", produced by Roger Nichols (Steely Dan, Toto, Donald Fagen). Grammy award nominee Lee Holdridge ("I'll Take Manhattan, Splash") produced the title track, which will be featured (was featured) in the recent TV special "Higher Ground" in which Denver stars.

Let us put you on the world stage with Sony Digital Audio.

SONY
Communication Products Group

ity of digital recordings usually does not deteriorate with repeated playings.

And for radio remote recording, digital audio systems such as the pseudo-video-based formats (e.g., Sony F1) or R-DAT offer increased portability and recording times between tape changes over conventional analog remote systems, in addition to higher audio quality.

BUDGETARY AND OTHER HURDLES

A major issue in the broadcast industry has always been recording media cost. Tape recorders come out of the *capital* budget, but tape is usually on an *operating* budget line. The bean

—FROM PAGE 100, MAKERS

sake, but when it comes to taking over a portion of a professional marketplace it really needs to be pushed hard by the consumer. DAT is a case in point. However, the consumer has accepted the CD software. And so have radio stations to one degree or another."

But even in the CD realm, the digital influence is diluted by the practice of putting much of the CD source programming onto the tape-loaded cart, Madsen points out, a statement verified by a number of

stations using CDs. (CD-101 is using CD players made by Radio Systems with auto-cueing, rather than loading CDs onto carts.) The reasons for this, says Madsen, are that the cart is a familiar and efficient tool in radio, and most CD players are not sufficiently reliable for constant broadcast use.

Madsen mentions that some better-financed stations employ Dolby SR now. Its acceptance and reliability in studio and film applications has made it a powerful device for prolonging the dominance of analog tape recording. "It's found its way into a critical number of radio stations at this point," he says, "enough to have made an impact in major markets." He sees this as an increasing trend that will help "keep radio on tape for a longer period of time. A really good cart with SR retains all the dynamic range that is available on the digital product originally and does not clip it."

To the premise that DAT could work well as a storage medium in radio, Madsen replies, "I'm not sure I could point out one doing it now, but there was a buzz about it a while ago." On digital consoles, his area, he says, "At some point they will follow recording consoles into the digital domain, but not for a long time yet. Current consoles have more than enough dynamic headroom to handle CD players. We don't see a need for it now, and we won't make one until we do."

So, aside from a few ongoing experiments, the use of digital radio now is perhaps more a marketing ploy than anything else, revolving around promotions that boast "All CD." That's a conclusion that Madsen has little qualm with. After all, he says, "It costs hundreds of thousands to turn a station all-digital, and radio simply does not have that kind of money. Also, there is the in-place universe of equipment like transmitters and home receivers that tends to degrade a signal.

"The future of the radio signal is a subject of wide debate. We don't see digital having a sizable impact across the country for at least ten years. There's no question that it's on the horizon, but not any time soon."

—Dan Daley

Over 120 varieties to choose from

Whatever pro audio equipment you're looking for, look to AudioLine.

We carry professional equipment from over 120 manufacturers. From patch cords to digital work stations, when you want the best in pro audio, call AudioLine.

Milwaukee (414) 785-9166
Chicago (312) 274-0330
Kansas City (816) 931-9166

AudioLine
AUDIOLINE, INC.

• Consultation
• Design
• Sales
• Service

The Audio Dealer for Professionals

FOR NEWS EDITING, ON-AIR, AND PRODUCTION



© Otari 1987

RADIO'S TOP TEN!

For news editing, on-air, or in the production studio, Otari has exactly the equipment and features to fit any application, or budget.

When you are ready for a multitrack recorder, you can choose from our BQII, MKIII/4, MKIII/8, MTR-10, or the MX-70 with 8 or 16 tracks. Need a 2-track? Choose our famous "workhorse" MX5050 BII, MKIII/2, or the brand new MX-55! Looking for top-end performance? The MTR-10 has all the features you need to stay ahead in the competitive world of broadcast. We also offer three models of our CTM-10 cart machine, and if yours is an automated radio station, our ARS-1000 reproducer is the most popular in the world.

So you see, whatever you need for today, or for the future, Otari can provide it from a complete line of high quality, ultra-reliable tape recorders. Call your nearest Otari dealer today, or contact Otari at (415) 341-5900 for "Technology You Can Trust". **OTARI**

"...Right now, I'm mixing my record"

Trevor Rabin of "YES"
on J.L. Cooper Automation

"Since I installed J.L. Cooper's MAGI Mixdown Automation System, I've found myself with quite a bit more leisure time on my hands."



"For the last 10 years I've been very involved in studio productions as both producer and engineer. These projects have involved a number of very high priced and sophisticated automated recording consoles. I am amazed at the flexibility and simplicity of J.L. Cooper's automation system. They have managed to design a real user-friendly system at a more than reasonable price. I'm also astounded by the quietness of the VCA units. The bottom line is that it works perfectly, without the need of a sequencer or sync box. MAGI has saved me numerous hours mixing."

The MAGI System is comprised of several components which can be mixed and matched to meet your individual requirements. High quality automation for the 16 to 56 input console has never been more affordable. Prices start at just \$3468.00!

Also available from J.L. Cooper is MixMate! Eight channel, self contained fader and mute automation for the 8 to 16 track studio and audio/video post production facility. Many applications, one low price - \$995.00!



See and hear what automation can do for your mixes!

JL COOPER ELECTRONICS

13478 Beach Ave., Marina del Rey, CA 90292
(213) 306-4131 • FAX: (213) 822-2252

International Distributors: Switzerland, Austria, W. Germany: Jacques Isler AG 41-1-432-1444 • England: Evenlode Soundworks 44-99-389-8484 • Italy: Music Sound Technology 39-2-9501-8031 • Belgium, Holland: Synton 31-34-65-67424 • Sweden: AB Greg Fitzpatrick 46-8-308070 • Australia: Tradepower Intl 61-3-560-9111 • Denmark: New Musik 45-6-190899 • Norway Pan Studios 47-6-84-33-30 • Israel: RBX Intl 972-3-298252 • Malaysia: Meteor Sound 603-291-6559 • Singapore: ParaDi 65-3388-252

counters are always after reducing those "continuing" costs. Pseudo-video or R-DAT formats offer tape costs from one-half to one-tenth that of their analog equivalents, the amount depending on the tape type, speed and quantity discount involved. Again, audio quality improves at the same time as these cost savings occur, seemingly violating some corollary of Murphy's Law, and making everyone at the radio station happy. Well, almost

Digital audio's time domain accuracy is perhaps more important to radio broadcasters than to the general user.

everyone.

Not everything about digital audio is perfect for broadcasting. Lower-cost (cassette-based) digital audio recording systems lack in flexibility for production and editing at present, especially when compared to current analog systems. Such flexibility is available in digital systems (such as the DASH and PD open-reel formats, and workstations), but the cost for these is generally prohibitive to most broadcast users at this time.

To deal with this, many remote recording users of pseudo-video or R-DAT systems dub field-recorded original material to high-speed, noise-reduced analog tape (typically 15-ips Dolby SR) for studio post-production. Final air masters are often transferred back to pseudo-video or R-DAT for later broadcast playback.

Another difficulty with digital recording hardware—this one afflicting remote systems—is caused by the high current demand of digital processing circuitry, which limits battery life on portable recorders. Most of these use rechargeable Ni-Cad battery packs, and in many cases, charge-life is shorter than a single R-DAT or videocassette's running time; an operator may have to change batteries before changing tape.

And some in the broadcast field have yet to be convinced of digital audio recordings' longevity. Archival

Circle #066 on Reader Service Card

What LA's

Largest

Pro Audio

Dealer

Can Do

For You

With over 200 different brands of pro audio/video equipment, we offer you the best selection in the west. And we carry a much larger inventory so chances are we have what you need in stock.

We'll keep you abreast of new developments, new options, and updates for your equipment so you're always current and usually ahead of the rest of the industry.

New Demonstration Rooms

Since we moved to larger quarters here in Burbank we've opened *two* new fully equipped showrooms. In the Pro Room are three complete, operating production systems—consoles, monitors, tape machines (including 32 track digital), and signal processing/effects gear. Our second room has three more complete production systems set up to hear and compare. This room caters to the

audio/video needs of musicians and production studios.

Just the Facts, Ma'am

Things change quickly in pro audio. To make sure everyone here knows all the facts about the latest equipment, we've added a Product Specialist to our staff. His *only* job is researching equipment—reading brochures and tech manuals, going to trade shows, talking with manufacturers—and sharing that knowledge with our customers.

New Central Location

We're easy to get to from Hollywood, LA, and the valleys. And with more room, we've enlarged our technical and parts departments for even better service and support.

Come by and visit us in our new building. Turn some knobs in the demo rooms. Or just call and we'll be happy to discuss your pro audio needs.



Office Staff (l to r): Niki Simpson (Accounts Payable), Carol Gumbel (Controller), Shanah Metzelaar (Receptionist), Darrin Miller (Purchasing), Michele Schwartz (Accounts Receivable), Jim Kropf (Delivery), Front: Brian Cornfield (President)



Sales Staff (l to r): Nat Hecht, Paul Freudenberg, Paul Svenson (Sales Manager), Karyn Thomas (Sales Assistant), Philip Celia, Mark Lever, Vanessa Perea (Tape and Accessories), Garth Hedin, Robert Corn, Ben Ing (Product Specialist), Constantino Psorakis



Our Pro Demo Room: Three different fully operating production systems, plus a vast array of outboard gear



Technical Staff (l to r): Steve Smulian (Service Manager), Paul Hulse (Senior Technician), Rik Shannon (P.O.M.P.), Greg Dougan (Parts Manager), (Not Pictured: Nello Torri)



Sales/Service/Design

ea **Everything Audio**
Advancing with Technology

2721 West Burbank Boulevard • Burbank, California 91505
Phone (818) 842-4175 or (213) 276-1414 • Fax (818) 953-2908

Circle #154 on Reader Service Card

JEFF BAXTER AND DIC//DAT

TAKE MUSIC TO THE Nth DEGREE.

THE DIC//DAT Musician's Musicians Series #1



PHOTOGRAPH: KOPITCHINSKI
LOCATION: SOUNDTRACK NY.

The title on the album read "Can't Buy a Thrill." But the music inside proved just the opposite. Steely Dan gave the world a thrill for the price of a record. And the guitar player that gave Steely Dan its thrills through three gold albums was Jeff "Skunk" Baxter.

Behind the console or in front of the mike, Skunk Baxter lets nothing get between him and his music. That's why his trademark clear plexi guitar synthesizer clearly isn't just for show. Its thermoplastic body means virtually zero resonance. Which means virtually zero interference. The purest sound Music to the Nth Degree.

Like DIC//DAT. The definitive digital audio tape. The surface: Ultra-high density metal particles. The dispersion: Ultra-uniform. The result: Unsurpassed digital signal receptivity. And an unbelievable range and clarity way beyond vinyl. Beyond analog cassette. Beyond any way you've ever heard recorded music before.

The sound of the future. Available now to discerning pros.



DIC//DAT™
TAKING MUSIC TO THE Nth DEGREE.

2 University Plaza, Hackensack, NJ 07601
1-800-DAT-1-DIC

© DIC DIGITAL SUPPLY CORPORATION, 1989

DIC Digital
DAT Digital Audio Tape

storage is important to broadcasters, and some positive results from studies (currently underway) involving accelerated aging tests are needed to convince everyone that these formats are durable over long periods and in a wide variety of storage conditions.

At radio broadcast facilities in which digital audio has begun to be implemented, CD playback hardware has been the most common application.

—FROM PAGE 100, FI AT WGBH

ing to Craig Todd, senior engineer at Dolby, ADM is a method of coding audio signals into digital form. It was designed for consumer broadcast applications, specifically television, although it is just as valid for radio. The advantage of ADM lies in the fact that it codes audio into a relatively low data rate—440 kilobits per second for stereo. The transmission format is called Quadrature Phase Shift Keying (QPSK), which looks like transmitted noise on a screen. A receiver recovers this data and converts it from digital to analog for replay. And that data is relatively tolerant of errors, Todd adds. The system's low bit rate allows conservative bandwidth use. This is important because the number of available frequencies for radio is extremely limited, and there is a struggle for what's left with new TV and LPTV stations coming online.

The system has been in operation for four years in satellite systems as well as private television networking in the U.S., and has been used extensively in Australia for television broadcasts.

But cost again remains a primary factor. While the price of the receiver decoder component is quite low—Todd estimates that it would add \$10 to the cost of a television receiver—the cost of the considerably more complex encoding equipment runs between \$5,000 and \$10,000.

"Radio needs to get its act together in terms of competing with new television stations for band space," says Todd. "You have digital cable radio coming on for subscribers. This is commercial-free and it could pose serious competition for broadcast radio in the same way cable television has for broadcast television."

—Dan Daley

So Discrete



New audio processing modules from API, featuring the famous all-discrete 2520 op-amp.

550 B A four-band version of the classic 550A equalizer, with the same circuit design, components, and great sound.

560B 10-band graphic equalizer.

512B Microphone preamp and direct box, with the same package format and pin-out as the API equalizers.

3124 4-channel microphone preamp and direct box, with optional mixer section.

Also new 2, 4 and 10-position powered racks to hold any combination of 500-series modules.

AKG, AMS, Aphex, API, Bryston, Calrec, Soundcraft, T.C. Electronic, Valley International, Westlake, White Instruments, and other exceptional audio products.

studio consultants, inc.

321 West 44th Street, New York, NY 10036 (212) 586-7376

Equipment, support, and design services for professional audio facilities and broadcasters.

Circle #067 on Reader Service Card

The Center of Attention.



FULL SAIL CENTER FOR THE RECORDING ARTS

3300 UNIVERSITY BLVD. • WINTER PARK, FLORIDA • 32792
TOLL FREE OUTSIDE FLORIDA • 800-221-2747 • FLORIDA RESIDENTS • 407-679-6333

The Industry Leader In Recording Career Education Since 1979.
Breaking The Sound Barrier Coast-to-Coast.

Circle #068 on Reader Service Card



MORE SOUND PER POUND

The Bose® 302 Series II Acoustimass® Bass System.

This compact bass system, designed and optimized for use with Bose 802™ Series II speakers, delivers *more bass and purer sound* than larger components. From nightclubs to stadium concerts, the 302-II bass system delivers clean, powerful performance that's easy to transport and easy to connect.

The key to large-system performance in a small package is the patented Acoustimass system with the Electro-Magnetic Braking (MB-12) woofer. Rather than producing sound by a cone surface vibrating directly into a room, Bose uses the MB-12 woofer to energize the Acoustimass system, which actually launches sound into the room using two precisely controlled air masses. The Acoustimass system also acts as an acoustic filter, removing unwanted distortion where no electronic filter can



—after sound is produced but before it reaches the audience. The result—the 302-II system gives you more bass output with less cone motion and lower distortion than any conventional bass bin its size.

Listen and judge for yourself. Compare the 302-II system to any other bass system. Then *you* decide how well we stack up (and how easily). The 302 Series II Acoustimass bass system . . . just one of the reasons Bose is becoming the professional system of choice. For the name of your nearest authorized dealer, write Bose Corporation, Professional Products, Department M, The Mountain, Framingham, MA 01701-9168 or call us at 1-508-879-7330.

© Copyright 1989 Bose Corporation. Covered by patent rights issued and/or pending. Features and specifications subject to change without notice.

BOSE
Better sound through research.

Nearly half the radio stations in the U.S. use CD to some extent. In major markets the percentage is even higher. Many of these stations program music exclusively from CD, although some dub individual cuts to the analog cartridge format first. (This latter process is generally ascribed to concerns

about reliability of CD playback direct to air [primarily due to "skipping" problems], complexity of CD playback hardware for high-pressure on-air operation, or just plain habit.) Since record companies have started providing promotional copies of new releases on CD, the acceptance of the sys-

tem has risen dramatically in all radio formats. More user-friendly, flexible and reliable CD players are also helping this acceptance along.

Meanwhile, a smaller number of stations use digital audio for recording as well. The more cost-effective formats such as the Sony PCM-F1 and

DIGITAL IN WINNIPEG?

Moffat Communications, a Winnipeg, Canada-based radio chain, has gone about as far into the digital production end of radio as can be done with current technology. The company's nine stations in Winnipeg, Vancouver, Calgary, Edmonton and Hamilton all have or are in the process of installing New England Digital's PostPro system, an 8-track Direct-to-Disk™ digital recording system designed for radio production. According to chief engineer George Buzunis, Moffat stations are doing all commercial and promo work digitally with the exception of music beds, which are farmed

out to local contractors. Furthermore, the chain expects to add the DAMS system—Digital Audio Mass Storage—to its inventory. The Australian-manufactured hard disk system can store up to 540 minutes of program, which is enough for over 1,000 half-minute promo spots. This, says Buzunis, will virtually eliminate the need for any carts at the stations, enabling jocks to simply punch up the desired spot in an instant.

The five PostPros, at an average of \$165,000 (Canadian) each, and the \$150,000 DAMS bring Moffat's digital investment up to just under \$1 million. Buzunis agrees that such an investment in radio is substantial but adds that the cost of new decks and consoles—which

were a capital investment priority anyway—would have come close to that. "And there were no construction costs," he says. "The systems were simply wheeled right into the studios."

With its exclusive programming of CDs and DATs, the PostPros and DAMS make the Moffat chain probably the first all-digital programming and production radio group in North America. Franklin B. Sullivan, vice president of sales and marketing of NED, says, "Moffat's multisite PostPro installation is a good example of how a far-sighted radio network is equipping itself for today and tomorrow. They are by far the largest NED radio installation in the world."

—Dan Daley



Orban's 245F Stereo Synthesizer is an inexpensive, effective means of creating compelling pseudo-stereo from any mono source—whether in production or live performance. Features include:

- Patented frequency-splitting, comb filter technique that renders dramatic spatial enhancement from any mono source.
- Perfect summing to mono to avoid phase cancellation problems.
- Powerful tool for track expansion on multi-track tape machines, or for stereo EFX on stage.
- Like all Orban products, the 245F is built to work the same hours that you do, and employs a unique and proprietary design to bring you a product worth listening to. Call us. We will be happy to provide you with the name of one of the top quality dealers carrying Orban products, worldwide.

Orban a division of AKG Acoustics, Inc.

645 Bryant St., San Francisco, California 94107 USA (415) 957-1067 Telex 17-1480 FAX (415) 957-1070
Circle #069 on Reader Service Card

orban

WHAT'S THE DIFFERENCE BETWEEN THESE TWO TRANSFORMERS?

THIS ONE COSTS 40% LESS

CRIMSON AUDIO TRANSFORMERS
(314) 547-8988

Circle #070 on Reader Service Card

dbx 700 (Companded Predictive Delta-Modulation [CPDM]) systems are used primarily in remote recording and in time-shifting of satellite-delivered programming. But the discontinuation of the processors and the questionable reliability of the consumer-grade VCRs typically used have rendered these formats obsolete, although they will probably remain in use at some stations for a while. The Sony 1610/1630 system has never penetrated the broadcast market due to its higher tape and hardware costs.

R-DAT has recently begun to see acceptance among radio broadcasters. Compared to the pseudo-video systems, it exhibits slightly higher audio quality, smaller size, faster start-up ability, much quicker access time, convenient indexing features and "single-box" design. It has also attracted some users who were never interested in pseudo-video systems. Nevertheless, pseudo-video systems still offer advantages over R-DAT, in that their real-time counters are based on control-track data of the videocassette, providing much greater accuracy than

the mechanical counters found on most R-DAT machines. The slow linear tape speed of R-DAT means that even a good mechanical timing system will be inaccurate, especially by broadcast standards. Furthermore, the fact that VCR counters stop advancing in fast-wind mode when they reach blank tape is another minor bonus of the pseudo-video systems (although some R-DAT machines provide a more elegant end-of-recording search feature).

R-DAT has also begun to be used by music syndicators and programmers for distribution of material to stations. Other applications have surfaced, and a primary target is replacement of the broadcast cartridge format.

A few stations have even implemented the audio-only function of the 8mm video format, which provides up to 24 hours of companded 8-bit, 31.5kHz-sampled stereo audio on a single cassette. Users typically employ the system in a broadcast automation system, or for "logging," a common practice among broadcasters in which a reliable but inexpensive, low-to-mid-fi,

—CONTINUED ON PAGE 147

WSHU AND THE DBX APPROACH

At WSHU in Baltimore, Dick Kohles explains a digital link that is used from the studio to the transmitter in that station's digital productions for the live Baltimore Symphony Orchestra broadcasts. WSHU uses the dbx 700 system with a MACOM duplex video link that carries a pseudo-video signal.

But Kohles sees transmission systems such as the current dbx configuration being eclipsed by fiber optics. "KLON in California is going via data link," he says. "Audio is converted to data then reconverted for transmission. I see more glass [fiber optics] going in across the board in radio in the future."

CD-101 (WQCD), a mostly CD station in New York City, has been producing long-form shows on DAT. Says Andy Bater, the station's chief engineer, "The [DAT] cassettes are cheaper than reel-to-reel tape, and they take up less space as well as being better-sounding." CD-101 is also using DAT recorders for in-the-field interviews.

CD-101 has taken a shot at another aspect of digital applications,

although the station is still waiting for a result. Back in March the station recorded a series of on-air promos at Editel/NY. Fifty-six station signatures were recorded and edited on a Sony PCM-1630 digital deck. These were then sent to Japan at the request of THAT'S, a Japanese company that claims to have developed a recordable CD (WORM-type). THAT'S wanted to use the promos as a demo of its product's capabilities as the digital cart of the future, but as of presstime the company still hasn't delivered. CD-101 says it's waiting; THAT'S America spokesman Dan Garcia says the company is swamped with orders and "may have bitten off more than we can chew" on the CD-101 offer.

Garcia did say that radio and recording are target markets for the product, which he claims is the first that is fully compatible with current CD players. "We did this to show the capabilities of the product," Garcia says, "and especially to show its broadcast applications. It allows instant access to jingles, promos, etc. But this is software we're talking about; the recorder is not yet available commercially."

—Dan Daley

B Burlington
Audio / Video Tapes, Inc.
106 Mott St. Oceanside, N.Y. 11572

Toll Free 1-800-331-3191
In N.Y. 516-678-4414
FAX 516-678-8959

3M Video & Audio Tape

Call for Free Catalog
Shipped from Stock - Priced Right
Immediate Delivery
Reels • Boxes • Custom Cassettes
Leaders • Splicing Tapes

**HARD TO GET
ACCESSORY ITEMS**

Circle #071 on Reader Service Card

90 ways to depart from the straight and narrow.



Prepare to expand your horizons. With the Yamaha DEQ7, the completely digital equalizer. With not one but 30 different EQ and filter configurations, in stereo.

To be specific, it has 11 graphic EQs, four parametric, three tone configurations, five band pass/band reject filters, six dynamic filters and one multi-notch filter configuration, plus up to 738 ms of delay per channel.

But, in the Yamaha tradition of never leaving well enough alone, we did some expanding of our own.

Like memory. The DEQ7 has sixty user-programmable memory locations, so you can store and title your favorite curves, and recall them any time manually or via MIDI. There are digital I/Os for direct connection to other digital components, as well as analog inputs and outputs.

Since we're on the subject of output, it's equally important to mention that, in the opinion of many critical users, the DEQ7 produces an open, natural-sounding EQ. Which means that you can create extreme EQ settings without creating extreme anxiety.

The Yamaha DEQ7 Digital Equalizer.

It'll throw you a few new curves. Catch one at your nearby Yamaha Professional Audio dealer.

Yamaha Music Corporation, Professional Audio Division, P.O. Box 6600, Buena Park, CA 90622. In Canada, Yamaha Canada Music Ltd., 135 Milner Avenue, Scarborough, Ontario M1S 3R1.


YAMAHA[®]
Engineering Imagination™

ProDisk-464

The Affordable

Digital Disk Audio Recording & Editing System

- Digital sound storage on fast and reliable Winchester disks
- Archive on compact, widely available 8mm tape cartridges
- Instantly locate and edit any portion of up to two hours of sound storage per track
- Plug compatible with standard multi-track tape machines
- Familiar console emulation presented on Apple Macintosh screens



- SMPTE time code and MIDI compatible
- Unsurpassed sound quality yielding 96dB dynamic range with inaudible noise level
- Modular, 4-64 field upgradeable tracks
- Full 16-bit recording
- On-board diagnostics for simple servicing

...at the Price of a Tape System!

The ProDisk-464 is a four to sixty-four track Digital Audio Recording and Editing System for Music Recording, Video/Film Post-Production, Television and Radio Broadcast. Priced below what you expect to pay for a multi-track digital tape recorder, the ProDisk-464 is a second generation random access disk-based system that will dramatically reduce your production costs.

True Long Term Value

By integrating proven micro-computer technology with fast, high capacity disk drives Digital Dynamics offers you a superior quality system at analog prices. The ProDisk-464 is a complete digital audio workstation with an open architecture that ensures a long and useful life. It's LSI and SCSI disk technologies produce an exceptionally reliable system that will be compatible with tomorrow's storage products. Start with a 4-track system and field upgrade in modular 4 track increments up to 64.

All specifications are subject to change without notice.
Apple is a registered trademark of Apple Computer Inc. Macintosh is a trademark of Apple Computer Inc.

Substantial Time Savings

Random-access eliminates the time traditionally spent in tape positioning. Electronic "reel rocking" and automatic Punch-In/Out allows retakes that are fast, precise and non destructive. Editing, including cut, paste, copy, insert, replace and alignment, is performed in a highly visual fashion on the controller screen. These operations now take seconds to perform instead of minutes. Individual tracks may be re-aligned in time, eliminating the requirements for multiple tape machines. The system can automatically generate and synchronize to SMPTE time code for lock-up with video and film equipment. No time is required to stripe audio tapes. Multiple takes and edit modifications can be auditioned and changed right up to the production deadline. No time is ever wasted because of a lost or damaged take.

Easiest to Use

Macintosh controlled, a recording engineer will require little or no training in the use of the cue editor performing track slipping, crossfades and on-screen sound editing. Edit Decision Lists are automatically built up in real-time. All edits of any kind are non destructive. A library of sounds and effects can be quickly auditioned and placed at precise time-coded locations. Compatibility with other Macintosh applications provides a means of integration and exchange with MIDI packages, sound files and sequencer programs.

Write or call for the ProDisk-464 brochure and to arrange for a demonstration.




Digital Dynamics

Digital Dynamics Inc. ■ P.O. Box 655 ■ Kings Park, NY 11754 USA ■ (516) 544-4138

Circle #157 on Reader Service Card

NEW PRODUCTS



SAKI HEADS FOR BVH SERIES AND ITC CARTS

The formula for Saki Magnetics' (Calabasas, CA) new 1-inch audio record/playback head (\$895 list) incorporates hot-pressed, glass-bonded ferrite and a ceramic face for long life and high reliability. The BVH-2000 head, which works with Sony BVH Series decks, is said to last up to ten times longer than conventional metal heads. Likewise, Saki's new ITC Delta Cart replacement head (\$225 list), designed for use with NAB- or TOMCAT-format ITC Delta cart machines, is believed to be the first all-ferrite replacement head with a glass-bonded gap, and it wears six to ten times longer than standard perm-alloy heads.

Circle #099 on Reader Service Card

SYMETRIX SX205 PRECISION DIGITAL METER

To extract full 16-bit performance from digital recording systems, precision metering is required. A new reference standard for such uses has been unveiled by Symetrix (Seattle, WA). The microprocessor-controlled,

two-channel SX205 digital meter measures and displays voltage (-39 to +6 VU) and power levels (to 100W or 1,000W full-scale, referenced to 2, 4 or 8 ohms). A 1,000Hz sine wave calibration oscillator is included. Each channel can be individually (and independently) set up to display data as average or peak level, in bar graph or dot format, with peak-hold time adjustable from instantaneous to infinite. Retail price for this addition to Symetrix's half-rack 200 Series product line is \$279.

Circle #100 on Reader Service Card



SOUND IDEAS "HOLLYWOOD" SFX

Boings, thuds, whizzes and whooshes are just some of the sounds available in the eclectic "Hollywood Edition" FX library on compact disc from Sound Ideas (Richmond Hill, Ontario). Over 1,500 digitally recorded sounds are divided into categories with such titles as Comedy, Foley, Special (explosions, gunshots, karate chops, etc.), Horror, Musical, Space, Transportation, Animal Sounds and Human Sounds. Also included are instrumental and "wild and crazy gizmo" effects.

Circle #101 on Reader Service Card

SOUNDTRACS ERIC2 AUTOMATION

The new Level 2 automation package—aka "ERIC2"—for the Soundtracs ERIC console (distributed by Samson Technologies, Hicksville, NY) allows recording of all console recalls, setups and mutes against time code. The system reads and generates time code (all formats) and records all events down to half-frame accuracy, thus preventing mute delays. Data can be recorded and updated in real time for conventional mixing, or in step time for MIDI- and sequencer-based mixing. The com-

compact display screen offers a wide viewing angle, and display windows, function buttons and a moving mix display enhance ease of operation. ERIC2 can be fitted to any ERIC console.

Circle #102 on Reader Service Card

CIPHER DIGITAL SOFTOUCH II EDIT/CONTROLLER

The ever-popular Shadow time code synchronizer has a new master: the Softouch II Edit/Controller from Cipher Digital (Frederick, MD). Priced under \$4,500, the Softouch II has a 3.5-inch disk drive for storing edits, full-screen color display (works with RGB monitors), 16 programmable soft-keys and the ability to output edit lists on a standard computer printer. It can drive up to four audio, video and/or film transports via the Shadow synchronizer. Features include loop memory (automatically stores sequences of up to 100 edits), a preview function, frame-accurate event control outputs and an adjustable beep tone for cueing talent.

Circle #103 on Reader Service Card





▲ EMT 981 PROFESSIONAL CD PLAYER

Broadcasters and others working with automated programming systems will appreciate the control and monitoring capabilities of the EMT 981 Professional CD Player (distributed by Gotham of NYC). The rapid front-loading unit handles standard and mini CDs in a 2U rack-mount enclosure, graced with large, illuminated controls. Features include: separate operating modes for setup and "on-air" use; precise cueing with repeatable segments; auto-cue and auto-stop functions; comprehensive time indication; access to any disc location (track, index and time); rapid track selection with next/previous and index functions; search dial; "pre-listening"; "go to last" function; storage of up to four takes; ±10% varispeed; and more. Remote control is possible, as is computer control via the player's RS-232 interface. The player also provides an AES digital output, word clock output and clock sync output.

Circle #104 on Reader Service Card

HOWETECH SERIES 10K CONSOLE

They're calling it the "wireless" console because a universal multilayer backplane eliminates all internal point-to-point wiring between modules. It's the Series 10K on-air/production mixer from HoweTech (Boulder, CO). This dig-

itally controlled, analog audio desk features interchangeable modules that can be located in any order; a standard mainframe includes control room monitor, bus summing and two dual-channel line output modules, and many others are available. In addition to the standard summing bus, all subgroup audio signals are distributed to every module position, allowing many monitoring and output configurations. Base prices start at \$8,285 for a 14-channel mainframe with oak trim.

Circle #105 on Reader Service Card

Audio Service Corp.'s MP-12T Microphone Power Supply provides optimum operating voltage to condenser mics configured for 12V T or A-B powering; call (800) 228-4429; in CA, (818) 980-9891. . . **VideoQuip's LM-2 Level Matching System** converts two audio channels from unbalanced RCA to balanced XLR operation (and vice versa), with independently adjustable levels; (416) 293-1042. . . **Antex Electronics' Series 2/Model SX-10 digital audio processor board** plugs directly into a slot in the IBM PC-AT/286/386, PS/2, Model 25/30 or compatible, receiving sound and analog and digital data from multiple sources and storing to disk; (213) 378-

MAGNA-TECH EL II ELECTRONIC LOOPING SYSTEM

Electronic looping in ADR and Foley recording is possible with the new, computerized EL II system from Magna-Tech (NYC). The system stores up to 200 loops online for playback and recording, and unlimited loops offline. Optional RAM storage modules each hold an additional 200 loops online. Features include: cue sheet data storage; ability to add or subtract frames, automatically updating stored cues; keyboard-controlled storage of print takes; four programmable "soft" keys; manual override; and built-in battery backup. The EL II handles up to six tracks and operates with film projectors, videotape players, 35mm film

recorders, magnetic film reproducers and 1/4-inch audio recorders.

Circle #106 on Reader Service Card

SAMSON MR-1 RECEIVER

Designed for ENG and EFP applications, the MR-1 microreceiver from Samson Technologies (Hicksville, NY) is a complete VHF receiver operating in the 174-214 MHz band. It can be powered by a 9V battery for ten hours, or via a DC input jack with optional adapter. The MR-1 uses surface-mount construction to enhance portability and includes dbx noise reduction. Supplied with 13 simultaneously usable channels, the receiver features a switchable audio output (balanced, unbalanced, line- or mic-level) and a stereo headphone monitor jack.

Circle #107 on Reader Service Card

HOT OFF THE SHELF

1641. . . **Evans Specialty Co.'s "EASY AS 1-2-3" Statkleer Concentrated Glass Cleaner** prevents static build-up and retards accumulation of dust and dirt on a studio's glass surfaces; (804) 232-8946. . . **Brainstorm Electronics' SR1 Time Code Refresher** (\$149.50) lets time code be dubbed without the degradation that would result from direct transfer, and also cleans up unreadable code; (213) 475-7570. . . **Passport's Click-tracks Version 2.0** for the Macintosh now includes a "make it fit" feature, a lock-to-MIDI time code option, "Splice and Move," time calculator and more; (415) 726-0280. . . **Calculated Industries' Time Master**, a pocket-

sized calculator with stopwatch/timer, calculates and directly converts in all time formats, including points-in-time values in 12- or 24-hour clocks; (714) 921-1800. . . **Heath's portable video alignment generator**, available in kit form (\$59.95) or assembled (\$79.95), produces a series of cross-hatch or dot video patterns to facilitate converging of RGB information in a TV monitor; call (800) 44-HEATH. . . **Newark Electronics' 1989 Catalog** serves as a comprehensive source for electronic parts, containing info on over 100,000 products from 240 manufacturers (including over 100 pages of semiconductors); for a free copy of the 1,000-page catalog, call (312) 784-5100.

BRYSTON



*Bryston Model
2B-LP PRO XLR*

BRYSTON POWER AMPLIFIERS CONTINUE TO DEFINE THE STATE-OF-THE-ART IN MUSICAL ACCURACY, LONG TERM RELIABILITY AND PRODUCT INTEGRITY.

BRYSTON design philosophy incorporates three general concepts.

1. Musical accuracy
2. Long term reliability
3. Product integrity

MUSICAL ACCURACY

Musical accuracy is reflected throughout all Bryston power amplifiers and includes the necessity for wide-band transient accuracy, open loop linearity ahead of closed loop specifications, and power supply design as an integral part of the overall sonic and electrical performance of a power amplifier.

We have found that a simple carbon film resistor can contribute more static distortion to a signal than the entire remainder of the amplifiers circuitry combined.

We discovered that some parameters of transistors must be controlled as much as 1000 times more closely before their contribution to audible distortion is rendered negligible.

We discovered that under certain actual conditions of speaker loading, amplifiers were incapable of yielding high-power transients without distortion.

Each of the various steps or stages in every Bryston amplifier, from the input section to the output section, without exception, are designed to optimize the musical experience.

STANDARDS OF RELIABILITY

WE consider this criterion to be exceedingly important. We have applied techniques and materials in our everyday construction of electronic equipment more typically utilized in the military and aerospace industries.

All components used in Bryston power amplifiers are specified for continuous duty at maximum power, with typical safety margins of 250%.

The power transistors used in all Bryston amplifiers are 100% tested for safe operating area, both before and after installation in the circuit. They are then taken to a "burn-in" table when they are given a capacitor load, a square-wave input signal, and set at slightly under clipping for a period of 100 hours. During this time, the input signal is cycled three hours on to one hour off, to exert additional thermal stress.

Following the burn-in period, the amplifiers are monitored for DC bias stability for approximately another full day. At this point, they are returned to the test bench for another complete checkout of all operating parameters and functions, at which time a test sheet is made, and included in the packing with the unit.

As may be seen, Bryston takes very seriously the correct functioning and long term reliability of its products.

INTEGRITY

BRYSTON contends that the term 'best' should apply to the honesty, pride and courage with which we conduct our business, as well as to the performance of our products.

For this reason, you will not find Bryston's products being cosmetically "updated" on a regular basis merely in order to keep the customer's interest in something 'new'. If we make a change in the circuitry, it will be because, and only because, it yields a worthwhile performance or reliability improvement.

In Canada:

Bryston MARKETING LTD
57 Westmore Dr., Rexdale, Ontario,
Canada M9V 3Y6
(416) 746-0300

In the United States:

Bryston VERMONT
979 Franklin Lane
Maple Glen, PA 19002
(800) 673-7899

Circle #158 on Reader Service Card

by Larry Oppenheimer

OPCODE'S VISION

I think we're pretty close to hitting the limit. From their humble origins in the late '60s as voltage-controlled synthesizer modules with a few rows of knobs to set output voltages, sequencers have evolved dramatically, grow-

tracks. A sequence can be "normal" or "generated," the latter being an algorithmic transformation of the material input to it. One of the nice aspects of Vision is that it can be used as a pattern-oriented sequencer (drum

machine-style), a linear sequencer (tape recorder-style), or a combination of the two: sequences can be treated as patterns and called as "subsequences" by other sequences or from the keyboard. Complex structures can be realized by nesting subsequences and/or calling them in real time.

With a program offering this many features, the user interface becomes absolutely critical—the old "power

versus ease-of-use" trade-off at work. Fortunately, Opcode has not underestimated this need. The file window, which lists all the sequences and their names, the sequence window, which lists the tracks for a given sequence, and the control bar, which contains Vision's "transport" functions, counters and several record and playback options, comprise the primary portion of the screen display. Editing is performed in the list and/or graphic editing windows. Status information of various sorts is sprinkled in appropriate places throughout the program. Multiple sequence and editing windows can be open simultaneously.

The many options Vision offers are made easily accessible in three ways.




ing into immensely complex and highly sophisticated pieces of personal computer software. Opcode's *Vision* is a gem of a program that represents the state of the art and also appears to demonstrate that we have just about reached full maturity for this kind of application.

Given Vision's staggering complexity, I will attempt only to give the reader a grasp of the major functional areas that this Macintosh-based sequencer covers. I cannot emphasize strongly enough that potential buyers must try the program firsthand to determine if it is the right tool for them.

Like *Sequencer* (its predecessor), Vision allows the user to construct up to 26 sequences, each having up to 99

Fast. Simple. Inexpensive. And It Works. Today.



The ADAP II Digital Audio Recorder/Editor.

FROM HYBRID ARTS.

Hybrid Arts' ADAP II™ is the affordable digital audio recording and editing system that lets you work with 16-bit, CD-quality audio directly on a hard disk. Get an ADAP II with one of our 760 Megabyte hard disks, and you can record and edit nearly an hour of stereo audio.

RAW SPEED.

ADAP II is quick. Say goodbye to rewind and locate time. Cut, copy and paste audio in an instant. Build a list of sound effects and sync them to picture as fast as you can think. ADAP II is designed for speed, from its dual 25 MHz digital signal processors to its lightning-fast operating system.

PURE AND SIMPLE.

ADAP II is easy to learn and easy to use. You can view your sound on the screen as tape tracks or as waveforms. Lay in up to 200 markers to help you find specific points in your tracks. And locate to any of those markers with a single keypress.

A COMPLETE SYSTEM.

ADAP II is a complete, high quality system. There are no computers to disassemble and no cards to install. We even deliver the ADAP II system mounted in its own 19" rack, ready to go, with industry standard connections for analog and digital audio, SMPTE time code, and MIDI. And we include all the software you need.

HOW INEXPENSIVE?

Hard disk recording doesn't have to cost a fortune. ADAP II Turnkey Systems start at under \$10,000. Complete.

IT WORKS. TODAY.

Edit your DAT masters. Clean up dialog tracks. Spot a sound effects session. Can do. Why buy the future? Go get an ADAP II. And get the job done. Today.



8522 National Blvd.
Los Angeles, CA 90230
Phone: (213) 841-0340
Fax: (213) 841-0348

BRING STUDIO RECORDING HOME ON VIDEO !

"Can do what no text on the subject has ever been able to accomplish."

- George Petersen, *Mix Magazine*
(see review in March issue)

Now you can learn how to shape your sound the way you want with 3 ground-breaking new videos from First Light !

- > SHAPING YOUR SOUND WITH MICROPHONES
- > SHAPING YOUR SOUND WITH EQUALIZERS, COMPRESSORS & GATES
- > SHAPING YOUR SOUND WITH REVERB AND DELAY

Filled with live musical examples, computer animation and the teaching of sound recording wizard Tom Lubin, these tapes let you simultaneously see and hear how each sound is captured.


Each 80 minute video comes with a reference manual and index. For more info or to order yours today, call or write:

First Light Video Publishing
(800) 777-1576 • Inside CA: (213) 467-1700
374 N. Ridgewood Pl., L.A. CA 90004

Circle #033 on Reader Service Card

Uniquely Markertek!

MARKERFOAM™ ACOUSTIC FOAM



GIANT
54" x 54"
\$19.99
Per Sheet!!

Blue
or
Grey

KILL NOISE QUICK! Soundproof studios, rehearsal spaces, vans, rooms with super-effective, E-Z mount, 2" thick studio gray or natural blue (specify color). Markerfoam offers outstanding sound absorption qualities. Immediate shipping. Add \$3.50/sheet shipping. NYS residents add 7% tax. MC/Visa/Amex/COD/Check/Terms. 3-inch sheets also available at \$29.99.

MARKERTEK PATCHADAPS™

America's largest selection of highest quality studio patch cords—60 types let you interface anything quickly to your patch panels

DIGITAL
MASTER

AUDIO ON
BOTH
CHANNELS

EDITED
MASTER

DUB

DAT
CLONE

MARKER MARKERS™

America's largest collection of over 500 hot orange status labels plus blank pin-led & laser labels for audio & video.

Get our **FREE 120-page catalog** of over 3,000 exclusive and hard-to-find supplies for audio & video.

800-522-2025 America's most unique
(In NY 914-246-3036) catalog for audio & video!

MARKERTEK™
145 Ulster Ave., Saugerties
New York 12477 U.S.A.
VIDEO SUPPLY

Circle #034 on Reader Service Card

FIELD TEST

—CONTINUED FROM PREVIOUS PAGE

First, there are literally dozens of pop-up menus scattered everywhere in the program, and where there aren't pop-up menus there are probably dialog boxes and secondary windows.

Second, Opcode has simplified operation by providing extensive Mac keyboard equivalents for Vision's commands. Once you establish your own way of working with Vision you quickly learn the equivalents and find them faster to use. Aside from the basic record and playback functions, there are keyboard equivalents for selecting MIDI keyboard thru channelization, triggering sequences and selecting the window you want to be active.

Going one step further, Vision's third method for accessing features, "MIDIKeys," lets you map MIDI notes to Vision commands for operating the sequencer from a MIDI controller. The MIDI Shift function is analogous to the Mac's Shift key, allowing the function redefinition of any MIDI key. This is also an excellent application for a MIDI footswitch.

SYSTEM CONFIGURATION

Vision has a substantial number of features aimed at providing control over MIDI instruments in the form of input and output maps. Instrument definition includes everything from naming to specifying transpositions, MIDI channel, range of notes, program change number and much more. The input map assigns a Mac port and MIDI channel to each instrument, as well as a range of notes and a base note definition. Instrument, input and transposition maps can all be saved to disk.

In addition to the input/output mapping capabilities, Vision offers further control of your MIDI instruments with up to 32 virtual faders to control velocity of an instrument, tempo, or send continuous controller data. A fader can even be controlled by an external MIDI controller. MIDI controllers can be remapped by setting a fader to receive information on one controller and transmit it on another. The faders can even be used for an automated mixdown, although their small onscreen appearance makes resolution a problem.

RECORDING

Vision offers three basic modes for recording: replace, punch and over-

dub (for merging new information with existing track information). Loop (drum machine-style) recording is also supported, as is the ability to record on multiple channels simultaneously. Multichannel recordings on a single track can be split to separate tracks after the fact. You can trigger sequences in real time from the Mac keyboard or a MIDI keyboard and capture your performance to a track. One other interesting feature of real-time recording is the Constrain to Scale feature, wherein pitches are quantized to any of the standard or more exotic modes, such as Hungarian. Step recording is here with yet more interesting options: durations can be a specified constant note value, recorded as played, a percentage of the step value, or fitted to leave a specified amount of space between notes (ideal for making step-entered legato lines). Vision records with a resolution of 480 ppqn.

PLAYBACK

As in Opcode's earlier sequencer programs, playback is a particularly strong area, with a number of features that simplify live performance applications. Sequences can be started simply by typing the letter of the desired sequence on the Mac keyboard, which immediately stops the currently playing sequence and starts the new one. Queue lets you enter a string of sequences that will then play consecutively in the specified order. Extending these ideas further is Opcode's Player concept, which is sort of like having nine different sequencers for playback. Each Player can play a sequence and has its own queue. You can even use the Players for recording, then play the recorded multiple-sequence passage back on one or more Players. Obviously, you can quickly get many simultaneous sequences going, which requires *beaucoup de memory*.

Vision also allows independent looping for each track and/or sequence, and offers quantization for playback, which does not alter the sequence data as does edit quantization.

Sequences can be synched to Song Position Pointer (SPP) and clock messages or to MIDI Time Code (MTC). Of course, all formats of SMPTE (as transmitted in MTC) are supported, as well as the ability to assign a SMPTE start time for a sequence (Opcode calls this the sequence's "Offset"). Of

course, Vision can also send out SPP and MIDI clock, and can even serve as an MTC-to-SPP/clock converter to drive devices unable to support MTC.

EDITING

Now we start to get into the real meat. Where Opcode's original Sequencer program had virtually no editing, Vision has monstrous abilities. Not only does it support event list editing, but also graphic, piano roll-style editing. List and graphic editing windows for a track can be open simultaneously, and changes in one cause the other to be immediately updated as well. Vision also allows graphic editing for controllers.

The list and graphic editing windows are replete with options. Two different cursors let you select notes only or all events. Clicking, dragging and shift-clicking can all be used to select individual notes, regions or combinations of the two. If you wish to be more specific, you may use Exact mode, in which you specify exact values, or quantize the cursor. You can also set a number of criteria that must be met for selection with

the "select" command, including a range of time, the type of events and even ranges of events ("everything between a program change after bar 4, beat 6 until a C4 after bar 10, beat 3").

What can be done with the selected material? Of course, standard "cut," "paste," "copy" and "merge" operations are provided. A "repeat paste" feature—allowing you to specify the number of times that selected material should be pasted contiguously into a track—is a nice touch. Dragging the front, middle or back of an individual note changes its start time, pitch or duration, respectively. Groups of events can be moved almost as easily. The list editing window lets you enter and/or edit system exclusive information as well as several types of non-MIDI text events: lyrics, cue points—even copyright notices.

MIDI Data Processing is another one of Vision's specialties. Standard operations like quantization and transposition are available, but both are quite sophisticated. Besides the note value, Vision's quantization can also be set for sensitivity (allowable distance from the grid for selection),


strength (how close to the grid a selected note will be moved from its original position), swing, shift (which shifts the grid, not the events), and smear (a randomization factor for "re-humanizing"). Opcode has also expanded the transposition options from simple chromatic transposition to allow the user to specify the remap note for each one of MIDI's 128 note numbers individually. Notes can be mapped between scales with different numbers of notes in them. And best of all, you can save your transposition maps to disk for use with other sequences!

Time is just as flexible. Tempo changes, residing in a Tempo track, can be edited in a list edit window or Strip Chart or performed in real time. Furthermore, a MIDI controller can be mapped to the tempo and tempo changes performed with it. The "scale time" and "change tempo" commands can be used to create smooth, linear accelerandos and decelerandos or alter tempos to fit a selected region into a specified time period, while "reverse time" plays notes in reverse order. Meter changes, key changes and

SONY PROVES THAT QUALITY CAN BE DUPLICATED.

Trust Sony to develop a line of high speed audio cassette duplicators with distinct advantages for the educational and professional marketplace. Like superior sound, ease-of-use, durability and automated trouble-free features. Plus one or both side duplicating capability, short tape warning, automatic copying and direct drive transport for unmatched reliability and precision tape handling.

The high end stereo systems can produce up to 43 copies at 8 times normal play speed. Monaural systems can produce up to 11 copies at 16 times normal play speed. So don't wait to put the Sony advantages of quality and reliability to work for you. To find out more about the Sony duplicators call **1-800-635-SONY**.



SONY®

Audio Visual Products

Sony Communications Products Company, A Division of Sony Corporation of America, 10833 Valley View Street, P.O. Box 2100, Cypress, California 90630

markers (which can be used to mark "hit points") are stored in a Meter track. Another nifty feature is the ability to shift selected events in time while a sequence is playing. Thus, you can move a solo while the sequence plays, until it is just the right amount in front of or behind the beat.

In the Strip Charts, continuous controller data, tempo, note velocities or note durations can be scaled, offset by a fixed amount, conformed to values determined by drawing a line, or randomized within a range defined by drawing a line. Maximum and minimum values can be set, and the density of controller data can be tweaked. Is it soup yet?

Vision can import and export files in MIDI File, Professional Composer, or Deluxe Music Construction Set formats.

DOCUMENTATION

Vision comes with a comprehensive and well-organized manual. It is quite lengthy, which is unavoidable with a program of this complexity, but it uses icons and a good index to direct your attention appropriately and let you

find information you need quickly. Unfortunately, the proofreading on this "user's bible" was seriously sloppy. In most cases this is merely annoying, but in a few instances it definitely created some confusion for me. Nonetheless, this is a good manual, with an extensive tutorial section.

STUDIO 3 INTERFACE

The Studio 3 essentially combines Opcode's Studio Plus Two and Time Machine interfaces in a 1U rack-mount box with a few extra goodies thrown in. In addition to its two MIDI ins (one for each serial port), six MIDI outs, connections to the Mac, and SMPTE I/O jacks, the Studio 3 has jacks for two footswitches and a foot-pedal, which convert those inputs to MIDI controller data. Besides the Mac/MIDI interface functions, the Studio 3 writes and reads SMPTE and converts it to MTC or Direct Time Lock (DTL), the unorthodox SMPTE synchronizing scheme employed by *Performer*. The SMPTE reader is capable of "fly-wheeling" or "freewheeling": it will continue to output signal in the event of a minor code dropout. The "audio in" jacks and switch are for a tempo tracking feature Opcode intends to

implement in a future Vision update.

EVALUATION

I love it. No piece of software is ever perfect, but this one is pretty darned good. The scope of this program is breathtaking, and it really allows the freedom to create in whatever fashion you wish. I took a tune that had a few parts and a constant structure harmony and applied a pattern approach to it. Using "transposition," "repeat paste," editing and the Queue, I was able to work out a good form and interesting key shifts. Then, taking the linear approach, I added the drum part in one pass. (Drums are my first instrument and I find it much more natural to lay the whole song down at once on an Octapad than to chain patterns.) I was particularly enamored of the Quantization Strength parameter: I tightened up a few passages where I was a little sloppy, without eradicating the degree of slop that gave the drum track its coasting feeling. The Queue was very helpful in trying out different form ideas. I made heavy use of the keyboard shortcuts (the Thru shortcuts really make life easy and quick for trying parts on different instruments) and the online help—who

If your production time is worth money, spend some of it here.

If changing between multiple production setups is taking too much change from your pocket—we suggest you spend some time with an AM-16/B.

This new Audio Crosspoint Switcher offers the convenience of automated audio routing in a fully programmable, *fully affordable* package.

Balanced inputs and outputs, adjustable gain, and remote control capabilities make the AM-16/B easy to install in any facility. And thanks to non-vola-

tile memory and instant recall, it's a major timesaver for busy studios.

Select either mono or stereo operation. Expand with optional slave units to accommodate multi-channel VTR's. Automatically insert signal processing at any point in an audio chain.


Whether you have a one-room music studio or a full-service production house, the AM-16/B Audio Crosspoint

Switcher will solve all your audio routing problems without creating financial ones in their place. For complete details and pricing information, contact your 360 Systems dealer today, or call us direct at (818) 342-3127.

360 Systems, 18740 Oxnard Street, Tarzana, California 91356

360 Systems

MADE IN U.S.A.



Circle #030 on Reader Service Card

wants to pick up a manual in the throes of creation?

In addition to its SMPTE sync and display capabilities, Vision's Tempo and Meter tracks make it a good tool for audio post-production work. The cue events, markers and time scaling allow identification of hit points and manipulation of musical material to fit them. Opcode intends to add the ability to lock hit points down during time scaling, which will be a major feature for scoring to film and video.

Vision did everything it said it would without crashing, and I was able to do everything I needed to. Ditto for the Studio 3, which certainly has a lot of handy functions in one small box. Some Vision operations were a little slow on my Mac SE, usually when I had more than half a dozen windows open, but it was tolerable. If you are using a lot of control panel devices with your system, and you tend to compose using long sequences instead of chaining many short sequences, you may run into more significant problems. (An associate tells me that he improved his available note memory from 3,000 to 40,000 simply by removing a CDev called *SoundMaster*, an application for customizing startup sounds, from his system folder.) Opcode has a number of improvements for Version 1.1, including more system management functions, auditioning of single notes, fader window display improvements, and exponential curves and pencil drawing in the Strip Charts.

Vision does have a fairly steep learning curve, but this is only because of the program's extensive nature. You can get up and running on Vision quickly, but when you start trying to do tasks of some sophistication you had better plan on some extra time until you've used the program for a little while. This is not a criticism, just a caveat.

In sum, Opcode Systems' Vision is the best sequencer program I have had a chance to use (and there are some pretty good ones out there now) and at \$495, I would recommend it to anyone who needs a fully professional, industrial-strength tool. ■

Larry "the O" Oppenheimer's recent credits include sound editing on The Thin Blue Line and Gumby, as well as appearances with the Haight-Ashbury Free Band in a clean-room suit and on the back of a flatbed truck.



It's not enough to study the "art" of recording. You simply must learn the *technology* of recording. That's the only way to insure your career for today *and* tomorrow!

"IAR grads are the most highly motivated and best trained of anyone entering the engineering field. I give IAR my highest endorsement."

Dan Healy, Chief Engineer
The Grateful Dead

800-544-2501

NY, NJ, CT 212-777-8550

Lic. by NYS Ed Dept / HS Diploma or GED Required
App for Veterans Training / Financial Aid if Eligible




Institute of Audio Research

64 University Place, Greenwich Village, New York, New York 10003

Circle #031 on Reader Service Card

RECORDING EQUIPMENT

—All Major Brands—



**FOR STUDIOS/HOMES
CHURCHES/CLUBS**

- Reel to Reel Decks (2-4-8-16 Track)
- Cassette Decks • Mixing Boards
- Mikes • Studio Monitor Speakers
- Special Effects Units Accessories

TASCAM
Hi-Fi Production Products

- VOLUME DEALER
- NEW & USED
- E-Z TERMS
- ALL MAJOR CREDIT CARDS
- PROFESSIONAL ADVICE



Call for a catalog and pricing information.

RHYTHM CITY

287 East Paces Ferry Road N.E.

Atlanta, Georgia 30305

1-404-237-9552 • 1-404-237-8526

CALL TOLL-FREE IN GA 1-800-282-7995

Circle #032 on Reader Service Card

by George Petersen

PRODUCT CRITIQUES AND COMMENTS

SECK CONSOLES

Thin profile, sleek aluminum chassis, high-performance specs and European styling are terms more often used to describe the latest sports cars, rather than professional audio tools. Yet in our *Mix* road tests, the Seck mixing consoles proved to be not only stylish but also admirable performers in their price class.

Available in the U.S. from JBL Professional, the British-made Seck line consists of the SE 62, SE 122, SE 242 (6, 12 or 24 inputs, with stereo outputs) and the SE 1282/SE 1882 models, with 12 or 18 inputs, eight subgroups and stereo outs. While all the models are physically quite similar, the subgroup models are tailored for recording applications, with features such as internal talk-

back mic (routable to tape or foldback), control room monitor level (switchable to L/R master, 2-track tape or foldback) and versatile in-line tape monitoring.

Features common to all Seck mixers include: electronically balanced line and mic inputs, switchable 48-volt phantom power, 4-band EQ (with sweepable midrange), in-place solos, long-throw 100mm faders and 12-segment LED meters with switchable peak-hold characteristics. The boards' input and output connectors are all top-mounted for fast patching, while

the detachable carrying handles double as a method of tilting the boards at convenient angles. Since all the Seck models include handles, some sort of snap-on cover would be a nice addition. Perhaps these could be offered as optional accessories in the future.

I had the opportunity to check out the SE 1282 (12×8×2)



for a period of several weeks and was surprised by its extremely clean audio performance and well-thought out design. For example, each of the four aux returns include 2-band EQ, level, pan, solo and routing switches—all fully pro features not often found on consoles in this price range. These could easily be used as additional inputs for line-level signals, and when you really need lots

of inputs during mixdowns, the tape monitor section can be patched to a pair of returns for a total of 28 inputs—not bad for a 12-channel board! In a similar manner, the level, echo and foldback controls in the tape section could be used during mixing to provide up to six aux sends, another commodity in short supply when doing a complex mix.

Solo controls are used extensively: there's one on each input, subgroup and aux send. Best of all, the solo routes automatically to the control room output (rather than just to the headphone bus) for checking tracks without disturbing the signal sent to tape. Since the SE 1282 lacks LED overload indicators on each input channel, the solo buttons become important for optimizing input trim levels. When any solo button is pressed, that signal is monitored by the main LED meters. Although channel muting buttons are not provided, the L/R and subgroup routing controls operate without any switching noise or pops. Therefore, the effect of muting can be achieved easily by switching the signal into or out of the mix.

One of the most notable characteristics of the Seck consoles is their compactness. These mixers are less than two inches thick, accomplished through clever engineering and an external power supply. Hum is virtually nonexistent since the power transformer is located well away from audio lines, and the aluminum case offers excellent shielding. Each channel strip is about two inches wide, and the channel controls (for EQ, aux sends, etc.) are laid out in a staggered configuration, providing plenty of room for finding the knob you need. This is especially useful when you have to make hurried changes in a live situation. Another small but nice touch is that the large, easy-to-read channel numbers are near the center of the strip, where you need to see them.

With their low current draw and external DC supply, the Seck consoles make ideal DC-powered location mixers. The SE 62 in particular would be ideal for film and video tasks, and the manual includes a schematic for battery operation.

I found the rugged Seck mixers to have an overall excellent sound quality and a logical topology that simplifies operation. Their versatility makes them a cost-effective choice for a variety of production tasks, whether it's

multitrack recording, audio-for-video, sound reinforcement, fixed installations, MIDI production or live theater. At a list price of \$3,475, the SE 1882 (18-channel version) is essentially the same as the SE 1282 (\$2,650) I tested, with the addition of 16-track tape monitoring and six more channel inputs. The 2-subgroup models range in price from \$1,095 (SE 62) to \$3,275 for the 24-channel SE 242.

Seck/JBL Professional, 8500 Balboa Blvd., Northridge, CA 91329; (818) 893-8411.

API LUNCH BOX


No, it's not really a lunch box—in fact, it doesn't even come with a Batman thermos jug. However, there are a few similarities between a child's lunch pail and the model 500-b4 "Lunch Box" from API: both are similarly sized, have a convenient handle and can be filled with delectable goodies, of decidedly different varieties. Basically, the Lunch Box is a portable, AC-powered rack designed to house up to four API modules, including mic preamps, compressors and equalizers.

The Lunch Box is a cinch to operate. Rear panel input/output connectors are provided for both TT or ¼-inch TRS patch cords (the jacks will also accommodate standard ¼-inch phone plugs), so using the Lunch Box becomes a mere matter of setting it up near the patch bay and plugging in the AC cord. Independent engineers who work in a variety of studios with either TT or ¼-inch patch bays will quickly learn to appreciate the dual sets of jacks. Studios seeking a slightly more permanent method of using the API modules may be interested in checking out API's other mountings: a two-slot (\$595) unit in a single rack space, and a \$995, ten-slot array that occupies three rack spaces. Incidentally, both are equipped with standard XLR inputs/outputs.

The API 512b combines an all-discrete mic preamp with an instrument/direct box-style, unbalanced input. The latter is one slick idea: it provides a loaded input stage that closely simulates the way an electric guitar's signal is loaded by an amp. This yields a beautiful, warm tone, the likes of which I've never heard when running a guitar directly into a console. It's also wonderful on bass; I used the 512b to cut some direct-to-DAT sam-

ples of a pristine 1964 Hofner Beatle Bass for 360 Systems' Pro Midi Bass Library with fine results.

The 512b's mic preamp section is another winner, with a smooth, natural sound on condenser and ribbon mics on vocals; yet full-ranged, with punchy transients on acoustic guitars and piano. The only weak point in the 512b is its LED VU meter. Not intended as a calibration-quality in-



dicator, it's best used as a general level monitor: much better than just a simple peak LED, but far short of a plasma display.

Like its predecessor (the classic API 550a), the 550b is not a "true" parametric, but a "Proportional-Q/Selectable Frequency" equalizer. This means the bandwidth ("Q") varies as the gain changes—it's one-octave wide at the extreme ± 12 dB settings and broadens to one-and-one-half to two octaves at gentler settings.

So much for technicalities—the 550b is a heck of a parametric, offering *four* bands (as opposed to the 3-band 550a) of ± 12 dB control with switchable peak/shelf characteristics on the LF and HF bands. I guess the big question is whether the 550b sounds better than the 550a. I hope you don't think this is a cop-out, but they both sound great. Both are all-discrete and share a common basic design, but API has improved the PCB *layout* in the 550b, thus eliminating a lot of the tedious hand-wiring, resulting in better reliability and lower manufacturing costs. I do wish that API would change the color of the frequency select markings. The blue-on-black numbers are almost impossible to read in most control rooms.

One of my 550b listening tests was program equalization with some difficult material: a CD of Jefferson Airplane's *Volunteers* album (RCA CD-4238-2-R). This is a wonderful album, produced in 1969 by veteran Al Schmitt; perhaps the master tapes de-

cayed over time, but the CD version is really stinko, with almost no clarity remaining in the mix. It took me under two minutes to re-equalize the CD (+2dB shelf at 12.5 kHz; +2dB at 5 kHz; -4dB at 400 Hz; +4dB at 100 Hz). Suddenly the guitars became distinct, and the vocals and bass increased definition, with an overall warm character in the mix.

A real asset to the independent engineer or musician on the go, the API Lunch Box rack is \$595, sans modules but including power supply (48 VDC phantom power is a \$50 option). Each 512b mic preamp module is \$595; the 550b equalizer is \$995.

API Audio Products Inc., 7951 Twist Lane, Springfield, VA 22153; (703) 455-8188.

ALESIS QUADRAVERB

Digital effects processors seem to just keep getting better, and the Alesis QuadraVerb is no exception. Offering a programmable combination of up to four simultaneous effects—equalization, pitch detuning, delay and reverb—with 16-bit resolution and a 20kHz bandwidth, this unit could have sold for ten times its price just five

years ago.

Operation is simple. Power up and the unit defaults to your last setting: nice insurance against brief power losses on live gigs. The 90 factory presets are easily accessible by depressing either the "value" up or down buttons. Besides providing a variety of useful effects, the factory patches illustrate



the QuadraVerb's flexibility and complexity. Ten spaces for user presets are available, although any or all factory settings can be altered or replaced with your own programs, if desired.

QuadraVerb offers enormous power in programming, yet its user-friendly design greatly facilitates the process, thus encouraging creativity. Custom tailoring an effect merely involves calling up a factory sound, selecting the desired effect mode—reverb, delay, pitch or EQ—and using the "page" buttons to pick the parameters you want to change. New values are entered via the "value" up or down buttons. The latter are pressure-sensitive: scrolling speed depends on how hard

you press the buttons, a neat feature if you want to get a new sound in a hurry.

The degree of programming depth is impressive. For example, the 3-band parametric EQ offers extremely precise control: gain is adjustable in 0.05dB steps; frequency in 1Hz increments (how about a 478Hz low fil-

ter?); and bandwidth can be varied from 0.2 to 2.55 octaves. If you call up a reverb setting, you'll discover 14 adjustable parameters, including: pre-EQ, predelay, predelay mix, reverb decay, diffusion, density, LF and HF decay, gate, gate hold, release time and gated level. Another nice feature is the ability to store dry/effect mixing levels with presets. When all the permutations from the delay and pitch sections are combined with the EQ and reverb variations, a vast number of custom effects can be created and individually named.

The MIDI implementation allows real-time parameter control—from a sequencer or MIDI controller—such as the Lexicon MRC or an editor/librarian program—as well as program change/mapping and system exclusive data dumps for storing banks of presets to an external device, such as Alesis' new DataDisk.


Of course, programmability is nice, but how does the unit *sound*? First of all, I was surprised by its sparkling, clear high-frequency response; QuadraVerb's 41.6kHz sampling rate plays no small part in achieving this end. Effects—EQ, delay, ping pong, chorus-ing, flange, phase shifting, detuning, reverse and gated reverbs—are first-rate throughout. The reverb algorithms are rich and extremely dense; the plates, halls, rooms and chambers are believable and eminently usable.

Versatile and flexible, the Alesis QuadraVerb is a welcome addition to any studio or live-performance rack. At a list price of \$499, it's a cost-effective choice for anyone's budget.

Alesis, 3630 Holdrege Avenue, Los Angeles, CA 90016; (213) 467-8000. ■

Besides writing for Mix, George Petersen operates a Third World-class recording facility in the San Francisco Bay Area.

"SO LIEUTENANT, STAR FLEET ORDERED THIS EQUIPMENT FROM THOROUGHbred? FASCINATING..."



THOROUGHbred
MUSIC Inc.


THE SOUTH'S LARGEST MUSIC RETAILER.
2204 East Hillsborough Avenue, Tampa, Florida 33610

TECHNOLOGY, THE FINAL FRONTIER. 1(800) 634-4872

- We sell hundreds of major brands.
- Free shipping on selected items.
- Package systems available.
- The first in Mail Order Layaway.
- Rentals and leasing.
- On site SERVICE DEPARTMENT with a 72 hour turn around time.
- Financing available.

Drums, Guitars, Keyboards, Amplifiers, Percussion, Audio, Lighting, Software, Computers, Signal Processing, Accessories.





**EDUCATION...
IS INSTRUMENTAL
TO YOUR BUSINESS!**
International Convention & Trade Show
for the Music & Entertainment Industries



**REGISTER TODAY for
Important Industry
Seminars, Presented
by The National Music
Center, Educational
Component of The
Rock and Roll Hall of
Fame!!!**

**Take a look at some of
our Hot Industry Topics...**Recording
technology for the year 2000, How to get the
most out of a recording session, Optimizing
monitoring environment for control rooms and
MIDI studio, How to make a lot of money owning
a studio, MIDI studio productions, Personal
recording studios, Sampling legalities, Guitar
MIDI, Outboard gear for 1990, Guitar gadgets,
Drummers: The beat around the world, The
business of production; Sound and



**September 7-9, 1989
CLEVELAND, OHIO U.S.A.**

lights, Experts
on live mixing,
The making of
a music video,
Scoring for
television, Song
writing; New
production

techniques, The art of
songwriting, CD's: How they
effect the artist, "Hit or stiff",
Which one are you?/Radio and
record companies, Music
business and management;
Dealmakers, Music retailers
roundtable, Radio networks/
Owners and program directors,
Video computer graphics,

Music publishing, Mix/Master/ Distribution, The
alternative market; Shopping overseas,
(and many more).

Some of our Talented Group of

Presentors: Les Paul, Craig Anderton, Elliott
Randall, Will Lee, Hal Blaine, David Schwartz,
Murray Allen, Al Stone, Allen DiCenzo, Tony
Thomas, Bill Porter, M. L. Prociase/Showco, Joe
Agee, Tom Arko/Eighth Day, Shelly Diamond/See
Factor, Bob Monaco/Platinum Rainbow, Charlie
Stewart/Editing Co., Chips Davis/Paoletti Lewitz,
Ross Schwartz/ESQ-LA, Steve Leeds/MTV, Tim
Byrd/VHI, John Birge/CBS Records, Alan Bloom/
California State University, Dave Prescott/ Arista,
Ward Cottrell/IMG-NY, RIAA, Manufacturers/
Engineers and Artist Clinician Representatives,
(Too many more to print!!!)

**Call Today
(216)464-5055
For Registration
Information**

Circle #145 on Reader Service Card



by Lou CasaBianca

NOVA STAR

ANATOMY OF A PROJECT STUDIO



Rundgren producing at his studio in New York. "That was a wonderful experience," says Geddes about having the chance to work with the man whom he considers his mentor. "Todd's production flair and bold engineering was the perfect complement to the basic engineering skills I developed on the 4-track. On our next LP, *Bricks*, I engineered the tracks at our studio in California, and Todd mixed the final product in New York.

"From there I pursued engineering gigs. I joined Modern Video Film in 1982, where I learned how to do the audio setup for


NovaStar's Greg Geddes with the Tascam M-600 modular console he selected for the facility, which specializes in radio commercials and audio-for-video projects.

Greg Geddes is one of those people who has learned to become expert in balancing the art of music and the technology of sound. He began his professional career as a recording artist, playing sax, guitar and keyboards with the Hello People in 1967.

After two albums for Philips and one for UA, Hello People found themselves in California without a record deal. The group bought a TEAC 3340 4-track and cut demos at Geddes' house, which resulted in a contract with ABC Records. The next record was *Handsome Devils*, with Todd

telecine and 1-inch edit sessions. That's where I got most of my video and time code experience and learned about synchronization. I did a satellite downlink for *Diana Ross Live at Central Park*. I also did a great deal of conforming for foreign language videotape release. From there I went to Chace Productions, where I worked with Rick Chace in developing a proprietary stereo surround sound recording system. Rick wrote all the software in the processor; he's a brilliant programmer and I learned a great deal from our association. While I was

Sennheiser Microphones



Excellence Needs No Explanation.

To learn more about the Sennheiser excellence in design and engineering,
please call or write.

 **SENNHEISER®**

6 Vista Drive, P.O. Box 987
Old Lyme, CT 06371
Tel # 203-434-9190 FAX # 203-434-1759

MICROPHONES • HEADPHONES • BOOM SETS • RF WIRELESS • INFRA-RED TECHNOLOGY

Manufacturing Plant: D-3002 Wedemark, Federal Republic of Germany

Circle #136 on Reader Service Card

there, I also did the archival restoration for *Bird*, Clint Eastwood's picture about Charlie Parker. [See *Mix* December 1988 article on Eastwood.] We also remixed *Gone With The Wind* for Turner Broadcasting for the 50th anniversary theatrical re-release."

According to Geddes, his dream of having a full-fledged project studio and production team began gradually. "Eight years ago I set up a small, personal composition studio," he explains. "About two years ago it began evolving into a commercial project studio, known as Back Lot. We are set up as a team of specialists. I am owner and chief engineer. I do a great deal of composition and concentrate on post-production. My brother, James Geddes, whose engineering credits include Jackson Browne, David Lindley and Pink Floyd, brings pop credentials to the facility. And Scott Fraser is an engineer and composer specializing in folk and classical music. He is also an artist who composes electronic music.

"We do a good deal of instrumental work for film, television, video and radio," Geddes continues. "About 70 to 80 percent of our work is voice-over radio commercials and sync-to-picture; the balance is pop music recording. One of our first post projects was a subcontract for Chace Productions, creating and remixing the sound effects on the classic Clark Gable picture *San Francisco* for Turner/MGM. We used MIDI time code, Digidesign's *Q-Sheet* for effects on the Macintosh, with an Emulator II. We worked with three stereo submixes, a guard band and time code on track 8. That was my first experience with using MIDI time code to fire effects with picture. It worked perfectly."

Ironically, booming business opportunities and an expanded clientele spelled the end of Back Lot, leading Geddes to search for a new location and a new partner, Bob Sky. Sky is a producer, voice-over talent and drive-shift DJ at K-Lite in LA. "Back Lot was constructed about eight years ago, using typical eight-years-ago mentality: a large recording area and a small control room," Geddes recalls. "With all the MIDI and synchronization projects we do, it points to our studio area being dark about 80 percent of the time, and that's where 60 percent of the 'real estate' was. In our new

facility, the emphasis is on the control room, with a nice-sized—by voice-over standards—studio, and tielines to a large, four-camera insert stage for scoring. The control room is 20 by 20 feet, with a raised floor and MIDI equipment island behind the console. The overdub/voice-over/ADR studio is 12 by 16 feet."

Geddes has retained the old Back Lot as a small, personal studio. The new Sky/Geddes facility is named "NovaStar," and is located at 6430 Sunset Boulevard in Hollywood, the new offices of Bonneville Satellite Communications. Bonneville and Wold Communications plan to merge, and NovaStar is the audio post tenant in the complex. Besides the insert stage, Bonneville also has full ¾- and 1-inch editing and post capabilities.

While the personal computer, digital audio and MIDI have dramatically altered recording technology, the mixing console is still the flight deck of the process. Yet, the selection of a

"A 1-inch video machine may sit around 80% of the time, when you really only need it for layback at the end of a project."

console is not an easy one for the owner of any studio, large or small. After a thorough investigation, Geddes chose a Tascam M-600 console. The board is fully modular, with either stereo or mono inputs available; inputs, outputs, buses and sends are balanced +4dB throughout. With a choice of 16-, 24- or 32-channel tape monitor sections (that can also double as inputs), up to 70 inputs are provided in remix. Geddes' experiences with Tascam gear had been quite good, particularly with the ATR-60 1-inch, 16-track recorder, which had become quite a dependable workhorse at Back Lot, whether used for basic tracks or mixing to picture.

"An interesting point is that we replaced a 16×16×8 console with the M-600, which occupied the same space," Geddes notes. "The old console had 16 faders and 16 remix for a maximum of up to 32 possible inputs to mix. With the M-600 we have up to 70 possible inputs to mix. In effect, I dou-

bled my capacity in the same space and went from an unbalanced to a balanced +4dB console. This really alleviated a number of problems we had with radio interference and contributed to getting the proper ground continuity for the equipment in a star configuration.

"Price was a major concern, and the M-600 was the only one we could find that allows 32 remix at its price. In this day of MIDI and sound design, excellent sound characteristics and the maximum number of inputs were the key deciding factors."

Another way of enabling cost-effective production is through the extensive use of MIDI instruments. NovaStar's collection includes: E-mu Emulator II and SP-12, Roland D-550, Korg DSM-1, Yamaha TX7 and TX81Z, 360 Systems Pro Midi Bass and a Sequential Prophet-600. More than two dozen sounds or sampled effects can be played simultaneously or flown in from the MIDI system in real time, and all the instruments are routed directly to console inputs. "By running time code to my Macintosh," Geddes explains, "I avoid putting any of the MIDI instruments on tape and try to save the multitrack for strictly analog signals, like voice or guitar. MIDI instruments play as virtual tracks as much as possible; we like to do most of our work in the digital domain and master to a Sony PCM-701 digital recorder."

Perhaps the best business move of all was developing a symbiotic relationship with Bonneville. "We have video tielines in our room and audio tielines to their rooms," says Geddes. "We'll be able to do laybacks to Bonneville's machine room, which is nice, because one of the dilemmas facing audio studios with 1-inch video machines is that the machine sits around 80 percent of the time, when you really only need it for layback at the end of the project.

"Our hope is that NovaStar and Bonneville will be better-than-good neighbors, and be able to support each other's endeavors. We bring audio expertise to their environment, while they cover the video and satellite areas. We're totally autonomous from Bonneville; we're basically a tenant, but they've been happy with us and we're happy to be there." ■

Lou CasaBianca is a Mix contributing editor.

16 Bit Sampling, Total Midi, 150 Effects, ... And One More Thing.

AKG's ADR 68K is the signal processing device that does it all.

SAMPLING. 16 bit stereo or mono multi-sampling (up to 32 seconds) with pitch shift, adjustable attack and decay, flexible output mixing, up to 12 simultaneous voices, support for MIDI sample dumps, triggering by audio input, MIDI or foot pedals.

MIDI. Program changes, freely mappable parameter changes, total automation in conjunction with sequencers, real time changes of programs and parameters *without glitching or muting*, preset register storage and retrieval.

EFFECTS. Seven split programs, many allowing chained or split operation, 40 bit internal DSP processing for high accuracy and low noise, input level or foot pedal can control any effect parameter, Multi Effects Chain with eight simultaneous effects, stereo processing, chorusing, auto panning.


... AND ONE MORE THING. THE ADR 68K IS ALSO A WORLD CLASS REVERB! With smooth, natural reverb programs, easy to use factory presets, more than 40 adjustable parameters, integrated sampling, and versatile reverb gates.

SYSTEM. People-sized remote with six faders, a large 160 character LCD for easy operation, over 10,000 words of built-in context sensitive help, upgradeable software. And more. And more. And... well, we've made our point. The ADR 68K sounds like it does a lot, because it does and it sounds great doing it.



Focusing on new technology.
77 Selleck St. Stamford, CT 06902
(203) 348-2121





WHEN MUSIC IS YOUR BUSINESS

Why does Larry Carlton prefer TAD speakers? Because music is his business and perfection is his goal. For more information on how you can achieve perfect sound with TAD speakers call (213) 816-0415.

TAD Technical Audio Devices

Professional Productions Division of Pioneer Electronics (USA) Inc.
2765 F. 220th Street, Long Beach, CA 90810 (213) 816-0415

Circle #166 on Reader Service Card

by Mark Herman

SOUND REINFORCEMENT NEWS

The much heralded **Toronto Skydome** finally opened in June. A fully retractable roof, consisting of four panels, covers eight acres and takes 20 minutes to open or close. Concerts and other large events will now be able to play year 'round in Toronto. A giant 35×115-foot Sony Jumbotron video scoreboard (three times larger than any other in the world), a 400-room hotel, bars, restaurants (even a Hard Rock Cafe), a health club and a hydraulic pitcher's mound are all part of this \$428 million facility. The Toronto Blue Jays' new baseball park will seat 53,000 people. **Electrotec Productions** went in on June 8 with **Rod Stewart** for the first Skydome concert.

The Skydome's audio system reportedly cost \$1.5 million and primarily uses JBL transducers in custom enclosures. JBL 2204 12-inch woofers, JBL 2426 1-inch compression drivers, JBL 2370 and 2344 horns, and French-made 6.5-inch midrange Audax drivers comprise 90 percent of the speaker system, which employs approximately 200 low-end cabinets and nearly 350 horns. Other equipment includes 140 Bryston 4B power amplifiers, 50 Bryston 10B active crossovers,



40 Audio Digital ADD3 time delays and a Ramsa WR 8428 main console. Private luxury boxes have small Ramsa two-way WS-A80 speakers for extra audio clarity. The main stadium control position is in the press box, and the electronics are located in four separate rooms down in the lower levels of the stadium. The entire system is operated with an IED comput-

Aerial view of the \$428 million Toronto Skydome just before completion.

er control for testing and monitoring. Digitally programmed Oxmoor equalizers linked to the IED computer can change EQ remotely when the stadium roof closes or opens.

Jason Sound Industries (Vancouver, BC) suffered bad luck when its only full P.A. system was involved in a serious accident. The spectacular crash occurred on a Sunday. JSI immediately took the equipment back to its shop and hustled to get it working again in time for the next gig with the **Colin**

This demolished tractor-trailer rig was fully loaded with sound reinforcement and lighting equipment when it rolled and then slammed into a bridge abutment 300 miles east of Vancouver. The driver and two crew members (one in the sleeper) miraculously escaped serious injuries. Some of Jason Sound Industries' equipment was not so lucky. (See story.)



LIVE SOUND

James tour Tuesday evening. Major equipment damage was suffered to JSI's Soundcraft custom 2400 42x10x2 house mixing console, which ended in a tangled mass of metal and shattered circuit boards. Six out of 60 Carver 1.5 amps also sustained damage, as well as most of the main P.A. cabinets. Owner **Jeff Lillie** said, "Almost everything packed into the dance floor of the trailer was demolished. Just about all of the road cases and main

P.A. boxes were destroyed." There was about \$450,000 worth of equipment in the crashed truck of which \$100,000 was lost. All the damaged gear has been replaced or repaired since the accident, with no significant interruption in JSI's business activity.

JSI did three Northwest shows with **Julio Iglesias** in June, and then traveled from Vancouver to Philadelphia for the **Freedom Festival** (see "On the Road"), which featured a fireworks extravaganza with an 80-piece orches-

tra and a 500-voice choir. Local Philly company **Clearsound** supplied some front-line gear.

Major sound reinforcement company **Audio Analysts** (Plattsburgh, NY) had a surprisingly slow spring touring season. It seems that just by chance most of its regular clients held off touring for several months, creating a vacuum in Audio Analysts' usually busy schedule. **Albert Leccese** said, "We had a very slow spring with only two tours (**Bobby Brown** and

ON THE ROAD

SOUND COMPANIES, EQUIPMENT, ARTISTS & PERSONNEL ON TOUR

Artist Sound Company Tour Dates Region	House Console #1 House Console #2 Monitor Console #1 Monitor Console #2 House Crossover	Main Speakers Main Speakers Subwoofers Monitor Speakers Monitor Speakers	Main Amplifiers Main Amplifiers Sub Amplifiers Monitor Amplifiers Monitor Amplifiers	Engineers: (B) = band eng. (H) = house eng. (M) = monitor eng. (T) = technician (C) = crew chief (R) = rigger (a) = assistant
Black Sabbath Eighth Day Sound May-June North America	Yamaha PM3000 40x8x2 - Ramsa WR-S840 - BSS MCS 200	(24) Turbosound TMS-3 - Turbosound TSW-124 EDS Custom	Crown MA2400 IQ - Crown MA2400 IQ AB 1200 AB 1200, Hafler 500 Sidefill	Mark Dowdel (B,H) Rod Price
Freedom Festival Jason Sound Industries July Philadelphia	Soundcraft 800B 32x8x2 - (from house console) - BSS Custom 5-way MCS 200	(30) JSI J63 (18) JSI J62 (12) JSI J1 -	Carver 1.5 Carver 1.5 Carver 1.5 -	Glenn Collett (H) Steve Quinn (aH)
Hiroshima Air Motion May-July U.S. September - October North America	Ramsa WR-S852 40x8x2 - Soundcraft 500 40x12 - Meyer	(12) Meyer MSL-3 - (6) Meyer 650R2 Renkus-Heinz 1x15 Renkus-Heinz 2x15 sidefill	AB 1200 - AB 1200 Crown MA1200 Crown MA1200	Michael J. Grahix (B,H) Jeff Spencer (B,M) Lorenzo Bonda (T)
Al Jarreau Schubert Systems Group June-September U.S.	Gamble Series EX 56x16x2 - Ramsa WR-S840 40x18 - SSG	(24) Steradian - (16) Steradian Subwoofer SSG 1x15H, 2x12H	Crest 8001 - Crest 8001 Crest 7001	Bobby Hickey (H) Gary Sanguinet (M) Dennis O' Melveny (aH)
Howard Jones Delicate Productions June - August North America	Yamaha PM3000 40x8x2 - Soundcraft Series 4 40x16 - Martin MX4	(36) Martin F-2 (28) Martin F-2 Low (12) Delicate 218 Martin LE-400	AB 1210 Crest 8001 Crest 8001 Carver 1.5	Steve Venezia (H) Alan Bradshaw (B,M) Steve Dabbs (C) Steve Kendal (R) Greg Guzzutta (aH)
Tom Petty & the Heartbreakers Electrotec Productions July-September North America	Soundcraft Series 4 40x16x2 - Soundcraft Series 4 40x16 - BSS MCS 212	(80) Lab Q - (8) Intersonics SDL-5 EP Custom Series 3	Crown MA1200 - UREI 6400 Crown MA1200, JBL 6233	Mark Deadmon (B,H) David Bryson (B,M) Bill Chrysler (aH) Dave Zammit (T) Bobby Daniels (T)
Ringo Starr Audio Analysts July-September North America	Soundcraft Series 4 40x16x2 - Soundcraft Series 4 40x16 - CADD	(40) AA HDS-4 - AA Custom 2x15, 2x12	Crown MA2400 - - QSC 3800	Roger Binette (H) Steve Folsom (M) Sean Webb Robert "Tiny" Behrens

New Edition), a couple of installations and the **CBS Record Convention**. Things have definitely picked up and now we're booked solid. Currently we're doing the week-long **Montreal Jazz Festival**, which uses three full systems; **George Benson** at the Montreal Forum; quite a few national one-offs; the Pacific Amphitheatre and Kingswood installations; and six national tours." The **Pacific Amphitheatre** in Costa Mesa has a 56-box HDS-4 system, and the **Kingswood Music Center** operates a 36-box system at the Canada Wonderland amusement park in Toronto.

At presstime Audio Analysts had tours out with an impressive lineup of acts: **Jody Watley** carried a 24-box HDS-4 system. **Melissa Etheridge** had matching 40-channel Soundcraft 500 consoles and 16 boxes. Teen-queen **Tiffany** carried 48 HDS-4s and matching Soundcraft Series 4 consoles. **Julian Lennon** was also touring. **Ringo Starr's** solo tour took out a 40-box system (see "On the Road"). **BudFest**, with main acts New Edition, Bobby Brown, **Karyn White** and **Patti LaBelle**, used 48 boxes indoors

and 96 outdoors. Two Gamble SC monitors, one Gamble HC house and a Yamaha PM3000 console were also used.

Leccese reports being busy with several equipment projects. "Currently we're finishing our CADD mixing consoles and expect to be using the house consoles this September. We are also working on racks and cabinets for a new monitor system that should be out with the fall tours." Leccese commented on the Crown IQ 2000 amplifier control system. "It is being installed into one of our touring systems now. We expect it to be ready

for an upcoming fall tour. It is truly amazing to see the screen with the instantaneous readings of all amplifier functions. The IQ system allows one to fine-tune an arena sound system for each individual hall. It looks like the wave of the future." Audio Analysts has special IQ 2000 software customized for its needs. Leccese has been a significant contributor in the development of this far-reaching computer-controlled package made by Crown. It looks like Audio Analysts will be one of the first sound reinforcement companies to tour with the new system.

JOHN WORAM'S BASICS

SPEAKER DESIGN CATEGORY: THE DYNAMIC LOUDSPEAKER

For all practical purposes, the dynamic moving-coil loudspeaker is the type found in almost exclusive use in recording and sound reinforcement applications.

In a dynamic loudspeaker, an electric conductor is suspended in a permanent magnetic field. An alternating current applied to the conductor sets up an alternating magnetic field. The interaction between the alternating and permanent fields produces a mechanical force that moves the conductor back and forth. The speaker diaphragm, attached to the conductor, moves accordingly, and in so doing displaces the air particles in the surrounding area. The resultant sound pressure wave is the acoustic analog of the applied electric signal. ■

© 1989 J. Woram, *Sound Recording Handbook* (Howard W. Sams & Co.)

Meet the New Community



RS880 and VBS415

While you were out doing tours and installations, Community's engineers were developing the next generation of trapezoidal Wavefront Coherent™ flying array speaker systems. These systems incorporate the latest in dynamically controlled, feedback-loop sensing circuitry in a single rack space.

Give us a call and find out how easy flying can be!



PROFESSIONAL SOUND SYSTEMS

333 East Fifth Street • Chester, PA 19013 • (215) 876-3400 • FAX (215) 874-0190

Circle #080 on Reader Service Card

No Way in the UK. . . The huge **Castle Donnington Monsters of Rock** festival has been canceled. Authorities had set restrictions on alcohol and invoked an attendance limit of 70,000—far below the teeming multitudes at last year's event, which featured a gigantic Turbosound main P.A. system with 304 TMS-3s and 60 TSW-124s.

Electrotec Productions (Canoga Park, CA) has stayed busy throughout the spring and summer touring season. **Pierre D'Astugues** reported tours with the following artists: gravel-throated vocalist Rod Stewart's successful tour ended in early August. **Ozzy Osbourne, White Lion** and **Vixen** appeared together on a summer tour that ended in late August, and saw Electrotec supplying a 96-box Lab Q system for the metal rockers. **Randy Travis** continued touring with a 64-cabinet Lab Q system. **Barry Manilow's** world tour ended in June. An 80-cabinet Lab Q main P.A. rig and eight Intersonics SDL-5 subwoofers went out with **Tom Petty and the Heartbreakers'** tour of North Amer-

ica (see "On the Road"), which began July 3. **Mark Deadman** (house engineer for Huey Lewis) mixed FOH. A new Electrotec TAD-loaded monitor wedge was introduced on the tour. **Tesla/Great White** are on the road until late September with 60 Lab Qs and 12 new Electrotec sub cabinets. Long-time steady touring client **Alabama** remained out. **Elvis Costello** and his band started their tour in late July.

Ohio's largest sound reinforcement company, **Eighth Day Sound** (Cleveland) reported that business is even better than last year. Owner **Tom Arko** commented, "Business is very good this year and looks to remain strong. Between shows and equipment upgrades, I don't think anyone here has had more than five or six days off since last Christmas." Eighth Day Sound now has over 100 customized Turbosound TMS-3 cabinets and is still bringing in additional outside equipment to keep up with demand. Its busy calendar included the following: **Black Sabbath/Kingdom Come/Silent Rage** (see "On the Road"), who had a 24-cabinet Turbosound

TMS-3 rig out in May and June; **Daryl Hall & John Oates**, who went out later with the same system; a tour with **The Escape Club**, a new up-and-coming act; several **Frank Sinatra** dates; **Peter Allen's** tour; **Ashford & Simpson's** tour; a large three-city industrial show with client **Amoco**; and a tour with **Kool & the Gang** on the East Coast, Europe and Australia.

Arko reports that Eighth Day now has the revolutionary Crown IQ 2000 System devices and software to go with its Crown amplifiers. "We haven't yet used the IQ 2000 to its fullest extent, but we plan to implement it soon on some of our shows." Eighth Day also just purchased its third Ramsa 840 mixing console. Veteran sound engineer **David "Dansir" McCullough** has joined the company as director of touring services. The 20-year vet has mixed house for many major artists in the past.

Mix sound reinforcement editor Mark Herman also operates a company specializing in console rentals for live sound and touring applications.

©1989 Crest Audio Inc.

Two of our industry's best names have tied the knot.

Crest Audio Inc. proudly announces that it has acquired the manufacturing and worldwide marketing rights to Jim Gamble Associates' exceptional professional mixing consoles.



CREST AUDIO INC. 150 Florence Avenue Hawthorne, New Jersey 07506 USA Tel: (201) 423-1300 FAX: (201) 423-2977

Circle #160 on Reader Service Card

THE MX88 SERIES -

"SUPERIOR DESIGN, PERFORMANCE AND VALUE..."

...A SUPERIOR CONSOLE"

"Truly targeted at the professional recording or sound engineer . It is obvious that the people who designed this unit spent a lot of time in both recording studios and at concerts where sound reinforcement is both critical and complex."

- Len Feldman, *db Magazine*

"The MX2488 is the best performing console at its price. Period."

- Tony Bongiovi,
Power Station Studios, N.Y.

"The MX2488 is good or better than a lot of boards costing twice as much...very quiet, very versatile."

- Hector LaTorre, *Audio Reviewer*

Price: \$4195 for the MX2488

\$3195 for the MX1688

(includes external power supply)

Our goal was simple. To build a console ideally suited for recording, production, broadcast and even film. We feel we've done that with the MX88 Series - a versatile control center configured especially for use in an eight rack environment. No cumbersome patch bays. no external wiring - all the routing is as easy as a flick of a switch. The MX88 consoles are exceptionally quiet and transparent as well, thanks to the external power supply, and their parametric EQ assures discriminating tonal control.

As for the reasonable price, that's the benefit of ordering **DIRECT** from us - top quality equipment without the retail markup. Discover the advantage of buying **DIRECT** - exclusively from Carvin.

(Prices include Shipping). Outside of USA: Available through Dealers Only.

CARVIN

MX2488

MADE IN THE
USA

EXTERNAL POWER SUPPLY



CARVIN

THE DIRECT ADVANTAGE

For more information or to order, call:

toll free: (800) 854-2235

Send me Carvin's full line catalog on Pro Sound Equipment::

FREE Catalog \$1 for RUSH 1st Class Mail

Name _____

Address _____

City _____ ST _____ ZIP _____

Send to: MX15.1155 Industrial Ave., Escondido, CA 92025

Hollywood Showroom: 7414 Sunset Blvd. (213)851-4200

Arrays, Arcs & Point Sources

Sound reinforcement systems use multiple loudspeakers to increase the power of sounds, so that artists can communicate with large audiences.

To perform accurately, a reinforcement system must act like a single sound source, radiating a coherent arc of sonic energy. The only way to do this is with a *curved array* in which the speakers combine acoustically to produce a single wavefront.

Coherence By Design

In 1980, Meyer Sound created the first curved loudspeaker arrays. And spawned a host of imitations. Today, curved arrays are everywhere. After all, arranging loudspeakers in an arc is a pretty simple chore.

But making a loudspeaker array perform coherently requires extremely complicated engineering. The intricate dynamics of arrays dictate absolutely linear phase and frequency response from every component. Horns must be designed to work together smoothly and efficiently. Crossover frequencies must be selected to preserve consistent directivity within tight tolerances. And each unit in the system must combine seamlessly with the others under all circumstances.

When every one of these conditions is met, the curved array becomes a virtual point source. And only one manufacturer has mastered all of these criteria — Meyer Sound.

Theory & Practice


Every audio professional knows the difference between promotion and real-world performance. With so

many manufacturers claiming arrayability, how do you judge the truth of our claims? The same way that you should judge everyone else's: with your trained ears. When you walk across the hall, does the sound of the loudspeaker system change? Do you hear phasing, flanging or comb filtering? Does the sonic image shift dramatically? Are the lyrics drowned in a sea of reverberation? If so, then the array is not functioning as a coherent point source.


Meyer Sound's proven loudspeaker arraying techniques have resulted from the most thorough research and analysis in the industry. They produce dependable point-source arrays in environments ranging from free-field to the most difficult performance venues.

So set your stage with confidence. Meyer Sound loudspeaker systems are built from the ground up to preserve coherent propagation of sonic energy.



And the proof is in the sound: clear and consistent. Everywhere you need it.



Both the UPA-1A and MSL-3 deliver high sound pressure levels with ultra-low distortion, for maximum intelligibility and fidelity. Efficient, high-powered, rugged and reliable, their specifications meet the most demanding professional needs.




The compact UPA-1A allows controlled coverage of wide areas in theaters, clubs and concerts.



The MSL-3 covers a broad range of large-scale reinforcement applications.



Carnegie Hall A coherent array of UPA-1A loudspeakers, supplemented by MSL-3s and 650-R2 subwoofers (not pictured), is permanently installed for live performance reinforcement.



UPA-1A in typical vertical configuration.



Meyer Sound Laboratories, Inc.
2832 San Pablo Avenue
Berkeley, CA 94702
(415) 486-1166
FAX (415) 486-8356

MEYER SOUND

TROUBLESHOOTING

MIXING CONSOLE INSIGHTS


by Mark Herman

Noted mixing console designer and engineer John Windt answers questions and gives useful insights about sound reinforcement mixing consoles. Next month in Part 2, Jim Gamble, another leading console design expert, will lend his views.

John Windt is well-known as an accomplished, independent, professional audio product designer and consultant with a strong background in mixing consoles. Many sound reinforcement veterans are familiar with his work modifying Yamaha PM1000 and PM2000 house consoles into monitor consoles, as well as his reputation for adding grounding improvements on Soundcraft 800 and 800B consoles. Throughout the sound reinforcement industry you will run across consoles that carry the label "Windt Modified." He was responsible for the proof of performance and wrote the specifications, as well as the user's manual, for the widely distributed Yamaha PM1000 in 1974. Yamaha took advantage of his expertise for market research, panel layouts and grounding improvements on the PM2000, its subsequent pro mixing console.

Soundcraft looked to Windt for grounding guidance on its late-model 800s and current 8000 line. The Ramsa WR-S840 house and monitor consoles, first introduced in 1987, owe much of their design to Windt, who was the chief engineer for the project. Currently, he operates Windt Audio Inc. in Culver City, Calif., and is working on several projects for various manufacturers.

Mix: How much emphasis should be placed on specifications given by various console makers?



Windt: Reading the given specifications will often only confuse you. The specifications are written by the manufacturer's design team, generally, and they are laid out to make the product look very good. They do things like specifying signal-to-noise ratios with all the faders off—it might say 105 dB—but it isn't even passing any signal. It just looks good on paper. The distortion specs can be misleading also. I've seen specs that say "Total Harmonic Distortion (THD) less than 0.1 percent," but what does that mean? All that says is that there will be some frequency, at some level, where you can get a signal

through the console that will be less than 0.1 percent distortion. If the bandwidth is specified—like 20 Hz to 20 kHz, typically—and the level is up to the rated output, the spec means more.

The frequency response is also meaningless unless the tolerances are specified. I feel console measurements should be specified the way they are used in real-life operation, instead of a single input fader up to unity and assigned to a mixing bus for worst-case conditions. This is not the way you run a console in a real-life application. So, in effect, these manufacturer-given specs are misleading. Unless

Revolutionary Price. Legendary Reliability.

Until now, buying a low price amplifier meant
sacrificing quality and reliability, or power.
We are about to change that.

Introducing the new MX 700.
Legendary QSC quality, reliability,
and power at a revolutionary price.
Get it at your QSC Dealer and join the revolution.



QSC

A U D I O

QSC Audio Products, Inc.
1926 Placentia Ave., Costa Mesa, CA 92627
714-645-2540

they are measured exactly the same, which is highly unlikely, any comparison between consoles based solely on the manufacturer's claims would be foolish.

Mix: What makes one console better than another?

Windt: The cost to the manufacturer of all the circuitry in each input module is indicative. The one that costs \$32 per card is going to be better than the \$8 one. As the performance level goes up, more amplifiers are needed for isolation, and more parts are needed around each amplifier in order to control it. More power supply decoupling is required as well. In a semipro product, a 10dB gain stage is typically made up of an op amp and two resistors. In a high-end pro audio market, it requires a more expensive op amp with about eight resistors, six capacitors, diodes, etc. So the costs go up according to the quality desired.

The more functions available means more versatility, but almost always at a higher end-user cost. VCAs and programmable muting functions, for example, add to the manufacturer's cost, which is then passed on to the consumer.

Mix: How can you tell if a particular console is roadworthy and worth buying?

Windt: If you are buying a console and plan to be lugging it around, take a look at its mechanical integrity. Examine how well the circuit boards are supported. Are they just hanging by the pots? If they are, sooner or later the pot lug will break off, or cold-solder joints may appear. If the circuit card is large, it should be supported in some way at the bottom edge so that it doesn't flop around and cause problems later. See if the console has a hard motherboard screwed down to the frame that fixes the position of the module. This method has proven to work poorly in portable applications. The module connectors need to float; otherwise, they will wear down rapidly due to up and down movements. With screws, look for lock washers and Loctite. Probably the best thing you can do when looking to purchase a new or used console is to go to your local sound company, or call various people in-

involved specifically in the console market, and ask them for their impressions on the different models available in your price range. Find out about the current trends in the industry.

Mix: How can you determine the quality of the equalization design?

Windt: First, consider this. So many people who use audio equipment have the mentality that good EQ is the ability to drastically change the sound. They don't hear equalization as equalization; they hear it as an effect. When they turn a knob, they expect it to do something radical. But this is not what equalization is all about; it should be smooth and gradual. Here is an easy test to find out if the equalizer circuit in the console is any good. First, feed a signal into an input channel. Set the equalizer to full cut at a given frequency. Take the signal where it comes out of the console (either a bus out or a direct out); feed it back into another input module; and then take the same frequency with a full boost and check it with the EQ in. The

frequency response should be flat. You can look at the output meter or sweep an oscillator on it to make sure it stays at zero all the time. Now you have the equalizer in the circuit, but it's not doing anything.

But the best test is the easiest of all. What does it sound like when you kick both of them in and out at the same time with music going through it? That is what really matters. Try running a high-quality audio source through the console and listen very carefully as you adjust the controls and push the EQ circuit in and out. Does it sound the same? You will probably hear a change on all console models, but some are much worse than others.

Mix: Certain consoles sound fine with a few inputs assigned to an output bus but seem to lose significant audio clarity when more inputs are added to the bus.

Windt: To check the console, bring up the output buses with nothing assigned, put all the inputs down, mute all the channels and then start assigning inputs to a mixing bus.



Stand
and
Deliver

4400
Series

Formula Audio, Inc.
Rt. 5 Box 440-3
Zebulon, N.C. 27597
919-269-6441



macpherson
HIGH FIDELITY LOUDSPEAKERS FOR SOUND REINFORCEMENT

3750 WOOD ROAD
LANSING, MI 48906, USA
517-371-4148

Circle #005 on Reader Service Card

OPTIMIZE — don't compromise:

If you demand optimum performance from your tape recording equipment . . .

JRF maintains a complete lab facility insuring precision relapping and optical alignment of all magnetic recording heads and assemblies. Worn unserviceable heads can be restored to original performance specifications.

24-hour and special weekend service available.

- Broadcasting
- Mastering
- Recording Studios
- Tape Duplicating

New and reconditioned replacement heads from mono to 24-track . . . Many in stock.

For repair or replacement, we're at your service!



249 Kennedy Road
P.O. Box 121
Greendell, NJ 07839

MAGNETIC SCIENCES
Tel.: (201) 579-5773 • Telex: 325-449
Fax: (201) 579-6021



Circle #006 on Reader Service Card

LIVE SOUND

On some consoles the noise of the summing amp will go up and up with the additional inputs you assign. That is one way to check the signal-to-noise ratio. As you assign more inputs to the bus, the summing amp automatically increases its gain to compensate, but its noise also increases. And when you assign all the inputs, you've increased the gain of the summing amp so much that unless it is well-designed, it will sound muddy. What happens is that the summing amp is not capable of handling the complex audio signal.

A good console will not change as a function of the number of inputs assigned. Every time you double the amount of inputs assigned a single output bus, the hiss goes up 3 dB and the hum 6 dB. So you can hear a large difference between one and 16 inputs but not as much between 16 and 40.

Mix: Why are hums and buzzes so prevalent on some consoles?

Windt: A common complaint with a "troublesome" console involves hums and buzzes. This is usually due to an incorrect ground inside the console. The only way to tell about the grounding is to dig into the console and see how it is really done. The schematics won't usually tell you.

The biggest mistake designers made in the past was to have all the input and output circuitry connected to the main console ground, with that ground extended through the modules to the connectors on the back of the console. But that type of grounding scheme won't work well in the real world, resulting in nightmarish hums and buzz problems. What they've done is extend the audio common out into the real world and create a large, giant induction loop to pick up signal and bring it to the console. The current comes in on the shields of the cables and not through the audio conductors themselves. It interferes with every amplifier in the console, particularly the summing amps, which are very sensitive to current.

Summing amps are set up as current sources, and any current flowing through the console will go right into the summing amps. Cur-

rent is being generated in all the wiring connected to it. The reason the original design engineer never found it in the laboratory was because he just had a test oscillator and an analyzer hooked up to the console. He never plugged 100 feet of wire into every jack on the back of the console and connected it into a large sound system.

Mix: What is good grounding?

Windt: The first thing to keep in mind is that there are two grounds within any piece of equipment. There is a chassis ground, which is tied to the round pin on the power cord, and there is a circuit ground, which all the circuitry inside the equipment references to. These generally tie at one point. All the input and output connectors on a piece of equipment must be referenced to the chassis, not to the circuit ground. Phone jacks, for instance, should not be floated from the panel they're mounted on; they should be connected to the panel electrically. The same is true with XLR connectors; pin 1 must reference to the chassis, not to the circuit ground. The best way to test grounding in a piece of equipment is to take it apart and trace every ground in it with an ohm meter.

Mix: What is a good test for hums and buzzes?

Windt: This is my favorite test: take a 25-foot cable and plug one end into the output and the other end into an input at the far end. Pull all the input faders down and mute all the channels so signal can't flow. Bring all the master buses up, take the cable and wrap it into a coil (three or four turns). Put a Weller soldering station in the middle of the coil, and then turn the solder station on. This generates about 1 to 2 milliamps through the cable. Measure the signal-to-noise ratio on any of the output buses as you turn the soldering station on and off. It is not uncommon for the signal-to-noise ratio to go up and down as much as 30 dB on some models. It shouldn't vary at all.

If you don't have the test equipment, put on a pair of headphones, select it to an output bus and listen to the noise level change. I have found a strong correlation between this test and how well a console works in the real world. ■

WOW.



It's the first sound that comes to mind when you hear

Celestion SR. Because SR speakers easily outperform anything you've ever heard. A technical marvel, these incredibly compact enclosures have the visceral thrill of huge, full-frequency sound you must feel to believe.

SR is superior in every way. From its unique design philosophy to the extraordinary sound it produces. Anyone who experiences SR, from architects and acoustical consultants to keyboard musicians, will rethink their expectations of what sound reinforcement should sound like.

Sound Reinforcement. SR fills up any kind of room. Clubs, theaters, restaurants, school auditoriums, churches. Mount them anywhere. Paint them to match any color scheme.

Keyboard/Stage Monitors. SR's got the muscle and musical sound for the ultimate in keyboard and stage monitoring in rugged, compact cabinets.

Home Recording. SR's perfect imaging and accurate reproduction let home recordists hear the music exactly as it sounds.

The New SR3 & SR Compact.

SR3 is a true full-range speaker in a practical size that's ideal for vocal and stage monitoring in small clubs. Several SR3s can be used in tandem with additional bottoms (like our SR2s).

The new SR Compact is the embodiment of SR design. Its unique single source concentric cone/dome design produces an incredibly wide frequency response (80-20 kHz ± 3 dB) from its incredible five inch driver! All this in an enclosure only 6.9" High x 8.6" Wide x 7" Deep with over 100 watts power handling capability that mounts onto any keyboard or mic stand.

SR: More Than A Practical Alternative. With SR1, SR2, SR3 and SR Compact speakers, you don't have to settle anymore. Available in a size that fits your needs, they can be hung or mounted anywhere.

And, most important, they give you *all* the sound — clear, bell-like highs and deep, throbbing lows — not just the midrange. Not a re-packaged HiFi speaker, but a professionally reliable sound reinforcement system with the rugged construction, mechanical integrity and long term reliability that inspires confidence.


Celestion SR. Just say WOW.

CELESTION SR™

50 Doug Brown Way, Holliston, MA 01746 Tel: (508) 429-6706 Fax: (508) 429-2426

THE BEACH BOYS

SOME THOUGHTS ON TURNING 30



Clockwise, from upper left: Mike Love, Brian Wilson, Al Jardine, Bruce Johnston, Carl Wilson.



PHOTO: HARRY LANGDON

Quick. Name a band that has been around for nearly 30 years, never broken up and has been turning out hit records throughout its entire career. Does a name other than the Beach Boys come to mind? What is it that has made this group an American institution—larger than life, stranger than fiction, more powerful than a locomotive?

In the beginning, it was just a boy-band of family and friends, emulating the Four Freshman but singing fresh ideas about the California lifestyle. There was the genius brother, Brian, who lived a vicarious fantasy life through his songs, catching the biggest waves, driving the coolest cars and *always* getting the prettiest girls. The band sang about the kind of life all of us wanted to live; even school was a celebration in Beach Boys songs.

Then, just when it seemed the Beach Boys couldn't get much bigger, things went sour. Was it too much too fast? Was it the lack of popular acclaim for Brian's critical masterpieces?

"The intended follow-up to 'Good Vibrations,' 'Heroes and Villains,' was unfortunately recorded in Brian's house and had no high end; it just sounded flat," says veteran guitarist/vocalist Al Jardine. "It was like the life had been sucked out of the record. Brian was excited about it, though, and he ran down to KRLA to play it for them. But when they didn't go for it, Brian just began to abandon the establishment, and that was the end of his career. And after Brian started getting

BY DAVID SCHWARTZ

TODAY



PHOTO: PAUL LARKIN

Engineer Don Weiss (left) and Al Jardine in Jardine's recording ranch/studio in Big Sur, Calif.

a little crazy with drugs, he lost track of the fact that a lot of the good sounds that went into our records were coming from the musicians and studios that we had been using in Hollywood."

Was it pressure to outperform the Beatles? "I took *Pet Sounds* to England and played it over and over for John and Paul in May of 1966," says not-quite-charter-member Bruce Johnston. "They loved it and later they said it was the extra push they needed for *Sgt. Pepper*. And I think that had they been able to put *Sgt. Pepper* out first, Capitol and EMI Records would have understood the potential of Brian's *Pet*

Carl Wilson working on the new Capitol album.



PHOTO: PAUL LARKIN

Sounds, and it might then have been the commercially successful album Brian always dreamed it could be."

Was it voodoo and messing with the wrong crowd? (Charles Manson stories tainted their otherwise well-scrubbed reputation.) Was it all of the above? Whatever it was, everyone knows about Brian's crash and subsequent reclusiveness, and how it threw the band into a tailspin.

For a stretch of nearly 15 years, the band was barely able to eke out a hit record, though they continued recording and touring, buoyed by a nostalgia for their early work that never seemed to subside. "Primarily, the Beach Boys' career has been built around the first five or six years," says Johnston. "I'm certainly not knocking it, but I know the band would not be content going out on the road and playing only reruns. Being able to go in and take a few shots and hit a home run once in a while—like 'Kokomo'—is really important to us."

Even in the worst of times, the band always enjoyed touring and recording.

Breaking up was never an option—they were on the family plan.

But lately times have gotten better for the Beach Boys. Reinvigorated by their numero uno hit of last year, "Kokomo," and the critical acceptance of Brian's recent solo album, the band seems to be poised at the brink of going where no major rock band has gone before: successfully into their fourth decade.

"It's gone so much farther than I ever thought it could possibly go," says co-founding brother Carl Wilson. "I've been saying for years that we'd be slowing down any minute, but I was wrong."

With Brian's remarkable recovery still progressing, the band hopes to return to the studio with him sometime soon to begin a long-awaited record in the true Beach Boys' tradition—with Brian at the creative controls. "We just had a meeting in Big Sur," says Jardine, "where Brian expressed a great desire to do our next album. He actually went up on a soapbox and gave us all the reasons he

Even in the worst of times, the band always enjoyed touring and recording. Breaking up was never an option—they were on the family plan.

Finally!

A Winning Combination



It's about time someone addressed the power requirements of today's improved near-field reference monitors. After installing more Perreaux amplifiers in recording studios across the country than all other pro audio dealers combined, we've gained a certain amount of invaluable experience with high quality **studio** amplification. All too often, the amps we found ourselves replacing were P.A. units... durable, but offensive to the ear. With the success of the T.E.C. award winning Tannoy PBM Series Monitors and the introduction of their new AVM and NFM high-resolution loudspeakers it became obvious that a new, truly high fidelity, source of power was required. In bringing the new **Hot House Professional Audio** amplifiers to market it is our goal to provide the industry with an amplifier of true audiophile quality built to professional specification, that is both reliable and above all **affordable**. Previously, an amplifier with this speed, resolution and purity was available only at very high cost, and rarely in a professional format. Now there are two choices, stereo or mono... and they're priced to compete with run-of-the-mill music store amps.



Stereo *Hi Current MOSFET* *Control Room Amplifier*

The **S400** is the perfect match for the latest generation of advanced high quality near-field monitors. Its two rack space, convection cooled, hi current MOSFET design allows under-console use with no fan noise. The fully discrete front end, class A voltage gain stage and constant current bias network, along with its enormous power supply capability of over 45 amperes peak current per channel, allow the **S400** to provide the imaging, depth of field and dynamic transients too often missed in today's control rooms. Its transparent top end, sharply defined midrange and tight extended bottom are unequalled in expanding the limits of small monitors...incredible bandwidth at the frequency extremes with no grit in between.

The **M500** mono block shares the same package and power supply as its stereo counterpart, but is designed to be used in pairs with larger monitors such as Tannoy's LGM12 and SGM10B. Slightly warmer, and fatter on the bottom end, with tremendous reserve power, the **M500** is also the perfect choice when subwoofers are added in the near-field environment.

Mono *Hi Current MOSFET* *Control Room Amplifier*



275 Martin Avenue Highland, N.Y. 12528

TEL 914-691-6077 FAX 914-691-6822

Circle #175 on Reader Service Card

should do it, vis-a-vis the old style. I think it's really important to educate everybody right now to the potential of the resurrection of the band to a higher level."

When will a new studio album happen? Bruce Johnston would like to see it come out by April 1990. The rest of the bandmembers are also optimistic, but hedging their bets.

Carl, ever sensitive, solid and dependable, is churning out material for his next solo outing, besides working intently on current Beach Boys' creations in the studios and looking out for the band's future. He has been an invisible backbone for the group since the early days; in many ways he has held the guys together during hard times.

Carl has put together solo albums before, one with Jim Guercio at Caribou Ranch ("my favorite studio of all time," he says) and one with Jeff Baxter ("a wonderful guy who *loves* to record"). He wants to record his next solo album in England. "I love English recordings," he says. "I think they're beautifully done. I'm looking for a manor studio type of setting to work in."

Al Jardine, the teenage neighbor who joined the Wilson brothers' group on guitar and vocals in the early '60s, has launched perhaps the most ambitious side venture to a Beach Boy career: constructing a state-of-the-art professional recording studio in the artistic coastal community of Big Sur, California. (See the Jan. '89 *Mix* for an in-depth look at the studio.) "Sometimes it's a little easier to work by yourself," says Al's engineer Don Weiss. "I'll set up the sounds and the patching, and Al comes in and can work on parts by himself at his pace."

In their blend of new Mac and MIDI technology and museum-worthy artifacts, Al hopes to provide a low-pressure getaway for the band to track, mix and/or noodle creatively outside the hectic pace of the L.A. rooms. (He is also not opposed to making his studio available to other peace-seeking artists while his band is on the road.)

A recent trip to Al's studio caught the Boys preparing a few new tunes to add to yet another Capitol compilation album, this one thematically oriented to songs that have appeared in films (yes, there is an album's worth of material in that genre as well).

Cousin Mike Love, the onstage master of ceremonies, and for many years the band's lead persona, has been very



We designed a miking system that doesn't change a thing.



Except now everyone in your audience can hear how great your cymbals sound. The new Zildjian ZMC-1 system separates and amplifies each cymbal in your set-up with absolute purity and precision. Each cymbal is individually miked and mixed, to give you total control of the volume and balance, and the most faithful cymbal sound ever amplified.

Neil Peart was one of the first to incorporate the ZMC-1 system into his set-up.

Today, the ZMC-1 goes on the road with pros like Gregg Bissonette (David Lee Roth), Tommy Aldridge (Whitesnake), and Joey Kramer (Aerosmith). Jon Erickson, the engineer for

Rush, calls the ZMC-1 "overwhelming; it brings out the true sound of the cymbals."



Neil Peart

The ZMC-1 system features five ZMC-1 cymbal microphones, one HiHat mic and the ZMC-1 6-channel mixer unit. Extra mics are available for larger set-ups.

For more information write: Avedis Zildjian Company, Longwater Drive, Norwell, MA 02061.

Circle #176 on Reader Service Card





COUGHING BEHAVIOR OF CLASSICAL MUSIC AUDIENCES

The Surgeon General warns that cigarette smoking may be bad for your symphony tapes and cause "Late Night Editing Syndrome."

Classical music recordists are often amazed by the amount and ferocity of the coughing sounds made by concert audiences. Whatever the cause for the malady, be it physical or psychological, these hackers are a royal pain in the neck for audio engineers. Engineers must spend many tedious hours trying ingenious methods of teasing out these mammalian sounds. Of course, it is tempting to imagine the coughers to be inconsiderate smokers. But it's not just the smokers; other wheezers get their licks in, too. In fact, I can now tell a cigarette cough from an influenza-induced one. A number of types of asthma, hay fever and assorted allergies can also be discerned by the careful listener. And with the advances of digital recording technology, these guttural exhortations now achieve new brilliance and signal strength, no longer being lost in the background of tape hiss

common to inferior analog techniques.

Let's examine some of the more common nightmares classical recordists have to deal with.

By far the worst offender is the dreaded "Downbeat Cougher." This irresponsible procrastinator holds his cough until the string quartet is just about to begin a Beethoven sonata. Then, as if cued by the first violinist, the Downbeat Cougher lets go of a good one exactly on the first downbeat. The result is an inextricable "Harrumph!" blended in with Maestro Ludwig's finest compositional efforts and forever will this timbral nuance defy the listener of a normal interpretation. If only he would cough a few seconds before the piece, a little cut and splice and no one would be the wiser. But the Downbeat Cougher seems to sense instinctively the heart of the downbeat, never rushing it, never late, just right on time. Naturally, this prestigious patron sits in the first or second row, somewhere near the primary microphones.

The "Cadential Cougher" is far more sensitive, creative and articulate in his coughing. The coughs usually appear at a perfect cadence but are also found sometimes at a half cadence. Additionally, the Cadential Cougher is adept at recog-

nizing modulations. Frequently, he makes his sound just at the pivot chord, thus signaling to the audience that a change in the music is about to occur. You want staccato? No problem. A rapid "huh, huh, huh, huh" can be found to offset any rhythm. An experienced Cadential Cougher may even show a little development throughout the piece, ending up with something slightly resembling a recapitulation.

Most classical recordists appreciate the extremely wide dynamic range of classical music. We've all held our breath when the orchestral bass drum suddenly cranked up or the 200-member chorus hit a triple forte and our VU's went "Ouch!" That's why we record the soft passages at very low levels—to preserve the natural dynamics of the piece. Unfortunately, during the sensitive pianissimo there can be something of a chain reaction among any number of coughers. One leading to another, each unique in its own unforgettable way, they form a distinct counter rhythm that gives the whole piece a sort of polyrhythmic feel. I've dubbed this phenomenon "Pianissimo Pneumonitis" and have even noticed some regional styles. New Yorkers have a brisk pace and authoritative tone. Los Angeles is internationally known for its poor air, and its audiences are nearly constant coughers. Although not articulated with the sharp attack of the New Yorkers, the sheer numbers in L.A. can produce a noticeable chorus effect. San Francisco audiences always put a hand over their mouth when they cough, yielding a more sensitive tone.

For tonal variety and color, any number of concert goers may wish to contribute additional timbres to the mix. These often idiosyncratic sneezes, chortles, hiccups and baby cries are all certain to add new dimensions to the music. Take it from me, there's nothing like a 2-year-old suddenly bursting out in tears during the slow section of the Brahms *Requiem*, or better yet, in counterpoint with the soprano in a Mozart aria. When the still-crying kid is rapidly whisked away, a definite

doppler effect is permanently recorded on the master tape.

The musicians don't like it either. Can you imagine playing a sensitive solo and an expectoration in the third row catches everyone's attention? There is nothing like the sound of someone clearing his throat to add an ominous and expectant veil to even the most lighthearted string quartet. Perhaps the utterance has artistic merit on its own, but please schedule your own concert—this is a union gig.

So there you have it. I've had to cut 'em, fade 'em, filter 'em, gate 'em and reverb 'em out. Here are a few tips that will hopefully save you some of the hours I've spent in the editing room. Try to fade up on the Downbeat Cougher. Use a broad-band parametric in the upper mid-range for the Cadential Cougher. Try a notch for sneezes, chortles and hiccups, while a graphic EQ will sometimes do the job on Pianissimo Pneumonitis. God only knows what to do about a baby crying. There are those who favor video projections on the back wall announcing non-coughing times and periods of coughing permitted for forte passages. I dunno, I've really got to get back to this mix—I think a kid just dropped a Slinky on a mic stand.

—Doug Carroll

IT'S STORYTIME WITH CELESTIAL NAVIGATIONS

There's nothing easy about pigeonholing the Los Angeles-based group Celestial Navigations. Some new age stations are playing tracks off their self-titled maiden effort on the Nouveau label (distributed by K-Tel International), but this isn't dreamy mood music. And though the music is dominated by synths of various stripes, it isn't a return to so-called "progressive" music, either. No, what we have here really is aural science fiction, spoken-word stories in exotic musical settings.

"I think the awareness of storytell-

ing as an art form has increased greatly the past few years," says Geoff Levin, who, with Chris Many, provides the keyboard and guitar backdrops for narrator Geoffrey Lewis' highly creative tales. "There are people out there who are doing it well, like Spalding Gray and, most of all, Garrison Keillor, who to me is the epitome of the American storyteller. With the *Prairie Home Companion* show and the cassettes he's made, he created a commercial market where there was none before."

The trio who now make up Celestial Navigations have been honing their stories-with-music approach for nearly 20 years. In the early days they had a different name—The Great American Entertainment Show—and the instrumentation ran along more traditional lines: guitars, organ, and when noted arranger David Campbell was in the group, violin. These days, synthesizers dominate the musical arrangements; the album is mainly DX7, Oberheim Xpander and Prophet-2000. Character actor Geoff Lewis' stories, which range from cerebral, spiritual fantasies to humorously rendered bits of *audio noir*, provide the musicians with a multitude of creative possibilities. So intriguing sound effects sit side-by-side with grand, sweeping themes and short bursts of more traditional soundtrack music.

Though the disc sounds like it might be mainly a studio creation (it was cut at Levin and Many's L&M Studios), Levin stresses that Celestial Navigations have always been primarily interested in exposing their art through live performance. "We tend to record live in the studio," he says, "because we like the feeling of the three of us sitting there together, interacting. And playing in front of people has always been an important component in what we do, because it provides another level of interaction—with the audience; seeing and hearing how they react to the music and stories." Celestial Navigations have played extensively in and around Los Angeles the last few years, including a six-week run at one theater and their current regular gig at My Place in Santa Monica.

The Celestial Navigations CD has sold well for something so admittedly offbeat, and a second disc will likely follow next year. In the meantime, the group has made a cable TV special that captures them live. "It's just us," Many says. "No wild visuals or anything. We like people to be able to put their own images to the stories. There are so many places where people have images thrown at them in the world, we want to provide a place where they can still use their imaginations."

—Blair Jackson



(L to R) Geoff Levin, Geoffrey Lewis and Chris Many.

by Craig Anderton

SUMMER LETHARGY AT SUMMER NAMM

THE SUMMER NAMM 1989 JOKE-OF-THE-SHOW:


Q. *What's the difference between Elvis Presley and the Summer NAMM show?*

A. *At least some people think Elvis is still alive.*

Yes, this was a weird, low-energy, poorly attended show. While some manufacturers did good business—the Korg booth, for example, was consistently packed, and Lone Wolf's MIDItap (a high-speed LAN protocol) got a huge buzz—there was a lot of

grousing about the lack of dealers, the politics of the National Association of Music Merchants as an organization, and the general malaise in the music industry. Some people were calling the show “the wake on a lake,” a reference to the convention center's proximity to Lake Michigan.

Still, there was some cool stuff, as always; and some of it came from the little guys instead of the heavy hitters. Of course, all of the following—including prices, specs and whether the products will ever go into production—is subject to change without notice.



A few of the treasures unveiled at the show included (clockwise from top): Roland's S-770 high-end sampler; Tascam's MSR-24 1-inch, 24-track recorder; and Mackie Designs' CR-1604 compact 16-channel mixer.



The Digital Master.



If the music is going to end up on a CD, it only makes sense to master on a Panasonic SV-3500 Recorder.

Unlike "consumer" DAT machines, the fully professional SV-3500 offers a sampling rate of 44.1 kHz—the rapidly emerging standard for digital audio. In fact, if you use any other sampling rate, you'll eventually have to go through a sampling rate converter, (a degenerative process) to master your CD.

The SV-3500 is a full-function studio DAT recorder with both 44.1 (from analog) and 48kHz sampling rates. And it's from a company known for its full-service support of audio professionals.

Take a look around your studio. Are you equipped to answer your customer's demands for the new standards of this digital era? If not, visit a Panasonic dealer and hear the SV-3500.

For the name of the nearest dealer, call 714-373-7278. Or, write to Panasonic AVSG, 6550 Katella Avenue, Cypress, CA 90630.

Panasonic
Professional Audio Systems

In synthesizers, Korg was definitely the hit of the show. Seeming to know a good thing when they see it, Korg's spun off a whole family of workstations and rack-mount expanders based on the M1. The T1 has an 88-note, weighted keyboard and, in addition to ROM samples, includes half a meg of RAM for loading additional sounds from disk or computer-based visual editors. The T3 is similar, but has a non-weighted, 61-note keyboard.

For those on a budget, Kawai's K4 is an exceptionally cost-effective (\$1,395) and good-sounding synth

that gets my vote for synth of the show. It has digital reverb, 256 16-bit PCM samples, drum sounds, 16 voices and multitimbral operation. I think this one is going to do very well.

Kurzweil showed the Model 900 Micro-Expander, an under-\$1,000 box with a selection of popular Kurzweil sounds, and it sounds very good. The "sleeper" expander module of the show was the DE 4x9 Digital Expander, manufactured in Germany by Dr. Bohm and distributed in this country by MusiCan (Lancaster, Pa.). It has 495 sounds (198 user-programmable), 36-note polyphony, multitimbral operation and six individual polyphonic

audio outputs. MusiCan also showed a 92-key MIDI master keyboard, the P-92.

Over in sampler land, Roland took the wraps off the S-770 (\$7,995). This rack-mount, 16-bit sampling module offers two megs of RAM (expandable to 16 MB), internal 40 MB hard disk, CD- and DAT-compatible sampling rates, 24-voice polyphony and other goodies. For those with far less bucks, the U-20 is a cleaner, quieter, keyboard version of their U-110 sample player.

The big computer news was STacy (\$1,495), Atari's ST-compatible, MIDI-equipped laptop. Actually, Atari really came into its own at this show; there was more cool new software for it than any other computer, such as Dr. T's *X-OR* universal editor/librarian and *Tiger* graphic interface, Steinberg's *Avalon* sample editor (hot), several new goodies from Intelligent Music including a new multitasking system for GEM applications, Sound Quest's porting of its editor/librarian series over to the ST, and so on.

On a more consumer-oriented level, Roland's CM series is a bunch of sound generators and modules packaged as computer peripherals. For example, the \$650 CM-32L is basically an IA synthesis sound module similar to an expanded MT-32; there are auto-arranger and music entry pad modules as well. And if you're into hard disks, Eltekon (Livonia, Mich.) showed quiet, high-speed hard drives for the Mac, ST, PC, Ensoniq EPS and Roland S-550/W-30.

Computers imply software, and the big news is that Coda has cut *Finale*'s price to \$599, cleaned up the user interface, and introduced *MusicProse*, a \$249 "Finale Jr." for the Mac. Meanwhile, Passport unveiled *Pro 4*, based on a considerably enhanced version of *Master Tracks Pro* (which will still be available, with versions for the Amiga and PC in addition to the Mac and Atari), and *Encore* for the Mac (\$595), a "composing program" that sequences using conventional music notation, prints out scores and transcribes MIDI files or live MIDI input.

Mark of the Unicorn was showing *Performer 3.0*, which has very well-implemented graphic editing and now supports MIDI files and sys ex editing; and Opcode had *Vision 1.1*, an update that adds significant new features and eliminates many previous limitations, as well as introducing editor/librarians for E-mu's Proteus

Try Sony DAT



on us.



RADIO SYSTEMS improves the world's best DAT machine by adding a microprocessor controller. Our sub-chassis turns a great-sounding DAT machine into a superb studio production tool.

The RS-1000 is the first truly professional DAT machine. Unlike other "Pro" decks, the RS-1000 is more than just a consumer machine with bolt-on rack ears. Check out these *studio* features, designed to make your production time more profitable: 44.1 and 48 kHz sampling, for fully compatible digital dubbing

Parallel and serial remote control Balanced inputs and outputs "Next" and "Last" controls for quick shuttling across the tape 30-cut, random access memory Large cart-machine style buttons and easy-to-read display Auto-load and cue-up routines Automatic cut cueing and muting Fully authorized U.S. import with *local* warranty service. This is not a gray market deck.

The RS-1000 is the perfect studio DAT machine for production, mastering, and archiving. Do DAT, but do it right, with the only truly Pro DAT system - RsDAT from Radio Systems.



RADIO SYSTEMS INC.

110 High Hill Road P.O. Box 458 Bridgeport, NJ 08014-0458
609/467-8000 800/523-2133 FAX 609/467-3044

AVAILABLE NOW

AKAI MAKES DIGITAL MULTI-TRACK AFFORDABLE

Akai Digital is now delivering the A•DAM System: the first professional, expandable digital recording system in a compact package. A•DAM utilizes the advanced tape technology of the 8mm video tape, which is easily available at stores everywhere. A•DAM offers 12 to 36 digital audio tracks in a modular system that can be rack-mounted for portable operation.

The A•DAM System consists of the DR1200 Digital 12-Track Recorder, DL1200 Programmable System Controller, and DM1200 Meter Bridge. The DL1200 not only serves as a 104-memory autolocator, but as the control center for up to three DR1200 recorders! No external synchronization is required for 36 track operation. But, of course, the DR1200 is fully compatible with SMPTE synchronizers.

The A•DAM System has the specs you expect with a professional digital multitrack system: 16-bit linear resolution, 44.1 kHz and 48 kHz sampling rates, and more than 90 dB dynamic range. Best of all, the A•DAM System is the most affordable digital multitrack system on the market.

A•DAM has arrived. See the new standard in digital technology *today* at your Authorized Akai Digital Dealer.

A•DAM



AKAI
DIGITAL

WRITE FOR A FREE BROCHURE
P.O. Box 2344 Fort Worth,
Texas 76113-2344 U.S.A.
Phone: 817-336-5114
FAX: 817-870-1271
Telex: 163203 IMCTX LT

by Philip De Lancie

STRETCHING THE SPEED OF SOUND


DUPLITRONICS' DIGITAL "BIN"

With as many as two of every three pre-recorded albums shipping in the analog cassette format, market dominance by that configuration seems unlikely to be challenged seriously for some years to come. Two or three years ago, as CDs exploded and DAT loomed on the horizon, prospects for the long term were uncertain. After years of steady expansion, annual growth for the format nearly leveled off from 1984 to 1986. Many duplicators and the manufacturers of their equipment held back on further investment in cassettes, hoping consumers would eventually clarify their intentions. Now, following two consecutive years of sharply increased sales, confidence in the longevity of the configuration has been bolstered, and there seems to be renewed interest in manufactur-

ing techniques for boosting quality and throughput.

Ironically, several of the parties working to forestall the era of exclusively digital music distribution formats are advocates of increased use of digital technology in the duplicating process. Some kind of digital substitute for the bin-loop master, susceptible as it is to wear, wow, flutter, crosstalk and phase errors, could bring significant benefits. Reports of efforts at Capitol along these lines date back close to three years, but nothing had materialized by the time its Magnetic Products Division was dismantled in 1987. The work of AMI/Concept Designs ("After-Mix," October 1987), on the other hand, has already borne fruit, with systems on-line at Sonopress in Weaverville, N.C.

**The Dupli-
tronics system is based on RAM cards, with each storing approximately 12 minutes of stereo audio. Up to nine cards can be installed in a machine for longer playing time.**



AVAILABLE NOW

AKAI MAKES DIGITAL MULTI-TRACK AFFORDABLE

Akai Digital is now delivering the A•DAM System: the first professional, expandable digital recording system in a compact package. A•DAM utilizes the advanced tape technology of the 8mm video tape, which is easily available at stores everywhere. A•DAM offers 12 to 36 digital audio tracks in a modular system that can be rack-mounted for portable operation.

The A•DAM System consists of the DR1200 Digital 12-Track Recorder, DL1200 Programmable System Controller, and DM1200 Meter Bridge. The DL1200 not only serves as a 104-memory autolocator, but as the control center for up to three DR1200 recorders! No external synchronization is required for 36 track operation. But, of course, the DR1200 is fully compatible with SMPTE synchronizers.

The A•DAM System has the specs you expect with a professional digital multitrack system: 16-bit linear resolution, 44.1 kHz and 48 kHz sampling rates, and more than 90 dB dynamic range. Best of all, the A•DAM System is the most **affordable** digital multitrack system on the market.

A•DAM has arrived. See the new standard in digital technology **today** at your Authorized Akai Digital Dealer.

A•DAM



AKAI
DIGITAL

WRITE FOR A FREE BROCHURE
P.O. Box 2244 Fort Worth,
Texas 76113-2244 U.S.A.
Phone: 817-336-3114
FAX: 817-870-1221
Telex: HQ201 IMCTX UT

MI UPDATE

and the Korg M1.

The software that got the most attention at the show was Scorpion Systems' *sybil*, a \$299 Mac program for MIDI drums or guitar. It provides sophisticated mapping functions for real-time performance; multiple notes, over multiple channels, can be assigned to a single fret, pad or drum machine button, and entire setups can be easily reconfigured while playing.



Lexicon showed its LXP-5, a half-rack digital multi-effects box.

It transcends simple mapping, being more of a tool that extends your musical technique, where a single musician can improvise like a trio. Give a call to the company's demo hotline at (313) 827-1444, but realize that you have to see the program to fully understand what it's doing.

On the pro audio side, Tascam unveiled its new 1-inch, 24-track record-

er for \$15,000. The unit runs at 7½ or 15 ips, and boasts built-in dbx Type I noise reduction and a signal-to-noise ratio of 108 dB. Mackie Designs (Edmonds, Wash.) was showing its new CR-1604, a low-noise, 16-channel mic/line mixer priced at \$995. Included among the board's features are: phantom powered mic preamps and seven aux sends per channel and twice the headroom of conventional designs.

In signal processors, the MIDIVerb III from Alesis is basically a programmable MIDIVerb II with 100 ROM and 100 programmable sounds. DigiTech showed the Harmony Machine (\$559), a downscale, easier-to-use version of their underrated IPS-33 Smart Shift. Alesis also showed the Metal Machine (\$369) rack-mount multi-effects unit (probably the most popular signal processing type at the show) and a series of programmable graphic EQs (28-band, dual 14-band and quad 7-band), all hovering around the \$500 price point.

Lexicon rented a hotel room to show off its LXP-5, a half-rack multi-effects unit with three octaves of pitch shift, chorus and flange, equalization, reverb, 64 ROM presets and 128 user programs. Parameters are front panel adjustable and some can be controlled

over MIDI; delay times can sync to MIDI clock tempo.

For guitarists, one of the hottest



Atari debuted STacy, a MIDI-equipped, ST-compatible laptop computer priced under \$1,500.

items was Roland's GP-16. It plays up to 12 effects simultaneously, stores 128 programs, responds to continuous controller commands and produces remarkable stereo effects.

And what would a NAMM show be without accessories? Alesis introduced the DataDisk, a universal sys ex disk-based storage/retrieval system; Acme Digital (of Ann Arbor, Mich.) had the MIDIBuddy, which stores complete

WHAT'S • HOT

WHAT DO THE PROS SAY ?



FIRST B.A.S.E.™ BEDINI AUDIO SPACIAL ENVIRONMENT

THE FIRST SPACIAL PROCESSOR/MANIPULATOR NON-HARDWARE DEPENDENT FOR PLAYBACK

"I saved more mixes with the B.A.S.E. processor than you can shake a stick at ...with B.A.S.E. the width and depth of sound that can be enhanced is incredible."

BENNY QUINN- Masterfonics

"Creates a holographic audio image."

GREG LADANYI- The Complex

"The effect was quite amazing..."

GEORGE PETERSON- Mix Magazine

"This is the single best piece of outboard equipment I've seen and used for stereo spacial enhancement. I would like to see all audio designers use such well planned consideration with respect to the ease of operation and most important of all maintaining the most strict standards of sonic purity."

EDDY SCHREYER- Capitol Records

B.A.S.E.

BEDINI AUDIO SPACIAL ENVIRONMENT
A GAMMA ELECTRONIC SYSTEMS, INC. SUBSIDIARY

(818) 500-4171 FAX (818) 244-6664

sequences for later retrieval during live playback (it also includes a 10×10 MIDI router, data filtering and optional SCSI port with hard disk); Anatek continued its pocket series with the Pocket Record mini-sequencer and Pocket Transpose MIDI data transposer; and in the low-budget sweepstakes, you can't get much more cost-effective than Digital Music Corporation's MX-28S, a 2×8 MIDI data router/patcher for \$89 (the company also had the MX-28M, a version with

merge, map and transpose, for \$149). Even though the show itself was less than spectacular, journalists always have a good time and I was no exception. Let's hope something happens to rekindle people's interest in making music, or next year's summer show could sound the death knell to having two shows a year. ■

Craig Anderton writes books, produces records and edits Electronic Musician, our sister publication.

Summer NAMM: End of an Era?

Once upon a time, not too long ago, the Summer NAMM International Music Market was a major event, while its winter cousin was much smaller. In 1981, approximately 350 companies exhibited at the Winter NAMM; in 1989, more than twice that number were evident, with a long waiting list of manufacturers trying to get in. Obviously, there's a trend here, but what are the reasons for the decline of the summer show?

First of all, today's musical instrument market is a far cry from that of a decade ago. The public's interest in electronic instruments, MIDI and software is on the upswing, while interest in traditional instruments is waning. Is a generation weaned on MTV really going to be excited by violas and clarinets? Thus the typical music store's bread-and-butter—band instrument sales and rentals—is disappearing, along with the strong income of late summer and early fall months, when returning school children prepare for music lessons. Likewise, the music manufacturing business—once firmly entrenched in Chicago, Indiana and the Midwest—has dispersed.

On the other hand, the notion of a Winter NAMM show, held in Anaheim, Calif., (soon after the heavy holiday sales) makes sense. Retailers, particularly those in the frozen Northeast and Midwest, like the idea of "having" to travel to a sunny resort location, and with bulging pockets of cash, are ready to spend, which makes for a lot of

smiling exhibitors.

Unfortunately, there was a general dissatisfaction among exhibitors about the poor attendance of the 1989 summer show, with many of the music buyers staying away. NAMM's bylaws dictate that exhibitors who do not participate in both shows may lose "seniority" for preferred booth space at the Anaheim show, so many manufacturers attended rather than risk upsetting the status quo.

On the last day of the show, Robyn Gately of Joe's Sound (a manufacturer of P.A. and instrument speaker cabinets) circulated a petition to NAMM and garnered over 100 signatures from exhibiting manufacturers, asking for the end of the requirement to attend two shows. The names read like a veritable "Who's Who" of the music business, including: Allen & Heath, Anvil Cases, ART, Audio-Technica, Beyer, Bose, Cerwin-Vega, Community, Countryman, Crest, Crown, Digidesign, Dr. T's, Electro-Voice, Gauss, Gretsch, International MIDI Association, Korg, Kurzweil, Ludwig, Nady, Passport, Peavey, Studio-master, Ultimate Support and many others. Those signing were not opposed to the idea of two NAMM shows, but felt that if the summer event is to continue, it should do so on its own merit, rather than via "forced attendance."

One thing that all parties agree on, however, is that the NAMM shows are vital links to the music and sound industries. This petition is perhaps the first step in encouraging communication; hopefully an equitable solution can be found that will adequately serve exhibitors, music dealers and the NAMM organization alike.

—George Petersen

J.E. SOUND PRODUCTION


24 TRACK RECORDING

Otari
Trident
Lexicon
LinnDrums
Neumann
Sennheiser

MASTER RECORDING
OR DEMOS
COMMERCIAL
PRODUCTION
TV, RADIO, FILM

J.E. Sound Production
West Los Angeles
(213) 479-7653

Circle #023 on Reader Service Card



San Francisco's Full-Service Professional Audio Dealer

AUDIO Images

- SALES AND SERVICE
- DESIGN AND INSTALLATION
- AUDIO FOR FILM AND VIDEO
- MULTI-TRACK RECORDING
- DIGITAL AUDIO WORKSTATIONS
- SOUND REINFORCEMENT
- COMPUTER MUSIC SYSTEMS
- TAPE AND ACCESSORIES

70 Oak Grove Street
San Francisco, California 94107
Fax: (415) 957-1531

(415) 957-9131

Circle #024 on Reader Service Card

by Philip De Lancie

STRETCHING THE SPEED OF SOUND

DUPLITRONICS' DIGITAL "BIN"

With as many as two of every three pre-recorded albums shipping in the analog cassette format, market dominance by that configuration seems unlikely to be challenged seriously for some years to come. Two or three years ago, as CDs exploded and DAT loomed on the horizon, prospects for the long term were uncertain. After years of steady expansion, annual growth for the format nearly leveled off from 1984 to 1986. Many duplicators and the manufacturers of their equipment held back on further investment in cassettes, hoping consumers would eventually clarify their intentions. Now, following two consecutive years of sharply increased sales, confidence in the longevity of the configuration has been bolstered, and there seems to be renewed interest in manufactur-

ing techniques for boosting quality and throughput.

Ironically, several of the parties working to forestall the era of exclusively digital music distribution formats are advocates of increased use of digital technology in the duplicating process. Some kind of digital substitute for the bin-loop master, susceptible as it is to wear, wow, flutter, crosstalk and phase errors, could bring significant benefits. Reports of efforts at Capitol along these lines date back close to three years, but nothing had materialized by the time its Magnetic Products Division was dismantled in 1987. The work of AMI/Concept Designs ("After-Mix," October 1987), on the other hand, has already borne fruit, with systems on-line at Sonopress in Weaverville, N.C.


**The Dupli-
tronics system is based on RAM cards, with each storing approximately 12 minutes of stereo audio. Up to nine cards can be installed in a machine for longer playing time.**




For \$9,995*

EVERYTHING YOU NEED TO START

DUPLICATING *Audiophile Quality* CASSETTES



One person can duplicate, assemble & shrink-wrap an order for 300 C-45's in one day.



8 position KABA 4 TRACK REAL TIME & 2X DUPLICATION SYSTEM with CP-12 roll-around oak cabinet.



L-SEALER with magnetic hold-down, variable speed live roller SHRINK TUNNEL, 2000' 6" 75 gauge SHRINK FILM.

TO BACK UP YOUR OPERATION:

KABA can supply custom length, pre-loaded, printed cassettes, card inserts, paper labels, Norelco boxes and all other supplies you may need. The system is expandable to keep pace with the growth of your business and all auxiliary equipment such as loaders, on-cassette printers, timers, degaussers, etc. are available from KABA as you need them. Leasing available to qualified parties.

Write or call for details.

* Limited time promotional offer expires September 30, 1989.

**See us at the
AES SHOW
Hilton, 2nd floor**



KABA Research & Development


Toll-Free
800-231-TAPE

From California
(415) 883-5041

24 Commercial Blvd., Suite E, Novato, CA 94949

MUSICITY

**WE'RE THE ONE!
WE HAVE IT ALL!**
SERVING YOU WITH OVER 50 YEARS EXPERIENCE!



**CALL
NOW!**

(800) 673-0565

4416 Johnston St., Bldg. 9A
Lafayette, LA 70503



Circle #039 on Reader Service Card

THE BIG "IF"

IF you're not earning at least \$10,000 a month in your recording studio,

YOU NEED THIS BOOK!



Al Stone's *Complete Business Plan* "could become to studio owners/managers what John Woram's *Recording Studio Handbook* is to engineers"

—Mix Magazine (Dec. 88)



Acct. # _____



Exp: _____

If using Credit Card, your signature please _____

- **IF** you operate a basement 4, 8, or 16-track studio,
- **IF** you're a synthesist with a midi set-up,
- **IF** you're just getting started, or
- **IF** you're running a big room but not making the profits you want

GET YOUR HANDS ON THIS BOOK QUICK!

**CALL OR WRITE FOR
FREE BROCHURE
1-317-776-9909**

Or to order:
Send \$75.00 (plus \$5.00 shipping/handling)

TO:
C.A.S. Productions
377 Hall Court
Noblesville, IN 46060
(Indiana residents add 5% sales tax)

Circle #040 on Reader Service Card

Another player—Duplitrronics of Wheeling, Ill.—has now emerged, with claims of operational speeds up to 256 times real time. Five years of R&D have gone into the project, which evolved from technology developed for the company's planned duplicator for customized cassettes. For a preview I spoke recently with company president Jeff Binder and Bob Scheffler, VP for research and development.

Mix: Before we begin to explore your system, what do you see as the current state of conventional technology for high-speed duplication?

Binder: Up until now, the fastest that has existed for music duplication is the system Gauss just introduced using a standard bin loop running a 3¾ ips master at 96:1. Our quality far exceeds that. They have told me that the real limitation in their process is on the master end, rather than on the slave end. The master is running twice as fast as the slave, but even comparing them at the same speed, the problems inherent in high-speed playback are greater than with high-speed recording. For example, they might not have a problem running slaves at 480 ips from a mechanical or recording standpoint, but there would be a problem running a bin-loop master at 960 ips.

Mix: Describe the equipment you have developed to get around these limitations of the bin-loop master.

Binder: It's a tapeless bin-loop master system. It will run at a ratio [to real time] of up to 256:1, though since the maximum speed for slaves right now is 240 ips, it will only be able to run at 128 times real time (240÷1½). We are calling it the DM-400, which stands for the memory configuration in the standard system, which gives you 48 minutes of RAM. You can upgrade from 48 minutes all the way up to 110 minutes.

Mix: What is the digital format in which the sound data is stored?

Scheffler: It is basically a 44.1kHz sampling rate PCM, like a CD.

Mix: At what rate are the samples being reconverted to analog during duplication?

Scheffler: 5.6 megahertz.

Mix: That must place considerable strain on the accuracy of the D/A converters.

Scheffler: Right. It's practically video

HERE ARE THREE WAYS TO CONVERT CASSETTES TO CASH

- ✓ **Add new profit opportunities** by starting your own high speed tape duplication department.
- ✓ **Increase production** of your current tape duplication department by adding modules as you grow.
- ✓ **Save the money** you're spending on cassettes now. Produce them yourself for only the cost of the tapes.

Telex is the leader in high speed audio tape duplication equipment with products ranging from the compact, economical

Copyette® series to the professional 6120XLP shown here.

The Telex 6120 series provides outstanding audio quality, unlimited expandability and profitable production capabilities. It's available in high production 16X speed or 8X speed for highly critical audio needs.

Hearing is believing
For full details including specifications and a free demo tape, call or write today.



6120 High Speed Duplicator

Telephone 416-431-4975

Telex Communications, Ltd.
705 Progress Av., Unit 10
Scarborough, ONT. M1H 2X1

Name _____
Company _____
Address _____
City _____ Prov _____ Postal Code _____
Telephone _____ MIX 9/89

© 1989 Telex Communications, Inc.



Circle #144 on Reader Service Card

TELEX

- 48 Inputs • 32 Bus
- 96 Inputs in Mix with EQ
- Fully Comprehensive Patch Bay
- Automation Ready

THE NEW
IL4832

SOUNDTRACS

"The most sensitive transparent EQ in the industry"

Visit Sam Ash Professional to audition a fully operational Soundtracs IL4832. See the rest of the Soundtracs Mixing Console line at any Sam Ash store. Prices start at under \$3000 to the \$100,000 range.

Sam Ash
PROFESSIONAL
723 Seventh Avenue (at 48th Street) Third Floor
New York City • (212) 719-2640

©1989 Sam Ash Music Corp.

Circle #036 on Reader Service Card

"Please pass the
Talkback"



Finally...

A high performance infrared remote that activates your talkback from *anywhere* in the control room.

- No aiming necessary
- Easy installation
- Very affordable

Call for more information.



TB-4 Communicator

BRAINSTORM
ELECTRONICS, INC.
(213) 475-7570
1515 Manning Ave. #4
Los Angeles, CA 90024

Circle #037 on Reader Service Card

information at that speed.

Binder: We are using our own modification of some converters that are on the market designed for digital video. Right now we are using 14-bit converters, with two times oversampling. Presently, at 128:1 the quality is so much better than a bin loop at 32:1, at least as good as real time, that you don't need to upgrade. If technology gets to the point where they can run a 480 ips slave and still get good quality, then for doing music at 256:1 you would want to upgrade converters.

Mix: What are the bandwidth and signal-to-noise ratio of the output from the master?

Scheffler: It is full bandwidth throughout the operating range. The S/N ratio is at least 70 to 80 dB, but you couldn't really record that to the slave because you are limited by the cassette itself.

Mix: How long does it take to load the data into the RAM of the master?

Binder: The master is loaded with our BT-100, which is used out on the line with the DM-400. It is actually a video deck with an interface to make it work with all the other parts of the system.

Scheffler: The BT-100 uses videotape to store digital information at very high speed. It's a form of what they call a "VLDS," like they use for backing up computer data. For duplication the signal goes into a solid-state buffer storage inside the DM-400. It takes one minute and 30 seconds to download a full 48-minute program.

Binder: It uses a high-grade VHS cassette that costs only about \$20.

Mix: How does the client's program get recorded onto this tape?

Binder: The client would normally provide the duplicator with a Sony PCM-1610/1630 44.1kHz production master. If the client has not provided a PCM master, you are going to have to actually do the mastering from analog to digital. In either case you start with what we call the MM-100, which is a scaled down DM-400, with very little memory but with a BT-100 and A/D conversion added in. It's a machine that preps all the information to be put on the videotape so it can be loaded quickly from a BT-100 directly into the DM-400. The MM-100 would go in the duplicator's mastering room, and one or more BT-100s would go out on the duplication line. Once you've made a master with the MM-

100, be it from PCM or analog, you store it until you are ready to run it. Then you take it off the shelf, bring it out to the BT-100 on the line and stick it into the deck for high-speed loading into the DM-400, at which time you would be ready to start running your slaves.

Mix: The masters that come in on 1630 are transferred digitally into the BT-100. Will it accept the SDIF output from the back of the 1630?

Scheffler: Normally we use the AES/EBU standard interface, so you would have to have the optional AES board for the 1630. That leaves us open for interfacing with DAT or other types of gear.

Mix: Can you describe the process by which the real-time signal from the 1630 is recorded in a way that allows it to be downloaded into the RAM at high speed?

Scheffler: The 1630 only transfers information at a certain rate, whereas the BT-100 can transfer information a whole lot faster. So instead of running the BT-100 at a real slow speed, which would defeat the purpose, we run it as fast as we can, which allows us to load the DM-400 at the highest possible speed. When you are recording on the BT-100, the recording tape is actually starting and stopping while the 1630 is playing continuously for the whole side or the whole album. The BT-100 puts together a block of information from the 1630, starts the recorder, writes to the videotape and then stops the recorder. While one block is being written, the next is being prepared to be written. So for every 30 seconds of the 1630, the BT-100 might only be running for four or five seconds.

Binder: It is just digital information, so the individual samples, regardless of what speed they go from machine to machine, are still intact.

Scheffler: At the same time, we add all the appropriate control information to the tape so it can control the bin system on the line. That way you don't have to have the operator pushing "play" and "record" and "stop."

Mix: After the operator loads the DM-400 from the BT-100, you are ready to begin recording on the slaves?

Binder: Right. You have as many slaves as you want to hook up to the line. We can run our machine with slaves that are out on the market right now. As I said, currently the fastest

—CONTINUED ON PAGE 186



The C-1: A TRUE point-source Sound System

(A discussion of POWER, CLARITY, and DETAIL)

Maximum POWER

is always desirable for Sound Reinforcement Systems. The C-1 Concert COAX produces over 100 acoustic watts. Almost twice the output of the closest competitor.

CLARITY

born of our very low distortion, large format mid-range device and directivity-controlled horn. Audibly the best way to reproduce the vocal range

Stunning DETAIL

achievable only from signal-aligned coaxial sources

The C-1

is part of the proud tradition of Smart Sound Systems... The proven integration of high-quality transducers with smart electronics

Point source arrays are only possible from TRUE point-sources...

...Get the point?

RENKUS  HEINZ

Smart Systems Division

17191 ARMSTRONG AVENUE IRVINE CALIFORNIA 92714
PHONE (714) 250-0166 FAX (714) 250-1035

Audition the C-1 System at AES in October.

For hot licks and a great mix— do it with a Stylyx!



Get the sounds down right with a new **D&R STYLYX** console. Nothing in its class is sweeter to the ear or easier on the eye than this hot new split format console. **STYLYX** sets the tone; the slick meterbridge and smart gray-on-black chassis are sheer elegance, and a contemporary color scheme allows quick identification of all controls. An extremely compact design allows up to 40 inputs in less than 54 inches.

And beneath those good looks, features like smooth sounding 4 band EQ, super versatile aux section, true stereo input modules, and flexible dual channel subgroup modules make the **STYLYX** a perfect fit for broadcast production, video post production, and sound reinforcement environments. Eight and sixteen track recording studios also benefit from **STYLYX** digital quality specs, balanced

inputs and outputs, custom configurations, and two-year warranty. Call your local **D&R** distributor for more information, or call us at (409) 588-3411.

**D&R STYLYX SERIES
BEYOND COMPARISON**

D&R
mixing consoles

D&R Electronica b.v.
Rijnkade 15B
1382 GS WEESP
Holland


D&R USA
Route 3, Box 184—A
Montgomery, Texas 77356
Telephone: (409) 588-3411
FAX: 409-588-3299

SOUTHERN CALIFORNIA STUDIOS

& NATIONAL BUSINESSPAGES!

Information in the following directory section is based on questionnaires mailed earlier this year and was supplied by those facilities listed. Mix claims no responsibility for the accuracy of this information.

Personnel, equipment, locations and rates may change, so please verify critical information with the companies directly.



The recently redesigned Studio 2 at Cherokee Recording in Hollywood features a new Neve VR60 console with Flying Faders automation and a Mitsubishi X-880 digital tape machine. Originally built 10 years ago, the room is the primary mixing environment at the 5-studio complex. The current monitor system uses all-JBL components and Perreux power amps. Photo: Ron Bennett

CONTENTS

164	LOCATION INDEX
166	BUSINESSPAGES!
169	24+ TRACK
183	16 TRACK
185	2-8 TRACK

Mix listings procedure: Every month, Mix mails questionnaires to recording studios and/or other vital facilities and services for the recording, sound and video production industries. There is a charge to list a Boldface Listing (name, address, contact) and an Extended Listing (equipment, credits, specialization and photo or logo). If you would like to be listed in a Mix Directory, write or call the Mix Directories Department, 6400 Hollis Street #12, Emeryville, CA 94608; toll free 800-344-LIST!

Upcoming Directory Deadlines:

Mastering, Pressing & Tape Duplication Facilities: **September 18, 1989**

Northwest Studios: **October 17, 1989**

Independent Engineers & Producers: **November 16, 1989**

European Production Facilities: **November 16, 1989**

LOCATION INDEX

- CALIFORNIA**
- Agoura Hills**
- 24 Blue Moon Studio 169
- Alhambra**
- 24 Martinsound Recording Studios 175
- Anaheim**
- 16 Star Force Recording, Div. of SF Audio Sound & Recording 183
- Atascadero**
- 24 Sutton Sound Studio 180
- Brea**
- 4 Rising Star Recording 185
- Burbank**
- 24 Wally Burr Recording 169
- 24 EFX Systems 172
- 24 Encore Studios, Inc. 172
- 24 The Enterprise 172
- 24 Evergreen Recording Studios 172
- 24 Juniper Studios 174
- 24 Master Control 175
- 24 RCM Studios 177
- 24 Take One Recording Studios, Inc. 180
- 16 Theta Sound Studio 184
- Canoga Park**
- 24 Rumbo Recorders 177
- Carlsbad**
- 16 Flight 19 183
- Carpinteria**
- 24 Gateway Studios 173
- Chatsworth**
- 24 Cornerstone Recorders 170
- 24 HammerSound Recorders 174
- Claremont**
- 24 Indian Hill Audio/Video 174
- Costa Mesa**
- 24 Golden Goose Recording 173
- Culver City**
- 24 Studio II (affiliate of Indigo Ranch, Malibu) 179
- 16 Sunburst Recording 184
- Cypress**
- 16 Creative Media Recording 183
- El Cajon**
- 24 Fanfare Recording Studios 172
- Fresno**
- 24 Maximus Recording Studios 175
- Fullerton**
- 16 Sound Mixer Recording 183
- Garden Grove**
- 24 The Mixing Lab 176
- Gardena**
- 2 ATM Audio/Visual 185
- Glendale**
- 8 Afterhours Recording Studio 185
- 24 Audio Suite 169
- 24 MIDland 176
- Granada Hills**
- 24 LOVE Productions 175
- 24 Sounder Recording 179
- Hollywood**
- 24 A&M Studios 169
- 24 Andora Studios 169
- 16 Candlewick Productions, Inc. 183
- 24 Capitol Records Studios 169
- 24 Conway Recording Studios 170
- 2 Digiprep (Digital Audio Services) CD Pre-Mastering 185
- 24 Group IV Recording 173
- 24 Image Recording 174
- 16 Kitchen Sync Studios 183
- 24 Music Lab Inc. 176
- 24 NovaStar 176
- 24 Paramount Recording Studios 177
- 24 Radio Recorders 177
- 24 Rusk Sound Studios 177
- 24 Sunset Sound 180
- 24 Sunset Sound Factory 180
- 24 Trax Recording 181
- 24 Voice Over L.A. 182
- 8 Wally's West Recording Services 185
- 24 Waves Sound Recorders 182
- 24 Westbeach Recorders 182
- Huntington Beach**
- 24 Adamo's Recording 169
- 16 MasterSound Studio 183
- Long Beach**
- 16 Sound Graphics Studio 183
- 24 The Toledo Studio 181
- Los Angeles**
- 16 ABC Watermark 183
- 8 AT&T Recording/Duplicating 185
- 16 Buzzy's Recording 183
- 24 Cherokee Recording Studios, Inc. 169
- 24 Rick Conrad Music Productions 170
- 24 Control Center 170
- 24 Digital Sound Recording 170
- 24 Echo Sound Recording 171
- 24 8 Mile Road Studio 172
- 24 FDS Labs/Quad Teck 172
- 24 Fiesta Sound 172
- 24 Galaxy Sound Studios 173
- 24 Hit City West 174
- 24 Indigo Ranch Recording Studio-Malibu ... 174
- 24 Intersound, Inc. 174
- 24 J.E. Sound Production and Entertainment 174
- 24 Lion Share Recording Studios 174
- 24 Mad Hatter Recording Studio 175
- 24 Music Grinder Studios 176
- 16 RCM Productions 183
- 24 Record Plant Inc. 177
- 24 Skip Saylor Recording 178
- 24 7th Street Sound 178
- 24 Silverlake Sound Studio 178
- 24 Soundcastle Recording Studios 179
- 24 Studio 55 179
- 24 Studio Masters 179
- 24 38-Fresh 180
- 24 Westlake Audio 182
- 24 Wildcat Studio 182
- Mission Hills**
- 8 Jamland Studios 185
- Newport Beach**
- 24 Lyon Recording Studio 175
- North Hollywood**
- 24 Jim David's One On One Studio 170
- 24 Devonshire Audio-Video Studios 170
- 24 Dubmaster 171
- 24 Entourage Studios 172
- 24 Flounderdash Productions 172
- 24 Kingsound Studios 174
- 24 Pacifique Recording Studios 176
- 24 Score One Recording, Inc. 178
- 24 Sound Master Audio/Video Studios 178
- 24 That Studio 180
- 24 George Tobin Studios 180
- 24 Track Record, Inc. 181
- Northridge**
- 24 Powerhouse Studios 177
- Orange**
- 24 For the Record 172
- Palm Springs**
- 8 Gillette Recording Services 185
- Pasadena**
- 24 Sound Chamber Recorders 178
- Port Hueneme**
- 8 Sounds Like 185
- Rancho Mirage**
- 24 A & R Recording Services 169
- Redlands**
- 24 Allies Recording Studio (ARS) 169
- Redondo Beach**
- 24 Total Access Recording 181
- Riverside**
- 24 Carrera Recording Studio 169
- 24 Sabre Sound Productions 177
- San Diego**
- 24 Circle Sound Studios 170
- 16 Dober Recording Studio 183
- 24 Hit Single Recording Services 174
- 24 Invincible Productions 174
- 24 The Studio 179
- San Fernando**
- 24 Chameleon Recording 169
- Santa Ana**
- 24 Sound Affair Recording, Ltd. 178
- 16 South Coast Recording Studio 183
- 16 Spot Recording 183
- Santa Barbara**
- 24 Sound Design 178
- 16 Spectrum Studio 183
- 8 Sundial Recording Studio 185
- Santa Maria**
- 16 WaveTech Recording 185
- Santa Monica**
- 24 4th Street Recording 173
- 16 Zacuto Audio 185
- Sherman Oaks**
- 16 Kris Stevens Recording 184
- Simi Valley**
- 24 AKR Recording Studio & Duplication Services 169

STUDIOS

All studio information listed has been supplied to *Mix* by studios responding to questionnaires mailed in April 1989. People, equipment and locations change, so please verify critical information with the studios directly. *Mix* does not take responsibility for the accuracy of the information supplied to us by the studios.


Studio City	
24 Fidelity Studios	172
Tarzana	
24 Can-Am Recorders Inc.	169
Thousand Oaks	
24 R.P.D. Sound (formerly Future Sound)	177
Torrance	
24 Audio Achievements Recording Studio ...	169
Van Nuys	
24 Key Productions	174
16 The Note Factory	183
16 Rotund Rascal Recording	183
24 Salty Dog Recording, aka SDR Studios ...	178
24 Sound City, Inc.	178
24 Stagg Street Studio	179
24 Valley Center Studios	182
24 Westworld Recorders	182
Venice	
24 Mad Dog Studio	175
Ventura	
24 Goldmine Recording Studios	173
West Hollywood	
24 Jingle Bells Production Co.	174
24 Larrabee Sound	174
24 Soundworks West, Ltd.	179
24 Summa Music Group	180
West Los Angeles	
24 The Complex	170
24 Studio Ultimo, Inc.	180
24 The Village Recorder	182
Westlake Village	
24 41-B	173
24 Hallmark Productions	173
Westminster	
24 Headway Studios	174
Woodland Hills	
24 The Studio	179

HAWAII	
Captain Cook	
8 Jags Entertainment	185
Honolulu	
24 Audio Resource Honolulu	169
24 Commercial Recording, Hawaii	170
24 Dolphin Sound	171
24 Fortunate Sun Studio	172
16 The Sidewalk, Inc.	183
2 Studio M Productions Unltd.	185
16 Systems Exclusive Recording	184
Kamuela	
16 West Hawaii Recording	185
Lahaina	
24 Lahaina Sound Recording Studio	174
Mililani	
24 Platinum Recorders Hawaii	177
Pukalani, Maui	
16 Melody Line Productions	183

VACUUM TUBE SIGNAL PROCESSING AT ITS FINEST



• TUBE LEVELING AMPLIFIER
TLA-100A



• DUAL PROGRAM EQUALIZER
EQP-200

• DUAL CHANNEL
PREAMPLIFIER
TPA-200



• DUAL CHANNEL
-10db to 4db
PREAMPLIFIER
WI-200



Summit Audio Inc.

P.O. Box 1678, Los Gatos, California 95031 U.S.A.
408-395-2448 FAX: 408-395-1403

Circle #086 on Reader Service Card

COMPLETE MASTERING SERVICES:

DMM and Lacquer Cutting

COMPLETE DIGITAL SERVICES:

Music Editing, Format Conversion, CD Preparation
NEVE & HARMONIA MUNDI
DIGITAL CONSOLES



kdisc mastering

6550 Sunset Boulevard, Hollywood, California 90028
(213) 466-1323

Circle #087 on Reader Service Card



ECHO SOUND RECORDING

2900 Los Feliz Blvd., Los Angeles, CA 90039 (213) 662-5291

Echo Sound Recording Studios provide professional-quality, cost-efficient recordings services. Studio A: 16-trk & 24-trk. Studio B: 24-trk with new Trident 80C—32 channels of Diskmix ARMS II automation. Studio C: MIDI and 16-trk production. We have provided recording services for Capitol Records, Arista Records, A&M Records, Virgin Music, Ice Capades, *Phantom of the Opera*, various independents and tradeshow. Our new addition, Studio C, is a MIDI production facility offering the producer, arranger and songwriter the latest Mark of the Unicorn *Performer* sequencing software and a selection of MIDI sound sources complete with Fostex 16-trk recorder, console and outboard effects. In-house arranging and production services. Sequenced

tracks may also be transferred and/or synclocked with studios A and B. **Echo Sound Recording** provides a professional, creative environment conveniently located in the Griffith Park area with secure, off-street parking. Our experienced staff engineers strive to have clients work comfortably and efficiently, with emphasis on technical expertise and client satisfaction. **Consoles:** Trident 80B & 80C Diskmix ARMS II Automation. **Main recorders:** Sony/MCI JH-24, Otari MX-80, Sony APR-5003 1/4" and 1/2" 2-trk, Otari MTR-12 2-trk, Sony PCM-2500 DAT. **Main delay systems:** Lexicon 480L; AMS DMX 15-80S; (4) REV7; REV5; (6) SPX90II. **Outboard gear:** API EQ & mic pre's, LA-2A, dbx F900, Orban EQs.

FUTURE DISC SYSTEMS


3475 Cahuenga Blvd. West, Hollywood, CA 90068
(213) 876-8733 FAX: (213) 876-8143

Future Disc Systems provides full digital and analog mastering and complete digital editing for compact disc, record, R-DAT and cassette. **Facility Managers:** Gary Rice and Kim Hahn. **Receptionist:** Laura Gonzales. **Engineers:** Steve Hall, Tom Baker, David Hernandez and Gary McGachan.

Future Disc is comprised of two custom mastering suites. Analog consoles are equipped with Sontec equalizers and compressor/limiters. There are Studer and Ampex tape machines. Cutting lathes are Ortofon and Neumann. The Harmonia Mundi digital console

contains digital equalization, limiting and digital level controls. A full complement of Sony and Harmonia Mundi digital gear can be used to keep your digital product within the digital domain while being processed. We also specialize in digital editing, allowing for creative and exact edits and assembly for your compact disc masters.

We are proud to be involved in the mastering of many major projects, including: *Bobby Brown, Traveling Wilburys, Paula Abdul, Sheena Easton, Karyn White, Tom Petty, and the Jacksons.*



MUSE PRODUCTIONS

PO Box 43, Auburn, AL 36830 (205) 821-0088 FAX: (205) 821-0088

Muse Productions, one of the Southeast's fastest growing sound reinforcement and lighting companies, is now proud to offer *APOGEE Sound Inc.* speaker systems for mains and monitors.

The *APOGEE* 3x3 concert loudspeaker and its attendant 3x3 Dual Channel Processor are an expertly engineered, three-way, tri-amped, electronically coupled speaker system. Designed for very high-power linear output, tight pattern control, warm, musical response and maximum versatility, the 3x3 provides state-of-the-art sound for demanding applications.

The wide range, low-distortion response (53-19 k Hz), coupled with high-power handling capability, allows the speaker to perform superbly as a stand alone unit. Its trapezoidal-shaped enclosure lets it combine smoothly with additional 3x3s to

form large arrays from modular building blocks.

Designed for linear, high-power output, the AE-5 and the AE-6 are capable of handling the most demanding of stage monitor applications. The smooth phase and frequency response enable very high gain-before-feedback levels. The excellent low-frequency output handles drum kits and bass guitar requirements with ease.

The AE-12 Concert Series Subwoofer, designed for large-scale sound reinforcement, perfectly complements and extends the low-frequency range of the *APOGEE* 3x3s and the AE-5s, without coloring the sonic output.

Muse tailors each system to the client's individual needs and staffs them with expert personnel to ensure the best possible performance—show after show.

BusinessPages! ads are available in both 1/4 - and 1/2 - page units; all production costs for ad preparation are included in the low ad rates (including color separations from supplied photo or logo).

For complete information on how your facility can have a low-cost, four-color **BusinessPages!** ad, contact *Mix Directories* toll-free: (800) 344-LIST.

All space reservations and materials are required by the 7th of the month, two months prior to publication.

BUSINESSPAGES!

RUMBO RECORDERS

20215 Saticoy St.
Canoga Park, CA 91306
(818) 709-8080
FAX: (818) 709-4072

ARM, MIDI

Owners: Daryl Dragon, Toni Tennille. **Studio Manager:** Vicky Camblin. **General Manager:** Jim Mancuso. **Engineers:** Shirley Greer, Mike Gunderson, Gina Immel, Jim Mancuso, Julian Stoll, Andy Udoff. Studio A design by Greg Edward. Studio construction by Dave Guth.

Services & Equipment: **Studio A:** 2,200 sq. ft. Control A: 650 sq. ft. **Studio B:** 1,300 sq. ft. Control B: 550 sq. ft. **Consoles:** Studio A: Neve V Series 60-input with Flying Faders Automation. Studio B: Trident Series 80 32x24. **Audio Recorders:** (2) Studer A800 MkIII 24-trk; Studer A820 1/2" master recorder; Ampex ATR-104 1/2" 4-trk; Sony

PCM-2500 DAT; (2) Studer A721; (2) Otari MTR-90 24-trk; Ampex ATR-100 2-trk. **Monitors:** Gauss woofers and TAD drivers with Northwest horns in a custom enclosure; Yamaha NS-10M; Yamaha NS-20; Auratone, Fostex LS-4 with Gauss woofers. **Reverb/Delay:** AMS RMX-16; Eventide H3000 Ultra-Harmonizer; Yamaha REV5; Yamaha SPX1000; Yamaha REV7; (2) SPX90II; EMT 140;

Ecoplate; Lexicon Super Prime Time. **Other Outboard:** Lynx Time Code Synchronization; Drawmer gates; API, Tube-Tech EQs; dbx, UREI, Teletronix and Summit limiter/compressors; Lexicon PCM70; Fostex 4030/4035 synch. **Microphones:** AKG; Beyer; Electro-Voice; Neumann; Neumann Tube (M49, U47); Sennheiser; Schoeps; Shure; Sony.

SABRE SOUND PRODUCTIONS

413 Trabert Circle, Riverside, CA 92507 (714) 784-4280

The Inland Empire's most advanced recording environment, featuring Yamaha, Roland, 360 Systems and Kurzweil instruments, along with powerful music sequencing.

Sabre Sound offers an exceptional staff of experienced producers, arrangers, engineers, musicians and even its own graphic designer.

All projects, from demos to CDs to radio and TV commercials, are given the same careful attention to detail, ensuring the highest quality.

Sabre Sound also offers customized performance tracks in all musical styles for singers and instrumentalists. These carefully arranged tracks are recorded with the artist's total performance needs (styles, keys, tempo) in mind.

Join the list of successful contemporary Christian and other commercial artists who have already utilized **Sabre Sound's** 24-trk studio with its Amek TAC Matchless 64-input console, Otari MX-80 and complete arsenal of outboard gear.

BusinessPages! Services Key

BusinessPages! half-page ads feature a box with letter abbreviations for the types of services the advertiser offers. The key to these business services is as follows:

ARM	Audio Recording, Music	MIDI	MIDI Production
APPV	Audio Post-Production for Video	APPF	Audio Post-Production for Film
VP	Video Production	SDS	Studio Design/Supply
TD	Tape Duplicating	GDP	Record/CD Pressing
CDM	Record/CD Mastering	RLR	Remote/Location Recording
SR	Sound Reinforcement		




Reasons To Subscribe To Mix



Craig Anderton/MI Update

Guitarist, synthesist, electronic music expert Craig Anderton reports on music technology and its effect on the audio, video and film environments. Craig is

also editor of our sister publication, *Electronic Musician*.



Philip De Lancie/After-Mix

With an eye toward new technology and market trends, Phil talks to the engineers, inventors and executives who shape the flow of tapes and discs from mastering room to the consumer.

Mark Herman/SR News

Mix sound reinforcement editor Mark Herman reports each month on concert sound, tour updates, new products, troubleshooting and everything else that goes with "sound on stage."



Mel Lambert/Juxtapositions

Industry veteran and former editor of *Recording Engineer/Producer* Mel Lambert examines trends in audio/video production techniques and applications, with a view to inform, enlighten and connect.



Ken Pohlmann/Insider Audio

Our monthly liaison between the old and the new, and an international authority on digital audio, Ken provides a technical and theoretical overview of the latest

audio developments for the studio.

Stephen St. Croix/Fast Lane

A musician, producer, designer, engineer and resident jack-of-all-trades, Stephen writes each month on futuristic audio concepts and technologies as they apply to the present.



As a *Mix* subscriber, you'll read the observations of these and other top audio professionals each month. And you'll receive the industry's most thorough coverage of new product announcements, studio sessions and profiles of leading producers, engineers and facilities. Turn to *Mix* for useful articles on equipment and applications—designed for you, the working professional. If you're not a *Mix* subscriber, use the application in this issue to become one today!

MIX—TRACKING YOUR FUTURE

MIX THE RECORDING INDUSTRY MAGAZINE

[24+] **A&M STUDIOS**; 1416 N. La Brea Ave., Hollywood, CA 90028; (213) 469-5181. Owner: Herb Alpert, Jerry Moss. Manager: Mark Harvey

[24+] **A & R RECORDING SERVICES**; also *REMOTE RECORDING*; 71906 Hwy. 111; Rancho Mirage, CA 92270; (619) 946-0075. Owner: Scott Seely. Manager: C. Crain.

[24+] **ADAMO'S RECORDING**; 16571 Higgins Cir., Huntington Beach, CA 92647; (714) 842-2668. Owner: Jerry Adamowicz. Manager: Jerry Adamowicz

[24+] **AKR RECORDING STUDIO & DUPLICATION SERVICES**; 4313 Valley Fair St.; Simi Valley, CA 93063; (805) 527-4479. Owner: Dan Clements, Alvin Radley. Manager: Dan Clements

[24+] **ALLIES RECORDING STUDIO (ARS)**; 711 E. Cypress Ave.; Redlands, CA 92374; (714) 798-7375. Owner: Randy Thomas, Fred Tedesco. Manager: Randy Thomas

[24+] **ANDORA STUDIOS**; 3249 Cahuenga Blvd. W.; Hollywood, CA 91068; (213) 851-1244. Owner: Andora Inc. Manager: Todd G. Wilson. Engineers: Robert Saicedo, Edward Preciado, Todd Wilson. Dimensions: Room 1: studio 1600-sq-ft w/22' ceiling, control room 1000-sq-ft. Room 2: studio 500-sq-ft. Mixing Consoles: Neve 8078A w/Massenburg automation, Neve VR Series 72 channels w/Total Recall and Flying Fader automation. Audio Recorders: (2) Ampex ATR-102, (2) MCI JH-110 4-track, (4) Studer A827/24, (4) Studer A820/2. Cassette Recorders/Duplicators: (4) Nakamichi MR-1, Sony R-DAT-25000. Synchronization Systems: (6) Time-Line Lynx w/cables. Echo, Reverb & Delay Systems: EMT 251 reverb w/250 PROMS, (2) EMT TS-140 stereo plate reverb, (2) Eventide H3000, Lexicon 224XL, (2) Lexicon 480L, (3) Lexicon PCM42, (2) Lexicon PCM70, (2) TC Electronic 2290 sampler delay, Yamaha REV1, (2) Yamaha REV5, (2) Yamaha SPX90, (2) Roland SDE-3000 delay. Other Outboard Equipment: (1) 2) Aphex 602 gate, (2) dbx 162 stereo comp/limiter, (2) dbx 165 comp/limiter, (6) dbx 903 de-esser, (2) Tubetech LA-2A limiter, (2) Tubetech CL-1A tube limiter, (2) Tubetech MEQ-5 equalizer, (2) Tubetech MP-1A stereo tube mic pre, (2) Tubetech PEQ-1B equalizer, (2) UREI 527 1/2-octave graphic EQ, (4) UREI 1176LN limiter, (2) UREI LA-3A, (2) UREI LA-4A, (4) White Instruments 4004 1/2-octave equalizer. Microphones: (200) Neumann, AKG, Sennheiser, RCA, Sony, Telefunken, Shure. Monitor Amplifiers: (3) Adcom G-545 (cue), (6) Adcom G-555 (main and surrounds), (2) Brynton Audio crossover. Monitor Speakers: (4) Auratone 5B, (6) TAD custom, (2) Electro-Voice Sentry 100A, (2) Tannoy SRM-12B, (2) Visonik David 702, (6) Yamaha NS-10. Musical Instruments: Sequential Circuits Prophet-VS synth, Yamaha DX7 keyboard, (2) Yamaha TX816 synth rack, Linn 9000 drum computer, Oberheim Matrix-12, Hammond B-3 w/Leslie 122. Video Equipment: JVC 8200 VR VHS recorder/player, Sony 5850 3/4" VTR, Sony BVU-800 3/4" VTR, (6) Sony PVM 19" monitor, (3) Sony PVM 25" monitor. Other: (2) Adcom GCD-650 CD player.

[24+] **AUDIO ACHIEVEMENTS RECORDING STUDIO**; also *REMOTE RECORDING*; 1327 Cabrillo Ave.; Torrance, CA 90501; (213) 320-8100. Owner: Audio Achievements, a Cal Corp. Manager: Donovan



AUDIO RESOURCE HONOLULU
Honolulu, HI

[24+] **AUDIO RESOURCE HONOLULU**; also *REMOTE RECORDING*; Century Center, 1750 Kalakaua; Honolulu, HI 96826; (808) 944-9400. Owner: Tony Hugar, Milan Bertosa.

[24+] **AUDIO SUITE**; 1110 A W. Glenoaks Blvd.; Glendale, CA 91202; (818) 241-9090. Manager: Eric Sclar

[24+] **BLUE MOON STUDIO**; 28205 Agoura Rd.; Agoura Hills, CA 91301; (818) 889-8920. Owner: Joe Vannelli, Gina Vannelli. Manager: Diane Ricci.

24+ TRACK

STUDIOS

[24+] **WALLY BURR RECORDING**; 1126 N. Hollywood Way, Ste. 203, Burbank, CA 91505; (818) 845-0500. Owner: Wally Burr. Manager: Ellen Burr. Dimensions: Room 1: studio 25 x 32, control room 16 x 20. Room 2: studio 14 x 17, control room 12 x 17. Mixing Consoles: Quad Eight Coronado 32 x 24, Ramsa 20 x 8. Audio Recorders: 3M M79 24-track 2", 3M M79 4-track 1/2", (2) 3M M79 2-track 1/4", Fostex E-16 16-track 1/2", Fostex E-22 2-track 1/4" w/center-track time code. Noise Reduction Equipment: Dolby SR, Dolby A. Synchronization Systems: Q Lock and Fostex w/JVC 850-U 3/4" video-for-picture reference. Echo, Reverb & Delay Systems: Lexicon 224, SPX90. Other Outboard Equipment: Orban parabolic equalizer, UREI "Little Dipper," Aphex Aural Exciter, (2) dbx Limiter. Monitor Speakers: (2) UREI 813A, (4) JBL 4311. Other: Emulator II+ Specialization & Credits: Wally Burr Recording's two rooms have provided special facilities and expert engineering for hundreds of animated shows (CBS-TV's *The Muppet Babies*, *Rude Dog*, NBC-TV's *Kissy Fur*, ABC-TV's *The Real Ghostbusters* as well as top syndicated series, including *G.I. Joe*, *Transformers*, *Jem* and many others. Also, we supply post-production audio for both TV and film, including ADR and Foley for features and TV. Recent English language dubbing (ADR) and subsequent remixing of foreign films including *Babette's Feast*, *Au Revoir Les Enfants*, *My Life as a Dog* and *Women on the Verge of a Nervous Breakdown*.

[24+] **CAN-AM RECORDERS INC.**; 18730 Oxnard St.; Tarzana, CA 91356; (818) 342-2626. Owner: Can-Am Corp. Manager: Larry A. Cummins.



CAPITOL RECORDS STUDIOS
Hollywood, CA

[24+] **CAPITOL RECORDS STUDIOS**; also *REMOTE RECORDING*; 1750 N. Vine St.; Hollywood, CA 90028; (213) 462-6252. Owner: Thorn-EMI. Manager: Sharon Swab. Engineers: Peter Doell, Charlie Paakkari, Leslie Ann Jones, Wally Traugott, Eddy Schreyer, Jeff Minnich. Dimensions: Studio A 47 x 44, control room 25 x 25. Studio B 33 x 31, control room 20 x 22. Studio C 10 x 12, control room 18 x 22. Mixing Consoles: Neve VR Series 60 x 48 w/Flying Fader automation, Neve 8068 32 x 16, Neve 8108 48 x 32, Studer 900 12 x 4, (2) Sony 1105-K 8 x 12 digital, (2) Sony MXP-2000. Audio Recorders: Studer A800 24-track, Studer A80 24-track, (3) Studer A820 2-track, (12) Ampex ATR-100 2/4-track 1/4" and 1/2", (8) Sony BVU-800 2-track digital, (2) JVC 8200/BP90 2-track w/editor, (6) Sony DMR-4000 2-track, pro and non-pro DATs. Cassette Recorders/Duplicators: Panasonic SV-3500 DAT, Yamaha C300, Awa 660, Awa 770. Noise Reduction Equipment: Dolby A, Dolby SR. Synchronization Systems: (8) Time-Line Lynx Echo, Reverb & Delay Systems: (8) live echo chamber, EMT 250, (4) Yamaha REV7. AMS digital delay, AMS reverb, (2) EMT 140 plate, (2) Lexicon Super Prime Time, (3) Roland 3000, (2) Roland SRV-2000, (2) Yamaha SPX90, (2) Yamaha SPX90II, (3) Eventide 949, Eventide 910. TC Electronic 2290, (2) Roland DEP-5. Other Outboard Equipment: (2) Studio Technologies stereo simulator, Kepex II gate, Drawmer gate, ITI parametric EQ, (2) Trident parametric EQ, (5) Neve 8078 EQ, dbx 900 de-esser, NTP-200 for disc mastering, (7) Pultec EQ, various tube and solid-state limiters. Microphones: Over 200 including classic Neumann, AKG,

Sennheiser, Shure. Monitor Amplifiers: Hatler modified. Monitor Speakers: UREI, George Augspurger, TAD, JBL custom 2-way. Musical Instruments: Yamaha 9' concert grand piano, Steinway 7' grand piano, Hammond B-3. Other MIDI Equipment: Sony DAE-1100A digital editor, Harmonia Mundi digital processor, Yamaha F1 Beta and VHS decks, 601 digital processor/co-processor, de-glitcher. Video Equipment: 1/2" and 3/4" video duplication capability. Specialization & Credits: We are in the process of a multimillion dollar remodeling, which includes total reconstruction and renovation of Studio A. Equipped with a Neve VR60 with Flying Faders automation, Studio A will be approximately 1400 square feet and will feature two isolation booths, one 150 square feet and the other 57 square feet. In addition, expansion of Studio A into Studio B will be possible by opening the isolation partitions. The control room will incorporate MIDI, video and computer distribution lines as well as ultra-low capacitance audio wiring and both high-power cue and self-mix cue capability. By using the ancillary rooms of Studio A, added isolation of instruments can be achieved. Call us for an opening date in late 1989. Capitol Records Studios also offers disc mastering and has complete digital editing facilities.

[24+] **CARRERA RECORDING STUDIO**; 1504 Columbia, Ste. 3; Riverside, CA 92507; (714) 784-5777. Owner: Armi Atli, Tony Shepperd, P.C. Atli. Manager: Armi Atli, Tony Shepperd. Engineers: Tony Shepperd, independents welcome. Dimensions: Studio 26 x 30, control room 24 x 28. Mixing Consoles: Neve 8232 32 x 24 64 inputs on mix. Audio Recorders: Sony JH-24 24-track, Otari MX-70 16-track, Sony PCM-2500 2-track R-DAT, Otari 5050B 2-track. Cassette Recorders/Duplicators: (2) Nakamichi MR-2. Noise Reduction Equipment: Dolby SR. Synchronization Systems: Time-Line Lynx Echo, Reverb & Delay Systems: Lexicon 480L, (2) Lexicon PCM70, Yamaha REV7, (2) Yamaha SPX90. Other Outboard Equipment: (2) dbx 160X compressor/limiter, (4) Drawmer noise gate, UREI compressor/limiters. Microphones: Neumann TLM170i, Neumann KM84, Neumann U87, AKG 414, AKG "The Tube," Shure SM57, Sennheiser 421. Monitor Amplifiers: HH Electronic V-500, (3) HH Electronic V-200. Monitor Speakers: Westlake BB5M-15, Yamaha NS-10M studio, E-V Sentry 100, Auratone. Musical Instruments: New England Digital Synclavier, Moog Minimoog, Wendel jr., Alesis HR-16, Steinway B grand, Yamaha TX802, Roland Octapad, Roland D-550. Video Equipment: Sony 5850 3/4" video, Sony 27" video monitor. Rates: Ten-hour day \$1,100, lockout 24-track and Synclavier.

[24+] **CHAMELEON RECORDING**; 216 Chatsworth Dr.; San Fernando, CA 91340; (818) 361-9232. Owner: Joe Branam. Manager: Chuck Fetyko. Engineers: Chuck Fetyko, Jane McCord, Scott Greer, Willie Levins. Dimensions: Room 1: studio 1320-sq-ft, control room 525-sq-ft. Mixing Consoles: Trident Series 80B 56-input. Audio Recorders: Otari MTR-90 24-track, Otari MX-80 24-track, Otari MTR-12 2-track. Cassette Recorders/Duplicators: (6) Yamaha, Nakamichi. Synchronization Systems: Adams-Smith Zeta-3 w/remote. Echo, Reverb & Delay Systems: Lexicon 480L, Lexicon 224, Lexicon PCM70, Yamaha SPX1000, (2) Yamaha SPX90II, Yamaha REV7. TC Electronic 2290, Lexicon PCM42, Lexicon PCM41, Ibanez DM2000, DeltaLab ADM 2048, Eventide H910 Harmonizer. Other Outboard Equipment: (8) Drawmer DS-201 gate, (4) Aphex gate, (4) dbx gate, (8) dbx compressor/limiter, UREI 1117 limiter, (4) Aphex compressor/limiter, (2) Aphex Aural Exciter, (4) Orban parametric EQ, (4) Aphex parametric EQ. Microphones: (50) huge microphone selection. Monitor Amplifiers: (6) Perreux. Monitor Speakers: (2) TAD custom speaker system, (4) Yamaha NS-10M, (2) Tannoy LM6, (2) Auratone. Musical Instruments: Large selection of keyboards. Other MIDI Equipment: Akai S900 sampler w/ASK90 trigger update, many sequencers and drum machines. Video Equipment: Lockup. Other: Base Spatial processor, Yamaha 9' grand piano w/MIDI, in-house rehearsal stage w/tulip P.A. and monitor system, (5) iso booth.

[24+] **CHEROKEE RECORDING STUDIOS, INC.**; 751 N. Fairfax Ave.; Los Angeles, CA 90046; (213) 653-3412. Owner: The Robbs. Manager: Susan Donaldson. Engineers: Dee Robb, Joe Robb, Bruce Robb. Dimensions: Room 1: studio 32 x 52, control room 32 x 23. Room 2: studio 14 x 14, control room 44 x 15. Room 3: studio 23 x 16, control room 13 x 33. Room 4: studio 12 x 8, control room 16 x 12. Mixing Consoles: Custom Cherokee 72 x 24, Neve VR w/Recall and Flying Faders automation 60 x 48, (2) Trident "A" range 60 x 24.

—CONTINUED ON NEXT PAGE

24+ TRACK

—CONTINUED FROM PREVIOUS PAGE



MAXIMUS RECORDING STUDIOS
Fresno, CA

Crown PS-200 Monitor Speakers: (2) George Augspurger custom, (2) Electro-Voice Sentry 500, (4) Electro-Voice Sentry 100, (5) Auratone 5C, Yamaha NS-10M, Altec 604, Fostex RM780 Musical Instruments: E-mu Emulator E-III, E-mu Emulator E-II, Yamaha DX7, Roland D-550, Roland D-110, Roland MT-32, Yamaha TX802, Yamaha TX7, Kawai K-1, Oberheim Expander, E-mu Emulator SP-12, E-mu Emulator Drumulator, Alesis HR-16 Video Equipment: Full synchronous lockup to Sony 1" or Sony 3/4". Specialization & Credits: After glancing through this listing you're probably saying to yourself, "Fresno?!!? You have a studio like this in Fresno? I thought that Fresno was only warm summers and Dancing Raisins!" Actually, Fresno is a convenient, cost-effective place to record anything from film scores to broadcast production work to anything in between. Maximus serves clients from all over the country who find that working in Fresno gives them quicker turn-around than major metropolitan market studios at a fraction of the cost with no compromise in quality. We are able to offer our high-profile clients more freedom than in large-market studios. We combine large-market quality with a small-market profile to avoid the hassles and delays from outside distractions (or over-zealous media).

[24+] MIDILAND: 1615 Rancho Ave., Glendale, CA 91201; (818) 507-7982. Owner: Chris Page. Manager: Scott Cochran. Engineers: Scott Cochran, David Hentschel, Chris Page. Dimensions: Studio 12 x 24, control room 20 x 20. Mixing Consoles: Trident Series 65 40 x 24 w/custom patch bay, Hill 16 x 16 w/4 effect sends, Roland 16 x 16 w/4 effect sends. Audio Recorders: MCI 24-track w/autolocator III, Studer B67 2-track 1/4", Ampex 4-track 1/2" (on request), Sony 500 DAT. Cassette Recorders/Duplicators: (2) Awa F770. Noise Reduction Equipment: (2) Dolby SR (on request). Synchronization Systems: Fostex Echo, Reverb & Delay Systems: AMS DMX 15-80 digital delay, AMS DM 220 stereo flanger, Lexicon 224 digital reverb, Lexicon PCM70, Yamaha SPX90, Yamaha REV7, Korg SDE-3000, DeltaLab DL5 harmonizer, Dytronics CS5 stereo tri-chorus, Marshall 5002 times modulator, Barth Vocoder, Dynachord DRP-20. Monitor Amplifiers: BGW, Audiotronics. Monitor Speakers: (2) UREI 809A, (2) Yamaha NS-10, (2) Auratone. Musical Instruments: Yamaha C7EPE 7'4" MIDI concert grand piano, Greengate DS4 16-bit sampler w/24 secs of memory, Roland S-50 sampler, Emulator sampler, Yamaha DX7, (2) Yamaha TX7, Roland Jupiter-8, Roland D-550, Sequential Circuits Prophet-VS, Roland MKS-70, Roland MKS-20, 360 Systems Midi Bass, LinnDrum II w/MIDI and 32k chips, Korg M-1, Kurzweil PX+, Kurzweil SX1000, Moog MIDImoog, Ensoniq EPS sampler, Roland R-8 drum machine, Octapad II. Other MIDI Equipment: Macintosh SE (radius 80-meg HD), Performer 2.3, Linn sequencer, (2) Zaphod 4 x 8 MIDI switchers, Garfield Dr Click. Video Equipment: JVC VR-7700, Fostex 4030/4035 (sync lockup), Mitsubishi 26" monitor. Other: Extensive sound libraries for all computers and synths. Rates: Please call for rates. Chris Page resident producer/composer.

[24+] THE MIXING LAB: 11542 Knott Ave., Ste. 9, Garden Grove, CA 92641; (714) 373-0141. Owner: Jim Kempner. Manager: Doug Beiden. Engineers: Dave Jahnsen, Eric Kibbe, Doug Beiden, Beth Wisner. Dimensions: Room 1: studio 30 x 17, control room 18 x 25. Room 2: studio 13 x 11, control room 18 x 15. Mixing Consoles: Harrison modified 40/32 w/full MegaMix automation, Harrison modified 32/32 w/full MegaMix automation. Audio Recorders: MCI JH-24 24-track, MCI JH-16 24-track, Otari MTR-12 2-track. (2) Panasonic

SV-3500 R-DAT. Cassette Recorders/Duplicators: (2) Yamaha C300 stereo, Yamaha K520 stereo. Synchronization Systems: SMPTE/MIDI converter system based on Atari Echo, Reverb & Delay Systems: Lexicon 480L digital effects system, Lexicon PCM70 digital effects processor, Lexicon 200 digital reverb, Lexicon PCM42 digital delay, Eventide H3000 Ultra-Harmonizer, AMS RMX 16 digital reverb, AMS DMS 15-80S stereo digital delay, Yamaha D1500 digital delay, Yamaha SPX90II, Yamaha SPX90, Alesis XT C digital reverb, Alesis XT digital reverb. Other Outboard Equipment: Yamaha DMP11 digital mixing processor, Yamaha DEQ7 digital equalizer, (3) Aphex expander/gate, (2) Aphex Compeller, Aphex Dominator, Symetrix 544 quad expander/gate, (2) dbx 160A comp/limiter, (2) dbx 160 compressor, UREI peak limiter, (2) UREI LA-3A leveling amp, (4) Valley People Kepex II gate, Valley People de-esser, Roland M160 line mixer. Microphones: (10) Shure SM57, (2) Shure SM81, Neumann TLM170, (2) Neumann U87, (4) AKG 414EB, (2) AKG 454C, (2) AKG 452, AKG tube, (5) Sennheiser 421, (3) Electro-Voice RE20. Monitor Amplifiers: (3) QSC MX1500, QSC 1200, Crown DC-300A, Quad Eight 303, Yamaha P2200, Yamaha P2201. Monitor Speakers: (2) Westlake Audio BBSM-15, (2) Westlake Audio Sierra S-15, (2) Westlake Audio BBSM-6, (4) Yamaha NS-10M. Musical Instruments: Yamaha C7 conservatory grand piano, E-mu Emu sampler. Other MIDI Equipment: Hybrid Arts ADAP.

[24+] MUSIC GRINDER STUDIOS: 7460 Melrose Ave., Los Angeles, CA 90046; (213) 655-2996; FAX: (213) 655-2344. Owner: Gary Skardina, Ron Filecia. Manager: Ron Filecia.

[24+] MUSIC LAB INC.: 1831 Hyperion Ave., Hollywood, CA 90027; (213) 666-3003. Owner: Chaba Mehes. Manager: David Missall.



NOVASTAR
Hollywood, CA

[24+] NOVASTAR: 6430 Sunset Blvd., 14th Fl., Hollywood, CA 90028; (213) 467-5021; FAX: (213) 465-8750. Owner: Greg Geddes, Bob Sky. Manager: Greg Geddes. Engineers: Greg Geddes, Scott Fraser, James Geddes, Bob Sky. Dimensions: Studio A 16 x 12, control room 21 x 20. Studio B 28 x 34. Mixing Consoles: Tascam Model 600 32 x 16 x 32 x 70 (+4 balanced). Audio Recorders: All digital formats available on request 2/24/32-track, all analog formats available on request 2/4/8/16/24/32-track, Tascam ATR-6016 16-track seamless/gapless 1". Sony PCM-701ES 2-track digital, Otari 5050 2-track w/center-track time code, Technics 1520 2-track. Cassette Recorders/Duplicators: (2) Awa HX-Pro, TEAC high-speed dub. Noise Reduction Equipment: All noise reduction formats available on request, dbx 16-channel, dbx 2-channel. Synchronization Systems: (3) Tascam ES-50, Tascam ES-51 controller. Echo, Reverb & Delay Systems: All signal processing boxes available on request, (3) Alesis Microverb, Alesis MIDverb, Alesis MIDverb II, (2) DigiTech DSP-128, Effectron digital delay. Other Outboard Equipment: UREI 1176 limiter, (2) UREI LA-3A limiter stereo ganged, Eventide Omnipressor, (8) API 550A EQ, (8) Jensen custom mix pre-amp, SAE stereo graphic EQ, Burwen dynamic noise filter (stereo), Allison Research 36 db/oct filter set, (4) Audio Logic noise gate, Aphex Aural modifier (stereo). Microphones: Neumann U87, Stephen Paul modified, Neumann U87, (3) Neumann KM84, (3) Sennheiser MD-421, (2) AKG 224, (4) Shure SM58, Countryman EM101, (2) AKG C-451, (2) Crown PZM, (3) Sennheiser 404. Monitor Amplifiers: Adcom 555 Pro, BGW 750, (2) Crown D-60, Crown DC-300A. Monitor Speakers: (2) Altec 604 w/Mastering Lab crossover, (2) Yamaha NS-10, (2) Auratone cube. Musical Instruments: E-mu Emulator II sampler, E-mu SP-12 drum sampler, Korg DSM-1 sampler, Yamaha TX7 synth, Yamaha TX812 synth, Roland D-550 synth. Other MIDI Equipment: IVL Pitchrider (wind and brass) pitch to voltage to MIDI, Southworth Jam Box/4+, J.L. Cooper PPS-1 time code, (2) MX-8 processor. Video Equipment: (2) Sony BVH-3000 1" recorder, (2) Sony BVU-850 3/4" recorder, (2) Panasonic AG-1950 1/2" VHS recorder, Panasonic AG-95 edit controller. Other: Macintosh IIX w/4MB memory and 80MB internal drive, Sound Tools digital hard disk recorder, Digi-design Cue Sheet edit decision list to MIDI, Passport Master

Tracks Pro, Mark of the Unicorn Performer, (3) Opcode editor/librarian for DX, D-550, TX812, Blank Drum File SP-12. Librarian Specialization & Credits: Novastar is uniquely situated within Bonneville Satellite Communications newly constructed state-of-the-art multimedia environment with 1" C video, 4-camera insert stage, edit bay, direct satellite link and phone matrix system for live teleconferencing. Novastar can supply you with audio expertise and capability for any audio post need. Specializing in sweetening, synchronizing audio-tape (conforming), ADR, voice-over, original music, sound FX creation, as well as the all important audio fix and layback. We have a firm commitment to the Macintosh II with a host of programs using MIDI and digital audio. Integrated with a complete understanding of conventional audio solutions giving you a cost-effective, quality product. Novastar is available by appointment on a 24-hour basis with security parking, full kitchen, green room, conference room and FAX. Our staff experience includes syndication, film, video, location recording, music production, archival restoration and commercial production.



PACIFIQUE RECORDING STUDIOS
North Hollywood, CA

[24+] PACIFIQUE RECORDING STUDIOS: 10616 Magnolia Blvd., North Hollywood, CA 91601; (818) 761-8042. Owner: Vasken Inc. Manager: Joe Deranteriasian. Engineers: Ken Deranteriasian, Dennis Moody. Dimensions: Room 1: studio 35 x 30, control room 25 x 25. Room 2: studio 20 x 20, control room 25 x 25. Mixing Consoles: Neve V Series 60 60-input, Trident 80B 32-input. Audio Recorders: Studer A820 24-track, Otari MTR-90 II 24-track, Studer A820 2-track 1/2", Otari MTR-12 2-track 1/2", Otari MTR-12 2-track 1/4". Cassette Recorders/Duplicators: (2) Nakamichi MR-1. Synchronization Systems: Adams-Smith Echo, Reverb & Delay Systems: Lexicon 224XL, AMS RMX 16, (3) Lexicon PCM70, (4) Roland SRV-2000, (3) Yamaha SPX90, Yamaha REV7, Lexicon Prime Time, Roland SDE-3000, (2) TC Electronic 2290, (2) Eventide H3000. Other Outboard Equipment: (5) Kepex II noise gate, (5) dbx 160X, dbx 165A, (3) UREI 1176, Teletronix LA-2A, (2) Urban Microphones: Neumann TLM170, Neumann U89, Neumann U87, AKG 414, AKG 460, Neumann KM84, Sennheiser 421, AKG D-12, AKG 224, Shure SM81, Shure SM57, E-V RE20. Monitor Amplifiers: Crown, Perreaux, Forte. Monitor Speakers: JBL 4435, Yamaha NS-10, Tannoy. Musical Instruments: Yamaha DX7, Roland S-50, Yamaha RX5. Rates: On request. Specialization & Credits: In the two years we've been open, we have managed to attract some of the world's finest recording artists, including: The Jets, George Benson, The Desert Rose Band, The Whispers, Maurice White, Dweezil Zappa, Debbie Reynolds, Brandon Fields, Free Flight, The Fowler Brothers, Osamu Kitajima, Luca Mendes, Ned Neilson, Ute Lumper, Jun Yamagishi, Temptations, Tracy Spencer.



PARAMOUD RECORDING STUDIOS
Hollywood, CA

[24+] **A&M STUDIOS**; 1416 N. La Brea Ave., Hollywood, CA 90028; (213) 469-5181. Owner: Herb Alpert, Jerry Moss. Manager: Mark Harvey

[24+] **A & R RECORDING SERVICES**; also *REMOTE RECORDING*; 71906 Hwy. 111; Rancho Mirage, CA 92270; (619) 346-0075. Owner: Scott Seely. Manager: C. Crain

[24+] **ADAMO'S RECORDING**; 16571 Higgins Cir., Huntington Beach, CA 92647; (714) 842-2668. Owner: Jerry Adamowicz. Manager: Jerry Adamowicz

[24+] **AKR RECORDING STUDIO & DUPLICATION SERVICES**; 4313 Valley Fair St., Simi Valley, CA 93063; (805) 527-4479. Owner: Dan Clements, Alvin Radley. Manager: Dan Clements

[24+] **ALLIES RECORDING STUDIO (ARS)**; 711 E. Cypress Ave.; Redlands, CA 92374; (714) 798-7375. Owner: Randy Thomas, Fred Tedesco. Manager: Randy Thomas

[24+] **ANDORA STUDIOS**; 3249 Cahuenga Blvd. W.; Hollywood, CA 91068; (213) 851-1244. Owner: Andora Inc. Manager: Todd G. Wilson. Engineers: Robert Salcedo, Edward Preciado, Todd Wilson. Dimensions: Room 1 studio 1600-sq-ft. w/22' ceiling, control room 1000-sq-ft. Room 2: studio 500-sq-ft. Mixing Consoles: Neve 8078A w/Massenburg automation, Neve VR Series 72 channels w/Total Recall and Flying Fader automation. Audio Recorders: (2) Ampex ATR-102, (2) MCI JH-110 4-track, (4) Studer A827/24, (4) Studer A820/2. Cassette Recorders/Duplicators: (4) Nakamichi MR-1, Sony R-DAT-25000. Synchronization Systems: (6) Time-Line Lynx w/cables Echo, Reverb & Delay Systems: EMT 251 reverb w/250 PROMS, (2) EMT TS-140 stereo plate reverb, (2) Eventide H3000, Lexicon 224XL, (2) Lexicon 480L, (3) Lexicon PCM42, (2) Lexicon PCM70, (2) TC Electronic 2290 sampler delay, Yamaha REV1, (2) Yamaha REV5, (2) Yamaha SPX90, (2) Roland SDE-3000 delay. Other Outboard Equipment: (12) Aphex 602 gate, (2) dbx 162 stereo comp/limiter, (2) dbx 165 comp/limiter, (6) dbx 903 de-esser, (2) Teletronix LA-2A limiter, (2) Tubetech CL-1A tube limiter, (2) Tubetech MEQ-5 equalizer, (2) Tubetech MP-1A stereo tube mic pre, (2) Tubetech PEQ-1B equalizer, (2) UREI 527 1/2-octave graphic EQ, (4) UREI 1176LN limiter, (2) UREI LA-3A, (2) UREI LA-4A, (4) White Instruments 4004 1/2-octave equalizer. Microphones: (200) Neumann, AKG, Sennheiser, RCA, Sony, Telefunken, Shure. Monitor Amplifiers: (3) Adcom G-545 (cue), (6) Adcom G-555 (main and surrounds), (2) Briston Audio crossover. Monitor Speakers: (4) Auratone 5B, (6) TAD custom, (2) Electro-Voice Sentry 100A, (2) Tannoy SRM-12B, (2) Visonik David 702, (6) Yamaha NS-10. Musical Instruments: Sequential Circuits Prophet-VS synth, Yamaha DX7 keyboard, (2) Yamaha TX816 synth rack, Linn 9000 drum computer, Oberheim Matrix-12, Hammond B-3 w/Leslie 122. Video Equipment: JVC 8200 VR VHS recorder/player, Sony 5850 3/4" VTR, Sony BVU-800 3/4" VTR, (6) Sony PVM 19" monitor, (3) Sony PVM 25" monitor. Other: (2) Adcom GCD-650 CD player

[24+] **AUDIO ACHIEVEMENTS RECORDING STUDIO**; also *REMOTE RECORDING*; 1327 Cabrillo Ave.; Torrance, CA 90501; (213) 320-8100. Owner: Audio Achievements, a Cal Corp. Manager: Donovan



AUDIO RESOURCE HONOLULU
Honolulu, HI

[24+] **AUDIO RESOURCE HONOLULU**; also *REMOTE RECORDING*; Century Center, 1750 Kalakaua; Honolulu, HI 96826; (808) 944-9400. Owner: Tony Hugar, Milan Bertosa

[24+] **AUDIO SUITE**, 1110 A W. Glendoaks Blvd.; Glendale, CA 91202; (818) 241-9090. Manager: Eric Sclar

[24+] **BLUE MOON STUDIO**; 28205 Agoura Rd.; Agoura Hills, CA 91301; (818) 889-8920. Owner: Joe Vannelli, Gino Vannelli. Manager: Diane Ricci

S O U T H E R N C A L I F O R N I A

24+ TRACK

STUDIOS

[24+] **WALLY BURR RECORDING**; 1126 N. Hollywood Way, Ste. 203; Burbank, CA 91505; (818) 845-0500. Owner: Wally Burr. Manager: Ellen Burr. Dimensions: Room 1 studio 25 x 32, control room 16 x 20. Room 2 studio 14 x 17, control room 12 x 17. Mixing Consoles: Quad Eight Coronado 32 x 24, Ramsa 20 x 8. Audio Recorders: 3M M79 24-track 2", 3M M79 4-track 1/2", (2) 3M M79 2-track 1/4", (4) JBL 4311. Other: Emulator II+ Specialization & Credits: Wally Burr Recording's two rooms have provided special facilities and expert engineering for hundreds of animated shows (CBS-TV's *The Muppet Babies*, *Rude Dog*, NBC-TV's *Kissy Fur*, ABC-TV's *The Real Ghostbusters* as well as top syndicated series, including *G.I. Joe*, *Transformers*, *Jem* and many others. Also, we supply post-production audio for both TV and film, including ADR and Foley for features and TV. Recent English language dubbing (ADR) and subsequent remixing of foreign films include *Babette's Feast*, *Au Revoir Les Enfants*, *My Life as a Dog* and *Women on the Verge of a Nervous Breakdown*

[24+] **CAN-AM RECORDERS INC.**; 18730 Oxnard St.; Torrance, CA 91356; (818) 342-2626. Owner: Can-Am Corp. Manager: Larry A. Cummins



CAPITOL RECORDS STUDIOS
Hollywood, CA

[24+] **CAPITOL RECORDS STUDIOS**; also *REMOTE RECORDING*; 1750 N. Vine St., Hollywood, CA 90028; (213) 462-6252. Owner: Thorn-EMI Manager: Sharon Swab. Engineers: Peter Doell, Charlie Paakkari, Leslie Ann Jones, Wally Traugott, Eddy Schreyer, Jeff Minnich. Dimensions: Studio A 47 x 44 control room 25 x 25. Studio B 33 x 31, control room 20 x 22. Studio C 10 x 12, control room 18 x 22. Mixing Consoles: Neve VR Series 60 x 48 w/Flying Fader automation, Neve 8068 32 x 16, Neve 8108 48 x 32, Studer 900 12 x 4, (2) Sony 1105-K 8 x 12 digital, (2) Sony MXP-2000 Audio Recorders: Studer A800 24-track, Studer A80 24-track, (3) Studer A820 2-track, (12) Ampex ATR-100 2/4-track 1/4" and 1/2", (8) Sony BVU-800 2-track digital, (2) JVC 8200/BP90 2-track w/editor, (6) Sony DMR-4000 2-track, pro and non-pro DATs. Cassette Recorders/Duplicators: Panasonic SV-3500 DAT, Yamaha C300, Awa 660, Awa 770. Noise Reduction Equipment: Dolby A, Dolby SR. Synchronization Systems: (8) TimeLine Lynx Echo, Reverb & Delay Systems: (8) live echo chamber, EMT 250, (4) Yamaha REV7, AMS digital delay, AMS reverb, (2) EMT 140 plate, (2) Lexicon Super Prime Time, (3) Roland 3000, (2) Roland SRV-2000, (2) Yamaha SPX90, (2) Yamaha SPX90II, (3) Eventide 949, Eventide 910, TC Electronic 2290, (2) Roland DEP-5. Other Outboard Equipment: (2) Studio Technologies stereo simulator, Kexep II gate, Drawmer gate, ITI parametric EQ, (2) Trident parametric EQ, (5) Neve 8078 EQ, dbx 900 de-esser, NTP-200 for disc mastering, (7) Pultec EQ, various tube and solid-state limiters. Microphones: Over 200 including classic Neumann, AKG,

Sennheiser, Shure. Monitor Amplifiers: Haller modified Monitor Speakers: UREI, George Augspurger, TAD, JBL custom 2-way. Musical Instruments: Yamaha 9' concert grand piano, Steinway 7' grand piano, Hammond B-3. Other MIDI Equipment: Sony DAE-1100A digital editor, Harmonia Mundi digital processor, Yamaha F1 Beta and VHS decks, 601 digital processor/co-processor, de-glitcher. Video Equipment: 1/2" and 3/4" video duplication capability. Specialization & Credits: We are in the process of a multimillion dollar remodeling, which includes total reconstruction and renovation of Studio A. Equipped with a Neve VR60 with Flying Faders automation, Studio A will be approximately 1400 square feet and will feature two isolation booths, one 150 square feet and the other 57 square feet. In addition, expansion of Studio A into Studio B will be possible by opening the isolation partitions. The control room will incorporate MIDI, video and computer distribution lines as well as ultra-low capacitance audio wiring and both high-power cue and self-mix cue capability. By using the ancillary rooms of Studio A, added isolation of instruments can be achieved. Call us for an opening date in late 1989. Capitol Records Studios also offers disc mastering and has complete digital editing facilities

[24+] **CARRERA RECORDING STUDIO**; 1504 Columbia, Ste. 3; Riverside, CA 92507; (714) 784-5777. Owner: Armi Atli, Tony Shepperd. P.C. Atli. Manager: Armi Atli, Tony Shepperd. Engineers: Tony Shepperd, independents welcome. Dimensions: Studio 26 x 30, control room 24 x 28. Mixing Consoles: Neve 8232 32 x 24 64 inputs on mix. Audio Recorders: Sony JH-24 24-track, Otari MX-70 16-track, Sony PCM-2500 2-track R-DAT, Otari 5050B 2-track. Cassette Recorders/Duplicators: (2) Nakamichi MR-2. Noise Reduction Equipment: Dolby SR. Synchronization Systems: TimeLine Lynx Echo, Reverb & Delay Systems: Lexicon 480L, (2) Lexicon PCM70, Yamaha REV7, (2) Yamaha SPX90. Other Outboard Equipment: (2) dbx 160X compressor/limiter, (4) Drawmer noise gate, UREI compressor/limiters. Microphones: Neumann TLM170i, Neumann KM84, Neumann U87, AKG 414, AKG "The Tube," Shure SM57, Sennheiser 421. Monitor Amplifiers: HH Electronic V-500, (3) HH Electronic V-200. Monitor Speakers: Westlake BBSM-15, Yamaha NS-10M studio, E-V Sentry 100, Auratone Musical Instruments: New England Digital Synclaver, Moog Minimoog, Wendel Jr., Alesis HR-16, Steinway B grand, Yamaha TX802, Roland Octapad, Roland D-550. Video Equipment: Sony 5850 3/4" video, Sony 27" video monitor. Rates: Ten-hour day \$1,100, lockout 24-track and Synclaver

[24+] **CHAMELON RECORDING**; 216 Chatsworth Dr.; San Fernando, CA 91340; (818) 361-9232. Owner: Joe Branam. Manager: Chuck Fetyko. Engineers: Chuck Fetyko, Jane McCord, Scott Greer, Willie Lewins. Dimensions: Room 1 studio 1320-sq-ft, control room 525-sq-ft. Mixing Consoles: Trident Series 80B 56-input. Audio Recorders: Otari MTR-90 24-track, Otari MX-80 24-track, Otari MTR-12 2-track. Cassette Recorders/Duplicators: (6) Yamaha, Nakamichi. Synchronization Systems: Adams-Smith Zeta-3 w/remote Echo, Reverb & Delay Systems: Lexicon 480L, Lexicon 224, Lexicon PCM70, Yamaha SPX1000, (2) Yamaha SPX90II, Yamaha REV7, TC Electronic 2290, Lexicon PCM42, Lexicon PCM41, Ibanez DM2000, DeltaLab ADM 2048, Eventide H910 Harmonizer. Other Outboard Equipment: (8) Drawmer DS-201 gate, (4) Aphex gate, (4) dbx gate, (8) dbx compressor/limiter, UREI 1117 limiter, (4) Aphex compressor/limiter, (2) Aphex Aural Exciter, (4) Orban parametric EQ, (4) Aphex parametric EQ. Microphones: (50) huge microphone selection. Monitor Amplifiers: (6) Perreaux Monitor Speakers: (2) TAD custom speaker system, (4) Yamaha NS-10M, (2) Tannoy LM6, (2) Auratone Musical Instruments: Large selection of keyboards. Other MIDI Equipment: Akai S900 sampler w/ASK90 trigger update, many sequencers and drum machines. Video Equipment: Lockup. Other: Base Spacial processor, Yamaha 9' grand piano w/MIDI, in-house rehearsal stage w/lull P.A. and monitor system, (5) iso booth

[24+] **CHEROKEE RECORDING STUDIOS, INC.**; 751 N. Fairfax Ave.; Los Angeles, CA 90046; (213) 653-3412. Owner: The Robbs Manager: Susan Donaldson. Engineers: Dee Robb, Joe Robb, Bruce Robb. Dimensions: Room 1 studio 32 x 52, control room 32 x 23. Room 2 studio 14 x 14, control room 44 x 15. Room 3 studio 23 x 16, control room 13 x 33. Room 4 studio 12 x 8, control room 16 x 12. Mixing Consoles: Custom Cherokee 72 x 24, Neve VR/Recall and Flying Faders automation 60 x 48, (2) Trident "A" range 60 x 24.

—CONTINUED ON NEXT PAGE

24+ TRACK

—CONTINUED FROM PREVIOUS PAGE

Audio Recorders: (5) Otari MTR-90 MkII, (6) Otari MTR-12 ½" and ¼", Mitsubishi 880 32-track. Cassette Recorders/Duplicators: (10) Awa 660 Noise Reduction Equipment: (3) Dolby M24H, (4) Dolby 361 Synchronization Systems: BTX Shadow, TimeLine Lynx. Echo, Reverb & Delay Systems: (4) EMT 140, Echoplate, AKG BX-20, (4) TC Electronic 2290 delay/sampler, (3) Eventide 1745M, (5) Lexicon PCM70, (2) Lexicon 200, (3) Lexicon Prime Time, (8) Yamaha SPX90, (4) DeltaLab DL-2, (4) Roland SDE-3000 Other Outboard Equipment: (12) UREI 1176LN limiter, (6) UREI LA-3A limiter, (6) UREI LA-2A limiter, (6) Inovonics 201 limiter, (12) Pultec EQP-1A equalizer, (6) Pultec MEQ-5, (4) UREI LA-4A, Fairchild tube limiter (stereo), UREI 1178 limiter, (20) Valley People Kepex, (10) Gain Brain, (6) Drawmer stereo gate, (2) Cherokee A Range mic pre-EQ module, (2) ADR vocal stresser Microphones: (7) Neumann U87, (4) Neumann U47 FET, (4) Neumann KM84, (3) Neumann U67, (2) Neumann M49, (2) Neumann KM54, (3) Neumann KM86, (5) AKG 451, (2) AKG 412, (2) AKG 414, (2) AKG C-12, (2) AKG C-24, (2) AKG D-202, (2) AKG D-58, (10) Sennheiser 421, (2) Sennheiser 441, (6) Shure SM57, (4) Shure SM56, (2) Norelco C60, (2) Shure SM53, (4) Electro-Voice RE20, (3) Shure SM58, (2) Sony ECM-22P, (4) Sony ECM-33P, (12) Sony C-37, (4) Vega S-10 Monitor Amplifiers: (16) Perreux 6000-8000 main Monitor Speakers: (4) Custom Cherokee w/JBL components, (5) Yamaha NS-10M Musical Instruments: Yamaha grand piano, Hammond B-3 w/Leslies

[24+] **CIRCLE SOUND STUDIOS**, 3465 El Cajon Blvd., San Diego, CA 92104; (619) 280-7310. Owner: Samuel Boyd. Manager: Tom Jacobs. Engineers: Tom Jacobs, S. Boyd. Dimensions: Room 1 studio 30 x 30, control room 22 x 15. Room 2 studio 15 x 15, control room 15 x 10. Mixing Consoles: MCI custom Audio Recorders: MCI JH 24-track, Studer A80, Otari 2-track. Cassette Recorders/Duplicators: Nakamichi, Onkyo, Denon Noise Reduction Equipment: dbx. Echo, Reverb & Delay Systems: Lexicon 224 digital reverb, Lexicon Prime Time digital delay, (2) Roland SRV-2000 digital reverb, Yamaha 1500 digital delay, DeltaLab Effectron digital delay, Other Outboard Equipment: Eventide Harmonizer, BBE Sonic Maximizer, (3) dbx 160 compressor/limiter, Aphex 612 expander/gate, Orban parametric EQ. Microphones: (3) Neumann U47, (3) Sennheiser 421, (2) AKG 414, (2) Electro-Voice RE20, (2) Neumann KM84, additional variety of mics. Monitor Amplifiers: (3) Spectra Sonics Monitor Speakers: UREI 813 Time Align, JBL 4411, JBL 4301, Yamaha NS-10, Auratone. Musical Instruments: Hammond B-3 organ w/Leslie, Baldwin baby grand piano, Alesis HR-16 drum machine, Roland D-50 keyboard, Yamaha RX11 drum machine, Roland MT-32 sound module, E-mu Emulator II

[24+] **COMMERCIAL RECORDING, HAWAII**; 333 Cooke St., Honolulu, HI 96813; (808) 536-5439. Manager: Donn V. Tyler

[24+] **THE COMPLEX**; 2323 Corinth Ave., West Los Angeles, CA 90064; (213) 477-1938. Owner: S-1 Corporation. Manager: Arthur Keim. Engineers: Duane Seykora, Brett Swain, Craig Portelis. Dimensions: Room 1 studio 22 x 32, control room 20 x 20. Room 2 studio 26 x 20, control room 20 x 20. Room 3 studio 66 x 44 x 30H. Room 4 studio 60 x 42 x 22H. Mixing Consoles: (2) GML 7900 48 x 12 x 24 w/current automation, GML 7900 25 x 10 monitor mixer. Audio Recorders: (2) Otari DTR-900, (3) Ampex ATR-124 24-track, (6) Ampex ATR-100 2/4-track, (2) Sony PCM-2500 Cassette Recorders/Duplicators: (3) Nakamichi MR-1. Noise Reduction Equipment: (2) Dolby 363 A/SR, GML 7900 24-channel frame w/CAT 22 Synchronization Systems: TimeLine Lynx. Echo, Reverb & Delay Systems: (2) EMT 250, (2) EMT 140 tube, (2) Yamaha REV5, (2) Yamaha REV7, (2) TC Electronic 2290, (2) 2016, (2) 480L, (3) AMS DMX 15-80S, (2) AMS RMX 16, Eventide H3000 Other Outboard Equipment: (6) GML stereo limiter, (10) GML stereo EQ, (2) Sax LA2A, dbx 900 rack/de-esser/comp/gate/flanger, Valley People Kepex/gate/Gain Brain, (2) Fairchild 670 (mint). Microphones: Neumann, B&K, Schoeps, AKG, Shure, Sennheiser, Crown P2M. Monitor Amplifiers: (6) Sax Thernomic 200, Bryston, BGW, UREI, Marantz Monitor Speakers: Complex custom w/GML x-over, T O C/Complex custom, Tannoy SGM 10", Yamaha NS-10. Musical Instruments: Yamaha C-7 grand piano, Linn 9000, Marshall 100W w/(2) 4 x 12 Video Equipment: Sony BVU-800, Proton 19" monitor. Other: Complete GML P.A. w/sidefills and wedges. Rates: \$160/hr. Specialization & Credits: The Complex specializes in multimedia applications. Our stages feature full rigging capability, with live motorized trusses in the large room. Three isolated 3-phase power feeds of 600A, 600A and 100A are available to accommodate almost any need. A 3-phase, 150A feed is available to service a video truck, as well as audio and telco tielines. Large doors throughout enable easy loading. Full grip packages are available for a charge. Tielines connect the stages to any of our control rooms, allowing music recording with audience, or orchestras up to 50 pieces

[24+] **RICK CONRAD MUSIC PRODUCTIONS**; 5550 Wilshire Blvd.; Los Angeles, CA 90036; (213) 937-8096. Owner: Rick Conrad. Manager: Rick Conrad



CONTROL CENTER
Los Angeles, CA

[24+] **CONTROL CENTER**; 128 N. Western St., Los Angeles, CA 90004; (213) 462-4300; (213) 413-2522. Owner: Aseley Otten, Rick Novak. Manager: Aseley Otten, Rick Novak. Engineers: Aseley Otten, Rick Novak, Frank Blue Sposato, Mike Kapitan, Eric Westfall. Dimensions: Room 1 studio 18 x 24, control room 12 x 16. Room 2 studio 7 x 12. Mixing Consoles: API custom 32 x 16 x 24 console w/550A and 560 EQs. Audio Recorders: Studer A80 24-track, Ampex ATR-102 2-track. Cassette Recorders/Duplicators: (2) Technics. Echo, Reverb & Delay Systems: Yamaha REV7, Yamaha SPX90, Ursa Major ST-282 Space Station, Roland SRV-2000, Roland SDE-3000 DDL, MXR DDL, Eventide 910 Harmonizer and delay, Lexicon PCM70. Lexicon 200 Other Outboard Equipment: (2) dbx 161 compressor, (2) UREI 1176LN limiter, (2) Valley People Dyna-Mile, pinball game. Microphones: AKG 414, AKG 451, Neumann U87, Sennheiser 421, Sennheiser 441, Shure SM57, Shure SM77, AKG V-2. Monitor Amplifiers: Hill DX3000, Crown D-75, Crown 300, BGW 250, BGW 750. Monitor Speakers: Tannoy 15X, JBL 4312, Yamaha NS-10, Auratone 5C. Musical Instruments: Howard baby grand piano, Linn-Drum and synthesizers upon request. Rates: \$75/hr. Call for block rates and off-hours. Specialization & Credits: Clients include Los Lobos, John Adams, Gene Clark, Linn Ryders, Green on Red, Dream Syndicate, Textones, Rappin' Duke, Heavy Traffic, Malice, Taxis, Pat Boone, Holland-Dozier-Holland, Henry Lewey, Mike Huey, Steve Barr, Tony Peluso, Jimmy Haskell, PolyGram, A&M, Warners, MCA, Atlantic, Dunhill, Rhino, Slash, Enigma, Bug, Demon, Down There. Bus Boys, etc

[24+] **CONWAY RECORDING STUDIOS**; 655 N. St. Andrews Place, Hollywood, CA 90004; (213) 463-2175; FAX: (213) 463-2479. Owner: Buddy and Susan Brundo. Manager: Jill Pearlman. Engineers: Mick Guzauskis, Daren Klein, Duane Baron, Richard McKernan, Marnie Riley, Steve Toby, Bryant Arnett, Debbie Johnson. Dimensions: Room 1 studio 30 x 60, control room 26 x 25. Room 2 studio 10 x 20, control room 25 x 28. Mixing Consoles: Neve VR-60 60 x 48 w/Massenburg automation and recall, Neve VR-72 72 x 48 w/Massenburg automation and recall. Audio Recorders: (3) Mitsubishi X-880 32-channel digital, (2) Studer A800 24-channel analog, (2) Mitsubishi X-86HS 2-channel 96kHz sampling digital, (2) Ampex ATR-102 2-channel analog, Ampex ATR-104 4-channel analog. Cassette Recorders/Duplicators: (4) Revox B215, (3) Panasonic SV-3500 DAT. Noise Reduction Equipment: Dolby Type A or Type SR. Synchronization Systems: (5) TimeLine Lynx. Echo, Reverb & Delay Systems: EMT 250 reverb, (4) Eventide 2016 reverb, (2) AMS RMX 16 reverb, (2) AMS 15-80S delay, (2) Lexicon 480L reverb/delay, (2) TC Electronic 2290 delay/sampler, (4) Lexicon PCM70. Other Outboard Equipment: Just about everything else. Microphones: (3) Telefunken ELAM251, (2) Neumann U47, Neumann M49, (3) Neumann U67, (2) Neumann TLM170, AKG C-24, large assortment of common mics. Monitor Amplifiers: Perreux Monitor Speakers: TAD components in custom Brundo enclosures. Yamaha NS-10, Tannoy SRM-10B, Auratone and others. Musical Instruments: Yamaha 9' concert grand piano.

[24+] **CORNERSTONE RECORDERS**; 9626 Lurline Ave., Unit #K; Chatsworth, CA 91311; (818) 883-9733. Owner: Scott Borden. Manager: Matthew Spindler. Engineers: Matthew Spindler, Scott Campbell, Leon Johnson, Joe Baressi, Robert Stamps. Dimensions: Room 1 studio 25 x 30, control room 25 x 25. Booth 1: 10 x 10. Booth 2: 10 x 10. Mixing Consoles: Neve VR-60 w/Flying Faders automation. Audio Recorders: (2) Otari MTR-900 24-track, Studer A800V 2-track, Studer A810 2-track, Ampex ATR 104 4-track. Cassette Recorders/Duplicators: (2) Yamaha, Sony 2500 DAT. Synchronization Systems: (2) TimeLine Lynx. Echo, Reverb & Delay Systems: AMS RMX 16 digital reverb, AMS 15-80S DDL, (2) Yamaha REV5, (2) Yamaha REV7, (4) Yamaha

SPX90II, SRX 2000, SDE 3000, Barcus-Berry 822, (2) Lexicon LXP-1, Aphex 612 expander/gate, Valley People de-esser, (2) Tubetech mid EQ, (2) Tubetech program EQ, Tubetech stereo mic pre, (2) Tubetech comp/limiter, Eventide H910, TC Electronic 32-sec sampler. Other Outboard Equipment: (3) dbx 165, UREI 1176, Lang EQ, (2) Drawmer gate, (2) Simon DI box. Microphones: AKG C-12, Neumann M49, Neumann U47, (40) standard complement of tracking mics. Monitor Amplifiers: Perreux 9000B, HH Electronic VX300, (3) Crown D-60 (cue system) Monitor Speakers: (2) TAD TSM-1 (control room), (4) Yamaha NS-10M, (2) Fourer Video Equipment: JVC 6650 ¾" VTR, Pioneer 19" color monitor

[24+] **JIM DAVID'S ONE ON ONE STUDIO**; 5253 Lankershim Blvd., North Hollywood, CA 91601; (818) 761-3882. Owner: James David. Manager: James David

[24+] **DEVONSHIRE AUDIO-VIDEO STUDIOS**; also REMOTE RECORDING; 10729 Magnolia; North Hollywood, CA 91601; (818) 985-1945. Owner: David and Dee Mancini. Manager: Kelle Creamer. Engineers: Michael Mancini, Jim Hodson, Larry Goodwin, Scott Gordon. Dimensions: Room 1 studio 20 x 35, control room 15 x 15. Room 2 studio 7 x 12, control room 10 x 8. Room 3 studio 30 x 45, control room 20 x 20. Room 4 studio 15 x 24, control room 15 x 24. Mixing Consoles: Neve V 60 x 48 custom modified by Neve, Neve 8128 56 x 48, MCI 536C 32 x 32, MCI 416 24 x 16, Tascam 512 12 x 8, MCI 538C 38 x 32. Audio Recorders: (2) Sony PCM-3324 w/Apogee filter, (3) Otari MTR-90II, Sony/MCI JH-24, MCI JH-16 24-track, Tascam ATR-80 24-track, (3) Otari MTR-20 4-track ½", (5) Sony PCM-3402 2-track digital, Ampex ATR-100 2-track ½" and ¼", (2) MCI JH-110 2-track ¼", Studer A80RC 2-track ½", (2) MCI JH-110 4-track ½", MTM 16/35mm 1/3-4-stripe mag. Cassette Recorders/Duplicators: Nakamichi MR-1, Nakamichi ZX-9, (2) Sony TC WR730, (3) Technics M231X Noise Reduction Equipment: (4) Dolby A M24 rack, (25) Dolby SR CAT 280 card, (8) Dolby 361, (2) Dolby CAT 43, (4) dbx KR-22 card, (4) Dynalene CRL DX2, (2) dbx 187 4-channel. Synchronization Systems: (6) Adams-Smith 2600 w/compact controller, VTC capable Echo, Reverb & Delay Systems: (2) Lexicon 480L, (5) Lexicon PCM70, Publison Internal 90, AMS RMX 16, (2) EMT 240, (4) Yamaha SPX90, (4) TC Electronic 2290 w/stereo sampling 325EL and fast trig, TC Electronic 1210 spatial expander, Eventide H3000 Ultra-Harmonizer, (2) Lexicon Prime Time, Lexicon PCM42, Eventide SP2016, Eventide H949 Harmonizer, (2) Eventide H910 Harmonizer, call for more. Other Outboard Equipment: Very extensive, call for list. Microphones: Very extensive, call for list. Monitor Amplifiers: (2) Boulder 500, (2) Carver PM 1.5, (2) HH Electronic VX 1200, (4) Phase Linear 700, (3) Phase Linear 400, (2) Crown D-150, (5) Crown D-60. Monitor Speakers: (6) George Auspurgger custom w/TAD TL160/4001, (2) Mastering Lab/Altec 604E, (4) E-V Sentry 3, (6) Tannoy LGM 12", (6) Yamaha NS-10, (6) Tannoy NFM 8", (8) Auratone. Musical Instruments: (2) Yamaha grand piano, Emulator II w/20MB HD. Other MIDI Equipment: (2) SMPTE-to-MIDI interface. Video Equipment: Sony BVH-2000 1" recorder, (5) Sony BVU-850 ¾", (4) large-screen projector. Other: 4,000-cubic-foot live echo chamber



DIGITAL SOUND RECORDING
Los Angeles, CA

[24+] **DIGITAL SOUND RECORDING**; also REMOTE RECORDING; 607 N. Ave. 64; Los Angeles, CA 90042; (213) 258-6741. Owner: Van Webster. Engineers: Van Webster, Geoff Sykes. Dimensions: Studio 40 x 32, control room 16 x 16. Mixing Consoles: MCI 428B 28 x 24, Stevenson Interface 100 8 x 4. Audio Recorders: Sony 1610 2-track digital mastering, 3M M79 24-track w/Selectake II, Studer B67 2-track, Ampex AG440 2-track, (2) TEAC A3300S 2-track, TEAC A3340S 4-track. Cassette Recorders/Duplicators: Nakamichi BX-300 Noise Reduction Equipment: (2) Dolby 361, Burwen DNF1000 2-channel noise filter. Synchronization Systems: (3) Adams-Smith 2600, EECO 4-mach video/audio editing system. Echo, Reverb & Delay Systems: Yamaha REV7, Master-Room Super Creverb, Eventide 910 Harmonizer, Eventide phaser, Effectron 1024, (2) Scamp ADT flanger, Wave-

maker phaser Other Outboard Equipment: (2) dbx 161 compressor/limiter, UREI 1176 limiter, Teletronix LA-2A tube limiter, Inovonics 201 compressor/limiter, (4) Kepex expander, (2) Scamp 501 limiter, (2) Scamp F300 expander/gate, (2) Scamp 503 Super EQ, UREI Little Dipper, (4) SAE parametric EQ, Orban stereo synthesizer, (3) Orban sibilance controller, Burwen DNF100 dynamic noise reduction. Microphones: Neumann U47 tube, Neumann U64 tube, Neumann SM2 tube stereo, (2) AKG C-60 tube, (2) Neumann U87, Neumann U47 FET, (3) Neumann KM84, (2) Shure SM58, (4) Shure PE54, (2) E-V 666, (3) E-V RE20, (2) E-V RE15, (3) AKG 414, (3) AKG 451/2, (2) AKG 224E, (3) Sennheiser 421, RCA 77-DX. Monitor Amplifiers: (2) SAE 2600, (2) SAE 2200, (4) JBL Dyna, HSS 8-channel direct box. Monitor Speakers: (2) JBL 4341 4-way bi-amp, (2) Auratone 2-way, (2) Auratone 5C, (2) RSL 3300. Musical Instruments: Steinway B 7' grand piano, Oberheim OBX synthesizer. Video Equipment: (3) Sony BVU-800/850 3/4" recorder, EECO EMME computer video editor, Crosspoint Latch 6109 switcher, DSC Illusion digital video effects, (2) Fortec TMK base corrector, DSC Frame File, Hitachi Z-31 3-tube color camera, full video lighting/grip equipment, Crosspoint Latch 6109 production switcher. Other: Hitachi Z31 3-tube video camera, Crosspoint Latch 6109 production switcher. Specialization & Credits: Digital Sound Recording, a division of Webster Communications, is a full-service production facility for audio and video. Our large room can handle acoustic recording. We are also especially well-suited for production recording, sweetening, video editing and spot production. Call us for those challenging projects.

[24+] **DOLPHIN SOUND**; also **REMOTE RECORDING**; KHNL-TV 150-B Puuhale Rd.; Honolulu, HI 96819; (808) 847-3253. Owner: King Broadcasting Co. Manager: Ron Klohs.

[24+] **DUBMASTER**; 11110 Magnolia; North Hollywood, CA 91601-3812; (818) 980-8318. Owner: Dubmaster Productions. Manager: Conrad Gleich. Engineers: Stephen Block (chief eng.), Conrad Gleich, Joseph Gorfinkle. Dimensions: Studio 22 x 14, control room 23 x 19. Mixing Consoles: API 3232 custom 32 x 16 x 32 w/68 channels in mixdown, (8) FX sends and (2) cues, fully loaded w/classic 550A EQs. Audio Recorders: Otari MTR-9011 24-track, Otari MTR-12 2-track 1/2", Otari MX-5050B 2-track 1/4", Otari MX-5050 8-track 1/2", 3M 23 2-track 1/4" Cassette Recorders/Duplicators: Aiwa Excelia DAT, Nakamichi MR-2, Tascam 122 transformerless bal. in and out, Hitachi D2200M, Marantz PMD-430. Noise Reduction Equipment: Dolby A 2-channel (use gates). Synchronization Systems: Soundmaster audio editing system. Echo, Reverb & Delay Systems: Eventide HD-3000 Ultra-



DUBMASTER
North Hollywood, CA

Harmonizer, Lexicon 224XL digital reverb and FX, EMT 240 plate reverb, Dyno-My-Piano tri/stereo/chorus, Lexicon PCM60 digital reverb, Yamaha SPX90, Yamaha D1500 DDL, Yamaha P1010 ADL, Lexicon LXP-1 w/MRC, Orban/Parasound and Hammond spring reverbs, DeltaLab Efectron II 1024; if you don't see it we can get it from LAFX. Other: Roland VP-70 pitch-to-MIDI converter/vocoder/vocal processor

[24+] **ECHO SOUND RECORDING**; 2900 Los Feliz Blvd.; Los Angeles, CA 90039; (213) 662-5291; *See Our Ad in the BusinessPages! Manager: Mike Williamson. Dimensions: Room 1: studio 18 x 18, control room 20 x 18. Room 2: studio 26 x 27, control room 18 x 16. Mixing Consoles: Trident 80C 32 x 24 x 24, Trident 80B 30 x 24 x 24, Aries 24 x 16 x 8, Yamaha DMP7 8 x 2 submixer, DiskMix Arms II 32-channel automation. Audio Recorders: Sony/MCI JH-24 24-track, Otari MX-80 24-track, Otari MX-5050 MkII 2-track, (3) Fostex B16D 16-track, Sony APR-5003 2-track, Otari MTR-12 2-track, TEAC A3440 4-track, Sony PCM-2500 digital. Cassette Recorders/Duplicators: (4) Yamaha K1020, (2) Yamaha C200. Noise Reduction Equipment: Dynaflex D-2B 2-channel Synchronization Systems: Fostex 4035/4030 Echo, Reverb &



ECHO SOUND RECORDING
Los Angeles, CA

Delay Systems: Lexicon 480L digital effects, AMS 15-80S digital effects, (2) Yamaha REV7, (2) Yamaha REV5, (8) Yamaha SPX90, (2) Aphex Aural Exciter, (2) dbx 166 comp/limiter, (5) dbx 160X comp/limiter, (5) dbx 160 comp/limiter, (3) dbx 903 comp/limiter, (3) dbx 904 noise gate, (2) dbx 902 de-esser, (2) Eventide H949 Harmonizer, Lexicon Super Prime Time, (2) Lexicon Model 93 digital delay, Roland SDE-3000 digital delay, Yamaha R1000 digital reverb, Aphex Dominator, Eventide Omnipressor comp/limiter, (2) Orban 622B parametric EQ, dbx 906 flanger + Other Outboard Equipment: UREI/Teletronix LA-2A, (4) Gatex noise gate. Microphones: Neumann U87, Neumann TLM170, (2) AKG C-414, (3) AKG C-460, (7) Sennheiser MD-421, AKG The Tube, (4) Shure SM57, (5) Shure SM58, (4) E-V PL80, (2) E-V BK-1, E-V RE20, Crown PZM 30-GPB, (2) Sennheiser MD-409. Monitor Amplifiers: (2) BGW 750B, (2) Yamaha P2200, BGW 150. Musical Instruments: LinnDrum, Linn 9000 drum machine/sequencer, Emulator II keyboard sampler, Roland D-50, Yamaha DX7, Schäfer & Sons grand piano, Simmons drums, Yamaha TX816 MIDI modules, Roland Jupiter 8 keyboard synth. Other MIDI Equipment: Southworth Jam Box/4 MIDI interface, Mac Plus, Mark of the Unicorn Performer. Specialization & Credits: Echo
—CONTINUED ON NEXT PAGE

Proven Success




OTARI MX-80 2" RECORDER
AVAILABLE AS: 24-trk, 24/32-trk, 32-trk
MX-80 features a microprocessor-controlled constant-tension transport, a full-function remote controller, exceptional audio electronics, and connectors for interfacing to any SMPTE/EBU time code based editing system, controller, or synchronizer.
RETAIL PRICE FROM \$33,850.00

AMEK/TAC MATCHLESS
26 or 36 inputs, fully modular, complete 24 bus, 24 track in-line monitoring, 8 auxiliaries, 2 programmable mute groups, 4 band EQ with swept mids and selectable "Q," 27 LED meters, patch bay models available, producer's desk, console stand.—retail price from \$27,072.00

"ASK ABOUT OUR FREE ONE YEAR SERVICE CONTRACT!"



619 South Glenwood Place
Burbank, CA 91506 • (818) 843-6320

24+ TRACK

—CONTINUED FROM PREVIOUS PAGE

Sound provides professional quality, cost-efficient recording services. Studio A 16/24-track, studio B 16/24-track with new Trident 80C console with 32 channels of DiskMix Arms II console automation; studio C MIDI and 16-track production. We have provided recording services for Capitol Records, Arista Records, A&M Records, Ice Capades, *Phantom of the Opera*, various independents and trade shows. Our new addition, studio C, is a MIDI production facility offering the producer, arranger and songwriter the latest Mark of the Unicorn Performer sequencing software and a selection of MIDI sound sources complete with Fostex 16-track recorder, console and outboard effects, in-house arranging and production services. Sequenced tracks may also be transferred and/or synchronized with studio A/B, 24-track rooms. Echo Sound Recording provides a professional, creative, comfortable, studio environment conveniently located in the Griffith Park area with secure off-street parking. Our experienced staff engineers strive to have clients work comfortably and efficiently, with emphasis on technical expertise and client satisfaction. We invite you to please call so that we may discuss your project requirements and arrange for a tour of our facilities.

[24+] EFX SYSTEMS; 919 N. Victory Blvd.; Burbank, CA 91502; (818) 843-4762; (213) 460-4474. Owner: Sole proprietorship Manager: Philip Moores. Specialization & Credits: EFX Systems is a fully implemented digital audio for film and television post-production facility. We feature an award-winning staff of mixers and editors working with the latest digital audio equipment from New England Digital and Sony. Rooms range in size from edit and prelay rooms to ADR/Foley stage to a television mix suite to a full digital film mixing stage. The staff works directly with the client to develop a sound track that is all the picture requires. We still adhere to the philosophy that the editor/mixer is more important than the equipment that they use, but using the best allows the editor/mixer the freedom to be creative and not buried in the mechanics of the job. The facility is equipped with all the comforts of home (lounge, cable TV, etc.) so that the creativity is not hampered in any way. Our staff are people, and not computerheads. Most come from a sprocketed background and all are fluent in ProCetalk and Time Code Language. EFX Systems, high-performance post-production, with a family twist.

[24+] 8 MILE ROAD STUDIO; 5274 W. Pico Blvd., Ste. 202; Los Angeles, CA 90019; (213) 933-5948. Owner: George Murphy. Manager: David Sanders, Tony Smith.

[24+] ENCORE STUDIOS, INC.; 721 S. Glenwood Pl.; Burbank, CA 91506; (818) 842-8300. Manager: Darryl Caseme.

[24+] THE ENTERPRISE; also REMOTE RECORDING; 4620 W. Magnolia Blvd.; Burbank, CA 91505; (818) 505-6000. Manager: Thom Brown.

[24+] ENTOURAGE STUDIOS; 11115 Magnolia Blvd.; North Hollywood, CA 91601; (818) 505-0001. Owner: Guy Paonesca. Manager: Keith Blake. Dimensions: Room 1 studio 37 x 25, control room 26 x 25. Room 2 studio 13 x 28, control room 26 x 25. Mixing Consoles: (2) Harrison C Series 32 x 32 Audio Recorders: (2) Studer A80 24-track, (3) Studer A80 2-track, Studer A80 4-track, 3M 79-2-track Cassette Recorders/Duplicators: Nakamichi MR-1, Nakamichi MR-2, Studer A710, Yamaha C300 Noise Reduction Equipment: Dolby A M16 rack 24-channel encode/decode, Dolby A 4-channel rack Synchronization Systems: (2) TimeLine Lynx, Black signal generator. Echo, Reverb & Delay Systems: Lexicon 224 XL, Roland SRV-2000, (3) Yamaha SPX90, Yamaha SPX90II, Yamaha REV7, Roland SDE-3000, (2) Lexicon PCM70, (2) Lexicon LX-P1 w/MRC-1, (2) Aphex Stereo Gate, Kepex II rack w/(4) gate, (2) Gain Brain and (2) Maxi-Q, (4) dbx 166, dbx 160X, (4) EMT 140 stereo plate reverb, (8) UREI 1176, (2) Teletronix LA-2A, (2) UREI LA-4, (4) Eventide Omnipressor Microphones: (2) Steven Paul modified Neumann U87, Steven Paul modified Neumann 47 FET, (5) Neumann U87, (3) Neumann 47 FET, (5) AKG 414, (2) AKG 460, (2) Neumann KM84, (2) Sennheiser MD-421, (4) E-V RE20, (7) Shure SM56, Shure SM7, (2) Sennheiser MD-402U, (4) Sony ECM-22P, (2) E-V 666 Monitor Amplifiers: (2) Perreaux 900B, (3) Haller, (4) JBL 6233, Crown D-75 Monitor Speakers: (4) UREI 813 w/JBL 611, (6) Yamaha NS-10M, (6) Auratone, (2) Mitsubishi DS-35B Musical Instruments: Yamaha 9" concert grand piano, Yamaha 6" conservatory piano. Video Equipment: (2) Toshiba color monitor, Panasonic satellite monitor, JVC CR-600U 1/2" video machine. Other: Macintosh Plus computer, drum iso booth, (20) AKG K-240 headphones, (13) Beyerd T102 single earphones, (13) Culver MRH single earphones.

[24+] EVERGREEN RECORDING STUDIOS; 4403 W. Magnolia Blvd.; Burbank, CA 91505; (818) 841-6800. Owner: Charles Fox, Artie Butler, Gayle Levant. Manager: Sandra Smart. Engineers: John Richards. Dimensions: Room A stu-

dio 46 x 70, control room 20 x 26. Room B: studio 35 x 36, control room 20 x 26. Radford: studio 150 x 70, control room 24 x 24. Mixing Consoles: (3) Harrison customized Audio Recorders: (2) Studer A27 24-track, Studer A800 24-track (Radford) Synchronization Systems: (2) Adams-Smith 2600 w/remote compact controller, BTX Softouch (Radford) Echo, Reverb & Delay Systems: UREI 813, EMT 140, echo plates, live chambers, Lexicon 200, Yamaha SPX90II (rental only). Other Outboard Equipment: UREI 1176 limiters, Inconics, dbx 165, Valley People Kepex noise gates, Lexicon Prime Time, Eventide 949 Harmonizer. Microphones: Most standard brands and models. Musical Instruments: (3) Yamaha grand piano. Video Equipment: (6) JVC 1/2" VCR w/monitor for control room and studio. Other: Complete transfer facilities for 1/4", 1/2", cassettes and MAG.

[24+] FANFARE RECORDING STUDIOS; 120 E. Main St.; El Cajon, CA 92020; (619) 447-2555. Owner: Ronald L. Compton. Manager: Carol A. Compton. Dimensions: Studio 25 x 30, control room 17 x 20, iso room 10 x 12. Mixing Consoles: MCI 636 36 x 36 (full mixing automation) Audio Recorders: MCI JH-24 24-track, MCI JH-16 16-track, MCI JH-100 2-track, Ampex 440B full-track, Ampex 440B 2/4-track, (3) Revox A77 2 1/4-track Cassette Recorders/Duplicators: (2) Aiwa, Otari high-speed duplicator. Noise Reduction Equipment: (2) Dolby A-361, (4) DNR Dynamic noise reducer, (4) Kepex noise gate, (4) Furman noise gate. Synchronization Systems: Adams-Smith Zeta-3 for MIDI and 16/24-track machines. Echo, Reverb & Delay Systems: EMT stereo plate, Lexicon 224 w/all programs and nonvolatile memory, Alesis Quadraverb, Yamaha REV7, (2) Yamaha SPX90, Alesis Microverb, (2) Digital DSP 128, Eventide Harmonizer, Deltalab digital delay. Other Outboard Equipment: (2) dbx 165 compressor, (4) UREI LA-3A compressor, UREI 1176LN limiter, (2) Gain Brain compressor, (4) Orban parametric equalizer, (2) Orban silencer controller, UREI digital metronome. Microphones: (4) Neumann U47 original w/tube, (4) AKG 414, AKG 202E, AKG 119, (8) Shure SM57, E-V RE10, (4) Sony 337, (2) RCA 44-BX, Altec condenser, over 50 mics to choose from. Monitor Amplifiers: (4) BGW, (8) Crown Monitor Speakers: (4) JBL large monitor, (2) Yamaha NS-10M close-field, (6) Auratone small monitor, (2) Bose small monitor. Musical Instruments: E-mu Emax SE digital sampling keyboard, E-mu Proteus, Oberheim Matrix-1000, Yamaha C7 conservatory grand piano, Hammond B-3 organ w/Leslie speaker, Ludwig trap set w/concert toms, Alesis HR-16 drum computer, Yamaha RX5 drum computer, Roland Octapad 8, Casio CZ-101 w/computer interface librarian, Roland TR-707 drum machine, Yamaha FB-01 synth module, (2) congas, orchestra bells, (25) hand percussion. Other MIDI Equipment: (2) Macintosh SE w/Performer sequencer, Yamaha QX5 sequencer. Video Equipment: Sony VO-5600 1/4" U-matic recorder, (2) monitor.

[24+] FDS LABS/QUADTECK; 4007 W. 6th St.; Los Angeles, CA 90020; (213) 383-2155. Owner: FDS Labs. Manager: Joan Waring.

[24+] FIDELITY STUDIOS, also REMOTE RECORDING; 4412 Whitsett Ave.; Studio City, CA 91604; (818) 508-3263. Owner: Arlie Ripp. Manager: Sharon Valentine. Rex Engineers: Cliff Zellman—chief engineer, Bob Bridges—chief video engineer, Joe Romera. Mixing Consoles: Tascam M-06 Audio Recorders: Tascam DA-50 DAT Cassette Recorders/Duplicators: Technics RS-B905, (4) Aiwa AD-F780 Noise Reduction Equipment: (4) Dolby SR 361 rack, (7) Dolby SR card Echo, Reverb & Delay Systems: Yamaha SPX1000 multieffects processor, Lexicon PCM70 digital effects processor 2.0/3.0. Other Outboard Equipment: GML 8200 parametric equalizers, Cipher Digital 735 V time code reader. Microphones: Sanken CU-41 Monitor Speakers: Smithline-Audio 2 x 4 Video Equipment: Sony KV-27TS20 27" monitor, Panasonic BT-S1300N 13" monitor. Other: Magnavox CDB-465 CD player, (2) Brainstorm Electronics infrared remote talkback.

[24+] FIESTA SOUND; 1655 S. Compton Ave.; Los Angeles, CA 90021; (213) 748-2057. Owner: R.G. Robeson. Manager: Rick Robeson, Ed Contreras. Engineers: Octavio Villa, Gary Dobbins, Salvador Sandoval. Dimensions: Studio 30 x 60 plus isolation rooms, control room 25 x 15. Mixing Consoles: MCI 428 32 x 24 Audio Recorders: MCI 32-track, MCI 2-track, Otari 2-track Echo, Reverb & Delay Systems: Lexicon 200 digital reverb, Eventide H969 Harmonizer, Lexicon DDL Master-Room II echo, Yamaha REV7, Yamaha SPX90. Other Outboard Equipment: UREI graphic EQs, 31-band EQ, Dolby, UREI 1176, dbx 160 compressor/limiter, Orban 424 comp/limiter. Microphones: Neumann U87, Neumann KM84, AKG C-452, AKG C-414, Sennheiser MD-421, Shure SM57, Shure SM7, Sony ECM-33F, E-V RE20. Monitor Amplifiers: Crown DC-300 Monitor Speakers: JBL 4333 Musical Instruments: Steinway 6" grand piano, Fender Rhodes electric piano, D-6 clavinet, ARP Omni, ARP Odyssey synth, Fender Twin Reverb amp, Steinway grand Rates: Call for rates. We encourage block booking.

[24+] FLOUNDERGASH PRODUCTIONS; 5102 Vineland Ave.; North Hollywood, CA 91601; (818) 509-8821. Owner: FlounderGash Emporium. Manager: Tom Slamdancer. Engineers: Jeff McLane, Desmond Jamfactor, Dubious Jamfactor,



FLOUNDERGASH PRODUCTIONS
North Hollywood, CA

Tom Slamdancer. Mixing Consoles: Helios 23 x 24 w/54 input, on mixdown Audio Recorders: Stephens 821B 24-track, Otari 2-track, ATR-102 2-track, Sony 2500 DAT Cassette Recorders/Duplicators: Sony Echo, Reverb & Delay Systems: Lexicon 224, AFT 01A, (2) Roland DEP-5, (3) Yamaha SPX90II, EXR Exciter, BBE 802, Marshall Time Modulator, (3) Roland SDE-1000, Countryman phase shifter. Other Outboard Equipment: Teletronix LA-1, (2) Teletronix LA-2, (2) Pultec EQP-2, Fairchild limiter, (2) Vacuum tube class A mic preamp, (2) Langevin EQ, Tricer1 parametric EQ, Orban 622B, SAE 2700, (2) Aphex gate, (2) Drawmer gate. Monitor Amplifiers: Harmon Kardon Citation 2, Yamaha P220C. Monitor Speakers: Tannoy 15" golds, Yamaha NS-10M, Tannoy NFM-8 Musical Instruments: Synclavier, E-mu Emulator II, E-mu SP-1200, Yamaha DX7, Casio FZ-1, Roland Super Jupiter, Moog Minimoog, Roland MKS-2D, Yamaha KX88. Other MIDI Equipment: MIDI patcher. Other: Roland vocoder, Roland GR-70 Rates: Near \$50/hr for non-smokers. Near \$250/hr for smokers.

[24+] FOR THE RECORD; 833 W. Collins; Orange, CA 92667; (714) 771-1410. Owner: Eric Garten, Robert Hayes. Manager: Eric Garten. Engineers: Mr. E. Dimensions: Studio 30 x 23, control room 24 x 15. Mixing Consoles: Neotek Series III modified. Audio Recorders: Studer A6CVU w/autolocate, Otari MTR-12 1/2" 30 ips, Technics RS1500 1/2-track, Technics RS1506 1/4-track, Technics SU100 digital Cassette Recorders/Duplicators: Studer A710, Technics RSM95, Technics RS9900 Echo, Reverb & Delay Systems: Lexicon 224X w/LARC, Ecoplate III, (2) Roland SRV-2000, (3) Roland SDE-3000, TC Electronic 121C. Other Outboard Equipment: (2) UREI 1176LN, (6) dbx 904, (2) dbx 902, dbx 165A, (2) dbx 160, BBE 802, Aphex Type C. Microphones: (2) AKC tube, (2) Neumann U87, (2) Neumann U89, (2) Neumann KM84, (2) AKG 460, (2) AKG 451, (2) AKG 414, Crown PZM, E-V RE20, (5) Sennheiser 421, (2) Sennheiser 441. Monitor Amplifiers: Eagle 7A, (3) Unisync 50, SAE 2401, SAE 3100. Soundcraftsman 50Q2, Fostex, Rane. Monitor Speakers: JBL 4435, Infinity RS2 5 bi-amped, Infinity PS 10, Yamaha NS-10, Stax Gamma electrostatic. Musical Instruments: Kurzweil K250 Akai MPC60, Roland D-550. Other MIDI Equipment: Atari 1040ST, Roland PM-16, Roland VP-70. Specialization & Credits: Thanks For The Records! This year we were privileged to produce: Ann De Jarrret, Black Capline, Don't Mean Maybe, Filthy Rocks, Fate, Hyde H.R., Imagining Yellow Suns, Jade, Mind Over Four, Meat Puppets, National Peoples Gang, Swamp Zombies, Sixth Parallel, 3-D Picnic.

[24+] FORTUNATE SUN STUDIO 720 Iwilei Rd., Box 1; Honolulu, HI 96817; (808) 531-5744. Owner: David Tucciarone. Manager: David Tucciarone. Engineers: David Tucciarone, Steve Kramer. Dimensions: Studio 20 x 20, control room 12 x 20. Mixing Consoles: Trident 24 28 x 24 Audio Recorders: Otari MX-80 24-track, Tascam MS-16 16-track w/dbx, Fostex E-2 2-track 150 ips/30, Sony PCM-2500 DAT, Sony DTC-500ES DAT Cassette Recorders/Duplicators: Nakamichi MR-1, Akai GX-7 Sony Synchronization Systems: Roland SBX-80 SMPTE-to-MIDI converter. Echo, Reverb & Delay Systems: Lexicon PCM70, (2) Lexicon LXP-1, (2) Lexicon PCM42, Yamaha REV7, Yamaha SPX90, (2) Efectron AOM 1024. Other Outboard Equipment: Aphex Compellor, Aphex Type C Aural Exciter, (3) dbx 160 comp/limiter, dbx 166 comp/limiter, Valley People Dyna-Mite, Valley People Gate, Orban 622B parametric EQ, UREI 1176N peak limiter. Microphones: AKG "The Tube", (2) AKG C-414, Neumann U87, (2) Sennheiser MD-421, Sennheiser MD-431, (4) Shure SM57, Crown PCC-160, AKG D-2E. Monitor Amplifiers: AB Systems 6220, AB Systems Series 900, QSC 1200, Haller D1000 Monitor Speakers: JBL 4430, JBL 4311, JBL 4406, Yamaha NS-10M, Auratone 5C. Musical Instruments: Roland D-50, Roland D-550, Casio FZ-1, Yamaha DX7IID, Yamaha TX7, Oberheim Matrix-6, Oberheim Matrix-6R, Fender Stratocaster, Fender Precision bass, Martin D-35, Sequential Circuits Prophet-600, LinnDrum. Other MIDI Equipment: Apple Mac Plus computer, Performer software, Opcode editor/translator.

MSB+ switching box Other: Studio Technologies mic preamp Rates: Available upon request.



41-B
Westlake Village, CA

[24+] 41-B: 41-B Duesenberg; Westlake Village, CA 91360; (805) 494-3613. Owner: Bruce Jackson. Manager: Robb Klein. Engineers: Bruce Jackson, Robb Klein. Dimensions: Room 1 studio 48 x 43, control room 30 x 26, three iso booths. Room 2 (under construction) control room 24 x 23. Mixing Consoles: Trident 80B 40 x 24 x 64. Audio Recorders: Otari MTR-90II 24-track, Otari MTR-12 4/2-track 1/2", Otari MTR-12 2-track 1/4" Cassette Recorders/Duplicators: (2) Yamaha KX120Q, (2) Nakamichi MR-1 Noise Reduction Equipment: Available on request Echo, Reverb & Delay Systems: AMS DMX 15-80 w/chorus controller, AMS RMX 16, TC 2290 fully loaded, Yamaha REV5, Lexicon 200, (2) Yamaha REV7, (2) Yamaha SPX90, Eventide 949 Harmonizers, Lexicon PCM42, Lexicon PCM41, Ecoplate II, (2) ART digital delay lines, Lexicon PCM70. Other Outboard Equipment: Massenburg 2-channel EQ, Pultec H2 2-channel EQ, API and B&B, dbx 166, UREI 175 tube limiter, Aphex 2-channel noise gate, dbx 900 racks with (4) noise gate, (2) parametric, (2) de-esser, EXR Exciter, (4) UREI 1176 limiter, (2) dbx 160X, (2) dbx 160, dbx 165A, dbx 162 stereo limiter, Ashly stereo parametrics, (6) channels Drawmer noise gate. Microphones: (2) German Masterwork M49, (2) AKG C-28, (3) AKG 414, Neumann U87, Neumann KM84, AKG 414, AKG 451, AKG 452, AKG 460, Sennheiser 421, E-V RE20, AKG D-12, Shure 57, Crown PZM, Shure 77, Sony ECM-50, etc. Monitor Amplifiers: Haller monitors 1000-watt per side, Hafler 220 headphones. Monitor Speakers: JBL 4435, JBL 4411, JBL 4401, Yamaha NS-10, Yamaha NS-20, Auratone T-6 speakers, Advent speakers. Musical Instruments: Kawai 6' MIDI grand piano, all other synths and drum machines and computers available. Other MIDI Equipment: All available. Video Equipment: AB Systems 3 1/2" roll system w/DVE Video Meoia computerized edit controller, JVC 850 CRU editor, JVC 600 source machine, Sony WEX-2000 special effects, Sony 5800 VCRs, Fortel Y-688 time base corrector, Ikegami cameras, Chyron VP-1 graphics, fully integrated/multiformat editing system. Rates: Call for rates.



4TH STREET RECORDING
Santa Monica, CA

[24+] 4TH STREET RECORDING; also REMOTE RECORDING; 1211 4th St.; Santa Monica, CA 90401; (213) 395-9114. Owner: 4th Street Recording, Inc. Manager: Rod Clark, Jim Wirt. Engineers: Keith Wechsler, Jim Wirt, Rod Clark, Richard Jallis, David Blade, Steve Barnard, Robin Lambie. Dimensions: Room 1 studio 32 x 14, control room 14 x 16, front room (iso) 12 x 8, iso booth 4 x 4. Mixing Consoles: MCI

JH-428 28 x 24 modified w/Aphex VCA DC, subgroups and mutes and J.L. Cooper MIDI automation, Allen & Heath 12 x 4 x 2 Scepter effects mixer. Audio Recorders: MCI JH-114 8/16/24-track w/L and VSO Fostex autolocator, Ampex ATR-102 2-track 1/2" and 1/4", Ampex ATR-104 4-track 1/2" and 2-track 1/2" and 1/4", MCI JH-110 1/2-track w/VSO, Technics 1500 1/2-track, Sony TC-854 4-track. Cassette Recorders/Duplicators: (3) Nakamichi MR-1, Nakamichi 680ZX Noise Reduction Equipment: (1) Dolby B/SR 2-channel Synchronization Systems: Fostex 4010 SMPTE reader/generator, Fostex 4030, Fostex 4035 controller. Echo, Reverb & Delay Systems: Lexicon 224X LARK 8.2 digital reverb, (2) Yamaha SPX90, (2) Lexicon PCM60 reverb, Roland SRV-2000 MIDI reverb, EMT 140ST stereo tube plate reverb, Echoplate III reverb, AKG BX-10E reverb, (2) Lexicon Prime Time delay, Roland SRE-555 tape delay, DeltaLab ADM 1024, Marshall time modulator, AMS gear at additional cost. Other Outboard Equipment: Aphex Studio II Aural Exciter, (2) UREI 1176LN limiter, (2) UREI LA-3A limiter, (2) dbx 160X limiter, (3) Drawmer DS-201 dual channel gate, (2) Orban 622B dual channel parametric EQ, Orban 3-channel de-esser, Klark-Teknik DN-27 and other graphic EQs, Trace Elliot GP11 bass preamp, Rockman guitar preamp, Systech flanger. Microphones: Over 50 including Neumann, AKG, Sennheiser, RCA, E-V, Shure, Sony, etc., tube and ribbon and Steven Paul modifications on U87s and 414s. Monitor Amplifiers: Bryston 4B bi-amp low, Bryston 2B bi-amp high, (2) Custom tube (alt. high), (2) Haller P-230, BGW 100B (cue) Monitor Speakers: PAS TOC studio 1 w/Mastering Lab crossover, Yamaha NS-10M, Sony APM-700, Auratone Musical Instruments: Yamaha C7 7'4" grand piano, Yamaha DX7, Roland JX-10, Roland S-330, Roland D-550, Ensoniq ESQ-M, Linn 9000, Linn LN2, Moog MIDI-moog, Moog Minimoog, a veritable plethora of guitars, basses and misc. percussion, Fairlight, Synclavier and Emulator at additional cost. Other MIDI Equipment: Macintosh SE/30, Macintosh SE both w/ various software, Southworth Jam Box/4+ Video Equipment: Sony VO-5800 1/4", Sony Beta, NEC Hi-Fi VHS, NEC 26" rec/mon, NEC 20" rec/mon. Other: Technics SL-P1300 CD player, Fostex and Sennheiser headphones, telephone (hybrid) patching, FAX, Sound Ideas CD library. Specialization & Credits: 4th St. Recording, formerly Sound Solution Recording, has been providing recording services in Santa Monica for over ten years. Located four blocks from the beach, 4th St. is within close walking distance of hotels, shops, clubs and dozens of restaurants and bars. Producers, musicians, arrangers, programmers, as well as world-class engineers are available to provide the highest professional level-product for album, film, TV and radio. Our location, fun, unpretentious personnel, great equipment and years of experience make 4th St. Recording a welcome alternative to the Hollywood/Los Angeles recording scene. Then there's the price—we don't cost an arm and a leg. Past clients/projects include: The Beach Boys Kokomo, Make it Big, Brian Wilson, Simon & Schuster, George Clinton, Little Richard; Fat Boys; Tracy Ullman Show; Cocktail; Stanley Clark Free Flight, ABC, CBS, Electra Records; Ferde Grofe Films; Houseton Films.

[24+] GALAXY SOUND STUDIOS; 1635 N. Cahuenga Blvd., 3rd Floor; Los Angeles, CA 90028; (213) 461-1971. Manager: Nyssa F. Lark. Engineers: Nyssa F. Lark, Charles Carver, Bill Zalin. Dimensions: Room 1 3,000 sq. ft. Room 2 1,200 sq. ft. Mixing Consoles: SSL 56 x 56 w/Total Recall. Audio Recorders: (2) Studer A800 MkII 24-track, Studer A80 2-track, Studer A800 2-track. Cassette Recorders/Duplicators: Nakamichi MR-1, Nakamichi MR-2, (2) Awa Noise Reduction Equipment: Dolby 24 track Synchronization Systems: (2) TimeLine Lynx Echo, Reverb & Delay Systems: (2) EMT stereo plate, (2) AMS RMX 16 reverb, (2) AMS DMX 15-80S, Lexicon 224XL digital reverb, Lexicon Super Prime Time, (2) Lexicon PCM70, (3) Yamaha SPX90, (3) Yamaha REV5. Other Outboard Equipment: Aphex II Aural Exciter, Orban Parasond silbance controller, (6) Drawmer gate, Eventide 949 Harmonizer, (2) UREI 1176 limiter, (2) UREI LA-3A limiter, (6) dbx 902 de-esser rack. Microphones: (4) Sennheiser 441, (3) Neumann KM84, (5) Neumann U87, (4) AKG 414, (3) Neumann U89, (6) AKG C-460, (3) Crown PZM. Monitor Amplifiers: (4) BGW 250E, (2) BGW 750. Monitor Speakers: JBL Augspurger custom main per side, (2) Yamaha NS-10M, Auratone 5C. Video Equipment: Sony VCR camera (for rehearsal room), Sony VCR monitor (for rehearsal room). Other: (12) AKG 141 headphones, Stewart D1 boxes, mini cube DI boxes.

[24+] GATEWAY STUDIOS; 6381A Rose Lane; Carpinteria, CA 93013; (805) 684-8336. Owner: Jim Messina. Manager: Amy Foster. Dimensions: Studio 23 x 27, control room 18 x 23. Mixing Consoles: Soundcraft Series 2400 modified. Audio Recorders: Studer A80 24-track, Studer A80 2-track 1/2", Scully 4-track 1/2", Scully 2-track 1/4", Otari 2-track 1/4", Technics 2-track DAT Echo, Reverb & Delay Systems: AMS DMX 15-80S stereo digital delay, AKG BX-20E1 spring reverb, Lexicon 480L, Lexicon PCM70, TC Electronics 2290. Other Outboard Equipment: Valley People trans-amps, (4) Drawmer dual gate, (6) API 550A, (4) API 550B, (5) Telatron LA-2A, (2) Pultec EQP-1, (2) Pultec EQP-1A3, RCA BA6A, Gales M3529D limiter, TC Electronics 1210 chorus flanger/splitter, API 3124M EQs, (2) UREI 1176, (4) UA 1175 limiter, (2) B&B EQE-Z. Musical Instruments: Yamaha C7E grand piano, Hammond B-3 w/Leslie, Roland S-550, Roland D-550, Yamaha TX802, Roland Juno 106 keyboard, Linn 9000 drum machine. Other MIDI Equipment: Macintosh SE, Jam Box. Video Equipment: TimeLine Lynx

[24+] GOLDEN GOOSE RECORDING; 2074 Pomona Ave.; Costa Mesa, CA 92627; (714) 548-3694. Engineers: D.P. Rose, K. Rains, John Winney. Dimensions: Studio 20 x 22, control room 18 x 17. Mixing Consoles: Spectra Sonics custom 40 x 40 w/8 (echo send of (8) returns, (4) stereo, (16) subgroup and (24) bass routing. Audio Recorders: Ampex MM-1100 24-track 2" 15/30 ips, Ampex MM-1100 16-track 2" 15/30 ips, Ampex ATR-100 2-track 1/2" and 1/4" 15/30 ips, Ampex AG-440C 2-track 1/4" 7.5/15 ips, Hitachi PCM-300E 2-channel digital, Sony PCM-1 (VHS based) 2-channel digital processor. Cassette Recorders/Duplicators: Nakamichi 600, Denon x2 and real-time duplicator. Synchronization Systems: EECO BE450 SMPTE tape sync, Echo, Reverb & Delay Systems: Lexicon PCM60 digital reverb, (2) Echoplate III, AKG BX10 reverb, (2) Lexicon PCM41 digital delay/processor, DeltaLab ADM64 Electron digital delay processor, DeltaLab ADM 4096 DDL Echolon delay/loop sampler, Eventide H910 Harmonizer, Marshall time modulator analog delay/flanger. Other Outboard Equipment: (4) dbx 160 comp/limiter, (2) Allison Research Kepex 1, Allison Research Gain Brain comp/limiter, Orban Parasond 2-channel parametric equalizer, Altec Octave Passive graphic equalizer, Altec Acoustavoic 1/2-octave EQ, (4) API 550A equalizer, (4) UREI Universal Audio mic preamp w/2-band EQ and 30 dB headroom, UREI digital metronome. Microphones: Neumann U47, Neumann U87, (2) Neumann KM84, (2) AKG C-414E, (2) AKG C-414EB, (2) AKG C-451, (2) Beyer M16 dynamic ribbon, (2) RCA 77-DX, Sony C-500, Sony ECM-22P, Sony ECM-250, Electro-Voice RE20, Electro-Voice 666, Electro-Voice 678, Electro-Voice RE15, Electro-Voice 635A, Sennheiser 421, AKG shotgun. Monitor Amplifiers: BGW 250 in control room, (2) Marantz 260 for studio and headphones. Monitor Speakers: UREI 813 w/Altec 604E drivers in control room, Altec 604E in studio, JBL 4311 in control room, custom in-house near-field. Musical Instruments: Roland PV synth/guitar and bass, Hammond M-10 organ, Steinway 7" grand piano, Fender bass, Gibson bass, Fender Stratocaster, Gibson SG guitar w/Kaylor Tremolo, Guild F50 Jumbo acoustic guitar (steel string), Jose Ramirez hand-made flamenco guitar (1964), Rickenbacker 360 12-string electric guitar, National steel guitar (Dobro-type) lap steel, Oberheim DMX digital drum machine, Fender Rhodes 88-key electric piano, Moog MicroMoog analog synthesizer, misc. Latin percussion. Video Equipment: Hitachi VHS cassette recorder, Panasonic VHS cassette recorder, Panasonic camera w/tripod.

[24+] GOLDMINE RECORDING STUDIOS; 1393 Callens Rd.; Ventura, CA 93003; (805) 644-8341. Owner: Goldmine Productions. Manager: Trace Sveven. Engineers: Mike Horn, Jeff Cowan. Dimensions: Studio 40 x 26 x 12, control room 18 x 16, iso 26 x 16 x 12, 9 x 10 x 12. Mixing Consoles: Neotek Series II 28 x 24 w/Jensen 990s. Audio Recorders: Otari MTR-90 24-track, TEAC 80-B 8-track, Otari 5050B 2-track, Technics 1506 2-track. Cassette Recorders/Duplicators: (2) Sansui SC-1110, (2) Awa F-770. Echo, Reverb & Delay Systems: Lexicon Prime Time, MXR DDL, DeltaLab Electron, Eventide H910 Harmonizer, Yamaha REV7, Yamaha REV5, Korg DRV-3000, Roland SRV-2000 digital reverb, Ecoplate II. Other Outboard Equipment: UREI LA-2A limiters, UREI 175 limiters, dbx 161, Valley People noise gates, Omni Craft gates. Microphones: Neumann, Sennheiser, Sony, AKG, Shure, Crown PZM, E-V, RCA 44-A, RCA 77-D. Monitor Amplifiers: Haller DH500, Fostex 600, Phase Linear 700B. Monitor Speakers: UREI 813, Yamaha NS-10, Auratone. Musical Instruments: Yamaha C7 grand piano, Yamaha DX7, Yamaha CP80, Yamaha PF15 electronic piano, LinnDrum, J.L. Cooper drum chest, Marshall guitar amp, Akai 900, Roland D-50. Rates: \$55/24-track, \$37.50/8-track, \$32/2-track, block rates available.

[24+] GROUP IV RECORDING; 1541 N. Wilcox Ave.; Hollywood, CA 90028; (213) 466-6444. Owner: Angel L. Balestier. Manager: Lisa Burrows. Specialization & Credits: For well over a decade, Group IV Recording has been a leader in film and TV scoring, contributing to many well-known productions such as *Who Framed Roger Rabbit*, *Lean On Me*, *Wiseguy* and *Family Ties*. Group IV also applies its expertise to the areas of post-production (for *Dynasty* and *The Tracy Ullman Show*) and commercial recording and mixing (for Butterfinger, Carnation and ERTL Toys). The facilities at Group IV are designed to handle all aspects of your sound production, with capabilities for all formats from 35mm film to 1" video. Consultation and package bids are available. Please call for rates.

[24+] HALLMARK PRODUCTIONS; 31320 Via Colinas, Ste. 118; Westlake Village, CA 91362; (818) 991-4857. Owner: Steve Hallmark. Manager: Steve Hallmark. Engineers: Steve Hallmark, Curt MacDonald, various independents. Dimensions: Room 1 studio 10 x 14, control room 14 x 17. Room 2 video/editing 10 x 12. Mixing Consoles: Soundcraft 2400 28 x 24 (52 in remix). Audio Recorders: MCI JH-16/24 24-track, Otari 5050BII 2-track, Toshiba DX900 PCM 2-track digital. Cassette Recorders/Duplicators: Yamaha C200, Awa 6900 Echo, Reverb & Delay Systems: Lexicon PCM70 w/3.0 software, Yamaha REV7, (2) Yamaha SPX90II, Alessi Quadraverb, (2) Roland SDE-3000 DDL, (2) ADA 1280 DDL. Other Outboard Equipment: dbx 166 comp/lm/gate (stereo), Symetrix 155 comp/lm/gate (stereo), (2) Symetrix quad noise gate, Bercus-Berry BBE-202R, Aphex Type B Microphones: AKG 414EB-P48, Sony C-48, (2) Sony C-36P, E-V RE20, (5) Shure SM77. Monitor Amplifiers: Crown D-50, Crown D-200, Symetrix

—CONTINUED ON NEXT PAGE

24+ TRACK

—CONTINUED FROM PREVIOUS PAGE

nx headphones, AB Systems 300 Monitor Speakers: JBL 4411, Tannoy NFM-8, Yamaha NS-10M, Auratone 5C Musical Instruments: Korg M-1, Korg M-1R, Roland MKS-20 digital piano module, Roland MKS-70 Super JX module, Roland MKS-80 Super Jupiter module w/programmer, (2) Roland D-550, Yamaha TX816, Yamaha KX88 keyboard controller, Oberheim DPX-1, (2) Akai S900 sampler, Kurzweil 1000PX module, 360 Systems Pro Midi Bass, Sequential Circuits Prophet-V5 module, Roland Octapad MIDI drum pads, Drum Workshop Trigger pedal, E-mu Emulator II+, Roland Jupiter 6, Ibanez electric guitar, Ibanez bass guitar, Washburn acoustic/electric guitar Other MIDI Equipment: Macintosh SE w/4MB RAM and 40MB HD (internal), Opcode time code machine (SMPTE sync), Sonus MacFace Mac/MIDI interface, Garfield Time Commander, J.L. Cooper MSB-16/20 MIDI patch bay, Opcode librarians for MKS-80, D-550, DX7, DX7II, M-1, Mark of the Unicorn Performer Ver 3.0 sequencer for Macintosh Video Equipment: Toshiba DX900 digital VCR 1/2", Sony V05800 3/4" VCR, Sony 25" monitor Rates: \$75/hr. (includes all equipment, computer, MIDI, instruments and engineer)

[24+] **HAMMERSOUND RECORDERS**; 9612 Lurline Ave., Unit N, Chatsworth, CA 91311; (818) 998-9641. Owner: Christopher Aphorp Specialization & Credits: After 14 years in Chatsworth, we have completely remodeled and tuned our control room and upgraded our equipment. The facility has left the ambience of our studio and iso booths unchanged. Our clients loved them then and still love them today. So will you. Our equipment includes a Harrison Raven console, Otari MTR-90 24-track, gobs of outboard gear and a full complement of microphones. While we are equally adept at all types of projects, the acoustical environment at HammerSound was originally conceived as a studio for music that needs air to breathe. All types of acoustic music—bluegrass, country, roots-based rock bands, traditional jazz—will find magic in the sound of this room. HammerSound is part of a trio of studios including Cornerstone Recorders and its Neve VR w/Flying Faders, so whatever your project, we are ready to serve.

[24+] **HEADWAY STUDIOS**; 7560 Garden Grove Blvd., Westminster, CA 92683; (714) 891-8548. Owner: Steve McClintock Manager: Cathy Enny.

[24+] **HIT CITY WEST**; 6146 W. Pico Blvd., Los Angeles, CA 90035; (213) 852-0186. Owner: Jason Bell Manager: Jason Bell

[24+] **HIT SINGLE RECORDING SERVICES**; 3450 College Ave., Lower Ct. #314; San Diego, CA 92115; (619) 265-0524. Owner: Scottman Ltd Manager: Randy Fuelle

[24+] **IMAGE RECORDING**; 1020 N. Sycamore Ave., Hollywood, CA 90038; (213) 850-1030. Owner: Harry Maslin, John Van Nest Manager: John Van Nest Engineers: Harry Maslin, John Van Nest, Tally Sherwood, Scott Sanders Dimensions: Room 1 studio 40 x 20, control room 18 x 15, Room 2 studio 15 x 10, control room 18 x 14 Mixing Consoles: SSL 4056E 60-input w/G computer and Total Recall, Trident A Range Audio Recorders: (3) Sony/MCI JH-24, (2) Ampex ATR-102 2-channel Cassette Recorders/Duplicators: (2) Aiwa, (2) Tascam Noise Reduction Equipment: Dolby M-24 24-channel rack Synchronization Systems: (4) TimeLine Lynx Echo, Reverb & Delay Systems: EMT 140 plate reverb, AMS RMX digital reverb, Lexicon 480L, (3) Lexicon PCM70 digital reverb, (2) Yamaha REV7 digital reverb, (5) Yamaha SPX90II, (2) LXP-1 digital reverb, Roland SRV-2000 reverb, TC 2290, AMS DMX delay/harmonizer, Roland SDE-3000 delay, Lexicon Delta T, Marshall tape eliminator analog delay Other Outboard Equipment: (2) AMS flanger/phaser, Eventide H910 Harmonizer, Cyclosonic panner, Panscan, (2) Neve 1064 mic pre/equalizer, (8) Neve 1073 mic pre/equalizer, (2) Trident A Range, (2) Teletronix LA-2A limiter, (4) UREI 1176L limiter, (4) dbx 160X limiter, (6) dbx de-esser, (4) dbx gates, (6) Drawmer noise gate Microphones: (60) Neumann Akai, Sennheiser Monitor Amplifiers: (2) Yamaha 2200M, (2) McIntosh 2300 Monitor Speakers: (2) UREI Time Aligned, (2) Yamaha NS-10M

[24+] **INDIAN HILL AUDIO/VIDEO**; also **REMOTE RECORDING**; 224 N. Indian Hill Blvd., Claremont, CA 91711; (714) 625-2396. Owner: C.E. Whittington Manager: Terrance Dwyer Engineers: Tom Orsi Dimensions: Studio 22 x 37, control room 18 x 22, video suite 12 x 15, Mixing Consoles: Neve custom 40 x 24 w/Necam Audio Recorders: Ampex MM1200 24-track, Ampex ATR-102 2-track, Ampex AG-350 2-track, Sony 24-track Synchronization Systems: Foxtel 4030/4035, Eventide, dedicated SMPTE lockup to 1" AB roll video production facility Echo, Reverb & Delay Systems: Lexicon 224, Ivc chamber, Yamaha REV7, AKG BX10, Ecoplate, Monitor Amplifiers: McIntosh, Crown, AB Systems, Monitor Speakers: UREI 813 Time Align, Yamaha NS-10M Musical Instruments: Se-

quential Circuits Prophet-2000, LinnDrum, Yamaha DX7, Yamaha 7' grand piano, complete MIDI sampling facilities Video Equipment: 1" AB roll video production facility and full post-production facilities, complete offline 3/4" suite, Chyron VP2, Convergence Super 90 editor, graphics camera and more Rates: Competitive! Specialization & Credits: Audio complete MIDI production; session players; arrangement services. albums, CD and cassette packages and production assistance Video all video done under one roof VISA and MasterCard accepted Discounts for block booking

[24+] **INDIGO RANCH RECORDING STUDIO-MALIBU**; PO Box 24-A-14; Los Angeles, CA 90024; (213) 456-9277. Owner: Richard Kaplan, Michael Hofmann Manager: Michael Hofmann Engineers: Richard Kaplan, Chris Brunt, Chuck Johnson, Thom Panunzio Dimensions: Studio 22 x 30 plus iso rooms, control room 20 x 20 (keyboard player's dream), Mixing Consoles: "Deane Jensen" Aengus custom 32 x 24 fully automated plus 8 echo returns and 24 mon/line returns and 14 sends. Audio Recorders: (3) M79 24-track 1/2" and 1/4" stereo, Sony 3324 digital, Mitsubishi X-850 digital, Mitsubishi X-86 digital, NED Synclavier DAT VHS and 3/4" PCM. Synchronization Systems: Lynx and Q-Lock available on request. Echo, Reverb & Delay Systems: EMT 140S plate, EMT 250 digital reverb, AMS and Publison Infernal 90 available on request, Lexicon 224 digital reverb, Yamaha SPX90, Roland SRV-2000, Roland SDE-3000, Alesis XT digital reverb, MXR 01 digital reverb and DDL, Ursa Major Space Station digital effects, Telefunken reverb, Eventide Harmonizers, DDLs and instant phaser, Loft delay/flanger, Marshall time modulator Other Outboard Equipment: Teletronix LA-2, Teletronix LA-2A, Pultec EPQ-1A, Pultec EQH-2, Pultec MEQ-5 equalizers, ADR stereo compex limiters and selective stereo processors, UREI 1176, UREI UA175, UREI 176 tube limiters and Little Dippers, Fairchild tube limiters, API, Aengus and B&B equalizers, Valley People Kepex IIs, Gain Brain, Drawmer Electro-space Gate Gate, Orban parametric equalizer, EXR, Aphex Exciters and stereo enhancers, RCA BA6A tube limiters, Collins 26 tube limiter, dbx 900 rack w/de-esser, dbx 160 limiter, Microphones: Huge collection of new and vintage tubes: Neumann M49, Neumann KM53, Neumann KM64, Neumann U47, Neumann U67, Neumann U87, Neumann SM2, Neumann SM23, Neumann SM69 and others, Telefunken ELAM250, Telefunken ELAM201 classic tube, AKG C-12, AKG C-12A, AKG C-24, AKG C-28, AKG C-60, AKG C-452 and others including Schoeps, Sony PML, etc. Monitor Amplifiers: HH Electronic custom bi-amp 1600 watts per side Musical Instruments: Steinway grand piano, (2) ClapTrap, guitar accessories, most things available on request. Video Equipment: Indigo Ranch Studio's support facilities and grounds (orchards, mountains, canyon and ocean view) are very picturesque, private and conducive to film and video production Rates: Ask about our block booking rates. Specialization & Credits: Secluded 60-acre ranch, with satellite TV, minutes from beach, living and cooking facilities. Great for artists from out of town and a wonderful retreat for those living in the Southern California area. Indigo Ranch provides a unique environment conducive to musical creativity in a home-like but professional setting. Located in the Malibu Hills overlooking the Pacific Ocean, Indigo services top recording artists from all over the world. The ranch offers sleeping accommodations, kitchen facilities and a gourmet cook (on request). The ranch and its fully equipped, state-of-the-art studio are beautifully maintained by an experienced and conscientious staff doing their utmost to make clients feel welcome and comfortable. We are pleased to announce that Indigo Ranch Studios is entering its 15th year of continuous service to the musicians, producers and engineers of Los Angeles and the world.

[24+] **INTERSOUND, INC.**; 8746 Sunset Blvd., Los Angeles, CA 90069; (213) 652-3741. Owner: Ahmed Agrama Manager: Tony Pinker

[24+] **INVINCIBLE PRODUCTIONS**; 7898 Ostrow St., Ste. I; San Diego, CA 92111; (619) 569-8581. Owner: Vince Lubinsky Manager: Pam Lubinsky

[24+] **J.E. SOUND PRODUCTION AND ENTERTAINMENT**; 11323 Santa Monica Blvd., Los Angeles, CA 90025; (213) 479-7653. Owner: John E. Goodenough. Manager: John E. Goodenough

[24+] **JINGLE BELLS PRODUCTION CO.**; also **REMOTE RECORDING**; 1260 N. Havenhurst Dr. #104; W. Hollywood, CA 90046; (213) 656-3990. Owner: Michael Hurwitz Manager: Michael Hurwitz

[24+] **JUNIPER STUDIOS**; 719 Main St., Burbank, CA 91506; (818) 841-1244. Owner: Geoff Levin Manager: David Bolger

[24+] **KEY PRODUCTIONS**; 13624 Sherman Way, Ste. 221; Van Nuys, CA 91405; (818) 994-4849. Owner: Bruce K. Monical Manager: Bruce K. Monical

[24+] **KINGSOUND STUDIOS**; 7635 Fulton Ave., N. Hollywood, CA 91605; (818) 764-4580. Owner: Eddie King Manager: Steve Cormier Engineers: Eddie King, Steve Cormier, Chris Winter Dimensions: Studio 40 x 24, control room 27 x 19 Mixing Consoles: Amek Angela 28 x 24 w/extensive modifications. Audio Recorders: Otari MTR-90II 24-track 2", Otari MTR-12 4/2-track 1/2", Otari MTR-10 2-track 1/4", Otari

MX-5050 2-track 1/4", Technics 1500 2-track 1/4" Cassette Recorders/Duplicators: (2) Akai GX8 3-head. Synchronization Systems: (2) Adams-Smith Zeta-3, Adams-Smith Zeta remote Echo, Reverb & Delay Systems: Lexicon 480L digital, Lexicon 224XL 8.2 digital reverb, Lexicon PCM70 digital reverb, Lexicon PCM41 digital delay, Roland SDE-3000 digital delay, (2) Yamaha SPX90, Effectron 256 digital delay, TC Electronic 2290 digital delay, Ecoplate II, Other Outboard Equipment: Aphex Aural Exciter Type 3 stereo, Aphex Compeller stereo, Summit Audio TLA 100 tube leveler, BSS 402 stereo compressor/limiter/de-esser, dbx 165A compressor, dbx 165 compressor, (2) Valley People Gain Brain compressor, Valley People Kepex II gate, Valley People Maxi-Q equalizer, Valley People 610 stereo compressor/gate, Drawmer DS-201 dual gate, USAudio GateX 4-channel gate, BBE 822 Sonic Maximizer stereo, Garfield Digital Click, Microphones: (2) Neumann TLM170, (4) Neumann KM100, Neumann U89, Neumann U47 FET, AKG 414TLs transformerless, AKG C-460 w/CK15, (2) Schoeps CMC-5, (4) Sennheiser 421, Sennheiser 441, (3) Shure SM81, Shure SM57, (3) Crown PZM, E-V PL20, Sony C-37P, (2) Countryman Iso-Max Monitor Amplifiers: Bryston 4B, Bryston 3B, Bryston 2B, Carver 1.5T, Eagle 2, AcoustiC TNT200 Monitor Speakers: Yamaha NS-10M studio, Custom 3-way tri-amp w/TAD components, Tannoy Little Reds 12", Auratone 5C. Musical Instruments: Yamaha C5 grand piano, Roland JX-3P, Ampeg Reverb Rocket. Video Equipment: Sony 9850 3/4" machine w/address track.

[24+] **LAHAINA SOUND RECORDING STUDIO**; 840 Waihee St., Lahaina, HI 96761; (808) 667-2587. Owner: George Benson Manager: Amos Daniels

[24+] **LARRABEE SOUND**; 8811 Santa Monica Blvd., West Hollywood, CA 90069; (310) 657-6750. Owner: Kevin Mills Manager: Kevin Mills Mixing Consoles: SSL 4072 G, SSL 4056E w/G compiler, Mitsubishi X-80 2-track digital w/Apogee filters Audio Recorders: (5) Studer A800 24-track, (2) Studer A820 2-track, (7) Ampex ATR 2-track w/SSL transformerless module Cassette Recorders/Duplicators: (11) KABA system, (2) Sony Pro DAT Noise Reduction Equipment: (48) Dolby A Synchronization Systems: (6) TimeLine Lynx Echo, Reverb & Delay Systems: (2) Lexicon 480L, (2) EMT 252, (2) Yamaha REV1, (3) Yamaha REV5, (2) Lexicon PCM70, (2) Yamaha SPX1000, (3) Yamaha SPX90, (2) Yamaha REV7, (2) Eventide H3000, Sony DRE-2000, (8) Lexicon PCM42, (4) AMS 15-80 sampler, (3) AMS RMX 16, (2) TC Electronic 22900 11 sec fast trigger, Dynacord DRP-20 reverb, (2) EMT 240 Other Outboard Equipment: (8) Focusrite EQ, (4) Focusrite Dynamics module, (10) Pultec EQP-1A, (16) API 550A, (6) Lang PEQ-5 EQ, GML EQ, (6) dbx 160, (7) dbx 160X, (3) UREI LA-2A, (4) UREI LA-4A, (10) UREI 1176, (2) Inovonics 201 comp/limiter, (2) Valley People 610, (16) Valley People Kepex II, (4) Drawmer dual gate, (4) Aphex expander gate, (2) TC Electronic spatial expander, (2) dbx 900 rack, Publison DHM89B harmonizer, Roland Dimension D, Marshall time modulator, Ursa Major Space Station, Cyclosonic Pan Scan, Bercus-Berry 202R, Audio Technology AN-2 stereo simulator, Audio & Design Scamp rack, (2) Eventide H910 Harmonizer, (2) Aphex Aural Exciter, (2) MXR auto flanger.



LION SHARE RECORDING STUDIOS
Los Angeles, CA

[24+] **LION SHARE RECORDING STUDIOS**; 8255 Beverly Blvd., Los Angeles, CA 90048; (213) 658-5990; FAX: (213) 653-3086. Owner: Terry Williams, Jay Antista, Don Chickerling Manager: Terry Williams Engineers: Jay Antista, Paul Bassett, Guy Defazio, Laura Livingston, Ray Pyle, Jesse Kanner, Brian Mendelsohn Dimensions: Room 1 studio 20 x 36, control room 18 x 13 Room 2 studio 17 x 18, control room 13 x 15 Room 3 studio 18 x 20, control room 17 x 20. Mixing Consoles: Neve 8108 56 x 48 w/GML automation, Neve 8128 48 x 32 w/GML automation, API DeMedio 36 x 24. Audio Recorders: (2) Mitsubishi X-850 32-track, (3) Mitsubishi X-80 2-track, (4) Studer A800 24-track, Otari MX-80 24/32-track Cassette Recorders/Duplicators: (8) Studer A710 Noise Reduction Equipment: (2) Dolby 24-track Synchronization Systems: TimeLine Lynx, BTX Softouch, Echo, Reverb & Delay Systems: (3) Acoustic stereo echo chamber, (6) EMT plate, (3)

Lexicon 224XL w/LARC, (3) AMS RMX 16 reverb, (3) AMS DMX 15-80 DDL, EMT 250 reverb, Quantec room simulator, (3) Yamaha REV7, (4) Yamaha SPX90 Other Outboard Equipment: Publison America DHM 89-B2, (3) GML Massenburg dual limiter, (3) GML equalizer, (2) Lexicon Super Prime Time, dbx 160 limiter, dbx 160X limiter, dbx 162 limiter, dbx 165 limiter, Neve limiters, UREI limiters, (4) Teletronix LA-2A limiter. Microphones: (2) Neumann M49 tube, Neumann U48 tube, Neumann U47 tube, (2) Neumann U67 tube, (6) Neumann U87, (12) Neumann U47 FET, (2) Neumann KM86, (4) Neumann KM84, (2) Neumann KM88, (3) Shure SM81, Shure SM7, (4) Shure SM57, (2) Shure SM56, (4) Sennheiser MD-421, (3) AKG C-12A, (7) AKG 414EB, (11) AKG 452, AKG C-24 tube stereo, (3) E-VRE20, (2) E-VRE15, Telefunken 250 tube, (2) AKG C-412, (5) Sennheiser 435, Sennheiser 2002 binaural Monitor Amplifiers: (4) H&H, (13) Briston Monitor Speakers: (6) JBL custom, (10) Yamaha NS-10, (2) Yamaha 1000 Musical Instruments: Bosendorfer MIDI piano, (2) Steinway grand piano, Synclavier digital audio and Direct-to-Disk system, Hammond B-3 organ (MIDI) Video Equipment: Sony BVU-800 recorder, Sony BVU-200 recorder, Sony Beta 1/2" recorder, Panasonic VHS 1/2" recorder. Specialization & Credits: Although one of the most beautiful facilities of its kind, Lion Share doesn't stop there. Back-to-back records of the year, Chicago's *Hard Habit to Break* and *We Are the World*, are just two of the hits on Lion Share's long list of platinum projects. Our most recent clients include: Richard Marx (both albums), Neil Diamond, Poco, June Pointer, Stevie Nicks, Randy Newman, Martika, Bangles, Belinda Carlisle, *Ghost Busters II*, *Karate Kid III*. With our large Synclavier Direct-to-Disk system in Studio C, we're able to provide an ideal environment for music tracking and record production, film scoring (with picture), audio-for-video post-production, and music sweetening (including mixing to picture). Lion Share is a three-room facility offering a variety of services to its record and film/video clients. Our experienced staff is the best available. Decide for yourself! Studio rates upon request.

[24+] **LOVE PRODUCTIONS**; 17137 Index St.; Granada Hills, CA 91344; (818) 363-0636. Owner: Mark Bryan Johnson. Manager: Mark Bryan Johnson, Denise DeLong. Engineers: Mark Bryan Johnson, Hal Sacks, Jim Williams, Dennis Mackay. Dimensions: Studio 18 x 28, control room 13 x 15. Mixing Consoles: Jim Williams's Electronics custom-built 24 x 16 x 2, 001 THD, 20-volt slew rate, MIC in S/N—129.5, input to output S/N—88dB, 4 sends, 2 returns, another 8 x 2 x 1 console with same specs and 2 sends and 2 returns. Audio Recorders: Jim Williams modifications on Sony/MCI JH-24 24-track, Sony/MCI JH-110 2-track 1/2" and 1/4" formats, Tascam 32 2-track, Ampex Model 600 mono. Cassette Recorders/Duplicators: Nakamichi MR-1 Jim Williams mods, Technics M85 Synchronization Systems: Linn 9000 Echo, Reverb & Delay Systems: Live chamber 10 x 13, Lexicon 200, Jim Williams modifications on Lexicon PCM70, Lexicon PCM60, (2) Lexicon PCM42 w/extended memory, Lexicon PCM41, Eventide instant flanger. Other Outboard Equipment: Bob Wolstein Labs "Stereo Imaging Systems," Alembic F2-B stereo preamp (tube), Klark Teknik DN60 real-time spectrum analyzer, Jim Williams modifications on (2) dbx 166, (3) dbx 160X, Orban 424A (stereo compressor, limiter, de-esser, floating gate), custom-built stereo synthesizer, Type B Aural Exciter. Custom-built Jim Williams Electronics: (8) noise gate, (8) keyable noise gate, (4) hiss filter, stereo direct box w/parametric EQ and mix controls, (4) DI amps rack-mounted in control room. Mark Bryan Johnson designed, 10-line stereo guitar/line level instrument pass-through system, 16-line level input system for drum machines and synthesizer. Microphones: (3) AKG 414EB, (2) AKG 451EB, Beyer M101, Beyer M500, E-V RE20, E-V 636, E-V 630, PML DC-63, (2) Schoeps Omni-Cardiod capsules, (2) Schoeps Hypercardioid capsules, (6) Shure SM77, Shure SM57. Monitor Amplifiers: (2) BGW 750B, BGW 100, (2) Crest Model 300 "Power Line Series." Class A custom-built Jim Williams Electronics 100-watt stereo power amp. Monitor Speakers: (2) JBL 4530, (2) JBL 4311, (2) Yamaha NS-10M, (2) Auratone OC66 3-way quality control, (2) Auratone 5C Super Sound Cube, (2) JBL 4406 Musical Instruments: Steinway baby grand piano, 77 yrs. old, duplex scaling, newly rebuilt, w/MIDI mod by Jim Wilson's L.A. Piano Service, Linn 9000, Jim Williams modifications on: Yamaha DX7, (2) TX card, Roland Jupiter-8 MIDI, Music Man bass, custom-built 5-string fretless bass, (7) custom guitars for pro quality available upon request. Rates: Available upon request.

[24+] **LYON RECORDING STUDIO**; also **REMOTEC RECORDING**; 2212 Newport Blvd.; Newport Beach, CA 92663, (714) 675-4790. Owner: Curt Lyon. Manager: Naomi Davis.

[24+] **MAD DOG STUDIO**; 1717 Lincoln Blvd.; Venice, CA 90291; (213) 306-0950. Owner: Mad Dog Studio, Inc. Manager: Meryl Starbin. Engineers: Dusty Wakeman, Eric Westfall, Don Tittle, Michael Dumas. Dimensions: Studio 25 x 18, control room 20 x 15. Mixing Consoles: Neve 8108 28 x 32 w/Necam mixdown. Audio Recorders: Studer A800 24-track Ampex ATR-102 2-track, Otari MX-5050B 2-track. Cassette Recorders/Duplicators: TEAC 122H-X, Yamaha C300 Echo, Reverb & Delay Systems: (2) Yamaha REV7, (3) Yamaha SPX90, Lexicon PCM70, Lexicon PCM60, (2) Roland SDE-3000E, Korg SDD-3000, Eventide 910 Harmonizer, Lexicon PCM41, (2) Alesis Quadraverb, EMT 140 tube plate reverb, Dynacord DRP-20. Other Outboard Equipment: (2) Drawmer DS-201 noise gate (dual-channel), (2) Gates noise gate (4-channel), (2) dbx 165A limiter, (3) dbx 160X limiter, (2) UREI

LA-4 limiter, UREI 546 dual parametric EQ, (2) UREI 537 1/2-octave graphic EQ, (2) White Instruments 1/2-octave EQ, (2) Lang PEO-2, (2) UREI 1176LN limiter, (2) dbx 263X, (2) dbx 166 stereo limiter. Microphones: Neumann U47 tube, Neumann U67 tube, Neumann U87, (2) AKG 414, (2) AKG 451, AKG D-12E, E-V RE20, (6) Shure SM57, Shure SM77, (4) Sennheiser 421, Crown PZM, Neumann TLM170, (2) AKG C-28 tube, (2) Neumann KM64 Monitor Amplifiers: (2) Crown Micro-Tech 600, Briston 4B, Briston 3B. Monitor Speakers: (2) Westlake BBSM-12, (2) Yamaha NS-10, (2) Auratone 5C, (2) Tannoy NFM-8. Musical Instruments: Robin Custom Ranger guitar, Robin bass, Fender 61 P-bass, Turner bass, (2) Fender Twin, Yamaha C7 grand piano, E-mu Emulator E111, E-mu Emax, Alesis drum machine. Other: Fostex headphones, AKG headphones, Countryman direct boxes, Sescam direct boxes.



MAD HATTER RECORDING STUDIO
Los Angeles, CA

[24+] **MAD HATTER RECORDING STUDIO**, 2635 Griffith Park Blvd.; Los Angeles, CA 90039; (213) 664-5766. Owner: Chick Corea. Manager: Dee Dye. Engineers: Larry Mah, Bernie Kirsh, Darren Mora, Robert Reed. Dimensions: Studio 38 x 26, control room 18 x 22. Mixing Consoles: Trident Series 80 computerized 40 x 24 w/GML automation. Audio Recorders: Studer A800 24-track, Studer A80 24-track, (2) Studer A80RC 2-track stereo (1/2" or 1/4"), Otari MTR-121 4-track 1/2" Cassette Recorders/Duplicators: (2) Nakamichi, (2) Yamaha Synchronization Systems: (2) Lynx Echo, Reverb & Delay Systems: AMS 15-80S DDL, sampler and harmonizer, (2) EMT 140 stereo plates (solid state and tube), EMT 240 "Gold Foil" reverb plate, (2) Lexicon 224XL digital reverb, Lexicon Prime Time, Lexicon Super Prime Time, (4) Yamaha SPX90. Other Outboard Equipment: (2) Teletronix LA-2A tube limiter, Eventide 949 Harmonizer, Eventide Instant Flanger, (2) UREI 1176 limiter, (2) dbx 160X limiter/compressor, (2) Sontec parametric EQ, (4) API 550A EQ, (2) Drawmer noise gate, Kepex noise gate. (2) Klark-Teknik graphic EQ, (24) Neve 8378 preamp/EQ module. Microphones: (10) Schoeps CM/C3, (4) AKG 414EB/P48, (2) Neumann U67, (2) Sanken CU32, (4) Bruel & Kjaer 1/2" measurement, (4) Shure SM57, (6) Sennheiser MD-421, (2) AKG C-12, (2) AKG C-12A, (4) Neumann U87, AKG 414EB, Neumann M49, Neumann KM84, AKG D-12E, AKG D-1000E. Monitor Amplifiers: Meyer, Hafler, McIntosh. Monitor Speakers: John Meyer ACD, Yamaha NS-10, Tannoy SRM10-B, Auratone JBL. Musical Instruments: Bosendorfer 9' concert grand w/MIDI, Hamburg Steinway D 9' concert grand. Video Equipment: JVC CR600 3/4" recorder/playback, '9' and '26" monitors. Other: Massenburg automation. Rates: Upon request. Specialization & Credits: "The building of Mad Hatter Studios is the realization of having a place where musicians could make music in a free, easy atmosphere. Our technical concept is clarity of sound. Our musical concept is the artist's vision realized." —Chick Corea. Our clients include Prince, Robert Palmer, Paul McCartney, Chick Corea, Pebbles, Wayne Shorter, Lavert, Maynard Ferguson, Chico DeBarge, Los Lobos, Teena Marie, Jennifer Warnes, Warren Zevon, Madame X, Robben Ford, Jean Luc Ponty, Yellowjackets and Billy Crystal. Movie soundtracks include: *Nightmare on Elm Street*, *Surrender*, *The Principal*, *Deathwish 4*, *School Daze* and *Roe vs. Wade*.

[24+] **MARTINSON RECORDING STUDIOS**; 1151 W. Valley Blvd.; Alhambra, CA 91803-2493; (818) 281-3555. Owner: A.J. Martinson. Manager: Annette Martinson. Engineers: Anthony S'pitis/wal independent engineers welcome. Dimensions: Room 1, studio 45 x 47, control room 18 x 35. Room 2, studio 23 x 14, control room 13 x 14. Mixing Consoles: Trident Series 80 w/40 tracking/68 m.x./26 bus/5 aux (Studio I), Flying Faders' automation, MCI JH-416 24 x 16 (Studio II). Audio Recorders: Sony/MCI 24-track Noise Reduction Equipment: Dolby 24-track, Dolby 4-track, Dolby 2-track Synchronization Systems: (3) TimeLynx, house sync, pacer back-up Echo, Reverb & Delay Systems: AMS, (2) Yamaha REV7, (2) Lexicon SPX90, EMT echo plates. Other Outboard Equipment: Misc EQ equipment, Kepex II noise gate, digital delay line, UREI LA-2A (modified). Microphones: Over 60 tube and condenser mics. Monitor Amplifiers: Boulder Monitor Speakers: UREI Time Align w/Yamaha NS-10M

mini monitors, JBL 604 w/Yamaha NS-10M mini monitors. Musical Instruments: Yamaha 7' grand (Studio I), Steinway 7' grand (Studio II). Video Equipment: Sony 1/4" U-matic deck, (2) Sony color monitor, TimeLine Lynx lockup. Other: Digital metronome, Silent Clock.



MASTER CONTROL
Burbank, CA

[24+] **MASTER CONTROL**; 3401 W. Burbank Blvd.; Burbank, CA 91505; (818) 842-0800. Owner: Aseley Otten. Manager: Aseley Otten, Noel Engineers: Steve Catania, Aseley Otten, Ted Pattison, Andrew Ballard, independents. Dimensions: Main room 58 x 24, iso room 14 x 18, vocal booth 7 x 8, control room 20 x 24. Mixing Consoles: SSL 4048E 52 x 32 w/G Series computer and Total Recall. Audio Recorders: Studer A80 VU-KI III 24-track, Studer A80 RC-MK II 2-track (1/4" and 1/2"), Revox PR-99 Cassette Recorders/Duplicators: Studer A710, Revox B215. Noise Reduction Equipment: Available upon request. Synchronization Systems: TimeLine Lynx Echo, Reverb & Delay Systems: Lexicon 224XL, Lexicon 200, Lexicon PCM70, Lexicon PCM42, AMS RMX 16 digital reverb, AMS DMX 15-80, (2) Yamaha REV7, Eventide 949 Harmonizer w/de-glitch, (2) Roland SDE-3000, Effectron II 1275 DDL. Other Outboard Equipment: UREI LA-2A, (2) UREI 1176 limiter, (2) dbx 160X limiter/compressor, Valley People 430, Valley People Dyna-Mite limiter/gate, (2) CBS Audimax II RZ limiter, (2) API 560 graphics, Pultec EQP-1, Pultec EQP-1A, Pultec EQP-1S, Pultec EQH-2, Pultec MEQ-5, Pultec HLF-3C filter, Drawmer gates, Eventide instant phaser, Klark-Teknik DN332 graphic EQ, Trident A Range input EQ module, UREI LA-3A, Inonovics 201 limiter, Aphex II Exciter, dbx 902 de-esser, Massenburg EQ. Microphones: AKG "The Tube," AKG 414/P48, AKG 451, Beyer M 160, Crown PZM, E-V 665, E-V 666, Neumann U87, Neumann U47, Neumann KM84, Neumann KM85, RCA 77-DX, Sennheiser 421, Shure SM77, Countryman, Westlake and Jensen DI boxes, Shure SM81. Monitor Amplifiers: Crown PSA-2, Eagle 2A, Studer A68 Crown 150, Crown 75, Haller P-500, Hill 3000. Monitor Speakers: JBL 4435, JBL 4311, Tannoy SRM12B, Yamaha NS-10M, Auratone 5C, Realistic Minimus 7, JBL 4406, Westlake BBSM-4. Musical Instruments: Steinway C grand piano, Hammond B3 w/Leslie, LinnDrum and others upon request. Video Equipment: 26" SVT, NTSC, PAL, SECAM color monitor. Rates: \$145/hr. Call for block bookings. Specialization & Credits: Credits include: Madonna, Loverboy, Cock Robin, REM, Bernie Taupin, Crystal Gayle, Stryper, Eddie Rabbitt, Kenny Rogers, Poison, Juice Newton, Sergio Mendes, Dream Syndicate, Reckless Sleepers, Hunters & Collectors, Devo, Robin Tapper, Eurythmics, Del Lords, Herbie Hancock, Bus Boys, Cheech Marin, Dream Academy, Alice Cooper.

[24+] **MAXIMUS RECORDING STUDIOS**; 2727 N. Grove Industrial Dr. #111; Fresno, CA 93727; (209) 255-1688; FAX: (209) 255-1755. Owner: Jeff Hall. Manager: Leigh Ratliff. Engineers: Nye F. Morton, Bob Kearney, Jeff Hall, Eric Seaberg (ind.), Loyd Clift (ind.). Dimensions: Room 1, studio 28 x 44, control room 28 x 20. Room 2, studio 30 x 30, control room 24 x 18. Room 3, studio 9 x 10, control room 16 x 10. Room 4, (MIDI suite) control room 10 x 24. Mixing Consoles: (2) Harrison MR-3 w/autoset, Sound Workshop Logex 8. Audio Recorders: Studer A800 MKIII 16/24-track, Studer A80 16/8-track, (3) Studer A80 2-track 1/4" and 1/2", (2) Studer A810 2-track, (5) Revox PR-99 2-track, Otari 5050B full track, Nagra IV-S 2-track w/sync, Panasonic SV-3500 DAT, Akai MG-1214 12-track Cassette Recorders/Duplicators: (2) Studer, (13) Sony, (2) Akai, Nakamichi. Synchronization Systems: Audio Kinetics Q Lock 30. Echo, Reverb & Delay Systems: Lexicon 224-X w/LARC, Ecoplate III, (3) Ibanez SDR 1000+, Korg SDR-3000, Yamaha SPX90, Lexicon Super Prime Time, (2) Lexicon Prime Time II, Eventide 949. Other Outboard Equipment: (10) UREI LA-4A, (4) UREI 1176, (2) UREI 1178, (2) UREI LA-3A, UREI 535, (2) EXR EX-IV, (3) Orban 536A, (2) Orban 245F. Microphones: (9) AKG 414EB/P-48, (6) AKG 460, (6) E-V RE20, (4) Sennheiser MD-441, (4) Sennheiser MD-421, (2) AKG D-12, AKG C-34, (4) Shure SM77, Sony C-37, (3) RCA Ribbon, (2) Wahrenbrock PZM, (2) Crown PZM. Monitor Amplifiers: (11) Crown DC-300, (9) Crown D-75.

—CONTINUED ON NEXT PAGE

24+ TRACK

—CONTINUED FROM PREVIOUS PAGE



MAXIMUS RECORDING STUDIOS
Fresno, CA

Crown PS-200 Monitor Speakers: (2) George Augspurger custom, (2) Electro-Voice Sentry 500, (4) Electro-Voice Sentry 100, (5) Auratone 5C, Yamaha NS-10M, Altec 604, Fostex RM780 Musical Instruments: E-mu Emulator E-III, E-mu Emulator E-II, Yamaha DX7, Roland D-550, Roland D-110, Roland MT-32, Yamaha TX802, Yamaha TX7, Kawai K-1, Oberheim Expander, E-mu Emulator SP-12, E-mu Emulator Drumulator, Alesis HR-16 Video Equipment: Full synchronous lockup to Sony 1" or Sony 1/4" Specialization & Credits: After glancing through this listing you're probably saying to yourself, "Fresno?? You have a studio like this in Fresno? I thought that Fresno was only warm summers and Dancing Raisins!" Actually, Fresno is a convenient, cost-effective place to record anything from film scores to broadcast production work to anything in between. Maximus serves clients from all over the country who find that working in Fresno gives them quicker turn-around than major metropolitan market studios at a fraction of the cost with no compromise in quality. We are able to offer our high-profile clients more freedom than in large-market studios. We combine large-market quality with a small-market profile to avoid the hassles and delays from outside distractions (or over-zealous media).

[24+] **MIDLAND**: 1615 Rancho Ave., Glendale, CA 91201; (818) 507-7982. Owner: Chris Page. Manager: Scott Cochran. Engineers: Scott Cochran, David Hentschel, Chris Page. Dimensions: Studio 12 x 24, control room 20 x 20. Mixing Consoles: Trident Series 65 40 x 24 w/custom patch bay, Hill 16 x 16 w/4 effect sends, Roland 16 x 16 w/4 effect sends. Audio Recorders: MCI 24-track w/autolocator III, Studer B67 2-track 1/4", Ampex 4-track 1/2" (on request), Sony 500 DAT Cassette Recorders/Duplicators: (2) Awa F770 Noise Reduction Equipment: (2) Dolby SR (on request) Synchronization Systems: Fostex Echo, Reverb & Delay Systems: AMS DMX 15-80 digital delay, AMS DM 2 20 stereo flanger, Lexicon 224 digital reverb, Lexicon PCM70, Yamaha SPX90, Yamaha REV7, Korg SDE-3000, DeltaLab DL5 harmonizer, Dyrronics CS5 stereo tri-chorus, Marshall 5002 limes modulator, Barth Vocoder, Dynachord DRP-20 Monitor Amplifiers: BGW, Audirronics. Monitor Speakers: (2) UREI 809A, (2) Yamaha NS-10, (2) Auratone Musical Instruments: Yamaha C7EPE 74" MIDI concert grand piano, Greengate DS4 16-bit sampler w/24 secs of memory, Roland S-50 sampler, Emulator sampler, Yamaha DX7, (2) Yamaha TX7, Roland Jupiter-8, Roland D-550, Sequential Circuits Prophet-VS, Roland MKS-70, Roland MKS-20, 360 Systems Midi Bass, LinnDrum II w/MIDI and 32k chips, Korg M-1, Kurzweil PX+, Kurzweil SX1000, Moog MIDImoog, Ensoniq EPS sampler, Roland R-8 drum machine, Octapad II. Other MIDI Equipment: Macintosh SE (radius 80-meg HD), Performer 2, Linn sequencer, (2) Zaphod 4 x 8 MIDI switchers, Garfield Dr Click Video Equipment: JVC VR-7700, Fostex 4030/4035 (sync lockup), Mitsubishi 26" monitor. Other: Extensive sound libraries for all computers and synths. Rates: Please call for rates. Chris Page resident producer/composer.

[24+] **THE MIXING LAB**: 11542 Knott Ave., Ste. 9; Garden Grove, CA 92641; (714) 373-0141. Owner: Jim Kempner. Manager: Doug Beiden. Engineers: Dave Jahnsen, Eric Kibbe, Doug Beiden, Beth Wisner. Dimensions: Room 1 studio 30 x 17, control room 18 x 25. Room 2 studio 13 x 11, control room 18 x 15. Mixing Consoles: Harrison modified 40/32 w/full MegaMix automation, Harrison modified 32/32 w/full MegaMix automation. Audio Recorders: MCI JH-24 24-track, MCI JH-16 24-track, Otari MTR-12 2-track, (2) Panasonic

SV-3500 R-DAT Cassette Recorders/Duplicators: (2) Yamaha C300 stereo, Yamaha K520 stereo. Synchronization Systems: SMPTE/MIDI converter system based on Atari Echo, Reverb & Delay Systems: Lexicon 480L digital effects system, Lexicon PCM70 digital effects processor, Lexicon 200 digital reverb, Lexicon PCM42 digital delay, Eventide H3000 Ultra-Harmonizer, AMS RMX 16 digital reverb, AMS DMS 15-80S stereo digital delay, Yamaha D1500 digital delay, Yamaha SPX90II, Yamaha SPX90, Alesis XT-C digital reverb, Alesis XT digital reverb. Other Outboard Equipment: Yamaha DMP11 digital mixing processor, Yamaha DEQ7 digital equalizer, (3) Aphex expander/gate, (2) Aphex Compellor, Aphex Dominator, Symetrix 544 quad expander/gate, (2) dbx 160A compr/limiter, (2) dbx 160 compressor, UREI peak limiter, (2) UREI LA-3A leveling amp, (4) Valley People Kexell II gate, Valley People de-esser, Roland M160 line mixer. Microphones: (10) Shure SM57, (2) Shure SM81, Neumann TLM170, (2) Neumann U87, (4) AKG 414EB, (2) AKG 454C, (2) AKG 452, AKG tube, (5) Sennheiser 421, (3) Electro-Voice RE20 Monitor Amplifiers: (3) QSC MX1500, QSC 1200, Crown DC-300A, Quad Eight 303, Yamaha P2200, Yamaha P2201 Monitor Speakers: (2) Westlake Audio BBSM-15, (2) Westlake Audio Sierra S-15, (2) Westlake Audio BBSM-6, (4) Yamaha NS-10M Musical Instruments: Yamaha C7 conservatory grand piano, E-mu Emax sampler. Other MIDI Equipment: Hybrid Arts ADAP

[24+] **MUSIC GRINDER STUDIOS**: 7460 Melrose Ave., Los Angeles, CA 90046; (213) 655-2996; FAX: (213) 655-2344. Owner: Gary Skardina, Ron Filecia. Manager: Ron Filecia

[24+] **MUSIC LAB INC.**: 1831 Hyperion Ave., Hollywood, CA 90027; (213) 666-3003. Owner: Chaba Mehes. Manager: David Missall



NOVASTAR
Hollywood, CA

[24+] **NOVASTAR**: 6430 Sunset Blvd., 14th Fl.; Hollywood, CA 90028; (213) 467-5021; FAX: (213) 465-8750. Owner: Greg Geddes, Bob Sky. Manager: Greg Geddes. Engineers: Greg Geddes, Scott Fraser, James Geddes, Bob Sky. Dimensions: Studio A 16 x 12, control room 21 x 20. Studio B 28 x 34. Mixing Consoles: Tascam Model 600 32 x 16 x 32 x 70 (+4 balanced). Audio Recorders: All digital formats available on request 2/24/32-track, all analog formats available on request 2/4/8/16/24/32-track, Tascam ATR-6016 16-track seamless/gapless 1". Sony PCM-701ES 2-track digital, Otari 5050 2-track w/center-track time code, Technics 1520 2-track Cassette Recorders/Duplicators: (2) Awa HX-Pro, TEAC high-speed dub. Noise Reduction Equipment: All noise reduction formats available on request, dbx 16-channel, dbx 2-channel. Synchronization Systems: (3) Tascam ES-50, Tascam ES-51 controller. Echo, Reverb & Delay Systems: All signal processing boxes available on request, (3) Alesis Microverb, Alesis MIDIVerb, Alesis MIDIVerb II, (2) DigiTech DSP-128, Effectron digital delay. Other Outboard Equipment: UREI 1176 limiter, (2) UREI LA-3A limiter stereo ganged, Eventide Omnipressor, (8) API 550A EQ, (8) Jensen custom mix pre-amp, SAE stereo graphic EQ, Burwen dynamic noise filter (stereo), Allison Research 36 db/oct filter set, (4) Audio Logic noise gate, Aphex Aural Exciter (stereo). Microphones: Neumann U87 Stephen Paul modified, Neumann U87, (3) Neumann KM84, (3) Sennheiser MD-421, (2) AKG 224, (4) Shure SM58, Countryman EM101, (2) AKG C-451, (2) Crown PZM, (3) Sennheiser 404 Monitor Amplifiers: Adcom 555 Pro, BGW 750, (2) Crown D-60, Crown DC-300A. Monitor Speakers: (2) Altec 604 w/Mastering Lab crossover, (2) Yamaha NS-10, (2) Auratone cube. Musical Instruments: E-mu Emulator II sampler, E-mu SP-12 drum sampler, Korg DSM-1 sampler, Yamaha TX7 synth, Yamaha TX812 synth, Roland D-550 synth. Other MIDI Equipment: I/VL Pitchdrift (wind and brass) pitch to voltage to MIDI, Southworth Jam Box/4+, J.L. Cooper PPS-1 time code, (2) MX-8 processor. Video Equipment: (2) Sony BVH-3000 1" recorder, (2) Sony BVU-850 3/4" recorder, (2) Panasonic AG-1950 1/2" VHS recorder, Panasonic AG-95 edit controller. Other: Macintosh IIX w/4MB memory and 80MB internal drive, Sound Tools digital hard disk recorder, Digi-design Cue Sheet edit decision list to MIDI, Passport Master

Tracks Pro, Mark of the Unicorn Performer, (3) Opcode editor/librarian for DX, D-55G, TX812, Blank Drum File SP-12 librarian. Specialization & Credits: Novastar is uniquely situated within Bonnevill Satellite Communications newly constructed state-of-the-art multimedia environment with 1" C video, 4-camera insert stage, edit bay, direct satellite link and phone matrix system for live teleconferencing. Novastar can supply you with audio expertise and capability for any audio post need. Specializing in sweetening, synchronizing audio-to-picture (conforming), ADR, voice-over, original music, sound FX creation, as well as the all important audio mix and layback. We have a firm commitment to the Macintosh II with a host of programs using MIDI and digital audio integrated with a complete understanding of conventional audio solutions giving you a cost-effective, quality product. Novastar is available by appointment on a 24 hour basis with security parking, full kitchen, green room, conference room and FAX. Our staff experience includes syndication, film, video, location recording, music production, archival restoration and commercial production.



PACIFIQUE RECORDING STUDIOS
North Hollywood, CA

[24+] **PACIFIQUE RECORDING STUDIOS**: 10616 Magnolia Blvd., North Hollywood, CA 91601; (818) 761-8042. Owner: Vasken Inc. Manager: Joe Deranterasian. Engineers: Ken Deranterasian, Dennis Moody. Dimensions: Room 1 studio 35 x 30, control room 25 x 25. Room 2: studio 20 x 20, control room 25 x 25. Mixing Consoles: Neve V Series 60 60-input, Trident 80B 32-input. Audio Recorders: Studer A820 24-track, Otari MTR-90 II 24-track, Studer A820 2-track 1/2", Otari MTR-12 2-track 1/2", Otari MTR-12 2-track 1/4" Cassette Recorders/Duplicators: (2) Nakamichi MR-1. Synchronization Systems: Adams-Smith Echo, Reverb & Delay Systems: Lexicon 224XL, AMS RMX 16, (3) Lexicon PCM70, (4) Roland SRV-2000, (3) Yamaha SPX9G, Yamaha REV7, Lexicon Prime Time, Roland SDE-3000, (2) TC Electronic 2290, (2) Eventide H3000. Other Outboard Equipment: (5) Kepex II noise gate, (5) dbx 160X, dbx 165A, (3) UREI 1176, Telatron LA-2A, (2) Orban Microphones: Neumann TLM170, Neumann U89, Neumann U87, AKG 414, AKG 460, Neumann KM84, Sennheiser 421, AKG D-12, AKG 224, Shure SM81, Shure SM57, E-V RE20 Monitor Amplifiers: Crown, Perreaux, Forte Monitor Speakers: JBL 4435, Yamaha NS-10, Tannoy Musical Instruments: Yamaha DX7, Roland S-50, Yamaha RX5 Rates: On request. Specialization & Credits: In the two years we've been open, we have managed to attract some of the world's finest recording artists, including The Jets, George Benson, The Desert Rose Band, The Whispers, Maurice White, Dweezil Zappa, Debbie Reynolds, Brandon Fields, Free Flight, The Fowler Brothers, Osamu Kitajima, Lucia Mendes, Ned Nelson, Ule Lumper, Jun Yamagishi, Terntptions, Tracy Spencer.



PARAMOUNT RECORDING STUDIOS
Hollywood, CA

[24+] **PARAMOUNT RECORDING STUDIOS**; 6245 Santa Monica Blvd., Hollywood, CA 90038; (213) 465-4000. Owner: Fast Forward Ent. Manager: Adam Beif, Mike Kerr, Nick West



PLATINUM RECORDERS HAWAII
Mililani, HI

[24+] **PLATINUM RECORDERS HAWAII**; also **REMOTE RECORDING**; 95-11B Hiiilei Pl.; Mililani, HI 96789; (808) 623-4555. Owner: Platinum Productions Svc. Inc. Manager: Tim Nelson. Engineers: Tim Nelson, "Bully" Soares, Michael Grande. Dimensions: Room 1 studio 16 x 14, control room 14 x 12. Room 2 control room 20 x 20. Mixing Consoles: API 3624, Tascam Model 15 24 x 16 modified Audio Recorders: Sony/MCI JH-24 24-track, Tascam Model MS-16 16-track w/dbx, Ampex AG440 2-track, Technics 1500 2-track, Sony PCM-501 w/900 Super Beta Cassette Recorders/Duplicators: BIC T2 2-speed, Tascam 122 Echo, Reverb & Delay Systems: (11) Yamaha SPX90, Yamaha REV7, (2) TC Electronic 2290 digital processor, (2) Lexicon PCM70 digital reverb, (2) Roland SRV-2500, Roland DEP-5, Alesis MIDVerb II, (2) DigTech DSP-128 Other Outboard Equipment: (2) dbx 160 limiter/compressor, (2) dbx 162 limiter/compressor. Microphones: (2) Neumann U87, (2) AKG 414, (6) Shure SM57, (6) Shure SM58, (2) AKG 451, (2) AKG D-112, (3) Sennheiser 421U, (4) E-V various, Sony electret condenser. Monitor Amplifiers: Perreux 3150, BGW 750, Yamaha P2250, Crown D-60, BGW Model 650, Rane HC-6 headphone amp. Monitor Speakers: E-V Sentry 500, (2) Yamaha NS-10M, Auratone 5C Musical Instruments: Yamaha DX5, Yamaha DX7, Roland D-50, Roland D-550, Korg M-1, Korg M-1R, Oberheim Matrix-6R, Yamaha TX816 fully loaded, Ensoniq ESQ-1, Ensoniq Mirage, Yamaha TX802, Sequential Circuits 445 studio sampler/drum machine, Alesis HR-16, E-mu SP-1200 drum machine/sampler, Korg DDD-1 drum machine, Roland TR-626, Korg DSS-1 sampler/synth. Other MIDI Equipment: Macintosh SE w/Performer 2.41, J.L. Cooper MSB-16/20 MIDI patcher and more. Specialization & Credits: We also specialize in equipment rental and service to many of the major concert and convention venues here in Hawaii including 16/24-track remote setups. Experienced crew. Recent credits include C&K, Bobby Brown, Levert, Gladys Knight and the Pips, REO Speedwagon (live remote), Anri (16/24-track live remote), UB-40, Cinderella, Steel Pulse, Third World, Paula Abdul, NIA Peeples, Don Ho, Charo and many local acts. We also offer interstand services. Call for more info and rates.

[24+] **POWERHOUSE STUDIOS**; 19347 Londeluis St., Northridge, CA 91324; (818) 993-4778. Owner: Paul and Jeff Stillman. Manager: Paul and Jeff Stillman

[24+] **RADIO RECORDERS**; 7000 Santa Monica Blvd.; Hollywood, CA 90038; (213) 464-7747. Owner: Paul Schwartz. Manager: Jack Snyder

[24+] **RCM STUDIOS**; also **REMOTE RECORDING**; 640 S. Glenwood Pl.; Burbank, CA 91506; (818) 845-1760. Owner: Ritchie Carbajal

[24+] **RECORD PLANT INC.**; also **REMOTE RECORDING**; 1032 N. Sycamore Ave.; Los Angeles, CA 90038; (213) 653-0240. Owner: Chris Stone. Manager: Rose Mann. Specialization & Credits: Record Plant has two facilities offering video, film and record recording studios plus two remote trucks. We also offer the finest equipment available for rent through Livingstone Audio. The Hidley-designed control rooms at Sycamore, measuring 29 x 32, are designed for synthesizer recording and feature video projection as well as the new 60-input V Series Neve console with GML automation (Studio 1), a new 72-input SSL 4000 G Series with Total Recall (Studio 2), and Studer analog and Sony digital 48-track tape machines. Our two remote recording trucks continue to provide faultless audio for award shows as well as live recording for the world's most successful artists.

[24+] **R.P.D. SOUND (FORMERLY FUTURE SOUND)**; also **REMOTE RECORDING**; 1842 Burlison Ave.; Thousand Oaks, CA 91360; (805) 496-2585. Owner: Randy Dew. Manager: Randy Dew



RUMBO RECORDERS
Canoga Park, CA

[24+] **RUMBO RECORDERS**; 20215 Salicoy St.; Canoga Park, CA 91306; (818) 709-8080; FAX: (818) 709-4072. ★ See **Our Ad in the BusinessPages!** Owner: Daryl Dragon, Toni Tennille. Manager: Vicky Camblin. Engineers: Julian Stoll, Andy Udoff, Gina Immet, Mike Gunderson, Shirley Greer, Jim Mancuso. Dimensions: Room 1 studio 58 x 38, control room 30 x 25. Room 2 studio 38 x 33, control room 30 x 20. Mixing Consoles: Neve V-Series 60-input w/Flying Fader automation, Trident Series 80A 32 x 24. Audio Recorders: (2) Studer A800 MkIII 24-track, Studer A820 1/2" master recorder, (2) Ampex ATR-104 2/4-track 1/2" and 1/4", (2) Otari MTR-90 Series II 24-track, Ampex ATR-102 2-track 1/2" and 1/4". Cassette Recorders/Duplicators: Sony PCM-2500 DAT, (2) Studer A721. Synchronization Systems: TimeLine Lynx, Fostex 4030/4035. Monitor Speakers: Custom TAD, Gauss system, custom Fostex. Specialization & Credits: Rumbo has always maintained a client base made up primarily of artists and producers affiliated with album projects. Comfort is a top priority: separate lounges, private patios and a full kitchen make Rumbo "Home Away from Home." The entire control room in Studio A has just been remodeled with the electronic equipment totally updated. The main studio has also been acoustically redesigned to enhance natural reverberation. With its huge main room and four oversized isolation booths, Studio A is ideal for tracking and overdubbing. Studio B remains a very popular recording room because of its great sound and reasonable lockout rate. Some Rumbo credits include, Tom Petty *Full Moon Fever*, Roy Orbison *Mystery Girl*, Eddie Money *Nothing to Lose*, Trevor Rabin, Bruce Hornsby and the Range *The Way It Is*, *Songs from the Southside*, Jefferson Airplane, Guns N' Roses *Appetite for Destruction*, *G N'R Lies*.

[24+] **RUSK SOUND STUDIOS**; 1556 N. LaBrea Ave.; Hollywood, CA 90028; (213) 462-6477. Manager: Elton Ahi.



SABRE SOUND PRODUCTIONS
Riverside, CA

[24+] **SABRE SOUND PRODUCTIONS**; also **REMOTE RECORDING**; 413 Trabert Cir.; Riverside, CA 92507; (714) 784-4280. ★ See **Our Ad in the BusinessPages!** Owner: Paul Tucker, Walt Lysinger. Manager: Paul Tucker. Engineers: Jimmie Kees, Walt Lysinger, Paul Tucker, Stephen Tucker. Dimensions: Studio 14 x 11, control room 21 x 20. Mixing Consoles: Amek Matchless 64-input Audio Recorders: Otari MX-80 24-track, Tascam 35-2 2-track, Panasonic SV-3500 Echo, Reverb & Delay Systems: Eventide 910 Harmonizer, (2) Lexicon PCM70, Yamaha SPX90II, (2) Yamaha SPX90, (2) Yamaha REV5, Ursa Major digital reverb. Other Outboard Equipment: (4) dbx 160X, Valley People Dyna-Mite, dbx 900, Aphex —CONTINUED ON NEXT PAGE

CD-LIKE QUALITY ON CASSETTES!!

Clarity

REAL-TIME CASSETTE DUPLICATION

"THE ULTIMATE RESPONSE"

... Find Out How ...

Post Office Square
Waterville, ME 04901
1-800-458-6405
207-873-3911

Circle #015 on Reader Service Card

IF YOU'RE NOT USING IT... SELL IT!

THE BERTECH ORGANIZATION

YOUR NATIONAL CLEARINGHOUSE FOR FINE USED AUDIO AND VIDEO

Our mailers reach thousands of professionals every month. We'll list your used equipment free of charge — or help you find that rare item you've been looking for.

THE BERTECH ORGANIZATION

Distributors, brokers and custom fabricators of quality audio and video equipment

14447 CALIFA STREET
VAN NUYS, CA 91401
(818) 909-0262
Toll Free Outside CA
(800) 992-2272

THINK BERTECH FIRST!

Circle #016 on Reader Service Card

24+ TRACK

—CONTINUED FROM PREVIOUS PAGE

Aural Exciter Type C. Microphones: (2) AKG 414, AKG tube, (2) Neumann TLM170, (2) Neumann U87, (2) E-V RE20, (2) ATM 33R, (4) Shure SM58 Monitor Amplifiers: (2) QSC MX-1500, Ramsa WP-9055 Monitor Speakers: UREI 809, DeltaLab DLW-18, Yamaha NS-10M. Musical Instruments: Kurzweil MIDIboard, Yamaha TX802, Roland D-550, Roland P-330, Roland S-330, Roland MKS-70, 360 Systems keyboard, (2) Alesis HR-16, Roland sampler. Other MIDI Equipment: (2) IBM PC XT w/Personal Composer, Texture, Cakewalk and others Specialization & Credits: Sabre Sound specializes in radio and television commercials, contemporary Christian albums and individual accompaniment track. Excellent arrangers, producers and engineers on staff

[24+] **SALTY DOG RECORDING, AKA SDR STUDIOS:** 14511 Delano St., Van Nuys, CA 91411; (818) 994-9973. Owner: Fred J. Munch, Larry Cook



SKIP SAYLOR RECORDING
Los Angeles, CA

[24+] **SKIP SAYLOR RECORDING:** 506 N. Larchmont Blvd.; Los Angeles, CA 90004; (213) 467-3515. Owner: Skip Saylor Manager: Liz Sroka Engineers: Skip Saylor, Pat MacDougall, Joe Shay, independents Dimensions: Room 1 studio 9 x 12 (overdub booth), control room 22 x 20 Room 2 studio 18 x 20, control room 20 x 22 Mixing Consoles: SSL 4000 72-input frame 66 loaded, E & G Series computer, API 32 x 64 w/Necam automation Audio Recorders: (2) Studer 800 24-track, Sony/MCI JH-24 24-track, (2) Ampex ATR-104 2/4-track 1/2", (2) Ampex ATR-102 2-track 1/2" or 1/4", Ampex ATR-800 2-track 1/4", digital 32-track available for rental upon request Cassette Recorders/Duplicators: (4) Nakamichi MR-1, Sony PCM-2500 Pro DAT. Noise Reduction Equipment: Dolby SR or A available for rental upon request Synchronization Systems: (3) TimeLine Lynx Echo, Reverb & Delay Systems: AMS digital reverb/delay (9.2 seconds), TC Electronic (32 seconds), Lexicon 480L, Lexicon 224XL, (4) Lexicon PCM70, Lexicon PCM60, (3) Lexicon PCM42, Lexicon Super Prime Time, Lexicon Prime Time II, (2) Lexicon LXP-1, (2) Yamaha REV7, Yamaha REV5, (2) Yamaha SPX90, Eventide SP-2016 processor, Eventide H3000 Ultra-Harmonizer, Eventide 910 Harmonizer, Eventide 949 Harmonizer, (2) Roland SRV-2000 reverb, (2) Roland SDE-3000, Roland SDE-2000, Roland SRE-555 analog chorus/echo, Ibanez SDR-1000, E-fection III Other Outboard Equipment: (10) Neve Prism EQ rack, (10) API 550A EQ, (6) B&B parametric EQ, (2) Focusrite EQ rack, Valley People Maxi-Q, Orban parametric EQ, (3) LA-2A limiter, Summit Audio tube limiter, (5) UREI 1176LN limiter, (2) Valley People Dyna-Mite limiter, (2) dbx 160X limiter, (2) dbx 903 limiter, UREI LA-4 limiter, (4) Drawmer gate, (4) dbx 904 gate, Kepex rack, (6) dbx de-esser, Orban de-esser, (2) Dynaflex noise eliminator, Aphex Exciter, Roland phaser, Roland flanger, Roland analog chorus, Roland Dimension D, dbx flanger, UREI Little Dipper, (3) Studio Technologies stereo expander, UREI digital metronome Microphones: AKG and assorted others Monitor Amplifiers: Perreux, Crown Monitor Speakers: TAD, Yamaha NS-10, Auratone cube

[24+] **SCORE ONE RECORDING, INC.:** 5500 Cahuenga Blvd., North Hollywood, CA 91601; (818) 762-6902. Manager: Al Johnson

[24+] **7TH STREET SOUND; only REMOTE RECORDING:** 688 S. Santa Fe #105; Los Angeles, CA 90021; (213) 627-5392. Owner: Ed Sanders Manager: Ed Sanders



SILVERLAKE SOUND STUDIO
Los Angeles, CA

[24+] **SILVERLAKE SOUND STUDIO:** 2413 Hyperion Ave.; Los Angeles, CA 90027; (213) 663-7664. Owner: Steve Millang Manager: Rosa Millang, Walter Spencer Engineers: Walter Spencer, Robert Russell, Robert Biles, Cisco De Luria, independents Dimensions: Studio 25 x 30, control room 16 x 13 Mixing Consoles: Trident Series 80B Audio Recorders: Otari MTR-90 24-track, MCI JH-110 2-track Cassette Recorders/Duplicators: Sony TC-777, Awa F-780 Echo, Reverb & Delay Systems: Yamaha REV7, Yamaha SPX90, Lexicon Prime Time delay, (2) Lexicon PCM70, Eventide H3000, TC Electronic 2290 32-secs sampling w/fast trigger Other Outboard Equipment: (4) dbx 160 limiter, (2) dbx 165A limiter, (2) UREI 1176 limiter, (2) dbx 902 de-esser, (4) Kepex noise gate, (2) Drawmer DS-201 gate. Microphones: Neumann U47 tube, Neumann U47 FET, (2) Neumann U87 (one w/Stephen Paul module), (2) AKG 414, AKG 414P-38, (2) AKG 452, AKG D-12, (6) Shure SM57, (2) Sennheiser 421 Monitor Amplifiers: Perreux 9000, Crown PB-1, Crown D-150 Monitor Speakers: (2) JBL 3340, Yamaha NS-10, Tannoy PBM 6.5, (2) Auratone cube Specialization & Credits: Silverlake Sound is the place to get high-quality sound at reasonable rates. Our equipment is always well-maintained. The staff is knowledgeable, friendly and ready to assist you in keeping your sessions moving without delay. Our list of clients is proof of our good service Paula Abdul, Karyn White, Bobby Brown, The Boys, L.A. & Babyface, Le Vert, Dawn Silva, Arturo Salas, Los Freddy's, El Sheriff, Exene Cervenka, Rebel Train, Food for Feet, Frank Gambale, Alter Seven, Desiree Colman, Gerald Albrigh

[24+] **SOUND AFFAIR RECORDING, LTD.:** 2727 Crodgy Way, Ste. G; Santa Ana, CA 92704; (714) 540-0063. Owner: Ron J. Leeper Manager: Robin Leeper, Andree Hogg

[24+] **SOUND CHAMBER RECORDERS:** 27 S. El Molino Ave., Pasadena, CA 91101; (818) 449-8133. Owner: Richard McIlvey Manager: Richard McIlvey

[24+] **SOUND CITY, INC.:** 15456 Cabrito Rd.; Van Nuys, CA 91406; (818) 787-3722; (213) 873-2842. Owner: Joe Gottfried, Tom Skeeter Manager: Paula Salvatore Engineers: Bruce Barris, David Eaton, Allen Isaacs, Brian Jenkins, Bret Newman, Stephen Toback Dimensions: Room 1 studio 40 x 50, control room 26 x 20 Room 2 studio 40 x 30, control room 20 x 20. Mixing Consoles: Neve 8028 28 x 24 w/Necam; I automation, Neve 8068 32 x 24 Audio Recorders: Studer A800 24-track, Studer A80 MkII 24-track, Studer A80 2-track 1/2", Studer A80 2-track 1/4", (2) Studer B67 2-track 1/4" Noise Reduction Equipment: Dolby M24, Dolby 361, Dolby 301 Echo, Reverb & Delay Systems: EMT, AKG, Lexicon, DeltaLab T digital delay, (2) Eventide 949 Harmonizer, Eventide flanger, Orban de-esser, Eventide digital delay, AMS RMX 16 digital reverb, Yamaha REV7, Yamaha SPX90II Other Outboard Equipment: dbx 165A, Pultec EQs, Lang EQs, Teletronix LA-2A limiters, Neve limiters, (4) UREI 1176, Audioarts engineering parametric EQ, GML mic preamp, (8) Valley People Kepex II gate. Microphones: Neumann U47 FET, Neumann U89, Neumann U87, Neumann KM84, Neumann KM86, Neumann M49, AKG 541E, AKG C-451E, AKG C-24, AKG 460, E-V RE15, E-V RE15, E-V 635, Shure 545, Shure SM57, Shure SM58, Sennheiser MD-421, Sony C-37, Sony EC-50, Sony Shotgun Monitor Amplifiers: HH Electronic, Eagle, Yamaha P2201 Monitor Speakers: (2) JBL bi-amped system; (designed by George Augspurger) Musical Instruments: (2) Steinway grand piano, Hammond C-3 w/Leslie

[24+] **SOUND DESIGN; also REMOTE RECORDING:** 33 W. Haley St., Santa Barbara, CA 93101; (805) 965-3404. Owner: Affiliated Concepts Corp. Manager: Dom Camardella. Engineers: Dom Camardella, Dan Protheroe, Terry Nelson, Anders Johansen, Jim Shaffer Dimensions: Room 1 studio 30 x 50, control room 20 x 30. Room 2: control room 12 x 30 Mixing Consoles: Neve 8038 36 x 24 (16 bus) custom, Neve BCM 12 x 8 custom expansion, Hill Mixmix 16 x 2 keyboard submixer Audio Recorders: Sony PCM-3224 24-track digital w/Apogee filters, Studer A80 MkII 24-track w/Audio Kinetics autolocator, Sony PCM-3402 2-track digital w/remote, Studer

A80R2 2-track analog w/remote, (2) Sony PCM-2500 R-DAT 2-track, Digital Audio Research Sound Station II 4-track digital workstation, CompuSonics DSP1500 2-track disk-based 400MB w/MIDI. Cassette Recorders/Duplicators: Tascam 122MK Noise Reduction Equipment: Dolby XP24 SR Synchronization Systems: (2) TimeLine Lynx chase/lock sync, Roland SBX-80 sync box (MIDI, SMPTE) Echo, Reverb & Delay Systems: EMT 140ST plate reverb, AMS RMS 16 reverb, Lexicon 200 reverb, Lexicon PCM70, Lexicon Super Prime Time, Eventide SP2016 reverb/EFX processor, Eventide H3000 Harmonizer, TC Electronic Super delay, Yamaha REV7, Yamaha SPX90, ART Multiverb EFX processor, Eventide 910 Harmonizer, Alesis MIDiverb, Other Outboard Equipment: Pultec EQP-1A tube EQ, Lang PEQ-1 tube EQ, Sontec stereo parametric EQ, Summit Audio stereo tube EQ, Summit Audio stereo tube direct input/mic pre, Summit Audio tube compressor, UREI 1178 stereo compressor/limiter, Teletronix LA-2A tube compressor, Universal Audio LA-3A tube leveler, (2) RCA BA-6A tube limiter, (4) Valley People Kepex II gate, Aphex 612 expander/gate stereo, BBE stereo Aural Exciter Microphones: (2) Neumann U47 FET, Telefunken U47 tube, (9) Neumann U87 and others, (13) AKG 414 and others, Sennheiser 421, Sennheiser 441, (4) Electro-Voice RE20, Shure 57, Shure 58, Shure 545, (2) Beyer MKB301, Sony C-500 Monitor Amplifiers: (8) Accuphase, Phase Linear 700B, Monitor Speakers: (2) UREI 813, (4) Yamaha NS-10, (4) JBL studio, (8) Fostex T20 headphones Musical Instruments: (11) Yamaha 6' conservatory grand piano, Fairlight CMI Series III computer music instrument, Akai S1000 sampler, Roland JX8P and others, Roland Super Jupiter w/programmer, Korg M1R, (8) Yamaha TX816, E-mu Emulator II sampling keyboard, Korg SGX1D sampling grand piano, Hammond B-3 w/Leslie, Fender 1951 Telecaster Other MIDI Equipment: Megamax 32-channel automation, PC w/Roland MIDI interface, Apple Mac Plus w/Opcode interface Video Equipment: JVC 3/4" VCR w/Sony 25" monitor




SOUND MASTER AUDIO/VIDEO STUDIOS
North Hollywood, CA

[24+] **SOUND MASTER AUDIO/VIDEO STUDIOS; also REMOTE RECORDING:** 10747 Magnolia Blvd.; North Hollywood, CA 91601; (213) 650-8000. Owner: Brian D. Ingoldsbys Manager: Barbara Ingoldsbys Engineers: Brian Ingoldsbys, Ian Ingoldsbys, Dan Shimiari, Ken Ingoldsbys Dimensions: Room 1 studio 35 x 40, control room 30 x 30 Room 2 studio 35 x 40, control room 20 x 25. Room 3: studio 15 x 15, control room 25 x 25. Mixing Consoles: Mitsubishi 36 x 36 Quad Eight automated, TAC Scorpion 28 x 24 Audio Recorders: (2) Sony/MCI JH-24 24-track, 3M 79 24-track, 3M 79 16-track, (3) Sony JH-110 4-track, (12) Ampex 2-track, Sony/MCI 2-track, Otari 2-track, (2) 3M 56 8-track. Cassette Recorders/Duplicators: (2) Awa, (2) Technics, (2) Realistic Noise Reduction Equipment: (56) dbx, (28) Dolby, (16) dbx 2-track, Dolby 2-track Synchronization Systems: (2) Lynx Echo, Reverb & Delay Systems: Lexicon 224, (2) Yamaha REV7, Yamaha SPX90, Roland SRV-2000, Lexicon Prime Time, Ursula Major, Lexicon PCM41, (3) Advance Audio D-250, (8) MXR, TC Electronic 2290 Other Outboard Equipment: D250 Advanced Audio Design, (40) limiter, (57) misc. effects devices, phasers, flangers, harmonizers, etc., Orban de-essers, Autolocator 3, Lexicon Prime Time, Lexicon PCM41, Eventide Harmonizer, 265 Dynalanger, dbx 165 limiter, UREI 1176 limiter, dbx 161, Quad Eight compressor/expander, Quad Eight de-esser, (16) Quad Eight noise gate, (16) Kepex noise gate, Orban parametric, UREI 527A MXR phaser, Eventide instant phaser, Eventide DDL 1745, (2) CDT MC-8, UREI 1/2-octave EQs. Microphones: (59) AKG tube, Neumann, Altec, (100) Dynamic, (15) Ribbon, Beyer, RCA, (30) condenser, (20) PZM, (10) wireless. Monitor Amplifiers: (10) Soundcraft, (14) Carvin, (6) BGW Monitor Speakers: (4) Custom Sound Master, (38) Carvin/EV, (2) Renkus-Heinz Musical Instruments: Steinway "B" 77" grand, Yamaha grand, Hammond B-3 w/Leslie, string machine, channel chimes, vibes, (2) drum sets, misc. hand percussion, misc. keyboards Video Equipment: Hitachi C format 1", Cross-point latch, Grass Valley, Ikegami, microwave, camera crane truck, computer A/B roll editing, Chyron, ENG and EFP trucks, (8) camera, (7) 3/4" VTR Rates: Call Barbara Ingoldsbys studio

manager. Specialization & Credits: On-site complete disc mastering studio with Total Recall console and Ortofon cutting system. In addition, complete video production 3/4" and 1" format, pre- and post-, 30 remote 24/48-track recording trucks, 31" remote video trucks, with microwave. We do it all! Our aim is to provide you with professional technical sophistication as well as personal attention.

[24+] **SOUNDCASTLE RECORDING STUDIOS**; 2840 Rowena Ave.; Los Angeles, CA 90039; (213) 665-5201. Owner: Buddy King. Manager: Debbie Jenkins

[24+] **SOUNDER RECORDING**; also **REMOTE RECORDING**; 17021 Chatsworth St.; Granada Hills, CA 91344; (818) 366-0995. Owner: Brian Mann. Manager: John Slattery.



SOUNDWORKS WEST, LTD.
West Hollywood, CA

[24+] **SOUNDWORKS WEST, LTD.**; 7317 Romaine St.; West Hollywood, CA 90046; (213) 850-1510; FAX: (213) 874-1420. Owner: Alan Ramer, Robert Diez d'Aux. Manager: Ron S. Lagerlof. Candice Moore-Dooley. Specialization & Credits: Soundworks West, Ltd., is a new sound production facility in Los Angeles that is a sister facility of New York's Soundworks. The studios are state-of-the-art TV/film and record facilities located in the complex formerly known as Hitsville, owned and operated for 20 years by Motown Records. While this legacy remains at the spirit of the facility, the new owners/operators, Alan Ramer and Robert C. Diez d'Aux, have made an aggressive commitment: to thrusting the studio into the 21st century. New equipment purchases include fully automated Neve 72-input and 60-input post-production recording consoles, Sony digital recorders including two 48-track PCM-3348, a 32-track Mitsubishi X-880, Sonic System by Sonic Solutions and the Boss II editing system. Every effort is being taken to ensure that the integrity of the facility, equipment and staff is of the highest quality.

[24+] **STAGG STREET STUDIO**; 15147 Stagg St.; Van Nuys, CA 91405; (818) 989-0511. Owner: Gary Denton. Manager: Melody Carpenter

[24+] **THE STUDIO**; also **REMOTE RECORDING**; 9590 Chesapeake Dr.; San Diego, CA 92123; (800) HIT-SONG. Owner: Steve Vaus Productions. Manager: Mike Harris. Engineers: Mike Harris, Woody Barber. Dimensions: Room 1: studio 50 x 30; control room 20 x 30. Room 2: studio 12 x 12, control room 12 x 12. Room 3: studio 12 x 12, control room 12 x 12. Mixing Consoles: MCI 528 28 x 24, Akai MG-1212. Audio Recorders: Stephens 821B 24-track, Akai MG-1212 12-track, (2) MCI 110A-2PC 2-track, Casio DAT, Tascam 32 2-track, Tascam 34B 4-track. Cassette Recorders/Duplicators: Nakamichi MR-1, Tascam 122 Echo, Reverb & Delay Systems: Lexicon PCM70, TC Electronic 2290, (2) Yamaha SPX90, Drawmer DS-201 dual gate, Alesis MIDverb II, BBE 402 Sonic Maximizer, (2) UREI 1176LN limiter, (2) UREI LA-4 compressor/limiter, (2) Trident stereo limiter/compressor, Lexicon Prime Time, Eventide Harmonizer, Klark-Teknik dual parametric equalizer, Roland SDE-100 digital delay, Symetrix voice processor, Yamaha GC2020 compressor/limiter. Microphones: (10) Neumann various, (8) AKG various, (4) Sennheiser various. Monitor Amplifiers: (3) Threshold 400A, Yamaha P2100, BGW 250D. Monitor Speakers: Westlake custom design, JBL ANX, Tannoy Little Gold, Yamaha NS-10M, Auratone Musical Instruments: Yamaha C7 grand piano, Hammond B-3 w/Leslie, E-mu Emulator II w/extended library, Roland D-50, Yamaha DX7, Oberheim Matrix-6, Kawai R-100 drum machine, Ovalton Adams guitar, Ovalton Country Classic guitar, Suzuki XG-1M MIDI guitar, Fender Rhodes 73 electric piano. Other MIDI Equipment: Yamaha MIDI controller, Sonus MIDI patch connector, Commodore 64 computer. Video Equipment: Sony U-matic 3/4" videotape recorder, Hitachi 13" color monitor.

[24+] **THE STUDIO**; also **REMOTE RECORDING**; 22723 Berdon St.; Woodland Hills, CA 91367; (818) 883-1920. Owner: Robby Weaver. Manager: Lynne Weaver. Engineers: Rob-

by Weaver, John Cevetello, Marc Kolbe. Dimensions: Studio 29 x 25, control room 22 x 16. Mixing Consoles: APSI 32 x 24. Audio Recorders: MTR-9011 24-track, MTR-10 2-track, Otari 5050B 2-track, Otari 5050 MkII 4-4-track, Panasonic SV-250 DAT, Sony F-1 digital. Cassette Recorders/Duplicators: Nakamichi TEAC 250. Noise Reduction Equipment: Dolby SR/A 2-channel. Synchronization Systems: (3) TimeLine Lynx Echo, Reverb & Delay Systems: Lexicon 480 audio processor, Lexicon 224XL digital reverb, (2) Lexicon PCM70, Yamaha SPX90, Lexicon PCM41, Lexicon PCM42, Eventide Instant flanger, Lexicon digital delay processor, Roland SDE-3000 digital delay, (2) dbx 165A, (6) Valley People Kepex. Other Outboard Equipment: (2) UREI LA-4 compressor, UREI 1176LN compressor, (2) dbx 903/9001, (2) Valley People PRZ Maxi-Q, Boulder mic preamp, BBE processor. Microphones: (4) Sennheiser 421, Sennheiser 441, AKG D-12E, AKG C-452EB, AKG C-568EB, (2) AKG C-460B, Neumann 87, (2) Neumann 67, (3) Milab DC-63, (2) PZM, (3) Sony C-500, (2) Shure SM81, (5) Shure SM57, (2) AKG 414, Bruel & Kjaer 4007. Monitor Amplifiers: (2) Hafler 220, (2) Quicksilver, Acoustat 200. Monitor Speakers: (2) E-V Sentry 100A, (2) KEVs, (2) Yamaha Musical Instruments: Sequential Circuits Prophet-VS, Roland D-50, Yamaha DX7, Yamaha grand piano, Yamaha TX MIDI rack. Other MIDI Equipment: New England Digital Synclavier, Macintosh SE MIDI w/Performer, Q-sheet. Video Equipment: JVC 3/4" deck w/remote, Panasonic VHS Hi-Fi, JVC 19" monitor. Specialization & Credits: The Studio brings over 20 years of experience in composition, engineering and production to each session, allowing us to give your project the artistic and technological input needed for fast, efficient results. With our polysampling Synclavier, we can create then reproduce almost any sound at the touch of a key with an accuracy and quality never before attainable. Locked up to 3/4" video, it becomes the ideal tool for film scoring and video sweetening, allowing the artist to simultaneously interface with sound and picture. We're not a huge factory. Our clientele receives individual attention. We concentrate on fulfilling your specific music/audio needs.

[24+] **STUDIO 55**; 5505 Melrose Ave.; Los Angeles, CA 90038; (213) 467-5505. Manager: David Dubow

[24+] **STUDIO MASTERS**; 8312 Beverly Blvd.; Los Angeles, CA 90048; (213) 653-1988. Owner: Randolph C. Wood. Manager: Larry Wood. Engineers: Brad Cox, Robert Brown, Peter McCabe, Tim Jaquette. Dimensions: Room 1: studio 30 x 40, control room 20 x 18. Room 2: studio 25 x 20, control room 20 x 18. Mixing Consoles: Neve 8128/48 48 input w/Necam 96 automation, Harrison 36 x 24 w/Allison automation. Audio Recorders: (2) Studer A820 w/Dolby SR noise reduction, Ampex MM1200. Cassette Recorders/Duplicators: (4) Nakamichi MR-1, (2) Technics. Noise Reduction Equipment: dbx, Dolby SR, Dolby M-24. Synchronization Systems: Adams-Smith 2600 Echo, Reverb & Delay Systems: (2) AMS RMX 16 reverb, AMS DMX 15-80S digital delay, (3) Yamaha REV7, Eventide DDL, EMT Master Room, Yamaha SPX90, Yamaha SPX90II. Other Outboard Equipment: dbx 165A limiters, UREI 1176 limiters, dbx 160X limiters, Eventide Harmonizer, API 535 EQs, Lexicon PCM70 digital effects processor, Kepex noise gates, Drawmer noise gates. Microphones: Neumann U67 tube (Steven Paul modified), Neumann U87s, Neumann 414s, Neumann KM84s, Shure SM57, E-V RE20 and others. Monitor Amplifiers: George Augspurger custom, HH Electronic V800, Quicksilver tube, Crown 300A. Monitor Speakers: Yamaha NS-10, Auratone. Video Equipment: JVC CR-850U 3/4" recorder/player, 25" and 13" monitors, Sigma Master sync generator. Other: Neumann disc mastering.

[24+] **STUDIO II (AFFILIATE OF INDIGO RANCH, MALIBU)**; also **REMOTE RECORDING**; 9729 Culver Blvd.; Culver City, CA 90230; (213) 558-8832. Owner: Studio II Recording, Inc. Manager: Jason Wolchin. Engineers: Richard Kaplan, Jason Wolchin, various others. Mixing Consoles: Jensen/Aengus 56 x 24 custom, plus (12) additional tube mic preamps, IBM PC custom controls programmable mute and mix. Audio Recorders: 3M 79 24-track 1/4" or 1/2" transformerless, Stephens 821A 4-track 1/2", digital audio recorders, all formats with advanced notice. Synchronization Systems: Full feature Q.Lock Echo, Reverb & Delay Systems: Publison Internal 90 stereo audio computer (stereo sampling or (2) digital reverb), AMS available, Lexicon 480, Lexicon 224 available, EMT 140 stereo plate, EMT 250, Yamaha REV7, Yamaha SPX90, Yamaha D1500, Roland DEP-3 digital processor, Roland DEP-5 digital processor, Roland SRV-2000 digital processor, Roland SDE-3000 digital processor, Alesis XT digital reverb, MXR ART 01 digital reverb/DDL/flanger/pitch shift, Ursa Major Space Station, Ecoplate reverb, Master-Room reverb, Telefunken reverb, Eventide 1745A, Eventide 1745M dual DDL w/pitch change, Eventide H910 Harmonizer/instant phaser, Marshall Time Modulator, UREI Cooper Time Cube, Lexicon Prime Time, Loft 440 stereo flanger, Multon stereo bi-phase, Bel DDL flanger/doubler. Other Outboard Equipment: Drawmer Electro Space spanner, EXR exciter, dbx 162 stereo limiter/boom box bass synthesizer, Teletronix LA-1 tube limiter, Teletronix LA-2A tube limiter, UREI 1178 stereo limiter, UREI 175 tube limiter, UREI 176 tube limiter, Eventide Compressor, Inovonics limiter, Altec 436C tube limiter, Altec 1193A limiter, RCA BAGA tube limiters, Orban de-esser, Aphex stereo Compeller, Pultec EQP-1A tube EQ, Pultec EQP-2 tube EQ, Pultec boosters, API equalizers, B&B equalizers, Aengus graphics, SAE graphic equalizers, Collins and Cinema Engi-

—CONTINUED ON NEXT PAGE

A SINGER'S DREAM!

REMOVES VOCALS FROM RECORDS!

Our **VOCAL ELIMINATOR** can remove most or virtually all of a lead vocal from a standard stereo record and leave most of the background untouched! Record with your voice or perform live with the backgrounds. Used in Professional Performance yet connects easily to a home component stereo system. Not an equalizer! We can prove it works over the phone. Write or call for a free brochure and demo record.

Listen.

Before You Buy!

- Time Delay
- Reverbation
- Crossovers
- Noise Reduction
- Compressor/Limiters
- Expanders
- Spectrum Analyzers
- Parametric EQ

Don't have regrets about paying too much for a lesser product. In demos and comparisons, we'll show you why we're Better! Our Factory Direct sales allow us to produce a Superior product and offer it to you at a Lower price. Call or write for a free full length Demo Album and 24 page brochure.

LT Sound, Dept. MX-9, 7980 LT Parkway
Lithonia, GA 30058 (404) 482-4724
24 HOUR PHONE DEMO LINE: (404) 482-2485

**CASSETTE
INSERTS
IN
7
DAYS**

CS Printing

111 Oak Lawn Ave.
Dallas, Texas 75207
(214) 747-8705
FAX: (214) 748-9922

24+ TRACK

—CONTINUED FROM PREVIOUS PAGE

neering EQs w/Pultec boost, (10) Mitsubishi Westar equalizers in a rack, Drawmer Electro-Space Straiite gates, Symetrix gates, Valley People Kepex, Gain Brain, RM noise gate. Microphones: Large selection of new and vintage tube, Neumann U47, Neumann M49, Neumann U67, Neumann U87, Neumann SM69, Neumann M269, Neumann KM53, etc., Telefunken 250, Telefunken 2214 tube classics, AKG C-12, AKG C-28, AKG C-60, AKG C-61 tubes. Monitor Amplifiers: Technics 440W Class A to small speakers. Monitor Speakers: JBL 4-way custom, JBL Control Ones, JBL 4312, Yamaha NS-10. Other MIDI Equipment: IBM AT w/Roger Texture 3 1 sequencer software. Video Equipment: 26" monitor permanently installed for video lock, JVC 3/4" video and VHS

[24+] STUDIO ULTIMO, INC.; only REMOTE RECORDING; 1900 S. Sepulveda Blvd.; West Los Angeles, CA 90025; (213) 479-6010. Owner: KSH Corp. Manager: Angele Hayashi. Engineers: Mitch Zelezny, David Clark, Tom Biener, Gabe Moffat, Brandon Arthur. Dimensions: Studio 49 x 35, control room 29 x 30. Mixing Consoles: Neve 8108 48 x 32 (modified) w/Necam automation and w/40 additional mix inputs. Audio Recorders: (2) Ampex ATR-124 24-track modified, Ampex ATR-104 4-track 1/2", (2) Ampex ATR-102 2-track 1/4", Ampex ATR 1/2" head assembly. Cassette Recorders/Duplicators: (4) Aiwa Noise Reduction Equipment. Available Synchronization Systems: (2) TimeLine Lynx Echo, Reverb & Delay Systems: AMS RMX 16, AMS DMX 15 sampling stereo processor, EMT 251 w/250 program, Eventide H949 Harmonizer, Lexicon 480L, Lexicon PCM70, Lexicon 200, Lexicon Prime Time II, Roland SDE-3000, Yamaha REV7, Yamaha SPX90. Other Outboard Equipment: ADR Vocal Stresser, (4) dbx 160, (2) dbx 165, (2) Drawmer stereo gate, Neve stereo compressor/limiter, (2) Summit Audio stereo EQP-200, Teletronix LA-2A, (2) UREI 1176LN, (2) Valley People Gain Brain II, (6) Valley People Kepex II, (2) Valley International DSP de-esser. Microphones: AKG C-12, (4) AKG 414, (4) AKG 451, (2) AKG D-12, (2) Electro-Voice RE20, (5) Sennheiser 421, (5) Shure SM57, Shure SM81, Neumann U47 tube, Neumann U47 FET, Neumann M49, Neumann U67, (2) Neumann U87, Neumann U89, (2) Neumann TLM170, Crown PZM. Monitor Amplifiers: (4) Bryston 4B, BGW. Monitor Speakers: (3) Custom 3 channels 3-way design using TAD components, (2) Yamaha NS-10, Electro-Voice Sentry 100, Auratone Musical Instruments: Yamaha C7 grand piano w/MIDI. Video Equipment: Sony VO-5800 U-matic, Sony XBR 25" mounted monitor, RCA 31" studio monitor, (2) TimeLine Lynx synchronizer. Specialization & Credits: Located in West Los Angeles, Studio Ultimo caters to the needs of the TV, film and record industries. We've been able to offer our clients a luxurious environment with the personal and private services expected from a one room studio without compromising the technical support and maintenance usually found at only larger facilities. Our control room, perhaps the largest in the world, is spacious enough for large synthesizer setups or when comfortable seating is required for many, and is equipped with three-channel monitoring and video lockup capabilities to necessitate mixing for film. Our studio's variable acoustic design and three large isolation booths provide an environment flexible enough to accommodate almost any production situation. Please call for rate and policy information or if you have any questions regarding our facility and services

SUMMA MUSIC GROUP

SUMMA MUSIC GROUP
West Hollywood, CA

[24+] SUMMA MUSIC GROUP; 8507 Sunset Blvd.; West Hollywood, CA 90069; (213) 854-6300. Owner: Rick Stevens. Manager: Kimberly Frank. Dimensions: Room 1: studio 12 x

21, control room 16 x 28. Room 2: control room 18 x 18. Mixing Consoles: SSL SL4000 G Series 64-input Total Recall board and computer, API/De Medio custom 36-input w/original API 550A EQs. Audio Recorders: Studer A820 24-track, (2) Studer A800 24-track, Mitsubishi X-850 32-track. Cassette Recorders/Duplicators: (2) Nakamichi MR-1, (2) Sony R-DAT, Yamaha K2000. Noise Reduction Equipment: (3) Drawmer DS-201 dual gate, (2) Valley People Dyna-Mite gate/de-esser, (4) Valley People Kepex II gate. Synchronization Systems: (2) TimeLine Lynx Echo, Reverb & Delay Systems: EMT 140 tube plate reverb, (3) Roland SDE-3000 delay, (2) TC Electronic 2290 dynamic delay w/32 sec. sampling, Eventide H3000 Ultra-Harmonizer, TC Electronic 1210 Spatial Expander/stereo chorus/flanger, (2) AMS RMX 16 reverb, (2) Lexicon PCM70 Ver 2, (2) Yamaha SPX90II, Yamaha SPX90, Yamaha REV5, Eventide H949 Harmonizer, Lexicon 480L digital processor, Eventide H910 Harmonizer. Other Outboard Equipment: (4) dbx 160X compressor, dbx 165A compressor, (2) dbx 160 compressor, (2) UREI 1178 stereo compressor, (2) Teletronix LA-2A limiter/compressor, (2) Focusrite ISA 115HD EQ, (2) BBE 802 EQ, GML 8200 parametric EQ, Pultec EQP-1A EQ. Microphones: Neumann U87 (modified by German Masterworks), (2) AKG 421, (2) Sennheiser 451, (2) Shure SM57. Monitor Amplifiers: (2) Perreux 9000B, Boulder 500, (6) JBL 6260, (2) BGW 250D. Monitor Speakers: (4) George Augspurger custom main, (4) Yamaha NS-10M, (2) Yamaha NS-10 Studio, (4) Auratone Super Sound Cube. Musical Instruments: Yamaha DX7, Roland Jupiter 6, LinnDrum. Video Equipment: Quasar Hi-Fi audio HD VCR, Sony TV monitor. Specialization & Credits: Summa's new Studio A/SSL room is a world-class mixing/tracking studio that in the last year has attracted such clients as U2, Madonna, Prince, Belinda Carlisle and Luther Vandross. Studio A features a 64-input Solid State Logic SL4000 G Series Master Studio System, SSL's newest model console and computer system. A custom main monitor system designed by George Augspurger, the finest Mogami and Monster cabling, new Studer A820 and industry-standard A800 analog multitracks, classic ART-102 2-track, Mitsubishi 32-track digital and a top-level array of outboard gear are all available. This room includes a specially soundproofed one-way window looking onto Sunset Boulevard and the L.A. basin, because we know that the environment is important too. Summa's Studio B/API Room is a world-class overdub and MIDI studio that features a 36-input custom De-Medio API console and a Studer A820 multitrack. Original API 550A EQs, 321-5 mic preamps and P&G faders are available on all channels. Studio B functions both as a major overdub/vocal room and as L.A.'s best MIDI/synth room, with a complete selection of synths and sequencing/MIDI devices available in-house.

[24+] SUNSET SOUND; 6650 Sunset Blvd.; Hollywood, CA 90028; (213) 469-1186. Owner: Paul Camarata. Manager: Craig Hubler. Engineers: Mike Kloster, David Knight, Brian Sroug, Neal Avron, Tom Neilen, Mike Piersante. Dimensions: Room 1 studio 22 x 36, control room 19 x 20. Room 2 studio 30 x 40, control room 16 x 23. Room 3 studio 20 x 50, control room 18 x 21. Mixing Consoles: Sunset Industries custom 56 x 56 w/Necam II (Studio 1), Amek APC-1000 64 x 64 w/GML automation (Studio 2), Sunset Industries custom 32 x 24 (Studio 3), (2) 8/12-channel console/ette. Audio Recorders: Studer A820 multitrack, (3) Studer A800 MkIII multitrack, Ampex MM-1200 multitrack w/8/16/24-track headstacks, (7) Ampex ATR-100 2-track, Ampex ATR-104 4-track, (2) Otari DTR-900 32-track digital. Cassette Recorders/Duplicators: (2) Sony DTC-300ES DAT, (6) Aiwa F-780, (6) Aiwa F-660 (float). Noise Reduction Equipment: (72) Dolby 361 Type A, (6) Dolby SR Synchronization Systems: TimeLine Lynx Echo, Reverb & Delay Systems: (3) AMS RMX 16 reverb, (3) AMS DMX 15-80S delay, EMT 250 reverb, Quantec QRS room simulator, Publison America Audio computer, (3) Yamaha REV5 reverb, (3) Lexicon PCM70, (5) Roland SDE-3000 delay, (3) Lexicon Prime Time II delay, (4) EMT 140 Echoplate, (3) live echo chamber. Other Outboard Equipment: (16) Pultec equalizer (various models), (5) Teletronix/UREI LA-2A limiter, (6) dbx 902 de-esser, (6) dbx 903 comp/limiter, (4) dbx 905 equalizer, (4) dbx 160X limiter, (2) dbx 160 limiter, (2) dbx 165 limiter (stereo), (3) Drawmer DS-201 gate, (14) Kepex II, Drawmer 1960 tube comp/limiter, GML 8200 equalizer. Microphones: (3) Telefunken 251, (9) AKG 414, (7) AKG 451, (6) Neumann U47 tube, (10) Neumann U87, (3) Neumann U67 tube, (10) Sennheiser 421, (6) Sennheiser 441, AKG "The Tube," over 150 mics in all. Monitor Amplifiers: (6) HH Electronic, (9) BGW, (5) Crown Monitor Speakers: JBL/TAD 3-way bi-amp system (Studio 1), (2) JBL 3-way bi-amp system (Studios 2 and 3), (8) Yamaha NS-10 near-field, (8) Auratone 5C, (2) Auratone T6. Musical Instruments: (3) Steinway B-7 concert grand piano. Other MIDI Equipment: (2) Forte-MIDI Steinway B-7 (Studios 2 and 3). Video Equipment: Sony BVU-850-SP U-matic 3/4" recorder/editor, (2) Sony XBR 25" RGB monitor, (2) Toshiba 2048 20" monitor. Other: Monster Cable wiring (Studios 1 and 2), mic panels, tape machines, monitors.

[24+] SUNSET SOUND FACTORY; 6357 Selma Ave.; Hollywood, CA 90028; (213) 467-2500. Owner: Paul Camarata. Manager: Philip MacConnell, Catharina Masters. Engineers: Jeff Bork, independents. Dimensions: Room 1 studio 26 x 16, control room 19 x 13, iso booth #1 20 x 12 1/2, iso booth #2 13 1/2 x 9. Room 2 studio 22 x 20, control room 18 x 16, iso booth 9 1/2 x 6 1/2. Mixing Consoles: (2) API 36 x 36 custom w/programmable master mute system. Audio Recorders: Otari DTR-900 32-track digital, (2) Studer A80 VU MkIV 24-

track, Ampex MM-1200 24-track w/8/16-track heads, Ampex ATR-104 4-track, (3) Ampex ATR-102 2-track 1/4" or 1/2", Technics 1500 1/4"/2-track. Cassette Recorders/Duplicators: (3) Aiwa F770, (2) Aiwa F780. Noise Reduction Equipment: Dolby A 36 channels. Synchronization Systems: TimeLine Lynx Echo, Reverb & Delay Systems: (4) EMT 140 stereo plate, EMT 251 digital reverb, Lexicon 224XL digital reverb, (2) Lexicon PCM70, (2) Lexicon Prime Time II, (2) Eventide 949 Harmonizer, (4) Roland SDE-3000 digital delay, (2) J.L. Cooper time cube, AMS DMX 15-80S, Publison Infernal 90. Other Outboard Equipment: (12) Valley People Kepex II, (4) Drawmer DS-201 noise gate, (6) Lang PEO-2, (2) Pultec EQP-1A, ITI MEP-230 PEO, Sontec PEO, (4) dbx 160X, (2) Teletronix LA-2A, (8) UREI LA-3A, (4) UREI 1176LN, (2) dbx 902, (4) dbx 903, (6) dbx 904, Dynatronics CS-5 stereo chorus, Drawmer 1960 stereo tube limiter, Langewin 259A EQ (high/low filter). Microphones: (10) Neumann U67, (3) Neumann U47 FET, (2) Neumann M49, (3) Neumann U87, (3) Neumann KM84, Neumann U47 tube, (4) Neumann KM86, (3) Telefunken E1am 251, (6) AKG C-12A, (6) AKG 452EB, (2) AKG 414EB, (4) Sennheiser 441, (3) Sennheiser 421, (7) Shure SM57, (4) Shure SM53, Shure SM7, AKG D-12, (4) Sony C-37A, (4) Sony C-500, (3) E-V RE20, (4) RCA 77-DX. Monitor Amplifiers: (4) Hill DX-1000A, Hill DX-3000A, (2) Phase Linear 700B, (2) McIntosh MC2105. Monitor Speakers: (4) Altec 604E w/Mastering Lab crossover, (4) Yamaha NS-10, (4) Auratone 5C, (2) Auratone T6. Musical Instruments: (2) Steinway B grand piano, Hammond B-3 organ w/Leslie speaker.

[24+] SUTTON SOUND STUDIO; also REMOTE RECORDING; 8390 Curbarli; Atascadero, CA 93422; (805) 466-8697. Owner: Rick Sutton

[24+] TAKE ONE RECORDING STUDIOS, INC.; 619-B. S. Glenwood Pl.; Burbank, CA 91506; (818) 841-8697. Owner: Steven D Smith. Manager: Candace Corn



THAT STUDIO
North Hollywood, CA

[24+] THAT STUDIO; also REMOTE RECORDING; PO Box 958; North Hollywood, CA 91603; (818) 764-1421. Owner: That Studio, Inc. Manager: Shannon Holbrook, Richard Holbrook

[24+] 38-FRESH; 7940 W. 3rd St.; Los Angeles, CA 90036; (213) 653-9208. Owner: Mike Greene. Manager: Mike Greene.



GEORGE TOBIN STUDIOS
North Hollywood, CA

[24+] GEORGE TOBIN STUDIOS; 11337 Burbank Blvd.; North Hollywood, CA 91601; (818) 506-HITS (4487). Owner: George Tobin. Manager: Dax Tobin. Engineers: Stephen Blazina (chief engineer), Bill Smith, Steve Kempster, top inde-

pendents. Dimensions: Room 1: studio 40 x 21 x 16, control room 26 x 18 x 10. Room 2: studio 21 x 18 x 10, control room 30 x 18 x 10. Iso #1 10 x 8 x 10. Iso #2 12 x 8 x 9. Piano alcove 12 x 11 x 9. Mixing Consoles: Neve V-60R 60 x 48 x 8 w/Flying Faders and Total Recall, Trident 80C 32 x 24 x 2 w/DiskMix disk-based fader automation and 56 moving faders. Audio Recorders: Otari DTR-900 32-track digital, Mitsubishi X-880 32-track digital, (2) Otari MTR-90 24-track w/Otari sync. Ampex MM1200 24-track w/all modes, Ampex ATR-102 32-track 1/4" and 1/2" capability, Otari MX-55 2-track 1/4" w/center stripe. Cassette Recorders/Duplicators: (2) Nakamichi MR-1, Nakamichi MR-2, Yamaha K2000. Synchronization Systems: (2) Adams-Smith Zela-3 SMPTE/MIDI. Echo, Reverb & Delay Systems: (2) AMS RMX 16, (2) Yamaha REV7, (2) Yamaha REV5, (2) Yamaha SPX90II, Yamaha 1500, (2) Eventide H910 Harmonizer, (2) HD3000, EMT 240 Gold Foil, EMT 262 Gold Foil, (4) Roland SDE-3000, (2) Yamaha 1000, (2) TC Electronic 2290 w/32 sec. sample ins., (2) 480-L, (2) Korg DRV-3000, (2) Lexicon 224, Eventide H949 Harmonizer, Lexicon Prime Time, EMT 251, (2) Lexicon PCM70 Other Outboard Equipment: (2) GML 8200 para EQ, (10) API 550-A EQ, (2) Pultec mid-range EQ, (2) Pultec program EQ, (8) GML mic/preamp, (4) Allison Research Kepex, (4) Drawmer gate. Microphones: Telefunken 251 tube w/Stephen Paul Audio Electronics, (2) Neumann U47 tube w/Stephen Paul Audio Electronics, (2) Neumann KM86, (4) Neumann U87, (3) AKG 414, AKG 452, AKG 451, AKG D-12E, AKG D-12 and others, Beyer M500, Beyer M160, Sennheiser 421, Sennheiser 441 and others, Shure SM57, Shure SM58, E-V RE20, E-V RE11 and others, Sanken CU-41. Countryman MD-101. Monitor Amplifiers: (2) HH Electronic M900 MOS FET, (2) BGW 7500, (2) BGW 50A, (2) HH Electronic V800 MOS FET, Hafler 225 Monitor Speakers: George Augspurger, 813 Time Align, Yamaha NS-10, Tannoy 6.5. Video Equipment: Sony 5850 3/4" VTR, Sony 5800 3/4" VTR, 7000 3/4" VTR, Videomeida "Mickey" edit system w/PC link, Panasonic WJ-MX10 digital mixer, Sony PVM-122 monitor, (2) Videotek monitor fully SMPTE to all tape machines. Specialization & Credits: George Tobin Studios offers the absolute latest in state-of-the-art digital and analog technologies. The Neve V-60-R Series console w/Flying Faders, DTR-900, X-880 Mitsubishi 32-track digital recorders or twin 24-track lockups—clearly redefines the term state-of-the-art. The Neve V-60-R offers the legendary Neve sound and technology in a Total Recall automated environment along with our huge complement of outboard gear and friendly staff. George Tobin Studios offers you a truly world-class studio at sensible booking rates. Contact Dax Tobin.

[24+] **THE TOLEDO STUDIO**; 5131 The Toledo; Long Beach, CA 90803; (213) 433-2168. Owner: Wade Wilkinson. Manager: Clayton Bybee.

[24+] **TOTAL ACCESS RECORDING**; 612 Meyer Ln. #18 A, B, C; Redondo Beach, CA 90278; (213) 376-0404. Owner: Allan W. Davis, Allan H. Juckes. Manager: Kyrstyn Dunton. Engineers: Eddie Ashworth, Wyn Davis, Melissa Sewell. Dimensions: Studio 25 x 30, control room 25 x 20, live chamber 25 x 32 x 16. Mixing Consoles: Amek G2520 58 x 48 x 104 w/automation. Audio Recorders: Ampex ATR-124 analog, Sony multitrack digital, Mitsubishi multitrack digital, Ampex ATR-102/4, Sony 3402 2-track digital, Sony 2500 DAT. Cassette Recorders/Duplicators: Nakamichi ZX-7, Nakamichi M-2 Noise Reduction Equipment: Drawmer 10-ch. audio gates, Aphex CX-1. Synchronization Systems: Lynx Echo, Reverb & Delay Systems: Lexicon 480L w/sampling option, Lexicon 224XL, Klark-Teknik DN-780, AMS 15-80S, Yamaha REV7, Yamaha SPX90, Roland SRV-2000, Lexicon 95, Lexicon 93, Lexicon PCM70, EMT 240 Gold Foil, AKG BX-20, Roland SDE-3000, Eventide H3000. Other Outboard Equipment: Sontec para EQ, GML para EQ, dbx 165A, dbx 160, UREI 1176, UREI LA-3A, Teletronix LA-2A, ADR Vocal Stresser, Lang tube EQ, (12) Boulder mic preamp, UREI EQ, Orban EQ. Microphones: AKG C-12, AKG 414, AKG 451, Schoeps, Neumann U87, Neumann KM86, Neumann KM88 and others, Shure SM57, Shure SM58, Countryman, Beyer, Crown PZM, many more. Monitor Amplifiers: (3) Boulder 500, Crown, BGW, Phase Linear Monitor Speakers: UREI B13, Canton, Yamaha, E-V, Tannoy, JBL, Auratone. Musical Instruments: LinnDrum 9000, Yamaha grand w/MIDI, Fender Strats, Gibson Les Pauls, Roland synth, superb collection of vintage acoustic guitars including Guild, Gibson, Martin and others. Video Equipment: Beta and VHS 1/2", Sony 3/4", JVC 3/4", Sony monitor. Rates: Hourly and lockout rates are negotiable. Please call Specialization & Credits: Total Access provides technically advanced recording systems coupled with a warm atmosphere and skilled staff. We can arrange for accommodations and anything else needed to accomplish any project. We are located one mile from the Pacific Ocean in beautiful Redondo Beach. Worldwide clientele includes: Guns N' Roses, Ken Scott, Dokken, Gary Wright, Michael Wagener, Great White, Tears for Fears, White Lion, Alice Cooper, Will and the Kill, Terry Bozzio and many others. Labels include Capitol, Geffen, Enigma, Elektra, Cypress/A&M, Atlantic, MCA.

[24+] **TRACK RECORD, INC.**; 5102 Vineland Ave.; North Hollywood, CA 91601; (818) 761-0511. Owner: Thomas M. Murphy. Manager: Alan Morpew. Engineers: Tom Murphy, John Carter, Ken Paulakovich, Bryan Carlstrom, Pete Magdalen, Ronnie Champagne, Annette Cisneros, Russel Anderson, Russ Ragsdale. Dimensions: Room 1: studio 40 x 40, control room 20 x 22. Room 2: studio 30 x 30, control room 20 x 25. Room 3: studio 8 x 8, control room 15 x 20. Room 4:

control room 12 x 20. Mixing Consoles: Neve V-3 60-input, Neve 8232 32-input, Soundcraft 6000 32-input. Audio Recorders: Studer 820 24-track, Sony JH-24 24-track, Studer A80 MkIV 24-track, 3M 79 24-track, Studer A80 2-track, Ampex ATR-102/104 2/4-track, Otari MTR-12 2-track. Cassette Recorders/Duplicators: (2) Awa AD-S40, (3) Hitachi 2-2200M, Akai GX-912. Synchronization Systems: Audio Kinetics 3 10 Q lock. Echo, Reverb & Delay Systems: (2) Lexicon 224XL, Lexicon 480, Lexicon 224, AMS RMX 16, AMS 15-80S, (3) Ecoplate (I and II), (2) Roland SRV-2000, (2) Roland SDE-3000, TC Electronic 2290 32-second sampling, Bel BD-80 8-second sampling, (3) DeltaLab unit, (2) Yamaha SPX90, (2) Eventide 910 Harmonizer, Eventide SP-2016. Other Outboard Equipment: (4) GML preamp and equalizer, (3) Pultec tube equalizer, (2) Lang program equalizer, (2) Trident CB9066 parametric equalizer, (6) Drawmer gate, (6) Kepex II gate, (3) Teletronix LA-2A, (5) UREI 1176, (4) dbx 160X, dbx 165, (2) Trident compressor. Microphones: (2) U47 tube, (2) AKG C-12 tube, Neumann M49 tube, Telefunken 251 tube, (2) Neumann KM64 tube, (3) AKG 414EB and others, (4) Neumann U87, (8) Sennheiser 421, (7) AKG 451, (7) Neumann U47 FET, E-V RE20, (2) Neumann KM84. Monitor Amplifiers: HH Electronic, SAE, Phase Linear. Monitor Speakers: TAD, Yamaha NS-10M and studio, Auratone. Musical Instruments: Kawai 7" grand piano, Steinway "B" grand piano, Kurzweil 250 (SBA, B, C, D. Super Ram II), E-mu E-III 8-meg, Digidesign Sound Tools hard disk sampling, Yamaha DX7 (w/EI, Opcode and lib/red), Kurzweil 1000 SX and GX, Hammond B-1 w/Leslie. Other MIDI Equipment: Apple Mac Ix w/8MB and Mac Plus MIDI w/4MB. Video Equipment: JVC CR665OU 3/4" VCR w/(2) Panasonic monitor. Other: Roland CPE-800 (15-ch SMPTE-based automation).



TRAX RECORDING
Hollywood, CA

[24+] **TRAX RECORDING**; 1433 Cole Pl.; Hollywood, CA 90028; (213) 856-8729. Owner: Michael McDonald. Manager: Robyn Whitney, Claudia Lagan. Engineers: Michael McDonald, Jim Bailey, Brian Carney, Kip Stork. Dimensions: Room 1: studio 32 x 38, control room 18 x 24. Room 2: studio 14 x 25, control room 14 x 21. Mixing Consoles: Soundcraft 2400 48-input mixdown w/Hill 16 x 2 submixer, Audioarts P-16 26 x 16. Audio Recorders: Otari MX-80 24-track, (2) Tascam 85-16B 16-track w/dbx noise reduction, (3) Otari MX-5050 2-track modified for 30 ips. Cassette Recorders/Duplicators: (8) Awa Technics Noise Reduction Equipment: dbx on all channels on Tascam 16-tracks. Echo, Reverb & Delay Systems: (2) Lexicon PCM60 digital reverb, (2) Roland SRV-2000 digital reverb, (2) Yamaha REV7, (3) Yamaha SPX90, (2) Ecoplate III plate reverb, Roland SDE-300 digital delay, Eventide H910 Harmonizer, Lexicon Prime Time II, (8) DeltaLab Efectron II, Alesis MIDiverb II, Roland Super Chorus. Other Outboard Equipment: BBE 802 processor, EXR Exciter, (4) dbx 160X compressor, (4) dbx 160 compressor, dbx 165 compressor, dbx 166 stereo compressor, (2) Drawmer 2-channel noise gate, (2) Kepex II gate, (2) Omni Craft 4-channel gate, Symetrix 522 stereo compressor gate, (2) Symetrix dual gate, (3) Innovative Audio tube direct box, (2) Innovative Audio tube mic preamp. Microphones: (2) Neumann U87, (5) AKG 414EB-P/U8, (5) AKG 452, Sony C-48 condenser, Sony C-37 tube, (2) Sennheiser 441, (2) Sennheiser 421, (9) Shure SM57, (3) Electro-Voice RE20, RCA 77-DX ribbon, AKG D-12E, (2) AKG D-224E, (2) Crown PZM. Monitor Amplifiers: (4) SCS 2300 MOS FET, AB Systems, (2) Crown D-60, BGW, GAS. Monitor Speakers: (4) UREI B11 modified bi-amped w/E-V subwoofers, (4) Yamaha NS-10 Studio, (2) Auratone 5C. Musical Instruments: Yamaha C7 grand piano, (2) Scholz Rockman guitar processor. Other MIDI Equipment: Roland SBX-80 sync box SMPTE generator/reader. Video Equipment: 19" color monitor, Fisher VHS 1/2" playback. Specialization & Credits: Our clients include: CBS Records, Malaco Records, Geffen Records, Chrysalis Records, Warner Bros. Records, Walt Disney Productions, Lorimar Pictures, Chappell Music, Paramount Pictures, Island Records, Motown (Jobete Music), Screen Gems Music, A&M Records, UNICTN-MCA Music, MCA Records, Roger Corman Productions, ABC and NBC.

—CONTINUED ON NEXT PAGE

CLEAN PATCH BAYS NO DOWN TIME



VERTIGO BURNISHERS AND INJECTORS RESTORE ORIGINAL PERFORMANCE TO YOUR PATCH BAYS

VERTIGO 1/4" TRS AND TT BURNISHERS:
Each used to eliminate noise caused by contamination of main contacts in normal patching situations.

VERTIGO 1/4" TRS AND TT INJECTORS:
Each allows injection of cleaning solvent in breaking contacts (normals), to eliminate intermittency that occurs when patch cord has been removed.

ONLY \$34.95 Ea. (Cont. USA) Please write for additional information and order form. Used by Professionals Worldwide. US Patent No. 4,733,678

VERTIGO RECORDING SERVICES

12115 Magnolia Blvd. #116
North Hollywood, CA 91607
Telephone: (818) 907-5161
Telex: 5106006748 VERTIGO RECRD


Circle #019 on Reader Service Card

U.S. Audio™ P-40
Studio Stereo Power Amplifier.
40 ultra-clean watts of regulated Class-A amplification in a single-space rack-mount design. Available as the P-40B with balanced inputs.

U.S. Audio
Made in the USA by Whirlwind
P.O. Box 1075
Rochester, NY 14603
716-663-8820

Circle #020 on Reader Service Card

Tape for
the '90s



B Burlington
Audio/Video Tapes, Inc.
106 Mott Street
Oceanside, New York 11572

468 & 469 Audio Tape,
Cassette Pancakes & a Full
Line of Audio Products
Plus Reels, Boxes,
Leaders & Splicing Tapes,
Custom Cassettes
In Stock and Priced Right!
Immediate Delivery



Call for FREE Catalog
Toll Free: 1-800-331-3191
In N.Y. 516-678-4414
FAX (516) 678-8959

Circle #072 on Reader Service Card

Chicago to Canada IN THE November Mix

North Central Recording

Studio Mixing Consoles

News From Canada

Mix travels to America's heartland, then into Canada for a look at recording. Also, studio mixing consoles and Vintage Mics, Part 2.

Directories of Canadian and North Central U.S. recording studios.

Ad Closing: Sept. 8
Materials Due: Sept. 15

S O U T H E R N C A L I F O R N I A

24+ TRACK

—CONTINUED FROM PREVIOUS PAGE

Television and many others. Our Studio A is 1,200 square feet—orchestra size—largest recording room of any budget studio in Southern California! 40 parking spaces next to our loading door. Great, friendly atmosphere. We give enthusiasm—not attitude.

[24+] **VALLEY CENTER STUDIOS**, 5928 Van Nuys Blvd.; Van Nuys, CA 91401; (818) 989-0866. Engineers: Dave Jenkins, Steve Miller, Ray Moore. Dimensions: Studio 20 x 13, control room 18 x 15. Mixing Consoles: Trident 80B30 x 24 x 24 (54 ch on mix) Audio Recorders: MCI JH-24 24-track, MTR-12C 2-track (1/2" and 1/4"), Panasonic DAT 3500. Cassette Recorders/Duplicators: (2) Nakamichi MR-2 Other Outboard Equipment: Roland SRV-2000, Yamaha REV7, (2) Yamaha SPX90, Lexicon Prime Time 93, (4) Drawmer noise gate, (4) Symetrix noise gate, (2) API 550 EQ, Aphex stereo Compellor, Aphex Type C Aural Exciter, Trident stereo comp/limiter, UREI LA-2A comp/limiter, (2) Yamaha D1500 delay, Symetrix vocal processor, Aphex EQFil EQ, Alessi MIDVerb II, Eventide H3000, Microphones: Neumann TLM170i, Neumann U87, Beyer 88, Beyer 201, Beyer 160, Sennheiser 441, (4) Sennheiser 421, (2) AKG 535, AKG CE1, (4) Shure SM57, (2) AKG 451, AKG 414 Monitor Amplifiers: UREI 813B, Yamaha NS-10, JBL 4133, Auratone. Musical Instruments: Roland D-50 keyboard

[24+] **THE VILLAGE RECORDER**, 1616 Butler Ave.; W. Los Angeles, CA 90025; (213) 478-8227. Owner: Geordie Hornel. Manager: Kathy Konop, Nick Smernan

[24+] **VOICE OVER L.A.**; 1717 N. Highland Ave., Ste. 620; Hollywood, CA 90028; (213) 463-8652. Owner: Evelyn Williams. Manager: Pat Torres. Engineers: Pat Torres, Stacey Michaels, Wesley Craft. Dimensions: Room 1, studio 15 x 14, control room 15 x 12. Room 2, studio 8 x 12, control room 13 x 12. Mixing Consoles: Soundcraft 1600 24 x 8 x 2, TAC Scorpion 16 x 8 x 2. Audio Recorders: Otari MTR-90 24-track, (2) MCI JH-110 2-track, (4) Otari MX-5050 2-track, Otari MX-5050 4-track, Otari MX-5050 8-track. Cassette Recorders/Duplicators: (5) Nakamichi MR-II. Noise Reduction Equipment: (2) Symetrix 511. Synchronization Systems: Alpha Audio Boss 2 w/Lynx Echo, Reverb & Delay Systems: Eventide H3000 Harmonizer, Lexicon PCM60 digital reverb, Korg SDD-3000 digital delay. Other Outboard Equipment: Aphex Compellor compressor/limiter, (2) Symetrix T1-101 (telephone interface), (2) dbx 166 stereo compressor/limiter. Microphones: (2) Sennheiser MKH-416, (2) Schoeps CMC-411 Monitor Amplifiers: (3) Halfer P-225, (5) Symetrix A-220 Monitor Speakers: (2) Yamaha NS-10M, (4) JBL 441, (6) Auratone Video Equipment: JVC CR-850U 3/4" VCR, JVC CR-8250 3/4" VCR, Ampex VPR-80 1", (2) Sony KX-1901A color monitor, (2) Sony PUM-91 B&W monitor, Sigma CSG-355A color sync generator. Other: Technics SL-P50 CD player, Technics SL-P500 CD player, ESE ES-255 SMPTE time code reader

[24+] **WAVES SOUND RECORDERS**; also *REMOTE RECORDING*; 1956 N. Cahuenga Blvd.; Hollywood, CA 90068; (213) 466-6141; FAX: (213) 466-3751. Manager: David Green. Engineers: Rich Rauh, Chris Hart, Tony Mederos, Glenn Barr, Stewart Stoke, Jeff Payne, Chris Gindroz. Dimensions: Room 1, studio 13 x 15, control room 21 x 15. Room 2, studio 8 x 12, control room 8 x 12. Room 3, studio 11 x 14, control room 20 x 14. Room 4, studio 15 x 12, control room 15 x 15. Mixing Consoles: Amek Matchless 24 x 24, Wheatstone 18 x 8, Tangent 16 x 16, Soundcraft 24 x 16. Audio Recorders: Sony/MCI JH-24 24-track, Sony/MCI JH-110 8-track, Sony/MCI JH-110C 2-track, Revox PR99 2-track, Technics RS1500 2-track, Studer 810 2-track w/time code, NED Post Pro, Sony DAT Cassette Recorders/Duplicators: Aiwa GX8, Sony TCK-355 Noise Reduction Equipment: dbx 155, Dolby A Synchronization Systems: Audio Kinetics 4.10 Echo, Reverb & Delay Systems: Lexicon 200, Yamaha REV7, Ecoplate II, ADA D1280. Other Outboard Equipment: dbx 166 limiters, UREI 1176 Microphones: Sony C-48, Sennheiser MD-416, Neumann U87, Neumann U89, Shure SM58, Sennheiser 441, Sennheiser 421, Sennheiser 405, E-V RE20, Beyer D 500, Millab UM-41 Monitor Amplifiers: Halfer, Crown, Symetrix. Monitor Speakers: JBL 4411, Auratone 5C Video Equipment: Sony BVH-3000 1", Sony BVU-800 3/4", Sony VO-5600, Barco monitor, Sony VO-7600 Rates: Call Margaret

[24+] **WESTBEACH RECORDERS**, 1621 Vista Del Mar; Hollywood, CA 90028; (213) 461-6959. Owner: Donnell Cameron. Manager: Brett Gurewitz

[24+] **WESTLAKE AUDIO**; 7265 Santa Monica Blvd.; Los Angeles, CA 90048; (213) 851-9800. Owner: Glenn Phoenix. Manager: Steve Burdick, Ben Carr. Engineers: Darryl Dobson, John Sacchetti, Scott Pontius, Debbie Johnson, Ric Butz,

Mark Hagen, Alex Welti, Mark Onxs, Steve Burdick, Greg Loskorn, Craig Johnson, Marvin Morris, Bill Maina, Steve Harrison. Dimensions: Room 1, studio 25 x 48, control room 25 x 20. Room 2, studio 20 x 35, control room 21 x 19. Room 3, studio 27 x 38, control room 23 x 19. Room 4, studio 30 x 50, control room 25 x 25. Room 5, control room 21 x 15. Mixing Consoles: (2) Neve V-Series custom 60 x 48 (Necam 96), Harrison Series X 88 x 32 (fully automated, total recall), Trident 80C 72 x 24 w/MasterMix, Harrison MR-2 custom 56 x 48 modified. Audio Recorders: Mitsubishi X-850 32-track, Sony 3324 24-track, Sony APR 24-track, Sony JH-24 24-track, Studer A800 24-track, Ampex ATR 2/4-track, MCI JH-110 4-track. Cassette Recorders/Duplicators: Nakamichi MR-1B, Aiwa 770. Noise Reduction Equipment: Dolby A, Dolby SR, dbx, Telefunken Synchronization Systems: Time-Line Lynx, Cipher Digital, Echo, Reverb & Delay Systems: Quantec QRS-XL, AMS DMX, AMS RMX 16, Publison 90, TC Electronic 2290, Eventide H3000, Eventide H949, Eventide 2016, Lexicon PCM70, Lexicon 224, Lexicon 200, Lexicon Prime Time II, Lexicon Super Prime Time, Yamaha REV7, Yamaha REV5, Yamaha SPX90L, Roland SDE-3000, EMT 250, EMT 251, EMT 252, EMT 240 Gold Foil, EMT 150. Other Outboard Equipment: dbx 165A, dbx 162, dbx 160, dbx 902, Drawmer gates, Valley People gates, Inovonics 201, UREI 1176, UREI LA-3, UREI LA-4, Teleronix LA-2A, Sonlec stereo comp, Neve stereo comp, GML comp, GML EQ, Sonlec EQ Monitor Speakers: Westlake HR-1, Westlake SM-1, full selection of near-field. Musical Instruments: Yamaha pianos (MIDI) Video Equipment: Sony 5850. Other: dbx CD player, large-screen projector

[24+] **WESTWORLD RECORDERS**; 7118 Van Nuys Blvd.; Van Nuys, CA 91405; (818) 782-8449. Owner: Robert Schreiner. Manager: Robert Schreiner

[24+] **WILDCAT STUDIO**; also *REMOTE RECORDING*; 5815 Pico Blvd.; Los Angeles, CA 90019; (213) 931-3411; (714) 585-4534. Owner: John Ross. Manager: Nancy Ross. Engineers: Josh Schneider, Eric Brandt. Dimensions: Studio 18 x 20, control room 18 x 20, vocal room 12 x 12. Mixing Consoles: Trident Series 80B Audio Recorders: Otari MTR-90 24-track, Otari MTR-12 4/2-track, Panasonic SV-3500 DAT Cassette Recorders/Duplicators: Yamaha K1020, Aiwa 780 Synchronization Systems: (2) Fostex 4030/4035, Fostex 4010 SMPTE reader/generator. Echo, Reverb & Delay Systems: Lexicon 224XL, (2) Lexicon LXP-1, Lexicon PCM60, Lexicon Prime Time, Yamaha REV7, Yamaha SPX90, Korg SDE-3300 triple delay, Effectron II delay, Roland SDE-1000, ADA BX-6401 delay. Other Outboard Equipment: (4) dbx 166, dbx 160X, Ormni Craft G+4 gate, Symetrix 522, (3) Roger Mayer gate, Kepex gate, Eventide Omnipressor, Aphex Aural Exciter. Microphones: (2) Neumann U87, (4) 442, AKG 451, various Shure, various Sennheiser. Monitor Amplifiers: Ramsa, custom near-field, (2) White room EQ. Monitor Speakers: (2) Tannoy SRM-15, (2) Yamaha NS-10M, (2) Auratone Musical Instruments: Fairlight Series III full system (gigabyte of hard disk memory), Kurzweil 250, Kurzweil MIDIboard, Kurzweil PX1000, Kurzweil SX1000, Kurzweil HX1000, Roland D-550, Korg DSM-1, Yamaha DX7, Yamaha TX816, Linn 9000, Chroma Polaris, Sequential Circuits Prophet-5, Korg EX-800, Tube Works guitar preamp, Fender Deluxe guitar amp, Symetrix MTM. Other MIDI Equipment: Macintosh Plus, Southworth Jam Box/4+, Roland SPX-80, J.L. Cooper MSB 16/20, Performer sequencer. Video Equipment: JVC 3/4" machine, Kloss overhead projector, NEC 13" monitor, Magnavox 26" monitor, Kloss 6" high-gain screen. Other: Hitachi CD player



**Don't
Forget!**

Send your name and address for the latest edition of the free Consumer Information Catalog. No strings attached. Write today:

**Consumer Information Center
Department DF
Pueblo, Colorado 81009**

16 TRACK

STUDIOS



ABC WATERMARK
Los Angeles, CA

[16] **ABC WATERMARK**; 3526 Cahuenga Blvd. W., Ste. 555; Los Angeles, CA 90068; (818) 980-9490; FAX: (213) 850-5832. Owner: Capital Cities/ABC Inc. Manager: Stuart Jacobs. Engineers: Stu Jacobs, Michael Sullivan, Mike Williams, Brandon D'Amore. Dimensions: Room 1 studio 10 x 15, control room 25 x 25. Room 2 studio 10 x 15, control room 25 x 23. Room 3 control room 27 x 13. Mixing Consoles: Sony MXP-3036 digital w/full automation and hard drive, API 2404 24-input, Quad Eight 1604 16-input Audio Recorders; Ampex MM-1200 16-track 2"; (9) Studer B67 2-track 1/4"; (7) MCI JH-110 2-track 1/4"; (3) Scully 280 2-track 1/4"; Scully SP14 2-track 1/4"; New England Digital 16-track Direct-to-Disk w/14 hours recording time and 16-track upgrades. Cassette Recorders/Duplicators: (4) Technics M85, KABA RTDS 4-track high-speed duplicator (8 slaves); (4) Panasonic SV3500 digital Noise Reduction Equipment; Dolby M 16 16-track, (12) Dolby 361 Echo, Reverb & Delay Systems; EMT 140 stereo echo chamber, Ursa Major Space Station digital delay, (2) Eventide 949 Harmonizer, (4) dbx 160X limiter/compressor, (4) dbx 165 limiter/compressor, (3) UREI 1178 limiter/compressor, (4) UREI 1176 limiter/compressor, (2) Kexep noise gate, (2) Gain Brain limiter, dbx 929 de-hisser, Valley People 415 de-esser, Orban Parasound 622B parametric EQ, (2) Yamaha REV7, PCM SPX90, PCM SPX70, PCM SPX60. Other Outboard Equipment: (4) Studer A730 professional CD player, (4) Technics SP-15 turntable, (10) ITC 99 cart machine, Skybrid telephone hybrid, (4) Magnavox CDV-650 CD player, (4) ESE digital timer. Sound Ideas CD sound effects library, Hanna Barbera CD sound effects library. Microphones: (3) Neumann U89, (4) Neumann U87, AKG 414, (2) Electro-Voice RE20, Sennheiser 441, Sennheiser 421 Monitor Amplifiers: (2) Crown D-150, (12) Crown D-75, (4) Crown D-40, Crest FA800 Monitor Speakers: (4) UREI 813B, (4) JBL 4310, (6) JBL 4313, (8) Auratone 5C. Musical Instruments: New England Digital 9600 Synclavier w/32 MB RAM and 64 stereo voices w/full sound effects library, full array of analog and digital synthesizers. Other: Comtech 3 8 digital audio satellite downlink, broadcast uplink (via IDB). Specialization & Credits: Producers of *American Top 40* with Shadoe Stevens, *American Country* with Bob Kingsley, *Jeanne Wolf's Hollywood*. Our new studios are designed around one of the largest digital recording and editing systems in the country. The New England Digital system allows the best production possible for any broadcast medium. We are the most sophisticated top-of-the-line facility available. Our staff includes some of the finest radio professionals in the business who have won numerous awards over the past 20 years. Call us today for information.

[16] **BUZZY'S RECORDING**; also *REMOTE RECORDING*; 6900 Melrose Ave., Los Angeles, CA 90038; (213) 931-1867; FAX: (213) 931-9681. Manager: Larry Lantz

[16] **CANDLEWICK PRODUCTIONS, INC.**; also *REMOTE RECORDING*; 1161 N. Highland Ave.; Hollywood, CA 90038; (213) 462-7979. Owner: Larry K. Smith, Dale Jergenson. Manager: Kris Jergenson

[16] **CREATIVE MEDIA RECORDING**; 11105 Knott Ave., Ste. G; Cypress, CA 90630; (714) 892-9469. Owner: Tim Keenan. Manager: Tim Keenan. Specialization & Credits: Creative Media has been providing professional media recording for over 20 years. Our specialty is voice recording and the production involved in audio for video, A-V soundtracks and spots. Our new facility features two control rooms, audio sweetening for video and a comfortable yet productive work environment. We provide production music and sound effects, assistance in casting voice talent, multilingual narrations, dialog replacement and the talent behind the board to bring your script to life. We serve as a sound support service for independent producers and corporate staff producers throughout Southern California. Extras include FAX and photocopier, phone patch capability and duplication in any analog tape format. Clients include Taco Bell Corporate, Hughes Aircraft, TRW, Disneyland, Allergan, Yamaha Motor Corp., Pacificare Health Systems

[16] **DOBER RECORDING STUDIO**; also *REMOTE RECORDING*; 13441 Tobiasson Rd.; San Diego, CA 92064; (619) 748-6771. Owner: Beresford and Armando Sinclair. Manager: Beresford and Michael Sinclair

[16] **FLIGHT 19**; also *REMOTE RECORDING*; 5245 Avenida Encinas #F; Carlsbad, CA 92008; (619) 931-8093. Owner: Flight 19 Inc. Manager: Valery Safudinov

[16] **KITCHEN SYNC STUDIOS**; 5325 Sunset Blvd.; Hollywood, CA 90027; (213) 463-2375. Owner: Zamp Nicall. Manager: Mathew Stoneman

[16] **MASTERSOUND STUDIO**; 15571 Producer Ln., Huntington Beach, CA 92649; (714) 646-1199. Owner: Robin Akins, Bryan Foster. Manager: Robin Akins

[16] **MELODY LINE PRODUCTIONS**; also *REMOTE RECORDING*; 2662 Kalialani Circle; Pukalani, Maui, HI 96788; (808) 572-1640. Owner: Tom Hall. Manager: Tom Hall

[16] **THE NOTE FACTORY**; 5714 Columbus Ave.; Van Nuys, CA 91411; (818) 994-3133. Owner: Richard Barron. Manager: Chris Pett

[16] **RCM PRODUCTIONS**; 12478 Washington Blvd. #5503; Los Angeles, CA 90066; (213) 390-5573. Owner: Bob McNabb. Engineers: Bob McNabb, Jeff Weiss. Dimensions: Studio 12 x 20, control room 10 x 12. Mixing Consoles: Ramsa WRT 820 20 x 8, Roland M-160 16 x 2. Audio Recorders: Tascam ATR-60-16 16-track 1" 15/30 ips w/dbx, MCI JH-110A 2-track 1/4", Otari MX-5050 2-track 1/4", Ampex AG-440B 4-track 1/2" Cassette Recorders/Duplicators: (2) Tascam 122B Synchronization Systems; Adams-Smith Zeta-3 analog/video/MIDI with remote autolocator. Echo, Reverb & Delay Systems: Roland SRV-2000, Roland SDE-3000, Roland DEP-5, MICMIX Super C reverb. Other Outboard Equipment: Orban 622B parametric EQ, (2) UREI LA-4 compressor/limiter, Orban 245F stereo synthesizer. Microphones: AKG C-414 EB, AKG C-33 stereo, (2) AKG C-451, AKG D-202, (2) Sennheiser MD-421, E-V RE20, Shure SM57, Shure SM58 Monitor Amplifiers: BGW 250C Monitor Speakers; JBL 4312, Auratone 5C (Ubiquitous). Musical Instruments: Vintage guitars, various synthesizers available. Other MIDI Equipment: Epsom Equity w/Roland MIDI interface, Sequencer Plus MkII software. Video Equipment: JVC CR-8250 3/4" editor, JVC CR-6650 3/4" source recorder, JVC RM-86 edit controller, JVC BR-8600 VHS editor, JVC BR-6400 VHS source recorder, (2) Sony COM 1270/1271 monitor, Fast Forward F-2000 time code generator/character inserter, ICM VC-2000P proc. amp, Sony DXC-1800 camera. Other: Full CD sound effects library and production music library

[16] **ROTUND RASCAL RECORDING**; 5654 Natick Ave.; Van Nuys, CA 91411; (818) 901-9636. Owner: Dave Pearlman, April Leopold. Manager: Dave Pearlman

[16] **THE SIDEWALK, INC.**; also *REMOTE RECORDING*; 84-710 Kili Dr., Ste. 1211; Makaha, HI 96792; (808) 695-8556. Owner: G.W. Hill. Manager: Matthew Slover. Engineers: Wyatt boy, James Slover. Dimensions: Room 1 studio 8 x 10, control room 13 x 20. Room 2 studio 15 x 20. Mixing Consoles: D&R Dayner In-line Series 56 x 8 x 24 x 2 custom. Audio Recorders: Tascam ATR-60-16 16-track w/dbx 7 5/15/30 ips, Sony DTC-1000ES 2-track R-DAT, Digidesign Sound

Tools 2-track digital audio workstation, Fostex E-2 2-track 1/4" w/center track time code, Fostex E-22 2-track 1/2" w/center track time code. Cassette Recorders/Duplicators: Nakamichi MR-1 w/Dolby Synchronization Systems; TimeLine Lynx audio control system Echo, Reverb & Delay Systems: (2) AKG ADR 68K digital reverb/effects processor w/32 sec sampling time Ver 4.0, Eventide H3000 Ultra-Harmonizer, (2) Lexicon PCM70 Ver 3.0, (3) Yamaha SPX90II, Yamaha R1000 digital reverb, Roland SDE-1000 digital delay, DigiTech 1900 digital delay, MXR pitch transposer, Klark-Teknik DN4 10 parametric equalizer, dbx 2/3-octave 31-band graphic equalizer, (2) dbx 166 stereo compressor/limiter, Valley People Dyna-Mite 430 stereo compressor/limiter, Aphex Compellor stereo compressor/leveler/peak limiter, Valley People GateX 4-channel noise gate/expansion, (2) Aphex Aural Exciter Type C, BBE 822 Sonic processor, Orban 536A dynamic sibilance controller, dbx 902 de-esser. Microphones: Calrec Soundfield system, AKG tube large diaphragm condenser, (2) AKG C-460BULS CK-61 condenser, AKG D-112 dynamic, (2) Sennheiser MD-421 dynamic, (2) Shure SM57 dynamic. Monitor Amplifiers: Halfer P-500, Halfer P-125 Monitor Speakers: Tannoy SGM, Tannoy PBM-6 5 near-field, JBL 4412, Toa 265-ME near-field. Musical Instruments: (2) Roland S-550 digital sampler, Akai S900 digital sampler, Korg DSM-1 digital sampler, Roland D-50 digital linear synthesizer, Roland D-550 digital linear synthesizer, Roland MKS-70 Super JX analog synthesizer, Roland MKS-20 digital piano, Roland MT-32 digital linear synthesizer, (2) Yamaha TX802 FM digital synthesizer, Yamaha TX81Z FM digital synthesizer, Korg EX8000 analog synthesizer, Korg DW6000 analog synthesizer, Moog Memorymoog analog synthesizer, E-mu Systems SP-1200 digital drum machine/sampler w/library, RX5 digital drum machine, Korg DDD-1 digital drum machine/sampler. Other MIDI Equipment: Macintosh SE w/Performer Ver 3.0 software, Yamaha KX88 keyboard controller, Roland Octapad Pad-8 drum pad controller, Roland GM-70 guitar controller, Roland VP-70 voice controller/processor, J.L. Cooper MSB 16/20 MIDI patcher, KMX central MIDI patcher, Roland MPU-103 MIDI channel filter converter, Lexicon MRC remote controller. Video Equipment: JVC BR-7700 VCR, (2) Ampex D-2 VPR300 digital editing system, (2) Ampex VPR-80 1" editing system, Grass Valley 200-2 switcher. Other: Technics SL-P1300 CD player

[16] **SOUND GRAPHICS STUDIO**; PO Box 91133; Long Beach, CA 90809; (213) 498-9135. Owner: David and Nicole Eastly. Manager: David Eastly

[16] **SOUND MIXER RECORDING**; 2301 E. Nutwood; Fullerton, CA 92631; (714) 738-4581. Owner: John Sirca. Manager: Kris Sirca

[16] **SOUTH COAST RECORDING STUDIO**; 1818 1/2 N. Main St.; Santa Ana, CA 92706; (714) 541-2397. Owner: Jim Dotson. Manager: Jim Dotson. Engineers: Jim Oddo, Bob Sailing. Dimensions: Room 1 studio 15 x 20, control room 10 x 17. Room 2 studio 10 x 10. Room 3 studio 9 x 15. Mixing Consoles: Ramsa WRT80 20 x 8 x 2, Ramsa WRB112 12 x 4 x 2. Audio Recorders: Fostex E-16 16-track Otari MX-5050 2-track. Cassette Recorders/Duplicators: Nakamichi, JVC. (2) Sony Noise Reduction Equipment; Dolby C 16 channels Echo, Reverb & Delay Systems: (2) Alesis Quadraverb digital multi-effects processor, Alesis XTC digital reverb, Alesis MIDI-verb II multi-effects processor, Alesis Microverb digital reverb, Alesis Microverb II digital reverb, Roland DEP-5 multi-effects processor, DeltaLab ADM-1024 digital delay, Orban spring reverb. Other Outboard Equipment: (4) Symetrix gate, (2) dbx 165A compressor/limiter. Microphones: AKG C-414, (4) Sennheiser MD-421, Sennheiser MD-441, Electro-Voice RE20, (2) AKG D-224E, (2) Shure SM81, (10) Shure SM57, (3) Shure SM58, (4) Crown PZM Monitor Amplifiers: QSC Model 1400, Rane HC6 headphone amp. Monitor Speakers: (2) Tannoy PBM 6 5 control room monitor, (2) Electro-Voice Sentry 100A control room monitor. Musical Instruments: Straube baby grand piano, Roland S-10 sampler, Alesis HR-16 drum machine, Roland Juno-106 keyboard. Other MIDI Equipment: Macintosh Plus w/20MB HD. Other: (4) AKG headphones, (2) Sennheiser headphones

[16] **SPECTRUM STUDIO**; also *REMOTE RECORDING*; 664 Camino Campana; Santa Barbara, CA 93111; (805) 967-9494. Owner: Don Ollis. Manager: Don Ollis

[16] **SPOT RECORDING**; 1700-P Newport Circle; Santa Ana, CA 92705; (714) 432-8310. Owner: Spot Industries. Manager: David Kory II

[16] **STAR FORCE RECORDING, DIV. OF SF AUDIO SOUND & RECORDING**; also *REMOTE RECORDING*; 5290 E. Hunter Ave.; Anaheim, CA 92807; (714) 779-6677. Owner: Steven Forster. Manager: S. Forster. Engineers: Steven Forster, independents. Dimensions: Room 1 studio 35 x 35, control room 12 x 35. Room 2 studio 12 x 15. Mixing Consoles: Ramsa W28428 30-input, 56-input for mix. Audio Recorders: Otari MX-70 16-track 1", Panasonic SV3500 DAT, Tascam 40 1/4" w/dbx. Cassette Recorders/Duplicators: (2) Nakamichi MR-2, Awa WX-220 duplicator. Echo, Reverb & Delay Systems: Lexicon PCM70, Lexicon LXP-1, Alesis MIDI-verb II, (2) Alesis Microverb II, Yamaha REV7, Ibanez DM-2000D digital delay, Roland SDE-2500 digital delay, Aphex Aural Exciter Type B. Other Outboard Equipment: dbx 166

—CONTINUED ON NEXT PAGE

16 TRACK

—CONTINUED FROM PREVIOUS PAGE

6-channel compressor/limiter/noise gate, Symetrix 544 8-channel noise gate, (2) White Instruments 32-band 1/3-octave room EQ Microphones: (2) Neumann TLM170, (4) Sennheiser MD-421, (2) E-V PL20, (4) Audio-Technica ATM332, (4) Shure SM58, Shure SM57, (10) others available Monitor Amplifiers: Perreux, BGW, Rane HCG Monitor Speakers: Tannoy Little Gold, Tannoy PBM 6.5, E-V Sentry 100A, Yamaha NS-10M, AKG and Sennheiser headphones. Musical Instruments: Tama Artstar w/ Zildjian platinum cymbals, Crate full 100 watt stack, Marshall half stack, (9) extensive array of guitars and basses, Roland D-50, Ensoniq ESQ-1 Other MIDI Equipment: Macintosh SE, Sonus MacFace, Sonus SMX-2000 SMPTE/MIDI time code reader/ writer, various programs Specialization & Credits: SF Audio Sound & Recording would like to thank all our clients in the past year for helping in the transformation of Star Force Recording. The company is the same, just different names since we do many facets in the industry. These include Doc Rock Productions, Doc Rock Records and a myriad of other companies. Thank you Doug Boughter, NHRA, Ed Zap-pia's Bad Weather, Parrish Idle Scenes, Azure Blue and too many more to name. Rates are on a quoted basis only so call for an appointment or rate and equipment list.

[16] **KRIS STEVENS RECORDING**; 14241 Ventura Blvd. #204; Sherman Oaks, CA 91423; (818) 981-8255. Owner: Kris Erik Stevens Manager: Tom Holdridge

[16] **SUNBURST RECORDING**; 10313 W. Jefferson Blvd., Culver City, CA 90230; (213) 204-2222. Owner: Bob Wayne Manager: Bob Wayne Engineers: Bob Wayne, David Starns, Wayne Hoggatt, Damon DeGrignon, Jim Reeves Dimensions: Room 1 studio 22 x 18, control room 18 x 12 Room 2 control room 16 x 11 Mixing Consoles: Trident Series 65 32 x 16 (48-input for mix) Audio Recorders: Mitsubishi X-80A 1/2-track 1/4" digital, Tascam 90-16 16-track 1" analog w/full dbx, Tascam 80-8 8-track 1/2" analog w/full dbx, Otari 5050 MkIII 1/2-track 1/4" analog (15/30 ips), Tascam 25-2 1/2-track 1/4" analog (7 1/2/15 ips), TEAC A3340S 4-track 1/4" analog (7 1/2/15 ips) Cassette Recorders/Duplicators: (2) TEAC C-3, Tech-



SUNBURST RECORDING
Culver City, CA

nics RS-933W double transport, Marantz C-205 portable. Noise Reduction Equipment: (26) dbx Type I Echo, Reverb & Delay Systems: Lexicon 200 reverb w/ revised 1.3 software, Alesis MIDiverb II, ART 01A reverb, Orban 111B (spring) reverb, Alesis Quadraverb, Yamaha SPX90, Aphex Type C Aural Exciter, BBE 802, Eventide H910 Harmonizer, (2) DeltaLab 1024 digital delay, Roland 1000 digital delay, MXR 1320MS digital delay, (2) dbx 165 compressor, (2) dbx 161 compressor, Audio Logic M-T44 4-channel gate, Tristech FX-200 4-channel gate, (4) Tascam PE-40 4-channel parametric EQ Other Outboard Equipment: (2) MXR stereo chorus, MXR flanger, Tom Scholz Rockman, Technics SL-P100 CD player, Technics SL-J33 turntable Microphones: Neumann U87 condenser, (2) Neumann KM84 condenser, AKG 414EB condenser, AKG 414E condenser, (2) AKG 451 condenser, Shure SM81 condenser, Sony 33-P condenser, (2) E-V RE20 dynamic, (2) E-V RE15 dynamic, Sennheiser 421 dynamic, Shure SM7 dynamic, (6) Shure SM57 dynamic, AKG D-112 dynamic, (4) AKG 1000 dynamic, Beyers M500 ribbon, Crown 30GP PZM Monitor Amplifiers: BGW 250, Ramsa WP-9055 Monitor Speakers: E-V Sentry V, JBL Decade, Yamaha NS-10, Auratone cubes. Musical Instruments: Kawai 7'4" grand piano w/MIDI, Hammond B-3 (1958) w/Leslie 122, Yamaha DX7 w/EI module, Roland Juno-60 w/MIDI,

Korg M-1R synth module, Sequential Circuits Prophet-2002 sampler, Roland MKS-70 (Super JX) synth module, Roland MKS-20 synth module, Yamaha FB01 synth module, Roland 626 drum machine, LinnDrum w/MIDI module, complete acoustic drum (trap) kit Rates: Analog 2/8-track \$35, analog 16-track \$45, digital 2-track \$55 All rates include engineer and all equipment

[16] **SYSTEMS EXCLUSIVE RECORDING**; 4942 Likini St; Honolulu, HI 96818; (808) 839-5431. Owner: Lester Gantian/ Flyin' Hawaiian Productions Manager: Lester Gantian. Engineers: Lester Gantian, Milan Bertosa Mixing Consoles: Trident Series 65 MkIII 32 x 16 x 2 w/patch bay, Roland M-16E 16 x 2 Audio Recorders: Otari MX-70 16-track (30/15 ips), Sony APR-5003V 2-track w/center track time code, Sony PCM-2500 R-DAT (available upon request) Cassette Recorders/Duplicators: Sony TC-R503 (Echo, Reverb & Delay Systems: Lexicon PCM70 w/3.0 software, Sony MUR-201 digital reverb, (2) TC Electronic 2290 digital delay w/4 sec. sampling, Alesis Quadraverb digital effects processor, Roland SRV-2000 digital reverb, Roland SDE-1000 digital delay. Other Outboard Equipment: Valley International Model 440 limiter/comp/dynamic sibilance processor, (2) Symetrix 522 comp/limiter/expander/gate/ducker Microphones: Neumann U87A, Neumann KM84, Shure SM57, Shure SM58, others available upon request Monitor Amplifiers: Hafler P-230BR, (2) Haller P-125BR, Rane H6 headphone amplifier Monitor Speakers: (2) PAS SM-1 w/Sheffield Mastering Lab TOC crossover, (2) Yamaha NS-10M, (2) Auratone Musical Instruments: E-mu Emax ES sampling keyboard w/hard drive, E-mu Emax sampling keyboard, Kurzweil 1000 PX professional expander, Roland D-50 linear synthesizer, Roland D-550 linear synthesizer, Roland R-8 drum machine, Roland TR-909 drum machine, Yamaha TX802 FM synthesizer, Yamaha RX5 drum machine, Yamaha DX7 FM synthesizer, Roland Axis remote keyboard, Oberheim Xpander. Other MIDI Equipment: Macintosh Plus computer, Mass Micro Systems 45MB HD w/removable 45MB cartridges, Southworth Jam Box/4+ MIDI/ SMPTE interface, 360 Systems 8 x 8 MIDI patcher, Mark of the Unicorn Performer 2.41, Mark of the Unicorn Composer 2.0, Alchemy 1.2, Digidesign Sound Designer (Emax), Opcode editor/librarian for DX/TX, D-50, Xpander. 100,000+ sound library for Emax, DX-TX, D-50, D-550, Xpander Other: Sony CD player Rates: Available on request.

[16] **THETA SOUND STUDIO**; also REMOTE RECORDING; Burbank, CA 91506; (818) 955-5888. Owner: Randy Tobin. Manager: Cyndie Tobin. Engineers: Randy Tobin, Walter Zool, Rick Faircloth Dimensions: Studio 20 x 20, control room 10 x 20 Mixing Consoles: Ramsa 40 x 8 x 2 Audio Recorders:

DAT

Digital Audio Tape

AUDIO GALLERY

2716 Wilshire Boulevard
Santa Monica, Calif. 90403

HOURS:

Monday – Friday, 10AM to 6PM
Saturday 10AM to 5PM

(213) 829-3429

FAX (213) 829-0304

MC · VISA · AMEX · DINERS · DISCOVER

For 5 years, Audio Gallery has been offering the newest in High-End Audio from Japan. We were the first store in the U.S. to offer the revolutionary Digital Audio Tape decks.

Our Tokyo office gives us the unique ability to recommend and service the latest and the best in new DAT machines as soon as they become available. While others may imitate us, no one can equal us. When purchasing a DAT deck for home or studio, you'll want knowledgeable assistance, quick repairs, and honest opinions – you'll get all these at Audio Gallery!

RECOMMENDED FOR STUDIOS:

- ◆ **Sony DTC 1000ES** – This is our most reliable DAT
- ◆ **Technics SVM-1100** – New 18 bit technology
- ◆ **Sony TCD-D10** – Amazing Portable DAT, under 4 lbs.
- ◆ **Technics SV-MD1** – Ultra-compact lightweight DAT Recorder with digital output

ALL WITH FULL ONE YEAR WARRANTY!

Ask about the DATRAX™ 60; an attractive solid oak DAT tape storage unit.



THETA SOUND STUDIO
Burbank, CA

Tascam MS-16 16-track w/autolocator. Tascam 38 8-track. Tascam 34 4-track. Technics 1520 2-track, Sony PCM-501 ES digital processor. Sony SLHF-900 Beta Hi-Fi VCR. JVC HD750 VHS Hi-Fi VCR. Cassette Recorders/Duplicators: Awa 660, Awa 770, Awa 990 Noise Reduction Equipment: dbx 28 channels Synchronization Systems: Fostex 4030/4035 SMPTE, Garfield Electronics Dr. Flick digital metronome. Echo, Reverb & Delay Systems: Lexicon PCM70. Roland SRV-2000, Yamaha REV7, Yamaha SPX90, Korg and MXR digital delays. Other Outboard Equipment: dbx MXR, Symetrix, Valley People Dyna-Mite limiters. Aural Exciter. Microphones: AKG tube, AKG 414, Countryman Isomax, Shure SM57, Electro-Voice RE20 Monitor Amplifiers: Kenwood high-speed DC, Rane HC6 headphones. Monitor Speakers: JBL 4301B, Yamaha NS-10M, Auratone C5. Musical instruments: Roland R-8 drum machine, SCI Drumtraks Forat module drum machine, Yamaha C5 grand piano w/Forat MIDI module, Roland S-50, Roland S-550, Ensoniq Mirage sampler systems w/extensive library, Roland D-50, Roland Jupiter-8, Yamaha DX7, Casio CZ-101, Chroma Polaris synthesizers, Roland MKS-20 piano module, Slingerland drum set w/Camco snare, Tama hardware, Zildjian and Paiste cymbals, assorted percussion. Other MIDI Equipment: Atari 1040ST computer w/Hybrid Arts SmpTeTrack software, 8 x 12 MIDI patch matrix. Video Equipment: JVC 850 3/4" editing recorder, JVC 600 3/4" recorder, JVC RM86U editor, JVC TM9U monitors, Sansui VX-99 special effects generator. Other: 352-point patch bay system, Oberheim Prommer (PROM burner) Rates: Call for rates. Specialization & Credits: Services 16/8/4/2-track recording, 2-track digital recording/mastering, MIDI sequencing/recording, SMPTE lock-to-video/audio, tape editing, reel-to-reel and cassette duplication, engineering, mixing/sweetening, vocal elimination process, studio musicians, complete arrangement and production. Art department: Professional typeset cassette labels, typesetting and graphic design for cassette J-card inserts, cassette plates, compact disc packaging, album cover and sleeves, resumes and lyric sheets. Live and mobile. Live sound systems for 50 to 5,000 people, remote recording on 2- to 24-track. Classes and consultation. Understanding recording for singers and musicians, synthesizers, drum machines and MIDI private consultation and location engineering. Recent Talent: Charles Fleischer, Harriet Schock, Lisa Bell, Bethel Ross Simeon, Jameson Brewer, Jamal Haqq, Randall Michael Tobin. Motto: An environment where you can do your best.

[16] **WAVETECH RECORDING**, 3130 Skyway Dr., Ste. 602, Santa Maria, CA 93455; (805) 925-4244. Owner: Rob Ibsen. Manager: Rob Ibsen. Engineers: Rob Ibsen, Doug Tomooka. Dimensions: Studio 20 x 18, control room 24 x 20. Mixing Consoles: Neotek Series II. Audio Recorders: Ampex MM1200 16-track 2". Sony PCM-2500, Otari MX-5050. Cassette Recorders/Duplicators: Nakamichi MR-1, (2) Nakamichi MR-2. Echo, Reverb & Delay Systems: (2) Eventide H3000B, (2) Lexicon PCM70, (3) Yamaha SPX90II, (2) Lexicon PCM42, Lexicon 480L, (2) Multiverb Lexicon Prime Time, Lexicon LXP-1, Aphex Compellor, (3) Summit Audio TLA 100, Summit Audio TPA 200, Drawmer M500 (3) Drawmer gate (dual), (2) Valley People gate (quad), (3) dbx 160X. Other Outboard Equipment: Vocoder. Microphones: (2) Neumann U87, Neumann TLM170, AKG 414BLLS, AKG 414TL, AKG C-451E, AKG D-112, (5) Sennheiser 421, (2) Beyer Dynamic c CK710, Beyer Dynamic 380N, (4) Beyer Dynamic 422, (2) Beyer Dynamic 426, (2) Beyer Dynamic 201, (2) Bruel & Kjaer 4007, Coles Ribbon, RCA 77-DX ribbon. Monitor Amplifiers: (2) Adcom GFA 555 Pro, Adcom GFA 545. Monitor Speakers: (2) Tannoy SGM 1000, (2) Smithline Audio Reference. Musical Instruments: Kurzweil 250 expander fully loaded, Kurzweil 1000-PXA, Kurzweil 1000-SX, Kurzweil MIDIboard, E-mu Emax, Oberheim Matrix-12, (2) Oberheim Matrix-6, (2) Yamaha DX7IFD, Yamaha TX816, Yamaha CP70, PPG Wave 2.3, (2) Roland D-50, Roland MKS-80, Roland MKS-20, Roland R-8, E-mu SP-12, Sequential Circuits Prophet-VS, Korg M-1, Oberheim DPX-1 w/CD ROM, Dynacord ADD 1 (ADD drive, pads) drum kit, Alesis HR-16, Steinberger guitars and basses, Gibson Les Paul, other guitars and basses, Mesa/Boogie

amps. Other MIDI Equipment: (2) J.L. Cooper MSB16/20. Other: Apple Mac II (8MB) w/Performer, Composer, Finale, Turbosynth and other software, Sound Ideas Series 1000 and 2000 and other sounds.

[16] **WEST HAWAII RECORDING**, also *REMOTE RECORDING*; PO Box 3172; Kamuela, HI 96743; (808) 883-9383. Owner: Harrell Baker

[16] **ZACUTO AUDIO**; 1316 3rd St.; Santa Monica, CA 90401; (213) 394-4932. Owner: Gary Zacuto. Manager: Joel Porter

S O U T H E R N C A L I F O R N I A

2-8 TRACK

[8] **AFTERHOURS RECORDING STUDIO**; 1616 Victory Blvd., Ste. 104; Glendale, CA 91201; (818) 246-6583. Owner: Bill Berkula. Rick Stevens. Manager: William Berkula. Engineers: William Berkula, Richard P. Stevens II. Dimensions: Room 1 studio 13 x 15 x 24, control room 12 x 12. Room 2: studio 12 x 12 1/2, control room 9 1/2 x 10 1/2. Mixing Consoles: (2) TEAC Model 3 8 x 4 x 2, Opamp Labs ARC 14 x 4 x 2. Audio Recorders: Tascam 80-8 8-track, Tascam 38 8-track, TEAC A-2340-SX 4-track, Otari MX-5050 BII 2-track, Ampex 300 2-track editing. Cassette Recorders/Duplicators: (11) TEAC R505 real-time dup., Technics M222. Noise Reduction Equipment: TEAC dbx DX-8, (2) Tascam DX4D. Echo, Reverb & Delay Systems: DeltaLab Effectron II, ADM 1024 digital delay, Lexicon PCM60 digital reverb. Other Outboard Equipment: dbx 166 compressor/limiter/gate, 12-band stereo EQ, 10-band stereo EQ. Microphones: (2) Neumann KM84, (3) Sennheiser MD-421 U5, (2) Crown PZM, (2) AKG D-190E, (2) AKG D-1000E, Shure 300 bi-directional ribbon, Sennheiser KZU shotgun. Monitor Amplifiers: Crown Power Line One. Monitor Speakers: (2) Tannoy. Musical Instruments: Simmons SDS-8 electronic drums (advance notice), Yamaha CS01 synth, Casiotone 202 synth, Crumar Performer, Estey upright grand piano, Rickenbacker 12-string electric guitar, Ibanez "Les Paul" copy 6-string, Yamaha clarinet, violin. Specialization & Credits: Music demo recording; theatrical sound design and consultation, commercial voice tape production, radio drama production, audio cassette mastering. Flexibility, effectiveness and cooperation are the key elements at Afterhours, where resident producers are available to help you realize your project.

[8] **AT&T RECORDING/DUPLICATING**; 501 N. Larchmont Blvd.; Los Angeles, CA 90004; (213) 466-9000.

[2] **ATM AUDIO/VISUAL**; only *REMOTE RECORDING*; 17104 S. Figueroa St. (office); 17800 S. Main St. #116 (sales); Gardena, CA 90248; (213) 538-2004 (office); (213) 329-0997 (sales). Owner: Andrew T. Martin. Manager: Robert E. Barnes

[2] **DIGIPREP (DIGITAL AUDIO SERVICES) CD PRE-MASTERING**; 1425 N. Cole Pl.; Hollywood, CA 90028; (213) 461-1709. Owner: Dan Hersch, Warren Salyer

[8] **GILLETTE RECORDING SERVICES**; also *REMOTE RECORDING*; 255 N. El Cielo Rd., Ste. 466; Palm Springs, CA 92262; (619) 323-6073. Owner: Richard Brown Jr. Manager: Manny Martinez

[8] **JAGS ENTERTAINMENT**; also *REMOTE RECORDING*; PO Box 935; Captain Cook, HI 96704; (808) 323-3315. Owner: Eric Jaeger. Manager: Eric Jaeger

[8] **JAMLAND STUDIOS**; 10988 Noble Ave.; Mission Hills, CA 91345; (818) 361-2224. Owner: Roger Curley. Manager: Roger Curley

[4] **RISING STAR RECORDING**; 655 N. Berry, Ste. I; Brea, CA 92621; (714) 671-7815. Owner: Rudy Ising

[8] **SOUNDS LIKE**; also *REMOTE RECORDING*; PO Box 914; Port Hueneme, CA 93041; (805) 988-9856. Owner: Tim Gillespie. Manager: T.G.

[2] **STUDIO M PRODUCTIONS UNLTD.**; only *REMOTE RECORDING*; 8715 Waikiki Station; Honolulu, HI 96830; (808) 734-3345. Owner: Mike Michaels. Manager: Hugo Buehring

[8] **SUNDIAL RECORDING STUDIO**; PO Box 5426; Santa Barbara, CA 93150; (805) 969-6926. Owner: Don Messick

[8] **WALLY'S WEST RECORDING SERVICES**; 5703 Harold Way #4; Hollywood, CA 90028; (213) 462-2388. Owner: Gerry Rothschild. Manager: Denny Moore

ONE STEP AHEAD

Coming in Mix:
October 1989

AES Issue New Products

• **Directories:** Audio Products for 1990—featuring listings of more than 500 new products!

• **Studio Maintenance Forum:** Grounding Primer by Malcolm Chisolm and Greg Hanks

• **Equipment Spotlight:** Audio for HDTV

• **Equipment Spotlight:** Vintage Mics, Part 1, by Stephen Paul; and Automation Primer, Part 3, by George Massenburg

• **Special Feature:** New York Recording History

• **Producer's Roundtable:** George Duke, Michael Masser, KRS-One, Kevin Killen and Theresa Trull

• **Bonus Distribution:** AES Convention, NYC, Oct. 18-21; SMPTE Technical Conference, L.A., Oct. 21-25

PLUS!

Jean-Michel Jarre, Tom Petty, Bob Clearmountain, "In Concert Against AIDS," Hip Pocket Recording and more.

ATTENTION ADVERTISERS:

Deadline for ad placement is the seventh of the month, two months prior to publication. Call (415) 653-3307 for a 1989 Mix Editorial Calendar, space reservations and complete advertising information.

MIX

THE RECORDING INDUSTRY MAGAZINE

—FROM PAGE 46, HOME STUDIOS

would be no rap music, and half the alternative music and small records wouldn't happen without people doing things in their living rooms. Even big bands. Tom Petty's new record was done two blocks from my house, in a garage. [Home recording] is here to stay. It creates different ends of the spectrum. If there were only big rooms, far fewer songs would be written, and only the people who were already established and had big money could afford to do records.

There always has been that home-grown element in music that makes it exciting and makes new things come up. It goes all the way back to the beginning of rock and roll. People who couldn't come up with money and would never be given a break by a recording company or studio can have a 4-track or 8-track and make something that can get out and be judged solely on its artistic merit, and have it heard by people who don't care if it was done at some big studio. Today, it's a lot easier to work out of your home, but the competition is a lot tougher, and you have to find your own little niche.

Yakus: Home studios have affected the recording industry in a positive manner. They give a leg up for the new artists, new songwriters, to get started. Think of it as in baseball, with the home studios and their clients being the farm teams. Why would anybody want to knock out the minor leagues? It all starts there. In the '90s it's going to start in the home studios who are willing to hire and develop the young "gofer" into the young engineer. Where does the young guitar player who can't break into the L.A. music scene get started? It has to start with home studios. ■

Assistant editor Linda Jacobson also runs Wordswork, an audio writing/editing service based in San Francisco. Tom Kenny is an assistant editor at Mix, and Randy Alberts works in Mix's Southern California sales office.

MIX CLASSIFIEDS

Where Supply Meets Demand.

(415)653-3307

AFTER MIX

—FROM PAGE 161

slaves that anybody makes run at 240 ips. But I understand from talking to Electro Sound that it is possible to make a 480 ips slave. I don't know if anyone can take the pancakes off the slaves fast enough to make it worthwhile, but it could be done. Our machine could then theoretically run at 256:1, though with no oversampling. The DM-400 is capable of playing back at that rate.

Mix: Aren't we approaching the theoretical limit of D/A conversion speed here?

Binder: Yeah, we are.

Mix: So what does that imply for your system in terms of accuracy and reliability?

Scheffler: At 256:1 we would be getting close to the edge of what audio and video digital converters can do, but vast improvements are being made all the time. As more and more development is being done in the area of high-quality or high-definition television with video converters, the video converters are becoming closer to audio converters. At real time there are certain things about audio that make the converter special.

The big problem in audio is that 20 Hz is so close to DC. But the higher the speed gets, the further you get away from DC, and the closer your bandwidth gets. So a 14- to 16-bit video converter at high speed can be almost as good as a 16-bit audio-type converter at real time. In any case, the technology is changing very fast. Currently, we have a 70dB S/N ratio on the output, but as the technology improves and the D/As get cleaner and cleaner, we are going to be able to offer better and better output.

Mix: Is it primarily digital video that is leading the way as far as making this feasible?

Scheffler: It's kind of a hybrid between the specifications of audio, the technology of video and the faster computer chips that are now available. It is our unique combination of the three that makes our system possible.

Mix: How do you handle the recording of both sides of the cassette simultaneously, one in each direction?

Scheffler: Normally, before you filter digital samples they look like stair steps. Each sample is actually at the beginning of the step. When the sam-

ples are played from the 1630 into the MM-100, we tell the MM-100 what is side A and what is side B. What we do for the B side is make the sample the end of the stair instead of the beginning. So instead of hitting a sample and then holding it, you are holding it first and then hitting it. By doing that you have reversed it. Then out on the line during D/A conversion the DM-400 plays those samples out starting at the end while the A side is being converted from the beginning. It's a simple matter of timing to figure out where to start the B side so it all ends up at the right place on the tape.

Mix: Any other features worth noting?

Scheffler: The unit generates the standard slave cue tones as well as sine waves for test tones. Everything in the machine is on cards that you can pop out for easy maintenance, and it is self-diagnostic. The slave start time is adjustable, so you can get your pancakes all started at the same time for staggered loading. Another nice thing is that the master starts instantaneously, without the 20- or 30-second delay you have with a standard bin loop. So the slaves will start before the master. But the most important things are that you don't have a tape loop that can break, you don't have heads that can get dirty during playback, there is no phase shift from the master moving up and down on the head, and you don't have head bumps, crosstalk, oxide scrape-off and wow and flutter. All those things mean that you can run the thing 24 hours a day, and you will never degrade the quality of the master.

Mix: What is your timetable in terms of actually having production models of the various components ready for sale to duplicators?

Binder: At this juncture we are planning on beginning delivery in September 1989. We are converting our prototype machine into a full working production machine, incorporating some of the technology that has been developed over the past year to improve on the initial design. We will be at the AES show, and we will be making cassettes with the machine at the show in our booth. ■

Phil De Lancie, a mastering engineer at Fantasy Studios in Berkeley, Calif., is our resident voice on formats, trends and technologies in the world of prerecorded music mastering and manufacturing.

CLASSIFIEDS

Employment Offered

First Engineer position available. Successful recording studio is seeking a motivated, self-starter, with a minimum of 3 years working experience in analog, MIDI, and troubleshooting. Send resume, salary requirements, and a demo tape to: Dept. A, P.O. Box 59768, Chicago, IL 60659.

World Class Studio

Position open
Technician

Component-level experience on Neve VR—SSL G Series—Otari Vintage mics—Studer A820 Synclavier 9600—AMS Mitsubishi X-850—TAC
Send resume to PO Box 1127
Burbank, CA 91507

Independent Christian UHF station seeks full-time audio engineer. Minimum 5 yrs. experience in systems design, set up, operation, diagnosis and repair. Must possess knowledge and ability to operate high-tech sound reinforcement equipment for live-audience production involving multiple microphones, mixes and transition. Please send resume to: KYFC-TV, 4715 Rainbow Blvd., Shawnee Mission, KS 66205, Attn: Production Manager.

Chief technician wanted! Minimum 3 yrs. experience in recording studio. Also, a junior technician wanted w/1 yr. experience.

(213) 467-5505
Studio 55
Rob Harvey

Do it all! Studio Manager/Eng. for 32/24-trk at S. Cal. beach. Free rent, prft share; must know MIDI, SMPTE, vid. post, maint, elec. Pos. att. a must, org. and flex. Partner possible. Market/sales a+. Resume & call to 623 E. 11th, Denver, CO 80203, (303) 894-0801.

TUBE TRAP™

FIELD SALES ENGINEERS—
ACOUSTICS

ASC, the established manufacturer of Tube Traps™ is seeking qualified people to service the growing market for its sound control products. Current sales are to recording studios, auditoriums, hill shops, school band rooms, churches, and offices.

Applicant must have strong audio background with experience in both Recording and Sound Reinforcement. Position requires a small investment in demo stock, a van and limited travel. Factory will provide engineering support for on-the-job training.

Good commissions with high earning potential for motivated persons. Send resume to ASC, P.O. Box 1189, Eugene, OR 97440, Attn: Personnel Dept., Art Noxon. No phone calls please.

MANUFACTURER OF TUBETRAP™

VICE PRESIDENT OF SALES: Four-year-old manufacturer of innovative MIDI keyboards seeking a VP of sales to lead company growth plan. Compensation includes good base salary, high incentive and equity opportunities. Send resume to: Mr. John J. Sgroi, Lync Systems, Inc., Clark Industrial Park, 14 Walker Way, Albany, NY 12205.

NATIONAL PRO AUDIO SALES
Experienced salesperson wanted for full-time permanent position with an established pro audio company. Applicant must have the following qualities: pro audio sales experience, reliable, self-motivated, aggressive, well-spoken and a good phone manner. A reliable car and long-term commitment are necessary. Position is available immediately. Please call (617) 783-5229. Ask the sales manager for more information.

Equipment For Sale

IF YOU'RE NOT USING IT
—SELL IT!

Your national clearinghouse for used audio and video! Call for free copy of our latest listings, or to list your used gear free.

The Bertech Organization
Call toll free: (800) 992-2272
In Calif. call: (818) 909-0262
THINK BERTECH FIRST!

LEASE/BUY/SELL

Great prices and great service on over 200 lines including Otari, Harrison, Soundcraft, Tascam, JBL, Lexicon, AMS, Akai, Trident, KT, dbx and all the rest for the best in new or used. **AVC SYSTEMS**, call (612) 832-3232.

New, Used & Demo Soundcraft, dbx, Otari, Eventide, Lexicon, Panasonic & Sony DATs. Call for updated listings: MX80-24, Trident 75.

Pyramid Audio Inc.
(312) 339-8014
Call Us Last!

House Speaker System & Mixing Consoles For Sale: 8 Hill M-3 speaker enclosures. System comes w/8 Hill TX-1000 tri-amps, racks, speaker cable, crossover cable & flying hardware. System will cover 5,000 people. Cost \$25,000. Also for sale: Hill J-Series 32x8 console w/case \$6,000; Emulator II w/case \$2,750. Soundcraft 500B 40x12 monitor console w/case & 2 PSU, \$13k. MSI 32x12 monitor console w/PSU, \$4,500. 9 Hill TX800 tri-amps w/rack, \$4,500. Seriously Sound (404) 872-0346.

USED EQUIPMENT Bought & Sold



Summit
Audio
Inc.
P. O. Box 1678
Los Gatos
CA 95031
408-395-2448
FAX: (408) 395-1403

Necam I moving fader auto system w/2nd Necam computer, 40 Necam faders, spare parts. 100 new Aphex 500A VCAs. Studer A80 1" 8-trk. 24-ch Dolby A CAT-22 cards. BTX Cypher. Neve compressor/limiter S33610 (19"). Mac II setup. (2) Time-Line Lynx modules w/Studer A80 & A80 cables. (212) 645-6319.

**WE EXPORT
BUY • SELL • NEW • USED**
Recording gear • P.A. Equipment
Music Instruments
MOST MAJOR LINES
Bruce S. Yarock, Inc.
9810 NW 80 Ave. Bay #8D
Hialeah Gardens, FL 33016
Call (305) 558-3345
FAX (305) 558-0791
Wanted: Pultec, Neve,
Neumann tube equip.

Demonstrator QRS room simulator available from Marshall Electronic with new warranty. (301) 484-2220.

We need your used, clean 24-track! db Engineering

English Specials: SSL 4048E, recall, 40 mono & stereo, \$145k; Anek 2520 40 fr. w/32, Mastermix auto, \$45k; Trident 80B, 30x24, \$30.5k; Studer A800 MkIII, \$45k; Studer A80 MkII, \$24k; Otari MTR-90II, 24-trk, \$32.5k; MCI JH-114, 2" 16-trk, w/loc., \$9k; MCI JH-110C, 1/2" & 1/4", high-prof. cab., \$4.5k; Otari MkIII-8, \$3.9k; Trident 65, 16x8x16 in 24-fr., \$12k. List your for-sale items w/us free. We design and build studios, custom patch bays & racks. The only broker w/Otari & Tascam authorized service. Otari TC-50! Add time code to your 2-track for \$2k. **Adams-Smith 2600 systems** 3-mach used system w/edit controller, sale \$7,500. **New specials on Eventide H3000 Ultra-Harmonizer, Tannoy speakers & Sennheiser mics.** 214 Lincoln St., Ste. 103C, Boston, MA 02134, (617) 782-4838.
(Formerly NE Equip. Exchange.)

NEW, USED, DEMO SALE
RECORDERS, CONSOLES, OUTBOARD EQUIPMENT
Trident consoles, Soundcraft 6000 28x24 w/bay, Anek mixers, Ampex MM1100 16-trk, Akai/Roland samplers, MCI JH-110 1" 8-trk, Panasonic and Sony R-DATs, Lexicon 200, 480L, Tascam 122 MkII, Tascam 8/16-trk recorders, Eventide H3000, Dolby 363SR. Equipment leasing specialists. Experienced staff/unequaled service.
E.A.R. PROFESSIONAL AUDIO
(602) 267-0600

TUBE MICS

I always have the cleanest, best-sounding mics! Is your power supply unhappy? We'll build you a shiny new one.

Call or FAX Bill Bradley
(312) 751-1216.
FAX (312) 751-1217.

DAT

We have Digital Audio Tape
Decks (and Portables) in stock now!

PCM

We buy and sell all Sony PCM products.
Call for info!
LC-OFC Wire—the best!!
Discount prices for studio wiring.
18 Bit Yamaha D/A Conversion Units.

Audio Gallery (213) 829-3429
2716 Wilshire Bl., Santa Monica, CA 90403

THE RECORDING CENTER HOUSTON, TX

We have most brands of recording equipment and can offer you the best deal nationwide from our complete selection of keyboards, MIDI devices, computers & software.
(800) 624-2347

VELCRO CABLE WRAPS



6 Sizes, 10 Colors
Custom logo printing available

Spam Tech

(415) 861-6011
P.O. Box 77394
San Francisco, CA 94107

All rights reserved. Patent #4700432

RECORDERS

Otari MTR-9011, \$26,500; Otari MTR-9011, \$29,900; MCI JH-24/ALIII, \$21,500; Ampex 440C 2-trks, call. Lease a 24-track digital recorder for \$1,300 per month.

NEW MICROPHONES

Neumann KM84s, \$399; Neumann U87, \$1,489; E-V PL20, \$299; Shure SM57, \$79; Shure SM58, \$104 (ask about the Shure rebate); Shure SM81, \$249; Beyer M88, \$289; Beyer 740C w/shock mount, demo; AKG 414s (used), \$500.

CONSOLES

Lease a new Trident 24 28x24 w/patch bays, \$675 per month. Lease a new TAC Matchless 36x24 w/patch bays, \$675 per month.

ALSO

R-DAT recorders & tapes in stock. Panasonic*Sony*Aiwa* As low as \$1,495.

OPUS

Recording & Equipment Co., 4262 Grand Ave., Gurnee, IL 60031, (312) 336-6787. FAX: (312) 336-6895.

MILAM AUDIO

is

"THE SOURCE"

FOR THE SWEETEST DEALS IN PRO AUDIO.

ON NEW & USED EQUIPMENT STUDIO DESIGN INSTALLATION 1-7 YEAR LEASING TRADE ALLOWANCE FULL SERVICE

In the long run, it costs less to deal with the best.

MILAM AUDIO

Since 1967

1470 Valle Vista Blvd.
Pekin, IL 61554
(309) 346-3161

STUDER A80 24-TRACK MkIII:

One owner machine, low hours, excellent condition. Call Jim at (513) 681-8715.

Chung King Equipment Exchange

2-trk Telefunken 1/2", 2-trk MCI 1/2" \$1,950; Carvin 16x2, \$1k; Neve 24-input famous Chung King console, \$35k; Neve 36-input, \$65k. Completely wired, 8-chn Neve racks w/p.s., \$1,800. Sony C-37A (mint), \$750. Sony C-500, \$750. Tascam ATR-80, 24-trk brand new, \$29k. Hand-held walkie-talkies, pro-type and FM units w/base... more than you can shake a stick at! Contact John or Todd. (212) 219-8485.



THE REEL DEALS ARE IN DC.

Sony PCM-601 Digital Processors-\$1.2K

Otari MX-70 16-track (used)-\$12.5K

Otari-MTR-12CT Recorder-\$10.9

Otari MK-III & BQ Series Recorders

TAC Matchless 36 x 24 Patchbay-\$25K

TAC Scorpion 40 x 8 w/ 8 Aux-\$17K

Soundtracs ERIC w/ Auto-Call

Soundcraft 8000 40 Input PA-\$20K

AHB Sigma Series 36 x24-\$26K

Quad 8 Coronado Console-\$22K

Dolby 361SR-\$1.4K

R-Dat Sony & Ramsa In-Stock

Washington Professional Systems

11157 Viers Mill Rd. Wheaton, MD 20902

301-942-6800

PHOTON MIDI CONVERTOR SYSTEMS

Guitar, bass, nylon string applications; infrared optical pickup; fast, accurate tracking; open architecture, unparallelled MIDI implementation; sequencer, arpeggiator, footcontroller. Used by top artists, for more information call 1-(800) 346-3744.

Neve class-A 8020 26-chnl mixing console, 8 bus, 16 monitor, TRS patch bay, 1057 EQs, \$40k. Soundcraft 400 console, 26 chnl, 4 bus, 8 monitor, \$5k. AMEK Series 2000 console, 28-input, inline, full TRS patch bay, \$10.5k. Call Mike (213) 465-4000.

\$79 PATCHBAYS



Our Model PB-32 features 32 TRS Switchcraft jacks in 1U rack space.

Gaines Audio 1237 E Main St.
Roch, NY 14609 800-442-0780

NED Direct-to-Disk 4-trk, \$60k; Sound Workshop 34C, excellent condition, \$45k. (415) 929-8085.



215-426-6700

TekCom carries a full line of professional sound reinforcement, recording and midi equipment by Otari, Crown, JBL, Fostex, Tascam, Kurzweil and Roland among others. Our qualified sales staff and factory trained technicians are waiting to assist you.

TekCom Corporation
1020 N. Delaware Ave. Phila., PA 19125

USED EQUIP

Synchronizers: (1) BTX Shadow, (1) Studer TLS2000. Automation: (1) Necam computer (new) w/dual 8" drive and power supply (used). (5) Necam faders. Tape machines: (6) 3M79 2-trk, (1) 3M79 4-trk, (1) Ampex-440 4-trk, (3) Ampex 2-trk. Misc.: mics, outboard gear. Any reasonable offers accepted. (213) 658-5990. FAX (213) 653-3086.

AVR

Audio Video Research
The Studio Store
(617) 924-0660

The only call you have to make for: Adams-Smith • Akai • AKG • Allen & Heath • Ampex Tape • Aphex Systems • Aries • ART • Ashly • Atari Computers • BBE • Beyer Dynamic • Biamp-Legend • Bose • Calzone • Canare Cable • Crown • DIC DAT Tape • EAW • Eventide • Fostex • Four Design • Furman • Goldline • HOSA • Hybrid Arts • Hybrid Cases • Imagine Music Software • Josephson Engineering • Klark-Teknik • Klipsch • Lexicon • Mark of the Unicorn • Milab • Moggami Cable • MRL • Nady • Nakamichi • Nakamichi-DAT • Opcode Systems • Orban • Otari • Panasonic • Proco • Ramsa • Sennheiser • Shure • Soundcraft • Studiomaster • Summit Audio • Tannoy • TC Electronic • Telex • Threshold • Trident Audio • Twelve Tone Systems • USAudio • Ultimate Support • Whirlwind • & many others!

Exclusivamente para o Brasil, oferecendo instalação e assistência técnica:

dbx Lexicon
Harrison Otari
JBL/UREI Trident
Kurzweil

Audio Video Research

106 Main St, Watertown, MA 02172.
FAX: (617) 924-0497

(See this month's specials in classifieds)

BLEVINS AUDIO EXCHANGE SOUTH'S LARGEST BROKER

"Your unused equipment is requested for our Nashville, TN, showroom." We have in stock: consoles, tape machines, outboard equipment, microphones, etc. Available immediately, the following items: Sony JH-24S, EMT 250 Reverb, MCI JH-400, JH-500 and JH-600 consoles, Otari MRT-90s, Studer 24s and lots more.

CALL US TODAY

SOMETHING NEW EVERY DAY BLEVINS AUDIO EXCHANGE
1717 Elm Hill Pike, Suite B-8
Nashville, TN 37210
(615) 391-0429
FAX (615) 391-0456

SynthEfixx

Production effects library gives you the tools to create your own promos, IDs and sweeper beds... **for under \$100!** Don't miss this special introductory offer. For free demo call (415) 686-9141.

The Best Audio Transformers!

- Wide bandwidth
- No overshoot
- Flat group delay
- or ringing

Free applications assistance
(M-Th, 9am-5pm Pacific time)

jensen transformers

INCORPORATED

10735 Burbank Bl. • N. Hollywood, CA 91610
FAX (818) 763-4574 Phone (213) 876-0059
TELEX 6502919207 MCI UW

TIMELINE SYNCHRONIZERS

Drawmer Gates & Compressors
Audio Kinetics Automation
Tape Machine Rentals
Lots of used equipment available
Call for free list

SG AUDIO

(312) 266-1901

FAX (312) 266-1904

Kurzweil K250 & 1000 sales, service, support, modifications. Free newsletter. Akai, Oberheim, Fostex, Emulator and all computer software. New, used, trades. Sweetwater Sound, Inc., 4821 Bass Rd., Ft. Wayne, IN 46808, (219) 432-8176.

Sounds Incredible, Inc.

PO Box 796054, Dallas, TX 75379-6054. Sound & recording gear delivered to your doorstep. From cables to mics and power amps to tape decks: all major brands. Write for catalog & monthly mailer or call (214) 343-7384.

SYNCLAVIER

New velocity keyboard, giant rack system, 16-voice poly sampling, 32 stereo voice FM synthesis, 2 hard disks: 80- & 15-meg, 2 floppy: reg & high-dens. Music printer, software, sampling, 8-meg RAM, 8 MIDI outs, SMPTE, stereo outs & custom sound library. Ready for upgrade to Direct-to-Disk. Worth \$120,000. Sacrifice at \$50,000. Call Robin at (212) 353-2000.

Neve 80 series console, 36 in, Mastermix automation, \$45k. ADM 770 console, 16 in, \$2k. Ampex ATR-124 16-chan assy, \$2.2k; MM 1200 16-chan assy, \$1.5k; ATR-700, \$1k. EECO MQS 103A synchr, \$2k; MQS 102A synchr, \$1k; MTG 551 T.C. gen, \$1k; TCR 652 T.C. read, \$1k; MCI JH-45 synchr, \$1k. Call for listing. Dominick Costanzo; (212) 765-4757.

For Sale: SSL 4000E, 56-frame, 52 mono modules and 2 stereos, right-hand patch bay, G Series computer. 1 year old. \$250k. (401) 247-0237.

3M79 24-trk w/Selectake II, \$11,500. Revox cassette (new), \$800. Pultec EQH (2), \$1,100 ea. Summa star laser w/MIDI sequencer (new), \$2,700. Sony PCM-F1, \$1,100. LinnDrum II (new), \$500. Scully 280B, mint cond., \$1,300. Lang PEQ-2, \$800. Call Dan (215) 776-1455/eve. (215) 432-0520/day.

MUSICITY

DO YOURSELF A FAVOR

If you're ready to buy any type of recording gear or musical instrument, do yourself a favor and call us before you buy. We have most name brands at some of the lowest prices you'll find anywhere. Call us before you buy, you won't regret it. (800) 673-0565;

4416 Johnston St., Bldg. #9A
Lafayette, LA 70503

SPHERE ECLIPSE C with 40 inputs/24 buses, mixed to quad & stereo. Plasma meters, 10 aux sends, Xformers, VCAs, 65k automation, drawings & spares. Serious offers. (513) 241-4304, 9-5 EST.

Harrison MR3 (36x24), Soundcraft 600 (24x16), Dolby M16/M8 (will accept SR cards), Lexicon 224XL, Lexicon 200, Eventide SP2016, Ecoplate II, UREI 811s, Otari MX-5050 MkIII, Mac Plus/Hyperdrive, Steinway M and much, much more! (212) 362-7840. Leave message.

Sony DASH 3402, mint condition, \$25,000 U.S.; RT Productions, 3448 Commercial St., Vancouver, BC V5N 4E8, (604) 875-6821.

E.A.R.S., Inc. Boston-Orlando

- Acoustical Design • Installation
- Pro Audio Sales • Service

Studio design and consultation. High-quality complete installation services including: wiring design and fabrication, patch bays, and qualified audio technicians to complete your studio's installation. Over 100 brands of pro audio equipment including: DDA, Neotek, AMS Tubetech, Drawmer, Tannoy, Crest, Dynacord, Klark-Teknik, TC Electronic, Otari, AKG, Sennheiser, Akai, BSS, Turbo-sound, Aphex, QSC, AHB, Milab, Eventide, BBE, R-DAT machines, CD players, cassette decks, cases, cables, connectors, computers, test equipment and much more. Leasing packages available immediately! Call for our brochure and ask about our monthly special. **Visa & MasterCard** accepted.

Call, write or FAX today:
Boston, MA (617) 783-5229
Orlando, FL (407) 380-EARS
FAX: (617) 254-8781
Electronic Acoustic Research
Systems, 90 Windom St., Boston,
MA 02134

MCI JH-24 recorder with ALIII locator, MCI JH-636 console with automation, MCI JH-110 recorder, all used & in good condition. (800) 333-2172.

AVR

106 Main St.
Watertown, MA 02172
(617) 924-0660

The widest selection of used gear. The best prices on new equipment.
IN STOCK: Panasonic DATs; Sony PCM 501/601; DIC DAT tapes; Tannoy PBM-8; Eventide H3000: IN STOCK

Ampex ATR-102 (many available): \$5.5k to \$7.5k; Ampex AG440: call; Otari MkIII-8 w/CB-110 and stand: 4.3k; Tascam MS-16 w/AQ-65: \$9k; Otari MTR-90: \$33k; AHB CMC24 (mint): \$4.5k; dbx 900 frame: call; dbx 900 modules: call; Lang PEQ-2: \$700; Trident 80 32x24 w/PB: \$27k; Tascam 32B: \$750; AHB 16 modular w/PB: \$2.5k; dbx 150: \$135; E-V RE20: \$300; Neumann KM84: \$300; Neumann KM83: \$300; Sennheiser 441: \$350; Crown PZM 31 w/X18: \$200; AKG 460/CK22: \$400; Fostex 450 8x4: \$700; Soundcraft 1600 24x24: \$12k; Tascam 42B: \$1.8k; Soundcraft 760, 24-trk: \$15k; Nakamichi ZX700 w/Dolby: \$1.3k; Audio Research D-60: \$1.1k; Orban 672A para EQ: \$450; Orban 526: \$250; Sound Workshop 40, 36x36 ARMS: call; Otari MX70/16 (mint): \$13k; Lexicon 224: \$2.7k; Ashly SC66A para EQ: \$400; McIntosh MC40 tube amp: call; Orban 516C de-esser: \$325; JH-110C w/over-bridge: \$4.2k; Fairlight 2X w/MIDI, SMPTE, Voicetracker, cases: \$8k.

WE BUY AND TRADE!!!

We list your items for free. All used equip. warranted and calib. to factory spec. or your \$ back.

(617) 924-0660
AVR

OUR MAN IN HOLLYWOOD

Dan Alexander Audio
1523 North Gordon
Hollywood, CA 90028
We Buy, Sell and Trade Premium
Audio Gear of all types.
Call JON RUBIN (213) 466-0472
Or call Dan at (415) 644-2363

Lexicon 224 rev 4.4 reverb \$2k or B/O, BEL BD-80 8 sec. sampler/delay \$400, Ursa Major Space Station \$700 or B/O, 24 channels Dolby A \$2k or B/O, Gotham TTM 24-chan. Dolby/dbx frame \$1k or B/O. Call Bobby, (212) 921-1711.

Sony APR-24 recorder & autolocator, \$38,500; Sony MXP-3000 with hard disk automation, \$79,600 (set up and delivered); Sony APR-5002 recorder, \$5,495. All demo stock cash prices. (800) 333-2172.

32x4 MIXER WITH MIDI

16 stereo in, 2 stereo out audio mixer for synths, etc. Real-time control of level, bass, treble & pan by MIDI. Low-noise design for home studio or live uses, \$995. Nixon Electronics, (208) 343-6809 for info on Midi-Pro 1600.™

(3) Neumann U67 tube microphone systems. Excellent condition cosmetically & electronically. Call after 2 p.m. (CDT) or write:

Richard Kaufman
PO Box 462247
Garland, TX 75046
(214) 271-7625

SYNCLAVIER: 32-voice full system (up through factory release "L") with: velocity keyboard, expanded memory, MIDI, 3-minute monophonic sampling @ 50K, polyphonic FM synthesis, 20-meg hard drive, Kennedy tape drive, timbre frame editing & resynthesis, music printing (printer included), beautiful custom oak table. Unit comes with enormous library of custom recorded, high-quality samples from large, adjacent 24-track live orchestra studio. First \$14k takes. Karen, (619) 451-6400.

SCULLY LATHE and WESTREX STEREO DISC CUTTING SYSTEM. EXCELLENT CONDITION. (312) 599-4443. Ask for Ed.

British recording desk, Allen & Heath Syncon, their best; discrete, quiet, headroom. 12 channels loaded in 28x24 mainframe. 28 meters, P&G faders, 6 sends total; bay, osc, talk; sweep mids w/Q select; filters; many outs; 3 power supplies; 5 ft., 250 lbs. Mint in home. \$4,000. Otari MX5050 MkIII 8-track, EC, \$3,000. (513) 859-5280 or (513) 253-0939, Dayton, OH.

LEASING

New or used studio equipment 24-60 months with buyout option; 2 yrs and up (no startups), \$5-25k. No financials required. (800) 333-2172.

ICB AUDIO

1349 E. McMillan
Cincinnati, OH 45206
Call us for over 100 lines of
Professional Audio and Video
(513) 281-5535

Equipment Rental

Pro Sound Reinforcement

Mixing Console Rentals:
Gamble Series EX 56x16x2
Yamaha PM-3000 40x8x2
Gamble SC 32x16 monitor
Studiomaster 24x8 monitor
Hi-Tech Audio Systems Inc.
Good Rates—New Equipment
(415) 726-2428

AUDIO AFFECTS

STUDIO EQUIP. FOR HIRE
Technician on staff 7a.m.-1a.m.
Open 7 days a week
Digital Tape Machines,
Synclavier Systems,
Effects Processors, Reverbs
(213) 871-1104 (818) 980-4006

Rack Attack™

∞ Digital Processing Systems ∞

AMS 1580S
AMS RMX-16
Lexicon 480L
Lexicon PCM-70
Lexicon PCM-42
Quantec QRS
Quantec XL
Eventide SP-2016
Eventide H-3000
Publison Infernal 90
TC Electronics 2290
Yamaha Rev 5

Systems Include
Remote Patchbay

**Above system
as low as \$285/day**

⇐ 70% ⇐
Savings

other combinations available

Outboard Rentals

(818) 998-1024

Hollywood, CA

DESIGN FX AUDIO

DIGITAL AUDIO RENTALS
Specializing in digital tape
machines, reverbs and effects
processors. Technical
consultation included.
213/838-6555
800/441-4415
P.O. Box 491087
Los Angeles, CA 90049

Equipment Wanted

Established recording studio seeks to purchase or lease, from principals only, a complete studio package including the following equipment: 80 or 81 Series Neve console, 32 inputs min (or) SSL console; Studer 800 or 80 Series 24-trk machine or Otari 24-trk machine; Studer 80 or 820 Series 2-trk machine; up-to-date outboard equipment and limiters, etc. Call or write to: Southlake Recording Studio, 3229 8th Street, Metairie, LA 70002, (504) 833-7926. Ask for Paul.

Instruction

EDUCATIONAL VIDEOS

12-hour sound mixing/recording course: \$239, 2-hour course: \$39; 2-hour MIDI course \$39; plus shipping/handling. Visa/ MC/check. For brochure: RECORDING ASSOCIATES, 5821 SE POWELL, PORTLAND, OR 97206, (503) 777-4621.

RECORDING INSTITUTE
School for recording engineers.
L.A./Hollywood area. Program em-
phasizes 24-track recording and
mixing and includes video. Hands-
on! Free catalog. 14511 Delano St.,
Van Nuys, CA 91411 (818) 994-9976.

**LOS ANGELES
RECORDING
WORKSHOP**

**5-Week Intensive
Recording Engineering
Program**

For FREE Catalog & Soundsheet
12268-X Ventura Blvd.
Studio City, CA 91604
818/ 763-7400

INSTITUTE OF COMMUNICA-
TION ARTS. Commercial Music
Performance, Audio Engineering/
Prod., Video Prod., Sound Rein-
forcement, Entertainment Bus., Mu-
sic Theory and Arrang. Instrument
& Voc. Study, Electronic Music &
MIDI One/Two Year Cert. Progs.
ICA is Recognized By U.S. Dept.
of Ed./Eligible for Guar. Std. Loans.
I.C.A. Institute, 34 West 8th Avenue,
Vancouver, B.C. V5Y 1M7, (604)
876-0451.

The 1989 Mix Bookshelf Catalog is
available! Write or call now for your
FREE copy of the most comprehen-
sive selection of books, tape courses,
music software, SFX libraries, desk-
top video software, databases and
more.

MIX BOOKSHELF
6400 Hollis Street #12
Emeryville, CA 94608
CALL TOLL FREE: (800) 233-9604

Maintenance Services & Repair

TLM ELECTRONICS INC

343 MANVILLE RD
PLEASANTVILLE, NY 10570

Pro Audio Service

- Consoles • Multi-Trax
- Amplifiers • FX equip

— Repairs
— Modifications
— Performance Testing
(914) 769-6423

RCA MICROPHONES — Repair
service on all models. Complete
sound and cosmetic restoration. 35
yrs. experience with RCA. ENAK Mi-
crophone Repair, 420 Carew Ave-
nue, Pitman, NJ 08071. (609) 589-
6186.

MAGNETIC RECORDING HEADS
— RELAP/REPLACEMENT for
Audio, Video, Time Code, Duplica-
tion. 30 years of head design experi-
ence. IEM, 350 N. Eric Dr., Palatine,
IL 60067; tel. (312) 358-4622.

Audio heads, new & used for
ACES, Ampex, Lyrec, MCI, 3M,
Nagra, Otari, Soundcraft, Studer,
Tascam, Telefunken and Trident.
Also relapping & optical alignment.
Bob Yauger at UCA, (315) 733-
7237. FAX: (315) 733-3097.

Music Products/ Software

FM STEREO TRANSMITTER
Transmit your VCR/CD/tape to any
FM stereo radio. One chip does it all.
FREE schematic and info. Send a self-
addressed, stamped envelope to DJ
Inc., 847 "A" Second Ave., Suite 113,
NY, NY 10017.

IBM MUSIC FEATURE CARD!
Option card with 8-voice, multitim-
bral MIDI synthesizer on board. In-
cludes 240 pre-programmed Yama-
ha sounds, 96 programmable patch-
es and a MIDI in/out/thru interface.
Use two cards to double capacities.
An all-in-one MIDI studio for IBM
and compatibles for only \$495. Soft-
ware available for recording, arrang-
ing and educational needs. Pack-
ages recommended. Dealers, cata-
logers & VARs call for discount
schedule. **Distributed by Mix Book-
shelf** 6400 Hollis St #12, Emeryville,
CA 94608, (415) 653-3307, (800)
233-9604.

Recording Services

DIGITAL TRANSFERS



CD MASTERING
DIGITAL EDITING
CD PRODUCTION

db PLUS
DIGITAL SERVICES INC.

BOX 694 LYNBROOK, N.Y. 11563
(516) 872-2325

TAPE DUPLICATION
**REAL TIME &
HIGH SPEED**
1/4" DISTRIBUTION
& RUSH SERVICE
DUPLICATION SPECIALISTS
(N.Y.) 516-432-7107

**CALL MIX
CLASSIFIEDS**
(415) 653-3307

Records, Tapes & CD Services and Supplies

Disc Mastering and Record Pro-
duction LPs, EPs, 45s—Plating,
Labels, Pressing, Jackets.
DIGITAL NOW AVAILABLE!
THE CUTTING EDGE
Box 217M
Ferdale, NY 12734
(914) 292-5365

REAL TIME

Best Quality Cassettes using Naka-
michi decks only. Custom-loaded
Agfa or BASF Chrome. Label and in-
sert printing, shrinkwrap, blank tapes.

**SUPERB QUALITY
AT LOW PRICES**

Uni-Sette, Inc.
1852 Fulton Ave.
Sacramento, CA 95825
(916) 485-9534.

FACTORY DIRECT PRICES ON 3M TAPE & AMPEX TAPE

Discounts available.

**We can & have saved you
money!** Call us—you'll like us.
We're in the business, just like you.
STUDIOWORKS is also a suppli-
er of pro recording equipment.
(800) 438-5921 & (704) 375-1053.

PROFESSIONAL RECORDING SUPPLIES

We are a major wholesale distribu-
tor of Ampex, Agfa & 3M reel-to-
reel mastering tape (1/4" to 2"). We
also stock broadcast videotape,
assorted reels and boxes, splic-
ing/leader tape and pre-packaged
cassettes. We load bulk cassettes
in custom lengths using a variety
of tape brands. Please call or write
for our FREE catalog.

Advance Recording Products

7190 Clairemont Mesa Blvd.
San Diego, CA 92111
(619) 277-2540
Inside CA: (800) 858-1061
Outside CA: (800) 854-1061
Visa/MC Accepted

AAPEX

ULTIMATE FIDELITY

The World's largest Nakamichi
real-time cassette duplication
system. Full service packaging.
50 to 50,000 qty. Outside CAL,
call toll free (800) 323-AAPX
or (415) 492-1300
—Call AAPEX today!

TDK™ AUDIO CASSETTES

Custom-length cassettes for your
duplication and mastering needs.
SAX C-30 \$.95 SAX C-45 \$1.19
SAX C-60 \$1.44 SAX C-90 \$1.98
We GUARANTEE our tapes!
LUNA TAPES LTD.
NEAPOLIS, OH 43547-429
(419) 875-6240
(419) 875-6889

DISC MAKERS
MONEY SAVING PACKAGES
COMPLETE MANUFACTURING

CD'S
LP'S
CASSETTES

PROFESSIONAL DESIGN DEPT.
CALL FOR CATALOG
1-800-468-9353

TRAXX RECORDING PRODUCTS

24 Crestway - KC
New Fairfield, CT 06812
• Real-time dup. & full-svc. pkg.
• Custom-loaded cassettes & sup.
• High quality, fast turnaround
For Free Catalog call: (203) 746-3561.

"STATE-OF-THE-ART"

"Cassette Duplication Service"
We offer the highest quality cas-
sette duplication available on fer-
ric, chrome or metal tape. Competi-
tive prices and fast turnaround.
When you're ready for the best
call: (219) 936-2015 or write: Cup
Of Water Productions, 13780 12th
Rd., Plymouth, IN 46563.

-Crystal Inc. Custom Duplicated CASSETTES

AS LOW AS

43¢
EACH PLUS
SET UP

- DOLBY HX PRO / ELECTRO SOUND
- Clear Shells and Boxes
- Premium Tape
- Digital or Analog Master
- Direct Cassette Imprinting, Color Inserts, Test Tapes and Pure Chrome also available

Phone
Toll
Free:
1-
800-
826-
6540
In Tenn:
1-
615
843-
0717

8002 Middle Valley Road
Hixson, TN 37343

"World Class" Tapes & Duplicating

Agfa BASF 3M

- Digital Audio Tape (D.A.T.) In Stock
- Analog Tape, Audio Accessories
- Phone In Order, Ship Same Day
- Great Quality — Great Price
- On-Shell Printing

Call us at

(800) 365-0669

for prices on tapes & duplicating

World Class Tapes

Audio Tape Distributors & Duplicators

670 Airport Blvd., Suite 1
P.O. Box 7611
Ann Arbor, Michigan 48107
(313) 662-0669 (within Michigan)

A U D I O

Cassettes

AS EASY AS...

- 1 REAL TIME DUPLICATION
- 2 HIGH SPEED DUPLICATION
- 3 CUSTOM BLANKS

ESP MEANS QUALITY FULL SERVICE PRINTING AND PACKAGING. FRIENDLY PROFESSIONAL SERVICE. COMPETITIVE PRICES. FAST TURN-AROUND AND HIGHEST QUALITY RAW MATERIALS.

ESP EASTERN STANDARD PRODUCTIONS, INC.
28 Baxter St. Buffalo, NY 14207
1-716-876-1454

CALL TOLL FREE:
1-800-527-9225

V I D E O

Equipment and improvements valued at over one half million. 3 years remaining on lease with 5-year option. \$150,000. Call 1-(800) HIT SONG.

Audio/visual studio on country estate. Includes 1,800-sq.ft. studio, country home, barn with stables and caretaker apartment. Brochure. 1 1/2 hour to NYC. Phone (203) 426-5385.

24-track "Musician's Fantasy"
Private world class studio. Unique, large w/lovely home, many skylights/temple-like, in residential, exclusive Alpine, NJ, 9 mins. from NYC/GW brdg. Asking \$1.4-\$1.65 million. Possible finance/brokers OK. (201) RN7-8453.

Studio Available
Manhattan studio available. Two studios: 24-trk & MIDI. Office, shop, lounge and storage. Includes two central A/C systems, audio wiring, phone and alarm system. Complete renovation 1 yr. ago. Great lease. Just plug your equip. in and go. \$75k. (212) 362-7840. Leave message.

Miscellaneous

POP FILTERS
An absolute necessity for every studio

POPPER STOPPERS
Call or Write for Free Brochure

Outside CA (800) 446-7677
Inside CA (818) 788-3635


P.O. Box 6010 609 Sherman Oaks, CA 91615
ASK YOUR DEALER FOR DEMONSTRATION
SATISFACTION GUARANTEED

3M AGFA AMPEX SONY
Audio, video & digital tapes
Full line of accessories
DAT recorders.
Orders shipped within 24 hours.

R & M PRO AUDIO
1080 Pacheco, S.F., CA 94116
(415) 665-8480

When only the best will do!
Blanks w/on-cassette printing. Mastering quality cassettes for real-time/recording studio use. TDK "SA" or BASF "Chrome" in Shape Mark-10 Shells (the best!)
AUDIO-VIDEOGRAPHICS
(800) 322-2832
FAX (816) 254-0045

315 492 1149



SsS

THE ACOUSTIC LIMITER greatly reduces popping and sibilance before they reach the mic, yet acoustically transparent. CLAMPS ON MIC STAND —versatile adjusting system —being used in major studios 6-in. or 4-in. screen with clamping system in black or red \$89. Screen only with 3/8-in. adapter \$37. Popless voice screens. 4512 Odell Pl. Jamesville, NY 13078
Order today! (315) 492-1149.

Studios For Sale

Producers—Engineers—Bands
Own a month or a week of World Class Studio Time For the next 5-10 years! High Return on Investment Quality Acoustical Design SSL 4000G Comfortable Mountain Setting
Time Packages Now Available
(206) 793-2614

RECORDING STUDIO
1/2 interest in San Diego's top recording studio. Fully equipped 24-track. Big room. Solid client base.

**Best Prices
Best Service
Best Names...**

**AMPEX AGFA
CANARE
FOSTEXmaxell
NEUTRIK Switchcraft
LEADER3M**

Call for our **FREE Spring/Summer Catalog** filled with Professional Tape, Equipment, Accessories and Supplies.



HUDSON AUDIO VIDEO ENTERPRISES, INC.
309 Power Ave., Hudson, NY 12534
800-999-11AVE • 518-828-2000 (NYS)

**TRACK SHEETS
BOX & REEL LABELS**

- Cassette Labels & Inserts
- Drum Machine Sheets
- Alignment Plaques
- Plus many other items

PRINTED WITH
Your Studio Name
Address & Phone

FREE CATALOG
of specialized forms for the recording & music industries

STUDIOFORMS Co
186 Glen Cove Avenue, Suite 201/M-47
Glen Cove, NY 11542
(516) 671-1047

"Don't worry... we'll fix it in the mix," and other audio/video truisms on T-shirts, sweatshirts and tour jackets. Custom shirts available. Write for free catalog: StudioWear, 304 Newbury St. #110, Boston, MA 02115, or call, (617) 232-0074.

10th Annual
**Music City
Song Festival**

Over \$250,000 in cash and prizes!

Professional, Amateur and Novice Song divisions
Professional, Amateur and Novice Lyric divisions
Amateur Vocal, Lyric Poem

Six Musical Categories!

Sponsors Include
**Shure, TASCAM, Atari,
Peavey, Magnavox,
Smith Corona & Technics**

*Official Entry Form Required
Write or call for info today!*

MCSF
P.O. Box 17999-X
Nashville, TN 37217
(615) 834-0027

**Mix Bookshelf
Has It All!**

Books • Software
Audio Tapes
Instructional Videos
Sound Effects Libraries

**For free catalog, call
(800) 233-9604**

How to Place a Mix Classified

Please print or type in CAPITAL LETTERS and lower case. There are 8 lines to the inch and approximately 24 CAPITAL letters per line or 32 lower case letters. \$80 per inch — 1" minimum. Additional lines \$10 per line. **BOLD TYPE** or Black Border \$10 per line. Gray screen \$15 extra. Logos or display advertising up to 4" will be charged at \$100/inch. Frequency discount rates available. Call for information. **Payment by check, money order or charge must accompany ad. DEADLINE is the 15th of the month, 6 weeks prior to publication.**

Categories Available (Check one.)

<input type="checkbox"/> Acoustic Consulting	<input type="checkbox"/> Equipment Rentals	<input type="checkbox"/> Records, Tapes & CD Services and Supplies
<input type="checkbox"/> Business Opportunities	<input type="checkbox"/> Equipment Wanted	<input type="checkbox"/> Recording Services
<input type="checkbox"/> Employment Offered	<input type="checkbox"/> Instruction	<input type="checkbox"/> Studios for Sale
<input type="checkbox"/> Employment Wanted	<input type="checkbox"/> Maintenance Services	<input type="checkbox"/> Miscellaneous
<input type="checkbox"/> Equipment for Sale	<input type="checkbox"/> Music Products/Software	

Co. Name _____
Name _____
Address _____
Phone _____

I am paying by (Check one.): VISA MASTERCARD AMERICAN EXPRESS

Card #: _____ Expiration Date: _____
Signature: _____

Check or Money Order #: _____ Amount Enclosed: \$ _____

Mail to:
Mix Classified, 6400 Hollis St. #12, Emeryville, CA 94608 (415) 653-3307 FAX: (415) 653-5142

ADVERTISERS INDEX

Page	Advertiser	ActionFax #	Page	Advertiser	ActionFax #	Page	Advertiser	ActionFax #
147	A & R Record & Tape		66	DAR Digital Audio Research		16	New England Digital (NED)	
13	ADx Systems		44	The DAT Store	(213) 470-6176	109	Orban	(415) 957-1070
47	Agla Corp.		58	DeWolfe Music Library		7, 105	Otari	(415) 341-5900
55	The AirCRAFT Music Library	(617) 367-1521	106	DIC Digital Supply		30	Pacifique Recording Studio	
153	Akai	(817) 870-1271	112	Digital Dynamics		95	Peavey	
129	AKG Acoustics		59	Disc Makers		85	Penn Fabrication	
23, 73, 146	Alesis Studio Electronics		87,89	Dolby Laboratories	(415) 863-1373	28	Presence Studios	
IBC	Allen & Heath	(203) 795-6814	88	Drawmer	(617) 969-7758	171	Professional Audio Services	
35	Alpha Audio Acoustics	(804) 358-9496	21	EAR Professional Audio/Video		43	ProMusic	
90	Amek/TAC	(818) 508-9788	125	Entertainment Business Expo		54	Prosonus	(213) 462-7036
61	American Pro Audio	(612) 925-0127	52	Europadisk		21	QCA	(516) 420-1863
46	Amigo Studios		103	Everything Audio	(818) 953-2908	138	QSC Audio	
81	Ampex		118	First Light Video Publishing		152	Radio Systems	
45	AMS Industries		139	Formula Audio		151	Ramsa	
22	Anvil Cases		8-9	Fostex	(213) 802-1964	42	Rane	
29	API Audio Products		19	Full Compass Systems		86	The Recording Workshop	
31	Applied Research & Technology (ART)	(716) 436-3942	107	Full Sail Center for the Recording Arts	(407) 671-1112	161	Renkus-Heinz, Inc.	(714) 250-1035
160	Sam Ash Professional		14	Gefen Systems		121	Rhythm City	(404) 233-1581
56	Associated Production Music (APM)		75	Gotham Audio		96-97	RolandCorp US	
184	Audio Gallery	(213) 829-0304	69	Grove School of Music		IFC-1, 65	Rupert Neve, Inc.	(615) 329-1473
155	Audio Images	(415) 957-1531	35	Bernie Grundman Mastering		76	Russo Professional Systems	
102	AudioLine	(414) 785-0789	13	The John Hardy Co.		38	Sanken	
34	Audio-Technica		144	Hot House Professional Audio	(914) 691-6822	127	Sennheiser	
62	AudioTechniques		62	HRC Magnetics		53	Signature Music	
154	B.A.S.E.	(818) 244-6664	117	Hybrid Arts		43	Skip Saylor Recording	
63	Battery Recording Studios		121	Institute of Audio Research	(212) 677-6549	15, 79	Solid State Logic (SSL)	
177	The Bertech Organization		155	J.E. Sound Production		119	Sony A/V Products	
108	Bose		71, BC	JBL Professional		36	Sony Broadcast Export	
57, 160	Brainstorm	(213) 475-7570	27	Josephson Engineering	(408) 238-6022	101	Sony Communications Products	
115	Bryston		140	JRF Magnetic Sciences	(201) 579-6021	4, 5	Sony Professional Audio	
110, 182	Burlington Audio/Video Tapes	(516) 678-8959	165	K-disc Mastering		49	Sound Ideas	
158	C.A.S. Productions	(317) 776-9910	157	KABA Research & Development		18	Soundtracs	
57	Caig Laboratories	(619) 743-2460	64	Leonardo Software		46	Stoughton Printing	
147	Cal Switch	(213) 327-2741	24	Lone Wolf		107	Studio Consultants	
92	Canare Cable	(818) 365-0479	179	LT Sound		82	Studiomaster	(714) 524-5096
37	Capitol Records		140	Macpherson Loudspeakers		165	Summit Audio	
72	Carrera Recording Studio		53	Manhattan Production Music		130	TAD	
135	Carvin		10	George Massenburg Labs (GML)	(818) 781-3828	26	Tannoy	(519) 745-2364
179	CCS Printing		118	Markertek	(914) 246-1757	50	TASCAM	
141	Celestion		40-41	Maxell		159	Telex Communications	
32	Cherokee Recording Studios		136	Meyer Sound	(415) 486-8356	124	Thoroughbred Music	
177	Clarity Cassette Duplication	(207) 873-3924	80	Milab/Klark-Teknik	(516) 420-1863	120	360 Systems	
133	Community	(215) 874-0190	39	Mitsubishi		92	Thrifty Electronics	
104	J.L. Cooper Electronics	(213) 822-2252	166-167	Mix BusinessPages!		93	Time Lord	
59	The Cutting Wedge	(201) 505-8661	99, 168	Mix Publications		51	Toy Specialist	
134	Crest Audio		158	MusiCity		58	TRF Production Music Libraries	
110	Crimson Audio Transformers		84	Neutrik USA		181	Vertigo Recording Services	
77	Crown International	(219) 294-8329	IFC-1, 65	Rupert Neve, Inc.		181	Whirlwind/U.S. Audio	
162	D & R USA					111	Yamaha Professional Audio	
						145	Alvedis Zildjian Company	

MIX

THE RECORDING INDUSTRY MAGAZINE

ACTIONFAX

Use this form to immediately contact advertisers in this issue. All advertisers with Fax number are listed in the Ad Index etc. Photocopy this page if you need additional copies of this form.

Advertiser _____ Adv. Fax # () _____

Name _____ Title _____

Company _____

Address _____

City _____ State _____ ZIP _____

Tel # () _____ Fax # () _____

Please send additional information about _____

as seen in the _____ issue of *Mix*.

Please send this information by: Return Fax Mail Please have a salesperson contact me.

BUILDING ON INTEGRITY

*Have you checked on
Allen and Heath recently?
Four complete new
series of sound mixing
consoles have joined our
famed Sigma range.*

Saber

*16 track with on board
Midi Mute processors.
Three desk sizes available in
studio and live sound versions.*



SC

*4 group modular
series for live sound and the
budget studio.*



SR plus

*An update of our
popular SR range, now with
extra quality features.*



Scepter

Rack mount mixers

*Send for our new
technical brochures*

*Have you checked on
Allen and Heath recently?*


U.K.

*69, Ship Street
Brighton BN1 1AE
Tel: 0273 24928
Fax: 0273 821767
Telex: 878235 M31AHB G*

U.S.A.

*5 Connair Road
Orange
Connecticut 06477
Tel: (203) 795 3594
Fax: (203) 795 6814*

**ALLEN
&
HEATH**



TRUTH...

OR
CONSEQUENCES.

If you haven't heard JBL's new generation of Studio Monitors, you haven't heard the "truth" about your sound.

TRUTH: A lot of monitors "color" their sound. They don't deliver truly flat response. Their technology is full of compromises. Their components are from a variety of sources, and not designed to precisely integrate with each other.

CONSEQUENCES: Bad mixes. Re-mixes. Having to "trash" an entire session. Or worst of all, no mixes because clients simply don't come back.

TRUTH: JBL eliminates these consequences by achieving a new "truth" in sound: JBL's remarkable new 4400 Series. The design, size, and materials have been specifically tailored to each monitor's function. For example, the 2-way 4406 6" Monitor is ideally designed for console or close-in listening. While the 2-way 8" 4408 is ideal for broadcast applications. The 3-way 10" 4410 Monitor captures maximum spatial detail at greater listening distances. And the 3-way 12" 4412 Monitor is mounted with a tight-cluster arrangement for close-in monitoring.

CONSEQUENCES: "Universal" monitors, those not specifically designed for a precise application or environment, invariably compromise technology, with inferior sound the result.

TRUTH: JBL's 4400 Series Studio Monitors achieve a new "truth" in sound with

an extended high frequency response that remains effortlessly smooth through the critical 3,000 to 20,000 Hz range. And even extends beyond audibility to 27 kHz, reducing phase shift within the audible band for a more open and natural sound. The 4400 Series' incomparable high end clarity is the result of JBL's use of pure titanium for its unique ribbed-dome tweeter and diamond surround, capable of withstanding forces surpassing a phenomenal 1000 G's.

CONSEQUENCES: When pushed hard, most tweeters simply fail. Transient detail blurs, and the material itself deforms and breaks down. Other materials can't take the stress, and crack under pressure.

TRUTH: The Frequency Dividing Network in each 4400 Series monitor allows optimum transitions between drivers in both amplitude and phase. The precisely calibrated reference controls let you adjust for personal preferences, room variations, and specific equalization.

CONSEQUENCES: When the interaction between drivers is not carefully orchestrated, the results can be edgy, indistinctive, or simply "false" sound.

TRUTH: All 4400 Studio Monitors feature JBL's exclusive Symmetrical Field Geometry magnetic structure, which dramatically reduces second harmonic

distortion, and is key in producing the 4400's deep, powerful, clean bass.

CONSEQUENCES: Conventional magnetic structures utilize non-symmetrical magnetic fields, which add significantly to distortion due to a nonlinear pull on the voice coil.

TRUTH: 4400 Series monitors also feature special low diffraction grill frame designs, which reduce time delay distortion. Extra-large voice coils and ultra-rigid cast frames result in both mechanical and thermal stability under heavy professional use.

CONSEQUENCES: For reasons of economics, monitors will often use stamped rather than cast frames, resulting in both mechanical distortion and power compression.

TRUTH: The JBL 4400 Studio Monitor Series captures the full dynamic range, extended high frequency, and precise character of your sound as no other monitors in the business. Experience the 4400 Series Studio Monitors at your JBL dealer's today.

CONSEQUENCES: You'll never know the "truth" until you do.



JBL Professional
8500 Balboa Boulevard
Northridge, CA 91329

Circle #139 on Reader Service Card