

FIELD NOTES.
SUBDIVISIONS

312-823

VOL. 79.
1881.

VOL. 79. Subdivisions. and Bdry.

P.

812 = 1. Subdivision T. 24 N., R. 119 W.

813 = 77. Subdivision T. 19 N., R. 120 W.

814 = {	152. South Bdry T. 26 N., R. 60 W. Ret'r.
	157. West " T. 26 N., R. 60 W. "
	163. North " T. 26 N., R. 60 W. "
	169. West " T. 27 N., R. 60 W. "
	175. North " T. 27 N., R. 60 W. "
	179. South " T. 31 N., R. 60 W. "
	183. West " T. 31 N., R. 60 W. "
191. North " T. 31 N., R. 60 W. "	

815 = 212. Subdivision T. 24 N., R. 120 W.

816 = 258. Subdivision T. 25 N., R. 120 W.

817 = 286. Subdivision T. 19 N., R. 121 W.

818 = 318. Subdivision T. 20 N., R. 121 W.

819 = 354. Subdivision T. 21 N., R. 120 W.

820 = 398. Subdivision T. 22 N., R. 120 W.

821 = 462. Subdivision T. 23 N., R. 120 W.

822 = { 522. North Bdry. T. 25 N., R. 119 W. Ret'r.

524. West. " T. 25 N., R. 119 W. "

823 = 527. Subdivision -- T. 25 N., R. 119 W.

INDEXED

Chen

6/8

353 265

Township 21 N.

Range 120 W.

6th Principal Meridian.

6	5	4	38	3	22	2	11	1
			37		36		21	10
7	8	9	35	10	20	11	9	12
			34		33		19	8
18	17	16	32	15	18	14	7	13
			31		30		17	6
19	20	21	29	22	16	23	5	24
			28		27		15	4
30	29	28	26	27	14	26	3	25
			25		24		13	2
31	32	33	23	34	12	35	1	36

T. 21 N. R. 120 W. 6th P. M.

From the corner to sections, 35, 36, 1 and 2 on
 the south boundary ^{of Township} I run
 North between sections 35 and 36
 Variation 170 30 East.

Behrens Descend.

33.50 Cross low Sag and ascend.

41.00 Set Sand Stone 12 x 12 x 8, in Earth mound,
 4 ft. in diameter at base, by 2 ft. in height, and dug pit
 24 x 18 x 12, 8 lks East for $\frac{1}{4}$ sec. cor.

42.00 Top of Spur, bears E. 4 W. and descend.

55.10 Cross Gulch, 4 lks. wide, Course W. and ascend.

80.00 Set Sand Stone 18 x 8 x 6, in Stone mound
 4 $\frac{1}{2}$ ft. in diameter at base, by 2 ft. in height, for cor.
 to secs. 25, 26, 35 & 36

Land mountainous.

Soil 3rd rate

Undergrowth of Sagebrush

2355-267

T. 21 N. R. 120 W. 6th P. M.

East on a random line between sections 25 & 36

Variation $17^{\circ}30'$ East.

Chains Ascend.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

62.50 Top of Spur, bears N. \vee S. and descend.

73.00 Cross low Sag and ascend.

79.96 Intersect E. B. of Tp. 33 lks. north of cor. to secs.

30, 31, 25 & 36 from which corner, I run

N. $89^{\circ}46'$ W. on a true line, between sections 25 & 36

Variation $17^{\circ}30'$ East.

89.98 Set Sand Stone $16 \times 9 \times 8$, in Earth mound,
4 ft. in diameter at base, by 2 ft. in height, and dug pit
 $24 \times 18 \times 12$, 8 lks north for $\frac{1}{4}$ sec. cor.

79.96 The corner to sections 24, 26, 30 & 36

Land mountainous.

Soil 3d rate

Undergrowth of Sassafras

T. 21 N. R. 120 W. 6th P. M.

North between sections 25726^5 Variation $170^{\circ}30'$ East.

Chains Ascend.

40.00 Set Sand Stone $19 \times 8 \times 8$, in Earth mound,
4 ft. in diameter at base, by 2 ft. in height, and dug pit
 $24 \times 18 \times 12$, 8 lks each for $\frac{1}{2}$ sec. cor.43.25²⁵ Top of Spur, bears E. & W. and descend.60.05 Cross Spring^{branch} 3 lks. wide, Course West80.00 Set Sand Stone $18 \times 8 \times 5$, in Stone mound
 $4\frac{1}{2}$ ft. in diameter at base, by 2 ft. in height, for cor.
to secs. 23, 24, 25 & 26

Land mountainous.

Soil 3d rate

Undergrowth of Sagebrush

Dec. 9th, 1880

4357 269.

T. 21 N. R. 120 W. 6th P. M.

East on a random line between sections 24 & 25
Variation $17^{\circ}30'$ East.

Chains Ascend.

10.00 Top of Spur, bears N. 60° W. + 860° ^E and descend.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

63.50 Cross low Sag and ascend.

79.89 Intersect E. B. of Tp. 23 lks. South of cor. to secs.
24, 25, 19 + 20 from which corner, I run
 8.89° $50'$ ⁵ on a true line, between sections 24 + 25
Variation $17^{\circ}30'$ East

39.95 Set Sand Stone $16 \times 9 \times 6$, in Earth mound,
4 ft. in diameter at base, by 2 ft. in height, and dug pit
 $24 \times 18 \times 12$, 8 lks North for $\frac{1}{4}$ sec. cor.

79.89 The corner to sections 23, 24, 25 + 26

Land mountainous.

Soil 3^d rate

Undergrowth of Sagebrush

T. 21 N. R. 120 W. 6th P. M.

North between sections 23 & 24

Variation $170^{\circ} 30'$ East.

Chains Ascend.

4.00 Top of Spur, bears N. 60° W. & S. 60° E.

20.50 Descend.

40.00 Set Sand Stone $16 \times 10 \times 8$, in Stone mound,
4 ft. in diameter at base, by 2 ft. in height, for $\frac{1}{4}$ sec. cor.

52.25 Cross Gulch, 4 lks. wide, Course N. W. and ascend.

63.50 Top of Spur, bears N. W. & S. E. and descend.

70.25 Enter Flat bears N. E. & S. W.

80.00 Set Sand Stone $18 \times 10 \times 8$, in Stone mound
4 $\frac{1}{2}$ ft. in diameter at base, by 2 ft. in height, for cor.
to secs. 13, 14, 23 & 24

Land mountainous.

Soil 3^d rate

Undergrowth of Sagebrush

4359 2713

T. 21 N. R. 120 W. 6th P. M.

Each on a random line between sections 13 & 24
Variation 17° 30' East.

Chains

Along flat

10.00 Leave Flat bears N. 87° S. W. and ascend.

40.00 Set temporary 1/4 sec. cor.

47.50 Top of Spur, bears N. 8.° & S. 90.° and descend.

80.03 Intersect C. B. of Tp. 42 lks. north of cor. to secs.
18, 19, 13 & 24 from which corner, I run
N. 89° 42' W. on a true line, between sections 13 & 24
Variation 17° 30' East.

40.01 Set Sand Stone 18 x 8 x 6, in Stone mound,
4 ft. in diameter at base, by 2 ft. in height, for 1/4 sec. cor.

80.03 True corner to sections 13, 14, 23 & 24

Land mountainous.

Soil 3d rate

Undergrowth of Sagebrush

T. 21 N. R. 120 W. 6th P. M.

North between sections 13 + 14

Variation $17^{\circ} 30'$ East.

Chains Along flat bears A. + B.

40.00 Set Post 4 in. dia., 1 ft. in earth, 1 ft. above Earth mound,
4 ft. in diameter at base, by 2 ft. in height, and dug pit
24 x 18 x 12, 8 lbs each for $\frac{1}{4}$ sec. cor.80.00 Set Post 4 in. square, 1 ft. in earth, 1 ft. above Earth mound.
 $4\frac{1}{2}$ ft. in diameter at base, by 2 ft. in height, and dug pits,
24 x 18 x 12, 8 lbs. dist., at 4 angles, for cor. to secs.11, 12, 13 + 14
level

Land, mountainous.

Soil 2^d + 3^d rate

Undergrowth of Sagebrush & brushgrass

8367 273

T. 21 N. R. 120 W. 6th P. M.

East on a random line between sections 12 & 13
Variation $17^{\circ}30'$ East.

Chains Along flat

40.00 Set temporary $\frac{1}{4}$ sec. cor.

39.00 Leave Flat bears N. $8^{\circ}4'$ S. W. and ascend:

79.79 Intersect E.B. of Tp. 14 $\frac{1}{2}$ m. South of cor. to sec.

12, 13, 7 & 14 from which corner, I run

8.89 $54^{\circ}42'$ on a true line, between sections 12 & 13

Variation $17^{\circ}30'$ East.

39.89 Set Post 4 in. dia., 1 ft. in earth, 1 ft. above Earth mound,
4 ft. in diameter at base, by 2 ft. in height, and dug pit
24 x 18 x 12, 8 $\frac{1}{2}$ m. North, for $\frac{1}{4}$ sec. cor.

79.79 The corner to sections 11, 12, 13 & 14

Land hilly - ^{part} Fair level

Soil 2^d & 3^d rate

Undergrowth of Sageluck & bunchgrass

T. 21 N. R. 120 W. 6th P. M.

North between sections 11 & 12

Variation $170^{\circ} 38'$ East,

- Chains ~~Along flat~~ ~~to~~ ~~N~~ ~~&~~ ~~S~~
 12.10 ^{F. T. wing} Cross Creek, 18 lks. wide, Course W.
 27.95 ^{N. T. wing} Cross Creek, 20 lks. wide, Course N.
 32.25 Cross Road, bears, E & W.
 40.00 Set Sand Stone $12 \times 10 \times 8$, in Earth mound,
 4 ft. in diameter at base, by 2 ft. in height, and dug pit
 $24 \times 18 \times 12$, 8 lks East for $\frac{1}{2}$ sec. cor.
 80.00 Set Sand Stone $16 \times 10 \times 8$, in Earth mound, 4 $\frac{1}{2}$
 ft. in diameter at base, by 2 ft. in height, and dug pits
 $24 \times 18 \times 12$, 8 lks, dist., at 4 angles, for cor. to ees.

1, 2, 11 & 12

Land level

Soil 2^d & 3^d rate

Undergrowth of Sagebrush & bunchgrass

T. 21 N. R. 120 W. 6th P. M.

East on a random line between sections 1 & 12

Variation $17^{\circ}30'$ East.

Chains Along flat

30.00 Ascend.

40.00 Set temporary $\frac{1}{4}$ sec. cor. on

~~Top of Spur~~, bears N. + S. and descend.

44.50 Enter Flat bears N. + S.

56.10 Cross existing canal 20 lks wide corner ^{N. W.} N. W.

64.00 Cross Road, bears, N. + S. and ascend.

79.88 Intersect C. B. of Tp. 25 lks. South of cor. to secs.

.6, 7, 11 + 12 from which corner, I run

on a true line, between sections 1 + 12

S. $89^{\circ}49'$ W.

Variation $17^{\circ}30'$ East.

89.94 Set Sand Stone $12 \times 10 \times 8$, in Earth mound,
4 ft. in diameter at base, by 2 ft. in height, and dug pit
 $24 \times 18 \times 12$, 8 lks South for $\frac{1}{4}$ sec. cor.

79.88 The corner to sections 1, 2, 11 + 12

partly hilly, 9 months
Land ~~mountainous~~ level

Soil 3d rate

Undergrowth of Sagebrush & bunchgrass

T. 21 N. R. 120 W. 6th P. M.

North on a random line between sections 1 & 2

Variation $170^{\circ} 30'$ East.

Chains Along flat

38.96 Leave Flat bears S. E. + $\frac{1}{4}$ N. W. and ascend.40.00 Set temporary $\frac{1}{4}$ sec. cor.

63.50 Top of Spur, bears S. E. + N. W. and descend.

80.15 Intersect A. B. of Tp. 23 lks. East of cor. to sec.

1, 2, 35 + 36 from which corner, I run

S. $\frac{1}{4}$ 10' E on a true line, between sections 1 + 2Variation $170^{\circ} 30'$ East.46.15 Set Sand Stone 16 x 8 x 8, in Stone mound,
4 ft. in diameter at base, by 2 ft. in height, for $\frac{1}{4}$ sec. cor.

80.15 The corner to sections 1, 2, 11 + 12

Land level and rolling

Soil 3d rate

Undergrowth of Sagebrush + bunch grass

12365 277

T. 21 N. R. 120 W. 6th P. M.

North between sections 34 & 35-

Variation 17° 30' East.

Chains Descend.

39.90 Center ^{Bridge} ~~End~~ creek bottom, ^{base} N.W.

4000⁰ Set Sand Stone 16 x 8 x 9, in Stone mound, 4 ft. in diameter at base, by 2 ft. in height, for 1/2 sec. cor.

80,00 Set Sand Stone 12 x 12 x 8, in Stone mound 4 1/2 ft. in diameter at base, by 2 ft. in height, for cor. to secs. 26, 27, 34 & 35-

Land mountainous. and ^{mostly} level

Soil gd. rate

Undergrowth of Sagelmoak

T. 21 N. R. 120 W. 6th P. M.

Each on a random line between sections 26 & 35
 Variation $170^{\circ} 30'$ East.

- Chains Along flat
 18.12 Bridges
 Cross Creek, 5 lks. wide, Course N. W.
 30.16 Cross Road, bears, N. W. & S. E.
 40.00 Set temporary $\frac{1}{2}$ sec. cor. and ascend.
 80.19 Intersect N. & S. line, 12 lks. north of cor. to secs.
 25, 26, 35 & 36 from which corner, I run
 N. $89^{\circ} 55'$ W. on a true line between sections 26 & 35
 Variation $170^{\circ} 30'$ East.
- 40.09 Set Sand Stone $16 \times 8 \times 6$, in Stone mound,
 4 ft. in diameter at base, by 2 ft. in height, for $\frac{1}{2}$ sec. cor.
- 80.19 The corner to sections 26, 27, 34 & 35
 mostly level
 Land, Mountains and level
 Soil 3d rate
 Undergrowth of Sagebrush
 Dec. 10th, 1880

14367

279

T. 21 N. R. 120 W. 6th P. M.

North between sections 26727

Variation $17^{\circ} 38'$ East.

Chains Along Bottom Land

880 ^{Bridges} Cross Creek, 5 lks. wide, Course W.40.50 Set Sand Stone $12 \times 9 \times 6$, in Stone mound,
4 ft. in diameter at base, by 2 ft. in height, for $\frac{1}{4}$ sec. cor.

42.25 Cross Road, bears, N. W. & S. E.

69.50 Ascend.

80.00 Set Sand Stone $18 \times 9 \times 6$, in Stone mound
4 $\frac{1}{2}$ ft. in diameter at base, by 2 ft. in height, for cor.
to secs. 22, 23, 26 & 27

Land Tully and level

Soil 3d rate

Undergrowth of Sagebrush & bunchgrass

T. 21 N. R. 120 W. 6th P. M.

East on a random line between sections 23 & 26

Variation $17^{\circ}30'$ East.

Chains Ascend.

6.80 Top of Spur, bears N. & S. and descend.

17.50 Cross Gulch, 4 lks. wide, Course S. W. and ascend.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

42.15 Top of Spur, bears N. & S. and descend.

63.55⁵⁵ Cross Gulch, 4 lks. wide, Course S. W. and ascend.79.76 Intersect N. & S. line, 37 lks. north of cor. to secs.
23, 24, 25 & 26 from which corner, I runN. $89^{\circ}44'$ W. on a true line between sections 23 & 26
Variation $17^{\circ}30'$ East.89.88 Set Sand Stone $16 \times 10 \times 8$, in Stone mound,
4 ft. in diameter at base, by 2 ft. in height, for $\frac{1}{4}$ sec. cor.

79.76 The corner to sections 22, 23, 26 & 27

Land hilly
Soil 3d rate

Undergrowth of Sagebrush

T. 21 N. R. 120 W. 6th P. M.

North between sections 22 & 23

Variation $17^{\circ}30'$ East.

Chains Ascend.

41.00 Set Sand Stone $10 \times 12 \times 9$, in Stone mound,
4 ft. in diameter at base, by 2 ft. in height, for $\frac{1}{4}$ sec. cor.

50.25 Top of Spur, bears E. & W. and descend.

63.00 Enter Flat ^{ridge} bears N. & S.80.00 Set Sand Stone $16 \times 8 \times 8$, in Stone mound
 $4\frac{1}{2}$ ft. in diameter at base, by 2 ft. in height, for cor.
to secs. 14, 15, 22 & 23

Land Lilly, with some level.

Soil 3d rate

Undergrowth of Sycamore

T. 21 N. R. 120 W. 6th P. M.

East on a random line between sections 14 & 23

Variation $170^{\circ} 30'$ East.

Chains Along rolling ground

35.0 Descend.

26.25 Enter Flat bears N. & S.

40.00 Set temporary $\frac{1}{2}$ sec. cor.

80.15 Intersect N. & S. line, 47 lks. South of cor. to secs.

13, 14, 22 & 24 from which corner, I run

$1.890^{\circ} 40'$ W. on a true line between sections 14 & 23

Variation $170^{\circ} 30'$ East.

40.07 Set Post 4 in. dia., 1 ft. in earth, 1-ft. above Earth mound,
4 ft. in diameter at base, by 2 ft. in height, and dug pit
24 x 18 x 12, 8 lks north, for $\frac{1}{2}$ sec. cor.

80.15 The corner to sections 14, 15, 22 & 23

Land ^{mostly} level

Soil 3d rate

Undergrowth of Sagebrush

T.21 N. R.120 W. 6th P. M.

North between sections 14 & 15

Variation 170° 30' East.

Chains Along top of Spur

40.00 Set granite Stone 16 x 8 x 4, in Stone mound, 4 ft. in diameter at base, by 2 ft. in height, for 1/4 sec. cor.

60.50 Descend.

80.00 Set granite Stone 24 x 18 x 8, in Stone mound 4 1/2 ft. in diameter at base, by 2 ft. in height, for cor. to secs. 10, 11, 14 & 15

Land hilly

Soil 3d rate

Undergrowth of Sagebrush

T. 21 N. R. 120 W. 6th P. M.

Cast on a random line between sections 11 & 14

Variation $17^{\circ}30'$ East.

Chains Ascend.

20.50 Top of Spur, bears N + S. and descend.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

42.00 Enter Flat bears N. + S.

79.92 Intersect N. & S. line, 29 lks. north of cor. to secs.

11, 12, 13 + 14 from which corner, I run

N. $89^{\circ}48'$ W. on a true line between sections 11 + 14Variation $17^{\circ}30'$ East.39.96 Set Post 4 in. dia., 1 ft. in earth, 1 ft. above Earth mound,
4 ft. in diameter at base, by 2 ft. in height, and dug pit
24 x 18 x 12, 8 lks north, for $\frac{1}{4}$ sec. cor.

79.92 The corner to sections 10, 11, 14 + 15

Land hilly area level

Soil 3d rate

Undergrowth of Sagebrush

T. 2/N. R. 12/W. 6th P. M.

North between sections 10 & 11
 Variation 17°30' East.

- Chains Descend.
- 11.02 S. Twin Cross Creek, 10 lks. wide, Course W.
 - 14.10 N. Twin Cross Creek, 20 lks. wide, Course W.
 - 22.05 Cross Road, bears E. & W. and ascend.
 - 37.80 Top of Spur, bears E. & W. and descend.
 - 46.00 Set Sand Stone 16 x 9 x 8, in Stone mound, 4 ft. in diameter at base, by 2 ft. in height, for 1/2 sec. cor.
 - 47.00 Cross Gulch, 4 lks. wide, Course W. and ascend.
 - 63.10 Top of Spur, bears E. & W. and descend.
 - 80.00 Set Sand Stone 16 x 9 x 8, in Stone mound 4 1/2 ft. in diameter at base, by 2 ft. in height, for cor. to secs. 2, 3, 10 & 11

Land hilly
 Soil 3d rate
 Undergrowth of Sagebrush

T. 21 N. R. 120 W. 6th P. M.

East on a random line between sections 2 & 11
Variation $17^{\circ} 30'$ East.

Chains Ascend.

22.71 Top of Spur, bears N. ∇ S. and descend.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

49.80 Enter Flat bears N.E. ∇ S.W.

80.09 Intersect N. & S. line, 5 lks. South of cor. to sec.
1, 2, 11 ∇ 12 from which corner, I run

8.890 $\frac{5}{8}$ W. on a true line between sections 2 ∇ 11
Variation $17^{\circ} 30'$ East

40.03 Set Post 4 in. dia., 1 ft. in earth, 1 ft. above Earth mound,
4 ft. in diameter at base, by 2 ft. in height, and dug pit
24 x 18 x 12, 8 lks East, for $\frac{1}{4}$ sec. cor.

80.09 The corner to sections 2, 3, 10 ∇ 11

Land lilly $\frac{1}{4}$ cent in flat

Soil $\frac{1}{2}$ ∇ $\frac{3}{4}$ rate

Undergrowth of Sagebrush & bunchgrass

Dec. 11th, 1880

22375 287
T. 21 N. R. 120 W. 6th P. M.

North on a random line between sections 2 & 3
Variation $17^{\circ}30'$ East.

Lehavis Descend.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

42.50 Enter Valley, bears, N. E. + S. W.

52.05 Cross Road, bears, N. E. + S. W.

79.82 Intersect N. B. of Tp. 14 Tks. East of cor. to secs.
2, 3, 34 + 35 from which corner, I run

S. $\frac{1}{2}$ 6' E. on a true line, between sections 2 + 3
Variation $17^{\circ}38'$ East.

39.82 Set Sand Stone 16 x 9 x 6, in Stone mound,
4 ft. in diameter at base, by 2 ft. in height, for $\frac{1}{4}$ sec. cor.

79.82 The corner to sections 2, 3, 10 + 11

Land Level in valley, and hilly elsewhere
Soil 3d rate

Undergrowth of Sagebrush

T. 21 N. R. 120 W. 6th P. M.

North between sections 33434

Variation 17030' East.

Chains Ascend.

16.40 Top of Spur, bears E. & W. and descend.

27.90 Cross Gulch, 4 lks. wide, Course W. and ascend.

40.00 Set Sand Stone 12 x 10 x 8, in Stone mound,
4 ft. in diameter at base, by 2 ft. in height, for $\frac{1}{2}$ sec. cor.

42.00 Top of Spur, bears N. E. & S. W. and descend.

80.00 Set Sand Stone 12 x 10 x 6, in Stone mound
4 $\frac{1}{2}$ ft. in diameter at base, by 2 ft. in height, for cor.
to secs. 27, 28. 33434

Land mountainous.

Soil 3d rate

~~Undergrowth of~~ Sagebrush

T. 21 N. R. 12 W. 6th P. M.

East on a random line between sections 27 & 34

Variation $17^{\circ}30'$ East.

Chains

Descend.

6.00 Enter bottom, bear S. E.
Cross low Sag and ascend.40.00 Set temporary $\frac{1}{4}$ sec. cor.

49.92 Intersect N. & S. line, 44 lks. South of cor. to secs.

26, 27, 34 & 35 from which corner, I run

8.890 41' W. on a true line between sections 27 & 34

Variation $17^{\circ}30'$ East.39.96 Set Sand Stone $12 \times 9 \times 6$, in Stone mound,
4 ft. in diameter at base, by 2 ft. in height, for $\frac{1}{4}$ sec. cor.

79.92 The corner to sections 27, 28, 33 & 34

mostly level

Land, ~~dry~~ ^{hilly}

Soil 3d rate

Undergrowth of Sagetwack

T. 21 N. R. 120 W. 6th P. M.

West on a true line between sections 28 & 33

Va. 17020' East.

Chains Descend.

26.64 Intersect Boundary line between Wyoming and Utah, at a point from which the 53rd mile Post bears South 16.11 chs. dist. and

Set Post 4 in. square, 1 ft. in earth, 1 ft. above Earth mound,

4½ ft. in diameter at base, by 2 ft. in height, and dug pits,

24 x 18 x 12, 8 lks. dist., at 4 angles, for cor. to ^{closing tract} secs. 28 & 33

Land rolling

Soil 3d rate

Undergrowth of Sagebrush

379

291

T. 21 N. R. 12 W. 6th P. M.

North between sections 27428

Variation 17° 30' East.

Chains Descend.

2.10 Enter Flat bears E. & W.

22.10 ^{Bridge} Cross Creek, 5 lks. wide, Course N. 60° W.

40.00 Set Sand Stone 16 x 8 x 8, in Stone mound, 4 ft. in diameter at base, by 2 ft. in height, for 1/2 sec. cor.

76.25 Cross Road, bears N. W. & S. E.

80.00 Set Post 4 in. square, 1 ft. in earth, 1 ft. above Earth mound, 4 1/2 ft. in diameter at base, by 2 ft. in height, and dug pits, 24 x 18 x 12, 8 lks. dist., at 4 angles, for cor. to secs.

26.22, 27428

Land level

Soil 3d rate

Undergrowth of Sapbrush

T. 21 N. R. 120 W. 6th P. M.

East on a random line between sections 22 & 27
 Variation $17^{\circ}30'$ East.

Chains

40.00 Set temporary $\frac{1}{2}$ sec. cor.

44.10 Cross Road, bears, N. & S.

52.00 Ascend.

80.09 Intersect N. & S. line, 27 lks. South of cor. to secs.
 22, 23, 26 & 27 from which corner, I run

8.89048' W. on a true line between sections 22 & 27
 Variation $17^{\circ}30'$ East.

40.04 Set Sand Stone $16 \times 9 \times 8$, in Earth mound,
 4 ft. in diameter at base, by 2 ft. in height, and dug pit
 $24 \times 18 \times 12$, 8 lks north for $\frac{1}{2}$ sec. cor.

80.09 The corner to sections 21, 22, 27 & 28

Land level except where it is rolling
 Soil 3d rate

Undergrowth of Sagebrush

T. 21 N. R. 126 W. 6th P. M.

West on a true line between sections 21+28

Chains

Va. $17^{\circ}30'$ East.

8.25 Cross Road, bears, N. W. + S. E.

20.17 Intersect Boundary line between Wyoming and Utah, at a point from which the 54th Mile Post bears South 11.20 chs. dist. andSet Sand Stone $16 \times 9 \times 8$, in Stone mound closing
 $4\frac{1}{2}$ ft. in diameter at base, by 2 ft. in height, for \wedge cor.
to \wedge secs. 21+28.

Land level

Soil 3d rate

Undergrowth of Sagebrush

T. 21 N. R. 120 W. 6th P. M.

North between sections 21 & 22

Variation $14^{\circ}30'$ East.

Chains

44² Cross Road, bears, N. E. & S. W.40.00 Set Post 4 in. dia., 1 ft. in earth, 1 ft. above Earth mound,
4 ft. in diameter at base, by 2 ft. in height, and dug pit
24 x 18 x 12, 8 lbs East, for $\frac{1}{2}$ sec. cor.80.00 Set Post 4 in. square, 1 ft. in earth, 1 ft. above Earth mound,
4 $\frac{1}{2}$ ft. in diameter at base, by 2 ft. in height, and dug pits,
24 x 18 x 12, 8 lbs. dist., at 4 angles, for cor. to secs.

15, 16, 21 & 22

Land level

Soil 3d rate

Undergrowth of Sagebrush

T. 21 N. R. 20 W. 6th P. M.

East on a random line between sections 15 & 22

Variation $17^{\circ} 31' 0''$ East.

Chains

Along Valley

34.10 Cross Road, bears N. & S.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

48.50 Leave Valley, bears N. & S. and ascend.

79.89 Intersect N. & S. line, 14 lks. north of cor. to secs.

14, 15, 22 & 23 from which corner, I run

N. $89^{\circ} 54'$ W. on a true line between sections 15 & 22

Variation $17^{\circ} 30'$ East.

39.95 Set Sand Stone $16 \times 8 \times 5$, in Earth mound, 4 ft. in diameter at base, by 2 ft. in height, and dug pit $24 \times 18 \times 12$, 8 lks north for $\frac{1}{4}$ sec. cor.

79.89 The corner to sections 15, 16, 21 & 22

Land level except where it is rolling
Soil 3d rate

Undergrowth of Sagebrush

T. 21 N. R. 120 W. 6th P. M.

C. Harris

1988

West on a true line between sections 16 & 21

Va. 17°30' East.

Along Valley. Intersect Boundary
line between Wyoming and Utah, at a
point from which the 55th Mile Post
bears South 11.90 chs. dist. and

Set Post 4 in. square, 1 ft. in earth, 1 ft. above Earth mound,

4½ ft. in diameter at base, by 2 ft. in height, and dug pits,

24 x 18 x 12, 8 lbs. dist., at 4 angles, for ^{closing} cor. to ^{fractional} secs. 16 & 21

Land level

Soil 3d rate

Undergrowth of Sagebrush

32 385

297

T. 21 N. R. 120 W. 6th P. M.

North between sections 15 & 16

Variation 17° 30' East.

Chamie Along Bear Valley

40.00 Set Sand Stone 2 1/2 x 9 x 6, in Stone mound, 4 ft. in diameter at base, by 2 ft. in height, for 1/2 sec. cor.

63.90 ^{J. Twinn} Cross Creek, 10 lks. wide, Course N. W.

80.00 Set Post 4 in. square, 1 ft. in earth, 1 ft. above Earth mound, 4 1/2 ft. in diameter at base, by 2 ft. in height, and dug pits, 24 x 18 x 12, 8 lks. dist., at 4 angles, for cor. to secs.

9, 10, 15 & 16

Land level

Soil 3d rate

Undergrowth of Sagebrush

Dec, 13th, 1880

T. 21 N. R. 12 W. 6th P. M.

East on a random line between sections 10 & 15

Variation $17^{\circ} 38'$ East.

Chassis Along Valley

40.00 Set temporary $\frac{1}{4}$ sec. cor.

43.25 Cross Road, bears, N. & S.
N. & S.

54.10 Cross Creek, 10 lks. wide, Course S. W.

56.25 Ascend.

79.80 Intersect N. & S. line, 54 lks. South of cor. to sec.

10, 11, 14 & 15 from which corner, I run

S. $89^{\circ} 37'$ W. on a true line between sections 10 & 15

Variation $17^{\circ} 38'$ East.

39.90 Set Sand Stone $12 \times 18 \times 10$, in Earth mound,
4 ft. in diameter at base, by 2 ft. in height, and dug pit
 $24 \times 18 \times 12$, 8 lks north for $\frac{1}{4}$ sec. cor.

79.80 The corner to sections 9, 10, 15 & 16

Land level except where it is rolling

Soil 3d rate

Undergrowth of Sagebrush

34387 299

T. 21 N. R. 120 W. 6th P. M.

West on a true line between sections 9+16

Va. 17° 30' East.

Chains

19.42

Along Bear Valley

Intended Boundary line between Wyoming and Utah, at a point from which the 50th mile Post bears south 12.02 chs. dist. and

Set Post 4 in. square, 1 ft. in earth, 1 ft. above Earth mound,

4½ ft. in diameter at base, by 2 ft. in height, and dug pits,

24 x 18 x 12, 8 lks. dist., at 4 angles, for cor. to secs. ^{closing frac^t} 9+16

mostly
Land [^] level

Soil 3d rate

Undergrowth of Sagebrush

T. 21 N. R. 120 W. 6th P. M.

North between sections 9410
Variation $17^{\circ}30'$ East.

Chassis Along flat
N. Twin

3.60 Cross Creek, 20 lks. wide, Course S. W. + Scarce turns N. W.

40.00 Set Sand Stone $18 \times 9 \times 6$, in Stone mound,
4 ft. in diameter at base, by 2 ft. in height, for $\frac{1}{2}$ sec. cor.

80.00 Set Sand Stone $20 \times 10 \times 8$, in Stone mound
 $4\frac{1}{2}$ ft. in diameter at base, by 2 ft. in height, for cor.
to secs. 3, 4, 9410

Land level

Soil 2d + 3d rate

Undergrowth of Sapbrush

T. 21 N. R. 120 W. 6th P. M.

East on a random line between sections 3 & 10

Variation $17^{\circ}38'$ East.

Chains Along Bear Valley

40.00 Set temporary $\frac{1}{4}$ sec. cor.

54.00 Cross Road, bears, N. & S. and ascend:

79.90 Intersect N. & S. line, 16 lks. north of cor. to sec.

2, 3, 10 & 11 from which corner, I run

N. 89° 58' W. on a true line between sections 3 & 10

Variation $17^{\circ}30'$ East.

399⁵/₇ Set Sand Stone $12 \times 10 \times 8$, in Earth mound, 4 ft. in diam. at base, by 2 ft. in height, and dug pit $24 \times 18 \times 12$, 8 lks north for $\frac{1}{4}$ sec. cor.

79.90 The corner to sections 3, 4, 9 & 10

mostly Land, level

Soil 3d rate

Undergrowth of Sagebrush

T. 21 N. R. 120 W. 6th P. M.

West on a true line between sections 479

Va. 77° 30' East.

Chains

19.11

Along Bear Valley
Intersect Boundary line between
Wyoming and Utah, at a point
from which the 50th. Mile Post
Bears South 13.70 chs. dist. and

Set Post 4 in. square, 1 ft. in earth, 1 ft. above Earth mound,

4½ ft. in diameter at base, by 2 ft. in height, and dug pits,

24 x 18 x 12, 8 lks. dist., at 4 angles, for cor. to Secs.

closing ^{boundary}

479

Land level

Soil 3d rate

Undergrowth of Sapsucker

T.21 N. R.120 W. 6th P. M.

North on a random line between sections 3 & 4
Variation $17^{\circ}30'$ East.

Chains Along Bear Valley

40.00 Set temporary $\frac{1}{2}$ sec. cor.

80.02 Intersect N. B. of Tp. 28 1ks. East of cor. to secs.
3, 4, 33 & 34 from which corner, I run

8. $12^{\circ} 12' E.$ on a true line, between sections 3 & 4
Variation $17^{\circ}30'$ East.

40.00² Set Sand Stone 16 x 8 x 6, in Stone mound,
4 ft. in diameter at base, by 2 ft. in height, for $\frac{1}{2}$ sec. cor.

80.02 The corner to sections 3, 4, 9 & 10

Land level

Soil 3d rate

Undergrowth of

Sagebrush

Dec. 14/12, 1880

T. 21 N. R. 120 W. of 6th P. M.

General Description.

The land in this Township is generally level, although some portions are mountainous.

The soil is 2^d & 3^d rate

It is covered with ^a ~~undergrowth~~ of Sycamore & brushgrass.

The land along Bear Valley is especially well adapted to raising hay and ^{the} hardier grains.

It is well watered by Bridget's and Twin creeks which flow through it.

(over)

Survey General's Office

Cheyenne, Wyo. Jan'y 11, 1881

The foregoing field notes of the survey of the subdivision lines in Township 21 N. Range 120 W. of 6th Principal Meridian Wyoming Territory, executed by James C. Woods, under his contract of the 31st day of August, 1880, in the month of December, 1880, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the survey they describe, are hereby approved.

Edw. C. David
Survey General