



# Zebra® Supplies

## ZipShip(SM) Price List - RFID



Zebra is one of the largest converters of thermal supplies in North America. Featuring the largest selection of pre-tested, high-quality labels, tags, receipt paper, wristbands, cards and ribbons, Zebra can provide a solution for virtually any application.

**Effective September 12, 2022**

ZEBRA and the stylized Zebra head are trademarks of Zebra Technologies Corp., registered in many jurisdictions worldwide. All other trademarks are the property of their respective owners. ©2022 Zebra Technologies Corp. and/or its affiliates.



## Certified Supplies

The perfect match for your RAIN RFID printer

Using inlays from leading manufacturers, as well as our own Zebra-branded inlays, Zebra offers 50+ labels in stock. We can also create a custom solution for you—with just about any thermal material and inlay to meet the requirements of your unique application. Designed and tested with Zebra printers and RAIN RFID readers, our Certified Supplies ensure high performance.

### General purpose

- Paper and synthetic labels, designed for use with standard applications
- Best for non-metallic surfaces, plastics or corrugate
- ZBR2000 Zebra-branded inlay for longer read ranges and faster tag acquisition

### Advanced

- Paper and synthetic labels that offer a higher level of readability performance than our general purpose labels
- ZBR4000 and ZBR4001 Zebra-branded advanced UHF RFID inlays offer a higher level of performance than general purpose inlays

### Specialty

- Unique solutions and designs created to maximize read range for metal and challenging surfaces

## Print Confident. Print Secure. Print Zebra.

One of the largest offerings of in-stock and ready-to-ship RAIN RFID labels



### Outstanding Performance

The latest chip technology and proprietary inlays provide enhanced performance.



### Reliable Consistency

The same label material used from order to order results in consistent print and adhesive performance every time.



### RFID Solution Expertise

As the developer of RFID readers and printers, Zebra can recommend the labeling solution that optimizes the performance of each RFID solution.



### Testing Capabilities

With our Voyantic test equipment, we can identify the optimal inlay for the surface being labeled to ensure maximum read ranges.



### In-House Manufacturing Capabilities

Zebra's state-of-the-art presses and RFID manufacturing equipment enables us to meet your RFID supplies need quickly.



### The Right Solution for Your Use Case

With over 300 certified combinations of direct thermal and thermal transfer materials and access to inlays from the leading providers, we can deliver the optimal solution for the surface to maximize read performance.



### General Purpose RFID Labels

General Purpose RFID Labels Zebra's General Purpose RFID label offering includes a variety of inlay types and works on most non-metallic surfaces, such as plastic and corrugate. Typical applications include labeling of cases, pallets, products and healthcare specimens. Zebra's RFID labels have been tested and optimized to work with Zebra's RFID printers and readers. Due to the many variables that can affect read range, we recommend testing in your environment to determine which label works best in your application.

### Labels for Industrial Printers (3" ID, 8" OD)

Thermal Transfer RFID Labels - pair with Zebra's 6000 wax or 3200 wax/resin ribbon  
For use with Zebra's RXi4, ZT400R, ZT600R, and ZE500R

| Size |   |      | Part #   | Perf. | Inlay        | Chip    | Material        | Labels/<br>Roll | Rolls/<br>Case | Case<br>Weight | Stock<br>WI | Price/<br>Roll | Price/<br>Label |
|------|---|------|----------|-------|--------------|---------|-----------------|-----------------|----------------|----------------|-------------|----------------|-----------------|
| W    | x | L    |          |       |              |         |                 |                 |                |                |             |                |                 |
| 0.94 | x | 0.55 | 10036487 |       | EOS-200      | UCODE 8 | PolyPro 3000T   | 5,000           | 1              | 5 lbs.         | X           | \$ 783.91      | \$ 0.157        |
| 1.75 | x | 0.75 | 10036991 |       | BT781        | UCODE 8 | PolyPro 3000T   | 5,000           | 1              | 7 lbs.         | X           | \$ 688.53      | \$ 0.138        |
| 2.09 | x | 1.3  | 10038870 |       | BT793        | UCODE 9 | Z-Perform 1500T | 2,700           | 1              | 4 lbs.         | X           | \$ 312.19      | \$ 0.116        |
| 2.38 | x | 1.75 | 10038232 |       | BT793        | UCODE 9 | Z-Perform 1500T | 2,750           | 1              | 4 lbs.         | X           | \$ 437.75      | \$ 0.159        |
| 2.87 | x | 0.67 | 10026623 |       | Belt         | UCODE 8 | Z-Perform 1500T | 5,000           | 1              | 3 lbs.         | X           | \$1,045.54     | \$ 0.209        |
| 3    | x | 1    | 10036023 |       | BT0573       | UCODE 8 | Z-Perform 1500T | 4,000           | 1              | 5 lbs.         | X           | \$ 485.27      | \$ 0.121        |
| 3.82 | x | 0.59 | 10026624 |       | Short Dipole | UCODE 8 | Z-Perform 1500T | 5,000           | 1              | 3 lbs.         | X           | \$1,045.54     | \$ 0.209        |
| 3.88 | x | 0.45 | 10036818 |       | ZBR2000      | UCODE 8 | PolyPro 3000T   | 5,000           | 1              | 6 lbs.         | X           | \$ 679.10      | \$ 0.136        |
| 4    | x | 2    | 10026648 |       | ZBR2000      | UCODE 8 | Z-Perform 1500T | 2,000           | 1              | 4 lbs.         | X           | \$ 265.03      | \$ 0.133        |
| 4    | x | 3    | 10036764 |       | ZBR2000      | UCODE 8 | Z-Perform 1500T | 1,500           | 1              | 6 lbs.         | X           | \$ 223.98      | \$ 0.149        |
| 4    | x | 6    | 10026649 |       | ZBR2000      | UCODE 8 | Z-Perform 1500T | 1,000           | 1              | 6 lbs.         | X           | \$ 154.91      | \$ 0.155        |

Part numbers less than 2" width will not work in the ZT420R and ZT620R printers due to minimum length specs.

M = made-to-order (MTO). MTO lead time = ships within 15 business days.

Stock - ships within one business day. Made to order (MTO) - see product category for specific lead time information.  
Products purchased in less than full inner carton quantities are subject to a \$75 broken carton charge, per destination.  
Prices effective **September 12, 2022**. Prices/stocking locations subject to change w/o notice. Refer to [www.zebra.com](http://www.zebra.com).

**General Purpose RFID Labels**

General Purpose RFID Labels Zebra’s General Purpose RFID label offering includes a variety of inlay types and works on most non-metallic surfaces, such as plastic and corrugate. Typical applications include labeling of cases, pallets, products and healthcare specimens. Zebra’s RFID labels have been tested and optimized to work with Zebra’s RFID printers and readers. Due to the many variables that can affect read range, we recommend testing in your environment to determine which label works best in your application.

**Labels for Desktop and Industrial Printers (3" ID, 5" OD)**

Thermal Transfer RFID Labels - pair with Zebra's 6000 wax or 3200 wax/resin ribbon  
For use with Zebra's ZD621R, ZD500R, RXi4, ZT400R, and ZT600R printers

| Size |   |      | Part #   | Perf. | Inlay        | Chip    | Material        | Labels/ | Rolls/ | Case   | Stock | Price/    | Price/   |
|------|---|------|----------|-------|--------------|---------|-----------------|---------|--------|--------|-------|-----------|----------|
| W    | x | L    |          |       |              |         |                 | Roll    | Case   | Weight | WI    | Roll      | Label    |
| 0.94 | x | 0.55 | 10036485 |       | EOS-200      | UCODE 8 | PolyPro 3000T   | 1,500   | 2      | 3 lbs. | X     | \$ 291.16 | \$ 0.194 |
| 1.75 | x | 0.75 | 10036992 |       | BT781        | UCODE 8 | PolyPro 3000T   | 1,000   | 2      | 3 lbs. | X     | \$ 167.80 | \$ 0.168 |
| 2.38 | x | 1.75 | 10038231 |       | BT793        | UCODE 9 | Z-Perform 1500T | 750     | 2      | 4 lbs. | X     | \$ 144.20 | \$ 0.192 |
| 2.87 | x | 0.67 | 10026630 |       | Belt         | UCODE 8 | Z-Perform 1500T | 1,000   | 2      | 2 lbs. | X     | \$ 225.65 | \$ 0.226 |
| 3    | x | 1    | 10036024 |       | BT0573       | UCODE 8 | Z-Perform 1500T | 1,000   | 2      | 2 lbs. | X     | \$ 158.66 | \$ 0.159 |
| 3.82 | x | 0.59 | 10026631 |       | Short Dipole | UCODE 8 | Z-Perform 1500T | 1,000   | 2      | 3 lbs. | X     | \$ 225.65 | \$ 0.226 |
| 4    | x | 2    | 10033971 | X     | ZBR2000      | UCODE 8 | Z-Perform 1500T | 500     | 2      | 3 lbs. | X     | \$ 78.39  | \$ 0.157 |
| 4    | x | 6    | 10033972 | X     | ZBR2000      | UCODE 8 | Z-Perform 1500T | 200     | 2      | 3 lbs. | X     | \$ 36.97  | \$ 0.185 |

Part numbers less than 2" width will not work in the ZT420R and ZT620R printers due to minimum length specs.  
M = made-to-order (MTO). MTO lead time = ships within 15 business days.

**Labels for Mobile Printers (0.75" ID)**

Direct thermal RFID labels  
For use with Zebra's ZQ520R, ZQ521R, and ZQ630R printers

| Size |      |      | Part #   | Perf. | Inlay   | Chip    | Material        | Labels/ | Rolls/ | Case   | Stock | Price/   | Price/   |
|------|------|------|----------|-------|---------|---------|-----------------|---------|--------|--------|-------|----------|----------|
| W    | x    | L    |          |       |         |         |                 | Roll    | Case   | Weight | WI    | Roll     | Label    |
| 1.75 | x    | 0.75 | 10036917 | X     | EOS-241 | UCODE 8 | PolyPro 4000D   | 400     | 12     | 6 lbs. | X     | \$ 91.85 | \$ 0.230 |
| *    | 1.75 | x    | 10037102 | X     | EOS-241 | UCODE 8 | PolyPro 4000D   | 300     | 12     | 5 lbs. | X     | \$ 68.74 | \$ 0.229 |
| *    | 3    | x    | 10036028 |       | BT0573  | UCODE 8 | PolyPro 4000D   | 260     | 12     | 3 lbs. | X     | \$ 46.10 | \$ 0.177 |
|      | 4    | x    | 10033973 | X     | ZBR2000 | UCODE 8 | Z-Perform 2000D | 180     | 12     | 6 lbs. | X     | \$ 31.58 | \$ 0.175 |
|      | 4    | x    | 10033970 | X     | ZBR2000 | UCODE 8 | Z-Perform 2000D | 75      | 12     | 6 lbs. | X     | \$ 15.26 | \$ 0.203 |

\* Also suitable for use in ZQ511R (0.75" Core, 2" OD)  
All mobile labels equipped with black mark sensing

**Advanced RFID Labels**

Zebra’s Advanced RFID labels provide a higher level of read performance than our General Purpose RFID labels in similar applications. Typical applications include labeling of cases, pallets, products and healthcare specimens where longer read ranges are required. Zebra's RFID labels have been tested and optimized to work with Zebra’s RFID printers and readers. Due to the many variables that can affect read range, we recommend testing in your environment to determine which label works best in your situation.

**Labels for Industrial Printers (3" ID, 8" OD)**

For Thermal Transfer RFID Labels - pair with Zebra's 6000 wax or 3200 wax/resin ribbon  
 For use with Zebra's RXi4, ZT400R, ZT600R and ZE500R printers

| Size |   |      | Part #   | Perf. | Inlay   | Chip      | Material        | Labels/<br>Roll | Rolls/<br>Case | Case<br>Weight | Stock<br>WI | Price/<br>Roll | Price/<br>Label |
|------|---|------|----------|-------|---------|-----------|-----------------|-----------------|----------------|----------------|-------------|----------------|-----------------|
| W    | x | L    |          |       |         |           |                 |                 |                |                |             |                |                 |
| 2    | x | 2    | 10037062 |       | BT295   | Monza 4QT | PolyPro 3000T   | 2,000           | 1              | 5 lbs.         | X           | \$ 509.17      | \$ 0.255        |
| 3.82 | x | 1.06 | 10026638 |       | DogBone | UCODE 8   | Z-Perform 1500T | 3,000           | 1              | 3 lbs.         | X           | \$ 782.27      | \$ 0.261        |
| 4    | x | 2    | 10026644 |       | ZBR4000 | UCODE 8   | Z-Perform 1500T | 1,500           | 1              | 3 lbs.         | X           | \$ 376.09      | \$ 0.251        |
| 4    | x | 2    | 10035242 |       | ZBR4001 | UCODE 7xm | Z-Perform 1500T | 1,500           | 1              | 3 lbs.         | X           | \$ 517.85      | \$ 0.345        |
| 4    | x | 6    | 10026645 |       | ZBR4000 | UCODE 8   | Z-Perform 1500T | 800             | 1              | 5 lbs.         | X           | \$ 226.82      | \$ 0.284        |
| * 4  | x | 6    | 10036967 |       | BT0805  | M4QT      | Z-Perform 2000D | 900             | 1              | 5 lbs.         | X           | \$ 283.28      | \$ 0.315        |

\*Direct thermal media

Part numbers less than 2" width will not work in the ZT420R and ZT620R printers due to minimum length specs.  
 M = made-to-order (MTO). MTO lead time = ships within 15 business days.

**Labels for Desktop and Industrial Printers (3" ID, 5" OD)**

Thermal Transfer RFID Labels - pair with Zebra's 6000 wax or 3200 wax/resin ribbon  
 For use with Zebra's ZD621R, ZD500R, RXi4, ZT400R, and ZT600R printers

| Size |   |      | Part #   | Perf. | Inlay   | Chip    | Material        | Labels/<br>Roll | Rolls/<br>Case | Case<br>Weight | Stock<br>WI | Price/<br>Roll | Price/<br>Label |
|------|---|------|----------|-------|---------|---------|-----------------|-----------------|----------------|----------------|-------------|----------------|-----------------|
| W    | x | L    |          |       |         |         |                 |                 |                |                |             |                |                 |
| 3.82 | x | 1.06 | 10026641 |       | DogBone | UCODE 8 | Z-Perform 1500T | 1,000           | 2              | 2 lbs.         | X           | \$ 298.56      | \$ 0.299        |
| 4    | x | 2    | 10026647 |       | ZBR4000 | UCODE 8 | Z-Perform 1500T | 500             | 2              | 3 lbs.         | X           | \$ 143.49      | \$ 0.287        |
| 4    | x | 6    | 10026646 |       | ZBR4000 | UCODE 8 | Z-Perform 1500T | 200             | 2              | 3 lbs.         | X           | \$ 64.23       | \$ 0.321        |

**Labels for Mobile Printers (0.75" ID)**

Direct thermal RFID labels  
 For use with Zebra's ZQ520R, ZQ521R, and ZQ630R printers

| Size |   |   | Part #   | Perf. | Inlay   | Chip    | Material      | Labels/<br>Roll | Rolls/<br>Case | Case<br>Weight | Stock<br>WI | Price/<br>Roll | Price/<br>Label |
|------|---|---|----------|-------|---------|---------|---------------|-----------------|----------------|----------------|-------------|----------------|-----------------|
| W    | x | L |          |       |         |         |               |                 |                |                |             |                |                 |
| 4    | x | 6 | 10034078 | X     | ZBR4000 | UCODE 8 | PolyPro 4000D | 65              | 12             | 5 lbs.         | X           | \$ 26.09       | \$ 0.401        |
| 4    | x | 2 | 10034079 | X     | ZBR4000 | UCODE 8 | PolyPro 4000D | 190             | 12             | 5 lbs.         | X           | \$ 62.06       | \$ 0.327        |

### Specialty RFID Labels - On Metal

Zebra's Silverline RFID labels are optimized for use on metal surfaces. Designed and verified for use only with Zebra's ZT411 On-Metal RFID Printer. For detailed specifications, please see the Silverline spec sheets on [www.zebra.com](http://www.zebra.com).

### Labels for Industrial Printers (3" ID, 8" OD)

For Thermal Transfer RFID Labels - pair with Zebra's 5095 resin ribbon  
For use with Zebra's ZT411 On-Metal RFID Printer

| Size |   |      | Part #   | Perf. | Inlay                     | Chip      | Material  | Labels/ | Rolls/ | Case   | Stock | Price/    | Price/   |
|------|---|------|----------|-------|---------------------------|-----------|-----------|---------|--------|--------|-------|-----------|----------|
| W    | x | L    |          |       |                           |           |           | Roll    | Case   | Weight | WI    | Roll      | Label    |
| 1.77 | x | 0.51 | 10026764 |       | Silverline Micro II FCC   | Monza R6P | Polyester | 600     | 1      | 4 lbs. | X     | \$ 285.69 | \$ 0.476 |
| 2.36 | x | 0.98 | 10026768 |       | Silverline Blade II FCC   | M730      | Polyester | 400     | 1      | 4 lbs. | X     | \$ 344.54 | \$ 0.861 |
| 3.94 | x | 0.51 | 10027756 |       | Silverline Slim M4i       | Monza 4i  | Polyester | 800     | 1      | 3 lbs. | X     | \$ 507.48 | \$ 0.634 |
| 3.94 | x | 0.51 | 10026766 |       | Silverline Slim II FCC    | Monza R6P | Polyester | 600     | 1      | 4 lbs. | X     | \$ 380.71 | \$ 0.635 |
| 3.94 | x | 1.57 | 10026770 |       | Silverline Classic II FCC | M730      | Polyester | 250     | 1      | 5 lbs. | X     | \$ 308.16 | \$ 1.233 |

Part numbers less than 2" width will not work in the ZT420R and ZT620R printers due to minimum length specs.

M = made-to-order (MTO). MTO lead time = ships within 15 business days.

### RFID Wristbands (1" ID, 5" OD)

Zebra's Z-Band UHF RFID durable direct thermal printable wristbands simplify the identification of patients in clinical environments or guests at event venues.

Direct Thermal Wristbands

For use with Zebra's ZD621 & ZD500R printers.

| Size |   |    | Part #       | Perf. | Inlay   | Chip    | Material         | Labels/ | Rolls/ | Case   | Stock | Price/    | Price/   |
|------|---|----|--------------|-------|---------|---------|------------------|---------|--------|--------|-------|-----------|----------|
| W    | x | L  |              |       |         |         |                  | Roll    | Case   | Weight | WI    | Roll      | Label    |
| 1    | x | 11 | 3014578      | X     | BT0600  | UCODE 8 | Z-Band Direct    | 175     | 3      | 3 lbs. | X     | \$ 183.07 | \$ 1.046 |
| 1    | x | 14 | ZIPRD3015155 | X     | ZBR2002 | UCODE 8 | Z-Band UltraSoft | 175     | 3      | 3 lbs. | X     | \$ 313.83 | \$ 1.793 |

Stock - ships within one business day. Made to order (MTO) - see product category for specific lead time information.

Products purchased in less than full inner carton quantities are subject to a \$75 broken carton charge, per destination.

Prices effective **September 12, 2022**. Prices/stocking locations subject to change w/o notice. Refer to [www.zebra.com](http://www.zebra.com).

**Specialty RFID Labels - Jewelry Label**

Zebra’s Specialty RFID labels are designed to work with Zebra’s RFID printers and readers. This item has a tail that inserts between two adhesive films creating a loop and a flag securing the inlay to the product. Tail is adhesive free and will not stick to jewelry. Useful for identifying small diameters < 0.3” (8mm).

**Labels for Desktop or Industrial Printers (3" ID, 5" OD)**

Thermal Transfer RFID Labels - pair with Zebra's 5095 resin ribbon  
 For use with Zebra's ZD621R, ZD500R, RXi4, ZT400R, ZT600R

| Size |   |      | Part #   | Perf. | Inlay   | Chip    | Material         | Labels/<br>Roll | Rolls/<br>Case | Case<br>Weight | Stock<br>WI | Price/<br>Roll | Price/<br>Label |
|------|---|------|----------|-------|---------|---------|------------------|-----------------|----------------|----------------|-------------|----------------|-----------------|
| W    | x | L    |          |       |         |         |                  |                 |                |                |             |                |                 |
| 3    | x | 0.55 | 10038478 |       | EOS-200 | UCODE 9 | Z-Ultimate 4000T | 1,500           | 2              | 3 lbs.         | X           | \$ 246.02      | \$ 0.164        |

**Specialty RFID Labels - Flag Label**

Zebra’s Specialty RFID labels are designed to work with Zebra’s RFID printers and readers. This item folds in the center and then on the interior perf creating a fin design which may be used to increase read range on challenging RFID materials like densely packed items, or items that have metals or liquid contents.

**Labels for Industrial Printers (3" ID, 8" OD)**

Thermal Transfer RFID Labels - pair with Zebra's 3200 wax/resin ribbon  
 For use with Zebra's RXi4, ZT400R, ZT600R, ZE500R

| Size |   |   | Part #   | Perf. | Inlay   | Chip    | Material      | Labels/<br>Roll | Rolls/<br>Case | Case<br>Weight | Stock<br>WI | Price/<br>Roll | Price/<br>Label |
|------|---|---|----------|-------|---------|---------|---------------|-----------------|----------------|----------------|-------------|----------------|-----------------|
| W    | x | L |          |       |         |         |               |                 |                |                |             |                |                 |
| 4    | x | 6 | 10036473 |       | ZBR4000 | UCODE 8 | PolyPro 3000T | 750             | 1              | 5 lbs.         | X           | \$ 244.96      | \$ 0.327        |

**Specialty RFID Labels - On-Metal Flag Label**

Zebra’s Specialty RFID labels are designed to work with Zebra’s RFID printers and readers. This item folds at the perf and then is applied to metal items. The unique antenna design provides enhanced readability on metal items at a more economical price than Silverline.

**Labels for Desktop or Industrial Printers (3" ID, 5" OD)**

Thermal Transfer RFID Labels - pair with Zebra's 5095 resin ribbon  
 For use with Zebra's ZD621R, ZD500R, RXi4, ZT400R, ZT600R

| Size |   |   | Part #   | Perf. | Inlay | Chip       | Material         | Labels/<br>Roll | Rolls/<br>Case | Case<br>Weight | Stock<br>WI | Price/<br>Roll | Price/<br>Label |
|------|---|---|----------|-------|-------|------------|------------------|-----------------|----------------|----------------|-------------|----------------|-----------------|
| W    | x | L |          |       |       |            |                  |                 |                |                |             |                |                 |
| 2.67 | x | 1 | 10026781 |       | BT577 | Monza R6-P | Z-Ultimate 4000T | 1,500           | 2              | 2 lbs.         | X           | \$ 479.94      | \$ 0.320        |

| Manufacturer | Name           | EPC Memory (bits) | User Memory (bits) | TID Prefix | Read Sensitivity | Write Sensitivity | Notes  |
|--------------|----------------|-------------------|--------------------|------------|------------------|-------------------|--|
| Alien        | Higgs 3        | 96/480            | 512/128            | E200 3412  | -18 dBm          | -14 dBm           | EPC can extend up to 480 bits by taking from User memory in 64 bit blocks. |
| Alien        | Higgs 4        | 128               | 128                | E200 3414  | -19 dBm          | -16 dBm           |  |
| Alien        | Higgs EC       | 128               | 128                |            | -20 dBm          | -17 dBm           |  |
| Alien        | Higgs 9        | 96                | 688                |            | -18 dBm          | -16 dBm           | EPC can extend up to 496 bits by taking from User memory.                  |
|              |                |                   |                    |            |                  |                   |  |
| Impinj       | Monza 4D       | 128               | 32                 | E280 1100  | -20 dBm          | -17 dBm           |  |
| Impinj       | Monza 4E       | 496               | 128                | E280 110C  | -20 dBm          | -17 dBm           |  |
| Impinj       | Monza 4i       | 256               | 480                | E280 1114  | -20 dBm          | -17 dBm           |  |
| Impinj       | Monza 4QT      | 128               | 512                | E280 1105  | -20 dBm          | -17 dBm           |  |
| Impinj       | Monza 5        | 128               | 32                 | E280 1102  | -20 dBm          | -16 dBm           |  |
| Impinj       | R6             | 96                | 0                  | E280 1160  | -22 dBm          | -17 dBm           |  |
| Impinj       | R6-P           | 128/96            | 32/64              | E280 1170  | -22 dBm          | -17 dBm           | User can extend to 64 bits by taking 32 bits from EPC memory.              |
| Impinj       | R6-B           | 96                | 0                  | E280 1171  | -22 dBm          | -17 dBm           |  |
| Impinj       | M730           | 128               | 0                  | E280 1191  | -24 dBm          | -21 dBm           |  |
| Impinj       | M750           | 96                | 32                 | E280 1190  | -24 dBm          | -21 dBm           |  |
|              |                |                   |                    |            |                  |                   |  |
| NXP          | UCODE G2iL     | 128               | 0                  | E200 6806  | -18 dBm          |                   |  |
| NXP          | UCODE G2iM     | 256               | 512                | E200 680A  | -18 dBm          |                   |  |
| NXP          | UCODE 7        | 128               | 0                  | E280 6810  | -21 dBm          | -16 dBm           |  |
| NXP          | UCODE 7XM - 1K | 448               | 1024               | E280 6D12  | -19 dBm          | -12 dBm           |  |
| NXP          | UCODE 7XM - 2K | 448               | 2048               | E280 6F12  | -19 dBm          | -12 dBm           |  |
| NXP          | UCODE DNA      | 224               | 3072               | E2C0 6892  | -19 dBm          | -11 dBm           |  |
| NXP          | UCODE 8        | 128               | 0                  | E280 6894  | -23 dBm          | -18 dBm           |  |
| NXP          | UCODE 9        | 96                | 0                  | E280 6995  | -24 dBm          | -22 dBm           |  |

Latest generation highlighted

**Additional notes on Read and Write Sensitivity:**

6 dBm difference in sensitivity doubles read range, 1 dBm difference increases read range by 12%

Higher absolute numbers for read and write sensitivity will give longer ranges. (-23dBm will have longer read range than -21 dBm, all else held equal)



## RFID Item Transitions

Discontinued (End of Life) items are orderable until stock runs out.

| Discontinued Item | W x L       | Inlay            | Printer    | Transition to: | W x L       | Inlay           | Notes                        |
|-------------------|-------------|------------------|------------|----------------|-------------|-----------------|------------------------------|
| 10015350          | 2.87 x 0.67 | Belt M5          | Industrial | 10026623       | 2.87 x 0.67 | Belt UCODE 8    | New chip                     |
| 10026448          | 2.38 x 1.38 | BT380 Monza r6-P | Industrial | 10038232       | 2.38 x 1.75 | BT793 UCODE 9   | New inlay and chip           |
| 10036967          | 4 x 6       | BT0805 M4QT      | Industrial | 10026645       | 4 x 6       | ZBR4000 UCODE 8 | New material, inlay and chip |
| 10037062          | 2 x 2       | BT295 M4QT       | Industrial | None           |             |                 |                              |
| 10026634          | 4 x 6       | ALN9840          | Ind/Desk   | 10033972       | 4 x 6       | ZBR2000         | New inlay and chip           |
| 10026455          | 2.38 x 1.38 | BT380 Monza r6-P | Ind/Desk   | 10038231       | 2.38 x 1.75 | BT793 UCODE 9   | New inlay and chip           |
| 10036110          | 3 x 0.55    | EOS-200 U8       | Ind/Desk   | 10038478       | 3 x 0.55    | EOS-200 U9      | New chip                     |

| Discontinued Item | W x L       | Inlay                  | Printer        | Transition to: | W x L       | Inlay                      | Notes              |
|-------------------|-------------|------------------------|----------------|----------------|-------------|----------------------------|--------------------|
| 10027755          | 1.77 x 0.51 | Silverline Micro M4i   | ZT411 On-metal | 10026764       | 1.77 x 0.51 | Silverline Micro II R6-P   | New inlay and chip |
| 10027756          | 3.94 x 0.51 | Silverline Slim M4i    | ZT411 On-metal | 10026766       | 3.94 x 0.51 | Silverline Slim II R6-P    | New inlay and chip |
| 10028598          | 2.36 x 0.98 | Silverline Blade R6    | ZT411 On-metal | 10026768       | 2.36 x 0.98 | Silverline Blade II M730   | New inlay and chip |
| 10027757          | 3.94 x 1.57 | Silverline Classic M4i | ZT411 On-metal | 10026770       | 3.94 x 1.57 | Silverline Classic II M730 | New inlay and chip |