

Inhaltsverzeichnis.

Lucas. Catalogus alphabeticus generum et subgenerum
Coleopterorum orbis terrarum totius. Pars I.

- Baly** 1858 (Typ. ?; *O. cardinalis* **Guér.** 1844) 1913:12 (Am. mer.; Mexico). *Chrys.*, *Hisp.*, *Cephalod.* 20.
- Ocnus* **Clark**, *TESL.* (3) II, V, 1865, 420; **Chap.**, G. Col. X, 1874, 349 (nec **Forbes** 1841) = *Ocnida* **Lefv.** 1885). *Chrys.*, *Eumolp.*, *Edus.* 205.
- Octavia* **J. Thoms.**, *Class. Cer.* 1860, 146 = *Eroschema* **Pasc.** 1859. *Ceram.*, *Cerambin.*, *Erosch.* 661.
- Octavius* **O Fauv.**, F. gallo-rhén. III, 1872, 220; **Schaufuß** in *Calwer*, (179) (*O. pyrenaicus* **Fauv.** 1872) 1913:7 (+ *transadriaticus* **Breit**) (Alp. mar., Ital. 2, Sic. 1, Pyr. 2, Sard. 1, Corsic.). *Staph.*, *Euaesth.*, *Euaesthi.* 150.
- Octhispa* **O Chap.**, *ASEB.* 20, 1877, 23; **Ws.**, *VN.* 49, 1910, 150 (etiam Sect. 1 ad *Oct. Chap.* 1877) (Typ. ?; *O. gibba* [**Ol.**] 1792) 1913:73 (Am. c. et mer.). *Chrys.*, *Hisp.*, *Uroplat.* 43.
- Octocladiscus* **J. Thoms.**, *Rev. MaZo.* 1856, 480; **Baly**, 23, t. 1, f. 7; **Chap.**, XI, 276 (*O. fasciatus* [**Guér.**] 1844) 1913:1 (Cayenne). *Chrys.*, *Hisp.*, *Cephal.* 4.
- Octodon* **Lusbg.**, *ASEB.* 17, 1874, 183 = *Mnematidium* **Rits.** 1889. *Scar.*, *Copr.*, *Scarbi.*, *Scarbae.* 6.
- Octodonta* **O Chap.**, XI, 1875, 289 (*O. depressa* **Chap.** 1875) 1913:1 (Malacca). *Chrys.*, *Hisp.*, *Crypton.* 58.
- Octoglossa* **O Guér.**, *Rev. Zo.* 1843, 194; *Spec. Icon.* fasc. 3, nr. 11, 1843; **Blanchard**, *HNIns.* II, 1845, 56; **Lac.**, IV, 1857, 264, 268 (*O. femoralis* **Guér.** 1843) 1913:1 (Nov. Grenad.). *Dasc.*, *Dasci.*, *Cneogl.* 17.
- Octomicrus* **O Schauf.**, *Psel.* *Siams* 1877, 14; **Raffr.**, *Rev. d'E.* 17, 1898, 256; *ASEFr.* 71, 1902, 529; *GIW.* *Psel.* 1908, 94 (*O. longulus* **Schauf.** 1877) 1913:5 (Siam, Sum., Born., Macass., Sansib., Congo, Afr. occ.). *Psel.*, *Psela.*, *Euplect.* 102.
- Octoplasia* **Brenske**, *ENa.* 18, 1892, 152 (*O. princeps* et *lineata* [**Sharp**] 1876) 1913:4 (Borneo; Sarawak; *Archiv für Naturgeschichte* 1913. A. 4.
- Sum.*, *Cel.*). *Scar.*, *Melth.*, *Melthi.* 298.
- Octoplon* **O J. Thoms.**, *Syst. Cer.* 1864, 218; **Bates**, *TESL.* 1870, 290 (*O. laesicolle* [**Germ.**] 1824, *ivium* **Thoms.** 1864, *flavopictum* [**Perty**] 1830) 1913:3 (Pan., Cayenn., Bras., Ven., Nicar.). *Ceram.*, *Cerambin.*, *Ibid.* 279.
- Octotemna* **Blanch.**, *Cat. Coll. E. Col. I.* 1850, 81 (*O. singularis* **Blanch.** 1850) 1913:1 (Bol.). *Scar.*, *Melth.*, *Seric.* 147.
- Octotemnus* **O $\frac{3}{4}$ Mellié**, *Rev. Zo.* X, 1847, 108; **Gutfl.-B.**, 408; *ASEFr.* (2) 6, 1848, 384; **Lac.**, IV, 1857, 554; **Jacq. du Val**, III, 1861, 239; **Schaufuß** in *Calwer*, 503, 505; **Kuhnt**, 547, 551. — *Biol.*: **Chapman**, *EMM.* V, 1868, 297 (*O. glabriculus* [**Gyll.**] 1827) 1913:3 (Eur., Cauc.-Sib.; Am. b.). *Cio.*, *Oroph.* 18.
- Octotoma* **O Suffr.**, *ArN.* 1868, 234; **G. Horn**, *TAmES.* 1883, 290; **Ws.**, *VN.* 49, 1910, 145 (*O. Gundlachi* **Suffr.** 1868, *O. plicatula* [**F.**] 1801) 1913:6 (Am. c.). *Chrys.*, *Hisp.*, *Uroplat.* 39.
- Ocyolinus* **Sharp**, *O* *BCA.Col.* I, 2, 1882/87 (1884) 362 (*O. amethystinus* **Sharp** 1884) 1914:4 (Costa Rica 1, Ven. 3). *Staph.*, *Staphy.*, *Staphyl.*, *Xantho.* 354.
- Ocyppus* **Steph.**, *Ill. Brit.* V, 1832, 211; **Ganglb.**, *KäfMEur.* II, 1895, 424; **Schaufuß** in *Calwer*, 197; **Kuhnt**, 238 = Subg. ad *Staphylinus* **L.** 1758. *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 314.
- Ocyppus* (**Kirby**), **Gutfl.-B.**, 136. *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 314.
- Ocyppus* **C. G. Thoms.**, *Sk. Col.* II, 1860, 147 (ex parte) = *Pseudocyppus* **Muls. et Rey** 1875. = Subg. ad *Staphylinus* **L.** 1758. *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 314.
- Ocyppus* Subg. **Goërius** + Subg. *Ocyppus* s. str. **Muls. et Rey**, *ASAgr.* *Lyon*, 1875, 276, 290 = *Goërius* **Steph.** 1832 = Subg. ad *Staphylinus* **L.** 1758.

- Staph.*, *Staphyl.*, *Staphyl.*, *Staphi.* 314.
- Ocyppus* + *Staphylinus* **Kraatz**, NID. II, 1856/58, 536, 550 = *Staphylinus* **L.** 1758. *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 314.
- Ocyppus* vide etiam *Trichoderma*.
- Ocytasia* **O Pasc.**, TESL. (3) III, 1869, 565, 575 (*O. fulvipennis* **Pasc.**, l. c., 575 t. 21 f. 6) 1913:1 (Kaioa). *Ceram.*, *Ceram.*, *Moloch.* 617.
- Odochilus* **O Har.**, AMusG. X, 1877, 97; **A. Schmidt**, GIW. 1910, 116, 118—9 (*O. syntheticus* **Har.** 1877) 1913:1 (Sum., Jav., Born., Cel.; Austral.). *Scar.*, *Aphod.*, *Psamm.* 27.
- Odonemis* **All.**, Rev., 1876, 4; Mon. 17, 50, 210; **Seidl.**, NID. V, 697, 722, 767; **Schaufuß** in Calwer, 818 = Subg. ad *Helops* **F.** 1772. *Ten.*, *Helop.* 1073.
- Odontaeus* **O** ❄ **Kl.**, Abh. Berl. Akad. 1843, 37; **Lac.**, III, 144; **Gutfl.-B.**, 320; **Redtb.**, F. Austr. ed. 3, 1872, I, 476; **Seidl.**, F. Ba. ed. 2, id. F. Tr., 1891, Gatt., 30; **Reitt.**, Best.-Tab. 24, 126; F. Germ. II, 1909, 320; **Schaufuß** in Calwer, 1287, 1288; **Kuhnt**, 383, 400 (*O. armiger* [**Scop.**] 1772) 1917:4 (Eur. 1, Am. b. 3). *Scar.*, *Geotr.*, *Bolboc.* 4.
- Biol.: **Bedel**, IV, *Scar.* 1912, 99; **Rivers**, Bull. Cal. Ac. II, 1886, 69.
- Odontaeus* **Mannerh.**, Nouv. Mém. S. Nat. Mosc. I, 1829, 44 (pars); **Klug**, Erman's Reise, 1835, 35 = *Bolbo-ceras* **Kirby** 1818. *Scar.*, *Geotr.*, *Bolboc.* 3.
- Odontalgus* **O Raffr.**, Rev. MaZo. 1877, 286; Rev. d'E. 9, 1890, 141; T. SAfr. Phil. S. 1897, 105; ASEFr. 73, 1904, 338; GIW. *Psel.* 1908, 349 (*O. tuberculatus* et *vespertinus* **Raffr.** 1877) 1913:12 (Afr., Sum.). *Psel.*, *Psel.*, *Otenist.* 368.
- Odontaphodius* **A. Schmidt**, DEZ. 1907, 249; StEZg. 71, 1910, 49 = *Harmogaster* **Har.** 1861. *Scar.*, *Aphod.* 19.
- Odonthaeus* **Kl.**, in Indic. p. XIV = err. pro *Odontaeus* **Kl.**, l. c., p. 320.
- Odontiomorpha* **O Jac.**, PZSL. 1900, 238 (*O. minuta* **Jac.** 1900) 1914:1 (Nat.: Malvern). *Chrys.*, *Eumolp.*, *Pras.* 104.
- Odontionopa* **O Er.**, ArN. 8, 1842, I, 232 (*O. viridula* **Er.** 1842) 1914:17 (Austral.: Port Lincoln 10; Tasm., Penins. York). *Chrys.*, *Eumolp.*, *Odontio.* 99.
- Odontionopa* **Motsch.**, BMosc. 39, 1866, II, 408 = *Scelodonta* **Westw.** 1837. *Chrys.*, *Eumolp.*, *Scelo.* 109.
- Odontionopa* **Lefv.**, Rev. MaZo. (3) IV, 1876, 300 (nec **Er.** 1842, nec **Motsch.** 1866) = *Prasoidea* **Ws.** 1907. *Chrys.*, *Eumolp.*, *Pras.* 105.
- Odontocera* **Serv.**, ASEFr. II, 1833, 546; **Bates**, ANH. (4) 11, 1873, 36 (*O. fasciata* [**Ol.**] 1795) 1913:43 (Mex., Bras., Am. m.). *Ceram.*, *Ceram.*, *Rhinotr.* 639.
- Odontochelus* **Sem.**, Rev. Russe d'E. V, 1905, 141 = *Holochelus* **Reitt.** 1889. *Scar.*, *Melth.*, *Melthi.* 308.
- Odontoderus* **Clouët**, ASEB. 44, 1900, 247; **A. Schmidt**, GIW. *Aphod.* 1910, 103, 114/5 (*O. spinicollis* [**Har.** 1871] 1910:3 (Freetown, Abyss.). *Scar.*, *Aphod.*, *Eupar.* 25.
- Odontogethes* **Reitt.**, Rev. *Melig.* 1871, 49 (sep. 14); **Schaufuß** in Calwer, 433; = Subg. ad *Meligethes* **Steph.** *Nit.*, *Meligeth.* 21.
- Odontolabis* **O Hope**, [Westw.], Cat. *Luc.* 1845, 5, 13; **Leuthner**, Mon. 1885, 432 (*O. alces* [**F.**] 1775) 1913:50 (As., Arch. Malay.). *Luc.*, *Odont.*, 22.
- Odontolabis* **Hope** (pars), Cat. *Luc.* 1845, 5 = *Neolucanus* **Thoms.** 1862. *Luc.*, *Odont.* 21.
- Odontolinus* **Sharp**, BCA. Col. I, 2, 1882/87 (1885), 454 (*O. fasciatus* **Sharp** 1885) 1916:1 (Pan.). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 308.

- Odontoloma* **Boh.**, Ins. Caffr. II, 1857, 202 (*O. pauxillum* **Boh.** 1857) 1913:4 (Colon. cap. 3, Caffr. 1). *Scar.*, *Copr.*, *Scarbi.*, *Canthon.* 41.
- Odontomophlus* **Seidl.**, NID. V, 2, 1896, 237 = Subg. ad *Omophlus* **Sol.** 1835. *All.*, *Omophl.* 112.
- Odontonyx* **O Guér.**, Rev. Zo., 1843, 194; Spec., Icon. fasc. 6 nr. 14, 1849; **Blanch.**, HNIns. II, 1845, 56; **Lac.**, IV, 264; **J. Lec.**, Class. (1861), 179; **Horn**, TAmES. 8, 1880, 82; **J. Lec. et Horn**, Class. 1883, 170; **Blatchley**, Ill. Descr. Cat. Col. Indiana, 1910, 689 (*O. trivittis* [**Germ.**] 1824) 1914:1 (Am.: Civ. confod.). *Dasc.*, *Dasci.*, *Cneogl.* 18.
- Odontorhabdus* **Aur.**, *Ceram.* cf. P. II.
- Odontotonyx* **M'Leay**, TESNSW. II, 1871, 196 (*O. brunneipennis* **M'Leay** 1871) 1913:1 (Gayndah). *Scar.*, *Melth.*, *Lipar.* 181.
- Odontopezus* **O Alluand**, BSEFr. (6) 9, 1889, p. XLV; **Geb.**, Mon., 305 (*O. cupreus* [**F.**] 1792) 1913:1 (Afr. or., Camer., Gabun., Congo). *Ten.*, *Pycnoc.* 888.
- Odontoplia* **Fairm.**, ASEB. 41, 1897, 100 (*O. Alluandi* **Fairm.** 1897) 1913:1 (Madag.). *Scar.*, *Melth.*, *Hopl.* 549.
- Odontopus* **Silberm.**, Rev. d'E. I, 1833, 3; **Cast.**, HN. II, 1840, 213; **Lac.**, V, 401 = *Odontopezus* **Alluand** 1889. *Ten.*, *Pycnoc.* 888.
- Odontoseric* **Kolbe** in **Stuhlmann**, Ostaf. IV, 1897, 168 (s. descr.) = *Stenoseric* **Brenske** 1900. *Scar.*, *Melth.*, *Seric.* 80.
- Odontota* **Chap.**, XI, 318; **Crotch**, PAC. Phil. 1873, 80; **G. Horn**, TAmES. 1883, 290; **Smith**, EAm. I, 1885 = *Chalepus* **Thunb.** 1805. *Chrys.*, *Hisp.*, *Chalep.* 33.
- Odontria* **O** $\frac{3}{4}$ **A. White**, Voy. Erebus and Terror Zo. XI, 1846, 10; **Lac.**, III, 1856, 234; **Broun**, ManNZ. Col. I, 1880, 265. — Biol.: **W. W. Smith**, Ent. 33, 1900, 11 (*O. striata* **White** 1846) 1913:24 (N.Z. 22, Akaroa 2). *Scar.*, *Melth.*, *Lipar.* 202.
- Odontotrupes* **Bouc.**, Rev. d'E. 23, 1904 (1905), 236 (Synopsis) = *Bootrupes* **Bouc.** 1910 (1911) = Subg. ad *Geotrupes* **Latr.** 1796 *Scar.*, *Geotr.*, *Geotripi.* 17, 10.
- Odontotrypes* **Fairm.**, ASEB. 31, 1887, 102 (pars) = *Phelotrupes* **Jek.** 1865 (1866) = Subg. ad *Geotrupes* **Latr.** 1796. *Scar.*, *Geotr.*, *Geotripi.* 17,9.
- Odontotrypes* **Fairm.**, ASEB. 31, 1887, 102 (pars) = Subg. 10 ad *Geotrupes* **Latr.** 1796. *Scar.*, *Geotr.*, *Geotripi.* 17,10.
- Odontotrypes* **Fairm.**, ASEB. 31, 1887, 101 (pars); **Reitt.**, Best.-Tab. 24, 1893, 132 pars = *Thorectes* **Muls.** 1871 = Subg. 11 ad *Geotrupes* **Latr.** 1796. *Scar.*, *Geotr.*, *Geotripi.* 17,11.
- Oeatus* **Champ.**, BCA.Col. IV, 1, 1885, 111 (Typ.? *O. Chevrolati* **Champ.** 1885, *excavatus* [**F.**] 1801 et *variolosus* [**F.**] 1801) [cf. **Geb.**, DEZ. 1906, 221] 1913:4 (Am. c.). *Ten.*, *Tenebr.* 790.
- Oebarina* **Pasc.**, JoLSLZo. IX, 1866, 105 (*O. tristis* et *ceresioides* **Pasc.** 1906) 1913:2 (Austral. mer.). *Ceram.*, *Cerambin.*, *Hesprph.* 180.
- Oectosis* **Pasc.**, ANH. (4) 3, 1869, 149 (*Oe. cylindrica* [**Germ.**] 1848) 1913:1 (Austr. mer.). *Ten.*, *Tenebr.* 810.
- Oedaenoderus* **Germ. et Har.**, Cat. Col. IX, 1873, 2922 = *Oedenoderus* **Chevr.** 1858. *Ceram.*, *Cerambin.*, *Oeden.* 796.
- Oedanomerus* **Waterh.**, ANH. (4) 15, 1875, 407 (*Oe. hirsutus* **Waterh.** 1875) 1913:1 (Afr. mer., Lac. Ngami) *Scar.*, *Melth.*, *Pachyd.* 426.
- Oedechira* **Motsch.**, BMosc. 45, 1872, II, 54, ref. ad *Nacerda* **Steph.** 1839. *Oed.*, *Oedem.*, *Nacerd.* 6.
- Oedecnema* **O J. Thoms.**, ArE. I, 1857, 319; **Muls.**, Col. Fr. *Longic.* ed. 2, 1863, 535; **Fairm.**, G. Col. d'Eur. IV, 1864, 188; **Lac.**, VIII, 1869, 449 (*O. dubia*

- [F.] 1781) 1913:1 (Sib.). *Ceram.*, *Cerambin.*, *Lept.* 550.
- Oedemera* **O Ol.**, Ent. III, 1794, nr. 50, 1; Enc. méth. 8, 1811, 437; **Latr.**, Précis, Car. 1796 etc.; **Steph.**, III. Brit. F. Mand. V, 1832, 56; Man. Brit. Col. 1839, 336; **Curtis**, Brit. E. 9, 1832, 90; **Cast.**, HNIns. Col. II, 1840, 251; **Redtb.**, Gatt. deutsch. Käferf. 1845, 134; F. Austr.; **W. Schmidt**, Linn. E. I, 1846, 17 et 50; **Costa**, F. Regni Napoli, Edem., 1852, 15; **Muls.**, ASLLyon (n. s.) 5, 1858, 108; Col. Fr. *Angustip.* 1858, 104; **Bach**, III, 269; **Lac.** V, 702, 712; **C. G. Thoms.**, Sk. Col. I, 1859, 125; VI, 1864, 354; **Gutfl.-B.**, 442, 444; **Fairm.** in **Jacq. du Val**, III, 448; **Seidl.**, F.Ba. et Tr.; NID. V, 2, 1899, 877, 891; **Ganglb.**, VzbGW. 31, 1881, 98; Best.-Tab. 4a; *Oedem.* 1881, 2; **Stierl.**, Col. Helv. 1886, 195; **Fowl.**, Col. Brit. Isl., 1891, 58; **Sem.**, HoR. 28, 1894, 458 (Sep., 10); **Desbr.**, Frelon, 8, (1900), *Oedem.*, 2, 3 sq.; **Everts**, II, 320; **Reitt.**, F. Germ. 3, 406 et 411; **Schaufuß** in Calwer 731, 735; **Kuhnt**, 689, 693 (*Oe. nobilis* [**Scop.**] 1763, *podagrariae* [**L.**] 1767etc.) 1915:77 (Eur., [praecip. c. et mer.], As., Mediterr.). *Oed.*, *Oedem.*, *Oedemi.* 60.
- Oedemerastra* **Seidl.**, NID. V, 2, 906 et 923; **Schaufuß** in Calwer, 736 = Subg. ad *Oedemera* **Ol.** 1794. *Oed.*, *Oedem.*, *Oedemi.* 60.
- Oedemerella* **Seidl.**, NID. V, 2, 907 et 933; **Schaufuß** in Calwer, 736 = Subg. ad *Oedemera* **Ol.** 1794. *Oed.*, *Oedem.*, *Oedemi.* 60.
- Oedemerina* **Costa**, F. Regni Napoli, Edem. 1852, 31; **Sem.**, HoR. 28, 1894, 458 (Sep., 10); **Seidl.**, NID. V, 2, 1899, 907 et 957; **Desbr.** 8, (1900), *Oedem.*, 64; **Reitt.**, F. Germ. 3, 412; **Schaufuß** in Calwer, 736 = Subg. ad *Oedemera* **Ol.** 1794. *Oed.*, *Oedem.*, *Oedemi.* 60.
- Oedemeronia* **Seidl.**, NID. V, 2, 906 et 919; **Schaufuß** in Calwer, 735 = Subg. ad *Oedemera* **Ol.** 1794. *Oed.*, *Oedem.*, *Oedemi.* 60.
- Oedemutes* **O Pasc.**, JoE. I, 1860, 51 (*O. tumidus* **Pasc.** 1860) 1913:4 (Phil. Ins. 3, Ins. 3, Ceyl. 1). *Ten.*, *Cnodal.* 925.
- Oedenocera* **Reiche**, ASEFr. (4) 1, 1861, 372; **Kraatz**, Rev. *Ten.* 1865, 231 = *Pachycera* **Eschsch.** 1831. *Ten.*, *Tentyr.* 135.
- Oedenoderus* **Chevr.**, Arch.E. II, 1858, 245 (*Oe. pupa* **Chevr.** 1858, *O. sphaerico-collis* [**Chevr.**] 1855) 1913:2 (Bassam magn., Calab. veter.). *Ceram.*, *Cerambin.*, *Oeden.* 796.
- Oediarthrus* **O Gerst.**, Mon. *Endom.* 1858, 344; **Ws.**, DEZ. 1903, 199 (*O. natalensis* **Gerst.** 1858) 1913:4 (Afr.). *End.*, *Endo.*, *Lycop.* 54.
- Oedichira* **Burm.**, Hd.E. IV, 2, 180 (*O. crassimana* et *pachydaetyla* **Burm.** 1855) 1913:2 (Nov. Friborgo). *Scar.*, *Melth.*, *Macro.* 495.
- Oedichiranus* **Reitt.**, WEZg. 25, 1906, 263 = Subg. ad *Oedichiranus* **Er.** 1839/40. *Staph.*, *Paed.*, *Pinoph.*, *Proc.* 165.
- Oedichirus* **O Er.**, G. Spec. *Staph.* 1839/40, 684; **Sharp**, TESL. 1876, 338; **Schaufuß** in Calwer, 183 (*O. paederinus* **Er.** 1839/40) 1913:31 (Eur. mer., As., Afr., Bras., 1, Amaz. 1). *Staph.*, *Paed.*, *Pinoph.*, *Proc.* 165.
- Oediopalpa* **Baly**, 16 t. 1 f. 5; **Chap.** XI, 274 = *Amplipalpa* **Harold** 1875. *Chrys.*, *Hisp.*, *Amplip.* 1.
- Oedodactylus* **Fairm.** et **Germ.**, ASEFr. (4) I, 1861, 441; **Sharp**, TESL. 1876, 336 (*O. fuscobrunneus* **Fairm.** et **Germ.** 1861) 1913:5 (Chile 1, Mex. 2; Amaz. 2). *Staph.*, *Paed.*, *Pinoph.*, *Proc.* 163.
- Oeme* **O Newm.** Ent. I, 1840, 8 (*O. rigida* [**Say**] 1827) 1913:11. — 2 Subgg.: *Oeme* s. str. = Subg. 1 (Type ut antea) (Am. b., Cal., Soko-

- tra, Bras., Ec., et Arg.). *Ceramb.*, *Cerambyn.*, *Oem.* 60; 60.1.
- Oemida* **O Gah.** in **Distant**, Ins. Transv., 1904, 106 (*Oe. Gahani Dist.* 1904) 1913:1 (Transvaal.) *Ceramb.*, *Cerambyn.*, *Oem.* 68.
- Oemodana* **O Gah.** 1904 (*Oe. quadri-notata Gah.* 1904) 1913:1 (Transvaal.) *Ceramb.*, *Cerambyn.*, *Oem.* 69.
- Oemona* **O Newm.**, Ent. I, 1840, 8 (*Oe. humilis Newm.* 1840, *Oe. hirta [F.]* 1775) 1913:9 (N. Z. 8, Ins. Lord Howe: 1). *Ceramb.*, *Cerambyn.*, *Calldp.* 301.
- Oemospila* **Gah.**, F. Brit. Ind. Col. I 1906, 104 (*Oe. maculipennis Gah.* 1906) 1913:1 (Assam). *Ceramb.*, *Cerambyn.*, *Oem.* 93.
- Oenas* **O+ Latr.**, HNGrIns. III, 1802, 186: **Schaufuß** in Galwer, 755; **Kuhnt**, 704 (*Oe. afru [L.]* 1767, *crassicornis [Ill.* in **Wiedem.**] 1800) 1917:12 (Eur. mer., Transcauc., Syr., Afr. b., Angola). *Melo.*, *Lytt.*, *Mylabr.* 4.
Morpholog.: **Bedel**, BSEFr. 1910, 83.
- Oenas* **Tausch.**, M.S.Imp.Moscou III, 1812, 185 = *Lydus* i. sp. **Escher.** = Subg. ad *Lydus* **Latr.** 1803. *Melo.*, *Lytt.*, *Mylabr.* 3.
- Oenochirus* **Sharp**, Zo.Rec. 28, 1891 (1892) Ins. 114 = err. pro *Oncochirus* **Kolbe** 1891. *Scar.*, *Melth.*, *Pachyd.* 407.
- Oenomia* **O Pase.**, ANH. (5) 11, 1883, 441 (*Oe. femorata Pase.* 1883) (Para). *Ten.*, *Strongyl.* 1171.
- Oenopion* **Champ.**, BGA.Col. IV, 1, 1885, 98 (*Oe. gibbosus Champ.* 1885) 1913:1 (Mex.). *Ten.*, *Tenebr.* 760.
- Oesyophila* **Bedel**, Abeille, 28, 1894, 156 = *Gracilia* **Serv.** 1834. *Ceramb.*, *Cerambyn.*, *Gracl.* 349.
- Ogcosoma* **Westw.** 1842 ser. pro = *Oncosoma* **Westw.** 1847, cf. **Gebien** in **Schklg.** et **J.**, Col. Cat. P. 28, 563. *Ten.*, *Helopi.* 1097.
- Ogmocerus* **O Raffr.**, Rev. d'E. I, 1882, 7; VI, 1887, 40; IX, 1890, 131 t. 1 f. 7, 8; ASEFr. 73, 1904, 302; GIW. *Psel.* 1908, 296 (*O. agymsibanus Raffr.* 1887, *giganteus Raffr.* 1882) 1913:5 (Abyss., Sansib., Gabun., Trv., Liberia). *Psel.*, *Pselo.*, *Goniac.* 315.
- Ograbies* **Péring.**, A.SAfr.Mus. I, 1899, 293 (*O. singularis Péring.* 1899) 1913:2 (Afr. mer.-occ., Terr. Namaqua). *Ten.*, *Molur.* 312.
- Ohyonthis* **Reitt.**, DEZ. 1898, 347 = *Stegastopsis* **Kraatz** 1865. *Ten.*, *Tentyr.* 111.
- Oideterus* **J. Thoms.**, ArE. I, 1857, 15 = *Udeterus* **J. Thoms.** *Ceramb.*, *Prion.*, *Anacol.*, *Anac.* 103.
- Oidosoma* **Quedf.**, BEZ. 36, 1891, 172; **Ws.**, DEZ. 1900, 269 (Typ.?: *O. limbipenne Quedf.* 1891, *ornatum [Baly]* 1860) 1916:13 (Afr. trop.). — 2 Subgg.: *Oi.* i. sp. et *Stigmomela*. — *Oid.* i. sp. = Subg. I ad *Oid.* (Type et Distrib. ut antea) 1916:12. *Chrys.*, *Ch yso.*, *Phylloch.* 100; 100.1.
- Olbius* **O J. Thoms.**, Syst. *Cer.* 1864, 204, 431; **Gahan**, TESL. 1895, 119 (*O. sexfasciatus [Ol.]* 1792) 1913:1 (Jamaica). *Cerambyn.*, *Cerambyn.*, *Heterops.*, 920.
- Olena* **Blanch.**, HNIns. Col. II, 2, 1851, 522 = *Trycherus* **Gerst.** 1857. *End.*, *Endo.*, *Eumorph.* 27.
- Olenus* **J. Thoms.**, Arch.E. I, 1857, 157; = *Trycherus* **Gerst.** 1857. *End.*, *Endo.*, *Eumorph.* 27.
- Olesterus* **O Spin.**, Rev.Zo. 1841, 74; *Clerit.* I, 1844, 266; **Lac.** IV, 1857, 455; **Chenu**, Enc. II, 1860, 250; **Blackburn**, TRS.South Austral. 24, 1900, 117; **Schklg.**, GIW. *Cler.* 1903, 62 (*O. australis Spin.* 1844) 1913:4 (Austral.). *Cler.*, *Cleri.*, *Clerin.* 115.
- Olethrius* **J. Thoms.**, Class. *Cer.* 1860, 316; Syst. *Cer.* 478; **Lac.**, VIII, 116; **Lmr.**, ASEB. 47, 1903, 129, 130 (Rév., 171, 172); MSEB. 21, 1912,

- 129 (Rév., 993) (*O. tyrannus* **J. Thoms.** 1860, *insularis* [**Fairm.**] 1850) 1913:2 (N. Guin. or., Nov. Pomm., Salom., N. Hebr., Ins. Fidsehi, Ins. Samoa). *Ceramb.*, *Prion.*, *Macrot.*, *Stenodo.* 17.
- Oligarthrum* **O Matth.**, ANH. (5) 19. 110; 1887, Mon. *Coryl.* 1899, 124, 127, t. 4 f. C (*O. Waterhousei* **Matth.** 1913:1 (Chile). *Orth.*, *Coryloph.* 15.
- Oligella* **Motsch.**, BMosc. 41, 1868, II, 173, 188; **Matth.**, *Trichopt.* illustr. 1872, 32 etc., t. 4; TAMES. 11, 1884, 153; **Flach** in **Seidl.**, F.Ba. ed. II (1888), Art. 291 (*Ptilium* Subg.); in **Seidl.**, F.Tr. (1889), Art., 307; VzbGW. 39, 1889, 941, 501; Best.-Tab. eur. Col. 18, 1889, 13, 23; **Everts** I, 434, 439; **Ganglb.** III, 298, 309; **Reitt.**, F. Germ. II, 1909, 266; **Jakobs.** Col. Ross. 8, 1910, 630; **Schaufuß** in Calwer, 297 (*O. foveolata* [**Allib.**] 1844) 1913:1 (Eur. b. etc.; Cauc.). *Ptil.*, *Ptili.*, *Ptilii.* 9.
- Oligocara* **O Sol.**, Studi E. 1848, 153 (7), 224 (78); in **Gay**, H. Chile V, 1851, 226; **Lac.** V, 328 (*O. nitidum* **Sol.** 1848) 1913:1 (Chile). *Ten.*, *Ulom.* 684.
- Oligoenoplus* **O Chevr.**, MSScLiège 18, 1863, 337 (85); **Gahan**, F. Brit. Ind. Col. I, 1906, 302 (*O. ventralis* **Chevr.** 1863) 1913:2 (Ind. or. mer.). *Ceramb.*, *Cerambin.*, *Clyt.* 833.
- Oligolepis* **O Kolbe** in litt. (sine descr.) cf. **Brenske**, ETi. 24, 1903, 95 (s. descr.) (*O. unguicularis* **Brenske** 1903) 1913:2 (Camerun.). *Scar.*, *Melth.*, *Melthi.* (pos. inc.). 278.
- Oligolinus* **Casey**, T.Ac.St.Louis XVI, 1906, 372, 420 (*O. floridanus* **J. Lec.** 1880) 1914:13 (Mex., Pan., Amaz., Cuba, Fla., Col., Guat.; Ind. or., Ceyl.). *Staph.*, *Staphy.*, *Xanth.* 237.
- Oligomeroides* **Fall**, TAMES. 31, 1905, 154, 161 (*O. catalinae*, *occidentalis* **Fall** 1905) 1913:2 (Am. b.: Civ. confoed.). *Anob.*, *Anobi.* 24.
- Oligomerus* **O Redt.**, F. Austr. 1849. 347; **Gutfl.-B.**, 401 (sub *Ptin.*); ed. II, 1858, 563; ed. III, 1782, II, 56; **Lac.** IV, 1857, 518, 521; **Jacq. du Val**, III, 217; **Muls. et Rey**, *Téréd.* 1864, 29, 198; **J. Lec.**, PAC. Phil. 1865, 228; **Kiesw.**, NID. V, 1877, 113; **Seidl.**, F.Ba. et F.Tr. 1889, 118; **Fauc.**, F.Col.Fr., 302; G.Col.Fr. 1894, 32; **Schilsky**, Käf. Eur. 36, 1899 (1900), 36 C; **Reitt.**, Tab. 47, 1901, 5, 22; F. Germ. III, 1911, 306, 313; **Everts**, II, 222, 228; **Fall**, TAM. ES. 31, 1905, 154, 162; **Schaufuß** in Calwer, 721; **Kuhnt**, 675, 683 (*O. brunneus* [**Ol.**] 1790) 1913:11 (Eur., As., Am., Civ. confoed.). *Anob.*, *Anobi.* 25.
- Oligophila* **Reitt.**, VN. 40 [Best.-Tab. 50], 257, 289 = *Oligophylla* **Kraatz** 1894. *Scar.*, *Melth.*, *Melthi.* 342.
- Oligophylla* ✱ **Kraatz**, DEZ. 1894, 289; **Reitt.**, VN. 40 (Best.-Tab. 50), 1901 (1902) 257, 289. — Biol. **Brenske**, BEZ. 33, 1889, 330 (*O. detrita* [**Fairm.**] 1875 (Keruan, Alg., Tun.). *Scar.*, *Melth.*, *Melthi.* 342.
- Oligopterus* **Casey**, B. Calif. Ac. II, 1886, 12; T.Ac.St.Louis XV, 1905, 154, 181 (*O. cuneicollis*, *remotus* **Casey** 1905) = Subg. 14 ad **Medon Steph.** 1832 1913:4 (Cal. 3, Mont. 1). *Staph.*, *Paed.*, *Paedi.* 199, 14.
- Oligopterus* **Casey**, B. Cal. Ac. II, 1886, 12; T.Ac.St.Louis XV, 1905, 154, 181 = **Medon Steph.** 1832. *Staph.*, *Paed.*, *Paedi.* 199 cf. supra.
- Oligosmerus* **Kolbe**, StEZg. 55, 1894, 40, D.-Ostaf. IV Col. 1897, 304 (*O. saturatus* **Kolbe** 1894) 1913:4 (Afr. or., Lac. Albert-Edward., Suakim). *Ceramb.*, *Cerambin.*, *Comps.* 749.
- Oliprosodes* **Reitt.**, Mon. II, 118, 138 = Subg. ad *Prosodes* **Eschsch.** 1829. *Ten.*, *Blapt.* 390.
- Olisthaena* **O Er.**, AN. 8, 1842, II, 177; **Pasc.**, ANH. (4) 3, 1869, 288 (*O.*

- nitida* **Er.** 1842) 1913:1 (Tasm.). *Ten.*, *Cyphal.* 897.
- Olisthaerus* **O** [✱] **Heer**, F. Helvet. I, 1838 — 1842, 183; **Ganglb.**, KäfMEur. II, 1895, 695. — **Biol.**: **Rupertsb.**, Biol.Käf.Eur. 1894, 126. — (*O. megacephalus* [**Zett.**] 1828, *substriatus* [**Gyll.**] 1808, 28) 1913:3 (Lapp. 2, Can. 1). *Staph.*, *Oxyt.*, *Phloeoch.* 36.
- Olistherus* **Heer** 1838/42, **Schaufuß** in Calwer, 150 = *Olisthaerus* **Heer** 1838/42.
- Olocrates* **Muls.**, Col. Fr. *Latic.* 1854, 383; *Opusc. E. V.* 1854, 248; **Seidl.**, NID. V, 1893, 385; **Reitt.**, Best.-Tab. 53, 1904, 77, 92; **Kuhnt**, 738, 743 = *Phylan* **Steph.** 1832. *Ten.*, *Pedin.* 451.
- †*Ologlyptus* **Lac.** V, 158; **Horn**, *Rev. Ten.* 1870, 289 (1 foss. *O. primus* **Wickh.** 1910 Colo.: Florissant) = *Stenosides* **Sol.** 1836. *Ten.*, *Asid.* 277.
- Olonthogaster* **Motsch.**, BMosc. 39, 1, 1866, 401 (*O. nitidicollis* **Motsch.** 1866) 1913:2 (Ceylon). *Ip.* 115 (inc. sedis).
- Olophrinus* **Fauv.**, *Rev. d'E.* 14, 1895, 280 (*O. striatus* **Fauv.** 1895) 1916:1 (Birma). *Staph.*, *Tach.*, *Tachi.* 427.
- Olophrum* **O** [✱] **Er.**, KäfMaBr. I, 1837, 622; **Kraatz**, NID. II, 1856, 138; **Ganglb.**, KäfMEur. II, 1895, 719; **Luze**, VzbGW. 55, 1905, 33; **Schaufuß** in Calwer, 153; **Kuhnt**, 160, 190. **Biol.**: **Riley**, *Ins. Life* III nr. 7/8, 330 (*O. fuscum* [**Grav.**] 1806, *piceum* [**Gyll.**] 1810) 1913:18 (Eur. b., med.; Cauc., Asm., Altai, Sib., Jap., Mong., Alaska; Am. b.). *Staph.*, *Oxyt.*, *Omal.* 67.
- Olorus* **Chap.**, G. Col. X, 1874, 311; **Lefv.**, MSLiège (2) 11, 1885, 115 (*O. femoralis* **Chap.** 1874) 1914:1 (Siam). *Chry.*, *Eumolp.*, *Edus.* 213.
- Olotelus* **Muls. et Rey**, *Collig.*, 1866, 122; **Schaufuß** in Calwer, 743 = Subg. ad *Hylophilus* **Berth.** 1827. *Hyloph.* 3.
- Olotetus* [**Muls.**] **Kuhnt** in *Indic.* p. 1135 = errat. pro *Olotelus* **Muls.** **Kuhnt**, 699; cf. *O. Muls. et Rey*.
- Omadius* **Cast.** in **Silberm.**, *Rev.* 4, 1836, 48 = *Ommadius* **Cast.** 1836. *Cler.*, *Cleri.*, *Clerin.* 94.
- Omaladera* **Reitt.**, VN. 40, 1901 (1902) [Best.-Tab. 50], 145 = *Omalodera* **Reitt.** 1896. *Scar.*, *Melth.*, *Seric.* 26.
- Omaleis* **All.**, *Mon.*, 36, 151; **Seidl.**, NID. V, 698, 734, 777; **Schaufuß** in Calwer, 819 = Subg. ad *Helops* **F.** 1772. *Ten.*, *Helop.* 1073.
- Omalissus* **Broun**, ManNZ.Col. 1893 p. 1042 (*O. castaneus* **Broun** 1893) 1913:1 (N. Z.). *Staph.*, *Oxyt.*, *Omal.* 49.
- Omalium* **O** [✱] **Grav.**, Col. Micr. 1802, 111; **Kraatz**, NID. II, 1856/58, 974; **Guiff.-B.**, 181; **Ganglb.**, KäfMEur. II, 1895, 733; **Luze**, VzbGW. 56, 1906, 501; **Schaufuß** in Calwer, 154, 153; **Kuhnt**, 162, 186. — *Omal.* s. str. **Luze**, VzbGW. 56, 1906, 505 = Subg. ad *Om.* (*O. rivulare* [**Payk.**] 1789, *oxyacanthae* [**Grav.**] 1806 etc.) 1913:120—1 (*O. humile* **Mäkl.** = *Phyllo-drepa* h.!) (Eur., *Medit.*, As., Madag., Austral., N.Z., Tasm., Am. b. et mer., Guat., Chile etc.). *Staph.*, *Oxyt.*, *Omal.* 52; 52, 1. **Biol.**: **Rupertsb.**, Biol.Käf.Eur. 1894, 126; **Xambeu**, *Moeurs* I, 94; *Natural.* 1903, 55; **de Peyerimh.**, BSEFr. 1818, 164; **Mjöberg**, ZInsBi. II, 1906, 140 f. 8.
- Omalocera* **Reitt.**, VN. 18, 1879 (1880), 35; **WEZg.** 27, 1908, 341 = *Amalocera* **Er.** 1845. *Scaph.* 8.
- Omalodera* **Reitt.**, *WEZg.* XV, 1896, 188 = Subg. ad *Amaladera* **Reitt.** 1896. *Scar.*, *Melth.*, *Seric.* 26.
- Omalodes* **O** **Er.** in **Klug**, *Jahrb. Ins.* 1834, 114; **Mars.**, *Mon.* 1853, 498 (*O. angulatus* [**F.**] 1801) 1913:60 (Am.). — *O.* s. str. = Subg. 1 ad *Om.* **Er.**

- 1834 (Typ. ut antea) 1913:52+3 (Am.). *Hist.* 31; 31, 1.
- Omaloplia* **Muls.**, HN. Col. Fr. *Lamell.* 1842, 462 = *Serica* **M'Leay** 1819. *Scar.*, *Melth.*, *Seric.* 23.
- Omaloplia* **Muls.**, HN. Col. Fr. *Lamell.* 1842, 462 = *Maladera* **Muls.** 1871. *Scar.*, *Melth.*, *Seric.* 25.
- Omaloplia* **Steph.** vide *Homaloplia* **Steph.** 1830. *Scar.*, *Melth.*, *Seric.* 109.
- Omalus* **All.**, Rev., 4; **Seidl.**, F. Ba. ed. II, 1891, 521; F. Tr.: 1891, 560 = *Omaleis* **All.** 1877 = Subg. ad *Helops* **F.** 1772. *Ten.*, *Helop.* 1073.
- Omedes* **Broun.**, ManNZ. Col. V, 1893, 1169 (*O. nitidus* **Broun** 1893) 1913:3 (N. Z.). *All.*, *Allec.* 14.
- Ometis* **Latr.** in **Cuvier**, Règne anim. ed. 2, IV, 1829, 554 = *Lagochile* **Hoffm.** 1817. *Scar.*, *Rut. hom.*, *Ruti.*, *Antich.* 70.
- Omius* **Schönh.** *Curc.* cf. P. II.
- Omma* **Newm.**, ANH. (3) 1839, 303; **Er.**, NID. 3, 1848, 304 (nota); **Lac.**, II, 1854, 416; **Gemm. et Har.**, Col. Cat. III, 1868, 881; **Peyerimhoff**, BSEFr. 1902, 330 (*O. Stanleyi* **Newm.** 1839) 1913:1 (Queensl., N.S.W.). *Cup.* 5.
- Ommadius* **O. Cast.** in **Silberm.**, Rev. 4, 1836, 48; **Spin.**, Rev. Zo. 1841, 73; **Kl.**, *Clerii* 1842, 287; **Spin.**, *Cler.* I, 1844, 172; **Lac.**, IV, 1857, 465; **Chenu**, Enc. II, 1860, 243; **Gorh.**, Cist. E. II, 1875/82 (1876), 101; **Kuw.**, ASEB. 38, 1894, 62; **Gorh.**, PZSL. 1894, 43; **Schklg.**, GIW. 1903, 82 (*O. bifasciatus*, *indicus* et *trifasciatus* **Cast.** 1836) 1913:114 (Arch. malay. et austral.). *Cler.*, *Cleri.*, *Clerin.* 94.
- Ommata* **O. A. White**, Cat. Col. Brit. Mus. 8, 1855, 194; **Bates**, TESL. 1870, 317; ANH. (4) 11, 1873, 26 (*O. elegans* **White** 1855). — 6 Subgg.: *Phoen.*, *Chrys.*, *Omm.*, *Rhopal.*, *Eclipt.*, *Agaoe*, *O. s. str.* = Subg. 3 ad *O. White* 1855. — (Typ. ut antea et
- O. Maia* **Newm.** 1840) 1913:43 (Mex. et Am. mer.). *Ceramb.*, *Cerambin.*, *Rhinotr.* 638; 638, 3.
- Ommatidion* **Gemm. et Har.**, Cat. Col. IX, 1873, 2826 = *Ommidion* **Newm.** 1840. *Ceramb.*, *Cerambin.*, *Sphaerio.* 260.
- Ommatomenus* **Higgins**, TESL. 1869, 11; **Har.**, Col. Hefte 16, 1879, 155 = *Tithoes* **J. Thoms.** 1864 = Subg. ad *Acanthophorus* **Serv.** 1832. *Ceramb.*, *Prion.*, *Prionin.*, *Acanthoph.* 61, 2.
- Ommatophorus* **Macl.** TESNSW. II, 304; **Blackb.**, TRS. South Austral. 14, 1891, 385 (*O. Mastersi* **Macl.**) 1913:1 (Gayndah). *All.*, *Allec.* 51.
- Ommidion* **Newm.**, ANH. 4, 1840, 196 (*O. modestum* **Newm.** 1840) 1913:1 (Bras.). *Ceramb.*, *Cerambin.*, *Sphaerio.* 260.
- Omobathus* **O. Raffr.**, TLSSL. 1913, 127 (*O. elegans* **Raffr.** 1913) 1913:1 (Seychell.) (apud *Alphiliam.*) *Psel.*
- Omoerates* **Burm.**, Hd. E. IV, 1, 1844, 125; **Péring.**, T.SAfr. Phil. S. 12, 1902, 776 (Typ. ?; *O. axillaris*, *lobipes* **Burm.** 1844) 1913:17 (Col. cap.). *Scar.*, *Melth.*, *Hopl.* 531.
- Omoerates* **Muls.**, Col. Fr. *Latig.* 1854, 150; Opusc. E. V, 1854, 191 = *Phylan* **Steph.** 1832. *Ten.*, *Pedin.* 451.
- Omodon* **Marshall**, JoLSSLZo. 8, 1865, 44; **Chap.**, G. Col. X, 1874, 340 = *Corynodes* **Hope** 1840. *Chrys.*, *Eumolp.*, *Corynod.* 270.
- Omoglymmius* **O. Ganglb.**, KäfMEur. I, 1892, 533; **Grouv.**, Rev. d'E. 22, 1903, 90; **Schaufuß** in **Calwer**, 144 = Subg. 2 ad *Rhysodes* (*O. canaliculatus* [**Cast.**] 1836) 1913:57 (in omn. part. orb. terr.) *Rhys.* 1, 2.
- Omoiotelus* **Hope**, Rev. Zo. 1841, 112 = *Homoeotelus* **Hope** 1841. *Erot.*, *Erotyl.* 27.
- Omoletta* **Fährs.**, Öfv. Vet. Ak. Förh. 27, 1870 (1871) 320 (*O. elegans* **Fährs.**

- 1870 [71] 1913:1 (Caffr.). *All.*, *Allec.* 17.
- Omolina* **Ws.** in **Sjöst.**, Kilimandjaro I, Col. 7, 1909, 192 (*O. Sjoestedti* **Ws.** 1909) 1916:1 (Kilimandjaro). *Chryso.*, *Chryso.*, *Phaedon.* 53.
- Omolipus* **O Pasc.**, JoE. I, 1860, 127 (*O. corvus* **Pasc.** 1860) 1913:12 (Austral.). *Ten.*, *Helop.* 1024.
- Omonadus* **Muls. et Rey**, *Collig.* 1866, 104 = Subg. ad *Anthicus* **Payk.** 1798. *Anth.* 19.
- Ompohaena* **O Pasc.**, JoE. II, 1864, 230 (*O. Kreuzleri* **Pasc.** 1864) 1913:2 (N. Holl.). *Ceram.*, *Ceram.*, *Pyth.* 679.
- Ompheres* **Cas.**, *Rev. Mon.* 1907, 519 (Typ. ?; *O. gigas* et *scabripeennis* **Steinh.**, *O. farctus* **Cas.** 1907, *O. gigas* **Steinh.** 1872) 1913:4 (Arg.). *Ten.*, *Epitrag.* 69.
- Omphlus* **O** + **Sol.**, ASEFr. 4, 1835, 246; **Curtis**, *Brit. E.* 13, 1836, fasc. 622; **Muls.**, *Col. Fr. Pectin.* 1856, 74; *Opusc.* VII, 1856, 17; **Lac.**, V, 1859, 511; **Jacq. du Val**, III, 1863, 354 (ex part.); **Kirsch**, *BEZ.* 13, 1869, 97; **Marseul**, *Ab. VII.* 1870, 43; **Reitt.**, *DEZ.* 1890, 97; *VN.* 45, 1906, 147; **Bedel**, *Ab.* 28, 1894, 158; **Seidl.**, *NID.* V, 2, 1896, 233—291; **Schaufuß** in *Calwer*, 787; **Kuhnt**, 732, 737 (Typ. ?; *O. lepturoides* [**F.**] 1787, *picipes* [**F.**] 1792, *rufitarsis* [**Leske**] 1758) 1913:83 (Eur., As.) — Subg. *Odont.* — *All.*, *Omphl.* 112.
- Anat.: **Stein**, *Vergl. Anat. u. Phys. d. Ins.* 1847 t. 6 f. 12.
- Biol.: **Seidl.**, *NID.* V, 2, 1896, 237; **Xambeu**, *Moeurs et Mét. d'Ins.* II, *Rev. Lyon* 1892, 35; **Künstler**, *VzbGW.* 17, 1867, 928; **Sugrow**, *Obšč. selisk. choz. Juzw. Ross.* 1905, 87—94; etc. (= *Odontomophilus* **Seidl.**)
- Omphlina* **Reitt.**, *DEZ.* 1890, 34; *VN.* 45, 1906, 116, 126; **Seidl.**, *NID.* V, 2, 1896, 198 (*O. arcuata* [**Gobl.**] 1830) 1913:10 (Asia c., Sib.). *All.*, *Omphl.* 100.
- Omoptycha* **Quedf.**, *BEZ.* 27, 1883, 132; **Jord.**, *NoZo.* I, 1894, 158 = *Dictator* **J. Thoms.** 1878. *Ceram.*, *Ceram.*, *Callichr.* 709.
- Omorogus* **Er.**, *ArN.* 13, 1847, I, 111; **Burm.**, *StEZg.* 37, 1876, 264 = Subg. ad *Trox* **F.** 1775. *Scar.*, *Trog.* 2.
- Omosiphora* **Reitt.**, *VN.* 5, 1874, 76; **Schaufuß** in *Calwer*, 422, 429; **Kuhnt**, 478, 488 = *Epuraeanelle* **Crotch** 1874 = Subg. ad *Epuraea* **Er.** 1843. *Nit.*, *Nitid.* 70.
- Omosita* **Er.**, in *Germa.*, *ZE.* IV, 1843, 298; **Guttl.-B.**, 239; **Schaufuß** in *Calwer*, 422, 429 (*O. colon* [**L.**] 1758, *depressa* [**L.**] 1758, *discoidea* [**F.**] 1775) 1913:9 (Eur., As., b. Afr., Abyss., Jap., Ind., Am. b., Mex.). *Nit.*, *Nitid.*, 66.
- Omostilicus* **Casey**, *T. Ac. St. Louis* XV, 1905, 229 (*O. sonorinus* **Casey** 1905) 1913:1 (Ariz.). *Staph.*, *Paed.*, *Paedi.* 88.
- Omotagus* **O Pasc.**, *ANH.* (3) 19, 1867, 410; *TESL.* (3) 3, 1869, 674; **Lac.**, VIII, 133; **Lmr.**, *ASEB.* 47, 1903, 308 (Rev., 412) (*O. Lacordairei* **Pasc.** 1867) 1913:1 (N. Guin., N. Pomm.). *Ceram.*, *Prion.*, *Macrot.*, *Xizuth.* 38.
- Omotes* **Newm.**, *Ent.* I, 1842, 353 (*O. cucujides* **Newm.** 1842) 1913:3 (Austral. mer., Vict.). *Ceram.*, *Ceram.*, *Molorch.* 623.
- Omotimus* **Raffr.**, ASEFr. 72, 1903, 534; *GIW. Psel.* 1908, 71 (*O. sulcifrons* **Raffr.** 1901) 1913:1 (Cape Town). *Psel.*, *Psel.*, *Euplect.* 67.
- Omphalopion* **Schilsky** in **Küster**, **Kraatz**, *Käf. Eur.* 38, 1901, 39, 1902, 42, 43, 1906; **Schaufuß** in *Calwer*, (1187); **Kuhnt**, 1025 = Subg. ad *Apion* **Hbst.** 1797. *Curc.*, *Api.*, *Apion.* 11.
- Omphalodera* **O Solsky**, *HoR.* 9, 1873, 244 (*O. Puziloi* **Solsky** 1873) 1913:1 (Jap., Sib. or.; Amur). *Ceram.*, *Ceram.*, *Lept.* 530.
- Oncercus* **J. Lec.**, *Jo. Ac. Philad.* (2) III, 1856, 283 (*O. floralis* **J. Lec.** 1856)

- 1913:1 (Cal.). *Scar.*, *Melth.*, *Chasm.* 12.
- Oncinotus* **Er.**, *ArN.* 8, 1842, I, 219 = *Toxentes* s. str. = Subg. ad *Toxentes* **Newm.** 1840. *Ceram.*, *Prion.*, *Callipogi.*, *Megop.* 48, 2.
- Oncocephala* **O Chevr.** in **Orbigny**, *Dict. univ.* HN. 9, 1847, 110 (*Oncocephala*); **Chap.**, XI, 308; **Ws.**, *DEZ.* 1897, 120; **Gestro**, *AMusG.* 1899, 313 (Typ.?: *O. tuberculata* [**Ol.**] 1792) 1913:23 (As. mer., *Ins. Sundaic.*, *Afr.*). *Chrys.*, *Hisp.*, *Oncoc.* 66.
- Oncochirus* **Kolbe**, *StEZg.* 52, 1891, 32 (*O. fulvescens* **Kolbe** 1891) 1913:1 (*Afr. c.*: Kilimandj.; Mombasa). *Scar.*, *Melth.*, *Pachyd.* 407.
- Oncodemerus* **O Senna**, *BSEItal.* 24, 1892, 157; **Schoenfeldt**, *GIW. Brenth.* 1908, 8 (*O. costipennis* **Senna** 1892) 1910:1 (Gabun.). *Brenth.*, *Brentha.*, *Taphr.* 7.
- Oncognathus* **Lac.**, II, 1854, 144 = *Hadrognathus* **Schaum** 1852. *Staph.*, *Oxyt.*, *Omal.* 85.
- Oncomera* **Steph.**, *Ill. Brit. Ent. Mand.*, V, 1832, 58; *Man. Brit. Col.* 1839, 336, 337; **Ganglb.**, *VzbGW.* 31, 1881, 98 et 107; nota; *Best.-Tab.* 4a: *Oedem.* 1881, 2 et 11 nota; **Seidl.**, *F. Ba. et Tr.*; **Fowler**, *Col. Brit. Isl.* 1891, 59; **Sem.**, *HoRg.* 28, 1894, 457 (Sep. p. 9); **Desbr.**, *Frelon* 8 (1900); *Oedem.*, 26; **Everts**, II, 328; **Reitt.**, *F. Germ.* III, 1891, 406, 410; **Schaufuß** in *Calwer*, 731; **Kuhnt**, 689, 692. — *O. s. str.* **Seidl.**, *NID.* V, 2, 1889, 84, 886 (*O. femorata* [**F.**] 1792) 1915:11 (*Eur.*, *Alg.*, *Mar.*, *Gibralt.*, *Ind.*, *Creta*, *Syr.*, *Asm.*, *Jap.*) *Oed.*, *Oedem.*, *Oedemi.* 58.
- Oncomerella* **Reitt.**, *F. Germ.* III, 1911, 406 nota = Subg. ad *Oncomera* **Steph.** 1832. *Oed.*, *Oedem.*, *Oedemi.* 58.
- Oncomerina* **Seidl.**, *NID.* V, 2, 1899, 884, 885, 891; **Reitt.**, *F. Germ.* III, 1911, 406; **Schaufuß** in *Calwer*, 731 = Subg. ad *Oncomera* **Steph.** 1832. *Oed.*, *Oedem.*, *Oedemi.* 58.
- Oncoosoma* **O Westw.**, (ser. *Ogcosoma*) *PZSL.* 1842, 121; **Lac.**, V, 193; **Haag**, *Col. Hfte.* 7, 1871, 25 (*O. gemmatum* [**F.**] 1801, *O. canaliculatum* [**F.**] 1801) 1913:16 (*Afr. c.*). *Ten.*, *Helopi.* 1097.
- Oncophorus* **Eppelsh.**, *DEZ.* 29, 1885, 46 (*O. Pirazzolii* **Eppelsh.**, *DEZ.* 29, 1885, 47) 1913:2 (*Tun.*). *Staph.*, *Oxyt.*, *Oxyti.*, *Coproph.* 103.
- Oncopterus* **O Fairm.**, *ASEFr.* (6) 7, 1887, 178 (*O. acantholophus* **Fairm.** 1887) (*Afr. or. germ.*). *Ten.*, *Helopi.* 1096.
- Oncosoma* **Sharp**, *Zo. Rec.* 47, 1910, *Ins.*, 239 = *Oncoosoma* **Westw.** 1842. *Ten.*, *Helopi.* 1097.
- Oncotus* **O Blanch.**, *HNIns.* II, 1845, 13; **Sol.**, *Studi ent.* II, 1848, 153 (7), 216 (70); **Lac.**, V, 231 (Typ.?: *O. tardus*, *farctus* **Sol.** 1845 [cf. *ASEFr.* (6) 8, 1888, 194]) 1913:7 (*Delagoa*, *Terr. cap. et Namaqua*). *Ten.*, *Pedin.* 433.
- Onicotis* **Murr.**, *Mon.* 1864, 287, 288 = Subg. ad *Brachypeplus* **Er.** 1842. *Nit.*, *Carpophil.* 24.
- Onitis* **O F.**, *Suppl. Ent. Syst.* 1798, 2; **Schaufuß** in *Calwer*, 1295 (Type?: *O. Belial* **F.** 1798, *Alexis Klug* 1835, *Aygulus* [**F.**] 1781, *Damoetas* **Stev.** 1806, *falcatus* **Wulfen** = *sphinx* **Herbst**, *humerosus* [**Pallas**] 1771, *Jon* [**Ol.**] 1789, *sphinx* [**F.**] 1775, *spinipes* [**Drury**] 1770, *unguiculatus* [**Ol.**] 1789) 1913:99+7—3 (1911?). *Scar.*, *Copr.*, *Onit.*, *Onitid.* 94.
- Onochaeta* **Er.**, *NID.* 3, 1847, 654; **Burm.**, *Hd. E.* IV, 2, 1855, 449; **Lac.**, III, 1856, 304 (*O. porcata* [**Swartz** in **Schönh.** 1817) 1913:3 (*Col. cap.*, *Port. Natal*, *Limpopo*). *Scar.*, *Melth.*, *Pachyd.* 414.
- Onocheta* **Boh.**, *Ins. Caffr.* II, 1857, 80 = *Onochaeta* **Er.** 1847. *Scar.*, *Melth.*, *Pachyd.* 414.

- Oncoptera* **Lac.**, VIII, 1869, 297 (*O. vidua* **Lac.** 1869) 1913:1 (Montevideo). *Ceram.*, *Cerambin.*, *Ebur.* 217.
- Onosterrhus* **Pasc.**, JoE. II, 1866, 451; **TESL.** 1872, 277 (*O. laevis* **Pasc.** 1866) 1913:7+8 (Austral.). *Ten.*, *Helaei.* 738.
- Onotrichus* **Carter**, A. Queensl. Mus. 10, 164 (*O. lateralis* **Carter** 1911) 1913:1 (Austral. occ.) *Ten.*, [*Nyctozoididae* nov. fam. cf. P. II] 746a.
- Ontherus* **O Er.**, ArN. 13, 1847, I, 107 (*O. didymus* **Er.** 1847, *sulcator* [**F.**] 1775, *appendiculatus* [**Mannh.**] 1829) 1913: ? (Am. c. et mer.. Peru usque ad Argent.). *Scar.*, *Copr.*, *Copri.*, *Pinot.* 70.
- Onthobium* **Reiche**, ASEFr. (3) 8 nec 10 [ut in **Gillet**, Col. Cat. P. 38 p. 42] 1913:6 (N. Caled.). *Scar.*, *Copr.*, *Scarbi.*, *Canthon.* 35.
- Onthocharis* **O Westw.**, **TESL.** IV, 1847, 230 (*O. mirmidon* **Westw.** 1847) 1913:22 (Cayenn., Bras., Col.). *Scar.*, *Copr.*, *Copri.*, *Pinot.* 59.
- Ontholestes* ☼ **Ganglb.**, KäfMEur. II, 1895, 417; **Schaufuß** in Calwer, 193, 199; **Kuhnt**, 167, 240 (*O. murinus* [**L.**] 1758); *tessellatus* [**Fourcr.**] 1785) 1916:18 (Paläarct., Jap., Mong., As. mer.; Java, Molucc., Afr. b., Camerun., Gabun.; Bras.). *Staph. Staphy.*, *Staphyl.*, *Staphi.* 317. *Biol.*: **Rupertsb.**, Bi. Käf. Eur. 1894, 121; **Xambeu**, ASLLyon 41, 141; etc.
- Onthostygnus* **O Sharp**, BCA. Col. 1882/87 (1884), 392 (*O. fasciatus* **Sharp** 1884) 1914:2 (Mex.). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 297.
- Onychapion* **Schilsky**, in **Küster**, **Kraatz**, Käf. Eur. 38; **Schaufuß** in Calwer, (1187); **Kuhnt**, 1024 = Subg. ad *Apion* **Hbst.** 1797. *Curc.*, *Api.*, *Apion.* 11.
- Onychoctenus* **Gemm. et Har.**, Cat. Col. VII, 1870, 216 = *Onyctenus* **Serv.** 1825. *Melo.*, *Nemogn.*, *Sit.* 63.
- Onychosis* **O Deyr.**, ASEFr. (4) 7, 1867, 226 (Mon.) (*O. gracilipes* **Deyr.** 1867) 1913:1 (Afr. mer.-occ., Banguela). *Ten.*, *Zoph.* 93.
- Onychothecus* **O Boucomont**, BSEFr. 1912, 275 (*O. ateuchoides* **Boucom.** 1912) 1913:1 (Yunnan). *Scar.*, *Aphod.*
- Onychotrupes* **O Jek.**, ASEFr. (4) 5, 1865 (1866), 615 = Subg. 8 ad *Geotrupes* **Latr.** 1796 (*O. splendidus* [**F.**] 1775) 1913:2 (Haiti 2?, Am. b. 2). *Scar.*, *Geotr.*, *Geotrupi.* 17, 8.
- Onyctenus* **Serv.**, Enc. méth. X, 1825, 440 (*O. Sonnerati* **Serv.** 1825) 1917:1 (Ind. or.). *Melo.*, *Nemogn.*, *Sit.* 63.
- Onymachris* **Péring.** 1888 (quo loco?) pro *Onymacris* **All.** sec. **Kuntzen**, ArN. 81, 1915 (1916) A. 7, 150; **Kuntzen**, ArN. 81, 1915 (1916) A. 7, 150—155 (genus). 3 Sect. (6—8—9 Spp.). 1916:20 (Afr. mer.).
- Onymacris* **All.**, Mon. 1885, 157; = Subg. ad *Adesmia* **Fisch.** 1822. *Ten.*, *Adesm.* 181.
- Onyschomorpha* **O Arrow** in **C. F. Andrew**, A. Mon. of Christmas Island 1900, 94 (*O. marmorata* **Arrow** 1900) 1913:1 (Ins. Christmas). *Temn.*, *Lep.* 27.
- Oocamenta* **Péring.**, T.SAfr.Phil.S. 13, 1904, 115 (*O. rufiventris* [**Burm.**] 1855) 1913:2 (Caffr., Rhodes, mer., Trsv.). *Scar.*, *Melth.*, *Seric.* 135.
- Oochila* **Lec.**, Class. 1861, 220 = *Centrioptera* **Mannerh.** 1843. *Ten.*, *Cryptogl.* 264.
- Oochrotus* **O** ☼ **Luc.**, BSEFr. 1852, 28; *Rev.Zo.* 1855, 337; **Lac.** V, 225; **Jacq. du Val**, III, 1861, 270; **Seidl.**, NID. V, 1894, 461; **Desbr.**, Frelon X, 1901, 92. — *Biol.*: **Rosenh.**, Thiere Andalus. 1856, 215; **Walk.**, EMM. 25, 1889; 374. — (*O. unicolor* **Luc.** 1852) 1913:3 (Gall. mer., Hisp., Alg., Asm.). *Ten.*, *Cryplin.* 582.
- Oocistela* **O Berchm.** in **Michaëls.**, F. Südwest-Austral. I, 1908, 356

- (*O. convexa* **Borchm.** 1908) 1913:1 (Fremantle). *All., Allec.* 10.
- Ooconibius* **Cas.** AN YorkAcSc. VIII, 1895, 618 = *Conibius* **Lec.** 1851. *Ten., Pedin.* 476.
- Oocyanus* **O Hope**, Rev. Zo. 1841, 113; **Lac.**, *Erot.*, 194; **Chap.**, XII, 34 (*O. violaceus* [**Sturm**] 1826) 1913:3 (Cuba[3], Columb.?). *Erot., Triplac.* 35.
- Oodoscelis* **Motsch.**, BMosc. 18, 1845, I, 76; **Seidl.**, Mon. 343 = Subg. ad *Platyscelis* **Latr.** 1825. *Ten., Platysc.* 397.
- Oogaster* **O Falderm.**, F. Transcauc. II, 1837, 30; **Lac.** V, 108; **Faust**, HoR. 11, 1875. 181; **Reitt.**, DEZ. 30, 1886, 99, 129 (Mon.); **Schaufuß** in Calwer, 793 (*O. picea* **Mén.** 1837) 1913:2 (Turk., Pers., Baku). *Ten. Stenos.* 236.
- Oogaster* **Lac.**, *Erot.*, 377; **Chap.**, XII, 61; **Crotch**, *Erot.*, 137 = Subg. ad *Brachysphaenus* **Lac.** 1842. *Erot., Erotyl.* 10.
- Oogenius* **O Sol** [in **Gay**], Hist. Chile V, 1851, 97 (*O. virens* **Sol.** 1851, *chilensis* **Ohs.** 1905) 1918:2 (Chile). *Scar., Rut. hom., Ruti., Pelidn.* 16.
- Oogynes* **Rey**, *Canth.* cf. P. II.
- Oonotus* **O Parry**, TESL. (3) 2, 1864, 62 (*O. adspersus* [**Boh.**] 1848) 1913:1 (Natal). *Luc., Dorc.* 61.
- Oopiestus* **Chevr.** in Silberm. Rev. I, 1832, 30 = *Peltoides* **Cast.** 1832. *Ten., Ulom.* 720.
- Ootoma* **O Blanch.**, Cat. Coll. E. Col. I, 1850, 120; **Burm.**, Hd. E. IV, 2, 442, nota (Typ.? *O. bipartita* et *casianca*) **Brullé** in **Webb et Berth.**] 1838) 1913:6 (Ins. Canar.). *Scar., Melth., Pachyd.* 393.
- Ootoma* **Dej.**, Col. Cat. ed. 3, 1836, 180 = *Clavipalpus* **Cast.** 1832. *Scar., Melth., Macrod.* 469.
- Opades* **Lac.**, VIII, 1869, 288 (*O. costipennis* [**Buq.** in **Guér.**] 1843) 1913:3 (Ecuador, Cayenne, Ega). *Ceram. b., Cerambin., Hesperph.* 208.
- Opatrinus* **O Latr.**, Règne anim. ed. II, V, 1829, 19; **Muls. et Rey**, Mém. Ac. Lyon 1852, 295; *Opusc. E.* IV, 1853, 70; **Lac.** V, 240; **Reitt.**, Best.-Tab. 53, 1904, 51, 76 (Typ.?.; *O. gemellatus* [**Ol.**] 1795, *corvinus* **Muls. et Rey** 1852, *O. Josephi* **Karsch** [Sitz.-Ber. naturf. Fr. Berlin 1881, 58]) 1913:27. (Afr., Madag., Amer.). *Ten., Pedin.* 445.
- Opatroides* **O Brill.**, Expéd. Morée III, 1832, 219; **Muls.**, M. Ac. Lyon X, 1859, 75; *Opusc. E.* X, 1859, 13; **Reitt.**, DEZ. 1896, 161; Best.-Tab. 53, 1904, 134, 159 (*O. punctulatus* **Brill.** 1832) 1913:8 (Medit., Somal., Abyss., Ind.). *Ten., Opatr.* 536.
- Opatronesthes* **Reitt.**, Best.-Tab. 53, 1904, 174 = Subg. ad *Melanesthes* **Lac.** 1859. *Ten., Opatr.* 547.
- Opatropis* **O Reitt.**, Best.-Tab. 53, 1904, 134, 159; **Schaufuß** in Calwer, 1802 (*O. hispida* [**Brill.**] 1838) 1913:1 (Afr. bor. et trop.). *Ten., Opatr.* 530.
- Opatrum* **O⁺ F.**, Syst. E. 1775, 76; *G. Ins.* 1777, 27; *E. Syst.* 1792, 88; *Epit. E.* 1797, 6; *Syst. El.* I, 1801, 115; **Latr.**, Préc. car. 1796, 19; *HN.* III, 1802, 174; X, 1804, 284.; *G. Crust. Ins.* II, 1807, 166; **Cast.**, *HN.* II, 1840, 211; **Redt.**, *Gatt.* 1845, 129; *F. Austr. ed. I—III;* **Muls.**, *Col. Fr. Latig.* 1854, 163; **Gutfl.-B.**, 411; *M. Ac. Lyon*, IX, 1859, 104; *Opusc. E.* X, 1859, 42; **Lac.**, V, 267; **C. G. Thoms.**, *Sk. Col.* I, 115; VI, 241; **Jacq. du Val**, III, 283; **Seidl.**, *F. Ba.* 1875, 96; ed. II, 1891, 129; *F. Tr.* 1891, 129 (*Gatt.*); *NID.* V, 1894, 411, 419; **Desbr.**, *Frelon* X, 1901, 56; **Reitt.**, Best.-Tab. 53, 1904, 134, 138; **Schaufuß** in Calwer, 800, 801; **Kuhnt**, 738, 744 (*O. sabulosum* [**F.**] 1761) 1913:31 (Eur., *Medit.*). *Ten., Opatr.* 528.
- Anat.: **Kempers**, *TijE.* 44, 1901 32 t. 3 f. 20.

- Biol.: **H. Luc.**, BSEFr. 1870, p. LXXXII; ASEFr. (5) I, 1871, 452—460; t. 7 f. 9—17; **Schiödte**, NTi., 3, 1879, 541/3, 585, t. 7 f. 15—21; **Altum**, Dankelm., Zeit. 12 1893, 247; **Seidl.**, NID. V, 422. — Geflügelte *O. sabul.*: **Weber**, EBl. 6, 172.
- Operclippygus Mars.*, ASEB. 13, 1870, 75 (*O. sulcistrius Mars.* 1870) 1913:1 (Bras.). *Hist.* 22.
- Operculiphorus Kuw.*, ASEB. 38, 1894, 399, 410; **Schklg.**, GIW. *Cler.* 1903, 76 (*O. tubifer Kuw.* 1894) 1913:1 (Malacca, Sum., Born.). *Cler.*, *Cleri.*, *Clerin.* 81.
- Opetiopalpus O Spin.*, *Cler.* II, 1844, 110; **Lac.**, IV, 1857, 492; **Chenu**, Enc., 278; **Jaec. du Val**, G. Ccl. d'Eur. III, 1861, 201; **J. Lec.**, Class. I, 1862, 198; **Kiesw.**, NID. 4, 1863, 694; **Muls.**, *Angustic.*, 125; **Gorh.**, TESL. 1878, 160; **J. Lec. et Horn.**, Class. II, 220; **Reitt.**, VN. 32, 1893 (1894), 87; Best.-Tab. 1894, 54; **Schklg.**, GIW. *Cler.* 1903, 120; **Schanfuß** in Calwer, 402, 405; **Kuhnt**, 466, 471 (*O. scutellaris [Panz.]* 1797) 1913:19 (Eur., As., Afr., Am.). *Cler.*, *Corym.*, *Corynct.* 185.
- Opetiopselaphus Gemm. et Har.*, Col. Cat. 6, 1869, 1759 = *Opetiopalpus Spin.* 1844. *Cler.*, *Corym.*, *Corynct.* 185.
- Opetius Muls.*, M. Ac. Sc. Lyon (2) I, 1851, 73 (*O. fasciolatus Muls.* 1851) 1913:1 (Am. mer.). *End.*, *Endo.*, *Endom.* 77.
- Ophelius Raffr.*, ASEFr. 73, 1904, 157; GIW. *Psel.* 1908, 162 (*O. simplex Raffr.* 1904) 1913:1 (Sum.). *Psel.*, *Psel.*, *Batris.* 176.
- Opheltes J. Thoms.*, Syst. Cer., 306; **Lac.**, VIII, 127 = *Nothopleurus Lac.* 1869 = Subg. ad *Stenodontes Serv.* 1832. *Ceram.*, *Prion.*, *Macrot.*, *Stenodo.* 13, 2.
- Ophiomedon Sharp.* BGA. Col. I, 2, 1882/87 (1886), 567; F. Hawaiiens. III, 5, 1908, 545 (*O. stipes Sharp* 1886) 1913:8 (Amaz. 2, Pan. 3, Guat., Nicar., 1, Haw. Ins. 2). *Staph.*, *Paed.*, *Paedi.* 196.
- Ophionthus Bernh.*, ArN. 74, 1908, 328 (*O. serpentinus Bernh.* 1908) 1916:1 (Peru). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 307.
- Ophiostomis Gemm. et Har.*, Col. Cat. IX, 1873, 2875 = *Ophistomis J. Thoms.* 1857. *Ceram.*, *Ceram.*, *Lept.* 553.
- Ophisthomis O J. Thoms.*, ArE. I, 1857, 319 (*O. albicollis Pasc.* 1860, *flavocincta Thoms.* 1860) 1913:39 (Am. centr. et mer.). *Ceram.*, *Ceram.*, *Lept.* 553.
- Ophites O Er.*, G. Spec. *Staph.* 1839/40, 627 (*O. raphidioides Er.* 1839/40) 1913:6 (Col. 3, Amaz. 1, Arg. 1, Carthag. 1). *Staph.*, *Paed.*, *Paedi.* 227.
- Ophoelis Ol.*, Malac. cf. P. II.
- Ophryops O White.* Voy. Ereb. et Terr. Ins. 1846, 19; **Broun.** Man. New Zeal. Inst. Col. I, 1880, 576 (*O. pallidus White* 1846) 1913:5 (N. Z.). *Ceram.*, *Ceram.*, *Phlyct.* 403.
- Ophthalmosericia O Brenske*, BEZ. XLII, 1897, 356 (Subg.) (Typ.?). *O. umbrina Blanch.*, [Cat. Coll. E. Col. I, 1850, 77] 1913:8 (Jap., China, Birma, Ind., Beng., Sib.). *Scar.*, *Melth.*, *Seric.* 24.
- Ophthalmosis O Deyr.*, ASEFr. (4) 7, 1867, 229 (Mon.) (*O. longipes Deyr.* 1867) 1913:1 (Cap. Negro). *Ten.*, *Zoph.* 94.
- Opigения Pasc.*, ANH. (4) 3, 1869, 288 (*O. iridescens Pasc.* 1869) 1913:1 (Viet.). *Ten.*, *Cyphal.* 894.
- Opilo O Latr.*, HNCrIns. III, 1802, 111; **Samouelle**, The Ent. Usef. Comp. 1819, 166; **Kl.**, *Cleri.* 1842, 317; **Lac.**, IV, 438; **Jaec. du Val**, G. Col. d'Eur. III, 1861, 197; **Kiesw.** NID. 4, 1863, 680; **Muls.**, *Angustic.*


- 1863, 59; **J. Lec. et Horn**, Class. Col. N. Am. ed. II, 1883, 218; **Reitt.**, VN. 32, 1893 (1894), 43; Best.-Tab. 1894, 10; **Blackb.**, TRS, South Austral. 24, 1900, 119; **Schklg.**, DEZ. 1903, 13; GIW., *Cler.* 1903, 33; **Schaufuß** in Calwer, 397, 398; **Kuhnt**, 465, 467 (*O. mollis* [L.] 1758) 1913:71 (Eur.; As.; Afr.; Am., Chile, Bras.). *Cler.*, *Cleri.*, *Clerin.* 49.
- Opilus* **Latr.**, **Gutfl.-B.**, 392, 393 = *Opilo* **Latr.** 1802 = *Opilus* [auct.!] cf. **Schklg.** in **Schklg. et J.**, P. 23 p. 32.
- Opisognathus* **J. Thoms.**, Class. Cer. 330; Syst. Cer. 1864, 469; **Lac.**, VIII, 52 nota 1; **Lmr.**, ASEB. 55, 1911, 337 (Rév., 769) = Subg. 3 ad *Dorysthenes* **Vigors** 1826 (*O. forficatus* [F.] 1792) 1913:1 (Mar.). *Ceramb.*, *Prion.*, *Prionin.*, *Prioni.* 71, 3.
- Oplococera* **O. A. White**, Col. Cat. Brit. Mus. VII, 1853, 121 (*O. callidioides* **White** 1853) 1913:2 (Ind. b., Sikkim). *Ceramb.*, *Cerambin.*, *Oem.* 94.
- Oplocheirus* **Lac.**, V, 1859, 468 = *Hoplonyx* **Thoms.** 1858. *Ten.*, *Amaryg.* 1024.
- Oploptera* **Chevr.** in **Guér.**, Icon. règne anim. 1846, 125; **Lac.**, V, 486 = *Otocerus* **Mäkl.** 1864. *Ten.*, *Strongyl.* 1164.
- Oplosternus* **Guér.** 1838 = *Hoplosternus* **Guér.** 1838 [emend.]. *Scar.*, *Melth.*, *Melthi.* 361.
- Opsamates* **O. Waterh.**, TESL. 1879, 264 (*O. dimidiatus* **Waterh.** 1879) 1913:4 (Madag.). *Ceramb.*, *Cerambin.*, *Cerambyc.* 120.
- Opsidota* **O. Pasc.**, JoE. II, 1863, 235; **Lac.** VIII, 1869, 383; **J. Thoms.**, Syst. Cer. 1864, 447 (*O. infecta* **Pasc.** 1863, *albipilosa* **Pasc.** 1866) 1913:5 (Queensl., Austral.) mer.). *Ceramb.*, *Cerambin.*, *Stronglu.* 413.
- Opsimea* **Mill.**, VzbGW. 30, 1880, 224; **Ganglb.**, op. cit. 31, 1881, 98; Best.-Tab. 4a: *Oedem.* 1881, 2; **Seidl.**, F. Ba. ed. 2 1887/91 (1891), Art., 551 (= Subg. ad *Asclera*); F. Tr. 1888/91 (1891) Art., 596 (= Subg. ad *Asclera*); NID. V, 2, 1899, 876, 877; **Sem.**, HoR. 28, 1894, 458 (Sep., 10); **Reitt.**, F. Germ. III, 1911, 406; **Schaufuß** in Calwer, 730 (*O. quadrinervosa* [**Reiche**] 1862 1915:1 (Corsic., Dalm., Croat., Asm.). *Oed.*, *Oedem.*, *Oedemi.* 57.
- Opsimus* **O. J. Thoms.**, Class. Cer. 1860, 377 (*Ops. quadrilineatus* [**Mannerh.**] 1843) 1913:1 (Alaska, Sitka). *Ceramb.*, *Cerambin.*, *Saph.* 33.
- Ora* **O. Clark**, JoE. II, 1865, 385; **Champ.**, BCA. Col. III, 1, (1897), 602 (ad *Halticidae* ref.) (*O. picta* [F.] 1792; *O. Grayi* **Clark** 1865) 1914:11 (Am. e. et mer. trop., Ind., Ceyl.). *Helod.*, *Helodi.* 13.
- Orocopia* **O. Pasc.**, PESL. 1868, 12; ANH. (4) 3, 1869, 30 (*O. monstrosa* **Pasc.** 1868) 1913:1 (Austral.). *Ten.*, *Bolitoph.* 601.
- Orectochilus* **O. Lac.**, F. E. Paris I, 1835, 344; **Aubé**, Icon. Col. V, 1836/8, 399; Spec. Col. 6, 1838, 726; **Sturm**, Deutschl. F. Käf. 10, 1836, 95 t. 227; **Heer**, F. Helv. 1839, 167; **Redtb.**, F. Austr. I—III; **Bach**, I, 121; **Lac.**, I, 441; **Fairm. et Laboulb.**, F. Fr. 1854/56, 223; **Jacq. du Val**, I, 1857, 80; **C. G. Thoms.**, Sk. Col., 117; **Gutfl.-B.**, 64; **Seidl.**, F. Ba. ed. I, et II; F. Tr. 1888, Gatt. p. 21; **Régimb.**, ASEFr. (6) 3, 1883, 385, 410; **Fowl.**, Col. Brit. Isl. I, 1887, 211; **Seidl.**, VN. 25, 1887, 27 et 117; **Ganglb.**, I, 529; **Everis**, I, 146; **Lam.**, F. Belg. II, 830; **Reg.**, GIW. 1, 1902, 9; **Csiki**, Bogarf. I, 1908, 515; **Reitt.**, F. Germ. I, 1908, 235, 237; Süßwasserf. Deutschl. III—IV, 1909, 48 et 51; **Schaufuß** in Calwer, 141; **Kuhnt**, 153, 155 (*O. villosus*

- [**O.F.Müll.**] 1776) 1913:95 (As., Ceylon, Arch., Sundaic., Euc., Alg., Aeg.). *Gyr.*, *Orect.* 9.
 Biol.: **Haliday**, EMa. 2, 1835, 530; **Griesbach**, op. cit. 4, 1837, 254; **Frauenf.**, Isis X, 1847, 772; **Schiöde**, NTi. (3) 3, 1864/5, 191 t. VII; **Rég.**, ASEFr. (6) 2, 1882, t. 11 f. 21, 22; (6) 3, 1883, 383; **Ganglb.**, I, 529 (Larve); **Reitt.**, F. Germ. I, 1908, 237; Süßwasserf. Deutschl. III—IV, 1909, 51 (copula).
- Orectochilus* [**Esch.**] **Gutfl.-B.**, 64 = **O. Lac.** 1835.
- Orectogyrus* **O Rég.**, ASEFr. (6) 3, 1883, 385, et 439; **Seidl.**, VN. 25, 1887, 27; **Rég.**, GIW. I, 1902, 10 (Typ. ?; *O. glaucus* [**Klug**] 1834) 1913:70 (Afr., Madag.). *Gyr.*, *Orect.* 10.
- Orectoscelis* **O Lewis**, ANH. (7) 12, 1903, 426 (Typ. ?; *O. humeralis* **Lewis** 1903, *O. Duboulayi* **Westw.** 1869) 1913:3 (Austral., mer. Queensl.). *Hist.* 102.
- Oregostoma* **J. Thoms.**, Class. Cer. 1860, 176, 178 = *Phoenissa* **Bates** 1870 = Subg. 1 ad *Ommata* **White** 1855. *Ceram.*, *Cerambin.*, *Rhinotr.* 638, 1.
- Oregostoma* **O Serv.**, ASEFr. II, 1833, 551 (*O. discoideum* **Serv.** 1833) 1913:3 (Bras.). *Ceram.*, *Cerambin.*, *Rhinotr.* 637.
- Oreina* **Motsch.** in **Schrenck's R.**, II, 1860, 202; **Chap.**, X, 382 = *Chrysochloa* **Hope** 1840. *Chry.*, *Chryso.*, *Chrysi.* 25.
- Oremasis* **O Pasc.**, JoE. II, 1866, 470; ANH. (4) 3, 1869, 288 (*O. cupreus* [**Gray in Griff.**] 1832) 1913:2 (Austral., Queensl.). *Ten.*, *Cyphal.* 907.
- Oreomela* **O Jacobs.**, HoR. 29, 1895, 272, 274 = Subg. 2 ad *Xenomela* **Ws.** 1884 (*O. Heydeni* **Ws.** 1885, *Jacobsoni* **Sem.** 1894) 1916:13 (As. centr.). *Chry.*, *Chryso.*, *Tim.* 119, 2.
- Oreothassa* **O Jacobs.**, HoR. 35, 1900, 86, 89 (*O. Martjanowi* **Jacobs.** 1909) 1916:1 (Sib. occ.). *Chry.*, *Chryso.*, *Phaedo.* 43.
- Orectrogus* **Kolbe**, D.-Ostaf. IV, Col., 1897, 165 (*O. Volkensi* **Kolbe** 1897) 1913:1 (Afr. or.). *Scar.*, *Melth.*, *Melthi.* 252.
- Orina* **Ws.**, NID. VI, 3, 1884, 434; **Schaufuß** in **Calwer**, 943; **Kuhnt**, 804, 844 = *Chrysochloa* **Hope** 1840. *Chry.*, *Chryso.*, *Chrysi.* 25.
- Orion* **O Guér.**, Icon. règne anim. Ins. 1843, 229 (*O. patagonus* et *brunneus* **Guér.** 1843) 1913:4 (Pat., Urug., Bras., Bol.). *Ceram.*, *Cerambin.*, *Phorac.* 218.
- Ornistoromus* **O J. Thoms.**, Syst. Cer. 1864, 166, 417 (*O. bicinctus* **Thoms.** 1864) 1913:3 (Peru, Bras., Amaz.). *Ceram.*, *Cerambin.*, *Rhinotr.* 636.
- Ornithia* **J. Thoms.**, Syst. Cer. 1864, 213; **Lac.**, IX, 1889, 117 (*O. mexicana* **Sturm** 1843) 1913:1. (Mex., Guatem., Nicarag., Pan.) *Ceram.*, *Cerambin.*, *Rhopal.* 899.
- Ornosia* **Grouv.**, ASEFr. 68, 1899, 139 (*O. sexpustulata* **Grouv.** 1899) 1913:1 (Madag.). *Nit.*, *Nitid.* 89.
- Orobaenus* **Lee.**, B. U. Stat. Geol. Surv. IV, 2, 1878, 453; **Casey**, AN YAcSc. VII, 1892—94 (1893), 405 (*O. simulator* **Lee.** 1878) 1913:3 (Am. b., Cal.). *Staph.*, *Oxyl.*, *Omal.* 79.
- Orobychus* **Pasc.**, PESTL. 1868, 12; **Geb.**, WEZg. 24, 1905, 258 = *Taphrosoma* **Kirsch** 1866. *Ten.*, *Tenebr.* 792.
- Orochares* **O Kraatz**, NID. II, 1856—58, 955; **Ganglb.**, KäfMEur. II, 1895; **Schaufuß** in **Calwer**, 153; **Kuhnt**, 160, 189 (*O. angustatus* [**Er.**] 1839/40) 1913:1 (Eur. med., Britann.; Am. b.). *Staph.*, *Oxyl.*, *Omal.* 61.
- Orocina* **Reitt.**, DEZ. 1896, 303; Best.-Tab. 42, 1900, 87, 97 (*O. capnisciceps* **Reitt.** 1896) 1913:2 (Turk.). *Ten.*, *Tentyr.* 97.
- Orodaliscus* **Reitt.**, DEZ. 1900, 84; **A. Schmidt**, GIW. *Aphod.*, 20 et 58; **Schaufuß** in **Calwer**, (1283) = Subg. ad *Aphodius* **Ill.** 1798. *Scar.*, *Aphod.* 7.

- Orodalus* **Muls.**, HN. Col. Fr. *Lamell.*, 1871, 199; **Reitt.**, Tab., *Aphod.*, 72; VN. 30, 210; **A. Schmidt**, GIW. *Aphod.* 20 et 48; **Schaufuß** in Calwer, 1269; **Kuhnt**, 390 = Subg. ad *Aphodius* III. 1798. *Scar.*, *Aphod.* 7.
- Oroderes* **O W. Saund.**, TESL. (2) I, 1850, 76 (*O. humeralis* **W. Saund.** 1850) 1913:2 (N.S.W., Austral. occ.). *Ceram.*, *Cerambin.*, *Macrn.* 443.
- Oromus* **Muls.**, HN. Col. Fr. *Lamell.* 187, 195; **Reitt.**, Tab., *Aphod.* 63; VN. 30, 201; **A. Schmidt**, GIW. *Aphod.* 1910, 19 et 40 = Subg. ad *Aphodius* III. 1798. *Scar.*, *Aphod.* 7.
- Orophinus* **Marschall**, Nomencl. Zool. 1873, 226 = *Orophius* **Redtb.** 1847. *Cio.*, *Oroph.* 19.
- Orophius* **O Redtb.**, F. Austr. ed. I, 1847, 250; **Lac.**, IV, 1857, 553; **Jacq. du Val**, III, 239; **Gutfl.-B.**, 408; **Schaufuß** in Calwer, 505 (*O. mandibularis* [**Gyll.**] 1813) 1913:3 (Eur., Cauc. — Sib., Jap., Austral.). *Cio.*, *Oroph.* 19.
- Oropodes* **Cas.** Col. Not. V, in AN YAcSc. 1893, 453; **Raffr.**, Rev. d'E. 17, 1898, 246; ASEFr. 72, 1903, 526; GIW. *Psel.* 1908, 81 (*O. orbiceps* **Casey** 1893) 1913:1 (Cal., Chile?). *Psel.*, *Psel.*, *Euplect.* 85.
- Oroptera* **Borchm.**, ArN. 81, 1915 (1916) A. 6, 48, 104 (*O. physoptera* **Borchm.** 1916) 1916:1 (Batu-Lawi). *Lagr.*, *Lagri.* 7c.
- Oropus* **O Casey**, B. Cal. Ac. Sc. 1886, 196; **Raffr.**, ASEFr. 72, 1903, 587; GIW. *Psel.* 1908, 122 (*O. interruptus* **Casey** 1886; *striatus* [**J. Lec.**] 1874) 1913:13 (Cal., Col. brittan., Senoma, Vancouver). *Psel.*, *Psel.*, *Trichon.* 142.
- Oropygia* **Raffr.**, A.SAfr. Mus. V, 1901, 419 (*O. myrmecophila* **Raffr.** 1901) 1913:1 (Terra cap.). *Psel.*, *Psel.*, *Batris* 160.
- Orostygia* **J. Müll.**, WEZg. 31, 1912, 301; **Breit**, Emi. II, 1913, 308; **Jeannel**, Arch. Zo. exp. 54, 1914, 73 (**O. Moczarskii** **J. Müll.** 1912) 1914:1 (lapidic.: Alp. Ven.). *Silph.*, *Bath.*, *Bathy.* 35.
- Orphilus* **O Er.**, NID. III, 461; **Lac.**, II, 472; **Jacq. du Val**, II, 260; **Muls. et Rey**, *Scutic.*, 178; **Gutfl.-B.**, 287; **Jaine**, P. Am. Phil. S. 20, 1882, 372; **Casey**, JoN YES. 8, 1900, 164; **Ganglb.**, IV, 1, 1904, 47; **Schaufuß** in Calwer, 607; **Kuhnt**, 602, 608 (*O. niger* [**Rossi**] 1790, *O. ater* **Er.** 1846) 1913:6 (Eur., Asm. Born. b.-or., Amer. b.). *Derm.*, *Orphil.* 31.
- Orphinium* **O Lewis**, ANH. (7) 12, 1903, 419 (*O. ablitum* **Mars.** 1853) 1913:8 (Bras., Col., Ecuad., Guyana). *Hist.* 4.
- Orphinus* **O Motsch.**, Etud. E. VII, 1858, 48 (*O. haemorrhoidalis* et *pedestris* **Motsch.** 1858) 1913:2 (Birma). *Derm.*, *Orphil.* 32.
- Orphinidius* **Benderitter**, BSEFr. 1913, 831 (*O. nitidulus* **Guér.** —) 1913:1 (—). *Scar.*, *Copr.*
- Orphnomala* **Reitt.**, VN. 41, 1903, 57 = *Anomala* **Sam.** s. str. 1819. *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma.* 71, 2.
- Orphanus* **O** * **M'Leay**, HoE. I, 1819, 119; **Westw.**, TESL. IV, 1846, 175. *Biol.*: **Arrow**, TESL. 1904, 724. — (*O. bicolor* [**F.**] 1801) 1913:37 (Afr.; Ind., Ceylon). *Scar.*, *Orphn.* 5.
- Orrodoretus* **Ohs.**, DEZ. 1912 p. 277 = Subg. ad *Prodoretus* **Brenske** 1893 (*O. torolabris* **Ohs.**, *Magdaliensis* **Ohs.** 1912) 1918:2 (Trv., Togo). *Scar.*, *Rut. orth.*, *Anoplgni.*, *Prodrtm.* 147, 1.
- Orsodacna* **Latr.**, **Gutfl.-B.**, 595 = *Orsodacne* **Latr.**
- Orsodacne* **O Latr.**, HNCrIns. III, 1802, 223; **Lac.**, Mon. Phyt. I, 1845, 69; **Fairm.**, G. Col. d'Eur. IV, 1856, 208; **C. G. Thoms.**, Sk. Col. 8, 132; **Chap.**, X, 48; **Ws.**, NID. 6, 1882, 3; **Bedel**, V, 118; **Jac.**, GIW. 14, 1903, 9; **Everts**, II, 396; **Jac.**, F. Brit. Ind.

- II, 1908, 15; **Schaufuß** in Calwer, 899, 900; **Kuhnt**, 802, 815 (*O. cerasi* [L.] 1758, *lineola* [Panz.] 1795, *atra* [Ahr.] 1810) 1913:9 (Eur., As., Am. b.). *Chrys.*, *Orsod.* 1.
- Orsonyx** **J. Lec.**, Jo. Ac. Philad. (2) 3, 1856, 265 = *Diploptaxis* **Kirby** 1837. *Scar.*, *Melth.*, *Melthi.* 223.
- Orthaspistes** **Haged.**, DEZ. 1909, 733 (*O. camerunus* **Haged.** 1908) 1913:1 (Cam.). *Ip.*, *Hyl.* 80.
- Ortheolus** **Cas.** 1907 (*O. oculatus* **Champ.** 1884) 1913:1 (Pan.). *Ten.*, *Epitrag.* 72.
- Orthidus** * **Muls. et Rey**, ASAgr. Lyon (4) 8, 1875, 339; **Schaufuß** in Calwer, 194. — Biol.: **Rey**, ASLLyon 33, 1886, 147; **Rupertsb.**, Biol. Käf. Eur. 1894, 121 (*O. cribratus* [Er.] 1839/40) 1914:1 (Mediterr. occ.). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 287.
- Orthocephala** **J. Thoms.**, Class. *Cer.* 1860, 257 = *Pseudocephalus* **Newm.** *Ceram.*, *Cerambin.*, *Pseudoph.* 450.
- Orthocis** **O Casey**, JoN YES. 6, 1898, 84 (*O. punctatus* **Mellié** 1848) 1913:4 (Am. b., Cal., Fla.). *Cio.*, *Cisi.* 6.
- Orthodora** **Motsch.** in **Schrenck's R.**, II, 1860, 185 = *Doryphora* **Ill.** 1807. *Chrys.*, *Chryso.*, *Chrysi.* 6.
- Orthogonoderes** **Sol.** in **Gay**, H. Chile, V, 1851, 198 = *Praocis* **Eschsch.** 1829. *Ten.*, *Praoc.* 410.
- Orthogramma** **Murr.**, Mon. 1864, 29 = *Platynema* **Rits.** 1885. *Nit.*, *Carpophil.* 44.
- Ortholeptura** **Casey**, Mem. Col. 4, 1913, 204 (*O. oculoa* **Casey** 1913) 1913:1 (Cal.). *Ceram.*, *Cerambin.*, *Lept.* 548 ab.?
- Orthomegas** **O Serv.**, ASEFr. I, 1832, 149; **J. Thoms.**, Class. *Cer.*, 293; *Syst. Cer.* 475; **Lac.**, VIII, 77; **Lmr.**, ASEB. 48, 1904, 58 (Rév., 476) = Subg. 4 ad *Callipogon* **Serv.** 1832) Archiv für Naturgeschichte. 1918. A. 4
- (*O. cinnamomeus* [L.] 1758) 1913:4 (Amaz., Col., Peru, Nicar., Ven.). *Ceram.*, *Prion.*, *Callipogi.*, *Callipog.* 52, 4.
- Orthoepelus** **Horn**, *Nitid.* U. States, 1879 287, et 311 (*O. quadricollis* **Horn** 1879) 1913:1 (Am. b.: Civ. confoed.). *Nit.*, *Nitid.* 112.
- Orthoperus** **O Steph.**, Ill. Brit. E. Mand. II, 1829, 186; **Jacq. du Val**, II, 235, 237; **C. G. Thoms.**, Sk. Col. IV, 114; **Gutfl.-B.**, 653; **Heyd.**, BEZ. 18, 1874, 116; **Matth.**, BCA.Col. II, 1 1888, 122; Mon. *Coryl.* 1899, 171; 180 t. 7 f. A; **Everts**, I, 432; **Ganglb.**, III, 283; **Casey**, JoN YES. 8, 1900, 66 f. 4; **Reitt.**, F. Germ. II, 1909, 261, 263; **Schaufuß** in Calwer, 294, 295; **Kuhnt**, 350, 351 (*O. atomus*, *brunnipes* [Gyllh.] 1808) 1913:34 (Eur., As., Afr., Am.). *Orth.*, *Ortho.* 28.
- Orthophilus** **O* Leach.**, Zo. Misc. 3, 1817, 76; **Er.** in **Klug**, Jahrb. I, 1834, 204; **Mars.**, Mon. 1856, 549; **Jacq. du Val**, II, 106; **C. G. Thoms.**, Sk. Col. IV, 1862, 256; **Schmidt**, BEZ. 29, 1885, 284; **Ganglb.**, KäfMEur. III, 1899, 400; **Reitt.**, F. Germ. II, 1909, 294. — Biol.: **Bedwell**, EMM. 43, 1907, 62; **Heinemann**, EBL. 6, 1910, 121. — (*O. striatus* [Forst.] 1771) *sulcatus* [F.] 1792) 1913:18 (Eur., As., Am. b.). *Hist.* 107.
- Orthopleura** **O Spin.**, *Clerit.* II, 1844, 80; **J. Lec.**, AN YAcSc. V, 1852, 33; **Lac.**, IV, 1857, 482; **Gutfl.-B.**, 394; **Chenu**, Enc. II, 1860, 272; **Jacq. du Val**, G. Col. d'Eur. III, 200; **J. Lec.**, Class. 197; **Kiesw.**, NID. IV, 698; **Muls.**, Col. Fr. *Angustic.*, 106; **Gorh.**, BCA.Col. III, 2, 184; **J. Lec.**, Class. II, 219; **Reitt.**, VN. 22, 1893 (1894), 81; *Best.-Tab.* 1894, 48; **Schklg.**, GIW. *Cler.* 1903, 109; **Gahan**, ANH. (8) V, 1910, 69; **Wolcott**, Publ. Field Mus. Chicago 7, 1910, 333; *Bull. Ind. Dept. Geol.*

- Nat. I, 1910, 861; **Schaufuß** in *Calwer*, 601, 402; **Kuhnt**, 466, 470. (*O. sanguinicollis* [F.] 1787) 1913:11 (Am. c. et b., Cuba; Eur. c. et mer.). *Cler.*, *Coryn.*, *Enopli.* 149.
- Orthopleuroides* **Kuw.**, ASEFr. 37, 1893, 489; **Schklg.**, GIW. *Cler.* 1903, 112; **Hintz**, DEZ. 1905, 313; **Schklg.**, DEZ. 1906, 317; **Gahan**, ANH. (8) V, 1910, 69 (*O. nigerrimus* **Kuw.** 1893) 1913:2 (Natal., Congo, Cam.). *Cler.*, *Coryn.*, *Enopli.* 150.
- Orthopraxis* **Aur.**, ArkZo. VII, 3, 1910, 17 (*O. abdominale* [Gyllenb. in *Schönh.*] 1817, *vittatum* **Aur.** 1910) = Subg. 2 ad *Orthoschema* **J. Thoms.** 1860 (Bras., Ven.). *Ceramb.*, *Cerambin.*, *Comps.* 764, 2.
- Orthopterus* **Westw.**, EMa. V, 1838, 502 (Subg.) = *Cerapterus* **Swed.** 1788. *Pauss.*, *Cerapt.* 3.
- Orthoschema* **J. Thoms.**, *Class. Cer.* 1860, 253; **Aur.**, ArkZo. VII, 3, 1910, 15 (Synops.). — 2 Subgg. *O. s. str.* et *Orthopr.* — *O. s. str.* = Subg. 1 ad *Orth.* **J. Thoms.** 1860 (*O. prasinipenne* [Luc.] 1859, *albicorne* [F.] 1801) 1913:15 (Bras.). *Ceramb.*, *Cerambin.*, *Comps.* 764; 764, 1.
- Orthoserica* **Brenske**, BEZ. XLVI, 1900, 79, XLVI, 1901, 462 (*O. fulvastra* **Brenske** 1902) 1913:1 (Kita). *Scar.*, *Melth.*, *Seric.* 94.
- Orthosoma* **O Serv.**, ASEFr. I, 1832, 155; **J. Thoms.**, *Class. Cer.* 1860, 289; *Syst. Cer.* 471; **Lac.**, VIII, 145; **J. Lec. et Horn.**, *Class.* 1883, 273; **Lmr.**, ASEFr. 55, 1911, 261 (Rév. 740) = Subg. 1 ad *Derobr.* **Serv.** 1832 (*O. brunneus* [Forst.] 1771) 1913:1 (Am. b.: Civ. confoed. or., Haiti, Guadeloupe). *Ceramb.*, *Prion.*, *Prionin.*, *Derobr.* 70, 1.
- Orthosticha* **Motsch.** in **Schrenck's R.**, II, 1860, 221 = *Phaedon* s. str. = Subg. 1 ad *Phaedon* **Latr.** 1829. *Chryso.*, *Chryso.*, *Phaedon.* 39, 1.
- Orthostolus* **O Sharp**, F. *Hawaiiens.* III, 1908, 452 (*O. robustus* [Sharp] 1878) 1913:9 (I. Hawaii.). *Nit.*, *Carpophil.* 29.
- Orthostoma* **Serv.**, ASEFr. III, 1834, 61; **Cast.**, HN. II, 1840, 432 = *Orthoschema* **Thoms.** 1860. *Ceramb.*, *Cerambin.*, *Comps.* 764.
- Orthostomidius* **Bruch.**, *Rev. Mus.* La Plata XV, 1908, 210 = *Compso-cerus* **Serv.** 1834. *Ceramb.*, *Cerambin.*, *Comps.* 765.
- Orthotomicus* **Ferr.**, *Borkenk.* 1867, 44 = *Ips* **De Geer** 1775. *Ip.* 56.
- Orthrius* **O Gorch.**, *Cist. E. II*, 1875—82 (1876), 74; *AMusG.* (2) 12, 1892, 737; **Schklg.**, GIW. *Cler.* 1903, 45 (*O. cruciatus* [M'Leay] 1827) 1913:32 (As. mer., Austr.). *Cler.*, *Cleri.*, *Clerin.* 56.
- Orubesa* **Reitt.**, *WEZg.* 14, 1895, 150; **Sem.**, *HoR.* 29, 1895, 339 (*O. perforata* **Reitt.** 1895) 1913:1 (Herat). *Scar.*, *Hybosc.* 18.
- Orus* **Casey**, *Contr. Col. N.Am.* 1884, 604 = Subg. ad *Scopaes* **Er.** 1839/40. *Staph.*, *Paed.*, *Paedi.* 205.
- Oruscatus* **Bates**, *TESL.* 1870, 174 (*O. opalescens* **Bates** 1870, *Davus* [Er.] 1847) 1913:2 (Peru, Ec., Col.). *Scar.*, *Copr.*, *Copri.*, *Phan.* 87.
- Orychodes* **O Pasc.**, *JoE.* I, 1862, 389; **Lac.**, VII, 1866, 432; **Schoenfeldt**, *GIW. Brenth.* 1908, 41 (*O. cinnamomi* [Hbst.] 1783) 1913:14 (Ind. Malay. Arch.; N.Guin., Ins. div.). *Brenth.*, *Brentha.*, *Arrh.* 67.
- Oryctomorpha* **O Guér.**, *Voy. Coquille*, Col. 1830, 79; **Germain**, *An. Univ. Santiago* 109, 1901, 81 (*O. bimaculatus* **Guér.** 1830) 1918:3 (Chile, Arg., Peru occ.). *Scar.*, *Rut. hom.*, *Ruti.*, *Oryctmph.* 39.
- Oryotus* **O* L. Miller**, *VzbGW.* 6, 1856, 627; **Marseul**, *Préc. Silph.* in *Abeille* 22, 1884, 12; **Reitt.**, *VN.* 23, 1885, 10; *WEZg.* 5, 1886, 316; **Ganglb.**, *KäfMEur.* 3, 1899, 90; **Reitt.**, *WEZg.* 27, 1908,

- 114; **Breit**, EMI. II, 1913, 307; **Jeannel**, Arch. Zo. exp. 5 (5) 1910, 16 f. 11 et 12; 54, 1914, 72; Rev. *Ba.*, 1911, 435; **Schaufuß** in Calwer, 264. — Chorol.: **Jeannel**, Rev. *Ba.*, 140. (O. *Schmidti* **L. Miller** 1856) 1914:2 (cavern.: Carniol., Terra cost.). *Silph.*, *Bath.*, *Bathy.* 30.
- Oschaninia* **Sem.**, WEZg. 17, 1898, 175; HoR. 34, 1900, 645; **Seidl.**, NID. V, 2, 1899, 816 (O. *Wilkinsi* [**Heyd.**] 1894) 1915:1 (Transcasp.). *Oed.*, *Oedem.*, *Ascler.* 38.
- Osdara* **Walk.**, ANH. (3) 2, 1858, 284; **Lac.**, V, 445 (O. *picipes* **Walk.** 1858) 1913:6 (Madag., Ind.). *Ten.*, *Helop.* 1046.
- Osnaparisis* **Fairm.**, ASEFr. (6) 9, 1889, 72 (O. *nucea* **Fairm.** 1889) 1914:1 (Moupin). *Chrys.*, *Eumolp.*, *Cyn.* 178.
- Osmidus* **O. J. Lec.**, Smiths. Misc. Coll. XI, 264, 1873, 177 (O. *guttatus* **J. Lec.** 1873) 1913:1 (Cal. infer.). *Ceram.*, *Cerambin.*, *Hesprph.* 175.
- Osorius* **O**  **Latr.**, Règne anim. IV, 1829, 438; **Er.**, G. Spec. *Staph.* 1839/40, 753; **Lac.**, II, 1854, 112; **Kraatz** NID. II, 1856/8, 806; **Sharp**, TESL. 1876, 381; *BCA.Col.* I, 2, 1882/87 (1887). 677; **Lynch**, Estaf. Buenos Aires in: Bol. Ac. Nac. Cordoba 6, 1884, 345. — Biol.: **Coquerel**, ASEFr. (2) 6, 1848, 180 t. 7 nr. 4 f. 3a; **Kraatz**, ArN. 25, 1859, I, 167; **Candèze**, MSScLiège 1861, 331, t. 1 f. 3 (Typ.?: O. *latipes* [**Grav.**] 1806, ater **Perty** 1834) 1913:83+2 (*murecarius*, var. *verenifrons* et *punctifrons* **Bernh.**: Madag.) (As., Afr., Am.). *Staph.*, *Oxyt.*, *Osori.*, *Osor.* 136.
- Osphranteria* **Redt.**, Denkschr. Akad. Wiss. Wien I, 1850, 50 (O. *coerulelescens* et *suaveolens* **Redt.** 1850) 1913:2 (Pers. mer.). *Ceram.*, *Cerambin.*, *Callich.* 755.
- Ospkryon* **O Pasc.** TESL. (3) 3, 1869, 662; **Lmr.**, ASEB. 54, 1910, 285 (Rév., 714) (O. *adustus* **Pasc.** 1869) 1913:3 [2+1] (N. Guinea). *Ceram.*, *Prion.*, *Prionin.*, *Derobr.* 67.
- Ospidus* **Pasc.**, JoE. II, 1866, 467 (O. *chrysoloides* **Pasc.** 1866) 1913:3 (Queensl.). *Ten.*, *Helaei.* 735.
- Ossibia* **O Pasc.**, ANH. (3) 19, 1867, 311 (O. *fuscata* [**Chev.**] 1856) 1913:4 (Afr. trop. or. et occ., Afr. mer.). *Ceram.*, *Cerambin.*, *Obri.* 362.
- Ossiporis* **Pasc.**, JoE. II, 1866, 450 (O. *terrena* **Pasc.** 1866) 1913:1 (Port. Natal.). *Ten.*, *Molur.* 317.
- Osternus* **Fairm.**, ASEB. 39, 1895, 446 (O. *opacicollis* **Fairm.** 1896) 1913:1 (Madag.). *Ten.*, *Cnodal.* 949.
- Ostoma* **Leichart.**, Verz. Besch. Tyrol Ins. I, 1781, 107; **Reitt.**, VN. 14, 1876, 61; **Ganglb.**, KäfMEur. III, 1899, 430; **Schaufuß** in Calwer, 412; **Kuhnt**, 473, 474 (O. *grossa* [**L.**] 1758, 1913:15+4 inc. spp.; — 3 Subgg. *Zim.*, *Gryn.* et *Ostoma* s. otr. (Eur., As. or., Sib., Madag., Am. b.). *Temn.*, *Ostom.* 45.
- Ostomodes* **O Reitt.**, VzbGW. 27, 1877, 174 (O. *pallida* [**Motsch.**] 1863) 1913:1 (Cal., Oregon). *Temn.*, *Ostom.* 40.
- Ostorius* **Fairm.**, Compt. rend. SEB. 1889, p. XXXIII (O. *multicostatus* **Fairm.** 1889) 1913:1 (Minas Geraes). *Ten.*, *Opatr.* 560.
- Otaromia* **Aur.**, ArkZo. VII, 19, 1910, 2 (= *Jonthodina* **Ach.**) (O. *lugubris* **Fairm.** 1893) 1913:1 (Shoa). *Ceram.*, *Cerambin.*, *Callich.* 720.
- Oterophloeus* **Desbr.**, Bull. Ac. d'Hipp. 16, 1881, 52 (4); **Reitt.**, Best.-Tab. 42, 1900, 89 et 143 (Mon.) (O. *picipes* **Desbr.** 1881, *humerosus* [**Fairm.**] 1875) (Alg., Tun.). *Ten.*, *Tentyr.* 125.
- Oteroscelis* **Sol.**, ASEFr. 4, 1835, 515; **Allard**, Mon. 164 = Subg. ad *Adesmia* **Fisch.** 1822. *Ten.*, *Adesm.* 81.

- Othelecta Pasc.*, JoE. II, 1866, 488, **Haag. Rutenb.**, Jo. Mus. Godeffr. 14, 1879, 134; DEZ. 23, 1879, 412 = *Cylindrothorus Sol.* 1844. *All.*, *Allec.* 89.
- Otheostethus H. W. Bates*, TESL. 1872, 169; **Lmr.**, MSEB. 21, 1912, 104 (Rév., 968) (*O. melanurus H. W. Bates* 1872) 1913:1 (Nicaragua). *Ceramb.*, *Prion.*, *Anacol.*, *Anac.* 104.
- Othiellus Casey*, T.Ac.St.Louis XVI, 1906, 422, 423 = *Othius Steph.* 1832. *Staph.*, *Staphy.*, *Xanth.* 276.
- Othius (Leach.) Gutfll.-B.*, 147 = *O. Steph.* 1832.
- Othius O* $\frac{3}{4}$ **Steph.**, III. Brit. V, 1832, 253; **Ganglb.**, KäfMEur. II, 1895, 468; **Casey**, T.Ac. St.Louis XVI, 1906, 422, 423; **Schaufu B** in Calwer, 187; **Kuhnt**, 166, 229. — Biol.: **Rupertsberger**, Biol. Käf. Eur. 1894, 122; Rev. d'E. 17, 1898, 27. — (Typ. ?; *O. punctulatus [Goeze]* 1777, *laeviusculus Steph.*, 1832; *melanocephalus [Grav.]* 1806) 1916:28 (Eur. c., med., Medit., Afr. bor., Japon. 4; Am.: Terra ign., N.Z. 3, Ins. Canar.?). *Staph.*, *Staphy.*, *Xanth.* 275.
- Othinius O Lec.*, Class. 1861, 102; **Champ.**, BCA.Col. IV, 1, 1888, 466 (*O. gutturalis, umbrosus Lec.* 1861) 1913:15 (Amer. c., Mex., As., Jap., Ceyl., Bati., Borneo, Va., Nebr.). *Othn.* I.
- Othnonius Olliff*, PLSNSW. (2) 5, 1890, 5 (*O. Batesi Olliff* 1890) 1913:1 (N.S.W.). *Scar.*, *Melth.*, *Pachyd.* 405.
- Othryades O Champ.*, BCA.Col. IV, 2 1889, 72, 1, 2 (*O. fragilicornis Champ.* 1889) 1913:1 (Pan.). *Lagr.*, *Stat.* 36.
- Othryoneus O Chapm.*, BCA.Col. IV, 1, 1886, 245 (*O. maculipennis et erotyloides Champ.* 1846) 1913:2 (Nicarag., Col.). *Ten.*, *Cnodal.* 942.
- Otiartes J. Thoms.*, Syst. Cer. 283; **Lac.**, VIII, 61 = *Prionus F.* 1775. *Ceramb.* *Prion.*, *Prionin.*, *Prioni.* 72.
- Otilea O Lefv.*, ASEFr. (5) 7, 1877, 154; MSLiège (2) 11, 1885, 50 (*O. curiosa [O.]* 1808) 1914:11 (Am. mer. trop., Amaz., Peru 3). *Chryss.*, *Eumolp.*, *Chalcoph.* 73.
- Otocerus O Mäkl.*, Mon., 376; Acta S. Fenn. 8, 1, 1867, 484; **Champ.**, BCA.Col. IV, 1, 1888, 377 (*O. serraticornis Mäkl.* 1864) 1913:22 (Pan., Bras., Nicar.). *Ten.*, *Strongyl.* 1164.
- Otoclinius Brenske*, BEZ. 41, 1896, 320 (*O. gracilipes Brenske* 1896) 1913:1 (Beluchistan.). *Scar.*, *Melth.*, *Pachyd.* 417.
- Ototreta Ern. Oliv.*, ASEB. 44, 1900, 237; GIW. *Lamp.* 1907, 55; BSEFr. 1908, 113 (*O. fornicata Ern. Oliv.* 1900) 1913:10 + 12 (Jap.; Born., Sum., Nias, Tonkin). *Lamp.*, *Luc.* 46. Variat.: **Olivier**, AMusG. (4), 1910, 318.
- Otrintus O Pasc.*, JoE. II, 1866, 483 (*O. Behri [Germ.]* 1848) 1913:3 + 3 (Austral.). *Ten.*, *Adeli.* 1000.
- Otteissa Pasc.*, JoE. II, 1864, 286 (*O. sericea Pasc.* 1864) 1913:1 (Natal). *Ceramb.*, *Cerambin.*, *Lept.* 513.
- Otys O Champ.*, TESL. 1895, 221 (*O. harpalinus Champ.* 1895) 1913:3 (Austr. occ.). *All.*, *Allec.* 48.
- Oulema Gozis*, Recherches Typ. 1886, 33 = *Lema F.* 1798. *Chryss.*, *Crioc.* 4.
- Oulimnius Des Gozis*, Rech. de l'esp. typ. 1886, 9 = *Limnius Er.* 1847. *Dryop.* 41.
- Oupyrrhidium Pic*, Cat. Col. Longic. 1900, 50 = *Callidium F.* 1775. *Ceramb.*, *Cerambin.*, *Callid.* 783.
- Outeniqua O Péring.*, T.SAfr. E. Phil. S. 12, 1902, 859 (*O. festiva [Péring.]* 1885) 1913:1 (Mossamb., Trv., Rhodes. mer., Terr. Bechuana). *Scar.*, *Melth.*, *Hopl.* 529.
- Outipmus Gozis*, Rech. Typ. 1886, 24 = *Sphaericus Woll.* 1854. *Ptin.*, *Ptini.* 11.
- Ovalampis ? ? (O. crispaticollis Fairm.*, SEB. 1898, 404) 1913:1 (Madag.). *Lamp.* inc. sedis 57.

- Ovamela* **O Fairm.**, Natural. IX, 1887, 83; **Jac. et Clav.**, GIW. 23, 4 (*O. ornatipennis* **Fairm.** 1887) 1913:1 (Madag.). *Chryso.*, *Crioc.* 8.
- Ovomorpha* **Motsch. in Schrenck's R.**, II, 1860, 213 = *Chrysomela* **L.** 1758. *Chryso.*, *Chryso.*, *Chrysi.* 24.
- Ovosoma* **Motsch.**, in **Schrenck's R.**, II, 1860, 214; **Mars.**, Abeille, 24, 1886, 137 = *Chrysomela* **L.** 1758. *Chryso.*, *Chryso.*, *Chrysi.* 24.
- Ovostoma* **Motsch. in Schrenck's R.**, II, 1860, 215 = *Chrysomela* **L.** 1758. *Chryso.*, *Chryso.*, *Chrysi.* 24.
- Oxaxis* **O J. Lec.**, VzbGW. 31, 1881, 98 et 105 nota; Best.-Tab. 4a; *Oedem.* 1881, 2 et 9 nota; **Seidl.**, F. Ba. et Tr.; NID. V, 2, 815; **Sem.**, HoR. 28, 1894, 456 (Sep., 8); **Desbr.**, Frelon, 8 (1900), *Oed.*, 56, 64; **Reitt.**, F. Germ. III, 1911, 406; **Schaufuß** in Calwer, 730 (*O. granulata*, *lucana*, *pallida* **J. Lec.** 1866, *taeniata* [**J. Lec.**] 1854) 1915:44 (Am. c. et part. adjac.). *Oed.*, *Oedem.*, *Ascler.* 30.
- Oxaxis* **Blackb.**, TRS.SouthAustral. 23, 1899, 73 et 78 = ?*Sessinia* **Pasc.** 1866. *Oed.*, *Oedem.*, *Ascler.* 28.
- Oxarthrius* **O Reitt.**, VzbGW. 32, 1882, 378; **Raffr.**, Rev. d'E. 13, 1894, 330; ASEFr. 66, 1897, 436; ASEFr. 73, 1904, 125; GIW. *Psel.* 1908, 153 (*O. bispinosus* **Reitt.** 1882) 1913:8 (Bol. sup., Pan., Guat.). *Psel.*, *Psel.*, *Batris.* 168.
- Oxidates* **O Champ.**, BCA.Col. IV, 1 1886, 263 (*O. planicollis* **Champ.**, *aurichalceus*, *gravidus* **Champ.** 1886, *thoracicus* [**Brême**] 1842) 1913:9 (Mex.). *Ten.*, *Helop.* 1062.
- Oxilus* **O Buq.**, ASEFr. (3) VII, 1859, 619 (*O. terminatus* **Buq.** 1859) 1913:1 (Senegal.). *Ceram.*, *Ceram.*, *Obri.* 382.
- Oxinthas* **Champ.**, BCA.Col. IV, 1, 1884, 72 (*O. praocioides* **Champ.** 1884) 1913:1 (Mex.). *Ten.*, *Branch.* 418.
- Oxoplus* **J. Lec.**, PAcPhil. 14, 1862, 41; **Horn.**, TAmES. XII, 1885, 175; (Synops.) **Leng.**, EAm. II, 1886, 60, 102 (Synops.); **Casey.** ANYAeSc. 7, 1893, 588 (Typ.?). *O. corallinus*, *cruentus*, *marginatus* **J. Lec.** (1862) 1913:7 (Mex., Cal. inf.). *Ceram.*, *Ceram.*, *Stenasp.* 983.
- Oxura* **O Kirby**, TLSL. 12, 1818, 413; **Cast.**, HN. II, 1840, 199; **Sol.**, M. Ac. Sc. Torino (2) 6, 1843, 329 (117); **Lac.**, V, 1859, 198; **Haag.**, Col. Hfte. 7, 1871, 26; 8, 1871, 109 (Mon.) (*O. setosa* **Kirby** 1818) 1913:4 (Terr. cap.). *Ten.*, *Motur.* 313.
- Oxycalymma* **Gemm. et Har.**, Cat. Col. 9, 1873, 2888 = *Oxylymma* **Pasc.** 1859. *Ceram.*, *Ceram.*, *Rhinotr.* 633.
- Oxycara* **O Sol.**, ASEFr. 4, 1835, 254; **Lac.**, V, 57; **Kraatz.**, Rev. *Ten.* 1865, 314; **Reitt.**, DEZ. 1896, 302; Best.-Tab. 42, 1900, 94, 189 (*O. blapsoides* **Sol.** 1835) 1913:24 (Afr., Pal., Arab.). *Ten.*, *Tentyr.* 160.
- Oxycarops* **Reitt.**, Best.-Tab. 42, 1900, 94 (*O. fuscipes* [**Brill.**] 1838, *submetallica* [**Woll.**] 1864) 1913:2 (Ins. Canar.). *Ten.*, *Tentyr.* 162.
- Oxycaula* **Jord.**, NoZo. X, 1903, 133 (*O. verruca* **Jord.** 1903) 1913:1 (Congo). *Ceram.*, *Ceram.*, *Oent.* 77.
- Oxycephala* **Baly**, 73 t. 1 f. 17 = *Bronthispa* **Sharp** 1903 (04). *Chryso.*, *Hisp.*, *Crypton.* 59.
- Oxycephala* **Guér.**, Voy. Coquille, Zo. II, 1830, 142; **Chap.**, XI, 288; **Gestro.** AMusG. 1905, 456 (*O. testacea* [**F.**] 1801) 1913:12 (N. Guin. brit. et germ., Aru, N.S.W.). Ins. Sal. *Chryso.*, *Hisp.*, *Crypton.* 61.
- Oxychirus* **G. Quedenf.**, BEZ. 22, 1888, 174; **Oh.**, DEZ. 1913, Beiht. 225 (*O. semisericeus* **G. Quedenf.**) 1918:5 (Afr. c., Cam., Gabun., Congo belg. et gall.). *Scar.*, *Phaenom.* 2!
- Oxychirus* **Quedenf.**, BEZ. 32, 1888, 174 (*O. semisericeus* **Quedenf.** 1888)


- 1913:1 (Afr. med.). *Scar., Meth., Macrodi.* 471!
- Oxycnemus* **Er.** in Germar, ZE. IV, 1843, 351 (*O. fulvus* **Er.** 1843) 1913:12 (Am. b., c. et mer.). *Nit., Nitid.* 126.
- Oxycoleus* **Lac.**, VIII, 1869, 484 = *Merioneda* **Pasc.** 1858. *Ceramb., Cerambin., Molorch.* 615.
- Oxycorythus* **O[✱] Solsky** in Fedtsch., Turkest. Col. II, 1876, 395; **A. Schmidt** GIW. *Aphod.* 1910, 10 et 11 (*O. Morawitzi* **Solsky**) 1913:2 (Syr-darja, Turkest., Taschkent). *Scar., Aphod., Aphodi.* 1-
- Oxygenodera* **Cas.**, Rev. Mon. 1907, 433, 444 (*O. villosa* **Cas.** 1907, *hispidula* [**Horn**] 1874) 1913:3 (Utah). *Ten., Trior.* 173.
- Oxylymma* **O Pasc.**, TESL. (2) 5, 1859, 21 (*O. lepida* **Pasc.** 1859) 1913:5 (Guat., Pan., Bahia, Para, Ega). *Ceramb., Cerambin., Rhinotr.* 633.
- Oxymagis* **O Pasc.**, JoLSLZo. 9, 1866, 101 (*O. Grayi* **Pasc.** 1866) 1913:1 (N.Holland.). *Ceramb., Cerambin. Stronglu.* 418.
- Oxymedon* **Casey**, T.Ac. St.Louis XV, 1905, 177 (*O. ruber* **Casey** 1905) = Subg. 10 ad *Medon* **Steph.** 1832. 1913:1 (Cal.). *Staph., Paedi., Paedi.* 199, 10.
- Oxymerus* **O Serv.**, ASEFr. III, 1834, 50; **Dupont**, Monogr., *Trachyd.* II, 1838, 35 t. 224 f. 13 (Typ.?: *O. basalis* [**Dalm.**] 1823; *luteus* [**Voet**] 1778) 1913:19 (Am. mer. usq. ad Arg.). *Ceramb., Cerambin., Trachyd.* 1011.
- Oxymirus* **Muls.**, Col. Fr. *Long.* ed. 2, 1863, 464; **Fairm.**, G. Col. d'Eur. IV, 1864, 183; **Lac.**, VIII, 443; **Ganglb.**, Best.-Tab. VII, 1881, 7 (685); **Seidl.**, F. Ba. 1891, Gatt., 183; **Everts**, II, 1, 1901, 350; **Csiki**, Rov. Lapok, X, 1903, 101; **Gah.**, F. Brit. Ind. Col. I, 1906, 78; **Schaufuß** in Calwer, 826, 829; **Kuhnt**, 754, 761 = *Toxotus* **Zett.** 1828. *Ceramb., Cerambin., Lept.* 519.
- Oxyomera* **O Raffr.**, Rev. d'E. 9, 1890, 109; ASEFr. 73, 1904, 7; GIW. *Psel.* 1908, 166 (*O. denticollis* **Raffr.** 1894) 1913:2 (Singap., Sum.). *Psel., Psela., Batris.* 183.
- Oxyomus* **O[✱] Cast.**, HN. II, 1840; **Muls.**, 1842, 308/10; 1871, 374/6; **Er.**, NID. III, 905/6; **Horn**, TAmES. III, (1871), 284; 14, 1887, 64/5; **Seidl.**, F. Ba. 1891, 144; F. Tr. 1891, 152; **Reitt.**, Tab. 24, 1892, 19 et 32; VN. 30, 157, 171; **d'Orb.**, Abeille 28, 1896, 247/8; **Péring.**, T.SAfr. Phil.S. 12, 1901/3; Cat. 1901, 379, 412/4; **A. Schmidt**, GIW. *Aphod.* 1910, 10 et 89/90 t. 1 f. 16, 17. — Biol.: **Rey**, ASLLyon 33, 1886 (7), 196; **Xamheu**, op. cit. 1898 (9), 165; **Chapmann**, EMM. 1869, 273 (*O. silvestris* [**Scop.**] 1763). 1913:18+1 (Eur., As., Afr., Am.). *Scar., Aphod., Aphodi.* 8.
- Oxyomus* **Blanch.**, Voy. l'Amér. d'Orb. Ins. VI, 2, 1837/43, 184/5; **Schaufuß** in Calwer, 1267; **Kuhnt**, 383, 389 = *Ataenius* **Har.** 1867. *Scar., Aphod.* 21.
- Oxyomus* **Cast., Mannh.**, BMosc. XVI, 2, 1843, 262 = *Aegialia* **Latr.** 1807. *Scar., Aegial.* 1.
- Oxypeltus* **O Blanch.** in **Gay**, H. Chile V, 1851, 459 (*O. quadrispinosus* [**Blanch.** in **Gay**] 1851) 1913:1 (Chile). *Ceramb., Cerambin., Oxypelt.* 576.
- Oxypleurus* **Muls.**, Col. Fr. *Longic.* ed. I, 1839, 57; ed. 2, 1862, 107; **Schaufuß** in Calwer, 845. — Biol.: **Muls.**, ASLLyon (2) II, 1855, 191; Opusc. E. VI. 1855, 109. — (*O. Nodieri* **Muls.** 1839) 1913:2 (Medit., Ins. Palma). *Ceramb., Cerambin., Saph.* 38.
- Oxypoda* **O Mannh.**, *Staph., Aleoek.* cf. P. II.

- Oxyporus* O[✱] F., Syst. E. 1775, 267; **Ganglb.**, KäfMEur. II, 1895, 602; **Schaufuß** in Calwer, 176; **Kuhnt**, 157, 206. — Biol.: **Schiödde**, NTi. 1864, 208 t. 11 f. 1—14; **Rupertsb.**, Biol. Käf. Eur. 1894, 124. — (*O. rufus* [L.] 1758; *maxillosus* [F.] 1792/98) 1913:39 (Eur. b. et med.; Sarawak; Sib., Jap.; Am. b.; Mex.). *Staph.*, *Oxyp.*, *Oxypti.* 143.
- Oxyprosopus* O J. Thoms., Syst. Cer. 1864, 177, 421 (Typ.?: *O. coeruleus* [Ol.] 1795, *Fabricii* et *speciosus* **Schönh.** et **Dalm.**] 1817) 1913:17 (Afr. trop.). *Ceram.*, *Cerambin.*, *Callichr.* 731.
- Oxyserica* **Brenske**, BEZ. XLIV, 1899, 237; XLV, 1900, 55 (*O. pygidialis* **Brenske** 1900) 1913:1 (Madag.). *Scar.*, *Melth.*, *Seric.* 65.
- Oxysternon* O [Lap. de] **Cast.**, HN.Col. II, 1847, 82 (*Palaemon* **Cast.** 1847; *conspicillatum* [Weber] 1801, *festivum* [L.] 1767) 1913:9 (Am. trop., Bras., Uruguay). *Scar.*, *Copr.*, *Copri.*, *Phan.* 86.
- Oxysternus* O **Er.** in **Klug**, Jahrb. Insekt. 1834, 98 (*O. maximus* [F.] 1766) 1913:1 (Guyana). *Hist.* 7.
- Oxystigmatium* O **Kraatz**, DEZ. 1899, 90; **Schklg.**, GIW., *Cler.*, 1903, 74 = Subg. ad *Stigmatium* **Gray** 1832 (*O. spinipenne* **Kraatz** 1899) 1913:2 (Camerun.). *Cler.*, *Cleri.*, *Clerin.* 80.
- Oxystoma* **Dumer.**, Zool. analyt. 1806, 226; **Kuhnt**, 1025 = Subg. ad *Apion* **Hbst.** 1797. *Curc.*, *Api.*, *Apion.* 11.
- Oxystrogylus* **Reitt.**, F. Germ. 1911, 26 nota = Subg. ad *Xenostrogylus* **Woll.** 1854. *Nit.*, *Nitid.* 144.
- Oxytelodes* **Bernh.**, ArN. 1908, 290 (*O. Holdhausi* **Bernh.** 1908) 1913:1 (Bras.). *Staph.*, *Oxyt.*, *Oxyti.*, *Oxyte.* 119.
- Oxytelopsis* **Fauv.**, Rev. d'E. 14, 1895, 199 (*O. cimicoides* et *apicipennis* **Fauv.** 1895) 1913:5 (Birma 3, Perak 1, Madag. 1). *Staph.*, *Oxyt.*, *Oxyti.*, *Oxyte.* 117.
- †*Oxytelus* O[✱] **Grav.**, Col. Micr. Brunsv. 1802, 101; **Mannh.**, *Brachél.* 1830, 47; **Steph.**, Ill. Brit. V, 1832, 314; **Er.**, KäfMBr. 1837/39 (1837), 588; G. Spec. *Staph.* 1839/40, 785; **Lac.**, II, 1854, 118; **Kraatz**, NID. II, 1856/58, 847; **Jacq. du Val**, II, 1858, 55; **C. G. Thoms.**, Sk. Col. III, 1861, 126; **Fauv.**, F. gallo-rhén. III, 1872, 163; **Muls. et Rey**, *Brevip.* 1879, 43; **Sharp**, BCA.Col. I, 2, 1882/87 (1887), 687; **Casey**, AN YAcSc. VII, 1893, 381; **Ganglb.**, KäfMEur. II, 1895, 633; **Schaufuß** in Calwer, 163, 170; **Kuhnt**, 163, 199. — Biol.: **Rupertsb.**, Biol. Käf. Eur. 1894, 124; **Xambeu**, Rev. d'E. 17, 1898, 1 (Typ.?: *O. nitidulus* **Grav.** 1802, *tetracarinatus* [Block] 1799, *rugosus* [F.] 1775, *piceus* [L.] 1767) 1913:261 (+1 fossil: *O. subapterus* **Wickham**, B. Lab. Jowa 6 No. 4, 1913, 11, pl. III, f. 4, 5: Miocaen. Colo.) (in omn. part. orb. terr.). — 6 Subgg.: *Anotylus*, *Caccoporus*, *Epomotylus*, *Emopotylus*, *Oxytelus* et *Tanyraerus* s. str. — Biol.: **Walfl**, Isis, 1837, 277; **Chap.**, et **Candèze** MSScLiège, VIII, 1853, 400 t. 2 f. 2; **Muls. et Rey**, HN. Col. Fr. *Brevip.*, *Oxyp.*, *Oxyt.* 1879, 64, 74, 88; **Rupertsb.**, Biol. Käf. Eur. 1894, 124, 125; **Xambeu**, Rev. d'E. 17, 1898, 1. *Staph.*, *Oxyt.*, *Oxyti.*, *Oxyte.* 123.
- Oxythorax* **Fährs.**, Öfv. Vet. Ak. Förh. 27, 1870, 288 = *Anchophthalmus* **Gerst.** 1862. *Ten.*, *Pedin.* 447.
- Ozaenimorphus* **Fairm.**, Le Natur. II, 1882, 127; ASEFr. (6) 6, 1886, 73 (*O. costulipennis* **Fairm.** 1882) 1913:3 (Madag., Togo). *Ten.*, *Tenebr.* 825.
- Ozodecerus* O **Chevr.**, Rev. Zo. 1839, 175; **Lac.**, VII, 1866, 466; **Schoenfeldt**, GIW. *Brenth.* 1908, 72 (*O. forficulatus rugicollis* et *tricuspidatus* **Chevr.** 1839) 1913:4 (Madag.). *Brenth.*, *Brentha.*, *Ith.* 113.

- Ozodera* **Dupont**, Mon. *Trachyd.* Suppl. 1840 p. 10 (*O. xanthospilos* **Dupont**) 1913:4 (Col. 3, Buen. Aires 1). *Ceram.*, *Cerambin.*, *Trachyd.* 1014.
- Ozodes* **O Serv.**, ASEFr. III, 1834, 98; **Cast.**, HN. II, 1840, 439; **J. Thoms.**, Class. *Cer.* 1860, 189; Syst. *Cer.* 1864, 437 (*O. nodicollis* **Serv.** 1834) 1913:9 (Am. c., Bras.). *Ceram.*, *Cerambin.*, *Rhopal.* 896.
- Ozognathus* **J. Lec.**, Smiths. Misc. Coll. III, 1861, 205; PacPhil. 1865, 226; **Fall**, TAMES. 31, 1905, 132, 135 (*O. cornutus* **J. Lec.** 1859) 1913:7 (Am. b.: Civ. confoed., Guat., Mex., Ghile). *Anob.*, *Ernob.* 15.
- Ozolais* **O Pasc.**, JoE. II, 1866, 457 (*O. scruposa* **Pasc.** 1866) 1913:8 (Costa Rica, Ega, Nicar., Grenad., Pan.). *Ten.*, *Bolitoph.* 602.
- Ozopemon* **O Haged.**, DEZ. 1910, 1 (*O. gravidus* **Blandf.** 1896) 1913:7 (Sum., Born.). *Ip.*, *Ipin.* 65.
- Ozotypus* **Pasc.**, JoE. I, 1862, 328 (*O. setosus* **Pasc.** 1862) 1913:1 (Ceylon). *Ten.*, *Helop.* 1049.
- Pachelmis** **O Fairm.**, ASEB. 42, 1898, 467; **Grouvelle**, ASEFr. 75, 1906, 160 = *Pachyelmis* **Fairm.** 1898 (*H. validipes* **Fairm.** 1898) 1913:11 (Afr. oc., c.; Kilima-Ndjaru [1], Madag. [8]). *Dryop.*, *Helm.*, *Helmi.* 47.
- Pachnephoptrus* **Reitt.**, WEZg. 11, 1892, 153 (*P. Weisei* **Reitt.** 1892) 1914:1 (Araxes, Ordubad). *Chrys.*, *Eumolp.*, *Myochr.* 229.
- Pachnephorus* **O Redtb.**, Gatt. deutsch. Käferf. 1845, 117; F. Austr. ed. 1, 1848, 569; **Gutfl.-B.**, 605; **Baly**, JoE. II, 1865, 436; TESL. (3) IV, II, 1867, 94; **Jacq. du Val**, G. Col. d'Eur. IV, 1868, 223; **Chap.**, G. Col. X, 1874, 323; **Ws.**, NID. 6, 1882, 282; etc.; **Everts**, II, 1903, 426; **Jac.**, F. Ind. Col. II, 1908, 460; **Schaufuß** in Calwer, 924; **Kuhnt**, 804, 834 (*P. pilosus* [**Rossi**] 1790; *tessellatus* et *villosus* [**Duftschm.**] 1825) 1914:29 (Eur. med. et mer., As. c., Armenia, Pers., Medit., Afr., Madag., Ind. or., Birm., Sumatra, Phil., Ins., China). *Chrys.*, *Eumolp.*, *Myochr.* 230.
- Pachnessa* **Brenske**, StEZg. 55, 1894, 279 (*P. nicobarica* [**Redtb.**] 1868) 1913:1 (Ins. Sambelong, Sumatra, Bengal). *Scar.*, *Melth.*, *Pachyd.* 396.
- Pachnida* cf. P. II.
- Pachotelus* **O Sol.** in **Gay**, H. Chile, IV, 1849, 474 (*P. bicolor* **Gay** 1849) 1913:2 (Chile). *Anob.*, *Ernob.* 19.
- Pachrodema* **O Blanch.**, Cat. Coll. E. Col. I, 1857, 168; **Burm.**, Hd. E. IV, 2, 1855, 259; **Lac.**, III, 1856, 269 (*P. castanea* **Blanch.** 1850) 1913:5 (Pat. 4; Rio Negro 1). *Scar.*, *Melth.*, *Melthi.* 221.
- Pachybruchus* **Jekel**, Echange 28, 1912, 92; 29, 1913, 109 = Subg. ad *Bruchus* **L.** 1758. *Bruch.*, *Bruchi.* 11.
- Pachycamenta* **Brenske**, AMusG. 35, 1895, 219; BEZ. 41, 1896, 341 (*P. Gestroi* **Brenske** 1896) 1913:1 (Terr. Galla). *Scar.*, *Melth.*, *Seric.* 121.
- Pachycephala* **Broun**, ManNZ. Col. II, 1881, 672; N. Zeal. Jo. Sc. II, 1882, 385 = *Hydora* **Broun** 1882. *Dryop.* 13.
- Pachycera* **O Eschsch.**, Zo. Atlas IV, 1831, 7 (*P. atra* [**Hbst.**] 1799) 1913:4 (India). *Ten.*, *Tentyr.* 135.
- Pachycerus* **Guér.**, Voy. Coquille Col. 1830, t. 3 f. 8; **Cast.**, HN. II, 1840, 128 = *Hadrocerus* **Guér.** 1830. *Scar.*, *Melth.*, *Macrod.* 465.
- Pachycerus* **Montrz.**, ASEFr. 8, 1885, 292 = *Sciophagus* **Sharp** 1885. *Ten.*, *Utom.* 701.
- Pachycerus* **Curc.** cf. P. II.
- Pachychaeta* **Brenske**, BEZ. 41, 1897 362 [non **Bigot** 1857] = *Brenskiella* **Berg** 1898. *Scar.*, *Melth.*, *Pachyd.* 397.

- Pachychila* (Eschsch.) Sharp, Zo. Rec. 49, 1913 Ins., 233; **Schaufuß** in Calwer, 793 *Pachychile* Eschsch. 1831. *Ten.*, *Tentyr.* 133.
- Pachychile* O Eschsch., Zo. Atl. IV, 1831, 5; **Sol.**, ASEFr. IV, 1835, 288; **Lac.**, V, 46; **Jacq. du Val**, III, 248 (pars); **Kraatz**, Revis. 1865, 189; **Reitt.**, DEZ. 1896, 301; Best.-Tab. 42, 1900, 91, 146; **Desbr.**, Frelon, 9, 1901, 167 (*P. pedinoides* Eschsch. 1831, *punctata* [F.] 1798) 1913:49+2 (Mediterr.). *Ten.*, *Tentyr.* 133.
- Pachychilecamenta* Brenske, ETi. 24, 1903, 90 (*P. rufa* Brenske 1903) 1913:1 (Benito). *Scar.*, *Melth.*, *Seric.* 130.
- Pachychilina* O Reitt., Best.-Tab. 42, 1900, 91, 145 (*P. Dejeani* Bess. 1832) 1913:3 (Alg., Tanger, Tunes., Sicil., Sardin.). *Ten.*, *Tentyr.* 132.
- Pachychirus* Redt., Gatt. deutsch. Käferf. 1845, 134; **Ganglb.**, VzbGW. 31, 1881, 104, nota; Best.-Tab. 4a: *Oedem.* 1881, 8 nota; **Seidl.**, F. Ba. et Tr.; NID. V, 2, 765; **Sem.**, HoR. 28, 453 (Sep. p. 5); **Desbr.**, Frelon 8, (1900) *Oedem.*, 40; **Reitt.** in Calwer, 732; **Kuhnt**, 691 = Subg. ad *Nacerta* Steph. *Oed.*, *Oedem.*, *Nacerd.* 6.
- Pachycnema* O Serv., Enc. method. X, 1825, 375; **Burm.**, Hd. E. IV, 1, 1844, 56; **Lac.**, III, 183; **Péring.** T.SAfr. Phil. S. 12, 1902, 671 (*P. crassipes* [F.] 1775; *marginella* [F.] 1791, *tibialis* [Ol.] 1789) 1913:21 (Colon. cap.). *Scar.*, *Melth.*, *Hopl.* 507.
- Pachycnemida* O Péring., T.SAfr. Phil. S. 12, 1902, 689 (*P. signatipennis* [Burm.] 1844) 1913:1 (Terr. cap.). *Scar.*, *Melth.*, *Hopl.* 508.
- Pachycolus* Er., NID. 3, 1847, 653 (*P. madagascariensis* Blanch. 1850) 1913:3 (Madag.). *Scar.*, *Melth.*, *Pachyd.* 421.
- Pachycorynus* O Motsch., BMosc. 31, 1858, III, 204 (*P. dimidiatus* Motsch. 1858) 1914:12 (Ind. or., Ceyl., Nov. Guin., Comor., Afr. occ., N.Z., Mad., Congo, Tonga, Tabu). *Staph.*, *Staphy.*, *Xanth.* 247.
- Pachycotes* Sharp, EMM. 14, 1877, 10 (*P. ventralis* Sharp 1877) 1913:1 (N. Z.). *Ip.*, *Ecc.* 88.
- Pachycraerus* O Mars., Mon. 1853, 447 (Typ.?; *P. chalybaeus* Fährs., *histeroides* Mars., *cyanescens* [Er. in Kl.] 1834) 1913:53+1 (Afr. [plurim. Spp.]; Arab.; Bras.; St.Thomas). *Hist.* 25.
- Pachycytes* Fairm., ASEFr. 72, 1903, 252 (*P. rufovestita* Fairm.) 1913:1 (Madag.). *Ceramb.*, *Cerambin.*, *Glaucyl.* 901.
- Pachydema* O Cast., MaZo. II, 1832, Ins. t. 37; **Burm.**, Hd. E. IV, 2, 438; **Lac.**, III, 271; **Tiefenb.**, DEZ. 26, 1882, t. 4 f. 47; **Reitt.**, WEZG. 16, 1897, 231; VN. 40 [Best.-Tab. 50] 95, 107 (*P. hirticollis* [F.] 1787) 1913:42 (Afr. b. [med.]). — Etiam Subg. *P. Reitt.*, VN. 40, 109. *Scar.*, *Melth.*, *Pachyd.* 394.
- Pachydema* Jacq. du Val, III, 8, 1860 t. 17 f. 81 = *Tanyproctus* Faldern. 1835. *Scar.*, *Melth.*, *Pachyd.* 391.
- Pachydemocera* Reitt., VN. 40 [Best.-Tab. 50] 95 et 106 (*P. lucidicollis* [Kraatz] 1882, *pubimargo* Reitt. 1901 [1902]) 1913:3 (Syr., Asm., Rhodes.). *Scar.*, *Melth.*, *Pachyd.* 395.
- Pachydiscus* Ceramb. cf. P. II.
- Pachydissus* O Newm., EMa. V, 1838, 494 (*P. sericus* Newm. 1838 e N.S.W.) 1913:28 (Austral.: 10, As. 1, Afr. 15, Sumatra. 1). *Ceramb.*, *Cerambin.*, *Cerambyc.* 141.
- Lebensweise (Fraß, Gänge), Metamorph.: **Plotnikov**, **Taškent**, 1912, 18, f. 17—21.
- P. sartus*: Entwickl., Puppenwiege: **Plotnikov**, Turkest. selisk. choz. 6, 823.
- Pachyelmis* Fairm. vide *Pachelmis*. *Dryop.*, *Holm.*, *Helmi.* 47.

- Pachygastra* Germ., Linnaea E. III, 1848, 191; **Schaum**, ArN. 15, 1849, P. 1, 157; **Blackb.**, TRS. South Austral. X, 1888, 207 (*P. tasmanica* Germ. 1888) 1913:2 (Austral.: Adelaide). *Scar.*, *Melth.*, *Lipar.* 214.
- Pachygluta* C. G. Thoms., *Staph.* cf. P. II.
- Pachygnatha* Ws., DEZ. 1892, 352 (nec **Sundevall**) = *Gnathomela* **Jacobs.** 1895. *Chryso.*, *Chryso.*, *Chrysi.* 23.
- Pachylesthus* Fairm., Not. Leyd. Mus. 19, 1897, 219 (*P. validus* Fairm. 1897) 1913:1 (Arch. malay.). *Ten.*, *Tenebr.* 806.
- Pachylister* O Lewis, ANH. (7) 14, 1904, 145; **Reitt.**, F. Germ. II, 1909, 280; **Kuhnt**, 366 = Subg. 6 ad *Hister* L. 1758) (Typ. ?; *P. inaequalis* [OL.] 1789) 1913:14 (Eur., As., Afr.). *Hist.* 38, 6.
- Pachylocerus* O Hope, TESL. I, 1834, 19; **Gaban**, F. Brit. Ind. Col. I, 1906, 224 (*P. corallinus* Hope 1834) 1913:7 (Ind. or., Birma, Assam, Ch. b., Sum., Java, Ceylon). *Ceram.*, *Ceram.*, *Pyr.* 663.
- Pachylocerus* Hope, Col. Man. III, 1840, 186 = *Pycnocerus* Westw. 1843. *Ten.*, *Pycnoc.* 890.
- Pachylodera* **Quedf.**, BEZ. 33, 1889, 399 (*P. brevicornis* **Quedf.**) 1913:1 (Tripol.). *Ten.*, *Pimel.* 355.
- Pachylomalus* **Schm.**, AMusG. 37, 1897, 295 = Subg. 1 ad *Paromalus* Er. 1834) (Typ. ?; *P. mus, victor* [Mars.] 1864; *P. musculus* [Mars.] 1873; *P. leo* [Mars.] 1879) 1913:5 (Ind., Jap., Nov. Guin., Java, Born., Sum.). *Hist.* 50, 1.
- Pachylomera* O Kirby, ZoJo. III, 1828, 520 (*P. femoralis* Kirby 1828) 1913:2 (Afr. mer., Usamb., Daressalam, Congo, Caffr., Lac. Ngami). *Scar.*, *Copr.*, *Scarbi.*, *Scarbae.* 8.
- Pachylopus* O Er., in **Klug**, Jahrb. Ins. I, 1834, 196; **Zimm.**, TAmES. II, 1869, 253; **Schm.**, BSEFr. 1896, 205; **Lewis**, ANH. (7) 4, 1899, 2 t. 2 f. 8 = Subg. 4 ad *Saprinus* Er. 1834 (*P. dispar* Er. 1834, *dimidiatus* [III.] 1807) 1913:15 (in omn. part. orb. terr.). *Hist.* 120, 4.
- Pachylotoma* **Blanch.**, Cat. Coll. E. Col. I, 1850, 121; **Lac.**, III, 271 (*P. viridis* **Blanch.** 1851) 1913:1 (Am. mer.). *Scar.*, *Melth.*, *Macro.* 459.
- Pachyllychnia* **Motsch.**, Etud. E. 1852, 28 sq. = *Lucidota* **Cast.** 1833 part. *Lamp.*, *Lucid.* 15.
- Pachymastus* Fairm., ASEB. 40, 1896, 350 (*P. asperulus* Fairm. 1896) 1913:1 (Madag.). *Ten.*, *Opatr.* 494.
- Pachymera* **Berthold**, Latreille's Nat. Fam. Tierreich., 1827, 378 = *Pachymerus* **Thunb.** 1805. *Bruch.*, *Bruchi.* 2.
- Pachymerola* O Bates, TESL. 1892, 161 (*P. vitticollis* Bates 1892) 1913:1 (Mexico). *Ceram.*, *Ceram.*, *Comps.* 775.
- Pachymerus* **Fald.**, Nouv. Mém. Mosc. IV, 1835, 282 = *Glaphyrus* **Latr.** 1807. *Scar.*, *Glaphyr.* 4.
- Pachymerus* **Schönh.**, Gen. Curc. I, 1833, p. 2 et 84 (nec **Thunb.**); **Cast.**, HNIns. II, 1840, 282; **Jekel**, Ins. Saunders. I, 1855, 17; **Lac.**, VII, 605; **Allard**, ASEB. 11, 1868, 87; **Chenu**, Enc. 3, 1870, 208; **Sharp**, BCA. Col. V, 1885, 439; **Baudi**, Milabr. 1886, 10; DEZ. 30, 1886, 389; 31, 1887, 467; **Schilsky**, 41 p. C; **Schaufuß** in **Calwer**, 1020; **Kuhnt**, 891, 899 = *Pseudopachymerus* **Pic** 1913. *Bruch.*, *Bruchi.* 7.
- Pachymerus* O **Thunb.**, Götting. Gel. Anz. 29, 1805, 282; **Latr.**, Dict. Class. HN. 14, 1828, 589. — Synops.: **Horn**, TAmES. 4, 1873, 312 (*P. bactris* [L.] 1767, [OL.] 1795) 1913:45. Subg. *Caryed.* — (Eur., As., Afr., Am. Madag, Maurit.). *Bruch.*, *Bruchi.* 2.
- Pachymys* O Fairm., Miss. Sc. Cap Horn VI, 1888, 29 (*P. puberulus* [Fairm.] 1885) 1913:1 (New Year Sound) *Byrrh.*, *Byrrhi.* 18.


- Pachynotelus* **O Sol.**, ASEFr. 9, 1840, 267; **Lac.**, V, 89; **Haag**, BEZ. 1872, 306 (*P. albiventris* **Sol.** 1840) 1913:5 (Afr. mer.). *Ten.*, *Cryptoch.* 255.
- Pachyparnus* **Fairm.**, ASEFr. (6) 8, 1888, 338 (*P. tonkinus* **Fairm.** 1888, *Hardwicki* [**Mac Leay**] 1825) 1913:7 (Cel., Ceyl., Java, Ind., Phil. Ins., Tonk., Ins. Haynan). *Dryop.*, *Dryopi.*, *Dryopin.* 25.
- Pachyplectrus* **J. Lec.**, TAmES. 1874, 53 (*P. laevis* **J. Lec.** 1874) 1913:1 (Cal.). *Scar.*, *Hyboso.* 10.
- Pachypleura* **White**, Col. Cat. Brit. Mus. VII, 1853, 27; **J. Thoms.**, *Class. Cer.* 288; *Syst. Cer.* 472 = *Megopsis* s. str. = Subg. 4 ad *Megopsis* **Serv.** 1832. *Ceram.*, *Prion.*, *Callipogi.*, *Megop.* 50, 4.
- Pachypoides* **O Fairm.**, ASEB. 28, 1884; *Compt. rend. p. CXLIII*; ASEFr. (6) 7, 1887, 122; **Brenske**, AMusG. 35, 1895, 221 (*P. limbipennis* **Fairm.** 1884) 1913:1 (Afr. or.). *Scar.*, *Melth.*, *Seric.* 116.
- Pachypterus* **O Luc.**, *Explor. Alg.* 1849, 325; **Lac.**, V, 65, **Muls.**, *Mém. Ac. Lyon IX*, 1859, 146; *Opusc. E.* 10, 1859, 84; **Jacq. du Val**, III, 278; **Seidl.**, NID. V, 1894, 409, 411; **Desbr.**, *Frelon X*, 1901, 85; **Reitt.**, *Best.-Tab.* 53, 1904, 51, 75, 76 (*P. mauritanicus* **Luc.** 1849) 1913:7 (Gr., Cors., Hisp., Alg., Aeg., Cauc., Seneg.). *Ten.*, *Pedin.* 464.
- Pachyrhinadoretus* **Ohs.**, DEZ. 1912, 509 (*P. rugipennis*, *costatus* et *decanus* **Ohs.**, 1912) 1918:3 (Ind. brit., Bangalore, Assam, Sikkim). *Scar.*, *Rut. orth.*, *Anoplgni.*, *Pachyrhindi.* 138.
- Pachyscelis* **Hope**, *The Colcopt. Man.* III, 1840, 139 = *Trichodes* **Hbst.** 1758. *Cler.*, *Cleri.*, *Clerin.* 119.
- Pachyscelis* **O Sol.**, ASEFr. V, 1836, 54; **Cast.**, HN. II, 1840, 182; **Lac.**, V, 1859, 185; **Jacq. du Val**, III, 259; **Kraatz**, *Rev. Ten.* 1865, 301; **Reitt.**, *Best.-Tab.* 25, 1893, 202, 208 (*P. musiva* (**Ménétr.**) 1832, *P. chrysmeloides* [**Ol.**] 1795, *villosa* [**Drapiez**] 1820 etc.) 1913:22 (Mediterr. Pers. etc.). *Ten.*, *Pimel.* 371.
- Pachyscelodes* **Sénac**, ASEFr. (6) 7, 1887, 187 = Subg. ad *Pachyscelis* **Sol.** 1836 1913:1 (Atlas). *Ten.*, *Pimel.* 371.
- Pachyserica* **O Brenske**, BEZ. XLII, 1897, 355, 420 (Typ.?: *P. marmorata* [**Blanch.**] 1850) 1913:4 (Ind. b., Khasia b., China, Tonkin). *Scar.*, *Melth.*, *Seric.* 41.
- Pachysoma* **O M'Leay**, HoE. I, 2, 1821, 507 (*P. Hippocrates* **M'Leay** 1821; *Aesculapius* [**Ol.**] 1789) 1913:10 (Afr. mer.). *Scar.*, *Copr.*, *Scarbi.*, *Scarbae.* 4.
- Pachystethus* **Blanch.**, Col. Cat. E. Col. 1850, 201 = *Spilota* **Burm.** 1844 = Subg. 4 ad *Anomala* **Sam.** s. str. 1819. *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma.* 71, 4.
- Pachysticus* **Fairm.**, ASEB. 33, 1889, *Bull. p.* 95 (*P. crassipes* **Fairm.** 1889) 1913:1 (Madag.). *Ceram.*, *Cerambin.*, *Lept.* 491.
- Pachystilicicus* **Casey**, T. Ac. St. Louis XV, 1905, 226 (*P. quadriceps* **J. Lec.** 1905) 1913:2 (Cal., Winnipeg). *Staph. Paed.*, *Paedi.* 183.
- Pachystus* **Motsch.** *Car.* cf. P. II.
- Pachyta* **O**  **Zett.**, F. Ins. Lapp. I, 1828, 376; **Fairm.**, G. Col. d'Eur. IV, 1864, 185; **J. Thoms.**, *Syst. Cer.* 1864, 408; **Ganglb.**, *Best.-Tab.* VII, 1881, 7 (685); **Seidl.**, F. Ba. ed. 2, 1891, 741; F. Tr. 1891, 835; **Csiki**, *Rov. Lapok X*, 1903, 101. — Biol.: **Planct.**, Nat., XV, 1893, 275/6 fig. (*P. lamed* [**L.**] 1758; *quadrimaculata* [**L.**] 1758) 1913:6 (Eur. b., et centr.; Sib., Amur, Eur. b. et med. [mont.: *quadrim.*] Jap., Terr. Wash., Ore. Id.). *Ceram.*, *Cerambin.*, *Lept.* 523.
- Pachyta* (ex part.) **Muls.**, Col. Fr. *Longic.* 1839, 237; ed. 2, 1863, 477;

- C. G. Thoms.**, Sk. Col. VIII, 1866, 56; **Leng**, EAm. VI, 1890, 65 = *Evo-dinus* **J. Lec.** 1850. *Ceram.*, *Cerambin.*, *Lept.* 524.
- Pachyta* (Serv.) **Gutfl.-B.**, 589 = *P. Zett.*?
Pachyta (Steph.) **Kuhnt**, *Schaufuß* in *Calwer*, 826, 831, 753, 763 = *P. Zett.*?
Pachyta **Steph.**, Ill. Brit. E. Mand. IV, 1821, 264; **Serv.**, ASEFr. 4, 1835, 215; **Schiödte**, NTi. (3) 2, 1864, 544 = *Dinoptera Muls.* 1863 = Subg. ad *Acmaeops* **J. Lec.** 1850. *Ceram.*, *Cerambin.*, *Lept.* 526.
- Pachytarsus* **O Motsch.**, BMosc. 34, 1861, I, 133 (*P. lateralis* **Motsch.** 1861) 1913:3 (Ceyl.). *Dril.* 16.
- Pachyteria* **O Serv.**, ASEFr. II, 1833, 553; **Ritsema**, TijE. 32, 1889, p. XXX; *Not. Leyd. Mus.* 12, 1890, (Katal.); **Gah.**, F. Brit. Ind. Col. I, 1906, 194; **Ross**, Int. EZ. 4, 1910 (Liste) (Type?; *P. fasciata* [**F.**] 1775; *equestris* **Newm.** 1840) 1913:40 (Ind. b., Assam, Ins. Sund., Nias, Cochinch. etc.). *Ceram.*, *Cerambin.*, *Callichr.* 702.
- Pachyticon* **J. Thoms.**, ArE. I, 1857, 317 (*P. brunneum* **Thoms.** 1857) 1913:1 (Terr. cap.). *Ceram.*, *Cerambin.*, *Lept.* 462.
- Pachytodes* **Pic**, *Longic.* I, 1891, 65; **Schaufuß** in *Calwer*, 835; **Kuhnt**, 769 = *Judolia Muls.*, 1863. *Ceram.*, *Cerambin.*, *Lept.* 549.
- Pachytrichia* **O Hope**, ANH. (8) 1841, 303; TESL. III, 1843, 282; **Burm.**, Hd.E. IV, 2, 1855, 241; **Lac.**, III, 1856, 217; **Sharp**, EMM. XI, 1874, 2—6 (*P. castanea* **Hope** 1841) 1913:6 (Austral.; Austral. b.-occ.; Swan River). *Scar.*, *Melth.*, *Lipar.* 216.
- Pachytrichia* [**Hope**] **DT.** in **Schklg. et J.**, P. 50 in *Indic.* p. 392 = *Pachytricha* [**Hope**] **DT.**, op. cit. P. 47, 134.
- Pachyurgus* **J. Lec.**, Class. 1866, 471; **Horn**, *Rev. Ten.* 1870, 338 = *Encyalesthus* **Motsch.** 1860. *Ten.*, *Tenebr.* 807.
- Pactolinus* (gen. ined.) **Motsch.** BMosc. 39, 1866, I, 169 (*P. Jekeli* **Mars.** 1866) 1913:1 (Ch., Jp.). *Hist.*, 38, 10.
- Pactostoma* **Lec.**, JoAcPhil. IV, 1858, 19 = *Stenosides* **Sol.** 1836. *Ten.*, *Asid.* 277.
- Pacuvia* **Curt.**, TESL. 19, 1845, 444 = *Liogenys* **Guér.** 1838. *Scar.*, *Melth.*, *Macrod.* 455.
- Paecnia* **J. Thoms.**, Class. *Cer.* 1860, 168 = *Apiogaster* **Perroud** 1855. *Ceram.*, *Cerambin.*, *Cleom.* 867.
- Paederallus* **Sharp**, BCA. Col. I, 2, 1882—87 (1885), 456 (*P. fragilis* **Sharp** 1885) 1914:1 (Panama). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 285.
- Paederidus* **Muls. et Rey**, ASLLyon 24, 1877, 245; **Kuhnt**, 216 = Subg. ad *Paederus* **F.** 1775. *Staph.*, *Paed.*, *Paedi.* 168.
- Paederillus* **Casey**, T.Ac. St.Louis XV, 2, 1905, 59, 62 = *Paederus* **F.** 1775. *Staph.*, *Paed.*, *Paedi.* 168.
- Paederomimus* **O Sharp**, BCA. Col. I, 2, 1882/87 (1885), 439 (Typ.?: *P. gentilis* **Sharp** 1885; *cognatus* **Sharp** [TESL. 1876, 169]) 1914:50 (Am. c.; Amaz.; Ven.; Portorico; St. Thomae, Mex.). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 302.
- Paederus* **Steph.**, Ill. Brit. Ent. Mand. IV, 1831, 264; **Serv.**, ASEFr. IV, 1835, 215; **Schiödte**, NTi. (3) II, 1864, 544 = *Dinoptera Muls.* 1863 = Subg. 2 ad *Acmaeops* **J. Lec.**
- Paederus* **O F.**, Syst.E. 1775, 268; **Steph.**, Ill. Brit. V, 1837, 279; **Er.**, KäfMaBr. 1837/39, 517; G. Spec. *Staph.* 1839/40, 649; **Lac.**, II, 1854, 143; **Kraatz**, NID. II, 1856/58; 724; **Jacq. du Val**, G. Col. d'Eur. II, 1857/59, 48; **C. G. Thoms.**, Sk. Col. II, 1860, 195 (*Poederus*); **Fauv.**, F. gallo-rhén. III, 1872, 327; **Muls. et Rey**, ASLLyon XXIV, 1877; 242 **Reitt.**, ENa. XV, 169—171; **Czwalina**, DEZ. 1889, 368; **Blackb.**, TRS.SouthAustral. XXIII, 22; **Ganglb.**, KäfMEur. II, 1895, 534; **Casey**, T.Ac.St.Louis XV,

- 2, 1905, 58, 60. — Etiam subg. s. str. **Muls. et Rey**, ASLLyon XXIV, 1877, 242. 1913:199 (+2: *Junodi* **Fvl.** (i. l. ?): Madag., *Sikorae* **Fvl.** (i. l. ?; Madag.) — Subg. *P.* **Muls. et Rey**, ASLLyon 24, 1877, 242 (in divers. part. orb. terr.). *Staph.*, *Paed.*, *Paedi.* 168.
 Biol.: **C. G. Thoms.**, Sk. Col. II, 1860, 195; **Candèze**, MSScLiège XVI, 1861, 329, t. 1 f. 2; **Rupertsb.**, Biol. Käf. Eur. 1880, 124.
- Pagellia* **Lefv.**, MSLiège (2) 11, 1885, 70 (*P. acuticosta* **Lefv.** 1885) 1914:4 (Phil. Ins.: Luzon). *Chrys.*, *Eumolp.*, *Scelo.* 110.
- Pagiocerus* ☞ **Eichh.**, BEZ. 1868, 148; **Chap.**, Syn. *Scol.* 1873, 234; **Bldfd.**, BCA. Col. IV, 6, 1896, 134; **Swaine**, Cat. *Scol.* N. Am. 1909, 128 (*P. cribricollis*, *rimosus* **Eichh.** 1868) 1913:2 (Am. c. et mer. trop.). — Biol.: **Hopkins**, PESWash. VIII, 1907, 112. *Ip.*, *Ecc.* 87.
- Paglia* **O Lefv.**, ASEFr. (6) IV, 1884, Bull. p. LXVII; MSLiège (2) 11, 1885, 62 (Typ. ?; *P. varians* **Lefv.** 1884, *P. signata* [**Motsch.**] 1858, *viridiaenea* [**Gyllh.** in **Schönh.**] 1808) 1914:16 (Ch.; Jap., Ind. or., Sum., Ceylon, Sansibar, Ins. Pemba; Kili-mandj.). *Chrys.*, *Eumolp.*, *Pagr.* 96.
- Paita* **Fauv.**, Rev. d'E. 23, 1904, 173 (*P. setosella* **Fauv.** 1904) 1913:1 (N. Caled.). *Ten.*, *Diaper.* 645.
- Paivea* **Woll.**, Cat. Canar. Col. 1864, 449; **Reitt.**, DEZ. 1896, 298; Best.-Tab. 42, 1900, 84 (*P. hispida* [**Brill.**] 1838) 1913:1 (Ins. Canar.). *Ten.*, *Tentyr.* 123.
- Palaeolybas* **O Crotch**, *Erot.* 1876, 98 (Typ. ?; *P. humeralis* **Crotch** 1876) 1913:6 (Afr. occ.). *Erot.*, *Triplac.* 64.
- Palaeomegopsis* **O Boppe**, BSEFr. 1911, 29; **Lmr.**, MSEB. 21, 1912, 168 (Rév., 1032) = Subg. 7 ad *Megopsis* **Serv.** 1832 (*P. Lameerei* **Boppe**) 1913:1 (Yunnan). *Ceram.*, *Prion.*, *Callipogi.*, *Megop.* 50, 7.
- Palaestra* **O Lap.**, HNIns. 1840, 251 (*P. rubripennis* **Lap.** 1840) 1917:5 (Austral.; Gayndah). *Melo.*, *Nemogn.*, *Nemogni.* 76.
- Palaestrída* **White**, Stoke's Discov. 1846, 509 (*P. bicolor* **White** 1846) 1917:4 (N. Holl., Queensl.). *Melo.*, *Nemogn.*, *Nemogni.* 79.
- Palaestrinus* **O Er.**, G. Spec. *Staph.* 1839/40, 343 (*P. Sykesi* **Er.** 1839/40) 1914:1 (Ind. or.; Ceylon). *Staph.*, *Staphy.*, *Staphyt.*, *Staphi.* 326.
- Palaminus* **O Er.**, G. Spec. *Staph.* 1839/40, 681; **Sharp**, TESL. 1876, 340; **Casey**, Mém. Col. I, 1910, 197 (Typ. ?; *P. pilosus*, *piceus*, *variabilis* **Er.** 1839/40) 1913:103 (Amer. b., trop. [plurim. spp.]; Antill., Madag. 8, Afr. or., Sansib. I, Afr. or.-germ., Ins. Fidji; Java). *Staph.*, *Paed.*, *Pinoph.*, *Proc.* 164.
- Palembus* **Cas.**, AN YAcSc. VI, 1891, 65 (*P. ocularis* **Cas.** 1891) 1913:1 (Florida). *Ten.*, *Diaper.* 617.
- Pales* **Redtb.**, F. Austr. ed. 2, 1858, 925 **Schaufuß** in Calwer, 924; **Kuhnt**, 804 = *Eupales* **Lefv.** 1885. *Chrys.*, *Eumolp.*, *Colasp.* 71.
- Palesida* **Harold**, BEZ. 18, 1874, 23; **Lefv.**, MSLiège (2) 11, 1885, 85 (Typ. ?; *P. crenulata* [**Gerst.**] 1855, *Chapuisi* **Har.** 1874) 1914:2 (Nil. coerul., Mozambiq.). *Chrys.*, *Eumolp.*, *Cyn.* 181.
- Palimbola* **Ws.**, DEZ. 1900, 449 (*P. nigripes* **Ws.** 1900) 1916:1 (Afr. or.-germ.). *Chrys.*, *Chryso.*, *Phaedon.* 55.
- Palimbolus* **O Raffr.**, Rev. d'E. 9, 1890, 149, 159; GIW. *Psel.* 1908, 382, t. 6 f. 2 (*P. victoriae* [**King**] 1805, *mirandus* [**Sharp**] 1874) 1913:7 + 4 (Austral., Queensl., Victor., Tasm.). *Psel.*, *Psela.*, *Tyr.* 396.
- Pallene* **O Chap.**, G. Col. X, 1874, 291; **Lefv.**, MSLiège (2) 11, 1885, 89 (*P. tibialis* **Chap.** 1874; *Chapuisi* **Lefv.** 1890, *aenea* **Gestro** 1895)

- 1914:3 (Terra Galla; Terr. cap.). *Chryso.*, *Eumolp.*, *Cyn.* 187.
- Pallenis* O Cast., in *Silberm.* Rev. d'E. 4, 1836, 39; *Spin.*, Rev. Zo., 1841, 72; **Kl.**, *Clerii* 1842, 276; **Lac.**, IV, 1857, 430; **Schklg.**, *GIW. Cler.* 1903, 14 (*P. tricolor* Cast. 1836) 1913:53 (incl. 2? Ostind., Timor., Madag. [47], Comor., Orange flum.). *Cler.*, *Cler.*, *Till.* 20.
- Pallodes* O Er. in *Germa.* ZE. IV, 1843, 348 (*P. annulifer* Cast. 1840, *silaccus* Er. 1843) 1913:76 (Jap., Ind., Assam etc., Abyss., N.Guin., Madag., Am. trop., Brasil., Ins. de Franc., Nossi-Bé.). *Nit.*, *Nitid.* 129.
- Palorus* O $\frac{1}{2}$ **Muls.**, Col. Fr. *Latigèn.* 250; **Jacq. du Val**, III, 308; **C. G. Thoms.**, *Sk. Col.* VI, 271; **Seidl.**, *F. Ba.* ed. II; *F. Tr.* id. 132; *NID.* V, 1894, 57 et 573; **Champ.**, *EMM.* (2) 7, 1896, 26; — *Übers.*: **Fleischer**, *WEZg.* 19, 1900, 236; **Kuhnt**, 740. — *Biol.*: **Schiödt**, *NTi.* III, 1879, 561, 587, t. 10 f. 12—17; **Seidl.**, *NID.* V, 1893, 212, 215; **Cook**, *B.U.Stat.Agr. E.* II, 1883, 32 (Typ. ?; *P. depressus* [F.] 1790) 1913:13 (Eur., Syr., Madera, Jap., Java, Tener., Transcauc., Ins. Damma Biskra, Madag., N.Caled.). *Ten.*, *Ulom.* 677.
- Pammegus* **Fauv.**, Rev. d'Ent. 14, 1895, 271; op. cit. 21, 1902, 41, 42 (*P. flavipes* [Fauv.] 1884) 1914:1 (Sum., Himal.; Birma). *Staph.*, *Staphyl.*, *Xantho.* 333.
- Panamomus* O **Gorh.**, *EMM.* 9, 1873, 207; **Chapuis**, *G. Col.* 12, 1876, 40 (*P. Lewisii* Gorh. 1873) 1913:3 (Jap.). *End.*, *Mycet.*, *Liesth.* 19.
- Panaphantus* O **Kiesw.**, *BEZ.* II, 1858, 48; **Raffr.**, *ASEFr.* 72, 1903, 519; *GIW. Psel.* 1908, 54; **Schanfuß** in *Calwer*, 243 (*P. atomus* Kiesw. 1858) 1913:1 (Gr., Tunes., Lenkor., Transcauc.). *Psel.*, *Psela.*, *Euplect.* 39.
- Panaphysis* O **Reitt.**, *DEZ.* 26, 1882, 185; **Raffr.**, Rev. d'E. 9, 1890, 108; *ASEFr.* 73, 1904, 2; *GIW. Psel.* 1908, 142 (*P. Koppi* Reitt. 1882) 1913:1 (Costa aurea). *Psel.*, *Psela.*, *Batris.* 153.
- Pancarpus* **Bondroit**, *ASEB.* 57, 1912, 92 pro *Erichsonius* **Schub.** *Staph.*, *Staphyl.*, *Staphyl.* 282.
- Panchylissus* **Waterh.**, *ANH.* (5) V, 1880, 294 (*P. cyaneipennis* Waterh. 1880) 1912:1 (Ecuad., Sarayacu). *Ceram.*, *Cerambin.*, *Lissnt.* 1016.
- Pandarinus* **Muls. et Rey**, *M.Ac.Lyon* 1854, 247; *Opusc. E.* V, 1854, 103; **Seidl.**, *NID.* V, 1893, 389; **Reitt.**, *Best.-Tab.* 53, 1904, 78 = Subg. ad *Dendarus* **Latr.** 1829. *Ten.*, *Pedin.* 449.
- Pandarus* **Muls.**, Col. Fr. *Latig.* 1854, 141; *M. Ac. Lyon* 1854, 194; *Opusc. E.* V, 1854, 50; **Lac.**, V, 241; **Seidl.**, *NID.* V, 1893, 388; **Reitt.**, *Best.-Tab.* 53, 78 = Subg. ad *Dendarus* **Latr.** 1829. *Ten.*, *Pedin.* 449.
- Pandona* **Chevr.**, *Dict. univ. HN.* IX, 1847, 437 (*P. orbicularis* [Chevr.] 1843) 1916:1 (Bras.). *Chryso.*, *Chryso.*, *Tim.* 126.
- Pandora* **Chevr.**, *Dict. univ. HN.* III, 1843, 437 (nec **Eschsch.**) = *Pandona* **Chevr.** 1847. *Chryso.*, *Chryso.*, *Tim.* 126.
- Pandrosos* O **Bates**, *EMM.* (4) 1867, 23; *TESL.* 1870, 332; **Goun.**, *ASEFr.* 80, 1911, 89 (*P. phthisicus* **Klug** 1825) 1913:1 (Amaz.: Bahia). *Ceram.*, *Cerambin.*, *Cleom.* 883.
- Panelus* O **Lewis**, *ANH.* (6) 16, 1895, 375 (*P. parvulus* [Waterh.] 1874, *assamensis* **Arrow**, *ANH.* (7) 19, 417) 1913:2 (Assam, Jap.). *Scar.*, *Copr.*, *Scarbi.*, *Canthon.* 28.
- Paniasis* O **Champ.**, *BCA.Col.* IV, 1 1886, 208 (*P. dilatipes* **Champ.** 1886) 1913:1 (Mex.). *Ten.*, *Diaper.* 638.
- Panomoea* **Gerst.**, *ArN.* 23, 1857, I, 241; **Gerst.**, *Mon. Endom.* 1858, 365;

- Ws.**, DEZ. 1891, 21 = *Cyclotoma Muls.* 1851. *End.*, *Endo.*, *Endom.* 75.
- Panotrogus Reitt.*, VN. 40 [Best.-Tab. 50], 164, 187 (*P. Myschenkowi* [Ballion] 1871) 1913:1 (Transcasp., Turk., Afghanist.). *Scar.*, *Melth.*, *Melthi.* 305.
- Panschizus Blackb.*, TRS.SouthAustral. 1888, 51 = *Anoplostethus Brullé* 1837. *Scar.*, *Rut. orth.*, *Anoplgni.*, *Anopligna.* 112.
- Panscopaeus Sharp*, ANH. (6) II, 1889, 262 (*P. lithocharoides* [Sharp] 1874) = Subg. 22 ad *Medon Steph.* 1832 (Jap.). *Staph.*, *Paed.*, *Paedi.* 199, 22.
- Pantheropterus Thoms.*, ASEFr. (3) 5, 1856, 323 = *Triplatomia Westw.* 1856. *Erot.*, *Dacn.* 86.
- Pantolasius Lansb.*, Not. Leyd. Mus. 9, 1887, 203 (*P. Vethi Lansb.* 1887) 1913:1 (Sumatra). *Scar.*, *Hyboso.* 11.
- Pantomallus O Lac.*, VIII, 1869, 286 (*P. morosus* [Serv.] 1834, *proletarius* [Er.] 1847) 1913:6 (Nicar., Guadeloup., Ven., Bras., Tex., Peru). *Ceram.*, *Cerambin.*, *Hesprph.* 210.
- Pantonyssus Bates*, TESL. 1870, 276 (*P. Erichsoni* [White] 1853) 1913:2 (Bras.: Rio Jan., Goyaz, Para). *Ceram.*, *Cerambin.*, *Sphaerio.* 255.
- Paphora O Pasc.*, JoLSLZo. IX, 1866, 102 (*P. modesta* [Pasc.] 1863) 1913:4 (Austral.). *Ceram.*, *Cerambin.*, *Calldp.* 310.
- Parabathyscia* O[✱]+ **Jeannel**, Arch. Zo. exp. (4) 8, 1908, 308; (5) 5, 1910, 9 et 29 (gen.); Rev. Ba. 1911, 271 t. 1 f. 13—14; t. 6 f. 162—185; **Breit**, EMi. II, 1913, 313 [Subg.]; **Jeannel**, Arch. Zo. exp. t. 54, 1914, 67.
- Chorol.: **Jeannel**, Rev. Ba., 152, f. 63 (carte). — Metamorph.: **de Peyerimh.**, BSEFr. 1906, 114 f. 12—14; **Jeannel**, Rev. Ba., 98 = Subg. 5 ad *Bathysciola Jeannel* 1910) (*P. Spagnoloi Fairm.* 1882) (lapidic., cavern., muscic.: It., Gal., Brit., Cors.). *Silph.*, *Bath.*, *Bathy.* 3, 5.
- Parabemus Reitt.*, F. Germ. II, 1909, 118 = *Abemus Muls. et Rey* 1875 = Subg. ad *Staphylinus L.* 1758. *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 314.
- Parablamera Péring.*, T.SouthAfr.Phil. S. 13, 1904, 77 = Subg. ad *Ablamera Er.* 1847. *Scar.*, *Melth.*, *Seric.* 143.
- Parablops All.*, Mi. Schweiz E. Ges. 1877, 230 = *Nephodes Blanch.* 1845. *Ten.*, *Helop.* 1079.
- Parabyrsopolis O Ohs.*, DEZ. 1915, 256 = Subg. 4 ad *Cotalpa Burm.* 1844) (*P. Batesi Ohs.* 1915, *arizonae* [Ohs.] 1912, *aurescens* [H. Bates] 1888) 1918:6 (Guatem., Mex., Ariz.). *Scar.*, *Rut. hom.*, *Ruti.*, *Areod.* 2, 4.
- Paracamenta Péring.*, T. South Afr. Phil. S. 13, 1904, 108 (Typ.?: *P. verticalis* [Boh.] 1857, *Bohemani* [Brenske] 1896) 1912:6 (Nat., Col. cap., Trv. 5, Terr. Limpopo). *Scar.*, *Melth.*, *Seric.* 317.
- Parachalepus O Baly*, BCA.Col. VI, 2, 1885, 47 = Subg. 1 ad *Chalepus Baly* 1885 (*P. brevicornis Baly* 1885) 1913:1 (Mex.). *Chrys.*, *Hisp.*, *Chalep.* 33.
- Parachorius Har.*, Col. Hefte XI, 1873 (*P. Thomsoni Har.* 1873) 1913:1 (Ind. or. brit.). *Scar.*, *Copr.*, *Copri.*, *Pinot.* 66.
- Parachrysa O H. Bates*, BCA. Col. II, 2, 1888, 289 (*P. Truquii* [J. Thoms.] 1857) 1918:1 (Mex.). *Scar.*, *Rut. hom.*, *Ruti.*, *Areod.* 5.
- Paraclytorrhinus Senna*, BSEItal. 34, 1902, 159; **Schönfeldt**, GIW. *Brenth.* 1908, 9 (*P. modiglianii Senna* 1902) 1913:1 (Sumatra). *Brenth.*, *Brentha.*, *Taphr.* 8.
- Paraclytopa Waterh.*, TESL. (4) 15, 1875, 407 (*P. lanuginosa Waterh.* 1875) 1913:1 (Afr.mar.). *Scar.*, *Melth.*, *Pachyd.* 431.
- Paraclytus O Bates*, JoLSLZo. 18, 1884, 234; **Pic**, *Longic.* VIII, 1, 1911, 10—11 (Synopsis). (*P. excultus Bates* 1884; *serguttatus* [Adams] 1817)

- 1913:6 (Caucas. 3, Graccia 1, Jap. 2).
Ceram., *Cerambin.*, *Clyt.* 832.
- Paraclytus*¹⁾ **Casey**, Mem. Col. 3, 1912, 374 (*P. brevitarsis*, *crucialis* **Casey** 1912) 1913:2 (Cal.). *Ceram.*, *Cerambin.*, *Clyt.* —.
- Paraconocnemis* **O Kraatz**, DEZ. 1899, 119 (Typ.?). *P. sculpticollis* **Kraatz** 1899, *P. foveicollis* [**Fairm.**] 1891) 1913:3 (Sierra Leone, Cam., Sudan.). *Ten.*, *Rhyssop.* 1121.
- Paracotalpa* **O**  **Ohls.**, DEZ. 1915, 256 = Subg. 3 ad *Cotalpa* **Burm.** 1844 (*P. granicollis* [**Haldem.**] 1852, *puncticollis* [**J. Lec.**] 1863, *ursina* [**G. Horn**] 1867) 1918:3. *Scar.*, *Rut. hom.*, *Ruti.*, *Areod.* 2, 3.
- Paracrusis* **Newm.**, ANH. (2) 3, 1839, 366 = *Mimela* **Kirby** 1825. *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma.* 85.
- Paractenosia* **O Péring.**, A.Safr.Mus. III, 1904, 285 (*P. parva* **Péring.** 1904) 1917:1 (Col. cap.). *Melo.*, *Lytt.*, *Mylabr.* 19.
- Paracupes* **Kolbe**, ENa. 24, 1898, 179 (*P. brasiliensis* **Kolbe** 1898) 1913:1 (Brasil.). *Cup.* 3.
- Paradisticocera* **O Poll.**, Not. Leyd. Mus. IX, 1887, 115 (*P. Kirbyi* [**Newm.**] 1852) 1913:1 (N.S.W.; Queensl.). *Ceram.*, *Cerambin.*, *Distich.* 657.
- Paradownesia* **Gestro**, AMusG. 1899, 220, 224 = Subg. 2 ad *Downesia* [**Baly**] 1858], *P. longipennis* [**Gestro**] 1890) 1913:8 (As. mer.). *Chry.*, *Hisp.*, *Gonoph.* 74.
- Paradoxocerus* **Kraatz**, DEZ. 1899, 84; **Schklg.**, GIW. *Cler.* 1903, 37; DEZ. 1906, 248 (*P. fulvus* **Kraatz** 1899) 1913:1 (Camerun.). *Cler.*, *Cleri.*, *Till.* 13.
- Paradrilus* **O Kiesw.**, BEZ. 10, 1865, 244 **Schaufuß** in **Calwer**, 354 (*P. opacus* **Kiesw.** 1865) 1913:1 (Hispan.). *Dril.* 3.
- Paraegus* **O Gahan**, PZSL. 1888, 539 (*P. Listeri* **Gahan** 1888) 1913:1 (Christmas Ins.). *Luc.*, *Dorc.* 48.
- Paragematis* **Reitt.**, VN. 41, 1903, 69 = *Anomala* **Sam.** s. str. 1819. *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma.* 71, 2.
- Paragonus* **Fauv.**, Rev. d'E. XIV, 1895, 197 (*P. birmanus* **Fauv.** 1895) 1913:3 (Ind. or., Birma, Sumatra, Java). *Staph.*, *Oxyt.*, *Osori.*, *Osor.* 130.
- Paragymnopleurus* **Shipp**, Entomologist, 30, 1897, 166 = *Gymnopleurus* **Ill.** 1803. *Scar.*, *Copr.*, *Scarbi.*, *Gymnplr.* 13.
- Parahelops* **O Waterh.**, TESL. 1875, 333; **Fairm.**, Miss. Sc. Cap Horn VI, 2, 1891, Col., 47 (*P. Darwini* et *pubescens* **Waterh.** 1875) 1913:6 (Ins. Falkland 2, Terr. ignit. 4). *Ten.*, *Helop.* 1087.
- Paralathra* **Casey**, T.Ac.St.Louis XV, 1905, 75, 130 = Subg. ad *Lathrobium* **Grav.** 1802. *Staph.*, *Paed.*, *Paedi.* 210.
- Paralepta* **Baly**, JoLSLZo. 13, 474 (*P. foveicollis* **Baly** 1878) 1916:1 (N.S.W.). *Chrys.*, *Chryso.*, *Phyllod.* 93.
- Paraleptidea* **O Goun.**, BMHNP. 1913 (*P. femorata* **Goun.** 1913) 1913:1 (—). *Ceram.*, *Cerambin.*, *Psel.* 599a.
- Paralesteva* **Cas.**, Can. Ent. 1905, 164 (*P. pallipes* [**Lec.**] 1863) 1913:1 (Maryl., Pa., Canad., Alabama). *Staph.*, *Oxyt.*, *Omal.* 72.
- Paralichas* **O White**, ANH. (3) 3, 1859, 287, t. 7; **Gemm. et Har.**, Col. Cat. 6, 1869, 1615; **Fairm.**, ASEFr. (6) 6, 1886, 336; **Lewis**, ANH. (6) 16, 1895, 99 (*P. Guerini* **White** 1859) 1914:7 (Jap., China, Formos.). *Dasc.*, *Dasci.*, *Cneogl.* 14.
- Paralina* **Baly**, TESL. (n. s.) V, 155; **Chap.** X, 368, 377 (*P. indica* **Hope** in **Gay** 1859) 1916:2 (Ind. or., Himalaya). *Chrys.*, *Chryso.*, *Chrysi.* 30.
- Paralistronyx* **Brenske**, Résultats Belgica, Zo. Ins. 1906, 30 = Subg. ad *Sericodes* **Guér.** 1839. *Scar.*, *Meth.*, *Lipar.* 212.

¹⁾ Nota: *Synclytus* nom. nov. **R. Luc.** pro *Paraclytus* **Casey** 1912 nec **Bates** 1884.

- Parallelisma* **Fairm.**, ASEFr. (5) 6, 1876, 238; **Gestro**, AMusG. 1909, 226 = *Lepthispa* **Baly** 1858. *Chrys.*, *Hisp.*, *Lepth.* 55.
- Paralleloda* **Fairm.**, Nat., III, 1881, 340 (*P. luteicornis* **Fairm.** 1881) 1913:2 (Ins. Viti). *Temn.*, *Temno.* 10.
- Paralobium* **Fall.**, TAMES. 31, 1905, 132, 152 (*P. mundum* **Fall.** 1905) 1913:1 (Am. b.: Civ. confoed.). *Anob.*, *Ernob.* 18.
- Paralocus* **Fairm.**, ASEB. 42, 1898, 252 (*P. semitibialis* **Fairm.** 1898) 1913:6 (Madag.). *Ceram.*, *Ceram.*, *Callp.* 330.
- Paramacraspis* **Ohs.**, DEZ. 1915, 260 (*P. hemichlora* **Cast.** 1840) 1918:1 (Bras., Mts. cost., Esp. Santo). *Scar.*, *Rut. hom.*, *Ruti.*, *Antich.* 61.
- Paramalocera* **O Aur.** in Schklg. et J., P. 39, 1912, 100 (= *Malloecera* sect. 2, **Lac.** VIII, 1869, 321) 1913:11 (Ec., Pan., Arg., Bras., Bol., Peru). *Ceram.*, *Ceram.*, *Sphaerio.* 257.
- Paramarygmus* **O Quedf.**, BEZ. 29, 1885, 25 (*A. femoralis* [**Imhoff**] 1843, *testaceipes* [**Thoms.**] 1858) 1913:24 (Afr. trop. et mer.). *Ten.*, *Rhysop.* 1139.
- Paramaypa* **Brenske**, Results Belgica, Zo. Ins. 1906, 30 = Subg. ad *Sericodes* **Guér.** 1839. *Scar.*, *Melth.*, *Lipar.* 212.
- Paramedon* **Casey**, T.Ac.St.Louis 1905, 166 (Typ. ?; *P. vancouveri* **Casey** 1905) = Subg. 8 ad *Medon* **Steph.** 1832. 1913:27 (Cal. 22, Ariz. 2, Id. 1, N.Mex. 1, V.I. 1). *Staph.*, *Paed.*, *Paedi.* 199, 8.
- Parametopia* **Reitt.**, Nit. Japans, 1884, 259 et 262; 1885, 17 (*P. x-rubrum* **Reitt.** 1884) 1913:6 (Ind., Borneo, Sum., Jap., Mahé). *Nit.*, *Nitid.* 75.
- Paramimela* **O Ohs.**, StEZg. 1915, 88 = Subg. 1 ad *Mimela* **Kirby** 1825; **Gebler**, Mém. Moscou XX, 2, 1847, 462 (*P. circumcincta* et *costata* [**Hope**] 1842, *aurata* [**F.**] 1801, *holosericea* Archiv für Naturgeschichte 1918, A. 4.
- [**F.**] 1787) 1918:11 (Su. usque ad Gr.; Guinea: Silv. cost., Cam., Congo, Gabun.; Sib.: Ural usque ad Wladivost., Sachalin., Jap., Ch. b. et b.-or.). *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma.* 85, 1.
- Paranaecus* **J. Thoms.**, Rev. MaZo. 1877, 269 = *Apotrophus* **H. W. Bates** 1875. *Ceram.*, *Prion.*, *Macrot.*, *Til.* 22, 1.
- Parandra* **O Ohs.** **Latr.**, HN. Crust. Ins. XI, 1804, 252; **Lac.**, VIII, 22; **Bates**, TESL. 1869, 39; **Lmr.**, ASEB. 46, 1902, 60 (Rév., 2); **MSEB.** 21, 1912, 114 (Rév., 978) (*P. laevis* **Latr.** 1804) 1913:30. — 4 Subgg.: *Arch.*, *Ne.*, *Par.* et *Stenandra*. (Pers., b., Transcauc., Am., Ins. Sandwich, Haiti, N. Caled., Austral.). *Ceram.*, *Prion.*, *Parandri.*, *Parandr.* 1.
- Biol.: **Lmr.**, MSScLiège (2) XI, XI, 1884, 11 p. 11 t. 1 f. 3a—c (*politu*); **Rojas**, ASEFr. (4) VI, 1866, 237; **Heller**, StEZg. 55, 1904, 383 t. 5 f. 2—4.
- Parandra* s. str. **Latr.**, HN.Crust. Ins. XI, 1804, 252; **Lmr.**, **MSEB.** 21, 1912, 114 (Rév., 978) = Subg. 1 (Typ. etc. ut antea) = Subg. ad *Parandra* **Latr.** 1804 (Typ. et Distr. ut antea). *Ceram.*, *Prion.*, *Parandri.*, *Parandr.* 1, 3.
- Parandroeme* **Aur.** in **Sjöstedt**, Ergebn. Exp. Kilimandj. VII, 1908, 141 (*P. brunnea* **Aur.** 1908) 1913:1 (Meru). *Ceram.*, *Ceram.*, *Oedem.* 48.
- Paranemia* **Heyd.**, DEZ. 1892, 103 (*P. Schröderi* **Heyd.** 1892) 1913:2 (Mong. b., Turk.). *Ten.*, *Phaler.* 575.
- Paraniptus* **Kiesw.**, NID. V, 1877, 79; **Schaufuß** in Calwer, 707 = Subg. ad *Microptinus* **Kiesw.** 1877. *Ptin.*, *Ptini.* 20.
- Paranobium* **O Gahan**, Mon. Christmas Isl. 1900, 104 (*P. posticum* **Gahan** 1900) 1913:2 (Socotra; Ins. Christm.). *Anob.*, *Dryoph.* 4.
- Paranomus* **Elat.** cf. P. II.

- Paranonca* **Cast.**, HNCol. II, 1840, 143 = *Chlorochiton* **Arrow** 1913. *Scar.*, *Melth.*, *Lipar.* 160.
- Paranonca* **Cast.**, HN. Col. II, 1840, 143 = *Anoplognathus* **Leach** 1815. *Scar.*, *Rut. orth.*, *Anoplgni.*, *Anopligna.* 111.
- Paranovelsis* **O Casey**, JoNYES. 8, 1900, 148 = Subg. ad *Novelsis* (*P. varicolor* **Jayne**) 1913:1 (Civ. pacif., *Ariz.*). *Derm.*, *Atteg.* 8.
- Parantrophilon* **Noesske**, Col. Rundsch. 3, 1914, 17 (*P. spelaeobatoidea* **Noesske** 1914) 1914:1 (cavern.: *Herzeg.*). *Silph.*, *Bath.*, *Antroherp.* 59.
- Parapachyta* **Casey**, Mem. Col. 4, 1913, 216 (*P. [Pachyta] spurca* [**J. Lec.** 1857]?) 1913:1 (Cal., Nev., V. I.). *Ceramb.*, *Cerambin.*, *Lept.* 526a.
- Paraphacodes* **Belon**, Rev. d'E. 21 1902, 4 = Subg. 2 ad *Phacodes* **Newm.** 1841 (*P. triangulum* **Belon** 1902) 1913:1. *Ceramb.*, *Cerambin.*, *Hesprph.* 179, 2.
- Paraphaedon* ⚡ **Sharp**, EMM. 46, 1910, 4 = Subg. 3 ad *Phaedon* **Latr.** 1829. *Biol.*: **Hart**, Ent. 15, 1882, 213; **de Peyerimh.**, ASEFr. 80, 1911, 289 (*P. tumidulus* [**Germ.**] 1824) 1916:1 (Eur. occ.: Alg.). *Chryso.*, *Chryso.*, *Phaedon.* 39.
- Paraphanes* **M'Leay**, PLSNSW. (2) II, 1888, 308 (*P. nitidus* **Mc Leay** 1888) 1913:2 (N.S.W., Queensl.). *Ten.*, *Cyphal.* 896.
- Paraphilus* **Gah.**, ANH. (6) 11, 1893, 255 (*P. duplex* **Gah.** 1893) 1913:1 (China). *Ceramb.*, *Cerambin.*, *Lept.* 459.
- Paraphloeus* **Seidl.**, NID. V, 1894, 553 = Subg. ad *Hypophloeus* **F.** 1790. *Ten.*, *Ulom.* 723.
- Parapholeuon* **O Ganglb.**, DEZ. 31, 1887, 95 (subg.); *KäfMEur.* 3, 1899, 89; **Reitt.**, WEZg. 17, 1908, 112; **Jeannel**, ArchZo. exp. (5) 5, 1910, 20 et 41; *Rev. Ba.*, 482 (char. cm.); **Schaufuß** in *Calwer*, 264 = Subg. 1 ad *Pholeuon* **Hampe** 1856 (*P. gracile* (**J. Frivaldszky**) 1914:6 (cavern. Hung.: Bihar 5, Alsó-Fehér). *Silph.*, *Bath.*, *Bathy.* 42.
- Paraphrus* **J. Thoms.**, Class. *Cer.* 1860, 330; *Syst. Cer.*, 469; **Lac.**, VIII, 52, nota 1; **Gah.**, F. Brit. Ind. Col. I, 1906, 13; **Lmr.**, ASEB. 55, 1911, 335 (Rév., 767) = Subg. 2 ad *Dorysthenes* **Vigors** 1826 (*P. granulosus* **J. Thoms.**, 1860, *planicollis* **H. W. Bates** 1878) 1913:2 (Bengal, Birma, Siam, Penang, Singap., Sum., Borneo). *Ceramb.*, *Prion.*, *Prionin.*, *Prioni.* 71, 2.
- Paraphylax* **O Broun**, ManNZ., Col. V, 1893, 1153 (*P. squamiger*, *variatus* **Broun** 1880) 1913:4 (Nov. Zealand.). *Ten.*, *Opatr.* 519.
- Paraphytus* **O Har.**, AMusG. X. 1877, 43 (*P. Doriae* **Har.** 1877) 1913:3 (Jap., Sarawak, Sumatra.). *Scar.*, *Copr.*, *Copri.*, *Pinot.* 57.
- Parapinotus* **O Har.**, Mi. Münch. E. Ver. II, 1878, 42 (*P. Dewitzi* **Har.** 1878) 1913:1 (Rhodes., mer., Nat.). *Scar.*, *Copr.*, *Copri.*, *Pinot.* 71.
- Paraplectus* **O Raffr.**, Rev. d'E. 17, 1898, 269; ASEFr. 72, 1903, 532 **GIW.** *Psel.* 1908, 109 (*P. punctulatus* **Raffr.** 1898) 1913:4 (Vict., Tasm., Austral.). *Psel.*, *Psela.*, *Euplect.* 128.
- Parapropus* **O** ⚡ **J. Müll.**, *KäfMEur.* 3, 1899, 85 (in parte); **J. Müll.**, WEZg. 26, 1907, 197 (subg.); WEZg. 27, 1908, 109 (gen.); **Breit**, EMi. II, 1913, 311; **Jeannel**, Arch. Zo. exp. (5) 5, 1910, 22 et 43; 54, 1913, 76; *Rev. Ba.*, 513; **Schaufuß** in *Calwer*, (264). — *Chorol.*: **Jeannel**, *Rev. Ba.*, 141 f. 59 (carte) (*P. sericeus* [**Schmidt**] 1852) 1914:4 (cavernic.: Bosn., Carn., Cro.). *Silph.*, *Bath.*, *Bathy.* 56.
- Paraprosodes* **Reitt.**, Mon. II, 1896 119, 144 = Subg. ad *Prosodes* **Eschsch.** 1829. *Ten.*, *Blapt.* 390.

- Parapylyus* **O Blackb.**, TRS.South Austral. 14, 1891, 305; **Schklg.** GIW. *Cler.* 1903, 113 (*P. bicinctus* [Newm.] 1861) 1913:1. (Austral.) *Cler.*, *Coryn.*, *Corynet.* 168.
- Pararhizophagus* **Méquinon**, BSEFr. 1913, 44 (*P. Grouvellei* Méqu. 1913) 1914:1 (Malacca). *Rhiz.* 2.
- Pararhopyaea* **Blackb.**, TRS.South Austr. 35, 1911, 188, 197 (*P. collabonnensis* **Blackb.** 1911) 1913:1 (Austral.). *Scar.*, *Melth.*, *Melthi.* 377.
- Parascela* **Baly**, JoLSLZo. 14, 1878, 252; **Lefv.**, MSLiége (2) 11, 1885, 64 (*P. cribrata* [Schauf.] 1871) 1914:1 (Ch.: Hongkong). *Chrys.*, *Eumolp.*, *Odontio.* 100.
- Paraschizognathus* **Ohls**, StEZg. 65, 1904, 67, 125 (*P. nigripennis* [Blanch.] 1850, *prasinicollis* **Ohls.**, 1904) 1918:4 (Austral., Queensl., N.S.W.). *Scar.*, *Rut. orth.*, *Anoplgni.*, *Anopligna.* 114.
- Paraserica* **Reitt.**, WEZg. XV, 1896, 183; VN. XL, 1901 (1902), 318, 146, 296 (*P. grisea* [Motsch.] 1866) 1913:1 (Jap.). *Scar.*, *Melth.*, *Seric.* 27.
- Parastasia* **O** $\frac{3}{4}$ **Westw.**, ANH. VIII, 1841, 204; **Ohls.**, StEZg. 59, 1898, 5. — Mon., Revis.; **Arrow**, TESL. 1899, 479; **Ohls.**, DEZ. 1900, 225. — Biol.: **Schioedte**, NTi. IX, 1874, 293, t. 10 f. 1—11; **Ohls.**, DEZ. 1901, 251 (Mon. Revis.) 1918:74. — Sect.: 1. *confluens* **O** (*confl.* **Westw.** 1841) 1918:8 (Pa.: Nov. York, Miss., Allegh. Andam. — Malacc., Phil. Ins. — N. Guin., Salom., Louisiad., Queensl.; Born., Java). — 2. *dolens* **Fairm.** (*dol.* **Fairm.** 1879) 1918:1 (Ins. Viti). — 3. *bimaculata* **O** (*bim.* **Guér.** 1843) 1918:8 (Malacca — Nicobar.; Andam., Ins. Duke of York, N. Guin., Tonga, Luz. b., N. Hebrid.). — 4. *nigromaculata* **O** (*nigrom.* **Blanch.** 1850) 1918:4 (Salom., Alu., Nov Guin.). — 5. *discolor* **O** (*disc.* **Westw.** 1841) 1918:8 (Ind. or., Phil. Ins., Java, Sum., Malacc., Tonkin, Salom., Ins. Riouw, Borneo b.). — 6. *canaliculata* **O** (*can.* **Westw.** 1841) 1918:21 (Ind. post., Ch. mer., Phil. Ins., Formos., Ceyl., Seych., Andam., Maur., Java, Sum., Born., Assam, Buru, Birma, Sumbawa, Timor). — 7. *anomala* (*an.* **Arrow** 1899) 1918:1 (Born. b.-occ.: Penang, Perak). 8. *Westwoodi* **O** (**Westw.** — 1841) 1918:11 (Siam, Ins. Sund., Phil., Malacc., Calcutta, Bhutan, Luzon., Ins. Nov. Guin., Ins. Aru et Kei). — 9. *vittata* **O** (*vitt.* **Snell. van Vollenh.** 1864) 1918:8 (Buru, Penang, Born., N. Guin., Ins. Larat, Amboin., Ceram, Batj., Buru.). — 10. *heterocera* **O** (*het.* **Ohls.** 1898). 1918:3 (Riouw apud Sum., Nicob., Andam., Bintam apud Sum.). *Scar.*, *Rut. hom.*, *Ruti.*, *Parast.* 38.
- Parastenus* **Heyden**, WEZg. 24, 1905, 262; **Schaufuß** in *Calver*, 177 = *Hemistenus* **Motsch.** 1860 = Subg. 4 ad *Stenus* **Latr.** 1796. *Staph.*, *Sten.*, *Steni.* 145, 4.
- Parastrangalis* **Ganglb.**, HoR. 24, 1889, 57 = Subg. 6 ad *Strangalia* **Serv.** 1835 (*P. Potanini* **Ganglb.** 1889) 1912:1 (Kansu). *Ceram.*, *Cerambin.*, *Lept.* 551, 6.
- Paratelaugis* **Ohls.**, DEZ. 1915, 260 (*P. robusta* [Kirsch] 1870) 1918:1 (Pan., Col., Ec.). *Scar.*, *Rut. hom.*, *Ruti.*, *Antich.* 67.
- Paratenetus* **O Spin.**, *Essai Clerit.* II, 1844, 116; **Motsch.**, BMosc. 41, 1868, III, 192; **Horn**, *Rev. Ten.*, 373; **J. Lec. et Horn**, *Class.* 1883, 382; **Champ.**, BCA.Col. IV, 1, 1886, 238 (*P. punctatus* **Spin.** 1844) 1913:27 (Am. c., b., Bras., Buenos Aires). *Ten.*, *Heterota.* 868.
- Parateuchus* **Shipp**, *Entomologist* 28, 1821, 221 = *Scarabaeus* **L.** 1758. *Scar.*, *Copr.*, *Scarbi.*, *Scarbae.* 9.
- Parathyridium* **Ohls.**, DEZ. 1915, 260 (*P. microcephaloides* **Ohls.** 1905)

- 1918:2 (Col.). *Scar., Rut. hom., Ruti., Antich.* 54.
- Paratillus* **O Gorh.**, Cist. E. II, (1876), 62; **TESL.** 1878, 157; **Kraatz**, ASEB. 43, 1899, 217; **Schklg.**, GIW. *Cler.* 1903, 116 (*P. carus* [Newm.] 1840) 1913:1 (Austral., Tasm., N. Caled.; var. e Sum.). *Cler., Coryn., Corynet.* 169.
- Paratinus Canth.* cf. P. II.
- Paratoxicum* **O Champ.**, **TESL.** 1894, 380 (*P. iridescens* **Champ.** 1894) 1913:1 (Tasm.). *Ten., Tenebr.* 840.
- Paratoxotus* **Fairm.**, Rev. d'E. 20, 1901, 212 (*P. Argodé* **Fairm.** 1901) 1913:3 (Madag.). *Ceramb., Cerambin., Lept.* 490.
- Paratritoma* **O Gorh.**, BCA.Col. VII, 1888, 71; **Kuhnt**, DEZ. 1910, 246 (*P. divisa* **Gorh.** 1888) 1913:8 (Am. c., mer.-trop., Arg.). *Erot., Triplac.* 46.
- Paratropus* **O Gerst.**, Beitr. Insekt. Zanzibar 1866, 32 (*P. testudo* **Gerst.** 1866, *P. ovides* [Mars.] 1862) 1913:17 (Afr.: Abyss. etc., Borneo; Bras.). *Hist.*, 92.
- Paravius* **Cas.**, Rev. Mon. 1907, 332 = Subg. ad *Hylocrinus* **Cas.** 1907. *Ten., Eurymet.* 23.
- Paraxenopygus* **Bernh.**, DEZ. 1911, 415 (*P. Tremolerasi* **Bernh.** 1911) 1914:1 (Uruguay). *Staph., Staphyl., Xantho.* 349.
- Parecatus* **Fairm.**, ASEB. 44, 1900, 245 (*P. plicatulus* **Fairm.** 1900, *P. costulatus* [Fairm.] 1895) 1913:6 (Madag.). *Ten., Asid.* 290.
- Parelodes* **Redt.**, Reise Novara II, 1868, 98 (*P. mollis* **Redtenb.** 1868) 1914:1 (Ceylon.). *Helod., Helodi.* 2.
- Parapierus* **Bickhardt**, Rec. Ind. Mus., 8, 1913, 124 (*P. [Epiurus] amandus* **Schm.** 1892) 1913:4 (Abor country; Formosa, Sum.; Java). *Hist.* 44a.
- Parapitragus* **Cas.**, Rev. *Ten.* 1907, 518 (*P. Solteri* **Cas.** 1907) 1913:1 (Ecuador.). *Ten., Epitrag.* 59.
- Pareupezus* **Kolbe**, StEZg. I, 1889, 129 (*P. glaber* **Kolbe** 1889) 1913:1 (Afr. occ.). *Ten., Rhyssop.* 1135.
- Parevander* **O Aur.** in **Schklg.** et **J.**, P. 39, 453 = *Evander* **Lac.** (*P. Nietii* **Guér.** 1844, *xanthomelus* **Guér.**, 1844) 1913:4 (Mex., Guat., Nicar., Costa Rica). *Ceramb., Cerambin., Pteropl.* 948.
- Parexysma* **Csiki**, A.Mus. Nat. Hung. 3, 1905, 573 nota (*P. parvula* **Csiki** 1905) 1913:1 (Guatem.). *End., Mycet., Myceta.* 6.
- Parhomonyx* **Ohls.**, DEZ. 1915, 257 (*P. fuscoaeus* **Ohls.** 1915) 1918:1 (Arg.: Cordob.). *Scar., Rut. hom., Ruti., Pelidn.* 26.
- Parhophlognathus* **O Ohls.**, DEZ. 1915, 257 (Typ.? DEZ. 1915 p. 257; *P. limbaticipennis* [Ohls.], *parvulus* [Ohls.] 1905, *maculatus* [Gory in **Silberm.**] 1833) 1918:4 (Bras. 3, Mex.: San Blas l). *Scar., Rut. hom., Ruti., Pelidnt.* 13.
- Paria* **O² J. Lec.**, PAcPhil. XX, 1858, 85; **Chap.**, G. Col. X, 1874, 331; **Baly**, **TESL.** 1874, 165; **Jac.**, BCA. Col. VI, I, 1882, 182; **Lefv.**, MSLiège (2) 11, 1885, 132; **Jac.**, F. Ind. Col. II, 1908, 468. — Biol.: **Walsh.**, PES. Philad. 1866/67, 270; **Forbes**, Psyche IV, 1884, 167, t. 1 f. 1—4, 6; XIII, Rep. nox. Ins. Illinois 1884, 150—177, t. 5 f. 3—5, t. 13 f. 1—4; **Crawford et Riley**, B. Dept. Agr. E. IV, 1884, 88—89; **Beutenmüller**, EAm. VI, 1890, 176. — (*P. canella* [F.] 1801) 1914:18 (Am. b. — Bras., Jap. 2, Sib. or.). *Chryss., Eumolp., Typoph.* 269.
- Parisanopus* **Brèthes**, Comm. Mus. Buen. Aires I, 1900, 215 (*P. castaneipennis* **Brèthes** 1900) 1916:1 (Buenos Aires). *Staph., Staphyl., Staphyl., Qued.* 379.
- Parisolea* **O H. Bates**, BCA.Col. II, 2, 1888, 288; **Ohls.**, StEZg. 62, 1901, 364 (*P. pallida* [Cand.] 1869) 1918:1

- (Mex.: Jalapa). *Scar.*, *Rut. hom.*, *Ruti.*, *Heterostr.* 2.
- Paristemia* Westw., ANH. 8, 1842, 124 = *Amphidesmus* Serv. 1834. *Ceram.*, *Cerambin.*, *Pteropl.* 949.
- Parmaschema* O Heller, Philippine Jo. Sci. D. 7, 1912, 106 (*P. nodimargo* Heller, 1912) 1913:1 (Luzon.). *Disc.*
- Parmipalpus* Broun, ManNZ. Col. II, 1881, 662 = *Zeatyryus* Sharp. *Psel.*, *Psel.*, *Tyr.* 377.
- Parmis* Kuhnt, 592, 593 pro *Parnus* F.
- Parmius* Sharp, EMM. 13, 1877, 272; *Schklg.*, *GIW. Cler.* 1903, 96 (*P. debilis* et *longipes* Sharp 1877) 1913:3 (N. Z.). *Cler.*, *Cleri.*, *Hydnoc.* 136.
- Parmulus* Harold, BEZ. 28, 1884, 126; *Everts*, I, 430 = *Sacium* Lec. 1852. *Orth.* 4.
- Parnida* Broun, ManNZ. Col. I, 1880, 249 = *Alloparnus* Broun 1893. *Dryop.*, *Dryopi.*, *Dryopin.* 15.
- Parnoides* Kuw., VzbGW. 40, 1900, 17 et 43 = *Pelonomus* Er. 1847. *Dryop.*, *Dryopi.*, *Dryopin.* 20.
- Parnops* O Jac., HoR. 28, 1894, 275 (*P. Glasunowi* Jac. 1894) 1914:3 (China, Mandschur., Transcasp.). *Chrys.*, *Eumolp.*, *Leprot.* 147.
- Parnus* O F., E. Syst. I, 1792, 245; Syst. Eleuth. I, 1801, 332; *Kug.*, *Sehn.* Ma. V, 1794, 531; *Dufschm.*, F. Austr. I, 1805, 306; *Gyll.*, *Ins. Suec.* I, 1808, 39; *Leach*, *Dumer.*, *Steph.*, *Zett.*, *Sahlb.*, *Cast.* etc.; *Er.*, NID. 3, 1847, 510; *Redtb.*, F. Austr., *Bach.* I, 139; *Sturm*, 22, 1853, 44; *Lac.*, II, 503; *Jacq. du Val*, II, 274; *Gutfl.-B.*, 293; *C. G. Thoms.*, Sk. Col. II, 118; *Muls.* et *Rey*, *Divers.* 1872, 20; *Seidl.*, F. Ba. et Tr.; *Fowler*, Col. Brit. Isl., 3, 1889, 381; *Kuw.*, VzbGW. 1890, 17; *Everts*, I, 1898, 630; *Stierl.*, I, 1900, 235; *Lmr.*, F. Belg. II, 1900; *Schaufuß* in Calwer, 579; *Kuhnt*, 592, 593 = *Dryops* Ol. 1791. *Dryop.*, *Dryopi.*, *Dryopin.* 29.
- Paroderus* Muls. M.Ac.Lyon, 1854, 255; Opusc. E. V, 1854, 111; *Seidl.*, NID. V, 1893, 388; *Reitt.*, *Best.-Tab.* 53, 79; *Schaufuß* in Calwer, 797 = Subg. ad *Dendarus* Latr. 1829. *Ten.*, *Pedin.* 449.
- Paroeme* O Aur., ETi. VII, 1886, 91; *Jord.*, NoZo. X, 1893, 133 (*P. annulipes* [Chevr.] 1855) 1913:8 (Afr., c. Nig., Gab., Cong., Calab.). *Ceram.*, *Cerambin.*, *Oem.* 67.
- Paroenas* Kolbe, STEZg. LV, 1894, 190 (*P. limbata* Kolbe 1894) 1917:1 (Afr. or.). *Melo.*, *Lytt.*, *Mylabr.* 5.
- Paromalus* O Er., in *Klug*, *Jahrb. Ins.* I, 1834, 167; *Jacq. du Val*, II, 107; *Marseul*, *Mon.* 1855, 100; *Gutfl.-B.*, 227; *Schmidt*, BEZ. 29, 1885, 283; *Ganglb.*, *KäfMEur.* 3, 1899, 374; *Reitt.*, F. Germ. II, 1909, 287; *Lewis*, ANH. (7) 19, 1907, 316; *Schaufuß* in Calwer, 309; *Kuhnt*, 364, 371 = (*P. complanatus* [Panz.] 1792, *P. parallelopedus* [Hbst.] 1792) 1913:108 (in omn. part. orb. terr.). *Hist.* 50. — 4 Subgg. *Pachyl.*, *Parom.*, *Isolom.*, *Microlom.* — *P. Lewis*, ANH. (7) 19, 1907, 316 = Subg. 2 ad *P. Er.* 1834 (Typ.?: *P. complanatus* [Panz.] 1792) 1913:50 (in omn. part. orb. terr.). *Hist.* 50, 2.
- Paromia* O Westw., TESL. (n. s.) I, 1850, 167 (*P. dorcoides* Westw. 1850) 1913:2 (Chile, ?Col., ?Austral.). *Nit.*, *Cryptar.* 150.
- Paromidia* O Reitt., Syst. Eintheil. *Nitid.* 1873, 141, 158 (*P. ebenina* [Blanch.] 1842) 1913:2 (Bol., Bras., Arg.). *Nit.*, *Cryptar.* 152.
- Paromoeocerus* O Goun., BSEFr. 1910 (*P. barbicornis* [Cast.] 1840) 1913:2 (Bras.). *Ceram.*, *Cerambin.*, *Comps.* 767.
- Paroplia* Fairm., ASEB. 47, 1903, 360 (*P. semivestita* Fairm. 1903) 1913:1 (Madag.). *Scar.*, *Melth.*, *Hopl.* 550.
- Paroplites* ✱ *Lmr.*, MSEB. 11, 1903, 54 (Rév., 248). — Biol.: *Froggatt*,

- PLNSNW. (2) 8, 1893, 28, — (*P. Edwardsi* [Montrouz.] 1861) 1913:5 (Austral., Tasm., N. Caled., Born., Sum.). *Ceram.*, *Prion.*, *Macrot.*, *Raph.* 35.
- Paropsides* Motsch. in Schrenck's R., II, 192; Chap., X, 442; Mars., Abeille 27, 27, 1889, 144; Ws., ArN. 67, 1901, 166, 168 (*P. duodecimpustulata* [Gebh. in Hummel] 1825) 1916:20 (Sib. or., Birma, China, Korea, Austral., N. Guin., Ins. Sum., Aru). — *P. i. sp.* = Subg. 2 ad *P.* (Type ut antea) 1916:19. *Chrys.*, *Chryso.*, *Parops.*, 78; 78, 2.
- Paropsimena* Motsch. in Schrenck's R., II, 1860, 186 = *Cryptostetha* Baly 1858 = Subg. 2 ad *Labidomera* Chevr. 1843. *Chrys.*, *Chryso.*, *Chrysi.* 7, 2.
- Paropsinacha* Motsch. in Schrenck's R., II, 1860, 192 = *Cyclomela* Baly 1856. *Chrys.*, *Chryso.*, *Phaedon.* 63.
- Paropsis* Chap., ASEB. 20, 1877, 67; Blackb., TRS.SouthAustral. (2) 9, 1844, 220 = *Dicranosterna* Motsch. 1860. *Chrys.*, *Chryso.*, *Dicran.* 69.
- Paropsis* O Ol., E. V, 1807, 596 t. 1; Latr. in Cuvier, Règn. anim. ed. 2, V, 1829, 149; Motsch. in Schrenck's R., II, 1860, 194; Baly, JoE. II, 1864, 291, Sect. I; TESL (3) IV, 2, 1867 t. 278 (pars); Chap., X, 442 (pars); ASEB. 20, 1877, 67, 1. Gruppe [Sectio]; Blackb., TRS.SouthAustral. 18, 1894, 220, 1. Gruppe [Sect.]; Ws., ArN. 67, 1901, 165, 166 (*P. atomaria* Ol. 1807, *amboinensis* [F.] 1801) 1916:61+3 (Austral., Tasm.). *Chrys.*, *Chryso.*, *Parops.* 73.
- Paropsis* Chap., ASEB. 20, 1877, 67; Blackb., TRS.SouthAustral. (2) 9, 1894, 220 (pars) = *Dicranosterna* Motsch. 1860, 69. *Chrys.*, *Chryso.*, *Parops.* 69.
- Paropsis* Chap. et Blackb. = *Sterromela* Ws., DEZ. 1915, 436. *Chrys.*, *Chryso.*, *Parops.* 70.
- Paropsis* Chap., et Blackb. = *Trochalodes* Ws., ArN. 67, 1901, 167. *Chrys.*, *Chryso.*, *Parops.* 71.
- Paropsis* Chap. et Blackb. = *Procris* Ws., ArN. 67, 1901, 165, 166. *Chrys.*, *Chryso.*, *Parops.* 74.
- Paropsis* Chap. et Blackb. = *Paropsisterna* Motsch. in Schrenck's R., II, 1860, 193; Ws., ArN. 67, 1901, 167; DEZ. 1903. 108. *Chrys.*, *Chryso.* *Parops.* 75.
- Paropsis* Chap. et Blackb. = *Chryso-phtharta* Ws., ArN. 67, 1901, 166. *Chrys.*, *Chryso.*, *Parops.* 76.
- Paropsis* Chap. et Blackb. = *Trachymela* Ws., F. S.-W.-Austral. II, 1, 1908, 8. *Chrys.*, *Chryso.*, *Parops.* 77.
- Paropsis* Chap. et Blackb. = *Pyrgo* Ws., ArN. 67, 1901, 166, 171. *Chrys.*, *Chryso.*, *Parops.* 81.
- Paropsis* auct. = *Paropsides* Motsch., in Schrenck's R., II, 1860, 192; Chap., X, 1874, 442, 445; Mars., Abeille 27, 1889, 144; Ws., ArN. 67, 1901, 166, 168. *Chrys.*, *Chryso.*, *Parops.* 78.
- Paropsisterna* O Motsch. in Schrenck's R., II, 1860, 193; Ws., ArN. 67, 1901, 167; DEZ. 1903, 108 (Type?; *P. morio* [F.] 1877, *rufipes* [F.] 1801 etc.; ArN. 67, 1901, p. 167) 1916:52+3 (Austral., Tasm.). *Chrys.*, *Chryso.*, *Parops.* 75.
- Parosorius* Bernh., StEZg. 1904, 222 (*P. Försteri* Bernh. 1904) 1913:1 (Sum.). *Staph.*, *Oxyt.*, *Osori.*, *Parosor.* 137.
- Parosus* Sharp, BCA. I, 2, 1887, 704 (*P. hilaris* Sharp 1887) 1913:2 (Panama; Antill.). *Staph.*, *Oxyt.*, *Oxyti.*, *Oxyte.* 115.
- Parothisus* Casey, T.Ac.St.Louis XVI, 1906, 422, 423 (*P. californicus* [Mannerh.] 1843) 1914:1 (Cal.). *Staph.*, *Staphy.*, *Xanth.* 275.

- Puzozodes* **Aur.**, ETi. 18, 1897, 245 (*P. erythrocephalus* **Aur.** 1897) 1913:1 (Bahia). *Ceram.*, *Cerambin.*, *Rhopal.* 895.
- Parthenoserica* **Brenske**, BEZ. XLIV, 1899, 236; XLV, 1900, 50 (*P. sulcata* **Brenske** 1900) 1913:1 (Madag.). *Scar.*, *Melth.*, *Seric.* 61.
- Parygrus* **Er.**, NID. 3, 1847, 510 nota (*P. parallelus* [**Grouv.**] 1890!) 1913:3 (Bras.). *Dryop.*, *Dryopi.*, *Dryopin.* 24.
- Paryphobrenthus* **Kolbe**, Käf. D.-Ostaf. 1897, 287; **Schoenfeldt**, GIW. *Brenth.* 1908, 58 (*P. Beringei* **Kolbe** 1897) 1913:1 (Ugcgo). *Brenth.*, *Brentha.*, *Ceoc.* 92.
- Pasaphylla* **Péring.**, TSAfr. Phil. S. 13, 1904, 135 (*P. libens* **Péring.** 1904) 1913:1 (Colon. cap.). *Scar.*, *Melth.*, *Pachyd.* 410.
- Pasiphyle* **Bates**, ANH. (4) 11, 1873, 130 = *Pasiphyle* **Thoms.** 1864. *Ceram.*, *Cerambin.*, *Rhinotr.* 646.
- Pasiphyle* **J. Thoms.**, Syst. Cer. 1864, 164 (*P. mystica* **J. Thoms.** 1864) 1913:1 (Bras.). *Ceram.*, *Cerambin.*, *Rhinotr.* 646.
- Passalus* **Ill.**, Ma. Insektenk. I, 1 et 2, 1801, 163 = *Chiron* **M'Leay** 1819. *Scar.*, *Chiron.*
- Pasiphyle* **Lac.**, VIII, 1869, 508 = *Pasiphyle* **Thoms.** 1864. *Ceram.*, *Cerambin.*, *Rhinotr.* 646.
- Pathocerus* **O Waterh.**, ANH. (7) VII, 1901, 521; **Lmr.**, MSEB. 21, 1912, 120 (Rév., 984) = Subg. ad *Anoploderma* **Guér.** 1840. 1913:2 (Matto Grosso, Parag.). *Ceram.*, *Prion.*, *Anoplod.*, *Anopl.* 110, 5.
- Patiata* **Lewis**, ANH. (6) 15, 1895, 434 (*P. antennata* **Lewis** 1895) 1915:3 (Jap.). *Oed.*, *Oedem.*, *Ascler.*, *App.* 52.
- Patranus* **Raffr.**, Rev. d'E. 9, 1890, 118, 123 = *Eupines* **King** 1866. *Psel.*, *Pesla.*, *Brachygl.* 225.
- Patreus* **Broun**, ANH., 1904, 47 (*P. Lewisi* **Broun** 1904) 1913:1 (N. Z.). *Psel.*, *Pesla.*, *Faron.* 1.
- Patrobus* **Dej.** *Car.* cf. P. II.
- Patrus* **Aubé**, Icon. Col. V, 1836/38, 397; Spec. Col. VI, 1838, 724; **Lac.**, I, 1854, 441 = *Orectochilus* **Lac.** 1835. *Gyr.* 9.
- Patuleius* **Fairm.**, ASEFr. 71, 1902, 567 (*P. rufonitens* **Fairm.** 1902) 1913:4 (Madag.). *Cler.*, *Corynet.*, *Enopl.* 164.
- Paulistanus* **Goun.**, BSEFr. 1899, 6 = *Migdolus* **Westw.** 1863 = Subg. 1 ad *Anoploderma* **Guér.** 1840. *Ceram.*, *Prion.*, *Anoplod.*, *Anopl.* 110, 1.
- Paupris* **Sharp**, EMM. 13, 1877, 271; **Gorh.**, TESL. 1877, 263; **Schklg.**, GIW. *Cler.* 1903, 95; **Gahan**, ANH. (8) 5, 1910, 65 (*P. aptera* **Sharp** 1877) 1913:1 (N. Z.). *Cler.*, *Cleri.*, *Hydnoc.* 133.
- Pausiris* **O Chap.**, G. Col. X, 1874, 290; **Lev.**, MSLiège (2) 11, 1885, 88 (*P. rotundicollis* **Chap.** 1874) 1914:9 (Terra cap.; Nat., Terr. Mashona). *Chrys.*, *Eumolp.*, *Cyn.* 186.
- Paussiger* **O Wasm.**, WEZg. 12, 1893, 257; **Raffr.**, ASEFr. 73, 1904, 452; GIW. *Psel.* 1908, 444 (*P. limicornis* **Wasm.** 1893) 1913:2 (Madag.). *Psel.*, *Clavig.* 458.
- Paussomorphus* **O Raffr.**, Nouv. Arch. Mus. Paris (2) 8, 1885, 342; **Wasm.**, Not. Leyd. Mus. 25, 1904, 22; **Desneux**, GIW. *Pauss.* 1905, 20 (*P. Chevrolati* [**Westw.**] 1852) 1913:1 (Abyss.). *Pauss.*, *Paussin.* 14.
- † *Paussoptis* **O Cock.**, B. Amer. Mus. 30, 1911, 71 (*P. nearctica* **Cock.** 1911) 1913:1 (Miccän. Colo.). *Pauss.*
- Paussoptinus* **O Lea**, PRS.Vict. (n. s.) 17, 2, 1905, 381 (*P. laticornis* **Lea** 1905) 1913:2 (Austral.). *Ptini.*, *Ptini.* 29.

- Paussus* O^{*} L., Bigae Ins. 1775, 7; **Latr.**, Gen. Crust. et Ins. III, 1807, 1; **Westw.**, Arcana E. II, 1845, 164; **Lac.**, II, 1854, 14; **Jacq. du Val**, I, 1856, 126; **Sauley**, BMosc. 13, 1874, 9; **Raffr.**, Nouv. Arch. Mus. Paris (2) 8, 1885, 346; **Wasm.**, Not. Leyd. Mus. 25, 1904, 23; **Desneux**, GIW. *Pauss.* 1905, 21 f. 5; **Schaufuß** in Calwer, 145 (*P. microcephalus* L. 1775) 1913:177 (Eur., As., Afr.). *Pauss.*, *Paussin.* 15.
- Paussus* Westw. et auct. = *Pausomorphus* Raffr. 1885. *Pauss.*, *Paussin.* 14.
- Pavicia* O Brongn., ASEFr. (6) X, 1890, Bull. p. 184; Nouv. Arch. Mus. Paris (3) III, 1892, 241 (*P. superba* Brongn. 1890) 1913:1 (Siam). *Ceram.*, *Cerambin.*, *Stenasp.* 968.
- Pechalius* Cas., Rev. Mon. 1907, 420 (*P. subvittatus* Cas. 1907) 1913:1 (Tex.). *Ten.*, *Epitrag.* 66.
- Pectinichelus* Ballion, BMosc. 43, 1871, 340; **Reitt.**, WEZg. 8, 1889, 278; VN. 40 [Best.-Tab.], 164 et 171 (*P. rhizotragoides* Ballion 1871) 1913:4 (Buchara, China, Turemen., Turk.). *Scar.*, *Melth.*, *Melthi.* 338.
- Pectinopus* Blackb., TRS.SouthAustral. 22, 1898, 35; 31, 1907, 240 (*P. aegrotus* Blackb., 1898) 1913:1 (Austral. mer.). *Scar.*, *Melth.*, *Lipar.* 185.
- Pectinosoma* O Arrow, ANH. (8) 12, 1913, 430 (*P. elongatum* Arrow 1913) 1913:1 (Mt. Roraima). *Scar.*, *Melth.*, *Macrod.* 498a.
- Pectoctenus* Fairm., ASEB. 40, 1896, 366 (*P. Scalabrii* Fairm. 1896) 1913:1 (Madag.). *Ceram.*, *Cerambin.*, *Asem.*? 27.
- Pedanus* O Gerst., ArN. 23, 1857, 230; Mon. *Endom.* 1858, 127; **Chap.**, G. Col. 12, 1876, 94 (*P. Schneideri* [Schönh.] 1808) 1913:6 (As. ant., Born., Malacc., Java). *End.*, *Endo.*, *Eumorph.* 29.
- Pedaria* O Cast., ASEFr. I, 1832, 403 (*P. nigra* Cast. 1832) 1913:18 (Afr. trop. et mer.). *Scar.*, *Copr.*, *Copri.*, *Pinot.* 45.
- Pedaridium* Har., Col. Hefte, III, 1868, 54 (*P. hirsutum* Har. 1859) 1913:1 (Bras.). *Scar.*, *Copr.*, *Copri.*, *Pinot.* 51.
- Pedenoees* O Waterh., ANH. 16, 1845, 32; **Lac.**, V, 251; **Muls. et Rey**, ASAgr. Lyon 1859, 160; Opusc. E. IX, 1859, 96 (*P. galapagoensis* Waterh. IX, 1859, 96 (*P. galapagoensis*, *costatus* Waterh. 1845) 1913:6 (Ins. Galapag. 5, Pan. 1). *Ten.*, *Pedin.* 474.
- Pediacus* (*P. costipennis*) Fairm., ASEFr. (2) 10, 1852, 78 ref. ad *Xenoscelis* Woll. 1864. *Erot.*, *Xenoscelis* 101.
- Pediacus* Shuck., Gutfl.-B., 258; **Schaufuß** in Calwer, 459, 460; **Kuhnt**, 505, 510. *Cuc.* cf. P. II.
- Pediaphloeus* Tourn., Pet. Nouv. E. I, nr. 3, 1869 = *Xenoscelis* Woll. 1864. *Erot.*, *Xenoscelis* 101.
- Pedilophorus* Ganglb., VzbGW. 52, 1902, 94; KäfMEur. IV, 1, 1904, 65 = Subg. ad *P. Steff.* 1842. *Byrrh.*, *Byrrhi.* 16.
- Pedilophorus* O Steff., Tent. Mon. *Byrrhi* 1842, in Germar, ZE. 1843, 35; **Er.**, NID. 3, 491; **Lac.**, II, 483; **Muls. et Rey**, *Pil.* 147 (347); **Reitt.**, VzbGW. 31, 1881 (Tab. 4) 69; **Des Gozis**, Rev. d'E. I, 1882, 195; **Ganglb.**, VzbGW. 52, 1902, 52; **Ganglb.**, IV, 1, 64; **Wickham**, Can. Ent. 35, 1903, 179; **Kuhnt**, 610, 611 (*P. avratus* [Duftschm.] 1825, *nitidus* [Schaller] 1783) 1913:35—1+1 (Eur., Alg., Sib., Caffr., Am. b., N. Z., Tasm.). *Byrrh.*, *Byrrhi.* 16.
- Pedilus* O Fisch., Entomogr. Ross. I, 1822, 35; **Lec.**, PAcPhil. 7, 1855, 270; **Lac.**, V, 2, 577; **Jacq. du Val**, III, 364; **Muls. et Rey**, HN. Col. Fr. *Collig.* 1866, 46; **Provancher**, Petite Faune Ent. Canada, 1877,

- 487; **Seidl.**, F. Ba. ed. II, 1890, 146; F. Tr. 1891, 0146. — Synopsis: **Lec.**, PacPhil. 7, 1855, 272/4; **Horn**, TAmES. 3, 1871, 228 (*Corphyra*) l. c. 10, 1883, 305/10; **Sem.**, HoR. 27, 1893, 326/8; l. c., 357, 1902, 261/5; **Reitt.**, WEZg. 20, 1901, 114/6; **Schaufuß** in Calwer, 742; **Kuhnt**, 738, 743 (*P. fuscus* **Fisch.** 1822) 1913:38 (Ross. mer., As., Am.). *Ped.* 1.
- Pedinopsis*¹⁾ **Geb.**, ASEB. 54, 1910, 157 (*P. pilipes* **Geb.** 1910) 1913:1 (Afr. mer. int.: Congo). *Ten.*, *Pedin.* 453.
- Pedinopsis* **O Raffr.**, Rev. d'E. 9, 1890, 96; ASEFr. 73, 1904, 114; GIW. *Psel.* 1908, 253 (*P. major* [**Raffr.**] 1882) 1913:1 (Port Dorey). *Psel.*, *Psel.*, *Brachygl.* 272.
- Pedinulus* **Seidl.**, NID. V, 1893, 373; **Reitt.**, Best.-Tab. 53, 1904, 52 = Subg. ad *Pedinus* **Latr.** 1796. *Ten.*, *Pedin.* 453.
- Pedinus* **O Latr.**, Précis caract. gén. Ins. 1796, 20; HNCrIns. III, 1802, 175; X, 1804, 282; Gen. Crust. et Ins. II, 1807, 163; Règne anim. ed. II, 1829, 20/21; **Cast.**, HN. II, 1840, 210; **Muls.**, Col. Fr. *Latig.* 1854, 131; *Opusc. E.* IV, 1853, 148; *Mém. Ac. Linn. Lyon* 1853, 64; **Lac.**, V, 244; **Jacq. du Val**, III, 274; **Seidl.**, NID. V, 1893, 360, 362; **Desbr.**, Frelon, 10, 1901, 30; **Reitt.**, Best.-Tab. 53, 1904, 50; **Gutfl.-B.**, 412; **Schaufuß** in Calwer, 798; **Kuhnt**, 738, 743 (Typ.?: *P. femoralis* [**L.**] 1767) 1913:50 (Mediterr., Eur., Am., b.). *Ten.*, *Pedin.* 454.
- Pedionomus* **Haag**, DEZ. 19, 1875, Hft. 7, 42 = *Alogenius* **Geb.** 1910. *Ten.*, *Adesm.* 184.
- Pediris* **O Motsch.**, BMosc. 45, 1872, II, 24 (*P. sulcigera* [**Boisd.**] 1835) 1913:2 (Maroc, Ind.-Austral.). *Ten.*, *Tenebr.* 801.
- Pedoclytus* **Kolbe**, StEZg. 54, 1894, 254 = *Calanthemis* **Thoms.** 1864. *Ceramb.*, *Cerambin.*, *Clyt.* 803.
- Pedolinus* **Bernh.**, *Ergebn. Z.-Afr. Exp.* III, 1911, 479 (*P. africanus* **Bernh.** 1911) 1914:2 (Afr. c., Usamb.). *Staph.*, *Staphy.*, *Xanth.* 255, 1.
- Pedonoeces* (**Waterh.**) **Gebien**, Col. Cat. P. 37 1911 in Indie. = err. pro *Pedenoeces* **Waterh.** 1845. *Ten.*, *Pedin.* 474.
- Pedostrangalia* **Sokolow**, HoR. 30, 1896, 461 = Subg. 4 ad *Strangalia* [**Serv.**] 1835) (*P. Kassjanovi* [**Sokolow**] 1889) 1913:1 (Transcasp.). *Ceramb.*, *Cerambin.*, *Lept.* 551, 4.
- Pedrillia* **O Westw.**, *TESL.* (3) 2, 1864, 280; **Chap.**, X, 94; **Kraatz**, DEZ. 23, 1879, 119; **Ws.**, DEZ. 1900, 447; **Jacoby et Clavareau**, GIW. 33, 1905, 16; **Jacoby**, F. Brit. Ind. Col. II, 1908, 12 (*P. longicornis* **Westw.** 1864) 1913:10 (As.: Jap., Amur, Ceylon., Ind. or., Sum.). *Chrys.*, *Orsod.* 5.
- Pegylidius* **O Péring.**, T.SAfr. Phil. S. 13, 1904, 279 (*P. mashunus* **Péring.** 1904) 1913:1 (Rhodes. mer.). *Scar.*, *Melth.*, *Melthi.* 265.
- Pegylis* **Er.**, NID. 3, 1847, 657; **Burm.**, Hd. E. 4, 2, 1855, 281; **Lac.**, III, 1856, 279; **Péring.**, T.SAfr. Phil. S. 13, 1904, 281 (*P. morio* [**Blanch.**] 1850. *conspurcata* **Gerst.** 1866) 1913:14 (Afr. or., Madag.). *Scar.*, *Melth.*, *Melthi.* 262.
- Pegilium* **Fairm.**, ASEFr. (5) 8, 1858, 102 = err. pro *Pegylis* **Er.** 1847. *Scar.*, *Melth.*, *Melthi.* 262.
- Peithona* **O Gah.**, F. Brit. Ind. Col. I, 1906, 71 (*P. prionoides* **Gah.** 1906) 1913:1 (Sikkim). *Ceramb.*, *Cerambin.*, *Lept.* 463.

¹⁾ Nota: *Loensus* nom. nov. nec **Raffr.** 1890.

R. Luc. pro *Pedinopsis* **Gebien** 1910

- Pelania* **O Muls.**, Op. E. Cah. XI, 1860, 120; *Mollip.* 1862, 67; **Ern. Oliv.**, Abeille 22, 1884, 5; **GIW. Lamp.** 1907, 42; **Bourg.**, FGRh. V, 1885, 69; **Schaufuß** in Calwer, 359 (*P. mauritanica* [L.] 1767) 1913:2 (Alg.). *Lamp.*, *Lampi.* 34.
- Pelecomalium* **Cas.**, B. Cal. Ac. Sc. II, 1886, 241; AN YAcSc. VII, 1893, 412; **Schwarz**, PESWash. II, 1890/92, (1892), 396 (Typ.?: *P. testaceum* [Mannerh.] 1843, *alutaeum* **Cas.** 1886 etc., *laevicolle* **Lec.** 1866) 1913:13 (Cal., Pa., Amer. ross.). *Staph.*, *Oxyt.*, *Omal.* 81.
- Pelecotoides* **Cast.**, HNIns. Col. II, 1840, 263 = *Pelecotomoides* **Cast.** 1840. *Rhip.*, *Pelecot.* 7.
- Pelecotoma* **O** [✱]**Fisch.-Waldh.**, M.S.Nat. Mosc. II, 1809, 293; Entomogr. Russ. II, 1832:, 170 **Lep. et Serv.**, Enc. X, 1825, 32; **Gerst.**, *Rhip.*, 8; **Bach**, 245, 254; **Lac.**, V, 1, 619, 622; **Jacq. du Val**, III, 409, 418; **Gutfl.-B.**, 437; **Redtb.**, F. Austr. ed. III, 1874, I, p. CXXV et II, 166; **Seidl.**, F. Ba. II, (1890) Gatt. p. 142; **F. Tr.** (1881) Gatt., p. 142; **Reitt.**, F. Germ. III, 1911, 382; **Schaufuß** in Calwer, 759; **Kuhnt**, 710. — Biol.: **Schumann**, IIIZE. 4, 1899, 154 (*P. fennica* [Payk.] 1799) 1913:2 (Eur. b. et med., Carol.). *Rhip.*, *Pelecot.* 10.
- Pelecotomoides* **O** **Cast.** [emend.], HNIns. Col. II, 1840, 263 [*Pelecotoides*]; **Gemm. et Harold**, Col. Cat. 7, 1870, 2118; **Champ.**, BCA.Col. IV, 2 (1891), 350; **Schäffer**, JoN YES. 12, 1904, 231 (*P. succincta* **Germ.** 1824). — Subg.: *Micropelcotomoides*. — 1913:44 (Am.; N. Holl., Madag., Austral. et insul. males. div.). Subg. *Microp.* *Rhip.*, *Pelecot.* 7.
- Pelicyphorus* **Nordm.**, Symb. Mon. *Staph.* 1837, 13 = *Euryporus* **Er.** 1839. *Staph.*, *Staphyl.*, *Staphyl.*, *Qued.* 375.
- Pelicyphorus* **Sol.**, ASEFr. 5, 1836, 467; **Cast.**, HN. II, 1840, 206; **Lac.**, V, 159 = *Asida* **Latr.** 1804. *Ten.*, *Asid.* 286.
- Peleroenemius* **Solsky**, HoR. 11, 1875, 283; **Reitt.**, Best.-Tab. 25, 1893, 202, 213 (*P. Kraatzi* **Solsky** 1875, *punctata* [Gebl.] 1845) 1913:2 (Margelan, Karakorum, Turk.). *Ten.*, *Pimel.* 373.
- Pelidnota* **O** [✱]**M'Leay**, HoE. I, 1819, p. 157; **F. Bates**, TESL. 1904, 249. — Biol.: **Oh.**, StEZg. 61, 1900, 175—191; **DEZ.** 1908, 248—251. 3 Subgg.: *Pelidnota*, *Ganonota* et *Chalcopl.* — 15 Sect.: 81+6 spp. incert. sedis (Am. b., c., mer.) — *P.* [M'Leay s. str. 1819] **Oh.**, **DEZ.** 1915, 259 = Subg. 1 ad *P.* (Sect. 1—3): 1. *punctata* **O** (Typ.: *punct.* [L.] 1758) 1918:25 (Am.: Bras., Guatem., Pan., Ven., Peru, Costarica, Bol., Arg., Cayenne, Cal., Nicar., Civ. confoed. etc.). — 2. *lucida* **O** (Typ.: *lucida* **Burm.** 1844, *polita* [Latr.] 1811) 1918:3 (Am. mer.-trop.; Pan., Trinidad). — 3. *Burmeisteri* (Typ.?: *Burm. Burm.*, 1844, *sumptuosa* [Vigors] 1825) 1918:5 (Bras.). *Scar.*, *Rut. hom.*, *Ruti.*, *Pelidn.* 30; 30, 1.
- Pelidnotopsis* **Oh.**, **DEZ.** 1915, 257 (*P. plusiotina* [Oh.] 1912) 1918:1 (Mex.). *Scar.*, *Rut. hom.*, *Ruti.*, *Pelidn.* 24.
- Pella* *Staph.*, cf. P. II.
- Pelleas* **Bates**, EMM. 9, 1872, 98 [nom. i. l.] (*P. Crotchi* [Woll.] 1865) 1913:1 (Gomera). *Ten.*, *Utom.* 715.
- Pelochares* **Muls. et Rey**, Pil. 161 (361); **Ws.**, **DEZ.** 21, 1877, 299; **Reitt.**, VzbGW. 31, 1881 [Tab. 4], 83; **Ganglb.**, IV, 1, 52; **Schaufuß** in Calwer, 610; **Kuhnt**, 609, 610 (*P. versicolor* [Waltl] 1838) 1913:2 (Eur. mer., c., Cypr., Cauc.). *Byrrh.*, *Limn.* 1.

- Pelonides* **Kuw.**, ASEB. 38, 1894, 8 (part.) = *Enoplium* **Latr.** 1802. *Cler.*, *Coryn.*, *Enopl.* 160.
- Pelonium* **O Spin.**, *Clerit.* I, 1844, 347; **J. Lec.**, ANYAcSc. V, 1852, 32; **Lac.**, IV,—; **Chenu**, Enc. II; **J. Lec.**, Class., 198, I; **Gorham**, TESL. 1877, 417; BCA.Col. III, 2, 187; **J. Lec. et Horn**, Class. Col. N. York ed. II,—; **Schklg.**, DEZ. 1900, 407; l. c. 1903, 16; GIW. *Cler.* 1903, 105; **Gah.**, ANH. (8) 5, 1910, 67, 74, 75; **Kuhnt**, 466, 470 (*P. lituratum* et *P. viridipenne* [**Kirby**] 1818) 1913:77 (Am.). *Cler.*, *Coryn.*, *Enopli.* 159.
- Pelonium* **Kuw.** = *Pyticera* **Spin.** 1844. *Cler.*, *Coryn.*, *Enopl.* 154.
- Pelonomus* **O Er.**, NID. 3, 1847, 510 nota; **Lac.**, II, 503; **Lec.**, Class. 1861, 117; **Horn**, TAmES. 3, 1870, 31 (*P. brasiliensis* [**Klug**] 1825; *picipes* [**Oliv.**] 1795) 1913:11 (Am. c., et mer.; Antill.). *Dryop.*, *Dryopi.*, *Dryopin.* 20.
- Pelor Car.*, cf. P. II.
- Pelorumus* (!) (**Vaulog.**) **Schaufuß** in Calwer, 818, 1384 = *Pelorusinus* **Vaulog.** 1899.
- Pelorusinus* **Vaulog.**, Übersicht 1899, 675 nota, 678, 680, 696 = Subg. ad *Helops* **F.** 1772. *Ten.*, *Helop.* 1073.
- Pelorurus* **O Mars.**, Mon. 1857, 494 (*P. bruchoides* [**Mars.**] 1855) 1913:8 +1 (Afr., Abyss. etc.). *Hist.* 66.
- Pelorus* **Mars.**, Mon. 1855, 125 = *Pelorurus* **Mars.** 1857. *Hist.* 66.
- Pelossus* **J. Thoms.**, Syst. *Cer.* 1864, 222 (*P. ruber* **J. Thoms.** 1858) 1913:1 (Gabun.). *Ceram.*, *Cerambin.*, *Rhopal.* 894.
- Peltadesmia* **Kuntzen**, ArN. 81, 1915 (1916) A. 7 149 (*P. platynota* **Gerst.** 1854) 1916:2 (Tette, Mossambique, Enkeldoorn, Buluwayo etc., Nyassa). *Ten.*, *Adesm.* 181 a b?
- Peltarium* **Fisch.**, BMosc. 17, 1844, I, 106 = *Prosodes* **Eschsch.** 1829. *Ten.*, *Blapt.* 390.
- Peltastica* **O Mannerh.**, BMosc. 25, 1852, II, 334; **Lac.**, II, 1854, 535; **Reitt.**, VN. 14, 1875 (1876), 60; 20; 1881 (1882), 147; Best.-Tab. VI, *Trogosit.*, 1882, 35; **J. Lec.**, et **Horn** Class. 1883, 158; **Mars.**, Abeille, 23, 1885, 146; **Ganglb.**, KäfMEur. 3, 1899, 766 nota; **Jacobs.**, Käf. Rußl. 1905—(1911), 722; **Schklg.** in **Schklg. et J.**, P. 64, 1915, 4; **Lewis**, EMM. 25, 1889, 432 (*P. tuberculata* **Mannerh.** 1852) 1915:3 (Amur., Jap., Sitka, Alaska, Ins. Queen Charl., Vancouver, Wash., Ore.). *Dero.* [nec *Temn.*] 2.
- Peltastica* **Mannerh.** (lit. cf. supra), **Léveillé** in **Schklg. et J.**, P. 11, 1910, 28 ad *Temn. Ostom.* 41 refert., sed *Dero.* annex. est.
- Peltinus* **O Muls. et Rey**, Opusc. E. II, 1861, 137; **Redtb.**, F. Austr. ed. III, II, 1874, 543; **Mars.**, Abeille XVI, 1878 (1877), *Socium* p. 12; **Ganglb.**, III, 275, 280; **Matth.**, Mon. *Coryl.* 1899, 124, 129 t. 4 f. A; **Schaufuß** in Calwer, 294 (*P. velatus* **Muls. et Rey** 1861) 1913:6 (Mediterr.; Syr.). *Orth.*, *Coryloph.* 16.
- Peltis* **Geoffr.**, **Gutfl.-B.**, 249 = *Peltis* **Kugel.**?
- Peltis* **Kugel.**, Schneid. Ma. 1791, 508; **Schönh.**, Syn. Ins. I, 2, 1808, 132; **Duftschm.**, F. Austriae 3, 1825, 123; **Sturm**, 14, 1839, 75; **Er.** in Germar, ZE. 5, 1844, 456; NID. 3, 1848, 245; **Redtb.**, Gatt. Deutsch. Käferf. 1845, 75; F. Austr. ed. I—III; **Castelnau**, HN. Col. II, 1840, 7; **Bach**, 1851, 226; **Lac.**, II, 349; **Jacq. du Val**, 164; **J. Lec.**, Class. 1861, 88; **Seidl.**, FBa. et Fr., 240; **Marseul**, Abeille 23, 1885, 146; **Lec. et Horn**, Class. 1883, 154; **Schaufuß** in Calwer, (281); **Kuhnt**, 473, 474 = *Ostoma* **Laich.** 1781. *Temn.*, *Ostom.* 45.

- Peltis* + *Gaurambe* + *Grynocharis* **C. G.**
Thoms., Sk. Col. I, 70; IV, 189 =
Ostoma **Laich.** 1781. *Temn.*, *Ostom.* 45.
- Peltoïdes* **O Cast.**, ASEFr. (1) 1, 1832,
401; HN. II, 1840, 223; **Lac.**, V,
337. — Übersicht: **Gebien**, Ergebn.
Exped. Kilimandj. I, 7, 1910, 385. —
(*P. senegalensis* **Cast.** 1832) 1913:1
+2 (Afr. trop. et mer., Madag.).
Ten., *Ulom.* 720.
- Peltolobus* **Lac.**, V, 1859, 71 = *Mega-*
lophrys **Waterh.** 1845. *Ten.*, *Trim.* 47.
- Peltonotus* **Burm.**, Hd. E. V, 1847, 75;
Arrow, ANH. (8) V, p. 1910, 153; (*P.*
morio **Bu:m.** 1847; 4 Spp. per **Arrow**
1910) 1918:5 (Ind. or., Born., Sum.,
Siam, Birma, Nepal, Assam). *Scar.*,
Rut. hom., *Ruti.*, *Pelidn.* 14.
- Peltonyxa* **Reitt.**, VN. 14, 1876, 19 (*P.*
Deyrollei **Reitt.** 1876) 1913:4 (Austral.
[mer.], Nov. Gall. mer.). *Temn.*,
Ostom. 30.
- Peltoschema* **Reitt.**, VN. 18, 1880, 4
(*P. filicorne* **Reitt.** 1880) 1913:1
(Austral.). *Temn.*, *Ostom.* 42.
- Peltostoma* **Reitt.**, VzbGW. 27, 1877,
173; **Léveillé**, BSEFr. 1899, 160 =
Decamerus **Sol.** 1849. *Temn.* 39.
- Peltotrupes* **F. Blanch.**, Psyche V, 1888,
105 = Subg. 6 ad *Geotrupes* **Latr.**
1796 (*P. chalybaeus* [**J. Lec.**] 1878)
1913:1 (Fla.). *Scar.*, *Geotr.*, *Geotrp.*
17, 6.
- Pempsamacra* **O Newm.**, EMa. 5, 1838,
495 (*P. tillides* **Newm.** 1838) 1913:7
(Queensl., N.S.W.; Port. Phil. Ins.,
Ins. Eclypse). *Ceramb.*, *Cerambin.*,
Pyth. 678.
- Pempteuryx* **O Bates**, BCA.Col. V, 1885,
304 (*P. sericans* **Bates** 1885) 1913:1
(Guatem.). *Ceramb.*, *Cerambin.*,
Tillom. 848.
- Peneta* **O Lac.**, V, 1859, 319 (*P. Lebasi*
Lac. 1859) 1913:4 (Ecuad., Col.,
Bogota). *Ten.*, *Ulom.* 661.
- Penichroa* **O Steph.**, Man. Brit. Col.
1839, 270 (*P. fasciata* [**Steph.**] 1831)
1913:1 (Eur. mer., Cam., Turk.,
Sic.). *Ceramb.*, *Cerambin.*, *Grac.*
347.
- Penichrolucanus* **O Deyr.**, ASEFr. 1863,
485 (*P. copricephalus* **Deyr.** 1863
1913:1 (Malacca). *Luc.*, *Fig.* 65.
- Penichrus* **O Champ.**, BCA. Col. IV, 1,
1885, 134 (*P. blapstinoides* **Champ.**
1885) (Pan.). *Ten.*, *Pedin.* 475.
- Peniticus* **O Sharp**, EMM. 13, 1876,
101; **Brown**, ManNZ. Col. I, 1880,
626 (*P. suffusus* **Sharp** 1876) 1914:4
(Ins. N. Z., Auckland., Kermadec).
Chrys., *Eumolp.*, *Iphim.* 41.
- Pentanodes* **Schaeffer**, JoNYES. 12,
1904, 222 (*P. Dietzi* **Schäff.** 1904)
1913:1 (Texas). *Ceramb.*, *Cerambin.*
Tillom. 842.
- Pentaphyllus* **O[†] Latr.**, Règne anim.
ed. II, II, 1829, 30; **Redtb.**, Gatt.
1845, 128; F. Austr. 1849, 1858,
1874; **Muls.**, Col. Fr. *Latig.*, 196;
Lac., V, 312; **Jacq. du Val**, III, 299;
Horn, Rev. *Ten.* 1870, 378; **Seidl.**,
F. Ba. et Tr.; NID. V, 1894, 509,
536; **Desbr.**, Frelon X, 1901/2, 187.
— Biol.: **Er.**, arN. 8, 1842, I, 366;
Letzn., Denkschr., schles. Ges. 1853,
218, t. 2 f. 39, 40; **Perris**, Larves
1877, 281 f. 300/3; **Schiödde**, NTi.
III, 1879, 557, 586 t. 10 f. 1—7;
Seidl., NID. V, 1893, 212, 216;
Schaufuß in Calwer, 806, 808; **Kuhnt**,
740, 746 (*P. chrysomeloides* [**Rossi**]
1792, *P. testaceus* [**Hellw.** in **Schneid.**]
1792) 1913:12 (It., Galic., Ross. mer.,
Cors., Cypr.; Turk., Jap.; Afr. or-
germ.; Am. b.). *Ten.*, *Diaper.* 651.
- Pentaplatarthrus* **O Westw.**, TLSSL. 16,
1833, 616; Arcan. E. II, 1845, 38;
Lac., II, 1854, 11; **Raffr.**, Nouv.
Arch. Mus. Paris (2) 8, 1885, 339;
Wasm., Not. Leyd. Mus. 25, 1904,
14; **Desneux**, GIW. *Pauss.* 1905, 13
(f. 3) 14 (*P. paussoides* **Westw.** 1833)
1913:5 (Afr. m., Afr. or-germ.).
Pauss., *Cerapt.* 7.
- Pentaria* **Muls.**, ASLLyon (2) 3, 1856,
391, 439; Col. Fr. *Longip.*, 1856, 87.

- 135; **Bach**, 253; **J. Lec.**, PAcPhil. 14, 1862, 44; **Lac.**, V, 612; **Jacq. du Val**, III, 408; **Seidl.**, F. Ba. et Tr.; **Redt.**, F. Austr.; **Emery**, L'Abeille, 14, 1876, *Mord.*, 8; **J. B. Smith**, TAmES. 10 (1882), 74, 75, t. 1 f. 6—9; **Champ.**, BCA.Col. IV, 2, 1890, 251; **Chobaut**, BSEFr. 76, 1894, 39; **Schilsky**, 35 p. C; **Everts**, II, 1903, 294, 295; **Blatchley**, Col. Indiana, 1910, 1309; **Reitt.**, F. Germ. 3, 373; **Schaufuß** in Calwer, 767; **Kuhnt**, 712, 717 = *Anthobates* **J. Lec.** 1850. *Mord.*, *Anasp.* 15.
- Pentacamenta* **Brenske**, BEZ. 41, 1896, 341 (Typ. ?; *P. kinabaluensis* et *salaama* **Brenske** 1896) 1913:2 (Afr. or., Borneo). *Scar.*, *Melth.*, *Seric.* 122.
- Pentelia* **Brenske**, ENa. 17, 1891, 314 (*P. discedens* **Sharp** 1881) 1913:3 (Borneo, Sum., Amboina). *Scar.*, *Melth.*, *Melthi.* 299.
- Penthicinus* **Reitt.**, DEZ. 1896, 161, 171; Best.-Tab. 53, 1904 (*P. Koltzei*, *P. pedinoides* **Reitt.** 1896) 1913:2 (Turk.). *Ten.*, *Opatr.* 539.
- Penthicoides* **Fairm.**, ASEB. 40, 1896, 20 (*P. seriatorporus* **Fairm.** 1896) 1913:1 (Ind. or.). *Ten.*, *Pedin.* 452.
- Penthicus* **Fald.**, F. Transcauc. II, 1837, 81; **Cast.**, II, 1840, 213 = *Opatroides* **Brill.** 1832. *Ten.*, *Opatr.* 536.
- Penthicus* **Muls. et Rey**, M. Ac. Lyon IX, 1859, 82; Opusc. E. 20; **Lac.**, 269 (part.); **Seidl.**, NID. V, 1894, 409 sq.; **Reitt.**, DEZ. 1896, 161 = *Lobothorax* **Gemm.** 1870. *Ten.*, *Opatr.* 537.
- Penthispa* **Chap.**, XI, 322 (*Penthispa*); **Ws.**, VN. 49, 1910, 146; **Ws.** in **Schklg. et J.**, P. 35, 1911, 36 (etiam Subg. 2 ad *P. Chap.* 1875) (*P. morio* [F.] 1801) 1913:23 (Am. c.). *Chrys.*, *Hisp.*, *Uroplat.* 44; 44, 2.
- Penthocaulus* **Fairm.**, ASEB. 38, 1894, 150 (*P. tenebrosus* **Fairm.** 1894) 1913:1 (Madag.). *Ceram.*, *Cerambin.*, *Lept.* 505.
- Pentholasius* **Reitt.**, Best.-Tab. 53, 1904 178 = Subg. ad *Clitobius* **Muls. et Rey** 1859. *Ten.*, *Opatr.* 556.
- Pentomacrus* **O White**, Cat. Col. Brit. Mus. 1855, 297 (*P. femoratus* [F.] 1792) 1913:2 (Grenad., St. Vinc., Jamaica). *Ceram.*, *Cerambin.*, *Curi.* 346.
- Penthomegus* **Reitt.**, Best.-Tab. 53, 1904, 161 = Subg. ad *Lobothorax* **Gemm.** 1870. *Ten.*, *Opatr.* 537.
- Peperonota* **O Westw.**, TESL. IV, 1847, 296 (*P. Harringtonii* **Westw.** 1847) 1918:1 (Sikkim, Assam, ?Java). *Scar.*, *Rut. hom.*, *Ruti.*, *Parast.* 35.
- Peploglyptus* **O Lec.**, TAmES. 8, 1880, 189 (*P. Belfragei* **Lec.** 1880) 1913:1 (Texas). *Hist.* 99.
- Peradoretus* **Reitt.**, VN. 41, 1903, 135 = Subg. 2 ad *Pseudadoretus* **Sen.** 1889 (*P. Koechlini* [Mars.] 1867) 1918:1 (Alg.). *Scar.*, *Rut. orth.*, *Anoplgni.* 36, 2.
- Peranus* **O Lewis**, ANH. (7) 18, 1906, 401 = Subg. 13 ad *Hister* **L.** 1758 (*P. bimaculatus* [L.] 1758) 1913:5 (Eur., As., Afr., Amer.). *Hist.* 38, 13.
- Perapion* **Wgnr.**, Mi. Schweiz. E. Ges. 1907, 259; **Schaufuß** in Calwer, 1182 = Subg. ad *Apion* **Hbst.** 1797. *Curc.*, *Api.*, *Apion.* 11.
- Perarthrus* **J. Lec.**, JoAcPhil. (2) II, 1852, 101; **J. Thoms.**, Class. Cer. 1860, 190 (*P. vittatus* **J. Lec.**) 1913:1 (Cal.). *Ceram.*, *Cerambin.*, *Stenasp.* 989.
- Perdicus* **Fairm.**, ASEFr. 1899, 386 (*P. anthropilus* **Fairm.** 1899) 1910:1 (Madag.). *Ten.*, *Tentyr.* 114.
- Pergetus* **Casey**, AN YAcSc. 8, 1895, 627 = Subg. ad *Eurygenius* **Laferté** 1848. *Ped.* 2.
- Periatrum* **O Sharp**, TR. Dublin S. (2) 3, 1886, 407 (*P. Helmsi* **Sharp** 1886) 1913:2 (N. Z.). *Ten.*, *Adelii.* 1017.

- Periboeum* **J. Thoms.**, Syst. Cer. 1864, 245; **Goun.**, BSEFr. 1907, 242, 244 (*P. terminatum* [Ferr.] 1855, *pubescens* [Ol.] 1790) 1913:13 (Col., Nicar., Bras.). *Ceram.*, *Cerambin.*, *Sphaerio.* 252.
- Pericamenta* **Péring.**, T. South Afr. Phil. S. 13, 1904, 105 (*P. pauperula* **Péring.** 1904) 1913:1 (Col. cap.). *Scar.*, *Melth.*, *Seric.* 138.
- Perichilus* **O Quedf.**, BEZ. 29, 1885, 18; **Fairm.**, ASEFr. (6) 7, 1887, 291 (*P. brevicornis* **Quedf.** 1885) 1913:3 (Afr. occ., mer., Terr. Somali). *Ten.*, *Cnodat.* 970.
- Perichitopa* **O Brenske**, BEZ. 41, 1896, 358 (*P. Fisheri* **Brenske** 1896) 1913:5 (Sambes., Trv., Colon. cap.). *Scar.*, *Melth.*, *Pachyd.* 432.
- Pericordus* **O Kolbe**, StEZg. 44, 1883, 237; **Schoenfeldt**, GIW. *Brenth.* 1908, 28 (*P. latipes* **Kolbe**) 1910:1 (Quango). *Brenth.*, *Brentha.*, *Trach.* 44.
- Perignamptus* **Har.**, AMusG. X, 1877, 106 (*P. Sharpi* **Har.** 1877) 1913:3 (N. Guin.). *Scar.*, *Acanthoc.* 3.
- Perilasius* **O Bates**, BCA.Col. V, 1880, 17 (*P. Championi* **Bates** 1880) 1913:1 (Guatem.). *Ceram.*, *Cerambin.*, *Hesprph.* 204.
- Perilopa* **Er.** in Germar, ZE. 1843, 276 (*P. peltidea* **Er.** 1843) 1913:10 (Am. c., Bras., Col. Cap.). *Nit.*, *Nitid.* 81.
- Perilopa* **Reitt.**, VN. 12, 1873, 11; 13, 1875, 56, Sep. p. 6 t. 1 f. 1, 2 = *Perilopsis* **Reitt.** 1875. *Nit.*, *Nitid.* 82.
- Perilopsis* **Reitt.**, VN. 13, 1875, 55 et 63 (Sep. 5, 13) (*P. flava* **Reitt.** 1873) 1913:1 (Chile). *Nit.*, *Nitid.* 82.
- Perilypus* **O Spia.**, Rev. Zo. 1841, 72; *Clerit.* I, 1844, 103; **Lac.**, IV, 1857, 430; **Chenu**, Enc. Col. II, 1860, 235; **J. Lec. et Horn**, Class Col. N.Am. ed. II, 1883, 217; **Schklg.**, GIW. *Cler.* 1903, 13 (*P. carbonarius* **Spin.** 1841) 1913:1 (Cal., N. Mex.). *Cler.*, *Cleri.*, *Till.* 19.
- Perimegatoma* **O G. Horn**, TAMES. V, 1875, 135/7; **Jayne**, P. Am. Phil. S. 20, 1882, 358, t. 3 f. 34/35; **Casey**, JoNYES. 8, 1900, 149 (*P. falsa*, *variegata* **Horn** 1875, *P. cylindrica* [**Kirby**] 1837) 1913:10 (Am. b., Cal.). *Derm.*, *Megat.* 13.
- Perimylops* $\frac{3}{4}$ **Müll.**, DEZ. 28, 1884, 419; **Fairm.**, Miss. Sc. Cap Horn VI, 2, 1891, Col., 40. — Biol.: **Mjöberg**, ArkZo. III, 1906, nr. 13 12, t. 1 f. 5. — (*P. antarcticus* **Müll.** 1884) 1913:1 (St. Georg.). *Ten.*, *Helop.* 1091.
- Perinellus* **Elat.** cf. P. II.
- Periommatius* **O Chap.**, Mon. Pl., 42, 317; **Strohmeyer**, EBL. 8, 1912, 11. — Biol.: **Strohmeyer**, DE. Nation. Bibl. II, 1911, 182 (*P. longicollis* **Chap.** 1865) 1913:14 (Afr. trop., Cam., Congo, Afr. or., Terr. cap.). *Platy.* 8.
- Periphanes* **Fairm.**, Not. Leyd. Mus. 4 1882, 246 (*P. orichalceus* **Fairm.** 1882) 1913:1 (Sum.). *Ten.*, *Helop.* 1068.
- Periplectus* **O Raffr.**, Rev. d'E. 6, 1887, 85; 17, 1898, 244; ASEFr. 72, 1903, 526; GIW. *Psel.* 1908, 79 (*P. nigripennis* **Raffr.** 1898) 1913:1 (Sansib.). *Psel.*, *Psela.*, *Euplect.* 80.
- Periproctus* **Kolbe**, Kilimandj.-Meru-Exped. 7 nr. 18, 1910, 344 (*P. orestius* **Kolbe** 1910) 1913:1 (Meru). *Scar.*, *Melth.*, *Pachyd.* 398.
- Periptychus* **Blackb.**, TRS. South Austral. 19, 1895, 234 (*P. russulus* **Blackb.** 1895) 1913:1 (Vict.). *End.*, *Endo.*, *Lycop.* 55.
- Periserica* **O Brenske**, BEZ. XLIII, 1898, 284 (Typ. ?; *P. picta* [**Dohrn**] **Brenske** 1898) 1913:3 (Ceylon). *Scar.*, *Melth.*, *Seric.* 45.
- Perissomerus* **O Goun.**, ASEFr. 77, 1909, 684 (*P. Hilairei* **Goun.** 1909) 1912:1 (Goyaz). *Ceram.*, *Cerambin.*, *Ibid.* 289.

- Perissosoma Waterh.*, ANH. (4) 15, 1875, 409 (*P. aenescens* Waterh. 1875) 1913:2 (Ins. Seyschell.). *Scar.*, *Melth.*, *Pachyd.* 423.
- Perissus* O **Chevr.**, MSScLiège 18, 1863, 262 (10); **Pasc.**, TESL. (3) 3, 1869, 615; **Gahan**, F. Brit. Ind. Col. I, 1906, 254 (Typ.?: *P. x-littera* **Chevr.** 1863) 1913:19 (Ind., Birma, Ass., Ins. Malay., Nov. Guin., Afr. or.) *Cerumb.*, *Cerambin.*, *Clyt.* 805.
- Peristeptus* **Haag**, BEZ. 19, 1875, 382 (Mon.). (*P. laevigatus* [**Gerst.**] 1854) 1913:9+1? (Afr. cr., Caffrar.). *Ten.*, *Eurych.*, 269.
- Perisymphocerus* O **Kleine**, ArN. 83, 1917 (1919) A. 2, 12 (*P. gracilis* **Kleine** 1919) 1919:4 (Togo; Sudan britt.; Afr. britt. b.-or., Terr. Galla, Kitui; Afr. or.-germ.: Mikindani). *Brenth.*, *Brentha.*, *Trach.*
- Perithonius* **Crotch**, *Erot.*, 17? (*P. nisolampoides* **Lac.** 1842) 1913:1 (Col.). *Erot.*, *Erotyl.* 21.
- Peritrichia* O **Burm.**, Hd. E. IV, 1, 1844, 46; **Lac.**, III, 1856, 179; **Péring.**, T.SAfr. Phil. S. 12, 1902, 640 (Typ.?: *abdominalis*, *guttata*, *tristis* **Burm.** 1844; *capicola* [**F.**] 1781; *proboscidea* [**F.**] 1775; *cinerea* et *ursus* [**Ol.**] 1789) 1913:31 (Terr. cap., namaq., damara., Afr. mer.). *Scar.*, *Melth.*, *Hopl.* 501.
- Perithrix* **Fairm.**, Rev. MaZo. (3) 7, 1879, 193 (16) (*P. granidorsis* **Fairm.** 1879) 1913:1 (Souf.). *Ten.*, *Opatr.* 496.
- Perocnemis* **Fairm.**, ASEFr. (6) 6, 1886, 352; **Sem.**, HoR. 28, 1894, 453, 463 (Sep., 5, 15); **Seidl.**, NID. V, 2, 765, 800 = Subg. ad *Nacerda* **Steph.** 1839. *Oed.*, *Oedem.*, *Nacerd.* 6.
- Peronophorus* **Strohmeyer**, EBl. 6, 1910, 82 = *Acanthophorus* **Strohmeyer** 1910 nec *Ac. Serv.* 1832. *Ip.*, *Hyl.* 17a.
- Peronycha* O **Ws.**, ArN. 75 1909. 112; **Voeltzkow**, Reise Ostafri. 1910, 445 (*P. subinernis* **Fai.** m. 1902) 1913:1 (Madag.). *Chryss.*, *Hisp.*, *Hisp.* 88.
- Perplectus* **Sharp**, T. Roy. Dubl. S. III, 2, 1886, 405 = *Xenogonus* **Broun** 1882. *Anob.*, *Anobi.* 28.
- Perrinellus* **Elat.** cf. P. II.
- Perrinia* **Reitt.**, VN. 23, 1885, 16; **Escalera**, BSEsp. 28, 1899, 366; **Jeannel**, Arch. Zo. exp. (5) 5, 1910, 10; Rev. *Ba.*, 362 (*P. Adams* 1894 ad *Mollusc.* pertinet). = *Speophilus* **Jeannel** 1911. *Silph.*, *Bath.*, *Bathy.* 14.
- Perriniella* **Jeannel**, Arch. Zo. exp. (5) 5, 1910, Not. et Rev., p. CXXI; 54, 1914, 870; Rev. *Ba.* 1911, 365; **Breit**, EMI. II, 1913, 306 (*P. Faurai* **Jeannel** 1910) 1914:1 (cavern.: *Hisp.*, *Gerona*). *Silph.*, *Bath.*, *Bathy.* 15.
- Perrisia* **Mars.**, Ab. V, 1868/69, 113; **Chap.**, G. Col. 12, 1876, 102 (*P. brevis* [**Perris**] 1864) 1913:1 (*Alg.*). *End.*, *Endo.*, *Lycop.* 46.
- Perthalyra* **G.Horn**, *Nitid.* U. States 1879 287 et 309 (*P. Murrayi* **G. Horn** 1879) 1913:1 (Am. b.: *Civ. confoed.*). *Nit.*, *Nitid.* 138.
- Peryphus* **Steph.**, *Car.* cf. P. II.
- Pescennius* O **Champ.**, BCA.Col. IV, 1, 1884, 3; **Cas.**, Rev. Mon. 1907, 517 (*P. villosus* **Champ.** 1884) 1913:1 (Mex.). *Ten.*, *Trimyt.* 41.
- Pescolinus* **Sharp**, BCA.Col. I, 2, 1882/87 [1885], 453 (*P. palmatus* **Sharp** 1885) 1914:1 (Pæn.). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 304.
- Petalacmis* O **Ern. Oliv.**, BSEFr. 1908, 186 (*P. praeclarus* **Ern. Oliv.** 1908) 1913:1 (Bol., Bras.). *Lamp.*, *Phot.* 29.
- Petalium* O **J. Lec.**, Misc. Coll. III, 1861, 204; PAcPhil. 1865, 234; **Fall.**, TAmES. 31, 1905, 211. — Synops.: **Pic.**, Rev. d'E. 24, 1905, 185/8 (*P. bistratum* [**Say**] 1825) 1913:24 (Am.; Madag., Cypr., Syr.). *Anob.*, *Dorcat.* 59.

- Petalodes* Newm., Ent. I, 1840, 9 = *Piesarthrius* Hope 1835. *Ceram.*, *Cerambin.*, *Stronglu.* 412.
- Petaloscelis* Gorh., AMusG. (2) 16, 1896, 282 (Typ. ?; *P. instabilis* Gorh. 1896, *P. rubens* [Hope] 1831) 1913:2 (Burma, Bengal, Nepal, Java). *Erot.*, *Triplac.* 39.
- Petalosoma* Lewis, ANH. (7) 12, 1903, 418 (*P. hirtipes* Lewis 1903) 1913:1 (Guyana). *Hist.* 2.
- Petauristes* Guér., Ic. règne anim. Ins. 1844, 259 = *Lema* F. 1798. *Chrys.*, *Crioc.* 4.
- Petinopus* Blackb., TRS. South Austral. 31, 1907, 240 = err. pro *Pectinopus* Blackb. 1898. *Scar.*, *Melth.*, *Lipar.* 185.
- Petria* Sem., Mélang. biol. 13, 1893, 363 (*P. tachyptera* Sem. 1893) 1913:3 (Transcasp.). *Petr.* 1.
- Petrobius* Brullé, Expéd. Morée III, 1832, 202; *Cast.*, HN. II, 1840, 208 = *Gnaptor* Brullé 1832. *Ten.*, *Blapt.* 381.
- Pezocrosita* Jacobs. Finska Vet. S. Förh. 43, 1901, 120 nota = Subg. 2 ad *Crosita* Motsch. 1860 (*P. Sahlbergiana* Jacobs. 1901) 1916:2 (Prov. Finssei). *Chrys.*, *Chryso.*, *Chrysi.* 22.
- Pezoporus* Kl., *Clerii* 1842, 311 = *Dozocolletus* Chevr 1842. *Cler.*, *Clerin.* 61.
- Phacecerus* Schoenh., G. Curc. V, 1840 554; *Lac.*, VII, 1866, 458; *Schoenfeldt* GIW. *Brenth.* 1908, 65 (*Ph. planicaudatus* [Chevr.] 1839) 1913:2 (Madag.). *Brenth.*, *Brentha.*, *Ceoc.* 103.
- Phacodes* O Newm., Ent. I, 1841, 7 (*Ph. obscurus* [F.] 1913:17. — 2 Subg. *Phac.* s. str. = Subg. 1 (Typ. ut antea [Austral.] et *Paraphacodes* Bel. 1902) (*Ph. triangulum* Bel. 1902) (N. Caled.). *Ceram.*, *Cerambin.*, *Hesprph.* 179; 179, 1.
- Phacomorphus* O Jeannel, Abeille 31, 1908, 60; *Peyerimh.*, BSEFr. 1908, 303; *Jeannel*, Arch. Zo. exp. (5) 5, 1910, 10; 54, 1914, 69; *Rev. Ba.*, 324; *Breit*, EMI. II, 1913, 314 = Subg. 1 ad *Speonomus* Jeannel 1910 (*Ph. Mascarauxi* Sainte-Claire Dev. 1905) (Gall.: Pyr. infer.). *Silph.*, *Bath.*, *Bathy.* 12, 1.
- Phaeadoretus* Reitt., VN. 1903, p. 31; *Ohs.*, DEZ. 1912, p. 268 (*Ph. comptus* [Mén.] 1849) 1918:1 (Transcasp., Turk., Syr.). *Scar.*, *Rut. orth.*, *Anoplgni.*, *Prodrtn.* 148.
- Phaeaphodius* Reitt., Tab. *Aphod.* 1891 (1892), 67; VN. 30, 172; *A. Schmidt*, GIW. 21 et 64 = Subg. ad *Aphodius* III. 1798. *Scar.*, *Aphod.* 7.
- Phaedinus* O Serv., ASEFr. III, 1834, 38; *Dupont*, Mon. *Trachyd.* I, 18, II, t. 222 f. 6; *Suppl.* p. 3 (*Ph. tricolor* Serv. 1834) 1913:6 (Bras., Guyana, Ven.). *Ceram.*, *Cerambin.*, *Trachyd.* 1004.
- Phaedis* Pasc., JoE. II, 1866, 474 (*Ph. elisius* Pasc. 1866) 1913:1 (Sarawak). *Ten.*, *Cnodal.* 927.
- Phaedon* O*+ Latr. in *Cuvier*, Règne anim. ed. 2, V, 1829, 151; *Redtb.*, Gatt. deutsch. Käferf. 1845, 116; *Fairm.* in *Jacq. du Val*, IV, 1868, 233; *Chap.*, X, 1874, 367, 371; *Ws.*, NID. VI, 3, 1884, 538; *Letzn.*, Ber. Schles. Ges. 1883 (1884), 311; *Marseul*, Abeille 26, 1888, 83; *Fowler*, Col. Brit. Isl. IV, 1890, 314; *Bedel*, V, 152; *Jacobson*, HoR. 35, 1900, 89; *Everts*, II, 443; *Reitt.*, Süßwasserf. Deutschl. 1909, 219; *F. Germ.* IV, 1912, 128; *Schaufuß* in *Calwer*, 927, 958; *Kuhnt*, 806, 853 (*Ph. affinis* Guér. 1829/44, *cochleariae* [F.] 1792, *armoriacae* [L.] 1758) 1916:35. — Subgg.: *Ph.* s. str. *Hemiph.*, *Paraph.*, *Neoph.* — *Ph.* s. str. = Subg. 1 ad *Ph.* 1916 1916:32 (Eur. c., mer., *Asm.* et *As. c.*, *Afr. b.*). *Chrys.*, *Chryso.*, *Phaedon.* 39; 39, 1.

- Morphol.: **Bellevoye**, Compt. rend. Ass. franç. Sc. 36, 1907 (1908), 641, 646; **Portschinsky**, Naturfr. (Petersb.) V, 1910, 176.
- Biol.: **Cornelius**, StEZg. 24, 1863, 122; **Fryer, Hart, Fitch, Billups** in Ent. 14, 1881, 44, 187, 236; **Lewcock et Wood**, op. cit. 15, 1882, 22 et 46; etc.; **Goury et Guyon**, Feuille j. Nat. 36, 1906, 67; 37, 1907, 44 etc.; **Sharp**, EMM. 46, 1910, 5; **Chittenden**, U. S. Dept. Agr. E. Bull. 66, 1, 1907; 1 et 2 et 16, l. c. 7, 1909, 94.
- Phaedon* (**Megerl.**) **Gutfl.-B.**, 622 = *Ph. Latr.*? *Chrys.*, *Chryso.*, *Phaedon*. 39.
- Phaedon* **Motsch.** in **Schrenck's R.**, II, 1860, 221 = *Sclerophaedon* **Ws.** 1882. *Chrys.*, *Chryso.*, *Phaedon*. 41.
- Phaedonia* **O Ws.**, ArN. 64, I, 2, 1898, 210, 211 (*Ph. areata* [F.] 1792) 1916:1 (Afr. occ. et or.). *Chrys.*, *Chryso.*, *Phaedon*. 54.
- Phaedra* **Chap.**, G. Col. X, 1874, 235; **Jac.**, BCA.Col. VI, 1, 1881, 111, Suppl. 1890, 189; **Léf.**, MSLiège (2) 11, 1885, 11 [nec **Horsfield** 1849] = *Phaedrias* **Lefv.** 1885. *Chrys.*, *Eumolp.*, *Chryso.* 9.
- Phaedrias* **O Lefv.**, MSLiège (2) 11, 1885, 166 (Typ. ?; *Ph. maxima* [Lefv.] 1875, *dives* [Lefv.] 1877) *rufipes* [**Chap.**] 1874) 1914:8 (Mex., Pan. usque ad Bras.). *Chrys.*, *Eumolp.*, *Chryso.* 9.
- Phaedioides* **Lefv.**, ASEFr. (6) 5, 1885, Bull. p. CXXV; MSLiège (2) 11, 1885, 61 (*Ph. philippinensis* **Lefv.** 1885) 1914:1 (Phil. Ins., Luzon, Bohol, Mindanao). *Chrys.*, *Eumolp.*, *Nodost.* 90.
- Phaennis* **O Champ.**, TESL. 1894, 399 (*Ph. fasciculata* **Champ.** 1894) 1913:1 (Tasm.). *Ten.*, *Adelii.* 998.
- Phaenocephalus* **O Well.**, EMM. 10, 1873, 167; **Matth.**, Mon. *Coryl. a. Sphaer.* 1899, 205, t. 7 f. B, 1, 2, 5, 6 (*Ph. castaneus* **Well.** 1873) 1913:1 (Jap.). *Phaen.* 1.
- Phaenognatha* **O Hope**, PESL. 1841, 45; **Arrow**, TESL. 1909, 503 (*Ph. Erichsoni* **Hope** 1842) 1913:9 (Queensl. Austral. b.; Arg.). *Scar.*, *Aclop.* 2. *Phaenognathus* **Curc.** cf. P. II.
- Phaenolis* **O Gorh.**, TESL. 1880, 10; **Ern. O.**, ASEFr. (6) V, 1885, 122; GIW. *Lamp.* 1907, 10 (*Ph. laciniatus* **Gorh.** 1880) 1913:10 (Am. mer. trop.; Regio amazonica). *Lamp.*, *Lamp.* 4.
- Phaenomeris* **O Hope**, TZSL. I, 1835, 97; **Obs.**, DEZ. 1913, Beihft. 225 (*Ph. magnifica* **F. Hope** 1835, *Besckei* **Mannerh.** 1838) 1918:5 (Afr. trop., Port. Nat., Rhodesia, Sudan. etc.). *Scar.*, *Phaenom.* 1.
- Phaenopyrus* **Ern. Oliv.**, AMUSG. 1885, 347 = *Diaphanes* **Motsch.** 1852. *Lamp.*, *Lamp.* 32.
- Phaechridius* **Lansb.**, Not. Leyd. Mus. IX, 1887, 201; TESL. 1909, 488 (*Ph. derasus* [**Har.**] 1880) 1913:2 (Sum.). *Scar.*, *Hyboso.* 13.
- Phaechroops* **Candèze**, Compt. rend. SER. 20, 1876, 63 (*Ph. Lansbergei* **Cand.** 1876) 1913:12 (Paenins.malay., Ind. mer., Nias, Sum., Jav., Born.). *Scar.*, *Hyboso.* 12.
- Phaechrous* **O Cast.**, HNIns. II, 1840, 108; **Péring.**, T.SAfr. Phil. S. 1908, 496 (*Ph. senegalensis* **Cast.** 1840) 1913:24 (As., Melanes., Afr., Cal., Ins. Aldabra, St. Thoniae, Cal.). *Scar.*, *Hyboso.* 16.
- Phaecroides* **Péring.**, T.SouthAfr. Phil. S. 1908, 647 (*P. damarinus* **Péring.** 1908) 1913:1 (Afr. mer.-occ.). *Scar.*, *Hybosco.* 19.
- Phaecrous* **Péring.**, T.SAfr. Phil. S. 1908, 646 = *Phaechrous* **Cast.** 1840. *Scar.*, *Hybosco.* 16.
- Phaenocyclotomus* **O Kuw.**, ASEB. 38, 1894, 400 et 420; **Schklg.**, GIW. *Cler.* 1903, 79 (*Ph. dorsiger* [**Westw.**] 1852) 1913:65 (Spp. indo-austr. 34, Spp. aethiop. 31). *Cler.*, *Cleri.*, *Clerin.* 86.

- Phaenogala* **Fairm.**, ASEB. 40, 1896, 353 (*Ph. griseescens* **Fairm.** 1896) 1913:3 (Madag., Nossibe etc.) *Ped.* (aut *Melandr.*) 15.
- Phaenomychus* **O Gorh.**, PZSL. 1887, 649 (*Ph. rufipennis* [**Motsch.**] 1860) 1913:1 (Jap.). *End.*, *Endo.*, *Endom.* 79.
- Phaenostolus* **Fairm.** Compt. rend. SEB. 28, 1884, p. CXLV; ASEFr. (6) 7, 1887, 293 (*Ph. grandicornis* **Fairm.** 1884) 1913:1 (Terr. Somali). *Ten.*, *Helop.* 1084.
- Phaenotribon* **Kraatz**, Rev. *Ten.* 1865, 242; **Reitt.**, Best.-Tab. 42, 1900, 90 et 144 (*Ph. pulchellus* **Kraatz** 1865) 1913:3 (Afr. mer.-cec., Aeg., Mogador). *Ten.*, *Tentyr.* 130.
- Phaganthus* **Rey**, ASLLyon 27, 1880, 12 = Subg. ad *Anthophagus* **Grav.** 1802. *Staph.*, *Oxyl.*, *Omal.* 84.
- Phalacridius* **O Sharp**, BCA.Col. II, 1, 1902, 678 (*Ph. atomarius* **Sharp** 1902) 1913:1 (Mex.). *Byrrh.*, *Limn.* 10.
- Phalacrogathus* **O M'Leay**, TLSNSW. X, 1885, 473 (*Ph. Muelleri* **M'Leayi** 1885) 1913:1 (N. Austral.). *Luc.*, *Chias.* 10.
- Phalangogonia* **O Burm.**, Hd. E. IV. 1, 1844, 451; **H. Bates**, BCA.Col. II, 2, 1888, 291; **Oh.**, StEZg. 65, 1904, 261 (*Ph. obesa* **Burm.** 1844) 1913:5 (Costa Rica, Mex., Guatem., Nicarag., Pan.). *Scar.*, *Rut. orth.*, *Anoplgni.*, *Phalang.* 123.
- Phalangonyx* **Reitt.**, WEZg. 8, 1889, 277; 16, 1897, 222 (*Ph. coniceps* **Reitt.** 1889) 1913:1 (Turemen.). — Etiam Subg. ad *Tanyproctus* **Falderm.** 1835. *Scar.*, *Melth.*, *Melthi.* 348; 391.
- Phalangosoma* **Quedenf.**, BEZ. 28, 1884, 318, 402 (*Ph. Mechowi* **Quedenf.** 1884) 1913:1 (Angola, Quango; Afr. Med., Kulu). *Scar.*, *Melth.*, *Pachyd.* 418.
- Phalantha* **O Gerst.**, Mon. *Endom.* 1858, 202; **Chap.**, G. Col. XII, 1876, 108, **Gorh.**, BCA.Col. 7 (1889) 118 (*Ph. exsanguis* **Gerst.** 1858) 1913:5 (Am. c., Bras.). *End.*, *Endo.*, *Lycop.* 44.
- Phalepsoides* **Raffr.**, Rev. d'E. 9, 1890, 111 et 116; ASEFr. 73, 1904, 13; GIW. 1908, 184 (*Ph. punctatissimus* **Reitt.** 1888) 1913:4 (Bras.). *Psel.*, *Psela.*, *Batris.* 207.
- Phalepsus* **O Westw.**, TESL. 1870, II, 131; **Raffr.**, ASEFr. 73, 1904, 372; GIW. *Psel.* 1908, 407 t. 6 f. 10 (*Ph. subglobosus* **Westw.** 1870) 1913:8 (Bras., Parag., Amaz.). *Psel.*, *Psela.*, *Tyr.* 426.
- Phalera* **O Latr.**, HNCrIns. III, 1802, 162; X, 1804, 300; Règne anim. 1817, 302; ed. II, 1829, 28; **Cast.**, HN. II, 1840, 219; **Sol.** in **Gay**, H. Chile V, 1851, 243; **Muls.**, Col. Fr. *Latig.* 1854. 190; **Woll.**, Ins. Mader. 1854, 488; **Redtb.**, F. Austr. II et III; **Lac.**, V, 286; **Jacq. du Val**, III, 289; **G. Horn**, Rev. *Ten.* 1870, 375; **Lec. et Horn**, Class. 1883, 383; **Fauv.**, Rev. d'E. 4, 1885, 318; **Seidl.**, NID. V, 1894, 475, 477; **Desbr.**, Frelon X, 1901, 175; **Rey**, Rev. d'E. IX, 1890, 327; X, 1891, 83 et 236, XVIII, 1899, 277; **Schaufuß** in **Calwer**, 802; **Kuhnt**, 739, 744 (Typ.?). *Ph. bimaculata* [**L.**] 1767, *cadaverina* [**F.**] 1792) 1913:63+1? (in divers. part. Eur. et As., Afr., Medit., Am.). *Ten.*, *Phaler.* 576.
- Biol.*: **Coquerell**, ASEFr. (4) 5, 1865, t. 11 f. 1—9; **Fairm.**, t. c., 257; **Perris**, Larves 1877, 269 f. 271; **Seidl.**, NID. V, 1894, 478; **Xambou**, ASLLyon 48?, 1902, Mem. XI?
- Phalespoides* **Raffr.**, GIW. *Psel.* 1908, 184 (?) = err. pro *Phalepsoides* **Raffr.** 1890. *Psel.*, *Psela.*, *Batris.* 207.
- Phalespus* **Raffr.**, Rev. d'E. 9, 1890, 150, 152 = err. pro *Phalepsus* **Westw.** 1870. *Psel.*, *Psela.*, *Tyr.* 426.
- Phalota* **Pasc.**, TESL. (3) I, 1863, 559 (*Ph. tenella* **Pasc.** 1863) 1913:3

- (Gawler, Port Lincoln, Port Denison) *Ceram. b.*, *Ceram. bin.*, *Phalo.* 628.
- Phamisulus* **O Reitt.**, DEZ. 1888, 234; **Raffr.**, Rev. d'E. 9, 1890, 148, 155; ASEFr. 65, 1896, 137; 73, 1904, 370; GIW. *Psel.* 1908, 400 (*Ph. horroris* [Schauf.] 1886) 1913:1 (Bras.). *Psel.*, *Psel.*, *Tyr.* 416.
- Phamisus* **Aubé** (non **Schauf.**), ASEFr. (2) 2, 1844, 94; **Raffr.**, Rev. d'E. 9, 1890; 86, 104; 12, 1893, 138; GIW. *Psel.* 1908, 32; **Reitt.**, DEZ. 32, 1908, 235 (error) (*Ph. Reichenbachi* **Aubé** 1844) 1913:3 (Col., Bogota, Bol., Mex.). *Psel.*, *Psel.*, *Jub.* 24.
- Phanaeta* **Lefv.**, Mi. Münch. E. V. II, 1878, 132; **Jac.**, BCA.Col. VI, I, 1882, 185; **Lefv.**, MSLiège (2) 11, 1885, 161 (Typ.?: *Ph. striata* et *varicornis* **Suffr.**, ArN. 32, 1866, 336, *ruficollis* **Lefv.** 1878) 1914:8 (Mex., Col., Guat., Pan., Cuba [5]). *Chryso.*, *Eumolp.*, *Endoc.* 281.
- Phanaeus* **O** + **M'Leay**, HoE. 1819, 124 (Anat.) (*Ph. bellicosus* [O.] 1789, *carnifex* [L.] 1758, *ensifer* **Germar** 1821, *javunus* [F.] 1775, *Jasius* [O.] 1789, *Dardanus* **M'Leay** 1819, *lancifer* [L.] 1767, *Mimas* [L.] 1758, *splendidulus* [F.] 1781, *sulcatus* [Drury] 1770) 1913:81 (+1—4, 1911?) (Am. b., spp. plurim. ex Am. trop. et mer.) *Scar.*, *Copr.*, *Copri.*, *Phan.* 85.
Anat.: cf. supra.
Biol.: **Fabre**, Souv. entom. VI, 1899, 70—72; **Kolbe**, ZoJa. Suppl. VIII, 1905, 488, 492, 493; Aus d. Natur I, 1906, 681.
- Phanaeus* **M'Leay**, HoE. I, 1819, 131 (part.) = *Oxysternon* **Cast.** 1847. *Scar.*, *Copr.*, *Copri.*, *Phan.* 86.
- Phaneropella* **O** + **Jeannel**, Arch. Zo. exp. 5 (5) 1910, 15 (gen.); Rev. *Ba.*, 415; **Breit.**, EMI. II, 1913, 314 (subg.); **Jeannel**, Arch. Zo. exp. t. 54, 1914, 67. — Chorol.: **Jeannel**, Rev. *Ba.*, 146; **Holdhaus**, Denkschr. med.-nat. Ak. Wiss. Wien, 87, 1911, 440
= Subg. 4 ad *Bathyscia* **Schiödte** 1849 (*Ph. Lesinae* [Reitt.] 1881) 1914:2 (muscic.: Dalm., Montg., Taur. c.). *Silph.*, *Bath.*, *Bathy.* 4, 4.
Phanerops **Sol.**, in **Gay**, H. Chile V, 1851, 233; **Lac.**, V, 339 (*Ph. elongata* **Sol.** 1851) 1913:2 (Chile). *Ten.*, *Utom.* 725.
- Phanerotoma* **Sol.**, M. Ac. Sc. Torino (2) 6, 1843, 294, (82) = *Psammodes* **Kirby** 1818. *Ten.*, *Molur.* 311.
- Phanocerus* **O Sharp**, BCA.Col. I, 2, 1882, 128 (*Ph. clavicornis* **Sharp** 1882) 1913:4+1 (Col., Guat., Gren., Arg., Ind. occ.). *Dr. yop.*, *Dr. opi.*, *Potam.* 14.
- Phanodesta* **Reitt.**, VN. 14, 1876, 31 (*C. cribraria* [Blanch. in **Gay**] 1851, *cribrata* [Germ.] 1855) 1913:6 (Chili). *Temn.*, *Lep.* 22.
- Phanolinus* **O Sharp**, BCA.Col. I, 2, 1882/87 (1884) 363 (Typ.?: *Ph. Flohri* et *obsoletus* **Sharp** 1884, *amoenus* [Guér.] 1844) 1914:25 (Mex., Am. c. et mer. trop.). *Staph.*, *Staphy.*, *Staphyl.*, *Xantho.* 353.
- Phanophilus* **Sharp**, TR. Dublin S. (2) III, 1885, 380 (*Ph. comptus* **Broun** 1880) 1913:1 (N. Z.). *Staph.*, *Paed.*, *Paedi.* 209.
- Phantazoderus* **O Fairm. et Germ.**, Rev. MaZo. (2) 16, 1864, 391 (*Ph. frenatus* **Fairm. et Germ.** 1864) 1913:1 (Chile). *Ceram. b.*, *Ceram. bin.*, *Bimi.* 580.
- Phantazomerus* **Jacq. du Val**, BSEFr. 1854, 307 = *Cybocephalus* **Er.** 1844. *Nit.*, *Cyboc.* 156.
- Phaolus* **O Pasc.**, TESL. (3) I, 1863, 569; **Lac.**, VIII, 191; **Lmr.**, MSEB. 21, 1912, 90 (Rév., 954) (*Ph. metallicus* **Newm.** 1838) 1913:1 (N.S.W., Vict., Tasm.). *Ceram. b.*, *Prion.*, *Anacol.*, *Anac.* 98.
- Pharaonus* **Blanch.**, Cat. Coll. E. Col. 1850, 201; **Kraatz**, DEZ. 1892, 302; **Ohs.**, l. c. 1901, 271; **Reitt.**, VN. 1903, 44; **Schaufuß** in **Calwer**, (1325) (*Ph. fasciculatus* [Burm.]

- 1844, *varicoloreus* **Burm.** 1848) 1918:1 (Caucas., Aeg., Buchara, Transcasp., Turcom., Mesop.). *Scar., Rut. hom., Anomi., Popp.* 98.
- Pharaonus Péring.**, T.SAfr.Phil.S. 15, 1907, 661 = *Anodontopopillia Ohs.* 1901. *Scar., Rut. hom., Anomi., Popp.* 96.
- Pharaphodius Reitt.**, Tab., 34; VN. 30, 172; **A. Schmidt**, GIW. 21 et 64 = Subg. ad *Aphodius* III. 1798.
- Phascus Lefv.**, ASEFr. (6) 4, 1884. Bull. p. LXVI; MSLiège (2) 11, 1885, 66 (*Ph. fulvus Lefv.* 1884) 1914:5 (Abyss. 2, Afr. or. brit.; Sansib., Kilimandj.; Camerun.). *Chryso., Eumolp., Pras.* 107.
- Phaulosis Achard**, BSEFr. 1914, 72 = *Timarchella Jac.* 1904. *Chryso., Chryso., Tim.* 114.
- Phaulosis Ws.**, ArN. 70, 1904, 163 = *Algoala Jac.* *Chryso., Chryso., Tim.* 113.
- Phausis O Le Conte**, PAcPhil. V, 1851, 337; TAmES. 9, 1881, 36; **Ern. Oliv.**, GIW. *Lamp.* 1907, 41; **Schaufuß** in Calwer, 359, 360 (*Ph. splendidula [L.]* 1767) 1913:11 (Eur. m., Am. b.). *Lamp., Lampi.* 33.
- Phayllus O Champ.**, BCA.Col., IV, 1, 1886, 167 (*Ph. minutus Champ.* 1886) 1913:1 (Am. c., et mer.). *Ten., Ulom.* 716.
- Phedius O Champ.**, BCA.Col. II, 1, 1888, 447 (*Ph. Chevrolati Champ.* 1888) 1913:11 (Mex., Ariz., Cal.). *All., Allec.* 62.
- Phegoneus O Cas.**, Rev. Mon. 1907, 380, 426 (Typ. ?; *Ph. niger et basalis Champ.* 1884, *Ph. Jülichii Cas.* 1907; *Ph. viridis Champ.* 1884) 1913:10 (Mex., Texas, Costa Rica, Am. c.). *Ten., Epitrag.* 70.
- Phelister O Mars.**, Mon. 1853, 462; **Schmidt**, BEZ. 29, 1885, 296; **Schau-fuß** in Calwer, 657 (Typ. ?; *Ph. subrotundatus [Say]* 1825, *pusio [Er.]* 1847) 1913:137 (in omn. part. orb. terr.). — 2 Subg.: *Phel.* et *Eblisia*. — *Ph.* s. str. = Subg. 2 ad **Phelister Mars.** 1853 (Typ. ut antea) 1913:122 *Hist.* 28; 28, 2.
- Phellidius J. Lec.**, Class. 1866, 236 = *Bolitotherus Cand.* 1861. *Ten., Bolitoph.* 583.
- Phellopsis O Lec.**, Class. 1862, 216; **Horn**, Rev. *Ten.* 1870, 271; **Lec. et Horn**, 1883, 365; **Casey**, Can. Ent. 39, 1907, 44 (Mon.); Rev. Mon., 470 (*Ph. obcordata [Kirby]* 1837, *Ph. porcata [Lec.]* 1853) 1913:7 (Amur., Ch., Cal., Pa., Ore., Jap.). *Ten., Zopher.* 196.
- Phelocalodera O Blanch.**, H.Ins. II, 1845, 163 (*Ph. peregrina Thoms.* 1857) 1913:1 (Madag.). *Ceram., Cerambin., Disten.* 6.
- Phelomerus [Jekel i. l.] Pic**, Echange 28, 1913, 92 (*Ph. ochropygus Pic* 1913, *aberrans [Sharp]* 1885) 1913:3 (Bras., Col., N. Gran. [Paris import.]). *Bruch., Bruchi.* 5.
- Pheloneis O Pasc.**, JoE. II, 1866, 483; **Bates**, ANH. (4) 13, 1874, 112; **Carter**, PLSNSW. 33, 2, 1908, 258 (*Ph. simulans Redt.* 1868, *harpaloides [White]* 1846) 1913:21 (N.Z. 21, Otago 1). *Ten., Adeli.* 1011.
- Pheloticus O Har.**, Mi. Münch., E.V., I, 1877, 104; **Lefv.**, MSLiège (2) 11, 1885, 135; **Fairm.**, ASEFr. (6) 6, 1886, 90 (*Ph. madagascariensis Jac.* 1877) 1914:17 (Afr. or.-germ., Terr. Somali, Sansib., Madag. 15). *Chryso., Eumolp., Typoph.* 245.
- Phelotrupes O Jek.**, ASEFr. (4) 5, 1865. (66), 575; **Reitt.**, Best.-Tab. 24, 1893, 130, 132 (pars); — Synops.: **Bouem.**, Rev. d'E. 23, 1904, 222—234 = Subg. 9 ad *Geotrupes Latr.* 1796 (*Ph. orientalis [Westw.]* 1839) 1913:32 [4+1+1+4+2+10+2+8] (As.: Jap., Sib., Chin., Ind. etc.: 19; Hond., Mex., Guat.: 2). *Geotr., Geotrupi.* 17, 9.

- Phenolia* **Er.** in Germar, ZE. IV, 1843, 299 (*Ph. grossa* [F.] 1801) 1913:1 (Am. b.: Civ. confoed.). *Nit.*, *Nitid.* 88.
- Pheres* **O Champ.** BCA.Col. IV, 1, 1886, 150 (*Ph. Batesi* **Champ.** 1886) 1913:1 (Pan.). *Ten.*, *Utom.* 707.
- Pherocladus* **Fairm.**, Le Natural. 3, 1881, 37; ASEFr. (6) I, 1887, 273 (*Ph. dermestoides* **Fairm.** 1881) 1914:2 (Ins. Viti, Ind.). *Helod.*, *Ptilodact.*, *Philodacti.* 20.
- Pherocoma* **Blanch.**, Cat. Coll. E. Col. I, 1850, 59 = *Peritrichia* **Burm.** 1844. *Scar.*, *Melth.*, *Hopl.* 501.
- Pherocopsis* **J. Thoms.**, ArE. II, 1858, 12 = *Platychora* **Er.** 1843. *Nit.*, *Nitid.* 77.
- Phespia* **O Bates**, ANH. (4) 11, 1873, 127 (*Ph. simulans* **Bates** 1873) 1913:3 (N. Gran., Nicar., Bras. mer.). *Ceramb.*, *Cerambin.*, *Rhinotr.* 649.
- Pheugonius* **Fairm.**, BSEFr. 1899, 313; **Geb.**, Mon. 152 (*Ph. borneensis* **Fairm.** 1899) 1913:2 (Borneo). *Ten.*, *Pycnoc.* 884.
- Phiara* **Brenske**, StEZg. 68, 1897, 107 (*Ph. flava* **Brenske** 1897) 1913:1 (Senaar). *Scar.*, *Melth.*, *Melthin.* 234.
- Phidodonta* **Ws.**, DEZ. 1906, 404 (*Ph. australica* **Motsch.** 1861) 1913:2 (Melbourne, Bengal). *Chryso.*, *Hisp.*, *Hispi.* 85.
- Phila* **Brenske**, StEZg. 63, 1897, 110 (non **Motsch.** 1864) = *Engertia* **DT.** 1912. *Scar.*, *Melth.*, *Melthi.* 288.
- Phila* **Motsch.**, *Car.* cf. P. II.
- Philacelota* **Heller**, Abh. Mus. Dresden, 9, 1900/1 nr. 5, 1900, 11 (*Ph. submaculata* **Heller** 1900) 1913:2 (Cel. b.; Sula Mangoli). *Scar.*, *Melth.*, *Melthi.* 369.
- Philagates* **J. Thoms.**, Syst. Cer. 1864, 196 = *Purpuricenus* **Germ.** 1824. *Ceramb.*, *Cerambin.*, *Stenasp.* 973.
- Phileciton* **Wasm.**, Krit. Verz. Myrmec. 1894, 211; VzbGW. 45, 1895, 158; **Fauv.**, Rev. d'E. 14, 1895, 12 (*Ph. Badariottii* **Wasm.** 1894, *Wasmanni* **Bernh.**, ArN. 74, 1911, 334) 1914:2 (Bras.). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 284.
- Philematium* **O J. Thoms.**, Syst. Cer. 1864, 171; **Jord.**, NoZo. I, 1894, 164 (*Ph. femorale* [**Ol.**] 1790) 1913:14 (Afr. 12; Cuba 1, Ins. St. Thomé 1). *Ceramb.*, *Cerambin.*, *Callichr.* 719.
- Philetaerius* **Sharp**, ANH. (6) 3, 1889, 118 (*Ph. elegans* **Sharp** 1889) 1916:1 (Jap.). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 320.
- Philhammus* **Fairm.**, ASEFr. (4) X, 1870, 393; **Mars.**, Abeille 12 1875, 126 (*Ph. sericans* **Fairm.** 1870) 1913:1 *Ten.*, *Opatr.* 549.
- Philharmostes* **Kolbe**, StEZg. 56, 1895, 344; D.-Ostaf. IV, Col. 1897, 157; **Fairm.**, ASEFr. 68, 1899, 471 (*Ph. aeneoviridis* et *integer* **Kolbe** 1895, *latericostatus* [**Fairm.**] 1884) 1913:12 (Madag. [11], Afr. or. [1]). *Scar.*, *Acanthoc.* 8.
- Philhydronopa* **Ws.**, ArN. 67, 1901, 166, 170 (*Ph. subaenea* **Ws.** 1901, *aeneipennis* **Chap.** 1877). *Chryso.*, *Chryso.*, *Parops.* 79.
- Philhydrus* **Sol.** *Hydroph.* cf. P. II.
- Philipsia* **O Raffr.**, ASEFr. 61, 1892, 471; Rev. d'E. 17, 1898, 241; ASEFr. 72, 1903, 525; GIW. *Psel.* 1908, 76 (*Ph. exigua* **Raffr.** 1893) 1913:4 (Mad., Sum. sept., Jav., Singap., N. Guin. germ.). *Psel.*, *Psel.*, *Euplect.* 76.
- Philocalus* **O Kl.**, *Clerii*, 1842, 281; **Lac.**, IV, 1857, 425; **Schklg.**, GIW. *Cler.* 1903, 7 (*Ph. succinctus* **Kl.** 1842) 1913:3 (Camerun., Cap b. Sp.). *Cler.*, *Cleri.*, *Till.* 6.
- Philochlaenia* **O Blanch.**, Cat. Coll. E. Col. I, 1850, 121; **Burm.**, Hd. E. IV, 2, 1855, 28 (*Philochloenia*); **Lac.**, III, 257; **Bruch**, Rev. Mus. La Plata 16, 1909, 342 (*Ph. ambitiosa* et *lineatocollis* **Blanch.** 1850) 1913: (Am.

- mer. trop., Bras., Arg.). *Scar.*, *Melth.*, *Macrod.* 472.
- Philochloenia* **Dej.**, Col. Cat. cd. 2, 1833, 163 = *Gama Blanch.* 1850. *Scar.*, *Melth.*, *Macrod.* 460.
- Philochloenia* vide *Philochlaenia*.
- Philhygra* **Rey**, *Staph.* cf. P. II.
- Philocryptus* **Wasm.**, *WEZg.* 14, 1895, 44; **Csiki**, A.Mus.Nat. Hung. III, 1905, 574 (*Ph. cremastogastris* [**Wasm.**] 1894) 1913:1 (Madag.). *End.*, *Mycet.*, *Myceta.* 9.
- Philolithus* **Lac.**, V, 1859, 157 = *Asida Latr.* 1804. *Ten.*, *Asid.* 286.
- Philomeces* **Kolbe**, *StEZg.* 54, 1894, 251 (*Ph. integricollis* **Kolbe** 1894) 1913:1 (Usambara). *Cerambin.*, *Cerambin.*, *Callichr.* 742.
- Philonthus* **O[✱] Curtis**, Brit. E. XIII, 1825, t. 610; **Steph.**, Ill. Brit. V, 1832, 226; **Ganglb.**, KäfMEur. II, 1895, 437; **Schaufuß** in Calwer, 194; **Kuhnt**, 167, 230. — (Typ.?.) *Ph. splendens* [**F.**] 1792; *varians* [**Payk.**] 1789; *albipes*, *atratus*, *cephalotes*, *concinus*, *ebenenus*, *fimetarius* etc. [**Grav.**] 1792, *politus* **L.** Syst. Nat. I, 2, 683; *fulvipes* [**F.**] 1792, *laminatus* [**Creutz**] 1792 etc.) 1914:574 (in omn. part. orb. terr.). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 286.
- Biol.: **Westwood**, ZoJo. III, 1828, 58, t. 2 f. 2; **Schiödte**, NTi. (3) III, 1864 65 206 sq., t. 12 f. 1, t. 9, f. 6—17; **Rupertsberger**, Bi. 1880, 48; *BiLit.* 1894, 122; **Xamheu**, Moeurs et Métam. Ins. VII, 141 sq.
- Philonthus* s. str. **C. G. Thoms.**, Sk. Col. II, 1860, 153, *Muls. et Rey*, ASAgr.Lyon (4) 8, 1875, 344. *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 286.
- Philonthus* (**Leach**) **Gutfl.-B.**, 137 = *Philonthus* **Westw.** ?
- Philorea* **O Er.**, Nov. Acta Ac. Nat. Carol.-Leop. 16, 1834, 242; **Lac.**, V, 207 (*Ph. picipes* **Er.** 1834) 1913:13 (Peru). *Ten.*, *Physog.*, 405.
- Philorinum* **O Kraatz**, NID. II, 1856 —58, 965; **Ganglb.**, KäfMEur. II, 1895, 727; **Gutfl.-B.**, 181, **Schaufuß** in Calwer, 153; **Kuhnt**, 161, 188 (*Ph. sordidum* [**Steph.**] 1832) 1913:3 (+ *africanus* **Brnh.** Usamb.) Eur. mer. et med.; Ural, Ins. Canar., Corsica). *Staph.*, *Oxyt.*, *Omal.* 57.
- Philoserica* **O Brenske**, BEZ. XLII, 1897, 356, XLVI, 1901, 458; XLVII, 1902, 69 (*Ph. vittata* [**Blanch.**] 1850) (Afr. mer.: Caffr., Trv., Rhodes., mer.). *Scar.*, *Melth.*, *Seric.* 92.
- Philothalpus* **O Kraatz**, NID. II, 1856/58, 540; **Sharp**, TESL. 1876, 132; BCA.Col. I, 2, 1882/87 (1884), 354, 361 (Typ.?.) *Ph. anceps* [**Er.**] 1839/40, *difficilis* **Sharp** 1884) 1914:16 (Mex., Am. c., Bras.). *Staph.*, *Staphy.*, *Staphyl.*, *Xantho.* 355.
- Philoxylon* **J. Lec.**, Smiths Misc. Coll. III, 1861, 205 = *Ernobius* **Thoms.** 1859. *Anob.*, *Ernob.* 17.
- Philus* **O Saund.**, TESL. (2) II, 1853, 110 (*Ph. antennatus* [**Gyllenh.** in **Schönh.**] 1817) 1913:6 (Siam, Ind. b.-or., Formosa, Penang, Borneo). *Ceram b.*, *Ceram bin.*, *Phil.* 457.
- Philus* **Sauley**, Spec. I, 187, 1874, 40 bis = *Aphilops* **Reitt.**, 1891. *Psel.*, *Psel.*, *Euplect.* 47.
- Philydrus* **Dufschm.**, F. Austr. I, 1805, 304 = *Helmis* **Latr.** 1798. *Dryop.*, *Helm.*, *Helmi.* 39.
- Philydrus* **Sol.**, **Kuhnt**, 419, 432. *Hydroph* cf. P. II.
- Philyra* **Cast.** in **Silbermann**, Rev. IV, 1836, 53; **Chenu**, Enc. II, 1860, 277 = *Pelonium* **Spin.** 1844. *Cler.* 159.
- Phimosius* **Bates**, TESL. 1870, 420 (*Ph. ebenina* **Bates** 1870) 1913:1 (Para). *Ceram b.*, *Ceram bin.*, *Platyarth.* 933.
- Phitryonus* **Fairm.**, ASEB. 47, 1903, 373 (*Ph. cyanipennis* **Fairm.** 1903) 1912:1 (Madag.). *Ceram b.*, *Cerumbin.* *Lept.* 488.

- Philygra* (Rey) **Kuhnt**, 1136 *Staph.* pro *Philygra* = *Phillygra* **Kuhnt**, 272 cf. *P.* II.
- Phlexys* **Er.** in **Wagner**, Reisen Algier, III, 1841, 172 = *Tanyproctus* **Falderm.** 1835. *Scar.*, *Melth.*, *Pachyd.* 391.
- Phlexys* **Er.** in **Wagner**, Reisen Algier 3, 1841, 172; *ArN.* 10, 1844, P. 2, 279; *NID.* 3, 1847, 654 = *Pachyderma* **Cast.** 1832. *Scar.*, *Melth.*, *Pachyd.* 394.
- Phligra* **Cast.**, *HN.* II, 1840, 197; **Lac.**, V, 202; **Haag**, *Col. Hfte.* 7, 1871, 34 (Mon.) (*Phl. cristata* [**Geer**] 1778) 1913:4 (*Terr. cap.*) *Ten.*, *Molur.* 301.
- Phloeobium* **O Boisid. et Lac.**, *F.E.* Paris I, 1835, 492 (*Phl. clypeatum* [**Müll.** in **Germ.**] 1816) 1913:3 (Madera, Teneriffa, Eur.) *Staph.*, *Oxyt.*, *Protein.* 37.
- Phloeoborus* **Er.**, *ArN.* II, 1836, I, 54; **Blandf.**, *BCA.Col.* IV, 6, 1897, 149 (*Typ?*; *Phl. dispar*, *Phl. rudis*, *Phl. scaber* **Er.** 1836) 1913:20 (Am., b.-mer., Am. c.) *Ip.*, *Phloeotr.* 2.
- Phloeocharis* **O Mannerh.**, *Brachel.* 1830, 50; **Kraatz**, *Nat. Käf. Deutschl.* II, 1856—58 p. 1037, etc.; **Gutfl.-B.**, 189; **Schaufuß** in *Calwer*, 150; **Kuhnt**, 419, 432 (*Phl. subtilissima* **Mannerh.** 1830) 1913:17 (Eur., Alg., Tun., Syr., Austral., N.Caled.) *Staph.*, *Oxyt.*, *Phloeoch.* 32.
- Phloeocopus* **O Guér.**, *Ic. Règne anim.* 7, 1829/38, 54; **Spin.**, *Rev. Zo.* 1841, 73; *Cler.* I, 1844, 336; **Lac.**, IV, 1857, 437; **Chenu**, *Enc.* II, 1860, 259; **Reitt.**, *VN.* 32, 1893 (1894), 45; *Best.-Tab.*, 1894, 12; **Schklg.**, *GIW. Cer.* 1903, 32; *AMusG.* (3), I, 1904/05 (1904) 169 (*Phl. tricolor* **Guér.** 1829/38) 1913:30 (Asm., Afr., Madag.) *Cler.*, *Cleri.*, *Clerin.* 48.
- Phloeodes* **O Lec.**, *Class.* 1862, 216; **Horn**, *Rev. Ten.* 1870, 271; **Lec. et Horn**, *Class.* 1883, 364; **Casey**, *Rev.* Mon., 469, 471; *Can. Ent.* 39, 1907, 42 (Mon.) (*Phl. diabolicus* **Lec.** 1851) 1913:89—1 (*Cal.*) *Ten.*, *Zopher.* 195.
- Phloeonaeus* **Er.**, *KäfMaBr.* 1839, 597 = *Aploderus* **Steph.** 1832. *Staph.*, *Oxyt.*, *Oxyti.*, *Oxyte.* 121.
- Phloeonomus* **O Heer**, *F. Helv.* I, 1838 —42, 184; **Ganglb.**, *KäfMEur.* II, 1895, 731; **Luze**, *VzbGW.* 56, 1906, 589; **Schaufuß** in *Calwer*, 154; **Kuhnt**, 161, 187. — *Biol.*: **Perris**, *ASEFr.* (3) 1, 1853, 578 t. 17 f. 56—59; **Rupertsb.**, *Biol. Käf. Enc.* 1894, 126. — *Subgg.*: *Xylost.*, *Phloeost.*, *Phloeon.* — *Phloeon.* s. str. **Ganglb.**, *KäfMEur.* II, 1895, 731, 732 (*Phl. pusillus* [**Grav.**] 1806, *minus* [**Er.**] 1837/39 [in **Schklg. et J.**, P. 19 exempl. e Mus. Dahlem addit.: *subopacus* **Bernh.**, p. 59: *singularis* pro *singulare*); 1913:20 (Eur. med.; Ceyl., Sum.; N. Z., Afr. mer. et mer.-occ., brit.; Am. b.: Mex., Guatem. etc., Col., Caracas.) *Staph.*, *Oxyt.*, *Omal.* 54; 54, 3.
- Phloeophthorus* **O Woll.**, *Ins. Mader.* 1854, 299; **Chap.**, *Syn. Scol.* 1873, 250; **Eichh.**, *Eur. Borkenk.* 1881, 144; **Bedel**, *F. Col. Seine* 6, 1888, 394; **Guillebeau**, *ASEFr.* 63, 1894, 57; **Reitt.**, *Best.-Tab.* 1894, 48; **Tredl**, *EBl.* 3, 1907, 7 (*Phl. rhododactylus* [**Marsh.**] 1802) 1913:8 (Eur. med., Mediterr., Transc.) *Ip.*, *Hyles.* 38.
- † *Phloeosinites* **Haged.**, *Schrift. Phys. Ök. Ges. Königsb.*, 47, 1906, 119 (foss.; part.) = *Phloeosinus* **Chap.** 1873. *Ip.*, *Hyles.* 28.
- Phlocosinus* **O Chap.**, *Syst. Scol.* 1873, 245; **Lec.**, *P. Am. Phil.S.* 15, 1876, 381; **Eichh.**, *Eur. Borkenk.* 1881, 131; **Lec. et Horn**, *Col. N. Am.* 1883, 523; **Bedel**, *F. Col. Seine* 6, 1888, 389; **Reitt.**, *Best.-Tab.* 1894, 49; **Bldf.**, *TESL.* 1894, 68; *BCA.Col.* IV, 6, 1897, 160; **Barbey**, *Scol. d'Eur. centr.* 1901, 58; **Trédli**, *EBl.* 3, 1907, 10;

- Swaine**, Cat. *Scol.* N.Am. 1909, 128; **Schaufuß** in Calwer, 1217; **Kuhnt**, 1045, 1050. — Biol. cf. **Hagedorn** in **Schklg. et J.**, P. 4, 26 sq. (*Phl. dentatus* [Say] 1825) 1913:31 + 1 (in omn. part. orb. terr.). *Ip.*, *Hyles*. 28.
- Phloeostiba* **O. C. G. Thoms.**, Sk. Col. III, 1861, 208; **Ganglb.**, KäfMEur. II, 1895, 731, 732; **Kuhnt**, 161, 188 = Subg. 2 ad *Phloeonomus* **Heer** 1838/42 (*Phl. planus* [Payk.] 1792) 1913:4 + *frater* **Bruh.** Queensl.) (Eur. b. et med., Sib., Am. b.; Usambara). *Staph.*, *Oxyl.*, *Omal.*, 54, 2.
- Phloeostiba* + *Phloeonomus* **Rey**, ASL Lyon 27, 1880, 171, 179 = *Phloeonomus* **Heer** 1838/42. *Staph.*, *Oxyl.*, *Omal.* 54.
- Phloeostiba* + *Xylodromus* + *Phloeonomus* **C. G. Thoms.**, Sk. Col. III, 1861, 208—210 = *Phloeonomus* **Heer** 1838/42. *Staph.*, *Oxyl.*, *Omal.* 54.
- Phloeotribus* **Latr.**, Préc. Car. Gen. Ins. 1796, 50; **Er.**, ArN. III, 1836, I, 56; **Eichh.**, BEZ. 8, 1864, 29; Europ. Borkenk. 1881, 147; **Lec.**, TAMES. II, 1868, 168; P. Am. Phil. S. XV, 1876, 376; **Chap.**, Syn. *Scol.* 251; **Lec. et Horn**, Col. N.Am. 1883, 522; **Bedel**, F. Col. Seine VI, 1888, 389 et 394; **Reitt.**, Best.-Tab. 1894, 47; **Bldf.**, BCA.Col. IV, 6, 1897, 162; **Barbey**, *Scol.*, 65; **Trédli**, EBL. III, 1907, 17; **Swaine**, Cat. *Scol.* N.Am. 1909, 130; **Schaufuß** in Calwer, 1216; **Kuhnt**, 1044. — Biol.: liter. cf. **Hagedorn**, in **Schklg. et J.**, P. 4, 31 et 32 (*Phl. scarabaeoides* [Bernard] 1788) 1913:29 (Eur., Afr., Am.). *Ip.*, *Hyles*. 37.
- Phloeotrogus* **Moisch.**, BMosc. 1863, I, 512 = Subg. ad *Xyleborus* **Eichh.** 1868. *Ip.*, *Xyl.* 112.
- Phloeotrupes* **Er.**, ArN. 1836, I, 53 (*Phl. granais* et *procerus* **Er.** 1836) 1910:3 (Bol., Bras.). *Ip.*, *Phloeotr.* 3.
- Phlogistomorpha* **Hintz**, DEZ. 1908, 715 (*Phl. apicalis* et *Mastersi* **M'Leay** 1872) 1913:4 (Austral.: Queensl.). *Cler.*, *Cleri.*, *Clerin.* 111.
- Phlogistus* **O. Gorh.**, Cist. E. II (1876), 84; **Blackb.**, TRS.SouthAustral. 24, 1916, 122 et 128; **Schklg.**, GIW. *Cler.* 1903, 56; **Hintz**, DEZ. 1908, 708 (Typ.?, *Phl. instabilis* [Newm.] 1840, *smaraydinus* **Gorh.** 1876) 1913:32 (Austral.). *Cler.*, *Cleri.*, *Clerin.* 110.
- Phlorostiba* (**Thoms.**) **Kuhnt**, in Indic. p. 1136 = errat. pro *Phloeostiba* **C. G. Thoms.**
- Phlyctaenodes* **O. Newm.**, ANH. V, 1840, 20 (*Phl. pustulosus* **Newm.** 1840) 1913:3 (Tasm., N.S.W.). *Ceram.*, *Cerambin.*, *Phlyct.* 396.
- Phlyctenodes* **J. Thoms.**, Syst. Cer. 1364, 404 = *Phlyctaenodes* **Newm.** 1840. *Ceram.*, *Cerambin.*, *Phlyct.* 396.
- Phobelius* **O. Blanch.**, HNIns. II, 1845, 39; **Lac.**, V, 395 (*Ph. crenatus* **Blanch.** 1845) 1913:6 (Bras., Peru, Col., Tucum.). *Ten.*, *Heterota.* 862.
- Phoberus* **Kirsch**, BEZ. 17, 1873 (1874), 400, *Ph. byrrhoides* **Kirsch** 1873 (1874) 1913:1 (Peru). *Anob.*, *Dorcat.* 78.
- Phoberus* **M'Leay**, HoE. 1819, 137; **Burm.**, StEZg. 37, 1876, 264 = Subg. ad *Trox* **F.** 1775. *Scar.*, *Trog.* 2.
- Phoberus*¹⁾ **Raffr.**, ASEFr. 73, 1904, 176; GIW. *Psel.* 1908, 241 (*Ph. armatus* **Raffr.** 1904) 1913:1 (Bol. super.). *Psel.*, *Psel.*, *Brachygl.* 258.
- Phobetis* **J. Lec.** JoAcPhil. (2) 3, 1856, 227; **Casey**, Can. Ent. 41, 1909, 281 (*Ph. testaceus* **J. Lec.** 1861, *comatus* **J. Lec.** 1865) 1913:3 (Cal. 3; I. V. 1). *Scar.*, *Melth.*, *Pachyd.* 390.
- Phocasoma* **Kraatz**, DEZ. 1899, 363 = *Doryloxenus* **Wasm.** 1898. *Staph.*, *Pygost.* 411.

¹⁾ *Silillicus* nom. nov. **R. Luc.** pro *Phoberus* **Raffr.** 1904 nec **Kirsch** 1873 (74).

- Phocylides* **O Pasc.**, ANH. 10, 1872, 324; **Schoenfeldt**, GIW. *Brenth.* 1908, 71 (*Ph. bicolor* [Guér.] 1832) 1913:4 (Dorey, Batchian, Amboin., Fly river). *Brenth. Brentha.*, *Ith.* 112.
- Phodaga* **O** **J. Lec.**, PAcPhil. IX, 1858, 76 (*Ph. alticeps* **J. Lec.** 1858) 1917:1 (Ark.: Sonora). *Melo. Lytt.*, *Lytti.* 41.
Biol.: **Hubbard**, PESWash. IV, 1899, 186.
- Phoenicocerus* **Latr.**, Crust. Arachn. et Ins. II, 1829, 113 = *Psygmatoceus Perty* 1828. *Ceram.*, *Cerambin.*, *Torn.* 116.
- Phoenicus* **O** **Lac.**, IX, 1869, 174. (*Ph. sanguinipennis* **Lac.** 1869). — Biol.: **Schiöde**, NTi. (3) X, 1877, 410 t. 14 f. 12—21. — 1913:1 (Am. c.?, Montev.?) *Ceram.*, *Cerambin.*, *Cleom.* 966.
- Phoenidnus* **O Pasc.**, TESL. (3) V, 1866, 293 (*Ph. lissonotoides* **Pasc.** 1866) 1913:1 (Col.). *Ceram.*, *Cerambin.*, *Lissnt.* 1019.
- Phoenissa* **Bates**, ANH. (4) 11 p. 26 = Subg. 1 ad *Ommata* **White** 1855 (*Ph. bipartita* **Bates** 1855, *collaris* [Serv.] 1833) 1913:5 (Bras.). *Ceram.*, *Cerambin.*, *Rhinotr.* 638, 1.
- Phola* **Ws.**, HoR. 24, 1890, 482 = *Chalcolampra* **Blanch.** 1853. *Chrys.*, *Chryso.*, *Phylloch.* 101.
- Pholeuodromus* **Breit.**, EMi. II, 1913, 354; **Jeannel**, Arch. Zo. exp. 54, 1914, 73 (*Ph. Leonhardi* **Breit** 1913) 1914:1 (lapidic.: Bosn.). *Silph.*, *Bath.*, *Bathy.* 37.
- Pholeuon* **O Hampe**, Vzb.GW. 6, 1856, 463; **Mars.**, Préc. *Silph.* in Abeille 22, 1884, 15 (pars); **Reitt.**, VN. 23, 1885, 10 (pars); WEZg. 5, 1886, 316 (pars); **Ganglb.**, DEZ. 31, 1887, 95; KäfMEur. 3, 1899, 87; **Reitt.**, WEZg. 27, 1908, 112; **Csiki**, Rovart. Lap. 18, 1911, 105; 19, 1912, 190; **Breit.**, MiE. II, 1913, 311; **Bokor**, A.Mus.Nat.Hung. 11, 1913, 590; **Jeannel**, Arch.Zo.exp. (5) 5, 1910, 20 et 41; 54, 1914, 74; Rev. *Ba.*, 480 (*Ph. angusticolle* **Hampe** 1856) 1914:23 (cavern.: Hung.), 2 Subgg. *Phol.* et *Parapholeuon.* — *Phol.* s. str. (Type ut antea) 17 Spp.: Hung.: Bihar 15, Kolocz 2, Torda Aranyos 1) *Silph.*, *Bath.*, *Bathy.* 42.
- Pholeuonella* **O Jeannel**, Arch.Zo. exp. (5) 5, 1910, 8; Rev. *Ba.*, 261 t. 5, f. 150—157 (gen.); **Breit.**, EMi. II, 1913, 313 (subg.); **Jeannel**, Arch. Zo. exp. t. 54, 1914, 67 = Subg. 6 ad *Bathysciola* **Jeannel** 1910 (*Ph. Erberi* [Schauf.] 1863) 1914:6 (musicic., cavern.: Dalm., Bosn., Montg. etc., Corfu). *Silph.*, *Bath.*, *Bathy.* 3, 6.
- Pholeuonidius* **O** **Jeannel**, Rev. *Ba.*, 200 et 267 (gen.); **Breit.**, EMi. II, 1913, 312 (Subg.); **Jeannel**, Arch. Zo. exp. t. 54, 1914, 67. = Subg. 7 ad *Bathysciola* **Jeannel** 1910 (*Ph. Halbherri* **Reitt.** 1887) 1914:2 (musicic.: Tirol, Ital.: Côme). *Silph.*, *Bath.*, *Bathy.* 3, 7.
Anat.: **Jeannel**, Rev. *Ba.*, 61 f. 44.
- Pholeuonillus* **Breit.**, EMi. II, 1913, 355; **Jeannel**, Arch. Zo. exp. 54, 1914, 73 ((*Ph. Adolphi* **Reitt.** 1911) 1914:1 (lapidic.: Bosn.). *Silph.*, *Bath.*, *Bathy.* 36.
- Pholeuonopsis* **Apfelbeck**, VzbGW. 51, 1901, 14; **Reitt.**, WEZg. 27, 1908, 113; **Breit.**, EMi. II, 1913, 308/9, 352; **Jeannel**, Arch. Zo. exp. (5) 5, 1910, 16 et 40; 54, 1914, 73; Rev. *Ba.*, 352 1914:6 (cavernic., lapidic.: Herc. 2, Bosn. 5). — *Ph. Apfelb.* s. str. 1901 = Subg. ad *Phol.* **Apfelb.** 1901 (*Ph. Ganglbaueri* **Apfelb.** 1901) 1914:4 (cavern. 3, lapidic. 1: Bosn., Herc.). *Silph.*, *Bath.*, *Bathy.* 38, 1.
- Pholidochlamys* **Lac.**, VII, 1866, 773; **Schoenfeldt**, GIW. *Brenth.* 1908, 79, 1866 (*Ph. madagascariensis* **Lac.** 1866) 1913:1 (Madag.). *Brenth. Uloc.* 124.
- Pholidochris* **Kolbe**, ASEB. 38, 1894 353, 562; **Brenske**, StEZg. 59, 1898

- 242 (Typ.?, *Ph. Brenskei* Kolbe, *Dohrni* [Quedenf.] 1884) 1913:7 (Afr. occ.: Camerun., Togo, etc.) *Scar.*, *Melth.*, *Melthi.* 284.
- Pholidotus* O M'Leay, *HöE. I.* 1819, 97 (*Ph. Humboldti* Gyll. [in Schönh.] 1817) 1913:3 (Bras.). *Luc.*, *Chias. I.*
- Pholidus* Muls. et Rey, *Opusc. E. VII.* 1856, 7; *Ganglb.*, *KäfMEur.* II, 1895, 689; *Schaufuß* in Calwer, 147 = *Euphanias* Fairm. 1856. *Staph.*, *Oxyt.*, *Piest.*, *Piesti.* 6.
- Phomalus* Casey, *AN YAcSci.* 8, 1895, 773 et 785 = Subg. ad *Hylophilus* Berth. 1827. *Hyloph.* 3.
- Phonius* O Chevr., *Rev. MaZo.* 1843, 11; *Chenu*, *Enc.* II, 1860, 235; *Gorh.*, *BCA.* III, 2, 1882, 145; *Schklg.*, *GIW. Cler.* 1903, 41 (*Ph. sanguinipennis* Chev. 1843) 1913:1 (Mexico). *Cler.*, *Cleri.*, *Clerin.* 67.
- Phoracantha* O Newm., *ANH.* (1) V, 1840, 19 (*Ph. synonyma* Newm. 1840, *semipunctata* [F.] 1775, *punctata* [Donov.] 1805) 1913:21 (Austral.). — 2 Subgg.: *Phor.* = Subg. 1 et *Diosp.* *Ceramb.*, *Cerambin.*, *Phorac.* 227; 227, 1.
- Phormesium* J. Thoms., *Syst. Cer.* 1864, 271; *Bates*, *TESL.* 1870, 307 (*Ph. quadrinotatum* J. Thoms. 1864) 1913:7 (Bras., Ven., Guat.). *Ceramb. Cerambin.*, *Ibid.* 282.
- Phortus* Ws., *DEZ.* 1899, 137 (*Ph. creticus* Ws. 1899) 1914:1 (Kreta). *Chrys.*, *Eumolp.*, *Cyn.* 194.
- Phosphaenopterus* O Schauf., *Nunq. otios.* I, 1870, 60; *Ern. Oliv.*, *Abeille*, 22, 1884, 36; *GIW. Lamp.* 1907, 46 *Schaufuß* in Calwer, 359 (*Ph. Metzneri* Schauf. 1870) 1913:2 (Gal., Lus., Rom.). *Lamp.*, *Lampi.* 38.
- Phosphaenus* O Cast., *ASEFr.* II, 1833, 138; *Motsch.*, *Etud. E.* 1854, 23; *Lac.* IV, 1857, 332; *Jacq du Val*, *G. Col. Eur.* III, 1860, 161; *Muls.*, *Mollip.* 1862, 116; *Bourgeois*, *FGRh.* IV, 1885, 83; *Ern. Oliv.*, *GIW. Lamp.*, 1907, 46; *Guiff.-B.*, 378; *Schaufuß* in Calwer, 359, 361; *Kuhnt*, 442, 447 (*Ph. hemipterus* [Fourcr.] 1735) 1913:1 (Eur.). *Lamp.*, *Lampi.* 37.
- Photinus* O Lac., IV, 1857, 321; *Castelnau*, *ASEFr.* II, 1833, 140 (pro part.); *Motsch.*, *Etud. E.* 1852, 40; *Ern.*, *GIW. Lamp.* 1907, 33. — Geschlechtsbezieh.: *Mc Dermott*, *Can. Ent.* 43, 1911, 399—406. — (*Ph. pallens* Browne 1856) 1913:154 (Am.). *Lamp.*, *Photi.* 28.
- Photuris* O Lec., *P.Ac.Nat.Sc. Phil.* 1851, 337; *Lac.* IV, 1857, 338 (pro p.) = *Ph. Sect. II*, *Ern. Oliv.*, *ASEFr.* (6) 6, 1886, 201; *Rev. Sc. Bourb.* 1909, 113; *GIW. Lamp.* 1907, 57 (pro p.) (*Ph. pennsylvanica* [Geer] 1775) 1913:41 (Am.); *Civ. confoed.* 3, *Am. c. I.*, *Am. mer.* 32, *Cuba I.* *Lamp.*, *Photu.* 52.
- Photuris* Lac. IV, 1857, 338 pro p. = *Ph. Sect. III*, *Ern. Oliv.*, *ASEFr.* (6) 6, 1886, 201, t. 3; *GIW. Lamp.* 1907, 57 (pro p.). *Lamp.*, *Photu.* 53.
- Photuris* Motsch., *Etud. E.* 1852, 53; *Lac.* IV, 1857, 338 (pro part.) = *Ph. Sect. I*, *Ern. Oliv.*, *ASEFr.* (6) 6, 1886, 201, t. 3; *GIW. Lamp.* 1907, 57, pro parte = *Pyrogaster* Motsch. 1852. *Lamp.*, *Photu.* 51.
- Photyna* Brenske, *StEZg.* 58, 1897, 97 (*Ph. rugicollis* Brenske 1897) 1913:2 (China). *Scar.*, *Melth.*, *Lipar.* 219.
- Phoxogenys* O Gorh., *Not. Leyd. Mus.* X, 1888, 148 (*Ph. Mülleri* Gorh. 1888) 1913:1 (Java). *Erot.*, *Triplac.* 59.
- Phoxonotus* O Mars., *Mon.*, 1862, 35 (*Ph. venustus* Er. in Kl. 1834) 1913:5 (Bras., Peru, Guyana). *Hist.* 72.
- Phradonoma* O Lac. + *Jacq du Val*, II, 257; *Ganglb.* IV, 1, 1904, 34; *Sumakov*, *Rev. R. d'E.* 7, 1907, 15; *Schaufuß* in Calwer, 599; *Kuhnt*, 603, 606. — *Meta m.*: *Lampert*, *Jahrlft. Ver. Nat. Württ.* 42, 1886, 101 (*Phr.*

- villosulum* [Duftschm.] 1825) 1913: ? (Eur. m., As. c., Aeg., Alg.). *Derm.*, *Megat.* 17.
- Phratora* Redt., Gatt. deutsch. Käferf. 1845, 116; **Fairm.** in **Jacq. du Val**, IV, 231; **Chap.** X, 435; **Gutfl.-B.**, 623; **Mars.**, Abeille, 1889, 114; **Seidl.**, F.Ba. ed. 2 et F.Tr. 1891, 175; **Schaufuß** in Calwer, 952; **Kuhnt**, 805 = *Phyllopecta* Kirby 1837. *Chryso.*, *Chryso.*, *Phyllod.* 86.
- Phrenapates* O Kirby, F. bor.-Amer. IV, 1837, 188; **Cast.**, HN. II, 1840, 217; **Lac.** V, 313. — Mon. **Gebien**, DEZ. 1911, Hft. 2, t. 1 (*Phr. Bennetti* Kirby 1837) 1913:6 (Am. c. et mer.-trop.). *Ten.*, *Phrenap.* 655.
- Phricobacis* Crotch, *Erot.* 1876, 181 (*Phr. Hopei* [Guér.] 1841, *Phr. Batesi* Crotch 1876 etc.) 1913:8 (Peru, Amaz., Bol., Cayenne). *Erot.*, *Erotyl.* 26.
- Phrissotrichium* Schilsky in **Küster**, **Kraatz**, KäfEur. 38, 1901; **Kuhnt**, 1024 = Subg. ad *Apion* Hbst. 1797. *Curc.*, *Api.*, *Apion.* 11.
- Phrixosoma* Bldfd., BCA. Col. IV, 1897, 148 (*Phr. rude* Bldfd. 1897) 1913:1 (Pan.). *Ip.*, *Crypt.* 49.
- Phrosyne* Murr., ANH. (4) 6, 1870, 162 = *Euporus* Serv. 1834. *Ceram.*, *Ceram.*, *Callichr.* 735.
- Phrymocolus* O Lac., V, 201; **Haag**, Col. Hefte 7, 1871, 36 (Mon.) (*Phr. dentatus* [Sol.] 1843) 1913:27 (Afr., Madag. 3). *Ten.*, *Molur.* 302.
- Phrynocris* Bates, EMM. IV, 1867, 26 (*Phr. notabilis* Bates 1867) 193:1 (Amaz.). *Ceram.*, *Ceram.*, *Oem.* 83.
- Phryssotrichium* Schilsky in **Küster**, **Kraatz**, Käf. Eur. 43, 1906, = err. typ.? pro *Phryssotrichium* Schilsky 1901. *Curc.*, *Api.*, *Apion.* 11.
- Phtegnopus* O Raffr., Rev. d'E. 9, 1890, 104; ASEFr. 72, 1903, 588; GIW. *Psel.* 1908, 128 (*Ph. Ober-*
- thäri* Raffr. 1890) 1913:3 (Amaz., Ven.). *Psel.*, *Psela.*, *Trichon.* 150.
- Phthartomicrus* Schauf., TijE. 30, 1887, 151; Raffr., Rev. d'E. 9, 1890, 92, 99; ASEFr. 71, 1892, 468; GIW. *Psel.* 1908, 47 (*Phth. externus* Schauf. 1887) 1913:1 (Sum.). *Psel.*, *Psela.*, *Euplect.* 29.
- Phthora* O Muls., Col. Fr. *Latig.* 1854, 228; **Lac.** V, 324; **Jacq. du Val**, III, 300; **Seidl.**, NID. V, 1894, 570. — Biol.: **Perris**, ASEFr. (3) 5 1857, 451 t. 8f. 421/9. — (*Phth. crenata* Muls. 1854) 1913:6 (Ore., Guat., Mex., Jap.; Gall. mer., It.; Ins. Lifu). *Ten.*, *Ulom.* 676.
- Phthora* Seidl., F.Ba. ed. II, 1891, 132 (Gatt.); F.Tr. 1891, 132 (Gatt.) = *Cataphronetis* Luc. 1849. *Ten.*, *Ulom.* 706.
- Phthorius* Eichh., Rat. Tom. 433; **Bldf.**, BCA. Col. IV, 6, 1904, 250 (*Phth. ingens* Eichh. 1879) 1913:2 (Ven., N. Granada, Col.). *Ip.*, *Corth.* 108.
- Phthorophloeus* Rey, Rev. d'E. II, 1883, 127 (*Elzearius*); **Guillebeau**, ASEFr. 63, 1894, 57; **Reitt.**, Best.-Tab., 49; **Tredl.**, EBl. 3, 1907, 7; **Schaufuß** in Calwer, 1216, 1217 = Subg. ad *Phloeophthorus* Woll. 1854. *Ip.*, *Hyles.* 38.
- Phucobius* Sharp, TESL. 1874, 35; ANH. (6) II, 1889, 108 (*Ph. simulator* Sharp 1874) 1916:3 (China 1, Jap. 1, Ceyl. 1). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 313.
- Phycochus* O Broun, ManNZ. Col. 1886, 770; **A. Schmidt**, GIW. 1910, 116, 117/8 (*Ph. graniceps* Broun 1886) 1913:3 (N. Z., Tasm.). *Scar.*, *Aphod.*, *Psamm.* 26.
- Phygopoda* O J. Thoms., Syst. Cer. 1864, 164; **Bates**, TESL. 1870, 327; ANH. (4) 11, 1873, 327 (*Ph. fugax* J. Thoms. 1864) 1913:5 (Bras.). *Ceram.*, *Ceram.*, *Rhinotr.* 647.

- Phygoscotus* **Schulz**, BEZ. 47, 1902, 134 = *Cuphotes* **Champ.** 1887. *Ten.*, *Strongyl.* 1155.
- Phygotoxeuma* **Brenske**, StEZg. 58, 1897, 118; **Reitt.**, VN. 40 [Best.-Tab. 50], 112 = Sect. ad *Pachydema* **Cast.** 1832. *Scar.*, *Melth.*, *Pachyd.* 394.
- Phylacastus* **Fairm.**, ASEFr. 66, 1897, 116 (*Ph. striolatus* **Fairm.** 1897) 1913:1 (*Trv.*). *Ten.*, *Opatr.* 541.
- Phylacinus* **Fairm.**, ASEB. 40, 1896, 349 (*Ph. asperipennis* **Fairm.** 1896) (*Madag.*). *Ten.*, *Pedin.* 444.
- Phylan* **O** + **Steph.**, III. Brit. E. V, 1832, 120; *Man. Brit. E.* 1839, 322; **Schaufuß** in *Calwer*, 798; **Kuhnt**, 743 (*Ph. gibbus* [**F.**] 1775) 1913:21 (*Mediterr.*, *Austr.*, *Alg.*, *Mar.*). *Ten.*, *Pedin.* 451.
- Anat.: **Léger u. Hagenmüller**, BSEFr. 68, 1899, 192/4.
- Biol.: **Xambeu**, Rev. d'E. 19, 1900, 10; — Larve: **Rey**, ASLLyon 1886, 224; **Xambeu**, Rev. d'E. 20, 1901, 21; **Seidl.**, NID. V, 1894, 403.
- Larve: **Perris**, Larves, 1877, 261/3; **Schiödt**, NTi. 1879, III, 11 t. 7 f. 7—14; **Seidl.**, NID. V, 1894, 403.
- Phylax* **Bril.**, Expéd. Morée III, 1832, 209 [cf. notam: **Gebien** in **Schklg.** u. **J.**, P. 22, 1910, 309] = *Dendarus* **Latr.** 1829. *Ten.*, *Pedin.* 449.
- Phylax* **O** + **Muls.**, Col. Fr. *Latig.* 1854, 148; *M.Ac.Linn.Lyon* 1854, 275; *Opusc.E.* V, 1854, 131; **Lac.** V, 272; **Jacq du Val**, III, 227; **Seidlitz**, NID. V, 1894, 412; **Reitt.**, Best.-Tab. 53, 1904, 108, 118 (Typ.: *Ph. picipes* [**OL.**] 1811) 1913:16 (*Medit.*).
- Biol.: **Muls.**, *M.Ac.Linn.Lyon* 1872, 90; *Opusc. E.* XV, 1873, 90; **Perris** Larves 1877, 263; **Seidl.**, NID. V, 1893, 214. *Ten.*, *Opatr.* 498.
- Phyletes* **Redt.**, Gatt. deutsch. Käferf., 1845, 128; *F. Austr.* 1849, 52 =
- Alphitophagus* **Steph.** 1832. *Ten.*, *Diaper.* 634.
- Phylethus* **Redt.**, *F. Austr.* 1849, 589; **Muls.**, *HN. Col. Fr. Latig.* 1854, 203; **J. Lec. u. Horn**, *Class.* 1883, 383 = *Alphitophagus* **Steph.** 1832. *Ten.*, *Diaper.* 634.
- Phylira* **O** **Muls.**, *HN. Col. Fr. Sulcic.* 1846, 43; **Fairm.** in **Jacq. du Val**, *G. Col. d'Eur.* IV, 1868, 275; **Ganglb.**, *KäfMEur.* III, 1899, 931; **Csiki**, *Rov. Lapck* 7, 1900, 149; **Schaufuß** in *Calwer*, 526 = Subg. ad *Dapsa* **Latr.** 1829 (*Ph. trimaculata* [**Motsch.**] 1835) 1913:3. *End.*, *Endo.*, *Lycop.* 43.
- Phyllarthrius* **Hope**, *ANH.* 11, 1843, 366; **Jord.**, *NoZo.* 16, 1909, 309 (*Ph. africanus* **Hope**; *unicolor* **Hope** 1843) 1913:2 (*Sierra Leone*; *Benito*; *Ashanti*). *Ceram b.*, *Ceram b.*, *Sterna.* 946.
- Phyllobaenus* **O** **Spin.**, *Clerit.* II, 1844, 1; **J. Lec.**, *AN YAcSe.* V, 1852, 30; **Lac.** IV, 1857, 466; **Chenu**, *Enc. II*, 1860, 264; **J. Lec. et Horn**, *Class.* *Col. N. Am. ed. II*, 1883, 219; **Kuw.**, *ASEB.* 37, 1893, 492; **Schklg.**, *GIW. Cler.* 1903, 86; **Gah.**, *ANH.* (8) 5, 1910, 59, 73; **Wolcott**, *B. Ind. Dep. Geol. Nat. I*, 1910, 858 (*Ph. dislocatus* [**Say**] 1825) 1913:7 (*Am.*). *Cler.*, *Corym.*, *Phylloba.* 139.
- Phyllocharis* **O** **Dalm.**, *Ephem. E.* 1824, 20; **Latr.** in **Cuvier**, *Règne anim. ed. 2*, V, 1829, 148; **Chevr.**, *Dict. univ.* III, 1843, 656; **Baly**, *TESL.* (n. s.) III, 5, 1855, 170; (3) IV, 2, 1867, 282; **Chap.**, X, 423 (Typ.); *Ph. cyanicornis* et *cyanipes* [**F.**] 1775 *nigricornis* [**L.**] 1775, *undulata* 1763) 1916:28 (*Austral.*, *N. Guin.*, *Ind.*, *Java*, *Timor*, *Batchian*, *Ceram.*). *Chry s.*, *Chryso.*, *Phylloch.* 102.
- Phyllocharoides* **Jac.**, *NoZo.* I, 1894, 285 (*Ph. abdominalis* **Jac.** 1894) 1916:1 (*Afr. cr. - germ. et - brit.*). *Chry s.*, *Chryso.*, *Phylloch.* 103.

- Phyllocnema* O Thoms., Class. Cer. 1860, 171 (*Ph. Guéinzi* [White] 1853) 1913:17 (Afr. trop. or. et occ., mer.). *Ceramb.*, *Cerambin.*, *Callichr.* 711.
- Phyllocnemida* Péring., A.SAfr.Mus. I, 1899, 321 (*Ph. manicana* Péring. 1899) 1913:1 (Territ. Manica). *Ceramb.*, *Cerambin.*, *Callichr.* 712.
- Phyllococerus* [Hope] Waterh., ANH. (4) 17, 1876, 71 (*Ph. purpurascens* Waterh. 1876) 1913:1 (Swan River). *Scar.*, *Melth.*, *Lipar.* 167.
- Phyllopecta* O[✽]+ Kirby, F. Bor. Am. IV, 1837, 216; *Ws.*, NID. VI, 3, 1884, 511; *Fowler*, Col. Brit. Isl. IV, 1890, 316; *Bedel*, V, 140; *Jacobs.*, HoR. 35, 1900, 89; *Everts*, II, 440; *Reitt.*, F. Germ. IV, 1912, 127; *Schaufuß* in Calwer, 927; *Kuhnt*, 805, 851 (*Ph. vitellinae* [L.] 1758) 1916:11 (Eur., As., Am. b.). — 2 Subgg.: *Chaetoc.* et *Phyllod.* — *Phyll.* i. sp. = Subg. 2 ad *Phyll.* 1916:8 (Eur., As. b., Am. b.). *Chryso.*, *Chryso.*, *Phyllod.* 86; 86, 2.
- Morphol.: *Retzius*, Biol. Unters. 14, 1909, 58, t. 18 f. 5—7; *Ws.*, DEZ. 1890, t. 2 (3) f. 3/7.
- Org.-copul.: *Sharp et Muir*, TESL. 1912, 565 t. 74 f. 212a—b.
- Biol.: *Cornel.*, StEZg. 18, 1857, 392, 396, 397; *Ws.*, NID. VI, 3, 1884, 513; *Judeich*, Forstins. I, 1889, 600, etc. cf. *Ws.*, in *Schklg. et J.*, P. 68, 1912, 190.
- Phylloctrepa* O[✽] C. G. Thoms., Sk. Col. I, 1860, 52, III, 1861, 214; *Rey*, ASLLyon 27, 1880, 228; *Ganglb.*, KäfMEur. II, 1895, 738; *Luze*, VzbGW. 56, 1906, 547; *Schaufuß* in Calwer, 154, 155; *Kuhnt*, 162, 185. — Subgg.: *Phyll.*, *Dropeph.*, *Hopal.*, *Hypop.*, *Dial.* — *Ph.* s. str. *Ganglb.*, KäfMEur. II, 1895, 739 = Subg. 1 ad *Ph.* C. G. Thoms. 1860 (*Ph. floralis* [Payk.] 1789, *nigra* [Grav.] 1806) 1913:18 (Eur.). *Staph.*, *Oxyt.*, *Omal.* 48; 48, 1.
- Biol.: *Perris*, ASEFr. (3) I, 1853, 576 t. 17 f. 49—55; *Rupertsh.*, Biol. Käf. Eur. 1894, 126.
- Phylloctrepa* O *Ganglb.*, KäfMEur. II, 1895, 724; *Luze*, VzbGW. 55, 1905, 247; *Schaufuß* in Calwer, 154, 157; *Kuhnt*, 161, 189 (*Ph. crenata* [Grav.], Col. Micr. 1802, 114) 1913:1 (Eur. med. et mer.). *Staph.*, *Oxyt.*, *Omal.* 63.
- Phylloma* O *Er.* in *Klug*, JaIns. 1834, 96; *Lewis*, ANH. (7) 12, 1903, 418 (*Ph. corticale* [F.] 1801) 1913:1 (Guyana). *Hist.* 3.
- Phylloctrepa* *Montrouz.*, ASEFr. (4) I, 1861, 279 = *Acideres* Thoms. 1860. *Ceramb.*, *Cerambin.* (Trib.?) 1031.
- Phylloctrepa* *Kirby*, *Gutfl.-B.*, 330 = *Phylloctrepa* *Steph.*?
- Phylloctrepa* O[✽] *Steph.*, Ill. Brit. Ent. Mandib. III, 1830, 223; *Schaufuß* in Calwer, 1325, 1328; *Kuhnt*, 385, 410. — Revis.: *Reitt.*, DEZ. 1885, 393; ENa. XIV; 1888, 289; VN. 41, 1903, 39, 820. 1918:34 (+ div. varr. et subssp.). — Subgg.: *Phyllod.* s. str., *Tricho.*, *Blito.*, *Mega-*, *Apleo-*, *Cyrio-*, *Pleo-*, *Pragopertha.*, *Exom.* (Eur. As.; Hond., Mex.).
- Phylloctrepa* O[✽] *Steph.* s. str. = Subg. 1 ad *Phylloctrepa* *Steph.* 1830 (*Ph. horticola* [L.] 1758) 1918:15 (Eur., Cauc., Sib., Mong., Jap., China, Corea). *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma.* 77; 77, 1.
- Biol.: cf. *Ols.* in *Schklg. et J.*, P. 66, 1918, 116.
- Phylloctrepa* *Motsch.*, BMosc. 36, 1863, I, 468 = *Singhala* *Blanch.* 1850. *Scar.*, *Rut. hom.*, *Anomi.* *Anoma.* 75.
- Phylloctrepa* *Harris*, Mass. Agr. Repos. X, 1826, 6 (sine descr.); *Ins. Mass.* 1837, 28; 1842, 30 (sine descr.); *Lac.*, III, 284 nota; *Gerst.*, ArN. 28, 1862, 2, 362 = *Lachnosterna* *Hope* 1837. *Scar.*, *Melth.*, *Melthi.* 294.

- Phyllophila* Stål, Öfv. Vet. Ak. Förh. X—VI, 1857, 59 = *Chalcolampra* Blanch. 1853. *Chryso.*, *Chryso.*, *Phylloch.* 101.
- Phylloscelis* Mars., Mon. 1862, 32 = *Paratropus* Gerst. 1866. *Hist.* 92.
- Phylloserica* O Brenske, BEZ. XLIV, 1899, 237; XLV, 1900, 65 (*Ph. unicolor* [Snellen v. Vollenh.] 1869) 1913:2 (Madag.). *Scar.*, *Melth.*, *Ceric.* 70.
- Phyllostoma* Fall, Can. Ent. 33, 1901, 324 = *Diphyllostoma* Fall 1901. *Luc.*, *Aesal.* 71.
- Phyllotocidium* Blackb., TRS.South Austral. 22, 1898, 24 (*Ph. Mac Leayi* [Blackb.] 1892) 1913:1 (Vict.). *Scar.*, *Melth.*, *Seric.* 21.
- Phyllotocus* O Fischer, M.S. Nat. Mosc. VI, 1823, 255; M'Leay, TESNSW. I, 1864, 75; Blackb., TRS.South Austral. 22, 1898, 23 (*Mac Leayi* Fischer 1823) 1913:24 (Austral., Tasm.) *Scar.*, *Melth.*, *Seric.* 18.
- Phyllotrochalus* Brenske, BEZ. XLV, 1900, 81 (*Ph. montanus* Brenske 1902) 1913:1 (Togo). *Scar.*, *Melth.*, *Seric.* 27.
- Phymaenus* O Pasc., ANH. (5) 11, 1883, 439 (*Ph. pustulosus* Pasc. 1883) 1913:1 (Ceylon.). *Ten.*, *Helop.* 1053.
- Phymaphora* O Newm., EMM. V, 1838, 389; Lec., PAcPhil. 6, 1853, 360; Guér., Arch. E. I, 1857, 275; Gerst., Mon. *Endom.* 1858, 395; Chap., G. Col. 12, 1876, 141; Wickham, Can. Ent. 26, 1894, 337 (*Ph. pulchella* Newm. 1838) 1913:2 (Am. b., Cal., Island.). *End.*, *Mycet.*, *Liesth.* 17.
- † *Phymaphoroides* O Motsch., Etud.E. V, 1856, 27 (*Ph. antennatus* Motsch. 1856) 1913:1 (e. sucino balt.). *End.*, *Mycet.*, *Liesth.* 18.
- Phymatechus* Belon, ASEB. 46, 1902, 410 (*Ph. fenestratus* Belon 1902) 1913:1 (Congo). *Ceramb.*, *Cerambin.*, *Oem.* 78.
- Phymatestes* O Pasc., JoLSLZo. 9, 1868, 1868, 142 nota (*Ph. tuberculatus* [F.] 1792, *exsculptus* [Perty] 1830) 1913:6 (Bras., Cayenne, Carac., Buen. Aires). *Ten.*, *Goniad.* 859.
- Phymatioderus* Blanch. in Gay, H. Chile V, 1851, 495 (*Ph. bizonatus* [Blanch.] 1843) 1913:1 (Chile). *Ceramb.*, *Cerambin.*, *Hesprph.* 206.
- Phymatitris* Sol., ASEFr. V, 1836, 54 = *Pachyscelis* Sol. 1836. *Ten.*, *Pimel.* 371.
- Phymatodellus* Reitt., F. Germ. 4, 1913, 40 (*Ph. alnoides* Reitt. 1913) 1913:1 = Subg. ad *Phymatodes* Muls. 1839. *Ceramb.*, *Cerambin.*, *Callid.* 785, 3?
- Phymatoderus* Reitt., F. Germ. 4, 1913, 39 = Subg. ad *Phymatodes* Muls. 1839. *Ceramb.*, *Cerambin.*, *Callid.* 785.
- Phymatodes* Blanch., HNIns. II, 1845, 39; Lac. V, 1859, 394 = *Phymatestes* Pasc. 1868. *Ten.*, *Goniad.* 859.
- Phymatodes* O* Muls., Col. Fr. *Longic.* 1839, 47. — *Biol.: Schiödté, NTi. (3) X, 1875, 416; Judeich, Forstins. II, 1, 1889, 583 f. 183; Kambu, Moeurs etc. 1902, 77; Gutf.-B., 574; Schaufuß in Calwer, 844, 851; Kuhnt, 778 (*Ph. ater* [L.] 1767, *lividus* [Rossi] 1794, *rufipes* [F.] 1776, *testaceus* [L.] 1758) 1912:31 (Eur., Afr. b., Syr., Cauc., Am. b.). *Ceramb.*, *Cerambin.*, *Callid.* 785.
- Phymatodina* Casey, Mem. Col. 3, 1912, 281 = Subg. ad *Phymatodes* Muls. 1839. *Ceramb.*, *Cerambin.*, *Callid.* 785.
- Phymatophaea* O Pasc., ANH. (4) 17, 1876, 50; Görh., TESL. 1877, 425; Sharp, EMM. 14, 1877, 8; Broun, ManNZ. Col. I, 1880, 335; Selkig., GIW. Cler. 1903, 109. (*Ph. violacea* [F.] 1787, *Ph. opiloides* Pasc. 1876) 1913:13 (N. Z.). *Cler.*, *Coryn.*, *Enopl.* 166.

- Phymatopterus* Subg. **Westw.**, EMa. V, 1838, 503, Arcana E. II, 1845, 9 = *Arthropterus* **Mac Leay** (1838) 1873 *Pauss.*, *Cerapt.* 5.
- Phymatosoma* **O Cast.** et **Brill.**, A. Sc. nat. 23, 1831, 408; **Cast.**, HN. II, 1840, 224; **Lac.** V, 481; **Mäkl.**, Mon. 1864, 399; Acta S. Fenn. 8, 1, 1867, 507 (*Ph. tuberculatum* **Cast.** et **Brill.** 1831) 1913:4 (Laos, Java, Borneo). *Ten.*, *Strongyl.* 1176.
- Phymecheus* **Senna**, Not. Leyd. Mus. 16, 1894, 219 (*Ph. Jordani* **Senna** 1894) 1913:4 (Mex.). *Brenth.*, *Brenth.*, *Arch.* 64.
- Phydoxia* **O Pasc.**, ANH. (4) 8, 273; **Gah.**, F. Brit. Ind. Col. 1906, 182 (*Ph. concinna* **Pasc.** 1871) 1913:2 (Tonkin, Himal., Assam). *Ceramb.*, *Cerambin.*, *Myth.* 448.
- Phyrites* **Schiödte**, NTi. 3 (4) 1866. 157, 165; **Kuhnt**, 599 vide *Heterocerus* **F.** 1792 part. *Het.* 2.
- Physa* **O Raffr.**, Rev. d'E. 9, 1890, 118, 122; ASEFr. 73, 1904, 116; GIW. *Psel.* 1908, 245 (*Ph. inflata* **Sharp** 1874) 1913:1 (N. Z.). *Psel.*, *Psel.*, *Brachygl.* 265.
- Physemus* **J. Lec.**, PAcPhil. VII, 1854, 117 = *Bothriophorus* **Muls.** et **Rey** 1852. *Byrrh.*, *Bothrioph.* 11.
- Physetoporus* **G. Horn.**, TAmES. VI, 1877, 106 = *Tachinomorphus* **Kraatz** 1859. *Staph.*, *Tach.*, *Tachi.* 425.
- Physetops* **O Mannerh.**, *Brachél.* 1830, 32; **Sem.**, Rev. Russe d'E. 6, 1906, 53—57 (*Ph. tataricus* **Pall.**, Reise Russl., 1772/76, App. Nr. 74) 1914:3 (Transcasp., Pers., Afghan., Cauc., Ross. mer.), *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 329.
- Physobryaxis* **Hetschko**, WEZg. 32, 181 pro *Physa* **Raffr.** 1890. *Psel.*, *Psel.*, *Brachygl.* 265.
- Physocnema* **Burm.**, Hd.E. IV, 1, 1844, 64 = *Pachynema* **Serv.** 1825. *Scar.*, *Melth.*, *Hopl.* 507.
- Physocnemum* **O Hald.**, T.Ac.Phil.Soc. (2) X, 1847, 38; Smiths. Misc. Coll. XI, 265, 1873, 296 (*Ph. brevilineum* [Say] 1823) 1913:3 (Am. b., Pa., Ga. etc.). *Ceramb.*, *Cerambin.*, *Callid.* 777.
- Physocoryna* **Chap.**, XI, 312; **Ws.**, VN. 69, 1910, 145 (*Ph. scabra* [Guér.] 1844) 1913:1 (Bras.). *Chryss.*, *Hisp.*, *Uroplat.* 35.
- Physodera* **Sol.** M. Acc. Sc. Torino (2) 6, 1843, 290 (78) 1843 = *Moluris* **Latr.** 1804. *Ten.*, *Molur.* 309.
- Physodroma* **J. Thoms.**, Class. *Cer.* 1860, 150 = *Rhagiomorpha* **Newm.** 1840. *Ceramb.*, *Cerambin.*, *Rhag.* 426.
- Physogaster* **Guér.**, MaZo. 1834, *Melas.*, 2; **Cast.**, HN. II, 1840, 184; **Sol.**, M. Acc. Torino (2) 6, 1844, 253 (41); **Sol** in **Gay**, H. Chile V, 1851, 205; **Lac.** V, 208; **Burm.**, StEZg. 36, 1875, 490 (*Ph. mendozina* [Lac.] 1830) 1913:4 (Chile, Peru). *Ten.*, *Physog.* 406.
- Physognathus* **Gemm. et Harold**, Cat. Col. Monach. II, 1868, 671 = *Physognathus* **Sol.** 1850. *Staph.*, *Oxyt.*, *Omal.* 95.
- Physognathus* **O Sol.** in **Gay**, H. Chile, IV, 1850, 303 (*Ph. obscurus* **Sol.** 1850 l. c. t. 5 f. 9) 1913:1 (Chile). *Staph.*, *Oxyt.*, *Omal.* 95.
- Physogria* **Borchm.**, ArN. 81, 1915 (1916) A. 6, 48, 108 (*Ph. gibbosa* [Kolbe] 1901) 1916:1 (Afr. or., Usambara or.). *Lagr.*, *Lagri.* 7d.
- Physolagria* **Fairm.**, Contr. à l'étude faune ent. St. Thomé, Coimbra 1891, 5 (*Ph. Molleri* **Fairm.** 1891) 1913:1 (San Thomae). *Lagr.*, *Lagri.* 9.
- Physomeloe* **Reitt.**, F. Germ. 3, 1911, 388 = Subg. ad *Meloe* L. 1758. *Melo.*, *Lytt.*, *Meloi.* 53.

- Physopalpus Heyden*, DEZ. 1899, 255; **Reitt.**, VN. 40 [Best.-Tab. 50], 108 = Sect. ad *Pachydema Cast.* 1832. *Scar.*, *Melth.*, *Pachyd.* 394.
- Physophrynus Fairm.*, Compt. rend. SEB. 26, 1882, p. L; ASEFr. (6) 7, 1887, 182 (*Ph. Burdoi Fairm.* 1882) 1913:2 (Afr. or.). *Ten.*, *Molur.* 304.
- Physoptectus O Reitt.*, VN. 20, 1881, 197; **Raffr.**, ASEFr. 73, 1904, 113; GIW. *Psel.* 1908, 262 (*Ph. armipes Raffr.* 1882) 1913:1 (Port Dorey). *Psel.*, *Psel.*, *Tych.* 277.
- Physopleurus Lac.* VIII, 120; **Lmr.**, MSEB. 9, 1902, 86, Rév., 146; 21, 1912, 125 (Rév. 989) (*Ph. crassidens H. W. Bates* 1869, *Dohrn* **Lac.** 1869) 1913:6 (Ecuad., Amaz., Peru, Ven., Cayenne). *Ceram.*, *Prion.*, *Macrot.*, *Stenodo.* 15.
- Physoronia Reitt.*, *Nitid.* Japans 1884, 260 et 263; 1885, 18 (*Ph. explanata Reitt.* 1884, *Ph. Hilleri [Reitt.]* 1877) 1913:4 (Jap. 3, Birma 1). *Nit.*, *Nitid.* 96.
- Physosterna All.*, Mon. 1885, 156 = Subg. ad *Adesmia Fisch.* 1822. *Ten.*, *Adesm.* 181.
- Phytalus O Er.*, NID. 3, 1847, 658; **Burm.**, Hd.E. IV, 2, 345; **Lac.** III, 287; **G. Horn**, TAmES. 12, 1885, 119; **G. Horn**, BCA. Col. II, 2, 1888, 173; 1889, 400; **Brenske**, BEZ. 37, 1892, 79 (Typ.?: *Ph. pubereus [Mannerh.]* 1829, *Ph. forcipatus Burm.* 1855) 1913:45 (Mex., Am. c., Bras.; *Ph. capucinus Fairm.* 1893 e Tonkin). *Scar.*, *Melth.*, *Melthi.* 310.
- Phytilea Broun*, ManNZ. Col. V, 1893, 1171 (*Ph. prospera Broun* 1893) 1915:1 (N. Z.). *Oed.*, *Oedem.*, *Ascler.* 50.
- Phytobaenus Sahlb.*, BMosc. 7, 1834, 277; **Fauc.** GColFr. 1894, 48; **Pic**, Tab. 40, 1900, 7; GIW. *Hyloph.*, 1902, 3; *Hyloph.* p. 78, 79, 81 **Schaufuß** in Calwer, 743; **Kuhnt**, 698 (*H. amabilis Sahlb.* 1834) 1913:1 (Eur. sept., Gal., It., Cro., Balc.) *Hyloph.* 1.
- Phytodecta O* + **Kirby**, F. Bor.-Amer. IV, 1837, 213; **Chevr.**, Dict. univ. III, 1843, 656; **Ws.**, NID. VI, 3, 1884, 488; **Bedel**, V, Cat. 1899, 263; **Jacobs.**, HoR. 35, 1900, 89; **Reitt.**, F. Germ. IV, 1912, 128; **Schaufuß** in Calwer, 927; **Kuhnt**, 805, 848 (*Ph. rufipes [Deg.]* 1775, *Ph. Linnaeanus [Schrank]* 1781, *viminalis [L.]* 1758) 1916:39 (Eur., Sib., Am. b., Mediterr.). Subgg.: *Phytod.* et *Spartoph.* — *Phyt.* i.sp. = Subg. 1 ad *Ph. Kirby* 1837, 1916:29. *Chryso.*, *Chryso.*, *Phyllod.* 82; 82, 1.
- Morphol.: **Ws.**, DEZ. 30, 1886, t. 1; 1894 etc. t. 2 f. 14 267.
- Biol.: **Rosenh.**, StEZg. 30, 1886, t. 1 f. 41; **Letzn.**, Arb. Schles. Ges. 1864, 143, 1884, 308; **Hacker**, WEZg. 18, 1899, 35; **Cornelius**, StEZg. 18, 1857, 165; **Mars.**, Abeille, 26, 1888, 32; **W. Kolbe**, Z. E. Bresl., 20, 1895, 7. Liter. vide etiam **Ws.** in **Schklg.** et **J.**, T. 68, 1916, 178 sq.
- Phytolaena O* + **Blanch.**, Cat. Coll. E.Col. I, 1850, 218; **Arrow**, ANH. (7) 11, 1903, 305 (*Ph. mutabilis Sol.* [in **Gay**] 1851) 1913:3 (Chile 2). *Scar.*, *Melth.*, *Lipar.* 168.
- Biol.: **Rivera**, Rivist. Chilena 8, Valdivia 1, 1904, 241—254 (Schaden).
- Phytolinus Sharp*, ANH. (6) 3, 1889, 121 (*Ph. Lewisii Sharp* 1889) 1914:1 (Jap.). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 319.
- Phyton Newm.*, Ent. I, 1840, 19 = *Obrium Curt.* 1825. *Ceram.*, *Ceram.*, *Obr.* 361.
- Phytophilus Guér.*, Voy. Coquille II, 1830, 99; **Cast.**, HN. II, 1840, 236; **Lac.** V, 82 (*Ph. heliopioides Guér.* 1830) 1913:1 (Peru). *Ten.*, *Epitrag.* 84.
- Phytorus Jac.*, AMusG. 20, 1884, 226; **Lefv.**, MSLiège (2) 11, 1885, 133 (Typ.?: *Ph. dilatatus Jac.* 1884; *pinguis*

- [**Baly**] 1867) 1914:16 (Sum., Born., Java; Malacc. 1, Tonkin 1; Phil. Ins. 8). *Chrys.*, *Eumolp.*, *Typoph.* 260.
- Piarus O Woll.**, **TESL.** (3) I, 1862, 209 (*P. basalis* **Woll.** 1862) 1913:2 (Ins. Cana.; Hesperid.). *Ptin.*, *Ptini.* 8.
- Piazocnemis O Lac.** VII, 1866, 453; **Schoenfeldt**, **GIW.** *Brenth.* 1908, 60 (*P. atratus* [**Klg.**] 1833) 1913:12 (Madag., Gabun. [?]). *Brenth.*, *Brentha.* *Cioc.* 96.
- Piazomera Sol.**, **M.Acc.Sc.** Torino (2) 6, 1843, 289 (77) = **Psammodes Kirby** 1818. *Ten.*, *Molur.* 311.
- Picnoseus Sol.** in **Gay**, **H.** Chile V, 1851, 281 = *Tetraonyx* **Latr.** 1805. *Melo.*, *Lytt.*, *Lytti.* 40.
- Pidonia O Muls.**, **Col. Fr.** *Long.* ed. 2, 1863, 570; **Ganglb.**, **Best.-Tab.** VII, 1881, 7 (685); **Seidl.**, **F. Ba.** 1891, **Gatt.** p. 184; **Kuhnt**, 753, 766 (*P. lurida* [**F.**] 1792) 1913:2 (Eur., Ural.). *Ceram b.*, *Ceram bin.* *Lept.* 538.
- Piesarthrius O Hope**, **TZSL.** I, 1835, 107; **PZSL.** 8, 1840, 55; **ANH.** 7, 1841, 67; **TZSL.** (3) III, (2), 1843, 200; **Gah.**, **TESL.** 1893, 181 (*P. marginellus* **Hope** 1840) 1913:4 (Queensl., Austral.). *Ceram b.*, *Ceram bin.*, *Stronglu.* 412.
- Piesterotarsa (Motsch.) Sénac**, **Mon.** *Pimel.* I, 1884, p. XI = Subg. ad *Pimelia* **F.** 1775. *Ten.*, *Pimel.* 376.
- Piestognathus Luc.**, **BSEFr.**, 1858, 188; **Lac.** V, 724 = *Leptonychus* **Chevr.** 1840. *Ten.*, *Erod.* 2.
- Piestomorphus Motsch.**, **BMosc.** 31, 1858, II, 666 = *Holisus* **Er.** 1839/40, 298. *Staph.*, *Staphy.*, *Staphyl.*, *Staphy.* 80.
- Piestoneus Sharp**, **ANH.** (6) 3 1889, 464 (*P. Lewisi* **Sharp** 1889) 1913:1 (Jap.). *Staph.*, *Oxyt.*, *Piest.*, *Piesti.* 9.
- Piestus O Grav.**, **Mon. Micropt.** 1806, 22; **Er.**, **Gen. Staph.** 1839—40, 830 (*P. sulcatus* **Grav.** 1806) 1913:38
Archiv für Naturgeschichte
1918. A. 4.
- 2 Subgg. *Ziroph.* et *Piest.* — *P.* s. str. = Subg. 1 ad *Piest.* 1913:27 (Am. c. et mer. plerumq. in part b. et Bras.). *Staph.*, *Oxyt.*, *Piest.*, *Piesti.* 4, 4, 2.
- Piezocera Serv.**, **ASEFr.** III, 1834, 92 (*P. bivittata* **Serv.** 1834) 1913:5 (Bras., Ven., Col., Mex., Tex.). *Ceram b.*, *Ceram bin.*, *Piez.* 270.
- Piezomera Geb.** in **Schklg. u. J.**, **P.** 37 1911, p. 624 = err. pro *Piazomera* **Sol.** 1843 = *Psammodes* **Kirby** 1818. *Ten.*, *Molur.* 311.
- Piezorhopalus Guér.**, **Rev. Zo.**, 1838, 107 = *Amphicranus* **Er.** 1836. *Ip.*, *Corth.* 107.
- Piezotrachelus Schönh.**, **Gen. Spec. Curc. V.** 1839, 365; **Wagner**, **MSEB.** 16, 1908, 2—4 = Subg. ad *Apion* **Hbst.** 1797. *Curc.*, *Api.*, *Apion.* 11.
- Pigeus (Bates i. l.) Gebien**, **ArN.** 1917, A. 3, 153 (*P. [Camarimena] nitidipes* [**Fairm.**] 1893) 1917:1 (Indo-China). **O** [Fühler]. *Ten.*, *Cnodal.* 966a.
- Pigeus O Gebien**, **ArN.** 1917 (1919) A. 3, 28, 153 (*P. nitidipes* [**Fairm.**] 1893) 1919:1 (Indo-Ch.). *Ten.*, *Cnodal.*
- Pilacolaspis Sharp**, **TRDublin S.** (2) III, 1886, 447; **Broun**, **Man. N. Zeal.** Col. V, 1893, 1305 (*P. Wakefieldi* **Sharp** 1886 (N. Z.)). *Chrys.*, *Eumolp.*, *Iphin.* 44.
- Pilema J. Lec.**, **Smiths. Misc. Coll.** XI, 264, 1873, 192; **Kuhnt**, 758, 797 = *Callimus* **Muls.** 1846. *Ceram b.*, *Ceram bin.*, *Molorch.* 610.
- Pilemia* **Ceram b.** **Lam.** cf. P. II.
- Pilobalia O Burm.**, **StEZg.** 36, 1875, 487; **Fairm.**, **ASEFr.** (5) 6, 1876, 380 (Mon.) (*P. decorata* **Er.** 1834) 1913:8 (Bol. 3, Peru 5, Arg. b. 1). *Ten.*, *Nyctel.* 298.
- Pilopius Cas.**, **Col. Not.** 7, 1897, 617; **Raffr.**, **GIW.** *Psel.*, 1908, 336 (Typ.? *P. lacustris* **Cas.** 1897; *P. Zimmermanni*, *P. consobrinus* [**Lec.**] 1850) 1913:15 (Am. b., Tex., Ariz.; Jap. [1]). *Psel.*, *Psela.*, *Ctenist.* 352.


- Piloxys* **Fairm.**, ASEB. 39, 1895, 23 (*P. foveatus* **Fairm.** 1895) 1913:2 (Madag.). *Ten.*, *Helop.* 1063.
- Pimalius* **Cas.**, Rev. Mon. 1907, 367 = Subg. ad *Trimyctis* **Lec.** 1851. *Ten.*, *Trimyct.* 37.
- Pimelia* **O** **F.**, Syst. E. 1775, 251; **Sol.**, ASEFr. V, 1836, 76; **Muls.**, Col. Fr. *Latiq.* 1854, 48; **Lac.** V, 187; **Jacq. du Val** III, 258; **Kraatz**, Rev. *Ten.* 1865, 341; **Sénac**, Essai monogr. *Pimelia* I, 1884; II, 1887 (Mon. I et II); **Reitt.**, DEZ. 1888, 331, 1907, 412; **Desbr.**, Frelon X, 1901, 1; **Schau-fuß** in Calwer, 795 (*P. angulata* **F.** 1775) 1913:148 (Eur., Medit., As., Afr.). *Ten.*, *Pimel.* 377.
 Biol.: **Xambeu**, ASLLyon, 45, 57, 59; (Larven); **Rosenh.**, Tiere Andalusiens 1856, 193; **Schiödte**, NTi. 1879, III, 11, 523, t. 5 f. 1—11.
- Pimeliocnera* **Reitt.**, WEZ. 28, 1909, 310 (*P. gebieni* **Reitt.** 1909) 1913:1 (Buchar). *Ten.*, *Pimel.* 367.
- Pimeliopsis* **O** **Champ.**, BCA. Col. IV, 1, 1892, 477; **Cas.**, Rev. Mon. 1907, 450 (*P. granulata* **Champ.** 1892) 1913:1 (Mex.). *Ten.*, *Edroi.* 179.
- Pimelosomus* **Burm.**, StEZg. 36, 1875, 489 (*P. sphaericus* **Burm.** 1875) 1913:1 (Mendoza). *Ten.*, *Physog.* 403.
- Pimplema* **Pasc.**, ANH. (5) 20, 1887, 116 = *Leiochrodes* **Westw.** *Ten.*, *Leiochr.* 654.
- Pinacosternodes* **Hintz**, DEZ. 1913, 198 (*P. maculatus* **Hintz** 1913) 1913:4 (Congo gall.: Kondué). *Ceramb.* cf. P. II.
- Pinacotarsus* **Har.**, StEZg. 36, 1875, 454 (*P. Dohrni* **Har.** 1875) 1913:2 (Liberia, Congo, Natal, Rhodesia). *Scar.*, *Copr.*, *Copri.*, *Pinot.* 48.
- Pinobius* **M'Leay**, TESNSW. II, 1871, 148; **Fauv.**, AMusG. X, 1877, 225 = *Dolicoon* **Cast.** 1835. *Staph.*, *Paed.*, *Paedi.* 221.
- Pinophilus* **O** **Grav.**, Col. Micr. Brunsv. 1806, 201; **Chap.**, G. Col. II, 1854, 102; **Sharp**, BCA. I, 2 (1886), 620 (*P. latipes* **Grav.** 1806, *aegyptius* **Er.** 1839/40) 1913:130+2 (*abnormalis* **Bernh.** i. l.?: Paraguay; *cuprinus* **Fvl.** i. l.: Birman). (As., Afr., Am.). *Staph.*, *Paed.*, *Pinoph.*, *Pinophi.* 157.
- Pinotus* **O** **Er.**, ArN. 13, 1847, I, 108 (*P. conicollis* [**Blanch.**] 1843, *carolinus* [**L.**] 1767, *Mormon* [**Ljungh.**] 1799, *Satanas* **Har.**) 1913:90 + 3—1 (1911?) (Am. b., c. et mer.). *Scar.*, *Copr.*, *Copri.* *Pinot.* 73.
- Piodes* **O** **J. Lec.**, JoAcPhil. (2) I, 1850, 318 (*P. coriacea* **J. Lec.** 1850) 1913:1 (Ore.). *Ceramb.*, *Cerambin.*, *Lept.* 532.
- Piomera* **O** **Baly**, JoE. II, 1863, 156; **TESL.** (3) IV, II, 1867, 82; **Chap.**, G. Col. X, 1874, 278; **Lefv.**, MSLiég. (2) 11, 1885, 79 (*P. brachialis* **Baly** 1863) 1914:3 (Born., Cel., Flores). *Chrys.*, *Eumolp.*, *Leprot.* 137.
- Pionolema* **Fairm.**, ASEB. 40, 1896, 397 = *Ovamela* **Fairm.** 1887. *Chrys.*, *Crioc.* 8.
- Piotes* **O** **Woll.**, **TESL.** (3) I, 1862, 211 (*P. inconstans* **Woll.** 1862) 1913:2 (Ins. Char.). *Ptin.*, *Ptini.* 7.
- Piras* **O** **Champ.**, BCA. Col. IV, 2, 1890, 110 et 164; **Seidl.**, NID. V, 2, 814 (*P. nasalis*, *P. bicolor* **Champ.** 1890) 1915:2 (Mex., Guat.). *Oed.*, *Oedem.*, *Ascler.* 27.
- Pistosia* **Ws.**, ArN. 71, 1905, 93 (*P. maculata* **Ws.** 1905) 1913:1 (Cel.). *Chrys.*, *Hisp.*, *Gonoph.* 72.
- Pithanotes* **Newm.**, ANH., V, 1840, 16; **Lac.** VIII, 64, nota 1 = *Cacosceles* s. str. **Newm.** 1838. *Ceramb.*, *Prion.*, *Prionin.*, *Nothoph.* 61.1.
- Pithocles* **J. Thoms.**, Syst. Cer. 1864, 292; **Lac.**, VIII, 72 = *Dero-brachus* s. str. 1832 Subg. ad *Der.* **Serv.** 1832 (*P. procerus* **J. Thoms.** 1864) 1913:1 (Mex. mer., Guat.,

- Hond., Costa Rica). *Ceramb.*, *Prion.*, *Prionin.*, *Derobr.* 70,2.
- Pitholaus O Champ.**, BCA. Col. IV, 1 1888, 446 (*P. helopioides* **Champ.** 1888) 1913:1 (Guatem.). *All.*, *Allec.* 61.
- Pithophilus Heer**, F. Helv. I, 1841, 433 = *Orthoperus* **Steph.** 1829. *Orth.* 28.
- Pitnus O Gorh.**, BCA. Col. III, 2, 1880—86 (1883), 197; **Fall**, TAMES. 31, 1905, 101, 105 (*P. pygmaeus* **Gorh.** 1883) 1913:1 (Guatem., Cal.). *Ptin.*, *Ptini.* 12.
- Pityoctines O** $\frac{\text{Fuchs}}$ [Fuchs] g. propr.; **Schaufuß** in Calwer, 1246 pro *Pityokteines* **Fuchs** 1911 [leg. nomenclat. obviam format.] (*P. curvidens* [Germ.] 1824) 1916:3 (Eur.). *Ip.*, *Ipin.* 56. Biol.: cf. **Hagedorn** in **Schklg. et J.**, P. 4, 1910, 53.
- Pityogenes Bedel**, F. Col. Seine VI, 1888, 397; **Reitt.**, Best.-Tab. 1894, 77; **Wachtl**, Krummzahn-Europ. Borkenk. Wien 1895, 7; **Blandf.**, Ind. Mus. Not. III, 1893, 93; **Kuhnt**, 1046, 1056 = Subg. ad *Ips* **De Geer.**, *Ip.*, *Ipin.* 56.
- Pityokteines Fuchs**, Hab.-Schr. techn. Hochschule Karlsruhe, 1911, 33 = = Subg. ad *Ips* **De Geer** 1775. *Ip.*, *Ipin.* 56.
- Pityophagus O Shuck.**, Elem. Brit., 1839, 171; Brit. Col. delin. 18, 61, 25; **Schaufuß** in Calwer, 442, 445; **Kuhnt**, 476, 501 (*P. ferrugineus* [L.] 1761) 1913: ? (Eur. b. et med.; Jap., Mex.). *Nit.*, *Cryptar.* 153.
- Pityophilus Brullé**, HNIns. III, 1835 = *Pinophilus* **Grav.** 1806. *Staph.*, *Paed.*, *Pinoph.*, *Pinophi.* 157.
- Pityophthorus O** $\frac{\text{Eichh.}}$ **Eichh.**, BEZ. 8, 1864, 39; 15, 1871, 137; Rat. Tom. 1879, 173; Eur. Borkenk. 1881, 192; **Lec.**, P. Am. Phil. S. 18, 1876, 347; **Lec. et Horn**, Class. 1883, 517; **Bedel**, F. Col. Seine VI, 1888, 396; **Bldf.**, EMM. II, 1891, 15; BCA. Col. IV, 6, 1904, 237; **Reitt.**, Best.-Tab. 1894, 75; **Judeich et Nitsche**, Forstins.-Kunde I, 1895, 448; **Barbey**, *Scol.*, 94; **Tredl**, EBl. 3, 1907, 14; **Swaine**, Cat. *Scol.* N. Am. 1909, 133; **Schaufuß** in Calwer, 1241; **Kuhnt**, 1046, 1055 (*P. micrographus* [L.] 1758) 1913:64 (Eur., Am.). *Ip.*, *Ipin.* 71. Biol.: cf. **Hagedorn** in **Schklg. u. J.**, Col. Cat. P. 4, 1910, 70 sq.
- Pityophthorus Gemm. et Har.**, Col. Cat. 9, 1872, 2688; **Lec.**, P. Am. Phil. S. 15, 1876, 350 (pars) = *Gnathotrichus* **Eichh.** *Ip.*, *Orth.* 111.
- Pixis Chevr.**, Dict. univ. HN. III, 1843, 656; X, 1847, 667 = *Pyxis* **Chevr.** 1843. *Chryso.*, *Chryso.*, *Phyllod.* 95.
- Pixodarus O Fairm.**, ASEFr. (6) 7, 1887, 325; **Lmr.**, A. Mus. Congo, Zo. (3) 2, 1903, 99; ASEB. 48, 1904, 34 (Rév., 452) = Subg. 1 ad *Hoplo-deres* **Serv.** 1832 (*P. Nyassae* **H. W. Bates** 1878) 1913:1 (Afr. or.-germ., Katanga, Trv.). *Ceramb.*, *Prion.*, *Callipogi.*, *Hoplod.* 55, 1.
- Placocerus O Kl.**, Monatsb. Ak. Berlin 1837, 122; **Lac.**, IV, 1857, 441; **Kuw.**, ASEB. 38, 1894, 400 et 436; **Schklg.**, StEZg. 64, 1903, 18; GIW. *Cler.* 1903, 80 (*Pl. dimidiatus* **Kl.** 1837) 1913:4 (Togo, Cam., Caffr., Usamb., Afr. or.). *Cler.*, *Cleri.*, *Clerin.* 87.
- Placodes O Er.** in **Klug**, Jahrb. Ins. 1834, 103 (*Pl. caffer* **Er.** in **Kl.** 1834) 1913:7 (Afr.). *Hist.* 14.
- Placodium Broun**, ManNZ. Col. VII, 1893, 1431 (*Pl. zenarthrum* **Broun** 1893) 1913:1 (N. Z.). *Psel.*, *Psel.*, *Euplect.* 38.
- Placonycha Horn**, TAMES. 8, 1880, 111; **J. Lec. et Horn**, Class. Col. N. Am., 1883, 174; **Lewis**, ANH. (6) 16, 1895, 104 = *Eubrianax* **Kiesw.** 1874. *Dasc.*, *Eubr.* 38.
- Placopterus O - Wolcott**, Publ. Field Mus. Chicago 7, 1910, 363 (*Ph. varius* **Gorh.** 1886) 1913:4 (Mex., Guatem.). *Cler.*, *Cleri.*, *Clerin.* 68.


- Plaesioserica* vide *Plesioserica*. *Scar.*, *Mellh.*, *Seric.* 59.
- Plaesius* **O Er.** in **Klug**, Jahrb. Ins. 1834, 101 (*Pl. javanus* **Er.** in **Kl.** 1834) 1913:15. — 2 Subgg.: *Plaesius* s. str.: Subg. I ad *Plaesius* **Er.** 1834). — (*Pl. jav.*) 1913:11 (As., N. Guin., N. Brit.). *Hist.* 13; 13, 1.
- Plagiodera* **O** + **Redt.**, Gatt. deutsch. Käferf. 1845, 116; **Chev.**, Dict. univ. X, 1847, 233; **Er.**, ArN. 13, 1847, 1, 158 (pars); **Gutfl.-B.**, 622; **Baly**, TESL. (3) IV, 2, 1867, 298; **Fairm.**, in **Jacq. du Val**, IV, 1868, 232; **Chap.**, X, 369, 374; **Jac.**, BCA.Col. VI, 1, 1882, 189; **Ws.**, NID. VI, 3, 1884, 549; **Marseul**, Abeille 26, 1888, 79; **Fowler**, Col. Brit. Isl. IV, 1890, 314; **Bedel**, V, 141; **Ws.**, ArN. 64, 1898, 211; **Everts**, II, 445; **Reitt.**, F. Germ. IV, 1912, 124; **Bruch**, Rev. Mus. La Plata 11, 1904, 317, t. 1, f. 1—10; **Schaufuß** in **Calwer**, 927, 959; **Kuhnt**, 805, 854 (*Pl. versicolora* [**Laichart.**] 1781) 1916:86 (Eur., As., Afr., Am., N. Guin., Phil. Ins.). *Chryso.*, *Chryso.*, *Phaedon.* 47.
- Morphol.: **Bellevoye**, Compt. rend. Ass. franç. avanc. Sc. 36, 1907 (08), 641 f. 8.
- Biol.: **Cornelius**, StEZg. 18, 1857, 170; etc.; **Cecconi**, BSEItal. 36, 1904, 103; **Pylinov**, Simferopoli Jest. muz. I, 1912, 20; cf. etiam **Ws.**, in **Sekhlg. et J.**, P. 68, 1916, 137.
- Plagiogonus* **Fairm.**, Gen. Col. d'Eur. IV, 1864, 144 = *Plagionotus* **Muls.** 1842. *Ceram.*, *Cerambin.*, *Clyt.* 806.
- Plagiogonus* **Muls.**, *Lamell.* 1842, 306; 1871, 371; **Reitt.**, Tab., *Aphod.* 66; VN. 30, 219; **A. Schmidt**, GIW. 19 et 43; **Schaufuß** in **Calwer**, 1269; **Kuhnt**, 390 = Subg. ad *Aphodius* III. 1798. *Scar.*, *Aphod.* 7.
- Plagiomorpha* **Motsch.** in **Schrenck's R.**, II, 1800, 200; **Schaufuß** in **Calwer**, 1269; **Kuhnt**, 390 = *Plagiodera* **Redt.** 1845. *Chryso.*, *Chryso.*, *Phaedon.* 47.
- Plagionotulus* **O Jord.**, NoZo. I, 1894, 188; X, 1903, 145 (*Pl. dimidiatus* **Quedf.** [1882]) 1913:5 (Afr. or.-germ.; Senegal, Camerun., Kuilu, Quango, Afr. mer.). *Ceram.*, *Cerambin.*, *Clyt.* 821.
- Plagionotus* **J. Lec. et Horn**, Class. Col. N. Am. 1883, 304; **Leng**, EAm. II. 1887, 195 = *Glycobius* **J. Lec.** 1873. *Ceram.*, *Cerambin.*, *Clyt.* 808.
- Plagionotus* **O** + **Muls.**, Col. Fr. *Lamell.* 1842, Rectif. et Addit. *Long.* (1); **Ganglb.**, Best.-Tab. VII, 1882, 46 (724); **Schaufuß** in **Calwer**, 859; **Kuhnt**, 755, 782. — Biol.: **Bond**, EMa. I, 1833, 212; IV, 1837, 222; **Goureau**, ASEFr. 1842, 176; **Schiödde**, NTi. (3) X, 1875, 413; **Xamben**, Moeurs et Mét. 8, 1902, etc.; cf. etiam **Aur.** in **Schklg. et J.**, P. 39, 1912, 377, 378. — (*Pl. arcuatus* [**L.**] 1758, *detritus* [**L.**] 1758, *floralis* [**Pall.**] 1773. — Faunistik: Spp. paläaret.: 8 **Reitt.**, WEZg. 9; 1890, 212—213 (Synopsis). — Spp. neotrop.: 3. *Ceram.*, *Cerambin.*, *Clyt.* 806.
- Plagiophorus* **Motsch.**, BMosc. 24, 1851, 496 = ? *Sathytes* **Westw.** 1870. *Psel.*, *Psel.*, *Batris.* 209.
- Plagiopisthen* **O Thoms.**, ASEFr. (3) 5, 1856, 321; **Crotch**, *Erol.*, 30; **Bedel**, AMusG. 18, 1882, 436; **Arrow**, ANH. (8) 4, 1909, 195 (*Pl. paradoxus* **Thoms.** 1856) 1913:1 (Sin. Delagoa.. Mosamb.). *Erol.*, *Dacn.* 84.
- Plagiosterna* **Motsch.** in **Schrenck's R.**, II, 1860, 196; **Ws.**, ArN. 64, 1898, 210 = *Plagiodera* **Redt.** 1845. *Chryso.*, *Chryso.*, *Phaedon.* 47.
- Plagithmysides* **Sharp**, EMM. 32, 1896, 238, F. Hawaiiens., II, 1900, 98; II, 1900, 98—116, III, 1910, 645 —650 [Revis.] = *Plagithmysus* **Motsch.** 1845. *Ceram.*, *Cerambin.*, *Clyt.* 815.
- Plagithmysus* **J. Lec. et Horn**, Class. Col. N. Am. 1883, 304 = *Neoclytus*

- J. Thoms.** 1860. *Ceramb.*, *Cerambin.*, *Clyt.* 818.
- Plagitmesus* [**Motsch.**] **Schaufuß** in Calwer, 859 (*Pl. erythrocephalus* [**F.**] 1787 = *Neoclythus* 1860. *Ceramb.*, *Cerambin.*, *Clyt.* 818.
- Plagyonotus* **J. Thoms.**, *Class. Cer.* 1860, 220; *Syst. Cer.* 1864, 424 = *Plagionotus* **Muls.** 1842. *Ceramb.*, *Cerambin.* *Clyt.* 806.
- Plagythmisus* **O** [✱] **Motsch.**, *BMosc.* 18, 2, 1845, 369; **J. Thoms.**, *Syst. Cer.* 1864, 427; **Lac.**, IX, 1869, 82; **Sharp**, *ASEB.* 29, 1885, *Bull.* p. 74; *EMM.* 33, 1896, 237, 238. — *Biol.*: **Giffard**, *P. Hawaiian E.S.* II, 1909, 87. — (*Pl. pulverulentus* **Motsch.** 1845) 1913:50 (*Haw. Ins.*). *Ceramb.*, *Cerambin.*, *Clyt.* 815.
- Plamius* **Fairm.**, *ASEB.* 1896, 30 (*Pl. tenuestriatus* **Fairm.** 1896) 1913:1 (*Ind.*). *Ten.*, *Cnodal.* 921.
- Planagetes* **Chev.**, *Dict. univ. HN.* 1843, 656; X, 1847, 235 (*Pl. diaperioides* **Chev.** 1843) 1916:1 (*Brasil.*). *Chrys.*, *Chryso.*, *Tim.* (124).
- Plananobius* **Pic.**, *Echange* 19, 1903, 182 (*Pl. aureopubens* **Pic** 1903) 1913:1 (*Bras.*). *Anob.*, *Xylet.* 47.
- Planeustomus* **Jacq. du Val**, *G. Col. d'Eur.* II, 1859, 58; **Ganglb.**, *Käf. MEur.* II, 1895, 671; **Schaufuß** in Calwer, 163, 166; **Kuhnt**, 163, 195 (*Typ.?*; *Pl. palpalis* **Er.** 1839, 608, *cephalotes* **Er.** 1839/40) 1913:15 (*Eur.*; *Medit.*, *Corf.*; *Birm.*; *Congo*). *Staph.*, *Oxyt.*, *Oxyti.*, *Oxyte.* 109.
- Plangone* **J. Thoms.**, *Syst. Cer.* 1864 = *Centrotoclytus* **Motsch.** 1863. *Ceramb.*, *Cerambin.*, *Tillom.* 859.
- Planodes* **Muls. et Rey**, *Opusc. E.* X, 1859, 117; *M. Ac. Lyon X*, 1860, 25; **Seidl.**, *NID.* V, 1894, 410 = *Planostibes* **Gemm.** 1870. *Ten.*, *Opatr.* 489.
- Planostibes* **Gemm.**, *Col. Cat.* 7, 1870, 1926 (= *Pl. byrrhoides* **Muls.** 1859) 1913:4 (*Afr. mer. et mer.-occ.*). *Ten.*, *Opatr.* 489.
- Plastica* **Waterh.**, *ANH.* (7) 12, 1903, 563 (*Pl. polita* **Waterh.** 1903) 1913:1 (*Sorata*). *Ten.*, *Apocryph.* 990.
- Plastococcus* **Gorh.**, *BCA.Col.* VII, 1889, 255 (*Pl. atricinctus* **Gorh.** 1899) 1913:2 (*Pan.*). *Erot.*, *Erotyl.* 8.
- Plastonothus* **Lefv.**, *ASEFr.* (6) IV, 1884, B. p. XLIV; *MSLiège* (2), 11, 1885, 5 (*Pl. chalybaeus, aureus*, **Blanch.** 1851) 1914:2 (*Chile: Santiago, Coquimbo*). *Chrys.*, *Eumolp.*, *Chry-sod.* 1.
- Plastus* **Bernh.**, *DEZ.* 1903, 142 = Subg. 8 ad *Priochirus* **Sharp** 1887 (*Pl. convexus* [**Cast.**] 1835) 1913:24 (*Ind. or.*, *Birma*, *Ins. Sund.*, *Samoa*, *N. Guin.*, *Madag.*, *Aru*, *Luzon*). *Staph.*, *Oxyt.*, *Piest.*, *Leptoch.* 16, 8.
- Platamartus* **Reitt.**, *WEZg.* 11, 1892, 151 (*Pl. Jákowlewi* **Reitt.** 1892) 1913:1 (*Sib. or.*). *Nit.*, *Cat.* 2.
- Platamastus* (**Reitt.**) **Grouvelle** in **Schklg. et J.**, P. 56, 1913, in *Indic.* p. 193 = err. pro *Platamartus* **Reitt.** 1892. *Nit.*, *Cat.* 2.
- Platamodes* **O Ménétr.**, *M. Ac. Petr.* VI, 1849, 293 (17); **Lac.**, V, 58; **Reitt.**, *Best.-Tab.* 42, 1900, 82; **Schaufuß** in Calwer, (793) (*Pl. dentipes* **Ménétr.** 1849) 1913:1 (*Transcasp.*, *Transcauc.*). *Ten.*, *Platam.* 244.
- Platasida* **Casey**, *Mem. Col.* 3, 1912, 182; (*Pl. [Asida] embaphionides* **Horn** 1894) 1913:1 (*Cal.*). *Ten.*, *Asid.* 286a?
- Plateia* **Cast.**, *HN.* II, 1840, 215 = = *Catapiestus* **Perty** 1831. *Ten.*, *Tenebr.* 832.
- Platelytra* **Gemm. et Har.**, *Col. Cat.* VII, 1870, 266 = *Platyllytra* **Fairm. et Germain** 1863). *Oed.*, *Oedem.*, *Oedemi.* 54.
- Platesthes* **O Waterh.**, *ANH.* 16, 1845, 317; **Lac.**, V, 215; **Burm.**, *StEZg.* 36, 1875, 497 (*Pl. silphoides* **Waterh.** 1845, *Pl. depressa* [**Guér.**] 1841) 1913:3 (*Patag.*). *Ten.*, *Praoc.* 411.
- Plateumaris* **O** [✱] + **C. G. Thoms.**, *Sk. Col.* 8, 121; **Ws.**, *NID.* 6, 1882, 44; **Jac.**,

- HoR. 26, 1892, 416, 433; **Everts**, II, 404; **Jac. et Clav.**, GIW. 21, 1904, 9; **Porta**, Riv. Col. Ital. 9, 1911, 150; **Schauft** in Calwer, 889, 897; **Kuhnt**, 802, 814 (*Pl. affinis* [**Kunze**] 1818, *consimilis* [**Schrank**] 1781, *sericea* [**L.**] 1761) 1913:22 (Eur., As., Am.). *Chrys.*, *Donac.* 5.
- Morphol.: **Ws.**, DEZ. 1889, t. 3; **Kempers**, TijE 45, 1902, 57; **Wandolleck**, ZoJa. Anat. 22, 544—552.
- Biol.: **Mc Gillivray**, New York State Mus. Bull. LXVIII, Ent. 1903, 321.
- Plathanocera* **Schklg.**, BMNHP. 8, 1902, 329; StEZg. 64, 1903, 18; GIW. *Cler.* 1903, 81 (*Pl. uniformis* **Schklg.** 1902) 1913:2 (Togo, Cost. cburn.). *Cler.*, *Cleri.*, *Clerin.* 88.
- Platichna* **C. G. Thoms.**, Sk. Col. V, 1863, **Ganglb.** III, 643 = *Triplax* **Herbst** 1793. *Erot.*, *Triplac.* 52.
- Platipidia* **Broun**, ManNZ. Col. V, 1893, 1075 (*Pl. asperella* **Broun** 1893) 1913:1 (N. Z.). *Nit.*, *Nitid.* 98.
- Platyarthron* **O Guér.**, Icon. règne anim. Ins. 1844, 290; **Bates**, BCA. Col. V, 1880, 70 (*Pl. bilineatum* **Guér.** 1844) 1913:7 (Mex., Nicar., Guat., Col., Pan., Chile?). *Ceramb.*, *Cerambin.*, *Platyarth.* 931.
- Platyblaps* **Motsch.**, B. Ac. Petr. II, 1860, 531; **Allard**, ASEFr. I, 161; **Seidl.**, F. Ba. ed. II, 1860, 513 = *Blaps* **F.** 1775. *Ten.*, *Blapt.* 391.
- Platycerus* **Latr.**, Gen. Crust. Ins. II, 1807, 133 = *Ceruchus* **M'Leay** 1819. *Luc.*, *Aesal.* 72.
- Platycerus* **O Geoffr.**, Ins. Env. Paris I, 1762, 62; **Casey**, AN YAcSc. V, 1889, 63; **Albers**, DEZ. 1891, 319; **Gutfl.-B.**, 300 (*Pl. caraboides* [**L.**] 1735) 1913:18 (Eur., As., Am. b.). *Luc.*, *Dorc.* 56.
- Platychelus* **Burm.**, Hd. E. IV, 1, 1844, 141; **Péring.**, T.SAfr.Phil.S. 12, 1902, 802 (Typ.?, *Pl. gravidus* **Burm.** 1844) 1913:38 (Colon. cap. 37, Angola 2). *Scar.*, *Melth.*, *Hopl.* 524.
- Platychora* **Er.** in Germar, ZE. IV, 1843, 284 (*Pl. polita* **Er.** 1843) 1913:11 (Afr. occ., Congo, Terr. Somali, Nat.; Bras., Col., Amaz.). *Nit.*, *Nitid.* 77.
- Platychorina* **Grouv.**, MSEsp. HN. I, 1905, 245 (*Pl. testacea* **Grouv.** 1905) 1913:1 (Guinea). *Nit.*, *Nitid.* 76.
- Platychorinus* **Grouv.**, BSEFr. 1906, 201 = *Platychoropsis* **Grouv.** 1912 (1913). *Nit.*, *Nitid.* 100.
- Platychorodes* **Reitt.**, DEZ. 1884, 261 (*Pl. plumicornis* **Reitt.** 1884) 1913:1 (Amaz.). *Nit.*, *Nitid.* 94.
- Platychoropsis* **Grouv.**, ASEFr. 1912 (1913) 398 (*Pl. dubius* [**Grouv.**] 1903, *dilutus* [**Grouv.**] 1906) 1913:2 (Ins. Dammer, N. Caled.). *Nit.*, *Nitid.* 100.
- Platycilibe* **Carter**, PLSNSW. 36, 205 (*Pl. brevis* **Carter** 1911) 1911:1 (Mts. coerul., „Blue Mts.“). *Ten.*, *Ulom.* (prope *Achthosum*) 690 b.
- Platyclerus* **Spin.**, Rev. Zo. 1841, 75; **Kl.**, *Cleri.* 1842, 326; **Spin.**, *Clerit.* I, 1844, 332; **Lac.**, IV, 1857, 450; **Chennu**, Enc. II, 1860, 258; **Schklg.**, GIW. *Cler.* 1903, 54 (*Pl. planatus* [**Cast.**] 1836) 1913:7 (Madag. 6, Nossibé 1). *Cler.*, *Cleri.*, *Clerin.* 195.
- Platycoelia* **Burm.**, Hd. E. IV, 1, 1844, 452; l. c., IV, 2, 1855, 524; **Blanch.**, HIns. I, 1845, 217; Cat. Coll. E. Col. 1850, 227; **Lac.**, III, 1856, 371; **H. Bates**, BCA.Col. II, 2, 1888, 293; **Oh.**, StEZg. 65, 1904, 278. — 1918: 35. Sect. 1: *Pl. flavostriata* (*Pl. flav.* [**Latr.**] 1833, *pomacea* **Er.** 1847) 1918:27; — Sect. 2: *Pl. marginata* (*marg.* **Burm.** 1844) 1918:8 (Am. c. et Am. mer.-trop.). *Scar.*, *Rut. orth.*, *Anoplyni.*, *Platycoel.* 124.
- Platycolaspis* **Jac.**, Ent. 41, 1908, 27 (*Pl. australis* **Jac.** 1908) 1914:1 (Tasm.). *Chrys.*, *Eumolp.*, *Colasp.* 52.
- Platycorynus* **Baly**, Descr. n. gen. et spcc. *Phytoph.* 1864, 2; **Marshall**,

- JoLSLZo. 8, 1864, 31; **Chap.**, X, 1874, 339 = *Corynodes Hope* 1840. *Chrys.*, *Eumolp.*, *Corynod.* 270.
- Platycrepis* **Lac.**, V, 1859, 418 nota; **Kraatz**, DEZ. 24, 1880, 103 (Typ. ?; *Pl. violaceus* et *magnificus* **Kraatz** 1880) 1913:8 (Ind., Sum., Cel., Saraw., Phil. Ins., Kaschmir). *Ten.*, *Cnodal.* 917.
- Platydacne* **Fairm.**, ASEFr. 60, 1891, 235 (*Pl. vittulata* **Fairm.** 1891) 1913:4 (Rhodesia, Congo, Angola). *Erot.*, *Dacn.* 71.
- Platydictylus* **Eichh.**, Not.-Leyd. Mus. 8, 1886, 25 = *Eurydictylus* **Haged.** 1909 = subg. ad *Xyleborus* **Eichh.** 1864. *Ip.*, *Xyl.* 112.
- Platydiscillus* **Everts**, TijE. 52, 1907, (1908), 6 (*Pl. sumatrensis* **Everts** 1907) 1914:1 (Sum.). *Dasc.*, *Platy-dasc.* 144.
- †*Platydema* **O**  **Cast.**, A.Sc.Nat. 23, 1831, 350 (26) (Mon.); **Redtb.**, Gatt. 1845, 128; F. Austr. ed. I—III; **Muls.**, Col. Fr. *Latig.* 1854, 200, 211; **Lac.**, V, 304; **C. G. Thoms.**, Sk. Col. I, 116; VI, 252; **Gutfl.-B.**, 415; **Jacq. du Val**, III, 297; **Horn**, Rev. *Ten.* 1870, 380; **Seidl.**, F. Austr. et Tr.; NID. V, 1894, 508, 518; **Champ.**, BCA.Col. IV, 1, 1886, 181; **Desbr.**, Frelon XI, 1902, 7; **Schaufuß** in Calwer, 806; **Kuhnt**, 740, 746. — Biol.: **Xamben**, ASLLyon 51, 1904, 123; **Perris**, ASEFr. (3) V, 1857, 346; Larves 1877, 278—280, f. 290/6; **Schiöde**, NTi. III, 1879, 550 t. 8 f. 25—29; **Seidl.**, NID. V: 1894, 212, 215 (*Pl. Dejeani* **Cast. et Brull.** 1831, *Pl. violaceum* [F.] 1790) 1913:218—1 (in omn. part. orb. terr. distr.; 1 fossil: Miocän. Colo.). *Ten.*, *Diaper.* 624.
- Platyderus* **Car.** cf. P. II.
- Platydesmus* **M'Leay**, PLSNSW. (2) II, 1887, 226; **Blackb.**, TLSNSW. 31, 1907, 270 (non **Lucas** 1843) =
- Pteroplatydesmus* **DT.** 1912. *Scar.*, *Melth.*, *Lipar.* 190.
- Platydomene* **Ganglb.**, KäfMEur. II, 1895, 504, 507; **Schaufuß** in Calwer, 184; **Kuhnt**, 221 = Subg. ad *Lathrobium* **Grav.** 1802. *Staph.*, *Paed.*, *Paedi.* 210.
- Platydracus* **C. G. Thoms.**, Öfv. Vet. Ar. Förh. 1858, 29; Sk. Col. II, 1860, 143; **Muls. et Rey**, ASAgr.Lyon, 1875, 257; **Schaufuß** in Calwer, 197; **Kuhnt**, 237 = Subg. ad *Staphylinus* **L.** 1758. *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 314.
- Platydracus* vide etiam *Trichoderma*.
- Platydromus* **Fauv.**, Rev. d'Ent. 24, 1905, 474 (*Pl. erosus* **Fauv.** 1905) 1914:1 (Madag.). *Staph.*, *Staphy.*, *Xanth.* 261.
- Platyesthus* **Mäkl.**, Öfv. Finsk. Vet. S. Förh. 20, 1878, 92 (337) (*Pl. pallidipennis* **Mäkl.** 1878) 1913:1 (Bras.). *Ten.*, *Strongyl.* 1156.
- Platygnathus* **O** **Serv.**, ASEFr. I, 1832, 150; **J. Thoms.**, Class. *Cer.* 293; Syst. *Cer.*, 480; **Lac.**, VIII, 141; **Lmr.**, ASEB. 48, 1904, 15 (Rev., 433) (*Pl. octangularis* [**Ol.**] 1795) 1913:1 (Ins. Mauritius). *Ceram.*, *Prion.*, *Callipogi.*, *Megop.* 46.
- Platygonium* **O** **Motsch.**, BMosc. 18, 1845, I, 1840; 31, 1858, II, 649 (*Pl. sculpticeps* **Motsch.** 1858) 1913:1 (Sib.). *Staph.*, *Paed.*, *Paedi.* 218.
- Platyholmus* **Sol.**, ASEFr. 9, 1840, 241; **Lac.**, V, 215; **Burm.**, StEZg. 36, 1875, 492 (*Pl. dilaticollis* [**Lac.**] 1830) 1913:5 (Mendoz., Tucum., Cordob.). *Ten.*, *Praoc.* 413.
- Platylampis* **Motsch.**, Etud. E. 1852, 27 sq. = *Photinus* **Laord.** 1857 part. *Lamp.*, *Photi.* 28.
- Platylampis* **Motsch.**, Etud. E. 1852, 28 sq. = *Lucidota* **Cast.** 1833 part. *Lamp.*, *Lucid.* 15.
- Platylister* **O** **Lewis**, EMM. 28, 1892, 103; **Schmidt**, AMusG. (2) 17 (37), 1897, 287 = Subg. 1 ad *Platysoma* **Leach**

- 1817 (Typ. ?; *Pl. ovatus* [Er. in Kl.] 1834) 1913:49 + 1 (Australas., China) *Hist.* 20, 1.
- Platylorus Muls. et Rey, Collig.* 1866, 83 = Subg. ad *Anthicus Payk.* 1798. *Anth.* 19.
- Platylus Muls. et Rey, ASAgr.* Lyon 1859, 134; *Opusc. E. IX*, 1859, 70 (*Pl. dilatatus* [F.] 1798) 1913:1 (Ins. St. Thomae). *Ten., Pedin.* 440.
- Platylitra Fairm., et Germ. ASEFr.* (4) 3, 1863, 278; *Seidl., NID. V*, 2, 876 (*Pl. vitticollis Fairm. et Germ.* 1863) 1915:1 (Chillan). *Oed., Oedem., Oedemi.* 54.
- Platymedon O Cas., EAm.* V, 1889, 184.; *T.Ac.St.Louis XV*, 1905, 178 (*Pl. laticollis Casey* 1889) = Subg. 13 ad *Medon Steph.* 1832. — 1913:2 (Nebr. Nev.). *Staph., Paed., Paedi.* 199, 13.
- Platymela Baly, TESL.* (n. s), III, 7, 1856, 241; *Chap., X*, 428. 430 (*Pl. sticticollis Baly* 1856) 1916:11 (N.S.W., N. Guin.). *Chryss., Chryso., Phyllod.* 92.
- Platymema O Rits., Not. Leyd. Mus.* VII, 1885, 29 (*Pl. Olliffi Rits.* 1885) 1913:11 (Malacca, Singap., Nicobar., Sum., Born., Dorey, Andam., N. Guin.). *Nit., Carpophil.* 44.
- Platynocera O Blanch, in Gay, H. Chile,* 1851, 471 (*Pl. gracilipes Blanch.* 1851, *gracilis, rubriceps* [Blanch.] 1841, *macer* [Newm.] 1840) 1913:13 (Chile 1, Valdivia 2). *Ceram., Cerambin., Necdya.* 587.
- Platynoptera O Chevr. in Silberm., Rev. II*, 1834 Nr. 18; *Spin., Rev. Zo.* 1841, 75; *Kl. Clerii* 1841, 374; *Spin., Clerit.* II, 1884, 62; *Lac., IV*, 1857, 477; *Chenu, Enc. II*, 269; *Gorh., BCA. Col. III*, 2, 1883, 183; *Schklg., GIW. Cler.* 1903, 103; *DEZ.* 1906, 311. (*Pl. lyciformis Chevr.* 1834) 1913:9 (Bras., Col., Guat., Bol., Mex.). *Cler., Corn., Enopl.* 153.
- Platynoscelis Kraatz, DEZ.* 26, 1882, 91; *Seidl., Mon.*, 343 = Subg. ad *Platyscelis Latr.* 1825. *Ten., Platysc.* 397.
- Platynosum O Muls. et Rey, M. Ac. Lyon IX*, 1859, 143; *Opusc. E. X*, 1859, 81; *Seidl., NID. V*, 1894, 405, 415; *Reitt., Best.-Tab.* 53, 1904, 127; *Chobaut, BSEFr.* 1904, 283 (*Pl. Paulinae Muls. et Rey* 1859, *collare* [Motsch.] 1839) 1913:3 (Transcauc., Vall. Araxes, Aeg., Syr., Tun., Jericho). *Ten., Opatr.* 508.
- Platynotus Cast., HN. II*, 1840, 208 = *Anomalipus Guér.* 1846. *Ten., Opatr.* 485.
- Platynotus O F., Syst. Eleuth. I*, 1801, 138; *Latr., HNCrIns.* 10, 1804, 288; *Muls., M. Ac. Lyon*, 1852, 264; *Opusc. E. IV*, 1853, 39; *Lac. V*, 236 (*Pl. excavatus F.* 1801) 1913:11 (Ind. 10, Peking 1). *Ten., Pedin.* 438.
- Platynotus C. G. Thoms., Sk. Col. VIII.* 1866, 36 = *Clytus Laich.* 1784. *Ceram., Cerambin., Clyt.* 800.
- Platynotus C. G. Thoms., Class. Cer.* 1860, 220; *Syst. Cer.* 1864, 424 = *Plagionotus Muls.* 1842. *Ceram., Cerambin., Clyt.* 806.
- Platylolus Muls. et Rey, M. Ac. Lyon* 1854, 297; *Opusc. E. V*, 1854, 153; *Reitt., Best.-Tab.* 53, 1904, 118 = Subg. ad *Micrositus Muls. et Rey.* *Ten., Opatr.* 501.
- Platyonyx Reiche in Gemm. u. Har., Cat. Col. IV*, 1869, 1185 = *Sebaris Cast.* 1840. *Scar., Melth., Pachyd.* 386.
- Platypoce O Fisch., E. Ross. I*, 1822, 160; *Sol., ASEFr. V*, 1836, 10; *Lac. V*, 178; *Jacq. du Val. III*, 261; *Reitt., Best.-Tab.* 25, 1893, 204, 247; *Sem., HoR.* 27, 1893, 249, 262; 38, 1907, 178 (*Pl. granulata Fisch.* 1822, *leucogramma* [Pall.] 1773) 1913:7 (Ch. b., Sib. mer., Ross. mer.-or., Mong.). *Ten., Platypop.* 351.

- Platyotus* Gerst., ArN. 37, 1871, 62; Deeken's Reise III, 2, 1873, 185 (*A. glabratus* Gerst. 1871) 1913:2 (Guinea, Afr. or.-germ.). *Ten., Ulom.* 679.
- Platyphanes* O Westw., TESL. V, 1849, 206; *Lac.* V, 410; *Pasc.*, ANH. (4) 3, 1869, 288 (*Pl. gibbosus* Westw. 1849) 1913:8 + 1? (Austral.). *Ten., Cyphal.* 892.
- Platyphymatia* Waterh., TESL. 1874, 537 (*Pl. aeneopicea* Waterh. 1874) 1913:5 (Queensl., Austral. b., N.-Guin.). *Scar., Copr., Scarbi., Sispbd.* 16.
- Platypria* O Guér., Rev. Zo. 1840, 139; *Chap.* XI, 336; *Gestro*, AMus.G. 1890, 229; 1897, 110; 1905, 515 (etiam Subg. 1) (*Pl. hystrix* [F.] 1798) 1913:31 (As. mer., Ins. Sund., Ins. St. Thom., Ins. Princ., Phil. Ins.). *Chr ys., Hisp., Hispi.* 92; 92,1.
- Platyprosodes* Reitt., Mon. II 121, 162 = Subg. ad *Prosodes* Eschsch. 1829. *Ten., Blapt.* 390.
- Platyprosopus* Hope, Cat. Luc. 1845, 31; *Thoms.*, ASEFr. (4) 2, 1862, 421 = *Eurytrachelus* (Westw.) 1845; *Thoms.* 1862. *Luc., Dorc.* 39.
- Platyprosopus* Mannerh., *Brachél.* 1830, 36; *Sharp*, TESL. 1876, 101; *Casey*, T.Ac.St.Louis XVI, 1906, 363 (*Pl. elongatus* Mannerh. 1830) 1914:28 + 1 (*ruficollis* Motsch.: Ind.) (Gr.; Cauc., Syr., Afr. b.-or., oec.; Ind. or.; Congo, Aeg.; Arg., Amaz. 10). *Staph., Staph., Xanth.* 279.
- Platypsilla* Lec., PZSL. 1872, 801, t. 68; *Lec. et Horn*, Class. 1883, 75; *Horn*, TAmES. 10, 1882/88, 114, t. 5 f. 7—12; *Reitt.*, WEZg. 3, 1884, 19 = *Platypsillus* Rits. 1869/75. *Platyps.* 1.
- Platypsillus* O Rits., Pet. Nouv. E. I, 1869/75, (1869), 23; *TijE.* (2) V, 1870, 24 et 185; *Westw.*, EMM. 6, 1869, 118; *Thesaur. E. Oxon.*, 1874, 194 t. 37, f. 1, 2; *Bouhoure*, ASEFr. (6) 4, 1884, 147—154, t. 6; *Reitt.*, WEZg. 4, 1885, 274; *F. Germ. II*, 1909, 12; *Kolbe*, BEZ. 30, 1886, 103; *Riley*, Ins. Life I, 1888/9, 302, f. 68; *Seidl.*, F.Ba. et Tr.; *Everts*, I. 397; *Ganglb.*, KäfMEur. 3. 1899, 270; *Desneux*, GIW. 41, 1906, 3. *Schau fuß* in Calwer, 293; *Kuhnt*, 350 = *Platypsilla* Lec. 1782 (*Pl. castoris* Rits. 1869) 1913:1 (Eur., Am. [Tex. etc.]). *Platyps.* 1.
- Platypus* O  *Herbst*, *Natursyst.* V, 1793, 128; *Latr.*, Gen. Crust. et Ins. III, 1807, 277; *Er.*, ArN. II, 1836, I, 64; *Ratzeb.*, Forstins. Käf. ed. II, 1839, 230; *Eichhoff*, BEZ. 8, 1864, 17; *Chap.*, *Pl.*, 26 et 97; *Lac.* VII, 356; *J. Lec.*, TAmES. II, 1850/1; *P.Am. Phil.S.* 15, 342; *Eichhoff*, Die europ. Borkenk. 1881, 54 et 305; *J. Lec. et Horn*, Class. 1883, 513; *Bedel*, F. Col. Seine, 385, etc.; *Judeich et Nitsche*, Forstins. I, 441/2; *Blandf.*, BCA. Col. IV, 6, 1885, 89; *Hubbard*, US.Div.E.Bull. (n. s.) 7, 14; *Barbey*, *Scol.* 15 et 115; *Guttl.-B.*, 568; *Schau fuß* in Calwer, 1200; *Kuhnt*, 1044, 1061 (*P. cylindrus* [F.] 1793) 1913:203 (Eur., As., Males., Am.) *Platyp.* 4.
- Sectiones: [*Chap.*, Mon. *Pl. breviter* = *Chap.*, *Pl.*]: 1. *Platypi truncati* O *Chap.* *Pl.* 105 (*Pl. abbreviatus* *Chap.* 1865) 1913:9 (Bras. 5, Cayenne 2, Costa Rica 1). — 2. *Pl. coronati* O *Chap.*, *Pl.* 115 (*Pl. Dohrni* *Chap.* 1865) 1913:5 (Mex., Guat., Cayenne). — 3. *Pl. plicati* O *Chap.* *Pl.* 191. *Biol.*: *Strohmeyer*, AnMus.Montev. (2) I, 1911, 85 (*Pl. luridus* *Chap.* 1865) 1913:37 (Am. e. et mer.-trop.). — 4. *Pl. caudati* O *Chap.*, *Pl.* 152 (*Pl. dimidiatus* *Chap.* 1865, *flavicornis* [F.] 1787) 1913:8 (Am. b., Civ. mer. et Am. e.). — 5. *Pl. trispinati* O *Chap.*, *Pl.* 158. *Biol.*: *Riley u. Howard*, Ins. Life III, 1891, 418; *Riley*, op. cit. V, 1892, 17;

- Folt, N. York State Mus. Mem. 8, 1906, 720 etc. cf. **Strohmeyer** in **Schklg. et J.**, P. 44, 1912, 10/11 (*Pl. madagascariensis* **Chap.** 1865; *compositus* [**Say**] 1823) 1913:51 (Am. b., c., mer.-trop., Bras. et Ins.; Afr. occ. 1, Congo 1, Madag. 3). — 6. *Pl. bilobati* **O Blandf.**, BCA.Col. IV, 6, 1885, 93 (*Pl. biporus* **Blandf.** 1885, *bilobatus* **Strohm.** 1911) 1913:2 (Mex., Guat., Peru). — 7. *Pl. gemmati* **O Chap., Pl.**, 215 (*Pl. Selysi* **Chap.** 1865) 1913:1 (N. Guin.). — 8. *Pl. filiformes* **O Chap., Pl.** 217 (*Pl. disciporus* **Chap.** 1865) 1913:4 (Tenn., Col. 3). — 9. *Pl. bicornuti* **O Chap., Pl.**, 222 (*Pl. armatus* **Chap.**) 1913:1 (Costa Rica, Col.). — 10. *Pl. terminati* **O Chap., Pl.**, 223 (*Pl. excisus* **Chap.** 1865) 1913:10 (Am. c., mer.-trop., Bras.). — 11. *Pl. costellati* **O Chap., Pl.**, 230 (*Pl. carinulatus* **Chap.** 1865) 1913:3 (Bras., Mex., Br. Hond., Guat.). — 12. *Pl. sulcati* **O Chap., Pl.**, 232 (*Pl. cylindrus* [**F.**] 1793. Biol.: **Chapman**, EMM. 7, 1870, 103, 132; **Bargmann**, II.ZE. 3, 1898, 376; **Strohm.**, Naturw. Z. f. Land- u. Forstwirtschaft. 1906, 333; **Tredl**, EBl. 3, 1907, 72; **Wichm.**, EBl. 5, 1909, 172; etc., etc. cf. **Strohm.** in **Schklg. et J.**, P. 44, 16) 1913:21 (Eur.; Japon., Phil. Ins.; Molucc., Borneo; N. Guin., Austral., Ins. Fidjchi; Am. b.?, Bras.). — 13. *Pl. discoidales* **O Chap., Pl.**, 252 (*Pl. limbatus* **Chap.** 1865) 1913:3 (Himal.; Guatem., Col., Mex., Bras.). — 14. *Pl. bisulcati* **O Chap., Pl.**, 257 (*Pl. Candezei* **Chap.** 1865) 1913:1 (Born., Malacc.). — 15. *Pl. hirtelli* **Chap., Pl.**, 259 (*Pl. Perrisi* **Chap.** 1865) 1913:2 (Malacc., Borneo). — 16. *Pl. oxyuri* **O Chap., Pl.**, 263. Biol.: **Knotek**, Oesterr. Vierteljahrsschr. f. Forstw. 1899, 299; **Maceiro**, Ins. dañosos etc. cf. Ref. in Allg. Forst- u. Jagdz. 1904, 397; **Eggers**, Naturw. Ztschr. f. Land- u. Forstwirtschaft. 1906; **Tredl**, EBl. 5, 1907, 72 (*Pl. pilifrons* **Chap.** 1865) 1913:3 (Gall. mer., Hisp., Calabr., Euboea; Ind., Ceyl., Ins. sundaic.). — 17. *Pl. platyuri* **O Chap., Pl.**, 269 (*Pl. truncatus* **Chap.** 1865) 1913:3 (Nov. Gran., Bras., Maurit.). — 18. *Pl. punctato-sulcati* **O Chap., Pl.**, 272 (*Pl. occipitalis* **Chap.** 1865) 1913:1 (Guat., Pan., Costa Rica). — 19. *Pl. antennati* **O Chap., Pl.**, 275 (*Pl. cordiger* **Chap.** 1865) 1913:2 (Malacc., Born., Nov. Guin.). — 20. *Pl. cupulati* **O Chap., Pl.**, 277. Biol.: **Blandf.**, TESL. 1896, 194 (*Pl. cupulatus* **Chap.** 1865) 1913:13 (Jap., As. mer., Ins. malay., Molucc., N. Guin.). — 21. *Pl. quadrifissi* **O Chap., Pl.**, 284 (*Pl. circularis* **Chap.** 1865) 1913:1 (Ins. Waigiu). — 22. *Pl. dorso-sulcati* **O Chap., Pl.**, 286 (*Pl. longipennis* **Chap.** 1865) 1913:2 (Queensl., N. Caled., N.S.W.). — *Pl. inc. sedis* 1913:20. Biol.: **Broun**, ManNZ. Col. I, 1880, 542.
- Platyrhopalopsis* **O Desn.**, GIW. Pauss. 1905, 20 (*Pl. Mellyi* [**Westw.**] 1833) 1913:2 (Ind. or., Siam, Cochin.; Birma). **Pauss.**, **Paussin.** 13.
- Platyrhopalus* **O Westw.**, TLSL. 16, 1833, 654; Arcana E. II, 1845, 73; **Lac.**, II, 1854, 13; **Raffr.**, Nouv. Arch. Mus. Paris (2) 8, 1885, 344; **Wasm.**, Not. Leyd. Mus. 25, 1904, 17; **Desneux**, GIW. Pauss. 1905, 18 (*Pl. denticornis* [**Donov.**] 1800) 1913:13 (Ind. or., Ch., Siam., Java, Bengal.). **Pauss.**, **Paussin.** 12.
- Platyrhopalus* **Westw.** et auct. = *Platyrhopalopsis* **Desn.** **Pauss.**, **Paussin.** 13.
- Platyrhopalus* **Westw.** et auct. = *Euplatyrhopalus* **Desneux**, GIW. Pauss. 1905, 18. **Pauss.**, **Paussin.** 11; 13.
- Platyrutela* **O H. Bates**, BCA.Col. II, 2, 1888, 262 (*Pl. cribrata* **H. Bates**

- 1888) 1918:1 (Costarica). *Scar.*, *Rut. hom.*, *Ruti.*, *Antich.* 57.
- Platyscelis* O[§] **Latr.**, *Fam. nat.* 1825, 375; **Cast.**, *HN.* II, 1840, 210; **Sol.**, *Studi ent.* II, 1848, 153 (4), 206 (60); **Lac.**, V, 229; **Jacq. du Val**, III, 1861, 268; **Seidl.**, *NID.* V, 1893, 339; **Gutfl.-B.**, 412; **Kuhnt**, 738, 743. — *Biol.*: **Lindemann**, *BMosc.* (n. s.) II, (Mon.). 1888, II, 56; **Seidl.**, *Mon.*, 340 (*Pl. hypolithos* [**Pall.**] 1781, *polita* [**Sturm**] 1807, *gages et melas* [**Fisch.**] 1823) 1910:65 (As. c.; Austr., Hung.). *Ten.*, *Platysc.* 397.
- Platyscelis* s. str. **Seidl.**, *Mon.* 1893, 342 = Subg. ad *Platyscelis* **Latr.** 1825. *Ten.*, *Platysc.* 397.
- Platysemus* **Haag**, *DEZ.* 19, 1875, 413 (pro gen. *Moll.*: **Middendorf** [1847] *praecoc.*? quo loco?) (*Pl. benguelensis* **Haag** 1875) 1913:1. *Ten.*, *Eurych.* 221.
- Platysoma* O **Leach**, *Zo. Misc.* III, 1817, 77; **Er.** in **Klug**, *Jahrb. Ins.* I, 1834, 106; **Mars.**, *Mon.* 1853, 248; **Jacq. du Val**, II, 1858, 99; **Schmidt**, *BEZ.* 29, 1885, 281; **Seidl.**, *F. Ba. et Tr.* 1891, 45; **Ganglb.**, *KäfMEur.* 3, 1899, 355; **Reitt.**, *F. Germ.* II, 1909, 280; **Gutfl.-B.**, 223; **Schaufuß** in *Calwer*, 303; **Kuhnt**, 364, 365 (*Pl. compressum* [**Hbst.**] 1783) 1913:195. — 5 Subgg.: *Platyl.*, *Sil.*, *Platys.*, *Cyl. Id.* (in orb. terr.). *Hist.* 20.
- Platysoma* **Leach** s. str. = Subg. 3 ad *Platysoma* **Leach** 1817 (Typ.?: *Pl. compressum* **Hbst.** 1783) 1913:112+2 (in omn. part. orb. terr.). *Hist.* 20, 3.
- Platystes* **Motsch.**, *Etud. E.* 1852, 38 sq. = *Photuris* **Lec.** 1851. *Lamp.*, *Photu.* 52.
- Platystethus* O[§] **Mannh.**, *Brachél.* 1830, 46; **Ganglb.**, *KäfMEur.* II, 1895, 627; **Gutfl.-B.**, 169; **Schaufuß** in *Calwer*, 163, 172; **Kuhnt**, 163, 202. — *Biol.*: **Bouché**, *NID.* 1834, 182, t. 8, f. 14—21; **Rupertsberger**, *Biol.* *Käf. Eur.* 1894, 126, etc. — (Typ.?: *Pl. cornutus* [**Grav.**] 1802; *avenarius* [**Fourer.**] 1785) 1913:32 (in divers. part. orb. terr.). *Pl.* s. str. = Subg. ad *Pl. Mannh.* 1830. *Staph.*, *Oxyt.*, *Oxyti.*, *Oxyte.* 124.
- Platysystrophus* O **Kleine**, *ArN.* 82, 1916 (1917) A. 4, 138, 139 (*Pl. minutus* [**Drury**] 1773) 1917:3 (Am. b.; Mex.-Can.). *Brenth.*, *Brentha.*, *Arch.*, 57a?
- Plectogaster* O **Waterh.**, *TESL.* 1881, 429 (*Pl. pectinicornis* [**Bates**] 1881) 1913:2 (Cost. aur., Cost. eburn., Cam., Congo gall., Afr. or-germ.). *Ceram.*, *Cerambin.*, *Dorcas.* 568.
- Plectomorphus* **Raffr.**, *Rev. d'E.* 17, 1898, 265; *ASEFr.* 72, 1903, 531; *GIW. Psel.* 1908, 105 (Typ.?: *Pl. spinifer* [**Broun**] 1893, *trisulcicollis* [**Broun**] 1880) 1913:3 (N. Z.). *Psel.*, *Psel.*, *Euplect.* 121.
- Plectonycha* O **Lac.**, *Mon. Phyt.* I, 1845, 298; **Chap.**, X, 70; **Jacoby et Clavereau**, *GIW.* 23, 24 (*Pl. variegata* **Lac.** 1845) 1913:6 (Col., Bras., Rio Jan., Corrientes). *Chrys.*, *Crioc.* 9.
- Plectophloeus* O **Reitt.**, *Col. Cat. Eur. Cauc. Arm. ross.* 1891, 123; **Ganglb.**, *KäfMEur.* II, 1895, 781; **Raffr.**, *ASEFr.* 77, 1903, 539; 79, 1910, 183; *GIW. Psel.* 1908, 85; **Schaufuß** in *Calwer*, 245 (Typ.?: *Pl. Fischeri* [**Aubé**] 1833) 1913:10 (Eur. c. et mont.). *Psel.*, *Psel.*, *Euplect.* 89.
- Plectostenus* **Lea**, *PRS. Vict.* 23, 1911, 146 (*Pl. gracilicornis* **Lea** 1911) 1913:1 (Austral. occ.). *Psel.*, *Psel.*, *Euplect.* 100a.
- Plectris* O **Serv.**, *Enc. méthod.* X, 1825, 369; **Blanch.**, *Col. Cat. E.* 1850, 125; **Burm.**, *Hd. E.* IV, 2, 82; **Lac.**, III, 259; **Brenske**, *BEZ.* 47, 1902, 33 (*Pl. tomentosa* **Serv.** 1825) 1913:60 (Am. mer., Mex., Bras. etc.). *Scar.*, *Melth.*, *Macro.* 496.
- Plectrocerum* O **Lac.**, IX, 1869, 135 (*Pl. cribratum* [**Sallé**], *ASEFr.* (3)

- 4, 1856, 689, t. 20, 1, f. 3; *spinicorne* [Ol.] 1795) 1913:2 (Haiti). *Ceramb.*, *Cerambin.*, *Heterops.* 921.
- Plectrodes* **O G. Horn**, TAMES. I, 1867, 166, fig.; VIII, 1880, 145/7; **Casey**, AN YAcSc. V, 1889, 170 (*Pl. pubescens* **G. Horn** 1867) 1913:3 (Cal.). *Scar.*, *Melth.*, *Lipar.* 217.
- Plectromerus* **O J. Lec.**, Smiths. Misc. Coll. XI, 265, 1873, 304 (*Pl. dentipes* [Ol.] 1790) 1913:4 (Georg., Fla., Haiti). *Ceramb.*, *Cerambin.*, *Curi.* 345.
- Plectus* **Serv.** in **Scudder**, Nomencl. Zool. I, 1882, 269 = *Plectris* **Serv.** 1825. *Scar.*, *Melth.*, *Macrod.* 496.
- Plectusodes* **Raffr.**, Rev. d'E. 17, 1898, 261; ASEFr. 72, 1903, 530; GIW. *Psel.* 1908, 106 (*Pl. breviceps* **Raffr.** 1898) 1913:1 (Austral.). *Psel.*, *Psela.*, *Euplect.* 113.
- Pledina* **Reitt.**, VN. 40 [Best.-Tab. 50] 173 = Subg. ad *Holotrichia* **Hope** 1837. *Scar.*, *Melth.*, *Melthi.* 295.
- Plegaderus* **O Er.**, in **Klug**, Jahrb. Ins. I, 1834, 203; **Mars.**, Mon. 1856, 259; **Jacq. du Val**, II, 1858, 113; **C. G. Thoms.**, Sk. Col. IV, 1862, 249; **Schmidt**, BEZ. 29, 1885, 284; **Ganglb.**, KäfMEur. 3, 1899, 397; **Reitt.**, F. Germ. II, 1909, 294; **Gutfl.-B.**, 230; **Schaufuß** in **Calwer**, 315, 316; **Kuhnt**, 364, 375 (*Pl. saucius* **Er.** 1834, *vulneratus* [**Panz.**] 1792) 1913:22 (Mediterr., Roman., Jap., Am. b., Cal., Bras.). *Hist.* 111.
- Pleganophorus* **O Hampe**, V. Mi. Ver. Hermanstadt, 6, 1855, 97; **Redt.**, F. Austr. 1858, 347; etc.; **Jacq. du Val**, II, 1858, 186; **Reitt.**, WEZg. I, 1882, 255; Best.-Tab. 1885, 28; **Mars.**, Ab. 23, 1885, 209; **Seidl.**, F. Balt. 1888, Gatt. p. 62; F. Tr. 1889, Gatt. p. 62; **Ganglb.**, KäfMEur. III, 1899, 927; **Csiki**, Rov. Lap. 7, 1900, 451 (*Pl. hispinosus* [**Hampe**] 1855) 1913:1 (Hung. mer., Gr.). *End.*, *Trochoi.* 22.
- Pleiophylla* **Péring.**, T.SAfr. Phil. S. 13, 1904, 130 (*Pl. vestita* **Péring.**) 1913:1 (Colon. cap.). *Scar.*, *Melth.*, *Pachyd.* 411.
- Pleioptleura* **Seidl.**, Mon. 1893, 342 = Subg. ad *Platyscelis* **Latr.** 1825. *Ten.*, *Platysc.* 397.
- Pleistophylla* **Péring.**, T.SAfr. Phil. S. 13, 1904, 155 (*Pl. singularis* **Péring.** 1904) 1913:1 (Trv.). *Scar.*, *Melth.*, *Pachyd.* 420.
- Pleocoma* **O** $\frac{1}{2}$ **J. Lec.**, PAcPhil. 1856, 24; **Gerst.**, StEZg. 44, 1883, 436. — Biol.: **Osten-Sacken**, Psyche II, 1877, 23; TAMES. V, 1874, 84; **Rivers**, EAm. V, 1889, 17 etc. — (*Pl. fimbriata* **J. Lec.** 1856) 1913:9 (Cal.). *Scar.*, *Pleoc.* 1.
- Pleolobus* **Phil.**, StEZg. 25, 1864, 278 = *Anorus* **J. Lec.** 1859. *Dasc.*, *Dasci.*, *Genec.* 133.
- Pleopertha* **Reitt.**, VN. 41, 1903, 92 = Subg. 8 ad *Phyllopertha* **Steph.** 1830 (*Pl. arcuata* **Gebl.** 1832) 1918:1 (Dauria, Sib. or.). *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma.* 77, 8.
- Pleophylla* **O Er.**, NID. III, 1847, 695; **Brenske**, BEZ. 42, 1887, 353; 44, 1899, 233, 45, 1900, 76, 83; **Péring.**, T.SAfr. Phil. Soc. III, 1904, 6 (Typ. ?; *Pl. fasciatipectennis* **Blanch.** 1850; *navicularis* **Burm.** 1855) 1913:3 (Afr. mer.: Caffr.; Nat.). *Scar.*, *Melth.*, *Seric.* 71.
- Pleotomus* **O Le Conte**, Class. Col. N. Am. I, 1861, 184; **Gorham**, TESL. 1880, 10; **Ern. Ol.**, GIW. *Lamp.* 1907, 10 (*Pl. pallens* **Lec.** 1866 [!]) 1913:3 (Ky.; Ariz., Tex.) *Lamp.*, *Lampr.* 2.
- Plesia* **Kl.**, Ins. Madag. 1833, Sep. p. 25, 97; **Cast.**, l. c., 243; **Lac.**, V, 506 = *Eubalia* **Cast.** 1840. *All.* 35.
- Plesianaspis* **Costa**, F. Regni Napoli, *Mord.* 1854, 28 = *Anaspis* **Geoffr.** 1762. *Mord.*, *Anasp.* 16.
- Plesiocis* **Casey**, JoN YES. 6, 1898, 87 (*Pl. cribrum* **Casey** 1898) 1913:1 (Cal.) *Cio.*, *Cisi.* 9.

- Plesiophthalmus* **Motsch.**, Etud. E. 6, 1857; 1861, 19; **Lac.**, V, 477 (*Pl. nigrocyaneus* [**Motsch.**] 1877) 1913:19 (Ch., Corea, Jap.). *Ten.*, *Rhyssep.* 1143.
- Plesioserica* **Brenske** [emend.], *BEZ.* 44, 1899, 236; 45, 1900, 46; 47, 1902, 72 (*Plaesioserica*) 1913:1 (Madag.) (*Pl. viridula* **Brenske** 1900). *Scar.*, *Melth.*, *Seric.* 58.
- Plesispa* **O Chap.**, XI, 1875, 290 (*Pl. Reichi* **Chap.** 1875) 1913:1 (Malacca). *Chrys.*, *Hisp.*, *Crypton.* 60.
- Pleurispa* **Ws.**, *DEZ.* 1901, 230 (*Pl. misella* **Ws.** 1901) 1913:3 (Madag., Afr. or.-brit., Togo). *Chrys.*, *Hisp.*, *Hispi.* 78.
- Pleuromenus* **Bates**, *TESL.* 1872, 194 (*Pl. baccifer* et *semicostatus* **Bates** 1872) 1913:2 (Nicaragua). *Ceram.*, *Cerambin.*, *Stenasp.* 995.
- Pleuromophlus* **Reitt.**, *VN.* 45, 1906, 138, 146 = *Heliotaurus* **Muls.** 1856. *All.*, *Omophl.* 110.
- Pleuroneces* **O Olliff** in **Whymper**, Travels amongst Great Andes, Equat. Suppl. app. 1891, 59 (*Pl. montanus* **Olliff** 1891) 1913:1 (Ecuador). *Nit.*, *Cat.* 4.
- Pleuronitis* **Lansb.**, *ASEB.* 18, 1875, 14, 17 (*Pl. fulgidus* **Cast.** 1840) 1913:1 (Senegal). *Scar.*, *Copr.*, *Onit.*, *Onitd.* 91.
- Pleuropasta* **O Wellm.**, *ENs.* 20, 1909, 120 (*Pl. mirabilis* **Horn** 1870) 1917:1 (Ariz., Utah, Cal., Mex.). *Melo.*, *Lytt.*, *Lytti.* 45.
- Pleurophorus* **O^{sc} Muls.**, 1842, 312/3; **Muls. et Rey**, 1871, 377—380; **Er.**, *NID.* 3, 1848, 913—914; **Horn**, *TAmES.* III, 1871, 291; 14, 1887, 90—2; **Seidl.**, *F.Ba.* 1891, 29 et 144; **F. Fr.** 1891, 29 u. 152; **Reitt.**, *Tab.*, *Aphod.* 19, 29 et 30; *VN.* 30, 157, 167/8; **d'Orb.**, *Abeille* 28, 1896, 248—250; **Péring.**, *T.SAfr.Phil.S.* 12, 1901/3, *Cat.* 1901, 370, 448/9; **A. Schmidt**, *GIW.*, 1910, 117, 128—130, t. 3; **Schaufuß** in *Calwer*, 1265, 1267; **Kuhnt**, 383, 388. — *Biol.*: **Xamben**, *Echange*, *Moeurs et Métam.* 6, 107. — (Typ.? *Pl. sabulosus* **Muls.** 1842 (*Pl. caesus* [**Creutz**] 1796) 1913:15 (Eur., As., Afr., Am.). *Scar.*, *Aphod.*, *Psamm.* 35.
- Pleurophorus* **Sol.** in **Gay**, *H. Chile* V, 1851, 162 = *Discopleurus* **Lac.** 1859. *Ten.*, *Stenos.* 236.
- Pleuropompha* **J. Lec.**, *Class. Col. N. Am.*, 1862, 273 (*Pl. costata* **J. Lec.** 1854) 1917:1 (Frontera). *Melo.*, *Lytt.*, *Lytti.* 37.
- Pleuropterus* **O (Westw.) Lac.**, *Gen. Col. II*, 1854, 10; **Raffr.**, *Nouv. Arch. Mus. Paris* (2) 8, 1885, 338; **Wasmann**, *Not. Leyd. Mus.* 25, 1904, 7; **Desneux**, *GIW. Pauss.* 1905, 12; 1841 (*Pl. Westermanni* **Westw.** 1841) 1913:11 (Afr.; Malacca, Java; Ceylon). *Pauss.*, *Cerapt.* 6.
- Pleurosticha* **Motsch.** in **Schrenck's R.** II, 1860, 191; **Mars.**, *Abeille* 24, 1886, 64 = *Chrysometa* **L.** 1758. *Chryso.*, *Chrysi.* 24.
- Plinthochrous* **Fairm.**, *ASEFr.* 60, 1891, 263 (*Pl. Gounellei* **Fairm.** 1891) 1913:1 (Guinea). *Ten.*, *Rhyssep.* 1130.
- Plinthus* **Germ.**, *Curc.* cf. P. II.
- Plionoma* **Casey**, *Mem. Col.* 3, 1912, 334 (*Pl. degener* **Casey** 1912) 1913:1 (Ariz.). *Ceram.*
- Plocaederus* **O J. Thoms.**, *Class. Cer.* 1860, 197; *Syst. Cer.* 1864, 443 (*Pl. fucatus* [**J. Thoms.**] 1858, *cyaniipennis* **J. Thoms.** 1860), *spiniicornis* [**F.**] 1781) 1913:36 (Afr. plerumq. trop. 1, Elytra metall.: 9; El. haud met.: 16; As.; Ind., Sib., Buchara, Birma, Bengal., Ceyl.; Phil. Ins.). *Ceram.*, *Cerambin.*, *Cerambyc.* 133.
- Plocamocera* **O Spin.**, *Clerit.* II, 1844, 17; **Lac.**, IV, 1857, 468; **Chenu**, *Enc.* II, 1860, 265; **Gorh.**, *TESL.* 1877, 249; *BCA. Col.* III, 2, 1882, 167; **Kuw.**, *ASEB.* 37, 1893, 492; **Schklg.**, *GIW. Cler.* 1903, 88; **Gah.**, *ANH.*

- (8) 5, 1910, 73 (*Pl. sericella* Spin. 1844) 1913:2 (Bras., Amaz., Guat., Col., Pan.). *Cler.*, *Cleri.*, *Phylloba*. 143.
- Plocamocerus* **Kuw.**, ASEB. 37, 1893, 496 = *Plocamocera* Spin. 1844. *Cler.*, *Cleri.*, *Phylloba*. 143.
- Plocoderus* **Gemm. et Har.**, Col. Cat. IX, 1872, 2799 = *Plocaederus* **J. Thoms.** 1860. *Ceram.*, *Cerambin.*, *Cerambyc.* 133.
- Plochionocerus* **O Sharp**, BCA. Col. I, 2, 1882/87 (1885), 471 (*Pl. formicarius* [Cast.] 1835) 1914:8 (Am. trop.: c. et mer.). *Staph.*, *Staphy.*, *Xanth.* 273.
- Plociopterus* **O Kraatz**, NID. II, 1856/58, 539, Nota (Typ. ?; *Pl. comptus, ornatus, venustus, fetialis* Er. 1839/40) 1914:25 (Am. c., Am. mer. trop.). *Staph.*, *Staphy.*, *Staphyl.*, *Xantho.* 363.
- Plotopuserica* **O Brenske**, BEZ. XLIV, 1899, 237; XLV, 59 (*Pl. Darwiniana* Brenske 1900) 1913:1 (Madag.). *Scar.*, *Melth.*, *Seric.* 66.
- Plumaria* **Reitt.**, WEZg. 1889, 127, Tab. 47, 1901, 25 (*Pl. grandicollis* [Mén.] 1832) 1913:1 (Cauc., Ross. mer., Trsilv.). *Anob.*, *Ptilin.* 44.
- Plusioserica* **O Brenske**, BEZ. XLII, 1897, 236; XLV, 1900, 44 (*Pl. viridescens* Kunkel in Grandidier 1887) 1913:1 (Madag.). *Scar.*, *Melth.*, *Seric.* 57.
- Plusiotis* ♂ **Burm.**, Hd.E. IV, 1, 1844, 417; **H. Bates**, BCA. Col. II, 2, 1888, 276; **Nonfr.**, WEZg. X. 1891, 300; l. c. XI, 1892, 127. — Biol.: **Boucard**, PZSL. 1875, 124; **Ohs.**, DEZ. 1908, 403. — Sectiones: 1. *laniventris*: 9 (Tex. 1, Mex. 7, Costarica 1). — 2. *O victorina*: 4 (Mex. 2, Ariz. 1, Costarica 1). — 3. *O costata* 10 (Mex. 10, Ariz., Mex. 1, [2 falso Bras.], Valparaiso). — 3.
- O Adelaida* 6 (Mex. 6, Guat. 1 var., Ariz. 1). — 4. *O chrysopedila* 4 (Pan. 3, Nicar. 1). — 5. *O resplendens* 12 (Costarica 8, Pan. 2, Ec. 1, Peru 1, Am. c. 1, Col. 1) 1918:45. *Scar.*, *Rut. hom.*, *Ruti.*, *Pelidn.* 20.
- Plutonesthes* **O J. Thoms.**, Syst. Cer. 1864, 160; **Pasc.**, TESL. (3) 3, 1869, 577 (*Pl. rufipennis* **J. Thoms.** 1864) 1913:4 (Singap., Penang, Malacca, Tonkin). *Ceram.*, *Cerambin.*, *Pyr.* 669.
- Pneumida* **J. Thoms.**, Syst. Cer. 1864, 191 = *Ceresium* **Newm.** 1842. *Ceram.*, *Cerambin.*, *Calldp.* 332.
- Pocadiodes* **Ganglb.**, KäfMEur., 1899, 464, 543; **Schaufuß** in Calwer, 423 (*P. vajdelota* [Wankov.] 1869) 1913:1 (Litau., Cro.). *Nit.*, *Nitid.* 113.
- Pocadionta*¹⁾ **R. Luc.** pro *Pocadiopsis* **Grouv.** 1898 (cf. Nota). *Nit.*, *Nitid.* 114.
- Pocadiopsis* **Fairm.**, ASEB. 40, 1896, 17 (*P. marginicollis* et *simulator* **Fairm.** 1896) 1912:2 (Ind.). *Ten.*, *Opatr.* 531.
- Pocadiopsis*¹⁾ **Grouv.**, ASEFr. 67, 1898, 360 (*P. dentipes* **Grouv.** 1898) 1913:1 (Chile). *Nit.*, *Nitid.* 114.
- Pocadites* **Reitt.**, *Nitid.* Japans, 1884, 264 et 267, 1885, 44 (Typ.?, *dilatimanus*, *Hilleri*, *japonus*, *oviformis* etc.) 1913:9 (Jap. 3, Borneo 1, Birma 1, Andam. 1). *Nit.*, *Nitid.* 111.
- Pocadius* **Er.** in Germar, ZE. IV, 1843, 318; **Gutfl.-B.**, 246; **Schaufuß** in Calwer, 423, 438; **Kuhnt**, 478, 490 (*P. striatus* [Ol.] 1790) 1913:16 (Eur., Jap., Ind. 2; Togo 1; Ariz., Cuba, Bras., Cal., Mex.). *Nit.*, *Nitid.* 110.
- Podapion* **O Riley**, B. Brooklyn E. S. 6, 1883, 61 (*P. gallicola* **Riley** 1883) 1913:1 (Cal.). *Curc.*, *Api.*, *Apion.* 13.

¹⁾ Nota: *Pocadionta* nom. nov. **R. Luc.** pro *Pocadiopsis* **Grouv.** 1898 nec. **Fairm.** 1896.

- Podapion* Schilsky in Küster, Käf.Eur. 43, 1900, VII = Subg. ad *Apion* **Hbst.** 1797. *Curc., Api., Apion.* 11.
- Podhomala* Sol., ASEFr. V, 1836, 7 **Cast.**, HN. 1840, 181; **Kraatz**, Rev. Ten. 1865, 371; **Sénac**, Mon. Pimel. I, 1884, p. VI sq.; **Reitt.**, DEZ., 1888, 331; 1907, 412; (*P. Pterocomodes*) *acuta* Artberechtigt. **Reitt.** WEZg. 30, 64, *P. suturalis* Sol. 1836, *serrata* [Fisch.] 1830) 1913:5 (As. centr., Russ. mer.). Ten., Pimel. 376.
- Podispa* Chap., XI, 335 (pars); **Péring.**, A.SAfr.Mus. 1898, 117 = *Dorcasthispa* Ws., 1900. *Chrys., Hisp., Hispi.* 84.
- Podispa* Chap., X, 335 (part.) = *Dactylispa* Ws. 1897. *Chrys., Hisp., Hispi.* 89.
- Podoces* **Péring.** T.SAfr.Phil.S. IV, 1888, 122; VI, 2, p. 135 = *Carchares* Pasc. 1887. Ten., Scaur. 336.
- Podolasia* **Harold**, Col. Hefte V, 1869, 122 (*P. ferruginea* [J. Lec.] 1869) 1913:1 (Tex.). *Scar., Melth., Chasm.* 13.
- Podonta* O Muls., *Pectin.* 1856, 66; Opusc. VII, 25; **Lac.** V, 1859, 509; **Jacq. du Val.** III, 1859/63 351; **Schaufuß** in Calwer, 787; **Kuhnt**, 732, 735.
- Umfass. Arb.: Revis.: **Kiesew.**, BEZ. 17, 1873, 9 (Tab. p. 10); **Seidl.**, NID. V, 2, 1896, 179; **Reitt.**, VN. 45, 1906, 118 [Best.-Tab.]. — (*P. nigrita* [F.] 1794) 1913:28 (Eur. m., As. occ.). *All., Omophl.* 96.
- Podontinus* **Seidl.**, NID. V, 2, 1896, 197; **Reitt.**, VN. 45, 1906, 126 (*P. punctatissimus* **Kiesw.** 1861) 1913:1 (Syr.). *All., Omphopl.* 99.
- Podoserica* **Breit**, EMI. 1, 1912, 202 (*P. reitteri* **Breit** 1912) 1913:1 (Tibet). *Scar., Melth., Seric.* 31a.
- Podoxenus* **Lefv.**, ASEFr. (5) 7, 1877, 148; MSLiège (2) 11, 1885, 41 (*P. Chapuisi* **Lefv.** 1877) 1914:11 (Bras.). *Chrys., Eumolp., Colasp.* 59.
- Podus* **Raffr.**, Rev. d'E. I, 1882, 52, IX, 1890, 109; ASEFr. 73, 1904, 7; GIW. *Psel.* 1908, 164 (*P. femoralis* **Raffr.** 1882) 1913:1 (N. Guinea). *Psel., Psel., Batris.* 179.
- Poecilalurnus* **Jacobs.**, A.Mus.Zo. Pétersb., 1899, 245 = *Alurnus* F. 1775. *Chrys., Hisp., Alurn.* 16.
- Poecilsthus* **Blanch.**, HN. II, 1845, 33; **Lac.** V, 483; **Mäkl.**, Öfv. Finsk. Vet. S. Förh. 20, 1878, 64 (309); **Champ.**, BCA. Col. IV, 1, 1887, 335 (Typ.?: *P. fasciatus* [F.] 1781, *geometricus* [Perty] 1830) 1913:43 (Am. c. et mer.). Ten., *Strongyl.* 1158.
- Poecilips* **Schauf.**, BEZ. 42, 110 (*P. sannio* **Schauf.** 1902) 1913:1 (D.-Ostafri. Afr. occ., Gabun.). *Ip., Hyl.* 79.
- Poecilium* **Fairm.**, Gen. Col. d'Eur. IV, 1864, 134; **Ganglb.**, Best.-Tab. VII, 1882, 70, 748; **Schaufuß** in Calwer, 852 = Subg. ad *Phymatodes* Muls. 1839. *Ceram., Cerambin., Callid.* 785.
- Poecilobrium* O J. Lec. u. **Horn**, Class. Col. N. Amer. 1883, 291 (*P. chalybaeum* J. Lec. 1873) 1913:2 (Cal.). *Ceram., Cerambin., Molorch.* 611.
- Poecilochroa* **Chevr.**, M. Cler. 1876, 5; **Gorham**, BCA. Col. III, 2, 1882, 145; **Schklg.**, GIW. Cler. 1903, 41; **Wolcott**, Publ. Field Mus. Chicago 7, 1910, 358 = *Clerus* F. 1775. *Cler., Cleri., Clerin.* 78.
- Poecilochroa* **Gorh.**, BCA. Col. III, 2 Suppl., 1886, 337, 338 = *Placopterus* **Wolcott** 1910 = *Clerosoma* **Wolcott** 1910. *Cler., Cleri., Clerin.* 68; 69.
- Poeciloderma* O J. **Thoms.**, Class. Cer. 1860, 374; Syst. Cer. 1864, 431 (*P. lepturoides* **Jacq.** in Sagra, 1857) 1913:1 (Cuba, Haiti). *Ceram., Cerambin., Heterops.* 919.
- Poecilodiscus* **Broun**, ANH. (6), 16, 1895, 201 (*P. pulcher* **Broun** 1895) 1913:1 (N. Z.). *Scar., Melth., Lipar.* 164.

- Poecilomallus* **O Bates**, TESL. 1892, 151 (*P. palpatis* **Bates** 1892) 1913:1 (Mex.). *Ceram.*, *Ceram.*, *Phorac.* 225.
- Poecilopeplus* **O J. Thoms.**, *Class. Cer.* 1860, 205; *Syst. Cer.* 1864, 459; **Lac.** IX, 1869, 147 (*P. corallifer* [**Sturm**] 1826, *Batesi* [**White**] 1853) 1913:7 (Bras., Costa Rica, Bol., Col.). *Ceram.*, *Ceram.*, *Poecilopepl.* 935.
- Poecilosoma* **O Serv.**, ASEFr. I, 1832, 184; **J. Thoms.**, *Class. Cer.* 287; *Syst. Cer.*, 467; **Lac.** VIII, 187; **Lmr.**, MSEB. 17, 1909, 28 (Rev., 612) (*P. ornatum* [**Dalm.**] 1823) 1913:1 (Bras.). *Ceram.*, *Prion.*, *Deranc.* 57.
- Poecilosticta* **Kraatz**, DEZ. 1892, 290 = *Spilota* **Burm.** 1844 = Subg. 4 ad *Anomala* **Sam.** s. str. 1819. *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma.* 71,4.
- Poeciltoides* **Fairm.**, ASEB. 40, 1896, 352 (*P. alternans* **Fairm.** 1896) 1913:1 (Madag.). *Ten.*, *Tenebr.* 818.
- Poederomorphus* **Gautier**, ASEFr. (4) II, 1862, 78 = *Paederus* **F.** 1775. *Staph.*, *Paed.*, *Paedi.* 168.
- Pogonarthron* **Sem. A.**, HoR. 34, 1899, 254, 257 (*P. Tschitscherini* [**A. Sem.**] 1889, *Bedeli* **A. Sem.** 1899) = *Prionus* **F.** 1775. 1913:2 (Turk. ross., Buchara or.). *Ceram.*, *Prion.*, *Prionin.*, *Prioni.* 72.
- Pogonobasis* **OSol.**, ASEFr. 6, 1837, 161; **Lac.** V, 96; **Haag**, BEZ. 19, 1875, 386 (Mon.); **Reitt.**, Best.-Tab. 42, 1900, 191 (*P. rugulosa* **Guér.** 1829—1838, *ornata* **Sol.** 1837) 1913:8 + 2? (Angola, Kliimandj., Arab., Aeg., Abyss., Senegal., Congo). *Ten.*, *Eurych.* 210.
- Pogonoxenus* **O Wasm.**, DEZ., 1899, 172 (*P. Kraatzi* **Wasm.** 1899) 1913:1 (Cam.). *Ten.*, *Ulom.* 724.
- Polemiotus* **Cas.**, *Rev. Ten.* 1907, 379, 381 (*P. submetallicus* [**Lec.**] 1854, *humeralis* **Cas.** 1907), 1913:3 (Cal., Mex., Ariz.). *Ten.*, *Epitrag.* 60.
- Poliorectes* **Champion**, BCA. Col. IV, 1, 1884, 70 = *Asida* **Latr.** 1804. *Ten.*, *Asid.* 286.
- Pollaclasis* **Newm.**, EMa. V, 1838, 382 = *Calyptocephalus* **Gray** 1832. *Lamp.*, *Lampr.* 5.
- Pollaplonyx* **O Waterh.**, TESL. 1875, 105; **Reitt.**, VN. 40 [Best.-Tab. 50], 163 nota (*P. flavidus* **Waterh.** 1875) 1913:1 (Jap.). *Scar.*, *Melth.*, *Melthi.* 337.
- Polycara* **Sol.**, M.Acc.Torino (2) 6, 1844, 258 (66) = *Philorea* **Er.** 1834. *Ten.*, *Platysc.* 405.
- Polpogenia* **Sol.**, ASEFr. 5, 1836, 70 = *Pterolasia* **Sol.** 1836. *Ten.*, *Pimel.* 378.
- Polyarthron* **O Serv.**, ASEFr. I, 1832, 189; **J. Thoms.**, *Class. Cer.*, 295; *Syst. Cer.*, 470; **Lac.**, VIII. 45 (*P. pectinicornis* [**F.**] 1792) 1832 = ref. ad *Prionus* **F.** 1775 1913:1 (Seneg., Mar., Tschad., Timbuktu etc.). *Ceram.*, *Prion.*, *Prionin.*, *Prioni.* 72.
- Polycaon* **Cast.**, HN. Col. I, 1840, 282; **Spin.** in **Gay**, H. Chile 4, 1849, 381 = *Calendyma* **Lac.** 1857. *Cler.*, *Cleri.*, *Clerin.* 122.
- Polychelus* **Luze**, HoR. 37, 1904, 74; **Bernh.**, VzbGW. 55, 1905, 595 = *Coryphium* **Steph.** 1832. *Staph.*, *Oxyt.*, *Omal.* 91.
- Polyclasis* **Le Conte**, PAcPhil. 1851, 332 = *Calyptocephalus* **Gray** 1832. *Lamp.*, *Lampr.* 5.
- Polyconia* **Ws.**, DEZ. 1895, 318 (*P. spinicornis* [**Kraatz**] 1895), 1913:1 (Niger-Benue). *Chrys.*, *Hisp.*, *Hispi.* 82.
- Polygramma* **Motsch.** in **Schrenck's R.** II, 1860, 181 = *Leptinotarsa* **Stål** 1858. *Chrys.*, *Chryso.*, *Chrys.* 11.
- Polygraphus* **O** $\frac{1}{2}$ **Er.** ArN. II, 1836, I, 57; **Eichh.**, BEZ. 8, 1864, 32, 45; *Eur. Borkenk.* 1881, 122; **Lac.**, VII, 1866, 365; **Lec.**, P. Am. Phil. S. 15, 1876, 374; **Provanch.**, F.E.Can. I, 1877, 570; **Blandford**, TESL. 1896,

- 74; **Reitt.**, Best.-Tab. 1894, 58; **Barbey**, *Scol.* 1901, 55; **Trédl**, *EBl.* 3, 1907, 11; **Swaine**, *Cat. Scol. N. Am.*, 1909, 141; **Sedlacek**, *Z. Forstw.* 38, 1912, 305/10.; **Gutfl.-B.**, 562; **Schaufuß** in *Calwer*, 1227; **Kuhnt**, 1045, 1051 (*P. polygraphus* (**L.**) 1875) 1913:15 (*Eur.*, *As.*, *Am. b.*, *Madag.*) *Ip.*, *Crypt.* 47.
- Polyidus* **O Champ.**, *BCA.Col.* IV, 1, 1888, 441 (*P. meridionalis* **Champ.** 1888) 1913:1 (*Am. c.*) *All.*, *Allec.* 89.
- Polylobarthron* **A. Sem.**, *HoR.* 34, 1899, 254, 258 (*P. margelanicus* **Théry** 1896 = ref. ad *Prionus* **F.** 1775) 1913:1 (*Turkest. ross.*) *Ceram.*, *Prion.*, *Prionin.*, *Prioni.* 72.
- Polymedon* **Casey**, *T.Ac.St.Souis* XV, 1905, 151, 156 (*P. tabacinus* **Casey** 1884) = Subg. 4 ad *Medon* **Steph.** 1832. 1913:1 (*Ariz.*) *Staph.*, *Paed.*, *Paedi.* 199,4.
- Polymoechus* **J. Lee.**, *PAcPhil.* VIII, 1856, 23 = *Parastasia* **Westw.** 1841. *Scar.*, *Rut. hom.*, *Ruti.*, *Parast.* 38.
- Polymus* **O Muls.**, *HN.Col.Fr.* *Sulcic.* 1846, 10; **Gerst.**, *Mon. Endom.* 1858, 351; **Redt.**, *F. Austr.* 1858, p. CXXXV 1874, etc.; **Mars.**, *Ab. V.* 1868/9, 111; **Fairm.** in **Jacq. du Val**, *G. Col. d'Eur.* 4, 1868, 278; **Seidl.**, *F. Balt.* 1872, *Gatt.* p. 46; 1888, *Gatt.* p. 67; *F. Tr. Gatt.* p. 67; **Chap.**, *G. Col.* 12, 1876, 118; **Reitt.**, *VzbGW.* 29, (1880), 96; *Best.-Tab.*, 1885, 37 (*P. nigricornis* **Muls.** 1846) 1913:1 (*Gal.*) *End.*, *Endo.*, *Lycop.* 56.
- Polynoncus* **Burm.**, *StEZg.* 37, 1876, 264 = Subg. ad *Trox* **F.** 1775. *Scar.*, *Trog.* 2.
- Polyodontus* **Sol.** in **Gay**, *H. Chile*, *Zo.* IV, 1849, 310; **Schaufuß** in *Calwer*, 183 = *Scopaeus* **Er.** 1839/40. *Staph.*, *Paed.*, *Paedi.* 205.
- Polyoptilus* **O Germ.**, *Linn. E.* 3, 1848, 230; **Chap.**, *Gen. Col.* X, 1874, 35; **Blackb.**, *TRS.SouthAustr.* 23, 1899, I, 96; **Jacoby**, *GIW.* 14, 1903, 3
- (*P. Erichsoni* **Germ.** 1848) 1913:9 (*Austral.*) *Chrys.*, *Sagr.*, *Megam.* 5.
- Polyzoa* **O ASEFr.** 1, 1832, 166; **J. Thoms.**, *Class. Cer.*, 289; *Syst. Cer.*, 470; **Lac.** VIII, 152; **Lmr.**, *MSEB.* 21, 1912, 41 (*Rév.*, 905) (*P. Lacordairei* **Serv.** 1832) 1913:2 (*Amaz.*: *Ega*; *Bras. mer.*, *Arg. b.*) *Ceram.*, *Prion.*, *Anacol.*, *Clost.* 81.
- Polyphemus* **Bernh.** (quo loco?) (*P. herculeanus* **Cast.**, *Etud. E.* 1835) 1914:1 (*Bras.*) *Staph.*, *Staphy.*, *Staphyl.*, *Xantho.* 340.
- Polyphida* **O Pasc.**, *TESL.* (3) III, 1869, 652; **Gahan**, *F. Brit. Ind. Col.* I, 1906, 321 (*P. clytoides* **Pasc.** 1869) 1913:4 (*Borneo*, *Manipur.*, *Birma*, *Malacca*) *Ceram.*, *Cerambin.*, *Glaucytl.* 902.
- Polyphylla* **O** $\frac{1}{2}$ + **Harris**, *Rep. Ins. Mass.* 1842, 30; **Er.**, *NID.* 3, 1847, 658; **Burm.**, *Hd. E.* IV, 2, 403; **Lac.**, III, 294; **J. Lee.**, *JoAcPhil.* (2) 3, 1856, 228; **Jacq. du Val**, III, 8, 1860, 52, t. 14 f. 70; **G. Horn**, *TAmES.* 9, 1881, 73; **Kraatz**, *DEZ.* 26, 1882, 234; *ENa.* 17, 1891, 347; **Tieffenb.**, *DEZ.* 26, 1882, t. 4 f. 25/29; **Bates**, *BCA.Col.* II, 2, 1888, 214; **Brenske**, *ENa.* 16, 1890, 123—198; 17, 1891, 210; **Reitt.**, *WEZg.* 8, 1889, 275; 9, 1890, 21; *ENa.* 16, 1890, 185; *VN.* 40 [*Best.-Tab.* 50], 255, 269; **Schewyrew**, *HoR.* 31, 1897 p. LXVI; **Sem.**, *HoR.* 34, 1900, 312; **Gutfl.-B.**, 327; **Schaufuß** in *Calwer*, 1319; **Kuhnt**, 386, 408 (*P. fullo* [**L.**] 1758) 1913:35 (*Eur. mer.*, *Sic.*; *As. c. et ant.*, *Jap.*, *Ch.*, *Am. b.*, *Civ. confoed.*, *med. et mer.*, *Cal.*, *Mex.*) *Scar.*, *Melth.*, *Melthi.* 351.
- Biol.*: **Horn**, *TAmES.* 15, 1888, 18 (*Larven*). — *Physiol.*: *P. fullo* **L.**: **Heyden**, *Ja.Nass.Ver.Nat.* 29/30, 1876/77, 112; **Krancher**, *EJa.* 13, 1904, 41 (*Zirpen*); **Fabre**, *Souv. E.* 10, 1907, **Chap.**, IX, 149/162. — *Metam.*: **Er.**, *NID.* 3, 1848, 661;

- Sajo**, ENa. 8, 1882, 9 etc. div. auct. rossic.; cf. sub *Addenda et DT.* in **Schklg. et J.**, P. 49, 259.
- Polyphyllum** **O Blanch.**, Cat. Coll. E. Col. I, 1850, 165 (*P. rubrescens* **Blanch.** 1850) 1913:1 (Ins. Sal.). *Scar.*, *Melth.*, *Melthi.* 381.
- Polypleurus** **O Eshsch.**, Zo. Atl. IV, 1831, 11; **Sol.**, ASEFr. VII, 1838, 194; **Lac.**, V, 359; **Horn**, Rev. *Ten.* 1870, 331; **J. Lee. et Horn**, Class. 1883, 377 (*P. perforatus* [**Germ.**] 1824) 1913:3 (Am. b., Civ. confod.; Fla.). *Ten.*, *Tenebr.* 759.
- Polyplocotes** **O Westw.**, TESL. 1869, 316 (*P. longicollis* **Westw.** 1869) 1913:3 (Austral.). *Ptin.*, *Ptini.* 25.
- Polysarcus** **Lefv.**, Rev. MaZo. (3) IV, 1876, 286 (nec **Fieber** 1853) = *Eurysarcus* **Lefv.** 1885. *Chrys.*, *Eumolp.*, *Iphim.* 32.
- Polychesis** **O Serv.**, ASEFr. II, 1833, 564 (*P. hirtipes* [**Ol.**] 1792) 1913:3 (Cayenne, Bras.). *Ceram.*, *Cerambin.* *Callichr.* 692.
- Polyscopus** **Waltl.**, Reise Span. II, 1835, 74 = *Adelostoma* **Dup.** 1827. *Ten.*, *Zopher.* 225.
- Polyspila** **O 𐌆 + Hope**, Col. Man. III, 1840, 165; **Guér.**, Ic. règne anim. 1844, 302; **Chevr.** in d' **Orbigny**, Dict. univ. X, 1847, 412. — Morphol.: **Jac.**, PZSL. 1896, 224; **Hegner**, Jo. Morph. Philad. XX, 1909, 231, 4 t.; Bi. B. Woods Hole 19, 1910, 18. — Biol.: **Hegner**, Psyche XV, 1908, 21; **Coquillet**, Can. Ent. XV, 1883, 22; **Beutenmüller**, EAm. 6, 1890, 176; etc., etc. cf. **Ws.** in **Schklg. et J.**, P. 68, 1916, 38 etc. (*P. philadelphica* [**L.**] 1758; *lunulata* [**F.**] 1797, *elegans* [**Ol.**] 1807) 1916:65 (Am.). *Chrys.*, *Chryso.*, *Chrysi.* 12.
- Polysticta** **Hope**, Cgl. Man., III, 1840, 164; **Clark**, ANH. (3) 14, 1864, 115; **Vogel**, Nunquam otios. I, 1871, 70, 96; **Chap.**, X, 382 = *Chrysomela* **L.** 1758. *Chrys.*, *Chryso.*, *Chrysi.* 24.
- Polytropus** **Kirsch**, BEZ. X, 1866, 1903 (*P. laenoides* **Kirsch** 1866) 1913:2 (Bogotá). *Ten.*, *Apocryph.* 989.
- Polyzonus** **O Cast.**, HN. II, 1840, 438, **Gah.**, F. Brit. Ind. Col. I, 1906, 213 (*P. fasciatus* [**F.**] 1781) 1913:15 (As. mer.; Kunbir, Timor, Sib.). *Ceram.*, *Cerambin.*, *Callichr.* 729.
- Pomatinus** **Sturm**, 22, 1853, 62; **Redt.**, F. Austr. ed. II, 1858, 412; ed. III, 1874, 446; (**P.**) [**Burm.**] **Guffl.-B.**, 294; **Jacq. du Val**, II, 275; **Muls. et Rey**, *Diversic.* 1872, 17 = *Helichus* **Er.** 1847. *Dryop.*, *Dryopi.*, *Dryopin.* 30.
- Pomphopoea** **J. Lee.**, Class. N. Am. Col. 1862 p. 273 (Type?; *P. aenea* [**Say**] 1824, *polita* [**Say**] 1824, *Sayi* [**J. Lee.**] 1853) 1917:5 (Tex., Illin. Georgia, Carol. mer., Louisiana, Pennsylv.). *Melo.*, *Lytt.*, *Lytti.* 25.
- Pontianacus** **Fairm.**, ASEFr. 67, 1898, 397 (*P. rubricrus* **Fairm.** 1898) 1913:1 (Borneo). *Ten.*, *Rhysop.* 1148.
- Popillia** **O Serv.**, Enc. méth. X, 1825, 367; **Newman**, TESL. III, 1841, 33; **Heller**, DEZ. 1891, 289; **Kraatz**, op. cit. 1892, 177; **Kolbe**, StEZg. 55, 1894, 207; ASEB. 47, 1903, 66; **Reitt.**, VN. 41, 1903, 45. — Revis.: **Newman**, ANH. (2) 2, 1838, 335; TESL. III, 1841, 33; **Kraatz**, DEZ. 1892, 77. — 1918:21.
- Faunistik:
Reg. pal.: *P. japonica* **Newm.** 1838, *quadriguttata* [**F.**] 1787; 1918:7 (As.: Ch. b., Jap., Corea). — Reg. orient.: *P. biguttata* [**Wiedem.**] 1821, *chlorion* **Newm.** 1838, *cupricollis*, *cyanea* **Hope** 1831, *marginicollis*, *nitida*, *virescens* et *scalpta* **Newm.** 1841; 1918:86 (As. mer. et Insul.). — Reg. austr.: *P. signatipennis* **Burm.** 1844; 1918:3 (Cel. Timor). — Reg. aethiop.: **Kolbe**, StEZg. LV, 1894 p. 207 Revis.; ASEB. XLVII, 1903 p. 66. — Subgg.: *Calo.*, *Eu.*, *Meta.*, *Pseudo.* et *Xenopopillia*.

- Godschama*, *Popillia* s. str. *Scar.*, *Rut. hom.*, *Anomi.*, *Popp.* 86.
- Popillia* **O Serv.** s. str.; **Kolbe**, *S'EZG.* 55, 1894, 209, 217 = Subg. 4 ad *Popp. Serv.* 1825 (*P. hipunctata* [F.] 1787, *femoravis* [Klug] 1835, *rufipes* [F.] 1787, *smaragdina* [Kraatz] 1892) 1918:70 (Afr. trop., c., or., Congo etc.). *Scar.*, *Rut. hom.*, *Anomi.*, *Popp.* 86, 4.
- Porcinolus* **Muls. et Rey**, *Pil.* 94 (294); **Reitt.**, *VzbGW.* 31, 1881 (Tab. 4), 73; **Seidl.**, *F. Ba. ed. II. F. Tr.*, 44; **Ganglb.**, *IV*, 1, 79; **Schaufuß** in *Calwer*, 612; **Kuhnt**, 610, 614 (*P. murinus* [F.] 1794) 1913:1 (Eur., As., Am. b.). *Byrrh.*, *Byrrhi.*, 22.
- Poreospasta* **G. Horn**, *TAmES. II*, 1868/69, 139 (*P. polita* **Horn** 1868) 1917:1 (Cal.). *Melo.*, *Lytt.*, *Meloi.* 50.
- Porithea* **Blackb.**, *PLSNSW.* (2) 8, 1894, 197; *TRS. Vict.* 12, 1900, 228 = *Porithodes* **Aur.** 1912. *Ceram.*, *Cerambin.*, *Phorac.* 239.
- Porithea* **Pase.**, *JoLSLZo.* IX, 1866, 102 (*P. intorta* **Newm.** 1841) 1913:1 (N. Holl.). *Ceram.*, *Cerambin.*, *Calldp.* 311.
- Porithodes* **Aur.** in *Schlig. et J.*, P. 39, 1912, 94 (*P. plagiata* **Blackb.** 1894) 1913:1 (N.S.W.). *Ceram.*, *Cerambin.*, *Phorac.* 239.
- Poroderus* **O Sharp**, *TESL.* 1883, 294; **Raffr.**, *ASEFr.* 73, 1904, 338; *GIW.* *Psel.* 1908, 341 (*P. armatus* [Sharp] 1874) 1913:9 (Jap., Siam, Sum., Ceyl., Travancore, Saigon). *Psel.*, *Psela.*, *Ctenist.* 358.
- Porodrymus* **Rey**, *ASL. Lyon* 28, 1881, 303; **Schaufuß** in *Calwer*, 211 = Subg. ad *Tachinus* **Grav.** 1802. *Staph.*, *Tach.*, *Tachi.* 423.
- Poromecyna* **Aur.**, *J. Sarawak Mus.* 3, 1913, 14 (*P. foveolata* **Aur.**) 1913:1 (Borneo). *Ceram.*
- Porphyrocens* **Reitt.**, *F. Germ.* 4, 1913, 34 nota (*P. [Purpuricenus] spectabilis* [Motsch.] 1857) 1913:1 (Jap.). *Ceram.*, *Cerambin.*, *Stenasp.* 973a.
- Porphyrrhyba* **Fairm.**, *Pet. Nouv. E. II.* 1877, 137; **Batte**, *TESL.* 1879, 292 (*P. violaceicolor* **Fairm.** 1877, *purpurata* [Klug] 1833) 1913:10 (Madag.). *Ten.*, *Cnodal.* 948.
- Porrhodites* **Kraatz**, *NID. II*, 1856/58 (1858), 961; **Ganglb.**, *KäfMEur. II*, 1895, 726 (*P. fenestralis* [Zett.] 1828) 1913:1 (Fenn., Lapp., Germ., Sib., Am. b.). *Staph.*, *Oxyt.*, *Omal.* 60.
- Porrhorrhynchus* **O Cast.**, *Etud. E.* 1834, 108; **Brullé**, *H. Ins. V. II*, 1835, 209; **Aubé**, *Icon. V*, 1838, 404; **Cast.**, *HN. I*, 1840, 170; **Lac.**, *I*, 440; **Régimb.**, *ASEFr.* (6) 2, 1882, 427; *GIW. I*, 1902; 4; **Seidl.**, *VN.* 26, 1887, 26 (*P. marginatus* **Cast.** 1834) 1913:5 (Siam, Annam etc., Nov. Guin., Ceylon., Arch. malay.). *Gyr.*, *Enhydr.* 2.
- Porrolagria* **Kolbe**, *DEZ.* 23, 1883, 26; *Nov. Act. Kais. Leop.-Car. Ak. Naturf. L* nr. 3, 1887, 306; **BEZ.** 46, 1901, 552; *Käf. D.-Ostaf.* 1898, 252 = *Lagrimina* **Fairm.** 1894 (*P. auda*; **Kolbe** 1883) 1913:7 (Afr.). *Lagr.*, *Lagri.* 15.
- Porrolagria* **Borchm.**, *ArN.* 81, 1915 (1916), 185. 1916:4 (Afr. c.). *Lagr.*, *Lagri.* 15.
- Porropus* **Cast.**, *HN. Col. II*, 1840, 113 (part.) = *Eucheirus* **Kirby** 1828. — *P. Lap.* (part.) = *Propomacrus* **Newm.** 1837. *Scar.*, *Euchi.* 1.
- Posides* **O Champ.**, *BCA. Col. IV*, 1, 1884, 6; **Casey**, *Rev. Mon.*, 1907, 517 (*P. dissidens* **Champ.** 1884) 1913:1 (Mex.). *Ten.*, *Eurymet.* 26.
- Potaminus* **Lac.** II, 505; **Fowl.**, *Col. Brit. Isl. III*, 1889, 380 = *Helichus* **Er.** 1847. *Dryop.*, *Dryopi.*, *Dryopin.* 30.
- Potamodytes* **O Grouv.**, *BSEFr.* 1896, 78; *ASEFr.* 75, 1906, 146 (*P. africanus* [Bohem.] 1851) 1913:7 (Afr., Madag., [4]). *Dryop.*, *Dryopi.*, *Potam.* 12.
- Potamophilinus* **O Grouv.**, *BSEFr.*, 1851, 781 (Typ. ?; *P. orientalis* **Gory** in

- Guér.-Men.** 1829—1844) 1913:5 (Java, Burma, Congo). *Dryop.*, *Dryopi.*, *Potam.* 11.
- Potamophilops* **Grouv.**, BSEFr., 1896, 78 (*P. cinereus* [Blanch.] 1837) 1913:1 (Arg.). *Dryop.*, *Dryopi.*, *Potam.* 8.
- Potamophilus* **O Germ.**, Neue Schrift. Nat. Ges. Halle 1, VI, 1811, 41; **Brullé**, HN. Ins. (V) II, 1835, 341; **Cast.**, HN. II, 1840, 41; **Er.**, NID. 3, 1847, 518; **Redt.**, F. Austr. ed. I—III; **Bach** I, 142; **Sturm**, 22, 67; **Lac.** II, 502; **Jacq. du Val**, II, 274; **Gutfl.-B.**, 295; **Muls. et Rey**, *Diversic.* 1872, 12; **Seidl.**, Fn. Ba. et Tr.; **Kuw.**, VzbGW. 1890, 16; **Grouv.**, BSEFr. 1896, 77; **Ganglb.**, KäfMEur. IV, 1, 1904, 100; **Gutfl.-B.**, 294; **Schaufuß** in Calwer, 577; **Kuhnt**, 591, 593 (*P. acuminatus* [F.] 1792) (Eur., c. Sib., N. Guin., Burma). *Dryop.*, *Dryopi.*, *Potam.* 6.
- Potaminia* **Ws.**, HoR. 3, 1889, 603 (*P. polita* **Ws.** 1889, *assamensis* **Baly** 1879) 1916:3 (Ind. or., Assam, Ch., Szetchuan). *Chrys.*, *Chryso.*, *Tim.* 116.
- Praeugena* **Cast.**, HN. (2) II, 1840, 241 (scr. pro *Praeugena* **Cast.** 1845). *Ten.*, *Strongyl.* 1179.
- Praocidia* **Fairm.**, ASEFr. 72, 1903, 463 (*P. nervosa* **Fairm.** 1902) 1913:1 (Peru). *Ten.*, *Praoc.* 412.
- Praocis* **O Eschsch.**, Zo. Atl. III, 1829, 6: **Sol.**, ASEFr. 9, 1840, 214; in **Gay**, H. Chile V, 1851, 185; **Cast.**, HN. II, 1840, 186; **Lac.**, V, 212; **Burm.**, StEZg. 36, 1875, 495 (*P. rufipes* **Eschsch.** 1829) 1913:78 (Chile 56, Peru 5, Pat. 7, Andes etc.). *Ten.*, *Praoc.* 410.
- Praogena* **O Cast.**, HN. II, 1840, 241 [scr. *Praeugena*]; **Lac.** V, 488; **Mäkl.**, Acta S. Fenn. 7, 1863, 557 (69) (Mon.) (*P. rubripes* **Cast.** 1840, *marginata* [F.] 1792) 1913:57 (Afr. c. et mer.). *Ten.*, *Strongyl.* 1179.
- Prasocuris* **O Latr.**, HNCrIns. III, 1802, 224; **Fairm.** in **Jacq. du Val**, IV, 1868, 233; **Chap.** X, 367, 372 (pars); **Ws.**, NID. VI, 3, 1884, 529; **Mars.**, Abeille 27, 1889, 128; **Fowler**, Col. Brit. Isl. IV, 1890, 119; **Bedel** V, 1892, 140; **Jacobs.**, HoR. 35, 1900, 89; **Everts**, II, 441; **Reitt.**, Süßwasserf. Deutschl. 1909, 218; **F. Germ.** IV, 1912, 128; **Schaufuß** in Calwer, 927, 956; **Kuhnt**, 805, 852 (*Pr. phellandrii* [L.] 1758, *junci* [Brahm] 1790) 1916:9 (Eur., Mediterr., Sib., Altai, Am. b., Civ. Oranje). *Chrys.*, *Chryso.*, *Phaedon.* 46.
- Morphol.: **Kempers**, TijE. 45, 1902, 59.
- Biol.: **Letzn.**, Arb. Schles. Ges. 1857, 127, 237; **Cornelius**, StEZg. 18, 1857, 127; 24, 1863, 119; **Boie**, op. cit. 1, 1850, 360; **Mars.**, Abeille, IV, 1867, 34; **Ferris**, op. cit. 7, 1870, 35; **Ws.**, NID. VI, 3, 1884, 530/1; **Löw**, VzbGW. 16, 1866, 956; **Bellevoeye**, Abeille 7, 1870; **Nouv. et faits**, 29, 74; **Kolbe**, ZE. Bresl., 19, 1894, 15; **Loiselle**, Feuille. j. Natur. 36, 1905, 133; **Rupertsb.**, EBl. 6, 1910, 33; **Beutenm.**, EAm. 6, 1890, 176.
- Praostetha* **Fairm.**, ASEFr. 66, 1897, 138 (*P. impressifrons* **Fairm.** 1897) 1913:1 (Congo lusit.). *Ten.*, *Strongyl.* 1180.
- Prasoidea* **O Ws.**, ASEB. 51, 1907, 132 (*P. sericea* **Gyll.** in Schöngh. 1808) 1914:5 (Terr. cap.; Terr. Mashona: Benin). *Chrys.*, *Eumolp.*, *Pras.* 105.
- Prateus* **J. Lec.**, Class. 1866, 238; **G. Horn**, Rev. *Ten.*, 374; **J. Lec. et Horn**, Class. 1883, 382 (*P. fuscus* **J. Lec.** 1866) 1913:1 (Am. b.: Civ. confoed.) *Ten.*, *Heterota.* 866.
- Praxithe* **J. Thoms.**, Syst. Cer. 1864, 254 (*P. Thomsoni* **Chabrill.** 1857) 1913:3 (Bras.). *Ceram.*, *Cerambin.*, *Torn.* 115.

- Premnobius* **Eichh.**, Rat. Tom. 404 (*Pr. cavipennis* **Eichh.** 1879) 1913:1 (Afr., Am.). *Ip.*, *Ipin.* 60.
- Prepopharus* **O Er.**, ArN. 13, 1847, 1, 177; **Chap.**, XII, 67; **Gorh.**, BCA.Col. VII, 1888, 110 (Typ.? *Pr. notatus* [**Ol.**] 1791; *Pr. diffinis* **Er.** 1847) 1913:18 (Am. c. et mer.-trop.). *Erot.*, *Erotyl.* 20.
- Pria* **O Steph.**, Ill. Brit. Ent. III, 1830, 30, 49; **Gutfl.-B.**, 240; **Schaufuß** in Calwer, 423, 432; **Kuhnt**, 478, 489 (*Pr. dulcamarae* [**Scop.**] 1763, *pallida* [**F.**] 1801) 1913:39 (Eur., As. occ., Assam, Ind., Afr., Madag., Seychell., Austral., Ceyl., N. Caled.). *Nit.*, *Meligeth.* 18.
- Priacma* **Lec.**, TAmES. V, 1874, 87 (*Pr. serrata* [**Lec.**] 1861) 1913:1 (Cal.). *Cup.* 2.
- Priartobium* **Reitt.**, Best.-Tab. 47, 1901, 323 (*Pr. serrifunis* **Reitt.** 1901) 1913:1 (Syr., Alg.). *Anob.*, *Anobi.* 27.
- Priasilpha* **Broun**, ManNZ. Col. V, 1893, 1077 (*Pr. obscura* **Broun** 1893) 1913:1 (N. Z.). *Nit.*, *Nitid.* 95.
- Priateles* **Broun**, ManNZ. Col. II 1881, 668 = *Priatelus* **Broun** 1882. *Nit.*, *Nitid.* 132.
- Priatelus* **Broun**, N.Zeal.Jo.Scient. I, 1882, 128 (*Pr. optandus* [**Broun**] 1881) 1913:1 (N. Z.). *Nit.*, *Nitid.* 132.
- Prinobius* **Lansb.**, Not. Leyd. Mus. VI, 1884, 144; **Kolbe**, StEZg. 54, 1894, 45; **Gah.**, F. Brit. Ind. Col. I, 1906, 36 (part.) = *Zooblast* **J. Thoms.** 1877 = Subg. ad *Macrotoma* **Serv.** 1832. *Ceram.*, *Prion.*, *Macrot.*, *Macroto.* 32,5.
- Prinobius* **O Muls.**, ASAgr. Lyon V, 1842, 207; Col. Fr. Long. Suppl. 1846, ed. 2, 1863, 47; **Redtb.**, F. Austr. ed. 2, 1858, 839; ed. 3, II, 1874, 395; **Fairm.**, Gen. Ccl. IV, 1864, 118; **Lmr.**, MSEB. 21, 1912, 144 (Rév., 1008. — Monogr.: **Chevr.**, ASEFr. (3) 7, 1859, Bull. p. CCXXIV, CCXXVII = Subg. ad 4 *Macrotoma* **Serv.** 1832 (*Pr. scutellaris* [**Serv.**] 1817) 1913:1 (Pers., Asm., medit., Cypr., Candia, Sic., Sard., Cors.). *Ceram.*, *Prion.*, *Macrot.*, *Macroto.* 32,4.
- Biol.: **Lallem.**, ASEFr. (3) 7, 1859, Bull. p. CXXXVII; (4) 4, 1864, Bull. p. XXX; **Muls. et Revel.**, ASAgr. Lyon (3) 3, 1859, 248; **Fairm.**, ASEFr. (3) 7, 1859, Bull. p. CXLIX; **Perris**, ASLLyon, 32, 1876, 257.
- Priobium* **Motsch.**, BMosc. 16, 1843, I, 36; **Bach**, II, 101; **Muls. et Rey**, *Téréd.*, 1864, 29, 49; **Kiesw.**, NID. V, 1877, 89; **Fauc.**, F. Col. Fr., 300; Gen. Col. Fr. 1894, 32; **Lmr.**, Man. Belg. II, 1900, 267; **Reitt.**, Best.-Tab. 47, 1901, 4, 10; F. Germ. III, 1911, 306; **Everts**, II, 222, 226; **Schaufuß** in Calwer, 720; **Kuhnt**, 675, 678 (Typ.? *Pr. planum* [**F.**] 1787, *tricolor* [**Ol.**] 1790, *excavatum* [**Kugel.**] 1791) 1913:4 (Eur., b. c. Ital., Cauc.). *Anob.*, *Dryoph.* 6.
- Priochirus* **O Sharp**, BCA.Col. I, 2, 1882—87 (1887), 740; **Bernh.**, DEZ. 1903, 104, 135. — Biol.: **Kraatz**, ArN. XXV, 1859, I, 190 t. 3 f. 3a. — Subgg.: *Triac.*, *Cephalom.*, *Pseudocod.*, *Stigmatoch.*, *Leptar.*, *Syncamps.*, *Catac.*, *Plast.*, *Trioch.* s. str. — 1913:86 (As. mer., Ceyl., Ins. Sundaic., N. Guin., Austral., Samoa, Molucc., Phil. Ins.: Luzon.; Ins. Key etc.). — *Pr.* s. str. **Bernh.**, DEZ. 1903, 142 = Subg. 9 ad *Prioch.* (*Pr. brevicornis* [**Er.**] 1840) 1913:13 (Pan., Mex., Java, Am. mer.-trop.). *Staph.*, *Oxyt.*, *Piest.*, *Leptach.*, 16; 16,9.
- Priocamaria* **O Gebien**, ArN. 83, 1917 (1919) A. 3, 28, 143 (*Pr. macilentata* **Geb.** 1919) 1919:2 (Arg., Parag. b., Estancia Postillon, Puerto Max, Rio Paraguay). *Ten.*, *Cnodal.*

- Prionocera* **O Kirby**, TlSL. 12, 1818, 380; **Spin.**, Rev.Zo. 1841, 72; **Cler.** I, 1844, 213; **Kl.**, **Cleri** 1842, 283; **J. Lec.**, ANYAcSc.V, 1852, 17; **Lac.**, IV, 1857, 436; **Chenu**, Enc. II, 1860, 236; **J. Lec. et Horn**, Class. Col.N.Am. ed. II, 1883, 218; **Schklg.**, GIW. **Cler.** 1903, 30; **Wolcott**, B. Ind. Dept. Geol. Nat. I, 1910, 851 (*Pr. variegata* **Kirby** 1818, *Pr. spinosa* (**F.**) 1801) 1913:38 (Am.) **Cler.**, **Cleri.**, **Clerin.** 46.
- Prionocerus* **Hintz**, DEZ. 1902, 179; **Schklg.**, GIW. **Cler.** 1903, 31 (*Pr. nigrofasciatus, varicolor* **Hintz** 1902) 1913:2 (Usambara). **Cler.**, **Cleri.**, **Clerin.** 47.
- Prionacus* **Fairm.**, Not. Leyd. Mus. 18, 1897, 127 = *Chollides* **J. Thoms.** 1877 = Subg. 2 ad *Priotyrranus* **J. Thoms.** 1857. **Ceramb.**, **Prion.**, **Prionin.**, **Derobr.** 63,2.
- Prionadoretus* **Ohs.**, DEZ. 1914, 512 (*Pr. serridens* **Ohs.** 1914) 1918:3 (Cochinch., Ind. or., Tonkin, Malacca). **Scar.**, **Rut.**, **orth. Anoplgni.**, **Adoreta.** 133.
- Prionallus* **Gah.**, AMusG. (3) 3, 1907, 66 [♀] = *Emphismenus* **Lansb.** 1884. **Ceramb.**, **Prion.**, **Prionin.**, **Derobr.** 64.
- Prionapterus* **O Guér.** in **Serv.**, ASEFr. I, 1832, 200; **J. Thoms.**, Class. **Cer.**, 285; **Syst. Cer.**, 468; **Lac.** VIII, 48; **Goun.**, BSEFr. 1911, 319; **Lmr.**, MSEB. 21, 1912, 51 (Rev., 915) (*Pr. staphylinus* **Guér.** in **Serv.** 1832) 1913:1 (Parag., Arg.). **Ceramb.**, **Prion.**, **Anacol.**, **Clost.** 83.
- Prionesthis* **Lac.**, Mon. Phyt. I, 1845, 8; **Chap.**, Gen. Col. X, 1874, 33; **Jacoby**, GIW. 14, 1903 (*Pr. funerarius* **Lac.** 1845) 1913:1 (Austral.). **Chrys.**, **Sagr.**, **Megam.** 6.
- Prionidium* **Burm.**, StEZg. 26, 1865, 159 = *Mysteria* **J. Thoms.** 1860 = Subg. 5 ad *Anoploderma* **Guér.** 1840.
- Ceramb.**, **Prion.**, **Anoplod.**, **Anopl.** 110,5.
- Prionina* **Casey**, Mem. Col. 3, 1912, 251 (*Pr. simplex* **Casey** 1912) 1913:1 (Kansas). **Ceramb.** cf. P. II.
- Prionispa* **O Chap.**, XI, 337; **Gestro**, AMusG. 1899, 226 (*Pr. fulvicollis* **Guér.** 1830) 1913:8 (Birma, Ins. Sundaic., Malacc.). **Chrys.**, **Hisp.**, **Choer.** 65.
- Prionoblenma* **B. Jakowl.**, HoR. 21, 1887, 318 (*Pr. Przewalskyi* **B. Jakowl.** 1887) = ref. ad *Prionus* **F.** 1775. 1913:1 (Desert. Gobi). **Ceramb.**, **Prion.**, **Prionin.**, **Prioni.** 72.
- Prionocalus* **O A. White**, ANH. 15, 1845, 109; **J. Thoms.**, Class. **Cer.** 1860, 297; **Syst. Cer.**, 468; **Lac.** VIII, 41; **Lmr.**, ASEB. 54, 1910; 374 (Rév., 729) = Subg. 2 ad *Psalidognathus* **Gray** 1832 (*Pr. cacicus* **White**, *Iphis* **White** 1850) 1913:7 (Ecuad., Peru). **Ceramb.**, **Prion.**, **Prionin.**, **Derobr.** 69,2.
- Prionocyphon* **O Redt.**, F. Austr. ed. II, 1858, 517; **Kiesw.**, NID. IV, 3, 1860, 415; **Jacq. du Val**, III, 2, 151; **C. G. Thoms.**, Sk. Col. VI, 139; **Muls. et Rey**, **Brevic.** 1865, 46 et 97; **Bach**, II, Nachtr., 1867, 425; **Tourn.**, 45; **J. Lec.**, Class. 1861, 181; **Horn**, TAmES. 8, 1880, 99; **J. Lec. u. Horn**, Class. 1883, 173; **Bourg.**, FGRh., 14; **Seidl.**, FBa. et Tr., **Fauc.**, F. anal. Col. II, 1892, 275; **G. Col. Fr.** 1894, 33; **Champ.**, BCA. III, 1, 600; **Everts**, II, 138; **Blatchley**, 690; **Pic**, Cat. II, 318; **Reitt.**, F. Austr. III, 1911, 243; **Schaufuß** in **Calwer**, 572; **Kuhnt**, 588, 590 (*Pr. serricornis* (**Müll.**) 1821) 1914:8 (Eur., **Medit.**, **Syr.**, **Japan.**) **Helod.**, **Helodi.** 9.
- Prionodera* **O Er.**, ArN. 13, 1847, I, 161; **Jac.**, BCA. Col. VI, I, 1881, 130; **Lefv.**, MSLiège (2) 11, 1885, 28 (*Pr. lutea* **Er.** 1847, *bicolor* [**Ol.**] 1808) 1914:12 (Mex., Am. c., **Bras.**, Peru). **Chrys.**, **Eumolp.**, **Colasp.** 47.

- Prionodera*¹⁾ **Wolcott**, Publ. Field Mus. Chicago, 1910, 396 (*Pr. tantilla*) [**J. Lec.**] 1865) 1913:1 (Wash., Ala., Mass.). *Cler.*, *Coryn.*, *Corynet.* 173.
- Prionomimus* **Lmr.**, MSEB. 21, 1912, 176 (Rév., 1040) = Subg. 4 ad *Dorysthenes* **Vigors** 1826 (*Pr. Pici* **Lmr.** 1912, *Pr. fossatus* [**Pasc.**] 1857) 1913:2 (Ch. b., Formosa). *Ceramb.*, *Prion.*, *Prionin.*, *Prioni.* 71,4.
- Prionomma* **O A. White**, Cat. Col. Brit. Mus. VII, 1853, 19; **Lmr.**, ASEB. 54, 1910, 277 (Rév. 706) (*Pr. atratum* [**Gmel.** in **L.**] 1789) 1913:3. — 2 Subgg. *Ancylopr.*, *Prion.* — *Ps.* s. str. Cat. Col. Brit. Mus. VII, 1853, 19; **J. Thoms.**, Class. Cer. 1864, 470; **Lac.** VIII, 58; **Gah.**, F. Brit. Ind. Col. I, 1906, 16; **Lmr.**, ASEB. 54, 1910, 279 (Rév. 708) = Subg. 2 ad *Pr.* (Typ. ut antea). *Ceramb.*, *Prion.*, *Prionin.*, *Derobr.* 65,2.
- Priononyx* **A. Sem.**, BMoꝛc. 1893, I, 104 (part.) = ref. ad *Prionus* **F.** 1775 (*Pr. Balassogloi* **B. Jakov.**) 1913:1 (Turk. occ. ross.). *Ceramb.*, *Prion.*, *Prionin.*, *Prioni.* 72.
- Prionophora* **O Solier** in **Gay**, HN. Chile V, 1851, 101 (non **Westw.** 1848) = *Pristerophora* **Harold** 1869. *Scar.*, *Melth.*, *Macrod.* 485.
- †*Prionophorus* **Blanch.**, Voy. Pôle Sud IV, 1853, 64 = *Tenerus* **Cast.** 1836. *Cler.*, *Coryn.*, *Enopli.* 146.
- Prionoplus* **O A. White**, in **Dieffenb.**, NewZeal. II, App. 1843, 276; **J. Thoms.** Class., 288; Syst. Cer. 472; **Lac.**, VIII, 166; **Lmr.**, MSEB. 21, 1912, 65 (Rév., 929) (*Pr. reticularis* **White** in **Dieffenb.** 1843) 1913:1 (N. Z.). *Ceramb.*, *Prion.*, *Anacol.*, *Tragos.* 88.
- Prionopsis* **Fairm.**, ASEFr. (6) 6, 1886, 85 (*Pr. metallicolor* **Fairm.** 1886) 1913:1 (Madag.). *Ceramb.*, *Cerambin.* *Callid.* 793.
- Prionoscelis* **Bldfd.**, BCA.Col. IV, 6, 1897, 177 (*Pr. atratus* et *navurus* **Bldfd.** 1897) 1913:2 (Guat., Pan.). *Ip.*, *Hyl.* 75.
- Prionoscirtes* **O Champ.**, BCA.Col. III, 1 (1897) 602 (*Pr. saltitans* **Champ.** 1897) 1913:3 (Antill., Nicar., Guat.). *Helod.*, *Helodi.* 12.
- Prionotheca* **O** $\frac{3}{4}$ **Sol.**, ASEFr. V, 1836, 39; **Lac.**, V, 183; **Reitt.**, Bost.-Tab. 25, 1893, 203, 229. — *Biol.*: **Oliv.**, BSEFr. (6) 1, 1881, p. LXXXII (*Pr. coronata* [**Ol.**] 1795) 1913:1 (Sinai, Aeg., Alg., Abyss., Aden). *Ten.*, *Pimel.* 366.
- Prionothonax* **Luze**, VzbGW. 1905, 68 = *Lathrimaeum* **Er.** 1837/39. *Staph.*, *Oxyt.*, *Omal.* 65.
- Prionotolytta* **Péring.**, TRS.SouthAfr. 1909, 249 (*Pr. binolata* **Péring.** 1888 (Colon. cap.). *Melo.*, *Lytt.*, *Lytti.* 30.
- Prionotomma* **Kolbe**, StEZg. 55, 1894, 43 = Subg. ad *Macrotoma* **Serv.** 1832. *Ceramb.*, *Prion.*, *Macrot.*, *Macroto.* 32.
- Prionotus* **Redt.** in **Hügel**, Kaschmir IV, 2, 1842, 536 = *Sybaris* **Steph.** 1832. *Melo.*, *Lytt.*, *Mylabr.* 1.
- Prionotus* **Muls.** et **Rey**, M. Ac. Lyon IX, 1859, 150; Opusc. E. X, 1859, 88; **Seidl.**, NID. V, 1894, 409. [*Prionotus* nom. praecoc. in *Pisces*; *Pr. Lacep.* 1802; in *Hemipt.*: *Pr. Cast.*, 1833; in *Polyp.*: *Pr. Hising.*] = *Priothorax* **Geb.** 1910. *Ten.*, *Opatr.* 516.
- Prionotyranus* **Gemm.** et **Har.**, Col. Cat. IX, 1873, 2759 = *Priotyranus* **J. Thoms.** 1857. *Ceramb.*, *Prion.*, *Prionin.*, *Derobr.* 63, 1.
- Prionus* **O** $\frac{3}{4}$ **F.**, Syst. E. 1775, 159; **Muls.**, Col. Fr. Long. 1839, 20; ed. 2, 1863, 40; **Redt.**, F. Austr. 1849, 479; ed. 2, 1858, 841; ed. 3, II, 1874, 396; **J. Thoms.**, Class. Cer., 295; Syst. Cer. 470; **Fairm.**, Gen. Col. d'Eur. IV, 1864, 116; **Lac.**, VIII, 60; **J. Lec.** et **Horn**, Class. 1883, 273; **Gah.**, F. Brit. Ind. Col. I, 1906, 14; **Lmr.**, ASEB. 56, 1912, 185 (Rév., 789);

¹⁾ Nota: *Wolcottella* nom. nov. **R. Luc.** pro **Wolcott** 1910 nec **Er.** 1847.


- Kuhnt**, 759 (*Pr. coriarius* [L.] 1758) 1913:40 (Eur. c. et mer., As.). *Ceram.*, *Prion.*, *Prionin.*, *Prioni.* 72.
 Biol.: **Roesel**, Ins. - Belust. II, 1749, 15 t. 2 f. 3—6 etc.; **Ganglb.**, VzbGW. 31, 1881, t. 22, f. 3; **Fromont**, ASEB. 26, 1882, Bull. p. CXLIV; 28, 1884, Bull. p. CLXXIV; **De Geer**, M. Ins. V, 1775, 270, t. 3, f. 13; **Latr.**, HNIns. 11, 1804, 261; **Westw.**, Introd. Class. Ins. I, 1839, 360 f. 43, 5; **Schiödte**, NTi. (3) 10, 1876, 396, t. 12, f. 1—12; **Judeich et Nitsche**, Forstins. II, 1, 1889, 570, f. 180 E; **Planet**, Le Natural. 11, 1889, 280 fig.; 13, 1891, 31, fig.; ASEFr. (6) X, 1890, Bull., p. CXX.
- Prionus* (**Geoffr.**) (s. F. ?) **Gutfl.-B.**, 572; **Schaufuß** in Calwer, 823; **Kuhnt**, 752 = *Prionus* F. 1775.
- Prionychus* **O** $\frac{5}{8}$ **Sol.**, ASEFr. IV, 1835, 232; **Muls.**, Col. Fr. *Pectin.* 1856, 63; **Gutfl.-B.**, 422; **Schaufuß** in Calwer, 781, 782; **Kuhnt**, 731, 733; **Jacq. du Val**, III, 1863, 345.—Biol.: **Schiödte**, NTi. 1879, III, 11, 520; **Seidl.**, NID. V, 2, 1896, 57 = *Eryx Steph.*, 1832 (*Pr. ater* [F.] 1775) 1913:10 (Eur., Syr., Alg.). *All.*, *Allec.* 68.
- Prioproctus* **O** **Kolbe**, ArN. 1903, I, 2, 174; **Geb.**, Mon. 128 (*Pr. Oertzeni* **Kolbe** 1903) 1913:1 (Afr. or.-germ.). *Ten.*, *Pycnoc.* 881.
- Priops* **Reitt.**, System. Eintheil. *Nitid.* 1873, 167 = *Mystrops* **Er.** 1843. *Nit.*, *Meligeth.* 15.
- Prioscelida* **White**, Voy. Ereb. et Terror, 1846, 11 = *Uloma* **Cast.** 1840. *Ten.*, *Ulom.* 696.
- Prioscelides* **Kolbe**, StEZg. 50, 1889, 128; ArN. 1903, I, 2, 166; **Geb.**, Mon., 159 (*Pr. rugosus* **Kolbe** 1889) 1913:4 (Congo, Afr. occ., Guin., Cam.). *Ten.*, *Pycnoc.* 886.
- Prioscelis* **O** **Hope**, Col. Man. III, 1840, 128; **Westw.**, TZSL. III, 1843, 211; **C. G. Thoms.**, Sk. Col. II, 1858, 89 (*Pr. Fabricii* **Hope** 1840, *Pr. serrata* [F.] 1775) 1913:6 (Afr. occ.: Guin., Cam., Afr. or., St. Thomé). *Ten.*, *Pycnoc.* 883.
- Prioschema* **Reitt.**, StEZg. 37, 1876, 365 (*Pr. Dohrni* **Reitt.** 1876) 1913:1 (Monrovia). *Nit.*, *Meligeth.* 20.
- Priotelus* **O** **Hope**, Rev. Zo. 1841, 112; **Lac.**, *Erot.*, 493; **Crotch.**, *Erot.*, 174; **Chap.**, XII, 71; **Gorh.**, BCA.Col. VII, 1888, 111 (Typ. ?; *Pr. equestris* **Lac.** 1842, *Pr. octomaculatus* [O.] 1791) 1913:30 (Am. c. et mer. trop.). *Erot.*, *Erotyl.* 23.
- Priothorax* **Geb.** in **Schklg. et J.**, Col. Cat. P. 22, 1910, 318 (*Pr. serricollis* [Hope] 1842) (pro *Prionotus* **Muls. et Rey**) 1913:1 (Austral. sept., Tasm.). *Ten.*, *Opatr.* 516.
- Priotoma* **O** **Gorh.**, BCA.Col. III, 2, Suppl. 1886, 350; PZSL. 1898, 327 (Typ. ?; *Pr. tomentosa* [Gorh.] 1883, *Pr. brevis* **Gorh.** 1886) 1913:13 (Am. c., Antill.). *Anob.*, *Dorcat.* 76.
- Priotyranus* **O** **J. Thoms.**, ArE. I, 1857, 120; **Lmr.**, ASEFr., 54, 1910, 272 (Rév., 701) (*Pr. mordax* [White] 1853) 1913:4.—3 Subg.: *Priot.*, *Choll.*, *Kimib.* — *Pr. J. Thoms.*, ArE. I, 1857, 120, *Class. Cer.*, 294; *Syst. Cer.*, 473; **Lac.**, VIII, 65; **Gah.**, F. Brit. Ind. Col. I, 1906, 21; **Lmr.**, ASEB. 54, 1910, 273 (Rév., 702) = Subg. 1 ad *Pr.* (Type ut antea) 1913:1 (Ind. mer.). *Ceram.*, *Prion.*, *Prionin.*, *Derobr.* 63.; 63 1.
- Prismognathus* **O** **Motseh.** in **Schrenck's R.**, 1860, 138 (*Pr. platycephalus* [Hope] 1842) 1913:7 (As.). *Luc.*, *Clad.* 32.
- Pristadoretus* **Reitt.**, VN. 41, 1903, 36; **Sem.**, Rev. Russe Ent. XII, XII, 1912, 500 = Subg. 3 ad *Pseudadoretus* **Sem.** 1889 (*Pr. fallax* **Sem.** 1890) 1918:1 (Transcasp.). *Scar.*, *Rut. orth.*, *Anoplgni.*, *Pseudador.* 136, 3.

- Pristerophora* **O Harold**, Col. Hfte. V, 1869, 122 (*Pr. picipennis* [Sol. in Gay] 1851) 1913:2 (Chile). *Scar.*, *Melth.*, *Macrod.* 485.
- Pristocyphus* **Fairm.**, BSEFr. 1898, 37; **Pic.**, BSEFr. 1901, 364 = *Hypaspistes* **Waterh.** 1886. *Anth.* 1.
- Pristophilus* **O Kolbe**, ArN. 1903, I, 2, 174; **Geb.**, Mon., 133 (*Pr. passaloides* [Westw.] 1843) 1913:1 (Afr. occ.). *Ten.*, *Pycnoc.* 882.
- Pristoscelis* **Woll.**, TESL. (3) I, 1862, 151 = *Xenoscelis* **Woll.** 1864. *Erot.*, *Xenosc.* 101.
- Proagopertha* **Reitt.**, VN. 41, 1903, 50 = Subg. 9 ad *Phyllopertha* **Steph.** 1830 (*Pr. lucidula* **Fald.** 1835, *pubicollis* **Waterh.** 1875) 1913:4 (Samarcand., China b., Jap., Mandschuria). *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma.* 77, 9.
- Proagosternus* **O Blanch.**, Cat. Coll. E. Col. I, 1850, 156; **Burm.**, Hd.E. IV, 2, 1855, 299; **Lac.**, III, 1856, 300 (*Pr. niveus, lactea* **Gory** in **Silberm.** 1833) 1912:3 (Madag.). *Scar.*, *Melth.*, *Melthi.* 291.
- Probaenia* **O Ws.**, DEZ. 1904, 447; VN. 49, 1910, 146 (*Pr. crenata* **Blanch.** 1843) 1913:19 (Am. mer.). *Chrys.*, *Hisp.*, *Uroplat.* 40.
- Probaenus* **C. O. Waterh.**, ANH. (4) 18, 1876, 110 = *Microporum* **C. O. Waterh.** 1876. *Nit.*, *Melighet.* 16.
- Probaticus* **Seidl.**, NID. V, 1896, 97 (scr. *Probatius*), 764, 849 = Subg. ad *Helops* **F.** 1772. *Ten.*, *Helop.* 1073.
- Probatius* **Seidl.**, NID. V, 1896, 697 vide *Probaticus* **Seidl.** = Subg. ad *Helops* **F.** 1772. *Ten.*, *Helop.* 1073.
- Probatrisus* **Raffr.**, Rev. d'E. 9, 1890, 109; ASEFr. 73, 1904, 8; GIW. *Psel.* 1908, 169 (*Pr. sulcatus* [**Raffr.**] 1877) 1913:1 (Sansibar). *Psel.*, *Psela.*, *Batris.* 186.
- Problechilus* **Eichh.**, Rat. Tom. 1879, 167 (*Pr. zonatus* [**Eichh.**] 1867) 1913:4 (Guat., Mex., Col.). *Ip.*, *Hyles.* 41.
- Probolosternus* **Lewis**, ANH. (7) 6, 1900, 275 (*Pr. africanus* **Lewis** 1900) 1913:5 (Afr. occ., Col. Orange). *Hist.* 62.
- Probosca* **O W. Schmidt**, Linn. Ent. I, 1846, 17 et 130; **Muls.**, ASLLyon (n. s.) 5, 1858, 149; Col. France, *Angustip.* 1858, 85; **Lac.**, V, 702, 715; **Fairm.** in **Jacq. du Val**, III, 446; **J. Lec.**, New Col. I (1866), 164 nota; **Seidl.**, F. Ba. et Tr.; NID. V, 2, 817; **Ganglb.**, VzbGW. 31, 1881, 89, 115; Best.-Tab. 4a; *Oedem.* 1881, 2 et 19; **Sem.**, HoR. 28, 1894, 458 (Sep.), 10; Rev. Russe d'E. 9, 1909, 28; **Desbr.**, Frelon, 8 (1900), *Oedem.*, 59 et 64; **Schaufuß** in **Calwer**, 730 (*Ch. viridana* **W. Schmidt** 1846) 1915:11 (Mediterr., Sard., *Hisp.*, Gall., Ch., Arab. etc.). *Oed.*, *Oedem.*, *Ascler.* 41.
- Procallimus* **Pic.**, *Longic.* VI, 2, 1907, p. 7 = Subg. ad *Callimus* **Muls.** 1846. *Ceram.*, *Cerambin.*, *Molorch.* 610.
- Prochelyna* **Er.**, NID. III, 1847, 653; **Burm.**, Hd.E. IV, 2, 1855, 450 (*Pr. heterodoxa* **Burm.** 1855) 1913:2 (Austral.). *Scar.*, *Melth.*, *Systell.* 9.
- Prochoma* **O Sol.**, ASEFr. IV, 1835, 393; **Lac.**, V, 42; **Reitt.**, Best.-Tab. 42, 1900, 88, 129 (*Pr. Audouini* **Sol.** 1835) 1913:1 (Bagdad). *Ten.*, *Tentyr.* 105.
- Procirrus* **O Latr.**, Règne anim. IV, 1829, 436; **Er.**, G. Spec. *Staph.* 1839/40), 685 (*Pr. Lefebvrei* **Latr.** 1829) 1913:8 (It. mer., Sic.; Pal.; Aeg., Afr. b.; Jap., Birma; Austral.). *Staph.*, *Paed.*, *Pinoph.*, *Proc.* 161.
- Procris* **Ws.**, ArN. 67, 1901, 165, 166 (*Pr. trifasciata* [**Boisd.**] 1835, *pictipennis* [**Boh.**] 1859) 1916:2 (N.S.W., Vict.). *Chrys.*, *Chryso.*, *Parops.* 74.
- Proctammodes* **Blackb.**, TRS.SAustr. 15, 1892, 37 = *Proctophanes* **Har.** 1861. *Scar.*, *Aphod.* 13.

- Proctenus* **O Reitt.**, WEZg. 9, 1890, 256; VN. 45, 1906, 117, 130; **Seidl.**, NID. V, 2, 1896, 203 (*Pr. luteus* [Küst.] 1848) 1913:3 (Hispan.). *All.*, *Omophl.* 104.
- Proctophanes* **O Har.**, BEZ. V, 1861, 111/2; **A. Schmidt**, GIW. *Aphod.* 1910. 11 et 94/5 t. 2 (*Pr. sculptus* [Hope] 1846) 1913:2 (Austral., Vict.). *Scar.*, *Aphod.*, *Aphodi.* 13.
- Prodalma* **O Raffr.**, T.Safr. Phil. S. 10, 1897, 51; ASEFr. 72, 1903, 525; GIW. *Psel.* 1908, 77 (*Pr. capensis* Raffr. 1897) 1913:1 (Cap. b. Sp.). *Psel.*, *Psel.*, *Euplect.* 77.
- Productor* **Pasc.**, JoE. 1862, 392; **Lac.** VII, 1866, 461; **Schoenfeldt**, GIW. *Brenth.* 1908, 76 (*Pr. laminatus* Pasc. 1862) 1913:2 (Cel.). *Brenth.*, *Brenth.*, *Ith.* 120.
- Proderops* **Fairm.**, ASEFr. (5) 3, 1873, 393 = *Rhinandrus* **J. Lec.** 1866. *Ten.*, *Tenebr.* 761.
- Prodontia* **Serv.**, ASEFr. III, 1834, 64 (*Pr. dimidiata* Serv. 1834) 1913:2 (Bras.). *Ceram.*, *Cerambin.*, *Pteropl.* 960.
- Prodontria* **Broun**, ANH. (7) 14, 1904, 53 (*Pr. Lewisii* Broun 1904) 1913:1 (N. Z.). *Scar.*, *Melth.*, *Lipar.* 204.
- Prodoretus* **O Brenske** SE. VIII, 1893 p. 1; **Öhs.**, DEZ. 1912, p. 269 (*Pr. bivittatus* Snell. 1869) 1918:15 (incl. Subg. *Orrhodoretus* **Öhs.**) (Madag., Bombay, Congo, Sudan., Afr. or.-germ., Afr. mer., Guinea). *Scar.*, *Rut. orth.*, *Anoplgni.*, *Prodrtn.* 147.
- Progenius* **Bldfd.**, ASEFr. 65, 1896, 20; **Swaine**, Cat. *Scol.* N. Am. 1909, 151 = Subg. ad *Xylebonus* **Eichh.** 1864. *Ip.*, *Xyl.* 112.
- Prognatha* **Latr.** in **Cuv.**, Règne anim. IV, 1829, 439; **Gutfl.-B.**, 189; **Kuhnt**, 157, 178 = *Siagonium* **Kirby** 1815. *Staph.*, *Oxyt.*, *Piest.*, *Piesti.* 7.
- Prolabrus* **Fairm.**, ASEB. 41, 1897, 111 (*Pr. parallelus* Fairm. 1897) 1913:1 (Madag.). *Ten.*, *Adeli.* 1023.
- Proleonhardella* **O Jeannel**, Arch. Zo. exp. (5) 5, 1910, 16; *Rev. Ba.*, 451; **Breit**, EMI. II, 1913, 314 (subg.); **Jeannel**, Arch. Zo. exp. t. 54, 1914, 68 (gen.) (*Pr. Matzenaueri* **Apfelbeck** 1907) 1914:3 (cavern.: Bosn.). *Silph.*, *Bath.*, *Bathy.* 5.
- Proleonhardia* **O Jeannel**, Arch. Zo. exp. (5) 5, 1910, 21; *Rev. Ba.*, 491; **Breit**, EMI. II, 1913, 315 (subg.); **Jeannel**, Arch. Zo. exp. t. 54, 1914, 68 (*Pr. Neumannii* **Apfelb.** 1901) 1914:1 (cavern.: Bosn. or.). *Silph.*, *Bath.*, *Bathy.* 6.
- Promanus* **Sharp**, EMM. 1877, 267 (*Pr. depressus* Sharp 1877) 1913:3 (N. Z.). *Temn.*, *Ostom.* 44.
- Promeces* **O Serv.**, ASEFr. III, 1834, 27; **Cast.**, HN. II, 1840, 437 (*Pr. linearis* [L.] 1758) 1913:5 (Afr. mer.). *Ceram.*, *Cerambin.*, *Callichr.* 744.
- Promechus* **Boisd.**, Voy. Astrol. Col. 1835, 575; **Chevr.**, Dict. univ. III, 1843, 656 i. litt. = *Aesernia* **Stål** 1860. *Chry.*, *Chryso.*, *Chrysi.* 31.
- Promechus* **Chevr.**, Dict. univ. X, 1847, 481 (pars) = *Chalcolampra* **Blanch.** 1853. *Chry.*, *Chryso.*, *Phylloch.* 101.
- Promecidus* **Fährs.**, Öfvers. Vet. Akad. Förh. 29, 1, 1872, 62 (*Pr. chalybeatus* [White] 1853) 1913:1 (Terra cap., Nat.). *Ceram.*, *Cerambin.*, *Callichr.* 742.
- Promecispa* **O Ws.**, ArN. 1909, 112; **Voeltzkow**, Reise Ostaf. II, 1910, 442 (*Pr. Voeltzkowi* **Ws.** 1909) 1913:1 (Madag.). *Chry.*, *Hisp.*, *Promec.* 70.
- Promecosoma* **O Lefv.**, ASEFr. (5) 7, 1877, 126; **Jac.**, BCA.Col. VI, I, 1881, 131; **Lefv.**, MSLiége (2) 11, 1885, 29 (*Pr. abdominale* et *dispar* **Lefv.** 1877) 1914:19 (Mex. 19. Guat. 1). *Chry.*, *Eumolp.*, *Colasp.* 48.

- Promecotheca* O Blanch., Voy. Pôle Sud IV, Zo. 1853, 312; Baly, 87, t. 2, f. 4; Chap., XI, 300 (*Pr. coeruleipennis* Blanch., 1853. *cyanipes* Er. 1834) 1913:15 (Austral., Ins. Tonga, Phil. Ins., Ch., N. Guinea etc.). *Chrys.*, *Hisp.*, *Promec.* 71.
- Promethis* Pasc., ANH. (4) 3, 1869, 148 (*Pr. quadricollis* Pasc. 1869, *angulata* [Er.] 1842) 1913:7 (Austral., Tasm., Ins. Lord Howe; Sikkim). *Ten.*, *Tenebr.* 811.
- Prometopia* Er. in Germar, ZE. IV, 1843, 279 (*Pr. sexmaculata* Say 1825) 1913:24 (Ind. or., Birma, Cochinch., Sum., Born.; Am. c., Bras.). *Nit.*, *Carpophil.* 74.
- Prometopion* Cas., Rev. Mon. 1907, 370 (*Pr. helopioides* [Horn] 1870) 1913:2 (Tex., Cal.). *Ten.*, *Trinyt.* 39.
- Promus* Lec., Class. 1862, 226; Horn, Rev. *Ten.* 1870, 302, 318; Blaisd., Mon. 34 sq. = Subg. ad *Eleodes* Eschsch. 1829. *Ten.*, *Blapt.*, *Eleod.* 392.
- Pronocera* Motsch., BMosc. 49, 1, 1875, 149 (*Pr. daurica* Motsch. 1875) 1913:3 (Amur., Daur., Taschk., Turk.). *Ceram.*, *Cerambin.*, *Callid.* 787.
- Pronuba* J. Thoms., Class. *Cer.* 1860, 241; Syst. *Cer.* 1864, 431 (*Pr. decora* J. Thoms. 1860) 1913:1 (Bras.). *Ceram.*, *Cerambin.*, *Heterops.* 914.
- Propeles* Reitt., VN., 13, 1875, 62, 64 sep. 12, 14 (*Pr. nigripennis* [Redt.] 1867) 1913:1 (Ceyl.). *Nit.*, *Nitid.* 61.
- Prophanes* O Westw., TESL. V, 1849, 203; Lac., V, 410; ANH. (4) 3, 1869, 288 (*Pr. aculeatus* Westw. 1849, *plicipennis* [Perty] 1831) (Austral., N. Guin., Ind. or.). *Ten.*, *Cnodal.* 908.
- Prophilus* Raffr., Rev. d'E. 9, 1890, 94, 100; 17, 1898, 227; ASEFr. 72, 1903, 521; GIW. *Psel.* 1908, 61 (*Pr. minutus* Raffr. 1890) 1913:2 (Singap.). *Psel.*, *Psela.*, *Euplect.* 50.
- Prophthalmus* O Lac., VII, 1866, 427; Schoenfeldt, GIW. *Brenth.* 1908, 32 (*Pr. tridentatus* Lund 1802) 1913:13 (Archip. ind., Assam, Ind. or., Ceyl.). *Brenth.*, *Brentha.*, *Arrh.* 49. — Pos. in initio *Arrh.* (cf. Kleine, ArN. 83, 1917 (1919) A. 2, 7).
- Proplectus* Raffr., Rev. d'E. 9, 1890, 94, 100 = *Actium* Casey 1887. *Psel.*, *Psela.*, *Euplect.* 62.
- Propomacrus* Newm., FMA. IV, 1837, 255; Hope, Col. Man. I, 1837, 24; Burm. in Germar, ZE. II, 1840, 353; Hd.E. III, 1842, 702; Lac., III, 1856, 317; Jacq. du Val, III, 1859, 63; Deyr., ASEFr. (5) 4, 1874, 445; v. d. Poll, TijE. 33, 1890, p. CXIX; Reitt., VN. 37, 1898, 21; Pouill., Ins. III, 1913, 475 (*Pr. bimacronatus* [Pall.] 1781) 1918:2 (Turc., Ch.). *Scar.*, *Euchi.* 3.
- Propus* Abeille de Perrin, BSH.Nat. Toulouse 12, 1878; Reitt., VN. 23, 1885, 11; WEZ. 5. 1886, 315; DEZ. 1889, 295; Ganglb., KäfMEur. 3, 1899, 83; J. Müll., VzbGW. 51, 1901, 32 = *Parapropus* J. Müll. 1907. *Silph.*, *Bath.*, *Bathy.* 56.
- Prorexius* Raffr., Rev. d'E. 9, 1890, 103, 107 = *Rhexidius* Casey 1887. *Psel.*, *Psela.*, *Trichon.* 144.
- Prosagola* Raffr., ASEFr. 72, 1903, 493; GIW. *Psel.* 1908, 18 (*Pr. Elfriedae* Reitt. 1885) 1913:1 (Valdivia). *Psel.*, *Psela.*, *Faron.* 7.
- Proscarabaeus* Schrank, Ins. Austr., 1781, 225; Schaufuß in Calwer, 751; Kuhnt, 705 = Subg. ad *Meloe* L. 1758. *Melo.*, *Lytt.*, *Meloi.* 53.
- Proscheimus* Desbr., B. Ac. d'Hipp. 16, 1881, 127 (79) (*Pr. arabicus* Desbr. 1881) 1913:1 (Aeg., Arab.). *Ten.*, *Opatr.* 514.
- Proscorus* Fairm., Rev. d'E. 20, 1901, 188 (*Pr. cyanoostriatus* Fairm. 1901) 1913:1 (Madag.). *Ten.*, *Cnodal.* 950.
- Prosechini* Sharp, Zo. Rec. 31, 1894, Ins., 138 = errat. pro *Prosechini*

- Kolbe** 1894. *Scar., Melth., Melthi.* 244.
- Proseconius* **Kolbe**, ASEB. 38, 1894, 568 et 576 (*Pr. capito* [Gerst. in v. d. Deck.] 1873) 1913:1 (Sansibar). *Scar., Melth., Melthi.* 244.
- Proseicela* **O Stål**, Mon. II, 1863, II, 151 = *Prosicela* **Er.** 1847. *Chryso., Chryso., Chrysi.* 9.
- Proselytus* **Fährs.**, Öfv. Vet.-Ak. Förh. 27, 1870, 302 (*Pr. caffer* Fährs. 1870) 1913:1 (Caffr.). *Ten., Ulom.* 697.
- Prosicela* **Er.**, ArN. 13, 1847, 156; **Stål**, Mon. II, 1863, II, 151 (*Proseicela*); **Chap.**, X, 368, 394; **Jacoby**, BCA.Col. VI, 1, 1883, 241 (*Pr. flavipennis* **Er.** 1847, *Pr. vittata* [F.] 1781) 1916:10 (Guyan., Ec., Col., Peru, Guat., Ven.). *Chryso., Chryso., Chrysi.* 9.
- Prosdella* **Reitt.**, Mon. II, 120, 153 = Subg. ad *Prosodes* **Eschsch.** 1829. *Ten., Blapt.* 390.
- Prosodes* **O Eschsch.**, Zo. Atl. III, 1829, 9; **Lac.**, V, 146; **Jacq. du Val**, III, 267; **Faust**, Ho.R. 11, 1875, 232; **Allard**, ASEFr. (5) 10, 1880, 279; **Seidl.**, NID. V, 1893, 238; **Reitt.**, DEZ. 1893, 315; **Sem.**, Ho.R. 28, 1894, 179. — Mon.: I.: **Reitt.**, WEZg. 1893, 261—312; II: op. cit. 28, 1909, 113—168 (Typ. ?; *Pr. obtusa* [F.] 1798) 1913:109 (As. c., Pers. etc.). *Ten., Blapt.* 390.
- Prosodes* **Reitt.**, s. str., Mon. II, 119, 145 = Subg. ad *Prosodes* **Eschsch.** 1829. *Ten., Blapt.* 390.
- Prosedestes* **Reitt.**, Mon. II, 114, 123 = Subg. ad *Prosodes* **Eschsch.** 1829. *Ten., Blapt.* 390.
- Prosididius* **Fairm.**, BSEFr. 1903, 69 (*Pr. Perrieri* **Fairm.** 1903) 1913:1 (Madag.). *Ten., Asid.* 281.
- Prosidila* **Reitt.**, Mon. II, 121, 161 = Subg. ad *Prosodes* **Eschsch.** 1829. *Ten., Blapt.* 390.
- Prosodinina* **Reitt.**, Mon. II, 115, 124 = Subg. ad *Prosodes* **Eschsch.** 1829. *Ten., Blapt.* 390.
- Prosodopria* **Reitt.**, Mon. II, 116, 129 = Subg. ad *Prosodes* **Eschsch.** 1829. *Ten., Blapt.* 390.
- Prosodoscelis* **Reitt.**, Mon. II, 117, 129 = Subg. ad *Prosodes* **Eschsch.** 1829. *Ten., Blapt.* 390.
- Prosodura* **Reitt.**, Mon. II, 118, 133 = Subg. ad *Prosodes* **Eschsch.** 1829. *Ten., Blapt.* 390.
- Prosopaeus* (**Murr.**) **Grouvelle** in **Schklg. et J.**, P. 56, 1913, in Indic. p. 199 = err. pro *Prosopeus* **Murr.** 1864. *Nit., Carpophil.* 48.
- Prosopeus* **Murr.**, Mon. 1864, 328 (*Pr. subaeneus* **Murr.** 1854) 1913:1 (Caffrar.). *Nit., Carpophil.* 48.
- Prosopius* **Gemm. et Harold**, Col. Cat. III, 1868, 809 = *Prosopeus* **Murr.** 1864. *Nit., Carpophil.* 48.
- Prosopocoelus* **O Hope**, (Westw.) *Cat. Luc.* 1845, 30; **Parry**, TESL. 1870, 76 (*Pr. antilope* [Sweder.] 1787) 1913:64 (Arch. Malay., As., mer. Afr.). *Luc., Clad.* 28.
- Prosopodonta* **O Baly**, 1858, 68, t. 1, f. 15; **Chap.**, XI, 340; **Ws.**, ArN. 76, I, 1, 1910, 106 (Typ. ?; *Pr. dichroa* [Perty] 1834, *Pr. limbata* **Baly** 1858) 1913:20 (Am. mer.-trop.). *Chryso., Hisp., Prosop.* 19.
- Prospophilus* **O J. Thoms.**, Syst. Cer. 1864, 228 (*Pr. serricornis* [Dalm. in **Schönh.**] 1817) 1913:1 (Nat., Trv.). *Ceram., Cerambin., Cerambyc.* 130.
- Prostenus* **O Latr.**, Fam. Nat. 1825, 377; **Lac.** V, 1859, 513 et 517; **Lec.**, Class. Col. N. Am. ed. II, 1883, 390; **Casey**, ANYAoSc. 1891, 74 = *Mecocerus* **Sol.** 1835 (*Pr. Dejeani* **Sol.** 1835) 1913:22 (Am.). *All., Allec.* 90.
- Prosternodes* **O J. Thoms.**, Class. Cer., 307; Syst. Cer., 467; **Lac.** VIII, 181; **Lmr.**, MSEB. 17, 1909, 2 (Rév., 586) = Subg. I ad *Derancistrus* **Serv.** 1832 (*Pr. cinnamipennis* [Chevr.] 1838)

- 1913:5[3+2](Cuba, Haiti). *Ceram.*, *Prion.*, *Deranc.* 56,1.
- Prosternon* **Latr.** *Elat.* cf. P. II.
- Prosymnus* **O Cast.** in **Silberm.**, *Rev.* IV, 1836, 51; **Kl.**, *Clerii* 1842, 394; **Lac.** IV, 1857, 468; **Chenu**, *Enc.* II, 1860, 271; **Schklg.**, *GIW. Cler.* 1903, 114 (*Pr. cribripennis* **Cast.** 1836) 1913:6 (Caffr., Usamb., Seneg., Meru, Limpop., Terr. Mashona). *Cler.*, *Coryn.*, *Corynet.* 170.
- Protype* **J. Thoms.**, *Syst. Cer.* 1864, 248 (*Pr. filiformis* [**Buq.**] 1859) 1913:1 (Senegal). *Ceram.*, *Cerambin.*, *Oem.* 52.
- Protantroherpon* **Absolon**, *Col. Rundsch.* II, 1913, 108 = *Antroherpon* **Reitt.** 1889. *Silph.*, *Bath.*, *Antroherp.* 60.
- †*Protapate* **O Wickh.**, *B. Univ. Jowa Lab.* 6 No. 3, 1912, 20 (*Pr. contorta* **Wickh.** 1912) 1913:1 (Miocän. Color.). *Bostrych.*, *Lyct.*
- Protapion* **Schilsky**, *DEZ.* 1908, 608; **Schaufuß** in **Calwer**, 1182; **Kuhnt**, 1026 = Subg. ad *Apion* **Hbst.** 1797. *Curc.*, *Api.*, *Apion.* 11.
- Protaxis* **O Gah.**, *F. Brit. Ind. Col.* I, 1906, 92 (*Pr. fulvescens* **Gah.** 1906) 1913:1 (Manipur.). *Ceram.*, *Cerambin.*, *Protax.* 18.
- Proteinidium* **O Bates**, *TESL.* 1892, 149 (*Pr. brevicorne* **Bates** 1892) 1913:1 (Mex.). *Ceram.*, *Cerambin.*, *Phorac.* 222.
- Proteinus* **O**  **Latr.**, *Préc. Car. Ins.* 1796, 9; **Gutfl.-B.**, 187; **Schaufuß** in **Calwer**, 150, 152; **Kuhnt**, 159, 181 (*Pr. brachypterus* [**F.**] 1792/98) (Eur., Altai, Sitkha, Jap., Armen., Am. b., Cal.). *Staph.*, *Oxyt.*, *Protom.* 3.
- Biol.*: **Chapuis** et **Candèze**, *MSSc* Liège, VIII, 1853, 402; **Rupertsb.**, *Bi. Lit.* 1894, 126.
- Protelmis* **O Grouvelle**, *ASEFr.* 80, 1911 (1912) 265 (*Pr. limnioides* [**Grouv.**] 1911) 1913:1 (Afr. or., c.). *Dryop.*
- Proteroschiza* **Brenske**, *BEZ.* 42, 1897, 353 (*Pr. wituensis* **Brenske** 1897)
- 1913:1 (Afr. occ.). *Scar.*, *Melth.*, *Melthi.* 248.
- Proterrhinus* **O Sharp**, *TESL.* 1878, 16 et 20; op. cit. 1879, 78; **Perkins**, *F. Hawaiëns.* II, 3, Col. I, 1900, 183/4 (*Pr. vestitus* **O Sharp** 1878) 1913:122 (*Ins. Haw.*). *Proth.* 1.
- Proterus* **O Raffr.**, *ASEFr.* 65, 1896, 231; 77, 1903, 519; *GIW. Psel.* 1908, 49 (*Pr. punctatus* **Raffr.** 1896) 1913:1 (Sum.). *Psel.*, *Psel.*, *Euplect.* 32.
- Protheca* **J. Lec.**, *PACPhil.*, 1865, 241; **Fall**, *TAMES.* 31, 1905, 211, 259 (*Pr. hispida* et *puberula* **J. Lec.** 1865) 1913:2 (Am.: Civ. confod.). *Anob.*, *Dorcat.* 74.
- Prothema* **O Pasc.**, *TESL.* (2) 4, 1856, 43; (3) III, 1869, 580; **Gahan**, *F. Brit. Ind. Col.* I, 1906, 523 (*Pr. signata*, *junerea* **Pasc.** 1856) 1913:6 (Ch. b., Ass., Malacc., Phil. Ins., Labuan). *Ceram.*, *Cerambin.*, *Proth.* 672.
- Protobracharthron* **J. Müll.**, *WEZg.* 26, 1907, 197 (part.) = *Parapropus* **J. Müll.** 1907. *Silph.*, *Bath.*, *Bath.* 55.
- Protobracharthron* **O Reitt.**, *DEZ.* 1889, 297; **Ganglb.**, *KäfMEur.* 3, 1899, 85; **J. Müll.**, *VzbGW.* 51, 1901, 32; *WEZg.* 26, 1907, 197 (pars); **Reitt.**, *WEZg.* 27, 1908, 109; **Breit.**, *EMi.* II, 1913, 311; **Jeannel**, *Arch. Zo. exp.* (5) 5, 1910, 22 et 43; 54, 1914, 76; *Rev. Ba.*, 510 (*Pr. Reitteri* [**Apfelbeck**] 1889) 1914:2 (cavern.: Dalm., Bosn.). *Silph.*, *Bath.*, *Bathy.* 55.
- Protocallidium* **Csiki**, *Rov. Lapok* XI, 1904, 99; **Schaufuß** in **Calwer**, 1182 = Subg. ad *Phymatodes* **Muls.** 1839. *Ceram.*, *Cerambin.*, *Callid.* 785.
- Protomantis* **O Schoenh.**, *Gen. Curc.* V, 2, 1840, 721; **Lac.** VI, 24; **Aur.**, *Öfv. Vet. Ak. Förh.* 42, 1885, 21; *Sv. Vet. Ak. Hdlgr.* XXI, 15, 1887, 82; **Bovie**, *GIW.* 99, 1909, 9 (*Pr. Dregsei* **Gyll.** in **Schoenh.** 1840) 1913:3 (Cap. b. sp.). *Brach.*, *Brachy.*, *Protom.* 4.

- †*Protoncideres* **O Wickham**, B. Lab. Jowa 6 No. 4, 1913 (*Pr. primus* **Wickh.** 1913) 1913:1 (Mioçän. Color.). *Ceram.* cf. P. II.
- Protoparnus* **Sharp**, EMM. 20, 1883, 26 (*Pr. vestitus* **Sharp** 1883) 1913:2 (N.Z.). *Dryop.*, *Dryopi.*, *Dryopin.* 22.
- Protopaussus* **O Gestro**, AMusG. 32, 1892, 706; **Wasmann**, Not. Leyd. Mus. 25, 1904, 4; **Desneux**, GIW. Pauss. 1905, 6 (*Pr. Feae* **Gestro** 1892) 1913:2 (Birma, Ch.). *Pauss.*, *Prot.* 1.
- Protoplectus* **Raffr.**, Rev. d'E. 17, 1898, 261; ASEFr. 72, 1903, 530; GIW. *Psel.* 1908, 100 (*Pr. pubescens* **Raffr.** 1898) 1913:1 (N.S.W.). *Psel.*, *Psel.*, *Euplect.* 112.
- Protorina* **O+Ws.**, DEZ. 1894, 252; **Reitt.**, F. Germ. IV, 1912, 119; **Kuhnt**, 845 = Subg. 3 ad *Chrysochloa* **Hope** 1840 (*Pr. melanocephala* [**Duff.**] 1825, *plagiata* [**Suffr.**] 1861) 1916:5 (Montes Eur. c.). *Chrys.*, *Chryso.*, *Chrysi.* 25, 3.
Morphol.: **Ws.**, DEZ. 1894, t. 2, f. 1—4.
- Protorma* **C. O. Waterh.**, ANH. (5) 5, 1880, 288; **Lmr.**, ASEB. 47, 1903, 215 (Rév., 185) (*Pr. scabrosa* **C. O. Waterh.** 1880) 1913:1 (Col., Peru, Sarayacu). *Ceram.*, *Prion.*, *Macrot.*, *Stenodo.* 16.
- Protosphaerion* **O Goun.**, ASEFr. 77, 1909, 634 (*Pr. insulare* [**White**] 1853, *variabile* **Goun.** 1909) 1913:4 (Jamaic., Guyana, Bras. met.). *Ceram.*, *Cerambin.*, *Sphaerio.* 246.
- Przewalskia* **Sem.**, HoR. 27, 1893, 262 nota; 38, 1907, 178; **Reitt.**, Best.-Tab. 25, 1893, 204, 249 (*Prz. dilatata* [**Reitt.**] 1887) 1913:1 (Thibet.). *Ten.*, *Platyop.* 349.
- Psalanta* **Pasc.**, TESL. (3) III, 1869, 659 = *Typodryas* **J. Thoms.** 1864. *Ceram.*, *Cerambin.*, *Disten.* 5.
- Psalidium* **Illig.**, *Curc.* cf. P. II.
- Psalidocoptus* **O White**, PZSL., 1856, 10; **J. Thoms.**, Class. *Cer.*, 290; Syst. *Cer.*, 473; **Lac.** VIII, 38; **Lmr.**, ASEB. 54, 1910, 368 (Rév., 723) (*Ps. scaber* **White** 1856) 1913:1 (N. Hebrid.). *Ceram.*, *Prion.*, *Prionin.*, *Derobr.* 68.
- Psalidognathus* **O* Gray** in **Griffith**, Anim. Kingd. II, 1832, 115; **Lmr.**, ASEB. 54, 1910, 370 (Rév., 725) 1913:14 (Am. mer.-trop., Chile, Peru). — 3 Subgg.: *Ps. s. str.*, *Prionocalus* et *Aptero-caulus*. — *Ps. s. str.* **Gray** (ut supra); **J. Thoms.**, *Cer.* 1860, 297; Syst. *Cer.* 1864, 468; **Lac.**, VIII, 1869, 40; **Lmr.**, ASEB. 54, 1910, 371 (Rév., 726) (*Ps. Friendi* **Gray** in **Griff.**, 1832) 1913:6 [3 + 3] (Am. mer.-trop.). *Ceram.*, *Prion.*, *Prionin.*, *Derobr.* 69; 69, 1.
Biol.: **Lmr.**, MScLiége (2) 11, 1884, 11, p. 7 f. 1, 1a; **Rojas**, ASEFr. (4) 6, 1866, 237.
- Psalidognathus* **Motsch.**, Etud. E. 1861, 13 = *Psalidoremus* **Motsch.** 1861. *Luc.*, *Clad.* 25.
- Psalidoremus* **O Motsch.**, Etud. E. 1861, 13 (nom. nov. *Psalidognathus*); **Parry**, TESL. 1870, 376) (*Ps. inclinatus* **Motsch.** 1857) 1913:3 (Jap., Liu-Kiu). *Luc.*, *Clad.* 25.
- Psalidostomus* **Burm.**, Hd. E. 1847, 377 = *Leptinopterus* **Hope** 1838. *Luc.*, *Clad.* 34.
- Psalobrenthus* **D. Sharp**, BCA. Col. IV, P. 6, 1895, 41 = *Ubanius* **Senna** 1894. *Brenth.*, *Brentha.*, *Arrh.* 65.
- Psalydolytta* **O Péring.**, TRS. South Afr. I, 1, 1909 p. 254 (Type? *lorigera* [**Gerst.**] 1854, *villosa* [**F.**] 1798) 1917:26 (Bombay 1, Afr. trop., Rhod. mer.). *Melo.*, *Lytt.*, *Lytti.* 27.
- Psammetichus* **O Latr.**, Dict. class. d'Hist. nat. 13, 1804, 578; **Sol.**, ASEFr. 7, 1838, 35; in **Gay**, H. Chile V, 1851, 164; **Lac.** V, 126 (*Ps. costatus* [**Guér.**] 1830) 1913:3 (Chile, Peru). *Ten.*, *Scotob.* 340.

- Psammobius* Heer, F. Col. Helv. I, 1841, 531; Muls. 1842, 320—4; Muls. et Rey, 1871, 395—405; Er., NID. 3, 1848, 915/6; Reitt., Tab., 18 et 20/3, VN. 30, 156, 158—161; d'Orb., Abeille 28, 1896, 254/5; Péring., T.SAfr.Phil.S. 12, 1901/3, Cat. 1901, 445—447; A. Schmidt, GIW. *Aphod.* 1910, 116, 119—121, t. 3; Schaufuß in Calwer, 1265; Kuhn, 383, 388 (*Ps. sulcicollis* [III.] 1802) 1913:39 (in divers part. orb. terr.). *Scar.*, *Aphod.*, *Psamm.* 28.
- Faunistik:
- Europa: Germania: Er., NID. 3, 1848, 915. — Balticum: Seidl., F.Ba. 1891, 29, 144/5. — Transsylvan.: Seidl., F.Tr. 1891, 29, 152/3. — Austria: Redtb., F. Austr. 1874, I, 472.
- Africa: Péring., TSAfr.Phil.S. 12, 1901/3, Cat. 1901, 445/7.
- America: Horn, TAmES. 3, 1871, 291/3; 14, 1887, 92—98. — Nov.-Mex.: Fall, TAmES. 33, 1907, 186. — Am. c.: Bates, BCA. Col. II, 2, 1887, 102—4. — Argent.: Burm., StEZg. 38, 1877, 406/7. — Chile: Har., BEZ. 11, 1867, 281—2.
- Australia: Blackb., PRS.Vict. 17, 1904, 172—4.
- Psammocryptus* O Kraatz, Rev. Ten. 1865, 239; Reitt., DEZ. 1896, 301; Best.-Tab. XLII, 1900, 90, 144 (*Ps. minutus* [Tausch.] 1812) 1913:1 (Ross. mer., Transcaspr., Transeauc.). *Ten.*, *Tentyr.* 129.
- Psammodes* O²/₃ Kirby, TLSL. 12, 1818, 412; Lac., V, 195; Haag, Col. Hfte. 7, 1871, 57 (Mon.) (*Ps. longicornis* Kirby 1818, *Ps. brunneus* [OL.] 1795, *Ps. pilosus* [Thunb.] 1787, *Ps. striatus* et *Ps. scaber* [F.] 1775) 1913:277+5 (Afr.). *Ten.*, *Molur.* 311.
- Biol.: Ormerod, Inj. Ins. South Afr. 1889, 18; Junod, B.S. Vaudoise 35, 1899, 179.
- Psammodius* auct. A. Schmidt in Sehlig. et J., P. 20, 82 = *Psammobius* Heer 1841.
- Psammodius* Gyll., Gyll.-B., 318 = *Psammobius* Heer 1841 (part.). *Scar.*, *Aphod.*, *Psamm.* (28).
- Psammodophysis* Péring., A.SAfr. Mus. I. 1899, 296 = *Psammodes* Kirby 1818. *Ten.*, *Molur.* 311.
- Psammoica* Reitt., Best.-Tab. 42, 1900, 85, 90 (*Ps. lucida* [Sol.] 1835) 1913:1 (Aeg.). *Ten.*, *Tentyr.* 126.
- Psammoporus* C. G. Thoms., Sk. Col. V, 1863, 72 = *Aegialia* Latr. 1807. *Scar.*, *Aegial.* 1.
- Psammoryssus* Kolbe, ENa. 12, 1886, 289 (*Ps. titanus* Kolbe 1886) 1913:1 (Congo). *Ten.*, *Molur.* 310.
- Psammoscaphus* Motsch., Etud. F. II, 1853, 39; Reitt., VN. 41, 1903, 59 = *Anomala* Sam. s. str. 1819. *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma.* 71, 2.
- Psammotrupes* Guér. in Laplace, Voy. Favorite V. Ins. 1838, 126 = *Eucranium* Brullé. *Scar.*, *Copr.*, *Scarbi.*, *Eucr.* 2.
- Psaryphis* Er., ArN. 9, 1843, I, 241; Haag, DEZ. 19, 1875, 499 (*Ps. nana* Er. 1843) 1913:1 (Angola). *Ten.*, *Eurych.* 229.
- Psaryphis* Lac., V, 1859, 98 = *Geophanus* Haag 1875. *Ten.*, *Eurych.* 219.
- Psathyrisa* O Aur., Ergebn. Exp. Kilim. VII, 1908, 141 (*Ps. brunnea* Aur. 1908) 1913:1 (Kilimandjaro). *Ceramb.*, *Cerambin.*, *Oem.* 73.
- Psathyrus* O J. Thoms., ArE. I, 1857, 192 (*Ps. aspericornis* [Chevr.] 1855) 1913:4 (Afr. mer.: Trv., Calab. antiq., Madag.). *Ceramb.*, *Cerambin.*, *Oem.* 72.
- Psatyrocerus* O Blanch. in Gay, H. Chile V, 1851, 523; Chap., X, 66; Jacoby et Clavareau, GIW. 23, 2 (*Ps. fulvipes* Blanch. 1851) 1913:12 (Am. mer.). *Chrys.*, *Crioc.* 10.

- Psebenia* O Gah., PZSL. 1902, 2, 277
(*Ps. brevipennis* Gah. 1902) 1913:1
(Born.). *Ceram.*, *Cerambin.*,
Necyda. 591.
- Psebidia* Jord., NoZo. I, 1894, 157 =
Haplopsebium Aur. 1891. *Ceram.*,
Cerambin., *Pseb.* 593.
- Psebium* O Pasc., JoE. II, 1864, 289
(*Ps. brevipenne* Pasc. 1864) 1913:2
(Nat., Caffr.). *Ceram.*, *Cerambin.*,
Pseb. 595.
- Psectrascelis* O Sol., ASEFr. V, 1836,
311; in Gay, H. Chile, V, 1851, 142;
Cast., HN. II, 1840, 188; Lac., V,
170; Fairm., ASEFr. (5) 6, 1876,
356 (Mon.) (Typ. ?; *Ps. pilipes* [Guér.]
1834, *Ps. discicollis* [Lac.] 1830, *Ps.*
laevigata [Er.] 1834) 1913:34 (Am.
mer.: Bol., Chile etc., Mex. 1?).
Ten., *Nyctel.* 296.
- Psectropus* O Sol., Studi E. II, 1848,
153 (7), 213 (67); Lac., V, 231 (*Ps.*
bipartitus Sol. 1848) 1913:2 (Terr.
cap., Caffr.). *Ten.*, *Pedin.* 432.
- Psednoseric* Brenske, BEZ. XLIV,
1899, 237, XLV, 60 (*Ps. amoena*
Brenske 1900) 1913:1 (Madag.).
Scar., *Melth.*, *Seric.* 67.
- Pselaphacus* O Perch., Gen. Ins. fasc. 4
nr. 6 (1835); Guér., Rev. Zo. 1841,
158; Lac., *Erot.*, 73; Crotch, Cist. E.
I (1873), 141; *Erot.*, 42; Chap., XII,
31; Gorch., BCA.Col. VII, 35 (*Ps.*
nigropunctatus Perch. 1835; *Ps.*,
rubricatus [Herbst] 1799) 1913:30
(Amer. c. et mer. trop.). *Erot.*,
Triplac. 32.
- Pselaphacus* Guér., Rev. Zo. 1841, 157
(pars) = *Encaustes* Lac. 1842. *Erot.*,
Encaust. 29.
- Pselaphaulax* Reitt., F. Germ. Käf. II,
1909, 217 = *Pselaphus* Herbst 1792.
Psel., *Psela.*, *Pselaph.* 322.
- Pselaphellus* O Raffr., Rev. Mus. La
Plata 1908, 78; GIW. *Psel.* 1908, 307
(*Ps. opacus* [Schauf.] 1886, *convexus*
Raffr. 1908) 1913:6 (Amaz., Arg.,
Guat.). *Psel.*, *Psela.*, *Pselaph.* 323.
- Pselaphischnus* O Raffr., T.SAfr. Phil.
S. 1897, 99; ASEFr. 73, 1904, 317;
GIW. *Psel.* 1908, 309 (*Ps. squamosus*
Raffr. 1897) 1913:1 (Cap. b. sp.
[Cape town]). *Psel.*, *Psela.*, *Pselaph.*
326.
- Pselaphocerus* O Raffr., Rev. d'E. 6,
1887, 28; 9, 1890, 141, 152; T.SAfr.
Phil. S. 1897, 109; ASEFr. 73, 1904,
364; GIW. *Psel.* 1908, 371, t. 6, f. 3
(*Ps. Peringueyi* Raffr. 1887) 1913:7
(Cap. b. Sp.). *Psel.*, *Psela.*, *Tyr.* 381.
- Pselaphocompsus* Raffr., GIW. *Psel.*
1908, 402 (*Ps. punctatus* Raffr. 1908)
1913:1 (Nov. Friborg.). *Psel.*, *Psela.*,
Tyr. 420.
- Pselaphodes* O Westw., TESL. 1870,
II, 129; Raffr., Rev. d'E. 9, 1890,
146, 152; ASEFr. 73, 1904, 364;
GIW. *Psel.* 1908, 377 (*Ps. villosus*
Westw. 1870) 1913:5 (Born., Singap.,
Ceyl., Sum., Java). *Psel.*, *Psela.*,
Tyr. 389.
- Pselaphodes* (error) Raffr., Rev. d'E.
14, 1895, 69 = *Tyrus* Aubé 1833.
Psel., *Psela.*, *Tyr.* 391.
- Pselaphogenius* Reitt., WEZg. 29, 1910,
155 = *Pselaphus* Herbst 1792. *Psel.*,
Psela., *Pselaph.* 322.
- Pselaphomorphus* O Motsch., Etud. E.
IV, 1855, 15; Raffr., Rev. d'E. 9,
1890, 85, 1893, 42; GIW. *Psel.* 1098,
27 (*Ps. sculpturatus* Motsch. 1855)
1913:1 (Pan., Bras., Col. Tovar.,
Arg.). *Psel.*, *Psela.*, *Jub.* 17.
- Pselaphophus* O Raffr., Rev. d'E. 9,
1890, 137, 139; PLSNSW. 1900, 202;
ASEFr. 73, 1904, 318; GIW. *Psel.*
1908, 310 (*Ps. atriventris* Westw.
1856) 1913:4 (Austral., N. Guinea).
Psel., *Psela.*, *Pselapt.* 327.
- Pselaphopterus* (Reitt.) (!) Schaufuß in
Calwer, 252 = *Pselaphopterus* Reitt.
Psel., *Psela.*, *Pselaph.* 328.
- Pselaphopterus* Reitt., WEZg. 10, 1891,
139; 20, 1901, 123; Raffr., ASEFr.
73, 1904, 332, GIW. *Psel.* 1908, 310
(*Ps. Kubischteki* Reitt. 1891) 1913:3

- (Margelan, Bukara, Galic.). *Psel.*, *Psel.*, *Pselaph.* 328.
- Pselaphostomus* **Reitt.**, F. Germ. II, Käf. II, 1909, 218 = *Pselaphus* **Herbst** 1792. *Psel.*, *Psel.*, *Pselaph.* 322.
- Pselaphoxys* **O Raffr.**, Rev. d'E. 9, 1890, 137; T.SAfr. Phil. S. 1898, 402; ASEFr. 73, 1904, 318; GIW. *Psel.* 1908, 308 (*Ps. delicatulus* **Raffr.** 1890) 1913:1 (Abyss., Cap. b. sp., Gabun.). *Psel.*, *Psel.*, *Pselaph.* 325.
- Pselaphus* **O Herbst**, Natursyst. Ins. Käf. IV, 1792, 106; **Denny**, Mon. *Psel.* 1825, 43; **Aubé**, *Psel.* Mon. 1833, 19; ASEFr. (2) 2, 1844, 100; **Er.**, KäfMaBr. I, 1837, 226; **Jacq. du Val**, I, 130; **C. G. Thoms.**, Sk. Col. III, 232; **Reitt.**, VzbGW. 31, 1881, 451, 454; **Raffr.**, Rev. d'E. 9, 1890, 137, 139; T.SAfr. Phil. S. 1897, 98; ASEFr. 73, 1904, 317; GIW. *Psel.* 1908, 304; **Gangib.**, II, 842; **Gutfl.-B.**, 192; **Schaufuß** in **Calwer**, 252; **Kuhnt**, 306, 317 (*Ps. dresdensis* **Herbst** 1792; *Heisei* **Herbst** 1792) 1913:95 (in omn. part. orb. terr.). *Psel.*, *Psel.*, *Pselaph.* 322.
- Pselaptricus* **O Brendel**, EAm. V, 1889, 194; B. Un. Jowa I, 1880, 242; **Raffr.**, ASEFr. 73, 1904, 255; GIW. *Psel.* 1908, 285 (*Ps. tuberculipalpus* **Brendel** 1889) 1913:1 (Cal., Alameda) *Psel.*, *Psel.*, *Tych.* 302.
- Pselaptus* **O J. Lec.**, TAmES. 1880, 184; **Raffr.**, ASEFr. 65, 1896, 257, 259; ASEFr. 73, 1904, 111; GIW. *Psel.*, 1908, 209; **Brendel**, Bull. Un. Jowa II, 1890, 2 (*Ps. Belfragei* **J. Lec.** 1880) 1913:10 (Am. b., mer.-trop., Tex., Yucatan). *Psel.*, *Psel.*, *Brachygl.* 227.
- Psephactus* **O Har.**, DEZ. 23, 1879, 367; **Lmr.**, MSeB. 21, 1912, 36 (Rév., 900) (*Ps. reniger* **Har.**) 1913:1 (Jap.). *Ceram.*, *Prion.*, *Anacol.*, *Clost.* 78.
- Psephenops* **Grouv.**, Not. Leyd. Mus. 20, 1898, 44 (*Ps. Smithi* **Grouv.** 1898) 1913:1 (Grenada, Vincent). *Dryop.*, *Pseph.* 4.
- Psephenus* **O^{*} Haid.**, Melsh. Cat. 1853, 34; **Lac.**, II, 1854, 499; **Horn**, TAmES. III, 1870, 30; X, 1882, 118 t. 6 f. 14, 15; **Casey**, AN YAcSc. VII, 1893, 578 (*Ps. Lecontei* [**Lec.** in **Agass.**] 1850) 1913:5 (Cal. 3; Civ. confoed., Bras.). *Dryop.*, *Pseph.* 1.
- Biol.: **Rolph**, ArN. 40, 1874, I, 18, t. 1 f. 16—23; **Detroit**, AmE. III, 1880, 73; **Leng**, JoN YES. II, 1894, 186.
- Psephus* **Kirby et Spence**, Introd. E. III, 1828, 678 = *Ochodaeus* **Serv.** 1825. *Scar.*, *Ochod.* 1.
- Pseudodontus* **O Bernh.**, DEZ. 1903, 140 = Subg. 3 ad *Priochirus* **Sharp** 1887) (*Ps. mandibularis* [**Kraatz**] 1859) 1913:1 (Ceylon). *Staph.*, *Oxyl.*, *Priest.*, *Leptoch.* 16, 3.
- Pseudaba* **Kraatz**, DEZ. 24, 1880, 107 (*Ps. formosus* **Kraatz** 1880) 1913:3 (Luzon 2, ?). *Ten.*, *Cnodal.* 929.
- Pseudabirus* **Fairm.**, ASEB. 41, 1897, 199 (*Ps. subcylindricus* **Fairm.** 1897) 1914:2 (Madag. mer.-occ. et Sub-erbienville). *Chrys.*, *Eumolp.*, *Edus.* 211.
- Pseudabris* **Fairm.**, ASEB. 38, 1894, 222 (*Ps. tigriodera* **Fairm.** 1894) 1917:1 (Thibet.). *Melo.*, *Lytt.*, *Mylabr.* 16.
- Pseudacerus* **O Raffr.**, Rev. d'E. 14, 1895, 80; ASEFr. 73, 1908, 454; GIW. *Psel.* 1908, 451 (*Ps. furcatus* **Raffr.** 1895) 1913:1 (Singap.). *Psel.*, *Clavig.* 467.
- Pseudachlamys* **Duviv.**, ASEB. 36, 1892, 297; **Schklg.**, GIW. *Cler.* 1903, 16 (*Ps. penicillata* **Duviv.** 1892) 1913:1 (Congo). *Cler.*, *Cleri.*, *Till.* 26.
- Pseudachloa* **Péring.**, T.SAfr. Phil. S. 13, 1904, 162 (*Ps. leonina* **Péring.** 1904) 1913:1 (Flum. Orange; Trv.). *Scar.*, *Melsh.*, *Pachyd.* 444.

- Pseudacratulus* **DF.**, Col. Cat. P. 45, 7 (= *Acratus* **G. Horn** 1867) (*Ps. flavipennis* [**Horn**] 1867) 1913:1 (Ariz.). *Scar.*, *Melth.*, *Chasm.* 17.
- Pseudacrossus* **Reitt.**, Tab., 80; VN. 30, 219; **A. Schmidt**, GIW. 20 et 54 = Subg. ad *Aphodius* **III.** 1791. *Scar.*, *Aphod.* 7.
- Pseudactium* **Casey**, Can. Ent. 40, 1908, 271 (*Ps. carolinae* **Casey** 1908) 1913:3 (Carolina b., Pa.). *Psel.*, *Psela.*, *Euplect.* 63.
- Pseudadelphus* **Arr.**, ANH. (7) 4, 1899, 369 = *Aulacopatus* **Guér.** 1838. *Scar.*, *Rut. orth.*, *Anoplgni.*, *Brachystrn.* 127.
- Pseudadoretus* **Sem.**, HoR. 24, 1889, 202; WEZg. 9, 1890, 2; Rev. Russe d'E. XII, 1912, 500; **Reitt.**, ENa. 15, 1889, 270; VN. 41, 1903, 33. *Scar.*, *Rut. orth.*, *Anoplgni.*, *Pseudador.* 136.
- Pseudadorodocia* **Arrow**, ANH. (7) 8, 1901, 36 = *Adorodocia* **Brenske.** *Scar.*, *Rut. orth.*, *Anoplgni.*, *Adorod.* 131.
- Pseudadrus* **Fairm.**, Rev. d'E. 16, 1897, 30 (*Ps. scaphoides* [**Mars.**] 1876) 1913:1 (Jap.). *Ten.*, *Opatr.* 522.
- Pseudaegus* **O Heller**, Abh. Mus. Dresd. 9, 1900, Nr. 5, p. 7 (*Ps. leptodon* **Heller** 1900) 1913:1 (Col., Peru). *Luc.*, *Dorc.* 49.
- Pseudalexia* **Kolbe**, Mi.Zo.Mus. Berlin 5, 1910, 34 (*Ps. sechellarum* **Kolbe** 1910) 1913:1 (Seychell.). *End.*, "Sphaero. 1a.
- Pseudananca* **Blackb.**, TRS. South Austral 17, 1893, 135; 23, 1899, 73 (*Ps. ruficollis* **Blackb.** 1893) 1915:1 (N.S.W.). *Oed.* (pos. inc.) 66.
- Pseudanemia* **Woll.**, Cat. Can. Col. 1864, 492; **Mars.**, Abcille 12, 1875, 125 = Subg. ad *Anemia* **Cast.** 1840. *Ten. Opatr.* 513.
- Pseudanidorus* **Pic**, Rev. Sci. Bourb. 6, 1893, 158, Tab. p. 6. = Subg. ad *Hylophilus* **Berth.** 1827. *Hyloph.* 3.
- Pseudaoria* **Jac.**, F. Ind. Col. II, 1908, 399 (*Ps. birmanica* **Jac.** 1908) 1914:2 (Assam). *Chrys.*, *Eumolp.*, *Leprot.* 115.
- Pseudaphana* **Bernh.** *Staph.* cf. P. II.
- Pseudapharina* **O Raffr.**, Rev. d'E. 9, 1890, 134, 136; ASEFr. 73, 1904, 309; GIW. (*Psel.*), 1908, 223 (*Ps. prima* [**Reitt.**] 1883) 1913:1 (Born.). *Psel.*, *Psela.*, *Hyboc.* 339.
- Pseudapocrypha* **O Champ.**, BCA. Col. IV, 1, 1886, 260 (*Ps. Lacordairei* **Champ.** 1886) 1913:1 (Am. c.). *Ten.*, *Apocryph.* 988.
- Pseudapion* **Schilsky** in **Küster, Kraatz, KäfEur.** 43, 1906, p. VI; **Schaufuß** in **Calwer**, 1182; **Kuhnt**, 1026 = Subg. ad *Apion*. *Curc.*, *Api.*, *Apion.* 11.
- Pseudariotus* **Casey**, AN YAcSc. 8, 1895, 777, 790 = Subg. ad *Hylophilus* **Berth.** 1827. *Hyloph.* 3.
- Pseudasida* **Fairm.**, ASEB. 39, 1895, 444 (*Ps. obesa* **Fairm.** 1895) 1913:2 (Madag.). *Ten.*, *Asid.* 80.
- Pseudedusia* **Jac.**, PZSL. 1898, 229 (*Ps. fulvipes* **Jac.** 1898) 1914:1 (Terr. Mashona). *Chrys.*, *Eumolp.*, *Edus.* 215.
- Pseudeleodes* **Blaisd.** B.U. Stat. Nat. Mus. vol. 63 1909, 146 = Subg. ad *Eleodes* **Eschsch.** 1829. *Ten.*, *Eleod.* 392.
- Pseudenaria* **Fairm.**, Rev. d'E. 20, 1901, 146 (*Ps. hexaphylla* **Fairm.** 1901) 1913:1 (Madag.). *Scar.*, *Melth.*, *Melthi.* 267.
- Pseuderios* **O Lmr.**, ASEFr. 62, 1893, 42; **Aur.**, ArkZo. III, 18, 1907, 14 (*Ps. exul* **Lmr.** 1907) 1913:4 (Cam., Abyss., Kuilu 2). *Ceram.*, *Cerambin.*, *Pteropl.* 961.
- Pseudethas* **Fairm.**, ASEB. 40, 1896, 57; 42, 1898, 477 (*Ps. quadraticeps* **Fairm.** 1896) 1913:2 (Ind. b.) Madag., *Ten.*, *Stenos.* 229.

- Pseudeuglenes* **Pic**, BSZFr. 22, 1897, 81
Schaufuß in Calwer, 743 = Subg. ad
Hylophilus **Berth.** 1827. *Hyloph.* 3.
Pseudeumolpus **Jac.**, EMM. 29, 1893,
276 = *Eumolpopsis* **Jac.** 1894.
Chrys., *Eumolp.*, *Eur.* 175.
Pseudeurostus **Heyd.**, Cat. Col. Eur.,
1906, 424 = *Eurostus* **Muls. et Rey**
1868. *Ptin.*, *Ptini.* 18.
Pseudeutaphrus **Pic**, Echange XII, 1896,
109, Nota 1 = Subg. ad *Ptinus* **L.**
1758. *Ptin.*, *Ptini.* 21.
Pseudhadrus **Kolbe**, Mi.Zo.Mus.Berlin V,
31, 1910 (*Ps. seriatus* **Kolbe** 1910)
1913:2 (Seychell.). *Ten.*, *Helaei.* 732.
Pseudhelops **O Guér.**, Rev.Zo. 1841, 124,
Lac. V, 441; **Broun**, Subant. Isl. New
Zeal. I, 1909, 106 (*Ps. tuberculatus*
Guér. 1841) 1913:10 (N. Caled.),
N.Z., Auckland; Ind. 1). *Ten.*,
Adelii. 1008.
PseudhisPELLa **Kraatz, Ws.** in Schklg.
u. J., Col. Cat. P. 35, 1911, 60; DEZ.
1895, 198; **Ws.**, DEZ. 1905, 318 (Typ.?
Ps. sulcicollis **Gyll.** [in Schönh.])
1913:8 (Afr. trop. et mer.). *Chrys.*,
Hisp., *Hispi.* 81.
Pseudholophylla **Blackb.**, TRS.South
Austral. 35, 1911, 188, 196 (*Ps. fur-*
furacea [**Burm.**] 1855) 1913:1 (Austral.
Scar., Melth., Melthi. 383.
Pseudibidion **Casey**, Mem. Col. 3, 1912,
293 (*Ps.* [Stenoc[h]orus] *unicolor* **Casey**
1912) 1913:1 (Cal.). *Ceram.*,
Cerambin., *Phorac.* 227a?
Pseudichnea **Schklg.**, DEZ. 1900, 400;
GIW. *Cler.* 1903, 101 = Subg. ad
Ichnea **Cast.** 1836 (*Ps. calceata* **Chevr.**
1913:4 (Bras., Amaz., Goyaz). *Cler.*,
Corym., *Enopl.* 151.
Pseudidus **Muls. et Rey**, ASAgr.Lyon
(4) 8, 1875, 574 = *Cofius* **Steph.** 1832.
Staph., *Staphy.*, *Staphyl.*, *Staphi.* 288.
Pseudispa **Chap.**, XI, 1875, 328 =
Subg. 2 ad *Cephalodonta* [**Baly**] 1858
(*Ps. marginata* **Guér.** 1844) 1913:8
(Bras. [6], Ven. [1], Arg. [1]). *Chrys.*,
Hisp., *Cephalod.* 20.
Pseudispella **Kraatz**, DEZ. 1895, 198;
Ws., DEZ. 1905, 318 = *PseudhisPELLa*
Kraatz 1895. *Chrys.*, *Hisp.*, *Hispi.*
81.
Pseudivongius **Jac.**, PZSL. 1897, 546
(*Ps. natalensis* **Jac.** 1897) 1914:3
(Nat.). *Chrys.*, *Eumolp.*, *Typoph.*
254.
Pseudobatriscus **Raffr.**, Voyage Alluaud
Col. 1913, 34 (*Ps. rhinoceros* **Raffr.**
1913) 1913:1 (Afr. or.). *Psel.*,
Psela., *Batris.* 186a.
Pseudobium **Muls. et Rey**, ASLLyon 24,
1877, 104; **Ganglb.**, KäfMEur. II,
1895, 500; **Schaufuß** in Calwer, 180;
Kuhnt, 165, 224 (*Ps. labile* [**Er.**]
1839/40, 594) 1913:1 (Medit.; Prov.
Rhenan.; Ins. Canar.). *Staph.*,
Paed., *Paedi.* 211.
Pseudoblaps **Guér.**, MaZo. 1834, Mélas.,
28; **Lac.** V, 237 (*Ps. curvipes* **Guér.**
1834, *atrata* [**F.**] 1775) 1913:19 (Ind.,
Ins. Sund., Ceyl., Kaschm., Bengal.).
Ten., *Pedin.* 439.
Pseudobruchus **Pic**, MSZoFr., VII, 1894,
204 = Subg. ad *Ptinus* **L.** 1758.
Ptin., *Ptini.* 21.
Pseudocaedius **Blackb.**, TRS.South
Austral. XIII, 1890, 91 (*Ps. squa-*
mosus **Blackb.** 1890) 1913:1 (Austral.).
Ten., *Opatr.* 552.
Pseudocalaspidea **Jacobs.**, A.Mus. Zo.
Pétersb., 1899, 245 = *Alurnus* **F.**
1775. *Chrys.*, *Hisp.*, *Alurn.* 16.
Pseudocalliprason **O Broun** ManNZ.
Col. 1, 1880, 573 (*Ps. marginatum*
[**White**] 1846) 1913:1 (N. Z.).
Ceram., *Cerambin.*, *Phlyct.* 401.
Pseudocamaria **Bates** TESL. 1879, 287;
Gebien, ArN. 83, 1917 (1919) A. 3,
27 (*Ps. consobrina* **Bates**, 1879, *alter-*
nata [**Fairm.**] 1875) 1919:4 (Madag.).
Ten., *Cnodal.* 961.
Pseudocamenta **Péring.**, TSAfr. Phil.S.
XIII, 1904, 106 (*Ps. transvaalica*
Péring. 1904) = Subg. ad *Oocamenta*

- Péring**, 1904. 1913:1 (Trv.). *Scar.*, *Melth.*, *Seric.* 135, 1.
- Pseudocamptodes* **Grouv.**, ASEFr. 65, 1896, 1 = *Cyllodes* **Er.** 1843. *Nit.* 118.
- Pseudocanthon* **Bates**, BCA.Col. II, 2, 1887, 35 = *Canthon* **Hffsg.** 1817. *Scar.*, *Copr.*, *Scarbi.*, *Canthon.* 18.
- Pseudocephalus* **O Newm.**, Ent. I, 1842, 353 (*Ps. formicides* **Newm.** 1842) 1913:4 (Austral. occ., mer., Tasm., Chile). *Ceram.*, *Cerambin.*, *Pseudoph.* 450.
- Pseudochina* **Jacq. du Val**, Glanur. E. II, 1860, 143; Gen. Col. d'Eur. III, 2, 1861, 220, 223; **Muls.** et **Rey**, *Téréd.*, 225, 290; **Seidl.**, FBa. 506; F. Tr.. 541; **Schilsky**, KäfEur. 36, 36 GG = *Lasioderma* **Steph.** 1832. *Anob.*, *Xylet.* 57.
- Pseudochlorota* **Obs.**, StEZg. 66, 1905, 305 (*Ps. chiriquina* **Obs.** 1905) 1918:3 (Pan., Ec., Peru). *Scar.*, *Rut. hom.*, *Ruti.*, *Lasioc.* 34.
- Pseudochoris* **O Jac.**, BCA.Col. VI, I Suppl. 1890, 213 (*Ps. fulvicollis* **Jac.** 1890) 1914:1 (Mex.). *Chrys.*, *Eumolp.*, *Iphim.* 37.
- Pseudochrysomela* **Voet** (pars) Cat. syst. II, 1806, 43 = *Erotylus* **F.** 1775. *Erot.*, *Erotyl.* 15.
- Pseudochrysomela* **Voet** (part.) Col. Cat. II, 1806, 43 = *Prepopharus* **Er.** 1847. *Erot.*, *Erotyl.* 20.
- Pseudocistela* **Blackb.**, TRS.SouthAustr. 14, 1891, 316 = *Neocistela* **Borchm.** 1909. *All.*, *Allec.* 46.
- Pseudocistela* **O** **Crotch**, Check-List Col. N.Am. 1873, 108; **Har.**, Mitteil. Münch. E. Vr. 1877, 120; DEZ. 28, 1878, 80; **Seidl.**, NID. V, 2, 1896, 86; **Schaufuß** in Calwer, 781, 783; **Kuhnt**, 733 (*Ps. ceramboides* [**L.**] 1761) 1913:80 (in omn. part. orb. terr.). *All.*, *Allec.* 76.
- Pseudoclada* **M.** et **Th. Pic**, WEZg. 20, 1901, 170 = Subg. ad *Hedobia* **Latr.** 1829. *Anob.*, *Hedob.* 1.
- Pseudoclerops* **O** **Jacq. du Val**, G. Col. d'Eur. 3, 1861, 196; **Kiesw.**, NID. 4, 1863, 684; **Muls.**, Col. Fr. *Angustic.* 1863, 46; **Kuw.**, ASEB. 38, 1894, 399, 403; **Schklg.**, GIW. *Cler.* 1903, 73; DEZ. 1906, 289; **Schaufuß** in Calwer, 399. — Biol.: **Perris**, ASLLyon (2) X, 1863, 294; **Muls.**, Col. Fr. *Angustic.* 1863, 48; **Rupertsb.**, WEZg. 12, 1893, 216; **Houbert** et **Bétis**, l. c., 129 (*Ps. mutillarius* [**F.**] 1775) 1913:6 (Eur. c., m., Afr. b., Sib., Syr., Asm., Cauc., Ind. or., Born.). *Cler.*, *Cleri.*, *Clerin.* 79.
- Pseudoclerus* **Jacq. du Val**, G. Col. d'Eur. 3, 1861, 186 = *Thanasimus* **Latr.** 1806. *Cler.*, *Cleri.*, *Clerin.* 75.
- Pseudoclerus* **Voet**, Col. Cat. II, 1804 — 1806, 57 = *Spondylis* **F.** 1775. *Cerambin.*, *Spond.*, *Ceram.* 19.
- Pseudocoelus* **Cas.**, Mon. 1908, 152 = *Coelus* **Eschsch.** 1892. *Ten.*, *Coeli.* 430.
- Pseudocolaspis* **Cast.** in Silberm., Rev. d'E. I, 1833, 23; **Marshall**, JoE. II, 1865, 347; **Jacq. du Val**, G. Col. d'Eur. IV, 1868, 222; **Baly**, JoLSLZo. XIV, 1878, 248; **Ws.**, DEZ. 1903, 356; **Jac.**, F. Ind. Col. II, 1908, 466 (*Ps. metallica* **Cast.** 1833) 1914:48 (Afr. trop. or. et occ.; mer.; Bengal. 1). *Chrys.*, *Eumolp.*, *Pseudocol.* 199.
- Pseudocolaspis* **J. Thoms.**, ArE. II, 1858, 214; **Marshall**, JoE. II, 1865, 347; **Schauf.**, Nunq. otios. I, 1871, 189; **Kraatz**, BEZ. 16, 1872, 187; **Chap.**, G. Col. X, 1874, 288; **Ws.**, NID. VI, 1882, 279; **Lefv.**, MSLiége (2) 11, 1885, 85 (pars) = *Macrocoma* **Chap.** 1874. *Chrys.*, *Eumolp.*, *Cym.* 198.
- Pseudocorthylus* **Ferr.**, Borkenk. 1867, 71 = *Corthylus* **Er.** 1836. *Ip.*, *Corth.* 101.
- Pseudocryptus* **Muls.** et **Rey**, ASAgr. Lyon 1875, 291; **Ganglb.**, KäfMEur. II, 1895, 424 = Subg. ad *Staphylinus*

- L. 1758. *Staph.*, *Staphy*, *Staphyl.*, *Staphi.* 314.
- Pseudocyphogogus* **Desbr.** des Loges, Jo. Asiat. S. Bengal 59 (2) 221, 1890 (*Ps. squamifer* **Desbr.** 1890) 1913:1 (Andaman.). *Brenth.*, *Brenth.*, *Taphr.* 14.
- Pseudodacne* **Crotch**, *Erot.*, 1876, 22 (*Ps. admirabilis* **Crotch** 1876) 1913:1 (Born. occ.). *Erot.*, *Daen.* 72.
- Pseudodactylus* **Hampe**, *BEZ.* 10, 1866, 374; Abeille 9, 1872, 404; **Tournier**, *Descr. Dascill. bass. Léman* 1868, 91; **Seidl.**, *F. Ba. ed. II* (1889), 107; *F. Tr.* (1889), 107 (*Ps. cribratus* **Hampe** 1866) 1914:1 (It. mer., Sic.). *Dasc.*, *Dasci.*, *Macrop.* 8.
- Pseudodinoptera* **Pic**, *Echange* 16, 1900, 82 = Subg. 3 ad *Aemaeops* **J. Lec.** 1850) 1913:19 (*Ps. daghestanica* **Pic** 1900) (Daghest. I, Spp. nearct. 18). *Ceram.*, *Cerambin.*, *Lept.* 526, 3.
- Pseudodiptaxis* **Nonfried**, *ENa.* 20, 1894, 117 (*Ps. albosetosa* **Nonfr.** 1894) 1913:1 (Bras. occ.). *Scar.*, *Melth.*, *Melthi.* 224.
- Pseudodorcatoma* **Pic**, *Echange* 21, 1905, 171; *ASEFr.* 78, 1909, 168 (*Ps. ornata* **Pic** 1905) 1913:3 (Guadeloupe). *Anob.*, *Dorcat.* 63.
- Pseudodorcus* **O Parry**, *TESL.* 1870, 94 (*Ps. hydrophiloides* [**Hope** (Westw.)] 1845) 1913:1 (Ins. Melville). *Luc.*, *Dorc.* 57.
- Pseudodrilus* **Motsch.**, *BMosc.* 1869, 272 (*Ps. mamillatus* **Motsch.** 1869) 1913:1 (Terr. Kirghis.). *Secund.* **Motsch.** intra *Drilum*, *Anobium* et *Xyletinum* posit. *Anob.* (g. inc. sed.) 88.
- Pseudodryophilus* **Heyd.**, *Cat. Col. Eur.* 1891, 230, 459; **Schilsky**, *KäfEur.* 36, 1899 (1900), 36 T.; **Reitt.**, *Best.-Tab.* 47, 1901, 8 = Subg. ad *Dryophilus* **Chevr.** 1832. *Anob.*, *Dryoph.* 8.
- Pseudofustiger* **O Reitt.**, *DEZ.* 29, 1884, 167; **Ralfr.**, *ASEFr.* 73, 1904, 447; *GIW.* *Psel.* 1908, 433 (*Ps. stricti-*
- cornis* **Reitt.** 1883) 1913:1 (St. Thomae, Antill.). *Psel.*, *Clavig.* 441.
- Pseudogena* **Fairm.**, *ASEB.* 1899, 539 (*Ps. polyzona* **Fairm.** 1899) 1913:8 (Madag.). *Ten.*, *Strongyl.* 1188.
- Pseudogenes* **Fairm.**, *ASEB.* 38, 1894, 149 (*Ps. ornaticeps* **Fairm.** 1894) 1913:1 (Madag.). *Ceram.*, *Cerambin.*, *Lept.* 503.
- Pseudogeniatus* **Oh.**, *DEZ.* 1910, 179; l. c. 1914, 302; 1915, 258 (*Ps. Richterianus* et *intermedius* **Oh.** 1910) 1918:2 (Arg., Cordob., Buen. Air.). *Scar.*, *Rut. hom.*, *Ruti.*, *Pelidn.* 25.
- Pseudohamotus* **O Raffr.**, *Rev. d'E.* 9, 1890, 148, 154; *ASEFr.* 65, 1896, 137; 73, 1904, 370; *GIW.* *Psel.* 1908, 401 t. 6 f. 5 (Typ.? *Ps. inflaticeps* **Reitt.** 1888) 1913:5 (Bras., Pan., Guatem.). *Psel.*, *Psela.*, *Tyr.* 417.
- Pseudohelaeus* (**Brême**) **Gebien** in *Schklg. u. J.*, *Col. Cat. P.* 37, 1911 in *Indic.*, 626 citat.: p. 418 (quo loco autem *Pterohelaeus* express. est). *Ten.*, *Helaci.* 427.
- Pseudohoplia* **Reitt.**, *DEZ.* 1890, 375 (Subg.), *VN.* 41 [Best.-Tab.], 108 (*Ps. Gabriellina* **Fairm.** 1887) 1913:2 (Yunnan). *Scar.*, *Melth.*, *Hopl.* 541.
- Pseudoischaena* **Grouv.**, *AMusG.* 38, 1897, 349 (*Ps. longula* **Grouv.** 1897) 1913:1 (Sum.). *Nit.*, *Nitid.* 97.
- Pseudolamius* **Fairm.**, *Pét. Nouv. E. I.* 1874, 388; *ASEFr.* (5) 10, 1880, 18; **Reitt.**, *Best.-Tab.* 53, 1904, 51, 75 (*Ps. seriatorporus* **Fairm.** 1874) 1913:3 (Alg., Mar., And., Seneg., Madag.). *Ten.*, *Pedin.* 460.
- Pseudolathra* **Casey**, *T. Ac. St. Louis XV.* 1905, 74, 129 = Subg. ad *Lathrobium* **Grav.** 1802. *Staph.*, *Paed.*, *Paedi.* 210.
- Pseudolema* **O Jac.**, *ASEB.* 47, 1903, 82; **Jacoby u. Clavareau**, *GIW.* 23, 31; **Jacoby**, *F. Brit. Ind. Col. II.* 1908, 83 (*Ps. suturalis* **Jac.** 1903) 1913:1 (Ind. or., Nilgiri). *Chrys.*, *Crioc.* 11.

- Pseudoleptaleus* **Pic**, AMusG. (2) 20, 1899/1901 (1900), 603 nota = *Leptaleus* **Laf.** 1848. *Anth.* 18.
- Pseudoleptura* **J. Thoms.**, *Class. Cer.* 1860, 142, 148; *Syst. Cer.* 1864, 414 = *Erythrus* **White** 1853. *Ceramab., Cerambin., Pyr.* 666.
- Pseudolesteva* **Cas.**, AN YAcSc. XII, 1893, 398, 399 = *Paralesteva* **Cas.** 1905. *Staph., Oxyt., Omal.* 72.
- Pseudolichas* **Fairm.**, ASEFr. 1878, 111; **Pic**, *Echange* 24, 1908, 53—55 (*Ps. sulcifrons* **Fairm.** 1878) 1913:5 (Ch., Indo-Chin.). *Dasc., Dasci., Dascill.* 24.
- Pseudolina* **Jac.**, ASEB. 40, 1896, 252 (*Ps. indica* **Jac.** 1896) 1916:1 (Ind. or. b.-occ.). *Chrys., Chrys., Tim.* 111.
- Pseudolontha* **Fairm.**, Not. Leyd. Mus. 19, 1897, 211 (*Ps. canaliculata* **Fairm.** 1897) 1913:2 (Tibet., Ch.). *Scar., Melth., Melthi.* 374.
- Pseudototclus* **Pic**, *Echange* 17, 1901, 67 = Subg. ad *Hylophilus* **Berth.** 1827. *Hyloph.* 3.
- Pseudolpus* **Jac.**, AMusG. 20, 1884, 225; **Lcfv.**, MS Liège (2) 11, 1885, 62 (*Ps. ornatus* **Jac.** 1884) 1914:1 (N. Guin.). *Chrys., Eumolp., Nodost.* 91.
- Pseudolucanus* **O Hope** (Westw.), *Cat. Luc.* 1845, 39; **Parry**, *TESL.*, 1870, 72; **Planet**, *Natural.* 17, 1895, 126; *Essai Monogr.* Paris. 1899, 7—30. *capreolus* [**L.**] 1764) 1913:10 (Hispan., Mar., As., Am.). *Luc., Luc.* 13.
- Pseudolybas* **O Gorh.**, *BCA. Col.* VII, 1888, 74 (*Ps. glaber* **Gorh.**) 1913:2 (Pan.). *Erot., Triplac.* 60.
- Pseudolychnuris* **Motsch.**, *Etud. E.* 1852, 28 sq. = *Lucidota* **Cast.** 1833 part. *Lamp., Lucid.* 15.
- Pseudolytus* **O** **Guér.**, ASEFr. II, 1833, 155; **Lac.** V, 701, 708; **Champ.**, *TESL.* 1895, 247; **Seidl.**, *NID.* V. 2, 1899, 813; **Blackl.**, *TRS. South Austral.* 23, 1899, 73, 84. — *Biol.*: **Champ.**, *TESL.* 1895, 247. — (*Ps. marginatus* **Guér.** 1833, *Ps. haemorrhoidalis* [**F.**] 1801). 1913:16 (Austral., Madag., Tasm., Ins. King, Gayndah, Yunnan). *Oed., Oedem., Ascler.* 10.
- Pseudolyprops* **Fairm.**, *Not. Leyd. Mus.* IV, 1882, 236 (*Ps. dilaticollis* **Fairm.** 1882) 1913:3 (Ind., Sum.). *Ten., Heterota.* 874.
- Pseudomacetes* **Linell**, P. U. Stat. Nat. Mus. 18, 1845, 695 (*Ps. aeneus* **Linell** 1845) 1914:1 (Terr. Somali). *Chrys., Eumolp., Cyn.* 197.
- Pseudomacraspis* **Ohls.**, *BEZ.* 48, 1903, 229. — *Biol.*: **Ohls.**, *DEZ.* 1908, 396. — (*Ps. cayennensis* **Ohls.** 1903) 1918:6 (Cayenne, Terr. flum. Amazon., Peru, Bol., Ec.). *Scar., Rut. hom., Ruti., Antich.* 62.
- Pseudomacronychus* **Grouv.**, ASEFr. 75, 1906, 327, 329 (*Ps. castaneus* **Grouv.** 1906) 1913:1 + 1 (Kilima-Ndjaru). *Dryop., Helm., Helmi.* 52.
- Pseudomalata* **O Kraatz**, *DEZ.* 1892, 296; **Ohls.**, *Philipp. Journ. Sci.* 7, 1912 Nr. 4, 266 (*Ps. pilifera* [**Burm.**] 1844, *Semper* **Kraatz** 1892, *tagala* [**Hell.**] 1891) 1918:9 (Luzon 4, Negros 1) *Scar., Rut. hom., Anomi., Popp.* 92.
- Pseudomalegia* **Jac.**, *PZLS.* 1897, 546 (*Ps. turkestanica* **Reitt.** 1890) 1914:4 (Transcasp., Turk., Ural, Terr. cap., Nat.). *Chrys., Eumolp., Leprot.* 120.
- Pseudomedon* **Muls. et Rey**, *ASLLyon* 24, 1877, 122; **Schaufuß** in *Calwer*, 183; **Kuhnt**, 220 (*Ps. obsoletus* [**Nordm.**] 1836) = Subg. 16 ad *Medon* **Steph.** 1832. 1913:6 (Eur., Medit., Syr., Austral., Am. b.-or., Ala., Nev., Oreg., Masz., R. I.). *Staph., Paed., Paedi.* 199, 16.
- Pseudomela* **Baly**, *TESL.* (n. s.) IV, 1857, 87; **Ws.**, *DEZ.* 1895, 348 (*Ps. Murrayi* **Baly** 1857) 1916:4 (Quango, Ashanti, Calab. veter., Cam., Aruwini, Congo, Ruwenzori). *Chrys., Chryso., Chrysi.* 33.
- Pseudomeloe* **O Fairm. et Gemm.**, ASEFr. (4) III, 1863, 258 (*Ps. parvus* [**Sol.**

- in **Gay**] 1851 *excavatus* [**Leach**] 1813) 1917:28 (Am. mer.-trop., Arg., Chile). *Melo.*, *Lytt.*, *Meloi.* 54.
- Pseudomesalia* **Ganglb.** in **Bodemeyer**, Quer durch Kleinas. 1900, 149; **Schaufuß** in **Calwer**, 600 = Subg. ad *Globicornis* **Latr.** 1829. *Derm.*, *Megat.* 14.
- Pseudomesystoechus* **Ohs.**, DEZ. 1912 p. 155 (*Ps. deserticola* et *monticola* **Ohs.** 1912) 1918:2 (Somali, Kili-mandjaro). *Scar.*, *Rut. orth.*, *Anoplgm.*, *Prodrtn.* 149.
- Pseudometaxis* **O Jac.**, MSEB. VII, 1900, 101; F. Ind. Col. II, 1908, 424 (*Ps. serraticollis* **Jac.** 1900) 1914:1 (Birna). *Chrys.*, *Eumolp.*, *Leprot.* 134.
- Pseudomezium* **O Pic**, Feuille. jaun. Nat. (3) 27, 1897, 102 (*Ps. Coquereli* **Fairm.** 1876) 1913:2 (Afr. mer., Terra Nama). *Plin.*, *Gibb.* 5.
- Pseudomolpus* **Kraatz**, DEZ. 24, 1880, 111 [Monogr.] (Typ.?: *Ps. bicolor* **Kraatz** 1880) 1913:16 (Ins. Sundaic., Singap., Malacc.). *Ten.*, *Cnodal.* 926.
- Pseudomyrmecion* **Bedel**, ASEFr. (6) V, 1885, Bull. p. 132; 70, 1901, 358; **Lmr.**, l. c. 70. 1901, 294; **Pic**, BSEFr. 1902, 28 (*Ps. ramalium* **Bedel** 1885) 1913:1 (Alg.). *Ceram.*, *Cerambin.*, *Tillom.* 857.
- Pseudomystrops* **Grouv.**, ASEFr. 81, 1912 (1913) (*Ps. concolor* **Grouv.** 1912 [1913]) 1913:4 (Tenass., Sum., Birma). *Nit.*, *Nitid.* 105.
- Pseudonantes* **Fairm.**, Not. Leyd. Mus. 15, 1893, 52 (*Ps. vagevittatus* **Fairm.** 1893) 1913:3 (Java, Singap., Borneo). *Ten.*, *Cnodal.* 928.
- Pseudoniplus* **Reitt.**, VN. 22, 1884, 298, Best.-Tab. XI, 1884, 4 = Subg. ad *Microptinus* **Kiesw.** 1877. *Plin.*, *Plini.* 20.
- Pseudonomus* **Fairm.**, ASEFr. (6) 3, 1883, 510 (*Ps. dermestiformis* **Fairm.** 1883) 1913:1 (Montevid.). *Ten.*, *Opatr.* 565.
- Pseudonosoderma* **Heyden**, DEZ. 1885, 305 (*Ps. amurense* **Heyden** 1885) 1913:1 (Territ. Amur.). *Nosd.* 2.
- Pseudonosoderma* **Heyd.**, DEZ. 29, 1885, 305 *Ps. amurenensis* **Heyd.** 1885 = *Phellopsis* **Lec.** 1862. *Ten.*, *Zopher.* 196.
- Pseudonotocus* **Pic**, Le Natural. 21, 1899, 189; Feuille. jaun. Nat. (3) 20, 1899/1900 (1900) 64 (*Ps. brevis* **Pic** 1899, *testaceus* [**Laf.**] 1848) 1913:2 (Madag., Aeg., Alg., Erythr.). *Anth.* 3.
- Pseudopachymerus* **O Pic** in Schklg. et J., Col. Cat. P. 55, 1913, 10 = *Pachymerus* **Schönh.** 1833 nec **Thunb.** 1805. — Synops.: **Allard**, ASEB. 11, 1868, 100 (Typ.?: *Ps. brasiliensis* [**Thunb.**] 1816, *difformis* [**Ol.**] 1790) 1913:47 (Am., Madag., Afr. mediterr., import. in Eur.). Subgg.: *Falsobr.*, *Gibbobr.* — *Bruch.*, *Bruchi.* 7.
- Pseudopallenis* **O Kuw.**, SE. 8, 1893—94 (1893), 96; **Schklg.**, DEZ. 1903, 12; **GIW.** *Cler.* 1903, 15 (*Ps. arcitenens* [**Fairm.**] 1886) 1913:8 (Madag.). *Cler.*, *Cleri.*, *Till.* 21.
- Pseudoparablops* **Heyd.**, DEZ. 1908, 132 = *Nephodes* **Blanch.** 1845. *Ten.*, *Helop.* 1079.
- Pseudoparopsis* **Blackb.**, TRS. South Austral. 23, 1899, 99 (*Ps. ioptera* [**Baly**] 1856) 1916:2 (Queensl., N.S.W.). *Chrys.*, *Chryso.*, *Phaedon.* 48.
- Pseudopatrum* **O Sharp**, TR. Dubl. S. (2) 3, 1886, 406 (*Ps. sordidum* **Sharp** 1886, *tuberculicostatum* [**White**] 1846) 1913:2 (N.Z.). *Ten.*, *Helaci.* 733.
- Pseudopedaria* **O Felsche**, ArkZo. I, 1904, 400 (*Ps. grossa* **Thoms.** 1858) 1913:1 (Gabun., Congo, Cam.). *Scar.*, *Copr.*, *Copri.*, *Coprid.* 80.
- Pseudophanias* **O Raffr.**, Rev. d'E. 9, 1890, 150, 161; ASEFr. 73, 1904, 372; **GIW.** *Psel.* 1908, 406 t. 9 f. 57 (*Ps. malaianus* **Raffr.** 1890) 1913:10 (Sum., Singap., Penang). *Psel.*, *Psel.*, *Tyr.* 425.

- Pseudophilus* **Gah.**, ANH. (6) 11, 1893, 256 (*Ps. testaceus* **Gah.** 1893) 1913:1 (Mesopot.). *Ceram.*, *Ceram.*, *Hesprph.* 174.
- Pseudophilis* **Duvivier**, ASEB. 36, 1892, 58, **Brenske**, BEZ. 37, 1892. 39 et 412 (*Ps. squamulosa* **Duviv.** 1892) 1913:2 (Congo). *Scar.*, *Melth.*, *Melthi.* 273.
- Pseudophymatodes* **Pic**, Echange 17, 1901, 12 = Subg. ad *Phymatodes* **Muls.** 1839. *Ceram.*, *Ceram.*, *Callid.* 785.
- Pseudopidonia* **Pic**, Echange 16, 1900 81; *Longic.*, IV, 1, 1902, 21, 23 (*Ps. amurensis* **Pic** 1900) 1913:20 (Jap. 11, Amur 8, Mong. 1). *Ceram.*, *Ceram.*, *Lept.* 539.
- Pseudopiezotrachelus* **Wgur.**, ASEB. 41 1907, 277 = Subg. ad *Apion* **Hbst.** 1797. *Curc.*, *Api.*, *Apion.* 11.
- Pseudopilus* **Kuw.**, ASEB. 38, 1894, 4 = *Pseudopallenis* **Kuw.** 1893. *Cler.*, *Cleri.*, *Till.* 21.
- Pseudopiomera* **O Jac.**, AMusG. 32, 1892, 907; F. Ind. Col. II, 1908, 403 (*Ps. pallidicornis* **Jac.** 1892) 1914:3 (Ind. or., Ceyl., Birma). *Chrys.*, *Eumolp.*, *Leprot.* 122.
- Pseudoplatychora* **Grouv.**, Not. Leyd. Mus. 12, 1890, 15, 31 = *Atarphia* **Reitt.** 1884. *Nit.*, *Nitid.* 92.
- Pseudoplectus* **O Reitt.**, VzbGW. 31, 1881, 452, 455, 531; **Guilleb.**, Rev. d'E. 7, 1888, 290; **Raftr.**, Rev. d'E. 9, 1890, 95, 101; 17, 1898, 259; ASEFr. 72, 1903, 530; GIW. *Psel.* 1908, 99; **Ganglb.**, KäfMEur. II, 1895, 792; **Schaufuß** in Calwer, 243; **Kuhnt**, 307, 311 (*Ps. perplexus* [**Jacq. du Val**] 1854) 1913:3 (Gall., Hisp., Tun., Abyss.). *Psel.*, *Psela.*, *Euplect.* 110.
- Pseudopolygraphus* **Seitner**, Zbl. Forstw. Wien, 37, 99—109; **Baer**, t. c., 506 (*Ps. cembrae* **Seitner** 1911) 1913:1 (Dachstein). *Ip.*, *Crypt.* 47a?
- Pseudopopillia* **Kolbe**, StEZg. 41, 1894, 209, 219 = Subg. 6 ad *Popillia* **Serv.** 1825) 1918:3 (Cong. belg., Togo, Nigeria). *Scar.*, *Rut. hom.*, *Anomi.*, *Popp.* 86, 6.
- Pseudopionus* **O Pic**, Matér. *Longic.* II, 1898, 35; **A. Sem.**, HoR. 34, 1899, 254, 257 (*Ps. Bienerti* **Heyd.** 1885) = ref. ad *Prionus* **F.** 1775. 1913:1 (Transe., Turem., Pers. b.). *Ceram.*, *Prion.*, *Prionin.*, *Prioni.* 72.
- Pseudoprosodes* **Reitt.**, 1896, Mon. II, 120, 156 = Subg. ad *Prosodes* **Eschsch.** 1829. *Ten.*, *Blapt.* 390.
- Pseudopsis* **O Newm.**, EMA. II, 1834, 313; **Kraatz**, BEZ. I, 1857, 50; **Kuhnt**, 158, 180 (*Ps. sulcata* **Newm.** 1834) 1913:6 (Cal. mer., Col., Chile, Caracas; — Eur.). *Staph.*, *Oxyt.*, *Pseudop.* 31.
- Pseudoptinus* **Reitt.**, VN. 22, 1884, 303; **Schaufuß** in Calwer, 718; **Kuhnt**, 671. — Synopsis: **Reitt.**, DEZ. 28, 1884, 81, 82 = Subg. ad *Ptinus* **L.** 1758. *Ptin.*, *Ptini.* 21.
- Pseudorhaetus* **O Planet**, Le Natural. 1899, 174 (*Ps. Oberthüri* **Planet** 1899) 1913:2 (Ch., Tonkin). *Luc.*, *Luc.* 16.
- Pseudorhipidius* **Chob.**, AMusG. 34, 1894, 145 (*Rhipidius* subg.); BSEFr. 1904, 230 (*Ps. canaliculatus* **Chob.** 1894) 1913:1 (Birma). *Rhip.*, *Rhipid.* 21.
- Pseudorhychodes* **O Senna**, ASEB. 38, 1894, 375; **Schoenfeldt**, GIW. *Brenth.* 1908, 42 (*Ps. insignis* [**Lewis**] 1883) 1913:10 (Jap., Birma, Java etc.). *Brenth.*, *Brentha.*, *Arrh.* 68.
- Pseudorhynchus* **Benderitter**, BSEFr. 1913, 84 (*Ps. coquereli* **Fairm.** —) 1913:1 (—). *Scar.*, *Copr.* cf. P. II.
- Pseudoschizognathus* **Ohls.**, StEZg. 65, 1904, 68, 145; DEZ. 1913, 333 (*Ps. variicollis* **Ohls.** 1904) 1918:4 (Austral.: occ., Vict., Queensl.). *Scar.*, *Rut. orth.*, *Anoplgni.*, *Schizogn.* 117.

- Pseudoscriptia* **Woll.**, Col. Hesper. 1867, 215 (*Ps. dimidiata* **Woll.** 1867) 1913:1 (Hesperid.: S. Antao). *Script.* 3.
- Pseudosemnus* **Broun**, ManNZ. Col. V, 1893, 1279 (*Ps. amabilis* **Broun** 1893) 1913:1 (N.Z.) *Ceramab.*, *Cerambin.*, *Phlyct.* 404.
- Pseudoserica* **Guér.**, Voy. Coquille E. 1830, 86; **Bates**, BCA.Col. II, 2, 1887, 152 = *Plectris* **Serv.** 1825. *Scar.*, *Melth.*, *Macrod.* 496.
- Pseudosiagrus* **Fairm.**, ASEFr. (6) 6, 1886, 88 (*Ps. grossepunctatus* **Fairm.** 1886) 1914:2 (Terr. Matabele, Madag.) *Chrys.*, *Eumolp.*, *Typoph.* 255.
- Pseudosieversia* **O Pic**, Echange 18, 1902, 19; *Longic.* IV, 1, 1902, 21, 22 (*Ps. rufa* **Kraatz** 1879) 1913:3 (Amur 2, patr.? 1). *Ceramab.*, *Cerambin.*, *Lept.* 537.
- Pseudosinghala* **O Hell.**, DEZ. 1891, 289, 294 (*Ps. Dalmanni* [**Gyll.** in **Schönh.**] 1817) 1918:8 (Birma, Tonkin, Nilgiri, Ch., Penang, Sum.). *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma.* 76.
- Pseudosphegistes* **Reitt.**, F. Germ 4, 1913, 50 = Subg. ad *Clytanthus* **J. Thoms.** 1864. *Ceramab.*, *Cerambin.*, *Clyt.* 814, 1.
- Pseudostelidota* **Grouv.**, Rev. d'E. 25, 1906, 115 (*Ps. setosa* **Grouv.** 1906) 1913:1 (Bras.). *Nit.*, *Carpophil.* 72.
- Pseudostena* **Woll.**, ANH. 1861, 247 (*Ps. angusta* **Woll.** 1861) 1913:3 (St. Vincent, Ins. Canar., Aeg.). *Ten.*, *Ulom.* 678.
- Pseudostira* **Fairm.**, ASEFr. 72, 1903, 213 (*Ps. laevipennis* **Fairm.** 1903) 1913:1 (Madag.). *Lagr.*, *Stat.* 24.
- Pseudostola* **Fairm.**, ASEFr. 68, 1899, 506 (*Ps. Perrieri* **Fairm.** 1899) 1914:3 (Madag.). *Chrys.*, *Eumolp.*, *Cyn.* 193.
- Pseudostonopa* **O Jac.**, ASEB. 47, 1903, 98; F. Ind. Col. II, 1908, 350 (*Ps. bicolor* **Jac.** 1903) 1914:4 (Ind. or., Birma). *Chrys.*, *Eumolp.*, *Nodost.* 94.
- Pseudostrongylium* **Kraatz**, DEZ. 24, 1880, 114 (Typ.?: *Ps. Semperi*, *brasiliense* **Kraatz** 1880) 1913:7 (Luz., Java, Molucc., Queensl., Bras.). *Ten.*, *Strongyl.* 1175.
- Pseudosymmachia* **DT.** in Schklg. et J. Col. Cat. P. 49, 1912, 224 pro *Symmachia* **Brenske** 1892 (non **Hüb.** 1816) 1913:1 (Ch.). *Scar.*, *Melth.*, *Melthi.* 322.
- Pseudotalpophila* **Reitt.**, Best.-Tab. 42, 1900, 95 (*Ps. brevicollis* et *politus* [**Heer**] 1864) 1913:2 (Ins. Canar.). *Ten.*, *Tentyr.* 168.
- Pseudotaphroderes* **O Bolkay**, A.Mus.Nat. Hung. 9, 1911, 263/5 (*Ps. forficatus* **Bolkay** 1911) 1913:3 (N. Guinea 2, Formos. 1). *Brenth.*, *Brentha.*, *Taphr.* 21.
- Pseudoteronyx* **Blackb.**, PLSNSW. (2) 7, 1892, 111 (*N. helaeoides* **Blackb.** 1892) 1913:4 (Austral.). *Scar.*, *Melth.*, *Lipar.* 179.
- Pseudoterus* **O Raffr.**, ASEFr. 62, 1893, 469; 71, 1902, 519; GIW. *Psel.* 1908, 49 (*Ps. crassicornis* **Raffr.** 1893) 1913:1 (Sum.). *Psel.*, *Psela.*, *Euplect.* 35.
- Pseudothamnurgus* **Eggers**, EBl. 8, 1912, 115; **Schaufuß** in Calwer, 1239, 1240 (*Ps. [Thamnurgus] scrutator* **Pandellé** 1883) 1913:1 (Gal.). *Ip.*, *Ipin.* 61a.
- Pseudotocerus* **Champ.**, BCA.Col. IV, 1, 1888, 383 (*Ps. attenuatus* **Champ.** 1888, *longipes* [**Luc.**] 1859) 1913:2 (Nicar., Bras.). *Ten.*, *Strongyl.* 1165.
- Pseudotomoderus* **Pic**, Rev. scient. Bourb. V, 1892, 240; l. c. 1894, 24; BSH.Nat. Macon I, 1899, 190, Nota 1 = Subg. ad *Tomoderus* **Laf.** 1848. *Anth.* 11.
- Pseudotoxotus* **Blackb.**, PLSNSW. (2) 3, 1888, 1470; **Jacoby**, GIW. 14, 1903, 4 (*Ps. lineatus* **Blackb.** 1880) 1913:1 (Austral. mer., pars b.). *Chrys.*, *Sagr.*, *Megam.* 7.
- Pseudotrematodes* **O Jacq. du Val**, III, 8, 1860, 57 t. 16 f. 79; **Tieffenbach**, DEZ. 26, 1882, t. 4 f. 12; **Brenske** in **Bodemeyer**, Quer durch Kleinas.

- 1900; **Reitt.**, VN. 40 [Bcst.-Tab. 50] 165, 230; **Schaufuß** in **Calwer**, (1312); (*Ps. Frivaldskjyi* [**Ménétr.**] 1836) 1913:1 (Turc., Gr., Asm., Syr.). *Scar.*, *Melth.*, *Melthi.* 313.
- Pseudotrimum* **Raffr.**, Rev. d'E. 17, 1898, 230; ASEFr. 72, 1903, 522; GIW. *Psel.* 1908, 65 (*Ps. microcephalum* **Raffr.** 1898) 1913:1 (Yucatan?, Teapa, N. Orl.). *Psel.*, *Psela.*, *Euplect.* 57.
- Pseudotritoma* **O Gorh.**, Not. Leyd. Mus. X, 1888, 147; StEZg. 62, 1901, 187 (*Ps. pulchra* **Gorh.** 1888) 1913:3 (Singap., Sum., Born.). *Erot.*, *Triplac.* 56.
- Pseudotrochalus* **O Quedenf.**, BEZ., 28, 1884, 301; **Brenske**, BEZ. XLV, 1900, 82; XLVII, 1902, 22 (Typ.? *Ps. chrysoelinus* [**Gerst.**] 1867; *concolor* [**Kolbe**] 1883; *dichrous* [**Gyll.**] 1817, *rufobrunnescens* et *quadrilineatus* [**F.**] 1801) 1913:25 (Afr. occ.). *Scar.*, *Melth.*, *Seric.* 106.
- Pseudotychnus* **O Raffr.**, T.SAfr.Phil.S. 1897, 114; ASEFr. 73, 1904, 371; GIW. *Psel.* 408, t. 9 f. 58 (*Ps. nigerrimus* **Raffr.** 1897) 1913:1 (Cap. b. Sp.). *Psel.*, *Psela.*, *Tyr.* 422.
- Pseudotyrrus* **Raffr.**, Rev. d'E. 9, 1890, 146, 153 = *Tyrrus* **Aubé** 1833. *Psel.*, *Psela.*, *Tyr.* 391.
- Pseudoxyletinus* **Pie**, Echange 19, 1903, 182 = *Vrilletta* **J. Lec.** 1874. *Anob.* *Xylet.* 50.
- Pseuduloma* **Fairm.**, ASEFr. 62, 1893, 27 (*Ps. cribricollis* **Fairm.** 1893) (Indo-Chin.). *Ten.*, *Ulom.* 698.
- Pseudophylla* **Péring.**, T.SAfr.Phil.S. 13, 1904, 157 (*Ps. pectoriana* **Péring.** 1904) 1913:1 (Trv.). *Scar.*, *Melth.*, *Pachyd.* 429.
- Psilachnopus* **O Reitt.**, WEZg. 20, 1901, 162; Best.-Tab. 53, 1904, 123, 128; **Gebien**, in **Schklg. u. J.**, P. 37, 1911 in Ind. p. 415 corr. est in p. 315 (*Ps. cribratellus* **Reitt.** 1901, 1913:2 (Arm. ross.; Hierosol.). *Ten.*, *Opatr.* 511.
- Psiladoretus* **O Ohs.**, ASEB. 57, 1913, 224 (*Ps. calvus* **Ohs.** 1913, *Obsti.* **Ohs.** 1916) 1918:2 (Afr. or.-germ.: Irangi). *Scar.*, *Rut. orth.*, *Anoplgni.*, *Adoret.* 135.
- Psilocephalus* **O Raffr.**, Rev. MaZo. 1877, 284; Rev. d'E. 9, 1890, 138, 140; ASEFr. 73, 1904, 334; GIW. *Psel.* 1908, 313 (*Ps. formicetorum* **Raffr.** 1877) 1913:3 (Abyss., Arab., Mesop.). *Psel.*, *Psela.*, *Pselaph.* 332.
- Psilocladus* **O Blanch.**, Voy. d'Orb.E. 1837, 122; **Ern. Ol.**, ASEFr. (6) V, 1885, 127; 1888, 45; GIW. *Lamp.* 1907, 11 (*Ps. miltoederus* **Blanch.** 1837) 1911:27 + 1 (Jap., Peru; Am. mer. tiop.). *Lamp.*, *Lamp.* 6.
- Psilodema* **Blanch.**, NH. I, 1845, 211, 235; **Reitt.**, VN. 41, 1903, 137 = Subg. ad *Amphicoma* **Latr.** 1807. *Scar.*, *Glaphyr.* 5.
- Psilodon* **Perty** Delect. Anim., 1830, 53 = *Hexaphyllum* **Gray** 1832. *Luc.*, *Synd.* 70.
- Psilodontria* **Broun**, ANH. (6) 15, 1895, 201 (*Ps. viridescens* **Broun** 1895) 1913:1 (N. Z.). *Scar.*, *Melth.*, *Lipar.* 208.
- Psilomera* **Motsch.**, BMosc. 43, 1870, I, 400 = *Asida* **Latr.** 1804. *Ten.*, *Asid.* 286.
- Psilomerus* **O Chevr.**, MSScLiège 18, 1863, 257 (5); **Lac.** IX, 1869, 70; **Gahan**, F.Brit.Ind. Col. I, 1906, 300 f. 96; (*Ps. angustus* **Chevr.** 1863) 1913:5 (Ind. or. mer.; Phil. Ins.; Selangor). *Ceram.*, *Cerambin.*, *Clyt.* 825.
- Psilomorpha* **O W. Saund.**, TESL. (2) I. 1850, 80 (*Ps. tenuipes* **W. Saund.** 1850) 1913:1 (N. Holland., N. Z.). *Ceram.*, *Cerambin.*, *Psilom.* 424.
- Psilonogeneta* **Bates**, TESL. 1879, 305 (*Ps. hybrida* **Bates** 1879) 1913:1 (Madag.). *Ten.*, *Strongyl.* 1194.
- Psilonycha* **Fährs.**, Öfv. Vet. Ak. Förh. 27, 1870 (1871), 321 (*Ps. cam-*

- pestris*, *Ps. tenella* Fährs. 1870 [71] 1913:2 (Caffr.). *All.*, *Allec.* 19.
- Psilonychus* **O Burm.**, Hd.E. IV, 2, 1855, 288; **Kolbe**, ASEB. 38, 1894, 567; **Péring.**, T.SAfr.Phil.S. 13, 1904, 265 (Typ. ?; *Ps. Duponti*, *Eckloni*, *gracilis* **Burm.** 1855; *Groendahli* [Billb.] 1820) 1913:8 (Afr. mer.). *Scar.*, *Melth.*, *Melthi.* 254.
- Psilopholis* **Brenske**, BEZ. 37, 1892, 38 (*Ps. grandis* [Cast.] 1840 et *vestita* [Sharp] 1881) 1913:2 (Malacca; Manila, Penang, Sum., Java, Borneo, Amboina). *Scar.*, *Melth.*, *Melthi.* 286.
- Psilopus* **Motsch.**, BMosc. 49, 1875, II, 152 = ref. ad *Prionus* **F.** 1775. *Ceram.*, *Prion.*, *Prionin.*, *Prioni.* 72.
- Psilopyga* **J. Lec.**, PAcPhil. VI, 1853, 286 = *Oxycnemus* **Fr.** 1843. *Nit.*, *Nitid.* 126.
- Psilorrhadium* **Kraatz**, DEZ. 23, 1879, 118 = *Leptorrhadium* **Kraatz** 1879. *Ceram.*, *Cerambin.*, *Lept.* 472.
- Psiloscelis* **O Mars.**, Mon. 1853, 539 (*Ps. Harrisii* **Lec.** 1845) 1913:4 (Am. b.). *Hist.* 34.
- Psilotarsus* **O Motsch.**, B.Ac.Petr. II, 1860, 537; **A. Sem.**, HoR. 34, 1900, 330 = ref. ad *Prionus* **F.** 1775 (*Ps. brachypterus* [Geb.] 1830) 1913:1 (Turk. ross.). *Ceram.*, *Prionin.*, *Prioni.* 72.
- Psilotrachelus* **Kraatz**, ArN. 25, 1859, I, 124 (*Ps. crassus* **Kraatz** 1859) 1913:2 (Ind. or.; Ceylon). *Staph.*, *Paed.*, *Paedi.* 186.
- Psilotus* **Fischer**, BMosc. I, 1829, 48 (*Ps. cornutus* [F.] 1801) 1913:10 (Am. c., Bras.). *Nit.*, *Nitid.* 80.
- Psilurnus* **O Ws.**, DEZ., 1900, 218 (*Ps. aencoplagiatus* [Luc.] 1857) 1913:3 (Bras.). *Chrys.*, *Hisp.*, *Alarn.* 18.
- Psoidia* **Lesne**, BSEFr. 1912, 377 (*Ps. pexicollis* **Lesne** 1912) 1913:1 (India). *Bostr.*, *Lyc.*
- Psorodes* **Sol.**, Studi entom. 1848, 151 (5), 162 (16); **Lac.** V, 465 = *Acanthomera* **Latr.** 1829. *Ten.*, *Merac.* 1107.
- Psydyus* **Pasc.**, PESTL., 1868, 12 (*Ps. plantaris* **Pasc.** 1868) 1913:1 (Ceyl.). *Ten.*, *Cnodal.* 938.
- Psygmatocerus* **Perty**, Isis 7, 1828, 737; Delect. An. Art. 1830, 87 (*Ps. Wagleri* **Perty** 1828) 1913:1 (Bras.). *Ceram.*, *Cerambin.*, *Torn.* 116.
- Psylacrida* **J. Thoms.**, Rev.MaZo. (3) VI, 1878, 16 (*Ps. gracilis* **J. Thoms.** 1878) 1913:1 (Austral.). *Ceram.*, *Cerambin.*, *Calldp.* 306.
- Psyrassa* **O Pasc.**, ANH. (3) 18, 1866, 481 (*Ps. basicornis* **Pasc.** 1866, *unicolor* [Randall] 1838) 1913:13 (Am. b., Tex., Mex., Bras., Yucatan). *Ceram.*, *Cerambin.*, *Sphaerio.* 261.
- Pteleobius* **Bedel**, F. Col. Seine 6, 1888, 388; **Schaufuß** in Calwer, 1218, 1220; **Kuhnt**, 1045, 1050 = Subg. ad *Hylesinus* **F. Ip.**, *Hyles.* 17.
- Ptenidium* **OEr.**, NID. III (1845) 34; **Jacq.** du Val II, 128; **Gutfl.-B.**, 221; **C. G. Thoms.**, Sk. Col. IV, 108; **Motsch.**, BMosc. 41, 1868, II, 173, 190; **Matth.**, *Trichopt.* illustr. 1872, 59, 74 t. 6; BCA.Col. II, 1 (1888), 127, 148; TAMES. 11, 1884, 147; *Trichopt.* Suppl. 1900, 95; **Redtb.**, F. Austr. ed. III, I, 1874 p. LXXXIII; **Flach** in **Seidl.**, F.Ba. ed. II (1888) Gatt., p. 71; in **Seidl.**, F.Tr. (1889), Gatt. p. 71; VzbGW. 39, 1889, 490, 493; Best.-Tab. eur. Col. 18, 1889, 12, 15; **Everts**, I, 434, 436; **Ganglb.** III, 298, 300, f. 21—23; **Reift.**, F. Germ. II, 265; **Jacobs.**, Col. Ross. fasc. 8, 1910, 629; **Britten et Newbery**, EMM. 46, 1910, 78; **Schaufuß** in Calwer, 297; **Kuhnt**, 353, 354 (*Pt. pusillum* [Gyll.] 1808) 1913:48. — 5 Subgg.: *Gressn.*, *Matth.*, *Wank.*, *Pten.*, *Gilbm.* — (Eur., As., Afr., As., Am., Auckland). *Ptil. Ptili.*, *Ptilii.* 2.
- Ptenidium* s. str. **O Flach**, VzbGW. 39, 1889, 495; Best.-Tab. eur. Col. 18, 1889, 17; **Ganglb.**, III, 1899, 302 = Subg. 4 ad *Ptenidium* **Er.** 1845 (Typ. ?; *Pt. pusillum* [Gyll.] 1808,

- fuscicorne* **Er.** 1845) 1913:34 (Eur., Afr., Am., N. Z.). *Ptil.*, *Ptili.*, *Ptilii.* 2,4.
- Ptenomela* ♂ **H. Bates**, BCA.Col. II, 2, 1888, 267; **Arrow**, ANH. (7) 4, 1899, 363. — **Biol.**: **Obs.**, DEZ. 1908, 396 — (Type?; *Pt. psittacina* [**Burm.**] 1844, *glauca* [**Blanch.**] 1850) 1918:11 (Col., Ec., N. Granada, Nicar., Pan., Ven., Cayenn., ? Bras.). *Scar.*, *Rut. hom.*, *Ruti.*, *Antich.* 60.
- Pteracantha* **O Newm.**, Ent. 1838, 392 (*Pt. fasciata* **Newm.** 1838) 1913:1 (Bras.). *Ceram.*, *Cerambin.*, *Tropst.* 939.
- Pteracmes* **O Raffr.**, Rev.d'E. 9, 1890, 95, 196; ASEFr. 72. 1903, 331; **GIW.** *Psel.* 1908, 105 (*Pt. Schaufussi* **Raffr.** 1890) 1913:1 (Chile). *Psel.*, *Psela.*, *Euplect.* 120.
- Pterapion* **Fst.**, StEZg., 1889, 75 (*Pt. monstrosum* **Fst.** 1889) 1913:1 (N. Caled.). *Curc.*, *Api.*, *Apion.* 8.
- Pteraulus* **Sol.**, Studi entom. 1848, 152 (6), 200 (54) = *Drosochrus* **Er.** 1843. *Ten.*, *Helopi.* 1012.
- Pterna* **Seidl.**, NID. V, 2, 1896, 137 (132); **Schaufuß** in **Calwer**, 785 = Subg. ad *Mycetochara* **Berth.** 1827 (26). *All.*, *Allec.* 85.
- Pterocoma* **O Sol.**, ASEFr. V, 1836, 42; **Lac.** V, 182; **Jacq. du Val**, III, 259; **Reitt.**, Best.-Tab., 25, 1893, 202, 205. — Übersicht: **Reitt.**, DEZ. 1901, 189 (*Pt. piligera* [**Gobl.**] 1830; *costata* [**Pall.**] 1781) 1913:26 (As. c., Sib.). *Ten.*, *Pimel.* 365.
- Cas. specialis leg. prior. cf. **Geb.**, in **Schklg. u. J.**, P. 22 p. 194 nota: Genus erect. pe. **Dejean** 1834 (indescr.); descript. per **Sol.** 1835, quo anno **Agassiz** id. nomen in *Echinod.* usus est).
- Pterocomodes* **Reitt.**, WEZg. 20, 1901, 159; DEZ. 1907, 413 = Subg. ad *Podhomala* **Sol.** 1836. *Ten.*, *Pimel.* 376.
- Pteroctenus* **Kirsch**, BEZ. 10, 1866, 193 (*Pt. pexus* **Kirsch** 1866) 1913:1 (Bogota). *Ten.*, *Ulom.* 705.
- Pterocyclon* **O Eichh.**, BEZ. XII, 1868, 277; **Rat. Tom.** 1879, 437; **Bldf.**, ENs. IX, 1898, 6; BCA.Col. IV, 6, 1904, 270 (*Pt. fasciatum* [**Say**] 1825) 1913:43 + 1 (Am.). *Ip.*, *Corth.* 105. **Biol.**: **Lit. biol. cf. Hagedorn** in **Schklg. u. J.**, P. 4, 1910, 92, 93, 94.
- Pteroderes* **O Germain**, A.Univ.Chile 87, 1894, 446 [4] (*Pt. tuberosus* **Germain** 1894) 1913:1 (Chile). *Ten.*, *Eutel.* 758.
- Pterogenius* **O Candèze**, MSLiège 16, 1861, 363 (*Pt. Nietneri* **Candèze** 1861) **Biol.**: **Candèze**, t. c., 363, t. 3 f. 8a — d. 1913:1 (Ceylon). *Cio.*, *App.* 21.
- Pterohelaeus* **O Brême** 1842 (*Ps. piceus* [**Kirby**] 1818) 1913:81 + 5 (Austral., Ins. Känguru). cf. sub *Addenda*. *Ten.*, *Helaei.* 727.
- Pteroclasia* **Sol.**, ASEFr. 5, 1836, 66; **Cast.**, HN. II, 1840, 183; **Lac.** V, 189 (*Pt. squalida* **Sol.** 1836) 1913:5 (Senegal, Cap Verde, Niger). *Ten.*, *Pimel.* 378.
- Pteronyx* **Lansb.**, Col. Hefte XII, 1874, 12 (*Pt. dimidiatus* **Lansb.** 1874) 1913:1 (Brasil.). *Scar.*, *Copr.*, *Copri.*, *Phan.* 83.
- Pterophorus* **Hbst.** in **Fuessly**, Ar.Insectengesch. V, 1784, 47 t. 27, f. 1, 1a 1b [non binär!] = *Lymexylon* **F.** 1775. *Lym.* 4.
- Pteroplatus* **O Buq.**, ASEFr. IX, 1840, „385“; **J. Thoms.**, **Class. Cer.** 1860, 255; **Syst. Cer.** 1864, 458. (*Pt. pulcher* **Buq.**) 1913:20 (Am. mer. trop., Bras., Arg.). *Ceram.*, *Cerambin.*, *Pteropl.* 955.
- Pteroplatus* **J. Lec.**, **Smiths Misc. Coll.** XI, 265, 1873, 310 = *Elytroleptus* **Dugès** 1879. *Ceram.*, *Cerambin.*, *Pteropl.* 956.
- Pteroplatydesmus* **DT.**, **Col. Cat.** P. 47, 124 (= *Platydesmus* **M'Leay** 1887) (*Pt. sulcipennis* **M'Leay** 1887) 1913:7 (Austral.). *Scar.*, *Melth.*, *Lipar.* 190.

- Pteroptectus* **Raffr.**, Rev. d'E. 17, 1898, 259; ASEFr. 72, 1903, 260; GIW. *Psel.* 1908, 98 (*Pt. grandicornis* [Schauf.] 1879) 1913:1 (Chile). *Psel.*, *Psel.*, *Euplect.* 108.
- Pteroptychus* **Aur.** in **Schklg. et J.**, Cat. P. 39, 1912, 117 (*Pt. simpliciceps* [Broun] 1880) 1913:1 (N.Z.). *Ceram.*, *Ceram.*, *Calldp.* 304.
- Pteroptyx* **O Ern. Ol.**, Rev. Sci. Bourb. 15, 1902, 72; GIW. *Lamp.* 1907, 55 (*Pt. testaceum* [Motsch.] 1852) 1913:9 +1 (N. Guin., Singap., Malacc., Sum., Bangkok). *Lamp.*, *Luci.* 47.
- Pterorthochaetes* **Gestro**, AMusG. 39, 1899, 479 (*Pt. incertus* **Gestro** 1899, *Gestroi* [Har.] 1874) 1913:13 (N. Guin., Singap., Melanes.). *Scar.*, *Acanthoc.* 4.
- Pterostenus* **Lac.**, VIII, 1869, 412; **Gah.**, TESL. 1893, 183 = *Stenoderus* **Serv.** 1825. *Ceram.*, *Ceram.*, *Stenodi.* 432.
- Pterycodes* **O Matth.**, TAmES. 11, 1884, 120; BCA.Col. II, 1 (1888), 127, 131; *Trich.* Suppl. 1900, 27 t. 10 f. 1—8 (*Pt. Salvini* **Matth.** 1884) 1913:1 (Guatem.). *Ptil.*, *Ptili.*, *Acrotr.* 21.
- Pterygostomus* **Lac.**, VII, 1866, 448; **Schoenfeldt**, GIW. *Brenth.* 1908, 57 (*Pt. opacus* [Chevr.] 1839) 1913:1 (Madag.). *Brenth.*, *Brentha.*, *Ceoc.* 90.
- Pteryx* **O Matth.**, Zool. 16, 1858, 607; *Trich.* ill. 1872, 59, 160, t. 18; TAmES. 11, 1884, 114, 121; **Motsch.**, BMosc. 41, 1868, II, 172, 182; **Redtb.**, F. Austr. ed. III, I, 1874, 333; **Ganglb.**, III, 1899, 298, 321; **Reitt.**, F. Germ. II, 1909, 266, 272; **Jakobs.**, Col. Ross. 8, 1910, 630; **SchauFuß** in **Calwer**, 297; **Kuhnt**, 354, 359 (*Pt. suturalis* [Heer] 1841) 1913:6 (Eur., Cauc., Am. b.). *Ptil.*, *Ptili.*, *Acrotr.* 24.
- Ptilinastes* **O Lesne**, BSEFr. 1913, 293 (*Pt. gerardi* **Lesne** 1913) 1913:1 (Jap.). *Anob.*
- Ptilineurus* **Reitt.**, Tab. 47, 1901, 24 (*Pt. marmoratus* [Reitt.] 1877) 1913:2 (Jap., Ind., Neerl., Sum.). *Anob.*, *Ptilin.* 45.
- Ptilinus* **O Geoffr.** in **Fourcr.**, E. Paris I, 1785, 4; H. Ins. ed. II, I, 1800, 64; **Latr.**, Précis gen. 1796, 45; **Walckenaer**, F. Paris I, 1802, 97; **Samouelle**, E. Comp. 1819, 180; **Serv.**, Enc. méth. X, 1825, 238; **Steph.**, Ill. Brit. E. Mand. III, 1830, 330; Man. Brit. Col. 1839, 198; **Sturm**, 72; **Cast.**, H. Ins. I, 1840, 204; **Redtb.**, F. Austr. ed. I—III; **Bach**, II, 100, 116; **Lac.**, IV, 519; **C. G. Thoms.**, Sk. Col. I, 90; V, 169; **Jacq. du Val**, III, 218; **Muls. et Rey**, *Té éd.*, 1864, 225; **Chenu**, Enc. II, 212; **Kiesw.**, NID. V, 130; **Seidl.**, F. Ba., F. Tr., 118; **Fauc.**, F. Col. Fr., 303; Gen. Col. Fr., 32; **Lmr.**, II, 266; **Everts**, II, 223, 237; **Fall**, TAmES. 1905, 277; **Reitt.**, F. Germ., III, 314; **Guffl.-B.**, 396; **SchauFuß** in **Calwer**, 725, 726; **Kuhnt**, 676, 684. — Synops.: WEZg. 8, 1889, 128; Tab. 47, 25; **Casey**, JoN YES. 6, 1898, 62; **Schilsky**, Käf. Eur. 36, 36 C., 36 AA. — (*Pt. fuscus* **Geoffr.** 1785; *pectinicornis* [L.] 1758) 1813:19 (Eur., As., Canar., Am.). *Anob.*, *Ptilin.* 43.
- Ptiliodes* **O Matth.**, Cist. E. III, 1882, 40; *Trichopt.* Suppl. 1900, 75 t. 13 f. B, 1, 2, 7, 8 (*Pt. Blackburni* **Matth.** 1882) 1913:3 (Honolul., Haw. Ins.). *Ptil.*, *Ptili.*, *Acrotr.* 18.
- Ptiliola* **Haldem.**, JoAcPhil. I, 1849, 109; **Motsch.**, BMosc. 41, 1868, II, 185 = *Ptiliolium* **Flach**, 1888. *Ptili.*, *Ptili.* 13.
- Ptiliolium* **O Flach** in **Seidl.**, F. Ba. ed. II, (1888), Art., 291; in **Seidl.**, F. Tr. (1889), Art., 307; VzbGW. 39, 1889, 490, 506; Best.-Tab. eur. Col. 18, 1889, 12, 28; **Everts**, I, 1898, 434, 438; **Ganglb.**, III, 1899, 298 et 311; **Reitt.**, F. Germ. II, 1909,

- 266, 270; **Jacobs.**, Col. Ross. 8, 1910, 630; **Schaufuß** in Calwer, 297; **Kuhnt**, 354, 356 (Typ. ?; *Pt. fuscum* [Er.] 1845) 1913:16. — Subgg. *Nanopt.*, *Ptili.*, *Typhlopt.* et *Eupt.* — (Eur., Sib., Cauc., Tun., Alg., Am. b.). *Ptil.*, *Ptili.*, *Ptilii.* 13.
- Ptiliolum* s. str. **O Flach**, VzbGW. 39, 1889, 526; Best.-Tab. eur. Col. 18, 1889, 48; **Ganglb.**, KäfMEur. III, 1889, 312 = Subg. ad *Pt. Flach* 1888 (Typ. ?; *fuscum* [Er.] 1845; *Spencei* [Allib.] 1844) 1913:6+1 (*Pt. Haapavesi* **J. B. Eric.** ETi. 1908 122, 126) (Eur., Cauc., Am. b.). *Ptil.*, *Ptili.*, *Ptilii.* 13.
- Ptilium* **O Er.**, NID. III (1845), 17, 26; **Gutfl.-B.**, 218; **Matth.**, *Trichopt.* illustr. 1872, 59, 93 t. 8; TAmES. 11, 1884, 142; BCA. Col. II, 1 (1888), 127, 145; **Redtb.**, F. Austr. ed. III, 1, 1874, p. LXXXIII; **Flach** in **Seidl.**, F. Ba. ed. II (1888), 71; in **Seidl.**, F. Tr. (1889) Gatt., 71; VzbGW. 39, 1889, 491 sq.; Best.-Tab. eur. Col. 18, 1889, 25; **Everts**, I, 434; **Ganglb.**, III, 298; **Reitt.**, F. Germ. II, 266; **Jacobs.**, Col. Ross. fasc. 8, 1910. 629; **Schaufuß** in Calwer, 297; **Kuhnt**, 353, 358 (*Pt. caesum* **Er.** 1845, *Pt. exaratum* [Allib.] 1844, *Pt. myrmecophilum* [Allib.] 1844) 1913:23 (Eur., Am., Tasm.). *Ptil.*, *Ptili.*, *Ptilii.* 4.
- Ptilium* **Motsch.**, BMosc. 18, 1845, II, 522 = *Acrotichis* **Motsch.** 1850. *Ptil.* 29.
- Ptilium* **Schüppel**, **Gutfl.-B.**, 218; in **Indic.**, p. XV: *Pt. Er.* = *Ptilium* **Er.**
- Ptilodactyla* **O Ill.**, Ma. Ins. 6, 1807, 342; **Latr.**, Règne anim. ed. II, IV, 1829, 461; **Cast.**, HNIns. I, 1840, 258; **Blanch.**, H. Ins. 1845, 57; **Lac.**, IV, 276.; **J. Lec.**, Class. 1861, 179; **Chenu**, Enc. III, 1870, 16; **Kirsch**, BEZ. 17, 1873, (1874), 371; **Horn**, TAmES. 8, 1880, 90; **J. Lec.** et **Horn**, Class. 1883, 171; **Champ.**, BCA. Col. III, 1, 627; **Blatchley**, 690
- (*Pt. nitida* [**De Geer**] 1775) 1914:105 (Am.). *Helod.*, *Ptilodact.*, *Ptilodacti.* 26.
- Ptilonix* **All.**, Mi. Schweiz. E. Ges. V, 1878, 62 = *Misolampidius* **Solsky** 1875. *Ten.*, *Helop.* 1036.
- Ptilophorus* **Gerst.**, *Rhip.* 11; **Muls.**, ASLLyon (2) III, 1856, 468 = *Evanio-cera* **Guér.** 1835. *Rhip.*, *Pelecot.* 15.
- Ptilophyllum* **Guér.**, Rev. Zo. 1845, 439 = *Mitophyllum* **Parry** 1845. *Luc.*, *Aes.* 75.
- Ptinella* ✱ **Motsch.**, BMosc. 18, 1845, 2, 505, 569; l. c. 41, 1868, II, 172, 184; **Matth.**, Zool. 16, 1858, 6106; *Trichopt.* ill. 1872, 59, 164, t. 19; TAmES. 11, 1884, 114, 116; BCA. Col. II, (1888), 127; *Trichopt.* Suppl. 1900, 17; **Redtb.**, F. Austr. ed. II, I, 1874; **Ganglb.**, III, 289, 318; **Reitt.**, F. Germ. II, 1909, 266, 272; **Jacobs.**, Col. Ross. 8, 1901, 630; **Schaufuß** in Calwer, 297 (*Pt. aptera* [**Guér.**] 1833—39) 1913:18 (Eur., Jap., Am. b., Guatem., Honolulu, St. Helena). *Ptil.*, *Ptili.*, *Acrotr.* 19.
- Biol. **Perris**, ASEFr. (3) 1, 1853, 586, t. 18, f. 60—68; H. Ins. Pin. marit. 1852/7, 64; **Ganglb.**, III, 1899, 318, f. 26/7.
- Ptinellodes* **O Matth.**, *Trichopt.* ill. 1872, 59, 158, t. 17; TAmES. 11, 1884, 114, 123 (*Pt. Lecontei* [**Gemm. et Har.**] 1868) 1913:1 (Am. b.). *Ptil.*, *Ptili.*, *Acrotr.* 23.
- Ptinobruchus* **Reitt.**, DEZ. 28, 1884, 83 = *Gynopterus* **Muls. et Rey** 1868 = Subg. ad *Ptinus* **L.** 1857. *Ptin.*, *Ptini.* 21.
- Ptinodes* **J. Lec.**, Class. 1861, 204; PAcPhil. 1865, 230; **Fall**, TAmES. 31, 1905, 154, 170 (*Pt. setifer* **J. Lec.** 1858) 1913:2 (Am. b.: Civ. confod., N. Z.). *Anob.*, *Anobi.* 31.
- Ptinodes* **Muls.** (non **Lec.** 1861), *Téréd.* 1864, 32, 47; **Seidl.**, F. Ba., 497; F. Tr., 531 = *Pseudodryophilus* **Heyd.**

- 1891 = Subg. ad *Dryophilus* **Chev.** 1832. *Anob.*, *Dryoph.* 8.
- Ptinodes*¹⁾ **Woll.**, Col. Atlant. 1865, 219 (*Pt. fragilis* [**Woll.**] 1854) 1913:2 (Madera). *Ptin.*, *Ptini.* 9.
- Ptinomorphus* **Muls. et Rey**, *Gibbic.* 1868, 24, 31; **Reitt.**, *WEZg.* 17, 1898, 138; *Best.-Tab.* 47, 1901, 6; *F. Germ.* III, 1911, 307; **Schilsky**, *Käf. Eur.* 36, 1899 (1900), 36; **M. et Th. Pic**, *WEZg.* 20, 1901, 169; **Schaufuß** in *Calwer*, 721 = *Hedobia* **Latr.** 1829. *Anob.*, *Hedob.* 1.
- Ptinus* **O L.**, *Syst. Nat.* XII, 1766, 537, 565; **F.**, *Syst. Ent.* 1775, 63; *Mant.* I, 1787, 40; *Ent. Syst.* I, 1792; *Syst. Eleuth.* I, 1801, 324; **Laich.**, *Tyrol. Ins.* I, 1, 1781, 77; **Latr.**, *Précis caract. gen. Ins.* 1796, 45; *HN.* IX, 1804, 170; **Payk.**, *F. Succ.* I, 1798, 312; **Walckenaer**, *F. Paris*, I, 1802, p. CXXI; **Gyllh.**, *Ins. Succ.* I, 1808, 309; **Dufschm.**, *F. Austr.* III, 1825, 60; **Ol.**, *Enc. méth.* X, 1825, 239, 240; **Steph.**, *Ill. Brit. E. Mand.* III, 1829, 332; *Man. Brit. Col.* 1839, 198; **Sturm**, XII, 1837, 39; **Woll.**, *Ins. Mad.* 1854, 259; **Boield.**, 290, 296; **Lac.**, IV, 512, 513; **Redtb.**, *F. Austr.* ed. II; 1858, 554, **Gutfl.-B.**, 396; **Jaqc. du Val**, *G. Col. d'Eur.* III, 1861/2, 209, 213; **J. Lec.**, *Class.* 1861, 202; **C. G. Thoms.**, *Sk. Col.* V, 1863, 136; **Muls. et Rey**, *Gibbic.* 1868, 49, 50; **Chenu**, II, 1870, *Enc.*, 210; **Kiesw.**, *NID.* V, 1877, 45, 49; **Prov.**, *F. Ent. Canad.* 1877, 434; **J. Lec.**, et **Horn**, *Class.* II, 1883, 222; **Seidl.**, *F. Ba.* 1889, 507; *F. Tr.* 1889, 543; **Pic**, *Feuill. j. Nat.* (3) 26, 1895/6 (1895), 26; **Lmr.**, *Man.* II, 1900, 270; **Everts**, II, 214, 216; **Fall**, *TAmES.* 31, 1905, 101, 110; **Pic**, *Cat.* II, 1911, 335 etc.; **Reitt.**, *F. Germ.* III, 1911, 322, 323; **Schaufuß** in *Calwer*, 718; **Kuhnt**, 668, 670. — 11
- Subg. sub *Bruch.*, *Cyph.*, *Dieg.*, *Dign.*, *Eutaphr.*, *Eutaphri.*, *Gynop.*, *Heteropt.*, *Pseudeut.*, *Pseudobr.*, *Pseudopt.* — (*Pt. fur* [**L.**] 1758) 1913:313 (in omn. part. orb. terr., Cosmopol.). *Ptin.*, *Ptini.* 21.
- Synopsis: *Pseudoptinus*: **Reitt.**, *DEZ.* 28, 1884, 81, 82; **Pic**, *Feuill. j. Nat.* (3) 26, (1895), 26—29 (1896), 42. — *Heteroptinus*: **Reitt.**, *DEZ.* 32, 1888, 429, 430. — *Bruchoptinus*: **Pic**, *Op. cit.* 1896, 43, 44. — *Pt. sect. subviolaceus* et *niger*: **Pic**, *Echange*, 26, 1910, 92—94. — *Ptin. e Brasil.*: **Pic**, *ASEB.* 43, 1899, 31/5. — *Ptin. ex Am. c. et mer.*: **Pic**, *ASEB.* 44, 1900, 251/8.
- Ptinus* auct. antiq. = *Cis* **Latr.**
- Ptycholaemus* **O Chev.**, *ASEFr.* (3) 6, 1858, 322; **J. Thomson**, *Class. Cer.* 1860, 185 (Typ.?: *Pt. maculipes* [**J. Thoms.**] 1858, *Pt. simplicicollis* [**J. Thoms.**] 1858, *Troberti* [**Chev.**] 1858). 1913:5 (Gabun., Ituri, Angola, Las Palmas, Guinea). *Ceram.*, *Cerambin.*, *Platyarth.* 929.
- Ptychopterus* **Broun**, *New Zealand Jo. Sci.* 1883, 493; **ManNZ.** III, 1886, 809 (*Pteroptychus* **Aur.** 1912). *Ceram.*, *Cerambin.*, *Calldp.* 304.
- Ptychopterus* **Kl.**, *Cleri*ⁱⁱ 1842, 315 = *Placocerus* **Kl.** 1837. *Cler.*, *Cleri.*, *Clerin.* 87.
- Ptyophis* **O Redtb.**, *Reise d. Novara, Zo.* II, *Col.* 1868, 69 (*Pt. macrophylla* **Redtb.** 1868) 1913:1 (Chile). *Scar.*, *Melth.*, *Pachyd.* 402.
- Pubicomus* **Pic**, *Rev. scient. Bourb.* 7, 1894, 41, 42 = *Sect. ad Anthicus* **Payk.** 1798. *Anth.* 19.
- Pucerus* **Muls. et Rey**, *HN. Col. Fr. Brevip.*, *Oxyp.*, *Oxyt.* 1879, 212; **Schaufuß** in *Calwer*, 174 = Subg. ad *Bledius* **Mannh.** 1830. *Staph.*, *Oxyl.*, *Oxyti.*, *Oxyte.* 125.
- Pulion* **Des Gozis**, *Recherche de l'espèce typ. Montlucon*, 1886, 12; **Schaufuß**

¹⁾ Nota: *Wollastonella* nom. nov. **R. Lue.** pro *Ptinodes* **Woll.** 1865 nec **J. Lec.** 1861.

- in Calwer, 417 = Subg. ad *Cateretes* **Herbst** 1793. *Nit.*, *Cat.* 1.
- Pulposipes* **O Sol.**, *Studi E.* II, 1848, 154 (8), 260 (114); **Lac.** V, 357 (*P. herculeanus* **Sol.** 1848) 1913:1 (Bengal.). *Ten.*, *Eutel.* 757.
- Purpuricenus* **O Germ.**, *Ins. spec. nov.* 1824, 500; [**Fischer**, *Entomogr. Ross.* VI, 1823—24, t. 237 [nom. nud.]; **Serv.**, *ASEFr.* II, 1833, 568; **Ganglb.**, *Best.-Tab.*, **Seidl.**, *F. Balt.* ed. 2, 1891, 737, VII, 1881, 10 (668) etc.; **Gutfl.-B.**, 573; **Schaufuß** in Calwer, 844, 858; **Kuhnt**, 755, 782 (*P. Kaehleri* [**L.**] 1758) 1913:37 (Spp. paläarct. et japon.: 13 (div. variet.); Spp. indo-malay. et indo-austral.: 16, Spp. aethiop.: 5, Spp. nearct.: 3). *Ceram.*, *Cerambin.*, *Stenasp.* 973.
- Pyanisia* **O Cast.**, *HNIns.* II, 1840, 235; **Lac.** V, 476 (*P. undata* **F.** 1840) 1913:9 (Am. c., trop., Jamaic., Cuba). *Ten.*, *Rhysop.* 1149.
- Pycna* **Fairm.**, *ASEB.* 38, 1854, 141 (*P. aphodina* **Fairm.** 1854, *cavifrons* **Fairm.** 1893) 1913:4 (Madag. 3, *Ins. Comor.*). *Ten.*, *Phrenap.* 659.
- Pycnarthrum* **Eichh.**, *Rat. Tom.* 1879, 104 (*P. Lambottei* [**Chap.**] 1873) 1913:5 (Am. mer.). *Ip.*, *Hyl.* 74.
- Pycnocephalus* **O Sharp**, *BCA.Col.* II, 1, 1891, 373 (*P. metallicus* **Sharp** 1891) 1913:1 (Am. c.). *Nit.*, *Cybo.* 155.
- Pycnocerus* **O Westw.**, *TZoSL.* III, 1843, 217; **Lac.** V, 406; **Har.**, *Col. Hfte.* 16, 1879, 121; **Geb.**, *Mon.*, 335 (*P. Westermanni* [**Hope**] 1840, *sulcatus* [**F.**] 1792) 1913:12 (Afr. or., occ., Rhod., Mozamb.). *Ten.*, *Pycnoc.* 890.
- Pycnochilus* **Waterh.**, *TESL.* 1879, 263 (*P. advenus* **Waterh.** 1879) 1913:1 (Madag.). *Ten.*, *Phrenap.* 657.
- Pycnocnemus* **Sharp**, *BCA.Col.* II, 1, 1891, 363 (*P. anisotomoides* **Sharp** 1891) 1913:1 (Panama). *Nit.*, *Nitid.* 128.
- Pycnocrypta* **Casey.** *T.Ac.St.Louis.* XV, 1905, 25, 28 = Subg. ad *Cryptobium* **Mannerh.** 1830. *Staph.*, *Paed.*, *Paedi.* 33.
- Pycnogeusteria* **Gorh.**, *ANH.* (7) 5, 1900, 90 (*P. Kraatzi* **Gorh.** 1900) 1913:1 (Cam. b.). *Erot.*, *Triplac.* 41.
- Pycnoglypta* **O+C. G. Thoms.**, *Sk. Col.* III, 1861, 198; **Ganglb.**, *KäfMEur.* II, 1895, 744; **Luze**, *VzbGW.* 56, 1906, 583; **Schaufuß** in Calwer, 154; **Kuhnt**, 162, 184 (*P. lurida* **Gyll.** 1808/28) 1913:57 (Eur. b., Am. b., Amur, Sib. 3). *Staph.*, *Oxyt.*, *Omal.* 46.
- Pycnomorpha* **Motsch.**, *BMosc.* 43, 1870, I, 400 = *Asida* **Latr.** 1804. *Ten.*, *Asid.* 286.
- Pycnonotida* **Casey.**, *Mem.Col.* 3, 1912, 89 (*P. laxicollis* **Casey** 1912) 1913:3 (Cal.). *Ten.*
- Pycnorus* **Casey.** *T.Ac.St.Louis.* XV, 1905, 194 = Subg. ad *Scopaeus* **Er.** 1839/40. *Staph.*, *Paed.*, *Paedi.* 205.
- Pycnoplectus* **Casey.**, *Col.Not.* 7 in *AN Y AcSci.* 1897, 552; **Raffray**, *GIW.* *Psel.* 1908, 85 = *Euplectus* **Leach** 1817. *Psel.*, *Psela.*, *Euplect.* 90.
- Pycnosiphorus* **Sol.** in **Gay**, *H. Chile.* *Zo.* V 1851, 156 = *Sclerognathus* **Hope** 1845. *Luc.*, *Dorc.* 53.
- Pycnuloma* **Fairm.**, *Not. Leyd. Mus.* 18, 1896, 99 (*P. Raffrayi* **Fairm.** 1896) 1913:1 (Singapor.). *Ten.*, *Ulom.* 689.
- Pyctocraerus* **C. G. Thoms.**, *Sk. Col.* III, 1861, 125; **Schaufuß** in Calwer, 173; **Kuhnt**, 202 = Subg. ad *Plastystethus* **M.nnh.** 1830. *Staph.*, *Oxyt.*, *Oxyt.*, *Oxyte.* 124.
- Pygidiphorus* **Muls.**, *Col. Fr. Pectinip.* 1856, *Suppl. Latiq.*; *ASLLyon* (2) III, 1856, 520; **Lac.** V, 1859, 728; **Jacq. du Val**, III, 303 (*P. Caroli* **Muls.** 1856) 1913:1 (Bordeaux). *Ten.*, *Ulom.* 703.
- Pygiopachymerus* **Pic.**, *Echange* 27, 1911, 134 (*P. Theresae* **Pic** 1911) 1913:1 (Col.). *Bruch.*, *Bruchi.* 4.

- Pygobruchus* Sharp, ANH. (5) 17, 1886, 38 (*P. scutellaris* Sharp 1886) 1913:1 (Jap.). *Bruch.*, *Brucki*. 8.
- Pygocoelis* Lewis, ANH. (6) 20, 1897, 194 et 364; *Bickh.*, EBl. 6, 1910, 227 = Subg. 5 ad *Trypanaeus* Eschsch. 1829 (Typ.?, *P. africanus* Lewis 1895) 1913:4 (Togo, Cam., Madag., Afr. or.). *Hist.* 8.
- Pygolampis* Motsch., Etud.E. 1852, 275 sq. = *Photinus* Lac. 1857 part. *Lamp.*, *Photi.* 28.
- Pygolychnia* Motsch., Etud.E. 1852, 28 sq. = *Lucidota* Cast. 1833 part. *Lamp.*, *Lucid.* 15.
- Pygopleurus* Motsch., Etud.E. VIII, 1859, 162; *Reitt.*, VN. 41, 1903, 137 = *Amphicomma* Latr. 1807. *Scar.*, *Glaphyr.* 5.
- Pygostenus* O Kraatz, BEZ. II, 1858, 361; *Wasm.*, ZoJa.Suppl. VII, 1904, 643—649 (tab. spp.); *Fauv.*, Rev. d'E. 18, 1899, 16 (tab.) t. 1 f. 11 sq. (*P. microcerus* Kraatz 1858) 1916:27 (— 2: *fuscotestaceus* et *testaceus* Kraatz, DEZ. 1895, 141, non existentes cf. Notae MS. in *Berh. u. Schub.*, P. 67, 1916, 445 [ex. in Mus.Dahlem]) (Syr., Afr. trop.: Terr. Congo, Terr. Cap.). *Staph.*, *Pygost.* 406.
- Pygoxyon* Reitt., VzbGW. 30, 1880, 508; 31, 1881, 451; *Raffr.*, Rev. d'E. 9, 1890, 92, 99; ASEFr. 72, 1903, 519; GIW. *Psel.* 1908, 50; *Ganglb.*, Käf. MEur. 1895, 737; *Schaufuß* in Calwer, 243 (*P. scydmaeniforme* Reitt. 1880) 1913:9 (Eur. mer., Cauc.). *Psel.*, *Psela.*, *Euplect.* 33.
- Pylus* O N w m., Ent. 1842. 364; *Lac.*, IV, 1857, 485; *Gorh.*, TESL. 1878, 153; *Schklg.*, GJW. *Cler.* 1903, 253 (*P. fatuus* N w m. 1842) 1913:3 (Austr., Queensl., Tasm.). *Cler.*, *Coryn.*, *Corynet.* 167.
- Pyractonema* Sol. in Gay, H. Chile Zo. 4, 1849, 446; *Ern. Oliv.*, BMHNP. V, 1899, 371; GIW. *Lamp.* 1907, Archiv für Naturgeschichte 1918. A. 4.
- 23 (*P. obscurum* [G. A. Oliv.] 1790) 1913:9 (Chile). *Lamp.*, *Lucid.* 18.
- Pyractomena* Le Conte, PAePhil. 1851, 336 = *Lecontea* Ern. Oliv. 1899. *Lamp.*, *Photi.* 25.
- Pyrectomena* Motsch., Etud.E. 1852, 37; *Gorham*, TESL. 1880, 32 = *Lecontea* Ern. Oliv. 1899. *Lamp.*, *Photi.* 25.
- Pyrectosoma* Motsch., Etud.E. 1852, 38 sq. = *Photuris* Lec. 1851 part. *Lamp.*, *Photu.* 52.
- Pyres* O Champ., BCA.Col. IV, 1, 1885, 100 (*P. speciosus* [Pasc.] 1883, *Batesi* Champ. 1885) 1913:2 (Col., Nicarag.). *Ten.*, *Tenebr.* 765.
- Pyresthes* J. Thoms., Syst. Cer. 1864, 415 = *Pyrestes* Pasc. 1857. *Ceramb.*, *Cerambin.*, *Pyr.* 664.
- Pyretes* O Pasc., TESL. (2) 4, 1857, 96; (3) 3, 574; *Gahan*, F.Brit.Ind. Col. I, 1906, 227 (*P. eximia* Pasc. 1857) 1913:14 (Ind. or., Ch., Birma, Born., Ind. b. etc.). *Ceramb.*, *Cerambin.*, *Pyr.* 664.
- Pyrgo* Ws., ArN. 67, 1901, 166, 171 (Type?; *P. trilineata* [Boisd.] 1835) 1913: 56 + 19 (Austral.). *Chrys.*, *Chryso.*, *Parops.* 81.
- Pyrgotes* Bates, EMM. 4, 1867, 27; TESL. 1870, 283 (*P. aeneus* Bates 1867) 1913:1 (Ega). *Ceramb.*, *Cerambin.*, *Piez.* 271.
- Pyrocaelia* Gorh., ASEFr. (5) VIII, 1878, 113; 1897, 69 Not. Leyd.Mus., 1897, XIX, 250 = *Lucernuta* Cast. 1833. *Lamp.*, *Lucid.* 20.
- Pyrocallymma* O J. Thoms., Syst. Cer. 1864, 159, 415; *Gah.*, F.Brit.Ind. Col. I, 1906, 88 (*P. pyrochroides* J. Thoms. 1864, *conspicua* Gah. 1906) 1913:2 (Birma; Sikkim). *Ceramb.*, *Cerambin.*, *Erosch.* 660.
- Pyrodes* O Serv., ASEFr. 1, 1832, 186; *Lmr.*, MSEB. 17, 1909, 37 (Rév., 621) (*P. nitidus* [F.] 1787) 1913:27 (Am. centr. et mer., Madera) — 3 Subgg. *Pyr.* s. str., *Mallasp.*

- Esmer.* — *Pyr.* s. str. **Serv.**, ASEFr. 1, 1832, 186; **J. Thoms.**, *Class. Cer.*, 287; *Syst. Cer.*, 466; **Lac.** VIII, 177; **Lmr.**, MSEB. 21, 1912, 171 (Rév., 1035) = Subg. 1 ad *Pyr.* (Typ. ut antea; *pictus* [**Perty**] 1830, *pulcherrimus* [**Perty**] 1830, *Belti* **H. W. Bates** 1869) 1913:13 (1 + 1 + 4 + 2 + 2 + 3). (Am. centr. et mer.). *Ceram.*, *Prion.*, *Deranc.* 59; 59.1.
- Pyrogaster* **O Motsch.**, *Etud.E.* 1852, 53; **Ern. Oliv.**, *Rev. Sci. Bourb.* 1909, 13 (*P. hecticus* [**F.**] 1801) 1913:22 (Bras., Arg., Buenos Aires, Ec. 3, Col.). *Lamp.*, *Phot.* 51.
- Pyronota* **Boisd.**, *Voy. Astrolabe*, Col. 1835, 213 (sine descr.); **Lac.** III, 1856, 224; **Broun**, *ManNZ.* Col. I, 1880, 262 = *Calonota* **Hope** 1837. *Scar.*, *Melth.*, *Lipar.* 165.
- Pyrophanes* **O Ern. Ol.**, *AMusG.* 22, 1885, 368, *GIW.* 1907, 56 (*P. indica* [**Motsch.**] 1854) 1913:5 (N. Guin., Ind. or., Phil. Ins., Cel., Aru). *Lamp.*, *Luci.* 49.
- Pyropida* **O Baly**, *JoE.* I, 1862, 450; **Lefv.**, *MSLiège* (2) 11, 1885, 98 (*P. sumptuosa* **Baly** 1862) 1914:1 (Malacca, Tringane, Penang, Nias). *Chrys.*, *Eumolp.*, *Metachr.* 168.
- Pyropyga* **Lec.**, *TAmES.* IX, 1881, 32; **Motsch.**, *Etud.E.* 1852, 28 sq. = *Lucidota* **Cast.**, 1833 part. *Lucid.*, *Lucid.* 15.
- Pyrota* **O J. Lec.**, *Class. Col. N. Am.* 1862 p. 273 (Typ. ?; *dispar* et *herculeana* [**Germ.**] 1824, *elegans* [**Klug**] 1825) 1917:33 (Am. b. et mer. trop., Mex., Tex.). *Melo.*, *Lytt.*, *Lytti.* 22.
- Pyrotrichus* **J. Lec.**, *JoAcPhil.* 1862, 41; *Smiths. Misc. Coll.* XI, 265, 1873, 327 (*P. vitticollis* **J. Lec.** 1862) 1913:1 (Cal.). *Ceram.*, *Cerambin.*, *Encycl.* 563.
- Pyrrhidium* **O² Fairm.**, *G. Col. d'Eur.* IV, 1864, 133; **Lac.** IX, 1869, 55; **Ganglb.**, *Best.-Tab.* VII, 1882, 69 (747); **Bedel**, V, 1889, 24; **Seidl.**, *F.Ba.* cd. 2, 1891, 738; *F.Tr.* 1891, 830; **Stierlin**, II, 464; **Everts**, II, 1, 1902, 364; **Houlb.**, *F. Armor. Cer.* 1904, 18; **Schanfuß** in *Calwer*, 844; **Kuhnt**, 756, 280 (*P. sanguineum* [**L.**] 1758) 1912:1 (Eur.).
- Biol.*: **Goureau**, ASEFr. (2) 1, 1843, 99, t. 4, IV, 1—4; (2) 2, 1844, 437, t. 10 f. 13—17, etc.; *StEZg.* 1845, 70; **Judeich**, *Forstins.* II, 1, 1889, 584; **Perris**, *Larves Col.* 1877, 429; **Xambou**, *Moeurs et Métam.* VIII, 1902, 75.
- Pyrrhona* **O Bates**, *JoLSLZo.* 1884, 224 (*P. laeticolor* **Bates** 1884) 1913:1 (Jap.). *Ceram.*, *Cerambin.*, *Encycl.* 564.
- Pyrrhostigmatium* **Kraatz**, *DEZ.* 1899, 96 = *Stigmatium* **Kuw.** = Subg. ad *Stigmatium* **Gray** 1832. *Cler.*, *Cleri.*, *Clerin.* 80.
- Pytheus* **O Newm.**, *Ent.* I, 1840, 14 (*P. jugosus* **Newm.** 1840) 1913:3 (N.S.W.; Swan River; Sin. Moreton). *Ceram.*, *Cerambin.*, *Pyth.* 675.
- Pyticera* **Spin.**, *Rev.Zo.*, 1841, 75 = *Pyticera* **Spin.** 1844. *Cler.*, *Coryn.*, *Enopl.* 154.
- Pyticera* **O Spin.**, *Clerit.* II, 1844, 69; **Chenu**, *Enc.* II, 1860, 270; **Gorh.**, *TESL.* 1877, 416; *BCA.* Col. III, 2, 1883, 183; **Schklg.**, *GIW.* *Cler.* 1903, 103; **Wolcott**, *Field Mus.* Chic. 7, 1910, 381; *B. Ind. Dept. Geol. Nat.* I, 1910, 860 (*P. quadripunctata* [**Say**] 1823) 1913:6 (Am. b., c.; Bras.). *Cler.*, *Coryn.*, *Enopl.* 154.
- Pyticerooides* **Kuw.**, *ASEB.* 38, 1894, 7; **Schklg.**, *GIW.* *Cler.* 1903, 112; **Gahan**, *ANH.* (8) 5, 1910, 73 (*P. arrogans* **Kuw.** 1894) 1910:1 (Amaz.). *Cler.*, *Coryn.*, *Phylloba.* 141.
- Pytna* **Cas.**, *B.Cal.Ac.Sc.*, 1887, 47 = *Tyrus* **Aubé** 1833. *Psel.*, *Psela.*, *Tyr.* 391.

- Pygidicerus* **O Motsch.**, BMosc. 26, 1863, 422; **L. W. Schauf.**, TijE. 30, 1887, 93; **Reitt.**, VN. 20, 1881, 195; **Raffr.**, Rev. d'E. 9, 1890, 97, 135; 16, 1897, 204; GIW. *Psel.* 1908, 22 (*P. castaneus* **Motsch.** 1863) 1913:8 (Ceyl., Sum., Singap., N. Guin. germ.) *Psel.*, *Psela.*, *Pyxid.* 12.
- Pyxis* **Chev.**, Stål, Öfv. Vet. Ak. Förh. 17, 1860, 463; Mon. III, 1865, 289; **Chap.** X, 1874, 439; **Jacoby**, BCA. Col. VI, 1, 1884, 262 (Typ.?: *P. Holmgreni*, *erotyloides* et *indiga* Stål 1860) 1916:8 (Bras., Bogota, Rio Janeiro). *Chrys.*, *Chryso.*, *Phyllod.* 95.
- Quaesticulus** **Schauf.**, StEZg. 22, 1861, 426; Sitzb. Isis 1861, 24; Nunquam ot. I, 1870, 33 (err.) = *Speocharis Jeannel* 1910. *Silph.*, *Bath.*, *Bathy.* 11.
- Quaestus** **Schauf.**, StEZg. 22, 1861, 424; Sitzb. Isis 1861, 23; Nunquam ot. I, 1870, 33 (err.) = *Speocharis Jeannel* 1910. *Silph.*, *Bath.*, *Bathy.* 10.
- Quasimus** **Gozis**, *Elat.* cf. P. II.
- Quedionacrus** **O Sharp**, BCA. I, 2, 1882/87 (1884), 339 (*Q. puniceiceps* [**Solsky**] 1867/68; *pollens* **Sharp** 1884) 1916:2 (Guat., Mex.). *Staph.*, *Staphyl.*, *Qued.* 371.
- Quedionuchus** **Sharp**, *Staph.* cf. P. II.
- Quedionopsis** **Fauv.**, AMusG. 13, 1878, 560 (*Q. lugubris* **Fauv.** 1878) 1916:2 (Victoria). *Staph.*, *Staphyl.*, *Staphyl.*, *Qued.* 387.
- Quedius** **O*** **Steph.**, Ill. Brit. E. V, 1832, 214; **Gutfl.-B.**, 130; **Muls. et Rey**, ASAgr. Lyon (4) 8, 1875, 613; **Epp.**, Mi. Schweiz. Ges. V, 1877/80 (1880), 577—586; **Ganglb.**, KäfMEur. II, 1895, 391; **Schaufuß** in Calwer, 201; **Kuhnt**, 168, 241. — Biol.: **Bouché**, N. Ins. 1834, 180, t. 8 f. 1—8; **Schiödde**, NTi. (3) III, 1864/65, 205 t. 10 f. 17—22; **Lesne**, ASEFr. (6) 10, 1890, 179—180, f. 10, 11; **Xambeu**, Moeurs et Mét. Ins. 2, Mém. in L'Echange 1892 p. sp. 4—7; **Joy**, EMM. 42, 1906, 200; **Scriba**, DEZ. 1911, 174; **Rupertsb.**, Bi. Lit. 1894, 120; **Kolbe**, W., ZE. Breslau, 21, 1896, 2; **Mjöberg**, ZIns. Bi. II, 1906, 138 (Typ.?: *Q. boops* [**Grav.**] 1802, *cinctus* [**Payk.**] 1790, *cruentus* [**Ol.**] 1794, *fulgidus* [**F.**] 1787, *fuliginosus* [**Grav.**] 1802, *humeralis* **Steph.** 1832, *mesomelinus* [**Marsh.**] 1802, *picipennis* **Steph.** 1832, *picipes* [**Mannerh.**] 1830, *scitatus* **Steph.** 1832) 1916:278 (— 1 *chalybaeipennis* **W. M'Leay**: *Quedius* non est). *Staph.*, *Staphyl.*, *Staphyl.*, *Qued.* 383.
- Quedius Muls. et Rey**, ASAgr. Lyon (4) 8, 1875, 621 = *Microsaurus* **Steph.** 1832 = Subg. ad *Quedius* **Steph.** 1832. *Staph.*, *Staphyl.*, *Staphyl.*, *Qued.* 383.
- Quedius** s. str. **C. G. Thoms.**, Sk. Col. II, 1860, 173 = Subg. ad *Quedius* **Steph.** 1832. *Staph.*, *Staphyl.*, *Staphyl.*, *Qued.* 383.
- Quercivir** **Lmr.**, MSEB. 21, 1912, 37 (Rév., 901) (*Q. Dohrni*, *Gounellei* **Lmr.** 1912 1913:2 (Bras. mer.). *Ceram.*, *Prion.*, *Anacol.*, *Clost.* 79.
- Quirinus** **J. Thoms.**, Arch. E. I, 1857, 157 = *Stenotarsus* **Perty** 1832. *End.*, *Endo.*, *Stenotars.* 64.
- Rabiginus** **Muls. et Rey**, ASAgr. Lyon (4) 8, 1875, 344; **Schaufuß** in Calwer, 195; **Kuhnt**, 231 = Subg. ad *Philonthus* **Curtis** 1825. *Staph.*, *Staphyl.*, *Staphyl.*, *Staphyl.*, *Staphyl.*, *Staphyl.* 286.
- Rabula** **Péring**, T. SAfr. Phil. S. 12, 1902, 886 (*R. morosa*; *marqueza* **Péring.** 1902) 1913:2 (Mossambiq. Colon. cap.). *Scar.*, *Melth.*, *Hopl.* 551.
- Rabyxis** **Raffr.**, Rev. d'E. 9, 1890, 124; ASEFr. 73, 1904, 112; GIW. *Psel.* 1908, 215 (*R. striolata* **Raffr.** 1890) 1913:5 (Madag.). *Psel.*, *Psela.*, *Brachygl.* 235.
- Rachidion** **O Serv.**, ASEFr. III, 54 (Typ.?: *R. nigratum* **Serv.** 1834, *obesum*

- [Newm.] 1840) 1913:4 (Bras.). *Ceram.*, *Cerambin.*, *Lissnt.* 1021.
- Radama O Raffr.**, Rev.d'E. II, 1883, 64; ASEFr. 73, 1904, 450; GIW. *Psel.* 1908, 441 t. 2 f. 28 (*R. inflatus* **Raffr.** 1883) 1913:3 (Madag.). *Psel.*, *Clavig.* 454.
- Radamellus O Raffr.**, ASEFr. 73, 1904, 451, 456; GIW. *Psel.* 1908, 441, t. 6 f. 15; t. 9 f. 72 (Typ. ?; *R. minutus* [**Raffr.**] 1899, *R. spinipennis* [**Raffr.**] 1883) 1913:2 (Madag.). *Psel.*, *Clavig.* 453.
- Radamides O Wasm.**, DEZ. 1897, 261; **Raffr.**, ASEFr. 73, 1904, 451; GIW. *Psel.* 1908, 442 (*R. trifoveolatus* **Wasm.** 1897) 1913:2 (Madag.). *Psel.*, *Clavig.* 455.
- Raffrayia O Reitt.**, VN. 20, 1881, 198; **Raffr.**, Rev.d'E. 6, 1887, 41; T.SAfr. Phil.S. 1897, 63; ASEFr. 72, 1903, 587; GIW. *Psel.* 1908, 118 (*R. caviceps* **Raffr.** 1897, *R. antennata* [**Raffr.**] 1877) 1913:28 (Terra cap., Nat., Abyss.). *Psel.*, *Psela.*, *Trichom.* 138.
- Rafonus Cas.**, Col. Not. V, 1893, 441 = *Sonoma* **Casey** 1897. *Psel.*, *Psela.*, *Faron.* 9.
- Raibosceles All.**, Rev. 1876, 5 cf. *Raiboscelis* **All.** 1876 = Subg. ad *Helops* **F.** 1772. *Ten.*, *Helop.* 1073.
- Raiboscelis All.**, Rev., 5 (scr. *Raibosceles*) *Mon.*, 17, 49, 203; **Seidl.**, F.Ba. ed. II, 1891, 522; F.Tr. 1891, 560; NID. V, 696, 698, 754 = Subg. ad *Helops* **F.** 1772. *Ten.*, *Helop.* 1073.
- Ramecia O Cas.**, Col. Not. V in AN Y AcSc. 1903, 450; **Raffr.**, ASEFr. 72, 1903, 530; GIW. *Psel.* 1908, 101 (*R. crinita* [**Brendel**] 1890, *R. arcuata* [**J.Lec.**] 1850) 1913:8 (Mich., Va., Fla., Pa., Tex., St. Vinc.). *Psel.*, *Psela.*, *Euplect.* 114.
- Ramilia Kolbe**, ASEB. 38, 1894, 551 (*R. pruinosa* [**Harold**] 1878) 1913:1 (Afr. c. occ., Terr. Congo et Lunda). *Scar.*, *Melth.*, *Melthi.* 375.
- Ramona Casey**, B. Cal. Ac. Sc. II, 1886, 213 = *Pseudomedon* **Muls. et Rey** 1877 = Subg. ad *Medon* **Steph.** 1832. *Staph.*, *Paed.*, *Paedi.* 199, 16.
- Ramoutsa Péring.**, T.SAfr. Phil.S. 13, 1908, 676 (*R. fervida* [**Boh.**] 1857) 1913:1 (Limpopo). *Scar.*, *Melth.*, *Pachyd.* 446.
- Rampholyssa Beur.**, Ins. Vésic. 1890 = *Rhampholyssa* **Kraatz** 1863. *Melo.* *Lyt.*, *Mylabr.* 7.
- Ramphus Schönh.** *Curc.* cf. P. II.
- Ranavala O Raffr.**, Rev. d'E. 17, 1898, 224; ASEFr. 72, 1903, 520; GIW. *Psel.* 1908, 56 t. 3 f. 13 (*R. integricollis* [**Raffr.**] 1887) 1913:1 (Madag.). *Psel.*, *Psela.*, *Euplect.* 41 (42?).
- Ranidia Westw.**, TESL. (2) II, 1852, 68 = *Liparochrus* **Er.** 1848. *Scar.*, *Hybos.* 1.
- Ranqueles O Goun.**, BSEFr., 1906, 140 (*R. mus* **Goun.** 1906) 1913:1 (Arg.). *Ceram.*, *Cerambin.*, *Hesprph.* 185.
- Raphidorrhynchus O Schoenh.**, G. *Curc.* V, 1840, 504; **Schoenfeldt**, GIW. *Brenth.* 1908, 46, ♀ **F.** 1801 (*Rh. longimanus* [**Lund**] 1802) 1913:27 (Am. c., Bras.). *Brenth.*, *Brentha.* *Bel.* 75.
- Raphipodus Serv.**, ASEFr. 1, 1832, 168 = *Raphipodus* **Serv.** 1832. *Ceram.*, *Prion.*, *Macrot.*, *Raph.* 33,1.
- Raphirhynchus Schoenh.** in **Lac.**, 1866, G. Col. 7, 1866, 436 = *Raphidorrhynchus* **Schoenh.** 1840. *Brenth.*, *Brenth.*, *Bel.* 75.
- Raphirus Steph.**, Ill. Brit. E. V, 1832, 202, 241; **C. G. Thoms.**, Sk. Col. II, 1860, 177; **Muls. et Rey**, ASAgr. Lyon (4) 8, 1875, 759; **Schaufuß** in Calwer, 202 = Subg. ad *Quedius* **Steph.** 1832. *Staph.*, *Staphy.*, *Staphyl.*, *Qued.* 383.
- Raphitreus O Sharp**, TESL. 1883, II, 298; **Raffr.**, Rev. d'E. 9, 1890, 145, 151; ASEFr. 73, 1904, 364; GIW. *Psel.* 1908, 375 t. 9 f. 45 (*R. speratus* **Sharp** 1874 (Jap., Annam, Tonkin, Singap.)). *Psel.*, *Psela.*, *Tyr.* 386.

- Raphuma* **J. Thoms.**, *Class. Cer.* 1860, 221, *Syst. Cer.* 1864, 426 = *Raphuma Pasc.* 1858. *Ceram.*, *Ceram.*, *Clyt.* 824.
- Rapnys* **Grouv.**, *ASEFr.* 68, 1899, 181 = *Strina Redt.* 1867. *Dryop.*, *Dryopi.*, *Dryop.* 27.
- Raxybis* **Raffr.**, *GIW. Psel.* 1908, 222; *Rev. Mus. La Plata* 1908, 70 (*R. nodosa* **Raffr.** 1908) 1913:2 (Arg.). *Psel.*, *Psela.*, *Brachygl.* 244.
- Rayacheila* **Motsch.**, *BMosc.* 1845, I, 40 = *Rhagochila* **Motsch.** l. c. 1845 = *Goërius* **Steph.** 1832 = Subg. ad *Staphylinus* **L.** 1758. *Staph.*, *Staphyl.*, *Staphi.* 314.
- Redotus* **Fairm.**, *ASEFr.* (3) 8, 1860, 443 (*R. rufulus* **Fairm.** 1860) 1913:1 (Alg.). *Scar.*, *Melth.*, *Melthi.* 261.
- Rehumius* **Fairm.**, *ASEFr.* 72, 1893, 32 (*R. amphithorax* **Fairm.** 1893) 1913:7 (Indo-China, Penang, Singap.). *Ten.*, *Cnodal.* 939.
- Reichenbachia* **O Leach**, *ZoJo.* II, 1825, 451; **Sauley**, *Spec.* II, 1874, 136; **Raffr.**, *Rev. d'E.* 9, 1890, 118; *ASEFr.* 73, 1904; 115; *GIW. Psel.* 1908, 233; **Reitt.**, *VzbGW.* 31, 1881, 474; **Ganglb.** II, 1895, 807; **Schau-fuß** in *Calwer*, 248; **Kuhnt**, 307, 314 (*R. juncorum* **Leach** 1817, *bifossa* [**Raffr.**] 1903, *R. impressa* [**Panz.**] (In *Ins. F. Germ.* LXXXIX Nr. 10, (*R. juncorum* **Leach** 1816) 1913:264 + 5 Spp. affin. dub. et 21 Spp. gen. dubios., in toto 290 (in omn. part. orb. terr.). *Psel.*, *Psela.*, *Brachygl.* 257.
- Reichenbachius* **Casey**, *T.Ac.Sc.St.Louis* 1906, 359 = *Reichenbachia* **Leach** 1825 *Psel.*, *Psela.*, *Brachygl.* 257.
- Reitterella* **Sem.**, *HoR.* 25, 1891, 302; *Rev. Russe* III, 1903, 356 (*R. fusiformis* **Senn.** 1891) 1913:3 (Transcasp. Turk.). 1913:3 (*Ten.*, *Leptod.* 187.
- Reitteronymus* **Raffr.**, *Rev. d'E.* 9, 1890, 104 = *Euplectopsis* **Raffr.** 1898. *Psela.*, *Psela.*, *Euplect.* 86.
- Remipedella* **Sem.**, *Rev. Russe* E. V, 1906, 257 (*R. deserti* **Sem.** 1905) 1913:1 (Transcasp.). *Ten.*, *Remip.* 379.
- Remphan* **O.G.WR. aterh.**, *TESL.* I, 1836, 67; **J. Thoms.**, *Class. Cer.*, 291; *Syst. Cer.*, 477; **Lac.** VIII, 107; **Pasc.**, *TESL.* (3) 3, 1869, 667; **Lmr.**, *MSEB.* 11, 1903, 79 (Rev., 273); **Gah.**, *Fr. Brit. Ind. Col. I.* 1906, 33 = Subg. ad *Rhaphipodus* **Serv.** 1832 (*R. Hopei* **G. R. Waterh.**, 1836) 1913:1 (Siam, Pegu, Andam., Ins. Mergui et Riu, Singap., Sum., Born.). *Ceram.*, *Prion.*, *Macrot.*, *Raph.* 33, 2.
- Remus* **Holme**, *TESL.* II, 1837, 64 (nec **Thoms.**, nec **Muls. et Rey**); **Kuhnt**, 167, 230 = Subg. ad *Cafius* **Steph.** 1832. *Staph.*, *Staphyl.*, *Staphyl.* *Staphi.* 288.
- Remus* **C. G. Thoms.**, *Sk. Col.* II, 1860, 167; *ASAgr.* Lyon (4) 8, 1875, 597 (nec **Holme**) = *Actobius* **Fauv.** 1874. *Staph.*, *Staphyl.*, *Staphyl.*, *Staphi.* 283.
- Renania* **Lewis**, *ANH.* (5) 20, 1887, 60 (*R. atrocyanea* **Lewis** 1887) 1913:1 (Jap.). *Erot.*, *Dacn.* 91.
- Renia* **Lewis**, *ANH.* (5) 15, 1885, 467 = *Reninus* **Lewis** 1889. *Hist.* 83.
- Reninus* **O[†] Lewis**, *ANH.* (6) 4, 1889, 285 (Typ.?: *R. meticulousus* **Lewis** 1885; *Salvini* **Lewis** 1888) 1913:6 (Bras. Guyan., Mex. Bol.). *Hist.* 83. *Biol.*: **Lewis**, *ANH.* 7 (20) 1907, 105.
- Renocis* **Casey**, *B. Cal. Ac. Sc.* II, 1886, 257 (*R. heterodoxus* **Casey** 1886) 1913:1 (Cal.). *Ip.*, *Hyles.* 14.
- Repsimus* **O M[†] Leay**, *HoE.* I, 1819, App. p. 144; **Ohl.**, *StEZg.* 65, 1904, 66, 69 (*R. manicatus* [**Swartz**] 1817), *aeneus* [**F.**] 1775) 1918:3 (Nov. Holl., N.S.W., Queensl.). *Scar.*, *Rut. orth.*, *Anoplgni.*, *Anopligna.* 109.
- Retocomus* **Casey**, *AN YAcSc.* 8, 1895, 627, 628 = subg. ad *Eurygenius* **Laferté** 1848. *Ped.* 2.
- Rhabdopholis* **O Burm.**, *HdE.* IV, 2, 1855, 290; **Dohrn**, *StEZg.* 24, 1863,

- 331; 29, 1868, 397; **Kolbe**, ASEB. 38, 1894, 566; **Brenske**, BEZ. 41, 1896, 355, nota; **Péring.**, T.SAfr. Phil. S. 13, 1904, 273 (*Rh. albostrata* **Burm.** 1855) 1913:4 (Afr. mer.; *Rh. melolonthoides* **Brenske** 1892 non ex Am. mer. aut Manila!). *Scar.*, *Melth.*, *Melthi.* 259.
- Rhabdophorus* **O Lefv.**, Mi. Münch. E. Ver. II, 1878, 126; **Jac.**, BCA.Col. VI, I, 1882, 148 [nec **Swainson** 1839] *Rhabdopterus* **Lefv.** 1885. *Chryss.*, *Eumolp.*, *Colasp.* 66.
- Rhabdopterus* **Lefv.**, MSLiège (2) 11, 1885, 46; **Horn**, TAMES. 19, 1892, 196, 226 (Typ.?, *Rh. caliginosus* **Lefv.** et *tuberculatus* **Lefv.** 1878, *hypochalceus* **Har.** 1875, *picipes* [**Ol.**] 1808). 1913: cf. P. II. *Chryss.*, *Eumolp.*, *Colasp.* 66.
- Rhabdychus* **O Gorh.**, EMM. 9, 1873, 257; **Chap.**, XII, 1876, 114 (*Rh. denticornis* **Gorh.** 1873) 1913:1 (Jap.). *End.*, *Endo.*, *Lycop.* 52.
- Rhachidion* **Gemm. et Har.**, Col. Cat. IX, 1873, 2982 = *Rachidion* **Serv.** 1834. *Ceramb.*, *Cerambin.*, *Lissnt.* 1021.
- Rhachidophorus* **Guér.**, Rev. et MaZo. (2) 11, 1857, 581 = *Spathomeles* **Gerst.** 1857. *End.*, *Endo.*, *Eumorph.* 24.
- Rhacius* **O Champ.**, BCA.Col. IV, 1, 1885, 120 (*Rh. sulcatus*, *quadrifollis* **Champ.** 1885) 1913:2 (Amer. e. et mer.). *Ten.*, *Tenebr.* 834.
- Rhacostoma* **Berg**, Com. Mus. Buenos Aires I, 1898, 18 = *Amphicrossus* **Er.** 1843. *Nit.*, *Nitid.* 103.
- Rhadine* **Baudi**, BEZ. 17, 1873 (74), 331; **Schilsky**, Käf. Eur. 36, 36C; **Reitt.**, Tab. 47, 1901, 4 et 19 = *Petalium* **J. Lec.** 1861. *Anob.*, *Dorcat.* 59.
- Rhadinocyba* **Fst.**, StEZg. 50, 1889, 79 (*Rh. nitidipennis* **Fst.** 1889) 1913:4 (N. Caled., N. Guin.). *Curc.*, *Api.*, *Apion.* 10.
- Rhadinosa* **O Ws.**, DEZ. 1905, 318 (Typ.?, *Rh. nigrocyanea* [**Motsch.**] 1861) 1913:5 (As. mer., Jap., Sum., Birma, Mandschur.) *Chryss.*, *Hisp.*, *Hispi.* 86.
- Rhaebosterna* **Ws.**, ArN. 82, 1916 (1917), A. 5, 124 (*Rh. sciola* **Ws.** 1917) 1917:1 (Austral.). *Chryss.*, *Chryso.*, *Parops.* 73a?
- Rhaebus* **O Fischer**, E. Ross. II, 1824, 178; **Schönh.**, *Curc.* Disp. Meth. 1826, 30; **Cast.**, HIns. II, 1840, 509; **Lac.**, Mon. *Phyt.* I, 1845, 601; **Baudi**, Milabridi 1886, 8; DEZ. 30, 1886, 386; **Seidl.**, F. Tr. 1891, 171; **Bedel**, V, 342; **Everts**, II, 523; **Schilsky**, 46, p. A, C (*Rh. Gebleri* **Fischer** 1824) 1913:3 (Ross., Caspic., Daur., Sib.). *Bruch.*, *Rhaeb.* 1.
- Rhaetulus* **O Westw.**, TESL. 1871, 353 (*Rh. crenatus* **Westw.** 1871) 1913:1 +1 (Formosa, Siam). *Luc.*, *Luc.* 17.
- Rhaetus* **O Parry**, TESL. (3) II, 1864, 10 (*Rh. Westwoodi* [**Parry**] 1862) 1913:2 (Assam et patr. ign.). *Luc.*, *Luc.* 15.
- Rhagiomorpha* **O Newm.**, ANH. V, 1840, 21 ((*Rh. lepturoides* [**Boisd.**] 1835) 1913:4 (N. Holl., Sin. Moreton). *Ceramb.*, *Cerambin.*, *Rhag.* 426.
- Rhagiops* **Fairm.**, ASEB. 42, 1898, 249 (*Rh. costulipennis* **Fairm.** 1898) 1913:1 (Madag.). *Ceramb.*, *Cerambin.*, *Lept.* 486.
- Rhagiosoma* **O Chap.**, ASEB. 21, 1878, *Compt. rend.* p. CXLIII; **Jacoby**, GIW. 14, 1903, 2 (*Rh. madagascariense* **Chap.** 1878) 1913:3 (Madag.). *Chryss.*, *Sagr.*, *Megam.* 3.
- Rhagium* **O F.**, *Syst. E.* 1775, 182; **Payk.**, F. Suec. III, 1800, 66; **Gyllenh.**, *Ins. Suec.* I, 4, 1827, 44; **Zett.**, F. Ins. Lapp. I, 1828, 372; **Steph.**, III. Brit. E. Mand. IV, 1831, 253; **Serv.**, ASEFr. IV, 1835, 205; **Curtis**, *Brit. E.* 1839, t. 750; **Muls.**, *Col. Fr. ed. I.* 1839, 222; ed. 2, 1863, 451; **Cast.**, HN. II 1840, 500; **Redt.**, *Gatt. deutsch*

- Käfer 1845, 112; F. Austr. 1849, 502; ed. 2, 1858, 870; ed. 3, II, 1874, 428; **Gutfl.-B.**, 587; **J. Lec.**, JoAc. Phil. (2) I, 1850, 319; **Bach**, III, 42; **C. G. Thoms.**, Sk. Col. VIII, 1866, 49; **Cox**, Hd. Col. II, 1874, 308; **Ganglb.**, Best.-Tab. VII, 1881, 8 (686); **Bedel**, V, 1889, 5; **Fowler**, Brit. Col. IV, 1890, 230; **Everts**, II, 1, 1901, 347; **Csiki**, Rov. Lapok, X, 1903, 100; **Schaufuß** in Calwer, 826, 827; **Kuhnt**, 754, 760 (*Rh. bifasciatum* [F.] 1775, *mordax* [Degeer] 1775) 1913:9. — 2 Subgg.: *Rhag. et Harg.* — (Eur., Caucas., Sib., Jap., Ch., Am., b.). — *Rh. s. str.* = Subg. 1 ad *Rh. F.* (Type ut antea etc.). 1913:5. *Ceram. b.*, *Cerambin.*, *Lept.* 466, 1.
- Biol.: **Chap.** et **Cand.**, MSScLiège VIII, 1853, 588 t. 8 f. 4, 6; **Letzner**, Arb. Schles. Ges. vaterl. Kultur 1857, 136; **Schiöde**, NTi. (3) X, 1875, 419, 420, 445—6; **Borre**, ASEB. XXV, 1881, B. p. 149, t. 4 f. 1, 2; **Kolbe**, ENa. X, 1884, 237 — 250; 269—280; **Xambeu**, Moeurs et Métam. VIII, 1902, 116, 118; cf. etiam **Aur.** in **Schklg. et J.**, P. 39, 162, 163.
- Rhagochila* **Motsch.**, BMosc. 1845, I, 40; XVIII, II, 549; II, 668 = *Goerius* **Steph.** 1832. = Subg. ad *Staphylinus* **L.** 1758. *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 314.
- Rhagophthalmus* **Motsch.** **Etud. E.**, 1859, 59 (*Rh. scutellatus* **Motsch.** 7 1859) 1913:7 (Beng., Ch.; Tonkin; Sum.). *Rhag.* 3.
- Rhammatodes* **Haag**, Col. Hfte. 14, 1875, 83 (*Rh. longicornis* **Haag** 1875) 1913:1 (N^o Gami). *Ten.*, *Tentyr.* 116.
- Rhamna* **Peyerimhoff**, ASEFr. 81, 518 (*Rh. semen* **Peyerimh.** 1913) 1913:1 (—). *Anob.*, *Dorcat.*
- Rhamnusium* **O^o Latr.** in **Cuv.**, Règn. anim. ed. 2, Ins. II, 1829, 130; **Serv.**, ASEFr. 1835, 204; **Muls.**, Col. Fr. *Longic.* ed. 1, 1839, 220; ed. 2, 1863, 449; **Redt.**, Käferf. 1845, 112; **Bach**, III, 1856, 41; **Gutfl.-B.**, 587; **J. Thoms.**, *Class. Cer.* 1860, 145; *Syst. Cer.* 1864, 409; **Fairm.**, *Gen. Col. d'Eur.* IV, 1864, 182; **Schiöde**, NTi. (3) II, 1864, 536; **Lac.**, VIII, 1869, 430; **Ganglb.**, *Best.-Tab.* VII, 1881, 8 (686); **Seidl.**, *F. Ba.* ed. 2, 1891, *Gatt.* p. 183; **Everts**, II, 1, 1901, 349; **Csiki**, *Rov. Lapok*, X, 1903, 100; **Schaufuß** in *Calwer*, 826, 828; **Kuhnt**, 754, 761. — *Synopsis*: **Pic**, *Longic.* III, 3, 1901, p. 29—31. — (*Rh. bicolor* [Schrank] 1781) 1912:6 (Eur. med., mer., Sib., Asm., Syr., Cauc., Amas., Turcia). *Ceram. b.*, *Cerambin.*, *Lept.* 469.
- Biol.: **Cand.**, MSScLiège VIII, 1853, 589 t. 8 f. 5; **Kolbe**, ENa. X, 1884, 246, 278; **Decaux**, *Feuill. jeun. Nat.* XIX, 1889, 3; ASEFr. 61, 1892, B., 166; *Nat.* 15, 1893, 178 f. 2, 3; **Buysson**, ASEFr. 62, 1893, 225; **Xambeu**, *Moeurs et Métam.* VIII, 1902, 119.
- Rhamphadoretus* **Ohl.**, DEZ. 1912, p. 418 (*Rh. simplex* **Ohl.** 1912) 1918:7 (Terr. Galla, Afr. or., brit., Arab., Dar-es-Salaam, Terra Somali, Harrar, Ceyl.). *Scar.*, *Rut. orth.*, *Anoplgni.*, *Trignstm.* 141.
- Rhampholyssa* **Kraatz**, BEZ. VII, 1863, 110 (*Rh. Steveni* [Fisch.] 1824) 1917:2 (Transcasp., Margelan, Des. Kisilkum, Uralsk, Oas. Tadschen). *Melo.*, *Lytt.*, *Mytabr.* 7.
- Rhanis* **Lec.**, PAcPhil. 6, 1853, 360; **Gerst.**, *Mon. Endom.* 1858, 392; **Chap.**, *G. Col.* 12, 1876, 140; **Wickh.**, *Can. Ent.* 26, 1894, 337 (*Rh. unicolor* [Ziegl.] 1844) 1916:1 (Amer. b.). *End.*, *Mycet.*, *Liesth.* 16.
- Rhaphidodera* **Perr.**, ASLLyon (2) II, 1855, 336 = *Ceresium* **Newm.** 1842. *Ceram. b.*, *Cerambin.*, *Calldp.* 332.
- Rhaphidodera* **Gemm. et Har.**, *Col. Cat.* IX, 1873, 2831 = *Ceresium* **Newm.**

1842. *Ceramb.*, *Cerambin.*, *Calldp.* 332.
- Rhaphidopodus* **Gemm. et Har.**, Col. Cat. IX, 2766 = *Rhaphidopodus* **Serv.** 1832. *Ceramb.*, *Prion.*, *Macrot.*, *Raph.* 33, 1.
- Rhaphidopodus* **O Serv.**, ASEFr. I, 1832, 168 (*Rhaphidopodus*); **Lmr.**, MSEB. 11, 1903, 71 (Rév., 265) (*Rh. suturalis* **Serv.** 1832) 1913:12. — 2 Subgg.: *Rhaph.* et *Remphan.* — (Ind., Ceyl., Ins. Sund., Andam., Ins. Phil.). — *Rh.* = Subg. I ad *Rh. Serv.*, ASEFr. I, 1832, 168; **Lac.**, VIII, 106; **Pasc.**, TESL. (3) 3, 1869, 668; **Lmr.**, MSEB. 11, 1903, 71 (Rév., 265); **Gah.**, F. Brit. Ind. Col. I, 1906, 30. 1913:11 (Typ. ut antea). *Ceramb.*, *Prion.*, *Macrot.*, *Raph.* 33; 33, 1.
- Rhaphuma* **O Pasc.**, TESL. (2) IV, 1858, 240; **Gahan**, F. Brit. Ind. Col. I, 1906, 271 (*Rh. placida* [**Pasc.**] 1840) 1913:26 (As. mer. et insul. adjac., Timor, Java etc., Phil. Ins.). *Ceramb.*, *Cerambin.*, *Clyt.* 824.
- Rhathymoscelis* **O J. Thoms.**, Class. *Cer.* 1860, 160; Syst. *Cer.* 1864, 411 (*Rh. Haldemani* **J. Thoms.** 1860) 1913:3 (Bras.: Min. Geraes, Sao Paulo, Mex.). *Ceramb.*, *Cerambin.*, *Necyda.* 588.
- Rhegmatocerus* **Motsch.**, BMosc. 31, 1858, II, 657; Etud. E. 8, 1859, 163 = *Diochus* **Er.** 1839/40. *Staph.*, *Staphy.*, *Xanth.* 277.
- Rhembastichus* **Ws.**, F. Süd.-Afr. II, 1, 1908, 4 (*Rh. variabilis* **Ws.** 1908) 1914:1 (Sin., Champion: Yalgoo). *Chrys.*, *Eumolp.*, *Typoph.* 266.
- Rhembastus* **Harold**, Mi. Münch. E. Ver., I, 1877, 101; **Lefv.**, MS Liège (2) 11, 1885, 139; **Ws.**, M.S. Españ. HN. I, 1906, 385 (Typ.: *Rh. collaris* [**Gerst.**] ArN. 37, 1871, I, 81) 1914:56 (Afr. trop., mer., Madag.). *Chrys.*, *Eumolp.*, *Typoph.* 253.
- Rhesus* **O Motsch.**, BMosc. IX, 1838, II, 187; **J. Thoms.**, Class. *Cer.*, 291; Syst. *Cer.*, 477; **Lac.** VIII, 105; **Lmr.**, MSEB. 11, 1903, 69 (Rév., 263) (*Rh. serricollis* **Motsch.** 1838) 1913:1 (Pers., Syr., Asm., Turc., Dalm.). *Ceramb.*, *Prion.*, *Macrot.*, *Raph.* 34.
- Rhexidius* **O Cas.**, B. Cal. Ac. Sc. 1887, 478; **Brendel**, B. Un. Jowa II, 1890, 41; ENs. 3, 1892, II; **Raffr.**, ASEFr. 72, 1903, 587; GIW. *Psel.* 1908, 124 (*Rh. granulatus* **Cas.** 1887, *Rh. canaliculatus* [**J. Lec.**] 1880) 1913:5 (Cal., Am. sept., Miss. occ., Pa.) *Psel.*, *Psel.*, *Trichon.* 144.
- Rhexinia* **O Raffr.**, Rev. d'E. 9, 1890, 104; ASEFr. 72, 1903, 587; GIW. *Psel.* 1908, 125 (*Rh. angulata* **Raffr.** 1890) 1913:2 (Nov. Grenad., Guadeloupe). *Psel.*, *Psel.*, *Trichon.* 145.
- Rhexius* **O J. Lec.**, Boston Jo. NH. 6, 1850, 102; **Brendel**, B. Un. Jowa II, 1890, 46; **Raffr.**, ASEFr. 72, 1903, 586; GIW. *Psel.* 1908, 127 (*Rh. insculptus* **J. Lec.** 1850) 1913:6 (Am. sept., Fla., Pan.). *Psel.*, *Psel.*, *Trichon.* 148.
- Rhichnodus* **Fairm.**, ASEFr. 61, 1892, 87 (*Rh. asper* **Fairm.** 1892) 1913:4 (Ven.). *Ten.*, *Goniad.* 861.
- Rhinandrus* **O Lec.**, New Col. 1866, 119; **Horn**, Rev. *Ten.* 1870, 342; **Champ.**, BCA. Col. IV, 1, 1885, 101; **Seidl.**, NID. V, 1896, 617 (*Rh. gracilis* **J. Lec.** 1866) 1913:8 (Am. c., Ariz., Peru, S. Carlos, Cap. St. Luc.). *Ten.*, *Tenebr.* 761.
- Rhinapion* **Beg.-Billc.**, ASEFr. 74, 1905, 147 = Subg. ad *Apion* **Hbst.** 1797. *Curc.*, *Api.*, *Apion.* 11.
- Rhinaspis* **O Perty**, Delect. anim. 1833, 46; **Burm.**, Hd. E. IV, 2, 1855, 65; **Lac.** III, 262 (*Rh. aenea* [**Billb.**] 1820) 1913:3 (Bras., Lagoa Santa, Minas Geraes). *Scar.*, *Melth.*, *Macrod.* 487.
- Rhinobarus* **Reitt.**, VN. 45, 1906, 131 **Schaufuß** in Calwer, 787 = Subg. ad *Cteniopus* **Sol.** 1835. *All.*, *Omophl.* 107.
- Rhinobolus* **Blackb.**, PLSNSW. (2), 4, 1890, 463 (*Rh. nitidus* **Blackb.** 1890)

- 1914:1 (Paenins. York). *Chrys.*, *Eumolp.*, *Iphim.* 31.
- Rhinophthalmus* **O J. Thoms.**, *Class. Cer.* 1860, 152; *Syst. Cer.* 1864, 406 (*Rh. nasutus* [**Shuck.**] 1838, *elongaticeps* [**Blanch.**] 1853) 1913:5 (Austral., N. Holl., Tasm.) *Ceram.*, *Cerambin.*, *Urac.* 423.
- Rhinoplatia* **G. Horn**, *TAmES.* II (1868), 137; *P. Cal.Ac.Sc.* (2) 6, 1896, 385 et 420; **J. Lec. u. Horn**, *Class.* 1883, 405; **Seidl.**, *NID.* V, 2, 1899, 815 (*Rh. ruficollis* **Horn** 1868) 1915:1 (Cal.). *Oed.*, *Oedem.*, *Ascler.* 31.
- Rhinoplia* **Burm.**, *Hd.E.* IV, 1, 1844, 232 = Subg. 1 ad *Anomala* **Sam.** 1819. *Scar.*, *Rut. hom.*, *Anomal.*, *Anoma.* 74,1.
- Rhinopteryx* **Lac.**, VII, 449; **Schoenfeldt**, *GIW.* *Brenth.* 1908, 57 (*Rh. toveipennis* [**Thoms.**] 1858) 1913:2 (Chinchoxo, Gabun., S. Leone). *Brenth.*, *Brentha.*, *Ceoc.* 91.
- Rhinoscepsis* **O J. Lec.**, *P.Am.Phil.S.* 1878, 382; **Raffr.**, *Rev.d'E.* 16, 1897, 223; *ASEFr.* 72, 1903, 520; *GIW.* *Psel.* 1908, 55 (*Rh. bistrata* **J. Lec.** 1878, 382; *Rh. gracilis et militaris* [**Schauf.**] 1872) 1913:5 (Fla., Amaz., Arg.). *Rh.* = *Rhinoscepsis* **C. Schauf.**, *Cat. Psel.* 1888, 83. *Psel.*, *Psela.*, *Euplect.* 40.
- Rhinotragus* **O Germ.**, *Ins. spec. nov.* 1824, 513 (*Rh. dorsiger* **Germ.** 1824) 1913:8 (Bol., Bras., Nicarag.). *Ceram.*, *Cerambin.*, *Rhinotr.* 634.
- Rhinyptia* **Burm.**, *Hd.E.* IV, 1, 1844, 227; **Kraatz**, *DEZ.* 1895, 104 (Typ.:?) 1918:17.
- Faunistik:
Regio or.: *Rh. indica* **Burm.**, 1844. 1918:8 (Ind., Ceylon., Beng., Kaschm., Assam., Sikkim, Cambodja). — Regio aethiop.: *rostrata* **Burm.** 1844, 1918:9 (Sudan., Cong. belg., Senegal.). *Scar.*, *Rut. hom.*, *Anomi.*, *Anisopl.* 102.
- Rhipidandrus* **O J. Lec.**, *Class.* 1861, 236; **Horn**, *Rev. Ten.*, 1870, 389; **Arrow**, *ANH.* (7) 14, 1904, 31 (*Rh. flabellicornis* [**Sturm.**] 1826) 1913:6 (Am. c., Madag.). *Ten.*, *Rhipidandr.* 607.
- Rhipidius* **O[†] Thunb.**, [emend.], *Vct. Nya Handl.* 27, 1806, 5 (*Ripidius*); **Gerst.**, *Rhip.*, 14; **Bach**, III, 1856, 245; **Redt.**, *F. Austr. ed. II*, 1858, 647; III, 1874, I p. CXXV et II, 167; **Gutfl.-B.**, 437; **Lac.**, V, 1, 632; **Jacq. du Val**, III, 415; **Gemm. et Har.**, *Col. Cat.* 7, 1870, 2123; **Seidl.**, *F.Ba. ed. II* (1890) *Gatt.*, p. 143; *FTr.* (1891) *Gatt.* p. 143; **Chob.**, *AMus.G.* 34, 1894, 145; *BSEFr.* 1904, 230; **A. Sem.**, *Rev. R.* II, 1902, 258; **Reitt.**, *F. Germ.* III, 1911, 384; **Schauf.** in *Calw.*, 760; **Kuhnt**, 709. *Rh. pectinicornis* **Thunbg.** 1806) 1913:13 (Eur., Ind. or., Alg., Sansib., Java, Nat., Austral.). *Rhip.*, *Rhipid.* 20.
- Biol.*: **Sundevall**, *Isis* 11, 1831, 1222 fig.; **Westw.**, *Intro. mod. class. Ins.* I 1839, 295, f. 32 (20—22); **Sharp**, *Cambridge* *N.W.* VI, 1901, 149.
- Rhipidocerus* **O Westw.**, *TESL.* 3, 1842, 70; **J. Thoms.**, *Class. Cer.*, 289; *Syst. Cer.*, 471; **Lac.**, VIII, 165; **Lmr.**, *MSEB.* 21, 1912, 69 (*Rév.*, 933) (*Rh. Australasiae* **Westw.**, 1842) 1913:1 (Austral.). *Ceram.*, *Prion.*, *Anacol.*, *Tragos.* 92.
- Rhipidophorus* **Gemm. u. Har.**, *Cat. Col.* 7, 1870, 21/23 [emend.]; **Champ.**, *BCA.Col.* IV, 2, 1889/93 (1891), 359 = *Rhipiphorus* **Bosc** 1792. *Rhip.*, *Rhipiph.* 18.
- Rhipidophorus* **Sol.** in **Gay**, *H. Chile Zo.* 1849, IV, 442 = *Cladodes* **Sol.** 1849. *Lamp.*, *Lamp.* 9.
- Rhipiphorus* **O[†] Bosc**, *Jo.HN.* 1792, 293; **Reitt.**, *F. Germ.* III, 1911, 383; **Schauf.** in *Calw.*, 760 (*Rh. subdipterus* **Bosc** 1792) 1913:32 (Am., Ch., Bombay, Aden, Cauc., Turk., Syr., Eur. mer.). *Rhip.*, *Rhipiph.* 18.

- Biol.: **Fabre**, Compt. rend. Ac. Sc. Paris, 1889, 1081; ASc.Nat.Zo. (6) 9, 4, 1879, 27, Souvenirs 3, 1886, 220; **Xambeu**, ASLLyon 45, 1898, 14; **Chobaut**, BSEFr. 1906, 223, 240 f. A—E; **Escal.**, Assoc. Esp. Zarag. 4 Ser. III, 1910, 352.
- Rhipiphorus* **F.**, Ent. Syst. I, 2, 1792, 109 (part.) (*Ripiphorus*); **Gerst.**, *Rhip.*, 19; **Bach**, III, 245, 255; **Muls.**, ASLLyon (2) III, 456; **Jacq. du Val**, III, 413, 418; **Redt.**, F. Austr. H. ed. III, 1874, I, p. CXXV, et II, 168; **Horn**, TAES. V (1875), 121 = *Macrosiagon* **Hentz** 1830. *Rhip.*, *Rhipiph.* 16.
- Rhipiphorus* **F.**, E. Syst. I, 2, 1792, 109 (*Ripiphorus*) [nec **Bosc**]; **Cast.**, HNIns. Col. II, 1840, 261; **Lac.**, V, 1, 627, 629; **Guffl.-B.**, 438; **C. G. Thoms.**, Sk. Col. VI, 1864, 346; **Seidl.**, F.Ba. ed. II (1890), Gatt. p. 142; F.Tr. (1891), Gatt. p. 142; **Everts**, II, 1903, 305 = *Metoeucus* **Gerst.** 1855. *Rhip.*, *Rhipiph.* 17.
- Rhipiphorus* **Steph.**, Ill. Brit. E. Mand. V, 1832, App. 427 = *Rhipidius* **Thunb.** 1806. *Rhip.*, *Rhipid.* 20.
- Rhipistena* **Sharp**, EMM. 15, 1878/9 (1878), 81 (*Rh. lugubris* **Sharp** 1878) 1913:3 (N. Z.). *Rhip.*, *Pelecot.* 2.
- Rhizalemus* **Reitt.**, Best.-Tab. 53, 1904, 79 = Subg. ad *Dendarus* **Latr.** 1829. *Ten.*, *Pedin.* 449.
- Rhizoblaps* **Motsch.**, B.Ac.Petr. II, 1860, 532; **Allard**, ASEFr. (6) 1, 1881, 161; **Seidl.**, F.Ba. ed. II, 1891, 513 = ref. ad *Blaps* **F.** 1775. *Ten.*, *Blapt.* 391.
- Rhizocalax* **Motsch.** in **Schrencks** **R.** II, 2, 1861, 130; **Reitt.**, WEZg. 8, 1889, 279; VN. 40 [Best.-Tab. 750], 179; **Brenske**, BEZ. 37, 1892, 79 = Subg. ad *Brahmina* **Blanch.** 1850. *Scar.*, *Melth.*, *Melthi.* 320.
- Rhizogeniates* **Ohs.**, DEZ. 1909 445 (*Rh. antennatus* [**Curtis**] 1845, *Cavalcantii* et *crenaticollis* **Ohs.** 1917) 1918:4 (Uruguay, Arg.). *Scar.*, *Rut. orth.*, *Geniat.* 157.
- Rhizonemus* **Dej.**, Cat. Col. ed. 3, 1837, 180 [sine descr.] = *Philochlaenia* **Blanch.** 1850. *Scar.*, *Melth.*, *Macrod.* 472.
- Rhizophagus* **O** [†] **Herbst** (nom. emend.) **Er.** ap. **Germar**, ZE. V, 1844, 442; NID. 3, 1845, 226; **Redtb.**, F. Austr. 1849, 173 etc.; **Bach**, I, 222; **Sturm**, 22, 1853, 1; **Lac.** II, 330; **Jacq. du Val**, II, 156; **Guffl.-B.**, 247; **Murray**, TLSL. 24, 1864, 225; **Reitt.**, VN. 41, 27; DEZ. 20, 1876, 295; **Seidl.**, F.Ba. et Tr.; **Reitt.**, WEZg. 3, 1884, 271; 4, 1885, 101; F. Germ. 3, 1911, 39; **Fowler**, EMM. 22, 1885/6, 75; Col. Brit. Ins. 3, 1889, 262; **Mars.**, Ab. 23, 1885, 132; **J. Sahlb.**, Acta S.F.Fl.Fenn. 6, 1890, 85, 147; **Everts**, I, 1898; **Ganglb.**, KäfMEur. 3, 1856; **Stierlin** I, 518; **Lmr.**, ManF.Belg. II, 1900, 335; **Méquignon**, Ab. 31, 1909, 103; 1914, 157; **Blatchley**, B.Dept.Geol. I, 1910, 650; **Ch. Schaeffer**, JoN YES. 21, 1913, 309; **Schaufuß** in **Calwer**, 446; **Kuhnt**, 476, 501. — Subgg.: *Cyanost.*, *Rhiz.* s. str. (26 Spp.), *Anom.* et *Eurhiz.* — 1914:36. — *Rh.* s. str. **Ganglb.**, KäfMEur. III, 1899, 558; **Méquignon**, Ab. 31, 1909, 105; 1914, 158; **Reitt.**, F. Germ. III, 1911, 41. *Rh.* = Subg. 2 ad *Rhizophagus* [**Herbst**] 1793 (nom. emend. 1844) (*bipustulatus* [**F.**] 1792, *dispar* [**Payk.**] 1800, *ferrugineus* [**Payk.**] 1800, *nitidulus* [**F.**] 1798, *parvulus* [**Payk.**] 1800, *picipes* [**Ol.**] 1790) 1914:26 (Eur., As., Am., Afr. b.). *Rhiz.* 3; 3, 2.
- Biol.: **Méquignon**, Ab. 31, (1909, 101, 114; 1914, 161; BSEFr. 1913, 343); **Ganglb.** (cf. antea); **Kraatz**, DEZ. 1888, 191 etc.; **Heyden**, Zo. Gart. 36, 1895, 381; **H. du Buysson**, ASEFr. 1879, 1910, 108 1914:34 (cf. etiam **Méquignon** in **Schklg. u. J.**, P. 61, 1914, 5, 7, 8 etc.).


- Rhizoproctus* **Kolbe**, ASEB. 38, 1894, 567, 571 (*Rh. aurescens* **Kolbe** 1894) 1913:2 (Usambara). *Scar.*, *Melth.*, *Melthi.* 256.
- Rhizostylops* **O Silv.**, Redia 3, 1905, 315 (*Rh. inquirendus* **Silv.** 1905) 1913:1 (It.). *Rhip.*, *Rhipid.* 23.
- Rhizotroque* **Latr.**, Fam. nat. règne anim. 1825, 371 = *Rhizotrogus* **Berthold** 1827. *Scar.*, *Melth.*, *Melth.* 325.
- Rhizotrogus* **O** 𠄎 + **Berthold**, Nat. Fam. Thierreich. 1827, 362; **Buquet**, Rev. Zo. 1840, 171; **Guér.**, Rev. Zo. 1842, 6; **Muls.**, HN. Col. Fr. *Lam.* 1842, 427; ASLLyon (n. s.) 6, 1859, 43/8; *Opusc.* E. 11, 1860, 63; **Er.**, NID. 3, 1847, 676; **Burm.**, Hd.E. IV, 2, 373; **Lac.**, III, 281; **Jacq. du Val**, III, 8, 1860, 56 t. 16 f. 77; **Rosenh.**, StEZg. 32, 1871, 408/13; **Girard**, B. Insectol. agr. 1877, 113; **Tieffenbach**, DEZ. 26, 1882, 242, t. 4 f. 13—19; **Gozis**, Rev. d'E. 4, 1885, 123; **Brenske**, ENa. 17, 1891, 219, 361; 19, 1893, 188; 20, 1894, 177—183; **Kraatz**, DEZ. 1891, 355/6; 1894, 75/6; ENa. 17, 1891, 333/5; **Reitt.**, WEZg. 8, 1889, 279; VN. 40 [Best.-Tab. 50], 165, 195; **Schaufuß** in *Calwer*, 1310; **Kuhnt**, 385, 406 (Typ. ?; *Rh. aequinoctialis* [**Hbst.**] 1790; *aestivus* [**Ol.**] 1789; *pilicollis* [**Gyll.** in **Schönh.**] 1817; *vernus* [**Germ.**] 1823) 1913:133 (Eur. mer., c. et Medit., As.: Ch., A. occ.). *Scar.*, *Melth.*, *Melthi.* 325.
- Anat.: *Syst. nerv.*: **Brandt**, *Protoc. Trudy Russ. Ent. Obschestwe* X, 1879; **Binet**, Jo. Anat. et Physiol. Paris, 30, 1894, 449—580.
- Metamorph.: **Guérin**, ASEFr. (4) IV, 1864 B. XLVII; **Bellier**, ASEFr. (4) X, 1870, B. XXVIII—XXX; **Muls.**, ASLLyon (2) 6, 1859, 43—48; *Opusc.* E. XI, 1860, 66; **Perris**, Larv. Col. in ASLLyon (n. s.) XXII, (1877), 115—116; **Rosenh.**, StEZg. 11, 1850, 12—16; 32, 1871, 408; **Xambeu**, *Moeurs et Métam. Ins.* (n. s.) 22, 1876 (77), 115—116 in ASLLyon (n. s.) 38, 1891, 99—103; 39, 1892, 173; **Prediger**, Insektenbörse 19, 1902, 148; 23, 1906, 88.
- Biol.: Larv.: **Warburton**, Jo. R. Agric. S. 8, 1897, 744 sq.; **Xambeu**, Nat. 1905, 117; **Schulze**, DEZ. 20, 1876, 162; (Spp. Pyrenäic.); **Cotty**, M.S.Linn. Nord. de Fr. I, 1866/67 (69), 167—168.
- Phaenolog.: **Xambeu**, Nat. 27, 1905, 117.
- Rhizotrogus* **Latr.**, *Gutfl.-B.*, 325 = *Rh. Berth.*?
- Rhodocharis* **O Lac.**, VIII, 49; **Lmr.**, MSEB. 21, 1912, 95 (Rév., 959) (*Rh. anacoloides* **Lac.** 1869) 1913:1 (Bras. mer.). *Ceram.*, *Prion.*, *Anacol.*, *Anac.* 101.
- Rhombonyx* **Hope**, Col. Man. I, 1837, 106 (pars), *Rh. Reitt.*, VN. 41, 1903, 59 = *Anomala* **Sam.** s. str. 1819. *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma.* 71, 2.
- Rhombonyx* **Hope**, Col. Man. I, 1837, 106 (pars) = *Paramimela* **Ohl.** 1915 = Subg. 1 ad *Mimela* **Kirby** 1825. *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma.* 85, 1.
- Rhondia* **Gah.**, F. Brit. Ind. I, 1906, 79 (*Rh. pugna* [**Dohrn**] 1878) 1913:1 (Ind. b., Birma). *Ceram.*, *Ceram.*, *Lept.* 533.
- Rhopaea* **Er.**, NID. 3, 1847, 656; **Burm.**, Hd.E. IV, 2, 1855, 420; **Blackb.**, TRS. South Austral. 10, 1888, 210; 35, 1911, 188; **Brenske**, SE. 9, 1894, 42 (*Rh. heterodactyla* **Germ.** 1848; *Verreauxi* **Blanch.** 1850) 1913:18 (Austral., N. Holl.). *Scar.*, *Melth.*, *Melthi.* 376.
- Rhopalapion* **Schilsky** in **Küster**, **Kraatz**, 43, 1906, p. V = Subg. ad *Apion* **Hbst.** 1797. *Curc.*, *Api.*, *Apion.* 11.
- Rhopalessa* **Bates**, ANH. (4) 11, 1873, 28 = Subg. 4 ad *Rhop.* (*Rh. clavicornis* **Bates** 1873, *tenuis* [**Burm.**] 1865)

- 1913:2 (Rio Jan., Parana). *Ceramab.*, *Cerambin.*, *Rhinotr.* 638.
- Rhopalizida* O **Jord.**, NoZo. I, 1894, 177 (*Rh. viridana* **Jord.** 1894) 1913:1 (Kuilu). *Ceramab.*, *Cerambin.*, *Callichr.* 732.
- Rhopaligus* O **J. Thoms.**, *Syst. Cer.* 1864, 179, 421 (*Rh. nitens* **J. Thoms.** 1864) 1913:11 (Afr. occ. et mer.). *Ceramab.*, *Cerambin.*, *Callichr.* 733.
- Rhopalobates* **Fairm.**, *Not. Leydl. Mus.* 18, 1896, 230 (*Rh. Villardi* **Fairm.** 1896) 1913:1 (Sikkim). *Ten.*, *Tenebr.* 813.
- Rhopalobrachium* O **Boh.**, *Eugen, Resa, Ins.* 1858, 109; **Lac.**, V, 699; **Seidl.**, *NID.* V, 2, 728 (*Rh. clavipes* **Boh.** 1858) 1915:1 (Pat.). *Oed.* (pos. inc.) 67.
- Rhopaloclerus* **Fairm.**, *ASEFr.* (6) 6 1886, 60; op. cit. 71, 1902, 565; **Schklg.**, *GIW. Cler.* 1903, 19 (*Rh. Coquereli* **Fairm.** 1886) 1913:4 (Ste. Marie de Mad.; Mad.). *Cler.*, *Cleri.*, *Till.* 31.
- Rhopalodontus* O $\frac{3}{4}$ **Mellié**, *Rev. Zo. X.* 1847, 109; *ASEFr.* (4) 6, 1848, 233; **Jacq. du Val**, III, 238; **Guffl.-B.**, 406; **Lac.**, IV, 550; **Kiesw.**, *NID.* V, 1, 1877, 194; **Schaufuß** in *Calwer*, 503; **Kuhnt**, 547, 551 (*Rh. fronticornis* [**Panz.**] 1809) 1913:7 (Mediterr., Cauc. Ross. mer., Sib.). *Cio.*, *Cisi.* 12. *Biol.*: **Perris**, *ASLLyon* (n. s.) 23, 1876 (77), 227; **Mellié**, *ASEFr.* (2) 7, 1847, B. XL.
- Rhopalomerus* **Chev.**, *ASEFr.* (3) 8, 1860, 457 = *Neoclythus* **Thoms.** 1860. *Ceramab.*, *Cerambin.*, *Clyt.* 818.
- Rhopalopachys* **Chev.**, *ASEFr.* (3) 8, 1860, 457 (*Rh. irroratus* [**J. Lec.**] 1858) 1913:1 (Texas, Mex.). *Ceramab.*, *Cerambin.*, *Clyt.* 817.
- Rhopalopherus* **Bernh.**, *BSEItal.* LX, 1909, 228 (*Rh. Gestroi* **Bernh.** 1909) 1913:1 (Arg.). *Staph.*, *Oxyt.*, *Piest.*, *Thorac.* 25.
- Rhopalophora* O **Serv.**, *ASEFr.* 1834, 100 (Typ. ?; *Rh. collaris* [**Germ.**] 1824, *longipes* [**Say**] 1823, *tristis* **Chev.** 1859). — 3 Subgg. — *Rhop. Serv.* s. str. = Subg. 1, *Ischionodonta* **Chev.** et subg. ? (2 Spp.) 1913:34 (Am. mer. usq. ad Arg.). *Ceramab.*, *Cerambin.*, *Rhopal.* 888.
- Rhopalopleurus* **Chap.**, *MSLiège* 1869, 102 = *Chramesus* **Lec.** 1868. *Ip.*, *Hyles.* 21.
- Rhopalopselion* O **Haged.**, *DEZ.* 1909, 740 (*Rh. bituberculatum* **Haged.** 1909) 1913:1 (Camerun.). *Ip.*, *Diam.* 6.
- Rhoepa* **Lac.**, III, 297 = *Rhopaea* **Er.** 1847. *Scar.*, *Melth.*, *Melthi.* 376.
- Rhophobas* **Motsch.**, *BMosc.* 45, 1872, II, 26 (*Rh. asperatus* **Motsch.** 1872) 1913:1 (Ins. Sundaic.). *Ten.*, *Tenebr.* 817.
- Rhosaces* O **Champ.**, *BCA.Col.* IV, 2, 1889, 73 (*Rh. clavipes* **Champ.** 1889) 1913:1 (Pan.). *Lagr.*, *Trach.* 4.
- Rhostax* **Fisch.**, *BMosc.* 17, 1844, I, 67; **Lac.**, V, 44 = *Microdera* **Eschsch.** 1831. *Ten.*, *Tentyr.* 134.
- Rhygmacera* **Motsch.**, *BMosc.* 18, 1845, I, 40; 31, 1858, II, 656 = *Acylophorus* **Nordm.** 1837. *Staph.*, *Staphyl.*, *Qued.* 388.
- Rhymbus* O **Gerst.**, *Mon. Endom.* 1858, 347; **Chap.**, XII, 1876, 128; **Gorh.**, *BCA.Col.* 7, 1887/99, 1900, 142 (*Rh. apicalis* et *hemisphaericus* **Gerst.** 1858) 1913:22 (Am.). *End.*, *Endo.*, *Stenotars.* 67.
- Rhynchadoretus* **Oh.**, *ASEB.* 57, 1913, 222 (*Rh. Leyi* **Oh.**, 1913) 1918:1 (Niger). *Scar.*, *Rut. orth.*, *Anoplgni.*, *Adoret.* 134.
- Rhynchoclaviger* O **Wasm.**, *StEZg.* 52, 1891, 4; **Raffr.**, *ASEFr.* 73, 1904, 448; *GIW. Psel.* 1908, 435 t. 6 f. 14, t. 9 f. 66 (*Rh. cremastogasthis* **Wasm.** 1891) 1913:1 (Madag.). *Psel.*, *Clavig.* 445.

- Rhynchogonia* **Arrow**, ANH. (7) 9, 1902, 94 = Subg. ad *Apogonia* **Kirby** 1818. *Scar.*, *Melth.*, *Melthi.* 220.
- Rhynchoneus* **O Sharp**, BCA.Col. IV, P. 6, 1895, 47 (*Rh. Belti* **D. Sharp**, 1895) 1913:1 (Nicaragua). *Brenth.*, *Brentha.*, *Arrh.* 54.
- Rhynchotonius* **Crotch**, *Erot.* 1876, 174 (*Rh. albidoguttatus* **Crotch** 1876) 1913:1 (Amaz.). *Erot.*, *Erotyl.* 22.
- Rhynchostomis* **Lac.**, *Mon. Phyt.* I, 1845, 14 = *Diaphanops* **Schönh.** 1845. *ChrYS.*, *Sagr.*, *Carpoph.* 10.
- Rhyncocheilus* **O Sharp**, ANH. (6) 3, 1889, 120 (Typ.?). *Rh. pectoralis* **Sharp** 1889, *aureus* [**F.**] 1787) 1914:9 (As. mer., Ceyl.; Sum., Born., Java). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 323.
- Rhyncochilus* **Fauv.**, *Rev. d'E.* 14, 1895, 248 = *Rhyncocheilus* **Sharp** 1889. *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 323.
- Rhynoscopeptis* **C. Schauf.**, *Cat. Psel.* 1888, 83 = *Rhinoscepsis* **J. Lec.** 1878. *Psel.*, *Psela.*, *Euplect.* 40.
- Rhyparida* **O Baly**, JoE. I, 1861, 286; *TESL.* (3) IV, II, 1867, 163; 1877, 40 nota; **Jac.**, *AMusG.* 20, 1884, 197; **Lefv.**, *MSLiège* (2) 11, 1885, 94; **Jac.**, *F. Ind. Col.* II, 1908, 378; **Ws.**, *Nov. Guin.* IX, *Zo.* III, 1912, 425 (Typ.? *Rh. dimidiata* **Baly** 1861; *didyma* [**F.**] 1775) 1914:166 (Madag., Males., Austral., N. Guin.). *ChrYS.*, *Eumolp.*, *Metachr.* 164.
- Rhyparidula* **Ws.** in **Voltzkw.** *Reise Ostafr.* II, 1910, 430 (*Rh. aciculata* **Ws.** 1910) 1914:1 (Madag., mer.-occ.). *ChrYS.*, *Eumolp.*, *Typoph.* 242.
- Rhyparus* **O Westw.**, *PESL.* 1843, 93; *TESL.* 4, 1845/7, 240; **A. Schmidt**, *GIW.* 1910, 132, 133--5 (*Rh. Desjardinsi* **Westw.** 1847!) 1913:(6+2) (Birma, Males., Arch. Luisiad., Phil. Ins.). *Scar.*, *Aphod.*, *Rhypar.* 36.
- Rhyppasma* **O Pasc.**, JoE. I, 1862, 325 (*Rh. pusillum* **Pasc.** 1862) 1913:3 (Amazonas). *Ten.*, *Zopher.* 206.
- Rhyapisterna* **Broun**, *ManNZ.* 1888, 416 = *Rhyapistena* **Sharp** 1878. *Rhip.*, *Pelecot.* 2.
- Rhyppobius* **O Lec.**, *P.Ac.Nat.Sc.* *Philad.* VI, 1852, 142; **Gemm. et Harold**, *Col. Cat.* 12, 1876, 3818 (emend.); **Matth.**, *BCA.Col.* II, 1 (1888), 122, 124; *Mon. Coryl.* 1899, 171; **Casey**, *JoN YES.* 8, 1900, 62, 65 (= *Ryppobius* **Lec.** 1852) (*Rh. ruficollis* **Duv.** 1854, *Rh. velox* **Woll.** 1854) 1913:13 (in omn. part. orb. terr. distrib.). *Orth.*, *Ortho.* 26.
- Rhyppochares* **O Mars.**, *Mon.* 1853, 494 (*Rh. saprinoides* [**Er.**] in **Kl.** 1834) 1913:3 (Cap. b. sp.). *Hist.* 30.
- Rhysium* **Pasc.**, ANH. (3) 18, 1866, 483 (*Rh. bimaculatum* **Pasc.** 1866) 1913:1 (Bol.). *Ceram.*, *Cerambin.*, *Calldp.* 300.
- Rhysodes* **O Dalm.**, *Analect. E.* 1823, 93; **Latr.**, *Règne anim.*, ed. 2, IV, 1827, 487; **Westw.**, *ZoJo.* V, 1830, 215; **Newm.**, *Ma.NH.* (2) 2, 1838, 663; **Er.**, *NID.* 3, 1848, 299; **Gutfl.-B.**, 255; **Lac.**, II, 387; **Lec.**, *TAMES.* V, 1875, 162; **Reitt.**, *VN.* 1882, 140 (Best.-Tab. VI, 28); **Lewis**, ANH. (6) 2, 1888, 79; **Seidl.**, *F. Ba. et Tr.* 1891, 45; **Ganglb.**, *KäfMEur.* I, 1892, 533; **Arrow**, ANH. (7) 7, 1901, 83; **Grouv.**, *Rev. d'E.* 22, 1903, 90 t. 1; **Schaufuß** in **Calwer**, 144; **Kuhnt**, 155. — *Rh.* 1913:68. 4 Subgg.: *Dhys.*, *Omogl.*, *Styr.* et *Rh.* s. str. (in divers. part. orb. terr.). *Rhys.* I.
- Rhysodes* s. str. **Ganglb.**, *KäfMEur.* I, 1892, 533; **Grouv.**, *Rev. d'E.* 22, 1903, 90 = Subg. 3 ad *Rhysodes* (*Rh. sulcatus* [**F.**] 1787) 1913:8 (Eur., Jap., N.Z., Austral., N. Guin., N. Caled.). *Rhys.* I, 3.
- Rhysodiastes* **Fairm.**, *ASEB.* 39, 1895, 11; **Grouv.**, *Rev. d'E.* 22, 1903, 90 (*Rh. costatum* [**Chevr.**] 1829) = Subg. 2

- ad *Clinidium*. 1913:14 (Am.; Arch. Malay., N. Guin., N. Caled., Madag.). *Rhys.* 2, 2.
- Rhysodina* **O Chevr.**, ASEFr. (5) 3, 1873, 208; **Westw.**, TESL. 1875, 225; **Wasm.**, AMusG. (2) 17, 1896, 150 (*Rh. Mnischeki* **Chevr.** 1873) 1913:1 (Abyss.). *Ten.*, *Rhysop.* 1113.
- Rhysopaussus* **O Wasm.**, AMusG., (2) 16, 1896, 616; (2) 17, 1896, 150 (*Rh. Doherti* **Wasm.** 1896) 1913:1 (Malacca). *Ten.*, *Rhysop.* 1111.
- Rhyssemodes* **O Reitt.**, VN. 30, 156, 161—2; **Tab.**, 24, 1892, 18, 23—24; **d'Orb.**, Abeille 28, 1896, 253—4; **Clouët**, Mon., 15—26; **A. Schmidt**, GIW. 1910, 117, 127—8, t. 3 (*Rh. orientalis* [**Muls. et God.**] 1874) 1913:5 (Marghjan, Ch. b., Turk. etc., Afr. b., Aeg.). *Scar.*, *Aphod.*, *Psamm.* 32.
- Rhyssemorphus* **O Clouët**, BSEFr. 1900, 122; **Mon.**, 15, 117—8; **A. Schmidt**, GIW. 1910, 117—8 (*Rh. Moqueryysi* **Clouët** 1900) 1913:1 (Madag.). *Scar.*, *Aphod.*, *Psamm.* 33.
- Rhyssemus* **O Muls.**, 1842, 314/7; **Gutfl.-B.**, 318; **Muls. et Rey**, 1871, 381 391; **Er.**, NID. III, 1848, 909—911; **Redtb.**, F.Austr. 1874, 1, 471; **G. Horn**, TAmES. 3, 1871, 290/1; 14, 1887, 87—90; **Seidl.**, F.Ba. 1891, 29 et 144; **F.Tr.** 1891, 29 et 152; **d'Orb.**, Ab., 28, 1896, 250/3; **Clouët**, MSEB. 8, 1901, 15, 36—117; **Péring.**, T.SAfr.Phil.S. 12, 1901/3, Cat. 1901, 370, 442—5; **Fall**, TAmES. 33, 1907, 186 (N. Mex.); **A. Schmidt**, GIW. 1910, 117, 123—7, t. 3; **Schaufuß** in *Calwer*, 1265; **Kuhnt**, 383, 388 (Typ. ?; *Rh. germanus* [**L.**] 1767) 1913:52 + 2 (in omm. part. orb. terr. et insul. distrib.). *Scar.*, *Aphod.*, *Psamm.* 31.
- Rhyssonotus* **O M'Leay**, HoR., 1819, 98 (*L. nebulosus* [**Kirby**] 1818) 1913:4 (Austral.). *Luc.*, *Chias.* 5.
- Rhyticephalus* **Chevr.**, Rev. Zo. 1839, 174; **Lac.** VII, 1866, 446 = *Rhyti-*
- docephalus* **Chevr.** 1839. *Brenth.*, *Brentha.*, *Ceoc.* 86.
- Rhytidocephalus* **O Chevr.**, Rev.Zo. 1839, 174; **Schoenfeldt**, GIW. *Brenth.* 1908, 55 (*Rh. brevicornis* **Chevr.** 1839) 1913:4 (Madag., Gabun.). *Brenth.*, *Brentha.*, *Ceoc.* 86.
- Rhytidoclerus* **O Kuw.**, ASEB. 38, 1894, 400, 420; **Schklg.**, GIW. *Cler.* 1903, 78 (*Rh. rufiventris* **Westw.** 1849) 1913:1 (Cochinch., Assam, Perak, Amboin., Sum., Born., Austral.). *Cler.*, *Cleri.*, *Clerin.* 83.
- Rhytidodera* **A. White**, Cat. Col. Brit. Mus. VII, 1853, 132 (*Rh. simulans* **White** 1853) 1913:9 (Ch., Korea, Birma, Siam, Tenass., Malacca, Laos, Born., Sum., Cel.). *Ceram.*, *Cerambin.*, *Cerambyc.* 158.
- Rhytinota* **O Eschsch.**, Zo.Atl. IV, 1831, 7; **Kraatz**, Rev. *Ten.* 1865, 170; **Reitt.**, DEZ. 1896, 300; **Best.-Tab.** 42, 1900, 92 (*Rh. scabriuscula* **Eschsch.** 1831) 1913:46 (Ind. orient., Afr. or. et b.-occ.). *Ten.*, *Tenlyr.* 143.
- Rhyzodina* **Chevr.**, ASEFr. (5) 3, 1873, 208 (ser. pro) = *Rhysodina* **Chevr.** 1873. *Ten.*, *Rhysop.* 1113.
- Rhyzophagus* **Gyll.**, Ins. Suec. 1813, 420; IV, 1827, 636; **Latr.**, Fam. nat. 1825, 396; **Crust. Arachn.** Ins. in **Cuvier**, Règne anim. II, 1829, 96; **Zetterst.**, F. Ins. Lappon., I, 1828, 261; **Steph.**, Ill. Brit. E. 3, 1830, 99; **Man. Brit. Col.** 1839, 140 (pars); **Sahlb.**, Ins. Fenn. II, 1837, 177; **Shuckard**, El. Brit. E. 1839, 181; **Westw.**, Intr. mod. Class. II, 1840, 12; **Woll.**, Col. Cat. Ins. Madeira, 1857, 42 = *Rhizophagus* **Herbst** (nom. emend.) 1844. *Rhiz.* 3.
- Richmondia* **Jac.**, ASEB. 42, 1898, 371 (*R. Olliffi* **Blackb.** 1891) 1916:1 (N.S.W.). *Chrys.*, *Chryso.*, *Tim.* 122.
- Rientis* **Sharp**, TESL. 1874, 21 (*R. parviceps* **Sharp** 1874) 1916:1 (Jap.). *Staph.*, *Staphy.*, *Staphyl.*, *Qued.* 376.

- Rileyia Oliv.*, Rev. Sci. Bourbon. 24, 1912, 71 (*R. [Lampyris] atra* [G. A. Ol.] 1790) 1913:1 (Pa.) = Subg. ad *Lucidota* Cast. 1833. *Lamp.*, *Lucid.* 51.
- Riolus O Muls. et Rey*, HN.Col.Fr. *Uncif.* 1872, 14, 29; *Seidl.*, F.Ba. et Tr., *Fowler*, Col. Brit. Isl. III, 1889, 376; *Flach*, StEZg. 50, 1889, 138; *Kuw.*, SE. 4, 1889, 24; *VzbGW.* 40, 1890, 16; *Everts*, I, 628; *Stierlin* I, 234; *Ganglb.*, KäfMEur. IV, 1, 1904, 120; *J. Edwards*, EMM. (2) 20, 1909, 77; *Schaufuß* in *Calwer*, 581, 583; *Kuhnt*, 592, 596 (Type: *subviolaceus* et *nilens* [Ph. Müll.] 1817, *cupreus* Ph. Müll. 1806) 1913:10 (Eur. med. et mer., Transcauc., Oran.). *Dryop.*, *Helm.*, *Helmi.* 41.
- Rhipidius Thunb.*, Vet.Ak.Nya Handl. 27, 1806, 5 = *Rhipidius Thunb.* 1806 [em.]. *Rhip.*, *Rhipid.* 20.
- Riponus Cas.*, Mem.Col. 3, 1912, 245 = Subg. ad *Prionus* F. 1775. *Ceramb.*, *Prion.*, *Prionin.*, *Prioni.* 72.
- Rivera O Germain*, Anal. Univ. Chile, 112/113, Ano 61, 1903, 392. — *Biol.*: *Rivera*, Rivista Chil. 8, 1904, 241/5 (*R. plebeja* *Burm.* 1855) 1913:1 (Chile). *Scar.*, *Melth.*, *Seric.* 151.
- Rizalus Muls.*, M.Ac.Lyon, 1854, 248; *Opusc.E.* V, 1854, 104; *Seidl.*, NJD. V, 1893, 389 = Subg. ad *Dendarus* *Latr.* 1829. *Ten.*, *Pedin.* 448.
- Robopus Motsch.*, Etud.E. 1852, 27 sq. = *Photinus* *Lac.* 1857 part. *Lamp.*, *Photi.* 28.
- Romaleum A.White*, Cat. Col. Brit. Mus. VIII, 1855, 309 (*R. hispicorne* [L.] 1767, *atomarium* [Drury] 1773) 1913:6 (Am. b., Tex., Ariz., Mex., N. Holl.). *Ceramb.*, *Cerambin.*, *Phorac.* 219.
- Romalorina O Muls. + Ws.*, Cat. Col. Eur. 279; *Reitt.*, F. Germ. IV, 1912, 119; *Kuhnt*, 844 1906 = Subg. 2 ad *Chrysochloa* *Hope* 1840 (Typ.?: *R. bifrons* [F.] 1792, *viridis* [Duff.] 1825, *alpestris* [Schumm.]; *gloriosa* [F.] 1781) 1916:9 (Mont., Eur. c., Sib. occ.). 1843. *Chryso.*, *Chryso.*, *Chrysi.* 25,2. Anatom.: *Champ.* u. *Champ.*, *TESL.* 1901, 15 t. 2 f. 1—4. *Biol.*: *Ws.*, *DEZ.* 27, 1883, 216; 29, 1885, 403; 1897, 398; *Reineck.*, *ZInsBi.* II, 1906, 21; *Champ.* u. *Champ.*, *TESL.* 1901, 15 t. 1 f. 3a—i etc., etc. cf. *Ws.* in *Schklg.* u. *J.*, *Col.Cat.* P. 68, 1916, 193.
- Ronyerus Pic*, *Mél.exot.* 1, 1912, 3 (*R. bimaculatus* *Pic* 1912) 1913:1. (—). *Lagr.* 30a.
- Ropalopus O Muls.*, Col.Fr. *Longic.* 1839, 39, 40; *Pic*, *Longic.* VI, 2, 1907, 25 (Synops.) (*R. clavipes* [F.] 1775, *femoratus* [L.] 1758 etc.) 1913:13 (Eur.; Turk. I, N.York., Can. 1). *Ceramb.*, *Cerambin.*, *Callid.* 778. *Biol.*: *Xamben*, *ASLLyon* (2) 45, 1898, 45; *Moeurs et Mét.* VII, 1899, 85; lit. *biol.* cf. *Aur.* in *Schklg.* et *J.*, P. 39, 337.
- Ropalopus Redt.*, Käferf. 1845, 110; *F. Austr.* 1849, 484, ed. 2, 1858, 1847; ed. 3, II, 1874, 399 = *Ropalopus Muls.* 1839. *Ceramb.*, *Cerambin.*, *Callid.* 778.
- Rosalia O Serv.*, ASEFr. II, 1833, 561; *Lmr.*, ASEB. 31, 1887, 159 (Monogr.); *Gahan*, F.Br.Ind.Col. I, 1906, 176; *Boppe*, BSEFr. 1911, 105 (Synops.); *Vuillet*, *Insect.* I, 1911, 87, 216 (Liste), t. c. p. 250 (Synops.). — 2 Subgg. *Ros.* s. str. et *Euryt.* — 1912:21 (*R. alpina* [L.] 1758). — *R.* s. str. *Muls.*, Col.Fr. *Long.* 1839, 35; ed. 2, 1862, 73; *Cast.*, HN. II, 1840, 432; *Redt.*, Käferf. 1845, 108; *F. Austr.* 1849, 480; ed. 2, 1858, 842; ed. 3, II, 1874, 398; *Guttl.-B.*, 573; *Bach*, III, 1856, 10; *J. Thoms.*, *Class. Cer.* 1860, 233; *Syst. Cer.* 1864, 460; *Fairm.*, *Gen. Col. d'Eur.* IV, 1864, 137; *C. G. Thoms.*, *Sk.Col.* VIII, 14; *Ganglb.*, *Best.-Tab.* VII, 1881, 11 (689); *Bedel*, V, 1889, 8; *Seidl.*, F.Ba. ed. II, 1891; *Gatt.*, 181; *Stierlin*, *Col.Helv.* II,

- 1898, 461; **Houlb.**, F. Armor. *Cer.* 1904, 17; **Schaufuß** in Calwer, 844; **Kuhnt**, 756, 781 (Typ. ut antea) 1913:6 (Eur., As., Am. b.). *Ceram.*, *Cerambin.*, *Comps.* 759.
- Biol.: **Mayet** in **Bedel**, F.Col.Seine V, 1890, 75; **Xambeu**, Moeurs et Mét. 8, 1902, 61.
- Roycrella* **O Jeannel**, Arch.Zo.exp. (5) 5, 1910, 9 et 35; Rev. *Ba.* 1911, 399; 54, 1914, 71 (gen.); **Breit**, EMI. 1913, 314 (subg.) (*R. Tarissani* [**Bedel**] 1878) 1914:2 (cavern.: Gallia: Drôme, Ain.). *Silph.*, *Bath.*, *Bathy.* 24.
- Rozonia* **Fairm.**, ASEFr. (6) 8, 1888, 184 (*R. strigicollis* **Fairm.** 1888) 1913:1 (Terra Ovambo). *Ten.*, *Tentyr.* 119.
- Rues* **Cas.**, AN YAcSc. VI, 1891, 66 (*R. ovipennis* **Cas.** 1891) 1913:1 (Cal.). *Ten.*, *Helop.* 1074.
- Rugilus* **Curtis**, Brit.E. IV, 1827, 168 = *Stilicus* **Latr.** 1825. *Staph.*, *Paed.*, *Paedi.* 182.
- Rutela* **O**  **Latr.**, HNCrIns. III, 1802, 151; X, 1804, 201; G.Crust. et Ins. II, 1807, 105; **Mc Leay**, HoE. I, Append. 1819, 154; **Cast.**, HN.Col. II, 1840, 120; **Burm.**, Hd.E. IV, 1, 1844, 381; **Blanch.**, HIns. 1845, 218; **Lac.** III, 1856; **H. Bates**, BCA.Col. II, 2, 1888, 271, 1908:17. — Sect.: 1. **O coerulea** (*coel.* **Perty** 1832) 1918:2 (S. Paulo, Goyaz, Sta. Cathar., Parag., Mato Grosso, Rio de Janeiro, Ven. Guyan., Peru, Ecuad.). — 2. **O lineola** (*lin.* [**L.**] 1767) 1918:12 (Venez., Columb., Ec., Bras., Amaz., Guyan., Pan., Mex., Peru). — 3. **O striata** (*str.* [**Ol.**] 1789) 1918:3 (Amaz., Guyan., Ven., Jamaic., Guadeloupe). *Scar.*, *Rut. hom.*, *Ruti.*, *Rutin.* 46.
- Biol.: **Lac.**, Ann. scienc. nat. Paris XX, 1830, 271; **Obs.**, StEZg. 61, 1900, 202, l. c. 1909, 67; DEZ. 1908, 248, 399; **Fleutiaux**, Bull. Jardin colon. nr. XIX, 1904, 2.
- Rutelarcha* **O Ch. Waterh.**, EMM. XI, 1874, 52; **Westw.**, TESL. 1875, 235 (*R. quadrimaculata* **Ch. Waterh.** 1874) 1918:2 (Malacc., Born., Kinabalu, Matang., Sum., Medan.). *Scar.*, *Rut. hom.*, *Ruti.*, *Rutin.* 45.
- Rutelisca* **O H. Bates**, BCA.Col. II, 21, 1888, 270 (*R. Flohri* **H. Bates** 1888) 1918:2 (Mex.). *Scar.*, *Rut. hom.*, *Ruti.*, *Rutin.* 42.
- Rybaxis* **O Sauley**, Spec. II, 1874, 136; Bull. Metz 1876, 96; **Reitt.**, VN. 20, 1881, 190; VzbGW. 31, 1881, 464; **Raffr.**, Rev.d'E. 9, 1890, 118, 123; PLSNSW. 1901, 149; T.Safr.Phil.S. 1897, 88; ASEFr. 73, 1904, 116; GIW. *Psel.* 1908, 246 (Typ.?: *R. valida* **Brendel** 1890; *R. longicornis* [**Leach**] 1817, *R. clavata* [**Brendel**] 1866) 1913:45 (Eur. 1, Mediterr., Afr. austr., Males., N.S. Wales, Austral. et Tasm., Amer. sept.). *Psel.*, *Psela.*, *Brachygl.* 266.
- Ryparus* **Spin.**, *Clerit.* II, 1844, 73; **Chenu**, Enc. II, 271 = *Prosymnus* **Cast.** 1836. *Cler.* 170.
- Rypobius* **Lec.** = *Rhybobius* **Lec.**
- Rytus* **O King**, TESNSW. 1866, 302; **Raffr.**, PLSNSW. 1900, 237; ASEFr. 73, 1904, 371; GIW. *Psel.* 1908, 404, t. 19 f. 56. (Typ.?: *R. emarginatus* et *corniger* [**King**] 1865) 1913:7 + 1 (Austral., Tasm., N. Guin.). *Psel.*, *Psela.*, *Tyr.* 42.
- Ryzabis* **O Westw.**, TESL. 1870, 133 (*R. anthicoides* **Westw.** 1874) 1913:1 (Singapor.). *Psel.*, *Psela.*, *Tyr.* 424.
- Ryzophagus* **Herbst**, Käf. 5, 1793, 18 (pars); **C. G. Thoms.**, Sk.Col. IV, 1862, 141 = *Rhizophagus* **Herbst** (nom. emend.) 1844. *Rhiz.* 3.