

Fam. Cerambycidae.

Subfam. Cerambycinae.

Auct. Chr. Aurivillius.

Linné, Syst. Nat. ed. 10, 1758, p. 388—399; ed. 12, 1767, p. 621—643. — Fabricius, Syst. Ent. 1775, p. 164—199; Gen. Ins. 1776, p. 47—55; Spec. Ins. I, 1781, p. 209—250; Mant. Ins. I, 1787, p. 130—160; Ent. Syst. I, 2, 1792, p. 251—357; Ent. Syst. Suppl. 1798, p. 142—154; Syst. Eleuth. II, 1801, p. 266—368, 374—375. — Goeze, Entomol. Beytr. I, 1777, p. 424—514. — Voet, Catal. Coleopt. II, 1778, p. 5—24, t. 4—24; 1804—06, p. 25—31, t. 25—27; ed. Panzer III, 1794, p. 9—68, t. 4—24; IV, 1798, p. 1—10, t. 25—27. — Olivier, Encycl. méth. Ins. V, 1790, Callidium p. 244—270; Cerambyx p. 284—309; VII, 1792, Leptura p. 509—526; Ent. IV 1795, 67—70. — Latreille, Hist. Nat. Crust. et Ins. XI, 1804, p. 282—322; in Cuvier, Règne anim. III, 1817, p. 341—345; ed. 2, Ins. II, 1829, p. 109—121. — Serville, Nouv. Classif. de la Fam. des Longic. in: Ann. Soc. Ent. Fr. I, 1832, p. 118—201, 443; II, 1833, p. 528—573; III, 1834, p. 5—110; IV, 1835, p. 197—228. — Castelnau, Hist. Nat. Ins. Col. II, 1840, p. 414—456, 498—506. — White, Cat. Col. Brit. Mus. VII, 1853; VIII, 1855. — Thomson, Archives Entomol. I, 1857, p. 81—89; Essai d'une Classification de la famille des Cerambycides 1860; Systema Cerambycidarum 1864—1865. — Lacordaire, Gen. Col. VIII, 1869, p. 192—552; IX, 1869, p. 1—237. — Pic, Matériaux pour servir à l'étude des Longicornes I—VIII, 1891—1911. — Heyne und Taschenberg, Exotische Käfer 1906—1907, p. 238—240, t. 36.

Paläarktisches Gebiet: Linné, Fauna Suec. ed. 2, 1761, p. 186—200 (Schweden). — Scopoli, Entomol. Carniol. 1763, p. 45—57 (Kärnthen). — Schrank, Enum. Ins. Austriae 1781, p. 128—165 (Österreich). — Laicharting, Verz. und Beschr. der Tyroler Insecten II, 1784, p. 6—176 (Tirol). — Geoffroy in Fourcroy, Entomologia Parisiensis I, 1785, p. 73—89 (Paris). — Rossi, Fauna Etrusca I, 1790, p. 140—164 (Toskana). — Martyn, The English Entomologist 1792 (England). — Schrank, Fauna Boica I, 2, 1798, p. 655—682, 688—697 (Bayern). — Donndorff, Europäische Fauna VIII, Käfer, p. 534—613 (Europa). — Paykull, Fauna Suec. III, 1800, p. 53—131 (Schweden). — Walckenaer, Faune Parisienne, Ins. I, 1802, p. 203—224 (Paris). — Marsham, Entomologia Britannica I, 1802, p. 324—358 (England). — Samouelle, The Entomol. useful Compendium 1819, p. 209—211 (England). — Gyllenhal, Ins. Suec. I, 4, 1827, p. 1—50, 69—103, 120—122 (Schweden). — Stephens, Illustr. Brit. Entomol. Mandib. IV, 1831, p. 227—230, 242—266 (England); Manual Brit. Col.

1839, p. 268—280 (England). — Mulsant, Col. de France, Longic. 1839 (Frankreich); ed. II, 1862—63 (Europa). — Küster, Käfer Europas I—XXIII, 1844—51 (Europa). — Redtenbacher, Fauna Austriaca 1849, p. 479—492, 502—510; ed. 2, 1858, p. 841—857, 869—879; ed. 3, II, 1874, p. 396—413, 427—437 (Österreich). — A. Costa, Fauna del Regno di Napoli, Coleotteri II, Longicornia, 1855—56 (Südtalien). — Bach, Käferfauna für Nord- und Mitteldeutschland III, 1856, p. 9—26, 41—54 (Deutschland). — Schiödde, Naturh. Tidskr. (3) II, 1864, p. 483—576 (Dänemark). — Fairmaire, Genera des Coléoptères d'Europe IV, 1864, p. 121—155, 178—190 (Europa). — Wollaston, Journ. of Entomol. II, 1863, p. 99—107. (Canarische Inseln). — C. G. Thomson, Skand. Coleoptera VIII, 1866, p. 10—77 (Schweden). — Blessig und Solsky, Horae Soc. Ent. Ross. IX, 1872—3, p. 165—191, 229—260 (Sibirien). — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 65—114 (Sibirien). — Cox, Handbook of the Coleopt. of Gr. Brit. and Irel. II, 1874, p. 308—317 (Britannien). — Ganglbauer, Bestimmungs-Tab. der europ. Col. VII, 1881, p. 17—80 (Verh. zool.-bot. Ges. Wien XXXI, 1881, p. 695—758) (Europa); Revue d'Entomol. III, 1884, p. 163—211 (Frankreich). — Bedel, Faune des Coleopt. du bassin de la Seine V, 1889—90, p. 1—33, 50—86 (Nordfrankreich). — Fowler, Coleoptera of the Brit. Islands IV, 1889—90, p. 219—243 (Britannien). — Seidlitz, Fauna Baltica, ed. 2, 1891, p. 732—749 (Ostsee-Provinzen); Fauna Transsylvanica 1891, p. 823—843 (Siebenbürgen). — Stierlin, Coleoptera Helvetiae II, 1898, p. 451—488 (Schweiz). — Donisthorpe, Entomol. Record X, 1898, p. 219—223, 246—249, 269—271, 299—303 (England). — Everts, Coleoptera Neerlandica II, 1, 1901, p. 347—373 (Holland). — Csiki, Rovartani Lapok X, 1903, p. 100—105, 116—118, 138—141, 161—166, 181—183, 200—207; XI, 1904, p. 35—39, 56—60, 79—83, 98—104, 122—123, 135—144, 166—167 (Ungarn). — Houlbert, Faune Entomol. Armoricaine, Cerambycides, 1904, p. 11—59. — Jacobson, Die Käfer Russlands und Osteuropas VIII, 1910, t. 63—68 (Russland).

Indo-malaysisches Gebiet: Newman, Entomol. I, 1842, p. 243—248 (Philippinen). — Pascoe, Proc. Zool. Soc. London 1866, p. 504—535 (Penang); Trans. Ent. Soc. London (3) III, 1869, p. 497—660 (Malayischer Archipel). — Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 148—156, 193—201 (Japan). — Brongniart, Nouv. Archives Mus. Paris (3) III, 1892, p. 237—247 (Siam, Tonkin). — Gahan, Ann. Museo Civ. Genova (2) XIV, 1894, p. 5—31 (Birma); Journ. Malay. States Museums I, 1906, p. 109—113 (Malacca); Fauna of British India, Coleoptera I, 1906, p. 58—329 (Britisch-Ostindien). — Matsumura, Thousand Insects of Japan III, 1908, t. 52—55 (Japan).

Australo-papuanisches Gebiet: Newman, Entomol. I, 1842, p. 351—354 (Südaustralien). — Montrouzier, Ann. Soc. Agr. Lyon (2) VII, 1, 1855, p. 56—61 (Insel Woodlark). — Pascoe, Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 80—142 (Australien); Trans. Ent. Soc. Lond. (3) III, 1869, p. 497—660 (Indo-austral. Subregion). — Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 16—24, 118—131 (Neuseeland). — Broun, Manual of the New Zealand Coleoptera I—VII, 1880—93 (Neuseeland). — Mac Leay, Proc. Linn. Soc. N. S. Wales (2) I, 1886, p. 202—204 (Neuguinea).

Äthiopisches Gebiet: Chevrolat, Rev. et Mag. Zool. (2) VII, 1855, p. 183—184, 282—290, 513—516; VIII, 1856, p. 340—343, 436—438, 566—572; X, 1858, p. 50—54; Première Centurie de Longicornes du Vieux Calabar 1858 (Alcalabar). — Gerstäcker, Peters' Reise Mossamb. Ins. 1862, p. 319—323 (Mossambik). — Murray,

Ann. Mag. Nat. Hist. (4) V, 1870, p. 430—438; VI, 1870, p. 44—56, 161—176; List of Coleopt. from Old Calabar 1878, p. 163—193 (Alcalabar). — Fähraeus, Öfvers. Vet. Akad. Förhandl. XXIX, 1, 1872, p. 48—69 (Natal, Transvaal). — Künckel in Grandid. Hist. Madag. XXII, 2, 1890, t. 47—54 (Madagaskar). — Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 59—63 (Togo), 241—255 (Usambara); Deutsch-Ostafrika IV, 1897, Coleoptera p. 296—306 (Ostafrika). — Jordan, Nov. Zool. I, 1894, p. 139—190; X, 1903, p. 131—145. — Aurivillius, Ent. Tidskr. XXIV, 1903, p. 239—267 (Kamerun); Schwed. Zool. Kilimandj. Exped. VII, 11, 1908, p. 140—144 (Kilimandjaro und Meru). — Distant, Insecta Transvaalensia 1904, p. 104—126 (Transvaal). — Gahan, Trans. Zool. Soc. London XIX, 1909, p. 209—210 (Ruwendzori).

Nearktisches Gebiet: Kirby, Fauna Bor.-Americana IV, 1837, p. 170—187 (Nördl. Teile Nordamerikas). — Haldeman, Trans. Amer. Philos. Soc. (2) X, 1847, p. 27—45, 57—66 (Vereinigte Staaten). — Leconte, Journ. Acad. Philad. (2) I, 1850, p. 311—340; II, 1850, p. 5—38 (Nordamerika). — Leconte, Smiths. Misc. Coll. XI, 265, 1873, p. 290—328 (Nordamerika). — Provancher, Petite Faune Entomol. du Canada I, 1877, p. 584—623 (Canada). — Leconte & Horn, Classification of the Coleoptera of North America 1883, p. 275—313. — Leng, Bull. Brookl. Entomol. Soc. VII, 1884—85, p. 60—64, 95—101, 112—119; Entomologica Americana I, 1885, p. 28—35, 130—136; II, 1886—87, p. 27—32, 60—63, 81—83, 102—103, 118—120, 193—200; III, 1887, p. 4—8, 23—24, 44; VI, 1890, p. 9—13, 65—67, 97—98, 104—110, 156—160, 185—200, 213—215 (Nordamerika); Supplement dazu von Hamilton; Trans. Amer. Ent. Soc. XXIII, 1896, p. 165—176. — Wickham, Canad. Entomol. XXIX, 1897, p. 81—88, 105—111, 148—153, 169—172, 187—193 (Canada).

Neotropisches Gebiet: Erichson, Archiv Naturgesch. XIII, 1847, I, p. 139—142 (Peru). — Blanchard in Gay, Historia de Chile, Zool. V, 1857, p. 457—498 (Chile). — Jacquelin du Val in Ramon de la Sagra, Hist. Cuba VI, 1857, p. 256—270 (Cuba). — Fairmaire et Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 486—511 (Chile). — Chevrolat, Ann. Soc. Ent. Fr. (4) II, 1862, p. 256—268 (Cuba). — Burmeister, Stett. Ent. Zeit. XXVI, 1865, p. 161—177; XL, 1879, p. 197—203 (Argentina). — Bates, Trans. Ent. Soc. Lond. 1870, p. 243—444 (Amazon. Gebiet). — Bates, l. c. 1872, p. 163—196; 1874, p. 219—224 (Nicaragua). — Bates, Biologia Centr.-Americana, Coleoptera V, 1880, p. 13—91; 1885, p. 239—333; Trans. Ent. Soc. Lond. 1892, p. 146—183 (Zentral-Amerika). — Gahan, Trans. Ent. Soc. Lond. 1895, p. 90—120 (Westindien). — P. Germain, Los Lonjicornios Chilenos I—VI, 1897—1901 (Chile). — Gounelle, Ann. Soc. Ent. Fr. LXXVII, 1909, p. 587—688; LXXX, 1911, p. 1—150 (Goyaz: Jatahy).

Kataloge: Schönherr, Syn. Ins. I, 3, 1817, p. 346, 348—502. — Dejean, Cat. Col. ed. 2, 1821, p. 105—106, 109—113; ed. 3, 1836, p. 319—335; ed. 4, 1837, p. 341—383. — Sturm, Catalog meiner Insecten-Sammlung 1826; Catalog der Käfersammlung von J. Sturm 1843. — Stephens, System. Catalogue of British Insects 1829, p. 196—206 (Britannien). — Kriechbaumer, Übersicht der Cerambyciden Münchens 1844 (München); Stett. Ent. Zeit. IX, 1848, p. 199—208 (Graubünden). — Pascoe, Zoologist XVIII, 1860, p. 6824—6828 (Australien). — Bland, Proc. Ent. Soc. Philad. I, 1863, p. 93—101 (Philadelphia). — Favareq, Ann. Soc. Agr. de la Loire VIII, 1864, p. 337—346 (Loire). — Rojas, Ann. Soc. Ent. Fr. (4) VI, 1866, p. 236—248 (Caracas). — Pascoe and Masters, List of the Australian Longicorns 1868 (Australien). — Fauvel, Bull. Soc. Linn. Normandie

(2) I, 1868, p. 172—215 (Neu-Caledonien). — Tournier, Rev. et Mag. Zool. (2) XXIII, 1872, p. 257—261, 276—292, 338—349 (Kaukasus). — Gemminger et Harold, Catalogus Coleopterorum IX, 1873, p. 2786—2988. — L. Heyden, Verz. der Käfer von Nassau 1877, p. 328—334, 339—344 (Nassau); ed. 2, 1904, p. 266—279. — Schneider und Leder, Beitr. z. Kenntn. der kaukas. Käferfauna 1878, p. 311—317, 320—328 (Kaukasus). — Lewis, Catalogue of Coleoptera from the Japanese Archipelago 1879, p. 25—26 (Japan). — L. Heyden, Catalog der Coleopteren von Sibirien 1880—81, p. 183—187, 192—196, 224; Nachtr. I, 1893, p. 179—185; Nachtr. II, 1896, p. 77—78 (Sibirien). — Westhoff, Die Käfer Westfalens 1881, p. 241—245, 248—252 (Westfalen). — Masters, Catalogue of the descr. Coleoptera of Australia 1885—87, p. 988—1017 (Australien). — Baer, Ann. Soc. Ent. Fr. (6) VI, 1886, p. 150—153 (Philippinen). — Philippi, Catalogo de los Coleópteros de Chile 1887, p. 152—159 (Chile). — Lameere, Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 294—306 (Belgien). — Ganglbauer, Abeille XXV, 1882, p. 466—479 (Paläarktisches Gebiet). — Grill, Catalogus Coleopterorum Scandinaviae 1896, p. 314—324 (Skandinavien). — J. Sahlberg, Catalogus Coleopterorum Faunae Fennicae 1900, p. 106—109 (Finnland). — Alluaud in Grandidier, Hist. Madag. XXI, I, 1900, p. 339—359 (Madagaskar). — Kuthy, Fauna Regni Hungarici, Col. 1900, p. 175—180 (Ungarn). — Reitter, Catalogus Coleopterorum Europae, ed. 2, 1906, p. 502—519 (Europa). — Gerhardt, Verzeichnis der Käfer Schlesiens, ed. 3, 1910, p. 186—197 (Schlesien). — Smith, Insects of New Jersey 1910, p. 323—332 (New Jersey).

Biologie: Latreille, Hist. Nat. Crust. et Ins. XI, 1804, p. 262—263. — Ratzeburg, Forstinsekten ed. 2, I, 1839, p. 232—240. — Mulsant, Col. Fr. Longicornes 1839, p. 7—11; ed. 2, 1862, p. 6—14. — Westwood, Introd. Class. Ins. I, 1839, p. 355. — Erichson, Archiv Naturgesch. VIII, 1842, I, p. 375—377. — Goureau, Ann. Soc. Ent. Fr. (2) II, 1844, p. 427—445. — Candèze, Mém. Soc. Sc. Liège VIII, 1853, p. 520—590. — Keller, Bericht Nat. Ges. St. Gallen 1868, p. 161—181. — Schiödte, Nat. Tidskr. (3) X, 1875, p. 382—396, 440—450. — Perris, Larves des Coléoptères 1877, p. 416—570. — Riley, American Entomol. III, 1880, p. 237—239, 271. — Ruptersberger, Biologie der Käfer Europas 1880, p. 234—238, 244—246; Die biol. Literatur über die Käfer Europas von 1880 an, 1894, p. 244—251. — C. G. Thomson, Skand. Col. VIII, 1866, p. 5. — Ganglbauer, Best.-Tab. VII, 1881, p. 4—5 (682—683). — Kittel, Corr.-Blatt Nat. Ver. Regensb. LVII, 1883, p. 45—46. — Fromont, Ann. Soc. Ent. Belg. XXVIII, 1884, Bull. p. 171—174. — Roulet, Rev. d'Ent. IV, 1885, p. 34—35. — Smith, Entomol. Amer. V, 1889, p. 156—158. — Judeich, Lehrb. der Mitteleurop. Forstinsektenkunde II, I, 1889, p. 557—563. — Xambou, Moeurs et Métamorphoses d'Insectes VIII, 1902. — Elliot & Morley, Trans. Ent. Soc. Lond. 1907, p. 24—28 (Parasiten). — Kleine, Entomol. Blätter V, 1909, p. 177—179, 207—212 (Schmarotzerwespen).

Anatomie und Morphologie: Schiödte, Nat. Tidskr. (3) II, 1864, p. 483—504. — Verhoeff, Deutsche Ent. Zeitschr. 1893, p. 113—170 (Abdominalsegmente). — Wandolleck, Zool. Jahrb. Anat. XXII, 1905, p. 477—576 (Weibliches Abdomen). — Kempers, Tijdschr. v. Ent. LII, 1909, p. 272—283 (Flügel).

I. Thaumasiini.

Thoms. Syst. Ceramb. 1864, p. 313. — Lacordaire, Gen. Col. VIII, 1869, p. 194.

Thaumasus Reiche.

Reiche, Ann. Soc. Ent. Fr. (3) I, 1853, p. 419. — Thoms. Classif. Ceramb. 1860, p. 273; Syst. Ceramb. 1864, p. 314. — Lacord. Gen. Col. VIII, 1869, p. 195.

gigas Ol. Journ. Hist. Nat. I, 1792, p. 267, t. 14, f. 6. Columbien,
— Reiche, Ann. Soc. Ent. Fr. (3) I, 1853, p. 422, Zentral-
t. 13, 4. — Rodrig. Bull. Soc. Ent. Fr. 1905, amerika
p. 185.

1

II. Disteniini.

Thoms. Classif. Ceramb. 1860, p. 181; Syst. Ceramb. 1864, p. 225. —
Lacord. Gen. Col. IX, 1869, p. 225. — J. Lec. & Horn, Class. Col. N. Am.
1883, p. 307. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 58.

Cyrtonops White.

White, Cat. Col. Brit. Mus. VII, 1853, p. 32. — Lacord. Gen. Col. VIII,
1869, p. 162. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 59.

Cladopalpus Lansb. Notes Leyd. Mus. VIII, 1886, p. 35.

nigra Gah. Fauna Brit. Ind. Col. I, 1906, p. 60, f. 22. Manipur
punctipennis White, Cat. Col. Brit. Mus. VII, 1853, Ostindien,
p. 33, t. 2, f. 3; Proc. Zool. Soc. Lond. 1853, Borneo
p. 29. — Poll, Notes Leyd. Mus. XII, 1890,
p. 142.

Hageni Lansb. Notes Leyd. Mus. VIII, 1886, p. 36. Sumatra
tonkineus Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, Tonkin
p. 176.

3

Dynamostes Pasc.

Pascoe, Trans. Ent. Soc. Lond. (2) IV, 1857, p. 90. — Lacord. Gen. Col.
VIII, 1869, p. 196. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 61.

audax Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 90, Sikkim,
t. 22, f. 1. — Lacord. Gen. Col. VIII, 1869, Manipur
p. 197. — Gah. Fauna Brit. Ind. Col. I, 1906,
p. 61, f. 23.

1

Distenia Serv.

Serv. Enc. méth. X, 1825, p. 485; Ann. Soc. Ent. Fr. IV, 1835, p. 207.
— Cast. Hist. Nat. II, 1840, p. 498. — Thoms. Classif. Ceramb. 1860,
p. 182; Syst. Ceramb. 1864, p. 442. — Lacord. Gen. Col. IX, 1869, p. 227.
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 62.

Antioe Thoms. Syst. Ceramb. 1864, p. 225.

Apheles Blessig, Horae Soc. Ent. Ross. IX, 1872, p. 165.

Sakuntala Lamcere, Bull. Soc. Ent. Belg. XXXIV, 1890, p. 213.

Thelxiopie Thoms. Syst. Ceramb. 1864, p. 226.

Katalog: Ross, Internat. Ent. Zeitschr. IV, 1911, p. 220.

Arten aus Amerika.

T	<i>agriloides</i> Bates, Biol. C.-Am. Col. V, 1885, p. 272.	Guatemala
T	<i>agroides</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 439.	Tapajos
T	<i>angustata</i> Bates, l. c. p. 440 nota. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 146.	Cayenne
	<i>bicolor</i> Thoms. Syst. Ceramb. 1864, p. 226.	
T	<i>brevicornis</i> Bates, Biol. C.-Am. Col. V, 1885, p. 274, t. 17, f. 18.	Mexico
T	<i>brunneorufa</i> Thoms. Class. Longic. 1860, p. 182.	Brasilien
T	<i>coeruleus</i> Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 146.	Goyaz
T	<i>chryso stigma</i> Bates, Trans. Ent. Soc. Lond. 1872, p. 196.	Nicaragua
T	<i>cinctipennis</i> Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 145.	Goyaz
T	<i>columbina</i> Serv. Enc. méth. X, 1825, p. 485. — Cast. Hist. Nat. II, 1840, p. 498.	Brasilien
T	<i>cribristernis</i> Bates, Biol. C.-Am. Col. V, 1885, p. 272, t. 19, f. 20.	Panama
T	<i>denticornis</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 439.	Ega
T	<i>fastuosa</i> Pasc. Ann. Mag. Nat. Hist. (2) VIII, 1871, p. 274. — Bates, Biol. C.-Am. Col. V, 1885, p. 272.	Nicaragua
T	<i>fimbriata</i> Lacord. Gen. Col. IX, 1869, p. 228, nota 1. — Bates, l. c. p. 271, t. 19, f. 13.	Guatemala, Mexico
T	<i>fulvopicta</i> Bates, l. c. p. 271, t. 17, f. 11.	Guatemala
T	<i>fuscula</i> Bates, l. c. p. 273, t. 19, f. 19.	Mexico
T	<i>geniculata</i> Bates, Trans. Ent. Soc. Lond. 1872, p. 195; Biol. C.-Am. Col. V, 1886, p. 35, t. 6, f. 17.	Nicaragua, Panama
T	<i>Högei</i> Bates, l. c. 1885, p. 271, t. 19, f. 16, 17; Trans. Ent. Soc. Lond. 1892, p. 157.	Mexico
T	<i>humeralis</i> Ch. Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 295.	Ecuador
T	<i>langurioides</i> Bates, Biol. C.-Am. Col. V, 1885, p. 275, t. 19, f. 22.	Mexico
T	<i>limbata</i> Bates, l. c. p. 273, t. 19, f. 14.	"
T	<i>lineatopora</i> Bates, l. c. 1880, p. 35, t. 17, f. 12; Trans. Ent. Soc. Lond. 1892, p. 156.	Guatemala
T	<i> nigrella</i> Bates, Biol. C.-Am. Col. V, 1880, p. 36.	"
T	<i>phaeocera</i> Bates, l. c. p. 35.	Nicaragua
	<i>rufipes</i> Bates, Trans. Ent. Soc. Lond. 1872, p. 196; Biol. C.-Am. Col. V, 1880, t. 6, f. 16.	
T	<i>pictipes</i> Bates, l. c. 1885, p. 275, t. 19, f. 21.	Guatemala
T	<i>Pilatei</i> Chev. Rev. Zool. (2) IX, 1857, p. 104, t. 6, f. 2.	Columbien
T	<i>pullula</i> Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 144.	Goyaz
T	<i>punctiventris</i> Bates, Biol. C.-Am. Col. V, 1885, p. 274.	Panama
T	<i>rufipes</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 440 nota.	Neugranada
T	<i>rugiscapis</i> Bates, Biol. C.-Am. Col. V, 1885, p. 272, t. 19, f. 15.	Panama
T	<i>Sallaei</i> Bates, l. c. p. 273, t. 17, f. 13.	Mexico
T	<i>simplex</i> Bates, l. c. p. 274.	Panama
T	<i>spinosa</i> Bates, l. c. p. 273, t. 19, f. 18.	"
T	<i>splendens</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 439.	Ega
T	<i>suturalis</i> Bates, l. c. p. 440.	"
T	<i>trifasciata</i> Bates, Trans. Ent. Soc. Lond. 1892, p. 157, t. 6, f. 1.	Mexico
T	<i>undata</i> F. Syst. Ent. 1775, p. 181. — Ol. Ent. IV, 69, 1795, p. 25, t. 2, f. 15. — Buq. Mag. Zool. (2) V, 1843, t. 118, f. 7. — J. Lec. Journ. Ac. Philad.	Nordamerika

- (2) II, 1850, p. 37. — Lacord. Gen. Col. IX, 1869, t. 95, f. 1. — Leng, Entomol. Amer. VI, 1890, p. 10. — Heyne, Exot. Käf. 1906, p. 240, t. 36, f. 28.
undulata Gmel. Syst. Nat. I, 4, 1790, p. 1860.
viridicyanea Thoms. Syst. Ceramb. 1864, p. 226. Brasilien
vittata Bates, Biol. C.-Am. Col. V, 1880, p. 36, t. 17, f. 10. Guatemala

Arten aus Asien.

- Dohertyi* Gah. Fauna Brit. India Col. I, 1906, p. 56. Manipur
dravidiana Gah. l. c. Nilgiri
gracilis Blessig, Horae Soc. Ent. Ross. IX, 1872—73 (1872), p. 168, t. 8, f. 1. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 91. — Matsum. Thous. Ins. Japan III, 1909, nr. 692, t. 52, f. 7. Amur, Japan
japonica Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 155; Journ. Linn. Soc. Lond. XVIII, 1884, p. 209. — Jacobs. Käfer Russl. 1910, t. 67, f. 1.
Kalidasae Lameere, Bull. Soc. Ent. Belg. XXXIV, 1890, p. 214. — Gah. Fauna Brit. India, Col. I, 1906, p. 63, f. 24. Bengalen
Pryeri Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 57. Borneo

Arten aus Afrika.

- apicalis* Chev. Rev. Zool. (2) VII, 1855, p. 290. — Murr. Altcalabar
 Ann. Mag. Nat. Hist. (4) VI, 1870, p. 175.
Queketti Dist. Ins. Transv. I, 1906, p. 164, f. 22. Natal
 46

Typodryas Thoms.

- Thoms. Syst. Ceramb. 1864, p. 227. — Lacord. Gen. Col. IX, 1869, p. 228.
 — Gah. Fauna Brit. Ind. Col. I, 1906, p. 65.
Psalanta Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 659.
callichromoides Thoms. Syst. Ceramb. 1864, p. 227. — Assam,
 Lacord. Gen. Col. IX, 1869, p. 228, t. 95, f. 3. Sylhet
 — Gah. Fauna Brit. Ind. Col. V, 1906, p. 65, f. 25.
chalybeata Pasc. Proc. Zool. Soc. Lond. 1866, p. 509; Singapore,
 Trans. Ent. Soc. Lond. (3) III, 1869, p. 659, Borneo
 t. 22, f. 1.
trochanterius Gah. Fauna Brit. Ind. Col. I, 1906, p. 66. Assam

3

Phelocalocera Blanch.

- Blanch. Hist. Ins. II, 1845, p. 163. — Lacord. Gen. Col. IX, 1869, p. 231.
peregrina Thoms. Archiv. Ent. I, 1857, p. 316, 394. — Madagascar
 Künckel in Grand. Hist. Mad. Col. I, 1900, p. 358,
 t. 48, f. 8.

1

Noemia Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 111; (3) III, 1869, p. 656.
 — Thoms. Classif. Ceramb. 1860, p. 182; Syst. Ceramb. 1864, p. 442. —
 Lacord. Gen. Col. IX, 1869, p. 228.

Nethinius Fairm. Bull. Soc. Ent. Belg. XXXIII, 1889, p. 94;
 Ann. Soc. Ent. Belg. XLI, 1897, p. 197; Ann. Soc. Ent. Fr. LXVIII,
 1899, p. 119 (*Noemia* nicht = *Naemia* Muls.).

Arten aus Asien.

- ✓ *apicicornis* Rits. Notes Leyd. Mus. XII, 1890, p. 136; Sumatra
 XIII, 1891, t. 10, f. 3.
 ✓ *flavicornis* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, Malacca
 p. 111, t. 22, f. 8; (3) III, p. 657.
Stevensi Pasc. l. c. (2) IV, 1857, p. 111; (3) III, 1869, Borneo
 p. 657.

Arten aus Madagascar.

- anticipes* Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 369. Madagascar
Coindardi Fairm. l. c. XLVI, 1902, p. 251. „
dimidiatipes Fairm. l. c. XXXIII, 1889, Bull. p. 94. — „
 Künckel in Grand. Hist. Mad. Col. Atlas 1890,
 t. 48, f. 7.
fulvescens Fairm. l. c. — Künckel, l. c. t. 48, f. 5. „
fulvipes Fairm. l. c. — Künckel, l. c. t. 48, f. 1, 2. „
gracillior Fairm. Rev. d'Ent. XX, 1901, p. 224. „
longipennis Fairm. Ann. Soc. Ent. Belg. XLVI, 1902, „
 p. 250.
obseuripes Fairm. l. c. XXXIII, 1889, Bull. p. 94. — „
 Künckel in Grand. Hist. Mad. Col. Atlas 1890,
 t. 48, f. 6.
pallidipes Künckel, l. c. t. 48, f. 4. „
Perrieri Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 549. „
ruficeps Fairm. l. c. „
sanguinicollis Fairm. l. c. XXXIII, 1889, p. 94. — „
 Künckel in Grand. Hist. Mad. Col. Atlas 1890,
 t. 48, f. 3.
semirufus Fairm. Rev. d'Ent. XX, 1901, p. 223. „

16

Eupalelius Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 368.

- scapulatus* Fairm. l. c. Madagascar
 1

Apharsatus Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 519.

- fallaciosus* Fairm. l. c. Madagascar
multicostatus Fairm. Rev. d'Ent. XX, 1901, p. 221. „
 2

Zulphis Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 518.

Zulphidea Fairm. l. c. XXXVIII, 1894, p. 395.

subfasciata Fairm. l. c. XXXVII, 1893, p. 518. Madagascar

1

Nericonia Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 657. — Gah. Fauna Brit.
Ind. Col. I, 1906, p. 67.

nigra Gah. Ann. Mus. Civ. Gen. XXXIV, 1894, p. 30; Birma
Fauna Brit. Ind. Col. I, 1906, p. 67.

trifasciata Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Borneo
p. 658, t. 22, f. 2.

2

Melegena Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 659. — Gah. Fauna Brit.
Ind. Col. I, 1906, p. 66.

cyanea Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 275. Cochinchina

flavipes Gah. Fauna Brit. Ind. Col. I, 1906, p. 66. Bombay

pubipennis Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Borneo
p. 659, t. 22, f. 4.

3

Cometes Serv.

Serv. Enc. méth. X, 1825, p. 485; Ann. Soc. Ent. Fr. IV, 1835, p. 208.
— Thoms. Classif. Ceramb. 1860, p. 182; Syst. Ceramb. 1864, p. 442. —
Lacord. Gen. Col. IX, 1869, p. 229. — Bates, Biol. C.-Am. Col. V, 1880, p. 37.

acutipennis Buq. Rev. Zool. (2) III, 1851, p. 191, t. 5, Cayenne
f. 3. — Bates, Biol. C.-Am. Col. V, 1885, p. 276
nota.

apicalis Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 296. Columbien

Argodi Belon, Bull. Soc. Ent. Fr. 1896, p. 128; Ann. Soc. Bolivia
Linn. Lyon XLIII, 1896, p. 246.

argutulus Buq. Rev. Zool. (2) III, 1851, p. 190, t. 5, f. 4. Cayenne

bijubatus Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 149. Pernambuko

coeruleus Bates, Trans. Ent. Soc. Lond. 1870, p. 442. Ega

eximius Bates, Biol. C.-Am. Col. V, 1885, p. 275. Panama

festivus Bates, l. c. p. 276, t. 19, f. 24.

flavipennis Buq. Rev. Zool. (2) III, 1851, p. 189, t. 5, f. 2. Columbien

hilaris Bates, Biol. C.-Am. Col. V, 1885, p. 276, t. 19, f. 25. Panama

hirticornis Serv. Enc. méth. X, 1825, p. 486. — Cast. Brasilien

Hist. Nat. II, 1840, p. 498. — Buq. Rev. Zool.
(2) III, 1851, p. 189, t. 5, f. 1. — Goun. Ann.
Soc. Ent. Fr. LXXX, 1911, p. 148.

laetifivus Bates, Trans. Ent. Soc. Lond. 1870, p. 441. Ega

pulcherrimus Bates, l. c. 1872, p. 196; Biol. C.-Am. Col. Nicaragua
V, 1880, p. 37, t. 6, f. 18.

scapularis Bates, l. c. 1870, p. 441.

venustus Bates, Biol. C.-Am. Col. V, 1885, p. 276, t. 19, f. 23. Panama

Wagneri Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 148 Argentina:
nota. Misiones

16

Heteropalpus Buq.

Buq. Mag. Zool. (2) V, 1843, Ins. t. 118. — Thoms. Syst. Ceramb. 1864, p. 442. — Lacord. Gen. Col. IX, 1869, p. 230. — Bates, Biol. C.-Am. Col. V, 1885, p. 276 nota.

pretiosus Buq. l. c.

Cayenne

1

III. Erlandiini.**Erlandia** Auriv.

Auriv. Ent. Tidskr. XXV, 1904, p. 205.

inopinata Auriv. l. c. p. 206, fig.

Bolivia

1

IV. Smodicini.

Lacord. Gen. Col. IX, 1869, p. 143 (ex parte). — J. Lec. & Horn, Class. N. Amer. Col. 1883, p. 279.

Smodicium Hald.

Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 38. — J. Lec. Journ. Ac. Philad. (2) II, 1850, p. 24. — Thoms. Classif. Ceramb. 1860, p. 189; Syst. Ceramb. 1864, p. 440. — Lacord. Gen. Col. IX, 1869, p. 145. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 61.

argentinum Bruch, Rev. Mus. La Plata XVIII, 1911, p. 170, fig. Buenos Aires

bonariense Bruch, l. c. p. 171, fig.

brunneum Thoms. Rev. Zool. (3) VI, 1878, p. 7. — Gah. Trans. Ent. Soc. Lond. 1895, p. 90.

Columbien

similare Thoms. Rev. Zool. (3) VI, 1878, p. 8.

St. Domingo
Nordamerika

cucujiforme Say, Journ. Ac. Philad. V, 2, 1827, p. 277.

— J. Lec. Journ. Ac. Philad. (2) II, 1850, p. 24.

— Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 96;

Ent. Amer. I, 1885, p. 35, t. 1, f. 3.

cylindrides Newm. Ent. Mag. V, 1838, p. 394.

depressum Thoms. Rev. Zool. (3) VI, 1878, p. 6.

Brasilien

Dinellii Bruch, Rev. Mus. La Plata XVIII, 1911, p. 172,

Tucuman

fig.

ebeninum Chevr. Rev. Zool. (2) VII, 1855, p. 183; Prem.

Atcalabar

Cent. de Long. nr. 3, 1858, t. 1, f. 3. — Murr.

Ann. Mag. Nat. Hist. (4) VI, 1870, p. 175, t. 2, f. 3.

impressicolle Lacord. Gen. Col. IX, 1869, p. 146, nota 2.

St. Domingo

— Thoms. Rev. Zool. (3) VI, 1878, p. 9.

miserum Thoms. l. c. p. 8.

missionum Bruch, Rev. Mus. La Plata XVIII, 1911,

Misiones

p. 174, fig.

parandroides Bates, Biol. C.-Am. Col. V, 1884, p. 241,

Mexico

t. 18, f. 1.

semipubesceus Goun. Ann. Soc. Ent. Fr. LXXX, 1911,

Goyaz

p. 127.

subcylindricum Thoms. Rev. Zoöl. (3) VI, 1878, p. 7.

Columbien

13

Enosmaeus Thoms.

Thoms. Rev. Zool. (3) VI, 1878, p. 9.

cubaanus Thoms. l. c. p. 10.

Cuba

1

V. Protaxini.

Gah. Fauna Brit. Ind. Col. I, 1906, p. 92.

Protaxis Gah.

Gah. l. c. p. 93.

fulvescens Gah. l. c. p. 93, fig. 36.

Manipur

1

VI. Spondylini.

Serville, Ann. Soc. Ent. Fr. 1, 1832, p. 123 (ex parte). — Muls. Col. Fr. Long. 1839, p. 17; ed. 2, 1862, p. 36. — Thomson, Classif. Ceramb. 1860, p. 271; Syst. Ceramb. 1864, p. 271. — Fairmaire, Gen. Col. IV, 1864, p. 115. — Lacordaire, Gen. Col. VIII, 1869, p. 197. — J. Leconte, Smiths. Misc. Coll. XI, 264, 1872, p. 281. — J. Lee & Horn, Classif. Col. N. Amer. 1883, p. 266. — Bedel, Faune Col. Seine V, 1889, p. 2. — Seidlitz, Fauna Balt. ed. 2, 1891, Gatt. p. 179; Fauna Transs. 1891, Gatt. p. 179. — Stierlin, Col. Helvet. II, 1898, p. 451. — Everts, Col. Neerl. II, 1, 1901, p. 341. — Lameere, Ann. Soc. Ent. Belg. XLVI, 1902, p. 303 (ex parte). — Csiki, Rov. Lapok X, 1903, p. 76.

Spondylis F.

F. Syst. Ent. 1775, p. 159; Gen. Ins. 1776, p. 45. — Ol. Ent. IV, 71, 1795, p. 1. — Latr. Précis Car. Gen. Ins. 1797, p. 54; Hist. Nat. Crust. Ins. XI, 1804, p. 264. — Payk. Fauna Suec. III, 1800, p. 138. — Gyllenh. Ins. Suec. I, 4, 1827, p. 117. — Zett. Fauna Ins. Lapp. I, 1828, p. 368. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 226; Man. 1839, p. 269. — Serv. Ann. Soc. Ent. Fr. I, 1832, p. 131. — Muls. Col. Fr. Long. 1839, p. 17; ed. 2, 1862, p. 37. — Cast. Hist. Nat. II, 1840, p. 388. — Redt. Gatt. deutsch. Käferf. 1845, p. 107; Fauna Austr. 1849, p. 477; ed. 2, 1858, p. 839; ed. 3; II, 1874, p. 394. — J. Lee. Journ. Acad. Philad. (2) II, 1850, p. 99. — Bach, Käferfauna III, 1856, p. 7. — Thoms. Classif. Ceramb. 1860, p. 272; Syst. Ceramb. 1864, p. 465. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 115. — Lacord. Gen. Col. VIII, 1869, p. 298. — Ganglb. Best.-Tab. VII, 1881, p. 13 (691); Rev. d'Ent. IV, 1884, p. 169. — Bedel, Faune Col. Seine V, 1889, p. 3. — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 179; Fauna Transs. 1891, Gatt. p. 179. — Stierl. Col. Helvet. II, 1898, p. 451. — Everts, Col. Neerl. II, 1, 1901, p. 346. — Lameere, Ann. Soc. Ent. Belg. XLVI, 1902, p. 327 (Synopsis). — Csiki, Rov. Lapok X, 1903, p. 76. — Houlb. Faune Armor. Ceramb. 1904, p. 21.

Attelabus L. Syst. Nat. ed. 10, 1758, p. 387 (ex parte).*Pseudoclerus* Voet, Cat. Col. II, 1804—6, p. 57.*Spondylus* C. G. Thoms. Skand. Col. VIII, 1866, p. 17.

buprestoides L. Syst. Nat. ed. 10, 1758, p. 388; Fauna Paläarkt-
Succ. ed. 2, 1761, p. 186. — Müller, Fauna tisches
Fridr. 1764, p. 12. — F. Syst. Ent. 1775, p. 159. Gebiet,
— Schrank, Enum. Ins. 1781, p. 219. — Borowsky, Japan,

- Naturg. VI, 1784, p. 119, t. 15, f. 6. — Villers, Linn. Ent. I, 1789, p. 221. — Ol. Ent. IV, 71, 1795, p. 4, t. 1, f. 1. — Panzer, Deutschl. Insectenf. 1795, p. 281; Fauna Ins. Germ. XLIV, 1797, t. 19; in Voet, Hartsch. Ins. IV, 1798, p. 77, t. 44, f. γ II. — Schrank, Fauna Boica I, 2, 1798, p. 575. — Donndorff, Europ. Fauna VIII, 1799, p. 528. — Payk. Fauna Succ. III, 1800, p. 138. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 264. — Bechst. & Scharfenb. Naturg. Forstins. I, 1804, p. 181. — Gyllenh. Ins. Succ. I, 4, 1827, p. 117. — Zett. Fauna Ins. Lapp. I, 1828, p. 368. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 226; Man. 1839, p. 268. — Muls. Col. Fr. Long. 1839, p. 17, t. 1, f. A; ed. 2, 1862, p. 38. — Cast. Hist. Nat. II, 1840, p. 388, t. 43, f. 2. — Redt. Fauna Austr. 1849, p. 477; ed. 2, 1858, p. 839; ed. 3, II, 1874, p. 394. — Bach, Käferfauna III, 1856, p. 8. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 35, f. 158. — C. G. Thoms. Skand. Col. VIII, 1866, p. 17. — Ganglb. Best.-Tab. VII, 1881, p. 76 (754); Rev. d'Ent. IV, 1884, p. 211. — Bedel, Faune Col. Seine V, 1889, p. 3. — Seidl. Fauna Balt. ed. 2, 1891, p. 732; Fauna Transs. 1891, p. 823. — Stierl. Col. Helvet. II, 1898, p. 452. — Everts, Col. Neerl. II, 1, 1902, p. 346. — Lameere, Ann. Soc. Ent. Belg. XLVI, 1902, p. 330. — Csiki, Rov. Lapok X, 1903, p. 76. — Houlb. Faune Armor. Ceramb. 1904, p. 21, f. 40. — Matsum. Thous. Ins. Japan III, 1908, nr. 707, t. 53, f. 6. — Kempers, Tijdschr. Ent. LII, 1909, p. 276, t. 13, f. 1. — Jacobs. Käfer Russl. 1910, t. 63, f. 1.
- bubrestoides* Laich. Verz. Tyrol. Ins. II, 1784, p. 113.
- ♀ *elongatus* Latr. in Cuv. Règne anim. ed. 2, V, 1829, p. 107. — Muls. Col. Fr. Long. 1839, p. 18.
- magnus* Voet, Cat. Col. II, 1804—06, p. 57, t. 41, f. γ II.
- maxillosus* Degeer, Mém. Ins. V, 1775, p. 84, t. 3, f. 21.
- sinensis* Nonfr. Ent. Nachr. XVIII, 1892, p. 92. Biologie: Ratzeb. Forstins. I, 1837, p. 233, t. 17, f. 12. — Westw. Introd. Ent. I, 1839, p. 355, f. 43, 6—13. — Perris, Ann. Soc. Ent. Fr. (3) IV, 1856, p. 440, t. 5, f. 351—358; Larves Col. 1877, p. 430. — Nördl. Lebensw. Forstk. 1880, p. 40. — Judeich, Forstins. II, 1, 1889, p. 571. — Xamheu, Moeurs & Métam. VIII, 1902, p. 33. — Mjöberg, Arkiv Zool. II, 17, 1905, p. 37.
- ✓ *mexicanus* Bates, Biol. C.-Am. Col. V, 1880, p. 15, t. 17, f. 1. — Lameere, Ann. Soc. Ent. Belg. XLVI, 1902, p. 329.
- ✓ *upiformis* Mannerh. Bull. Moscou XVI, 1843, p. 304. — Lameere, Ann. Soc. Ent. Belg. XLVI, 1902, p. 328.
- laticeps* J. Lec. in Agass. Lake Sup. 1850, p. 233; Journ. Acad. Philad. (2) II, 1852, p. 99.

China
(fehlt in
Gross-
britannien)

Mexico

Canada bis
Alaska

Scaphinus J. Lec.

J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 100. — Thoms. Classif. Ceramb. 1860, p. 272; Syst. Ceramb. 1864, p. 465. — Lacord. Gen. Col. VIII, 1869, p. 199. — Lameere, Ann. Soc. Ent. Belg. XLVI, 1902, p. 330.

✓ *muticus* F. Syst. El. II, 1801, p. 265.

Südstaaten

sphaericollis J. Lec. Journ. Acad. Philad. (2)

Nord-

I, 1847, p. 93; (2) II, 1852, p. 100. — Lacord.

amerikas

Gen. Col. VIII, 1869, p. 199, t. 83, f. 5. —

Lameere, Ann. Soc. Ent. Belg. XLVI, 1902, p. 331.

1

VII. Asemini.

Thoms. Classif. Ceramb. 1860, p. 259. — Schiödte, Nat. Tidsskr. (3) II, 1864, p. 519. — Lacord. Gen. Col. VIII, 1869, p. 205. — J. Lec. & Horn, Class. Col. N. Amer. 1883, p. 278. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 94.

Asemum Eschz.

Eschz. Bull. Mosc. II, 1830, p. 66. — Muls. Col. Fr. Long. ed. 1, 1839, p. 62; ed. 2, 1862, p. 119. — Redt. Gatt. deutsch. Käferf. 1845, p. 109. — J. Lec. Journ. Ac. Philad. (2) II, 1850, p. 35. — Bach, Käferfauna III, 1856, p. 12. — Thoms. Classif. Ceramb. 1860, p. 260; Syst. Ceramb. 1864, p. 464. — Schiödte, Nat. Tidsskr. (3) II, 1864, p. 522. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 123. — C. G. Thoms. Skand. Col. VIII, 1866, p. 18. — Lacord. Gen. Col. VIII, 1869, p. 206. — Ganglb. Best.-Tab. VII, 1881, p. 12 (690). — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 61, 62. — Everts, Col. Neerl. II, 1901, p. 362.

✓ *amurense* Kraatz, Deutsche Ent. Zeitschr. XXIII, Amur,

1879, p. 97. — Bates, Journ. Linn. Soc. Lond.

Japan

Zool. XVIII, 1884, p. 208. — Matsum. Thous. Ins.

Japan III, 1908, nr. 703, t. 53, f. 2.

✓ *asperum* J. Lec. Proc. Ac. Philad. VII, 1854, p. 18; Oregon

1862, p. 42; Reports of Explor. and Surv. IX,

I, 1857, p. 60. — Leng, Bull. Brookl. Ent. Soc.

VII, 1884, p. 63.

✓ *atrum* Eschz. Bull. Mosc. II, 1830, p. 66. — Leng, Bull. Nordamerika

Brookl. Ent. Soc. VII, 1884, p. 62.

✓ *glabrellum* Bates, Trans. Ent. Soc. Lond. 1892, p. 146, Mexico

t. 5, f. 6.

✓ *moestum* Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 35. Nordamerika

— J. Lec. Journ. Ac. Philad. (2) II, 1850, p. 35.

— Leng, Bull. Brookl. Ent. Soc. VII, 1884,

p. 62. — Wickh. Canad. Ent. XXIX, 1897,

p. 105, fig. 16.

Biologie: Pack. Ins. inj. Trees 1881, p. 157,

f. 70; Rep. Ent. Comm. III, 1883, t. 9, f. 1. —

Felt, Ins. aff. Trees 1907, p. 661, f. 190.

fuscum Hald. Trans. Am. Phil. Soc. X, 1847, p. 36.

juvencum Hald. l. c.

striatum Kirby, Fauna Bor.-Am. IV, 1837, p. 171.

substriatum Hald. Trans. Am. Phil. Soc. (2) X,

1847, p. 36.

- ✓ *nitidum* Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 169. Oregon
punctulatum Blessig, Horae Soc. Ent. Ross. IX, 1872, Ostsibirien
 p. 182. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 83
- ✓ *striatum* L. Syst. Nat. ed. 10, 1758, p. 396; Fauna Suec. Paläarktische
 ed. 2, 1761, p. 192. — F. Syst. Ent. 1775, p. 191. Region
 — Degeer, Mém. Ins. V, 1775, p. 90. — Laich. Verz. Tyrol. Ins. II, 1784, p. 74. — Herbst, in Füessly, Archiv V, 1784, p. 96, t. 26, f. 13. — Villers, Linn. Ent. I, 1789, p. 248. — Ol. Ene. méth. Ins. V, 1790, p. 257; Ent. IV, 70, 1795, p. 44, t. 2, f. 24, a, b. — Panz. Deutschl. Ins.-Fauna 1795, p. 264; in Voet's Hartsch. Ins. IV, 1798, p. 77, t. 41, f. γ 6; Fauna Ins. Germ. LXX, 1799, t. 13. — Payk. Fauna Suec. III, 1800, p. 83. — Waleken. Faune Paris. I, 1802, p. 214. — Latr. Hist. Nat. Ins. XI, 1804, p. 293. — Gyllenh. Ins. Succ. I, 4, 1827, p. 80. — Zett. Fauna Ins. Lapp. I, 1828, p. 368. — Curt. Brit. Ent. VII, 1830, t. 295. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 246; Man. 1839, p. 274. — Muls. Col. Fr. Long. 1839, p. 62; ed. 2, 1863, p. 119. — Shuck. Brit. Col. 1840, p. 65, t. 75, f. 3. — Cast. Hist. Nat. II, 1840, p. 454. — Redt. Fauna Austr. 1849, p. 485; ed. 2, 1858, p. 845; ed. 3, II, 1874, p. 404. — Bach, Käferf. III, 1856, p. 13. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 522. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 37, f. 168. — C. G. Thoms. Skand. Col. VIII, 1866, p. 18. — Cox, Handb. Col. II, 1874, p. 316. — Ganglb. Best.-Tab. VII, 1881, p. 76 (754); Rev. d'Ent. III, 1884, p. 210. — Bedel, Faune Col. Seine V, 1829, p. 23, 69. — Fowler, Col. Br. Isl. IV, 1889, p. 221, t. 120, f. 3. — Seidl. Fauna Balt. ed. 2, 1891, p. 732; Fauna Transs. 1891, p. 824. — Stierl. Col. Helvet. II, 1892, p. 452. — Everts, Col. Neerl. II, 1901, p. 362. — Houlb. Faune Armor. Ceramb. 1904, p. 46, f. 89. — Csiki, Rov. Lapok XI, 1904, p. 81. — Jacobs. Käfer Russl. 1910, t. 66, f. 4.
- Biologie: Chap. & Cand. Mém. Soc. Se. Liège VIII, 1853, p. 584. — Schiödte, Nat. Tidskr. (3) X, 1876, p. 401, t. 14, f. 1—9. — Perris, Larves Col. 1877, p. 430. — Hoffbauer, Zeitsehr. wiss. Zool. LIV, 1892, p. 579. — F. G. Smith, Trans. Ent. Soc. Lond. 1905, p. 165, t. 9, f. 6, 8, 13.
- buprestoide* Saven. in Hummel, Ess. Ent. IV, 1825, p. 64.
- parvum* Voet, Cat. Col. II, 1804—06, p. 57, t. 41, f. γ 1.
- ✓ *ab. agreste* F. Mant. Ins. I, 1787, p. 152. — Gmel. Syst. Nat. I, 4, 1790, p. 1846. — Panz. Deutschl. Ins.-Fauna 1795, p. 262.
- striatum* var. Laich. Verz. Tyrol. Ins. II, 1784, p. 75. — Ol. Ent. IV, 70, 1795, p. 45, t. 2, f. 24 e.
- dichroum* Gmel. Syst. Nat. I, 4, 1790, p. 1846.
 var. *subsulcatum* Motsch. Sehrenck's Reis. II, 1860, p. 152. Ostsibirien

- tennicorne** Kraatz, Deutsche Ent. Zeitschr. XXIII, Krim
1879, p. 97 nota; XXXI, 1887, p. 296. —
Ganglb. Best.-Tab. VII, 1881, p. 76 (754).
var. *semilividum* Pic, Ann. Soc. Ent. Fr. LXI, Syrien
1892, p. 417.

9

Nothorhina Redt.

- Redt. Gatt. deutsch. Käferf. 1845, p. 109. — Muls. Col. Fr. Long. ed. 2,
1862, p. 122. — C. G. Thoms. Skand. Col. VIII, 1866, p. 23. — Fairm.
Gen. Col. d'Eur. IV, 1868, p. 123. — Lacord. Gen. Col. VIII, 1869, p. 207.
— Ganglb. Best.-Tab. VII, 1881, p. 12 (690); Rev. d'Ent. III, 1884, p. 169.
— Seidl. Fauna Balt. 1891, Gatt. p. 182.

- muricata** Dalm. Schönh. Syn. Ins. I, 3, App. 1817, p. 193. Nord- und
— Gyllenh. Ins. Suec. I, 4, 1827, p. 88. — Mittel-
Redt. Fauna Austr. 1849, p. 485; ed. 2, 1858, europa
p. 851; ed. 3, II, 1874, p. 404. — Muls. Col.
Fr. Long. ed. 2, 1862, p. 122. — Fairm. Gen.
Col. d'Eur. IV, 1867, t. 37, f. 169. — C. G.
Thoms. Skand. Col. VIII, 1866, p. 24. — Ganglb.
Best.-Tab. VII, 1881, p. 753. — Seidl. Fauna
Balt. ed. 2, 1891, p. 739. — Jacobs. Käfer Russl.
1910, t. 67, f. 8.

Biologie: Zoufal, Ent. Blätter V, 1909, p. 109.
scabricollis W. Redtb. Col. Austr. 1842, p. 24.

1

Alocerus Muls.

- Muls. Col. Fr. Long. ed. 2, 1862, p. 127. — Redt. Fauna Austr. ed. 3,
II, 1874, p. 405. — Cskí, Rov. Lapok XI, 1909, p. 37.

Allocerus Gemm. & Har. Cat. Col. IX, 1873, p. 2788.

Cyamophthalmus Kraatz, Berl. Ent. Zeitschr. VII, 1863, p. 99.

— Fairm. Gen. Col. d'Eur. IV, 1864, p. 126. — Lacord. Gen.
Col. VIII, 1869, p. 207. — Ganglb. Best.-Tab. VII, 1881, p. 13
(691).

- moesiacus** Friv. A'Magyar Tud. Tars. Euk. III, 3, 1838, Mittelmeer-
p. 177, t. 7, f. 7 — Ganglb. Best.-Tab. VII, gebiet
1881, p. 75 (753). — Cskí, Rov. Lapok XI,
1904, p. 82.

ferrugineus Kraatz, Berl. Ent. Zeitschr. VII,
1863, p. 100, t. 4, f. 6 a. — Fairm. Gen. Col.
d'Eur. IV, 1864, t. 38, f. 172. — Redt. Fauna
Austr. ed. 3, II, 1874, p. 405.

fulvus Muls. Col. Fr. Long. ed. 2, 1862, p. 128.

nitidus Fairm. Rev. Zool. (2) XVI, 1864, p. 340.

var. *syriacus* Chev. Ann. Soc. Ent. Fr. (6) II, Syrien
1882, p. 59.

1

Tetropium Kirby.

- Kirby, Fauna Bor.-Am. IV, 1837, p. 174. — J. Lec. Journ. Ac. Philad.
(2) II, 1850, p. 34. — Thoms. Classif. Ceramb. 1860, p. 258; Syst. Ceramb. °
1864, p. 462. — Schiödt, Nat. Tidskr. (3) II, 1864, p. 519. — Fairm. Gen.

2

Col. d'Eur. IV, 1864, p. 126. — Lacord. Gen. Col. VIII, 1869, p. 208. — Redt. Fauna Austr. ed. 3, II, 1874, p. 403. — Ganglb. Best.-Tab. VII, 1881, p. 12 (690). — Casey, Ann. N. York Ac. VI, 1892, p. 22; Trans. Am. Ent. Soc. XXIII, 1896, p. 165 (Nordamerikan. Arten). — Everts, Col. Neerl. I, II, 1901, p. 363. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 95.

Criomorphus Muls. Col. Fr. Long. ed. 1, 1839, p. 58; ed. 2, 1862, p. 115. — Bach, Käferf. III, 1856, p. 12. — Redt. Fauna Austr. ed. 2, 1858, p. 845. — C. G. Thoms. Skand. Col. VIII, 1866, p. 21. *Isarthron* Redtb. Gatt. deutsch. Käferf. 1845, p. 110; Fauna Austr. 1849, p. 485.

auripile Bates, Biol. C.-Am. Col. V, 1885, p. 435.

castaneum L. Syst. Nat. ed. 10, 1758, p. 396; Fauna Suec. ed. 2, 1761, p. 194; Syst. Nat. ed. 12, 1767, p. 636. — Degeer, Mém. Ins. V, 1775, p. 90. — Müller, Zool. Dan. Prodr. 1776, p. 94. — Schrank, Enum. Ins. 1781, p. 152. — Laich. Verz. Tyrol. Ins. II, 1784, p. 81. — Villers, Linn. Entomol. I, 1789, p. 253. — Payk. Fauna Suec. III, 1800, p. 86. — Muls. Col. Fr. Long. 1839, p. 59. — Bach, Käferf. III, 1856, p. 12. — C. G. Thoms. Skand. Col. VIII, 1866, p. 21. — Pic, Longic. I, 1891, p. 19. — Csiki, Rov. Lapok XI, 1904, p. 82. — Houlb. Faune Armor. Ceramb. 1904, p. 47. — Jacobs. Käfer Russl. 1910, t. 66, f. 3.

Mexico
Nord- und
Mittel-
europa
(fehlt in
England),
Sibirien

luridum Gyllenh. Ins. Suec. I, 4, 1827, p. 82. — Redtb. Fauna Austr. 1849, p. 486; ed. 2, 1858, p. 845; ed. 3, II, 1874, p. 404. — Muls. Col. Fr. Long. ed. 2, 1862, p. 116. — Schiödte, Nat. Tidsskr. (3) II, 1864, p. 519. — Fairm. Gen. Col. IV, 1864, t. 38, f. 173. — Ganglb. Best.-Tab. VII, 1881, p. 74 (752); Rev. d'Ent. III, 1884, p. 208. — Seidl. Fauna Balt. ed. 2, 1891, p. 733; Fauna Transs. 1891, p. 824. — Stierl. Col. Helvet. II, 1898, p. 453. — Everts, Col. Neerl. II, 1, 1902, p. 363.

✓ **ab. aulicum** F. Syst. Ent. 1775, p. 190. — Gmel. Syst. Nat. I, 4, 1790, p. 1847. — Panz. Naturf. XXIV, 1789, p. 29, t. 1, f. 39; in Scriba, Journ. Ent. 1790, p. 18; Fauna Ins. Germ. LXX, 1799, t. 14. — Ol. Enc. méth. Ins. V, 1790, p. 261. — Payk. Fauna Suec. III, 1800, p. 82. — Muls. Col. Fr. Long. 1839, p. 58. — Pic, Longic. I, 1891, p. 19.

curiale Panz. Naturf. XXIV, 1789, p. 29, t. 1, f. 40; in Scriba, Journ. Ent. 1790, p. 18.

fuscum Ol. Ent. IV, 70, 1795, p. 59, t. 7, f. 87. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 294.

impressum Payk. Fauna Suec. III, 1800, p. 84. **luridum** Bechst. & Scharfenb. Forstins. I, 1804, p. 205. — Cast. Hist. Nat. II, 1840, p. 454.

✓ **ab. fulcratum** F. Ent. Syst. I, 2, 1792, p. 320. — Ol. Ent. IV, 70, 1795, p. 22, t. 7, f. 83. — Panz. Deutschl. Ins.-Fauna 1795, p. 261. — Muls. Col. Fr. Long. 1839, p. 58.

ab. luridum L. Syst. Nat. ed. 12, 1767, p. 634. — F. Syst. Ent. 1775, p. 190. — Laich. Verz. Tyrol. Ins. II, 1784, p. 84. — Gmel. Syst. Nat.

I, 4, 1790, p. 1846. — Rossi, Fauna Etr. I, 1790, p. 158 (?). — Ol. Ent. IV, 70, 1795, t. 7, f. 78. — Panz. Deutschl. Ins.-Fauna 1795, p. 263; Fauna Ins. Germ. LXX, 1799, t. 10. — Muls. Col. Fr. Long. 1839, p. 58. — Pic, Longic. I, 1891, p. 19.

ab. *ruficrus* Schrank, Naturf. XXIV, 1789, p. 77; in Scriba, Journ. Ent. 1790, p. 32.
aulicum var. b Payk. Fauna Succ. III, 1800, p. 83.
fulcratum F. Ent. Syst. I, 2, 1792, p. 320. — Ol. Ent. IV, 70, 1795, p. 22, t. 7, f. 83. — Panz. Deutschl. Ins.-Fauna 1795, p. 261. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 292. — Muls. Col. Fr. Long. 1839, p. 58. — Pic, Longic. I, 1891, p. 19.

Biologie: Zinke, Nadelh.-Ins. 1798, p. 45. — Ratzeb. Forstins. ed. 2, I, 1839, p. 237, t. 17, f. 2, B, G. — Schiödte, Nat. Tidskr. (3) X, 1876, p. 398, t. 13, f. 1—10. — Köppen, Schädl. Ins. Russl. 1880, p. 264. — Pauly, Allg. Forst- und Jagdzeit. (2) LXIV, 1888, p. 309; Ent. Nachr. XIV, 1888, p. 361. — Judeich, Forstins. II, 1, 1889, p. 564.

✓ *cinnamopterum* Kirby, Fauna Bor.-Am. IV, 1837, p. 174, t. 5, f. 8. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 35. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 96; Ent. Amer. I, 1885, t. 1, f. 1. — Wickham, Can. Ent. XXIX, 1897, p. 105. Nordamerika

Biologie: Felt, Ins. aff. Trees 1907, p. 669, fig.

✓ *fuscum* F. Mant. Ins. I, 1787, p. 154. — Gyll. Ins. Succ. I, 4, 1827, p. 84. — Kraatz, Berl. Ent. Zeitschr. VII, 1863, p. 106; XII, 1868, p. 331. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 520. — C. G. Thoms. Skand. Col. VIII, 1866, p. 22. — Ganglb. Best.-Tab. VII, 1881, p. 74 (752.) — Everts, Col. Neerl. II, 1, 1901, p. 363. Nord- und Mitteleuropa, Westsibirien

Biologie: Schiödte, Nat. Tidskr. (3) X, p. 400. — Judeich, Forstins. II, 1, 1889, p. 565.

arvense Panz. Naturf. XXIV, 1789, p. 30, t. 1, f. 41; in Scriba, Journ. Ent. 1790, p. 19.

castaneum Ol. Enc. méth. Ins. V, 1790, p. 257.
triste Ol. Ent. IV, 70, 1795, p. 60, t. 7, f. 88. — Panz. Fauna Ins. Germ. LXX, 1799, t. 11.

Gabrieli Weise, Deutsche Ent. Zeitschr. 1905, p. 136. Mitteleuropa
 — Sharp, Ent. Month. Mag. XLI, 1905, p. 273.
 — Crawsh. Trans. Ent. Soc. Lond. 1907, p. 183.
 — Champ. Ent. Month. Mag. XLVI, 1910, p. 3, t. 1, f. 7.

var. *Crawshayi* Sharp, Ent. Month. Mag. XLI, 1905, p. 271. — Pic, Longic. VI, 1906, p. 9. England

gracilicorne Reitter, Deutsche Ent. Zeitschr. 1889, p. 287. Amur

✓ *guatemalenum* Bates, Trans. Ent. Soc. Lond. 1892, p. 147. Guatemala

opacipenne Bates, Biol. C.-Am. Col. V, 1885, p. 485. Mexico

oreinum Gah. Fauna Brit. Ind. Col. I, 1906, p. 95, f. 37. Nordwestl. Himalaya

✓ *parallellum* Casey, Ann. N. York Ac. VI, 1892, p. 23. Colorado

pareum Sharp, Ent. Month. Mag. XLI, 1905, p. 272. England

✓ *parvulum* Casey, Ann. N. York Ac. VI, 1892, p. 24. Indiana

- ✓ **schwarzianum** Casey, l. c. Michigan
 ✓ **tjanshanicum** Semen. Rev. Russe d'Ent. VI, 1907, p. 263. Tian Shan
 ✓ **velutinum** J. Lec. Ann. Lyc. Nat. Hist. N. York IV, Californien
 1869, p. 382. — Leng, Bull. Brookl. Ent. Soc.
 VII, 1884, p. 95. — Casey, Ann. N. York Ac.
 VI, 1892, p. 23.

15

Criocephalus ADDINET-SERVILLE

Criocephalus Muls.

Muls. Col. Fr. Long. ed. I, 1839, p. 63; ed. 2, 1862, p. 123. — Redt. Gatt. deutsch. Käferf. 1845, p. 109; Fauna Austr. 1849, p. 484; ed. 2, 1858, p. 844; ed. 3, II, 1874, p. 405. — Lec. Journ. Ac. Philad. (2) II, 1850, p. 35. — Bach, Käferf. III, 1856, p. 11. — Thoms. Classif. Ceramb. 1860, p. 260; Syst. Ceramb. 1864, p. 464. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 125. — C. G. Thoms. Skand. Col. VIII, 1866, p. 19. — Lacord. Gen. Col. VIII, 1869, p. 210. — Ganglb. Best.-Tab. VII, 1881, p. 13 (691). — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 63 (Synopsis). — Everts, Col. Neerl. II, 1, 1901, p. 362. — Sharp, Trans. Ent. Soc. Lond. 1905, p. 145—164 (Revision). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 96.

Criocephalum Schiödte, Nat. Tidskr. (3) II, 1864, p. 520.

Subgen. *Cephalallus* Sharp, Trans. Ent. Soc. Lond. 1905, p. 148.

Subgen. *Cephalocrius* Sharp, l. c. p. 149.

Subgen. *Megasemum* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 97.

Subgen. *Criocephalus* s. str.

- ✓ **agrestis** Kirby, Fauna Bor.-Am. IV, 1837, p. 170. — J. Lec. Journ. Ac. Philad. (2) II, 1850, p. 36. Nordamerika
 — Leng, Synopsis p. 63. — Wickh. Canad. Ent. XXIX, 1897, p. 106. — Sharp, Revis. p. 160.
- ✓ **asperatus** J. Lec. Col. of Kansas 1859, p. 19. — Leng, Synopsis p. 63. — Sharp, Revis. p. 160. Westl. Nordamerika
- ✓ **australis** J. Lec. Journ. Ac. Philad. (2) II, 1850, p. 35. Georgien
 — Leng, Synopsis p. 63.
- ✓ **coreanus** Sharp, Revis. p. 153. Korea
- ✓ **deceptor** Sharp, Revis. p. 151. Tibet
- ✓ **exoticus** Sharp, Revis. p. 159. — Gah. Fauna Brit. Ind. Birma
 Col. I, 1906, p. 97, f. 38.
- ✓ **ferus** Muls. Col. Fr. Long. ed. I, 1839, p. 64. — Kraatz, Europa, Sibirien
 Berl. Ent. Zeitschr. VII, 1863, p. 107; XVI, 1872, p. 319. — Michow, l. c. VIII, 1864, p. 395. — Bedel, Faune Col. Seine V, 1889, p. 23, 69. — Seidl. Fauna Balt. ed. 2, 1891, p. 732; Fauna Transs. 1891, p. 824. — Everts, Col. Neerl. II, 1, 1901, p. 362. — Sharp, Revis. p. 156, t. 9, f. 1, 3. Biologie: Sharp, Revis. p. 161, t. 9, f. 5, 7, 10—12. — Fabre, Souv. Ent. IV, 1891, p. 315.
- ✓ **epibata** Schiödte, Nat. Tidskr. (3) II, 1864, p. 521; Ann. Mag. Nat. Hist. (3) XV, 1865, p. 203. — C. G. Thoms. Skand. Col. VIII, 1866, p. 20. — Redt. Fauna Austr. ed. 3, II, 1874, p. 405. — Ganglb. Best.-Tab. VII, 1881, p. 75 (753.) — Reitter, Wien. Ent. Zeit. XIV, 1895, p. 86.
- ✓ **polonicus** Motsch. Bull. Mosc. XVIII, 1845, I, p. 88; Bull. Ac. St. Petersb. I, 1860, p. 311.
- ✓ **var. hispanicus** Sharp, Revis. p. 157. Spanien

- ✓ **montanus** J. Lec. Smiths. Misc. Coll. XI, 1873, nr. 264, p. 170. — Leng, Synopsis p. 63. Colorado
- ✓ **nubilus** J. Lec. Journ. Ac. Philad. (2) II, 1850, p. 36. — Leng, Synopsis p. 63. — Sharp, Revis. p. 158. Nordamerika
- ✓ **obsoletus** Rand. Boston Journ. II, 1838, p. 27. — J. Lec. Journ. Ac. Philad. (2) II, 1850, p. 106. — Leng, Synopsis p. 63. — Wickh. Canad. Ent. XXIX, 1897, p. 106. — Sharp, Revis. p. 154. Nordamerika, Mexico
- ✓ *mexicanus* Thoms. Classif. Ceramb. 1860, p. 260.
- obscurus* J. Lec. Journ. Ac. Philad. (2) II, 1850, p. 36.
- pinetorum** Woll. Journ. of Ent. II, 1863, p. 103; Cat. Canar. Col. 1864, p. 388. — Sharp, Revis. p. 155. Teneriffa, Palmas, Hierro
- rusticus* Woll. Col. Atlant. 1865, p. 345.
- ✓ **productus** J. Lec. Journ. Ac. Philad. (2) II, 1850, p. 36. — Leng, Synopsis p. 63, t. 2, f. 4. — Sharp, Revis. p. 160. Colorado
- ✓ **rusticus** L. Syst. Nat. ed. 10, 1758, p. 395; Fauna Suec. ed. 2, 1761, p. 192. — Degeer, Mém. Ins. V, 1775, p. 83. — F. Syst. Ent. 1775, p. 188. — Laich. Verz. Tyr. Ins. II, 1784, p. 62. — Villers, Linn. Entomol. I, 1789, p. 246. — Ol. Enc. méth. Ins. V, 1790, p. 252; Ent. IV, 70, 1795, p. 11, t. 3, f. 39. — Panz. Deutschl. Ins. Fauna 1795, p. 262; Fauna Ins. Germ. LXX, 1799, t. 9. — Cederhj. Faun. Ingr. 1798, p. 94. — Payk. Fauna Suec. III, 1800, p. 80. — Walcken, Faune Paris. I, 1801, p. 213. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 288. — Bechst. & Scharfenb. Forstins. III, 1805, p. 887. — Gyllenh. Ins. Suec. I, 4, 1827, p. 81. — Zett. Fauna Ins. Lapp. I, 1828, p. 369. — Steph. III. Br. Ent. Mand. IV, 1831, p. 246 nota; Man. 1839, p. 274. — Muls. Col. Fr. Long. 1839, p. 63; ed. 2, 1862, p. 123. — Cast. Hist. Nat. II, 1840, p. 453. — Redt. Fauna Austr. 1849, p. 484; ed. 2, 1858, p. 844; ed. 3, II, 1874, p. 405. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 40, t. 34, f. 2. — Bach, Käferf. III, 1856, p. 12. — Woll. Cat. Col. Ins. Madera 1857, p. 124. — Kraatz, Berl. Ent. Zeitschr. VII, 1863, p. 107. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 521. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 37, f. 171. — C. G. Thoms. Skand. Col. VIII, 1866, p. 19. — Ganglb. Best.-Tab. VII, 1881, p. 75 (753); Rev. d'Ent. III, 1884, p. 210. — Bedel, Faune Col. Seine V, 1889, p. 23, 69. — Seidl. Fauna Balt. ed. 2, 1891, p. 732; Fauna Transs. 1891, p. 824. — Stierl. Col. Helvet. II, 1898, p. 453. — Everts, Col. Neerl. II, 1, 1901, p. 362. — Houlb. Faune Armor. Ceramb. 1904, p. 46, f. 88. — Csiki, Rov. Lapok XI, 1904, p. 81. — Sharp, Revis. p. 151, t. 9, f. 2, 4, 14, 15. — Champ. Ent. Month. Mag. XLV, 1910, p. 2, t. 1, f. 5. — Jacobs. Käfer Russl. 1910, t. 66, f. 2.
- coriaceus* Motsch. Bull. Moscou XVIII, 1, 1845, p. 89.
- fuscus* Voet, Cat. Col. II, 1804—6, p. 21, t. 23, f. 126.

lugubris Gmel. Syst. Nat. I, 4, 1790, p. 1847.

pachymerus Muls. Col. Fr. Long. 1839, p. 64.

iristis F. Mant. Ins. I, 1787, p. 154. — Panz.

Deutschl. Ins.-Fauna 1795, p. 263. — Ill. Magaz. Ins. IV, 1805, p. 118.

Biologie: Perris, Ann. Soc. Ent. Fr. (3) IV, 1856,

p. 450, t. 5, f. 359—361. — Schiödte, Nat.

Tidskr. (3) X, 1876, p. 400, 444, t. 13, f. 11—19.

— Decaux, Ann. Soc. Ent. Fr. (6) X, 1890, Bull. p. 214; Le Natural. XIII, 1891, p. 122.

tibetanus Sharp, Revis. p. 159.

Tibet

Subgen. **Cephalocrius** Sharp.

syriacus Reitter, Wien. Ent. Zeit. XIV, 1895, p. 86. —

Pic, Bull. Soc. Ent. Fr. 1895, p. 225. — Sharp, Revis. p. 149.

Syrien

Subgen. **Megasemum** Kraatz.

quadricostulatum Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 98. — Bates, Journ. Linn. Soc. Lond.

Zool. XVIII, 1884, p. 208. — Sharp, Revis. p. 147.

— Matsum. Thous. Ins. Japan III, 1908, nr. 732, t. 55, f. 6. — Jacobs. Käfer Russl. 1910, t. 65, f. 15.

Amur,
Japan

Subgen. **Cephalallus** Sharp.

Oberthüri Sharp, Revis. p. 148.

unicolor Gah. Fauna Brit. Ind. Col. I, 1906, p. 97.

Yunnan
Assam,
Japan

18

Marileus Germain.

Germain, An. Univ. Chile C, 1898, p. 555 (Sep. Apunt. Ent. Lonjic. II, p. 17).

chiloensis Germain, l. c. (Sep. l. c. p. 19, t. 2, f. 1a, 1b). Chili

1

Pectoctenus Fairm.*)

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 366.

Scalabrii Fairm. l. c. p. 367.

Madagascar

1

Holorusius Fairm.

Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 250.

Perrieri Fairm. l. c.

Madagascar

1

Hypsostilbus Brancs.

Brancs. Jahresh. Ver. Trenes. XIX—XX, 1898, p. 126.

griseus Brancs. l. c. t. 4, f. 19.

Madagascar

1

*) Die systematische Stellung der folgenden 6 Gattungen ist unsicher.

Macrocaulus Fairm.

Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 501.

T **angulosus** Fairm. Ann. Soc. Ent. Belg. XLIX, 1905, Madagascar
p. 133.T **impressicollis** Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, „
p. 501.

2

Daramus Fairm.

Fairm. Rev. d'Ent. XI, 1892, p. 121.

serricornis Fairm. l. c.

Obock

1

Atripatus Fairm.

Fairm. Ann. Soc. Ent. Belg. XLVI, 1902, p. 248.

T **subcylindricus** Fairm. l. c. p. 249.

Madagascar

1

VIII. Saphanini.

Lacord. Gen. Col. VIII, 1869, p. 211.

Opsimus Thoms.Thoms. Classif. Ceramb. 1860, p. 377. — Lacord. Gen. Col. VIII, 1869, p. 212.
— J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 279.✓ **quadrilineatus** Mannerh. Bull. Mosc. XVI, 1843, II, Alaska,
p. 305. — J. Lec. Reports of Explor. and Surv. Sitkha
IX, 1, 1857, p. 60, t. 2, f. 10. — Leng, Bull.
Brookl. Ent. Soc. VII, 1884, p. 96; Ent. Amer.
I, 1885, t. 1, f. 2.

1

Dicentrus J. Lec.J. Lec. Trans. Am. Ent. Soc. VIII, 1880, p. 195. — J. Lec. & Horn, Classif.
Col. N. Amer. 1883, p. 279. — Leng, Bull. Brookl. Ent. Soc. VII, 1884,
p. 96.T ✓ **Blüthneri** J. Lec. Trans. Am. Ent. Soc. VIII, 1880, p. 195. Californien
— Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 96;
Ent. Amer. I, 1885, t. 3, f. 1.

1

Hybometopia Ganglb.

Ganglb. Horae Soc. Ent. Ross. XXIII, 1889, p. 285.

T **Stareki** Ganglb. l. c. — Jacobs. Käfer Russl. 1910. t. 67, Kaukasus
f. 10.

1

Saphanus Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 81. — Cast. Hist. Nat. II, 1840, p. 454. — Redt. Gatt. deutsch. Käferf. 1845, p. 108; Fauna Austr. 1849, p. 481; ed. 2, 1858, p. 846; ed. 3, II, 1874, p. 403. — Bach, Käferf. III, 1856, p. 13. — Thoms. Classif. Ceramb. 1860, p. 258; Syst. Ceramb. 1864, p. 463. — Muls. Col. Fr. Long. ed. 2, 1862, p. 109. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 128. — Lacord. Gen. Col. VIII, 1869, p. 213. — Ganglb. Best.-Tab. VII, 1881, p. 12 (690). — Stierl. Col. Helvet. II, 1898, p. 452. — Csiki, Rov. Lapok VI, 1904, p. 37.

Subgen. *Drymochares* Muls. Ann. Soc. Agric. Lyon X, 1847, p. 518; Col. Fr. Long. ed. 2, 1862, p. 112. — Redt. Fauna Austr. ed. 2, 1858, p. 844; ed. 3, II, 1874, p. 403. — Thoms. Syst. Ceramb. 1864, p. 463.

Subgen. Saphanus s. str.

- | | | |
|---|--|-----------|
| | Ganglbaueri Brancs. Jahresh. Ver. Trenes. 1886, p. 17. | Dalmatien |
| | — Apfelb. Wiss. Mitt. Bosnien Herzog. II, 1894, p. 528. — Csiki, Rov. Lapok XI, 1904, p. 81. | |
| ✓ | piceus Laich. Verz. Tyr. Ins. II, 1784, p. 56. — Bach, Käferf. III, 1856, p. 13. — Redt. Fauna Austr. ed. 2, 1858, p. 846; ed. 3, II, 1874, p. 403. — Muls. Col. Fr. Long. ed. 2, 1862, p. 110. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 38, f. 175. — Ganglb. Best.-Tab. VII, 1881, p. 74 (752). — Seidl. Fauna Transs. 1891, p. 824. — Stierl. Col. Helvet. II, 1898, p. 453. — Csiki, Rov. Lap. XI, 1904, p. 81. — Jacobs. Käfer Russl. 1910, t. 66, f. 1. — Guerry, Echange XXVII, 1911, p. 99. | Alpen |
| | <i>spinosus</i> F. Ent. Syst. I, 2, 1792, p. 320. — Germ. Fauna Ins. Eur. XII, 1825, nr. 10. — Cast. Hist. Nat. II, 1840, p. 454. — Redt. Fauna Austr. 1849, p. 481. — Costa, Fauna Napoli, Col. II, 1855, Longic. p. 28, t. 33, f. 6. | |
| | <i>sudeticus</i> Richter, Suppl. Faun. Ins. Eur. 1821, t. 10. | |
| | var. cylindraceus Fairm. Ann. Soc. Ent. Fr. (2) VII, 1849, p. 426. — Muls. Col. Fr. Long. ed. 2, 1862, p. 111. — Heyd. Deutsche Ent. Zeitschr. XXVI, 1882, p. 255. | Spanien |
| | ab. rufipes Pic, Echange XXIV, 1908, p. 72; Long. VII, 2, 1910, p. 2. | |

Subgen. Drymochares Muls.

- | | | |
|--|--|----------|
| | Stareki Ganglb. Deutsche Ent. Zeitschr. XXXII, 1888, p. 393. — Jacobs. Käfer Russl. 1910, t. 65, f. 7. | Kaukasus |
| | Truquii Muls. Ann. Soc. Agric. Lyon X, 1847, p. 519, t. 7, f. 1; Col. Fr. Long. ed. 2, 1862, p. 113. — Redt. Fauna Austr. ed. 2, 1858, p. 844; ed. 3, II, 1874, p. 403. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 38, f. 176. — Ganglb. Best.-Tab. VII, 1881, p. 75 (753). — Guerry, Bull. Soc. Ent. Fr. 1904, p. 157. | Seealpen |

Lucasianus Pic.

Pic, Longic. I, 1891, p. 42; VI, 1, 1906, p. 14. — Mayet, Bull. Soc. Ent. Fr. 1905, p. 277.

Levaillantii Lucas, Explor. Algér. Col. 1849, p. 485, t. 41, Algier
f. 5. — Pic, Long. VI, 1, 1906, p. 14.
Biologie: Mayet, Bull. Soc. Ent. Fr. 1905, p. 277.

1

Oxypleurus Muls.

Muls. Col. Fr. Long. ed. 1, 1839, p. 57; ed. 2, 1862, p. 107. — Redt. Fauna Austr. ed. 2, 1858, p. 846; ed. 3, II, 1874, p. 402. — Thoms. Syst. Ceramb. 1864, p. 463. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 127. — Lacord. Gen. Col. VIII, 1869, p. 214. — Ganglb. Best.-Tab. VII, 1884, p. 12 (690); Rev. d'Ent. III, 1884, p. 169.

Biologie: Muls. Ann. Soc. Linn. Lyon (2) II, 1855, p. 191; Opusc. Ent. VI, 1855, p. 109.

Nodieri Muls. Col. Fr. Long. ed. I, 1839, p. 57, t. 3, f. 2; ed. 2, 1862, p. 107. — Redt. Fauna Austr. ed. 2, 1858, p. 846; ed. 3, II, 1874, p. 402. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 38, f. 174. — Ganglb. Best.-Tab. VII, 1881, p. 74 (752); Rev. d'Ent. III, 1884, p. 209.

Bewickei Woll. Cat. Col. Mader. 1857, p. 126.
scutellaris Costa, Fauna Nap. Col. II, 1855, Ceramb. p. 38, t. 34, f. 1.

pinicola Woll. Journ. of Ent. II, 1863, p. 102; Cat. Canar. Insel Palma
Col. 1864, p. 386.

2

Blabinotus Woll.

Wollaston, Ins. Mader. 1854, p. 423. — Thoms. Syst. Ceramb. 1864, p. 267
463. — Lacord. Gen. Col. VIII, 1869, p. 214.

spinicollis Woll. l. c. p. 426, t. 9, f. 1. Madera

1

Zamium Pasc.

Pasc. Journ. of Ent. II, 1864, p. 288. — Lacord. Gen. Col. VIII, 1869, p. 215.

bicolor Dist. Ann. Mag. Nat. Hist. (7) I, 1898, p. 369; Transvaal
Ins. Transv. 1904, p. 105, t. 10, f. 3 (genus
divers.?).

bimaculatum F. Spec. Ins. I, 1781, p. 240. — Ol. Ent. Südafrika
IV, 70, 1795, p. 13, t. 5, f. 61. — Fahr. Öfvers.
Vet. Ak. Förh. XXIX, 1872, nr. 1, p. 53.

quadrisignatum Fahr. Öfvers. Vet. Ak. Förh.
XXIX, 1872, nr. 1, p. 49.

succineum Pasc. Journ. of Ent. II, 1864, p. 288.

crocatum Pasc. Trans. Ent. Soc. Lond. 1888, p. 492. Natal

incultum Pasc. Journ. of Ent. II, 1864, p. 289. — Dist. „
Ins. Transv. 1904, p. 105, t. 10, f. 2. Transvaal

hylotrypoides Fairm. Ann. Soc. Ent. Fr. (6) VII,
1887, p. 327. Deutsch-
Ostafrika

- rusticum* Péring. Trans. S. Afr. Phil. Soc. (6) II, 1892, p. 77; Ann. S. Afr. Mus. III, 1904, p. 297. Nyassaland
triviale Fahr. Öfvers. Vet. Ak. Förh. XXIX, 1872, nr. 1, p. 48.
laevicolle Jord. Nov. Zool. XI, 1904, p. 364. Brit.-Ostafrika
prociduum Pasc. Journ. of Ent. II, 1864, p. 289. — Dist. Ins. Transv. 1904, p. 105, t. 10, f. 1 ♂. Südafrika
 ♀ *bimaculatum* Dist. l. c. t. 9, f. 16.
 6

Derolophodes Brancs.

- Brancs. Jahresh. Ver. Trencs. XIX—XX, 1898, p. 125.
tuberosus Brancs. l. c. t. 4, f. 18. Madagascar
 1

IX. Oemini.

- Lacord. Gen. Col. VIII, 1869, p. 216. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 98.

Metopotylus Quedf.

- Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 325. — Jord. Nov. Zool. X, 1903, p. 131.
costatus Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika-Exped. III, 1911, p. 429. Congo
femoratus Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 326. Angola
micans F. Syst. Eleuth. II, 1801, p. 341. Guinea
 3

Metallyra Thoms.

- Thoms. Syst. Ceramb. 1864, p. 334. — Jord. Nov. Zool. X, 1903, p. 131.
stenochoioides Thoms. l. c. p. 335. Alcealabar
 1

Lynamela Gah.

- Gah. in Dist. Ins. Transv. 1904, p. 109.
sulcipennis Gah. l. c. p. 110, t. 10, f. 22. Transvaal
 1

Saphanidus Jord.

- Jord. Nov. Zool. I, 1894, p. 145; X, 1903, p. 131.
aeneus Jord. l. c. X, 1903, p. 131. Congo
dubius Jord. l. c. p. 132. Kamerun
fulvus Jord. l. c. Deutsch-Ostafrika
viridescens Jord. l. c. I, 1894, p. 145. Loanda
 4

Hypoeshrus Thoms.

Thoms. Syst. Ceramb. 1864, p. 249. — Lacord. Gen. Col. VIII, 1869, p. 218.
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 104.

- T *aenescens* Auriv. in Sjöstedt, Ergebn. Exp. Kilimandjaro Meru
VII, 1908, p. 140.
T *indicus* Gah. Fauna Brit. Ind. Col. I, 1906, p. 104, f. 41. Bengalen
— Maxw.-Lefr. Ind. Ins. Life 1909, p. 372,
f. 249, 251.
T *nitidicollis* Gestro, Ann. Mus. Genova XXXV, 1895, Gallaland
p. 413.
T *strigosus* Gyllh. in Schönh. Syn. Ins. III, App. 1817, Sierra Leone
p. 179. — Thoms. Syst. Ceramb. 1864, p. 249.
— Auriv. in Sjöstedt, Ergebn. Exp. Kilimandjaro
VII, 1908, p. 140.
var. *abyssinicus* Jord. Nov. Zool. I, 1894, p. 146.
4

Leptoeme Jord.

Jord. Nov. Zool. X, 1903, p. 134.

- T *acme* Jord. l. c. p. 135. Kamerun
xantha Jord. l. c. p. 134. Congo
2

Parandroeme Auriv.

Auriv. in Sjöstedt, Ergebn. Exp. Kilimandjaro VII, 1908, p. 141.

- brunnea* Auriv. l. c. f. 1. Meru
1

Nosoeme Kolbe.

Kolbe, Stett. Ent. Zeit. LV, 1894, p. 55; D.-Ostafr. Col. 1897, p. 296;

elavipes Kolbe, l. c.; l. c. t. 3, f. 38.

Albert-
Nyansa

curvipes Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika-
Exped. III, 1911, p. 426, t. 7, f. 11.

Ruwenzori

2

Noserius Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 95; (3) III, 1869, p. 499;
— Lacord. Gen. Col. VIII, 1869, p. 219.

femoralis Auriv. Arkiv f. Zool. VII, 3, 1910, p. 3.

Borneo

ignavus Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 500.

Timor

ovatipennis Pasc. l. c.

Borneo

tibialis Pasc. l. c. (2) IV, 1857, p. 95, t. 23, f. 4; (3) III,
1869, p. 500.

„

4

Catoeme Auriv.

Auriv. Denkschr. med.-nat. Ges. Jena XIII, 1908, p. 430.

tessellata Auriv. l. c.

Deutsch-Süd-
westafrika

1

Prosype Thoms.

Thoms. Syst. Ceramb. 1864, p. 248. — Lacord. Gen. Col. VIII, 1869, p. 219.

filiformis Buq. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 628. Senegal
— Thoms. Syst. Ceramb. 1864, p. 249.

1

Coptoeme Auriv.

Auriv. Ark. f. Zool. I, 1904, p. 313.

Krantzi Dist. Ann. Mag. Nat. Hist. (7) I, 1898, p. 370; Transvaal,
Ins. Transv. 1904, p. 110, t. 11, f. 16. Natal

oculata Auriv. Ark. f. Zool. I, 1904, p. 314.

triguttata Auriv. l. c. Tasamaganga

2

Tetraommatus Perr.

Perr. Ann. Soc. Linn. Lyon X, 1855, p. 390. — Thoms. Syst. Ceramb. 1864, p. 454. — Lacord. Gen. Col. VIII, 1869, p. 221. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 501. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 100.

Deuteromma Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 98.

— Thoms. Syst. Ceramb. 1864, p. 454.

angustatus Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Ceram
p. 503.

bimaculatus Gah. Fauna Brit. Ind. Col. I, 1906, p. 102. Südindien

callidioides Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, Borneo
p. 98, t. 23, f. 6; (3) III, 1869, p. 502.

filiformis Perr. Ann. Soc. Linn. Lyon X, 1855, p. 391. Südindien
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 101,
f. 40.

insignis Gah. Ann. Mus. Genova XXXIV, 1895, p. 8, Tenasserim,
t. 1, f. 1; Fauna Brit. Ind. Col. I, 1906, p. 102. Andamanen

muticus Pasc. Trans. Ent. Soc. Lond. (2) V, 1858, p. 25. Ceylon
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 101.

niger Gah. Ann. Mus. Genova (3) III, 1901, p. 69. Sumatra

nigriceps Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Birma, Perak
p. 502. — Gahan, Fauna Brit. Ind. Col. I, 1906,
p. 103.

callidioides var. Gah. Ann. Mus. Genova XXXIV, Singapore
1895, p. 8.

ocularis Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 504. Morty

similis Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 503. Batjan

tabidus Pasc. l. c.

testaceus Pasc. l. c. (2) IV, 1857, p. 111; (3) III, 1869, Borneo
p. 502.

12

Ciopera Pasc.

Pasc. Proc. Zool. Soc. Lond. 1866, p. 510. — Lacord. Gen. Col. VIII, 1869,
p. 222.

decolorata Pasc. l. c. p. 511, t. 41, f. 10. Penang

1

Tennopsis Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 90. — Cast. Hist. Nat. II, 1840, p. 452. — Thoms. Syst. Ceramb. 1864, p. 453. — Lacord. Gen. Col. VIII, 1869, p. 220.

- eyanescens* Auriv. Ark. f. Zool. VII, 3, 1910, p. 3. Brasilien
megacephala Germ. Ins. spec. nov. 1824, p. 509. "
taeniata Serv. Ann. Soc. Ent. Fr. III, 1834, p. 91. "
 — Cast. Hist. Nat. II, 1840, p. 452. "
 var. *fuscipes* Lacord. Gen. Col. VIII, 1869, p. 220 nota. "
nigripes Auriv. Ent. Tidskr. XIV, 1893, p. 179, f. 7. "
rufithorax Auriv. l. c. p. 180, f. 8. "
rufoscapus Auriv. Ark. f. Zool. VII, 3, 1910, p. 3. "

5

Tristachycera Bates.

Bates, Trans. Ent. Soc. Lond. 1872, p. 171.

- viridis* Bates l. c.; Biol. C.-Am. Col. V, 1879, p. 16, t. 3, f. 7. Nicaragua
 1

Eucrossus J. Lec.

J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 174. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 284.

- villieornis* J. Lec. l. c. p. 175. — Leng, Bull. Brookl. California
 Ent. Soc. VII, 1884, p. 116; Ent. Amer. I, 1885,
 t. 2, f. 22.
 1

Neoeme Goun.

Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 595.

- Bouvieri* Goun. l. c. p. 595, f. 4, 1—4. Brasilien:
 Goyaz
sobrina Goun. l. c. f. 4, 5—9. "
 2

Oeme Newm.

Newm. The Entomolog. I, 1840, p. 8. — Thoms. Classif. Ceramb. 1860, p. 233; Syst. Ceramb. 1864, p. 453. — Lacord. Gen. Col. VIII, 1869, p. 222. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 284.

Sclerocerus J. Lec. Journ. Ac. Philad. (2) II, 1850, p. 20.

Subgen. **Oeme** s. str.

- brunnea* Kirsch, Abhandl. Mus. Dresden (2) II, 4, 1889, Ecuador
 p. 37, t. 3, f. 70 (Genus?).
costata J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 174. Californien
 — Horn, Trans. Amer. Ent. Soc. VIII, 1880,
 p. 133.

- fissithorax* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 593, f. 3. Brasilien:
Goyaz
- fusca* Gah. Bull. Liverp. Mus. III, 1900, p. 12; in Forbes, Nat. Hist. Socotra 1903, p. 284, t. 17, f. 2 (Genus?). Sokotra
- gentilis* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 592, f. 1. Brasilien:
Goyaz
- gracilis* J. Lec. Bull. Buffalo Soc. IV, 1881, p. 27, t. 1, f. 2. Californien
- modesta* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 593, f. 2. Brasilien:
Goyaz
- pieticornis* Bates, Trans. Ent. Soc. Lond. 1870, p. 245 (Subgen.?). Ega
- rigida* Say, Journ. Ac. Philad. V, 1827, p. 274. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 133. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 116; Ent. Amer. I, 1885, t. 1, f. 20. Nordamerika
- linearis* Harris, Trans. Hartf. Nat. Hist. Soc. I, 1837, p. 85, t. 1, f. 8. — J. Lec. Journ. Ac. Philad. (2) II, 1850, p. 20.
- indecora* Newm. Entomolog. I, 1840, p. 8.
- mutica* Hald. Proc. Am. Phil. Soc. IV, 1847, p. 374.
- strangulata* Horn, Trans. Am. Ent. Soc. VIII, 1880, p. 133, 138, t. 2, f. 7. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 116; Ent. Amer. I, 1885, t. 1, f. 21. Utah

Subgen. *Argentinoeme* Bruch.

Bruch, Rev. Mus. La Plata XVIII, 1911, p. 164.

- Schulzi* Bruch, l. c. p. 165, fig. Cordoba
11

Macroeme Auriv.

Auriv. Ent. Tidskr. XIV, 1893, p. 177.

- annulicornis* Buq. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 627 (Genus?). Brasilien
- cylindrica* Thoms. Arch. Ent. I, 1857, p. 122 (Subgen.?). „
- decorata* Buq. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 625 (Genus?). „
- pallida* Buq. l. c. p. 626 (Subgen.?). „
- plana* Perty, Delect. Anim. 1834, p. 89, t. 18, f. 3. „
Chabrillici Thoms. Arch. Ent. I, 1857, p. 121.
- priapica* Thoms. l. c. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 596, f. 5. „

6

Stenoeme Goun.

Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 597.

- Bellarmini* Goun. l. c. p. 598, nota 1. Brasilien
- Iheringi* Goun. l. c. p. 597, f. 6. „

2

Atenizus Bates.

Bates, Ent. Month. Mag. IV, 1867, p. 28; Trans. Ent. Soc. Lond. 1870, p. 243. — Lacord. Gen. Col. VIII, 1869, p. 399.

laticeps Bates, Ent. Month. Mag. IV, 1867, p. 28; Trans. Ent. Soc. Lond. 1870, p. 244. Santarem

simplex Bates, Biol. C.-Am. Col. V, 1884, p. 240, t. 18, f. 2. Panama

2

Niophis Bates.

Bates, Ent. Month. Mag. IV, 1867, p. 27; Trans. Ent. Soc. Lond. 1870, p. 244. — Lacord. Gen. Col. VIII, 1869, p. 399.

coptorhina Bates, Ent. Month. Mag. IV, 1867, p. 28; Trans. Ent. Soc. Lond. 1870, p. 245. Santarem

1

Sphagøeme Auriv.

Auriv. Ent. Tidskr. XIV, 1893, p. 178.

Aurivillii Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 598. Brasilien

Sahlbergi Auriv. Ent. Tidskr. XIV, 1893, p. 178. „

2

Haplidus J. Lec.

J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 175. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 284.

testaceus J. Lec. l. c. p. 176. — Leng, Bull. Brookl. Ent. Soc. VII, 1885, p. 117; Ent. Amer. I, 1885, t. 2, f. 24. Californien

1

Paroeme Auriv.

Auriv. Ent. Tidskr. VII, 1886, p. 91. — Jord. Nov. Zool. X, 1903, p. 133.

annulipes Chevr. Rev. Zool. (2) VII, 1855, p. 183; Cent. de Long. 1858, nr. 1, t. 2, f. 2. — Thoms. Syst. Ceramb. 1864, p. 251. — Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 46, t. 3, f. 2. Altcalabar

flava Thoms. Arch. Ent. II, 1858, p. 161. Gabun

inermis Jord. Nov. Zool. X, 1903, p. 134. Niger

insipida Thoms. Arch. Ent. II, 1858, p. 160. Gabun

nigripes Auriv. Ark. f. Zool. III, 18, 1907, p. 2, t. 1, f. 3. Niger

semifemorata Chevr. Rev. Zool. (2) VIII, 1856, p. 569; Cent. de Long. 1858, nr. 62. — Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 171. — Jord. Altcalabar

Nov. Zool. X, 1903, p. 134.

bispina Auriv. Ent. Tidskr. VII, 1886, p. 91.

similis Jord. Nov. Zool. X, 1903, p. 134. Deutsch-

Ostafrika

verrucifer Bates, Proc. Zool. Soc. Lond. 1890, p. 485. Zentralafrika

8

Oemida Gah.

Gah. in Dist. Ins. Transv. 1904, p. 106.

Gahani Dist. Natural. in Transv. 1892, p. 202, t. 1, f. 7; Transvaal
Ins. Transv. 1904, p. 106, t. 11, f. 8.

1

Oemodana Gah.

Gah. in Dist. Ins. Transv. 1904, p. 107.

quadrinotata Gah. l. c. t. 13, f. 5. Transvaal

1

Alloeme Lameere.

Lameere, Ann. Soc. Ent. Fr. LXII, 1893, p. 40.

Ceresida Jord. Nov. Zool. I, 1894, p. 156.

rubra Thoms. Arch. Ent. II, 1858, p. 161. Gabun
Murrayi Lameere, Ann. Soc. Ent. Fr. LXII, Assinie
1893, p. 40.

suturalis Jord. Nov. Zool. I, 1894, p. 156, t. 9, f. 1.

1

Auxesis Thoms.

Thoms. Arch. Ent. II, 1858, p. 196; Classif. Ceramb. 1860, p. 104; Syst.
Ceramb. 1864, p. 387. — Lacord. Gen. Col. IX, 1872, p. 464.

gabonica Thoms. Arch. Ent. II, 1858, p. 197, t. 7, f. 7. Gabun

1

Psathyrus Thoms.

Thoms. Arch. Ent. I, 1857, p. 192; Classif. Ceramb. 1860, p. 104; Syst.
Ceramb. 1864, p. 387. — Lacord. Gen. Col. IX, 1872, p. 465. — Gah. in
Dist. Ins. Transv. 1904, p. 108.

Listrocerum Chevr. Rev. Zool. (2) VII, 1855, p. 283; Cent. de Long.
1858, nr. 19.

Listrocerum Chevr. l. c. p. 284.

aspericornis Chevr. Rev. Zool. (2) VII, 1855, p. 283; Altcalabar
Cent. de Long. 1858, nr. 19.

aeolis Thoms. Arch. Ent. I, 1857, p. 193, t. 10, Südafrika
f. 8. — Fährs. Öfvers. Vet. Ak. Förh. XXIX, 2,
1872, p. 47.

longipennis Gah. Trans. Ent. Soc. Lond. 1890, p. 321. Madagascar

modestus Dist. Ann. Mag. Nat. Hist. (7) I, 1893, p. 374; Transvaal

Ins. Transv. 1904, p. 109, t. 13, f. 2 (Genus?).

suturalis Gah. in Dist. Ins. Transv. 1904, p. 107, t. 13, f. 1. „

4

Psathyrisa Auriv.

Auriv. in Sjöstedt, Ergebn. Exp. Kilimandjaro VII, 1908, p. 141.

brunnea Auriv. l. c. p. 142, f. 2.

Kilimandjaro

1

Hypomares Thoms.

Thoms. Syst. Ceramb. 1864, p. 250. — Lacord. Gen. Col. VIII, 1869, p. 223.

T **brunneus** Thoms. Arch. Ent. II, 1858, p. 161; Syst. Ceramb. 1864, p. 251. Gabun

T **vittatus** Auriv. Ent. Tidskr. XIV, 1893, p. 180. „

1

Androeme Auriv.

Auriv. Ark. f. Zool. VII, 3, 1910, p. 4.

• **plagiata** Auriv. l. c.

Usambara

1

Antennoeme Hintz.

Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika-Exped. III, 1911, p. 427.

T **quadriplagiata** Hintz, l. c.

Ituri

1

Oxycaula Jord.

Jord. Nov. Zool. X, 1903, p. 133.

T **verruca** Jord. l. c.

Congo

1

Phymatechus Belon.

• Belon, Ann. Soc. Ent. Belg. XLVI, 1902, p. 410.

T **fenestratus** Belon, l. c. p. 411.

Congo

1

Lygrus Fährs.

Fährs. Öfvers. Vet. Ak. Förh. XXIX, 1, 1872, p. 55.

Zoolygrus Fährs. Col. Heft X, 1872, p. 194.

T **apicalis** Fährs. l. c. p. 56. — Dist. Ins. Transv. 1904, p. 109, t. 10, f. 15. Südafrika

T **bieinctus** Jord. Nov. Zool. X, 1903, p. 139. Kamerun

T **testaceus** Cah. in Dist. Ins. Transv. 1904, p. 109, t. 10, f. 9. Transvaal

T **trifasciatus** Waterh. Ann. Mag. Nat. Hist. (7) II, 1898, p. 261. Usambara

4

Comusia Thoms.

Thoms. Syst. Ceramb. 1864, p. 249. — Lacord. Gen. Col. VIII, 1869, p. 224.

• **obriumoides** Thoms. l. c. p. 250.

Mindanao

obriumoides Lacord. Gen. Col. VIII, 1869, p. 225.

1

Ochrus Lacord.

Lacord. Gen. Col. VIII, 1869, p. 225.

grammoderus Lacord. l. c. nota 1.

Cayenne

1

Hyphus Lacord.

Lacord. Gen. Col. VIII, 1869, p. 226. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 504.

apicalis Pasc. l. c. p. 505.

Borneo

aurantiacus Lacord. Gen. Col. VIII, 1869, p. 226, nota 1.

Celebes

— Pasc. l. c. p. 505.

2

Phrynocris Bates.

Bates, Ent. Month. Mag. IV, 1867, p. 26. — Lacord. Gen. Col. VIII, 1869, p. 226.

notabilis Bates, l. c.; Trans. Ent. Soc. Lond. 1870, p. 245. Amazon.

1

Amimes Pasc.

Pasc. Journ. of Ent. I, 1862, p. 368. — Thoms. Syst. Ceramb. 1864, p. 454. — Lacord. Gen. Col. VIII, 1869, p. 377. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 99.

macilentus Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 238; Journ. of Ent. I, 1862, p. 368, t. 17, f. 6. Ceylon
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 99, f. 39.

1

Eudistenia Fall.

Fall, Journ. N. York Ent. Soc. XV, 1907, p. 82.

costipennis Fall, l. c. p. 83.Süd-
californien

1

Malacopterus Serv.

Serv. Ann. Soc. Ent. Fr. II, 1833, p. 565. — Cast. Hist. Nat. II, 1840, p. 426. — Thoms. Classif. Ceramb. 1860, p. 233; Syst. Ceramb. 1864, p. 453. — Lacord. Gen. Col. VIII, 1869, p. 227. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 284.

Ganimus J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 173.*Malacomacrus* White, Cat. Col. Brit. Mus. VII, 1853, p. 41.**aper** Germ. Ins. spec. nov. 1824, p. 510 (Genus?).

Brasilien

pavidus Germ. l. c. p. 506. — Cast. Hist. Nat. II, 1851, p. 427. „*pallascens* White, Cat. Col. Brit. Mus. VII, 1853, p. 41, t. 2, f. 5. — Buq. Ann. Soc. Ent. Fr. (3) I, 1853, Bull. p. 44.

✓ **tenellus** F. Syst. Eleuth. II, 1801, p. 335.

lineatus Guér. Jcon. règne an. Ins. 1844, p. 222.

— Er. Arch. Naturgesch. XIII, 1847, p. 141.

— Bates, Biol. C.-Am. Col. V, 1906, p. 15, t. 3, f. 17.

mexicanus Thoms. Classif. Ceramb. 1860, p. 248.

— Lacord. Gen. Col. VIII, 1869, p. 228 nota.

vittatus J. Lec. Smiths. Misc. Coll. XI, 264, 1873,

p. 173. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 115; Ent. Amer. I, 1885, t. 2, f. 19.

3

Californien,
Zentral-
amerika,
Columbien

Zathecus Bates.

Bates, Ent. Month. Mag. IV, 1867, p. 26; Trans. Ent. Soc. Lond. 1870, p. 246. — Lacord. Gen. Col. VIII, 1869, p. 230.

Batesi Pasc. Trans. Ent. Soc. Lond. 1888, p. 493.

Ecuador

graphites Bates, Ent. Month. Mag. IV, 1867, p. 26;

Ega

Trans. Ent. Soc. Lond. 1870, p. 246.

2

Dryobius J. Lec.

J. Lec. Journ. Ac. Philad. (2) II, 1850, p. 23. — Thoms. Syst. Ceramb. 1864, p. 439. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 284.

✓ **sexfasciatus** Say, Journ. Ac. Phil. III, 1823, p. 415. —

Mississippi

J. Lec. Col. of Kans. 1859, p. 20, t. 1, f. 15. —

Leng, Bull. Brookl. Ent. Soc. VII, 1885, p. 117;

Ent. Amer. I, 1885, t. 2, f. 23.

1

Apoeme Auriv.

Auriv. Ark. f. Zool. III, 18, 1907, p. 2.

lugubris Ol. Enc. méth. V, 1790, p. 237; Ent. IV, 70,

Senegal

1795, p. 27, t. 1, f. 13. — Auriv. Ark. f. Zool.

III, 18, p. 2, t. 1, f. 2.

1

Neomarius Fairm.

Fairm. Rev. Zool. (2) XXIII, 1872, p. 60. — Ganglb. Wien. Ent. Zeit. I, 1882, p. 137.

Gandolpei Fairm. Rev. Zool. (2) XXIII, 1872, p. 60.

Algier

— Ganglb. Wien. Ent. Zeit. I, 1882, p. 137.

— Pic, Longic. I, 1891, p. 43.

1

Nastocerus Fairm.

Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 391.

maculicornis Fairm. l. c.

Madagascar

1

Xystrocera Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 69. — Cast. Hist. Nat. II, 1840, p. 427. — Thoms. Classif. Ceramb. 1860, p. 233; Syst. Ceramb. 1864, p. 453. — Lacord. Gen. Col. VIII, 1869, p. 229. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 505. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 105.

Arten aus Afrika.

- 7 **abrupta** Auriv. in Sjöstedt, Ergebn. Exp. Kilimandjaro VII, 1908, p. 142 nota. Congo
- 1 **Ausorgei** Gah. Ann. Mag. Nat. Hist. (7) II, 1898, p. 40; in Ausorge, Under the Afr. Sun. 1899, p. 317, t. 1, f. 2. Uganda
- + **asperata** Thoms. Arch. Ent. II, 1858, p. 156. Gabun
- + **Buqueti** Thoms. l. c. p. 155, t. 5, f. 2. "
- + **chalybeata** Gah. Trans. Ent. Soc. Lond. 1890, p. 299. Nyassaland
- + **curticollis** Fairm. Faune et Flore Çomalis 1882, p. 96. Somaliland
- + **cyarella** Chevr. Rev. Zool. (2) VII, 1855, p. 515; Cent. Long. 1858, nr. 35. — Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 164. Altcalar
- + **ab. luteiventris** Jord. Nov. Zool. I, 1894, p. 146. Kuilu
- + **devittata** Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 246. Usambara
- + **dispar** Fährs. Öfvers. Vet. Ak. Förh. XXIX, 1, 1872, p. 49. Südafrika bis
- + **marginalis** Dist. Ins. Transv. 1904, p. 106, t. 9, f. 13, 14. Abessinien
- + **emarginata** Jord. Nov. Zool. I, 1894, p. 148. Kuilu
- + **erosa** Pasc. Journ. of Ent. II, 1864, p. 287. — Dist. Ins. Transv. 1904, p. 106. Natal
- + **juvenca** Pasc. l. c.
- + **semilunaris** Fährs. Öfvers. Vet. Ak. Förh. XXI, 1, 1872, p. 50.
- + **femorata** Chevr. Rev. Zool. (2) VII, 1855, p. 282; Cent. Long. 1858, nr. 16. — Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 163. Altcalar
- + **Pascoci** Murr. l. c. p. 165.
- + **frontalis** Thoms. Arch. Ent. II, 1858, p. 157. Gabun
- + **fulvipes** Thoms. l. c. p. 156. "
- + **interrupta** Jord. Nov. Zool. X, 1903, p. 192. St. Thomé
- + **laeta** Péring. Trans. S. Afr. Phil. Soc. (6) II, 1892, p. 77. Deutsch-Südwestafrika
- + **laevis** Jord. Nov. Zool. I, 1894, p. 149. Kuilu
- + **lateralis** Chevr. Arch. Ent. II, 1858, p. 244. — Jord. Nov. Zool. I, 1894, p. 147. Gabun
- + **latipes** Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika-Exped. III, 1911, p. 428. Congo
- + **Lujae** Hintz, l. c. p. 427. "
- + **marginalis** Goldfuss. Enum. Ins. Cap. 1805, p. 44, t. 1, f. 8. — Auriv. in Sjöstedt, Ergebn. Exp. Kilimandjaro VII, 1908, p. 142 (= *globosa* Ol.?). Südafrika?
- + **marginipennis** Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 164. Altcalar
- + **metallica** Quedf. Berl. Ent. Zeitschr. XXXII, 1888, p. 197. Zentralafrika
- + **ab. atripes** Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika-Exped. III, 1911, p. 428. Congo
- + **minuta** Jord. Nov. Zool. I, 1894, p. 146. Kuilu
- + **nigripes** Thoms. Arch. Ent. II, 1858, p. 157. Gabun
- + **nigrita** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 70. — Cast. Hist. Nat. II, 1840, p. 427. — Duviv. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 333. West- und Ostafrika

- nitidicollis* Quedf. Berl. Ent. Zeitschr. XXVII, 1883, p. 131. Chinchoxo
nitidiventris Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 326. Usagara
parvicollis Fairm. Rev. d'Ent. XI, 1892, p. 120. Obock
pulehra Jord. Nov. Zool. X, 1903, p. 135. Congo
similis Jord. l. c. I, 1894, p. 148. Kulu
togonia Hintz. Deutsche Ent. Zeitschr. 1909, p. 556. Togo
trivittata Quedf. Berl. Ent. Zeitschr. XXXII, 1888, p. 196. — Duviv. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 333. Zentralafrika
velutina Jord. Nov. Zool. I, 1894, p. 147. Kulu
viridipicta Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 367. Madagascar
vittata F. Ent. Syst. I, 2, 1792, p. 323. — Cast. Hist. Nat. II, 1840, p. 427. — Auriv. in Sjöstedt, Ergebn. Exp. Kilimandjaro VII, 1908, p. 142. Senegal
senegalensis Klug, Erman's Reise, Atl. V, 1835, p. 44. — Cast. Hist. Nat. II, 1840, p. 427.

Arten aus Asien und Australien.

- aleyonea* Pasc. Proc. Zool. Soc. Lond. 1866, p. 534; Trans. Ent. Soc. Lond. (3) III, 1869, p. 507. — Shelf. Proc. Zool. Soc. Lond. 1902, 2, p. 282, t. 20, f. 48. Borneo
apiculata Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 506. Amboina
Australasiae Hope, Proc. Ent. Soc. Lond. 1841, p. 49; Ann. Mag. Nat. Hist. IX, 1842, p. 429. Nord-australien
festiva Thoms. Classif. Long. 1860, p. 251. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 506. — Heyne, Exot. Käf. 1906, p. 238, t. 36, f. 1. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 107. Java, Sumatra, Borneo, Birma
globosa Ol. Ent. IV, 67, 1795, p. 27, t. 12, f. 81. — Künckel in Grand. Hist. Nat. Mad. Col. Atlas, t. 47, f. 5. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 106, f. 42. Südasiens, Java, Celebes, Philippinen, Madagascar, Mauritius, Seychellen, Ägypten
Biologie: Coquer. Ann. Soc. Ent. Fr. (2) VI, 1848, p. 180, t. 7, 4, f. 2. — Schiöde, Nat. Tidkr. (3) X, 1876, p. 406, t. 13, f. 23, 24. — Willcocks, Bull. Soc. Ent. d'Egypte I, 2, 1909, p. 42, f. 1—3.
promecoides Pasc. Trans. Ent. Soc. Lond. 1888, p. 492. Malacca
virescens Newm. Ann. Mag. Nat. Hist. V, 1840, p. 19. Victoria
 43

Oemospila Gah.

Gah. Fauna Brit. Ind. Col. I, 1906, p. 104.

- maculipennis* Gah. l. c. p. 105. Assam
 1

Oplatocera White.

White, Cat. Col. Brit. Mus. VII, 1853, p. 121. — Thoms. Syst. Ceramb. 1864, p. 453. — Lacord. Gen. Col. VIII, 1869, p. 231. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 107.

Hoplitocera Gemm. et Har. Cat. Col. IX, 1872, p. 2795.

- J
callidioides White, Cat. Col. Brit. Mus. VII, 1853, p. 121, Nordindien
 t. 3, f. 7. — Gah. Fauna Brit. Ind. Col. I, 1906,
 p. 108.
- J
✓
Oberthúri Gah. l. c. fig. 43. Sikkim
 2

Turcmenigena Melgunov.

Melgunov, Nachr. Ges. Liebhab. Naturw. Moscou LXXXVI, Tageb. zool.
 Abt. II, nr. 1—2, 1894, p. 35.

Warentzovi Melgunov, l. c. — Jacobs. Käfer Russl. Turkmenien
 1910, t. 65, f. 13.

1

X. Methiini.*

Lacord. Gen. Col. IX, 1872, p. 465. — J. Lec. & Horn, Classif. Col. N. Amer.
 1883, p. 333. — Leng & Hamilton, Trans. Am. Ent. Soc. XXIII, 1896,
 p. 162 (Revision). — Gah. Ann. Mag. Nat. Hist. (8) I, 1908, p. 143.

Idoemea Horn.

Horn, Trans. Am. Ent. Soc. VIII, 1880, p. 138. — J. Lec. & Horn, Classif.
 Col. N. Amer. 1883, p. 334.

californica Fall, Papers Calif. Acad. VIII, 1902, p. 256. Süd-
 californien

Fulleri Horn, Trans. Am. Ent. Soc. VIII, 1880, p. 138, Texas
 t. 2, f. 10. — Leng & Hamilt. Revis. p. 162.

texana Schaeffer, Bull. Brookl. Inst. I, 1908, p. 351. „

3

Styloxus J. Lec.

J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 239. — J. Lec. & Horn, Classif.
 Col. N. Amer. 1883, p. 334.

lucanus Lec. l. c. p. 240. — Leng & Ham. Revis. p. 162. Californien

1

Methia Newm.

Newm. Entomolog. I, 1842, p. 418. — J. Lec. Journ. Ac. Philad. (2) II,
 1852, p. 144. — Thoms. Classif. Ceramb. 1860, p. 128, 364; Syst. Ceramb.
 1864, p. 387. — Lacord. Gen. Col. IX, 1872, p. 466. — J. Lec. & Horn,
 Classif. Col. N. Amer. 1883, p. 334.

Thia Newm. Entomolog. I, 1840, p. 18.

aestiva Fall, Journ. N. York Ent. Soc. XV, 1907, p. 86. Californien

arizonica Schaeffer, Bull. Brookl. Inst. I, 1908, p. 352. Arizona

constricticollis Schaeffer, l. c. p. 351. Texas

mormona Linell, Proc. U. S. Mus. XIX, 1896, p. 399. Utah

*) Diese kleine, eigentümliche Gruppe kann vielleicht nicht von der vorher-
 gehenden getrennt werden.

- necydalea* F. Ent. Syst. Suppl. 1798, p. 148. — Gah. Westindische
Trans. Ent. Soc. Lond. 1895, p. 122. Inseln
pusilla Newm. Entomolog. I, 1840, p. 18. — J. Lec. Florida
Journ. Ac. Philad. (2) II, 1852, p. 144. — Leng &
Ham. Revis. p. 162.
punctata J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 240. Cuba
— Leng & Ham. Revis. p. 163.
pusilla Chevr. Ann. Soc. Ent. Fr. (4) II, 1862,
p. 256 (?).
6

Tessaropa Hald.

- Hald. Proc. Amer. Phil. Soc. IV, 1847 (1848), p. 375.
Dysphaga J. Lec. Journ. Ac. Philad. (2) II, 1852, p. 143. — Thoms.
Classif. Ceramb. 1860, p. 128; Syst. Ceramb. 1864, p. 387. —
Lacord. Gen. Col. IX, 1872, p. 467. — J. Lec. & Horn, Classif.
Col. N. Amer. 1883, p. 334. — Leng & Ham. Revis. p. 162.
Tessaroptes Hald. (wo?). — Gemm. et Har. Cat. Col. X, 1873,
p. 3063.
bicolor Horn, Trans. Am. Ent. Soc. XII, 1885, p. 196. Texas
— Leng & Ham. Revis. p. 163.
debilis Horn, Proc. Calif. Acad. (2) V, 1895, p. 246. Nieder-
californien
laevis J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 240. Illinois
tenuipes Hald. Proc. Acad. Philad. III, 1845, p. 126; New York,
Proc. Am. Phil. Soc. IV, 1848, p. 374. — J. Lec. New
Journ. Ac. Philad. (2) II, 1852, p. 143. — Leng & Jersey,
Ham. Revis. p. 163. Pennsylvanien
♀ *ventralis* Hald. Proc. Am. Phil. Soc. IV, 1848,
p. 375. — J. Lec. Journ. Ac. Philad. (2) II,
1852, p. 144.
Biologie: Girault, Ent. News XV, 1904, p. 299.
4

XI. Achrysonini.

- Lacord. Gen. Col. VIII, 1869, p. 231. — Bates, Trans. Ent. Soc. Lond.
1870, p. 247.

Achryson Serv.

- Serv. Ann. Soc. Ent. Fr. II, 1833, p. 572. — Cast. Hist. Nat. II, 1840,
p. 453. — Thoms. Classif. Ceramb. 1860, p. 231; Syst. Ceramb. 1864, p. 451.
— Lacord. Gen. Col. VIII, 1869, p. 232. — J. Lec. & Horn, Classif. Col.
N. Amer. 1883, p. 285.
✓ *concolor* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 176. Texas
✓ *galapagoensis* Linell, Proc. U. S. Mus. XXI, 1898, p. 259. Galapagos
hirsutulum Bates, Trans. Ent. Soc. Lond. 1870, p. 248. Tapajos
immaculipenne Goun. Bull. Soc. Ent. Fr. LXXXVIII, Brasilien
1909, p. 305.
unicolor Goun. Ann. Soc. Ent. Fr. LXXVII, 1909,
p. 599, f. 7.
lineolatum Er. Arch. Naturgesch. XIII, 1847, p. 142. Peru
✓ *lutarium* Burm. Stett. Ent. Zeit. XXVI, 1865, p. 175. Tucuman
✓ *maculatum* Burm. l. c. „

- nanum** Bates, Trans. Ent. Soc. Lond. 1870, p. 247. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 600. Tapajos
- ornatipenne** Perr. Ann. Soc. Ent. Linn. Lyon (2) II, 1855, p. 383. — Gah. Trans. Ent. Soc. Lond. 1895, p. 92. Guadeloupe
- Philippii** Germain, An. Univ. Chile C, 1898, p. 560. Chile
- pictum** Bates, Trans. Ent. Soc. Lond. 1870, p. 248. Para
- scutellatum** Kirsch, Abh. Mus. Dresden (2) II, nr. 4, 1889, p. 37. Peru
- ✓ **surinamum** L. Syst. Nat. ed. XII, 1767, p. 632. — Bates, Trans. Ent. Soc. Lond. 1870, p. 247. — Leng, Bull. Brookl. Ent. Soc. VII, 1885, p. 117. Südliches Nordamerika, Centralamerika, Südamerika bis Argentinien
- biangulatus* Voet, Cat. Col. II, 1778, p. 23, t. 20, f. 102; ed. Panzer III, 1794, p. 59, t. 20, f. 102.
- circumflexum* F. Mant. Ins. I, 1787, p. 144. — Ol. Ent. IV, 67, 1795, p. 127, t. 23, f. 182. — Cast. Hist. Nat. II, 1840, p. 453.
- longicolle* Degeer, Mém. Ins. V, 1775, p. 117, t. 14, f. 11.
- pallens* F. Ent. Syst. I, 2, 1792, p. 297.
- simplex* Voet, Cat. Col. II, 1778, p. 22, t. 20, f. 99; ed. Panzer III, 1794, p. 58, t. 20, f. 99.
- surinamense* Ol. Ent. IV, 67, 1795, p. 42, t. 13, f. 93. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 264. — Leng, Ent. Amer. I, 1885, p. 35, t. 2, f. 25.
- ✓ var. *chontalense* Bates, Trans. Ent. Soc. Lond. 1872, p. 171. Nicaragua
- ✓ **undulatum** Burm. Stett. Ent. Zeit. XXVI, 1865, p. 175. Argentinien
- unicolor** Bruch, Rev. Mus. La Plata XV, 1908, p. 203. „
- 15

Eurymerus Serv.

- Serv. Ann. Soc. Ent. Fr. II, 1833, p. 566. — Thoms. Classif. Ceramb. 1860, p. 233; Syst. Ceramb. 1864, p. 451. — Lacord. Gen. Col. VIII, 1869, p. 233.
- ✓ **eburioides** Serv. l. c. p. 566. Brasilien
- flavosignatus* White, Cat. Col. Brit. Mus. VII, 1853, p. 115, t. 3, f. 6.
- fenestratus** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 601 nota. Bahia
- guttiger** Lucas, Cast. Voyage, Ent. 1839, p. 183, t. 12, f. 50. Brasilien
- ocellatus** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 600. „
- quadriguttatus** Burm. Stett. Ent. Zeit. XXVI, 1865, p. 168. — Lacord. Gen. Col. VIII, 1869, p. 234, nota 2. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 600. Tucuman
- quadrstigma** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 602. Brasilien
- spinipennis** Buq. Ann. Soc. Ent. Fr. XVII, 1860, p. 627. — Belon, Ann. Soc. Linn. Lyon (2) XXXVI, 1890, p. 301. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 601, f. 8. Cayenne, Brasilien
- 7

Nortia Thoms.

- Thoms. Syst. Ceramb. 1864, p. 252. — Lacord. Gen. Col. VIII, 1869, p. 234.
- cavicollis** Thoms. l. c. Mindanao
- 1

Ectenessa Bates.

Bates, Biol. C.-Am. Col. V, 1885, p. 257. — Belon, Ann. Soc. Ent. Belg. XLVI, 1892, p. 13 (Synopsis). — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 603.

Subgen. **Ectenessa** s. str.

T	Argodi Belon, Ann. Soc. Ent. Belg. XLVI, 1892, p. 15, 16.	Brasilien
	nitida Bates, Biol. C.-Am. Col. V, 1885, p. 258, t. 18, f. 3. — Belon, Synops. p. 16.	Mexico
T	phthisica Bates, l. c. p. 257. — Belon, Synops. p. 16.	Brasilien
T	sexmaculata Bates, l. c. — Belon, Synops. p. 16.	„
T	subopaca Bates, l. c. — Belon, Synops. p. 16.	„
T	Villardi Belon, Ann. Soc. Ent. Belg. XLVI, 1892, p. 13, 16.	„

Subgen. **Ectenessidia** Goun.

Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 603.

T	nigriventris Belon, l. c. p. 15, 16. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 604, f. 9, 1.	Brasilien
T	varians Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 604, f. 9, 2, 5.	„
	var. <i>cyaneipennis</i> Goun. l. c. f. 9, 3.	„
	var. <i>simplipennis</i> Goun. l. c. f. 9, 4.	„
	8	

Trumais Goun.

Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 605.

	rufula Goun. l. c.	Brasilien: Goyaz
	1	

Aquinillum Thoms.

Thoms. Rev. Zool. (3) VI, 1878, p. 13.

	pallidum Thoms. l. c. p. 14.	Fidschi
	1	

Herzoum Thoms.

Thoms. Rev. Zool. (3) VI, 1878, p. 15.

T	longulum Thoms. l. c. p. 16.	Damaraland
	1	

Allogaster Thoms.

Thoms. Syst. Ceramb. 1864, p. 251. — Lacord. Gen. Col. VIII, 1869, p. 235.

T	geniculata Thoms. Syst. Ceramb. 1864, p. 251.	Senegal
T	niger Jord. Nov. Zool. I, 1894, p. 496.	Benue
T	unicolor Gah. Trans. Ent. Soc. Lond. 1890, p. 300.	Natal

Icosium Lucas.

Lucas, Ann. Soc. Ent. Fr. (3) II, 1854, Bull. p. 8; (3) V, 1857, p. 611. — Muls. Col. Fr. Long. ed. 2, 1862, p. 193. — Thoms. Syst. Ceramb. 1864, p. 441. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 146. — Ganglb. Best.-Tab. VII, 1881, p. 12 (690).

Cluvia Stål, Öfvers. Vet. Ak. Förh. XIV, 1857, p. 63.

tomentosum Lucas, Ann. Soc. Ent. Fr. (3) II, 1854, Bull. p. 9; (3) V, 1857, p. 613, t. 13, 2, f. 1, 1b. — Muls. Col. Fr. Long. ed. 2, 1862, p. 193. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 44, f. 203. — Ganglb. Best.-Tab. VII, 1881, p. 65 (743).

Mittelmeer-
gebiet

Chevolati Stål, Öfvers. Vet. Ak. Förh. XIV, 1857, p. 63.

var. *atticum* Ganglb. Best.-Tab. VII, 1881, p. 65 (743).

Griechenland

Biologie: Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 302, f. 465—467.

1

Saporaea Thoms.

Thoms. Rev. Zool. (3) VI, 1878, p. 11.

femoralis Thoms. l. c.

Australien

1

Araespor Thoms.

Thoms. Rev. Zool. (3) VI, 1878, p. 14.

longicollis Thoms. l. c. p. 15. — Gah. Trans. Ent. Soc. Lond. 1895, p. 91.

Fidschi,
? Cuba

angustulum Fairm. Ann. Soc. Ent. Fr. (6) I, 1881, p. 474.

1

XII. Torneutini.

Lacord. Gen. Col. VIII, 1869, p. 237. — Bates, Trans. Ent. Soc. Lond. 1870, p. 249.

Torneutes Reich.

Reich, Trans. Ent. Soc. Lond. II, 1837, p. 9. — Thoms. Classif. Ceramb. 1860, p. 273; Syst. Ceramb. 1864, p. 456. — Lacord. Gen. Col. VIII, 1869, p. 238.

Bouchanti Buq. Rev. Zool. VI, 1843, p. 299.

Patria?

Lansbergei Thoms. Syst. Ceramb. 1865, p. 576.

Surinam

pallidipennis Reich, Trans. Ent. Soc. Lond. II, 1837, p. 12, t. 2, f. 1. — Blanch. Voy. d'Orb. Ins. 1843, p. 206, t. 20, f. 3 ♂, 4 ♀. — ♀ Buq. Rev. Zool. VI, 1843, p. 299.

Uruguay,
Argentinien

Biologie: Berg, Stett. Ent. Zeit. XL, 1879, p. 197.

3

Spathopygus Lacord.

Lacord. Gen. Col. VIII, 1869, p. 239.

- eburioides* Blanch. Voy. d'Orb. Ins. 1843, p. 209, t. 22, f. 2. — Lacord. Gen. Col. VIII, 1869, p. 239. Patagonien
obscurus Guér. Rev. Zool. VI, 1843, p. 301, 352. — „
 Lacord. Gen. Col. VIII, 1869, p. 239, nota 3.

2

Xenambyx Bates.

Bates, Biol. C.-Am. Col. V, 1879, p. 14.

- laticauda* Bates, l. c. t. 17, f. 3. Guatemala
 1

Diploschema Thoms.

Thoms. Arch. Ent. I, 1857, p. 404; Classif. Ceramb. 1860, p. 186; Syst. Ceramb. 1864, p. 456. — Lacord. Gen. Col. VIII, 1869, p. 240.

- rotundicolle* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 29 ♀. Brésilien
Fabricii Serv. l. c.
flavipennis Thoms. Arch. Ent. I, 1857, p. 405.
 — Gerst. Arch. Naturgesch. XXIV, 1858, I, p. 323.
 Biologie: Ihering, Ent. Brasil. II, 1909, p. 229, f. 3—8.

1

Praxithea Thoms.

Thoms. Syst. Ceramb. 1864, p. 254. — Lacord. Gen. Col. VIII, 1869, p. 241.

- Derourei* Chabrill. Arch. Ent. I, 1857, p. 196. Brésilien
Javeti Chabrill. l. c. p. 195. „
Thomsoni Chabrill. l. c. — Thoms. Syst. Ceramb. 1864, „
 p. 255.

3

Psygmatocerus Perty.

Perty, Isis VII, 1828, p. 737; Delect. An. Art. 1830, p. 87. — Lacord. Gen. Col. VIII, 1869, p. 241.

- Phoenicocerus* Latr. Crust. Arachn. et Ins. II, 1829, p. 113; in Cuv. Règne anim. Ins. ed. Masson, I, 1832, p. 475. — Serv. Ann. Soc. Ent. Fr. III, 1834, p. 28. — Thoms. Classif. Ceramb. 1860, p. 185; Syst. Ceramb. 1864, p. 451.
Badariottia Giglio, Boll. Mus. Zool. Torino VIII, 1893, p. 1.
Wagleri Perty, Isis VII, 1828, p. 737; Delect. An. Art. 1830, p. 88, t. 17, f. 9 ♂. Brésilien
Dejeani Serv. Ann. Soc. Ent. Fr. III, 1834, p. 29. — Latr. in Cuv. Règne anim. Ins. ed. Masson I, 1832, t. 65, f. 7.
Gianellii Giglio, Boll. Mus. Zool. Torino VIII, 1895, p. 4, fig.
 ♀ *aturalis* Perty, Delect. An. Art. 1830, p. 88, t. 17 (antenna).

1

Coccoderus Buq.

Buq. Rev. Zool. III, 1840, p. 293. — Thoms. Syst. Ceramb. 1864, p. 450.
— Lacord. Gen. Col. VIII, 1869, p. 243.

- T
T
✓
amazonicus Bates, Trans. Ent. Soc. Lond. 1870, p. 249. Tapajos
✓
bisignatus Buq. Rev. Zool. III, 1840, p. 295. Cayenne
✓
noventipunctatus Germ. Ins. spec. nov. 1824, p. 505. Brasilien
 — Lamcere, Ann. Soc. Ent. Belg. XXVIII,
 1884, p. 85.
✓
tuberculatus Buq. Rev. Zool. III, 1840, p. 295.
 — Blanch. Voy. d'Orb. Ins. 1843, p. 207, t. 21, f. 3.
✓
sexguttatus Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, Ecuador
 p. 293.²
T
✓
sexmaculatus Buq. Rev. Zool. III, 1840, p. 295. Brasilien
T
speciosus Coun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 606. „
tristis Blanch. Voy. d'Orb. Ins. 1843, p. 208, t. 21, f. 4. Bolivia
 7

XIII. Metopocoilini.

Lacord. Gen. Col. VIII, 1869, p. 244.

Metopocoilus Serv.

Serv. Ann. Soc. Ent. Fr. I, 1832, p. 170. — Thoms. Classif. Ceramb. 1860,
p. 186; Syst. Ceramb. 1864, p. 457.

Metopocoellus Cast. Hist. Nat. II, 1840, p. 410.

Metopocoelus Lacord. Gen. Col. VIII, 1869, p. 244.

- ✓
giganteus Nonfr. Ent. Nachr. XX, 1894, p. 137. Nord-
 brasilien
✓
maelicollis Serv. Ann. Soc. Ent. Fr. I, 1832, p. 171. Brasilien
 — Cast. Hist. Nat. II, 1840, p. 410.
brasiliensis G. R. Gray in Griffith, An. Kingd.
 II, 1832, p. 113, t. 65, f. 2; t. 73, f. 1.
T
✓
quadrispinosus Buq. Ann. Soc. Ent. Fr. (3) VIII, 1860, „
 p. 619.
✓
Rojasi Sallé, Ann. Soc. Ent. Fr. (3) I, 1853, p. 650, t. 20, Venezuela,
 3, f. 1 ♂, 2 ♀. — Bates, Trans. Ent. Soc. Lond. Nord-
 1870, p. 436. — Heyne, Exot. Käf. 1906, t. 36, brasilien
 f. 5.

4

Uragus Guér.

Guér. Icon. règne anim. Ins. III, 1843, p. 230. — Lacord. Gen. Col. VIII,
1869, p. 245.

- ✓
hamaticollis Guér. l. c. p. 231. Patagonien
 1

XIV. Cerambycini.

Lacord. Gen. Col. VIII, 1869, p. 246. — Pasc. Trans. Ent. Soc. Lond.
(3) III, 1869, p. 507. — Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 247;
VII, 1891, p. 19; IX, 1892, p. 19; Fauna Brit. Ind. Col. I, 1906, p. 119.

Opsamates Waterh.

Waterh. Trans. Ent. Soc. Lond. 1879, p. 264.

- dimidiatus** Waterh. l. c. p. 265; Aid ident. Ins. II, 1886, t. 171, f. 7. — Künckel in Grand. Hist. Mad. Col. 1890, t. 53, f. 3. Madagascar
- piceonitens** Fairm. Le Natural. XXV, 1903, p. 10. „
- purpureipennis** Waterh. Trans. Ent. Soc. Lond. 1880, p. 60; Aid ident. Ins. II, 1886, t. 171, f. 8. „
- pustulosus** Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 368. „

4

Taurotagus Lacord.

Lacord. Gen. Col. VIII, 1869, p. 249.

- Auberti** Fairm. Rev. d'Ent. XI, 1892, p. 118. Obock
- brevipennis** Gah. Trans. Ent. Soc. Lond. 1890, p. 301. Sierra Leone
- Greenfieldi** Gah. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 408. Somaliland
- griseus** Guér. Icon. règne anim. Ins. 1843, p. 227. — Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 248. Senegal
- Klugi** Lacord. Gen. Col. VIII, 1869, p. 249, nota 1. — Dohrn, Stett. Ent. Zeit. XXV, 1874, p. 422. — Dist. Ins. Transv. 1904, p. 111, t. 9, f. 7. Südafrika
- rusticum** Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 50. Kaffenland
- subauratus** Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 247. Abessinien
- vestitus** Jord. Nov. Zool. I, 1894, p. 150. Sierra Leone

8

Coelodon Serv.

Serv. Ann. Soc. Ent. Fr. I, 1832, p. 164. — Thoms. Syst. Ceramb. 1864, p. 445. — Lacord. Gen. Col. VIII, 1869, p. 249.

Coelodon Thoms. Classif. Ceramb. 1860, p. 186.

- prionoides** Auriv. Ent. Tidskr. XII, 1891, p. 97. Damaraland
- servum** White, Cat. Col. Brit. Mus. VII, 1853, p. 129. — Dist. Ins. Transv. 1904, p. 111, t. 9, f. 9.
- cinereum** Serv. Ann. Soc. Ent. Fr. I, 1832, p. 164 (nec Ol., nec descriptum). — Lacord. Gen. Col. VIII, 1869, p. 250. — Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 248.

2

Bolbotritus Bates.

Bates, Trans. Ent. Soc. Lond. 1871, p. 375.

- Bainesi** Bates, l. c. — Kraatz, Deutsche Ent. Zeitschr. 1896, p. 153, fig. — Planet, Le Natural. XXI, 1899, p. 142, fig. — Donckier, Bull. Soc. Ent. Fr. 1899, p. 273. Matabeleland, Deutsch-Ostafrika
- Ferrandii** Gestro, Ann. Mus. Genova XXXIX, 1898, p. 537, fig. Somaliland

2

Neocerambyx Thoms.

Thoms. Classif. Ceramb. 1860, p. 194; Syst. Ceramb. 1864, p. 444. —
Lacord. Gen. Col. VIII, 1869, p. 250. — Gah. Ann. Mag. Nat. Hist. (6)
VI, 1890, p. 249; Fauna Brit. Ind. Col. I, 1906, p. 124.

- gigas** Thoms. Rev. Zool. (3) VI, 1878, p. 3. — Gah. Borneo,
Ann. Mag. Nat. Hist. (6) VI, 1890, p. 249. Java
grandis Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 20; Allahabad,
Fauna Brit. Ind. Col. I, 1906, p. 125, fig. Assam
intricatus Pasc. Proc. Zool. Soc. Lond. 1866, p. 527 Penang
(Genus?).
Paris Wied. in Germ. Mag. Ent. IV, 1821, p. 167. — Bengalen,
Gah. Fauna Brit. Ind. Col. I, 1906, p. 124. — Birma,
Maxw.-Lefr. Ind. Ins. Life 1909, p. 377, f. 257. Siam
Brama Newm. Ent. Mag. V, 1837, p. 493.

4

Mallambyx Bates.

Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 152.

- Raddei** (Blessig) Horae Soc. Ent. Ross. IX, 1872, p. 170, Amur,
t. 7, f. 1. Japan
japonicus Bates, Ann. Mag. Nat. Hist. (4) XII,
1873, p. 152; Journ. Linn. Soc. Lond. Zool. XVIII,
1884, p. 209. — Matsum. Thous. Ins. Japan
III, 1908, nr. 728, t. 55, f. 2. — Jacobs. Käfer
Russl. 1910, t. 65, f. 5.
Biologie: Köppen, Schädl. Ins. Russl. 1880,
p. 263.

1

Aeolesthes Gah.

Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 250 (Revision); Fauna Brit.
Ind. Col. I, 1906, p. 126.

Neocerambyx Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 509.

- Achilles** J. Thoms. Syst. Ceramb. 1865, p. 576. — Gah. Borneo
Revis. p. 251, 252.
Aeneas Pasc. Trans. Ent. Soc. Lond. (3) III,
1869, p. 510.
ampliata Gah. Revis. p. 253. Bismarck-
inseln
aurifaber White, Cat. Col. Brit. Mus. VII, 1853, p. 128. Borneo,
Aeneas Thoms. Classif. Ceramb. 1860, p. 195. Penang
Alexis Pasc. Trans. Ent. Soc. Lond. (3) III, 1869,
p. 512.
Lumbi Pasc. Proc. Zool. Soc. Lond. 1866, p. 527.
basicornis Gah. Ann. Mag. Nat. Hist. (6) XI, 1893, Andamanen
p. 377; Fauna Brit. Ind. Col. I, 1906, p. 126,
f. 49.
holosericea F. Mant. Ins. I, 1787, p. 135. — Gah. Ann. Brit.-Indien
Mag. Nat. Hist. (6) VII, 1891, p. 20; Fauna Brit.
Ind. Col. I, 1906, p. 127. — Maxw.-Lefr. Ind.
Ins. Life 1909, p. 373, f. 252.
similis Gah. Ann. Mag. Nat. Hist. (6) V, 1890,
p. 52.

- velutina* Thoms. Syst. Ceramb. 1865, p. 576. —
Gah. Revis. p. 252, 254.
Biologie: Cotes, Ind. Mus. Notes I, 2, p. 60, 89,
t. 5, f. 3.
- indicola* Bates, Entomolog. XXIV, 1891, Suppl. p. 21. Nordwest-
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 128. Indien
- induta* Newm. Entomolog. I, 1842, p. 245. — Gah. Revis. Ceylon,
p. 251, 253; Fauna Brit. Ind. Col. I, 1906, p. 128. Birma,
Java,
Borneo
- langsonius* Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, Tonkin
p. 176.
- Mariae* Thoms. Rev. Zool. (3) VI, 1878, p. 2. — Gah. Borneo
Revis. p. 251, 253.
- perplexa* Gah. Revis. p. 251, 254. Siam
- sarta* Solsky, Horae Soc. Ent. Ross. VIII, 1871, p. 150, Turkestan,
t. 5, f. 4. — Gah. Revis. p. 252, 255; Fauna Belut-
Brit. Ind. Col. I, 1906, p. 129. — Jacobs. Käfer schistan
Russl. 1910, t. 65, f. 1.
- sinensis* Gah. Revis. p. 252, 255; Fauna Brit. Ind. Col. I, Birma, China
1906, p. 128.
- textor* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 511. Molukken
— Gah. Revis. p. 251, 253.
- externus* Pasc. l. c. p. 512.
- ternatensis* Fairm. Le Natural. I, 1879, p. 70.

PSEUDOAEOLESTHES FLAV.

- chrysothrix* Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, Japan
p. 152; Journ. Linn. Soc. Lond. Zool. XVIII,
1884, p. 208. — Lewis, Entomolog. XXVI, 1893,
p. 152.
- ♂ *Batesi* Har. Abh. Nat. Ver. Bremen IV, 1875,
p. 295.

14

Trirachys Hope.

- Hope, Proc. Ent. Soc. Lond. 1841, p. 61; Trans. Ent. Soc. Lond. IV, 1845,
p. 11. — Thoms. Syst. Ceramb. 1864, p. 444. — Lacord. Gen. Col. VIII,
1869, p. 257. — Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 251.

Trirrachis Gemm. et Har. Cat. Col. IX, 1873, p. 2801.

- orientalis* Hope, l. c. p. 61; l. c. p. 11. Südchina

1

Cyriopalus Pasc.

- Pasc. Proc. Zool. Soc. Lond. 1866, p. 530; Trans. Ent. Soc. Lond. (3) III,
1869, p. 513. — Lacord. Gen. Col. VIII, 1869, p. 251.

- Pascoei* Thoms. Rev. Zool. (3) VI, 1878, p. 2. Borneo
- Wallacei* Pasc. Proc. Zool. Soc. Lond. 1866, p. 530, Borneo,
t. 42, f. 3; Trans. Ent. Soc. Lond. (3) III, 1869, Penang
p. 513.

2

Utopia Thoms.

Thoms. Syst. Ceramb. 1864, p. 233. — Lacord. Gen. Col. VIII, 1869, p. 252.

Castelnaudi Thoms. l. c. p. 233. — Ritsema, Midden-Sumatra IV, 6, 1887, p. 195, t. 3, f. 2. Malay. Archipel

1

Prospilus Thoms.

Thoms. Syst. Ceramb. 1864, p. 228. — Lacord. Gen. Col. VIII, 1869, p. 253.

serricornis Dalm. in Schönh. Syn. Ins. I, 3, App. 1817, p. 160. — Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 19. — Dist. Ins. Transv. 1904, p. 111, t. 9, f. 11. Natal, Transvaal

denticornis Ol. Ent. IV, 67, 1795, t. 5, f. 33 (non descr.).

pilosicollis Thoms. Syst. Ceramb. 1864, p. 229.

1

Teraschema Thoms.

Thoms. Classif. Ceramb. 1860, p. 198; Syst. Ceramb. 1864, p. 443. — Lacord. Gen. Col. VIII, 1869, p. 253.

Menalcas Thoms. Classif. Ceramb. 1860, p. 199. — Lacord. Gen. Col. VIII, 1869, p. 254, nota 1. — Künckel in Grand. Hist. Mad. Col. 1890, t. 48, f. 10. Madagascar

1

Calocerambyx Heller.

Heller, Deutsche Ent. Zeitschr. 1905, p. 66.

Hauseri Heller, l. c. p. 67. Neuginea

1

Plocaederus Thoms.

Thoms. Classif. Ceramb. 1860, p. 197; Syst. Ceramb. 1864, p. 443. — Lacord. Gen. Col. VIII, 1869, p. 254. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 120.

Plocaederus Gemm. et Har. Cat. Col. IX, 1872, p. 2799.

Arten aus Afrika.

1. *Elytra metallica*.

basalis Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 255. Altcalabar

chloropterus Murr. l. c. (4) V, 1870, p. 436.

chloropterus Chevr. Rev. Zool. (2) VIII, 1856, p. 566; Cent. Long. 1858, nr. 59. — Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 256. „

cyanipennis Thoms. Classif. Ceramb. 1860, p. 198. — Sengambien

Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 20.

formosus Har. Mitth. Münch. Ent. Ver. II, 1878, p. 109; Col. Hefte XVI, 1879, p. 166. Zentralafrika

- gabonicus** Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 256. Gabun
glabricollis Hope, Ann. Mag. Nat. Hist. XI, 1843, p. 367. Cap Palmas
 — Jord. Nov. Zool. XVI, 1909, p. 310.
nitidipennis Chevrol. Rev. Zool. (2) 1858, p. 50; Cent. Altcalabar
 Long. 1858, nr. 79.
purpuripennis Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, Natal
 p. 257.
viridipennis Hope, Ann. Mag. Nat. Hist. XI, 1843, p. 367. Sierra Leone
 — White, Cat. Col. Brit. Mus. VII, 1853, p. 125.
 — Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 256.
 — Jord. Nov. Zool. XVI, 1909, p. 310.

2. *Elytra haud metallica.*

- Bennigseni** Kolbe, D. O. Afrika Col. IV, 1897, p. 297. Deutsch-
 — Auriv. in Sjöstedt, Ergebn. Exped. Kilima- Ostafrika
 ndjaro VII, 1908, p. 143. — Hintz, Deutsche Ent.
 Zeitschr. 1910, p. 574.
Caroli Leprieur, Ann. Soc. Ent. Fr. (5) VI, 1876, Bull. Algerien
 p. 8. — Pic, Longic. I, 1891, p. 42; III, 1, 1900,
 p. 6.
cinereus Fairm. Faune et Flore Comalis, Col. 1882, p. 99. Somaliland
Conradti Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 247. — Deutsch-
 — Auriv. in Sjöstedt, Ergebn. Exped. Kilimandjaro Ostafrika
 VII, 1908, p. 143. — Hintz, Deutsche Ent.
 Zeitschr. 1910, p. 574.
 var. *strigicollis* Kolbe, Berl. Ent. Zeitschr. XLV, Mhonda
 1900, p. 303.
denticornis F. Syst. Eleuth. II, 1801, p. 271. — Dist. Afrika
 Ins. Transv. 1904, p. 112, t. 9, f. 8.
cribri thorax Kolbe, D. O. Afrika Col. IV, 1897. Ostafrika
 p. 297.
serraticornis Bertol. Mem. Acc. Bologna VI. 1855, p. 440, t. 22, f. 4.
Eminl Waterh. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 107. Ostafrika
 t. 1, f. 3. — Hintz, Deutsche Ent. Zeitschr.
 1910, p. 574.
frenatus Fährs. Öfvers. Vet. Ak. Förh. XXIX, 1, 1872, Südafrika
 p. 51.
 var. *hamifer* Bates, Trans. Ent. Soc. Lond. 1878, p. 190.
fucatus Thoms. Arch. Ent. II, 1858, p. 150. — Gah. Gabun,
 Ann. Mag. Nat. Hist. (6) VI, 1890, p. 258. Prinzeninsel
granulatus Auriv. Denkschr. med.-nat. Ges. Jena XIII, Deutsch-Süd-
 1909, p. 429. westafrika
incertus Gestro, Ann. Mus. Civ. Genova (2) XII, 1892, Somaliland
 p. 784.
Kolbei Hintz, Deutsche Ent. Zeitschr. 1910, p. 574, 575. Deutsch-
 Ostafrika
melancholicus Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, Westafrika
 p. 257.
Peelei Gah. l. c. (7) II, 1898, p. 42. Britisch-
 Ostafrika
pronus Fährs. Öfvers. Vet. Ak. Förh. XXIX, 1, 1872, p. 51. Südafrika
ruficornis Auriv. Ark. f. Zool. VII, 3, 1910, p. 4. Westafrika
spiniicornis F. Spec. Ins. I, 1781, p. 224. — Gah. Ann. Afrika
 Mag. Nat. Hist. (6) VI, 1890, p. 258.
 var. *denticornis* Ol. Ent. IV, 67, 1795, p. 60 (non fig.)
 var. *pubipennis* White, Cat. Col. Brit. Mus. VII, Senegambien
 1853, p. 126.

Arten aus Asien.

- consocius** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 20. Ceylon
— Gah. Ann. Mag. Nat. Hist. (6) VI, 1890,
p. 258; Fauna Brit. Ind. Col. I, 1906, p. 124.
- ferrugineus** L. Syst. Nat. ed. X, 1758, p. 390; Mus. Lud. Ceylon,
Ul. 1764, p. 70. — F. Ent. Syst. I, 2, 1792, Bengalen
p. 256. — Ol. Ent. IV, 67, 1795, p. 9, t. 18,
f. 134. — Gah. Ann. Mag. Nat. Hist. (6) V,
1890, p. 51; Fauna Brit. Ind. Col. I, 1906, p. 121.
- gigas** F. Mant. Ins. I, 1787, p. 132.
- nitidus** White, Cat. Col. Brit. Mus. VII, 1853,
p. 127.
- umbrinus** Dalm. in Schönh. Syn. Ins. III, App.
1817, p. 161.
- versutus** Pasc. Trans. Ent. Soc. Lond. (2) V,
1859, p. 20.
- var. **niger** Gah. Ann. Mag. Nat. Hist. (6) V, 1890, Bengalen
p. 52; Fauna Brit. Ind. Col. I, 1906, p. 121.
- fulvicornis** Guér. Icon. règne an. 1843, p. 227. *Philippinen
- ruficornis** Newm. Entomolog. I, 1842, p. 245. Penang
- pruinus** Pasc. Proc. Zool. Soc. Lond. 1866,
p. 526.
- humeralis** White, Cat. Col. Brit. Mus. VII, 1853, p. 127. Indien,
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 123 Birma
(=rusticus F.).
- lymphaticus** Lameere, Ann. Soc. Ent. Belg. XXXIV, Ostindien
1890, Bull. p. 210.
- obesus** Gah. Ann. Mag. Nat. Hist. (6) V, 1890, p. 51; „
VI, 1890, p. 259; Fauna Brit. Ind. Col. I, 1906,
p. 121, f. 47. — Maxw.-Lefr. Ind. Ins. Life 1909,
p. 373.
- pedestris** Cotes, Ind. Mus. Notes I, 1889, p. 91.
Biologie: Cotes, l. c. t. 5, f. 4.
- pedestris** White, Cat. Col. Brit. Mus. VII, 1853, p. 127. „
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 123.
- rusticus** F. Spec. Ins. I, 1781, p. 228. — Ol. Enc. méth. „
Ins. V, 1790, p. 305; Ent. IV, 67, 1795, p. 41;
69, t. 2, f. 16.
- scapularis** Fisch. Lettre à Pander 1821, p. 15. — Motsch. Sibirien,
Bull. Mosc. XVIII, 1845, p. 87. — Gebl. l. c. Buchara
XXXII, 1859, IV, p. 346. — Jacobs. Käfer
Russl. 1910, t. 65, f. 10.
- tataricus** Gebl. Bull. Ac. Petrop. VIII, 1841, p. 375.
- fuliginosus** Ol. Enc. méth. Ins. V, 1790, p. 299; Ent. IV, Patria?
67, 1795, p. 14, t. 10, f. 64.

35

Hamaticherus Serv.

- Serv. Ann. Soc. Ent. Fr. III, 1834, p. 15. — Thoms. Classif. Ceramb. 1860,
p. 196; Syst. Ceramb. 1864, p. 443.
- Hamaticherus* Lacord. Gen. Col. VIII, 1869, p. 255.
- Hammatochaerus* Gemm. et Har. Cat. Col. IX, 1873, p. 2800.
- batus** L. Syst. Nat. ed. X, 1758, p. 390. — Ol. Ent. IV, Surinam,
67, 1795, p. 10, t. 5, f. 32. — F. Ent. Syst. I, Nord-
2, 1792, p. 256. — Bates, Trans. Ent. Soc. brasilien

Lond. 1870, p. 250. — Heyne, Exot. Käf. 1906, t. 36, f. 4.

datus L. Mus. Lud. Ulr. 1764, p. 69.

spinosus Goeze, Ent. Beytr. I, 1777, p. 464.

var. *Carthaganae* Gah. Ann. Mag. Nat. Hist. (6) Columbien IX, 1892, p. 21.

bellator Serv. Ann. Soc. Ent. Fr. III, 1834, p. 15. Cayenne

bipartitus Buq. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 624. „

consobrinus Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 19. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 607, f. 10, 2; l. c. Bull. 1908, p. 289. „

erythropus Nonfr. Berl. Ent. Zeitschr. XL, 1895, p. 305. Columbien

glabricollis Bates, Trans. Ent. Soc. Lond. 1870, p. 251. Ega

lacordairei Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 20. Argentinien

lasiocerus Gah. l. c. p. 22. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 607, f. 10, 1. Brasilien

luridipennis Gah. l. c. p. 22. — Goun. l. c. p. 608, f. 11, 3, 4. Guyana

macrus Bates, Trans. Ent. Soc. Lond. 1870, p. 251. — Amazon.

Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 19. *mexicanus* Thoms. Classif. Ceramb. 1860, p. 196. Mexico, Süd-

castaneus Bates, Trans. Ent. Soc. Lond. 1870, p. 250 nota; 1872, p. 171; Biol. C.-Am. Col. V, 1879, p. 16, 241, t. 3, f. 2. brasilien

murinus Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 22. Argentinien

pactor Lameere, Ann. Soc. Ent. Bclg. XXIX, 1885, Bull. p. 61. Paraguay, Brasilien

var. Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 607.

plicatus Ol. Enc. méth. V, 1790, p. 299; Ent. IV, 67, Brasilien

1795, p. 40, t. 18, f. 136. — Bates, Trans. Ent. Soc. Lond. 1870, p. 250.

rufipennis Gory in Guér. Icon. règne an. 1843, p. 226, t. 44, f. 1, 1 a. Cayenne

Biologie: Xambeu, Ann. Soc. Linn. Lyon XL, 1893, p. 148; Mœurs & Mét. I, 1893, p. 220.

punctulatus Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 21. Brasilien

rugosus Ol. Ent. IV, 67, 1795, p. 11, t. 21, f. 159. Cayenne

rusticus Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 608, f. 11, 1, 2. Brasilien

17

Cerambyx L.

L. Syst. Nat. ed. 10, 1758, p. 388. — Latr. Consid. Gen. Ins. 1810, p. 230, 431; in Cuv. Règne an. ed. 2, Ins. II, 1829, p. 115. — Serv. Ann. Soc. Ent. Fr. III, 1834, p. 13. — Muls. Col. Fr. Long. ed. 1, 1839, p. 29; ed. 2, 1862, p. 56. — Cast. Hist. Nat. II, 1840, p. 428. — Thoms. Classif. Ceramb. 1860, p. 195; Syst. Ceramb. 1864, p. 444. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 523. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 140. — C. G. Thoms. Skand. Col. VIII, 1866, p. 12. — Lacord. Gen. Col. VIII, 1869, p. 258. — Ganglb. Best.-Tab. VII, 1881, p. 11 (689). — Czwalina, Wien. Ent. Zeit. X, 1891, p. 99 (Revision). — Reitter, Ent. Nachr. XX, 1894, p. 353 (Revision). — Everts, Col. Neerl. II, 1, 1901, p. 372.

Hamaticherus Germ. Ins. spec. novae 1824, p. 499. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 228.

Hammaticherus Redt. Gatt. deutsch. Käferf. 1845, p. 108; Fauna Austr. 1849, p. 479; ed. 2, 1858, p. 841; ed. 3, II, 1874, p. 396.
Hammatochaerus Bach, Käferf. III, 1856, p. 9.

Biologie: Mayet, Bull. Soc. Ent. Fr. (6) I, 1881, p. 162.

- ✓ **Cantori** Hope, Trans. Ent. Soc. Lond. IV, 1845, p. 11. China
 — Lacord. Gen. Col. VIII, 1869, p. 251, nota 2.
 — Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 249.
- scabricollis* Chevr. Rev. Zool. (2) IV, 1852, p. 416. Hongkong
- carinatus** Küst. Käf. Eur. II, 1846, p. 46. — Ganglb. Dalmatien,
 Best.-Tab. VII, 1881, p. 743. — Kraatz, Deutsche Griechenland
 Ent. Zeitschr. XXX, 1886, p. 48. — Czwal. Revis. p. 99. — Reitter, Revis. p. 354. — Csiki, Rov. Lapok XI, 1904, p. 59.
- ✓ **cerdo** L. Syst. Nat. ed. 10, 1758, p. 392. — Drury, III. Mittel- und
 Exot. Ins. I, 1773, p. 87, t. 39, f. 1. — Bergstr. Südeuropa.
 Nomencl. I, 1778, p. 8, t. 1, f. 10; t. 2, f. 3. — Laich. Verz. Tyrol. Ins. II, 1784, p. 6. — Geoffr. in Fourer. Ent. Paris. I, 1785, p. 73. — Petagna, Ins. Calabr. 1787, p. 15. — Schrank, Fauna Boica I, 2, 1798, p. 655. — Donndorf, Eur. Fauna VIII, 1799, p. 553. — Muls. Col. Fr. Long. ed. 2, 1862, p. 59. — Ganglb. Best.-Tab. VII, 1881, p. 66 (744); Rev. d'Ent. III, 1884, p. 202. — Bedel, Faune Col. Seine V, 1889, p. 33, 85. — Seidl. Fauna Balt. ed. 2, 1891, p. 736; Fauna Transs. 1891, p. 829. — Czwal. Revis. p. 100. — Reitter, Revis. p. 354. — Stierl. Col. Helvet. II, 1898, p. 462. — Everts, Col. Neerl. II, 1, 1901, p. 372. — Houlb. Faune Armor. Ceramb. 1904, p. 44, f. 82, 83. — Csiki, Rov. Lapok XI, 1904, p. 59. — Jacobs. Käfer Russl. 1910, t. 68, f. 7.
- cerdo* var. F. Syst. Ent. 1775, p. 167. — Razoum. Hist. Nat. du Jorat I, 1789, p. 150.
- heros* Scop. Ent. Carn. 1763, p. 51. — Bergstr. Nomencl. I, 1778, p. 67, t. 11, f. 6. — F. Mant. Ins. I, 1787, p. 132. — Gmel. Syst. Nat. I, 4, 1790, p. 1826. — Rossi, Fauna Etr. I, 1790, p. 141. — Ol. Enc. méth. Ins. V, 1790, p. 295; Ent. IV, 67, 1795, p. 12, t. 1, f. 1. — Panz. Deutschl. Ins.-Fauna 1795, p. 247; Fauna Ins. Germ. LXXXII, 1801, t. 1. — Walcken. Faune Paris. I, 1802, p. 204. — Fallén, Obs. Ent. I, 1802, p. 14. — Bechst. & Scharfenb. Forstins. I, 1804, p. 191. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 283. — Gyllenh. Ins. Succ. I, 4, 1827, p. 49. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 228; Man. 1839, p. 270. — Blanch. in Cuv. Règne anim. ed. Masson, Ins. I, 1832, t. 66, f. 3. — Westw. in Drury, Ill. Exot. Ins. I, 1837, p. 83, t. 39, f. 1. — Muls. Col. Fr. Long. 1839, p. 30. — Cast. Hist. Nat. II, 1840, p. 428. — Küster, Käfer Eur. II, 1845, p. 42. — Redt. Fauna Austr. 1849, p. 479; ed. 2, 1858, p. 842; ed. 3, II, 1874, p. 397. — Costa, Fauna Regni Napoli, Col. II, 1854,

- Long. p. 19. — Bach, Käferf. III, 1856, p. 9.
 — C. G. Thoms. Skand. Col. VIII, 1866, p. 13.
luguber Voet, Cat. Col. II, 1778, p. 8, t. 5, f. 9;
 ed. Panzer III, 1794, p. 15, t. 5, f. 9.
 Biologie: Ratzeb. Forstins. I, 1837, p. 194,
 t. 16, f. 3. — Doebner, Stett. Ent. Zeit. XI,
 1850, p. 23. — Xamb. Ann. Soc. Linn. Lyon
 XLV, 1898, p. 9; Moeurs & Mét. VII, 1899,
 p. 49; VIII, 1902, p. 53. — Unzicker, Ent.
 Zeitschr. XXV, 1911, p. 93.
- var. *acuminatus* Motsch. Etud. Ent. I, 1852, Krim
 p. 79. — Ganglb. Best.-Tab. VII, 1881, p. 66
 (744).
- Manderstjernae* Muls. & God. Ann. Soc. Linn. Syrien
 Lyon II, 1855, p. 280 (Opusc. Ent. VI, 1855,
 p. 180); Col. Fr. Long. ed. 2, 1862, p. 62.
- var. *Mirbeckii* Lucas, Ann. Sc. Nat. (2) XVIII, Mittelmeer-
 gebiet
 1842, p. 184; Explor. Algér. Col. 1849, p. 484,
 t. 41, f. 3. — Muls. Col. Fr. Long. ed. 2, 1862,
 p. 57. — Fairm. Gen. Col. d'Eur. IV, 1864,
 t. 42, f. 191. — Ganglb. Best.-Tab. VII, 1881,
 p. 66 (744).
- Biologie: Perris, Ann. Soc. Linn. Lyon (2)
 XXIII, 1877, p. 262, f. 417—420. — Xamb.
 Moeurs & Mét. VIII, 1902, p. 57.
- var. *Pfisteri* Stierl. Berl. Ent. Zeitschr. VIII, Sicilien
 1864, p. 152. — Ganglb. Best.-Tab. VII, 1881,
 p. 66 (744).
- ✓ **dux** Fald. Fauna Transc. II, 1837, p. 264, t. 7, f. 5, 6. Türkei,
 — Ganglb. Best.-Tab. VII, 1881, p. 66 (744). Klein-
 — Bedel, Faune Col. Seine V, 1889, p. 33. — asien,
 Czwal. Revis. p. 100. — Reitter, Revis. p. 354. Kaukasus
intricatus Fairm. Ann. Soc. Ent. Fr. (2) VI, 1848, Appenninen
 p. 167. — Muls. Col. Fr. Long. ed. 2, 1862, p. 64.
nodosus Muls. Ann. Soc. Linn. Lyon (2) IX,
 1863, p. 144.
orientalis Küst. Käf. Eur. II, 1846, p. 45. —
 Muls. Col. Fr. Long. ed. II, 1862, p. 64.
Thirki Küst. l. c. p. 47.
- Lucasi** Brongn. Nouv. Arch. Mus. Paris (3) III, 1892, Siam
 p. 238, t. 10, f. 1.
- ✓ **miles** Bon. Mem. Soc. Agr. Torino IX, 1823, p. 178, Südeuropa
 t. 5, f. 26. — Muls. Col. Fr. Long. ed. I, 1839,
 p. 31; ed. 2, 1862, p. 63. — Cast. Hist. Nat.
 II, 1840, p. 428, t. 49, f. 5. — Costa, Fauna
 Napoli, Col. II, 1854, Longic. p. 20. — Redt.
 Fauna Austr. ed. 3, II, 1874, p. 397. — Ganglb.
 Best.-Tab. VII, 1881, p. 66 (744). — Kraatz,
 Deutsche Ent. Zeitschr. XXX, 1886, p. 47.
 — Bedel, Faune Col. Seine V, 1889, p. 33. —
 Czwal. Revis. p. 100. — Reitter, Revis. p. 355.
 — Stierl. Col. Helvet. II, 1898, p. 462. —
 Houlb. Faune Armor. Ceramb. 1904, p. 44,
 f. 84. — Csiki, Rov. Lapok XI, 1904, p. 60.
militaris Latr. in Cuv. Règne an. ed. 2, Ins.
 1829, p. 116.
- Biologie: Horv. Rov. Lap. I, 1884, p. 133,
 f. 33, 34. — Xamb. Rev. d'Ent. XVII, 1898,
 p. 36; Moeurs & Mét. VIII, 1902, p. 55.

- multiplicatus** Motsch. Etud. Ent. VIII, 1859, p. 142. — Ganglb. Best.-Tab. VII, 1881, p. 67 (745). — Reitter, Revis. p. 355. Kaukasus
- elegans** Dohrn, Stett. Ent. Zeit. XXXIV, 1878, p. 74. — Faust, Horae Soc. Ent. Ross. XIV, 1879, p. 116.
- nodulosus** Germ. Reise Dalmat. 1817, p. 220. — Ganglb. Best.-Tab. VII, 1881, p. 66 (744). — Czwal. Revis. p. 100. — Reitter, Revis. p. 355. — Csiki, Rov. Lapok XI, 1904, p. 60. Südost-europa
- nodicornis** Küst. Käf. Eur. II, 1846, p. 43.
- Scopoli** Füssl. Verz. Schweiz. Ins. 1775, p. 12. — Laich. Verz. Tyrol. Ins. II, 1784, p. 8. — Schrank, Fauna Boica I, 2, 1798, p. 655. — Muls. Col. Fr. Long. ed. 2, 1862, p. 66. — Stierl. Mitth. Schweiz. Ent. Ges. V, 1879, p. 442. — Ganglb. Best.-Tab. VII, 1881, p. 67 (745); Rev. d'Ent. III, 1884, p. 202. — Bedel, Faune Col. Scinc V, 1889, p. 32, 86. — Seidl, Fauna Balt. ed. 2, 1891, p. 736; Fauna Transs. 1891, p. 829. — Reitter, Revis. p. 355. — Stierl. Col. Helvet. II, 1893, p. 462. — Everts, Col. Neerl. II, 1, 1901, p. 373. — Houlb. Faune Armor. Ceramb. 1904, p. 45, f. 85. — Csiki, Rov. Lapok XI, 1904, p. 59. — Jacobs. Käfer Russl. 1910, t. 68, f. 8. Mittel- und Südeuropa
- cerdo** Poda, Mus. Gracc. 1761, p. 33. — Scop. Ent. Carn. 1763, p. 50. — F. Syst. Ent. 1775, p. 167. — Degeer, Mém. Ins. V, 1775, p. 69. — Müller, Zool. Dan. Prodr. 1776, p. 91. — Leske, Naturg. 1779, p. 428 (ex parte). — Gmel. Syst. Nat. I, 4, 1790, p. 1826. — Rossi, Fauna Etr. I, 1790, p. 140. — Ol. Enc. méth. Ins. V, 1790, p. 295; Ent. IV, 67, 1795, p. 13, t. 10, f. 65. — Panz. Deutschl. Ins.-Fauna 1795, p. 247; Fauna Ins. Germ. LXXXII, 1801, t. 2. — Payk. Fauna Suec. III, 1800, p. 55. — Walcken. Faune Paris. I, 1802, p. 204. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 283. — Bechst. & Scharfenb. Forstins. I, 1804, p. 191. — Gyllenh. Ins. Suec. I, 4, 1827, p. 50. — Zett. Fauna Ins. Lapp. I, 1828, p. 362. — Steph. III. Brit. Ent. Mand. IV, 1831, p. 229; Man. 1839, p. 270. — Muls. Col. Fr. Long. 1839, p. 31. — Shuck. Brit. Col. 1840, p. 65, t. 78, f. 1. — Cast. Hist. Nat. II, 1840, p. 429. — Redt. Fauna Austr. 1849, p. 479; ed. 2, 1858, p. 842; ed. 3, II, 1874, p. 397. — Costa, Fauna Regn. Napoli Col. II, 1854, Longic. p. 20. — Bach, Käferf. III, 1856, p. 9. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 523. — C. G. Thoms. Skand. Col. VIII, 1866, p. 13.
- heros** ♂ Bergstr. Nomencl. I, 1778, p. 67, t. 11, f. 6.
- niger gallicus** Voet, Cat. II, 1778, p. 7, t. 4, f. 5; ed. Panzer III, 1794, p. 13, t. 4, f. 5.
- piceus** Geoffr. Ent. Par. I, 1785, p. 74.
- Biologie: Chap. & Cand. Mém. Soc. Sc. Liège VIII, 1855, p. 583. — Schiödte, Nat. Tidskr.

- (3) X, 1876, p. 403, t. 15, f. 1—10. — Xamb. Ann. Soc. Linn. Lyon (2) XLV, 1898, p. 104; Moeurs & Mét. VII, 1899, p. 144; VIII, 1902, p. 58.
- var. *helveticus* Stierl. Mitth. Schweiz. Ent. Ges. V, 1879, p. 442; Col. Helvet. II, 1898, p. 462.
- var. *nitidus* Pic, Bull. Soc. Ent. Fr. 1892, p. 111; Ann. Soc. Ent. Fr. LXI, 1892, p. 417.
- var. *paludivagus* Lucas, Ann. Sc. Nat. (2) XVIII, 1842, p. 185; Explor. Algér. Col. 1849, p. 485. — Pic, Echange VIII, 1892, p. 114.
- velutinus* Brullé, Expéd. Mor. III, 1832, p. 252. — Cast. Hist. Nat. II, 1839, p. 429. — Muls. Col. Fr. Long. ed. 1, 1839, p. 29, t. 1, f. C, 1—6; t. 2, f. 1; ed. 2, 1862, p. 56. — Costa, Fauna Napoli, Col. II, 1856, Longic. p. 68. — Ganglb. Best.-Tab. VII, 1881, p. 65 (743). — Bedel, Faune Col. Seine V, 1889, p. 33. — Czwal. Revis. p. 99. — Reitter, Revis. p. 353. — Csiki, Rov. Lapok XI, 1904, p. 59.
- Welensi* Küst. Käf. Eur. II, 1846, p. 44.
- Biologie: Xamb. Moeurs & Mét. VI, 1895, p. 59; XI, 2, 1902, p. 18; Ann. Soc. Linn. Lyon (2) XLIX, 1902, p. 18.
- var. *centurio* Czwal. Revis. 1891, p. 100.
- var. *tuniseus* Pic, Longic. I, 1891, p. 18.
- tunisicus* Pic, Echange VIII, 1892, p. 114.
- lativitta* Newm. Zoolog. VIII, 1850, App. p. 115.
- lifuanus* Montr. Ann. Soc. Ent. Fr. (4) I, 1861, p. 293.
- longicollis* Voet, Cat. Col. II, 1778, p. 22, t. 20, f. 100; ed. Panzer III, 1794, p. 53, t. 20, f. 100.
- pullus* Newm. Zoolog. IX, 1851, App. p. 129.
- subserratus* Newm. l. c. VIII, 1850, p. 116.

15

Hemadius Fairm.

Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, p. 57.

oenochrous Fairm. l. c. Ngan-Hoei

1

Massicus Pasc.

Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 319. — Lacord. Gen. Col. VIII, 1869, p. 260. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 129.

Conothorax Thoms. Syst. Ceramb. 1864, p. 230.*Pascoe* Thoms. Arch. Ent. I, 1857, p. 122, t. 14, f. 6; Syst. Ceramb. 1864, p. 230. Malacca*unicolor* Gah. Fauna Brit. Ind. Col. I, 1906, p. 130. Assam*venustus* Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 19. Ceylon

— Gah. Fauna Brit. Ind. Col. I, 1906, p. 130.

3

Hoplocerambyx Thoms.

Thoms. Syst. Ceramb. 1864, p. 229. — Lacord. Gen. Col. VIII, 1869, p. 260.
— Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 513. — Gah. Fauna Brit.
Ind. Col. I, 1906, p. 131.

- aramis** Thoms. Syst. Ceramb. 1865, p. 575. — Pasc. Malay.
Trans. Ent. Soc. Lond. (3) III, 1869, p. 515. Archipel
nitidus Thoms. Syst. Ceramb. 1865, p. 575. — Pasc. Insel Buru
Trans. Ent. Soc. Lond. (3) III, 1869, p. 516.
severus Pasc. l. c. p. 514. Insel Waigiou
spiniicornis Newm. Entomol. I, 1842, p. 245. — Thoms. Philippinen,
Syst. Ceramb. 1864, p. 230. — Gah. Fauna Borneo,
Brit. Ind. Col. I, 1906, p. 131. Sumatra,
morosus Pasc. Trans. Ent. Soc. Lond. (2) IV, Malacca,
1857, p. 92; (3) III, 1869, p. 515. Bengalen
relictus Pasc. Proc. Zool. Soc. Lond. 1866, p. 528.
4

Diorthrus Gah.

Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 27; Fauna Brit. Ind. Col. I,
1906, p. 132.

- cinereus** F. Ent. Syst. I, 2, 1792, p. 265. Westafrika,
holosericeus Ol. Ent. IV, 67, 1795, p. 14, t. 17, Mauritius,
f. 127. Ostindien,
inclemens Thoms. Syst. Ceramb. 1865, p. 576. Ceylon,
simplex White, Cat. Col. Brit. Mus. VII, 1853, Java,
p. 130. — Gah. Ann. Mag. Nat. Hist. (6) VII, Birma,
1891, p. 27, 31; Fauna Brit. Ind. Col. I, 1906, Siam
p. 133, f. 51. — Maxw.-Lefr. Ind. Ins. Life 1909,
p. 373.
sordidus Pasc. Trans. Ent. Soc. Lond. 1888, p. 491.
vernicosus Pasc. Trans. Ent. Soc. Lond. (2) V,
1859, p. 19.
vagus Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 27, 32. Senegal?
2

Dissopachys Reitter.

Reitter, Deutsche Ent. Zeitschr. XXX, 1886, p. 68; Ent. Nachr. XX,
1894, p. 356.

- Matthiesseni** Reitter, Wien. Ent. Zeit. XXVI, 1907, p. 218. Persien
pulvinata Reitter, Deutsche Ent. Zeitschr. XXX, 1886, Turkmenien
p. 68.
2

Pachydissus Newm.

Newm. Ent. Mag. V, 1838, p. 494. — Thoms. Syst. Ceramb. 1864, p. 231
(divis. 2). — Lacord. Gen. Col. VIII, 1869, p. 265. — Gah. Ann. Mag. Nat.
Hist. (6) VII, 1891, p. 24—29 (Revision); Fauna Brit. Ind. Col. I, 1906,
p. 133.

Arten aus Australien.

- Australasiae** Hope, Proc. Ent. Soc. Lond. 1842, p. 48. Port
— Blackb. Proc. Linn. Soc. N. S. Wales (2) Essington
III, 1889, p. 1456.

- boops** Blackb. Trans. R. Soc. S. Austral. XIII, 1890, p. 128. — Gah. Trans. Ent. Soc. Lond. 1893, p. 170. Südaustralien
brevicornis Gah. Revis. 1891, p. 25, 27.
- Frenchi** Blackb. Trans. R. Soc. S. Austral. XIX, 1895, p. 222. Queensland
- intermedius** Gah. Revis. p. 25, 29. Südaustralien
nubilus Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 558. Queensland
 — Gah. Revis. p. 25.
- piclpennis** Germ. Linn. Ent. III, 1848, p. 225. — Gah. Adelaide
 Revis. p. 25.
- probatus** Gah. Trans. Ent. Soc. Lond. 1893, p. 167. West-
 australien
- rugosicollis** Gah. Revis. p. 25, 28. Australien
sericus Newm. Ent. Mag. V, 1838, p. 494. — Gah. Revis. Neusüd-wales
 p. 25, 28.
- turbinaticornis* Germ. Linn. Ent. III, 1838, p. 224.
 Biologie: Froggatt, Proc. Linn. Soc. N. S. Wales (2) VIII, 1893, p. 30.
- Tatei** Blackb. Trans. R. Soc. S. Austral. XIII, 1890, p. 129. Südaustralien

Art aus Asien.

- parvicollis** Gah. Revis. p. 25, 29; Fauna Brit. Ind. Col. I, 1906, p. 134, f. 52. Nordindien

Arten aus Afrika.

- aspericollis** Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 335. Somaliland
- Aurivillianus** Dist. Ins. Transv. 1904, p. 112, t. 9, f. 15. Transvaal
congolensis Hintz, Wiss. Ergebn. Deutschen Zentr.-Congo
 Afrika-Exped. III, 1911, p. 429.
- camerunicus** Auriv. Ark. f. Zool. III, 18, 1907, p. 4, Kamerun
 f. 35, 2.
- erinitus** Hintz, Deutsche Ent. Zeitschr. 1910, p. 575. Deutsch-
 Ostafrika
- elongatus** Har. Mitth. Münch. Ent. Ver. II, 1878, p. 109; Westafrika
 Col. Hefte XVI, 1879, p. 167.
- euparus** Auriv. Ark. f. Zool. III, 18, 1907, p. 6. Kamerun
furcifer Jord. Nov. Zool. I, 1894, p. 151. Abessinien
- furvus** Fährs. Öfvers. Vet. Ak. Förh. XXIX, 1, 1872, p. 52. Kaffernland
hector Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 247. Usambara
natalensis White, Cat. Col. Brit. Mus. VII, 1853, p. 128. Afrika
 — Gah. Revis. p. 26. — Dist. Ins. Transv. 1904, p. 113, t. 9, f. 12. — Auriv. Ark. f. Zool. III, 18, 1907, p. 5, f. 35, 3.
- parus** Jord. Nov. Zool. X, 1903, p. 137. Kamerun
- regius** Auriv. Ark. f. Zool. III, 18, 1907, p. 3, 5, f. 35, 1. „
Schoenigi Hintz, Deutsche Ent. Zeitschr. 1910, p. 305. Togo
vicarius Auriv. Ark. f. Zool. III, 18, 1907, p. 4, 6, f. 35, 4. Kamerun

- elegans** Nonfr. Berl. Ent. Zeitschr. XL, 1895, p. 307. Sumatra

Derolus Gah.

Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 26 (Revision); Fauna Brit. Ind. Col. I, 1906, p. 185. 3

Capnocerambyx Reitter, Ent. Nachr. XX, 1894, p. 356.

Paläarktische Art.

- mauritanicus** Buq. Ann. Soc. Ent. Fr. IX, 1840, p. 295 („395“). — Ganglb. Best.-Tab. VII, 1881, p. 67 (745). — Gah. Revis. p. 27; Fauna Brit. Ind. Col. I, 1906, p. 135, f. 53. Mittelmeer-
gebiet bis
Belud-
schistan
- nerii** Er. Wagn. Reise III, 1841, p. 188, t. 8, f. 11. — Küst. Käf. Eur. II, 1846, p. 49. — Lucas, Explor. Algér. Col. 1849, p. 485, t. 41, f. 4. — Muls. Col. Fr. Long. ed. 2, 1862, p. 58.

Arten aus Südasien.

- argentifer** Pic, Longic. 5, 1, 1904, p. 11. Yunnan
- disiccollis** Gah. Fauna Brit. Ind. Col. I, 1906, p. 136. Karachi
- volvulus** F. Syst. Eleuth. II, 1801, p. 271 („171“). Ostindien,
- demissus** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 21. — Gah. Revis. p. 27, 30; Fauna Brit. Ind. Col. I, 1906, p. 136. — Maxv.-Lefr. Ind. Ins. Life 1909, p. 373. Philippi-
nen,
China
- strigicollis** Dalm. in Schönh. Syn. Ins. I, 3, App. 1817, p. 158.

Arten aus Afrika.

- arciferus** Gah. Revis. p. 27, 30. — Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 60. Senegal,
Togo
- brunneipennis** Gah. in Dist. Ins. Transv. 1904, p. 113, t. 10, f. 5. Transvaal
- einctus** Jord. Nov. Zool. X, 1903, p. 136. Franz.-Congo
- dilatatus** Chevr. Rev. Zool. (2) VIII, 1856, p. 567; Cent. Long. 1858, nr. 60. — Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 45. — Jord. Nov. Zool. X, 1903, p. 135. Altealabar
- femorellus** Chevr. Rev. Zool. (2) VIII, 1856, p. 340; Cent. Long. 1858, nr. 44. — Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 44. — Gah. Revis. p. 27. „
- fulvus** Jord. Nov. Zool. X, 1903, p. 137. Franz.-Congo
- Gyllenhalii** Fährs. Öfvers. Vet. Ak. Förh. XXIX, 1, 1872, p. 52. — Dist. Ins. Transv. 1904, p. 112, t. 9, f. 5. Kaffernland
- Oatesi** Olliff in Oates, Matabele Land, ed. 2, 1889, App. p. 378, t. 8, f. 7.
- incultus** Gerst. Monatsb. Berl. Acad. 1855, p. 265; Peters' Reise Moss. Ins. 1862, p. 319, t. 19, f. 1. Mossambik
- var. **rufoscapus** Auriv. in Sjöstedt, Ergebn. Exped. Kilimandjaro VII, 1908, p. 143. Kilimandjaro
- Kraatzi** Jord. Nov. Zool. X, 1903, p. 136. Kamerun
- somalicus** Gah. Proc. Zool. Soc. Lond. 1900, p. 32. Somaliland
- spurius** Jord. Nov. Zool. X, 1903, p. 137. Kamerun
- subaureus** Jord. Nov. Zool. I, 1894, p. 151. Abessinien
- tenuis** Duviv. Ann. Soc. Ent. Belg. XXXV, 1891, Bull. p. 377; XXXVI, 1892, p. 333. Congo

Djabiria Duviv.

Duviv. Ann. Soc. Ent. Belg. XXXV, 1891, Bull. p. 378; XXXVI, 1892, p. 334.

geniculata Duviv. l. c. p. 378; l. c. p. 335.

Congo

1

Margites Gah.

Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 26 (Revision); Fauna Brit. Ind. Col. I, 1906, p. 137.

Arten aus Asien.

egenus Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 236. Nordchina

— Gah. Revis. p. 26.

exiguus Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 10; Fauna Brit. Ind. Col. I, 1906, p. 137, f. 54. Birma

fulvidus Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 236. Nordchina

— Gah. Revis. p. 26.

modicus Gah. Fauna Brit. Ind. Col. I, 1906, p. 138. Ostindien

sulcicollis Gah. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 378; Birma

Fauna Brit. Ind. Col. I, 1906, p. 138.

Arten aus Afrika.

argenteus Auriv. Ark. f. Zool. III, 18, 1907, p. 7, t. 1, f. 5. Adamaua

humilis Gah. Revis. p. 26, 30. Senegal

lineatus Gah. Ann. Mag. Nat. Hist. (7) II, 1898, p. 41. Ostafrika

— Dist. Ins. Transv. 1904, p. 113, t. 10, f. 7.

mimeticus Auriv. Ark. f. Zool. III, 18, 1907, p. 7. Kamerun

sulcifrons Jord. Nov. Zool. X, 1903, p. 135. — Dist. Angola, Transvaal

Ins. Transv. 1906, p. 161, t. 16, f. 11.

10

Micrambyx Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 60.

brevicornis Kolbe, l. c.

Togo

1

Dissaporus Auriv.

Auriv. Ark. f. Zool. III, 18, 1907, p. 8.

Aporus Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 54.

cylindricus Fährs. l. c.

Kaffernland,

pauper Gah. in Dist. Ins. Transv. 1904, p. 113, Transvaal

t. 10, f. 8.

mythicus Gyllh. in Schönh. Syn. Ins. I, 3, App. 1817, Sierra Leone

p. 181.

2

Imbrius Pasc.

Pasc. Proc. Zool. Soc. Lond. 1866, p. 528; Trans. Ent. Soc. Lond. (3) III, 1869, p. 518. — Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 22.

ephebus Pasc. Proc. Zool. Soc. Lond. 1866, p. 529; Trans. Malacca,

Ent. Soc. Lond. (3) III, 1869, p. 519. Java

- lineatus* Pasc. Proc. Zool. Soc. Lond. 1866, p. 529, t. 41, Penang
f. 12.
mandibularis Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, „
p. 21.
micaceus Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, Borneo
p. 237; (3) III, 1869, p. 519.

4

Dymasius Thoms.

Thoms. Syst. Ceramb. 1864, p. 234. — Lacord. Gen. Col. VIII, 1869, p. 261.
— Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 22; Fauna Brit. Ind. Col.
I, 1906, p. 139.

Subgen. *Elydnus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 516. —
Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 23.

Subgen. **Dymasius** s. str.

- fulvescens* Gah. Ann. Mus. Civ. Genova XXXIV, 1894, Birma
p. 11, t. 1, f. 2; Fauna Brit. Ind. Col. I, 1906,
p. 140.
maecilentus Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Ceylon
p. 20. — Gah. Fauna Brit. Ind. Col. I, 1906,
p. 139, f. 55.
strigosus Thoms. Syst. Ceramb. 1864, p. 234.
minor Gah. Fauna Brit. Ind. Col. I, 1906, p. 140. Südindien
plagiatus Gah. l. c. p. 141. Birma

Subgen. **Elydnus** Pasc.

- amietus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 517, Borneo
t. 20, f. 1.
Pascoei Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 23. Penang
strigosus Pasc. Proc. Zool. Soc. Lond. 1866, p. 529.
sericatus Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 517. Bandainseln
vitreus Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 53. Nordost-
borneo

8

Calpazia Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 93; (3) III, 1869, p. 519.
— Lacord. Gen. Col. VIII, 1869, p. 262.

vermicularis Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, Borneo
p. 93, t. 23, f. 2; (3) III, 1869, p. 520.

1

Dialeges Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1856, p. 46; (3) III, 1869, p. 521.
— Lacord. Gen. Col. VIII, 1869, p. 263. — Gah. Fauna Brit. Ind. Col.
I, 1906, p. 141.

- egenus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 522. Ins. Buru
pauper Pasc. l. c. (2) IV, 1856, p. 47, t. 16, f. 7; (3) III, Bengalen,
1869, p. 521. — Gah. Fauna Brit. Ind. Col. I, Borneo
1906, p. 142.

tenuicornis Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 522.

undulatus Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 23; Fauna Brit. Ind. Col. I, 1906, p. 143, f. 56.

Ceylon,
Birma,
Siam

3

Lachnopterus Thoms.

Thoms. Syst. Ceramb. 1864, p. 231. — Lacord. Gen. Col. VIII, 1869, p. 264. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 522.

auripennis Newm. Entomol. I, 1842, p. 245. — Thoms. Syst. Ceramb. 1864, p. 232. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 523.

Philippinen,
Nord-
molukken

aureipennis Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Proc. p. 84.

socius Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 24.

Philippinen

2

Tapinolachnus Thoms.

Thoms. Syst. Ceramb. 1864, p. 445. — Lacord. Gen. Col. VIII, 1869, p. 265.

Homalolachnus Thoms. Syst. Ceramb. 1864, p. 232.

Lacordairei Thoms. l. c. p. 232.

Malay.
Archipel

1

Coniolachnus Fairm.

Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 422.

aculeatus Fairm. l. c.

Mauritius

1

Jebusaea Reiche.

Reiche, Ann. Soc. Ent. Fr. (5) VII, 1877, Bull. p. 153.

Hammerschmidtii Reiche, l. c. p. 154.

Palästina

persica Reitter, Wien. Ent. Zeit. XXVI, 1907, p. 217.

Persien

2

Sebasmia Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 18. — Thoms. Syst. Ceramb. 1864, p. 446. — Lacord. Gen. Col. VIII, 1869, p. 272. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 143.

nigra Gah. l. c. p. 145.

Nilgiri Hills
Ceylon

Templetoni Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 19. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 144, f. 57.

testacea Gah. l. c.

"

3

Trachylophus Gah.

Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 59; Fauna Brit. Ind. Col. I, 1906, p. 145.

approximator Gah. l. c. p. 60.

Java

sinensis Gah. l. c. p. 60; Fauna Brit. Ind. Col. I, 1906, p. 146, f. 58.

Birma, China

2

Zatrephus Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 94; (3) III, 1869, p. 523. — Thoms. Syst. Ceramb. 1864, p. 446. — Lacord. Gen. Col. VIII, 1869, p. 267.

nebulosus Brongn. Ann. Soc. Ent. Fr. (6) X, 1890, Bull. p. 184; Nouv. Arch. Mus. Paris (3) III, 1892, p. 240, t. 10, f. 2. Saigun

pannosus Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 94, t. 23, f. 3; (3) III, 1869, p. 524. Borneo

spinus Brongn. Ann. Soc. Ent. Fr. (6) X, 1890, Bull. p. 183. „

3

Rhytidodera White.

White, Cat. Col. Brit. Mus. VII, 1853, p. 132. — Thoms. Classif. Ceramb. 1860, p. 186; Syst. Ceramb. 1864, p. 446. — Lacord. Gen. Col. VIII, 1869, p. 268. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 524. — Gah. Fauna Brit. Ind. Col. I, 1869, p. 146.

Bowringi White, Cat. Col. Brit. Mus. VII, 1853, p. 133, t. 4, f. 1. — Lacord. Gen. Col. VIII, 1869, p. 268. Südehina
— Dohrn, Stett. Ent. Zeit. XLIV, 1883, p. 156.
— Heyne, Exot. Käf. 1903, t. 33, f. 5.

econcolor Nonfr. Berl. Ent. Zeitschr. XL, 1895, p. 308. Sumatra
cristata Pasc. Proc. Zool. Soc. Lond. 1866, p. 531, t. 43, f. 1. Penang
grandis Thoms. Syst. Ceramb. 1865, p. 576. Laos

integra Kolbe, Arch. f. Naturg. LII, 1886, p. 237. — Korea,
Gah. Fauna Brit. Ind. Col. I, 1906, p. 148. China,
Birma,
Siam

integrifrons Heller, Abh. Mus. Dresden VI, nr. 10, 1897, p. 36. Celebes

robusta Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 34; Fauna Brit. Ind. Col. I, 1906, p. 147, f. 59. Bombay

siamica Nonfr. Berl. Ent. Zeitschr. XXXVI, 1892, p. 378. Siam

simulans White, Cat. Col. Brit. Mus. VII, 1853, p. 132. Tenasserim,
— Pasc. Proc. Zool. Soc. Lond. 1866, p. 531; Malacca,
Trans. Ent. Soc. Lond. (3) III, 1869, p. 525. Borneo,
— Kaup, Einige Ceramb. 1866, p. (4). — Gah. Ceram
Fauna Brit. Ind. Col. I, 1906, p. 148.

9

Zegriades Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 525.

fulvipennis Nonfr. Berl. Ent. Zeitschr. XL, 1895, p. 309. Siam

magister Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 93; (3) III, p. 526, t. 20, f. 2. Borneo

siamensis Nonfr. Berl. Ent. Zeitschr. XL, 1895, p. 308. Siam

3

Xoanodera Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 92; (3) III, 1869, p. 526.
 — Thoms. Syst. Ceramb. 1864, p. 446. — Lacord. Gen. Col. VIII, 1869,
 p. 269. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 148.

- ✓ **amoena** Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 53. Ceylon,
 — Gah. Fauna Brit. Ind. Col. I, 1906, p. 150. Südindien
 T **insecta** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 94; Borneo
 (3) III, 1869, p. 528. — Lacord. Gen. Col. VIII,
 1869, p. 270, nota 1.
 T **laticornis** Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 32. „
 T **Pascoei** Brongn. Nouv. Arch. Mus. Paris (3) III, 1892, Siam
 p. 239 (= *regularis*?).
 T **regularis** Gah. Ann. Mag. Nat. Hist. (6) V, 1890, p. 52; Nordindien,
 Fauna Brit. Ind. Col. I, 1906, p. 150, f. 60. Birma,
 Tenasserim
 T **trigona** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 92, Tenasserim,
 t. 23, f. 1; (3) III, 1869, p. 527. — Lacord. Gen. Malacca
 Col. Atlas, t. 85, f. 1. — Gah. Fauna Brit. Ind.
 Col. I, 1906, p. 149.
 T **vitticollis** Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 32. Borneo
 9

Criodion Serv.

Serv. Ann. Soc. Ent. Fr. II, 1833, p. 571. — Cast. Hist. Nat. II, 1840,
 p. 429. — Thoms. Classif. Ceramb. 1860, p. 186; Syst. Ceramb. 1864,
 p. 443. — Lacord. Gen. Col. VIII, 1869, p. 270.

- T **angustatum** Buq. Ann. Soc. Ent. Fr. (2) X, 1852, p. 358. Brasilien
 T **antennatum** Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 24. Venezuela
 T **Chabrillaci** Thoms. Arch. Ent. I, 1857, p. 123. Brasilien
 T **cinereus** Ol. Ent. IV, 66, 1795, p. 35, t. 13, f. 55. — Surinam
 Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 24.
 — Heyne, Exot. Käf. 1906, t. 36, f. 8.
 T **Dejeani** Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 25. Brasilien
 T **fulguratum** Chabrill. Arch. Ent. I, 1857, p. 196. „
 T **fulvopilosum** Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, „
 p. 23.
 T **Gahani** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 609. „
 T **hirsutum** Bates, Trans. Ent. Soc. Lond. 1870, p. 253 nota. Bahia
 T **modestum** Buq. Ann. Soc. Ent. Fr. (2) X, 1852, p. 357. Brasilien
 T **murinum** Nonfr. Berl. Ent. Zeitschr. XL, 1895, p. 306. Costa Rica
 T **octomaculatum** Nonfr. Ent. Nachr. XX, 1894, p. 137. Brasilien
 T **pictum** Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 292. Ecuador
 T **pilosum** Lucas, Casteln. Voy. Ins. 1859, p. 158, t. 11, f. 8 a. Brasilien
 T **plagiatum** Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, Ecuador
 p. 293.
 T **quadrinaculatum** Gah. l. c. (6) IX, 1892, p. 27. Brasilien
 T **rhinoceros** Bates, Trans. Ent. Soc. Lond. 1870, p. 253. Tapajos
 T **sculpticollis** Buq. Ann. Soc. Ent. Fr. (2) X, 1852, p. 356. Columbien
 T **sexmaculatum** Buq. in Guér. Icon. règne an. III, 1843, Brasilien
 p. 228.
 T **Sommeri** Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 27. „
 T **testaceum** Gah. l. c. p. 26. „
 T **tomentosum** Serv. Ann. Soc. Ent. Fr. II, 1833, p. 572. „
 — Cast. Hist. Nat. II, 1840, p. 429.

- torticolle* Bates, Trans. Ent. Soc. Lond. 1870, p. 252. Para
tuberculatum Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, Peru
 p. 25.

24

Sphallenum Bates.

Bates, Trans. Ent. Soc. Lond. 1870, p. 253.

- castanopterum* Er. Schomb. Reise III, 1848, p. 571. Guyana
femorale Bates, Trans. Ent. Soc. Lond. 1870, p. 254. Amazon.
litteratum Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 28. Brasilien
 ? *lugubre* Voet, Cat. Col. II, 1804—06, p. 27, t. 24, f. 129. Patria?
puncticolle Bates, Trans. Ent. Soc. Lond. 1870, p. 254. Amazon.
robustum Bates, l. c. 1872, p. 172; Biol. C.-Am. Col. Nicaragua
 V, 1880, p. 17, t. 3, f. 8.
setosum Germ. Ins. spec. nov. 1824, p. 507. Brasilien
spadiceum Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 29. „
superbum Auriv. Ark. f. Zool. VII, 3, 1910, p. 5. Columbien
tuberosum Bates, Trans. Ent. Soc. Lond. 1870, p. 255. Tapajos

10

Butherium Bates.

Bates, Trans. Ent. Soc. Lond. 1870, p. 255 nota.

- erythropus* Lucas, Voy. Castelnau, Ins. 1859, p. 187, Südbrasilien
 t. 11, f. 7.
seabricolle Nonfr. Berl. Ent. Zeitschr. XL, 1895, p. 307. Amazon.

2

Coleoxestia nov. nom.

Xestia Serv. Ann. Soc. Ent. Fr. III, 1834, p. 16. — Thoms.
 Classif. Ceramb. 1860, p. 186; Syst. Ceramb. 1864, p. 443. —
 Lacord. Gen. Col. VIII, 1869, p. 271. — Bates, Trans. Ent. Soc.
 Lond. 1870, p. 255.

- annulipes* Buq. in Guér. Icon. règne an. 1843, p. 228. Brasilien
armata Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 615, Goyaz
 f. 13.
atrata Goun. l. c. p. 612. „
bidens F. Syst. Eleuth. II, 1801, p. 271. Südamerika
bivittata Buq. Ann. Soc. Ent. Fr. (2) X, 1852, p. 356. Brasilien
suturalis Perty, Delect. an. 1830, p. 90, t. 18, f. 5.
brevipennis Bates, Trans. Ent. Soc. Lond. 1870, p. 256. Ega
cinnamomea Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz
 p. 615, f. 14.
confusa Lacord. Gen. Col. VIII, 1869, p. 271, nota 2. Brasilien
 — Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 31.
corvina Germ. Ins. spec. nov. 1824, p. 508. „
denticornis Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 29. „
dorsalis Thoms. Classif. Ceramb. 1860, p. 193. „
elegans Gory, Mag. Zool. III, 1833, t. 64. „
femorale Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 613. Goyaz
glabripennis Bates, Trans. Ent. Soc. Lond. 1870, p. 256. Tapajos
globulicollis Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 31. Brasilien
illex Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 611. Goyaz

- T lateralis Er. Arch. f. Naturgesch. XIII, 1847, I, p. 140. Peru
 T longipennis Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, Brasilien
 p. 31.
 T nigropicea Bates, Trans. Ent. Soc. Lond. 1870, p. 256. Para
 T nitida Bates, l. c. 1872, p. 172; Biol. C.-Am. Col. V, 1880, Nicaragua
 p. 17, t. 3, f. 11.
 T ochrotaenia Bates, Trans. Ent. Soc. Lond. 1870, p. 257. Amazon.
 T pictipes Newm. Ent. Mag. V, 1838, p. 396. Brasilien
 T pilosovittata Bates, Trans. Ent. Soc. Lond. 1872, p. 172; Nicaragua
 Biol. C.-Am. Col. V, 1880, p. 17, t. 3, f. 10.
 T polita Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 486. Sarayacu
 T pubicornis Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz
 p. 610.
 T rubromaculata Goun. l. c. p. 612. "
 T sagittaria Bates, Trans. Ent. Soc. Lond. 1872, p. 173; Nicaragua
 Biol. C.-Am. Col. V, 1880, p. 17, t. 3, f. 9.
 T sanguinipes Bates, l. c. V, 1884, p. 242. "
 T spinipennis Serv. Ann. Soc. Ent. Fr. III, 1834, p. 17. Brasilien
 — Cast. Hist. Nat. II, 1840, p. 429. — Dohrn,
 Stett. Ent. Zeit. XLIV, 1883, p. 157. — Gah.
 Ann. Mag. Nat. Hist. (6) IX, 1892, p. 30. —
 Heyne, Exot. Käf. 1906, t. 36, f. 2.
 T suturalis Gory, Mag. Zool. II, 1832. Ins. t. 1. Cayenne
Feisthameli Buq. Ann. Soc. Ent. Fr. (2) X,
 1852, p. 355, t. 7, f. 5.
 T vittata Thoms. Classif. Ceramb. 1860, p. 192. — Gah. Brasilien
 Ann. Mag. Nat. Hist. (6) IX, 1892, p. 30.
 T Waterhousei Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz
 p. 614, f. 12.
 32

Melathemma Bates.

Bates, Trans. Ent. Soc. Lond. 1870, p. 258.

- T polita Bates, l. c. Ega
 1

Atylostagma White.

White, Cat. Col. Brit. Mus. VII, 1853, p. 97. — Thoms. Syst. Ceramb.
 1864, p. 451. — Lacord. Gen. Col. VIII, 1869, p. 257. — Bates, Biol. C.-Am.
 Col. V, 1884, p. 242.

- T glabrum Schäffer, Journ. N. York Ent. Soc. XVII, Arizona
 1909, p. 99.
 T politum White, Cat. Col. Brit. Mus. VII, 1853, p. 97, Honduras
 t. 3, f. 5.
 2

Diorus White.

White, Cat. Col. Brit. Mus. VII, 1853, p. 135. — Thoms. Syst. Ceramb.
 1864, p. 452. — Lacord. Gen. Col. VIII, 1869, p. 273.

- blapiculatus White, l. c. t. 4, f. 3. Brasilien
 1

XV. Hesperophanini.

Lacord. Gen. Col. VIII, 1869, p. 273. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 528. — Gah. Fauna Brit. Ind. I, 1906, p. 109.

Hesperophanes Muls.

Muls. Col. Fr. Long. ed. 1, 1839, p. 66; ed. 2, 1862, p. 131. — Bach, Käferfauna III, 1856, p. 11. — Redt. Fauna Austr. ed. 2, 1858, p. 844; ed. 3, II, 1874, p. 406. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 130. — Thoms. Syst. Ceramb. 1864, p. 455. — Lacord. Gen. Col. VIII, 1869, p. 275. — Ganglb. Best.-Tab. VII, 1881, p. 12 (690). — Bedel, Faune Col. Seine V, 1889, p. 8. — Everts, Col. Neerl. II, 1, 1902, p. 361. — Gah. Fauna Brit. India, Col. I, 1906, p. 112.

Trichoferus Woll. Ins. Maderens. 1854, p. 427.

Paläarktische Arten.

Pic, Longic. I, 1891, p. 43 (Synopsis).

Abeillei Pic, Longic. I, 1891, p. 44.

campestris Fald. Mém. Acad. St. Petersb. (2) II, 1835, p. 435. — Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 65.

flavopubescens Kolbe, Archiv f. Naturg. LII, 1886, p. 219.

cinereus Villers, Linn. Ent. I, 1789, p. 256. — Muls. Col. Fr. Long. ed. 2, 1862, p. 132. — Ganglb. Best.-Tab. VII, 1881, p. 67 (745); Rev. d'Ent. III, 1884, p. 203. — Bedel, Faune Col. Seine V, 1889, p. 22. — Pic, Synops. p. 44. — Everts, Col. Neerl. II, 1, 1902, p. 362. — Csiki, Rov. Lapok XI, 1904, p. 80. — Houlb. Faune Armor. Ceramb. 1904, p. 45, f. 86.

holosericeus Rossi, Fauna Etr. I, 1790, p. 153, t. 1, f. 6. — Costa, Fauna Napoli, Col. II, 1855, Longic. p. 43, t. 34, f. 4.

nebulosus Ol. Enc. méth. V, 1790, p. 257; Ent. IV, 70, 1795, p. 45, t. 1, f. 6. — Muls. Col. Fr. Long. ed. 1, 1839, p. 68.

Biologie: Muls. Ann. Soc. Linn. Lyon (2) II, 1855, p. 258; Opusc. VI, 1855, p. 158. — Carret, Bull. Soc. d'Angers VI und VII, 1878, p. 86. — Xamb. Moeurs & Mét. VIII, 1902, p. 89.

fasciculatus Fald. Fauna Transc. II, 1837, p. 266, t. 8, f. 1. *affinis* Lucas, Ann. Sc. Nat. XVIII, 1842, p. 186; Explor. Algér. Col. 1849, p. 491, t. 41, f. 10. — Pic, Synops. p. 44.

pulverulentus Er. Wagner's Reise III, 1841, p. 188. — Kraatz, Berl. Ent. Zeitschr. VII, 1863, p. 108.

ab. *elongatulus* Pic, Misc. Ent. IV, 1896, p. 35. ab. *pubescens* Pic, Longic. II, 1898, p. 9.

Biologie: Xamb. Moeurs & Mét. VI, 1895, p. 64; VII, 1899, p. 5; VIII, 1902, p. 91; Ann. Soc. Linn. Lyon (2) XLIV, 1898, p. 15.

griseus F. Ent. Syst. 1, 2, 1792, p. 325. — Ol. Ent. IV, 70, 1895, p. 58, t. 7, f. 85. — Muls. Col. Fr. Long.

Algier

Amur,

Korea,

Nordchina

Südeuropa

Kaukasien,

Mittelmeer-

gebiet

Syrien

Algier

Mittelmeer-

gebiet

- ed. 2, 1862, p. 134. — Ganglb. Best.-Tab. VII, 1881, p. 67 (745). — Pic, Synops. p. 44.
- bimaculatus* Billb. in Schönh. Syn. Ins. I, 3, App. 1817, p. 194.
- senex* Woll. Ins. Maderens. 1854, p. 427, t. 9, f. 3; Journ. of Ent. II, 1863, p. 104.
- tomentosus* Lucas, Ann. Sc. Nat. XVIII, 1842, p. 186; Explor. Algér. Col. 1849, p. 491.
- Biologie: Xamb. Moeurs & Mét. VI, 1895, p. 62; VIII, 1902, p. 90. — Künck. Bull. Soc. Ent. Fr. 1904, p. 68.
- Kotschii** Ganglb. Wien. Ent. Zeit. II, 1883, p. 300.
- pallidus** Ol. Enc. méth. V, 1790, p. 256; Ent. IV, 70, 1795, p. 42, t. 6, f. 64. — Muls. Col. Fr. Long. ed. 1, 1839, p. 69; ed. 2, 1862, p. 134. — Ganglb. Best.-Tab. VII, 1881, p. 68 (746). — Bedel, Col. Seine V, 1889, p. 22. — Seidl. Fauna Balt. 1891, p. 233; Fauna Transs. 1891, p. 824. — Stierl. Col. Helvet. II, 1898, p. 454. — Csiki, Rov. Lapok XI, 1904, p. 80. — Houlb. Faune Armor. Ceramb. 1904, p. 46, f. 87. — Pic, Synops. p. 44. — Jacobs. Käfer Russl. 1910, t. 67, f. 21.
- mixtus* F. Ent. Syst. Suppl. 1798, p. 150. — Bach, Käferf. III, 1856, p. 11. — Redt. Fauna Austr. ed. 2, 1858, p. 844; ed. 3, II, 1874, p. 406.
- sermaculatus* Companyo, Bull. Soc. Agric. Pyrén. or. XI, 1858, p. 34, f. 5.
- pilosus** Bodungen, Rev. Russe d'Ent. VIII, 1908, p. 179.
- platifemur** Chevr. Ann. Soc. Ent. Fr. (6) II, 1882, p. 57.
- Preissi** Heyd. Deutsche Ent. Zeitschr. 1894, p. 85. — Pic, Ann. Soc. Ent. Fr. LXVI, 1897, p. 390; Longic. VI, 2, 1907, p. 7.
- roridus** Brullé in Webb & Berth. Ins. Canar. 1838, p. 62, t. 1, f. 6.
- sericeus** F. Mant. Ins. I, 1787, p. 152. — Ol. Ent. IV, 70, 1795, p. 10, t. 3, f. 38. — Muls. Col. Fr. Long. ed. 1, 1839, p. 66; ed. 2, 1862, p. 131. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 38, f. 178. — Ganglb. Best.-Tab. VII, 1881, p. 67 (745); Rev. d'Ent. III, 1884, p. 203. — Bedel, Faune Col. Seine V, 1889, p. 22. — Pic, Synops. p. 44. — J. Müller, Wien. Ent. Zeit. XXV, 1906, p. 224.
- Latreillei* Brullé, Expéd. Mor. Ins. 1832, p. 256, t. 43, f. 8.
- rotundicollis* Lucas, Ann. Sc. Nat. XVIII, 1842, p. 185.
- Biologie: Xamb. Moeurs & Mét. VIII, 1902, p. 91.
- turkestanicus** Heyd. Deutsche Ent. Zeitschr. XXX, 1886, p. 193; XXXI, 1887, p. 295.
- rusticus** Ganglb. Horae Soc. Ent. Ross. XX, 1886, p. 133.
- Cilicien
Frankreich,
Italien,
Griechen-
land
- Kaukasien
Syrien
"
- Canarische
Inseln
Mittelmeer-
gebiet
- Turkestan,
Korea

Äthiopische Arten.

- amicus** White, Cat. Col. Brit. Mus. VIII, 1855, p. 304. — Dist. Ins. Transv. 1904, p. 114, t. 9, f. 10.
- chloroticus** Ol. Enc. méth. V, 1790, p. 256, t. 218, f. 2; Ent. IV, 70, p. 43, t. 3, f. 31 (Genus?).
- Natal,
Transvaal
Südafrika (?)

- fasciatus* Billb. in Schönh. Syn. Ins. I, 3, App. 1817, p. 191. — Murray, Ann. Mag. Nat. Hist. (4) VI, 1870, p. 175. Sierra Leone bis Angola

Ostindische Arten.

- basalis* White, Cat. Col. Brit. Mus. VIII, 1855, p. 304, t. 7, f. 6 (Genus?). Himalaya
- cribricollis* Bates, Proc. Zool. Soc. Lond. 1878, p. 720; Scient. Res. Sec. Yarkand Miss. Col. 1890, p. 21. Murree
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 113.
- erosus* Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 12; Fauna Brit. Ind. Col. I, 1906, p. 113. Tenasserim

Südamerikanische Arten.

- amazonicus* White, Cat. Col. Brit. Mus. VIII, 1855, p. 240. Amazon.
— Bates, Trans. Ent. Soc. Lond. 1870, p. 259.
- cinereus* Blanch. in Gay, Hist. Chile V, 1851, p. 493, t. 28, f. 9. Chile
- inspergatus* Fairm. et Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 509. — Lacord. Gen. Col. VIII, 1869, p. 276, nota 2. — Germain, An. Univ. Chile C, 1898, p. 644 (sep. p. 27). „
- obscurus* Germain, l. c. p. 649 (sep. p. 32). „
- sulcicornis* Germain, l. c. „
- 24

Teinotus Brancs.

Brancs. Jahresh. Ver. Trencs. XIX—XX, 1898, p. 127.

- cinereus* Brancs. l. c. t. 4, f. 20. Madagascar
- 1

Trachelophanes Murr.

Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 170.

- puberulus* Chev. Rev. Zool. (2) VII, 1855, p. 284; Cent. Altcalabar
Long. 1858, nr. 21. — Murr. Ann. Mag. Nat.
Hist. (4) VI, 1870, p. 170.
- 1

Aphoplistus Murr.

Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 173.

- pilosellus* Chev. Rev. Zool. (2) X, 1858, p. 53; Cent. Altcalabar
Long. 1858, nr. 81. — Murr. Ann. Mag. Nat.
Hist. (4) VI, 1870, p. 174.
- 1

Hololeprus Gerst.

Gerst. Jahrb. Hamb. Wiss. Anst. I, 1884, p. 60.

- variolosus* Gerst. l. c. Pangani
- 1

Aganipus Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 39.

calopoides Fairm. l. c.

Abessinien

1

Pseudophilus Gah.

Gah. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 256.

Bagdatocerambyx Pic, Echange XVII, 1901, p. 11.*testaceus* Gah. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 256. Mesopotamien*Drurei* Pic, Echange XVII, 1901, p. 11.

1

Osmidus J. Lec.

J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 177. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 287.

guttatus J. Lec. l. c. p. 178. — Leng, Bull. Brookl. Ent. Soc. VII, 1885, p. 119; Ent. Amer. I, 1885, t. 2, f. 29. Californien

1

Chrotoma Casey.

Casey, Ann. N. York Acad. VI, 1892, p. 27.

dunniana Casey, l. c.

Texas

1

Zamodes J. Lec.

J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 187. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 287.

obscurus J. Lec. l. c. p. 188. — Leng, Ent. Amer. I, 1885, p. 134, t. 3, f. 8. Pennsylvanien, New York

1

Tylonotus Hald.

Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 37. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 22. — Thoms. Syst. Ceramb. 1864, p. 439. — Lacord. Gen. Col. VIII, 1869, p. 396. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 287.

bimaculatus Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 134. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 23. — Leng, Ent. Amer. I, 1885, p. 134, t. 3, f. 7. — Wickh. Canad. Ent. XXIX, 1897, p. 110. Pennsylvanien, New York

1

Phacodes Newm.

Newm. Entomolog. I, 1841, p. 7. — Thoms. Classif. Ceramb. 1860, p. 231; Syst. Ceramb. 1864, p. 455. — Lacord. Gen. Col. VIII, 1869, p. 277.

Subgen. *Paraphacodes* Belon, Rev. d'Ent. XXI, 1902, p. 4.

Subgen. **Phacodes** s. str.

- bellus* Blackb. Trans. R. Soc. S. Austr. XIV, 1891, p. 343. Neusüdwaless
Südaustralien
distinctus Pasc. Journ. of Ent. II, 1865, p. 373. ”
elusus Pasc. l. c. Port
Essingtoni Hope, Proc. Ent. Soc. Lond. 1841, p. 49; Ann. Essington
Mag. Nat. Hist. IX, 1842, p. 429. Südaustralien
ferrugineus Pasc. Journ. of Ent. II, 1863, p. 238.
fuscus Pasc. l. c. 1865, p. 373.
longieollis Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, Wido Bay
p. 270.
marmoratus Blackb. Trans. R. Soc. S. Austr. XIV, 1891, Australia
p. 344.
modicus Blackb. l. c. XXV, 1901, p. 31. Nordwest-
australien
Mossmanni Newm. Zoolog. VIII, 1850, App. p. 124. Südaustralien
obscurus F. Mant. Ins. I, 1787, p. 151. — Ol. Ent. IV, Tasmanien,
70, 1793, p. 9, t. 4, f. 45. — Newm. Entomolog. Süd-
I, 1842, p. 418. — Blanch. Voy. Pole Sud IV, australien,
1853, Col. p. 27, t. 17, f. 13. Victoria
lentiginosus Newm. Entomolog. I, 1841, p. 7. Neusüdwaless
occidentalis Blackb. Proc. Linn. Soc. N. S. Wales (2) West-
VIII, 1894, p. 192. australien
personatus Er. Arch. f. Naturgesch. VIII, 1842, I, p. 221. Tasmanien
— Gah. Trans. Ent. Soc. Lond. 1893, p. 170.
subfasciatus Gah. Trans. Ent. Soc. Lond. 1893, p. 170. Nordwest-
australien
tenuitarsis Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, Nicol Bay
p. 270.
validus Blackb. Trans. R. Soc. S. Austr. XIV, 1891, p. 342. Queensland

Subgen. **Paraphacodes** Belon.

- triangulum* Belon, Rev. d'Ent. XXI, 1902, p. 1. Neu-
caledonien

17

Oebarina Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 105.

- ceresioides* Pasc. l. c. p. 106. Südaustralien
tristis Pasc. l. c. p. 105. ”

2

Liogramma Bates.

Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 18. — Broun, Man. N. Zeal. Col. I, 1880, p. 567.

- zelandicum* Blanch. Voy. Pole Sud IV, 1853, Col. p. 272, Neuseeland
t. 17, f. 4. — Broun, Man. N. Zeal. Col. I, 1880,
p. 568.

1

Laodora Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 529.

pilosa Pasc. l. c.

Banda

1

Sotira Pasc.

Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 54.

flexuosa Pasc. l. c.

Amboina

1

Thecladoris Goun.

Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 616.

tylonotoides Goun. l. c. p. 617.Brasilien:
Goyaz

1

Ranqueles Goun.

Goun. Bull. Soc. Ent. Fr. 1906, p. 140.

mus Goun. l. c. p. 141, fig.

Argentinien

1

Anoplomerus Thoms.Thoms. Classif. Ceramb. 1860, p. 249; Syst. Ceramb. 1864, p. 450. — Lacord.
Gen. Col. VIII, 1869, p. 279. — Belon, Ann. Soc. Linn. Lyon (2) XXXVI,
1890, p. 291 (Revision).*angusticollis* Buq. Ann. Soc. Ent. Fr. (3) VIII, 1860,
p. 627. — Belon, Revis. p. 303.

Brasilien

brachypus Bates, Trans. Ent. Soc. Lond. 1870, p. 260.
— Belon, Revis. p. 304.

Para

Buqueti Belon, Ann. Soc. Ent. Fr. (6) X, 1890, Bull.
p. 9; Revis. p. 298.

Brasilien

globulicollis Buq. Ann. Soc. Ent. Fr. (3) VIII, 1860,
p. 625. — Belon, Revis. p. 299.

,,

gracilis Bates, Trans. Ent. Soc. Lond. 1870, p. 260.

Tapajos

quadriguttatus Buq. Ann. Soc. Ent. Fr. (3) VIII, 1860,
p. 627. — Belon, Revis. p. 302. — ?? Lacord.
Gen. Col. VIII, 1869, t. 85, f. 5.

Cayenne

rotundicollis Guér. Icon. règne anim. Ins. 1843, p. 224.
— Thoms. Classif. Ceramb. 1860, p. 249. —

Brasilien

— Belon, Revis. p. 297.

7

Grammicosum Blanch.Blanch. in Gay, Hist. Chile V, 1851, p. 489. — Thoms. Syst. Ceramb. 1864,
p. 456. — Lacord. Gen. Col. VIII, 1869, p. 230. — Germain, An. Univ.
Chile C, 1898, p. 658.*flavofasciatum* Blanch. Voy. d'Orbigny, Ent. 1843, p. 209,
t. 22, f. 3; in Gay, Hist. Chile V, 1851, p. 490.
— Germain, An. Univ. Chile C, 1898, p. 660,
661 (sep. p. 43, 44), t. 2, f. 6a, 6b.

Chile

- maculicorne** Germain, l. c. p. 660, 665 (sep. p. 43, 48). Chile
minutum Blanch. in Gay, Hist. Chile V, 1851, p. 492. „
 — Germain, An. Univ. Chile C, 1898, p. 660,
 673 (sep. p. 43, 56), t. 2, f. 7a, 7b.
signaticolle Blanch. in Gay, Hist. Chile V, 1851, p. 491, „
 t. 29, f. 7. — Germain, An. Univ. Chile C, 1898,
 p. 660, 669 (sep. p. 43, 52), t. 2, f. 8a, 8b.

4

Eusapia Goun.

Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 687.

- rubiginosa** Goun. l. c. p. 688. Brasilien

1

Maripanus Germain.

Germain, An. Univ. Chile C, 1898, p. 653 (sep. p. 36).

- decoratus** Germain, l. c. p. 656 (sep. p. 39), t. 2, f. 5a, 5b. Chile

1

Aesiotyche Pasc.

Pasc. Journ. of Ent. II, 1865, p. 370. — Lacord. Gen. Col. VIII, 1869, p. 281.

- favosa** Pasc. Journ. of Ent. II, 1865, p. 370, t. 16, f. 3. Südaustralien

1

Stromatiodes Thoms.

Thoms. Rev. Zool. (3) VI, 1878, p. 1.

- brunneus** Thoms. l. c. Borneo

1

Digonium Pic.

Pic, Echange XI, 1895, p. 76.

- longicorne** Pic, l. c. p. 77. Arabien

1

Stromatium Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 80. — Cast. Hist. Nat. II, 1840,
 p. 452. — Woll. Ins. Mader. 1854, p. 422. — Thoms. Classif. Ceramb. 1860,
 p. 231; Syst. Ceramb. 1864, p. 455. — Muls. Col. Fr. Long. ed. 2, 1862,
 p. 129. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 131. — Lacord. Gen. Col.
 VIII, 1869, p. 282. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 287.
 — Gah. Fauna Brit. Ind. Col. I, 1906, p. 114.

Selenophorus Muls. Col. Fr. Long. ed. I, 1839, p. 65.

- alienum** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 95; Brasilien

(3) III, 1869, p. 531 nota.

- ambiguum** Newm. Entomolog. I, 1842, p. 246 (Genus?). Philippinen

- barbatum** F. Syst. Ent. 1775, p. 189. — Ol. Ent. IV, 70, 1795, p. 10, t. 4, f. 41. — Cast. Hist. Nat. II, 1840, p. 452. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 114, f. 45. — Maxw.-Lefr. Ind. Ins. Life 1909, p. 373.
funestum Boisd. Voy. Astrol. II, 1835, p. 481.
tranquebaricum Gmel. Syst. Nat. I, 4, 1790, p. 1848.
 ♀ *variolosum* F. Ent. Syst. Suppl. 1798, p. 149.
- fulvum** Villers, Linn. Ent. I, 1789, p. 256. — Jacobs. Käfer Russl. 1910, t. 65, f. 14.
pallidum Zoubk. Bull. Mosc. VI, 1833, p. 336.
strepens F. Ent. Syst. Suppl. 1798, p. 150. — Muls. Col. Fr. Long. ed. I, 1839, p. 65. — Costa, Fauna di Nap. Col. II, 1855, p. 41, t. 34, f. 3. — Redt. Fauna Austr. ed. 2, 1858, p. 843; ed. 3, III, 1874, p. 406. — Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 96.
unicolor Ol. Ent. IV, 70, 1795, p. 58, t. 7, f. 84. — Woll. Ins. Mader. 1854, p. 423. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 265. — Muls. Col. Fr. Long. ed. 2, 1862, p. 129. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 265. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 39, f. 179. — Ganglb. Best.-Tab. VII, 1881, p. 68 (746); Rev. d'Ent. III, 1884, p. 203.
 Biologie: Schiödte, Nat. Tidskr. (3) X, 1876, p. 407, t. 14, f. 10, 11. — Xambeu, Moeurs & Mét. VIII, 1902, p. 87. — Silantjev, Horae Soc. Ent. Ross. XXXVIII, 1908, p. 185, fig.
- inermis** Tourn. Rev. Zool. (2) XXIII, 1872, p. 260.
- laticolle** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 532.
- longicorne** Newm. Entomolog. I, 1842, p. 246. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 115.
asperulum White, Cat. Col. Brit. Mus. VIII, 1855, p. 300. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 532.
- pubescens** Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 34. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 16. — Leng, Bull. Brookl. Ent. Soc. VII, 1885, p. 119; Ent. Amer. I, 1885, t. 3, f. 30.

8

Zoodes Pasc.

- Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 319. — Lacord. Gen. Cck. VIII, 1869, p. 281. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 115.
- angolensis** Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 324.
- compressus** F. Mant. Ins. I, 1787, p. 153. — Ol. Ent. IV, 70, 1795, p. 11, t. 4, f. 44. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 118.
- cornutus** Lacord. Gen. Col. VIII, 1869, p. 282, nota 1. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 533.
- Ostindien,
 Ceylon,
 Birma,
 Andamanen,
 Madagaskar,
 Mauritius,
 Bourbon,
 Seychellen
 Mittelmeergebiet,
 Persien,
 Turkestan,
 Südamerika,
 Rio de Janeiro,
 Cuba
- Bagdad
 Batjan
 Assam,
 Birma,
 Siam,
 Südchina,
 Philippinen,
 Borneo,
 Celebes
 Pennsylvanien
- Angola
 Siam,
 Ostindien
- Malacca

- crassipes* Quedf. Berl. Ent. Zeitschr. XXXII, 1888, p. 198. Centralafrika
eburioides Lacord. Gen. Col. VIII, 1869, p. 282, nota 1. Ceylon
 — Gah. Fauna Brit. Ind. Col. I, 1906, p. 118.
 ? *carinulatus* Karsch, Berl. Ent. Zeitschr. XXVI,
 1882, p. 389.
signiferus Pasc. Ann. Mag. Nat. Hist. (5) XV,
 1885, p. 55.
- fulguratus* Gah. Fauna Brit. Ind. Col. I, 1906, p. 117. Birma
liturifer Walk. List Col. coll. by Lord 1871, p. 18. Arabien,
denticollis Fairm. Ann. Soc. Ent. Fr. LX, 1891, Nubien,
 p. 269; Rev. d'Ent. XI, 1892, p. 120. Ostafrika,
hirsutus Jord. Nov. Zool. I, 1894, p. 497. Südafrika,
picicornis Fairm. Ann. Soc. Ent. Fr. (6) VIII, Senegal
 1888, p. 200. — Dist. Ins. Transv. 1904, p. 114,
 t. 9, f. 3.
- maculatus* White, Cat. Col. Brit. Mus. VIII, 1855, p. 301, Ceylon
 t. 7, f. 4. — Pasc. Ann. Mag. Nat. Hist. (3)
 XIX, 1867, p. 319. — Lacord. Gen. Col. VIII,
 1869, p. 282, nota 1. — Gah. Fauna Brit. Ind.
 Col. I, 1906, p. 116.
- nilgiriensis* Gah. l. c. p. 117, f. 46. Nilgiri
quadridentatus Gah. l. c. p. 116. Südostindien
subpilosus Nonfr. Deutsche Ent. Zeitschr. 1894, p. 208. Sumatra
- 11

Gnatholeophanes Kolbe.

Kolbe, Berl. Ent. Zeitschr. XLV, 1901, p. 301.

- octosignatus* Kolbe, l. c. t. 4, f. 2. Ostafrika
 1

Aspitus Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 61.

- seriatus* Kolbe, l. c. Togoland
 1

Gnatholea Thoms.

Thoms. Classif. Ceramb. 1860, p. 375; Syst. Ceramb. 1864, p. 456. —
 Lacord. Gen. Col. VIII, 1869, p. 284. — Pasc. Trans. Ent. Soc. Lond.
 (3) III, 1869, p. 530. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 110.

- eburifera* Thoms. Classif. Ceramb. 1860, p. 375. — Siam,
 Gah. Ann. Mag. Nat. Hist. (6) V, 1890, p. 53; Malacca,
 Fauna Brit. Ind. Col. I, 1906, p. 111. Borneo
fryana Gah. l. c. p. 111. Tenasserim
simplex Gah. l. c. p. 111, f. 44. Sikkim,
 Assam,
 Birma
stigmatipennis White, Cat. Col. Brit. Mus. VIII, 1855, Philippinen
 p. 303. — Pasc. Trans. Ent. Soc. Lond. (3) III,
 1869, p. 530.
subnuda Lacord. Gen. Col. VIII, 1869, p. 284, nota 2. Malacca
- 5

Cacophrissus Bates.

Bates, Biol. C.-Am. Col. V, 1885, p. 252.

pauper Bates, l. c. t. 18, f. 8.

Mexico

1

Gnaphalodes Thoms.Thoms. Classif. Ceramb. 1860, p. 235; Syst. Ceramb. 1864, p. 455. —
Lacord. Gen. Col. VIII, 1869, p. 278.**trachyderoides** Thoms. Classif. Ceramb. 1860, p. 236.

Texas,

— Leng, Ent. Amer. I, 1885, p. 28, t. 2, f. 32.

Mexico,

ab. *inermis* Bates, Biol. C.-Am. Col. V, 1884,

Honduras

p. 243.

1

Cidugala Auriv.

Auriv. Arkiv f. Zool. IV, 17, 1908, p. 1.

grisea Auriv. l. c. f. 42.

Deutsch-

Ostafrika

1

Cerasphorus Serv.Serv. Ann. Soc. Ent. Fr. III, 1834, p. 10. — Thoms. Classif. Ceramb.
1860, p. 231; Syst. Ceramb. 1864, p. 455. — Lacord. Gen. Col. VIII, 1869,
p. 285.*Ceratophorus* Gemm. & Har. Cat. Col. IX, 1873, p. 2811.*Corethrogaster* Thoms. Classif. Ceramb. 1860, p. 234.**brunneus** Hintz, Deutsche Ent. Zeitschr. 1910, p. 306.

Deutsch-

Ostafrika

hirticornis Serv. Ann. Soc. Ent. Fr. III, 1834, p. 11.

— Klug, Erman's Reise, Atl. V, 1835, p. 44.

Senegal,

gabonicus Thoms. Arch. Ent. II, 1858, p. 160;

Guinea,

Classif. Ceramb. 1860, p. 235.

Congo

murinus Chevr. Rev. Zool. (2) VIII, 1856, p. 568;

Cent. Long. 1858, nr. 61. — Murr. Ann. Mag.

Nat. Hist. (4) VI, 1870, p. 171.

2

Amphelictus Bates.

Bates, Biol. C.-Am. Col. V, 1884, p. 242.

melas Bates, l. c.

Mexico

1

Chion Newm.Newm. Entomolog. I, 1841, p. 23. — Thoms. Classif. Ceramb. 1860, p. 232;
Syst. Ceramb. 1864, p. 451. — Lacord. Gen. Col. VIII, 1869, p. 285. —
J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 287.*Cerasphorus* J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 11.**cinctus** Drury, Ill. Exot. Ins. I, p. 85, t. 37, f. 6; Index

Nordamerika

1773. — Leng, Ent. Amer. I, 1885, p. 28. —

Wickh. Canad. Ent. XXIX, 1897, p. 108, f. 18.

balteatus Degeer, Mém. Ins. V, 1775, p. 111, t. 14, f. 3. — Panzer in Drury, Exot. Ins. I, 1778, p. 143, t. 37, f. 6. — Westw. in Drury, Ill. Exot. Ins. I, 1837, p. 80, t. 37, f. 6.

garganicus F. Syst. Ent. 1775, p. 178. — Ol. Ent. IV, 67, 1795, p. 39, t. 15, f. 165. — Beauv. Ins. Afr. et Am. 1821, p. 247, t. 37, f. 3.

quadriscopinosus Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 32.

ruricola Gmel. Syst. Nat. I, 4, 1790, p. 1860.

rusticus F. Spec. Ins. I, 1781, p. 228. — Ol. Ent. IV, 67, 1795, p. 41, 69, t. 2, f. 16. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 12.

Biologie: Harris, Ins. of Massach. 1842, p. 81.

— Felt, Ins. aff. Trees 1905, p. 267.

✓ var. *ochraceus* Bates, Biol. C.-Am. Col. V, 1884, p. 243. — Schaeffer, Bull. Brookl. Inst. I, 1908, p. 331.

Mexico,
Florida

✓ var. *sonorensis* Schaeffer, l. c. p. 332.

Arizona

1

Perilasius Bates.

Bates, Biol. C.-Am. Col. V, 1880, p. 17. — Horn, Proc. Am. Ent. Soc. XIII, 1886, p. 10.

✓ **Championi** Bates, Biol. C.-Am. Col. V, 1880, p. 18, t. 17, Guatemala
f. 2.

1

Brothylus J. Lec.

J. Lec. Proc. Acad. Philad. 1859, p. 80. — Lacord. Gen. Col. VIII, 1869, p. 290. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 286.

✓ *conspersus* J. Lec. l. c. p. 285. — Leng, Bull. Brookl. Ent. Soc. VII, 1885, p. 119; Ent. Amer. I, 1885, Oregon
t. 2, f. 28.

✓ *gemmulatus* J. Lec. Proc. Acad. Philad. 1859, p. 280. Californien
— Leng, Bull. Brookl. Ent. Soc. VII, 1885, p. 119.

✓ *subpubescens* Schaeffer, Journ. N. Y. Ent. Soc. XVII, Arizona
1909, p. 100.

3

Phymatioderus Blanch.

Blanch. in Gay, Hist. Chile V, 1851, p. 495. — Thoms. Syst. Ceramb. 1864, p. 453. — Lacord. Gen. Col. VIII, 1869, p. 287. — Germain, An. Univ. Chile CI, 1898, p. 721 (sep. p. 99).

✓ *bizonatus* Blanch. Voy. d'Orbigny, Ins. 1843, p. 209, Chile
t. 21, f. 10; in Gay, Hist. Chile V, 1851, p. 496, t. 28, f. 11. — Germain, An. Univ. Chile CI, 1898, p. 725, t. 2, f. 9 a, 9 b.

1

Xuthodes Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) XVI, 1875, p. 217. — Broun, Man. N. Zeal. Col. I, 1880, p. 580.

- apicalis* Sharp, Ent. Month. Mag. XIII, 1877, p. 193. Neuseeland
 — Broun, Man. N. Zeal. Col. I, 1880, p. 580.
Batesi Sharp, l. c. p. 194. — Broun, l. c. p. 581. „
divergens Broun, l. c. p. 581. „
lepidus Broun, l. c. V, 1893, p. 1280. „
punctipennis Pascoe, Ann. Mag. Nat. Hist. (4) XVI, Insel Pitt
 1875, p. 217, t. 5, f. 9.

5

Opades Lacord.

Lacord. Gen. Col. VIII, 1869, p. 288.

- costifera* Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 486. Ecuador
costipennis Buq. in Guér. Icon. règne anim. Ins. 1843, Cayenne
 p. 221.
vittipennis Bates, Trans. Ent. Soc. Lond. 1870, p. 261. Ega

3

Chlorida Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 31. — Cast. Hist. Nat. II, 1840, p. 422. — Thoms. Classif. Ceramb. 1860, p. 232; Syst. Ceramb. 1864, p. 451.
 — Lacord. Gen. Col. VIII, 1869, p. 289.

Tetracanthus Hope, Trans. Zool. Soc. Lond. I, 1835, p. 107.

- cineta* Guérin, Rev. Zool. 1844, p. 259. — Dohrn, Stett. Mexico
 Ent. Zeit. XLV, 1884, p. 277.
costata Serv. Ann. Soc. Ent. Fr. III, 1834, p. 32. — Brasilien
 Heyne, Exot. Käf. 1906, t. 36, f. 6.
curta Thoms. Arch. Ent. I, 1857, p. 288. — Bates, Trans. Cayenne,
 Ent. Soc. Lond. 1870, p. 262. Amazon.
denticulata Buq. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 623. Cayenne
fasciata Bates, Trans. Ent. Soc. Lond. 1870, p. 263. St. Paulo
festiva L. Syst. Nat. ed. 10, 1758, p. 389. — Drury, Ill. Zentral- und
 Exot. Ins. I, 1773, p. 84, t. 37, f. 5. — F. Syst. Süd-
 Ent. 1775, p. 179. — Herbst in Füessly, Archiv amerika,
 V, 1784, p. 92, t. 25, f. 12. — Cast. Hist. Nat. Küste
 II, 1840, p. 422. — Jacq. du Val in Ramon, West-
 Hist. Cuba VI, 1857, p. 261. — Chevr. Ann. afrikas,
 Soc. Ent. Fr. (4) II, 1862, p. 267. Prinzen-
africana Voet, Cat. Col. II, 1778, p. 17, t. 16, Insel,
 f. 66; ed. Panzer III, 1794, p. 42, t. 16, f. 66. St. Thomé
spinosa Degeer, Mém. Ins. V, 1775, p. 100, t. 13, f. 14.
sulcata Sulzer, Gesch. Ins. 1776, p. 45, t. 5, f. 6.
 — Ol. Enc. méth. Ins. V, 1790, p. 304; Ent. IV, 67, 1795, p. 28, t. 16, f. 113.
obliqua Buq. Ann. Soc. Ent. Fr. (2) X, 1852, p. 655, Columbien
 t. 12, f. 1.
parvula Thoms. Classif. Ceramb. 1860, p. 243. Guyana
spinosa Auriv. Ent. Tidskr. VIII, 1887, p. 191. Columbien
transversalis Buq. Icon. règne anim. Ins. 1844, p. 221. „

10

Pantomallus Lacord.

Lacord. Gen. Col. VIII, 1869, p. 286.

- ✓ **fuliginus** Bates, Trans. Ent. Soc. Lond. 1872, p. 173; Nicaragua
 Biol. C.-Am. Col. V, 1880, p. 18, t. 3, f. 4.
- T **inermis** Fleut. & Sallé, Ann. Soc. Ent. Fr. (6) IX, 1889, Guadeloupe
 p. 461. — Gah. Trans. Ent. Soc. Lond. 1895, p. 93.
- T **meridanus** Bates, Trans. Ent. Soc. Lond. 1872, p. 174 Venezuela
 nota.
- T **morosus** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 10. Brasilien
villosicornis Lacord. Gen. Col. VIII, 1869,
 p. 287, nota 1, t. 85, f. 2.
- T ✓ **ovicollis** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 180. Texas
 — Leng, Ent. Amer. I, 1885, p. 29.
- T **proletarius** Er. Arch. für Naturgesch. XIII, 1847, I, Peru
 p. 140.

6

XVI. Eburini.

Lacord. Gen. Col. VIII, 1869, p. 290.

Styliceps Lacord.

Lacord. Gen. Col. VIII, 1869, p. 291.

- sericatus** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 16. Amazoni,
 — Bates, l. c. 1870, p. 263; Biol. C.-Am. Col. Cayenne,
 V, 1880, p. 19, t. 3, f. 1. Nicaragua
- amazonicus* Thoms. Classif. Ceramb. 1860, p. 210.
- sericans* Lacord. Gen. Col. VIII, 1869, p. 292,
 nota 1, t. 85, f. 3.

1

Eburia Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 8. — Cast. Hist. Nat. II, 1840,
 p. 423. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 11. — Thoms.
 Classif. Ceramb. 1860, p. 231; Syst. Ceramb. 1864, p. 449. — Lacord.
 Gen. Col. VIII, 1869, p. 293. — Bates, Biol. C.-Am. Col. V, 1880, p. 19.
 — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 287.

Coeleburia Thoms. Classif. Ceramb. 1860, p. 237.*Dissacantha* Thoms. Syst. Ceramb. 1864, p. 240.*Dissacanthus* Hope, Trans. Zool. Soc. Lond. I, 1835, p. 107.

— Lacord. Gen. Col. VIII, 1869, p. 295.

Drymo Thoms. Syst. Ceramb. 1864, p. 242. — Lacord. Gen. Col.
 VIII, 1869, p. 292.*Eleutho* Thoms. l. c.

- aegrota** Bates, Biol. C.-Am. Col. V, 1880, p. 21 (= *ama-* Mexico
bilis?).

amabilis Boh. Eugen. Resa, Col. 1859, p. 150.**Baroni** Bates, Trans. Ent. Soc. Lond. 1892, p. 148, t. 5, f. 3. Galapagos**Bauri** Linell, Proc. U. S. Nat. Mus. XXI, 1898, p. 259. Mexico**bimaculatus** Voet, Cat. Col. II, 1778, p. 16, t. 15, f. 65; Galapagos
 ed. Panz. III, 1794, p. 41, t. 15, f. 65. Antigua

- Blancaneaui** Bates, Biol. C.-Am. Col. V, 1880, p. 20, t. 17, f. 5. Honduras
- brevispinis** Bates, l. c. p. 21. Mexico
- Championi** Bates, l. c. p. 20, t. 17, f. 6. Guatemala
- cinnamomea** Fleut. & Sallé, Ann. Soc. Ent. Fr. (6) IX, 1889, p. 463. — Gah. Trans. Ent. Soc. Lond. 1895, p. 98. Guadeloupe
- clara** Bates, Biol. C.-Am. Col. V, 1884, p. 245, t. 17, f. 16. Mexico
- consobrina** Jacq. du Val in Sagra, Hist. Cuba, Ins. p. 265, t. 10, f. 6. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 267. — Thoms. Syst. Ceramb. 1864, p. 242. — Gah. Trans. Ent. Soc. Lond. 1895, p. 97. Cuba, Jamaica
- pedestris* ♂ White, Cat. Col. Brit. Mus. VII, 1853, p. 88.
- conspersa** Horn, Bull. Calif. Acad. (2) IV, 1894, p. 399. Nieder-californien
- costulata** Bates, Trans. Ent. Soc. Lond. 1870, p. 265. Ega
- decemmaculata** F. Syst. Ent. 1775, p. 181. — Ol. Enc. méth. Ins. V, 1790, p. 306; Ent. IV, 67, 1795, p. 44, t. 12, f. 86. Guadeloupe, St. Barthélemy
- quinquemaculata* F. Ent. Syst. I, 2, 1792, p. 296.
- Dejeani** Gah. Trans. Ent. Soc. Lond. 1895, p. 94. Guadeloupe, Martinique
- didyma** Ol. Ent. IV, 67, 1795, p. 125, t. 23, f. 179. — Bates, Trans. Ent. Soc. Lond. 1870, p. 266, nota 1. Cuba
- pulverea* Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 266. — Thoms. Syst. Ceramb. 1864, p. 242. — Gah. Trans. Ent. Soc. Lond. 1895, p. 98.
- distincta** Hald. Proc. Acad. Philad. III, 1845, p. 150. Georgien, Mississippi
- J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 11. — Leng, Ent. Amer. I, 1885, p. 29.
- Haldemani** J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 102. — Leng, Ent. Amer. I, 1885, p. 29. Texas, Florida
- insulana** Gah. Trans. Ent. Soc. Lond. 1895, p. 93. St. Vincent
- lanigera** Linell, Proc. U. S. Nat. Mus. XXI, 1898, p. 259. Galapagos
- laticollis** Bates, Biol. C.-Am. Col. V, 1880, p. 22. Mexico
- longicollis** Bates, Trans. Ent. Soc. Lond. 1870, p. 264. Ega
- maerotaenia** Bates, Biol. C.-Am. Col. V, 1880, p. 20, t. 17, f. 9. Guatemala
- maculicornis** Bates, Trans. Ent. Soc. Lond. 1870, p. 266 nota. Südbrasilien
- Meinerti** nov. nom. Venezuela
- nigrovittata* Auriv. Ent. Tidskr. XIV, 1893, p. 184, f. 12.
- mutica** J. Lec. Proc. Acad. Philad. VI, 1853, p. 233. Texas, Mexico
- Leng, Ent. Amer. I, 1885, p. 29. — Schaeffer, Bull. Brookl. Inst. I, 1908, p. 332.
- ♂ *tumida* J. Lec. in Smiths. Misc. Coll. XI, 264, 1873, p. 181. — Leng, Ent. Am. I, 1885, p. 29.
- var. *manca* J. Lec. Journ. Acad. Philad. (2) IV, 1858, p. 24. — Leng, Ent. Am. I, 1885, p. 29.
- nigrovittata** Bates, Biol. C.-Am. Col. V, 1884, p. 246. Mexico
- octoguttata** Germ. Mag. Ent. IV, 1821, p. 168. — Dohrn, Stett. Ent. Zeit. XLIV, 1883, p. 364. Südbrasilien
- didyma* Heyne, Exot. Käfer 1906, t. 36, f. 7.

- . T ✓ **octomaculata** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 265. — Gah. Trans. Ent. Soc. Lond. 1895, p. 96. Cuba,
 Dominica,
 Guadeloupe
- . T ✓ **patruelis** Bates, Biol. C.-Am. Col. V, 1884, p. 244. Mexico
- . T ✓ **pedestris** White, Cat. Col. Brit. Mus. VII, 1853, p. 88. Honduras
 — Bates, Biol. C.-Am. Col. V, 1880, p. 20, t. 3, f. 3.
 var. *mutata* Bates, l. c. 1884, p. 245.
- . T ✓ **perspicillaris** Er. Schomb. Reise III, 1848, p. 572. Panama
 Guyana
- . T ✓ **pilosa** Er. Nova Acta Acad. Nat. Cur. XVI, 1833, p. 267, t. 39, f. 7. Peru /suppl.
- . T ✓ **porulosa** Bates, Trans. Ent. Soc. Lond. 1892, p. 149. Mexico,
 Honduras
 var. *porifera* Bates, l. c.
- . T ✓ **postica** White, Cat. Col. Brit. Mus. VII, 1853, p. 89. Jamaica
 — Gah. Trans. Ent. Soc. Lond. 1895, p. 94.
- . T ✓ **quadrigeminata** Say, Journ. Acad. Philad. V, 2, 1827, p. 275. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 11. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 265. — Leng, Ent. Amer. I, 1885, p. 29, t. 3, f. 2. — Wickh. Canad. Ent. XXIX, 1897, p. 109. Nordamerika
quadrimaculata Ol. Enc. méth. Ins. V, 1790, p. 304; Ent. IV, 67, 1795, p. 45, t. 21, f. 164.
 — ? Haw. Trans. Ent. Soc. Lond. I, 1812, p. 83.
 — Shuck. Brit. Col. 1840, p. 75, Suppl. t. 7, f. 2.
 Biologic: Webster, Ins. Life I, 1889, p. 339.
 — Felt, Ins. aff. Trees 1907, p. 462.
- . T ✓ **quadrilineata** Burm. Stett. Ent. Zeit. XXVI, 1865, p. 165. Argentinien,
 Rogersi Bates, Trans. Ent. Soc. Lond. 1870, p. 266 nota. Süd-
 brasilien
 var. *nigricans* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 618.
- . T ✓ **quadrimaculata** L. Syst. Nat. ed. XII, 1767, p. 626. — Westindien
 F. Syst. Ent. 1775, p. 180.
binodosa Gah. Trans. Ent. Soc. Lond. 1895, p. 95.
 ?♀ *rhamphygea* L. Syst. Nat. ed. XII, 1767, p. 633.
- . T ✓ **quadrinotata** Latr. in Humb. & Bonpl. Obs. Zool. I, 1811, p. 165, t. 16, f. 9. Columbien,
 speciosa Blanch. Voy. d'Orbigny, Ins. 1837—43, Peru,
 p. 208, t. 21, f. 5; in Gay, Hist. Chile V, 1851, Chile
 p. 463, t. 29, f. 1.
- . T ✓ **rotundipennis** Bates, Biol. C.-Am. Col. V, 1884, p. 245, Mexico
 t. 17, f. 15.
- . T ✓ **rufobrunnea** Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, Guatemala
 p. 366.
- . T ✓ **semipubescens** Thoms. Classif. Ceramb. 1860, p. 238. Venezuela
 semipubescens Fall, Canad. Ent. XLI, 1909, p. 163. Californien
- . T ✓ **sericea** Sallé, Ann. Soc. Ent. Fr. (3) III, 1855, p. 271, Haiti
 t. 14, f. 6. — Gah. Trans. Ent. Soc. Lond. 1895, p. 98.
- . T ✓ **sexnotata** Boh. Eugen. Resa, Col. 1859, p. 150. — Auriv. Ecuador
 Ent. Tidskr. XIV, 1893, p. 182.
- . T ✓ **sordida** Burm. Stett. Ent. Zeit. XXVI, 1865, p. 165. Argentinien
- . T ✓ **stigma** Ol. Ent. IV, 67, 1795, p. 126, t. 23, f. 180. — Florida,
 Jacq. du Val, Hist. Cuba VII, 1856, p. 265. — Cuba,
 Leng, Ent. Amer. I, 1885, p. 29. — Gah. Trans. Haiti,
 Ent. Soc. Lond. 1895, p. 96. Nicaragua
- . T ✓ **Duvali** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 266.

- stigmatica** Chevr. Col. Mex. III, 1834, nr. 60. — Bates, Biol. C.-Am. Col. V, 1884, p. 244. — Leng, Ent. Amer. I, 1885, p. 29.
perforata J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 180.
sulphureosignata Er. Arch. für Naturgesch. XIII, 1847, I, p. 140.
 var. *umbrosa* Kirsch, Deutsche Ent. Zeitschr. XIX, 1875, p. 285.
tetrastalacta White, Cat. Col. Brit. Mus. VII, 1853, p. 89.
maculata Drury, Ill. Exot. Ins. I, 1773, p. 84, t. 37, f. 3, Index.
quadrimalculata Panzer in Drury, Abbild. Exot. Ins. I, 1788, p. 141, t. 37, f. 3. — Westw. in Drury, Ill. Exot. Ins. ed. 2, I, 1837, p. 79, t. 37, f. 3.
thoracica White, Cat. Col. Brit. Mus. VII, 1853, p. 92.
Ulkei Blandf. Proc. Ent. Soc. Philad. I, 1862, p. 270.
unicolor Bates, Trans. Ent. Soc. Lond. 1870, p. 265.

53

Volxemia Lameere.

Lameere, Ann. Soc. Ent. Belg. XXVIII, 1884, p. 85.

- dianella** Lameere, l. c. p. 86. Südbrasilien
 1

Erosida Thoms.

Thoms. Classif. Ceramb. 1860, p. 242. — Lacord. Gen. Col. VIII, 1869, p. 295. — Auriv. Ent. Tidskr. XIV, 1893, p. 184.

- Delia** Thoms. Classif. Ceramb. 1860, p. 242. Venezuela,
elegans Lacord. Gen. Col. VIII, 1869, p. 295, Columbien
 nota 3, t. 85, f. 4.
formosa Blanch. Voy. d'Orbigny, Ins. 1837—43, p. 208, Bolivien
 t. 21, f. 7.
gratiosa Blanch. l. c. p. 208, t. 21, f. 8. — Thoms. Classif. Brasilien
 Ceramb. 1860, p. 242.
lineola F. Spec. Ins. I, 1781, p. 228. — Ol. Enc. méth. „
 Ins. V, 1790, p. 306; Ent. IV, 67, 1795, p. 84;
 69, t. 2, f. 17. — Lacord. Gen. Col. VIII, 1869,
 p. 296, nota 1.
brasiliiana Gmelin, Syst. Nat. I, 4, 1790, p. 1860.
trilineata Auriv. Ent. Tidskr. XIV, 1893, p. 183, f. 11. Südbrasilien
 5

Cupanoscelis Goun.

Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 618.

- clavipes** Goun. l. c. p. 619, f. 16. Brasilien:
 Goyaz
heteroclita Goun. l. c. f. 15. Brasilien

2

Eburoidacrys Thoms.

Thoms. Classif. Ceramb. 1860, p. 288; Syst. Ceramb. 1864, p. 449. — Lacord. Gen. Col. VIII, 1869, p. 296. — Bates, Trans. Ent. Soc. Lond. 1870, p. 267.

Eburoidacrys Gemm. & Har. Cat. Col. IX, 1873, p. 2815.

	asperula Bates, Biol. C.-Am. Col. V, 1880, p. 23, 246.	Mexico
I	assimilis Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 625.	Goyaz
I	basicornis Dohrn, Stett. Ent. Zeit. XLIII, 1882, p. 373.	Südbrasilien
I	caecica Bates, Trans. Ent. Soc. Lond. 1870, p. 267 nota.	Cayenne
T	callixantha Bates, l. c. 1872, p. 174; Biol. C.-Am. Col. V, 1880, p. 23, 246, t. 3, f. 5.	Venezuela, Nicaragua, Mexico
T	campestris Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 633, f. 19.	Brasilien
Tv	citreo guttata Thoms. Classif. Ceramb. 1860, p. 240.	Cayenne
T	coalescens Bates, Biol. C.-Am. Col. V, 1884, p. 247, t. 17, f. 14.	Nicaragua
L	Costai Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 628.	Goyaz
I	crassimana Goun. l. c. p. 621, f. 18.	Brasilien
I	curialis Goun. l. c. p. 624.	Goyaz
T	decipiens Goun. l. c. p. 626.	"
Tv	dubitata White, Cat. Col. Brit. Mus. VII, 1853, p. 95. var. <i>subaffinis</i> White, l. c.	Brasilien
T	eburioides White, l. c. p. 114. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 620, f. 17, l.	"
	var. <i>arcifera</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 271 nota.	
	var. <i>concolor</i> Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 620, f. 17, 2, 3.	Goyaz
T	elegantula Goun. l. c. p. 631.	"
T	flexuosa Goun. l. c. p. 627.	Brasilien
T	fortunata Lameere, Ann. Soc. Ent. Belg. XXVIII, 1885, p. 87.	"
T	granipennis Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 629.	Goyaz
Tv	havanensis Chev. Ann. Soc. Ent. Fr. (4) II, 1862, p. 267.	Cuba, Venezuela, Zentral- amerika
I	hirsutula Bates, Trans. Ent. Soc. Lond. 1870, p. 269.	Santarem
I	laevicornis Bates, Biol. C.-Am. Col. V, 1884, p. 247.	Panama
T	longilineata White, Cat. Col. Brit. Mus. VII, 1853, p. 93. var. <i>gigas</i> Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 629.	Brasilien Goyaz
T	longipilis Bates, Trans. Ent. Soc. Lond. 1870, p. 268.	Ega
T	lugubris Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 622.	Goyaz
T	mancula White, Cat. Col. Brit. Mus. VII, 1853, p. 94.	Brasilien
T	mexicana Thoms. Classif. Ceramb. 1860, p. 239. — Bates, Biol. C.-Am. Col. V, 1884, p. 247, t. 17, f. 17. var. <i>interrupta</i> Bates, l. c.	Zentral- amerika
T	memorivaga Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 623.	Guatemala Goyaz
T	notula Goun. l. c. p. 632.	Brasilien
T	puella Newm. Ann. Mag. Nat. Hist. (2) IV, 1840, p. 196.	"
T	punctipennis White, Cat. Col. Brit. Mus. VII, 1853, p. 94. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 624.	Südamerika
T	quadridens F. Syst. Eleuth. II, 1801, p. 308.	"

- raripila* Bates, Trans. Ent. Soc. Lond. 1870, p. 270 nota. Cayenne
rufispinis Bates, l. c. p. 269. Ega
sanguinipes Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz
 p. 632.
seminigra Goun. l. c. p. 622. „
sexguttata Lameere, Ann. Soc. Ent. Belg. XXVIII, 1885, Südbrasilien
 p. 87.
sexmaculata Ol. Enc. méth. V, 1790, p. 305; Ent. IV, Brasilien
 67, 1795, p. 47, t. 15, f. 103. — F. Ent. Syst.
 I, 2, 1792, p. 295. — Bates, Trans. Ent. Soc.
 Lond. 1870, p. 270. — Heyne, Exot. Käfer 1906,
 t. 36, f. 11. — Goun. Ann. Soc. Ent. Fr. LXXVII,
 1909, p. 629.
Stahli Auriv. Ent. Tidskr. XIV, 1893, p. 181, f. 9. Südbrasilien
sticticollis Bates, Trans. Ent. Soc. Lond. 1874, p. 220; Nicaragua
 Biol. C.-Am. Col. V, 1880, p. 23, t. 3, f. 6.
sulfurifera Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz
 p. 630.
triocellata Stål, Öfvers. Vet. Akad. Förh. XIV, 1857, Neugranada
 p. 65. — Auriv. Ent. Tidskr. XIV, 1893, p. 182,
 f. 10.
tuberosa Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 622. Goyaz
virgo Newm. Ann. Mag. Nat. Hist. (2) IV, 1840, p. 196. Brasilien
megalospilota White, Cat. Col. Brit. Mus. VII,
 1853, p. 95, t. 3, f. 4. — Bates, Trans. Ent. Soc.
 Lond. 1870, p. 268.
vittata Blanch. Voy. d'Orbigny, Ent. 1837—43, p. 208, Bolivien
 t. 21, f. 6.

44

Oncoptera Lacord.

Lacord. Gen. Col. VIII, 1869, p. 297.

- vidua* Lacord. l. c. p. 298, nota 1. Montevideo

XVII. Phoracanthini.

Lacord. Gen. Col. VIII, 1869, p. 298. — Gah. Fauna Brit. Ind. Col. I,
1906, p. 151.

Orion Guér.

Guér. Icon. règne anim. Ins. 1843, p. 229. — Lacord. Gen. Col. VIII, 1869,
p. 298.

- brunneus* Guér. Icon. règne anim. Ins. 1843, p. 229. Patagonien
Lacordairei Rits. Notes Leyd. Mus. XI, 1889, p. 144. Uruguay
maurus Newm. Entomolog. I, 1841, p. 111. Brasilien
patagonus Guér. Icon. règne anim. Ins. 1843, p. 229. Patagonien
 — Lacord. Gen. Col. VIII, 1869, t. 86, f. 1.
Lachesis Blanch. Voy. d'Orbigny 1837—43, p. 209, Bolivien
 t. 22, f. 1.

4

Romaleum White.

White, Cat. Col. Brit. Mus. VIII, 1855, p. 309. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 287. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 115; Ent. Amer. I, 1885, p. 29, 130.

Hypermallus Lacord. Gen. Col. VIII, 1869, p. 302.

Thersalus Pasc. Journ. of Ent. II, 1866, p. 372.

- atomarium** Drury, Ill. Exot. Ins. I, p. 93, t. 41, f. 6; Nordamerika
 II, 1773 Index; ed. 2, I, 1837, p. 88, t. 41, f. 6.
 — Panzer in Drury, Abbild. Exot. Ins. I, 1788,
 p. 156, t. 41, f. 6. — J. Lec. Journ. Acad. Philad.
 (2) II, 1850, p. 177. — Leng, Ent. Amer. I,
 1885, p. 30. — Wickh. Canad. Ent. XXIX, 1897,
 p. 109.
- bispinosum* Pasc. Trans. Ent. Soc. Lond. (3) I,
 1863, p. 562. — Lacord. Gen. Col. VIII, 1869,
 p. 303, nota 1. Neuholland
- marilandicum* Hald. Trans. Amer. Phil. Soc. (2)
 X, 1847, p. 32.
- marylandicum* F. Syst. Ent. 1775, p. 179. —
 Ol. Ent. IV, 70, 1795, p. 6, t. 1, f. 5.
- multicolor* Gmelin, Syst. Nat. I, 4, 1790, p. 1857.
- pulverulentum* Degeer, Mém. Ins. V, 1775, p. 118,
 t. 14, f. 12.
- variegatum* Goeze, Ent. Beytr. I, 1777, p. 481.
- hispicorne** L. Syst. Nat. ed. 12, 1767, p. 634. — Ol. Nordamerika
 Enc. méth. Ins. V, 1790, p. 250; Ent. IV, 70,
 1795, p. 5, t. 5, f. 57.
- pulverulentum* Hald. Trans. Amer. Phil. Soc. (2)
 X, 1847, p. 32.
- operarium* White, Cat. Col. Brit. Mus. VIII,
 1855, p. 309, t. 6, f. 9.
- simplicicolle* Hald. Proc. Acad. Philad. III, 1845,
 p. 151. — J. Lec. Journ. Acad. Philad. (2) II,
 1850, p. 12. — Leng, Ent. Amer. I, 1885, p. 30,
 130. — Auriv. Ent. Tidskr. XIV, 1893, p. 186.
- var. *procerum* J. Lec. Proc. Acad. Philad. 1859,
 p. 88. — Leng, Ent. Amer. I, 1885, p. 30, 130.
 — Auriv. Ent. Tidskr. XIV, 1893, p. 186. —
 Heyne, Exot. Käfer 1903, t. 33, f. 2. Texas,
 Arizona,
 Mexico
- niveitectum** Schaeffer, Bull. Brookl. Inst. I, 1905, p. 160. Arizona
- rufulum** Hald. Trans. Amer. Phil. Soc. (2) X, 1847, p. 32. Nordamerika
 — Leng, Ent. Amer. I, 1885, p. 30, t. 3, f. 3.
 — Wickh. Canad. Ent. XXIX, 1897, p. 109.
- seminitidum** Horn, Ent. Amer. I, 1885, p. 130. Arizona
- taeniatum** J. Lec. Proc. Acad. Philad. VII, 1854, p. 81. Texas
senex Bates, Biol. C.-Am. Col. V, 1884, p. 248.
 — Schaeffer, Bull. Brookl. Inst. I, 1908, p. 333.

6

Eustomula Cocker.

Cocker. Ent. News XVII, 1906, p. 242.

Eustoma J. Lec. in Smiths. Misc. Coll. XI, 264, 1873, p. 186. —
 Leng, Ent. Amer. I, 1885, p. 133.

- validum** J. Lec. Proc. Acad. Philad. 1858, p. 82. — Texas,
 Leng, Ent. Amer. I, 1885, p. 133, t. 3, f. 6. Californien

1

Axestinus J. Lec.

J. Lec. in Smiths. Misc. Coll. XI, 264, 1873, p. 177. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 286. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 115.

obscurus J. Lec. in Smiths. Misc. Coll. XI, 264, 1873, Texas
p. 177. — Leng, Bull. Brookl. Ent. Soc. VII,
1885, p. 118; Ent. Amer. I, 1885, t. 2, f. 27.
— Schaeffer, Bull. Brookl. Inst. I, 1908, p. 335.

1

Proteinidium Bates.

Bates, Trans. Ent. Soc. Lond. 1892, p. 149. .

brevicornis Bates, l. c. p. 150, t. 5, f. 4. Mexico

1

Aneflus J. Lec.

J. Lec. in Smiths. Misc. Coll. XI, 264, 1873, p. 185. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 287. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 115; Ent. Amer. I, 1885, p. 34, 131.

calvatus Horn, Ent. Amer. I, 1885, p. 131, 132. Arizona

cylindricollis Bates, Trans. Ent. Soc. Lond. 1892, p. 147, Mexico
t. 5, f. 1.

fulvipennis Bates, l. c. p. 148, t. 5, f. 2.

Lengi Schaeffer, Journ. N. York Ent. Soc. XVII, 1909, Arizona
p. 101.

linearis J. Lec. Proc. Acad. Philad. 1859, p. 20. — Leng, Californien
Ent. Amer. I, 1885, p. 34. — Horn, l. c. p. 131, 132.

prolixus J. Lec. in Smiths. Misc. Coll. XI, 264, 1873, p. 203. ,,
— Leng, Ent. Amer. I, p. 34, 35. — Horn, l. c.
p. 131, 132.

protensus J. Lec. Proc. Acad. Philad. 1858, p. 82. — Arizona
Leng, Ent. Amer. I, 1885, p. 34, t. 3, f. 5. —
Horn, l. c. p. 131, 132.

7

Elaphidion Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 66. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 12. — Lacord. Gen. Col. VIII, 1869, p. 300. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 287. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 115.

Centrocerum Thoms. Syst. Ceramb. 1864, p. 244, 451.

Cyclopleurus Hope, Trans. Zool. Soc. Lond. I, 1835, p. 107.

Stenocorus Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 232.

aculeatum J. Lec. in Smiths. Misc. Coll. XI, 264, 1873, Texas
p. 184. — Leng, Ent. Amer. I, 1885, p. 32, 33.

albofasciatum Linell, Proc. U. S. Nat. Mus. XIX, 1896, Californien
p. 393.

albosignatum Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, Cuba
p. 259. — Gah. Trans. Ent. Soc. Lond. 1895,
p. 102.

- alienum* J. Lec. Trans. Amer. Ent. Soc. V, 1875, p. 173. Arizona
 — Leng, Ent. Amer. I, 1885, p. 31, 32.
- arizonense* Casey, Ann. N. York Acad. VI, 1892, p. 28. "
- bidens* F. Mant. Ins. I, 1787, p. 143. Südamerika
bispinosus Gmel. Syst. Nat. I, 4, 1790, p. 404.
- brevidens* Schaeffer, Bull. Brookl. Inst. I, 1908, p. 333. Arizona
- cerussatum* Newm. Entomolog. I, 1841, p. 111. Buenos Aires
- collare* Burm. Steett. Ent. Zeit. XXVI, 1865, p. 166. Argentinien
- conspersum* Newm. Entomolog. I, 1841, p. 110. — Haiti
 Gah. Trans. Ent. Soc. Lond. 1895, p. 101.
- coronatum* White, Cat. Col. Brit. Mus. VII, 1853, p. 100. Guatemala,
 — Bates, Biol. C.-Am. Col. V, 1880, p. 24, t. 3, Nicaragua
 f. 12.
- daedaleum* Bates, Trans. Ent. Soc. Lond. 1874, p. 219; Nicaragua
 Biol. C.-Am. Col. V, 1880, p. 26, t. 3, f. 14.
- decipiens* Bates, l. c. 1884, p. 248. Mexico
- elegans* Chevr. Ann. Soc. Ent. Fr. (4) I, 1861, p. 190. Brasilien
 var. *hirsutum* Chevr. l. c. p. 191. "
- var. *jocosum* Chevr. l. c. "
- var. *puberulum* Chevr. l. c. p. 190. "
- excelsum* Gah. Trans. Ent. Soc. Lond. 1895, p. 101. Guadeloupe
- eximium* Bates, Biol. C.-Am. Col. V, 1885, p. 250, t. 17, Mexico
 f. 19.
- Fuehsi* Wickh. Canad. Ent. XXXVII, 1905, p. 170. Californien
- tullonium* Newm. Entomolog. I, 1841, p. 110. Haiti
- gibbulum* Bates, Biol. C.-Am. Col. V, 1880, p. 25. Mexico
- glabratum* Syst. Ent. 1775, p. 180. Antillen
mite Newm. Entomolog. I, 1840, p. 27.
- glabriusculum* Bates, Biol. C.-Am. Col. V, 1885, p. 251. Panama
- griseus* Bates, Biol. C.-Am. Col. V, 1885, p. 249. Mexico,
 — Schaeffer, Bull. Brookl. Inst. I, 1908, p. 333. Florida
- guttiventre* Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 261. Cuba
- imbelle* J. Lec. Bull. Buff. Soc. IV, 1881, p. 27, t. 1, Californien
 f. 1. — Leng, Ent. Am. I, 1885, p. 32.
- incertum* Newm. Entomolog. I, 1840, p. 28. — J. Lec. Nordamerika
 Journ. Acad. Philad. (2) II, 1850, p. 13. —
 Leng, Ent. Amer. I, 1885, p. 31. — Wickh.
 Canad. Ent. XXIX, 1897, p. 109.
- aspersum* Hald. Trans. Amer. Phil. Soc. (2) X,
 1847, p. 32.
- neglectum* J. Lec. Journ. Acad. Philad. (2) II,
 1850, p. 13.
- vicinum* Hald. Trans. Amer. Phil. Soc. (2) X,
 1847, p. 33. — J. Lec. Journ. Acad. Philad.
 (2) II, 1850, p. 13.
- inermis* Newm. Entomolog. I, 1840, p. 29. — Bates, Texas,
 Biol. C.-Am. Col. V, 1885, p. 249. — Leng, Florida
 Ent. Amer. I, 1885, p. 31.
 Biologie: Hubbard, Ins. aff. Orange 1885, p. 125.
 — Chittenden, Bull. U. S. Dep. Agric. Divis.
 Ent. XVIII, 1898, p. 41, f. 12, 13.
- insulare* Newm. Entomolog. I, 1840, p. 27. — Gah. Insel Nevis
 Trans. Ent. Soc. Lond. 1895, p. 100.
- irroratum* L. Syst. Nat. ed. 12, 1767, p. 633. — Drury, New York,
 Ill. Exot. Ins. I, 1773, p. 92, t. 41, f. 3; ed. 2, Illinois,
 1837, p. 87, t. 41, f. 3. — F. Syst. Ent. 1775, Florida,
 p. 180. — Ol. Enc. méth. Ins. V, 1790, p. 305; Antillen,
 Ent. IV, 67, 1795, p. 45, t. 21, f. 163. — J. Zentral-
 Lec. Journ. Acad. Philad. (2) II, 1850, p. 13. Amerika

— Jacq. du Val, Hist. Cuba, Ins. 1857, p. 266, t. 10, f. 7. — Leng, Ent. Amer. I, 1885, p. 31, 32. — Gah. Trans. Ent. Soc. Lond. 1895, p. 99.
bidens Ol. Enc. méth. Ins. V, 1790, p. 306; Ent. IV, 67, 1795, p. 42, t. 17, f. 125.
ordinatum Newm. Entomolog. I, 1840, p. 26.
tessellatum Newm. l. c.

Biologie: Hubbard, Am. Ent. III, 1880, p. 239.
 — Schwarz, Proc. Ent. Soc. Wash. I, 1888, p. 93.

laeve White, Cat. Col. Brit. Mus. VII, 1853, p. 102.

Honduras

lanatum Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 260.

Cuba,

Florida

— Leng, Ent. Amer. VI, 1890, p. 214. — Gah. Trans. Ent. Soc. Lond. 1895, p. 101. — Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 168.

lanuginosum Bates, Biol. C.-Am. Col. V, 1885, p. 250, t. 18, f. 4.

Guatemala

Levettei Casey, Ann. N. York Acad. VI, 1892, p. 29.

Arizona

— Schaeffer, Bull. Brookl. Inst. I, 1908, p. 335.

longissimum Bates, Biol. C.-Am. Col. V, 1885, p. 250, t. 17, f. 4.

Mexico

lucidum Ol. Ent. IV, 70, 1795, p. 59, t. 7, f. 86.

Haiti

elevatum Schönh. Syn. Ins. I, 3, 1817, p. 459.

mlmesticum Schaeffer, Bull. Brookl. Inst. I, 1905, p. 132; 1907, p. 329.

Texas

misellus Bates, Biol. C.-Am. Col. V, 1885, p. 251.

Guatemala

moestum J. Lec. Proc. Acad. Philad. VI, 1853, p. 442.

Texas,

Mexico

mucronatum Say, Journ. Acad. Philad. III, 1823, p. 427.

Nordamerika

— Newm. Entomolog. I, 1840, p. 27. — J.

Lec. Journ. Acad. Philad. (2) II, 1850, p. 14.

— Leng, Ent. Amer. I, 1885, p. 31, 32.

muricatum Hald. Trans. Amer. Phil. Soc. (2) X, 1847, p. 33.

nebulosum Guér. Icon. règne anim. Ins. 1843, p. 255.

Biologie: Chittenden, Bull. U. S. Dep. Agric. Ent. (2) XVIII, 1898, p. 42, f. 14.

mutatum Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 32.

Cuba,

tomentosum ♀ Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 260.

Florida

nanum F. Ent. Syst. I, 2, 1792, p. 300. — Gah. Trans. Ent. Soc. Lond. 1895, p. 103.

Cuba,

Haiti,

Florida

cinereum Ol. Ent. IV, 70, 1795, p. 69, t. 8, f. 102.

— Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 261.

— Leng, Ent. Amer. VI, 1890, p. 214.

Biologie: Schwarz, Proc. Ent. Soc. Wash. I, 1888, p. 93.

Newmani Hald. Proc. Am. Phil. Soc. IV, 1847, p. 375.

Antillen-

bidens Newm. Entomolog. I, 1840, p. 25.

nlveivestitum Schaeffer, Bull. Brookl. Inst. I, 1905, p. 132.

Texas

pulverulentus Ol. Ent. IV, 70, 1795, p. 69, t. 8, f. 101.

Nordamerika,

Cuba

— Gah. Trans. Ent. Soc. Lond. 1895, p. 105.

arctum Newm. Entomolog. I, 1840, p. 29. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 16.

oblitum J. Lec. l. c. p. 14.

parallelum Newm. Entomolog. I, 1840, p. 29.

— J. Lec. Journ. Acad. Philad. (2) II, 1850,

- p. 103. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 262. — Leng, Ent. Amer. I, 1885, p. 32, 33, t. 3, f. 4.
- Biologie: Pack. Rep. U. S. Ent. Commiss. III, 1883, p. 257, t. 7, f. 1. — Hubbard, Ins. aff. Orange 1885, p. 125. — Townsend, Rep. Ent. Soc. Ont. XVII, 1887, p. 15. — Wickh. Canad. Ent. XXIX, 1897, p. 109.
- pumilum** Newm. Entomolog. I, 1840, p. 29. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 14. — Leng, Ent. Amer. I, 1885, p. 32, 33. Georgien (N. Am.), Texas Californien Cuba
- punctatum** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 185.
- quadrituberculatum** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 259. — Gah. Trans. Ent. Soc. Lond. 1895, p. 100. Mexico
- reticolle** Bates, Biol. C.-Am. Col. V, 1885, p. 254, t. 18, f. 6. — Schaeffer, Bull. Brookl. Inst. I, 1908, p. 334. Nordamerika Nicaragua
- rusticum** J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 14.
- scabricolle** Bates, Trans. Ent. Soc. Lond. 1872, p. 175; Biol. C.-Am. Col. V, 1880, p. 25, t. 3, f. 13. Cuba
- signaticolle** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 261. — Gah. Trans. Ent. Soc. Lond. 1895, p. 105. Arizona Jamaica, Haiti, Portorico
- simile** Schaeffer, Bull. Brookl. Inst. I, 1908, p. 334.
- spinicorne** Drury, Ill. Exot. Ins. I, p. 92, t. 41, f. 4; II, 1773, Index; ed. 2, I, 1837, p. 87, t. 41, f. 4. — F. Syst. Ent. 1775, p. 179. — Ol. Enc. méth. Ins. V, 1790, p. 306; Ent. IV, 67, 1795, p. 41, t. 17, f. 130. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 232. — Shuck. Brit. Col. 1840, p. 76, Suppl. t. 7, f. 3. *armatum* Voet, Cat. Col. II, 1804—06, p. 27, t. 24, f. 131. *insulare* Gmelin, Syst. Nat. I, 4, 1790, p. 1859.
- spinicorne** Fairm. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 274 (Genus?). Mendoza
- spureum** J. Lec. Proc. Acad. Philad. VI, 1853, p. 442. — Leng, Ent. Amer. I, 1885, p. 31, 33. Texas
- subdepressum** Schaeffer, Journ. N. York Ent. Soc. XII, 1904, p. 222. Californien
- subfasciatum** Gah. Trans. Ent. Soc. Lond. 1895, p. 103.
- subpubescens** J. Lec. Proc. Acad. Philad. XIV, 1862, p. 41. — Leng, Ent. Amer. I, 1885, p. 32. Biologie: Chittenden, Bull. U. S. Dep. Agric. Ent. (2) XVIII, 1898, p. 41. Guadeloupe New Jersey, Texas
- subseriatum** Bates, Biol. C.-Am. Col. V, 1885, p. 250.
- tectum** J. Lec. Proc. Am. Phil. Soc. XVII, 1878, p. 414. — Leng, Ent. Amer. I, 1885, p. 31. Panama Florida
- tenuis** J. Lec. Proc. Acad. Philad. VII, 1854, p. 81. — Leng, Ent. Amer. I, 1885, p. 34. — Horn, l. c. p. 131, 133. Texas
- Thomæ** Gah. Trans. Ent. Soc. Lond. 1895, p. 104. — *nanum* Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 261. Insel St. Thomas
- tomentosum** Chevr. l. c. p. 260 ♂. — Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 32; Trans. Ent. Soc. Lond. 1895, p. 100. Cuba, Haiti
- transversum** White, Cat. Col. Brit. Mus. VII, 1853, p. 101. Jamaica

1890
May 1st

Dear Mother

- truncatum** Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 33. — J. Lec. Smiths. Misc. Coll. XI, 264. 1873, p. 184. — Leng, Ent. Amer. I, 1885, p. 31.
debile J. Lec. Proc. Acad. Philad. VI, 1853, p. 442.
- undulatum** Bates, Biol. C.-Am. Col. V, 1880, p. 25, t. 17, f. 20. Mexico
- ✓ **villosum** F. Ent. Syst. I, 2, 1792, p. 302. — Newm. Entomolog. I, 1840, p. 28. — Leng, Ent. Amer. I, 1885, p. 32. — Wickh. Canad. Ent. XXIX, 1897, p. 109, f. 19—21. Nordamerika, Cuba
- pruinatum* Guér. Icon. règne anim. Ins. 1843, p. 225. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 260.
- putator* Peck, Massach. Agric. Rep. V, 3, 1819, p. 307. — Harris, Ins. Mass. 1842, p. 81.
- Biologie: Clarkson, Canad. Ent. XIX, 1887, p. 31, 141. — Chittenden, Bull. U. S. Dep. Agric. Ent. (2) XVIII, 1898, p. 35—40, f. 11; Circular nr. 130, 1910, p. 1—7. — Felt, Ins. aff. Trees 1905, p. 59, t. 2, f. 7—9.

66

Poecilomallus Bates.

Bates, Trans. Ent. Soc. Lond. 1892, p. 151.

palpalis Bates, l. c. t. 5, f. 6.

Mexico

1

Centrocerum Chevr.

Chevr. Ann. Soc. Ent. Fr. (4) I, 1861, p. 189. — Lacord. Gen. Col. VIII, 1869, p. 302.

exornatum Newm. Entomolog. I, 1841, p. 111. — Chevr. Ann. Soc. Ent. Fr. (4) I, 1861, p. 189. — Berg, Ann. Soc. Scient. Argent. XXI, 1886, p. 235. Argentinien

argentinum Burm. Stett. Ent. Zeit. XXVI, 1865, p. 174.

Richteri Bruch, Rev. Mus. La Plata XVIII, 1911, p. 167. Chubut

2

Phoracantha Newm.

Newm. Ann. Mag. Nat. Hist. (1) V, 1840, p. 19. — Thoms. Classif. Ceramb. 1860, p. 231 (e. p.); Syst. Ceramb. 1864, p. 449. — Pasc. Journ. Linn. Soc. Lond. IX, 1866, p. 98. — Lacord. Gen. Col. VIII, 1869, p. 303.

Stenochorus Hope, Trans. Zool. Soc. Lond. I, 1835, p. 107 (non F.).
 Subgen. *Diospides* Pasc. Journ. Linn. Soc. IX, 1866, p. 99.

Subgen. **Phoracantha** s. str.

- acanthocera** Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 49; Ann. Mag. Nat. Hist. (1) VII, 1841, p. 61; Trans. Zool. Soc. Lond. III, 1843, p. 193. — Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1889, p. 1457. Neuholland
- crucigera** Hope, Proc. Ent. Soc. Lond. 1841, p. 49; Ann. Mag. Nat. Hist. IX, 1842, p. 428. Port Essington

- elegans* Blackb. Proc. Linn. Soc. N. S. Wales (2) VIII, 1894, p. 192. West-australien
- fallax* Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 549. Sydney
- flavopicta* Pasc. Journ. of Ent. II, 1865, p. 371. Südaustralien
- hospita* Pasc. l. c. p. 232. — Waterh. Aid ident. Ins. II, 1885, t. 161, f. 2. Queensland
- impavida* Newm. Zoolog. VIII, 1850, App. p. 114. Nord-australien
- imperialis* Perroud, Ann. Soc. Linn. Lyon (2) XI, 1864, p. 191, t. 1, f. 5 (Genus?). Neu-caledonien
- laetabilis* Blackb. Trans. R. Soc. S. Austr. XVIII, 1894, p. 165. Queensland
- lata* Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 46; Ann. Mag. Nat. Hist. (1) VII, 1841, p. 58; Trans. Zool. Soc. Lond. III, 1843, p. 190. Südwest-australien
- posticalis* Blackb. Proc. Linn. Soc. N. S. Wales (2) VIII, 1894, p. 193. Südaustralien
- punctata* Donovan. Ins. New Holl. 1805, t. 6, f. 5. — Boisd. Voy. Astrol. Ins. II, 1835, p. 473. — Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 47; Ann. Mag. Nat. Hist. (1) VII, 1841, p. 60; Trans. Zool. Soc. Lond. III, 1843, p. 191. — Montr. Ann. Soc. Ent. Fr. (4) I, 1861, p. 276. Neuholland,
- quinaria* Newm. Entomolog. I, 1840, p. 3. Südaustralien
- recurva* Newm. Entomolog. I, 1840, p. 4. — Germ. Linn. Ent. III, 1848, p. 226. — Heyne, Exot. Käfer 1903, t. 33, f. 10. Neuholland
- Biologie: Schiödte, Naturh. Tidskr. (3) X, 1876, p. 405, t. 16, f. 1—10.
- Savesi* Fauv. Rev. d'Ent. XXV, 1906, p. 47. Neu-caledonien
- semipunctata* F. Syst. Ent. 1775, p. 180. — Ol. Enc. méth. Ins. V, 1790, p. 303; Ent. IV, 67, 1795, p. 38; IV, 69, 1795, t. 2, f. 19. — Donovan. Ins. New Holl. 1805, t. 6, f. 6. — Boisd. Voy. Astrol. Ins. II, 1835, p. 476. — Hope, Proc. Zool. Soc. Lond. 1840, p. 48; Trans. Zool. Soc. Lond. III, 1843, p. 192. Neuholland
- inscripta* Germ. Linn. Ent. III, 1848, p. 226.
- synonyma* Newm. Ann. Mag. Nat. Hist. (1) V, 1840, p. 19. Neusüdwales
- punctata* Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 470.
- tricuspis* Newm. Entomolog. I, 1840, p. 3. Neuholland
- gigas* Angas, South Austral. III, 1847, t. 50, f. 21.
- robusta* Germ. Linn. Ent. III, 1848, p. 225. Biologie: Froggatt, Proc. Linn. Soc. N. S. Wales (2) VIII, 1893, p. 29.
- trimaiculata* Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 47; Ann. Mag. Nat. Hist. (1) VII, 1841, p. 59; Trans. Zool. Soc. Lond. III, 1843, p. 191, t. 12, f. 9. Südwest-australien
- tunicata* M'Leay, King's Surv. Austral. II, 1827, App. p. 451. — Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 50; Ann. Mag. Nat. Hist. (1) VII, 1841, p. 62; Trans. Zool. Soc. Lond. III, 1843, p. 194. Neuholland
- vicina* Hope, Proc. Ent. Soc. Lond. 1841, p. 49; Ann. Mag. Nat. Hist. IX, 1842, p. 428. Port Essington

Subgen. **Diospides** Pasc.

- obscura** Donov. Ins. New Holl. 1805, t. 6, f. 8. — Boisid. Tasmanien
 Voy. Astrol. Ins. II, 1835, p. 476. — Hope,
 Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 47;
 Ann. Mag. Nat. Hist. (1) VII, 1841, p. 59; Trans.
 Zool. Soc. Lond. III, 1843, p. 191.

22

Tryphocharia Pasc.

- Pasc. Trans. Linn. Soc. Lond. IX, 1866, p. 99. — Blackb. Trans. Linn.
 Soc. N. S. Wales (2) III, 1889, p. 1456.
- Frenchi** Blackb. Trans. R. Soc. S. Austral. XV, 1892, Neusüdwaless
 p. 233.
- hamata** Newm. Entomolog. I, 1840, p. 3. — Er. Arch. f. Neuholland
 Naturgesch. VIII, 1842, I, p. 247. — Pasc. Journ.
 Linn. Soc. Lond. IX, 1866, p. 99. — Blackb.
 Proc. Linn. Soc. N. S. Wales (2) IV, 1890, p. 450.
uncinata Blackb. l. c. (2) III, 1889, p. 1461.
- longipennis** Hope, Proc. Zool. Soc. Lond. VIII, 1840 Neuholland
 (1841), p. 47; Ann. Mag. Nat. Hist. (1) VII,
 1841, p. 59; Trans. Zool. Soc. Lond. III, 1843,
 p. 190.
hamata Blackb. Proc. Linn. Soc. N. S. Wales (2)
 III, 1889, p. 1458; (2) IV, 1890, p. 451.
- Mastersi** Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, p. 61. Victoria
 — Waterh. Aid ident. Ins. II, 1885, t. 161, f. 3.
- Mitchelli** Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), West-
 p. 47; Ann. Mag. Nat. Hist. (1) VII, 1841, p. 59; australien
 Trans. Zool. Soc. Lond. III, 1843, p. 191, t. 12,
 f. 8. — Blackb. Trans. R. Soc. S. Austral. XV,
 1892, p. 56.
- Odewahni** Pasc. Journ. of Ent. II, 1864, p. 231; Journ. Linn. Soc. Lond. IX, 1866, p. 142, t. 4, f. 7 ♀.
 — Blackb. Proc. Linn. Soc. N. S. Wales (2) III,
 1889, p. 1459.
- princeps** Blackb. Proc. Linn. Soc. N. S. Wales (2) III, Südaustralien
 1889, p. 1460.
- punctipennis** Blackb. l. c. p. 1462. Fowlers Bay
- solida** Blackb. l. c. (2) VIII, 1894, p. 194. Queensland
- superans** Pasc. Journ. of Ent. I, 1862, p. 357. Tasmanien

10

Xypeta Pasc.

Pasc. Journ. Linn. Soc. Lond. IX, 1866, p. 100. — Lacord. Gen. Col. VIII,
 1869, p. 305. — Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1889, p. 1457.

- gigas** Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), Neuholland
 p. 46; Ann. Mag. Nat. Hist. (1) VII, 1841, p. 58;
 Trans. Zool. Soc. Lond. III, 1843, p. 190, t. 12,
 f. 5. — Blackb. Proc. Linn. Soc. N. S. Wales
 (2) III, 1889, p. 1457 (Genus?).
- grallaria** Pasc. Journ. of Ent. II, 1864, p. 231; Journ. Queensland
 Linn. Soc. Lond. IX, 1866, p. 100, t. 4, f. 2.

2

Epithora Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 98. — Lacord. Gen. Col. VIII, 1869, p. 306.

- dorsalis* M'Leay, King's Surv. Austral. II, 1827, App. p. 451. — Newm. Entomolog. I, 1840, p. 3. — Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 49; Ann. Mag. Nat. Hist. (1) VII, 1841, p. 61; Trans. Zool. Soc. Lond. III, 1843, p. 193. — Gab. Trans. Ent. Soc. Lond. 1893, p. 172. — Heyne, Exot. Käfer 1903, t. 33, f. 11. Neuhollland, Tasmanien
- elongata* Boisd. Voy. Astrol. Ins. II, 1835, p. 478. — Cast. Hist. Nat. Ins. II, 1840, p. 424.
- rhombifera* Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 49; Ann. Mag. Nat. Hist. (1) VII, 1841, p. 61; Trans. Zool. Soc. Lond. III, 1843, p. 194.
- uniguttata* Hope, l. c. p. 49; l. c. p. 61; l. c. p. 193, t. 12, f. 7.
- var. *imbellis* Newm. Entomolog. I, 1840, p. 3.
- undulata* Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 48; Ann. Mag. Nat. Hist. (1) VII, 1841, p. 60; Trans. Zool. Soc. Lond. III, 1843, p. 192. — Auriv. Ent. Tidskr. XIV, 1893, p. 161 (Genus?). Neuhollland
- 2

Atesta Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 99. — Lacord. Gen. Col. VIII, 1869, p. 306.

- Augusti* Pasc. Journ. of Ent. II, 1864, p. 233. — Blackb. Trans. R. Soc. S. Austral. X, 1888, p. 284. Südanstralien
- ballata* Pasc. Journ. of Ent. II, 1864, p. 233. „
- bifasciata* Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 552; Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 142, t. 4, f. 5. Queensland
- cremifla* Blackb. Trans. R. Soc. S. Austral. XVI, 1893, p. 194. Neuhollland
- Tatol* Blackb. l. c. X, 1888, p. 284. „
- 5

Allotisis Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 99.

- discreta* Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 551; Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 142, t. 3, f. 1. Neusüdwaies
- setifluta* Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 551. Port Denison
- unifasciata* Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 51; Ann. Mag. Nat. Hist. (1) VII, 1841, p. 63; Trans. Zool. Soc. Lond. III, 1843, p. 195, t. 12, f. 6. Südwest-australien

Coleocoptus Auriv.

Auriv. Ent. Tidskr. XIV, 1893, p. 160.

- senio** Newm. Entomolog. I, 1840, p. 4. — Er. Arch. f. Naturgesch. VIII, 1842, I, p. 247. — Gah. Trans. Ent. Soc. Lond. 1893, p. 172. Neuholland
- sexmaculatus** Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 51; Ann. Mag. Nat. Hist. (1) VII, 1841, p. 63; Trans. Zool. Soc. Lond. III, 1843, p. 195.

1

Coptocercus Hope.

Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 50; Ann. Mag. Nat. Hist. (1) VII, 1841, p. 62; Trans. Zool. Soc. Lond. III, 1843, p. 194. — Thoms. Syst. Ceramb. 1864, p. 448. — Lacord. Gen. Col. VIII, 1869, p. 307.

Callirhoe Newm. Entomolog. I, 1840, p. 3. — Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 98; Trans. Ent. Soc. Lond. (3) III, 1869, p. 534.

- abherrans** Newm. Entomolog. I, 1840, p. 4. Sydney
- assimilis** Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 49; Ann. Mag. Nat. Hist. (1) VII, 1841, p. 61; Trans. Zool. Soc. Lond. III, 1843, p. 193 (Genus?). Tasmanien
- biguttatus** Donovan. Ins. New Holl. 1805, t. 6, f. 7. — Cast. Hist. Nat. II, 1840, p. 424. — Newm. Entomolog. I, 1840, p. 3. — Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 51; Ann. Mag. Nat. Hist. (1) VII, 1841, p. 62; Trans. Zool. Soc. Lond. III, 1843, p. 195. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 535. Molukken, Neuholland
- decorus** Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, p. 371. Neuholland
- fraternus** Blackb. Trans. R. Soc. S. Austral. X, 1888, p. 285. Halbinsel York
- nigritulus** Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1889, p. 1463. Südaustralien
- pedator** Pasc. Journ. of Ent. II, 1864, p. 232.
- politus** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 550. Sydney
- pubescens** Pasc. l. c. Queensland
- rubripes** Boisd. Voy. Astrol. Ins. II, 1835, p. 477. — Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 50; Ann. Mag. Nat. Hist. VII, 1841, p. 62; Trans. Zool. Soc. Lond. III, 1843, p. 194, t. 12, f. 4. — Auriv. Ent. Tidskr. XIV, 1893, p. 161. Neuholland, Tasmanien
- allapsus** Newm. Entomolog. I, 1840, p. 4. — Er. Arch. für Naturgesch. VIII, 1842, I, p. 247. — Blanch. Voy. Pole Sud, Zool. IV, 1853, p. 261, t. 16, f. 3. — Lacord. Gen. Col. VIII, 1869, t. 86, f. 3.
- Roei** Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 50; Ann. Mag. Nat. Hist. VII, 1841, p. 62; Trans. Zool. Soc. Lond. III, 1843, p. 194.
- validus** Gah. Trans. Ent. Soc. Lond. 1893, p. 173. Nordwest-australien

Yorkeica Blackb.

Blackb. Trans. R. Soc. S. Austral. XXIII, 1899, p. 90.

marmorea Blackb. l. c.

Cape York

1

Demelius Waterh.

Waterh. Ent. Month. Mag. XI, 1874, p. 127.

semirugosus Waterh. l. c.; Aid ident. Ins. II, 1885, t. 161, Queensland
f. 6. — Poll, Notes Leyd. Mus. VIII, 1886, p. 242.

1

Thoris Pasc.

Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 317. — Lacord. Gen. Col. VIII, 1869, p. 308. — Blackb. Trans. R. Soc. Victoria XII, 1900, p. 227.

eburifera Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, Queensland
p. 317. — Waterh. Aid ident. Ins. II, 1885,
t. 161, f. 1.

moerens Blackb. Trans. R. Soc. Victoria XII, 1900, Südaustralien
p. 229.

septemguttata Blackb. l. c. p. 228. Neusüdwaless

3

Skeletodes Newm.

Newm. Zoolog. X, 1850, App. p. 113. — Thoms. Syst. Ceramb. 1864, p. 449.
— Lacord. Gen. Col. VIII, 1869, p. 310.

Elete Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 553.

tetrops Newm. Zoolog. X, 1850, App. p. 113. Neuholland

inscriptus Pasc. Trans. Ent. Soc. Lond. (3) I,
1863, p. 554, t. 22, f. 2.

Biologie: Froggatt, Proc. Linn. Soc. N. S. Wales
(2) IX, 1894, p. 119.

1

Porithodes nov. gen.

Porithea Blackb. Proc. Linn. Soc. N. S. Wales (2) VIII, 1894,
p. 197; Trans. R. Soc. Victoria XII, 1900, p. 228.

plagiata Blackb. Proc. Linn. Soc. N. S. Wales (2) VIII, Neusüdwaless
1894, p. 198.

1

Nysina Gah.

Gah. Fauna Brit. Ind. Col. I, 1906, p. 153.

orientalis White, Cat. Col. Brit. Mus. VII, 1853, p. 110. Assam,
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 153. Birma

1

Nyphasia Pasc.

Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 313. — Lacord. Gen. Col. VIII, 1869, p. 308. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 151.

- ✓ *apicalis* Gah. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 378; Südindien
Fauna Brit. Ind. Col. I, 1906, p. 152.
T *fuscipennis* Gah. Ann. Mag. Nat. Hist. (6) V, 1890, p. 53; Bombay
Fauna Brit. Ind. Col. I, 1906, p. 152.
T *maculata* Brongn. N. Archiv. Mus. Paris (3) III, 1892, Saigun
p. 240, t. 10, f. 3.
T *Pascoei* Lacord. Gen. Col. VIII, 1869, p. 309. — Gah. Birma, Siam
Fauna Brit. Ind. Col. I, 1906, p. 153, f. 61.
T *torrida* Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, Ceylon
p. 313.

5

Cordylomera Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 23. — Cast. Hist. Nat. II, 1840, p. 435. — Thoms. Classif. Ceramb. 1860, p. 168; Syst. Ceramb. 1864, p. 452. — Lacord. Gen. Col. VIII, 1869, p. 311.

Acanthinomomus Hope, Trans. Zool. Soc. Lond. I, 1835, p. 107.

- acuminata* F. Gen. Ins. 1776, p. 231. Cap der guten
Hoffnung
T *annulicornis* Fairm. Rev. d'Ent. XI, 1892, p. 122. Obook
T *apicalis* Thoms. Archiv. Ent. II, 1858, p. 160. Gabun
T *cylindricollis* Auriv. Ent. Tidskr. XXIV, 1903, p. 261. Kamerun
T *elegans* Dist. Ins. Transv. 1904, p. 115, t. 10, f. 6. Transvaal
T *geniculata* Buq. in Guér. Icon. règne anim. Ins. 1843, Senegal
p. 233.
K *gratiosa* Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 54. Altcalabar
Karschi Qued. Berl. Ent. Zeitschr. XXVII, 1883, p. 144, Zentralafrika
t. 1, f. 10.
T *nltidipennis* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 24. Senegal
T *prineipalis* Dist. Ann. Mag. Nat. Hist. (7) 1, 1898, Delagoabay
p. 380.
T *ruficornis* Chevr. Rev. Zool. (2) VII, 1855, p. 283; Cent. Altcalabar
Longic. 1858, nr. 17. — Murr. Ann. Mag. Nat.
Hist. (4) VI, 1870, p. 56.
T *Schoenherri* Fährs. Öfvers. Vet. Akad. Förh. XXIX, Kaffernland
1, 1872, p. 53.
T *spinicornis* F. Syst. Ent. 1775, p. 167. — Cast. Hist. Westafrika
Nat. Ins. II, 1840, p. 435.
T *torrida* Ol. Ent. IV, 67, 1795, p. 31, t. 14, f. 95. Ostafrika
var. *sansibarica* Kolbe, Stett. Ent. Zeit. LIV,
1894, p. 248.
T *suturalis* Chevr. in Thoms. Archiv. Ent. II, 1858, p. 159, Altcalabar
242, t. 14, f. 3. — Murr. Ann. Mag. Nat. Hist.
(4) VI, 1870, p. 56.
T *testacea* Buq. in Guér. Icon. règne anim. Ins. 1843, p. 233. Senegal
vittata Jord. Nov. Zool. X, 1903, p. 138. Ostafrika
T *zambeziana* Péring. Trans. S. Afr. Phil. Soc. III, 1885, Transvaal,
p. 146. — Dist. Ins. Transv. 1904, p. 115, t. 13, Deutsch-
f. 6. Ostafrika

Hercodera Gah.

Gah. Trans. Ent. Soc. Lond. 1890, p. 302.

- fasciata* Gah. l. c. p. 302, t. 9, f. 1. Massailand
marginata Dist. Ann. Mag. Nat. Hist. (7) III, 1899, Delagoabay
 p. 178.
pulchella Gah. in Dist. Ins. Transv. 1904, p. 115, t. 10, Transvaal
 f. 24.

3

Allotraeus Bates.

Bates, Ent. Month. Mag. XIV, 1877, p. 37.

- ✓ *sphaerioninus* Bates, l. c. Japan
 1

XVIII. Sphaerionini.

Lacord. Gen. Col. VIII, 1869, p. 312.

Nyssicus Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 17. — Thoms. Syst. Ceramb. 1864, p. 450. — Lacord. Gen. Col. VIII, 1869, p. 314.

Lampracantha Thoms. Classif. Ceramb. 1860, p. 244.

- conspicillatus* Er. Archiv für Naturgesch. XIII, 1847, Peru
 I, p. 141.
quadriguttatus Swed. Vet. Akad. N. Handl. VIII, 1787, Brasilien
 p. 196, t. 8, f. 7. — Thoms. Classif. Ceramb.
 1860, p. 244.
quadrinotatus Forster in Füessly, Archiv VI, 1785, Amerika
 p. 13, t. 32, f. 3 (spec. composita?).
quadrinus Bates, Trans. Ent. Soc. Lond. 1870, p. 271. Tapajos
 4

Protosphaerion Goun.

Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 634.

- ✓ *insulare* White, Cat. Col. Brit. Mus. VII, 1853, p. 109. Jamaica
 — Gah. Trans. Ent. Soc. Lond. 1895, p. 106.
loreum Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Südbrasilien
 p. 636.
signatipenne Goun. l. c. Guyana
variabile Goun. l. c. p. 635, f. 20, 1. Südbrasilien
 var. *bimaculata* Goun. l. c. f. 20, 3. "
 var. *bivittata* Goun. l. c. f. 20, 4. "
bivitta Goun. l. c. "
 var. *fuscipes* Goun. l. c. f. 20, 2. "
 var. *seminigra* Goun. l. c. f. 20, 5. "
 4

Sphaerion Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 68. — Cast. Hist. Nat. II, 1840, p. 426. — Thoms. Classif. Ceramb. 1860, p. 233. — Lacord. Gen. Col. VIII, 1869, p. 315. — Goun. Bull. Soc. Ent. Fr. 1907, p. 240.

Sphaerion Thoms. Syst. Ceramb. 1864, p. 452.

- cassum Newm. Entomolog. I, 1841, p. 94. Brasilien
 cyanipenne Serv. Ann. Soc. Ent. Fr. III, 1834, p. 68. „
 — Cast. Hist. Nat. II, 1840, p. 426.
 ducale Bates, Trans. Ent. Soc. Lond. 1870, p. 272. Tapajos
 exutum Newm. Entomolog. I, 1841, p. 93. Brasilien
rusticum Burm. Stett. Ent. Zeit. XXVI, 1865, p. 167.
 inerme White, Cat. Col. Brit. Mus. VII, 1853, p. 108. „
 — Lacord. Gen. Col. VIII, 1869, p. 319 nota.
 lentiginosum Berg, An. Univ. Buenos Aires VI, 1889, Argentinien
 p. 119.
 myrrheum Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 637. Südbrasilien
 Sladeni Gah. Proc. Zool. Soc. Lond. 1903, 2, p. 253, Brasilien
 t. 28, f. 7.

8

Trichophorus Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 17. — Cast. Hist. Nat. II, 1840, p. 423. — Thoms. Classif. Ceramb. 1860, p. 189; Syst. Ceramb. 1864, p. 451. — Lacord. Gen. Col. VIII, 1869, p. 315.

Crocidastus Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 319.

- albisparsus Bates, Trans. Ent. Soc. Lond. 1872, p. 175; Nicaragua
 Biol. C.-Am. Col. V, 1880, p. 26, t. 4, f. 3.
 albomaculatus Burm. Stett. Ent. Zeit. XXVI, 1865, Buenos Aires
 p. 167. — Berg, Ann. Soc. Sc. Argent. XXI, 1886, p. 236.
 decipiens Bates, Biol. C.-Am. Col. V, 1880, p. 26, t. 17, f. 7. Honduras
 distinctus Newm. Entomolog. I, 1840, p. 6. Brasilien
 electus Gah. Proc. Zool. Soc. Lond. 1903, 2, p. 254, „
 t. 28, f. 8.
 hircus Berg, An. Univ. Buenos Aires VI, 1889, p. 116. Argentinien
 interrogationis Blanch. Voy. d'Orbigny, Ins. 1843, Bolivia
 p. 208, t. 21, f. 9.
 Jansoni Bates, Biol. C.-Am. Col. V, 1885, p. 252. Nicaragua
 lippus Germ. Ins. spec. nov. 1824, p. 508. — Cast. Hist. Brasilien
 Nat. II, 1840, p. 424. — Lacord. Gen. Col. VIII, 1869, t. 86, f. 2.
 proximus Berg, An. Univ. Buenos Aires VI, 1889, p. 117. Argentinien
 variatus Newm. Entomolog. I, 1841, p. 94. Brasilien

Dysoni White, Cat. Col. Brit. Mus. VII, 1853, p. 106. Venezuela

12

Eurysthea Thoms.

Thoms. Classif. Ceramb. 1860, p. 247; Syst. Ceramb. 1864, p. 452.

Euristhea Lacord. Gen. Col. VIII, 1869, p. 321.

- obliqua Serv. Ann. Soc. Ent. Fr. III, 1834, p. 18. — Brasilien
 Cast. Hist. Nat. II, 1840, p. 424. — Thoms. Classif. Ceramb. 1860, p. 247.

1

7

Nephalius Newm.

Newm. Entomolog. I, 1841, p. 93. — Goun. Bull. Soc. Ent. Fr. 1907, p. 243, 244.

Mephritus Pasc. Ann. Mag. Nat. Hist. (3) XVIII, 1866, p. 479.
— Lacord. Gen. Col. VIII, 1869, p. 316.

amictus Newm. Entomolog. I, 1841, p. 93. Brasilien

cinerascens Luc. Voy. Castelnau, Ins. 1859, p. 186, t. 12, f. 1 a, 1 b. — Pasc. Ann. Mag. Nat. Hist. (3) XVIII, 1866, p. 480.

blandus Newm. Entomolog. I, 1841, p. 112. "

detritus Lameere, Bull. Soc. Ent. Belg. XXXIV, 1890, p. 172.

callidioides Bates, Trans. Ent. Soc. Lond. 1870, p. 272. Santarem

diabolicus Lameere, Bull. Soc. Ent. Belg. XXXIV, 1890, p. 171. Brasilien

flavipes Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 641. "

serius Newm. Entomolog. I, 1841, p. 93. "

6

Miopteryx Lacord.

Lacord. Gen. Col. VIII, 1869, p. 317.

spinigera Blanch. Voy. d'Orbigny, Ins. 1843, p. 209, t. 22, f. 4. — Burm. Stett. Ent. Zeit. XXVI, 1865, p. 167. Argentinien

1

Periboeum Thoms.

Thoms. Syst. Ceramb. 1864, p. 245. — Lacord. Gen. Col. VIII, 1869, p. 318. — Goun. Bull. Soc. Ent. Fr. 1907, p. 242, 244.

Nephalius Thoms. Classif. Ceramb. 1860, p. 245.

bimaculatum Bates, Trans. Ent. Soc. Lond. 1872, p. 176; Nicaragua
Biol. C.-Am. Col. V, 1880, p. 27, t. 4, f. 15.

ebeninum Bates, Trans. Ent. Soc. Lond. 1870, p. 274. Pebas

latericium Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 638. Goyaz

melanurum Er. in Schomb. Reise III, 1848, p. 572. Guyana

ocellatum Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 640. Goyaz

paucispinum Lameere, Bull. Soc. Ent. Belg. XXXIV, 1890, p. 170. Brasilien

procerum Er. in Schomb. Reise III, 1848, p. 572. Guyana

pubescens Ol. Enc. méth. V, 1790, p. 309; Ent. IV, 67, p. 33, t. 18, f. 135. — F. Ent. Syst. I, 2, 1792, p. 301. — Bates, Trans. Ent. Soc. Lond. 1870, p. 273. Cayenne

ravidum Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 639. Goyaz

terminatum Perr. Ann. Soc. Linn. Lyon (2) II, 1855, p. 374; Mélang. Ent. III, 1855, p. 54. Brasilien

acuminatum Thoms. Classif. Ceramb. 1860, p. 245. Goyaz

umbrosum Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 640. Goyaz

vicinum Perr. Ann. Soc. Linn. Lyon (2) II, 1855, p. 377; Mélang. Ent. III, 1855, p. 57. Columbien

villosulum Bates, Trans. Ent. Soc. Lond. 1872, p. 176; Nicaragua
Biol. C.-Am. Col. V, 1880, p. 27, t. 3, f. 16.

13

Stizocera Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 107. — Thoms. Syst. Ceramb. 1864, p. 452. — Goun. Bull. Soc. Ent. Fr. 1907, p. 241.

Nephalius Lacord. Gen. Col. VIII, 1869, p. 319.
Stizocera Thoms. Classif. Ceramb. 1860, p. 188.

- armata** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 107. — Lameere, Ann. Soc. Ent. Belg. XXXIV, 1890, Bull. p. 170. — Goun. Bull. Soc. Ent. Fr. 1907, p. 241, f. 21, 1. Brasilien
- armigera** White, Cat. Col. Brit. Mus. VII, 1853, p. 107.
- consobrina** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 642, f. 21, 2. Goyaz
- eribricollis** Bates, Biol. C.-Am. Col. V, 1885, p. 253, t. 18, f. 9. Mexico
- fragilis** Bates, Trans. Ent. Soc. Lond. 1870, p. 274 nota. Rio Janeiro
- geniculata** Pasc. Ann. Mag. Nat. Hist. (3) XVIII, 1866, p. 479. Brasilien
- insulana** Gah. Trans. Ent. Soc. Lond. 1895, p. 106. Jamaica
- lissonota** Bates, Trans. Ent. Soc. Lond. 1870, p. 274. Tapajos
- Meinerti** Auriv. Öfvers. Vet. Akad. Förh. LVII, 1900, p. 409. Venezuela
- nigriventris** Bates, Trans. Ent. Soc. Lond. 1874, p. 220; Biol. C.-Am. Col. V, 1880, p. 27, t. 4, f. 2. Nicaragua
- phtisica** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 643. Südbrasilien
- plicicollis** Germ. Ins. spec. nov. 1824, p. 506. Brasilien
- plumbea** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 645. Goyaz
- Poeyi** Chev. Rev. Zool. I, 1838, p. 284; Ann. Soc. Ent. Fr. (4) II, 1862, p. 268. — Jacq. du Val, Hist. Cuba, Ins. 1857, p. 267, t. 11, f. 1. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 644. Cuba, Zentralamerika
- var. *conspicillata* Goun. l. c. Südamerika
- rugicollis** Guér. Icon. règne anim. Ins. 1844, p. 233. Columbien
- Lacord. Gen. Col. VIII, 1869, p. 319, nota 3.
- rutilus** Bates, Trans. Ent. Soc. Lond. 1872, p. 177; Biol. C.-Am. Col. V, 1880, p. 27, t. 4, f. 14. Nicaragua
- suturalis** Pasc. Ann. Mag. Nat. Hist. (3) XVIII, 1866, p. 479. Columbien
- tricolor** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 644, f. 22. Südbrasilien
- tristis** Guér. Icon. règne anim. Ins. 1844, p. 233. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 643. Bolivien

18

Aposphaerion Bates.

Bates, Trans. Ent. Soc. Lond. 1870, p. 275.

longicolle Bates l. c.

xestioides Bates, Trans. Ent. Soc. Lond. 1872, p. 177; Biol. C.-Am. Col. V, 1880, p. 27, t. 3, f. 15. Obydos
Nicaragua

2

7*

Pantonyssus Bates.

Bates, Trans. Ent. Soc. Lond. 1870, p. 276. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 646.

- Erichsoni* White, Cat. Col. Brit. Mus. VII, 1853, p. 108. Pará
 — Bates, Trans. Ent. Soc. Lond. 1870, p. 276.
nigriceps Bates l. c. nota. Rio Janeiro
 var. *bitincta* Goun. Ann. Soc. Ent. Fr. LXXVII, Goyaz
 1909, p. 646.

2

Castiale Pasc.

Pasc. Ann. Mag. Nat. Hist. (3) XVIII, 1866, p. 480. — Lacord. Gen. Col. VIII, 1869, p. 320.

- ✓ *elegantula* Perr. Ann. Soc. Linn. Lyon (2) II, 1855, Brasilien,
 p. 381 nota; Mélang. Ent. III, 1855, p. 61 nota. Columbien
viridipennis Pasc. Ann. Mag. Nat. Hist. (3)
 XVIII, 1866, p. 480.

1

Paramalloecera n. nom.

Malloecera sectio 2 Lacord. Gen. Col. VIII, 1869, p. 321.

- angusticollis* Bates in Whymper, Travels Great Andes, Ecuador
 Suppl. App. 1891, p. 37, fig.
cribripennis Bates, Biol. C.-Am. Col. V, 1885, p. 256, Panama
 t. 8, f. 5.
fulvoterminata Berg, An. Univ. Buenos Aires VI, 1889, Argentinien
 p. 113.
hirta Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 441; Brasilien
 Cent. Ins. 1834, p. 66. — Heyne, Exot. Käfer
 1906, p. 239, t. 33, f. 6.
Ilinizae Kirsch, Mitth. Mus. Dresden (2) II, 4, 1889, Ecuador
 p. 38, t. 3, f. 71.
 ✓ *Lacordairei* Lacord. Gen. Col. VIII, 1869, p. 321, nota 1, Brasilien
 t. 87, f. 1. — Lameere, Ann. Soc. Ent. Belg.
 XXXIV, 1890, Bull. p. 173.
Nicolai Auriv. Arkiv f. Zool. V, 1, 1908, p. 2. Bolivien
oblita Lameere, Ann. Soc. Ent. Belg. XXXIV, 1890, Brasilien
 Bull. p. 172.
pilifera Er. Arch. für Naturgesch. XIII, 1847, I, p. 141. Peru
sordida Er. l. c. p. 140. ”
vau Berg, An. Univ. Buenos Aires VI, 1889, p. 115. Argentinien

11

Malloecera Serv.

Serv. Ann. Soc. Ent. Fr. II, 1833, p. 567. — Cast. Hist. Nat. II, 1840,
 p. 424 (e. p.). — Thoms. Classif. Ceramb. 1860, p. 232; Syst. Ceramb.
 1864, p. 452. — Lacord. Gen. Col. VIII, 1869, p. 320.

- ✓ *amazonica* Bates, Trans. Ent. Soc. Lond. 1870, p. 278. Ega
glauca Serv. Ann. Soc. Ent. Fr. II, 1833, p. 567. Brasilien
sericata Newm. Entomolog. I, 1840, p. 5.

- Hilairei* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 648. Brasilien
opulenta Newm. Entomolog. I, 1841, p. 94. ”
ramosa Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 647. Goyaz
 simplex White, Cat. Col. Brit. Mus. VII, 1853, p. 113. Brasilien
spinicollis Bates, Trans. Ent. Soc. Lond. 1872, p. 179; Nicaragua
 Biol. C.-Am. Col. V, 1880, p. 28, t. 4, f. 4.
umbrosa Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 648. Goyaz

- quinquepustulata* Montrouz. Ann. Soc. Ent. Fr. (4) I, Insel Art
 1861, p. 277.

9

Appula Thoms.

- Thoms. Syst. Ceramb. 1864, p. 245. — Lacord. Gen. Col. VIII, 1869, p. 322.

- lateralis* White, Cat. Col. Brit. Mus. VII, 1853, p. 113. Brasilien
 — Thoms. Syst. Ceramb. 1864, p. 245. — Lacord.
 Gen. Col. VIII, 1869, t. 86, f. 4. — Goun. Ann.
 Soc. Ent. Fr. LXXVII, 1909, p. 650, f. 23, 3, 4.
melancholica Goun. l. c. Goyaz
nigripes Bates, Trans. Ent. Soc. Lond. 1870, p. 279. Tapajos
sericatula Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz
 p. 649, f. 23, 1, 2.
undulans White, Cat. Col. Brit. Mus. VII, 1853, p. 114. Brasilien

5

Ommidion Newm.

- Newm. Ann. Mag. Nat. Hist. IV, 1840, p. 196.

- Ommatidion* Gemm. & Har. Cat. Col. IX, 1873, p. 2826.

- modestum* Newm. Ann. Mag. Nat. Hist. IV, 1840, p. 196. Brasilien

1

Psyrassa Pasc.

- Pasc. Ann. Mag. Nat. Hist. (3) XVIII, 1866, p. 481. — Lacord. Gen. Col.
 VIII, 1869, p. 322. — Bates, Biol. C.-Am. Col. V, 1880, p. 28. — Schaeffer,
 Journ. N. York Ent. Soc. XII, 1904, p. 61.

- basicornis* Pasc. Ann. Mag. Nat. Hist. (3) XVIII, 1866, Yucatan
 p. 481.
castanea Bates, Biol. C.-Am. Col. V, 1880, p. 28, t. 17, f. 8. Mexico
cribellata Bates, Trans. Ent. Soc. Lond. 1892, p. 152, ”
 t. 5, f. 9.
nigricornis Bates, l. c. p. 153, t. 5, f. 10. ”
nigroaenea Bates, l. c. ”
pilosella Bates, l. c. t. 5, f. 11. ”
punctulata Bates, l. c. p. 152. ”
rufescens Nonfr. Ent. Nachr. XX, 1894, p. 139. Brasilien
Sallaei Bates, Biol. C.-Am. Col. V, 1885, p. 255, t. 18, f. 11. Mexico
sthenias Bates, Trans. Ent. Soc. Lond. 1892, p. 152. ”
texana Schaeffer, Bull. Brookl. Inst. I, 1905, p. 160; Texas
 1908, p. 329.
tympanophora Bates, Biol. C.-Am. Col. V, 1885, p. 255, Mexico
 t. 18, f. 12.

unicolor Randall, Bost. Journ. II, 1838, p. 42. — Hald. Nordamerika
Trans. Am. Phil. Soc. (2) X, 1847, p. 44. —
J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 15.
— Leng, Ent. Amer. I, 1885, p. 32, 33.

13

Atharsus Bates.

Bates, Ent. Month. Mag. IV, 1867, p. 25. — Lacord. Gen. Col. VIII, 1869,
p. 323.

nigricauda Bates, Ent. Month. Mag. IV, 1867, p. 25; Tapajos
Trans. Ent. Soc. Lond. 1870, p. 277.

1

Ironeus Bates.

Bates, Trans. Ent. Soc. Lond. 1872, p. 178.

duplex Bates, l. c. p. 179; Biol. C.-Am. Col. V, 1880, Nicaragua
p. 29, t. 4, f. 3.

mutatus Bates, Biol. C.-Am. Col. V, 1885, p. 255, t. 18, f. 10. Mexico

pulcher Bates, l. c. 1880, p. 29, t. 4, f. 13. Nicaragua

3

Miltesthus Bates.

Bates, Trans. Ent. Soc. Lond. 1872, p. 177.

marginatus Bates, l. c. p. 178; Biol. C.-Am. Col. V, 1880, Nicaragua
p. 29, t. 4, f. 1.

1

Sphaerionillum Bates.

Bates, Biol. C.-Am. Col. V, 1885, p. 256.

pietum Bates, l. c.

Mexico

quadrisignatum Bates, l. c. t. 17, f. 21.

,,

2

Terpnissa Bates.

Bates, Ent. Month. Mag. IV, 1867, p. 26. — Lacord. Gen. Col. VIII, 1869,
p. 324.

listropterina Bates, Ent. Month. Mag. IV, 1867, p. 26; Tapajos
Trans. Ent. Soc. Lond. 1870, p. 278. — Goun.
Ann. Soc. Ent. Fr. LXXVII, 1909, p. 646.

1

XIX. Piezocerini.

Lacord. Gen. Col. VIII, 1869, p. 324.

Gorybia Pasc.

Pasc. Ann. Mag. Nat. Hist. (3) XVIII, 1866, p. 481. — Lacord. Gen. Col. VIII, 1869, p. 325.

martes Pasc. Ann. Mag. Nat. Hist. (3) XVIII, 1866, p. 481. Brasilien

1

Haruspex Thoms.

Thoms. Syst. Ceramb. 1864, p. 221. — Lacord. Gen. Col. VIII, 1869, p. 326.
— Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 651.

- bivittis* White, Cat. Col. Brit. Mus. VIII, 1855, p. 220. Pará
brevipes White, l. c. p. 218. — Thoms. Syst. Ceramb. 1864, p. 221. Brasilien
castaneus Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 653, f. 24, 1, 2. Goyaz
Chevolati White, Cat. Col. Brit. Mus. VIII, 1855, p. 219, t. 7, f. 3. Venezuela
chontalensis Bates, Biol. C.-Am. Col. V, 1880, p. 30, t. 4, f. 12. Nicaragua
coriacea Er. Schomb. Reise III, 1848, p. 573. Guyana
fulgidipennis Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 652. Goyaz
inermis Belon, Rev. d'Ent. XXII, 1903, p. 48. Bolivien
inscriptus Gah. Trans. Ent. Soc. Lond. 1895, p. 107, t. 2, f. 2. Grenada
laevifemoratus Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 294. Sarayacu
lineolatus Bates, Trans. Ent. Soc. Lond. 1870, p. 280. Santarem
maculicornis Bates, l. c. p. 281. — Gah. l. c. 1895, p. 107. Pará
 var. *pallidus* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 652. Goyaz
modestus White, Cat. Col. Brit. Mus. VIII, 1855, p. 239. Tapajos
 — Bates, Trans. Ent. Soc. Lond. 1870, p. 280.
ornatus Bates, l. c. p. 281. Santarem
pusillus Bates, l. c. p. 282. ”
quadripustulatus Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 651. Goyaz
rubiginosus Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 4. Bahía
 var. *apicalis* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 653, nota 1. ”
 var. *suturalis* Goun. l. c. Goyaz
ruficauda Goun. l. c. p. 654, f. 24, 3, 4.
simplicior Bates, Trans. Ent. Soc. Lond. 1870, p. 282 nota. Rio Janeiro
solitarius Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 655, f. 25. Goyaz

20

Colynthaea Thoms.

Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 5.

grossa Thoms. l. c. p. 6. Brasilien

1

Piezocera Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 92. — Cast. Hist. Nat. II, 1840, p. 447. — Thoms. Classif. Ceramb. 1860, p. 189; Syst. Ceramb. 1864, p. 439. — Lacord. Gen. Col. VIII, 1869, p. 326. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 651.

- bivittata* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 93. — Brasilien
Cast. Hist. Nat. II, 1840, p. 447.
gratiosa Lamcere, Ann. Soc. Ent. Fr. LXII, 1893, Venezuela
p. 273.
✓ *monochroa* Bates, Biol. C.-Am. Col. V, 1885, p. 258. Mexico
✓ *serraticollis* Linell, Proc. U. S. Nat. Mus. XIX, 1896, Texas
p. 394.
submaculata White, Cat. Col. Brit. Mus. VIII, 1855, [?]Columbien
p. 220.
5

Pyrgotes Bates.

Bates, Ent. Month. Mag. IV, 1867, p. 27; Trans. Ent. Soc. Lond. 1870, p. 283.

- aeneus* Bates, Ent. Month. Mag. IV, 1867, p. 27; Trans. Ega
Ent. Soc. Lond. 1870, p. 283.
1

Hemilissa Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 238. — Thoms. Syst. Ceramb. 1864, p. 439. — Lacord. Gen. Col. VIII, 1869, p. 327.

- cornuta* Bates, Trans. Ent. Soc. Lond. 1870, p. 284. — Tapajos
Goun. Bull. Soc. Ent. Fr. 1909, p. 304.
laevigata Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 3. Cayenne
flavicauda Bates, Biol. C.-Am. Col. V, 1885, p. 258, Guatemala
t. 18, f. 7.
✓ *gummosa* Perty, Del. anim. 1830, p. 90, t. 18, f. 7. Brasilien
✓ *sulcicollis* Bates, Trans. Ent. Soc. Lond. 1870, p. 284. Ega

- violascens* Perty, Del. anim. 1830, p. 90, t. 18, f. 6. — Bahia
Lacord. Gen. Col. VIII, 1869, p. 328, nota 1.
5

Coscinedes Bates.

Bates, Biol. C.-Am. Col. V, 1885, p. 258.

- gracilis* Bates, l. c. p. 259, t. 19, f. 4. Mexico
1

Anatinomma Bates.

Bates, Trans. Ent. Soc. Lond. 1892, p. 150.

- alveolatum* Bates, l. c. p. 151, t. 5, f. 8. Mexico
1

XX. Ibidionini.

Lacord. Gen. Col. VIII, 1869, p. 328. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 288.

Tetroplon Auriv.

Auriv. Ent. Tidskr. XX, 1899, p. 259.

- | | |
|--|--------------|
| <i>Aurivillii</i> Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 656. | Brasilien |
| <i>caudatum</i> Auriv. Ent. Tidskr. XX, 1899, p. 259, f. 13. | Südbrasilien |
| <i>Sahlbergi</i> Auriv. l. c. p. 260, f. 14. | Rio Janeiro |

3

Hexoplon Thoms.

Thoms. Syst. Ceramb. 1864, p. 219. — Lacord. Gen. Col. VIII, 1869, p. 330.
— Bates, Trans. Ent. Soc. Lond. 1870, p. 285.

- | | |
|---|--------------|
| <i>albipenne</i> Bates, Trans. Ent. Soc. Lond. 1872, p. 179;
Biol. C.-Am. Col. V, 1880, p. 30, t. 4, f. 5. | Nicaragua |
| <i>armatum</i> Auriv. Ent. Tidskr. XX, 1899, p. 263, f. 16. | Brasilien |
| <i>calligramma</i> Bates, Biol. C.-Am. Col. V, 1885, p. 259,
t. 18, f. 13. | Mexico |
| <i>carissimum</i> White, Cat. Col. Brit. Mus. VIII, 1855, p. 223,
t. 5, f. 9. — Bates, Trans. Ent. Soc. Lond. 1870,
p. 295. | Pará |
| <i>consanguineum</i> Auriv. Ent. Tidskr. XX, 1899, p. 261. | Brasilien |
| <i>cruciatum</i> Auriv. l. c. p. 262. | Rio Janeiro |
| <i>cruciferum</i> Goun. Ann. Soc. Ent. Fr. LXXVII, 1909,
p. 659. | Goyaz |
| <i>ctenostomoides</i> Thoms. Physis I, 1867, p. 162. | Brasilien |
| <i>eximium</i> Auriv. Ent. Tidskr. XX, 1899, p. 260. | Südbrasilien |
| <i>flaveolum</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 285. | Tapajos |
| <i>gracile</i> Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 658. | Goyaz |
| <i>Juno</i> Thoms. Syst. Ceramb. 1865, p. 575. | Brasilien |
| <i>longispina</i> Auriv. Ent. Tidskr. XX, 1899, p. 261. | „ |
| <i>nigricolle</i> Goun. Ann. Soc. Ent. Fr. LXXVII, 1909,
p. 657. | Goyaz |
| <i>nigritarse</i> Auriv. Ent. Tidskr. XX, 1899, p. 262. | Brasilien |
| <i>praetermissum</i> Bates, Trans. Ent. Soc. Lond. 1870,
p. 442. | Tapajos |
| var. <i>simplex</i> Goun. Ann. Soc. Ent. Fr. LXXVII,
1909, p. 657. | Goyaz |
| <i>quincunx</i> Thoms. Physis I, 1867, p. 162. — Bates, Trans.
Ent. Soc. Lond. 1870, p. 285. — Lacord. Gen.
Col. VIII, 1869, t. 86, f. 5. | Amazon. |
| <i>Reinhardtii</i> Auriv. Ent. Tidskr. XX, 1899, p. 262, f. 15. | Brasilien |
| <i>Smithi</i> Bates, Trans. Ent. Soc. Lond. 1892, p. 154, t. 5,
f. 12. | Mexico |
| <i>sylvarum</i> Bates, l. c. p. 155, t. 5, f. 14. | „ |
| <i>uncinatum</i> Goun. Ann. Soc. Ent. Fr. LXXVII, 1909,
p. 659. | Goyaz |
| <i>venus</i> Thoms. Syst. Ceramb. 1864, p. 219. | Cayenne |

Glyptoscopus Auriv.

Auriv. Ent. Tidskr. XX, 1899, p. 264.

- bivittatus* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Minas Geraes
p. 660.
cicatricosus Auriv. Ent. Tidskr. XX, 1899, p. 264, f. 17. Brasilien
2

Gnomidolon Thoms.

Thoms. Syst. Ceramb. 1864, p. 219. — Lacord. Gen. Col. VIII, 1869, p. 330.
— Bates, Trans. Ent. Soc. Lond. 1870, p. 286; Biol. C.-Am. Col. V, 1885,
p. 259.

- biarcuatum* White, Cat. Col. Brit. Mus. VIII, 1855, Brasilien
p. 228. — Thoms. Syst. Ceramb. 1864, p. 219.
— Bates, Trans. Ent. Soc. Lond. 1870, p. 289.
bipartitum Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz
p. 661.
Brethesi Bruch, Rev. Mus. La Plata XV, 1908, p. 204, fig. Argentinien
Clymene Thoms. Physis I, 1867, p. 161. — Bates, Trans. Amazon.
Ent. Soc. Lond. 1870, p. 286.
conjugatum White, Cat. Col. Brit. Mus. VIII, 1855, Brasilien
p. 231. — Bates, Trans. Ent. Soc. Lond. 1870,
p. 287.
denticorne Bates, Trans. Ent. Soc. Lond. 1892, p. 155. Panama
dubium Bates, l. c. 1870, p. 290. Tapajos
eganum Bates, l. c. p. 287. Ega
elegantulum Lameere, Ann. Soc. Ent. Belg. XXVIII, Südbrasilien
1885, p. 88.
humerale Bates, Trans. Ent. Soc. Lond. 1870, p. 287. Pará
insulicola Bates, Biol. C.-Am. Col. V, 1885, p. 260, t. 19, Panama
f. 2.
laetabile Bates, l. c. t. 19, f. 1. ”
Meinerti Auriv. Öfvers. Vet. Akad. Förh. LVII, 1900, Venezuela
p. 410.
melanosomum Bates, Trans. Ent. Soc. Lond. 1870, p. 288. Ega
var. *maculicorne* Goun. Ann. Soc. Ent. Fr. Goyaz
LXXVII, 1909, p. 661.
musivum Er. Archiv für Naturgesch. XIII, 1847, I, p. 141. Pará
nympha Thoms. Syst. Ceramb. 1865, p. 575. Brasilien
oeax Thoms. Physis I, 1867, p. 160. Guyana
pallidulum White, Cat. Col. Brit. Mus. VIII, p. 234. Brasilien
picipes Bates, Trans. Ent. Soc. Lond. 1870, p. 287. Ega
pietum Serv. Ann. Soc. Ent. Fr. III, 1834, p. 106. Brasilien
rubriceps Goun. l. c. LXXVII, 1909, p. 662. Goyaz
rubricolor Bates, Trans. Ent. Soc. Lond. 1870, p. 286. Tapajos
rugicolle Nonfr. Berl. Ent. Zeitschr. XL, 1895, p. 309. Bahia
scabrosum Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz
p. 663.
simplex White, Cat. Col. Brit. Mus. VIII, 1855, p. 230. Brasilien
— Bates, Trans. Ent. Soc. Lond. 1870, p. 289.
subburneum White, Cat. Col. Brit. Mus. VIII, 1855, ”
p. 234. — Bates, Trans. Ent. Soc. Lond. 1870,
p. 288. — Goun. Ann. Soc. Ent. Fr. LXXVII,
1909, p. 662, f. 26, l.
var. *pallidicauda* Goun. l. c. f. 26, 2. Goyaz
varians Goun. l. c. p. 662. ”
x-littera Thoms. Syst. Ceramb. 1865, p. 575. Brasilien

Octoplon Thoms.

Thoms. Syst. Ceramb. 1864, p. 218. — Lacord. Gen. Col. VIII, 1869, p. 331.
— Bates, Trans. Ent. Soc. Lond. 1870, p. 290.

Lylibaenum Thoms. Syst. Ceramb. 1864, p. 216. — Lacord. Gen. Col. VIII, 1869, p. 334. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 666.

- adelphum Thoms. Physis I, 1867, p. 158. Brasilien
affine Thoms. Syst. Ceramb. 1865, p. 575. „
angulare Thoms. Physis I, 1867, p. 159. „
antennatum Thoms. l. c. p. 156. „
ab. *graphicum* Thoms. l. c. p. 135. „
calligrammum Bates, Trans. Ent. Soc. Lond. 1870, p. 294. Ega
callispilum Bates, l. c. p. 293. Pará
campestre Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 667. Goyaz
caudatum Bates, Biol. C.-Am. Col. V, 1885, p. 261. Panama
charile Bates, Trans. Ent. Soc. Lond. 1870, p. 297. Tapajos
cinctulum Bates, l. c. p. 294. „
eleophile Thoms. Syst. Ceramb. 1865, p. 574. Brasilien
decoratum Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 665. Goyaz
✓ fasciiferum Berg, An. Univ. Buenos Aires VI, 1889, p. 110. Argentinien
✓ flavopietum Perty, Del. anim. 1830, p. 93, t. 18, f. 14. Brasilien
✓ glabriolium Bates, Trans. Ent. Soc. Lond. 1872, p. 180; Biol. C.-Am. Col. V, 1880, p. 30, t. 4, f. 6. Nicaragua
ilium Thoms. Syst. Ceramb. 1864, p. 216. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 666. Brasilien
laesicolle Germ. Ins. spec. nov. 1824, p. 511. — Thoms. Syst. Ceramb. 1864, p. 218. „
Landsbergi Thoms. Physis I, 1867, p. 159. Venezuela
✓ lineatocolle Thoms. Syst. Ceramb. 1865, p. 574. Brasilien
orpa White, Cat. Col. Brit. Mus. VIII, 1885, p. 227. — Bates, Trans. Ent. Soc. Lond. 1870, p. 290. Tapajos
polychromum Bates, l. c. p. 295. „
polyzonum Bates, l. c. p. 291. „
quadrisingnatum Thoms. Syst. Ceramb. 1865, p. 574. Brasilien
ruficaudatum Thoms. l. c. p. 571. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 664. Cayenne
var. *rufum* Goun. l. c. Goyaz
rugicolle Bates, Trans. Ent. Soc. Lond. 1870, p. 296. Tapajos
rutha White, Cat. Col. Brit. Mus. VIII, 1885, p. 227. — Bates, Trans. Ent. Soc. Lond. 1870, p. 296. „
striatocolle White, Cat. Col. Brit. Mus. VIII, 1885, p. 224. — Bates, Trans. Ent. Soc. Lond. 1870, p. 292. Cayenne
Proserpina Thoms. Physis I, 1867, p. 140. Guyana
tetrops Bates, Trans. Ent. Soc. Lond. 1870, p. 291. Tapajos
thoracicum White, Cat. Col. Brit. Mus. VIII, 1885, p. 228. — Bates, Trans. Ent. Soc. Lond. 1870, p. 296. „
unifasciatum Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 666. Goyaz

Cycnidolon Thoms.

Thoms. Syst. Ceramb. 1864, p. 217. — Lacord. Gen. Col. VIII, 1869, p. 333. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 667.

- approximatum* White, Cat. Col. Brit. Mus. VIII, 1855, p. 231. — Bates, Trans. Ent. Soc. Lond. 1870, p. 306. Ega
- Batesianum* White, Cat. Col. Brit. Mus. VIII, 1855, p. 230, t. 6, f. 6. — Bates, Trans. Ent. Soc. Lond. 1870, p. 306. Amazon.
- binodosum* Bates, l. c. Ega
- eques* Thoms. Syst. Ceramb. 1865, p. 217. Brasilien
- Gounellei* Bruch, Rev. Mus. La Plata XV, 1908, p. 206, fig. Argentinien
- mucoriferum* Thoms. Physis I, 1867, p. 154. Brasilien
- modestum* Lacord. Gen. Col. VIII, 1869, p. 334, nota 1.
- podicale* Thoms. Physis I, 1867, p. 155. Venezuela
- noculum* Bates, Trans. Ent. Soc. Lond. 1870, p. 292. Tapajos
- Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 668.

8

Hormathus Gah.

Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 32.

- cinctellus* Gah. l. c. p. 33. St. Domingo

1

Phormesium Thoms.

Thoms. Syst. Ceramb. 1864, p. 217. — Lacord. Gen. Col. VIII, 1869, p. 335. — Bates, Trans. Ent. Soc. Lond. 1870, p. 307.

Engyrum Thoms. Syst. Ceramb. 1864, p. 216.

- albinum* Bates, Trans. Ent. Soc. Lond. 1870, p. 307. Tapajos
- endesmoides* Thoms. Syst. Ceramb. 1864, p. 218. Brasilien
- fusiferum* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 106. „
- melanodacrys* White, Cat. Col. Brit. Mus. VIII, 1855, p. 235. — Bates, Trans. Ent. Soc. Lond. 1870, p. 307. Tapajos
- pulchellum* Lameere, Ann. Soc. Ent. Fr. LXII, 1893, p. 274. Venezuela
- quadrinotatum* Thoms. Syst. Ceramb. 1864, p. 217. Brasilien
- virgulatum* Bates, Biol. C.-Am. Col. V, 1880—85, p. 31, 267. Guatemala

7

Sydax Lacord.

Lacord. Gen. Col. VIII, 1869, p. 335.

- stramineus* Lacord. l. c. p. 336, nota 1. Brasilien

1

Aphatum Bates.

Bates, Trans. Ent. Soc. Lond. 1870, p. 308.

rufulum White, Cat. Col. Brit. Mus. VIII, 1855, p. 234. Tapajos
 — Bates, Trans. Ent. Soc. Lond. 1870, p. 308.

1

Compsa Perty.

Perty, Del. anim. 1830, p. 92. — Lacord. Gen. Col. VIII, 1869, p. 333.
 — Bates, Trans. Ent. Soc. Lond. 1870, p. 301. — J. Lec. & Horn, Classif.
 Col. N. Am. 1883, p. 289.

Compsibidion Thoms. Syst. Ceramb. 1864, p. 215: Physis I,
 1867, p. 150.

- albocincta* Thoms. Syst. Ceramb. 1865, p. 574. Brasilien
 ✓ *albopieta* Perty, Del. anim. 1830, p. 92, t. 18, f. 13. „
arcuifera Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 669. Goyaz
basalis White, Cat. Col. Brit. Mus. VIII, 1855, p. 229. Tapajos
 — Bates, Trans. Ent. Soc. Lond. 1870, p. 302.
clerochroa Thoms. Physis I, 1867, p. 156. ½ Cayenne
eburioides Thoms. l. c. p. 152. Chile
flavofasciata Thoms. l. c. Bogotá
flavonitida Fairm. & Germ. Ann. Soc. Ent. Fr. (3) VII, Chile
 1859, p. 507. — Germain, An. Univ. Chile CI,
 1901, p. 732 (sep. p. 110).
 var. *bifasciata* Phil. Stett. Ent. Zeit. XXI, „
 1860, p. 251.
Gaumeri Bates, Trans. Ent. Soc. Lond. 1892, p. 156, Mexico
 t. 5, f. 16.
 ✓ *hipposioides* Bates, Biol. C.-Am. Col. V, 1885, p. 265, Guatemala
 t. 18, f. 25.
histrionica Bates, Trans. Ent. Soc. Lond. 1870, p. 302. Ega
ignobilis Bates, Biol. C.-Am. Col. V, 1885, p. 265, t. 18, Guatemala
 f. 24.
inconstans Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz
 p. 669.
interrogationis Thoms. Syst. Ceramb. 1864, p. 216. Brasilien
livida Germain, An. Univ. Chile CI, 1901, p. 737 (sep. Chile
 p. 115).
lunata Germain, l. c. p. 747 (sep. p. 125). „
 ✓ *lycoris* Thoms. Physis I, 1867, p. 153. Brasilien
macra Thoms. l. c. p. 154. — Goun. Ann. Soc. Ent. Venezuela
 Fr. LXXVII, 1909, p. 668.
pallidipennis Thoms. Syst. Ceramb. 1865, p. 573. Chile
 ✓ *puncticollis* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Californien,
 p. 188. — Leng, Ent. Amer. I, 1885, p. 134, Arizona,
 t. 3, f. 9. — Schaeffer, Bull. Brookl. Inst. I, Mexico
 1908, p. 337.
asperula Bates, Biol. C.-Am. Col. V, 1885, p. 266,
 t. 18, f. 21.
quadriguttata White, Cat. Col. Brit. Mus. VIII, 1855, Tapajos,
 p. 226. — Bates, Trans. Ent. Soc. Lond. 1870, Goyaz
 p. 303.
 ✓ *quadriplagiata* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Californien
 p. 189. — Horn, Bull. Calif. Acad. (2) IV, 1894,
 p. 338. — Leng, Ent. Amer. I, 1885, p. 134. —
 Schaeffer, Bull. Brookl. Inst. I, 1908, p. 337.

<i>griseola</i> Bates, Trans. Ent. Soc. Lond. 1892, p. 156, t. 5, f. 13.	Mexico
<i>semipolita</i> Fairm. & Germ. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 508.	Chile
var. <i>pallidicornis</i> Fairm. & Germain, Rev. Mag. Zool. (2) XVI, 1864, p. 387. — Germain, An. Univ. Chile CI, 1901, p. 742 (sep. p. 120).	„
Sommeri Thoms. Syst. Ceramb. 1865, p. 573.	Brasilien
<i>squalida</i> Thoms. Physis I, 1867, p. 151.	Columbien
<i>tenuata</i> Bates, Biol. C.-Am. Col. V, 1885, p. 263, t. 17, f. 25.	Mexico
<i>tenuissima</i> Bates, l. c. p. 266, t. 17, f. 24.	„
<i>textilis</i> Thoms. Syst. Ceramb. 1865, p. 573. — Bates, Biol. C.-Am. Col. V, 1885, p. 263. — Schaeffer, Bull. Brookl. Inst. I, 1908, p. 337.	Costarica
<i>mexicana</i> Thoms. Syst. Ceramb. 1865, p. 573. — Bates, Biol. C.-Am. Col. V, 1880, p. 32, t. 4, f. 11.	Mexico
var. <i>alacris</i> Bates, l. c. p. 264, t. 17, f. 23.	„
var. <i>sericans</i> Bates, l. c.	Panama
<i>truncata</i> Thoms. Syst. Ceramb. 1865, p. 574.	Brasilien
<i>vana</i> Thoms. Physis I, 1867, p. 151. — Bates, Biol. C.-Am. Col. V, 1885, p. 265, t. 18, f. 20.	Cayenne, Guatemala
<i>ventricosa</i> Bates, l. c. p. 264, t. 18, f. 22.	Panama

31

Heterachtes^h Newm.

Newm. Entomolog. I, 1840, p. 9. — Bates, Trans. Ent. Soc. Lond. 1870, p. 303. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 289.	
<i>Heterachton</i> Thoms. Physis I, 1867, p. 134, 148.	
<i>aegrotus</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 305.	Ega
<i>aeneolus</i> Bates, Biol. C.-Am. Col. V, 1885, p. 267, t. 18, f. 23.	Mexico
Andreae Germ. Ins. spcc. nov. 1824, p. 511.	Brasilien
<i>bellus</i> Goun. Ann. Soc. Ent. Fr. LXXXVII, 1909, p. 672.	Goyaz
<i>bilineatus</i> Bates, Biol. C.-Am. Col. V, 1885, p. 262, t. 18, f. 19.	Guatemala
<i>bonariensis</i> Thoms. Syst. Ceramb. 1865, p. 572.	Buenos Aires
<i>chiriquinus</i> Bates, Biol. C.-Am. Col. V, 1885, p. 266.	Panama
<i>corallinus</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 304.	Tapajos
var. <i>chapadensis</i> Goun. Ann. Soc. Ent. Fr. LXXXVII, 1909, p. 672.	Goyaz
var. <i>tricolor</i> Belon, Ann. Soc. Linn. Lyon (2) XLIII, 1896, p. 244. — Goun. Ann. Soc. Ent. Fr. LXXXVII, 1909, p. 672.	Bolivien
<i>eribripennis</i> Bates, Biol. C.-Am. Col. V, 1880, p. 32.	Costarica
<i>decipiens</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 303.	Ega
<i>deliciosus</i> Bates, l. c. p. 305.	Obydos
<i>ditelus</i> Bates, l. c. 1872, p. 181; Biol. C.-Am. Col. V, 1880, p. 31, t. 4, f. 10.	Nicaragua
<i>ebenus</i> Newm. Entomolog. I, 1840, p. 9. — Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 43. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 23. — Leng, Ent. Amer. I, 1885, p. 135. — Goun. Ann. Soc. Ent. Fr. LXXXVII, 1909, p. 670.	Nordamerika, Süd- amerika
<i>evanescens</i> Thoms. Physis I, 1867, p. 148.	Texas
<i>Fairmairei</i> Thoms. Syst. Ceramb. 1865, p. 572.	Chile

- flavicornis* Thoms. l. c. p. 571. Brasilien
implicatus Thoms. Physis I, 1867, p. 148. Montevideo
integripennis Bates, Biol. C.-Am. Col. V, 1885, p. 262, Mexico
 t. 18, f. 14.
inustus Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 670, Goyaz
 f. 27.
involutus Bates, Trans. Ent. Soc. Lond. 1870, p. 304. Tapajos
latevittatus Bates, Biol. C.-Am. Col. V, 1885, p. 262, Mexico
 t. 18, f. 18.
Lefebvrei Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 673. Goyaz
longipilis Bates, Trans. Ent. Soc. Lond. 1870, p. 304. Tapajos
myrrheus Goun. Bull. Mus. Paris XVI, 1910, p. 15. Ecuador
nigrocinctus Bates, Trans. Ent. Soc. Lond. 1872, p. 182; Nicaragua
 Biol. C.-Am. Col. V, 1880, p. 31, t. 4, f. 9.
nobilis J. Lec. Proc. Acad. Philad. 1862, p. 41. — Leng, Texas
 Ent. Amer. I, 1885, p. 185.
obtusus Bates, Trans. Ent. Soc. Lond. 1874, p. 221; Nicaragua
 Biol. C.-Am. Col. V, 1880, p. 33, 264, t. 4, f. 8.
pelsonioides Thoms. Physis I, 1867, p. 149. Brasilien
quadrifoveolatus Chabr. Archiv Ent. I, 1857, p. 197. ”
quadrinaculatus F. Ent. Syst. I, 2, 1792, p. 328. Antillen
submaculatus Lameere, Ann. Soc. Ent. Belg. XXVIII, 1885, p. 100.
 var. *cylindricollis* F. Ent. Syst. Suppl. 1798, p. 146.
clavipes F. Syst. El. II, 1801, p. 316.
quadrinaculatus Hald. Trans. Am. Phil. Soc. (2) X, Nordamerika
 1847, p. 43. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 23. — Leng, Ent. Amer. I, 1885, p. 135. — Wickh. Canad. Ent. XXIX, 1897, p. 110.
rotundipennis White, Cat. Col. Brit. Mus. VIII, 1855, Patria?
 p. 233.
ruatanus Bates, Trans. Ent. Soc. Lond. 1892, p. 155, Honduras
 t. 5, f. 15.
sejunctus Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 673. Goyaz
sexsignatus Thoms. Syst. Ceramb. 1865, p. 572. Brasilien
signaticollis Thoms. l. c. Venezuela
singularis Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 671. Goyaz
syphis Bates, Trans. Ent. Soc. Lond. 1870, p. 305. Tapajos
validicornis Bates, Biol. C.-Am. Col. V, 1885, p. 261, Panama
 t. 18, f. 17.

39

Bomarion Goun.

Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 674.

- lineatum* Goun. l. c. p. 675, f. 28, 1—3. Goyaz
scansor Goun. l. c. f. 28, 4. ”
signatipenne Goun. l. c. nota 1. Pernambuco

3

Ibidion Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 103. — Cast. Hist. Nat. II, 1840, p. 443. — Thoms. Syst. Ceramb. 1864, p. 215; Physis I, 1867, p. 134. — Lacord. Gen. Col. VIII, 1869, p. 331. — Bates, Trans. Ent. Soc. Lond. 1870, p. 297. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 676.

Brydaeon Thoms. Physis I, 1867, p. 134, 137.

Tropidion Thoms. l. c. p. 134, 138.

	amabile Thoms. l. c. p. 138.	Brasilien
	angusticollis Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 683.	Goyaz
	anormale Thoms. Physis I, 1867, p. 145. — Bates, Biol. C.-Am. Col. V, 1885, p. 257 (<i>Ectenessa?</i>).	Bahia
	Armandinae Chabr. Archiv Ent. I, 1857, p. 198.	Brasilien
	var. <i>biguttatum</i> Redt. Reise Novara, Col. 1868, p. 198, t. 5, f. 12.	,,
	biplagiatum Redt. l. c. t. 5, f. 11.	,,
	bituberculatum Serv. Ann. Soc. Ent. Fr. III, 1834, p. 105.	,,
	— Lacord. Gen. Col. VIII, 1869, p. 330, nota 3.	
	bivulneratum Thoms. Physis I, 1867, p. 141.	,,
	Borrei Lameere, Ann. Soc. Ent. Belg. XXVIII, 1885, p. 88.	,,
	breviuseulum Thoms. Physis I, 1867, p. 147.	,,
	brunniceps Thoms. Syst. Ceramb. 1865, p. 571.	Bogotá
	Buqueti Thoms. Physis I, 1867, p. 139.	Cayenne
	Calciope Thoms. l. c. p. 144.	Bogotá
	carinicollis Bates, Trans. Ent. Soc. Lond. 1872, p. 180; Biol. C.-Am. Col. V, 1880, p. 31, t. 4, f. 7.	Nicaragua
	comatum Serv. Ann. Soc. Ent. Fr. III, 1834, p. 104.	Brasilien
	— Cast. Hist. Nat. II, 1840, p. 444.	
	cylindricum Thoms. Syst. Ceramb. 1865, p. 570.	,,
	digrammum Bates, Trans. Ent. Soc. Lond. 1870, p. 299.	Tapajos
	dilectum Bates, l. c.	Ega
	dimidiatum Thoms. Syst. Ceramb. 1865, p. 571.	Brasilien
	duplicatum Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 677.	Goyaz
	eburnigerum Auriv. Ent. Tidskr. XX, 1899, p. 265.	Guyana
	elegans Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 679.	Goyaz
	var. <i>zonatum</i> Goun. l. c.	,,
	epaphum Berg, An. Univ. Buenos Aires VI, 1889, p. 111.	Argentiniën
	erythrocephalum White, Cat. Col. Brit. Mus. VIII, 1855, p. 224.	Guatemala
	exclamationis Thoms. Classif. Ceramb. 1860, p. 201.	Mexico, Texas
	Fairmairei Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 680.	Goyaz
	fenestratum Thoms. Syst. Ceramb. 1865, p. 572.	Brasilien
	flavipes Thoms. Physis I, 1867, p. 143.	,,
	fulvipes Thoms. Syst. Ceramb. 1865, p. 571.	,,
	geniculatum Thoms. l. c.	,,
	gnomoides Thoms. l. c. p. 570.	,,
	griseicollis Bates, Trans. Ent. Soc. Lond. 1870, p. 180; Biol. C.-Am. Col. V, 1880, p. 31, t. 4, f. 17.	Nicaragua
	guttiferum Thoms. Physis I, 1867, p. 142.	Columbien
	guyanense White, Cat. Col. Brit. Mus. VIII, 1855, p. 225.	Guyana
	hermione Thoms. Physis I, 1867, p. 144.	Brasilien
	Herse Thoms. l. c. p. 136.	Cayenne
	Heteroclitum Thoms. l. c. p. 137.	Brasilien
	Jo Thoms. l. c. p. 141.	,,
	Leprieuri Bates, Trans. Ent. Soc. Lond. 1870, p. 299.	Obydos
	leucogramma Perty, Del. anim. 1830, p. 92, t. 18, f. 12.	Brasilien
	<i>Thomsoni</i> Chabr. Archiv Ent. I, 1857, p. 197.	,,
	leucozona Bates, Biol. C.-Am. Col. V, 1885, p. 261, t. 18, f. 16.	Panama
	lineolatum Bates, Trans. Ent. Soc. Lond. 1870, p. 301.	Ega
	maronicum Thoms. Physis I, 1867, p. 135.	Cayenne
	monostigma Bates, Trans. Ent. Soc. Lond. 1870, p. 297.	Tapajos

- oedicneme* Bates, l. c. p. 298. S. Paulo
periboeoides Thoms. Physis I, 1867, p. 146. Brasilien
personatum Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz
 p. 678, f. 29.
phœraecanthoides White, Cat. Col. Brit. Mus. VIII, 1855, Brasilien
 p. 232.
plagiatum Burm. Stett. Ent. Zeit. XXVI, 1865, p. 174. Mendoza
pleurostictum Bates, Biol. C.-Am. Col. V, 1885, p. 261, Panama
 t. 18, f. 15.
rubellum Bates, Trans. Ent. Soc. Lond. 1870, p. 298. Pará
rubricatum Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz
 p. 680.
 var. *rubronigrum* Goun. l. c. p. 681. „
rurigena Goun. l. c. „
rusticum Goun. l. c. p. 682. „
salamis Thoms. Physis I, 1867, p. 143. Brasilien
semirufum Bates, Biol. C.-Am. Col. V, 1885, p. 265. Mexico
sexguttatum Serv. Ann. Soc. Ent. Fr. III, 1834, p. 105. Brasilien
 — Cast. Hist. Nat. II, 1840, p. 444.
signatum Serv. Ann. Soc. Ent. Fr. III, 1834, p. 104. — „
 Cast. Hist. Nat. II, 1840, p. 444.
femoratum Lucas, Voy. Castelnau 1859, p. 187, „
 t. 12, f. 6a—b.
Sipolisi Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 681. Goyaz
sphaeriinum Bates, Trans. Ent. Soc. Lond. 1870, p. 300. S. Paulo
suberuciatum White, Cat. Col. Brit. Mus. VIII, 1855, Brasilien
 p. 226.
 var. *spinipenne* Thoms. Syst. Ceramb. 1865, p. 570. „
sulcicorne White, Cat. Col. Brit. Mus. VIII, 1855, p. 232. Tapajos
 — Bates, Trans. Ent. Soc. Lond. 1870, p. 300.
suturale White, Cat. Col. Brit. Mus. VIII, 1855, p. 222. Südamerika
tenellum Burm. Stett. Ent. Zeit. XXVI, 1865, p. 175. Mendoza
Tethys Thoms. Physis I, 1867, p. 145. Guyana
Tisiphone Thoms. l. c. p. 137. „
Townsendi Linell, Proc. U. S. Nat. Mus. XIX, 1896, Texas
 p. 395.
unicolor White, Cat. Col. Brit. Mus. VIII, 1855, p. 233. Brasilien
 — Bates, Trans. Ent. Soc. Lond. 1870, p. 301.
uniforme Berg, An. Univ. Buenos Aires VI, 1889, p. 112. Argentinien
venezuelae White, Cat. Col. Brit. Mus. VIII, 1855, p. 233. Venezuela

69

Perissomerus Goun.

Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 684.

- Hilareii* Goun. l. c. Goyaz
 var. *bimaculatus* Goun. l. c. p. 685. „
 1

Malobidion Schaeffer.

Schaeffer, Bull. Brookl. Inst. I, 1908, p. 336.

- brunneum* Schaeffer, l. c. p. 337. Arizona
 1

Neocorus Thoms.

Thoms. Syst. Ceramb. 1864, p. 220. — Lacord. Gen. Col. VIII, 1869, p. 336.

diversipennis Belon, Rev. d'Ent. XXII, 1903, p. 50. Bolivien

ibidionoides Serv. Ann. Soc. Ent. Fr. III, 1834, p. 98.

— Thoms. Syst. Ceramb. 1864, p. 220. — Lacord.
Gen. Col. VIII, 1869, p. 336.

Brazil

Romanowskii Fleut. & Sallé, Ann. Soc. Ent. Fr. (6) IX, Guadeloupe
1889, p. 464, t. 8, f. 16.

3

Cilium Fairm.

Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 421.

Perrieri Fairm. l. c.

Madagascar

1

Ganosomus Fairm.

Fairm. Rev. d'Ent. XX, 1901, p. 207.

elegans Fairm. l. c.

Madagascar

1

Trimeroderus Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 372.

Raffrayi Fairm. l. c. p. 373.

Madagascar

1

Leptoxenus Bates.

Bates, Ent. Month. Mag. XIV, 1877, p. 37.

ibidiiformis Bates, l. c.

Japan

1

XXI. Eligmodermini.

Lacord. Gen. Col. VIII, 1869, p. 337.

Trichomallus Lacord.

Lacord. Gen. Col. VIII, 1869, p. 338.

maculipennis Lacord. l. c. nota 1.

Südamerika

1

Eligmoderma Thoms.

Thoms. Syst. Ceramb. 1864, p. 246. — Lacord. Gen. Col. VIII, 1869, p. 338.

ibidionoides Thoms. Syst. Ceramb. 1864, p. 247.

Columbien

ziezæ Nonfr. Berl. Ent. Zeitschr. XL, 1895, p. 310.

Panama

2

Limozota Pasc.

Pasc. Ann. Mag. Nat. Hist. (3) XVIII, 1866, p. 482. — Lacord. Gen. Col. VIII, 1869, p. 339.

virgata Pasc. Ann. Mag. Nat. Hist. (3) XVIII, 1866, Venezuela
p. 482. — Lacord. Gen. Col. VIII, 1869, p. 339,
t. 87, f. 2.

1

Aleyopsis Pasc.

Pasc. Ann. Mag. Nat. Hist. (3) XVIII, 1866, p. 484. — Lacord. Gen. Col. VIII, 1869, p. 339.

chalcea Bates, Trans. Ent. Soc. Lond. 1874, p. 221; Biol. Nicaragua
C.-Am. Col. V, 1880, p. 33, t. 4, f. 18.

cyanoptera Pasc. Ann. Mag. Nat. Hist. (3) XVIII, 1866, Brasilien
p. 484.

nigrovittata Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz
p. 685.

1

XXII. Callidiopini.

Lacord. Gen. Col. VIII, 1869, p. 340. — Gah. Fauna Brit. Ind. Col. I,
1896, p. 154.

Rhysium Pasc.

Pasc. Ann. Mag. Nat. Hist. (3) XVIII, 1866, p. 483. — Lacord. Gen. Col. VIII, 1869, p. 342.

bimaculatum Pasc. Ann. Mag. Nat. Hist. (3) XVIII, Bolivien
1866, p. 483.

1

Oemona Newm.

Newm. Entomolog. I, 1840, p. 8. — Thoms. Syst. Ceramb. 1864, p. 447.
— Lacord. Gen. Col. VIII, 1869, p. 343. — Sharp, Trans. R. Dublin Soc.
(2) III, 1886, p. 436.

Aemona Broun, Man. N. Zealand Col. I, 1880, p. 570; V, 1893,
p. 1274.

Isodera White, Voy. Ereb. Terr. Ins. 1846, p. 21.

debilis Sharp, Trans. R. Dublin Soc. (2) III, 1886, p. 439. Neuseeland
— Broun, Man. N. Zealand Col. V, 1893, p. 1277.

hirta F. Syst. Ent. 1775, p. 184; Ent. Syst. I, 2, 1792, „
p. 309. — Ol. Ent. IV, 68, 1795, p. 37, t. 4,
f. 50. — Broun, Man. N. Zealand Col. I, 1880,
p. 570; V, 1893, p. 1275.

♀ *villosa* F. Syst. El. II, 1801, p. 320. — White,
Voy. Ereb. Terr. Ins. 1846, p. 21, t. 4, f. 1;
Cat. Col. Brit. Mus. VIII, 1855, p. 331. — Sharp,
Trans. R. Dublin Soc. (2) III, 1886, p. 437.
— Broun, Man. N. Zealand Col. V, 1893, p. 1275.

<i>humilis</i>	Newm. Entomolog. I, 1840, p. 8. — Sharp, Trans. R. Dublin Soc. (2) III, 1886, p. 436. — Broun, Man. N. Zealand Col. V, 1893, p. 1274.	Neuseeland
<i>inaequalis</i>	Sharp, Trans. R. Dublin Soc. (2) III, 1886, p. 438. — Broun, Man. N. Zealand Col. V, 1893, p. 1275.	„
<i>mutica</i>	Sharp, Trans. R. Dublin Soc. (2) III, 1886, p. 439. — Broun, Man. N. Zealand Col. V, 1893, p. 1276.	„
<i>plicicollis</i>	Sharp, Trans. R. Dublin Soc. (2) III, 1886, p. 437. — Broun, Man. N. Zealand Col. V, 1893, p. 1276.	„
<i>simplex</i>	White, Cat. Col. Brit. Mus. VIII, 1855, p. 331.	Lord Howe Insel
<i>simplicicollis</i>	Broun, Man. N. Zealand Col. I, 1880, p. 571; V, 1893, p. 1276. — Sharp, Trans. R. Dublin Soc. (2) III, 1886, p. 438.	Neuseeland
<i>sublineata</i>	Broun, Ann. Mag. Nat. Hist. (8) IV, 1909, p. 281.	„

9

Didymocantha Newm.

Newm. Ann. Mag. Nat. Hist. V, 1840, p. 20. — Thoms. Syst. Ceramb. 1864, p. 447. — Lacord. Gen. Col. VIII, 1869, p. 343. — Broun, Man. N. Zealand Col. I, 1880, p. 568.

Didymacantha Gemm. & Har. Cat. Col. IX, 1873, p. 2834.

Eburida White, Voy. Ereb. Terr. Ins. 1846, p. 19.

<i>aegrota</i>	Bates, Ent. Month. Mag. XIII, 1876, p. 52. — Broun, Man. N. Zealand Col. I, 1880, p. 569.	Neuseeland
<i>binotata</i>	Broun, l. c. V, 1893, p. 1273.	„
<i>brevicollis</i>	Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1867, p. 100.	West-australien
<i>brevicornis</i>	Broun, Man. N. Zealand Col. I, 1880, p. 570.	Neuseeland
<i>clavipes</i>	Broun, N. Zealand Journ. Sc. I, 1883, p. 493; Man. N. Zealand Col. III, 1886, p. 808.	„
<i>jucunda</i>	Broun, l. c. V, 1893, p. 1272.	„
<i>nigra</i>	Blackb. Trans. R. Soc. S. Austr. XIII, 1890, p. 130.	West-australien
<i>novica</i>	Blackb. l. c. XV, 1892, p. 233.	Victoria
<i>obliqua</i>	Newm. Ann. Mag. Nat. Hist. V, 1840, p. 20.	Neusüd-wales
	<i>varicornis</i> Hope, Proc. Zool. Soc. Lond. 1840, p. 54; Trans. Zool. Soc. Lond. III, 1843, p. 199.	
<i>pallida</i>	Broun, Ann. Mag. Nat. Hist. (6) XII, 1893, p. 388.	Neuseeland
<i>picta</i>	Bates, l. c. (4) XIV, 1874, p. 18. — Broun, Man. N. Zealand Col. I, 1880, p. 569.	„
<i>quadriguttata</i>	Sharp, Trans. R. Dublin Soc. (2) III, 1886, p. 440. — Broun, Man. N. Zealand Col. V, 1893, p. 1272.	„
<i>robusta</i>	Sharp, Trans. Ent. Soc. Lond. 1882, p. 92. — Broun, Man. N. Zealand Col. V, 1893, p. 1271.	„
<i>sublineata</i>	White, Voy. Ereb. Terr. Ins. 1846, p. 19. — Broun, Man. N. Zealand Col. I, 1880, p. 568.	Neuseeland
<i>vittata</i>	Broun, l. c. V, 1893, p. 1273.	„

15

Eburilla nov. nom.

Eburida Broun, Man. N. Zealand Col. I, 1880, p. 586.

sericea White, Cat. Col. Brit. Mus. VIII, 1855, p. 299. Neuseeland
— Broun, Man. N. Zealand Col. I, 1880, p. 587.

1

Pteroptychus nov. nom.

Ptychopterus Broun, N. Zealand Journ. Sc. 1883, p. 493; Man.
N. Zealand III, 1886, p. 809.

simpliceps Broun, l. c. I, 1880, p. 579. Neuseeland
rugosus Broun, N. Zealand Journ. Sc. 1883,
p. 494; Man. N. Zealand Col. III, 1886, p. 809.

1

Ectinope Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, p. 60.

spiniollis Pasc. l. c. p. 61, t. 8, f. 3. Sydney

1

Psytaerida Thoms.

Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 16.

gracilis Thoms. l. c. p. 17. Australien

1

Sisyrium Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 95. — Lacord. Gen. Col.
VIII, 1869, p. 344. — Gah. Trans. Ent. Soc. Lond. 1893, p. 175. — Blackb.
Trans. R. Soc. S. Austr. XV, 1892, p. 57 (Revision).

Igenia Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 95.

dorsale Pasc. Journ. of Ent. II, 1863, p. 237. Südaustralien

fraternum Blackb. Revis. p. 58.

ibidionoides Pasc. Trans. Ent. Soc. (2) V, 1859, p. 26; Sydney
(3) I, 1863, p. 559. — Gah. l. c. 1893, p. 176.

— Blackb. Revis. p. 61.

laevigatum Blackb. Revis. p. 60.

West-
australien

plagiatum Gah. Trans. Ent. Soc. Lond. 1893, p. 177. Tasmanien

sparsum Blackb. Revis. p. 60; Trans. R. Soc. S. Austr.
XXIII, 1899, p. 92. Südaustralien

stigosum Pasc. Journ. Linn. Soc. Lond. Zool. IX,
1866, p. 95, t. 3, f. 3. — Blackb. Revis. p. 61. „

— Gah. Trans. Ent. Soc. Lond. 1893, p. 176.

tripartitum Pasc. Journ. of Ent. II, 1863, p. 238; Journ. „
Linn. Soc. Lond. Zool. IX, 1866, t. 4, f. 4. —
Blackb. Revis. p. 61.

- ventrale** Blackb. Revis. p. 59; Trans. R. Soc. S. Austr. XXIII, 1899, p. 92. Südaustralien
vittatum Blackb. Revis. p. 58; Trans. R. Soc. S. Austr. XXIII, 1899, p. 92. — Gah. Trans. Ent. Soc. Lond. 1893, p. 176. „

10

Acyrusa Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 94. — Lacord. Gen. Col. VIII, 1869, p. 345.

- ciliata** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 559. Sydney
tasmanica Gah. l. c. 1893, p. 174. Tasmanien

2

Sidis Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 93. — Lacord. Gen. Col. VIII, 1869, p. 346.

- opiloides** Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 94, t. 4, f. 3. Südaustralien

1

Paphora Pasc.

Pasc. l. c. p. 102. — Lacord. Gen. Col. VIII, 1869, p. 346.

- miles** Blackb. Trans. R. Soc. S. Austr. XXX, 1906, p. 324. Australien
modesta Pasc. Journ. of Ent. II, 1863, p. 237; Journ. Linn. Soc. Lond. Zool. IX, 1866, t. 4, f. 6. [Südaustralien
pulchra Blackb. Trans. R. Soc. S. Austr. XXX, 1906, p. 323. „
robustior Blackb. Proc. Linn. Soc. N. S. Wales (2) VIII, 1894, p. 195. West-australien

4

Porithea Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 102. — Lacord. Gen. Col. VIII, 1869, p. 347.

- intorta** Newm. Entomolog. I, 1841, p. 223. — Lacord. Gen. Col. VIII, 1869, p. 347. Neuholland
plagiata Blackb. Proc. Linn. Soc. N. S. Wales (2) VIII, 1894, p. 198. „

2

Bethelium Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 97. — Lacord. Gen. Col. VIII, 1869, p. 347.

- Blackburni** Gah. Trans. Ent. Soc. Lond. 1893, p. 178. Tasmanien
inscriptum Pasc. Journ. of Ent. I, 1862, p. 363. Queensland
mundum Blackb. Trans. R. Soc. S. Austr. XV, 1892, p. 57. Neusüdwaless

- puncticolle* Pasc. Trans. Ent. Soc. Lond. 1888, p. 493. West-australien
- signiferum* Newm. Entomolog. I, 1840, p. 10. — Lacord. Gen. Col. VIII, 1869, t. 87, f. 3. — Gah. Trans. Ent. Soc. Lond. 1893, p. 177. Tasmanien, Australien, Neuseeland
- diversicorne* White, Voy. Ereb. Terr. Ins. 1846, p. 20. — Broun, Man. N. Zealand Col. I, 1880, p. 569.
- flavomaculatum* Blanch. Voy. Pole Sud IV, 1853, p. 273.
- fulvomaculatum* Blanch. l. c. t. 16, f. 8. Biologie: Froggatt, Proc. Linn. Soc. N. S. Wales (2) IX, 1894, p. 117.
- spinicorne* Blackb. Trans. R. Soc. S. Austr. XXIII, 1899, p. 91. Victoria
- tricolor* Blackb. l. c. XV, 1892, p. 56. — Gah. Trans. Ent. Soc. 1893, p. 178. Südaustralien

9

Ectostieta Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 104. — Lacord. Gen. Col. IX, 1869, p. 91. — Gah. Trans. Ent. Soc. Lond. 1893, p. 178.

- cleroides* White, Cat. Col. Brit. Mus. VIII, 1855, p. 322. Victoria
- eburata* Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 563. Sydney
- Lacord. Gen. Col. IX, 1869, p. 92, nota 1.
- ornata* Blackb. Trans. R. Soc. S. Austr. XV, 1892, p. 66. Victoria
- ruida* Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 104. West-australien
- simillima* White, Cat. Col. Brit. Mus. VIII, 1855, p. 322. Swan River
- Lacord. Gen. Col. IX, 1869, p. 92, nota 1.
- Gah. Trans. Ent. Soc. Lond. 1893, p. 178.

5

Neobethelium Blackb.

Blackb. Proc. Linn. Soc. N. S. Wales (2) VIII, 1894, p. 196.

- megacephalum* Blackb. l. c. Neusüdwaes

1

Adrium Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 105. — Lacord. Gen. Col. VIII, 1869, p. 348.

- artifex* Newm. Entomolog. I, 1842, p. 353. Südaustralien
- cucujus* White, Cat. Col. Brit. Mus. VIII, 1855, p. 323.
- var. *terebrans* Newm. Entomolog. I, 1842, p. 353.
- catoxanthum* White, Cat. Col. Brit. Mus. VIII, 1855, p. 323. — Lacord. Gen. Col. VIII, 1869, p. 349, nota 1. „

2

Thephantes Pasc.

Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 318. — Lacord. Gen. Col. VIII, 1869, p. 349.

clavatus Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 319. Neuholland
1

Stenygrinum Bates.

Bates, Ann. Mag. Nat. Hist. (4) XVII, 1873, p. 154. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 163.

✓ **quadrinotatum** Bates, l. c. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 164. — Matsum. Thous. Ins. Japan III, 1908, nr. 700, t. 52, f. 15.
Assam
1

Cylindera Newm.

Newm. Ent. Mag. I, 1833, p. 509.

Curtomerus Steph. Man. Brit. Col. 1839, p. 275.

Cylindrodera Gemm. & Har. Cat. Col. IX, 1873, p. 2922.

Cyrtomerus Gemm. & Har. l. c. p. 2836.

Lampromerus Thoms. Classif. Ceramb. 1860, p. 202; Syst. Ceramb. 1864, p. 440. — Lacord. Gen. Col. VIII, 1869, p. 350.

Sotenus Sharp, Trans. Ent. Soc. Lond. 1878, p. 205.

T ✓ **flava** F. Syst. Ent. 1775, p. 191. — Ol. Enc. méth. Ins. V, 1790, p. 261. — Gmel. Syst. Nat. I, 4, 1790, p. 1849. Florida, Antillen, Mexico,

lutea Steph. Brit. Ent. Mand. IV, 1831, p. 249; Man. Brit. Col. 1839, p. 275. — Shuck. Brit. Col. 1840, p. 76, Suppl. t. 8, f. 2. Guyana, (England), Honolulu

pallida Newm. Ent. Mag. I, 1833, p. 510. — Shuck. Brit. Col. 1840, p. 76, Suppl. t. 8, f. 2.

pilicornis F. Ent. Syst. I, 2, 1792, p. 327. — Ol. Ent. IV, 70, 1795, p. 68, t. 8, f. 99. — Thoms. Classif. Ceramb. 1860, p. 203. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 263. — Schaeffer, Bull. Brookl. Inst. I, 1908, p. 336.

setigera Sharp, Trans. Ent. Soc. Lond. 1878, p. 205; Trans. R. Dublin Soc. (2) III, 1885, t. 5, f. 49. Biologie: Schiödte, Nat. Tidsskr. (3) X, 1876, p. 409, t. 13, f. 20—22.

T **puberula** Fleut. & Sallé, Ann. Soc. Ent. Fr. (6) IX, 1889, p. 464, t. 8, f. 17. — Gah. Trans. Ent. Soc. Lond. 1895, p. 108. Guadeloupe

2

Merostenus White.

T White, Cat. Col. Brit. Mus. VIII, 1855, p. 244. — Lacord. Gen. Col. VIII, 1869, p. 396.

1* **attenuatus** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 263. Cuba
productus White, Cat. Col. Brit. Mus. VIII, 1855, p. 244, Jamaica
t. 8, f. 3.

2

Diaspila Jord.

Jord. Nov. Zool. X, 1903, p. 192.

- bipunctata* White, Cat. Col. Brit. Mus. VIII, 1855, p. 248, t. 7, f. 2. — Lacord. Gen. Col. VIII, 1869, p. 351, nota 1. Sierra Leone
- perisceelis* Jord. Nov. Zool. X, 1903, p. 192. St. Thomé do Principe
- 2

Sternangustum Jord.

Jord. Nov. Zool. I, 1894, p. 152.

- brunneum* Jord. l. c. Kuilu
- 1

Agnitosternum Jord.

Jord. Nov. Zool. I, 1894, p. 152.

- apicale* Jord. l. c. p. 153. Kuilu
- 1

Anisogaster A. Deyr.

A. Deyr. in Maill. Notes d'île Réunion 1862, Annex H, p. 18. — Lacord. Gen. Col. VIII, 1869, p. 351.

- aenescens* Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 374. Madagascar
- brunneus* Fairm. l. c. XLVIII, 1904, p. 254. „
- brunneus* Jord. Nov. Zool. I, 1894, p. 153. Kuilu
- cinerarius* Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 420. Bourbon
- Coquereli* Fairm. Rev. d'Ent. XX, 1901, p. 210. „
- fasciolatus* Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 548. „
- flavicans* A. Deyr. in Maill. Notes d'île Réunion 1862, Annex H, p. 19, t. 20, f. 6. „
- ? *pilicornis* Ol. Ent. IV, 70, 1795, p. 68, t. 8, f. 99. „
- impressiusculus* Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 420. „
- latesellatus* Fairm. l. c. XL, 1896, p. 374. Madagascar
- longulus* Fairm. l. c. XLI, 1897, p. 394; XLII, 1898, p. 250. „
- lutesparsus* Fairm. Natural. I, 1880, p. 300. Bourbon
- maculipennis* Fairm. Rev. d'Ent. XX, 1901, p. 208. Madagascar
- myrmido* Fairm. Ann. Soc. Ent. Fr. (5) I, 1871, p. 60; Ann. Soc. Ent. Belg. XXXVII, 1893, p. 525. Mayotte
- niroclavatus* Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 251. Madagascar
- nirostriatus* Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 393. „
- obscurellus* Fairm. l. c. XL, 1896, p. 373. „
- Perrieri* Fairm. Rev. d'Ent. XX, 1901, p. 209. „
- pietipennis* Fairm. l. c. p. 208. „
- punctum* Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 374. „
- reticulatus* Fairm. l. c. XLVII, 1903, p. 374. „
- robustus* Jord. Nov. Zool. I, 1894, p. 154. Westafrika

- seriatoporus* Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 373. Madagascar
signifer Fairm. Natural. I, 1880, p. 300. Bourbon
transversus Fairm. Ann. Soc. Ent. Belg. XL, 1897, p. 394. Madagascar
unicolor A. Deyr. Notes d'île Réunion 1862, Annex H, p. 20. Mauritius
 25

Metacopa Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 376.

- variipennis* Fairm. l. c. Madagascar
 1

Minutius Fairm.

Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 386.

- tenuis* Fairm. l. c. p. 387. Madagascár
 1

Linyra Fairm.

Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 495.

- lymphatica* Fairm. l. c. p. 496. Madagascar
 1

Zarina Fairm.

Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 251.

- semicyanea* Fairm. l. c.; Ann. Soc. Ent. Fr. LXXII, 1903, p. 249. Madagascar
obtusicollis Fairm. Ann. Soc. Ent. Belg. XLVI, 1902, p. 352.
 1

Anthribatus Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 381.

- nivosus* Fairm. l. c. p. 382. Madagascar
 1

Arrhythmus Waterh.

Waterh. Cist. Ent. II, 1878, p. 289.

- aculeatus* Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 547. Madagascar
pallimembris Fairm. Natural. (2) II, 1888, p. 22, f. 1. "
 — Künckel in Grandid. Hist. Mad. Col. 1890, t. 52, f. 5. "
Perrieri Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 249. "
punctatus Cah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 461. "
rugospennis Waterh. Cist. Ent. II, 1878, p. 289. — "
 Künckel in Grandid. Hist. Mad. Col. 1890, t. 47, f. 9. "
 5

Paralocus Fairm.

Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 252.

- annulicornis Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, Madagascar
p. 117.
brevipennis Fairm. l. c. LXXII, 1903, p. 249. „
longicollis Fairm. Rev. d'Ent. XX, 1901, p. 211. „
scutatus Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 118. „
semitibialis Fairm. Ann. Soc. Ent. Belg. XLII, 1898, „
p. 252.
Vaeheri Fairm. Notes Leyd. Mus. XXIII, 1901, p. 79. „
6

Delagoa Jord.

Jord. Nov. Zool. I, 1894, p. 155.

- fenestrata Jord. l. c. t. 9, f. 2. Delagoabay
testacea Jord. Ins. Transvaal. I, 1906, p. 160, t. 16, f. 13. Transvaal
2

Ceresium Newm.

Newm. Entomolog. I, 1842, p. 322. — Thoms. Syst. Ceramb. 1864, p. 236.
— Lacord. Gen. Col. VIII, 1869, p. 353. — Gah. Fauna Brit. Ind. Col. I,
1906, p. 156.

- Diatomocephala* Blanch. Voy. Pole Sud IV, 1853, p. 266. —
Lacord. Gen. Col. VIII, 1869, p. 354.
Pneumida Thoms. Syst. Ceramb. 1864, p. 191.
Rhaphidera Perr. Ann. Soc. Linn. Lyon (2) II, 1855, p. 336;
Mélang. Ent. III, 1855, p. 16.
Rhaphidodera Gemm. & Har. Cat. Col. IX, 1873, p. 2831.

- aethiops Newm. Entomolog. I, 1842, p. 247, 322. Philippinen
albopubens Fairm. Bull. Soc. Ent. Fr. 1891, p. 182. Seychellen
— Lameere, l. c. 1893, p. 105. — Kolbe, Col.
Fauna Seych. 1910, p. 38.
andamanicum Gah. Fauna Brit. Ind. Col. I, 1906, p. 161. Andamanen
angustum Gah. l. c. p. 158. Ostindien
annulicorne Germ. Linn. Ent. III, 1848, p. 226. Adelaide
apicale Gah. Fauna Brit. Ind. Col. I, 1906, p. 161. Tenasserim
argenteofasciatum Thoms. Syst. Ceramb. 1864, p. 191. Malasien
binotatum Fauv. Rev. d'Ent. XXV, 1906, p. 51. Neu-
caledonien
carinatum Fauv. l. c. p. 49.
coronarium Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, Buru
p. 53.
Delauneyi Lameere, Ann. Soc. Ent. Fr. LXII, 1893, Hue
p. 282.
diversum Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Celebes
p. 541.
flavipes F. Ent. Syst. I, 2, 1792, p. 327. Ostindien,
ambiguum Newm. Entomolog. I, 1842, p. 246. Philippi-
simplex Gyllh. in Schönh. Syn. Ins. I, 3, 1817, nen, Malay.
App. p. 178. — Fairm. Rev. Mag. Zool. (2) Archipel,

- II, 1850, p. 62. — Künck. in Grand. Hist. Mad. Col. 1890, t. 47, f. 6, 7. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 162. Neuginea, Mauritius, Madagascar, Mexico
- furtivum* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 538. Sarawak
- geniculatum* White, Cat. Col. Brit. Mus. VIII, 1855, p. 245. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 158. Birma, Siam, Andamanen, Flores, Timor
- rufipes* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 537.
- gracilipes* Fairm. Ann. Soc. Ent. Fr. (6) I, 1881, p. 473. Fidschi
- gracile* Perr. Ann. Soc. Linn. Lyon (2) II, 1855, p. 333; Mélang. Ent. III, 1855, p. 13. Südostindien, Ceylon
- cretatum* White, Cat. Col. Brit. Mus. VIII, 1855, p. 246.
- grandipenne* Fairm. Ann. Soc. Ent. Fr. (6) I, 1881, p. 472. Fidschi
- holophaeum* Bates, Ann. Mag. Nat. (4) XII, 1873, p. 153. Japan
- immite* Newm. Entomolog. I, 1842, p. 247, 322. Philippinen
- impuncticolle* Fairm. Ann. Soc. Ent. Fr. (6) I, 1881, p. 473. Fidschi
- inermis* Montrz. Ann. Soc. Agr. Lyon VII, 1857, p. 57; Ann. Soc. Ent. Fr. (4) I, 1861, p. 298. Woodlark, Lifu
- lanigerum* Fauv. Rev. d'Ent. XXV, 1906, p. 49. Neucaledonien
- lanuginosum* Schauf. Sitzb. Ges. Isis 1864, p. 23; Nunquam otios. II, 1877, p. 449. Neuginea
- larvatum* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 542. Lombok
- leucostictum* White, Cat. Col. Brit. Mus. VIII, 1855, p. 245, t. 6, f. 1. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 159, f. 64. Assam, Birma, Siam, Sumatra
- lifuanum* Montrz. Ann. Soc. Ent. Fr. (4) I, 1861, p. 276. Lifu
- Fauv. Bull. Soc. Linn. Normand. VII, 1862, p. 163, t. 10 bis, f. 62, 63.
- lineigerum* Pasc. Trans. Ent. Soc. Lond. 1888, p. 493. Queensland
- maculaticolle* Blanch. Voy. Pole Sud IV, 1853, p. 267, t. 16, f. 9. Samoa
- modestum* Gah. Fauna Brit. Ind. Col. I, 1906, p. 160. Assam
- nigrum* Gah. Proc. Zool. Soc. Lond. 1888, p. 540. Christmasinsel
- nilgiriense* Gah. Fauna Brit. Ind. Col. I, 1906, p. 161. Südostindien, Ceylon
- nitidicolle* Fauv. Rev. d'Ent. XXV, 1906, p. 50. Neucaledonien
- obscurum* Fauv. l. c.
- olidum* Fairm. Rev. Mag. Zool. (2) II, 1850, p. 63; Ann. Soc. Ent. Fr. (6) I, 1881, p. 472. Taiti, Viti
- opacum* Fairm. Ann. Soc. Ent. Belg. XLVI, 1902, p. 249. Madagascar
- ornaticolle* Pic. Longic. VI, 2, 1907, p. 20. Südchina
- pachymerum* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 542. Buru
- procerum* Olliff, Rec. Austr. Mus. 1890, p. 74, t. 10, f. 3. Lord Howinsel
- quadrimaculatum* Gah. Christmas Isl. 1900, p. 121. Christmasinsel

- raripilum* Newm. Entomolog. I, 1842, p. 322. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 537. Philippinen, Singapore
- rotundicolle* Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 54. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 160. Südostindien, Ceylon
- rufipes* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 537. Timor
- rufum* Lameere, Ann. Soc. Ent. Belg. XXXIV, 1890, Bull. p. 211. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 157. Ostindien
- rugulipenne* Fairm. Ann. Soc. Ent. Belg. XLIX, 1905, p. 135. Madagascar
- simile* Gah. Ann. Mag. Nat. Hist. (6) V, 1890, p. 169. Insel Bonin
- sinicium* White, Cat. Col. Brit. Mus. VIII, 1855, p. 245. Nordchina
- unicolor* F. Mant. Ins. I, 1787, p. 147. — Ol. Ent. IV, 68, 1795, p. 38, t. 3, f. 28. — Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 131. Ozeanien
- guttaticolle* Fairm. Rev. Mag. Zool. (2) II, 1850, p. 63; Ann. Soc. Ent. Fr. (6) I, 1881, p. 472.
- validipes* Fairm. Ann. Soc. Ent. Belg. XXVII, 1883, p. 46. Neupommern
- ventrale* Gah. Fauna Brit. Ind. Col. I, 1906, p. 160. Birma
- versutum* Pasc. Proc. Zool. Soc. Lond. 1866, p. 532; Trans. Ent. Soc. Lond. (3) III, 1869, p. 538. Penang, Borneo
- vestigiale* Pasc. Proc. Zool. Soc. Lond. 1866, p. 532. Penang
- vile* Newm. Entomolog. I, 1842, p. 223, 322. Neuholland
- vitticolle* Fairm. Ann. Soc. Ent. Belg. XXVII, 1883, p. 46. Neupommern
- vittidorsum* Pic, Longic. V, 1, 1905, p. 10. Yunnan
- vulneratum* Fauv. Rev. d'Ent. XXV, 1906, p. 50. Neucaledonien
- zeylanicum* White, Cat. Col. Brit. Mus. VIII, 1855, p. 246. Ceylon, Assam, Tenasserim, Borneo

57

Exannes Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 540.

- affinis* Gah. Christmas Isl. 1900, p. 122. Christmasinsel
- frontalis* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 540. Sarawak
- philippensis* Newm. Entomolog. I, 1842, p. 247. — Gah. Christmas Isl. 1900, p. 122. Philippinen, Waigiü, Buru
- idoneus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 540.
- longicornis* Pasc. l. c. t. 20, f. 3.

3

Notoceresium Blackb.

Blackb. Trans. R. Soc. S. Austr. XXV, 1901, p. 32.

- impressiceps* Blackb. l. c. p. 33. Tasmanien

1

Tethionea Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 543.

- apiculata* Pasc. Journ. Ent. I, 1862, p. 357; Trans. Ent. Soc. Lond. (3) III, 1869, p. 544. Batjan
- strumosa* Pasc. l. c. Ceram
- tridentata* Pasc. l. c. p. 545. Batjan
- unicolor* Pasc, l. c. p. 543, t. 20, f. 4. Aru

4

Dictannia Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 545.

- biapiculata* Auriy. Deutsche Ent. Zeitschr. 1908, p. 211. Neupommern
- rugosa* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 546. Neuguinea

2

Salpinia Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 546. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 163.

- diluta* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 546, t. 20, f. 5. Java, Borneo
- socia* Gah. Fauna Brit. Ind. Col. I, 1906, p. 163. Assam

2

Semiope Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 547.

- festiva* Pasc. l. c. p. 548, t. 20, f. 6. Saylee
- pieta* Fauv. Rev. d'Ent. XXV, 1906, p. 52. Neucaledonien

2

~~MICRONOPIA~~ **Anoplium** Hald.

Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 34. — Lacord. Gen. Col. VIII, 1869, p. 355.

- unicolor* Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 34. Pennsylvanien,
— Lacord. Gen. Col. VIII, 1869, p. 336. Texas
- cinerascens* J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 15. — Leng, Ent. Amer. I, 1885, p. 32, 34.

1

Gelonaetha Thoms.

Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 12. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 154.

Astrimus Sharp, Trans. Ent. Soc. Lond. 1878, p. 204.

- hirta* Fairm. Rev. Mag. Zool. (2) II, 1850, p. 60. — Gah. Ostindien,
Fauna Brit. Ind. Col. I, 1906, p. 155, f. 62. — Philippinen,
Sharp, Fauna Hawaiensis II, 1900, p. 96.

- curtipes* Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 13. Sandwich-
obscura Sharp, Trans. Ent. Soc. Lond. 1878, p. 204. inseln,
 1 Tahiti

Trinophylum Bates.

Bates, Proc. Zool. Soc. Lond. 1878, p. 720; Scient. Res. second Yarkand
 Miss. Col. 1890, p. 21. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 155.

- eribratum* Bates, Proc. Zool. Soc. Lond. 1878, p. 720; Himalaya
 Scient. Res. second Yarkand Miss. Col. 1890,
 p. 22, t. 1, f. 19. — Gah. Fauna Brit. Ind. Col.
 I, 1906, p. 156, f. 63.
 1

Callidiopsis Thoms.

Thoms. Syst. Ceramb. 1864, p. 237.

Callidiopsis Lacord. Gen. Col. VIII, 1869, p. 356.

- mutica* Lacord. Gen. Col. VIII, 1869, p. 357 nota. Tasmanien
praecox Er. Arch. f. Naturgesch. VIII, 1842, I, p. 220. „
scutellaris F. Syst. El. II, 1801, p. 338. — Er. Arch. „
 f. Naturgesch. VIII, 1842, I, p. 116. — Lacord.
 Gen. Col. VIII, 1869, t. 87, f. 4.
picea Newm. Entomolog. I, 1840, p. 9.
 3

Stenodryas Bates.

Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 453.

- clavigera* Bates, l. c. p. 154. Japan
 1

XXIII. Curii.

J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 304; J. Lec. & Horn,
 Classif. Col. N. Amer. 1883, p. 289.

Curius Newm.

Newm. Entomolog. I, 1840, p. 17. — Thoms. Syst. Ceramb. 1864, p. 441.
 — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 22. — Leng, Bull. Brookl.
 Ent. Soc. VII, 1885, p. 115.

- dentatus* Newm. Entomolog. I, 1840, p. 17, fig. — J. Lec. Florida
 Journ. Acad. Philad. (2) II, 1850, p. 22. — Leng,
 Ent. Amer. I, 1885, p. 136, t. 3, f. 12.
concinatus Hald. Trans. Am. Phil. Soc. (2) X,
 1847, p. 43.
panamensis Bates, Biol. C.-Am. Col. V, 1885, p. 268, Panama
 t. 19, f. 3.
 2

Plectromerus J. Lec.

J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 304. — J. Lec. & Horn, Classif. Col. N. Amer, 1883, p. 290. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 115. — M. Camer. Ent. Month. Mag. (2) XXI, 1910, p. 135, 136 (Revision).

Curius Lacord. Gen. Col. VIII, 1869, p. 352.

dentipes Ol. Enc. méth. V, 1790, p. 268; Ent. IV, 70, 1795, p. 29, t. 4, f. 40. — Leng, Ent. Amer. I, 1885, p. 135, t. 3, f. 11. — M. Camer. Revis. p. 136. Georgien,
Florida

dentatus E. Lec. Ann. Lyc. Nat. Hist. N. York I, 1824, p. 172, t. 11, f. 11.

distinctus M. Camer. Revis. p. 136. Haiti
seambus Newm. Entomolog. I, 1841, p. 79. — J. Lec. Florida
Journ. Acad. Philad. (2) II, 1850, p. 22. — M. Camer. Revis. p. 136 (= *dentipes*?).

serratus M. Camer. Revis. p. 135, 136. Haiti

4

Pentomacrus White.

White, Cat. Col. Brit. Mus. VIII, 1855, p. 297. — Lacord. Gen. Col. VIII, 1869, p. 397.

fasciatus Gah. Trans. Ent. Soc. Lond. 1895, p. 109, t. 2, f. 3. — M. Camer. Ent. Month. Mag. (2) XXI, 1910, p. 136. Grenada,
St. Vincent

femoratus F. Ent. Syst. I, 2, 1792, p. 316. — Ol. Ent. IV, 68, 1795, p. 40. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 297, t. 6, f. 5. — M. Camer. Ent. Month. Mag. (2) XXI, 1910, p. 136. Jamaica

2

XXIV. Graçiliini.

Lacord. Gen. Col. VIII, 1869, p. 357. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 300. — J. Lec. & Horn, Classif. Col. N. Amer, 1883, p. 285.

Penichroa Steph.

Steph. Man. Brit. Col. 1839, p. 270.

Exilia Muls. Col. Fr. Long. ed. 2, 1863, p. 195. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 147. — Ganglb. Best.-Tab. VII, 1881, p. 65 (743); Rev. d'Ent. III, 1884, p. 168.

Liagrica Costa, Fauna Regn. Nap. Col. II, 1855, Long. p. 59. — Csiki, Rov. Lapok XI, 1904, p. 36.

fasciata Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 250; Man. Brit. Col. 1839, p. 275. — Shuck. Brit. Col. 1840, p. 76, Suppl. t. 8, f. 3. — Bedel, Bull. Soc. Ent. Fr. 1906, p. 93. — Jacobs. Käfer Russl. 1910, t. 67, f. 13. Südeuropa,
Kaukasus,
Turkestan

bipunctata Zoubk. Bull. Mosc. VI, 1833, p. 306.

- fasciolata* Kryn. Bull. Mosc. VII, 1834, p. 170.
— Fald. Fauna Ent. Transcauc. II, 1837, p. 271,
t. 8, f. 4.
- timida* Ménétr. Cat. Rais. 1832, p. 228. — Muls.
Col. Fr. Long. ed. 1, 1839, p. 102, t. 2, f. 2;
ed. 2, 1863, p. 195. — Lucas, Ann. Soc. Ent.
Fr. (2) VII, 1849, Bull. p. 66. — Küster, Käfer
Eur. XXIII, 1851, p. 94. — Costa, Fauna Regn.
Nap. Col. II, 1855, Long. p. 60, t. 36, f. 1. — Fairm.
Gen. Col. d'Eur. IV, 1864, t. 44, f. 204. — Redt.
Fauna Austr. ed. 3, II, 1874, p. 411. — Ganglb.
Best.-Tab. VII, 1881, p. 65 (743). — Csiki, Rov.
Lapok XI, 1904, p. 58. — Müller, Wien. Ent.
Zeit. XXV, 1906, p. 224.
- var. *apicalis* Ragusa, Nat. Sicil. III, 1884, p. 333. Sicilien
var. *brunnea* Tourn. Rev. Mag. Zool. (2) XXIII, Kaukasus
1872, p. 280.
var. *lugubris* Ragusa, Nat. Sicil. III, 1884, p. 333, Sicilien
t. 3, f. 6.

1

Hypexilis Horn.

Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 173.

pallida Horn, l. c. — Leng, Ent. Amer. VI, 1890, p. 213. Texas

1

Gracilia Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 81. — Steph. Man. 1839, p. 270.
— Muls. Col. Fr. Long. ed. 1, 1839, p. 102; ed. 2, 1863, p. 197. — Cast.
Hist. Nat. II, 1840, p. 446. — Redt. Fauna Austr. 1849, p. 489. —
J. Lec. Journ. Acad. Philad. (2) 1850, p. 24. — Bach, Käferf. III, 1856,
p. 23. — Thoms. Classif. Ceramb. 1860, p. 189; Syst. Ceramb. 1864, p. 440.
— Fairm. Gen. Col. d'Eur. IV, 1864, p. 148. — Schiödte, Nat. Tidskr.
(3) II, 1864, p. 529. — Thoms. Skand. Col. VIII, 1866, p. 24. — Lacord.
Gen. Col. VIII, 1869, p. 358. — Fowler, Col. Brit. Isl. IV, 1890, p. 226.
— Everts, Col. Neerl. II, 1, 1901, p. 361.

Nothrus Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 43.

Oesyophila Bedel, Abeille XXVIII, 1894, p. 156.

- fasciata* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 171. Californien
— Leng, Bull. Brookl. Ent. Soc. VII, 1885, p. 118.
- manca* J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 24. New York
— Leng, Bull. Brookl. Ent. Soc. VII, 1885, p. 118.
- minuta* F. Spec. Ins. I, 1781, p. 235. — Ol. Ent. IV, Europa,
68, 1795, p. 41, t. 3, f. 31a, b. — Marsh. Brit. Nord-
Ins. I, 1802, p. 337. — Latr. Hist. Nat. Crust. amerika
Ins. XI, 1804, p. 281. — Donov. Brit. Ins. XVI,
1813, p. 34, t. 553, f. 2. — Steph. Ill. Brit. Ins.
Mand. IV, 1831, p. 250; Man. 1839, p. 275.
— Shuck. Brit. Col. 1840, p. 65, t. 75, f. 4. —
Schiödte, Nat. Tidskr. (3) II, 1864, p. 530.
— Thoms. Skand. Col. VIII, 1866, p. 25. —
Leng, Bull. Brookl. Ent. Soc. VII, 1885, p. 118;
Ent. Amer. I, 1885, t. 2, f. 26. — Bedel, Faune
Col. Seine V, 1889, p. 21. — Fowler, Col. Brit.

- Isl. IV, 1890, p. 226, t. 121, f. 3. — Hansen, Canad. Ent. XXIII, 1891, p. 102, fig. — Wickh. Canad. Ent. XXIX, 1897, p. 110, f. 22. — Everts, Col. Neerl. II, 1, 1901, p. 361. — Houlb. Faune Armor. Ceramb. 1904, p. 43, f. 81. — Csiki, Rov. Lapok XI, 1904, p. 58. — Jacobs. Käfer Russl. 1910, t. 64, f. 24.
- approximata* Fairm. Ann. Soc. Ent. Belg. XXVII, 1883, Bull. p. 159. — Pic, Longic. I, 1891, p. 49.
- fusca* Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 43. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 24.
- picea* F. Ent. Syst. I, 2, 1792, p. 317.
- pygmaea* F. Ent. Syst. I, 2, 1792, p. 323. — Gyllh. Ins. Succ. I, 4, 1827, p. 89. — Cast. Hist. Nat. II, 1840, p. 446. — Muls. Col. Fr. Long. ed. 1, 1839, p. 103; ed. 2, 1863, p. 198. — Redt. Fauna Austr. 1849, p. 489; ed. 2, 1858, p. 854; ed. 3, II, 1874, p. 411. — Costa, Fauna Regn. Nap. Col. II, 1855, Long. p. 61, t. 36, f. 2. — Bach, Käferf. III, 1856, p. 23. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 44, f. 205. — Ganglb. Best.-Tab. VII, 1881, p. 64 (742); Rev. d'Ent. III, 1884, p. 201. — Cox, Handb. Col. II, 1874, p. 315. — Seidl. Fauna Balt. ed. 2, 1891, p. 733; Fauna Transs. 1891, p. 824. — Stierl. Col. Helvet. II, 1898, p. 454.
- vinii* Panz. Faun. Ins. Germ. LXVI, 1799, t. 10. — Creutz. Ent. Vers. 1799, p. 136.
- Biologie: Schmitt, Stett. Ent. Zeit. IV, 1843, p. 105. — Bouillon, Ann. Soc. Ent. Belg. III, 1859, p. 191. — Schiödte, Nat. Tidskr. (3) X, 1876, p. 413, t. 16, f. 11, 12. — Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 303, f. 468—472. — Nördling, Forstkerfe 1880, p. 41. — Judeich, Forstins. II, 1, 1889, p. 586. — Verhoeff, Ent. Nachr. XVIII, 1892, p. 298. — Sandahl, Ent. Tidskr. XIII, 1892, p. 52. — Xamb. Moeurs & Mét. VIII, 1902, p. 105.
- obliquata* Horn, Trans. Am. Ent. Soc. XII, 1885, p. 174; Texas Ent. Amer. VI, 1890, p. 213.

4

Lianema Fall.

- T
Fall, Journ. N. York Ent. Soc. XV, 1907, p. 85. — Schaeffer, Bull. Brookl. Inst. I, 1908, p. 331.
- tenuicornis* Fall, Journ. N. York Ent. Soc. XV, 1907, Californien p. 86.

1

Axinopalpis Dup. et Chevr.

- T
Dup. & Chevr. in d'Orbigny, Dict. II, 1842, p. 389. — Redt. Gatt. deutsch. Käf.-Faun. 1845, p. 109; Fauna Austr. 1849, p. 490.
- Axinopalpus* Redt. Fauna Austr. ed. 2, 1858, p. 854; ed. 3, II, 1874, p. 412. — Muls. Col. Fr. Long. ed. 2, 1863, p. 202. — Fairm.

Gen. Col. d'Eur. IV, 1864, p. 129. — Thoms. Syst. Ceramb. 1864, p. 440. — Lacord. Gen. Col. VIII, 1869, p. 359. — Ganglb. Best.-Tab. VII, 1881, p. 689. — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 182.

Axinuchus Gemm. & Har. Cat. Col. IX, 1873, p. 2840.

- gracilis** Kryn. Bull. Mosc. V, 1832, p. 162. — Redt. Österreich, Fauna Austr. 1849, p. 490; ed. 2, 1858, p. 854; Süd- ed. 3, II, 1874, p. 412. — Muls. Col. Fr. Long. russland, ed. 2, 1863, p. 202. — Fairm. Gen. Col. d'Eur. Kleinasien IV, 1864, t. 39, f. 177. — Ganglb. Best.-Tab. VII, 1881, p. 65 (743). — Seidl. Fauna Balt. ed. 2, 1891, p. 739; Fauna Transs. 1891, p. 832. — Csiki, Rov. Lapok XI, 1904, p. 58. — Müller, Wien. Ent. Zeit. XXV, 1906, p. 223. — Pic, Longic. VI, 1, 1906, p. 8. — Jacobs. Käfer Russl. 1910, t. 64, f. 25.
- Biologie: Xamb. Ann. Soc. Linn. Lyon XLV, 1893, p. 61; Moeurs & Mét. VII, 1899, p. 101.
- var. *laticornis* Pic, Misc. Ent. IV, 1896, p. 35. Syrien
- 1

Ischnorhabda Ganglb.

Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 64.

- racilentata** Ganglb. l. c. Szetschuan
- 1

Idobrium Kolbe.

Kolbe, Abh. Senck. Ges. XXVI, 1902, p. 582.

- Voeltzkowi** Kolbe, l. c. p. 583. Aldabra
- 1

Neomicrus Gah.

Gah. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 98.

- Walkeri** Gah. l. c. p. 99. Insel Damma
- 1

Linopteridius Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 370.

- fuscipleuris** Fairm. l. c. p. 371; Rev. d'Ent. XX, 1901, Madagascar p. 224.
- 1

Ambagous Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 370.

- quadricollis** Fairm. l. c. Madagascar
- 1

Linopodius Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 369.

acutipennis Fairm. l. c. p. 370.

Madagascar

longicollis Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 252.

,,

2

Nisibistum Thoms.

Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 29.

kaisanum Thoms. l. c. p. 30.

Ostasien

1

Tritomacrus Newm.

Newm. Ent. Mag. I, 1833, p. 510. — Steph. Man. 1839, p. 270. — Lacord. Gen. Col. VIII, 1869, p. 396.

testaceus Newm. l. c. — Steph. Man. 1839, p. 275.

(Irland)

1

XXV. Dodecosini.**Dodecosis** Bates.

Bates, Ent. Month. Mag. IV, 1867, p. 27; Trans. Ent. Soc. Lond. 1870, p. 310. — Lacord. Gen. Col. VIII, 1869, p. 398.

saperdina Bates, Ent. Month. Mag. IV, 1867, p. 27; Tapajos Trans. Ent. Soc. Lond. 1870, p. 310.

1

XXVI. Obriini.

Lacord. Gen. Col. VIII, 1869, p. 360. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 550. — Cah. Fauna Brit. Ind. Col. I, 1906, p. 164.

Obrium Curt.

Curt. Brit. Ent. II, 1825, t. 91. — Latr. in Cuv. Règne anim. ed. 2, Ins. II, 1829, p. 119. — Steph. III. Brit. Ent. Mand. IV, 1831, p. 250. — Serv. Ann. Soc. Ent. Fr. III, 1834, p. 93. — Muls. Col. Fr. Long. ed. 1, 1839, p. 97; ed. 2, 1863, p. 204. — Cast. Hist. Nat. II, 1840, p. 445. — Redt. Gatt. deutsch. Käf.-Fauna 1845, p. 108; Fauna Austr. 1849, p. 490. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 21. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 179. — Thoms. Skand. Col. VIII, 1866, p. 41. — Leng, Ent. Amer. II, 1886, p. 27, 28. — Bedel, Faune Col. Seine V, 1889, p. 5. — Fowler, Col. Brit. Isl. IV, 1890, p. 227. — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 182. — Stierl. Col. Helvet. II, 1898, p. 463. — Everts, Col. Neerl. II, 1, 1901, p. 360. — Csiki, Rov. Lapok XI, 1904, p. 35. — Houlb. Faune Armor. Ceramb. 1904, p. 17.

Diozodes Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 42.*Phyton* Newm. Entomolog. I, 1840, p. 19. — J. Lec. Classif. Col. N. Am. 1873, p. 306; ed. 2, 1883, p. 291. — Leng, Ent. Amer. II, 1886, p. 27, 28.

Amerikanische Arten.

- albifasciatum** Bates, Trans. Ent. Soc. Lond. 1872, p. 182. Nicaragua
angulosum Bates, Biol. C.-Am. Col. V, 1885, p. 269, Panama
 t. 19, f. 7.
arciferum Bates, l. c. p. 270, t. 19, f. 11. Guatemala
cicatricosum Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz
 p. 686, f. 30.
clerulum Bates, Biol. C.-Am. Col. V, 1885, p. 270, t. 19, Panama
 f. 5.
constricticolle Schaeffer, Bull. Brookl. Inst. I, 1908, Arizona
 p. 338.
cordicolle Bates, Trans. Ent. Soc. Lond. 1870, p. 308; Amazon.,
 Biol. C.-Am. Col. V, 1885, p. 269, t. 19, f. 9. Panama
eribripenne Bates, l. c. p. 271, t. 19, f. 8. Guatemala
cruciferum Bates, l. c. p. 270, t. 19, f. 10. Mexico,
 Goyaz
 Californien
discoideum J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Californien
 p. 190. — Leng, Ent. Amer. II, 1886, p. 28.
litratum Bates, Biol. C.-Am. Col. V, 1885, p. 268, t. 19, Guatemala
 f. 6.
maculatum Ol. Ent. IV, 68, 1795, p. 32, 39, t. 3, f. 33. Nordamerika
limum Newm. Entomolog. I, 1840, p. 18. Mexico
pallidium J. Lec. Journ. Acad. Philad. (2) II,
 1850, p. 22.
pallidum Say, Journ. Acad. Philad. III, 1823,
 p. 412. — Hald. Trans. Am. Phil. Soc. (2) X,
 1847, p. 42. — Leng, Ent. Amer. I, 1885, t. 3,
 f. 15; II, 1886, p. 28. — Wickh. Canad. Ent.
 XXIX, 1897, p. 111.
mozinnae Linell, Proc. U. S. Nat. Mus. XIX, 1896, p. 395. Texas
multifarum Berg, An. Univ. Buenos Aires VI, 1889, Argentinien
 p. 109.
peninsulare Schaeffer, Bull. Brookl. Inst. I, 1908, p. 338. Californien
brunneum Schaeffer, Journ. N. York Ent. Soc.
 XII, 1904, p. 223.
piperitum Bates, Biol. C.-Am. Col. V, 1885, p. 269, t. 19, Panama
 f. 12.
rubidum J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 22. Nordamerika
 — Leng, Ent. Amer. II, 1886, p. 28.
ruficolle Bates, Biol. C.-Am. Col. V, 1885, p. 270. Mexico
rufulum Gah. Ann. Mag. Nat. Hist. (8) I, 1908, p. 142. Nordamerika
rubrum Leng, Ent. Amer. II, 1886, p. 28. — Wickh.
 Canad. Ent. XXIX, 1897, p. 111.
 Biologie: Felt, Ins. aff. Trees 1907, p. 463.
vicinum Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 686. Goyaz

Paläarktische Arten.

- bicolor** Kraatz, Berl. Ent. Zeitschr. VI, 1862, p. 126. Österreich,
 — Redt. Fauna Austr. ed. 3, 1874, p. 410. — Griechenland
 Ganglb. Best.-Tab. VII, 1881, p. 64 (742). — Seidl.
 Fauna Transs. 1891, p. 832.
 ab. *pallidipes* Pic, Longic. IV, 1, 1902, p. 9. „
brunneum F. Ent. Syst. I, 2, 1792, p. 316. — Panz. Mitteleuropa
 Fauna Ins. Germ. XXXIV, 1796, t. 15. —
 Payk. Fauna Suec. III, 1800, p. 79. — Gyllh.
 Ins. Suec. I, 4, 1827, p. 92. — Muls. Col. Fr.
 Long. ed. 1, 1839, p. 99; ed. 2, 1863, p. 207.

— Küst. Käf. Eur. II, 1845, p. 55. — Redt. Fauna Austr. 1849, p. 490; ed. 2, 1858, p. 855; ed. 3, II, 1874, p. 410. — Bach, Käferfaun. III, 1856, p. 24. — C. G. Thoms. Skand. Col. VIII, 1866, p. 42. — Ganglb. Best.-Tab. VII, 1881, p. 64 (742). — Bedel, Faune Col. Seine V, 1889, p. 20. — Seidl. Fauna Balt. ed. 2, 1891, p. 739; Fauna Transs. 1891, p. 832. — Stierl. Col. Helvet. II, 1898, p. 468. — Everts, Col. Neerl. II, 1, 1901, p. 360. — Houlb. Faune Armor. Ceramb. 1904, p. 42. — Csiki, Rov. Lapok XI, 1904, p. 58. — Jacobs. Käfer Russl. 1910, t. 64, f. 23.

Biologie: Estiot, Bull. Soc. Ent. Fr. 1905, p. 142.
var. *caucasicum* Tourn. Rev. Mag. Zool. (2) XXIII, 1872, p. 279.

cantharinum L. Syst. Nat. ed. 12, 1767, p. 637. — Müller, Zool. Dan. Prodr. 1776, p. 95. — F. Spec. Ins. II, 1781, p. 500. — Curt. Brit. Ent. II, 1825, t. 91. — Gyllh. Ins. Suec. I, 4, 1827, p. 91. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 251; Man. Brit. Col. 1839, p. 275. — Blanch. Règne anim. Ins. ed. Masson, 1832, t. 66, f. 7. — Muls. Col. Fr. Long. ed. 1, 1839, p. 97; ed. 2, 1863, p. 205. — Shuck. Brit. Col. 1840, p. 65, t. 75, f. 5. — Cast. Hist. Nat. II, 1840, p. 446, t. 50, f. 5. — Redt. Fauna Austr. 1849, p. 490; ed. 2, 1858, p. 855; ed. 3, 1874, p. 410. — Bach, Käferfauna III, 1856, p. 24. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 55, f. 259. — C. G. Thoms. Skand. Col. VIII, 1866, p. 42. — Ganglb. Best.-Tab. VII, 1881, p. 742. — Bedel, Faune Col. Seine V, 1889, p. 20. — Fowler, Col. Brit. Isl. IV, 1890, p. 227, t. 121, f. 4. — Seidl. Fauna Balt. ed. 2, 1891, p. 739; Fauna Transs. 1894, p. 832. — Stierl. Col. Helvet. II, 1898, p. 468. — Everts, Col. Neerl. II, 1, 1901, p. 360. — Houlb. Faune Armor. Ceramb. 1904, p. 42. — Csiki, Rov. Lapok XI, 1904, p. 57. — Jacobs. Käfer Russl. 1910, t. 64, f. 22.

ferrugineum F. Spec. Ins. I, 1781, p. 235. — Ol. Ent. IV, 68, 1795, p. 35, t. 2, f. 17. — Payk. Fauna Suec. III, 1800, p. 78. — Panz. Fauna Ins. Germ. XXXIV, 1796, t. 13.

fuscicorne Gmel. Syst. Nat. I, 4, 1788, p. 1837.
Biologie: Xamb. Ann. Soc. Linn. Lyon (2) XLV, 1898, p. 49; Moeurs & Mét. VII, 1899, p. 89; VIII, 1902, p. 103.

obscuripenne Pic, Echange XIX, 1904, p. 17.

Asiatische Arten.

annulicorne Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 551.

japonicum Pic, Longic. V, 1, 1904, p. 22.

longicorne Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 155.

longicolle Jord. Nov. Zool. I, 1894, p. 112, t. 8, f. 1.

posticum Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 14; Fauna Brit. Ind. Col. I, 1906, p. 165.

Kaukasus

Mittel-
europa,
West-
sibirien

Amur

Sarawak

Japan

„

Timor

Birma

Polynesische Arten.

- gynandropsidis* Fairm. Rev. Mag. Zool. (2) I, 1849, t. 11, f. 4; (2) II, 1850, p. 59. Taiti, Samoa
- laticorne* Fauv. Rev. d'Ent. XXV, 1906, p. 54. Neu-caledonien
- oblongoguttulum* Fairm. Pet. Nouv. Ent. II, 1879, p. 289; Ann. Soc. Ent. Fr. (6) I, 1881, p. 474. Vitiinseln
- translucidum* Fauv. Rev. d'Ent. XXV, 1906, p. 53. Neu-caledonien

Äthiopische Art.

- circumcinctum* Auriv. Arkiv f. Zool. VII, 3, 1910, p. 5. Usambara

34

Ossibia Pasc.

- Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 311.
- Acathartus* Fährs. Col. Hefte X, 1872, p. 194.
- Adiaphorus* Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 55.
- Obriaccum* Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 23.
- fuscata* Chevr. Rev. Mag. Zool. (2) VIII, 1856, p. 570; Cent. Long. 1858, nr. 63. — Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 312. — Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 24. — Dist. Ins. Transvaal. 1904, p. 116, t. 10, f. 11. Westafrika, Südafrika, Ostafrika
- crinita* Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 55.
- Manzonii* Gestro, Ann. Mus. Civ. Genova (2) VII, 1889, p. 68. Yemen
- murina* Gerst. Monatsb. Berl. Akad. 1855, p. 265; Peters' Reise, Ins. 1862, p. 323, t. 19, f. 2. Mossambik, Deutsch-Ostafrika
- senegalensis* Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 24. Senegal

4

Mythozoum Thoms.

- Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 25.
- ustulatum* Thoms. l. c. p. 26. Senegal

1

Metobrium Gah.

- Gah. Trans. Ent. Soc. Lond. 1890, p. 303.
- elegans* Fairm. Ann. Soc. Ent. Fr. (6) VII, 1888, p. 334, t. 3, f. 9. — Gah. Trans. Ent. Soc. Lond. 1890, p. 303. Deutsch-Ostafrika
- gazella* Jord. Nov. Zool. X, 1903, p. 138. „

2

Calybistum Thoms.

- Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 26.
- fuliginosum* Thoms. l. c. p. 27. Senegambia

1

Allophyton Thoms.

Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 27.

biloculare Thoms. l. c. p. 28.

Westafrika

" **ocellatum** Quedf. Berl. Ent. Zeitschr. XXVII,
1883, p. 131, t. 1, f. 1.

Ostafrika

sexmaculatum Auriv. Arkiv f. Zool. VII, 3, 1910, p. 6.

Fernando Po

2

Armylaena Thoms.

Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 19.

callidioides Thoms. l. c. p. 20.

Senegambien

1

Aristobrium Thoms.

Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 18.

eyanipenne Thoms. l. c.

Kapland

1

Synobrium Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 248.

pilipes Kolbe; l. c. p. 249.

Usambara

1

Stenobrium Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 249.

angusticeps Kolbe, l. c. p. 250.

Usambara

1

Calobrium Fairm.

Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 251.

Perrieri Fairm. l. c.

Madagascar

1

Iphra Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 552.

tillomorphaoides Pasc. l. c.

Ceram

1

Stenhomalus White.White, Cat. Col. Brit. Mus. VIII, 1855, p. 243. — Thoms. Syst. Ceramb.
1864, p. 441. — Lacord. Gen. Col. VIII, 1869, p. 362. — Gah. Fauna Brit.
Ind. Col. I, 1906, p. 166.*Stenomalus* Gemm. & Har. Cat. Col. IX, 1873, p. 2841.**cleroides** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 155.

Japan

fenestratus White, Cat. Col. Brit. Mus. VIII, 1855, p. 243.

China,

t. 8, f. 2. — Gah. Fauna Brit. Ind. Col. I, 1906,
p. 166, f. 65.

Nordindien

- lateralis** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 26. Ceylon
 — Lacord. Gen. Col. VIII, 1869, p. 362, nota 4.
 — Gah. Fauna Brit. Ind. Col. I, 1906, p. 167.
Y-pallidum Motsch. Bull. Mosc. XXXVI, 1863, I, p. 495. „
 — Gah. Fauna Brit. Ind. Col. I, 1906, p. 167.

4

Ibidionidum Gah.

- Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 14; Fauna Brit. Ind. Col. I, 1906, p. 168.

- Corbetti** Gah. Ann. Mus. Civ. Genova XXXIV, 1894, Birma
 p. 15, t. 1, f. 3; Fauna Brit. Ind. Col. I, 1906,
 p. 168, f. 66.

1

Longipalpus Montrz.

- Montrz. Ann. Soc. Ent. Fr. (4) I, 1861, p. 275. — Thoms. Syst. Ceramb. 1864, p. 441. — Lacord. Gen. Col. VIII, 1869, p. 363.

- palazyanus** Montrz. Ann. Soc. Ent. Fr. (4) I, 1861, p. 275. Insel Lifu

1

Araeotis Bates.

- Bates, Ent. Month. Mag. IV, 1867, p. 26; Trans. Ent. Soc. Lond. 1870, p. 309. — Lacord. Gen. Col. VIII, 1869, p. 398.

- fragilis** Bates, Ent. Month. Mag. IV, 1867, p. 26; Trans. Tapajos
 Ent. Soc. Lond. 1870, p. 309.

1

Lymernaea Thoms.

- Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 20.

- pecta** Thoms. l. c. p. 21. Brasilien

1

Uroreites Thoms.

- Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 21.

- erlbripennis** Thoms. l. c. p. 22. Chile

1

Anobrium Belon.

- Belon, Bull. Soc. Ent. Fr. 1902, p. 333.

- Oberthüri** Belon, l. c. Bolivien

1

Eumichtus J. Lec.

J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 190. — Leng, Ent. Amer. II, 1886, p. 27.

Oedipus J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 190. Vancouver
— Leng, Ent. Amer. I, 1885, t. 3, f. 14; II, 1886, p. 27.

1

Cleistimum Thoms.

Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 30.

venatum Thoms. l. c. p. 31.

Australien

1

Oxilus Buq.

Buq. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 619. — Lacord. Gen. Col. VIII, 1869, p. 397.

terminatus Buq. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 620, Senegal
t. 14, f. 5.

1

XXVII. Neostenini.

Lacord. Gen. Col. VIII, 1869, p. 363.

Neostenus Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 91. — Thoms. Classif. Ceramb. 1860, p. 285; Syst. Ceramb. 1864, p. 449. — Lacord. Gen. Col. VIII, 1869, p. 364.

Lysestia Pasc. Journ. Ent. II, 1865, p. 364.

morio Pasc. l. c. p. 365.

West-
australien
Südaustralien

Saundersi Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 91, t. 22, f. 2. — Lacord. Gen. Col. VIII, 1869, t. 84, f. 1.

♂ *rotundicollis* Pasc. Journ. Ent. II, 1865, p. 365, t. 16, f. 5; Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 123.

spinipennis Blackb. Trans. R. Soc. S. Austr. XIX, 1895, p. 223.

Zentral-
australien

3

Maltheba Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 270.

flexilis Pasc. l. c. p. 271.

West-
australien

1

Aposites Pasc.

- Pasc. Journ. Ent. II, 1865, p. 363. — Lacord. Gen. Col. VIII, 1869, p. 365.
- gracilis* Blackb. Proc. Linn. Soc. N. S. Wales (2) VIII, 1894, p. 198. West-australien
- lanaticollis* Blackb. Trans. R. Soc. S. Austr. XV, 1892, p. 61. Südaustralien
- macilentus* Pasc. Journ. Ent. II, 1865, p. 364, t. 16, f. 6. „
- niger* Blackb. Trans. R. Soc. S. Austr. XV, 1892, p. 62. West-australien
- pubicollis* Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 92, t. 3, f. 8. „
- 5

Mystrosa Pasc.

- Pasc. Journ. Ent. II, 1864, p. 239. — Thoms. Syst. Ceramb. 1864, p. 405. — Lacord. Gen. Col. VIII, 1869, p. 366.
- rubiginea* Pasc. Journ. Ent. II, 1864, p. 239, t. 11, f. 2. Südaustralien
- 1

XXVIII. Aphanasiini.

Lacord. Gen. Col. VIII, 1869, p. 367.

Aristogitus Thoms.

- Thoms. Syst. Ceramb. 1864, p. 145. — Lacord. Gen. Col. VIII, 1869, p. 367.
- cylindricus* Thoms. Classif. Ceramb. 1860, p. 157; Syst. Ceramb. 1864, p. 146. Kapland
- 1

Myrsinus Gah.

Gah. in Dist. Ins. Transvaal. 1904, p. 116.

- modestus* Gah. l. c. t. 10, f. 21. Transvaal
- 1

Myrsus Lacord.

- Lacord. Gen. Col. VIII, 1869, p. 368. — Gah. in Dist. Ins. Transvaal. 1904, p. 117.
- unicolor* Lacord. Gen. Col. VIII, 1869, p. 369, nota 1. Australien?
— Gah. in Dist. Ins. Transvaal. 1904, p. 117.
- 1

Aphanasium Thoms.

- Thoms. Classif. Ceramb. 1860, p. 300; Syst. Ceramb. 1860, p. 404. — Lacord. Gen. Col. VIII, 1869, p. 369.
- Solimnia* Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 557.

- australe** Boisd. Voy. Astrol. Ins. II, 1835, p. 480. — Australien
Thoms. Classif. Ceramb. 1860, p. 300.
sublineatum Pasc. Trans. Ent. Soc. Lond. (3) I,
1863, p. 558, t. 22, f. 3 ♂; Journ. Linn. Soc.
Lond. Zool. IX, 1866, p. 134.
Biologie: Froggatt, Proc. Linn. Soc. N. S. Wales
(2) X, 1895, p. 325.

1

XXIX. Phlyctaenodini.

Bardistus Newm.

- Newm. Entomolog. I, 1841, p. 80. — Thoms. Syst. Ceramb. 1864, p. 405.
— Lacord. Gen. Col. VIII, 1869, p. 371.

- cibarius** Newm. Entomolog. I, 1841, p. 80. — White in Südwest-
Grey's Journ. Append. II, 1841, p. 465. — Thoms. australien
Syst. Ceramb. 1864, p. 137. — Lacord. Gen.
Col. VIII, 1869, t. 84, f. 2.
♀ *piceus* Thoms. Syst. Ceramb. 1864, p. 137. —
Lacord. Gen. Col. VIII, 1869, p. 71 nota.

1

Tricheops Newm.

- Newm. Ent. Mag. V, 1838, p. 171. — Thoms. Syst. Ceramb. 1864, p. 405.
— Lacord. Gen. Col. VIII, 1869, p. 372.

- ephipigera** Newm. Ent. Mag. V, 1838, p. 171. — Lacord. Neusüdwaies
Gen. Col. VIII, 1869, p. 372, t. 84, f. 3.

1

Astetholea Bates.

- Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 20. — Broun, Man. N.
Zealand Col. I, 1880, p. 576.

- Aubreyi** Broun, l. c. p. 577. Neuseeland
denticollis Fauv. Rev. d'Ent. XXV, 1906, p. 45. Neu-
caledonien
lepturoides Bates, Ent. Month. Mag. XIII, 1876, p. 53. Neuseeland
— Broun, Man. N. Zealand Col. I, 1880, p. 577.
opacicollis Fauv. Rev. d'Ent. XXV, 1906, p. 45. Neu-
caledonien
pauper Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 21. Neuseeland
— Broun, Man. N. Zealand Col. I, 1880, p. 577.
varia Fauv. Rev. d'Ent. XXV, 1906, p. 45. Neu-
caledonien

6

Astetholida Broun.

- Broun, Man. N. Zealand Col. I, 1880, p. 578.

- lucida** Broun, l. c. Neuseeland

1





Diotima Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 57. — Lacord. Gen. Col. VIII, 1869, p. 372.

undulata Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 58, Moretonbay
t. 2, f. 9 ♀. — Lacord. Gen. Col. VIII, 1869,
t. 84, f. 4 ♂.

1

Phlyctaenodes Newm.

Newm. Ann. Mag. Nat. Hist. V, 1840, p. 20. — Lacord. Gen. Col. VIII, 1869, p. 373.

Demacidia Thoms. Classif. Ceramb. 1860, p. 246.

Phlyctaenodes Thoms. Syst. Ceramb. 1864, p. 404.

Trachelorachys Hope, Proc. Zool. Soc. Lond. VIII, 1840, p. 51;
Ann. Mag. Nat. Hist. VII, 1841, p. 63; Trans. Zool. Soc. Lond.
III, 2, 1843, p. 196.

fasciatus Gah. Trans. Ent. Soc. Lond. 1893, p. 179.

Tasmanien

pustulatus Hope, Proc. Zool. Soc. Lond. VIII, 1840,
p. 52; Ann. Mag. Nat. Hist. VII, 1841, p. 64;
Trans. Zool. Soc. Lond. III, 2, 1843, p. 196.

"

pustulosus Newm. Ann. Mag. Nat. Hist. V, 1840, p. 20.

Tasmanien,

— Blanch. Voy. Pole Sud, Zool. IV, 1853, p. 262.

Neusüd-
wales

brunneus Thoms. Classif. Ceramb. 1860, p. 246.

funicolor Hope, Proc. Zool. Soc. Lond. VIII, 1840,
p. 52; Ann. Mag. Nat. Hist. VII, 1841, p. 64;
Trans. Zool. Soc. Lond. III, 2, 1843, p. 196.

pubescens Blanch. Voy. Pole Sud, Zool. IV,
t. 16, f. 4.

3

Ambeodontus Lacord.

Lacord. Gen. Col. VIII, 1869, p. 374. — Broun, Man. N. Zealand Col. I, 1880, p. 574.

binodosus Lacord. Gen. Col. VIII, 1869, p. 374, nota 2.

Australien

pilosus Pasc. Journ. Ent. II, 1863, p. 234. — Lacord.
Gen. Col. VIII, 1869, p. 375 nota.

Südastralien

retifer Lacord. l. c. p. 734, nota 2.

Neuseeland

tristis F. Syst. Ent. 1775, p. 186; Ent. Syst. IV, 1794,
p. 453. — Broun, Man. N. Zealand Col. I, 1880,
p. 574. — Dohrn, Stett. Ent. Zeit. XLV, 1884,
p. 281. — Gah. Trans. Ent. Soc. Lond. 1893,
p. 180.

"

moestus Gmel. Syst. Nat. I, 4, 1788, p. 1838.

? *pullus* New. Zoolog. IX, 1851, Append. p. 128.

ab. *trituberculatus* Redt. Reise Novara, Col. 1868,
p. 188.

4

Agapanthida White.

White, Voy. Ereb. and Terr. Ins. 1846, p. 22. — Thoms. Syst. Ceramb. 1864, p. 135. — Lacord. Gen. Col. VIII, 1869, p. 375. — Broun, Man. N. Zealand Col. I, 1880, p. 575.

pulchella White, Voy. Ereb. and Terr. Ins. 1846, p. 22, Neuseeland
t. 4, f. 10. — Lacord. Gen. Col. VIII, 1869,

- p. 375. — Broun, Man. N. Zealand Col. I, 1880,
p. 575.
scutellaris Pasc. Ann. Mag. Nat. Hist. (4) XVII, 1876, Neuseeland
p. 60. — Broun, Man. N. Zealand Col. I, 1880,
p. 575.

2

Leptachrous Bates.

Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 19. — Broun, Man. N. Zealand Col. I, 1880, p. 571.

- strigipennis** Westw. Arcana Nat. II, 1845, p. 27, t. 56, Neuseeland
f. 6. — White, Voy. Ereb. Terr. Ins. 1846, p. 19.
— Broun, Man. N. Zealand Col. I, 1880, p. 572.

1

Votum Broun.

Broun, Man. N. Zealand Col. I, 1880, p. 572.

- mundum** Broun, l. c. p. 573. Neuseeland

1

Pseudocalliprason Broun.

Broun, Man. N. Zealand Col. I, 1880, p. 573.

- marginatum** White, Voy. Ereb. Terr. Ins. 1846, p. 23, Neuseeland
t. 4, f. 6.

1

Epheus Broun.

Broun, Man. N. Zealand Col. IV, 1886, p. 871.

- costifer** Broun, l. c. Neuseeland

1

Ophryops White.

White, Voy. Ereb. and Terr. Ins. 1846, p. 19. — Thoms. Syst. Ceramb. 1864, p. 448. — Lacord. Gen. Col. VIII, 1869, p. 378. — Broun, Man. N. Zealand Col. I, 1880, p. 576.

- dispar** Sharp, Trans. R. Dublin Soc. (2) III, 1886, p. 439, Neuseeland
t. 13, f. 20. — Broun, Man. N. Zealand Col. V, 1893, p. 1277.

pallidus Broun, l. c. I, 1880, p. 576.

lentiginosus Broun, l. c. V, 1893, p. 1279. "

nigropictus Broun, l. c. p. 1278. "

pallidus White, Voy. Ereb. Terr. Ins. 1846, p. 19, t. 4, f. 8. "

testaceus Broun, Man. N. Zealand Col. V, 1893, p. 1278. "

5

Pseudosemnus Broun.

Broun, Man. N. Zealand Col. V, 1893, p. 1279.

- amabilis** Broun, l. c. p. 1280. Neuseeland

1

Semnus Lacord.

Lacord. Gen. Col. VIII, 1869, p. 376. — Germain, An. Univ. Chile CI, 1898, p. 766 (sep. p. 144).

- phlyetaenioides** Lacord. Gen. Col. VIII, 1869, p. 376, Brasilien
nota 2.
regalis Germain, An. Univ. Chile LXXXVII, 1894, Chile
p. 453, t. ?, f. 3; CI, 1898, p. 769 (sep. p. 147),
t. 2, f. 17.
2

Ancylodonta Blanch.

Blanch. in Gay, Hist. Chile V, 1851, p. 494. — Thoms. Syst. Ceramb. 1864, p. 454. — Lacord. Gen. Col. VIII, 1869, p. 375. — Germain, An. Univ. Chile CI, 1898, p. 756 (sep. p. 134).

- nitidipennis** Germain, l. c. p. 763, t. 2, f. 16. Chile
tristis Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 510. — Lacord. Gen. Col. VIII, 1869, p. 376.
tristis Blanch. in Gay, Hist. Chile V, 1851, p. 494, „
t. 28, f. 10.
granulata Germain, An. Univ. Chile CI, 1898, p. 760, t. 2, f. 15 (sep. p. 138).
2

Drascalia Fairm. & Germ.

Fairm. & Germ. Rev. Mag. Zool. (2) XVI, 1864, p. 387. — Germain, An. Univ. Chile CI, 1898, p. 751 (sep. p. 129).

- praelonga** Fairm. & Germ. Rev. Mag. Zool. (2) XVI, Chile
1864, p. 388. — Germain, An. Univ. Chile CI, 1898, p. 754, t. 2, f. 14 (sep. p. 132).
1

Imerinus Gah.

Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 460. — Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 252.

- degener** Fairm. l. c. p. 254; XLIII, 1899, p. 548. Madagascar
granuliferus Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, „
p. 460. — Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 253.
robustus Fairm. l. c. „
3

XXX. Tessarommatini.

Lacord. Gen. Col. VIII, 1869, p. 378.

Tessaromma Newm.

Newm. Ann. Mag. Nat. Hist. V, 1840, p. 20. — Lacord. Gen. Col. VIII, 1869, p. 379.

Meropachys Hope, Proc. Zool. Soc. Lond. VIII, 1840, p. 52; Ann. Mag. Nat. Hist. VII, 1841, p. 64; Trans. Zool. Soc. Lond. III, 2, 1843, p. 197.

Tesseromma Thoms. Syst. Ceramb. 1864, p. 404.

- naum* Blackb. Trans. R. Soc. S. Austr. XXIII, 1899, p. 93. Queensland
- sericans* Er. Arch. Naturgesch. VIII, 1842, I, p. 221. Tasmanien
- triste* Hope, Proc. Zool. Soc. Lond. VIII, 1840, p. 53; Ann. Mag. Nat. Hist. VII, 1841, p. 64; Trans. Zool. Soc. Lond. III, 2, 1843, p. 197. Südaustralien
- andatum* Newm. Ann. Mag. Nat. Hist. V, 1840, p. 20. — Blanch. Voy. Pole Sud, Zool. IV, 1853, p. 263, t. 16, f. 5. — Lacord. Gen. Col. VIII, 1869, t. 84, f. 5; t. 87, f. 5. Neuholland, Tasmanien
- Mac Leayi* Hope, Proc. Zool. Soc. VIII, 1840, p. 52; Ann. Mag. Nat. Hist. VII, 1841, p. 64; Trans. Zool. Soc. Lond. III, 2, 1843, p. 197.

1

XXXI. Strongylurini.

Lacord. Gen. Col. VIII, 1869, p. 379.

Heterolepis Lacord.

Lacord. Gen. Col. VIII, 1869, p. 381.

- tmesisternoides* Lacord. l. c. nota 1. Neu-caledonien

1

Aprosictus Pasc.

Pasc. Proc. Zool. Soc. Lond. 1866, p. 331 nota; Trans. Ent. Soc. Lond. (3) III, 1869, p. 549. — Lacord. Gen. Col. VIII, 1869, p. 382.

Westwoodia Kaup, Ceramb. Samml. Darmst. 1866, p. (4).

- bilineata* Rits. Notes Leyd. Mus. III, 1881, p. 145. Waigi
- Duivenbodei* Kaup, Ceramb. Samml. Darmst. 1866, p. (4), t. 2, f. 3. — Lacord. Gen. Col. VIII, 1869, p. 382. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 549. Celebes
- intricatus* Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1889, p. 1464. Südaustralien

1

Piesarthrius Hope.

Hope, Trans. Zool. Soc. Lond. I, 1835, p. 107; Proc. Zool. Soc. Lond. VIII, 1840, p. 55; Ann. Mag. Nat. Hist. VII, 1841, p. 67; Trans. Zool.

Soc. Lond. III, 2, 1843, p. 200. — Thoms. Syst. Ceramb. 1864, p. 448.
— Lacord. Gen. Col. VIII, 1869, p. 384. — Gal. Trans. Ent. Soc. Lond.
1893, p. 181.

Anatisis Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 319. —
Lacord. Gen. Col. VIII, 1869, p. 383.

Petalodes Newm. Entomolog. I, 1840, p. 9.

- Frenchi* Blackb. Proc. Linn. Soc. N. S. Wales (2) V, Queensland
1891, p. 789.
- laminosus* Newm. Entomolog. I, 1840, p. 9, fig. ♂. Südaustralien
marginellus Hope, Proc. Zool. Soc. Lond. VIII, 1840, Australien
p. 55; Ann. Mag. Nat. Hist. VII, 1841, p. 67;
Trans. Zool. Soc. Lond. III, 2, 1843, p. 200,
t. 12, f. 1 ♀.
- plagiatus* White, Ann. Mag. Nat. Hist. (3) II,
1858, p. 354, ♂.
- Biologie: Froggatt, Proc. Linn. Soc. N. S. Wales
(2) VIII, 1893, p. 34.
- Muelleri* Blackb. Trans. R. Soc. S. Austr. XX, 1896, Queensland
p. 259.

4

Opsidota Pasc.

Pasc. Journ. Ent. II, 1863, p. 235. — Thoms. Syst. Ceramb. 1864, p. 447.
— Lacord. Gen. Col. VIII, 1869, p. 383.

- aestuosa* Blackb. Trans. R. Soc. S. Austr. XX, 1896, p. 37. Queensland
albipilosa Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, Südaustralien
p. 101.
- guttata* Blackb. Trans. R. Soc. S. Austr. XV, 1892, p. 64. „
infecta Pasc. Journ. Ent. II, 1863, p. 236, t. 11, f. 6. „
sculpticollis Blackb. Trans. R. Soc. S. Austr. XXV, Queensland
1901, p. 33.

5

Strongylurus Hope.

Hope, Trans. Zool. Soc. Lond. I, 1835, p. 107; Proc. Zool. Soc. Lond. VIII,
1840, p. 54; Ann. Mag. Nat. Hist. VII, 1841, p. 66; Trans. Zool. Soc. Lond.
III, 2, 1843, p. 199. — Lacord. Gen. Col. VIII, 1869, p. 385.

Coptopterus Hope, Trans. Zool. Soc. Lond. I, 1835, p. 107; Proc.
Zool. Soc. Lond. VIII, 1840, p. 55; Ann. Mag. Nat. Hist. VII,
1841, p. 66; Trans. Zool. Soc. Lond. III, 2, 1843, p. 200.

Isalium Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 549.

- ceresioides* Pasc. Journ. Linn. Soc. Lond. Zool. IX, Tasmanien
1867, p. 308.
- cretifer* Hope, Proc. Zool. Soc. Lond. VIII, 1840, p. 55; Sydney
Ann. Mag. Nat. Hist. VII, 1841, p. 67; Trans.
Zool. Soc. Lond. III, 2, 1843, p. 200, t. 12, f. 3.
- var. *Odevahni* Pasc. Journ. Ent. II, 1863, p. 235. „
- Lumholtzi* Auriv. Ent. Tidskr. XIV, 1893, p. 162. Queensland
minor Blackb. Proc. Linn. Soc. N. S. Wales (2) VIII,
1894, p. 199. „
- orbatus* Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, „
p. 100.
- seutellatus* Hope, Proc. Zool. Soc. Lond. VIII, 1840, Victoria
p. 54; Ann. Mag. Nat. Hist. VII, 1841, p. 66;

Trans. Zool. Soc. Lond. III, 2, 1843, p. 199,
t. 12, f. 2.

spinus Fauv. Rev. d'Ent. XXV, 1906, p. 55.

Neu-
caledonien
Moretonbay

thoracicus Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 98.
Biologie: Froggatt, Proc. Linn. Soc. N. S. Wales
(2) X, 1895, p. 326.

unidens Fauv. Rev. d'Ent. XXV, 1906, p. 56.

Neu-
caledonien

9

Exaereta Pasc.

Pasc. Journ. of Ent. II, 1865, p. 368. — Lacord. Gen. Col. VIII, 1869, p. 386.

unicolor Pasc. Journ. of Ent. II, 1865, p. 369, t. 16, f. 2. Südaustralien

1

Lygesis Pasc.

Pasc. Journ. of Ent. II, 1865, p. 369. — Lacord. Gen. Col. VIII, 1869, p. 386.

cylindricollis Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 18. — Lacord. Gen. Col. VIII, 1869, p. 387. Moretonbay

mendica Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, p. 62. Neusüdwailes

Biologie: Froggatt, Proc. Linn. Soc. N. S. Wales
(2) IX, 1894, p. 118.

ornata Blackb. Trans. R. Soc. S. Austr. XV, 1892, p. 63. Queensland

3

Bebius Pasc.

Pasc. Journ. of Ent. II, 1865, p. 369. — Lacord. Gen. Col. VIII, 1869, p. 387.

filiformis Pasc. Journ. of Ent. II, 1865, p. 370. Südaustralien

variegatus Blackb. Trans. R. Soc. S. Austr. XV, 1892, p. 64. Victoria

2

Oxymagis Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 101. — Lacord. Gen. Col. VIII, 1869, p. 388.

Grayi Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 101, t. 3, f. 2. Neuholland

1

XXXII. Uracanthini.

Thoms. Classif. Ceramb. 1860, p. 150. — Lacord. Gen. Col. VIII, 1869, p. 388.

Scolecobrotus Hope.

Hope, Proc. Zool. Soc. Lond. I, 1833, p. 64; Trans. Zool. Soc. Lond. I, 1835, p. 109. — Thoms. Classif. Ceramb. 1860, p. 143; Syst. Ceramb. 1864, p. 413.

— Lacord. Gen. Col. VIII, 1869, p. 390.

simplex Blackb. Proc. Linn. Soc. N. S. Wales (2) III, Südaustralien
1889, p. 1465.

9

validus Blackb. l. c. (2) VIII, 1894, p. 199.

West-
australien
Port Lincoln
Südaustralien

variegatus Blackb. l. c. (2) III, 1889, p. 1466.

Westwoodi Hope Proc. Zool. Soc. Lond. I, 1833, p. 64;
Trans. Zool. Soc. Lond. I, 1835, p. 109, t. 15,
f. 5; III, 2, 1843, p. 198. — Lacord. Gen. Col.
VIII, 1869, p. 390.

Biologie: Froggatt, Proc. Linn. Soc. N. S. Wales
(2) IX, 1894, p. 113. — Best, Victor. Natural.
XIV, p. 146.

4

Uracanthus Hope.

Hope, Proc. Zool. Soc. Lond. I, 1833, p. 64; Trans. Zool. Soc. Lond. I,
1835, p. 108. — Thoms. Classif. Ceramb. 1860, p. 143; Syst. Ceramb. 1864,
p. 413. — Cast. Hist. Nat. II, 1840, p. 425. — Lacord. Gen. Col. VIII,
1869, p. 390.

acutus Blackb. Proc. Linn. Soc. N. S. Wales (2) IV, 1890,
p. 451.

Victoria

bivitta Newm. Ent. Mag. V, 1838, p. 172.

Queensland

cryptophagus Olliff, Agric. Gaz. N. S. Wales III, 1892,
p. 896, t. 57.

Australien

Froggatti Blackb. Proc. Linn. Soc. N. S. Wales (2) IX,
1894, p. 106.

Sydney

Biologie: Froggatt, l. c. p. 116.

fuscocinereus White, Cat. Col. Brit. Mus. VIII, 1855,
p. 330.

Neusüd-wales

marginellus Hope, Proc. Zool. Soc. Lond. VIII, 1840,
p. 54; Ann. Mag. Nat. Hist. VII, 1841, p. 65;
Trans. Zool. Soc. Lond. III, 2, 1843, p. 198.

Südaustralien

miniatus Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866,
p. 92.

„

pallens Hope, Proc. Zool. Soc. Lond. VIII, 1840, p. 53;
Ann. Mag. Nat. Hist. VII, 1841, p. 65; Trans.

Tasmanien

Zool. Soc. Lond. III, 2, 1843, p. 198.

simulans Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866,
p. 92.

Südaustralien

strigosus Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, p. 62.

Neusüd-wales

triangularis Hope, Proc. Zool. Soc. Lond. I, 1833, p. 64;
Trans. Zool. Soc. Lond. I, 1835, p. 108, t. 15,

Neuholland

f. 4. — Lacord. Gen. Col. VIII, 1869, t. 88, f. 1.

angustatus Boisd. Voy. Astrol. Ins. II, 1835,
p. 475. — Cast. Hist. Nat. II, 1840, p. 425.

Biologie: Froggatt, Proc. Linn. Soc. N. S. Wales
(2) VIII, 1893, p. 29.

11

Emenica Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, p. 62.

nigripennis Pasc. l. c. p. 63, t. 8, f. 2.

West-
australien

1

10*

Aethiora Pasc.

- Pasc. Journ. of Ent. II, 1865, p. 369. — Lacord. Gen. Col. VIII, 1869, p. 391.
fuliginea Pasc. Journ. of Ent. II, 1864, p. 238. — Lacord. Südaustralien
 Gen. Col. VIII, 1869, p. 391.

1

Rhinophthalmus Thoms.

- Thoms. Classif. Ceramb. 1860, p. 152; Syst. Ceramb. 1864, p. 406. —
 Lacord. Gen. Col. VIII, 1869, p. 391.

Stephanops Shuck. Ent. Mag. V, 1838, p. 509.

- elongaticeps** Blanch. Voy. Pole Sud, Zool. IV, 1853, Tasmanien
 p. 306, t. 17, f. 20. — Gah. Trans. Ent. Soc.
 Lond. 1893, p. 182.
marginipennis Fairm. Natural. I, 1879, p. 75. Nord-
 australien
 Melbourne
modestus Blackb. Proc. Linn. Soc. N. S. Wales (2) IV,
 1889, p. 452.
nasutus Shuck. Ent. Mag. V, 1838, p. 510. — Saund. Tasmanien,
 Trans. Ent. Soc. Lond. (2) I, 1850, p. 81, t. 4, Neuholland
 f. 4. — Lacord. Gen. Col. VIII, 1869, t. 88, f. 2.
 Biologic: Froggatt, Proc. Linn. Soc. N. S. Wales
 (2) IX, 1894, p. 118.
striicollis Fairm. Natural. I, 1879, p. 75. Australien

5

XXXIII. Psilomorphini.

Lacord. Gen. Col. VIII, 1869, p. 392.

Psilomorpha W. Saund.

- W. Saund. Trans. Ent. Soc. Lond. (2) I, 1850, p. 80. — Thoms. Syst.
 Ceramb. 1864, p. 406. — Lacord. Gen. Col. VIII, 1869, p. 393. — Broun,
 Man. N. Zealand Col. I, 1880, p. 579.

- tenuipes** W. Saund. Trans. Ent. Soc. Lond. (2) I, 1850, Neuholland,
 p. 80, t. 4, f. 1. — Broun, Man. N. Zealand Col. Neuseeland
 I, 1880, p. 580.

1

XXXIV. Holopterini.

Lacord. Gen. Col. VIII, 1869, p. 393.

Holopterus Blanch.

- Blanch. in Gay, Hist. Chile V, 1851, p. 475. — Thoms. Syst. Ceramb. 1864,
 p. 413. — Lacord. Gen. Col. VIII, 1869, p. 394. — Germain, An. Univ.
 Chile CI, 1898, p. 773 (sep. p. 151).

- annulicornis** F. Phil. An. Univ. Chile XVI, 1859, p. 674. Chile
 — Germain, l. c. CI, 1898, p. 780 (sep. p. 158).
araneipes Fairm. Ann. Soc. Ent. Fr. (3) VII,
 1859, p. 500.

- T *antarecticus* Auriv. Arkiv f. Zool. VII, 3, 1910, p. 6. Feuerland
T *chilensis* Blanch. in Gay, Hist. Chile V, 1851, p. 476, Chile
 t. 28, f. 6. — Germain, An. Univ. Chile CI, 1898,
 p. 791 (sep. p. 169).
T *compressicornis* Fairm. & Germain, Ann. Soc. Ent. „
 Fr. (3) VII, 1859, p. 501.
laevigatus F. Phil. An. Univ. Chile XVI, 1859, p. 675. „
 — Germain, l. c. CI, 1898, p. 785 (sep. p. 163),
 t. 2, f. 18.
sublineatus Fairm. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 273. Mendoza
cujanus Burm. Stett. Ent. Zeit. XXVI, 1865,
 p. 174.
 6

XXXV. Rhagiomorphi.

Lacord. Gen. Col. VIII, 1869, p. 406.

Rhagiomorpha Newm.

Newm. Ann. Mag. Nat. Hist. V, 1840, p. 21. — Thoms. Classif. Ceramb. 1860, p. 142; Syst. Ceramb. 1864, p. 405. — Lacord. Gen. Col. VIII, 1869, p. 406.

Physodroma Thoms. Classif. Ceramb. 1860, p. 150.

- T *exilis* Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 58. Moretonbay
T *lepturoides* Boisd. Voy. Astrol. Ins. II, 1835, p. 479. Neuholland
 — Lacord. Gen. Col. VIII, 1869, t. 88, f. 3.
concolor Heyne, Exot. Käfer 1906, t. 36, f. 12.
sexcostata Thoms. Classif. Ceramb. 1860, p. 150.
sordida Newm. Ann. Mag. Nat. Hist. V, 1840, p. 21.
T *plagiata* Hope, Proc. Ent. Soc. Lond. 1842, p. 50. Neuholland
unicolor Hope, l. c. p. 49. „
 4

Tritocosmia Newm.

Newm. Zoolog. VIII, 1850, Append. p. 115. — Thoms. Classif. Ceramb. 1860, p. 149; Syst. Ceramb. 1864, p. 405. — Lacord. Gen. Col. VIII, 1869, p. 407.

- atricilla* Newm. Zoolog. VIII, 1850, Append. p. 115. Neuholland
 — Blackb. Proc. Linn. Soc. N. S. Wales (2)
 IV, 1889, p. 1273.
Digglesi Pasc. Trans. Ent. Soc. Lond. (2) V,
 1859, p. 58. — Waterh. Aid ident. Ins. II, 1890,
 t. 188, f. 6.
T *latecostata* Fairm. Natural. I, 1879, p. 75. Sydney
T *paradoxa* Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 56. Melbourne
 — Lacord. Gen. Col. VIII, 1869, p. 408, nota 2.
T *Roei* Hope, Trans. Ent. Soc. Lond. I, 1836, p. 17, t. 2, Südaustralien
 f. 3. — Thoms. Classif. Ceramb. 1860, p. 149.
T *rubea* Pasc. Trans. Ent. Soc. Lond. (2) V, 1858, p. 24. Neusüd-wales
 5

Stenopotes Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) XVI, 1875, p. 216.

pallidus Pasc. l. c. p. 217, t. 5, f. 7. — Broun, Man. N. Neuseeland
Zealand Col. I, 1880, p. 583.

1

Tropis Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 568. — Lacord. Gen. Col. VIII,
1869, p. 410.

oculifera Newm. Ann. Mag. Nat. Hist. V, 1840, p. 21; Tasmanien
Entomolog. I, 1841, p. 34.

1

XXXVI. Tropocalymmatini.

Lacord. Gen. Col. VIII, 1869, p. 408.

Tropocalymma Thoms.

Thoms. Syst. Ceramb. 1864, p. 138. — Lacord. Gen. Col. VIII, 1869, p. 409.

dimidiatum Newm. Entomolog. I, 1841, p. 34. — Thoms. Queensland
Syst. Ceramb. 1864, p. 138. — Lacord. Gen.
Col. VIII, 1869, p. 409.

1

XXXVII. Stenoderini.

Pterosteninae Lacord. Gen. Col. VIII, 1869, p. 410.

Aphiorhynchus Lacord.

Lacord. Gen. Col. VIII, 1869, p. 411.

apicalis Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 58. Moretonbay

divisus Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 271. Queensland

maculicornis W. Saund. Trans. Ent. Soc. Lond. (2) I, Neuholland
1850, p. 79, t. 4, f. 2. — Gah. l. c. 1893, p. 183.

puleher Hope, Trans. Ent. Soc. Lond. I, 1834, p. 18. „

lusorius Pasc. Journ. of Ent. II, 1865, p. 367. „

4

Stenoderus Serv.

Serv. Enc. méth. Ins. X, 1825, p. 484; Ann. Soc. Ent. Fr. IV, 1835, p. 210.
— Latr. in Cuv. Règne anim. ed. 2, Ins. II, 1829, p. 130.

Pterostenus Lacord. Gen. Col. VIII, 1869, p. 412. — Gah. Trans.
Ent. Soc. Lond. 1893, p. 183.

Syllitus Thoms. Syst. Ceramb. 1864, p. 406.

concolor Mac Leay in King's Surv. Austr. II, 1827, Neuholland
Append. p. 452. — Blackb. Proc. R. Soc. Victoria
XII, 1900, p. 230.

- ostreicilla* Newm. Zoolog. VIII, 1850, Append. p. 113. Queensland
quietus Newm. Trans. Ent. Soc. Lond. (2) IV, 1857, Moretonbay
 p. 53. — Blackb. Proc. R. Soc. Victoria XII,
 1900, p. 230.
- suturalis* Ol. Ent. IV, 69, 1795, p. 29, t. 3, f. 29. — Neuholland
 Cast. Hist. Nat. II, 1840, p. 499. — Thoms.
 Syst. Ceramb. 1864, p. 138. — Gah. Trans.
 Ent. Soc. Lond. 1893, p. 182.
- ?*attenuatus* Weber, Obs. Entomol. 1801, p. 89. Ostindien
 var. *abbreviatus* F. Syst. El. II, 1801, p. 275. Neusüdwaless
 — Mac Leay in King's Surv. Austr. II, 1827,
 Append. p. 451. — Boisd. Voy. Astrol. Ins.
 II, 1827, Append. p. 451. — Boisd. Voy. Astrol.
 Ins. II, 1835, p. 521.
- var. *ceramboides* Kirby, Trans. Linn. Soc. XII,
 1818, p. 472, t. 23, f. 11. — Boisd. Voy. Astrol.
 Ins. II, 1835, p. 522.
- var. *dorsalis* Boisd. l. c. p. 521.
- var. *labiatus* Pasc. Trans. Ent. Soc. Lond. (2) Victoria
 V, 1859, p. 24.

4

Syllitus Pasc.

- Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 24; (3) III, 1869, p. 554. —
 Lacord. Gen. Col. VIII, 1869, p. 413.

Arten aus Indo-Australien.

- adonarensis* Jord. Nov. Zool. I, 1894, p. 113, t. 8, f. 2. Insel
 Adonara
- albipennis* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Morty
 p. 555.
- bipunctatus* Waterh. Ent. Month. Mag. XIV, 1877, p. 75. Neuholland
- deustus* Newm. Entomolog. I, 1841, p. 95. "
- fulvipennis* Gah. Trans. Ent. Soc. Lond. 1893, p. 184. West-
 australien
- grammicus* Newm. Ann. Mag. Nat. Hist. V, 1840, p. 21. Neuholland
 — Blanch. Voy. Pole Sud IV, 1853, p. 305,
 t. 17, f. 19. — Gah. Trans. Ent. Soc. Lond. 1893,
 p. 184.
- Biologie: Froggatt, Proc. Linn. Soc. N. S. Wales
 (2) IX, 1894, p. 119.
- heros* Blackb. Proc. R. Soc. Victoria XII, 1900, p. 231. West-
 australien
- microps* Blackb. l. c. p. 232. "
- papuanus* Gestro, Ann. Mus. Civ. Genova VII, 1875, Neuguinea
 p. 1021.
- Parryi* Pasc. Journ. Ent. I, 1862, p. 366. Neuholland
- rectus* Newm. Entomolog. I, 1841, p. 95. — Lacord. Victoria
 Gen. Col. VIII, 1869, t. 88, f. 4. — Gah. Trans.
 Ent. Soc. Lond. 1893, p. 183.
- tabidus* Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 271. West-
 australien
- terminatus* Pasc. l. c.
- uniformis* Blackb. Trans. R. Soc. S. Austr. XVI, 1893, Zentral-
 p. 197. australien

Arten aus Chile.

- cylindricus* Germain, An. Univ. Chile CIV, 1899, p. 256 Chile
(sep. p. 184), t. 3, f. 1.
pseudocupes Fairm. & Germ. Rev. Mag. Zool. (2) XVI, „
1864, p. 393.
16

Demomisis Pasc.

- Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 309. — Lacord. Gen. Col.
VIII, 1869, p. 413.
filum Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 310. West-
australien
1

Simocrysa Pasc.

- Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 272.
discolor Pasc. l. c. t. 13, f. 7. Südwest-
australien
1

Calliprason White.

- White in Dieffenb. Trav. N. Zeal. II, 1843, p. 277; Voy. Ereb. Terr. 1846,
p. 23. — Thoms. Syst. Ceramb. 1864, p. 406. — Lacord. Gen. Col. VIII,
1869, p. 414. — Broun, Man. N. Zealand Col. I, 1880, p. 582.
Sinclairi White in Dieffenb. Trav. N. Zeal. II, 1843, p. 277; Neuseeland
Rev. Zool. VIII, 1845, p. 189; Voy. Ereb. Terr.
1846, p. 23, t. 4, f. 3. — Westw. Arcana Ent.
II, 1845, p. 27, t. 56, f. 3. — Broun, Man. N.
Zealand Col. I, 1880, p. 582.
1

Drotus Sharp.

- Sharp, Ent. Month. Mag. XIII, 1877, p. 194. — Broun, Man. N. Zealand
Col. I, 1880, p. 583.
elegans Sharp, Ent. Month. Mag. XIII, 1877, p. 194. — Neuseeland
Broun, Man. N. Zealand Col. I, 1880, p. 583.
1

Cacodrotus Broun.

- Broun, Man. N. Zealand Col. V, 1893, p. 1281.
bifasciatus Broun, l. c. Neuseeland
1

Drototelus Broun.

- Broun, Ann. Mag. Nat. Hist. (7) XII, 1903, p. 81.
politus Broun, l. c. p. 82. Neuseeland
1

Ceralomus Sharp.

Sharp, Trans. R. Dublin Soc. (2) III, 1886, p. 442. — Broun, Man. N. Zealand Col. V, 1893, p. 1286.

morosus Sharp, Trans. R. Dublin Soc. (2) III, 1886, Neuseeland
p. 442. — Broun, Man. N. Zealand Col. V, 1893,
p. 1287.

1

XXXVIII. Macronini.

Lacord. Gen. Col. VIII, 1869, p. 414.

Enchapterinae Thoms. Classif. Ceramb. 1860, p. 151.

Macrones Newm.

Newm. Entomolog. I, 1841, p. 33. — Thoms. Syst. Ceramb. 1864, p. 406.
— Lacord. Gen. Col. VIII, 1869, p. 415.

aeicularis Pasc. Journ. Ent. I, 1862, p. 368.

Adelaide

Besti Blackb. Trans. R. Soc. S. Austr. XXXI, 1907, p. 296.

Victoria

capito Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 566.

Queensland

— Lacord. Gen. Col. VIII, 1869, t. 88, f. 5.

debilis Blackb. Proc. Linn. Soc. N. S. Wales (2) IV, 1889,
p. 452.

Victoria

exilis Newm. Entomolog. I, 1841, p. 33, fig. — W. Saund.

Tasmanien

Trans. Ent. Soc. Lond. (2) I, 1850, p. 78, t. 1, f. 6.

rufus Saund. l. c. t. 1, f. 8.

Huntersriver

subclavatus Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871,
p. 272.

Sydney

7

Enchoptera W. Saund.

W. Saund. Trans. Ent. Soc. Lond. (2) I, 1850, p. 76. — Lacord. Gen. Col.
VIII, 1869, p. 416.

Enchaptera Thoms. Classif. Ceramb. 1860, p. 143; Syst. Ceramb.
1864, p. 406.

apicalls W. Saund. Trans. Ent. Soc. Lond. (2) I, 1850,
p. 77, t. 1, f. 7.

Tasmanien

nigricornis W. Saund. l. c. p. 77, t. 1, f. 5.

Neusüdwaless

2

Oroderes W. Saund.

W. Saund. l. c. p. 81. — Thoms. Syst. Ceramb. 1864, p. 405. — Lacord.
Gen. Col. VIII, 1869, p. 416.

humeralis W. Saund. Trans. Ent. Soc. Lond. (2) I, 1850,
p. 81, t. 1, f. 3.

Neusüdwaless

uniformis Blackb. Proc. Linn. Soc. N. S. Wales (2) IV,
1889, p. 452.

West-
australien

2

* *Brachyopsis* Marshall 1873
 nec Gill 1861 (Mikao)

Brachopsis W. Saund.

W. Saund. Trans. Ent. Soc. Lond. (2) I, 1850, p. 79. — Thoms. Syst. Ceramb. 1864, p. 406. — Lacord. Gen. Col. VIII, 1869, p. 417.

concolor W. Saund. Trans. Ent. Soc. Lond. (2) I, 1850, p. 79, t. 1, f. 4. Tasmanien

nupera Pasc. l. c. (3) I, 1863, p. 565.

Sydney

2

Myacopterus Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 520.

rufosericans Fairm. l. c.

Madagascar

1

XXXIX. Mythodini.

Lacord. Gen. Col. VIII, 1869, p. 418. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 182.

Diosyris Pasc.

Pasc. Proc. Zool. Soc. Lond. 1866, p. 508. — Lacord. Gen. Col. VIII, 1869, p. 418.

miranda Pasc. Proc. Zool. Soc. Lond. 1866, p. 508, t. 41, f. 7. Penang

1

Mythodes Thoms.

Thoms. Syst. Ceramb. 1864, p. 139. — Lacord. Gen. Col. VIII, 1869, p. 419.

plumosa Thoms. Syst. Ceramb. 1864, p. 139.

Malay.
 Archip.

1

Phyodexia Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 273. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 182.

carinata Pic, Longic. IV, 1902, p. 34.

Tonkin

concinna Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 273, t. 13, f. 2. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 183, f. 72.

Himalaya,
 Assam

2

XL. Pseudocephalini.

Ametrocephalides Lacord. Gen. Col. VIII, 1869, p. 420.

Cyclocranium Poll.

Poll, Tijdschr. v. Ent. XXXIV, 1892, p. 219.

Swiestrae Poll, l. c. p. 220, t. 13, f. 1.

Victoria

1

Pseudocephalus Newm.

Newm. Entomolog. I, 1842, p. 353.

Ametrocephala Blanch. in Gay, Hist. Chile V, 1851, p. 480. —
Lacord. Gen. Col. VIII, 1869, p. 420. — Germain, An. Univ.
Chile 1900, p. ? (sep. p. 196).

Attodera Thoms. Syst. Ceramb. 1864, p. 136.

Orthocéphala Thoms. Classif. Ceramb. 1860, p. 257.

arietinus Newm. Zoolog. IX, 1851, Append. p. 137.

Tasmanien

formicides Newm. Entomolog. I, 1842, p. 353, fig.

Südaustralien

mirus Pasc. Journ. Ent. II, 1865, p. 367; Journ. Linn.

West-

Soc. Lond. Zool. IX, 1866, p. 121. — Lacord.

australien

Gen. Col. VIII, 1869, t. 88, f. 6.

monstrosus Blanch. in Gay, Hist. Chile V, 1851, p. 481,

Chile

t. 29, f. 3. — Germain, An. Univ. Chile 1900, p. ?
(sep. p. 200), t. 3, f. 2.

4

Formicomimus Auriv.

Auriv. Ent. Tidskr. XVIII, 1897, p. 244.

mirabilis Auriv. l. c.

Neusüdwaless

1

XLI. Aphneopini.

Lacord. Gen. Col. VIII, 1869, p. 422.

Aphneope Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 567. — Thoms. Syst. Ceramb.
1864, p. 405. — Lacord. Gen. Col. VIII, 1869, p. 422.

quadrinaculata Poll, Tijdschr. v. Ent. XXXIV, 1892,
p. 220, t. 13, f. 2.

Queensland

sericata Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 568,
t. 22, f. 1. — Lacord. Gen. Col. VIII, 1869, p. 422.

Port Denison

2

Zoedia Pasc.

Pasc. Journ. Ent. I, 1862, p. 361. — Thoms. Syst. Ceramb. 1864, p. 405.
— Lacord. Gen. Col. VIII, 1869, p. 423.

divisa Pasc. Journ. Ent. I, 1862, p. 362, t. 17, f. 1. —
Poll, Tijdschr. v. Ent. XXXIV, 1892, p. 222.

Tasmanien

elegans Waterh. Trans. Ent. Soc. Lond. 1878,
p. 236.

gracilipes Poll, Tijdschr. v. Ent. XXXIV, 1892, p. 223,
t. 13, f. 5.

Queensland

longipes Poll, l. c. p. 222, t. 13, f. 4.

Neusüdwaless

tenuis Poll, l. c. p. 224, t. 13, f. 6.

West-

triangularis Pasc. Journ. Ent. I, 1862, p. 361, t. 17, f. 3.

australien
Melbourne

V-album Boisd. Voy. Astrol. Ins. II, 1835, p. 485, t. 9, f. 23. — Poll, Tijdschr. v. Ent. XXXIV, 1892, p. 221, t. 13, f. 3.

Tasmanien

6

Zorion Pasc.

Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 310. — Lacord. Gen. Col. VIII, 1869, p. 423. — Broun, Man. N. Zealand Col. I, 1880, p. 584.

eastum Broun, l. c. V, 1893, p. 1281.

Neuseeland

guttigerum Westw. Arcana Ent. II, 1845, p. 28, t. 56,

f. 4. — White, Voy. Ereb. Terr. 1846, p. 20.

— Broun, Man. N. Zealand Col. I, 1880, p. 585.

Batesi Sharp, Ent. Month. Mag. XII, 1875, p. 57.

— Waterh. Trans. Ent. Soc. Lond. 1876, p. 14.

minutum F. Syst. Ent. 1775, p. 192. — Ol. Ent. IV, 70,

1795, p. 57, t. 5, f. 56a—b. — Broun, Man. N.

Zealand Col. I, 1880, p. 584.

exiguum Gmelin, Syst. Nat. I, 4, 1788, p. 1852.

fabricianum Westw. Arcana Ent. II, 1845, p. 28.

— White, Voy. Ereb. Terr. Ins. 1846, p. 20.

opacum Sharp, Ent. Month. Mag. XXXIX, 1903, p. 109.

Insel
Chatham

4

Gnomodes Broun.

Broun, Man. N. Zealand Col. V, 1893, p. 1232.

piceus Broun, l. c.

Neuseeland

1

XLII. Philini.

Gah. Fauna Brit. Ind. Col. I, 1906, p. 54.

Doesus Pasc.

Pasc. Journ. Ent. I, 1862, p. 367. — Lacord. Gen. Col. VIII, 1869, p. 161.

— Gah. Fauna Brit. Ind. Col. I, 1906, p. 55.

taprobanicus Gah. l. c. p. 56.

Ceylon

telephoroïdes Pasc. Journ. Ent. I, 1862, p. 367, t. 17,

Ostindien,

f. 4. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 56.

Afrika:

Nigeria

2

Philus Saund.

Saunders, Trans. Ent. Soc. Lond. (2) II, 1853, p. 110. — Thoms. Classif.

Ceramb. 1860, p. 284; Syst. Ceramb. 1864, p. 409. — Lacord. Gen. Col.

VIII, 1869, p. 159. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 57.

✓ **antennatus** Gyllenh. in Schönh. Syn. Ins. III, 1817,

Nordchina

Append. p. 180 ♂. — Lacord. Gen. Col. VIII,

1869, p. 160, t. 83, f. 2. — Heyden, Deutsche

Ent. Zeitschr. XXX, 1886, p. 287. — Gah. Ann.

Mag. Nat. Hist. (8) V, 1910, p. 347.

inconspicuus Saund. Trans. Ent. Soc. Lond. (2)

II, 1853, p. 110, t. 4, f. 3 ♂, 4 ♀.

♀ *stuposus* Gyllenh. in Schönh. Syn. Ins. III, 1817,
Append. p. 180.

T ✓	<i>costatus</i> Gah. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 254.	Siam
T ✓	<i>globulicollis</i> Thoms. Classif. Ceramb. 1860, p. 298. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 57, f. 21.	Nordost- indien
T ✓	<i>ophthalmicus</i> Pasc. Ann. Mag. Nat. Hist. (5) XVII, 1886, p. 239.	Borneo
T ✓	<i>pallescens</i> Bates, Proc. Zool. Soc. Lond. 1866, p. 350.	Formosa
	<i>rufescens</i> Pasc. l. c. p. 506.	Penang

6

XLIII. Lepturini.

Leach, Encyclop. Edinb. IX, 1815, p. ?. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 253. — Serv. Ann. Soc. Ent. Fr. IV, 1835, p. 197. — Muls. Col. Fr. Long. ed. 2, 1862, p. 35, 437. — C. G. Thoms. Skand. Col. VIII, 1866, p. 49. — Lacord. Gen. Col. VIII, 1869, p. 424.

Apatophysides und *Vesperides* l. c. IX, 1869, p. 234, 236. — J. Lec. Classif. Col. N. Am. ed. 1, 1873, p. 327; ed. 2, 1883, p. 312. — Ganglb. Best.-Tab. VII, 1881, p. 6 (684) (ex parte). — Scidlitz, Fauna Balt. ed. 2, 1891, Gatt. p. 178. — Everts, Col. Neerl. II, 1, 1901, p. 341. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 68 (ex parte).

Derecephalides Muls. Col. Fr. Long. ed. 1, 1839, p. 212. — Bach, Käferfauna III, 1856, p. 1.

Prionus Scop. Annus Hist. Nat. V, 1772, p. 94.

Vesperoctenus Bates.

Bates, Ent. Month. Mag. XXVII, 1891, p. 159. — Horn, Bull. Calif. Acad. (2) IV, 1894, p. 324; Ent. News VI, 1895, p. 114. — Gah. Ent. Month. Mag. XXXI, 1895, p. 22.

Flohri Bates, l. c. XXVII, 1891, p. 160. — Horn, Bull. Calif. Acad. (2) IV, 1894, p. 324, t. 8, f. 1—3.

1

Paraphilus Gah.

Gah. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 255.

duplex Gah. l. c. p. 255.

China

1

Vesperus Latr.

Latr. in Cuvier, Règne anim. Ins. II, 1829, p. 129. — Serv. Ann. Soc. Ent. Fr. IV, 1835, p. 203. — Cast. Hist. Nat. II, 1840, p. 499. — Redt. Fauna Austr. ed. 2, 1858, p. 869; ed. 3, II, 1874, p. 428. — Thoms. Classif. Ceramb. 1860, p. 145; Syst. Ceramb. 1864, p. 409. — Muls. Col. Fr. Long. ed. 2, 1863, p. 439. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 180. — Lacord. Gen. Col. IX, 1, 1869, p. 237. — Ganglb. Best.-Tab. VII, 1881, p. 8

- (686). — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 184. — Reitter, Wien. Ent. Zeit. XIV, 1895, p. 130 (Revision).
- Biologic: Mayet, Pet. Nouv. Ent. I, 1874, p. 447.
- Bolivari** Paulino d'Oliveira, Cat. Col. Portug. 1893, p. 330. Portugal
— Reitter, Revis. p. 130, 132.
- brevicollis** Graells, Mem. Mapa Geol. Esp. 1858, p. 89, Spanien
t. 5, f. 4. — Reitter, Revis. p. 132.
var. *hispalensis* Fuente, Butl. Inst. Catal. 1901, „
p. 6. — Pic, Longic. IV, 2, 1903, p. 10; VII, 1,
1908, p. 7.
var. *Sanzi* Reitter, Revis. p. 132.
- conicicollis** Fairm. Ann. Soc. Ent. Fr. (4) VI, 1866, Marocco
p. 69; Abeille XII, 1875, p. 418. — Reitter,
Revis. p. 132 nota.
- creticus** Ganglb. Stett. Ent. Zeit. XLVII, 1886, p. 310. Creta
— Reitter, Revis. p. 131 nota.
- flaveolus** Muls. & Rey, Opusc. Ent. XIII, 1863, p. 169; Algier
Ann. Soc. Linn. Lyon (2) X, 1863, p. 169; Abeille
XII, 1875, p. 417. — Fairm. Ann. Soc. Ent. Fr.
(4) VI, 1866, p. 69. — Reitter, Revis. p. 132. —
Pic, Longic. II, 1898, p. 2.
- luridus** Rossi, Mant. Ins. II, 1794, Append. p. 96, t. 3, Italien,
f. 1. — Muls. Col. Fr. Long. ed. 1, 1839, p. 216, Süd-
t. 1, f. k; ed. 2, 1863, p. 443. — Redt. Fauna frankreich,
Austr. ed. 2, 1858, p. 869; ed. 3, 1874, II, p. 428. Corsica
— Fairm. Gen. Col. d'Eur. IV, 1864, t. 55,
f. 261. — Ganglb. Best.-Tab. VII, 1881, p. 41
(719). — Reitter, Revis. p. 131.
graecus Guér. Icon. règne anim. Ins. 1833, t. 46, f. 2.
serraticornis Rossi, Fauna Etrusca I, 1790,
p. 148.
Solieri Germ. Fauna Ins. Eur. XVIII, 1836,
t. 20. — Cast. Hist. Nat. II, 1840, p. 499, t. 54,
f. 2, 3. — Guér. Icon. règne anim. Ins. 1843,
p. 251.
- Biologic: Luceiani, Ann. Soc. Ent. Fr. (2) III,
1845, Bull. p. 111. — Perris, Ann. Soc. Linn.
Lyon (2) XXIII, 1877, p. 356, f. 531—537.
— Xambeu, Moeurs & Mét. VIII, 1902, p. 148.
var. *Fuentei* Pic, Longic. V, 2, 1905, p. 5. — Spanien
Fuente, Bol. Soc. Esp. Hist. Nat. X, 1910, p. 445.
- ocularis** Muls. & Rey, Opusc. Ent. XIII, 1863, p. 172; Smyrna
Ann. Soc. Linn. Lyon (2) X, 1863, p. 172;
Abeille XII, 1875, p. 419. — Reitter, Revis.
p. 130 nota.
- strepens** F. Ent. Syst. I, 2, 1792, p. 297. — Ol. Ent. Süd-
IV, 69, 1795, p. 26, t. 1, f. 1. — Latr. Hist. frankreich,
Nat. Crust. Ins. XI, 1804, p. 312. — Muls. Col. Italien
Fr. Long. ed. 1, 1839, p. 215; ed. 2, 1863, p. 440.
— Ganglb. Best.-Tab. VII, 1881, p. 41 (719).
— Reitter, Revis. p. 131.
- Biologic: Peragallo, Ann. Soc. Ent. Fr. (4) IV,
1864, Bull. p. 17. — Tappes, Pet. Nouv. Ent.
I, 1874, p. 437. — Peragallo, l. c. p. 439. —
Mayet, Ann. Soc. Ent. Fr. (6) X, 1890, Bull.
p. 189. — Azam, Feuille. Jeun. Nat. XI, 1893,
p. 11; Ann. Soc. Ent. Fr. LXII, 1893, Bull.

p. 11. — Viturat, Echange XVII, 1901, p. 6.
— Xamb. Moeurs & Mét. VIII, 1902, p. 150.
var. *litigiosus* Muls. Col. Fr. Long. ed. 2, 1863,
p. 443. — Reitter, Revis. p. 131.

Nizza

T. v **Xatarti** Duf. in Muls. Col. Fr. Long. ed. 1, 1839, p. 219.
— Jacq. du Val, Ann. Soc. Ent. Fr. (2) VIII,
1850, p. 347, t. 11, f. 6. — Muls. Ann. Soc.
Linn. Lyon (2) I, 1853, p. 334; Opusc. Ent. II,
1853, p. 121; Col. Fr. Long. ed. 2, 1863, p. 446.
— Ganglb. Best.-Tab. VII, 1881, p. 41 (719).
— Reitter, Revis. p. 131. — Pic, Longic. IV,
2, 1903, p. 9.

Spanien,
Pyrenäen

Biologie: Lab. Ann. Soc. Ent. Fr. (5) I, 1871,
Bull. p. 81. — Muls. & Licht. Ann. Soc. Linn.
Lyon (2) XVIII, 1872, p. 306. — Lucas, Ann.
Soc. Ent. Fr. (5) II, 1872, Bull. p. 81; l. c. (5)
III, 1873, Bull. p. 93. — Licht. & Mayet, l. c.
(5) III, 1873, p. 117, fig.; V, 1875, p. 93. — Licht.
l. c. (5) III, 1873, Bull. p. 21, 78; IV, 1874,
Bull. p. 227; V, 1875, Bull. p. 13, 31, 220; IX,
1879, Bull. p. 25. — Pellet, Abeille XIII, 1875,
p. CLXX; XIV, 1876, p. X. — Girard, Ann.
Soc. Ent. Fr. (5) IX, 1879, Bull. p. 6, 17, 138.
— Bouthery, l. c. Bull. p. 151. — Xamb. l. c.
(5) V, 1875, Bull. p. 31; Abeille XIV, 1876,
p. LXXXVII; Bull. Ins. Agric. XI, 1886, p. 167;
Ann. Soc. Linn. Lyon (2) XL, 1893, p. 135;
Moeurs & Mét. VIII, 1902, p. 143. — Noel,
Natural. XXVII, 1905, p. 42.

9

Trypogeus Lacord.

Lacord. Gen. Col. IX, 1869, p. 236.

albicornis Lacord. l. c. nota l.

Penang

fuscus Nonfr. Deutsche Ent. Zeitschr. 1894, p. 209.

Sumatra

2

Pachyticon Thoms.

Thoms. Arch. Ent. I, 1857, p. 317; Classif. Ceramb. 1860, p. 145; Syst.
Ceramb. 1864, p. 409. — Lacord. Gen. Col. IX, 1869, p. 235.

brunneum Thoms. Arch. Ent. I, 1857, p. 317.

Kapland

1

Peithona Gah.

Gah. Fauna Brit. Ind. Col. I, 1906, p. 71.

prionoides Gah. l. c. p. 72, f. 27.

Sikkim

1

Mantitheus Fairm.

Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, Bull. p. 90.

pekinensis Fairm. l. c. — Pic, Ann. Soc. Ent. Belg. China
XLIV, 1900, p. 16.

1

Apatophysis Chevr.

Chevr. Rev. Mag. Zool. (2) XII, 1860, p. 304. — Thoms. Syst. Ceramb. 1864, p. 409. — Lacord. Gen. Col. IX, 1869, p. 234. — Ganglb. Best.-Tab. VII, 1881, p. 8 (686). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 69.

- Baeckmanniana** A. Sem. Rev. Russe d'Ent. VI, 1907, Turkestan
p. 223.
- barbara** Lucas, Ann. Soc. Ent. Fr. (3) VI, 1858, Bull. Algier
p. 179. — Fairm. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 67 ♀ (nicht ♂). — Pic, Bull. Soc. Ent. Fr. 1895, p. 384; Echange 1896, p. 61; Longic. III, 3, 1901, p. 20.
- toxotoides* Chevr. Rev. Mag. Zool. (2) XII, 1860, p. 304. — Muls. & Rey, Ann. Soc. Linn. Lyon (2) X, 1863, p. 175; Opusc. Ent. XIII, 1863, p. 175. — Lucas, Ann. Soc. Ent. Fr. (5) VII, 1877, Bull. p. 51. — Abeille, Bull. Soc. Ent. Fr. 1895, p. 274.
- var. *ocularis* Pic, Longic. III, 3, 1901, p. 9, 21.
- caespica** A. Sem. Rev. Russe d'Ent. I, 1901, p. 31. — Transcaspien
Jacobs. Käfer Russl. 1910, t. 65, f. 6.
- centralis** A. Sem. l. c. p. 32. Turkestan
- kashgarica** A. Sem. l. c. p. 29. Kashgar
- kashmiriana** A. Sem. l. c. — Gah. Fauna Brit. Ind. Kashmir,
Col. I, 1906, p. 70, f. 26. Thibet
- Komarowi** A. Sem. Horae Soc. Ent. Ross. XXIII, 1889, Transcaspien
p. 401.
- modica** Gah. Fauna Brit. Ind. Col. I, 1906, p. 71. Persien,
Beludschistan
- mongolica** A. Sem. Rev. Russe d'Ent. I, 1901, p. 29. Mongolei
- montana** Gah. Fauna Brit. Ind. Col. I, 1906, p. 71. Himalaya
- Roborowskii** A. Sem. Rev. Russe d'Ent. I, 1901, p. 29. Mongolei
- Sieversi** Ganglb. Horae Soc. Ent. Ross. XXI, 1887, p. 21. Peking
- serricornis** Gebl. Bull. Phys. Math. S. Petersb. I, 1843, Dsungarei,
p. 39. Süd-russland
- obtusicollis* Motsch. Bull. Acad. S. Petersb. II, 1860, p. 538; Mélang. Biol. III, 1861, p. 444; Nunq. otios. III, 1879, p. 469.
- spincornis* Gebl. Bull. Mosc. XXXII, 2, 1859, p. 349.
- tomentosa* Gebl. Bull. Phys. Math. Acad. S. Petersb. III, 1845, p. 105; Bull. Mosc. XXXIII, 2, 1860, p. 30. — Faust, Horae Soc. Ent. Ross. XIV, 1878, p. 113. — Ganglb. Best.-Tab. VII, 1881, p. 41 (719); Horae Soc. Ent. Ross. XXII, 1888, p. 193.
- sinica** A. Sem. Rev. Russe d'Ent. I, 1901, p. 30. China

14

Rhagium F.

F. Syst. Ent. 1775, p. 182. — Payk. Fauna Suec. III, 1800, p. 66. — Gyllenh. Ins. Suec. I, 4, 1827, p. 44. — Zett. Fauna Ins. Lapp. I, 1828, p. 372. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 253. — Serv. Ann. Soc. Ent. Fr. IV, 1835, p. 205. — Curtis, Brit. Ent. 1839, t. 750. — Muls. Col. Fr. ed. 1, 1839, p. 222; ed. 2, 1863, p. 451. — Cast. Hist. Nat. II, 1840, p. 500. — Redt. Gatt. deutsch. Käfer 1845, p. 112; Fauna Austr. 1849,

p. 502; ed. 2, 1858, p. 870; ed. 3, II, 1874, p. 428. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 319. — Bach, Käferfauna Deutschl. III, 1856, p. 42. — C. G. Thoms. Skand. Col. VIII, 1866, p. 49. — Cox, Handb. Col. II, 1874, p. 308. — Ganglb. Best.-Tab. VII, 1881, p. 8 (686). — Bedel, Faune Col. Seine V, 1889, p. 5. — Fowler, Brit. Col. IV, 1890, p. 230. — Everts, Col. Neerl. II, 1, 1901, p. 347. — Csiki, Rov. Lapok X, 1903, p. 100.

Stenocorus Lam. Syst. Anim. sans Vert. 1801, p. 235.

Stenocorus Ol. Ent. IV, 69, 1795, p. 1 (ex parte). — Thoms. Classif.

Ceram. 1860, p. 144; Syst. Ceramb. 1864, p. 409. — Fairm.

Gen. Col. IV, 1864, p. 181. — Lacord. Gen. Col. VIII, 1869, p. 428.

— Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 183.

Subgen. *Hargium* Samouelle, Ent. Comp. 1819, p. 210.

Allorhagium Kolbe, Ent. Nachr. X, 1884, p. 270.

Biologie: Kolbe, l. c. p. 237—250, 269—280.

Subgen. *Rhagium* s. str.

bifasciatum F. Syst. Ent. 1775, p. 183; Syst. El. II, 1801, p. 314. — Sulzer, Gesch. Ins. 1776, p. 45, t. 5, f. 8. — Martyn, Engl. Ent. 1792, t. 25, f. 18. — Donovan, Brit. Ins. III, 1794, p. 59, t. 94, f. 1. — Ol. Ent. IV, 69, 1795, p. 11, t. 1, f. 6; t. 2, f. 14. — Marsh. Ent. Brit. I, 1802, p. 342. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 307. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 254. — Guér. Icon. règne anim. Ins. 1829—44, p. 251, t. 46, f. 3. — H. Schaeff. in Panz. Fauna Ins. Germ. CXVIII, 1830, t. 1. — Muls. Col. Fr. Long. ed. 1, 1839, p. 222; ed. 2, 1863, p. 458. — Cast. Hist. Nat. II, 1840, p. 500, t. 54, f. 4. — Redt. Fauna Austr. 1849, p. 502; ed. 2, 1858, p. 870; ed. 3, II, 1874, p. 429. — Bach, Käferfauna III, 1856, p. 42. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 540. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 56, f. 263. — Fowl. Brit. Col. IV, 1890, p. 232, t. 121, f. 9. — Seidl. Fauna Balt. ed. 2, 1891, p. 741; Fauna Transs. 1891, p. 834. — Everts, Col. Neerl. II, 1, 1901, p. 348. — Csiki, Rov. Lapok X, 1903, p. 102. — Houlb. Faune Ent. Armor. Ceramb. 1904, p. 26, f. 48. — Pic, Long. VII, 2, 1910, p. 17—20 (Synopsis). — Jacobs. Käfer Russl. 1910, t. 63, f. 9.

anglicum Gmel. Syst. Nat. I, 4, 1790, p. 1844.

elegans Herbst in Füessly, Archiv VII, 1786, p. 170, t. 45, f. 12.

maculatum Goeze, Ent. Beytr. I, 1777, p. 462. — Laich. Tyr. Ins. II, 1784, p. 116.

parisinum Geoffr. in Fourer. Ent. Par. I, 1785, p. 85.

varium Voet, Cat. Syst. Col. II, 1804—06, p. 29, t. 25, f. 3.

ab. *bicolor* Ol. Ent. IV, 69, 1795, p. 16, t. 1, f. 4. — Pic, Synops. p. 20.

dorsale Marsh. Ent. Brit. I, 1802, p. 343. — Donovan, Brit. Ins. XI, 1806, p. 97, t. 395, f. 1.

Ecoffeti Muls. Col. Fr. Long. ed. 1, 1839, p. 222.

ornatum F. Syst. Ent. 1775, p. 183; Syst. El. II, 1801, p. 315. — Chevr. Ann. Soc. Ent. Fr. (2) IX, 1851, p. 664.

England,
Holland,
Belgien,
Frankreich,
Deutschland,
Dänemark,
Österreich,
Schweiz

- ab. *bimaculatum* Marsh. Ent. Brit. I, 1802, p. 343.
 ab. *Deyrollei* Pic, Echange XXV, 1909, p. 123.
 — Pic, Synops. p. 19.
 ab. *Gravei* Hubenthal, Deutsche Ent. Zeitschr. 1902, p. 291. — Pic, Synops. p. 19.
 ab. *infasciatum* Pic, Longic. II, 1898, p. 3; Synops. p. 18.
 ab. *latefasciatum* Pic, l. c. I, 1891, p. 2.
fasciatum Pic, l. c. Addenda p. (69); II, 1898, p. 3; Synops. p. 19.
 ab. *litturatum* Fügner, Deutsche Ent. Zeitschr. 1891, p. 201. — Pic, Longic. II, 1898, p. 3; Synops. p. 19.
 ab. *medionotatum* Pic, Synops. p. 20.
 ab. *nigrolineatum* Donovan, Brit. Ins. X, 1801, p. 73, t. 353, f. 1. — Marsh. Ent. Brit. I, 1802, p. 343.
 ab. *rufum* Prell, Ent. Blätter IV, 1908, p. 136. — Pic, Synops. p. 19.
 ab. *unifasciatum* Muls. Col. Fr. Long. ed. I, 1839, p. 222. — Pic, Longic. I, 1891, p. 2; II, 1898, p. 3; Synops. p. 19. — Csiki, Rov. Lapok X, 1903, p. 103.
 Biologie: Chap. & Cand. Mém. Soc. Sc. Liège VIII, 1853, p. 588, t. 8, f. 4. — Letzner, Arb. Schles. Ges. vat. Kult. 1857, p. 136. — Schiödte, Nat. Tidskr. (3) X, 1875, p. 420. — Kolbe, Ent. Nachr. X, 1884, p. 272. — Xamb. Moeurs & Mét. VIII, 1902, p. 116.
- fasciculatum** Fald. Fauna Transc. II, 1837, p. 304, t. 10, f. 8. — Ganglb. Best.-Tab. VII, 1881, p. 40 (718).
rufipes Motsch. Bull. Mosc. XI, 1838, p. 184, t. 3, f. 9; XII, 1839, p. 49.
- mordax** Degeer, Mém. V, 1775, p. 124, t. 4, f. 6. — Thunb. Mus. Nat. Ups. IV, 1787, p. 58, nota 21. — Ol. Ent. IV, 69, 1795, p. 7, t. 2, f. 12. — C. G. Thoms. Skand. Col. VIII, 1866, p. 51. — Ganglb. Best.-Tab. VIII, 1881, p. 40 (718). — Scidl. Fauna Balt. ed. 2, 1891, p. 740: Fauna Transc. 1891, p. 834. — Everts, Col. Neerl. II, 1, 1901, p. 349. — Csiki, Rov. Lapok X, 1903, p. 103. — Houlb. Faune Ent. Armor. Ceramb. 1903, p. 26, f. 47. — Jacobs. Käfer Russl. 1910, t. 63, f. 7.
bifasciatum Schrank, Enum. Ins. 1781, p. 137.
inquisitor Stroem, Thronhj. Vid. Selsk. Skrift. III, 1765, p. 392, t. 6, f. 3; Kiøb. Vid. Selsk. Skrift. (2) I, 1781, p. 103, t. 1, f. 3. — F. Mant. Ins. I, 1787, p. 145; Ent. Syst. I, 2, 1792, p. 304; Syst. El. II, 1801, p. 313. — Martyn, Engl. Ent. 1795, t. 25, f. 19. — Payk. Fauna Suec. III, 1800, p. 66. — Panz. Fauna Ins. Germ. LXXXII, 1801, t. 4. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 307. — Gyllenh. Ins. Suec. I, 4, 1827, p. 45. — Zett. Fauna Ins. Lapp. I, 1828, p. 372. — Steph. Ill. Brit. Ent. Mand. IV, p. 254. — Muls. Col. Fr. Long. ed. 1, 1839, p. 225; ed. 2, 1863, p. 453. — Curtis, Brit.

Trapezunt

T
Kaukasuso T
Europa,
West-
sibirien

- Ent. XVI, 1839, t. 750. — Shuck. Brit. Col. 1840, p. 67, t. 78, f. 3. — Cast. Hist. Nat. II, 1840, p. 500. — Redt. Fauna Austr. 1849, p. 503; ed. II, 1858, p. 870; ed. 3, II, 1874, p. 429. — Bach, Käferfauna III, 1856, p. 42. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 539. — Fowler, Brit. Col. IV, 1890, p. 231.
- inquisitor* var. β L. Syst. Nat. ed. 10, 1758, p. 393; Fauna Suec. ed. 2, 1761, p. 190; Syst. Nat. ed. 12, 1767, p. 631. — F. Syst. Ent. 1775, p. 183; Spec. Ins. I, 1781, p. 229.
- Linnei* Laich. Tyr. Ins. II, 1784, p. 122.
- vulgare* Samouelle, Ent. Comp. 1819, p. 210.
- Biologie: Degeer, Mém. V, 1775, p. 398, t. 12, f. 6, 7. — Stroem, Kiøb. Vid. Selsk. Skrivt. (2) I, 1781, p. 100, t. 1, f. 1, 2. — Kollar, Naturg. Ins. 1837, p. 385. — Westw. Introd. I, 1839, p. 370, f. 44, 21. — Cand. Mém. Soc. Sc. Liége VIII, 1853, t. 8, f. 6. — Goureau, Ins. nuis. 1867, p. 45. — Schiödte, Nat. Tidskr. (3) X, 1875, p. 419, 445—446. — Borre, Ann. Soc. Ent. Belg. XXV, 1881, Bull. p. 149, t. 4, f. 1, 2. — Kolbe, Ent. Nachr. X, 1884, p. 247, 248. — Xambeu, Moeurs & Mét. VIII, 1902, p. 118.
- var. *caucasicum* Reitter, Deutsche Ent. Zeitschr. 1889, p. 287.
- pygmaeum* Ganglb. Best.-Tab. VII, 1881, p. 40 (718). — Radde, Fauna und Flora Caspigegeb. 1886, p. 234.
- ab. *Rosti* Pic, Longic. III, 1898, p. 18.
- sycephanta* Schrank, Enum. Ins. 1781, p. 137. — Ganglb. Best.-Tab. VII, 1881, p. 40 (718). — Seidl. Fauna Balt. ed. 2, 1891, p. 740. — Everts, Col. Neerl. II, 1, 1901, p. 348. — Csiki, Rov. Lapok X, 1903, p. 103. — Houlb. Faune Ent. Armor. 1904, p. 25, f. 46. — Jacobs. Käfer Russl. 1910, t. 63, f. 6.
- cephalotes* Voet, Cat. Syst. Col. II, 1804—06, p. 29, t. 25, f. 1. — Muls. Col. Fr. Long. ed. 1, 1839, p. 224.
- grandiceps* Thoms. Skand. Col. VIII, 1866, p. 50.
- inquisitor* Ol. Ent. IV, 69, 1795, p. 9, t. 2, f. 11.
- mordax* Herbst in Füessly, Archiv V, 1784, p. 92, t. 25, f. 14. — F. Mant. Ins. I, 1787, p. 145; Ent. Syst. I, 2, 1792, p. 303; Syst. El. II, 1801, p. 313. — Panz. in Voet, Besch. hartschal. Ins. IV, 1798, p. 2, t. 25, f. 1; Fauna Ins. Germ. LXXXII, 1801, t. 3. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 306. — Gyllenh. Ins. Succ. I, 4, 1827, p. 44. — Muls. Col. Fr. Long. ed. 1, 1839, p. 224; ed. 2, 1863, p. 453. — Cast. Hist. Nat. II, 1840, p. 500. — Redt. Fauna Austr. 1849, p. 503; ed. 2, 1858, p. 870; ed. 3, II, 1874, p. 429. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 538.
- scrutator* Ol. Ent. IV, 69, 1795, p. 10, t. 3, f. 21. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 307.
- Biologie: Heeger, Sitzb. Akad. Wiss. Wien XXIX, 1858, p. 104, t. 2. — Schiödte, Nat.

Kaukasus

„

Persien
Südschweden,
Holland,
Belgien,
Frankreich,
Deutsch-
land,
Österreich,
Russland,
West-
sibirien

- Tidskr. (3) X, 1875, p. 418, 446, t. 17, f. 1—7.
 — Ganglb. Best.-Tab. VII, 1881, t. 22, f. 1. —
 Kolbe, Ent. Nachr. X, 1884, p. 247.
 ab. *latefasciatum* Müller, Zeitschr. Ent. Bresl. (2) XV, 1890, p. 21.
 var. *syriacum* Pic, Ann. Soc. Ent. Fr. LXI, 1892, p. 414; Longic. VI, 2, 1907, p. 3.
phrygium Dan. Münch. Kol. Zeitschr. III, 1906, p. 176.

Schlesien

Syrien

Subgen. *Margium* Samouelle.

- T *inquisitor* L. Syst. Nat. ed. 10, 1758, p. 393; Fauna Suec. ed. 2, 1761, p. 190; Syst. Nat. ed. 12, 1767, p. 630. — F. Syst. Ent. 1775, p. 183; Spec. Ins. I, 1781, p. 229. — Degeer, Mém. V, 1775, p. 126, t. 4, f. 7, 8. — Samouelle, Ent. Comp. 1819, p. 210. — C. G. Thoms. Skand. Col. VIII, 1866, p. 51. — Ganglb. Best.-Tab. VII, 1881, p. 40 (718). — Seidl. Fauna Balt. ed. 2, 1891, p. 740; Fauna Transs. 1891, p. 834. — Everts, Col. Neerl. II, 1, 1901, p. 348. — Csiki, Rov. Lapok X, 1903, p. 102. — Houlb. Faune Ent. Armor. 1904, p. 27, f. 49. — Matsum. Thous. Ins. Jap. III, 1908, nr. 731, t. 55, f. 5. — Jacobs. Käfer Russl. 1910, t. 63, f. 8.
cephalotes minor Voet, Cat. Syst. Col. II, 1804—1806, p. 29, t. 25, f. 2.
exile Gmel. Syst. Nat. I, 4, 1790, p. 1844.
indagator F. Mant. Ins. I, 1787, p. 145; Ent. Syst. I, 2, 1792, p. 304; Syst. El. II, 1801, p. 313. — Ol. Ent. IV, 69, 1795, p. 12, t. 2, f. 13. — Panz. in Voet, Besch. hartschal. Ins. IV, 1798, p. 4, t. 25, f. 2; Fauna Ins. Germ. LXXXII, 1801, t. 5. — Payk. Fauna Suec. III, 1800, p. 67. — Gyllh. Ins. Suec. I, 4, 1827, p. 46. — Zett. Fauna Ins. Lapp. I, 1828, p. 373. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 254. — Muls. Col. Fr. Long. 1839, p. 227; ed. 2, 1863, p. 456. — Cast. Hist. Nat. II, 1840, p. 500. — Redt. Fauna Austr. 1849, p. 502; ed. 2, 1858, p. 870; ed. 3, II, 1874, p. 429. — Bach, Käferfauna II, 1856, p. 42. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 540. — Fowler, Brit. Col. IV, 1890, p. 231.
indagatrix Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 308.
investigator Muls. Col. Fr. Long. 1839, p. 227.
minutum F. Mant. Ins. I, 1787, p. 146; Ent. Syst. I, 2, 1792, p. 306; Syst. El. II, 1801, p. 315. — Ol. Ent. IV, 69, 1795, p. 15, t. 1, f. 3. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 308. — Muls. Col. Fr. Long. 1839, p. 227; ed. 2, 1863, p. 455.
nubecula Bergstr. Nomencl. I, 1778, p. 25, t. 4, f. 4. Biologie: Ratzeb. Forstins. I, 1837, p. 195, t. 17, f. 5. — Duf. Ann. Soc. Ent. Fr. IX, 1840, p. 63, t. 5, f. 1—5. — Zebe, Stutt. Ent. Zeit.

Europa,
Sibirien,
Japan

- I, 1840, p. 61. — Perris, Ann. Soc. Ent. Fr. (3) IV, 1856, p. 469; (3) V, 1857, t. 8, f. 393—396. — Schiöde, Nat. Tidskr. (3) X, 1875, p. 420, 446, t. 17, f. 8, 9. — Borre, Ann. Soc. Ent. Belg. XXV, 1881, Bull. p. 119, t. 4, f. 1, 2. — Bargagli, Bull. Soc. Ent. Ital. XV, 1883, p. 165. — Kolbe, Ent. Nachr. X, 1884, p. 247, 275. — Judeich, Forstins. II, 1, 1889, p. 570, f. 180 C. — Xamb. Moeurs & Mét. VIII, 1902, p. 114.
- var. *fortipes* Reitter, Deutsche Ent. Zeitschr. 1898, p. 357. Syrien
- ab. *japonicum* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 209. Japan
- var. *lineatum* Ol. Ent. IV, 69, 1795, p. 13, t. 3, f. 22. — Kirby, Fauna Bor.-Am. Ins. 1837, p. 178. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 319. — Leng, Ent. Amer. VI, 1890, p. 65. — Wickh. Canad. Ent. XXIX, 1897, p. 170. Nordamerika
- investigator* Mannerh. Bull. Mosc. XXV, 1, 1852, p. 367. — J. Lec. Proc. Acad. Philad. 1860, p. 316.
- Biologie: Harris, Ins. of Massach. 1842, p. 93. — Pack. Ins. inj. Trees 1881, p. 163; Rep. Ent. Comm. III, 1883, t. 11, f. 1, 2. — Felt, Ins. aff. Trees 1907, p. 366, t. 64, f. 1.
- rugipennis* Reitter, Deutsche Ent. Zeitschr. 1898, p. 357. Irkutsk
- Schtschukini* Semen. Horae Ent. Ross. XXXI, 1897, p. 601. Kaukasus
- sinense* Fairm. Ann. Soc. Ent. Fr. LXVIII, 1900, p. 638. China

9

Xenophyrama Bates.

Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 210.

purpureum Bates, l. c. t. 1, f. 1. Japan

1

Enoploderes Fald.

Fald. Fauna Transc. II, 1837, p. 309. — Ganglb. Best.-Tab. VII, 1881, p. 8 (686).

Xylostylon Reitter, Verh. zool.-bot. Ges. Wien XXIX, 1879, p. 484.

sanguineum Fald. Fauna Transc. II, 1837, p. 310, t. 11, Kaukasus

f. 2. — Ganglb. Best.-Tab. VII, 1881, p. 39

(717). — Jacobs. Käfer Russl. 1910, t. 67, f. 25.

Lederi Reitter, Ent. Nachr. V, 1879, p. 82; Verh. zool.-bot. Ges. Wien XXIX, 1879, p. 485; Wien.

Ent. Zeit. I, 1882, p. 67.

1

Rhamnusium Latr.

Latr. in Cuv. Règn. anim. ed. 2, Ins. II, 1829, p. 130. — Serv. Ann. Soc. Ent. Fr. IV, 1835, p. 204. — Muls. Col. Fr. Long. ed. 1, 1839, p. 220; ed. 2, 1863, p. 449. — Redt. Gatt. deutsch. Käferfauna 1845, p. 112. — Bach,

Käferfauna III, 1856, p. 41. — Thoms. *Classif. Ceramb.* 1860, p. 145; *Syst. Ceramb.* 1864, p. 409. — Fairm. *Gen. Col. d'Eur.* IV, 1864, p. 182. — Schiödde, *Nat. Tidskr.* (3) II, 1864, p. 536. — Lacord. *Gen. Col.* VIII, 1869, p. 430. — Ganglb. *Best.-Tab.* VII, 1881, p. 8 (686). — Seidl. *Fauna Balt.* ed. 2, 1891, *Gatt.* p. 183. — Everts, *Col. Neerl.* II, 1, 1901, p. 349. — Pic, *Longic.* III, 3, 1901, p. 29—31 (Synopsis). — Csiki, *Rov. Lapok* X, 1903, p. 100.

algericum Pic, *Rev. Sc. Bourb.* IX, 1896, p. 102; *Longic.* II, 1898, p. 15; *Synops.* p. 30. Algerien

ab. *nigrum* Pic, *Longic.* VI, 1, 1906, p. 4.

ab. *testaceum* Pic, *Rev. Sc. Bourb.* IX, 1896, p. 102; *Synops.* p. 30.

bicolor Schrank, *Enum. Ins.* 1781, p. 132. — Muls. *Col. Fr. Long.* ed. 2, 1863, p. 450. — Fairm. *Gen. Col. d'Eur.* IV, 1864, t. 56, f. 264. — Ganglb. *Best.-Tab.* VII, 1881, p. 39 (717). — Seidl. *Fauna Balt.* ed. 2, 1891, p. 741. — Everts, *Col. Neerl.* II, 1, 1901, p. 349. — Pic, *Synops.* p. 31. — Csiki, *Rov. Lapok* X, 1903, p. 103. — Houlb. *Faune Ent. Armor. Ceramb.* 1904, p. 27, f. 51. — Jacobs. *Käfer Russl.* 1910, t. 63, f. 10. Mittel- und Südeuropa, Sibirien

etruscum Rossi, *Fauna Etrusca* I, 1790, p. 149, t. 1, f. 4.

rubroviolaceum Geoffr. in Fourer. *Ent. Paris* I, 1785, p. 86. — Pall. *Icones* t. F, f. 27.

ruficollis Herbst in Füessly, *Arch.* V, 1784, p. 92, t. 25, f. 13.

salicis F. *Mant. Ins.* I, 1787, p. 154. — Rossi, *Mant. Ins.* I, 1792, p. 51. — Ol. *Ent.* IV, 69, 1795, p. 22, t. 1, f. 5. — Latr. *Hist. Nat. Crust. Ins.* XI, 1804, p. 309. — Muls. *Col. Fr. Long.* 1839, p. 220. — Redt. *Fauna Austr.* 1849, p. 502; ed. 2, 1858, p. 570; ed. 3, II, 1874, p. 428. — Schiödde, *Nat. Tidskr.* (3) II, 1864, p. 536.

Schranki Laich. *Tyr. Ins.* II, 1784, p. 118.

ab. *ambustum* Heyd. *Jahrb. Ver. Nass.* XXIX—XXX, 1876—77, p. 394. — Pic, *Synops.* p. 31.

ab. *atripenne* Bedel, *Abeille* XXIX, 1892, p. 43. — Pic, *Synops.* p. 30.

— ab. *capitale* Pic, *Longic.* II, 1898, p. 2; *Synops.* p. 31.

ab. *glaucopterum* Schaller, *Schrift. Nat. Ges. Halle* I, 1783, p. 284, t. 1, f. 4. — Muls. *Col. Fr. Long.* 1839, p. 221. — Pic, *Longic.* I, 1891, p. 1; *Synops.* p. 31. — Csiki, *Rov. Lapok* X, 1903, p. 103.

? *virgo* Voet, *Cat. Col.* II, 1778, p. 13, t. 11, f. 47; ed. Panzer III, 1794, p. 33, t. 11, f. 47.

ab. *humerale* Bedel, *Abeille* XXIX, 1892, p. 43. — Pic, *Longic.* II, 1898, p. 2; *Synops.* p. 31.

ab. *inapicale* Pic, *Synops.* p. 31.

Biologie: Cand. *Mém. Soc. Sc. Liège* VIII, 1853, p. 589, t. 8, f. 5. — Kolbe, *Ent. Nachr.* X, 1884, p. 246, 278. — Decaux, *Feuille Jeun. Nat.* XIX, 1889, p. 3; *Ann. Soc. Ent. Fr.* LXI, 1892, *Bull.* p. 166; *Natural.* XV, 1893, p. 178, f. 2, 3. — Buysson, *Ann. Soc. Ent. Fr.* LXII, 1893, p. 225. — Xamb. *Moeurs & Mét.* VIII, 1902, p. 119.

Delagrangi Pic, *Synops.* p. 31.

Smyrna

- gracilicorne* Théry, Bull. Soc. Ent. Fr. 1894, p. 265. — Deutschland,
Pic, Longic. II, 1898, p. 3; Synops. p. 31. Frankreich
ab. *limbatum* Pic, Rev. Sc. Bourb. 1897, p. 30; Griechenland
Synops. p. 31.
- graecum* Schauf. Ann. Soc. Ent. Fr. (4) II, 1862, p. 311. „
— Pic, Synops. p. 30. — Csiki, Rov. Lapok
X, 1903, p. 103.
- ab. *geniculatum* Pic, l. c. „
ab. *juglandis* Fairm. Ann. Soc. Ent. Fr. (4) VI, Kleinasion
1866, p. 276.
- ab. *praeustum* Reitter, Wien. Ent. Zeit. XIV, Syrien
1895, p. 85. — Pic, Bull. Soc. Ent. Fr. 1895,
p. 225; Synops. p. 30.
- testaceipenne* Pic, Bull. Soc. Hist. Nat. Autun X, 1897, Kaukasus
p. 299; Longic. II, 1898, p. 18.
var. *anatolicum* Pic, Longic. III, 3, p. 31. Amasia
var. *obscuripes* Pic, Echange XIX, 1903, p. 163. Türkei
6

Centrodera J. Lec.

- J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 325. — Thoms. Classif. Ceramb.
1860, p. 145; Syst. Ceramb. 1864, p. 409. — Lacord. Gen. Col. VIII, 1869,
p. 432. — Leng, Ent. Amer. VI, 1890, p. 65.
- decolorata* Harris, Ins. of Massach. 1841, p. 93. — J. Lec. Nordamerika
Journ. Acad. Philad. (2) I, 1850, p. 325. — Leng,
Ent. Amer. VI, 1890, p. 66. — Wickh. Canad.
Ent. XXIX, 1897, p. 170, f. 26.
- rubida* Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 58; Proc. Am. Phil. Soc. IV, 1847, p. 373.
Biologie: Felt, Ins. aff. Trees 1907, p. 456, fig.
- nevadica* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 205. Nevada
— Leng, Ent. Amer. VI, 1890, p. 66. — Casey,
Ann. N. York Acad. VI, 1892, p. 36.
- picta* Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 58. Pennsyl-
— Leng, Ent. Amer. VI, 1890, p. 66. vanien,
N. York,
Südcarolina
- sublineata* J. Lec. Proc. Acad. Philad. 1862, p. 40. — Pennsyl-
Leng, Ent. Amer. VI, 1890, p. 66. vanien,
Nord-
carolina
- 4

Xylosteus Friv.

- Friv. Magyar Tud. Tars. Evkön. III, 1838, p. 180. — Muls. Col. Fr. Long.
ed. 2, 1863, p. 460. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 181. — Thoms.
Syst. Ceramb. 1864, p. 409. — Lacord. Gen. Col. VIII, 1869, p. 431. —
Redt. Fauna Austr. ed. 3, II, 1874, p. 429. — Ganglb. Best.-Tab. VII,
1881, p. 8 (686). — Seidl. Fauna Transs. 1891, Gatt. p. 183. — Csiki, Rov.
Lapok X, 1903, p. 100.
- ornatus* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 205. Nordamerika:
— Leng, Ent. Amer. VI, 1890, p. 67. Oregon
- Spinolae* Friv. Magyar Tud. Tars. Evkön. III, 1838, p. 180. Südungarn,
— Muls. Col. Fr. Long. ed. 2, 1863, p. 460. Bosnien,
— Fairm. Gen. Col. d'Eur. IV, 1864, t. 56, f. 262. Türkei
— Kraatz, Berl. Ent. Zeitschr. XIV, 1870, p. 413,

t. 3, f. 6. — Redt. Fauna Austr. ed. 3, II, 1874, p. 429. — Ganglb. Best.-Tab. VII, 1881, p. 38 (716). — Seidl. Fauna Transs. 1891, p. 834. — Csiki, Rov. Lapok X, 1903, p. 103.

rufiventris Germ. Fauna Ins. Eur. XXIII, 1845, t. 16.

ab. *Merkli* Pic, Echange XXVI, 1910, p. 66; Südungarn
Longic. VIII, 1, 1911, p. 3.

2

Leptorhabdium Kraatz.

Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 118. — Ganglb. Best.-Tab. VII, 1881, p. 8 (686). — Csiki, Rov. Lapok X, 1903, p. 101.

Psilorhabdium Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 118. — Ganglb. Best.-Tab. VII, 1881, p. 38 (716).

caucasicum Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 118. — Ganglb. Best.-Tab. VII, 1881, p. 38 (716). — Jacobs. Käfer Russl. 1910, t. 67, f. 14. Kaukasus

illyricum Kraatz, Deutsche Ent. Zeitschr. XIV, 1870, p. 415, t. 3, f. 6a. — Csiki, Rov. Lapok X, 1903, p. 104. Illyrien, Dalmatien

gracile Kraatz, Deutsche Ent. Zeitschr. XVII, 1873, p. 202. — Ganglb. Best.-Tab. VII, 1881, p. 38 (716). — Pic, Longic. VI, 1, 1906, p. 4. Griechenland

ab. *lividipenne* Pic, l. c. nota 1. Bosnien

2

Microrhabdium Kraatz.

Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 99, 118.

macilentum Kraatz, l. c. p. 99, t. 1, f. 8. Amur

1

Lemula Bates.

Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 211.

decipiens Bates, l. c. p. 212, t. 1, f. 5. Japan

rufithorax Pic, Bull. Mus. Paris 1901, p. 57. „

2

Trichroa Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 395.

Trichromia Fairm. Bull. Soc. Ent. Fr. 1892, p. 21.

Oberthüri Fairm. l. c. p. 21. Madagascar

1

Anthribola Bates.

Bates, Ent. Month. Mag. XV, 1879, p. 251. — Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 511.

Eccrisis Pasc. Trans. Ent. Soc. Lond. 1888, p. 499.

abdominalis Pasc. l. c. t. 14, f. 3. Madagascar

decorata Bates, Ent. Month. Mag. XV, 1879, p. 251. — Waterh. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 49. „

quinquemaculata Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 215; (5) IX, 1882, p. 49.

femorata Waterh. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 48. — Künck. in Grandid. Hist. Mad. Col. 1890, t. 52, f. 8. — Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 248. Madagascar

niviguttata Fairm. Natural. XXIV, 1902, p. 287. „

4

Sagridola Thoms.

Thoms. Syst. Ceramb. 1864, p. 143; Rev. Mag. Zool. (6) III, 1878, p. 33. — Lacord. Gen. Col. VIII, 1869, p. 485.

armiventris Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 370. Madagascar

flavicollis Waterh. Cist. Ent. II, 1878, p. 367; Ann. Mag. Nat. Hist. (5) IX, 1882, p. 50. — Künck. in Grandid. Hist. Mad. Col. 1890, t. 52, f. 7. — Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 511. „

luctifera Fairm. l. c. p. 510. „

maculosa Guér. Icon. règne anim. Ins. 1844, p. 252. — Thoms. Syst. Ceramb. 1864, p. 144. — Fairm. Ann. Soc. Ent. Fr. (5) I, 1871, p. 77. — Künck. in Grandid. Hist. Mad. Col. 1890, t. 49, f. 10, 11. — Dohrn, Stett. Ent. Zeit. LI, 1890, p. 196. „

plagiaticollis Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 510. „

quinquemaculata Waterh. Ann. Mag. Nat. Hist. (4) XV, 1875, p. 414. — Künck. in Grandid. Hist. Mad. Col. 1890, t. 49, f. 9. „

spinierus Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 378. „

sulphurata Fairm. l. c. XXXVII, 1893, p. 509. „

8

Myiodola Fairm.

Fairm. Bull. Soc. Ent. Fr. 1900, p. 87.

brachyptera Fairm. Rev. d'Ent. XX, 1901, p. 219. Madagascar

calceata Fairm. Bull. Soc. Ent. Fr. 1901, p. 127. „

distincta Fairm. Rev. d'Ent. XX, 1901, p. 218. „

maculosa Fairm. l. c. „

musearia Fairm. Bull. Soc. Ent. Fr. 1900, p. 88. „

Perrieri Fairm. l. c. „

Scalabrii Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 378. „

7

Mastododera Thoms.

Thoms. Arch. Ent. I, 1857, p. 318; Classif. Ceramb. 1860, p. 144; Syst. Ceramb. 1864, p. 408. — Lacord. Gen. Col. VIII, 1869, p. 435.

Mastodontodera Gemm. & Har. Cat. Col. IX, 1873, p. 2857.

antipelles Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 513. Madagascar

armicollis Fairm. Natural. XXIV, 1902, p. 287. „

- coccinea** Bates, Ent. Month. Mag. XV, 1879, p. 252. Madagascar
 — Künck. in Grandid. Hist. Mad. Col. 1890,
 t. 49, f. 5.
- difformipes** Bates, Ent. Month. Mag. XV, 1879, p. 252. „
Jansoni Waterh. Ann. Mag. Nat. Hist. (5) IX, 1882, „
 p. 50. — Künck. in Grandid. Hist. Mad. Col.
 1890, t. 54, f. 5.
- lateralis** Guér. Icon. règne anim. Ins. 1844, p. 252. — „
 Thoms. Classif. Ceramb. 1860, p. 158. — Waterh.
 Cist. Ent. II, 1878, p. 367. — Künck. in Grandid.
 Hist. Mad. Col. 1890, t. 49, f. 7. — Dohrn,
 Stett. Ent. Zeit. LI, 1890, p. 196.
- nodicollis** Klug, Ins. Madag. 1833, p. 121, t. 5, f. 9. — „
 Fairm. Ann. Soc. Ent. Fr. (5) I, 1871, p. 76.
 — Künck. in Grandid. Hist. Mad. Col. 1890,
 t. 49, f. 6. — Dohrn, Stett. Ent. Zeit. LI, 1890,
 p. 196.
- rufosericans** Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, Comoren
 p. 550.
- rufovelutina** Fairm. Natural. XXIV, 1902, p. 287. Madagascar
simplicicollis Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, „
 p. 462. — Fairm. Ann. Soc. Ent. Belg. XXXVII,
 1893, p. 513.
- testaceipes** Fairm. Ann. Soc. Ent. Belg. XXXIII, 1889, „
 Bull. p. 95; XXXVII, 1893, p. 514. — Künck.
 in Grandid. Hist. Mad. Col. 1890, t. 49, f. 4.
- tibialis** Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, „
 p. 148.
- transversalis** Fairm. Ann. Soc. Ent. Belg. XXXIII, 1889, „
 Bull. p. 95. — Künck. in Grandid. Hist. Mad.
 Col. 1890, t. 49, f. 8.

13

Stenoxotus Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 377.

- ochreoruber** Fairm. l. c. Madagascar
 1

Dysmathosoma Waterh.

Waterh. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 422.

- picipes** Waterh. l. c. p. 423. — Künck. in Grandid. Hist. Madagascar
 Mad. Col. 1890, t. 54, f. 7.

1

Enthymius Waterh.

Waterh. Cist. Ent. II, 1878, p. 294.

- dubius** Waterh. l. c. p. 295. Madagascar
 1

Artelida Thoms.

Thoms. Syst. Ceramb. 1864, p. 143. — Lacord. Gen. Col. VIII, 1869, p. 436.

- T *asperata* Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, Madagascar
p. 415. — Künck. in Grandid. Hist. Mad. Col.
1890, t. 53, f. 12.
- T *taurosericea* Waterh. Ann. Mag. Nat. Hist. (5) IX, 1882, "
p. 326. — Künck. in Grandid. Hist. Mad. Col.
1890, t. 53, f. 13.
- T *calcarata* Fairm. Ann. Soc. Ent. Belg. XLIX, 1905, p. 134. "
T *caligata* Fairm. l. c. XLVIII, 1904, p. 255. "
- T *erinipes* Thoms. Syst. Ceramb. 1864, p. 143. — Fairm. "
Ann. Soc. Ent. Fr. (5) I, 1871, p. 77. — Künck.
in Grandid. Hist. Mad. Col. 1890, t. 49, f. 3. "
- T *diversitarsis* Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, "
p. 385.
- T *fuscosericeans* Fairm. Ann. Soc. Ent. Belg. XLIX, 1905, "
p. 134.
- T *gracilipes* Fairm. Natural. XXIV, 1902, p. 287. "
T *holoxantha* Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, "
p. 385.
- nobilitata* Nonfr. Deutsche Ent. Zeitschr. 1891, p. 274. "
— Alluaud in Grandid. Hist. Mad. Col. I, 1900,
p. 348 nota.
- T *olivacea* Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, "
p. 371.
- T *pernobilis* Poll. Notes Leyd. Mus. XII, 1890, p. 8. "
T *Perrieri* Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 371. "
T *remipes* Fairm. Natural. XXIV, 1902, p. 287. "
T *rubicunda* Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, "
p. 372.
- T *scutellaris* Fairm. l. c. XL, 1896, p. 378. "
T *villosimana* Fairm. l. c. XLVII, 1903, p. 371. "

17

Aedocus Waterh.

Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 416.

- brevicollis* Fairm. Rev. d'Ent. XX, 1901, p. 213. Madagascar
- T *concolor* Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 392. "
- T *geniculatus* Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, "
p. 416. — Künckel in Grandid. Hist. Mad. Col.
1890, t. 52, f. 6.
- marginatus* Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, "
p. 248.
- thoracicus* Fairm. Ann. Soc. Ent. Belg. XLVI, 1902, "
p. 250.

5

Dorcianus Fairm.

Fairm. Rev. d'Ent. XX, 1901, p. 214.

- angulicollis* Fairm. l. c. Madagascar

1

Rhagiops Fairm.

Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 249.

costulipennis Fairm. l. c.

Madagascar

1

Musius Fairm.

Fairm. l. c. XXXIII, 1889, Bull. p. 94; XL, 1896, p. 371.

fuscicornis Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 249.

Madagascar

quadrinodosus Fairm. Ann. Soc. Ent. Belg. XXXIII, 1889, Bull. p. 94; XL, 1896, p. 372. — Künckel in Grandid. Hist. Mad. Col. 1890, t. 53, f. 5.

,,

rubricollis Fairm. Bull. Soc. Ent. Fr. 1899, p. 387.

,,

3

Phitryonus Fairm.

Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 373.

cyanipennis Fairm. l. c.

Madagascar

1

Logisticus Waterh.

Waterh. Cist. Ent. II, 1878, p. 290.

angustatus Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 417. — Künckel in Grandid. Hist. Mad. Col. 1890, t. 54, f. 2.

Madagascar

fuscopunctatus Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 372.

,,

iners Fairm. l. c. p. 373.

,,

latesulcatus Fairm. Natural. IX, 1887, p. 71, f. 6. — Künckel in Grandid. Hist. Mad. Col. 1890, t. 52, f. 11.

,,

modestus Waterh. Ann. Mag. Nat. Hist. (5) X, 1882, p. 45. — Künckel in Grandid. Hist. Mad. Col. 1890, t. 54, f. 4.

,,

nivosus Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 516.

,,

Oberthüri Fairm. l. c. XXXIII, 1889, Bull. p. 95.

,,

obscurus Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 418. — Künckel in Grandid. Hist. Mad. Col. 1890, t. 54, f. 1.

,,

obtusipennis Fairm. Rev. d'Ent. XX, 1901, p. 211.

,,

pachydermus Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 516.

,,

plicicollis Fairm. Rev. d'Ent. XX, 1901, p. 212.

,,

proboscideus Fairm. Ann. Soc. Ent. Belg. XLVI, 1902, p. 249.

,,

rostratus Waterh. Cist. Ent. II, 1878, p. 291. — Dohrn, Stett. Ent. Zeit. XLIV, 1883, p. 160. — Künckel in Grandid. Hist. Mad. Col. 1890, t. 47, f. 10.

,,

sesquivittatus Fairm. Natural. (2) II, 1888, p. 23, f. 2. — Künckel in Grandid. Hist. Mad. Col. 1890, t. 52, f. 12.

,,

- T simplex Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 417. — Künckel in Grandid. Hist. Mad. Col. 1890, t. 54, f. 3. Madagascar
 T spinipennis Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 515. „
 suturalis Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 416. „
 17

Paratoxotus Fairm.

Fairm. Rev. d'Ent. XX, 1901, p. 212.

- Argodi Fairm. l. c. p. 213. Madagascar
 T farinosus Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 385. „
 inexpectatus Fairm. Natural. XXV, 1903, p. 10. „
 3

Pachysticus Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXIII, 1889, Bull. p. 95.

- erassipes Fairm. l. c. Madagascar
 1

Harimius Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXIII, 1889, p. 96.

- atripennis Fairm. l. c. Madagascar
 1

Xanthopiodus Fairm.

Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 395.

- angulicollis Fairm. l. c. Madagascar
 1

Toxitiades Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 586.

Toxotiades Fairm. l. c. XXXVIII, 1894, p. 295.

Toxotinus Fairm. l. c. XXXVII, 1893, p. 511.

- T russus Fairm. l. c. p. 512. Madagascar
 T sericeus Guér. Icon. règne anim. Ins. 1844, p. 253. —
 Fairm. Ann. Soc. Ent. Fr. (5) I, 1871, p. 77. „
 — Waterh. Cist. Ent. II, 1878, p. 363. — Dohrn,
 Stett. Ent. Zeit. LJ, 1890, p. 197. — Künckel
 in Grandid. Hist. Mad. Col. 1890, t. 49, f. 1, 2.
 T subustus Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893,
 p. 513. „
 T vinosus Fairm. l. c. p. 512. „
 4

Scopanta Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 515.

<i>expansitarsis</i> Fairm. l. c. XL, 1896, p. 380.	Madagascar
<i>laevipennis</i> Fairm. l. c.	”
<i>rufula</i> Fairm. l. c. XXXVII, 1893, p. 515.	”

3

Scariates Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 148.

<i>basipennis</i> Fairm. l. c.	Madagascar
--------------------------------	------------

1

Icariotis Pasc.

Pasc. Trans. Ent. Soc. Lond. 1888, p. 497.

<i>alboscutatus</i> Fairm. Ann. Soc. Ent. Belg. XLVIII, 1904, p. 255.	Madagascar
<i>basipennis</i> Fairm. Rev. d'Ent. XX, 1901, p. 217.	”
<i>fulvicornis</i> Pasc. Trans. Ent. Soc. Lond. 1888, p. 498.	”
<i>limbipennis</i> Fairm. Rev. d'Ent. XX, 1901, p. 216.	”
<i>nigrans</i> Fairm. l. c. p. 215.	”
<i>pallidocinctus</i> Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 379.	”
<i>politicollis</i> Fairm. l. c. XLIX, 1905, p. 134.	”
<i>pruinosis</i> Fairm. Rev. d'Ent. XX, 1901, p. 215.	”
<i>scapularis</i> Pasc. Trans. Ent. Soc. Lond. 1888, p. 498, t. 14, f. 4.	”
<i>subsuleatus</i> Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 514.	”
<i>tenuipes</i> Fairm. Rev. d'Ent. XX, 1901, p. 216.	”
<i>testaceus</i> Fairm. l. c. p. 214.	”
<i>unicolor</i> Pasc. Trans. Ent. Soc. Lond. 1888, p. 497.	”

13

Lepturasta Fairm.

Fairm. Rev. d'Ent. XX, 1901, p. 217.

<i>rusa</i> Fairm. l. c.	Madagascar
--------------------------	------------

1

Aliturus Fairm.

Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 386.

<i>fuscus</i> Fairm. Ann. Soc. Ent. Belg. XLVIII, 1904, p. 254.	Madagascar
<i>gracilipes</i> Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 386.	”
<i>griseopubescens</i> Fairm. l. c. LXXII, 1903, p. 252.	”

3

Lingoria Fairm.

Fairm. Bull. Soc. Ent. Fr. 1901, p. 126.

sanguinicollis Fairm. l. c. p. 127.

Madagascar

1

Ariastes Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 379.

monostigma Fairm. l. c.

Madagascar

1

Antigenes Pasc.

Pasc. Trans. Ent. Soc. Lond. 1888, p. 500.

funeris Pasc. l. c. t. 14, f. 1.

Madagascar

morosus Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894,
p. 148.

,,

2

Pseudogenes Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 149.

ornaticeps Fairm. l. c.

Madagascar

1

Barossus Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 517.

cineraceus Fairm. l. c.

Madagascar

1.

Penthecaulus Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 150.

tenebrosus Fairm. l. c.

Madagascar

1

Criocerinus Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 150.

corallinus Fairm. l. c. p. 151.

Madagascar

1

Apeleles Pasc.

Pasc. Trans. Ent. Soc. Lond. 1888, p. 499.

guttulatus Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893,
p. 517.

Madagascar

stigmatipennis Fairm. Natural. IX, 1887, p. 71; Ann.
Soc. Ent. Belg. XXXVII, 1893, p. 520.

,,

velutinus Pasc. Trans. Ent. Soc. Lond. 1888,
p. 500, t. 14, f. 9

2

Tomobrachyta Fairm.

Fairm. Natural. IX, 1887, p. 72.

nigroplagiata Fairm. l. c. f. 7. — Künckel in Grandid. Madagascar
Hist. Mad. Col. 1890, t. 52, f. 10.

1

Echarista Fairm.

Fairm. Rev. d'Ent. XX, 1901, p. 219.

pictipennis Fairm. l. c. p. 220. Madagascar

1

Gaurotinus Fairm.

Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 392.

tenuelineatus Fairm. l. c. Madagascar

1

Appedesis Waterh.

Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 418.

vidua Waterh. l. c. — Künckel in Grandid. Hist. Mad. Madagascar
Col. 1890, t. 54, f. 6.

1

Micrometopus Quedf.

Quedf. Journ. Sc. Lisboa XL, 1885, p. 241 (sep. p. 2).

punctipennis Quedf. l. c. Angola

1

Otteissa Pasc.

Pasc. Journ. Ent. II, 1864, p. 286. — Lacord. Gen. Col. VIII, 1869, p. 434.

sericea Pasc. l. c. Natal

1

Blosyropus Redt.

Redt. Reise Novara, Col. 1868, p. 191. — Broun, Man. N. Zealand Col. I, 1880, p. 578.

dentatus Fauv. Rev. d'Ent. XXV, 1906, p. 47. Neu-caledonien

spinus Redt. Reise Novara, Col. 1868, p. 192, t. 5, f. 10. Neuseeland

2

Capnolymma Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 265; (3) III, 1869, p. 556.

— Thoms. Syst. Ceramb. 1864, p. 408. — Lacord. Gen. Col. VIII, 1869,
p. 433. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 73.

Capnocalymma Gemm. & Har. Cat. Col. IX, 1873, p. 2856.

capreola Pasc. Proc. Zool. Soc. Lond. 1866, p. 504, t. 42, Penang
f. 1.

- cingalensis** Gah. Fauna Brit. Ind. Col. I, 1906, p. 73, f. 28. Ceylon
stygium Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 266, Borneo
 t. 26, f. 6; (3) III, 1869, p. 557. — Lacord. Gen.
 Col. VIII, 1869, p. 433, t. 89, f. 1.

3

Apiocephalus Gah.

- Gah. Ann. Mag. Nat. Hist. (7) II, 1898, p. 42; Fauna Brit. Ind. Col. I,
 1906, p. 74.

- licheneus** Gah. l. c. Ostindien
punctipennis Gah. Ann. Mag. Nat. Hist. (7) II, 1898, Ostafrika
 p. 42.

2

Caraphia Gah.

- Gah. Fauna Brit. Ind. Col. I, 1906, p. 75.

- eribrata** Gah. l. c. f. 29. Birma
minor Gah. l. c. p. 76. „

2

Teledapus Pasc.

- Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 268. — Gah. Fauna Brit.
 Ind. Col. I, 1906, p. 77.

- doreadioides** Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, Himalaya
 p. 269, t. 13, f. 1. — Gah. Fauna Brit. Ind.
 Col. I, 1906, p. 77, f. 30.

1

Toxotus Zett.

- Zett. Fauna Ins. Lapp. I, 1828, p. 374. — Latr. in Cuv. Règne anim. ed. 2,
 Ins. II, 1829, p. 130. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 255. —
 Serv. Ann. Soc. Ent. Fr. IV, 1835, p. 211, 212. — Muls. Col. Fr. Long.
 ed. 1, 1839, p. 231. — Cast. Hist. Nat. II, 1840, p. 501. — Redt. Fauna
 Austr. 1849, p. 503; ed. 2, 1858, p. 871; ed. 3, II, 1874, p. 429. — Thoms.
 Syst. Ceramb. 1864, p. 408. — C. G. Thoms. Skand. Col. VIII, 1866, p. 52.

- Oxymirus** Muls. Col. Fr. Long. ed. 2, 1863, p. 464. — Fairm. Gen.
 Col. d'Eur. IV, 1864, p. 183. — Lacord. Gen. Col. VIII, 1869, p. 443.
 — Ganglb. Best.-Tab. VII, 1881, p. 7 (685). — Seidl. Fauna
 Balt. 1891, Gatt. p. 183. — Everts, Col. Neerl. II, 1, 1901, p. 350.
 — Csiki, Rov. Lapok. X, 1903, p. 101. — Gah. Fauna Brit. Ind.
 Col. I, 1906, p. 78.

- cursor** L. Syst. Nat. ed. 10, 1758, p. 393; Fauna Suec. Nord- und
 ed. 2, 1761, p. 190; Syst. Nat. ed. 12, 1767, Mittel-
 p. 630. — Scop. Ent. Carn. 1763, p. 52. — Degeer, europa,
 Mém. V, 1775, p. 127. — F. Syst. Ent. 1775, Westasien,
 p. 183. — Sulz. Gesch. Ins. 1776, p. 45, t. 5, f. 7. Belud-
 — Laich. Verz. Tyrol. Ins. II, 1784, p. 120. schistan
 — Ol. Ent. IV, 69, 1795, p. 14, t. 1, f. 9. —
 Panz. in Voet, Beschr. hartsch. Ins. IV, 1798,

12

- p. 5, t. 25, f. 4. — Schrank, Fauna Boica I, 2, 1798, p. 661. — Payk. Fauna Succ. III, 1800, p. 68. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 308. — Gyll. Ins. Succ. I, 4, 1827, p. 42. — Zett. Fauna Ins. Lapp. I, 1828, p. 374. — Muls. Col. Fr. Long. ed. 1, 1839, p. 232; ed. 2, 1863, p. 465. — Cast. Hist. Nat. II, 1840, p. 501. — Redt. Fauna Austr. 1849, p. 503; ed. 2, 1858, p. 871; ed. 3, II, 1874, p. 430. — Bach, Käferfauna III, 1856, p. 43. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 541. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 56, f. 265. — C. G. Thoms. Skand. Col. VIII, 1866, p. 53. — Ganglb. Best.-Tab. VII, 1881, p. 37. — Scidl. Fauna Balt. ed. 2, 1891, p. 471; Fauna Transs. 1891, p. 835. — Everts, Col. Neerl. II, 1, 1901, p. 350. — Csiki, Rov. Lapok X, 1903, p. 104. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 79, f. 31. — Pic, Longic. VI, 1, 1906, p. 4; VII, 1, 1908, p. 7. — Jacobs. Käfer Russl. 1910, t. 63, f. 11.
- genuinus* ♀ Letzn. Zeitschr. Ent. Breslau (2) IX, 1884, p. 346.
- Lacordairei* ♀ Pasc. Proc. Ent. Soc. Lond. 1867, p. 84.
- striatus* Voet, Cat. Col. II, 1804—06, p. 29, t. 25, f. 4.
- subvittatus* Reitter, Wien. Ent. Zeit. XXIV, 1905, p. 206.
- vittatus* Gmel. Syst. Nat. I, 4, 1790, p. 1865.
- 7 — ab. *fenestratus* Letzn. Jahresb. Schles. Ges. vaterl. Kult. LXII, 1885, p. 346; — Reitter, Wien. Ent. Zeit. XXV, 1906, p. 139.
- 7 — ab. *niger* Letzn. Jahresb. Schles. Ges. vaterl. Kult. XLII, 1885, p. 346. — Reitter, Wien. Ent. Zeit. XXV, 1906, p. 139.
- ab. *lineatus* Letzn. Jahresb. Schles. Ges. vaterl. Kult. LXII, 1885, p. 346.
- † — ab. *nigricollis* Letzn. l. c.
- † — ab. *noctis* L. Syst. Nat. ed. 12, 1867, p. 630. — F. Spec. Ins. I, 1781, p. 230. — Laich. Verz. Tyrol. ins. II, 1784, p. 139. — Panz. Fauna Ins. Germ. XVII, 1794, t. 3. — Ol. Ent. IV, 69, 1795, p. 17, t. 1, f. 10. — Csiki, Rov. Lapok X, 1903, p. 104. — Pic, Longic. VI, 1, 1906, p. 4.
- genuinus* Letzn. Jahresb. Schles. Ges. vaterl. Kult. LXII, 1885, p. 346.
- luctuosus* Latr. Hist. Nat. Crust. Ins. XI, 1904, p. 310.
- niger* Ol. Ent. IV, 69, 1795, p. 19, t. 3, f. 24.
- † — ab. *nigrinus* Reitter, Wien. Ent. Zeit. XXIV, 1905, p. 250.
- † — ab. *semiobscurus* Pic, Longic. VI, 1, 1906, p. 6. — Reitter, Wien. Ent. Zeit. XXV, 1906, p. 139.
- ab. *subvittatus* Reitter, Wien. Ent. Zeit. XXIV, 1905, p. 206; XXV, 1906, p. 139.
- ab. *Verneuli* Muls. Col. Fr. Long. 1839, p. 233. — Csiki, Rov. Lapok X, 1903, p. 104.
- testaceus* Gredl. Käfer von Tirol 1866, p. 396.

- Biologie: Schiödt, Nat. Tidskr. (3) X, 1875, p. 420, t. 16, f. 13. — Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 371, f. 547—549.
 — Xamb. Moeurs & Mét. VIII, 1902, p. 120.
 T mirabilis Motsch. Bull. Mosc. XI, 1838, p. 183, t. 3, fig. f. Kaukasus
 — Ganglb. Best.-Tab. VII, 1881, p. 37 (715).
 — Faust, Horae Soc. Ent. Ross. XIV, 1878, p. 134. — Jacobs. Käfer Russl. 1910, t. 67, f. 27.

2

Stenocorus F.

F. Syst. Ent. 1775, p. 178. — Ol. Ent. IV, 69, 1795, p. 6 (ex parte). — Bedel, Faune Col. Seine V, 1889, p. 6.

Anisorus Muls. Col. Fr. Long. ed. 2, 1863, p. 467.

Minaderus Muls. l. c.

Toxotochorus Reitter, Wien. Ent. Zeit. XXVI, 1907, p. 208.

Toxotus (ex parte; siehe oben unter *Toxotus*). — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 320. — Muls. Col. Fr. Long. ed. 2, 1863, p. 467. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 183. — Lacord. Gen. Col. VIII, 1869, p. 438. — Ganglb. Best.-Tab. VII, 1881, p. 7 (685). — Leng, Ent. Amer. VI, 1890, p. 65. — Fowler, Brit. Col. IV, 1890, p. 230, 232. — Scidl. Fauna Balt. 1891, Gatt. p. 183. — Everts, Col. Neerl. II, 1, 1901, p. 350.

Paläarktische Arten.

Reitter, Wien. Ent. Zeit. IX, 1890, p. 249 (Synopsis).

- ✓ amurensis Kraatz, Deutsche Ent. Zeitschr. XXIII, Amur
 1879, p. 100. — Heyden, l. c. XXVIII, 1884,
 p. 282. — Reitter, Synops. p. 250.
 T auricornis Reitter, Synops. p. 250. Syrien
 T biformis Tourn. Rev. Mag. Zool. (2), XXIII, 1872, p. 342. Kaukasus
 — Ganglb. Best.-Tab. VII, 1881, p. 37 (715). —
 Pic, Echange XI, 1895, p. 75.
 heterocerus Ganglb. Wien. Ent. Zeit. I, 1882, p. 139. Cilicien
 ab. *nigripennis* Pic, Misc. Ent. IV, 1896, p. 141. Syrien
 homocerus Daniel, Soc. Ent. XV, 1901, p. 139; Münch. Kleinasien
 Kol. Zeit. II, 1904, p. 206.
 insitivus Germ. Ins. spec. nov. 1824, p. 520. — Fald. Kaukasus
 Fauna Transcauc. II, 1837, p. 306, t. 10, f. 9. —
 Ganglb. Best.-Tab. VII, 1881, p. 36 (714). —
 Reitter, Synops. p. 250.
 ab. *latus* Pic, Ann. Soc. Ent. Fr. LXI, 1892, p. 414; Syrien
 Bull. p. 111.
 — ab. *nigriventris* Pic, Longic. VII, 1, 1908, p. 2. „
 — ab. *obscuripennis* Pic, Cat. Longic. 1900, p. 15, „
 nota 1 (!!).
 T meridianus L. Syst. Nat. ed. 10, 1758, p. 393; Fauna Suec. Europa,
 ed. 2, 1761, p. 187. — Degeer, Mém. V, 1775, Sibirien
 p. 130. — F. Syst. Ent. 1775, p. 178. — Martyn,
 Engl. Ent. 1792, t. 25, f. 11, 12. — Panz. Fauna
 Ins. Germ. XLV, 1797, t. 10. — Payk. Fauna Suec.
 Ins. III, 1800, p. 104. — Marsh. Ent. Brit. I, 1802,
 p. 349. — Bechst. & Scharfenb. Forstins. I, 1804,
 p. 195. — Latr. Hist. Nat. Crust. Ins. XI, 1804,
 p. 310. — Gyllh. Ins. Suec. I, 4, 1827, p. 40. —

- Zett. Fauna Ins. Lapp. I, 1828, p. 374. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 256. — Muls. Col. Fr. Long. 1839, p. 234; ed. 2, 1863, p. 469. — Shuck. Brit. Col. 1840, p. 67, t. 78, f. 4. — Cast. Hist. Nat. II, 1840, p. 501. — Redt. Fauna Austr. 1849, p. 504; ed. 2, 1858, p. 871; ed. 3, II, 1874, p. 430. — Bach, Käferfauna III, 1856, p. 44. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 541. — C. G. Thoms. Skand. Col. VIII, 1866, p. 53. — Ganglb. Best.-Tab. VII, 1881, p. 36 (714). — Bedel, Faune Col. Seine V, 1889, p. 11. — Reitter, Synops. p. 249. — Fowler, Brit. Col. IV, 1890, p. 233, t. 121, f. 10, 11. — Seidl. Fauna Balt. ed. 2, 1891, p. 741; Fauna Transs. 1891, p. 835. — Everts, Col. Neerl. II, 1, 1901, p. 350. — Csiki, Rov. Lapok X, 1903, p. 104. — Houb. Faune Armor. Ceramb. 1904, p. 28, f. 52. — Jacobs. Käfer Russl. 1910, t. 63, f. 12, 13.
- grandis* Poda, Ins. Mus. Graec. 1761, p. 38.
- Lacordairei* ♂ Pasc. Proc. Ent. Soc. Lond. 1867, p. 84.
- rubra* Sulz. Kennz. Ins. 1761, p. 12, t. 5, f. 30.
- ab. bilineatus* Pic, Echange XXIV, 1908, p. 58; Longic. VII, 1, p. 2 (1908).
- ab. cantharinus* Herbst in Füessly, Archiv V, 1784, p. 93, t. 25, f. 15.
- geniculatus* Geoffr. in Fourer. Ent. Paris. I, 1785, p. 86. — Pic, Longic. I, 1891, p. 4. — Csiki, Rov. Lapok X, 1903, p. 105.
- meridianus* Ol. Ent. IV, 69, 1795, p. 18, t. 3, f. 2 c.
- ab. chrysogaster* Schrank, Enum. Ins. 1781, p. 132. — Ol. Ent. IV, 69, p. 19, t. 3, f. 23. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 310. — Muls. Col. Fr. Long. 1839, p. 235. — Pic, Longic. I, 1891, p. 4. — Csiki, Rov. Lapok X, 1903, p. 105.
- splendens* Laich. Tyr. Ins. II, 1784, p. 136.
- ab. laevis* Ol. Ent. IV, 69, 1795, p. 21, t. 3, f. 25. — Pic, Longic. I, 1891, p. 4. — Csiki, Rov. Lapok X, 1903, p. 105.
- glabratus* Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 311.
- ? *sericeus* Ol. l. c. p. 20, t. 1, f. 8. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 311.
- ab. ruficrus* Scop. Ent. Carn. 1763, p. 48.
- ab. rufiventris* Marsh. Ent. Brit. I, 1902, p. 341. Biologie: Mjöv. Arkiv f. Zool. III, 6, 1906, p. 17.
- minutus** Gebl. Bull. Acad. S. Petersb. VIII, 1841, p. 375; Bull. Mose. XXXII, 4, 1859, p. 348.
- persicus** Fald. Fauna Transc. II, 1837, p. 307, t. 10, f. 10, 11. — Reitter, Synops. p. 250.
- ab. obscurior* Pic, Cat. Ceramb. 1900, p. 15 nota.
- ab. vittidorsum* Reitter, Synops. p. 250 nota.
- quercus** Götz, Naturf. XIX, 1783, p. 72, t. 4, f. 5, 6. — Redt. Fauna Austr. ed. 2, 1858, p. 872; ed. 3, II, 1874, p. 430. — Muls. Col. Fr. Long. ed. 2, 1863, p. 467. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 56, f. 266.

Südost-
sibirien
Persien

„

„

Mittel- und
Südeuropa,
Kaukasus

— Kraatz, Berl. Ent. Zeitschr. XII, 1868, p. 302. Ganglb. Best.-Tab. VII, 1881, p. 37 (715). — Seidl. Fauna Transs. 1891, p. 835. — Csiki, Rov. Lapok X, 1903, p. 105. — Houlb. Faune Armor. Ceramb. 1904, p. 29. — Jacobs. Käfer Russl. 1910, t. 63, f. 14.

dispar Labr. & Imh. Ins. Schweiz II, 1838, t. 18. — Muls. Col. Fr. Long. 1839, p. 231. — Redt. Fauna Austr. 1849, p. 504. — Bach, Käferfauna III, 1856, p. 44.

humeralis F. Mant. Ins. I, 1787, p. 158. — Ol. Enc. méth. Ins. VII, 1792, p. 521; Ent. IV, 69, 1795, p. 22, t. 2, f. 18. — Panz. Fauna Ins. Germ. XLV, 1797, t. 11. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 311.

ab. *aureopubens* Pic, Longic. VII, 1, 1908, p. 2.
 ab. *discoideus* Reitter, Wien. Ent. Zeit. VIII, 1889, p. 163.

ab. *dispar* Panz. Fauna Ins. Germ. XVII, 1794, t. 1. 2. — Reitter, Wien. Ent. Zeit. VIII, 1889, p. 163.

baja Schrank, Fauna Boica I, 2, 1798, p. 692.

ab. *Magdalenae* Pic, Longic. I, 1891, p. 4; VI, 1, 1906, p. 6. — Daniel, Münch. Kol. Zeit. II, 1904, p. 205.

ab. *marginatus* Kraatz, Wien. Ent. Zeit. VIII, 1889, p. 163.

ab. *scutellaris* Kraatz, l. c.

ab. *subapicalis* Reitter, l. c.

ab. *subvittatus* Reitter, l. c.

ab. *unicolor* Fleisch. Wien. Ent. Zeit. VI, 1887, p. 272. — Daniel, Münch. Kol. Zeit. II, 1904, p. 204.

discolor Fleisch. Wien. Ent. Zeit. VI, 1887, p. 237 (Druckfehler). — Csiki, Rov. Lapok X, 1903, p. 105.

tataricus Gebl. Bull. Acad. St. Petersb. VIII, 1841, p. 375; Bull. Mosc. XXXII, 4, 1859, p. 347. — Reitter, Wien. Ent. Zeit. IX, 1890, p. 250; XXVI, 1907, p. 208. Sibirien

var. *turkestanicus* Ganglb. Horae Soc. Ent. Ross. XXIII, 1889, p. 280. Turkestan

validicornis Pic, Cat. Longic. 1900, p. 16; Longic. VI, 1, 1906, p. 6. Turkestan

var. *alaiensis* Pic, l. c. Alaiberge

vittatus Fisch.-Waldh. Cat. Col. Sib. Or. 1842, p. 19. — Heller, Wien. Ent. Zeit. X, 1891, p. 62. — Semen. Rev. Russe d'Ent. IX, 1909, p. 27. Sibirien

obliquus Motsch. Bull. Mosc. XVIII, 1845, p. 86.
Suworowi Reitter, Wien. Ent. Zeit. XXVI, 1907, p. 208. — Pic, Longic. VII, 1, 1908, p. 2.

Asiatische Arten.

aureopubens Pic, Echange XVIII, 1903, p. 121. Yunnan

coeruleipennis Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 193. Japan

longevittatus Fairm. Rev. d'Ent. VI, 1887, p. 329. Peking

Nearktische Arten.

Leng, Ent. Amer. VI, 1890, p. 67 (Synopsis).

- cinnamopterus** Randall, Boston Journ. II, 1838, p. 45. Nordcarolina,
— J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 321. Illinois,
— Leng, Synops. p. 67, 68. Massachusetts,
aesculi Hald. Trans. Am. Philos. Soc. (2) X, 1847, Pennsylvania,
p. 59. Nordamerika
- cylindricollis** Say, Journ. Acad. Philad. III, 1823, p. 417. Nordamerika
— J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 320.
— Leng, Synops. p. 68, 69. — Wickh. Canad.
Ent. XXIX, 1897, p. 170.
atratus Hald. Trans. Am. Philos. Soc. (2) X,
1847, p. 58.
dentipennis Hald. l. c.
dives Newm. Entomol. I, 1841, p. 68.
- flavolineatus** J. Lec. Proc. Acad. Philad. VII, 1854, p. 18; Californien
Entom. Report 1857, p. 63. — Leng, Synops.
p. 67, 69.
- lateralis** Casey, Ann. N. York Acad. VI, 1892, p. 37. —
Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, ”
p. 173.
- nubifer** J. Lec. Proc. Acad. Philad. 1859, p. 80. — Leng, ”
Synops. p. 67, 68.
- obtusus** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 206. Yellowstone
— Leng, Synops. p. 68, 69.
- Schaumi** J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 320; Canada,
Proc. Acad. Philad. 1862, p. 41. — J. Hamilt. Illinois,
Canad. Ent. XVII, 1885, p. 103. — Leng, Synops. Ohio
p. 67, 68. — Wickh. Canad. Ent. XXIX, 1897,
p. 170.
- trivittatus** Say, Journ. Acad. Philad. III, 1823, p. 422. — Canada,
— J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 321. Vereinigte
— Bland, Proc. Ent. Soc. Philad. I, 1862, p. 270. Staaten
Leng, Synops. p. 67, 69. — Wickh. Canad.
Ent. XXIX, 1897, p. 169.
ab. *nigripes* Hald. Trans. Am. Philos. Soc. (2)
X, 1847, p. 58.
- ab. *vittiger* Rand. Boston Journ. II, 1838, p. 29.
- vestitus** Hald. Trans. Am. Philos. Soc. (2) X, 1847, p. 59. Oregon,
— J. Lec. Journ. Acad. Philad. (2) I, 1850, Californien
p. 321. — Leng, Synops. p. 67, 68. — Wickh.
Canad. Ent. XXIX, 1897, p. 170.
- ab. *ater* Leng, Synops. p. 68. Vancouver
- virgatus** J. Lec. Trans. Am. Ent. Soc. V, 1874, p. 67. — Oregon,
Leng, Synops. p. 67, 69. Montana,
Britisch-
Columbia,
Vancouver

Akimerus Serv.

- Serv. Ann. Soc. Ent. Fr. IV, 1835, p. 212. — Thoms. Syst. Ceramb. 1864,
p. 408. — Lacord. Gen. Col. VIII, 1869, p. 437. — Seidl. Fauna Transs.
1891, Gatt. p. 183. — Csiki, Rov. Lapok X, 1903, p. 101.
Acimerus Fairm. Gen. Col. d'Eur. IV, 1864, p. 184. — Ganglb.
Best.-Tab. VII, 1881, p. 8 (686).
Toxotus Thoms. Classif. Ceramb. 1860, p. 144, 156.

- **Schaefferi** Latich. Verz. Tyr. Ins. II, 1784, p. 130. — Muls. Col. Fr. Long. ed. 2, 1863, p. 473. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 56, f. 266. — Ganglb. Best.-Tab. VII, 1881, p. 36 (714). — Seidl. Fauna Transs. 1891, p. 834. — Csiki, Rov. Lapok X, 1903, p. 105. — Jacobs. Käfer Russl. 1910, t. 67, f. 7.
- cinctus* F. Mant. Ins. I, 1787, p. 146. — Ol. Ent. IV, 69, p. 24, t. 3, f. 27. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 309. — Redt. Fauna Austr. 1849, p. 503; ed. 2, 1858, p. 871. — Bach, Käferfauna III, 1856, p. 43.
- dentipes* Muls. Ann. Soc. Agric. Lyon V, 1842, p. 209, t. 11, f. 2; Col. Fr. Long. Suppl. 1842, p. (3).
- ab. *nigrinus* Pic, Echange XVII, 1901, p. 96, nota 2.
- 1

Toxotinus Bates.

- Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 213.
- Reini** Heyden, Deutsche Ent. Zeitschr. XXIII, 1879, p. 359; XXIX, 1885, p. 310; Ber. Senckenb. Ges. 1878—79, p. 88. Japan
- longicornis* Bates, Journ. Linn. Soc. XVIII, 1884, p. 213, t. 1, f. 6.
- 1

Pachyta Zett.

Zett. Fauna Ins. Lapp. I, 1828, p. 376. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 185. — Thoms. Syst. Ceramb. 1864, p. 408. — Ganglb. Best.-Tab. VII, 1881, p. 7 (685). — Seidl. Fauna Balt. ed. 2, 1891, p. 741; Fauna Transs. 1891, p. 835. — Csiki, Rov. Lapok X, 1903, p. 101.

Acmacops C. G. Thoms. Skand. Col. VIII, 1866, p. 55.
Anthophilax Muls. Col. Fr. Long. ed. 2, 1863, p. 477.
Anthophylax Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 232.
Neopachyta Bedel, Bull. Soc. Ent. Fr. 1906, p. 93.

- armata** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 207. Washington-Territ., Oregon, Idaho
- Leng, Ent. Amer. VI, 1890, p. 97.
- ✓ **biuneata** Motsch. Schrenk's Reise, Col. 1860, p. 147, t. 9, f. 25. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 84, nota 1. — Heyden, Deutsche Ent. Zeitschr. XXX, 1886, p. 273. Sibirien, Amur
- quadrinaculata* var. Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 234.
- ab. *bisbimaculata* Pic, Catal. Long. Eur. 1900, p. 17, nota 1.
- ab. *incolumis* Heyden, Deutsche Ent. Zeitschr. XXX, 1886, p. 273.
- ✓ **erebia** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 212. Japan

- lamed** L. Syst. Nat. ed. 10, 1758, p. 391; Fauna Suec. ed. 2, 1761, p. 187. — F. Syst. Ent. 1775, p. 178. — Panz. Fauna Ins. Germ. XXII, 1794, t. 11. — Ol. Ent. IV, 69, 1795, p. 28, t. 3, f. 28. — Payk. Fauna Suec. III, 1800, p. 101. — Donov. Brit. Ins. XI, 1806, p. 98, t. 395, f. 2. — Gyllenh. Ins. Suec. I, 4, 1827, p. 38. — Zett. Fauna Ins. Lapp. I, 1828, p. 376. — Bach, Käferfauna III, 1856, p. 45. — Redt. Fauna Austr. ed. 2, 1858, p. 872; ed. 3, II, 1874, p. 430. — Muls. Col. Fr. Long. ed. 2, 1863, p. 478. — Fairm. Gen. Col. IV, 1864, t. 57, f. 268. — C. G. Thoms. Skand. Col. VIII, 1866, p. 55. — Ganglb. Best.-Tab. VII, 1887, p. 36 (714). — Seidl. Fauna Balt. ed. 2, 1891, p. 741; Fauna Transs. 1891, p. 835. — Csiki, Rov. Lapok X, 1903, p. 105.
- pedella* Degeer Mém. Ins. V, 1775, p. 129, t. 4, f. 10.
- spadicea* Payk. Fauna Suec. III, 1800, p. 103. — Quens. in Acerbi, Travels II, 1802, p. 253, t. 2, f. 3. — Gyllenh. Ins. Suec. I, 4, 1827, p. 39. — Zett. Fauna Ins. Lapp. I, 1828, p. 377. — Germ. Fauna Ins. Eur. XXIV, 1848, t. 14. — Redt. Fauna Austr. 1849, p. 504.
- ab. *nigrina* Pic, Longie. I, 1891, p. 5.
- var. *conflagrata* Motsch. Schrenck's Reise, Col. 1860, p. 147.
- oxyoma** Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, p. 58.
- quadrimaculata** L. Syst. Nat. ed. 10, 1758, p. 397; Fauna Suec. ed. 2, 1761, p. 197. — F. Syst. Ent. 1775, p. 197. — Schrank, Enum. Ins. 1781, p. 152. — Ol. Ent. IV, 73, 1795, p. 24, t. 1, f. 7. — Panzer, Deutschl. Ins.-Fauna 1795, p. 272, t. 10; in Voct, Besch. hartsch. Ins. IV, 1798, p. 8, t. 26, f. 11; t. front., f. 3. — Payk. Fauna Suec. III, 1800, p. 102. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 318. — Gyllenh. Ins. Suec. I, 4, 1827, p. 37. — Zett. Fauna Ins. Lapp. I, 1828, p. 376. — Herr.-Schäff. Fauna Ins. Germ. CXVII, 1830?, t. 4. — Muls. Col. Fr. Long. 1839, p. 243; ed. 2, 1863, p. 480. — Cast. Hist. Nat. II, 1840, p. 502, t. 54, f. 6. — Redt. Fauna Austr. 1849, p. 504; ed. 2, 1858, p. 872; ed. 3, II, 1874, p. 430. — Bach, Käferfauna III, 1856, p. 45. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 542. — C. G. Thoms. Skand. Col. VIII, 1866, p. 56. — Ganglb. Best.-Tab. VII, 1881, p. 36 (714). — Seidl. Fauna Balt. ed. 2, 1891, p. 742; Fauna Transs. 1892, p. 835. — Csiki, Rov. Lapok X, 1903, p. 105. — Jacobs. Käfer Russl. 1910, t. 63, f. 15.
- major punctata* Voct, Cat. Col. II, 1804—06, p. 30, t. 26, f. 11.
- timida* Scop. Ent. Carniol. 1763, p. 53; Annus Hist. Nat. V, 1772, p. 99.
- Biologie: Planet, Natural. XV, 1893, p. 275—276, fig.
- ab. *dimaculata* Schönh. Synon. Ins. III, 1817, p. 489. — Muls. Col. Fr. Long. 1839, p. 243. — Csiki, Rov. Lapok X, 1903, p. 105.

Nord- und
Mittel-
Europa,
Sibirien

Alaska

Moupin
Gebirgsgegen-
den von
Nord- und
Mittel-
europa

Evodinus J. Lec.

J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 325. — Ganglb. Münch. Kol. Zeitschr. I, 1903, p. 151. — Csiki, Rov. Lapok X, 1903, p. 101.

Brachyta Fairm. Gen. Col. d'Eur. IV, 1864, p. 185. — Ganglb. Best.-Tab. VII, 1881, p. 6 (686). — Seidl. Fauna Balt. ed. 2, 1891, p. 741; Fauna Transs. 1891, p. 835.

Pachyta (ex parte) Muls. Col. Fr. Longic. 1839, p. 237; ed. 2, 1863, p. 477. — C. G. Thomson, Skand. Col. VIII, 1866, p. 56. — Leng, Ent. Amer. VI, 1890, p. 65.

Paläarktische Arten.

- amurensis** Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 69, t. 1, f. 21—23. Amur
 ab. *bisbioculatus* Pic, Echange XXVI, 1910, „
 p. 18, 27.
 ab. *semilunatus* Pic, l. c. p. 18, 27, 34. „
- balcanicus** Hampe, Berl. Ent. Zeitschr. XIV, 1870, p. 336. Balkan
 — Ganglb. Best.-Tab. VII, 1881, p. 35 (713).
- bifasciatus** Ol. Enc. méth. VII, 1792, p. 520; Ent. IV, 73, Sibirien
 1795, p. 23, t. 3, f. 38. — Pallas, Icones 1798, t. F, f. 20.
dauricus Gebl. Mém. Moscou V, 1817, p. 329. — Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 234.
quadripunctatus Schönh. Synon. Ins. III, 1817, p. 491.
 ab. *reductus* Pic, Longic. VI, 2, 1907, p. 6. Sibirien
 var. *thibetanus* Pic, l. c. p. 5. Thibet
- borealis** Gyllenh. Ins. Suec. I, 4, 1827, p. 36. — Thoms. Nordeuropa,
 Skand. Col. VIII, 1866, p. 58. — Redt. Fauna Alpen,
 Austr. ed. 3, II, 1874, p. 431. — Ganglb. Best.-Tab. VII, 1881, p. 34 (712). — Seidl. Fauna Balt. ed. 2, 1891, p. 742; Fauna Transs. 1891, p. 836. Sibirien
 ab. *brunneonotatus* Pic, Longic. III, 3, 1901, p. 11.
 ab. *lateobscurus* Pic, l. c.
 ab. *obscurissimus* Pic, l. c. V, 1, 1904, p. 3.
 ab. *pictus* Mäkl. Bull. Moscou XVIII, 4, 1845, Daurien
 p. 549.
- caucasicus** Rost, Deutsche Ent. Zeitschr. 1891, p. 309; Kaukasus
 Ent. Nachr. XIX, 1893, p. 344.
 ab. *conjunctus* Rost, l. c. „
- clathratus** F. Ent. Syst. I, 2, 1792, p. 306. — Panz. Alpen,
 Deutschl. Ins. Fauna 1795, p. 256. — Muls. Col. Karpathen
 Fr. Long. 1839, p. 237; ed. 2, 1863, p. 487. — Redt. Fauna Austr. 1849, p. 505; ed. 2, 1858, p. 873; ed. 3, II, 1874, p. 432. — Bach, Käferfauna III, 1856, p. 47. — Ganglb. Best.-Tab. VII, 1881, p. 34 (712). — Seidl. Fauna Transs. 1891, p. 836. — Stierl. Col. Helvet. II, 1898, p. 477. — Csiki, Rov. Lapok X, 1903, p. 116.
- semifinctus** Drapiez, Ann. gen. Scienc. Phys. Bruxelles I, 1819, p. 52, t. 4, f. 5.
 ab. *brunnipes* Muls. Col. Fr. Long. 1839, p. 238.
nigrescens Gredl. in Harold, Col. Hefte XI, 1873, p. 74. — Stierl. Col. Helvet. II, 1898, p. 477. — Csiki, Rov. Lapok X, 1903, p. 116.
 ab. *nigritus* Pic, Longic. I, 1891, p. 6.

- ab. *pedemontanus* Daniel, Col. Studien II, 1893, p. 87.
 ab. *signatus* Panz. Fauna Ins. Germ. VIII, 1793, t. 13. — Muls. Col. Fr. Long. 1839, p. 238. — Csiki, Rov. Lapok V, 1903, p. 117.
clathratus Panz. Fauna Ins. Germ. cd. 2, VIII, 179?, t. 13.
reticulatus F. Ent. Syst. IV, 1794, p. 453.

Delagrangei Pic, Echange VII, 1891, p. 102.

interrogationis L. Syst. Nat. ed. 10, 1758, p. 398; Fauna Succ. ed. 2, 1761, p. 197. — F. Ent. Syst. I, 2, 1792, p. 345. — Ol. Enc. méth. Ins. VII, 1792, p. 517; Ent. IV, 73, 1795, p. 22, t. 1, f. 3. — Panz. Fauna Ins. Germ. XXII, 1794, t. 14. — Cederhj. Faun. Ingr. 1798, p. 98, t. 3, f. G. — Payk. Fauna Succ. III, 1800, p. 121. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 318. — Gyllenh. Ins. Succ. I, 4, 1827, p. 34. — Zett. Fauna Ins. Lapp. I, 1828, p. 377. — Redt. Fauna Austr. 1849, p. 503; ed. 2, 1858, p. 871; ed. 3, II, 1874, p. 431. — Bach, Käferfauna III, 1856, p. 43. — Muls. Col. Fr. Long. ed. 2, 1863, p. 484. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 543. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 57, f. 269. — C. G. Thoms. Skand. Col. VIII, 1866, p. 57. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 65, t. 1, f. 17. — Ganglb. Best.-Tab. VII, 1881, p. 35 (713). — Seidl. Fauna Balt. ed. 2, 1891, p. 742; Fauna Transs. 1891, p. 835. — Pic, Longic. I, 1891, p. 5—6. — Stierl. Col. Helvet. II, 1898, p. 476. — Csiki, Rov. Lapok X, 1903, p. 116. — Jacobs. Käfer Russl. 1910, t. 63, f. 18.

Syrien
 Nordeuropa,
 Alpen

ab. *bimaculatus* Muls. Col. Fr. Long. 1839, p. 240. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 67, t. 1, f. 20. — Pic, Longic. I, 1891, p. 6.

var. *curvilineatus* Muls. Col. Fr. Long. 1839, p. 240. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 66, t. 1, f. 19. — Pic, Longic. I, 1891, p. 5. — Stierl. Col. Helvet. II, 1898, p. 476.

Schweiz

ab. *duodecimmaculatus* F. Spec. Ins. I, 1781, p. 248. — Ol. Enc. méth. Ins. VII, 1792, p. 517; Ent. IV, 73, 1795, p. 25, t. 4, f. 40. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 319. — Muls. Col. Fr. Long. 1839, p. 239. — Mannerh. Bull. Moscou XXV, 2, 1852, p. 304. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 76, t. 1, f. 16. — Pic, Longic. I, 1891, p. 5. — Stierl. Col. Helvet. II, 1898, p. 476.

Sibirien

russicus Herbst in Füessly, Archiv V, 1784, p. 102, t. 26, f. 27.

ab. *ebeninus* Muls. Col. Fr. Long. 1839, p. 240. — Pic, Longic. I, 1891, p. 6. — Stierl. Col. Helvet. II, 1898, p. 476.

ab. *flavonotatus* Muls. l. c. p. 239. — Pic, Longic. I, 1891, p. 6.

- ab. *marginellus* F. Ent. Syst. I, 2, 1792, p. 346. Italien
 — Muls. Col. Fr. Long. 1839, p. 240. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 67.
 — Pic, Longic. I, 1891, p. 6. — Stierl. Col. Helvet. II, 1898, p. 476. — Csiki, Rov. Lapok X, 1903, p. 116.
- Chamouny* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 76, t. 1, f. 18.
- Mannerheimi** Motsch. Schrenck's Reise, Col. 1860, Amur
 p. 148. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 70.
- punctatus** Fald. Bull. Moscou VI, 1833, p. 67. — Solsky, Ostsibirien
 Horae Soc. Ent. Ross. VII, 1871, p. 395. — Blessig, l. c. IX, 1873, p. 240. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 67.
- ⊥ — ab. *altaiensis* Pic, Echange XVI, 1900, p. 82. Altai
 ab. *bioculatus* Kraatz, Deutsche Ent. Zeitschr. Irkutsk
 XXIII, 1879, p. 69, t. 1, f. 26.
 ab. *crucifer* Kraatz, l. c. p. 68. „
- ⊥ — *cruciatus* Kraatz, l. c. p. 69, 76, t. 1, f. 25.
 ab. *inapicalis* Pic, Echange XXVI, 1910, p. 18, 27.
 ab. *Korbi* Pic, l. c.
 ab. *Kraatzi* Ganglb. in Marscul, Cat. Col. 1889, Mongolei
 p. 468.
- duodecimmaculatus* Solsky, Horae Soc. Ent. Ross. VII, 1871, p. 397. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 69, t. 1, f. 24.
 ab. *marginialis* Motsch. Bull. Moscou XLIX, 1, Sibirien
 1875, p. 139.
 ab. *obsidianus* Motsch. l. c. p. 140. Mongolei
- serriicornis** Gebl. Bull. Phys. Acad. St. Petersburg. I, 1843, Alakulsee
 p. 39.
spinicornis Gebl. Bull. Moscou XXXII, 1859, p. 349.
- Solskyi** Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, Baikal
 p. 71, 76, t. 1, f. 15.
- ab. *obscuripennis* Pic, Longic. III, 1, 1900, p. 6. Sibirien
- variabilis** Gebl. Mém. Moscou V, 1817, p. 320; Bull. Westsibirien
 Moscou XXI, 1, 1848, p. 415. — Muls. Col. Fr. Long. ed. 2, 1863, p. 482. — Solsky, Horae Soc. Ent. Ross. VII, 1871, p. 398. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 74, 76, t. 1, f. 12, 13. — Ganglb. Best.-Tab. VII, 1881, p. 35 (713).
- ab. *altaicus* Ganglb. in Mars. Cat. Col. 1889, Altai
 p. 467.
- ab. *comosus* Solsky, Horae Soc. Ent. Ross. VII, Sibirien
 1871, p. 400. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 73.
- ab. *constrictus* Germ. Ins. spec. nov. 1824, p. 520. „
 — Ganglb. Münch. Kol. Zeitschr. I, 1903, p. 154.
- ab. *semifulvus* Pic, Echange XVI, 1900, p. 82. „
 var. *Borni* Ganglb. Münch. Kol. Zeitschr. I, 1903, Alpen
 p. 151. — Pic, Longic. IV, 2, 1903, p. 10.
- ab. *Guerryi* Pic, Echange XXII, 1906, p. 86; „
 Longic. VI, 2, 1907, p. 5.
- ab. *notatipennis* Pic, Echange XXII, 1906, „
 p. 86; Longic. VI, 2, 1907, p. 5.

- var. *Rosti* Pic, Echange XVI, 1900, p. 82; Longic. III, 3, 1901, p. 16; IV, 2, 1903, p. 10. Kaukasus
 ab. *brevinotatus* Pic, Longic. III, 3, 1901, p. 16. „
 var. *scapularis* Mannerh. Bull. Moscou XX, 1, Ostsibirien
 1849, p. 245. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 72, t. 1, f. 14. — Ganglb. Münch. Kol. Zeitschr. I, 1903, p. 153.
 ab. *striolatus* Gebl. Mém. Moscou V, 1817, „
 p. 330. — Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 236. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 73.
mutabilis Motsch. Bull. phys. Acad. St. Petersb. XVII, 1859, p. 571; Mél. Biolog. III, 1859, p. 233.

Nearktische Arten.

Leng, Entomol. Amer. VI, 1890, p. 97—98 (Synopsis).

- lituratus* Kirby, Fauna Bor.-Amer. IV, 1837, p. 178. Nordamerika
 — Mannerh. Bull. Moscou XXV, 1, 1852, p. 367.
 — Leng, Synopsis. p. 97. — Wickh. Canad. Ent. XXIX, 1897, p. 171.
nitens J. Lec. in Agass. Lake Sup. 1850, p. 235; Journ. Acad. Philad. (2) I, 1850, p. 319.
monticola Rand. Bost. Journ. II, 1838, p. 27. — J. Lec. Maine, Mass.,
 in Agass. Lake Sup. 1850, p. 235, t. 8, f. 12 a, b. New York,
 — Leng, Synopsis. p. 97. — Wickh. Canad. Ent. Canada
 XXIX, 1897, p. 171.
rugipennis Newm. Zoolog. II, 1844, p. 476. — J. Lec. Canada
 Smiths. Misc. Coll. XI, 264, 1873, p. 207. —
 Leng, Synopsis. p. 97. — Wickh. Canad. Ent. XXIX, 1897, p. 170.
spureus J. Lec. Entom. Report 1857, p. 63. — Leng, Californien,
 Synopsis. p. 97, 98. Nevada,
cervinus Walk. Natural. Vancouv. II, 1866, p. 332. Vancouver-
 insel

17

Acanthoptura Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 224.

- spinipennis* Fairm. l. c. Thibet
 1

Acmaeops J. Lec.

J. Lec. in Agass. Lake Sup. 1850, p. 235; Journ. Acad. Philad. (2) I, 1850, p. 321. — Muls. Col. Fr. Long. ed. 2, 1863, p. 491. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 186. — Lacord. Gen. Col. VIII, 1869, p. 441. — Ganglb. Best.-Tab. VII, 1881, p. 6 (686). — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 184. — Stierl. Col. Helvet. II, 1898, p. 477. — Everts, Col. Neerl. II, 1, 1901, p. 351. — Csiki, Rov. Lapok X, 1903, p. 101. — Houlb. Faune Armor. Ceramb. 1904, p. 16, 29.

Subgen. *Dinoptera* Muls. Col. Fr. Long. ed. 2, 1863, p. 494.

Pachyta Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 264. — Serv. Ann. Soc. Ent. Fr. IV, 1835, p. 215. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 544.

Subgen. *Pseudodinoptera* Pic, Echange XVI, 1900, p. 82.

Paläarktische Arten.

Pic, Longic. III, 3, 1901, p. 22—25 (Synopsis).

Subgen. *Acmaeops* s. str.

- alpestris* Pic, Longic. II, 1898, p. 511; Synops. p. 25. Seealpen
angusticollis Gebl. Bull. Moscou VI, 1833, p. 304; XXI, Ostsibirien
 1, 1848, p. 411. — Pic, Synops. p. 24.
- anthracina* Mannerh. l. c. XXII, 1, 1849, p. 246. „
- brachyptera* Daniel, Col. Stud. II, 1899, p. 73. — Pic, Turkestan
 Synops. p. 24.
- marginata* F. Spec. Ins. I, 1781, p. 247. — Panz. Fauna Nordeuropa,
 Ins. Germ. LXIX, 1799, t. 17. — C. G. Thoms. Schlesien,
 Skand. Col. VIII, 1866, p. 62. — Ganglb. Best.- Sibirien
 Tab. VII, 1881, p. 33 (711). — Seidl. Fauna
 Balt. ed. 2, 1891, p. 743; Fauna Transs. 1891,
 p. 237. — Pic, Synops. p. 24.
- ab. *spadicea* Schilsky, Deutsche Ent. Zeitschr.
 1888, p. 189.
- ✓ *pratensis* Laich. Verz. Tyr. Ins. II, 1784, p. 172. — Gebirgs-
 Muls. Col. Fr. Longic. ed. 2, 1863, p. 492. — genden
 Fairm. Gen. Col. d'Eur. IV, 1864, t. 57, f. 271. von Nord-
 — Ganglb. Best.-Tab. VII, 1881, p. 33 (711). und Mittel-
 — Leng, Ent. Amer. VI, 1890, p. 106, 109. — europa,
 — Seidl. Fauna Balt. ed. 2, 1891, p. 743; Fauna Sibirien,
 Transs. 1891, p. 837. — Stierl. Col. Helvet. II, Nord-
 1898, p. 478. — Pic, Synops. p. 24. — Csiki, amerika
 Rov. Lapok X, 1903, p. 118.
- fulvipennis* Mannerh. Bull. Moscou XXVI, 1853,
 p. 251.
- lateralis* Estlund, Vet. Acad. Nya Handl. XVII,
 1796, p. 127, t. 5, f. 1.
- longiceps* Kirby, Fauna Bor.-Amer. IV, 1837,
 p. 187.
- partensis* Jacobs. Käfer Russl. 1910, t. 63, f. 20.
- semimarginata* Randall, Bost. Journ. II, 1838,
 p. 20.
- strigilata* F. Ent. Syst. I, 2, 1792, p. 341. —
 Payk. Fauna Succ. III, 1800, p. 112. — Germ.
 Fauna Ins. Eur. XII, 1825, t. 11. — Gyllenh.
 Ins. Succ. I, 4, 1827, p. 23. — Zett. Fauna Ins.
 Lapp. I, 1828, p. 380. — C. R. Sahlb. Ins.
 Fenn. II, 1839, p. 286. — Muls. Col. Fr. Long.
 1839, p. 246. — Redt. Fauna Austr. 1849, p. 505;
 ed. 2, 1858, p. 873; ed. 3, II, 1874, p. 432. —
 J. Lec. in Agass. Lake Sup. 1850, p. 325; Journ.
 Acad. Philad. (2) I, 1850, p. 323. — C. G. Thoms.
 Skand. Col. VIII, 1866, p. 59.
- ab. *obscuripennis* Pic, Synops. p. 24.
- ab. *suturalis* Muls. Col. Fr. Long. 1839, p. 246.
 — Blessig. Horae Soc. Ent. Ross. IX, 1873,
 p. 241. — Pic, Synops. p. 24.
- ustulata* Motsch. Schrenck's Reise, Col. 1860,
 p. 148.
- Biologie: Xamheu, Natural. XV, 1893, p. 224;
 Ann. Soc. Linn. Lyon XLIV, 1898, p. 12; Moeurs
 & Mét. VII, 1899, p. 4; VIII, 1902, p. 111.

- T
septentrionis C. G. Thoms. Skand. Col. VIII, 1866, p. 61.
 — Kraatz, Berl. Ent. Zeitschr. XII, 1868, p. 304.
 — Ganglb. Best.-Tab. VII, 1881, p. 33 (711).
 — Seidl. Fauna Balt. ed. 2, 1891, p. 743; Fauna
 Transs. 1891, p. 837. — Stierl. Col. Helvet. II,
 1898, p. 478. — Pic, Synops. p. 25. — Csiki,
 Rov. Lapok X, 1903, p. 118.
marginata Naezen, Vet. Akad. Nya Handl. XV,
 1794, p. 271, t. 9, f. 4. — C. R. Sahlb. Ins. Fenn.
 II, 1839, p. 288.
smaragdula var. c Zett. Fauna Ins. Lapp. I, 1828,
 p. 379.
T — ab. *simplonica* Stierl. Mitth. Schweiz. Ent. Ges.
 V, 1880, p. 550; Col. Helvet. II, 1898, p. 478.
 — Pic, Synops. p. 25. — Csiki, Rov. Lapok X,
 1903, p. 118.
T ✓ **smaragdula** F. Ent. Syst. I, 2, 1792, p. 342. — Ol. Ent.
 IV, 73, 1795, p. 10, t. 3, f. 28. — Payk. Fauna
 Suec. III, 1800, p. 118. — Quens. in Acerbi,
 Travels II, 1802, p. 254, t. 3, f. 11. — Latr.
 Hist. Nat. Crust. Ins. XI, 1804, p. 314. —
 Gyllenh. Ins. Suec. I, 4, 1827, p. 28. — Zett.
 Fauna Ins. Lapp. I, 1828, p. 379. — C. R. Sahlb.
 Ins. Fenn. II, 1839, p. 287. — Muls. Col. Fr.
 Long. ed. 2, 1863, p. 494. — C. G. Thoms. Skand.
 Col. VIII, 1866, p. 60. — Ganglb. Best.-Tab.
 VII, 1881, p. 33 (711). — Seidl. Fauna Balt. ed. 2,
 1891, p. 743; Fauna Transs. 1891, p. 837. —
 Stierl. Col. Helvet. II, 1898, p. 478. — Pic,
 Synops. p. 24.
smaragdina Näzen, Vet. Acad. Nya Handl. XIII,
 1792, p. 173, t. 7.
 ab. *morio* F. Ent. Syst. I, 2, 1792, p. 349. — Pic,
 Synops. p. 24.

Schweden,
 Finnland,
 Schweiz,
 Tirol,
 Sibirien

Subgen. **Dinoptera** Muls.

- T
collaris L. Syst. Nat. ed. 10, 1758, p. 398; Fauna Suec.
 ed. 2, 1761, p. 198. — Scop. Ent. Carn. 1763,
 p. 49. — F. Syst. Ent. 1775, p. 198. — Laich.
 Verz. Tyrol. Ins. II, 1784, p. 169. — Martyn,
 Engl. Ent. 1792, t. 27, f. 5. — Ol. Ent. IV,
 73, 1795, p. 27, t. 4, f. 44. — Payk. Fauna
 Suec. III, 1800, p. 126. — Marsh. Ent. Brit. I,
 1802, p. 349. — Latr. Hist. Nat. Crust. Ins.
 XI, 1804, p. 319. — Gyllenh. Ins. Suec. I, 4,
 1827, p. 32. — Steph. Ill. Brit. Ent. Mand. IV,
 1831, p. 265. — Herr.-Schaeff. Fauna Ins. Germ.
 CNVII, 1832, t. 5. — Muls. Col. Fr. Long.
 1839, p. 247; ed. 2, 1863, p. 495. — Redt. Fauna
 Austr. 1849, p. 505; ed. 2, 1858, p. 873; ed. 3,
 II, 1874, p. 432. — Bach, Käferfauna III, 1856,
 p. 47. — Schiödte, Nat. Tidskr. (3) II, 1864,
 p. 544. — C. G. Thoms. Skand. Col. VIII, 1866,
 p. 63. — Ganglb. Best.-Tab. VII, 1881, p. 33
 (711). — Bedel, Faune Col. Seine V, 1889, p. 11.
 — Fowler, Col. Brit. Isl. IV, 1889, p. 234, t. 122,
 f. 1. — Seidl. Fauna Balt. ed. 2, 1891, p. 743;

Europa,
 Sibirien,
 Kaukasus

Fauna Transs. 1891, p. 836. — Stierl. Col. Helvet. II, 1898, p. 478. — Pic, Synops. p. 23. — Everts, Col. Neerl. II, 1, 1902, p. 351. — Csiki, Rov. Lapok X, 1903, p. 117. — Houlb. Faune Armor. Ceramb. 1904, p. 29, f. 55. — Jacobs. Käfer Russl. 1910, t. 63, f. 19.

carneola Schrank, Fauna Boica I, 1798, p. 696.
ruficollis Degeer, Mém. Ins. V, 1775, p. 143.
silvestris Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 88.

ab. *morio* F. Ent. Syst. I, 2, 1792, p. 349.
 ab. *nigricollis* Muls. Col. Fr. Long. 1839, p. 247. — Pic, Synops. p. 23. — Csiki, Rov. Lapok X, 1903, p. 117.

Biologie: Perris, Ann. Soc. Ent. Fr. (5) VI, 1876, p. 239; Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 373, f. 550—555. — Xambeu, Moeurs & Mét. VIII, 1902, p. 110.

criocerina Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 194.
japonica Pic, Long. VI, 2, 1907, p. 20.
minuta Gebl. Nouv. Mém. Mosc. II, 1832, p. 69. — Pic, Synops. p. 23.

Japan

" Ostsibirien

Subgen. *Pseudodinoptera* Pic.

daghestanica Pic, Natural. (2) XIX, 1897, p. 262; Echange XVI, 1900, p. 82; Synops. p. 23. Daghestan

Nearktische Arten.

J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 208—210 (Synopsis). — Leng, Ent. Amer. VI, 1890, p. 104—110 (Synopsis).

atra J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 323; Synops. p. 209. — Leng, Synops. p. 105, 106. Oregon, Nevada, Idaho, Washington

basalis J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 211; Synops. p. 209. — Leng, Synops. p. 105, 108. Californien, Nevada, Washington

bivittata Say, Journ. Acad. Philad. III, 1823, p. 416. — J. Lec. Synops. p. 209. — Leng, Synops. p. 105, 106. — Wickh. Canad. Ent. XXIX, 1897, p. 172, f. 27. Nordamerika

incerta Bland, Proc. Amer. Ent. Soc. Philad. II, 1864, p. 321. — Horn, l. c. VIII, 1880, p. 11.

ab. *fusciceps* J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 324. — Leng, Synops. p. 106.

ab. *nigripennis* J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 323. — Leng, Synops. p. 106.

ab. *varians* J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 324. — Leng, Synops. p. 106.

californica J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 101. Oregon, Colorado, Nevada, Californien

ab. *fusca* J. Lec. Ent. Report 1857, p. 62.

ab. *lugens* J. Lec. l. c.

ab. *mollipilosa* J. Lec. Proc. Acad. Philad. XII, 1860, p. 321.

- ab. subcyanea* J. Lec. Ent. Report 1857, p. 63.
ab. tumida J. Lec. l. c.; Synops. p. 209. — Leng, Synops. p. 105, 107.
ab. viola J. Lec. Proc. Acad. Philad. XII, 1860, p. 321. — Leng, Synops. p. 105, 107.
- discoidea** Hald. Trans. Amer. Phil. Soc. (2) X, 1847, p. 60. Michigan bis
 — J. Lec. in Agass. Lake Sup. 1850, p. 235; Pennsylvanien
 Journ. Acad. Philad. (2) I, 1850, p. 323; Synops. p. 210. — Leng, Synops. p. 106, 109.
- falsa** J. Lec. Proc. Acad. Philad. 1859, p. 80; Synops. Californien
 p. 210. — Leng, Synops. p. 106, 109.
- longicornis** Kirby, Fauna Bor.-Amer. IV, 1837, p. 185. — Weststaaten
 J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 321; Nord-amerikas
 Synops. p. 209. — Leng, Synops. p. 105, 107. — Wickh. Canad. Ent. XXIX, 1897, p. 172.
- ligata* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 211. — Leng, Synops. p. 105, 108. — Casey, Ann. N. York Acad. VI, 1891, p. 38.
- ab. marginalis* J. Lec. Ent. Report 1857, p. 28.
 var. *vincta* J. Lec. Proc. Acad. Philad. XIII, 1861, p. 356. — Leng, Synops. p. 105, 107.
- lupina** J. Lec. Proc. Acad. Philad. XII, 1860, p. 321. — Oregon
 Casey, Ann. N. York Acad. VI, 1891, p. 38.
- militaris** J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 322; Oregon,
 Synops. p. 209. — Horn, Proc. Amer. Ent. Soc. Washington,
 XIII, 1886, p. 13. — Leng, Synops. p. 105, 108. Californien,
 ♂ *spuria* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Idaho
 p. 228.
- pinguis** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 209, Californien
 210. — Leng, Synops. p. 105, 107.
- pinicola** Schaeffer, Bull. Brookl. Inst. I, 1908, p. 341. Arizona
pratensis siehe unter den paläarktischen Arten! Nordamerika
- proteus** Kirby, Fauna Bor.-Amer. IV, 1837, p. 186. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 323; Synops. p. 210. — Leng, Synops. p. 106, 109. — Wickh. Canad. Ent. XXIX, 1897, p. 172. „
- gibbula* J. Lec. Proc. Acad. Philad. XIII, 1861, p. 356.
- sublineata* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 60.
- subaenea** J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 101; Californien
 Synops. p. 209. — Leng, Synops. p. 105, 107.
- subpilosa** J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 322; Weststaaten
 Synops. p. 209. — Leng, Synops. p. 105, 108. — Nord-amerikas,
 Casey, Ann. N. York Acad. VI, 1891, p. 38. — Canada
 Wickh. Canad. Ent. XXIX, 1897, p. 172.
- dorsalis* J. Lec. Col. of Kansas 1859, p. 21.
- thoracica** Hald. Trans. Amer. Philos. Soc. (2) X, 1847, Pennsylvanien,
 p. 60. — J. Lec. Synops. p. 208. — Leng, Synops. Massachusetts,
 p. 105, 106. Virginia
 Californien
- varipes** Casey, Ann. N. York Acad. VI, 1891, p. 38. — Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 174.
- vittata** Sweder. Vet. Acad. Nya Handl. VIII, 1787, p. 198. Östl. Staaten
 — Gmel. Syst. Nat. I, 4, 1790, p. 1875. Nord-amerikas
directa Newm. Entomol. I. 1841, p. 71. — J. Lec. Synops. p. 210. — Leng, Synops. p. 106, 108.

quadrivittata Schönh. Synon. Ins. I, 3, 1817, p. 497. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 322.

ab. *pallida* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 65.

31

Gaurotina Ganglb.

Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 49.

superba Ganglb. l. c. p. 50.

China: Gansu

1

Sachalinobia Jacobs.

Jacobson, Ann. Mus. Zool. St. Petersb. IV, 1899, p. 39.

Koltzei Heyd. Deutsche Ent. Zeitschr. XXXI, 1887, p. 304. Ostsibirien,

— Jacobs. l. c. 1902, p. 363; Käfer Russl. 1910, Sachalin

t. 67, f. 24.

retata Jacobs. Ann. Mus. Zool. St. Petersb. IV, 1899, p. 40.

1

Gaurotes J. Lec.

J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 324. — Thoms. Classif. Ceramb. 1860, p. 144, 156; Syst. Ceramb. 1864, p. 408. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 186. — Lacord. Gen. Col. VIII, 1869, p. 442. — Ganglb. Best.-Tab. VII, 1881, p. 7 (685). — F. Blanchard, Bull. Brookl. Ent. Soc. VII, 1884, p. 108. — Leng, Ent. Amer. VI, 1890, p. 65. — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 183. — Stierl. Col. Helvet. II, 1898, p. 471. — Everts, Col. Neerl. II, 1, 1902, p. 350. — Csiki, Rov. Lapok X, 1903, p. 101.

Anthophilax Thoms. Skand. Col. VIII, 1866, p. 59.

Carilia Muls. Col. Fr. Long. ed. 2, 1863, p. 489.

Paläarktische und ostasiatische Arten.

adelpa Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 47. Mongolei

Doris Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, Japan

p. 212.
cyanea Matsum. Thous. Ins. Japan III, 1908, nr. 708, t. 53, f. 7.

excellens Brancs. Berl. Ent. Zeitschr. XVIII, 1874, p. 230; Karpaten

XX, 1876, p. 316. — Ganglb. Best.-Tab. VII, 1881, p. 34 (712). — Seidl. Fauna Transs. 1891, p. 836. — Csiki, Rov. Lapok X, 1903, p. 117.

Fairmairei nom. nov.

donacioides Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, p. 59. China,
Moupin

splendens Jakowl. Horae Soc. Ent. Ross. XXVII, 1893, Transbaikalien

p. 444.
tuberculicollis Blanch. C. R. Acad. Scienc. Paris LXXII, 1871, p. 812. — Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 356; (6) IX, 1889, p. 59. Tibet,
China

Davidis Deyr. l. c. (5) VIII, 1878, p. 133, t. 3, f. 9.

- ussuriensis* Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 247. — Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 213. Amur
- ab. *donacioides* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 85. „
- virginea* L. Syst. Nat. ed. X, 1758, p. 398; Fauna Succ. ed. 2, 1761, p. 198. — F. Syst. Ent. 1775, p. 198. — Ol. Ent. IV, 73, 1795, p. 28, t. 2, f. 24. — Cederhj. Fauna Ingr. Prodr. 1798, p. 99. — Payk. Fauna Succ. III, 1800, p. 125. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 320. — Gyllenh. Ins. Succ. I, 4, 1827, p. 33. — Zett. Fauna Ins. Lapp. I, 1828, p. 378. — Herrich-Schaeffer, Fauna Ins. Germ. CXVII, 183?, t. 6. — Muls. Col. Fr. Long. 1839, p. 241; ed. 2, 1863, p. 490. — Cast. Hist. Nat. Ins. II, 1840, p. 502. — Redt. Fauna Austr. 1849, p. 505; ed. 2, 1858, p. 873; ed. 3, II, 1874, p. 432. — Bach, Käferfauna III, 1856, p. 47. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 57, f. 270. — Thoms. Skand. Col. VIII, 1866, p. 59. — Ganglb. Best.-Tab. VII, 1881, p. 34 (712). — Csiki, Rov. Lapok X, 1903, p. 117. — Jacobs. Käfer Russl. 1910, t. 63, f. 17.
- nigricollis* Seidl. Fauna Balt. ed. 2, 1891, p. 742; Fauna Transs. 1891, p. 836. — Stierl. Col. Helvet. II, 1898, p. 477. Gebirgsgegenden von Nord- und Mitteleuropa
- ab. *thalassina* Schrank, Enum. Ins. 1781, p. 160; Fauna Boica I, 2, 1798, p. 695. — Csiki, Rov. Lapok X, 1903, p. 117. Mitteleuropa, Sibirien
- aemula* Mannerh. Bull. Moscou XXV, 2, 1852, p. 306.
- nupta* Muls. Col. Fr. Long. 1839, p. 241.
- ruficollis* Solsky, Horae Soc. Ent. Ross. VII, 1871, p. 402.
- virginea* Seidl. Fauna Balt. ed. 2, 1891, p. 742; Fauna Transs. 1891, p. 836. — Stierl. Col. Helvet. II, 1898, p. 477.
- ab. *vidua* Muls. Col. Fr. Long. 1839, p. 242. Frankreich
- ab. *violacea* Degeer, Mém. Ins. V, 1775, p. 144. — Muls. Col. Fr. Long. 1839, p. 241.

Nearktische Arten.

- Leng, Ent. Amer. VI, 1890, p. 156 (Synopsis).
- abdominalis* Bland, Proc. Ent. Soc. Philad. I, 1862, p. 270. — Leng, Synops. p. 156. Virginien, Pennsylvanien
- Batesi* nov. nom. Mexico
- donacioides* Bates, Biol. C.-Amer. Col. V, 1880, p. 37, t. 4, f. 23.
- Cressoni* Bland, Proc. Ent. Soc. Philad. III, 1864, p. 69. — Leng, Synops. p. 156. Colorado, Nevada
- cyanipennis* Say, Journ. Acad. Philad. III, 1823, p. 423. — Leng, Synops. p. 156. — Wickh. Canad. Ent. XXIX, 1897, p. 172. Canada und die östl. Teile der Vereinigten Staaten
- ione* Newm. Entomolog. I, 1840, p. 30.
- Laportei* Guér. Icon. règne anim. Ins. 1844, p. 253, t. 46, f. 6.

Leonardi Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 60.

Servillei Serv. Ann. Soc. Ent. Fr. IV, 1835, p. 214.

Biologie: Felt, *Ins. aff. Trees* 1907, p. 454, fig.

maculosa Bates, Biol. C.-Amer. Col. V, 1885, p. 277.

multiguttata Bates, Trans. Ent. Soc. Lond. 1892, p. 158, t. 6, f. 2.

ochropus Bates, Biol. C.-Amer. Col. V, 1880, p. 37.

15

Mexico

„

„

Omphalodera Solsky.

Solsky, Horae Soc. Ent. Ross. IX, 1873, p. 244.

Puziloi Solsky, l. c. p. 245, t. 8, f. 5. — Kraatz, Deutsche Ostsibirien,

Ent. Zeitschr. XXIII, 1879, p. 86. — Jacobs.

Käfer Russl. 1910, t. 67, f. 5.

var. *flaviventris* Bates, Journ. Linn. Soc. Lond.

Zool. XVIII, 1884, p. 212.

1

Amur

Japan

Anthophylax J. Lec.

J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 326. — Lacord. Gen. Col. VIII,

1869, p. 443. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 313. —

Leng, Ent. Amer. VI, 1890, p. 65. — Horn, Ent. Amer. VI, 1890, p. 98 (Synopsis).

Anthophylax J. Lec. in Agass. Lake Sup. 1850, p. 236.

Argaleus (pars) J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 319.

attenuatus Hald. Trans. Amer. Philos. Soc. (2) X, 1847,

p. 59. — J. Lec. Journ. Acad. Philad. (2) I, 1850,

p. 319. — Horn, Synops. p. 98. — Wickh. Canad.

Ent. XXIX, 1897, p. 171.

Biologie: Youngs, Ent. News VIII, 1897, p. 192.

— Felt, *Ins. aff. Trees* 1907, p. 488, fig.

cyaneus Hald. Proc. Acad. Philad. III, 1845, p. 151.

malachiticus Hald. Trans. Amer. Philos. Soc. (2)

X, 1847, p. 64. — J. Lec. Journ. Acad. Philad. (2)

I, 1850, p. 326. — Horn, Synops. p. 98. —

Wickh. Canad. Ent. XXIX, 1897, p. 171.

Hofmani Beutenm. Bull. Amer. Mus. XIX, 1903, p. 518,

t. 49, f. 9, 10.

mirificus Bland, Proc. Ent. Soc. Philad. IV, 1865, p. 382.

— Horn, Synops. p. 98.

costaricensis Bates, Biol. C.-Amer. Col. V, 1885,

p. 277, t. 20, f. 1.

venustus Bland, Proc. Ent. Soc. Philad. IV, 1865,

p. 383.

subvittatus Casey, Ann. N. York Acad. VI, 1892, p. 37.

— Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896,

p. 173.

tenebrosus J. Lec. Smiths. Misc. Coll. XI, 264, 1873,

p. 208. — Horn, Synopsis p. 98.

Lake

Superior,

Virginia

Canada,

Massachu-

setts,

Pennsyl-

vania,

Michigan

Norcarolina

Colorado,

Idaho

Costarica

Colorado

Californien

- viridis* J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 326; in Agass. Lake Sup. 1850, p. 236. — Horn, Synops. p. 98. — Wickh. Canad. Ent. XXIX, 1897, p. 171. — Beutenm. Bull. Amer. Mus. XIX, 1903, p. 519, t. 49, f. 11.

7

Piodes J. Lec.

- J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 318. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 313.

- coriacea* J. Lec. Journ. Acad. Phil. (2) I, 1850, p. 318; Entom. Report 1857, p. 62, t. 2, f. 13. — Lacord. Gen. Col. IX, 1869, p. 233, nota 3. — Leng, Ent. Amer. VI, 1890, p. 110.

1

Rhondia Gah.

Gahan, Fauna Brit. Ind. Col. I, 1906, p. 79.

- pugnax* Dohrn, Stett. Ent. Zeit. XXXIX, 1878, p. 459. Nordindien,
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 80, Birma
f. 32.

1

Cortodera Muls.

Muls. Col. Fr. Long. ed. 2, 1863, p. 572. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 187. — Gangl. Best.-Tab. VII, 1881, p. 7 (685). — Bedel, Faune Col. Seine V, 1889, p. 6. — Reitter, Wien. Ent. Zeit. IX, 1890, p. 243—246 (Synopsis) — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 184; Fauna Transs. 1891, Gatt. p. 184. — Stierl. Col. Helvet. II, 1898, p. 471. — Pic, Feuill. Jeun. Nat. XXVIII, 1898, p. 77 (Synopsis). — Everts, Col. Neerl. II, 1, 1901, p. 351. — Csiki, Rov. Lapok X, 1903, p. 101. — Houlb. Faune Armor. Ceramb. 1904, p. 16.

- alpina* Ménétr. Cat. Rais. 1832, p. 230. — Fald. Fauna Transc. II, 1837, p. 312. t. 11, f. 3. — Faust, Horae Soc. Ent. Ross. XII, 1877, p. 331. — Ganglb. Best.-Tab. VII, 1881, p. 31 (709). — Reitter, Synops. p. 246. — Pic, Synops. p. 115. — Jacobs. Käfer Russl. 1910, t. 67, f. 15.
Beckeri Desbr. Opusc. Ent. I, 1875, p. 51. — L. Heyd. Deutsche Ent. Zeitschr. XX, 1876, p. 319. — Kraatz, l. c. XXI, 1877, p. 422.
tibialis Mars. Abeille XIV, 1876, Nouv. p. 103.
ab. confusa Reitter, Wien. Ent. Zeit. X, 1891, p. 34. — Pic, Synops. p. 113. Kaukasus
- analis* Gebl. Ledeb. Reise II, 2, 1830, p. 189. — Pic, Altai
Synops. p. 115.
♂ hirta Gebl. Ledeb. Reise II, 2, 1830, p. 190.
holosericea Gebl. Bull. Moscou XXI, 1, 1848, p. 423 (328).
- Birnbacheri* Pic, Synops. p. 111, 114. — Csiki, Rov. Lapok X, 1903, p. 139. Kroatien,
Steiermark
ab. rubripes Pic, Synops. p. 111, nota 2. — Csiki, Rov. Lapok X, 1903, p. 139.

- circassica* Reitt. Synops. p. 245. — Pic, Synops. p. 112. Kaukasus
 ab. *obscuripes* Reitt. Synops. p. 245.
- T *colchica* Reitt. l. c. p. 246. — Pic, Synops. p. 112. „
 ab. *ordubadensis* Reitt. l. c. Araxesthal
 ab. *pygidialis* Reitt. Synops. p. 246. — Pic,
 Longic. II, 1898, p. 50; Synops. p. 112.
 ab. *rutilipes* Reitt. Synops. p. 246. „
- Deyrollei** Pic, Echange 1894, p. 66; Synops. p. 113. Kaukasus
discolor Fairm. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 277. Syrien,
 — Ganglb. Best.-Tab. VII, 1881, p. 31 (709). Kleinasien,
 — Reitt. Synops. p. 246. — Pic, Synops. p. 112. Griechenland
 Griechenland
- ab. *differens* Pic, Longic. II, 1898, p. 50; Synops. p. 112.
 ab. *testaceipes* Pic, l. c.
 var. *variipes* Ganglb. Stett. Ent. Zeit. LVIII, Angora
 1897, p. 53. — Pic, Synops. p. 112, 115.
- T **femorata** F. Mant. Ins. I, 1787, p. 159. — Payk. Fauna Schweden,
 Succ. III, 1800, p. 127. — Gyllenh. Ins. Succ. Mittel-
 I, 4, 1827, p. 31. — Thoms. Skand. Col. VIII, europa
 1866, p. 64. — Ganglb. Best.-Tab. VII, 1881,
 p. 31 (709). — Reitt. Synops. p. 243. — Seidl.
 Fauna Balt. ed. 2, 1891, p. 743. — Stierl. Col.
 Helvet. II, 1898, p. 479. — Pic, Synops. p. 80;
 Longic. VIII, 1, 1911, p. 3.
- T — *fusca* Gmel. Syst. Nat. I, 4, 1790, p. 1868.
 ab. *flavipennis* Reitt. Synops. p. 243. — Pic, Frankreich,
 Longic. I, 1891, p. 8; Synops. p. 80. Deutsch-
 land
affinis Schilsky, Deutsche Ent. Zeitschr. 1892,
 p. 204. — Pic, Longic. II, 1898, p. 4.
 ab. *griseipes* Pic, Echange V, 1889, p. 55; VII,
 1891, p. 23; Longic. I, 1891, p. 8; Synops. p. 80. Frankreich
 ab. *monticola* Abeille, Ann. Soc. Ent. Fr. (4) X,
 1870, p. 88. — Bourg. Mitt. Schweiz. Ent. Ges. Frankreich,
 XI, 1909, p. 393. — Pic, Echange XXVII, 1911, Schweiz
 p. 161.
- T — ab. *suturifera* Reitt. Synops. p. 243. — Pic, Deutschland
 Synops. p. 80.
- T **fischtensis** Starek, Wien. Ent. Zeit. XIII, 1894, p. 11. Kaukasus
 — Pic, Longic. II, 1898, p. 50; Synops. p. 112.
- T **flavimana** Waltl, Isis 1838, p. 471. — L. Heyd. Deutsche Türkei,
 Ent. Zeitschr. XXI, 1877, p. 418. — Ganglb. Kleinasien
 Best.-Tab. VII, 1881, p. 32 (710); Stett. Ent.
 Zeit. LVIII, 1897, p. 52. — Reitt. Synops. p. 245.
 — Pic, Synops. p. 80.
- T — ab. *brachialis* Ganglb. Stett. Ent. Zeit. LVIII, Ungarn
 1897, p. 52. — Pic, Synops. p. 80.
- T — ab. *limbata* Ganglb. Stett. Ent. Zeit. LVIII, 1897, p. 52. — Pic, Synops. p. 80.
 var.? *nigrita* L. Heyd., Deutsche Ent. Zeitschr.
 XX, 1876, p. 318. — Pic, Synops. p. 80, 115.
- T — ab. *rufipes* Kraatz, Deutsche Ent. Zeitschr. XX,
 1876, p. 344. — Pic, Synops. p. 80.
fulvipes Reitt. Synops. p. 245.
- haemorrhoidalis** Pic, Synops. p. 114. Sibirien
 T **holosericea** F. Syst. Eleuth. II, 1801, p. 366. — Redt. Österreich,
 Fauna Austr. ed. 2, 1858, p. 879; ed. 3, II, Ungarn
 1874, p. 437. — Muls. Col. Fr. Long. ed. 2,

- 1863, p. 575. — L. Heyd. Deutsche Ent. Zeitschr. XX, 1876, p. 317, 318; XXI, 1877, p. 418. — Ganglb. Best.-Tab. VII, 1881, p. 31 (709). — Seidl. Fauna Transs. 1891, p. 837. — Reitt. Synops. p. 244. — Pic, Synops. p. 111. — Csiki, Rov. Lapok X, 1903, p. 138.
- ab. *pilosa* Pic, Longic. II, 1898, p. 50; Synops. p. 111.
- ab. *semitestacea* Pic, Longic. II, 1898, p. 50; Synops. p. 111.
- ab. *velutina* L. Heyd. Deutsche Ent. Zeitschr. XX, 1876, p. 318. — Pic, Synops. p. 111. — Csiki, Rov. Lapok X, 1903, p. 139.
- humeralis** Schaller, Schrift. Nat. Ges. Halle I, 1783, p. 297. — L. Heyd. Deutsche Ent. Zeitschr. XX, 1876, p. 317. — Ganglb. Best.-Tab. VII, 1881, p. 30 (708). — Bedel, Faune Col. Seine V, 1889, p. 12. — Seidl. Fauna Balt. ed. 2, 1891, p. 743; Fauna Transs. 1891, p. 837. — Reitt. Synops. p. 243. — Pic, Synops. p. 80. — Everts, Col. Neerl. II, 1, 1901, p. 352. — Csiki, Rov. Lapok X, 1903, p. 138. — Houlb. Faune Armor. Ceramb. 1904, p. 29, f. 54. Mitteleuropa
- quadriguttata* F. Mant. Ins. I, 1787, p. 159. — Herbst in Füessly, Archiv 1786, p. 171, t. 45, f. 13. — Ol. Ent. IV, 73, p. 28, t. 1, f. 2. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 320. — Redt. Fauna Austr. 1849, p. 510; ed. 2, 1858, p. 878; ed. 3, II, 1874, p. 437. — Bach, Käferfauna III, 1856, p. 53. — Muls. Col. Fr. Long. ed. 2, 1863, p. 573. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 58, f. 272. — Stierl. Col. Helvet. II, 1898, p. 478.
- quadrinotata* Gmel. Syst. Nat. I, 4, 1790, p. 1873.
- Schalleri* Gmel. l. c. p. 1874.
- Biologie; Lameere, Ann. Soc. Ent. Belg. XXIX, 1885, Bull. p. 63.
- var. *inhumeralis* Pic, Echange VIII, 1892, p. 140; Longic. II, 1898, p. 4; Synops. p. 80. Frankreich
- var. *Nicolasi* Bedel, Faune Col. Seine V, 1901, p. 421. „
- var. *spinosa* Muls. Col. Fr. Long. 1839, p. 290; ed. 2, 1863, p. 573. — Ganglb. Best.-Tab. VII, 1881, p. 30 (708). — Stierl. Col. Helvet. II, 1898, p. 479. „
- ab. *suturalis* F. Mant. Ins. I, 1787, p. 159. — Muls. Col. Fr. Long. 1839, p. 292. — Ganglb. Best.-Tab. VII, 1881, p. 30 (708). — Reitt. Synops. p. 243. — Seidl. Fauna Balt. ed. 2, 1891, p. 743; Fauna Transs. 1891, p. 837. — Pic, Longic. I, 1891, p. 8; Synops. p. 80. — Stierl. Col. Helvet. II, 1898, p. 479. — Csiki, Rov. Lapok X, 1903, p. 138.
- Kiesenwetteri** Pic, Longic. II, 1898, p. 49; Synops. p. 110. Südrussland
- longipilis** Pic, Longic. II, 1898, p. 50; Synops. p. 113. Syrien
- ab. *rubroformata* Pic, Longic. II, 1898, p. 50; Synops. p. 113. „
- ab. *tauricola* Pic, Longic. VII, 1, 1908, p. 3. „

- obscurans* Pic, Bull. Soc. Ent. Fr. 1892, p. 111; Ann. Soc. Ent. Fr. LXI, 1892, p. 415; Echange X, 1894, p. 116; Synops. p. 113. Syrien
- ab. *flavescens* Pic, Echange X, 1894, p. 116; Synops. p. 113. „
- ab. *fulvipennis* Pic, Longic. II, 1898, p. 50. „
- pseudomophilus* Reitt. Deutsche Ent. Zeitschr. 1889, p. 40; Synops. p. 246. — Pic, Synops. p. 110. Araxesthal
- pumila* Ganglb. Best.-Tab. VII, 1881, p. 32 (710). — Reitt. Synops. p. 244. — Pic, Synops. p. 79. Kaukasus
- ab. *caucasica* Pic, l. c. „
- ab. *nigripennis* Pic, Longic. II, 1898, p. 49; Synops. p. 79. „
- ab. *Tournieri* Pic, Echange XI, 1895, p. 75; Synops. p. 79. „
- Reitteri* Pic, Echange VII, 1891, p. 43; Synops. p. 111. Südrußland
- ab. *obscuripennis* Pic, Longic. II, 1898, p. 41; Synops. p. 111. Kaukasus
- ab. *separata* Pic, l. c.
- rubripennis* Pic, Echange VII, 1891, p. 102; Longic. II, 1898, p. 49; Synops. p. 110. Syrien
- ab. *obscura* Pic, Longic. II, 1898, p. 49; Synops. p. 110.
- semilivida* Pic, Bull. Soc. Ent. Fr. 1891, p. 193; Synops. p. 79. „
- var. *diversipes* Pic, Longic. II, 1898, p. 49; Synops. p. 79.
- Stareki* Reitt. Wien. Ent. Zeit. VII, 1888, p. 280; Synops. p. 244. — Pic, Synops. p. 113. Kaukasus
- ab. *parallela* Pic, l. c. p. 111, 113. „
- syriaca* Pic, Echange XVII, 1901, p. 90. Syrien
- umbripennis* Reitter, Synops. p. 245; Wien. Ent. Zeit. XI, 1892, p. 239. — Pic, Synops. p. 114. Kaukasus
- ab. *armeniaca* Pic, l. c. Armenien
- ab. *pallidipes* Pic, Longic. II, 1898, p. 49; Synops. p. 114. Sarepta
- var. *Rosti* Pic, Bull. Soc. Ent. Fr. 1892, p. 83; Synops. p. 114. Kaukasus
- ab. *xanthoptera* Pic, l. c. p. 115. Kleinasien
- flavipennis* Ganglb. Stett. Ent. Zeit. LVIII, 1897, p. 53. — Pic, Synops. p. 114, 115.
- villosa* L. Heyd. Deutsche Ent. Zeitschr. XX, 1876, p. 318. — Csiki, Rov. Lapok X, 1903, p. 138. Ungarn,
- Friwaldszkyi* L. Heyd. Deutsche Ent. Zeitschr. XX, 1876, p. 344. — Ganglb. Best.-Tab. VII, 1881, p. 31 (709). — Reitt. Synops. p. 245. — Seidl. Fauna Transs. 1891, p. 837. Niederösterreich

Sieversia Ganglb.

Ganglb. Horae Soc. Ent. Ross. XX, 1886, p. 134.

bicolor Ganglb. l. c.

Korea

Macropidonia Pic.

Pic, Bull. Mus. Paris VII, 1902, p. 339; Longic. IV, 1, 1902, p. 21, 22.

ruficollis Pic, Bull. Mus. Paris VII, 1902, p. 340, Longic. Japan
IV, 1, 1902, p. 22.

1

Pseudosieverisia Pic.

Pic, Echange XVIII, 1902, p. 19; Longic. IV, 1, 1902, p. 21, 22.

bicolor L. Heyd. Deutsche Ent. Zeitschr. 1886, p. 276. Amur
— Pic, Longic. IV, 1, 1902, p. 22.

rufa Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, "
p. 101. — Pic, Echange XVI, 1900, p. 81; Longic.
IV, 1, 1902, p. 22. — Jacobs. Käfer Russl.,
1910, t. 67, f. 11.

spectabilis Kraatz, Deutsche Ent. Zeitschr. XXIII, Patria?
1879, p. 228.

3

Pidonia Muls.

Muls. Col. Fr. Long. ed. 2, 1863, p. 570. — Fairm. Gen. Col. d'Eur.
IV, 1864, p. 188. — Ganglb. Best.-Tab. VII, 1881, p. 7 (685). — Seidl.
Fauna Balt. 1891, Gatt. p. 184. — Stierl. Col. Helvet. II, 1898, p. 471. —
Everts, Col. Neerl. II, 1, 1901, p. 352. — Pic, Longic. IV, 1, 1902, p. 21,
23. — Csiki, Rov. Lapok X, 1903, p. 101. — Houlb. Faune Armor.
Ceram. 1904, p. 30.

Grammoptera Thoms. Syst. Ceramb. 1864, p. 141, 408.

grisescens Pic, Echange V, 1889, p. 78; Longic. IV, Ural
1, 1902, p. 23.

lurida F. Ent. Syst. I, 2, 1792, p. 343. — Panz. Fauna Europa
Ins. Germ. LXIX, 1799, t. 16. — Muls. Col.
Fr. Long. 1839, p. 288; ed. 2, 1863, p. 571.
— Bach, Käferfauna III, 1856, p. 53. — Redt.
Fauna Austr. ed. 2, 1858, p. 878; ed. 3, II, 1874,
p. 437. — Fairm. Gen. Col. d'Eur. IV, 1864,
t. 59, f. 274. — Ganglb. Best.-Tab. VII, 1881,
p. 32 (710). — Seidl. Fauna Balt. ed. 2, 1891,
p. 742; Fauna Transs. 1891, p. 836. — Stierl. Col.
Helvet. II, 1898, p. 471. — Everts, Col. Neerl.
II, 1, 1901, p. 352. — Pic, Longic. IV, 1, 1902,
p. 23. — Csiki, Rov. Lapok X, 1903, p. 139.
— Houlb. Faune Armor. Ceramb. 1904, p. 30,
f. 55. — Jacobs. Käfer Russl. 1910, t. 64, f. 1.

rufithorax Pic, Longic. IV, 1, 1902, p. 23.

ab. **suturalis** Ol. Enc. méth. Ins. VII, 1792,
p. 521; Ent. IV, 73, 1795, p. 33, t. 4, f. 49. —
Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 321.
— Pic, Longic. IV, 1, 1902, p. 23.

Ganglbaueri Ormay, Wien. Ent. Zeit. VII,
1888, p. 168. — Csiki, Rov. Lapok X, 1903,
p. 139.

2

Pseudopidonia Pic.

Pic, Echange XVI, 1900, p. 81; Longic. IV, 1, 1902, p. 21, 23 (Synopsis).

- ✓ *aegrota* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, Japan
1884, p. 214. — Pic, Synops. p. 23, 26.
- ✓ *alticollis* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, Amur
p. 103. — Pic, Synops. p. 25, 26.
- ✓ *amentata* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, Japan
1884, p. 215. — Pic, Synops. p. 25, 27.
- ✓ *amurensis* Pic, Echange XVI, 1900, p. 81; Synops. Amur
p. 24, 27.
- ✓ *Bouvieri* Pic, Bull. Mus. Paris VII, 1902, p. 339; Synops. Japan
p. 23, 26.
- ✓ *debilis* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, Amur
p. 104. — Pic, Synops. p. 23, 26.
- ✓ *discoidalis* Pic, Bull. Mus. Paris VI, 1901, p. 58; Synops. Japan
p. 24 nota, 25, 27.
- ✓ *gibbicollis* Blessig, Horae Soc. Ent. Ross. IX, 1873, Amur
p. 258. — Kraatz, Deutsche Ent. Zeitschr.
XXIII, 1879, p. 87. — Pic, Synops. p. 25, 27.
- ✓ *grallatrix* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, Japan
1884, p. 214. — Pic, Synops. p. 25, 27.
- ✓ *Harmandi* Pic, Bull. Mus. Paris VI, 1901, p. 58; Synops. „
p. 25, 27.
ab. *limbaticollis* Pic, l. c. p. 27.
- ✓ *insuturata* Pic, Bull. Mus. Paris VI, 1901, p. 59; Synops. „
p. 24, 26.
ab. *brevinotata* Pic, l. c. p. 24.
- ✓ *lineatocollis* Pic, l. c. p. 24. „
- ✓ *maculithorax* Pic, Bull. Mus. Paris VII, 1902, p. 338; „
Synops. p. 24, 27.
- ✓ *malthinoides* Kraatz, Deutsche Ent. Zeitschr. XXIII, Amur
1879, p. 104, t. 1, f. 11. — Pic, Synops. p. 25, 27.
- ✓ *pieta* Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 51. Mongolei
— Pic, Synops. p. 25, 26.
- ✓ *signifera* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, Japan
1884, p. 215. — Pic, Synops. p. 24, 27.
ab. *mutata* Bates, Journ. Linn. Soc. Lond. Zool. „
XVIII, 1884, p. 215. — Pic, Synops. p. 27.
ab. *obscurior* Pic, l. c. p. 24, 27. „
ab. *semiobscura* Pic, Bull. Mus. Paris VII, 1902, „
p. 338; Synops. p. 24, 27.
- ✓ *similis* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, Amur
p. 102. — Pic, Synops. p. 25, 26.
- ✓ *Staudingeri* Pic, Echange XVII, 1901, p. 12; Synops. Japan
p. 25, 26.
- ✓ *Suvurovi* Baeckm. Rev. Russe d'Ent. III, 1903, p. 115. Amur
- ✓ *tristicula* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, „
p. 104. — Pic, Synops. p. 25, 26.

20

Fallacia Muls. et Rey.

Muls. & Rey, Opusc. Ent. XIII, 1863, p. 180 (Ann. Soc. Linn. Lyon (2)
X, 1863, p. 180).

elegans Fald. Fauna Transc. II, 1837, p. 319, t. 11, f. 7, 8. Kaukasus
— Ganglb. Best.-Tab. VII, 1881, p. 32 (710).

- Pic, Longic. III, 3, 1901, p. 16. — Jacobs. Käfer Russl. 1910, t. 67, f. 17.
longicollis Muls. & Rey, Opusc. Ent. XIII, 1863, p. 180. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 279.
 ab. *inapicalis* Pic, Longic. III, 3, 1901, p. 16. Kaukasus
 ab. *Lederi* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 280. — Pic, Longic. III, 3, 1901, p. 16. "
 ab. *mingrelica* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 279. — Pic, Longic. III, 3, 1901, p. 16. "
 ab. *subnotata* Pic, l. c. "
 1

Nivellia Muls.

Muls. Col. Fr. Long. ed. 2, 1863, p. 564. — Ganglb. Best.-Tab. VII, 1881, p. 29 (707). — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 184. — Csiki, Rov. Lapok X, 1903, p. 102.

- sanguinosa* Gyllenh. Ins. Suec. I, 4, 1827, p. 21. — Schweden,
 C. R. Sahlb. Ins. Fenn. II, 1839, p. 285. — Finnland,
 Bach, Käferfauna III, 1856, p. 52. — Redt. Ost-
 Fauna Austr. ed. 2, 1858, p. 876; ed. 3, II, 1874, preussen,
 p. 435. — Muls. Col. Fr. Long. ed. 2, 1863, Schlesien,
 p. 564. — C. G. Thoms. Skand. Col. VIII, 1866, Karpaten,
 p. 67. — Ganglb. Best.-Tab. VII, 1881, p. 30 Sibirien
 (708). — Seidl. Fauna Balt. ed. 2, 1891, p. 742; Fauna Transs. 1891, p. 836. — Csiki, Rov. Lapok X, 1903, p. 140. — Jacobs. Käfer Russl. 1910, t. 67, f. 2.
Kratteri Hampe, Verh. zool.-bot. Ver. Wien II, 1852, p. 67.
Sacheri Wolfner, Lotos II, 1852, p. 93.
 ab. *extensa* Gebl. Bull. Moscou XIV, 1841, p. 613. Sibirien
 — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 87.

1

Cornumutula Letzn.

- Letzner, Arb. Schles. Ges. vaterl. Kult. 1843, p. 173.
Letzneria Kraatz, Zeitschr. Ent. Breslau (2) VII, 1879, p. 63. — Ganglb. Best.-Tab. VII, 1881, p. 7 (685). — Seidl. Fauna Transs. 1891, Gatt. p. 184. — Csiki, Rov. Lapok X, 1903, p. 101.
lineata Letzn. Arb. Schles. Ges. vaterl. Kult. 1843, Schlesien,
 p. 173; LXII, 1884, p. 344. — Bach, Käfer- Karpaten,
 fauna III, 1856, p. 54. — Muls. Col. Fr. Long. Russland
 ed. 2, 1863, p. 572. — Ganglb. Best.-Tab. VII, 1881, p. 18 (696). — Seidl. Fauna Transs. 1891, p. 837. — Csiki, Rov. Lapok X, 1903, p. 140. — Jacobs. Käfer Russl. 1910, t. 67, f. 4.
 ab. *flavescens* Letzn. Arb. Schles. Ges. vaterl. Kult. LXII, 1884, p. 345.
 ab. *nigrescens* Letzn. l. c.
 ab. *nigropicea* Letzn. l. c. p. 346.

- var. *Weisi* L. Heyd. Deutsche Ent. Zeitschr. Tirol
1891, p. 389.
quadrivittata Gebl. Ledeb. Reise II, 2, 1830, p. 193; Sibirien
Bull. Moscou XXI, 1, 1848, p. 420. — L. Heyd.
Deutsche Ent. Zeitschr. 1891, p. 389.

2

Strangalomorpha Solsky.

- Solsky, Horae Soc. Ent. Ross. IX, 1873, p. 253. — Bates, Journ. Linn.
Soc. Lond. Zool. XVIII, 1884, p. 221.

- aenescens* Bates, l. c. Japan
tenuis Solsky, Horae Soc. Ent. Ross. IX, 1873, p. 254. Amur,
— Kraatz, Deutsche Ent. Zeitschr. XXIII, Mongolei
1879, p. 86. — Jacobs. Käfer Russl. 1910, t. 67,
f. 16.

var. *signaticornis* Ganglb. l. c. XXIV, 1889, p. 52.

2

Dokhtouroffia Ganglb.

Ganglb. Horae Soc. Ent. Ross. XX, 1886, p. 129.

- nebulosa* Gebl. Bull. Acad. St. Petersb. III, 1845, p. 105; Sibirien
Bull. Moscou XXII, 1, 1860, p. 31. — Pic, Longic.
VI, 1, 1906, p. 7. — Jacobs. Käfer Russl. 1910,
t. 67, f. 12.

turkestanica Ganglb. Horae Soc. Ent. Ross. XX, Kuldja
1886, p. 129.

1

Eustrangalis Bates.

Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 221.

- distenoides* Bates, l. c. p. 222, t. 1, f. 4. — Matsum. Japan
Thous. Ins. Jap. III, 1908, nr. 706, t. 53, f. 5.

1

Grammoptera Serv.

Serv. Ann. Soc. Ent. Fr. IV, 1835, p. 215. — Muls. Col. Fr. Long. 1839,
p. 289; ed. 2, 1863, p. 575. — Redt. Fauna Austr. 1849, p. 509; ed. 2,
1858, p. 877; ed. 3, II, 1874, p. 436. — Fairm. Gen. Col. d'Eur. IV, 1864,
p. 187. — C. G. Thoms. Skand. Col. VIII, 1866, p. 65. — Ganglb. Best.-
Tab. VII, 1881, p. 7 (685). — Fowler, Col. Brit. Isl. IV, 1890, p. 241. —
Seidl. Fauna Balt. ed. 2, 1891, p. 744; Fauna Transs. 1891, p. 838. —
Stierl. Col. Helvet. II, 1898, p. 479. — Everts, Col. Neerl. II, 1, 1901, p. 352.
— Houb. Faune Armor. Ceramb. 1904, p. 16, 38.

Fallaciomorpha Pic, Cat. Longic. 1900, p. 37; Longic. VI, 1,
1906, p. 7.

Fallacioforma Pic, l. c.

- angustata* Pic, Abeille XXVII, 1892, p. 289; Longic. Algier
II, 1898, p. 15.

- auricollis* Muls. & Rey, Opusc. Ent. XIII, 1863, p. 183 „
(Ann. Soc. Linn. Lyon (2) X, 1863, p. 183).
— Pic, Abeille XXVII, 1892, p. 290.

- ab. *lucidipes* Pic, Abeille XXVII, 1892, p. 290; Longic. II, 1898, p. 8. Algier
- chalybeella* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 216. Japan
- holomelina* Pool, Ent. Rec. XVII, 1905, p. 133. — Donisth. l. c. p. 182. — Champ. Ent. Monthly Mag. (2) XXI, 1910, p. 71. England
- ingrica* Baeckm. Ann. Mus. Zool. St. Petersburg. VII, 1902, p. 280, VIII, 1903, p. VIII. — Jacobs. Käfer Russl. 1910, t. 67, f. 3. Ingermanland
- Merkli** Frivald. Term. Füzet. VIII, 1884, p. 4. Kleinasien
- rufficornis* F. Spec. Ins. I, 1781, p. 247. — Rossi, Fauna Etrusca I, 1790, p. 164. — Sturm, Verz. Ins. 1796, p. 51, t. 2, f. 9. — Payk. Fauna Suec. III, 1800, p. 127. — Gyllenh. Ins. Suec. I, 4, 1827, p. 8. — Germ. Fauna Ins. Europ. XII, 1825, t. 12. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 263. — Muls. Col. Fr. Long. 1839, p. 295; ed. 2, 1863, p. 577. — Steph. Man. Brit. Col. 1839, p. 279. — Redt. Fauna Austr. 1849, p. 510; ed. 2, 1858, p. 878; ed. 3, II, 1874, p. 437. — Bach, Käferfauna III, 1856, p. 52. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 545. — C. G. Thoms. Skand. Col. VIII, 1866, p. 66. — Ganglb. Best.-Tab. VII, 1881, p. 30 (708); Verh. zool.-bot. Ges. Wien XXXV, 1885, p. 546. — Bedel, Faune Col. Seine V, 1889, p. 13. — Fowler, Col. Brit. Isl. IV, 1890, p. 242, t. 123, f. 3. — Seidl. Fauna Balt. ed. 2, 1891, p. 744; Fauna Transs. 1891, p. 838. — Stierl. Col. Helvet. II, 1898, p. 480. — Everts, Col. Neerl. II, 1, 1901, p. 352. — Csiki, Rov. Lapok X, 1903, p. 205. — Houlb. Faune Armor. Ceramb. 1904, p. 39. Europa
- clavipes* Geoffr. in Fourcr. Ent. Paris I, 1785, p. 87.
- femorata* Ol. Ent. IV, 73, 1795, p. 31, t. 2, f. 15. — Marsh. Ent. Brit. I, 1802, p. 352. — Latr. Hist. Nat. Crust. Ins. XI, 1904, p. 321.
- laevis* Herbst in Füssly, Arch. V, 1784, p. 103.
- parisina* Thunb. Nov. Acta Upsal. IV, 1784, p. 16.
- pumila* Schaller, Schrift. Naturf. Ges. Halle I, 1783, p. 299.
- rufipes* Goeze, Ent. Beytr. I, 1777, p. 501.
- Biologie: Perris, Ann. Soc. Ent. Fr. (2) V, 1847, p. 551, t. 9, 2, f. 8—13. — Ganglb. Verh. zool.-bot. Ges. Wien XXXV, 1885, p. 516. — Portevin, Bull. Soc. Ent. Fr. 1891, p. 52. — Xambeau, Moeurs & Mét. VIII, 1902, p. 108.
- ab. *flavipes* Pic, Echange VIII, 1892, p. 139; Long. II, 1898, p. 8. Sicilien
- var. *obscuricornis* Kraatz in Radde, Fauna und Flora S. W. Caspigegeb. 1886, p. 234. Kaukasus
- ab. *pallipes* Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 263; Man. Brit. Col. 1839, p. 279. — Champ. Ent. Month. Mag. (2) XXI, 1910, p. 70. England, Irland
- ustulata* Schaller, Schrift. Nat. Ges. Halle I, 1783, p. 298. — Muls. Col. Fr. Long. ed. 2, 1863, p. 581. — Europa

Ganglb. Best.-Tab. VII, 1881, p. 30 (708). — Bedel, Faune Col. Seine V, 1889, p. 13. — Seidl. Fauna Balt. ed. 2, 1891, p. 744; Fauna Transs. 1891, p. 838. — Stierl. Col. Helvet. II, 1898, p. 480. — Everts, Col. Neerl. II, 1, 1901, p. 352. — Csiki, Rov. Lapok X, 1903, p. 205. — Houlb. Faune Armor. Ceramb. 1904, p. 38.

adusta Gmel. Syst. Nat. I, 4, 1790, p. 1872.

praeusta F. Mant. Ins. I, 1787, p. 159. — Ol. Ent. IV, 73, 1795, p. 34, t. 4, f. 52. — Panz. Fauna Ins. Germ. XXXIV, 1796, t. 17. — Fallén, Observ. Ent. I, 1802, p. 15. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 322. — Gyllenh. Ins. Suec. I, 4, 1827, p. 7. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 264. — Muls. Col. Fr. Long. 1839, p. 296. — Shuck. Brit. Col. 1840, p. 67, t. 79, f. 3. — Cast. Hist. Nat. II, 1840, p. 505. — Redt. Fauna Austr. 1849, p. 510; ed. 2, 1858, p. 878; ed. 3, II, 1874, p. 437. — Bach, Käferfauna III, 1856, p. 53. — Schiödte, Nat. Tidsskr. (3) II, 1864, p. 545. — C. G. Thoms. Skand. Col. VIII, 1866, p. 66. — Fowler, Col. Brit. Isl. IV, 1890, p. 243, t. 123, f. 4.

splendida Herbst in Füessly, Arch. V, 1784, p. 103.

Biologie: Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 384, f. 565—573. — Xambeu, Moeurs & Mét. VIII, 1902, p. 107.

ab. *Barrasi* Pic, Longic. III, 1, 1900, p. 6.

ab. *geniculata* Kraatz in Radde, Fauna und Flora S. W. Caspigegeb. 1886, p. 234.

ab. *tibialis* Kraatz, l. c.

Portugal
Spanien

Kaukasus

Mitteuropa

variegata Germ. Ins. spec. nov. 1824, p. 522. — Ganglb. Best.-Tab. VII, 1881, p. 30 (708). — Weise, Deutsche Ent. Zeitschr. XXVIII, 1884, p. 423. — Bedel, Faune Col. Seine V, 1889, p. 12. — Seidl. Fauna Balt. 1891, p. 744; Fauna Transs. 1891, p. 838. — Stierl. Col. Helvet. II, 1898, p. 480. — Everts, Col. Neerl. II, 1, 1901, p. 353. — Csiki, Rov. Lapok X, 1903, p. 205. — Houlb. Faune Armor. Ceramb. 1904, p. 39, f. 76 bis.

abdominalis Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 262; Man. Brit. Col. 1839, p. 279.

analis Herrich-Schaeffer, Fauna Ins. Germ. CXVIII, 183?, t. 6. — Muls. Col. Fr. Long. 1839, p. 294; ed. 2, 1863, p. 579. — Redt. Fauna Austr. 1849, p. 510; ed. 2, 1858, p. 878; ed. 3, II, 1874, p. 437. — Bach, Käferfauna III, 1856, p. 53. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 58, f. 273. — Fowler, Col. Brit. Isl. IV, 1890, p. 242, t. 123, f. 2.

femorata Muls. Col. Fr. Long. ed. 2, 1863, p. 580. Biologie: Xambeu, Moeurs & Mét. VIII, 1902, p. 109.

var.? *erythropus* Gebl. Bull. Moscou XIV, 1841, p. 612.

ab. *nigrescens* Weise, Deutsche Ent. Zeitschr. XXVIII, 1884, p. 423. — Pic, Longic. I, 1891, p. 16.

Sibirien

Frankreich,
Deutschland

- griseipes* Pic, Echange V, 1889, p. 55; VI, 1890, p. 156.
viridipennis Pic, Feuille Jeun. Natural. XXIII, 1893, p. 111; Longic. II, 1898, p. 16. ? Korsika

10

Alosterna Muls.

- Muls. Col. Fr. Long. ed. 2, 1863, p. 576. — Seidl. Fauna Balt. ed. 2, 1891, p. 743; Fauna Transs. 1891, p. 838. — Csiki, Rov. Lapok X, 1903, p. 102.
Allosterna Stierl. Col. Helvet. II, 1898, p. 479. — Everts, Col. Neerl. II, 1, 1901, p. 353. — Houlb. Faune Armor. Ceramb. 1904, p. 16.
- elegantula* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 105. Amur
- scapularis* L. Heyd. in Schneid. und Leder, Beitr. z. kauk. Käferfauna 1878, p. 325 (Verh. naturf. Ver. Brünn XVII, 1879, p. 69). Persien
 var. *ialyschensis* Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 391. Lenkoran
- tabacicolor* Degeer, Mém. Ins. V, 1775, p. 139. — Muls. Col. Fr. Long. ed. 2, 1863, p. 576. — C. G. Thoms. Skand. Col. VIII, 1866, p. 65. — Ganglb. Best.-Tab. VII, 1881, p. 22 (700). — Fowler, Col. Brit. Isl. IV, 1890, p. 242, t. 123, f. 1. — Seidl. Fauna Balt. ed. 2, 1891, p. 744; Fauna Transs. 1891, p. 838. — Stierl. Col. Helvet. II, 1898, p. 479. — Everts, Col. Neerl. II, 1, 1901, p. 353. — Csiki, Rov. Lapok X, 1903, p. 205. — Houlb. Faune Armor. Ceramb. 1904, p. 38, f. 75. — Kempers, Tijdschr. v. Ent. LII, 1909, p. 278, t. 13, f. 7. — Jacobs. Käfer Russl. 1910, t. 63, f. 21. Europa, Sibirien
chrysomeloides Schrank, Enum. Ins. 1781, p. 158.
Genii Gmel. Syst. Nat. I, 4, 1790, p. 1877.
laevis F. Ent. Syst. I, 2, 1792, p. 340. — Ol. Ent. IV, 73, 1795, p. 34, t. 4, f. 51. — Panzer, Fauna Ins. Germ. XXXIV, 1796, t. 16. — Estlund, Vet. Akad. Nya Handl. XVII, 1796, p. 127. — Payk. Fauna Succ. III, 1800, p. 128. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 322. — Marsh. Ent. Brit. I, 1802, p. 351. — Gyllenh. Ins. Succ. I, 4, 1827, p. 25. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 263. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 286. — Muls. Col. Fr. Long. 1839, p. 261. — Bach, Käferfauna III, 1856, p. 54. — Redt. Fauna Austr. ed. 2, 1858, p. 878; ed. 3, II, 1874, p. 437. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 546.
melanura var. b Müller, Zool. Dan. Prodr. 1776, p. 94.
solstitialis Herbst in Füessly, Arch. V, 1784, p. 103.
 Biologie: Xamheu, Ann. Soc. Linn. Lyon (2) XLIV, 1897, p. 56; Moeurs & Mét. VII, 1899, p. 48.
 var. *bivittis* Motsch. Schrenck's Reise, Col. 1860, p. 146, t. 9, f. 22. — Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 256. Sibirien, Kaukasus

- subvittata* Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 391.
 ab. *dispar* Pic, Echange VIII, 1892, p. 140; Longic. Alpen II, 1898, p. 8.
 var. *testacea* Motsch. Schrenck's Reise, Col. 1860, Daurien p. 146.
 3

Leptura L.

Linné, Syst. Nat. ed. 10, 1758, p. 397. — F. Syst. Ent. 1775, p. 196. — Ol. Ent. IV, 73, 1795, p. 1—4. — Payk. Fauna Suec. III, 1800, p. 101. — Marsh. Ent. Brit. I, 1802, p. 340. — Gyllenh. Ins. Suec. I, 4, 1827, p. 1. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 257. — Muls. Col. Fr. Long. 1839, p. 266; ed. 2, 1863, p. 536. — Redt. Gatt. deutsch. Käferf. 1845, p. 112. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 336. — Bach, Käferfauna III, 1856, p. 50. — Thoms. Classif. Ceramb. 1860, p. 143; Syst. Ceramb. 1864, p. 407. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 189. — C. G. Thoms. Skand. Col. VIII, 1866, p. 64. — Lacord. Gen. Col. VIII, 1869, p. 445. — Ganglb. Best.-Tab. VII, 1881, p. 7 (685). — Bedel, Faune Col. Seine V, 1889, p. 6. — Fowler, Col. Brit. Isl. IV, 1890, p. 235. — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 184. — Stierl. Col. Helvet. II, 1898, p. 472. — Everts, Col. Neerl. II, 1, 1901, p. 354. — Csiki, Rov. Lapok X, 1903, p. 102. — Houlb. Faune Armor. Ceramb. 1904, p. 31. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 81.

Corymbia Des Gozis, Recherche de l'espèce typique de qu. anc. genres, 1886.

Trigonarthris Hald. Trans. Amer. Phil. Soc. (2) X, 1847, p. 65.

- Subgen. *Anoplodera* Muls. Col. Fr. Long. 1839, p. 285; ed. 2, 1863, p. 565. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 190. — C. G. Thoms. Skand. Col. VIII, 1866, p. 66. — Ganglb. Best.-Tab. VII, 1881, p. 29 (707). — Seidl. Fauna Balt. ed. 2, 1891, p. 745; Fauna Transs. 1891, p. 839. — Stierl. Col. Helvet. II, 1898, p. 481. — Everts, Col. Neerl. II, 1, 1901, p. 354. — Csiki, Rov. Lapok X, 1903, p. 102.
- Subgen. *Anoploderomorpha* Pic, Bull. Mus. Paris VII, 1901, p. 59; Longic. III, 3, 1901, p. 28.
- Subgen. *Vadonia* Muls. Col. Fr. Long. ed. 2, 1863, p. 559. — Ganglb. Best.-Tab. VII, 1881, p. 27 (705). — Seidl. Fauna Balt. ed. 2, 1891, p. 745; Fauna Transs. 1891, p. 839. — Stierl. Col. Helvet. II, 1898, p. 481. — Everts, Col. Neerl. II, 1, 1901, p. 354.

Paläarktische und japanische Arten.

Subgen. *Anoplodera* Muls.

- abbreviata* Motsch. Bull. Mosc. XLIX, 1, 1875, p. 143. Daurien
nigroflava Fuss, Mitth. Siebenb. Nat. Ver. III, 1852, Siebenbürgen
 p. 75. — Friv. Termes. Füzet. I, 1877, p. 136.
 — Ganglb. Best.-Tab. VII, 1881, p. 29 (707).
 — Seidl. Fauna Transs. 1891, p. 839. — Csiki,
 Rov. Lapok X, 1903, p. 141.
- rufipes* Schaller, Schrift. Nat. Ges. Halle I, 1783, p. 296. Südschweden,
 — Preyßler in Mayer, Samml. Phys. Aufsätze Mittel-
 III, 1793, p. 276. — F. Syst. El. II, 1801, p. 358. europa
 — Gyllenh. Ins. Suec. I, 4, 1827, p. 27. —
 Herrich-Schaeffer, Fauna Ins. Germ. CXIX,
 183?, t. 18. — C. R. Sahlb. Ins. Fenn. II, 1839,
 p. 287. — Muls. Col. Fr. Long. 1839, p. 286;

ed. 2, 1863, p. 568. — Redt. Fauna Austr. 1849, p. 510; ed. 2, 1858, p. 878; ed. 3, II, 1874, p. 437. — Bach, Käferfauna III, 1856, p. 53. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 58, f. 280. — Ganglb. Best.-Tab. VII, 1881, p. 29 (707). — Bedel, Faune Col. Seine V, 1889, p. 14, 56. — Seidl. Fauna Balt. ed. 2, 1891, p. 745; Fauna Transs. 1891, p. 839. — Stierl. Col. Helvet. II, 1898, p. 481. — Everts, Col. Neerl. II, 1, 1901, p. 354. — Csiki, Rov. Lapok X, 1903, p. 140. — Houlb. Faune Armor. Ceramb. 1904, p. 31. — Jacobs. Käfer Russl. 1910, t. 64, f. 2.

atra var. Payk. Fauna Succ. III, 1800, p. 125.

ab. *astrabadensis* Pic, Echange XVI, 1900, p. 82. Astrabad
Europa

ab. *atra* Payk. Fauna Succ. III, 1800, p. 125.

fuscipes Muls. Col. Fr. Long. 1839, p. 287. — Pic, Longic. I, 1891, p. 9.

Krueperi Ganglb. Best.-Tab. VII, 1881, p. 29 (707). — Reitt. Deutsche Ent. Zeitschr. 1889, p. 375.

rufipes var. b Gyllenh. Ins. Succ. I, 4, 1827, p. 27.

villosa Schönh. Syn. Ins. I, 3, 1817, p. 486.

ab. *medea* Pic, Echange XXIV, 1909, p. 99; Longic. VII, 2, 1910, p. 2. Kaukasus

ab. *ventralis* L. Heyd. Deutsche Ent. Zeitschr. XXX, 1886, p. 85. „

rufiventris Tourn. Rev. et Mag. Zool. (2) XXIII, 1872, p. 348.

rufiventris Gebl. Ledeb. Reise II, 2, 1830, p. 193; Bull. Moscou XXI, 1, 1848, p. 421 (sep. p. 326).

♀ *maculata* Gebl. Bull. Mosc. XIV, 1841, p. 614.

sexguttata F. Syst. Ent. 1775, p. 198. — Herbst in Europa

Füessly, Archiv V, 1784, p. 102, t. 26, f. 25. — Rossi, Fauna Etr. I, 1790, p. 162. — Ol. Ent. IV, 73, 1795, p. 29, t. 2, f. 22. — Panz. Fauna Ins. Germ. LXIX, 1799, t. 22. — Payk. Fauna Succ. III, 1800, p. 119. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 320. — Gyllenh. Ins. Succ. I, 4, 1827, p. 25. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 262. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 287. — Muls. Col. Fr. Long. 1839, p. 285; ed. 2, 1863, p. 566. — Cast. Hist. Nat. II, 1840, p. 505. — Redt. Fauna Austr. 1849, p. 509; ed. 2, 1858, p. 877; ed. 3, II, 1874, p. 436. — Bach, Käferfauna III, 1856, p. 53. — C. G. Thoms. Skand. Col. VIII, 1866, p. 67. — Ganglb. Best.-Tab. VII, 1881, p. 29 (707). — Bedel, Faune Col. Seine V, 1889, p. 15, 57. — Fowler, Col. Brit. Isl. IV, 1890, p. 235, t. 122, f. 3. — Seidl. Fauna Balt. 1891, p. 745; Fauna Transs. 1891, p. 839. — Stierl. Col. Helvet. II, 1898, p. 481. — Everts, Col. Neerl. II, 1, 1901, p. 355. — Csiki, Rov. Lapok X, 1903, p. 140. — Houlb. Faune Armor. Ceramb. 1904, p. 31.

cincta Panz. Enum. Syst. Schaeff. Icon. 1804, p. 57.

Uddmanniana Harrer, Besch. Ins. Schaeff. I, 1784, p. 225.

ab. *atrata* Schilsky, Deutsche Ent. Zeitschr. 1889, Deutschland
p. 339. — Pic, Longic. II, 1898, p. 4.

- T** ab. *biguttata* Muls. Col. Fr. Long. 1839, p. 285. Mitteleuropa
 — Pic, Longic. II, 1898, p. 4.
bipustulata Rothenb. Ent. Blätter V, 1909,
 p. 190. — L. Heyd. l. c. p. 232.
- T** ab. *exclamationis* F. Ent. Syst. I, 2, 1792, p. 343. Europa
 — Ol. Ent. IV, 73, 1795, p. 29, t. 2, f. 19. —
 Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 320.
 — Muls. Col. Fr. Long. 1839, p. 285. — Ganglb.
 Best.-Tab. VII, 1881, p. 29 (707). — Seidl.
 Fauna Balt. ed. 2, 1891, p. 745; Fauna Transs.
 1891, p. 839. — Pic, Longic. II, 1898, p. 4.
 — Stierl. Col. Helvet. II, 1898, p. 481. — Everts,
 Col. Neerl. II, 1, 1901, p. 354. — Csiki, Rov.
 Lapok X, 1903, p. 140. — Houlb. Faune Armor.
 Ceramb. 1904, p. 31, f. 59.
punctatomaculata Marsh. Ent. Brit. I, 1802,
 p. 357.
semicolon Schrank, Fauna Boica I, 2, 1798, p. 694.
 ab. *guttata* Pic, Longic. II, 1898, p. 4.
 ab. *Landoisi* Pic, Cat. Longic. 1900, p. 25. Kabylien
 Westfalen

Subgen. *Anoploderomorpha* Pic.

- ✓** *cyanea* Gebl. Nouv. Mém. Moscou II, 1832, p. 70. — Ostsisibirien
 Jacobs. Käfer Russl. 1910, t. 67, f. 6.
excavata Bates, Journ. Linn. Soc. Lond. Zool. XVIII,
 1884, p. 217. Japan

Subgen. *Vadonia* Muls.

Daniel, Col.-Stud. I, 1891, p. 5—29 (Synopsis).

- atramentaria** Ganglb. Horae Soc. Ent. Ross. XXIV, Mongolei
 1889, p. 59.
bicolor Redt. Denkschr. Wien. Acad. I, 1850, p. 50. Persien,
 — Daniel, Synops. p. 5, 15. Kaukasus
Türki L. Heyd. Verh. Nat. Ges. Brünn XVII,
 1879, p. 70; Schneid. & Leder, Beitr. kauk.
 Käferf. 1879, p. 326. — Ganglb. Wien. Ent.
 Zeit. II, 1882, p. 139.
bipunctata F. Spec. Ins. I, 1781, p. 245. — Ganglb. Best.- Russland,
 Tab. VII, 1881, p. 28 (706), nota 1. — Daniel, Sibirien
 Synops. p. 19.
Fischeri Zoubk. Bull. Mosc. I, 1829, p. 268,
 t. 5, f. 9.
saucia Muls. Col. Fr. Long. ed. 2, 1863, p. 563.
 ab. *saucia* Muls. & God. Ann. Soc. Linn. Lyon
 (2) II, 1855, p. 282; Opusc. VI, 1855, p. 182.
 — Daniel, Synops. p. 19.
laterimaculata Motsch. Bull. Mosc. XLIX,
 1875, p. 142. — Daniel, Synops. p. 20.
bisignata Brullé, Expéd. Mor. III, 1832, p. 264, t. 43, Griechenland,
 f. 7. — Küster, Käf. Eur. IX, 1847, p. 76. — Syrien
 Ganglb. Best.-Tab. VII, 1881, p. 28 (706).
 — Daniel, Synops. p. 6, 26.
binotata Lefeb. Silberm. Rev. Ent. III, 1835,
 p. 306.
grandicollis Muls. Ann. Soc. Linn. Lyon (2) X,
 1863, p. 182.
 ab. *inapicalis* Pic, Rev. Bourb. 1897, p. 31. Griechenland

- bitlisiensis** Chevr. Ann. Soc. Ent. Fr. (6) II, 1882, p. 59. Syrien
 — Pic, l. c. (6) IX, 1889, Bull. p. 175. — Daniel,
 Synops. p. 5, 13.
- bistigmata** Pic, Ann. Soc. Ent. Fr. (6) IX, 1889,
 Bull. p. 176.
- ♀ **cribricollis** Pic, Echange V, 1889, p. 5.
 var. **armeniaca** Pic, Longie. IV, 2, 1903, p. 4. Armenien
- ciliciensis** Daniel, Synops. p. 5, 13. Taurus
- hirsuta** Daniel, l. c. p. 6, 18, 64. Rumänien
- imitatrix** Daniel, l. c. p. 6, 24. — Pic, Longie. II, 1898, Kroatien,
 p. 4. — Csiki, Rov. Lapok X, 1903, p. 162. Dalmatien
 — Müller, Verh. zool.-bot. Ges. Wien LVI,
 1906, p. 663.
- saucia** Ganglb. Best.-Tab. VII, 1881, p. 28 (706).
- instigmata** Pic, Ann. Soc. Ent. Fr. (6) IX, 1889, Bull. Armenien
 p. 176; Echange VII, 1891, p. 38. — Daniel,
 Synops. p. 5, 15.
- livida** F. Gen. Ins. 1776, p. 233. — Herbst in Füessly, Mittel- und
 Arch. V, 1784, p. 101, t. 26, f. 23. — Rossi, Südeuropa
 Fauna Etrusca I, 1790, p. 161. — Martyn, Engl. (fehlt in
 Entomol. 1792, t. 28, f. 13. — Ol. Ent. IV, 73, Schweden u.
 1795, p. 33, t. 4, f. 50. — Marsh. Ent. Brit. Finnland),
 I, 1802, p. 352. — Latr. Hist. Nat. Crust. Ins. Sibirien
 XI, 1804, p. 322. — Gyllenh. Ins. Suec. I, 4,
 1827, p. 24. — Steph. III. Brit. Ent. Mand.
 IV, 1831, p. 265. — Herrich-Schaeffer, Fauna
 Ins. Germ. CXVIII, 183?, t. 5. — C. R. Sahlb.
 Ins. Fenn. II, 1839, p. 286. — Muls. Col. Fr.
 Long. 1839, p. 282; ed. 2, 1863, p. 559. — Küster,
 Käfer Eur. VII, 1846, p. 77. — Redt. Fauna
 Austr. 1849, p. 509; ed. 2, 1858, p. 877; ed. 3,
 II, 1874, p. 436. — Bach, Käferfauna III, 1856,
 p. 52. — Schiödte, Nat. Tidskr. (3) II, 1864,
 p. 545. — Ganglb. Best.-Tab. VII, 1881, p. 28
 (706). — Bedel, Faune Col. Seine V, 1889, p. 14,
 57. — Fowler, Col. Brit. Isl. IV, 1890, p. 237,
 t. 122, f. 6. — Seidl. Fauna Balt. ed. 2, 1891,
 p. 745; Fauna Transs. 1891, p. 839. — Daniel,
 Col. Stud. I, 1891, p. 36. — Stierl. Col. Helvet.
 II, 1898, p. 481. — Everts, Col. Neerl. II, 1,
 1901, p. 354. — Csiki, Rov. Lapok X, 1903,
 p. 161. — Houlb. Faune Armor. Céramb. 1904,
 p. 31, f. 60.
- pastinacae** Panzer, Entomol. Germ. 1795, p. 275.
- var. **bicarinata** Arnold, Horae Soc. Ent. Ross. VI, Südrußland
 1869, p. 137. — L. Heyd. Deutsche Ent. Zeitschr.
 XXI, 1877, p. 417. — Reitt. Wien. Ent. Zeit.
 XIII, 1894, p. 247. — Csiki, Rov. Lapok X, 1903,
 p. 161.
- var. **corallipes** Reitt. l. c. p. 247. — Pic, Longie. Armenien
 II, 1898, p. 18.
- var. **Desbrochersi** Pic, Bull. Soc. Ent. Fr. 1891, „
 p. 16.
- var. **pecta** Daniel, Col.-Stud. I, 1891, p. 38. Südtirol
- misella** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, Japan, Amur
 p. 216.
- moesiaca** Daniel, Col. Stud. I, 1891, p. 6, 27. Serbien,
bipunctata Kraatz, Berl. Ent. Zeitschr. III, 1859, Türkei
 p. 97.

- monostigma** Ganglb. Best.-Tab. VII, 1881, p. 29 (707). — Daniel, Synops. p. 6, 28. Griechenland, Türkei, Kleinasien
- Steveni** Sperk, Bull. Moscou VIII, 1835, p. 158. — Ganglb. Best.-Tab. VII, 1881, p. 28 (706). Südost-europa
- adusta* Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 97. — Daniel, Synops. p. 6, 21. — Csiki, Rov. Lapok X, 1903, p. 216.
- bipunctata* Muls. Col. Fr. Long. ed. 2, 1863, p. 562.
- globoicollis* Desbr. Abeille VII, 1870, p. 127. — Daniel, Synops. p. 23.
- ab. *litigiosa* Muls. Col. Fr. Long. ed. 2, 1863, p. 564. Österreich
- Daniel, Synops. p. 22.
- unipunctata** F. Mant. Ins. I, 1787, p. 157. — Ol. Ent. IV, 73, 1795, p. 13, t. 1, f. 9. — Panzer, Fauna Ins. Germ. XLV, 1797, t. 19. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 315. — Muls. Col. Fr. Long. 1839, p. 283; ed. 2, 1863, p. 561. — Redt. Fauna Austr. 1849, p. 509; ed. 2, 1858, p. 877; ed. 3, II, 1874, p. 436. — Bach, Käferfauna III, 1856, p. 52. — Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 96. — Ganglb. Best.-Tab. VII, 1881, p. 28 (706). — Scidl. Fauna Transs. 1891, p. 840. — Daniel, Synops. p. 6, 16. — Csiki, Rov. Lapok X, 1903, p. 162. Südeuropa, Nordafrika
- Biologie: Xamheu, Ann. Soc. Linn. Lyon XL, 1893, p. 142 (Moeurs & Métam. I, p. 214); Moeurs & Métam. VIII, 1902, p. 134; IX, 1898, p. 42; Rev. d'Ent. XVII, 1908, p. 42.
- var. *dalmatina* Müller, Verh. zool.-bot. Ges. Dalmatien
Wien LVI, 1906, p. 662.
- ab. *Jacqueti* Pic, Frelon VIII, 1900, p. 3. Pyrenäen
- var. *obscuripilosa* Pic, Bull. Soc. Ent. Fr. 1892, p. 84. Russland
- var. *occidentalis* Daniel, Synops. p. 17. Spanien, Marocco
- ab. *uninstigmata* Pic, Longic. I, 1891, p. 9. Europa

Subgen. **Leptura** s. str.

- apicalis** Motsch. Bull. Moscou XLIX, 1, 1875, p. 142. Sibirien
- Bangi** Pic, Bull. Mus. Paris VII, 1902, p. 340. Japan
- Bouvieri** Pic, l. c. VI, 1901, p. 59. "
- cardinalis** Daniel, Col.-Stud. II, 1899, p. 76. Turkestan
- cordigera** Füssly, Verz. Schweiz. Ins. 1775, p. 14. — Ganglb. Best.-Tab. VII, 1881, p. 23 (701). — Bedel, Faune Col. Seine V, 1889, p. 16. — Everts, Col. Neerl. II, 1, 1901, p. 356. — Csiki, Rov. Lapok X, 1903, p. 165. — Houlb. Faune Armor. Ceramb. 1904, p. 33, f. 63. Südeuropa, Kleinasien
- hastata* Sulzer, Abg. Gesch. Ins. 1776, p. 46, t. 5, f. 11. — F. Mant. Ins. I, 1787, p. 157. — Panzer, Fauna Ins. Germ. XXII, 1794, t. 12. — Ol. Ent. IV, 73, 1795, p. 5, t. 1, f. 5. — Dunker, Ent. Bilderb. 1795, p. 20, t. 1, f. 21. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 312. — Muls. Col. Fr. Long. 1839, p. 274; ed. 2, 1863, p. 545. — Küster, Käfer Eur. VII, 1846, p. 74. — Bach, Käferfauna

- III, 1856, p. 51. — Seidl. Fauna Transs. 1891, p. 841. — Jacobs. Käfer Russl. 1910, t. 64, f. 7.
- lamed* Geoffr. in Fourcr. Ent. Paris I, 1785, p. 86. — Petagna, Spec. Ins. Calabr. 1787, p. 17, tab., f. 17. — Rossi, Fauna Etrusca I, 1790, p. 148.
- Biologie: Xamheu, Ann. Soc. Linn. Lyon (2) XLIV, 1897, p. 46; Moeurs et Métam. VII, 1899, p. 38.
- ab. *auricollis* Chob. Bull. Soc. Ent. Fr. 1895, p. 310. Korsika
- ab. *immaculata* Ragusa, Natural. Sicil. VIII, 1889, p. 236. — Pic, Longic. I, 1891, p. 11. Sicilien
- ab. *inhastata* Pic, l. c. IV, 1, 1902, p. 8. „
- dentatipennis* Pic, Bull. Mus. Paris VI, 1901, p. 60. Japan
- Deyrollei* Pic, Echange XI, 1895, p. 40. Trapezunt
- dubia* Scop. Ent. Carniol. 1763, p. 47. — Bedel, Faune Col. Seine V, 1889, p. 15. — Csiki, Rov. Lapok X, 1903, p. 165. Europa
(fehlt in Gross-
britannien)
- variabilis* var. β Payk. Fauna Succ. III, 1800, p. 110.
- ab. *chamomillae* F. Syst. Ent. II, 1801, p. 359. — Pic, Longic. II, 1898, p. 6. — Reitter, Wien. Ent. Zeit. XVII, 1898, p. 195. — Csiki, Rov. Lapok X, 1903, p. 166.
- cincta* var. c Gyllenh. Ins. Succ. I, 4, 1827, p. 19.
- fuliginosa* Weise, Ent. Zeitschr. Breslau (n. F.) XII, 1887, p. 56.
- luctuosa* Muls. Col. Fr. Long. 1839, p. 278.
- variabilis* var. γ Payk. Fauna Succ. III, 1800, p. 110.
- var. *distincta* Tourn. Rev. Mag. Zool. (2) XXIII, 1872, p. 347. — Daniel, Col.-Stud. II, 1898, p. 86. Kaukasus
- Pic, Frelon VII, 1898, p. 64.
- ab. *limbata* Laich. Verz. Tyrol. Ins. II, 1784, p. 166. — Ol. Ent. IV, 73, 1795, p. 31, t. 2, f. 20. Europa
- Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 321.
- Seidl. Fauna Balt. ed. 2, 1891, p. 746; Fauna Transs. 1891, p. 841. — Reitt. Wien. Ent. Zeit. XVII, 1898, p. 194. — Csiki, Rov. Lapok X, 1903, p. 166.
- cincta* F. Syst. El. II, 1801, p. 356. — Ill. Mag. Insectenk. IV, 1805, p. 121. — Gyllenh. Ins. Succ. I, 4, 1827, p. 19. — Zett. Fauna Ins. Lapp. I, 1828, p. 382. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 284. — Muls. Col. Fr. Long. 1839, p. 277; ed. 2, 1863, p. 552. — Redt. Fauna Austr. 1849, p. 509; ed. 2, 1858, p. 876; ed. 3, II, 1874, p. 435. — Bach, Käferfauna III, 1856, p. 51. — C. G. Thoms. Skand. Col. VIII, 1866, p. 72.
- dubia* Ganglb. Best.-Tab. VII, 1881, p. 26 (704). — Stierl. Col. Helvet. II, 1898, p. 485. — Everts, Col. Neerl. II, I, 1901, p. 355.
- ♀ *sanguinolenta* Laich. Verz. Tyrol. Ins. II, 1784, p. 168 var. β . — Ol. Ent. IV, 73, 1795, p. 11, t. 3, f. 29b. — Panzer, Fauna Ins. Germ. LXIX, 1799, t. 9, 10.
- variabilis* Payk. Fauna Succ. III, 1800, p. 109. — Pic, Longic. II, 1898, p. 6.

- ab. *melanota* Fald. Fauna Transc. II, 1837, p. 315, t. 11, f. 5. — Stierl. Col. Helvet. II, 1898, p. 485. Kaukasus
- dubia* Reitt. Wien. Ent. Zeit. XVII, 1898, p. 195. Mittel-europa
- notata* Ol. Ent. IV, 73, 1795, p. 11, t. 1, f. 11. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 314.
- ab. *moreana* Pic, Echange XXII, 1906, p. 96; Longic. VI, 2, 1907, p. 6. Griechenland
- ab. *ratchaensis* Pic, Longic. VIII, 1, 1911, p. 4. Kaukasus
- var. *Reyi* L. Heyd. Wien. Ent. Zeit. VIII, 1889, p. 203. — Pic, Longic. II, 1898, p. 6; Frelon VII, 1898, p. 64. — Stierl. Col. Helvet. II, 1898, p. 485. Frankreich
- ochracea* Rey, Rev. d'Ent. IV, 1885, p. 277. — Reitt. Wien. Ent. Zeit. XVII, 1898, p. 194.
- ab. *Starcki* Schilsky, Deutsche Ent. Zeitschr. 1892, p. 205. — Pic, Longic. II, 1898, p. 6. — Reitt. Wien. Ent. Zeit. XVII, 1898, p. 195. — Csiki, Rov. Lapok X, 1903, p. 166. Alpen, Kaukasus
- ab. *triangulifera* Reitt. Wien. Ent. Zeit. XVII, 1898, p. 195. — Csiki, Rov. Lapok X, 1903, p. 166. Kroatien, Kaukasus
- Biologie: Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 382, f. 563—564 (sep. p. 542). — Xam-beu, l. c. (2) XLIV, 1897, p. 37; Moeurs & Métam. VII, 1899, p. 29; VIII, 1902, p. 131.
- erythroptera** Hagenb. Symb. Faunae Helvet. 1822, p. 7, t. 1, f. 1. — Redt. Fauna Austr. ed. 3, II, 1874, p. 435. — Ganglb. Best.-Tab. VII, 1881, p. 25 (703). — Bedel, Faune Col. Seine V, 1889, p. 15, 58. — Seidl. Fauna Transs. 1891, p. 841. — Stierl. Col. Helvet. II, 1898, p. 485. — Csiki, Rov. Lapok X, 1903, p. 164. Mitteleuropa, Kaukasus
- rufipennis* Muls. Col. Fr. Long. 1839, p. 272; ed. 2, 1863, p. 542; Opusc. Ent. XI, 1860, p. 162. — Küster, Käfer Eur. VII, 1846, p. 72. — Redt. Fauna Austr. 1849, p. 508; ed. 2, 1858, p. 876. — Bach, Käferfauna III, 1856, p. 50.
- Biologie: Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 383 (sep. p. 543.) — Xam-beu, Moeurs et Métam. VIII, 1902, p. 126.
- excisipes** Daniel, Col.-Stud. I, 1893, p. 32. — Pic, Longic. IV, 2, 1903, p. 4. Taurus
- Fontenayi** Muls. Col. Fr. Long. 1839, p. 271, t. 3, f. 8; Suppl. 1842, p. (2); ed. 2, 1863, p. 540. — Lucas, Explor. Algér. Col. 1849, p. 510. — Ganglb. Best.-Tab. VII, 1881, p. 24 (702). — Chob. Bull. Soc. Ent. Fr. 1896, p. 201. — Houlb. Faune Armor. Ceramb. 1904, p. 33. Südfrank-reich, Spanien, Nord-afrika
- Biologie: Xam-beu, Moeurs et Métam. II, 1892, p. 58; VIII, 1902, p. 126.
- ab. *erythrodera* Chob. Bull. Soc. Ent. Fr. 1896, p. 201. Südfrank-reich, Algier
- ab. *nigrovittata* Chob. l. c. Marocco
- ab. *Pici* Chob. l. c. Algier
- fulva** Degeer, Mém. Ins. V, 1775, p. 136. — Muls. Col. Fr. Long. ed. 2, 1863, p. 556. — C. G. Thoms. Mitteleuropa

- Skand. Col. VIII, 1866, p. 73. — Ganglb. Best.-Tab. VII, 1881, p. 27 (705). — Bedel, Faune Col. Seine V, 1889, p. 15, 58. — Fowler, Col. Brit. Isl. IV, 1890, p. 237, t. 122, f. 5. — Daniel, Col.-Stud. I, 1891, p. 30. — Seidl. Fauna Balt. ed. 2, 1891, p. 746; Fauna Transs. 1891, p. 840. — Stierl. Col. Helvet. II, 1898, p. 484. — Everts, Col. Neerl. II, 1, 1901, p. 355. — Csiki, Rov. Lapok X, 1903, p. 164. — Houlb. Faune Armor. Ceramb. 1904, p. 32, f. 61. — Jacobs. Käfer Russl. 1910, t. 64, f. 6.
- affinis* Marsh. Ent. Brit. I, 1802, p. 353.
- lutescens* Geoffr. in Fourer. Ent. Paris I, 1785, p. 87. — Villers, Linn. Entomol. I, 1789, p. 274.
- tomentosa* F. Ent. Syst. I, 2, 1792, p. 340. — Rossi, Mant. Ins. II, 1794, App. p. 99. — Ol. Ent. IV, 73, 1795, p. 12, t. 2, f. 13 c. — Panzer, Fauna Ins. Germ. LXXIX, 1799, t. 19. — Payk. Fauna Suec. III, 1800, p. 108. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 315. — Gyllenh. Ins. Suec. I, 4, 1827, p. 17. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 261. — Muls. Col. Fr. Long. 1839, p. 276. — Cast. Hist. Nat. II, 1840, p. 505. — Redt. Fauna Austr. 1849, p. 508; ed. 2, 1858, p. 876; ed. 3, II, 1874, p. 435. — Bach, Käferfauna III, 1856, p. 51.
- var. *corsica* Pic, Mém. Soc. Zool. Fr. VII. 1894, p. 206; Longic. II, 1898, p. 5.
- var. *Menetriesi* Ganglb. Best.-Tab. VII, 1881, p. 27. Korsika
- granulata* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 217. Kaukasus
- grammopteroides* Pic, Bull. Soc. Ent. Fr. 1891, p. 185. Japan
- hybrida* Rey, Rev. d'Ent. IV, 1885, p. 277. — L. Heyd. Deutsche Ent. Zeitschr. XXX, 1886, p. 85. — Bedel, Faune Col. Seine V, 1889, p. 15. — Daniel, Col.-Stud. I, 1891, p. 30, 34. Libanon
Westalpen,
Pyrenäen
- inseutellata* Pic, Ann. Soc. Ent. Fr. LXI, 1892, p. 415 (sep. p. 3); Longic. II, 1898, p. 5; Frelon VIII, 1900, p. 4. Syrien
- kabyliana* Pic, Rev. scient. Bourb. IX. 1896, p. 103; Longic. II, 1898, p. 15. Nordafrika
- maculicornis* Degeer, Mém. Ins. V, 1775, p. 139. — F. Suppl. Ent. Syst. 1798, p. 153. — Payk. Fauna Suec. III, 1800, p. 111. — Gyllenh. Ins. Suec. I, 4, 1827, p. 22. — Zett. Fauna Ins. Lapp. I, 1828, p. 381. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 285. — Muls. Col. Fr. Long. 1839, p. 281; ed. 2, 1863, p. 558. — Redt. Fauna Austr. 1849, p. 509; ed. 2, 1858, p. 877; ed. 3, II, 1874, p. 436. — Bach, Käferfauna III, 1856, p. 52. — C. G. Thoms. Skand. Col. VIII, 1866, p. 70. — Ganglb. Best.-Tab. VII, 1881, p. 27 (705). — Rey, Rev. d'Ent. IV, 1885, p. 276, 325. — Bedel, Faune Col. Seine V, 1889, p. 16. — Seidl. Fauna Balt. ed. 2, 1891, p. 745; Fauna Transs. 1891, p. 840. — Daniel, Col.-Stud. I, 1891, p. 31, 34. — Stierl. Col. Helvet. II, 1898, Gebirgs-
gegenden
von Nord-
und Mittel-
europa

- p. 483. — Csiki, Rov. Lapok X, 1903, p. 163.
 — Jacobs. Käfer Russl. 1910, t. 64, f. 8.
- maculosa* Gmel. Syst. Nat. I, 4, 1790, p. 1874.
 var. *simplonica* Fairm. Rev. d'Ent. IV, 1885, p. 317. — Rey, l. c. p. 325. — Pic, Longic. I, 1891, p. 11. — Daniel, Col.-Stud. I, 1891, p. 31, 34. — Stierl. Col. Helvet. II, 1898, p. 482. Schweiz
- melaena* (melas) Lucas, Explor. Algér. Col. 1849, p. 510, t. 43, f. 11. — Pic, Frelon VIII, 1900, p. 4. Algier
- mikadoi* Pic, Longic. VI, 1, 1906, p. 16. Japan
- montana* Muls. et Rey, Ann. Soc. Linn. Lyon (2) X, 1863, p. 179 (Opusc. Ent. XIII, 1863, p. 179). — Ganglb. Verh. zool.-bot. Ges. Wien XXXV, 1885, p. 516. — Reitt. Wien. Ent. Zeit. XVII, 1898, p. 193. Kreta, Cypren, Syrien
- ab. *Leuthneri* Ganglb. Verh. zool.-bot. Ges. Wien XXXV, 1885, p. 516. Syrien
- ab. *nigerrima* Pic, Ann. Soc. Ent. Fr. LXI, 1892, p. 415. „
- pernigra* Reitt. Wien. Ent. Zeit. XVII, 1898, p. 193. „
- ab. *semisanguinea* Reitt. l. c. „
- Morgani** Pic, Bull. Mus. Paris X, 1905, p. 300. Persien
- oblongomaculata* Buq. Ann. Soc. Ent. Fr. (1) IX, 1840, p. 296. — Lucas, Explor. Algér. Col. 1849, p. 509, t. 43, f. 10. — Muls. Col. Fr. Long. ed. 2, 1863, p. 549. — L. Heyd. Deutsche Ent. Zeitschr. XXV, 1881, p. 249. — Ganglb. Best.-Tab. VII, 1881, p. 24 (702); Wien. Ent. Zeit. I, 1882, p. 12. — Daniel, Col.-Stud. I, 1891, p. 5, 6. — Pic, Echange X, 1894, p. 106, 108. Algier
- ab. *latdecorata* Pic, Frelon VII, 1898, p. 64. Kabylien
- ab. *obliterata* Pic, l. c. „
- ab. *obscurithorax* Pic, Longic. II, 1898, p. 4. „
- pallens* Brullé, Expéd. Mor. III, 1832, p. 264. — Ganglb. Best.-Tab. VII, 1881, p. 27 (705). — Daniel, Col.-Stud. I, 1891, p. 31. — Csiki, Rov. Lapok X, 1903, p. 163. Griechenland, Türkei, Südungarn
- pallidipennis* Tourn. Rev. Mag. Zool. (2) XXIII, 1872, p. 346. — Daniel, Col.-Stud. I, 1891, p. 34. — Rost, Ent. Nachr. XIX, 1893, p. 344. — Pic, Bull. Soc. Ent. Fr. 1894, p. 265; Echange XI, 1895, p. 76. Kaukasus
- circassica* Daniel, Col.-Stud. I, 1891, p. 31.
- picticornis* Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 390. — Daniel, Col.-Stud. I, 1891, p. 31, 33. Griechenland, Kreta
- pyrrha* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 216. Japan
- Renardi** Gebl. Bull. Moscou XXI, 1, 1848, p. 420. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 87. — Reitt. Wien. Ent. Zeit. XVII, 1898, p. 192. Sibirien
- rubra* L. Syst. Nat. ed. 10, 1758, p. 397; Fauna Suec. ed. 2, 1761, p. 196. — Scop. Ent. Carn. 1763, p. 46. — F. Syst. Ent. 1775, p. 196. — Degeer, Mém. Ins. V, 1775, p. 132. — Schrank, Enum. Ins. 1781, p. 153. — Ol. Ent. IV, 73, 1795, p. 9, t. 2, f. 16. — Hoppe, Ent. Taschenb. 1796, Europa (fehlt in Grossbritannien), Sibirien

- p. 170. — Panzer, Fauna Ins. Germ. LXIX, 1799, t. 11. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 313. — Ganglb. Best.-Tab. VII, 1881, p. 24 (702). — Bedel, Faune Col. Seine V, 1889, p. 16. — Everts, Col. Neerl. II, 1, 1901, p. 356. — Csiki, Rov. Lapok X, 1903, p. 164. — Bickhardt, Deutsche Ent. Zeitschr. 1904, p. 303. — Houlb. Faune Armor. Ceramb. 1904, p. 32, f. 62. — Jacobs. Käfer Russl. 1910, t. 64, f. 3, 4.
- belga flava* Voet, Cat. Col. II, 1804—06, p. 30, t. 26, f. 6.
- coccinea* J. Lec. Smiths. Misc. Coll. XI, 264, p. 226. — Horn, Canad. Ent. XVI, 1884, p. 148.
- dispar* Preysl. in Maycr, Samml. Phys. Aufs. III, 1793, p. 179. — Payk. Fauna Suec. III, 1800, p. 107.
- melanura* Houttuyn, Syst. Nat. I, 9, 1766, p. 578, t. 76, f. 1, 2.
- rubrotestacea* Ill. Mag. Insektenk. IV, 1805, p. 122. — Gyllen. Ins. Suec. I, 4, 1827, p. 16. — Ratzeb. Forstins. I, 1839, p. 240, t. 17, f. 9, 10. — Labr. & Imh. Ins. Schweiz I, 1836, t. 20. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 284. — Muls. Col. Fr. 1839, p. 268. — Küster, Käfer Eur. VII, 1846, p. 71. — Redt. Fauna Austr. 1849, p. 508; ed. 2, 1858, p. 876; ed. 3, II, 1874, p. 435.
- testacea* L. Fauna Suec. ed. 2, 1761, p. 196; Syst. Nat. ed. 12, 1767, p. 638. — Degeer, Mém. Ins. V, 1775, p. 135. — F. Syst. Ent. 1775, p. 197. — Schrank, Enum. Ins. 1781, p. 153. — Ol. Ent. IV, 73, 1795, p. 11, t. 2, f. 13 b. — Panzer in Voet, Beschr. hartsch. Ins. IV, 1798, p. 6, t. 26, f. 6; Fauna Ins. Germ. LXIX, 1799, t. 12. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 314. — Bechstein & Scharfenberg, Naturg. Forstins. I, 1804, p. 213. — Bach, Käferfauna III, 1856, p. 50. — Muls. Col. Fr. Long. ed. 2, 1863, p. 539. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 549. — C. G. Thoms. Skand. Col. VIII, 1866, p. 71. — Seidl. Fauna Balt. 1891, p. 746; Fauna Transs. 1891, p. 841. — Stierl. Col. Helvet. II, 1898, p. 485.
- umbellatarum* Laich. Verz. Tyrol. Ins. II, 1784, p. 161. — Schrank, Fauna Boica I, 2, 1798, p. 694.
- ab. *maculiceps* Gabr. Deutsche Ent. Zeitschr. 1910, p. 556. — Pic, Longic. VIII, 1, 1911, p. 4. Schlesien
- ab. *occipitalis* Muls. Col. Fr. Long. 1839, p. 268. Deutschland
- ab. *Salzmanni* Hubenthal, Deutsche Ent. Zeitschr. 1902, p. 362.
- ab. ♀ *Sattleri* Bickhardt, l. c. 1901, p. 362. „
- Biologie: Perris, Ann. Soc. Ent. Fr. (3) IV, 1856, p. 475, f. 397—400. — Schiödte, Nat. Tidskr. (3) X, 1875, p. 423, 447, t. 16, f. 20. — Nördl. Lebensw. Forstkerfen 1880, p. 43. — Xamheu, Ann. Soc. Linn. Lyon (2) XLV, 1898, p. 18; Moeurs & Métam. VII, 1899, p. 58; VIII, 1902, p. 125. — Meissner, Ent. Blätter IV, 1908, p. 52.

- rufa* Brullé, Expéd. Mor. III, 1832, p. 263, t. 43, f. 9.
 — ♂ Muls. Col. Fr. Long. 1839, p. 269; ed. 2, 1863, p. 544 ♂, non ♀. — Küster, Käfer Eur. IX, 1847, p. 75. — Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 375. — L. Heyd. I. c. XXV, 1881, p. 249. — Ganglb. Best.-Tab. VII, 1881, p. 25 (703). — Daniel, Col.-Stud. I, 1891, p. 5, 10. — Csiki, Rov. Lapok X, 1903, p. 164.
- var. *attaliensis* Daniel, Col.-Stud. I, 1891, p. 11.
- var. *dimidiata* Daniel, l. c.
- var. *excelsa* Costa, Atti R. Accad. Napoli I, 1863, p. 24, t. 1, f. 5, A, B.
- var. *Silbermanni* Lef. in Silberm. Rev. Ent. III, 1835, p. 303, t. 35. — L. Heyd. Deutsche Ent. Zeitschr. XXV, 1881, p. 253. — Daniel, Col.-Stud. I, 1891, p. 10.
- nigropicta* Fairm. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 278.
- sanguinolenta* L. Fauna Suec. ed. 2, 1861, p. 196; Syst. Nat. ed. 12, 1867, p. 638. — Scop. Ent. Carn. 1763, p. 46. — F. Syst. Ent. 1775, p. 196. — Sehrank, Enum. Ins. 1781, p. 160; Fauna Boica I, 2, 1798, p. 695. — Laich. Verz. Tyrol. Ins. II, 1784, p. 168. — Ol. Ent. IV, 73, 1795, p. 10, t. 3, f. 29 a. — Panzer, Fauna Ins: Germ. LXIX, 1799, t. 8. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 314. — Donovan. Brit. Ins. XVI, 1813, p. 49, t. 557. — Gyllenh. Ins. Suec. I, 4, 1827, p. 20. — Zett. Fauna Ins. Lapp. I, 1828, p. 381. — Steph. III. Brit. Ent. Mand. IV, 1831, p. 261. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 285. — Muls. Col. Fr. Long. 1839, p. 279; ed. 2, 1863, p. 554. — Küster, Käfer Eur. VII, 1846, p. 74. — Redt. Fauna Austr. 1849, p. 509; ed. 2, 1858, p. 876; ed. 3, II, 1874, p. 435. — Bach, Käferfauna III, 1856, p. 52. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 548. — C. G. Thoms. Skand. Col. VIII, 1866, p. 72. — Ganglb. Best.-Tab. VII, 1881, p. 26 (704). — Bedel, Faune Col. Seine V, 1889, p. 15. — Fowler, Col. Brit. Isl. IV, 1890, p. 237. — Seidl. Fauna Balt. ed. 2, 1891, p. 746; Fauna Transs. 1891, p. 840. — Stierl. Col. Helvet. II, 1898, p. 484. — Reitt. Wien. Ent. Zeit. XVII, 1898, p. 193. — Everts, Col. Neerl. II, 1901, p. 355. — Csiki, Rov. Lapok X, 1903, p. 165. — Jacobs. Käfer Russl. 1910, t. 64, f. 9.
- ignita* Geoffr. in Fourcr. Ent. Paris, II, 1785, p. 89.
- melanura* Ström, Norske Vid. Selsk. Skrift. III, 1765, p. 394.
- variabilis* Degger, Mém. Ins. V, 1775, p. 137.
- Biologie: Schiödte, Naturh. Tidskr. (3) X, 1875, p. 423, 447. — Xamheu, Rev. d'Ent. XIX, 1900, p. 14; Moeurs & Métam. VIII, 1902, p. 131; IX, 1901, p. 77.
- ✓ *scotodes* Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 194.
- scutellata* F. Spec. Ins. I, 1781, p. 247. — Villers, Linn. Entomol. I, 1789, p. 275, t. 1, f. 30. — Rossi,

Griechenland,
Türkei

Kleinasien
Armenien
Süditalien

Kleinasien,
Kaukasus

Europa,
Sibirien

Japan

Südschweden,
England,

- Fauna Etrusca I, 1790, p. 163. — Ol. Ent. IV, 73, 1795, p. 14, t. 1, f. 12. — Panzer, Fauna Ins. Germ. LXIX, 1799, t. 8. — Payk. Fauna Suec. III, 1800, p. 106. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 316. — Gyllenh. Ent. Suec. I, 4, 1827, p. 18. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 260. — Samouelle, Ent. Cabinet I, 1832, t. 45. — Muls. Col. Fr. Long. 1839, p. 273; ed. 2, 1863, p. 550. — Küster, Käfer Eur. IV, 1846, p. 550. — Redt. Fauna Austr. 1849, p. 508; ed. 2, 1858, p. 376; ed. 3, II, 1874, p. 435. — Bach, Käferfauna III, 1856, p. 51. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 548. — C. G. Thoms. Skand. Col. VIII, 1866, p. 70. — Ganglb. Best.-Tab. VII, 1881, p. 24 (702). — Bedel, Faune Col. Seine V, 1889, p. 16, 59. — Fowler, Col. Brit. Isl. IV, 1890, p. 236, t. 122, f. 4. — Seidl. Fauna Transs. 1891, p. 841. — Stierl. Col. Helvet. II, 1898, p. 484. — Everts, Col. Neerl. VI, 1, 1901, p. 356. — Csiki, Rov. Lapok X, 1903, p. 165. — Houlb. Faune Armor. Ceramb. 1904, p. 33, f. 64. — Jacobs. Käfer Russl. 1910, t. 64, f. 5.
- ♀ *chrysothyreos* Schrank, Fauna Boica I, 2, 1798, p. 697.
- funerea* Geoffr. in Fourer. Ent. Paris I, 1785, p. 89.
- nigra* Petagna, Spec. Ins. Calabr. 1787, p. 17, t. 1, f. 36.
- Biologie: Bond, Ent. Mag. I, 1833, p. 212. — Schiödte, Naturh. Tidskr. (3) X, 1875, p. 446. — Xambeu, Moeurs & Métam. VIII, 1902, p. 129.
- var. *ochracea* Faust, Horae Soc. Ent. Ross. XIV, 1879, p. 135, 326. — Schneid. & Leder, Kaukas. Käferfauna 1878, p. 325. — Pic, Long. II, 1898, p. 6. Kaukasus
- var. *ochraceipennis* Pic, Rev. scient. Bourb. X, 1897, p. 31; Longic. II, 1898, p. 5. — Csiki, Rov. Lapok X, 1903, p. 165. Frankreich
- Sequensi* Reitt. Wien. Ent. Zeit. XVII, 1898, p. 194. Ostsibirien
- ab. *baicalica* Pic, Longic. VIII, 1, 1911, p. 4. "
- ab. *baikalensis* Pic, Longic. VI, 2, 1907, p. 6. "
- ab. *diversenotata* Pic, l. c. "
- ab. *pulchrina* Reitt. Wien. Ent. Zeit. XVII, 1898, p. 194. "
- ab. *rufopaca* Reitt. l. c. "
- ab. *tristina* Reitt. l. c. "
- sicula* Ganglb. Verh. zool.-bot. Ges. Wien XXXV, 1885, p. 515. — Daniel, Col.-Stud. II, 1898, p. 87. Sicilien
- stragulata* Germ. Ins. spec. nov. 1824, p. 523. — Charp. Horae Ent. 1825, p. 228, t. 9, f. 7. — Muls. Col. Fr. Long. Suppl. 1842, p. (7); ed. 2, 1863, p. 546. — Ganglb. Best.-Tab. VII, 1881, p. 25 (703). — Pic, Longic. I, 1891, p. 11. Pyrenäen,
Spanien,
Portugal
- fuscipes* Muls. Col. Fr. Long. Suppl. 1842, p. (7).
- fusciventris* Muls. l. c.
- Biologie: Xambeu, Ann. Soc. Linn. Lyon (2) XL, 1893, p. 137; XLV, 1898, p. 11; Moeurs & Métam. VII, 1899, p. 51; VIII, 1902, p. 126.

- T — ab. *abbreviata* Muls. Col. Fr. Long. Suppl. 1842, p. (7). — Pic, Longic. I, 1891, p. 11.
stragulata Charp. Horae Ent. 1825, p. 228, t. 9, f. 9.
 ab. *hispanica* Pic, Echange XXVI, 1910, p. 27; Longic. VIII, 1, 1911, p. 4. Spanien
- T — ab. *luteipes* Muls. Col. Fr. Long. Suppl. 1842, p. (7).
 T — ab. *nigrina* L. W. Schauf. Rev. Mag. Zool. (2) XV, 1863, p. 121. — Pic, Longic. I, 1891, p. 12.
 T — ab. *rufiventris* Muls. Col. Fr. Long. Suppl. 1842, p. (7).
 T — ab. *scapularis* Muls. l. c.
stragulata Charp. Horae Ent. 1825, p. 228, t. 9, f. 8.
 T — ab. *sublineata* Muls. Col. Fr. Long. Suppl. 1842, p. (7).
 T — ab. *varipes* Muls. l. c.
 T — ab. *variventris* L. W. Schauf. Rev. Mag. Zool. (2) XV, 1863, p. 121; Sitzber. Ges. Isis 1863, p. 204. — Pic, Longic. I, 1891, p. 12.
- suberis** Chob. Bull. Soc. Ent. Fr. 1900, p. 265. Algier
- succedanea** Lewis, Ann. Mag. Nat. Hist. (5) IV, 1873, p. 464. — Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 217. — Matsum. Thous. Ins. Japan III, 1908, nr. 701, t. 52, f. 16. Japan
muliebris L. Heyd. Deutsche Ent. Zeitschr. XXX, 1886, p. 276; XXXI, 1887, p. 295.
- tangeriana** Tourn. Pet. Nouv. Ent. I, 1875, p. 475. — Pic, Echange X, 1894, p. 108. — Daniel, Col.-Stud. I, 1891, p. 9. Tanger
 ab. *maroccana* L. Heyd. Deutsche Ent. Zeitschr. XXX, 1886, p. 85. — Daniel, Col.-Stud. I, 1891, p. 9.
tangeriana L. Heyd. Deutsche Ent. Zeitschr. XXV, 1881, p. 252.
 ab. *Olceseii* Pic, Echange X, 1894, p. 108.
- tesserula** Charp. Horae Ent. 1825, p. 227. — Muls. Col. Fr. Long. ed. 2, 1863, p. 557. — Ganglb. Pest.-Tab. VII, 1881, p. 27 (705). — Seidl. Fauna Transs. 1891, p. 840. — Csiki, Rov. Lapok X, 1903, p. 163. Schlesien,
Ungarn,
Südost-
europa
- T — var. *abchastica* Rost, Ent. Nachr. XIX, 1893, p. 344. Kaukasus
 T — var. *Dejeani* Ganglb. in Mars. Cat. Col. 1889, p. 469. ,,
bisignata Ménétr. Cat. Rais. 1832, p. 232. — Fald. Fauna Transc. II, 1837, p. 313, t. 11, f. 4.
- T — var. *impunctata* L. Heyd. Deutsche Ent. Zeitschr. XXI, 1877, p. 420. — Gangl. Best.-Tab. VII, 1881, p. 27 (705). — Csiki, Rov. Lapok X, 1903, p. 163. Ungarn,
Russland
kubanensis Rost (in litt.?) Kaukasus
- tonsa** Daniel, Col.-Stud. I, 1891, p. 30, 31. Kaukasus,
Kleinasien
- trisignata** Fairm. Ann. Soc. Ent. Fr. (2) X, 1852, p. 92. — Ganglb. Best.-Tab. VII, 1881, p. 25 (703). — Pic, Echange X, 1894, p. 108. — Daniel, Col.-Stud. I, 1891, p. 5, 6. Süd-
frankreich,
Spanien
rufa Muls. Col. Fr. Long. 1839, p. 269; ed. 2, 1863, p. 544 ♀.

- semirufula* Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 376. — Pic, Echange X, 1894, p. 108.
- tripartita** L. Heyd. Deutsche Ent. Zeitschr. 1889, p. 329. Syrien
- ustulata** Ménér. Cat. Rais. 1832, p. 231. — L. Heyd. Deutsche Ent. Zeitschr. XXI, 1877, p. 421; XXIII, 1879, p. 167. — Ganglb. Best.-Tab. VII, 1884, p. 27 (705). Kaukasus, Kleinasien, Syrien, Persien
- Heydeni* Ganglb. in Mars. Cat. Col. 1889, p. 469. — Daniel, Col. Stud. I, 1891, p. 5, 11. — Pic, Ann. Soc. Ent. Fr. LXI, 1892, p. 415.
- var. *incispennisi* Reitt. Wien. Ent. Zeit. XIV, 1895, p. 85. Syrien
- variicornis** Dalm. in Schönh. Synon. Ins. I, 3, 1817, p. 482, nota f. — Gebl. Led. Reise II, 2, 1830, p. 194. — Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 217. — Ganglb. Best.-Tab. VII, 1881, p. 26 (704). — Dohrn, Stett. Ent. Zeit. XLVII, 1886, p. 191. — Schwarz, Ent. Amer. II, 1886, p. 161. — Seidl. Fauna Balt. ed. 2, 1891, p. 746. Nordost-europa, Sibirien, Japan
- varicornis* Germ. Fauna Ins. Eur. IV, 1821, t. 6. — Muls. Col. Fr. Long. ed. 2, 1863, p. 538.
- virens** L. Syst. Nat. ed. 10, 1758, p. 397; Fauna Suec. ed. 2, 1761, p. 196. — F. Syst. Ent. 1775, p. 197. — Degeer, Mém. Ins. V, 1775, p. 131. — Schrank, Enum. Ins. 1781, p. 154. — Laich. Tyrol. Ins. II, 1784, p. 159. — Panzer, Naturf. XXIV, 1789, p. 31, t. 1, f. 42. — Ol. Ent. IV, 73, 1795, p. 9, t. 2, f. 4. — Townson, Travels in Hongrie 1797, p. 472. — Panzer, Fauna Ins. Germ. LXIX, 1799, t. 13. — Payk. Fauna Suec. III, 1800, p. 117. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 313. — Gyllenh. Ins. Suec. I, 4, 1827, p. 15. — Zett. Fauna Ins. Lapp. I, 1828, p. 378. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 260, t. 22, f. 3. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 283. — Muls. Col. Fr. Long. 1839, p. 267; ed. 2, 1863, p. 536. — Cast. Hist. Nat. II, 1840, p. 504. — Küster, Käfer Eur. II, 1844, p. 60. — Redt. Fauna Austr. 1849, p. 508; ed. 2, 1858, p. 875; ed. 3, II, 1874, p. 434. — Bach, Käferfauna III, 1856, p. 51. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 547. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 59, f. 279. — C. G. Thoms. Skand. Col. VIII, 1866, p. 69. — Ganglb. Best.-Tab. VII, 1881, p. 27 (705). — Bedel, Faune Col. Seine V, 1889, p. 15, 59. — Fowler, Col. Brit. Isl. IV, 1890, p. 236. — Seidl. Fauna Balt. ed. 2, 1891, p. 747; Fauna Transs. 1891, p. 841. — Stierl. Col. Helvet. II, 1898, p. 482. — Everts, Col. Neerl. II, 1, 1901, p. 355. — Csiki, Rov. Lapok X, 1903, p. 163. — Jacobs. Käfer Russl. 1910, t. 64, f. 10.
- viridis* Voet, Cat. Col. II, 1804—06, p. 31, t. 27, f. 13.
- var. *fuscopubens* Reitt. Deutsche Ent. Zeitschr. 1890, p. 164. — Csiki, Rov. Lapok X, 1903, p. 163. Bosnien
- var. *kenteiensis* Pic, Frelon VIII, 1900, p. 4. Kentei

Indomalayische Arten.

- elytina* Gah. Fauna Brit. Ind. Col. I, 1906, p. 84. Birma
cribripennis Gah. l. c. p. 85. Assam
diehroa Blanch. Compt. rend. Acad. Scienc. Paris LXXII, China
 1871, p. 812, nota 3. — Fairm. Ann. Soc. Ent.
 Fr. (6) IX, 1889, p. 63.
dissimilis Fairm. Ann. Soc. Ent. Fr. LXVIII, 1900, p. 639. „
femorata Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 558. Singapore
histrionica Pasc. l. c. p. 557. Macassar
 var.? Shelf. Proc. Zool. Soc. Lond. 1902, 2, p. 282, Borneo
 t. 20, f. 42.
inaequalithorax Pic, Longic. IV, 1, 1902, p. 28. China
kingana Pic, Echange XVIII, 1903, p. 105; Longic. IV, „
 2, 1903, p. 19.
Lavinia Gah. Fauna Brit. Ind. Col. I, 1906, p. 83. Nordindien
lepta Gah. l. c. p. 84. Birma
manipurensis Gah. l. c. p. 86. Manipur
miniacea Gah. l. c. p. 82. Nordindien
porphyrophora Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, Moupin
 p. 64.
rubriola Bates, Proc. Zool. Soc. Lond. 1878, p. 720; Nordindien
 Scient. Res. Sec. Yark. Miss. Col. 1890, p. 22,
 t. 1, f. 21, 22. — Gah. Fauna Brit. Ind. Col. I,
 1906, p. 81, f. 33.
sepulchralis Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, p. 63. Moupin

Nearktische und zentralamerikanische Arten.

- J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 219—223. — Leng, Entomol.
 Amer. VI, 1890, p. 185—200 (Synopsis).
aliena Bates, Biol. C.-Amer. Col. V, 1880, p. 38, 278. Mexico
 ab. *erythrogaster* Bates, l. c. 1885, p. 278.
anomala Bates, l. c. 1885, p. 279, t. 20, f. 2. Guatemala
aspera J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 228. Canada,
 — Leng, Synops. p. 192, 200, 215. Michigan,
 Colorado,
 Idaho,
 Vancouver
aurata Horn, Proc. Acad. Philad. 1860, p. 570, t. 8, f. 5. Pennsyl-
 — Leng, Synops. p. 192, 199. vanien,
 Nord-
 carolina,
 Virginien
Behrensi J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 227. Californien
 — Leng, Synops. p. 191, 198.
biforis Newm. Entomolog. I, 1841, p. 70. — Haldem. Canada,
 Trans. Amer. Phil. Soc. (2) X, 1847, p. 64. — New York,
 J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 338. Pennsylvanien,
 — Leng, Synops. p. 190, 198. — Wickh. Canad. Virginien
 Ent. XXIX, 1897, p. 191. Nordamerika
canadensis Ol. Ent. IV, 73, 1795, p. 8, t. 3, f. 27. — F. Syst. El. II, 1801, p. 357. — Kirby, Fauna
 Bor.-Amer. IV, 1837, p. 181. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 336. — Leng, Synops.
 p. 189, 197. — Wickh. Canad. Ent. XXIX, 1897, p. 191.
 ♂ *tenuicornis* Hald. Trans. Amer. Phil. Soc. (2) X, 1847, p. 64.

- ab. cinnamoptera* Hald. Trans. Amer. Phil. Soc. (2) X, 1847, p. 64.
erythroptera Kirby, Fauna Bor.-Amer. IV, 1837, p. 180. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 336. — Long, Synops. p. 197.
 var. *cribripennis* J. Lec. Col. of Kans. 1859, p. 21. Kansas
 — Leng, Synops. p. 197.
ab. ebenina Leng, Synops. p. 197.
 Biologie: Pack. Psyche V, 1889, p. 225. — Felt, Ins. affect. Trees 1907, p. 270.
chrysocoma Kirby, Fauna Bor.-Amer. IV, 1837, p. 179, t. 5, f. 2. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 339. — Leng, Synops. p. 190, 198. — Wickh. Canad. Ent. XXIX, 1897, p. 191. Nördl. Teile von Nordamerika
auripilis J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 339.
circumdata Ol. Ent. IV, 73, 1795, p. 32, t. 4, f. 48. — Hald. Trans. Amer. Phil. Soc. (2) X, 1847, p. 65. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 337. — Leng, Synops. p. 189, 197. Massachusetts, New York, Pennsylvanien
✓ Cockerelli Fall, Trans. Amer. Ent. Soc. XXXIII, 1907, p. 251. Neumexico, Colorado
✓ crassipes J. Lec. Entom. Report 1857, p. 65. — Leng, Synops. p. 191, 198. Weststaaten Nordamerikas
✓ ♀ crassicornis J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 227.
fasciventris J. Lec. Proc. Acad. Philad. 1861, p. 355.
xanthogastra J. Lec. l. c. 1859, p. 88.
✓ cubitalis J. Lec. Proc. Acad. Philad. 1861, p. 355. — Leng, Synops. p. 192, 200. Californien
✓ debiscens J. Lec. Proc. Acad. Philad. 1859, p. 89. — Leng, Synops. p. 190, 197. Californien, Washington, Oregon, Vancouver
✓ dolorosa J. Lec. Proc. Acad. Philad. 1861, p. 355. — Leng, Synops. p. 190, 198. Vancouver, Washington, Californien, Nevada, Oregon
gnathoides J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 228. — Leng, Synops. p. 192, 199. — Schaeff. Bull. Brookl. Inst. I, 1908, p. 342. Oregon, Washington
 ? *lisa* Leng, Ent. Amer. VI, 1890, p. 108.
Haldemani Casey, Ann. N. York Acad. VI, 1892, p. 42. — Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 175. Neumexico
✓ birtella J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 226. — Leng, Synops. p. 190, 197. Labrador, New-Hampshire
ignita Schaeff. Bull. Brookl. Inst. I, 1908, p. 341. Arizona
✓ insignis Fall, Trans. Amer. Ent. Soc. XXXIII, 1907, p. 251. Californien
lacustris Casey, Ann. N. York Acad. VI, 1892, p. 43. — Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 175. Michigan

- laetifica** J. Lec. Proc. Acad. Philad. 1859, p. 89. — Leng, Synops. p. 190, 197.
lugens J. Lec. Proc. Acad. Philad. 1859, p. 89.
- mutabilis** Newm. Entomol. I, 1841, p. 71. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 340. — Leng, Synops. p. 192, 200. — Wickh. Canad. Ent. XXIX, 1897, p. 192.
 ab. *luridipennis* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 63.
 ab. *Provancheri* nov. nom.
laetifia Provanch. Pet. Faune Ent. Canad. I, 1877, p. 620; Natural. Canad. IX, 1877, p. 332.
- nigrolineata** Bland, Proc. Ent. Soc. Philad. IV, 1865, p. 383. — Leng, Synops. p. 190, 198.
- octonotata** Say, Journ. Acad. Philad. III, 1823, p. 419. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 337. — Leng, Synops. p. 191, 199. — Wickh. Canad. Ent. XXIX, 1897, p. 191.
stictica Newm. Entomol. I, 1841, p. 72.
 ab. *quadripunctata* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 64.
- pedalis** J. Lec. Proc. Acad. Philad. 1861, p. 355 nota. — Leng, Synops. p. 191, 199. — Wickh. Canad. Ent. XXIX, 1897, p. 191.
- pernigra** Linell, Proc. U. S. Nat. Mus. XIX, 1896, p. 397.
- proxima** Say, Journ. Acad. Philad. III, 1823, p. 420. — Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 65. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 338. — Leng, Synops. p. 190, 198. — Wickh. Canad. Ent. XXIX, 1897, p. 191.
subpubescens Kirby, Fauna Bor.-Amer. IV, 1837, p. 180.
 ab. *atrata* J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 339.
- pubera** Say, Journ. Acad. Philad. V, 2, 1827, p. 279. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 337. — Leng, Synops. p. 191, 199. — Wickh. Canad. Ent. XXIX, 1897, p. 192.
- quadricollis** J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 339. — Leng, Synops. p. 192, 200.
- quadrillum** J. Lec. Proc. Acad. Philad. 1859, p. 88. — Leng, Synops. p. 190, 198.
- rubrica** Say, Journ. Acad. Philad. III, 1823, p. 418. — Hald. Proc. Amer. Phil. Soc. IV, 1847, p. 374. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 336. — Leng, Synops. p. 189, 197. — Wickh. Canad. Ent. XXIX, 1897, p. 191.
erythroptera Germ. Ins. spec. nov. 1824, p. 522. — Hald. Trans. Amer. Phil. Soc. (2) X, 1847, p. 64.
- ruficollis** Say, Journ. Acad. Philad. III, 1823, p. 421. *allecta* Newm. Entomol. I, 1841, p. 72.
- Californien,
 Washington,
 Nevada,
 Oregon
 Canada bis
 Pennsylvanien
- Colorado,
 Idaho
 Oststaaten
 von Nordamerika
- Canada,
 Newhampshire,
 Michigan
 Californien
 Canada,
 Vereinigte Staaten
- Canada,
 Weststaaten
 Nordamerikas
- Vermont,
 Massachusetts
- Vancouver,
 Washington,
 Californien,
 Oregon
 Nordamerika
- Canada,
 Oststaaten

- ab. sphaericollis* Say, Journ. Acad. Philad. V, 2, 1827, p. 280. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 338. — Prov. Faune Ent. Canada I, 1877, p. 623. — Leng, Synops. p. 192, 199. — Wickh. Canad. Ent. XXIX, 1897, p. 192.
- paupercula* Newm. Entomol. I, 1841, p. 72.
- rufula** Hald. Trans. Amer. Phil. Soc. (2) X, 1847, p. 60. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 338. — Leng, Synops. p. 190, 198.
- sanguinea** J. Lec. Proc. Acad. Philad. 1859, p. 89. — Leng, Synops. p. 190, 197. — Wickh. Canad. Ent. XXIX, 1897, p. 191.
- scripta** J. Lec. Ann. Mag. Nat. Hist. (4) IV, 1869, p. 384. — Leng, Synops. p. 192, 199.
- Straussi** Webb, Proc. Ent. Soc. Washingt. IX, 1908, p. 41.
- tibialis** J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 339; in Agass. Lake Super. 1850, p. 236 nota. — Leng, Synops. p. 191, 198.
- vagans** Ol. Ent. IV, 73, 1795, p. 31, t. 4, f. 46. — Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 64. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 337. — Leng, Synops. p. 190, 197. — Wickh. Canad. Ent. XXIX, 1897, p. 191.
- Biologie: Felt, Ins. affect. Trees 1907, p. 440, fig.
- ab. brevis* Kirby, Fauna Bor.-Amer. IV, 1837, p. 182.
- valida** J. Lec. Entomol. Report 1857, p. 64, t. 2, f. 14. — Leng, Synops. p. 192, 200.
- vibex** Newm. Entomolog. I, 1841, p. 72. — Horn, Entomol. Amer. I, 1885, p. 6, 8. — Hamilt. Canad. Entomol. XVII, 1885, p. 104. — Leng, Synops. p. 192, 199. — Wickh. Canad. Ent. XXIX, 1897, p. 192.
- nitidicollis* Horn, Proc. Acad. Philad. 1860, p. 570, t. 8, f. 5.
- vittata** Ol. Enc. méth. VII, 1792, p. 523; Ent. IV, 73, 1795, p. 30, t. 4, f. 45. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 337. — Leng, Synops. p. 191, 199. — Wickh. Canad. Ent. XXIX, 1897, p. 192.
- abbreviata* Germ. Ins. spec. nov. 1824, p. 523.
- semivittata* Kirby, Fauna Bor.-Amer. IV, 1837, p. 183.
- ab. gulosa* Kirby, l. c. p. 184.

Neotropische Art.

- bonaëriensis** Burm. Stett. Ent. Zeit. XXVI, 1865, p. 177.

Judolia Muls.

Muls. Col. Fr. Long. ed. 2, 1863, p. 496. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 189. — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 184. — Stierl. Col. Helv. II, 1898, p. 472. — Csiki, Rov. Lapok X, 1903, p. 102. — Houlb. Faune Armor. Ceramb. 1904, p. 30.

Judolia Pic, Longic. I, 1891, p. 65.

Subgen. *Pachytodes* Pic, Longic. I, 1891, p. 65.

Paläarktische und japanische Arten.

- cerambyciformis* Schrank, Enum. Ins. 1781, p. 154. — Mittel- und Südeuropa
Herbst in Füessly, Archiv V, 1784, p. 102, t. 26, f. 26. — Muls. Col. Fr. Long. ed. 2, 1863, p. 499.
— Fairm. Gen. Col. d'Eur. IV, 1864, t. 59, f. 278.
— Ganglb. Best.-Tab. VII, 1884, p. 23 (701). —
Bedel, Faune Col. Seine V, 1889, p. 14, 57. —
Fowler, Col. Brit. Isl. IV, 1890, p. 234, t. 122, f. 2.
— Seidl. Fauna Balt. ed. 2, 1891, p. 744; Fauna
Transs. 1891, p. 838. — Pic, Longic. I, 1891, p. 12.
— Stierl. Col. Helvet. II, 1898, p. 480. — Everts,
Col. Neerl. II, 1, 1901, p. 354. — Csiki, Rov. Lapok
X, 1903, p. 182. — Houlb. Faune Armor. Ceramb.
1904, p. 33, f. 65. — Jacobs. Käfer Russl. 1910,
t. 63, f. 16.
- decempunctata* Ol. Ent. IV, 73, 1795, p. 26, t. 4,
f. 42. — Latr. Hist. Nat. Crust. Ins. XI, 1904,
p. 319. — Muls. Col. Fr. Long. 1839, p. 244. —
Küster, Käfer Eur. XV, 1848, p. 87. — Guiffart,
Mém. Soc. Sc. Nat. Cherb. IV, 1859, p. 384. —
Pic, Longic. I, 1891, p. 12.
- octomaculata* Schaller, Schrift. Naturf. Ges. Halle
I, 1783, p. 297. — F. Ent. Syst. I, 2, 1792, p. 345.
— Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 266;
Man. Brit. Col. 1839, p. 280. — Shuck. Brit. Col.
1840, p. 67, t. 79, f. 4. — Redt. Fauna Austr.
1849, p. 505; ed. 2, 1858, p. 873; ed. 3, II, 1874,
p. 431. — Bach, Käferfauna III, 1856, p. 45. —
Schiodte, Nat. Tidskr. (3) II, 1864, p. 546.
- parva punctata* Voet, Cat. Col. II, 1804—06, p. 31,
t. 26, f. 12.
- quadrinaculata* Scop. Ent. Carn. 1761, p. 47. —
Pic, Longic. I, 1891, p. 12.
- sexmaculata* Voet, Cat. Col. II, 1778, p. 24, t. 21,
f. 108; ed. Panzer III, 1794, p. 62, f. 21, f. 108. —
Martyn, Engl. Ent. 1792, t. 28, f. 22. — Panzer,
Fauna Ins. Germ. LXIX, 1799, t. 21. — Donovan.
Brit. Ins. X, 1800, p. 74, t. 353, f. 2. — Marsh.
Ent. Brit. I, 1802, p. 353.
- sexpunctata* Muls. Col. Fr. Long. 1839, p. 244. —
Pic, Longic. I, 1891, p. 12.
- ab. *bisbigigma* Pic, Echange XXII, 1906, p. 67; Frankreich
Longic. VI, 2, 1907, p. 6.
- ab. *efasciata* Csiki, Rov. Lapok X, 1903, p. 182; Ungarn
Auszug p. 17.
- ab. *Salbachi* Reitt. Wien. Ent. Zeit. XXVII,
1908, p. 216. — Pic, Longic. VII, 1, 1908, p. 3.
- ab. *transsylvanica* Csiki, Rov. Lapok X, 1903, Siebenbürgen
p. 182; Auszug p. 17.

- cometes** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 218. Japan
- erratica** Dalm. in Schönh. Syn. Ins. I, 3, 1817, p. 490 nota. — Germ. Fauna Ins. Eur. VI, 1822, t. 11. — Muls. Col. Fr. Long. ed. 2, 1863, p. 498. — Ganglb. Best.-Tab. VII, 1884, p. 23 (701). — Bedel, Faune Col. Seine V, 1889, p. 14. — Seidl. Fauna Balt. ed. 2, 1891, p. 744; Fauna Transs. 1891, p. 838. — Pic, Longic. I, 1891, p. 12. — Stierl. Col. Helvet. II, 1898, p. 480. — Csiki, Rov. Lapok X, 1903, p. 182. Süddeutschland, Südeuropa
- sexmaculata** F. Syst. Ent. 1775, p. 197. — Redt. Fauna Austr. 1849, p. 505; ed. 2, 1858, p. 873; ed. 3, II, 1874, p. 431. — Bach, Käferfauna III, 1856, p. 46.
- ab. *akbesiana* Pic, Longic. II, 1898, p. 6. Syrien
- var. *Böttcheri* Pic, Longic. VIII, 1, 1911, p. 5. Altai
- ab. *erythrura* Küster, Käfer Eur. XV, 1848, p. 90. — Pic, Longic. I, 1891, p. 13. — Csiki, Rov. Lapok X, 1903, p. 183.
- ab. *septemsignata* Küster, Käfer Eur. XV, 1848, p. 89. — Csiki, Rov. Lapok X, 1903, p. 183.
- russica** Pic, Longic. II, 1898, p. 54. Russland
- longipes** Gebl. Nouv. Mém. Moscou II, 1832, p. 67; Bull. Moscou VI, 1833, p. 305; XXI, 1, 1848, p. 413. — Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 253. Sibirien
- guttulata** Motsch. Bull. Mosc. XLIX, 1, 1875, p. 141.
- sexmaculata** L. Syst. Nat. ed. 10, 1758, p. 398; Fauna Succ. ed. 2, 1761, p. 197. — Ol. Ent. IV, 73, 1795, p. 26, t. 4, f. 43. — Payk. Fauna Succ. III, 1800, p. 123. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 319. — Gyllenh. Ins. Succ. I, 4, 1827, p. 14. — Zett. Fauna Ins. Lapp. I, 1828, p. 383. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 265 nota. — Kirby, Fauna Bor.-Amer. IV, 1837, p. 182. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 283. — Küster, Käfer Eur. XV, 1848, p. 88. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 333. — Muls. Col. Fr. Long. ed. 2, 1863, p. 496. — C. G. Thoms. Skand. Col. VIII, 1866, p. 68. — Ganglb. Best.-Tab. VII, 1881, p. 22 (700). — Bedel, Faune Col. Seine V, 1889, p. 14. — Fowler, Col. Brit. Isl. IV, 1890, p. 234. — Leng, Entomol. Amer. VI, 1890, p. 188, 196. — Seidl. Fauna Balt. ed. 2, 1891, p. 744; Fauna Transs. 1891, p. 839. — Wickh. Canad. Ent. XXIX, 1897, p. 190. — Stierl. Col. Helvet. II, 1898, p. 480. — Csiki, Rov. Lapok X, 1903, p. 182. — Champ. Ent. Month. Mag. (2) XXI, 1910, p. 3, t. 1, f. 6. Nordeuropa, Alpen, Sibirien, Nordamerika
- testaceofasciata** Degeer, Mém. Ins. V, 1775, p. 133.
- trifasciata** F. Ent. Syst. I, 2, 1792, p. 349. — Cederhj. Faun. Ingr. 1798, p. 98, t. 3, fig. f. — Redt. Fauna Austr. ed. 2, 1858, p. 872; ed. 3, II, 1874, p. 431. — Bach, Käferfauna III, 1856, p. 46. — Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 252.

- ab. *dentatofasciata* Mannerh. Bull. Moscou XXV, 2, 1852, p. 308. — Motsch. Mélang. Biol. St. Petersb. III, 1859, p. 232.
 ab. *nigra* Csiki in Zichy, Ergebn. dritt. asiat. Forschungsreise II, 1901, p. 115.
 ab. *parallelopipeda* Motsch. Schrenck's Reise, Col. 1860, p. 146, t. 9, f. 23. — Mars. Abeille XVI, 1878, Bibliogr. p. 111.

Nearktische Arten.

- Leng, Entomol. Amer. VI, 1890, p. 188—189; p. 195—196 (Synopsis).
- ✓ *Coquilletti* Linell, Proc. U. S. Nat. Mus. XIX, 1896, p. 398. Californien
- ✓ *cordifera* Ol. Ent. IV, 73, 1795, p. 25, t. 4, f. 41. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 332. — Leng, Synops. p. 188, 196. Oststaaten Nordamerikas
- ab. *lunaris* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 59.
- ✓ *flaviventris* Schaeffer, Bull. Brookl. Inst. I, 1908, p. 342. Arizona
- gaurotoides* Casey, Ann. N. York Acad. VII, 1893, p. 592. Utah
 — Hamilt. Trans. Amer. Ent. Soc. XXXII, 1896, p. 174.
- ✓ *grossa* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 225. — Leng, Synops. p. 189, 196. Californien
- ✓ *impura* J. Lec. Entomol. Report 1857, p. 64. — Leng, Synops. p. 188, 196. Nevada, Oregon, Californien
- ✓ *instabilis* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 59. Weststaaten Nordamerikas
 — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 332. — Leng, Synops. p. 188, 196.
- ab. *convexa* J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 332. „
- ab. *quadrata* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 225. — Horn, Trans. Amer. Ent. Soc. XIII, 1886, Proc. p. 13. — Leng, Synops. p. 196. „
- ✓ *laeta* J. Lec. Entomol. Report 1857, p. 64. — Leng, Synops. p. 188, 195. Vancouver, Washington, Californien, Oregon, Nevada
- ✓ *Matthewsi* J. Lec. Ann. Mag. Nat. Hist. (4) IV, 1869, p. 384. — Leng, Synops. p. 189, 196. Vancouver, Washington, Californien
- nitens* Forster, Nov. spec. Ins. 1771, p. 45. — Leng, Synops. p. 188, 195. — Wickh. Canad. Ent. XXIX, 1897, p. 190. Oststaaten Nordamerikas, Canada
- aurigera* Newm. Entomolog. I, 1841, p. 70.
carolina var. Weber, Observ. Ent. 1801, p. 91.
quagga Germ. Ins. spec. nov. 1824, p. 521. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 332.
zebra Felt, Ins. affect. Trees 1907, p. 450, f. 106.
zebrata Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 62.
- sexmaculata* L. (siehe unter den paläarktischen Arten). Nordamerika

- ✓ *sexspilota* J. Lec. Proc. Acad. Philad. 1859, p. 80. — Leng, Californien
 Synops. p. 188, 196.
 ✓ *tribalteata* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 224. „
 — Leng, Synops. p. 188, 195.
 ab. *serpentina* Casey, Ann. N. York Acad. VI,
 1892, p. 41. — Hamilt. Trans. Amer. Ent. Soc. Idaho
 XXIII, 1896, p. 174.
 ✓ *vexatrix* Mannerh. Bull. Moscou XXVI, 1853, p. 250. — Kenai, Cali-
 Horn, Trans. Amer. Ent. Soc. XIII, 1886, Bull. fornien,
 p. 14. — Leng, Synops. p. 188, 196. Nevada,
 Oregon

19

Oedecnema Thoms.

Thoms. Arch. Ent. I, 1857, p. 319. — Muls. Col. Fr. Long. ed. 2, 1863, p. 535.
 — Fairm. Gen. Col. d'Eur. IV, 1864, p. 188. — Lacord. Gen. Col. VIII, 1869,
 p. 449.

- ✓ *dubia* F. Spec. Ins. I, 1781, p. 249. — Ol. Enc. méth. Sibirien
 Ins. VII, 1792, p. 520; Ent. IV, 73, 1795, p. 23,
 t. 4, f. 39. — Latr. Hist. Nat. Crust. Ins. XI, 1804,
 p. 318. — Gebl. Mém. Moscou V, 1817, p. 321;
 Bull. Moscou XXI, 1, 1848, p. 416. — Muls.
 Col. Fr. Long. ed. 2, 1863, p. 535. — Fairm.
 Gen. Col. d'Eur. IV, 1864, t. 58, f. 275.
Gebleri Ganglb. in Mars. Cat. Col. 1889, p. 470. —
 Jacobs. Käfer Russl. 1910, t. 67, f. 18.

1

Strangalia Serv.

Serv. Ann. Soc. Ent. Fr. IV, 1835, p. 220. — Muls. Col. Fr. Long. 1839,
 p. 250; ed. 2, 1863, p. 505. — Redt. Gatt. deutsch. Käferf. 1845, p. 112;
 Fauna Austr. 1849, p. 46; ed. 2, 1858, p. CXXX; ed. 3, I, 1874, p. CXLVI.
 — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 327. — Bach, Käferfauna
 III, 1856, p. 47. — Thoms. Classif. Ceramb. 1860, p. 144; Syst. Ceramb.
 1864, p. 407. — Fowler, Col. Brit. Isl. IV, 1890, p. 238. — Seidl. Fauna
 Balt. ed. 2, 1891, Gatt. p. 184. — Stierl. Col. Helv. II, 1898, p. 472.

Subgen. *Bellamira* J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 328.
 — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 313.

Subgen. *Ischnostrangalis* Ganglb. Horae Soc. Ent. Ross. XXIV, 1889,
 p. 53.

Subgen. *Parastrangalis* Ganglb. l. c. p. 57.

Subgen. *Pedostrangalia* Sokolow, l. c. XXX, 1896, p. 461.

Subgen. *Sphenalia* Daniel, Münch. Kol. Zeitschr. II, 1904, p. 355 (Synopsis).

Subgen. *Stenura* Ganglb. Best.-Tab. VII, 1881, p. 18 (696) = *Strangalia*
 sens. str.

Subgen. *Strangalina* n. nom.

Strangalia Lacord. Gen. Col. VIII, 1869, p. 450. — J. Lec. Smiths.
 Misc. Coll. XI, 265, 1873, p. 328. — J. Lec. & Horn, Classif.
 Col. N. Amer. 1883, p. 313. — Ganglb. Best.-Tab. VII, 1881,
 p. 18 (696). — Leng, Entomol. Amer. VI, 1890, p. 157.

Subgen. *Typocerus* J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 333;
 Smiths. Misc. Coll. XI, 265, 1873, p. 328. — J. Lec. & Horn,
 Classif. Col. N. Amer. 1883, p. 313. — Thoms. Classif. Ceramb.
 1860, p. 143; — Leng, Entomol. Amer. VI, 1890, p. 158.

Paläarktische und japanische Arten.

Subgen. *Sphenalia* Daniel.

- Ariadne** Daniel, Synops. p. 355, 358, 365.
- emnipoda** Muls. Col. Fr. Long. ed. 2, 1863, p. 531. — Ganglb. Best.-Tab. VII, 1881, p. 21 (699). — Reitt. Wien. Ent. Zeit. XX, 1901, p. 80. — Pic, Bull. Soc. Ent. Fr. 1901, p. 235; Longic. VI, 1, 1906, p. 18—20. — Daniel, Synops. p. 359, 365. *Jaegeri* Fairm. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 279.
 ab. *insuturata* Pic, Longic. I, 1891, p. 15; VI, 1, 1906, p. 20; Bull. Soc. Ent. Fr. 1901, p. 235. — Daniel, Synops. p. 366.
 ab. *subsignata* Pic, Bull. Soc. Ent. Fr. 1901, p. 235; Longic. VI, 1, 1906, p. 18—20. — Daniel, Synops. p. 366.
- Erinnys** Daniel, Synops. p. 356, 360, 368. — Pic, Echange XXI, 1905, p. 127; Longic. VI, 1, 1906, p. 20—24.
- femoralis** Motsch. Etud. Ent. IX, 1860, p. 40. — Daniel, Synops. p. 360, 370.
diversipes L. Heyd. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 298.
- imberbis** Ménétr. Cat. Rais. 1832, p. 231. — Fald. Fauna Transc. II, 1837, p. 316. — Daniel, Synops. p. 357, 360. — Pic, Longic. VI, 1, 1906, p. 7.
angulicollis L. Heyd. in Schneid. & Leder, Beitr. Kauk. Käferf. 1878, p. 323. — Faust, Deutsche Ent. Zeitschr. XXIII, 1879, p. 414.
 ab. *holomelaena* Daniel, Synops. p. 360.
 ab. *lucida* Daniel, l. c. p. 361.
 ab. *rufopicta* Daniel, l. c.
 ab. *signatipennis* Daniel, l. c.
- pubescens** F. Mant. Ins. I, 1787, p. 158. — Payk. Fauna Suec. III, 1800, p. 255. — Gyllenh. Ins. Suec. I, 4, 1827, p. 3. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 280. — Muls. Col. Fr. Long. 1839, p. 255; var. β ed. 2, 1863, p. 519. — Redt. Fauna Austr. 1849, p. 506; ed. 2, 1858, p. 874; ed. 3, II, 1874, p. 433. — Bach, Käferfauna III, 1856, p. 49. — C. G. Thoms. Skand. Col. VIII, 1866, p. 76. — Ganglb. Best.-Tab. VII, 1881, p. 20 (698). — Seidl. Fauna Balt. ed. 2, 1891, p. 748; Fauna Transs. 1891, p. 843. — Stierl. Col. Helvet. II, 1898, p. 487. — Csiki, Rov. Lapok X, 1903, p. 203. — Daniel, Münch. Kol. Zeitschr. II, 1904, p. 358, 363.
atra Panzer, Voet's Cat. Col. IV, 1798, p. 8, t. 26, f. 9.
hollandica nigra Voet, Cat. Col. II, 1804—06, p. 30, t. 26, f. 9.
obscura Thunb. Mus. Nat. Ups. IV, 1787, p. 56, nota 8.
nigra Degeer, Mém. Ins. V, 1775, p. 144.
perobscura Reitt. Wien. Ent. Zeit. XX, 1901, p. 77.
 ab. *auriflua* Redt. Fauna Austr. ed. 2, 1858, p. 874 nota; ed. 3, II, 1874, p. 433.

Creta
 Griechenland,
 Türkei,
 Kleinasien,
 Syrien

Kleinasien

Amur

Kaukasus,
 Persien,
 Trans-
 kaspien

Südschweden,
 östliches
 Mittel-
 europa,
 Südeuropa

holosericea Muls. Col. Fr. Long. 1839, p. 255.

pubescens var. β Payk. Fauna Succ. III, 1800, p. 107.

ab. *holosericea* F. Syst. El. II, 1801, p. 481.

obscura Panz. Fauna Ins. Germ. LXIX, 1799, t. 20. — Muls. Col. Fr. Long. 1839, p. 255.

pubescens var. ϵ Gyllenh. Ins. Succ. I, 4, 1827, p. 3.

ab. *maculifera* Heyrovsky, Acta Soc. Ent. Bohemiae VII, 1910, p. 114.

ab. *Ottoi* Pic, Longic. VI, 2, 1907, p. 6.

revestita L. Syst. Nat. ed. 12, 1767, p. 638. — Schrank, Enum. Ins. 1781, p. 159. — Laich. Verz. Tyrol.

Ins. II, 1784, p. 153. — Marsh. Ent. Brit. I, 1802, p. 350. — Steph. Ill. Brit. Ent. Mand.

IV, 1831, p. 258; Man. Brit. Beetl. 1839, p. 278.

— Bach, Käferfauna III, 1856, p. 49. — Redt. Fauna Austr. ed. 2, 1858, p. 874; ed. 3, II,

1874, p. 433. — Muls. Col. Fr. Long. ed. 2, 1863, p. 511. — Schiödte, Nat. Tidskr. (3) III, 1864,

p. 554. — Thoms. Skand. Col. VIII, 1866, p. 73. — Ganglb. Best.-Tab. VII, 1881, p. 21 (699).

— Bedel, Faune Col. Seine V, 1889, p. 16, 61. — Fowler, Col. Brit. Isl. IV, 1890, p. 239.

— Seidl. Fauna Balt. ed. 2, 1891, p. 748; Fauna Transs. 1891, p. 843. — Stierl. Col. Helvet. II,

1898, p. 487. — Everts, Col. Neerl. II, 1, 1901, p. 357. — Csiki, Rov. Lapok X, 1903, p. 203.

— Houlb. Faune Armor. Ceramb. 1904, p. 36, f. 70. — Daniel, Synops. p. 357, 361. — Pic, Longic. VIII, 1, 1911, p. 15—18.

villica F. Syst. Ent. 1775, p. 196. — Rossi, Fauna Etr. I, 1790, p. 161; Mant. Ins. Append. 1794,

p. 132. — Martyn, Engl. Entomol. 1792, t. 27, f. 1. — Ol. Ent. IV, 73, 1795, p. 13, t. 2, f. 25.

— Panzer, Fauna Ins. Germ. XXII, 1794, t. 13. — Payk. Fauna Succ. III, 1800, p. 113.

— Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 315. — Gyllenh. Ins. Succ. I, 4, 1827, p. 5. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 281. — Muls.

Col. Fr. Long. 1839, p. 253. — Redt. Fauna Austr. 1849, p. 506.

ab. *bicoloraticeps* Pic, Longic. VIII, 1, 1911, p. 4, 17.

ab. *discicollis* Scriba, Ber. Oberhess. Ges. Nat.- und Heilk. XI, 1866, p. 32. — L. Heyd. Käfer Nassaus 1877, p. 344; ed. 2, 1904, p. 271. — Daniel, Synops. p. 362. — Pic, Longic. VIII,

1, 1911, p. 17.

ab. *diversipennis* Daniel, Synops. p. 362. — Pic, Longic. VIII, 1, 1911, p. 16.

ab. *fulvilabris* Muls. Col. Fr. Long. 1839, p. 254. — Csiki, Rov. Lapok X, 1903, p. 203. — Daniel, Synops. p. 362. — Pic, Longic. VIII, 1, 1911, p. 18.

revestita var. ϵ Muls. Col. Fr. Long. ed. 2, 1863, p. 512.

ab. *Gabilloti* Pic, Longic. VIII, 1, 1911, p. 18.

ab. *labiata* Muls. Col. Fr. Long. 1839, p. 254. — Daniel, Synops. p. 363. — Pic, Longic. VIII,

1, 1911, p. 17.

Kärnten

Mittel- und
Südeuropa

revestita var. δ Muls. Col. Fr. Long. ed. 2, 1863, p. 512.

T — ab. *rubra* Geoffr. in Fourer. Entom. Paris. I, 1785, p. 89. — Daniel, Synops. p. 363. — Pic, Longic. VIII, 1, 1911, p. 17.

ferruginea Muls. Col. Fr. Long. 1839, p. 254. — Csiki, Rov. Lapok X, 1903, p. 203.

fuscicornis Marsh. Ent. Brit. I, 1802, p. 357.

revestita var. α Muls. Col. Fr. Long. ed. 2, 1863, p. 512.

villica ♀ Ol. Ent. IV, 73, 1795, p. 13, t. 1, f. 10.

T — ab. *rufomarginata* Muls. Col. Fr. Long. 1839, p. 254. — Daniel, Synops. p. 362. — Csiki, Rov. Lapok X, 1903, p. 203. — Pic, Longic. VIII, 1, 1911, p. 18.

revestita var. β Muls. Col. Fr. Long. ed. 2, 1863, p. 512.

var. *vitticollis* Muls. Col. Fr. Long. 1839, p. 254. — Daniel, Synops. p. 363. — Pic, Longic. VIII, 1, 1911, p. 17.

revestita var. γ Muls. Col. Fr. Long. ed. 2, 1863, p. 512.

T • *verticalis* Germ. Fauna Ins. Eur. V, 1822, t. 9. — Brullé, Expéd. Morée III, 1832, p. 265. — Küster, Käfer Eur. II, 1845, p. 59. — Muls. Col. Fr. Long. ed. 2, 1863, p. 520. — Ganglb. Best.-Tab. VII, 1881, p. 21 (669). — Reitt. Wien. Ent. Zeit. XX, 1901, p. 80. — Csiki, Rov. Lapok X, 1903, p. 203. — Daniel, Synops. p. 359, 366.

Illyrien,
Dalmatien,
Griechen-
land

T — var. *Adaliae* Reitter, Deutsche Ent. Zeitschr. XXIX, 1885, p. 390. — Daniel, Synops. p. 366.

Kleinasien,
Cypern
Gricchenland

T — ab. *graeca* Pic, Echange XVII, 1901, p. 52; Longic. VI, 1, 1906, p. 23, 24.

ab. *taygetana* Daniel, Synops. p. 366.

T — ab. *verticigena* Pic, Ann. Soc. Ent. Fr. LXI, 1892, p. 416; Longic. II, 1898, p. 19; VI, 1, 1906, p. 24. — Daniel, Synops. p. 366, 369.

„
Kleinasien

T *xanthoma* Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 195.

Japan

Subgen. *Strangalia* sens. str.

(*Stenura* Ganglb.)

T ✓ *aethiops* Poda, Ins. Mus. Gracc. 1761, p. 38. — Ganglb. Best.-Tab. VII, 1881, p. 20 (698). — Bedel, Faune Col. Seine V, 1889, p. 17, 60. — Everts, Col. Neerl. II, 1, 1901, p. 357. — Csiki, Rov. Lapok X, 1903, p. 202. — Houb. Faune Armor. Ceramb. 1904, p. 36, f. 69.

Mittleuropa,
Sibirien

aterrima Motsch. Schrenck's Reise, Col. 1860, p. 147, t. 9, f. 24. — Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 250. — Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 195. — Mars. Abeille XVI, 1878, p. 111. — Lewis, Entomol. XXVI, 1893, p. 152.

atra Scop. Ann. Hist. Nat. V, 1772, p. 100. — F. Syst. Ent. 1775, p. 197. — Laich. Verz. Tyrol. Ins. II, 1784, p. 148. — Rossi, Fauna Etr. I,

1790, p. 163. — Ol. Ent. IV, 73, 1795, p. 30, t. 1, f. 4. — Panzer in Voet, Besch. hartsech. Ins. IV, 1798, p. 8, t. 26, f. 9; Fauna Ins. Germ. LXIX, 1799, t. 14. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 321. — Muls. Col. Fr. Long. 1839, p. 257; ed. 2, 1863, p. 516. — Küster, Käfer Eur. IX, 1847, p. 517. — Redt. Fauna Austr. 1849, p. 506; ed. 2, 1858, p. 874; ed. 3, II, 1874, p. 433. — Bach, Käferfauna III, 1856, p. 49. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 552. — Seidl. Fauna Balt. ed. 2, 1891, p. 747; Fauna Transs. 1891, p. 842. — Stierl. Col. Helvet. II, 1898, p. 486. — Jacobs. Käfer Russl. 1910, t. 64, f. 12.

hollandica nigra Voet, Cat. Col. II, 1804—06, p. 30, t. 26, f. 9.

melanaria Herbst in Füessly, Archiv V, 1784, p. 101.

unicolor Ol. Eneycl. méth. VII, 1792, p. 518.

ab. *Beckeri* Gerh. Deutsche Ent. Zeitschr. 1910, p. 557. — Pic, Longie. VIII, 1, 1911, p. 4.

var. *Letzneri* Gabriel, Deutsche Ent. Zeitschr. 1895, p. 437.

adumbrata Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 220.

adustipennis Solsky, Horae Soc. Ent. Ross. VII, 1870, p. 404. — Blessig, l. c. IX, 1873, p. 251. — L. Heyd. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 282.

anaspidoides Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 196.

approximans Rosenh. Thiere Andal. 1856, p. 305. — Fairm. Ann. Soc. Ent. Fr. (2) VI, 1866, p. 70. — L. Heyd. Ent. Reise südl. Spanien 1870, p. 163. — Ganglb. Best.-Tab. VII, 1881, p. 20 (698); Verh. zool.-bot. Ges. Wien XXXV, 1885, p. 516.

distigma Charpent. Horae Ent. 1825, p. 227, t. 9, f. 1.

purpuripennis Muls. Col. Fr. Long. ed. 2, 1863, p. 515.

ab. *Edmundi* Pic, Bull. Soc. Ent. Fr. 1901, p. 237.

✓ *arcuata* Panzer, Fauna Ins. Germ. VIII, 1793, t. 12. — Muls. Col. Fr. Long. Suppl. 1846; ed. 2, 1863, p. 524. — Redt. Fauna Austr. ed. 3, II, 1874, p. 433. — Ganglb. Best.-Tab. VII, 1881, p. 19 (697). — Seidl. Fauna Balt. ed. 2, 1891, p. 748; Fauna Transs. 1891, p. 843. — Stierl. Col. Helvet. II, 1898, p. 487. — Csiki, Rov. Lapok X, 1903, p. 202. — Houlb. Faune Armor. Ceramb. 1904, p. 36.

annularis F. Syst. El. II, 1801, p. 363. — Cast. Hist. Nat. II, 1840, p. 503. — Redt. Fauna Austr. 1849, p. 507; ed. 2, 1858, p. 874. — Bach, Käferfauna III, 1856, p. 48.

ab. *mediodisjuncta* Pic, Echange XVIII, 1902, p. 10.

var. *mimica* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 219.

Ural

Schlesien

Japan

Ostsibirien

Japan

Spanien,
MaroccoMitteleuropa,
Sibirien

Japan

- aurulenta** F. Ent. Syst. I, 2, 1792, p. 348. — Ol. Ent. VI, 73, 1795, p. 18, t. 3, f. 31. — Marsh. Ent. Brit. I, 1802, p. 356. — Panz. Fauna Ins. Germ. XC, 1804, t. 5. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 317. — Gyllenh. Ins. Succ. I, 4, 1827, p. 10. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 259; Man. 1839, p. 278. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 282. — Muls. Col. Fr. Long. 1839, p. 251; ed. 2, 1863, p. 507. — Cast. Hist. Nat. II, 1840, p. 504. — Redt. Fauna Austr. 1849, p. 506; ed. 2, 1858, p. 874; ed. 3, II, 1874, p. 433. — Bach, Käferfauna III, 1856, p. 48. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 550. — Cox, Handb. Col. II, 1874, p. 312. — Ganglb. Best.-Tab. VII, 1881, p. 19 (697). — Bedel, Faune Col. Seine V, 1889, p. 17, 61. — Fowler, Col. Brit. Isl. IV, 1890, p. 239, t. 122, f. 7. — Seidl. Fauna Balt. ed. 2, 1891, p. 747; Fauna Transs. 1891, p. 842. — Stierl. Col. Helvet. II, 1898, p. 486. — Everts, Col. Neerl. II, 1, 1902, p. 357. — Csiki, Rov. Lapok X, 1903, p. 201. — Houlb. Faune Armor. Ceramb. 1904, p. 34, f. 66. — Jacobs. Käfer Russl. 1910, t. 64, f. 13.
- quadrifasciata* Rossi, Fauna Etr. I, 1790, p. 161. Biologie: Perris, Ann. Scienc. Nat. XIV, 1840, p. 90, t. 3, nr. 4; Larves Col. 1877, p. 539. — Xamheu, Moeurs & Métam. VIII, 1902, p. 121.
- bifasciata** Müll. Zool. Dan. Prodr. 1776, p. 93. — Schrank, Enum. Ins. 1781, p. 159; Fauna Boica I, 2, 1798, p. 693. — Bechst. & Scharfenb. Naturg. Forstins. I, 1804, p. 215. — Küster, Käfer Eur. IX, 1847, p. 74. — Redt. Fauna Austr. 1849, p. 507; ed. 2, 1858, p. 875; ed. 3, II, 1874, p. 434. — Bach, Käferfauna III, 1856, p. 49. — Muls. Col. Fr. Long. ed. 2, 1863, p. 529. — Ganglb. Best.-Tab. VII, 1881, p. 21 (699). — Bedel, Faune Col. Seine V, 1889, p. 17, 60. — Seidl. Fauna Balt. ed. 2, 1891, p. 749; Fauna Transs. 1891, p. 843. — Stierl. Col. Helvet. II, 1898, p. 488. — Everts, Col. Neerl. II, 1, 1902, p. 358. — Csiki, Rov. Lapok X, 1903, p. 204. — Houlb. Faune Armor. Ceramb. 1904, p. 37.
- cruciata* Ol. Ent. IV, 73, 1795, p. 7, t. 1, f. 5 d. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 313. — Muls. Col. Fr. Long. 1839, p. 263.
- melanura* Herbst in Füessly, Archiv V, 1784, p. 100; in Borowsky, Naturg. VI, 1784, p. 132, t. 17, f. 2. — var. *Petagna*, Spec. Ins. Calabr. 1787, p. 19.
- quadrifasciata* Poda, Ins. Mus. Graec. 1761, p. 28.
- ustulata* Laich. Verz. Tyrol. Ins. II, 1784, p. 157. Biologie: Xamheu, Ann. Soc. Linn. Lyon XLIV, 1897, p. 33; Moeurs et Métam. VII, 1899, p. 25; IX, 1901, p. 79; Rev. d'Ent. XIX, 1900, p. 16.
- *ab. ferruginipes* Pic, Echange XI, 1895, p. 76; Bull. Soc. Ent. Fr. 1895, p. 225.
- *ab. immaculata* Pic, Echange V, 1889, p. 55; Longic. I, 1891, p. 15.

Mittel- und
SüdeuropaMittel- und
Südeuropa

Armenien

Südfrankreich

- ab. lanceolata* Muls. Ann. Soc. Linn. Lyon (2), IX, 1863, p. 177. Spanien
ab. nigriventris Pic, Longic. I, 1891, p. 15. Südfrankreich
ab. nigrosuturalis Reitter, Wien. Ent. Zeit. XIV, 1895, p. 88. — Pic, Bull. Soc. Ent. Fr. 1895, p. 225; Echange XI, 1895, p. 76. Syrien
dimorpha Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 195. Japan, Sibirien
distigma Charpent. Horae Ent. 1825, p. 227, t. 9, f. 4. Südfrankreich,
— Muls. Col. Fr. Long. Suppl. 1842, p. (5); ed. 2, 1863, p. 514. — Fairm. Gen. Col. d'Eur. IV, 1864, Spanien,
t. 59, f. 277. — Ganglb. Best.-Tab. VII, 1881, p. 20 Nordafrika
(698). — Pic, Longic. I, 1891, p. 15; II, 1898, p. 7.
ab. bimaculata Pic, Longic. I, 1891, p. 15; II, 1898, p. 7. Südfrankreich
ab. Lopez-bayoi Lauffer, Bol. Soc. Esp. Hist. Nat. Spanien
IV, 1904, p. 374. — Pic, Longic. V, 2, 1905, p. 8.
ab. neglecta Chob. Bull. Soc. Ent. Fr. 1895, p. 310. Algerien
ab. notata Pic, Longic. I, 1891, p. 15; II, 1898, p. 7. Südfrankreich
ab. subscutellaris Pic, Echange XVII, 1901, p. 67. „
ab. tenietensis Pic, Echange VI, 1890, p. 157. Algerien
duodecinguttata F. Syst. El. II, 1801, p. 363. — Gebl. Sibirien
Bull. Mosc. XXI, 1, 1848, p. 418. — Blessig,
Horae Soc. Ent. Ross. IX, 1873, p. 249. — Kraatz,
Deutsche Ent. Zeitschr. XXIII, 1879, p. 86.
elboursensis Pic, Bull. Mus. Paris XI, 1905, p. 390. Kaukasus
Harmandi Pic, Bull. Mus. Paris VII, 1901, p. 61. Japan
Hecate Reitter, Deutsche Ent. Zeitschr. 1896, p. 48. Turkestan
ab. auliensis Pic, Longic. VI, 1, 1906, p. 7. Samarkand
hybridula Reitter, Deutsche Ent. Zeitschr. 1901, p. 188. Spanien
ab. atriventris Pic, Longic. V, 2, 1905, p. 8. Portugal
Jaegeri Hummel, Essais Ent. IV, 1825, p. 68. — Ménétr. Kaukasus,
Cat. Rais. 1832, p. 231. — Ball. Bull. Moscou Syrien
XLIII, 2, 1870, p. 270. — Ganglb. Best.-Tab.
VII, 1881, p. 22 (700); Wien. Ent. Zeit. I, 1882,
p. 140.
♀ *mingrelica* Tourn. Rev. Mag. Zool. (2) XXIII,
1872, p. 344.
♂ *oxyptera* Fald. Fauna Transe. II, 1837, p. 318,
t. II, f. 6.
var. *fenestrata* Reitter, Wien. Ent. Zeitschr. XX, Kaukasus
1901, p. 79.
var. *Jekeli* Pic, Bull. Soc. Ent. Fr. 1901, p. 236. „
inermis Daniel, Col.-Stud. II, 1898, p. 74. „
limbiventris Reitter, Wien. Ent. Zeit. XVII, 1898, p. 21. „
maculata Poda, Ins. Mus. Graec. 1761, p. 37. — Muls. Europa
Col. Fr. Long. ed. 2, 1863, p. 521. — Ganglb.
Best.-Tab. VII, 1881, p. 19 (697). — Bedel, Faune
Col. Seine V, 1889, p. 16, 62. — Pic, Longic. I,
1891, p. 13. — Seidl. Fauna Balt. ed. 2, 1891,
p. 748; Fauna Transs. 1891, p. 842. — Stierl.
Col. Helvet. II, 1898, p. 486. — Everts, Col.
Neerl. II, 1, 1902, p. 357. — Csiki, Rov. Lapok
X, 1903, p. 202. — Houlb. Faune Armor. Ceramb.
1904, p. 35. — Pic, Longic. VII, 2, 1910, p. 21.
armata Preyßler in Mayer, Samml. physik. Aufs.
III, 1793, p. 183. — Hoppe, Taschenb. 1796,
p. 171. — Gyllenh. Ins. Suec. I, 4, 1827, p. 11.

- Muls. Col. Fr. Long. 1839, p. 258. — Redt. Fauna Austr. 1849, p. 507; ed. 2, 1858, p. 875; ed. 3, II, 1874, p. 434. — Bach, Käferfauna III, 1856, p. 48. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 551. — Cox, Handb. Col. II, 1874, p. 313. — Fowler, Col. Brit. Isl. IV, 1890, p. 240.
- calcarata* Ol. Ent. IV, 73, 1790, t. 1, f. 16.
- elongata* Thoms. Skand. Col. VIII, 1866, p. 74.
- fasciata* Scop. Ent. Carn. 1763, p. 54. — Hoppe, Enum. Ins. 1795, p. 59.
- nigra* Petagna, Spec. Ins. Calabr. 1787, p. 19.
- nigrofasciata* Petagna, Instit. Ent. I, 1792, p. 247.
- quinquemaculata* Gmel. Syst. Nat. I, 4, 1790, p. 1868.
- rubea* Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 86.
- T — *subspinosa* F. Ent. Syst. I, 2, 1792, p. 347. — Ol. Ent. IV, 73, p. 15, t. 3, f. 30a. — Pic, Longic. VII, 2, 1910, p. 23.
- Biologie: Westw. Introd. Class. Ins. I, 1839, p. 369, f. 44, 20. — Cand. Mém. Soc. Sc. Liège VIII, 1853, p. 390, t. 8, f. 10. — Bargagli, Bull. Soc. Ent. Ital. XIV, 1882, p. 404. — Xambeu, Moeurs & Métam. VIII, 1902, p. 123.
- T — ab. *alsatica* Pic, Longic. VII, 2, 1910, p. 23.
- T — ab. *binotata* Muls. Col. Fr. Long. 1839, p. 258. — Pic, Longic. I, 1891, p. 13; VII, 2, 1910, p. 23.
- T — ab. *Dayremi* Pic, l. c. VII, 2, 1910, p. 23.
- T — ab. *disconotata* Pic, l. c. VII, 1, 1908, p. 3; VII, 2, 1910, p. 22.
- armata* Fowler, Col. Brit. Isl. IV, 1890, t. 122, f. 9.
- T — ab. *elongata* Degeer, Mém. Ins. V, 1775, p. 134. — Rossi, Mant. Ins. I, 1792, p. 54. — Marsh. Ent. Brit. I, 1802, p. 355. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 257; Man. 1839, p. 278.
- armata* Herbst in Füssly, Archiv V, 1784, p. 101, t. 26, f. 24. — Fowler, Col. Brit. Isl. IV, 1890, t. 122, f. 10.
- attenuata* Ström, Danske Vid. Selsk. Skrivt. (2) II, 1783, p. 60, tab., f. 12.
- calcarata* F. Ent. Syst. I, 2, 1792, p. 347. — Payk. Fauna Suec. III, 1800, p. 114. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 316.
- maculata* Pic, Longic. VII, 2, 1910, p. 22. — Jacobs. Käfer Russl. 1910, t. 64, f. 14.
- punctatofasciata* Muls. Col. Fr. Long. 1839, p. 258.
- Scopoliana* Laich. Verz. Tyrol. Ins. II, 1784, p. 145.
- subspinosa* Ol. Ent. IV, 73, 1795, p. 15, t. 3, f. 30b. — Payk. Fauna Suec. III, 1800, p. 115. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 316.
- T — ab. *Escudei* Lauffer, Bol. Soc. Esp. Hist. Nat. IX, 1909, p. 275. — Pic, Longic. VII, 2, 1910, p. 24.
- T — ab. *externepunctata* Muls. Col. Fr. Long. 1839, p. 258. — Pic, Longic. I, 1891, p. 13; VII, 2, 1910, p. 23. — Csiki, Rov. Lapok X, 1903, p. 202.
- T — ab. *impunctata* Muls. Col. Fr. Long. 1839, p. 258. — Pic, Longic. I, 1891, p. 13; VII, 2, 1910, p. 22.
- T — ab. *manca* L. W. Schauf. Rev. Mag. Zool. (2) XV, 1863, p. 121. — Pic, Longic. VII, 2, 1910, p. 23.

Spanien

Spanien

7 ab. *nigricornis* Stierl. Berl. Ent. Zeitschr. VIII, Sicilien
1864, p. 153.

7 ab. *sinuata* F. Ent. Syst. I, 2, 1792, p. 347. —
Muls. Col. Fr. Long. 1839, p. 259. — Pic, Longic.
I, 1891, p. 13; VII, 2, 1910, p. 23.

belga minor Voet, Cat. Col. II, 1804—06, p. 30,
t. 26, f. 7.

scopolina Sturm, Ins.-Cabinet IV, 1792, t. 23.

subspinosa Panz. in Voet, Verz. hartsch. Ins.
IV, 1798, p. 7, t. 26, f. 7.

7 ab. *undulata* Muls. Col. Fr. Long. 1839, p. 259.
— Pic, Longic. I, 1891, p. 13; VII, 2, 1910,
p. 22. — Csiki, Rov. Lapok X, 1903, p. 202.

elongata Donovan. Brit. Ins. III, 1794, p. 32, t. 84,
f. 4. — Shuck. Brit. Col. 1840, p. 67, t. 19.

maculata var. Houlb. Faune Armor. Ceramb. 1904,
p. 35, f. 68.

nigrofasciata Petagna, Instit. Ent. I, 1792,
t. 2, f. 12.

7 **melanura** L. Syst. Nat. ed. 10, 1758, p. 397; Fauna Suec. Europa,
ed. 2, 1761, p. 195. — Poda, Ins. Mus. Graec. Sibirien
1761, p. 37. — F. Syst. Ent. 1775, p. 196. —
Laich. Verz. Tyrol. Ins. II, 1784, p. 155. — Rossi,
Fauna Etr. I, 1790, p. 160. — Ol. Enc. méth.
VII, 1792, p. 513; Ent. IV, 73, 1795, p. 6, t. 1, f. 6.
— Sturm, Ins.-Cabinet IV, 1792, t. 22. — Martyn,
Engl. Ent. 1792, t. 27, f. 7. — Preyssl. in Mayer,
Samml. Physik. Aufs. III, 1793, p. 261. — Panz.
Fauna Ins. Germ. LXIX, 1799, t. 19. — Payk.
Fauna Suec. III, 1800, p. 110. — Marsh. Ins. Brit.
I, 1802, p. 350. — Latr. Hist. Nat. Crust. Ins. XI,
1804, p. 312. — Bechst. & Scharfenb. Naturg.
Forstins. I, 1804, p. 212. — Gyllenh. Ins. Suec.
I, 4, 1827, p. 6. — Zett. Fauna Ins. Lapp. I,
1828, p. 384. — Steph. Ill. Brit. Ent. Mand. IV,
1831, p. 261; Man. 1839, p. 279. — C. R. Sahlb.
Ins. Fenn. II, 1839, p. 281. — Muls. Col. Fr.
Long. 1839, p. 265; ed. 2, 1863, p. 531. — Cast.
Hist. Nat. II, 1840, p. 504. — Küster, Käfer
Eur. IX, 1847, p. 74. — Redt. Fauna Austr.
1849, p. 507; ed. 2, 1858, p. 875; ed. 3, II, 1874,
p. 434. — Bach, Käferfauna III, 1856, p. 49.
— Schiödte, Nat. Tidskr. (3) II, 1864, p. 553. —
C. G. Thoms. Skand. Col. VIII, 1866, p. 76. —
Cox, Handb. Col. II, 1874, p. 313. — Ganglb.
Best.-Tab. VII, 1881, p. 20 (698). — Bedel,
Faune Col. Seine V, 1889, p. 17. — Fowler, Col.
Brit. Isl. IV, 1890, p. 241. — Seidl. Fauna Balt.
ed. 2, 1891, p. 748; Fauna Transs. 1891, p. 843.
— Stierl. Col. Helvet. II, 1898, p. 488. — Everts,
Col. Neerl. II, 1, 1902, p. 357. — Csiki, Rov.
Lapok X, 1903, p. 204. — Houlb. Faune Armor.
Ceramb. 1904, p. 37, f. 71. — Jacobs. Käfer Russl.
1910, t. 64, f. 15.

diversiventris Duf. Excurs. Vall. d'Ossau 1843,
p. 103.

similis Herbst in Füessly, Archiv V, 1784, p. 101,
t. 26, f. 22.

sutura nigra Degeer, Mém. Ins. V, 1775, p. 138. Biologie: Muls. Ann. Soc. Agric. Lyon (3) VIII, 1864, p. 531. — Xambeau, Ann. Soc. Linn. Lyon (2) XLIII, 1896, p. 169; XLV, 1899, p. 11; Moeurs & Métam. V, 1896, p. 147; VII, 1899, p. 51; VIII, 1902, p. 125.

ab. *georgiana* Pic, Longic. I, 1891, p. 63.

ab. *latesuturata* Pic, l. c.

ab. *melanurella* Reitter, Wien. Ent. Zeit. XX, 1901, p. 78.

ab. *rubellata* Reitter, l. c. p. 77.

ab. *tibialis* J. Friv. (wo?). — Csiki, Rov. Lapok X, 1903, p. 204.

nigra L. Syst. Nat. ed. 10, 1758, p. 398; Fauna Succ. ed. 2, 1761, p. 198. — F. Syst. Ent. 1775, p. 197. —

Schrank, Enum. Ins. 1781, p. 159. — Petagna, Spec. Ins. Calabr. 1787, p. 19. — Ol. Enc. méth. VII, 1792, p. 522; Ent. IV, 73, 1795, p. 21, t. 3, f. 36. — Rossi, Fauna Etr. I, 1790, p. 163. — Sturm, Ins.-Cabinet III, 1792, t. 9. — Martyn, Engl. Ent. 1792, t. 27, f. 8. — Preyssl. in Mayer, Samml. Phys. Aufs. III, 1793, p. 183. — Panz. Fauna Ins. Germ. LXIX, 1799, t. 18. — Payk. Fauna Succ. III, 1800, p. 120. — Marsh. Ent. Brit. I, 1802, p. 351. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 317. — Gyllenh. Ins. Succ. I, 4, 1827, p. 7. — Steph. III. Brit. Ent. Mand. IV, 1831, p. 262; Man. 1839, p. 279. — Muls. Col. Fr. Long. 1839, p. 262; ed. 2, 1863, p. 527. — Cast. Hist. Nat. II, 1840, p. 504. — Küster, Käfer Eur. VI, 1846, t. 91. — Redt. Fauna Austr. 1849, p. 506; ed. 2, 1858, p. 874; ed. 3, II, 1874, p. 433. — Bach, Käferfauna III, 1856, p. 49. — Schiödde, Nat. Tidskr. (3) II, 1864, p. 553. — C. G. Thoms. Skand. Col. VIII, 1866, p. 76. — Cox, Handb. Col. II, 1874, p. 313. — Ganglb. Best.-Tab. VIII, 1881, p. 21 (699). — Bedel, Faune Col. Seine V, 1889, p. 17, 60. — Fowler, Col. Brit. Isl. IV, 1890, p. 241, t. 122, f. 11. — Seidl. Fauna Balt. ed. 2, 1891, p. 748; Fauna Transs. 1891, p. 843. — Stierl. Col. Helvet. II, 1898, p. 487. — Everts, Col. Neerl. II, 1, 1902, p. 358. — Csiki, Rov. Lapok X, 1903, p. 204. — Houlb. Faune Armor. Ceramb. 1904, p. 37, f. 75. — Jacobs. Käfer Russl. 1910, t. 64, f. 16.

picea Geoffr. in Fourer. Ent. Paris. I, 1785, p. 87.

nigripes Degeer, Mém. Ins. V, 1775, p. 136. — Payk. Fauna Succ. III, 1800, p. 121. — Gyllenh. Ins. Succ. I, 4, 1827, p. 4. — Zett. Fauna Ins. Lapp. I, 1828, p. 382. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 280. — Muls. Col. Fr. Long. ed. 2, 1863, p. 516. — C. G. Thoms. Skand. Col. VIII, 1866, p. 68. — Ganglb. Best.-Tab. VII, 1881, p. 22 (700). — Seidl. Fauna Balt. ed. 2, 1891, p. 747; Fauna Transs. 1891, p. 842. — Csiki, Rov. Lapok X, 1903, p. 200.

intermedia Chev. Ann. Soc. Ent. Fr. (6) II, 1882, p. 59.

Kaukasus

Spanien
Ungarn

Europa

Nordeuropa,
Alpen,
Karpthen,
Sibirien

- ab. rufipennis* Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 251. Sibirien
novercalis Reitter, Wien. Ent. Zeit. XX, 1901, p. 78. Kaukasus
ab. semilimbata Pic, Bull. Soc. Ent. Fr. 1901, p. 236.
nymphula Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 220. Japan
 var. *Lesnei* Pic, Bull. Mus. Paris VII, 1901, p. 60. „
ochraceofasciata Motsch. Etud. Entomol. X, 1861, p. 21. „
 — Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 196. — Matsum. Thous. Ins. Jap. III, 1908, nr. 716, t. 54, f. 3.
ab. ochrotela Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 196. „
quadrifasciata L. Syst. Nat. ed. 10, 1758, p. 398; Fauna Succ. ed. 2, 1761, p. 197. — F. Syst. Ent. 1775, p. 198. — Schrank, Enum. Ins. 1781, p. 156. — Ström, Danske Vid. Selsk. Skrivt. (2) II, 1783, p. 59. — Laich. Verz. Tyrol. Ins. II, 1784, p. 143. — Petagna, Spec. Ins. Calabr. 1787, p. 19. — Ol. Enc. méth. VII, 1792, p. 519; Ent. IV, 73, 1795, p. 16, t. 2, f. 17 a, b. — Martyn, Engl. Entom. 1792, t. 27, f. 9. — Payk. Fauna Succ. III, 1800, p. 114. — Marsh. Ent. Brit. I, 1802, p. 354. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 317. — ♀ Bechst. & Scharfenb. Naturg. Forstins. I, 1804, p. 214. — Sam. Ent. Compend. 1819, p. 55, t. 2, f. 26. — Gyllenh. Ins. Succ. I, 4, 1827, p. 9. — Zett. Fauna Ins. Lapp. I, 1828, p. 382. — Hummel, Essais Ent. VII, 1829, p. 31. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 259; Man. 1839, p. 278. — Herrich-Schaeffer, Fauna Ins. Germ. CXVII, 183?, t. 8. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 281. — Muls. Col. Fr. Long. 1839, p. 252; ed. 2, 1863, p. 509. — Shuck. Brit. Col. 1840, p. 67, t. 79, f. 2. — Cast. Hist. Nat. II, 1840, p. 504. — Küster, Käfer Eur. VIII, 1847, p. 509. — Redt. Fauna Austr. 1849, p. 507; ed. 2, 1858, p. 874; ed. 3, II, 1874, p. 433. — Bach. Käferfauna III, 1856, p. 48. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 550. — C. G. Thoms. Skand. Col. VIII, 1866, p. 74. — Cox, Handb. Col. II, 1874, p. 312. — Ganglb. Best.-Tab. VII, 1881, p. 19 (697). — Bedel, Faune Col. Seine V, 1889, p. 19, 61. — Fowler, Col. Brit. Isl. IV, 1890, p. 239, t. 122, f. 8. — Seidl. Fauna Balt. ed. 2, 1891, p. 747; Fauna Transs. 1891, p. 842. — Stierl. Col. Helvet. II, 1898, p. 486. — Everts, Col. Neerl. II, 1, 1902, p. 357. — Csiki, Rov. Lapok X, 1903, p. 201. — Houlb. Faune Armor. Ceramb. 1904, p. 35, f. 67. — Jacobs. Käfer Russl. 1910, t. 64, f. 11.
♀ apicalis Curt. Brit. Ent. VIII, 1831, t. 362. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 260.
♀ apicata Steph. Man. 1839, p. 278.
belga major Voet, Cat. Col. II, 1804—06, p. 30, t. 26, f. 5.
calcarata Panz. in Voet, Besch. Ins. IV, 1798, p. 5, t. 26, f. 5.

octomaculata Degeer, Mém. Ins. V, 1775, p. 131, t. 4, f. 11.

Biologie: Nördl. Stett. Ent. Zeit. IX, 1848, p. 257. — Kawall, l. c. XXVIII, 1867, p. 118. — Schiödte, Naturh. Tidskr. (3) X, 1875, p. 422, 447. — W. Kolbe, Zeitschr. Ent. Breslau (2) XXI, 1896, p. 9. — Xambeu, Moeurs & Métam. VIII, 1902, p. 122.

T ab. *abbreviata* Gabriel, Deutsche Ent. Zeitschr. 1909, p. 419. — Pic, Longic. VIII, 1, 1911, p. 4.

T ab. *Guillemoti* Desbr. Frelon IV, 1895, p. 130. — Pic, Longic. II, 1898, p. 7. — Csiki, Rov. Lapok X, 1903, p. 201.

ab. *interrupta* L. Heyd. Jahrb. Ver. Naturk. Nassau XXIX—XXX, 1877, p. 396. — Csiki, Rov. Lapok X, 1903, p. 201.

T — *Lederi* Ganglb. Best.-Tab. VII, 1882, p. 19 (697). — Pic, Longic. II, 1898, p. 7.

T ab. *lugubris* Sahlb. Meddel. Soc. Fauna Fl. Fenn. XXXI, 1906, p. 47.

T ab. *Melgunovi* Jacobs. Horae Soc. Ent. Ross. XXIX, 1895, p. 523. — Pic, Longic. II, 1898, p. 7.

T ab. *notatipennis* Pic, Echange XIII, 1897, p. 5; Longic. II, 1898, p. 7.

T ab. *quadripustulata* F. Ent. Syst. I, 2, 1792, p. 345. — Lampa, Ent. Tidskr. II, 1881, p. 173.

Sedakovi Mannerh. Bull. Moscou XXV, 2, 1852, p. 307. — Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 251.

senicrassa Pic, Echange XVII, 1901, p. 58.

septempunctata F. Ent. Syst. I, 2, 1792, p. 346. — Ol. Enc. méth. VII, 1792, p. 517; Ent. IV, 73, 1795, p. 7, t. 2, f. 21, 23. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 313. — Panz. Fauna Ins. Germ. XC, 1805, t. 4. — Küster, Käfer Eur. VI, 1846, p. 93. — Redt. Fauna Austr. 1849, p. 506; ed. 2, 1858, p. 874; ed. 3, II, 1874, p. 433. — Bach, Käferfauna III, 1856, p. 50. — Muls. Col. Fr. Long. ed. 2, 1863, p. 533. — Ganglb. Best.-Tab. VII, 1881, p. 22 (700). — Seidl. Fauna Transs. 1891, p. 843. — Csiki, Rov. Lapok X, 1903, p. 204.

ab. *quinquesignata* Küster, Käfer Eur. VI, 1846, p. 94. — Muls. Col. Fr. Long. ed. 2, 1863, p. 535. — Kraatz, Berl. Ent. Zeitschr. VIII, 1864, p. 141.

ab. *suturata* Reiche, Ann. Soc. Ent. Fr. (3) VI, 1858, p. 22. — Csiki, Rov. Lapok X, 1903, p. 204.

subtilis Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 219.

syriaca Pic, Deser. Long. Syrie 1891, p. 1; Ann. Soc. Ent. Fr. LXI, 1892, p. 415. — Daniel, Münch. Koleopt. Zeitschr. II, 1904, p. 370.

tenuicornis Motsch. Etudes Ent. X, 1861, p. 20. — Pic, Longic. VI, 2, 1907, p. 20.

ab. *infernalis* Pic, Bull. Mus. Paris VII, 1901, p. 61.

ab. *modicenotata* Pic, l. c.

thoracica Creutz. Ent. Vers. 1799, p. 125, t. 3, f. 28. — Payk. Fauna Suec. III, 1800, p. 105. — F. Syst. El. II, 1801, p. 356. — Quens. in Acerbi, Travels

Schlesien

Frankreich

Deutschland

Kaukasus

Finnland

Russland

Spanien,
ArmenienSchweden,
Sibirien?

Sibirien

Frankreich

Süddeutsch-
land,
Österreich,
Ungarn,
Türkei,
Griechen-
land,
Kleinasien

Kaukasus

Japan

Syrien

Japan

„

„
Finnland,
Nordost-
europa,

- II, 1802, p. 254, t. 2, f. 4. — Gyllenh. Ins. Suec. I, 4, 1827, p. 2. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 279. — Bach, Käferfauna III, 1856, p. 49. — Muls. Col. Fr. Long. ed. 2, 1863, p. 510. — Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 252. — Faust, Horae Soc. Ent. Ross. XIV, 1879, p. 136. — Ganglb. Best.-Tab. VII, 1882, p. 20 (698). — Seidl. Fauna Balt. ed. 2, 1891, p. 747. — Csiki, Rov. Lapok X, 1903, p. 201.
- altatica* Gebl. Mém. Moscou V, 1817, p. 331. Sibirien
- altalca* Gebl. Ledeb. Reise II, 2, 1830, p. 191.
- ab. *obscurissima* Pic, Ann. Soc. Ent. Belg. XLIV, 1900, p. 17. Japan
- Vaucheri* Bedel, Bull. Soc. Ent. Fr. 1900, p. 336. Algier
- vicaria* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 218. Japan

Subgen. *Strangalina* Auriv.

- attenuata* L. Syst. Nat. ed. 10, 1758, p. 398; Fauna Suec. ed. 2, 1761, p. 197. — Poda, Mus. Graec. 1761, p. 38. — Scop. Annus Hist. Nat. V, 1772, p. 99. — F. Syst. Ent. 1775, p. 198. — Schrank, Enum. Ins. I, 1781, p. 156; Fauna Boica I, 2, 1798, p. 692. — Laich. Verz. Tyrol. Ins. II, 1784, p. 150. — Herbst in Füessly, Archiv V, 1784, p. 101; in Borowsky, Naturgesch. VI, 1784, p. 132, t. 17, f. 3. — Rossi, Fauna Etr. I, 1790, p. 163. — Ol. Enc. méth. VII, 1792, p. 518; Ent. IV, 73, 1795, p. 17, t. 1, f. 8. — Payk. Fauna Suec. III, 1800, p. 116. — Marsh. Ent. Brit. I, 1802, p. 354. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 317. — Gyllenh. Ins. Suec. I, 4, 1827, p. 12. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 258; Man. 1839, p. 278. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 282. — Muls. Col. Fr. Long. 1839, p. 260; ed. 2, 1863, p. 526. — Redt. Fauna Austr. 1849, p. 507: ed. 2, 1858, p. 875; ed. 3, II, 1874, p. 434. — Bach, Käferfauna III, 1856, p. 48. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 554. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 58, f. 276. — C. G. Thoms. Skand. Col. VIII, 1866, p. 75. — Cox, Handb. Col. II, 1874, p. 313. — Ganglb. Best.-Tab. VII, 1881, p. 18 (696). — Bedel, Faune Col. Seine V, 1889, p. 26. — Fowler, Col. Brit. Isl. IV, 1890, p. 240. — Seidl. Fauna Balt. ed. 2, 1891, p. 748; Fauna Transs. 1891, p. 843. — Stierl. Col. Helvet. II, 1898, p. 485. — Everts, Col. Neerl. II, 1, 1902, p. 356. — Csiki, Rov. Lapok X, 1903, p. 201. — Houlb. Faune Armor. Ceramb. 1904, p. 38, f. 74.
- quadrifasciata* ♂ Bechst. und Scharfenb. Forstins. I, 1804, p. 210.
- Biologie: Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 380, f. 556—562. — Xambeu, Moeurs et Métam. VIII, 1902, p. 124.
- ab. *brunnescens* Balbi, Rivista Ital. Sc. Nat. XII, 1892, p. 49.

Europa,
Sibirien

ab. <i>imperfecta</i> Gerh. Deutsche Ent. Zeitschr. 1910, p. 556. — Pic, Longic. VIII, 1, 1911, p. 5.	Schlesien
ab. <i>maculicollis</i> Gabr. Deutsche Ent. Zeitschr. 1910, p. 556. — Pic, Longic. VIII, 1, 1911, p. 5.	„
<i>contracta</i> Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 223.	Japan
<i>dulcis</i> Bates, l. c. p. 222.	„
<i>Maindroni</i> Pic, Bull. Mus. Paris VII, 1901, p. 61; Longic. VI, 2, 1907, p. 20. — Matsum. Thous. Ins. Jap. III, 1908, nr. 717, t. 54, f. 4.	„
<i>regalis</i> Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 223.	„

Subgen. *Pedostrangalia* Sokolow.

<i>Kassjanowi</i> Sokolow, Horae Soc. Ent. Ross. XXX, 1897, p. 461.	Transcaspien
---	--------------

Subgen. *Ichnostrangalis* Ganglb.

<i>Semenowi</i> Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 53.	Mongolei
--	----------

Subgen. *Parastrangalis* Ganglb.

<i>Potanini</i> Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 57.	Kanssu
--	--------

Indomalayische Arten*).

<i>aeneipennis</i> Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, p. 63.	Moupin
<i>arcifera</i> Blanch. Compte rend. Acad. Sc. Paris LXXII, 1871, p. 812, nota 3. — Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, p. 59.	„
<i>Argodi</i> Théry, Bull. Soc. Ent. Fr. 1896, p. 109. — Pic, Ann. Soc. Ent. Belg. XLIV, 1900, p. 17.	China
<i>Aurivillii</i> Pic, Longic. IV, 2, 1903, p. 29.	Tonkin
<i>aurosericans</i> Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 177.	„
— ab. <i>mausonensis</i> Pic, Longic. IV, 2, 1903, p. 29.	„
— ab. <i>sericea</i> Pic, l. c.	„
<i>basiplicata</i> Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, p. 60.	Moupin
<i>conicollis</i> Auriv. Arkiv f. Zool. VII, 3, 1910, p. 7.	Borneo
spec. Shelf. Proc. Zool. Soc. Lond. 1902, 2, p. 282, t. 20, f. 40.	
<i>flavovittata</i> Auriv. l. c.	„
<i>Fortunei</i> Pascoe, Trans. Ent. Soc. Lond. (2) IV, 1858, p. 265.	Nordchina
<i>Frainii</i> Fairm. Notes Leyd. Mus. XVIII, 1897, p. 239.	Sikkim,
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 86.	Butan
<i>Guerryi</i> Pic, Longic. IV, 1, 1902, p. 28.	China
<i>lateripicta</i> Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 178.	Tonkin
<i>lineigera</i> Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, p. 61.	Moupin
<i>mirabilis</i> Auriv. Ent. Tidskr. XXIII, 1902, p. 207, f. 18.	Tonkin
<i>nigrocaudata</i> Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 135; Ann. Soc. Ent. Fr. (6) IX, 1889, p. 63.	Nordchina

*) Untergattungen können hier leider nicht angegeben werden.

- ✓ *quadrizon* Fairm. Bull. Soc. Ent. Fr. 1902, p. 244.
rufomaculata Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895,
 p. 177. Yunnan
 Tonkin
- ✓ *stricticollis* Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, p. 62. Moupin
sumatrensis Gah. Ann. Mus. Genova (3) III, 1907, p. 71. Sumatra
thibetana Blanch. Compte rend. Acad. Sc. Paris LXXII, Thibet,
 1871, p. 812, nota 3. — Fairm. Ann. Soc. Ent. Moupin
 Fr. (6) IX, 1889, p. 61.
- virescens* Auriv. Arkiv f. Zool. VII, 19, 1911, p. 1. Borneo
 spec. Shelf. Proc. Zool. Soc. Lond. 1902, 2, p. 282,
 t. 20, f. 44.
- ✓ *zonifera* Blanch. Compte rend. Acad. Sc. Paris LXXII, Moupin
 1871, p. 812, nota 3. — Fairm. Ann. Soc. Ent.
 Fr. (6) IX, 1889, p. 60.

Nearktische Arten.

Strangalia sens. str.*Stenura* Ganglb.

- J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 215 (Synopsis). —
 Leng, Entomol. Amer. VI, 1890, p. 185 (Synopsis).
- abdominalis* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, New York,
 p. 63. — Leng, Synops. p. 187, 194. Georgia,
 Texas
- ♀ *atrovittata* Bland, Proc. Ent. Soc. Philad. III, Louisiana
 1864, p. 255.
- ✓ *amabilis* J. Lec. Entom. Report 1857, p. 64. — Leng, Oregon,
 Synops. p. 187, 194. Washington
- ✓ *americana* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, Pennsyl-
 p. 63. — J. Lec. Journ. Acad. Philad. (2) I, vanien,
 1850, p. 331. — Leng, Synops. p. 188, 194. Georgia,
 Ohio
- Barberi* Fall, Trans. Amer. Ent. Soc. XXXIII, 1907, Californien,
 p. 250. Nevada
- brevicornis* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Nevada,
 p. 226. — Horn, Proc. Amer. Ent. Soc. XIII, Washington
 1886, p. 14. — Leng, Synops. p. 189, 196.
- capitata* Newm. Entomol. I, 1841, p. 71. — Hald. Trans. Canada,
 Amer. Philos. Soc. (2) X, 1847, p. 65. — J. Lec. Oststaaten
 Journ. Acad. Philad. (2) I, 1850, p. 331. — Prov. Nord-
 Faune Ent. Canada I, 1877, p. 614, 617. — Wickh. Canad-
 Leng, Synops. p. 188, 194. — Wickh. Canad. amerik
 Ent. XXIX, 1897, p. 190.
- ✓ *carbonata* J. Lec. Proc. Acad. Philad. 1861, p. 355. — Californien,
 — Prov. Faune Ent. Canada I, 1877, p. 614, 619. Washington
 — Leng, Synops. p. 189, 197.
- chalybea* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, Oststaaten
 p. 60. — J. Lec. Journ. Acad. Philad. (2) I, Nord-
 1850, p. 331. — Leng, Synops. p. 188, 194. — Wickh. Canad. Ent. XXIX, 1897, p. 190. amerik
 Wickh. Canad. Ent. XXIX, 1897, p. 190.
- cruentata* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, Pennsyl-
 p. 64. — J. Lec. Journ. Acad. Philad. (2) I, 1850, vanien,
 p. 332. — Leng, Synops. p. 187, 194. — Wickh. Canada,
 Canad. Ent. XXIX, 1897, p. 189. Georgia,
 Texas
- deleta* J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 328. Massachusetts
 — Leng, Synops. p. 187, 193.

- emarginata** F. Mant. Ins. I, 1787, p. 158. — Ol. Enc. méth. VII, 1792, p. 514; Ent. IV, 73, 1795, p. 5, t. 3, f. 26. — Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 62. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 328. — Prov. Faune Ent. Canada I, 1877, p. 614, 616. — Leng, Synops. p. 186, 192. — Hamilt. Trans. Amer. Ent. Soc. XXVI, 1895, p. 379. — Wickh. Canad. Ent. XXIX, 1897, p. 189.
- exigua** Newm. Entomol. I, 1841, p. 73. — Horn, Ent. Amer. I, 1885, p. 8; Trans. Amer. Ent. Soc. XV, 1888, p. 301. — Leng, Synops. p. 188, 194, 215. — Hamilt. Ent. Amer. VI, 1890, p. 215. — Wickh. Canad. Ent. XXIX, 1897, p. 190.
- saucia** J. Lec. Proc. Acad. Philad. 1862, p. 40.
- gigas** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 223. — Leng, Synops. p. 186, 192.
- Kerniana** Fall, Trans. Amer. Ent. Soc. XXXIII, 1907, p. 249.
- lineola** Say, Journ. Acad. Philad. III, 1823, p. 421. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 330. — Prov. Faune Ent. Canada I, 1873, p. 614, 617. — Leng, Synops. p. 187, 194. — Wickh. Canad. Ent. XXIX, 1897, p. 190.
- cincta** Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 63.
- indirecta** Newm. Entomol. I, 1841, p. 71.
- lateralis** J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 330.
- ab. **lateralis** Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 63.
- ab. **obsoleta** Hald. l. c.
- molybdica** J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 101. — Leng, Synops. p. 188, 195.
- ab. **militaris** Chevr. Rev. Mag. Zool. (2) VII, 1855, p. 187; Ann. Soc. Ent. Fr. (3) VI, 1858, p. 529, t. 12, f. 3.
- nana** Newm. Entomol. I, 1841, p. 73. — Horn, Trans. Amer. Ent. Soc. XV, 1888, p. 301. — Hamilt. Ent. Amer. VI, 1890, p. 215. — Leng, l. c. — Wickh. Canad. Ent. XXIX, 1897, p. 190.
- ab. **haematites** Newm. Entomol. I, 1841, p. 73. — Horn, Trans. Amer. Ent. Soc. XV, 1888, p. 301. — Leng, Synops. p. 188, 194.
- nigrella** Say, Journ. Acad. Philad. V, 2, 1827, p. 279. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 333. — Prov. Faune Ent. Canada I, 1877, p. 614, 618. — Leng, Synops. p. 189, 196. — Wickh. Canad. Ent. XXIX, 1897, p. 191.
- obliterata** Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 62. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 328. — Leng, Synops. p. 187, 193.
- perductor** Walk. Natural. Vancouver II, 1866, p. 333.
- ab. **vitiosa** J. Lec. Proc. Acad. Philad. VII, 1854, p. 18; Entomol. Report 1857, p. 64.
- Canada,
New York,
Pennsylvanien,
Nord-carolina,
Texas
- Canada,
Massachusetts,
New York,
Pennsylvanien
Texas,
Neumexico
Californien
- Nordamerika
- Californien,
Nevada
Oregon
- Massachusetts,
Connecticut,
New York
N. Carolina,
Illinois
- Nordamerika
- Vancouver,
Washington,
Oregon,
Californien,
Nevada
Montana,
Idaho

- plagifera** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 224. — Leng, Synops. p. 187, 194. Californien, Nevada, Colorado
- ♀ **anthracina** J. Lec. Trans. Amer. Ent. Soc. V, 1875, p. 175. Montana, Idaho, Oregon
- plebeja** Rand. Boston Journ. II, 1838, p. 28. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 333. — Prov. Faune Ent. Canada I, 1877, p. 614, 616. — Leng, Synops. p. 187, 193. — Wickh. Canad. Ent. XXIX, 1897, p. 189. Oststaaten Nord-amerikas
- propinqua** Bland, Proc. Ent. Soc. Philad. IV, 1865, p. 384. — Leng, Synops. p. 187, 193. Weststaaten Nord-amerikas
- rubida** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 224. — Leng, Synops. p. 187, 194. Californien
- soror** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 223. — Leng, Synops. p. 187, 193. Californien, Vancouver
- subargentata** Kirby, Fauna Bor.-Amer. IV, 1837, p. 184. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 331. — Mannerh. Bull. Moscou XXVI, 1853, p. 251. — Prov. Faune Ent. Canada I, 1877, p. 614, 617. — Leng, Synops. p. 188, 195. — Wickh. Canad. Ent. XXIX, 1897, p. 190. Canada, Vereinigte Staaten, Alaska
- ab. **rhodopus** J. Lec. Trans. Amer. Ent. Soc. V, 1874, p. 68. — Leng, Synops. p. 195. Californien
- ab. **rufibasis** J. Lec. Proc. Acad. Philad. 1862, p. 40. — Leng, Synops. p. 195. Hudson-bay
- ab. **ruficeps** J. Lec. Proc. Acad. Philad. 1862, p. 40. — Leng, Synops. p. 195. Georgia
- ab. **ruficollis** Prov. Faune Ent. Canada I, 1877, p. 617. Canada
- ab. **similis** Kirby, Fauna Bor.-Amer. IV, 1837, p. 185. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 331. — Leng, Synops. p. 195.
- subeostata** Fall, Trans. Amer. Ent. Soc. XXXIII, 1907, p. 249. Nevada
- subhamata** Rand. Boston Journ. II, 1838, p. 28. — Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 61. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 328. — Prov. Faune Ent. Canada I, 1877, p. 614, 616. — Leng, Synops. p. 187, 193. — Wickh. Canad. Ent. XXIX, 1897, p. 190, f. 29. Canada, Oststaaten Nord-amerikas
- armata** Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 61.
- interrupta** Newm. Entomol. I, 1841, p. 72.
- ab. **elegans** Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 63. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 329. — Prov. Faune Ent. Canada I, 1877, p. 617. — Leng, Synops. p. 193. Biologic: Felt, Ins. aff. Trees 1907, p. 675, f. 202.

Subgen. **Bellamira** J. Lec.

- antennata** Schaeffer, Bull. Brookl. Instit. I, 1908, p. 342. Arizona
- scalaris** Say, Journ. Acad. Philad. V, 2, 1827, p. 278. Nordamerika
— Hald. Trans. Amer. Philos. Soc. (2) X, 1847,

p. 65. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 327. — Leng, Ent. Amer. VI, 1890, p. 156. — Wickh. Canad. Ent. XXIX, 1897, p. 187.

coarctata Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 156. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 327.

Subgen. *Strangalina* Auriv.

J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 212. — Leng, Ent. Amer. VI, 1890, p. 157 (Synopsis).

- ✓ *acuminata* Ol. Ent. IV, 73, 1795, p. 20, t. 3, f. 35. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 330. — Leng, Synops. p. 157. Connecticut, New York, N. Jersey, Pennsylvania
- emaciata* Newm. Entomol. I, 1841, p. 68. — Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 61. ab. *unicolor* Hald. l. c. p. 62.
- ✓ *bicolor* Swed. Vct. Akad. Nya Handl. VIII, 1787, p. 197. — Say, Journ. Acad. Philad. III, 1823, p. 418. — Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 61. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 239. — Leng, Synops. p. 157. — Wickh. Canad. Ent. XXIX, 1897, p. 187. Canada, New York bis Alabama
- ✓ *delicata* J. Lec. Trans. Amer. Ent. Soc. V, 1874, p. 97. — Leng, Synops. p. 157. Californien, Nevada
- famelica* Newm. Entomol. I, 1841, p. 68. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 330. — Leng, Synops. p. 157. Oststaaten Nord-amerikas
- familica* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 61. ab. *confluenta* Hald. l. c. ab. *flaviceps* Hald. l. c. ab. *obsoleta* Hald. l. c. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 329. ab. *solitaria* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 61.
- ✓ *luteicornis* F. Syst. Ent. 1775, p. 197. — Ol. Enc. méth. VII, 1792, p. 520; Ent. IV, 73, 1795, p. 20, t. 3, f. 34. — Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 61. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 329. — Leng, Synops. p. 157. — Wickh. Canad. Ent. XXIX, 1897, p. 187. Oststaaten Nord-amerikas, Canada
- ✓ *sexnotata* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 61. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 329. — Leng, Synops. p. 157. Massachusetts, Georgia, Florida, Texas Neumexico
- ab. *montana* Casey, Ann. N. York Acad. Sc. VI, 1892, p. 40. — Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 174.
- ✓ *strigosa* Newm. Entomol. I, 1841, p. 69. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 329. — Leng, Synops. p. 157. Florida
- ✓ *virilis* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 212. — Leng, Synops. p. 157. Texas

Subgen. *Typocerus* J. Lec.

- J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 213. — Leng, Ent. Amer. VI, 1890, p. 158 (Synopsis).
- badia* Newm. Entomol. I, 1841, p. 69. — J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 214. — Leng, Synops. p. 158, 159. Georgien, Nord-carolina, Florida, Alabama
- ✓ *balteata* Horn, Trans. Amer. Ent. Soc. VII, 1878, p. 55. — Leng, Synops. p. 159, 160. Colorado, Arizona, Montana
- ✓ *brunnicornis* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 214. — Leng, Synops. p. 159, 160. Florida, Texas, Colorado, Neumexico Nordamerika
- ✓ *lugubris* Say, Journ. Acad. Philad. III, 1823, p. 419. — Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 63. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 334. — Leng, Synops. p. 159, 160. — Wickh. Canad. Ent. XXIX, 1897, p. 188.
- ✓ *lunulata* Swed. Vet. Akad. Nya Handl. VIII, 1787, p. 197. — Ol. Enc. méth. VII, 1792, p. 523. *arcuata* Ol. Ent. IV, 73, 1795, p. 32, t. 4, f. 47. *lunata* F. Syst. El. II, 1801, p. 360. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 334. — Leng, Synops. p. 159. Nordcarolina, Georgia, Florida, Texas
- ✓ *sinuata* Newm. Entomol. I, 1841, p. 70. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 335; Smiths. Misc. Coll. XI, 264, p. 214. — Prov. Faune Ent. Canada I, 1877, p. 612. — Leng, Synops. p. 159, 160. *octonotata* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 62. Nordamerika
- ✓ *sparsa* J. Lec. Proc. Amer. Philos. Soc. XVII, 1878, p. 614. — Leng, Synops. p. 159. — Wickh. Canad. Ent. XXIX, 1897, p. 188. Michigan, Wisconsin, Ohio, Canada
- ✓ *velutina* Ol. Ent. IV, 73, 1795, p. 18, t. 3, f. 32. — Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 62. — Prov. Faune Ent. Canada I, 1877, p. 612. — Leng, Synops. p. 159. — Wickh. Canad. Ent. XXIX, 1897, p. 188. Nordamerika
- fugax* F. Ent. Syst. Suppl. 1798, p. 153. — Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 62; Proc. Acad. Philad. IV, 1847, p. 375. — J. Lec. Journ. Acad. Philad. (2) X, 1850, p. 334.
- nobilis* Newm. Entomol. I, 1841, p. 67. ³⁷
- tenuior* Kirby, Fauna Bor.-Amer. IV, 1851, p. 181.
- ✓ *zebra* Ol. Ent. IV, 73, 1795, p. 19, t. 3, f. 33. — Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 62. — Gah. Ann. Mag. Nat. Hist. (8) I, 1908, p. 143. *carolina* Weber, Observ. Ent. 1801, p. 91. New York, Pennsylvanien, Nord-carolina, Georgia, Florida
- zebrata* F. Syst. El. II, 1801, p. 364. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 334. — Prov. Faune Ent. Canada I, 1877, p. 612. — Leng, Synops. p. 159. — Wickh. Canad. Ent. XXIX, 1897, p. 188, f. 28.

Neoleptura Thoms.

Thoms. Classif. Ceramb. 1860, p. 153; Syst. Ceramb. 1864, p. 407. — Lacord.
Gen. Col. VIII, 1869, p. 450.

Lecointei Thoms. Classif. Ceramb. 1860, p. 153. — Lacord. Mexico
Gen. Col. VIII, 1869, p. 450.

1

Ophistomis Thoms.

Thoms. Arch. Ent. I, 1857, p. 319; Classif. Ceramb. 1860, p. 144; Syst.
Ceramb. 1864, p. 407. — Lacord. Gen. Col. VIII, 1869, p. 451. — Bates,
Biol. C.-Amer. Col. V, 1880, p. 38.

Ophiostomis Gemm. et Har. Cat. Col. IX, 1873, p. 2875.

- albicollis* Pasc. Journ. of Ent. I, 1860, p. 63. — Bates, Brasilien
Trans. Ent. Soc. Lond. 1870, p. 313.
- auriflua* Redt. Reise Novara, Col. 1868, p. 190, t. 5, f. 9. Rio Janeiro
- Belti* Bates, Trans. Ent. Soc. Lond. 1872, p. 182; Biol. C.- Nicaragua
Amer. Col. V, 1880, p. 39, t. 4, f. 22.
- bivittata* Bates, Trans. Ent. Soc. Lond. 1870, p. 311. Ega
- brachialis* Bates, Biol. C.-Amer. Col. V, 1885, p. 280. Mexico
- discophora* Redt. Reise Novara, Col. 1868, p. 191. Rio Janeiro
- emaciata* Bates, Biol. C.-Amer. Col. V, 1880, p. 39. Costa Rica
- felix* Bates, l. c. 1885, p. 282, t. 20, f. 5. Panama
- flavirostris* Bates, l. c. 1880, p. 40. Guatemala
- flavocincta* Thoms. Classif. Ceramb. 1860, p. 155. Brasilien
- fulveola* Bates, Biol. C.-Amer. Col. V, 1885, p. 283, t. 20, Guatemala
f. 7.
- fulvicornis* Bates, Trans. Ent. Soc. Lond. 1872, p. 183 Espirito
nota. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, Santo
p. 3.
- hirsuta* Bates, Biol. C.-Amer. Col. V, 1885, p. 283. Mexico
- histrion* Bates, l. c. p. 281, t. 20, f. 3. Guatemala
- Irene* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 1. Brasilien:
Goyaz
- lachrymans* Bates, Biol. C.-Amer. Col. V, 1885, p. 280, Guatemala
t. 20, f. 4.
- laevicollis* Bates, l. c. p. 39, 279.
- lyrata* Redt. Reise Novara, Col. 1868, p. 190. Rio Janeiro
- melampus* Bates, Biol. C.-Amer. Col. V, 1885, p. 280. Guatemala
- melanostoma* Bates, Trans. Ent. Soc. Lond. 1870, p. 312. Ega
- nigella* Bates, l. c. 1872, p. 233; Biol. C.-Amer. Col. V, Chontales
1880, p. 40, t. 4, f. 20.
- ochroptera* Bates, Trans. Ent. Soc. Lond. 1870, p. 312. Ega
- pallida* Bates, l. c. 1872, p. 183; Biol. C.-Amer. Col. V, Chontales
1880, p. 40, t. 5, f. 2.
- paraensis* Bates, Trans. Ent. Soc. Lond. 1870, p. 311. Para
- pectoralis* Bates, Biol. C.-Amer. Col. V, 1885, p. 282. Mexico
- picicornis* Bates, Trans. Ent. Soc. Lond. 1869, p. 384; Nicaragua
Biol. C.-Amer. Col. V, 1880, p. 38, t. 4, f. 21.
- pupipennis* Bates, l. c. 1885, p. 279. Mexico,
Guatemala
- rostrata* Bates, Trans. Ent. Soc. Lond. 1872, p. 183 nota. Neugranada
- rubiginosa* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 3. Brasilien:
Goyaz
- rubicollis* Bates, Trans. Ent. Soc. Lond. 1870, p. 312. Ega

- rufiventris** Bates, l. c. 1872, p. 183; Biol. C.-Amer. Col. V, 1880, p. 39, t. 4, f. 19. Chontales
Sallaei Bates, l. c. 1885, p. 280. Mexico
saltator Bates, l. c. p. 281, t. 20, f. 6. Panama
semifulva Bates, Trans. Ent. Soc. Lond. 1870, p. 313. Ega
succineta Redt. Reise Novara, Col. 1868, p. 190, t. 5, f. 8. Rio Janeiro
thoracica Fleut. et Sallé, Ann. Soc. Ent. Fr. (6) IX, 1889, p. 465. Guadeloupe
ventralis Horn, Bull. Calif. Acad. (2) IV, 1894, p. 401. Californicn
xantho Bates, Biol. C.-Amer. Col. V, 1885, p. 282. Mexico
xanthotelus Bates, Trans. Ent. Soc. Lond. 1892, p. 158, t. 6, f. 4. „

39

Chontalia Bates.

Bates, Trans. Ent. Soc. Lond. 1872, p. 233.

- eyanicollis** Bates, l. c.; Biol. C.-Amer. Col. V, 1880, p. 40, t. 5, f. 3. Nicaragua

1

Choriolaus Bates.

Bates, Biol. C.-Amer. Col. V, 1885, p. 283.

- aegrotus** Bates, l. c. Mexico
latescens Bates, l. c. p. 284, t. 20, f. 9. „
nanus Bates, l. c. t. 20, f. 8. „

3

Euryptera Serv.

Serv. Enc. méth. Ins. X, 1825, p. 688; Ann. Soc. Ent. Er. IV, 1835, p. 222. — Thoms. Classif. Ceramb. 1860, p. 144; Syst. Ceramb. 1860, p. 407. — Lacord. Gen. Col. VIII, 1869, p. 454. — J. Lec. Classif. Col. N. Amer. 1883, p. 313. — Bates, Biol. C.-Amer. Col. V, 1885, p. 284. — Belon, Ann. Soc. Ent. Belg. XLI, 1897, p. 339 (Synopsis).

- angustisternis** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 9. Brasilien:
 ab. *nigra* Goun. l. c. p. 10 nota. Goyaz
Argodi Belon, Synops. p. 342. Minas Geraës
atripennis Bates, Trans. Ent. Soc. Lond. 1870, p. 313. Bolivia
bicolor Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 7. Ega
Chihuahuae Bates, Biol. C.-Amer. Col. V, 1885, p. 285. Goyaz
costulata Bates, l. c. p. 284. Mexico
dimidiata Redt. Reise Novara, Col. 1868, p. 189. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 5. Rio Janeiro
 var. *atra* Goun. l. c. p. 5 nota. Minas Geraës
fulvella Bates, Biol. C.-Amer. Col. V, 1885, p. 286, t. 20, f. 12. Panama
Huachucae Schaeffer, Bull. Brookl. Instit. I, 1905, p. 134. Texas
lateralis Ol. Ent. IV, 73, 1795, p. 22, t. 3, f. 37. — Leng, Ent. Amer. VI, 1890, p. 213. Massachusetts,
cincta Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 63. Pennsylvania,
distans Germ. Ins. spec. nov. 1824, p. 524. Kentucky,

- obsoleta* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 63. Florida, Louisiana, Mexico
- ✓ *latipennis* Serv. Enc. méth. Ins. X, 1825, p. 688. — Cast. Brasilien
Hist. Nat. II, 1840, p. 503.
- var. *virgata* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 5. Goyaz, Tucuman
- leonina* Goun. l. c. p. 6. Brasilien: Goyaz
- longipennis* Bates, Biol. C.-Amer. Col. V, 1885, p. 286, t. 20, f. 13. Mexico
- lyceiformis* Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. 289. Neugranada
- melanophthisis* Berg, Ann. Univ. B. Aires VI, 1889, p. 107. Argentina
melanura Redt. Reise Novara, Col. 1868, p. 189. Rio Janeiro
- mimula* Bates, Biol. C.-Amer. Col. V, 1885, p. 285. Mexico
- patricia* Bates, l. c. p. 286, t. 20, f. 14. "
- planicoxis* Bates, Trans. Ent. Soc. Lond. 1892, p. 159, t. 6, f. 5. Panama
- princeps* Bates, Biol. C.-Amer. Col. V, 1885, p. 286, t. 20, f. 11. "
- ruficollis* Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. 289. Neugranada
- sericea* Bates, Biol. C.-Amer. Col. V, 1885, p. 285. Panama
- unicolor* Bates, Trans. Ent. Soc. Lond. 1892, p. 159, t. 6, f. 3. "
- venusta* Brême, Ann. Soc. Ent. Fr. (2) II, 1844, p. 311, t. 9, f. 8. Brasilien

24

Ephies Pasc.

- Pasc. Proc. Zool. Soc. Lond. 1866, p. 506. — Lacord. Gen. Col. VIII, 1869, p. 453. — Gah. Fauna Brit. India, Col. I, 1906, p. 87.
- cardinalis* Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 131. Yunnan
- ✓ *coccineus* Gah. Fauna Brit. India, Col. I, 1906, p. 87, f. 34. Nordindien
- cruentus* Pasc. Proc. Zool. Soc. Lond. 1866, p. 506, t. 41, f. 9. — Lacord. Gen. Col. VIII, 1869, t. 89, f. 3. Penang
- dilaticornis* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 560, t. 21, f. 1. — Shelf. Proc. Zool. Soc. Lond. 1902, 2, p. 283, t. 23, f. 18. Sarawak
- lepturoides* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 560. Singapur
- sulelpennis* Bates, Entomol. XXIV, 1891, Suppl. p. 22. — Nordindien
Gah. Fauna Brit. India, Col. I, 1906, p. 88.

6

Asilaris Pasc.

- Pasc. Proc. Zool. Soc. Lond. 1866, p. 505. — Lacord. Gen. Col. VIII, 1869, p. 452.
- zonatus* Pasc. Proc. Zool. Soc. Lond. 1866, p. 505, t. 41, f. 1. Penang

1

Ocalemia Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 264. — Thoms. Classif. Ceramb. 1860, p. 155; Syst. Ceramb. 1864, p. 407. — Lacord. Gen. Col. VIII, 1869, p. 452.

carpo Pic, Longic. IV, 2, 1903, p. 28.

Tonkin
Malacca

vigilans Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 265, t. 26, f. 3; (3) III, 1864, p. 559. — Lacord. Gen. Col. VIII, 1869, t. 89, f. 2.

2

XLIV. Encyclopini.

J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 326. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 311. — Leng, Ent. Amer. VI, 1890, p. 10, 12.

Encyclops Newm.

Newm. Ent. Mag. V, 1838, p. 392. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 317. — Thoms. Classif. Ceramb. 1860, p. 145; Syst. Ceramb. 1864, p. 410. — Lacord. Gen. Col. VIII, 1869, p. 455. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 327. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 312. — Leng, Ent. Amer. VI, 1890, p. 13.

coerulea Say, Journ. Acad. Philad. V, 2, 1827, p. 280.

Canada,
Connecticut,
New York,
Illinois

— Hald. Proc. Amer. Philos. Soc. IV, 1847, p. 376. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 317. — Leng, Ent. Amer. VI, 1890, p. 13. — Wickh. Canad. Ent. XXIX, 1897, p. 173.

pallipes Newm. Ent. Mag. V, 1838, p. 392.

olivacea Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 211, t. 1, f. 7.

Japan

2

Thesalia Casey.

Casey, Ann. N. York Acad. VI, 1891, p. 36.

lisa Casey, l. c.

Californien

?*lisa* Leng, Ent. Amer. VI, 1890, p. 108.

1

Leptalia J. Lec.

J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 204; XI, 265, 1873, p. 327. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 312. — Leng, Ent. Amer. VI, 1890, p. 13.

macilenta Mannerh. Bull. Moscou XXVI, 1853, p. 253.

Alaska

— J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 204. — Leng, Ent. Amer. VI, 1890, p. 13. Biologie: Kincaid, Proc. Wash. Acad. II, 1900, p. 376, t. 25, f. 8—12.

- var. *Frankenhäuseri* Mannerh. Bull. Moscou Alaska
XXVI, 1853, p. 252. — J. Lec. Smiths. Misc.
Coll. XI, 264, 1873, p. 204. — Leng, Ent. Amer.
VI, 1890, p. 13.
- var. *fuscicollis* J. Lec. Ent. Report 1857, p. 65; Vancouver,
Ann. Mag. Nat. Hist. (3) IV, 1869, p. 383; Oregon,
Smiths. Misc. Coll. XI, 264, 1873, p. 264. — Californien
Leng, Ent. Amer. VI, 1890, p. 13.

1

Pyrotrichus J. Lec.

- J. Lec. Journ. Acad. Philad. 1862, p. 41; Smiths. Misc. Coll. XI, 265, 1873,
p. 327. — Thoms. Syst. Ceramb. 1864, p. 410. — Lacord. Gen. Col. VIII,
1869, p. 456. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 312. — Leng,
Ent. Amer. VI, 1890, p. 13.

- ✓ *vitticollis* J. Lec. Journ. Acad. Philad. 1862, p. 41. — Californien
Leng, Ent. Amer. VI, 1890, p. 13.

1

Pyrrhona Bates.

- Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 224.

- laeticolor* Bates, l. c. t. 1, f. 8. Japan

1

Hornius Fairm.

- Fairm. Ann. Soc. Ent. Fr. (6) V, 1885, p. 61.

- Hornibius* Fairm. Miss. Sc. Cape Horn VI, 2, 1891, Col., p. 60.

- sulcifrons* Fairm. Ann. Soc. Ent. Fr. (6) V, 1885, p. 62; Feuerland
Miss. Sc. Cape Horn VI, 2, 1891, Col., p. 60,
t. 2, f. 11. 1885

1

This is a *laeticolor*
fide Nixon 1945, p. 4
see also 1945, p. 4

XLV. Dorcasomini.

- Lacord. Gen. Col. VIII, 1869, p. 456.

- Desmocerinae* J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 324.

Dorcasomus Serv.

- Serv. Ann. Soc. Ent. Fr. III, 1834, p. 12. — Thoms. Syst. Ceramb. 1864,
p. 410. — Lacord. Gen. Col. VIII, 1869, p. 457.

- Delegorguei* Guér. Rev. Zool. VIII, 1845, p. 286. Natal
ebulinus F. Mant. Ins. I, 1787, p. 132. — Cast. Hist. Nat. Capolonie
II, 1840, p. 412.

- cafer* Gmel. Syst. Nat. I, 4, 1790, p. 1825.

- testaceus* Ol. Ent. IV, 69, 1873, p. 27, t. 2, f. 20.

2

Neoclosterus Heller.

Heller, Ent. Nachr. XXV, 1899, p. 11. — Lameere, Faune Ent. Afr. Trop. Longic. I, 1903, p. 50.

curvipes Heller, Ent. Nachr. XXV, 1899, p. 12, fig. ♂, Togo
p. 81 ♀. — Lameere, Faune Ent. Afr. Trop.
Longic. I, 1903, p. 50.

Lemairei Lameere, l. c. p. 52.

Katanga

Severini Lameere, l. c. p. 51, t. 3, f. 5, ♂.

Gabun,
Ogowe

3

Plectogaster Waterh.

Waterh. Trans. Ent. Soc. Lond. 1881, p. 429. — Lameere, Faune Ent. Afr. Trop. Longic. I, 1903, p. 49, 52.

Cyrtocerus Kraatz, Deutsche Ent. Zeitschr. 1896, p. 154.

Kraatziellus Berg, Comunic. Mus. B. Aires I, 1898, p. 18.

Jordani Heath, Entomol. XXXVIII, 1905, p. 76, f. 2. Goldküste
pectinicornis Bates, Trans. Ent. Soc. Lond. 1881, p. 430, Elfenbein-
♀. — Waterh. Aid identif. Ins. I, 1881, t. 60. — küste,
Kolbe, Deutsch-O.-Afrika IV, Col. 1897, p. 299. Kamerun,
— Lameere, Faune Ent. Afr. Trop. Longic. I, 1903, Franz.
p. 52. Kongo,
mirabilis Kraatz, Deutsche Ent. Zeitschr. 1896, Deutsch-
p. 155, fig. Ostafrika
thoracica Waterh. Trans. Ent. Soc. Lond. 1881,
p. 430.

2

Aphelogaster Kolbe.

Kolbe, Deutsch-Ostafrika IV, 1897, Col. p. 299.

Hoplogaster Kolbe, Stett. Ent. Zeit. LV, 1894, p. 54.

Emini Kolbe, l. c.; Deutsch-Ostafrika IV, 1897, Col. Albertsee
p. 299, t. 4, f. 42.

1

Megacoelus Lacord.

Lacord. Gen. Col. VIII, 1869, p. 458.

Megaproctus Chevr. Silb. Rev. Ent. V, 1840, p. 322. — Thoms.
Syst. Ceramb. 1864, p. 410.

didelphis Chevr. l. c. p. 324, t. 38.

Capcolonie

Gustavi Dist. Ann. Mag. Nat. Hist. (8) I, 1908, p. 279.

„

2

Gahania Dist.

Dist. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 423.

Simmondsi Dist. l. c. p. 424.

Natal

1

Desmocerus Serv.

Serv. Ann. Soc. Ent. Fr. IV, 1835, p. 202. — Cast. Hist. Nat. II, 1840, p. 498. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 317. — Thoms. Classif. Ceramb. 1860, p. 145; Syst. Ceramb. 1864, p. 410. — Lacord. Gen. Col. VIII, 1869, p. 459. — Prov. Faune Ent. Canada I, 1877, p. 604. — Horn, Trans. Amer. Ent. Soc. IX, 1882, Proc. p. 8 (Synopsis). — Leng, Ent. Amer. VI, 1890, p. 11 (Synopsis). — Webb, Proc. Ent. Soc. Washingt. VII, 1905, p. 105 (Synopsis).

- ✓ *aureipennis* Chev. Rev. Mag. Zool. (2) VII, 1855, p. 187; Ann. Soc. Ent. Fr. (3) VI, 1858, p. 325, t. 8, f. 6. — Horn, Trans. Amer. Ent. Soc. VII, 1879, Proc. p. 30. — Horn, Synops. p. 8. — Leng, Synops. p. 11. — Webb, Synops. p. 105. Californien, Nevada
- ✓ *californicus* Horn, Trans. Amer. Ent. Soc. IX, 1882, Proc. p. 7. — Leng, Synops. p. 11. — Webb, Synops. p. 105. Californien
- ✓ *eribripennis* Horn, Trans. Amer. Ent. Soc. IX, 1882, Proc. p. 8. — Leng, Synops. p. 8. — Webb, Synops. p. 105. Washington, Californien
- ✓ *palliatius* Forst. Nov. spec. Ins. 1771, p. 40. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 318. — Prov. Faune Ent. Canada I, 1877, p. 605. — Leng, Synops. p. 11. — Wickh. Canad. Ent. XXIX, 1897, p. 169. — Webb, Synops. p. 105. — Heyne, Exot. Käfer 1906, p. 239, t. 36, f. 22. Canada, Connecticut, New York, Virginia, Nordcarolina, Louisiana
- blandus* F. Syst. Ent. 1775, p. 182.
- cyaneus* F. l. c. p. 823. — Ol. Ent. IV, 69, 1795, p. 23, t. 3, f. 26. — Knoch, Neue Beitr. I, 1801, p. 148, t. 6, f. 1. — Palis. Ins. Afr. et Amer. p. 249, t. 37, f. 6. — Cast. Hist. Nat. II, 1840, p. 499, t. 35, f. 1. — Guér. Icon. règne anim. Ins. 1844, p. 251, t. 46, f. 1.
- elongatus* Bland, Proc. Ent. Soc. Philad. I, 1862, p. 269.
- Biologie: Harris, Ins. of Massach. 1842, p. 92. — Beutenm. Journ. N. York Ent. Soc. IV, 1896, p. 77.
- ✓ *Piperi* Webb, Proc. Ent. Soc. Washingt. VII, 1905, p. 104. Oregon

5

Lycosomus Auriv.

Auriv. Ent. Tidskr. XXIV, 1903, p. 265.

- mirabilis* Auriv. l. c. p. 267, fig. Kamerun

1

XLVI. Dejanirini.

Lacord. Gen. Col. VIII, 1869, p. 460.

Dejanira Thoms.

Thoms. Syst. Ceramb. 1864, p. 134. — Lacord. Gen. Col. VIII, 1869, p. 460. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 561.

- ✓ *biapiculata* Pasc. Proc. Zool. Soc. Lond. 1866, p. 507. — Penang
Lacord. Gen. Col. VIII, 1869, p. 461 nota.

= *Chrysomelidae*
Kolibra omeria

quadripunctata Thoms. Syst. Ceramb. 1864, p. 134. — Java
Lacord. Gen. Col. VIII, 1869, p. 461 nota, t. 89,
f. 4. — Pasc. Trans. Ent. Soc. Lond. (3) III,
1869, p. 561.

2

XLVII. Oxypeltini.

Lacord. Gen. Col. VIII, 1869, p. 461. — Germain, Lonjic. Chil. V, 1900,
p. 202.

Cheloderus Cast.

Cast. Hist. Nat. II, 1840, p. 409. — Blanch. in Gay, Hist. Chile V, 1851,
p. 457. — Thoms. Classif. Ceramb. 1860, p. 286; Syst. Ceramb. 1864, p. 410.
— Lacord. Gen. Col. VIII, 1869, p. 462. — Germain, Lonjic. Chil. V, 1900,
p. 211.

Childreni Gray in Griff. Anim. Kingd. Ins. II, 1832, Chile
p. 784, t. 119. — Cast. Hist. Nat. II, 1840,
p. 409. — Blanch. Voy. d'Orbigny, Ins. 1843,
p. 207, t. 20, f. 7; in Gay, Hist. Chile V, 1851,
p. 458, t. 27, f. 7. — Germain, Lonjic. Chil. V,
1900, p. 213, t. 3, f. 3.

1

Oxypeltus Blanch.

Blanch. in Gay, Hist. Chile V, 1851, p. 459. — Thoms. Classif. Ceramb.
1860, p. 286; Syst. Ceramb. 1864, p. 410. — Lacord. Gen. Col. VIII, 1869,
p. 463. — Germain, Lonjic. Chil. V, 1900, p. 216, t. 3, f. 4.

quadrispinosus Blanch. in Gay, Hist. Chile V, 1851, Chile
p. 460, t. 27, f. 8. — Fairm. & Germain, Ann.
Soc. Ent. Fr. (3) VII, 1859, p. 486. — Germain,
Acta Soc. Chil. II, 1894, p. 166; Lonjic. Chil. V,
1900, p. 218.

1

XLVIII. Bimiini.

Lacord. Gen. Col. VIII, 1869, p. 464. — Germain, Lonjic. Chil. VI, 1901,
p. 222.

Lautarus Germain.

Germain, Lonjic. Chil. VI, 1901, p. 225, t. 3, f. 5.

concinus F. Phil. Ann. Univ. Chile XVI, 1859, p. 670; Chile
Stett. Ent. Zeit. XXI, 1860, p. 249. — Germain,
Lonjic. Chil. VI, 1901, p. 231.

♂ *laevigatus* F. Phil. Stett. Ent. Zeit. XXV, 1864,
p. 376.

1

Sibylla Thoms.

Thoms. Arch. Ent. I, 1857, p. 406; Classif. Ceramb. 1860, p. 285. — Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 487. — Germain, Lonjic. Chil. VI, 1901, p. 235.

Sybilla Thoms. Syst. Ceramb. 1864, p. 410. — Lacord. Gen. Col. VIII, 1869, p. 235.

- coemeterii* Thoms. Rev. Mag. Zool. (2) VIII, 1856, p. 482. Chile
 — Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 487. — Germain, Lonjic. Chil. VI, 1901, p. 243, t. 3, f. 6.
 ab. *integra* Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 488.
- Dancoi* Lamcère, Ann. Soc. Ent. Belg. XLIV, 1900, Patagonien
 p. 112; Res. Belgica, Zool. Col. 1906, p. 49, t. 1, f. 9.
- flavosignata* Fairm. & Germain, Ann. Soc. Ent. Fr. (3) Chile
 VII, 1859, p. 489. — Germain, Lonjic. Chil. VI, 1901, p. 249, t. 3, f. 7.
- livida* Germain, l. c. p. 252, t. 3, f. 8. „
 4

Adalbus Fairm. & Germain.

Fairm. & Germ. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 490. — Thoms. Syst. Ceramb. 1864, p. 411. — Lacord. Gen. Col. VIII, 1869, p. 466. — Germain, Lonjic. Chil. VI, 1901, p. 256 (An. Univ. Chile CVII, 1901, p. 901).

- erassicornis* Fairm. & Germain, Ann. Soc. Ent. Fr. (3) Chile
 VII, 1859, p. 490.
Proteus Germain, Lonjic. Chil. VI, 1901, p. 263, t. 3, f. 9.
 ab. *dimidiatipennis* Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 492. „
 ab. *flavipennis* Fairm. & Germain, l. c. p. 491. „
 1

Phantazoderus Fairm. & Germain.

Fairm. & Germain, Rev. Mag. Zool. (2) XVI, 1864, p. 391. — Lacord. Gen. Col. VIII, 1869, p. 466. — Germain, Lonjic. Chil. VI, 1901, p. 266.

- frenatus* Fairm. & Germain, Rev. Mag. Zool. (2) XVI, Chile
 1864, p. 392. — Germain, Lonjic. Chil. VI, 1901, p. 271, t. 3, f. 10.
 1

Bimia White.

White, Proc. Zool. Soc. Lond. XVIII, 1850, p. 13. — Thoms. Syst. Ceramb. 1864, p. 405. — Lacord. Gen. Col. VIII, 1869, p. 467.

- bicolor* White, Proc. Zool. Soc. Lond. XVIII, 1850, p. 13, Neuholland
 t. 13, f. 2. — Lacord. Gen. Col. VIII, 1869, p. 467, t. 90, f. 1.
 ab. *femoralis* Saund. Trans. Ent. Soc. Lond. (2) I, 1851, p. 82, t. 4, f. 7. — Lacord. Gen. Col.

- VIII, 1869, p. 467, nota 1. — Blackb. Trans.
 R. Soc. S. Austr. X, 1888, p. 286.
maculicornis Poll, Notes Leyd. Mus. VIII, 1886, p. 223. Victoria
 2

Akiptera Saund.

- Saund. Trans. Ent. Soc. Lond. (2) I, 1851, p. 82. — Thoms. Syst. Ceramb.
 1864, p. 405. — Pasc. Journ. of Ent. II, 1864, p. 240. — Lacord. Gen.
 Col. VIII, 1869, p. 468.

Acidoptera Gemm. & Har. Cat. Col. IX, 1873, p. 2879.

- semiflava** Saund. Trans. Ent. Soc. Lond. (2) I, 1851, Neuholland
 p. 83, t. 4, f. 6.

- Waterhousei** Pasc. Journ. of Ent. II, 1864, p. 239, „
 t. 11, f. 4.

2

Agapete Newm.

- Newm. Zoolog. III, 1845, p. 1017. — Thoms. Syst. Ceramb. 1864, p. 416.
 — Lacord. Gen. Col. VIII, 1869, p. 468.

Anteros Blanch. Hist. Ins. II, 1845, p. 170. — Lacord. Gen. Col.
 VIII, 1869, p. 511. — Blackb. Proc. Linn. Soc. N. S. Wales (2)
 *III, 1889, p. 1466.

- carissima** Newm. Zoolog. III, 1845, p. 1017. — Saund. Neuholland
 Trans. Ent. Soc. Lond. (2) I, 1851, p. 84, t. 1,
 f. 2. — White, Cat. Brit. Mus. VIII, 1855,
 p. 185, t. 5, f. 4.

- Kreusleri** Pascoe, Journ. of Ent. II, 1864, p. 241. Gawler
vestita Pascoe, Journ. Linn. Soc. Lond. Zool. IX, 1866, „
 p. 91.

3

XLIX. Necydalini.

- C. G. Thomson, Skand. Col. VIII, 1866, p. 47. — Lacord. Gen. Col. VIII,
 1869, p. 469. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 325. — J. Lec. &
 Horn, Classif. Col. N. Amer. 1883, p. 310. — Leng, Ent. Amer. VI, 1890, p. 11.

Necydalates Muls. Col. Fr. Long. ed. 2, 1862, p. 232.

Necydalites Fairm. Cen. Col. d'Eur. IV, 1864, p. 179.

Callisphyris Newm.

- Newm. Entomol. I, 1840, p. 1. — Blanch. in Gay, Hist. Chile, Zool. V,
 1851, p. 469. — Lacord. Gen. Col. VIII, 1869, p. 472.

Callysphyris Thoms. Syst. Ceramb. 1864, p. 411.

- annulatus** Philippi, Stett. Ent. Zeit. XXV, 1864, p. 380. Chile

- apicicornis** Fairm. & Germain, Ann. Soc. Ent. Fr. (3) „
 VII, 1859, p. 497.

- asphaltinus** Fairm. & Germain, l. c. „

rufiventer Philippi, An. Univ. Chile XVI, 1859,
 p. 672.

- concolor Fairm. & Germain, Ann. Soc. Ent. Fr. (4) I, 1861, p. 105. Chillan
- ✓ macropus Newm. Entomol. I, 1840, p. 1, fig. — Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 471, t. 28, f. 3. — Lacord. Gen. Col. VIII, 1869, p. 473, t. 90, f. 2. — Heyne, Exot. Käfer 1906, p. 239, t. 36, f. 13. Chile
- molorchoides Guér. Mag. Zool. IX, 1839, p. 66, t. 233, f. 2; Icon. règne anim. Ins. 1844, p. 237. — Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 498. „
- odyneroides Fairm. & Germain, Rev. Mag. Zool. (2) XVI, 1864, p. 385. „
- semicaligatus Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 496. — Fairm. Miss. sc. Cape Horn VI, 2, 1891, Col. p. 60, t. 2, f. 10. „
- leptopus Philippi, An. Univ. Chile XVI, 1859, p. 673.
- Schythæi Philippi, l. c. 1862, 2, p. 212; Stett. Ent. Zeit. XXV, 1864, p. 380.
- testaceipes Fairm. & Germain, Rev. Mag. Zool. (2) XVI, 1864, p. 286. „
- vespa Fairm. & Germain, Ann. Soc. Ent. Fr. (4) I, 1861, p. 106. Chillan
- 10

Atelopteryx Lacord.

Lacord. Gen. Col. VIII, 1869, p. 473.

- compsoceroïdes Lacord. l. c. p. 474, nota 1. Brasilien
- 1
Nathrius Brèthes 1916.
porter! Brèthes 1916. Revista Chilena Hist. Nat. XX. pp. 75-78. (Fc) Chili.

Hephaestion Newm.

Newm. Entomol. I, 1840, p. 10. — Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 466. — Thoms. Classif. Ceramb. 1860, p. 145; Syst. Ceramb. 1864, p. 411. — Lacord. Gen. Col. VIII, 1869, p. 474.

- annulatus F. Philippi, An. Univ. Chile XVI, 1859, p. 672; Stett. Ent. Zeit. XXI, 1860, p. 250. Chile
- chalybaeus Philippi, An. Univ. Chile 1865, I, p. 659. Valdivia
- corralensis F. Philippi, Stett. Ent. Zeit. XXV, 1864, p. 379. Chile
- cyanopterus F. Philippi, l. c. p. 377. „
- flavicornis F. Philippi, l. c. p. 378. „
- fuscescens F. Philippi, l. c. p. 379. „
- holomelas F. Philippi, l. c. „
- iopterus F. Philippi, l. c. p. 378. „
- nigricornis Fairm. & Germain, Ann. Soc. Ent. Fr. (4) I, 1861, p. 105. — Lacord. Gen. Col. VIII, 1869, p. 475, nota 3. „
- oereatus Newm. Entomol. I, 1840, p. 10. — Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 467, t. 28, f. 1. — Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 492. „
- pallidicornis Fairm. & Germain, l. c. p. 493. „

- versicolor* F. Philippi, An. Univ. Chile XVI, 1859, p. 671; Chile
Stett. Ent. Zeit. XXI, 1860, p. 250.
violaceipennis Fairm. & Germain, Ann. Soc. Ent. Fr. (4) „
I, 1861, p. 105.

13

Platynocera Blanch.

Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 471.

Stenorhopalus Blanch. l. c. p. 477. — Lacord. Gen. Col. VIII,
1869, p. 475.

- annulata* F. Philippi, Stett. Ent. Zeit. XXV, 1864, p. 381; Chile
An. Univ. Chile 1862, II, p. 386.
bicolor F. Philippi, l. c. 1865, I, p. 658. Valdivia
flavicans Fairm. & Germain, Ann. Soc. Ent. Fr. (3) Chile
VII, 1859, p. 495.
gracilipes Blanch. in Gay, Hist. Chile, Zool. V, 1851, „
p. 469. — Fairm. & Germain, Ann. Soc. Ent.
Fr. (3) VII, 1859, p. 493.
gracilis Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 478, „
t. 28, f. 7. — Fairm. & Germain, Ann. Soc. Ent.
Fr. (3) VII, 1859, p. 502. — Lacord. Gen. Col.
VIII, 1869, p. 476, nota 1.
lepturoides Blanch. in Gay, Hist. Chile, Zool. V, 1851, „
p. 473. — Fairm. & Germain, Ann. Soc. Ent. Fr.
(3) VII, 1859, p. 499.
macrer Newm. Entomol. I, 1840, p. 10. — Blanch. in Gay, „
Hist. Chile, Zool. V, 1851, p. 468, t. 28, f. 2. —
Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII,
1859, p. 493.
nigriceps F. Philippi, An. Univ. Chile XVI, 1859, p. 673; Valdivia
Stett. Ent. Zeit. XXI, 1860, p. 250.
opaca Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, Chile
1859, p. 494.
rubriceps Blanch. in Gay, Hist. Chile, Zool. V, 1851, „
p. 472, t. 28, f. 4. — Fairm. & Germain, Ann.
Soc. Ent. Fr. (3) VII, 1859, p. 499.
rufofemorata Fairm. & Germain, l. c. p. 494. „
rugosa Fairm. & Germain, l. c. (4) I, 1861, p. 106. „
virescens Fairm. & Germain, l. c. (3) VII, 1859, p. 495. „

13

Rhathymoscelis Thoms.

Thoms. Classif. Ceramb. 1860, p. 160; Syst. Ceramb. 1864, p. 411. — Lacord.
Gen. Col. VIII, 1869, p. 476.

- Dormei* Goun. Bull. Soc. Ent. Fr. 1910, p. 48. Brasilien:
Minas
Geraes
Haldemani Thoms. Classif. Ceramb. 1860, p. 161. — Bates, Mexico
Biol. C.-Amer. Col. V, 1885, p. 287.
Iheringi Goun. Bull. Soc. Ent. Fr. 1910, p. 47, f. 1. Sao Paulo

3

Ulochaetes J. Lec.

J. Lec. Proc. Acad. Philad. VII, 1854, p. 82. — Thoms. Classif. Ceramb. 1860, p. 146; Syst. Ceramb. 1864, p. 411. — Lacord. Gen. Col. VIII, 1869, p. 478. — Leng, Ent. Amer. VI, 1890, p. 12.

✓ **leoninus** J. Lec. Proc. Acad. Philad. VII, 1854, p. 82; Oregon,
Entomol. Report 1857, p. 62, t. 2, f. 12. — Leng, Nevada
Ent. Amer. VI, 1890, p. 12.

1

Necydalis L.

L. Syst. Nat. ed. 10, 1758, p. 421. — Degeer, Mém. Ins. V, 1775, p. 146 (ex parte). — Laich. Verz. Tyrol. Ins. II, 1784, p. 173 (ex parte). — Ol. Ent. IV, 74, p. 1—4 (ex parte). — Serv. Ann. Soc. Ent. Fr. II, 1833, p. 543 (ex parte). — Muls. Col. Fr. Long. 1839, p. 110; ed. 2, 1862, p. 233. — Redt. Gatt. deutsch. Käferf. 1845, p. 109; Fauna Austr. 1849, p. 491. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 317. — Thoms. Classif. Ceramb. 1860, p. 146; Syst. Ceramb. 1864, p. 411. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 179. — C. G. Thoms. Skand. Col. VIII, 1866, p. 47. — Lacord. Gen. Col. VIII, 1869, p. 477. — Ganglb. Best.-Tab. VII, 1881, p. 6 (684). — Bedel, Faune Col. Seine V, 1889, p. 9, 17. — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 182. — Stierl. Col. Helvet. II, 1898, p. 470. — Everts, Col. Neerl. II, 1, 1902, p. 358. — Csiki, Rov. Lapok X, 1903, p. 102. — Houlb. Faune Armor. Ceramb. 1904, p. 15, 39.

Gymnopterion Schrank, Fauna Boica I, 2, 1798, p. 688 (ex parte).
Molorchus F. Ent. Syst. I, 2, 1792, p. 356 (ex parte). — Payk. Fauna Suec. III, 1800, p. 129 (ex parte). — Gyllenh. Ins. Suec. I, 4, 1827, p. 120 (ex parte). — Bach, Käferfauna III, 1856, p. 25. — Redt. Fauna Austr. ed. 2, 1858, p. 856; ed. 3, II, 1874, p. 427 (ex parte).

Paläarktische und japanische Arten.

ebenina Bates, Journ. Linn. Soc. Lond. Zool. XVIII, Japan
1884, p. 225.
Harmandi Pic, Bull. Mus. Paris VII, 1902, p. 340. „
major L. Syst. Nat. ed. 10, 1758, p. 421; Fauna Suec. Europa,
ed. 2, 1761, p. 229. — Leske, Naturgesch. I, Sibirien
1779, p. 429. — Laich. Verz. Tyrol. Ins. II,
1784, p. 173. — Herbst in Borowsky, Naturg.
VI, 1784, p. 135, t. 18, f. 1. — Geoffr. in Fourcr.
Ent. Paris. I, 1785, p. 174. — Vill. Linn. Ent. I,
1789, p. 277. — Ol. Ent. IV, 74, 1795, p. 5,
t. 1, f. 1. — Donnd. Europ. Fauna VIII, 1799,
p. 609. — Bechst. & Scharfenb. Forstins. I,
1804, p. 220. — Muls. Lettres à Julie II, 1830,
p. 334, t. 4, f. 4. — Küster, Käfer Eur. XIX,
1849, nr. 97. — Redt. Fauna Austr. 1849, p. 492;
ed. 2, 1858, p. 856. — Bach, Käferfauna III,
1856, p. 26. — Muls. Col. Fr. Long. ed. 2, 1862,
p. 236. — Fairm. Gen. Col. d'Eur. IV, 1864,
t. 55, f. 260. — C. G. Thoms. Skand. Col. VIII,
1866, p. 48. — Buysson, Feuille jeun. Natural.
VIII, 1878, p. 127, fig. — Ganglb. Best.-Tab.

- VII, 1882, p. 17 (695). — Bedel, Faune Col. Seine V, 1889, p. 18, 63. — Seidl. Fauna Balt. ed. 2, 1891, p. 740; Fauna Transs. 1891, p. 833. — Stierl. Col. Helvet. II, 1898, p. 472. — Everts, Col. Neerl. II, 1, 1902, p. 358. — Csiki, Rov. Lapok X, 1903, p. 206. — Houlb. Faune Armor. Ceramb. 1904, p. 40, f. 77. — Jacobs. Käfer Russl. 1910, t. 64, f. 17.
- abbreviata* F. Syst. Ent. 1775, p. 199. — Rossi, Fauna Etr. I, 1790, p. 164. — Payk. Fauna Succ. III, 1800, p. 129. — Gyllenh. Ins. Succ. I, 4, 1827, p. 120.
- Duponti* Muls. Col. Fr. Longic. 1839, p. 299, t. 1, f. F.
- ichneumonea* Degeer, Mém. Ins. V, 1775, p. 148, t. 5, f. 1. — Schiöde, Nat. Tidskr. (3) II, 1864, p. 555.
- populi* Büttner in Germ. Mag. Ent. III, 1818, p. 245.
- salicis* Muls. Col. Fr. Long. 1839, p. 112. — Heyden, Berl. Ent. Zeitschr. VIII, 1864, p. 331, t. 4, f. 7. — Redt. Fauna Austr. ed. 3, II, 1874, p. 427.
- Biologie: Nowicki, Verh. zool.-bot. Ges. Wien XXIV, 1874, p. 366. — Schreiber, Korresp.-Blatt Ent. Ver. Halle I, 1886, p. 73. — Nebel, Käfer Anhalt 1894, p. 23.
- morio** Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 106. Amur
- ✓ **pennata** Lewis, Ann. Mag. Nat. Hist. (5) IV, 1879, p. 464. Japan
- ✓ **sericella** Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 46. China:
Sze-Tschuan
- sirexoides** Reitter, Wien. Ent. Zeit. XXI, 1902, p. 82. Astrabad
- solida** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 225. Japan
- ulmi** Chev. Centurie de Buprestides 1838, p. 76. — Muls. Col. Fr. Long. ed. 2, 1862, p. 233. — Bedel, Faune Col. Seine V, 1889, p. 18, 62. — Everts, Col. Neerl. II, 1, 1902, p. 339. — Csiki, Rov. Lapok X, 1903, p. 206. — Houlb. Faune Armor. Ceramb. 1904, p. 40. Mittel-
europa
- abbreviata* Panz. Fauna Ins. Germ. XLI, 1797, t. 20. — Heyden, Berl. Ent. Zeitschr. VIII, 1864, p. 330, t. 4, f. 6. — Redt. Fauna Austr. ed. 3, II, 1874, p. 427. — Seidl. Fauna Balt. ed. 2, 1891, p. 740; Fauna Transs. 1891, p. 834.
- major* Guér. Icon. règne anim. Ins. 1844, p. 236, t. 44, f. 8. — Muls. Col. Fr. Long. 1839, p. 111.
- Panzeri* Har. Col. Heftc XV, 1876, p. 174. — Ganglb. Best.-Tab. VII, 1882, p. 17 (695). — Stierl. Col. Helvet. II, 1898, p. 472.
- Biologie: Chobaut, Ann. Soc. Ent. Fr. (6) IX, 1889, Bull. p. 210; Echange VII, 1891, p. 42. — Xambeu, Bull. Soc. Ent. Fr. 1895, p. 348; Moeurs & Métam. VIII, 1902, p. 141.
- xantha** Semen. Bull. Moscou (n. s.) XIII, 1899, p. 132; Rev. Russe Ent. II, 1902, p. 285; VII, 1908, p. 264. Kaukasus

Nearktische Arten.

Leng, Ent. Amer. VI, 1890, p. 12 (Synopsis).

- ✓ *Barbarae* Rivers, Ent. Amer. VI, 1890, p. 112. Californien
 ✓ *cavipennis* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 204. „
 — Leng, Synops. p. 12.
 ✓ *laevicollis* J. Lec. Ann. Mag. Nat. Hist. (4) IV, 1869, Vancouver
 p. 383. — Leng, Synops. p. 12.
 ✓ *mellita* Say, Boston Journ. I, 1835, p. 194. — Harris, Pennsylv-
 Trans. Hartf. Nat. Hist. Soc. I, 1837, p. 89. — vania,
 J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 317. — Indiana
 Leng, Synops. p. 12. — Wickh. Canad. Ent.
 XXIX, 1897, p. 169.
americana Hald. Trans. Amer. Philos. Soc. (2)
 X, 1847, p. 44; Proc. Amer. Philos. Soc. IV, 1847,
 p. 372.

14

Psebena Gah.

Gahan, Proc. Zool. Soc. Lond. 1902, 2, p. 277.

- brevipennis* Gah. l. c. p. 278, t. 19, f. 12. Borneo

1

L. Psebiini.

Lacord. Gen. Col. VIII, 1869, p. 479.

Chorotyse Pasc.Pascoe, Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 307. — Lacord. Gen. Col.
VIII, 1869, p. 479.

- vesparia* Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, Südafrika
 p. 308. — Lacord. Gen. Col. VIII, 1869, p. 480,
 t. 89, f. 5.

1

Haplopsebium Auriv.

Auriv. Ent. Tidskr. XII, 1891, p. 99.

Psebida Jord. Nov. Zool. I, 1894, p. 157.

- nlgricornae* Auriv. Ent. Tidskr. XII, 1891, p. 99. Gabun,
flavum Jord. Nov. Zool. I, 1894, p. 157, t. 9, f. 3. Kuilu

1

Neopsebium Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 151.

- apicipenne* Fairm. l. c. Madagaskar

1

Psebiium Pasc.

Pasc. Journ. of Ent. II, 1864, p. 289. — Lacord. Gen. Col. VIII, 1869, p. 480.

brevipenne Pasc. Journ. of Ent. II, 1864, p. 290, t. 13, f. 2. — Lacord. Gen. Col. VIII, 1869, p. 481, t. 89, f. 6. Natal

Linnaei Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 56. Kaffernland

2

Macropsebiium Bates.

Bates, Trans. Ent. Soc. Lond. 1878, p. 191.

Cotterilli Bates, l. c. p. 192.

Nyassaland

Wahlbergi Auriv. Ent. Tidskr. VIII, 1887, p. 192, f. 1.

Ngamisee

2

Bottegia Gestro.

Gestro, Ann. Mus. Genova XXXV, 1895, p. 414.

spectabilis Gestro, l. c.

Gallaland

1

Nephithea Pasc.

Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 308. — Lacord. Gen. Col. VIII, 1869, p. 481.

necydaloides Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 309. Natal

1

Leptidea Muls.

Muls. Col. Fr. Long. 1839, p. 105; ed. 2, 1862, p. 200. — Redt. Fauna Austr. ed. 2, 1858, p. 854; ed. 3, II, 1874, p. 411. — Thoms. Syst. Ceramb. 1864, p. 440. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 149. — Lacord. Gen. Col. VIII, 1869, p. 481. — Ganglb. Best.-Tab. VII, 1881, p. 9 (87). — Bedel, Faune Col. Seine V, 1889, p. 9, 21. — Houlb. Faune Armor. Ceramb. 1904, p. 18, 42. — Csiki, Rov. Lapok XI, 1904, p. 35.

brevipennis Muls. Col. Fr. Long. 1839, p. 105, t. 2, f. 3; ed. 2, 1862, p. 200. — Küster, Käfer Eur. XXIII, 1850, p. 95. — Redt. Fauna Austr. ed. 2, 1858, p. 854; ed. 3, II, 1874, p. 412. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 44, f. 206. — Ganglb. Best.-Tab. VII, 1882, p. 64 (742). — Bedel, Faune Col. Seine V, 1889, p. 21. — Houlb. Faune Armor. Ceramb. 1904, p. 43, f. 80. — Csiki, Rov. Lapok XI, 1904, p. 58.

Südeuropa

minuta Motsch. Bull. Moscou XVIII, 1845, p. 84.

rufipennis Duf. Actes Soc. Linn. Bord. XVII, 1851, p. 351.

Biologie: Delarue, Feuille jeun. Natural. VI, 1875, p. 11. — Perris, Ann. Soc. Linn. Lyon

(2) XXIII, 1877, p. 305; Larves des Col. 1877, p. 465. — Nicolas, Ann. Acad. Vauchuse 1884, p. 62; Le Coléoptér. 1891, p. 56. — Xambeau, Moeurs & Métam. VIII, 1902, p. 138.

1

LI. Thraniini.

Gahan, Fauna Brit. Ind. Col. I, 1906, p. 236.

Thranus Pasc.

Pascoe, Trans. Ent. Soc. Lond. (2) V, 1859, p. 22. — Thoms. Syst. Ceramb. 1864, p. 416. — Lacord. Gen. Col. VIII, 1869, p. 470. — Pascoe, Trans. Ent. Soc. Lond. (3) III, 1869, p. 562. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 236.

Singalia Lacord. Gen. Col. IX, 1872, p. 834.

- angustipennis* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 564. Amboina
- basalis* Pasc. l. c. Batjan
- bimaculatus* Pasc. l. c. (2) V, 1859, p. 23, t. 2, f. 7; (3) III, 1869, p. 563. — Lacord. Gen. Col. VIII, 1869, p. 471, t. 90, f. 4. Malacca
- brunneus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 564. Dorey
- fryanus* Gah. Fauna Brit. Ind. Col. I, 1906, p. 238. Tenasserim
- gibbosus* Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 23. Südindien,
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 237, Ceylon
f. 89.
- spinipennis* Lacord. Gen. Col. IX, 1872, p. 835, nota 1.
- simplex* Gah. Ann. Mus. Genova XXXIV, 1895, p. 15; Birma,
Fauna Brit. Ind. Col. I, 1906, p. 237. Bhutan
- sumatrensis* Gah. Ann. Mus. Genova (3) III, 1907, p. 71. Sumatra
- tripagiatus* Gah. Fauna Brit. Ind. Col. I, 1906, p. 238. Manipur
- variegatus* Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, Japan
p. 196.

10

LII. Molorchini.

Lacord. Gen. Col. VIII, 1869, p. 482. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 169.

Necydalinae Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 565.
Stenopteri J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 306. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 292.

Epania Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 237; (3) III, 1869, p. 566.
— Thoms. Classif. Ceramb. 1860, p. 146; Syst. Ceramb. 1864, p. 416. — Lacord. Gen. Col. VIII, 1869, p. 484.

brevipennis Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 567. Singapore

discolor Pasc. l. c. p. 538, t. 21, f. 7. Ceram

- paula* Pasc. l. c.
pusio Pasc. l. c. p. 567. — Waterh. Aid identif. Insects I, 1882, t. 77. Sarawak
 Singapore
sarawakensis Thoms. Archiv. Ent. I, 1857, p. 124. — Borneo,
 Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 568. Batjan,
 Morty
singaporensis Thoms. Archiv. Ent. I, 1857, p. 124. — Singapore,
 Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 566. Borneo

6

Euchlanis Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 569.

- collaris* Pasc. l. c. p. 570, t. 21, f. 9. Borneo
 1

Holangus Pic.

Pic, Longic. IV, 1, 1902, p. 33.

- flavonotatus* Pic, l. c. p. 34. Tonkin
Guerryi Pic, l. c. V, 1, 1904, p. 40. Yunnan
 2

Stenopterus Ill.

Ill. Mag. Insektenk. III, 1804, p. 120; IV, 1805, p. 127. — Schönh. Synon. Ins. I, 3, 1817, p. 501. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 252. — Serv. Ann. Soc. Ent. Fr. II, 1833, p. 544. — Muls. Col. Fr. Long. 1839, p. 113; ed. 2, 1862, p. 217. — Redt. Gatt. deutsch. Käferf. 1845, p. 109; Fauna Austr. 1849, p. 491; ed. 2, 1858, p. 855; ed. 3, II, 1874, p. 413. — Costa, Fauna Napoli, Col. II, 1855, Longic. p. 64. — Bach, Käferf. III, 1856, p. 25. — Thoms. Classif. Ceramb. 1860, p. 145; Syst. Ceramb. 1864, p. 412. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 151. — Lacord. Gen. Col. VIII, 1869, p. 485. — Ganglb. Best.-Tab. VII, 1881, p. 9 (687). — Bedel, Faune Col. Seine V, 1889, p. 7, 19. — Seidl. Fauna Balt. 1891, Gatt. p. 182. — Pic, Echange VIII, 1892, p. 21. — Stierl. Col. Helvet. II, 1898, p. 464. — Everts, Col. Neerl. II, 1, 1902, p. 359. — Houlb. Faune Armor. Ceramb. 1904, p. 16, 41. — Csiki, Rov. Lapok XI, 1904, p. 36.

Necydalis Lam. Syst. Anim. sans Vert. 1801, p. 234. — Latr. Consid. Gen. Ins. 1810, p. 231, 431. — Cast. Hist. Nat. II, 1840, p. 441.

- ater* L. Syst. Nat. ed. 12, 1767, p. 642. — F. Syst. Ent. 1775, p. 209. — Muls. Col. Fr. Long. 1839, p. 114; ed. 2, 1862, p. 219; Mém. Acad. Sc. Lyon (2) I, 1851, p. 137. — Costa, Fauna Napoli, Col. II, 1856, Longic. p. 67, t. 36, f. 7. — Bedel, Faune Col. Seine V, 1889, p. 19, 65. — Csiki, Rov. Lapok XI, 1904, p. 38. Südeuropa,
 Mittelmeer-
 gebiet
auriventris Küster, Käfer Eur. XXIII, 1851, p. 96.
praeustus F. Ent. Syst. I, 2, 1792, p. 354. — Muls. Col. Fr. Long. 1839, p. 114. — Küster, Käfer Eur. XIX, 1849, p. 100. — Costa, Fauna Napoli, Col. II, 1856, Longic. p. 66, t. 36, f. 6 ♂. —

Fairm. Gen. Col. d'Eur. IV, 1864, t. 45, f. 209. — Ganglb. Best.-Tab. VII, 1882, p. 44 (722). — Seidl. Fauna Transs. 1891, p. 833. — Stierl. Col. Helvet. II, 1898, p. 469.

- ab. *flavipes* Pic, Echange VIII, 1892, p. 66; Alger
Longic. II, 1898, p. 9.
- ab. *inustulatus* Pic, Echange VIII, 1892, p. 22; „
Longic. II, 1898, p. 8.
- ab. *nigripes* Costa, Fauna Napoli, Col. II, 1856, Süd-
p. 67. — Kraatz, Berl. Ent. Zeitschr. VII, 1863, frankreich,
p. 103. — Pic, Longic. I, 1891, p. 16; II, 1898, Alger
p. 9; Echange VIII, 1892, p. 22.
- ab. *ustulatus* Muls. Col. Fr. Long. 1839, p. 115; Spanien,
ed. 2, 1862, p. 221. — Pic, Echange VIII, 1892, Alger
p. 22; Longic. II, 1898, p. 8.
- atricornis** Pic, Echange VII, 1891, p. 102; VIII, 1892, Syrien
p. 22; Ann. Soc. Ent. Fr. LXI, 1892, p. 416.
- flavicornis** Küster, Käfer Eur. VI, 1846, p. 75. — Redt. Südeuropa
Fauna Austr. 1849, p. 491; ed. 2, 1858, p. 856;
ed. 3, II, 1874, p. 413. — Bach, Käferf. III, 1856, p. 25. — Ganglb. Best.-Tab. VII, 1881,
p. 43 (721). — Bedel, Faune Col. Seine V, 1889, p. 19. — Seidl. Fauna Transs. 1891, p. 833.
— Pic, Echange VIII, 1892, p. 21. — Csiki,
Rov. Lapok XI, 1904, p. 38.
- procerus* Costa, Fauna di Napoli, Col. II, 1856,
Longic. p. 64, t. 36, f. 4.
- Kraatzii** Pic, Echange VIII, 1892, p. 21, 22, Smyrna
mauritanicus Lucas, Explor. Algér. Col. 1849, p. 496, Alger
t. 42, f. 3. — Muls. Col. Fr. Long. ed. 2, 1862,
p. 222. — Ganglb. Best.-Tab. VII, 1881, p. 43
(721). — Pic, Echange VIII, 1892, p. 21.
- rufus* var. Kraatz, Berl. Ent. Zeitschr. VII, 1863, Andalusien
p. 103.
- rufus** L. Syst. Nat. ed. 12, 1767, u. 642. — F. Syst. Ent. Mittel- und
1775, p. 209. — Schrank, Enum. Ins. Austr. Südeuropa
1781, p. 166. — Herbst in Borowski, Naturgesch.
VI, 1784, p. 136, t. 18, f. 3. — Petagna, Spec.
Ins. Calabr. 1787, p. 21. — Rossi, Fauna Etr.
I, 1790, p. 173; Mant. Ins. II, 1794, Append.
p. 132. — Ol. Ent. IV, 74, 1795, p. 8, t. 1, f. 6.
— Donndorff, Europ. Fauna VIII, 1799, p. 616.
— Herrich-Schaeff. Fauna Ins. Germ. CXX,
183?, t. 4. — Muls. Col. Fr. Long. 1839, p. 113;
ed. 2, 1862, p. 218. — Cast. Hist. Nat. II, 1840,
p. 441. — Küster, Käfer Eur. VI, 1846, p. 76.
— Redt. Fauna Austr. 1849, p. 491; ed. 2, 1858,
p. 856; ed. 3, II, 1874, p. 413. — Costa, Fauna
Napoli, Col. II, 1856, Longic. p. 65, t. 36, f. 5.
— Bach, Käferfauna III, 1856, p. 25. — Kraatz,
Berl. Ent. Zeitschr. VII, 1863, p. 100. — Ganglb.
Best.-Tab. VII, 1881, p. 43 (721). — Bedel,
Faune Col. Seine V, 1889, p. 19, 64. — Seidl.
Fauna Transs. 1891, p. 833. — Pic, Echange
VIII, 1892, p. 21. — Stierl. Col. Helvet. II,
1898, p. 469. — Everts, Col. Neerl. II, 1, 1902,
p. 360. — Houlb. Faune Armor. Ceramb. 1904,
p. 42, f. 79. — Csiki, Rov. Lapok XI, 1904,
p. 39. — Jacobs, Käfer Russl. 1910, t. 64, f. 19.

- attenuatus* Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 84.
dispar Schönh. Synon. Ins. I, 3, 1817, p. 501.
 Biologie: Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 307, f. 473—475; Larves Col. 1877, p. 467. — Xambeu, Mœurs & Métam. VIII, 1902, p. 137.
 ab. *geniculatus* Kraatz, Berl. Ent. Zeitschr. VII, 1863, p. 103. — Pic, Longic. I, 1891, p. 16; Echange VIII, 1892, p. 21.
 ab. *subhumeralis* Pic, Echange XXI, 1905, p. 156.
 var. *syriacus* Pic, l. c. VIII, 1892, p. 22; Ann. Syrien Soc. Ent. Fr. LXI, 1892, p. 416.

6

Guerryus Pic.

Pic, Echange XVIII, 1903, p. 105; Longic. IV, 2, 1903, p. 20.

aureopubescentis Pic, Echange XVIII, 1903, p. 105; China Longic. IV, 2, 1903, p. 20.

1

Molorchus F.

F. Ent. Syst. I, 2, 1792, p. 356 (ex parte). — Payk. Fauna Suec. III, 1800, p. 129 (ex parte). — Gyllenh. Ins. Suec. I, 4, 1827, p. 120. — Steph. III. Brit. Ent. Mand. IV, 1831, p. 252 (ex parte). — Muls. Col. Fr. Long. 1839, p. 107; ed. 2, 1862, p. 223. — Cast. Hist. Nat. II, 1840, p. 442 (ex parte). — Bach, Käferfauna III, 1856, p. 25 (ex parte). — Redt. Fauna Austr. ed. 2, 1858, p. 856; ed. 3, II, 1874, p. 427 (ex parte). — Schiödte, Nat. Tidskr. (3) II, 1864, p. 530. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 153. — Lacord. Gen. Col. VIII, 1869, p. 486. — Cox, Handb. Col. II, 1874, p. 308. — Ganglb. Best.-Tab. VII, 1881, p. 9 (687). — Leng, Ent. Amer. II, 1886, p. 27, 30. — Fowler, Col. Brit. Isl. IV, 1890, p. 228. — Seidl. Fauna Balt. 1891, Gatt. p. 182. — Stierl. Col. Helvet. II, 1898, p. 464. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 169.

Caenoptera Bedel, Faune Col. Seine V, 1889, p. 18. — Everts, Col. Neerl. II, 1, 1902, p. 359. — Csiki, Rov. Lapok X, 1903, p. 102.

Glaphyra Newm. Entomol. I, 1840, p. 19.

Gymnopterion Schrank, Fauna Boiea I, 2, 1798, p. 684 (ex parte).

Heliomanes Newm. Ann. Mag. Nat. Hist. V, 1840, p. 17; Entomol. I, 1840, p. 20. — J. Lee. Journ. Acad. Philad. (2) II, 1850, p. 21.

Laphyra Newm. Entomol. I, 1842, p. 418.

Necydalis L. usw. (ex parte) siehe p. 259.

Subgen. *Caenoptera* C. G. Thoms. Skand. Col. I, 1859, p. 150; VIII, 1866, p. 44. — Ganglb. Best.-Tab. VII, 1882, p. 42 (720). — Seidl. Fauna Balt. ed. 2, 1891, p. 740; Fauna Transs. 1891, p. 833. — Stierl. Col. Helvet. II, 1898, p. 469.

Molorchus s. str. Muls. Col. Fr. Long. ed. 2, 1862, p. 224. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 153. — Lacord. Gen. Col. VIII, 1869, p. 487.

Subgen. *Molorchus* s. str. C. G. Thoms. Skand. Col. VIII, 1866, p. 43. — Ganglb. Best.-Tab. VII, 1882, p. 42 (720). — Seidl. Fauna Balt. ed. 2, 1891, p. 740; Fauna Transs. 1891, p. 833.

- Conchopterus* Fairm. Gen. Col. d'Eur. IV, 1864, p. 153. — Lacord.
Gen. Col. VIII, 1869, p. 487. — Bedel, Faune Col. Seine V, 1889,
p. 18.
Linomius Muls. Col. Fr. Long. ed. 2, 1862, p. 226.
Sinolus Muls. l. c. p. 228.

Paläarktische Arten.

- hircus* Abeille, Nouv. & Faits II, 1881, p. 133. Antilibanon
Kiesenwetteri Muls. & Rey, Ann. Soc. Linn. Lyon (2) Mitteleuropa
 VIII, 1861, p. 173; Opusc. Ent. XII, 1861,
 p. 173; Col. Fr. Long. ed. 2, 1862, p. 228. —
 Ganglb. Best.-Tab. VII, 1881, p. 42 (720). —
 Stierl. Col. Helvet. II, 1898, p. 470. — Csiki,
 Rov. Lapok X, 1903, p. 207.
plagiatus Reiche, Ann. Soc. Ent. Fr. (5) VII,
 1877, Bull. p. 122.
 var. *Schmidii* Ganglb. Wien. Ent. Zeit. II, 1883,
 p. 300. Galizien
Marmottani Brisout, Cat. Col. Grenier 1863, p. 118. — Frankreich,
 Muls. Col. Fr. Long. ed. 2, 1863, p. 583. — Faust, Süd-
 Horae Soc. Ent. Ross. XIX, 1879, p. 124. — deutsch-
 Ganglb. Best.-Tab. VII, 1881, p. 43 (721). — land,
 Mayet, Bull. Soc. Ent. Fr. 1900, p. 226. — Pic, Süd-
 l. c. p. 300. — Fauvel, l. c. p. 382. russland
discicollis L. Heyd. Deutsche Ent. Zeitschr. XX,
 1876, p. 383.
 Biologie: Lavagne, Echange XVII, 1902, p. 72.
minor L. Syst. Nat. ed. 10, 1758, p. 421; Fauna Succ. Europa,
 ed. 2, 1761, p. 229. — Sulzer, Kennz. der Ins. Sibirien
 1761, p. 17, t. 7, f. 51. — Poda, Mus. Graec.
 1761, p. 48. — Scop. Ent. Carn. 1763, p. 56. —
 Houttuyn, Natuurl. Hist. I, 10, 1766, p. 90,
 t. 78, f. 7. — Müller, Zool. Dan. Prodr. 1776,
 p. 96. — Laich. Verz. Tyrol. Ins. II, 1784, p. 175.
 — Herbst in Borowski, Naturg. VI, 1784, p. 136,
 t. 18, f. 2. — Villers, Linn. Ent. I, 1789, p. 278,
 t. 1, f. 32. — Martyn, Engl. Entomol. 1792,
 t. 23, f. 1. — Ol. Ent. IV, 74, 1795, p. 6, t. 1,
 f. 2. — Donndorff, Europ. Fauna VIII, 1799,
 p. 611. — Marsh. Ent. Brit. I, 1802, p. 358. —
 Stewart, Elem. Nat. Hist. II, 1802, p. 67. —
 Shaw, Gen. Zool. VI, 1806, p. 76. — Wood,
 Ill. Linn. Gen. Ins. I, 1821, p. 49, t. 18. — Curtis,
 Brit. Ent. I, 1824, t. 11. — Steph. III. Brit.
 Ent. Mand. IV, 1831, p. 252; Man. 1839, p. 276.
 — Sam. Ent. Cabinet I, 1833, t. 73. — Spry &
 Shuck. Brit. Col. 1840, p. 65, t. 74, f. 3. — Cast.
 Hist. Nat. II, 1840, p. 443. — Küster, Käfer Eur.
 XIX, 1849, p. 98. — Redt. Fauna Austr. 1849,
 p. 492; ed. 2, 1858, p. 856; ed. 3, II, 1874, p. 427.
 — Bach, Käferfauna III, 1856, p. 26. — Muls.
 Col. Fr. Long. ed. 2, 1862, p. 224. — Fairm. Gen.
 Col. d'Eur. IV, 1864, t. 45, f. 211. — C. G. Thoms.
 Skand. Col. VIII, 1866, p. 45. — Cox, Handb.
 Col. II, 1874, p. 311. — Ganglb. Best.-Tab. VII,
 1881, p. 42 (720). — Bedel, Faune Col. Seine V,
 1889, p. 18, 63. — Fowler, Col. Brit. Isl. IV, 1890,
 p. 228, t. 121, f. 5. — Seidl. Fauna Balt. ed. 2,

1891, p. 740; Fauna Transs. 1891, p. 833. — Stierl. Col. Helvet. II, 1898, p. 469. — Everts, Col. Neerl. II, 1, 1902, p. 359. — Csiki, Rov. Lapok X, 1903, p. 206. — Houlb. Faune Armor. Ceramb. 1904, p. 41, f. 78. — Jacobs. Käfer Russl. 1910, t. 64, f. 18.

cerambooides Degeer, Mém. Hist. Ins. V, 1775, p. 151.

dimidiatus F. Syst. Ent. 1775, p. 199. — Panz. Fauna Ins. Germ. XLI, 1797, t. 21. — Cederhj. Faun. Ingr. 1798, p. 100. — Payk. Fauna Suec. III, 1800, p. 130. — Gyllenh. Ins. Suec. I, 4, 1827, p. 121. — Muls. Col. Fr. Long. 1839, p. 108. — Labr. & Imh. Ins. Schweiz III, 1842, t. 16. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 530.

medius Schrank, Fauna Boica I, 2, 1798, p. 688. Biologie: Schiödte, Naturh. Tidskr. (3) X, 1875, p. 414, t. 5, f. 11, 12. — Judeich, Forstins. II, 1, 1889, p. 571. — Xambeu, Moeurs & Métam. VIII, 1902, p. 140.

pallidipennis L. Heyd. Deutsche Ent. Zeitschr. XXXI, 1887, p. 321. Issikkul

rufescens Kiesenw. Verh. Naturf. Ver. Brünn XVII, 1879, p. 60; Beitr. Kauk. Käferf. 1879, p. 316. Kaukasus

umbellatarum Schreber, Nov. spec. Ins. 1759, p. 9. — Linné, Syst. Nat. ed. 12, 1767, p. 641. — F. Syst. Ent. 1775, p. 199. — Sulzer, Gesch. Ins. 1776, p. 48, t. 6, f. 1. — Villers, Linn. Ent. I, 1789, p. 279. — Martyn, Engl. Ent. 1792, t. 23, f. 2. — Ol. Ent. IV, 74, 1795, p. 7, t. 1, f. 3. Mittel- und Südeuropa

— Donndorff, Europ. Fauna VIII, 1799, p. 612. — Payk. Fauna Suec. III, 1800, p. 131. — Marsh. Ent. Brit. I, 1802, p. 358. — Gyllenh. Ins. Suec. I, 4, 1827, p. 122. — Steph. Ill. Brit. Ent. Mand. IV. 1831, p. 252; Man. 1839, p. 277. — Herrieh-Schaeffer, Fauna Ins. Germ. CXIX, 1837, t. 34. — Küster, Käfer Eur. XIX, 1849, nr. 99. — Redt. Fauna Austr. 1849, p. 492; ed. 2, 1858, p. 857; ed. 3, II, 1874, p. 427. — Bach, Käferfauna III, 1856, p. 26. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 531. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 153, t. 46, f. 212. — C. G. Thoms. Skand. Col. VIII, 1866, p. 44. — Cox, Handb. Col. II, 1874, p. 311. — Bedel, Faune Col. Seine V, 1889, p. 18, 64. — Fowler, Col. Brit. Isl. IV, 1890, p. 228, t. 121, f. 6. — Everts, Col. Neerl. II, 1, 1902, p. 359. — Csiki, Rov. Lapok X, 1903, p. 207. — Houlb. Faune Armor. Ceramb. 1904, p. 41.

depressus Motsch. Bull. Mosc. XVIII, 1845, p. 85. *minimus* Scop. Ent. Carn. 1763, p. 57. — Schrank, Fauna Boica I, 2, 1798, p. 689. — Ganglb. Best.-Tab. VII, 1881, p. 42 (720). — Seidl. Fauna Balt. ed. 2, 1891, p. 740; Fauna Transs. 1891, p. 833. — Stierl. Col. Helvet. II, 1898, p. 469.

umbellatorum Muls. Col. Fr. Long. 1839, p. 109; ed. 2, 1862, p. 226. — Cast. Hist. Nat. II, 1840, p. 443.

Biologie: Laboulb. Ann. Soc. Ent. Fr. (3) VI, 1858, p. 841. — Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 308, f. 476; Larves Col. 1877, p. 468, f. 476. — Verhoeff, Verh. Nat. Ver. Rheinl. XLVIII, 1891, p. 2. — Xambeu, Moeurs & Métam. VIII, 1902, p. 139.

var. *diversipes* Pic, Rev. Sc. Bourb. X, 1897, Kaukasus p. 31; Longic. II, 1898, p. 19.

Indomalayische Arten.

filiformis Motsch. Etudes Ent. VII, 1858, p. 67. — Gah. Ceylon
Fauna Brit. Ind. Col. I, 1906, p. 170.
insularis White, Cat. Col. Brit. Mus. VIII, 1855, p. 179. Hongkong
taprobanicus Gah. Fauna Brit. Ind. Col. I, 1906, p. 170, Ceylon
f. 67.

Australische Art.

sidus Newm. Ann. Mag. Nat. Hist. V, 1840, p. 17. Neuholland

Nearktische und westindische Arten.

bimaculatus Say, Journ. Acad. Philad. III, 1823, p. 428. Nordamerika
— Prov. Faune Ent. Canada I, 1877, p. 593.
— Leng, Ent. Amer. I, 1886, t. 3, f. 20; II, 1886, p. 30. — Wickh. Canad. Ent. XXIX, 1897, p. 148, f. 23.
affinis E. Lec. Ann. Lyc. Nat. Hist. N. York I, 1824, p. 172, t. 11, f. 12.
obscurus J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 21, 103.
ab. *corni* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 45. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 21. — Leng, Ent. Amer. II, 1886, p. 30.
ab. *semiustus* Newm. Entomol. I, 1840, p. 19. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 38. — Horn, Ent. Amer. I, 1885, p. 8. — Leng, l. c. II, 1886, p. 30.
longicollis J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 193. Californien
— Leng, Ent. Amer. II, 1886, p. 30.
ruficollis Gah. Trans. Ent. Soc. Lond. 1895, p. 110. Cuba
sanguinicollis Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 257.
14

Brachypteroma L. Heyd.

L. Heyd. Berl. Ent. Zeitschr. VII, 1863, p. 128. — Thoms. Syst. Ceramb. 1864, p. 150. — Lacord. Gen. Col. VIII, 1869, p. 488. — Ganglb. Best.-Tab. VII, 1881, p. 9 (687).

Brachypterema Thoms. Syst. Ceramb. 1864, p. 411.
Brachypteromma Fairm. Gen. Col. d'Eur. IV, 1864, p. 154.
Dolocerus Muls. Col. Fr. Longic. ed. 2, 1863, p. 230.

Holtzi Pic, Echange XXI, 1905, p. 114. Taurus
ottomanum L. Heyd. Berl. Ent. Zeitschr. VII, 1863, p. 128, Türkei,
t. 4, f. 4. — Fairm. Gen. Col. d'Eur. IV, 1864, Italien,
t. 46, f. 213. — Kraatz, Berl. Ent. Zeitschr. X, Sicilien

- 1866, p. 370. — Ganglb. Best.-Tab. VII, 1881, p. 43 (721). — Everts, Tijdschr. Ent. LIII, 1910, Versl. p. 66.
Mulsanti Stierl. Mitth. Schweiz. Ent. Ges. II, 1866, p. 30.
Reichei Muls. Col. Fr. Long. ed. 2, 1863, p. 231.
 2

Anomoderus Fairm.

Fairm. Ann. Soc. Ent. Fr. (5) 1, 1871, p. 59.

- Coquereli* Fairm. l. c. p. 60. Madagascar
tubericollis Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 376. „
 2

Callimoxys Kraatz.

- Kraatz, Berl. Ent. Zeitschr. VII, 1863, p. 104. — Thoms. Syst. Ceramb. 1864, p. 412. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 152. — Lacord. Gen. Col. VIII, 1869, p. 489. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 307; Classif. Col. N. Amer. 1883, p. 292. — Redt. Fauna Austr. ed. 3, II, 1874, p. 412. — Ganglb. Best.-Tab. VII, 1881, p. 9 (687). — Long, Ent. Amer. II, 1886, p. 27. — Csiki, Rov. Lapok XI, 1904, p. 36.
- fuscipennis* J. Lec. Proc. Acad. Philad. 1861, p. 356. — Californien
 Leng, Ent. Amer. II, 1886, p. 30.
- gracilis* Brullé, Expéd. Morée 1832, p. 257, t. 44, f. 1, 2. — Dalmatien,
 Kraatz, Berl. Ent. Zeitschr. VII, 1863, p. 105, Türkei,
 t. 4, f. 3. — Fairm. Gen. Col. d'Eur. IV, 1864, Griechenland
 t. 45, f. 210. — Redt. Fauna Austr. ed. 3, II, 1874, p. 412. — Ganglb. Best.-Tab. VII, 1881, p. 44 (722). — Csiki, Rov. Lapok XI, 1908, p. 57. — Jacobs. Käfer Russl. 1910, t. 67, f. 22, 23.
- sanguinicollis* Ol. Ent. IV, 74, 1795, p. 9, t. 1, f. 7. — Say, Nordamerika
 Boston Journ. 1, 1835, p. 194. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 20. — Leng, Ent. Amer. I, 1886, t. 3, f. 19; II, 1886, p. 30. — Wickh. Canad. Ent. XXIX, 1897, p. 148.

3

Callimus Muls.

- Muls. Col. Fr. Sécurip. 1846, Append.; Long. ed. 2, 1863, p. 210. — Redt. Fauna Austr. ed. 2, 1858, p. 850; ed. 3, II, 1874, p. 412. — Bach, Käferfauna III, 1856, p. 17. — Thoms. Classif. Ceramb. 1860, p. 145, 160; Syst. Ceramb. 1864, p. 412. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 150. — Lacord. Gen. Col. VIII, 1869, p. 489. — Perrin, Nouv. et Faits II, 1881, p. 134, 137. — Ganglb. Best.-Tab. VII, 1881, p. 9 (687). — Leng, Ent. Amer. II, 1886, p. 27, 29. — Bedel, Faune Col. Seine V, 1889, p. 7, 19. — Seidl. Fauna Transs. 1891, Gatt. p. 182. — Everts, Col. Neerl. II, 1, 1902, p. 360. — Csiki, Rov. Lapok XI, 1904, p. 36.

Pilema J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 192.

- Subgen. *Lampropterus* Muls. Col. Fr. Long. ed. 2, 1863, p. 214.
 Subgen. *Procallimus* Pic, Longic. VI, 2, 1907, p. 7.

Paläarktische Arten.

- abdominalis** Ol. Ent. IV, 70, 1795, p. 70, t. 8, f. 103. — Muls. Mém. Acad. Sc. Lyon II, 1847, p. 417; Col. Fr. Long. ed. 2, 1863, p. 213. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 325. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 45, f. 208. — Ganglb. Best.-Tab. VII, 1881, p. 44 (722). — Bedel, Faune Col. Seine V, 1889, p. 20. — Pic, Longic. I, 1891, p. 16.
decorus Gené, Mem. Accad. Torino II, 1839, p. 78, t. 1, f. 23.
Biologie: Xambou, Rev. d'Ent. XVII, 1898, p. 36; Mocurs & Métam. IX, 1901, p. 36.
? *miles* Voct, Catal. Col. II, 1804—06, p. 25, t. 22, f. 117.
ab. ♂ *nigricollis* Pic, Echange VI, 1890, p. 157; Longic. I, 1891, p. 17.
- Adonis** Perrin, Nouv. & Faits II, 1881, p. 139. — Ganglb. Best.-Tab. VII, 1881, p. 45 (723).
rumelicus Apfelb. Ent. Nachr. XXV, 1899, p. 292. — Pic, Longic. III, 1, p. 6.
- akbesianus** Pic, Bull. Soc. Ent. Fr. 1892, p. 111; Ann. Soc. Ent. Fr. LXI, 1892, p. 416.
- ✓ **angulatus** Schrank, Naturf. XXIV, 1789, p. 77. — Scriba, Journ. Ent. I, 1790, p. 32. — Ganglb. Best.-Tab. VII, 1881, p. 44 (722). — Bedel, Faune Col. Seine V, 1889, p. 20, 65. — Seidl. Fauna Transs. 1891, p. 832. — Everts, Col. Neerl. II, 1, 1902, p. 360. — Csiki, Rov. Lapok XI, 1904, p. 57.
♂ *Bourdini* Muls. Col. Fr. Sécurip. 1846, Append. *cyaneus* F. Ent. Syst. I, 2, 1792, p. 330. — Ill. Mag. Insektenk. IV, 1805, p. 118. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 325. — Bach, Käferfauna III, 1856, p. 17. — Redt. Fauna Austr. ed. 2, 1858, p. 850; ed. 3, II, 1874, p. 412. — Muls. Col. Fr. Long. ed. 2, 1863, p. 211.
laetus Motsch. Bull. Moscou XVIII, 1845, p. 85.
♂ *variabilis* Bon. Mem. R. Soc. Agrar. Torino IX, 1812, p. 181, t. 6, f. 29.
- distinctipes** Pic, Echange XXII, 1906, p. 11; Longic. VI, 1, 1906, p. 8.
- egregius** Muls. & Rey, Ann. Soc. Linn. Lyon (2) X, 1863, p. 146; Opusc. Ent. 1863, p. 146. — Ganglb. Best.-Tab. VII, 1881, p. 45 (723).
ab. *obscurithorax* Pic, Echange XXIII, 1907, p. 154; Longic. VII, 1, 1908, p. 3.
- femoratus** Germ. Ins. spec. nov. 1824, p. 519. — Küster, Käfer Eur. VI, 1846, p. 77. — Muls. Col. Fr. Long. ed. 2, 1863, p. 214. — Ganglb. Best.-Tab. VII, 1881, p. 45 (723). — Jacobs. Käfer Russl. 1910, t. 67, f. 19, 20.
thoracicus Chevr. Ann. Soc. Ent. Fr. (6) II, 1882, p. 57.
- Narcissus** Perrin, Nouv. & Faits II, 1881, p. 138.
- semicyaneus** Pic, Echange XXI, 1905, p. 187; Longic. VI, 1, 1906, p. 8.
- Südfrankreich, Italien
- Türkei, Bulgarien, Südrussland
Kleinasien
- Syrien
- Frankreich, Süddeutschland, Südeuropa, Mittelmeergebiet
- Syrien
- Kleinasien, Kaukasus
- Türkei, Südrussland, Kleinasien, Cypern
Tripolis
- Syrien
Griechenland

Nearktische Arten.

- cyanipennis* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Californien
p. 192. — Leng, Ent. Amer. II, 1886, p. 29, t. 3,
f. 27.
ruficollis J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 192. „
— Leng, Ent. Amer. II, 1886, p. 29.
11

Pocilobrium Horn.

- J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 291. — Leng, Ent. Amer.
II, 1886, p. 27.
chalybaeum J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Californien
p. 189. — Leng, Ent. Amer. I, 1886, t. 3, f. 13;
II, 1886, p. 27.
rugosipenne Linell, Proc. U. S. Nat. Mus. XIX, 1896, „
p. 395.
2

Hybodera J. Lec.

- J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 191. — Leng, Ent. Amer. II,
1886, p. 27, 28.
debilis J. Lec. Trans. Amer. Ent. Soc. V, 1874, p. 66. — Californien
Leng, Ent. Amer. II, 1886, p. 28, 29.
tuberculata J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Vancouver,
p. 191. — Leng, Ent. Amer. I, 1886, t. 3, f. 17; Oregon
II, 1886, p. 28.
2

Megobrium J. Lec.

- J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 192. — J. Lec. & Horn, Classif.
Col. N. Amer. 1883, p. 291. — Leng, Ent. Amer. II, 1886, p. 27, 29.
Edwardsi J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 193. Californien
— Leng, Ent. Amer. I, 1886, t. 3, f. 18; II, 1886,
p. 29.
1

Merionoedopsis Goun.

Gounelle, Ann. Soc. Ent. Fr. LXXX, 1911, p. 11.

- aeneiventris* Goun. l. c. p. 13. Goyas,
Minas
Geraes,
Argentina,
Misiones

1

Merionoeda Pasc.

- Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 238; (3) III, 1869, p. 565, 570.
— Thoms. Syst. Ceramb. 1864, p. 416. — Lacord. Gen. Col. VIII, 1869, p. 490.
— Bates, Biol. C.-Amer. Col. V, 1885, p. 287. — Gah. Fauna Brit. India, Col.
I, 1906, p. 171.

Oxycoleus Lacord. Gen. Col. VIII, 1869, p. 484.

Stenoptrillus Bates, Trans. Ent. Soc. Lond. 1870, p. 314.

Indomalayische Arten.

- acuta* Pasc. Proc. Zool. Soc. Lond. 1866, p. 509; Trans. Ent. Soc. Lond. (3) III, 1869, p. 573. Penang
- amabilis* Jord. Stett. Ent. Zeit. LVI, 1895, p. 268. — Assam
Gah. Fauna Brit. India, Col. I, 1906, p. 174.
- Andrewesi* Gah. l. c. p. 172, f. 68. Südindien
- brachyptera* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Sarawak,
p. 574. Singapore
- calcarata* Pasc. l. c. p. 573. Sarawak
- flavipennis* Jord. Nov. Zool. I, 1894, p. 113, t. 8, f. 3. Timor
- flavitaris* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Neuguinea:
p. 571. Dorey
- fulvonotata* Nonfr. Deutsche Ent. Zeitschr. 1894, p. 207. Sumatra
- indica* Hope in Gray, Zool. Misc. 1831, p. 28. — Gah. Nepal
Fauna Brit. India, Col. I, 1906, p. 171.
- melanopsis* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Aru
p. 572.
- Musschenbroeki* Gestro, Ann. Mus. Civ. Genova X, 1877, Celebes
p. 653.
- nigriceps* White, Cat. Col. Brit. Mus. VIII, 1855, p. 181, Birma,
t. 5, f. 1. — Pasc. Trans. Ent. Soc. Lond. (3) Assam
III, 1869, p. 574. — Gah. Fauna Brit. India,
Col. I, 1906, p. 173.
- puella* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 238; Macassar
(3) III, 1869, p. 571.
- seitella* Pasc. l. c. (2) IV, 1858, p. 238, t. 25, f. 3; (3) Borneo
III, 1869, p. 572.
- subulata* Pasc. l. c. (3) III, 1869, p. 547, t. 21, f. 4. „
- sumatrana* Nonfr. Deutsche Ent. Zeitschr. 1894, p. 206. Sumatra
- taprobanica* Gah. Fauna Brit. India, Col. I, 1906, p. 173. Ceylon

Afrikanische Arten.

- africana* Dist. Ann. Mag. Nat. Hist. (7) III, 1899, p. 461; Transvaal
Ins. Transv. 1904, p. 117, t. 10, f. 10.
- melanargyrea* White, Cat. Col. Brit. Mus. VIII, 1855, Natal
p. 187 (Genus?).

Neotropische Arten.

- clavipes* Lacord. Gen. Col. VIII, 1869, p. 485, nota 1, Mexico
t. 90, f. 5.
- culicina* Bates, Trans. Ent. Soc. Lond. 1870, p. 315; Ega,
Biol. C.-Amer. Col. V, 1885, p. 287, t. 20, f. 18. Panama
- gratiosa* Bates, l. c. t. 20, f. 16, 17. Mexico

22

Kunbir Lameere.

- Lameere, Ann. Soc. Ent. Belg. XXXIV, 1890, Bull. p. 213. — Gah. Fauna
Brit. India Col. I, 1906, p. 174.
- telephoroides* Lameere, Ann. Soc. Ent. Belg. XXXIV, Ostindien
1899, Bull. p. 213. — Gah. Fauna Brit. India,
Col. I, 1906, p. 174, f. 69.

1

Ocytasia Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 565, 575.

fulvipennis Pasc. l. c. p. 575, t. 21, f. 6. Kaioa
1

Debilissa n. nom.

Debilisa Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 178.

angustissima Pic, Echange XVIII, 1903, p. 105; Longie. China
IV, 2, 1903, p. 19.

rufolavida Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, Tonkin
p. 178.
2

Earinis Pasc.

Pasc. Journ. of Ent. II, 1863, p. 240. — Lacord. Gen. Col. VIII, 1869, p. 491.

Kreuslerae Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, Gawler
p. 91.

mimula Pasc. Journ. Ent. II, 1863, p. 241, p. 241, t. 11, f. 3. Neuholland
picta Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 273. Neusüdwaless
— Waterh. Aid identif. Ins. I, 1882, t. 78.

3

Gastrosarus Bates.

Bates, Ann. Mag. Nat. Hist. (7) XIV, 1874, p. 22. — Broun, Man. N. Zeal.
Col. I, 1880, p. 585.

lautus Broun, l. c. V, 1893, p. 1283. Neuseeland

nigricollis Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874,
p. 22. — Broun, Man. N. Zeal. Col. I, 1890,
p. 586. "

picticornis Broun, l. c. 1893, p. 1284. "

urbanus Broun, l. c. p. 1283. "

4

Anencyrus Sharp.

Sharp, Trans. R. Dublin Soc. (2) III, 1886, p. 441. — Broun, Man. N.
Zeal. Col. V, 1893, p. 1285.

discedens Sharp, Trans. R. Dublin Soc. (2) III, 1886, Neuseeland
p. 441. — Broun, Man. N. Zeal. Col. V, 1893,
p. 1285.

1

Mecynopus Er.

Er. Archiv Naturgesch. VIII, 1842, I, p. 222. — Thoms. Syst. Ceramb.
1864, p. 412. — Lacord. Gen. Col. VIII, 1869, p. 492.

cothurnatus Er. Archiv Naturgesch. VIII, 1842, I, p. 223, Tasmanien
t. 4, f. 10.

semivitreus Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Melbourne
p. 56.

2

Omotes Newm.

Newm. Entomol. I, 1842, p. 353.

cucujides Newm. l. c. p. 354.

erosicollis Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 57.

punctatissima Newm. Zoologist IX, 1851, Append. p. 129.

Südaustralien
Melbourne
Victoria

3

LIII. Necydalopsini.

Lacord. Gen. Col. VIII, 1869, p. 493.

Necydalopsis Blanch.

7

Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 473. — Thoms. Syst. Ceramb. 1864, p. 411. — Lacord. Gen. Col. VIII, 1869, p. 493.

cyanipennis Fairm. & Germain, Ann. Soc. Ent. Fr. (4) I, 1861, p. 106. Chile

femoralis Fairm. & Germain, l. c. (3) VII, 1859, p. 499. — Germain, An. Univ. Chile 1855, p. 407. „

iridipennis Fairm. & Germain, Rev. Mag. Zool. (2) XVI, 1864, p. 386. „

trizonata Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 474, t. 28, f. 5. — Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 499. „

valdiviensis F. Phil. An. Univ. Chile XVI, 1859, p. 674; Stett. Ent. Zeit. XXI, 1860, p. 250. „

5

Sthelenus Buq.

Buq. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 621. — Thoms. Classif. Ceramb. 1860, p. 369; Syst. Ceramb. 1864, p. 437. — Lacord. Gen. Col. VIII, 1869, p. 494.

braconinus Bates, Trans. Ent. Soc. Lond. 1870, p. 315. Amazon.

ichneumoneus Buq. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 622, t. 14, f. 4. Cayenne

morosus Pasc. Journ. Ent. I, 1862, p. 356. Caracas

3

Eucharassus Bates.

Bates, Biol. C.-Amer. Col. V, 1885, p. 308.

✓ *dispar* Bates, l. c. p. 309, t. 21, f. 18.

Nisseri Auriv. Ent. Tidskr. XII, 1891, p. 100, f. 1. Panama
Columbien

2

Conopogaster Fairm.

Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 502.

singularis Fairm. l. c. p. 503.

Madagascar

1

LIV. Phalotini.

Lacord. Gen. Col. VIII, 1869, p. 495.

Phalota Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 559. — Thoms. Syst. Ceramb. 1864, p. 441. — Lacord. Gen. Col. VIII, 1869, p. 496.

collaris Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 96. Gawler
obscura Blackb. Proc. Linn. Soc. N. S. Wales (2) IV, Port Lincoln
 1889, p. 454.
tenella Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 560, Port Denison
 t. 23, f. 1.

3

Nenenia Pasc.

Pasc. Ann. Mag. Nat. Hist. (5) XVII, 1886, p. 240.

aurulenta Pasc. l. c. p. 241. Melbourne
thoracica Blackb. Trans. R. Soc. S. Austr. XXI, 1897, p. 37. Victoria
virgata Blackb. l. c. p. 38. Queensland

3

Maulia Blackb.

Blackb. Trans. R. Soc. S. Austr. XV, 1892, p. 65.

picticornis Blackb. l. c. p. 66. Victoria

1

Xystoena Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 96. — Lacord. Gen. Col. VIII, 1869, p. 496.

vittata Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, Queensland
 p. 97, t. 4, f. 8.

1

LV. Trichomesiini.

Trichomesia Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 18. — Thoms. Syst. Ceramb. 1864, p. 414. — Lacord. Gen. Col. VIII, 1869, p. 499. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 22.

Choeropsis Thoms. Classif. Ceramb. 1860, p. 367.

✓ *Newmani* Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 18. Sydney
 — Lacord. Gen. Col. VIII, 1869, p. 499, t. 90, f. 3.
dimidiata Thoms. Classif. Ceramb. 1860, p. 367.

1

LVI. Rhinotragini.

Lacord. Gen. Col. VIII, 1869, p. 497. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 21—45, 117—132.

Oxylymma Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 21. — Thoms. Syst. Ceramb. 1864, p. 418. — Lacord. Gen. Col. VIII, 1869, p. 500.

Oxycalymma Gemm. & Har. Cat. Col. IX, 1873, p. 2888.

Championi Bates, Biol. C.-Amer. Col. V, 1885, p. 288, Guatemala
t. 20, f. 10.

✓ coeruleocincta Bates, l. c. p. 436, t. 25, f. 25. Panama
gibbicollis Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 23. Bahía
lepida Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 22, Pará, Ega
t. 2, f. 3. — Bates, l. c. 1870, p. 316.
telephorina Bates, l. c. Ega

5

Rhinotragus Germ.

Germ. Ins. spec. nov. 1824, p. 513. — Serv. Enc. méth. Ins. X, 1825, p. 288; Ann. Soc. Ent. Fr. II, 1833, p. 549. — Cast. Hist. Nat. II, 1840, p. 441 (ex parte). — Thoms. Classif. Ceramb. 1860, p. 176; Syst. Ceramb. 1864, p. 418. — Lacord. Gen. Col. VIII, 1869, p. 500.

analis Serv. Ann. Soc. Ent. Fr. II, 1833, p. 550. Brasilien

apicalis Guér. Icon. règne anim. Ins. 1844, p. 236. Bolivien

✓ bizonatus Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 15. Goyaz

dorsiger Germ. Ins. spec. nov. 1824, p. 513. Brasilien

var. *marginatus* Perty, Del. Anim. Artic. 1830—34, p. 94, t. 19, f. 1. „

anceps Newm. Ent. Mag. V, 1838, p. 495.

festivus Perty, Del. Anim. Artic. 1830—34, p. 94, t. 19, f. 2. „

suturalis Serv. Ann. Soc. Ent. Fr. II, 1833, p. 550.

ab. *immaculipennis* Goun. l. c. LXXX, 1911, p. 14. Goyaz

longicollis Bates, Biol. C.-Amer. Col. V, 1880, p. 41. Nicaragua

apicalis Bates, Trans. Ent. Soc. Lond. 1872, p. 183.

trilineatus White, Cat. Col. Brit. Mus. VIII, 1855, p. 200. Amazon.

— Bates, Trans. Ent. Soc. Lond. 1870, p. 317.

trizonatus Blanch. in Cuv. Règne anim. Ins. ed. Masson Patria?

1832, t. 66 bis, f. 1.

3

Erythroplatys White.

White, Cat. Col. Brit. Mus. VIII, 1855, p. 201. — Thoms. Syst. Ceramb. 1864, p. 418. — Lacord. Gen. Col. VIII, 1869, p. 511. — Bates, Trans. Ent. Soc. Lond. 1870, p. 317.

corallifer White, Cat. Col. Brit. Mus. VIII, 1855, p. 202, Santarem
t. 5, f. 2. — Bates, Trans. Ent. Soc. Lond. 1870,
p. 317.

Lucasi Thoms. Classif. Ceramb. 1860, p. 178. Guyana

rugosus Lucas in Voyage Castelnau, Ent. 1857, p. 182, Brasilien
t. 12, f. 7.

simulator Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 16. Goyaz

4

Ornistoromus Thoms.

Thoms. Syst. Ceramb. 1864, p. 166, 417.

Aechmutes Bates, Ent. Month. Mag. IV, 1867, p. 23. — Lacord. Gen. Col. VIII, 1869, p. 511. — Bates, Trans. Ent. Soc. Lond. 1870, p. 331; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 25. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 18.

<i>armatus</i> Goun. l. c. nota.	Peru
<i>bicinctus</i> Thoms. Syst. Ceramb. 1864, p. 167.	Brasilien
var. <i>pallidulus</i> Goun. Ann. Soc. Ent. Fr. LXXX,	Goyaz
1911, p. 20, f. 1, 2.	
<i>lycoides</i> Bates, Ent. Month. Mag. IV, 1867, p. 23; Trans.	Amazon.:
Ent. Soc. Lond. 1870, p. 332.	Ega
3	

Oregostoma Serv.

Serv. Ann. Soc. Ent. Fr. II, 1833, p. 551. — Thoms. Syst. Ceramb. 1864, p. 417. — Lacord. Gen. Col. VIII, 1869, p. 501.

<i>discoideum</i> Serv. Ann. Soc. Ent. Fr. II, 1833, p. 552.	Brasilien
<i>luridum</i> Klug, Nova Acta Acad. Nat. Cur. XII, 1825,	„
p. 470, t. 44, f. 3.	
<i>rubricorne</i> Serv. Ann. Soc. Ent. Fr. II, 1833, p. 553.	„
— Guér. Icon. règne anim. Ins. 1844, p. 236.	
<i>coccineum</i> Guér. l. c. 183?, t. 44, f. 7.	
3	

Ommata White.

White, Cat. Col. Brit. Mus. VIII, 1855, p. 194. — Thoms. Syst. Ceramb. 1864, p. 417. — Lacord. Gen. Col. VIII, 1869, p. 502. — Bates, Trans. Ent. Soc. Lond. 1870, p. 319; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 26.

Subgen. <i>Agaone</i> Pascoe, Trans. Ent. Soc. Lond. (2) V, 1859, p. 22. —	
Thoms. Syst. Ceramb. 1864, p. 418. — Bates, Trans. Ent. Soc.	
Lond. 1870, p. 317; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 26, 36.	
Subgen. <i>Chrysaëthe</i> Bates, l. c. p. 27.	
Subgen. <i>Eclipta</i> Bates, l. c. p. 29.	
Subgen. <i>Phoenissa</i> Bates, l. c. p. 26.	
<i>Oregostoma</i> Thoms. Classif. Ceramb. 1860, p. 176, 178.	
Subgen. <i>Rhopalessa</i> Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 28.	

Subgen. **Phoenissa** Bates.

<i>bipartita</i> Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 26.	Parana
<i>collaris</i> Serv. Ann. Soc. Ent. Fr. II, 1833, p. 553.	Brasilien
<i>nigripes</i> (Serv.) l. c. p. 552.	„
<i>nitidiventrtris</i> Goun. l. c. LXXX, 1911, p. 21.	Goyaz
<i>punicca</i> (Newm.) Ent. Mag. V, 1838, p. 495.	Brasilien

Subgen. **Chrysaëthe** Bates.

<i>amoena</i> Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 22.	Goyaz
<i>asperiventrtris</i> Bates, Trans. Ent. Soc. Lond. 1872, p. 184	Rio Janeiro
nota.	
<i>atrata</i> Bates, l. c.	Brasilien

<i>aurata</i> Bates, l. c. 1870, p. 320.	Amazon.
<i>beltiana</i> Bates, l. c. 1872, p. 184; Biol. C.-Amer. Col. V, 1880, p. 42, t. 5, f. 7.	Nicaragua
<i>cyanipennis</i> Bates, Trans. Ent. Soc. Lond. 1872, p. 184; Biol. C.-Amer. Col. V, 1880, p. 42, t. 5, f. 5.	„
<i>iodes</i> Bates, l. c. 1885, p. 288.	Panama
<i>smaragdina</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 320.	Amazon.

Subgen. **Ommata** s. str.

<i>elegans</i> White, Cat. Col. Brit. Mus. VIII, 1855, p. 194, t. 5, f. 6.	Venezuela
<i>Maia</i> Newm. Entomolog. I, 1841, p. 92.	Brasilien

Subgen. **Rhopalessa** Bates.

<i>clavicornis</i> Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 28. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 23.	Río Janeiro
<i>tenuis</i> Burm. Stett. Ent. Zeit. XXVI, 1865, p. 173.	Paraná

Subgen. **Eclipta** Bates.

<i>aegrota</i> Bates, Trans. Ent. Soc. Lond. 1872, p. 233; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 35.	Nicaragua
<i>anoguttata</i> Bates, l. c.	Paraná
<i>brachialis</i> Bates, l. c. p. 31.	Río Janeiro
<i>castanea</i> Bates, l. c. p. 29.	„
<i>championella</i> Bates, Biol. C.-Amer. Col. V, 1880, p. 42.	Guatemala
<i>cribripennis</i> Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 33.	Paraná
<i>croceicornis</i> Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 25.	Goyaz
<i>cyanea</i> Bates, Biol. C.-Amer. Col. V, 1885, p. 288.	Mexico
<i>discolor</i> Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 34.	Goyaz
<i>Eirene</i> Newm. Entomol. I, 1841, p. 92. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 29.	Brasilien
<i>Eunomia</i> Newm. Entomol. I, 1841, p. 92. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 31.	„
var. <i>nigrilatera</i> Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 24.	Goyaz
<i>erythrodera</i> Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 33.	Río Janeiro
<i>fenestrata</i> Lucas, Voyage Castelnau, Ent. 1857, p. 182, t. 12, f. 8. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 34.	Brasilien
<i>flavicollis</i> Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 30.	Paraná
<i>fulvicollis</i> Lacord. Gen. Col. VIII, 1869, p. 503, nota 1 (vix descr.).	Brasilien
<i>jejuna</i> Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 26.	Goyaz
<i>lanuginosa</i> Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 32.	Río Janeiro
<i>liturifera</i> Bates, l. c. p. 31.	„
<i>malthinoides</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 319.	Amazon.
<i>nais</i> Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 28.	Goyaz
<i>notaticollis</i> Goun. l. c. p. 31.	„
<i>perplexa</i> Goun., l. c. p. 30.	„
<i>picturata</i> Goun. l. c. p. 24.	„
<i>pocella</i> Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 35. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 33.	Paraná

<i>prolixa</i> Bates, l. c.	Paraná
<i>ramulicola</i> Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 29.	Goyaz
<i>ruficollis</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 319.	Amazon.
<i>semiflammea</i> Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 35.	Goyaz
<i>seminigra</i> Goun. l. c. p. 32.	"
<i>thoracica</i> Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 30.	Paraná
<i>vitticollis</i> Bates, l. c. p. 34.	"
<i>xantho</i> Bates, l. c. p. 35.	"

Subgen. *Agaoe* Pasc.

<i>notabilis</i> White, Cat. Col. Brit. Mus. VIII, 1855, p. 199.	Amazon.
— Bates, Trans. Ent. Soc. Lond. 1870, p. 318.	
<i>Sallaei</i> Bates, Biol. C.-Amer. Col. V, 1885, p. 289, t. 20, f. 15.	Mexico
<i>viridis</i> Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 36.	Goyaz

52

Odontocera Serv.

Serv. Ann. Soc. Ent. Fr. II, 1833, p. 546. — Thoms. Classif. Ceramb. 1860, p. 176; Syst. Ceramb. 1864, p. 417. — Lacord. Gen. Col. VIII, 1869, p. 503. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 36.	
<i>albicans</i> Klug, Nova Acta Acad. Nat. Cur. XII, 1825, p. 471, t. 44, f. 5.	Rio Janeiro
<i>apicalis</i> Klug, l. c. p. 472, t. 44, f. 6.	Brasilien
✓ <i>apicula</i> Bates, Biol. C.-Amer. Col. V, 1885, p. 289, t. 20, f. 24.	Panama
✓ <i>aurocineta</i> Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 42.	Mexico
<i>bisulcata</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 326.	Tapajos
<i>chrysostetha</i> Bates, l. c. p. 320.	Amazon.
✓ <i>cinetiventris</i> Bates, l. c. p. 321.	Amazon.
✓ <i>clara</i> Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 38; Biol. C.-Amer. Col. V, 1880, p. 43, t. 5, f. 4.	Nicaragua
<i>colon</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 319.	Pará
<i>compressipes</i> White, Cat. Col. Brit. Mus. VIII, 1855, p. 191. — Bates, Trans. Ent. Soc. Lond. 1870, p. 324; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 45.	Amazon.
<i>crocata</i> Bates, l. c. p. 39.	Rio Janeiro
<i>cylindrica</i> Serv. Ann. Soc. Ent. Fr. II, 1833, p. 548.	Brasilien
Dice Newm. Entomol. I, 1841, p. 91.	"
<i>dispar</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 321.	Amazon.
✓ <i>fasciata</i> Ol. Ent. IV, 74, 1795, p. 10, t. 1, f. 9. — Bates, Trans. Ent. Soc. Lond. 1870, p. 324; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 44.	Brasilien
<i>chrysozone</i> White, Cat. Col. Brit. Mus. VIII, 1855, p. 192, t. 5, f. 5.	
<i>vitrea</i> Serv. Ann. Soc. Ent. Fr. II, 1833, p. 547.	
✓ <i>flavicauda</i> Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 40. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 40.	Paraná
✓ var. <i>notatisternis</i> Goun. l. c. p. 40 nota.	Minas Geraes
<i>flavocalceata</i> Goun. l. c. p. 46.	Goyaz
<i>furcifera</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 323; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 45.	Tapajos

- fuscicornis** Bates, Biol. C.-Amer. Col. V, 1885, p. 289. Mexico
gracilis Klug, Nova Acta Acad. Nat. Cur. XII, 1825, Brasilien
 p. 472, t. 44, f. 7. — Cast. Hist. Nat. II, 1840,
 p. 442.
elegans Guér. Icon. règne anim. Ins. 1844, p. 236,
 t. 44, f. 9.
- hilaris** Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 43. Tapajos
punctata Bates, Trans. Ent. Soc. Lond. 1870,
 p. 323.
- leucotheca** Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 42. Rio Janeiro
margaritacea F. Syst. El. II, 1801, p. 349. Südamerika
mellea White, Cat. Col. Brit. Mus. VIII, 1855, p. 188. Amazon.
 — Bates, Trans. Ent. Soc. Lond. 1870, p. 322.
molorchoides White, Cat. Col. Brit. Mus. VIII, 1855,
 p. 200. — Bates, Trans. Ent. Soc. Lond. 1870,
 p. 318. „
- monostigma** Bates, l. c. 1869, p. 384; Biol. C.-Amer. Nicaragua
 Col. V, 1880, p. 43, t. 5, f. 6.
- ✓ **nigriclavis** Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 41. Parana
ornaticollis Bates, Trans. Ent. Soc. Lond. 1870, p. 323; Santarem
 Ann. Mag. Nat. Hist. (4) XI, 1873, p. 44.
- parallela** White, Cat. Col. Brit. Mus. VIII, 1855, p. 189. Amazon.
 — Bates, Trans. Ent. Soc. Lond. 1870, p. 322.
- petiolata** Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 44. Rio Janeiro
pocilopoda White, Cat. Col. Brit. Mus. VIII, 1855, Amazon.
 p. 191. — Bates, Trans. Ent. Soc. Lond. 1870,
 p. 321.
- punctata** Klug, Nova Acta Acad. Nat. Cur. XII, 1825, Brasilien
 p. 471, t. 44, f. 4.
- pusilla** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 38. Brasilien:
 Goyaz,
 Bahia
- rugicollis** Bates, Biol. C.-Amer. Col. V, 1880, p. 43. Guatemala
 ✓ **sanguinolenta** Bates, Ann. Mag. Nat. Hist. (4) XI, Rio Janeiro
 1873, p. 39.
- simplex** White, Cat. Col. Brit. Mus. VIII, 1855, p. 189. Amazon.
 — Bates, Trans. Ent. Soc. Lond. 1870, p. 325.
- soror** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 41. Goyaz
- sulfureicauda** Goun. l. c. p. 44. „
- triliturata** Bates, Trans. Ent. Soc. Lond. 1870, p. 324. Pará
trisinata Goun. Ann. Soc. Ent. Fr. LXXX, 1911, Goyaz
 p. 43, fig.
- virgata** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 39. „
- vittipennis** Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, Brasilien
 p. 37.
- yucateca** Bates, Trans. Ent. Soc. Lond. 1892, p. 159, Mexico
 t. 6, f. 7.

Acyphoderes Serv.

- Serv. Ann. Soc. Ent. Fr. II, 1833, p. 549. — Thoms. Classif. Ceramb. 1860,
 p. 177, 179; Syst. Ceramb. 1864, p. 417. — Lacord. Gen. Col. VIII, 1869,
 p. 505. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 117.
- ✓ **abdominalis** Ol. Ent. IV, 74, 1795, p. 8, t. 1, f. 5. — Cayenne
 Cast. Hist. Nat. II, 1840, p. 442. — Bates, Trans.
 Ent. Soc. Lond. 1870, p. 328.

- Olivieri* Bates, Trans. Ent. Soc. Lond. 1870, p. 328; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 119; Biol. C.-Amer. Col. V, 1885, p. 290, t. 20, f. 21.
- ✓ *acutipennis* Thoms. Classif. Ceramb. 1860, p. 179.
- ✓ *aurulenta* Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 443. — Dalm. Anal. Ent. 1823, p. 71. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 119. — Heyne, Exot. Käfer 1906, p. 239, t. 36, f. 14.
- sericina* White, Cat. Col. Brit. Mus. VIII, 1855, p. 195.
- ✓ *carinicollis* Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 119. Rio Janeiro
ab. *nigricans* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 48. Goyaz
- ✓ *cribricollis* Bates, Trans. Ent. Soc. Lond. 1892, p. 160, t. 6, f. 6. Mexico
- ✓ *crinita* Klug, Nova Acta Acad. Nat. Cur. XII, 1825, p. 474, t. 44, f. 11. — Lacord. Gen. Col. VIII, 1869, p. 505, nota 2. Brazil
- delicata* Horn, Bull. Calif. Acad. (2) IV, 1894, p. 400. Nieder-californien
Rio Janeiro
- femorata* Klug, Nova Acta Acad. Nat. Cur. XII, 1825, p. 475, t. 44, f. 10. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 118.
- brachialis* Pasc. Journ. Ent. I, 1862, p. 369. — Lacord. Gen. Col. VIII, 1869, p. 506, nota 1.
- hirtipes* Klug, Nova Acta Acad. Nat. Cur. XII, 1825, p. 473, t. 44, f. 9. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 118. Brasilien
- ✓ *moesta* Bates, l. c. p. 117. Paraná
- odyneroides* White, Cat. Col. Brit. Mus. VIII, 1855, p. 196, t. 5, f. 3. — Bates, Trans. Ent. Soc. Lond. 1870, p. 329; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 120. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 48. Tapajos
- suavis* Bates, Biol. C.-Amer. Col. V, 1885, p. 290, t. 20, f. 20. Mexico
- velutina* Bates, l. c. t. 20, f. 19. Guatemala
- vespiventris* Bates, l. c. 1880, p. 43. „

14

Bromiades Thoms.

- Thoms. Syst. Ceramb. 1864, p. 165. — Lacord. Gen. Col. VIII, 1869, p. 506. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 120.
- ✓ *brachyptera* Chevr. Rev. Zool. 1838, p. 285. — Jacq. Cuba,
du Val in Sagra, Hist. Cuba, Ins. 1857, p. 269, Neugranada
t. 10, f. 9. — Bates, Ann. Mag. Nat. Hist. (4)
XI, 1873, p. 120.

1

Sphecomorpha Newm.

- Newm. Ent. Mag. V, 1838, p. 396. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 120.
- Sphecogaster* Lacord. Gen. Col. VIII, 1869, p. 471.
- chalybea* Newm. Ent. Mag. V, 1838, p. 397. — White, Surinam,
Cat. Col. Brit. Mus. VIII, 1855, p. 197. — Bates, Amazon.

Trans. Ent. Soc. Lond. 1870, p. 314; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 121.

biplagiata Lacord. Gen. Col. VIII, 1869, p. 472, nota 1.

✓ *murina* Klug, Nova Acta Acad. Nat. Cur. XII, 1825, p. 473, t. 44, f. 8. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 121. Brasilien

rufa Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 49. Goyaz
3

Isthmiade Thoms.

Thoms. Syst. Ceramb. 1864, p. 166. — Lacord. Gen. Col. VIII, 1869, p. 504.
— Bates, Trans. Ent. Soc. Lond. 1870, p. 326; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 121.

braconides Perty, Del. Anim. Artic. 1830, p. 94, t. 19, f. 3. Südbrasilien
hephestionoides Thoms. Syst. Ceramb. 1864, p. 166.

ichneumoniformis Bates, Trans. Ent. Soc. Lond. 1870, p. 326. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 51. Amazon.

maeilenta Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 122. Südbrasilien

modesta Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 51. Goyaz

necydalea L. Syst. Nat. ed. 10, 1758, p. 399. Surinam

glaucescens L. Syst. Nat. ed. 12, 1767, p. 642.

nitida Degeer, Mém. Ins. V, 1775, p. 153, t. 15, f. 2, 3.

rubra Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 121. Rio Janeiro
6

Ischasia Thoms.

Thoms. Syst. Ceramb. 1864, p. 163. — Lacord. Gen. Col. VIII, 1869, p. 508.
— Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 122.

erassitarsis Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 54, f. 1—3. Goyaz

ligulatipennis Goun. l. c. p. 56, fig.

rufina Thoms. Syst. Ceramb. 1864, p. 163. — Lacord. Südbrasilien

Gen. Col. VIII, 1869, p. 508. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 123. — Goun.

Ann. Soc. Ent. Fr. LXXX, 1911, p. 53.

valida Goun. l. c. p. 53. Goyaz

ab. *atra* Goun. l. c. p. 54 nota. Bahia

4

Epimelitta Bates.

Bates, Trans. Ent. Soc. Lond. 1870, p. 330; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 123.

Charis Newm. Entomol. I, 1840, p. 21. — Thoms. Syst. Ceramb. 1864, p. 416. — Lacord. Gen. Col. VIII, 1869, p. 507.

Charisia Champ. Trans. Ent. Soc. Lond. 1892, p. 161 nota.

Aglaiia Newm. Entomolog. I, 1840, p. 22. — Bates, Ann. Brasilien

Mag. Nat. Hist. (4) XI, 1873, p. 125.

ab. *rufofemorata* Goun. Ann. Soc. Ent. Fr. LXXX, Goyaz

1911, p. 60.

- barbierus* Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 443. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 123. Rio Janeiro
Aaede Newm. Entomol. I, 1841, p. 91.
- bicolor* Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 124. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 59. Brasilien
- debilis* Goun. l. c. p. 59. Goyaz
Erato Newm. Entomol. I, 1840, p. 21. Brasilien
Euphene Lameere, Ann. Soc. Ent. Belg. XXVIII, 1885, p. 89. Südbrasilien
- Euphrosyne* Newm. Entomol. I, 1840, p. 21. Brasilien
margaritacea F. Syst. El. II, 1801, p. 372. Südamerika
melanaria Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 57. Goyaz
Melete Newm. Entomol. I, 1841, p. 91. Brasilien
meliponica Bates, Trans. Ent. Soc. Lond. 1870, p. 331. Amazon.
mimica Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 123. Rio Janerio
Mneme Newm. Entomol. I, 1841, p. 90. Brasilien
✓ *nigerrima* Bates, Trans. Ent. Soc. Lond. 1892, p. 160, t. 6, f. 8. Mexico
rufiventris Bates, l. c. 1870, p. 331. Amazon.
seoparia Klug, Nova Acta Acad. Nat. Cur. XII, 1825, p. 469, t. 44, f. 2. — Bates, Trans. Ent. Soc. Lond. 1870, p. 331. „

16

Pasiphyle Thoms.

Thoms. Syst. Ceramb. 1864, p. 164.

Pasiphyle Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 130.*Pasyphile* Lacord. Gen. Col. VIII, 1869, p. 508.*mystica* Thoms. Syst. Ceramb. 1864, p. 164. — Lacord. Brasilien
Gen. Col. VIII, 1869, p. 509.

1

Phygopoda Thoms.Thoms. Syst. Ceramb. 1864, p. 164. — Lacord. Gen. Col. VIII, 1869, p. 509.
— Bates, Trans. Ent. Soc. Lond. 1870, p. 327; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 327.*albitarsis* Klug, Nova Acta Acad. Nat. Cur. XII, 1825, p. 475, t. 44, f. 12. — Bates, Trans. Ent. Soc. Lond. 1870, p. 327; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 125. Amazon.*fugax* Thoms. Syst. Ceramb. 1864, p. 164. — Goun. Brasilien
Ann. Soc. Ent. Fr. LXXX, 1911, p. 61.*fulvitaris* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 61 nota. Cayenne*nigritarsis* Goun l. c. p. 62 nota. Bahía*subvestita* White, Cat. Col. Brit. Mus. VIII, 1855, p. 190. Tapajos
— Bates, Trans. Ent. Soc. Lond. 1870, p. 126;
Ann. Mag. Nat. Hist. (4) XI, 1873, p. 126.

5

Acorethra Bates.

Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 126.

- aureofasciata* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, Südbrasilien
p. 62.
chrysoaspis Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, Rio Janeiro
p. 126.

2

Phespia Bates.

Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 127.

- cerecerina* Bates, Trans. Ent. Soc. Lond. 1870, p. 325. Amazon.
corinna Pasc. l. c. (3) V, 1866, p. 290. — Bates, Biol. Neugranada,
C.-Amer. Col. V, 1885, p. 44, 290, t. 20, f. 25. Nicaragua
simulans Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, Südbrasilien
p. 127.

3

Tomopterus Serv.

Serv. Ann. Soc. Ent. Fr. II, 1833, p. 544. — Thoms. Classif. Ceramb. 1860,
p. 166; Syst. Ceramb. 1864, p. 416. — Lacord. Gen. Col. VIII, 1869, p. 509.
— Bates, Trans. Ent. Soc. Lond. 1870, p. 329.

- bispeculifer* White, Cat. Col. Brit. Mus. VIII, 1855, Tapajos
p. 190. — Bates, Trans. Ent. Soc. Lond. 1870,
p. 330.
consobrinus Goun. Ann. Soc. Ent. Fr. LXXX, 1911, Goyaz
p. 64.
laticornis Klug, Nova Acta Acad. Nat. Cur. XII, 1825, Rio Janeiro
p. 469, t. 44, f. 1. — Bates, Ann. Mag. Nat. Hist.
(4) XI, 1873, p. 129.
larroides White, Cat. Col. Brit. Mus. VIII, 1855, p. 177, Tapajos
— Bates, Trans. Ent. Soc. Lond. 1870, p. 330;
Ann. Mag. Nat. Hist. (4) XI, 1873, p. 129.
obliquus Bates, Trans. Ent. Soc. Lond. 1870, p. 329. — Tapajos,
Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 65. Goyaz
quadratipennis Bates, Ann. Mag. Nat. Hist. (4) XI, Rio Janeiro
1873, p. 128.
staphylinus Serv. Ann. Soc. Ent. Fr. II, 1833, p. 545. Brasilien
— White, Cat. Col. Brit. Mus. VIII, 1855, p. 176.
— Bates, Ann. Mag. Nat. Hist. (4) XI, 1873,
p. 128.
pretiosus Newm. Entomol. I, 1841, p. 21. —
White, Cat. Col. Brit. Mus. VIII, 1855, p. 176.
vespoides White, l. c. p. 176, t. 5, f. 8. — Bates, Biol. Guatemala
C.-Amer. Col. V, 1885, p. 291.

8

Apostropha Bates.

Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 130.

- curvipennis* Bates, l. c. Paraná

1

Stenopseustes Bates.

Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 131.

- aeger** Bates, l. c. Paraná
sericinus Bates, Biol. C.-Amer. Col. V, 1880, p. 44; 1885, Mexico
 p. 291, t. 20, f. 22.

2

Xenocrasis Bates.

Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 131.

- Badeni** Bates, l. c. p. 132. Rio Janeiro

1

Catorthontus Waterh.

Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 487.

- collaris** Waterh. l. c. Ecuador

1

LVII. **Hesthesini.**

Lacord. Gen. Col. VIII, 1869, p. 512.

Hesthesis Newm.

Newm. Ann. Nat. Hist. V, 1840, p. 17. — Thoms. Classif. Ceramb. 1860, p. 167; Syst. Ceramb. 1864, p. 416. — Lacord. Gen. Col. VIII, 1869, p. 512.

Esthesis Gemm. & Har. Cat. Col. IX, 1873, p. 2893.

- acutipennis** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, Neusüdwaales
 p. 556. — Waterh. Aid identif. Ins. II, 1890,
 t. 188, f. 5.
- angulata** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 554. Südaustralien
auricomata Newm. Ann. Nat. Hist. V, 1840, p. 16. — Lacord. Adelaide
 Gen. Col. VIII, 1869, p. 478, nota 2 (Genus?).
- bizonata** Newm. Ann. Nat. Hist. V, 1840, p. 17. — White, Neuholland
 Cat. Col. Brit. Mus. VIII, 1855, p. 184.
- cingulata** Kirby, Trans. Linn. Soc. Lond. XII, 1818, ,,
 p. 472. — White, Cat. Col. Brit. Mus. VIII,
 1855, p. 184.
- ferruginea** Boisd. Voy. Astrol. Ent. II, 1835, p. 487. — Queensland
 Haase, Bibl. Zool. VIII, 1892, t. 14, f. 124.
- moerens** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 21. Sydney
- murina** Pasc. l. c. (3) I, 1863, p. 555. Neusüdwaales
- ornata** Saund. l. c. (2) I, 1850, p. 84, t. 1, f. 1. Hunters
River
- plorator** Pasc. Journ. of Ent. I, 1862, p. 369. Melbourne
- ✓ **variegata** F. Syst. Ent. 1775, p. 199. — White, Cat. Neusüdwaales
 Col. Brit. Mus. VIII, 1855, p. 184. — Haase,
 Bibl. Zool. VIII, 1892, t. 14, f. 125.
- vesparia** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 557. ,,
- vigilans** Pasc. l. c. p. 556. ,,

13

LVIII. Distichocerini.

Lacord. Gen. Col. VIII, 1869, p. 513.

Distichocera Kirby.

Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 471. — Serv. Ann. Soc. Ent. Fr. III, 1834, p. 59. — Blanch. in Cuv. Règne anim. Ins. 1832, p. 484. — Cast. Hist. Nat. II, 1840, p. 414. — Newm. Proc. Zool. Soc. Lond. XX, 1852, p. 75; Ann. Mag. Nat. Hist. (2) XI, 1853, p. 253 (Monogr.). — Thoms. Classif. Ceramb. 1860, p. 167; Syst. Ceramb. 1864, p. 416. — Lacord. Gen. Col. VIII, 1869, p. 514.

- Frenchi** Blackb. Proc. Linn. Soc. N. S. Wales (2) VIII, 1894, p. 200. Queensland
- Macleayi** Newm. Monogr. p. 81; p. 258. Neusüd-wales
- maculicollis** Kirby, Trans. Linn. Soc. XII, 1818, p. 417; Victoria,
t. 23, f. 10. — Serv. Ann. Soc. Ent. Fr. III, Neusüd-
1834, p. 59. — Cast. Hist. Nat. II, 1840, p. 414. wales
— Newm. Monogr. p. 75; p. 253.
- ♀ **ferruginea** Guér. Voy. Coquille II, 1828—32, p. 129. — Boisd. Voy. Astrol. Ent. II, 1835, p. 467.
- ♀ **fulvipennis** Newm. Ent. Mag. V, 1838, p. 492.
- ♀ **rubripennis** M'Leay, King Narrat. Surv. II, 1827, Append. p. 449.
- Biologie: Frogg. Proc. Linn. Soc. N. S. Wales (2) VIII, 1894, p. 31.
- par** Newm. Monogr. p. 78; p. 256. Südaustralien
- fuliginosa** Blanch. in Cuv. Règne anim. ed. Victoria
Masson 1832, t. 66 bis, f. 4.
- superba** Poll, Notes Leyd. Mus. IX, 1887, p. 113. Neusüd-wales
- thomsonella** White, Ann. Mag. Nat. Hist. (3) III, 1859, " ,
p. 290; Proc. Zool. Soc. Lond. 1859, p. 122, t. 58, f. 6.

6

Paradistichocera Poll.

Poll, Notes Leyd. Mus. IX, 1887, p. 115.

- Kirbyi** Newm. Proc. Zool. Soc. Lond. XX, 1852, p. 79, t. 20; Neusüd-wales,
Ann. Mag. Nat. Hist. (2) XI, 1853, p. 257. — Queens-
Poll, Notes Leyd. Mus. VIII, 1886, p. 222. land
- mutator** Pasc. Journ. of Ent. I, 1862, p. 370.

1

LIX. Eroschemini.

Lacord. Gen. Col. VIII, 1869, p. 515.

Tethlimmena Bates.

Bates, Trans. Ent. Soc. Lond. 1872, p. 185.

- aliena** Bates, l. c.; Biol. C.-Amer. Col. V, 1880, p. 45, t. 5, Nicaragua
f. 1.
- basalis** Gahan, Trans. Ent. Soc. Lond. 1895, p. 111. St. Vincent
- Gahani** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 66. Goyaz

3

Corennys Bates.

Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 225.

sericata Bates, l. c. t. 1, f. 2.

Japan

1

Pyrocalymma Thoms.

Thoms. Syst. Ceramb. 1864, p. 159, 415. — Lacord. Gen. Col. VIII, 1869, p. 516. — Gah. Fauna Brit. India, Col. I, 1906, p. 88.

conspicua Gah. l. c. p. 89.

Birma

pyrochroides Thoms. Syst. Ceramb. 1864, p. 160. —
Lacord. Gen. Col. VIII, 1869, p. 516. — Gah.
Fauna Brit. India, Col. I, 1906, p. 89, f. 35.

Sikkim,
Birma

2

Eroschema Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 17. — Thoms. Syst. Ceramb. 1864, p. 415. — Lacord. Gen. Col. VIII, 1869, p. 516.

Octavia Thoms. Classif. Ceramb. 1860, p. 146.

affine Pasc. Trans. Ent. Soc. Lond. 1888, p. 497.

Queensland

atricolle Pasc. Journ. of Ent. II, 1865, p. 365.

Neuholland

Poweri Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 17,
t. 2, f. 2. — Haase, Bibl. Zool. VIII, 1892, t. 14,
f. 107.

Sydney

nigricolle Thoms. Classif. Ceramb. 1860, p. 147.

3

Chaodalis Pasc.

Pasc. Journ. of Ent. II, 1865, p. 366. — Lacord. Gen. Col. VIII, 1869, p. 517.

Macleayi Pasc. Journ. of Ent. II, 1865, p. 367, t. 16, f. 1. —
Lacord. Gen. Col. VIII, 1869, p. 518, t. 91, f. 1.

Neusüdwaies

1

LX. Pyrestini.

Lacord. Gen. Col. VIII, 1869, p. 518. — Gah. Fauna Brit. India, Col. I, 1906, p. 224.

Pachylocerus Hope.

Hope, Trans. Ent. Soc. Lond. I, 1834, p. 19. — Thoms. Syst. Ceramb. 1864, p. 446. — Lacord. Gen. Col. VIII, 1869, p. 519. — Gah. Fauna Brit. India, Col. I, 1906, p. 224.

corallinus Hope, Trans. Ent. Soc. Lond. J, 1834, p. 19, t. 2,
f. 5. — Gah. Fauna Brit. India, Col. I, 1906, p. 225.

Ostindien

crassicornis Ol. Ent. IV, 67, 1795, p. 51, t. 20, f. 150. —
Dohrn, Stett. Ent. Zeit. XLIV, 1883, p. 158. —
Gah. Fauna Brit. India, Col. I, 1906, p. 226, f. 84.

„
Ceylon

- plumifer* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 96, t. 23, f. 5.
- parvus* Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 69. Sumatra
- pilosus* Guér. Icon. règne anim. Ins. 1844, p. 230. — Rits. Java
- Notes Leyd. Mus. XII, 1890, p. 36.
- plagiatus* Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 70. Sumatra
- sulcatus* Brongn. Nouv. Arch. Mus. Paris (3) III, 1892, p. 240, t. 10, f. 4. — Gah. Fauna Brit. India, Siam, Assam, Col. 1, 1906, p. 225. Birma, Südchina
- unicolor* Dohrn, Stett. Ent. Zeit. XXXIX, 1878, p. 360; XLI, 1880, p. 149; XLIV, 1883, p. 158. — Gah. Birma
Fauna Brit. India, Col. I, 1906, p. 225.

7

Pyrestes Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 96; (3) III, p. 576. — Gah. Fauna Brit. India, Col. I, 1906, p. 227.

Pyresthes Thoms. Syst. Ceramb. 1864, p. 415. — Lacord. Gen. Col. VIII, 1869, p. 520.

- birmanica* Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 16; Fauna Brit. India, Col. I, 1906, p. 228. Tenasserim
- cardinalis* Pasc. Journ. Ent. II, 1863, p. 50. Hongkong
- Dohertyi* Gah. Fauna Brit. India, Col. I, 1906, p. 229. Birma
- eximia* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 96, t. 22, f. 3; (3) III, 1869, p. 576. Borneo
- haematica* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 97. Nordchina
- hypomelaena*(as) Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 131. Yunnan
- miniata* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 97. — Gah. Fauna Brit. India, Col. I, 1906, p. 227. Nordindien
- nigricollis* Pasc. Proc. Zool. Soc. Lond. 1866, p. 517. Penang
- polita* Pasc. l. c. p. 516, t. 42, f. 2. ”
- Pyrrhus* Gah. Fauna Brit. India, Col. I, 1906, p. 228, f. 85. Ostindien
- quinquesignata* Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, p. 65. Nyenhangli
- rugicollis* Fairm. l. c. LXVIII, 1900, p. 642. China
- scapularis* Pasc. Proc. Zool. Soc. Lond. 1866, p. 516, t. 42, f. 5. Penang
- virgata* Pasc. l. c. p. 517, t. 42, f. 4. — Shelf. l. c. 1902, 2, p. 283, t. 23, f. 12. Penang, Borneo

14

Cymaterus Pasc.

Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 55.

- torridus* Pasc. l. c. Nordborneo

1

Erythrus White.

White, Cat. Col. Brit. Mus. VII, 1853, p. 142. — Lacord. Gen. Col. VIII, 1869, p. 521. — Gah. Fauna Brit. India, Col. I, 1906, p. 229.

Disidaema Thoms. Classif. Ceramb. 1860, p. 147; Syst. Ceramb. 1864, p. 415.

Pseudoleptura Thoms. *Classif. Ceramb.* 1860, p. 142, 148; *Syst. Ceramb.* 1864, p. 414.

- apiculatus* Pasc. *Proc. Zool. Soc. Lond.* 1866, p. 515. Penang
 var. ? *Shelf. l. c.* 1902, 2, p. 283, t. 23, f. 8. Borneo
- assimilis* Auriv. *Arkiv f. Zool.* VII, 3, 1910, p. 9. "
- atricollis* Pasc. *Proc. Zool. Soc. Lond.* 1866, p. 515. Penang
- axillaris* Auriv. *Arkiv f. Zool.* VII, 3, 1910, p. 8. Borneo
- biapicatus* Gah. *Proc. Zool. Soc. Lond.* 1902, 2, p. 376, t. 23, f. 19. — *Shelf. l. c.* 1902, 2, p. 283, t. 23, f. 19. "
- ✓ *bicolor* Westw. *Cab. Orient. Ent.* 1848, p. 60, t. 29, f. 9. —
 Schaum, *Archiv Naturgesch.* XV, 1849, I, p. 171. Assam,
 — Gah. *Fauna Brit. India*, Col. I, 1906, p. 230. Bhutan,
 Sikkim
- bimaculatus* Auriv. *Arkiv f. Zool.* VII, 3, 1910, p. 8. Borneo
- Championi* White, *Cat. Col. Brit. Mus.* VII, 1853, p. 142, t. 4, f. 4. Hongkong
- coccineus* Gah. *Fauna Brit. India*, Col. I, 1906, p. 231. Nordindien
- congruus* Pasc. *Journ. Ent.* II, 1863, p. 51. Hongkong
- formosanus* Bates, *Proc. Zool. Soc. Lond.* 1866, p. 350. Formosa
- ✓ *Fortunei* White, *Cat. Col. Brit. Mus.* VII, 1853, p. 142. —
 Thoms. *Classif. Ceramb.* 1860, p. 148. Nordchina
- ignitus* Pasc. *Proc. Zool. Soc. Lond.* 1866, p. 514. Penang
- lacertosus* Pasc. *l. c.* p. 515. "
- laticornis* Fairm. *Ann. Soc. Ent. Belg.* XXXIX, 1895, p. 180. Tonkin
- ligystropteroides* Lansb. *Notes Leyden Mus.* VI, 1884, p. 92. — *Rits. l. c.* XVI, 1894, p. 159. Sumatra
- palliatius* Lansb. *l. c.* VI, 1884, p. 91. "
- Rothschildi* Rits. *l. c.* XVI, 1894, p. 157. Java
- rotundicollis* Gah. *Proc. Zool. Soc. Lond.* 1902, 2, p. 275, t. 23, f. 6. Borneo
- sternalis* Gah. *l. c.* t. 23, f. 7. "
- viridipennis* Gah. *l. c.* p. 276, t. 23, f. 58. "
- Westwoodi* White, *Cat. Col. Brit. Mus.* VII, 1853, p. 143. Himalaya,
 — Gah. *Fauna Brit. India*, Col. I, 1906, p. 231, f. 86. Nordindien

22

Erythresthes Thoms.

- Thoms. *Syst. Ceramb.* 1864, p. 158. — *Lacord. Gen. Col.* VIII, 1869, p. 522.
- Bowringi* Pasc. *Journ. Ent.* II, 1863, p. 52. — Thoms. Hongkong
Syst. Ceramb. 1864, p. 159. — *Waterh. Aid*
identif. Ins. II, 1890, t. 188, f. 1.

1

Mioeris Fairm.

- Fairm. *Bull. Soc. Ent. Fr.* 1902, p. 245.
- nigrosentatus* Fairm. *l. c.* — *Pic, Longic.* VI, 2, 1907, p. 24. Yunnan

1

Plutonesthes Thoms.

- Thoms. *Syst. Ceramb.* 1864, p. 160. — *Lacord. Gen. Col.* VIII, 1869, p. 522.
 — Pasc. *Trans. Ent. Soc. Lond.* (3) III, 1869, p. 577.
- amoena* Pasc. *l. c.* p. 577. Singapore
- crocata* Pasc. *Proc. Zool. Soc. Lond.* 1866, p. 514, t. 42, f. 2. — *Lacord. Gen. Col.* VIII, 1869, t. 91, f. 2. Penang

- ✓ *rufipennis* Thoms. Syst. Ceramb. 1864, p. 160. Malacca
tonkinensis Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, Tonkin
 p. 181.
 4

Dalila Thoms.

- Thoms. Archiv. Ent. II, 1858, p. 147. — Lacord. Gen. Col. VIII, 1869, p. 523.
venerea Thoms. Archiv. Ent. II, 1858, p. 148. Gabun
 1

LXI. Prothemini.

- Lacord. Gen. Col. VIII, 1869, p. 524. — Gah. Fauna Brit. India, Col. I,
 1906, p. 232.

Homalomelas White.

- White, Cat. Col. Brit. Mus. VIII, 1855, p. 216. — Thoms. Syst. Ceramb.
 1864, p. 422. — Lacord. Gen. Col. VIII, 1869, p. 525. — Gah. Fauna Brit.
 India, Col. I, 1906, p. 232.
gracilipes Parry, Trans. Ent. Soc. Lond. V, 1849, p. 184, Ceylon
 t. 18, f. 6. — Gah. Fauna Brit. Ind. Col. I, 1906,
 p. 233, f. 87.
quadridentatus Gah. l. c. p. 234. „
zonatus Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 23. „
 3

Prothema Pasc.

- Pasc. Trans. Ent. Soc. Lond. (2) IV, 1856, p. 43; (3) III, 1869, p. 580.
 — Thoms. Syst. Ceramb. 1864, p. 422. — Lacord. Gen. Col. VIII, 1869,
 p. 526. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 235.
Sigeum Pasc. Proc. Zool. Soc. Lond. 1866, p. 523.
aurata Gah. Fauna Brit. Ind. Col. I, 1906, p. 235. Assam
funerea Pasc. Trans. Ent. Soc. Lond. (2) IV, 1856, p. 43. Nordchina
humeralis Pasc. l. c. p. 99; (3) III, 1869, p. 581; Proc. Malacca
 Zool. Soc. Lond. 1866, p. 523, t. 41, f. 2.
 ✓ *leucaspis* Chevr. Mém. Soc. R. Sc. Liège XVIII, 1863, Philippinen
 p. 256 (sep. p. 4).
signata Pasc. Trans. Ent. Soc. Lond. (2) IV, 1856, p. 43, Nordchina
 t. 16, f. 5.
varicornis Pasc. Ann. Mag. Nat. Hist. (5) XVII, 1886, Labuan
 p. 240.
 6

Mesophaea Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 581.
lachrymosa Pasc. l. c. p. 582, t. 21, f. 2. Borneo
 1

Euryarthrum Blanch.

Blanch. Hist. Nat. Ins. II, 1845, p. 149. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 578.

Blemmya Pasc. Trans. Ent. Soc. Lond. (2) IV, 1856, p. 42. — Thoms. Syst. Ceramb. 1864, p. 422. — Lacord. Gen. Col. VIII, 1869, p. 526.

- | | |
|--|-----------|
| <i>albocinctum</i> Blanch. Hist. Nat. Ins. II, 1845, p. 170. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 579. | Singapore |
| <i>Whitei</i> Pasc. l. c. (2) IV, 1856, p. 42, t. 16, f. 6. — Lacord. Gen. Col. VIII, 1869, t. 91, f. 3. | Borneo |
| <i>atripenne</i> Pasc. Proc. Zool. Soc. Lond. 1866, p. 525. | Penang |
| <i>bifasciatum</i> Pasc. Trans. Ent. Soc. Lond. (2) IV, 1856, p. 43; (3) III, 1869, p. 579. | Borneo |
| <i>carinatum</i> Pasc. Proc. Zool. Soc. Lond. 1866, p. 524. | Penang |
| <i>egenum</i> Pasc. l. c. p. 525. | " |
| <i>interruptum</i> Pasc. l. c. p. 524. | " |
| <i>Lambi</i> Pasc. l. c. | " |
| <i>nodicolle</i> Pasc. l. c. t. 42, f. 7. | " |

8

LXII. Pytheini.

Thoms. Syst. Ceramb. 1864, p. 153 (ex parte). — Lacord. Gen. Col. VIII, 1869, p. 527.

Pytheus Newm.

Newm. Entomol. I, 1840, p. 14. — Thoms. Syst. Ceramb. 1864, p. 412. — Lacord. Gen. Col. VIII, 1869, p. 529.

Erionispa Chap. l. c. XI, 1875, p. 302. pl. 129, f. 1.

jugosus Newm. Entomol. I, 1840, p. 14. Neusüdwaies

latebrosus Newm. l. c. 1841, p. 95. Swan River

var. *pallidus* White, Voy. Erebus and Terror, Ins. 1846, p. 19.

pulcherrimus Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 28. — Lacord. Gen. Col. VIII, 1869, p. 529, t. 91, f. 4. — Lameere, Ann. Soc. Ent. Belg. XXVIII, 1884, p. 80. — Dohrn, Stett. Ent. Zeit. XLV, 1884, p. 282.

Badeni Chap. Gen. Col. XI, 1875, p. 302. pl. 129, f. 1.

3

Titurius Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, p. 63.

calcaratus Pasc. l. c. Neusüdwaies

1

Brachytria Newm.

Newm. Ann. Nat. Hist. V, 1840, p. 16. — Blanch. Voy. Pôle Sud, Zool. IV, 1853, p. 264. — Thoms. Classif. Ceramb. 1860, p. 185; Syst. Ceramb. 1864, p. 413. — Lacord. Gen. Col. VIII, 1869, p. 530.

centralis Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 564. Port Denison

gulosa Newm. Ann. Nat. Hist. V, 1840, p. 16. — Saund. Tasmanien

Trans. Ent. Soc. Lond. (2) I, 1851, p. 83, t. 4,

f. 3. — Blanch. Voy. Pôle Sud, Zool. IV, 1853,
p. 265.

depressa Blanch. l. c. t. 17, f. 3.

picta Waterh. Ann. Mag. Nat. Hist. (4) XIX, 1877, p. 423.

Queensland

thoracica Poll, Notes Leyden Mus. IX, 1887, p. 283.

Victoria

varia Waterh. Ann. Mag. Nat. Hist. (4) XIX, 1877, p. 422.

Sydney

5

Pempsamaera Newm.

Newm. Ent. Mag. V, 1838, p. 495. — Thoms. Syst. Ceramb. 1864, p. 413.
— Lacord. Gen. Col. VIII, 1869, p. 530.

Lepidisia White, Cat. Col. Brit. Mus. VIII, 1855, p. 333.

argentata Pasc. Trans. Ent. Soc. Lond. 1888, p. 494.

Eclipseinsel

condita Pasc. l. c.

Queensland

dispersa Newm. Entomol. I, 1842, p. 354.

Port Philipp

pygmaea Newm. Zoolog. IX, 1851, p. 128.

Neusüdwaies

bimaculata White, Cat. Col. Brit. Mus. VIII, 1855,
p. 333, t. 8, f. 9.

Queensland

subaurea Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 564.

Sydney

tillides Newm. Ent. Mag. V, 1838, p. 496, fig. — Lacord.

Neusüdwaies

Gen. Col. VIII, 1869, p. 531, nota 1.

vestita Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 57.

Melbourne

7

Omophaena Pasc.

Pasc. Journ. Ent. II, 1864, p. 230. — Lacord. Gen. Col. VIII, 1869, p. 531.

Kreusleri Pasc. Journ. Ent. II, 1864, p. 231, t. 11, f. 8.

Neuholland

taeniata Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866,

„

p. 93.

2

Obrida White.

White, Stoke's Discov. Austr. I, 1846, Append. p. 510. — Lacord. Gen.
Col. VIII, 1869, p. 533.

comata Pasc. Journ. Ent. II, 1863, p. 50.

Queensland

fascialis White, Stoke's Discov. Austr. I, 1846, p. 510,

Neusüdwaies

t. 2, f. 4. — Lacord. Gen. Col. VIII, 1869, p. 288.

2

Hadimus Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXIII, 1889, Bull. p. 93.

cartalloides Fairm. l. c. p. 94.

Madagascar

1

Cartallum Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 94. — Muls. Col. Fr. Long. 1839,
p. 96; ed. 2, 1862, p. 208. — Cast. Hist. Nat. II, 1840, p. 445. — Bach,
Käferfauna III, 1856, p. 24. — Redt. Fauna Austr. ed. 2, 1858, p. 855;

- ed. 3, II, 1874, p. 412. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 150. — Ganglb. Best.-Tab. VII, 1882, p. 9 (687).
- ebulinum** L. Syst. Nat. ed. 12, 1767, p. 637. — F. Mant. Südeuropa, Nordafrika, Syrien
Ins. I, 1787, p. 151. — Ol. Enc. méth. Ins. V, 1790, p. 253.
- ebulinum* var. α Muls. Col. Fr. Long. ed. 2, 1862, p. 209.
- nigricolle* Pic, Longic. I, 1891, p. 17.
- ab. *ruficolle* F. Spec. Ins. I, 1781, p. 236; Mant. Ins. I, 1787, p. 150. — Ol. Ent. IV, 70, 1795, p. 19, t. 2, f. 27. — Guér. Icon. règne anim. Ins. 1830, t. 44, f. 5. — Muls. Col. Fr. Long. 1839, p. 96. — Cast. Hist. Nat. Ins. II, 1840, p. 445.
- ebulinum* Bach, Käferfauna III, 1856, p. 24. — Redt. Fauna Austr. ed. 2, 1858, p. 855; ed. 3, II, 1874, p. 412. — Muls. Col. Fr. Long. ed. 2, 1862, p. 208. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 45, f. 207. — Ganglb. Best.-Tab. VII, 1882, p. 45 (723). — Jacobs. Käfer Russl. 1910, t. 64, f. 20.
- italicum* Gmel. Syst. Nat. I, 4, 1790, p. 1851.
- monspeliense* Gmel. l. c. p. 1842.
- tricolor* Chevr. Ann. Soc. Ent. Fr. (6) II, 1882, p. 57.
Biologie: Xambeu, Rev. d'Ent. IX, 1890, p. 58; Ann. Soc. Linn. Lyon XL, 1893, p. 113; XLIV, 1897, p. 10; Moeurs & Métam. VII, 1899, p. 2; VIII, 1902, p. 208; Bull. Soc. Pyrén. Or. XLV, 1904, p. 45.
- thoracicum** Sharp, Ent. Month. Mag. XVI, 1880, p. 247. Arabien, Mesopotamien
laevicolle Pic, Echange XI, 1895, p. 76.
-
- Denisoni** Montrouz. Ann. Soc. Ent. Fr. (4) I, 1861, Insel Lifu
p. 276 (Genus?).

3

LXIII. Deilini.

- Fairm. Gen. Col. d'Eur. IV, 1864, p. 154. — Lacord. Gen. Col. VIII, 1869, p. 534.

Deilus Serv.

- Serv. Ann. Soc. Ent. Fr. III, 1834, p. 73. — Muls. Col. Fr. Long. 1839, p. 100; ed. 2, 1862, p. 190. — Cast. Hist. Nat. II, 1840, p. 440. — Redt. Fauna Austr. 1849, p. 490; ed. 2, 1858, p. 855; ed. 3, 1874, p. 410. — Costa, Fauna Napoli, Col. II, 1855, Longic. p. 62. — Bach, Käferfauna III, 1856, p. 24. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 154. — Thoms. Syst. Ceramb. 1864, p. 412. — Lacord. Gen. Col. VIII, 1869, p. 537. — Ganglb. Best.-Tab. VII, 1882, p. 10 (688). — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 182. — Stierl. Col. Helvet. II, 1898, p. 464.
- Deilosoma* Fairm. Gen. Col. d'Eur. IV, 1864, p. 804.
- Dilus* Gemm. & Har. Cat. Col. IX, 1873, p. 2899. — Bedel, Faune Col. Seine V, 1889, p. 7, 20. — Csiki, Rov. Lapok XI, 1904, p. 35.
- fugax** Ol. Enc. méth. Ins. V, 1790, p. 253; Ent. IV, Südeuropa, Mittelmeer-
70, 1795, p. 30, t. 6, f. 69. — F. Ent. Syst. I, gebiet
2, 1792, p. 323. — Muls. Col. Fr. Long. 1839,

p. 100; ed. 2, 1862, p. 191. — Germ. Fauna Ins. Eur. XXII, 1842, t. 9. — Cast. Hist. Nat. II, 1840, p. 440. — Küster, Käfer Eur. II, 1844, p. 56. — Redt. Fauna Austr. 1849, p. 490; ed. 2, 1858, p. 855; ed. 3, II, 1874, p. 410. — Costa, Fauna Regn. di Napoli, Col. II, 1855, Long. p. 62, t. 36, f. 3. — Bach, Käferfauna III, 1856, p. 25. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 46, f. 214. — Ganglb. Best.-Tab. VII, 1882, p. 45 (723). — Bedel, Faune Col. Seine V, 1889, p. 20, 65. — Seidl. Fauna Transs. 1891, p. 832. — Stierl. Col. Helvet. II, 1898, p. 464. — Csiki, Rov. Lapok XI, 1904, p. 57. — Jacobs. Käfer Russl. 1910, t. 64, f. 21.

ceramboides Rossi, Mant. Ins. II, 1794, App. p. 99, t. 5, f. o.

Biologie: Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 299, f. 464. — Xamheu, Rev. d'Ent. XVII, 1893, p. 48; Moeurs & Métam. VIII, 1902, p. 104; IX, 1901, p. 48.

notula Fauvel, Rev. d'Ent. XXV, 1906, p. 57.

Neu-caledonien

2

Delagrangus Pic.

Pic, Bull. Soc. Ent. Fr. 1892, p. 93; Echange IX, 1893, p. 29.

Edithia Reitter, Wien. Ent. Zeit. XVIII, 1899, p. 160.

angustissimus Pic, Bull. Soc. Ent. Fr. 1892, p. 94; l. c. Syrien 1899, p. 232.

carbonarius Reitter, Wien. Ent. Zeit. XVIII, 1899, p. 161, 283, t. 4, f. 7.

1

Schizopleurus Lacord.

Lacord. Gen. Col. VIII, 1869, p. 535.

balteatus Lacord, l. c. nota 1.

Nord-australien

1

Telocera White.

White, Ann. Mag. Nat. Hist. (3) II, 1858, p. 354. — Thoms. Syst. Ceramb. 1864, p. 415. — Lacord. Gen. Col. VIII, 1869, p. 535.

Wollastoni White, Ann. Mag. Nat. Hist. (3) II, 1858, Queensland p. 355, fig. — Lacord. Gen. Col. VIII, 1869, p. 536, t. 91, f. 5.

1

Eburopora White.

White, Cat. Col. Brit. Mus. VIII, 1855, p. 332. — Thoms. Syst. Ceramb. 1864, p. 413. — Lacord. Gen. Col. VIII, 1869, p. 538.

Eburigera Gemm. & Har. Cat. Col. IX, 1873, p. 2899.

- eburata** Pasc. Journ. Ent. II, 1865, p. 374. — Waterh. Australien
Proc. Ent. Soc. Lond. 1874, p. 28.
- octoguttata** White, Cat. Col. Brit. Mus. VIII, 1855, Victoria
p. 332, t. 8, f. 7.

2

LXIV. Typhocesini.

Lacord. Gen. Col. VIII, 1869, p. 539.

Taphos Pasc.

- Pasc. Journ. Ent. II, 1864, p. 236. — Thoms. Syst. Ceramb. 1864, p. 444.
— Lacord. Gen. Col. VIII, 1869, p. 539.

- aterrimus** Pasc. Journ. Ent. II, 1864, p. 236, t. 11, Südaustralien
f. 7. — Lacord. Gen. Col. VIII, 1869, p. 540,
t. 91, f. 6.

1

Typhocesis Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 561. — Thoms. Syst. Ceramb.
1864, p. 422. — Lacord. Gen. Col. VIII, 1869, p. 540.

- adpersa** Blackb. Trans. R. Soc. S. Austr. XIX, 1895, Queensland
p. 59.

- floccosa** Poll, Notes Leyd. Mus. IX, 1887, p. 116.

- Macleayi** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 562, Port Denison
t. 23, f. 4. — Lacord. Gen. Col. VIII, 1869,
p. 541, t. 92, f. 1.

3

Hemesthocera Newm.

- Newm. Zoolog. VIII, 1850, Append. p. 111. — Thoms. Syst. Ceramb. 1864,
p. 422. — Lacord. Gen. Col. VIII, 1869, p. 542.

- flavilinea** Newm. Zoolog. VIII, 1850, Append. p. 111. Nord-
— White, Cat. Col. Brit. Mus. VIII, 1855, australien
p. 212, t. 6, f. 2.

1

Bixorestes Pasc.

- Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 315. — Lacord. Gen. Col.
VIII, 1869, p. 541.

- illustris** Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. Südafrika
p. 192.

- doctus** White, Cat. Col. Brit. Mus. VIII, 1855,
p. 267.

1

LXV. Callichromini.

Lacord. Gen. Col. IX, 1869, p. 1. — Gah. Fauna Brit. India, Col. I, 1906, p. 189.

Polyschisis Serv.

Serv. Ann. Soc. Ent. Fr. II, 1833, p. 564. — Cast. Hist. Nat. II, 1840, p. 432. — Thoms. Classif. Ceramb. 1860, p. 371; Syst. Ceramb. 1864, p. 419. — Lacord. Gen. Col. IX, 1869, p. 5.

✓ *hirtipes* Ol. Enc. méth. VII, 1792, p. 460; Ent. IV, 67, Cayenne
1795, p. 36, t. 20, f. 157. — Cast. Hist. Nat.
II, 1840, p. 432. — Lacord. Gen. Col. IX, 1869,
p. 6.

melanaria White, Cat. Col. Brit. Mus. VII, 1853, p. 145, Brasilien
t. 4, f. 6. — Lacord. Gen. Col. IX, 1869, p. 6,
nota 1.

rufitarsis Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, Sarayacu
p. 294. — Goun. Ann. Soc. Ent. Fr. LXXX,
1911, p. 67.

3

Amphionthe Bates.

Bates, Cist. Ent. II, 1879, p. 395.

brevicollis Bates, Biol. C.-Amer. Col. V, 1885, p. 291, t. 20, Mexico
f. 23.

✓ *doris* Bates, Cist. Ent. II, 1879, p. 396. Columbien

2

Hypargyra Gah.

Gah. Trans. Ent. Soc. Lond. 1890, p. 303.

cribripennis Gah. l. c. p. 304, t. 9, f. 2. Mamboia

similis Gah. Ann. Mag. Nat. Hist. (7) II, 1898, p. 44. Ostafrika

2

Jonthodes Serv.

Serv. Ann. Soc. Ent. Fr. II, 1833, p. 558. — Thoms. Classif. Ceramb. 1860,
p. 168; Syst. Ceramb. 1864, p. 421. — Lacord. Gen. Col. IX, 1869, p. 6.

amabilis Hope, Ann. Nat. Hist. XI, 1843, p. 367. — Jord. Sierra Leone
Nov. Zool. XVI, 1909, p. 310.

formosa Serv. Ann. Soc. Ent. Fr. II, 1833, p. 559. Senegal

sculptilis White, Cat. Col. Brit. Mus. VII, 1853, p. 151. — Südafrika
Dist. Ins. Transv. 1904, p. 117, t. 10, f. 20.

3

Compsomera White.

White, Cat. Col. Brit. Mus. VII, 1853, p. 152. — Thoms. Syst. Ceramb. 1864,
p. 421. — Lacord. Gen. Col. IX, 1869, p. 7.

Ansorgei Gah. Ann. Mag. Nat. Hist. (7) II, 1898, p. 43; in Uganda
Ansorge, Under the Afr. Sun 1899, p. 318, t. 1,
f. 3.

- cyaneonigra* Fairm. in Revoil, Faune et Flore Çomalis, Col. 1882, p. 97. Südabessinien
- elegantissima* White, Cat. Col. Brit. Mus. VII, 1853, p. 152, t. 4, f. 7. — Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 57. — Lacord. Gen. Col. IX, 1869, p. 7, t. 92, f. 2. — Dist. Ins. Transvaal. 1904, p. 118, t. 10, f. 14. Südafrika
- leprosa* Heyne, Exot. Käfer 1906, p. 240, t. 36, f. 17.
- var. *insignis* Auriv. Ent. Tidskr. VIII, 1887, p. 196. Damara
- fenestrata* Gerst. Archiv Naturgesch. XXXVII, 1871, I, p. 77; Deeken's Reise III, 2, 1873, p. 254, t. 12, f. 3. Ostafrika
- nigricollis* Gah. Trans. Ent. Soc. Lond. 1890, p. 305. Mamboia
- speciosissima* Gerst. Monatsb. Berl. Acad. 1855, p. 265; Peters' Reise, Ins. 1862, p. 322, t. 19, f. 7. Mossambik

6

Coloborhombus Thoms.

- Thoms. Syst. Ceramb. 1864, p. 486. — Lacord. Gen. Col. IX, 1869, p. 7.
- Colobus* Serv. Ann. Soc. Ent. Fr. II, 1833, p. 554. — Cast. Hist. Nat. II, 1840, p. 437. — Thoms. Classif. Ceramb. 1860, p. 146; Syst. Ceramb. 1864, p. 420.
- Nothopeus* Pasc. Journ. Ent. II, 1864 Dez., p. 287. — Gah. Fauna Brit. India, Col. I, 1906, p. 202.
- auricomus* Rits. Notes Leyden Mus. XII, 1890, p. 247. Java
- cingalensis* White, Cat. Col. Brit. Mus. VIII, 1855, p. 175. Ceylon
- Gah. Fauna Brit. India, Col. I, 1906, p. 204 nota.
- fasciatipennis* Waterh. Trans. Ent. Soc. Lond. 1885, p. 369, t. 10, f. 12. Borneo
- fulvus* Bates, Cist. Ent. II, 1879, p. 395. — Gah. Fauna Brit. India, Col. I, 1906, p. 203. Sikkim, Assam
- hemipterus* Ol. Ent. IV, 67, 1795, p. 127, t. 23, f. 181. — F. Syst. El. II, 1801, p. 310. — Cast. Hist. Nat. II, 1840, p. 437. — Gah. Fauna Brit. India, Col. I, 1906, p. 203, f. 78. Java
- intermedius* Gah. Proc. Zool. Soc. Lond. 1902, 2, p. 277, t. 19, f. 21. Borneo
- sericeus* Saund. Trans. Ent. Soc. Lond. (2) II, 1853, p. 111, t. 4, f. 2. Shanghai
- tibialis* Rits. Notes Leyd. Mus. XVI, 1895, p. 159. — Gah. Fauna Brit. India, Col. I, 1906, p. 204. Assam

8

Asmedia Pasc.

- Pasc. Proc. Zool. Soc. Lond. 1866, p. 525. — Lacord. Gen. Col. IX, 1869, p. 8.
- mimetes* Pasc. Proc. Zool. Soc. Lond. 1866, p. 526, t. 41, f. 11. — Lacord. Gen. Col. IX, 1869, p. 9. Penang

1

Niraeus Newm.

Newm. Mag. Nat. Hist. (2) IV, 1840, p. 194. — Thoms. Syst. Ceramb. 1864, p. 420. — Gah. Fauna Brit. India, Col. I, 1906, p. 193.

Euchroa Guér. in Deless. Voy. Ind. II, 1843, p. 56.

tricolor Newm. Mag. Nat. Hist. (2) IV, 1840, p. 194. — Tenasserim
Gah. Fauna Brit. India, Col. I, 1906, p. 194.
dimidiata Guér. in Deless. Voy. Ind. II, 1843,
p. 57, t. 14, f. 1.

1

Zonopterus Hope.

Hope, Trans. Linn. Soc. Lond. XIX, 1843, p. 110. — Thoms. Classif. Ceramb. 1860, p. 167; Syst. Ceramb. 1864, p. 420. — Lacord. Gen. Col. IX, 1869, p. 9. — Gah. Fauna Brit. India, Col. I, 1906, p. 190.

Boschae Rits. Notes Leyden Mus. XVI, 1894, p. 107. Borneo
Corbetti Gah. Fauna Brit. India, Col. I, 1906, p. 192. Birma
consanguineus Rits. Notes Leyden Mus. XI, 1889, p. 10. Himalaya,
— Gah. Fauna Brit. India, Col. I, 1906, p. 191. Südindien
diversus Gah. l. c. p. 193. Ceylon
✓ **flavitaris** Hope, Trans. Linn. Soc. Lond. XIX, 1843, Assam
p. 111, t. 10, f. 7. — Rits. Notes Leyden Mus.
XII, 1890, p. 174. — Gah. Fauna Brit. India,
Col. I, 1906, p. 191, f. 75.
grandis Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 31. Malacca
imitans Auriv. Arkiv f. Zool. VII, 3, 1910, p. 10. Borneo
magnificus Bates, Proc. Zool. Soc. Lond. 1889, p. 391; "
Whitehead, Explor. Kina Balu 1893, p. 295, tab.,
f. 11.
Redemanni Nonfr. Deutsche Ent. Zeitschr. 1891, p. 274. Ceylon
— Gah. Fauna Brit. India, Col. I, 1906, p. 192.
scabricollis Nonfr. Berl. Ent. Zeitschr. XL, 1895, p. 311. Sumatra
unifasciatus Rits. Bull. Mus. Paris II, 1897, p. 376. Annam

11

Euchitonia Kolbe.

Kolbe, Stett. Ent. Zeit. LV, 1894, p. 8.

✓ **superba** Auriv. Arkiv f. Zool. VII, 3, 1910, p. 10. Borneo
suspecta Rits. Notes Leyden Mus. VII, 1885, p. 125, Java
t. 4, f. 5. — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 8.

2

Pachyteria Serv.

Serv. Ann. Soc. Ent. Fr. II, 1833, p. 553. — Cast. Hist. Nat. II, 1840, p. 419. — Thoms. Classif. Ceramb. 1860, p. 168; Syst. Ceramb. 1864, p. 420. — Lacord. Gen. Col. IX, 1869, p. 10. — Rits. Tijdschr. Ent. XXXII, 1889, p. XXX; Notes Leyden Mus. XII, 1890, p. 175 (Katalog). — Gah. Fauna Brit. India, Col. I, 1906, p. 194. — Ross. Internat. Ent. Zeitschr. IV, 1910, p. 153 (Liste).

affinis Rits. Notes Leyden Mus. III, 1881, p. 35; X, Java
1888, p. 191.
apicalis Poll, l. c. XI, 1889, p. 219, t. 10, f. 1. Borneo

- basalis* Waterh. Ann. Mag. Nat. Hist. (5) II, 1878, p. 137. Borneo
polychroma Har. Col. Hefte XVI, 1879, p. 228.
- Batesi Rits. Notes Leyden Mus. XV, 1893, p. 14. „
bicolor Parry, Trans. Ent. Soc. V, 1849, p. 182, t. 18, Java
 f. 5. — Fry, Notes Leyden Mus. X, 1888, p. 180.
- borneensis* Rits. l. c. XIV, 1892, p. 218. Sarawak
Borrei Rits. l. c. X, 1888, p. 178. Java
Bouvieri Rits. Bull. Mus. Paris II, 1896, p. 330. Siam
calumniata Rits. Notes Leyden Mus. XII, 1890, p. 166. Südindien
 — Gah. Fauna Brit. India, Col. I, 1906, p. 196.
fasciata Voet, Cat. Col. II, 1778, p. 14, t. 11, f. 49 A. — Herbst in Füessly, Archiv V, 1784, p. 89, t. 25, f. 5.
- chrysogaster* Rits. Notes Leyden Mus. X, 1888, p. 195, Java,
 XI, 1889, t. 10, f. 4. — Gah. Fauna Brit. India, Ceylon
 Col. 1, 1906, p. 197.
- dimidiata* Westw. Cabin. Or. Ent. 1848, p. 60, t. 29, Assam
 f. 8. — Gah. Fauna Brit. India, Col. I, 1906, p. 196.
- diversipes* Rits. Notes Leyden Mus. XII, 1890, p. 170. Cochinchina
equestris Newm. Entomol. I, 1841, p. 79. — Pasc. Proc. ?
 Zool. Soc. Lond. 1866, p. 518.
- Evertsi* Rits. Notes Leyden Mus. X, 1888, p. 187. Sumatra
fasciata F. Syst. Ent. 1775, p. 168. — Ol. Ent. IV, 67, Ostindien,
 1795, p. 19, t. 1, f. 4. — Cast. Hist. Nat. II, Ceylon,
 1840, p. 420. — Rits. Notes Leyden Mus. XII, Siam
 1890, p. 164. — Gah. Fauna Brit. India, Col. I, 1906, p. 195, f. 76.
- populnea* Schröter, Abhandl. I, 1776, p. 349, t. 3, f. 1.
voluptuosa Thoms. Syst. Ceramb. 1865, p. 568.
- Hageni* Rits. Notes Leyden Mus. X, 1888, p. 185. Sumatra
Hügeli Dist. Ann. Mag. Nat. Hist. (5) VII, 1881, p. 298. — Java
 Waterh. Aid identif. Ins. I, 1881, t. 36.
- insignita* Pasc. Proc. Zool. Soc. Lond. 1866, p. 520. Penang
javana Bates, Cist. Ent. II, 1879, p. 396. Java
puncticollis Rits. Notes Leyden Mus. III, 1881, p. 33, 83.
- Lambi* Pasc. Proc. Zool. Soc. Lond. 1866, p. 519, t. 43, f. 6. Penang
lugubris Rits. Notes Leyden Mus. XIV, 1892, p. 215. Nias
melancholica Rits. Notes Leyden Mus. XXI, 1909, Sumatra
 p. 189.
- Moultoni* Auriv. Arkiv f. Zool. VII, 3, 1910, p. 11. Borneo
niassensis Gah. Notes Leyden Mus. XII, 1890, p. 161. Nias
Nieuwenhuisi Rits. l. c. XXX, 1909, p. 248. Borneo
Oberthuri Rits. l. c. X, 1888, p. 190. Sumatra
ochracea Waterh. Ann. Mag. Nat. Hist. (5) II, 1878, Borneo
 p. 136.
- parallela* Rits. Notes Leyden Mus. III, 1881, p. 36. Java?
Pasteuri Rits. l. c. XIV, 1892, p. 213; XV, 1893, p. 16.
Pryeri Rits. l. c. X, 1888, p. 183. Borneo
ruficollis Waterh. Ann. Mag. Nat. Hist. (5) II, 1878, „
 p. 137.
- collaris* Harold, Col. Hefte XVI, 1879, p. 228.
rugosicollis Rits. Notes Leyden Mus. III, 1881, p. 31. Java
similis Rits. l. c. XII, 1890, p. 171. Cochinchina
Sheepmakeri Rits. l. c. III, 1881, p. 38. Java
speciosa Pasc. Proc. Zool. Soc. Lond. 1866, p. 519, t. 43, f. 5. Penang

- spinicollis* Pasc. l. c. t. 43, f. 4. Penang
strumosa Pasc. l. c. p. 520, t. 43, f. 3. ”
superba Gestro, Ann. Mus. Civ. Genova (2) VI, 1888, Birma
 p. 128.
Vandepolli Rits. Notes Leyden Mus. XI, 1889, p. 49, Malacca
 t. 10, f. 2.
 ✓ *virescens* Pasc. Proc. Zool. Soc. Lond. 1866, p. 519, Penang
 t. 43, f. 2.
 40

Xanthospila Fairm.

Fairm. Ann. Soc. Ent. Belg. XXVIII, 1884, Bull. p. 77.

- ✓ *flavoplagiata* Fairm. l. c.; Ann. Soc. Ent. Fr. (6) VII, Somaliland
 1887, p. 333.
 1

Cataphrodisium Auriv.

Auriv. Arkiv f. Zool. III, 18, 1907, p. 8.

- latemaiculata* Pic, Longic. IV, 1, 1902, p. 29. China
rubripenne Hope, Trans. Linn. Soc. Lond. XIX, 1843, Assam,
 p. 110, t. 10, f. 6. — Gah. Fauna Brit. India, China
 Col. I, 1906, p. 210. — Auriv. Arkiv f. Zool.
 III, 18, 1907, p. 8.
ab. magnifica Pic, Longic. IV, 1, 1902, p. 29; China
 VIII, 1, 1911, p. 20.
 2

Aphrodisium Thoms.

Thoms. Syst. Ceramb. 1864, p. 173. — Lacord. Gen. Col. IX, 1869, p. 11.
 — Gahan, Fauna Brit. India, Col. I, 1906, p. 205.

- Albardae* Rits. Notes Leyden Mus. X, 1888, p. 193; Java
 XI, 1889, t. 10, f. 3; XVIII, 1896, p. 130.
Fruhstorferi Kolbe, Stett. Ent. Zeit. LV, 1894,
 p. 11.
 ✓ *Cantori* Hope, Trans. Linn. Soc. Lond. XVIII, 1840, Assam
 p. 440, t. 30, f. 3. — Thoms. Syst. Ceramb. 1864,
 p. 173. — Gah. Fauna Brit. India, Col. I, 1906,
 p. 205.
cribricolle Poll, Notes Leyden Mus. XII, 1890, p. 157. — Sikkim
 Gah. Fauna Brit. India, Col. I, 1906, p. 207.
Delatouchei Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, China
 Bull. p. 162; LXVIII, 1899, p. 642; Tijdschr.
 Ent. XXXII, 1889, p. XXXII.
 ✓ *Griffithi* Hope, Trans. Linn. Soc. XVIII, 1840, p. 440, Assam
 t. 30, f. 2. — Gah. Fauna Brit. India, Col. I,
 1906, p. 209.
zonopteroïdes Fleut. Ann. Soc. Ent. Fr. (6) VII, Hué
 1887, p. 66, t. 4, f. 6.
hardwickianum White, Cat. Col. Brit. Mus. VII, 1853, Nepal
 p. 162. — Gah. Fauna Brit. India, Col. I, 1906,
 p. 208.
neoxenum White, Cat. Col. Brit. Mus. VII, 1853, p. 154. — Assam
 Gah. Fauna Brit. India, Col. I, 1906, p. 208.

- planicolle** Poll, Notes Leyden Mus. XII, 1890, p. 155. Darjeeling
— Gah. Fauna Brit. India, Col. I, 1906, p. 206,
f. 79.
- robustum** Bates, Cist. Ent. II, 1879, p. 408. — Gah. Nordindien,
Fauna Brit. India, Col. I, 1906, p. 209. Sikkim
- saxosicolle** Fairm. Bull. Soc. Ent. Fr. 1902, p. 245. Yunnan
- semiignitum** Chevr. Rev. Zool. 1841, p. 227. Manila

11

Hexamitodera Heller.

- Heller, Abhandl. u. Ber. Mus. Dresden VI, 3, 1896, p. 22.
- semivelutina** Heller, l. c. tab., f. 17. Celebes

1

Eugoides Auriv.

Auriv. Arkiv f. Zool. I, 1904, p. 314.

- coeruleipennis** Auriv. l. c. p. 315. Ostafrika

1

Eugoa Fährs.

- Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 57. — Jord. Nov.
Zool. I, 1894, p. 158.

- Dalmani** Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, Kaffernland
1872, p. 57. — Dist. Ins. Transv. 1904, p. 118,
t. 10, f. 12.
- ruficus** Gerst. Monatsb. Berl. Akad. 1855, p. 265; Mossambik
Peters' Reise Mossamb. Ins. 1862, p. 321, t. 19,
f. 5. — Kolbe, Berl. Ent. Zeitschr. XLV, 1900,
p. 301, t. 4, f. 3.

2

Dictator Thoms.

Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 32.

- Omoptycha* Quedf. Berl. Ent. Zeitschr. XXVII, 1883, p. 132. —
Jord. Nov. Zool. I, 1894, p. 158.

- Falkensteini** Quedf. Berl. Ent. Zeitschr. XXVII, 1883, Chinchoxo
p. 133, t. 1, f. 2 (= *postulatus?*).
- mirabilis** Jord. Nov. Zool. I, 1894, p. 159. Westafrika
- postulatus** Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 33. „
- regius** F. Syst. El. II, 1801, p. 269. „
- Clementsii* Jord. Nov. Zool. I, 1894, p. 158, Sierra Leone
t. 9, f. 5.

4

Bradyenemis Waterh.

Waterh. Trans. Ent. Soc. Lond. 1877, p. 11.

- anomala** Waterh. l. c. p. 12. Penang
- velutina** Waterh. l. c. Penang?

2

Phylloenema Thoms.

Thoms. Classif. Ceramb. 1860, p. 171; Syst. Ceramb. 1864, p. 419. — Lacord.
Gen. Col. IX, 1869, p. 13.

- analis** Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 676. Kibanga
- gloriosa** Péring. Ann. S. Afr. Mus. I, 1899, p. 321, t. 7, f. 1. Zambesi
- Gueinzi** White, Cat. Col. Brit. Mus. VII, 1853, p. 165, Natal
t. 4, f. 8. — Thoms. Classif. Ceramb. 1860, p. 171.
— Dist. Ins. Transv. 1904, p. 118, t. 10, f. 13.
- ab. rufithorax** Auriv. Ent. Tidskr. VIII, 1887, p. 195. Damara
- janthina** Kolbe, Stett. Ent. Zeit. LV, 1894, p. 59. Dukifluss
- latipes** Degeer, Mém. Ins. VII, 1778, p. 655, t. 49, f. 3. Kapland,
— Herbst in Füessly, Archiv VII, 1786, p. 169, Südafrika
t. 45, f. 11. — F. Ent. Syst. I, 2, 1792, p. 254. bis Angola
— Ol. Ent. IV, 67, 1795, p. 35, t. 16, f. 116. —
Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 58. — Dist. Ins. Transv. 1904, p. 119, t. 10, f. 16. — Heyne, Exot. Käfer 1906, p. 239, t. 36, f. 9.
- platypus** Gmel. Syst. Nat. IV, 1, 1790, p. 1827.
- Melanianthe** White, Cat. Col. Brit. Mus. VII, 1853, p. 165. Natal
- Rajrayi** Thoms. Rev. Mag. Zool. (3) V, 1877, p. 278; (3) VI, 1878, p. 68. Delagoa,
Zanzibar
- miriflea** Pasc. Journ. Ent. II, 1864, p. 286, t. 13, f. 4. Natal,
Holubi Dohrn, Stett. Ent. Zeit. XLII, 1881, p. 90. Transvaal
pretiosa Péring. Trans. S. Afr. Phil. Soc. (2) VI, bis Zambesi
1892, p. 130; Ann. S. Afr. Mus. I, 1899, p. 321.
— Dist. Ins. Transv. 1904, p. 119, t. 10, f. 17.
- nigricollis** Kolbe, Deutsch-Ostafrika, Col. IV, 1897, p. 301. Brit.-
Ostafrika
- pedatrix** Kolbe, l. c. Zanzibar
- petalophora** Fairm. Ann. Soc. Ent. Belg. XXVIII, 1884, p. 148; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 332. Ostafrika
- remex** Thoms. Syst. Ceramb. 1865, p. 568. Kafferland
- remipes** Thoms. l. c. p. 569. Südafrika
- semifulva** Bates, Cist. Ent. II, 1879, p. 396. Angola
- semianthina** Fairm. Faune et Flore Çomalis, Col. 1882, p. 98. Somali
- speciosa** Péring. Trans. S. Afr. Phil. Soc. (2) VI, 1892, p. 78. Deutsch-Süd-
westafrika
- triangularis** Auriv. Ent. Tidskr. VIII, 1887, p. 193, fig. Damaraland
- viridicostata** Fairm. Ann. Soc. Ent. Belg. XXVI, 1882, p. 54. Zanzibar

17

Phylloenemida Péring.

Péring. Ann. S. Afr. Mus. I, 1899, p. 321.

- manicana** Péring. l. c. Manicaland

1

Mecosaspis Thoms.

Thoms. Syst. Ceramb. 1864, p. 172. — Jord. Nov. Zool. I, 1894, p. 159.

Mecospis Lacord. Gen. Col. IX, 1869, p. 12.

Mecothyrea Kolbe, Deutsch-Ost-Afrika, Col. IV, 1897, p. 300.

- atripennis* Hope, Ann. Nat. Hist. XI, 1843, p. 368. Sierra Leone
auratipennis Kolbe, Berl. Ent. Zeitschr. XLV, 1900, p. 302. Ostafrika
Büttneri Kolbe, Stett. Ent. Zeit. L, 1889, p. 132. Congo
chalybeata White, Cat. Col. Brit. Mus. VII, 1853, p. 159. Westafrika
chrycina Bates, Cist. Ent. II, 1879, p. 397. Sierra Leone
chrysogaster Bates, l. c. p. 398. Kamerun
Croesus Bates, l. c. p. 399. Gabun
dives Pasc. Trans. Ent. Soc. Lond. 1888, p. 495. Delagoa-Bay
explanata Bates, Cist. Ent. II, 1879, p. 399. Kamerun
femoralis Hintz, Deutsche Ent. Zeitschr. 1910, p. 305. Togo
femorata Auriv. Ent. Tidskr. XI, 1890, p. 205. Sierra Leone
fuliginosa Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 328. Quango
fuscoaenea Bates, Cist. Ent. II, 1879, p. 396. Kamerun
glabripennis Kolbe, Stett. Ent. Zeit. LV, 1894, p. 58; Mpororo
 Deutsch-Ostafrika IV, 1897, Col. p. 300.
laeta Hope, Ann. Nat. Hist. XI, 1843, p. 368. — Jord. Cap Palmas
 Nov. Zool. XVI, 1909, p. 311.
magnificae Jord. l. c. I, 1894, p. 160, t. 9, f. 6. Westafrika
Mapanjae Auriv. Ent. Tidskr. XI, 1890, p. 205. Kamerun
mina Gah. Trans. Ent. Soc. Lond. 1890, p. 305. Sierra Leone
peregrina Kolbe, Berl. Ent. Zeitschr. XLV, 1900, p. 302. Ostafrika
plicaticollis Quedf. l. c. XXVI, 1882, p. 327. Quango
plutina Bates, Cist. Ent. II, 1879, p. 397. Kamerun
Poggei Har. Col. Hefte XVI, 1879, p. 169. Angola
rufipes Jord. Nov. Zool. I, 1894, p. 161. Goldküste
 var. *chlorina* Auriv. Ent. Tidskr. XXIV, 1903, Kamerun
 p. 261.
rugosa Jord. Nov. Zool. I, 1894, p. 160. Goldküste
setulicollis Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 326. Quango
 — Bates, Proc. Zool. Soc. Lond. 1890, p. 486.
severa Thoms. Arch. Ent. II, 1858, p. 151. Gabun
strigicollis Kolbe, Ent. Nachr. XXII, 1896, p. 9; Deutsch- Usambara
 Ost-Afrika IV, 1897, Col. p. 300.
subvestita Bates, Cist. Ent. II, 1879, p. 398; Proc. Zool. Angola,
 Soc. Lond. 1890, p. 486. Congo
tubereulicollis Quedf. Berl. Ent. Zeitschr. XXXVI, 1891, Deutsch-
 p. 169. Ostafrika
violacea Thoms. Syst. Ceramb. 1864, p. 172. Großbassam
viridis Jord. Nov. Zool. I, 1894, p. 161. Congo
Whytei Gah. Proc. Zool. Soc. Lond. 1893 (1894), p. 742. Zentralafrika
Wittei Hintz, Deutsche Ent. Zeitschr. 1910, p. 305. Togo
xanthopus Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 328. Westafrika

34

Cumaltera Jord.

Jord. Nov. Zool. I, 1894, p. 162.

robusta Jord. l. c.

Congo

1

Dolichaspis Gah.

Gah. Trans. Ent. Soc. Lond. 1890, p. 306.

caesarea Auriv. Arkiv f. Zool. VII, 3, 1910, p. 11. Congo*scutellata* Gah. Trans. Ent. Soc. Lond. 1890, p. 306. Angola(= *simulatrix*?).*simulatrix* Pasc. Trans. Ent. Soc. Lond. 1888, p. 495. Westafrika*strigosa* Auriv. Arkiv f. Zool. VII, 3, 1910, p. 12. Goldküste

4

Synaptola Bates.

Bates, Cist. Ent. II, 1879, p. 400. — Jord. Nov. Zool. I, 1894, p. 162.

<i>armipes</i> Bates, Cist. Ent. II, 1879, p. 400.	Angola
<i>brevicornis</i> Bates, l. c.	Sierra Leone
<i>brevis</i> Jord. Nov. Zool. I, 1894, p. 163.	„
<i>chlorina</i> Bates, Cist. Ent. II, 1879, p. 401.	Kamerun
<i>cinereipes</i> Chevr. Rev. Mag. Zool. (2) VIII, 1856, p. 437; Cent. Longic. 1858, nr. 48. — Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 51.	Altealabar
<i>debilis</i> Kolbe, Stett. Ent. Zeit. LV, 1894, p. 59; Deutsch- Ostafrika IV, 1897, Col. p. 300, t. 4, f. 40.	Britisch- Ostafrika
<i>heterocnemis</i> Gerst. Monatsb. Berlin. Akad. 1855, p. 265; Peters' Reise Mossamb. Ins. 1862, p. 320, t. 19, f. 3.	Mossambik
<i>minor</i> Jord. Nov. Zool. I, 1894, p. 163.	Goldküste
<i>mutica</i> Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 62.	Togo
<i>obtusa</i> Bates, Cist. Ent. II, 1879, p. 401.	Gabun
<i>orientalis</i> Auriv. Arkiv f. Zool. III, 18, 1907, p. 10.	Ostafrika
<i>pubiventris</i> Jord. Nov. Zool. I, 1894, p. 163.	Kuilu
<i>rugulosa</i> Bates, Cist. Ent. II, 1879, p. 401.	Kamerun
<i>violacea</i> Auriv. Arkiv f. Zool. III, 18, 1907, p. 10.	Deutsch- Ostafrika

14

Hypatium Thoms.

Thoms. Syst. Ceramb. 1864, p. 172. — Lacord. Gen. Col. IX, 1869, p. 13.

<i>coeruleans</i> Fairm. Ann. Soc. Ent. Belg. XXVIII, 1884, p. 148; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 331.	Ostafrika
<i>cupreum</i> Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 58. — Dist. Ins. Transv. 1904, p. 119, t. 10, f. 19.	Natal
<i>Friesi</i> Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 58. — Dist. Ins. Transv. 1904, p. 120, t. 13, f. 7. — Auriv. Denkschr. Med.-Nat. Ges. Jena XIII, 1908, p. 431.	Natal, Transvaal, Damara- land
<i>opulentum</i> Klug, Doubl.-Verz. Seneg. Ins. 1842, p. 10. <i>nitidicolle</i> Guér. Icon. règne anim. Ins. 1844, p. 222. — Thoms. Syst. Ceramb. 1864, p. 172.	Senegal
<i>resplendens</i> Lansb. Notes Leyden Mus. VIII, 1836, p. 119.	Congo
<i>semiopacum</i> Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 151.	Somali
<i>splendidum</i> Gah. Trans. Ent. Soc. Lond. 1890, p. 306.	Deutsch- Ostafrika
<i>saturale</i> Auriv. Deutsche Ent. Zeitschr. 1908, p. 211, t. 3, f. 2.	Benguela

8

Mattania Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 147.

<i>maculicollis</i> Fairm. l. c.	Madagascar
----------------------------------	------------

1

Philematium Thoms.

- Thoms. Syst. Ceramb. 1864, p. 171. — Lacord. Gen. Col. IX, 1869, p. 16.
— Jord. Nov. Zool. I, 1894, p. 164.
- astaboricum** Thoms. Classif. Ceramb. 1860, p. 173. Weisser Nil
calcaratum Chev. Rev. Mag. Zool. (2) VIII, 1856, p. 341; Altcalabar
Centurie de Long. 1858, nr. 45. — Murr. Ann.
Mag. Nat. Hist. (4) VI, 1870, p. 47.
- Currori** White, Cat. Col. Brit. Mus. VII, 1853, p. 155. Congo
dives Har. Col. Hefte XVI, 1879, p. 168. Angola
femorale Ol. Enc. méth. V, 1790, p. 297; Ent. IV, 67, Maskarenen
1795, p. 29, t. 7, f. 45. — Cast. Hist. Nat. II,
1840, p. 436. — Thoms. Syst. Ceramb. 1864,
p. 171. — Künckel in Grandid. Hist. Madag. Col.
1890, t. 48, f. 11.
- albitarsum* F. Syst. El. II, 1801, p. 267.
albotarsum Weber, Obs. Ent. 1801, p. 86.
leucodactylum Chev. Ann. Soc. Ent. Fr. (4) Cuba
II, 1862, p. 25.
- festivum** F. Syst. Ent. 1775, p. 166. — Ol. Ent. IV, 67, Sierra Leone,
1795, p. 30, t. 7, f. 44; t. 18, f. 44 b. Guadeloupe
festum Gmel. Syst. Nat. I, 4, 1790, p. 1823.
- Greeffi** Karsch, Sitzb. Ges. Nat. Fr. Berlin 1881, p. 62. Insel
S. Thomé
Gabun
imperator Thoms. Archiv. Ent. II, 1858, p. 153. Sierra Leone
longiceps Jord. Nov. Zool. I, 1894, p. 165. Guadeloupe
Mocquerysi Jord. l. c. p. 164. Kuilu
natalense Bates, Cist. Ent. II, 1879, p. 402. Natal
albitarse Fährs. Öfvers. Vet. Akad. Förh. XXIX,
1, 1872, p. 59.
- nitidipenne** Gah. Trans. Ent. Soc. Lond. 1890, p. 307. Nyassa
sansibaricum Gerst. Archiv Naturgesch. XXXVII, 1871, Ostafrika
I, p. 77; Decken's Reise III, 2, 1873, p. 255,
t. 12, f. 4.
var. *transversale* Kolbe, Berl. Ent. Zeitschr. Mhonda
XLV, 1900, p. 303.
- virens** L. Syst. Nat. ed. 10, 1758, p. 391; Mus. Lud. Ur. Afrika? A. I.
1764, p. 73.

14

Otaromia Auriv.

Auriv. Arkiv f. Zool. VII, 19, 1910, p. 2.

lugubris Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, Shoa
p. 40.

1

Aromia Serv.

Serv. Ann. Soc. Ent. Fr. II, 1833, p. 559. — Muls. Col. Fr. Long. 1839,
p. 36; ed. 2, 1863, p. 75. — Cast. Hist. Nat. II, 1840, p. 436. — Redt. Gatt.
deutsch. Käferf. 1845, p. 108; Fauna Austr. 1849, p. 480; ed. 2, 1858, p. 843;
ed. 3, II, 1874, p. 398. — Bach, Käferfauna III, 1856, p. 10. — Thoms.
Syst. Ceramb. 1864, p. 419. — Lacord. Gen. Col. IX, 1869, p. 14. — Cox,
Handb. Col. II, 1874, p. 311. — Ganglb. Best.-Tab. VII, 1881, p. 10 (688).
— Bedel, Faune Col. Seine V, 1889, p. 6 (27). — Fowl. Col. Brit. Isl. IV,
1889, p. 220. — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 181. — Stierl.

Col. Helv. II, 1898, p. 461. — Everts, Col. Neerl. II, 1, 1901, p. 366, f. 104, I. — Csiki, Rov. Lapok XI, 1904, p. 36. — Houlb. Faune Armor. Ceramb. 1904, p. 51. — Reitter, Wien. Ent. Zeit. XXV, 1906, p. 275, 303 (Revision).

Callichroma Latr. Nouv. Dict. d'Hist. Nat. Deterv. ed. 2, V, 1816, p. 24 (ex parte); in Cuv. Règne anim. III, 1817, p. 341 (ex parte). — Schiödte, Nat. Tidskr. (3) II, 1864, p. 524. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 139. — Thoms. Skand. Col. VIII, 1866, p. 13.

Cerambyx Lam. Syst. Anim. sans Vert. 1801, p. 234.

Cerambyx Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 229.

- basifemorialis** Pic, Longic. IV, 1, 1902, p. 29. China
var. *distinctipes* Pic, l. c. V, I, 1904, p. 11; „
VIII, 1, 1911, p. 19.
- ✓ **Bungi** Fald. Mém. Acad. Petersb. II, 1835, p. 433, t. 5, f. 5. — Lacord. Gen. Col. IX, 1869, p. 15 nota. Mongolei,
— L. Heyd. Deutsche Ent. Zeitschr. XXX, 1886, Nordchina
p. 288. — Reitter, Revis. p. 276.
- coreana** Fairm. Notes Leyd. Mus. XIX, 1897, p. 232. Korea
- ✓ **cyanicornis** Guér. Icon. règne anim. Ins. 1844, p. 222. Nordchina
— Ganglb. Horae Soc. Ent. Ross. XXIV, 1890,
p. 75. — Reitter, Revis. p. 276, nota 1.
var. *ruficollis* Redt. Reise Novara, Col. 1868, Hongkong
p. 194.
- Faldermanni** Saund. Trans. Ent. Soc. Lond. (2) II, 1850, Ostsibirien,
p. 111, t. 4, f. 7. — Reitter, Revis. p. 277. Mongolei,
China
- ✓ **moschata** L. Syst. Nat. ed. 10, 1758, p. 391; Fauna Suec. Europa
ed. 2, 1761, p. 188. — Poda, Mus. Graec. 1761,
p. 32. — Scop. Ent. Carn. 1763, p. 51, f. 165.
— F. Syst. Ent. 1775, p. 165. — Bergstr. Nomencl.
I, 1778, p. 13, t. 2, f. 2. — Leske, Naturg. I,
1779, p. 428. — Barbut, Gen. Ins. Linn. 1781,
p. 54, t. 5, f. 22. — Schrank, Enum. Ins. 1781,
p. 131; Fauna Boica I, 2, 1798, p. 655. — Herbst
in Borowsky, Naturg. VI, 1784, p. 126. — Laich.
Verz. Tyrol. Ins. II, 1784, p. 10. — Rossi, Fauna
Etr. I, 1790, p. 140. — Ol. Enc. méth. Ins. V,
1790, p. 295; Ent. IV, 67, 1795, p. 23, t. 2, f. 7.
— Martyn, Engl. Ent. 1792, t. 24, f. 7. —
Donov. Brit. Ins. III, 1794, p. 60, t. 94, f. 2.
— Donndorff, Europ. Fauna VIII, 1799, p. 548.
— Payk. Fauna Suec. III, 1800, p. 53. — Marsh.
Ent. Brit. I, 1802, p. 327. — Bechst. & Scharfenb.
Forstins. I, 1804, p. 189. — Fischer, Entomogr.
Ross. II, 1824, p. 236, t. 48, f. 1. — Gyllenh.
Ins. Succ. I, 4, 1827, p. 47. — Steph. Ill. Brit.
Ent. Mand. IV, 1831, p. 229; Man. 1839, p. 270.
— Blanch. in Cuv. Règne anim. ed. Masson
1832, t. 65, f. 8. — Curt. Brit. Ent. XVI, 1839,
t. 738. — Muls. Col. Fr. Long. 1839, p. 37; ed. 2,
1862, p. 76. — Shuck. Brit. Col. 1840, p. 65, t. 74,
f. 4. — Cast. Hist. Nat. II, 1840, p. 436, t. 31,
f. 3. — Redt. Fauna Austr. 1849, p. 480; ed. 2,
1858, p. 843; ed. 3, II, 1874, p. 398. — Costa,
Fauna Napoli, Col. II, 1855, Longic. p. 24. —
Bach, Käferfauna III, 1856, p. 11. — Schiödte,
Nat. Tidskr. (3) II, 1864, p. 524. — C. G. Thoms.
Skand. Col. VIII, 1866, p. 14. — Cox, Handb.

- Col. II, 1874, p. 317. — Canglb. Best.-Tab. VII, 1882, p. 46 (724). — Bedel, Faune Col. Seine V, 1889, p. 28, 78. — Fowler, Col. Brit. Isl. IV, 1889, p. 221, t. 120, f. 2. — Seidl. Fauna Balt. ed. 2, 1891, p. 737; Fauna Transs. 1891, p. 829. — Stierl. Col. Helvet. II, 1898, p. 462. — Everts, Col. Neerl. II, 1, 1901 p. 367. — Csiki, Rov. Lapok XI, 1904, p. 123. — Houlb. Faune Armor. Ceramb. 1904, p. 51, f. 99. — Reitter, Revis. p. 275. — Jacobs. Käfer Russl. 1910, t. 68, f. 9.
- alata* Costa, Fauna Regn. di Napoli, Col. II, 1855, Longic. p. 25, t. 31, f. 5.
- chlorophana* Fischer, Entomogr. Ross. II, 1824, p. 237, t. 48, f. 5. — Motsch. Bull. Mosc. XVIII, 1845, p. 88, t. 3, f. 4.
- citrina* Voet, Cat. Col. II, 1778, p. 8, t. 6, f. 14.
- odorata* Degeer, Mém. Ins. V, 1775, p. 64.
- Biologie: Westw. Introd. Classif. Ins. I, 1839, p. 364, f. 44, 5—10. — Lefroy, Science Coss. 1873, p. 266, f. 170—171. — Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 266, f. 427, 428 (sep. p. 426). — Judeich, Forstins. II, 1, 1889, p. 579. — Planet, Natural. XII, 1890, p. 97, fig. — Xamb. Moeurs & Métam. VIII, 1902, p. 59.
- var. *ambrosiaca* Stev. Mém. Moscou II, 1809, p. 40. — Fischer, Entomogr. Ross. II, 1824, p. 236, t. 48, f. 2. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 41, f. 190. — Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 226. — Matsum. Thous. Ins. Japan III, 1908, nr. 702, t. 53, f. 1. — Reitter, Revis. p. 276.
- rosarum* Costa, Fauna Napoli, Col. II, 1855, Longic. p. 26, t. 31, f. 4.
- ab. *auctumnalis* Westh. Käfer Westf. 1881, p. 241. — Everts, Deutsche Ent. Zeitschr. 1910, p. 537.
- ab. *binæva* Reitter, Revis. p. 276.
- ab. *cuprata* Reitter, l. c. p. 275. — Pic, Longic. VIII, 1, 1911, p. 5.
- ab. *laevicollis* Reitter, Wien. Ent. Zeit. XXVI, 1907, p. 115.
- var. *melancholica* Reitter, l. c. XIV, 1895, p. 210; Revis. p. 276.
- ab. *nigra* Schilsky, Deutsche Ent. Zeitschr. 1889, p. 356. — Reitter, Revis. p. 275.
- ab. *nigrocyanæa* Reitter, Revis. p. 275.
- ab. *picipes* Reitter l. c.
- var. *thoracica* Fischer, Entomogr. Ross. II, 1824, p. 236, t. 48, f. 3, 4. — Reitter, Revis. p. 276.
- ambrosiaca* Germ. Fauna Ins. Eur. V, 1822, t. 8. — Muls. Col. Fr. Long. 1839, p. 37. — Jacobs. Käfer Russl. 1910, t. 68, f. 10.
- rosarum* Lucas, Explor. Algér. Col. 1849, p. 488, t. 41, f. 9.
- pruinosa* Reitter, Wien. Ent. Zeit. XXII, 1903, p. 233; XXV, 1906, p. 276.
- Thea* Reitter, l. c. XIII, 1894, p. 306; XXV, 1906, p. 275.

Spanien,
Kaukasus,
Sibirien,
Japan

Neapel,
Sicilien
Deutschland

Türkei
Mähren,
Bulgarien,
Ural

Talysch

Ungarn

Südfrankreich

Mähren
Südrußland,
Kaukasus,
Talysch

Algier

Kuldja

Azoren

Callichroma Latr.

Latr. Nouv. Diet. d'Hist. Nat. de Deterville ed. 2, V, 1816, p. 24; in Cuv. Règne anim. III, 1817, p. 341 (ex parte). — Serv. Ann. Soc. Ent. Fr. II, 1833, p. 556. — Cast. Hist. Ins. II, 1840, p. 436. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 37. — Thoms. Classif. Ceramb. 1860, p. 168 (ex parte); Syst. Ceramb. 1864, p. 170, 419. — Lacord. Gen. Col. IX, 1869, p. 15. — Leng, Ent. Amer. II, 1886, p. 60, 61. — Jord. Nov. Zool. I, 1894, p. 165. — Ross, Internat. Ent. Zeitschr. IV, 1910, p. 59 (Katalog).

Äthiopische Arten.

- adelpa** Thoms. Arch. Ent. II, 1858, p. 152. Gabun
afrum L. Mant. Plant. 1771, p. 532. — Drury, Ill. Exot. Sierra Leone,
 Ins. I, p. 88, t. 39, f. 4; Index 1773; ed. Westw. Goldküste,
 I, 1837, p. 84, t. 39, f. 4. — F. Syst. Ent. 1775, Kamerun
 p. 166. — Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 150.
assimile Hope, Ann. Mag. Nat. Hist. XI, 1843, p. 367.
atrum F. Syst. El. II, 1801, p. 268.
 var. *obsoletum* Jord. Nov. Zool. I, 1894, p. 165.
aureovittis Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 250; Usambara
 Deutsch-Ost-Afrika IV, 1897, Col. p. 302.
barbiventris Bates, Proc. Zool. Soc. Lond. 1890, p. 486. Zentralafrika
basale White, Cat. Col. Brit. Mus. VII, 1853, p. 157. Ashanti
Behanzini Lameere, Ann. Soc. Ent. Fr. LXII, 1893, p. 41. Assinien
calceatum Auriv. Ent. Tidskr. XXIV, 1903, p. 262. Kamerun
chrysoaspis Bates, Cist. Ent. II, 1879, p. 405. Gabun
chrysogrammum Chev. Rev. Mag. Zool. (2) VII, 1855, Altcalabar
 p. 514; Cent. Longic. 1858, nr. 33. — Thoms. Arch. Ent. II, 1858, p. 150. — Murray, Ann. Mag. Nat. Hist. (4) VI, 1870, p. 50.
collare Jord. Nov. Zool. I, 1894, p. 167, t. 9, f. 7. Kulu
coloratum Jord. l. c. p. 169. „
concentricale Jord. l. c. p. 166. „
conforme Har. Col. Hefte XVI, 1879, p. 170. Angola
Conradi Auriv. Arkiv f. Zool. III, 18, 1907, p. 9. Victoria-
 Nyansa
 Congo
Cranchi White, Cat. Col. Brit. Mus. VII, 1853, p. 156.
 — Duviv. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 336.
carinicolle Quedf. Berl. Ent. Zeitschr. XXXII, 1888, p. 198.
cyaneodorsis Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 61. Togo
cylindricum White, Cat. Col. Brit. Mus. VII, 1853, p. 167. Sierra Leone
discoidale Bates, Cist. Ent. II, 1879, p. 406. Loango
edentulum Jord. Nov. Zool. I, 1894, p. 170, t. 9, f. 8. Kulu
Emini Kolbe, Stett. Ent. Zeit. LV, 1894, p. 57; Deutsch-Ost-Afrika IV, Col. 1897, p. 302. Ituri
episcopale Chev. Rev. Mag. Zool. (2) VIII, 1856, p. 436; Altcalabar
 Cent. Longic. 1858, nr. 47. — Murray, Ann. Mag. Nat. Hist. (4) VI, 1870, p. 50.
fastuosum Goldf. Enum. Ins. 1805, p. 43, t. 1, f. 7. Kapland
fragrans Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. Sierra Leone
 p. 150. — Bates, Proc. Zool. Soc. Lond. 1890, p. 485.

- fuligineum** Gah. Trans. Ent. Soc. Lond. 1890, p. 308. — Lesne in Duchesne, Mission Ethiopie II, 1909, p. 104, t. 11, f. 2. — *nigrans* Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 40; XXXVIII, 1894, p. 395. Abessinien
- fucosum** Quedf. Berl. Ent. Zeitschr. XXVII, 1883, p. 134, t. 1, f. 3. Chinchoxo
- gabonicum** Thoms. Arch. Ent. II, 1858, p. 158; Classif. Ceramb. 1860, p. 172 (Genus?). Gabun
- igneicolle** Hope, Ann. Mag. Nat. Hist. XI, 1843, p. 368. — Jord. Nov. Zool. XVI, 1909, p. 311. Ashanti
— *imitator* Jord. l. c. I, 1894, p. 168.
- ituricum** Kolbe, Stett. Ent. Zeit. LV, 1894, p. 57; Deutsch-Ost-Afrika IV, Col. 1897, p. 302. Ituri
- lamproderum** Bates, Cist. Ent. II, 1879, p. 405. Lagos
- leucoraphis** Gerst. Monatsb. Berlin. Akad. 1855, p. 265; Peters' Reise Mossamb. Ins. 1862, p. 320, t. 19, f. 4. Mossambik,
Angola
- longinum** Har. Col. Hefte XVI, 1879, p. 170. Angola
- longissimum** Bates, Cist. Ent. II, 1879, p. 406. Kamerun
- micans** F. Syst. El. II, 1801, p. 267. — Lacord. Gen. Col. IX, 1869, p. 16, nota 3.
- mucheia** Thoms. Arch. Ent. II, 1858, p. 151. Gabun
- nyassae** Bates, Trans. Ent. Soc. Lond. 1878, p. 191. — Dist. Ins. Transv. 1904, p. 119, t. 10, f. 18. Nyassaland,
Transvaal
- obscuricorne** Chevr. Rev. Mag. Zool. (2) X, 1858, p. 52; Cent. Longic. 1858, nr. 80. — Thoms. Arch. Ent. II, 1858, p. 151. — Murray, Ann. Mag. Nat. Hist. (4) VI, 1870, p. 49. Altcabar
- parallelipenne** Quedf. Berl. Ent. Zeitschr. XXXII, 1888, p. 200. Zentralafrika
- piliventre** Bates, Cist. Ent. II, 1879, p. 405; Proc. Zool. Soc. Lond. 1890, p. 486. Gabun
- prolixum** Bates, Cist. Ent. II, 1879, p. 406. Angola
- rhodoseelis** Jord. Nov. Zool. X, 1903, p. 193. Insel
St. Thomé
- rufipes** Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 62. Togo
- rugosum** nov. nom. — *rugicolle* Quedf. Berl. Ent. Zeitschr. XXXII, 1888, p. 199. " Zentralafrika
- Schubotzi** Hintz, Wiss. Ergebn. Deutschen Zentr.-Afr.-Exped. III, 1911, p. 430. Ituri
- semiigneum** Auriv. Arkiv f. Zool. III, 18, 1907, p. 9. Ostafrika
- simulatum** Chevr. Rev. Mag. Zool. (2) VIII, 1856, p. 342; Cent. Longic. 1858, nr. 46. — Murray, Ann. Mag. Nat. Hist. (4) VI, 1870, p. 48. Altcabar
- sinuatocolle** Thoms. Arch. Ent. II, 1858, p. 155. Gabun
- Sjöstedti** Auriv. Ent. Tidskr. XXIV, 1903, p. 263. Kamerun
- socium** Jord. Nov. Zool. I, 1894, p. 166. "
- speciosum** Gory in Guér. Icon. règne anim. Ins. 1844, p. 220, t. 43, f. 6. Kapland
— *capense* Péring. Trans. S. Afr. Phil. Soc. IV, 1888, p. 178.
- Goryi* White, Cat. Col. Brit. Mus. VII, 1853, p. 166.
- hottentottum* Buq. in Guér. Icon. règne anim. Ins. 1844, p. 221. — Bates, Cist. Ent. II, 1879, p. 419. — Péring. Ann. S. Afr. Mus. III, 1904, p. 297.
- subbasale** Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 62. Togo
- sulcatulum** White, Cat. Col. Brit. Mus. VII, 1853, p. 155. Sierra Leone

- tricolor Jord. Nov. Zool. I, 1894, p. 169. Congo
 Venus Thoms. Arch. Ent. II, 1858, p. 152. Gabun
 Vethi Lansb. Notes Leyd. Mus. VIII, 1886, p. 117. Ostafrika
 virescens Jord. Nov. Zool. I, 1894, p. 167. Goldküste

Amerikanische Arten.

- aureotinetum Bates, Trans. Ent. Soc. Lond. 1870, p. 335; Biol. C.-Amer. Col. V, 1880, p. 46; 1885, p. 292. Santarem
 ✓ auricomum L. Syst. Nat. ed. 12, 1767, p. 629. — Voet, Cayenne,
 Cat. Col. II, 1778, p. 13, t. 10, f. 42, 43; ed. Panzer Surinam,
 III, 1794, p. 31. — Gronov. Zoophyl. p. 161, Amazon.
 nr. 534, t. 16, f. 1; Index 1781.
 suturale F. Spec. Ins. I, 1781, p. 212. — Ol. Ent. IV, 67, p. 25, t. 6, f. 40. — Latr. Gen. Crust. et Ins. III, 1807, p. 38. — Cast. Hist. Nat. II, 1840, p. 436. — Bates, Trans. Ent. Soc. Lond. 1870, p. 333.
 ✓ Batesi Gah. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 118. Costa Rica
 cosmicum Bates, Trans. Ent. Soc. Lond. 1872, p. 186.
 Bouvieri Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 72. Goyaz
 brachiale Bates, l. c. 1870, p. 334. Amazon.
 Buckleyi Bates, Cist. Ent. II, 1879, p. 405. Ecuador
 buprestoides Bates, Biol. C.-Amer. Col. V, 1885, p. 293. Mexico
 chilense Blanch. in Gay, Hist. Chile, Zool. V, 1851, Chile
 p. 465, t. 29, f. 2. — Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 487.
 ✓ chiriquinum Bates, Cist. Ent. II, 1879, p. 402. Chiriqui
 Chloe Goun. Bull. Soc. Ent. Fr. 1911, p. 167. Bahia
 ✓ chloropus Bates, l. c. p. 404. Venezuela
 cobaltinum J. Lee. Smiths. Misc. Coll. XI, 264, 1873, p. 195. Californien
 — Leng, Ent. Amer. II, 1886, p. 61.
 coeruleum Achard, Bull. Soc. Ent. Fr. 1910, p. 280. Guyana
 corvinum Burma. Stett. Ent. Zeit. XVI, 1865, p. 169; XL, Argentina
 1879, p. 199.
 cosmicum White, Cat. Col. Brit. Mus. VII, 1853, p. 158. — Honduras
 Bates, Biol. C.-Amer. Col. V, 1880, p. 46, t. 5, f. 8.
 ✓ cyanomelas White, Cat. Col. Brit. Mus. VII, 1853, p. 164. Guatemala,
 — Bates, Biol. C.-Amer. Col. V, 1880, p. 46, t. 5, Nicaragua
 f. 10.
 distinguendum Goun. Bull. Soc. Ent. Fr. 1911, p. 165. Südbrasilien
 elegans Ol. Enc. méth. Ins. V, 1790, p. 298; Ent. IV, 67, Insel Grenada
 1795, p. 26, t. 5, f. 35. — F. Ent. Syst. I, 2, 1792, p. 254. — Gah. Trans. Ent. Soc. Lond. 1895, p. 113.
 var. *Gahani* nov. var.
elegans var. Gah. l. c.
 equestre Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 68. Insel
 var. *aterrimum* Goun. l. c. p. 70 nota. Dominica
 var. *subnitescens* Goun. l. c. p. 69 nota. Südbrasilien
 Sao Paulo
 Euthalia Bates, Cist. Ent. II, 1879, p. 403. Venezuela
 Gounellei Achard, Bull. Soc. Ent. Fr. 1910, p. 279. Guyana
 gracilipes Bates, Cist. Ent. II, 1879, p. 404. — Goun. Ann. Paran
 Soc. Ent. Fr. LXXX, 1911, p. 75.
 ✓ holochlorum Bates, Trans. Ent. Soc. Lond. 1872, p. 185; Guatemala,
 Biol. C.-Amer. Col. V, 1880, p. 46, t. 5, f. 9. Nicaragua,
 Costa Rica

- Iris** Taschenb. Zeitschr. ges. Naturw. I, 1870, p. 194.
purpuratum Lameere, Ann. Soc. Ent. Belg. XXVIII, 1884, p. 106. — Bates, Biol. C.-Amer. Col. V, 1885, p. 292.
- melancholicum** Bates, Trans. Ent. Soc. Lond. 1872, p. 186
 nota; Biol. C.-Amer. Col. V, 1885, p. 292. — Leng, Ent. Amer. II, 1886, p. 61.
ab. rufovarium nov. ab.
melancholicum var. Bates, Biol. C.-Amer. Col. V, 1885, p. 292.
- neglectum** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 70 fig.
- nigricans** Auriv. Arkiv f. Zool. V, 1, 1909, p. 2.
- novella** Bates, Biol. C.-Amer. Col. V, 1885, p. 293.
- oereatum** Bates, Trans. Ent. Soc. Lond. 1870, p. 335.
- opiparum** Bates, l. c. 1874, p. 222.
- phyllopus** Buq. in Guér. Ieon. règne anim. Ins. 1844, p. 220.
- plicatum** J. Lee. Proc. Acad. Philad. VI, 1853, p. 233. — Leng, Ent. Amer. II, 1886, p. 61.
- porphyrogenitum** Bates, Trans. Ent. Soc. Lond. 1870, p. 333.
- rufescens** Gah. l. c. 1895, p. 113.
aureotinctum ab. Bates, Biol. C.-Amer. Col. V, 1885, p. 292.
- sapphirum** Bates, Cist. Ent. II, 1879, p. 402; Biol. C.-Amer. Col. V, 1885, p. 291.
plicatum Bates, Biol. C.-Amer. Col. V, 1880, p. 45.
- sericeum** F. Ent. Syst. I, 2, 1792, p. 253. — Ol. Ent. IV, 67, 1792, p. 25, t. 5, f. 37. — Latr. Gen. Crust. et Ins. III, 1807, p. 38.
- spectabile** Voet, Cat. Col. II, 1778, p. 12, t. 10, f. 40; ed. Panzer III, 1794, p. 30, t. 10, f. 40.
- suaveolens** L. Syst. Nat. ed. 12, III, 1768, p. 224.
elegans Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 31.
splendidum J. Lee. Journ. Acad. Philad. (2) II, 1850, p. 37. — Leng, Ent. Amer. II, 1886, p. 61, t. 2, f. 4. — Hamilt. Canad. Ent. XXIV, 1892, p. 38.
ab. virescens Leng, Ent. Amer. II, 1886, p. 61.
- trilineatum** Bates, Cist. Ent. II, 1879, p. 403.
sericeum Heyne, Exot. Käfer 1906, p. 240, t. 36, f. 10.
- uniforme** Goun. Bull. Soc. Ent. Fr. 1911, p. 169.
- velutinum** F. Syst. Ent. 1775, p. 167. — Ol. Ent. IV, 67, p. 24, t. 6, f. 41.
- virens** Drury, Ill. Exot. Ins. I, p. 89, t. 40, f. 1; Index 1773. — F. Syst. Ent. 1775, p. 166 (ex parte). — Ol. Ent. IV, 67, 1795, p. 29, t. 11, f. 78; t. 18, f. 138. — Latr. Gen. Crust. et Ins. III, 1807, p. 38.
columbinum Guér. Rev. Zool. 1838, p. 282. — Jacq. du Val in Sagra, Hist. Cuba VII, 1857, p. 262, t. 10, f. 3.
- viridipes** Bates, Cist. Ent. II, 1879, p. 404.
- Ecuador
 Venezuela,
 Columbia,
 Panama
 Mexico,
 Honduras
 Guatemala
 Goyaz
 Bolivien
 Nicaragua
 Amazon.,
 Pebas
 Nicaragua
 Brasilien
 Texas
 Amazon.
 Guadeloupe,
 Insel
 St. Lucia,
 Mexico
 Mexico
 Tex.
 Brasilien
 Westindien
 Carolina
 und übrige
 Südstaaten
 Nord-
 amerikas
 Brasilien
 Südbrasilien
 Südamerika
 Jamaica,
 Cuba,
 Haiti
 Neugranada

- ✓ **vittatum** F. Syst. Ent. 1775, p. 166. — Ol. Ent. IV, 67, 1795, p. 32, t. 2, f. 10. — Latr. Gen. Crust. et Ins. III, 1807, p. 38. — Bates, Trans. Ent. Soc. Lond. 1870, p. 334 nota. — Gah. l. c. 1895, p. 112. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 74.
assimilatum White, Cat. Col. Brit. Mus. VII, 1853, p. 158.
aureum Gmel. Syst. Nat. I, 4, 1790, p. 1877.
ochropus Voet, Cat. Col. II, 1778, p. 12, t. 10, f. 41; ed. Panzer III, 1794, p. 30, t. 10, f. 41.
rugicolle Guér. Icon. règne anim. Ins. 1844, p. 220.
scitulum Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. 292.
viridiaureum Degger, Mém. Ins. V, 1775, p. 145, t. 15, f. 1.
 var. *electricum* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 74 nota. Argentina
xanthogastrum Bates, Biol. C.-Amer. Col. V, 1880, p. 45, t. 5, f. 11. Nicaragua
columbinum Bates, Trans. Ent. Soc. Lond. 1872, p. 186.

Indo-malayische Arten*).

- ✓ **bimaculatum** White, Cat. Col. Brit. Mus. VII, 1853, p. 165. — Lacord. Gen. Col. IX, 1869, p. 9, nota 2. China
 var. *Davidis* Deyr. Ann. Soc. Ent. Fr. (5) VIII, 1878, p. 132, t. 3, f. 8. — Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 60.
distinctum Nonfr. Deutsche Ent. Zeitschr. 1891, p. 275. Cochinchina
Provosti Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, Bull. p. 54; Rev. d'Ent. VI, 1887, p. 328. Peking
testaceipenne Rits. Notes Leyd. Mus. III, 1881, p. 153; Midden-Sumatra IV, 6, 1887, p. 131, t. 3, f. 3. Sumatra

104

Metallichroma Auriv.

Auriv. Ent. Tidskr. XXIV, 1903, p. 263.

- excellens** Auriv. l. c. Kamerun
 1

Cloniophorus Quedf.

- Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 332. — Jord. Nov. Zool. I, 1894, p. 170.
auricollis Thoms. Classif. Ceramb. 1860, p. 175. Natal
aurifer Jord. l. c. p. 171, t. 9, f. 10. Kulu
curvatoplicatus Jord. l. c. p. 172. Congo
Mechowi Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 333, t. 6, f. 1. Quango

*) Diese Arten gehören wahrscheinlich nicht zu *Callichroma*.

- parvus** Jord. Nov. Zool. I, 1894, p. 173 (= *Callichr. gabonicum* Thoms.). Kulu
plicatus Jord. l. c. p. 172. „
tricolor Jord. l. c. p. 171, t. 9, f. 9. „

7

Chloridolum Thoms.

Thoms. Syst. Ceramb. 1864, p. 174, 420. — Lacord. Gen. Col. IX, 1869, p. 18. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 583. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 190, 198. — Reitter, Wien. Ent. Zeit. XXV, 1906, p. 303.

- ✓ **accensum** Newm. Entomol. I, 1842, p. 246. Philippinen
 ✓ **addictum** Newm. l. c. p. 245. „
 ✓ **Alemene** Thoms. Syst. Ceramb. 1865, p. 568. — Gah. Assam,
 Fauna Brit. India, Col. I, 1906, p. 199. Birma
 Biologie: Maxw.-Lefr. Agric. Journ. India I, Andamanen
 1906, p. 129, fig.; Ind. Ins. Life 1909, p. 374,
 f. 253.
Bangi Reitter, Wien. Ent. Zeit. XIV, 1895, p. 209. Korea
batchianum Thoms. Syst. Ceramb. 1865, p. 569. Batjan
bivittatum White, Cat. Col. Brit. Mus. VII, 1853, p. 162. Butan,
 — Thoms. Syst. Ceramb. 1864, p. 175. — Gah. Assam,
 Fauna Brit. India, Col. I, 1906, p. 198. Manipur
borneense Auriv. Arkiv f. Zool. VII, 3, 1910, p. 13. Borneo
 ✓ **ceycinum** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Singapur
 p. 587.
cinderellum White, Cat. Col. Brit. Mus. VII, 1853, Neuholland
 p. 156.
 ✓ **cinnyris** Pasc. Proc. Zool. Soc. Lond. 1866, p. 518; Trans. Penang,
 Ent. Soc. Lond. (3) III, 1869, p. 587. — Gah. Birma,
 Fauna Brit. India, Col. I, 1906, p. 200. Java,
 Borneo
collare Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 589. Malacca
collinum Pasc. l. c. p. 585. „
concinatum Pasc. l. c. p. 588. Batjan,
 Amboina
 ✓ **cyanipes** Thoms. Syst. Ceramb. 1865, p. 569. Java
 ✓ **distinctum** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Saylee
 p. 594.
 ✓ **doryeum** Boisd. Voy. Astrol. Ins. II, 1835, p. 519, t. 8, Neuguinea:
 f. 4. — Pasc. Trans. Ent. Soc. Lond. (3) III, Dorey
 1869, p. 590.
ducale Newm. Charlesw. Mag. Nat. Hist. (2) IV, 1840,
 p. 367.
 ✓ **eupodum** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Ceram
 p. 593.
Everetti Bates, Cist. Ent. II, 1879, p. 408. Philippinen
factiosum Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Amboina
 p. 584.
japonicum Har. Stett. Ent. Zeit. XL, 1879, p. 335. Japan
 ab. *Achardi* Pic, Longic. VIII, 1, 1911, p. 19. Tsingtau
 ✓ **Klaësii** Rits. Notes Leyd. Mus. IX, 1887, p. 127; XI, Sumatra
 1889, p. 242.
 ✓ **litopoides** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Insel Kaioa
 p. 594.
melanaspis Pasc. l. c. p. 593. Buru

- ✓ *nympha* White, Cat. Col. Brit. Mus. VII, 1853, p. 161. — Gah. Fauna Brit. India, Col. I, 1906, p. 201, f. 77.
obscuripenne Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 592.
orientale Guér. Icon. règne anim. Ins. 1844, p. 220.
principale Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 583.
- ✓ *perlaetum* White, Cat. Col. Brit. Mus. VII, 1853, p. 161. — Gah. Fauna Brit. India, Col. I, 1906, p. 201.
- ✓ *phaëthus* White, Cat. Col. Brit. Mus. VII, 1853, p. 160.
praetorium Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 591.
promissum Pasc. l. c. p. 592.
radiatum Pasc. l. c. p. 586.
- rufescens* Pasc. l. c. p. 590.
rugatum Newm. Entomol. I, 1842, p. 246.
scytalicum Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 584.
Sieversi Ganglb. Horae Soc. Ent. Ross. XX, 1886, p. 135.
superbum Auriv. Deutsche Ent. Zeitschr. 1908, p. 212.
thaliodes Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 226. — Matsum. Thous. Ins. Jap. III, 1908, nr. 696, t. 52, f. 12 (non „11“).
- ✓ *Thomsoni* Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 24: (3) III, 1869, p. 586. — Shelf. Proc. Zool. Soc. Lond. 1902, 2, p. 282, t. 20, f. 46.
- ✓ *trogoninum* Pasc. l. c. (2) V, 1859, p. 24. — Gah. Fauna Brit. India, Col. I, 1906, p. 199.
- ✓ *viridipenne* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 588.
- vittigerum* Bates, Cist. Ent. V, 1879, p. 407.
 sp. Shelf. Proc. Zool. Soc. Lond. 1902, 2, p. 282, t. 20, f. 45.

Sikkim,
 Manipur
 Buru

Süd-
 molukken

Assam,
 Tenasserim
 Philippinen
 Amboina,
 Ceram
 Insel Kaioa
 Borneo:
 Sarawak
 Waigiu
 Philippinen
 Porneo:
 Sarawak
 Korea
 Salomonen
 Japan

Borneo

Ceylon

Borneo:
 Sarawak
 Cambodja
 Borneo

Leontium Thoms.

Thoms. Syst. Ceramb. 1864, p. 175, 420. — Gah. Fauna Brit. India. Col. I, 1906, p. 211.

- coeruleipenne* Thoms. Syst. Ceramb. 1865, p. 569.
Lameeri Pic, Ann. Soc. Ent. Belg. XLIV, 1900, p. 18.
plicatulum Auriv. Arkiv f. Zool. VII, 3, 1910, p. 13.
tenuipes Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, p. 64.
thalassinum Thoms. Syst. Ceramb. 1865, p. 569.
- ✓ *viride* Thoms. l. c. 1864, p. 175.
tenuatum Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 197. — Mats. Thous. Ins. Jap. III, 1908, nr. 735, t. 55, f. 9.

Ostasien
 China
 Borneo
 China
 Mindanao
 Japan

6

Amblyontium Bates.

Bates, Cist. Ent. II, 1879, p. 409.

inermis Bates, l. c. p. 410.

Borneo:
 Sarawak

1

Chelidonium Thoms.

- Thoms. Syst. Ceramb. 1864, p. 175, 420. — Gah. Fauna Brit. India, Col. I, 1906, p. 210.
- Leontium* Lacord. Gen. Col. IX, 1869, p. 19. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 595.
- ✓ **argentatum** Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 151. — Thoms. Syst. Ceramb. 1864, p. 176. — Gah. Fauna Brit. India, Col. I, 1906, p. 211. China, Assam, Südindien
- binotatum** Brongn. Nouv. Arch. Mus. Paris (3) III, 1892, p. 245, t. 10, f. 9. Siam
- ✓ **cinctum** Guér. Icon. règne anim. Ins. 1844, p. 220. — Gah. Fauna Brit. India, Col. I, 1906, p. 212. Südindien
- flavofasciatum** Blanch. in D'Orbigny, Dict. d'Hist. Nat. Atlas, Col. 1849, t. 12, f. 4 (= *cinctum*?). Patria?
- Gahani** Achard, Bull. Soc. Ent. Fr. 1911, p. 280. Sumatra
- ✓ **gibbicolle** White, Cat. Col. Brit. Mus. VII, 1853, p. 160. Assam, — Gah. Fauna Brit. India, Col. I, 1906, p. 213, f. 80. China
- optimum** Bates, Cist. Ent. II, 1879, p. 409. Laos
- pedestre** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 596. Ceram
- punctigerum** Pasc. l. c. p. 595. Singapur
- ✓ **quadricolle** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 226. Japan
- ✓ **sinense** Hope, Proc. Ent. Soc. Lond. 1842, p. 63; Ann. Mag. Nat. Hist. XI, 1843, p. 66; Trans. Ent. Soc. Lond. IV, 1845, p. 17. — Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 17; Fauna Brit. India, Col. I, 1906, p. 212. China, Birma, Sikkim
- sinicum** White, Cat. Col. Brit. Mus. VII, 1853, p. 159. Nordchina
- ✓ **venereum** Thoms. Syst. Ceramb. 1865, p. 568. Cambodja

13

Polyzonus Cast.

Cast. Hist. Nat. II, 1840, p. 438. — Thoms. Classif. Ceramb. 1860, p. 168; Syst. Ceramb. 1864, p. 420. — Lacord. Gen. Col. IX, 1869, p. 21. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 213.

- bizonatus** White, Cat. Col. Brit. Mus. VII, 1853, p. 171. Sikkim, — Gah. Fauna Brit. Ind. Col. I, 1906, p. 216, f. 81. Birma, Tenasserim, Siam
- brevipes** Gah. l. c. p. 217. Sikkim, Birma
- ✓ **cuprarius** Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 132. Yunnan
- democraticus** Lameere, Ann. Soc. Ent. Belg. XXXIV, 1890, Bull. p. 211. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 220. Ostindien: Kunbir
- Dohertyi** Jord. Nov. Zool. I, 1894, p. 114, t. 8, f. 4. Timor
- ✓ **fasciatus** F. Spec. Ins. I, 1781, p. 232. — Ol. Ent. IV, 68, 1795, p. 40, t. 3, f. 24. — Cast. Hist. Nat. II, 1840, p. 438. — Blessig, Horac. Soc. Ent. Ross. IX, 1872, p. 177. Sibirien
- bicinctus* Ol. Ent. IV, 67, 1795, p. 46, t. 21, f. 166.
- sibiricus* Gmel. Syst. Nat. I, 4, 1790, p. 1840. — Pallas, Icones Ins. III, 1793, t. F, f. 12.

- ✓ *flavocinctus* Gah. Ann. Mus. Genova XXXIV, 1895, p. 17; Fauna Brit. Ind. Col. I, 1906, p. 216. Birma, Tenasserim
- Laurae* Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 132. Yunnan
- meridionalis* Bates, Cist. Ent. II, 1879, p. 413. Hongkong
- ✓ *obtusus* Bates, l. c. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 218. Saigun
- ✓ *prasinus* White, Cat. Col. Brit. Mus. VII, 1853, p. 170. Südindien, Assam
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 219.
polyzonoides Thoms. Syst. Ceramb. 1865, p. 568.
- ✓ *saigonensis* Bates, Cist. Ent. II, 1879, p. 413. — Gah. Saigun
Fauna Brit. Ind. Col. I, 1906, p. 214.
- subtruncatus* Bates, Cist. Ent. II, 1879, p. 408. Hongkong
- ✓ *tetraspilus* Hope in Silberm. Rev. Ent. III, 1835, p. 71, t. 32. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 214. Assam, Manipur
- ✓ *quadrimaculatus* White, Cat. Col. Brit. Mus. VII, 1853, p. 170.
- ab. *macrospilus* Gah. Fauna Brit. Ind. Col. I, 1906, p. 216. Birma
- ab. *megaspilus* Gah. l. c. p. 215. Südindien
- ab. *microspilus* Gah. l. c. Assam
- Watsoni* Gah. l. c. p. 218. Birma

15

Anubis Thoms.

Thoms. Syst. Ceramb. 1864, p. 177, 420. — Lacord. Gen. Col. IX, 1869, p. 25. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 220.

Indomalayische Arten.

- bifasciatus* Newm. Entomol. I, 1842, p. 246. Philippinen
manillarum Chevr. Rev. Zool. 1838, p. 238.
- ✓ *bipustulatus* Thoms. Syst. Ceramb. 1865, p. 569. — Sikkim,
Gah. Fauna Brit. Ind. Col. I, 1906, p. 221. Birma, Siam, Malacca
- fimbriatus* Bates, Cist. Ent. II, 1879, p. 412. — Gah. Sikkim,
Fauna Brit. Ind. Col. I, 1906, p. 222. Birma, Cochinchina, Malacca
- ✓ *inermis* White, Cat. Col. Brit. Mus. VII, 1853, p. 171. Sikkim,
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 220, f. 82. Birma, Siam, Malacca, Südchina
- ✓ *rostratus* Bates, Cist. Ent. II, 1879, p. 412. — Gah. Birma,
Fauna Brit. Ind. Col. I, 1906, p. 221. Cochinchina
- unifasciatus* Bates, Cist. Ent. II, 1879, p. 412. Birma, Cochinchina

Afrikanische Arten.

- Bohemani* Gah. Proc. Zool. Soc. Lond. 1893 (1894), p. 744. Südafrika
- ✓ *clavicornis* F. Syst. Ent. 1775, p. 824. — Ol. Ent. IV, 68, 1795, p. 38, t. 3, f. 30. — Gah. Proc. Zool. Kapland, Natal, Soc. Lond. 1893 (1894), p. 744. — Dist. Ins. Transvaal

- Transv. 1904, p. 120, t. 10, f. 25. — Heyne, Exot. Käfer 1906, p. 240, t. 36, f. 16.
grossicornis Degeer, Mém. Ins. VII, 1778, p. 656, t. 49, f. 5. — Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 63.
sermaculatus White, Cat. Col. Brit. Mus. VII, 1853, p. 172.
sexnotatus Thunb. Mus. Nat. Acad. Upsal. IV, 1787, p. 57, t., f. 2. — Thoms. Syst. Ceramb. 1864, p. 177.
- dissitus* Bates, Cist. Ent. II, 1879, p. 412. Kaffernland
flavipennis Péring. Trans. S. Afr. Philos. Soc. IV, 1888, Zululand
p. 179.
frontalis Gah. Proc. Zool. Soc. Lond. 1893 (1894), p. 743. Zentralafrika
hexastictus Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 327. Deutsch-
Ostafrika
Gallaland
- immaculatus* Gestro, Ann. Mus. Genova XXXV, 1895, p. 418.
Mellyi White, Cat. Col. Brit. Mus. VII, 1853, p. 172. Natal,
— Dist. Ins. Transv. 1904, p. 120, t. 11, f. 2. Transvaal
pubicollis Pasc. Journ. Ent. II, 1863, p. 52. Natal
sealaris Pasc. l. c. p. 53. — Waterh. Aid identif. Ins. II, Kapland,
1890, t. 180, f. 7. — Gah. Proc. Zool. Soc. Lond. Natal,
1893 (1894), p. 744. — Dist. Ins. Transv. 1904, Transvaal
p. 121, t. 11, f. 4.

16

Oxyprosopus Thoms.

- Thoms. Syst. Ceramb. 1864, p. 177, 421. — Lacord. Gen. Col. IX, 1869, p. 20. — Jord. Nov. Zool. I, 1894, p. 175.
- angulicollis* Bates, Cist. Ent. II, 1879, p. 411. Kamerun
brevis Jord. Nov. Zool. I, 1894, p. 177. Congo
chloreus Bates, Cist. Ent. II, 1879, p. 410. Sierra Leone
coeruleus Ol. Enc. méth. V, 1790, p. 299; Ent. IV, 67, Senegal
1795, p. 33, t. 18, f. 140.
jucundus Guér. Rev. Zool. 1840, p. 108. — Thoms. Syst. Ceramb. 1864, p. 178.
- comis* Bates, Cist. Ent. II, 1879, p. 411. Kamerun
cylindricus Bates, l. c. p. 410. ”
Delagoae Dist. Ann. Mag. Nat. Hist. (7) III, 1899, p. 178. Delagoa
Fabricii Schönh. & Dalm. in Schönh. Syn. Ins. I, 3, Sierra Leone
1817, Append. p. 152.
- filiformis* Har. Col. Hefte XVI, 1879, p. 172. Angola
glaber Jord. Nov. Zool. I, 1894, p. 176. Loanda
Junodi Dist. Ann. Mag. Nat. Hist. (7) I, 1898, p. 380. Delagoa
latus Quef. Berl. Ent. Zeitschr. XXVI, 1882, p. 329. Angola
lutulentus Har. Col. Hefte XVI, 1879, p. 172. ”
myrtaceus Jord. Nov. Zool. I, 1894, p. 176. Loanda
protractus Bates, Cist. Ent. II, 1879, p. 411. Mossambik
speciosus Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. Sierra Leone
p. 153.
carbonarius Hope, Ann. Mag. Nat. Hist. XI, 1843, p. 368.
- viola* Jord. Nov. Zool. I, 1894, p. 175. Goldküste

17

Rhopalizida Jord.

Jord. Nov. Zool. I, 1894, p. 177.

viridana Jord. l. c. t. 9, f. 11.

Kuilu

1

Rhopaligus Thoms.

Thoms. Syst. Ceramb. 1864, p. 179, 421. — Lacord. Gen. Col. IX, 1869, p. 17. — Jord. Nov. Zool. I, 1894, p. 178.

aureolineatus Jord. l. c.

Gabun

Buchneri Quedf. Berl. Ent. Zeitschr. XXVII, 1883, p. 143, t. 1, f. 9.

Lunda

chlorolineatus Quedf. l. c. XXVI, 1882, p. 330.

Quango

cinetus Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 59.

Kaffernland

coloratus Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 329.

Quango

euporidus Jord. Nov. Zool. I, 1894, p. 178.

Kuilu

laetus Lameere, Ann. Soc. Ent. Fr. LXII, 1893, p. 41.

Goldküste

nigripes Chev. Arch. Ent. II, 1858, p. 241, t. 14, f. 1.

Gr. Bassam

nitens F. Spec. Ins. I, 1781, p. 211. — Ol. Ent. IV, 67, 1795, p. 31, t. 15, f. 107. — Latr. Gen. Crust. et Ins. III, 1807, p. 38. — Bates, Cist. Ent. II, 1879, p. 419.

Westafrika

afer Voet, Cat. Col. II, 1778, p. 9 (ex parte), t. 6, f. 15.*Chevolati* Thoms. Arch. Ent. II, 1858, p. 153;

Syst. Ceramb. 1864, p. 179.

clavipes White, Cat. Col. Brit. Mus. VII, 1853, p. 152.*punctulatus* Thoms. Arch. Ent. II, 1858, p. 154.

Gabun

viridescens Thoms. l. c.

„

11

Closteropus Guér.

Guér. Icon. règne anim. Ins. 1844, p. 222. — Thoms. Syst. Ceramb. 1864, p. 169, 418. — Lacord. Gen. Col. IX, 1869, p. 18. — Bates, Cist. Ent. II, 1879, p. 419.

argentatus Bates, l. c. p. 418.

Venezuela

blandus Guér. Icon. règne anim. Ins. 1844, p. 223. — Thoms. Syst. Ceramb. 1864, p. 169.

Brasilien

speciosus Klug, Nova Acta Acad. Nat. Cur. XII, 1825, p. 457, t. 43, f. 12.

„

3

Euporus Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 20. — Cast. Hist. Nat. II, 1840, p. 440. — Thoms. Classif. Ceramb. 1860, p. 167; Syst. Ceramb. 1864, p. 422. — Lacord. Gen. Col. IX, 1869, p. 28. — Jord. Nov. Zool. I, 1894, p. 179.

Phrosyne Murray, Ann. Mag. Nat. Hist. (4) VI, 1870, p. 162.*albierus* Auriv. Deutsche Ent. Zeitschr. 1907, p. 77.

Kamerun

amabilis Hope, Ann. Mag. Nat. Hist. XI, 1843, p. 368. — Jord. Nov. Zool. XVI, 1909, p. 311.

Cap Palmas

- amethystinus* Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 332. Quango
- brevicornis* F. Syst. Ent. 1775, p. 169. — Ol. Enc. méth. V, 1790, p. 368; Ent. IV, 70, 1795, p. 24, t. 2, f. 22. — Murray, Ann. Mag. Nat. Hist. (4) VI, 1870, p. 162. — Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 331. Sierra Leone, Altecalabar, Kamerun, Gabun, Congo
- cyanicornis* F. Ent. Syst. Suppl. 1798, p. 142.
- disparilis* Chevr. Rev. Mag. Zool. (2) VIII, 1856, p. 571; Cent. Longic. 1858, nr. 64. — Thoms. Arch. Ent. II, 1858, p. 157.
- callichromoides* Pasc. Journ. Ent. II, 1864, p. 288. Natal
- conrattiellus* Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 252. Usambara
- gracilipes* Dalm. in Schönh. Syn. Ins. I, 3, 1817, p. 155. Sierra Leone
- ignicolis* Pasc. Journ. Ent. II, 1864, p. 287. — Waterh. Aid identif. Ins. II, 1890, t. 180, f. 6. Natal
- illaesicollis* Quedf. Berl. Ent. Zeitschr. XXVII, 1883, p. 143. Lunda
- itimbiensis* Duviv. Ann. Soc. Ent. Belg. XXXV, 1891, Bull. p. 388; XXXVI, 1892, p. 337. Congo
- liobasis* Bates, Cist. Ent. II, 1879, p. 417. Sierra Leone
- melasomus* Thoms. Arch. Ent. II, 1858, p. 159. Gabun
- nasutus* Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 331. Quango
- partitus* Gerst. Jahrb. Hamb. Wiss. Anst. I, 1884, p. 60. Pangani
- plagiatus* Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 154. — Lacord. Gen. Col. IX, 1869, p. 29 nota. Sierra Leone
- poriferus* Bates, Cist. Ent. II, 1879, p. 417. Ogowe
- similis* Jord. Nov. Zool. I, 1894, p. 180. Kuilu
- simplex* Har. Col. Hefte XVI, 1879, p. 173. Angola
- singularis* Jord. Nov. Zool. I, 1894, p. 179. Congo
- strangulatus* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 21. — Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 331. — Jord. Nov. Zool. I, 1894, p. 179; XVI, 1909, p. 311. Kamerun, Gabun, Congo, Angola
- chrysocollis* Hope, Ann. Mag. Nat. Hist. XI, 1843, p. 368.
- resplendens* Newm. Entomol. Mag. V, 1838, p. 496.
- tricolor* Har. Col. Hefte XVI, 1879, p. 171. — Dohrn, Stett. Ent. Zeit. XLIII, 1882, p. 252. Zentralafrika
- ab. *purpureipes* Bates, Proc. Zool. Soc. Lond. 1890, p. 487.
- tenellus* Bates, Cist. Ent. II, 1879, p. 418. Lagos
- torquatus* Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 153. Sierra Leone
- viridis* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 21. — Lacord. Gen. Col. IX, 1869, p. 29 nota. Madagascar, Deutsch-Ostafrika

Eulitopus Bates.

- Bates, Cist. Ent. II, 1879, p. 407. — Jord. Nov. Zool. I, 1894, p. 174.
- debilis* Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika-Exped. III, 1911, p. 430. Ruwenzori
- glabrieollis* Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 52. — Jord. Nov. Zool. I, 1894, p. 174. Altecalabar
- ab. *gracilis* Jord. l. c. Kuilu

- seminitidus* Quedf. Berl. Ent. Zeitschr. XXVII, 1883, p. 135. — Jord. Nov. Zool. I, 1894, p. 174. Kuilu,
Loanda
sphinx Dohrn, Stett. Ent. Zeit. XXXVII, 1876, p. 126. Liberia
— Quedf. Berl. Ent. Zeitschr. XXVII, 1883,
p. 136.
tenuis Jord. Nov. Zool. I, 1894, p. 174. Kuilu
6

Nothopygus Lacord.

Lacord. Gen. Col. IX, 1869, p. 22.

- Mniszechi* Lacord. l. c. nota 3. Sierra Leone
speciosus Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 334; Quango
XXVII, 1883, t. 1, f. 11.

2

Litopus Serv.

Serv. Ann. Soc. Ent. Fr. II, 1833, p. 563. — Cast. Hist. Nat. II, 1840,
p. 437. — Thoms. Classif. Ceramb. 1860, p. 167, 170; Syst. Ceramb. 1864,
p. 421. — Lacord. Gen. Col. IX, 1869, p. 23. — Jord. Nov. Zool. I, 1894,
p. 180.

- aequalis* Kolbe, Berl. Ent. Zeitschr. XLV, 1900, p. 300. Ostafrika
atrovirens Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. Afrika
p. 151.
azurescens Gestro, Ann. Mus. Genova XXXV, 1895, Britisch-
p. 420. Ostafrika
caffer Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, Kaffernland
p. 60.
damarensis Auriv. Arkiv f. Zool. III, 18, 1907, p. 11. Damaraland
dispar Thoms. Classif. Ceramb. 1860, p. 171. — Chev. Natal,
Journ. Ent. I, 1861, p. 246. — Dist. Ins. Transv. Transvaal
1904, p. 120, 160, t. 10, f. 23.
elegans Gestro, Ann. Mus. Genova XXXV, 1895, p. 419. Gallaland
ianthincornis Kolbe, Berl. Ent. Zeitschr. XLV, 1900, Deutsch-
p. 299. Ostafrika
impressicollis Lansb. Notes Leyd. Mus. VIII, 1886, p. 118. Westafrika
laevicollis Auriv. Arkiv f. Zool. III, 18, 1907, p. 12. Deutsch-
Ostafrika
latipes F. Mant. Ins. I, 1787, p. 148. — Gmel. Syst. Nat. Kapland
I, 4, 1790, p. 1840.
ater Ol. Enc. méth. Ins. V, 1790, p. 309; Ent. IV, 70, 1795, p. 8, t. 2, f. 25; t. 3, f. 32. — F.
Ent. Syst. I, 2, 1792, p. 256. — [Zchach, Mus.
Lesk. 1788, p. 25, t. 1, f. 554.]
longitarsis Auriv. Arkiv f. Zool. III, 18, 1907, p. 11. Deutsch-
Ostafrika
patricius Gerst. Jahrb. Hamb. Wiss. Anst. I, 1884, p. 60. Pangani
semiopacus Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, Tanganjika
p. 331.
superbus Lameere, Ann. Soc. Ent. Fr. LXII, 1893, p. 41. Assinie
suturalis Péring. Trans. S. Afr. Philos. Soc. (2) VI, 1892, Kapland,
p. 131. Natal
violaceus Serv. Ann. Soc. Ent. Fr. II, 1833, p. 563. Kapland
virens Jord. Nov. Zool. I, 1894, p. 180. Kuilu

18

Eximia Jord.

Jord. Nov. Zool. I, 1894, p. 181.

tricolor Jord. l. c. t. 9, f. 13.

Congo

1

Hospes Jord.

Jord. Nov. Zool. I, 1894, p. 182.

gracilis Jord. l. c. p. 183.

Kuilu

hypocritidus Jord. l. c. p. 184.

Congo

nitidicollis Jord. l. c. p. 182, t. 9, f. 12.

Kuilu

punctatus Jord. l. c. p. 183.

”

4

Mombasius Bates.

Bates, Cist. Ent. II, 1879, p. 417. — Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 250.

frontalis Bates, Cist. Ent. II, 1879, p. 417.

Mombassa

gracilentus Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 251.

Usambara

2

Philomeces Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 251.

integricollis Kolbe, l. c.

Usambara

1

Promecidus Fährs.

Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 62.

chalybeatus White, Cat. Col. Brit. Mus. VII, 1853, p. 169.

Kapland,

— Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1,
1872, p. 62.

Natal

1

Promeces Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 27. — Cast. Hist. Nat. II, 1840, p. 437. — Thoms. Classif. Ceramb. 1860, p. 167; Syst. Ceramb. 1864, p. 421. — Lacord. Gen. Col. IX, 1869, p. 24.

auratus Pasc. Trans. Ent. Soc. Lond. 1888. p. 495.

Kapland

austerus Pasc. l. c. p. 496.

Natal

linearis L. Syst. Nat. ed. 10, 1758, p. 399.

Kapland

fusiformis Degeer, Mém. Ins. VII, 1778, p. 657,
t. 49, f. 7.*longipes* F. Syst. Ent. 1775, p. 824. — Ol. Ent.
IV, 70, 1795, p. 28, t. 1, f. 3. — Cast. Hist.
Nat. II, 1840, p. 437.*virescens* Gmel. Syst. Nat. I, 4, 1790, p. 1858.*viridis* Schaller, Abh. Nat. Ges. Halle I, 1783,
p. 295.

- purpuratus** White, Cat. Col. Brit. Mus. VII, 1853, p. 170. Südafrika
 — Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1,
 1872, p. 60.
iris Pasc. Journ. Ent. II, 1864, p. 288.
velox Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, Kaffernland
 p. 61.
 5

Litomeces Murr.

Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 53.

- splendidus** Chev. Arch. Ent. II, 1858, p. 243, t. 14, Altcabar
 f. 2. — Murr. Ann. Mag. Nat. Hist. (4) VI, 1870,
 p. 53.
 1

Closteromerus Thoms.

Thoms. Classif. Ceramb. 1860, p. 169; Syst. Ceramb. 1864, p. 421. —
 Gah. in Dist. Ins. Transv. 1904, p. 122.

Hypocrites Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872,
 p. 62. — Bates, Cist. Ent. II, 1879, p. 414.

- alveolatus** Bates, Cist. Ent. II, 1879, p. 416. Kapland
ambiguus Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, Kaffernland
 1872, p. 63. — Bates, Cist. Ent. II, 1879, p. 414.
aureovittatus Auriv. Arkiv f. Zool. I, 1904, p. 316. Usambara
claviger Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. Kapland,
 p. 155. Natal,
viridis Pasc. Journ. Ent. II, 1863, p. 53. — Lacord. Transvaal,
 Gen. Col. IX, 1869, p. 24, nota 2. — Waterh. Matabele-
 Aid identif. Ins. II, 1890, p. 180, f. 5. — Dist. land,
 Ins. Transv. 1904, p. 121, t. 11, f. 1. Mashuna-
 land
consimilis Gah. Bull. Mus. Paris XV, 1909, p. 72. Brit.-
 Ostafrika
crassicornis Gestro, Ann. Mus. Civ. Genova (2) XII, 1892, Somaliland
 p. 785.
cyanellus Bates, Cist. Ent. II, 1879, p. 416. — Gah. Natal
 Bull. Mus. Paris XV, 1909, p. 73.
longicollis Pasc. Trans. Ent. Soc. Lond. 1888,
 p. 496.
Dejeani Dist. Ann. Mag. Nat. Hist. (7) I, 1898, p. 370; Kapland,
 Ins. Transv. 1904, p. 121, t. 11, f. 3. Transvaal
dilaticornis Auriv. in Sjöstedt, Kilimandj. Exped. VII, Meruberg
 Col. 1908, p. 144, f. 3c.
discors Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 150. Ostafrika
discretus Auriv. in Sjöstedt, Kilimandj. Exped. VII, Col. Kilimandjaro
 1908, p. 143, f. 3a.
fulvipes Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, Natal,
 p. 61. — Dist. Ins. Transv. 1904, p. 121, t. 11, f. 6. Transvaal
geniculatus Har. Monatsb. Akad. Wiss. Berlin 1880, Brit.-
 p. 266. — Fairm. Ann. Soc. Ent. Fr. (6) VII, Ostafrika
 1887, p. 330.
gracilis Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, Südafrika
 p. 63.
imperialis White, Cat. Col. Brit. Mus. VII, 1853, p. 168. Natal
 21*

- janthnicornis* Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 329. Deutsch-Ostafrika
- Kraussi* White, Cat. Col. Brit. Mus. VII, 1853, p. 169. Natal
- laevipes* Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 329. Somaliland
- Leprieuri* Buq. in Guér. Icon. règne anim. Ins. 1844, p. 222. Senegal
- longicollis* Har. Monatsb. Akad. Wiss. Berlin 1888, p. 266. Brit.-
- Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 330. Ostafrika
- manicatus* Bates, Cist. Ent. II, 1879, p. 415. Natal
- matabeleus* Péring. Ann. S. Afr. Mus. I, 1899, p. 322. Zambezi
- mendax* Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 62. Südafrika
- nitens* Jord. in Dist. Ins. Transv. 1906, p. 161, t. 16, f. 12. Transvaal
- obtusipennis* Bates, Cist. Ent. II, 1879, p. 415. Delagoa
- pauper* Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 61. — Bates, Cist. Ent. II, 1879, p. 414. Südafrika
- porphyrio* Bates, l. c.
- pretiosus* Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 328. Linpopo
- puncticollis* Gestro, Ann. Mus. Genova XXXV, 1895, p. 421. Deutsch-Ostafrika
- regalis* Dist. Ins. Transvaal. 1904, p. 121, t. 11, f. 7. Gallaland
- scabrusculus* Thoms. Classif. Ceramb. 1860, p. 170. — Gah. in Dist. Ins. Transvaal. 1904, p. 122. Transvaal
- sericeus* Auriv. in Sjöst. Kilimandj. Exped. VII, Col. 1908, p. 144, f. 3b. Kapland
- suturalis* Har. Monatsb. Akad. Wiss. Berlin 1878, p. 221. Kilimandjaro
- Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 330. Deutsch-Ostafrika
- tenuis* Bates, Cist. Ent. II, 1879, p. 416. Natal
- thomensis* Auriv. Arkiv f. Zool. VII, 3, 1910, p. 14. Insel S. Thomé

35

Helymaeus Thoms.

- Thoms. Syst. Ceramb. 1864, p. 179, 421. — Lacord. Gen. Col. IX, 1869, p. 26. — Jord. Nov. Zool. I, 1894, p. 185.
- albilateris* Har. Monatsb. Akad. Wiss. Berlin 1880, p. 265. Brit.-Ostafrika
- amabilis* Péring. Trans. S. Afr. Philos. Soc. VI, 1892, p. 78. Deutsch-Südwestafrika
- argyrothorax* Fairm. Ann. Soc. Ent. Belg. XXVIII, 1884, Bull. p. 77; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 333.
- glabripennis* Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 64. Natal
- albicornis* Dist. Ann. Mag. Nat. Hist. (7) I, 1898, p. 381; Ins. Transv. 1904, p. 123, t. 11, f. 9. Transvaal, Delagoabay
- insignis* Gerst. Monatsb. Akad. Wiss. Berlin 1855, p. 265; Peters' Reise Mossambik Ins. 1862, p. 321, t. 19, f. 6. Mossambik
- notaticollis* Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, p. 365. — Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 64. — Dist. Ins. Transv. 1904, p. 122, t. 11, f. 10. Natal, Transvaal, Matabeleland,
- cyanipennis* Thoms. Syst. Ceramb. 1864, p. 180. Damara-land
- pallidiventris* Jord. Nov. Zool. I, 1894, p. 185. Kaffernland

- pedestris* Pasc. Ann. Mag. Nat. Hist. (5) II, 1878, p. 370. Arabien:
Yemen
- Raffrayi* Fairm. Natural. II, 1882, p. 48; Ann. Soc. Ent. Fr. (6) III, 1883, p. 110. Abessinien
- reticollis* Quedf. Berl. Ent. Zeitschr. XXXII, 1888, p. 200. Zentralafrika
- rufipes* Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 64. Natal
- signaticollis* Pasc. Ann. Mag. Nat. Hist. (5) II, 1878, p. 370. Arabien:
Yemen
- testaceiventris* Fairm. in Revoil, Faune et Flore Comalis, Col. 1882, p. 98. Somaliland
- violaceipennis* Quedf. Jorn. Scienc. Lisboa XL, 1885, p. 242. Angola
- vitticollis* Auriv. Arkiv f. Zool. IV, 17, 1908, p. 2. Deutsch-Ostafrika

15

Griphapex Jord.

Jord. Nov. Zool. I, 1894, p. 184.

- scutellaris* Jord. l. c. p. 185. Kamerun

1

Oligosmerus Kolbe.

Kolbe, Stett. Ent. Zeit. LV, 1894, p. 40; Deutsch-Ostafrika IV, Col. 1897, p. 304.

- aureovittis* Kolbe, l. c. p. 41. Suakim
- limbalis* Har. Monatsb. Akad. Wiss. Berlin 1880, p. 266. Brit.- und
— Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, Deutsch-Ostafrika
p. 328.
- montanus* Hintz, Deutsche Ent. Zeitschr. 1910, p. 575. Deutsch-Ostafrika
- saturatus* Kolbe, Stett. Ent. Zeit. LV, 1894, p. 41; Deutsch-Ostafrika IV, Col. 1897, p. 304. Albert-Edward-See

4

Hylomela Gah.

Gah. in Dist. Ins. Transvaal. 1904, p. 122.

Closteromerus Lacord. Gen. Col. IX, 1869, p. 26.

- sexpunctata* F. Ent. Syst. I, 2, 1792, p. 312. Kapland

1

Agaleptus Gah.

Gah. in Dist. Ins. Transvaal. 1904, p. 122.

- quadrinotatus* Péring. Trans. S. Afr. Philos. Soc. II, 1888, p. 179, t. 3, f. 15. — Dist. Ins. Transvaal. Zambezi,
1904, p. 122, t. 11, f. 5. Transvaal,
Delagoa

1

Guitelia R. Oberth.

R. Oberth. Insecta I, 1911, p. 183.

Vuilleti R. Oberth. l. c. p. 184, f. 1.

Senegal

1

Gauresthes Bates.

Bates, Proc. Zool. Soc. Lond. 1889, p. 392.

rufipes Bates, l. c. — Whitehead, Explor. Kina Balu Borneo
1893, p. 295.

1

Ipothalia Pasc.Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 314. — Lacord. Gen. Col.
IX, 1869, p. 27. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 222.**esmeralda** Bates, Cist. Ent. II, 1879, p. 418.

Borneo

femorata Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867,

Philippinen

p. 314.

pyrrha Pasc. l. c. — Gah. Fauna Brit. Ind. Col. I, 1906, Pegu

p. 223, f. 83.

3

Osphranteria Redt.Redt. Denkschr. Wien. Akad. I, 1850, p. 50. — Lacord. Gen. Col. IX, 1869,
p. 29.**coeruleescens** Redt. l. c.

Südpersien

suaveolens Redt. l. c.

„

2

LXVI. Compsocerini.

Thoms. Syst. Ceramb. 1864, p. 260. — Lacord. Gen. Col. IX, 1869, p. 30.

Rosaliinae J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 310. —J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 295. — Gah. Fauna
Brit. Ind. Col. I, 1906, p. 91, 175.**Mausaridaeus** Pic.

Pic, Longic. IV, 2, 1903, p. 29.

argenteofasciatus Pic, l. c. p. 30.

Tonkin

diversinotatus Pic, l. c.

„

2

Acrocyrtidus Jord.

Jord. Nov. Zool. I, 1894, p. 499.

fasciatus Jord. l. c. t. 13, f. 10.

Siam

1

Callichromopsis Chev.

Chev. Mém. Soc. R. Sc. Liège XVIII, 1863, p. 255. — Thoms. Syst. Ceramb. 1864, p. 423. — Lacord. Gen. Col. IX, 1869, p. 31. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 180.

telephoroides Westw. Cab. Orient. Ent. 1848, p. 59, Ceylon
t. 29, f. 1. — Chev. Mém. Soc. R. Sc. Liège
XVIII, 1863, p. 255. — Gah. Fauna Brit. Ind.
Col. I, 1906, p. 181, f. 71.

1

Rosalia Serv.

Serv. Ann. Soc. Ent. Fr. II, 1833, p. 561. — Lameere, Ann. Soc. Ent. Belg. XXXI, 1887, p. 159 (Monogr.). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 176. — Boppe, Bull. Soc.; Ent. Fr. 1911, p. 105 (Synopsis). — Vuillet, Insecta I, 1911 p. 87, 216 (Liste); p. 250 (Synopsis).

Subgen. *Eurybatodes* A. Semen. Rev. Russe d'Ent. XI, 1911, p. 121.
Subgen. *Eurybatus* Thoms. Classif. Ceramb. 1860, p. 250; Syst. Ceramb. 1864, p. 460. — Lacord. Gen. Col. IX, 1869, p. 32. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 597.

Subgen. *Rosalia* Muls. Col. Fr. Long. 1839, p. 35; ed. 2, 1862, p. 73. — Cast. Hist. Nat. II, 1840, p. 432. — Redt. Gatt. deutsch. Käferf. 1845, p. 108; Fauna Austr. 1849, p. 480; ed. 2, 1858, p. 842; ed. 3, II, 1874, p. 398. — Bach, Käferfauna III, 1856, p. 10. — Thoms. Classif. Ceramb. 1860, p. 233; Syst. Ceramb. 1864, p. 460. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 137. — C. G. Thoms. Skand. Col. VIII, 1866, p. 14. — Ganglb. Best.-Tab. VII, 1881, p. 11 (689). — Bedel, Faune Col. Seine V, 1889, p. 8. — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 181. — Stierl. Col. Helv. II, 1898, p. 461. — Houlb. Faune Armor. Ceramb. 1904, p. 17.

Subgen. **Rosalia** Serv. s. str.

alpina L. Syst. Nat. ed. 10, 1758, p. 392; Fauna Suec. ed. 2, 1761, p. 189. — Sulzer, Kennz. Ins. 1761, Taf.-Erkl. p. 11, t. 4, f. d. — Scop. Ent. Carn. 1763, p. 52. — Drury, Ill. Exot. Ins. II, 1773, p. 57, t. 31, f. 5; ed. Westw. 1837, p. 61, t. 31, f. 5. — F. Syst. Ent. 1775, p. 163. — Voct, Cat. Col. II, 1778, p. 12, t. 9, f. 38; ed. Panzer III, 1794, p. 29, t. 9, f. 38. — Schrank, Enum. Ins. 1781, p. 131. — Laich. Tyrol. Ins. II, 1784, p. 88. — Geoffr. in Fourer. Entomol. Paris. I, 1785, p. 74. — Ol. Enc. méth. Ins. V, 1790, p. 300; Ent. IV, 67, 1795, p. 22, t. 9, f. 58. — Sturm, Ins.-Cabinet II, 1791, t. 20. — Panzer, Fauna Ins. Germ. II, 1793, t. 22. — Payk. Fauna Suec. III, 1800, p. 54. — Latr. Gen. Crust. et Ins. III, 1807, p. 38. — Fisch.-Waldh. Entomogr. Ross. II, 1824, p. 237, t. 48, f. 6. — Gyllenh. Ins. Suec. I, 4, 1827, p. 48. — Muls. Col. Fr. Long. 1839, p. 35; ed. 2, 1862, p. 74. — Blanch. in Cuv. Règne anim. Ins. ed. Masson, 1832, t. 66, f. 2. — Cast. Hist. Nat. II, 1840, p. 432. — Redt. Fauna Austr. 1849, p. 480; ed. 2, 1858, p. 842; ed. 3, II, 1874, p. 398. — Costa, Fauna Napoli, Col. II, 1854, Longic.

Südschweden,
Mittel-
europa,
Südeuropa

- p. 23. — Bach, Käferfauna III, 1856, p. 10.
 — Fairm. Gen. Col. d'Eur. IV, 1864, t. 41, f. 189. — C. G. Thoms. Skand. Col. VIII, 1866, p. 15. — Ganglb. Best.-Tab. VII, 1881, p. 68 (746).
 — Lameere, Monogr. p. 162. — Bedel, Faune Col. Seine V, 1889, p. 27, 75. — Scidl. Fauna Balt. ed. 2, 1891, p. 737; Fauna Transs. 1891, p. 829. — Stierl. Col. Helv. II, 1898, p. 462.
 — Th. Pic, Ent. Nachr. XXVI, 1900, p. 11.
 — Reitter, Wien. Ent. Zeit. XIX, 1900, p. 130.
 — Csiki, Rov. Lapok VII, 1900, p. 100, fig.
 — Pic, Echange XVI, 1900, p. 58; Longic. VII, 1, 1908, p. 18. — Csiki, Rov. Lapok XI, 1904, p. 122. — Houlb. Faune Armor. Ceramb. 1904, p. 51, f. 98. — Fiori, Natural. Sicil. XVIII, 1905, p. 7. — Germ. Feuille jeun. Natural. XXXV, 1905, p. 188. — Jacobs. Käfer Russl. 1910, t. 68, f. 4. — Boppe, Synops. p. 106.
 — Vuillet, Synops. p. 250.
- pilosa* Poda, Ins. Mus. Graec. 1761, p. 32.
- Biologie: Mayet in Bedel, Faune Col. Seine V, 1890, p. 75. — Xambeu, Moeurs & Métam. VIII, 1902, p. 61.
- ab. *bifasciata* Reitter, Wien. Ent. Zeit. XIX, 1900, p. 131. — Pic, Longic. VII, 1, 1908, p. 21. Bukowina
- ab. *Brancsiki* Laczo, Rov. Lapok XVII, 1910, p. 12. — Pic, Longic. VIII, 1, 1911, p. 5. Ungarn
- ab. *confluens* Csiki, Rov. Lapok VII, 1900, p. 102, f. 6; XI, 1904, p. 123. — Pic, Echange XVI, 1900, p. 59; Longic. VII, 1, 1908, p. 21. „
- ab. *connexa* Reitter, Wien. Ent. Zeit. XIX, 1900, p. 21. — Pic, Echange XVI, 1900, p. 59; Longic. VII, 1, 1900, p. 20. Krain
- ab. *Croissandau* Pic, Longic. I, 1891, p. 22. Sicilien?
- Croissandau* Th. Pic, Ent. Nachr. XXVI, 1900, p. 11. — Pic, Echange XVI, 1900, p. 58, 59; Longic. VII, 1, 1908, p. 19.
- Kautzi* Ganglb. Ann. Hofmus. Wien XIV, 1899, p. 62, fig.
- ab. *Gelineki* Zoufal, Wien. Ent. Zeit. XXV, 1906, p. 264. — Pic, Longic. VII, 1, 1908, p. 21. Herzegowina
- ab. *geminata* Reitter, Wien. Ent. Zeit. XIX, 1900, p. 132. — Pic, Echange XVI, 1900, p. 59; Longic. VII, 1, 1908, p. 21. — Csiki, Rov. Lapok VII, 1900, p. 102, f. 9; XI, 1904, p. 123. Ungarn
- ab. *hamata* Brancsik, Jahresh. Naturw. Ver. Trencs. Comit. XXXI—XXXIII, 1910, p. 189, t. 1, f. 11. „
- ab. *interrupta* Reitter, Wien. Ent. Zeit. XIX, 1900, p. 131. — Pic, Echange XVI, 1900, p. 59; Longic. VII, 1, 1908, p. 21. „
- ab. *Kyselyi* Zoufal, Wien. Ent. Zeit. XXV, 1906, p. 264. — Pic, Longic. VII, 1, 1908, p. 20. „
- ab. *latemaculata* Th. Pic, Echange XXIV, 1908, p. 33. — Pic, Longic. VII, 1, 1908, p. 21. Österreich
- ab. *multimaculata* Th. Pic, Ent. Nachr. XXVI, 1900, p. 12. — Reitter, Wien. Ent. Zeit. XIX, 1900, p. 131. — Csiki, Rov. Lapok VII, 1900, p. 131. — Csiki, Rov. Lapok VII, 1900, p. 131. — Csiki, Rov. Lapok VII, 1900, p. 131. Französ. Alpen, Krain

- p. 101, f. 5; XI, 1904, p. 123. — Pic, Echange XVI, 1900, p. 59; Longic. VII, 1, 1908, p. 21.
- ab. *obliterata* Th. Pic, Ent. Nachr. XXVI, 1900, p. 12. — Reitter, Wien. Ent. Zeit. XIX, 1900, p. 132. — Pic, Echange XVI, 1900, p. 59; Longic. VII, 1, 1908, p. 20. — Csiki, Rov. Lapok VII, 1900, p. 102, f. 8; XI, 1904, p. 123. Deutschland, Krain, Ungarn
- ab. *parvonotata* Reitter, Wien. Ent. Zeit. XIX, 1900, p. 132. — Csiki, Rov. Lapok VII, 1900, p. 102, f. 7; XI, 1904, p. 123. — Pic, Echange XVI, 1900, p. 58; Longic. VII, 1, 1908, p. 19. Bukowina
- ab. *pausa* Brancsik, Jahresh. Naturw. Ver. Trencs. Comit. XXXI—XXXIII, 1910, p. 189, t. 1, f. 12. Ungarn
- ab. *Pici* Csiki, Rov. Lapok VII, 1900, p. 101, f. 3; XI, 1904, p. 123. — Pic, Longic. VII, 1, 1900, p. 19. „
- ab. *prolongata* Reitter, Wien. Ent. Zeit. XIX, 1900, p. 131. — Csiki, Rov. Lapok VII, 1900, p. 101, f. 2; XI, 1904, p. 123. — Pic, Echange XVI, 1900, p. 58; Longic. VII, 1, 1908, p. 19. Siebenbürgen, Bukowina
- ab. *quadrinaculata* Ragusa, Natural. Sicil. XVIII, 1905, p. 8. — Pic, Longic. VII, 1, 1908, p. 19. Sicilien
- ab. *quadripunctata* Reitter, Wien. Ent. Zeit. XX, 1901, p. 202. — Csiki, Rov. Lapok XI, 1904, p. 123. — Pic, Longic. VII, 1, 1908, p. 19. Ungarn
- var. *Reichei* nov. Sicilien
- alpina* var. Reiche, Ann. Soc. Ent. Fr. (5) VII, 1877, Bull. p. 18. — Lameere, Ann. Soc. Ent. Belg. XXXI, 1887, p. 163.
- ab. *Reitteri* Csiki, Rov. Lapok VII, 1900, p. 101, f. 4; XI, 1904, p. 123. — Pic, Longic. VII, 1, 1908, p. 21. Ungarn
- ab. *sexmaculata* Leoni, Riv. Col. Ital. IV, 1906, p. 109. — Pic, Longic. VII, 1, 1908, p. 21. Italien
- alpina* Cast. Hist. Nat. II, 1840, t. 50, f. 2.
- var. *syriaca* Pic, Bull. Soc. Ent. Fr. 1894, p. 275; Echange XVI, 1900, p. 60; Longic. VII, 1, 1908, p. 22. — Th. Pic, Ent. Nachr. XXVI, 1900, p. 12. Syrien
- ab. *transsylvanica* Csiki, Rov. Lapok VII, 1900, p. 102, f. 10; XI, 1904, p. 123. — Pic, Longic. VII, 1, 1908, p. 20. Siebenbürgen
- ab. *V-notata* Th. Pic, Echange XXIV, 1908, p. 33. — Pic, Longic. VII, 1, 1908, p. 21. Französ. Alpen
- Batesi Har. Berl. Ent. Zeitschr. XXI, 1877, p. 360. — Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 227. — Lameere, Monogr. p. 163, t. 3, f. 1. — Matsum. Thous. Ins. Japan III, 1908, nr. 705, t. 53, f. 4. — Boppe, Synops. p. 106. — Vuillet, Synops. p. 250. Japan
- ab. *mediointerrupta* Pic, Echange XVI, 1900, p. 60. „
- ab. *posticeconnexa* Pic, l. c. „
- ab. *scutellata* Pic, l. c. „
- coelestis* A. Semen. Rev. Russe d'Ent. XI, 1911, p. 118, f. 1. Ussuri

- funebria** Motsch. Bull. Moscou XVIII, 1, 1845, p. 87, t. 2, f. 8. — J. Lec. Entom. Report 1857, p. 61, t. 2, f. 11. — Leng, Ent. Amer. II, 1886, p. 32, t. 2, f. 3. — Lameere, Monogr. p. 164, t. 3, f. 2. — Boppe, Synops. p. 106. — Vuillet, Synops. p. 250.
- alpina** J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 177.
- Houlberti** Vuillet, Insecta I, 1911, p. 215, f. 1; p. 250.
- ✓ **Lameeri** Brongn. Ann. Soc. Ent. Fr. (6) X, 1890, Bull. p. 121; Le Natural. XII, 1890, p. 153, fig.; Nouv. Archives Mus. Paris (3) III, 1892, p. 243, t. 10, f. 7, 8. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 177, f. 70. — Boppe, Synops. p. 106. — Vuillet, Synops. p. 250.
- ab. *semireducta* Pic, Echange XXVI, 1910, p. 30.
- Westküste Nord-amerikas bis Sitka
- Thibet Birma, Siam
- Yunnan

Subgen. **Eurybatus** Thoms.

- borneensis** Rothsch. & Jord. Ann. Mag. Nat. Hist. (6) XII, 1893, p. 455; Nov. Zool. I, 1894, t. 13, f. 15. — Boppe, Synops. p. 107. — Vuillet, Synops. p. 251.
- ✓ **decempunctata** Westw. Cabin. Or. Ent. 1848, p. 59, t. 29, f. 2. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 597. — Lameere, Monogr. p. 167, t. 3, f. 6. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 179. — Boppe, Synops. p. 106. — Vuillet, Synops. p. 251.
- Dejeani** Vuillet, Insecta I, 1911, p. 247, f. 1; p. 251.
- ✓ **Ferriei** Vuillet, l. c. p. 79, fig.; p. 251.
- ✓ **formosa** Saund. Trans. Ent. Soc. Lond. II, 1839, p. 178, t. 16, f. 4. — Lameere, Monogr. p. 170, t. 3, f. 9. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 180. — Boppe, Synops. p. 107. — Vuillet, Synops. p. 252.
- ✓ **gravida** Lameere, Monogr. p. 166, t. 3, f. 4. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 178. — Boppe, Synops. p. 106. — Vuillet, Insecta I, 1911, p. 111, f. 1—4; p. 251.
- ✓ **hariola** Thoms. Classif. Ceramb. 1860, p. 250. — Lameere, Monogr. p. 166, t. 3, f. 5. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 178. — Boppe, Synops. p. 106. — Vuillet, Synops. p. 251.
- ✓ **inexpectata** Rits. Notes Leyd. Mus. XII, 1890, p. 135; XIII, 1891, t. 10, f. 4. — Boppe, Synops. p. 107. — Vuillet, Synops. p. 252.
- laeta** Lameere, Monogr. p. 168, t. 3, f. 7. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 179. — Boppe, Synops. p. 107. — Vuillet, Synops. p. 251.
- ✓ **lateritia** Hope in Gray, Zool. Misc. 1831, p. 27. — Lameere, Monogr. p. 165, t. 3, f. 3. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 177. — Boppe, Synops. p. 106. — Vuillet, Synops. p. 251.
- Lesnei** Boppe, Bull. Soc. Ent. Fr. 1911, p. 103, f. 1. 2; p. 106. — Vuillet, Synops. p. 251.
- nigroapicalis** Pic, Echange XXVI, 1910, p. 36; Bull. Soc. Ent. Fr. 1911, p. 177, Longic. VIII, 1, 1911, p. 20. — Vuillet, Synops. p. 252.
- Borneo
- Nordindien, Assam, Borneo, Java
- China Oshima Sikkim, Assam
- Sikkim
- Sikkim, Calcutta
- Java
- Tenasserim, Java
- Himalaya, Birma, Indochina
- Formosa
- Südechina

- ✓ *novempunctata* Westw. Cabin. Or. Ent. 1848, p. 59, t. 29, f. 3. — Lameerc, Monogr. p. 169, t. 3, f. 8. — Boppe, Synops. p. 107. — Vuillet, Synops. p. 252. *formosa* Heyne, Exot. Käfer 1906, p. 240, t. 36, f. 26.
- Oberthüri** Vuillet, Insecta I, 1911, p. 248, f. 2, 3; p. 252. Borneo
- Subgen. **Eurybatodes** A. Semen.
- Bouvieri** Boppe, Bull. Soc. Ent. Fr. 1910, p. 235; Synops. p. 106. — Vuillet, Synops. p. 252. Yunnan
- 21

Evgenius Fähr.

- Fähr. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 65.
- Afrocomis* Kolbe, Deutsch-Ostafrika IV, Col. 1897, p. 352.
- plumatus** Fähr. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 65. Kaffernland
- annulatus* Quedf. Journ. Scienc. Lisboa XL, 1885, p. 242.
- Bennigseni* Kolbe, Deutsch-Ostafrika IV, Col. 1897, p. 352.
- 1

Ideratus Thoms.

- Thoms. Syst. Ceramb. 1864, p. 183.
- cyanipennis** Thoms. l. c. Columbien
- 1

Hylorus Thoms.

- Thoms. Syst. Ceramb. 1864, p. 261. — Lacord. Gen. Col. IX, 1869, p. 34.
- armatus** Chabrill. in Thoms. Archives Ent. 1, 1857, p. 199. — Thoms. Syst. Ceramb. 1864, p. 262. Brasilien
- hamaticornis* Chev. Rev. Mag. Zool. (2) XI, 1859, p. 28.
- 1

Chlorethe Bates.

- Bates, Ent. Month. Mag. IV, 1867, p. 24; Trans. Ent. Soc. Lond. 1870, p. 394. — Lacord. Gen. Col. VIII, 1869, p. 398.
- ingae** Bates, Ent. Month. Mag. IV, 1867, p. 24; Trans. Ent. Soc. Lond. 1870, p. 394. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 78. Ega
- 1

Orthoschema Thoms.

- Thoms. Classif. Ceramb. 1860, p. 253; Syst. Ceramb. 1864, p. 460. — Lacord. Gen. Col. IX, 1869, p. 35. — Auriv. Arkiv f. Zool. VII, 3, 1910, p. 15 (Synopsis).
- Orthostoma* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 61. — Cast. Hist. Nat. II, 1840, p. 432. — Bruch, Rev. Mus. La Plata XV, 1908, p. 210.
- Subgen. *Orthopraxis* Auriv. Arkiv f. Zool. VII, 3, 1910, p. 17.

Subgen. **Orthoschema** Thoms. s. str.

- albicornis** F. Syst. El. II, 1801, p. 269. — Bates, Trans. Ent. Soc. Lond. 1870, p. 391. — Auriv. Synops. p. 16. Brasilien
- lineare* var. L. Mus. Lud. Ulr. 1764, p. 77.
- cardinale** Bates, Trans. Ent. Soc. Lond. 1870, p. 393. Ega
- concolor** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 75. Coyaz
- cyaneum** Pasc. Journ. Entomol. I, 1860, p. 62. — Bates, Trans. Ent. Soc. Lond. 1870, p. 392. — Auriv. Synops. p. 16. Ega
- erythrogaster** White, Cat. Col. Brit. Mus. VII, 1853, p. 146. Brasilien
- haemorrhoidale** Germ. Ins. spec. nov. 1824, p. 496. — Auriv. Synops. p. 15. „
- nigricornis** Bates, Trans. Ent. Soc. Lond. 1870, p. 393 nota. — Auriv. Synops. p. 16. Südbrasilien
- prasinipenne** Lucas in Voy. Castelnau, Ins. 1859, p. 185, t. 12, f. 2. — Auriv. Synops. p. 16. Brasilien
- ab. *viridipenne* Thoms. Classif. Ceramb. 1860, p. 254. — Auriv. Synops. p. 16. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 77.
- prasiniventris** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 76 nota. Bahia, Esperitu Santo
- ✓ **ruficeps** Bates, Trans. Ent. Soc. Lond. 1870, p. 393 nota. — Auriv. Synops. p. 16. Südbrasilien
- rufiventris** Germ. Ins. spec. nov. 1824, p. 495. — Lameere, Ann. Soc. Ent. Belg. XXVIII, 1884, p. 90. — Auriv. Synops. p. 15. Brasilien
- superbum** Auriv. Ent. Tidskr. XVIII, 1897, p. 245, t. 3, f. 4. „
- Tarnieri** Bates, Trans. Ent. Soc. Lond. 1870, p. 392. — Auriv. Synops. p. 16. Pará
- ventrale** Germ. Ins. spec. nov. 1824, p. 494. — Auriv. Synops. p. 15. Brasilien
- ab. *abdominale* Cast. Hist. Nat. II, 1840, p. 433. — Lacord. Gen. Col. IX, 1869, p. 35, nota 3.
- violaceipenne** Auriv. Ent. Tidskr. XVIII, 1897, p. 244: Synops. p. 16. „

Subgen. **Orthoprasis** Auriv.

- ✓ **abdominale** Gyllenh. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 157. — Auriv. Synops. p. 17. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 78. Brasilien
- chryseis** Bates, Trans. Ent. Soc. Lond. 1870, p. 393. — Auriv. Synops. p. 17. Pará
- tenuicornis** Bates, Trans. Ent. Soc. Lond. 1870, p. 392. — Auriv. Synops. p. 17. Ega
- vittatum** Auriv. Arkiv f. Zool. VII, 3, 1910, p. 14. Venezuela

19

Compsocerus Serv.

- Serv. Ann. Soc. Ent. Fr. III, 1834, p. 62. — Thoms. Classif. Ceramb. 1860, p. 234; Syst. Ceramb. 1864, p. 262. — Goun. Bull. Soc. Ent. Fr. 1910, p. 136.

Orthostomidius Bruch, Rev. Mus. La Plata XV, 1908, p. 210, f. 1.

- ✓ **Chevrolati** Goun. Bull. Soc. Ent. Fr. 1910, p. 141, 142. Südbrasilien
- ✓ **equestris** Guér. Icon. règne anim. Ins. 1844, p. 231. — Südbrasilien,
Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 79. Uruguay,
aulicus Thoms. Classif. Ceramb. 1860, p. 253. — Paraguay,
Berg, An. Soc. Scient. Argent. XXI, 1886, p. 235. Nord-
— Goun. Bull. Soc. Ent. Fr. 1910, p. 140, 142. Argentina
- thyrsochorus* Burm. Stett. Ent. Zeit. XXVI, 1865, p. 169; XL. 1879, p. 200. Brasilien
- ab. *igneus* White, Cat. Col. Brit. Mus. VII, 1853, p. 147. "
- ab. *violaceus* White, l. c. "
- opacipennis** Goun. l. c. p. 140, 142. "
- barbicornis* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 63 (n. descr.). — Thoms. Classif. Ceramb. 1860, p. 253. "
- parviscopus** Burm. Stett. Ent. Zeit. XXVI, 1865, p. 169. Argentina
- Berg, An. Soc. Scient. Argent. XXI, 1886, p. 237. — Goun. Bull. Soc. Ent. Fr. 1910, p. 140, 142.

4

Compsoceridius Bruch.

Bruch, Rev. Mus. La Plata XV, 1908, p. 207, 211.

- Gounellei** Bruch, l. c. p. 208, fig. La Plata

1

Paromoeocerus Goun.

Goun. Bull. Soc. Ent. Fr. 1910, p. 439. 1

Compsocerus Cast. Hist. Nat. II, 1840, p. 435. — Lacord. Gen. Col. IX, 1869, p. 36. — Bruch, Rev. Mus. La Plata XV, 1908, p. 210, f. 2.

- ✓ **barbicornis** Cast. Hist. Nat. II, 1840, p. 435. — Goun. Brasilien
Bull. Soc. Ent. Fr. 1910, p. 136.
- ? *barbicornis* F. Ent. Syst. I, 2, 1792, p. 311.
- equestris* Guér. Icon. règne anim. Ins. 1844, p. 231. —
- Burm. Stett. Ent. Zeit. XXVI, 1865, p. 170. —
- Berg, An. Soc. Scient. Argent. XXI, 1886, p. 237.
- Heyne, Exot. Käfer 1906, p. 240, t. 36, f. 21.
- ? *plumiger* Ol. Ent. IV, 68, 1795, p. 13, t. 1, f. 2.
- vestitus** Goun. Bull. Soc. Ent. Fr. 1910, p. 139; Ann. Soc. "
- Ent. Fr. LXXX, 1911, p. 80.

2

Unxia Thoms.

Thoms. Classif. Ceramb. 1860, p. 234, 252; Syst. Ceramb. 1864, p. 460. — Lacord. Gen. Col. IX, 1869, p. 37.

- ✓ **gracilior** Burm. Stett. Ent. Zeit. XXVI, 1865, p. 171. —Montevideo
- insignis** Guér. Icon. règne anim. Ins. 1844, p. 232. Brasilien
- ✓ **laeta** Guér. l. c. "
- barbicornis* Heyne, Exot. Käfer 1906, p. 240, t. 36, f. 19.
- insignis* Thoms. Classif. Ceramb. 1860, p. 252.

- scopifer** Klug, Nova Acta Acad. Nat. Cur. XII, 2, 1855, p. 461, t. 43, f. 11. Brasilien
simplex Auriv. Arkiv f. Zool. VII, 19, 1911, p. 2. „
 5

Euryprosopus White.

White, Cat. Col. Brit. Mus. VII, 1853, p. 136. — Buq. Rev. Mag. Zool. (2) V, 1853, p. 256; (2) IX, 1857, p. 409 (Monogr.). — Thoms. Classif. Ceramb. 1860, p. 234; Syst. Ceramb. 1864, p. 461. — Lacord. Gen. Col. IX, 1869, p. 38.

- alexianus** Buq. Monogr. p. 257, t. 8, f. 1. Rio Janeiro
angustissimus Buq. l. c. p. 412. Brasilien
apicalis Buq. l. c. p. 259, t. 8, f. 4. „
Chabrillaei Buq. l. c. p. 411. „
elavipes White, Cat. Col. Brit. Mus. VII, 1853, p. 137, t. 4, f. 2. — Buq. Monogr. p. 258. „
cyanipennis Buq. l. c. p. 260, t. 8, f. 6. Rio Janeiro
dardanus Buq. l. c. p. 258, t. 8, f. 2; p. 410. Brasilien
nigripennis Buq. l. c. p. 260, t. 8, f. 5. „
 8

Ethemon Thoms.

Thoms. Syst. Ceramb. 1860, p. 262, 460. — Lacord. Gen. Col. IX, 1869, p. 39.

- ✓ **basale** Burm. Stett. Ent. Zeit. XXVI, 1865, p. 170. — Paraná,
 Lacord. Gen. Col. IX, 1869, p. 39, nota 3. — Argentina
 Bruch, Rev. Mus. La Plata XV, 1908, p. 212.
 var. *diversipenne* Burm. Stett. Ent. Zeit. XXVI,
 1865, p. 170. — Bruch, Rev. Mus. La Plata XV,
 1908, p. 212.
lepidum Thoms. Syst. Ceramb. 1860, p. 262. — Bates, Brasilien
 Biol. C. Amer. Col. V, 1882, p. 47.
 2

Chariergus Thoms.

Thoms. Classif. Ceramb. 1860, p. 369; Syst. Ceramb. 1864, p. 460. — Lacord. Gen. Col. IX, 1869, p. 39.

- quadripunctatus** Lucas, Voy. Castelnau, Ins. 1859, p. 188, t. 12, f. 4 a. Brasilien
signaticornis Lucas, l. c. p. 188, t. 12, f. 3. — Goun. Ann. Minas Geraes
 Soc. Ent. Fr. LXXX, 1911, p. 150.
 ? *tabidus* White, Cat. Col. Brit. Mus. VIII, 1855,
 p. 216.
 ✓ **tabidus** Klug, Nova Acta Acad. Nat. Cur. XII, 1825, p. 461, t. 43, f. 4. — Chevr. Journ. Ent. I, 1861, p. 253. Brasilien
 3

Chenoderus Fairm. & Germain.

Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 532. — Thoms. Syst. Ceramb. 1864, p. 437. — Lacord. Gen. Col. IX, 1869, p. 40.

- bicolor** Fairm. Ann. Soc. Ent. Fr. (4) I, 1861, p. 107. Chile
octomaculatus Fairm. l. c. „

- quadrinaculatus* Germain, Acta Soc. Chile II, 1894, p. 166. Chile
testaceus Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 479, „
 t. 28, f. 8.
tricolor Fairm. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 502. — „
 Waterh. Aid identif. Ins. I, 1880, t. 4.
venustus Fairm. Ann. Soc. Ent. Fr. (4) I, 1861, p. 107. „
 6

Acoremia Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 252.

- flavomaculata* Kolbe, l. c. p. 253. Usambara
 1

Coremia Serv.

- Serv. Ann. Soc. Ent. Fr. III, 1834, p. 22. — Thoms. Classif. Ceramb. 1860,
 p. 177; Syst. Ceramb. 1864, p. 418. — Lacord. Gen. Col. IX, 1869, p. 42. —
 Gounelle, Bull. Soc. Ent. Fr. 1905, p. 228 (Synopsis).
 Subgen. *Thalusia* Thoms. Syst. Ceramb. 1864, p. 168, 418. — Lacord.
 Gen. Col. IX, 1869, p. 43.

Subgen. **Coremia** s. str.

- ✓ *plumipes* Pallas, Spicileg. Zoolog. I, 9, 1772, p. 5, t. 1, f. 2. Brasilien.
 — Panz. in Voet, Cat. Col. III, 1794, p. 68, t. 24, Cayenne,
 f. 133. — Voet, Cat. Col. II, 1804—06, p. 28, Nicaragua
 t. 24, f. 133.
hirtipes Ol. Ent. IV, 68, 1795, p. 14, t. 1, f. 8. —
 Guér. Icon. règne anim. Ins. 1844, p. 232, t. 44,
 f. 3. — White, Cat. Col. Brit. Mus. VIII, 1855,
 p. 204. — Bates, Trans. Ent. Soc. Lond. 1870,
 p. 394. — Goun. Synops. p. 228.
signaticollis Buq. in Guér. Icon. règne anim. Ins. 1844, Brasilien
 p. 232. — White, Cat. Col. Brit. Mus. VIII,
 1855, p. 205.
simplicipes Goun. Ann. Soc. Ent. Fr. LXXX, 1911, Goyaz
 p. 81, fig.

Subgen. **Thalusia** Thoms.

- Bruchi* Goun. Bull. Soc. Ent. Fr. 1905, p. 227. Argentina
erythromera Serv. Ann. Soc. Ent. Fr. III, 1834, p. 23. — Brasilien
 White, Cat. Col. Brit. Mus. VIII, 1855, p. 204. —
 Thoms. Syst. Ceramb. 1864, p. 169.
ferruginea Bruch, Rev. Mus. La Plata XV, 1908, p. 213. Argentina
 6

Pachymerola Bates.

Bates, Trans. Ent. Soc. Lond. 1892, p. 161.

- vitticollis* Bates, l. c. p. 161, t. 6, f. 11. Mexico
 1

LXVII. Callidiini.

Thoms. Classif. Ceramb. 1860, p. 257 (ex parte); Syst. Ceramb. 1864, p. 263 (ex parte). — Fairm. Gen. Col. d'Eur. IV, 1864, p. 131. — Lacord. Gen. Col. IX, 1869, p. 43. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 295. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 280. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 61.

Gonocallus J. Lec.

J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 171. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 281. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 61.

collaris Kirby, Fauna Bor.-Amer. IV, 1837, p. 141. — Canada,
J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 33. — Lake
White, Cat. Col. Brit. Mus. VIII, 1855, p. 321. — Superior
Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 97;
Ent. Amer. I, 1885, p. 35, t. 1, f. 4. — Wickh.
Canad. Ent. XXIX, 1897, p. 106.

lepidus J. Lec. Journ. Acad. Philad. (2) II, 1850,
p. 34.

1

Physocnenum Hald.

Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 38. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 31; Smiths. Misc. Coll. XI, 265, 1873, p. 296. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 281. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 61, 97.

Dularius Thoms. Classif. Ceramb. 1860, p. 258, 377; Syst. Ceramb. 1864, p. 461. — Lacord. Gen. Col. IX, 1869, p. 49. — Prov. Faune Ent. Canada, Col. 1877, p. 586.

Andreae Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 36. Georgian
— J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 32.
— Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 97;
Ent. Amer. I, 1885, p. 35, t. 1, f. 6.

luscum Thoms. Classif. Ceramb. 1860, p. 259.
brevilineum Say, Journ. Acad. Philad. III, 1823, p. 413. Pennsyl-
— Hald. Trans. Amer. Philos. Soc. (2) X, 1847, vanien bis
p. 38. — Thoms. Classif. Ceramb. 1860, p. 258. — Kansas,
Prov. Faune Ent. Canada, Col. 1877, p. 586. Canada
— Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 97;
Ent. Amer. I, 1885, p. 35, t. 1, f. 5. — Wickh.
Canad. Ent. XXIX, 1897, p. 106.

Biologie: Pack. Ins. inj. Trees 1881, p. 60, f. 19;
ed. 2, 1890, p. 228, f. 73. — Felt, Ins. affect. Trees
1906, p. 462, f. 114.

violaceipenne Hamilt. Ent. News VII, 1896, p. 286. Pennsyl-
vanien

3

Ropalopus Muls.

Muls. Col. Fr. Longic. 1839, p. 39, 40. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 29. — Thoms. Classif. Ceramb. 1860, p. 258.

Euryoptera Horn, Proc. Acad. Philad. 1860, p. 571.

Rhopalopus Redt. Gatt. deutsch. Käferfauna 1845, p. 110; Fauna Austr. 1849, p. 484; ed. 2, 1858, p. 847; ed. 3, II, 1874, p. 399. —

Muls. Col. Fr. Long. ed. 2, 1862, p. 80. — Thoms. Syst. Ceramb. 1864, p. 461. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 135. — Lacord. Gen. Col. IX, 1869, p. 50. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 296. — Ganglb. Best.-Tab. VII, 1881, p. 11 (689). — J. Lec. & Horn, Classif. N. Amer. Col. 1883, p. 281. — Bedel, Faune Col. Seine V, 1889, p. 8, 25. — Seidl. Fauna Balt. ed. 2, 1891, p. 737. — Stierl. Col. Helv. II, 1898, p. 464. — Everts, Col. Neerl. II, 1, 1901, p. 365. — Houlb. Faune Armor. Ceramb. 1904, p. 17, 50. — Pic, Longic. VI, 2, 1907, p. 25 (Synopsis).

brevicollis Gebl. Bull. Moscou VI, 1833, p. 302.

sibiricus Gebl. l. c. XXI, 1, 1848, p. 391.

clavipes F. Syst. Ent. 1775, p. 188. — Herbst in Füessly, Archiv V, 1784, p. 95, f. 26, f. 9. — Gmel. Syst. Nat. I, 4, 1790, p. 1856. — Rossi, Mant. Faun. Etrusc. I, 1792, p. 52. — Panzer in Voet, Besch. hartsch. Ins. III, 1794, p. 64, t. 22, f. 115. — Ol. Ent. IV, 70, 1795, p. 43, t. 3, f. 33. — Schrank, Fauna Boica I, 2, 1798, p. 673. — Donnd. Europ. Fauna VIII, 1799, p. 590. — Panzer, Fauna Ins. Germ. LXX, 1799, t. 3. — Payk. Fauna Suec. III, 1800, p. 81. — Muls. Col. Fr. Longic. 1839, p. 41; ed. 2, 1862, p. 81. — Cast. Hist. Nat. II, 1840, p. 455. — Redt. Fauna Austr. 1849, p. 484; ed. 2, 1858, p. 848; ed. 3, II, 1874, p. 399. — Bach, Käferfauna III, 1856, p. 16. — Ganglb. Best.-Tab. VII, 1881, p. 69 (747). — Bedel, Faune Col. Seine V, 1889, p. 25, 73. — Seidl. Fauna Balt. ed. 2, 1891, p. 738; Fauna Trans. 1891, p. 830. — Stierl. Col. Helv. II, 1898, p. 465. — Pic, Longic. II, 1898, p. 9. — Everts, Col. Neerl. II, 1, 1902, p. 365. — Houlb. Faune Armor. Ceramb. 1904, p. 50, f. 97. — Pic, Synops. p. 27. — Jacobs. Käfer Russl. 1910, t. 66, f. 12.

Biologie: Perris, Larves Col. 1877, p. 437. — Xamheu, Moeurs et Métam. VIII, 1902, p. 70. *morio* Voet, Cat. Col. II, 1804—06, p. 25, t. 22, f. 115.

nigricans Gmel. Syst. Nat. I, 4, 1790, p. 1857. *nigroplanus* Degeer, Mém. Ins. V, 1775, p. 88. *viduus* Geoffr. in Fourcr. Faune Paris. I, 1785, p. 82.

var. *caucasicus* Desbr. Ann. Soc. Ent. Fr. (5) III, 1873, Bull. p. 137. — Pic, Synops. p. 27.

femoratus L. Syst. Nat. ed. 10, 1758, p. 395. — Degeer, Mém. Ins. V, 1775, p. 93. — Schrank, Enum. Ins. 1781, p. 147; Fauna Boica I, 2, 1798, p. 676. — F. Spec. Ins. I, 1781, p. 237. — Gmel. Syst. Nat. I, 4, 1790, p. 1847. — Ol. Ent. IV, 70, 1795, p. 22, t. 7, f. 77. — Panzer, Fauna Ins. Germ. LXX, 1799, t. 5. — Gyllenh. Ins. Suec. I, 4, 1827, p. 75. — Muls. Col. Fr. Long. 1839, p. 41; ed. 2, 1862, p. 83. — Cast. Hist. Nat. II, 1840, p. 455. — Redt. Fauna Austr. 1849, p. 484; ed. 2, 1858, p. 847; ed. 3, II, 1874, p. 399. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 31, t. 32, f. 2. — Bach, Käferfauna III, 1856, p. 16. — C. G. Thoms. Skand. Col. VIII, 1866, p. 29. — Ganglb. Best.-Tab. VII, 1881, p. 69

Sibirien

Mitteleuropa

Kaukasus

Südschweden,
Mittel- und
Südeuropa
(fehlt in
England)

- (747). — Bedel, Faune Col. Seine V, 1889, p. 25, 73. — Seidl. Fauna Balt. ed. 2, 1891, p. 738; Fauna Transs. 1891, p. 830. — Stierl. Col. Helv. II, 1898, p. 465. — Pic, Longic. II, 1898, p. 9. — Everts, Col. Neerl. II, 1, 1902, p. 365. — Houlb. Faune Armor. Ceramb. 1904, p. 50. — Pic, Synops. p. 27. — Jacobs. Käfer Russl. 1910, t. 66, f. 9.
- Biologie: Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1876, p. 274, f. 439—442; Larves Col. 1877, p. 435, f. 439—442. — Decaux, Feuille jeun. Nat. XIII, 1882, p. 52—54. — Mayet, Ins. de la Vigne 1890, p. 335 nota. — Xambeu, Moeurs & Métam. VIII, 1902, p. 68.
- punctatus* F. Syst. El. II, 1801, p. 336.
- punctuosus* Geoffr. in Fourcr. Entomol. Paris. I, 1785, p. 83.
- insubricus** Germ. Ins. spec. nov. 1824, p. 514. — Guér. Icon. règne anim. Ins. 1829—44, t. 44, f. 4. — Muls. Col. Fr. Long. 1839, p. 40 (ex parte). — Redt. Fauna Austr. 1849, p. 484; ed. 2, 1858, p. 847; ed. 3, II, 1874, p. 399 (ex parte). — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 29. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 40, f. 186. — Ganglb. Best.-Tab. VII, 1882, p. 68 (746). — Pic, Synops. p. 27, 28. — Hubenthal, Deutsche Ent. Nat.-Bibl. II, 1911, p. 80.
- Biologie: Altum in Dankelm. Zeitschr. f. Forst- und Jagdwesen VII, 1875, p. 129—134, fig.
- var. *annulus* Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 30, t. 32, f. 1.
- ab. *Vogti* Guerry, Echange XXVII, 1911, p. 99. — Pic, Longic. VIII, 1, 1911, p. 5.
- Ledereri** Fairm. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 269. — Pic, Synops. p. 26, nota 2.
- Lederi** Ganglb. Verh. zool.-bot. Ges. Wien XXXI, 1881, p. 747; Best.-Tab. VII, 1881, p. 69. — Pic, Synops. p. 26.
- maeropus** Germ. Ins. spec. nov. 1824, p. 514. — Krynicky, Bull. Moscou V, 1832, p. 161. — Muls. Col. Fr. Long. ed. 2, 1862, p. 82. — Kraatz, Berl. Ent. Zeitschr. VIII, 1864, p. 140. — Ganglb. Best.-Tab. VII, 1881, p. 69 (747). — Seidl. Fauna Balt. ed. 2, 1891, p. 738; Fauna Transs. 1891, p. 830. — Stierl. Col. Helv. II, 1898, p. 465. — Pic, Longic. II, 1898, p. 19; Synops. p. 27, 28.
- clavipes* Gyllenh. Ins. Suec. I, 4, 1827, p. 75. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 536.
- pilicollis* C. G. Thoms. Skand. Col. VIII, 1866, p. 29.
- Nadari** Pic, Mém. Soc. Zool. Fr. VII, 1894, p. 207; Synops. p. 27.
- sanguinicollis** Horn, Proc. Acad. Philad. XII, 1860, p. 571, t. 8, f. 3. — Prov. Pet. Faune Ent. Canada, Col. 1877, p. 587. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 97; Ent. Amer. I, 1885, p. 35, t. 1, f. 7. — Wickh. Canad. Ent. XXIX, 1897, p. 106.
- Kroatien,
Illyrien,
Italien
- Südtalien
- Südfrank-
reich
- Kleinasien
- Kaukasus
- Südschweden,
Mittel- und
Südeuropa
- Turkestan
- New York,
Canada

- siculus* Stierl. Berl. Ent. Zeitschr. VIII, 1864, p. 152. — Ganglb. Best.-Tab. VII, 1881, p. 69 (747). — Pic, Echange XI, 1895, p. 76; Synops. p. 26.
- signaticollis* Solsky, Horae Soc. Ent. Ross. IX, 1872, p. 177. — Pic, Synops. p. 26.
- spinicornis* Abeille, Petites Nouv. Ent. I, 1869, p. 42; Ann. Soc. Ent. Fr. (4) X, 1870, p. 85; Abeille VII, 1871, p. LXXIX. — Ganglb. Best.-Tab. VII, 1881, p. 69 (747). — Bedel, Faune Col. Seine V, 1889, p. 25, 73. — Pic, Synops. p. 27, 28. *Varini* Bedel, Abeille VII, 1870, p. 94.
- ungaricus* Herbst in Füessly, Archiv V, 1784, p. 96, t. 26, f. 11. *cognatus* Laich. Verz. Tyrol. Ins. II, 1784, p. 58. — Townson, Travels in Hongrie 1797, p. 188, t. 12, f. 15. *Fischeri* Krynicky, Bull. Moscou I, 1829, p. 197. — Fischer, l. c. IV, 1832, p. 438, t. 6, f. 6. — Pic, Synops. p. 27.
- hungaricus* F. Ent. Syst. Suppl. 1798, p. 149. — Panzer, Fauna Ins. Germ. LXX, 1799, t. 7. — Muls. Col. Fr. Long. ed. 2, 1862, p. 80. — Ganglb. Best.-Tab. VII, 1881, p. 68 (746). — Seidl. Fauna Transs. 1891, p. 830. — Stierl. Col. Helv. II, 1898, p. 465. — Pic, Synops. p. 26, 28. — Hubenthal, Deutsche Ent. Nat.-Bibl. II, 1911, p. 80.
- pannonicus* Gmel. Syst. Nat. I, 4, 1790, p. 1856. Biologie: Xamheu, Ann. Soc. Linn. Lyon (2) XLV, 1898, p. 45; Moeurs & Métam. VII, 1899, p. 85.

13

Hylotrupes Serv.

- Serv. Ann. Soc. Ent. Fr. III, 1834, p. 77. — Muls. Col. Fr. Long. 1839, p. 55; ed. 2, 1862, p. 104. — Redt. Gatt. deutsch. Käferf. 1845, p. 110; Fauna Austr. 1849, p. 486; ed. 2, 1858, p. 846; ed. 3, II, 1874, p. 402. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 31. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 36. — Bach, Käferfauna III, 1856, p. 13. — Woll. Cat. Col. Ins. Madera 1857, p. 124. — Thoms. Classif. Ceramb. 1860, p. 258; Syst. Ceramb. 1864, p. 462. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 136. — C. G. Thoms. Skand. Col. VIII, 1866, p. 26. — Lacord. Gen. Col. IX, 1869, p. 45. — Cox, Handb. Col. II, 1874, p. 310. — Ganglb. Best.-Tab. VII, 1881, p. 11 (689). — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 281. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 61, 98. — Bedel, Faune Col. Seine V, 1889, p. 8. — Fowler, Col. Brit. Isl. IV, 1890, p. 220, 222. — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 181. — Stierl. Col. Helv. II, 1898, p. 463. — Everts, Col. Neerl. II, 1, 1902, p. 366. — Houlb. Faune Armor. Ceramb. 1904, p. 18, 49.
- anethystinus* J. Lec. Proc. Acad. Philad. VI, 1853, p. 234. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 98.
- bajulus* L. Syst. Nat. ed. 10, 1758, p. 396; Fauna Suec. ed. 2, 1761, p. 193. — Sulz. Kennz. Ins. 1761, t. 4, f. 29. — Poda, Mus. Graec. 1761, p. 36. — Scop. Ent. Carn. 1763, p. 48. — Müller, Fauna Ins. Fridr. 1764, p. 13; Zool. Dan. Prodr. 1776,

Sicilien,
TürkeiOstsibirien,
JapanFrankreich,
ÖsterreichMittel- und
Südeuropa

Californien

Europa,
Nord-
amerika

- p. 91. — F. Syst. Ent. 1775, p. 187. — Leske, Naturg. I, 1779, p. 429. — Schrank, Enum. Ins. 1781, p. 149; Fauna Boica I, 2, 1798, p. 674. — Ström, Danske Vid. Selsk. Skrift. (2) II, 1783, p. 59, t., f. 6. — Herbst in Borowsky, Naturg. VI, 1784, p. 129. — Laich. Verz. Tyrol. Ins. II, 1784, p. 65. — Villers, Linn. Ent. I, 1789, p. 249. — Rossi, Fauna Etr. I, 1790, p. 153. — Ol. Enc. méth. Ins. V, 1790, p. 250, t. 216, f. 3; Ent. IV, 70, 1795, p. 7, t. 3, f. 30. — Martyn, Engl. Ent. 1792, t. 24, f. 1—5. — Panzer, Fauna Ins. Germ. LXX, 1799, t. 1. — Donnd. Eur. Fauna VIII, 1799, p. 580. — Payk. Fauna Succ. III, 1800, p. 85. — Marsh. Ent. Brit. I, 1802, p. 334. — Bechst. & Scharfenb. Forstins. I, 1804, p. 208. — Samouelle, Ent. Comp. 1819, p. 450, t. 12, f. 2; Ent. Cabin. I, 1832, t. 40. — Gyllenh. Ins. Succ. I, 4, 1827, p. 70. — Zett. Fauna Ins. Lapp. I, 1828, p. 370. — Steph. III. Brit. Ent. Mand. IV, 1831, p. 246; Man. 1839, p. 274. — Ratzeb. Forstins. I, 1837, p. 237, t. 17, f. 4. — Muls. Col. Fr. Long. 1839, p. 55; ed. 2, 1862, p. 105. — Cast. Hist. Nat. II, 1840, p. 454. — Spry & Shuck. Brit. Col. 1840, p. 65, t. 75, f. 1. — Redt. Fauna Austr. 1839, p. 486; ed. 2, 1858, p. 847; ed. 3, II, 1874, p. 402. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 31. — Costa, Fauna Regn. Napoli Col. II, 1855, Ceramb. p. 36, t. 32, f. 5, 6. — Bach, Käferfauna III, 1856, p. 13. — Woll. Cat. Col. Ins. Madera 1857, p. 125. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 41, f. 188. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 532. — C. G. Thoms. Skand. Col. VIII, 1866, p. 26. — Cox, Handb. Col. II, 1874, p. 316. — Prov. Pet. Faune Ent. Canada, Col. 1877, p. 588. — Ganglb. Best.-Tab. VII, 1881, p. 73 (751). — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 98. — Bedel, Faune Col. Seine V, 1889, p. 26, 74. — Fowler, Col. Brit. Isl. IV, 1890, p. 222, t. 120, f. 4. — Seidl. Fauna Balt. ed. 2, 1891, p. 737; Fauna Transs. 1891, p. 829. — Wickh. Canad. Ent. XXIX, 1897, p. 108. — Stierl. Col. Helv. II, 1898, p. 464. — Everts, Col. Neerl. II, 1, 1902, p. 366. — Houlb. Faune Armor. Ceramb. 1904, p. 49, f. 95. — Jacobs. Käfer Russl. 1910, t. 66, f. 13.
- ♂ *affinis* Saven. in Hummel, Essais IV, 1825, p. 63. — Gyllenh. Ins. Succ. I, 4, 1827, p. 71. — C. G. Thoms. Skand. Col. VIII, 1866, p. 27.
- caudatus* Degeer, Mém. Ins. V, 1775, p. 86.
- didymus* Voet, Cat. Col. II, 1778, p. 24, t. 22, f. 112; ed. Panzer III, 1794, p. 63.
- latithorax* Voet, Cat. Col. II, 1778, p. 24, t. 22, f. 111; ed. Panzer III, 1794, p. 63.
- Linneianus* Laich. Verz. Tyrol. Ins. II, 1784, p. 69.
- quadripunctatus* Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 82.
- similis* Marsh., Ent. Brit. I, 1802, p. 335.

- Biologie: Nördl. Stett. Ent. Zeit. IX, 1848, p. 256. — Perris, Ann. Soc. Ent. Fr. (3) IV, 1856, p. 454, t. 6, f. 369—375. — Schiödte, Nat. Tidskr. (3) X, 1875, p. 417, t. 15, f. 13. — Bouthery, Ann. Soc. Ent. Fr. (5) IX, 1879, Bull. p. 152. — Girard, l. c. (6) I, 1881, Bull. p. 127. — Nördl. Lebensweise von Forstkerfen, ed. 2, 1880, p. 41. — Altum in Dankelm. Zeitschr. f. Forst- und Jagdw. XVIII, 1886, p. 95. — Judeich, Forstins. II, 1, 1889, p. 585. — Xambeu, Moeurs & Métam. VIII, 1902, p. 83. — Henry, Bull. Soc. Sc. Nancy X, 1909, p. 139.
- var. *bullatus* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 36. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 31. New York
- ab. *puellus* Villa, Col. Eur. Dupl. Suppl. 1833, p. 36. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 37. Italien, Korsika
- Koziorowiczi* Desbr. Ann. Soc. Ent. Fr. (5) II, 1872, p. 429; Bull. p. 77.
- ab. *scutifer* Voet, Cat. Col. II, 1778, p. 24, t. 21, f. 109; ed. Panzer III, 1794, p. 62, t. 21, f. 109.
- lividus* Muls. Col. Fr. Long. 1839, p. 56. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 37. Europa
- ab. *syriacus* Théry, Bull. Soc. Ent. Fr. 1896, p. 110. Syrien
- bifasciatus* Motsch. Bull. Moscou XLIX, 1, 1875, p. 148. China
- 3

Semanotus Muls.

Muls. Col. Fr. Long. 1839, p. 54; ed. 2, 1862, p. 100. — Redt. Gatt. deutsch. Käferf. 1845, p. 110; Fauna Austr. 1849, p. 483; ed. 2, 1858, p. 849; ed. 3, II, 1874, p. 401. — Bach, Käferf. III, 1856, p. 16. — Thoms. Syst. Ceramb. 1864, p. 462. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 136. — C. G. Thoms. Skand. Col. VIII, 1866, p. 27. — Lacord. Gen. Col. IX, 1869, p. 47. — Ganglb. Best.-Tab. VII, 1882, p. 11 (689). — Bedel, Faune Col. Seine V, 1889, p. 8, 26. — Seidl. Fauna Balt. ed. 2, 1891, p. 737; Fauna Transs. 1891, p. 830. — Stierl. Col. Helvet. II, 1898, p. 464. — Everts, Col. Neerl. II, 1, 1902, p. 366.

Sympiezocera Lucas, Ann. Soc. Ent. Fr. (2) IX, 1851, Bull. p. 106; Rev. Mag. Zool. (2) V, 1853, p. 27. — Fairm. Gen. Col. d'Eur. IV, 1866, p. 190. — Lacord. Gen. Col. IX, 1869, p. 46.

Xenodorum Mars. Rev. Mag. Zool. (2) VIII, 1856, p. 48.

- ✓ *japonicus* Lacord. Gen. Col. IX, 1869, p. 47, nota 2. Japan
 — Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 227. — Matsum. Thous. Ins. Japan III, 1908, nr. 715, t. 54, f. 2.
- Laurasi* Lucas, Ann. Soc. Ent. Fr. (2) IX, 1851, Bull. p. 107; Rev. Mag. Zool. (2) V, 1853, p. 29, t. 1, f. 1—5. — Fairm. Gen. Col. d'Eur. IV, 1866, t. 59, f. 281. — Ganglb. Best.-Tab. VII, 1882, p. 73 (751). — Bedel, Faune Col. Seine V, 1889, p. 26, 74. Frankreich, Spanien, Korsika, Algier

Biologie: Léveillé, Ann. Soc. Ent. Fr. (5) II, 1872, Bull. p. 35, 52, 67. — Perris, Ann. Soc.

- Linn. Lyon (2) XXIII, 1876, p. 283; Larves Col. 1877, p. 443. — Martin, An. Soc. Esp. Hist. Nat. VIII, 1878, Actas p. 44. — Lucas, Ann. Soc. Ent. Fr. (6) IV, 1884, p. 41. — Léveillé, l. c. (6) VI, 1886, Bull. p. 46. — Chéron, Le Coléoptér. 1890, p. 24. — Xambeu, Rev. d'Ent. XIX, 1900, p. 40; Moeurs & Métam. VIII, 1902, p. 80; IX, 1901, p. 103; XI, 3, 1902, p. 49 (Ann. Soc. Linn. Lyon (2) XLIX, 1902, p. 143).
Bonvouloiri Mars. Rev. Mag. Zool. (2) VIII, 1856, p. 48.
Verneti Pellet, Pet. Nouv. Ent. I, 1871, p. 164.
 var. *corsicus* Croiss. Le Coléoptér. 1890, p. 38. Korsika
- ✓ *ligneus* F. Mant. Ins. I, 1787, p. 153. — Ol. Enc. méth. Ins. V, 1790, p. 260; Ent. IV, 70, 1795, p. 23, 71, t. 7, f. 79. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 32. — Prov. Pct. Faune Ent. Canada, Col. 1877, p. 588. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 98; Ent. Amer. I, 1885, p. 35, t. 1, f. 9. — Wickh. Canad. Ent. XXIX, 1897, p. 108. Nordamerika
- Biologie: Felt, Ins. affect. Trees 1907, p. 675.
Nicolas White, Cat. Col. Brit. Mus. VIII, 1855, p. 321. — Horn, Trans. Amer. Ent. Soc. X, 1882, p. 289.
russicus Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 248, t. 22, f. 2.
- ✓ *litigiosus* Casey, Ann. N. York Acad. VI, 1892, p. 25. Kalifornien
pallidus Zoubk. Bull. Moseou VI, 1833, p. 336. Turkmenien
- russicus* F. Gen. Ins. 1776, p. 232. — Ol. Enc. méth. Ins. V, 1790, p. 260; Ent. IV, 70, 1795, p. 54, t. 4, f. 49. — Redt. Fauna Austr. 1849, p. 483; ed. 2, 1858, p. 850; ed. 3, II, 1874, p. 401. — Bach, Käferfauna III, 1856, p. 17. — Muls. Col. Fr. Long. ed. 2, 1863, p. 104. — Ganglb. Best.-Tab. VII, 1882, p. 73 (751). — Seidl. Fauna Transs. 1891, p. 831. Südrussland, Österreich, Dalmatien
- Biologie: Kollar, Verh. zool.-bot. Ges. Wien VII, 1857, p. 185. — Assm. Wien. Ent. Monatsschr. II, 1858, p. 181. — Xambeu, Moeurs & Métam. VIII, 1902, p. 83.
- var. *algiricus* Pic, Echange XXI, 1905, p. 99. Algier
 var. *persicus* Solsky, Horae Soc. Ent. Ross. XI, 1876, p. 296. — Ganglb. l. c. XXII, 1888, p. 197. Persien
- ✓ *sinensis* Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 61. China
undatus L. Syst. Nat. ed. 10, 1758, p. 396; Fauna Suec. ed. 2, 1761, p. 194. — Poda, Mus. Graec. 1761, p. 280. — F. Syst. Ent. 1775, p. 191. — Degeer. Mém. Ins. V, 1775, p. 91. — Müller, Zool. Dan. Prodr. 1776, p. 95. — Schrank, Enum. Ins. 1781, p. 151. — Laich. Verz. Tyrol. Ins. II, 1784, p. 86. — Ol. Enc. méth. Ins. V, 1790, p. 259; Ent. IV, 70, 1795, p. 12, t. 3, f. 36. — Panzer, Fauna Ins. Germ. LXX, 1799, t. 15. — Payk. Fauna Suec. III, 1800, p. 92. — Gyllenh. Ins. Suec. I, 4, 1827, p. 86. — Zett. Fauna Ins. Lapp. I, 1828, p. 371. — Muls. Europa

- Col. Fr. Long. 1839, p. 54; ed. 2, 1862, p. 103.
 — Redt. Fauna Austr. 1849, p. 483; ed. 2, 1858,
 p. 850; ed. 3, II, 1874, p. 401 — Bach, Käfer-
 fauna III, 1856, p. 16. — Schiödte, Nat. Tidsskr.
 (3) II, 1864, p. 532. — C. G. Thoms. Skand.
 Col. VIII, 1866, p. 28. — Ganglb. Best.-Tab.
 VII, 1882, p. 73 (751). — Bedel, Faune Col.
 Seine V, 1889, p. 26. — Seidl. Fauna Balt. ed. 2,
 1891, p. 738; Fauna Transs. 1891, p. 831. —
 Stierl. Col. Helv. II, 1898, p. 466. — Everts,
 Col. Neerl. II, 1, 1902, p. 366.
sulphuratus Voet, Cat. Col. II, 1778, p. 20,
 t. 19, f. 87; ed. Panzer III, 1794, p. 52, t. 19, f. 87.

8

Calydon Thoms.

Thoms. Syst. Ceramb. 1864, p. 263. — Lacord. Gen. Col. IX, 1869, p. 48.

- Skottsbergi* Auriv. Arkiv f. Zool. VII, 19, 1911, p. 3. Südchile
submetallicum Blanch. in Gay, Hist. Chile, Zool. V, Chile
 1851, p. 497, t. 29, f. 8. — Thoms. Syst. Ceramb.
 1864, p. 264.

2

Merium (Kirby) J. Lec.

- Kirby, Fauna Bor.-Amer. IV, 1837, p. 172, t. 5, f. 5 (ex parte). — J. Lec.
 Smiths. Misc. Coll. XI, 265, 1873, p. 296. — Prov. Pet. Faune Ent. Canada,
 Col. 1877, p. 589. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 281.
 — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 61.

- Proteus* Kirby, Fauna Bor.-Amer. IV, 1839, p. 172, Colorado,
 t. 5, f. 5. — Mannerh. Bull. Moscou XXVI, 1853, Canada
 p. 247. — J. Lec. Journ. Acad. Philad. (2) II,
 1850, p. 32. — Prov. Pet. Faune Ent. Canada,
 Col. 1877, p. 589. — Leng, Bull. Brookl. Ent.
 Soc. VII, 1884, p. 101; Ent. Amer. I, 1885,
 p. 35, t. 1, f. 15. — Wickh. Canad. Ent. XXIX,
 1897, p. 108.

- simile* Kirby, Fauna Bor.-Amer. IV, 1837, p. 173. — Nordamerika
 J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 32.

2

Callidium F.

- F. Syst. Ent. 1775, p. 187. — Laich. Verz. Tyrol. Ins. II, 1784, p. 56. —
 Payk. Fauna Succ. III, 1800, p. 80. — Lam. Syst. Anim. sans Vertè-
 bres 1801, p. 234 (ex parte). — Latr. Hist. Nat. Crust. Ins. XI, 1804,
 p. 286. — Gyllenh. Ins. Succ. I, 4, 1827, p. 69. — Steph. Ill. Brit. Ent.
 Mand. IV, 1831, p. 245. — Serv. Ann. Soc. Ent. Fr. III, 1834, p. 74.
 — Muls. Col. Fr. Long. 1839, p. 42; ed. 2, 1863, p. 84. — Cast. Hist.
 Nat. II, 1840, p. 454. — Redt. Gatt. deutsch. Käferf. 1845, p. 110; Fauna
 Austr. 1849, p. 482; ed. 2, 1858, p. 848; ed. 3, II, 1874, p. 399. — Bach,
 Käferfauna III, 1856, p. 14. — Thoms. Classif. Ceramb. 1860, p. 258;
 Syst. Ceramb. 1864, p. 462. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 135.
 — C. G. Thoms. Skand. Col. VIII, 1866, p. 27. — Lacord. Gen. Col. IX,

1869, p. 52. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 296. — Cox, Handb. Col. II, 1874, p. 311. — Ganglb. Best.-Tab. VII, 1882, p. 11 (689). — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 281. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 61, 112. — Bedel, Faune Col. Seine V, 1889, p. 8, 23. — Fowler, Col. Brit. Isl. IV, 1890, p. 222. — Seidl. Fauna Balt. ed. 2, 1891, p. 738; Fauna Transs. 1891, p. 830. — Stierl. Col. Helvet. II, 1898, p. 465. — Everts, Col. Neerl. II, 1, 1902, p. 364. — Houlb. Faune Armor. Ceramb. 1904, p. 18.

Meridion Des Gozis, Recherche de l'espèce typ. 1886, p. 32.

Oupyrhidium Pic, Cat. Longic. 1900, p. 50.

- aeneum* Degeer, Mém. Ins. V, 1775, p. 89. — Herbst Nord- und
in Füssly, Archiv V, 1784, p. 96, t. 26, f. 12. Mittel-
— Ganglb. Best.-Tab. VII, 1882, p. 70 (748). — europä-
— Seidl. Fauna Balt. ed. 2, 1891, p. 378; Fauna Sibirien
Transs. 1891, p. 831. — Stierl. Col. Helvet. II,
1898, p. 467.
- aurichalceum* Gmel. Syst. Nat. I, 4, 1790, p. 1857.
- cognatum* β Laich. Verz. Tyrol. Ins. II, 1784, p. 59.
- dilatatum* Payk. Fauna Suec. III, 1800, p. 91.
— Cyllenh. Ins. Succ. I, 4, 1827, p. 78. — Zett.
Fauna Ins. Lapp. I, 1828, p. 370. — Muls. Col.
Fr. Longic. 1839, p. 43; ed. 2, 1862, p. 84. —
Cast. Hist. Nat. II, 1840, p. 456. — Redt. Fauna
Austr. 1849, p. 482; ed. 2, 1858, p. 849; ed. 3,
II, 1874, p. 400. — Bach, Käferfauna III, 1856,
p. 14. — C. G. Thoms. Skand. Col. VIII, 1866,
p. 32.
- variabile* F. Syst. Ent. 1775, p. 188. — Ol. Enc.
méth. Ins. V, 1790, p. 256; Ent. IV, 70, 1795,
p. 15, t. 6, f. 65. — Rossi, Mant. Ins. I, 1792,
p. 52. — Panz. Fauna Ins. Germ. LXX, 1799, t. 6.
- venosum* Eschsch. Mém. Acad. St. Pétersb. VI,
1818, p. 483.
- viridans* Gmel. Syst. Nat. I, 4, 1790, p. 1846.
- viride* Schönh. Syn. Ins. I, 3, 1817, p. 459.
Biologie: Heeger, Sitzber. Akad. Wiss. Wien XI,
1853, p. 935, t. 4. — Xamb. Mœurs & Métam.
VIII, 1902, p. 73.
- var. *syriacum* Pic, Bull. Soc. Ent. Fr. 1892, p. 111. Syrien
orientale Pic, Ann. Soc. Ent. Fr. LXI, 1892, p. 417;
Echange XI, 1895, p. 120, nota 1.
- aereum* Newm. Ent. Mag. V, 1838, p. 393. — J. Lec. Oststaaten
Journ. Acad. Philad. (2) II, 1850, p. 33. — Leng, Nord-
Bull. Brookl. Ent. Soc. VII, 1884, p. 112, 113. amerikas,
— Wickh. Canad. Ent. XXIX, 1897, p. 107. Canada
- pallipes* Hald. Trans. Amer. Philos. Soc. (2) X,
1847, p. 37.
Biologie: Felt, Ins. affect. Trees 1907, p. 450.
- antennatum* Newm. Ent. Mag. V, 1838, p. 393. — J. Lec. Nordamerika
Journ. Acad. Philad. (2) II, 1850, p. 34. — Leng,
Bull. Brookl. Ent. Soc. VII, 1884, p. 112; Ent.
Amer. I, 1885, p. 35, t. 1, f. 16. — Wickh. Canad.
Ent. XXIX, 1897, p. 107.
Biologie: Pack. Ins. inj. Trees 1881, p. 159, 246.
— Felt, Ins. affect. Trees 1907, p. 660, f. 189.
- chlorizans* Solsky, Horae Soc. Ent. Ross. VII, 1870, p. 384; Sibirien
IX, 1872, p. 181.

- cicatricosum* Mannerh. Bull. Moscou XXVI, 1853, p. 246.
— Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 113.
- cinnabarinum* Blessig, Horae Soc. Ent. Ross. IX, 1872, p. 179.
- coriaceum* Payk. Fauna Suec. III, 1800, p. 91. — Gyllenh. Ins. Suec. I, 4, p. 79. — Zett. Fauna Ins. Lapp. I, 1823, p. 371. — Muls. Col. Fr. Sulcic. & Sécurip. 1846, Suppl.; Longic. ed. 2, 1862, p. 100. — Bach, Käferfauna III, 1856, p. 15. — Redt. Fauna Austr. ed. 2, 1858, p. 848; ed. 3, II, 1874, p. 400. — C. G. Thoms. Skand. Col. VIII, 1866, p. 30. — Ganglb. Best.-Tab. VII, 1882, p. 72 (750). — Seidl. Fauna Balt. ed. 2, 1891, p. 738; Fauna Transs. 1891, p. 831. — Stierl. Col. Helvet. II, 1898, p. 466.
- var. *aeveipenne* Muls. Voy. en Allem. 1862, p. 107; Col. Fr. Long. ed. 2, 1862, p. 102. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 41, f. 187.
- cupripenne* Kriechb. Stett. Ent. Zeit. XXIII, 1862, p. 208, t. 1, f. 4a.
- Hauseri* Pic. Longic. VI, 2, 1907, p. 9.
- hirtellum* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 172. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 112, 113.
- janthinum* J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 34. — Prov. Pet. Faune Ent. Canada, Col. 1877, p. 591. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 113. — Wickh. Canad. Ent. XXIX, 1897, p. 107.
- rufipenne* Motsch. Etud. Ent. IX, 1860, p. 19. — Pic. Longic. VI, I, 1906, p. 9.
ab. *bicoloratum* Pic, l. c. p. 10.
ab. *metallipenne* Pic, l. c.
- sinense* Pic, Ann. Soc. Ent. Belg. XLIV, 1900, p. 17.
- vile* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 172. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 112, 113.
- violaceum* L. Syst. Nat. ed. 10, 1758, p. 395; Fauna Suec. ed. 2, 1761, p. 192. — Poda, Mus. Graec. 1761, p. 36. — Müller, Fauna Fridr. 1764, p. 13; Zool. Dan. Prodr. 1776, p. 94. — Scop. Annus Hist. Nat. V, 1772, p. 96. — Degeer, Mém. Ins. V, 1775, p. 88. — F. Syst. Ent. 1775, p. 188. — Schrank, Enum. Ins. 1781, p. 147; Fauna Boica I, 2, 1798, p. 673. — Herbst in Füessly, Archiv V, 1874, p. 95, t. 26, f. 10. — Laich. Verz. Tyrol. Ins. II, 1784, p. 72. — Roemer, Gen. Ins. 1789, p. 9, 47, tab. front. f. 2. — Villers, Linn. Entomol. I, 1789, p. 247. — Rossi, Fauna Etr. I, 1790, p. 154. — Ol. Enc. méth. Ins. V, 1790, p. 254; Ent. IV, 70, 1795, p. 16, t. 1, f. 2. — Martyn, Engl. Ent. 1792, t. 25, f. 15. — Donovan, Brit. Ins. II, 1793, p. 73, t. 61, f. 1. — Panz. in Voet, Besch. hartsch. Ins. III, 1794, p. 66, t. 23, f. 123. — Donndorff, Eur. Fauna VIII, 1799, p. 576. — Panz. Fauna Ins. Germ. LXX, 1799, t. 4. — Payk. Fauna Suec. III, 1800, p. 90. — Marsh. Ent. Brit. I, 1802, p. 333. —
- Kenai,
Colorado
Ostsibirien
- Nordeuropa,
Alpen
- Deutschland,
Österreich
- Turkestan
Colorado,
Kalifornien
- New York,
Canada
- Japan
(Frankreich)
- Shanghai
Kalifornien
- Europa,
Sibirien

Bechst. & Scharfenb. Forstins. I, 1804, p. 206. — Gyllenh. Ins. Succ. I, 4, 1827, p. 77. — Zett. Fauna Ins. Lapp. I, 1828, p. 370. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 247; Man. 1839, p. 274. — Muls. Col. Fr. Long. 1839, p. 42; ed. 2, 1862, p. 85. — Shuck. Brit. Col. 1840, p. 65, t. 75, f. 2. — Cast. Hist. Nat. II, 1840, p. 456. — Labr. u. Imh. Ins. Schweiz III, 1842, t. 15. — Redt. Fauna Austr. 1849, p. 482; ed. 2, 1858, p. 848; ed. 3, II, 1874, p. 400. — Bach. Käferfauna III, 1856, p. 14. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 534. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 40, f. 184. — C. G. Thoms. Skand. Col. VIII, 1866, p. 32. — Cox, Handb. Col. II, 1874, p. 316. — Ganglb. Best.-Tab. VII, 1882, p. 70 (748). — Bedel, Faune Col. Seine V, 1889, p. 24, 72. — Fowler, Col. Brit. Isl. IV, 1890, p. 223, t. 120, f. 5. — Seidl. Fauna Balt. ed. 2, 1891, p. 738; Fauna Transs. 1891, p. 831. — Stierl. Col. Helvet. 1898, p. 467. — Everts, Col. Neerl. II, 1, 1902, p. 364. — Reitter, Wien. Ent. Zeit. XXII, p. 31. — Houlb. Faune Armor. Ceramb. 1904, p. 49, f. 94. — ? Matsum. Thous. Ins. Japan III, 1908, nr. 710, t. 53, f. 9. — Jacobs. Käfer Russl. 1910, t. 66, f. 6.

Biologie: Kirby, Trans. Linn. Soc. Lond. V, 1809, p. 246, t. 1, f. 1—14. — Westw. Introd. I, 1839, p. 366. — Xambeu, Moeurs & Métam. VIII, 1902, p. 74. — Shoebbotham, Journ. Econ. Biol. IV, 1909, p. 114.

episcopopus Voet, Cat. Col. II. 1804—06. p. 26, t. 23, f. 123.

ab. *virescens* Stierl. Col. Helvet. II, 1898, p. 467.

viridescens Motsch. Bull. Moscou XLIX, 1, 1875, p. 148.

villosulum Fairm. Ann. Soc. Ent. Fr. LXVIII, 1900, p. 639.

Sibirien
China

16

Pyrrhidium Fairm.

Fairm. Gen. Col. d'Eur. IV, 1864, p. 133. — Lacord. Gen. Col. IX, 1869, p. 55. — Ganglb. Best.-Tab. VII, 1882, p. 69 (747). — Bedel, Faune Col. Seine V, 1889, p. 24. — Seidl. Fauna Balt. ed. 2, 1891, p. 738; Fauna Transs. 1891, p. 830. — Stierl. Col. Helvet. II, 1898, p. 464. — Everts, Col. Neerl. II, 1, 1902, p. 364. — Houlb. Faune Armor. Ceramb. 1904, p. 18.

sanguineum L. Syst. Nat. ed. 10, 1758, p. 396; Fauna Succ. ed. 2, 1761, p. 194. — Poda, Mus. Graec. 1761, p. 36. — F. Syst. Ent. 1775, p. 190. — Degeer, Mém. Ins. V, 1775, p. 92. — Müller, Zool. Dan. Prodr. 1776, p. 92. — Fischer, Naturg. von Livl. 1778, p. 135. — Schrank, Enum. Ins. 1781, p. 151; Fauna Boica I, 2, 1798, p. 674. — Laich. Verz. Tyrol. Ins. II, 1784, p. 59. — Villers. Linn. Ent. I, 1789, p. 252. — Rossi, Fauna Etr. I, 1790, p. 155. — Ol. Enc. méth. Ins. V, 1790, p. 256; Ent. IV, 70, 1795, p. 14, t. 1, f. 1. — Panz. in Voet, Beschr. hartsch. Ins. III, 1794, p. 66, t. 23, f. 122; Fauna Ins. Germ. LXX,

Europa

1799, t. 9. — Borkenh. Synops. I, 1795, p. 101. — Donndorff, Eur. Fauna VIII, 1799, p. 589. — Payk. Fauna Suec. III, 1800, p. 89. — Marsh. Ent. Brit. I, 1802, p. 336. — Bechst. & Scharfenb. Forstins. I, 1804, p. 210. — Donov. Brit. Ins. XVI, 1813, p. 33, t. 553, f. 1. — Gyllenh. Ins. Suec. I, 4, 1827, p. 76. — Steph. III. Brit. Ent. Mand. IV, 1831, p. 247; Man. 1839, p. 274. — Blanch. Règne anim. Ins. ed. Mass. 1832, t. 66, f. 6. — Muls. Col. Fr. Long. 1839, p. 44; ed. 2, 1862, p. 86. — Cast. Hist. Nat. II, 1840, p. 456. — Redt. Fauna Austr. 1849, p. 483; ed. 2, 1858, p. 848; ed. 3, II, 1874, p. 400. — Bach, Käferfauna III, 1856, p. 15. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 534. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 40, f. 182. — C. G. Thoms. Skand. Col. VIII, 1866, p. 33. — Cox, Handb. Col. II, 1874, p. 316. — Ganglb. Best.-Tab. VII, 1882, p. 69 (747). — Bedel, Faune Col. Seine V, 1889, p. 24, 72. — Fowler, Col. Brit. Isl. IV, 1890, p. 224, t. 120, f. 6. — Seidl. Fauna Balt. ed. 2, 1891, p. 738; Fauna Transs. 1891, p. 831. — Stierl. Col. Helvet. II, 1898, p. 466. — Everts, Col. Neerf. II, 1, 1902, p. 364. — Houlb. Faune Armor. Ceramb. 1904, p. 48, f. 92, 93. — Jacobs. Käfer Russl. 1910, t. 66, f. 7.

cardinalis ♂ Voet, Cat. Col. II, 1804—06, p. 26, t. 23, f. 122.

Biologie: Goureau, Ann. Soc. Ent. Fr. (2) I, 1843, p. 99, t. 4, IV, f. 1—4; (2) II, 1844, p. 437, t. 10, f. 13—17; Stett. Ent. Zeit. VI, 1845, p. 70. — Perris, Larves Col. 1877, p. 429. — Judeich, Forstins. II, 1, 1889, p. 584. — Xambeu, Moeurs & Métam. VIII, 1902, p. 75.

1

Phymatodes Muls.

Muls. Col. Fr. Long. 1839, p. 47; ed. 2, 1862, p. 92. — Redt. Gatt. deutsch. Käferfauna 1845, p. 110; Fauna Austr. 1849, p. 481; ed. 2, 1858, p. 848; ed. 3, II, 1874, p. 399. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 33. — Bach, Käferfauna III, 1856, p. 15. — Thoms. Classif. Ceramb. 1860, p. 258; Syst. Ceramb. 1864, p. 462. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 133. — C. G. Thoms. Skand. Col. VIII, 1866, p. 30. — Lacord. Gen. Col. IX, 1869, p. 53. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 296. — Ganglb. Best.-Tab. VII, 1882, p. 71 (749). — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 281. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 61, 98. — Bedel, Faune Col. Seine V, 1889, p. 24. — Seidl. Fauna Balt. ed. 2, 1891, p. 738; Fauna Transs. 1891, p. 830. — Stierl. Col. Helvet. II, 1898, p. 465. — Everts, Col. Neerl. II, 1, 1902, p. 364. — Houlb. Faune Armor. Ceramb. 1904, p. 18.

Subgen. *Leioderus* Redt. Gatt. deutsch. Käferf. 1845, p. 110.

Leioderes Redt. Fauna Austr. 1849, p. 482; ed. 2, 1858, p. 847; ed. 3, II, 1874, p. 401. — Bach, Käferfauna III, 1856, p. 14. — Muls. Col. Fr. Long. ed. 2, 1862, p. 99. — Thoms. Syst. Ceramb. 1864, p. 462. — Seidl. Fauna Transs. 1891, p. 830.

Leioderes Ganglb. Best.-Tab. VII, 1882, p. 72 (750).

- Subgen. *Lioderina* Ganglb. Verh. zool.-bot. Ges. Wien XXXV, 1885, p. 517.
- Subgen. *Poecilium* Fairm. Gen. Col. d'Eur. IV, 1864, p. 134. — Ganglb. Best.-Tab. VII, 1882, p. 70 (748). — Bedel, Faune Col. Seine V, 1889, p. 25. — Seidl. Fauna Balt. ed. 2, 1891, p. 738; Fauna Transs. 1891, p. 830. — Stierl. Col. Helvet. II, 1898, p. 465. — Everts, Col. Neerl. II, 1, 1902, p. 364.
- Subgen. *Protocollidium* Csiki, Rov. Lapok XI, 1904, p. 99.
- Subgen. *Pseudophymatodes* Pic, Echange XVII, 1901, p. 12.
- aeneus** J. Lec. Proc. Acad. Philad. VII, 1854, p. 18; Entomol. Report 1857, p. 60. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 99, 100. Oregon
- albofasciatus** Motsch. Bull. Moscou XXXIX, 1, 1866, p. 174. Japan
- albicinctus* Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 198; Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 228. — Matsum. Thous. Ins. Japan III, 1908, t. 55, f. 4.
- alni** L. Syst. Nat. ed. 12, 1767, p. 639. — F. Syst. Ent. 1775, p. 195. — Herbst in Füessly, Archiv V, 1784, p. 99, t. 26, f. 21. — Petagna, Spec. Ins. Calabr. 1787, p. 19. — Scop. Delic. Faunae et Fl. Insubr. II, 1787, p. 42, t. 20, f. 3. — Villers, Linn. Ent. I, 1789, p. 268. — Rossi, Fauna Etr. I, 1790, p. 158. — Ol. Enc. méth. Ins. V, 1790, p. 269; Ent. IV, 70, 1795, p. 53, t. 3, f. 37. — Martyn, Engl. Entomol. 1792, t. 28, f. 14. — Panz. Fauna Ins. Germ. LXX, 1799, t. 20. — Payk. Fauna Suec. III, 1800, p. 100. — Marsh. Ent. Brit. I, 1802, p. 338. — Gyllenh. Ins. Suec. I, 4, 1827, p. 85. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 249; Man. 1839, p. 275. — Muls. Col. Fr. Long. 1839, p. 45; ed. 2, 1862, p. 89. — Cast. Hist. Nat. II, 1840, p. 455. — Redt. Fauna Austr. 1849, p. 483; ed. 2, 1858, p. 849; ed. 3, II, 1874, p. 400. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 32, t. 22, f. 4. — Bach, Käferfauna III, 1856, p. 15. — Schiödt, Nat. Tidskr. (3) II, 1864, p. 533. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 40, f. 183. — C. G. Thoms. Skand. Col. VIII, 1866, p. 33. — Cox, Handb. Col. II, 1874, p. 316. — Ganglb. Best.-Tab. VII, 1882, p. 70 (748). — Bedel, Faune Col. Seine V, 1889, p. 25, 70. — Fowler, Col. Brit. Isl. IV, 1890, p. 224, t. 120, f. 7. — Seidl. Fauna Balt. ed. 2, 1891, p. 739; Fauna Transs. 1891, p. 831. — Stierl. Col. Helvet. II, 1898, p. 467. — Everts, Col. Neerl. II, 1, 1902, p. 364. — Csiki, Rov. Lapok XI, 1904, p. 101. — Houlb. Faune Armor. Ceramb. 1904, p. 48, f. 91. — Jacobs. Käfer Russl. 1910, t. 66, f. 8.
- Biologie: Perris, Larves Col. 1877, p. 440, f. 449; Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 280, f. 449. — Xamheu, Moeurs et Métam. VIII, 1902, p. 72.
- biarcuratus* Piller und Mitterp. Iter per Poseg. 1783, p. 112.
- globiferus* Voet, Cat. Col. II, 1778, p. 19, t. 18, f. 80; ed. Panz. III, 1794, p. 48, t. 18, f. 80.

- pedisequa* Voet, Cat. Col. II, 1804—06, p. 25, t. 22, f. 116.
- turcicus* Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 83.
- var. *infuscatum* Chevr. Rev. Mag. Zool. (2) XVIII, 1866, p. 107. — Csiki, Rov. Lapok XI, 1904, p. 101.
- nitidus* Chevr. Ann. Soc. Ent. Fr. (6) II, 1882, p. 58.
- var. *Pici* n.
- alni* var. Pic, Longic. II, 1898, p. 19.
- altaiensis* Pic, Echange XVII, 1901, p. 12.
- amoenus* Say, Journ. Acad. Philad. III, 1823, p. 413. — J. Lec. l. c. (2) II, 1850, p. 33. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 100. — Wickh. Canad. Ent. XXIX, 1897, p. 107.
- angustus* Kriechb. Übers. Ceramb. Münchens 1844, p. 8; Stett. Ent. Zeit. VII, 1846, p. 111. — Küster, Käfer Eur. XX, 1850, p. 91. — Bach, Käferfauna III, 1856, p. 14. — Redt. Fauna Austr. ed. 2, 1858, p. 849; ed. 3, II, 1874, p. 401. — Muls. Col. Fr. Long. ed. 2, 1862, p. 91. — Ganglb. Best.-Tab. VII, 1882, p. 72 (750). — Csiki, Rov. Lapok XI, 1904, p. 99; Deutsches Resumé p. 9.
- ater* J. Lec. Trans. Amer. Ent. Soc. XII, 1885, p. 22. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 99, 100.
- blandus* J. Lec. Proc. Acad. Philad. 1859, p. 79. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 99, 100.
- Bodemeyeri* Reitter, Wien. Ent. Zeit. XXII, 1903, p. 46. — Pic, Bull. Soc. Ent. Fr. 1903, p. 128.
- decussatus* J. Lec. Ent. Report 1857, p. 61. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 99, 101; Ent. Amer. I, 1885, p. 35, t. 1, f. 14.
- fasciatus* Villers, Linn. Ent. I, 1789, p. 257. — Bedel, Faune Col. Seine V, 1889, p. 25. — Müller, Wien. Ent. Zeit. XXV, 1906, p. 223. — Csiki, Rov. Lapok XI, 1904, p. 101.
- unifasciatus* Ol. Enc. méth. Ins. V, 1790, p. 269; Ent. IV, 70, 1795, p. 56, t. 1, f. 12. — Rossi, Fauna Etr. II, 1790, p. 343; Mant. Ins. II, 1794, t. 7, f. M. — F. Ent. Syst. I, 2, 1792, p. 338. — Herrich-Schaeffer, Fauna Ins. Germ. CXIX, 183?, t. 23. — Muls. Col. Fr. Long. 1839, p. 45; ed. 2, 1862, p. 88. — Cast. Hist. Nat. II, 1840, p. 455. — Redt. Fauna Austr. 1849, p. 483; ed. 2, 1858, p. 849; ed. 3, II, 1874, p. 400. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 32, t. 32, f. 3. — Bach, Käferfauna III, 1856, p. 15. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 40, f. 185. — Ganglb. Best.-Tab. VII, 1882, p. 70 (748).
- Biologie: Perris, Larves Col. 1877, p. 437, f. 443—448; Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 277, f. 443—448. — Xambeu, Moeurs et Métam. VIII, 1902, p. 70.
- femoralis* Ménétr. Cat. Rais. 1832, p. 228. — Fald. Fauna Ent. Transcauc. II, 1837, p. 267. — Faust, Horae

Spanien

Tiflis

Sibirien
New York,
Pennsyl-
vanienSüddeutsch-
land

New York

Kalifornien

Kleinasien

Kalifornien

Südeuropa

Kaukasus

- Soc. Ent. Ross. XIV, 1878, p. 119. — Ganglb. Best.-Tab. VII, 1882, p. 71 (749).
 var. *utschderensis* Starck, Wien. Ent. Zeit. VIII, 1889, p. 312. Kaukasus
- glabratus** Charp. Horae Ent. 1825, p. 225. — Ganglb. Best.-Tab. VII, 1882, p. 70 (748). — Bedel, Faune Col. Seine V, 1889, p. 24, 71. — Seidl. Fauna Balt. ed. 2, 1891, p. 739; Fauna Transs. 1891, p. 831. — Stierl. Col. Helvet. II, 1898, p. 466. — Csiki, Rov. Lapok XI, 1904, p. 100. Mittel- und Südeuropa
- castaneus* Redt. Fauna Austr. 1849, p. 483; ed. 2, 1858, p. 849; ed. 3, II, 1874, p. 400. — Muls. Col. Fr. Long. ed. 2, 1862, p. 87.
- Deltili* Chev. Rev. Mag. Zool. (2) VIII, 1856, p. 435. — Reiche, Ann. Soc. Ent. Fr. (4) VIII, 1868, Bull. p. 49.
- Biologie: Marmottan, l. c.
- juglandis** Leng, Ent. Amer. VI, 1890, p. 214. Kalifornien
- Kalmi** Schönh. Syn. Ins. I, 3, 1817, p. 442. Canada
- bajulus* L. Mus. Lud. Ulr. 1764, p. 76.
- var. *dimidiatus* Kirby, Fauna Bor.-Amer. IV, 1837, p. 173. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 33. — Prov. Pet. Faune Ent. Canada I, 1877, p. 589. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 99, 100; Ent. Amer. I, 1885, p. 35, t. 1, f. 11. — Wickh. Canad. Ent. XXIX, 1897, p. 107. Nordamerika
- palliatu*s Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 41.
- Biologie: Felt, Ins. affect. Trees 1907, p. 669, f. 197.
- var. *Mannerheimi* J. Lec. Entom. Report 1857, p. 60. Kalifornien
- dimidiatus* Mannerh. Bull. Moscou XIX, 1846, p. 515.
- Kollari** Redt. Fauna Austr. 1849, p. 482; ed. 2, 1858, p. 847; ed. 3, II, 1874, p. 402. — Bach, Käferfauna III, 1856, p. 14. — Muls. Col. Fr. Long. ed. 2, 1862, p. 100. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 39, f. 180. — Ganglb. Best.-Tab. VII, 1882, p. 72 (750). — Seidl. Fauna Transs. 1891, p. 830. — Pic, Bull. Soc. Ent. Fr. 1903, p. 128. — Csiki, Rov. Lapok XI, 1904, p. 99. Österreich, Ungarn
- var. *nigripes* Pic, Echange VII, 1891, p. 102; XI, 1895, p. 120, nota 1; Bull. Soc. Ent. Fr. 1903, p. 128.
- atripes* Pic, Ann. Soc. Ent. Fr. LXI, 1892, p. 417.
- ab. *amasinus* Pic, Bull. Soc. Ent. Fr. 1903, p. 128.
- linearis** Hampe, Berl. Ent. Zeitschr. XIV, 1870, p. 335. — Ganglb. Verh. zool.-bot. Ges. Wien XXXV, 1885, p. 517. — Csiki, Rov. Lapok XI, 1904, p. 99. Bosnien, Türkei, Corfu
- Henschi* Pat. Rev. d'Ent. VII, 1888, p. 23.
- lividus** Rossi, Mant. Ins. II, 1794, Append. p. 98. — Ganglb. Best.-Tab. VII, 1882, p. 71 (749). — Bedel, Faune Col. Seine V, 1889, p. 24, 71. — Pic, Longic. I, 1891, p. 20. — Everts, Col. Neerl. II, 1, 1902, p. 365. — Houlb. Faune Armor. Ceramb. 1904, p. 47. — Csiki, Rov. Lapok XI, 1904, p. 101. Mittel- und Südeuropa, Nordafrika

- brevicollis* Dalm. in Schönh. Syn. Ins. I, 3, 1817, p. 191. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 35, t. 33, f. 5.
- melancholicus* Küster, Käfer Eur. V, 1846, p. 78. — Muls. Col. Fr. Long. ed. 2, 1862, p. 95. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 39, f. 181. — Redt. Fauna Austr. ed. 3, II, 1874, p. 401.
- thoracicus* Comolli, Col. Nov. Novoc. 1837, p. 41. — Muls. Col. Fr. Long. 1839, p. 51.
- Biologie: Perris, Larves Col. 1877, p. 430, f. 430—436; Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 270, f. 430—436. — Judeich, Forstins. II, 1, 1889, p. 586. — Xambeu, Moeurs et Métam. VIII, 1902, p. 78.
- ab. *asperipennis* Fairm. Rev. Mag. Zool. (3) VII, 1883, p. 217.
- ab. *melancholicus* F. Ent. Syst. Suppl. 1798, p. 151.
- tristis* Pic, Longic. I, 1891, p. 20.
- Maaki** Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 106. — Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 228. — Matsum. Thous. Ins. Japan III, 1908, nr. 719, t. 54, f. 6. Amur, Japan
- alni?* Blessig, Horae Soc. Ent. Ross. IX, 1872, p. 182.
- maculicollis** J. Lec. Proc. Amer. Philos. Soc. XVII, 1878, p. 614. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 99, 100. — Wickh. Canad. Ent. XXIX, 1897, p. 107. Lake Superior, Canada
- nitidus** J. Lec. Trans. Amer. Ent. Soc. V, 1874, p. 66. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 99, 101. Kalifornien, Nevada
- obliquus** Casey, Ann. N. York Acad. VI, 1891, p. 26. Kalifornien
- obscurus** J. Lec. Proc. Acad. Philad. 1859, p. 79. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 99, 100. „
- puncticollis** Muls. Col. Fr. Long. ed. 2, 1862, p. 99. — Ganglb. Best.-Tab. VII, 1882, p. 72 (750). — Seidl. Fauna Transs. 1891, p. 832. — Stierl. Col. Helvet. II, 1898, p. 467. — Csiki, Rov. Lapok XI, 1904, p. 101. Ungarn, Süd-russland, Schweiz?
- ab. *macedonicus* Pic, Echange XXV, 1909, p. 130; Longic. VII, 2, 1910, p. 3. Macedonien
- pusillus** F. Mant. Ins. II, 1787, p. 155. — Rossi, Mant. Ins. I, 1792, p. 53. — Panz. Fauna Ins. Germ. LXXXII, 1801, p. 6. — Bedel, Faune Col. Seine V, 1889, p. 25, 72. — Stierl. Col. Helvet. II, 1898, p. 468. — Csiki, Rov. Lapok XI, 1904, p. 100. Mittel- und Südeuropa
- abdominalis* Bon. Mem. Soc. Agr. Torino IX, 1812, p. 180, t. 6, f. 28. — Redt. Fauna Austr. ed. 3, II, 1874, p. 401. — Ganglb. Best.-Tab. VII, 1882, p. 72 (750). — Seidl. Fauna Transs. 1891, p. 832. — Pic, Longic. I, 1891, p. 20.
- humeralis* Comolli, Col. Nov. Novoc. 1837, p. 44. — Muls. Col. Fr. Long. 1839, p. 53, t. 3, f. 1; ed. 2, 1862, p. 97.
- luridus* Ol. Ent. IV, 70, 1795, p. 23, t. 1, f. 7; t. 7, f. 78.

- ab. barbipes* Küster, Käfer Eur. VIII, 1847, p. 78.
humeralis Pic, Longic. I, 1891, p. 20.
humeralis var. β Muls. Col. Fr. Long. ed. 2, 1862, p. 98.
ab. rufipennis Starck, Wien. Ent. Zeit. VIII, 1889, p. 312. — Pic, Longic. I, 1891, p. 20.
rufipes F. Gen. Ins. 1776, p. 232. — Ol. Enc. méth. Ins. V, 1790, p. 268; Ent. IV, 70, 1795, p. 21, t. 6, f. 66. — Muls. Col. Fr. Long. 1839, p. 46; ed. 2, 1862, p. 90. — Redt. Fauna Austr. 1849, p. 483; ed. 2, 1858, p. 848; ed. 3, II, 1874, p. 400. — Bach, Käferfauna III, 1856, p. 15. — Ganglb. Best.-Tab. VII, 1882, p. 70 (748). — Bedel, Faune Col. Seine V, 1889, p. 24, 70. — Seidl. Fauna Balt. ed. 2, 1891, p. 739; Fauna Transs. 1891, p. 831. — Stierl. Col. Helvet. II, 1798, p. 466. — Everts, Col. Neerl. II, 1, 1901, p. 364. — Houlb. Faune Armor. Ceramb. 1904, p. 47, 48. — Csiki, Rov. Lapok XI, 1904, p. 100.
amethystinus F. Ent. Syst. I, 2, 1792, p. 321.
coeruleus Goeze, Ent. Beytr. I, 1777, p. 507.
cyaneus Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 82.
cyanochrysos Gmel. Syst. Nat. I, 4, 1790, p. 1846.
erythropus Gmel. l. c. p. 1847.
gallicus Gmel. l. c. p. 1877.
spinosa Schrank, Enum. Ins. 1781, p. 165; Fauna Boica I, 2, 1798, p. 696. — Brahm, Ins.-Kal. I, 1790, p. 174. — Bechst. & Scharfenb. Forstins. I, 1804, p. 216.
 Biologie: Laboulb. Ann. Soc. Ent. Fr. (3) VI, 1858, p. 841. — Xamheu, Moeurs & Métam. VIII, 1902, p. 76.
 var. *syriacus* Pic, Echange VII, 1891, p. 118.
semicircularis Bland, Proc. Ent. Soc. Philad. I, 1862, p. 275, f. 4.
testaceus L. Syst. Nat. ed. 10, 1758, p. 396; Fauna Suec. ed. 2, 1761, p. 193. — Degeer, Mém. Ins. V, 1775, p. 93. — F. Syst. Ent. 1775, p. 190. — Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 83. — Villers, Linn. Ent. I, 1789, p. 249. — Rossi, Fauna Etr. I, 1790, p. 155. — Ol. Enc. méth. Ins. V, 1790, p. 255; Ent. IV, 70, 1795, p. 15, t. 1, f. 11. — Martyn, Engl. Ent. 1792, t. 26, f. 23. — Marsh. Ent. Brit. I, 1802, p. 334. — Bechst. & Scharfenb. Forstins. I, 1804, p. 208. — Muls. Col. Fr. Long. 1839, p. 50. — Cast. Hist. Nat. II, 1840, p. 455. — Woll. Ins. Mad. 1854, p. 425. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 34, t. 33, f. 4. — Bach, Käferfauna III, 1856, p. 16. — Ganglb. Best.-Tab. VII, 1882, p. 71 (749). — Bedel, Faune Col. Seine V, 1889, p. 24, 74. — Seidl. Fauna Balt. ed. 2, 1891, p. 739; Fauna Transs. 1891, p. 832. — Pic, Longic. I, 1891, p. 20. — Stierl. Col. Helvet. II, 1898, p. 467. — Everts, Col. Neerl. II, 1, 1901, p. 364. — Houlb. Faune Armor. Ceramb. 1904, p. 48, f. 90. — Csiki, Rov. Lapok XI, 1904, p. 100. — Jacobs. Käfer Russl. 1910, t. 66, f. 10.

Kaukasus

Mittel- und
SüdeuropaSyrien
Pennsyl-
vanien
Europa,
Nordafrika,
Nord-
amerika

- similaris* Küster, Käfer Eur. I, 1844, p. 54
var. *a*.
- variabilis* var. β ♀ Payk. Fauna Suec. III, 1800, p. 88. — var. ϵ Schönh. Synon. Ins. I, 3, 1817, p. 443. — var. f Gyllenh. Ins. Suec. I, 4, 1827, p. 73. — var. ϵ Muls. Col. Fr. ed. 2, 1862, p. 94. — var. f C. G. Thoms. Skand. Col. VIII, 1866, p. 31. — Fowler, Col. Brit. Isl. IV, 1890, t. 120, f. 8.
- ab. *Cameranoi* Beffa, Rivista Col. Ital. VII, 1909, p. 200. Italien
- ab. *fennicus* L. Syst. Nat. ed. 10, 1758, p. 396; Fauna Suec. ed. 2, 1761, p. 194. — Müller, Zool. Dan. Prodr. 1776, p. 95. — Laich. Verz. Tyrol. Ins. II, 1784, p. 150. — Villers, Linn. Ent. I, 1789, p. 250. — Ol. Ent. IV, 70, 1795, p. 20, t. 1, f. 9. — Townson, Travels in Hongr. 1797, p. 470. — Zinke, Nadelholz-Ins. 1798, p. 46. — Bechstein & Scharfenb. Forstins. I, 1804, p. 209. — Stierl. Col. Helvet. II, 1798, p. 467. — Csiki, Rov. Lapok. XI, 1904, p. 100.
- carniolicus* Gmel. Syst. Nat. I, 4, 1790, p. 1858.
- fenicus* Scop. Annus Hist. Nat. V, 1772, p. 98.
- nigrinus* Muls. Col. Fr. Long. 1839, p. 47. — Bach, Käferfauna III, 1856, p. 15. — Pic, Longic. I, 1891, p. 21. — Everts, Col. Neerl. II, 1, 1902, p. 365.
- variabilis* var. δ , ϵ Laich. Verz. Tyrol. Ins. II, 1784, p. 81. — ♂ Payk. Fauna Suec. III, 1800, p. 87. — var. β Schönh. Synon. Ins. I, 3, 1817, p. 442. — var. b , c Gyllenh. Ins. Suec. I, 4, 1827, p. 72. — var. a Muls. Col. Fr. Long. ed. 2, 1862, p. 93. — var. b , c C. G. Thoms. Skand. Col. VIII, 1866, p. 31.
- ab. *fulvipennis* Reitter, Wien. Ent. Zeit. XX, 1901, p. 101.
- ab. *infuscatus* J. Lec. Proc. Acad. Philad. 1859, p. 285. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 99. Kalifornien
- ab. *luridus* Payk. Fauna Suec. III, 1800, p. 87. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 34, t. 33, f. 3.
- analis* Redt. Fauna Austr. 1849, p. 481; ed. 2, 1858, p. 849; ed. 3, II, 1874, p. 400. — Pic, Longic. I, 1891, p. 20. — Stierl. Col. Helvet. II, 1898, p. 467. — Everts, Col. Neerl. II, 1, 1902, p. 365.
- nigricollis* Muls. Col. Fr. Longic. 1839, p. 49. — Bach, Käferfauna III, 1856, p. 16. — Everts, Col. Neerl. II, 1, 1902, p. 364.
- variabilis* var. η Schönh. Synon. Ins. I, 3, 1817, p. 444. — var. h Gyllenh. Ins. Suec. I, 4, 1827, p. 73. — var. δ Muls. Col. Fr. Long. ed. 2, 1862, p. 94. — var. h C. G. Thoms. Skand. Col. VIII, 1866, p. 32.
- ab. *melanocephalus* Ponza, Mem. Accad. Torino XIV, 1805, p. 71. — Pic, Longic. I, 1891, p. 20. — Csiki, Rov. Lapok XI, 1904, p. 100.

- ? *luridus* Ol. Ent. IV, 70, 1795, p. 23 (ex parte), t. 1, f. 7.
- Sellae* Kraatz, Berl. Ent. Zeitschr. XII, 1868, p. 338.
- ? *tricolor* Dalla Torre, Jahresber. Ver. Nat. Linz XI, 1880, p. 54.
- ab. *praeustus* F. Spec. Ins. II, 1781, p. 500. — Rossi, Mant. Ins. II, 1794, p. 98. — Muls. Col. Fr. Long. 1839, p. 49. — Cast. Hist. Nat. II, 1840, p. 455. — Bach, Käferfauna III, 1856, p. 16. — Gangl. Best.-Tab. VII, 1882, p. 71 (749). — Pic, Longic. I, 1891, p. 21. — Stierl. Col. Helvet. II, 1898, p. 467. — Everts, Col. Neerl. II, 1, 1902, p. 365. — Csiki, Rov. Lapok XI, 1904, p. 100.
- deustus* Gmel. Syst. Nat. I, 4, 1790, p. 1850.
- dimidiatipennis* Chevr. Ann. Soc. Ent. Fr. (6) II, 1882, p. 58.
- jennicus* ♀ Schrank, Enum. Ins. 1781, p. 150.
- variabilis* ♀ Payk. Fauna Suec. III, 1800, p. 87. var. γ, δ Schönh. Syn. Ins. I, 3, 1817, p. 443. — var. d, e Gyllenh. Ins. Suec. I, 4, 1827, p. 72, 73. — var. γ Muls. Col. Fr. Long. ed. 2, 1862, p. 93. — var. d, e C. G. Thoms. Skand. Col. VIII, 1866, p. 31.
- ab. *similaris* Küster, Käfer Eur. I, 1844, p. 54.
- ? *bicolor* Dalla Torre, Jahresber. Ver. Nat. Linz XI, 1880, p. 54.
- rufipes* Costa, Fauna Règn. Napoli, Col. II, 1855, Ceramb. p. 34, t. 33, f. 2. — Pic, Longic. I, 1891, p. 21. — Csiki, Rov. Lapok XI, 1904, p. 100.
- ab. *variabilis* L. Fauna Suec. ed. 2, 1761, p. 192. — Müller, Zool. Don. Prodr. 1776, p. 94. — Villers, Linn. Entomol. I, 1789, p. 248. — var. γ Schrank, Fauna Boica I, 2, 1798, p. 675. — Zinke, Nadelholz-Ins. 1798, p. 45. — Donndorff, Europ. Fauna VIII, 1799, p. 577 (ex parte). — Bechstein & Scharfenb. Forstins. I, 1804, p. 206. — var. α Schönh. Syn. Ins. I, 3, 1817, p. 442. — var. α Gyllenh. Ent. Suec. I, 4, 1827, p. 72. — Steph. III. Brit. Ent. Mand. IV, 1831, p. 248 (ex parte); Man. 1839, p. 274 (ex parte). — Ratzeb. Forstins. I, 1837, p. 237, t. 17, f. 1. — Cast. Hist. Nat. II, 1840, p. 455 (ex parte). — Redt. Fauna Austr. 1849, p. 481; ed. 2, 1858, p. 849; ed. 3, II, 1874, p. 400 (ex parte). — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 33. — var. β Muls. Col. Fr. Long. ed. 2, 1862, p. 93. — Schiödt, Nat. Tidskr. (3) II, 1864, p. 535. — var. α C. G. Thoms. Skand. Col. VIII, 1866, p. 31. — Cox, Handb. Col. II, 1874, p. 316 (ex parte). — Ganglb. Best.-Tab. VII, 1882, p. 71 (749) (ex parte). — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 99 (ex parte). — Fowler, Col. Brit. Isl. IV, 1890, p. 223 (ex parte). — Seidl. Fauna Balt. ed. 2, 1891, p. 739; Fauna

- Transs. 1891, p. 832. — Stierl. Col. Helvet. II, 1898, p. 467. — Csiki, Rov. Lapok XI, 1904, p. 100.
- crassipes* Goeze, Ent. Beytr. I, 1777, p. 507. — Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 84. — Gmel. Syst. Nat. I, 4, 1790, p. 1877.
- jallax* Villers, Linn. Entomol. I, 1789, p. 276.
- jaennicus* Martyn, Engl. Entomol. 1792, t. 25, f. 16.
- memoratus* Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 83.
- jennicus* F. Syst. Ent. 1775, p. 188. — Herbst in Füessly, Arch. V, 1784, p. 95, t. 26, f. 8. — Rossi, Fauna Etr. I, 1790, p. 154. — Panz. Fauna Ins. Germ. LXX, 1799, t. 2. — Marsh. Ent. Brit. I, 1802, p. 336. — Muls. Col. Fr. Long. 1839, p. 48. — Costa, Fauna Règn. Napoli, Col. II, 1855, Ceramb. p. 54, t. 33, f. 1. — Bach, Käferfauna III, 1856, p. 15. — Pic, Longic. I, 1891, p. 21. — Everts, Col. Neerl. II, I, 1901, p. 365.
- rubricollis* Voet, Cat. Col. II, 1778, p. 22, t. 20, f. 97; ed. Panzer III, 1794, p. 57, t. 20, f. 97.
- testaceus* Jacobs. Käfer Russl. 1910, t. 66, f. 11.
- ? *unicolor* D. Torre, Jahresb. Ver. Naturk. Linz XI, 1880, p. 54.
- ab. *ventralis* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 37.
- Biologie: Schiödde, Nat. Tidskr. (3) X, 1875, p. 416, t. 15, f. 13—21. — Perris, Larves Col. 1877, p. 433, f. 437, 438; Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 273, f. 437, 438. — Nördl. Lebensweise von Forstkerfen 1880, p. 41. — Savard, Bull. Insectol. Agr. IX, 1884, p. 129. — Judeich, Forstins. II, 1, 1889, p. 583, f. 183. — Planet, Le Natural. XV, 1893, p. 242, fig. — Xambeu, Moeurs & Métam. VIII, 1902, p. 77.
- Türki** Ganglb. Verh. zool.-bot. Ges. Wien XXXV, 1885, p. 517. Taurus
- ab. *karsantianus* Pic, Longic. VII, 2, 1910, p. 2. ,,
- varius* F. Gen. Ins. 1776, p. 232. — Ol. Enc. méth. Ins. V, 1790, p. 260; Ent. IV, 70, 1795, p. 54, t. 5, f. 55. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 33. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 99, 101; Ent. Amer. I, 1885, p. 35, t. 1, f. 13. — Wickh. Canad. Ent. XXIX, 1897, p. 107, f. 17. Vereinigte Staaten Nord-amerikas
- versicolor* Gmel. Syst. Nat. I, 4, 1790, p. 1852.
- ab. *albofasciatus* Bland, Proc. Ent. Soc. Philad. I, 1862, p. 274. Pennsylvanien
- ab. *subfasciellus* White, Cat. Col. Brit. Mus. VIII, 1855, p. 322. — Horn, Trans. Amer. Ent. Soc. X, 1882, p. 289.
- vulneratus* J. Lec. Entomol. Report 1857, p. 60. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 99, 101; Ent. Amer. I, 1885, p. 35, t. 1, f. 12. Kalifornien

Xylocrius J. Lec.

J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 296. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 281. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 61, 113.

Agassizi J. Lec. Proc. Acad. Philad. 1861, p. 357. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 113. Kalifornien
eribratus J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 172. Nevada
— Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 113, 114; Ent. Amer. I, 1885, p. 35, t. 1, f. 18.

2

Pronocera Motsch.

Motsch. Bull. Moscou XLIX, 1, 1875, p. 149.

daurica Motsch. Bull. Moscou XXXII, 2, 1859, p. 494; Amur,
XLIX, 1, 1875, p. 149. Daurien
pilosa Reitter, Deutsche Ent. Zeitschr. 1891, p. 33. Taschkent
scabra Kraatz, l. c. XXVI, 1882, p. 115. Turkestan
var. *simplicaria* Heyd. l. c. XXIX, 1885, p. 296. „

3

Anisarthron Redt.

Redt. Gatt. deutsch. Käferfauna 1845, p. 109; Fauna Austr. 1849, p. 489; ed. 2, 1858, p. 853; ed. 3, II, 1874, p. 410. — Bach, Käferfauna III, 1856, p. 23. — Muls. Col. Fr. Long. ed. 2, 1862, p. 121. — Thoms. Syst. Ceramb. 1864, p. 462. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 124. — Lacord. Gen. Col. IX, 1869, p. 55. — Ganglb. Best.-Tab. VII, 1882, p. 12 (690). — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 181; Fauna Transs. 1891, Gatt. p. 181. — Stierl. Col. Helvet. II, 1898, p. 463. — Csiki, Rov. Lapok XI, 1904, p. 37.

barbipes Schrank, Enum. Ins. 1781, p. 148. — Charpent. Mittel-
Horae Ent. 1825, p. 226. — Küster, Käfer Eur. europa,
II, 1844, p. 54. — Redt. Fauna Austr. 1849, p. 489; Ober-
ed. 2, 1858, p. 853; ed. 3, II, 1874, p. 410. — italien
Bach, Käferfauna III, 1856, p. 23. — Muls. Col.
Fr. Long. ed. 2, 1862, p. 121. — Fairm. Gen. Col.
d'Eur. IV, 1864, t. 37, f. 170. — Ganglb. Best.-
Tab. VII, 1882, p. 74 (752). — Seidl. Fauna Transs.
1891, p. 832. — Stierl. Col. Helvet. II, 1898,
p. 468. — Csiki, Rov. Lapok XI, 1904, p. 83. —
Jacobs. Käfer Russl. 1910, t. 66, f. 5.

Biologie: Schmitt, Stett. Ent. Zeit. IV, 1843,
p. 107. — Heller, Verh. zool.-bot. Ges. Wien
XXXIV, 1884, p. 119, fig. — Xambeu, Ann. Soc.
Linn. Lyon (2) XLV, 1898, p. 47; Moeurs &
Métam. VII, 1899, p. 87. — Holík, Acta Soc. Ent.
Bohemiae VII, 1910, p. 21.

T

Idiocalla Jord.

Jord. Nov. Zool. X, 1903, p. 139.

ferruginea Jord. l. c. I, 1894, p. 185; X, 1903, p. 139. Kilu
postica Jord. l. c. X, 1903, p. 139. Usambara

2

Agada Fairm.

Fairm. Ann. Soc. Ent. Fr. LXI, 1892, Bull. p. 171.

clavicornis Fairm. l. c. p. 172.

Madagascar

1

Dolomius Fairm.

Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 250.

Perrieri Fairm. l. c.

Madagascar

1

Isotrium Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 375.

lutosum Fairm. l. c.

Madagascar

1

Prionopsis Fairm.

Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 85.

metallicolor Fairm. l. c.

Madagascar

1

Teorotrium Fairm.

Fairm. Revue d'Ent. XX, 1901, p. 206.

brevipenne Fairm. l. c. p. 207.

Madagascar

1

Genus ?*)*aeneum* F. Mant. Ins. I, 1787, p. 151. — Ol. Ent. IV, 70, 1795, p. 13, t. 4, f. 46.

Afrika

affine Montrz. Ann. Soc. Agr. Lyon VII, 1857, p. 58.

Insel

Woodlark

angolense Er. Archiv für Naturgesch. IX, 1843, I, p. 261.

Angola

asaemoides Pascoe Trans. Ent. Soc. Lond. (3) I, 1863, p. 563.

Adelaide

bifasciatum F. Mant. Ins. I, 1787, p. 152. — Ol. Ent. IV, 70, 1795, p. 31, t. 4, f. 42.

Westamerika

occidentale Gmel. Syst. Nat. I, 4, 1790, p. 1847.*biguttatum* Sallé, Ann. Soc. Ent. Fr. (3) IV, 1856, p. 688, t. 20, I, f. 2. — Gah. Trans. Ent. Soc. Lond. 1895, p. 120.

Haiti

depressum Klug in Erman's Reise, Atlas V, 1835, p. 44, t. 16, f. 3.

Prinzeninsel

duodecimsignatum Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, p. 385; Mélanges Ent. III, 1855, p. 65.

Brasilien

erosum M'Leay in King's Narrative Survey, Append. II, 1827, p. 450.

Neuholland

faber Newm. Ann. Nat. Hist. V, 1840, p. 18.

,,

*) Als *Callidium* beschriebene Arten, deren generische oder sogar systematische Stellung unsicher ist.

- longicollis** Guér. Rev. Zool. 1840, p. 109. Senegal
morosum Boisd. Voy. Astrol. Ins. II, 1835, p. 480. Neuholland
pubescens Ol. Enc. méth. Ins. V, 1790, p. 256; Ent. IV, Capland
 70, 1795, p. 18, t. 6, f. 75. — F. Ent. Syst. I, 2,
 1792, p. 324.
punctatum Montrz. Ann. Soc. Agr. Lyon VII, 1857, p. 57. Inscel
 Woodlark
scutellare Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 387. Madagascar
subcostatum Fairm. Ann. Soc. Ent. Fr. (5) I, 1871, p. 57. „
vexatum Newm. Zoolog. V, 1847, p. 1676. Neuholland
vittigerum Newm. l. c. p. 1677. „
 18

LXVIII. Oedenoderini.

Oedenoderus Chevr.

- Chevr. Archives Ent. II, 1858, p. 245. — Thoms. Classif. Ceramb. 1860, p. 233; Syst. Ceramb. 1864, p. 427. — Lacord. Gen. Col. IX, 1869, p. 61.
Oedaenoderus Gemm. & Har. Cat. Col. IX, 1873, p. 2922.
pupa Chevr. Archives Ent. II, 1858, p. 246. Grand
 Bassam
sphaericollis Chevr. Revue Mag. Zool. (2) VII, 1855, Altcabalar
 p. 283; Cent. Longic. 1858, nr. 18. — Murray,
 Ann. Mag. Nat. Hist. (4) VI, 1870, p. 170.
 2

LXIX. Clytini.

Muls. Col. Fr. Long. 1839, p. 70; ed. 2, 1862, p. 135. — Costa, Fauna Règn. Napoli, Col. II, 1855, Ceramb. p. 44. — Thoms. Classif. Ceramb. 1860, p. 214, Syst. Ceramb. 1864, p. 184. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 143. — C. G. Thoms. Skand. Col. VIII, 1866, p. 34. — Dunning, Trans. Ent. Soc. Lond. 1868, p. 127. — Lacord. Gen. Col. IX, 1869, p. 57. — Pascoe, Trans. Ent. Soc. Lond. (3) III, 1869, p. 597. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 317. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 302. — Leng, Ent. Amer. II, 1887, p. 194. — Gah. Fauna Brit. India, Col. I, 1906, p. 239.

Anaglyptinae Lacord. Gen. Col. IX, 1869, p. 84.

Monographie: Cast. & Gory, Monographie des Clytus, 1835.

F a u n e n :

- Afrika: Jord. Nov. Zool. X, 1903, p. 141—145.
 Antillen: Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 528—532.
 Argentina: Chevr. l. c. p. 527.
 Asien: Chevr. Mém. Soc. R. Sc. Liège XVIII, 1863, p. 253—350.
 Australien: Pasc. Journ. Ent. II, 1864, p. 245—246.
 Bolivien: Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 524—527.
 Brasilien: Chevr. l. c. p. 49—67.
 Chile: Chevr. l. c. p. 524—527.
 Columbien: Chevr. l. c. (4) I, 1861, p. 377—388.
 Europa: Ganglb. Best.-Tab. VII, 1882, p. 46—60 (724—738).

- Guayana: Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 517—524.
 Hawaii: Sharp, Fauna Hawaiens. II, 1900, p. 98—113.
 Mexico: Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 451—504.
 Nordamerika: Leng, Entomol. Amer. II, 1887, p. 194—200; III,
 1887, p. 4—8, 23—24, 44.
 Oceanien: Chevr. Mém. Soc. R. Sc. Liège XVIII, 1863, p. 253—350.
 Ostindien: Gah. Fauna Brit. Ind. Col. I, 1906, p. 239—304.
 Peru: Chevr. Ann. Soc. Ent. Fr. (2) II, 1862, p. 524—527.

Xylotrechus Chevr.

- Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 456. — Muls. Col. Fr. Long. ed. 2, 1862, p. 143. — Thoms. Syst. Ceramb. 1864, p. 424. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 143. — Lacord. Gen. Col. IX, 1869, p. 77. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 606. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 319. — Prov. Pet. Faune Ent. Canada I, 1877, p. 598. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 304. — Ganglb. Best.-Tab. VII, 1882, p. 49 (727). — Leng, Ent. Amer. II, 1887, p. 195. — Bedel, Faune Col. Seine V, 1889, p. 30. — Seidl. Fauna Balt. ed. 2, 1891, p. 733; Fauna Transs. 1891, p. 825. — Stierl. Col. Helv. II, 1898, p. 455. — Everts, Col. Neerl. II, 1, 1901, p. 369. — Pic, Bull. Soc. Ent. Fr. 1902, p. 92. — Houlb. Faune Armor. Ceramb. 1904, p. 17. — Csiki, Rov. Lapok XI, 1904, p. 140. — Gah. Fauna Brit. India, Col. 1, 1906, p. 241.

Paläarktische und japanische Arten.

Pic, Longic. IV, 1, 1902, p. 12—20 (Synopsis).

- adpersus** Gebl. Ledeb. Reise II, 3, 1830, p. 181; Bull. Sibirien
 Moscou XXI, 1848, p. 392. — Kraatz, Deutsche
 Ent. Zeitschr. XXIII, 1879, p. 89, nota 4. —
 Bergr. Ent. Nachr. XIX, 1893, p. 349. — Pic,
 Longic. IV, 1, 1902, p. 16. — Semen. Rev. Russe
 d'Ent. IV, 1904, p. 315.
- ✓ **albifilis** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, Japan,
 1884, p. 232. — Pic, Longic. IV, 1, 1902, p. 16 Amur
 (= *cuneipennis*?)
- ✓ *pallidipennis* Matsum. Thous. Ins. Japan III,
 1908, nr. 725, t. 54, f. 12.
- altaicus** Gebl. Bull. Mosc. IX, 1836, p. 342; XXI, 1, Sibirien
 1848, p. 392. — White, Cat. Col. Brit. Mus. VIII,
 1855, p. 265. — Chevr. Mém. Soc. R. Sc. Liège
 XVIII, 1863, p. 313 (61). — Pic, Longic. IV, 1,
 1902, p. 16.
- Popovi* Mannerh. Bull. Moscou XXII, 1, 1849,
 p. 241. — White, Cat. Col. Brit. Mus. VIII, 1855,
 p. 265. — Blessig, Horae Soc. Ent. Ross. IX,
 1872, p. 187.
- ✓ **antilope** Schönh. Syn. Ins. I, 3, 1817, p. 465. — Zett. Europa
 Vetensk. Akad. Handl. 1818, p. 257. — Gyllenh.
 Ins. Suec. I, 4, 1827, p. 98. — Herrich-Schaeffer,
 Fauna Ins. Germ. CXII, 1829—3?, t. 3. —
 Muls. Col. Fr. Long. 1839, p. 79; ed. 2, 1862,
 p. 152. — Cast. Hist. Nat. II, 1840, p. 449. —
 Cast. & Gory, Monogr. p. 60, t. 12, f. 69. —
 Küster, Käfer Eur. X, 1847, p. 90. — White,
 Cat. Col. Brit. Mus. VIII, 1855, p. 269. — Bach,
 Käferfauna III, 1856, p. 20. — C. G. Thoms.

Skand. Col. VIII, 1866, p. 37. — Ganglb. Best.-Tab. VII, 1882, p. 50 (728). — Bedel, Faune Col. Seine V, 1889, p. 30, 80. — Seidl. Fauna Balt. ed. 2, 1891, p. 735; Fauna Transs. 1891, p. 826. — Stierl. Col. Helvet. II, 1898, p. 457. — Everts, Col. Neerl. II, 1, 1901, p. 370. — Pic, Longic. IV, 1, 1902, p. 17. — Houlb. Faune Armor. Ceramb. 1904, p. 54.

? *arietis* F. Syst. Ent. 1775, p. 193.

hieroglyphicus Drapiez, Ann. Sc. Phys. Brux. I, 1819, p. 294, t. 11, f. 6.

Biologie: Xamheu, Moeurs & Métam. VIII, 1902, p. 100.

ab. *obliquefasciatus* Pic, Variétés I, 1890, p. 3; Longic. I, 1891, p. 25; II, 1898, p. 11.

Nordafrika,
Korsika
Mittel- und
Südeuropa

✓ *arvicola* Ol. Ent. IV, 70, 1795, p. 64, t. 8, f. 93. — Herrich-Schaeffer, Fauna Ins. Germ. CXIII, 183?, f. 4. — Cast. & Gory, Monogr. p. 54, t. 11, f. 63. — Muls. Col. Fr. Long. 1839, p. 77; ed. 2, 1862, p. 150. — Redt. Fauna Austr. 1849, p. 487; ed. 2, 1858, p. 852; ed. 3, 1874, p. 408. — Costa, Fauna Règn. Nap. Col. II, 1855, Longic. p. 49. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 267. — Bach, Käferfauna III, 1856, p. 19. — Lederer, Wien. Ent. Monatschr. VIII, 1864, p. 483—485. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 42, f. 196. — Ganglb. Best.-Tab. VII, 1882, p. 49 (727). — Bedel, Faune Col. Seine V, 1889, p. 30, 80. — Seidl. Fauna Balt. 1891, p. 735; Fauna Transs. 1891, p. 826. — Stierl. Col. Helvet. II, 1898, p. 457. — Everts, Col. Neerl. II, 1, 1901, p. 369. — Pic, Longic. IV, 1, 1902, p. 17. — Houlb. Faune Armor. Ceramb. 1904, p. 54.

? *arietis* F. Syst. Ent. 1775, p. 193.

Kraatzi Lederer, Wien. Ent. Monatschr. VIII, 1864, p. 485.

Biologie: Perris Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 298 (sep. p. 458). — Xamheu, Ann. Soc. Linn. Lyon (2) XL, 1893, p. 110; Rev. d'Ent. XVII, 1898, p. 29; Moeurs & Métam. VIII, 1902, p. 94; IX, 1901, p. 29. — Gruardet, Bull. Soc. Ent. Fr. 1908, p. 110.

ab. *Heydeni* Stierl. Berl. Ent. Zeitschr. VIII, 1864, p. 152. — Kraatz, l. c. p. 390. — Lederer, Wien. Ent. Monatschr. VIII, 1864, p. 135, 484. — Ganglb. Best.-Tab. VII, 1882, p. 49 (727).

Sicilien

ab. *inbasalis* Pic, Longic. VIII, 1, 1911, p. 6.

Russland

ab. *tridentatus* Bleuse, Bull. Soc. Ent. Fr. 1905,

Frankreich

bifenestratus Pic 1916 Bull. Mus. Nat. Hist. Nat. 180 (separat. in PC) ~ ~ ~ ~ ~
p. 20.

capricornis Gebl. Ledeb. Reise II, 3, 1830, p. 182; Bull. Mosc. XXI, 1, 1848, p. 394 (sep. p. 299). — White, Cat. Col. Brit. Mus. VIII, 1855, p. 269.

China

Sibirien

capricornis Chevr. Mém. Soc. R. Sc. Liège XVIII, 1863, p. 325 (73). — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 89, nota 4. — Ganglb. Best.-Tab. VII, 1882, p. 50 (728). — Pic, Longic. IV, 1, 1902, p. 17, 19.

- ✓ *chinensis* Chevr. Rev. Mag. Zool. (2) IV, 1852, p. 416; Mém. Soc. Sc. Liège XVIII, 1863, p. 311, 313 (59, 61). — White, Cat. Col. Brit. Mus. VIII, 1855, p. 263. — Fairm. Rev. d'Ent. VII, 1888, p. 141. — Matsum. Thous. Ins. Japan 1908, nr. 714, t. 54, f. 1.
Biologie: Lewis, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 231.
- clarinus* Bates, l. c. p. 231. Japan
- dominula* White, Cat. Col. Brit. Mus. VIII, 1855, p. 261. Nordchina
— Waterh. Proc. Ent. Soc. Lond. 1874, p. 29.
- ✓ *emaciatius* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 231. Japan
- Grayi* White, Cat. Col. Brit. Mus. VIII, 1855, p. 261, t. 6, f. 4. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 325 (73). „
- Grunii* Semen. Horae Soc. Ent. Ross. XXIII, 1889, p. 402; XXVII, 1903, p. 502. — Pic, Longic. IV, 1, 1902, p. 17, 19. Transcaspien,
Turkestan
- namaganensis* Ganglb. Horae Soc. Ent. Ross. XX, 1886, p. 128.
- hircus* Gebl. in Hummel, Ess. Ent. IV, 1825, p. 54; Ledeb. Reise II, 3, 1830, p. 183; Mém. Soc. Nat. Moscou VIII, 1832, p. 65; Bull. Moscou XXI, 1, 1848, p. 395 (300). — Cast. & Gory, Monogr. p. 60, t. 12, f. 70. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 270. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 325 (73). — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 89. — Pic, Longic. IV, 1, 1902, p. 16, 18. Sibirien
- var. *cuneipennis* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 110, t. 1, f. 5. Amur
- decolor* Thieme, Berl. Ent. Zeitschr. XXV, 1881, p. 101. — Kraatz, Deutsche Ent. Zeitschr. XXV, 1881, p. 336.
- ibex* Gebl. in Hummel, Ess. Ent. IV, 1825, p. 53; Ledeb. Reise II, 3, 1830, p. 183; Bull. Moscou XXI, 1, 1848, p. 369 (sep. p. 301.) — White, Cat. Col. Brit. Mus. VIII, 1855, p. 269. — Muls. Col. Fr. Long. ed. 2, 1862, p. 151. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 324 (72). — Blessig, Horae Soc. Ent. Ross. IX, 1872, p. 188. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 90, nota 1. — Ganglb. Best.-Tab. VII, 1882, p. 50 (728). — Seidl. Fauna Balt. ed. 2, 1891, p. 734; Fauna Transs. 1891, p. 826. — Pic, Longic. IV, 1, 1902, p. 17, 19. Sibirien,
Nordost-
deutsch-
land
- angulosus* Motsch. Bull. Moscou XLIX, 1, 1875, p. 150.
- var. *fugitivus* Thieme, Berl. Ent. Zeitschr. XXV, 1881, p. 100. — Kraatz, Deutsche Ent. Zeitschr. XXV, 1881, p. 336. Sibirien
- namaganensis* Heyd. Deutsche Ent. Zeitschr. XXIX, 1885, p. 297. — Semen. Horae Soc. Ent. Ross. XXVII, 1893, p. 503. — Pic, Longic. IV, 1, 1902, p. 17, 19. Turkestan
- var. *bucharensis* Semen. Horae Soc. Ent. Ross. XXVII, 1893, p. 500, 501. — Pic, Longic. IV, 1, 1902, p. 17, 19. Buchara

- pantherinus** Savenius in Hummel, Ess. Ent. IV, 1825, p. 66. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 324 (72). — Ganglb. Wien. Ent. Zeit. I, 1882, p. 138. — J. Sahlb. Meddel. Soc. Fauna et Flora Fenn. IX, 1883, p. 87. — Heyden, Wien. Ent. Zeit. X, 1891, p. 181. — Mühl, l. c. p. 185. — Seidl. Fauna Balt. ed. 2, 1891, p. 734; Fauna Transs. 1892, p. 826. — Pic, Longic. IV, 1, 1902, p. 16, 18. — Semen. Rev. Russ. d'Ent. IV, 1904, p. 307.
- Moei* C. G. Thoms. Opusc. Ent. VI, 1874, p. 552; Skand. Ins. I, 1885, p. 154. — J. Sahlb. Meddel. Soc. Fauna et Flora Fenn. IX, 1883, p. 87.
- ab. *apicenotatus* Pic, Longic. IV, 1, 1902, p. 16.
- ab. *Jakowlewi* Semen. Bull. Moscou (n. s.) XIII, 1899, p. 134. — Pic, Longic. IV, 1, 1902, p. 16.
- ✓ **pyrrhoderus** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 200; Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 233. Japan
- rectangulus** Motsch. Bull. Moscou XLIX, 1, 1875, p. 149. Sibirien,
— Pic, Longic. IV, 1, 1902, p. 17, 19. Japan
- rufilius** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 233. — Matsum. Thous. Ins. Japan III, 1906, nr. 723, t. 54, f. 10. Japan
- ✓ **rusticus** L. Syst. Nat. ed. 10, 1758, p. 398; Fauna Suec. ed. 2, 1761, p. 198. — Redt. Fauna Austr. ed. 2, 1858, p. 853; ed. 3, II, 1874, p. 408. — C. G. Thoms. Skand. Col. VIII, 1866, p. 37. — Ganglb. Best.-Tab. VII, 1882, p. 49 (727). — Bedel, Faune Col. Seine V, 1889, p. 30, 79. — Seidl. Fauna Balt. ed. 2, 1891, p. 735; Fauna Transs. 1891, p. 826. — Stierl. Col. Helvet. II, 1898, p. 457. — Everts, Col. Neerl. II, 1, 1901, p. 369. — Pic, Longic. IV, 1, 1902, p. 15. — Houlb. Faune Armor. Ceramb. p. 53, f. 103. Europa
(fehlt in
Britannien)
- hafniensis* F. Syst. Ent. 1775, p. 190. — Hoppe, Ent. Taschenb. 1796, p. 133. — Panz. Fauna Ins. Germ. LXX, 1799, t. 12. — Payk. Fauna Suec. III, 1800, p. 93.
- liciatius* L. Syst. Nat. ed. 12, 1767, p. 636. — Panz. Naturf. XXIV, 1789, p. 28, t. 1, f. 38. — Ol. Ent. IV, 70, p. 33, t. 1, f. 8, t. 3, f. 35. — Gyllenh. Ins. Suec. I, 4, 1827, p. 93. — Cast. & Gory, Monogr. p. 36, t. 8, f. 45. — Muls. Col. Fr. Long. 1839, p. 78; ed. 2, 1862, p. 147; Mém. Acad. Sc. Lyon (2) I, 1851, p. 123. — Cast. Hist. Nat. II, 1840, p. 450. — Redt. Fauna Austr. 1849, p. 488. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 260. — Bach, Käferfauna III, 1856, p. 22. — Schiödte, Nat. Tidsskr. (3) II, 1864, p. 525. — Pic, Longic. I, 1891, p. 25; IV, 1, 1902, p. 18.
- longipes* Villers, Linn. Ent. I, 1789, p. 256, t. 1, f. 29.
- signatus* Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 81.
- ab. *confusus* Herbst in Füessly, Archiv V, 1784, p. 98, t. 26, f. 18. — Gmel. Syst. Nat. I, 4, 1790, p. 1857. — Schrank, Fauna Boica I, 2, 1798, p. 681.

- atomarius* F. Ent. Syst. I, 2, 1792, p. 332. —
Muls. Col. Fr. Long. 1839, p. 78. — Pic, Longic.
IV, 1, 1902, p. 15.
- maculatus* Gmel. Syst. Nat. I, 4, 1790, p. 1877.
- octonotatus* Gmel. l. c. p. 1846.
- omega* Rossi, Fauna Etr. I, 1790, p. 154.
- variegatus* Geoffr. in Fourcr. Ent. Paris. I, 1785,
p. 79.
- var. *villosiflavomaculatus* Goeze, Ent. Beytr.
I, 1777, p. 507.
- heros* Ganglb. Wien. Ent. Zeit. I, 1882, p. 138.
— Pic, Longic. IV, 1, 1902, p. 15.
- ab. *oo* Schrank, Enum. Ins. 1781, p. 162.
- ab. *subuniformis* Pic, Longic. IV, 1, 1902, p. 15.
- Biologie: Ratzeb. Forstins. Nachtr. der 2. Ausg.
1839, p. 53. — Kaltenb. Pflanzenf. 1874, p. 625.
— Xambeu, Ann. Soc. Linn. Lyon (2) XLV,
1898, p. 53; Moeurs & Métam. VII, 1899, p. 93.
- Sieversi** Ganglb. Horae Soc. Ent. Ross. XXV, 1890, p. 429. Armenien,
— Pic, Longic. IV, 1, 1902, p. 17, 19. Syrien
- ab. *akbesianus* Pic, l. c. p. 17.
- ab. *Deyrollei* Pic, Bull. Soc. Ent. Fr. 1897, p. 219;
Longic. IV, 1, 1902, p. 17, 19.
- suberucifer** Pic, Longic. IV, 2, 1903, p. 4. Buchara
- Villoni** Villard, Bull. Soc. Ent. Fr. 1892, p. 51. Japan

Nearktische und mexikanische Arten.

- Leng, Ent. Amer. II, 1887, p. 198—200; III, 1887, p. 4 (Synopsis).
- annosus** Say, Journ. Acad. Philad. V, 2, 1827, p. 277. Missouri,
— Leng, Synops. p. 199, 4. Californien,
Montana,
Texas,
Maine,
N. Hamp-
shire
- colonus** F. Syst. Ent. 1775, p. 191. — Gmel. Syst. Nat.
I, 4, 1790, p. 1852. — Ol. Enc. méth. Ins. V,
1790, p. 259; Ent. IV, 70, 1795, p. 31, t. 6, f. 67. —
J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 28.
— Prov. Pet. Faune Ent. Canada I, 1877, p. 599.
— Leng, Synops. p. 199, 200. — Wickh. Canad.
Ent. XXIX, 1897, p. 151, f. 25.
- campestris* Ol. Ent. IV, 70, 1795, p. 65, t. 8,
f. 95. — J. Lec. Journ. Acad. Philad. (2) II,
1850, p. 27.
- coloreus* F. Syst. El. II, 1802, p. 345.
- terminans* F. Ent. Syst. Suppl. 1798, p. 151. —
Cast. & Gory, Monogr. p. 83, t. 15, f. 96. —
White, Cat. Col. Brit. Mus. VIII, 1855, p. 277.
- upsilon* Steph. Ill. Brit. Ent. Mand. IV, 1831,
p. 244.
- Biologie: Pack. Ins. inj. Trees 1881, p. 27; Rep.
Ent. Commiss. III, 1883, p. 259, t. 12, f. 3. —
Felt, Ins. affect. Trees 1907, p. 259, f. 44.
- ab. *agrestis* J. Lec. Journ. Acad. Philad. (2) II,
1850, p. 28. Georgia

- ab. *villicus* Ol. Ent. IV, 70, 1795, p. 64, t. 8, f. 94. — Steph. Man. 1839, p. 276. Nordamerika
- convergens** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 198. — Leng, Synops. p. 198, 199. Ohio, Iowa
- Biologie: Meyers, Amer. Natural. XV, 1881, p. 151.
- gemellus** Casey, Ann. N. York Acad. VII, 1893, p. 590. — Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 172. Indiana
- insignis** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 199. — Casey, Ann. N. York Acad. VI, 1892, p. 35. Colorado, Californien
- obliteratus* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 199. — Leng, Synops. p. 199.
- Lengi** Schaeff. Bull. Brookl. Inst. I, 1908, p. 340. Oregon
- mormonus** J. Lec. Proc. Acad. Philad. 1861, p. 357. — Leng, Synops. p. 199, 200. Utah, Wisconsin
- nauticus** Mannerh. Bull. Moscou XVI, 1843, p. 305. — Leng, Synops. p. 198, 4. Californien, Montana, Oregon, Washington-Terr.
- gramineus* Hald. Trans. Amer. Phil. Soc. (2) X, 1847, p. 40. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 27.
- Biologie: Xamheu, Ann. Soc. Linn. Lyon (2) XL, 1893, p. 150 (sep. p. 222).
- nitidus** Horn, Proc. Acad. Philad. 1860, p. 572, t. 8, f. 2. — Leng, Synops. p. 198, 199. Pennsylvania, N. York, Texas
- quadrimaculatus** Hald. Trans. Amer. Ent. Soc. (2) X, 1847, p. 41. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 29. — Prov. Pet. Faune Ent. Canada I, 1877, p. 600. — Leng, Synops. p. 198, 199. — Wickh. Canad. Ent. XXIX, 1897, p. 150. Canada, Vereinigte Staaten Nord-amerikas
- quercus** Schaeff. Bull. Brookl. Inst. I, 1905, p. 163. Arizona
- sagittatus** Germ. Magaz. Ent. IV, 1821, p. 171. — Cast. & Gory, Monogr. p. 82, t. 15, f. 95. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 177. — Prov. Pet. Faune Ent. Canada I, 1877, p. 599. — Leng, Synops. p. 198, 200. — Wickh. Canad. Ent. XXIX, 1897, p. 150. Massachusetts, Pennsylvania, Georgia, Florida, Michigan, Arizona
- pubescens* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 40. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 28.
- Biologie: Felt, Ins. affect. Trees 1907, p. 663, f. 191.
- Sartorii** Chev. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 492, t. 9, f. 7. Mexiko
- undulatus** Say, Long's Exped. II, 1824, p. 291; Amer. Ent. III, 1828, t. 53. — Cast. & Gory, Monogr. p. 57, t. 11, f. 66. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 27. — Prov. Pet. Faune Ent. Canada I, 1877, p. 600. — Leng, Synops. p. 199, 200, 4. — Wickh. Canad. Ent. XXIX, 1897, p. 151. Nordamerika
- undatus* Kirby, Fauna Bor.-Amer. IV, 1837, p. 175, t. 7, f. 5.
- ab. *fuscus* Kirby, l. c. p. 176. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 27. — Leng, Synops. p. 4.

- ab. *integer* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 41.
 ab. *interruptus* Cast. & Gory, Monogr. p. 57, t. 11, f. 67. — Leng, Synops. p. 4.
 ab. *lunulatus* Kirby, Fauna Bor.-Amer. IV, 1837, p. 175. — Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 41.
 ab. *Sayi* Cast. & Gory, Monogr. p. 55, t. 11, f. 64. — Hald. Proc. Amer. Philos. Soc. IV, 1847, p. 372.
 Biologie: Felt, Ins. affect. Trees 1907, p. 671, f. 198.

Indomalayische Arten.

- affinis* Gah. Journ. Mal. States Mus. I, 1906, p. 111, t. 6, f. 1. Malacca
brevicillus Chevr. Mém. Soc. Sc. Liège XVIII, 1863, China
 p. 323 (71).
brevicornis Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Borneo
 p. 608.
 ✓ *Buqueti* Cast. & Gory, Monogr. p. 86, t. 16, f. 99. — Ostindien,
 White, Cat. Col. Brit. Mus. VIII, 1855, p. 278. Andama-
 — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, nen,
 p. 323 (71). — Gah. Fauna Brit. Ind. Col. I, Siam,
 1906, p. 243. Java
Phidias Gah. Ann. Mus. Genova XXXIV, 1894, p. 21.
siamensis Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 318.
carenofrons Cast. & Gory, Monogr. p. 65, t. 12, f. 75. Ceylon
carinifrons Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 316 (64). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 243.
carinicolis Jord. Stett. Ent. Zeit. LVI, 1895, p. 269. Assam
 — Gah. Fauna Brit. Ind. Col. I, 1906, p. 248.
 ✓ *consocius* Gah. Journ. Mal. States Mus. I, 1906, p. 111, Malacca
 t. 6, f. 3.
contortus Gah. Fauna Brit. Ind. Col. I, 1906, p. 249. Sikkim,
 Bhutan
 ✓ *decoratus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Borneo
 p. 611. — Shelf. Proc. Zool. Soc. Lond. 1902, 2, t. 20, f. 41.
deletus Lameere, Ann. Soc. Ent. Fr. LXII, 1893, p. 282. China
demonacius Gah. Ann. Mus. Genova (3) III, 1907, p. 74. Sumatra
discors Gah. Journ. Mal. States Mus. I, 1906, p. 112, Malacca,
 t. 1, f. 2; Ann. Mus. Genova (3) III, 1907, p. 73. Sumatra
diversesignatus Pic, Longic. VII, 1, 1908, p. 15. Yunnan
 ✓ *famelicus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Borneo
 p. 612.
Gestroi Gah. Ann. Mus. Genova XXXIV, 1894, p. 19, Birma
 t. 1, f. 4; Fauna Brit. Ind. Col. I, 1906, p. 246.
Hampsoni Gah. Ann. Mag. Nat. Hist. (6) V, 1890, p. 54, Ostindien,
 t. 7, f. 1; Fauna Brit. Ind. Col. I, 1906, p. 247. Assam,
 Birma
 ✓ *javanicus* Cast. & Gory, Monogr. p. 87, t. 16, f. 100. Singapur,
 — White, Cat. Col. Brit. Mus. VIII, 1855, p. 278. Java,
 — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, Borneo
 p. 316 (64). — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 610.
Sappho Pasc. l. c. (2) IV, 1858, p. 239.

- idoneus** Gah. Ann. Mus. Genova (3) III, 1907, p. 72. Sumatra
imperfectus Chevr. Mém. Soc. Sc. Liège XVIII, 1863, Borneo
 p. 313 (61).
incurvatus Chevr. l. c. p. 331 (79). — Gah. Fauna Brit. Ostindien,
 Ind. Col. I, 1906, p. 248. Südchina
insipiens Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 321 Ceylon
 (69) (= *subscutellatus*?).
lateralis Gah. Fauna Brit. Ind. Col. I, 1906, p. 244. Birma
lyratus Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 610. Borneo
maculicollis Dalm. in Schönh. Syn. Ins. I, 3, 1817, Ostindien
 Append. p. 195. — Cast. & Gory, Monogr. p. 115.
magnicollis Fairm. Ann. Soc. Ent. Belg. XXXII, 1888, China
 p. 34.
 var. **arithorax** Pic, Echange XXVI, 1910, p. 30. Formosa
multimpressus Pic, Longic. VIII, 1, 1911, p. 19. Yunnan
multinotatus Pic, Longic. V, 1, 1905, p. 11.
ocellatus Cast. & Gory, Monogr. p. 64, t. 12, f. 74. — Ostindien
 White, Cat. Col. Brit. Mus. VIII, 1855, p. 270.
 — Chevr. Mém. Soc. Sc. Liège XVIII, 1863,
 p. 320 (68).
 ✓ **pedestris** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Borneo
 p. 608. — Shelf. Proc. Zool. Soc. Lond. 1902,
 2, t. 20, f. 29.
 ✓ **Phidias** Newm. Entomol. I, 1842, p. 246. — White, Philippinen
 Cat. Col. Brit. Mus. VIII, 1855, p. 284. —
 Waterh. Proc. Ent. Soc. Lond. 1874, p. 29.
 — Auriv. Ent. Tidskr. XIV, 1893, p. 163.
polyzonus Fairm. Rev. d'Ent. VII, 1888, p. 143. China
pulcher Auriv. Arkiv f. Zool. VII, 19, 1911, p. 3. Java
 ✓ **quadripes** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, Ostindien,
 p. 315 (63). — Dunning, Trans. Ent. Soc. Lond. Birma,
 1868, p. 126, fig. — Gah. Fauna Brit. India, Siam,
 Col. I, 1906, p. 245, f. 90. — Maxw.-Lefr. Ind. Tonkin
 Ins. Life 1909, p. 374, f. 254.
coffeophagus Richter, Proc. Agri-Hort. Soc. Madras 1867.
 Biologie: Taylor, The White Borer, Madras 1868. — Dunning, Trans. Ent. Soc. Lond. 1868,
 p. 105—126. — Bidie, Report on the Ravages
 of the Borer, Madras 1869. — Boutan, C. R.
 Acad. Scienc. Paris CXL, 1905, p. 1654.
 ✓ **scenicus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 611. Borneo
 ✓ **Smei** Cast. & Gory, Monogr. p. 37, t. 8, f. 46. — Chevr. Ostindien
 Mém. Soc. Liège XVIII, 1863, p. 317 (65).
 — Gah. Fauna Brit. Ind. Col. I, 1906, p. 241.
Smei White, Cat. Col. Brit. Mus. VIII, 1855,
 p. 262.
 ab. *vicinus* Cast. & Gory, Monogr. p. 38, t. 8, „
 f. 47. — White, Cat. Col. Brit. Mus. VIII, 1855,
 p. 262. — Chevr. Mém. Soc. Sc. Liège XVIII,
 1863, p. 316 (64).
Stebbingi Gah. Fauna Brit. Ind. Col. I, 1906, p. 244. Himalaya,
 Tibet
subdepressus Chevr. Mém. Soc. Sc. Liège XVIII, 1863, Sikkim,
 p. 329 (77). — Gah. Fauna Brit. Ind. Col. I, Assam
 1906, p. 249.
subditus Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 314 Kaschmir
 (62). — Gah. Fauna Brit. Ind. Col. I, 1906,
 p. 246.

- subscutellatus* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 317 (65). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 242. Ostindien,
Ceylon
- ab. *Putzeyssi* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 320 (68). Ceylon

Indoaustralische Arten.

- ✓ *australis* Cast. & Gory, Monogr. p. 99, t. 19, f. 118. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 319 (67). — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 607 (ex parte). — Auriv. Ent. Tidskr. XIV, 1893, p. 163. Neuguinea
- crucicollis* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 319 (67). Molukken
- hypoleucus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 609. Aru
- iteratus* Pasc. l. c. p. 609. Celebes
- regina* Pasc. l. c. p. 613, t. 22, f. 9. Nord-molukken
- reginae* Auriv. Ent. Tidskr. XIV, 1893, p. 163. Queensland
- varlicollis* Fairm. Ann. Soc. Ent. Belg. XXVII, 1883, p. 52. Insel Duke of York
- velutinus* M'Leay, Proc. Linn. Soc. N. S. Wales (2) I, 1886, p. 202. Neuguinea

Äthiopische Arten.

Jordan, Nov. Zool. X, 1903, p. 143 (Katalog).

- aedon* Jord. Nov. Zool. X, 1903, p. 193. Insel S. Thomé
- angulifer* Jord. l. c. I, 1894, p. 186. Kuiu
- Annobonae* Auriv. Arkiv f. Zool. VII, 3, 1910, p. 18. Annobon
- Coquereli* Fairm. Ann. Soc. Ent. Fr. (5) I, 1871, p. 58. Madagascar
- fragilis* Jord. Nov. Zool. X, 1903, p. 143. Kamerun
- Gahani* Duviv. Ann. Soc. Ent. Belg. XXXV, 1891, Bull. p. 379; XXXVI, 1892, p. 339. Congo
- Jordani* Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika-Exped. III, 1911, p. 431. „
- oculicollis* Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 334. Deutsch-Ostafrika
- prolixus* Fairm. l. c. (5) I, 1871, p. 59. Madagascar
- sellatus* Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika-Exped. III, 1911, p. 431, t. 7, f. 9. Ruanda
- socius* Jord. Nov. Zool. I, 1894, p. 187. Kuiu, Kamerun

95

Carinoclytus nov. gen.

Gen. nov.? Jord. Nov. Zool. X, 1903, p. 143.

- Reichenowi* Quedenf. Berl. Ent. Zeitschr. XXVII, 1883, p. 137, t. 1, f. 4. Chinchoxo
- semiruber* Quedenf. l. c. XXVI, 1882, p. 335. — Wellm. Ent. News XIX, 1908, p. 228. Angola
- Thomsoni* Har. Monatsb. Akad. Wiss. Berlin 1880, p. 266. British-Ostafrika

Thranodes Pasc.

Pascoe, Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 315. — Lacord. Gen. Col. IX, 1869, p. 79. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 613.

pectiventris Pasc. l. c. p. 614.

stenothyrens Pasc. Journ. Ent. I, 1862, p. 359; Trans. Ent. Soc. Lond. (3) III, 1869, p. 614.

fuscipennis Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 325 (73).

2

Celebes
Batjan,
Morty

Clytus Laich.

Laich. Verz. Tyrol. Ins. II, 1784, p. 88 (ex parte). — F. Syst. El. II, 1802, p. 345 (ex parte). — Gyllenh. Ins. Succ. I, 4, 1827, p. 93 (ex parte). — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 242; Man. 1839, p. 270 (ex parte). — Serv. Ann. Soc. Ent. Fr. III, 1834, p. 83 (ex parte). — Muls. Col. Fr. Long. 1839, p. 74 (ex parte); ed. 2, 1862, p. 154. — Cast. & Gory, Monogr. p. 1 (ex parte). — Cast. Hist. Nat. II, 1840, p. 447. — Redt. Gatt. deutsch. Käferf. 1845, p. 109; Fauna Austr. 1849, p. 486; ed. 2, 1858, p. 851; ed. 3, II, 1874, p. 406 (ex parte). — Bach, Käferf. II, 1856, p. 18. — Thoms. Syst. Ceramb. 1864, p. 424. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 144 (ex parte). — Lacord. Gen. Col. IX, 1869, p. 67. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 598. — Cox, Handb. Col. II, 1874, p. 310 (ex parte). — Bedel, Faune Col. Seine V, 1889, p. 30. — Fowler, Col. Brit. Isl. IV, 1889, p. 224 (ex parte). — Everts, Col. Neerl. II, 1, 1901, p. 369. — Houlb. Faune Armor. Ceramb. 1904, p. 17. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 240, 250.

Clytumnus Thoms. Classif. Ceramb. 1860, Errata p. 404.

Europa Thoms. l. c. p. 221.

Platynotus C. G. Thoms. Skand. Col. VIII, 1866, p. 36.

Sphagesthes Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 333

(81). — Ganglb. Best.-Tab. VII, 1882, p. 50 (728). — Seidl.

Fauna Balt. ed. 2, 1891, p. 735; Fauna Transs. 1891, p. 826.

— Stierl. Col. Helvet. II, 1898, p. 457.

Stenocorus Scop. Annus Hist. Nat. V, 1772, p. 94 (ex parte).

Paläarktische Arten.

Pic, Longic. III, 1, 1900, p. 8—11 (Synopsis).

ambigenus Chev. Ann. Soc. Ent. Fr. (6) II, 1882, p. 58.

Algerien,

— Bedel, l. c. (6) VII, 1887, p. 202. — Pic,

Tunis

Synops. p. 10.

ab. *biinterruptus* Pic, Longic. II, 1898, p. 11.

✓ *arietis* L. Syst. Nat. ed. 10, 1758, p. 399; Fauna Succ.

Europa

ed. 2, 1761, p. 199. — Poda, Ins. Mus. Gracc.

1761, p. 39. — Müller, Fauna Ins. Fridrichsd.

1764, p. 14; Zool. Dan. Prodr. 1776, p. 92.

— Ström, Thronhj. Selsk. Skrifter III, 1765,

p. 394, t. 6, f. 4. — Houttuyn, Naturl. Hist.

I, 9, 1766, p. 590, t. 76, f. 6. — Scop. Annus

Hist. Nat. V, 1772, p. 96. — Müller, Naturs.

V, 1, 1774, p. 290, t. 6, f. 6. — Fischer, Naturg.

Livl. 1778, p. 135. — Schrank, Enum. Ins.

1781, p. 163; Fauna Boica I, 2, 1798, p. 677.

— Herbst in Fiessly, Archiv. V, 1784, p. 97

(ex parte), t. 26, f. 15?. — Laich. Tyrol. Ins.

- II, 1784, p. 92. — Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 80. — Petagna, Spec. Ins. Calabr. 1787, p. 18. — Villers, Linn. Ent. I, 1789, p. 270. — Ol. Enc. méth. V, 1790, p. 263; Ent. IV, 70, p. 36, t. 2, f. 20. — Rossi, Fauna Etr. 1790, p. 157. — Sturm, Ins. Cabin. III, 1792, t. 8. — Martyn, Engl. Ent. 1792, t. 27, f. 4. — Donovan. Brit. Ins. I, 1792, p. 59, t. 27. — Panz. Fauna Ins. Germ. IV, 1793, t. 15. — Donndorff, Eur. Fauna VIII, 1799, p. 584. — Payk. Fauna Succ. III, 1800, p. 96. — Marsh. Ent. Brit. I, 1802, p. 339. — Bechst. & Scharfenb. Forstins. I, 1804, p. 218. — Shaw, Gen. Zoolog. VI, 1806, p. 74, t. 26. — Gyllenh. Ins. Succ. I, 4, 1827, p. 96. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 243; Man. 1839, p. 276. — Cast. & Gory, Monogr. p. 58, t. 11, f. 68. — Blanch. in Cuvier, Règne anim. ed. Masson 1832, t. 66, f. 5. — Muls. Col. Fr. Long. 1839, p. 81; ed. 2, 1862, p. 161. — Spry & Shuck. Brit. Col. 1840, p. 65, t. 75, f. 6. — Cast. Hist. Nat. II, 1840, p. 449. — Redt. Fauna Austr. 1849, p. 488; ed. 2, 1858, p. 852; ed. 3, II, 1874, p. 408. — Wollaston, Ins. Mader. 1854, p. 429. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 268. — Costa, Fauna Regn. Nap. Col. II, 1855, Longic. p. 50. — Bach, Käferfauna III, 1856, p. 20. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 528. — C. G. Thoms. Skand. Col. VIII, 1866, p. 37. — Cox, Handb. Col. II, 1874, p. 315. — Ganglb. Best.-Tab. VII, 1882, p. 52 (730). — Bedel, Faune Col. Seine V, 1889, p. 31, 81. — Fowler, Col. Brit. Isl. IV, 1889, p. 225, t. 121, f. 1. — Pic, Longic. I, 1891, p. 26. — Seidl. Fauna Balt. ed. 2, 1891, p. 735; Fauna Transs. 1891, p. 827. — Stierl. Col. Helvet. II, 1898, p. 458. — Pic, Synops. p. 11. — Everts, Col. Neerl. II, 1, 1901, p. 370. — Houlb. Faune Armor. Ceramb. 1904, p. 55, f. 104. — Csiki, Rov. Lapok XI, 1904, p. 142. — Jacobs, Käfer Russl. 1910, t. 66, f. 16.
- arcuatus* Sulzer, Kennz. Ins. 1761, p. 12, t. 5, f. 31.
dasyptus Voet, Cat. Col. II, 1778, p. 20, t. 19, f. 88; ed. Panzer III, 1794, p. 52, t. 19, f. 88.
gazella F. Ent. Syst. I, 2, 1792, p. 333. — Redt. Fauna Austr. 1849, p. 488.
quadrifasciatus Degeer, Mém. Ins. V, 1775, p. 81.
- Biologie: Perris, Ann. Soc. Ent. Fr. (2) V, 1847, p. 547, t. 9, II, f. 1—4; Larves Col. 1877, p. 453. — Cand. Mém. Soc. Sc. Liège VIII, 1853, p. 584, t. 8, f. 8. — Döbner, Stett. Ent. Zeit. XI, 1850, p. 23. — Denny, Ent. Mag. II, 1833, p. 114; Ent. Monthly Mag. V, 1868, p. 123. — Rye, l. c. — Smith, l. c. p. 286; Proc. Ent. Soc. Lond. 1868, p. 14, 19, 28. — Nördlinger, Lebensweise von Forstkerf. 1880, p. 42. — Xambeu, Moeurs & Métam. II, 1892, p. 23; VIII, 1902, p. 95.

- ab. *Bourdilloni* Muls. Col. Fr. Long. 1839, p. 81. — Costa, Fauna Regn. Napoli, Col. II, 1855, Longic. p. 51, t. 35, f. 3. — Bedel, Faune Col. Seine V, 1890, p. 81. — Pic, Longic. I, 1891, p. 26.
- (*triangulimacula*) A. Costa, Atti d. Sa Reun. degli Sc. Ital. 1847, p. 479.
- ab. *Cloueti* Théry, Bull. Soc. Ent. Fr. 1892, p. 213. — Pic, Longic. II, 1898, p. 11; Synops. p. 11. Frankreich
- ab. *Lederi* Ganglb. Verh. zool.-bot. Ges. Wien XXXI, 1881, p. 730; Best.-Tab. VII, 1882, p. 52. — Pic, Longic. I, 1891, p. 26; Synops. p. 11. Kaukasus
- var. *sibiricus* Pic, Synopsis p. 11. Sibirien
- arietoides* Reitter, Deutsche Ent. Zeitschr. 1899, p. 281 (Febr. 1900). — Pic, Longic. III, 1, 1900, p. 10. Ostsibirien
- auripilis* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 230. Japan
- brunnescens* Pic, Natural. XIX, 1897, p. 262; Longic. II, 1898, p. 20; III, 1, 1900, p. 9. Tiflis
- ciliciensis* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 334 (82). — Pic, Longic. I, 1891, p. 27; III, 1, 1900, p. 9. Caramanien, Syrien, Cypren
- bifarius* Heyden, Deutsche Ent. Zeitschr. XXXIII, 1889, p. 329.
- Reitteri* Théry, Bull. Soc. Ent. Fr. 1892, p. 96. — Heyden, l. c. p. 131. — Pic, l. c. p. 147.
- ab. *griseofasciatus* Pic, Longic. VII, 1, 1908, p. 3. Kleinasien
- cinereus* Cast. & Gory, Monogr. p. 68, t. 13, f. 79. — Muls. Col. Fr. Long. ed. 2, 1862, p. 154. — Ganglb. Best.-Tab. VII, 1882, p. 51 (729). — Bedel, Faune Col. Seine V, 1889, p. 31. 80. — Pic, Synops. p. 8. Frankreich. Deutschland, Kaukasus
- Auboueri* Desbr. Ann. Soc. Ent. Fr. (5) II, 1872, p. 429. — Bedel, Ann. Soc. Ent. Fr. (5) III, 1873, Bull. p. 88, 217. — Desbr. l. c. p. 216. — E. Oliv. l. c. p. 227.
- Duponti* Muls. Col. Fr. Long. 1839, p. 84.
- Sterni* Kraatz, Berl. Ent. Zeitschr. XIV, 1870, p. 219, t. 3, f. 1. — Redt. Fauna Austr. ed. 3, II, 1874, p. 409.
- circassicus* Pic, Longic. V, 2, 1905, p. 10. Circassien
- clavicornis* Reiche, Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 734. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 43, f. 199. — Ganglb. Best.-Tab. VII, 1882, p. 52 (730). — Pic, Synops. p. 10. Sicilien
- crassicornis* Muls. Col. Fr. Longic. ed. 2, 1862, p. 159.
- fuliginosus* Fairm. Rev. d'Ent. VII, 1888, p. 145. China: Peking
- fulvohirsutus* Pic, Echange XX, 1904, p. 18; Longic. V, 1, 1904, p. 15. Sibirien
- gulekanus* Pic, Echange XX, 1904, p. 65; Longic. V, 2, 1905, p. 9. Taurus
- inapicalis* Pic, Echange XI, 1895, p. 38; Synops. p. 9. Erzerum
- insignitus* Fairm. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 269. Kleinasien
- signifer* Mars. Abeille XII, 1875, p. 396. — Pic, Synops. p. 11.

- ✓ *lama* Muls. Mém. Acad. Sc. Lyon II, 1847, p. 421; Opusc. Ent. XI, 1860, p. 110; Col. Fr. Long. ed. 2, 1862, p. 160. — Redt. Fauna Austr. ed. 3, II, 1874, p. 409. — Ganglb. Best.-Tab. VII, 1882, p. 52 (730); Rev. d'Ent. III, 1884, p. 195. — Bedel, Faune Col. Seine V, 1889, p. 31. — Seidl. Fauna Balt. 1891, p. 735; Fauna Transs. 1891, p. 827. — Stierl. Col. Helvet. II, 1898, p. 458. — Pic, Synops. p. 10. — Csiki, Rov. Lapok XI, 1904, p. 143. Mitteleuropa
- ab. *vesubiensis* Pic, Bull. Soc. Ent. Fr. 1900, p. 110. Südalpen
- Mayeti* Théry, Bull. Soc. Ent. Fr. 1892, p. 96. — Pic, Echange VIII, 1892, p. 141; Longic. III, 1, 1900, p. 9. Sibirien
- melaenus* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 230. Pic 1916. Bull. Soc. Ent. Fr. (Paris) p. 11. (separate in Pic) ----- China Japan
- nigritulus* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 109. — Pic, Synops. p. 9. Amur
- *Peyroni* Pic, Bull. Soc. Ent. Fr. 1899, p. 209; Synops. p. 9. Libanon
- quadraticollis* Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 66. — Pic, Longic. III, 1900, p. 11. Mongolei
- raddensis* Pic, Echange XX, 1904, p. 18; Longic. V, 1, 1904, p. 16. Sibirien
- ✓ *rhamnii* Germ. Reise Dalmat. 1817, p. 223, t. 9, f. 5. — Küster, Käfer Eur. VI, 1846, p. 71. — Redt. Fauna Austr. 1849, p. 488; ed. 2, 1858, p. 852; ed. 3, II, 1874, p. 408. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 270. — Bach, Käferfauna III, 1856, p. 20. — Muls. Col. Fr. Longic. ed. 2, 1862, p. 163. — Ganglb. Best.-Tab. VII, 1882, p. 53 (731); Rev. d'Ent. III, 1884, p. 195. — Bedel, Faune Col. Seine V, 1889, p. 31, 82. — Seidl. Fauna Balt. ed. 2, 1891, p. 735; Fauna Transs. 1891, p. 827. — Stierl. Col. Helvet. II, 1898, p. 458. — Pic, Synops. p. 10. — Everts, Col. Neerl. II, 1, 1901, p. 370. — Houlb. Faune Armor. Ceramb. 1904, p. 56. — Csiki, Rov. Lapok XI, 1904, p. 142. Mittel- und Südeuropa
- Bellieri* Gautier, Ann. Soc. Ent. Fr. (4) II, 1862, p. 77. — Desbr. l. c. (5) II, 1872, Bull. p. 75.
- gazella* Ol. Ent. IV, 70, 1795, p. 66, t. 8, f. 97. — Cast. & Gory, Monogr. p. 62, t. 12, f. 72. — Muls. Col. Fr. Long. 1839, p. 82. — Cast. Hist. Nat. II, 1840, p. 449. — Küster, Käfer Eur. X, 1847, p. 91. — Costa, Fauna Regni Napoli, Col. II, 1855, Longic. p. 52.
- Biologie: Perris, Larves Col. 1877, p. 457. — Xambeau, Mœurs et Métam. VIII, 1902, p. 99.
- ab. *bifasciatus* Nicolas, Echange XVII, 1901, p. 29. — Pic, Longic. IV, 1, 1902, p. 9. Frankreich
- var. *ferruginipes* Pic, Longic. I, 1891, p. 26. Türkei
- var. *longicollis* Reitter, Wien. Ent. Zeit. XXIII, 1904, p. 82. Dobrudscha
- ab. *temesiensis* Germ. Ins. spec. nov. 1824, p. 519. — Küster, Käfer Eur. X, 1847, p. 70. — Pic, Longic. I, 1891, p. 26. — Csiki, Rov. Lapok XI, 1904, p. 142.

Biologie: Krausse, Zeitschr. wiss. Ins.-Biol. VI, 1910, p. 301.

- Schneideri** Kiesenw. Verh. Naturf. Ver. Brünn XVII, 1879, p. 57; in Schneider & Leder, Beitr. z. Kenntn. kaukas. Käferfauna 1879, p. 313. — Ganglb. Best.-Tab. VII, 1882, p. 52 (730). — Pic, Synops. p. 9. Kaukasus,
Kleinasien
- tropicus** Panz. Deutschl. Insectenf. 1795, p. 265; Fauna Ins. Germ. CXV, 1837, t. 5. — Hoppe, Taschenb. 1796, p. 182. — Muls. Col. Fr. Long. 1839, p. 75; ed. 2, 1862, p. 156. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 266. — Bach, Käferfauna III, 1856, p. 19. — Redt. Fauna Austr. ed. 2, 1858, p. 852; ed. 3, II, 1874, p. 407. — Ganglb. Best.-Tab. VII, 1882, p. 51 (729); Rev. d'Ent. III, 1884, p. 194. — Bedel, Faune Col. Seine V, 1889, p. 31, 81. — Seidl. Fauna Balt. ed. 2, 1891, p. 735; Fauna Transs. 1891, p. 827. — Stierl. Col. Helvet. II, 1898, p. 458. — Pic, Synops. p. 8. — Everts, Col. Neerl. II, 1, 1901, p. 370. — Houlb. Faune Armor. Ceramb. 1904, p. 55. — Csiki, Rov. Lapok XI, 1904, p. 142.
- mucronatus** Cast. & Gory, Monogr. p. 52, t. 10, f. 61. — Redt. Fauna Austr. 1849, p. 487.
- Biologie: Decaux, Feuille jeun. Natural. XIII, 1882, p. 53; l. c. XXI, 1891, p. 35; Bull. Soc. Ent. Fr. 1890, p. 135; 1892, p. 166; 1893, p. 222; 1896, p. 286. — Eichhoff in Dankelm. Zeitschr. f. Forst- und Jagdw. XV, 1883, p. 221. — Fabre, Souven. Entomol. IV, 1891, p. 316. — Xambeu, Moeurs & Métam. VIII, 1902, p. 100.
- ab. *Kelchi* Bach, Käferfauna III, 1856, p. 19. — Kraatz, Stett. Ent. Zeit. XVII, 1856, p. 180.
- vesparum** Reitter, Deutsche Ent. Zeitschr. XXXIII, 1889, p. 375. — Pic, Synops. p. 10. Kaukasus

Orientalische Arten.

- callizonus** Gah. Fauna Brit. Ind. Col. I, 1906, p. 251, f. 91. Birma
- monticola** Gah. l. c. Kaschmir,
Tibet
- paulonotatus** Pic, Longic. IV, 1, 1902, p. 30. China
- ventripennis** Pic, Echange XXIV, 1908, p. 61. Yunnan

Nearktische und mexikanische Arten.

- Leng, Ent. Amer. II, 1887, p. 198 (Synopsis).
- ✓ **dimidiaticornis** Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 487. — Bates, Biol. Centr.-Amer. Col. V, 1885, p. 299. Mexico
- lanifer** Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 198. Californien,
Arizona
- Leng, Synops. p. 198.
- marginicellus** Cast. & Gory, Monogr. p. 41, t. 9, f. 50. Massachu-
setts,
Pennsylvanien,
Georgia,
Nevada
- Lec. Journ. Acad. Philad. (2) II, 1850, p. 26.
- White, Cat. Col. Brit. Mus. VIII, 1855, p. 263.
- Leng, Synops. p. 198.
- vespoides** Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 40.

- Montesuma** Cast. & Gory, Monogr. p. 42, t. 9, f. 51. — Mexico
Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 487.
Montezuma White, Cat. Col. Brit. Mus. VIII, 1855,
p. 264.
- planifrons** Lec. Trans. Amer. Ent. Soc. V, 1874, p. 67. Californien,
— Leng, Synops. p. 198. Nevada
-
- annulatus***) Hope in Gray, Zool. Misc. 1831, p. 28. Nepaul
annulus F. Syst. El. II, 1802, p. 352. — Cast. & Gory, Kapland
Monogr. p. 111.
- Davidis** Fairm. Ann. Soc. Ent. Fr. (5) VIII, 1878, p. 132. China
— Pic, Ann. Soc. Ent. Belg. XLIV, 1900, p. 18.
- diadema** Motsch. Etud. Ent. II, 1853, p. 48. Peking
hottentottus Ol. Enc. méth. V, 1790, p. 266; Ent. IV, Kapland
70, 1795, p. 38, f. 28, 29.
- hottentottus** Cast. & Gory, Monogr. p. 51, t. 10, f. 60. „
ineanus Newm. Entomol. I, 1842, p. 246. Philippinen
minutissimus Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, Ostindien:
p. 339; in Gah. Fauna Brit. Ind. Col. I, 1906, Manipur
p. 253.
- montanus** Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1898, „
p. 337; in Gah. Fauna Brit. Ind. Col. I, 1906, p. 253.
- rugulosus** Broun, Man. New Zeal. Col. I, 1880, p. 588. Neuseeland
sexmaculatus Donovan. Epitome Ins. N. Holl. 1805, t. 5, Neuholland
f. 5. — Boisd. Voy. Astrol. Ins. II, 1835, p. 482.
- simulator** Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, Ostindien:
p. 340; in Gah. Fauna Brit. Ind. Col. I, 1906, Manipur
p. 252.
- solitarius** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Singapur
p. 599.
- validus** Fairm. Notes Leyd. Mus. XVIII, 1896, p. 128. Tibet
virens F. Ent. Syst. I, 2, 1792, p. 338. Nordafrika

49

Cyrtoclytus Ganglb.

- Ganglb. Best.-Tab. VII, 1882, p. 10 (688); Rev. d'Ent. III, 1884, p. 167.
— Seidl. Fauna Transs. 1891, p. 825. — Stierl. Col. Helvet. II, 1898, p. 455.
— Csiki, Rov. Lapok XI, 1906, p. 141.
- ✓ **capra** Germ. Ins. spec. nov. 1824, p. 518. — Cast. & Gory, Sibirien,
Monogr. p. 61, t. 12, f. 71. — Gebl. Bull. Moscou Alpen
XXI, 1, 1848, p. 393 (sep. p. 298). — White,
Cat. Col. Brit. Mus. VIII, 1855, p. 269. — Muls.
Col. Fr. Long. ed. 2, 1862, p. 158. — Redt.
Fauna Austr. ed. 3, II, 1874, p. 409. — Ganglb.
Best.-Tab. VII, 1882, p. 58 (736); Rev. d'Ent.
III, 1884, p. 198. — Seidl. Fauna Transs. 1891,
p. 828. — Stierl. Col. Helvet. II, 1898, p. 460.
— Csiki, Rov. Lapok XI, 1906, p. 141.
- ✓ **caproides** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, Japan
p. 200. — Matsum. Thous. Ins. Japan III, 1908,
nr. 722, t. 54, f. 9.
- yunamensis** Pic, Longic. VI, 1, 1906, p. 18. Südechina

3

*) Die systematische Stellung dieser und der folgenden, als *Clytus* beschriebenen Arten ist unsicher.

Brachyclytus Kraatz.

- Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 107.
singularis Kraatz, l. c. p. 107, t. 1, f. 6. — Bates, Journ. Sibirien,
 Linn. Soc. Lond. Zool. XVIII, 1884, p. 234. Japan
 1

Calanthemis Thoms.

- Thoms. Syst. Ceramb. 1864, p. 194. — Lacord. Gen. Col. IX, 1869, p. 80.
 — Jordan, Nov. Zool. X, 1903, p. 142.
Pedoclytus Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 254.
aureseus Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika- Congo
 Exped. III, 1911, p. 432.
Conradti Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 254. Usambara
gabonleus Thoms. Archives Ent. II, 1858, p. 162. — Gabun,
 Jord. Nov. Zool. X, 1903, p. 142. Kuiu
x-maculatus Jord. l. c. I, 1894, p. 187, t. 9, f. 14.
Hauseri Jord. l. c. XI, 1904, p. 364. Brit.-
 Ostafrika
Moquerysi Jord. l. c. I, 1894, p. 187, t. 9, f. 15. Kuiu,
 Kamerun
myops Thoms. Syst. Ceramb. 1864, p. 194. Kapland,
 Natal
rufovittatus Auriv. Deutsche Ent. Zeitschr. 1907, p. 78. Kamerun
saltator Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 254. Usambara
spiloderes Jord. Nov. Zool. X, 1903, p. 142. "
*subcruciatu*s White, Cat. Col. Brit. Mus. VIII, 1855, p. 281. Natal,
 Delagoa
temera Jord. Nov. Zool. X, 1903, p. 142. Kamerun
tenuis Jord. l. c. Natal
thomensis Auriv. Arkiv f. Zool. VII, 3, 1910, p. 19. Insel St.
 Thomé
trifasciatus Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika- Ruwenzori
 Exped. III, 1911, p. 431.
viridipennis Lameere, Ann. Soc. Ent. Fr. LXII, 1893, Assinie
 p. 42. — Jord. Nov. Zool. X, 1903, p. 142.
vittatus Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika- Ruanda
 Exped. III, 1911, p. 431, t. 7, f. 10.
 16

Ischnodora Chev.

- Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 332 (80). — Lacord. Gen. Col.
 IX, 1869, p. 72. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 259.
macra Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 332 Assam
 (80). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 259.
 1

Perissus Chev.

- Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 262 (10). — Lacord. Gen.
 Col. IX, 1869, p. 79. — Pascoe, Trans. Ent. Soc. Lond. (3) III, 1869, p. 615.
 — Gah. Fauna Brit. Ind. Col. I, 1906, p. 254.
Amauraesthes Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 327
 (75) (ex parte). — Lacord. Gen. Col. IX, 1869, p. 73 (ex parte).

- ✓ *aemulus* Pascoe, Trans. Ent. Soc. Lond. (3) III, 1869, p. 618. Borneo
- Andreae* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 266 (14). „
- antennatus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 616. Amboina, Aru, Neuguinea
- aper* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 326. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 257. Südostindien
- ✓ *Dohertyi* Gah. l. c. p. 258. Manipur
- ✓ *fluctuosus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 617. Borneo
- fuliginosus* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 328. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 254. Nordostindien, Tibet
- glaucinus* Boisd. Voy. Astrol. II, 1835, p. 483, t. 9, f. 22. — Cast. & Gory, Monogr. p. 98, t. 18, f. 117. Molukken, Waigiu, Neuguinea
- White, Cat. Col. Brit. Mus. VIII, 1855, p. 282.
- Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 265 (13). — Pascoe, Trans. Ent. Soc. Lond. (3) III, 1869, p. 615.
- femorialis* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 264 (13).
- grallarius* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 617. Ceram
- laetus* Lameere, Ann. Soc. Ent. Fr. LXII, 1893, p. 283. Assam, Tenasserim, Siam, Cambodja
- proprius* Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 21. Birma, Java
- var. *adhaerens* Gah. Fauna Brit. Ind. Col. I, 1906, p. 255.
- mutabilis* Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 23; Fauna Brit. Ind. Col. I, 1906, p. 256. Sikkim, Birma, Tenasserim, Siam
- myops* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 267 (15). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 258. Ceylon
- nilgiriensis* Gah. l. c. p. 256. Südostindien
- parvulus* Gah. l. c. p. 257. Ceylon
- persimilis* Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 23; Fauna Brit. Ind. Col. I, 1906, p. 256. Tenasserim
- ✓ *scutellatus* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 267 (15). Philippinen: Maldonado
- trizonatus* Blanch. Voy. Pôle Sud, Zool. IV, 1853, p. 270, t. 16, f. 7. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 275. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 265 (13). Neuguinea
- Wollstoni* Gah. Trans. Zool. Soc. Lond. XIX, 1909, p. 209, t. 6, f. 7. Ruwenzori
- x-littera* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 263 (11). Aru

Plagionotus Muls.

Muls. Col. Fr. Lamell. 1842, Rectif. et Addit. Long. (p. 1). — Redt. Fauna Austr. 1849, p. 487; ed. 3, II, 1874, p. 407. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 44. — Bach, Käferfauna III, 1856, p. 18. — Muls. Col. Fr. Long. ed. 2, 1862, p. 137. — Ganglb. Best.-Tab. VII, 1882,

p. 46 (724); Rev. d'Ent. III, 1884, p. 191. — Bedel, Faune Col. Seine V, 1889, p. 30. — Seidl, Fauna Balt. ed. 2, 1891, p. 733; Fauna Transs. 1891, p. 825. — Stierl. Col. Helvet. II, 1898, p. 455. — Everts, Col. Neerl. II, 1, 1901, p. 368. — Houlb. Faune Armor. Ceramb. 1904, p. 17. — Csiki, Rov. Lapok XI, 1904, p. 137.

Callidium Lam. Anim. sans Vert. 1801, p. 234.

Clytus Chevr. Ann. Soc. Ent. Fr. (4) I, 1861, p. 378.

Echinocerus Muls. Col. Fr. Long. ed. 2, 1863, p. 143.

Plagiogonus Fairm. Gen. Col. d'Eur. IV, 1864, p. 144.

Plagyonotus Thoms. Classif. Ceramb. 1860, p. 220; Syst. Ceramb. 1864, p. 424.

Platynotus Muls. Col. Fr. Long. 1839, p. 71. — Redt. Fauna Austr. ed. 2, 1858, p. 851. — C. G. Thoms. Skand. Col. VIII, 1866, p. 36.

Paläarktische Arten.

Reitter, Wien. Ent. Zeit. IX, 1890, p. 212—213 (Synopsis).

- ✓ *arcuatus* L. Syst. Nat. ed. 10, 1758, p. 399; Fauna Suec. Europa
ed. 2, 1761, p. 199. — Houttuyn, Naturl. Hist.
I, 9, 1766, p. 589, t. 76, f. 5. — Müller, Naturs.
V, I, 1774, p. 289, t. 6, f. 5. — F. Syst. Ent.
1775, p. 192. — Müller, Zool. Dan. Prodr. 1776,
p. 94. — Voet, Cat. Col. II, 1778, p. 21, t. 19, f. 89;
ed. Panzer III, 1794, p. 53, t. 19, f. 89. — Fischer,
Naturg. Livil. 1778, p. 135. — Herbst in Füessly,
Archiv V, 1784, p. 96, t. 26, f. 14. — Laich.
Verz. Tyrol. Ins. II, 1784, p. 95. — Herbst in
Borowsky, Naturg. VI, 1784, p. 133, t. 17, f. 5.
— Geoffr. in Fourcr. Entomol. Paris. I, 1785,
p. 80. — Villers, Linn. Entomol. I, 1789, p. 269.
— Ol. Enc. méth. Ins. V, 1790, p. 262; Ent.
IV, 70, 1795, p. 35, t. 2, f. 16 b. — Rossi, Fauna
Etr. I, 1790, p. 156. — Sturm, Ins.-Cabin. III,
1792, t. 7. — Martyn, Engl. Entomol. 1792,
t. 27, f. 2, 3. — Panzer, Faun. Ins. Germ. IV,
1793, t. 14; Deutschl. Ins.-Fauna 1795, p. 265.
— Donov. Brit. Ins. III, 1794, p. 29, t. 84, f. 1.
— Dunker, Ent. Bilderb. 1795, p. 18, t. 1, f. 15.
— Donndorff, Eur. Fauna VIII, 1799, p. 582.
— Payk. Fauna Suec. III, 1800, p. 95. — Walck.
Faune Paris. I, 1802, p. 215. — Marsh. Ent.
Brit. I, 1802, p. 338. — Bechst. & Scharfenb.
Forstins. I, 1804, p. 217. — Latr. Hist. Nat.
Crust. Ins. XI, 1804, p. 296, t. 92, f. 8. — Sa-
mouelle, Ent. Compend. 1819, p. 55, t. 2, f. 25.
— Gyllenh. Ins. Suec. I, 4, 1827, p. 96. —
Steph. III. Brit. Ent. Mand. IV, 1831, p. 243;
Man. 1839, p. 276. — Cast. & Gory, Monogr.
p. 42, t. 9, f. 52. — Labr. & Imh. Ins. Schweiz
II, 1838, t. 19. — Muls. Col. Fr. Long. 1839,
p. 73; ed. 2. 1862, p. 140. — Cast. Hist. Nat.
II, 1840, p. 450. — Redt. Fauna Austr. 1849,
p. 487; ed. 2, 1858, p. 851; ed. 3, II, 1874, p. 407.
— Küster, Käfer Eur. XII, 1848, p. 95. —
White, Cat. Col. Brit. Mus. VIII, 1855, p. 264.
— Costa, Fauna Regn. Napoli, Col. II, 1855,
Ceramb. p. 46, t. 34, f. 6. — Bach, Käferfauna

III, 1856, p. 18. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 526. — C. G. Thoms. Skand. Col. VIII, 1866, p. 38. — Cox, Handb. Col. II, 1874, p. 315. — Ganglb. Best.-Tab. VII, 1882, p. 47 (725); Rev. d'Ent. III, 1884, p. 192. — Bedel, Faune Col. Seine V, 1889, p. 30, 79. — Fowler, Col. Brit. Isl. IV, 1889, p. 225, t. 120, f. 9. — Reitter, Synops. p. 213. — Seidl. Fauna Balt. ed. 2, 1891, p. 734; Fauna Transs. 1891, p. 826. — Stierl. Col. Helvet. II, 1898, p. 456. — Everts, Col. Neerl. II, 1, 1901, p. 368. — Houlb. Faune Armor. Ceramb. 1904, p. 53, f. 102. — Csiki, Rov. Lapok XI, 1904, p. 138. — Jacobs. Käfer Russl. 1910, t. 66, f. 15.

detritus Voet, Cat. Col. II, 1778, p. 21, t. 19, f. 92; ed. Panzer III, 1794, p. 55, t. 19, f. 92.

lunatus F. Spec. Ins. II, 1781, p. 500. — Gmel. Syst. Nat. I, 4, 1790, p. 1852.

salicis Schrank, Fauna Boica I, 2, 1798, p. 677.

Biologie: Bond, Entomol. Mag. I, 1833, p. 212; IV, 1837, p. 222. — Goureau, Ann. Soc. Ent. Fr. XI, 1842, p. 176. — Chap. & Cand. Mém. Soc. Sc. Liège VIII, 1853, t. 8, f. 7. — Schiödte, Naturh. Tidskr. (3) X, 1875, p. 413. — Perris, Larves Col. 1877, p. 450. — Xambeu, Moeurs & Métam. VIII, 1902, p. 92. — Noel, Le Natural. XXXI, 1909, p. 191.

ab. *apicalis* Hampe, Wien. Ent. Monatschr. VII, 1863, p. 289. — Friv. Kir. Magyar. Termezs. Tars. Kösl. V, 1865, p. 220, t. 12, f. 11. — Kraatz, Berl. Ent. Zeitschr. XIV, 1870, p. 406.

t. 3, f. 2. — Ganglb. Best.-Tab. VII, 1882, p. 47 (725). — Csiki, Rov. Lapok XI, 1904, p. 139.

ab. *Colbeaui* Mors, Ann. Soc. Ent. Belg. VII, 1863, p. 132, t. 3, f. 9. — Ganglb. Best.-Tab. VII, 1882, p. 47 (725). — Pic, Longic. I, 1891, p. 25.

ab. *connatus* Mors, Ann. Soc. Ent. Belg. VII, 1863, p. 132. — Ganglb. Best.-Tab. VII, 1882, p. 47 (725). — Pic, Longic. I, 1891, p. 25. — Csiki, Rov. Lapok XI, 1904, p. 139.

ab. *Reichei* Thoms. Classif. Ceramb. 1860, p. 220. — Pic, Longic. I, 1891, p. 25. — Csiki, Rov. Lapok XI, 1904, p. 139.

interruptus Mors, Ann. Soc. Ent. Belg. VII, 1863, p. 132. — Ganglb. Best.-Tab. VII, 1882, p. 47 (725).

Christophi Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 108, t. 1, f. 4. — Reitter, Synops. p. 212.

✓ **detritus** L. Syst. Nat. ed. 10, 1758, p. 399; Fauna Suec. ed. 2, 1761, p. 198. — F. Syst. Ent. 1775, p. 194. — Müller, Zool. Dan. Prodr. 1776, p. 93. — Laich. Verz. Tyrol. Ins. II, 1784, p. 99. — Ol. Enc. méth. V, 1790, p. 262; Ent. IV, 70, 1795, p. 34, t. 2, f. 17. — Panzer, Deutschl. Insectenf. 1795, p. 266. — Schrank, Fauna Boica I, 2, 1798, p. 676. — Panzer, Voets Beschr. Abbild. hartsch. Ins. IV, 1798, p. 8, t. 26, f. 10.

Mehadia

Belgien

..

Belgien,
Algier

Amur

Europa,
Syrien

— Payk. Fauna Succ. III, 1800, p. 94. — Walek. Faune Paris. I, 1802, p. 215. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 297. — Panzer. Fauna Ins. Germ. XCIV, 1805, t. 5. — Gyllenh. Ins. Succ. I, 4, 1827, p. 95. — Cast. & Gory, Monogr. p. 40, t. 8, f. 49. — Muls. Col. Fr. Long. 1839, p. 71; ed. 2, 1862, p. 138. — Cast. Hist. Nat. II, 1840, p. 450, t. 50, f. 7. — Küster, Käfer Eur. XII, 1848, p. 94. — Redt. Fauna Austr. 1849, p. 487; ed. 2, 1858, p. 851; ed. 3, II, 1874, p. 407. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 262. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 45, t. 34, f. 5. — Bach, Käferfauna III, 1856, p. 18. — Schiödde, Nat. Tidskr. (3) II, 1864, p. 527. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 43, f. 197. — C. G. Thoms. Skand. Col. VIII, 1866, p. 38. — Ganglb. Best.-Tab. VII, 1882, p. 46 (724); Rev. d'Ent. III, 1884, p. 192. — Bedel, Faune Col. Seine V, 1889, p. 79. — Reitter, Synops. p. 212. — Seidl. Fauna Balt. ed. 2, 1891, p. 734; Fauna Transs. 1891, p. 826. — Stierl. Col. Helvet. II, 1898, p. 456. — Everts, Col. Neerl. II, I, 1901, p. 369. — Houlb. Faune Armor. Ceramb. 1904, p. 52, f. 101. — Csiki, Rov. Lapok XI, 1904, p. 138. — Jacobs. Käfer Russl. 1910, t. 66, f. 14.

brabantinus Voet, Cat. Col. II, 1804—06, p. 30, t. 26, f. 10.

Convertini L. Petagna, Atti Accad. Sc. Napoli I, 1819, p. 38, t. 4, f. 2.

Biologie: Perris, Larves Col. 1877, p. 451, f. 454—460. — Xamheu, Moeurs & Métam. VIII, 1902, p. 92.

ab. *rufescens* Pic. Longic. I, 1891, p. 24.

✓ *floralis* Pall. Reisen Prov. Russ. Reiches II, 1773, p. 724. — F. Spec. Ins. I, 1781, p. 241. — Rossi, Fauna Etr. I, 1790, p. 156. — Ol. Enc. méth. Ins. V, 1790, p. 263; Ent. IV, 70, 1795, p. 47, t. 5, f. 53. — Panzer. Deutschl. Insectenf. 1795, p. 264; Fauna Ins. Germ. LXX, 1799, t. 16. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 299. — Cast. & Gory, Monogr. p. 47, t. 10, f. 56. — Muls. Col. Fr. Long. 1839, p. 74; ed. 2, 1862, p. 143. — Cast. Hist. Nat. II, 1840, p. 449, t. 31, f. 6. — Gebler, Bull. Moscou XXI, 1, 1848, p. 394 (299). — Redt. Fauna Austr. 1849, p. 488; ed. 2, 1858, p. 852; ed. 3, II, 1874, p. 408. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 265. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 48, t. 35, f. 2. — Bach, Käferf. III, 1856, p. 21. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 43, f. 198. — Ganglb. Best.-Tab. VII, 1882, p. 49 (727); Rev. d'Ent. III, 1884, p. 192. — Reitter, Synops. p. 213. — Seidl. Fauna Balt. ed. 2, 1891, p. 734; Fauna Transs. 1891, p. 826. — Stierl. Col. Helvet. II, 1898, p. 456. — Csiki, Rov. Lapok XI, 1904, p. 138. — Jacobs. Käfer Russl. 1910, t. 66, f. 19.

Mittel- und
Südeuropa,
Sibirien,
Kleinasien,
Syrien

- arcuatus* Scop. Annus Hist. Nat. V, 1772, p. 97.
— Schrank, Enum. Ins. Austr. 1781, p. 164.
- aulicus* Laich. Verz. Tyrol. Ins. II, 1784, p. 103.
- controversus* Schrank, Fauna Boica I, 2, 1798, p. 679.
- fasciatus* Herbst in Füessly, Archiv V, 1784, p. 98, t. 26, f. 17.
- indicus* Gmel. Syst. Nat. I, 4, 1790, p. 1856.
- nigrofasciatus* Voet, Cat. Col. II, 1778, p. 21, t. 19, f. 93; ed. Panzer III, 1794, p. 55, t. 19, f. 93.
- ? *trilineatus* Voet, Cat. Col. II, 1778, p. 21, t. 19, f. 90; ed. Panzer, III, 1794, p. 54, t. 19, f. 90.
- ab. *abruptus* Kraatz, Berl. Ent. Zeitschr. XIV, 1870, p. 408, t. 3, f. 3. — Ganglb. Best.-Tab. VII, 1882, p. 48 (726). Südrußland
- zebra* Cast. & Gory, Monogr. p. 94, t. 10, f. 59. Patria?
— Kraatz, Berl. Ent. Zeitschr. XIV, 1870, p. 408. — Ganglb. Best.-Tab. VII, 1882, p. 48 (726).
- ab. *araratensis* Pic. Longic. III, 3, 1901, p. 11. Ararat
- ab. *armeniacus* Reitter, Synops. p. 213.
- ab. *aulicus* Laich. Verz. Tyrol. Ins. II, 1784, p. 103. — Schrank, Fauna Boica I, 2, 1798, p. 679, Tabelle. Mitteleuropa
- basicornis* Reitter, Synops. p. 213.
- ab. *pilifer* Reitter. l. e. Kleinasien
- ab. *pruinus* Kraatz, Berl. Ent. Zeitschr. XIV, 1870, p. 409. — Ganglb. Best.-Tab. VII, 1882, p. 48 (726). Sarepta
- ab. *variabilis* Motsch. Etud. Ent. VIII, 1859, p. 144; Bull. Acad. Petersb. I, 1860, p. 311; Mélang. Biol. III, 1860, p. 305. — Ganglb. Best.-Tab. VII, 1882, p. 48 (726). Rußland, Sibirien
- ab. *zebra* Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 194. Kaukasus
- lugubris* Ménétr. Cat. Rais. 1832, p. 229. — Falderm. Fauna Transcauc. II, 1837, p. 268, t. 8, f. 2. — Faust, Horae Soc. Ent. Ross. XIV, 1879, p. 120. — Ganglb. Best.-Tab. VII, 1882, p. 47 (725). — Reitter, Synops. p. 213.
- ab. *flavicornis* Pic. Longic. II, 1898, p. 19. Lenkoran
- pulcher* Blessig, Horae Soc. Ent. Ross. IX, 1872, p. 184, t. 8, f. 2. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 89. — Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 228. — Reitter, Synops. p. 212. Ostsibirien, Amur, Japan
- Grayi* Matsum. Thous. Ins. Japan III, 1908, nr. 718, t. 54, f. 5.
- lignatorum* Thieme, Berl. Ent. Zeitschr. XXV, 1881, p. 100. — Kraatz, Deutsche Ent. Zeitschr. XXV, 1881, p. 336.
- scalaris* Brullé, Expéd. Morée III, 1832, p. 254, t. 43, f. 10. — Cast. & Gory, Monogr. p. 47, t. 9, f. 55. — Muls. Col. Fr. Long. ed. 2, 1862, p. 142. — Perrin, Abeille VII, 1870, Nouv. nr. 15, p. 59. — Ganglb. Best.-Tab. VII, 1882, p. 48 (726). — Reitter, Synops. p. 213. — Pic, Bull. Soc. Ent. Fr. 1900, p. 110. Süditalien, Griechenland, Algier, Kleinasien

- ab. *Andrevi* Fuente, Bol. Soc. Aragon. VII, 1908, p. 21.
- ab. *siculus* Cast. & Gory, Monogr. p. 46, t. 9, f. 54. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 47, t. 35, f. 1. Sicilien
- speciosus* Adams, Mém. Moscou V, 1817, p. 309. — Mannerh. Bull. Moscou XI, 1838, p. 73. — Muls. Col. Fr. Long. ed. 2, 1862, p. 141. Griechenland, Kaukasus, Syrien
- Bobelayi* Brullé, Expéd. Moréc III, 1832, p. 253, t. 43, f. 12. — Cast. & Gory, Monogr. p. 45, t. 9, f. 53. — Ganglb. Best.-Tab. VII, 1882, p. 48 (726). — Reitter, Synops. p. 213. — Pic, Bull. Soc. Ent. Fr. 1900, p. 110.
- ab. *luristanicus* Pic, Longic. VIII, 1, 1911, p. 6. Persien
- ab. *Mouzafferi* Pic, Echange XXI, 1905, p. 114; Longic. VIII, I, 1911, p. 6. „

Neotropische Arten.

- astecus**) Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 489. Mexico
- Latreillei* Cast. & Gory, Monogr. p. 91, t. 17, f. 106. Brasilien
- White, Cat. Col. Brit. Mus. VIII, 1855, p. 279. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 58.
- regalis**) Chevr. l. c. (3) VIII, 1860, p. 488, t. 9, f. 5. Mexico

11

Dexitheia Thoms.

- Thoms. Syst. Ceramb. 1864, p. 185. — Lacord. Gen. Col. IX, 1869, p. 65.
- ✓ *Fabricii* Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 490, t. 9, f. 6. Mexico
- ✓ *Klugi* Cast. & Gory, Monogr. p. 51, t. 10, f. 59. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 266. — Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 490. — Thoms. Syst. Ceramb. 1864, p. 185. „
- Spixi* Cast. & Gory, Monogr. p. 92, t. 17, f. 107. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 279. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 57. — Burm. Stett. Ent. Zeit. XL, 1879, p. 202. Brasilien

3

Glycobius J. Lec.

- J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 319. — Prov. Pet. Faune Ent. Canada I, 1877, p. 594.
- Arhopalus* Lacord. Gen. Col. IX, 1869, p. 64.
- Plagionotus* J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 304. — Leng, Ent. Amer. II, 1887, p. 195.
- speciosus* Say, Amer. Entomol. III, 1828, t. 53. — Cast. & Gory, Monogr. p. 39, t. 8, f. 48. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 17. — Prov. Pet. Faune Ent. Canada I, 1877, p. 595, f. 46. — Bethune, Canad. Ent. IX, 1897, p. 222. Canada, Weststaaten Nordamerikas

*) Gehört vielleicht zu *Glycobius*.

- tab., f. 2. — Leng, Ent. Amer. II, 1887, p. 197.
 — Wickh. Canad. Ent. XXIX, 1897, p. 150, f. 24.
Hayi Gray in Griffith, Anim. Kingd. II, 1832,
 p. 118, t. 65, f. 6; t. 73, f. 6.
 Biologie: Harris, Ins. of Massach. 1842, p. 84.
 — Rogers, Rep. Ent. Soc. Ontario XI, 1880,
 p. 31, f. 13. — Lintner, Report N. York Mus.
 XL, 1886, p. 103. — Pack, Ins. inj. Trees 1890,
 p. 374, f. 137—140. — Felt, Ins. affect. Trees
 1907, p. 51, t. 2, f. 1—6.

1

Calloides J. Lec.

J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 319. — Prov. Pet. Faune Ent.
 Canada I, 1877, p. 595. — J. Lec. & Horn, Classif. Col. N. Amer. 1883,
 p. 304. — Leng, Ent. Amer. II, 1887, p. 195.

- Lorquini* Buq. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 629. Californien
 — Leng, Ent. Amer. II, 1887, p. 197.
nobilis Harris, Trans. Hartf. Nat. Hist. Soc. I, 1836, p. 84, Nordamerika
 t. 1, f. 7. — J. Lec. Journ. Acad. Philad. (2) II,
 1850, p. 18. — Prov. Pet. Faune Ent. Canada
 I, 1877, p. 596. — Leng, Ent. Amer. II, 1887,
 p. 197. — Wickh. Canad. Ent. XXIX, 1897,
 p. 150.
 Biologie: Pack, Ins. inj. Trees 1890, p. 344. —
 Felt, Ins. aff. Trees 1907, p. 443.
 var. *mormonus* Schaeffer, Journ. N. York Ent. Utah
 Soc. XIX, 1911, p. 124.

2

Arhopalus Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 77 (ex parte). — J. Lec. Journ.
 Acad. Philad. (2) II, 1850, p. 16 (ex parte); Smiths. Misc. Coll. XI, 264,
 1873, p. 319. — Prov. Pet. Faune Ent. Canada I, 1877, p. 596. — J. Lec.
 & Horn, Classif. Col. N. Amer. 1883, p. 304. — Leng, Ent. Amer. II, 1887,
 p. 197.

Sarosesthes Thoms. Syst. Ceramb. 1864, p. 185. — Lacord. Gen.
 Col. IX, 1869, p. 63.

- fulminans* F. Syst. Ent. 1775, p. 192. — Ol. Enc. méth. Nordamerika
 Ins. V, 1790, p. 264; Ent. IV, 70, 1795, p. 32,
 t. 5, f. 63. — Palis. Ins. Afr. et Amer. 1821,
 p. 248, Col. t. 37, f. 4. — Cast. & Gory, Monogr.
 p. 35, t. 8, f. 44. — Shuck. Brit. Col. 1840, p. 76,
 Suppl. t. 8, f. 4. — J. Lec. Journ. Acad. Philad.
 (2) II, 1850, p. 18. — Thoms. Syst. Ceramb.
 1864, p. 185. — Prov. Pet. Faune Ent. Canada
 I, 1877, p. 597. — Leng, Ent. Emer. II, 1887,
 p. 197. — Wickh. Canad. Ent. XXIX, 1897,
 p. 150.
 Biologie: Pack, Ins. inj. Trees 1881, p. 90, f. 40:
 ed. 2, 1890, p. 343, f. 129. — Felt, Ins. aff.
 Trees 1907, p. 444.

1

Trichoxys Chevr.

Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 454. — Thoms. Classif. Ceramb. 1860, p. 215, 219; Syst. Ceramb. 1864, p. 423. — Lacord. Gen. Col. IX, 1869, p. 63. — Bates, Biol. C.-Amer. Col. V, 1880, p. 48. — Leng, Ent. Amer. II, 1887, p. 194.

- abbreviatus** Bates, Biol. C.-Amer. Col. V, 1880, p. 50. Guatemala
Apelles Newm. Entomol. Mag. V, 1838, p. 394. — White, Mexico
 Cat. Col. Brit. Mus. VIII, 1855, p. 253. —
 Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 464.
atripes Chevr. l. c. p. 469. "
billineatus Chevr. l. c. p. 461, t. 9, f. 1. "
cinereolus Bates, Trans. Ent. Soc. Lond. 1892, p. 162. "
fortunatus Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, "
 p. 465, t. 9, f. 3. "
Hartwegi White, Cat. Col. Brit. Mus. VIII, 1855, p. 252, "
 t. 6, f. 8. — Lucas, Ann. Soc. Ent. Fr. (3) V, Arizona
 1857, Bull. p. 48. — Chevr. l. c. (3) VIII, 1860,
 p. 466. — Leng, Ent. Amer. II, 1887, p. 197.
hirtellus Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 467. Californien,
 Mexico
labyrinthicus Chevr. l. c. p. 463, t. 9, f. 2. Mexico
melanotelus White, Cat. Col. Brit. Mus. VIII, 1855, "
 p. 273. — Chevr. Ann. Soc. Ent. Fr. (3) VIII,
 1860, p. 468. — Waterh. Trans. Ent. Soc. Lond.
 1874, Proc. p. 28.
flexus Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860,
 p. 468.
pellitus White, Cat. Col. Brit. Mus. VIII, 1855, p. 462. — "
 Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 462.
rubripes White, Cat. Col. Brit. Mus. VIII, 1855, p. 273. — "
 Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 482.
sulphurifer Chevr. l. c. p. 470, t. 9, f. 4. "
viridicollis Chevr. l. c. p. 464. Mexico,
 Guatemala
vitticollis Cast. & Gory, Monogr. p. 7, t. 2, f. 5. — Chevr. Mexico
 Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 465.
Westwoodi Chevr. l. c. p. 471. "

16

*Megacyllene***Cyllene** Newm.

Newm. Entomol. I, 1840, p. 7. — Chevr. Ann. Soc. Ent. Fr. (3) VIII,
 1860, p. 453. — Thoms. Classif. Ceramb. 1860, p. 215, 217; Syst. Ceramb.
 1864, p. 184, 423. — Lacord. Gen. Col. IX, 1869, p. 62. — J. Lec. Smiths.
 Misc. Coll. XI, 264, 1873, p. 318. — Prov. Pet. Faune Ent. Canada I, 1877,
 p. 593. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 134. — J. Lec. &
 Horn, Classif. Col. N. Amer. 1883, p. 304. — Leng, Ent. Amer. II, 1887,
 p. 194.

Clytus Thoms. Classif. Ceramb. 1860, p. 215, 217.

- acuta** Germ. Mag. Ent. IV, 1821, p. 170. — White, Cat. Südbrasilien,
 Col. Brit. Mus. VIII, 1855, p. 250. — Chevr. Argentina,
 Ann. Soc. Ent. Fr. (4) II, 1862, p. 51. Patagonien
exsanguis Chevr. l. c. p. 527. — Berg, Ann. Soc.
 Ent. Fr. (6) V, 1885, Bull. p. 105.
 ab. *consimilis* Chevr. Ann. Soc. Ent. Fr. (4) Südbrasilien
 II, 1862, p. 52. — Goun. l. c. LXXX, 1911, p. 83.

- amazonica** Bates, Trans. Ent. Soc. Lond. 1870, p. 395.
- anacantha** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 52.
- antennata** White, Cat. Col. Brit. Mus. VIII, 1855, p. 252.
— Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 134. — Leng, Ent. Amer. II, 1887, p. 195.
- curystetha** J. Lec. Proc. Acad. Philad. 1858, p. 82; in Thoms. Arcana Naturae 1859, p. 127, t. 13, f. 9.
- boliviana** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 525.
- Bonplandi** Goun. l. c. LXXX, 1911, p. 83 nota.
- Boryi** Cast. & Gory, Monogr. p. 12, t. 3, f. 13. — Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 485, t. 29, f. 5. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 253. — Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 504. — Chevr. l. c. (4) II, 1862, p. 525.
- caracasensis** Chevr. l. c. (4) I, 1861, p. 380.
- caryae** Gah. Ann. Mag. Nat. Hist. (8) I, 1908, p. 141.
picta Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 134, 135, t. 2, f. 8 g; Canad. Ent. XIV, 1882, p. 240. — Moffat, l. c. p. 200. — Pack. Guide to the study of Ins. 1883, p. 497, f. 485. — Leng, Ent. Amer. II, 1887, p. 196. — Wickh. Canad. Ent. XXIX, 1897, p. 149.
Biologie: Pack. Ins. inj. Trees 1890, p. 287, f. 112. — Lintn. Report State Ent. N. York VIII, 1893, p. 175. — Felt, Ins. aff. Trees 1907, p. 264, t. 15, f. 7—12.
- castanea** Cast. & Gory, Monogr. p. 10, t. 3, f. 10. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 251. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 52. — Burm. Stett. Ent. Zeit. XL, 1879, p. 200.
- cayennensis** Cast. & Gory, Monogr. p. 10, t. 3, f. 9. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 251. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 517. — Bates, Biol. C.-Amer. Col. V, 1880, p. 48 (= *zizac* Voet?).
- chalybeata** White, Cat. Col. Brit. Mus. VIII, 1855, p. 250. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 54.
- chiliensis** Cast. & Gory, Monogr. p. 11, t. 3, f. 12. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 252. — Chevr. Ann. Soc. Ent. Fr. (2) II, 1862, p. 524.
- chilensis** Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 486. — Fairm. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 504.
- congener** Cast. & Gory, Monogr. p. 8, t. 3, f. 7. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 251. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 50.
- costaricensis** Thoms. Classif. Ceramb. 1860, p. 218.
- crinieornis** Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 460. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 134, 135, t. 2, f. 8 e. — Bates, Biol. C.-Amer. Col. V, 1885, p. 294. — Leng, Ent. Amer. II, 1887, p. 196.
- Amazon.
Südbrasilien
Mexico,
Arizona,
Sonora,
Californien,
Bolivien
Argentinien
Chile
Venezuela
Nordamerika
Brasilien
Cayenne,
Nicaragua
Brasilien
Chile
Brasilien
Costa Rica
Arizona,
Californien,
Louisiana,
Texas,
Mexico,
Honduras,
Panama,
Sandwich
Inseln

- ab. *sanguinipes* Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 460.
- var.? *similiguttata* Chevr. l. c. (4) I, 1861, p. 380.
- decora** Ol. Ent. IV, 70, 1795, p. 63, t. 8, f. 92. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 136, t. 2, f. 8 g. — Leng, Ent. Amer. II, 1887, p. 196.
- infausta* J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 17. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 136, t. 2, f. 8 a.
- ab. *brevipennis* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 197. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 136.
- ab. *Castelnaui* n. nom.
- decora* Cast. & Gory, Monogr. p. 14, t. 4, f. 15. — Horn, Trans. Amer. Ent. Soc. VIII, 1887, t. 2, f. 8 c.
- ab. *charus* Say, Journ. Boston Nat. Hist. Soc. I, 1835, p. 193. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 17; Col. of Kansas 1859, p. 20, t. 1, f. 16.
- ab. *Horni* n. nom.
- decora* var. Horn, Trans. Amer. Ent. Soc. VIII, 1880, t. 2, f. 8 b.
- ab. *mediana* n. nom.
- decora* var. Horn, Trans. Amer. Ent. Soc. VIII, 1880, t. 2, f. 8 d. — Heyne, Exot. Käfer 1906, p. 240, t. 36, f. 18.
- ab. *lutosa* J. Lec. Proc. Acad. Philad. 1861, p. 356. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 136. — Leng, Ent. Amer. II, 1887, p. 197.
- designata** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 50.
- difficilis** Chevr. l. c. p. 263, 528.
- erythropus** Chevr. Col. Mex. Cent. I, Fasc. 4, 1835, nr. 70. — Cast. & Gory, Monogr. p. 4, t. 2, f. 1. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 249. — Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 458. — Bates, Biol. C.-Amer. Col. V, 1885, p. 294.
- mexicanus* Cast. & Gory, Monogr. p. 6, t. 2, f. 3. Biologie: Dugès, Ann. Soc. Ent. Belg. XXIX, 1885, p. 40, t. 3, f. 1—12.
- ab. *variegata* Cast. & Gory, Monogr. p. 6, t. 2, f. 4. — Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 458.
- falsa** Chevr. l. c. (4) II, 1862, p. 51.
- acuta* Cast. & Gory, Monogr. p. 9, t. 3, f. 8.
- guttata** Chevr. l. c. (3) VIII, 1860, p. 459. — Bates, Biol. C.-Amer. Col. V, 1885, p. 294.
- Hoffmanni** Cast. & Gory, Monogr. p. 13, t. 3, f. 13 bis. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 253. — Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 55.
- insignita** Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, p. 388; Mélanges Ent. III, 1855, p. 68. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 53.

Mexico

Venezuela
Südstaaten
Nord-
amerikas,
Kansas,
Colorado,
Montana,
Illinois,
Indiana,
Iowa,
Missouri
Utah

Brasilien

Cuba

Mexico,
Guatemala

Brasilien

Mexico

Brasilien

- menalaspis* Chevr. l. c. (4) I, 1861, p. 378.
- ✓ *Mellyi* Chevr. l. c. (4) II, 1862, p. 54.
- minuta* Chevr. l. c. p. 62.
- ✓ *murina* Burm. Stett. Ent. Zeit. XL, 1879, p. 201.
- panamensis* Bates, Biol. C.-Amer. Col. V, 1885, p. 295.
- patruelis* Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 53.
- ✓ *proxima* Cast. & Gory, Monogr. p. 5, t. 2, f. 2. — White, Cat. Col. Brit. Mus. VIII, 1853, p. 249. — Chevr. Ann. Soc. Ent. Fr. (2) II, 1862, p. 50.
- elongata* Chevr. l. c. (2) I, 1861, p. 379.
- var. *multiguttata* Burm. Stett. Ent. Zeit. XXVI, 1865, p. 176; XL, 1879, p. 200. — Berg, Ann. Soc. Ent. Fr. (6) V, 1885, Bull. p. 105.
- ✓ *robiniae* Forst. Nov. spec. Ins. 1771, p. 43. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 17. — Bethune, Canad. Ent. IX, 1877, p. 223, tab. f. 4. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 134, 136, t. 2, f. 8 f.; Canad. Ent. XIV, 1882, p. 240. — Moffat, l. c. p. 200. — Leng, Ent. Amer. II, 1887, p. 196. — Pack, Psyche V, 1889, p. 225. — Wiekh. Canad. Ent. XXIX, 1897, p. 149. — Gah. Ann. Mag. Nat. Hist. (8) I, 1908, p. 141.
- angulata* F. Syst. Ent. 1775, p. 192.
- flexuosa* F. Syst. Ent. 1775, p. 191. — Drury, Ill. Exot. Ins. ed. Panzer 1788, p. 153, t. 41, f. 2. — Ol. Enc. méth. Ins. V, 1790, p. 262; Ent. IV, 70, 1795, p. 34, t. 6, f. 76. — Cast. & Gory, Monogr. p. 13, t. 1, f. a; t. 4, f. 14.
- picta* Drury, Ill. Exot. Ins. I, p. 91, t. 41, f. 2, Index 1773; ed. Westw. I, 1837, p. 87, t. 41, f. 2. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 177. — Walsh, Proc. Ent. Soc. Philad. III, 1864, p. 420. — Prov. Pet. Faune Ent. Canada I, 1877, p. 594.
- Biologie: Harris, Ins. of Massach. 1841, p. 85. — Osten-Sacken, Proc. Ent. Soc. Philad. I, 1862, p. 121, t. 1, f. 7. — Walsh, Proc. Ent. Soc. Philad. V, 1865, p. 204. — Bethune, Canad. Ent. IX, 1877, p. 223. — Pack, Ins. inj. Trees 1890, p. 355. — Felt, Ins. aff. Trees 1905, p. 93, t. 3, f. 1—3. — Hopkins, Bull. U. S. Dept. Agric. XVIII, 1906.
- ✓ *rufipes* Cast. & Gory, Monogr. p. 8, t. 2, f. 6. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 251. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 50.
- ✓ *spinifera* Newm. Entomol. I, 1840, p. 7. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 527.
- nebulosa* Cast. & Gory, Monogr. p. 11, t. 3, f. 11. — Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 486. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 251.
- ziezae* Voet, Cat. Col. II, 1778, p. 21, t. 19, f. 91; ed. Panzer III, 1794, p. 54, t. 19, f. 91.
- Neugranada
Brasilien
- ”
Paraguay
- Panama
Brasilien
- Brasilien,
Venezuela
- Südbrasilien,
Argen-
tinien,
Paraguay
- Canada,
Vereinigte
Staaten
- Brasilien
- Argentinien,
Chile
- „Amerika“

Ochraethes Chevr.

Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 454.

Ochraesthes Thoms. Classif. Ceramb. 1860, p. 216, 219; Syst. Ceramb. 1864, p. 424.*Ochrestes* Lacord. Gen. Col. IX, 1869, p. 65.*Ochresthes* Bates, Biol. C.-Amer. Col. V, 1880, p. 50.*Ochroesthes* Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 472.

- brevicornis** Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, Mexico
p. 480.
- circulifer** Chevr. l. c. p. 472. „
- citrinus** Chevr. l. c. p. 474. — Bates, Biol. C.-Amer. „
Col. V, 1885, p. 297.
- clerinus** Bates, Trans. Ent. Soc. Lond. 1892, p. 162, t. 6, „
f. 13.
- Christofori** Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, „
p. 477.
- litura** Bates, Biol. C.-Amer. Col. V, 1885, p. 298. Guatemala
- nigritus** Bates, Trans. Ent. Soc. 1892, p. 162, t. 6, f. 10. Mexico
- obliquus** Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 473. „
— Bates, Biol. C.-Amer. Col. V, 1885, p. 296,
t. 21, f. 2.
- obseuricornis** Bates, Trans. Ent. Soc. Lond. 1892, p. 163. „
- Palmeri** Bates, Biol. C.-Amer. Col. V, 1880, p. 52. „
- pieticornis** Bates, l. c. Guatemala
- pollinosus** Chevr. Col. Mex. I, 4, 1835, nr. 71. — Cast. & Mexico,
Gory, Monogr. p. 73, t. 14, f. 84. — White, Cat. Guatemala,
Col. Brit. Mus. VIII, 1855, p. 273. — Chevr. Costa Rica,
Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 476. — Panama
— Bates, Biol. C.-Amer. Col. V, 1880, p. 51.
- sigmoideus** Bates, l. c. 1885, p. 298, t. 21, f. 4. Mexico
- Sommeri** Chevr. Col. Mex. I, 4, 1835, nr. 72. — Cast. & „
Gory, Monogr. p. 72, t. 14, f. 83. — White, Cat.
Col. Brit. Mus. VIII, 1855, p. 273. — Chevr.
Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 474.
- tomentosus** Chevr. l. c. p. 479. „
- tulensis** Bates, Trans. Ent. Soc. London 1892, p. 163, „
t. 6, f. 12.
- umbratilis** Bates, Biol. C.-Amer. Col. V, 1885, p. 297, Guatemala
t. 21, f. 3.
- virescens** Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 481. Mexico
- viridiventris** Chevr. l. c. p. 479. — Bates, Biol. C. Amer. „
Col. V, 1885, p. 297, t. 21, f. 5.
- zebratus** Bates, l. c. p. 298, t. 21, f. 1. Guatemala
- z-littera** Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 476. Mexico

21

Anthoboscus Chevr.Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 455. — Thoms. Classif. Ceramb.
1860, p. 219 (Typus: *tricolor* Chevr.!).*Clytanthus* Thoms. Syst. Ceramb. 1864, p. 190, 424 (Typus: *tricolor*
Chevr.!). — Bates, Biol. C.-Amer. Col. V, 1885, p. 299.**anthophilus** Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, Mexico
p. 485.**clathratus** Chevr. l. c. p. 483. „**hololeucus** Bates, Trans. Ent. Soc. Lond. 1892, p. 163. „

- nigropunctatus** Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 486. Mexico
ochrozona Bates, Biol. C.-Amer. Col. V, 1885, p. 299, t. 21, f. 6. Guatemala
tricolor Chevr. Col. Mex. I, 4, 1835, nr. 75. — Cast. & Gory, Monogr. p. 89, t. 16, f. 103. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 278. — Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 483. Mexico
Truquii Chevr. l. c. p. 484. „

7

Plagithmysus Motsch.

Motsch. Bull. Mosc. XVIII, 2, 1845, p. 369. — Thoms. Syst. Ceramb. 1864, p. 427. — Lacord. Gen. Col. IX, 1869, p. 82. — Sharp, Ann. Soc. Ent. Belg. XXIX, 1885, Bull. p. 74; Ent. Month. Mag. XXXIII, 1896, p. 237, 238.

Callithmysus Sharp, Ent. Month. Mag. XXXII 1896, p. 238.

Clytarlus Sharp, Trans. Ent. Soc. Lond. 1878, p. 206, 208 (Typus: *pulverulentus* Motsch.); 1879, p. 102; Ent. Month. Mag. XXXII, 1896, p. 238 (Typus: *fragilis* Sharp!).

Plagithmysides Sharp, l. c. p. 238; Fauna Hawaiensis II, 1900, p. 98. — Sharp, l. c. II, 1900, p. 98—116; III, 1910, p. 645—650 (Revision).

- abnormis** Sharp, Revis. II, 1900, p. 102. Hawaii
aequalis Sharp, Ent. Month. Mag. XXXII, 1896, p. 273; Revis. II, 1900, p. 112. Kauai
aestivus Sharp, Ent. Month. Mag. XXXII, 1896, p. 272; Revis. II, 1900, p. 111. Molokai
Albertisi Sharp, Ent. Month. Mag. XXXIII, 1897, p. 12; Revis. II, 1900, p. 110, t. 6, f. 18. Oahu
annectens Sharp, l. c. II, 1900, p. 104. Kauai
arachnipes Sharp, Ent. Month. Mag. XXXII, 1896, p. 274; Revis. II, 1900, p. 112, t. 6, f. 20. „
attenuatus Boisd. Voy. Astrol. Ins. II, 1835, p. 485. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 256 (4). — Sharp, Ann. Soc. Ent. Belg. XXIX, 1885, Bull. p. 75; Ent. Month. Mag. XXXII, 1896, p. 238; Revis. II, 1900, p. 115. Oahu
cristatus Sharp, Trans. Ent. Soc. Lond. 1878, p. 207; Ent. Month. Mag. XXXII, 1896, p. 274; Revis. II, 1900, p. 113, t. 6, f. 21; III, 1910, p. 650.
bilineatus Sharp, Ent. Month. Mag. XXXII, 1896, p. 243; Revis. II, 1900, p. 108, t. 6, f. 14. Hawaii
Bishopi Sharp, Ent. Month. Mag. XXXII, 1896, p. 242; Revis. II, 1900, p. 108, t. 6, f. 12. „
Blackburni Sharp, Trans. R. Dublin Soc. (2) III, 1885, p. 195, t. 5, f. 47; Ent. Month. Mag. XXXII, 1896, p. 271; Revis. II, 1900, p. 111. „
claviger Sharp, l. c. p. 101. „
collaris Sharp, l. c. p. 107, t. 6, f. 13. Maui
concolor Sharp, Ent. Month. Mag. XXXII, 1896, p. 241; Revis. II, 1900, p. 106, t. 6, f. 8. Kauai
cuneatus Sharp, Ent. Month. Mag. XXXII, 1896, p. 241; Revis. II, 1900, p. 106, t. 6, f. 9. Oahu

- darwinianus* Sharp, Ent. Month. Mag. XXXII, 1896, p. 271; Revis. II, 1900, p. 109, t. 6, f. 16. Hawaii
- debilis* Sharp, l. c. p. 99. "
- Diana* Sharp, l. c. p. 107, t. 6, f. 11. Kauai
- elegans* Sharp, l. c. III, 1910, p. 648. Hawaii
- filipes* Sharp, Trans. R. Dublin Soc. (2) III, 1885, p. 196, t. 6, f. 1a. "
- Finschi* Har. Mitth. Münch. Ent. Ver. IV, 1880, p. 166. Maui
— Karsch, Berl. Ent. Zeitschr. XXV, 1881, p. 8, t. 1, f. 13. — Sharp, Ent. Month. Mag. XXXII, 1896, p. 242; Revis. II, 1900, p. 106.
- fractus* Sharp, l. c. III, 1910, p. 646. Molokai
- fragilis* Sharp, l. c. II, 1900, p. 99; III, 1910, p. 645. Oahu
- funebri* Sharp, Ent. Month. Mag. XXXII, 1896, p. 273; Revis. II, 1900, p. 106, t. 6, f. 10. Maui
- Giffardi* Perkins, Proc. Hawaiian Ent. Soc. I, 1907, p. 96 nota. — Sharp, Revis. III, 1910, p. 646. Hawaii
- immundus* Sharp, l. c. "
- Koebele* Perkins, Proc. Hawaiian Ent. Soc. I, 1908, p. 210, fig. — Sharp, Revis. III, 1910, p. 649. Oahu
- lamarekianus* Sharp, l. c. II, 1900, p. 110. Hawaii
- varians* var. γ Sharp, Ent. Month. Mag. XXXII, 1896, p. 245.
- lanaiensis* Sharp, l. c. p. 244; Revis. II, 1900, p. 108. Lanai
- laticollis* Sharp, l. c. p. 101. Maui
- longipes* Sharp, l. c. p. 103, t. 6, f. 4. Kauai
- mediocri* Sharp, l. c. p. 99, t. 6, f. 1, 1b. Maui
- microgaster* Sharp, Trans. Ent. Soc. Lond. 1879, p. 103; Trans. R. Dublin Soc. (2) III, 1885, t. 5, f. 46; Revis. II, 1900, p. 113; III, 1910, p. 649. Oahu
- var. *hirtipes* Sharp, l. c. II, 1900, p. 113. "
- modestus* Sharp, Trans. Ent. Soc. Lond. 1879, p. 104; Revis. II, 1900, p. 101. Maui
- Munroi* Sharp, l. c. p. 112, t. 6, f. 19. Kauai
- Newelli* Sharp, Ent. Month. Mag. XXXII, 1906, p. 240; Revis. II, 1900, p. 105, t. 6, f. 7. Maui
- nodifer* Sharp, l. c. p. 102. Hawaii
- obscurus* Sharp, l. c. p. 100. Kauai
- pennatus* Sharp, Trans. Ent. Soc. Lond. 1881, p. 532; Revis. II, 1900, p. 102, t. 6, f. 2, 3. Maui
- Perkinsi* Sharp, Ent. Month. Mag. XXXII, 1896, p. 244; Revis. II, 1900, p. 109, t. 6, f. 15. Hawaii
- Biologie: Giffard, Proc. Hawaiian Ent. Soc. II, 1909, p. 87.
- permundus* Sharp, Revis. II, 1900, p. 105, t. 6, f. 6. Kauai
- pulverulentus* Motsch. Bull. Moscou XVIII, 1, 1845, p. 85, t. 1, f. 12; XVIII, 2, 1845, p. 370, t. 7, f. 7. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 105. — Sharp, Ann. Soc. Ent. Belg. XXIX, 1885, p. 75; Ent. Month. Mag. XXXII, 1896, p. 242; Revis. II, 1900, p. 107. Oahu
- var. *robustus* Sharp, Trans. Ent. Soc. Lond. 1878, p. 206.
- pulvillatus* Karsch, Berl. Ent. Zeitschr. XXV, 1881, p. 9, t. 1, f. 14. — Sharp, Revis. II, 1900, p. 111. Maui
- simplicicollis* Sharp, l. c. III, 1910, p. 648. Hawaii
- solitarius* Sharp, Ent. Month. Mag. XXXII, 1896, p. 241; Revis. II, 1900, p. 106; III, 1910, p. 647. Oahu

- speculifer* Sharp, Ent. Month. Mag. XXXII, 1896, p. 272; Maui
Revis. II, 1900, p. 111.
- sulphureseens* Sharp, Ent. Month. Mag. XXXII, 1896, Hawaii
p. 271; Revis. II, 1900, p. 111, t. 6, f. 17.
- ultimus* Sharp, l. c. III, 1910, p. 645. Oahu
- varians* Sharp, Ent. Month. Mag. XXXII, 1896, p. 245; Hawaii
Revis. II, 1910, p. 109.
- vicinus* Sharp, Ent. Month. Mag. XXXII, 1896, p. 243; „
Revis. II, 1900, p. 108.
- vitticollis* Sharp, Ent. Month. Mag. XXXII, 1896, p. 240; „
Revis. II, 1900, p. 105, t. 6, f. 5.
- var. *longulus* Sharp, Ent. Month. Mag. XXXII, „
1896, p. 240; Revis. II, 1900, p. 105.

50

Euryscelis Chev.

- Chev. Ann. Soc. Ent. Fr. (4) II, 1862, p. 530. — Thoms. Syst. Ceramb.
1864, p. 426. — Lacord. Gen. Col. IX, 1869, p. 75. — Leng. Ent. Amer.
II, 1887, p. 195.

- Dejeani* Chev. Ann. Soc. Ent. Fr. (4) II, 1862, p. 530. Haiti
- suturalis* Ol. Ent. IV, 70, 1795, p. 62, t. 7, f. 91. — Cast. & „
Gory, Monogr. p. 15, t. 4, f. 16. — White, Cat.
Col. Brit. Mus. VIII, 1855, p. 254. — Chev.
Ann. Soc. Ent. Fr. (4) II, 1862, p. 529. — Leng,
Ent. Amer. III, 1887, p. 8. — *Zahn 1894 Tr. Ent. Soc. Lond. p. 115 fig. 2*

2

Rhopalopachys Chev.

- Chev. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 457. — Thoms. Syst. Ceramb.
1864, p. 427. — Lacord. Gen. Col. IX, 1869, p. 74.

- irroratus* J. Lec. Journ. Acad. Philad. (2) IV, 1858, p. 26. Texas,
— Leng, Ent. Amer. III, 1887, p. 6. Mexico
- morosus* Chev. Ann. Soc. Ent. Fr. (3) VIII, 1860,
p. 501.

1

Neoclytus Thoms.

- Thoms. Musée scient. 1860, p. 67; Classif. Ceramb. 1860, p. 216; Syst.
Ceramb. 1864, p. 426. — Lacord. Gen. Col. IX, 1869, p. 75 (ex parte). —
J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 319. — Prov. Pet. Faune Ent.
Canada I, 1877, p. 601. — Ganglb. Best.-Tab. VIII, 1882, p. 10 (688).
— Leng, Ent. Amer. II, 1887, p. 195; III, 1887, p. 4 (Synopsis). — Seidl.
Fauna Transs. 1891, p. 825. — Csiki, Rov. Lapok XI, 1904, p. 37.

Plagithmysus J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 304.

Rhopalomerus Chev. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 457.

- abbreviatus* Schaeffer, Bull. Brookl. Instit. I, 1908, p. 340. Texas
- acuminatus* F. Syst. Ent. 1775, p. 194. Canada,
americanus Gmel. Syst. Nat. I, 4, 1790, p. 1854. Vereingte
aspericollis Germ. Ins. spec. nov. 1824, p. 517. Staaten
erythrocephalus F. Mant. Ins. I, 1787, p. 156. Nord-
— Ol. Enc. méth. Ins. V, 1790, p. 265; Ent. amerikas

- IV, 70, p. 47, 71, t. 5, f. 60; t. 7, f. 60b. — Palis. Ins. Afr. et Amer. 1821, p. 248, Col. t. 37, f. 5. — Cast. & Gory, Monogr. p. 20, t. 5, f. 23. — Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 39. — Küster, Käfer Eur. XXII, 1850, p. 92. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 26. — Rye, Ent. Month. Mag. IX, 1873, p. 215. — Doubl. l. c. p. 268. — Prov. Pet. Faune Ent. Canada I, 1877, p. 602. — Ganglb. Best.-Tab. VII, 1882, p. 57 (735). — Leng, Synops. p. 5, 6. — Csiki, Rov. Lapok XI, 1904, p. 166. Biologie: Webster, Ent. News V, 1894, p. 140. — Felt, Ins. aff. Trees 1905, p. 71.
- Acteon** Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 499, t. 9, f. 11. Mexico
- approximatus** J. Lec. Proc. Acad. Philad. 1862, p. 42. — Leng, Synops. p. 5. Kansas
- araneiformis** Ol. Ent. IV, 70, 1795, p. 61, t. 7, f. 90. — Cast. & Gory, Monogr. p. 28, t. 6, f. 33. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 257. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 531. — Bland, Proc. Ent. Soc. Philad. I, 1862, p. 273, f. 3. Haiti, Porto Rico, Guadeloupe
- Koehlini* Hagenb. Symb. Faunae Ins. Helv. 1822, p. 12, f. 5. — Ganglb. Best.-Tab. VII, 1882, p. 58 (736). (Schweiz eingeschleppt)
- ascendens** J. Lec. Bull. U. S. Geol. Geogr. Surv. IV, 1878, p. 462. — Leng, Synops. p. 5, 7. Colorado
- ✓ **Augusti** Chevr. Col. Mex. I, 4, 1835, nr. 73. — Cast. & Gory, Monogr. p. 30, t. 7, f. 37. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 258. — Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 495. Mexico
- ab. *dubius* Chevr. Col. Mex. I, 4, 1835, nr. 74.
- Aulai** Bruch, Rev. Mus. La Plata XVIII, 1911, p. 168, fig. Cháco, Santa Fé
- ✓ **balteatus** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 201. — Leng, Synops. p. 5, 7. Oregon
- basalis** Chevr. Ann. Soc. Ent. Fr. (4) I, 1861, p. 384. Caracas
- beltianus** Bates, Biol. C.-Amer. Col. V, 1885, p. 301, t. 21, f. 10. Nicaragua
- Lebasi* Bates, Trans. Ent. Soc. Lond. 1872, p. 186; Biol. C.-Amer. Col. V, 1880, p. 58.
- Burmeisteri** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 57. Brasilien
- ✓ **cacicus** Chevr. l. c. (3) VIII, 1860, p. 493, t. 9, f. 8. — Bates, Biol. C.-Amer. Col. V, 1880, p. 57. Mexico, Nicaragua, Honduras, Guatemala, Panama
- caprea** Say, Journ. Acad. Philad. III, 1823, p. 424; Amer. Ent. III, 1828, t. 53. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 26. — Leng, Synops. p. 5, 7. — Wickh. Canad. Ent. XXIX, 1897, p. 151. Vereinigte Staaten Nord-amerikas, Nord-mexico
- elevatus* Cast. & Gory, Monogr. p. 32, t. 7, f. 40.
gibbicollis Cast. & Gory, l. c. p. 24, t. 6, f. 28. Biologie: Felt, Ins. aff. Trees 1905, p. 279.
- carinatus** Cast. & Gory, Monogr. p. 19, t. 5, f. 22. „Nord-amerika“

- carus** Fall, Journ. N. York Ent. Soc. XV, 1907, p. 81. Californien
centurio Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 58. Brasilien
 — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 87.
accensus Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 59.
- Championi** Bates, Biol. C.-Amer. Col. V, 1885, p. 302, t. 21, f. 8 (Genus?). Guatemala
- ✓ **Chevrolati** Cast. & Gory, Monogr. p. 26, t. 6, f. 31. — Cuba
 Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 264, 531.
- clavatus** Chevr. l. c. (4) I, 1861, p. 386. Caracas
clavipes Chevr. l. c. (3) VIII, 1860, p. 495. — Bates, Guatemala
 Biol. C.-Amer. Col. V, 1880, p. 57.
- conjunctus** J. Lec. Ent. Report 1857, p. 61. — Leng, Californien,
 Synops. p. 5, 7. Oregon
- cordifer** Klug, Preisverz. Ins.-Doubl. 1829, p. 13. Cuba,
devastator Cast. & Gory, Monogr. p. 17, t. 4, Florida
 f. 18 bis. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 255. — Jacq. du Val in Sagra, Hist. Cuba III, 1857, p. 268. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 531. — Leng, Synops. p. 5, 6.
- rufescens* Cast. & Gory, Monogr. p. 16, t. 4, f. 18.
- cristatus** Chevr. Ann. Soc. Ent. Fr. (4) I, 1861, p. 384. Neugranada
curtulus Chevr. l. c. (3) VIII, 1860, p. 497. Mexico
- ✓ **curvatus** Germ. Mag. Ent. IV, 1821, p. 171. — Cast. Brasilien
 & Gory, Monogr. p. 25, t. 6, f. 29. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 256. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 56.
- delicatus** Goun. l. c. LXXX, 1911, p. 86, fig. Goyaz
distortus Chevr. l. c. (3) VIII, 1860, p. 500. — Bates, Mexico
 Biol. C.-Amer. Col. V, 1885, p. 302 (Genus?).
- dorsalis** Cast. & Gory, Monogr. p. 23, t. 5, f. 27. — Goun. Brasilien
 Ann. Soc. Ent. Fr. LXXX, 1911, p. 84.
- famelicus** Burm. Stett. Ent. Zeit. XXVI, 1865, p. 176. Argentinien
 — Berg, Ann. Soc. Ent. Fr. (6) V, 1885, Bull. p. 105.
- ✓ **guyanensis** Cast. & Gory, Monogr. p. 22, t. 5, f. 26. — Guyana,
 Burm. Stett. Ent. Zeit. XL, 1879, p. 202. Paraguay
- ✓ **Hoegi** Bates, Biol. C.-Amer. Col. V, 1880, p. 56. Mexico
horridus J. Lec. Proc. Acad. Philad. 1862, p. 42. Nordamerika
ietericus Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 85, Goyaz
 fig.
- Jekeli** White, Cat. Col. Brit. Mus. VIII, 1855, p. 254. — Chile
 Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 504. — Chevr. l. c. (4) II, 1862, p. 526.
- longipes* Cast. & Gory, Monogr. p. 16, t. 4, f. 17. — Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 485.
- ✓ **impar** Germ. Ins. spec. nov. 1824, p. 517. — Cast. & Brasilien
 Gory, Monogr. p. 21, t. 5, f. 24. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 256. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 56.
- interruptus** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Californien
 p. 201. — Leng, Synops. p. 5, 7.
- Jouteli** Davis, Ent. News XV, 1904, p. 34, t. 6. New Jersey
Justini Chevr. Ann. Soc. Ent. Fr. (4) I, 1861, p. 382. Neugranada

- Kirbyi** nov. nom.
longipes Kirby, Fauna Bor.-Amer. IV, 1837, p. 176. — Leng, Synops. p. 5, 8. — Wickh. Canad. Ent. XXIX, 1897, p. 152. Canada, Virginia, Texas
- Lebasi** Chev. Ann. Soc. Ent. Fr. (4) I, 1861, p. 381. — Bates, Biol. C.-Amer. Col. V, 1885, p. 302. Venezuela, Neugranada, Panama
- longipes** Drury, Ill. Exot. Ins. I, 1770, p. 84, t. 37, f. 4, Index, 1773; ed. Westw. I, 1837, p. 79, t. 37, f. 4. Jamaica, Cuba, Georgia, New York
angulatus F. Ent. Syst. I, 2, 1792, p. 335. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 255. — Chev. Ann. Soc. Ent. Fr. (4) II, 1862, p. 531. — Leng, Synops. p. 5.
Druryi F. Syst. Ent. 1775, p. 408. — Panz. in Drury, Ill. Exot. Ins. ed. Panzer I, 1785, p. 142.
Hopei Cast. & Gory, Monogr. p. 18, t. 5, f. 20. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 28.
lunulatus Goeze, Ent. Beytr. I, 1777, p. 477. — Gmel. Syst. Nat. I, 4, 1790, p. 1864.
rhombifer Ol. Ent. IV, 70, 1795, p. 46, t. 4, f. 51 a, b. — Cast. & Gory, Monogr. p. 17, t. 4, f. 19. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 26.
- magieus** Perty, Del. Anim. Artic. 1830, p. 93, t. 18, f. 16. — Cast. & Gory, Monogr. p. 25, t. 1, f. b; t. 6, f. 30. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 256. — Chev. Ann. Soc. Ent. Fr. (4) II, 1862, p. 56. Brasilien
- magnus** Schaeffer, Journ. N. York Ent. Soc. XII, 1904, p. 224. Californien
- modestus** Fall, l. c. XV, 1907, p. 81. Süd-californien
Venezuela
- Moritzi** Thoms. Classif. Ceramb. 1860, p. 265. — Chev. Ann. Soc. Ent. Fr. (4) I, 1861, p. 383.
- mucronatus** F. Syst. Ent. 1775, p. 193. — Ol. Enc. méth. Ins. V, 1790, p. 266; Ent. IV, 70, 1795, p. 38, t. 3, f. 34. Canada, Vereinigte Staaten
humeralis Newm. Ent. Mag. V, 1838, p. 394. Nord-amerikas
luscus F. Ent. Syst. Suppl. 1798, p. 152. — Cast. & Gory, Monogr. p. 27, t. 6, f. 32. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 26. — Leng, Synops. p. 5, 6. — Wickh. Canad. Ent. XXIX, 1897, p. 151.
- maculosus* Gmel. Syst. Nat. I, 4, 1790, p. 1854.
- muricatus** Kirby, Fauna Bor.-Amer. IV, 1837, p. 177. — Leng, Synops. p. 5, 8. — Wickh. Canad. Ent. XXIX, 1897, p. 152. Nordamerika
leucozonus Cast. & Gory, Monogr. p. 90, t. 17, f. 105.
muricatus Prov. Pet. Faune Ent. Canada I, 1877, p. 601.
- ✓ **olivaceus** Cast. & Gory, Monogr. p. 30, t. 7, f. 36. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 258. — Chev. Ann. Soc. Ent. Fr. (4) II, 1862, p. 57. Brasilien
- peninsularis** Schaeffer, Bull. Brookl. Instit. I, 1905, p. 133. Californien
podagricus White, Cat. Col. Brit. Mus. VIII, 1855, p. 254. Haiti
— Chev. Ann. Soc. Ent. Fr. (4) II, 1862, p. 530.
— Waterh. Aid identif. Ins. II, 1884, t. 149, f. 4.

- purus** Bates, Biol. C.-Amer. Col. V, 1885, p. 302, t. 29, f. 1. Mexico,
Guatemala
Brasilien
- pusillus** Cast. & Gory, Monogr. p. 22, t. 5, f. 25. — White,
Cat. Col. Brit. Mus. VIII, 1855, p. 256. — Chevr.
Ann. Soc. Ent. Fr. (4) II, 1862, p. 56. — Goun.
Ann. Soc. Ent. Fr. LXXX, 1911, p. 84.
- regularis** Chevr. l. c. (4) I, 1861, p. 385.
- rufitarsis** Chevr. l. c. (3) VIII, 1860, p. 494.
- ✓ **rufus** Ol. Ent. IV, 70, 1795, p. 28, t. 7, f. 81. — Cast.
& Gory, Monogr. p. 19, t. 5, f. 21. — White,
Cat. Col. Brit. Mus. VIII, 1855, p. 255. — Chevr.
Ann. Soc. Ent. Fr. (4) I, 1861, p. 381.
- scenicus** Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. 294,
t. 20, f. 7. Neugranada
- scutellaris** Ol. Enc. méth. Ins. V, 1790, p. 266; Ent.
IV, 70, 1795, p. 51, t. 5, f. 52. — Cast. & Gory,
Monogr. p. 53, t. 11, f. 62. — J. Lec. Journ.
Acad. Philad. (2) II, 1850, p. 25. — Leng,
Synops. p. 5, 6.
- elegans* Hald. Trans. Amer. Phil. Soc. (2) X, 1847,
p. 40. New York,
Pennsyl-
vanien,
Virginia,
Nord-
carolina,
Georgia,
Ohio,
Kansas,
Texas,
Louisiana,
Nebraska
- senilis** F. Ent. Syst. Suppl. 1798, p. 152. Cayenne
- Smithi** Bates, Trans. Ent. Soc. Lond. 1892, p. 164,
t. 6, f. 9. Mexico
- ✓ **sobrinus** Cast. & Gory, Monogr. p. 29, t. 6, f. 35. —
White, Cat. Col. Brit. Mus. VIII, 1855, p. 257.
— Chevr. Ann. Soc. Ent. Fr. (2) II, 1862, p. 56.
— Burm. Stett. Ent. Zeit. XL, 1879, p. 201. Brasilien,
Argentinien
- stillatus** Auriv. Arkiv f. Zool. V, 1, 1908, p. 4. Bolivien
- tapajonus** Bates, Trans. Ent. Soc. Lond. 1870, p. 395. Tapajos
- tenuiscriptus** Fall, Journ. N. York Ent. Soc. XV, 1907,
p. 82. Süd-
californien
- torquatus** J. Lec. Smiths. Misc. Coll. XI, 264, 1873,
p. 200. — Leng, Synops. p. 5, 8. Texas
- ✓ **unicolor** Cast. & Gory, Monogr. p. 34, t. 8, f. 43. —
White, Cat. Col. Brit. Mus. VIII, 1855, p. 259.
— Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 526. Peru
- ypsilon** Chevr. l. c. p. 63. Brasilien

67

Mecometopus Thoms.

Thoms. Classif. Ceramb. 1860, p. 216, 222; Syst. Ceramb. 1864, p. 427.
— Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 518. — Bates, Trans. Ent.
Soc. Lond. 1870, p. 396; Biol. C.-Amer. Col. V, 1880, p. 55.

Neoclytus Lacord. Gen. Col. IX, 1869, p. 75 (ex parte).

- accentifer** Goun. Bull. Mus. Paris XIII, 1910, p. 15. Ecuador
- Aesopus** Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 502. Mexico,
— Bates, Biol. C.-Amer. Col. V, 1880, p. 55. Nicaragua
- amabilis** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 521. Cayenne
- amaryllis** Chevr. l. c. (4) I, 1861, p. 387. Neugranada

- Batesi** White, Cat. Col. Brit. Mus. VIII, 1855, p. 257. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 57. — Bates, Trans. Ent. Soc. Lond. 1870, p. 396. Santarem
- bolivianus** Belon, Bull. Soc. Ent. Fr. 1899, p. 156. Bolivien
- consanguineus** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 523. Cayenne
- crassicornis** Chevr. l. c. p. 519.
- curtus** Cast. & Gory, Monogr. p. 34, t. 8, f. 42. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 259. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 520. " Guyana
- festivus** F. Syst. El. II, 1802, p. 348. — Cast. & Gory, Monogr. p. 85, t. 16, f. 98. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 259. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 520. — Bates, Trans. Ent. Soc. Lond. 1870, p. 396. Guyana, Amazon.
- Flavius** Bates, Trans. Ent. Soc. Lond. 1870, p. 399. Santarem
- funereus** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 523. Cayenne
- globicollis** Cast. & Gory, Monogr. p. 32, t. 7, f. 39. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 258. — Bates, Trans. Ent. Soc. Lond. 1870, p. 400. " Pará
- globulicollis* Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 520.
- Jansoni** Bates, Trans. Ent. Soc. Lond. 1870, p. 399 nota; Biol. C.-Amer. Col. V, 1880, p. 55, t. 5, f. 14. Nicaragua, Panama
- insignis** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 65. Brasilien
- ion** Chevr. l. c. (3) VIII, 1860, p. 496, t. 9, f. 9. — Bates, Biol. C.-Amer. Col. V, 1880, p. 56. Mexico, Honduras
- var. *ionides* Bates, l. c. p. 300. Nicaragua
- ion** Bates, Trans. Ent. Soc. Lond. 1872, p. 186.
- laetus** F. Syst. El. II, 1802, p. 348. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 259. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 60. — Bates, Trans. Ent. Soc. Lond. 1870, p. 397. Pará
- latecinctus** Bates, Trans. Ent. Soc. Lond. 1870, p. 398. Amazon., S. Paulo
- Leprieuri** Cast. & Gory, Monogr. p. 29, t. 6, f. 34. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 260. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 522. Cayenne
- macilentus** Bates, Trans. Ent. Soc. Lond. 1872, p. 187; Biol. C.-Amer. Col. V, 1880, p. 56 (Genus?). Nicaragua, Panama
- maronensis** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 522. Cayenne
- melanion** Bates, Biol. C.-Amer. Col. V, 1885, p. 300. Mexico
- Mniszechi** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 64. Brasilien
- mundus** Chevr. l. c. (3) VIII, 1860, p. 498, t. 9, f. 10. — Bates, Biol. C.-Amer. Col. V, 1885, p. 301. Guatemala
- palmatus** Ol. Ent. IV, 70, 1795, p. 29, t. 7, f. 82. — Cast. & Gory, Monogr. p. 84, t. 16, f. 97. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 260. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 58. Brasilien
- patagonicus** Bruch, Rev. Mus. La Plata XVIII, 1911, p. 169, fig. Patagonien: Chubut
- placens** Chevr. l. c. (4) II, 1862, p. 64. Brasilien
- polygenus** Thoms. Classif. Ceramb. 1860, p. 223. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 58. — Bates, Trans. Ent. Soc. Lond. 1870, p. 400. Amazon.
- purus** Bates, l. c. p. 398. Ega
- quadrifasciatus** Chevr. Ann. Soc. Ent. Fr. (4) I, 1861, p. 386. Columbien

- remipes** Bates, Biol. C.-Amer. Col. V, 1885, p. 300, t. 21, f. 7. Panama
- Riveti** Goun. Bull. Mus. Paris XVI, 1910, p. 16. Ecuador
var. *pilosus* Goun. l. c. nota. Columbia
- rhinotragoides** Thoms. Classif. Ceramb. 1860, p. 224. Cayenne
— Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 521.
- rubefactus** Bates, Trans. Ent. Soc. Lond. 1870, p. 398. Ega
- Simoni** Lameere, Ann. Soc. Ent. Fr. LXII, 1893, p. 274. Venezuela
- solidicornis** Bates, Biol. C.-Amer. Col. V, 1885, p. 300. Panama
- triangularis** Cast. & Gory, Monogr. p. 31, t. 7, f. 38. Cayenne
— White, Cat. Col. Brit. Mus. VIII, 1855, p. 258.
— Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 519.
— Bates, Trans. Ent. Soc. Lond. 1870, p. 397.
- troglydites** Cast. & Gory, Monogr. p. 33, t. 7, f. 41. — „
— White, Cat. Col. Brit. Mus. VIII, 1855, p. 258.
— Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 520.
— Bates, Trans. Ent. Soc. Lond. 1870, p. 399.
- tumulifer** Auriv. Arkiv f. Zool. V, 1, 1908, p. 3. Peru
- Wallacei** White, Cat. Col. Brit. Mus. VIII, 1855, p. 259. Ega
— Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 60. — Bates, Trans. Ent. Soc. Lond. 1870, p. 397.

40

Chlorophorus Chev.

- Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 290 (38) (Typus: *annularis*).
- Anthoboscus* Muls. Col. Fr. Long. ed. 2, 1863, p. 166. — Seidl. Fauna Balt. ed. 2, 1891, p. 733; Fauna Transs. 1891, p. 825. — Stierl. Col. Helvet. II, 1898, p. 455.
- Caloclytus* Gah. Fauna Brit. Ind. Col. I, 1906, p. 260.
- Clyanthus* Lacord. Gen. Col. IX, 1869, p. 68. — Ganglb. Best.-Tab. VII, 1882, p. 53 (731). — Bedel, Faune Col. Seine V, 1889, p. 30. — Everts, Col. Neerl. II, 1, 1901, p. 369. — Houlb. Faune Armor. Ceramb. 1904, p. 17. — Csiki, Rov. Lapok XI, 1904, p. 141.
- Clytus* C. G. Thoms., Skand. Col. VIII, 1866, p. 39.

Paläarktische Arten.

- aegyptiacus** F. Syst. Ent. 1775, p. 194. Ägypten
- artemisiae** Fairm. Rev. d'Ent. VII, 1888, p. 143. Nordchina
var. *herzianus* var. Ganglb. Horae Soc. Ent. Ross. XXI, 1887, p. 21; XXIV, 1890, p. 70.
- asellus** Thieme, Berl. Ent. Zeitschr. XXV, 1881, p. 99. Turkestan
- diminutus** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 199. — Pic. Rev. d'Ent. X, 1891, p. 146. Japan,
Amur
- Favieri** Fairm. Rev. Mag. Zool. (3) I, 1873, p. 351. Marokko
- figuratus** Scop. Ent. Carn. 1763, p. 55, f. 176. — Schrank, Enum. Ins. 1781, p. 163. — Ganglb. Best.-Tab. VII, 1882, p. 56 (734); Rev. d'Ent. III, 1884, p. 198. — Bedel, Faune Col. Seine V, 1889, p. 31, 82. — Seidl. Fauna Balt. ed. 2, 1891, p. 736; Fauna Transs. 1891, p. 827. — Stierl. Col. Helvet. II, 1898, p. 460. — Everts, Col. Neerl. II, 1, 1901, p. 371. — Houlb. Faune Armor. Ceramb. 1904, p. 58, f. 110. — Csiki, Rov. Lapok XI, 1904, p. 144. — Jacobs. Käfer Russl. 1910, t. 68, f. 1. Mittel- und
Südeuropa,
Sibirien

- arictis* Voet, Cat. Col. II, 1778, p. 22, t. 19, f. 94;
ed. Panzer III, 1794, p. 56, t. 19, f. 94.
- cordiger* Aragona, De quibusd. Ins. Italiae 1830,
p. 26. — Gené, Ins. Sard. I, 1836, p. 26.
- juncebris* Laich. Verz. Tyrol. Ins. II, 1784, p. 111.
— Schrank, Fauna Boica I, 2, 1798, p. 680.
- lambda* Schrank, Beitr. z. Naturg. 1776, p. 67,
t. 3, f. 13.
- leucozonias* Gmel. Syst. Nat. I, 4, 1790, p. 1846.
- plebejus* F. Spec. Ins. 1781, p. 243 (ex parte)?;
Ent. Syst. I, 2, 1792, p. 334. — Herbst in Füessly,
Archiv V, 1784, p. 98. — Petagna, Spec. Ins.
Calabr. 1787, p. 18. — Ol. Enc. méth. Ins. V,
1790, p. 266; Ent. IV, 70, 1795, p. 49, t. 6, f. 72.
— Rossi, Fauna Etr. I, 1790, p. 159. — Panzer,
Deutschl. Insektenf. 1795, p. 266; Fauna Ins.
Germ. LXXXII, 1801, t. 7. — Payk. Fauna
Suec. III, 1800, p. 99. — Latr. Hist. Nat. Crust.
Ins. XI, 1804, p. 299. — Gyllenh. Ins. Succ. I,
4, 1827, p. 99. — Cast. & Gory, Monogr. p. 99,
t. 19, f. 119. — Muls. Col. Fr. Long. 1839, p. 85;
ed. 2, 1863, p. 175. — Redt. Fauna Austr. 1849,
p. 489; ed. 2, 1858, p. 853; ed. 3, II, 1874, p. 408.
— Costa, Fauna Regn. Napoli, Col. II, 1855,
Longic. p. 53. — White, Cat. Col. Brit. Mus.
VIII, 1855, p. 282. — Bach, Käferfauna III,
1856, p. 22. — Fairm. Gen. Col. d'Eur. IV, 1864,
t. 43, f. 200. — C. G. Thoms. Skand. Col. VIII,
1866, p. 40. — Pic, Rev. d'Ent. X, 1891, p. 147.
- rusticus* Müller, Zool. Dan. Prodr. 1776, p. 93.
— Razoum. Hist. Nat. Jorat. 1789, p. 155.
- ab. *conglobatus* Füg. Deutsche Ent. Zeitschr.
1891, p. 201. — Pic, Longic. II, 1898, p. 12.
- var. *latifasciatus* Fisch. Bull. Moscou IV, 1832,
p. 493, t. 6, f. 8. — Mannerh. l. c. XI, 1838,
p. 75. — Blessig, Horae Soc. Ent. Ross. IX,
1872, p. 190. — Bates, Journ. Linn. Soc. Lond.
Zool. XVIII, 1884, p. 228.
- gracilipes** Fald. Mém. Acad. St. Petersb. II, 1835, p. 436
(100). — Gebler, Bull. Moscou XXI, 1, 1848,
p. 395 (300). — Blessig, Horae Soc. Ent. Ross.
IX, 1872, p. 191. — Kraatz, Deutsche Ent.
Zeitschr. XXIII, 1879, p. 91, t. 1, f. 2. — Pic,
Rev. d'Ent. X, 1891, p. 147.
- angusticollis* Muls. Mém. Acad. Sc. Lyon (2) I,
1851, p. 123; Opusc. Ent. II, 1853, p. 106; Col.
Fr. Long. ed. 2, 1862, p. 176. — Ganglb. Best.-
Tab. VII, 1882, p. 56 (734).
- tenuicornis* Fairm. Rev. d'Ent. VII, 1888, p. 142.
— Pic, Ann. Soc. Ent. Belg. XLIV, 1900, p. 19.
- gratiosus** Mars. Abeille V, 1868, p. 203. — Pic, Rev.
d'Ent. X, 1891, p. 145.
- ab. *sparsus* Reitter, Deutsche Ent. Zeitschr. XXX,
1886, p. 66. — Pic, Rev. d'Ent. X, 1891, p. 145.
- Herbsti** Brahm, Ins.-Kalend. I, 1790, p. 148. — Bechst.
Naturgesch. I, 2, 1793, p. 861. — Bedel, Faune
Col. Seine V, 1889, p. 32, 83. — Houlb. Faune
Armor. Ceramb. 1904, p. 57, f. 106. — Csiki,

Deutschland

Sibirien,
JapanSibirien,
China,
Spanien?

Syrien

Kleinasien

Mittel- und
Südeuropa

- Rov. Lapok XI, 1904, p. 143. — Jacobs. Käfer Russl. 1910, t. 66, f. 20.
- sulfureus* Muls. Col. Fr. Long. ed. 2, 1862, p. 170.
- sulphureus* Schaum, Cat. Col. Eur. 1862, p. 103.
- verbasci* F. Syst. Ent. 1775, p. 194 (?). — Herbst in Füessly, Archiv V, 1784, p. 99, t. 26, f. 19. — Rossi, Fauna Etr. I, 1790, p. 175. — Ol. Enc. méth. Ins. V, 1790, p. 262 (ex parte); Ent. IV, 70, 1795, p. 40, t. 1, f. 15. — F. Ent. Syst. I, 2, 1792, p. 336. — Thunb. Nova Acta R. Soc. Uppsal. V, 1792, p. 97. — Panz. Deutschl. Fauna 1795, p. 267; Fauna Ins. Germ. LXX, 1799, t. 17. — Hoppe, Taschenb. 1796, p. 134. — Donndorff, Eur. Fauna VIII, 1799, p. 586. — Payk. Fauna Suec. III, 1800, p. 97. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 298. — Gyllenh. Ins. Suec. I, 4, 1827, p. 100. — Cast. & Gory, Monogr. p. 78, t. 15, f. 90. — Muls. Col. Fr. Long. 1839, p. 90. — Redt. Fauna Austr. 1849, p. 488; ed. 2, 1858, p. 852; ed. 3, II, 1874, p. 408. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 275. — Bach, Käferfauna III, 1856, p. 22. — C. G. Thoms. Skand. Col. VIII, 1866, p. 40. — Ganglb. Best.-Tab. VII, 1882, p. 53 (731); Rev. d'Ent. III, 1884, p. 196. — Seidl. Fauna Balt. ed. 2, 1891, p. 736; Fauna Transs. 1891, p. 827. — Stierl. Col. Helvet. II, 1898, p. 459.
- var. *caucasicus* Pic, Le Natural. XIX, 1897, p. 262; Longic. II, 1898, p. 20. Kaukasus
- var. *Faldermanni* Fald. Fauna Transc. II, 1837, p. 269, t. 8, f. 3. — Muls. Col. Fr. Longic. ed. 2, 1862, p. 172. — Ganglb. Best.-Tab. VII, 1882, p. 54 (732). Persien, Sibirien
- var. *punctomaculatus* Pic, Echange IX, 1893, p. 26. Turkestan
- ab. *quinquemaculatus* Gebl. Bull. Acad. St. Petersb. III, 1845, p. 104; Bull. Moscou XXXIII, 2, 1860, p. 29. Sibirien
- herzianus* Ganglb. Horae Soc. Ent. Ross. XX, 1886, p. 134; XXIV, 1890, p. 69. Korea, Mongolei, Ostsibirien
- latofasciatus* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 90; 1888, p. 203.
- aegyptiacus* Redt. Fauna Austr. ed. 3, II, 1874, p. 407.
- hungaricus* Seidl. Fauna Transs. 1891, p. 828. — Csiki, Rov. Lapok XI, 1904, p. 144. Österreich, Ungarn, Dalmatien
- egyptiacus* Cast. & Gory, Monogr. p. 6, t. 13, f. 76.
- nigripes* Küster, Käfer Eur. XV, 1848, p. 75. — Ganglb. Best.-Tab. VII, 1882, p. 54 (372).
- japonicus* Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 298 (46). Japan
- Madoni* Pic, Ann. Soc. Ent. Fr. (6) X, 1890, Bull. p. 211; Rev. d'Ent. X, 1891, p. 144. Palästina, Cypren
- misellus* Bates, Journ. Linn. Soc. Zool. XVIII, 1884, p. 228. Japan
- mixtornatus* Fleischer, Wien. Ent. Zeit. XXVII, 1908, p. 211. Taurus
- Motschulskyi* Ganglb. Horae Soc. Ent. Ross. XX, 1886, p. 135. Amur, Korea

- latofasciatus* Motsch. Etud. Ent. IX, 1860, p. 41.
— Kolbe, Archiv f. Naturg. LII, 1886, I, p. 220.
- muscosus** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 198. Japan
- ✓ **nigripes** Brullé, Expéd. Morée, Ins. 1832, p. 255, t. 43, f. 11. — Cast. & Gory, Monogr. p. 68, t. 13, f. 78. — Küster, Käfer Eur. XV, 1848, p. 75. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 271. — Muls. Col. Fr. Long. ed. 2, 1862, p. 164. — Ganglb. Deutsche Ent. Zeitschr. XXX, 1886, p. 88. — Seidl. Fauna Transs. 1891, p. 828. Griechenland
- ab. *Magdalenae* Théry, Bull. Soc. Ent. Fr. 1894, p. 266. — Pic, Longic. II, 1898, p. 20. Parnass
- nigrosignatus** Fairm. Rev. Mag. Zool. (2) VIII, 1856, p. 531. — Pic, Longic. II, 1898, p. 12. Marocco
- nivipictus** Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 91, nota 1, t. 1, f. 3. — Pic, Rev. d'Ent. X, 1891, p. 146; Longic. II, 1898, p. 20. Syrien
- cinctiventris* Chev. Ann. Soc. Ent. Fr. (6) II, 1882, p. 58. — Pic, l. c. LXI, 1892, Bull. p. 77.
- ab. *Splíchali* Fleischer, Wien. Ent. Zeit. XXVII, 1908, p. 211. — Pic, Longic. VII, 2, 1910, p. 3.
- ✓ **notabilis** Pasc. Journ. of Ent. I, 1862, p. 360. Japan
- alphanumericus* Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 308 (56).
- var. *obliteratus* Pic, Longic. IV, 1, 1902, p. 31. China
- obliteratus** Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 70. Mongolei
- Otti** Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 306 (54). Kleinasien
- Pelletieri** Cast. & Gory, Monogr. p. 93, t. 17, f. 109. Algier,
- Lepelletieri* Pic, Rev. d'Ent. X, 1891, p. 145. Spanien,
- Pelletieri* Walk. Cat. Col. Brit. Mus. VIII, 1855, p. 279. — Muls. Col. Fr. Long. ed. 2, 1863, p. 179. — Ganglb. Best.-Tab. VII, 1882, p. 55 (733); Südfrankreich
- Rev. d'Ent. III, 1884, p. 197.
- Pelteri* Muls. Col. Fr. Long. Suppl. 1846.
- ✓ **pilosus** Forster, Nov. spec. Ins. 1771, p. 44. — L. Heyd. Deutsche Ent. Zeitschr. XXI, 1877, p. 419. — Bedel, Faune Col. Seine V, 1889, p. 32, 84. Spanien, Nordafrika
- glaucus* F. Spec. Ins. I, 1781, p. 243. — Ol. Enc. méth. Ins. V, 1790, p. 264; Ent. IV, 70, 1795, p. 42, t. 6, f. 68. — ? Cast. & Gory, Monogr. p. 81, t. 15, f. 93. — Lucas, Explor. d'Algérie, Col. 1849, p. 493, t. 42, f. 1.
- griseus* Cast. & Gory, Monogr. p. 80, t. 15, f. 92 bis. — Brullé in Webb & Berthel. Ins. Canar. 1838, p. 63.
- indus* Gmel. Syst. Nat. I, 4, 1790, p. 1854.
- lugens* Küster. Käfer Eur. XV, 1848, p. 76. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 275.
- quadripunctatus* var. β Schönh. Syn. Ins. I, 3, 1817, p. 470.
- ab. *consobrinus* Lucas, Ann. Soc. Ent. Fr. (2) IX, 1851, Bull. p. 31. — Pic, Longic. II, 1898, p. 11. Algier
- ✓ var. *glabromaculatus* Goetze, Ent. Beitr. I, 1777, p. 507. — Ganglb. Best.-Tab. VII, 1882, p. 54 (732); Rev. d'Ent. III, 1884, p. 196. — Stierl. Südeuropa

Col. Helvet. II, 1898, p. 459. — Everts, Col. Neerl. II, 1, 1901, p. 371. — Houlb. Faune Armor. Ceramb. 1904, p. 57, f. 107. — Csiki, Rov. Lapok XI, 1904, p. 143.

naevius Gmel. Syst. Nat. I, 4, 1790, p. 1877.

quadripunctatus F. Ent. Syst. I, 2, 1792, p. 337. — Ol. Ent. IV, 70, 1795, p. 41, t. 2, f. 19. — Panzer, Deutschl. Insektenfauna 1795, p. 267; Fauna Ins. Germ. LXX, 1799, t. 19. — Walek. Faune Paris. I, 1802, p. 216. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 298. — Curtis, Brit. Entomol. V, 1828, p. 199. — Steph. III. Brit. Ent. Mand. IV, 1831, p. 244; Man. 1839, p. 276. — Cast. & Gory, Monogr. p. 79, t. 15, f. 91. — Muls. Col. Fr. Long. 1839, p. 91; ed. 2, 1862, p. 173. — Cast. Hist. Nat. II, 1840, p. 448. — Redt. Fauna Austr. 1849, p. 488; ed. 2, 1858, p. 852; ed. 3, II, 1874, p. 408. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 276. — Costa, Fauna Regn. Napoli, Col. II, 1855, Longic. p. 55. — Bach, Käferfauna III, 1856, p. 22.

sexpunctatus Ol. Enc. méth. V, 1790, p. 264.

villosus Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 80. — Villers, Linn. Entomol. I, 1789, p. 272, t. 1, f. 31. — Rossi, Fauna Etr. I, 1790, p. 162.

Biologie: Waterh. Ann. Mag. Nat. Hist. (4) XVI, 1875, p. 235. — Perris, Larves Col. 1877, p. 455, f. 463—464. — Carpentier, Bull. Soc. Linn. N. Fr. IV, 1878, p. 178. — Xambeu, Moeurs & Métam. VIII, 1902, p. 95.

ab. *Guillemoti* Desbr. Frelon IV, 1895, p. 131. Frankreich

— Pic, Longic. II, 1898, p. 11.

ab. *quinquepunctatus* Lucas, Ann. Soc. Ent. Fr. (2) VI, 1848, Bull. p. 48; Explor. d'Algér. Col. 1849, p. 562. Algier

ab. *unifasciatus* Pic, Longic. II, 1898, p. 11. Kabylien

var. *Webbi* Brullé in Webb & Berthel. Ins. Canar. 1838, p. 63. — Cast. & Gory, Monogr. p. 80, t. 15, f. 92. — Wollast. Col. Atlant. 1865, p. 346. Teneriffa

✓ *quinquefasciatus* Cast. & Gory, Monogr. p. 101, t. 19, f. 120. Japan

ruficornis Ol. Enc. méth. Ins. V, 1790, p. 267; Ent. IV, 70, 1795, p. 53, t. 6, f. 73. — Cast. & Gory, Monogr. p. 67, t. 17, f. 77. — Muls. Col. Fr. Long. 1839, p. 86; ed. 2, 1862, p. 177. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 271. — Ganglb. Best.-Tab. VII, 1882, p. 55 (733); Rev. d'Ent. III, 1884, p. 197. Süd-frankreich,
Piemont

Biologie: Chobaut, Bull. Soc. Ent. Fr. 1893, p. 265.

ab. *Feneoni* Chob. Bull. Soc. Ent. Fr. 1895, p. 346. — Pic, Longic. II, 1898, p. 12.

✓ *sartor* Müller, Mélang. Soc. R. Turin III, 1766, p. 188. Mittel und
Südeuropa

— Bedel, Faune Col. Seine V, 1890, p. 82. — Csiki, Rov. Lapok XI, 1904, p. 144. — Houlb. Faune Armor. Ceramb. 1904, p. 57, f. 109.

achilleae Brahm, Ins.-Kalend. I, 1790, p. 141.

- corsicus* Chevr. Ann. Soc. Ent. Fr. (6) II, 1882, p. 58.
- lineola* Scop. Delic. Faunae et Florae Insubr. II, 1787, p. 44, t. 20, f. 4.
- massiliensis* L. Syst. Nat. ed. 12, 1767, p. 1067. — Ol. Enc. méth. Ins. V, 1790, p. 267; Ent. IV, 70, 1795, p. 55, t. 6, f. 70. — F. Ent. Syst. I, 2, 1792, p. 334. — Panzer, Deutschl. Insektenf. 1795, p. 266; Fauna Ins. Germ. LXXXII, 1801, t. 8. — Walek. Faune Paris. I, 1802, p. 215. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 301. — Cast. & Gory. Monogr. p. 94, t. 1, f. d.; t. 17, f. 110. — Muls. Col. Fr. Long. 1839, p. 83; ed. 2, 1862, p. 180. — Cast. Hist. Nat. II, 1840, p. 448. — Redt. Fauna Austr. 1849, p. 489; ed. 2, 1858, p. 853; ed. 3, II, 1874, p. 409. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 279. — Costa, Fauna Regn. Napoli, Col. II, 1855, Longic. p. 52. — Bach, Käferfauna III, 1856, p. 23. — Ganglb. Best.-Tab. VII, 1882, p. 55 (733); Rev. d'Ent. III, 1884, p. 197. — Bedel, Faune Col. Seine V, 1889, p. 32. — Seidl. Fauna Balt. ed. 2, 1891, p. 736; Fauna Transs. 1891, p. 828. — Pic, Rev. d'Ent. X, 1891, p. 146. — Stierl. Col. Helvet. II, 1898, p. 460. — Everts, Col. Neerl. II, 1, 1901, p. 371. — Jacobs. Käfer Russl. 1910, t. 68, f. 3.
- rusticus* Geoffr. in Fourcr. Entomol. Paris. I, 1785, p. 81.
- Biologie: Perris, Larves Col. 1877, p. 456. — Xamheu, Moeurs & Métam. VIII, 1902, p. 98. — Krausse, Zeitschr. wiss. Ins.-Biol. VI, 1910, p. 301.
- ab. *fulvicollis* Muls. Col. Fr. Long. ed. 2, 1862, p. 181. — Perrin, Abeille VII, 1870, Nouv. p. 59. — Ganglb. Best.-Tab. VII, 1882, p. 55 (733); Rev. d'Ent. III, 1884, p. 197. — Pic, l. c. X, 1891, p. 146.
- ruficollis* Bedel, Faune Col. Seine V, 1889, p. 32.
- ab. *griseus* Gabr. Deutsche Ent. Zeitschr. 1910, p. 556. — Pic, Longic. VIII, 1, 1911, p. 6.
- var. *spinosulus* Muls. Col. Fr. Long. ed. 2, 1862, p. 182.
- sexguttatus* Lucas, Explor. d'Algérie, Col. 1849, p. 493, t. 42, f. 2. — Muls. Col. Fr. Long. ed. 2, 1862, p. 164.
- sexmaculatus* Motsch. Bull. Moscou XXXII, 2, 1859, p. 494. — Solsky, Horae Soc. Ent. Ross. VII, 1870, p. 386. — Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 70.
- duodecimmaculatus* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 91.
- simillimus* Kraatz, l. c.
- ✓ *signaticollis* Cast. & Gory, Monogr. p. 103, t. 19, f. 122. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 283. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 303 (51).
- oppositus* Chevr. l. c. p. 304 (52).

Schlesien

Korsika

Algier

Amur,
Mongolei

Nordchina

taurusiensis Pic, Echange XIX, 1903, p. 139.
tredecimmaculatus Chev. Mém. Soc. Sc. Liège XVIII,
 1863, p. 305 (53).

- ✓ **trifasciatus** F. Spec. Ins. I, 1781, p. 244. — Petagna,
 Spec. Ins. Calabr. 1787, p. 18, t. 1, f. 32. —
 Ol. Enc. méth. Ins. V, 1790, p. 267; Ent. IV,
 70, p. 52, t. 5, f. 59. — Rossi, Fauna Etr. I,
 1790, p. 158. — Latr. Hist. Nat. Crust. Ins.
 XI, 1804, p. 300. — Herrich-Schaeffer, Fauna
 Ins. Germ. CXII, 1830, t. 2. — Cast. & Gory,
 Monogr. p. 63, t. 12, f. 73. — Muls. Col. Fr.
 Long. 1839, p. 87; ed. 2, 1862, p. 166. — Cast.
 Hist. Nat. II, 1840, p. 448. — Küster, Käfer
 Eur. X, 1847, p. 92. — White, Cat. Col. Brit.
 Mus. VIII, 1855, p. 270 (ex parte). — Costa,
 Fauna Regn. Napoli, Col. II, 1855, Ceramb.
 p. 54, t. 35, f. 4. — Redt. Fauna Austr. ed. 3,
 II, 1874, p. 407. — Ganglb. Deutsche Ent.
 Zeitschr. XXX, 1886, p. 88. — Bedel, Faune
 Col. Seine V, 1889, p. 31, 82. — Seidl. Fauna
 Transs. 1891, p. 828. — Stierl. Col. Helvet.
 II, 1898, p. 459. — Csiki, Rov. Lapok XI, 1904,
 p. 144 (= *aegyptiacus* F.?).

aegyptiacus Ganglb. Best.-Tab. VII, 1882, p. 55
 (733); Rev. d'Ent. III, 1884, p. 197.

portugallus Gmel. Syst. Nat. I, 4, 1790, p. 1854.
 Biologie: Xamheu, Ann. Soc. Linn. Lyon (2)
 XLV, 1898, p. 77; Moeurs & Métam. VII, 1899,
 p. 117.

ab. *balearicus* Pic, Echange XXIV, 1908, p. 91;
 Longic. VII, 2, 1910, p. 3.

ab. *dispar* Pic, Longic. I, 1891, p. 28.

ab. *ferrugineus* Muls. Col. Fr. Long. 1839, p. 87.
 — Pic, Longic. I, 1891, p. 27.

ab. *intrifasciatus* Pic, Longic. IV, 1, 1902, p. 9.
 ab. *robustior* Pic, Longic. III, 1, 1900, p. 11.

- ✓ **varius** Müller, Melang. Soc. R. Turin III, 1766, p. 188.
 — Bedel, Faune Col. Seine V, 1890, p. 83. —
 Houlb. Faune Armor. Ceramb. 1904, p. 56,
 f. 105. — Csiki, Rov. Lapok XI, 1904, p. 143.
c-duplex Scop. Delic. Faunae et Florae Insubr.
 II, 1787, p. 46, t. 20, f. 5.

gammoides Geoffr. in Fourer. Entomol. Paris. I,
 1785, p. 81.

nirofasciatus Goeze, Ent. Beytr. I, 1777, p. 507.

ornatus Herbst in Füessly, Archiv V, 1784,
 p. 98, t. 26, f. 16. — Rossi, Fauna Etr. I, 1790,
 p. 157. — F. Ent. Syst. I, 2, 1792, p. 336. —
 Ol. Ent. IV, 70, 1795, p. 40, t. 6, f. 15 b. —
 — Panz. Deutschl. Fauna 1795, p. 267; Fauna
 Ins. Germ. LXX, 1799, t. 18. — Hoppe, Taschenb.
 1796, p. 134 nota. — Latr. Hist. Nat. Crust.
 Ins. XI, 1804, p. 297. — Gyllenh. Ins. Suec.
 I, 4, 1827, p. 101. — Cast. & Gory, Monogr.
 p. 76, t. 14, f. 88. — Muls. Col. Fr. Long. 1839,
 p. 89. — Cast. Hist. Nat. II, 1840, p. 448. —
 Redt. Fauna Austr. 1849, p. 488; ed. 2, 1858,
 p. 852; ed. 3, II, 1874, p. 408. — White, Cat.

Syrien
 Nordchina

Südeuropa,
 Nordafrika

Algier
 Süd-
 frankreich

Kleinasien
 Europa,
 Sibirien

Col. Brit. Mus. VIII, 1855, p. 275. — Costa, Fauna Regn. Napoli, Col. II, 1855, Longic. p. 55. — Bach, Käferfauna III, 1856, p. 21. — C. G. Thoms. Skand. Col. VIII, 1866, p. 40. — Ganglb. Best.-Tab. VII, 1882, p. 53 (731); Rev. d'Ent. III, 1884, p. 196. — Seidl. Fauna Balt. ed. 2, 1891, p. 736; Fauna Transs. 1891, p. 827. — Stierl. Col. Helvet. II, 1898, p. 459. — Everts, Col. Neerl. II, 1, 1901, p. 371.

strigosus Gmel. Syst. Nat. I, 4, 1790, p. 1877.

venustus Gmel. l. c. p. 1856.

verbasci L. Syst. Nat. ed. 12, 1767, p. 640. — Sulzer, Gesch. Ins. 1776, p. 47, t. 5, f. 12. — Schrank, Enum. Ins. 1781, p. 164. — Laich. Verz. Tyrol. Ins. II, 1784, p. 105. — Villers, Linn. Entomol. I, 1789, p. 270. — Brahm, Ins.-Kal. I. 1790, p. 148. — Ol. Enc. méth. Ins. V, 1790, p. 265. — Muls. Col. Fr. Long. ed. 2, 1862, p. 168. — Kraatz, Berl. Ent. Zeitschr. XIV, 1870, p. 409, t. 3, f. 46. — Reitter, Wien. Ent. Zeit. V, 1886, p. 99. — Bedel, Faune Col. Seine V, 1889, p. 32. — Guillebeau, Ann. Soc. Ent. Fr. (6) IX, 1889, Bull. p. 19. — Jacobs. Käfer Russl. 1910, t. 68, f. 2.

Biologie: Perris, Larves Col. 1877, p. 454, f. 461, 462. — Mayet, Ins. de la vigne 1889, p. 348. — Xamheu, Ann. Soc. Linn. Lyon (2) XLV, 1898, p. 14; Moeurs & Métam. VII, 1898, p. 54; VIII, 1902, p. 97.

var. *damascenus* Chev. Rev. Mag. Zool. (2) VI, 1854, p. 483, t. 7, f. 3.

ab. *viridicollis* Kraatz, Berl. Ent. Zeitschr. XIV, 1870, p. 410, t. 3, f. 4 a.

✓ *xenicus* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 229.

Syrien

Griechenland

Japan

Indo-malayische Arten.

agnatus Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 292 (40). — Gahan, Fauna Brit. Ind. Col. I, 1906, p. 262.

Südostindien

alboscuteellatus Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 307 (55). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 265.

„

✓ *annularis* F. Mant. Ins. I, 1787, p. 156. — Ol. Enc. méth. Ins. V, 1790, p. 267; Ent. IV, 70, 1795, p. 48, t. 6, f. 74. — Boisd. Voy. Astrolabe, Ent. II, 1835, p. 484. — Cast. & Gory, Monogr. p. 102, t. 19, f. 121. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 283. — Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 290 (38). — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 601. — Shelf. Proc. Zool. Soc. Lond. 1902, 2, t. 20, f. 31. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 261.

Ostindien,

Assam,

Birma,

Siam,

China,

Japan,

Malacca,

Java,

Timor,

Molukken,

Aru, Neu-

guinea

bidens Weber, Obs. Entomol. 1801, p. 90. — F. Syst. El. II, 1802, p. 351.

Biologie: Maxw.-Lefr. Ind. Ins. Life 1909, p. 375.

- arciferus** Chevr. Mém. Soc. Sc. Liége XVIII, 1863, p. 330 (78). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 263. Darjeeling, Bhutan
- assimilis** Hope in Gray, Zool. Misc. 1831, p. 28. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 269. Nepal
- castaneorufus** Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 181. Tonkin
- cingalensis** Gah. Fauna Brit. Ind. Col. I, 1906, p. 268. Ceylon
- cuneatus** Fairm. Ann. Soc. Ent. Belg. XXXII, 1888, p. 35. China
- disconotatus** Pic, Longic. VII, 1, 1908, p. 15. Yunnan
- ✓ **distinguendus** Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, p. 331; Mélang. Ent. III, 1855, p. 11. — Chevr. Mém. Soc. Sc. Liége XVIII, 1863, p. 282 (30). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 264. Südostindien
- ab. **russicollis** Chevr. Mém. Soc. Sc. Liége XVIII, 1863, p. 282 (30). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 264. „
- ✓ **Dohertyi** Gah. l. c. p. 267. Birma
- Douei** Chevr. Mém. Soc. Sc. Liége XVIII, 1863, p. 294 (42). Cochinchina
- ✓ **duo** Fairm. Ann. Soc. Ent. Belg. XXXII, 1888, p. 33. China
- ✓ **eleodes** Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, p. 65. Thibet
- eximius** Auriv. Arkiv f. Zool. VII, 19, 1911, p. 5, f. 49. Borneo
- Guerryi** Pic, Longic. IV, 1, 1902, p. 30. China, Tonkin
- ignobilis** Bates, Proc. Zool. Soc. Lond. 1878, p. 721; Sec. Yarkand Miss. Col. 1890, p. 22, t. 1, f. 20. Nordwestindien: Murree
- Gah. Fauna Brit. Ind. Col. I, 1906, p. 270.
- incertus** Pic, Feuille jeun. Natural. XXI, 1891, p. 237; Longic. III, 1, 1900, p. 6. Ostindien (Spanien?)
- insignifer** Pic, l. c. IV, 1, 1902, p. 31. China
- jucundus** Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, p. 329; Mélang. Ent. III, 1855, p. 9. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 262, f. 92. Südostindien
- cognatus Chevr. Mém. Soc. Sc. Liége XVIII, 1863, p. 291 (39).
- ab. **nepos** Chevr. l. c. p. 293 (41). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 263.
- kinganus** Pic, Echange XVIII, 1903, p. 105; Long. IV, 2, 1903, p. 21. China
- lituratus** Cast. & Gory, Monogr. p. 77, t. 14, f. 89. — Chevr. Mém. Soc. Sc. Liége XVIII, 1863, p. 301 (49). „Ostindien“
- ludens** Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 25, t. 1, f. 5; Fauna Brit. Ind. Col. I, 1906, p. 269. Tenasserim
- ✓ **macaunensis** Chevr. Revue Zool. 1845, p. 98. China: Macao
- macaonensis* Dunning, Trans. Ent. Soc. Lond. 1868, p. 128.
- macausnensis* Chevr. Mém. Soc. Sc. Liége XVIII, 1863, p. 297 (45).
- ✓ **Manillae** Auriv. Arkiv f. Zool. VII, 19, 1911, p. 6. Luzon
- melancholicus** Chevr. l. c. p. 299 (47). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 267. Ceylon
- moestus** Chevr. Mém. Soc. Sc. Liége XVIII, 1863, p. 300 (48). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 266. Ceylon, Südostindien
- Moultoni** Auriv. Arkiv f. Zool. VII, 19, 1911, p. 6, f. 50. Borneo

- moupinensis* Fairm. Ann. Soc. Ent. Belg. XXXII, 1888, p. 33. China
nigerrimus Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 302 (50). Philippinen:
 Maldonado
ovicollis Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 183. Tonkin
parens Allard, Le Natural. (2) VIII, 1894, p. 189. — Südostindien
 Gah. Fauna Brit. Ind. Col. I, 1906, p. 270.
patricius Gah. l. c. p. 268. Ostindien:
 Belgaum
 Südostindien
quatuordecimmaculatus Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 295 (43). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 266.
rubricollis Cast. & Gory, Monogr. p. 88, t. 16, f. 102. Java,
 — White, Cat. Col. Brit. Mus. VIII, 1855, p. 278. Malacca,
 — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 308 (56). — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 605. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 265. Birma
 var. *andamanicus* Gah. l. c.
sagittarius Gah. l. c. p. 261. Andamanen
 Ceylon
seclusus Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 603. Sarawak
semiformosus Pic, Longic. VII, 1, 1908, p. 14. Yunnan
signatipennis Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 74. Sumatra,
socius Gah. Fauna Brit. Ind. Col. I, 1906, p. 264. Darjeeling
sumatrensis Cast. & Gory, Monogr. p. 96, t. 18, f. 114. Sumatra
 — White, Cat. Col. Brit. Mus. VIII, 1855, p. 280. Java,
 — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 302 (50). — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 602. — Shelf. Proc. Zool. Soc. Lond. 1902, 2, t. 20, f. 37. Borneo,
 („Klein-
 asien“?)
Theryi Pic, Ann. Soc. Ent. Belg. XLIV, 1900, p. 18. China
Tixieri Pic, Longic. IV, 1, 1902, p. 31. „
tonkineus Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 182. Tonkin
torquilla Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 603. Singapur,
 Sarawak,
 Makassar
tristiculus Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 182. Tonkin
tsitoensis Fairm. Rev. d'Ent. VII, 1888, p. 144. China

Australo-papuanische Arten.

- angustulus* M'Leay, Proc. Linn. Soc. N. S. Wales (2) I, 1886, p. 203. Neuguinea
aurantiacus Auriv. Arkiv f. Zool. VII, 19, 1911, p. 5. „
austerus Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 297 (45). Neuguinea,
 Aru,
 Waigiu
leucothyreus Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 601. — Waterh. Proc. Ent. Soc. Lond. 1874, p. 28.
Curtisi Cast. & Gory, Monogr. p. 49, t. 10, f. 56 bis. — Queensland
 — White, Cat. Col. Brit. Mus. VIII, 1855, p. 266.
 — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 305 (53).
 ab. *Fristedti* Auriv. Ent. Tidskr. XIV, 1893, p. 162, f. 3. „

- Durvillei** Cast. & Gory, Monogr. p. 95, t. 17, f. 111. Neuholland
fulvicollis Auriv. Deutsche Ent. Zeitschr. 1908, p. 214. Neupommern
luxatus Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 602. Saylee
marginalis Chevr. Mém. Soc. Sc. Liége XVIII, 1863, Batjan
 p. 296.
figuratus Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 600.
oriolinus Pasc. l. c.
perornatus Jord. Nov. Zool. I, 1894, p. 115. Salwatty
pileatus Jord. l. c. p. 115, t. 8, f. 5. Timor
Salomonum Auriv. Deutsche Ent. Zeitschr. 1908, p. 213, Salomonen
 t. 3, f. 9.
Sumbavae Auriv. Arkiv f. Zool. VII, 19, 1911, p. 7, f. 51. Sumbava
T-nigrum Jord. Nov. Zool. I, 1894, p. 116, t. 8, f. 6. Timor

Äthiopische Arten.

Jordan, Nov. Zool. X, 1903, p. 144 (Revision).

- abyssinicus** Auriv. Arkiv f. Zool. VII, 19, 1911, p. 4. Abessinien
amoenus Cast. & Gory, Monogr. p. 88, t. 16, f. 101. — Senegal
 White, Cat. Col. Brit. Mus. VIII, 1855, p. 278
 (Genus?).
ancora Jord. Revis. p. 144. Deutsch-
 Ostafrika
basispilus Jord. l. c. Südafrika
capensis Cast. & Gory, Monogr. p. 90, t. 16, f. 104. — Südafrika
 Dist. Ins. Transv. 1904, p. 123, t. 11, f. 18.
caffer Fährs. Öfvers. Vet. Akad. Förh. XXIX,
 1, 1871, p. 66.
deterrens Pasc. Journ. Ent. I, 1862, p. 359. N'Gami-See
Dodsi Péring. Ann. S. Afr. Mus. V, 1908, p. 329. Rhodesia
Krantzi Gah. in Dist. Ins. Transvaal. 1904, p. 123, t. 11, Transvaal
 f. 19.
scriptus Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. Sierra Leone
 p. 195.

Nearktische Arten.

Leng, Entomol. Amer. III, 1887, p. 8, 23 (Synopsis).

- albofasciatus** Cast. & Gory, Monogr. p. 96, t. 18, f. 113. Pennsylvanien, Ohio
 — Leng, Synops. p. 23.
uricola Ol. Ent. IV, 70, 1795, p. 65, t. 8, f. 96. — Cast. & Canada bis
 Gory, Monogr. p. 56, t. 11, f. 65. — J. Lec. Virginien
 Journ. Acad. Philad. (2) II, 1850, p. 27. — Prov. und
 Pet. Faune Ent. Canada I, 1877, p. 602. — Illinois
 Leng, Synops. p. 8, 23. — Wickh. Canad. Ent.
 XXIX, 1897, p. 152.

107

Plagionotulus Jord.

Jord. Nov. Zool. I, 1894, p. 188; X, 1903, p. 145.

- dimidiatus** Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 335. Quango,
contractifrons Bates, Proc. Zool. Soc. Lond. 1890, Kuluu,
 p. 487. Kamerun
lyricen Jord. Nov. Zool. I, 1894, p. 188, t. 9, f. 16;
 X, 1903, p. 145.

- dubius** Auriv. Arkiv f. Zool. III, 18, 1907, p. 12, f. 36. Deutsch-Ostafrika
senegalensis Cast. & Gory, Monogr. p. 92, t. 17, f. 108. Senegal
 — Jord. Nov. Zool. I, 1894, p. 189; X, 1903, p. 145.
sylvaticus Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika-Exped. III, 1911, p. 432. Ruwenzori
Westringi Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, Südafrika
 1891, p. 66. — Dist. Ins. Transvaal. 1904, p. 124, t. 11, f. 14.
cinereus Jord. Nov. Zool. I, 1894, p. 189; X, 1903, p. 145.
 5

Isotomus Muls.

Muls. Col. Fr. Long. ed. 2, 1863, p. 143, 183.

- Caloclytus* Fairm. Gen. Col. d'Eur. IV, 1864, p. 145. — Ganglb. Best.-Tab. VII, 1882, p. 56 (734); Rev. d'Ent. III, 1884, p. 198.
 — Seidl. Fauna Balt. ed. 2, 1891, p. 734; Fauna Transs. 1891, p. 825. — Csiki, Rov. Lapok XI, 1904, p. 139.
- Bartholomaei** Motsch. Etud. Ent. VIII, 1859, p. 142. Kaukasus
 — Faust, Horae Soc. Ent. Ross. XIV, 1879, p. 119. — Ganglb. Best.-Tab. VII, 1882, p. 57 (735).
admirabilis L. Heyd. Verh. Nat. Ver. Brünn XVII, 1879, p. 58, t. 6, f. 52; in Schneid. & Leder, Beitr. Kauk. Käferf. 1879, p. 314, t. 6, f. 52. — Faust, Deutsche Ent. Zeitschr. XXIII, 1879, p. 414.
- ✓ **comptus** Mannerh. in Hummel, Essais IV, 1825, p. 36; Südrussland,
 Bull. Moscou XI, 1838, p. 74. — Muls. Col. Fr. Kaukasus
 Long. ed. 2, 1863, p. 183. — Ganglb. Best.-Tab. VII, 1882, p. 57 (735).
insularis Cast. & Gory, Monogr. p. 74, t. 14, f. 86. Haiti (ein-
 — White, Cat. Col. Brit. Mus. VIII, 1855, p. 275. ge-
 — Chev. Ann. Soc. Ent. Fr. (4) II, 1862, p. 531. schleppt?)
 — Gah. Trans. Ent. Soc. Lond. 1895, p. 114.
perspicillus Fischer, Bull. Moscou IV, 1832, p. 438, t. 6, f. 7. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 274.
pubicollis Cast. & Gory, Monogr. p. 73, t. 14, f. 85. Kaukasus
 var. *gilanus* Pic, Longic. VIII, 1, 1911, p. 6. Schweiz
 var. *Stierlini* Tourn. Rev. Mag. Zool. (2) XXIII, 1878, p. 276 nota.
- ✓ **speciosus** Schneider in Füessly, Neu. Mag. Ent. III, 2, Schweiz.
 1787, p. 125. — Panzer, Deutschl. Insektenf. Süd-
 1795, p. 266. — Ganglb. Best.-Tab. VII, 1882, deutsch-
 p. 57 (735); Rev. d'Ent. III, 1884, p. 198. — land,
 Seidl. Fauna Transs. 1891, p. 828. — Stierl. Col. Österreich
 Helvet. II, 1898, p. 460. — Csiki, Rov. Lapok XI, 1904, p. 139. — Jacobs. Käfer Russl. 1910, t. 66, f. 17.
figuratus Harrer, Beschreib. 1784, p. 213.
semipunctatus F. Ent. Syst. Suppl. 1798, p. 151.
 — Panz. Fauna Ins. Germ. XCIV, 1805, t. 4.
 — Cast. & Gory, Monogr. p. 75, t. 14, f. 87. —
 Küster, Käfer Eur. XV, 1848, p. 74. — Redt.

- Fauna Austr. 1849, p. 488; ed. 2, 1858, p. 853; ed. 3, II, 1874, p. 408. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 274. — Bach, Käferfauna III, 1856, p. 22. — Muls. Col. Fr. Long. ed. 2, 1862, p. 183. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 43, f. 201.
- ab. *Ganglbaueri* Pic, Cat. Longic. 1900, p. 64 nota. — Csiki, Rov. Lapok XI, 1904, p. 139.
- syriacus* Pic, Echange XVIII, 1902, p. 25 bis.
- Theresae* Pic, Bull. Soc. Ent. Fr. 1897, p. 222; Longic. II, 1898, p. 16.
- 5

Ungarn

Syrien

Nordafrika

Clytocera Gah.

Gahan, Fauna Brit. Ind. Col. I, 1906, p. 279.

chionospila Gah. l. c. p. 280.

Südostindien

1

Rhaphuma Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 240. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 275 (23). — Lacord. Gen. Col. IX, 1869, p. 72.

— Gahan, Fauna Brit. Ind. Col. I, 1906, p. 271.

Arcyophorus Gemm. & Har. Cat. Col. IX, 1873, p. 2938.*Arcyphorus* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 287 (35).

— Lacord. Gen. Col. IX, 1869, p. 71.

Raphuma Thoms. Classif. Ceramb. 1860, p. 221; Syst. Ceramb. 1864, p. 426.*acutivittis* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 111, t. 1, f. 1.

Amur

var. *inscriptus* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 229.

Japan

conformis Gah. Journ. Mal. Stat. Mus. I, 1906, p. 112, t. 6, f. 5.

Malacca

Diana Gah. Fauna Brit. Ind. Col. I, 1906, p. 271.

Birma

elegantula Gah. l. c. p. 279.

Nilgiri

fallax Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 276 (24). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 276.

Bengalen

fulgurata Gah. l. c. p. 274.

Sikkim

histrion Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 288 (36).

Java

Horsfieldi White, Cat. Col. Brit. Mus. VIII, 1855, p. 272.

Darjeeling,

— Gah. Fauna Brit. Ind. Col. I, 1906, p. 272.

Birma,
Java?*manipurensis* Gah. l. c. p. 274.

Manipur

nigripes Jord. Nov. Zool. I, 1894, p. 116.

Timor

patkaina Gah. Fauna Brit. Ind. Col. I, 1906, p. 272.

Assam

phiale Gah. l. c. p. 273.

Birma

placida Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 240; (3) III, 1869, p. 606. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 277 (25). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 275.

Darjeeling,

Birma,
Celebes*praeusta* Lameere, Ann. Soc. Ent. Belg. XXXIV, 1890, Bull. p. 212. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 276, f. 93.

Ostindien

- quadricolor* Cast. & Gory, Monogr. p. 104, t. 19, f. 123. Philippinen
 — Thoms. Classif. Ceramb. 1860, p. 222. — Chevr.
 Mém. Soc. Sc. Liège XVIII, 1863, p. 276 (24).
quinquenotata Chevr. l. c. p. 278 (26). — Gah. Fauna Südostindien
 Brit. Ind. Col. I, 1906, p. 277.
reticulata Jord. Nov. Zool. I, 1894, p. 499. Borneo:
 Kina Balu
 Südostindien
 Philippinen
rhea Gah. Fauna Brit. Ind. Col. I, 1906, p. 276.
semiclathrata Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 289 (37).
sexnotata Chevr. l. c. p. 279 (27). — Gah. Fauna Brit. Ostindien
 Ind. Col. I, 1906, p. 275.
signata Gah. Ann. Mus. Genova (3) III, 1907, p. 75. Sumatra
suturalis Gah. Fauna Brit. Ind. Col. I, 1906, p. 278. Südostindien
trimaculata Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 281 (29). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 277. „
trinalba Gah. l. c. p. 278.
vittata Gah. Ann. Mus. Genova (3) III, 1907, p. 76. Sumatra
Wiedemanni Cast. & Gory, Monogr. p. 82, t. 15, f. 94. Ostindien
 — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 282 (30) (Genus?).

26

Psilomerus Chevr.

- Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 257 (5). — Lacord. Gen. Col. IX, 1869, p. 70. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 299.
angustus Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 257 Südostindien
 (5). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 300, f. 96.
bimaculatus Gah. l. c.
 ✓ *brachialis* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, Philippinen:
 p. 258 (6). Maldonado
gracilis Gah. Journ. Mal. States Mus. I, 1906, p. 112, Selangor
 t. 6, f. 4.
Hampsoni Gah. Fauna Brit. Ind. Col. I, 1906, p. 301. Südostindien

5

Clytosaurus Thoms.

- Thoms. Syst. Ceramb. 1864, p. 190, 424. — Lacord. Gen. Col. IX, 1869, p. 70.
Priapus Thoms. Syst. Ceramb. 1864, p. 190. Malacca
siamensis Jord. Nov. Zool. I, 1894, p. 497, t. 13, f. 9, Siam

2

Demonax Thoms.

- Thoms. Classif. Ceramb. 1860, p. 226. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 268 (16). — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 619. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 280.
Elezira Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 637.
Grammographus Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 285 (33). — Thoms. Syst. Ceramb. 1864, p. 425. — Lacord. Gen. Col. IX, 1869, p. 71.
acanthocerus Ganglb. Horae Soc. Ent. Ross. XXIV, Ganssu
 1889, p. 68.

- albicinctus** Hope in Gray, Zool. Misc. 1831, p. 28. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 296.
filiformis Cast. & Gory, Monogr. p. 95, t. 18, f. 112.
- albomaculatus** Allard, Le Natural. (2) VIII, 1894, p. 162. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 295.
- albosignatus** Gah. l. c. p. 283.
- alcellus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 631.
- algebraicus** Pasc. l. c. p. 629.
- andamanicus** Gah. Fauna Brit. Ind. Col. I, 1906, p. 290.
- annulicornis** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 259 (7).
- apicalis** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 627.
- ascendens** Pasc. l. c. (2) V, 1859, p. 27. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 296.
geniculatus Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 280 (28).
- aureicollis** Blanch. Voy. Pôle Sud, Zool. IV, 1853, p. 269, t. 16, f. 6. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 285. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 272 (20). — Auriv. Deutsche Ent. Zeitschr. 1908, p. 213 (Genus?).
- Balyi** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 27; (3) III, 1869, p. 637.
- ✓ **bicinctus** Hope in Gray, Zool. Misc. 1831, p. 28. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 294.
- Bowringi** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 28.
- brahminus** Cast. & Gory, Monogr. p. 97, t. 18, f. 115.
- ✓ **chrysoderes** White, Cat. Col. Brit. Mus. VIII, 1855, p. 285. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 272 (20).
- collaris** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 636.
- culicinus** Pasc. l. c. p. 633.
- cumulosus** Pasc. l. c. p. 627.
- damalis** Pasc. l. c. p. 632.
- decens** Gah. Fauna Brit. Ind. Col. I, 1906, p. 288, f. 95.
- decipiens** Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 78.
- decorus** Gah. Fauna Brit. Ind. Col. I, 1906, p. 288.
- delectus** Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 78.
- Delesserti** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 273 (21). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 298.
- ✓ **detortus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 624.
- dignus** Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 26; Fauna Brit. Ind. Col. I, 1906, p. 286.
- dimidiatus** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 79 (27). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 294.
- divisus** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 271 (19). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 295.
- Dohertyi** Gah. l. c. p. 291.
- ✓ **elongatulus** Cast. & Gory, Monogr. p. 97, t. 18, f. 116. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 281. — Chevr. Mém. Soc. Sc. Liège XVIII, 1869, p. 271 (19).

Nepal

Südostindien

Birma

Borneo:

Sarawak

"

Andamanen

Aru

Ostindien

Ceylon

Insel Tulagi
(S. Georg)

Südostindien

Nepal

Hongkong

Ostindien

Neuholland:

Queensland

Ceram

Waigiu

Singapur

Borneo:

Sarawak

Südostindien

Sumatra

Südostindien

Sumatra

Südostindien

Borneo:

Sarawak

Birma

Südostindien

"

Manipur

Java

- inhemeralis* Pic. 1916.
Bull. Mus. Nat. Hist. Nat. (Paris) P. 111
(separate in PC)
- ephippiatus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 631. Batjan
erythromerus Pasc. l. c. p. 628. Amboina
erythroptus Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 261 (9). Borneo
exilis Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 636, t. 22, f. 7. Java
formicoides Lameere, Ann. Soc. Ent. Belg. XXXIV, 1890, Bull. p. 22. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 297. Ostindien
fryanus Gah. l. c. p. 293. Birma
funebri Lameere, Ann. Soc. Ent. Belg. XXXIV, 1890, Bull. p. 222. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 299. Ostindien
gregalis Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 77. Sumatra
interruptus Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 636. Mysol
langsonius Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 181. Tonkin
leucoscutellatus Hope in Gray, Zool. Misc. 1831, p. 28. Nepal,
— White, Cat. Col. Brit. Mus. VIII, 1855, p. 286. Sikkim,
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 286. Assam
semiscutellatus Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 282 (30).
lineatus Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 286 (34). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 281, f. 94. Ostindien
lineola Chevr. l. c. p. 274 (22).
lineolatus Redt. Reise Novara, Col. 1868, p. 196.
literatus Gah. Ann. Mus. Genova XXXIV, 1895, p. 27, t. 1, f. 6; Fauna Brit. Ind. Col. I, 1906, p. 284. Manila
var. *nansensis* Pic, Longic. IV, 2, 1903, p. 21. Java
luridicornis Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 270. Birma
macilentus Chevr. Rev. Mag. Zool. (2) X, 1858, p. 82; in Thoms. Archives Ent. I, 1858, p. 417; Mém. Soc. Sc. Liège XVIII, 1863, p. 260. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 623. China
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 291. Hongkong
maculicollis Gah. l. c. p. 297. Singapur,
Malacca,
Birma
martes Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 622. Südostindien
melanurus Pasc. l. c. p. 638. Borneo:
Sarawak
mongtsenensis Pic, Longic. V, 1, 1905, p. 12. Batjan
monticola Gah. Fauna Brit. Ind. Col. I, 1906, p. 282. Yunnan
Assam
mulio Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 635. Borneo:
Sarawak,
Assam,
Malacca
musivus Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 630. Sumatra
mustela Pasc. l. c. (2) IV, 1858, p. 239; (3) III, 1869, p. 622. — Shelf. Proc. Zool. Soc. Lond. 1902, 2, t. 20, f. 39. Borneo:
Sarawak
mustelinus Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 269 (17). Batjan
nigrofasciatus Thoms. Classif. Ceramb. 1860, p. 227. ..
— Chevr. Mém. Soc. Sc. Liège XVIII, 1863,

p. 269 (17). — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 620.

patronus Pasc. Journ. of Ent. I, 1862, p. 358.

nigromaculatus Gah. Fauna Brit. Ind. Col. I, 1906, p. 284.

notator Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 630.

oblongomaculatus Gah. Fauna Brit. Ind. Col. I, 1906, p. 283.

ocularis Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 634.

ordinatus Pasc. l. c. p. 623.

*palliatu*s Pasc. l. c. p. 638, t. 22, f. 8.

persimilis Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 275 (23). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 298.

planatus Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 626.

polyzonus Pasc. l. c. p. 637.

praecursor Pasc. l. c. p. 620.

✓ *protogenes* Newm. Entomol. I, 1842, p. 246. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 284. — Waterh. Aid identif. Ins. II, 1884, t. 149, f. 5.

pudicus Newm. Entomol. I, 1842, p. 246. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 631.

pullastra Pasc. l. c. p. 634.

quadricollis Gah. Fauna Brit. Ind. Col. I, 1906, p. 293.

quadricolor Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 101; Fauna Brit. Ind. Col. I, 1906, p. 292.

✓ *reticollis* Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 28, t. 1, f. 7; Fauna Brit. Ind. Col. I, 1906, p. 289.

reticulatus Jord. Nov. Zool. I, 1894, p. 498.

salutarius Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 625.

semiluctuosus White, Cat. Col. Brit. Mus. VIII, 1855, p. 283. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 260 (8). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 285.

Mouhoti Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 604.

praecana Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 277 (25).

✓ *sospitalis* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 625.

spineornis Newm. Zoolog. VIII, 1850, Append. p. 119. — Broun, Man. N. Zeal. Col. I, 1880, p. 587.

strangaliodes Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 621, t. 22, f. 6.

tenuispinosus Pasc. l. c. p. 628.

testaceus Hope in Gray, Zool. Misc. 1831, p. 28. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 287.

✓ *tipularius* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 632.

transilis Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 229.

transversalis Auriv. Arkiv f. Zool. VII, 3, 1910, p. 19.

ventralis Gah. Journ. Mal. States Mus. I, 1906, p. 113.

Sikkim

Aru

Assam,

Birma

Celebes

Singapur

Halmahera

Südostindien

Saylee

Borneo:

Sarawak

Ceram

Philippinen

„

Amboina,

Ceram

Birma

Tenasserim

Birma

Borneo:

Kina Balu

Ceram,

Singapur

Tenasserim,

Cochin-

china,

Malacca

Neuguinea:

Dorey

Neuseeland

Ceram

Celebes:

Tondano

Nepal

Borneo:

Sarawak

Japan

Borneo

Malacca

- Vethi** Rits. Notes Leyd. Mus. VI, 1884, p. 181; Midd. Sumatra
Sumatra IV, Anhang, 1892, p. 11.
- viverra** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 240; Singapur,
(3) III, 1869, p. 626. — Shelf. Proc. Zool. Soc. Borneo,
Lond. 1902, 2, t. 20, f. 35. Molukken,
Waigiou
- Walkeri** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 27. Ceylon
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 289.

89

Acrocyrta Pasc.

- Pasc. Trans. Ent. Soc. Lond. (2) IV, 1856, p. 44. — Thom. Syst. Ceramb.
1864, p. 425. — Pasc. Proc. Zool. Soc. 1866, p. 521; Trans. Ent. Soc. Lond.
(3) III, 1869, p. 639.

- ✓ **elytoides** Pasc. l. c. (2) IV, 1856, p. 44, t. 16, f. 1; (2) Borneo
III, 1869, p. 639.
- rufofemorata** Auriv. Arkiv f. Zool. VII, 3, 1910, p. 20. „
2

Clostrocera Serv.

- Serv. Ann. Soc. Ent. Fr. III, 1834, p. 82. — Cast. Hist. Nat. II, 1840,
p. 446.

Clostrocera Gemm. & Har. Cat. Col. IX, 1873, p. 2839.

- Banoni** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 83. — Cast. Patria?
Hist. Nat. II, 1840, p. 446.

1

Denticerus Jord.

- Jordan, Nov. Zool. I, 1894, p. 189; X, 1903, p. 145.

(= *Clostrocera* Serv.?)

- reticulatus** Jord. Nov. Zool. I, 1894, p. 189. Kulu,
Kamerun

1

Anaglyptus Muls.

- Muls. Col. Fr. Long. 1839, p. 91; ed. 2. 1863, p. 184. — Costa, Fauna
Regn. Napoli, Col. II, 1855, Ceramb. p. 56. — Bach, Käferfauna III, 1856,
p. 18. — Thoms. Classif. Ceramb. 1860, p. 216, 222; Syst. Ceramb. 1864,
p. 427. — Fairm. Gen. Col. d' Eur. IV, 1864, p. 145. — C. G. Thoms. Skand.
Col. VIII, 1866, p. 35. — Lacord. Gen. Col. IX, 1869, p. 84. — Ganglb.
Best.-Tab. VII, 1882, p. 10 (688); Rev. d'Ent. III, 1884, p. 167. — Bedel,
Faune Col. Seine V, 1889, p. 29. — Seidl. Fauna Balt. ed. 2, 1891, p. 734;
Fauna Transs. 1891, p. 825. — Stierl. Col. Helvet. II, 1898, p. 455. —
Everts, Col. Neerl. II, 1, 1901, p. 371. — Houlb. Faune Armor. Ceramb.
1904, p. 17. — Csiki, Rov. Lapok XI, 1904, p. 36.

- Cyrtophorus* J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 29. —
Thoms. Syst. Ceramb. 1864, p. 427. — Lacord. Gen. Col. IX,
1869, p. 86. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 320.
— Prov. Pet. Faune Ent. Canada I, 1877, p. 603. — J. Lec. &

Horn, *Classif. Col. N. Amer.* 1883, p. 305. — Leng, *Ent. Amer.* II, 1887, p. 195.

Microclytus J. Lec. *Smiths. Misc. Coll.* XI, 265, 1873, p. 320. — J. Lec. & Horn, *Classif. Col. N. Amer.* 1883, p. 305. — Leng, *Ent. Amer.* II, 1887, p. 195.

Paläarktische Arten.

Reitter, *Wien. Ent. Zeit.* XXV, 1906, p. 297—298 (Revision). — Pic, *Longic.* VIII, 1, 1911, p. 10—15 (Revision).

- abshasicus** Pic, *Revis.* p. 12. Kaukasus
- arabicus** Küster, *Käfer Eur.* X, 1847, p. 95. — Ganglb. Kleinasien,
Best.-Tab. VII, 1882, p. 60 (738). — Reitter, Türkei
Revis. p. 298. — Pic, *Revis.* p. 14.
- var. *Deyrollei* Tourn. *Rev. Mag. Zool.* (2) XXIII, Kaukasus
1872, p. 277. — Reitter, *Revis.* p. 208. — Pic,
Revis. p. 14.
- bicallosus** Kraatz, *Deutsche Ent. Zeitschr.* XXVI, 1882, Turkestan
p. 335. — Pic, *Revis.* p. 15.
- Ganglbaueri** Reitter, l. c. XXX, 1886, p. 67. — Pic, Lenkoran
Longic. III, 3, 1901, p. 8. — Reitter, *Revis.*
p. 298. — Pic, *Revis.* p. 14.
- gibbosus** F. *Mant. Ins.* I, 1887, p. 156. — *Ol. Enc. méth.* Schweiz,
Ins. V, 1790, p. 266; *Ent.* IV, 70, 1795, p. 57, Süd-
t. 4, f. 43. — Rossi, *Mant. Ins.* I, 1792, p. 53, frankreich,
t. 5, f. B. — Cast. & Gory, *Monogr.* p. 105, Italien,
t. 20, f. 124. — *Muls. Col. Fr. Long.* 1839, p. 92; Istrien,
ed. 2, 1863, p. 185. — White, *Cat. Col. Brit.* Dalmatien
Mus. VIII, 1855, p. 286. — Costa, *Fauna Regn.*
Napoli, Col. II, 1855, *Longic.* p. 56. — Redt.
Fauna Austr. ed. 3, II, 1874, p. 409. — Ganglb.
Best.-Tab. VII, 1882, p. 60 (738); *Rev. d'Ent.*
III, 1884, p. 199. — *Stierl. Col. Helvet.* II, 1898,
p. 461. — Reitter, *Revis.* p. 297. — Pic, *Revis.*
p. 12.
- ab. *immaturus* Pic, *Feuille jeun. Natural.* XIV, Algier
1893, p. 15; Pic, *Longic.* I, 1891, p. 28; II, 1898,
p. 12; *Revis.* p. 12.
- ab. *obscuricornis* Pic, l. c. II, 1898, p. 12; *Revis.* „
p. 12.
- ab. *scriptus* *Muls. Col. Fr. Long.* 1839, p. 92. —
Costa, *Fauna Regn. Napoli, Col. II,* 1855, *Longic.*
p. 56, t. 35, f. 5. — Pic, *Longic.* I, 1891, p. 28;
VIII, 1, 1911, p. 12.
- kanssuensis** Ganglb. *Horae Soc. Ent. Ross.* XXIV, 1889, China
p. 71.
- mysticoides** Reitter, *Wien. Ent. Zeit.* XIII, 1894, p. 128; Kaukasus
Revis. p. 298. — Pic, *Revis.* p. 14.
- ab. *amasinus* Pic, *Echange* XXVI, 1910, p. 10. Amasia
- amasinus** Pic, *Revis.* p. 13.
- mysticus** L. *Syst. Nat.* ed. 10, 1758, p. 398; *Fauna Suec.* Europa
ed. 2, 1761, p. 198. — *F. Syst. Ent.* 1775, p. 194.
— Müller, *Zool. Dan. Prodr.* 1776, p. 93. —
Leske, *Naturg.* 1779, p. 429. — Schrank, *Enum.*
Ins. Austr. 1781, p. 161; *Fauna Boica* I, 2, 1798,
p. 680. — Ström, *Danske Vid. Selsk. Skrift.* (2)
II, 1783, p. 60. — Laich, *Verz. Tyrol. Ins.* II,
1784, p. 107. — Herbst in Borowsky, *Naturg.*

VI, 1784, p. 133, t. 17, f. 4. — Geoffr. in Fourer. Ent. Paris. I, 1785, p. 81. — Villers, Linn. Ent. I, 1789, p. 267. — Razoum. Hist. Nat. Jorat I, 1789, p. 155. — Ol. Enc. méth. Ins. V, 1790, p. 268; Ent. IV, 70, p. 50, t. 1, f. 14. — Brahm, Ins.-Kal. I, 1790, p. 198. — Petagna, Inst. Ent. I, 1792, p. 243, t. 2, f. 11. — Sturm, Ins.-Kabin. IV, 1792, t. 21. — Donov. Brit. Ins. III, 1794, p. 30, t. 84, f. 2. — Panz. Insektenf. Deutschl. 1795, p. 267; Fauna Ins. Germ. LXXXII, 1801, t. 9. — Townson, Trav. in Hongrie 1797, p. 471. — Panz. in Voet, Cat. Col. Deutsche Uebers. IV, 1798, p. 7, t. 26, f. 8. — Donndorff, Eur. Fauna VIII, 1799, p. 588. — Payk. Fauna Suec. III, 1800, p. 98. — Walck. Faune Paris. I, 1802, p. 216. — Marsh. Ins. Brit. I, 1802, p. 337. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 300. — Wood, Ill. Linn. Gen. Ins. I, 1821, p. 47, t. 17. — Gyllenh. Ins. Suec. I, 4, 1827, p. 102. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 242; Man. 1839, p. 275. — Cast. & Gory, Monogr. p. 69, t. 13, f. 80. — Muls. Col. Fr. Long. 1839, p. 93; ed. 2, 1863, p. 187. — Cast. Hist. Nat. II, 1840, p. 448. — Redt. Fauna Austr. 1849, p. 487; ed. 2, 1858, p. 851; ed. 3, II, 1874, p. 407. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 271. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 58. — Bach, Käferf. III, 1856, p. 18. — Schiödte, Nat. Tidkr. (3) II, 1864, p. 529. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 44, f. 202. — C. G. Thoms. Skand. Col. VIII, 1866, p. 36. — Cox, Handb. Col. II, 1874, p. 315. — Ganglb. Best.-Tab. VII, 1882, p. 60 (738); Rev. d'Ent. III, 1884, p. 199. — Bedel, Faune Col. Seine V, 1889, p. 29, 84. — Fowler, Col. Brit. Isl. IV, 1890, p. 226, t. 121, f. 2. — Seidl. Fauna Balt. ed. 2, 1891, p. 736; Fauna Transs. 1891, p. 828. — Stierl. Col. Helvet. II, 1898, p. 461. — Everts, Col. Neerl. II, 1, 1901, p. 372. — Houlb. Faune Armor. Ceramb. 1904, p. 58, f. 111. — Csiki, Rov. Lapok XI, 1904, p. 166. — Reitter, Revis. p. 297. — Jacobs. Käfer Russl. 1910, t. 66, f. 18. — Pic, Revis. p. 14.

albofasciatus var. Degeer, Mém. Ins. V, 1775, p. 83.

Germaniae Voet, Cat. Col. II, 1804, p. 30, t. 26, f. 8.

quadricolor Scop. Ent. Carn. 1763, p. 56.

Biologie: Frauenf. Verh. zool.-bot. Ges. Wien XXII, 1872, p. 395. — Schiödte, Nat. Tidkr.

(3) X, 1875, p. 411, 445, t. 14, f. 22—25. —

Xambeu, Moeurs & Métam. VIII, 1902, p. 100.

ab. *albofasciatus* Degeer, Mém. Ins. V, 1775, p. 82.

hieroglyphicus Herbst in Füessly, Archiv V, 1784,

p. 99, t. 26, f. 20. — Muls. Col. Fr. Long. 1839,

p. 93; ed. 2, 1863, p. 189. — Costa, Fauna Regn.

Napoli, Col. II, 1855, Longie. p. 58, t. 35, f. 6.

— Ganglb. Best.-Tab. VII, 1882, p. 59 (737);

Europa

- Rev. d'Ent. III, 1884, p. 199. — Stierl. Col. Helvet. II, 1898, p. 461. — Everts, Col. Neerl. II, 1, 1901, p. 372. — Pic, Longic. III, 3, 1901, p. 9. — Csiki, Rov. Lapok XI, 1904, p. 167. — Pic, Revis. p. 13.
- litteratus* Gmel. Syst. Nat. I, 4, 1790, p. 1857.
rusticus Schrank, Enum. Ins. Austr. 1781, p. 161; Fauna Boica I, 2, 1798, p. 680. — Scop. Delic. Faunae et Florae Insubr. II, 1887, p. 47, t. 20, f. 6.
- ab. *Bequaerti* Roubal, Deutsche Ent. Zeitschr. 1909, p. 562. — Pic, Longic. VII, 2, 1910, p. 3; Revis. p. 14, nota 1. Belgien
- ab. *inscriptus* Pic, Longic. I, 1891, p. 28. — Reitter, Revis. p. 297. — Pic, Revis. p. 14. Frankreich
- ab. *monachus* Dalla Torre, Jahresb. Ver. Naturk. Linz XI, 1880, p. 55. Österreich
- ab. *ruficornis* Pic, Echange XXIV, 1908, p. 35; Longic. VII, 1, 1908, p. 4; Revis. p. 13. Frankreich
- ab. *subapicalis* Pic, Echange XXVI, 1910, p. 10. Abchasia
- niponensis** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 234. Japan
- obscurissimus** Pic, Echange XVII, 1901, p. 59; Longic. III, 3, 1901, p. 8, 9; Revis. p. 13. Kleinasien:
Tokat
- persicus** Pic, Longic. VI, 1, 1906, p. 10. — Reitter, Revis. p. 298. — Pic, Longic. VI, 2, 1907, p. 7; Revis. p. 14. Kaukasus,
Persien
- simplicicornis** Reitter, Revis. p. 298. — Pic, Longic. VI, 2, 1907, p. 7; Revis. p. 12. Südrussland
- ab. *prolongatus* Pic, Revis. p. 12.
- subfasciatus** Pic, Longic. VI, 1, 1906, p. 17. Japan
- subimpressus** Pic, Longic. III, 3, 1901, p. 9; Revis. p. 13. Kleinasien:
Trapezunt

Amerikanische Arten.

- compressicollis** Cast. & Gory, Monogr. p. 106, t. 20, f. 125. Canada,
Vereinigte Staaten
- gazellula* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 42; Proc. Amer. Philos. Soc. IV, 1847, p. 372. — Leng, Ent. Amer. III, 1887, p. 23. — Wickh. Canad. Ent. XXIX, 1897, p. 153. Nord-amerikas
- gibbulus* J. Lec. in Agass. Lake Super. 1850, p. 234.
- ♂ *insinuans* Casey, Ann. N. York Acad. VII, 1893, p. 591. — Wickh. Canad. Ent. XXIX, 1897, p. 153.
- niger* J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 29.
- Hilari** Cast. & Gory, Monogr. p. 71, t. 13, f. 81. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 272. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 58. Brasilien
- verrucosus** Ol. Ent. IV, 70, 1795, p. 67, t. 8, f. 98. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 29. — Prov. Pet. Faune Ent. Canada I, 1877, p. 603. — Leng, Ent. Amer. III, 1887, p. 23. — Wickh. Canad. Ent. XXIX, 1897, p. 153. Canada,
Vereinigte Staaten
Nord-amerikas

Paraelytus Bates.

- Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 234. — Ganglb. Horae Soc. Ent. Ross. XXIV, 1890, p. 71 nota. — Pic, Longic. VIII, 1, 1911, p. 10—11 (Synopsis).
- excultus* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 234, t. 1, f. 11. — Matsum. Thous. Ins. Japan III, 1908, nr. 724, t. 54, f. 11. — Pic, Longic. VI, 2, 1907, p. 21. Japan
- luteofasciatus* Pic, Echange XXI, 1905, p. 153; Longic. VII, 1, 1906, p. 10; VIII, 1, 1911, p. 11. Griechenland
- Raddei* Ganglb. Best.-Tab. VII, 1882, p. 59 (737); in Radde, Fauna und Flora S. W. Caspigegeb. 1886, p. 232, t. 1, f. 1. — Pic, Synops. p. 11. Kaukasus
- Reitteri* Ganglb. l. c.; l. c. p. 233. — Pic, Synops. p. 11. „
- Rosti* Pic, Longic. VIII, 1, 1911, p. 15. Japan: Jesso
- sexguttatus* Adams, Mém. Moscou V, 1817, p. 308. — Ganglb. Horae Soc. Ent. Ross. XXIV, 1890, p. 71 nota. — Pic, Synops. p. 11. Kaukasus
- Brucki* Kraatz, Berl. Ent. Zeitschr. VIII, 1864, p. 389, t. 4, f. 1.
- caucasicus* Motsch. Bull. Moscou XII, 1839, p. 54, t. 1, f. G. — Ganglb. Best.-Tab. VII, 1882, p. 59 (737).
- ab. *disjuncta* Pic, Echange XXV, 1909, p. 123; Longic. VII, 2, 1910, p. 4; VIII, 1, 1911, p. 11. „

6

Oligoenoplus Chevr.

- Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 337 (85). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 301.
- ✓ *murinus* Allard, Le Natural. (2) VIII, 1894, p. 162. — Südostindien
Gah. Fauna Brit. Ind. Col. I, 1906, p. 302.
- ventralis* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 337 (85). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 302, f. 97. „

2

Aglaophis Thoms.

- Thoms. Archiv. Ent. I, 1857, p. 315; Syst. Ceramb. 1864, p. 413. — Lacord. Gen. Col. IX, 1869, p. 86. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 303.
- Epodus* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 335 (83). — Lacord. Gen. Col. IX, 1869, p. 85.
- colobothooides* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 235, t. 1, f. 12. — Matsum. Thous. Ins. Japan III, 1908, nr. 720, t. 54, f. 7. Japan
- angustifasciatus* L. Heyd. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 297; XXXI, 1887, p. 295.
- fasciatus* Thoms. Archiv. Ent. I, 1857, p. 316. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 304. Sikkim
- humerosus* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 336 (84). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 303, f. 98. Ostindien
- Watsoni* Gah. l. c. p. 304. Birma

4

Mygalobas Chevr.

Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 66. — Lacord. Gen. Col. IX, 1869, p. 87.

ferrugineus Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 66. Brasilien

1

Sclethrus Newm.

Newm. Entomol. I, 1842, p. 247. — Thoms. Syst. Ceramb. 1864, p. 426. — Lacord. Gen. Col. IX, 1869, p. 426. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 618.

- ✓ *amoenus* Gory, Magas. Zool. III, 1833, Ins. t. 58. — Singapur,
Newm. Entomol. I, 1842, p. 247. — White, Cat. Sumatra,
Col. Brit. Mus. VIII, 1855, p. 242. — Chevr. Borneo,
Mém. Soc. Sc. Liège XVIII, 1863, p. 284 (32). Philippin-
— Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, nen
p. 619. — Shelf. Proc. Zool. Soc. Lond. 1902, 2,
p. 248, t. 19, f. 11.
- ✓ *Newmani* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, Philippinen
p. 284 (32).
- stenocylindrus* Fairm. Ann. Soc. Ent. Belg. XXXIX, Tonkin
1895, p. 184.

3

Cremys Pasc.

Pasc. Journ. Ent. II, 1864, p. 246; Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 316. — Lacord. Gen. Col. IX, 1869, p. 81.

diophthalmus Pasc. Journ. Ent. I, 1862, p. 358; Ann. Queensland
Mag. Nat. Hist. (3) XIX, 1867, p. 316. — Lacord.
Gen. Col. IX, 1869, p. 82, t. 92, f. 3.

1

Miroclytus Auriv.

Auriv. Arkiv f. Zool. VII, 3, 1910, p. 17.

brunneipennis Auriv. l. c. p. 18, f. 48. Madagascar

1

LXX. Chlidonini.

Waterh. Trans. Ent. Soc. Lond. 1879, p. 320.

Chlidones Waterh.

Waterh. Trans. Ent. Soc. Lond. 1879, p. 320.

albostrigatus Fairm. Ann. Soc. Ent. Belg. XLI, 1897, Madagascar
p. 396.

apicalis Fairm. Le Natural. XXIV, 1902, p. 287. "

hova Nonfr. Berl. Ent. Zeitschr. XL, 1895, p. 312. "

27

- insignicollis* Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 396; Madagascar
 XLIX, 1905, p. 135.
lineolatus Waterh. Trans. Ent. Soc. Lond. 1879, p. 321; „
 Aid identif. Ins. II, 1889, t. 180, f. 4.
rufovarius Fairm. Notes Leyden Mus. XXIII, 1901, p. 80. „
 6

Derbidia Fairm.

Fairm. Rev. d'Ent. XX, 1901, p. 220.

- perelegans* Fairm. l. c. Madagascar
 1

LXXI. Michthysomini.

J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 332. — J. Lec. & Horn, Classif. N. Amer. Col. 1883, p. 317. — Leng & Hamilton, Trans. Amer. Ent. Soc. XXIII, 1896, p. 103.

Michthysoma J. Lec.

J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 30. — Leng & Hamilton, Trans. Amer. Ent. Soc. XXIII, 1896, p. 103.

Mychthisoma Gemm. & Har. Cat. Col. X, 1873, p. 2998.

- ✓ *heterodoxum* J. Lec. Journ. Acad. Philad. (2) II, 1850, Georgia,
 p. 30. — Leng & Hamilton, Trans. Amer. Ent. Nord-
 Soc. XXIII, 1896, p. 103. — Beutenm. Bull. carolina,
 Amer. Mus. Nat. Hist. XIX, 1903, p. 519, t. 49, Virginia
 f. 12.

1

LXXII. Tillomorphini.

Lacordaire, Gen. Col. IX, 1869, p. 88. — Pascoe, Trans. Ent. Soc. Lond. (3) III, 1869, p. 640.

Epipedocerini Gahan, Fauna Brit. Ind. Col. I, 1906, p. 305.

Pentanodes Schaeffer.

Schaeffer, Journ. N. York Ent. Soc. XII, 1904, p. 222.

- Dietzi* Schaeffer, l. c. Texas
 1

Tetranodus Linell.

Linell, Proc. U. S. Nat. Mus. XIX, 1896, p. 396.

Tetranodes Schaeffer, Journ. N. Y. Ent. Soc. XII, 1904, p. 223.

- ✓ *niveicollis* Linell, Proc. U. S. Nat. Mus. XIX, 1896, Texas
 p. 396. — Schaeffer, Journ. N. York Ent. Soc.
 XII, 1904, p. 223.

1

Euderces J. Lec.

- J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 30. — Thoms. Classif. Ceramb. 1860, p. 217; Syst. Ceramb. 1864, p. 428. — Lacord. Gen. Col. IX, 1869, p. 89. — J. Lec. Smiths. Misc. Col. XI, 265, 1873, p. 325. — Prov. Pet. Faune Ent. Canada I, 1877, p. 604. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 305. — Leng, Ent. Amer. II, 1887, p. 195.
- acutipennis** Bates, Biol. C.-Amer. Col. V, 1885, p. 305, Guatemala
t. 21, f. 15.
- cribratus** Bates, l. c. p. 304.
- cribripennis** Bates, Trans. Ent. Soc. Lond. 1892, p. 165, Mexico
t. 6, f. 14.
- laevicauda** Bates, Biol. C.-Amer. Col. V, 1905, p. 304. Guatemala
- ✓ **parallelus** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Californien
p. 202. — Leng, Ent. Amer. III, 1887, p. 24.
- ✓ **picipes** F. Mant. Ins. I, 1787, p. 157. — Ol. Enc. méth. Canada,
Ins. V, 1790, p. 269; Ent. IV, 70, 1795, p. 57, Vereinigte
t. 4, f. 43. — Cast. & Gory, Monogr. Clytus Staaten
1835, p. 107, t. 20, f. 127. — J. Lec. Journ. Acad. Nord-
Philad. (2) II, 1850, p. 30. — Prov. Pet. Faune amerikas
Ent. Canada I, 1877, p. 604. — Leng, Ent.
Amer. III, 1887, p. 24. — Wickh. Canad. Ent.
XXIX, 1897, p. 152.
- ✓ **pini** Ol. Ent. IV, 70, 1795, p. 71, t. 8, f. 105. — J. Lec. Canada,
Journ. Acad. Philad. (2) II, 1852, p. 158; Smiths. New York
Misc. Coll. XI, 264, 1873, p. 202. — Leng, Kansas,
Ent. Amer. III, 1887, p. 24, 44. — Wickh. Canad. Georgia,
Ent. XXIX, 1897, p. 152. Texas,
piniadea F. Syst. El. II, 1802, p. 353. — Cast. Louisiana,
& Gory, Monogr. Clytus 1835, p. 109, t. 20, Carolina
f. 129. — Hald. Trans. Amer. Philos. Soc. (2)
X, 1847, p. 41. — White, Cat. Col. Brit. Mus.
VIII, 1855, p. 289.
- ab. *testaceipes* Hald. l. c.
- ✓ **Reichei** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 202. Texas,
— Leng, Ent. Amer. III, 1887, p. 24, 44. Illinois
reticeps Bates, Biol. C.-Amer. Col. V, 1880, p. 59. Guatemala

9

Cleroclytus Kraatz.

Kraatz, Deutsche Ent. Zeitschr. XXVIII, 1884, p. 226. — Jakowl. Horae Soc. Ent. Ross. XIX, 1885, p. 291. — Jakowl. l. c. XXXIV, 1900, p. 656—665 (Revision).

Euderces Ganglb. l. c. XXIV, 1889, p. 72 nota.

- Banghaasi** Reitter, Wien. Ent. Zeit. XIV, 1895, p. 159. Buchhara,
— Jakowl. Revis. p. 662, f. 8. Kulab
- collaris** Jakowl. Horae Soc. Ent. Ross. XIX, 1885, Kuldja
p. 290; Revis. p. 664, f. 4.
- gracilis** Jakowl. Revis. p. 665, f. 2. Zeravschan
- manifestus** Jakowl. Revis. p. 664, f. 1. — Jacobson, Turkestan
Käfer Russl. 1910, t. 67, f. 26.
- Semenowi** Jakowl. Revis. p. 663, f. 6. Buchara
- semirufus** Kraatz, Deutsche Ent. Zeitschr. XXVIII, Turkestan
1884, p. 225. — L. Heyd. l. c. XXXII, 1888,
p. 41. — Jakowl. Revis. p. 665, f. 7.
- strigieollis** Jakowl. Revis. p. 663, f. 5. Kuldja
- vestitus** Jakowl. Revis. p. 664, f. 3. Ferghana

8

Aplocera Chevr.

Chevr. Ann. Soc. Ent. Fr. (4) 2, 1862, p. 61. — Thoms. Syst. Ceramb. 1864, p. 428.

Apilocera Chevr. l. c. p. 535. — Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. 295. — Bates, Biol. C.-Amer. Col. V, 1880, p. 60.

Epilophorus Chevr. Journ. Ent. I, 1861, p. 248 (descriptus?).

- ✓ *Boucardi* Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 535. Guatemala,
Honduras
- breviformis* Bates, Trans. Ent. Soc. Lond. 1892, p. 165, Mexico
t. 6, f. 15.
- ✓ *cleriformis* Bates, Biol. C.-Amer. Col. V, 1885, p. 306. Panama
- ✓ *cribellata* Bates, l. c. " "
- ✓ *exilis* Casey, Ann. N. York Acad. VII, 1893, p. 592. Texas
- Guerini* Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 535. Neugranada
- Högei* Bates, Biol. C.-Amer. Col. V, 1885, p. 305. Mexico
- magna* Bates, l. c. p. 305, t. 21, f. 13. Guatemala
- postica* Pascoe, Trans. Ent. Soc. Lond. (3) V, 1866, p. 295, Neugranada
t. 20, f. 4.
- reticulata* Bates, Biol. C.-Amer. Col. V, 1885, p. 306. Guatemala
- rubella* Bates, l. c. p. 307, t. 21, f. 14. "
- sculpticollis* Bates, l. c. p. 306. "
- ✓ *spinicornis* Chevr. Col. Mex. I, 4, 1835, nr. 76 index. Mexico,
— Cast. & Gory, Monogr. Clytus 1835, p. 108. Guatemala
— White, Cat. Col. Brit. Mus. VIII, 1855, p. 290.
— Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860,
p. 504.
- elegans* Cast. & Gory, Monogr. Clytus 1835,
t. 20, f. 128.
- spinipennis* Chevr. Col. Mex. I, 4, 1835, nr. 76
(error typogr.!).
- Walili* Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 62. Brasilien
- yucateca* Bates, Trans. Ent. Soc. Lond. 1892, p. 165, Mexico
t. 6, f. 16.

15

Cleozona Bates.

Bates, Trans. Ent. Soc. Lond. 1874, p. 223.

- ✓ *pulchra* Bates, l. c.; Biol. C.-Amer. Col. V, 1880, p. 60, Nicaragua
t. 6, f. 10.
- ✓ var. *rufipes* Bates, l. c. 1885, p. 307. Mexico

I

Pempteurys Bates.

Bates, Biol. C.-Amer. Col. V, 1885, p. 304.

- sericans* Bates, l. c. p. 304, t. 21, f. 12. Guatemala

1

Tilloclytus Bates.

Bates, Biol. C.-Amer. Col. V, 1885, p. 303.

- Tillomorpha* Lacord. Gen. Col. IX, 1869, p. 90. — J. Lec. Smiths.
Misc. Coll. XI, 265, 1873, p. 320. — J. Lec. & Horn, Classif.

N. Amer. Col. 1883, p. 305. — Bates, Biol. C.-Amer. Col. V, 1880, p. 59. — Leng, Ent. Amer. II, 1887, p. 195.

- balteatus** Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 503. Mexico
 — Bates, Biol. C.-Amer. Col. V, 1885, p. 303.
- clavipes** Bates, l. c. p. 304, t. 21, f. 11. Guatemala
- cleroides** White, Cat. Col. Brit. Mus. VIII, 1855, p. 290. Columbian
 — Chevr. Ann. Soc. Ent. Fr. (4) I, 1861, p. 388.
- Conradti** Bates, Trans. Ent. Soc. Lond. 1892, p. 164. Guatemala
- ✓ **geminatus** Hald. Trans. Amer. Philos. Soc. (2) X, 1847, Massachusetts,
 p. 42. — Leng, Ent. Amer. III, 1887, p. 24. New York,
duplicatus J. Lec. Journ. Acad. Philad. (2) II, New
 1850, p. 29. Jersey,
 Pennsylvanien,
 Georgia
- haematocephalus** Chevr. Ann. Soc. Ent. Fr. (4) II, Mexico
 1862, p. 534. — Bates, Biol. C.-Amer. Col. V,
 1885, p. 303.
- ✓ **nivicinctus** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 264, Cuba
 532.

7

Tillomorpha Blanch.

Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 482.

- castanea** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 88. Goyaz
- corticlna** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 60. Brasilien
- ✓ **lineoligera** Blanch. in Gay, Hist. Chile, Zool. V, 1851, Chile
 p. 483, Col. t. 29, f. 4. — White, Cat. Col. Brit.
 Mus. VIII, 1855, p. 290. — Fairm. & Germain,
 Ann. Soc. Ent. Fr. (3) VII, 1859, p. 503. —
 Chevr. l. c. (4) II, 1862, p. 526.
- myrmicaria** Fairm. & Germain, Ann. Soc. Ent. Fr. (3) „
 VII, 1859, p. 503. — Chevr. l. c. (4) II, 1862,
 p. 526.
- testaceicornis** Fairm. & Germain, l. c. (3) VII, 1859, „
 p. 505. — Chevr. l. c. (4) II, 1862, p. 526.

- moestula** White, Cat. Col. Brit. Mus. VIII, 1855, p. 290. Queensland
 — Lacord. Gen. Col. IX, 1869, p. 91 nota
 (Genus?).

6

Diphyrama Bates.

Bates, Trans. Ent. Soc. Lond. 1872, p. 187; Biol. C.-Amer. Col. V, 1880,
 p. 60.

- ✓ **singularis** Bates, Trans. Ent. Soc. Lond. 1872, p. 188; Nicaragua,
 Biol. C.-Amer. Col. V, 1880, p. 61, 307, t. 5, f. 12. Panama

1

Aphysotes Bates.

Bates, Biol. C.-Amer. Col. V, 1885, p. 307.

- tubericollis** Bates, l. c. p. 308, t. 21, f. 16. Panama

1

Ochyra Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 273.

coarctata Pasc. l. c. p. 274, t. 13, f. 3.

Tasmanien

nana Poll, Tijdschr. Ent. XXXIV, 1892, p. 224, t. 13, f. 7.

Neusüdwaless

2

Homaemota Pasc.

Pasc. Journ. Ent. II, 1865, p. 371. — Lacord. Gen. Col. IX, 1869, p. 90.

basalis Pasc. Journ. Ent. II, 1865, p. 372.

West-

australien

Duboulayi Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866,
p. 103. — Lacord. Gen. Col. IX, 1869, p. 90.

„

Walkeri Gah. Trans. Ent. Soc. Lond. 1893, p. 186.

Tasmanien

3

Ipomoria Pasc.Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 104. — Lacord. Gen. Col.
IX, 1869, p. 92.*tillides* Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866,
p. 104, t. 4, f. 1. — Lacord. Gen. Col. IX, 1869,
p. 92.

Südaustralien

1

Acrogenius Blackb.

Blackb. Trans. R. Soc. S. Austr. XX, 1896, p. 38.

tinctus Blackb. l. c.Nordqueens-
land

1

Pseudomyrmecion Bedel.Bedel, Ann. Soc. Ent. Fr. (6) V, 1885, Bull. p. 132; LXX, 1901, p. 358.
— Lameere, l. c. LXX, 1901, p. 294. — Pic, Bull. Soc. Ent. Fr. 1902, p. 28.*ramalium* Bedel, Ann. Soc. Ent. Fr. (6) V, 1885, Bull.
p. 132.

Algier

1

Epipedocera Chevr.Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 339 (87). — Lacord. Gen.
Col. IX, 1869, p. 93. — Pascoe, Trans. Ent. Soc. Lond. (3) III, 1869, p. 640.
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 305.*abdominalis* Bates, Trans. Ent. Soc. Lond. (3) III, 1869,
p. 640.

Malacca,

Sumatra

affinis Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 341
(89). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 307.

Südostindien

cruentata Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858,
p. 239; (3) III, 1869, p. 641. — Lacord. Gen.
Col. IX, 1869, t. 92, f. 4.

Malacca

- Guerryi Pic, Echange XVIII, 1903, p. 105; Longic. IV, 2, 1903, p. 20. China
- laticollis Gah. Fauna Brit. Ind. Col. I, 1906, p. 307. Birma
- ✓ leucaspis Pasc. Ann. Mag. Nat. Hist. (5) XVII, 1886, p. 241. Borneo:
Sarawak
Philippinen
Timor
- ✓ lunata Newm. Entomol. I, 1842, p. 247.
- perelegans Vollenh. Tijdschr. Ent. XIV, 1871, p. 104, t. 4, f. 4.
- ✓ Rollei Pic, Echange XXVI, 1910, p. 30.
- undulata Hope in Gray, Zool. Misc. 1831, p. 28. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 307. Formosa
Nepal,
Darjeeling
- Hardwicki White, Cat. Col. Brit. Mus. VIII, 1855, p. 288.
- ✓ zona Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 340. Nepal,
Sikkim
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 306, f. 99.

11

Centroctylus Motsch.

- Motsch. Bull. Moscou XXXVI, 1, 1863, p. 496. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 308.
- Plangone Thoms. Syst. Ceramb. 1864, p. 154. — Lacord. Gen. Col. VIII, 1869, p. 537.
- carinatus Gah. Fauna Brit. Ind. Col. I, 1906, p. 309, f. 100. Andamanen
- quadridens Motsch. Bull. Moscou XXXIV, 1, 1861, t. 9, f. 31; XXXVI, 1, 1863, p. 496. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 308. Ceylon
- biseburata Thoms. Syst. Ceramb. 1864, p. 155.
- setulosa Chevr. Mém. Soc. Liège XVIII, 1863, p. 342 (90).

1

Bicon Pasc.

- Pascoe, Proc. Zool. Soc. Lond. 1866, p. 522. — Lacord. Gen. Col. VIII, 1869, p. 536. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 310.
- bimaculatus Gah. l. c. Ostindien:
Canara
- sanguineus Pasc. Proc. Zool. Soc. Lond. 1866, p. 522, t. 41, f. 8. Penang

2

Halme Pasc.

- Pascoe, Trans. Ent. Soc. Lond. (3) III, 1869, p. 641. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 311.
- cinctella Gah. l. c. f. 101. Ceylon
- ✓ cleriformis Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 642, t. 21, f. 8. Borneo:
Sarawak,
Mysol
- coerulescens Gah. Fauna Brit. Ind. Col. I, 1906, p. 312. Andamanen
- viridana Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 79. Sumatra

4

Clytellus Westw.

Westw. Trans. Ent. Soc. Lond. (2) II, 1853, p. 240. — Lacord. Gen. Col. IX, 1869, p. 94. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 312.

- methocoides** Westw. Trans. Ent. Soc. Lond. (2) II, 1853, Hongkong
p. 240, t. 12, f. 6. — Lacord. Gen. Col. IX,
1869, t. 92, f. 5.
olesteroides Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, Andamanen
p. 56. — Gah. Fauna Brit. Ind. Col. I, 1906,
p. 313, f. 102.
selebensis Gestro, Ann. Mus. Civ. Genova X, 1877, p. 56. Celebes
✓ **Westwoodi** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, Borneo
p. 97; (3) III, 1869, p. 634. — Lacord. Gen.
Col. IX, 1869, p. 95, nota 2.

4

Myrmecoelytus Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 454.

- Raffrayi** Fairm. l. c. Madagascar

1

LXXIII. Sestyrini.

Lacord. Gen. Col. IX, 1869, p. 95. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 643.

Collyrodes Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 25; (3) III, 1869, p. 644. — Lacord. Gen. Col. IX, 1869, p. 95.

- Lacordairei** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Malacca
p. 25, t. 2, f. 4; (3) III, 1869, p. 644.

1

Sestyra Pasc.

Pasc. Proc. Zool. Soc. Lond. 1866, p. 513. — Lacord. Gen. Col. IX, 1869, p. 96.

- ✓ **cephalotes** Pasc. Proc. Zool. Soc. Lond. 1866, p. 513, Penang
t. 41, f. 3.

1

LXXIV. Cleomenini.

Lacord. Gen. Col. IX, 1869, p. 97. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 645. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 92, 313.

Hexarrhopala Gah.

Gah. Trans. Ent. Soc. Lond. 1890, p. 308.

- apicalis** Gah. l. c. p. 309, t. 9, f. 3. Nyassaland

1

Apiogaster Perroud.

Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, p. 393; Mélang. Ent. III, 1855, p. 73. — Thoms. Syst. Ceramb. 1864, p. 422. — Lacord. Gen. Col. IX, 1869, p. 98.

Paecnia Thoms. Classif. Ceramb. 1860, p. 168.

- collaris* Jord. Nov. Zool. X, 1903, p. 140. — Dist. Ins. Natal,
Transvaal. 1906, p. 162, t. 16, f. 8. Transvaal
- Conradti* Auriv. Deutsche Ent. Zeitschr. 1907, p. 78. Kamerun
- mahota* Dist. Ann. Mag. Nat. Hist. (7) I, 1898, p. 381. Delagoa
- minor* Jord. Nov. Zool. I, 1894, p. 190. Gabun
- opacus* Jord. l. c. X, 1903, p. 141. Abessinien
- posticus* Jord. l. c. Deutsch-
Ostafrika
- rufiventris* Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, Gabun
p. 395; Mélang. Ent. III, 1855, p. 75.
- cylindricollis* Thoms. Archives Ent. II, 1857,
p. 158; Classif. Ceramb. 1860, p. 168.
- similis* Gah. Trans. Ent. Soc. Lond. 1890, p. 310. Nyassaland
- tricolor* Guér. Rev. Zool. 1840, p. 108. — Jord. Nov. Senegal
Zool. X, 1903, p. 141.
- xanthomelas* Jord. in Dist. Ins. Transvaal. 1906, p. 161, Transvaal
t. 16, f. 9.

10

Artimpanza Thoms.

Thoms. Syst. Ceramb. 1864, p. 160. — Lacord. Gen. Col. IX, 1869, p. 99.
— Pascoe, Trans. Ent. Soc. Lond. (3) III, 1869, p. 645. — Gah. Fauna
Brit. Ind. Col. I, 1906, p. 314.

- bicolor* Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 56. Andamanen
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 314,
f. 103.
- formosa* Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 55. Bornco
- odontoceroïdes* Thoms. Syst. Ceramb. 1864, p. 161. — Sumatra
Lacord. Gen. Col. IX, 1869, p. 99. — Pasc.
Trans. Ent. Soc. Lond. (3) III, 1869, p. 646.

3

Eodalis Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 648.

- lepidus* Pasc. l. c. p. 648, t. 21, f. 5. Borneo:
Sarawak

1

Mydasta Pasc.

Pasc. Proc. Zool. Soc. Lond. 1866, p. 512. — Lacord. Gen. Col. IX, 1869,
p. 100.

- discoïdea* Pasc. Proc. Zool. Soc. Lond. 1866, p. 512, t. 41, Penang
f. 4. — Lacord. Gen. Col. IX, 1869, p. 100.

1

Dere White.

White, Cat. Col. Brit. Mus. VIII, 1855, p. 248. — Thoms. Classif. Ceramb. 1860, p. 217; Syst. Ceramb. 1864, p. 422. — Lacord. Gen. Col. IX, 1869, p. 100. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 315.

- affinis** Gah. l. c. p. 316, f. 104. Nordostindien
apicalis Gah. l. c. p. 316. Ceylon
fulvipennis Gah. l. c. Südostindien
marginata Pasc. Proc. Zool. Soc. Lond. 1866, p. 522. Penang
nigrita Gah. in Dist. Ins. Transvaal. 1904, p. 124, t. 11, f. 22. Transvaal
✓ **thoracica** White, Cat. Col. Brit. Mus. VIII, 1855, p. 249, t. 8, f. 1. — Matsum. Thous. Ins. Japan III, 1908, nr. 691, t. 52, f. 6. Nordchina, Japan

6

Zoocosmius Fährs.

Fährs. in Har. Col. Hefte X, 1872, p. 194.

Cosmius Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 67.
Syndere Kolbe, Stett. Ent. Zeit. LV, 1894, p. 55.

- apicalis** Gah. Ann. Mag. Nat. Hist. (7) II, 1898, p. 44. Ostafrika
bicolor Kolbe, Stett. Ent. Zeit. LV, 1894, p. 55. Albert-See
lagria Jord. Nov. Zool. X, 1903, p. 140; in Dist. Ins. Transvaal, Deutsch-Ostafrika
 Transvaal. 1906, p. 162, t. 16, f. 10. Kamerun
leptis Jord. Nov. Zool. X, 1903, p. 140. „
niger Auriv. Deutsche Ent. Zeitschr. 1907, p. 78. Dahomey
viridicinctus Auriv. l. c. p. 79. Kaffernland
vittatus Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 67.

7

Cleomenes Thoms.

Thoms. Syst. Ceramb. 1864, p. 161. — Lacord. Gen. Col. IX, 1869, p. 101.
 — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 646. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 316.

- chryseus** Gah. l. c. p. 317, f. 105. Birma
✓ **dihammaphoroides** Thoms. Syst. Ceramb. 1864, p. 161. Philippinen,
 — Lacord. Gen. Col. IX, 1869, p. 102. — Pasc. Borneo,
 Trans. Ent. Soc. Lond. (3) III, 1869, p. 647. Sumatra,
 Malacca
✓ **nigricollis** Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, Tonkin
 p. 184.
vittatus Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 647, Java
 t. 21, f. 3.

4

Epianthe Pasc.

Pasc. Proc. Zool. Soc. Lond. 1866, p. 511. — Lacord. Gen. Col. IX, 1869, p. 102. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 649.

- funesta** Pasc. l. c. Singapur
✓ **viridis** Pasc. Proc. Zool. Soc. Lond. 1866, p. 511, t. 41, f. 5. Penang

2

Mimistena Pasc.

Pasc. Proc. Zool. Soc. Lond. 1866, p. 513. — Lacord. Gen. Col. IX, 1869, p. 102.

biplagiata Gah. Journ. Malay. States Mus. I, 1906, p. 113, Malacca
t. 6, f. 7.

femorata Pasc. Proc. Zool. Soc. Lond. 1866, p. 514, Penang
t. 41, f. 6.

2

Sophron Newm.

Newm. Entomol. I, 1842, p. 354. — Lacord. Gen. Col. IX, 1869, p. 103.

Clacadne Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 560.

inornatus Newm. Entomol. I, 1842, p. 354. Australien,
melanarius Pasc. Trans. Ent. Soc. Lond. (3) I, Neusüd-
1863, p. 561, t. 23, f. 5. wales

1

Nida Pasc.

Pascoe, Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 312. — Lacord. Gen. Col. IX, 1869, p. 104. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 318.

andamanica Gah. l. c. p. 319. Andamanen

flavovittata Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, Birma,
p. 312. — Gah. Fauna Brit. Ind. Col. I, 1906, Siam
p. 318, f. 106.

2

Brachysarthron Thoms.

Thoms. Syst. Ceramb. 1864, p. 180.

Brachyarthron Lacord. Gen. Col. IX, 1869, p. 98, 105.

antennatum Thoms. Syst. Ceramb. 1864, p. 180. — Lacord. Senegambien
Gen. Col. IX, 1869, p. 105.

1

Zosterius Thoms.

Thoms. Syst. Ceramb. 1864, p. 181. — Lacord. Gen. Col. IX, 1869, p. 105.

Agnoristus Fährs. in Har. Col. Hefte X, 1872, p. 194.

Eutactus Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 68.

laetus Thoms. Syst. Ceramb. 1864, p. 181. — Dist. Ins. Südafrika
Transvaal. 1904, p. 125, t. 11, f. 17; 1906,
p. 160.

lineatus Fährs. Öfvers. Vet. Akad. Förh. XXIX,
1, 1872, p. 68.

1

Ochimus Thoms.

Thoms. Classif. Ceramb. 1860, p. 370; Syst. Ceramb. 1864, p. 421. — Lacord. Gen. Col. IX, 1869, p. 106.

Cheridamus Fairm. Ann. Soc. Ent. Belg. XXXIII, 1889, Bull. p. 93.
Stenogaster Blanch. Hist. Ins. II, 1845, p. 149.

argentatus Thoms. Classif. Ceramb. 1860, p. 370. — Kapland, Madagascar?
Lacord. Gen. Col. IX, 1869, p. 107.

hypargyreus Fairm. Ann. Soc. Ent. Belg. XXXIII, 1889, Bull. p. 93. — Künck. in Grandid. Hist. Madag. XXII, 1890, t. 48, f. 9.

laetipennis White, Cat. Brit. Mus. VII, 1853, p. 173. Transvaal, Natal, Zululand
— Dist. Ins. Transvaal. 1904, p. 125, t. 11, f. 23.

2

Euclimus Fairm.

Fairm. Revue d'Ent. XX, 1901, p. 222.

insignicornis Fairm. l. c. Madagascar

1

Damiria Fairm.

Fairm. Bull. Soc. Ent. Fr. 1900, p. 89.

Perrieri Fairm. l. c. Madagascar

1

Pandrosos Bates.

Bates, Ent. Month. Mag. IV, 1867, p. 23; Trans. Ent. Soc. Lond. 1870, p. 332. — Lacord. Gen. Col. VIII, 1869, p. 510. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 89.

Leptorrhopala Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 253.

phthisicus Klug, Nova Acta Acad. Nat. Cur. XII, 1825, p. 460, t. 43, f. 5. — Lacord. Gen. Col. IX, 1869, p. 40, nota 1. — Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 253. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 89. Bahia, Amazon.

exilis White, Cat. Col. Brit. Mus. VIII, 1855, p. 201. — Bates, Trans. Ent. Soc. Lond. 1870, p. 333.

1

Eupempelus Bates.

Bates, Trans. Ent. Soc. Lond. 1870, p. 401.

olivaceus Bates, l. c. Amazon.: Ega

1

Fregolia Goun.

Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 90.

listropteroides Goun. l. c. fig. Goyaz

1

CANARIIS
SISTE 1848-130
M. M. M. B.

= SERICOGASTER
SERICOGASTER 1835:32
M. M. M. B.

= ARGENTATUS
KLUG, DEJAN
1835:34 M. M. M. B.

Listroptera Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 71. — Cast. Hist. Nat. II, 1840, p. 439. — Thoms. Classif. Ceramb. 1860, p. 177; Syst. Ceramb. 1864, p. 419. — Lacord. Gen. Col. IX, 1869, p. 107.

- ✓ **aterrima** Germ. Ins. spec. nov. 1824, p. 497. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 207. — Bates, Trans. Ent. Soc. Lond. 1870, p. 402.
tenebrosa var. a Cast. Hist. Nat. II, 1840, p. 439.
- carbonaria** Chevr. Rev. Mag. Zool. (2) VII, 1855, p. 178. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 209.
Germari White, l. c.
- collaris** Klug, Nova Acta Acad. Nat. Cur. XII, 2, 1825, p. 459, t. 43, f. 8. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 209. — Bates, Trans. Ent. Soc. Lond. 1870, p. 402.
- ✓ **tenebricosus** Ol. Enc. méth. Ins. V, 1790, p. 309; Ent. IV, 67, 1795, p. 34, t. 18, f. 139.
tenebrosa F. Ent. Syst. I, 2, 1792, p. 322. — Cast. Hist. Nat. II, 1840, p. 439. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 207. — Bates, Trans. Ent. Soc. Lond. 1870, p. 402.
var. *angulata* White, Cat. Col. Brit. Mus. VIII, 1855, p. 208. — Bates, Trans. Ent. Soc. Lond. 1870, p. 402.

4

Dihammaphora Chevr.

Chevr. Arcana Nat. 1859, p. 50 (Monographie). — Thoms. Classif. Ceramb. 1860, p. 177; Syst. Ceramb. 1864, p. 418. — Lacord. Gen. Col. IX, 1869, p. 108.

Diammaphora Chevr. Arcana Nat. 1859, p. 50 (err. typ.).

Diammatophora Gemm. & Har. Cat. Col. IX, 1873, p. 2947. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 92.

Dihammaphora Bates, Trans. Ent. Soc. Lond. 1870, p. 403; Biol. C.-Amer. Col. V, 1880, p. 61. — Schaeffer, Bull. Brookl. Instit. I, 1908, p. 339.

- ✓ **aepythus** Chevr. Monogr. p. 54. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 96, f. 2. Buenos Aires
- ✓ **atra** Chevr. Rev. Mag. Zool. (2) VII, 1855, p. 180. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 207. Brasilien
- auratopilosa** Bruch, Rev. Mus. La Plata XV, 1908, p. 214, fig. Argentinien
- ✓ **aurovittata** Bates, Biol. C.-Amer. Col. V, 1880, p. 61. Guatemala
- binodula** Chevr. Monogr. p. 54. Maldonado
- bivittata** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 95, fig. Goyaz
- brevis** Chevr. Monogr. p. 54. Südamerika
- chontalensis** Bates, Trans. Ent. Soc. Lond. 1872, p. 188; Biol. C.-Amer. Col. V, 1880, p. 61, t. 5, f. 13. Nicaragua
- dispar** Chevr. Monogr. p. 52. — Schaeffer, Bull. Brookl. Instit. I, 1908, p. 338. Mexico, Texas
- glabripennis** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 94. Goyaz

- gracilicollis* Chevr. Monogr. p. 53.
hispidata Bates, Biol. C.-Amer. Col. V, 1885, p. 308.
lineigera Chevr. Monogr. p. 53.
marginicollis Chevr. l. c. p. 51, t. 5, f. 5.
minuta Chevr. l. c. p. 53.
nigrita Chevr. l. c. p. 52.
nitidicollis Bates, Trans. Ent. Soc. Lond. 1870, p. 403.
- parana* Gemm. Col. Hefte XI, 1873, p. 146.
perforata Burm. Stett. Ent. Zeit. XXVI, 1865, p. 173. — Gerst. l. c. nota.
perforata Klug, Nova Acta Acad. Nat. Cur. XII, 2, 1825, p. 459, t. 43, f. 7. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 210. — Chevr. Monogr. p. 52.
pilosifrons Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 93, fig.
pusilla Bates, Trans. Ent. Soc. Lond. 1870, p. 403.
- ruficollis* Chevr. Monogr. p. 52.
scutata Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 97, fig.
signaticollis Chevr. Monogr. p. 51. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 92, f. 1.
 ab. *basinotata* Goun. l. c. p. 93, f. 6.
 ab. *bæsipunctata* Goun. l. c. f. 5.
 ab. *furcata* Goun. l. c. f. 7.
 ab. *intermedia* Goun. l. c. f. 3.
 ab. *interrupta* Goun. l. c. f. 2.
 ab. *punctata* Goun. l. c. f. 4.
 ab. *sejuncta* Goun. l. c. f. 8.
- thoracica* Chevr. Rev. Mag. Zool. (2) VII, 1855, p. 179. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 209.
vittatithorax Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 96, fig.

26

LXXV. Rhopalophorini.

Lacordaire, Gen. Col. IX, 1869, p. 109. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 307. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 292.

Rhopalophora Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 100. — Chevr. Arcana Nat. 1859, p. 57 (Monographie). — Thoms. Classif. Ceramb. 1860, p. 177; Syst. Ceramb. 1864, p. 418. — Lacord. Gen. Col. IX, 1869, p. 110. — Leng, Ent. Amer. II, 1886, p. 30. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 99.

Tinopus J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 19.

Subgen. *Ischionodonta* Chevr. Arcana Nat. 1859, p. 58. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 98.

Brachyrhopala Burm. Stett. Ent. Zeit. XXVI, 1865, p. 171. — Lacord. Gen. Col. IX, 1869, p. 41. — Berg, An. Soc. Cient. Argent. XXI, 1886, p. 239.

Subgen. **Rhopalophora** s. str.

- angustata** Schaeffer, Bull. Brookl. Inst. I, 1905, p. 162. Texas
atramentaria White, Cat. Col. Brit. Mus. VIII, 1855, Tapajos
 p. 208. — Bates, Trans. Ent. Soc. Lond. 1870,
 p. 403.
vidua Chevr. Monogr. p. 59.
- ✓ **axillaris** Klug, Nova Acta Acad. Nat. Cur. XII, 2, 1825, Brasilien
 p. 458, t. 43, f. 9. — Cast. Hist. Nat. II, 1840,
 p. 439. — White, Cat. Col. Brit. Mus. VIII, 1855,
 p. 205.
- ✓ ab. *violaceomaculata* Goun. Ann. Soc. Ent. Fr. Goyaz
 LXXX, 1911, p. 98.
- bicincta** Horn, Proc. Calif. Acad. (2) V, 1895, p. 245 Californien
 (Genus?).
- ✓ **collaris** Germ. Ins. spec. nov. 1824, p. 498. — White, Brasilien
 Cat. Col. Brit. Mus. VIII, 1855, p. 205.
bicolor Guér. Rev. Zool. 1839, p. 330.
sanguinicollis Serv. Ann. Soc. Ent. Fr. III,
 1834, p. 101. — Cast. Hist. Nat. II, 1840, p. 439.
- ✓ **cupricollis** Guér. Icon. règne anim. Ins. 1844, p. 235. Mexico,
 — White, Cat. Col. Brit. Mus. VIII, 1855, Nicaragua
 p. 205. — Bates, Biol. C.-Amer. Col. V, 1880—85,
 p. 62, 309.
- discicollis** Chevr. Monogr. p. 60. Brasilien
eximia Bates, Trans. Ent. Soc. Lond. 1892, p. 166, Mexico
 t. 7, f. 1.
- incrustata** Chevr. Monogr. p. 62.
laevicollis J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Texas,
 p. 193. — Leng, Ent. Amer. II, 1886, p. 31. Neumexico
- lineicollis** Chevr. Monogr. p. 60. Brasilien *Mexico*
longipes Say, Journ. Acad. Philad. III, 1823, p. 426. Pennsylvanien,
 — J. Lec. l. c. (2) II, 1850, p. 20; Proc. Acad. Kansas,
 Philad. VII, 1854, p. 218. — Leng, Ent. Amer. II, 1886, p. 30, 31, t. 2, f. 28. — Hamilton, Missouri,
 Canad. Ent. XXIV, 1892, p. 159. Nebraska
- porosa* White, Cat. Col. Brit. Mus. VIII, 1855,
 p. 206.
 var. *Meeskei* Casey, Ann. N. York Acad. VI, Neumexico
 1892, p. 30. — Hamilton, Trans. Amer. Ent.
 Soc. XXIII, p. 168.
- miniatocollis** Chevr. Monogr. p. 61. — Bates, Biol. Mexico
 C.-Amer. Col. V, 1885, p. 310.
- nigriventris** Bates, Biol. C.-Amer. Col. V, 1885, p. 310. Guatemala
occipitalis Chevr. Monogr. p. 59. Brasilien
pulverulenta Guér. Icon. règne anim. Ins. 1844, p. 235. Columbien
 („335“). — White, Cat. Col. Brit. Mus. VIII,
 1855, p. 206.
- rubecula** Bates, Biol. C.-Amer. Col. V, 1880, p. 62. Guatemala,
 Nicaragua,
 Costarica
- rugicollis** J. Lec. Proc. Acad. Philad. 1858, p. 83. — Texas
 Leng, Ent. Amer. II, 1886, p. 31.
- tenuis** Chevr. Rev. Mag. Zool. (2) VII, 1855, p. 181; Mexico
 Monogr. p. 61. — Bates, Biol. C.-Amer. Col. V,
 1885, p. 310.
- tristis** Chevr. Monogr. p. 58. Brasilien
 ✓ **venezuelensis** Chevr. Monogr. p. 60. Caracas

Subgen. **Ischionodonta** Chevr.

- aenescens* Burm. Stett. Ent. Zeit. XXVI, 1865, p. 172. Montevideo
amazona Chevr. Monogr. p. 63. Brasilien
brasiliensis Chevr. Monogr. p. 62. „
dimidiata Chevr. Monogr. p. 63. Neugranada
iridipennis Chevr. Rev. Mag. Zool. (2) XI, 1859, p. 26. Argentinien
— Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 99.
aurivitta Burm. Stett. Ent. Zeit. XXVI, 1865,
p. 172. „
Lansbergi Lameere, Ann. Soc. Ent. Belg. XXVIII,
1885, p. 107. Venezuela
platensis Chevr. Monogr. p. 63. Montevideo
✓ *pustulosa* White, Cat. Col. Brit. Mus. VIII, 1855, p. 206. Venezuela
serripes Bates, Trans. Ent. Soc. Lond. 1872, p. 188. Nicaragua
torquata Chevr. Monogr. p. 63. Chile
✓ *versicolor* Chevr. Arcana Nat. 1859, p. 62. — Bates,
Biol. C.-Amer. Col. V, 1880, p. 63, t. 5, f. 15. Nicaragua,
— Berg, An. Soc. Cient. Argent. XXI, 1886, Süd-
p. 239. amerika-
semirubra Burm. Stett. Ent. Zeit. XXVI, 1865,
p. 172. bis Argen-
tinien

Subgen. ?.

- intincta* Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. 291. Neugranada
moestula Pasc. l. c. p. 292. „
34

Cynoderus Serv.

- Serv. Ann. Soc. Ent. Fr. III, 1834, p. 101. — Thoms. Classif. Ceramb.
1860, p. 188; Syst. Ceramb. 1864, p. 437. — Lacord. Gen. Col. IX, 1869,
p. 112. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 99.
Subgen. *Ulododerus* Goun. l. c. p. 101.

Subgen. **Cynoderus** s. str.

- chlorizans* Chevr. Arcana Nat. 1859, p. 56. Brasilien
var. *concolor* Goun. Ann. Soc. Ent. Fr. LXXX,
1911, p. 100. Goyaz
var. *semirufus* Goun. l. c.
expeditus Chevr. Arcana Nat. 1859, p. 55. „
tenuatus Serv. Ann. Soc. Ent. Fr. III, 1834, p. 102. — Neugranada
Cast. Hist. Nat. II, 1840, p. 438. — White, Brasilien
Cat. Col. Brit. Mus. VIII, 1855, p. 213.

Subgen. **Ulododerus** Goun.

- barbatus* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 101, fig. Goyaz
dispar Goun. l. c. p. 103 nota. Bahia
5

Cosmisoma Serv.

- Serv. Ann. Soc. Ent. Fr. III, 1834, p. 19. — Cast. Hist. Nat. II, 1840,
p. 434. — Thoms. Classif. Ceramb. 1860, p. 177; Syst. Ceramb. 1864, p. 418.
— Lacord. Gen. Col. IX, 1869, p. 112.

Callimoxys Muls. Col. Fr. Longic. ed. 2, 1863, p. 215.

Cosmius Perty, Del. Anim. Artic. 1830—34, p. 89.

Cosmosoma Gemm. & Har. Cat. Col. IX, 1873, p. 2948.

- aeneicolle* Er. Schomb. Reise III, 1848, p. 572. — Bates, Trans. Ent. Soc. Lond. 1870, p. 407. Guyana,
Amazon.
- semicupreum* Chevr. Rev. Mag. Zool. (2) XI, 1859, p. 28.
- subvirescens* White, Cat. Col. Brit. Mus. VIII, 1855, p. 214, t. 5, f. 7.
- ammiralis* L. Syst. Nat. ed. 12, p. 625. — Er. Schomb. Surinam,
Reise III, 1848, p. 572. — White, Cat. Col. Bolivien
Brit. Mus. VIII, 1855, p. 215.
- formosum* Blanch. Voy. d'Orb. Ins. 1843, p. 209, t. 22, f. 5.
- plumiferum* Voet, Cat. Col. II, 1804—06, p. 26, t. 23, f. 125.
- argyreum* Bates, Trans. Ent. Soc. Lond. 1870, p. 405.
- ✓ *Brullei* Muls. Col. Fr. Long. ed. 2, 1863, p. 215. — Lacord. Südbrasilien,
Gen. Col. IX, 1869, p. 489, nota 2. — Gah. & Uruguay,
Goun. Bull. Soc. Ent. Fr. 1910, p. 237. Nord-
nodicolle Burm. Stett. Ent. Zeit. XXVI, 1865, argentinien
p. 171.
- compsceroïdes* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, Goyaz
p. 103.
- ✓ *cyaneum* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 105, „
fig.
- ✓ *Diana* Bates, Trans. Ent. Soc. Lond. 1870, p. 404. Amazon.:
Ega
- fasciculatum* Ol. Ent. IV, 68, 1795, p. 14, t. 1, f. 3. — Cayenne,
Bates, Trans. Ent. Soc. Lond. 1870, p. 404. Amazon.
- Leprieuri* Buq. in Guér. Icon. règne anim. Ins. 1844, p. 231.
- humerale* Bates, Trans. Ent. Soc. Lond. 1870, p. 407, Brasilien
nota.
- lineatum* Kirsch, Deutsche Ent. Zeitschr. XIX, 1875, Peru
p. 285.
- lineellum* Bates, Trans. Ent. Soc. Lond. 1870, p. 405. Amazon.
- ✓ *Martyr* Thoms. Classif. Ceramb. 1860, p. 180. — Bates, Guatemala,
Trans. Ent. Soc. Lond. 1872, p. 189; Biol. Nicaragua,
C.-Amer. Col. V, 1880, p. 63, t. 5, f. 16. Costarica
- nudicorne* Bates, Trans. Ent. Soc. Lond. 1892, p. 166, Panama
t. 7, f. 2.
- ✓ *ochraceum* Perty, Del. Anim. Art. 1830—34, p. 89, Brasilien
t. 18, f. 4.
- persimile* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 107, Goyaz
fig.
- ✓ *plumicorne* Drury, Ill. Exot. Ins. III, 1782, p. 74, t. 49, Honduras,
f. 3; ed. Westw. III, 1837, p. 76, t. 49, f. 3. — Costarica,
Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. 291. Panama,
— Bates, Biol. C.-Amer. Col. V, 1880, p. 63. Neu-
granada
- pulcherrimum* Bates, Trans. Ent. Soc. Lond. 1870, p. 406. S. Paulo
- reticulatum* Bates, Biol. C.-Amer. Col. V, 1885, p. 311. Mexico
- scopipes* Klug, Nova Acta Acad. Nat. Cur. XII, 2, 1825, Brasilien
p. 457, t. 43, f. 10. — White, Cat. Col. Brit.
Mus. VIII, 1855, p. 215.
- ✓ *scopulicorne* Kirby, Trans. Linn. Soc. Lond. XII, 1818, Amazon.
p. 442. — Cast. Hist. Nat. II, 1840, p. 435.
— White, Cat. Col. Brit. Mus. VIII, 1855,
p. 214. — Bates, Trans. Ent. Soc. Lond. 1870,
p. 406.

- ✓ *speculiferum* Gory in Guér. Icon. règne anim. Ins. 1844, Cayenne
p. 231, t. 44, f. 2 a. — White, Cat. Col. Brit.
Mus. VIII, 1855, p. 215. — Bates, Trans. Ent.
Soc. Lond. 1870, p. 405.
- ✓ *Titania* Bates, l. c. p. 407 nota; Biol. C.-Amer. Col. V, Nicaragua
1880, p. 63, t. 5, f. 17.

22

Disaulax Serv.

Serv. Ann. Soc. Ent. Fr. II, 1833, p. 562. — Cast. Hist. Nat. II, 1840,
p. 434. — Thoms. Classif. Ceramb. 1860, p. 177; Syst. Ceramb. 1864, p. 418.
— Lacord. Gen. Col. IX, 1869, p. 113.

- ✓ *hirsuticornis* Kirby, Trans. Linn. Soc. Lond. XII, 1818, Brasilien
p. 442. — Cast. Hist. Nat. II, 1840, p. 434.
— Heyne, Exot. Käfer 1906, p. 240, t. 36, f. 20.
plumicornis Drapiez, Ann. Sc. Phys. Brux. III,
1819, p. 190, t. 39, f. 5.

1

Amphirhoë Newm.

Newm. Entomol. I, 1840, p. 24. — Thoms. Classif. Ceramb. 1860, p. 177;
Syst. Ceramb. 1864, p. 448. — Lacord. Gen. Col. IX, 1869, p. 113.

- decora* Newm. Entomol. I, 1840, p. 24, fig. — Lacord. Tasmanien
Gen. Col. IX, 1869, p. 114, t. 93, f. 1.
- ✓ *Sloanei* Blackb. Proc. Linn. Soc. N. S. Wales (2) IV, 1889, Victoria
p. 453.

2

Elaphopsis Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 101. — Thoms. Classif. Ceramb.
1860, p. 188; Syst. Ceramb. 1864, p. 437. — Lacord. Gen. Col. IX, 1869,
p. 114.

- rubida* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 101. — Brasilien
White, Cat. Col. Brit. Mus. VIII, 1855, p. 207.

1

Pelossus Thoms.

Thoms. Syst. Ceramb. 1864, p. 222. — Lacord. Gen. Col. IX, 1869, p. 115.

- ✓ *ruber* Thoms. Archiv. Ent. II, 1858, p. 161; Syst. Ceramb. Gabun
1864, p. 222. — Lacord. Gen. Col. IX, 1869,
p. 116.

1

Parozodes Auriv.

Auriv. Ent. Tidskr. XVIII, 1897, p. 245.

- ✓ *erythrocephalus* Auriv. l. c. p. 246. Bahia

1

Ozodes Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 98. — Cast. Hist. Nat. II, 1840, p. 439. — Thoms. Classif. Ceramb. 1860, p. 189; Syst. Ceramb. 1864, p. 437. — Lacord. Gen. Col. IX, 1869, p. 116.

- flavitarsis* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 109, fig. Goyaz
- ✓ *ibidiinus* Bates, Trans. Ent. Soc. Lond. 1870, p. 409. Tapajos
- ✓ *infuscatus* Bates, l. c. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 108. „
- malthinoides* Bates, l. c. p. 410. Amazon.:
Ega
- ✓ *multituberculatus* Bates, l. c. p. 409 nota. Nicaragua,
Panama
- nigellus* White, Cat. Col. Brit. Mus. VIII, 1855, p. 218. Venezuela
- ✓ *nodicollis* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 99. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 217. Brasilien
- vestitus* White, l. c. p. 217, t. 6, f. 3. Venezuela
- ✓ *xanthophasma* Bates, Trans. Ent. Soc. Lond. 1872, p. 189; Biol. C.-Amer. Col. V, 1880, p. 64, t. 6, f. 14. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 109. Nicaragua,
Panama,
Brasilien:
Goyaz

9

Lissozodes Bates.

Bates, Trans. Ent. Soc. Lond. 1870, p. 408.

- basalis* White, Cat. Col. Brit. Mus. VIII, 1855, p. 213, t. 7, f. 5. — Lacord. Gen. Col. IX, 1869, p. 112, nota 1. — Bates, Trans. Ent. Soc. Lond. 1870, p. 409. Amazon.:
Ega

1

Argyrodines Bates.

Bates, Ent. Month. Mag. IV, 1867, p. 24; Trans. Ent. Soc. Lond. 1870, p. 408. — Lacord. Gen. Col. IX, 1869, p. 408.

- Aurivillii* Goun. Bull. Soc. Ent. Fr. 1905, p. 294; Ann. Soc. Ent. Fr. LXXX, p. 111. Goyaz
- pulchella* Bates, Ent. Month. Mag. IV, 1867, p. 24; Trans. Ent. Soc. Lond. 1870, p. 408. Amazon.

2

Ornithia Thoms.

Thoms. Syst. Ceramb. 1864, p. 213. — Lacord. Gen. Col. IX, 1869, p. 117.

- ✓ *mexicana* Sturm, Cat. Käfers. 1843, p. 354, t. 6, f. 4 ♂, 5 ♀. Mexico,
Chevolati Guér. Icon. règne anim. Ins. 1844, Guatemala,
p. 228. — Thoms. Syst. Ceramb. 1864, p. 214. Nicaragua,
Panama

1

LXXVI. Glaucytni.

Lacord. Gen. Col. IX, 1869, p. 118. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 650. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 319.

Glaucytes Thoms.

- Thoms. Archiv. Ent. I, 1858, p. 423; Classif. Ceramb. 1860, p. 351; Syst. Ceramb. 1864, p. 360. — Lacord. Gen. Col. IX, 1869, p. 119. — Pascoe, Trans. Ent. Soc. Lond. (3) III, 1869, p. 650.
- Iresioides**) Thoms. Archiv. Ent. I, 1857, p. 291. — Lacord. Gen. Col. IX, 1869, p. 120. — Gahan, Fauna Brit. Ind. Col. I, 1906, p. 319.
- Leptocera* Latr. in Cuv. Règne anim. ed. 2, Ins. II, 1829, p. 121. — Serv. Ann. Soc. Ent. Fr. III, 1834, p. 109. — Desjardins in Charlesw. Mag. Nat. Hist. (2) II, 1838, p. 468—472 (Monographie). — Cast. Hist. Nat. II, 1840, p. 490.
- aeneola** Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 118. Madagascar
albocincta Chevr. Rev. Mag. Zool. (2) X, 1858, p. 82; Neu-
 Archiv. Ent. I, 1858, p. 415. caledonien,
Ballardi Montrouze. Ann. Soc. Ent. Fr. (4) I, Insel Lifu
 1861, p. 294.
- aldabrensis** Linell, Proc. U. S. Nat. Mus. XIX, 1897, Aldabra
 p. 701.
- basalis** Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 462. Madagascar
Beaumonti Desjard. Monogr. p. 470. Bourbon
brunnea Thoms. Syst. Ceramb. 1865, p. 547. — Gah. Ceylon
 Fauna Brit. Ind. Col. I, 1906, p. 320.
- coadnata** Fairm. Ann. Soc. Ent. Belg. XXXIII, 1889, Madagascar
 Bull. p. 93.
coadunata Fairm. Ann. Soc. Ent. Belg. XXXVIII,
 1894, p. 152. — Künckel in Grandid. Hist.
 Mad. Col. 1890, t. 47, f. 3.
- coeruleata** Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, „
 p. 119.
- cyanipennis** Fairm. Le Natural. XXV, 1903, p. 36. „
- ferox** Thoms. Archiv. Ent. I, 1858, p. 423. — Fairm. „
 Ann. Soc. Ent. Fr. (5) I, 1871, p. 63.
- flavovittata** Waterh. Trans. Ent. Soc. Lond. 1880, p. 61. „
 — Künckel in Grandid. Hist. Madag. Col. 1890,
 t. 52, f. 3.
- graphica** Boisd. Voy. Astrol. Ins. II, 1835, p. 511, t. 9, Neue
 f. 17. — Desjard. Monogr. p. 471. — White, Hebriden
 Cat. Col. Brit. Mus. VIII, 1855, p. 342.
- Helena**e White, l. c. p. 342, t. 8, f. 8. „
- humeralis** Cast. Hist. Nat. II, 1840, p. 490. — Buq. Madagascar
 in Guér. Icon. règne anim. Ins. 1844, p. 251.
 — Fairm. Ann. Soc. Ent. Fr. (5) I, 1871, p. 62.
- interrupta** Ol. Enc. méth. Ins. VII, 1792, p. 468. Mauritius
caelata Ol. Ent. IV, 67, 1795, p. 99, t. 11, f. 79;
 t. 12, f. 79.
scripta F. Ent. Syst. Suppl. 1798, p. 143. —
 Desjard. Monogr. p. 468. — Cast. Hist. Nat.
 II, 1840, p. 490. — White, Cat. Col. Brit. Mus.
 VIII, 1855, p. 342.
- Kraatz**i Thoms. Syst. Ceramb. 1865, p. 547. — Gah. Ceylon
 Fauna Brit. Ind. Col. I, 1906, p. 321.
- lineatocollis** Fairm. Ann. Soc. Ent. Fr. (5) I, 1871, Madagascar
 p. 62. — Künckel in Grandid. Hist. Madag.
 Col. 1890, t. 51, f. 1.

*) Hat die Priorität, ist aber wahrscheinlich eine besondere Gattung.

<i>lineatopunctata</i>	Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 419. — Künckel in Grandid. Hist. Madag. Col. 1890, t. 52, f. 1.	Madagascar
<i>longipennis</i>	Fairm. Notes Leyd. Mus. XXIII, 1901, p. 79.	„
<i>metallica</i>	Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 381.	„
<i>Mezierei</i>	Desjard. Monogr. p. 470.	Bourbon
<i>moesta</i>	Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 26. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 320, f. 107.	Ceylon
<i>Perrieri</i>	Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 549.	Madagascar
<i>pulehra</i>	Waterh. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 327. — Künckel in Grandid. Hist. Madag. Col. 1890, t. 52, f. 4.	„
<i>rufofemorata</i>	Waterh. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 327. — Künckel in Grandid. Hist. Madag. Col. 1890, t. 52, f. 2.	„
<i>scapularis</i>	Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 374.	„
<i>seitula</i>	Pasc. Ann. Mag. Nat. Hist. (3) V, 1860, p. 120; Trans. Ent. Soc. Lond. (3) III, 1869, p. 651.	Batjan
<i>sericeovittata</i>	Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 215. — Künckel in Grandid. Hist. Madag. Col. 1890, t. 47, f. 4.	Madagascar
<i>suturalis</i>	Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1867, p. 308.	Cape York
<i>vittifera</i>	Buq. in Guér. Icon. règne anim. Ins. 1844, p. 250.	Neuholland

30

Pachyeytes Fairm.

Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 252.

<i>rufovestita</i>	Fairm. l. c. p. 253.	Madagascar
--------------------	----------------------	------------

1

Polyphida Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 652. — Gahan, Fauna Brit. Ind. Col. I, 1906, p. 321.

<i>argenteofasciata</i>	Auriv. Arkiv f. Zool. VII, 3, 1910, p. 21.	Borneo
<i>clytoides</i>	Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 652, t. 22, f. 3.	„
<i>metallica</i>	Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 338. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 321.	Manipur, Birma
<i>Feae</i>	Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 29, t. 1, f. 8.	
<i>modesta</i>	Gah. Journ. Malay. Stat. Mus. I, 1906, p. 113, t. 6, f. 6.	Malacca

4

Cleonice Thoms.

Thoms. Syst. Ceramb. 1864, p. 333. — Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 247.

<i>Seuthes</i>	Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 651.	
<i>bivittata</i>	Gah. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 379.	Borneo
<i>vestita</i>	Thoms. Syst. Ceramb. 1864, p. 333.	Morty
<i>sericata</i>	Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 652, t. 22, f. 5.	

2

Thaumasocerus Fairm.

Fairm. Ann. Soc. Ent. Fr. (5) I, 1871, p. 61.

diversicornis Fairm. Ann. Soc. Ent. Belg. LXIII, 1899, Madagascar
p. 549.**platycerus** Fairm. Ann. Soc. Ent. Fr. (5) I, 1871, p. 61. „

2

Dilachnus Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 375.

partiticornis Fairm. l. c. p. 376.

Madagascar

1

LXXVII. Heteropsini.

Lacord. Gen. Col. IX, 1869, p. 121.

Aridaeus Thoms.Thoms. Classif. Ceramb. 1860, p. 227; Syst. Ceramb. 1864, p. 425. —
Lacord. Gen. Col. IX, 1869, p. 122.**heros** Pascoe, Journ. Linn. Soc. Lond. Zool. IX, 1867, Australien:
p. 103. Port

Albany

✓ **thoracicus** Donovan, Ins. N. Holl. 1805, t. 5, f. 4. — Cast. Neusüd-wales
& Gory, Monogr. of Clytus 1835, p. 50, t. 10,
f. 58. — Boisd. Voy. Astrol. Ent. II, 1835, p. 482.
— White, Cat. Col. Brit. Mus. VIII, 1855,
p. 266. — Thoms. Classif. Ceramb. 1860, p. 228.
— Lacord. Gen. Col. IX, 1869, p. 123, t. 93, f. 2.**timoriensis** Jord. Nov. Zool. I, 1894, p. 116, t. 8, f. 7. Timor

2

Mallosoma Serv.Serv. Ann. Soc. Ent. Fr. III, 1834, p. 68. — Cast. Hist. Nat. II, 1840, p. 451.
— Thoms. Classif. Ceramb. 1860, p. 217; Syst. Ceramb. 1864, p. 430. —
Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 751—752 (Monogr.). — Lacord.
Gen. Col. IX, 1869, p. 123.*Homogenes* Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 751, 752.**albolineatum** Buq. in Guér. Icon. règne anim. Ins. Brésilien
1844, p. 226. — Chevr. Monogr. p. 752.**bicolor** Sallé, Ann. Soc. Ent. Fr. (3) IV, 1856, p. 687, Haiti
t. 20, l. f. 1. — Lacord. Gen. Col. IX, 1869,
p. 127, nota 1.**globithorax** Fairm. & Germ. Ann. Soc. Ent. Fr. (4) I, Chile
1861, p. 108.**Leprieuri** Buq. in Guér. Icon. règne anim. Ins. 1844, Guyana
p. 226. — Chevr. Monogr. p. 752.**rubricolle** Bates, Trans. Ent. Soc. Lond. 1870, p. 410. Tapajos
scutellare White, Cat. Col. Brit. Mus. VII, 1853, p. 110. Pará— Chevr. Monogr. p. 751. — Bates, Trans.
Ent. Soc. Lond. 1870, p. 410.

- transversale* Chevr. Monogr. p. 752. — Lacord. Gen. Col. IX, 1869, p. 124, nota 3. Guyana
tricolor Perty, Del. Anim. Art. 1830, p. 91, t. 18, f. 9. Brasilien
zonatum Sahlb. Peric. Ent. 1823, p. 52, t. 3, f. 1. — „
 Chevr. Monogr. p. 751.
elegans Serv. Ann. Soc. Ent. Fr. III, 1834, p. 69.
 — Cast. Hist. Nat. II, 1840, p. 451.
vinculatum Germ. Ins. spec. nov. 1824, p. 501.
 var. *fuligineum* Newm. Entomol. I, 1840, p. 7. „
 — Chevr. Monogr. p. 751.
thoracicum White, Cat. Col. Brit. Mus. VII, 1853, p. 111.
 9

Alloesia Chevr.

- Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 761. — Thoms. Syst. Ceramb. 1864, p. 461. — Lacord. Gen. Col. IX, 1869, p. 124.
bicolor Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 488. Chiguinda
bivittata Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 763. Venezuela
chlorophana Chevr. l. c. p. 762. Neugranada
 var. *aeneipennis* Chevr. l. c. „
 var. *hilaris* Chevr. l. c. „
 var. *nitidipennis* Chevr. l. c. „
vittata F. Syst. El. II, 1801, p. 309. „Brasilien“
 4

Stratone Thoms.

Thoms. Syst. Ceramb. 1864, p. 335.

- rufotestacea* Thoms. l. c. p. 336. Cayenne
 1

Chrysoprasis Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 5. — Cast. Hist. Nat. II, 1840, p. 433.
 — Thoms. Classif. Ceramb. 1860, p. 167; Syst. Ceramb. 1864, p. 422. —
 Lacord. Gen. Col. IX, 1869, p. 125. — Bates, Biol. C.-Amer. Col. V, 1880,
 p. 64. — Auriv. Arkiv f. Zool. VII, 3, 1901, p. 23—30 (Revision). 171

- aeneiventris* Bates, Trans. Ent. Soc. Lond. 1870, p. 416 Brasilien
 nota. — Auriv. Revis. p. 27.
atrata Bates, Trans. Ent. Soc. Lond. 1872, p. 190 nota. Venezuela
 — Auriv. Revis. p. 25.
aurata Auriv. Arkiv f. Zool. VII, 3, 1910, p. 22, 24. Brasilien
aureicollis White, Cat. Col. Brit. Mus. VII, 1853, p. 149. Amazon.
 — Bates, Trans. Ent. Soc. Lond. 1870, p. 415.
 — Auriv. Revis. p. 26.
auricollis Dalm. in Schönh. Syn. Ins. III, 1817, Append. Brasilien
 p. 156. — Auriv. Revis. p. 30.
nigriventris Bates, Trans. Ent. Soc. Lond. 1870,
 p. 413.
 var. *ignea* Bates, l. c. p. 413. — Auriv. Revis. p. 30. Cayenne
aurigena Germ. Ins. spec. nov. 1824, p. 496. — Perty, Brasilien
 Del. Anim. Art. 1830, p. 89, t. 18, f. 2. — Auriv.
 Revis. p. 24.

- auripes** Bates, Trans. Ent. Soc. Lond. 1870, p. 413. — Amazon.,
Auriv. Revis. p. 30. — Goun. Ann. Soc. Ent. Fr. Goyaz
LXXX, 1911, p. 114.
- auriventris** Redt. Reise Novara, Col. 1868, p. 195. — Rio Janeiro,
Auriv. Revis. p. 24. Süd-
chrysoastra Bates, Trans. Ent. Soc. Lond. 1870, brasilien
p. 416 nota.
var. *chlorota* Goun. Ann. Soc. Ent. Fr. LXXX, Goyaz
1911, p. 112.
- ✓ var. *longipes* Auriv. Arkiv f. Zool. VII, 3, 1910, Bahia,
p. 21, 24. — Goun. Ann. Soc. Ent. Fr. LXXX, Goyaz
1911, p. 112.
- ✓ **auronitens** Bates, Trans. Ent. Soc. Lond. 1870, p. 411. Pará
— Auriv. Revis. p. 28.
- Belti** Bates, Trans. Ent. Soc. Lond. 1872, p. 190; Biol. Nicaragua
C.-Amer. Col. V, 1880, p. 64, t. 6, f. 2. — Auriv.
Revis. p. 30.
- Bouchardi** Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, Neugranada
p. 292. — Auriv. Revis. p. 24.
- brevicornis** Bates, Trans. Ent. Soc. Lond. 1870, p. 415. Amazon.
— Auriv. Revis. p. 26.
- ✓ **chalybea** Redt. Reise Novara, Col. 1868, p. 195. — Auriv. Rio Janeiro
Revis. p. 25.
- Chevolati** Lameere, Ann. Soc. Ent. Belg. XXVIII, 1885, Columbien
p. 108. — Auriv. Revis. p. 24.
- chlogogaster** Auriv. Arkiv f. Zool. VII, 3, 1910, p. 23, 30. Brasilien?
- ✓ **concolor** Redt. Reise Novara, Col. 1868, p. 194. — Auriv. Brasilien
Revis. p. 25.
- Dutreuxi** Lameere, Ann. Soc. Ent. Belg. XXVIII, 1885, Venezuela
p. 108. — Auriv. Revis. p. 24.
- festiva** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 7. — Cast. Cayenne
Hist. Nat. II, 1840, p. 433. — Auriv. Revis. p. 28.
ab. *caerulescens* Goun. Ann. Soc. Ent. Fr. LXXX,
1911, p. 113. Goyaz
- floralis** Bates, Trans. Ent. Soc. Lond. 1870, p. 415. — Amazon.
Auriv. Revis. p. 25.
- frontalis** Kirsch, Deutsche Ent. Zeitschr. XIX, 1875, Peru
p. 286. — Auriv. Revis. p. 30.
- ✓ **guerrerensis** Bates, Trans. Ent. Soc. Lond. 1892, p. 167, Mexico
t. 7, f. 3. — Auriv. Revis. p. 28.
- hirtula** White, Cat. Col. Brit. Mus. VII, 1853, p. 150. Venezuela
- hispidula** Bates, Trans. Ent. Soc. Lond. 1870, p. 416. — Amazon.
Auriv. Revis. p. 27.
- ✓ **hypoerita** Er. Archiv für Naturgesch. XIII, 1, 1847, p. 142. Peru,
— Auriv. Revis. p. 28. Amazon.,
Nicaragua
- ✓ *sthenias* Bates, Trans. Ent. Soc. Lond. 1870, p. 411; Biol. C.-Amer. Col. V, 1880, p. 64.
var. *leptosthenias* Bates, Trans. Ent. Soc. Lond. Mexico
1892, p. 167.
- ✓ **jacintha** Bates, Biol. C.-Amer. Col. V, 1880, p. 65. — Nicaragua
Auriv. Revis. p. 25.
- ignicollis** Bates, Trans. Ent. Soc. Lond. 1870, p. 417 nota. Cayenne
— Auriv. Revis. p. 28.
- linearis** Bates, Trans. Ent. Soc. Lond. 1870, p. 417 nota. Südbrasilien
— Auriv. Revis. p. 27. — Goun. Ann. Soc. Ent.
Fr. LXXX, 1911, p. 112.
- longicornis** Bates, Trans. Ent. Soc. Lond. 1870, p. 412. Amazon.
— Auriv. Revis. p. 30.

- melanostetha* Bates, Trans. Ent. Soc. Lond. 1870, p. 414. Amazon.
— Auriv. Revis. p. 29.
- moerens* White, Cat. Col. Brit. Mus. VII, 1853, p. 150. Pará
— Bates, Trans. Ent. Soc. Lond. 1870, p. 414. —
Auriv. Revis. p. 28.
- nana* Bates, Trans. Ent. Soc. Lond. 1870, p. 414. — Auriv. Tapajos
Revis. p. 26.
- nigrina* Bates, Trans. Ent. Soc. Lond. 1870, p. 417 nota. Südbrasilien
— Auriv. Revis. p. 25.
- nymphula* Bates, Trans. Ent. Soc. Lond. 1870, p. 417 „
nota. — Auriv. Revis. p. 29.
- punctiventris* Bates, Trans. Ent. Soc. Lond. 1870, p. 417 „
nota. — Auriv. Revis. p. 25. — Goun. Ann. Soc.
Ent. Fr. LXXX, 1911, p. 112.
- punctulata* Bates, Trans. Ent. Soc. Lond. 1870, p. 413. Amazon.
— Auriv. Revis. p. 26.
- rotundicollis* Bates, Trans. Ent. Soc. Lond. 1870, p. 411. Tapajos
— Auriv. Revis. p. 29.
- ruficoxis* Bates, Trans. Ent. Soc. Lond. 1870, p. 412. — Amazon.
Auriv. Revis. p. 30.
- rugulicollis* Bates, Trans. Ent. Soc. Lond. 1870, p. 417 Südbrasilien
nota. — Auriv. Revis. p. 27.
- sapphirina* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 112. Goyaz
- seticornis* Bates, Biol. C.-Amer. Col. V, 1880, p. 65. — Nicaragua
Auriv. Revis. p. 27.
- sobrina* Bates, Trans. Ent. Soc. Lond. 1870, p. 415. — Amazon.
Auriv. Revis. p. 26.
- suturalis* Lameere, Ann. Soc. Ent. Belg. XXVIII, 1885, — Columbien Venezuela
p. 107. — Auriv. Revis. p. 29.
- suturella* White, Cat. Col. Brit. Mus. VII, 1853, p. 149. „
- valida* Bates, Trans. Ent. Soc. Lond. 1870, p. 416 nota. Südbrasilien
— Auriv. Revis. p. 27.
- vittata* Auriv. Arkiv f. Zool. VII, 3, 1910, p. 22, 29. Venezuela
-
- basalis* Chevr. Rev. Mag. Zool. (2) XI, 1859, p. 27. — Brasilien
Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 114.
- collaris* Chevr. Rev. Mag. Zool. (2) XI, 1859, p. 27 (Genus?). „

47

Zenochloris Bates.

Bates, Biol. C.-Amer. Col. V, 1885, p. 311.

- barbicauda* Bates, Trans. Ent. Soc. Lond. 1892, p. 168, Mexico
t. 7, f. 4.
- paradoxa* Bates, Biol. C.-Amer. Col. V, 1885, p. 312, Panama
t. 21, f. 19.

2

Trichrous Chevr.Chevr. Rev. Mag. Zool. (2) X, 1858, p. 210. — Thoms. Syst. Ceramb. 1864,
p. 431. — Lacord. Gen. Col. IX, 1869, p. 126.

- basalis* White, Cat. Col. Brit. Mus. VII, 1853, p. 122. Jamaica
- dimidiatipennis* Chevr. Rev. Zool. 1838, p. 282; Rev. Cuba
Mag. Zool. (2) X, 1858, p. 210; Ann. Soc. Ent.
Fr. (4) II, 1862, p. 262. — Jacq. du Val in Sagra,
Hist. Cuba, Ins. 1857, p. 264, t. 10, f. 5.

- ✓ *divisus* Chevr. Rev. Mag. Zool. (2) X, 1858, p. 210; Ann. Soc. Ent. Fr. (4) II, 1862, p. 262. Cuba
Jaegeri Chevr. Rev. Mag. Zool. (2) X, 1858, p. 211. Haiti
jamaicensis Chevr. l. c. Jamaica
 ✓ *irroratus* Ol. Ent. IV, 70, 1795, p. 70, t. 8, f. 104. — Haiti
 White, Cat. Col. Brit. Mus. VIII, 1855, p. 294.
lineolatus White, Cat. Col. Brit. Mus. VII, 1853, p. 122. Jamaica
leucogrammus White, l. c. p. 294.
major Gah. Trans. Ent. Soc. Lond. 1895, p. 117. „
 ✓ *pilipennis* Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 262. Cuba
terminalis White, Cat. Col. Brit. Mus. VII, 1853, p. 123. Jamaica
 10

Heterops Blanch.

- Blanch. Ann. Soc. Ent. Fr. XI, 1842, p. 51. — Thoms. Syst. Ceramb. 1864, p. 431. — Lacord. Gen. Col. IX, 1869, p. 127.
bipartita Lacord. l. c. p. 128, nota 1. Cuba
 ✓ *dimidiata* Chevr. Rev. Zool. 1838, p. 283; Ann. Soc. Ent. Fr. (4) II, 1862, p. 264. „
 ♀ *subangulata* Chevr. Rev. Zool. 1838, p. 283.
 ✓ *Lanieri* Chevr. l. c. — Jacq. du Val in Sagra, Hist. Cuba, Ins. 1857, p. 263, t. 10, f. 4. — Lacord. Gen. Col. IX, 1869, p. 128, t. 93, f. 3. „
Lasnieri Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 264.
Loreyi Duponch. Ann. Soc. Ent. Fr. VI, 1837, p. 309, t. 12, f. 4. — Blanch. l. c. XI, 1842, p. 49. — Lacord. Gen. Col. IX, 1869, p. 128 nota. „
 4

Pronuba Thoms.

- Thoms. Classif. Ceramb. 1860, p. 241; Syst. Ceramb. 1864, p. 431. — Lacord. Gen. Col. IX, 1869, p. 128.
 ✓ *decora* Thoms. Classif. Ceramb. 1860, p. 241. — Lacord. Brasilien
 Gen. Col. IX, 1869, p. 129.
 1

Microspiloma Bates.

- Bates, Ent. Month. Mag. IV, 1867, p. 25; Trans. Ent. Soc. Lond. 1870, p. 418. — Lacord. Gen. Col. IX, 1869, p. 129.
dorilis Bates, Ent. Month. Mag. IV, 1867, p. 25; Trans. Ent. Soc. Lond. 1870, p. 148. Amazon.
 1

Eburiola Thoms.

- Thoms. Syst. Ceramb. 1864, p. 203. — Lacord. Gen. Col. IX, 1869, p. 129.
 ✓ *geminata* F. Mant. Ins. I, 1787, p. 144. Jamaica
erythrocephala Thoms. Syst. Ceramb. 1864, p. 203.
maculosa Ol. Enc. méth. Ins. V, 1790, p. 305; Ent. IV, 67, 1795, p. 46, t. 21, f. 165. — F. Ent.

Syst. I, 2, 1792, p. 296. — Latr. Gen. Crust. Ins. III, 1807, p. 39. — White, Cat. Col. Brit. Mus. VII, 1853, p. 98. — Lacord. Gen. Col. IX, 1869, p. 129.

I

Stenosphenus Hald.

Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 39. — Thoms. Classif. Ceramb. 1860, p. 372; Syst. Ceramb. 1864, p. 433. — Lacord. Gen. Col. IX, 1869, p. 130. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 316. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 301. — Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 177. — Leng, Ent. Amer. II, 1887, p. 193.

- amabilis* Newm. Entomol. I, 1841, p. 112. Mexico
- ✓ *Beyeri* Schaeffer, Bull. Brookl. Inst. I, 1905, p. 163; Arizona
Journ. N. York Ent. Soc. XIX, 1911, p. 125.
- ✓ *comus* Bates, Trans. Ent. Soc. Lond. 1892, p. 169. Mexico
- ✓ *cribripennis* Thoms. Classif. Ceramb. 1860, p. 372. Mexico,
Guatemala
- ✓ *debilis* Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 179. Utah
— Leng, Ent. Amer. II, 1887, p. 193. — Schaeffer,
Journ. N. York Ent. Soc. XIX, 1911, p. 125.
- ✓ *dolosus* Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 179. Texas
— Leng, Ent. Amer. II, 1887, p. 193. — Schaeffer,
Journ. N. York Ent. Soc. XIX, 1911, p. 125.
- ✓ *ebeninus* Bates, Trans. Ent. Soc. Lond. 1872, p. 234; Nicaragua,
Biol. C.-Amer. Col. V, 1880, p. 66, t. 6, f. 5. Costarica
- erythroderus* Bates, l. c. 1885, p. 313. Mexico
- Gaumeri* Bates, Trans. Ent. Soc. Lond. 1892, p. 169. "
- languroides* Bates, Biol. C.-Amer. Col. V, 1885, p. 313. Guatemala
- ✓ *lepidus* Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 179. Arizona,
— Leng, Ent. Amer. II, 1887, p. 193. — Schaeffer, Texas
Journ. N. York Ent. Soc. XIX, 1911, p. 124.
- longicollis* Casey, Ann. N. York Acad. VI, 1892, p. 34.
- lineatus* Bates, Biol. C.-Amer. Col. V, 1885, p. 313. Guatemala
- ✓ *lugens* J. Lec. Proc. Acad. Philad. 1862, p. 41. — Horn, Texas,
Trans. Amer. Ent. Soc. XII, 1885, p. 178; XIII, Mexico
1886, Proc. p. 12. — Leng, Ent. Amer. II, 1887,
p. 193. — Schaeffer, Journ. N. York Ent. Soc. XIX, 1911, p. 125.
- hirsutipennis* Bates, Trans. Ent. Soc. Lond. 1872, p. 191 nota.
- ✓ *notatus* Ol. Ent. IV, 70, 1795, p. 61, t. 7, f. 89. — Hald. Oststaaten
Trans. Amer. Philos. Soc. (2) X, 1847, p. 39. — Nord-
J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 12. amerikas
— Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 178. — Leng, Ent. Amer. II, 1887, p. 193.
— Hamilton, Canad. Ent. XX, 1888, p. 66. — Wickh. l. c. XXIX, 1897, p. 149.
- deflendus* Newm. Entomol. I, 1840, p. 6, 30.
- ✓ *novatus* Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 178. Unter-
— Leng, Ent. Amer. II, 1887, p. 193. — Schaeffer, californien
Journ. N. York Ent. Soc. XIX, 1911, p. 125.
- ✓ *ochraceus* Bates, Trans. Ent. Soc. Lond. 1872, p. 190; Nicaragua
Biol. C.-Amer. Col. V, 1880, p. 67, t. 6, f. 6.
- protensus* Bates, l. c. p. 66. Guatemala
- rufipes* Bates, Trans. Ent. Soc. Lond. 1872, p. 191 nota. Mexico

- sexlineatus* Bates, l. c. 1892, p. 169, t. 7, f. 5. Mexico
sobrius Newm. Entomol. I, 1840, p. 30. — J. Lec. Journ. Acad. Philad. (2) 2, 1850, p. 15. — Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 180. — Bates, Biol. C.-Amer. Col. V, 1885, p. 312. „
sublaevicollis Bates, Trans. Ent. Soc. Lond. 1892, p. 168. „
subtilis Bates, Biol. C.-Amer. Col. V, 1880, p. 66. Guatemala
suturalis Bates, Trans. Ent. Soc. Lond. 1872, p. 191 nota. Mexico
trispinosus Bates, l. c. „
vitticollis Bates, l. c. 1892, p. 169, t. 7, f. 6. „
 25

Callideriphus Blanch.

- Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 487. — Thoms. Syst. Ceramb. 1864, p. 430. — Lacord. Gen. Col. IX, 1869, p. 131.
bicolor F. Ent. Syst. I, 2, 1792, p. 329. — Ol. Ent. IV, 70, 1795, p. 20, t. 1, f. 4. Südamerika
bipunctatus Perty, Del. Anim. Art. 1830, p. 91, t. 18, f. 10. Brasilien
clathratus Fairm. & Germain, Col. Chile I, 1860, p. 5; II, 1861, p. 8. Chile
collaris Philippi, Stett. Ent. Zeit. XXV, 1864, p. 382. „
grossipes Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 487. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 295. — Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 505. „
laetus Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 488, t. 29, f. 6. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 295. — Fairm. & Germ. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 505. „
niger Philippi, Stett. Ent. Zeit. XXV, 1864, p. 383. „
pieticollis Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 114. Goyaz
tenuis Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 489. Chile
 — White, Cat. Col. Brit. Mus. VIII, 1855, p. 296.
 — Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 506.
transversalis Rev. Mag. Zool. (2) XVI, 1864, p. 389. „
 10

Poeciloderma Thoms.

- Thoms. Classif. Ceramb. 1860, p. 374; Syst. Ceramb. 1864, p. 431. — Lacord. Gen. Col. IX, 1869, p. 132.
lepturoides Jacq. in Sagra, Hist. Cuba, Ins. 1857, p. 267, t. 10, f. 8. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 256. — Lacord. Gen. Col. IX, 1869, p. 133, t. 93, f. 4. Cuba, Haiti
 1

Olbius Thoms.

- Thoms. Syst. Ceramb. 1864, p. 204, 431. — Gahan, Trans. Ent. Soc. Lond. 1895, p. 119.
sexfasciatus Ol. Enc. méth. Ins. V, 1792, p. 265; Ent. IV, 70, 1795, p. 39, t. 4, f. 47. — F. Ent. Syst. I, 2, 1792, p. 336. — Thoms. Syst. Ceramb. 1864, p. 204. Jamaica
quadrifasciatus Schönh. Syn. Ins. I, 3, 1817, p. 460.
 1

Plectrocerum Lacord.

Lacord. Gen. Col. IX, 1869, p. 135.

cribratum Sallé, Ann. Soc. Ent. Fr. (3) IV, 1856, p. 689, Haiti
t. 20, 1, f. 3.

spinicornis Ol. Ent. IV, 70, 1795, p. 68, t. 8, f. 100. „

2

LXXVIII. Agallissini.

J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 321. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 306. — Leng, Bull. Brookl. Ent. Soc. VII, 1885, p. 114.

Agallissus Dalm.

Dalm. Anal. Ent. 1823, p. 66. — Thoms. Classif. Ceramb. 1860, p. 209; Syst. Ceramb. 1864, p. 432. — Lacord. Gen. Col. IX, 1869, p. 133.

Aplectrus Chevr. in D'Orbigny, Dict. Hist. Nat. II, 1849, p. 12.

Cryptopteura J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 6. — Hald. Proc. Acad. Philad. VI, 1853, p. 363.

chamaeropis Horn, Trans. Amer. Ent. Soc. XX, 1893, Florida
p. 138.

lepturoides Chevr. in D'Orbigny, Dict. Hist. Nat. II, Mexico,
1849, p. 12. Texas

clytoides Lacord. Gen. Col. IX, 1869, p. 134,
nota 1 (vix descr.). — Bates, Biol. C.-Amer.
Col. V, 1880, p. 68, 314.

gratus Hald. Proc. Acad. Philad. VI, 1853, p. 363.

— J. Lec. Smiths. Misc. Coll. XI, 265, 1873,
p. 321. — J. Lec. & Horn, Classif. Col. N. Amer.
1883, p. 306. — Leng, Ent. Amer. VI, 1890, p. 9.

melanioides Dalm. Anal. Ent. 1823, p. 66. — Bates, Mexico
Biol. C.-Amer. Col. V, 1880—85, p. 67, 314.

var. *concolor* Bates, l. c. p. 67.

var. *quadrinaculatus* White, Cat. Col. Brit. Honduras
Mus. VII, 1853, p. 61, t. 3, f. 2. — Bates, Biol. „
C.-Amer. Col. V, 1885, p. 314.

var. *trifasciatus* Bates, l. c. p. 67. „

3

Zagymnus J. Lec.

J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 203.

clerinus J. Lec. l. c. XI, 265, 1873, p. 321. — Lec. & Florida
Horn, Classif. Col. N. Amer. 1883, p. 306. —
Leng, Ent. Amer. VI, 1890, p. 9.

1

LXXIX. Ancylocerini.

Lacord. Gen. Col. IX, 1869, p. 135. — J. Lec. Smiths. Misc. Coll. XI, 265,
p. 308. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 293. — Leng,
Bull. Brookl. Ent. Soc. VII, 1885, p. 114.

Callanicyla n. nom.

Callopisma Thoms. Syst. Ceramb. 1864, p. 212. — Lacord. Gen. Col. IX, 1869, p. 137.

- bimaculata* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 119. Goyaz
cribellum Bates, Biol. C.-Amer. Col. V, 1885, p. 315, Panama
 t. 21, f. 21.
curvicollis Buq. Archiv. Ent. I, 1857, p. 138. — Thoms. Brasilien
 Syst. Ceramb. 1864, p. 212.
ruficollis Bates, Trans. Ent. Soc. Lond. 1870, p. 419. Pará

4

Ancylocera Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 107. — Blanch. Hist. Nat. II, 1840, p. 438. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 19. — Buq. Rev. Mag. Zool. (2) VI, 1854, p. 343. — Thoms. Syst. Ceramb. 1864, p. 437. — Lacord. Gen. Col. IX, 1869, p. 136. — Leng, Ent. Amer. II, 1886, p. 31. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 115.

- ✓ *bicolor* Ol. Ent. IV, 68, 1795, p. 32, t. 3, f. 25. — Cast. Südstaaten
 Hist. Nat. II, 1840, p. 438. — Leng, Ent. Amer. Nord-
 II, 1886, p. 31; I, 1885, t. 3, f. 22. — Wickh. amerikas,
 Canad. Ent. XXIX, 1897, p. 148. Canada?
rugicollis F. Syst. El. II, 1801, p. 31. — Ill. „
 Mag. Insektenk. IV, 1805, p. 114. — J. Lec. „
 Journ. Acad. Philad. (2) II, 1850, p. 19. — „
 White, Cat. Col. Brit. Mus. VIII, 1855, p. 210. „
 — Lacord. Gen. Col. IX, 1869, p. 136, t. 93, f. 5. „
 ab. *lividipennis* Hald. Trans. Amer. Philos. „
 Soc. (2) X, 1847, p. 44. „
 ✓ *cardinalis* Dalm. Anal. Ent. 1823, p. 67. — Cast. Hist. Brasilien
 Nat. II, 1840, p. 438. — White, Cat. Col. Brit. „
 Mus. VIII, 1855, p. 211. „
purpurea Perty, Del. Anim. Art. 1830, p. 93, „
 t. 18, f. 15. „
 ✓ *cribricollis* Bates, Biol. C.-Amer. Col. V, 1885, p. 314. Mexico
 ✓ *foveicollis* Buq. Rev. Mag. Zool. (2) VI, 1854, p. 345. Columbien
 — White, Cat. Col. Brit. Mus. VIII, 1855, p. 211. „
 — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, „
 p. 116, f. 1. „
 ab. *nigricornis* Goun. Ann. Soc. Ent. Fr. LXXX, „
 1911, p. 115. „
 ✓ *fulvicornis* Burm. Stett. Ent. Zeit. XXVI, 1865, p. 172. Argentinien
macrotela Bates, Biol. C.-Amer. Col. V, 1880, p. 68. Guatemala
militaris Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 116, Goyaz
 f. 2.
rubella Bates, Trans. Ent. Soc. Lond. 1892, p. 170, Mexico
 t. 7, f. 8. „
Sallei Buq. Archiv. Ent. I, 1858, p. 332. — Bates, Biol. „
 C.-Amer. Col. V, 1880, p. 69. „
seticornis Bates, Trans. Ent. Soc. Lond. 1870, p. 418. Santarem
 ✓ *terminata* Buq. Rev. Mag. Zool. (2) VI, 1854, p. 344. Brasilien
 — White, Cat. Col. Brit. Mus. VIII, 1855, p. 211. „
 ab. *nigricollis* Goun. Ann. Soc. Ent. Fr. LXXX, Goyaz
 1911, p. 116. „
 ✓ *Waterhousei* White, Cat. Col. Brit. Mus. VIII, 1855, Tapajos
 p. 211. — Bates, Trans. Ent. Soc. Lond. 1870, „
 p. 418. „

Championa Bates.

Bates, Biol. C.-Amer. Col. V, 1880, p. 69.

- aurata** Bates, l. c. Guatemala
Badeni Bates, Trans. Ent. Soc. Lond. 1892, p. 170. Mexico
 ✓ **ctenostomoides** Bates, Biol. C.-Amer. Col. V, 1885, „
 p. 315, t. 21, f. 17.
 3

Ischnotes Newm.

Newm. Ann. Mag. Nat. Hist. V, 1840, p. 18. — Thoms. Syst. Ceramb. 1864, p. 437.

- Bakewellei** Pascoe, Trans. Ent. Soc. Lond. (2) V, 1859, Melbourne
 p. 56.
 ✓ **cylindracea** Newm. Ann. Mag. Nat. Hist. V, 1840, p. 18. Adelaide
 — White, Cat. Col. Brit. Mus. VIII, 1855, p. 212,
 t. 7, f. 1.
 2

Cercoptera Spin.

Spinola, Mag. Zool. 1839, Ins. p. 2. — Lacord. Gen. Col. IX, 1869, p. 137.

- Banoni** Spinola, Mag. Zool. 1839, Ins. p. 2, t. 12. — Venezuela,
 Thoms. Syst. Ceramb. 1864, p. 495. — Lacord. Cayenne?
 Gen. Col. IX, 1869, p. 138, nota 1.
 var. *sanguinicollis* Goun. Ann. Soc. Ent. Fr. Goyaz
 LXXX, 1911, p. 117.
 1

LXXX. Platyarthrini.

Bates, Trans. Ent. Soc. Lond. 1870, p. 419.

Coelarthrinae Lacord. Gen. Col. IX, 1869, p. 138.**Ptycholaemus** Chevr.

Chevr. Ann. Soc. Ent. Fr. (3) VI, 1858, p. 322. — Thoms. Classif. Ceramb. 1860, p. 185; Syst. Ceramb. 1864, p. 445. — Lacord. Gen. Col. IX, 1869, p. 139.

- maculipes** Thoms. Archiv. Ent. II, 1858, p. 149. — Gabun,
 ? Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika- Ituri
 Exped. III, 1911, p. 432.
 ✓ **lativittis** Har. Mitth. Münch. Ent. Ver. II, 1878, p. 109; Angola
 Col. Hefte XVI, 1879, p. 174.
 ✓ **signaticollis** Hope, Ann. Mag. Nat. Hist. XI, 1843, Cap Palmas
 p. 367. — Jord. Nov. Zool. XVI, 1909, p. 310.
 ✓ **simplicicollis** Thoms. Archiv. Ent. II, 1858, p. 149, Gabun
 t. 5, f. 1.
 ✓ **Troberti** Chevr. Ann. Soc. Ent. Fr. (3) VI, 1858, p. 324, Guinea
 t. 8, f. 5. — Daviv. Ann. Soc. Ent. Belg. XXXVI,
 1892, p. 338.

Stenygra Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 95. — Cast. Hist. Nat. II, 1840, p. 444. — Thoms. Classif. Ceramb. 1860, p. 188; Syst. Ceramb. 1864, p. 436. — Lacord. Gen. Col. IX, 1869, p. 140. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 120.

- apicalis** Goun. l. c. p. 123. Südbrasilien
- angustata** Ol. Enc. méth. Ins. V, 1790, p. 252; Ent. Cayenne,
IV, 70, 1795, p. 32, t. 6, f. 71. — Cast. Hist. Amazon.
Nat. II, 1840, p. 444. — White, Cat. Col. Brit.
Mus. VIII, 1855, p. 220. — Bates, Trans. Ent.
Soc. Lond. 1870, p. 419.
- coarctata* F. Syst. El. II, 1801, p. 349.
- conspicua** Perty, Del. Anim. Artic. 1830, p. 19, t. 18,
f. 11. — White, Cat. Col. Brit. Mus. VIII, 1855,
p. 221. — Goun. Ann. Soc. Ent. Fr. LXXX,
1911, p. 121, fig.
- tricolor* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 97.
— Cast. Hist. Nat. II, 1840, p. 445.
- contracta** Pascoe, Journ. Ent. I, 1862, p. 355. — Bates, Amazon.
Trans. Ent. Soc. Lond. 1870, p. 420.
- cosmocera** White, Cat. Col. Brit. Mus. VIII, 1855, p. 221. Pará
— Bates, Trans. Ent. Soc. Lond. 1870, p. 420.
— Goun. Ann. Soc. Ent. Fr. LXXX, 1911,
p. 122.
- globicollis** Kirsch, Abh. Zool. Mus. Dresden (2) II, 4, Ecuador
1889, p. 38, t. 4, f. 72.
- histrion** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 97. — Mexico,
Cast. Hist. Nat. II, 1840, p. 445. — White, Guatemala,
Cat. Col. Brit. Mus. VIII, 1855, p. 221. Nicaragua
- Holmgreni** Auriv. Arkiv f. Zool. V, 1, 1909, p. 5. Peru
- setigera** Germ. Ins. spec. nov. 1824, p. 516. — White, Südbrasilien
Cat. Col. Brit. Mus. VIII, 1855, p. 221. —
Heyne, Exot. Käfer 1906, t. 36, f. 15. — Goun.
Ann. Soc. Ent. Fr. LXXX, 1911, p. 120, fig.

9

Platyarthron Guér.

Guér. Icon. règne anim. Ins. 1844, p. 230. — Bates, Biol. C.-Amer. Col. V,
1880, p. 70.

Coelarthron Lacord. Gen. Col. IX, 1869, p. 142.

Coelomarthron Thoms. Classif. Ceramb. 1860, p. 199; Syst.
Ceramb. 1864, p. 436.

- bilineatum** Guér. Icon. règne anim. Ins. 1844, p. 230. Mexico
- chilense** Thoms. Classif. Long. 1860, p. 200. (Chile?)
- quadrinotatum* Bates, Trans. Ent. Soc. Lond. Nicaragua
1869, p. 385; Biol. C.-Amer. Col. V, 1880, p. 70,
t. 6, f. 1.
- laterale** Bates, l. c. 1885, p. 316. "
- nanum** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 124. Goyaz
- rectilineum** Bates, Biol. C.-Amer. Col. V, 1880, p. 70. Guatemala
- semivittatum** Bates, l. c. 1885, p. 316, t. 21, f. 22. Panama
- sexlineatum** Buq. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 624. Columbien

7

Phimosia Bates.

Bates, Trans. Ent. Soc. Lond. 1870, p. 420.

ebenina Bates, l. c. p. 421.

Pará

1

Trachelissa n. nom.*Trachelia* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 25. — Cast. Hist. Nat. II, 1840, p. 430. — Thoms. Classif. Ceramb. 1860, p. 188; Syst. Ceramb. 1864, p. 436. — Lacord. Gen. Col. IX, 1869, p. 143.*eburioides* White, Cat. Col. Brit. Mus. VII, 1853, p. 61. Neugranada*maculicollis* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 26. Brasilien

— Cast. Hist. Nat. II, 1840, p. 430.

var. *rufiventris* Goun. Ann. Soc. Ent. Fr. LXXX, Goyaz

1911, p. 125.

pustulata Serv. Ann. Soc. Ent. Fr. III, 1834, p. 25. Brasilien

— Cast. Hist. Nat. II, 1840, p. 430.

♂ *octolineata* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 26.*rugosipennis* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, Goyaz

p. 126.

4

LXXXI. Atimini.

J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 322. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 307. — Leng, Bull. Brookl. Ent. Soc. VII, 1885, p. 61.

Atimia Hald.

Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 56; Proc. Amer. Philos. Soc. IV, 1847, p. 373. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 25. — Thoms. Syst. Ceramb. 1864, p. 441. — Lacord. Gen. Col. IX, 1869, p. 144. — Gahan, Ann. Mag. Nat. Hist. (8) I, 1908, p. 144.

confusa Say, Journ. Acad. Philad. V, 2, 1827, p. 276. — Mittelstaaten
Hald. Proc. Amer. Phil. Soc. IV, 1847, p. 373. — Nord-
J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 25. amerikas
— Leng, Ent. Amer. VI, 1890, p. 10. — Wickh. bis Canada
Canad. Ent. XXIX, 1897, p. 169.*tristis* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 56.*dorsalis* J. Lec. Ann. Mag. Nat. Hist. (4) IV, 1869, p. 385. Vancouver,
— Leng, Ent. Amer. VI, 1890, p. 10. Californien

2

LXXXII. Poecilopeplini.

Lacord. Gen. Col. IX, 1869, p. 147.

Poecilopeplus Thoms.Thoms. Classif. Ceramb. 1860, p. 205; Syst. Ceramb. 1864, p. 459. —
Lacord. Gen. Col. IX, 1869, p. 147.*Batesi* White, Cat. Col. Brit. Mus. VII, 1853, p. 56, t. 3, Santarem
f. 1. — Bates, Trans. Ent. Soc. Lond. 1870, p. 422.

- ✓ **corallifer** Sturm, Catal. 1826, p. 79, t. 4, f. 35. — Thoms. Brasilien
 Classif. Ceramb. 1860, p. 206. — Haase, Bibl.
 Zoolog. VIII, 1893, t. 14, f. 123.
versicolor Cast. Hist. Nat. II, 1840, p. 412. —
 Blanch. in D'Orbigny, Dict. Hist. Nat. 1849,
 Col. t. 12, f. 1.
flavescens Rosenb. Nov. Zool. V, 1898, p. 92. Ecuador
haemopterus Lucas, Voy. Castelnau 1859, p. 178, t. 11, f. 5. Goyaz
intricatus Blanch. Voyag. D'Orb. Ins. 1843, p. 207, Bolivien
 t. 28, f. 8.
martialis Rosenb. Nov. Zool. V, 1898, p. 92. Costarica
Tardiffi Michard, Rev. d'Ent. VI, 1887, p. 139. Columbien

7

Georgiana n. nom.

Georgia Thoms. Archiv. Ent. I, 1857, p. 21. — Lacord. Gen. Col. IX, 1869, p. 148.

- xanthomelaena** White, Proc. Zool. Soc. Lond. 1856, Amazon.,
 p. 408, t. 40, f. 11. — Bates, Trans. Ent. Soc. Cayenne
 Lond. 1870, p. 423.
citrina Thoms. Archiv. Ent. I, 1857, p. 21, t. 9,
 f. 1, 2.

1

LXXXIII. Tropidosomatini.

Lacord. Gen. Col. IX, 1869, p. 149.

Tropidosoma Perty.

Perty, Del. Anim. Art. 1830, p. 85. — Thoms. Classif. Ceramb. 1860,
 p. 377; Syst. Ceramb. 1864, p. 457. — Lacord. Gen. Col. IX, 1869, p. 150.

Allocerus Serv. Ann. Soc. Ent. Fr. I, 1832, p. 180. — Cast. Hist.
 Nat. II, 1840, p. 409.

- dilaticorne** Gory, Ann. Soc. Ent. Fr. I, 1832, p. 384, Cayenne
 t. 12 B, f. 1.
penniferum Bates, Trans. Ent. Soc. Lond. 1870, p. 423. Amazon.:
 Ega
 ✓ **Spencei** Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 438, Brasilien
 t. 22, f. 13. — Perty, Del. Anim. Art. 1830, p. 85,
 t. 17, f. 2. — Serv. Ann. Soc. Ent. Fr. I, 1832,
 p. 181. — Goun. Ann. Soc. Ent. Fr. LXXX,
 1911, p. 129.
Spenceaei Cast. Hist. Nat. II, 1840, p. 410.

3

Ctenodes Ol.

Ol. Ent. VI, 95 bis, 1807, p. 779. — Latr. in Cuv. Règne anim. ed. Masson
 1832, p. 475. — Thoms. Syst. Ceramb. 1864, p. 459. — Lacord. Gen. Col.
 IX, 1869, p. 151.

- geniculata** Klug, Nova Acta Acad. Nat. Cur. XII, 2, 1825, Brasilien
 p. 456, t. 42, f. 3. — Latr. in Cuv. Règne anim.
 Ins. ed. Masson 1832, t. 65, f. 6.

- var. *thoracica* Redt. Reise Novara, Col. 1868, p. 201. — Goun. Ann. Soc. Ent. Fr. LXXV, 1906, p. 19. Brasilien
- decemmaculata* Ol. Ent. VI, 95 bis, 1807, p. 781, t. 1, f. 1. — Latr. Gen. Crust. Ins. IV, 1809, p. 382. „
- isabellina* Bates, Trans. Ent. Soc. Lond. 1870, p. 424. Amazon.:
Ega
Pará
- miniata* Klug, Nova Acta Acad. Nat. Cur. XII, 2, 1825, p. 455, t. 42, f. 2. — Bates, Trans. Ent. Soc. Lond. 1870, p. 425. — Haase, Bibl. Zool. VIII, 1893, t. 14, f. 121. „
- zonata* Klug, Nova Acta Acad. Nat. Cur. XII, 2, 1825, p. 454, t. 42, f. 1. — Bates, Trans. Ent. Soc. Lond. 1870, p. 425. „

5

Pteracantha Newm.

Newm. Entomol. Mag. V, 1838, p. 392. — Thoms. Classif. Ceramb. 1860, p. 207; Syst. Ceramb. 1864, p. 458. — Lacord. Gen. Col. IX, 1869, p. 152.

Amallocerus Guér. Icon. règne anim. Ins. 1844, p. 218.

fasciata Newm. Entomol. Mag. V, 1838, p. 393. — Lacord. Gen. Col. IX, 1869, p. 153, t. 94, f. 1. Brasilien

spinosa Guér. Icon. règne anim. Ins. 1844, p. 218.

1

Streptolabis Bates.

Bates, Ent. Month. Mag. IV, 1867, p. 23; Trans. Ent. Soc. Lond. 1870, p. 421. — Lacord. Gen. Col. IX, 1869, p. 153.

hispidoides Bates, Ent. Month. Mag. IV, 1867, p. 23; Trans. Ent. Soc. Lond. 1870, p. 422. Amazon.:
Ega

1

LXXXIV. Sternacanthini.

Lacord. Gen. Col. IX, 1869, p. 154.

Sternacanthus Serv.

Serv. Ann. Soc. Ent. Fr. I, 1832, p. 172. — Thoms. Classif. Ceramb. 1860, p. 207; Syst. Ceramb. 1864, p. 459. — Lacord. Gen. Col. IX, 1869, p. 154.

Allstoni Bates, Trans. Ent. Soc. Lond. 1870, p. 426. Pará

Batesi Pascoe, Journ. Ent. I, 1862, p. 355. — Bates, Trans. Ent. Soc. Lond. 1870, p. 425. „

plicicornis Thoms. Classif. Ceramb. 1860, p. 209. Peru

✓ *picticornis* Pascoe, Trans. Ent. Soc. Lond. (2) IV, 1857, p. 95. — Bates, l. c. 1870, p. 426. Amazon.:
Ega

sexmaculatus Bates, l. c. Tapajos

✓ *undatus* Ol. Ent. IV, 66, 1795, p. 32, t. 13, f. 53. — Cast. Surinam
Hist. Nat. II, 1840, p. 412.

6

Cryptobias Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 35. — Cast. Hist. Nat. II, 1840, p. 419. — Thoms. Classif. Ceramb. 1860, p. 207; Syst. Ceramb. 1864, p. 459. — Lacord. Gen. Col. IX, 1869, p. 155.

Nosophloeus Dup. Mag. Zool. 1836, Ins. p. 15.

coccineus Serv. Ann. Soc. Ent. Fr. III, 1834, p. 36. — Brasilien
Dup. Mag. Zool. 1836, Ins. t. 147.

concinuus Dup. l. c. p. 16.

ocellatus Dohrn, Stett. Ent. Zeit. XL, 1879, p. 459. „

2

Batus Thunb.

Thunberg, Mém. Acad. Petersb. VIII, 1822, p. 307.

Lophonocerus Latr. Crust. Arachn. Ins. II, 1829, p. 112. — Serv. Ann. Soc. Ent. Fr. III, 1834, p. 33. — Latr. in Cuv. Règne anim. ed. Masson 1832, p. 474, t. 65, f. 5. — Cast. Hist. Nat. Ins. II, 1840, p. 421. — Thoms. Classif. Ceramb. 1860, p. 207; Syst. Ceramb. 1864, p. 459. — Lacord. Gen. Col. IX, 1869, p. 156.

✓ *barbicornis* L. Mus. Lud. Ulricae 1764, p. 68; Syst. Nat. ed. 12, 1767, p. 625. — F. Syst. Ent. 1775, p. 168. — Ol. Enc. méth. Ins. V, 1790, p. 299; Ent. IV, 67, 1795, p. 8. — Gray in Griffith, Anim. Kingd. Ins. II, 1832, p. 102, t. 88, f. 5. — Cast. Hist. Nat. II, 1840, p. 421. — Bates, Trans. Ent. Soc. Lond. 1870, p. 426. Cayenne, Amazon.

guianus Goeze, Ent. Beytr. I, 1777, p. 464.

hirticornis Blanch. in D'Orbigny, Dict. Hist. Nat. 1849, Col. t. 12, f. 3.

speciosus Voet, Cat. Col. II, 1778, p. 12, t. 9, f. 37; ed. Panzer III, 1794, p. 28, t. 9, f. 37.

✓ *hirticornis* Gyllh. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 176. — Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 441. — Heyne, Exot. Käfer 1906, p. 240, t. 36, f. 27. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 130. Brasilien

Latreillei White, Cat. Col. Brit. Mus. VII, 1853, p. 83. „

barbicornis Ol. Ent. IV, 67, 1795, t. 7, f. 48. „

tuberculicollis Chabrill. Archiv. Ent. I, 1857, p. 198. „

4

Cosmocerus Guér.

Guér. Icon. règne anim. Ins. 1844, p. 219. — Thoms. Syst. Ceramb. 1864, p. 260, 459. — Lacord. Gen. Col. IX. 1869, p. 157.

strigosus Guér. Icon. règne anim. Ins. 1844, p. 219. — Brasilien
Thoms. Syst. Ceramb. 1864, p. 260. — Lacord.
Gen. Col. IX, 1869, p. 158.

1

Ceragenia Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 32. — Cast. Hist. Nat. II, 1840, p. 421. — Thoms. Classif. Ceramb. 1860, p. 207; Syst. Ceramb. 1864, p. 459. — Lacord. Gen. Col. IX, 1869, p. 158.

Cerogenia Gemm. & Har. Cat. Col. IX, 1873, p. 2964.

- amazonica** Thoms. Classif. Ceramb. 1860, p. 210. Amazon.
bicornis F. Syst. El. II, 1801, p. 274: — Cast. Hist. Surinam,
 Nat. II, 1840, p. 421. — Bates, Trans. Ent. Soc. Amazon.
 Lond. 1870, p. 427.
"luteus occidentalis reverberans" Voet, Cat.
 Col. II, 1778, p. 8, t. 6, f. 11.
striata Ol. Ent. IV, 67, 1795, p. 27 (ex parte),
 t. 5, f. 31.
- ✓ **Leprieuri** Guér. Icon. règne anim. Ins. 1844, p. 219. Cayenne,
 Panama *Fig. in*
- ✓ **spinipennis** Bates, Trans. Ent. Soc. Lond. 1870, p. 427. Amazon.:
 Ega
- 4

Phyllarthrius Hope.

- Hope, Ann. Mag. Nat. Hist. XI, 1843, p. 366. — Jordan, Nov. Zool. XVI,
 1909, p. 309.
- africanus** Hope, Ann. Mag. Nat. Hist. XI, 1843, p. 366. Sierra Leone
 — Jord. Nov. Zool. XVI, 1909, p. 309.
 var. *benitensis* Jord. l. c. p. 310. Benito
- unicolor** Hope, Ann. Mag. Nat. Hist. XI, 1843, p. 367. Ashanti
 — Jord. Nov. Zool. XVI, 1909, p. 310.
- 2

LXXXV. Pteroplatini.

Thoms. Syst. Ceramb. 1864, p. 256.

- Paristemiinae* Lacord. Gen. Col. IX, 1869, p. 159. — J. Lec.
 Smiths. Misc. Coll. XI, 265, 1873, p. 309. — J. Lec. & Horn,
 Classif. Col. N. Amer. 1883, p. 294. — Leng, Bull. Brookl. Ent.
 Soc. VII, 1885, p. 114; Ent. Amer. II, 1886, p. 31.

Athetesis Bates.

Bates, Trans. Ent. Soc. Lond. 1870, p. 428.

- convergens** Bates, Trans. Ent. Soc. Lond. 1892, p. 171, Mexico
 t. 7, f. 10.
- prolixa** Bates, l. c. 1870, p. 428. Amazon.,
 S. Paulo
- 2

Parevander n. nom.

Evander Lacord. Gen. Col. IX, 1869, p. 160 (non Thoms.).

- ✓ **Nietii** Guér. Rev. Zool. 1844, p. 257; Mag. Zool. XIV, 1844, Mexico,
 Ins. p. 2, t. 146. — Lacord. Gen. Col. IX, 1869, Guatemala
 p. 161, t. 94, f. 2.
Nietoi Gemm. & Har. Cat. Col. IX, 1873, p. 2964.
- nobilis** Bates, Trans. Ent. Soc. Lond. 1872, p. 192; Biol. Nicaragua
 C.-Amer. Col. V, 1880, p. 71, t. 6, f. 11.
- ✓ **unicolor** Bates, l. c. t. 6, f. 12. Costarica
- ✓ **xanthomelas** Guér. Rev. Zool. 1844, p. 258; Mag. Zool. Mexico,
 XIV, 1844, Ins. t. 146, p. 3. Guatemala
- 4

Amphidesmus Serv.

- Serv. Ann. Soc. Ent. Fr. III, 1834, p. 65. — Cast. Hist. Nat. II, 1840, p. 421. — Guér. Mag. Zool. XIV, 1844, Ins. nr. 146, p. 1 (ex parte).
Evander Thoms. Classif. Ceramb. 1860, p. 377; Syst. Ceramb. 1864, p. 257, 458.
Paristemia Westw. Ann. Mag. Nat. Hist. VIII, 1842, p. 124; Arcana Ent. II, 1845, p. 57. — Thoms. Classif. Ceramb. 1860, p. 255; Syst. Ceramb. 1864, p. 458. — Lacord. Gen. Col. IX, 1869, p. 161.
- analis** Ol. Ent. IV, 67, 1795, p. 37, t. 19, f. 144. — Südafrika,
 Guér. Rev. Zool. 1844, p. 258. — Dist. Ins. Trans- Abessinien
 vaal. 1904, p. 125, t. 11, f. 20.
pellurus Weber, Obs. Ent. 1801, p. 87. — Licht.
 Cat. Mus. Hamb. 1796, p. 47.
quadridens F. Syst. El. II, 1801, p. 274. — Serv.
 Ann. Soc. Ent. Fr. III, 1834, p. 66. — Cast.
 Hist. Nat. II, 1840, p. 421.
- apicalis** Westw. Arcana Ent. II, 1843, p. 57, t. 64, f. 2. — Westafrika
 Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 46.
Westermanni Guér. Mag. Zool. XIV, 1844, Ins.
 t. 146, p. 4.
- calabarius** Bates, Proc. Zool. Soc. Lond. 1890, p. 488. Altcalabar
platypterus Westw. Ann. Mag. Nat. Hist. VIII, 1842, Westafrika
 p. 124; Arcana Ent. II, p. 57, t. 64, f. 1. —
 Thoms. Archiv. Ent. II, 1858, p. 146. — Hintz,
 Wiss. Ergebn. Deutschen Zentr.-Afrika-Exped.
 III, 1911, p. 430.
- Theorini** Auriv. Ent. Tidskr. VII, 1886, p. 91. — Gabun,
 Proc. Zool. Soc. Lond. 1890, p. 487. — Duviv. Congo
 Ann. Soc. Ent. Belg. XXXVI, 1892, p. 340.
- 5

Diastellopterus Thoms.

- Thoms. Archiv. Ent. II, 1858, p. 146; Classif. Ceramb. 1860, p. 255; Syst.
 Ceramb. 1864, p. 458. — Lacord. Gen. Col. IX, 1869, p. 162.
- clavatus** Chevr. Rev. Mag. Zool. (2) VII, 1855, p. 513; Gabun
 Cent. Longic. 1858, nr. 32. — Lacord. Gen. Col.
 IX, 1869, p. 162. — Murr. Ann. Mag. Nat. Hist.
 (4) VI, 1870, p. 46.
volitans Thoms. Archiv. Ent. II, 1858, p. 147,
 t. 4, f. 8.
- 1

Thelgetra Thoms.

- Thoms. Syst. Ceramb. 1864, p. 258. — Lacord. Gen. Col. IX, 1869, p. 163.
- latipennis** Thoms. Syst. Ceramb. 1864, p. 258. — Goun. Brasilien
 Ann. Soc. Ent. Fr. LXXX, 1911, p. 130.
- 1

Deltosoma Thoms.

- Thoms. Syst. Ceramb. 1864, p. 258. — Lacord. Gen. Col. IX, 1869, p. 163.
 — Bates, Biol. C.-Amer. Col. V, 1880, p. 72.
- guatemalense** Bates, Biol. C.-Amer. Col. V, 1880, p. 72. Guatemala
Lacordairei Thoms. Syst. Ceramb. 1864, p. 258. Cayenne
- 2

Cosmoplatus Auriv.

Auriv. Ent. Tidskr. XII, 1891, p. 101.

peruvianus Auriv. l. c. p. 102, f. 2.

Peru

1

Cosmoplatidius Goun.

Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 131.

annulipes Blanch. Voy. d'Orbigny, Ins. 1843, p. 207, Bolivien
t. 21, f. 1.

mandibularis Goun. Ann. Soc. Ent. Fr. LXXX, 1911, Goyaz
p. 132.

2

Pteroplatus Buq.

Buq. Ann. Soc. Ent. Fr. IX, 1840, p. "385." — Thoms. Classif. Ceramb. 1860, p. 255; Syst. Ceramb. 1864, p. 458. — Lacord. Gen. Col. IX, 1869, p. 164.

✓ adustus Burm. Stett. Ent. Zeit. XXVI, 1865, p. 165. Argentinien

ancora Belon, Rev. d'Ent. XXII, 1903, p. 52. Bolivien

arrogans Buq. Rev. Zool. 1840, p. 287; Ann. Soc. Ent. Columbien
Fr. IX, 1840, p. "390".

atroviolaceus Kirsch, Abh. Zool. Mus. Dresden (2) II, ,,
4, 1889, p. 39, t. 4, f. 73.

bilineatus Buq. Rev. Zool. 1841, p. 207. ,,

dimidiatipennis Buq. l. c. ,,

elegans Buq. l. c. p. 206. ,,

fasciatus Buq. l. c.; Ann. Soc. Ent. Fr. X, 1841, p. 151. ,,

gracilis Buq. Rev. Zool. 1840, p. 287; Ann. Soc. Ent. Columbien
Fr. IX, 1840, p. "388".

lycoides Guér. Icon. règne anim. Ins. 1844, p. 233. Brasilien

nigriventris Brème, Ann. Soc. Ent. Fr. (2) II, 1844, Columbien
p. 310, t. 9, f. 4.

pulcher Buq. Rev. Zool. 1840, p. 287; Ann. Soc. Ent. ,,
Fr. IX, 1840, p. "386".

quadriscopulatus Bates, Biol. C.-Amer. Col. V, 1880, Mexico,
p. 73, 317. Guatemala

✓ radiatus Haase, Bibl. Zool. VIII, 1892, t. 13, f. 104. Brasilien

Rostainei Buq. Rev. Zool. 1840, p. 227; Ann. Soc. Ent. Columbien
Fr. IX, 1840, p. "389".

✓ sellatus White, Cat. Col. Brit. Mus. VII, 1853, p. 82, Mexico,
t. 3, f. 3. Honduras,
Nicaragua

simulans Bates, Trans. Ent. Soc. Lond. 1870, p. 428. Amazon.:
Ega

suturalis Buq. Rev. Zool. 1840, p. 287; Ann. Soc. Ent. Columbien
Fr. IX, 1840, p. "387".

transversalis Brème, l. c. (2) II, 1844, p. 309, t. 9, f. 3. ,,

variabilis Sallé, l. c. (2) VII, 1849, p. 430, t. 13, f. 2. Venezuela

20

Elytroleptus Dugès.

Dugès, La Natureza Mexic. IV, 1879, p. 182. — Bates, Biol. C.-Amer. Col. V, 1885, p. 317. — Leng, Ent. Amer. II, 1886, p. 31.

Pteroplatus J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 310. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 295.

✓ apicalis J. Lec. Trans. Amer. Ent. Soc. XII, 1884, p. 24. Arizona,
— Leng, Ent. Amer. II, 1886, p. 32. Mexico

1444 & only figured. description. p. 16.

- ✓ *divisus* J. Lec. Trans. Amer. Ent. Soc. XII, 1884, p. 23. Texas,
— Leng, Ent. Amer. II, 1886, p. 32. Florida
♀ *brevicornis* Casey, Ann. N. York Acad. VII,
1893, p. 586. — Hamilton, Trans. Amer. Ent.
Soc. XXIII, 1896, p. 169.
- Eros* Bates, Biol. C.-Amer. Col. V, 1885, p. 318, t. 21, Mexico
f. 23.
- ✓ *floridanus* J. Lec. Proc. Acad. Philad. 1862, p. 42. — Florida
Leng, Ent. Amer. II, 1886, p. 31, t. 2, f. 1.
- ✓ *ignitus* J. Lec. Trans. Amer. Ent. Soc. XII, 1884, p. 24. Arizona,
— Leng, Ent. Amer. II, 1886, p. 32. Mexico
- longipennis* Bates, Biol. C.-Amer. Col. V, 1885, p. 318. „
luteus Dugès, Natureza Mexic. IV, 1879, p. 185, „
t. 6, f. 10.
- metallicus* Nonfr. Ent. Nachr. XX, 1894, p. 140. Honduras
nigripennis Bates, Biol. C.-Amer. Col. V, 1885, p. 318. Mexico
octocostatus Bates, l. c. 1880, p. 73, 317. „
✓ *pallidus* Thoms. Classif. Ceramb. 1860, p. 255. „
Alfredi Dugès, Natureza Mexic. IV, 1879, p. 185,
t. 6, f. 9.
- ✓ *rufipennis* J. Lec. Trans. Amer. Ent. Soc. XII, 1884, Arizona,
p. 23. — Leng, Ent. Amer. II, 1886, p. 31, 32. Neumexico
seabricollis Bates, Trans. Ent. Soc. Lond. 1892, p. 172, Mexico
t. 7, f. 7.

13

Holopleura J. Lec.

- J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 193; XI, 265, 1873, p. 310.
— J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 295. — Leng, Ent. Amer.
II, 1886, p. 31.

- marginata* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Californien
p. 194. — Leng, Ent. Amer. II, 1886, p. 32,
t. 3, f. 2.
♀ *Helena* J. Lec. Smiths. Misc. Coll. XI, 264,
1873, p. 194.

1

Aphylax Lacord.

Lacord. Gen. Col. IX, 1869, p. 165.

- ✓ *lyciformis* Germ. Ins. spec. nov. 1824, p. 502. — Thoms. Brasilien
Syst. Ceramb. 1864, p. 167 nota. — Goun. Ann.
Soc. Ent. Fr. LXXX, 1911, p. 134.
mentiens Lacord. Gen. Col. IX, 1869, p. 165,
nota 2.

1

Corynellus Bates.

Bates, Biol. C.-Amer. Col. V, 1885, p. 318.

- mimulus* Bates, l. c. p. 319. Mexico
ochraceus Bates, l. c. t. 21, f. 20. Panama

2

Prodontia Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 64. — Cast. Hist. Nat. II, 1840, p. 422. — Thoms. Classif. Ceramb. 1860, p. 234; Syst. Ceramb. 1864, p. 461.
— Lacord. Gen. Col. IX, 1869, p. 165.

dimidiata Serv. Ann. Soc. Ent. Fr. III, 1834, p. 65. — Brasilien
Lacord. Gen. Col. IX, 1869, p. 166.

plagiata Buq. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 622. „

2

Pseuderos Lameere.

Lameere, Ann. Soc. Ent. Fr. LXII, 1893, p. 42. — Auriv. Arkiv f. Zool. III, 18, 1907, p. 14.

Antennica Jord. Nov. Zool. I, 1894, p. 154; X, 1903, p. 138.

clypealis Auriv. Arkiv f. Zool. III, 18, 1907, p. 13. Kamerun

exul Lameere, Ann. Soc. Ent. Fr. LXII, 1893, p. 43. — Assinie

Jord. Nov. Zool. X, 1903, p. 138.

lutea Jord. l. c. I, 1894, p. 155. Kuilu

nigripes Jord. l. c. p. 154, t. 9, f. 4. „

4

LXXXVI. Stenaspini.

Lacordaire, Gen. Col. IX, 1869, p. 166. — Pascoe, Trans. Ent. Soc. Lond. (3) III, 1869, p. 553, 563.

Purpuriceninae Gahan, Fauna Brit. Ind. Col. I, 1906, p. 183.

Stenaspes + *Tyloses* J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 313—315. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 298—300.

Crioprosopus Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 53. — Dup. Mag. Zool. VIII, 1838, Cl. IX, p. 53, t. 224, f. 15. — Thoms. Syst. Ceramb. 1864, p. 434. — Lacord. Gen. Col. IX, 1869, p. 170. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 299. — Bates, Biol. C.-Amer. Col. V, 1885, p. 319. — Leng, Ent. Amer. II, 1886, p. 60, 62.

Callona Westw. Trans. Ent. Soc. Lond. II, 1840, p. 228. — Thoms. Syst. Ceramb. 1864, p. 434.

amoenus Jord. Ann. Mag. Nat. Hist. (6) XV, 1895, p. 220. Costarica

✓ **basileus** Bates, Biol. C.-Amer. Col. V, 1880, p. 75, 320. Mexico

✓ **cacicus** Bates, l. c. 1885, p. 319 nota. Columbien

Championi Bates, l. c. p. 320. Guatemala

iridescens ♀ Bates, l. c. 1880, p. 74.

divisus Bates, l. c. 1885, p. 320. Mexico

Gaumeri Bates, Trans. Ent. Soc. Lond. 1892, p. 172. „

iridescens White, Cat. Col. Brit. Mus. VII, 1853, p. 80. — Guatemala

♂ Bates, Biol. C.-Amer. Col. V, 1880—85, p. 74, 320.

✓ **lampros** Bates, l. c. p. 321. Panama

tricolor Bates, l. c. p. 75.

- lateralis* J. Lec. Trans. Amer. Ent. Soc. XII, 1884, p. 22. Texas
 — Leng. Ent. Amer. II, 1886, p. 62.
magnificus J. Lec. Trans. Amer. Ent. Soc. V, 1875, p. 173. Arizona
 — Leng. Ent. Amer. II, 1886, p. 62.
Nieti Chevr. Rev. Mag. Zool. (2) IX, 1857, p. 103, t. 6, f. 1. Mexico
Nietoï Bates, Biol. C.-Amer. Col. V, 1880, p. 74.
rimosus Buq. Rev. Zool. 1840, p. 142; Mag. Zool. XI, 1841, Texas
 Ins. t. 66.
splendens J. Lec. Proc. Acad. Philad. VI, 1853, p. 441; Arcana Nat. 1859, p. 127, t. 12, f. 9. —
 Leng. Ent. Amer. II, 1886, p. 62, t. 3, f. 9.
✓ *rutilans* Bates, Trans. Ent. Soc. Lond. 1869, p. 384; Biol. Nicaragua
 C.-Amer. Col. V, 1880, p. 75, t. 6, f. 3.
Saundersi White, Cat. Col. Brit. Mus. VII, 1853, p. 79. Mexico
Servillei Serv. Ann. Soc. Ent. Fr. III, 1834, p. 54. —
 Dupont, Mag. Zol. VIII, 1838, Cl. IX, p. 53, t. 217. "
thoracicus White, Cat. Col. Brit. Mus. VII, 1853, p. 78. Honduras
tricolor Waterh. Trans. Ent. Soc. Lond. II, 1840, p. 228. — Venezuela
 Bates, Biol. C.-Amer. Col. V, 1885, p. 321.
viridipennis Latr. in Humb. Voy. I, 1811, p. 163, t. 16, Neugranada
 f. 8. — Dupont, Mag. Zool. VIII, 1838, Cl. IX, p. 54, t. 218.

18

Stenaspis Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 51. — Dupont, Mag. Zool. VIII, 1838, Cl. IX, p. 50, t. 224, f. 14. — Cast. Hist. Nat. II, 1840, p. 419. — Thoms. Classif. Ceramb. 1860, p. 208; Syst. Ceramb. 1864, p. 434. — Lacord. Gen. Col. IX, 1869, p. 171. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 314. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 299. — Leng. Ent. Amer. II, 1886, p. 60.

Smileceras J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 8.

- castaneipennis* Dupont, Mag. Zool. VIII, 1838, Cl. IX, Mexico
 p. 52, t. 216, f. 2.
pilosella Bates, Trans. Ent. Soc. Lond. 1892, p. 173, t. 7, "
 f. 11.
plagiata Waterh. l. c. 1877, p. 12; Aid identif. Ins. II, Guatemala
 1886, t. 171, f. 6.
✓ *solitaria* Say, Journ. Acad. Philad. III, 1823, p. 410. — Kansas,
 — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 9; Arkansas,
 Proc. Acad. Philad. VI, 1853, p. 441; Col. Kansas Colorado,
 1859, p. 20, t. 2, f. 14. — Bates, Biol. C.-Amer. Col. Arizona,
 V, 1885, p. 321. — Leng. Ent. Amer. II, 1886, Neumexico,
 p. 62, t. 3, f. 8. Mexico
unicolor Dupont, Mag. Zool. X, 1840, Ins. p. 11, t. 38.
superba Auriv. Arkiv f. Zool. V, 1, 1909, p. 5, f. 1. Bolivien
✓ *verticalis* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 52. — Texas,
 Cast. Hist. Nat. II, 1840, p. 419. — Dupont, Mag. Arizona,
 Zool. VIII, 1838, Cl. IX, p. 57, t. 216, f. 1. — Mexico
 Bates, Biol. C.-Amer. Col. V, 1885, p. 321. —
 Leng. Ent. Amer. II, 1886, p. 62.
superba Newm. Entomol. Mag. V, 1838, p. 493.

6

Deltaspis Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 7. — Thoms. Classif. Ceramb. 1860, p. 208. — Chevr. Journ. Ent. I, 1861, p. 247. — Lacord. Gen. Col. IX, 1869, p. 172. — Bates, Biol. C.-Amer. Col. V, 1880, p. 76, 322.

Eudoxilus Lacord. Gen. Col. IX, 1869, p. 172.

alutacea Bates, Biol. C.-Amer. Col. V, 1885, p. 323. Mexico

auromarginata Serv. Ann. Soc. Ent. Fr. III, 1834, p. 8. — Lacord. Gen. Col. IX, 1869, p. 172. „

var. *cyanipes* Bates, Biol. C.-Amer. Col. V, 1885, p. 322. „

disparilis Bates, Ent. Month. Mag. (2) II, 1891, p. 160. „

fulva Bates, Trans. Ent. Soc. Lond. 1892, p. 174. „

marginella Bates, Ent. Month. Mag. (2) II, 1891, p. 160. „

moesta Bates, Biol. C.-Amer. Col. V, 1885, p. 323. „

✓ *nigripennis* Bates, l. c. 1880, p. 77, 322. „

rubens Bates, l. c. 1885, p. 323. „

✓ *rubriventris* Bates, l. c. 1880, p. 77. „

rufostigma Bates, Trans. Ent. Soc. Lond. 1892, p. 173. „

thoracica White, Cat. Col. Brit. Mus. VII, 1853, p. 148. „

tuberculicollis Bates, Trans. Ent. Soc. Lond. 1892, p. 175. „

variabilis Bates, Ent. Month. Mag. (2) II, 1891, p. 161. „

✓ *virens* Bates, Biol. C.-Amer. Col. V, 1885, p. 323. „

14

Tragidion Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 89. — Cast. Hist. Nat. II, 1840, p. 452. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 10. — Thoms. Classif. Ceramb. 1860, p. 190; Syst. Ceramb. 1864, p. 429. — Lacord. Gen. Col. IX, 1869, p. 173. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 314. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 299. — Leng, Ent. Amer. II, 1886, p. 60, 81. — Casey, Ann. N. York Acad. VII, 1893, p. 586; Trans. Amer. Ent. Soc. XXIII, 1896, p. 169 (Revision).

Trichoscelis Bates, Biol. C.-Amer. Col. V, 1885, p. 324.

annulatum J. Lec. Proc. Acad. Philad. 1858, p. 83. — Arizona, Leng, Ent. Amer. II, 1886, p. 81, t. 3, f. 10. — Californien, Casey, Revis. p. 586; p. 169. Neumexico

var. *auripenne* Casey, Ann. N. York Acad. VII, Texas, 1893, p. 586, 587; Trans. Amer. Ent. Soc. XXIII, Mexico, 1896, p. 169.

var. *peninsulare* Schaeffer, Bull. Brookl. Inst. I, Untercalifornien, 1908, p. 339.

armatum J. Lec. Journ. Acad. Philad. (2) IV, 1, 1858, Californien, p. 25. — Lacord. Gen. Col. IX, 1869, p. 174 nota. Texas, — Leng, Ent. Amer. II, 1886, p. 81. — Casey, Revis. p. 586; p. 169.

bicolor Bates, Biol. C.-Amer. Col. V, 1885, p. 324. Mexico

carinatum Thoms. Classif. Ceramb. 1860, p. 204. „

coquus L. Syst. Nat. ed. 10, 1758, p. 393. — F. Syst. Ent. Nordamerika, 1775, p. 176. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 10. — Leng, Ent. Amer. II, 1886, p. 81. — Casey, Revis. p. 586; p. 169.

lynceum F. Syst. Ent. 1775, p. 191. — Ol. Enc. méth. Ins. V, 1790, p. 307; Ent. IV, 67, 1795, p. 37, t. 14, f. 97. — Cast. Hist. Nat. II, 1840, p. 452.

Melsheimeri Germ. Ins. spec. nov. 1824, p. 502.

fulvipenne Say, Journ. Acad. Philad. III, 1823, p. 414. —
J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 10. —
Leng. Ent. Amer. II, 1886, p. 81. — Casey, Revis.
p. 586; p. 169.

Biologic: Riley, Amer. Entomol. III, 1880, p. 239.
— Popenoe, Ins. Life II, 1889, p. 192; Trans.
Kansas Acad. XII, 1890, p. 15. — Pack. Ins. inj.
Trees 1890, p. 91, f. 33.

6

Phoenicus Lacord.

Lacord. Gen. Col. IX, 1869, p. 174.

sanguinipennis Lacord. l. c. — Dohrn, Stett. Ent. Zeit.
XXXIII, 1872, p. 161; XLIV, 1883, p. 397.

Biologie: Schiödde, Nat. Tidskr. (3) X, 1877,
p. 410, t. 14, f. 12—21.

Zentral-
amerika?
Montevideo?

1

Scythroleus Bates.

Bates, Biol. C.-Amer. Col. V, 1885, p. 324.

picticornis Bates, l. c. p. 325.

Mexico

1

Pavieia Brongn.

Brongn. Ann. Soc. Ent. Fr. (6) X, 1890, Bull. p. 184; Nouv. Archiv. Mus.
Paris (3) III, 1892, p. 241.

superba Brongn. Ann. Soc. Ent. Fr. (6) X, 1890, Bull.
p. 185; Nouv. Archiv. Mus. Paris (3) III, 1892,
p. 243, t. 10, f. 6.

Siam

1

Diclosternus Gah.

Gahan, Ann. Mag. Nat. Hist. (8) V, 1900, p. 309.

✓ **corallinus** Gah. l. c.

Formosa

1

Euryphagus Thoms.

Thoms. Syst. Ceramb. 1864, p. 196. — Lacord. Gen. Col. IX, 1869, p. 174. —
Pascoe, Trans. Ent. Soc. Lond. (3) III, 1869, p. 653. — Gahan, Fauna Brit.
Ind. Col. I, 1906, p. 187.

Eurycephalus Cast. Hist. Nat. II, 1840, p. 430. — Thoms. Classif.
Ceramb. 1860, p. 207.

✓ **Lundi** F. Ent. Syst. I, 2, 1792, p. 268. — Shelf. Proc. Zool.
Soc. Lond. 1902, 2, t. 23, f. 13. — Gah. Fauna
Brit. Ind. Col. I, 1906, p. 188, f. 74. — Heyne,
Exot. Käfer 1906, p. 240, t. 36, f. 23.

Assam,
Birma,
Malacca,
Sumatra,
Java,
Borneo

maxillosus Pasc. Trans. Ent. Soc. Lond. (3) III,
1869, p. 645 (ex parte).

✓ **nigripes** Ol. Ent. IV, 67, 1795, p. 52, t. 20, f. 149.
— Westw. Proc. Zool. Soc. 1837, p. 129.

- ✓ **pictus** Voet, Cat. Col. II, 1778, p. 11, t. 9, f. 35; ed. Panzer III, 1794, p. 27, t. 9, f. 35. Java,
Philip-
pinen,
Nord-
molukken
- bipunctatus* Schönh. Syn. Ins. I, 3, 1817, p. 459.
- maxillosus* Ol. Ent. IV, 67, 1795, p. 52, t. 20, f. 147. — Cast. Hist. Nat. II, 1840, p. 430. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 654 (ex parte). — Rits. Notes Leyd. Mus. VII, 1885, p. 128.
- ♂ *quadrimacula* Voet, Cat. Col. II, 1804—06, p. 26, t. 23, f. 124.
- ♀ *variabilis* Pasc. Ann. Mag. Nat. Hist. (3) V, 1860, p. 120; Trans. Ent. Soc. Lond. (3) III, 1869, p. 654.
- 2

Euryclelia n. nom.

Euryclea Thoms. Syst. Ceramb. 1864, p. 196. — Lacord. Gen. Col. IX, 1869, p. 176. — Pascoe, Trans. Ent. Soc. Lond. (3) III, 1869, p. 655.

- ✓ **cardinalis** Thoms. Classif. Ceramb. 1860, p. 211; Syst. Ceramb. 1864, p. 196. — Pasc. Proc. Zool. Soc. Lond. 1866, p. 533; Trans. Ent. Soc. Lond. (3) III, 1869, p. 655. Malacca,
Borneo

1

Zonotylus Gah.

Gahan, Trans. R. Soc. Edinb. XXXIX, 1898, p. 9.

- interruptus** Ol. Enc. méth. Ins. V, 1790, p. 307; Ent. IV, 67, 1795, p. 35, t. 17, f. 133. — F. Ent. Syst. I, 2, 1792, p. 255. — Grimshaw, Trans. R. Soc. Edinb. XXXIX, 1898, p. 9, t. 1, f. 8. Patria?

1

Purpuricenus Germ.

Fischer, Entomogr. Ross. II, 1823—24, p. 237 (nom. nud.). — Germ. Ins. spec. nov. 1824, p. 500. — Serv. Ann. Soc. Ent. Fr. II, 1833, p. 568. — Muls. Col. Fr. Long. 1839, p. 32; ed. 2, 1863, p. 68. — Cast. Hist. Nat. II, 1840, p. 431. — Redt. Gatt. deutsch. Käferf. 1845, p. 108; Fauna Austr. 1848, p. 44; ed. 2, 1858, p. CXXVII; ed. 3, II, 1874, p. CXLII. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 10. — Bach, Käferf. III, 1856, p. 9. — Thoms. Classif. Ceramb. 1860, p. 190; Syst. Ceramb. 1864, p. 429. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 142. — Lacord. Gen. Col. IX, 1869, p. 177. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 314. — Ganglb. Best.-Tab. VII, 1881, p. 10 (668); Rev. d'Ent. III, 1884, p. 167. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 299. — Bedel, Faune Col. Seine V, 1889, p. 9, 28. — Scidl. Fauna Balt. ed. 2, 1891, p. 737; Fauna Transs. 1891, p. 829. — Stierl. Col. Helv. II, 1898, p. 462. — Everts, Col. Neerl. II, 1, 1901, p. 367. — Houlb. Faune Armor. Ceramb. 1904, p. 17. — Csiki, Rov. Lapok XI, 1904, p. 36. — Gahan, Fauna Brit. Ind. Col. I, 1906, p. 184.

Acanthoptera Latr. Crust. Ins. II, 1829, p. 114.

Acanthopterus Guér. Icon. règne anim. Ins. 1844, p. 223.

Cyclodera White, Stokes Voy. I, 1846, p. 510.

Philagathes Thoms. Syst. Ceramb. 1864, p. 196. — Lacord. Gen. Col. IX, 1869, p. 176.

Paläarktische und japanische Arten.

- barbarus** Lucas, Explor. Algér. Col. 1849, p. 487, t. 41, f. 8; Ann. Soc. Ent. Fr. (2) IX, 1851, Bull. p. 10. Algier, Tunis
— Pic, Longic. I, 1891, p. 23.
- ♀ *Dumerili* Lucas, Explor. Algér. Col. 1849, p. 487, t. 41, f. 7; Ann. Soc. Ent. Fr. (2) IX, 1851, Bull. p. 10. — Cotty, Mém. Soc. Linn. Nord de Fr. I, 1869, p. 176.
- ab. *interruptus* Pic, Longic. I, 1891, p. 23. Algier
ab. *limbatus* Pic, l. c. ”
- ✓ **budensis** Götz, Naturf. XIX, 1783, p. 70, t. 4, f. 3. — Frankreich, Ungarn, Türkei, Griechenland
Panz. Deutschl. Ins.-Fauna 1795, p. 248. — Muls. Col. Fr. Long. 1839, p. 32; ed. 2, 1863, p. 68. — Ganglb. Best.-Tab. VII, 1881, p. 62 (740); Rev. d'Ent. III, 1884, p. 200. — Bedel, Faune Col. Scine V, 1889, p. 28. — Pic, Longic. I, 1891, p. 23. — Seidl. Fauna Transs. 1891, p. 829. — Csiki, Rov. Lapok XI 1904, p. 136.
Biologie: Xamheu, Le Natural. XV, 1893, p. 66.
ab. *affinis* Brullé, Expéd. Morée III, 1832, p. 251. — Csiki, Rov. Lapok XI, 1904, p. 136. Ungarn, Griechenland
budensis ab. Götz, Naturf. XIX, 1783, p. 70, t. 4, f. 1.
budensis var. A Muls. Col. Fr. Long. 1839, p. 32.
Kaehleri var. Ol. Ent. IV, 67, 1795, p. 93, t. 3, f. 13 c.
ab. *caucasicus* Pic, Echange XVIII, 1902, p. 27. Kaukasus
var. *humeralis* Pic, Longic. I, 1891, p. 23; II, 1898, p. 10. Syrien
ab. *nigronotatus* Pic, Echange XXIII, 1907, p. 169.
ab. *punctiger* Apfelb. Glasn. Zem. Muz. Bosn. Herzeg. II, 1891, p. 401. — Pic, Longic. II, 1898, p. 10.
budensis Cast. Hist. Nat. II, 1840, p. 431.
budensis var. B Muls. Col. Fr. Long. 1839, p. 32.
ab. *ungaricus* Herbst in Füessly, Archiv V, 1784, p. 90, t. 25, f. 6.
budensis var. Götz, Naturf. XIX, 1783, p. 70, t. 4, f. 2, 4.
hungaricus Csiki, Rov. Lapok XI, 1904, p. 136.
var. *Wredii* Fischer, Entomogr. Ross. II, 1824, p. 238, t. 49, f. 2. Kaukasus
- ✓ **dalmatinus** Sturm, Catal. 1843, p. 353, t. 6, f. 2. — Muls. Dalmatien, Griechenland, Kleinasien, Syrien
Col. Fr. Long. ed. 2, 1863, p. 72. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 42, f. 194. — Ganglb. Best.-Tab. VII, 1881, p. 61 (739). — Csiki, Rov. Lapok XI, 1904, p. 136.
ab. *apicalis* Pic, Echange XXI, 1905, p. 163.
ab. *biinterruptus* Pic, Longic. III, 3, 1901, p. 11. Griechenland
var. *Fellowsi* White, Ann. Mag. Nat. Hist. XV, 1845, p. 111, t. 8, f. 4. Griechenland, Kleinasien, Syrien
- var. *nicocles* Schauf. Nunq. otios. I, 1871, p. 209. Cypern
- Desfontainii** F. Ent. Syst. I, 2, 1792, p. 258. — Ol. Süd-
Ent. IV, 67, 1795, p. 128, t. 23, f. 183. — Muls. griechenland,
Col. Fr. Long. ed. 2, 1863, p. 72. — Fairm. Gen.

Col. d'Eur. IV, 1864, t. 42, f. 195. — Ganglb. Best.-Tab. VII, 1881, p. 62 (740). — Pic, Longic. I, 1891, p. 24; II, 1898, p. 9.

ab. *inhumeralis* Pic, Longic. I, 1891, p. 24; II, 1898, p. 10.

ab. *nigricollis* Pic, Echange VIII, 1892, p. 114; Long. II, 1898, p. 9.

✓ **Deyrollei** Thoms. Physis I, 1867, p. 164. — Ganglb. Best.-Tab. VII, 1881, p. 61 (739).

Ledereri Ferrari, Verh. zool.-bot. Ges. Wien XIX, 1869, p. 199; Abeille VII, 1870, p. 159.

var. *talyschensis* Reitter, Wien. Ent. Zeit. X, 1891, p. 240.

✓ **ferrugineus** Fairm. Rev. Mag. Zool. (2) III, 1851, p. 528; Ann. Soc. Ent. Fr. (2) X, 1852, p. 91. — Muls. Col. Fr. Long. ed. 2, 1863, p. 71. — Ganglb. Best.-Tab. VII, 1881, p. 63 (741).

ab. *Fettingi* Schauf. Nunquam otios. I, 1871, p. 209.

ab. *hispanicus* Daniel, Col.-Stud. II, 1898, p. 88.

globulicollis Muls. Col. Fr. Long. 1839, p. 34; ed. 2, 1863, p. 71. — Ganglb. Best.-Tab. VII, 1881, p. 63 (741); Rev. d'Ent. III, 1884, p. 200. — Pic, Longic. I, 1891, p. 23. — Csiki, Rov. Lapok XI, 1904, p. 137.

✓ **Kaehleri** L. Syst. Nat. ed. 10, 1758, p. 393. — F. Spec. Ins. I, 1781, p. 219. — Laich. Verz. Tyrol. Ins. II, 1784, p. 12. — Petagna, Ins. Ult. Calabr. 1787, p. 16. — Villers, Linn. Entomol. I, 1789, p. 235. — Rossi, Fauna Etr. I, 1790, p. 145. — Ol. Enc. méth. Ins. V, 1790, p. 307; Ent. IV, 67, 1795, p. 92. — Panzer, Voets Hartsch. Ins. III, 1794, Vorberichd. p. (3); Titelpl. f. 4, 5. — Panz. Deutschl. Ins.-Faune 1795, p. 248. — Hoppe, Ent. Taschenb. 1797, p. 223. — Muls. Col. Fr. Long. 1839, p. 33; — Costa, Fauna Regn. Napoli, Col. II, 1854, Long. p. 21. — Ganglb. Rev. d'Ent. III, 1884, p. 200. — Seidl. Fauna Balt. ed. 2, 1891, p. 737; Fauna Transs. 1891, p. 829. — Csiki, Rov. Lapok XI, 1904, p. 137. — Jacobs. Käfer Russl. 1910, t. 68, f. 5.

Kaehleri Cast. Hist. Nat. II, 1840, p. 431.

Kaehleri Scop. Annus Hist. Nat. V, 1772, p. 96. — Fischer, Entomogr. Ross. II, 1824, p. 237, t. 49, f. 1. — Shuck. Brit. Col. 1840, p. 75, Suppl. t. 7, f. 1. — Labr. & Imh. Ins. Schweiz III, 1842, t. 14. — Redt. Fauna Austr. 1849, p. 480; ed. 2, 1858, p. 842; ed. 3, II, 1874, p. 397. — Bach, Käferf. III, 1856, p. 10. — Muls. Col. Fr. Long. ed. 2, 1863, p. 70. — Bedel, Faune Col. Seine V, 1889, p. 29, 78. — Houlb. Faune Ent. Armor. Ceramb. 1904, p. 52, f. 100.

Köhleri Ganglb. Best.-Tab. VII, 1881, p. 62 (740). — Stierl. Col. Helvet. II, 1898, p. 463. — Everts, Col. Neerl. II, 1, 1902, p. 368.

melanocephalus Voet, Cat. Col. II, 1778, p. 13, t. 11, f. 48; ed. Panzer III, 1794, p. 33, t. 11, f. 48.

Syrien,
Nord-
afrika
Syrien,
Griechen-
land
Algier

Persien,
Kaukasus,
Syrien

Lenkoran

Spanien

Portugal

Spanien
Südfrank-
reich,
Dalmatien,
Ungarn

Mittel- und
Südeuropa

- Menetriesi* Motsch. Bull. Moscou XVIII, 1, 1845, p. 87.
- Biologie: Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 263, f. 421—426; Larves Col. 1877, p. 423, f. 421—426. — Müller, Mitth. Schweiz. Ent. Ges. V, 1878, p. 383. — Mayet in Bedel, Faune Col. Seine V, 1890, p. 76, nota 1. — Xambeu, Moeurs & Métam. VIII, 1902, p. 62.
- ab. *aetnensis* Bassi, Ann. Soc. Ent. Fr. III, 1834, p. 471, t. 11, f. 7. — Pic, Longic. I, 1891, p. 23. Sicilien
- ab. *bipunctatus* Villa, Col. Eur. Dupl. 1833, p. 36. — Pic, Longic. I, 1891, p. 23. Italien
- bilineatus* Muls. Col. Fr. Long. 1839, p. 34.
- ab. *carbonarius* Reitter, Wien. Ent. Zeit. XX, 1901, p. 101. Dalmatien
- ab. *cinctus* Villa, Col. Eur. Dupl. 1833, p. 36. — Muls. Col. Fr. Long. 1839, p. 34. — Pic, Longic. I, 1891, p. 23.
- Boryi* Brullé, Expéd. Morée III, 1832, p. 251, t. 43, f. 1.
- ab. *ruber* Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 75. — Pic, Longic. I, 1891, p. 23.
- Kaehleri* F. Syst. Ent. 1775, p. 173. — Panzer, Voets Hartsch. Ins. III, 1794, Vorbericht, p. (3), Titelp. f. 6. — Ol. Ent. IV, 67, 1795, p. 92, t. 3, f. 13 b.
- Servillei* Serv. Ann. Soc. Ent. Fr. II, 1833, p. 569. — Muls. Col. Fr. Long. 1839, p. 34. — Blanch. in Cuv. Règne anim. ed. Masson, Ins. 1832, t. 66, f. 1. — Cast. Hist. Nat. II, 1840, p. 431, t. 50, f. 1.
- ✓ *lituratus* Ganglb. Horae Soc. Ent. Ross. XX, 1886, p. 136. — A. Sem. Rev. Russe d'Ent. VII, 1908, p. 260. Korea
- var. *Komarovi* A. Sem. l. c.
- nanus* A. Sem. l. c. VI, 1907, p. 254. Persien
- robusticollis* Pic, Longic. V, 2, 1905, p. 9; Echange XXIII, 1907, p. 185. "
- Wachanrui** Levrat, Ann. Soc. Linn. Lyon (2) V, 1858, p. 261; Etudes Ent. I, 1859, p. 37. — Ganglb. Best.-Tab. VII, 1881, p. 63 (741). — Heyd. Deutsche Ent. Zeitschr. 1890, p. 70. Türkei, Kleinasien, Syrien, Persien
- Haussknechti* Witte, Berl. Ent. Zeitschr. XV, 1871, p. 207.
- ab. *aleppensis* Witte, l. c. p. 208. — Ganglb. Best.-Tab. VII, 1881, p. 63 (741). Syrien
- ab. *bilunatus* Schauf. Nunquam otios. I, 1871, p. 210. — Heyd. Deutsche Ent. Zeitschr. 1890, p. 79. Cypern
- ab. *Schönfeldti* Heyd. Deutsche Ent. Zeitschr. 1890, p. 79. Persien
- zarudnianus** A. Sem. Rev. Russe d'Ent. III, 1903, p. 358; VII, 1908, p. 260. "
- ab. *bicoloriceps* A. Sem. l. c. III, 1903, p. 359.
- ab. *nigriventris* A. Sem. l. c.

Indo-malayische und indo-australische Arten.

- Angasi** White in Angas, S. Austral. Ill. 1847, t. 50, f. 17; Südaustra-
Cat. Col. Brit. Mus. VII, 1853, p. 140. lien

- carinifer** Pic, Longic. VII, 2, 1910, p. 24; VIII, 1, 1911, p. 21. Tonkin
- cinctus** Lameere, Ann. Soc. Ent. Belg. XXXIV, 1890, Bull. p. 213. Thibet
- globiger** Fairm. Rev. d'Ent. VII, 1888, p. 139. China
- indus** A. Sem. Rev. Russe d'Ent. VII, 1908, p. 261. Kaschmir
Hausknechti Gah. Fauna Brit. Ind. Col. I, 1906, p. 186.
- innotatus** Pic, Longic. VII, 2, 1910, p. 24. Yunnan
- malaccensis** Lacord. Gen. Col. IX, 1869, p. 176, nota 2. — Assam,
Gah. Fauna Brit. Ind. Col. I, 1906, p. 185. Birma,
fasciatus Brongn. Nouv. Archiv. Mus. Paris. (3) Siam,
III, 1891, p. 241, t. 10, f. 5. Malacca,
Sumatra,
Java
- miniatus** Fairm. Mission Pavie III, 1904, p. 145. Tonkin
- montanus** White, Cat. Col. Brit. Mus. VII, 1853, p. 138. — Kaschmir,
Gah. Fauna Brit. Ind. Col. I, 1906, p. 186. — A. Himalaya,
Sem. Rev. Russe d'Ent. VII, 1908, p. 261. Thibet
- ab. *kashmirensis* Pic, Longic. VI, 1, 1906, p. 10; Kaschmir
Bull. Soc. Ent. Fr. 1910, p. 156; Longic. VIII, 1, 1911, p. 5.
- petasifer** Fairm. Rev. d'Ent. VII, 1888, p. 140. China
- quadrinotatus** White in Stokes, Discov. I, 1846, p. 510, t. 2, f. 6. Australien
- australicus* Thoms. Classif. Ceramb. 1860, p. 203.
- ✓ **sauginolentus** Ol. Ent. IV, 67, 1795, p. 93, t. 20, f. 155. Ostindien,
— Lacord. Gen. Col. IX, 1869, p. 177 nota. — Ceylon
Rits. Notes Leyden Mus. VII, 1885, p. 128. —
Gah. Fauna Brit. Ind. Col. I, 1906, p. 184, f. 73 ♂♀.
- sideriger** Fairm. Rev. d'Ent. VII, 1888, p. 139; Ann. Soc. China
Ent. Fr. (6) VIII, 1888, Bull. p. 155.
Pratti Gahan, Ann. Mag. Nat. Hist. (6) II, 1888, p. 61.
- subnotatus** Pic, Longic. VII, 2, 1910, p. 24. Yunnan
- variabilis** Montrouz. Ann. Soc. Agr. Lyon VII, 1857, p. 60. Ins. Wood-
lark
- Wienecke** Vollenh. Tijdschr. v. Ent. XIV, 1871, p. 105, Timor
t. 4, f. 5. — Rits. Notes Leyden Mus. VII, 1885, p. 128.

Äthiopische Arten.

- bipartitus** Jord. in Smith, Through unkn. Afr. Countr. Somali
1897, p. 452.
- decorus** Ol. Ent. IV, 67, 1795, p. 128, t. 5, f. 38. — Senegal
Gory in Guér. Icon. règne anim. Ins. 1844, p. 223.
♀ *tripunctatus* Gory, l. c. t. 43, f. 7.
- Duchaussayi** Théry, Ann. Soc. Ent. Fr. LXII, 1893, Bull. Sudan
p. 177.
- laetus** Thoms. Syst. Ceramb. 1864, p. 197. — Oliveira, Südafrika,
Jorn. Sc. Lisboa X, 1884, p. 109. — Dist. Ins. Uganda
Transvaal. 1904, p. 126, t. 11, f. 25.
- var. *congoanus* Auriv. Arkiv f. Zool. VII, 3, 1910, Congo
p. 300.
- Wahlbergi** Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, Kaffernland
1872, p. 68.

Nordamerikanische Arten.

- axillaris** Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 31. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 11. — Leng, Ent. Amer. II, 1886, p. 82. — Hamilt. Canad. Ent. XXII, 1890, p. 238. Massachu-
setts,
New York,
Pennsyl-
vanien,
Texas
- dimidiatus** J. Lec. Trans. Amer. Ent. Soc. XII, 1885, p. 23. — Leng, Ent. Amer. II, 1886, p. 82. Californien
- humeralis** F. Ent. Syst. Suppl. 1798, p. 143. — Bland, Proc. Ent. Soc. Philad. I, 1862, p. 276. — Leng, Ent. Amer. II, 1886, p. 82, t. 2, f. 11. — Wickh. Canad. Ent. XXIX, 1897, p. 149. Weststaaten
Nordame-
rikas,
Canada

37

ceras, *Pezerinhoffi* n. sp.
curcoufi, n. sp. *Pezerinhoffi*
v. *erg. occident.* (North Africa)
So. Ent. Fr. 1920, p. 22, fig. 2

Calchaenesthes Kraatz.

Kraatz, Berl. Ent. Zeitschr. VII, 1863, p. 97. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 141. — Thoms. Syst. Ceramb. 1864, p. 423. — Lacord. Gen. Col. IX, 1869, p. 182. — Redt. Fauna Austr. ed. 3, II, 1874, p. 397. — Ganglb. Best.-Tab. VII, 1881, p. 10 (688). — A. Sem. Rev. Russe d'Ent. VII, 1908, p. 262.

- oblongomaculata** Guér. Icon. règne anim. Ins. 1844, p. 234. — Reiche, Ann. Soc. Ent. Fr. (4) I, 1861, p. 91. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 42, f. 193. — Redt. Fauna Austr. ed. 3, II, 1874, p. 398. — Ganglb. Best.-Tab. VII, 1881, p. 64 (742). Türkei,
Griechen-
land,
Kleinasien,
Syrien,
Nordafrika,
Spanien
- Nogeli* Friv. A Kiral. Magy. termész. társ. evkön. I, 1845, p. 183, t. 2, f. 4; Wien. Ent. Monatschr. IV, 1860, p. 149. — Kraatz, Berl. Ent. Zeitschr. VII, 1863, p. 97, t. 4, f. 3—6.
- quadrinaculata* Pic, Rev. Sc. Bourb. 1896, p. 103. — Pic, Longic. II, 1898, p. 10.
- ab. *sexmaculata* Reiche, Ann. Soc. Ent. Fr. (4) I, 1861, p. 91. — Pic, Longic. I, 1891, p. 24; II, 1898, p. 10.

1

Sternoplistes Guér.

Guér. Icon. règne anim. Ins. 1844, p. 224. — Thoms. Syst. Ceramb. 1864, p. 429. — Lacord. Gen. Col. IX, 1869, p. 179. — A. Sem. Rev. Russe d'Ent. VII, 1908, p. 263.

- Schaiblei** Nonfr. Ent. Nachr. XVIII, 1892, p. 92. Südchina
- ✓ **spectabilis** Motsch. Études Ent. VI, 1857, p. 36. Japan
- Temmincki* Matsum. Thous. Ins. Japan III, 1908, nr. 697, t. 52, f. 11 (non „12“).
- ✓ **Temmincki** Guér. Icon. règne anim. Ins. 1844, p. 224. — Lacord. Gen. Col. IX, 1869, p. 179, t. 94, f. 3. — A. Sem. Rev. Russe d'Ent. VII, 1908, p. 263. Japan,
China
- japanus* Motsch. Etudes Ent. VI, 1857, p. 37.
- sinensis* White, Cat. Col. Brit. Mus. VII, 1853, p. 139.

3

Asiates A. Sem.

A. Sem. Rev. Russe d'Ent. VII, 1908, p. 263.

Anoplistes Serv. Ann. Soc. Ent. Fr. II, 1833, p. 570. — Cast. Hist. Nat. II, 1840, p. 431. — Redt. Fauna Austr. ed. 2, 1858, p. 842; ed. 3, II, 1874, p. 398. — Thoms. Classif. Ceramb. 1860, p. 190; Syst. Ceramb. 1864, p. 429. — Muls. Col. Fr. Long. ed. 2, 1863, p. 72. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 141. — Lacord. Gen. Col. IX, 1869, p. 180. — Ganglb. Best.-Tab. VII, 1881, p. 63 (741).

- ✓ *altajensis* Laxm. Nov. Comment. Acad. Petrop. XIV, 1, 1770, p. 597, t. 24, f. 7. — Blessig, Horae Soc. Ent. Ross. IX, 1872, p. 174. — Ganglb. Best.-Tab. VII, 1881, p. 63 (741). — Pic, Longic. VI, 1, 1906, p. 10. Südrussland, Sibirien
- ephippium* Fischer, Entomogr. Ross. II, 1824, p. 238, t. 49, f. 3, 4.
- sellatus* Germ. Ins. spec. nov. 1824, p. 498. — Redt. Fauna Austr. ed. 2, 1858, p. 842; ed. 3, II, 1874, p. 398. — Muls. Col. Fr. Long. ed. 2, 1863, p. 73.
- ab. *affinis* Motsch. Etudes Ent. I, 1852, p. 79; Bull. Moscou XLIX, 1, 1875, p. 147. — Blessig, Horae Soc. Ent. Ross. IX, 1872, p. 174. Sibirien
- ab. *basilaris* Pic, Longic. VI, 1, 1906, p. 10. Sibirien
- amoenus* Reitter, Wien. Ent. Zeit. XVII, 1898, p. 126. Mongolei
- degener* A. Sem. Rev. Russe d'Ent. VI, 1907, p. 255. Tsaidam
- ✓ *ephippium* Stev. & Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 157. — Cast. Hist. Nat. II, 1840, p. 431. — Redt. Fauna Austr. ed. 2, 1858, p. 842; ed. 3, II, 1874, p. 398. — Muls. Col. Fr. Long. ed. 2, 1863, p. 73. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 41, f. 192. — Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 77 nota. — Jacobs. Käfer Russl. 1910, t. 68, f. 6. Südrussland, Sibirien
- elaeagni* Fischer, Entomogr. Ross. II, 1824, p. 238.
- halodendri* Fischer, l. c. t. 49, f. 7, 8.
- halodendri* var. Gebl. Ledeb. Reise II, 3, 1830, p. 181. — Blessig, Horae Soc. Ent. Ross. IX, 1872, p. 173. — Ganglb. Best.-Tab. VII, 1881, p. 63 (741).
- humeralis* Ol. Ent. IV, 67, 1795, t. 19, f. 141 a (nicht p. 38).
- forticornis* Reitter, Deutsche Ent. Zeitschr. 1901, p. 84. Turkestan
- ✓ *halodendri* Pallas, Reisen Russ. Reich II, 1776, p. 724; Icones Ins. III, 1798, t. F, f. 15. — Fischer, Entomogr. Ross. II, 1824, p. 238. — Redt. Fauna Austr. ed. 2, 1858, p. 842; ed. 3, II, 1874, p. 398. — Muls. Col. Fr. Long. ed. 2, 1863, p. 73. — Blessig, Horae Soc. Ent. Ross. IX, 1872, p. 173. — Ganglb. Best.-Tab. VII, 1881, p. 63 (741). Südrussland, Sibirien
- elaeagri* Fischer, Entomogr. Ross. II, 1824, f. 49, f. 5, 6.
- humeralis* Ol. Ent. IV, 67, 1795, p. 38, t. 19, f. 141 b.
- Jacobsoni* Baeckm. Rev. Russe d'Ent. IV, 1904, p. 312. Syr-Darja
- Pic, Longic. VII, 2, 1910, p. 3.

<i>minutus</i>	Hammarstr. Öfvers. Finska Vet. Soc. Förh. XXXIV, 1893, p. 191. — Baeckm. Rev. Russe d'Ent. IV, 1904, p. 312. — A. Sem. l. c. VI, 1907, p. 255.	Sibirien
<i>mongolicus</i>	Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 75.	Mongolei
<i>procerus</i>	A. Sem. Rev. Russe d'Ent. VI, 1907, p. 256; IX, 1909, p. 27.	Turkestan
✓ <i>sanguinipennis</i>	Blessig, Horae Soc. Ent. Ross. IX, 1872, p. 175. — A. Sem. Rev. Russe d'Ent. VII, 1908, p. 263.	Amur
<i>suturalis</i>	Pic, Longic. VI, 1, 1906, p. 16.	China

12

Brototyche Pasc.

Pascoe, Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 317. — Lacord. Gen. Col. IX, 1869, p. 181.

Adamsi Pascoc, Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 318. Insel Chosan

1

Amarysius Fairm.

Fairm. Rev. d'Ent. VII, 1888, p. 140.

dilatatus Fairm. l. c. p. 141. Peking

1

Eleanor Thoms.

Thoms. Syst. Ceramb. 1864, p. 197. — Lacord. Gen. Col. IX, 1869, p. 178.

Dohrni Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 69. — Dist. Ins. Transvaal. 1904, p. 126, t. 11, f. 24. Transvaal, Delagoabay

Medici Bertol. Nov. Comment. Acad. Bonon. X, 1849, p. 401, t. 8, f. 8; sep. Ill. Rer. Nat. Mozamb. I, 1849, p. 23, t. 1, f. 8. — Lacord. Gen. Col. IX, 1869, p. 178, nota 3. Mossambik, Matabelerland, Transvaal, Senegal

tragocephaloides Thoms. Syst. Ceramb. 1864, p. 198. — Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 69. — Westw. in Oates, Matabele Land, ed. 2, 1889, p. 380, t. 8, f. 2. — Dist. Ins. Transvaal. 1904, p. 126, t. 13, f. 4.

2

Metaleptus Bates.

Bates, Trans. Ent. Soc. Lond. 1872, p. 192. — J. Lec. Trans. Amer. Ent. Soc. XII, 1885, p. 174, 175. — Leng, Ent. Amer. II, 1886, p. 60, 82.

angulatus Chev. Col. Mex. Cent. I, 4, 1834, nr. 67. — Mexico, Bates, Biol. C.-Amer. Col. V, 1880, p. 78. — Südcalifornien, Leng, Ent. Amer. II, 1886, p. 82.

marginellus Bates, Trans. Ent. Soc. Lond. 1872, p. 193; Biol. C.-Am. Col. V, 1880, t. 6, f. 8. Nicaragua

✓ *Batesi* Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 174. Arizona — Leng, Ent. Amer. II, 1886, p. 82.

- ✓ **binoeculus** Bates, Trans. Ent. Soc. Lond. 1872, p. 193
nota; Biol. C.-Amer. Col. V, 1880, p. 78, t. 6, f. 7. Mexico,
Nicaragua
- ✓ **brasilienis** Schauf. Nunquam otios. I, 1871, p. 210. Brasilien
- ✓ **coccinatus** Bates, Trans. Ent. Soc. Lond. 1872, p. 193;
Biol. C.-Am. Col. V, 1880, p. 79. Nicaragua
- ✓ **comis** Bates, Trans. Ent. Soc. Lond. 1892, p. 175, t. 7, f. 9. Mexico
- ✓ **femoratus** Schaeffer, Bull. Brookl. Inst. I, 1909, p. 384;
Journ. N. York Ent. Soc. XIX, 1911, p. 124. Arizona
- gracilior* Fall, Canad. Ent. XLI, 1909, p. 164.
- Hondurae** Nonfr. Ent. Nachr. XX, 1894, p. 138. Honduras
- pyrrhulus** Bates, Biol. C.-Am. Col. V, 1880, p. 79. Guatemala

9

Triacetelus Bates.

Bates, Trans. Ent. Soc. Lond. 1892, p. 176.

sericatus Bates, l. c.

Mexico

1

Aëthecerus Chevr.

Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 532. — Thoms. Syst. Ceramb. 1864, p. 424. — Lacord. Gen. Col. IX, 1869, p. 183. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 314. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 133 (Synopsis). — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 299. — Leng, Ent. Amer. II, 1886, p. 60. — Leng, Ent. Amer. II, 1886, p. 82 (Synopsis).

Horni Lacord. Gen. Col. IX, 1869, p. 184 nota. — Horn, Florida
Synops. p. 133. — Leng, Synops. p. 82.

lateinectus Horn, Trans. Amer. Ent. Soc. VIII, 1880, Arizona
p. 134. — Leng, Synops. p. 82.

Wilsoni Horn, Proc. Acad. Philad. 1860, p. 570, t. 8, f. 4. Arizona,
— Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 533. Texas,
— Lacord. Gen. Col. IX, 1869, p. 183, nota 2, Mexico
t. 94, f. 5. — Horn, Synops. p. 133. — Leng,
Synops. p. 82.

3

Oxoplus J. Lec.

J. Lec. Proc. Acad. Philad. XIV, 1862, p. 41. — Lacord. Gen. Col. IX, 1869, p. 179. — J. Lec. Smiths. Misc. Coll. XI, 265; 1873, p. 315. — Bates, Biol. C.-Am. Col. V, 1880, p. 80. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 301. — Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 175 (Synopsis). — Leng, Ent. Amer. II, 1886, p. 60, 102 (Synopsis). — Casey, Ann. N. York Acad. VII, 1893, p. 588.

coccineus Casey, Ann. N. York Acad. VII, 1893, p. 588. Utah
— Hamilt. Trans. Amer. Ent. Soc. XXIII,
1896, p. 170.

corallinus J. Lec. Proc. Acad. Philad. XIV, 1862, p. 42. Wyoming,
— Horn, Synops. p. 175. — Leng, Synops. p. 102. Utah,
t. 3, f. 16. Neumexico

eruentus J. Lec. Proc. Acad. Philad. XIV, 1862, p. 42. — Unter-
Horn, Synops. p. 175. — Leng, Synops. p. 102. californien

jocosus Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 175. Colorado,
— Leng, Synops. p. 103. Arizona

- marginatus** J. Lec. Proc. Acad. Philad. XIV, 1862, p. 42; Trans. Amer. Ent. Soc. XII, 1885, p. 23. — Horn, Synops. p. 175. — Leng, Synops. p. 102. Unter-californien
- ornaticollis** Lacord. Gen. Col. IX, 1869, p. 180, nota 1, t. 94, f. 4. Mexico
- poecilus** Bates, Biol. C.-Am. Col. V, 1880, p. 80. „

7

Schizax J. Lec.

J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 195; XI, 265, 1873, p. 315. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 301. — Leng, Ent. Amer. II, 1886, p. 60.

- senex** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 196. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 301. — Leng, Ent. Amer. II, 1886, p. 118, t. 2, f. 17. Arizona

1

Hoegea Bates.

Bates, Biol. C.-Amer. Col. V, 1885, p. 326.

- ✓ **distigma** Bates, l. c. p. 327, t. 21, f. 25. Mexico

1

Tylosis J. Lec.

J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 9; Smiths. Misc. Coll. XI, 265, 1873, p. 316. — Thoms. Classif. Ceramb. 1860, p. 190; Syst. Ceramb. 1864, p. 430. — Lacord. Gen. Col. IX, 1869, p. 181. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 301. — Leng, Ent. Amer. II, 1886, p. 60.

- dimidiata** Bates, Trans. Ent. Soc. Lond. 1892, p. 177, t. 7, f. 13. Mexico
- ✓ **Jimenezi** Dugès, La Natural. Mex. IV, 1879, p. 186, t. 6, f. 11. — Bates, Biol. C.-Amer. Col. V, 1885, p. 326. „
- maculata** J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 9; Col. of Kans. 1859, p. 20, t. 2, f. 15. — Leng, Ent. Amer. II, 1886, p. 118, t. 2, f. 18. Texas, Arizona
- ab. **sellata** J. Lec. Journ. Acad. Philad. (2) IV, 1, 1858, p. 25. — Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 176. Neumexico
- ✓ **oculata** J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 9. — Leng, Ent. Amer. II, 1886, p. 118. Mexico
- ✓ **puncticollis** Bates, Biol. C.-Amer. Col. V, 1885, p. 325. — Schaeffer, Bull. Brookl. Inst. I, 1908, p. 340. Mexico, Arizona
- maculata** Bates, Biol. C.-Amer. Col. V, 1880, p. 81. var. **angusticollis** Bates, l. c. p. 325; Trans. Ent. Soc. Lond. 1892, p. 177. Mexico
- ✓ **suturalis** White, Cat. Col. Brit. Mus. VII, 1853, p. 141, t. 4, f. 5. — Bates, Biol. C.-Amer. Col. V, 1885, p. 326. Mexico

6

Crossidius J. Lec.

- J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 102; Smiths. Misc. Coll. XI, 264, 1873, p. 196 (Synopsis); XI, 265, 1873, p. 316. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 301. — Leng, Ent. Amer. II, 1886, p. 60, 118 (Syn.). — Casey, Ann. N. York Acad. VI, 1892, p. 31 (Synopsis). — Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 171 (Synopsis).
- Variation: Wickham, Canad. Ent. XXV, 1893, p. 189—194, tab.
- aegrotus** Bates, Trans. Ent. Soc. Lond. 1892, p. 178. Mexico
Allgewahri J. Lec. Bull. U. S. Geol. Survey IV, 2, 1878, Idaho
 p. 461; N. Amer. Entomol. I, 1879, p. 1, t. 1, f. 1. — Leng, Synops. p. 119.
- ater** J. Lec. Proc. Acad. Philad. 1861, p. 356. — J. Lec. Utah,
 Synops. p. 196. — Leng, Synops. p. 118. Californien
- Blandi** Casey, Ann. N. York Acad. VII, 1893, p. 589. — Utah
 Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 170.
- crassipes** Casey, Ann. N. York Acad. VI, 1892, p. 32. Washington
 — Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 170, 171.
- ✓ **discoideus** Say, Journ. Acad. Philad. III, 1823, p. 411. Idaho,
 — J. Lec. Synops. p. 197. — Leng, Synops. Colorado,
 p. 119, t. 2, f. 19. — Wickham, Canad. Ent. Arizona,
 XXV, 1893, p. 191, tab., fig. o, p. Montana,
pulchrior Bland, Proc. Ent. Soc. Philad. I, 1862, Nebraska,
 p. 272, f. 2. Neumexico
- hirtipes** J. Lec. Proc. Acad. Philad. VII, 1854, p. 18; Californien,
 Ent. Report 1857, p. 61; Synops. p. 196. — Oregon,
 Leng, Synops. p. 118. — Casey, Synops. p. 31. Washing-
 — Hamilt. Synops. p. 171. ton-Terr.,
 Utah
- humeralis** J. Lec. Journ. Acad. Philad. (2) IV, 1, 1858, Texas,
 p. 25; Synops. p. 197. — Leng, Synops. p. 119. Neumexico
- intermedius** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Arizona,
 p. 196. — Ulke in Wheeler, Report Geogr. Neumexico
 Explor. V, 1876, p. 813, t. 12, f. 1; Bull. Brookl. Ent. Soc. IV, 1882, p. 42. — Leng, Synops. p. 118, t. 3, f. 20. — Casey, Synops. p. 31. — Wickham, Canad. Ent. XXV, 1893, p. 191, tab., fig. l. — Hamilt. Synops. p. 171.
- longipennis** Casey, Ann. N. York Acad. VI, 1892, p. 31. Neumexico
 — Wickham, Canad. Ent. XXV, 1893, p. 191, tab., fig. k. — Hamilt. Synops. p. 170, 171.
- militaris** Bates, Trans. Ent. Soc. Lond. 1892, p. 177, Mexico
 t. 7, f. 14.
- nitidicollis** Casey, Ann. N. York Acad. VI, 1892, p. 33. Arizona
 — Wickham, Canad. Ent. XXV, 1893, p. 191, tab., fig. m, n. — Hamilt. Synops. p. 170, 171.
- ✓ **Palmeri** Bates, Biol. C.-Amer. Col. V, 1880, p. 81; Trans. Mexico
 Ent. Soc. Lond. 1892, p. 177.
- pulchellus** J. Lec. Proc. Acad. Philad. 1861, p. 356; Californien,
 Synops. p. 196. — Leng, Synops. p. 118. — Casey, Colorado,
 Synops. p. 31. — Wickham, Canad. Ent. XXV, Neumexico,
 1893, p. 190, 193, tab., fig. a—j, q—t. — Hamilt. Utah
 Synops. p. 171.
- punctatus** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Oregon,
 p. 196, 197. — Leng, Synops. p. 118. — Casey, Californien
 Synops. p. 31. — Hamilt. Synops. p. 171.

- suturalis* J. Lec. Proc. Acad. Philad. 1858, p. 83. Mexico
testaceus J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 102; Californien,
 Synops. p. 196. — Leng, Synops. p. 118. — Casey, Colorado
 Synops. p. 31. — Hamilt. Synops. p. 171.
 ✓ *trivittatus* Bates, Biol. C.-Amer. Col. V, 1880—85, Mexico
 p. 82, 327.

18

Sphaenothecus Dupont.

Dupont, Mag. Zool. VIII, 1838, Cl. IX, Monogr. Trachyd. II, p. 55, t. 224, f. 16. — Thoms. Classif. Ceramb. 1860, p. 209; Syst. Ceramb. 1864, p. 432. — Lacord. Gen. Col. IX, 1869, p. 184. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 316. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 301. — Leng, Ent. Amer. II, 1886, p. 60.

Ischnocnemis J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 316. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 301. — Leng, Ent. Amer. II, 1886, p. 61.

Sphenothecus Gemm. & Har. Cat. Col. IX, 1873, p. 2972. — Bates, Biol. C.-Amer. Col. V, 1880, p. 84.

- ✓ *argenteus* Bates, Biol. C.-Amer. Col. V, 1880, p. 84. Guatemala
basalis Horn, Bull. Calif. Acad. (2) IV, 1894, p. 401. Unter-californien
 ✓ *bivittatus* Dupont, Monogr. Trachyd. II, 1838, p. 58, Mexico,
 t. 220, f. 1. — Guér. Icon. règne anim. Ins. 1844, Texas,
 p. 250. — Leng, Ent. Amer. II, 1887, p. 193. Arizona
bilineatus Gory in Guér. Icon. règne anim. Ins. 183?, t. 45, f. 9. — Gray in Griffith, Anim. Kingd. Ins. 1832, t. 95, f. 9. — Cast. Hist. Nat. II, 1840, p. 490, t. 34, f. 4.
cribellatus Bates, Trans. Ent. Soc. Lond. 1892, p. 179. Mexico
cribricollis Bates, l. c. „
 ✓ *eyanicollis* Dupont, Monogr. Trachyd. II, 1838, p. 59, Mexico,
 t. 220, f. 2. — Lacord. Gen. Col. IX, 1869, p. 184, Texas,
 nota 3. — Leng, Ent. Amer. II, 1886, p. 83. Arizona
funebriis Bates, Biol. C.-Amer. Col. V, 1880, p. 85. Guatemala
 ✓ *luteicollis* Bates, l. c. 1885, p. 329. Mexico
 ✓ *pallidus* Schaeffer, Bull. Brookl. Inst. I, 1905, p. 132. Unter-californien
 ✓ *piecieornis* Bates, Biol. C.-Amer. Col. V, 1880, p. 84. Mexico
quadrivittatus Bates, Trans. Ent. Soc. Lond. 1892, p. 179. „
 ✓ *suturalis* J. Lec. Journ. Acad. Philad. (2) IV, 1, 1858, Texas,
 p. 25. — Leng, Ent. Amer. II, 1886, p. 119, Arizona,
 t. 2, f. 21. Neumexico,
 Californien
 ✓ var. *rubens* Casey, Ann. N. York Acad. VI, 1892, Arizona
 p. 34. — Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 171.
tomentosus Dupont, Monogr. Trachyd. II, 1838, p. 56, Mexico
 t. 219, f. 1. — Bates, Biol. C.-Amer. Col. V, 1885, p. 328.
 ✓ *trilineatus* Dupont, Monogr. Trachyd. II, 1838, p. 57, „
 t. 219, f. 2. — Bates, Biol. C.-Amer. Col. V, 1885, p. 329.

14

Perarthrus J. Lec.

J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 101. — Thoms. Classif. Ceramb. 1860, p. 190; Syst. Ceramb. 1864, p. 430. — Lacord. Gen. Col. IX, 1869, p. 191. — J. Lec. Smiths. Misc. Col. XI, 265, 1873, p. 316. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 301. — Leng, Ent. Amer. II, 1886, p. 61.

✓ *vittatus* J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 102. Californien
— Leng, Ent. Amer. II, 1886, p. 120.

1

Ischnocnemis Thoms.

Thoms. Syst. Ceramb. 1864, p. 199. — Lacord. Gen. Col. IX, 1869, p. 185.
— Bates, Biol. C.-Amer. Col. V, 1880, p. 83.

✓ *coerulescens* Bates, l. c. 1885, p. 328. Mexico
✓ *costipennis* Thoms. Syst. Ceramb. 1864, p. 199. — Dohrn, Stett. Ent. Zeit. XXXIII, 1872, p. 162. — Bates, „
Biol. C.-Amer. Col. V, 1885, p. 327.
cyaneus Bates, Trans. Ent. Soc. Lond. 1892, p. 178. „
✓ *minor* Bates, Biol. C.-Amer. Col. V, 1880, p. 83. „
✓ *sexualis* Bates, l. c. 1885, p. 328. „

5

Galissus Dupont.

Dupont, Mag. Zool. X, 1840, Monogr. Trachyd. Suppl. p. 1. — Thoms. Syst. Ceramb. 1864, p. 434. — Lacord. Gen. Col. IX, 1869, p. 186.

cyanopterus Dupont, Monogr. Trachyd. Suppl. 1840, Cayenne
p. 1, t. 28.

1

Muscidora Thoms.

Thoms. Syst. Ceramb. 1864, p. 202. — Lacord. Gen. Col. IX, 1869, p. 186.
— Bates, Biol. C.-Amer. Col. V, 1885, p. 322, 329.

tricolor Thoms. Syst. Ceramb. 1864, p. 202. — Lacord. Mexico
Gen. Col. IX, 1869, p. 187.

1

Mannophorus J. Lec.

J. Lec. Proc. Acad. Philad. VI, 1853, p. 442; Smiths. Misc. Coll. XI, 1873, p. 314. — Thoms. Syst. Ceramb. 1864, p. 432. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 299. — Leng, Ent. Amer. II, 1886, p. 60.

✓ *ferreus* Bates, Biol. C.-Amer. Col. V, 1880, p. 82. Mexico
✓ *Forreri* Bates, l. c. 1885, p. 327, t. 21, f. 24. „
✓ *laetus* J. Lec. Proc. Acad. Philad. VI, 1853, p. 442. — Mexico,
Leng, Ent. Amer. II, 1886, p. 83, t. 2, f. 14. Texas

3

Entomosterna Chevr.

Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 752. — Thoms. Syst. Ceramb. 1864, p. 432. — Lacord. Gen. Col. IX, 1869, p. 187. — Bates, Biol. C.-Amer. Col. V, 1885, p. 330.

Dithymia Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 753.

- eruentata* Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 753. Mexico
 — Bates, Biol. C.-Amer. Col. V, 1885, p. 330.
 ✓ *eburata* Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 755. „
 ✓ *miniatocollis* Chevr. l. c. p. 756. „
sanguiniventris Chevr. l. c. p. 754. — Bates, Biol. C.-Amer. Col. V, 1885, p. 330. „
trucidata Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 755. Mexico,
 Nicaragua

5

Pleuromenus Bates.

Bates, Trans. Ent. Soc. Lond. 1872, p. 194.

- ✓ *baccifer* Bates, l. c.; Biol. C.-Amer. Col. V, 1880—85, Nicaragua
 p. 330, t. 6, f. 4.
semicostatus Bates, Trans. Ent. Soc. Lond. 1872, p. 195; „
 Biol. C.-Amer. Col. V, 1885, p. 330.

2

Cyphosterna Chevr.

Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 756. — Thoms. Syst. Ceramb. 1864, p. 432. — Lacord. Gen. Col. IX, 1869, p. 188.

Dioxiotis Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 757.

Gambria Chevr. l. c. p. 760. — Thoms. Syst. Ceramb. 1864, p. 432.
 — Lacord. Gen. Col. IX, 1869, p. 189. — Bates, Biol. C.-Amer. Col. V, 1880, p. 86.

- bicolor* Chevr. Ann. Soc. Ent. Fr. (2) II, 1862, p. 758. Mexico
emarginata Chevr. l. c. Yucatan
leucozona Bates, Biol. C.-Amer. Col. V, 1880, p. 86. Mexico
nigripennis Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 760. Brasilien
quadrilineata Chevr. l. c. p. 757. Yucatan
tripunctata Chevr. l. c. p. 759. — Goun. Ann. Soc. Ent. Bolivien
 Fr. LXXX, 1911, p. 134.
ornaticollis Chevr. l. c. (4) II, 1862, p. 759.

6

Amannus J. Lec.

J. Lec. Journ. Acad. Philad. (2) IV, 1, 1858, p. 24. — Thoms. Syst. Ceramb. 1864, p. 432. — Lacord. Gen. Col. IX, 1869, p. 82. — J. Lec. Smiths. Misc. Coll. XI, 1873, p. 314. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 299. — Leng, Ent. Amer. II, 1886, p. 60.

- pectoralis* J. Lec. Journ. Acad. Philad. (2) IV, 1, 1858, Californien,
 p. 25. — Leng, Ent. Amer. II, 1886, p. 83. Colorado
vittiger J. Lec. Journ. Acad. Philad. (2) IV, 1, 1858, p. 24, Texas,
 — Leng, Ent. Amer. II, 1886, p. 83. Neumexico

2

Batyle Thoms.

Thoms. Syst. Ceramb. 1864, p. 201. — Lacord. Gen. Col. IX, 1869, p. 131.
— J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 314. — J. Lec. & Horn,
Classif. Col. N. Amer. 1883, p. 299.

- cylindrella* Casey, Ann. N. York Acad. VII, 1893, p. 587. Texas
— Hamilt. Trans. Amer. Ent. Soc. XXIII,
1896, p. 169.
- ignicollis* Say, Journ. Acad. Philad. III, 1823, p. 412. Südwest-
— J. Lec. Journ. Acad. Philad. (2) II, 1850, staaten
p. 18. — Thoms. Syst. Ceramb. 1864, p. 202. — Nordame-
Leng, Ent. Amer. II, 1886, p. 102, t. 3, f. 15. rikas,
— Wickh. Canad. Ent. XXIX, 1897, p. 148. Canada
coccineicollis Hald. Trans. Amer. Philos. Soc.
(2) X, 1847, p. 39.
sanguinicollis Germ. Ins. spec. novae 1824,
p. 515.
- suturalis* Say, Journ. Acad. Philad. III, 1823, p. 411. — Vereinigte
— J. Lec. Journ. Acad. Philad. (2) II, 1850, Staaten
p. 18. — Leng, Ent. Amer. II, 1886, p. 102. — Nord-
Wickh. Canad. Ent. XXIX, 1897, p. 148. amerikas,
Biologie: Ins. affect. Trees 1907, p. 663, f. 192. Canada
ab. *miniata* Germ. Ins. spec. novae 1824, p. 515.
rubra J. Lec. Proc. Acad. Philad. X, 1858, p. 82.
suturalis White, Cat. Col. Brit. Mus. VIII, 1855,
p. 294.
ab. *Pearsalli* Bland, Proc. Ent. Soc. Philad. I, Nebraska
1862, p. 272.
ab. *rubra* Newm. Ent. Mag. V, 1838, p. 393. Ohio
ab. *rutilans* J. Lec. Journ. Acad. Philad. (2) II, Santa Fé
1850, p. 18.

3

Axestoleus Bates.

Bates, Trans. Ent. Soc. Lond. 1892, p. 180.

- meridionalis* Bates, Biol. C.-Amer. Col. V, 1880, p. 87. Mexico
quinquepunctatus Bates, Trans. Ent. Soc. Lond. 1892, „
p. 181, t. 7, f. 16.

2

Eriphus Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 88. — Cast. Hist. Nat. II, 1840,
p. 451. — Thoms. Classif. Ceramb. 1860, p. 217; Syst. Ceramb. 1864, p. 430.
— Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 747 (Monographie). — Lacord.
Gen. Col. IX, 1869, p. 190.

- aeneicollis* Buq. in Guér. Icon. règne anim. Ins. 1844, Cayenne
p. 226. — Chevr. Monogr. p. 747 (Genus?).
- bahiensis* Chevr. Monogr. p. 749. Bahia
- bipartitus* Buq. in Guér. Icon. règne anim. Ins. 1844, Brasilien
p. 226. — Chevr. Monogr. p. 747 (Genus?)
- bisignatus* Germ. Ins. spec. novae 1824, p. 516. — Serv. „
Ann. Soc. Ent. Fr. III, 1834, p. 89. — White, Cat.
Col. Brit. Mus. VIII, 1855, p. 292. — Chevr. Mo-
nogr. p. 748.
- collaris* Er. Schomb. Reise III, 1848, p. 572. Guyana
- croceicollis* White, Cat. Col. Brit. Mus. VIII, 1855, p. 292. Pará
— Bates, Trans. Ent. Soc. Lond. 1870, p. 429.

- dimidiatus* White, Cat. Col. Brit. Mus. VIII, 1855, p. 293, t. 6, f. 7. — Chevr. Monogr. p. 749. Brasilien
- haematoderus* Chevr. Monogr. p. 750. Bolivien
- immaculicollis* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 89. — Cast. Hist. Nat. II, 1840, p. 451. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 292. — Chevr. Monogr. p. 749. Brasilien
- lineatocollis* Chevr. Monogr. p. 750. Cayenne
- luctuosus* Chevr. Monogr. p. 750. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 134. Brasilien
- mexicanus* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 89. — Cast. Hist. Nat. II, 1840, p. 451. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 748. — Chevr. Monogr. p. 748. Mexico
- unipunctatus* Buq. in Guér. Icon. règne anim. Ins. 1844, p. 226.
- plagiatus* White, Cat. Col. Brit. Mus. VIII, 1855, p. 293. — Chevr. Monogr. p. 748. Brasilien
- prolixus* Bates, Trans. Ent. Soc. Lond. 1872, p. 193; Biol. C.-Amer. Col. V, 1880, p. 88, t. 6, f. 15. Nicaragua
- purpuratus* Chevr. Monogr. p. 748. Brasilien
- sellatus* Buq. in Guér. Icon. règne anim. Ins. 1844, p. 226. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 747 (Genus?). „
- xanthoderus* Bates, Trans. Ent. Soc. Lond. 1870, p. 429. Pará

17

LXXXVII. Dorcadocerini.

Dorcacarinae Lacordaire, Gen. Col. IX, 1869, p. 192.

Dorcadocerus Germ.

Germar, Ins. spec. novae 1824, p. 501.

Dorcadocerus Latr. in Cuv. Règne anim. ed. 2, V, 1829, p. 111. — Blanch. in Cuv. Règne anim. ed. Masson, Ins. I, 1832, p. 474. — Serv. Ann. Soc. Ent. Fr. III, 1834, p. 30. — Cast. Hist. Nat. II, 1840, p. 420. — Thoms. Classif. Ceramb. 1860, p. 207; Syst. Ceramb. 1864, p. 457. — Lacord. Gen. Col. IX, 1869, p. 193.

- barbatus* Ol. Enc. méth. Ins. V, 1790, p. 300; Ent. IV, 67, 1795, p. 10, t. 13, f. 94. — Blanch. in Cuv. Règne anim. ed. Masson, Ins. I, 1832, t. 65, f. 3. — Cast. Hist. Nat. II, 1840, p. 420. — Bates, Trans. Ent. Soc. Lond. 1870, p. 430. — Heyne, Exot. Käfer 1906, p. 240, t. 36, f. 29. Brasilien
- auricomus* Germ. Mag. Ent. IV, 1821, p. 168.

1

LXXXVIII. Trachyderini.

Lacordaire, Gen. Col. IX, 1869, p. 194.

Monographie: Dupont I, 1836, 51 pg., t. 141—164, in Mag. Zool. VI, 1836; II, 1838, XIII + 59 pg., t. 186—200, 204—224, in Mag. Zool. VIII, 1838; Supplement 1840, 16 pg., t. 28—38 in Mag. Zool. X, 1840.

Desmoderus Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 37. — Dupont, Monogr. I, p. 17; II, t. 222, f. 5. — Cast. Hist. Nat. II, 1840, p. 418. — Lacord. Gen. Col. IX, 1869, p. 196.

Didymaeus Thoms. Classif. Ceramb. 1860, p. 211; Syst. Ceramb. 1864, p. 435.

✓ *variabilis* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 38. — Venezuela,
Dupont, Monogr. I, p. 17, t. 148. — Cast. Hist. Brasilien
Nat. II, 1840, p. 418. — Thoms. Classif. Ceramb.
1860, p. 211.

1

Aegoidus Buq.

Buquet, Rev. Zool. 1838, p. 253. — Dupont, Monogr. Suppl. p. 2. —
Thoms. Classif. Ceramb. 1860, p. 208; Syst. Ceramb. 1864, p. 435.

Aegoidius Lacord. Gen. Col. IX, 1869, p. 197.

calligrammus Bates, Biol. C.-Amer. Col. V, 1885, p. 331. Panama

✓ *Debauvei* Guér. Rev. Zool. 1838, p. 287. — Dupont, Monogr. Suppl. p. 5, t. 31. — Lacord. Gen. Col. IX, 1869, p. 197, nota 2. — Heyne, Exot. Käfer 1906, p. 240, t. 36, f. 31. Guyana

venustus Newm. Proc. Ent. Soc. Lond. 1840, p. 3; Entomolog. I, 1840, p. 11.

Earli Guér. Rev. Zool. 1840, p. 334. Columbien

✓ *peruvianus* Buq. l. c. 1838, p. 254. — Dupont, Monogr. Suppl. p. 2, t. 29. Peru

peruanus Er. Archiv für Naturgesch. XIII, 1847, I, p. 139.

4

Phaedinus Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 38. — Dupont, Monogr. I, p. 18; II, t. 222, f. 6; Suppl. p. 3. — Cast. Hist. Nat. II, 1840, p. 418. — Thoms. Classif. Ceramb. 1860, p. 208; Syst. Ceramb. 1864, p. 435. — Lacord. Gen. Col. IX, 1869, p. 198.

corallinus Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 135. Goyaz

flavipes Thunb. Mém. Acad. St. Pétersb. VIII, 1822, p. 306, t. 10, f. 3. Brasilien

microthorax Perty, Del. Anim. Artic. 1834, p. 88, t. 17, f. 11. — Dupont, Monogr. Suppl. p. 6, t. 32.

Janio Guér. Rev. Zool. 1838, p. 287. — Dupont, Monogr. Suppl. p. 4, t. 30. Guyana

Martii Perty, Del. Anim. Artic. 1834, p. 86, t. 17, f. 6. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 135. Brasilien

♂ *biplagiatus* Buq. Rev. Zool. 1840, p. 142; Mag. Zool. XI, 1841, p. 3, t. 67.

♂ *moestus* Newm. Ann. Mag. Nat. Hist. IV, 1840, p. 195.

pictus White, Cat. Col. Brit. Mus. VII, 1853, p. 65. Venezuela

tricolor Serv. Ann. Soc. Ent. Fr. III, 1834, p. 39. — Dupont, Monogr. I, p. 19, t. 149. — Cast. Hist. Nat. II, 1840, p. 418. Cayenne

6

Diastrophosternus Goun.

Goun. Bull. Soc. Ent. Fr. 1911, p. 233.

Bruchi Goun. l. c. p. 234, f. 2.

Argentinien

1

Basiptera Thoms.

Thoms. Syst. Ceramb. 1864, p. 204. — Lacord. Gen. Col. IX, 1869, p. 199.

Anosternus Burm. Stett. Ent. Zeit. XL, 1879, p. 198.*Baseoptera* Gemm. & Har. Cat. Col. IX, 1873, p. 2976.

- ✓ **castaneipennis** Thoms. Syst. Ceramb. 1864, p. 205. — Argentinien
Lacord. Gen. Col. IX, 1869, p. 200. (nicht
martialis Dohrn, Stett. Ent. Zeit. XXXIX, 1878, "Mexico")
p. 457.
sanguinolentus Burm. l. c. XXVI, 1865, p. 162.

1

Dendrobias Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 41. — Dupont, Monogr. I, p. 21; II, t. 222, f. 8. — Thoms. Classif. Ceramb. 1860, p. 207; Syst. Ceramb. 1864, p. 435. — Lacord. Gen. Col. IX, 1869, p. 200. — Leng, Ent. Amer. II, 1886, p. 60.

- ✓ **mandibularis** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 42. Mexico,
— Dupont, Monogr. I, p. 23, t. 151, f. 1. — Cast. Neu-
Hist. Nat. II, 1840, p. 416. — Leng, Ent. Amer. mexico,
II, 1886, p. 61, t. 2, f. 6. Texas,
♀ *quadrinaculatus* Dupont, Monogr. I, p. 22, Arizona,
t. 151, f. 2. Californien
ab. *basalis* Dupont, Monogr. Suppl. p. 6, t. 33.
ab. *testaceus* Dupont, l. c. I, p. 24, t. 152, f. 1. —
Lacord. Gen. Col. IX, 1869, p. 201, nota 1.
maxillosus Serv. Ann. Soc. Ent. Fr. III, 1834, p. 44. — Martinique,
Dupont, Monogr. I, p. 25, t. 152, f. 2. — Bates, Nicaragua
Biol. C.-Amer. Col. V, 1880, p. 88.

2

Trachyderes Dalm.

Dalm. in Schönh. Syn. Ins. I, 3, 1817, p. 364. — Thunb. Mém. Acad. St. Pétersb. VIII, 1822, p. 303. — Germ. Ins. spec. novae 1824, p. 501. — Latr. in Cuv. Règne anim. ed. 2, Ins. II, 1829, p. 112. — Serv. Ann. Soc. Ent. Fr. III, 1834, p. 45. — Dupont, Monogr. I, p. 27; II, t. 223, f. 10. — Blanch. in Cuv. Règne anim. ed. Masson, Ins. I, 1832, p. 474. — Cast. Hist. Nat. II, 1840, p. 415, 416. — Thoms. Classif. Ceramb. 1860, p. 207; Syst. Ceramb. 1864, p. 435. — Lacord. Gen. Col. IX, 1869, p. 201.

- argentinus** Bruch, Rev. Mus. La Plata XV, 1908, p. 216. Argentinien
badius Dupont, Monogr. Suppl. p. 9. Columbien
spadiceus Dupont, l. c. t. 36.
bicolor Voet, Cat. Col. II, 1778, p. 10, t. 8, f. 24; ed. Panzer III, 1794, p. 22, t. 8, f. 24. — F. Mant. Ins. Cayenne
I, 1787, p. 134. — Gmel. Syst. Nat. I, 4, 1790,

- p. 1823. — Ol. Enc. méth. Ins. V, 1790, p. 302; Ent. IV, 67, 1795, p. 18, t. 9, f. 61. — Dupont, Monogr. I, p. 51, t. 164, f. 2.
- bilineatus** Ol. Ent. IV, 67, 1795, p. 17, t. 21, f. 161. — Dupont, Monogr. II, p. 21, t. 197, f. 2. — Bates, Trans. Ent. Soc. Lond. 1870, p. 433. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 137.
- ♀ *Dejeani* Dupont, Monogr. II, p. 15, t. 194, f. 1.
- ♂ *Duponti* Dupont, l. c. p. 17, t. 195, f. 1.
- ♂ *scabricollis* Dalm. Anal. Ent. 1823, p. 64. — Dupont, Monogr. II, p. 19, t. 195, f. 2.
- ♀ *Solieri* Dupont, l. c. p. 16, t. 194, f. 2.
- ab. *puncticollis* Dupont, l. c. p. 20, t. 197, f. 1.
- blandus** Dupont, Monogr. Suppl. p. 8, t. 35.
- Boisduvali** Dupont, Monogr. II, p. 5, t. 188, f. 1.
- Bonplandi** Goun. Bull. Mus. Paris XVI, 1910, p. 17.
- cardinalis** Dupont, Monogr. II, p. 28, t. 204, f. 1.
- cinctus** Dupont, l. c. p. 6, t. 189, f. 1.
- eingulatus** Klug, Nova Acta Acad. Nat. Cur. XII, 1825, p. 456. — Bates, Trans. Ent. Soc. Lond. 1870, p. 431.
- conformis** Dupont, Monogr. I, p. 49, t. 163, f. 2. — Bates, Trans. Ent. Soc. Lond. 1870, p. 434.
- costatus** Auriv. Arkiv f. Zool. V, 1, 1909, p. 7 nota.
- cruentatus** Dupont, Monogr. II, p. 26, t. 200, f. 2.
- ✓ **dimidiatus** F. Mant. Ins. I, 1787, p. 133. — Gmel. Syst. Nat. I, 4, 1790, p. 1823. — Ol. Enc. méth. Ins. V, 1790, p. 301; Ent. IV, 67, 1795, p. 18, t. 14, f. 96. — Dupont, Monogr. I, p. 48, t. 163, f. 1. — Er. Archiv Naturgesch. III, 1837, 12, p. 306.
- ab. *notatus* Dupont, Monogr. I, p. 50, t. 164, f. 1.
- ✓ ab. *scapularis* Dupont, l. c. p. 47, t. 162, f. 2.
- ab. *taeniatus* Germ. Ins. spec. novae 1824, p. 512. — Dupont, Monogr. I, p. 46, t. 162, f. 1.
- Dorbignyi** Dupont, l. c. II, p. 23, t. 198, f. 2.
- ✓ **elegans** Dupont, l. c. I, p. 30, t. 154, f. 1. — Bates, Biol. C.-Amer. Col. V, 1885, p. 332.
- ab. *eximius* Bates, l. c.
- Fabricii** Dupont, Monogr. II, p. 1, t. 186, f. 1.
- flaviventris** Auriv. Arkiv f. Zool. V, 1, 1909, p. 6, nota 1.
- Germari** Dupont, Monogr. I, p. 41, t. 160, f. 1.
- globicollis** Bates, Trans. Ent. Soc. Lond. 1870, p. 433.
- hilaris** Bates, Biol. C.-Amer. Col. V, 1880, p. 90, t. 6, f. 13.
- homoplatus** Dupont, Monogr. II, p. 26, t. 200, f. 1.
- humeralis** Auriv. Arkiv f. Zool. V, 1, 1909, p. 7 nota.
- impunctipennis** Bates, Trans. Ent. Soc. 1870, p. 432.
- intermedius** Dupont, Monogr. I, p. 36, t. 157, f. 1.
- interruptus** Dupont, l. c. p. 138, t. 158, f. 2. — Bates, Biol. C.-Amer. Col. V, 1880, p. 90.
- succinctus* var. Latr. in Humb. Voy. Obs. Zool. I, 1811, p. 207, t. 22, f. 5.
- ✓ **juvencus** Dupont, Monogr. Suppl. p. 7, t. 34.
- Lacordairei** Dupont, Monogr. II, p. 10, t. 191, f. 1.
- Latreillei** Dupont, l. c. p. 11, t. 191, f. 2.
- leptomerus** Auriv. Arkiv f. Zool. V, 1, 1909, p. 6.
- melas** Bates, Trans. Ent. Soc. 1870, p. 432.
- Brasilien
- Cordova
- Columbien
- Brasilien
- Ecuador
- Columbien
- Brasilien
- Pará
- Amazon.,
Venezuela,
- Argentinien
- Cordova
- Cayenne,
Brasilien
- Brasilien
- „
- „
- Südbrasilien
- Mexico,
Guatemala
- Mexico
- Südbrasilien
- Peru
- Brasilien
- Amazon.
- Costarica,
Ecuador
- Südbrasilien
- Südamerika
- Amazon.:
Santarem
- Cayenne
- Südbrasilien,
Ecuador
- Nicaragua
- Columbien
- Cayenne
- Brasilien
- Peru
- Obydos

- nigricornis* Auriv. Arkiv f. Zool. V, 1, 1909; p. 6, nota 1. Brasilien, Peru
nigripennis Dupont, Monogr. II, p. 24, t. 199, f. 1. Südbrasilien
nigripes Dupont, l. c. p. 12, t. 192, f. 1. Cayenne
octolineatus Thunb. Mém. Acad. St. Pétersb. VIII, 1822, p. 305, t. 10, f. 2. Brasilien
strigatus Dupont, Monogr. I, p. 42, t. 160, f. 2.
Olivieri Dupont, Monogr. II, p. 18, t. 196. Bahia
pellitus Kirsch, Abh. Zool. Mus. Dresden (2) II, 4, 1889, p. 39, t. 4, f. 74. Ecuador
politus Bates, Trans. Ent. Soc. Lond. 1870, p. 432 nota. Venezuela
Reichei Dupont, Monogr. I, p. 31, t. 155. — Bates, Trans. Ent. Soc. Lond. 1870, p. 431. Brasilien
rhodopus Bates, l. c.
 Amazon.:
Richteri Bruch, Rev. Mus. La Plata XV, 1908, p. 216. Santarem
 Buenos Aires
rubripes Dupont, Monogr. I, p. 37, t. 157, f. 2. Cayenne
rufipes F. Mant. Ins. I, 1787, p. 133. — Gmel. Syst. Nat. I, 4, 1790, p. 1823. — Ol. Enc. méth. Ins. V, 1790, p. 301; Ent. IV, 67, 1795, p. 15, t. 1, f. 3; — Dupont, Monogr. II, p. 8, t. 190, f. 1. Brasilien
 ab. *axillaris* Dupont, l. c. p. 8.
rufipes Ol. Ent. IV, 67, 1795, p. 15, t. 13, f. 89.
 ab. *brunnipennis* Dupont, Monogr. II, p. 9.
 ab. *ebeninus* Dupont, l. c. p. 7, t. 189, f. 2.
 ab. *fulvipennis* Dupont, l. c. p. 9, t. 190, f. 2.
signaticollis Dupont, l. c. p. 25, t. 199, f. 2. Brasilien
signatus Gyllenh. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 177. — Dupont, Monogr. II, p. 14, t. 193. „
simplicipennis Dupont, l. c. p. 29, t. 204, f. 2. Cayenne
spinicollis Bates, Biol. C.-Amer. Col. V, 1885, p. 332. Mexico
striatus F. Mant. Ins. I, 1787, p. 133. — Ol. Enc. méth. Ins. V, 1790, p. 302; Ent. IV, 67, 1795, p. 27, t. 10, f. 71 a, b. — Dupont, Monogr. I, p. 44, t. 161, f. 2. — Heyne, Exot. Käfer 1906, p. 240, t. 36, f. 30. Cayenne, Brasilien
strigosus Gmel. Syst. Nat. I, 4, 1790, p. 1822.
 ab. *lineolatus* Dupont, Monogr. I, p. 45, t. 161, f. 3. Südbrasilien
 ab. *proximus* Dupont, l. c. p. 43, t. 161, f. 1. Brasilien
subfasciatus Dupont, l. c. p. 38, t. 158, f. 1. — Bates, Biol. C.-Amer. Col. V, 1885, p. 332. Panama, Venezuela, Cayenne
subpilosus Bates, l. c. 1880, p. 89. Honduras, Guatemala, Panama
succinetus L. Syst. Nat. ed. 10, 1758, p. 391; Mus. Lud. Ulr. 1764, p. 72. — Drury, Ill. Exot. Ins. I, 1770, p. 87, t. 39, f. 2. — Degeer, Mém. Ins. V, 1775, p. 113, t. 14, f. 5. — F. Syst. Ent. 1775, p. 168. — Voet, Cat. Col. II, 1778, p. 9, t. 6, f. 16; ed. Panzer III, 1794, p. 19. — Ol. Enc. méth. Ins. V, 1790, p. 301; Ent. IV, 67, p. 20, t. 7, f. 43 a, b. — Blanch. in Cuv. Règne anim. ed. Masson, Ins. 1832, t. 65, f. 4. — Cast. Hist. Nat. II, 1840, p. 417, t. 49, f. 4. — Berge, Käferb. 1844, p. 125, t. 12, f. 16. — Bates, Trans. Ent. Soc. Lond. 1870, p. 430. — Heyne, Exot. Käfer 1906, p. 240, t. 36, f. 32. Panama, Columbien, Venezuela, Guyana, Amazon.

- cayennensis* Dupont, Monogr. I, p. 34, t. 156, f. 1.
zonarius Houttuyn, Natuurl. Hist. I, 9, 1766, p. 566, t. 75, f. 9. — Voet, Cat. Col. II, 1778, p. 9, t. 7, f. 17; ed. Panzer III, 1794, p. 20, t. 7, f. 17.
 Biologie: Ihering, Entomol. Brasil. II, 1909, p. 295, fig. A.
 var. *boliviensis* Auriv. Arkiv f. Zool. V, 1, p. 6, 1909. Bolivien
 var. *Duponti* n. nom. Südbrasilien
succinctus Dupont, Monogr. I, p. 32, t. 154, f. 2. Argentinien
suleatus Burm. Stett. Ent. Zeit. XXVI, 1865, p. 162. — Dohrn, l. c. XLIV, 1883, p. 495. Argentinien
testaceus Dupont, Monogr. II, p. 13, t. 192, f. 2. Brasilien
thoracicus Ol. Enc. méth. Ins. V, 1790, p. 300; Ent. IV, 67, 1795, p. 15, t. 12, f. 85. — Dupont, Monogr. I, p. 40, t. 159. „
morio Cast. Hist. Nat. II, 1840, p. 417. — Dohrn, Stett. Ent. Zeit. XL, 1879, p. 461. — Heyne, Exot. Käfer 1906, p. 240, t. 36, f. 25.
virens Thunb. Mém. Acad. St. Pétersb. VIII, 1822, p. 306, t. 10, f. 4.
transversalis Dupont, Monogr. I, p. 35, t. 156, f. 2. Cayenne
variegatus Perty, Del. Anim. Artic. 1830—34, p. 88, t. 17, f. 11. — Dupont, Monogr. II, p. 3, t. 187, f. 1. Brasilien, Cordova
 var. *Audouini* Dupont, l. c. p. 2, t. 186, f. 2. Brasilien
 var. *gloriosus* Dupont, l. c. p. 4, t. 187, f. 2. Argentinien
 var. *nigrofasciatus* Gory in Guér. Icon. règne anim. Ins. 183?, t. 43, f. 3.
Vauthieri Dupont, Monogr. II, p. 22, t. 198, f. 1. Brasilien
vermiculatus Bates in Whymper, Travels Great Andes, Append. 1891, p. 38, fig., p. 6. Ecuador
zonatus Dalm. Anal. Ent. 1823, p. 63. Brasilien
equestris Dupont, Monogr. II, p. 5, t. 188, f. 2.

59

Dicranoderes Dupont.

Dupont, Monogr. Trachyder. I, 1836, p. 25, t. 223, f. 9, in Mag. Zool. VIII, 1836. — Cast. Hist. Nat. II, 1840, p. 416. — Thoms. Classif. Ceramb. 1860, p. 207; Syst. Ceramb. 1864, p. 435. — Lacord. Gen. Col. IX, 1869, p. 202.

annulatus Dupont, Monogr. I, p. 26, t. 153. — Cast. Hist. Nat. II, 1840, p. 416, t. 49, f. 3. — Berge, Käferb. 1844, p. 125, t. 12, f. 10. Brasilien

1

Ancylosternus Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 49. — Dupont, Monogr. II, p. 33, t. 223, f. 12. — Cast. Hist. Nat. II, 1840, p. 418. — Thoms. Classif. Ceramb. 1860, p. 208; Syst. Ceramb. 1864, p. 435. — Lacord. Gen. Col. IX, 1869, p. 203.

albicornis Er. Archiv für Naturgesch. XIII, 1847, I, p. 139. Peru

morio F. Mant. Ins. I, 1787, p. 133. — Ol. Enc. méth. Ins. V, 1790, p. 301. Cayenne, Venezuela,

31

- scutellaris* Ol. Ent. IV, 67, 1795, p. 16, t. 21, f. 160. — Dupont, Monogr. II, p. 34, t. 207, f. 1, 2. — Cast. Hist. Nat. II, 1840, p. 418. — Heyne, Exot. Käfer 1906, p. 240, t. 36, f. 33.

2

Columbien,

Oxymerus Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 50. — Dupont, Monogr. II, p. 35, t. 224, f. 13. — Cast. Hist. Nat. II, 1840, p. 418. — Thoms. Classif. Ceramb. 1860, p. 207; Syst. Ceramb. 1864, p. 436. — Lacord. Gen. Col. IX, 1869, p. 204.

- abdominalis* Dupont, Monogr. II, p. 37, t. 209, f. 1. Brasilien
aculeatus Dupont, l. c. p. 38, t. 209, f. 2. ”
approximatus Dupont, l. c. p. 44, t. 212, f. 2. Cayenne
basalis Dalm. Anal. Ent. 1823, p. 65. — Dupont, Monogr. II, p. 35, t. 208, f. 1. — Cast. Hist. Nat. II, 1840, p. 418. — Bates, Trans. Ent. Soc. Lond. 1870, p. 435. Brasilien
Chevrolati Dupont, Monogr. II, p. 36, t. 208, f. 2. ”
confusus Dupont, l. c. p. 39, t. 210, f. 1. ”
deletus Dupont, l. c. p. 50, t. 215, f. 2. ”
distinguendus Dupont, l. c. p. 48, t. 214, f. 2. Demerara
elongatus Dupont, l. c. p. 45, t. 213, f. 1. Cayenne
flavescens Thunb. Mém. Acad. St. Petersb. VIII, 1822, p. 304, t. 10, f. 1. Brasilien
Klugi Dupont, Monogr. II, p. 46, t. 213, f. 2. Pará
Lebasi Dupont, l. c. p. 47, t. 214, f. 1. Columbien
lateriscriptus Burm. Stett. Ent. Zeit. XXVI, 1865, p. 164. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 138. Montevideo
luteus Voet, Cat. Col. II, 1778, p. 17, t. 16, f. 68; ed. Brasilien
 Panzer III, 1794, p. 43, t. 16, f. 68.
lineatus Dupont, Monogr. II, p. 41, t. 211, f. 1.
porcatus Weber, Obs. Ent. 1801, p. 88. —
 Lichtenst. Cat. Mus. Hamb. III, 1796, p. 48.
quadrioculatus Schaller, Abhandl. Naturf. Ges. Halle I, 1783, p. 289, t. 1, f. 2.
rivulosus Germ. Ins. spec. nov. 1824, p. 512. — Dupont, Monogr. II, p. 42, t. 211, f. 2. — Bates, Trans. Ent. Soc. Lond. 1870, p. 435.
 ab. *pallidus* Dupont, Monogr. II, p. 49, t. 215, f. 1. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 138, fig. Buenos Aires
nigricornis Dupont, Monogr. II, p. 40, t. 210, f. 2. Brasilien
nigriventris Dupont, l. c. p. 43, t. 212, f. 1. Bahia
obliquatus Burm. Stett. Ent. Zeit. XXVI, 1865, p. 163. Argentinien
punctatus Goun. Anim. Soc. Ent. Fr. LXXX, 1911, p. 138, fig. Goyaz
Saundersi C. Waterh. Ann. Mag. Nat. Hist. (5) XVII, 1886, p. 500. Argentinien

19

Xylocaris Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 47. — Cast. Hist. Nat. II, 1840, p. 417.

Xylocharis Dupont, Monogr. II, p. 29, t. 223, f. 11. — Thoms. Syst. Ceramb. 1864, p. 436. — Lacord. Gen. Col. IX, 1869, p. 205.

- elegantula* Dupont, l. c. p. 31, t. 205, f. 2. Südbrasilien
 ✓ *oculata* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 48. — Du- „
 pont, Monogr. II, p. 30, t. 205, f. 1. — Cast. Argentinien
 Hist. Nat. II, 1840, p. 417.
pumilio Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 140. Goyaz
 3

Eriocharis n. nom.

Eriosoma Lacord. Gen. Col. IX, 1869, p. 206, nota 2.

- costata* Dupont, Monogr. II, p. 33, t. 206, f. 2. Südbrasilien
lanaris Blanch. Voy. d'Orbigny, Ins. 1843, p. 207, t. 21, Bolivia,
 f. 2. — Lacord. Gen. Col. IX, 1869, p. 206, Argentinien
 nota 2. — Burm. Stett. Ent. Zeit. XL, 1879,
 p. 199.
aurulenta Burm. l. c. XXVI, 1865, p. 162.
flavocoma Fairm. Ann. Soc. Ent. Fr. (4) IV,
 1864, p. 272.
 ✓ *Richardi* Dupont, Monogr. II, p. 32, t. 206, f. 1. — Burm. Südbrasilien,
 Stett. Ent. Zeit. XL, 1879, p. 199. Argentinien
haematica Fairm. Ann. Soc. Ent. Fr. (4) IV,
 1864, p. 271.
 3

Ozodera Dupont.

- Dupont, Monogr. Suppl. p. 10. — Thoms. Classif. Ceramb. 1860, p. 208;
 Syst. Ceramb. 1864, p. 435. — Lacord. Gen. Col. IX, 1869, p. 206.
bipartita Buq. Rev. Zool. 1840, p. 111. Columbien
 ✓ *callidioides* Dupont, l. c. p. 42. — Lacord. Gen. Col. IX, „
 1869, p. 207, nota 1. — Auriv. Ent. Tidskr.
 XII, 1891, p. 102, f. 3.
bipartita var. Guér. Rev. Zool. 1840, p. 142.
farinosa Burm. Stett. Ent. Zeit. XXVI, 1865, p. 161. — Buenos Aires
 Lacord. Gen. Col. IX, 1869, p. 207, nota 1.
 ✓ *xanthospilos* Dupont, Monogr. Suppl. p. 10, t. 37. Columbien
 4

Charinotes Serv.

- Serv. Ann. Soc. Ent. Fr. III, 1834, p. 39. — Dupont, Monogr. I, p. 20,
 t. 222, f. 7. — Thoms. Syst. Ceramb. 1864, p. 435. — Lacord. Gen. Col. IX,
 1869, p. 207.
fasciatus Serv. Ann. Soc. Ent. Fr. III, 1834, p. 40. — Südbrasilien
 — Dupont, Monogr. I, p. 20, t. 150. — Cast.
 Hist. Nat. II, 1840, p. 417.
 1

LXXXIX. Lissonotini.

- Dupont, Monogr. Trachyder. I, 1836, p. 6—15, t. 122, f. 3, 7 (Monogr.)
 — Lacordaire, Gen. Col. IX, 1869, p. 208.

Panchylissus Waterh.

Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 294.

✓ *cyaneipennis* Waterh. l. c. p. 295.Ecuador:
Sarayacu

1

Lissonotus Dalm.

Dalm. in Schönh. Synon. Ins. I, 3, 1817, p. 364. — Germ. Ins. spec. novae 1824, p. 500. — Latr. in Cuv. Règne anim. Ins. II, 1829, p. 111. — Serv. Ann. Soc. Ent. Fr. III, 1834, p. 56. — Dupont, Monogr. I, p. 6, t. 222, f. 2. — Blanch. in Cuv. Règne anim. ed. Masson, Ins. 1832, p. 473. — Cast. Hist. Nat. II, 1840, p. 415. — Thoms. Classif. Ceramb. 1860, p. 208; Syst. Ceramb. 1864, p. 433. — Lacord. Gen. Col. IX, 1869, p. 209. — Leng, Ent. Amer. II, 1886, p. 60.

andalgalensis Bruch, Rev. Mus. La Plata XV, 1908, p. 218, fig.

Argentinien

biguttatus Dalm. in Schönh. Synon. Ins. I, 3, 1817, Append. p. 159, t. 6, f. 4. — Dupont, Monogr. p. 13, t. 145, f. 3. — Bates, Trans. Ent. Soc. Lond. 1870, p. 437.

Brasilien:
Pará

bisignatus Dupont, Monogr. p. 13, t. 145, f. 2.

Brasilien

elavicornis Ol. Enc. méth. Ins. V, 1790, p. 258; Ent. IV, 70, p. 17, t. 2, f. 23 (Genus?).

Patria?

✓ *corallinus* Dupont, Monogr. p. 11, t. 144, f. 2.Panama,
Columblen,
Venezuela

eruciatus Dupont, l. c. p. 8, t. 143, f. 1.

Cayenne

ephippiatus Bates, Trans. Ent. Soc. Lond. 1870, p. 437.

Amazon.

✓ *equestris* F. Mant. Ins. I, 1787, p. 153. — Dupont, Monogr. p. 11, t. 144, f. 1.

Cayenne

biserratus Voet, Cat. Col. II, 1804—06, p. 29, t. 25, f. 137.

cinctus Panzer in Voet, Besch. hartsch. Ins. IV, 1798, p. 2, t. 25, f. 136.

cingulatus Panzer, l. c. f. 137.

serratus americanus Voet, Cat. Col. II, 1804—06, p. 28, t. 25, f. 136.

unidentatus Ol. Ent. IV, 67, 1795, p. 20, t. 19, f. 145.

fallax Bates, Trans. Ent. Soc. Lond. 1870, p. 436.

Amazon.

flabellicornis Germ. Ins. spec. novae 1824, p. 504. — Dupont, Monogr. p. 7, t. 142, f. 1. — Cast. Hist. Nat. II, 1840, p. 415. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 244, f. 2.

Brasilien

✓ *flavocinctus* Dupont, Monogr. p. 9, t. 143, f. 2.

Columbien,

var. *multifasciatus* Dupont, l. c. p. 10, t. 143, f. 3. — Bates, Biol. C.-Amer. Col. V, 1880—85, p. 90, 333.

Mexico,
Guatemala,
Nicaragua

var. *puncticollis* Bates, Biol. C.-Amer. Col. V, 1885, p. 333.

Californien,
Arizona,
Mexico

multifasciatus Leng, Ent. Amer. II, 1886, p. 62.

princeps Bates, Trans. Ent. Soc. Lond. 1870, p. 438 nota.

Bolivien

rubidus White, Cat. Col. Brit. Mus. VII, 1853, p. 63. — Bates, Trans. Ent. Soc. Lond. 1870, p. 437.

Pará

scapularis Ol. Ent. IV, 67, p. 17, t. 21, f. 162. (Genus?)

Patria?

- ✓ **Shepherdi** Pascoe, Trans. Ent. Soc. Lond. (2) V, 1859, p. 16. — Bates, Trans. Ent. Soc. Lond. 1870, p. 436. Amazon.
- simplex** Bates, l. c. p. 438. „
- ✓ **spadiceus** Dalm. Anal. Ent. 1823, p. 65. — Dupont, Monogr. p. 7, t. 142, f. 2. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 142, f. 1. Brasilien
- purpuratus** Germ. Ins. spec. novae 1824, p. 503. „
- ✓ **tetraspilotos** White, Cat. Col. Brit. Mus. VII, 1853, p. 64. „
- unifasciatus** Gory in Guér. Icon. règne anim. Ins. 1829—1844, p. 217, t. 43, f. 1. — Cast. Hist. Nat. II, 1840, p. 415. — Berge, Käferb. 1844, p. 119, t. 10, f. 12. — Bates, Trans. Ent. Soc. Lond. 1870, p. 437. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 245. „
- abdominalis** Dupont, Monogr. p. 12, t. 145, f. 1. — Cast. Hist. Nat. II, 1840, t. 49, f. 2.
- 19

Lissonotypus Thoms.

- Thoms. Syst. Ceramb. 1864, p. 211. — Lacord. Gen. Col. IX, 1869, p. 210.
- Lissonotypus* Gemm. & Har. Cat. Col. IX, 1873, p. 2982.
- brasiliensis** Buq. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 622. Brasilien
- Thoms. Syst. Ceramb. 1864, p. 211.
- quadrisignatus** Buq. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 621. „
- 2

Phoenidnus Pasc.

- Pascoe, Trans. Ent. Soc. Lond. (3) V, 1866, p. 293. — Lacord. Gen. Col. IX, 1869, p. 211.
- lissonotoides** Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. 293, t. 20, f. 6. — Lacord. Gen. Col. IX, 1869, p. 211. Columbien
- 1

Gonyacantha Thoms.

- Thoms. Archiv. Ent. I, 1857, p. 407; Classif. Ceramb. 1860, p. 208; Syst. Ceramb. 1864, p. 434. — Lacord. Gen. Col. IX, 1869, p. 212.
- rubronigra** Thoms. Archiv. Ent. I, 1857, p. 408. — Goun. Brasilien
- Bull. Soc. Ent. Fr. 1908, p. 289.
- Richteri** Fischer, Berl. Ent. Zeitschr. XXXII, 1888, p. 490.
- 1

Rachidion Serv.

- Serv. Ann. Soc. Ent. Fr. III, p. 54. — Dupont, Monogr. I, p. 14, t. 222, f. 3. — Cast. Hist. Nat. II, 1840, p. 415. — Thoms. Classif. Ceramb. 1860, p. 208; Syst. Ceramb. 1864, p. 433. — Lacord. Gen. Col. IX, 1869, p. 212.
- Calodus** Lucas, Voy. Castelnau, Ins. 1857, p. 184. — Thoms. Syst. Ceramb. 1864, p. 434.
- Rhachidion** Gemm. & Har. Cat. Col. IX, 1873, p. 2982.

- gagatinum** Germ. Ins. spec. novae 1824, p. 504. — Lacord. Brasilien
Gen. Col. IX, 1869, p. 187, nota 2.
- nigritum** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 55. — „
Dupont, Monogr. p. 15, t. 146. — Cast. Hist. Nat.
II, 1840, p. 415.
- obesum** Newm. Charlesw. Mag. Nat. Hist. (2) IV, 1840, „
p. 195. — Lacord. Gen. Col. IX, 1869, p. 213,
nota 3. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911,
p. 143.
- ♂ *granulicolle* Chabrill. Archiv. Ent. I, 1857,
p. 198.
- varians* Lucas, Voy. Castelnau, Ins. 1857, p. 185,
t. 11, f. 4.
- ✓ **ramulicorne** Lacord. Gen. Col. IX, 1869, p. 213, nota 3. „
4

Stiphilus Buq.

Buq. Rev. Zool. 1840, p. 172; Mag. Zool. XI, 1841, Ins. nr. 63. — Thoms.
Syst. Ceramb. 1864, p. 434. — Lacord. Gen. Col. IX, 1869, p. 214.

quadripunctatus Buq. Rev. Zool. 1840, p. 172; Mag. Zool. Brasilien
XI, 1841, Ins. t. 63.

1

XC. Megaderini.

Thoms. Classif. Ceramb. 1860, p. 213. Syst. Ceramb. 1864, p. 206. — Lacord.
Gen. Col. IX, 1869, p. 215. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 312.
— J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 297.

Megaderus Germ.

Germ. Ins. spec. novae 1824, p. 501. — Latr. in Cuv. Règne anim. ed. 2,
1829, p. 111. — Serv. Ann. Soc. Ent. Fr. III, 1834, p. 57. — Blanch. in Cuv.
Règne anim. ed. Masson, Ins. 1832, p. 473. — Dupont, Monogr. Trachyder.
I, 1836, p. 3, t. 222, f. 1. (Mag. Zool. VI, 1836.) — Cast. Hist. Nat. II, 1840,
p. 413. — Thoms. Classif. Ceramb. 1860, p. 214; Syst. Ceramb. 1864, p. 433.
— Lacord. Gen. Col. IX, 1869, p. 216. — Leng, Ent. Amer. II, 1886, p. 60.

bifasciatus Dupont, Monogr. I, p. 5, t. 141, f. 2. — J. Lec. Mexico,
Journ. Acad. Philad. (2) II, 1852, p. 176. — Leng, Texas
Ent. Amer. II, 1886, p. 61, t. 3, f. 5.

corallifer Newm. Charlesw. Mag. Nat. Hist. (2) IV,
1840, p. 195. — Hald. Stansb. Explor. 1852,
Append. t. 9, f. 15.

latifasciatus Bates, Trans. Ent. Soc. Lond. 1870, p. 438
nota; Biol. C.-Amer. Col. V, 1880, p. 91, t. 6, f. 9. Nicaragua,

✓ **stigma** L. Syst. Nat. ed. 10, 1758, p. 395. — Degeer, Mém. Panama
Ins. V, 1775, p. 119, t. 14, f. 13. — F. Syst. Ent. Südamerika,
1775, p. 189. — Herbst in Borowsky, Naturg. VI, Panama
1784, p. 129, t. 16, f. 3. — Ol. Enc. méth. Ins.
V, 1790, p. 251; Ent. IV, 70, 1795, p. 7, t. 2, f. 21.

— Panzer in Voet, Hartschal. Ins. IV, 1798, p. 1,
t. 25, f. 134. — Dupont, Monogr. I, p. 3, t. 141, f. 1.
— Blanch. in Cuv. Règne anim. ed. Masson, Ins.
1832, t. 65, f. 2. — Cast. Hist. Nat. II, 1840, p. 413.

- Guér. Icon. règne anim. Ins. 1844, p. 217, t. 43, f. 2. — Bates, Trans. Ent. Soc. Lond. 1870, p. 438.
jota surinamensis Voet, Cat. Col. II, 1804—6, p. 28, t. 25, f. 134.
 ab. (*latidorsum*) *nigrum (surinamense)* Voet, Surinam l. c. t. 25, f. 135.
sigma ♂ Panzer in Voet, Hartschal. Ins. IV, 1798, p. 1, t. 25, f. 135.

3

XCI. Tragocerini.

Lacordaire, Gen. Col. IX, 1869, p. 217.

Tragocerus Latr.

Latr. in Cuv. Règne anim. Ins. II, 1829, p. 121. — Serv. Ann. Soc. Ent. Fr. III, 1834, p. 60. — Cast. Hist. Nat. II, 1840, p. 410. — Thoms. Classif. Ceramb. 1860, p. 167; Syst. Ceramb. 1864, p. 416. — Lacord. Gen. Col. IX, 1869, p. 218.

- ✓ *bidentatus* Donovan. Ins. N. Holl. 1805, t. 6, f. 4. — Gray Neuholland in Griffith, Anim. Kingd. XV, 1832, t. 95, f. 8. — Boisd. Voy. Astrol. Ins. II, 1835, p. 466. — Guér. Icon. règne anim. Ins. 1844, p. 250, t. 45, f. 8. — Heyne, Exot. Käfer 1906, p. 240, t. 36, f. 24.
australis Serv. Ann. Soc. Ent. Fr. III, 1834, p. 61. — Cast. Hist. Nat. II, 1840, p. 410.
- ✓ *fasciatus* Donovan. Ins. N. Holl. 1805, t. 6, f. 3 (= *bidentatus*?). „
australis Boisd. Voy. Astrol. Ins. II, 1835, p. 465, t. 8, f. 6.
 . var. *bifasciatus* Guér. Voy. Coquille II, 1830, p. 132, t. 7, f. 3.
- formosus* Pascoe, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 463. Lizardinsel
heraldicus Vollenh. Tijdschr. v. Ent. XIV, 1871, p. 106. Neuguinea
 t. 4, f. 6.
- lepidopterus* Schreibers, Trans. Linn. Soc. Lond. VI, 1802, Neusüdwailes
 p. 197, t. 21, f. 7. — Donovan. Ins. N. Holl. 1805, t. 5, f. 3. — Boisd. Voy. Astrol. Ins. II, 1835, p. 466.
- ✓ *Spencei* Hope, Trans. Ent. Soc. Lond. I, 1834, p. 18, t. 2, Victoria
 f. 4. — Blanch. in Cuv. Règne anim. ed. Masson, Ins. 1832, t. 66 bis, f. 6.
- ✓ *subfasciatus* Germ. Linnaea Ent. III, 1848, p. 224. Adelaide

7

XCII. Spintheriini.

Lacordaire, Gen. Col. IX, 1869, p. 219.

Spintheria Thoms.

Thoms. Classif. Ceramb. 1860, p. 357; Syst. Ceramb. 1864, p. 360. — Lacord. Gen. Col. IX, 1869, p. 220.

- ✓ *Donoi* Montrouz. Ann. Soc. Ent. Fr. (4) I, 1861, p. 295. Insel Liu
 ✓ *gratiosa* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 99. Insel Pin
 t. 22, f. 4. — Thoms. Classif. Ceramb. 1860, p. 357.
 — Lacord. Gen. Col. IX, 1869, p. 220, t. 95, f. 4.

2

Anastetha Pasc.

Pascoe, Trans. Ent. Soc. Lond. (3) V, 1866, Proc. p. 28. — Lacord. Gen. Col. IX, 1869, p. 221.

raripila Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, Proc. p. 28. — Waterh. Aid ident. Ins. II, 1890, t. 188, f. 7. Queensland, Fidschi (?)

1

XCIII. Coptommatini.

Lacordaire, Gen. Col. IX, 1869, p. 221.

Coptomma Newm.

Newm. Ann. Nat. Hist. V, 1840, p. 18. — Lacord. Gen. Col. IX, 1869, p. 222. — Broun, Man. N. Zeal. Col. I, 1880, p. 589.

Tmesisternus Serv. Ann. Soc. Ent. Fr. III, 1834, p. 72 (ex parte). — Thoms. Classif. Ceramb. 1860, p. 357; Syst. Ceramb. 1864, p. 360.

✓ *variegatum* F. Syst. Ent. 1775, p. 189. — Gmel. Syst. Nat. I, 4, 1790, p. 1849. — Ol. Enc. méth. Ins. V, 1790, p. 252; Ent. IV, 70, 1795, p. 25, t. 5, f. 58. — White, Voy. Erebus and Terror, Ins. 1846, p. 20. — Blanch. Voy. Pôle Sud, Zool. IV, 1853, p. 274, t. 17, f. 1. — Broun, Man. N. Zeal. Col. I, 1880, p. 589. Neuseeland

virgatum Newm. Ann. Nat. Hist. V, 1840, p. 18.

1

XCIV. Navomorphini.

Lacordaire, Gen. Col. IX, 1869, p. 223.

Navomorpha Thoms.

Thoms. Classif. Ceramb. 1860, p. 356; Syst. Ceramb. 1864, p. 360. — Lacord. Gen. Col. IX, 1869, p. 224. — Broun, Man. N. Zeal. Col. I, 1880, p. 589.

Naomorpha Gemm. & Har. Cat. Col. IX, 1873, p. 2984.

Douei Lucas, Ann. Soc. Ent. Fr. (4) II, 1862, Bull. p. 27; (4) III, 1863, p. 116, t. 2, f. 4. — Lacord. Gen. Col. IX, 1869, p. 225, nota, t. 95, f. 2. Insel Lifu

✓ *lineata* F. Syst. Ent. 1775, p. 189. — Ol. Enc. méth. Ins. V, 1790, p. 252; Ent. IV, 70, 1795, p. 26, t. 4, f. 50. — White, Voy. Erebus and Terror, Ins. 1846, p. 20, t. 4, f. 5. — Thoms. Classif. Ceramb. 1860, p. 356. — Broun, Man. N. Zeal. Col. I, 1880, p. 590. Neuseeland

australis Gmel. Syst. Nat. I, 4, 1790, p. 1849.

neglecta Broun, Man. N. Zeal. Col. I, 1880, p. 591. „

stictica Broun, l. c. V, 1893, p. 1284. „

- ✓ *sulcata* F. Syst. Ent. 1775, p. 189. — Gmel. Syst. Nat. I, 4, 1790, p. 1849. — Ol. Enc. méth. Ins. V, 1790, p. 253; Ent. IV, 70, 1795, p. 26, t. 4, f. 48. — White, Voy. Erebus and Terror, Ins. 1846, p. 20. — Broun, Man. N. Zeal. Col. I, 1880, p. 590.
acutipennis White, Voy. Erebus and Terror, Ins. 1846, p. 20, t. 4, f. 2.
- textoria* Newm. Ann. Nat. Hist. V, 1840, p. 18. — Lacord. Gen. Col. IX, 1869, p. 223, nota 2.

6

Nicht gedeutete Arten.

(Vergleiche auch Seite 55, 357, 373.)

- albopunctatus* Gronov. Zoophyl. 1774, p. 163. — *Cerambyx*. Patria ?
- bicolor* Ol. Enc. méth. Ins. V, 1790, p. 258; Ent. IV, 70, 1795, p. 20, t. 1, f. 4. — F. Ent. Syst. I, 2, 1792, p. 329. — *Callidium*. Südamerika
- bimaculata* Müller, Zool. Dan. Prodr. 1776, p. 95. — *Leptura*. Dänemark
- calcaratus* Scop. Annus Hist. Nat. V, 1772, p. 98. — *Stenocorus*. Kärnthen
- cantharoides* Scop. Ent. Carniol. 1761, p. 49. — *Leptura*. „
- castaneus* Voet, Cat. Col. II, 1778, p. 18, t. 17, f. 75; ed. Panzer III, 1794, p. 46, t. 17, f. 75. — *Cerambyx*. Amerika
- Castiglionei* Scop. Delic. Faunae et Florae Ins. II, 1787, p. 40, t. 20, f. 2. — *Callidium*. Italien
- clavipes* Forst. Novae spec. Ins. 1771, p. 42. — *Cerambyx*. Nordamerika
- collaris* Forst. Novae spec. Ins. 1771, p. 46. — *Necydalis*. „
- concolor* F. Ent. Suppl. 1798, p. 149. — *Callidium*. Patria ?
- connexa* F. Ent. Syst. Suppl. 1798, p. 154. — *Leptura*. Tanger
- euprea* Weber, Obs. Ent. 1801, p. 90. — *Leptura*. Kaukasus
- dromas* Voet, Cat. Col. II, 1778, p. 24, t. 22, f. 113; ed. Panzer III, 1794, p. 64, t. 22, f. 113. — *Cerambyx*. „Berbisäische Inseln“
- ferrugineus* Goeze, Ent. Beytr. I, 1777, p. 477. — *Cerambyx*. Amerika
- fuliginosus* Scop. Annus Hist. Nat. V, 1772, p. 98. — *Stenocorus*. Kärnthen
- fulvicolle* F. Ent. Syst. I, 2, 1792, p. 324. — Ol. Ent. IV, 70, 1795, p. 19, t. 7, f. 80. — *Callidium* (*Eriphus*?). Surinam
- longicornis* Voet, Cat. Col. II, 1778, p. 24, t. 21, f. 110; ed. Panzer III, 1794, p. 62, t. 21, f. 110. — *Cerambyx*. Deutschland
- lucidum* Ol. Ent. IV, 70, 1795, p. 18, t. 1, f. 10. — *Callidium*. Südamerika
- lucidus* Ol. Enc. méth. Ins. V, 1790, p. 309. — *Cerambyx*. „
- lucidus* Scop. Annus Hist. Nat. V, 1772, p. 98. — *Stenocorus* (= *Anisarthron barbipes* Schr.?). Kärnthen

- minimus** Goeze, Ent. Beytr. I, 1777, p. 479. — *Cerambyx*. Patria?
notatus Voet, Cat. Col. II, 1778, p. 16, t. 15, f. 61; ed. Amerika
 Panzer III, 1794, p. 40, t. 15, f. 61. — *Cerambyx*.
americanus Schönh. Syn. Ins. I, 3, 1817, p. 363.
pallipes Ol. Enc. méth. Ins. V, 1790, p. 258. — *Callidium*. Patria?
petiolatus Voet, Cat. Col. II, 1778, p. 24, t. 22, f. 114; Deutschland,
 ed. Panzer III, 1794, p. 64, t. 22, f. 114. — Holland
Cerambyx.
plebejus F. Ent. Syst. Suppl. 1798, p. 147. — *Stenocorus*. Amerika
praepes Voet, Cat. Col. II, 1778, p. 22, t. 20, f. 96; ed. „
 Panzer III, 1794, p. 57, t. 20, f. 96. — *Cerambyx*.
punctatum F. Ent. Syst. Suppl. 1798, p. 149. — *Callidium*. Sachsen
quadriguttatus Ol. Ent. IV, 69, 1795, p. 27, t. 1, f. 7. — Honduras
Stenochorus.
quadripunctatus F. Syst. El. II, 1801, p. 278. — *Cerambyx*. Südamerika
raucum F. Spec. Ins. I, 1781, p. 239. — *Callidium*. Afrika
vaucum F. Syst. El. II, 1801, p. 342.
rufus Scop. Annus Hist. Nat. V, 1772, p. 98. — *Stenocorus*. Kärnthen
rufus Voet, Cat. Col. II, 1804—06, p. 25, t. 23, f. 120. — Amerika
Cerambyx.
rugicollis F. Mant. Ins. I, 1787, p. 135. — *Cerambyx*. Tranquebar
squallida Scop. Annus Hist. Nat. V, 1772, p. 102. — Kärnthen
Leptura.
striatus Voet, Cat. Col. II, 1778, p. 17, t. 16, f. 69; ed. Demerary
 Panzer III, 1794, p. 43, t. 16, f. 69. — *Cerambyx*.
surinamensis Voet, Cat. Col. II, 1778, p. 8, t. 6, f. 10; Surinam
 ed. Panzer III, 1794, p. 16, t. 6, f. 10. — *Cerambyx*.
testacea Scop. Annus Hist. Nat. V, 1772, p. 100. — Kärnthen
Leptura.
tuberculatus F. Ent. Syst. Suppl. 1798, p. 143. — Cayenne
Cerambyx.
umbraticus Ol. Ent. IV, 67, 1795, p. 129, t. 11, f. 75. — „
Cerambyx.

Nachträge und Verbesserungen.

- p. 49 **Placaederus Caroli** Leprieur. — Vuillet, Insecta I, 1911, p. 218, f. 3.
 „ **Placaederus denticornis** F. — Aulmann, Fauna deutsch. Kolon. V, 2, 1911, p. 47, f. 29.
 „ **Placaederus Jaffeuxi** Vuillet, Insecta I, 1911, Südoran
 p. 217, f. 2.
 p. 72 **ambiguum** Newm. streichen. Vergl. p. 123.
 p. 116 **Didymocantha cognata** Broun, Bull. N. Zeal. Neuscealand
 Inst. I, 1910, p. 73.
 p. 117 **Nesoptychias** Kirk. Canad. Ent. XLII, 1910, p. 8;
 statt *Pteroptychus* Auriv.
 p. 118 **plagiata** Blackb. streichen. Vergl. p. 94.
 p. 125 **rufipes** Pasc. streichen. Vergl. p. 124.
 p. 191 ab. **morio** F. streichen. Vergl. p. 190.
 p. 229 **atra** Panz. und **hollandica nigra** Voet streichen. Vergl. p. 232.

- p. 252 *Hoplogaster* Kolbe lies *Haplogaster* Kolbe.
 p. 297 *Jonthodes formosa* Serv. — Achard, Bull. Soc. Ent. Fr. 1911, p. 343.
 var. *amabilis* Hope. — Achard, l. c.
 var. *intermedia* Achard, l. c. p. 344.
 var. *melanaria* Achard, l. c.
 p. 298 *Nothopeus* Rits. Notes Leyden Mus. XXXIV, 1911, p. 22. — Biologie, Mimicry, Liste.
 p. 309 *Calliebroma collare* Jord. — Aulmann, Fauna deutsch. Kolon. V, 2, 1911, p. 48, f. 30.
 p. 330 *Rosalia (Eurybatus) conviva* Csiki, Ann. Mus. Hungar. IX, 1911, p. 612. Formosa
 p. 397 *aegyptiacus* Redt. gehört zu *hungaricus* nicht zu *herzianus*.
 p. 422 nach *Iponoria* einzuschalten:

Epropetes Bates.

- Bates, Trans. Ent. Soc. Lond. 1870, p. 400.
latifascia White, Cat. Col. Brit. Mus. VIII, 1855, p. 218. Tapajós
 — Bates, Trans. Ent. Soc. Lond. 1870, p. 401.

1

Nach Lameere (in litt.) gehören die folgenden beiden Gattungen zu den Cerambyceinen und nicht zu den Prioninen:

Crinosoma Thoms.

- Thoms. Classif. Ceramb. 1860, p. 284, 298; Syst. Ceramb. 1864, p. 472. —
 Lacord. Gen. Col. VIII, 1869, p. 162. — Tribus *Aphanasiini?* *Philini?*
maculatum Thoms. Classif. Ceramb. 1860, p. 299. Natal

1

Acideres Thoms.

- Thoms. Classif. Ceramb. 1860, p. 310; Syst. Ceramb. 1864, p. 473. — Lacord.
 Gen. Col. VIII, 1869, p. 169. — Tribus?
Acidoderes Gemm. & Har. Cat. Col. IX, 1873, p. 2779.
Phylломорpha Montrouz. Ann. Soc. Ent. Fr. (4) I, 1861, p. 279.
Ricaudi Guér. Rev. Mag. Zool. (2) X, 1858, p. 82. — Neu-caledonien
 Thoms. Classif. Ceramb. 1860, p. 310. — Fauv.
 Bull. Soc. Linn. Normand. VII, 1862, p. 162,
 t. 10 bis, f. 61.
Rigaudi Montrouz. Ann. Soc. Ent. Fr. (4) I, 1861,
 p. 279. — Lacord. Gen. Col. VIII, 1869, p. 170,
 t. 83, f. 3.

6

5784

Index.

Tribus, Genera, Subgenera.

- Acanthinomomus* Hope 95
Acanthoptera Latr. 461
Acanthopterus Guér. 461
Acanthoptura Fairm. 188
Acahartus Fähr. 135
Achryson Serv. 39
Achrysonini Lacord. 39
Acidoptera Gemm. & Har. 256
Acimerus Fairm. 182
Acmaeops J. Lec. 188, 189
Acmaeops C. G. Thoms. 183
Acoremia Kolbe 335
Acorethra Bates 285
Acrocyrta Pasc. 412
Acrocyrtilidus Jord. 326
Acrogenius Blackb. 422
Acyphoderes Serv. 281
Acyrusa Pasc. 118
Adalbus Fairm. & Germ. 255
Adiaphorus Fähr. 135
Adrium Pasc. 119
Aechmutes Bates 278
Aedocus Waterh. 171
Aegoidius Lacord. 477
Aegoidus Buq. 477
Aemona Broun 115
Aeolesthes Gah. 46
Aesiolyche Pasc. 72
Aethecerus Chevr. 469
Aethiora Pasc. 148
Afrocomis Kolbe 331
Agada Fairm. 357
Agaleptus Gah. 325
Agallissini 445
Agallissus Dalm. 445
Aganipus Fairm. 69
Agaoe Pasc. 278, 280
Agapanthida White 141
Agapete Newm. 256
Aglaophis Thoms. 416
Agnitosternum Jord. 121
Agnoristus Fähr. 427
Akimerus Serv. 182
Akiptera Saund. 256
Aleyopis Pasc. 115
Aliturus Fairm. 174
Allocerus Gemm. & Har. 17
Allocerus Serv. 450
Alloeme Lameere 32
Alloesia Chevr. 439
Allogaster Thoms. 41
Allophyton Thoms. 136
Allosterna Stierl. 206
Allotisis Pasc. 92
Allotraeus Bates 96
Allorhagium Kolbe 161
Alocerus Muls. 17
Alosterna Muls. 206
Amallocerus Guér. 451
Amannus J. Lec. 474
Amarysius Fairm. 468
Amavraesthes Chevr. 374
Ambagous Fairm. 131
Ambcodontus Lacord. 141
Amblyontium Bates 315
Ametrocephala Blanch. 155
Ametrocephalides Lacord. 154
Amimes Pasc. 34
Amphelictus Bates 75
Amphidesmus Serv. 454
Amphionthe Bates 297
Amphirhoë Newm. 434
Anaglyptinae 358
Anaglyptus Muls. 412
Anastetha Pasc. 488
Anatinomma Bates 104
Anatisis Pasc. 145
Ancylocera Serv. 446
Ancylocerini 445
Ancylodonta Blanch. 143

- Ancylosternus Serv. 481
 Androme Auriv. 33
 Aneflus J. Lec. 85
 Anencyrus Sharp 274
 Anisarthron Redt. 356
 Anisogaster A. Deyr. 121
 Anisorus Muls. 179
 Anobrium Belon 137
 Anomoderus Fairm. 270
 Anoplites Serv. 467
 Anoplum Hald. 126
 Anoplodera Muls. 207
 Anoploderomorpha Pic 207, 209
 Anoplomerus Thoms. 71
 Anosternus Burm. 478
 Antennica Jord. 457
 Antennoeme Hintz 33
 Anteros Blanch. 256
 Anthoboscus Chevr. 386
 Anthoboscus Muls. 395
 Anthophilax Muls. 183; C. G. Thoms.
 193; J. Lec. 195.
 Anthophylax J. Lec. 195
 Anthophylax Blessig 183
 Anthribatus Fairm. 122
 Anthribola Bates 168
 Antigenes Pasc. 175
 Antinoe Thoms. 7
 Anubis Thoms. 317
 Apatophysides Lacord. 157
 Apatophysis Chevr. 160
 Apelocera Chevr. 420
 Aphanasiini Lacord. 139
 Aphanasium Thoms. 139
 Apharsatus Fairm. 10
 Apathum Bates 109
 Apeledes Pasc. 175
 Apeles Blessig 7
 Aphilogaster Kolbe 252
 Aphiorrhynchus Lacord. 150
 Aphneope Pasc. 155
 Aphneopini Lacord. 155
 Aphoplistus Murr. 68
 Aphrodisium Thoms. 301
 Aphylax Lacord. 456
 Aphysotes Bates 421
 Apilocera Chevr. 420
 Apiocephalus Gah. 177
 Apiogaster Perr. 425
 Aplectrus Chevr. 445
 Apoeme Auriv. 35
 Aporus Fahr. 59
 Aposites Pasc. 139
 Aposphaerion Bates 99
 Apostropha Bates 285
 Appedesis Waterh. 176
 Appula Thoms. 101
 Aprosictus Pasc. 144
 Aquinillum Thoms. 41
 Araeatis Bates 137
 Araespor Thoms. 42
 Arcyophorus Gemm. & Har. 407
 Arcyophorus Chevr. 407
 Argaleus J. Lec. 195
 Argentinoeme Bruch 30
 Argyrodines Bates 435
 Arhopalus Serv. 381
 Arhopalus Lac. 380
 Ariastes Fairm. 175
 Aridaeus Thoms. 438
 Aristobrium Thoms. 136
 Aristogitus Thoms. 139
 Armylaena Thoms. 136
 Aromia Serv. 306
 Arrhythmus Waterh. 122
 Artelida Thoms. 171
 Artimpanza Thoms. 425
 Asemini Thoms. 15
 Asemum Eshz. 15
 Asiates A. Semen. 467
 Asilaris Pasc. 249
 Asmedia Pasc. 298
 Aspitus Kolbe 74
 Astetholea Bates 140
 Astetholida Broun 140
 Astrimus Sharp 126
 Atelopteryx Lacord. 257
 Atenizus Bates 31
 Atesta Pasc. 92
 Atharsus Bates 102
 Athetesis Bates 453
 Atimia Hald. 449
 Atimiini 449
 Atripatus Fairm. 23
 Attelabus L. 13
 Attodera Thoms. 155
 Atylostagma White 65
 Auxesis Thoms. 32
 Axestinus J. Lec. 85
 Axestoleus Bates 475
 Axinopalpis Dup. & Chevr. 130
 Axinopalpus Redt. 130
 Axinuchus Gemm. & Har. 131
 Badariottia Giglio 43
 Bagdatocerambyx Pic 69
 Bardistus Newm. 140
 Barossus Fairm. 175
 Baseoptera Gemm. & Har. 478
 Basiptera Thoms. 478
 Batus Thunb. 452
 Batyle Thoms. 475
 Bebius Pasc. 146
 Bellamira J. Lec. 228, 244
 Bethelium Pasc. 118
 Bicon Pasc. 423
 Bimia White 255

- Bimiini** Lacord. 254
Bixorestes Pasc. 296
Blabinotus Woll. 25
Blemmya Pasc. 292
Blosyropus Redt. 176
Bolbotritus Bates 45
Bomarion Goun. 111
Bottegia Gestro 262
Brachopsis W. Saund. 154
Brachyarthron Lacord. 427
Brachyclytus Kraatz 374
Brachypterema Thoms. 269
Brachypteroma L. Heyd. 269
Brachypteromma Fairm. 269
Brachyrrhopala Burm. 430
Brachysarthron Thoms. 427
Brachyta Fairm. 185
Brachytria Newm. 292
Bradynemis Waterh. 302
Bromiades Thoms. 282
Brothylus J. Lec. 76
Brototyche Pasc. 468
Brydaeon Thoms. 111
Butherium Bates 64
- Cacodrotus** Broun 152
Caeophrissus Bates 75
Caelodon Thoms. 45
Caenoptera C. G. Thoms. 266
Calanthemis Thoms. 374
Calchaenesthes Kraatz 466
Callancyla Auriv. 446
Callichroma Latr. 309
Callichroma Latr. 307, 491
Callichromini Lacord. 297
Callichromopsis Chevr. 327
Callideriphus Blanch. 444
Callidiini 336
Callidiopini Lacord. 115
Callidiopis Thoms. 127
Callidiopsis Lacord. 127
Callidium F. 343
Callidium Lam. 376
Callimoxys Kraatz 270
Callimoxys Muls. 432
Callimus Muls. 270
Calliprason White 152
Callirhoë Newm. 93
Callisphyrus Newm. 256
Callitihmysus Sharp 387
Calloides J. Lec. 381
Callysphiris Thoms. 256
Callona Westw. 457
Callopsisma Thoms. 446
Calobrium Fairm. 136
Calocerambyx Heller 48
Caloclytus Gah. 395; Fairm. 406
Calodus Lucas 485
- Calpazia** Pasc. 60
Calybistum Thoms. 135
Calydon Thoms. 343
Capnocalymma Gemm. & Har. 176
Capnocerambyx Reitter 58
Capnolymma Pasc. 176
Caraphia Gah. 177
Carilia Muls. 193
Carinoelytus Auriv. 367
Cartallum Serv. 293
Castiale Pasc. 100
Cataphrodisium Auriv. 301
Catoeme Auriv. 27
Catorthontus Waterh. 286
Centrocerum Chev. 89
Centrocerum Thoms. 85
Centrodera J. Lec. 167
Centrotoclytus Motsch. 423
Cephalallus Sharp 20, 22
Cephalocrius Sharp 20, 22
Ceragenia Serv. 452
Ceralomus Sharp 153
Cerambyx Lam. 307
Cerambycini Lac. 44
Cerambyx L. 51
Cerambyx Steph. 307
Cerasphorus Serv. 75; J. Lec. 75
Ceratophorus Gemm. & Har. 75
Cercoptera Spin. 447
Ceresida Jord. 32
Ceresium Newm. 123
Cerogenia Gemm. & Har. 452
Championa Bates 447
Chaodalis Pasc. 288
Chariergus Thoms. 334
Charinotes Serv. 483
Charis Newm. 283
Charisia Champ. 283
Chelidonium Thoms. 316
Cheloderus Cast. 254
Chenoderus Fairm. & Germ. 334
Cheridamus Fairm. 428
Chion Newm. 75
Chlidones Waterh. 417
Chlidonini 417
Chlorelthe Bates 331
Chlorida Serv. 77
Chloridolum Thoms. 314
Chlorophorus Chev. 395
Choeropsis Thoms. 276
Chontalia Bates 248
Choriolaus Bates 248
Chorotyse Pasc. 261
Chrotoma Casey 69
Chrysaethe Bates 278
Chrysoprasis Serv. 439
Cidugala Auriv. 75
Cilium Fairm. 114
Ciopera Pasc. 28

- Cladopalpus* Lansb. 7
Clacadne Pasc. 427
Cleistimum Thoms. 138
Cleomenes Thoms. 426
Cleomenini 424
Cleonice Thoms. 437
Cleozona Bates 420
Cleroclytus Kraatz 419
Cloniophorus Quedf. 313
Closterocera Gemm. & Har. 412
Closteromerus Lacord. 325
Closteromerus Thoms. 323
Closteropus Guér. 319
Clostrocera Serv. 412
Cluvia Stål 42
Clytanthus Thoms. 386; Lacord. 395
Clytarlus Sharp 387
Clytellus Westw. 424
Clytini 358
Clytocera Gah. 407
Clytosaurus Thoms. 408
Clytumnus Thoms. 368
Clytus Laich. 368
Clytus Chevr. 376; Thoms. 382; C. G. Thoms. 395
Cococoderus Buq. 44
Coelarthrinae Lacord. 447
Coelarthron Lacord. 448
Coeleburia Thoms. 78
Coelodon Serv. 45
Coelomarthron Thoms. 448
Coleocoptus Auriv. 93
Coleoxestia Auriv. 64
Collyrodes Pasc. 424
Coloborhombus Thoms. 298
Colobus Serv. 298
Colynthaea Thoms. 103
Cometes Serv. 11
Compsa Perty 109
Compsibidion Thoms. 109
Compsoceridius Bruch 333
Compsocerini 326
Compsocerus Serv. 332
Compsocerus Cast. 333
Compsomera White 297
Comusia Thoms. 33
Conchopterus Fairm. 267
Coniolachnus Fairm. 61
Conopogaster Fairm. 275
Conothorax Thoms. 55
Coptocercus Hope 93
Coptoeme Auriv. 28
Coptomma Newm. 488
Coptommatini 488
Coptopterus Hope 145
Cordylomera Serv. 95
Coremia Serv. 335
Corennys Bates 288
Corethrogaster Thoms. 75
Cornumutilla Letzn. 202
Cortodera Muls. 196
Corymbia Des Gozis 207
Corynellus Bates 456
Coscinedes Bates 104
Cosmisoma Serv. 432
Cosmius Fahr. 426; Perty 432
Cosmocerus Guér. 452
Cosmoplatidius Goun. 455
Cosmoplatus Auriv. 455
Cosmosoma Gemm. & Har. 432
Cremys Pasc. 417
Criocephalum Schiödde 20
Criocephalus Muls. 20
Criocerinus Fairm. 175
Criodion Serv. 63
Criomorphus Muls. 18
Crioprosopus Serv. 457
Crocidastus Pasc. 97
Crossidius J. Lec. 471
Cryptobias Serv. 452
Cryptopleura J. Lec. 445
Ctenodes Ol. 450
Cumaltera Jord. 304
Cupanoscelis Goun. 81
Curini J. Lec. 127
Curius Newm. 127
Curius Lacord. 128
Curtomerus Steph. 120
Cyamopthalmus Kraatz 17
Cycliopleurus Hope 85
Cyclocranium Poll 154
Cyclodera White 461
Cycnidolon Thoms. 108
Cycnoderus Serv. 432
Cylindera Newm. 120
Cylindrodera Gemm. & Har. 120
Cyllene Newm. 382
Cymaterus Pasc. 289
Cyphosterna Chevr. 474
Cyriopalus Pasc. 47
Cyrtocerus Kraatz 252
Cyrtoclytus Ganglb. 373
Cyrtomerus Gemm. & Har. 120
Cyrtonops White 7
Cyrtophorus J. Lec. 412

Dalila Thoms. 291
Damiria Fairm. 428
Daramus Fairm. 23
Debilis Fairm. 274
Debilissa Auriv. 274
Dejanira Thoms. 253
Dejanirini 253
Deilosoma Fairm. 294
Deilini Fairm. 294
Deilus Serv. 294
Delagoa Jord. 123

- Delagrangens Pic 295
 Deltaspis Serv. 459
 Deltosoma Thoms. 454
Demacidia Thoms. 141
 Demelius Waterh. 94
 Demomisis Pasc. 152
 Demonax Thoms. 408
 Dendrobias Serv. 478
 Denticerus Jord. 412
 Derbidia Fairm. 418
 Dere White 426
Derecephalides Muls. 157
 Derolophodes Brancs. 26
 Derolus Gah. 58
Desmocerini J. Lec. 251
 Desmocerus Serv. 253
 Desmoderus Serv. 477
Deuteromma Pasc. 28
 Dexithea Thoms. 380
 Djabiria Duviv. 59
 Dialeges Pasc. 60
Diammaphora Chevr. 429
Diammatophora Gemm. & Har. 429
 Diaspila Jord. 121
 Diastellopterus Thoms. 454
 Diastrophosternus Goun. 478
Diatomocephala Blanch. 123
 Dichelosternus Gah. 460
 Dicterus J. Lec. 23
 Dieranoderes Dupont 481
 Dictannia Pasc. 126
 Dictator Thoms. 302
Didymacantha Gemm. & Har. 116
Didymeus Thoms. 477
Didymocantha Newm. 116, 490
 Digonium Pic 72
 Dihammaphora Chevr. 429
Dihammaphora Bates 429
 Dilachnus Fairm. 438
Dilus Gemm. & Har. 294
Dinoptera Muls. 188, 190
 Diorthrus Gah. 56
 Diorus White 65
 Diospides Pasc. 89, 91
 Diosyris Pasc. 154
 Diotima Pasc. 141
Dioxites Chevr. 474
Diozodes Hald. 132
 Diphyrama Bates 421
 Diploschema Thoms. 43
 Disaulax Serv. 434
 Disidaema Thoms. 289
Dissacantha Thoms. 78
Dissacanthus Hope 78
 Dissaporus Auriv. 59
 Dissopachys Reitter 56
 Distenia Serv. 7
Disteniini Thoms. 7
 Distichocera Kirby 287
- Distichocerini** Lacord. 287
Dithymia Chevr. 474
Dodecosini 132
 Dodecosis Bates 132
 Doesus Pasc. 156
 Dokthouroffia Ganglb. 203
 Dolichaspis Gah. 304
Dolocerus Muls. 269
 Dolomius Fairm. 357
Dorcacerus Latr. 476
Doreadocerini 476
 Doreadocerus Germ. 476
 Doreasomus Serv. 251
Doreasomini Lacord. 251
 Dorcianus Fairm. 171
 Drascalina Fairm. & Germ. 143
 Drototelus Broun 152
 Drotus Sharp 152
Drymo Thoms. 78
Drymochores Muls. 24
 Dryobius J. Lec. 35
Dularius Thoms. 336
 Dymasius Thoms. 60
 Dynamostes Pasc. 7
 Dysmathosoma Waterh. 170
 Dysphaga J. Lec. 39
- Earinis Pasc. 274
 Eburia Serv. 78
Eburida White 116; Broun 117
Eburigera Gemm. & Har. 295
Eburini Lacord. 78
 Eburilla Auriv. 117
 Eburiola Thoms. 442
 Eburodacrys Thoms. 82
 Eburogutta Gemm. & Har. 82
 Eburophora White 295
Eccrisis Pasc. 168
 Echarista Fairm. 176
 Echinocerus Muls. 376
Eclipta Bates 278, 279
 Ectenessa Bates 41
 Ectenessidia Goun. 41
 Ectinope Pasc. 117
 Ectosticta Pasc. 119
Edithia Reitter 295
 Elaphidion Serv. 85
 Elaphopsis Serv. 434
 Eleanor Thoms. 468
Elete Pasc. 94
Eleutho Thoms. 78
Elezira Pasc. 408
 Eligmoderma Thoms. 114
Eligmodermiini Lacord. 114
 Elydnus Pasc. 60
 Elytroleptus Dugès 455
 Emenica Pasc. 147
Enchapters Thoms. 153

Enchaperinae Thoms. 153
 Enochoptera W. Saund. 153
Encyclopini 250
Encyclops Newm. 250
Engyum Thoms. 108
Enoploderes Fald. 165
Enosmaeus Thoms. 13
Enthymius Waterh. 170
Entomosterna Chevr. 474
Eodalis Pasc. 425
Epania Pasc. 263
Epheus Broun 142
Ephies Pasc. 249
Epianthe Pasc. 426
Epimelitta Bates 283
Epipedocera Chevr. 422
Epipedocerini Gah. 418
Epithora Pasc. 92
Epiphorus Chevr. 420
Epodus Chevr. 416
Epropetes Bates 491
Eriocharis Auriv. 483
Erionispa Chap. 292
Eriosoma Lacord. 483
Eriphus Serv. 475
Erlandia Auriv. 12
Erlandiini Auriv. 12
Eroschema Pasc. 288
Eroschemini Lacord. 287
Erosida Thoms. 81
Erythresthes Thoms. 290
Erythroplatys White 277
Erythrus White 289
Esthesis Gemm. & Har. 286
Ethemon Thoms. 334
Eucharassus Bates 275
Euchitonia Kolbe 299
Euchlanis Pasc. 264
Euchroa Guér. 299
Eucilmus Fairm. 428
Eucrassus J. Lec. 29
Euderces J. Lec. 419
Euderces Ganglb. 419
Eudistenia Fall 34
Eudoxilus Lacord. 459
Eugoa Fähr. 302
Eugoides Auriv. 302
Eulitopus Bates 320
Eumichtus J. Lec. 138
Eupalelius Fairm. 10
Eupempelus Bates 428
Euporus Serv. 319
Euristhea Lacord. 97
Europa Thoms. 368
Euryarthrum Blanch. 292
Eurybatodes Semen. 327, 331
Eurybatus Thoms. 327, 330
Eurycephalus Cast. 460
Euryclea Thoms. 461

Eurycelelia Auriv. 461
Eurymerus Serv. 40
Euryoptera Horn 336
Euryphagus Thoms. 460
Euryprosopus White 334
Euryptera Serv. 248
Euryscelis Chevr. 389
Eurysthea Thoms. 97
Eusapia Goun. 72
Eustrangalis Bates 203
Eustroma J. Lec. 84
Eustromula Cocker. 84
Eutactus Fähr. 427
Evander Lacord. 453; Thoms. 454
Evgenius Fähr. 331
Evodinus J. Lec. 185
Exaereta Pasc. 146
Examnes Pasc. 125
Exilia Muls. 128
Eximia Jord. 322

Fallacia Muls. & Rey 201
Fallacioforma Pic 203
Fallaciomorpha Pic 203
Formicomimus Auriv. 155
Fregolia Goun. 428

Gahania Dist. 252
Galissus Dupont 473
Gambria Chevr. 474
Ganimus J. Lec. 34
Ganosomus Fairm. 114
Gastrosorus Bates 274
Gauresthes Bates 326
Gaurotes J. Lec. 193
Gaurotina Ganglb. 193
Gaurotinus Fairm. 176
Gelonaetha Thoms. 126
Georgia Thoms. 450
Georgiana Auriv. 450
Glaphyra Newm. 266
Glaucytes Thoms. 436
Glaucyctini 435
Glycobius J. Lec. 380
Glyptoscapus Auriv. 106
Gnaphalodes Thoms. 75
Gnatholea Thoms. 74
Gnatholeophanes Kolbe 74
Gnomidolon Thoms. 106
Gnomodes Broun 156
Gonocallus J. Lec. 336
Gonyacantha Thoms. 485
Gorybia Pasc. 103
Gracilia Serv. 129
Graciliini Lacord. 128
Grammicosum Blanch. 71
Grammographus Chevr. 408
Grammoptera Serv. 203

- Grammoptera* Thoms. 200
Griphapex Jord. 325
Guerryus Pic 266
Guitelia R. Oberth. 326
Gymnopterion Schrank 259, 266

Hadimus Fairm. 293
Halme Pasc. 423
Hamaticherus Serv. 59; Germ. 51
Hammaticherus Lacord. 50
Hammatochaerus Gemm. & Har. 50
Haplidus J. Lec. 31
Haplogaster Kolbe 252
Haplopsebium Auriv. 261
Hargium Samouelle 161, 164
Harimius Fairm. 173
Haruspex Thoms. 103
Heliomanes Newm. 266
Helymaeus Thoms. 324
Hemadius Fairm. 55
Hemesthocera Newm. 296
Hemilissa Pasc. 104
Hephaestion Newm. 257
Herodera Gah. 96
Herozoum Thoms. 41
Hesperophanes Muls. 66
Hesperophanini Lacord. 66
Hesthesini Lacord. 286
Hesthesis Newm. 286
Heterachtes Newm. 110
Heterachton Thoms. 110
Heterolepis Lacord. 144
Heteropalpus Buq. 12
Heterops Blanch. 442
Heteropsini 438
Hexamitodera Heller 302
Hexarrhopala Gah. 424
Hexoplon Thoms. 105
Hoegea Bates 470
Holangus Pic 264
Hololeprus Gerst. 68
Holopleura J. Lec. 456
Holopterini Lacord. 148
Holopterus Blanch. 148
Holorusius Fairm. 22
Homaemota Pasc. 422
Homalolachmus Thoms. 61
Homalomelas White 291
Homogenes Chevr. 438
Hoplitocera Gemm. & Har. 37
Hoplocerambyx Thoms. 56
Hormathus Gah. 108
Hornibius Fairm. 251
Hornius Fairm. 251
Hospes Jord. 322
Hylodera J. Lec. 272
Hybometopia Ganglb. 23
Hylomela Gah. 325
Hylorus Thoms. 331

Hylotrupes Serv. 339
Hypargyra Gah. 297
Hypatium Thoms. 305
Hypermallus Lacord. 84
Hypexilis Horn 129
Hyphus Lacord. 34
Hypocrites Fahr. 323
Hypoeshrus Thoms. 27
Hypomares Thoms. 33
Hypostilbus Brancs. 22

Ibidion Serv. 111
Ibidionidum Gah. 137
Ibidionini Lacord. 105
Icariotis Pasc. 174
Icosium Lucas 42
Ideratus Thoms. 331
Idiocalla Jord. 356
Idobrium Kolbe 131
Idoemea Horn 38
Jebusaea Reiche 61
Igenia Pasc. 117
Imbrius Pasc. 59
Imerinus Gah. 143
Ionthodes Serv. 297, 491
Iphra Pasc. 136
Ipomoria Pasc. 422
Ipothalia Pasc. 326
Iresioides Thoms. 436
Ironcus Bates 102
Isalium Pasc. 145
Isarthron Redt. 18
Ischasia Thoms. 283
Ischionodonta Chevr. 430, 432
Ischnocnemis J. Lec. 472
Ischnocnemis Thoms. 473
Ischnodora Chevr. 374
Ischnorrhabda Ganglb. 131
Ischnostrangalis Ganglb. 228, 241
Ischnotes Newm. 447
Isodera White 115
Isotomus Muls. 406
Isotrium Fairm. 357
Isthmiade Thoms. 283

Judolia Muls. 225
Julodia Pic 225

Kraatziellus Berg 252
Kunbir Lameere 273

Lachnopterus Thoms. 51 6
Lampracantha Thoms. 96
Lampromerus Thoms. 120
Lampropterus Muls. 270
Laodora Pasc. 71
Laphyra Newm. 266
Lautarus Germain 254

- Leioderes* Reitt. 347
Leioderes Redt. 347
Lemula Bates 168
Leontium Thoms. 315
Leontium Lacord. 316
Lepidisia White 293
Leptachrous Bates 142
Leptalia J. Lec. 250
Leptidia Muls. 262
Leptocera Latr. 436
Leptoeme Jord. 27
Leptorrhadium Kraatz 168
Leptorrhopa Kolbe 428
Leptoxenus Bates 114
Leptura L. 207, 211
Lepturasta Fairm. 174
Lepturini Leach 157
Letzneria Kraatz 202
Liagrica Costa 128
Lianema Fall 130
Limozota Pasc. 115
Lingoria Fairm. 175
Linomius Muls. 267
Linopodius Fairm. 132
Linopteridius Fairm. 131
Linyra Fairm. 122
Lioderes Ganglb. 347
Lioderina Ganglb. 348
Liogramma Bates 70
Lissonotini 483
Lissonototypus Gemm. & Har. 485
Lissonotus Dalm. 484
Lissonotypus Thoms. 485
Lissozodes Bates 435
Listrocerum Chev. 32
Listroptera Serv. 429
Litomeces Murr. 323
Litopus Serv. 321
Logisticus Waterh. 172
Longipalpus Montrz. 137
Lophonocerus Latr. 452
Lostrocerum Chev. 32
Lucasianus Pic 25
Lycosomus Auriv. 253
Lygesis Pasc. 146
Lygrus Fahr. 33
Lylibaenum Thoms. 107
Lymernaea Thoms. 137
Lynamela Gah. 26
Lysestia Pasc. 138
- Macrocaulus* Fairm. 23
Macroeme Auriv. 30
Macrones Newm. 153
Macronini Lacord. 153
Macropidonia Pic 200
Macropsebium Bates 262
Malacomacrus White 34
- Malacopterus* Serv. 34
Mallambyx Bates 46
Mallocera Serv. 100
Mallocera Lacord. 100
Mallosoma Serv. 438
Malobidion Schaeffer 113
Malthaba Pasc. 138
Mannophorus J. Lec. 473
Mantitheus Fairm. 159
Margites Gah. 59
Marileus Germain 22
Maripanus Germain 72
Massicus Pasc. 55
Mastododera Thoms. 169
Mastodontodera Gemm. & Har. 169
Mattania Fairm. 305
Maulia Blackb. 276
Mausaridaeus Pic 326
Mecaspis Lacord. 303
Mecometopus Thoms. 393
Mecosaspis Thoms. 303
Mecothyrca Kolbe 303
Mecynopus Er. 274
Megacoelus Lacord. 252
Megaderini 486
Megaderus Germ. 486
Megaproctus Chev. 252
Megasemum Kraatz 20, 22
Megobrium J. Lec. 272
Melathemma Bates 65
Melegena Pasc. 11
Mephritus Pasc. 98
Meridion Des Gozis 344
Merionoeda Pasc. 272
Merionoedopsis Goun. 272
Merium Kirby 343
Meropachys Hope 144
Merostenus White 120
Mesophaea Pasc. 291
Metacopa Fairm. 122
Metaleptus Bates 468
Metallichroma Auriv. 313
Metallyra Thoms. 26
Methia Newm. 38
Methiini Lacord. 38
Metobrium Gah. 135
Metopocoellus Cast. 44
Metopocoelus Lacord. 44
Metopocoellini Lacord. 44
Metopocoilus Serv. 44
Metopotylus Quedf. 26
Michthysoma J. Lec. 418
Michthysomini 418
Micrambyx Kolbe 59
Microclytus J. Lec. 413
Micrometopus Quedf. 176
Microrrhadium Kraatz 168
Microspiloma Bates 442
Miltesthus Bates 102

Mimistena Pasc. 427
Minoderus Muls. 179
 Minutius Fairm. 122
 Miocris Fairm. 290
 Miopteryx Lacord. 98
 Miroclytus Auriv. 417
Molorchini Lacord. 263
 Molorchus F. 266
Molorchus F. 259
 Mombasius Bates 322
 Muscidora Thoms. 473
 Musius Fairm. 172
 Myacopterus Fairm. 154
Mychthisoma Gemm. & Har. 418
 Mydasta Pasc. 425
 Mygalobas Chevr. 417
 Myiodola Fairm. 169
 Myrmecoclytus Fairm. 424
 Myrsinus Gah. 139
 Myrsus Lacord. 139
 Mystrosa Pasc. 139
 Mythodes Thoms. 154
Mythodini Lacord. 154
 Mythozoum Thoms. 135

Naomorpha Gemm. & Har. 488

Nathrius ~~*Drathus*~~
 p. 257

Nastocerus Fairm. 35
 Navomorpha Thoms. 488
 Navomorphini 488
 Necydalis C. G. Thoms. 256
 Necydalis L. 259
Necydalis Lam. 264
 Necydolopsini Lacord. 275
 Necydalopsis Blanch. 275
 Nenia Pasc. 276
 Neobethelius Blackb. 119
 Neocerambyx Thoms. 46
Neocerambyx Pasc. 46
 Neoclosterus Heller 252
 Neoclytus Thoms. 389
Neoclytus Lacord. 393
 Neocorus Thoms. 114
 Neome Goun. 29
 Neoleptura Thoms. 247
 Neomarius Fairm. 35
 Neomicrus Gah. 131
Neopachyta Bedel 183
 Neopsebius Fairm. 261
 Neostenini Lacord. 138
 Neostenus Pasc. 138
 Nephalius Newm. 98
Nephalius Thoms. 98; Lacord. 99.
 Nephitheia Pasc. 262
 Nericonia Pasc. 11
 Nesoptychias Kirk. 491
Nethinius Fairm. 10
 Nida Pasc. 427
 Niophis Bates 31

Niracus Newm. 299
 Nisibistum Thoms. 132
 Nivellia Muls. 202
 Noemia Pasc. 10
 Nortia Thoms. 40
 Noserius Pasc. 27
 Nosoeme Kolbe 27
Nosophloeus Dup. 452
Nothopeus Pasc. 298, 491
 Nothopygus Lacord. 321
 Nothorhina Redt. 17
 Nothrus Hald. 129
 Notoceresium Blackb. 125
 Nyplasia Pasc. 95
 Nysina Gah. 94
 Nyssicus Pasc. 96

Obriaceum Thoms. 135

Obrida White 293

Obrini Lacord. 132

Obrium Curt. 132

Ocalemia Pasc. 250

Ochimus Phoms. 428

Ochraethes Chevr. 386

Ochrestes Lacord. 386

Ochrestes Bates 386

Ochroesthes Chevr. 386

Ochrus Lacord. 34

Ochrya Pasc. 422

Octavia Thoms. 288

Octoplon Thoms. 107

Ocytasia Pasc. 274

Odontocera Serv. 280

Oebarina Pasc. 70

Oedecnema Thoms. 228

Oedenoderus Chevr. 358

Oedonoderini 358

Oeme Newm. 29

Oemida Gah. 32

Oemini Lacord. 26

Oemodana Gah. 32

Oemona Newm. 115

Oemospila Gah. 37

Oesyophila Bedel 129

Olbius Thoms. 444

Oligoenopus Chevr. 416

Oligosmerus Kolbe 325

Ommata White 278, 279

Ommatidion Gemm. & Har. 101

Ommidion Newm. 101

Omophaena Pasc. 293

Omoptycha Quedf. 302

Omotes Newm. 275

Omphalodera Solsky 195

Oncoptera Lacord. 83

Opades Lacord. 77

Ophiostomis Gemm. & Har. 247

Ophistomis Thoms. 247

- Ophryops White 142
 Oplatocera White 37
 Opsamates Waterh. 45
 Opsidota Pasc. 145
 Opsimus Thoms. 23
 Oregostoma Serv. 278
Oregostoma Thoms. 278
 Orion Guér. 83
 Ornistomus Thoms. 278
 Ornithia Thoms. 435
 Oroderes W. Saund. 153
 Orthocephala Thoms. 155
Orthoprasis Auriv. 331, 332
 Orthoschema Thoms. 331, 332
Orthostoma Serv. 331
Orthostomidius Bruch 332
 Osmidus J. Lec. 69
 Oosphranteria Redt. 326
 Ossibia Pasc. 135
 Otaromia Auriv. 306
 Otteissa Pasc. 176
Oupyrhidium Pic 344
 Oxilus Buq. 138
 Oxoplus J. Lec. 469
Oxycalymma Gemm. & Har. 277
 Oxycaula 33
Orycoleus Lacord. 272
 Oxylymma Pasc. 277
 Oxymagis Pasc. 146
 Oxymerus Serv. 482
Oxymirus Muls. 177
Oxypellini 254
 Oxypellus Blanch. 254
 Oxypleurus Muls. 25
 Oxyprosopus Thoms. 318
 Ozodera Dupont 483
 Ozodes Serv. 435
- Pachyeytes Fairm. 437
 Pachydissia Newm. 56
 Pachylocerus Hope 288
 Pachymerola Bates 335
 Pachysticus Fairm. 173
 Pachyta Zett. 183
Pachyta Muls. 185; Steph. 188
 Pachyteria Serv. 299
 Pachyticon Thoms. 159
Pachytodes Pic 225
Paecnia Thoms. 425
 Panchylissus Waterh. 484
 Pandrosos Bates 428
 Pantomallus Lacord. 78
 Pantonyssus Bates 100
 Paphora Pasc. 118
 Paraelytus Bates 416
 Paradistichocera Poll 287
 Paralocus Fairm. 123
 Paramallocera Auriv. 100
- Parandroeme Auriv. 27
 Paraphacodes Belon 70
 Paraphilus Gah. 157
Parastrangalis Ganglb. 228, 241.
 Paratoxotus Fairm. 173
 Parevander Auriv. 453
Paristemia Westw. 454
Paristemiinae Lacord. 453
 Paroeme Auriv. 31
 Paromococerus Coun. 333
 Parozodes Auriv. 434
Pasiphile Bates 284
 Pasiphyle Thoms. 284
Pasyphile Lacord. 284
 Pavicia Brongn. 460
 Pectoctenus Fairm. 22
Pedoclytus Kolbe 374
Pedostrangalia Sokolow 228, 241
 Peithona Cal. 159
 Pelossus Thoms. 434
 Pempsamaera Newm. 293
 Pempteurys Bates 420
 Penichroa Steph. 128
 Pentanodes Schaeffer 418
 Penthocaulus Fairm. 175
 Pentomacrus White 128
 Perarthrus J. Lec. 473
 Periboem Thoms. 98
 Perilasius Bates 76
 Perissomerus Coun. 113
 Perissus Chevr. 374
Petalodes Newm. 145
 Phacodes Newm. 70
 Phaedinus Serv. 477
 Phalota Pasc. 276
Phalotini Lacord. 276
 Phantazoderus Fairm. & Germ. 255
 Phelocalocera Blanch. 9
 Phespia Bates 285
Philagathes Thoms. 461
 Philematium Thoms. 306
Philini Gah. 156
 Philus Saund. 156
 Philomeces Kolbe 322
 Phimosia Bates 449
 Phitryonus Fairm. 172
 Phlyctacnodes Newm. 141
Phlyctacnodini 140
Phlyctenodes Thoms. 141
 Phoenicocerus Latr. 43
 Phoenicus Lacord. 460
 Phoenidnus Pasc. 485
 Phoenissa Bates 278
 Phoracantha Newm. 89
Phoracanthini Lacord. 83
 Phormesium Thoms. 168
Phrosyne Murr. 319
 Phrynoeris Bates 34
 Phygopoda Thoms. 284

- Phyllarthrius Hope 453
 Phyllocnema Thoms. 303
 Phyllocnemida Péring. 303
 Phymatechus Belon 33
 Phymatoderus Blanch. 76
 Phymatodes Muls. 347
 Phydexia Pasc. 154
 Physocnemum Hald. 336
Physodroma Thoms. 149
Phyton Newm. 132
 Pidonia Muls. 200
 Piesarthrius Hope 144
 Piezocera Serv. 104
Piezocerini Lacord. 102
Pilema J. Lec. 270
Piodes J. Lec. 196
Plagiogorus Fairm. 376
Plagionotulus Jord. 405
Plagionotus Muls. 375
Plagionotus J. Lec. 380
Plagithmysides Sharp 387
Plagithmysus Motsch. 387
Plagithmysus J. Lec. 389
Plagyonotus Thoms. 376
Plangone Thoms. 423
Platyarthrini 447
Platyarthron Guér. 448
Platynocera Blanch. 258
Platynotus C. G. Thoms. 368, Muls. 376
Plectogaster Waterh. 252
Plectrocerum Lacord. 445
Plectromerus J. Lec. 128
Pleuromenus Bates 474
Plocaederus Thoms. 48, 490
Plocaederus Gemm. & Har. 48
Plutonesthes Thoms. 290
Pneumida Thoms. 123
Poecilium Fairm. 348
Poecilobrium Horn 272
Poeciloderma Thoms. 444
Poecilomallus Bates 89
Poecilopeplini 449
Poecilopeplus Thoms. 449
Polyphida Pasc. 437
Polyschisis Serv. 297
Polyzonus Cast. 316
Porithea Pasc. 118
Porithea Blackb. 94
Porithodes Auriv. 94
Praxithea Thoms. 43
Prionopsis Fairm. 357
Prionus Scop. 157
Procallimus Pic 270
Prodontia Serv. 457
Promeces Serv. 322
Promecidus Fähr. 322
Pronocera Motsch. 356
Pronuba Thoms. 442
Prosphilus Thoms. 48
Prosyope Thoms. 28
Protaxini Gah. 13
Protaxis Gah. 13
Proteinidium Bates 85
Prothema Pasc. 291
Prothemini Lacord. 291
Protocallidium Csiki 348
Protosphaerion Goun. 96
Psalanta Pasc. 9
Psathyrisa Auriv. 32
Psathyrus Thoms. 32
Psebeta Gah. 261
Psebeta Jord. 261
Psebiini Lacord. 261
Psebiium Pasc. 262
Pseuderus Lameere 457
Pseudocalliprason Broun 142
Pseudocephalini 154
Pseudocephalus Newm. 155
Pseudoclerus Voet 13
Pseudodinoptera Pic 188, 191
Pseudogenes Fairm. 175
Pseudoleptura Thoms. 290
Pseudomyrmecion Bedel 422
Pseudophilus Gah. 69
Pseudophymatodes Pic 348
Pseudopidonia Pic 201
Pseudosemnus Broun 142
Pseudosieversia Pic 200
Psilomerus Chev. 408
Psilomorpha W. Saund. 148
Psilomorphini Lacord. 148
Psilorrhadium Kraatz 168
Psygmatoцерus Perty 43
Psytaecida Thoms. 117
Psyrrassa Pasc. 101
Pteracantha Newm. 451
Pteroplatini 453
Pteroplatus Buq. 455
Pteroptychus Auriv. 117
Pterostenus Lacord. 150
Pterosteninae Lacord. 150
Ptycholaemus Chev. 447
Ptychopterus Broun 117
Purpuriceninae Gah. 457
Purpuricenus Germ. 461
Pyrestes Pasc. 289
Pyrestini Lacord. 288
Pyresthes Thoms. 289
Pyrgotes Bates 104
Pyrhona Bates 251
Pyrocalymma Thoms. 288
Pyrotichus J. Lec. 251
Pyrrhidium Fairm. 346
Pytheini Thoms. 292
Pytheus Newm. 292

Rachidion Serv. 485
 Ranqueles Goun. 71
Raphuma Thoms. 407
 Rhachidion Gemm. & Har. 485
 Rhagiomorpha Newm. 149
Rhagiomorphini Lacord. 149
 Rhagiops Fairm. 172
 Rhagium F. 160
 Rhamnusium Latr. 165
Rhaphidera Perr. 123
Rhaphidodera Gemm. & Har. 123
 Rhaphuma Pasc. 407
 Rhathymoscelis Thoms. 258
 Rhinophthalmus Thoms. 148
Rhinotragini Lacord. 277
 Rhinotragus Germ. 277
 Rhondia Gah. 196
 Rhopalessa Bates 278, 279
 Rhopalizida Jord. 319
 Rhopalizus Thoms. 319
Rhopalomerus Chevr. 389
 Rhopalopachys Chevr. 389
 Rhopalophora Serv. 430
Rhopalophorini 430
Rhopalopus Redt. 336
 Rhysium Pasc. 115
 Rhytidodera White 62
 Romaleum White 84
 Ropalopus Muls. 336
Rosalia Muls. 327
 Rosalia Serv. 327, 491

Sachalinobia Jacobs. 193
 Sagridola Thoms. 169
Sakuntala Lameere 7
 Salpinia Pasc. 126
 Saphanidus Jord. 26
Saphanini 23
 Saphanus Serv. 24
 Saporaea Thoms. 42
Sarosesthes Thoms. 381
 Scaphinus J. Lec. 15
 Scariates Fairm. 174
 Schizax J. Lec. 470
 Schizopleurus Lacord. 295
 Sclethrus Newm. 417
 Scolecobrotus Hope 146
 Scopanta Fairm. 174
 Seythroleus Bates 460
 Sebasmia Pasc. 61
Selenophorus Muls. 72
 Semanotus Muls. 341
 Semiope Pasc. 126
 Semnus Lacord. 143
 Sestyra Pasc. 424
Sestyrini 424
 Senthes Pasc. 437
 Sibylla Thoms. 255

Sidis Pasc. 118
 Sieversia Ganglb. 199
Sigeum Pasc. 291
 Simocrysa Pasc. 152
Singalia Lacord. 263
Sinolus Muls. 267
 Sisyrium Pasc. 117
 Skeletodes Newm. 94
Smileceras J. Lec. 458
Smodicini Lacord. 12
 Smodicum Hald. 12
Solimnia Pasc. 139
 Sophron Newm. 427
 Sotenus Sharp 120
 Sotira Pasc. 71
 Spathopygus Lacord. 43
 Sphaenothecus Dupont 472
 Sphaerion Serv. 97
 Sphaerionillum Bates 102
Sphaerionini Lacord. 96
 Sphagoeme Auriv. 31
 Sphallenum Bates 64
Sphecogaster Lacord. 282
 Sphecomorpha Newm. 282
Sphegesthes Chevr. 368
Sphenalia Daniel 228, 229
Sphenothecus Gemm. & Har. 472
 Sphoerion Thoms. 97
 Spintheria Thoms. 487
Spintheriini Lacord. 487
Spondyliini Serv. 13
 Spondylis F. 13
Spondylus C. G. Thoms. 13
Stenaspini 457
 Stenaspis Serv. 458
Stenocorus Lam. 161
 Stenomalus White 136
 Stenobrium Kolbe 136
Stenochorus Hope 89
 Stenocorus F. 179
Stenocorus Steph. 85; Ol. 161; Scop. 368
Stenoderini 150
 Stenoderus Serv. 150
 Stenodryas Bates 127
 Stenoeme Goun. 30
Stenogaster Blanch. 428
Stenomalus Gemm. & Har. 136
 Stenopotes Pasc. 150
 Stenopseustes Bates 286
Stenopteri J. Lec. 263
 Stenopterus Illig. 264
Stenoptrellus Bates 272
Stenorrhopalus Blanch. 258
 Stenosphenus Hald. 443
 Stenoxotus Fairm. 170
Stenura Ganglb. 228, 231, 242
 Stenygra Serv. 448
 Stenygrinum Bates 120

- Stephanops* Shuck. 148
Sternacanthini 451
Sternacanthus Serv. 451
Sternangustum Jord. 121
Sternoplistes Guér. 466
Sthelenus Buq. 275
Stiphilus Buq. 486
Stizocera Serv. 99
Strangalia Serv. 228, 231, 242
Strangalia Lac. 228
Strangalina Auriv. 228, 240, 245
Strangalomorpha Solsky 203
Stratone Thoms. 439
Streptolabis Bates 451
Stromatiodes Thoms. 72
Stromatium Serv. 72
Strongylurini Lacord. 144
Strongylurus Hope 145
Styliceus Lacord. 78
Stylaxus J. Lec. 38
Styzocera Thoms. 99
Sybillia Thoms. 255
Sydx Lacord. 108
Syllitus Pasc. 151
Syllitus Thoms. 150
Sympiezocera Lucas 341
Synaptola Bates 305
Syndere Kolbe 426
Synobrium Kolbe 136
- Taphos* Pasc. 296
Tapinolachus Thoms. 61
Taurotagus Lacord. 45
Teinotus Brancs. 68
Teledapus Pasc. 177
Telocera White 295
Temnopsis Serv. 29
Teorotrium Fairm. 357
Teraschema Thoms. 48
Terpnissa Bates 102
Tessaromma Newm. 144
Tessarommatini Lacord. 143
Tessaropa Hald. 39
Tessaroptes Hald. 39
Tesseromma Thoms. 144
Tethionea Pasc. 126
Tethlimmena Bates 287
Tetracanthus Hope 77
Tetranodes Schaeffer 418
Tetranodus Linell 418
Tetraommatus Perr. 28
Tetropium Kirby 17
Tetroplon Auriv. 105
Thalusia Thoms. 335
Thaumasocerus Fairm. 438
Thaumasini Thoms. 6
Thaumasus Reiche 7
Thecladoris Goun. 71
- Thelgetra* Thoms. 454
Thelxiope Thoms. 7
Thephantes Pasc. 120
Thersalus Pasc. 84
Thesalia Casey 250
Thia Newm. 38
Thoris Pasc. 94
Thraniini Gah. 263
Thranus Pasc. 263
Thranodes Pasc. 368
Tilloclytus Bates 420
Tillomorpha Blanch. 421
Tillomorpha Lacord. 420
Tillomorphini Lacord. 418
Tinopus J. Lec. 430
Titarius Pasc. 292
Tmesisternus Serv. 488
Tomobrachyta Fairm. 176
Tomopterus Serv. 285
Torneutes Reich. 42
Torneutiini Lacord. 42
Toxitiades Fairm. 173
Toxotiades Fairm. 173
Toxotinus Bates 183
Toxotinus Fairm. 173
Toxotochorus Reitter 179
Toxotus Zett. 177
Toxotus J. Lec. 179; Thoms. 182
Trachelia Serv. 449
Trachelissa Auriv. 449
Trachelophanes Murr. 68
Trachelorachys Hope 141
Trachyderes Dalm. 478
Trachyderini Lacord. 476
Trachylophus Gah. 62
Tragidion Serv. 459
Tragocerini Lacord. 487
Tragocerus Latr. 487
Triacetelus Bates 469
Tricheops Newm. 140
Trichoferus Woll. 66
Trichomallus Lacord. 114
Trichomesia Pasc. 276
Trichomesiini 276
Trichophorus Serv. 97
Trichoscelis Bates 459
Trichoxys Chevr. 382
Trichromia Fairm. 168
Trichroa Fairm. 168
Trichrous Chevr. 441
Trigonarthris Hald. 207
Trimeroderus Fairm. 114
Trinophylum Bates 127
Trirachys Hope 47
Trirrhachis Gemm. & Har. 47
Tristachycera Bates 29
Tritocosmia Newm. 149
Tritomaerus Newm. 132
Tropidion Thoms. 111

Tropidosoma Perty 450
Tropidosomatini Lacord. 450
Tropis Pasc. 150
Tropocalymma Thoms. 150
Tropocalymmatini Lacord. 150
 Trumais Goun. 41
Tryphocharia Pasc. 91
Trypogeus Lacord. 159
Turcmenigena Melgunov 38
Tylonotus Hald. 69
Tylosis J. Lec. 470
Typhocesini Lacord. 296
Typhocesis Pasc. 296
Typoverus J. Lec. 228, 246
Typodryas Thoms. 9

Ulochaetes J. Lec. 259
Unxia Thoms. 333
Uracanthini Thoms. 146
Uracanthus Hope 147
Uragus Guér. 44
Urorcites Thoms. 137
Utopia Thoms. 48

Vadonia Muls. 207, 209
Vesperides Lacord. 157
Vesperoctenus Bates 157
Vesperus Latr. 157
Volxemia Lameere 81
Votum Broun 142

Westwoodia Kaup 144

Xanthopiodus Fairm. 173
Xanthospila Fairm. 301
Xenambyx Bates 43

Xenocrasis Bates 286
Xenodorum Mars. 341
Xenophyrama Bates 165
Xestia Serv. 64
Xoanodera Pasc. 63
Xuthodes Pasc. 77
Xylocaris Serv. 482
Xylocharis Dupont 482
Xylocrius J. Lec. 356
Xylosteus Friv. 167
Xylostylon Reitter 165
Xyлотrechus Chevr. 359
Xypeta Pasc. 91
Xystoena Pasc. 276
Xystrocera Serv. 36

Yorkeica Blackb. 94

Zagymnus J. Lec. 445
Zamium Pasc. 25
Zamodes J. Lec. 69
Zarina Fairm. 122
Zathecus Bates 35
Zatrephus Pasc. 62
Zegriades Pasc. 62
Zenochloris Bates 441
Zoedia Pasc. 155
Zonopterus Hope 299
Zonotylus Gah. 461
Zoocosmius Fahr. 426
Zoodes Pasc. 73
Zoolygrus 33
Zorion Pasc. 156
Zosterius Thoms. 427
Zulphidea Fairm. 11
Zulphis Fairm. 11

Species, Subspecies, Varietates.

Aede Newm. 284
abbreviata F. (*Necydalis*) 260
abbreviata Fabr. (*Strangalia*) 239
abbreviata Germ. (*Leptura*) 224
abbreviata Motsch. (*Leptura*) 207
abbreviata Muls. (*Leptura*) 219
abbreviata Panz. (*Necydalis*) 260
abbreviatus Bates (*Trichoxys*) 382
abbreviatus F. (*Stenoderus*) 151
abbreviatus Schaeffer (*Neodyt.*) 389
abchastica Rost 219
abdominale Cast. 332
abdominale Gyllenh. 332
abdominalis Bates (*Epiped.*) 422
abdominalis Bland (*Gaurotes*) 194
abdominalis Bonelli (*Phymat.*) 351
abdominalis Dupont (*Lissonotus*) 485
abdominalis Dupont (*Oxymerus*) 482
abdominalis Hald. (*Strangal.*) 242

abdominalis Ol. (*Acyphoderes*) 281
abdominalis Ol. (*Callimus*) 271
abdominalis Pasc. (*Anthrib.*) 168
abdominalis Steph. (*Gramm.*) 205
Abeillei Pic 66
aberrans Newm. 93
abnormis Sharp 387
abrupta Auriv. 36
abruptus Kraatz 379
abschasicus Pic 413
abyssinicus Auriv. (*Chloroph.*) 405
abyssinicus Jord. (*Hypoescr.*) 27
acanthocera Hope 89
acanthocerus Ganglb. 408
accensum Newm. 314
accensus Chevr. 391
accentifer Goun. 393
Achardi Pic 314
achilleae Brahm 399

- Achilles Thoms. 46
 acicularis Pasc. 153
 acme Jord. 27
 Acteon Chevr. 390
 aculeatum J. Lec. 85
 aculeatus Dupont (Oxymcrus) 482
 aculeatus Fairm. (Arrhythmus) 122
 aculeatus Fairm. (Conioliachus) 61
 acuminata F. (Cordyl.) 95
 acuminata Ol. (Strangal.) 245
 acuminatum Thoms. 98
 acuminatus F. (Neoclyt.) 389
 acuminatus Motsch. (Ceram.) 53
 acuta Cast. & Gory (Cyllene) 384
 acuta Germ. (Cyllene) 382
 acuta Pasc. (Merion.) 273
 acutipennis Bates (Euderecs) 419
 acutipennis Buq. (Comet.) 11
 acutipennis Fairm. (Linopod.) 132
 acutipennis Pasc. (Hesth.) 286
 acutipennis Thoms. (Acyph.) 282
 acutipennis White (Navomorpha) 489
 acutivittis Kraatz 407
 acutus Blackb. 147
Adaliae Reitt. 231
 Adamsi Pasc. 468
 addictum Newm. 314
 adelpha Ganglb. (Gaurotes) 193
 adelpha Thoms. (Callichr.) 309
 adelphum Thoms. 107
adhaerens Gah. 375
admirabilis L. Heyd. 406
 adonorensis Jord. 151
 Adonis Perrin 271
 adpersa Blackb. 296
 adpersus Gebl. 359
 adumbrata Bates 232
adusta Gmel. (Gramm.) 205
adusta Kraatz (Leptura) 211
 adustipennis Solsky 232
 adustus Burm. 455
 aedon Jord. 367
 aeger Bates 286
 aegrota Bates (Eburia) 78
 aegrota Bates (Didymocantha) 116
 aegrota Bates (Pseudopidonia) 201
 aegrota Bates (Ommata) 279
 aegrotus Bates (Heterachtes) 110
 aegrotus Bates (Choriolaus) 248
 aegrotus Bates (Crassidius) 471
 aegyptiacus F. 395
aegyptiacus Ganglb. 401
aegyptiacus Redt. 397
aemula Mannerh. 194
 aemulus Pasc. 375
Aeneas Pasc. 46
Aeneas Thoms. 46
 aeneicolle Er. 433
 aeneicollis Buq. 475
aeneipenne Muls. 345
aeneipennis Chevr. (Alloesia) 439
 aeneipennis Fairm. (Strang.) 241
 aeneiventris Bates (Chrysopr.) 439
 aeneiventris Goun. (Merion.) 272
 aeneola Fairm. 436
 aeneolus Bates 110
 aenescens Auriv. (Hypoescr.) 27
 aenescens Bates (Strangal.) 203
 aenescens Burm. (Rhopal.) 432
 aenescens Fairm. (Anisog.) 121
 aeneum Degeer (Callid.) 344
 aeneum F. (Genus?) 357
 aeneus Bates (Pyrg.) 104
 aeneus Jord. (Saphan.) 26
 aeneus J. Lec. (Phymat.) 348
acolis Thoms. 32
 aepytus Chevr. 429
 aequabilis Kolbe 321
 aequalis Sharp 387
 aereum Newm. 344
aesculi Hald. 182
 Aesopus Chevr. 393
 aestiva Fall 38
 aestivus Sharp 387
 aestuosa Blackb. 145
 aethiops Newm. (Ceresium) 123
 aethiops Poda (Strangalia) 231
aetnensis Bassi 464
afar Voet 319
 affine Montrz. (Genus?) 357
 affine Pasc. (Eroschema) 288
 affine Thoms. (Octoplon) 107
affinis Brullé (Purpuric.) 462
 affinis Gah. (Dere) 426
 affinis Gah. (Examnes) 125
 affinis Gah. (Xylotrechus) 365
 affinis Chevr. (Epiped.) 422
affinis J. Lec. (Molorch.) 269
affinis Lucas (Hesperoph.) 66
affinis Marsh. (Leptura) 214
affinis Motsch. (Asiates) 467
 affinis Rits. (Pachyteria) 299
affinis Saven. (Hylotrupes) 340
affinis Schilsky (Cortodera) 197
 africana Dist. (Merion.) 273
africana Voet (Chlorida) 77
 africanus Hope 453
 afrum L. 309
 Agassizi J. Lec. 356
 Aglaia Newm. 283
 agnatus Chevr. 402
agreste F. 16
 agrestis Kirby (Crioceph.) 20
 agrestis J. Lec. (Xylotr.) 363
 agriloides Bates 8
 agroides Bates 8
akbesiana Pic 226
 akbesianus Pic (Callimus) 271

akbesianus Pic (Xylotrechus) 363
alacris Bates 110
alaiensis Pic 181
alata Costa 308
Albardae Rits. 301
Albertisi Sharp 387
albicans Klug 280
albicinctus Bates (Phymat.) 348
albicinctus Hope (Demon.) 409
albicollis Pasc. 247
albicorne F. 332
albicornis Dist. (Helym.) 324
albicornis Er. (Ancylost.) 481
albicornis Lacord. (Trypog.) 159
albierus Auriv. 319
albifasciatum Bates 133
albifilis Bates 359
albilabris Har. 324
albinum Bates 108
albipenne Bates 105
albipennis Pasc. 151
albipilosa Pasc. 145
albisparsus Bates 97
albitarse Fährs. 306
albitarsis Klug 284
albitarsum F. 306
alboinsecta Chev. (Glaucytes) 436
alboinsecta Thoms. (Compsa) 109
alboinsectum Blanch. 292
albofasciatum Linell 85
albofasciatus Cast. & Gory (Clor.) 405
albofasciatus Motsch. (Phymat.) 348
albofasciatus Bland (Phymat.) 355
albofasciatus Degeer (Anagl.) 414
albolineatum Bug. 438
albomaculatus Allard (Demon.) 409
albomaculatus Burm. (Trichoph.) 97
albopicta Perty 109
albopubens Fairm. 123
albopunctatus Gronov. 489
alboscutatus Fairm. 174
alboscutellatus Chev. 402
albosignatum Chev. 85
albosignatus Gah. 409
albostrigatus Fairm. 417
albotarsum Weber 306
alcellus Pasc. 409
Alcmene Thoms. 314
aleyonea Pasc. 37
aldabrensis Linell 436
aleppensis Witte 464
alexianus Bug. 334
Alexis Pasc. 46
Alfredi Duges 456
algebraicus Pasc. 409
algericum Pic 166
algyricus Pic 342
aliena Bates (Leptura) 221
aliena Bates (Tethlimmena) 287

alienum J. Lec. (Elaph.) 86
alienum Pasc. (Stromat.) 72
allapsus Newm. 93
allecta Newm. 223
Allgewahri J. Lec. 471
Allstoni Bates 451
alni L. 348
alni Blessig 351
alpestris Pic 189
alphabeticus Chev. 398
alpina L. (Rosalia) 327
alpina Ménétr. (Cortodera) 196
alpina Cast. (Rosalia) 329
alpina J. Lec. (Rosalia) 330
alsatica Pic 235
altaica Gebl. 240
altaicus Gebl. (Xylotr.) 359
altaicus Ganglb. (Evod.) 187
altaiensis Pic (Phymatodes) 349
altaiensis Pic (Evodinus) 187
altajensis Laxm. 467
altalea Gebl. 240
alticollis Kraatz 201
alutacea Bates 459
alveolatum Bates 104
alveolatus Bates 323
amabile Thoms. 112
amabilis Boh. (Eburia) 78
amabilis Broun (Pseudos.) 142
amabilis Chev. (Mecomet.) 393
amabilis Hope (Euporus) 319
amabilis Hope (Jonthodes) 297, 491
amabilis Jord. (Merion.) 273
amabilis J. Lec. (Strang.) 242
amabilis Newm. (Stenosph.) 443
amabilis Péring. (Helym.) 324
amaryllis Chev. 393
amasimus Pic 413
amasina Pic 350
amasinus Pic 413
amazona Chev. 432
amazonica Bates (Cyllene) 383
amazonica Bates (Mallocoera) 100
amazonica Thoms. (Ceragenia) 453
amazonicus Bates (Coccoderus) 44
amazonicus White (Hesperoph.) 68
amazonicus Thoms. (Styliceps) 78
ambigenus Chev. 368
ambiguus Fährs. 323
ambiguum Newm. (Ceresium) 123
ambiguum Newm. (Stromat.) 72, 490
ambrosiaca Germ. 308
ambrosiaca Steph. 308
ambustum Heyd. 166
amentata Bates 201
americana Hald. (Necydalis) 261
americana Hald. (Strangalia) 242
americanus Gmel. (Neoclytus) 389
americanus Schönh. (Genus?) 490

- amethystinus J. Lec. (Hylotr.) 339
 amethystinus Quedf. (Euporus) 320
amethystinus F. (Phymat.) 352
 amictus Newm. (Nephalius) 98
 amictus Pasc. (Dymasius) 60
 amicus White 67
 ammiralis L. 433
 amoena Goun. (Ommata) 278
 amoena Pasc. (Xoanodera) 63
 amoena Pasc. (Plutonesthes) 290
 amoenum Say 349
 amoenus Cast. & Gory (Chlor.) 405
 amoenus Gory (Selethrus) 417
 amoenus Jord. (Criopros.) 457
 amoenus Reitter (Asiates) 467
 ampliata Gah. 46
 amurense Kraatz 15
 amurense Kraatz (Stenocorus) 179
 amurense Kraatz (Evodinus) 185
 amurense Pic (Pseudopidonia) 201
 anacantha Chevr. 383
 analis Fairm. (Phyllocnema) 303
 analis Gebl. (Cortodera) 196
 analis Ol. (Amphidesmus) 454
 analis Serv. (Rhinotr.) 277
analis Herr.-Schaeffer (Gramm.) 205
analis Redt. (Phymat.) 353
 anaspidoide Bates 232
anatolicum Pic 167
anceps Newm. 277
 ancora Belon (Pteropl.) 455
 ancora Jord. (Chloroph.) 405
 andagalensis Bruch 484
 andamanica Gah. 427
 andamanicum Gah. 123
 andamanicum Gah. (Demonax) 409
andamanicum Gah. (Chlorophor.) 404
 Andreae Chevr. (Perissus) 375
 Andreae Germ. (Heteractes) 110
 Andreae Hald. (Physoec.) 336
Andrevi Fuente 380
 Andrewesi Gah. 273
 Angasi Pasc. (Atesta) 92
 Angasi White (Purpuric.) 464
anglicum Gmel. 161
 angolense Er. 357
 angolensis Quedf. 73
 angulare Thoms. 107
 angulata Pasc. (Hesthesis) 286
angulata F. (Cyllene) 385
angulata White (Listroptera) 429
 angulatus Chevr. (Metal.) 468
 angulatus Schrank (Callimus) 271
angulatus F. (Neoclytus) 392
 angulicollis Bates (Oxypros.) 318
 angulicollis Fairm. (Dorcianus) 171
 angulicollis Fairm. (Xanthopod.) 173
angulicollis L. Heyd. (Strang.) 229
 angulifer Jord. 367
 angulosum Bates 133
 angulosus Fairm. (Macrocaulus) 23
 angulosus Motsch. (Xylotrechus) 361
 angustata Bates (Distenia) 8
 angustata Ol. (Stenygra) 448
 angustata Pic (Grammoptera) 203
 angustata Schaeffer (Rhopaloph.) 431
 angustatum Buq. 63
 angustatus Waterh. (Logist.) 172
 angustatus Pasc. (Tetraomm.) 28
angustatus Boisd. (Urae.) 147
 angusticeps Kolbe 136
 angusticolle Goun. 112
 angusticollis Bates (Paramalloe.) 100
 angusticollis Buq. (Anopl.) 71
 angusticollis Gebl. (Acmaeops) 189
angusticollis Bates (Tylosis) 470
angusticollis Muls. (Chloroph.) 396
 angustifasciatus L. Heyd. 416
 angustipennis Pasc. 263
 angustissima Pic 274
 angustissimus Buq. (Eurypros.) 334
 angustissimus Pic (Delagr.) 295
 angustisternis Goun. 248
 angustulum Gah. (Ceresium) 123
angustulum Fairm. (Araespor.) 42
 angustulus M'Leay 404
 angustus Chevr. (Psilom.) 408
 angustus Kriechb. (Phymat.) 349
 annectens Sharp 387
 Annobonae Auriv. 367
 annosus Say 363
 annularis F. (Chlorophorus) 402
annularis F. (Strangalia) 232
 annulata F. Phil. 258
 annulatum J. Lec. 459
 annulatus Dupont (Dieranod.) 481
 annulatus Hope (Clytus) 373
 annulatus Philippi (Callisphyris) 256
 annulatus F. Phil. (Hephaestion) 257
annulatus Quedf. (Evgenius) 331
 annulicorne Germ. (Ceresium) 123
 annulicorne Pasc. (Obrium) 134
 annulicornis Buq. (Macroeme) 30
 annulicornis Chevr. (Demonax) 409
 annulicornis Fairm. (Cordylomera) 95
 annulicornis Fairm. (Paralocetus) 123
 annulicornis F. Phil. (Holopter.) 148
 annulipes Blanch. (Cosmopl.) 455
 annulipes Buq. (Coleox.) 64
 annulipes Chevr. (Paroeme) 31
 annulus F. (Clytus) 373
annulus Costa (Ropalopus) 338
 anoguttata Bates 279
 anomala Bates (Leptura) 221
 anomala Waterh. (Bradycnemis) 302
 anormale Thoms. 112
 Ansoni Gah. (Compsomera) 297
 Ansoni Gah. (Xystrocera) 36

- antarcticus Auriv. 149
 antennata Schaeff. (Strang.) 244
 antennata White (Cyllene) 383
 antennatum Gah. (Criodion) 63
 antennatum Newm. (Callidium) 344
 antennatum Thoms. (Brachys.) 427
 antennatum Thoms. (Octoplon) 107
 antennatus Chevr. (Perissus) 375
 antennatus Gyllen. (Philus) 156
 anthophilus Chevr. 386
 anticeps Fairm. (Mastododera) 169
 anticeps Fairm. (Noemia) 10
 antilope Schönh. 359
 anthracina Mannerh. (Acmaeops) 189
 anthracina J. Lec. (Strang.) 244
 Apelles Newm. 382
 aper Chevr. (Perissus) 375
 aper Germ. (Malacopterus) 34
 apicale Jord. (Agnit.) 121
 apicale Gah. (Ceresium) 123
 apicalis Buq. (Eurypr.) 334
 apicalis Chevr. (Distenia) 9
 apicalis Fairm. (Chlidones) 417
 apicalis Fährs. (Lygrus) 33
 apicalis Gah. (Dere) 426
 apicalis Gah. (Hexarrhopala) 424
 apicalis Gah. (Nyphasia) 95
 apicalis Gah. (Zoocosmius) 426
 apicalis Goun. (Stenygra) 448
 apicalis Guér. (Rhinotr.) 277
 apicalis Klug (Odont.) 280
 apicalis J. Lec. (Elytrol.) 455
 apicalis Motsch. (Leptura) 211
 apicalis Pasc. (Aphiorhynchus) 150
 apicalis Pasc. (Demonax) 409
 apicalis Pasc. (Hyphus) 34
 apicalis Poll (Pachyt.) 299
 apicalis W. Saund. (Enchopt.) 153
 apicalis Sharp (Xuthodes) 77
 apicalis Thoms. (Cordylom.) 95
 apicalis Waterh. (Cometes) 11
 apicalis Westw. (Amphid.) 454
 apicalis Bates (Rhinotr.) 277
 apicalis Curt. (Strang.) 238
 apicalis Goun. (Haruspex) 103
 apicalis Hampe (Plagion.) 377
 apicalis Pic (Purpuric.) 462
 apicalis Ragusa (Penichroa) 129
 apicata Steph. 238
 apicenotatus Pic 362
 apicepene Fairm. 261
 apicicornis Fairm. & Germ. (Call.) 256
 apicicornis Rits. (Noemia) 10
 apicula Bates 280
 apiculata Pasc. (Tethionea) 126
 apiculata Pasc. (Xystrocerca) 37
 apiculatus Pasc. 290
 approximans Rosenh. 232
 approximata Fairm. 130
 approximata Gah. 62
 approximatum White 103
 approximatus Dupont (Oxymer.) 482
 approximatus J. Lec. (Neocl.) 390
 arabicus Küster 413
 arachnipes Sharp 387
 aramis Thoms. 56
 araneiformis Ol. 390
 araneipes Fairm. 148
 araratensis Pic 379
 arcifera Blanch. (Strang.) 241
 arcifera Bates (Eburod.) 82
 arciferum Bates 133
 arciferus Chevr. (Chloroph.) 403
 arciferus Gah. (Derolus) 58
 arcuata Panz. 232
 arcuata Ol. 246
 arcuatus L. (Plagion.) 376
 arcuatus Scop. (Plagion.) 379
 arcuatus Sulzer (Clytus) 369
 arcuifera Goun. 109
 arctum Newm. 87
 argentata Pasc. 293
 argentatum Dalm. 316
 argentatus Bates (Clost.) 319
 argentatus Thoms. (Ochimus) 428
 argenteofasciata Auriv. 437
 argenteofasciatum Thoms. 123
 argenteofasciatum Pic 326
 argenteus Auriv. (Margites) 59
 argenteus Bates (Sphaen.) 472
 argentifer Pic 58
 argentinum Bruch (Smод.) 12
 argentinum Burm. (Centroc.) 89
 argentinus Bruch 478
 Argodi Belon (Cometes) 11
 Argodi Belon (Ectenessa) 41
 Argodi Belon (Euryptera) 248
 Argodi Fairm. (Paratoxotus) 173
 Argodi Thery (Strang.) 241
 argutulus Buq. 11
 argyreum Bates 433
 argyrothorax Fairm. 324
 Ariadne Daniel 229
 arietinus Newm. 155
 arietis L. (Clytus) 368
 arietis F. (Xylotr.) 360
 arietis Voet (Chloroph.) 396
 arietoides Reitter 370
 arizonense Casey 86
 arizonica Schaeffer 38
 Armandinae Chabr. 112
 armata Goun. (Coleox.) 64
 armata J. Lec. (Pachyta) 183
 armata Serv. (Stizoc.) 99
 armata Fowler (Strang.) 235
 armata Hald. (Strang.) 244
 armata Herbst (Strang.) 235
 armata Preyßler (Strang.) 234

- armatum* Auriv. (Hexoplon) 105
armatum J. Lec. (Tragidion) 459
armatus Chabril. (Hylorus) 331
armatus Goun. (Ornist.) 278
armatus Voet. (Elaph.) 88
armeniaca Pic (Leptura) 210
armeniaca Pic (Cortodera) 199
armeniacus Reitter 379
armicollis Fairm. 169
armigera White 99
armipes Bates 305
armiventris Fairm. 169
arrogans Buq. 455
artemisiae Fairm. 395
artifex Newm. 119
arvense Panz. 19
arvicola Ol. 360
asaemoides Pasc. 357
ascendens J. Lec. (Neocl.) 390
ascendens Pasc. (Demon.) 409
asellus Thieme 395
aspera J. Lec. 221
asperata Thoms. (Xystroc.) 36
asperata Waterh. (Arteleida) 171
asperatus J. Lec. 20
aspericollis Fairm. (Pachyd.) 57
aspericollis Germ. (Neocl.) 389
aspericornis Chev. 32
asperipennis Fairm. 351
asperiventris Bates 278
aspersum Hald. 86
asperula Bates (Eburodaerys) 82
asperula Bates (Compsa) 109
asperulum White 73
asperum J. Lec. 15
asphaltinus Fairm. & Germ. 256
assimilatum White 313
assimile Hope 309
assimilis Auriv. (Erythrus) 290
assimilis Goun. (Eburod.) 82
assimilis Hope (Chlorophorus) 403
assimilis Hope (Coptocercus) 93
astaboricum Thoms. 306
astecus Chev. 380
astrabadensis Pic 208
ater J. Lec. (Crossidius) 471
ater J. Lec. (Phymatodes) 349
ater L. (Stenopt.) 264
ater Leng (Stenoc.) 182
ater Ol. (Litopus) 321
aterrima Germ. (Listropt.) 429
aterrima Motsch. (Strang.) 231
aterrimum Goun. 311
aterrimus Pasc. 296
atomarium Drury 84
atomarius F. 363
atra Chev. (Dihamm.) 429
atra J. Lec. (Acmaeops) 191
atra Goun. (Euryptera) 248
atra Goun. (Ischasia) 283
atra Panzer (Strang.) 229, 491
atra Payk. (Leptura) 208
atra Scop. (Strang.) 231
atramentaria Ganglb. (Lept.) 209
atramentaria White (Rhopal.) 431
atrata Bates (Chrysoprasis) 439
atrata Bates (Ommata) 278
atrata Goun. (Coleox.) 64
atrata J. Lec. (Leptura) 223
atrata Schilsky (Leptura) 208
atratus Hald. 182
atricilla Newm. 149
atricolle Pasc. 288
atricollis Pasc. 290
atricornis Pic 265
atripenne Pasc. (Euryarthr.) 292
atripenne Bedel (Rhamn.) 166
atripennis Bates (Eurypt.) 248
atripennis Fairm. (Harim.) 173
atripennis Hope (Mecos.) 304
atripes Chev. (Trioxchys) 382
atripes Hintz (Xystroc.) 36
atripes Pic (Phymat.) 350
atrithorax Pic 366
atriventris Pic 234
atroviolaceus Kirsch 455
atrovirens Dalm. 321
atrovittata Bland. 242
atrum J. Lec. (Asemum) 15
atrum F. (Callichr.) 309
attaliensis Daniel 217
attenuata L. 240
attenuata Ström 235
attenuatus Bois. (Plagith.) 387
attenuatus Chev. (Merost.) 120
attenuatus Hald. (Anthoph.) 195
attenuatus Geoffr. (Stenopt.) 266
attenuatus Weber (Stenod.) 151
atticum Ganglb. 42
Auberti Fairm. 45
Auboueri Desbr. 370
Aubreyi Broun 140
audax Pasc. 7
Audouini Dupont 481
autumnalis Westh. 308
Augusti Chev. 390
Aulai Bruch 390
aulicum F. 18
aulicum Payk. 19
aulicus Laich. (Plagion.) 379
aulicus Thoms. (Comsoc.) 333
auliensis Pic 234
aurantiacus Auriv. (Chloroph.) 404
aurantiacus Lacord. (Hyphus) 34
aurata Auriv. (Chrysopr.) 439
aurata Bates (Championa) 447
aurata Bates (Ommata) 279

- aurata* Gah. (Prothema) 291
aurata Horn (Leptura) 221
auratipennis Kolbe 304
auratopilosa Bruch 429
auratus Pasc. 322
aureicollis Blanch. (Demonax) 409
aureicollis White (Chrysopraxis) 439
aureipennis Chevr. 253
aureofasciata Goun. 285
aureolineatus Jord. 319
aureopubens Pic 181
aureopubescentis Pic 266
aureotinctum Bates 311
auredinctum ab. Bates 312
aureovittatus Auriv. 323
aureovittis Kolbe (Callichroma) 309
aureovittis Kolbe (Oligosmerus) 325
aurescens Hintz 374
aureum Gmel. 313
aurichalceum Gmel. 344
auricollis Chob. (Leptura) 212
auricollis Dalm. (Chrysopr.) 439
auricollis Muls. & Rey (Gramm.) 203
auricollis Thoms. (Clonioph.) 313
auricoma Newm. 286
auricomum L. 311
auricomus Reitter (Stenoc.) 179
auricomus Rits. (Coloborh.) 298
auricomus Germ. (Dorcadoc.) 476
aurifaber White 46
aurifer Jord. 313
auriflua Redt. (Ophistomis) 247
auriflua Redt. (Strangalia) 229
aurigena Germ. 439
aurigera Newm. 227
auripenne Casey 459
auripennis Newm. 61
auripennis Pasc. 61
auripes Bates 440
auripile Bates 18
auripilis Bates (Clytus) 370
auripilis J. Lec. (Leptura) 222
auriventris Redt. (Chrysopr.) 440
auriventris Küster (Stenopt.) 264
Aurivillianus Dist. 57
Aurivillii Goun. (Argyrodines) 435
Aurivillii Goun. (Sphagoeme) 31
Aurivillii Goun. (Tetroplon) 105
Aurivillii Pic (Strangalia) 241
aurivitta Burm. 432
aurocincta Bates 280
auromarginata Serv. 459
auronitens Bates 440
aurosericans Fairm. 241
aurosericea Waterh. 171
aurovittata Bates 429
aurulenta F. (Strang.) 233
aurulenta Kirby (Acyph.) 282
aurulenta Pasc. (Nenenia) 276
aurulenta Burm. (Eriocharis) 483
austerus Chevr. (Chloroph.) 404
austerus Pasc. (Promeces) 322
Australasiae Hope (Pachydissus) 56
Australasiae Hope (Xystrocera) 37
australe Boisd. 140
australicus Thoms. 465
australis Cast. & Gory (Xylotr.) 367
australis J. Lec. (Crioceph.) 20
australis Boisd. (Tragocerus) 487
australis Gmel. (Navomorpha) 488
australis Serv. (Tragocerus) 487
axillaris Auriv. (Erythrus) 290
axillaris Hald. (Purpuric.) 466
axillaris Klug (Rhopal.) 431
axillaris Dupont (Trachyd.) 480
azurescens Gestro 321
baccifer Bates 474
Badeni Bates (Championa) 447
Badeni Bates (Xenocrasis) 286
Badeni Chap. (Pytheus) 292
badia Newm. 246
badius Dupont 478
Baeckmanniana A. Scm. 160
bahiensis Chevr. 475
baicalica Pic 218
baikalensis Pic 218
Bainesi Bates 45
baja Schrank 181
bajulus L. (Hylotropes) 339
bajulus L. (Phymatodes) 350
Bakewellei Pasc. 447
balcanicus Hampe 185
balearicus Pic 401
Ballardi Montrz. 436
balteata Horn (Strang.) 246
balteata Pasc. (Atesta) 92
balteatus Chevr. (Tillocl.) 421
balteatus Lacord. (Schizopl.) 295
balteatus J. Lec. (Neocl.) 390
balteatus Degeer (Chion) 76
Balyi Pasc. 409
Banghaasi Reitter 419
Bangi Pic (Leptura) 211
Bangi Reitter (Chlorid.) 314
Banoni Serv. (Clostr.) 412
Banoni Spin. (Ceropt.) 447
barbara Lucas 160
Barbarae Rivers 261
barbarus Lucas 462
barbatum F. 73
barbatus Goun. (Cynod.) 432
barbatus Ol. (Dorcadoc.) 476
Barberi Fall 242
barbicauda Bates 441
barbicornis Cast. (Parom.) 333
barbicornis L. (Batus) 452

- barbicornis* F. (Parom.) 333
barbicornis Heyne ((Unxia) 333
barbicornis Ol. (Batus) 452
barbicornis Serv. (Parom.) 333
barbierus Kirby 284
barbipes Schrank (Anis.) 356
barbipes Küster (Phymat.) 352
barbiventris Bates 309
Baroni Bates 78
Barrasi Pic 205
Bartholomaei Motsch. 406
basale Burm. (Ethemon) 334
basale White (Callichroma) 309
basalis Chevr. (Neoclytus) 390
basalis Chevr. (Chrysoprasis) 441
basalis Dalm. (Oxymerus) 482
basalis Gah. (Glaucytes) 436
basalis Gah. (Plocaederus) 48
basalis Gah. (Tethlimmena) 287
basalis Horn (Sphaen.) 472
basalis J. Lec. (Acmaeops) 191
basalis Pasc. (Homacemota) 422
basalis Pasc. (Thranus) 263
basalis Waterh. (Pachyteria) 300
basalis White (Compsa) 109
basalis White (Hesperophanes) 68
basalis White (Lissozodes) 435
basalis White (Trichorus) 441
basalis Dupont (Dendrobias) 478
basicornis Dohrn (Eburod.) 82
basicornis Gah. (Aeol.) 46
basicornis Pasc. (Psyn.) 101
basicornis Reitter (Plagion.) 379
basifemoralis Pic 307
basilaris Pic 467
basileus Bates 457
basinotata Goun. 430
basipennis Fairm. (Icariotis) 174
basipennis Fairm. (Scariates) 174
basiplicata Fairm. 241
basipunctata Goun. 430
basispilus Jord. 405
batchianum Thoms. 314
Batesi Auriv. (Gaurotos) 194
Batesi Gah. (Callichroma) 311
Batesi Har. (Rosalia) 329
Batesi Horn (Metaleptus) 468
Batesi Pasc. (Sternacanthus) 451
Batesi Pasc. (Zathecus) 35
Batesi Rits. (Pachyteria) 300
Batesi Sharp (Xuthodes) 77
Batesi White (Mecometopus) 394
Batesi White (Pocillopeplus) 449
Batesi Har. (Aeolesthes) 47
Batesi Sharp (Zorion) 156
Batesianum White 108
batus L. 50
Bauri Linell 78
Beaumonti Desjard. 436
Beckeri Desbr. (Cortodera) 196
Beckeri Gerh. (Strangalia) 232
Behanzini Lameere 309
Behrensi J. Lec. 221
belga flava Voet 216
belga major Voet 238
belga minor Voet 236
Bellarmini Goun. 30
bellator Serv. 51
Bellieri Gautier 371
bellus Blackb. (Phacodes) 70
bellus Goun. (Heteractes) 110
Belti Bates (Chrysoprasis) 440
Belti Bates (Ophistomis) 247
beltiana Bates 279
beltianus Bates 390
benitensis Jord. 453
Bennigseni Kolbe (Plocaederus) 49
Bennigseni Kolbe (Eogenius) 331
Bequaerti Roubal 415
Besti Blackb. 153
Bewickei Woll. 25
Beyeri Schaeffer 443
biangulatus Voet 40
biapicatus Gah. 290
biapiculata Auriv. (Dietamn.) 126
biapiculata Pasc. (Dejanira) 253
biapiculatus White 65
biarcuatum White 106
biarcuatus Piller & Millerp. 348
bicallosus Kraatz 413
bicarinata Arnold 210
bicincta Horn 431
bicinctus Hope (Demonax) 409
bicinctus Jord. (Lygrus) 33
bicinctus Thoms. (Ornist.) 278
bicinctus Ol. (Polyzonus) 316
bicolor Bates (Epimelitta) 284
bicolor Bates (Tragidion) 459
bicolor Chevr. (Cyphost.) 474
bicolor Dist. (Zanium) 25
bicolor F. (Callider.) 444
bicolor Fairm. (Chenoderus) 334
bicolor Ganglb. (Sieversia) 199
bicolor Goun. (Euryptera) 248
bicolor L. Heyd. (Pseudosiev.) 200
bicolor Horn (Tessaropa) 39
bicolor Kolbe (Zoocosm.) 426
bicolor Kraatz (Obrium) 133
bicolor Ol. (Ancylocera) 446
bicolor Ol. („Callidium“) 489
bicolor Parry (Pachyteria) 300
bicolor Pasc. (Artimpanza) 425
bicolor F. Phil. (Platynocera) 258
bicolor Redt. (Leptura) 209
bicolor Sallé (Mallosoma) 438
bicolor Schrank (Rhamnus) 166
bicolor Swed. (Strang.) 245

- bicolor Thoms. (Distenia) 8
 bicolor Voet (Trachyd.) 478
 bicolor Waterh. (Alloesia) 439
 bicolor Westw. (Erythrus) 290
 bicolor White (Bimia) 255
bicolor Dalla Torre (Phymat.) 354
bicolor Guér. (Rhopal.) 431
bicolor Ol. (Rhagium) 161
bicoloraticeps Pic 230
bicoloratum Pic 345
bicoloriceps A. Sem. 464
 bicornis F. 453
 bicuneata Motsch. 183
 bidens F. (Coleoxestia) 64
 bidens F. (Elaphidion) 86
bidens Newm. (Elaphidion) 87
bidens Ol. (Elaphidion) 87
bidens Weber (Chloroph.) 402
 bidentatus Donov. 487
bifarius Heyd. 370
 bifasciata Müll. (Strang.) 233
 bifasciata Pasc. (Atesta) 92
bifasciata Phil. (Compsa) 109
bifasciata Reitter (Rosalia) 328
 bifasciatum F. (Genus?) 357
 bifasciatum F. (Rhagium) 161
 bifasciatum Pasc. (Euryarthrum) 292
bifasciatum Schrank (Rhagium) 162
 bifasciatus Broun (Cacodrotus) 152
 bifasciatus Dupont (Megaderus) 486
 bifasciatus Motsch. (Hylotrupes) 341
 bifasciatus Newm. (Anubis) 317
 bifasciatus Ol. (Evodinus) 185
bifasciatus Guér. (Tragocerus) 487
bifasciatus Nicolas (Clytus) 371
 biforis Newm. 221
 biformis Tourn. 179
biguttata Muls. 209
biguttatum Sallé (Genus?) 357
biguttatum Redt. (Ibidion) 112
 biguttatus Dalm. (Lissonotus) 484
 biguttatus Donov. (Coptocercus) 93
biinterruptus Pic (Clytus) 368
biinterruptus Pic (Purpuricenus) 462
 bijubatus Goun. 11
 bilineata Rits. 144
 bilineatum Guér. 448
 bilineatus Bates (Heterachtes) 110
 bilineatus Buq. (Pteroplatus) 455
 bilineatus Chev. (Trichoxys) 382
 bilineatus Ol. (Trachyd.) 479
 bilineatus Sharp (Plagith.) 387
bilineatus Gory (Sphaenoth.) 472
bilineatus Muls. (Purpuric.) 464
bilineatus Pic (Stenoc.) 180
 biloculare Thoms. 136
bilunatus Schauf. 464
 bimaculata Goun. (Callancyla) 446
 bimaculata Müller (Genus?) 489
bimaculata Goun. (Protosphaer.) 96
bimaculata Pic (Strang.) 234
bimaculata Schönh.
bimaculata White (Pempsam.) 293
 bimaculatum Bates (Perib.) 98
 bimaculatum F. (Zamium) 25
 bimaculatum Pasc. (Rhysium) 115
 bimaculatum White (Callichr.) 313
bimaculatum Marsh. (Rhagium) 162
 bimaculatus Auriv. (Erythrus) 290
 bimaculatus Gah. (Bicon) 423
 bimaculatus Gah. (Psilomerus) 408
 bimaculatus Gah. (Tetraommat.) 28
 bimaculatus Hald. (Tylonotus) 69
 bimaculatus Pasc. (Thranium) 263
 bimaculatus Say (Molorchus) 269
 bimaculatus Voet (Eburia) 78
bimaculatus Billb. (Hesperoph.) 67
bimaculatus Goun. (Perissomer.) 113
bimaculatus Muls. (Evodinus) 186
binaeva Reitter 308
 binoculus Bates 469
 binodosa Gah. 80
 binodosum Bates 108
 binodasus Lacord. 141
 binodula Chev. 429
 binotata Broun (Didymoc.) 116
binotata Lef. (Leptura) 209
binotata Muls. (Strang.) 235
 binotatum Brongn. (Chelid.) 316
 binotatum Fauv. (Ceresium) 123
bioculatus Kraatz 187
 bipartita Bates (Ommata) 278
 bipartita Buq. (Ozodera) 483
 bipartita Lacord. (Heterops) 442
bipartita Guér. (Ozodera) 483
 bipartitum Goun. 106
 bipartitus Buq. (Eriphus) 475
 bipartitus Buq. (Hamaticherus) 51
 bipartitus Jord. (Purpuric.) 465
 biplagiata Gah. (Mimist.) 427
biplagiata Lacord. (Sphecom.) 283
 biplagiatum Redt. 112
biplagiatus Buq. 477
 bipunctata F. (Leptura) 209
 bipunctata White (Diaspila) 121
bipunctata Kraatz (Leptura) 210
bipunctata Muls. (Leptura) 211
bipunctata Zoubk. (Penichroa) 128
 bipunctatus Perty (Callider.) 444
 bipunctatus Waterh. (Syllitus) 151
bipunctatus Schönh. (Euryph.) 461
bipunctatus Villa (Purpuric.) 464
bipustulata Rothenb. 209
 bipustulatus Thoms. 317
 birmanica Gah. 289
 Birnbacheri Pic 196
bisbimaculata Pic 183
bisbioculatus Pic 185

- bisbistigma* Pic 225
biseburata Thoms. 423
biserratus Voct 484
 Bishopi Sharp 387
bisignata Brullé (Leptura) 209
bisignata Ménér. (Leptura) 219
bisignatus Buq. (Coccod.) 44
bisignatus Dupont (Lisson.) 484
bisignatus Germ. (Eriph.) 475
bispeculifer White 285
bispina Auriv. 31
bispinosum Pasc. 84
bispinosus Gmel. 86
bistigmata Pic 210
bisulcata Bates 280
bitincta Goun. 100
bitlisiensis Chevr. 210
bituberculatum Serv. 112
bivitta Newm. 147
bivittata Bates (Ophist.) 247
bivittata Buq. (Coleox.) 64
bivittata Chevr. (Alloesia) 439
bivittata Gah. (Cleonice) 437
bivittata Goun. (Dihammaphora) 429
bivittata Say (Aemacops) 191
bivittata Serv. (Piezocera) 104
bivittata Goun. (Protosph.) 96
bivittata Goun. (Protosphaer.) 96
bivittatum White 314
bivittatus Gory (Sphaenoth.) 472
bivittatus Goun. (Glyptosc.) 106
bivittis White (Haruspex) 103
bivittis Motsch. (Alosterna) 206
bivulneratum Thoms. 112
bizonata Newm. 286
bizonatus Blanch. (Phymatiod.) 76
bizonatus Goun. (Rhinotr.) 277
bizonatus White (Polyzon.) 316
Blackburni Gah. (Bethel.) 118
Blackburni Sharp (Plagith.) 387
Blancaneau Bates 79
Blandi Casey 471
blandus Dupont (Trachyd.) 479
blandus Guér. (Closterop.) 319
blandus J. Lec. (Phymat.) 349
blandus Newm. (Nephal.) 98
blandus F. (Desmoc.) 253
Blüthneri J. Lec. 23
Bobelayi Brullé 380
Bodemeyeri Reitter 349
Bohemani Gah. 317
Boisduvali Dupont 479
Bolivari Paulino d'Oliveira 158
boliviana Chevr. 383
bolivianus Belon 394
boliviensis Auriv. 481
bonaërens Burm. 224
bonariense Bruch 12
bonariensis Thoms. 110
Bonplandi Goun. (Cyllene) 383
Bonplandi Goun. (Trachyderes) 479
Bonvouloiri Mars. 342
boops Blackb. 57
borealis Gyllen. 185
borneense Auriv. 314
borneensis Rits. (Pachyteria) 300
borneensis Rothsch. & Jord. (Ros.) 330
Borni Ganglb. 187
Borrei Lameere (Ibidion) 112
Borrei Rits. (Pachyteria) 300
Boryi Cast. & Gory (Cyllene) 383
Boryi Brullé (Purpuric.) 464
Bosschae Rits. 299
Böttcheri Pic 226
Baucordi Chevr. 420
Bouchanti Buq. 42
Bouchardi Pasc. 440
Bourdillon Muls. 370
Bourdini Muls. 271
Bouvieri Boppe (Rosalia) 331
Bouvieri Goun. (Callichroma) 311
Bouvieri Goun. (Neome) 29
Bouvieri Pic (Leptura) 211
Bouvieri Pic (Pseudopidonia) 201
Bouvieri Rits. 300
Bowringi Pasc. (Demonax) 409
Bowringi Pasc. (Erythresthes) 290
Bowringi White (Rhytidodera) 62
bubrestoides Laich. 14
bucharensis Semen. 361
Buchneri Quedf. 319
Buckleyi Bates 311
budensis Götz 462
bullatus Hald. 341
Bungi Fald. 307
buprestoide Saven. 16
buprestooides Bates (Callihr.) 311
buprestooides L. (Spond.) 13
Buqueti Belon (Anoplom.) 71
Buqueti Cast. & Gory (Xylotr.) 365
Buqueti Thoms. (Ibidion) 112
Buqueti Thoms. (Xystrocera) 36
Burmeisteri Chevr. 390
Büttneri Kolbe 304
brabantinus Voet 378
brachiale Bates 311
brachialis Bates (Ommata) 279
brachialis Bates (Ophistomis) 247
brachialis Chevr. (Psilomerus) 408
brachialis Ganglb. (Cortodera) 197
brachialis Pasc. (Acyphod.) 282
brachyptera Chevr. (Bromiad.) 282
brachyptera Daniel (Aemaeops) 189
brachyptera Fairm. (Myiod.) 169
barchyptera Pasc. (Merion.) 273
brachypus Bates 71
braconides Perty 283
braconinus Bates 275

- brahminus Cast. & Gory 409
brancsiki Laczó 328
brasiliana Gmel. 81
brasiliensis Buq. (Lissonot.) 485
brasiliensis Chev. (Rhopaloph.) 432
brasiliensis Schaef. (Metal.) 469
brasiliensis G. R. Gray (Metopoc.) 44
Brethesi Bruch 106
brevicollis Chev. 365
brevicollis Bates (Amphionthe) 297
brevicollis Fairm. (Aedoeus) 171
brevicollis Gebl. (Ropalopus) 337
brevicollis Graells (Vesperus) 158
brevicollis Pasc. (Didymoc.) 116
brevicollis Dalm. (Phymat.) 351
brevicorne Bates 85
brevicornis Bates (Chrysoprasia) 440
brevicornis Bates (Distenia) 8
brevicornis Bates (Synaptola) 305
brevicornis Broun (Didymoc.) 116
brevicornis Chev. (Ochraeth.) 386
brevicornis F. (Euporus) 320
brevicornis Kolbe (Micramb.) 59
brevicornis J. Lec. (Strang.) 242
brevicornis Pasc. (Xylotr.) 365
brevicornis Casey (Elytrol.) 456
brevicornis Gah. (Pachyd.) 57
brevicens Schaeffer 86
breviformis Bates 420
brevilineum Say 336
brevinotata Pic 201
brevinotatus Pic 188
brevipenne Fairm. (Teorotr.) 357
brevipenne Pasc. (Pseb.) 262
brevipennis Bates (Coleox.) 64
brevipennis Fairm. (Paraloc.) 123
brevipennis Gah. (Psebena) 261
brevipennis Gah. (Taurotagus) 45
brevipennis Muls. (Leptidea) 262
brevipennis Pasc. (Epania) 263
brevipennis J. Lec. (Cyllene) 384
brevipes Gah. (Polyz.) 316
brevipes White (Harusp.) 103
brevis Chev. (Dihamm.) 429
brevis Jord. (Oxyprosopus) 318
brevis Jord. (Synaptola) 305
brevis Kirby (Leptura) 224
brevispinis Bates 79
breviusculum Thoms. 112
Bruchi Goun. (Coremia) 335
Bruchi Goun. (Diastrophosternus) 478
Brucki Kraatz 416
Bullei Muls. 433
brunnea Auriv. (Parandroeme) 27
brunnea Auriv. (Psathyrisa) 32
brunnea Kirsch (Oeme) 29
brunnea Thoms. (Glaucytes) 436
brunnea Tourn. (Penichroa) 129
brunneipennis Auriv. (Microcl.) 417
brunneipennis Gah. (Derol.) 58
brunneonotatus Pic 185
brunneorufa Thoms 8
brunneum F. (Obrium) 133
brunneum Jord. (Sternang.) 121
brunneum Schaeffer (Malobidion) 113
brunneum Thoms. (Pachyticon) 159
brunneum Thoms. (Smodieum) 12
brunneum Schaeffer (Obrium) 133
brunnescens Pic (Clytus) 370
brunnescens Balbi (Strang.) 240
brunneus Fairm. (Anisog.) 121
brunneus Guér. (Orion) 83
brunneus Hintz (Cerasph.) 75
brunneus Pasc. (Thranis) 263
brunneus Thoms. (Hypomares) 33
brunneus Thoms. (Stromatiodes) 72
brunneus Thoms. (Phlyctaenodes) 141
brunniceps Thoms. 112
brunnicornis J. Lec. 246
brunnipennis Dupont 480
brunnipes Muls. 185
cacica Bates 82
cacicus Bates (Criopros.) 457
cacicus Chev. (Neocl.) 390
caelatus Ol. 436
caerulescens Goun. 440
caesarea Auriv. 304
cafer Gmel. 251
caffer Fährs. (Litorus) 321
caffer Fährs. (Chlorophorus) 405
calabarius Bates 454
calcarata Fairm. (Artelida) 171
calcarata Pasc. (Merion.) 273
calcarata F. (Strang.) 235
calcarata Ol. (Strang.) 235
calcarata Panz. (Strang.) 238
calcaratum Chev. 306
calcaratus Pasc. (Titur.) 292
calcaratus Scop. (Genus?) 489
calceata Fairm. 169
calceatum Auriv. 309
Calciop Thoms. 112
californica Fall (Idom.) 38
californica J. Lec. (Aemacops) 191
californicus Horn 253
caligata Fairm. 171
callichromoides Pasc. (Euporus) 320
callichromoides Thoms. (Typodr.) 9
callidioides Bates (Nephal.) 98
callidioides Dupont (Ozod.) 483
callidioides Pasc. (Tetraomm.) 28
callidioides Thoms. (Armyll.) 136
callidioides White (Oplat.) 38
calligramma Bates 105
calligrammum Bates 107

- calligrammus* Bates 477
callispilum Bates 107
callixantha Bates 82
callizonus Gah. 372
calopoides Fairm. 69
calumniata Rits. 300
calvatus Horn 85
Cameranoi Beffa 353
camerunicus Auriv. 57
campestre Goun. 107
campestris Fald. (Hesperoph.) 66
campestris Goun. (Eburod.) 82
campestris Ol. (Xylotr.) 363
canadensis Ol. 221
candidum Bates 107
cantharinum L. 134
cantharinus Herbst 180
cantharoides Scop. 489
Cantori Hope (Aphrodisium) 301
Cantori Hope (Cerambyx) 52
capense Péring. 310
capensis Cast. & Gory 405
capitule Pic 166
capitata Newm. 242
capito Pasc. 153
capra Germ. 373
caprea Say 390
capreola Pasc. 176
capricornis Chev. 360
capricornus Gebl. 360
caproides Bates 373
caracasensis Chev. 383
carbonaria Chev. 429
carbonarius Hope (Oxypr.) 318
carbonarius Reitter (Delagr.) 295
carbonarius Reitter (Purpuric.) 464
carbonata J. Lec. 242
cardinale Bates 332
cardinalis Dalm. (Aneyl.) 446
cardinalis Daniel (Leptura) 211
cardinalis Dupont (Trachyd.) 479
cardinalis Fairm. (Ephies) 249
cardinalis Pasc. (Pyrestes) 289
cardinalis Thoms. (Eurycl.) 461
cardinalis Voet (Pyrrhid.) 347
carenifrons Cast. & Gory 365
carinata Pic 154
carinatum Fauv. (Ceresium) 123
carinatum Pasc. (Euryarthr.) 292
carinatum Thoms. (Tragid.) 459
carinatus Cast. & Gory (Neocl.) 390
carinatus Gah. (Centrotocl.) 423
carinatus Küst. (Ceramb.) 52
carinicolle Bates (Ibidion) 112
carinicolle Quedf. (Callichr.) 309
carinicollis Bates (Acyph.) 282
carinicollis Jord. (Xylotr.) 365
carinifer Pic 465
carinifrons Chev. 365
carinulatus Karsch 74
carissima Newm. 256
carissimum White 105
carneola Schrank 191
carniolicus Gmel. 353
Caroli Leprieur 49, 490
carolina Weber (Judolia) 227
carolina Weber (Strangalia) 246
carpo Pic 250
cartalloides Fairm. 293
Carthagenae Gah. 51
carus Fall 391
caryae Gah. 383
caspica A. Sem. 160
cassum Newm. 97
castanea Bates (Ommata) 279
castanea Bates (Pyrassa) 101
castanea Cast. & Gory (Cyllene) 383
castanea Goun. (Tillom.) 421
castaneipennis Dupont (Stenasp.) 458
castaneipennis Thoms. (Basipt.) 478
castaneorufus Fairm. 403
castaneum L. 18
castaneum Ol. 19
castaneus Goun. (Harusp.) 103
castaneus Voet (Genus?) 489
castaneus Bates (Hamat.) 51
castaneus Redt. (Phymat.) 350
castanopterum Er. 64
Castelnaudi Thoms. 48
Castelnavi Auriv. 384
Castiglionei Scop. 489
castum Broun 156
catoxanthum White 119
caucasica Pic 199
causicum Kraatz (Leptorh.) 168
causicum Reitter (Rhagium) 163
causicum Tourn. (Obrium) 134
causicus Rost (Evod.) 185
causicus Desbr. (Ropal.) 337
causicus Motsch. (Paracl.) 416
causicus Pic (Chlorophorus) 397
causicus Pic (Purpuricenus) 462
caudatum Auriv. 105
caudatus Degeer 340
cavicollis Thoms. 40
cavipennis J. Lec. 261
cayennensis Cast. & Gory (Cyll.) 383
cayennensis Dupont (Trachyd.) 481
c-duplex Scop. 401
centralis Pasc. (Brachytria) 292
centralis A. Sem. (Apatoph.) 160
centurio Chev. (Neocl.) 391
centurio Czwal. (Ceramb.) 55
cephalotes Pasc. (Sestyra) 424
cephalotes Voet (Rhagium) 163
cephalotes minor Voet (Rhagium) 164
ceramboides Degeer (Molorch.) 268
ceramboides Kirby (Stenod.) 151

- ceramboides* Rossi (Deilus) 295
cerambyciformis Schrank 225
cereerina Bates 285
cerdo L. 52
cerdo F. 52
cerdo Poda 54
ceresioides Pasc. (Oebarina) 70
ceresioides Pasc. (Strongylurus) 145
cerussatum Newm. 86
cervinus Walk. 188
ceycinum Pasc. 314
Chabrilacci Buq. (Eurypros.) 334
Chabrilacci Thoms. (Criodion) 63
Chabrilacci Thoms. (Macroeme) 30
chalcea Bates 115
chalybaeum J. Lec. 272
chalybaeus Philippi 257
chalybea Hald. (Strang.) 242
chalybea Newm. (Sphecom.) 282
chalybea Redt. (Chrysopr.) 440
chalybeata Gah. (Xystr.) 36
chalybeata Pasc. (Typodr.) 9
chalybeata White (Cyllene) 383
chalybeata White (Mecosaspis) 304
chalybeatus White 322
chalybeella Bates 204
chamaeropsis Horn 445
chamomillae F. 212
Chamouny Kraatz 187
championella Bates 279
Championi Bates (Criprospopus) 457
Championi Bates (Eburia) 79
Championi Bates (Neoclytus) 391
Championi Bates (Oxylymma) 277
Championi Bates (Perilasius) 76
Championi White (Erythrus) 290
chapidensis Goun. 110
charile Bates 107
charus Say 384
Chevrolati Cast. & Gory (Neocl.) 391
Chevrolati Dupont (Oxym.) 482
Chevrolati Goun. (Compsoc.) 333
Chevrolati Lameere (Chrysopr.) 440
Chevrolati White (Harusp.) 103
Chevrolati Guér. (Ornithia) 435
Chevrolati Stål (Icosium) 42
Chevrolati Thoms. (Rhopal.) 319
Chihuahuae Bates 248
Childreni Gray 254
chilense Blanch. (Callichr.) 311
chilense Thoms. (Platharthr.) 448
chilensis Blanch. (Holopterus) 149
chilensis Blanch. (Cyllene) 383
chiliensis Cast. & Gory 383
chiloensis Germain 22
chinensis Chevr. 361
chionospila Gah. 407
chiriquinum Bates 311
chiriquinus Bates 110
Chloe Goun. 311
chlorata Goun. 440
chloreus Bates 318
chlorina Bates (Synapt.) 305
chlorina Auriv. (Mecos.) 304
chlorizans Chevr. (Cycnod.) 432
chlorizans Solsky (Callid.) 344
chlorogaster Auriv. 440
chlorolineatus Quedf. 319
chlorophana Chevr. (Alloesia) 439
chlorophana Fischer (Aromia) 308
chloropterus Chevr. 48
chloropterus Murr. 48
chloropus Bates 311
chloroticus Ol. 67
chontalense Bates 40
chontalensis Bates (Dihammaph.) 429
chontalensis Bates (Haruspex) 103
Christofori Chevr. 386
Christophi Kraatz 377
chrysaspis Bates (Acroethra) 285
chrysaspis Bates (Callichroma) 309
chryseis Bates 332
chryseus Gah. 426
chrycina Bates 304
chryscollis Hope 320
chrysocoma Kirby 222
chrysoderes White 409
chrysogrammum Chevr. 309
chrysogaster Bates (Mecos.) 304
chrysogaster Rits. (Pachyteria) 300
chrysogaster Schrank (Stenoc.) 180
chrysogastra Bates 440
chrysomeloides Schrank 206
chrysostetha Bates 280
chryso stigma Bates 8
chrysothrix Bates 47
crysothyreas Schrank 218
chrysozone White 280
cibarius Newm. 140
cicatricosum Goun. (Obrium) 133
cicatricosum Mamerh. (Callid.) 345
cicatricosus Auriv. 106
ciliata Pasc. 118
ciliciensis Chevr. (Clytus) 370
ciliciensis Daniel (Leptura) 210
cincta Guér. (Chlorida) 77
cincta F. (Lept.) 212
cincta Gyllenh. (Lept.) 212
cincta Hald. (Euryptera) 248
cincta Hald. (Strangalia) 243
cincta Panz. (Lept.) 208
cinctella Gah. 423
cinctellus Gah. 108
cinctipennis Goun. 8
cinctiventris Bates (Odontoc.) 280
cinctiventris Chevr. (Chloroph.) 398
cinctulum Bates 107
cinctum Guér. 316

- cinctus* Drury (Chion) 75
cinctus Dupont (Trachyd.) 479
cinctus Fährs. (Rhopal.) 319
cinctus Jord. (Derolus) 58
cinctus Lameere (Purpuric.) 465
cinctus F. (Akim.) 183
cinctus Panzer (Lissonot.) 484
cinctus Villa (Purpuric.) 464
cinderellum White 314
cinereus Fairm. (Barossus) 175
cinereus Fairm. (Plocaederus) 49
cinerarius Fairm. 121
cinerascens J. Lec. (Anopl.) 126
cinerascens Luc. (Nephal.) 98
cinereipes Chevr. 305
cinereolus Bates 382
cinereum Ol. (Elaphid.) 87
cinereum Serv. (Coelod.) 45
cinereus Blanch. (Hesperoph.) 68
cinereus Brancs. (Hesperoph.) 68
cinereus Cast. (Clytus) 370
cinereus F. (Diorthr.) 56
cinereus Ol. (Criod.) 63
cinereus Villers (Hesperoph.) 66
cinereus Jord. (Plagionot.) 406
cingalensis Gah. (Capnolymma) 177
cingalensis Gah. (Chlorophorus) 403
cingalensis White (Coloborh.) 298
cingulata Kirby 286
cingulatus Klug (Trachyd.) 479
cingulatus Panzer (Lissonot.) 484
cinnabarinum Blessig 345
cinnamomea Fleut. & Sallé (Eb.) 79
cinnamomea Goun. (Coleox.) 64
cinnamoptera Hald. 222
cinnamopterum Kirby 19
cinnamopterus Rand. 182
cinyris Pasc. 314
circassica Reitt. (Cortod.) 197
circassica Daniel (Leptura) 215
circassicus Pic 370
circulifer Chevr. 386
circumcinctum Auriv. 135
circumdata Ol. 222
circumflexum F. 40
citreoguttata Thoms. 82
citrina Thoms. (Georg.) 450
citrina Voet (Aromia) 308
citrinus Chevr. 386
clara Bates (Odontocera) 280
clara Bates (Eburia) 79
clarinus Bates 361
clavatus Chevr. (Diastellopterus) 454
clavatus Chevr. (Neoclytus) 391
clavatus Pasc. (Thephant.) 120
clathratus Chevr. (Anthrob.) 386
clathratus F. (Evod.) 185
clathratus Fairm. (Callider.) 444
clathratus Panz. (Evod.) 186
clavicornis Bates (Ommata) 279
clavicornis F. (Anubis) 317
clavicornis Fairm. (Agada) 357
clavicornis Ol. (Lissonot.) 484
clavicornis Reiche (Clytus) 370
claviger Dalm. (Closterom.) 323
claviger Sharp (Plagith.) 387
clavigera Bates 127
clavipes Bates (Tillocl.) 421
clavipes Broun (Didymoc.) 116
clavipes Chevr. (Neocl.) 391
clavipes F. (Ropalopus) 337
clavipes Forst. (Genus?) 489
clavipes Goun. (Cupan.) 81
clavipes Kolbe (Nosoeime) 27
clavipes Lacord. (Merion.) 273
clavipes White (Euryprosopus) 334
clavipes F. (Heteractes) 111
clavipes Geoffr. (Grammopt.) 204
clavipes Gyllen. (Ropalopus) 338
clavipes White (Rhopaligus) 319
Clementsi Jord. 302
cleophile Thoms. 107
cleriformis Bates (Aploc.) 420
cleriformis Pasc. (Halme) 423
clerinus Bates (Ochraethes) 386
clerinus J. Lec. (Zagymn.) 445
clerochroa Thoms. 109
cleroides Bates (Stenhom.) 136
cleroides White (Ectosticta) 119
cleroides White (Tilloclytus) 421
clerulum Bates 133
Cloueti Théry 370
Clymene Thoms. 106
clypealis Auriv. 457
clytina Gah. 221
clytoides Lacord. (Agall.) 445
clytoides Pasc. (Acrocyrta) 412
clytoides Pasc. (Polyphida) 437
coadnata Fairm. 436
coadunata Fairm. 436
coalescens Bates 82
coarctata Pasc. (Ochya) 422
coarctata F. (Stenygra) 448
coarctata Hald. (Strangalia) 245
cobaltinum J. Lec. 311
coccinatus Bates 469
coccinea Bates (Mastod.) 170
coccinea J. Lec. (Leptura) 216
coccineicollis Hald. 475
coccineum Guér. 278
coccineus Casey (Oxoplus) 469
coccineus Gah. (Ephies) 249
coccineus Gah. (Erythrus) 290
coccineus Serv. (Cryptobias) 452
Cockerelli Fall 222
coelestis A. Semen. 329
coemeterii Thoms. 255

- coeruleans* Fairm. 305
coerulea Say 250
coeruleata Fairm. 236
coeruleipenne Thoms. 315
coeruleipennis Auriv. (Eugoides) 302
coeruleipennis Bates (Stenocorus) 181
coeruleocincta Bates 277
coerulescens Bates (Ischnoen.) 473
coerulescens Gah. (Halme) 423
coerulescens Goun. (Distenia) 8
coerulescens Redt. (Osphrant.) 326
coeruleum Achard 311
coeruleus Bates (Cometes) 11
coeruleus Ol. (Oxypr.) 318
coeruleus Goeze (Phymat.) 352
coffeophagus Richter 366
cognata Broun 490
cognatum Laich. 344
cognatus Chevr. (Chloroph.) 403
cognatus Laich. (Ropalop.) 339
Coindardi Fairm. 10
Colbeui Mors 377
colchica Reitt. 197
collare Burm. (Elaph.) 86
collare Jord. (Callichr.) 309, 491
collare Pasc. (Chlorid.) 314
collaris Chevr. (Chrysopr.) 441
collaris Er. (Eriphus) 475
collaris Forster (Genus?) 489
collaris Germ. (Rhopaloph.) 431
collaris Jakowl. (Clerocel.) 419
collaris Jord. (Apiog.) 425
collaris Kirby (Gonoc.) 336
collaris Klug (Listropt.) 429
collaris L. (Aemaeops) 190
collaris Pasc. (Demonax) 409
collaris Pasc. (Euchlanis) 264
collaris Pasc. (Phalota) 276
collaris Philippi (Callider.) 444
collaris Serv. (Ommata) 278
collaris Sharp (Plagith.) 387
collaris Waterh. (Catorth.) 286
collaris Harold (Pachyteria) 300
collinum Pasc. 314
colobothoides Bates 416
colon Bates 280
colonus F. 363
coloratum Jord. 309
coloratus Quedf. 319
coloreus F. 363
columbina Serv. 8
columbinum Bates 313
columbinum Guér. 312
comata Pasc. 293
comatum Serv. 112
cometes Bates 226
comis Bates (Metaleptus) 469
comis Bates (Oxyprosopus) 318
comosus Solsky 187
compressicollis Cast. & Gory 415
compressicornis Fairm. & Germ. 149
compressipes White 280
compressus F. 73
compsoeroides Goun. (Cosmis.) 433
compsoeroides Lac. (Atelopt.) 257
comptus Mannerh. 406
comus Bates 443
concentricale Jord. 309
concinna Pasc. 154
concinnum Pasc. 314
concinnum Hald. 127
concinus F. Phil. (Laut.) 254
concinus Dup. (Cryptob.) 452
concolor F. (Genus?) 489
concolor Fairm. (Aedoeus) 171
concolor Fairm. & Germ. (Call.) 257
concolor Goun. (Orthoschema) 332
concolor M'Leay (Stenod.) 150
concolor Nonfr. (Rhytid.) 62
concolor J. Lec. (Achrys.) 39
concolor Redt. (Chrysopr.) 440
concolor W. Saund. (Brachops.) 154
concolor Sharp (Plagith.) 387
concolor Bates (Agall.) 445
concolor Goun. (Cynoderus) 432
concolor Goun. (Eburodaerys) 82
concolor Heyne (Rhaigiom.) 149
condita Pasc. 293
conflagrata Motsch. 184
confluenta Csiki 328
confluenta Hald. 245
conforme Har. 309
conformis Dupont (Trachyd.) 479
conformis Gah. (Rhaph.) 407
confusa Lacord. (Coleox.) 64
confusa Say (Atimia) 449
confusa Reitter (Cortod.) 196
confusus Dupont (Oxym.) 482
confusus Herbst (Xylotr.) 362
congener Cast. & Gory 383
conglobatus Fugn. 396
congoanus Auriv. 465
congolensis Hintz 57
congruus Pasc. 290
conicicollis Fairm. (Vesperus) 158
conicicollis Auriv. (Strangalia) 241
conjunctus J. Lec. (Neocl.) 391
conjunctus Rost (Evodinus) 185
conjugatum White 106
connatus Mors 377
connexa F. (Genus?) 489
connexa Reitter (Rosalia) 328
Conradi Auriv. 309
Conradi Auriv. (Apiog.) 425
Conradi Bates (Tillocl.) 421
Conradi Kolbe (Calanthemis) 374
Conradi Kolbe (Plocaederus) 49
conradiellus Kolbe 320

- consanguineum* Auriv. 105
consanguineus Chevr. (Mecomet.) 394
consanguineus Rits. (Zonopt.) 299
consimilis Gah. (Closterom.) 323
consimilis Chevr. (Cyllene) 382
consobrina Goun. (Stizoc.) 99
consobrina Jaq. du Val (Eburia) 79
consobrinus Gah. (Hamatic.) 51
consobrinus Goun. (Tomopt.) 285
consobrinus Lucas (Chloroph.) 398
consocius Gah. (Xylotr.) 365
consocius Pasc. (Plocaed.) 50
conspersa Horn 79
conspersum Newm. 86
conspersus J. Lec. 76
conspicillata Goun. 99
conspicillatus Er. 96
conspicua Gah. (Pyroc.) 288
conspicua Perty (Stenygra) 448
constricticollis Schaeffer 133
constricticollis Schaeffer 38
constrictus Germ.
contortus Gah. 365
contracta Bates 241
contracta Pasc. 448
contractifrons Bates 405
controversus Schrank 379
convergens Bates (Athet.) 453
convergens J. Lec. (Xylotr.) 364
Convertini L. Petagna 378
convexa J. Lec. 227
conviva Csiki 491
coptorhina Bates 31
Coquereli Fairm. (Anisogaster) 121
Coquereli Fairm. (Anomoderus) 270
Coquereli Fairm. (Xylotrachus) 367
Coquilletti Linell 227
coquus L. 459
corallifer Sturm (Pocilop.) 450
corallifer White (Erythropl.) 277
corallifer Newm. (Megad.) 486
corallinus Bates (Heteracht.) 110
corallinus Dupont (Lisson.) 484
corallinus Fairm. (Crioc.) 175
corallinus Gah. (Dicolost.) 460
corallinus Goun. (Phaedinus) 477
corallinus Hope (Pachyl.) 288
corallinus J. Lec. (Oxopl.) 469
corallipes Reitt. 210
Corbetti Gah. (Ibidionidum) 137
Corbetti Gah. (Zonopterus) 299
cordicollis Bates 133
cordifer Klug 391
cordifera Ol. 227
cordiger Aragona 396
cordigera Finessly 211
coreana Fairm. 307
coreanus Sharp 20
coriacea Er. (Haruspex) 103
coriacea J. Lec. (Piodes) 196
coriaceum Payk. 345
coriaceus Motsch. 21
corinna Pasc. 285
corni Hald. 269
cornuta Bates 104
cornutus Lacord. 73
coronatum White 86
coronarum Pasc. 123
corralensis F. Phil. 257
corsica Pic 214
corsicus Chevr. (Chloroph.) 400
corsicus Croiss. (Semanot.) 342
corticina Chevr. 421
corvina Germ. 64
corvinum Burm. 311
cosmicum Bates 311
cosmicum White 311
cosmocera White 448
Costai Goun. 82
costaricensis Thoms. (Cyllene) 383
costaricensis Bates (Anthoph.) 195
costata Dupont (Erioch.) 483
costata J. Lec. (Oeme) 29
costata Serv. (Chlorida) 77
costatus Auriv. (Trachyd.) 479
costatus Gah. (Philus) 157
costatus Hintz (Metopot.) 26
costifer Broun 142
costifera Waterh. 77
costipennis Buq. (Opad.) 77
costipennis Fall (Eudist.) 34
costipennis Thoms. (Ischnoen.) 473
costulata Bates (Eburia) 79
costulata Bates (Euryptera) 248
costulipennis Fairm. 172
cothurnatus Er. 274
Cotterilli Bates 262
Cranchi White 309
crassicornis Chevr. (Mecomet.) 394
crassicornis Fairm. & Germ. (Adalb.) 255
crassicornis Gestro (Closterom.) 323
crassicornis Ol. (Pachyloc.) 288
crassicornis J. Lec. (Leptura) 222
crassicornis Muls. (Clytus) 370
crassimana Goun. 82
crassipes Fairm. (Pachyst.) 173
crassipes J. Lec. (Leptura) 222
crassipes Quedf. (Zoodes) 74
crassipes Goeze (Phymat.) 355
crassitarsis Goun. 283
Crawshayi Sharp 19
Cressoni Bland 194
cretatum White 124
creticus Ganglb. 158
cretifer Hope 145
cribellata Bates (Pyrassa) 101
cribellata Bates (Apelocera) 420

- cribellatus Bates 472
 cribellum Bates 446
 cribrata Gah. 177
 cribratum Bates (Trinoph.) 127
 cribratum Sallé (Plectroc.) 445
 cribratus Bates (Euderees) 419
 cribratus J. Lec. (Xyloer.) 356
 cribricolle Poll 301
 cribricollis Bates (Acyphoderes) 282
 cribricollis Bates (Ancylocera) 446
 cribricollis Bates (Hesperophanes) 68
 cribricollis Bates (Sphaenothecus) 472
 cribricollis Bates (Stizocera) 99
cribri Pic (Leptura) 210
 cribripenne Bates 133
 cribripennis Bates (Euderees) 419
 cribripennis Bates (Heterachtes) 110
 cribripennis Bates (Ommata) 279
 cribripennis Bates (Paramalloe.) 100
 cribripennis Gah. (Hypargyra) 297
 cribripennis Gah. (Leptura) 221
 cribripennis Horn (Desmoc.) 253
 cribripennis Thoms. (Stenosph.) 443
 cribripennis Thoms. (Uroreites) 137
cribripennis J. Lec. (Leptura) 222
 cribristernis Bates 8
cribrithorax Kolbe 49
 crinicornis Chevr. 383
 crinipes Thoms. 171
 crinita Klug (Acyph.) 282
crinita Fährs. (Ossibia) 135
 crinitus Hintz 57
 criocerina Bates 191
 cristata Pasc. 62
 cristatus Chevr. (Neocl.) 391
cristatus Sharp (Plagith.) 387
 crocata Bates (Odontoc.) 280
 crocata Pasc. (Pluton.) 290
 crocatum Pasc. 25
 croceicollis White 475
 croceicornis Goun. 279
 Croesus Bates 304
Croissandari Pic 328
Croissandarii Th. Pic 328
cruciata Ol. 233
 cruciatum Auriv. 105
 cruciatus Dupont (Lisson.) 484
cruciatus Kraatz (Evod.) 187
 crucicollis Chevr. 367
crucifer Kraatz 187
 cruciferum Bates (Obrium) 133
 cruciferum Goun. (Hexopl.) 105
 crucigera Hope 89
 cruentata Chevr. (Entomost.) 474
 cruentata Hald. (Strang.) 242
 cruentata Pasc. (Epiped.) 422
 cruentatus Dupont 479
 cruentus J. Lec. (Oxopl.) 469
 cruentus Pasc. (Ephies) 249
 cryptophagus Olliff 147
 ctenostomoides Bates (Champ.) 447
 ctenostomoides Thoms. (Hexop.) 105
 cubanus Thoms. 13
 cubitalis J. Lec. 222
 cucujides Newm. 275
 cucujiforme Say 12
cucujus White 119
cujanus Burm. 149
 culicina Bates 273
 culicinus Pasc. 409
 cumulosus Pasc. 409
 cuneatus Fairm. (Chloroph.) 403
 cuneatus Sharp (Plagith.) 387
cuncepennis Kraatz 361
 cuprarius Fairm. 316
cupratus Reitter 308
 cuprea Weber 489
 cupreum Fährs. 305
 cupricollis Guér. 431
cupripenne Kricchb. 345
curiale Panz. 18
 curialis Goun. 82
 Currori White 306
 cursor L. 177
 curta Thoms. 77
 curticollis Fairm. 36
 curtipes Thoms. 127
 Curtisi Cast. & Gory 404
 curtulus Chevr. 391
 curtus Cast. & Gory 394
 curvatoplicatus Jord. 313
 curvatus Germ. 391
 curvicollis Buq. 446
curvilineatus Muls. 186
 curvipennis Bates 285
 curvipes Heller (Neoclost.) 252
 curvipes Hintz (Nosoeme) 27
 cyanea Bates (Ommata) 279
 cyanea Gebl. (Leptura) 209
 cyanea Pasc. (Melegena) 11
cyanea Matsum. (Gaurotos) 193
 cyaneipennis Waterh. (Panchyl.) 484
cyaneipennis Goun. (Ectenessa) 41
 cyanella Chevr. 36
 cyanellus Bates 323
 cyaneodorsis Kolbe 309
 cyaneonigra Fairm. 298
 cyaneus Auriv. 29
 cyaneum Goun. (Cosmis.) 433
 cyaneum Pasc. (Orthosch.) 332
 cyaneus Bates (Ischnoen.) 473
 cyaneus Hald. (Anthoph.) 195
cyaneus F. (Callimus) 271
cyaneus F. (Desmocerus) 253
cyaneus Geoffr. (Phymat.) 352
 cyanicollis Bates (Chont.) 248
 cyanicollis Dupont (Sphaenoth.) 472

- cyanicornis* Guér. (Aromia) 307
cyanicornis F. (Euporus) 320
cyanipenne Serv. (Sphaerion) 97
cyanipenne Thoms. (Aristobr.) 136
cyanipennis Bates (Ommata) 279
cyanipennis Buq. (Eurypr.) 334
cyanipennis Fairm. & Germain (Necyd.) 275
cyanipennis Fairm. (Glaucytes) 436
cyanipennis Fairm. (Phitryonus) 172
cyanipennis J. Lec. (Callimus) 272
cyanipennis Say (Gaurotes) 194
cyanipennis Thoms. (Ideratus) 331
cyanipennis Thoms. (Plocaederus) 48
cyanipennis Thoms. (Helymaeus) 324
cyanipes Thoms. (Chlorid.) 314
cyanipes Bates (Deltaspis) 459
cyanochrysos Gmel. 352
cyanomelas White 311
cyanoptera Pasc. 115
cyanopterus Dupont (Galissus) 473
cyanopterus F. Phil. (Hephaest.) 257
cylindracea Newm. 447
cylindraceus Fairm. 24
cylindrella Casey 475
cylindrica Serv. (Odontoc.) 280
cylindrica Thoms. (Macroeme) 30
cylindricollis Auriv. (Cordylom.) 95
cylindricollis Bates (Anellus) 85
cylindricollis Pasc. (Lygesis) 146
cylindricollis Say (Stenoc.) 182
cylindricollis F. (Heterachtes) 111
cylindricollis Thoms. (Apiog.) 425
cylindricum Thoms. (Ibidion) 112
cylindricum White (Callichr.) 309
cylindricus Bates (Oxypr.) 318
cylindricus Fährs. (Dissap.) 59
cylindricus Germain (Syllitus) 152
cylindricus Thoms. (Aristog.) 139
cylindrines Nowm. 12
- dædaleum* Bates 86
daghestanica Pic 191
Dalmani Fährs. 302
dalmatina Müller 211
dalmantius Sturm 462
damalis Pasc. 409
damarensis Auriv. 321
damascenus Chev. 402
Dancoi Lameere 255
darnanus Buq. 334
darwinianus Sharp 388
dasyppus Voet 369
datus L. 51
daurica Motsch. 356
dauricus Gebl. 185
Davidis Fairm. (Clytus) 373
Davidis Deyr. (Callichroma) 313
- Davidis* Deyr. (Gaurotes) 193
Dayremi Pic 235
Debauvei Guér. 477
debile J. Lec. 89
debilis Blackb. 153
debilis Goun. 284
debilis Hintz 320
debilis Horn (Stenosphenus) 443
debilis Horn (Tessaropa) 39
debilis Kolbe 305
debilis Kraatz 201
debilis J. Lec. 272
debilis Sharp (Oemona) 115
debilis Sharp (Plagithmysus) 388
decemmaculata F. (Eburia) 79
decemmaculata Ol. (Ctenodes) 451
decempunctata Westw. (Rosalia) 330
decempunctata Ol. (Judolia) 225
decens Gah. 409
deceptor Sharp 20
decipiens Bates (Elaphidion) 86
decipiens Bates (Heterachtes) 110
decipiens Bates (Lemula) 168
decipiens Bates (Trichophorus) 97
decipiens Gah. (Demonax) 409
decipiens Goun. (Eburodacrys) 82
decolor Thieme 361
decolorata Harris (Centrodera) 167
decolorata Pasc. (Ciopera) 28
decora Newm. (Amphirhoë) 434
decora Ol. (Cyllene) 384
decora Thoms. (Pronuba) 442
decora Cast. & Gory (Cyllene) 384
decorata Bates (Anthribola) 168
decorata Buq. (Macroeme) 30
decoratum Goun. 107
decoratus Germain (Maripanus) 72
decoratus Pasc. (Xylotrechus) 365
decorus Gah. (Demonax) 409
decorus Ol. (Purpuricenus) 465
decorus Perroud (Coptocercus) 93
decorus Gené (Callimus) 271
decussatus J. Lec. 349
deflendus Newm. 443
degener Fairm. (Imerinus) 143
degener A. Sem. (Asiates) 467
dehiscens J. Lec. 222
Dejeani Chev. (Euryscelis) 389
Dejeani Dist. (Closteromerus) 323
Dejeani Gah. (Criodion) 63
Dejeani Gah. (Eburia) 79
Dejeani Vuillet (Rosalia) 330
Dejeani Dupont (Trachyderes) 479
Dejeani Ganglb. (Leptura) 219
Dejeani Serv. (Psygmatocercus) 43
Delagoae Dist. 318
Delagrangi Pic (Evodinus) 186
Delagrangi Pic (Rhamnusium) 166
Delatouchei Fairm. 301

- Delauneyi Lameere 123
 delectus Gah. 409
 Delegorguei Guér. 251
 Delesserti Chevr. 409
 deleta J. Lec. 242
 deletus Dupont (Oxymerus) 482
 deletus Lameere (Xylotrechus) 365
 Delia Thoms. 81
 delicata Horn (Acyphoderes) 282
 delicata J. Lec. (Strangalia) 245
 delicatus Goun. 391
 deliciolus Bates 110
Deltili Chevr. 350
demissus Pasc. 58
 democraticus Lameere 316
 demonacius Gah. 365
 Denisoni Montrouz. 294
 dentatipennis Pic 212
dentatofasciata Mannerh. 227
 dentatus Fauv. (Blosyropus) 176
 dentatus Newm. (Curius) 127
 dentatus J. Lec. (Plectomerus) 128
 denticollis Fauv. (Astetholea) 140
denticollis Fairm. (Zoodes) 74
 denticorne Bates 106
 denticornis Bates (Distenia) 8
 denticornis F. (Plocaederus) 49, 490
 denticornis Gah. (Coleoxestia) 64
denticornis Ol. (Plocaederus) 49
denticornis Ol. (Prospilus) 48
 denticulata Buq. 77
dentipennis Hald. 182
 dentipes Ol. (Plectomerus) 128
dentipes Muls. (Akimerus) 183
 depressa Blanch. 293
 depressum Klug (Genus?) 357
 depressum Thoms. (Smodicum) 12
depressus Motsch. 268
 Derourei Chabrill. 43
Desbrochersi Pic 210
 Desfontainei F. 462
 designata Chevr. 384
 deterrens Pasc. 405
 detortus Pasc. 409
 detritus L. (Plagionotus) 377
detritus Lameere (Nephalius) 98
detritus Voet (Plagionotus) 377
 deustus Newm. (Syllitus) 151
deustus Gmel. (Phymatodes) 354
devastator Cast. & Gory 391
 devittata Kolbe 36
 Deyrollei Pic (Cortodera) 197
 Deyrollei Pic (Leptura) 212
 Deyrollei Thoms. (Purpuricenus) 463
Deyrollei Pic (Rhagium) 162
Deyrollei Pic (Xylotrechus) 363
Deyrollei Tourn. (Anaglyptus) 413
 diabolicus Lameere 98
 diadema Motsch. 373
 Diana Bates (Cosmisoma) 433
 Diana Gah. (Raphuma) 407
 Diana Sharp (Plagithmysus) 388
 dianella Lameere 81
 Dice Newm. 280
 dichroa Blanch. 221
dichroum Gmel. 16
 didelphis Chevr. 252
 didyma Ol. (Eburia) 79
didyma Heyne (Eburia) 79
didymus Voet 340
 Dietzi Schaeffer 418
differens Pic 197
 difficilis Chevr. 384
 difformipes Bates 170
 Digglesi Pasc. 149
 dignus Gah. 409
 digrammum Bates 112
 dihammaphoroides Thoms. 426
dilatatum Payk. 344
 dilatatus Chevr. (Derolus) 58
 dilatatus Fairm. (Amarysius) 468
 dilaticorne Gory 450
 dilaticornis Auriv. (Closterom.) 323
 dilaticornis Pasc. (Ephies) 249
 dilectum Bates 112
 diluta Pasc. 126
 dimidiata Bates (Tylosis) 470
 dimidiata Chevr. (Heterops) 442
 dimidiata Chevr. (Rhopaloph.) 432
 dimidiata Guér. (Niræus) 299
 dimidiata Redt. (Euryptera) 248
 dimidiata Serv. (Prodontia) 457
 dimidiata Westw. (Pachyteria) 300
dimidiata Daniel (Leptura) 217
dimidiata Thoms. (Trichomesia) 276
 dimidiaticornis Chevr. 372
 dimidiatipennis Buq. (Pteropl.) 455
 dimidiatipennis Chevr. (Trichr.) 441
dimidiatipennis Chevr. (Phymat.) 354
dimidiatipennis Fairm. & Germain
 (Adalbus) 255
 dimidiatipes Fairm. 10
 dimidiatum Newm. (Tropocal.) 150
 dimidiatum Thoms. (Ibidion) 112
 dimidiatus Chevr. (Demonax) 409
 dimidiatus F. (Trachyderes) 479
 dimidiatus J. Lec. (Purpuricenus) 466
 dimidiatus Quedf. (Plagionotul.) 405
 dimidiatus Waterh. (Opsamates) 45
 dimidiatus White (Eriphus) 476
dimidiatus F. (Molorechus) 268
dimidiatus Kirby (Phymatodes) 350
dimidiatus Mannerh. (Phymat.) 350
 diminutus Bates 395
 dimorpha Bates 234
 Dinellii Bruch 12
 diophthalmus Pasc. 417
directa Newm. 192

- discedens* Sharp 274
discecollis Chevr. (Rhopalophora) 431
discecollis Gah. (Derolus) 58
discicollis L. Heyd. 267
discicollis Scriba (Strangalia) 230
discoideale Bates 309
discoidalis Pic 201
discoidea Hald. (Acmacops) 192
discoidea Pasc. (Mydasta) 425
discoideum J. Lec. (Obrium) 133
discoideum Serv. (Oregostoma) 278
discoideus Say (Crossidius) 471
discoideus Reitter (Stenocorus) 181
discolor Fairm. (Cortodera) 197
discolor Goun. (Ommata) 279
discolor Fleisch. (Stenocorus) 181
discolor Pasc. (Epania) 263
discolor Pasc. (Simocrysa) 152
disconotata Pic 235
disconotatus Pic 403
discophora Redt. 247
discors Fairm. (Closteromerus) 323
discors Gah. (Xylotrechus) 365
discreta Pasc. 92
discretus Auriv. 323
disjunctus Pic 416
dispar Bates (Eucharassus) 275
dispar Bates (Odontocera) 280
dispar Chevr. (Dihammaphora) 429
dispar Fährs. (Xystrocera) 36
dispar Goun. (Cynoderus) 432
dispar Sharp (Ophryops) 142
dispar Thoms. (Litopus) 321
dispar Labr. & Imh. (Stenocorus) 181
dispar Panz. (Stenocorus) 181
dispar Pic (Alosterna) 207
dispar Pic (Chlorophorus) 401
dispar Preyssl. (Leptura) 216
dispar Schönh. (Stenopterus) 266
disparilis Bates (Deltaspis) 459
disparilis Chevr. (Euporus) 320
dispersa Newm. 293
dissimilis Fairm. 221
dissitus Bates 318
distans Germ. 248
distenoides Bates 203
distigma Bates (Hoegea) 470
distigma Charp. (Strangalia) 234
distigma Charp. (Strangalia) 232
distincta Fairm. (Myiodola) 169
distincta Hald. (Eburia) 79
distincta Tourn. (Leptura) 212
distinctipes Pic (Callimus) 271
distinclipes Pic (Aromia) 307
distinctum Nonfr. (Callichroma) 313
distinctum Pasc. (Chloridolum) 314
distinctus M. Camer. (Plectrom.) 128
distinctus Newm. (Trichophorus) 97
distinctus Pasc. (Phacodes) 70
distinguedum Goun. 311
distinguedus Dupont (Oxym.) 482
distinguedus Perroud (Chlor.) 403
distortus Chevr. 391
ditelus Bates 110
divergens Broun 77
diversenotata Pic 218
diversesignatus Pic 365
diversicorne White 119
diversicornis Fairm. 438
diversinotatus Pic 326
diversipenne Burm. 334
diversipennis Belon (Neocorus) 114
diversipennis Daniel (Strangalia) 230
diversipes Rits. (Pachyteria) 300
diversipes L. Heyd. (Strangalia) 229
diversipes Pic (Cortodera) 199
diversipes Pic (Molorehus) 269
diversitarsis Fairm. 171
diversiventris Duf. 236
diversus Gah. 299
diversum Pasc. 123
dives Har. (Philematium) 306
dives Pasc. (Mecosaspsi) 304
dives Newm. (Stenocorus) 182
divisa Pasc. 155
divisus Bates (Crioproscopus) 457
divisus Chevr. (Demonax) 409
divisus Chevr. (Trichrous) 442
divisus J. Lec. (Elytroleptus) 456
divisus Pasc. (Aphiorhynchus) 150
doctus White 296
Dodsi Péring. 405
Dohertyi Gah. (Distenia) 9
Dohertyi Gah. (Chlorophorus) 403
Dohertyi Gah. (Demonax) 409
Dohertyi Gah. (Perissus) 375
Dohertyi Gah. (Pyrestes) 289
Dohertyi Jord. (Polyzonus) 316
Dohrni Fährs. 468
dolorosa J. Lec. 222
dolosus Horn 443
dominula White 361
donacioides Bates (Gaurotus) 194
donacioides Fairm. (Gaurotus) 193
donacioides Kraatz (Gaurotus) 194
Dorbignyi Dupont 479
doradioides Pasc. 177
dorilis Bates 442
doris Bates (Amphionthe) 297
doris Bates (Gaurotus) 193
Dormei Goun. 258
dorsale Pasc. (Sisyrium) 117
dorsale Marsh. (Rhagium) 161
dorsalis Cast. & Gory (Neoclyt.) 391
dorsalis J. Lec. (Atimia) 449
dorsalis M'Leay (Epithora) 92
dorsalis Thoms. (Coleoxestia) 64

dorsalis Boisd. (*Stenoderus*) 151
dorsalis J. Lec. (*Acmaeops*) 192
dorsiger Germ. 277
doryceum Boisd. 314
Doueï Fairm. (*Chlorophorus*) 403
Doueï Lucas (*Navomorpha*) 488
Doueï Montrouz. (*Spintheria*) 487
dravidiana Gah. 9
dromas Voet 489
Drurei Pic 69
Druryi F. 392
dubia F. (*Oedecnema*) 228
dubia Scop. (*Leptura*) 212
dubia Ganglb. (*Leptura*) 212
dubia Reitt. (*Leptura*) 213
dubitata White 82
dubium Bates 106
dubius Auriv. (*Plagionotulus*) 406
dubius Jord. (*Saphanidus*) 26
dubius Waterh. (*Enthymius*) 170
dubius Chev. (*Neoclytus*) 390
Duboulayi Pasc. 422
ducale Bates (*Sphaerion*) 97
ducale Newm. (*Chloridolum*) 314
Duchaussayi Théry 465
Duivenbadei Kaup 144
dulcis Bates 241
Dumerili Lucas 462
dunniana Casey 69
duo Fairm. 403
duodecimguttata F. 234
duodecimmaculatus F. (*Evodinus*) 186
duodecimmaculatus Kraatz (*Chlorophorus*) 400
duodecimmaculatus Solsky (Ev.) 187
duodecimsignatus Perr. (*Genus?*) 357
duplex Bates (*Ironus*) 102
duplex Gah. (*Paraphilus*) 157
duplicatum Goun. 112
duplicatus J. Lec. 421
Duponti Auriv. (*Trachyderes*) 481
Duponti Dupont (*Trachyderes*) 479
Duponti Muls. (*Clytus*) 370
Duponti Muls. (*Necydalis*) 260
Durvillei Cast. & Gory 405
Dutreuxi Lameere 440
Duvali Chev. 80
dux Fald. 53
Dysoni White 97

Earli Guér. 477
ebenina Bates (*Necydalis*) 259
ebenina Bates (*Phimosia*) 449
ebenina Leng (*Leptura*) 222
ebeninum Bates (*Periboeum*) 98
ebeninum Chev. (*Smodicum*) 12
ebeninus Bates (*Stenosphenus*) 443
ebeninus Dupont (*Trachyderes*) 480

ebeninus Muls. (*Evodinus*) 186
ebenus Newm. 110
ebulinum L. (*Cartallum*) 294
ebulinum Bach (*Cartallum*) 294
ebulinus F. 251
eburata Chev. (*Entomosterna*) 474
eburata Pasc. (*Eburophora*) 296
eburata Pasc. (*Ectostieta*) 119
eburifera Pasc. (*Thoris*) 94
eburifera Thoms. (*Gnatholea*) 74
eburioides Blanch. (*Spathopygus*) 43
eburioides Lacord. (*Zoodes*) 74
eburioides Serv. (*Eurymerus*) 40
eburioides Thoms. (*Compsa*) 109
eburioides White (*Eburodacrys*) 82
eburioides White (*Trachelissa*) 449
eburnigerum Auriv. 112
Ecoffeti Muls. 161
edentulum Jord. 309
Edmundi Pic 232
Edwardsi J. Lec. 272
efasciata Csiki 225
eganum Bates 106
egenum Pasc. 292
egenus Pasc. (*Dialeges*) 60
egenus Pasc. (*Margites*) 59
egregius Muls. & Rey 271
egyptiacus Cast. & Gory 397
Eirene Newm. 279
elaegni Fischer 467
elaagri Fischer 467
elboursensis Pic 234
electricum Goun. 313
electus Gah. 97
elegans Blackb. (*Phoracantha*) 90
elegans Buq. (*Pteroplatus*) 455
elegans Chev. (*Elaphidion*) 86
elegans Dist. (*Cordylomera*) 95
elegans Dupont (*Trachyderes*) 479
elegans Fairm. (*Ganosomus*) 114
elegans Fairm. (*Metobrium*) 135
elegans Fald. (*Fallacia*) 201
elegans Gestro (*Litopus*) 321
elegans Gory (*Coleoxestia*) 64
elegans Goun. (*Ibidion*) 112
elegans Nonfr. (*Pachydissus*) 57
elegans Ol. (*Callichroma*) 311
elegans Sharp (*Drotus*) 152
elegans Sharp (*Plagithmysus*) 388
elegans White (*Ommata*) 279
elegans Cast. & Gory (*Apocera*) 420
elegans Dohrn (*Cerambyx*) 54
elegans Guér. (*Odontocera*) 281
elegans Hald. (*Callichroma*) 312
elegans Hald. (*Neoclytus*) 393
elegans Hald. (*Strangalia*) 244
elegans Herbst (*Rhagium*) 161
elegans Lacord. (*Erosida*) 81
elegans Serv. (*Mallosoma*) 439

- elegans* Waterh. (Zoedia) 155
elegantissima White 298
elegantula Dupont (Xylocaris) 483
elegantula Gah. (Rhapsuma) 407
elegantula Goun. (Eburodaecrys) 82
elegantula Kraatz (Alosteria) 206
elegantula Perr. (Castiale) 100
elegantulum Lameere 106
eleodes Fairm. 403
elevatum Schönh. 87
elevatus Cast. & Gory 390
elongata Boisdu. (Epithora) 92
elongata Chevr. (Cyllene) 385
elongata Degeer (Strangalia) 235
elongata Donovan. (Strangalia) 236
elongata Thoms. (Strangalia) 235
elongaticeps Blanch. 148
elongatulus Cast. & Gory (Dem.) 409
elongatulus Pic (Hesperophanes) 66
elongatus Dupont (Oxymerus) 482
elongatus Har. (Paehydissus) 57
elongatus Bland (Desmocerus) 253
elongatus Latr. (Spondylis) 14
elusus Pasc. 70
emaciata Bates 247
emaciata Newm. 245
emaciatulus Bates 361
emarginata Chevr. (Cyphostern.) 474
emarginata F. (Strangalia) 243
emarginata Jord. (Xystocera) 36
Emini Kolbe (Aphelogaster) 252
Emini Kolbe (Calliethroma) 309
Emini Waterh. (Plocaederus) 49
emmipoda Muls. 229
epaphum Berg 112
ephebus Pasc. 59
ephippiatus Bates (Lissonotus) 484
ephippiatus Pasc. (Demonax) 410
ephippiger Newm. 140
ephippium Stev. & Dalm. (Asiat.) 467
ephippium Fischer (Asiates) 467
epibata Schiödte 20
episcopale Chevr. 309
episcopus Voet 346
eques Thoms. 108
equestre Goun. 311
equestris F. (Lissonotus) 484
equestris Guér. (Compsoecerus) 333
equestris Newm. (Paehyteria) 300
equestris Dupont (Trachyderes) 481
erato Newm. 284
erebia Bates 183
eremita Blackb. 92
Erichsoni White 100
Erinnys Daniel 229
Eros Bates 456
erosa Pasc. 36
erosicollis Pasc. 275
erosum M'Leay 357
erosus Gah. 68
erratica Dalm. 226
erythrocephala Thoms. 442
erythrocephalum White 112
erythrocephalus Auriv. (Paraz.) 434
erythrocephalus F. (Neoclytus) 389
erythrodera Bates (Ommata) 279
erythrodera Chob. (Leptura) 213
erythroderus Bates 443
erythrogaster White (Orthoseh.) 332
erythrogaster Bates (Leptura) 221
erythromera Serv. 335
erythromerus Pasc. 410
erythroptus Chevr. 410
erythroptera Hagenb. (Leptura) 213
erythroptera Germ. (Leptura) 223
erythroptera Kirby (Leptura) 222
erythropus Chevr. (Cyllene) 384
erythropus Lucas (Butherium) 64
erythropus Nonfr. (Hamaticherus) 51
erythropus Gebl. (Grammoptera) 205
erythropus Gmel. (Phymatodes) 352
erythrura Küster 226
Escudei Lauffer 235
esmeralda Bates 326
etruscum Rossi 166
eudesmoides Thoms. 108
Eunomia Newm. 279
euparus Auriv. 57
Eupheme Lameere 284
Euphrosyne Newm. 284
eupodum Pasc. 314
euporidus Jord. 319
eurystethus J. Lec. 383
Euthalia Bates 311
evanescens Thoms. 110
Everetti Bates 314
Evertsi Rits. 300
excavata Bates 209
excellens Auriv. (Metallichroma) 313
excellens Brancs. (Gaurotos) 193
excelsa Costa 217
excelsum Gah. 86
excisipes Daniel 213
exclamationis Thoms. (Ibidion) 112
exclamationis F. (Leptura) 209
excultus Bates 416
exigua Newm. 243
exiguum Gmel. 156
exiguus Gah. 59
exile Gmel. 164
exilis Casey (Apeloecera) 420
exilis Newm. (Maerones) 153
exilis Pasc. (Demonax) 410
exilis Pasc. (Rhagiomorpha) 149
exilis White (Pandroso) 428
eximia Bates (Rhopalophora) 431
eximia Pasc. (Pyrestes) 289
eximium Auriv. (Hexoplon) 105

- eximium* Bates (Elaphidion) 86
eximius Auriv. (Chlorophorus) 403
eximius Bates (Cometes) 11
eximius Bates (Trachyderes) 479
exornatum Newm. 89
exoticus Sharp 20
expansitarsis Fairm. 174
expeditus Chevr. 432
explanata Bates 304
exsanguis Chevr. 382
Essingtoni Hope 70
extensa Gebl. 202
externepunctata Muls. 235
externus Pasc. 47
exul Lameere 457
exutum Newm. 97

faber Newm. 357
fabricianum Westw. 156
Fabricii Chevr. (Dexitheia) 380
Fabricii Dupont (Trachyderes) 479
Fabricii Schönh. & Dalm. (Oxy.) 318
Fabricii Serv. (Diploschema) 43
factiosum Pasc. 314
faenicus Martyn 355
Fairmairei Auriv. (Gaurotus) 193
Fairmairei Goun. (Ibidion) 112
Fairmairei Thoms. (Heterachtes) 110
Faldermanni Saund. (Aromia) 307
Faldermanni Fald. (Chlorophor.) 397
Falkensteini Quedf. 302
fallaciosus Fairm. 10
fallax Bates (Lissonotus) 484
fallax Chevr. (Raphuma) 407
fallax Pasc. (Phoracantha) 90
fallax Villers (Phymatodes) 355
falsa Chevr. (Cyllene) 384
falsa J. Lec. (Aemacops) 192
famelica Newm. 245
famelicus Burm. (Neoclytus) 391
famelicus Pasc. (Xylotrechus) 365
familica Hald. 245
farinosa Burm. 483
farinosus Fairm. 173
fascialis White 293
fasciata Bates (Chlorida) 77
fasciata F. (Pachyteria) 300
fasciata Gah. (Herocdera) 96
fasciata J. Lec. (Gracilia) 129
fasciata Newm. (Pteracantha) 451
fasciata Ol. (Odontocera) 280
fasciata Steph. (Penichroa) 128
fasciata Scop. (Strangalia) 235
fasciata Voet (Pachyteria) 300
fasciatipennis Waterh. 298
fasciatum Pic 162
fasciatus Billb. (Hesperophanes) 68
fasciatus Buq. (Pteroplatus) 455

fasciatus Donovan. (Tragocerus) 487
fasciatus F. (Polyzonus) 316
fasciatus Gah. (Pentomaerus) 128
fasciatus Gah. (Phlytaenodes) 141
fasciatus Jord. (Acrocyrtidus) 326
fasciatus Serv. (Charinotes) 483
fasciatus Thoms. (Aglaophis) 416
fasciatus Villers (Phymatodes) 349
fasciatus Brongn. (Purpuricenus) 465
fasciatus Herbst (Plagionotus) 379
fasciculatum Fald. (Rhagium) 162
fasciculatum Ol. (Cosmisoma) 433
fasciculatus Fald. 66
fasciiferum Berg 107
fasciolata Kryn. 129
fasciolatus Fairm. 121
fasciventris J. Lec. 222
fastuosa Pasc. 8
fastuosum Goldf. 309
Favieri Fairm. 395
favosa Pasc. 72
Feeae Gah. 437
Feisthameli Buq. 65
felix Bates 247
Fellowsi White 462
femorale Bates (Sphallenum) 64
femorale Ol. (Philematium) 306
femoralis Auriv. (Noserius) 27
femoralis Fairm. & Germain (Necydalopsis) 275
femoralis Hintz (Mecosaspis) 304
femoralis Ménér. (Phymatodes) 349
femoralis Motsch. (Strangalia) 229
femoralis Thoms. (Saporaea) 42
femoralis Chevr. (Perissus) 375
femoralis Saund. (Bimia) 255
femorata Auriv. (Mecosaspis) 304
femorata Chevr. (Xystrocoera) 36
femorata F. (Cortodera) 197
femorata Goun. (Coleoexestia) 64
femorata Klug (Acyphoderes) 282
femorata Pasc. (Ipothalia) 326
femorata Pasc. (Leptura) 221
femorata Pasc. (Mimistena) 427
femorata Waterh. (Anthribola) 169
femorata Muls. (Grammoptera) 502
femorata Ol. (Grammoptera) 204
femoratum Lucas 113
femoratus F. (Pentomaerus) 128
femoratus Germ. (Callimus) 271
femoratus L. (Ropalopus) 337
femoratus Quedf. (Metopotylus) 26
femoratus Schaeffer (Metaleptus) 469
femoratus Geoffr. (Phymatodes) 355
femorellus Chevr. 58
Feneoni Chob. 399
fenestrata Gerst. (Compsomera) 298
fenestrata Jord. (Delagoa) 123
fenestrata Lucas (Ommata) 279

- fenestrata* Reitt. (Strangalia) 234
fenestratum Thoms. 112
fenestratus Belon (Phymatechus) 33
fenestratus Goun. (Eurymerus) 40
fenestratus White (Stenhomalus) 136
fenestratus Letzn. (Toxotus) 178
fenicus Scop. 353
fennicus F. (Phymatodes) 355
fennicus L. (Phymatodes) 353
fennicus Schrank (Phymatodes) 354
ferox Thoms. 436
Ferrandii Gestro 45
ferreus Bates 473
Ferriei Vuillet 330
ferruginea Boisd. (Hesthesis) 286
ferruginea Bruch (Coremia) 335
ferruginea Jord. (Idiocalla) 356
ferruginea Guér. (Distichocera) 287
ferruginea Muls. (Strangalia) 231
ferrugineum F. 134
ferrugineus Chevr. (Mygalobas) 417
ferrugineus Fairm. (Purpuricen.) 463
ferrugineus Goeze (Genus?) 489
ferrugineus L. (Plocaederus) 50
ferrugineus Pasc. (Phacodes) 70
ferrugineus Kraatz (Alocerus) 17
ferrugineus Muls. (Chlorophorus) 401
ferruginipes Pic (Clytus) 371
ferruginipes Pic (Strangalia) 233
ferus Muls. 20
festiva L. (Chlorida) 77
festiva Pasc. (Semiope) 126
festiva Serv. (Chrysoprasis) 440
festiva Thoms. (Xystrocera) 37
festivum F. 306
festivus Bates (Cometes) 11
festivus F. (Mecometopus) 394
festivus Perty (Rhinotragus) 277
jestum Gmel. 306
Fettingi Schauf. 463
figuratus Scop. (Chlorophorus) 395
figuratus Harrer (Isotomus) 406
figuratus Pasc. (Chlorophorus) 405
filiformis Buq. (Prosyte) 28
filiformis Har. (Oxyprosopus) 318
filiformis Motsch. (Molorchus) 269
filiformis Pasc. (Bebius) 146
filiformis Perr. (Tetraommatus) 28
filiformis Cast. & Gory (Demon.) 409
filipes Sharp 388
filum Pasc. 152
fimbriata Lac. 8
fimbriatus Bates 317
Finschi Har. 388
Fischeri Krynicki (Ropalopus) 339
Fischeri Zoubk. (Leptura) 209
fischtensis Starek 197
fissithorax Goun. 30
flabellicornis Germ. 484
flava F. (Cylindera) 120
flava Thoms. (Paroeme) 31
flaveolum Bates 105
flaveolus Muls. & Rey 158
flavescens Rosenb. (Poecilopepl.) 450
flavescens Thunb. (Oxymerus) 482
flavescens Letzn. (Cornumutilla) 202
flavescens Pic (Cortodera) 199
flavicans A. Deyr. (Anisogaster) 121
flavicans Fairm. & Germ. (Plat.) 258
flavicauda Bates (Hemilissa) 104
flavicauda Bates (Odontocera) 280
flaviceps Hald. 245
flavicollis Bates (Ommata) 279
flavicollis Waterh. (Sagridola) 169
flavicornis Küster (Stenopterus) 265
flavicornis Pasc. (Noemia) 10
flavicornis F. Phil. (Hephaestion) 257
flavicornis Thoms. (Heterachtes) 111
flavicornis Pic (Plagionotus) 379
flavilinea Newm. 296
flavimana Walth 197
flavipennis Buq. (Cometes) 11
flavipennis Jord. (Merionoeda) 273
flavipennis Péring. (Anubis) 318
flavipennis Fairm. & Germ. (Ad.) 255
flavipennis Ganglb. (Cortodera) 199
flavipennis Reitt. (Cortodera) 197
flavipennis Thoms. (Diploschema) 43
flavipes F. (Ceresium) 123
flavipes Gah. (Melegena) 11
flavipes Goun. (Nephalus) 98
flavipes Thoms. (Ibidion) 112
flavipes Thumb. (Phaedinus) 477
flavipes Pic (Grammoptera) 204
flavipes Pic (Stenopterus) 265
flavirostris Bates 247
flavitarsis Goun. (Ozodes) 435
flavitarsis Hope (Zonopterus) 299
flavitarsis Pasc. (Merionoeda) 273
Flavius Bates 394
flaviventris Auriv. (Trachyderes) 479
flaviventris Schaeff. (Judolia) 227
flaviventris Bates (Omphalodera) 195
flavocalceata Goun. 280
flavocincta Thoms. 247
flavocinctus Dupont (Lissonot.) 484
flavocinctus Gah. (Polyzonus) 317
flavocoma Fairm. 483
flavofasciata Thoms. 109
flavofasciatum Blanch. (Chelid.) 316
flavofasciatum Blanch. (Gramm.) 71
flavolineatus J. Lec. 182
flavomaculata Kolbe 335
flavomaculatum Blanch. 119
flavonitida Fairm. 109
flavonotatus Muls. 186
flavopicta Pasc. 90

flavopictum Perty 107
flavoplagiata Fairm. 301
flavopubescentis Kolbe 66
flavosignata Fairm. & Germain 255
flavosignatus White 40
flavovariolatus Pic 264
flavovittata Auriv. (Strangalia) 241
flavovittata Pasc. (Nida) 427
flavovittata Waterh. (Glaucytes) 436
flavum Jord. 261
flexilis Pasc. 138
flexuosa Goun. (Eburodacrys) 82
flexuosa Pasc. (Sotira) 71
flexuosa F. (Cyllene) 385
flexus Chevr. 382
floccosa Poll 296
Flohri Bates 157
floralis Bates (Chrysoprasis) 440
floralis Pall. (Plagionotus) 378
floridanus J. Lec. 456
fluctuosus Pasc. 375
Fontenayi Muls. 213
formicides Newm. 155
formicoides Lameere 410
formosa Blanch. (Erosida) 81
formosa Pasc. (Artimpanza) 425
formosa Saund. (Rosalia) 330
formosa Serv. (Jonthodes) 297, 491
formosa Heyne (Rosalia) 331
formosanus Bates 290
formosum Blanch. 433
formosus Har. (Plocaederus) 48
formosus Pasc. (Tragocerus) 487
Forreri Bates 473
forticornis Reitter 467
fortipes Reitter 165
fortunata Lameere 82
fortunatus Chevr. 382
Fortunei Pasc. (Strangalia) 241
Fortunei White (Erythrus) 290
foveicollis Buq. 446
fractus Sharp 388
fragilis Bates (Araeotis) 137
fragilis Bates (Stizocera) 99
fragilis Jord. (Xylotrechus) 367
fragilis Sharp (Plagithmysus) 388
fragrans Dalm. 309
Frainii Fairm. 241
Frankenhäuseri Mannerh. 251
fraternum Blackb. 117
fraternus Blackb. 93
frenatus Fährs. (Plocaederus) 49
frenatus Fairm. & Germ. (Phant.) 255
Frenchi Blackb. (Distichocera) 287
Frenchi Blackb. (Pachydissus) 57
Frenchi Blackb. (Piesarthrius) 145
Frenchi Blackb. (Tryphocharia) 91
Friesi Fährs. 305
Fristedti Auriv. 404

Frivaldszkyi L. Heyd. 199
Froggatti Blackb. 147
frontalis Bates (Mombasius) 322
frontalis Gah. (Anubis) 318
frontalis Kirsch (Chrysoprasis) 440
frontalis Pasc. (Examnes) 125
frontalis Thoms. (Xystrocera) 36
Fruhstorferi Kolbe 301
fryana Gah. 74
fryanus Gah. (Demonax) 410
fryanus Gah. (Thranus) 263
fucatus Thoms. 49
Fuchsi Wickh. 86
fucosum Quedf. 310
Fuentei Pic 158
fugax Ol. (Deilus) 294
fugax Thoms. (Phygopoda) 284
fugax F. (Strangalia) 246
fugitivus Thieme 361
fulcratum F. 18, 19
fulgidipennis Goun. 103
fulgurata Gah. 407
fulguratum Chabril. 63
fulguratus Gah. 74
fulginea Pasc. 148
fulgineum Gah. 310
fulgineum Newm. 439
fulgineus Bates 78
fuliginosa Quedf. (Mecosaspis) 304
fuliginosa Blanch. (Distich.) 287
fuliginosa Weise (Leptura) 212
fuliginosum Thoms. 135
fuliginosus Chevr. (Perissus) 375
fuliginosus Fairm. (Clytus) 370
fuliginosus Ol. (Plocaederus) 50
fuliginosus Scop. (Genus?) 489
Fulleri Horn 38
fullonium Newm. 86
fulminans F. 381
fulvella Bates 248
fulveolus Bates 247
fulvescens Fairm. (Noemia) 10
fulvescens Gah. (Dymasius) 60
fulvescens Gah. (Protaxis) 13
fulvicolle F. 489
fulvicollis Auriv. (Chlorophorus) 405
fulvicollis Lacord. (Ommata) 279
fulvicollis Muls. (Chlorophorus) 400
fulvicornis Bates (Ophistomis) 247
fulvicornis Burm. (Ancylocera) 446
fulvicornis Guér. (Plocaederus) 50
fulvicornis Pasc. (Icariotis) 174
fulvidus Pasc. 59
fulvilabris Muls. 230
fulvipenne Say 460
fulvipennis Bates (Aneflus) 85
fulvipennis Gah. (Dere) 426
fulvipennis Gah. (Syllitus) 151
fulvipennis Nonfr. (Zegriades) 62

fulva DeGf. r 2

- fulvipennis* Pasc. (Ocytasia) 277
fulvipennis Dupont (Trachyd.) 480
fulvipennes Mannerh. (Acmaeops) 189
fulvipennis Newm. (Distichocera) 287
fulvipennis Pic (Cortodera) 199
fulvipennis Reitter (Phymat.) 353
fulvipes Fährs. (Closteromerus) 323
fulvipes Fairm. (Noemia) 10
fulvipes Thoms. (Ibidion) 112
fulvipes Thoms. (Xystrocera) 36
fulvipes Reitt. (Cortodera) 197
fulvitarsis Goun. 284
fulvohirsutus Pic 370
fulvopicta Bates 8
fulvopilosum Gah. 63
fulvomaculatum Blanch. 119
fulvonotata Nonfr. 273
fulvoterminata Berg 100
fulva Bates (Deltaspis) 459
fulva Degeer (Leptura) 213
fulvum Villers 73
fulvus Bates (Coloborrhombus) 298
fulvus Jord. (Derolus) 58
fulvus Jord. (Saphanidus) 26
fulvus Muls. (Alocerus) 17
fulvicolor Hope 141
funebri Bates (Sphaenothecus) 472
funebri Lameere (Demonax) 410
funebri Motsch. (Rosalia) 330
funebri Pasc. (Antigenes) 175
funebri Sharp (Plagithmysus) 388
funebri Laich. (Chlorophorus) 396
funerea Pasc. (Prothema) 291
funerea Geoffr. (Leptura) 218
funereus Chev. 394
funesta Pasc. 426
funestum Boisd. 73
furcata Goun. 430
furcifer Jord. 57
furcifera Bates 280
furtivum Pasc. 124
furvus Fährs. 57
fusca Gah. (Oeme) 30
fusca Gmel. (Cortodera) 197
fusca Hald. (Gracilia) 130
fusca J. Lec. (Acmaeops) 191
fuscata Chev. 135
fuscescens F. Phil. 257
fusciceps J. Lec. 191
fuscicollis J. Lec. 251
fuscicorne Gmel. 134
fuscicornis Bates (Odontocera) 281
fuscicornis Fairm. (Musius) 172
fuscicornis Marsh. (Strangalia) 231
fuscipennis Gah. (Nyphasia) 95
fuscipennis J. Lec. (Callimoxys) 270
fuscipennis Chev. (Thranodes) 368
fuscipes Goun. (Protosphaerion) 96
fuscipes Lacord. (Temnopis) 29
fuscipes Muls. (Leptura) 208
fuscipes Muls. (Leptura) 218
fuscipleuris Fairm. 131
fusciventris Muls. 218
fuscoaenea Bates 304
fuscocinereus White 147
fuscopubens Reitt. 220
fuscopunctatus Fairm. 172
fuscosericans Fairm. 171
fuscula Bates 8
fusculus Fairm. 174
fuscum F. (Tetropium) 19
fuscum Hald. (Asemum) 15
fuscum Ol. (Tetropium) 18
fuscus Nonfr. (Trypogeus) 159
fuscus Pasc. (Phacodes) 70
fuscus Kirby (Xylotrechus) 364
fuscus Voet (Criocephalus) 21
fusifera Serv. 108
fusififormis Degeer 322
Gabilloti Pic 230
gabonica Thoms. 32
gabonicum Thoms. 310
gabonicus Gah. (Plocaederus) 49
gabonicus Thoms. (Calanthemis) 374
gabonicus Thoms. (Cerasphorus) 75
Gabrieli Weise 19
gagatinum Germ. 486
Gahani Achard (Chelidonium) 316
Gahani Dist. (Oemida) 32
Gahani Duviv. (Xylotrechus) 367
Gahani Goun. (Criodion) 63
Gahani Goun. (Tethlimmena) 287
Gahani Auriv. (Callichroma) 311
galapagoensis Linell 39
gallicus Gmel. 352
gammoides Geoffr. 401
Gandolphei Fairm. 35
Ganglbaueri Brancs. (Saphanus) 24
Ganglbaueri Reitter (Anaglypt.) 413
Ganglbaueri Ormay (Pidonia) 200
Ganglbaueri Pic (Isotomus) 407
garganicus F. 76
Gaumeri Bates (Compsa) 109
Gaumeri Bates (Crioprosopus) 457
Gaumeri Bates (Stenosphenus) 443
gaurotoides Casey 227
gazella Jord. (Metobrium) 135
gazella F. (Clytus) 369
gazella Ol. (Clytus) 371
gazellula Hald. 415
Gebleri Ganglb. 228
Gelincki Zoufal 328
gemellus Casey 364
geminata F. (Eburiola) 442
geminata Reitter (Rosalia) 328
geminatus Hald. 421

gemmulatus J. Lec. 76
geniculata Bates (Distenia) 8
geniculata Buq. (Cordylomera) 95
geniculata Duviv. (Djabiria) 59
geniculata Klug (Ctenodes) 450
geniculata Pasc. (Stizocera) 99
geniculata Thoms. (Allogaster) 41
geniculata Kraatz (Grammoptera) 205
geniculatum Thoms. (Ibidion) 112
geniculatum White (Ceresium) 124
geniculatum Pic (Rhammusium) 167
geniculatus Chev. (Demonax) 409
geniculatus Har. (Closteromerus) 323
geniculatus Waterh. (Aedeus) 171
geniculatus Geoffr. (Stenocorus) 180
geniculatus Kraatz (Stenopterus) 266
Genii Gmel. 206
gentilis Goun. 30
genuinus Letzn. 178
georgiana Pic 237
Germaniae Voet 414
Germari Dupont (Trachyderes) 479
Germari White (Listroptera) 429
Gestroi Gah. 365
Gianellii Giglio 43
gibbicolle White 316
gibbicollis Bates (Oxylymma) 277
gibbicollis Blessig (Pseudopidon.) 201
gibbicollis Cast. & Gory (Neocl.) 390
gibbosus F. (Anaglyptus) 413
gibbosus Pasc. (Thranus) 263
gibbula J. Lec. 192
gibbulum Bates 86
gibbulus J. Lec. 415
Giffardi Perkins 388
giganteus Nonfr. 44
gigas Hope (Xypeta) 91
gigas J. Lec. (Strangalia) 243
gigas Ol. (Thaumasus) 7
gigas Thoms. (Neocerambyx) 46
gigas Angas (Phoracantha) 90
gigas F. (Plocaederus) 50
gigas Goun. (Eburodacrys) 82
gilanus Pic 406
glaber Jord. 318
glabratum F. 86
glabratus Charp. (Phymatodes) 350
glabratus Latr. (Stenocorus) 180
glabrellum Bates 15
glabricollis Bates (Hamaticher.) 51
glabricollis Hope (Plocaederus) 49
glabricollis Murr. (Eulitopus) 320
glabriolum Bates 107
glabripennis Bates (Coleoxestia) 64
glabripennis Fährs. (Helymaeus) 324
glabripennis Goun. (Dihamm.) 429
glabripennis Kolbe (Mecosaspis) 304
glabriusculum Bates 86
glabromaculatus Goeze 398

glabrum Schaeffer 65
glauca Serv. 100
glaucescens L. 283
glaucinus Boisd. 375
glaucopterum Schaller 166
glaucus F. 398
globoicollis Bates (Trachyderes) 479
globoicollis Cast. & Gory (Mec.) 394
globoicollis Kirsch (Stenygra) 448
globoicollis Desbr. (Leptura) 211
globiferus Voet 348
globiger Fairm. 465
globithorax Fairm. & Germ. 438
globosa Ol. 37
globulicollis Buq. (Anoplomerus) 71
globulicollis Gah. (Coleoxestia) 64
globulicollis Muls. (Purpuricen.) 463
globulicollis Thoms. (Philus) 157
globulicollis Chev. (Mecometop.) 394
gloriosa Péring. 303
gloriosus Dupont 481
gnathoides J. Lec. 222
gnomoides Thoms. 112
Goryi White 310
Gounellei Achard (Callichroma) 311
Gounellei Bruch (Compsocerid.) 333
Gounellei Bruch (Cynidolon) 108
gracile Goun. (Xexoplion) 105
gracile Perr. (Ceresium) 124
gracile Kraatz (Leptorhabdium) 168
gracilentus Kolbe 322
gracilicollis Chev. 430
gracilicorne Reitter (Tetropium) 19
gracilicorne Théry (Rhamnus.) 167
gracilior Burm. (Unxia) 333
gracilior Fairm. (Noemia) 10
gracilior Fall (Metaleptus) 469
gracilipes Bates (Callichroma) 311
gracilipes Blanch. (Platynocera) 258
gracilipes Dalm. (Euporus) 320
gracilipes Fairm. (Aliturus) 174
gracilipes Fairm. (Artelida) 171
gracilipes Fairm. (Ceresium) 124
gracilipes Fald. (Chlorophorus) 396
gracilipes Parry (Homalomelas) 291
gracilipes Poll (Zoedia) 155
gracilis Bates (Anoplomerus) 71
gracilis Bates (Coscinedes) 104
gracilis Blackb. (Aposites) 139
gracilis Blanch. (Platynocera) 258
gracilis Blessig (Distenia) 9
gracilis Brullé (Callimoxys) 270
gracilis Buq. (Pteroplatus) 455
gracilis Fährs. (Closteromerus) 323
gracilis Gah. (Psilomerus) 408
gracilis Jakowl. (Cleroclytus) 419
gracilis Jord. (Eulitopus) 320
gracilis Jord. (Hospes) 322

- gracilis* Klug (Odontocera) 281
gracilis Kryn. (Axinopalpis) 131
gracilis J. Lec. (Oeme) 30
gracilis Thoms. (Pyslacrida) 117
græca Pic 231
græcum Schauf. 167
græcus Guér. 158
grallaria Pasc. 91
grallarius Pasc. 375
grallatrix Bates 201
gramineus Hald. 364
grammicus Newm. 151
grammoder Lacord. 34
grammopteroides Pic 214
grandiceps Thoms. 163
grandicollis Muls. 209
grandipenne Fairm. 124
grandis Gah. (Neocerambyx) 46
grandis Thoms. (Rhytidodera) 62
grandis Thoms. (Zonopterus) 299
grandis Poda (Stenocorus) 180
granipennis Goun. 82
granulata Bates (Leptura) 214
granulata Germain (Ancyrodont.) 143
granulatus Auriv. 49
granulicolle Chabрил. 486
granuliferus Gah. 143
graphica Boisdu. 436
graphicum Thoms. 107
graphites Bates 35
gratiosa Bates (Merionoeda) 273
gratiosa Blanch. (Erosida) 81
gratiosa Lameere (Piezocera) 104
gratiosa Murr. (Cordylomera) 95
gratiosa Pasc. (Spintheria) 487
gratiosus Mars. 396
gratus Hald. 445
Gravei Hubenth. 162
gravida Lameere 330
Grayi Pasc. (Oxymagis) 146
Grayi White (Xylotrechus) 361
Grayi Matsum. (Plagionotus) 379
Greeffi Karsch 306
Greenfieldi Gah. 45
gregalis Gah. 410
Griffithi Hope 301
grisea Auriv. 75
griseicolle Bates 112
griseipes Pic (Cortodera) 197
griseipes Pic (Grammoptera) 206
griseofasciatus Pic 370
griseolum Bates 110
griseopubescens Fairm. 174
griscens Bates (Elaphidion) 86
griscens Pic (Pidonia) 200
griseus Brancs. (Hypsostilbus) 22
griseus F. (Hesperophanes) 66
griseus Guér. (Taurotagus) 45
griseus Cast. & Gory (Chloroph.) 398
griseus Fabr. (Chlorophorus) 400
grossa J. Lec. (Judolia) 227
grossa Thoms. (Colynthæa) 103
grossicornis Degeer 318
grossipes Blanch. 444
Grumi Semen. 361
guatemalense Bates 454
guatemalenum Bates 19
Guenzii White 303
Guérini Chev. 420
guerrerenis Bates 440
Guerryi Pic (Chlorophorus) 403
Guerryi Pic (Epipedocera) 423
Guerryi Pic (Holangus) 264
Guerryi Pic (Strangalia) 241
Guerryi Pic (Evodinus) 187
guianus Goeze 452
Guillemoti Desbr. (Chlorophorus) 399
Guillemoti Desbr. (Strangalia) 239
gulekanus Pic 370
gulosa Newm. (Brachytria) 292
gulosa Kirby (Leptura) 224
gummosa Perty 104
Gustavi Dist. 252
guttata Blackb. (Opsidota) 145
guttata Chev. (Cyllene) 384
guttata Pic (Leptura) 209
guttaticolle Fairm. 125
guttatus J. Lec. 69
guttiferum Thoms. 112
guttiger Lucas 40
guttigerum Westw. 156
guttiventre Chev. 86
guttulata Motsch. 226
guttulatus Fairm. 175
guyanense White 112
guyanensis Cast. & Gory 391
Gyllenhali Fährs. 58
gynandrapsidis Fairm. 135
haematica Pasc. (Pyrestes) 289
haematica Fairm. (Eriocharis) 483
haematites Newm. 243
haematocephalus Chev. 421
haematoderus Chev. 476
haemopterus Lucas 450
haemorrhoidale Germ. 332
haemorrhoidalis F. 197
hafniensis F. 362
Hageni Rits. (Pachyteria) 300
Hageni Lansb. (Cyrtonops) 7
Haldemani Casey (Leptura) 222
Haldemani J. Lec. (Eburia) 79
Haldemani Thoms. (Rhathym.) 258
halodendri Pallas (Asiates) 467
halodendri Fischer (Asiates) 467
hamata Newm. (Tryphocharia) 91
hamata Blackb. (Tryphocharia) 91

- hamata* Brancsik (Rosalia) 328
hamaticollis Guér. 44
hamaticornis Chevr. 331
hamifer Bates 49
Hammerschmidti Reiche 61
Hampsoni Gah. (Psilomerus) 408
Hampsoni Gah. (Xylotrechus) 365
Hardwicki White 423
hardwickianum White 301
hariola Thoms. 330
Harmandi Pic (Necydalis) 259
Harmandi Pic (Pseudopidonia) 201
Harmandi Pic (Strangalia) 234
Hartwegi White 382
hastata Sulzer 211
Hauseri Jord. (Calanthemis) 374
Hauseri Heller (Calocerambx) 48
Hauseri Pic (Callidium) 345
Hausknechti Gah. (Purpuricenus) 465
Hausknechti Witte (Purpuricenus) 464
havanensis Chevr. 82
Hayi Gray 381
Hecate Reitt. 234
hector Kolbe 57
Helena J. Lec. 456
Helenae White 436
helveticus Stierl. 55
hemipterus Ol. 298
Henschi Put. 350
hephistonoides Thoms. 283
heraldicus Vollenh. 487
Herbsti Brahm 396
hermione Thoms. 112
heros Blackb. (Syllitus) 151
heros Pasc. (Aridaeus) 438
heros Bergstr. (Cerambyx) 54
heras Ganglb. (Xylotrechus) 363
heros Scop. (Cerambyx) 52
herse Thoms. 112
herzianus Ganglb. 395, 397
heterocerus Ganglb. 179
heterodoxum J. Lec. 418
heteroclita Goun. 81
heteroclitum Thoms. 112
heterocnemis Gerst. 305
hexastictus Fairm. 318
Heydeni Ganglb. (Leptura) 220
Heydeni Stierl. (Xylotrechus) 360
hieroglyphicus Drapiez (Xylotr.) 360
hieroglyphicus Herbst (Anaglypt.) 414
Hilairi Goun. (Malloecera) 101
Hilairi Goun. (Perissomerus) 113
Hilari Cast. & Gory 415
hilaris Bates (Cometes) 11
hilaris Bates (Odontocera) 281
hilaris Bates (Trachyderes) 479
hilaris Chevr. (Alloesia) 439
hipposioides Bates 109
hircus Abeille (Molorchus) 267
hircus Berg (Trichophorus) 97
hircus Gebl. (Xylotrechus) 361
hirsuta Daniel 210
hirsuticornis Kirby 434
hirsutipennis Bates 443
hirsutula Bates 82
hirsutulum Bates 39
hirsutum Bates (Criodion) 63
hirsutum Chevr. (Elaphidion) 86
hirsutus Bates (Ophistomis) 247
hirsutus Jord. (Zoodes) 74
hirta F. (Oemona) 115
hirta Fairm. (Gelonaetha) 126
hirta Kirby (Paramallocera) 100
hirta Gebl. (Cortodera) 196
hirtella J. Lec. 222
hirtellum J. Lec. 345
hirtellus Chevr. 382
hirticornis Gyllenb. (Batus) 452
hirticornis Serv. (Cerasphorus) 75
hirticornis Serv. (Cometes) 11
hirticornis Blanch. (Batus) 452
hirtipes Klug (Acyphoderes) 282
hirtipes J. Lec. (Crossidius) 471
hirtipes Ol. (Polyschisis) 297
hirtipes Oliv. (Coremia) 335
hirtipes Sharp (Plagithynsus) 388
hirtula White 440
hispalensis Fuente 158
hispanica Pic 219
hispanicus Daniel (Purpuricenus) 463
hispanicus Sharp (Criocephalus) 20
hispicorne L. 84
hispida Bates 430
hispidula Bates 440
hispoidea Bates 451
histrion Bates (Ophistomis) 247
histrion Chevr. (Rhaphuma) 407
histrion Serv. (Stenygra) 448
histrionica Bates (Compsa) 109
histrionica Pasc. (Leptura) 221
Högei Bates (Apelocera) 420
Högei Bates (Distenia) 8
Hoegi Bates (Neoclytus) 391
Hoffmanni Cast. & Gory (Cyll.) 384
Hofmani Beutenm. (Anthophyl.) 195
hollandica nigra Voet 229, 232, 491
Holmgreni Auriv. 448
holochlorum Bates 311
hololeucus Bates 386
holomelaena Daniel 229
holomelas F. Phil. 257
holomelina Pool 204
holophaeum Bates 124
holosericea F. (Aeolesthes) 46
holosericea F. (Cortodera) 197
holosericea F. (Strangalia) 230
holosericea Gebl. (Cortodera) 196
holosericea Muls. (Strangalia) 230

- holosericeus* Ol. 56
holosericeus Rossi 66
holoxantha Fairm. 171
Holtzi Pic 269
Holubi Dohrn 303
homocerus Daniel 179
homoplatus Dupont 479
Hondurae Nonfr. 469
Hopei Cast. & Gory 392
Horni Lacord. (Aethecerus) 469
Horni Auriv. (Cyllene) 384
horridus J. Lec. 391
Horsfieldi White 407
hospita Pasc. 90
hottentottum Buq. 310
hottentattus Cast. & Gory 373
hottentottus Ol. 373
Houlberti Vuillet 330
hova Nonfr. 417
Huachucae Schaeff. 248
Hügeli Dist. 300
humeralis Bates (Cosmisoma) 433
humeralis Bates (Gnomidolon) 106
humeralis Bedel (Rhamnusium) 166
humeralis Auriv. (Trachyderes) 479
humeralis Cast. (Glaucytes) 436
humeralis F. (Purpuricenus) 466
humeralis J. Lec. (Crossidius) 471
humeralis Pasc. (Prothema) 291
humeralis W. Saund. (Oroderes) 153
humeralis Schaller (Cortodera) 198
humeralis Ch. Waterh. (Distenia) 8
humeralis White (Plocaederus) 50
humeralis Comolli (Phymatodes) 351
humeralis F. (Stenocorus) 181
humeralis Newm. (Neoclytus) 392
humeralis Ol. (Asiates) 467
humeralis Pic (Phymatodes) 352
humeralis Pic (Purpuricenus) 462
humerosus Chevr. 416
humilis Gah. (Margites) 59
humilis Newm. (Oemona) 116
hungaricus Seidl. 397
hungaricus Csiki (Purpuricenus) 462
hungaricus F. (Ropalopus) 339
hybrida Rey 214
hybridula Reitt. 234
hylotropoides Fairm. 25
hypargyreus Fairm. 428
hypocrita Er. 440
hypocritidus Jord. 322
hypoleucus Pasc. 367
hypomelaena Fairm. 289

ianthincornis Kolbe 321
ibex Gebl. 361
ibidiiformis Bates 114
ibidiinus Bates 435

ibidionoides Pasc. (Sisyrium) 117
ibidionoides Serv. (Neocorus) 114
ibidionoides Thoms. (Eligmod.) 114
ichneumonea Degeer 260
ichneumoneus Buq. 275
ichneumoniformis Bates 283
ictericus Goun. 391
idoneus Gah. (Xylotr.) 366
idoneus Pasc. (Examnes) 125
ignavus Pasc. 27
ignea Bates 439
igneicolle Hope 310
igneus White 333
ignicolis Bates (Chrysopr.) 440
ignicolis Pasc. (Euporus) 320
ignicolis Say (Batyle) 475
ignita Schaeff. 222
ignita Geoffr. 217
ignitus J. Lec. (Elytrol.) 456
ignitus Pasc. (Erythrus) 290
ignobilis Bates (Chlorophorus) 403
ignobilis Bates (Compsa) 109
Iheringi Goun. (Rhathymoscelis) 285
Iheringi Goun. (Stenoeme) 30
Ilinizae Kirsch 100
ilium Thoms. 107
illaesicollis Quedf. 320
illex Goun. 64
illustris Dalm. 296
illyricum Kraatz 168
imbelle J. Lec. 86
imbellis Newm. 92
imberbis Ménétr. 229
imitans Auriv. 299
imitator Jord. 310
imitatrix Daniel 210
immaculata Pic (Strang.) 233
immaculata Ragusa (Leptura) 212
immaculatus Gestro 318
immaculicollis Serv. 476
immaculipenne Goun. 39
immaculipennis Goun. 277
immaturus Pic 413
immite Newm. 124
immundus Sharp 388
impar Germ. 391
impavida Newm. 90
imperator Thoms. 306
imperfecta Gerh. 241
imperfectus Chevr. 366
imperialis Perroud (Phorac.) 90
imperialis White (Closterom.) 323
implicatus Thoms. 111
impressiceps Blackb. 125
impressicolle Lacord. 12
impressicollis Fairm. (Macro.) 23
impressicollis Lansb. (Litopus) 321
impressiusculus Fairm. 121
impressum Payk.

- impunctata* L. Heyd. (Leptura) 219
impunctata Muls. (Strang.) 235
impuncticolle Fairm. 124
impunctipennis Bates 479
impura J. Lec. 227
inaequalis Sharp 116
inaequalithorax Pic 221
inapicale Pic 166
inapicalis Pic (Clytus) 370
inapicalis Pic (Evodinus) 187
inapicalis Pic (Fallacia) 202
inapicalis Pic (Leptura) 209
inbasalis Pic 360
incanus Newm. 373
incerta Bland 191
incertum Newm. 86
incertus Gestro (Plocaed.) 49
incertus Pic (Chloroph.) 403
incisipennis Reitter 220
inclemens Thoms. 56
incolumis Heyd. 183
inconspicuus Saund. 157
inconstans Goun. 109
incrustata Chevr. 431
incultum Pasc. 25
incultus Gerst. 58
incurvatus Chevr. 366
indagator F. 164
indagatrix Latr. 164
indecora Newm. 30
indica Hope 273
indicola Bates 47
indicus Gah. (Hypoeschrus) 27
indicus Gmel. (Plagionotus) 379
indirecta Newm. 243
indus A. Sem. (Purpuric.) 465
indus Gmel. (Chloroph.) 398
induta Newm. 47
inermis Bates (Amblyout.) 315
inermis Montrz. (Ceresium) 124
inermis Newm. (Elaphid.) 86
inermis Tourn. (Stromat.) 73
inermis White (Sphaerion) 97
inermis Belon (Haruspex) 103
inermis Daniel (Strang.) 234
inermis Fleut. & Sallé (Pantom.) 78
inermis Jord. (Paoeme) 31
inermis White (Anubis) 317
inermis Bates (Gnaphalodes) 75
iners Fairm. 172
inexpectata Rits. 330
inexpectata Fairm. 173
infasciatum Pic 162
infausta J. Lec. 384
infecta Pasc. 145
infernalis Pic 239
infuscatus Bates (Ozodes) 435
infuscatus Chevr. (Phymat.) 349
infuscatus J. Lec. (Phymat.) 353
ingae Bates 331
ingrica Baeckm. 204
inhastata Pic 212
inhumeralis Pic (Cortodera) 198
inhumeralis Pic (Purpuricenus) 463
innotatus Pic 465
inopinata Auriv. 12
inornatus Newm. 427
inquisitor L. 164
inquisitor Ol. 163
inquistior Stroem 162
inquisitor v. β L. 163
insecta Pasc. 63
inscripta Germ. 90
inscriptum Pasc. 118
inscriptus Gah. (Haruspex) 103
inscriptus Bates (Raphuma) 407
inscriptus Pasc. (Skelet.) 94
inscriptus Pic (Anagl.) 415
insectellata Pic 214
insignicollis Fairm. 418
insignicornis Fairm. 428
insignifer Pic 403
insignis Chevr. (Mecomet.) 394
insignis Fall (Leptura) 222
insignis Gah. (Tetraomm.) 28
insignis Gerst. (Helym.) 324
insignis Guér. (Unxia) 333
insignis J. Lec. (Xylotr.) 364
insignis Auriv. (Compsom.) 298
insignis Thoms. (Unxia) 333
insignita Pasc. (Pachyteria) 300
insignita Perroud (Cyllene) 384
insignitus Fairm. 370
insinuans Casey 415
insipida Thoms. 31
insipiens Chevr. 366
insitivus Germ. 179
inspergatus Fairm. & Germain 68
instabilis Hald. 227
instigmata Pic 210
insubricus Germ. 338
insulana Gah. (Eburia) 79
insulana Gah. (Stizocera) 99
insulare Newm. (Elaphid.) 86
insulare White (Protosphaerion) 96
insulare Gmel. (Elaphid.) 88
insularis White (Molorchus) 269
insularis Cast. & Gory (Isotomus) 406
insulicola Bates 106
insuturata Pic (Pseudopidonia) 201
insuturata Pic (Strangalia) 229
integer Hald. 365
integra Fairm. & Germ. (Sibylla) 255
integra Kolbe (Rhytid.) 62
integricollis Kolbe 322
integrifrons Heller 62
integripennis Bates 111
intermedia Achard (Jonthodes) 491

- intermedia* Chevr. (Strang.) 237
intermedia Goun. (Dihamm.) 430
intermedius Dupont (Trachyd.) 479
intermedius Gah. (Coloborhomb.) 298
intermedius Gah. (Pachydissus) 57
intermedius J. Lec. (Crossid.) 471
interrogationis Blanch. (Trich.) 97
interrogationis L. (Evodinus) 186
interrogationis Thoms. (Compsa) 109
interrupta Jord. (Xystroc.) 36
interrupta Ol. (Glaucytes) 436
interrupta Bates (Eburod.) 82
interrupta Goun. (Dihamm.) 430
interrupta L. Heyd. (Strang.) 239
interrupta Newm. (Strang.) 244
interrupta Reitter (Rosalia) 328
interruptum Pasc. 292
interruptus Dupont (Trachyd.) 479
interruptus J. Lec. (Neoclytus) 391
interruptus Ol. (Zonotylus) 461
interruptus Pasc. (Demonax) 410
interruptus Cast. & Gory (Xyl.) 365
interruptus Mors (Plagion.) 377
interruptus Pic (Purpuric.) 462
intincta Pasc. 432
intorta Newm. 118
intricatus Blackb. (Aprosietus) 144
intricatus Blanch. (Poecilopepl.) 450
intricatus Pasc. (Neocerambxy) 46
intricatus Fairm. (Cerambxy) 53
intrifasciatus Pic 401
inustulatus Pic 265
inustus Goun. 111
investigator Mannerh. 165
investigator Muls. 164
involutus Bates 111
iodes Bates 279
ion Chevr. 394
ion Bates 394
ione Newm. 194
ionides Bates 394
iopterus F. Phil. 257
Irene Goun. 247
iridescens White 457
iridescens Bates 457
iridipennis Chevr. (Rhopaloph.) 432
iridipennis Fairm. & Germain (Necydal.) 275
Iris Taschenb. (Callichr.) 312
iris Pasc. (Promeces) 323
irroratum L. 86
irroratus J. Lec. (Rhopalop.) 389
irroratus Ol. (Trichrous) 442
isabellina Bates 451
italicum Gmel. 294
iteratus Pasc. 367
itimbiensis Duviv. 320
ituricum Kolbe 310
jacintha Bates 440
Jacobsoni Baeckm. 467
Jacqueti Pic 211
Jaegeri Chevr. (Trichrous) 442
Jaegeri Hummel (Strangalia) 234
Jaegeri Fairm. (Strangalia) 229
Jaffeuxi Vuillet 490
Jakowlewi Semen. 362
jamaicensis Chevr. 442
Jansoni Bates (Mecometopus) 394
Jansoni Bates (Trichophorus) 97
Jansoni Waterh. (Mastododera) 170
janthina Kolbe 303
janthincornis Fairm. 324
janthinum J. Lec. 345
japanus Motsch. 466
japonica Pic (Acmaeops) 191
japonica Bates (Distenia) 9
japonicum Har. (Chloridolum) 314
japonicum Pic (Obrium) 134
japonicum Bates (Rhagium) 165
japonicus Chevr. (Chlorophorus) 397
japonicus Lacord. (Semanotus) 341
japonicus Bates (Mallambyx) 46
javana Bates 300
javanicus Cast. & Gory 365
Javeti Chabrill. 43
jejuna Goun. 279
Jekeli White (Neoclytus) 391
Jekeli Pic (Strangalia) 234
Jimenezi Dugès 470
Jo Thoms. 112
jocosum Chevr. 86
jocosus Horn 469
Jordani Heath 252
Jordani Hintz 367
jota surinamensis Voet 487
Jouteli Davis 391
jucunda Broun 116
jucundus Perroud (Chlorophorus) 403
jucundus Guér. (Oxyprosopus) 318
juglandis Leng (Phymatodes) 350
juglandis Fairm. (Rhamnusium) 167
jugosus Newm. 292
Juno Thoms. 105
Junodi Dist. 318
Justini Chevr. 391
juvenca Pasc. 36
juvencum Hald. 15
juvencus Dupont 479
kabyliana Pic 214
Kaehleri L. (Purpuricenus) 463
Kaehleri F. (Purpuricenus) 464
Kaehleri Cast. 463
kaisanum Thoms. 132
Kalidasae Lameere 9
Kalmi Schönh. 350

- kansuensis* Ganglb. 413
karsantianus Pic 355
 Karschi Quedf. 95
kashgarica A. Sem. 160
kashmirensis Pic 465
kashmiriana A. Sem. 160
 Kassjanowi Sokolow 241
Kautzi Ganglb. 328
Kelchi Bach 372
kenteiensis Pic 220
 Kerniana Fall 243
 Kiesenwetteri Muls. & Rey (Molorchus) 267
 Kiesenwetteri Pic (Cortodera) 198
 kingana Pic 221
 kinganus Pic 403
 Kirby Auriv. (Neoclytus) 392
 Kirby Newm. (Paradistichoc.) 287
 Klaesii Rits. 314
 Klugi Cast. & Gory (Dexitheia) 380
 Klugi Dupont (Oxymerus) 482
 Klugi Lacord. (Taurotagus) 45
 Koebele Perkins 388
Koechlini Hagenb. 390
Koehleri Scop. 463
Köhleri Ganglb. 463
 Kolbei Hintz 49
 Kollari Redt. 350
 Koltzei Heyd. 193
 Komarowi A. Sem. (Apatophysis) 160
Komarovi A. Sem. (Purpuricenens) 464
Korbi Pic 187
Kotschii Ganglb. 67
Koziorowiczi Desbr. 341
 Kraatzi Jord. (Derolus) 58
 Kraatzi Pic (Stenopterus) 265
 Kraatzi Thoms. (Glaucytes) 436
Kraatzi Ganglb. (Evodinus) 187
Kraatzi Lederer (Xylotrechus) 360
 Krantzi Dist. (Coptoeme) 28
 Krantzi Gah. (Chlorophorus) 405
Kratteri Hampe 202
 Kraussi White 324
 Kreuslerae Pasc. 274
 Kreusleri Pasc. (Agapete) 256
 Kreusleri Pasc. (Omophaena) 293
Krueperi Ganglb. 208
kubanensis Rost 219
Kyselyi Zoufal 328
- labiata* Muls. 230
labiatus Pasc. 151
 labyrinthicus Chevr. 382
lacertosus Pasc. 290
Lachesis Blanch. 83
lachrymans Bates 247
lachrymosa Pasc. 291
Lacordairei Dupont (Trachyd.) 479
- Lacordairei* Gah. (Hamat.) 51
Lacordairei Lacord. (Paramall.) 100
Lacordairei Pasc. (Collyrodes) 424
Lacordairei Rits. (Orion) 83
Lacordairei Thoms. (Deltosoma) 454
Lacordairei Thoms. (Tapinol.) 61
Lacordairei Pasc. (Toxotus) 178, 180
lacustris Casey 222
laesicolle Germ. 107
laeta Guér. (Unxia) 333
laeta Hope (Mecos.) 304
laeta Lameere (Rosalia) 330
laeta J. Lec. (Judolia) 227
laeta Péring. (Xystroc.) 36
laeta Bates (Tylosis) 470
laetabile Bates 106
laetabilis Blackb. 90
laeticolor Bates 251
laetifia Prov. 223
laetifica J. Lec. 223
laetificus Bates 11
laetipennis White 428
laetus Blanch. (Callider.) 444
laetus F. (Mecomet.) 394
laetus Lameere (Perissus) 375
laetus Lameere (Rhopalizus) 319
laetus J. Lec. (Mannoph.) 473
laetus Thoms. (Purpuricenens) 465
laetus Thoms. (Zasterius) 427
laetus Motsch. (Callimus) 271
laeve White 87
laevicauda Bates 419
laevicolle Jord. (Zamium) 26
laevicolle Pic (Cartallum) 294
laevicollis Auriv. (Litopus) 321
laevicollis Bates (Ophist.) 247
laevicollis J. Lec. (Necydalis) 261
laevicollis J. Lec. (Rhopalophora) 431
laevicollis Reitter (Aromia) 308
laevicornis Bates 82
laevifemoratus Waterh. 103
laevigata Thoms. 104
laevigatum Blackb. 117
laevigatus F. Phil. (Holoferus) 149
laevigatus F. Phil. (Lautarus) 254
laevipennis Fairm. 174
laevipes Fairm. 324
laevis Jord. (Xystroc.) 36
laevis J. Lec. (Tessaropa) 39
laevis F. (Alosterna) 206
laevis Herbst (Grammopt.) 204
laevis Ol. (Stenoc.) 180
lagria Jord. 426
lama Muls. 371
lamarcianus Sharp 388
lambda Schrank 396
Lambi Pasc. (Acolesthes) 46
Lambi Pasc. (Euryarthrum) 292
Lambi Pasc. (Pachyteria) 300

- lamed L. (Pachyta) 184
lamed Geoffr. (Leptura) 212
Lameeri Brongn. (Rosalia) 330
Lameeri Pic (Leontium) 315
laminosus Newm. 145
lamproderum Bates 310
lampros Bates 457
lanaiensis Sharp 388
lanaris Blanch. 483
lanaticollis Blackb. 139
lanatum Chevr. 87
lancoolata Muls. 234
Landoisi Pic 209
Landsbergi Thoms. 407
langsonius Fairm. (Aeolesthes) 47
langsonius Fairm. (Demonax) 410
langurioides Bates (Distenia) 8
langurioides Bates (Stenosphen.) 443
Lanieri Chevr. 442
lanifer J. Lec. 372
lanigera Linell 79
lanigerum Fauv. 124
lanio Guér. 477
Lansbergei Thoms. 42
Lansbergi Lameere 432
lanuginosa Bates 279
lanuginosum Bates (Elaphid.) 87
lanuginosum Schauf. (Ceresium) 124
Laportei Guér. 194
larroides White 285
larvatum Pasc. 124
lasiocerus Gah. 51
Lasnieri Chevr. 442
lata Hope 90
latebrosus Newm. 292
latecinctus Bates (Meomet.) 394
latecinctus Horn (Aëthec.) 469
latecostata Fairm. 149
latedecorata Pic 215
latefasciatum Müller 164
latefasciatum Pic 162
latemaculata Pic (Cataphrod.) 301
latemaculata Th. Pic (Rosalia) 328
lateobscurus Pic 185
laterale Bates 448
lateralis Casey (Stenoc.) 182
lateralis Chevr. (Xystroc.) 36
lateralis Er. (Coleox.) 65
lateralis Gah. (Xylotr.) 366
lateralis Guér. (Mastod.) 170
lateralis J. Lec. (Crioprosopus) 458
lateralis Ol. (Eurypt.) 248
lateralis Pasc. (Stenhom.) 137
lateralis White (Appula) 101
lateralis Estlund (Acmaeops) 189
lateralis Hald. (Strangalia) 243
lateralis J. Lec. (Strangalia) 243
latericium Goun. 98
laterimaculata Motsch. 209
lateripicta Fairm. 241
lateriscriptus Burm. 482
lateritia Hope 330
latescens Bates 248
latesellatus Fairm. 121
latesulcatus Fairm. 172
latesuturata Pic 237
latevittatus Bates 111
laticauda Bates 43
laticeps Bates (Atenizus) 31
laticeps J. Lec. (Spondyl.) 14
laticolle Pasc. 73
laticollis Bates (Eburia) 79
laticollis Gah. (Epiped.) 423
laticollis Sharp (Plagith.) 388
laticorne Fauv. 135
laticornis Fairm. (Erythrus) 290
laticornis Gah. (Xoanod.) 63
laticornis Klug (Tomopt.) 285
latifasciatus Bates (Megad.) 486
latifasciatus Fisch. (Chloroph.) 396
laticornis Pic 131
latipennis Serv. (Eurypt.) 249
latipennis Thoms. (Thelg.) 454
latipes Degeer (Phylloen.) 303
latipes F. (Litopus) 321
latipes Hintz (Xystroc.) 36
latithorax Voet 340
lativitta Newm. 55
lativittis Har. 447
latofasciatus Kraatz 397
latofasciatus Motsch. 398
Latreillei Cast. & Gory (Plagion.) 380
Latreillei Dupont (Trachyd.) 479
Latreillei White (Batus) 452
Latreillei Brullé (Hesperoph.) 67
latus Quedf. (Oxypros.) 318
latus Pic (Stenoc.) 179
Laurae Fairm. 317
Laurasi Lucas 341
lautus Broun 274
Lavinia Gah. 221
Lebasi Chevr. (Neoclytus) 392
Lebasi Dupont (Oxymer.) 482
Lebasi Bates (Neoclytus) 390
Lecontei Thoms. 247
Ledereri Fairm. (Ropalopus) 338
Ledereri Ferrari (Purpuric.) 463
Lederi Ganglb. (Clytus) 370
Lederi Ganglb. (Strangalia) 239
Lederi Kraatz (Fallacia) 202
Lederi Reitter (Enoplod.) 165
Lefebvrei Goun. 111
Lemairei Lameere 252
Lengi Schaeffer (Aneflus) 85
Lengi Schaeff. (Xylotrachus) 364
lentiginosum Berg 97
lentiginosus Broun (Ophryops) 142
lentiginosus Newm. (Phacodes) 70

- Leonardi* Hald. 195
leonina Goun. 249
leoninus J. Lec. 259
Lepelietieri Pic 398
lepida Pasc. 277
lepidopterus Schreibers 487
lepidum Thoms. 334
lepidus Broun (Xuthodes) 77
lepidus Horn (Stenosph.) 443
lepidus Pasc. (Eodalis) 425
lepidus J. Lec. (Gonocallus) 336
Leprieuri Bates (Ibidion) 112
Leprieuri Buq. (Closteromerus) 324
Leprieuri Buq. (Mallosoma) 438
Leprieuri Cast. & Gory (Mecom.) 394
Leprieuri Guér. (Ceragenia) 453
Leprieuri Buq. (Cosmisoma) 433
leprosa Heyne 298
lepta Gah. 221
leptis Jord. 426
leptomeres Auriv. 479
leptopus Philippi 257
leptostenias Bates 440
lepturoides Bates (Asteth.) 140
lepturoides Blanch. (Platyn.) 258
lepturoides Boisd. (Rhagiom.) 149
lepturoides Chevr. (Agall.) 445
lepturoides Jacq. du Val (Poecil.) 444
lepturoides Pasc. (Ephies) 249
Lesnei Boppe (Rosalia) 330
Lesnei Pic (Strang.) 238
Letzneri Fabr. 232
leucaspis Chevr. (Prothema) 291
leucaspis Pasc. (Epiped.) 423
leucodactylum Chevr. 306
leucogramma Perty 112
leucogrammus White 442
leucoraphis Gerst. 310
leucoscutellatus Hope 410
leucothea Bates 231
leucothyreus Pasc. 404
leucozona Bates (Cyphosterna) 474
leucozona Bates (Ibidion) 112
leucozonias Gmel. 396
leucozonus Cast. & Gory 392
Leuthneri Ganglb. 215
Levaillanti Lucas 25
Levettei Casey 87
licheneus Gah. 177
liciatius L. 362
lifuanum Montrz. 124
lifuanus Montrz. 55
ligata J. Lec. 192
lignatorum Thieme 379
ligneus F. 342
ligulatiennis Goun. 283
ligystropteroides Lansb. 290
limbalis Har. 325
limbata Bates (Distenia) 8
limbata Ganglb. (Cortod.) 197
limbata Laich. (Leptura) 212
limbaticollis Pic 201
limbatum Pic 167
limbatus Pic 462
limbipennis Fairm. 174
limbiventris Reitter 234
linum Newm. 133
linearis Bates (Chrysopr.) 440
linearis Hampe (Phymat.) 350
linearis L. (Promeces) 322
linearis J. Lec. (Aneflus) 85
linearis Harris (Oeme) 30
linearis L. (Orthoschema) 332
lineata F. (Navom.) 488
lineata Letzn. (Cornum.) 202
lineatocolle Thoms. 107
lineatocollis Chevr. (Eriphus) 476
lineatocollis Fairm. (Glaucyct.) 436
lineatocollis Pic (Pseudop.) 201
lineatopora Bates 8
lineatopunctata Waterh. 437
lineatum Goun. (Bomar.) 111
lineatum Kirsch (Cosmis.) 433
lineatum Ol. (Rhagium) 165
lineatus Bates (Stenosph.) 443
lineatus Chevr. (Demonax) 410
lineatus Gah. (Margites) 59
lineatus Pasc. (Imbr.) 60
lineatus Dupont (Oxym.) 482
lineatus Fährs. (Zoster.) 427
lineatus Guér. (Malacoct.) 35
lineatus Letzn. (Toxotus) 178
lineellum Bates 433
lineicollis Chevr. 431
lineigera Chevr. (Dihamm.) 430
lineigera Fairm. (Strang.) 241
lineigerum Pasc. 124
lineola Chevr. (Demonax) 410
lineola F. (Erosida) 81
lineola Say (Strang.) 243
lineola Scop. (Chloroph.) 400
lineolatus Bates (Ibidion) 112
lineolatum Er. (Achryson) 39
lineolatus Bates (Haruspex) 103
lineolatus Redt. (Demonax) 410
lineolatus Waterh. (Chlidones) 418
lineolatus White (Trichrous) 442
lineolatus Dupont (Trachyd.) 480
lineoligera Blanch. 421
Linnaei Fährs. 262
Linnei Laich. 163
Linneianus Laich. 340
liobasis Bates 320
lippus Germ. 97
lisa Casey (Thesalia) 250
lisa Leng (Leptura) 222
lisa Leng (Thesalia) 250

- lissonota Bates 99
 lissonotoides Pasc. 485
 listropterina Bates 102
 listropteroides Goun. 428
 literatum Gah. 64
 literatus Gah. 410
*livi*giosa Muls. 211
 litigiosus Casey (Semanotus) 342
litigiosus Muls. (Vesperus) 159
 litopoides Pasc. 314
litteratus Gmel. 415
litura Bates 386
 lituratum Bates (Obrium) 133
litratum Fugn. (Rhagium) 162
 lituratus Cast. & Gory (Chlor.) 403
 lituratus Ganglb. (Purpuric.) 464
 lituratus Kirby (Evodinus) 188
 liturifer Walk. 74
 liturifera Bates 279
 livida F. (Leptura) 210
 livida Germain (Compsa) 109
 livida Germain (Sibylla) 255
lividipenne Pic 168
lividipennis Hald. 446
lividus Muls. (Hylotrupes) 341
 lividus Rossi (Phymat.) 350
 longevittatus Fairm. 181
 longiceps Jord. (Philemat.) 306
longiceps Kirby (Acmaeops) 189
 longicolle Bates (Aposph.) 99
 longicolle Guér. (Genus?) 358
 longicolle Jord. (Obrium) 134
longicolle Degeer (Achryson) 40
 longicollis Bates (Eburia) 79
 longicollis Bates (Rhinotragus) 277
 longicollis Fairm. (Linopodius) 132
 longicollis Fairm. (Paralocus) 123
 longicollis Har. (Closterom.) 324
 longicollis J. Lec. (Molorchus) 269
 longicollis Pasc. (Phacodes) 70
 longicollis Thoms. (Araespor) 42
 longicollis Voet (Ceramb.) 55
longicollis Casey (Stenosph.) 443
longicollis Muls. (Fallacia) 202
longicollis Reitter (Clytus) 371
longicollis Pasc. (Closteromerus) 323
 longicorne Bates (Obrium) 134
 longicorne Newm. (Stromat.) 73
 longicorne Pic (Digonium) 72
 longicornis Bates (Chrysoprasis) 440
 longicornis Kirby (Acmaeops) 192
 longicornis Voet (Genus?) 489
longicornis Bates (Toxotinus) 183
longicornis Pasc. (Exannes) 125
 longilineata White 82
 longinum Har. 310
 longipennis Bates (Elytroleptus) 456
 longipennis Bates (Euryptera) 249
 longipennis Casey (Crossid.) 471
 longipennis Fairm. (Glaucytes) 437
 longipennis Fairm. (Noemia) 10
 longipennis Gah. (Coleoxestia) 65
 longipennis Gah. (Psathyrus) 32
 longipennis Hope (Tryphoeh.) 91
 longipes Drury (Neoclytus) 392
 longipes Gebl. (Judolia) 226
 longipes Poll (Zoedia) 155
 longipes Say (Rhopaloph.) 431
 longipes Sharp (Plagith.) 388
longipes Auriv. (Chrysopr.) 440
longipes Cast. & Gory (Neoclyt.) 391
longipes F. (Promeces) 322
longipes Kirby (Neoclytus) 392
longipes Villers (Xylotr.) 362
 longipilis Bates (Eburodaecrys) 82
 longipilis Bates (Heterachtes) 111
 longipilis Pic (Cortodera) 198
 longispina Auriv. 105
 longissimum Bates (Callichroma) 310
 longissimum Bates (Elaphidion) 87
 longitarsis Auriv. 321
 longulum Thoms. 41
 longulus Fairm. (Anisogaster) 121
 longulus Sharp (Plagith.) 389
Lopez-bayoi Lauffer 234
 loreum Goun. 96
 Loreyi Dup. 442
 Lorquini Buq. 381
 lucanus J. Lec. 38
 Lucasi Brongn. (Cerambyx) 53
 Lucasi Thoms. (Erythroplatys) 277
 lucida Broun (Astetholida) 140
 lucida Daniel (Strang.) 229
lucidipes Pic 204
 lucidum Ol. (Elaphidion) 87
 lucidum Ol. (Callidium) 489
 lucidum Ol. (Cerambyx) 489
 lucidus Scop. (Genus?) 489
 luctifera Fairm. 169
 luctuosa Muls. 212
 luctuosus Chev. (Eriphus) 476
 luctuosus Latr. (Toxotus) 178
 ludens Gah. 403
 lugens J. Lec. (Stenosphenus) 443
 lugens Küster (Chloroph.) 398
 lugens J. Lec. (Acmaeops) 191
 lugens J. Lec. (Leptura) 223
 luguber Voet 53
 lugubre Voet 64
 lugubris Fairm. (Otaromia) 306
 lugubris Goun. (Eburodaecrys) 82
 lugubris Ménétr. (Plagionotus) 379
 lugubris Ol. (Apoeme) 35
 lugubris Rits. (Pachyteria) 300
 lugubris Say (Strang.) 246
lugubris Gmel. (Crioceph.) 22
lugubris Ragusa (Penichroa) 129
lugubris Sahlb. (Strang.) 239

Lujac Hintz 36
 Lumholtzi Auriv. 145
lunaris Hald. 227
lunata Germain (Compsa) 109
lunata Newm. (Epipedocera) 423
lunata F. (Strang.) 246
lunatus F. 377
 Lundi F. 460
lunulata Swed. 246
lunulatus Goeze (Neolytus) 392
lunulatus Kirby (Xylotr.) 365
lupina J. Lec. 192
lurida F. 200
luridicornis Chevr. 410
luridipennis Gah. (Hamatich.) 51
luridipennis Hald. (Leptura) 223
luridum Klug (Oregostoma) 278
luridum Bechst. (Tetropium) 18
luridum Gyllen. (Tetropium) 18
luridum L. (Tetropium) 18
luridus Rossi (Vesperus) 158
luridus Ol. (Phymat.) 351, 354
luridus Payk. (Phymat.) 353
luristanicus Pic 380
luscum Thoms. 336
luscus F. 392
lusorius Pasc. 150
lutarium Burm. 39
lutea Jord. (Pseuderis) 457
lutea Steph. (Cylindera) 120
luteicollis Bates 472
luteicornis F. 245
luteipes Muls. 219
luteofasciatus Pic 416
luteosparsus Fairm. 121
lutescens Geoffr. 214
luteus Duges (Elytroleptus) 456
luteus Voet (Oxymerus) 482
luteus occidentalis reverberans Voet 453
lutosa J. Lec. 384
lutosum Fairm. 357
lutulentus Har. 318
luxatus Pasc. 405
lycoides Bates (Ornistomus) 278
lycoides Guér. (Pteroplatus) 455
lycoris Thoms. 109
lyciformis Germ. (Aphylax) 456
lyciformis Pasc. (Euryptera) 249
lymphatica Fairm. 122
lymphaticus Lameere 50
lynceum F. 459
lyrata Redt. 247
lyratus Pasc. 366
lyricen Jord. 405

 Maaki Kraatz 351
macaonensis Dunning 403

macaumensis Chevr. 403
macaunensis Chevr. 403
macedonica Pic 351
macer Newm. 258
macilenta Bates (Isthmiade) 283
macilenta Ganglb. (Ischnorhab.) 131
macilenta Mannerh. (Leptalia) 250
macilentum Kraatz 168
macilentus Bates (Mecometopus) 394
macilentus Chevr. (Demonax) 410
macilentus Pasc. (Amimes) 34
macilentus Pasc. (Aposites) 139
macilentus Pasc. (Dymasius) 60
Mac Leayi Hope (Tessaromma) 144
Macleayi Newm. (Distichocera) 287
Macleayi Pasc. (Chaodalis) 288
Macleayi Pasc. (Typhocesis) 296
macra Chevr. (Ischnodora) 374
macra Thoms. (Compsa) 109
macropus Germ. (Ropalopus) 338
macropus Newm. (Callisphyris) 257
macrospilus Gah.
macrotaenia Bates 79
macrotela Bates 446
macrus Bates 51
maculata Brongn. (Nyphasia) 95
maculata J. Lec. (Tylosis) 470
maculata Poda (Strangalia) 234
maculata Bates (Tylosis) 470
maculata Drury (Eburia) 81
maculata Gebl. (Leptura) 208
maculata Houlb. (Strangalia) 236
maculata Pic (Strangalia) 235
maculaticolle Blanch. 124
maculatum Burm. (Achyryson) 39
maculatum Ol. (Obrium) 133
maculatum Goeze (Rhagium) 161
maculatus White (Zoodes) 74
maculatus Gmel. (Xylotrechus) 363
maculiceps Gabr. 216
maculicollis Dalm. (Xylotrechus) 366
maculicollis Fairm. (Mattania) 305
maculicollis Gah. (Demonax) 410
maculicollis Kirby (Distichocera) 287
maculicollis J. Lec. (Phymatodes) 351
maculicollis Serv. (Metopocoilus) 44
maculicollis Serv. (Trachelissa) 449
maculicollis Gabr. (Strangalia) 241
maculicorne Germain 72
maculicorne Goun. (Gnomidolon) 106
maculicornis Bates (Eburia) 79
maculicornis Bates (Haruspex) 103
maculicornis Degeer (Leptura) 214
maculicornis Fairm. (Nastocerus) 35
maculicornis Poll (Bimia) 256
maculicornis W. Saund. (Aphior.) 150
maculifera Heyrovsky 230
maculipennis Fairm. (Anisog.) 121
maculipennis Gah. (Oemospila) 37

- maculipennis* Lacord. (Trichom.) 114
maculipes Thoms. 447
maculithorax Pic 201
maculosa Bates (Gaurotos) 195
maculosa Fairm. (Sagridola) 169
maculosa Guér. (Sagridola) 169
maculosa Ol. (Eburia) 442
maculosa Gmel. (Leptura) 215
maculosus Gmel. (Neoclytus) 392
 Madoni Pic 397
Magdalenae Pic (Stenocorus) 181
Magdalenae Théry (Chlorophor.) 398
magicus Perty 392
magister Pasc. 62
magna Bates 420
magnicollis Fairm. 366
magnifica Jord. (Mecosaspis) 304
magnifica Pic (Cataphrodisium) 301
magnificus Bates (Zonopterus) 299
magnificus J. Lec. (Crioprosop.) 458
magnus Schaeffer (Neoclytus) 392
magnus Voet (Spondylis) 14
 mahota Dist. 425
 Maia Newm. 279
 Maindroni Pic 241
major Gah. (Trichrous) 442
major L. (Necydalis) 259
major Guér. (Necydalis) 260
major punctata Voet 184
malaccensis Lacord. 465
malachiticus Hald. 195
malthinoides Bates (Ommata) 279
malthinoides Bates (Ozodes) 435
malthinoides Kraatz (Pseudop.) 201
manca J. Lec. (Gracilia) 129
manca J. Lec. (Eburia) 79
manca L. W. Schauf. (Strangalia) 235
mancula White 82
Manderstjernae Muls. 53
mandibularis Gah. (Imbrius) 60
mandibularis Goun. (Cosmoplat.) 455
mandibularis Serv. (Dendrobias) 478
manicana Péring. 303
manicatus Bates 324
manifestus Jakowl. 419
Manillae Auriv. 403
manillarum Chev. 317
manipurensis Gah. (Leptura) 221
manipurensis Gah. (Rhaphuma) 407
Mannerheimi Motsch. (Evodinus) 187
Mannerheimi J. Lec. (Phymat.) 350
Manzonii Gestro 135
 Mapanjae Auriv. 304
margaritacea F. (Odontocera) 281
margaritacea F. (Epimelitta) 284
marginalis Chev. (Chloroph.) 405
marginalis Goldf. (Xystrocera) 36
marginalis Dist. (Xystrocera) 36
marginalis J. Lec. (Acmaeops) 192
marginalis Motsch. (Evodinus) 187
marginata Dist. (Hereodera) 96
marginata F. (Acmaeops) 189
marginata J. Lec. (Holopleura) 456
marginata Pasc. (Dere) 426
marginata Naezen (Acmaeops) 190
marginatum White 142
marginatus Bates (Miltesthus) 102
marginatus Fairm. (Aedoeus) 171
marginatus J. Lec. (Oxoplus) 470
marginatus Kraatz (Stenocorus) 181
marginatus Perty (Rhinotragus) 277
marginella Bates 459
marginellus Hope (Piesarthrius) 145
marginellus Hope (Uracanthus) 147
marginellus Bates (Metaleptus) 468
marginellus F. (Evodinus) 187
marginicollis Cast. & Gory (Clyt.) 372
marginicollis Chev. (Dihamm.) 430
marginipennis Fairm. (Rhinoph.) 148
marginipennis Murr. (Xystrocera) 36
Mariae Thoms. 47
marilandicum Hald. 84
marmoratus Blackb. 70
marmorea Blackb. 94
Marmattani Brisout 267
maroccana L. Heyd. 219
maronensis Chev. 394
maronicum Thoms. 112
martes Pasc. (Demonax) 410
martes Pasc. (Gorybia) 103
martialis Dohrn (Basiptera) 478
martialis Rosenb. (Pocillopepl.) 450
Martii Perty 477
Martyr Thoms. 433
marylandicum F. 84
massiliensis L. 400
Mastersi Pasc. 91
matabelenus Péring. 324
Matthewsi J. Lec. 227
Matthieseni Reitter 56
mauritanicus Buq. (Derolus). 58
mauritanicus Lucas (Stenopter.) 265
maurus Newm. 83
mausonensis Pic 241
maxillosus Serv. (Dendrobias) 478
maxillosus Degeer (Spondylis) 14
maxillosus Ol. (Euryphagus) 461
maxillosus Pasc. (Euryphagus) 460
Mayeti Théry 371
Mechowi Quedf. 313
medea Pic 208
mediana Auriv. 384
Medici Bertol. 468
mediocris Sharp 388
mediodisjuncta Pic 232
mediointerrupta Pic 329
medionotatum Pic 162
medius Schrank 268

- Meeskei* Casey 431
megacephala Germ. 29
megacephalum Blackb. 119
megalospilota White 83
megaspilus Gah. 317
Meinerti Auriv. (Eburia) 79
Meinerti Auriv. (Gnomidolon) 106
Meinerti Auriv. (Stizocera) 99
melaena Lucas 215
melaenus Bates 371
melampus Bates 247
melanargyreus White 273
melanaria Goun. (Epimelitta) 284
melanaria White (Polyschisis) 297
melanaria Achard (Jonthodes) 491
melanaria Herbst (Strangalia) 232
melanarius Pasc. 427
melanaspis Pasc. 314
melancholica Goun. (Appula) 101
melancholica Rits. (Pachyteria) 300
melancholica Reitter (Aromia) 308
melancholicum Bates 312
melancholicus Chev. (Chloroph.) 403
melancholicus Gah. (Plocaederus) 49
melancholicus F. (Phymatodes) 351
melancholicus Küster (Phymat.) 351
Melamianthe White 303
melanioides Dalm. 445
melanion Bates 394
melanocephalus Ponza (Phymat.) 353
melanocephalus Voet (Purpuric.) 463
melanodacrys White 108
melanophthisis Berg 249
melanopsis Pasc. 273
melanosomum Bates 106
melanostetha Bates 441
melanostoma Bates 247
melanota Fald. 213
melanotelus White 382
melanura L. (Strangalia) 236
melanura Redt. (Euryptera) 249
melanura Herbst (Strangalia) 233
melanura Houttuyn (Leptura) 216
melanura Müller (Alosterna) 206
melanura Ström (Leptura) 217
melanurella Reitter 237
melanurum Er. 98
melanurus Pasc. 410
melas Bates (Amphelictus) 75
melas Bates (Trachyderes) 479
melasomus Thoms. 320
Meleti Newm. 284
Melgunovi Jacobs. 239
meliponica Bates 284
mellea White 281
mellita Say 261
Mellyi Chev. (Cyllene) 385
Mellyi White (Anubis) 318
Melsheimeri Germ. 459
menalaspis Chev. 385
Menalcas Thoms. 48
mendax Fährs. 324
mendica Pasc. 146
Menetriesi Ganglb. (Leptura) 214
Menetriesi Motsch. (Purpuricen.) 464
mentiens Lacord. 456
meridianus Bates 78
meridianus L. (Stenocorus) 179
meridianus Ol. (Stenocorus) 180
meridionalis Bates (Acestoleus) 475
meridionalis Bates (Polyzonus) 317
Merkli Frivald. (Grammoptera) 204
Merkli Pic (Xylosteus) 168
metallica Fairm. (Glaucytes) 437
metallica Nonfr. (Polyphida) 437
metallica Quedf. (Xystocera) 36
metallicolor Fairm. 357
metallicus Nonfr. 456
metallipenne Pic 345
methocoides Westw. 424
mexicana Sturm (Ornithia) 435
mexicana Thoms. (Eburodaecrys) 82
mexicana Thoms. (Compta) 110
mexicanus Bates (Spondylis) 14
mexicanus Serv. (Eriphus) 476
mexicanus Thoms. (Hamaticher.) 51
mexicanus Cast. & Gory (Cyllene) 384
mexicanus Thoms. (Criocephalus) 21
mexicanus Thoms. (Malacopterus) 35
Mezierei Desjard. 437
micaceus Pasc. 60
micans F. (Callichroma) 310
micans F. (Metopotylus) 26
microgaster Sharp 388
microps Blackb. 151
microspilus Gah. 317
microthorax Perty 477
mikadoi Pic 215
miles Blackb. (Paphora) 118
miles Bon. (Cerambyx) 53
miles Voet (Callimus) 271
militaris Bates (Crossidius) 471
militaris Goun. (Ancylocera) 446
militaris J. Lec. (Acmaeops) 192
militaris Chev. (Strangalia) 243
militaris Latr. (Cerambyx) 53
mimetes Pasc. 298
mimeticum Schaeffer 87
mimeticus Auriv. 59
mimica Bates (Epimelissa) 284
mimica Bates (Strangalia) 232
mimula Bates (Euryptera) 249
mimula Pasc. (Earinis) 274
mimulus Bates 456
mina Gah. 304
mingrelica Kraatz (Fallacia) 202
mingrelica Tourn. (Strangalia) 234
miniacea Gah. 221

- miniata* Klug (Ctenodes) 451
miniata Germ. (Batyle) 475
miniata Pasc. (Pyrestes) 289
miniatocollis Chevr. (Entomost.) 474
miniatocollis Chevr. (Rhopaloph.) 431
miniatus Fairm. (Purpuricenus) 465
miniatus Pasc. (Uracanthus) 147
minimus Goetze (Genus?) 490
minimus Scop. (Molorchus) 268
minor Bates (Ischnocnemis) 473
minor Blackb. (Strongylurus) 145
minor Gan. (Caraphia) 177
minor Gah. (Dymasius) 60
minor Jord. (Apiogaster) 425
minor Jord. (Synaptola) 305
minor L. (Molorchus) 267
minuta Chevr. (Cyllene) 385
minuta Chevr. (Dihammaphora) 430
minuta F. (Gracilia) 129
minuta Gebl. (Aemaeops) 191
minuta Jord. (Xystrocera) 36
minuta Motsch. (Leptidea) 262
minutissimus Nonfr. 373
minutum Blanch. (Grammicosum) 72
minutum F. (Zorion) 156
minutum F. (Rhagium) 164
minutus Gebl. (Stenocorus) 180
minutus Hammarstr. (Asiates) 468
mirabilis Auriv. (Formicomimus) 155
mirabilis Auriv. (Lycosomus) 253
mirabilis Auriv. (Strangalia) 241
mirabilis Jord. (Dictator) 302
mirabilis Motsch. (Toxotus) 179
mirabilis Kraatz (Plectogaster) 252
miranda Pasc. 154
Mirbeckii Lucas 53
mirifica Pasc. 303
mirificus Bland 195
mirus Pasc. 155
misella Bates 210
misellum Bates 87
misellus Bates 397
miserum Thoms. 12
missionum Bruch 12
Mitchelli Hope 91
mite Newm. 86
mixtornatus Fleischer 397
mixtus F. 67
Mneme Newm. 284
Mniszечи Chevr. (Mecometopus) 394
Mniszечи Lacord. (Nothopygus) 321
Mocquerysi Jord. (Calanthemis) 374
Mocquerysi Jord. (Philematium) 306
modesta Gah. (Polyphidia) 437
modesta Goun. (Isthmiade) 283
modesta Goun. (Oeme) 30
modesta Pasc. (Paphora) 118
modestum Buq. (Criodion) 63
modestum Gah. (Ceresium) 124
modestum Newm. (Ommidion) 101
modestum Lacord. (Cynidolon) 108
modestus Blackb. (Rhinophth.) 148
modestus Dist. (Psathyrus) 32
modestus Fall (Neoclytus) 392
modestus Gah. (Myrsinus) 139
modestus Sharp (Plagithmysus) 388
modestus Waterh. (Logisticus) 172
modestus White (Haruspex) 103
modica Gah. 160
modicenotata Pic 239
modicus Blackb. (Phacodes) 70
modicus Gah. (Margites) 59
Moeli C. G. Thoms. 362
moerens Blackb. (Thoris) 94
moerens Pasc. (Hesthesis) 286
moerens White (Chrysoprasia) 441
moesiaca Daniel 210
moesiacus Friv. 17
moesta Bates (Acyphoderes) 282
moesta Bates (Deltaspis) 459
moesta Pasc. (Glaucytes) 437
moestula Pasc. (Rhopalophora) 432
moestula White (Tillomorpha) 421
moestum Hald. (Asemum) 15
moestum J. Lec. (Elaphidion) 87
moestus Chev. (Chlorophorus) 403
moestus Gmel. (Ambeodontus) 141
moestus Newm. (Phaedinus) 477
mollipilosa J. Lec. 191
molorchoides Guér. (Callisphyris) 257
molorchoides White (Odontocera) 281
molybdica J. Lec. 243
monachus Dalla Torre 415
mongolica A. Sem. 160
mongolicus Ganglb. 468
mongtsenensis Pic 410
monochroa Bates 104
monostigma Bates (Ibidion) 112
monostigma Bates (Odontocera) 281
monostigma Fairm. (Ariastes) 175
monostigma Ganglb. (Leptura) 211
monspeliense Gmel. 294
monstrosus Blanch. 155
montana Gah. (Apatophysis) 160
montana Muls. & Rey (Leptura) 215
montana Casey (Strangalia) 245
montanus Hintz (Oligosmerus) 325
montanus J. Lec. (Criocephalus) 21
montanus Nonfr. (Clytus) 373
montanus White (Purpuricenus) 465
Montesuma Cast. & Gory 373
Montezuma White 373
monticola Gah. (Clytus) 372
monticola Gah. (Demonax) 410
monticola Rand. (Evodinus) 188
monticola Abeille (Cortodera) 197
mordax Degeer (Rhagium) 162
mordax Herbst (Rhagium) 163

moreana Pic 213
Morgani Pic 215
morio F. (*Ancylosternus*) 481
morio Kraatz (*Neocydalid*) 260
morio Pasc. (*Neostenus*) 138
morio Cast. (*Trachyderes*) 481
morio F. (*Acomacops*) 190, 191, 491
morio Voet (*Ropalopus*) 337
Moritzi Thoms. 392
mormona Lindell 38
mormonus J. Lec. (*Xylotrechus*) 364
mormonus Schaeffer (*Calloides*) 381
morosum Boisd. 358
morosus Fairm. (*Antigenes*) 175
morosus Pasc. (*Sthelenus*) 275
morosus Serv. (*Pantomallus*) 78
morosus Sharp (*Ceralomus*) 153
morosus Chevr. (*Rhopalopachys*) 389
morosus Pasc. (*Hoplocerambyx*) 56
moschata L. 307
Mossmanni Newm. 70
Motschulskyi Ganglb. 397
Mouhoti Pasc. 411
Moultoni Auriv. (*Chlorophorus*) 403
Moultoni Auriv. (*Pachyteria*) 300
moupinensis Fairm. 404
Mouzafferi Pic 380
mozinnae Linell 133
mucheia Thoms. 310
mucoriferum Thoms. 108
mucronatum Say 87
mucronatus F. (*Neoclytus*) 392
mucronatus Cast. & Gory (*Clytus*) 372
Muelleri Blackb. 145
muliebris L. Heyd. 219
mulio Pasc. 410
Mulsanti Stierl. 270
multicolor Gmel. 84
multicostatus Fairm. 10
multiflorum Berg 133
multifasciatus Dupont (*Lissonot.*) 484
multifasciatus Leng (*Lissonotus*) 484
multiguttatu Bates (*Gaurotes*) 105
multiguttata Burm. (*Cyllene*) 385
multiimpressus Pic 366
multimaculata Th. Pic 328
multinotatus Pic 366
multiplicatus Motsch. 54
multituberculatus Bates 435
mundum Blackb. (*Bethelium*) 118
mundum Broun (*Votum*) 142
mundus Chevr. 394
Munroi Sharp 388
muricata Dalm. 17
muricatulus Kirby 392
muricatum Hald. 87
muricatus Prov. 392
murina Burm. (*Cyllene*) 385
murina Gerst. (*Ossibia*) 135

murina Klug (*Sphecomorpha*) 283
murina Pasc. (*Hesthesis*) 286
murinum Nonfr. 63
murinus Allard (*Oligoenoplus*) 416
murinus Gah. (*Hamaticherus*) 51
murinus Chevr. (*Cerasphorus*) 75
Murrayi Lameere 32
mus Goun. 71
muscaria Fairm. 169
muscosus Bates 398
musivum Er. 106
musivus Pasc. 410
Musschenbroeki Gestro 273
mustela Pasc. 410
mustelinus Chevr. 410
mutabilis Gah. (*Perissus*) 375
mutabilis Newm. (*Leptura*) 223
mutabilis Motsch. (*Evodinus*) 188
mutata Bates (*Eburia*) 80
mutata Bates (*Pseudopidonia*) 201
mutator Pasc. 287
mutatum Gah. 87
mutatus Bates 102
mutica Kolbe (*Synaptola*) 305
mutica Lacord. (*Callidiopis*) 127
mutica J. Lec. (*Eburia*) 79
mutica Sharp (*Oemona*) 116
mutica Hald. (*Oeme*) 30
muticus F. (*Scaphinus*) 15
muticus Pasc. (*Tetraommatus*) 28
myops Chevr. (*Perissus*) 375
myops Thoms. (*Calanthemis*) 374
myrrheum Goun. 97
myrrheus Goun. 111
myrmicaria Fairm. & Germain 421
myrmido Fairm. 121
mystaceus Jord. 318
mystica Thoms. 284
mysticoides Reitter 413
mysticus L. 413
mythicus Gyllh. 59

Nadari Pic 338
naevius Gmel. 399
nais Goun. 279
namaganensis Heyd. (*Xylotr.*) 361
namaganensis Ganglb. (*Xylotr.*) 361
nana Bates (*Chrysoprasia*) 441
nana Newm. (*Strangalia*) 243
nana Poll (*Ochyra*) 422
nansenensis Pic 410
nanum Bates (*Achryson*) 40
nanum Blackb. (*Tessaromma*) 144
nanum F. (*Elaphidion*) 87
nanum Goun. (*Platyarthron*) 448
nanum Chevr. (*Elaphidion*) 88
nanus Bates (*Choriolaus*) 248
nanus A. Semen. (*Purpuric.*) 464

- narcissus* Perrin 271
nasutus Quedf. (*Euporus*) 320
nasutus Shuck. (*Rhinophthalm.*) 148
natalense Bates 306
natalensis White 57
nauticus Mannerh. 364
nebulosa Gebl. (*Dokhtouroffia*) 203
nebulosa Cast. & Gory (*Cyllene*) 385
nebulosum Guér. 87
nebulosus Brongn. (*Zatrephus*) 62
nebulosus Ol. (*Hesperophanes*) 66
necydalea F. (*Methia*) 39
necydalea L. (*Isthmiade*) 283
necydaloides Pasc. 262
neglecta Broun. (*Navomorpha*) 488
neglecta Chob. (*Strangalia*) 234
neglectum Goun. (*Callichroma*) 312
neglectum J. Lec. (*Elaphidion*) 86
nemorivaga Goun. 82
neoxenum White 301
nepas Chevr. 403
nerii Er. 58
nevadica J. Lec. 167
Newelli Sharp 388
Newmani Chevr. (*Sclethrus*) 417
Newmani Hald. (*Elaphidion*) 87
Newmani Pasc. (*Trichomesia*) 276
niassensis Gah. 300
nicocles Schauf. 462
Nicolai Auriv. 100
Nicolas White 342
Nicolasi Bedel 198
Nieti Chevr. 458
Nietii Guér. 453
Nietoi Bates (*Crioprosopus*) 458
Nietoi Gemm. & Har. (*Parev.*) 453
Nieuvenhuisi Rits. 300
nigella Bates 247
nigellus White 435
niger Auriv. (*Zoocosmius*) 426
niger Blackb. (*Aposites*) 139
niger Gah. (*Tetraommatus*) 28
niger Jord. (*Allogaster*) 41
niger Philippi (*Callideriphus*) 444
niger Gah. (*Plocaederus*) 50
niger J. Lec. (*Anaglyptus*) 415
niger Letzn. (*Toxotus*) 178
niger Ol. (*Toxotus*) 178
niger gallicus Voet 54
nigerrima Bates (*Epimelitta*) 284
nigerrima Pic (*Leptura*) 215
nigerrimus Chevr. 404
nigra Blackb. (*Didymocautha*) 116
nigra Gah. (*Cyrtonops*) 7
nigra Gah. (*Nericonia*) 11
nigra Gah. (*Sebasmia*) 61
nigra L. (*Strangalia*) 237
nigra Csiki (*Judolia*) 227
nigra Degeer (*Strangalia*) 229
nigra Goun. (*Euryptera*) 248
nigra Petagna (*Leptura*) 218
nigra Petagna (*Strangalia*) 235
nigra Schilsky (*Aromia*) 308
nigrans Fairm. (*Callichroma*) 310
nigrans Fairm. (*Scariotus*) 174
nigrella Bates (*Distenia*) 8
nigrella Say (*Strangalia*) 243
nigrescens Gredl. (*Evodinus*) 185
nigrescens Letzn. (*Cornumutilla*) 202
nigrescens Weise (*Grammoptera*) 205
nigricans Auriv. (*Callichroma*) 312
nigricans Goun. (*Acyphoderes*) 282
nigricans Gmel. (*Ropalopus*) 337
nigricans Goun. (*Eburia*) 80
nigricauda Bates 102
nigriceps Bates (*Pantonyssus*) 100
nigriceps Pasc. (*Tetraommatus*) 28
nigriceps F. Phil. (*Platynocera*) 258
nigriceps White (*Merionoeda*) 273
nigriclavis Bates 281
nigricolle Goun. (*Hexoplon*) 105
nigricolle Pic (*Cartallum*) 294
nigricolle Thoms. (*Eroschema*) 288
nigricollis Bates (*Gastrosarus*) 274
nigricollis Fairm. (*Cleomenes*) 426
nigricollis Gah. (*Compsomera*) 298
nigricollis Kolbe (*Phyllocnema*) 303
nigricollis Pasc. (*Pyrestes*) 289
nigricollis Goun. (*Ancylocera*) 446
nigricollis Letzn. (*Toxotus*) 178
nigricollis Muls. (*Acmaeops*) 191
nigricollis Muls. (*Phymatodes*) 353
nigricollis Pic (*Callimus*) 271
nigricollis Pic (*Purpuricenus*) 463
nigricollis Seidl. (*Gaurotes*) 194
nigricorne Auriv. (*Haploseb.*) 261
nigricorne Bates (*Orthoschema*) 332
nigricornis Auriv. (*Trachyderes*) 480
nigricornis Bates (*Psyrrassa*) 101
nigricornis Dupont (*Oxymerus*) 482
nigricornis Fairm. & Germ. (*Hephaestion*) 257
nigricornis W. Saund. (*Enchopt.*) 153
nigricornis Goun. (*Ancylocera*) 446
nigricornis Stierl. (*Strangalia*) 236
nigrilatera Goun. 279
nigrina Bates (*Chrysopraxis*) 441
nigrina Pic (*Pachyta*) 184
nigrina L. W. Schauf. (*Leptura*) 219
nigrinus Muls. (*Phymatodes*) 353
nigrinus Pic (*Akimerus*) 183
nigrinus Reitter (*Toxotus*) 178
nigripennis Bates (*Deltaspis*) 459
nigripennis Bates (*Elytroleptus*) 456
nigripennis Buq. (*Euryprosopus*) 334
nigripennis Chevr. (*Cyphosterna*) 474
nigripennis Dupont (*Trachyd.*) 480
nigripennis Pasc. (*Emenica*) 147

- nigripennis* J. Lec. (Aemaeops) 191
nigripennis Pic (Cortodera) 199
nigripennis Pic (Stenocorus) 179
nigripes Auriv. (Paroceme) 31
nigripes Auriv. (Temnopsis) 29
nigripes Bates (Appula) 101
nigripes Brullé (Chlorophorus) 398
nigripes Chev. (Rhopalizus) 319
nigripes Degeer (Strangalia) 237
nigripes Dupont (Trachyderes) 480
nigripes Jord. (Pseuderos) 457
nigripes Jord. (Rhaphuma) 407
nigripes Serv. (Ommata) 278
nigripes Thoms. (Xystrocera) 36
nigripes Costa (Stenopterus) 265
nigripes Hald. (Stenocorus) 182
nigripes Küster (Chlorophorus) 397
nigripes Ol. (Euryphagus) 460
nigripes Pic (Phymatodes) 350
nigrita Chev. (Dihammaphora) 430
nigrita Gah. (Dere) 426
nigrita Serv. (Xystrocera) 36
nigrita L. Heyd. (Cortodera) 197
nigritarsis Auriv. 105
nigritarsis Goun. 284
nigritulus Blackb. (Coptocercus) 93
nigritulus Kraatz (Clytus) 371
nigritum Serv. 486
nigritus Bates (Ochraethes) 386
nigritus Pic (Evodinus) 185
nigriventris Bates (Rhopaloph.) 431
nigriventris Bates (Stizocera) 99
nigriventris Belon (Ectenessa) 41
nigriventris Brème (Pteroplatus) 455
nigriventris Dupont (Oxymerus) 482
nigriventris Bates (Chrysoprasis) 439
nigriventris Pic (Stenocorus) 179
nigriventris Pic (Strangalia) 234
nigriventris A. Sem. (Purpuric.) 464
nigroaenea Bates 101
nigroapicalis Pic 330
nigrocandata Fairm. 241
nigrocinctus Bates 111
nigroclavatus Fairm. 121
nigroclypea Reitter 308
nigrofasciata Petagna 235, 236
nigrofasciatus Thoms. (Demon.) 410
nigrofasciatus Goeze (Chloroph.) 401
nigrofasciatus Dupont (Trachyd.) 481
nigrofasciatus Voet (Plagionotus) 379
nigroflava Fuss 207
nigrolineata Bland 223
nigrolineatus Donovan 162
nigromaculatus Gah. 411
nigronotatus Pic 462
nigropicea Bates 65
nigropiceus Letzn. 202
nigropicta Fairm. 217
nigropictus Broun 142
nigroplagiata Fairm. 176
nigroplanus Degeer 337
nigropunctatus Chev. 387
nigroscutatus Fairm. 290
nigrosignatus Fairm. 398
nigrostriatus Fairm. 121
nigrosuturalis Reitt. 234
nigrovittata Bates (Eburia) 79
nigrovittata Goun. (Aleyopsis) 115
nigrovittata Auriv. (Eburia) 79
nigrovittata Chob. (Leptura) 213
nigrum Gah. (Ceresium) 124
nigrum Pic (Rhamnusium) 166
nigrum Voet (Megaderus) 487
nilgiriense Gah. 124
nilgiriensis Gah. (Perissus) 375
nilgiriensis Gah. (Zoodes) 74
niponensis Bates 415
Nisseri Auriv. 275
nitens F. (Rhopalizus) 319
nitens Forster (Judolia) 227
nitens Jord. (Closteromerus) 324
nitens J. Lec. (Evodinus) 188
nitida Bates (Coleoxestia) 65
nitida Bates (Ectenessa) 41
nitida Degeer (Isthmiade) 283
nitidicolle Fauv. (Ceresium) 124
nitidicolle Guér. (Hypatium) 305
nitidicollis Bates (Dihammaph.) 430
nitidicollis Casey (Crossidius) 471
nitidicollis Gestro (Hypoescrus) 27
nitidicollis Jord. (Hospes) 322
nitidicollis Quedf. (Xystrocera) 37
nitidicollis Horn (Leptura) 224
nitidipenne Gah. 306
nitidipennis Chev. (Plocaederus) 49
nitidipennis Germain (Ancyrod.) 143
nitidipennis Serv. (Cordylomera) 95
nitidipennis Chev. (Alloesia) 439
nitidiventris Fairm. (Xystrocera) 37
nitidiventris Goun. (Ommata) 278
nitidum, J. Lec. 16
nitidus Fairm. (Alocerus) 17
nitidus Horn (Xylotrechus) 364
nitidus J. Lec. (Phymatodes) 351
nitidus Thoms. (Hoplocerambyx) 56
nitidus Chev. (Phymatodes) 349
nitidus Pic (Cerambyx) 55
nitidus White (Plocaederus) 50
niveicollis Linell 418
niveitectum Schaeffer 84
niveivestitum Schaeffer 87
nivicinctus Chev. 421
niviguttata Fairm. 169
nivipictus Kraatz 398
nivosus Fairm. (Anthribatus) 122
nivosus Fairm. (Logisticus) 172
nobilis Bates (Parevander) 453
nobilis Harris (Calloides) 381

- nobilis* J. Lec. (*Heterachtes*) 111
nobilis Newm. (*Strangalia*) 246
nobilitata Nonfr. 171
noctis L. 178
nodicolle Pasc. (*Euryarthrum*) 292
nodicolle Burm. (*Cosmisoma*) 433
nodicollis Klug. (*Mastododera*) 170
nodicollis Serv. (*Ozodes*) 435
nodicornis Küst. 54
Nodieri Muls. 25
nodifer Sharp 388
nodosus Muls. 53
nodulosus Germ. 54
Nogeli Friv. 466
notabilis Bates (*Phrynocris*) 34
notabilis Pasc. (*Chlorophorus*) 398
notabilis White (*Ommata*) 280
notata Ol. (*Leptura*) 213
notata Pic (*Strangalia*) 234
notaticollis Goun. (*Ommata*) 279
notaticollis Perroud (*Helymae.*) 324
notatipennis Pic (*Evodinus*) 187
notatipennis Pic (*Strangalia*) 239
notatisternis Goun. 280
notator Pasc. 411
notatus Ol. (*Stenosphenus*) 443
notatus Voet (*Genus?*) 490
notatus Dupont (*Trachyderes*) 479
notula Fauvel (*Deilus*) 295
notula Goun. (*Eburodaerys*) 82
novatus Horn 443
novella Bates 312
novempunctata Westw. 331
novempunctatus Germ. 44
novercalis Reitt. 238
novica Blackb. 116
nubecula Bergstr. 164
nubifer J. Lec. 182
nubilus J. Lec. (*Criocephalus*) 21
nubilus Pasc. (*Pachydissus*) 57
nudicorne Bates 433
nupera Pasc. 154
nupta Muls. 194
nyassae Bates 310
nympha Thoms. (*Gnomidolon*) 106
nympha White (*Chloridolum*) 315
nymphula Bates (*Chrysoprasia*) 441
nymphula Bates (*Strangalia*) 238

Oatesi Olliff 58
Oberthüri Belon (*Anobrium*) 137
Oberthüri Fairm. (*Logisticus*) 172
Oberthüri Fairm. (*Trichroa*) 168
Oberthüri Gah. (*Oplatocera*) 38
Oberthüri Rits. (*Pachyteria*) 300
Oberthüri Sharp (*Criocephalus*) 22
Oberthüri Vuillet (*Rosalia*) 331
obesum Newm. 486

obesus Gah. 50
obliqua Buq. (*Chlorida*) 77
obliqua Newm. (*Didymocantha*) 116
obliqua Serv. (*Eurysthea*) 97
obliquata Horn 130
obliquatus Burm. 482
obliquefasciatus Pic 360
obliquus Bates (*Tomopterus*) 235
obliquus Casey (*Phymatodes*) 351
obliquus Chevr. (*Ochraethes*) 386
obliquus Motsch. (*Stenocorus*) 181
oblita Lameere 100
obliterata Hald. (*Strangalia*) 243
obliterata Pic (*Leptura*) 215
obliterata Th. Pic (*Rosalia*) 329
obliteratus Ganglb. (*Chloroph.*) 398
obliteratus J. Lec. (*Xylotrechus*) 364
obliteratus Pic (*Chlorophorus*) 398
oblitum J. Lec. 87
oblongoguttulum Fairm. 135
oblongomaculata Buq. (*Lept.*) 215
oblongomaculata Guér. (*Calch.*) 466
oblongomaculata Gah. (*Dem.*) 411
obrioides Lacord. 33
obriumoides Thoms. 33
obscura Blackb. (*Phalota*) 276
obscura Donov. (*Phoracantha*) 91
obscura Sharp (*Gelonaetha*) 127
obscura Panz. (*Strangalia*) 230
obscura Pic (*Cortodera*) 199
obscura Thunb. (*Strangalia*) 229
obscurans Pic 199
obscurellus Fairm. 121
obscurepilosa Pic 211
obscuricorne Chevr. 310
obscuricornis Bates (*Ochraethes*) 386
obscuricornis Kraatz (*Gramm.*) 204
obscuricornis Pic (*Anaglyptus*) 413
obscurior Pic (*Pseudopidonia*) 201
obscurior Pic (*Stenocorus*) 180
obscuripenne Pasc. (*Chloridol.*) 315
obscuripenne Pic (*Obrium*) 134
obscuripennis Pic (*Acmaeops*) 189
obscuripennis Pic (*Cortodera*) 199
obscuripennis Pic (*Evodinus*) 187
obscuripennis Pic (*Stenocorus*) 179
obscuripes Fairm. (*Noemia*) 10
obscuripes Pic (*Rhamnusium*) 167
obscuripes Reitt. (*Cortodera*) 197
obscurissima Pic 240
obscurissimus Pic (*Anaglyptus*) 415
obscurissimus Pic (*Evodinus*) 185
obscurithorax Pic (*Callimus*) 271
obscurithorax Pic (*Leptura*) 215
obscurum Fauv. 124
obscurus F. (*Phacodes*) 70
obscurus Germain (*Hesperoph.*) 68
obscurus Guér. (*Spathopygus*) 43
obscurus J. Lec. (*Axestinus*) 85

- obscurus J. Lec. (Phymatodes) 351
 obscurus J. Lec. (Zamodes) 69
 obscurus Sharp (Plagithmysus) 388
 obscurus Waterh. (Logisticus) 172
obscurus J. Lec. (Criocephalus) 21
obscurus J. Lec. (Molorchus) 269
obsidianus Motsch. 187
 obsoleta Hald. (Euryptera) 249
obsoleta Hald. (Strangalia) 243
obsoleta Hald. (Strangalina) 245
obsoletum Jord. 309
 obsoletus Rand. 21
 obtusa Bates 305
obtusicollis Fairm. (Zarina) 122
obtusicollis Motsch. (Apatophys.) 166
obtusipennis Bates (Closterom.) 324
obtusipennis Fairm. (Logisticus) 172
 obtusus Bates (Heterachtes) 111
 obtusus Bates (Polyzonus) 317
 obtusus J. Lec. (Stenocorus) 182
 occidentale Gmel. 357
 occidentalis Blackb. (Phacodes) 70
occidentalis Daniel (Leptura) 211
 occipitalis Chevr. (Rhopaloph.) 431
occipitalis Muls. (Leptura) 216
 ocellatum Goun. 98
 ocellatus Cast. & Gory (Xylotr.) 366
 ocellatus Dohrn (Cryptobias) 452
 ocellatus Goun. (Eurymerus) 40
ocellatus Quedf. (Allophyton) 136
 ochracea Waterh. (Pachyteria) 300
ochracea Faust (Leptura) 218
ochracea Rey (Leptura) 213
ochraceipennis Pic 218
 ochraceofasciata Motsch. 238
 ochraceum Perty 433
 ochraceus Bates (Corynellus) 156
 ochraceus Bates (Stenosphenus) 443
ochraceus Bates (Chion) 76
 ochreoruber Fairm. 170
 ochroptera Bates 247
 ochropus Bates (Gaurotus) 195
ochropus Voet (Callichroma) 313
 ochrotaenia Bates 65
ochrotela Bates 238
 ochrozona Bates 387
 ocreatum Bates 312
 ocreatus Newm. 257
 octocostatus Bates 456
 octoguttata Germ. (Eburia) 79
 octoguttata White (Eburophora) 296
octolineata Serv. 449
 octolineatus Thunb. 480
 octomaculata Chev. (Eburia) 80
octomaculata Degeer (Strangalia) 239
octomaculata Schaller (Judolia) 225
 octomaculatum Nonfr. 63
 octomaculatus Fairm. 334
 octonotata Say (Leptura) 223
octonotata Hald. (Strangalia) 246
octonotatus Gmel. 363
 octosignatus Kolbe 74
 ocellaris Muls. & Rey (Vesperus) 158
 ocellaris Pasc. (Demonax) 411
 ocellaris Pasc. (Tetraommatus) 28
ocellaris Pic (Apatophysis) 160
 oculata J. Lec. (Tylosis) 470
 oculata Serv. (Xylocaris) 483
oculata Auriv. (Coptoeme) 28
 oculicollis Fairm. 367
 oculifera Newm. 150
 Odewahni Pasc. (Tryphocaria) 191
Odewahni Pasc. (Strongylurus) 145
 odontoceroideus Thoms. 425
odorata Degeer 308
 odyneroideus Fairm. & Germ. (Callisphyris) 257
 odyneroideus White (Acyphod.) 282
 oeax Thoms. 106
 oedioneme Bates 113
 Oedipus J. Lec. 138
 oenochrous Fairm. 55
Olcesei Pic 219
 olesteroides Pasc. 424
 olidum Fairm. 124
 olivacea Bates (Encyclops) 250
 olivacea Fairm. (Artelida) 171
 olivaceus Bates (Eupempelus) 428
 olivaceus Cast. & Gory (Neoclyt.) 392
 Olivieri Dupont (Trachyderes) 480
Olivieri Bates (Acyphoderes) 282
omega Rossi 363
 oo Schrank 363
 opaca Fairm. & Germain 258
 opacicollis Fauv. 140
 opacipenne Bates 19
 opacipennis Goun. 333
 opacum Fairm. (Ceresium) 124
 opacum Sharp (Zorion) 156
 opacus Jord. 425
operarium White 84
 ophthalmicus Pasc. 157
 opiloides Pasc. 118
 oppiparum Bates 312
 oppositus Chev. 400
 optimum Bates 316
 opulenta Newm. 101
 opulentum Klug 305
 orbatus Pasc. 145
ordinatum Newm. 87
 ordinatus Pasc. 411
ordubadensis Reitter 197
 oreinum Gah. 19
 orientale, Guér. (Chloridolum) 315
orientale Pic (Callidium) 344
 orientalis Auriv. (Synaptola) 305
 orientalis Hope (Trirachys) 47
 orientalis White (Nysina) 94

- orientalis* Küst. (Cerambyx) 53
oriolinus Pasc. 405
ornata Blackb. (Ectosticta) 119
ornata Blackb. (Lygesis) 146
ornata Saund. (Hesthesis) 286
ornaticeps Fairm. 175
ornaticolle Pic 124
ornaticollis Bates (Odontocera) 281
ornaticollis Lacord. (Oxoplus) 470
ornaticollis Chevr. (Cyphosterna) 474
ornatipenne Perr. 40
ornatum F. 161
ornatus Bates (Haruspex) 103
ornatus J. Lec. (Xylosteus) 167
ornatus Herbst (Chlorophorus) 401
orpa White 107
ostricilla Newm. 151
Otti Chevr. 398
Otto Pic 230
ottomanum L. Heyd. 269
ovatipennis Pasc. 27
ovicollis Fairm. (Chlorophorus) 404
ovicollis J. Lec. (Pantomallus) 78
oxyoma Fairm. 184
oxyptera Fald. 234
- pachydermus* Fairm. 172
pachymerus Pasc. 124
pachymerus Muls. 22
pactor Lameere 51
palazyanus Montrz. 137
pallens Brullé (Leptura) 215
pallens Hope (Uracanthus) 147
pallens F. (Achryson) 40
pallescens Bates (Philus) 157
pallescens White (Malacopt.) 34
palliatius Forst. (Desmoc.) 253
palliatius Lansb. (Erythrus) 290
palliatius Pasc. (Demonax) 411
palliatus Hald. (Phymat.) 350
pallida Bates (Ophist.) 247
pallida Broun (Didymoc.) 116
pallida Buq. (Macroeme) 30
pallida Horn (Hypex.) 129
pallida Hald. (Acmaeops) 193
pallida Newm. (Cylindera) 120
pallidicauda Goun. 106
pallidicornis Fairm. & Germ. (He-phaest.) 257
pallidicornis Fairm. (Compsa) 110
pallidipennis L. Heyd. (Molorch.) 268
pallidipennis Reich (Torneutes) 42
pallidipennis Thoms. (Compsa) 109
pallidipennis Tourn. (Leptura) 215
pallidipennis Matsum. (Xylotr.) 359
pallidipes Künckel (Noemia) 10
pallidipes Pic (Cortodera) 199
- pallidipes* Pic (Obrium) 133
pallidium J. Lec. 133
pallidiventris Jord. 324
pallidocinctus Fairm. 174
pallidulum White 106
pallidulus Goun. 278
pallidum Thoms. (Aquin.) 41
pallidum Say (Obrium) 133
pallidum Zoubk. (Stromatium) 73
pallidus Ol. (Hesperoph.) 67
pallidus Pasc. (Stenop.) 150
pallidus Schaeffer (Sphaenoth.) 472
pallidus Thoms. (Elytrol.) 456
pallidus White (Ophryops) 142
pallidus Zoubk. (Semanotus) 342
pallidus Broun 142
pallidus Dupont (Oxymerus) 482
pallidus Goun. (Haruspex) 103
pallidus White (Pytheus) 292
pallimembris Fairm. 122
pallipes Ol. (Genus?) 490
pallipes Hald. (Callidium) 344
pallipes Newm. (Encycl.) 250
pallipes Steph. (Grammopt.) 204
palmatus Ol. 394
Palmeri Bates (Crossidius) 471
Palmeri Bates (Ochraethes) 386
palpalis Bates 89
paludivagus Lucas 55
panamensis Bates (Curius) 127
panamensis Bates (Cyllene) 385
pannonicus Gmel. 339
pannosus Pasc. 62
pantherinus Saven. 362
Panzeri Har. 260
papuanus Gestro 151
par Newm. 287
paradoxa Bates (Zenochl.) 441
paradoxa Pasc. (Tritocosmia) 149
paraensis Bates 247
parallela Rits. (Pachyteria) 300
parallela White (Odontoc.) 281
parallela Pic (Cortodera) 199
parallelipenne Quedf. 310
parallelopipeda Motsch. 227
parallelum Casey (Tetropium) 19
parallelum Newm. (Elaphid.) 87
parallelus J. Lec. 419
parana Gemm. 430
parandroides Bates 12
parcum Sharp 19
parens Allard 404
Paris Wied. 46
parisina Thunb. 204
parisinum Geoffr. 161
Parryi Pasc. 151
partensis Jacobs. 189
partiticornis Fairm. 438
partitus Gerst. 320

- parus* Jord. 57
parva punctata Voet 225
parvicollis Fairm. (Xxstroc.) 37
parvicollis Gah. (Pachyd.) 57
parviscopus Burm. 333
parvonotata Reitter 329
parvula Thoms. 77
parvulum Casey 19
parvulus Gah. 375
parvum Voet 16
parvus Gah. (Pachyloc.) 289
parvus Jord. (Clonioph.) 314
Pascoei Brongn. (Xoanod.) 63
Pascoei Gah. (Dymas.) 60
Pascoei Lacord. (Nyphas.) 95
Pascoei Thoms. (Cyriopalus) 47
Pascoei Thoms. (Massicus) 55
Pascoei Murr. (Xystroc.) 36
Pasteuri Rits. 300
pastinacae Panzer 210
patagonicus Bruch 394
patagonus Guér. 83
patkaina Gah. 407
patricia Bates 249
patricius Gah. (Cloroph.) 404
patricius Gerst. (Litopus) 321
patronus Pasc. 411
patruelis Bates (Eburia) 80
patruelis Chevr. (Cyllene) 385
paucispinum Lameere 98
paulla Pasc. 264
paulonotatus Pic 372
pauper Bates (Astetholea) 140
pauper Bates (Cacophrissus) 75
pauper Fährs. (Closterom.) 324
pauver Pasc. (Diales) 60
pauper Gah. (Dissap.) 59
paupercula Newm. 224
pausa Brancsik 329
pavidus Germ. 34
Pearsalli Bland 475
pecta Dartiel 210
pectinicornis Bates 252
pectoralis Bates (Ophist.) 247
pectoralis J. Lec. (Amannus) 474
pedalis J. Lec. 223
pedator Pasc. 93
pedatrix Kolbe 303
pedella Deeger 184
pedemontanus Daniel 186
pedestre Pasc. 316
pedestris Pasc. (Helymaeus) 325
pedestris Pasc. (Xylotrechus) 366
pedestris White (Plocaederus) 50
pedestris Cotes (Plocaed.) 50
pedestris White (Eburia) 79, 80
pedisequa Voet 349
Peelei Gah. 49
pekinensis Fairm. 159
Pelleteri Cast. & Gory 398
Pelletieri Walk. 398
pellitus Kirsch (Trachyd.) 480
pellitus White (Trichox.) 382
pellurus Weber 454
pelonioides Thoms. 111
Pelteri Muls. 398
peninsulare Schaeffer (Obrium) 133
peninsulare Schaeffer (Tragidion) 459
peninsularis Schaeffer 392
pennata Lewis 260
pennatus Sharp 388
penniferum Bates 450
perductor Walk. 243
peregrina Kolbe (Mecos.) 304
peregrina Thoms. (Phelocal.) 9
perelegans Fairm. (Derbida) 418
perelegans Vollenh. (Epiped.) 423
perforata Burm. (Dihamm.) 430
perforata J. Lec. (Eburia) 81
peribaeoides Thoms. 113
periscelis Jord. 121
Perkinsi Sharp 388
perlaetum White 315
permundus Sharp 388
pernigra Linell 223
pernigra Reitt. 215
pernobilis Poll 171
perobscura Reitt. 229
perornatus Jord. 405
perplexa Gah. (Aeolesth.) 47
perplexa Goun. (Ommata) 279
Perrieri Fairm. (Anisogaster) 121
Perrieri Fairm. (Arrhythmus) 122
Perrieri Fairm. (Artelida) 171
Perrieri Fairm. (Calobrium) 136
Perrieri Fairm. (Cilium) 114
Perrieri Fairm. (Damiria) 428
Perrieri Fairm. (Dolomius) 357
Perrieri Fairm. (Glaucytes) 437
Perrieri Fairm. (Holorusius) 22
Perrieri Fairm. (Myiadola) 169
Perrieri Fairm. (Noemia) 10
persica Reitter 61
persicus Fald. (Stenoc.) 180
persicus Pic (Anagl.) 415
persicus Solsky (Seman.) 342
persimile Goun. 433
persimilis Chevr. (Demonax) 411
persimilis Gah. (Perissus) 375
personatum Goun. 113
personatus Er. 70
perspicillaris Er. 80
perspicillus Fischer 406
peruanus Er. 477
peruvianus Auriv. (Cosmopl.) 455
peruvianus Buq. (Aegoid.) 477
petalophora Fairm. 303
petasifer Fairm. 465

- petiolata Bates 281
 petiolatus Voet 490
 Peyroni Pic 371
Pfisteri Stierl. 53
 phacocera Bates 8
 phaëthusa White 315
 phiale Gah. 407
 Phidias Newm. 366
Phidias Gah. 365
 philippensis Newm. 125
 Philippi Germain 40
 phlyctaenioides Lacord. 143
 phoracanthoides White 113
phrygium Dan. 164
 phtthisica Bates 41
 phtthisica Goun. 99
 phtthisicus Klug 428
 phyllopus Buq. 312
picea F. (Gracilia) 130
picea Geoffr. (Strang.) 237
picea Newm. (Callidiopsis) 127
 piceonitens Fairm. 45
 piceus Broun (Gnomodes) 156
 piceus Laich. (Saphanus) 24
piceus Geoffr. (Cerambyx) 54
piceus Thoms. (Bardistus) 140
Pici Auriv. (Phymat.) 349
Pici Chob. (Leptura) 213
Pici Csiki (Rosalia) 329
 picicornis Thoms. (Sternac.) 451
picicornis Fairm. (Zoodes) 74
 picipennis Germ. 57
 picipes Bates (Gnomidolon) 106
 picipes F. (Euderes) 419
 picipes Waterh. (Dysmath.) 170
picipes Reitter (Aromia) 308
 picta Bates (Didymoc.) 116
 picta Fauv. (Semiopie) 126
 picta Ganglb. (Pseudopid.) 201
 picta Hald. (Centrod.) 167
 picta Pasc. (Earinis) 274
 picta Thoms. (Lymern.) 137
 picta Waterh. (Brachytria) 293
picta Drury (Cyllene) 385
picta Horn (Cyllene) 383
 picticollis Goun. 444
 picticornis Bates (Ochraethes) 386
 picticornis Bates (Oeme) 30
 picticornis Bates (Ophistomis) 247
 picticornis Bates (Scythroleus) 460
 picticornis Bates (Sphaenothec.) 472
 picticornis Blackb. (Maulia) 276
 picticornis Broun (Gastros.) 274
 picticornis Pasc. (Sternac.) 451
 picticornis Reitt. (Leptura) 215
 pictipennis Fairm. (Anisogaster) 121
 pictipennis Fairm. (Echarista) 176
 pictipes Newm. 65
 pictiventris Pasc. 368
 pictum Bates (Achryson) 40
 pictum Bates (Sphaerionillum) 102
 pictum Serv. (Gnomidolon) 106
 pictum Waterh. (Cridion) 63
 picturata Goun. 279
 pictus White (Phaedinus) 477
 pictus Voet (Euryphagus) 461
pictus Mäkl. (Evodinus) 185
 pileatus Jord. 405
picicollis C. G. Thoms. 338
picicornis F. (Cylindera) 120
picicornis Ol. (Anisog.) 121
pilifer Reitter 379
 pilifera Er. 100
 pilipennis Chevr. 442
 pilipes Kolbe 136
 piliventre Bates 310
 pilosa Er. (Eburia) 80
 pilosa Pasc. (Laod.) 71
 pilosa Reitter (Pronocera) 356
pilosa Pic (Cortodera) 198
pilosa Poda (Rosalia) 328
 pilosella Bates (Pysrassa) 101
 pilosella Bates (Stenaspis) 458
 pilosellus Chevr. 68
pilosicollis Thoms. 48
 pilosifrons Goun. 430
 pilosovittata Bates 65
 pilosum Lucas 63
 pilosus Bodungen (Hesperoph.) 67
 pilosus Forster (Chloroph.) 398
 pilosus Guér. (Pachyloc.) 289
 pilosus Pasc. (Ambeod.) 141
pilosus Goun. (Mecomet.) 395
 pinetorum Woll. 21
 pinguis J. Lec. 192
 pini Ol. 419
 pinicola Schaeffer (Acmaeops) 192
 pinicola Woll. (Oxypl.) 25
 Piperi Webb 253
 piperitum Bates 133
 placens Chevr. 394
 placida Pasc. 407
 plagiata Auriv. (Androemc) 33
 plagiata Blackb. (Porithodes) 94, 490
 plagiata Blackb. (Poritheia) 118
 plagiata Buq. (Prodontia) 457
 plagiata Hope (Rhagiom.) 149
 plagiata Waterh. (Stenaspis) 458
 plagiaticollis Fairm. 169
 plagiatum Burm. (Ibidion) 113
 plagiatum Gah. (Sisyrium) 117
 plagiatum Waterh. (Cridion) 63
 plagiatus Dalm. (Euporus) 320
 plagiatus Gah. (Dymasius) 60
 plagiatus Gah. (Pachylocerus) 289
 plagiatus White (Eriphus) 476
plagiatus Reiche (Molorehus) 267
plagiatus White (Piesarthrius) 145

- plagifera* J. Lec. 244
plana Perty 30
planatus Pasc. 411
planicolle Poll 302
planicoxis Bates 249
planifrons J. Lec. 373
platensis Chevr. 432
platifemur Chevr. 67
platycerus Fairm. 438
platypterus Westw. 454
platypus Gmel. 303
plebeja Rand. 244
plebejus F. (Stenocorus) 490
plebejus F. (Chlorophorus) 396
pleurostictum Bates 113
plicaticollis Quedf. 304
plicatulum Auriv. 315
plicatum J. Lec. 312
plicatum Bates 312
plicatus Jord. (Clonioph.) 314
plicatus Ol. (Hamatich.) 51
plicicollis Fairm. (Logist.) 172
plicicollis Germ. (Stizoc.) 99
plicicollis Sharp (Oemona) 116
plorator Pasc. 286
plumatus Fährs. 331
plumbea Goun. 99
plumicorne Drury 433
plumicornis Drapiez 434
plumifer Pasc. 289
plumiferum Voet 433
plumiger Ol. 333
plumipes Pallas 335
plumosa Thoms. 154
plutina Bates 304
podagricus White 392
podicale Thoms. 108
poecila Bates 279
poecilopoda White 287
poecilus Bates 470
Poeyi Chevr. 99
Poggei Har. 304
polita Bates (Melath.) 65
polita Pasc. (Pyrestes) 289
polita Waterh. (Coleox.) 65
politicollis Fairm. 174
politum White
politus Bates (Trachyd.) 480
politus Broun (Drotot.) 152
politus Pasc. (Coptoc.) 93
pollinosus Chevr. 386
polonicus Motsch. 20
polychromum Bates 107
polygenus Thoms. 394
polyzonoides Thoms. 317
polyzonum Bates 107
polyzonus Fairm. (Xylotr.) 366
polyzonus Pasc. (Demonax) 411
Popovi Mannerh. 359
populi Büttner 260
populnea Schröter 300
porcatus Weber 482
porifera Bates 80
poriferus Bates 320
porosa White 431
porphyrio Bates 324
porphyrogenitum Bates 312
porphyrophora Fairm. 221
portugallus Gmel. 401
porulosa Bates 80
postica Jord. (Idiocalla) 356
postica Pasc. (Apelocera) 420
postica White (Éburia) 80
posticalis Blackb. 90
posticeconnexa Pic 329
posticum Gah. 134
posticus Jord. 425
postulatus Thoms. 302
Potanini Ganglb. 241
Poweri Pasc. 288
praecana Chevr. 411
praecox Er. 127
praecursor Pasc. 411
praelonga Fairm. & Germain 143
praepes Voet 490
praetermissum Bates 105
praeterium Poll 315
praecusta Lameere (Rhaphuma) 407
praecusta F. (Grammopt.) 205
praecastum Reitter 167
praecastus F. (Phymatodes) 354
praecastus F. (Stenopterus) 264
prasinipenne Lucas 332
prasiniventre Goun. 332
prasinus White 317
pratensis Laich. 189
Pratti Gah. 465
pretiosa Péring. 303
pretiosus Fairm. (Closterom.) 324
pretiosus Newm. (Tomopt.) 285
priapica Thoms. 30
Priapus Thoms. 408
Preissi Heyd. 67
pretiosus Buq. 12
princeps Bates (Euryptera) 249
princeps Bates (Lissonotus) 484
princeps Blackb. (Tryphoch.) 91
principale Pasc. 315
principalis Dist. 95
prionoides Auriv. (Coelodon) 45
prionoides Gah. (Peithona) 159
probatus Gah. 57
proboscideus Fairm. 172
procerum Er. (Periboeum) 98
procerum Olliff (Ceresium) 124
procerum J. Lec. (Romaleum) 84
procerus A. Sem. (Asiates) 468
procerus Costa (Stenopt.) 265

- prociduum* Pasc. 26
productus J. Lec. (Crioceph.) 21
productus White (Merost.) 120
proletarius Er. 78
prolixa Bates (Athetesis) 453
prolixa Bates (Ommata) 280
prolixum Bates 310
prolixus Bates (Eriphus) 476
prolixus Fairm. (Xylotr.) 367
prolixus J. Lec. (Aneflus) 85
prolongata Reitter 329
prolongatus Pic 415
promecoides Pasc. 37
promissum Pasc. 315
pronus Fährs. 49
propinqua Bland 244
proprius Gah. 375
Proserpina Thoms. 107
protensus Bates (Stenosph.) 443
protensus J. Lec. (Aneflus) 85
Proteus Kirby (Acmaeops) 192
Proteus Kirby (Merium) 343
Proteus Germain 255
protogenus Newm. 411
protractus Bates 318
Provancheri Auriv. 223
Provosti Fairm. 313
proxima Cast. Gory (Cyllene) 385
proxima Say (Leptura) 223
proximus Berg (Trichoph.) 97
proximus Dupont (Trachyd.) 480
pruinosa Reitter 308
pruinosum Guér. 89
prinosus Fairm. (Icariotis) 174
pruinosus Kraatz (Plagionotus) 379
pruinosus Pasc. (Plocaederus) 50
Pryeri Pasc. (Distenia) 9
Pryeri Rits. (Pachyteria) 300
pseudocupes Fairm. & Germain 152
pseudomophlus Reitt. 199
pubera Say 223
puberula Fleut. & Sallé 120
puberulum Chevr. 86
puberulum Chevr. 68
pubescens F. (Strang.) 229
pubescens Hald. (Stromatium) 73
pubescens Pasc. (Coptocerc.) 93
pubescens Ol. (Genus?) 358
pubescens Ol. (Periboeum) 98
pubescens Blanch. (Phlyctaen.) 141
pubescens Hald. (Xylotrechus) 364
pubescens Payk. (Strang.) 230
pubescens Pic (Hesperoph.) 66
pubicollis Pasc. (Anubis) 318
pubicollis Pasc. (Aposites) 139
pubicollis Cast. & Gory (Isotom.) 406
pubicornis Goun. 65
pubipennis Bates (Ophist.) 247
pubipennis Pasc. (Melegena) 11
pubipennis White (Plocaederus) 49
pubiventris Jord. 305
pudivus Newm. 411
puella Newm. (Eburod.) 82
puella Pasc. (Merionoeda) 273
puellus Villa 341
pugnax Dohrn 196
pulchella Bates (Argyrod.) 435
pulchella Gah. (Hercod.) 96
pulchella White (Agap.) 141
pulohellum Lameere 108
pulchellus J. Lec. 471
pulcher Auriv. (Xylotr.) 366
pulcher Bates (Ironeus) 102
pulcher Blessig (Plagion.) 379
pulcher Buq. (Pteropl.) 455
pulcher Hope (Aphiorh.) 150
pulcherrimum Bates 433
pulcherrimus Bates (Cometes) 11
pulcherrimus Pasc. (Pytheus) 292
pulchra Bates (Cleozona) 420
pulchra Blackb. (Paphora) 118
pulchra Jord. (Xystroc.) 37
pulchra Waterh. (Glaucyct.) 437
pulchrina Reitt. 218
pulchrrior Bland 471
pullastra Pasc. 411
pulverea Chevr. 79
pulverulenta Guér. 431
pulverulentum Degeer (Romal.) 84
pulverulentum Hald. (Romal.) 84
pulverulentus Motsch. (Plagith.) 388
pulverulentus Ol. (Elaphid.) 87
pulverulentus Er. (Hesperoph.) 66
pulvillatus Karsch 388
pulvinata Reitter 56
pullus Newm. (Ambeodontus) 141
pullus Newm. (Cerambyx) 55
pumila Ganglb. (Cortod.) 199
pumila Schaller (Grammopt.) 204
pumilio Goun. 483
pumilum Newm. 88
punctata Donov. (Phorac.) 90
punctata Klug (Odontoc.) 281
punctata J. Lec. (Methia) 39
punctata Bates (Odontoc.) 281
punctata Goun. (Dihamm.) 430
punctata Kirby (Phorac.) 90
punctatissima Newm. 275
punctatofasciata Muls. 235
punctatamaculata Marsh. 209
punctatum F. (Genus?) 490
punctatum J. Lec. (Elaphid.) 88
punctatum Montrz. (Genus?) 358
punctatus Fald. (Evodinus) 187
punctatus Gah. (Arrhythmus) 122
punctatus Goun. (Oxymerus) 482
punctatus Jord. (Hospes) 322
punctatus J. Lec. (Crossidius) 471

punctatus F. (Ropalopus) 338
puncticolle Bates (Sphall.) 64
puncticolle Pasc. (Bethel.) 119
puncticollis Bates (Tylosis) 470
puncticollis Gestro (Closterom.) 324
puncticollis J. Lec. (Compsa) 109
puncticollis Muls. (Phymat.) 351
puncticollis Bates (Lissonotus) 484
puncticollis Dupont (Trachyd.) 479
puncticollis Rits. (Pachyteria) 300
punctiger Apfelb. 462
punctigerum Pasc. 316
punctipennis Blackb. (Tryphoch.) 91
punctipennis Gah. (Apiocceph.) 177
punctipennis Pasc. (Xuthod.) 77
punctipennis Quedf. (Micromet.) 176
punctipennis White (Cyrtionops) 7
punctipennis White (Eburodac.) 82
punctiventris Bates 441
punctomaculatus Pic 397
punctulata Bates (Chrysopras.) 441
punctulata Bates (Psyrassa) 101
punctulatum Blessig 16
punctulatus Gah. (Hamatich.) 51
punctulatus Thoms. (Rhopal.) 319
punctum Fairm. 121
punctuosus Geoffr. 338
punicea Newm. 278
pupa Chevr. 358
purpuratum Lameere 312
purpuratus Chevr. (Eriphus) 476
purpuratus White (Promeces) 323
purpuratus Germ. (Lisson.) 485
purpurea Perty 446
purpureipennis Waterh. 45
purpureipes Bates 320
purpureum Bates 165
purpuripennis Gah. (Plocaed.) 49
purpuripennis Muls. (Strang.) 232
purus Bates (Mecometopus) 394
purus Bates (Neoclytus) 393
pusilla Bates (Dihamm.) 430
pusilla Goun. (Odontoc.) 281
pusilla Chevr. (Methia) 39
pusilla Newm. (Methia) 39
pusillus Bates (Haruspex) 103
pusillus Cast. & Gory (Neoclyt.) 393
pusillus F. (Phymat.) 351
pusio Pasc. 264
pustulata Serv. 449
pustulatus Hope 141
pustulosa White 432
pustulosus Fairm. (Opsam.) 45
pustulosus Newm. (Phlyctaen.) 141
putator Peck 89
Putzycysi Chevr. 367
Puzilai Solsky 195
pygidialis Reitt. 197
pygmaea Newm. (Pempsam.) 293

pygmaea F. (Gracilia) 130
pygmaeum Ganglb. 163
pyrochroides Thoms. 288
pyrrha Bates (Leptura) 215
pyrrha Pasc. (Ipothalia) 326
pyrrhoderus Bates 362
pyrrhulus Bates 469
Pyrrhus Gah. 289

quadrata J. Lec. 227
quadraticollis Ganglb. 371
quadratipennis Bates 285
quadricolle Bates 316
quadricollis Fairm. (Ambagous) 131
quadricollis Gah. (Demonax) 411
quadricollis J. Lec. (Leptura) 223
quadricolor Cast. & Gory (Rha.) 408
quadricolor Gah. (Demonax) 411
quadricolor Scop. (Anaglyptus) 414
quadricostulatum Kraatz 22
quadridens F. (Eburodacrys) 82
quadridens Motsch. 423
quadridens F. (Amphidesmus) 454
quadridentatus Gah. (Homal.) 291
quadridentatus Gah. (Zoodes) 74
quadrifasciata L. (Strangalia) 238
quadrifasciata Bechst. (Strangal.) 240
quadrifasciata Poda (Strangalia) 233
quadrifasciata Rossi (Strangalia) 233
quadrifasciatus Chevr. (Mecom.) 394
quadrifasciatus Degeer (Clytus) 369
quadrifasciatus Schönh. (Olbius) 444
quadrifoveolatus Cabr. 111
quadrigeminata Say 80
quadriguttata Sharp (Didymoc.) 116
quadriguttata White (Compsa) 109
quadriguttata F. (Cortodera) 198
quadriguttatus Buq. (Anoplom.) 71
quadriguttatus Burm. (Eurym.) 40
quadriguttatus Ol. (Genus?) 490
quadriguttatus Swed. (Nyssicus) 96
quadri-lineata Burm. (Eburia) 80
quadri-lineata Chevr. (Cyphost.) 474
quadri-lineatus Mannerh. 23
quadri-llum J. Lec. 223
quadrimacula Voet 461
quadrimaculata L. (Eburia) 80
quadrimaculata L. (Pachyta) 184
quadrimaculata Poll (Aphnope) 155
quadrimaculata Blessig (Pachyta) 183
quadrimaculata Ol. (Eburia) 80
quadrimaculata Panzer (Eburia) 81
quadrimaculata Pic (Calchaen.) 466
quadrimaculata Ragusa (Rosalia) 329
quadrimaculata Scop. (Leptura) 225
quadrimaculatum Gah. (Ceres.) 24
quadrimaculatum Gah. (Criodion) 63
quadrimaculatus F. (Heterachtes) 111

quadrimaculatus Förster (Nyssic.) 96
quadrimaculatus Germ. (Chen.) 335
quadrimaculatus Hald. (Heter.) 111
quadrimaculatus Hald. (Xylotr.) 364
quadrimaculatus Dupont (Dendr.) 478
quadrimaculatus White (Agalliss.) 445
quadrimaculatus White (Polyz.) 317
quadrinodosus Fairm. 172
quadrinotata Gah. (Oemodana) 32
quadrinotata Latr. (Eburia) 80
quadrinotata Gmel. (Cortodera) 198
quadrinotatum Bates (Stenygr.) 120
quadrinotatum Thoms. (Phorm.) 108
quadrinotatum Bates (Platyarth.) 448
quadrinotatus Péring. (Agalept.) 325
quadrinotatus White (Purpuric.) 465
quadrinus Bates 96
quadrioculatus Schaller 482
quadripes Chev. 366
quadriplagiata Hintz (Antem.) 33
quadriplagiata J. Lec. (Compsa) 109
quadripunctata Thoms. (Dejan.) 254
quadripunctata Hald. (Leptura) 223
quadripunctata Reitt. (Rosalia) 329
quadripunctatus Buq. (Stiphilus) 486
quadripunctatus F. (Cerambyx) 490
quadripunctatus Lucas (Char.) 334
quadripunctatus F. (Chlorophor.) 399
quadripunctatus Geoffr. (Hylotr.) 340
quadripunctatus Schönh. (Chlor.) 398
quadripunctatus Schönh. (Evod.) 185
quadripustulata F. 239
quadripustulatus Goun. 103
quadriscopulatus Bates 455
quadrisignatum Bates (Sphaer.) 102
quadrisignatum Thoms. (Octopl.) 107
quadrisignatum Fährs. (Zamium) 25
quadrisignatus Buq. 485
quadrispinosus Blanch. (Oxyp.) 254
quadrispinosus Buq. (Metopoc.) 44
quadrispinosus Hald. (Chion) 76
quadristigma Goun. 40
quadrituberculatum Chev. 88
quadrivittata Gebl. (Cornumut.) 203
quadrivittata Schönh. (Acmaeops) 193
quadrivittatus Bates 472
quadrizona Fairm. 242
quagga Germ. 227
quatuordecimmaculatus Chev. 404
Queketti Dist. 9
quercus Götz (Stenocorus) 180
quercus Schaeff. (Xylotrechus) 364
quietus Newm. 151
quinaria Newm. 90
quincunx Thoms. 105
quinfasciatus Cast. & Gory 399
quinquemaculata Waterh. (Sagr.) 169
quinquemaculata F. (Eburia) 79
quinquemaculata Gmel. (Strang.) 235

quinquemaculatus Gebl. 397
quinquenotata Chev. 408
quinquepunctatus Bates (Axest.) 475
quinquepunctatus Lucas (Chlor.) 399
quinquepustulata Montrouz. 101
quinqesignata Fairm. (Pyrestes) 289
quinqesignata Küst. (Strangalia) 239

Raddei Blessig (Mallambyx) 46
Raddei Ganglb. (Paraclytus) 416
raddensis Pic 371
radiatum Pasc. 315
radiatus Haase 455
Raffrayi Fairm. (Helymaeus) 325
Raffrayi Fairm. (Myrmecoclyt.) 424
Raffrayi Fairm. (Trimeroderus) 114
Raffrayi Thoms. (Phylloen.) 303
ramalium Bedel 422
ramosa Goun. 101
ramulicola Goun. 280
ramulicorne Lacord. 486
rari-pila Bates (Eburod.) 83
rari-pila Pasc. (Anast.) 488
rari-pilum Newm. 125
ratchaensis Pic 213
raucum F. 490
ravidum Goun. 98
rectangulus Motsch. 362
rectilineum Bates 448
rectus Newm. 151
recurva Newm. 90
Redemanni Nonfr. 299
reductus Pic 185
regalis Bates (Strang.) 241
regalis Chev. (Plagion.) 380
regalis Dist. (Closterom.) 324
regalis Germain (Semnu.) 143
regina Pasc. 367
reginae Auriv. 367
regius Auriv. (Pachyd.) 57
regius F. (Dictator) 302
regularis Chev. (Neoclytus) 393
regularis Gah. (Xoanod.) 63
Reichei Dupont (Trachyd.) 40
Reichei J. Lec. (Euderes) 419
Reichei Auriv. (Rosalia) 329
Reichei Muls. (Brachypt.) 270
Reichei Thoms. (Plagion.) 377
Reichenowi Quedf. 367
Reinhardtii Auriv. 105
Reini Heyd. 183
Reitteri Ganglb. (Paracl.) 416
Reitteri Pic (Cortodera) 199
Reitteri Csiki (Rosalia) 329
Reitteri Théry (Clytus) 370
relictus Pasc. 56
remex Thoms. 303
remipes Bates (Mecomet.) 395

- remipes* Fairm. (Artelida) 171
remipes Thoms. (Phyllocn.) 303
Renardi Gebl. 215
resplendens Lansb. (Hypatium) 305
resplendens Newm. (Euporus) 320
retata Jacobs. 193
reticeps Bates 419
reticolle Bates 88
reticollis Gah. (Demonax) 411
reticollis Quedf. (Helym.) 325
retifer Lacord. 141
reticulata Bates (Apeloc.) 420
reticulata Jord. (Rhaphuma) 408
reticulatum Bates 433
reticulatus Fairm. (Anisog.) 121
reticulatus Jord. (Demonax) 411
reticulatus Jord. (Denticerus) 412
reticulatus F. (Evodinus) 186
revestita L. 230
Reyi L. Heyd. 213
rhamni Germ. 371
rhampygea L. 80
rhea Gah. 408
rhinoceros Bates 63
rhinotragoides Thoms. 395
rhodopus Bates (Trachyd.) 480
rhodopus J. Lec. (Strang.) 244
rhodoscelis Jord. 310
rhombifer Ol. 392
rhombifera Hope 92
Richardi Dupont 483
Richteri Bruch (Centrocerum) 89
Richteri Bruch (Trachyderes) 480
Richteri Fischer (Gonyac.) 485
rigida Say 30
rimosus Buq. 458
Riveti Goun. 395
rivulosus Germ. 482
robiniae Forst. 385
Roborowskii A. Sem. 160
robusta Gah. (Rhytid.) 62
robusta Jord. (Cumalt.) 304
robusta Sharp (Didymoc.) 116
robusta Germ. (Phorac.) 90
robusticollis Pic 464
robustior Blackb. (Paphora) 118
robustior Pic (Chloroph.) 401
robustum Bates (Aphrodisium) 302
robustum Bates (Sphallenum) 64
robustus Fairm. (Imer.) 143
robustus Jord. (Anisog.) 121
robustus Sharp (Plagith.) 388
Roei Hope (Tritocosmia) 149
Roei Hope (Coptocercus) 93
Rogersi Bates 80
Rojasi Sallé 44
Rollei Pic 423
Romanowskii Fleut. & Sallé 114
roridus Brullé 67
rosarum Costa 308
rosarum Lucas 308
Rostainei Buq. 455
Rosti Pic (Paraelytus) 416
Rosti Pic (Evodinus) 188
Rosti Pic (Cortodera) 199
Rosti Pic (Rhagium) 163
rostrata Bates 247
rostratus Bates (Anubis) 317
rostratus Waterh. (Logisticus) 172
Rothschildi Rits. 290
rotundicolle Pasc. (Ceresium) 125
retundicolle Serv. (Diplosch.) 43
rotundicollis Bates (Chrysopr.) 441
retundicollis Gah. (Erythrus) 290
rotundicollis Guér. (Anoplom.) 71
rotundicollis Lucas (Hesperoph.) 67
rotundicollis Pasc. (Neostenus) 138
rotundipennis Bates (Eburia) 80
rotundipennis White (Heteracht.) 111
ruatanus Bates 111
rubea Pasc. (Tritocosmia) 149
rubea Geoffr. (Strang.) 235
rubecula Bates 431
rubefactus Bates 395
rubella Bates (Ancylocera) 446
rubella Bates (Apelocera) 420
rubellata Reitt. 237
rubellum Bates 113
rubens Bates (Deltaspis) 459
rubens Casey (Sphaenoth.) 472
ruber Thoms. (Pelossus) 434
ruber Geoffr. (Purpurie.) 464
rubicunda Fairm. 171
rubida J. Lec. (Strang.) 244
rubida Serv. (Elaph.) 434
rubida Hald. (Centrod.) 167
rubidum J. Lec. 133
rubidus White 484
rubiginea Pasc. 139
rubiginosa Goun. (Eusapia) 72
rubiginosa Goun. (Ophistomis) 247
rubiginosus Thoms. 103
rubra Bates (Isthmiade) 283
rubra L. (Leptura) 215
rubra Thoms. (Alloeme) 32
rubra Geoffr. (Strang.) 231
rubra J. Lec. (Batyle) 475
rubra Newm. (Batyle) 475
rubra Sulz. (Stenoc.) 180
rubrica Say 223
rubricatum Goun. 113
rubriceps Blanch. (Platynoc.) 258
rubriceps Goun. (Gnomid.) 106
rubricolle Bates 438
rubricollis Bates (Ophist.) 247
rubricollis Cast. & Gory (Chlor.) 404
rubricollis Fairm. (Musius) 172
rubricollis Voet (Phymat.) 355

- rubricolor* Bates 106
rubricorne Serv. 278
rubriola Bates 221
rubripenne Hope 301
rubripennis Pic (Cortodera) 199
rubripennis M'Leay (Distichoc.) 287
rubripes Boisd. (Coptoc.) 93
rubripes Dupont (Trachyd.) 480
rubripes White (Trichox.) 382
rubripes Pic (Cortod.) 196
rubriventris Bates 459
rubrofemorata Pic 198
rubromaculata Goun. 65
rubronigra Thoms. 485
rubronigrum Goun. 113
rubrotestacea Ill. 216
rubroviolaceum Geoffr. 166
rubrum Leng 133
rufa Brullé (Leptura) 217
rufa Goun. (Sphecomorpha) 283
rufa Kraatz (Pseudos.) 200
rufa Goun. (Octoplon) 107
rufa Muls. (Leptura) 219
rufescens Gah. (Callichr.) 312
rufescens Kiesw. (Molorch.) 268
rufescens Nonfr. (Pyrassa) 101
frufescens Pasc. (Chloridolum) 315
rufescens Pasc. (Philus) 157
rufescens Cast. & Gory (Neocl.) 391
rufescens Pic (Plagion.) 378
rufibasis J. Lec. 244
ruficauda Goun. 103
ruficaudatum Thoms. 107
ruficeps Bates (Orthosch.) 332
ruficeps Fairm. (Noemia) 10
ruficeps J. Lec. (Strang.) 244
ruficolle Bates (Obrium) 133
ruficolle F. (Cartallum) 294
ruficolle Herbst (Rhamnus.) 166
ruficollis Bates (Callanicyla) 446
ruficollis Bates (Ommata) 280
ruficollis Chev. (Dihamm.) 430
ruficollis Gah. (Molorch.) 269
ruficollis J. Lec. (Callimus) 272
ruficollis Pasc. (Eurypt.) 249
ruficollis Pic (Macropid.) 200
ruficollis Say (Leptura) 223
ruficollis Waterh. (Pachyteria) 300
ruficollis Bedel (Chloroph.) 400
ruficollis Degeer (Acmaeops) 191
ruficollis Prov. (Strang.) 244
ruficollis Redt. (Aromia) 307
ruficollis Solsky (Gaurotes) 194
ruficornis Auriv. (Plocaed.) 49
ruficornis F. (Grammopt.) 204
ruficornis Chev. (Cordylom.) 95
ruficornis Ol. (Chloroph.) 399
ruficornis Newm. (Plocaed.) 50
ruficornis Pic (Anagl.) 415
ruficrus Gerst. (Eugoa) 302
ruficrus Schrank (Tetrop.) 19
ruficrus Scop. (Stenop.) 180
ruficoxis Bates 441
rufilius Bates 362
rufina Thoms. 283
rufipenne Motsch. 345
rufipennis J. Lec. (Elytrol.) 456
rufipennis Thoms. (Pluton.) 291
rufipennis Blessig (Strang.) 238
rufipennis Duf. (Leptidea) 262
rufipennis Gory (Hamatic.) 51
rufipennis Muls. (Leptura) 213
rufipennis Starck (Phymat.) 352
rufipes Bates (Gauresthes) 326
rufipes Bates (Stenosphenus) 443
rufipes Cast. & Gory (Cyllene) 385
rufipes F. (Phymatodes) 352
rufipes F. (Trachyderes) 480
rufipes Fährs. (Helym.) 325
rufipes Jord. (Mecos.) 304
rufipes Kolbe (Callichr.) 310
rufipes Pasc. (Ceresium) 125
rufipes Schaller (Leptura) 207
rufipes Bates (Cleoazona) 420
rufipes Bates (Distenia) 8
rufipes Costa (Phymat.) 354
rufipes Goeze (Grammopt.) 204
rufipes Gyllen. (Leptura) 208
rufipes Kraatz (Cortod.) 197
rufipes Motsch. (Rhagium) 162
rufipes Ol. (Trachyd.) 480
rufipes Pasc. (Ceresium) 124, 490
rufipes Pic (Saphan.) 24
rufispinis Bates 83
rufitarsis Chev. (Neocl.) 393
rufitarsis Waterh. (Polysch.) 297
rufithorax Auriv. (Temnopsis) 29
rufithorax Pic (Lemula) 168
rufithorax Auriv. (Phyllocnema) 303
rufithorax Pic (Pidonia) 200
rufiventer Philippi 256
rufiventre Germ. 332
rufiventris Bates (Epimelitta) 284
rufiventris Bates (Ophistomis) 248
rufiventris Gebl. (Leptura) 208
rufiventris Perroud (Apiog.) 425
rufiventris Germ. (Xylost.) 168
rufiventris Goun. (Trachelissa) 449
rufiventris Marsh. (Stenoc.) 180
rufiventris Muls. (Leptura) 219
rufiventris Tourn. (Leptura) 208
rufobrunnea Perr. 80
rufofemorata Auriv. (Acroc.) 412
rufofemorata Fairm. & Germain (Platynoc.) 258
rufofemorata Waterh. (Glaucyct.) 437
rufofemorata Goun. (Epimel.) 283
rufoflavida Fairm. 274

rufomaculata Fairm. 242
rufomarginata Muls. 231
rufopaca Reitt. 218
rufopicta Daniel 229
rufoscapus Auriv. (Temnopsis) 29
rufoscapus Auriv. (Derolus) 58
rufosericans Fairm. (Mastodod.) 170
rufosericans Fairm. (Myacopter.) 154
rufostigma Bates 459
rufotestacea Thoms. 439
rufovarium Auriv. 312
rufovarius Fairm. 418
rufovelutina Fairm. 170
rufovestitus Fairm. 437
rufovittatus Auriv. 374
rufula Fairm. (Scopanta) 174
rufula Goun. (Trumais) 41
rufula Hald. (Leptura) 224
rufulum Gah. (Obrium) 133
rufulum Hald. (Romaleum) 84
rufulum White (Aphat.) 109
rufum Lameere (Ceresium) 125
rufum Prell (Rhagium) 162
rufus L. (Stenopt.) 265
rufus Ol. (Neocl.) 393
rufus Saund. (Macrones) 153
rufus Scop. (Genus?) 490
rufus Voet (Genus?) 490
rufus Kraatz (Stenopt.) 265
rugatum Newm. 315
rugicolle Bates (Octopl.) 107
rugicolle Nonfr. (Gnomid.) 106
rugicolle Guér. (Callichr.) 313
rugicolle Quedf. (Callichr.) 310
rugicollis Bates (Odontoc.) 281
rugicollis F. (Cerambyx) 490
rugicollis Fairm. (Pyrestes) 289
rugicollis Guér. (Stizoc.) 99
rugicollis J. Lec. (Rhopaloph.) 431
rugicollis F. (Ancylocera) 446
rugipennis Newm. (Evodin.) 188
rugipennis Reitter (Rhagium) 165
rugiscapis Bates 8
rugosa Fairm. & Germ. (Platyn.) 258
rugosa Jord. (Mecos.) 304
rugosa Pasc. (Dictamn.) 126
rugosicollis Gah. (Pachyd.) 57
rugosicollis Rits. (Pachyteria) 300
rugosipenne Linell 272
rugosipennis Goun. (Trachel.) 449
rugosipennis Waterh. (Arrh.) 122
rugosum Auriv. 310
rugosus Lucas (Erythropl.) 277
rugosus Ol. (Hamatich.) 51
rugosus Broun (Pteropt.) 117
rugulicollis Bates 441
rugulipenne Fairm. 125
rugulosa Bates 305
rugulosus Broun 373

ruida Pasc. 119
rumelicus Apfelb. 271
ruricola Ol. (Chloroph.) 405
ruricola Gmel. (Chion) 76
rurigena Goun. 113
russa Fairm. 174
russica Pic 226
russicollis Chevr. 403
russicus F. (Seman.) 342
russicus Herbst (Evodin.) 186
russicus Steph. (Semen.) 342
russus Fairm. 173
rusticum Fährs. (Taurotagus) 45
rusticum Goun. (Ibidion) 113
rusticum J. Lec. (Elaphid.) 88
rusticum Burm. (Sphaerion) 97
rusticum Péring. (Zamium) 26
rusticus F. (Plocaederus) 50
rusticus Goun. (Hamatich.) 51
rusticus L. (Criocephalus) 21
rusticus L. (Xylotrechus) 362
rusticus F. (Chion) 76
rusticus Ganglb. (Hesperoph.) 67
rusticus Geoffr. (Chloroph.) 400
rusticus Müller (Chloroph.) 396
rusticus Schrank (Anagl.) 415
rusticus Woll. (Crioceph.) 21
rutha White 107
rutilans Bates (Criopros.) 458
rutilans J. Lec. (Batyle) 475
rutilipes Reitt. 197
rutilus Bates 99

Sacheri Wolfner 202
sagittaria Bates 65
sagittarius Gah. 404
sagittatus Germ. 364
Sahlbergi Auriv. (Sphagoeme) 31
Sahlbergi Auriv. (Tetroplon) 105
saigonensis Bates 317
salamis Thoms. 113
Salbachii Reitt. 225
salicis F. (Rhamnusium) 166
salicis Muls. (Necydalis) 260
salicis Schrank (Plagionotus) 377
Sallaei Bates (Distenia) 8
Sallaei Bates (Ommata) 280
Sallaei Bates (Ophistoma) 248
Sallaei Bates (Psyrrassa) 101
Sallei Buq. (Ancylocera) 446
Salomonum Auriv. 405
saltator Bates (Ophistomis) 248
saltator Kolbe (Calanthemis) 374
salutarius Pasc. 411
Salzmanni Hubenthal 216
sanguinea J. Lec. 224
sanguineum Fald. (Enoploderes) 165
sanguineum L. (Pyrrhidium) 346

- sanguineus Pasc. 423
 sanguinicollis Fairm. (Lingoria) 175
 sanguinicollis Fairm. (Noemia) 10
 sanguinicollis Horn (Ropalopus) 338
 sanguinicollis Ol. (Callimoxys) 270
sanguinicollis Chevr. (Molorchus) 269
sanguinicollis Germ. (Batyle) 475
sanguinicollis Goun. (Ceroptera) 447
sanguinicollis Serv. (Rhopaloph.) 431
 sanguinipennis Blessig (Asiates) 468
 sanguinipennis Lacord. (Phoen.) 460
 sanguinipes Bates (Coleoxestia) 65
 sanguinipes Goun. (Eburodaceys) 83
sanguinipes Chevr. (Cyllene) 384
 sanguiniventris Chevr. 474
 sanguinolenta Bates (Odontoc.) 281
 sanguinolenta L. (Leptura) 217
sanguinolenta Laich. (Leptura) 212
 sanguinolentus Ol. (Purpuric.) 465
sanguinolentus Burm. (Basiptera) 478
 sanguinosa Gyllenh. 202
 sansibarica Kolbe 95
 sansibaricus Gerst. 306
 Sanzi Reitter 158
 saperdina Bates 132
 sapphirina Goun. 441
 sapphirum Bates 312
Sappho Pasc. 365
 sarawakensis Thoms. 264
 sarta Solsky 47
 sartor Müller 399
 Sartorii Chevr. 364
Sattleri Bickhardt 216
 saturatus Kolbe 325
saucia Ganglb. (Leptura) 210
saucia J. Lec. (Strangalia) 243
saucia Muls. (Leptura) 209
 Saundersi Pasc. (Neostenus) 138
 Saundersi C. Waterh. (Oxymer.) 482
 Saundersi White (Crioprosopus) 458
 Saveni Fauv. 90
 saxosicolle Fairm. 302
Sayi Cast. & Gory 365
 scabra Kraatz 356
 scabricolle Bates (Elaphidion) 88
 scabricolle Nonfr. (Butherium) 64
 scabricollis Bates (Elytroleptus) 456
 scabricollis Nonfr. (Zonopterus) 299
scabricollis Chevr. (Cerambyx) 52
scabricollis Dalm. (Trachyderes) 479
scabricollis W. Redt. (Nothorh.) 17
 scabriusculus Thoms. 324
 scabrosum Goun. 106
 scalabrii Fairm. (Myiodola) 169
 scalabrii Fairm. (Pectoctenus) 22
 scalaris Brullé (Plagionotus) 379
 scalaris Pasc. (Anubis) 318
 scalaris Say (Strangalia) 244
 scambus Newm. 128
 scansor Goun. 111
 scapularis Bates (Cometes) 11
 scapularis Fairm. (Glaucytes) 437
 scapularis Fisch. (Plocaederus) 50
 scapularis L. Heyd. (Alosterna) 206
 scapularis Ol. (Lissonotus) 484
 scapularis Pasc. (Icariotis) 174
 scapularis Pasc. (Pyrestes) 289
scapularis Dupont (Trachyderes) 479
scapularis Mannerrh. (Evodinus) 188
scapularis Muls. (Leptura) 219
 scapulatus Fairm. 10
 scenicus Pasc. (Neoclytus) 393
 scenicus Pasc. (Xylotrechus) 366
 Schaefferi Laich. 183
 Schaiblei Nonfr. 466
Schalleri Gmel. 198
 Schaumi J. Lec. 182
Schmidti Ganglb. 267
 Schneideri Kiesw. 372
Schönfeldti Heyd. 464
 Schoenherri Fährs. 95
 Schoenigi Hintz 57
Schranki Laich. 166
Schubotzi Hintz 310
 Schulzi Bruch 30
 schwarzianum Casey 20
Schythei Philippi 257
 scitella Pasc. 273
 scitula Pasc. (Allotisis) 92
 scitula Pasc. (Glaucytes) 437
scitulum Pasc. 313
 scopifer Klug 334
 scopipes Klug 433
 scoparia Klug 284
Scopoliana Laich. 235
 Scopoli Füssl. 54
scopolina Sturm 236
 scopulicorne Kirby 433
 scotodes Bates 217
 scripta J. Lec. (Leptura) 224
scripta F. (Glaucytes) 436
 scriptus Dalm. (Chlorophorus) 405
scriptus Muls. (Anaglyptus) 413
scrutator Ol. 163
 sculpticolle Buq. 63
 sculpticollis Bates (Apelocera) 420
 sculpticollis Blackb. (Opsidota) 145
 sculptilis White 297
 scutata Goun. 430
 scutatus Fairm. 123
 scutellare Fairm. (Genus?) 358
 scutellare White (Mallosoma) 438
 scutellaris F. (Callidiopis) 127
 scutellaris Fairm. (Artelida) 171
 scutellaris Jord. (Griphapex) 325
 scutellaris Ol. (Neoclytus) 393
 scutellaris Pasc. (Agapanthida) 142

- scutellaris* Costa (*Oxypleurus*) 25
scutellaris Kraatz (*Stenocorus*) 181
scutellaris Ol. (*Ancylosternus*) 482
scutellata F. (*Leptura*) 217
scutellata Gah. (*Dolichaspis*) 304
scutellata Pic (*Rosalia*) 329
scutellatum Bates 40
scutellatus Gah. (*Perissus*) 375
scutellatus Hope (*Strongylurus*) 145
scutifer Voet 341
scytalicum Pasc. 315
seclusus Pasc. 404
 Sedakovi Mannerh. 239
sejuncta Goun. 430
sejunctus Goun. 111
selebensis Gestro 424
Sellae Kraatz 354
sellata J. Lec. 470
sellatus Buq. (*Eriphus*) 476
sellatus Hintz (*Xylotrechus*) 367
sellatus White (*Pteroplatus*) 455
sellatus Germ. (*Asiates*) 467
 Semenowi Ganglb. (*Strangalia*) 241
 Semenowi Jakowl. (*Cleroclytus*) 419
semicaligatus Fairm. & Germain 257
semicinctus Drapiez 185
semicircularis Bland 352
semiclathrata Chev. 408
semicolon Schrank 209
semicostatus Bates 474
semicrassa Pic 239
semicupreum Chev. 433
semicyanea Fairm. 122
semicyaneus Pic 271
semifemorata Chev. 31
semiflammea Goun. 280
semiflava Saund. 256
semiformosus Pic 404
semifulva Bates (*Ophistomis*) 248
semifulva Bates (*Phyllocnema*) 303
semifulvus Pic 187
semiianthina Fairm. 303
semiligneum Auriv. 310
semiignitum Chev. 302
semilimbata Pic 238
semilivida Pic 199
semilividum Pic 17
semiluctuosus White 411
semilunaris Fährs. 36
semilunatus Pic 185
semimarginata Rand. 189
seminitidum Horn 84
seminitidus Quedf. 321
seminigra Goun. (*Eburodacrys*) 83
seminigra Goun. (*Ommata*) 280
seminigra Goun. (*Protosphaerion*) 96
semiobscura Pic 201
semiobscurus Pic 178
semiopacus Fairm. 305
semiopacus Fairm. 321
semireducta Pic 330
semiruber Quedf. 367
semirubra Burm. 432
semirufula Kraatz 220
semirufum Bates 113
semirufus Fairm. (*Noemia*) 10
semirufus Kraatz (*Cleroclytus*) 419
semirufus Goun. (*Cyrenoderus*) 432
semirugosus Waterh. 94
semisanguinea Reitt. 215
semiscutellatus Chev. 410
semipolita Fairm. 110
semipubescens Fall (*Eburia*) 80
semipubescens Goun. (*Smodicum*) 12
semipubescens Thoms. (*Eburia*) 80
semipunctata F. 90
semipunctatus F. 406
semitestacea Pic 198
semitibialis Fairm. 123
semiusta Newm. 269
semivelutina Heller 302
semivitreus Pasc. 274
semivittata Kirby 224
semivittatum Bates 448
senegalensis Cast. & Gory (Plag.) 406
senegalensis Thoms. (*Ossibia*) 135
senegalensis Klug (*Xystrocera*) 37
senex J. Lec. (*Schizax*) 470
senex Bates (*Romaleum*) 84
senex Woll. (*Hesperophaeus*) 67
senilis F. 393
senio Newm. 93
separata Pic 199
septemguttata Blackb. 94
septempunctata F. 239
septensignata Küster 226
septentrionis C. G. Thoms. 190
sepulchralis Fairm. 221
Sequensi Reitt. 218
seriatoporus Fairm. 122
seriatus Kolbe 74
sericans Bates (*Pempteurys*) 420
sericans Er. (*Tessaromma*) 144
sericans Bates (*Compsa*) 110
sericans Lacord. (*Styliceps*) 78
sericata Bates (*Corennyss*) 288
sericata Pasc. (*Aphneope*) 155
sericata Newm. (*Mallocera*) 100
sericata Pasc. (*Cleonice*) 437
sericatulata Goun. 101
sericatus Bates (*Triacetelus*) 469
sericatus Pasc. (*Dymasius*) 60
sericatus Pasc. (*Styliceps*) 78
sericea Bates (*Euryptera*) 249
sericea Pasc. (*Otteissa*) 176
sericea Sallé (*Eburia*) 80
sericea White (*Eburilla*) 117
sericea Pic (*Strangalia*) 241

- sericella Ganglb. 260
 sericeovittata Waterh. 437
 sericeum F. (Callichroma) 312
sericeum Heyne (Callichroma) 312
 sericeus Auriv. (Closteromerus) 324
 sericeus F. (Hesperophanes) 67
 sericeus Guér. (Toxitiades) 173
 sericeus Saund. (Coloborhomb.) 298
sericeus Ol. (Stenocorus) 180
sericina White 282
 sericinus Bates 286
 sericus Newm. (Pachydissus) 57
 serius Newm. 98
serpentina Casey 228
 serratus M. Camer. 128
serratus americanus Voet 484
 serraticollis Linell 104
serraticornis Bertol. (Plocaederus) 49
serraticornis Rossi (Vesperus) 158
 serricornis Dalm. (Prophilus) 48
 serricornis Fairm. (Daramus) 23
 serricornis Gebl. (Apatophysis) 160
 serricornis Gebl. (Evodinus) 187
 serripes Bates 432
 Servillei Serv. (Crioprosopus) 458
Servillei Serv. (Gaurotus) 195
Servillei Serv. (Purpuricenus) 464
 servum White 45
 sesquivittatus Fairm. 172
 seticornis Bates (Ancylocera) 446
 seticornis Bates (Chrysoprasis) 441
setiger Sharp 120
 setigera Germ. 448
 setosum Germ. 64
 setulicollis Quedf. 304
setulosa Chev. 423
 severa Thoms. 304
 Severini Lameere 252
 severus Pasc. 56
sexcostata Thoms. 149
 sexfasciatus Ol. (Olbius) 444
 sexfasciatus Say (Dryobius) 35
 sexguttata F. (Leptura) 208
 sexguttata Lameere (Eburodac.) 83
 sexguttatum Serv. 113
 sexguttatus Adams (Paraclytus) 416
 sexguttatus Lucas (Chloroph.) 400
 sexguttatus Waterh. (Coccoderus) 44
 sexlineatum Buq. 448
 sexlineatus Bates 444
 sexmaculata Bates (Ectenessa) 41
 sexmaculata L. (Judolia) 226, 227
 sexmaculata Ol. (Eburodacrys) 83
sexmaculata F. (Judolia) 226
sexmaculata Leoni (Rosalia) 329
sexmaculata Reiche (Calchaen.) 466
sexmaculata Voet (Judolia) 225
 sexmaculatum Auriv. (Alloph.) 136
 sexmaculatum Buq. (Criodion) 63
 sexmaculatus Bates (Sternac.) 451
 sexmaculatus Buq. (Coccoderus) 44
 sexmaculatus Donov. (Clytus) 373
 sexmaculatus Motsch. (Chlor.) 400
sexmaculatus Companyo (Hesp.) 67
sexmaculatus Hope (Coloecoptus) 93
sexmaculatus White (Anubis) 318
 sexnotata Boh. (Eburia) 80
 sexnotata Chev. (Raphuma) 408
 sexnotata Hald. (Strangalia) 245
sexnotatus Thunb. 318
 sexpunctata F. (Hylomela) 325
sexpunctata Muls. (Judolia) 225
sexpunctatus Ol. 399
 sexsignatus Thoms. 111
 sexspilota J. Lec. 228
 sexualis Bates 478
 Sheepmakeri Rits. 300
 Shepherdi Pasc. 485
 siamensis Jord. (Clytosaurus) 408
 siamensis Nonfr. (Zegriodes) 62
siamensis Chev. (Xylotrechus) 365
 siamica Nonfr. 62
sibiricus Gebl. (Ropalopus) 337
sibiricus Gmel. (Polyzonus) 316
sibiricus Pic (Clytus) 370
 sicula Ganglb. 218
 sculus Stierl. (Ropalopus) 339
siculus Cast. & Gor. (Plagionotus) 380
 sideriger Fairm. 465
 sidus Newm. 269
 Sieversi Ganglb. (Apatophysis) 160
 Sieversi Ganglb. (Chloridolum) 315
 Sieversi Ganglb. (Xylotrechus) 363
 sigmoideus Bates 386
 signata Gah. (Raphuma) 408
 signata Pasc. (Prothema) 291
 signaticolle Blanch. (Grammic.) 72
 signaticolle Chev. (Elaphidion) 88
 signaticollis Buq. (Coremia) 335
 signaticollis Cast. & Gory (Chlor.) 400
 signaticollis Chev. (Dihamm.) 430
 signaticollis Dupont (Trachyd.) 480
 signaticollis Hope (Ptycholaem.) 447
 signaticollis Pasc. (Helymaeus) 325
 signaticollis Solsky (Ropalopus) 339
 signaticollis Thoms. (Heteracht.) 111
 signaticornis Lucas (Chariergus) 334
signaticornis Ganglb. (Strangal.) 203
 signatipenne Goun. (Bomarion) 111
 signatipenne Goun. (Protosphaer.) 96
 singatipennis Gah. (Chlorophor.) 404
signatipennis Daniel (Strangalia) 229
 signatum Serv. 113
 signatus Gyllen. (Trachyderes) 480
 signatus Geoffr. (Xylotrechus) 362
 signatus Panz. (Evodinus) 186
 signifer Fairm. (Anisogaster) 122
signifer Mars. (Clytus) 370

- signifera* Bates 201
signiferum Newm. 119
signiferus Pasc. 74
Silbermanni Lef. 217
silvestris Geoffr. 191
similare Thoms. 12
similaris Küster 353, 354
simile Gah. (*Ceresium*) 125
simile Kirby (Merium) 343
simile Schaeffer (*Elaphidion*) 88
similiguttata Chevr. 384
similis Gah. (*Apiogaster*) 425
similis Gah. (*Hypargyra*) 297
similis Jord. (*Euporus*) 320
similis Jord. (*Paroeme*) 31
similis Jord. (*Xystrocer*) 37
similis Kraatz (*Pseudopidonia*) 201
similis Pasc. (*Tetraommatus*) 28
similis Rits. (*Pachyteria*) 300
similis Gah. (*Aeolesthes*) 46
similis Herbst (*Strangalia*) 236
similis Kirby (*Strangalia*) 244
similis Marsh. (*Hylotrupes*) 340
simillima White 119
simillimus Kraatz 400
Simmondsi Dist. 252
Simoni Lameere 395
simplaria Heyd. 356
simplex Auriv. (*Unxia*) 334
simplex Bates (*Atenizus*) 31
simplex Bates (*Distenia*) 8
simplex Bates (*Lissonotus*) 485
simplex Blackb. (*Scoleoc.*) 146
simplex Gah. (*Gnatholea*) 74
simplex Gah. (*Thranis*) 263
simplex Har. (*Euporus*) 320
simplex Waterh. (*Logisticus*) 173
simplex White (*Gnomidolon*) 106
simplex White (*Mallocera*) 101
simplex White (*Odontocera*) 281
simplex White (*Oemona*) 116
simplex Goun. (*Hexoplon*) 105
simplex Gyllen. (*Ceresium*) 123
simplex Voeit (*Achryson*) 40
simplex White (*Diorthrus*) 56
simpliceps Broun 117
simplicicollis Hald. 84
simplicicollis Broun (*Oemona*) 116
simplicicollis Gah. 170
simplicicollis Sharp (*Plagithm.*) 388
simplicicollis Thoms. (*Ptychol.*) 447
simplicicornis Reitter 415
simplicior Bates 103
simplicipennis Dupont (*Trach.*) 480
simplicipennis Goun. (*Ectenessa*) 41
simplicipes Goun. 335
simplonica Fairm. (*Leptura*) 215
simplonica Stierl. (*Acmaeops*) 190
simulans Bates (*Phepsia*) 285
simulans Bates (*Pteroplatus*) 455
simulans Pasc. (*Uracanthus*) 147
simulans White (*Rhytidodera*) 62
simulator Goun. (*Erythroplatys*) 277
simulator Nonfr. (*Clytus*) 373
simulatrix Pasc. 304
simulatum Chevr. 310
Sinclairi White 152
sinense Fairm. (*Rhagium*) 165
sinense Hope (*Chelidonium*) 316
sinense Pic (*Callidium*) 345
sinensis Gah. (*Aeolesthes*) 47
sinensis Gah. (*Semanotus*) 342
sinensis Gah. (*Trachylophus*) 62
sinensis Nonfr. (*Spondylis*) 14
sinensis White (*Sternoplistes*) 466
singaporensis Thoms. 264
singularis Bates (*Diphyrama*) 421
singularis Fairm. (*Conopogaster*) 275
singularis Goun. (*Heteractes*) 111
singularis Jord. (*Euporus*) 320
singularis Kraatz (*Brachyelytus*) 374
sinica A. Sem. 160
sinicum White (*Ceresium*) 125
sinicum White (*Chelidonium*) 316
sinuata Newm. (*Strangalia*) 246
sinuata F. (*Strangalia*) 236
sinuatocolle Thoms. 310
Sipalisi Goun. 113
sirexoides Reitter 260
Sjöstedti Auriv. 310
Skottsbergi Auriv. 343
Sladeni Gah. 97
Sloanei Blackb. 434
smaragdina Bates (*Ommata*) 279
smaragdina Naezen (*Acmaeops*) 190
smaragdula F. (*Acmaeops*) 190
smaragdula Zett. (*Acmaeops*) 190
Smeei White 366
Smei Csát. & Gory 366
Smithi Bates (*Hexoplon*) 105
Smithi Bates (*Neoclytus*) 393
sobrina Bates (*Chrysoprasis*) 441
sobrina Goun. (*Neceme*) 29
sobrinus Cast. & Gory 393
sobrius Newm. 444
socia Gah. 126
socius Gah. (*Chlorophorus*) 404
socius Gah. (*Lachnopterus*) 61
socius Jord. (*Callichroma*) 310
socius Jord. (*Xylotrechus*) 367
solida Bates (*Necydalis*) 260
solida Blackb. (*Trypocharia*) 91
solidicornis Bates 395
Solieri Dupont (*Trachyderes*) 479
Solieri Germ. (*Vesperis*) 158
solitaria Say (*Stenaspis*) 458
solitaria Hald. (*Strangalia*) 245
solitarius Goun. (*Haruspex*) 103

- solitarius Pasc. (Clytus) 373
 solitarius Sharp (Plagithmysus) 388
 Solskyi Kraatz 187
 solstitialis Herbst 206
 somalicus Gah. 58
 Sommeri Chev. (Ochraethes) 386
 Sommeri Gah. (Criodion) 63
 Sommeri Thoms. (Compsa) 110
 sonorensis Schaeffer 76
 sordida Burm. (Eburia) 80
 sordida Er. (Paramalocera) 100
 sordida Newm. (Rhagiomorpha) 149
 sordidus Pasc. 56
 soror Goun. (Odontocera) 281
 soro J. Lec. (Strangalia) 244
 sospitalis Pasc. 411
 spadicea Payk. (Pachyta) 184
 spadicea Schilsky (Aemaeops) 189
 spadiceum Gah. 64
 spadiceus Dalm. (Lissonotus) 485
 spadiceus Dupont (Trachyderes) 478
 sparsa J. Lec. 246
 sparsum Blackb. 117
 sparsus Reitter 396
 speciosa Pasc. (Pachyteria) 300
 speciosa Péring. (Phyllocnema) 303
 speciosa Blanch. (Eburia) 80
 speciosissima Gerst. 298
 speciosum Gory 310
 speciosus Adams (Plagionotus) 380
 speciosus Dalm. (Oxyprosopus) 318
 speciosus Goun. (Coccoderus) 44
 speciosus Klug (Closteropus) 319
 speciosus Quedf. (Nothopygus) 321
 speciosus Say (Glycobioides) 380
 speciosus Schneid. (Isotomus) 406
 speciosus Voet (Batus) 452
 spectabile Voet 312
 spectabilis Gestro (Bottegia) 262
 spectabilis Kraatz (Pseudosiev.) 200
 spectabilis Motsch. (Sternopl.) 466
 speculifer Sharp 389
 speculiferum Gory 434
 Spencei Cast. 450
 Spencei Hope (Tragocerus) 487
 Spencei Kirby (Tropidosoma) 450
 sphaericollis Chev. (Oedenoder.) 358
 sphaericollis J. Lec. (Scaphinus) 15
 sphaericollis Say (Leptura) 224
 sphaeriinum Bates 113
 sphaerioninus Bates 96
 sphinx Dohrn 321
 spiloderes Jord. 374
 spinicollis Bates (Malloccera) 101
 spinicollis Bates (Trachyderes) 480
 spinicollis Pasc. (Ectinope) 117
 spinicollis Pasc. (Pachyteria) 301
 spinicollis Woll. 25
 spinicorne Blackb. (Bethelium) 119
 spinicorne Drury (Elaphidion) 88
 spinicorne Fairm. (Elaphidion) 88
 spinicorne Ol. (Plectrocerum) 445
 spinicornis Abeille (Ropalopus) 339
 spinicornis Chev. (Apelocera) 420
 spinicornis F. (Cordylomera) 95
 spinicornis F. (Plocaederus) 49
 spinicornis Newm. (Demonax) 411
 spinicornis Newm. (Hoplocer.) 56
 spinicornis Gebl. (Apatophysis) 160
 spinicornis Gebl. (Evodinus) 187
 spinicrus Fairm. 169
 spinifera Newm. 385
 spinigera Blanch. 98
 spinipenne Thoms. 113
 spinipennis Bates (Ceragenia) 453
 spinipennis Blackb. (Neostenus) 138
 spinipennis Buq. (Eurymerus) 40
 spinipennis Fairm. (Acanthopt.) 188
 spinipennis Fairm. (Logisticus) 173
 spinipennis Serv. (Coleoxestia) 65
 spinipennis Chev. (Apelocera) 420
 spinipennis Lacord. (Thranus) 263
 Spinolae Friv. 167
 spinosa Auriv. (Chlorida) 77
 spinosa Bates (Distenia) 8
 spinosa Guér. (Pteracantha) 451
 spinosa Degeer (Chlorida) 77
 spinosae Schrank 352
 spinosula Muls. 198
 spinosulus Muls. 400
 spinosus Brongn. (Zatrephus) 62
 spinosus Fauv. (Strongylurus) 146
 spinosus Redt. (Blosyropus) 176
 spinosus F. (Saphanus) 24
 spinosus Goeze (Hamaticherus) 51
 Spixi Cast. & Gory 380
 splendens Bates (Distenia) 8
 splendens Jakowl. (Gaurotus) 193
 splendens Laich. (Stenocorus) 180
 splendens J. Lec. (Crioprosopus) 458
 splendida Herbst 205
 splendidum Gah. (Hypatium) 305
 splendidum J. Lec. (Callichroma) 312
 splendidus Chev. 323
 Splichali Fleischer 398
 spurcum J. Lec. 88
 spurcus J. Lec. 188
 spuria J. Lec. 192
 spurius Jord. 58
 squalida Thoms. 110
 squallida Scop. 490
 Stahli Auriv. 83
 staphylinus Serv. 285
 Starcki Ganglb. (Hybometopia) 23
 Starcki Ganglb. (Saphanus) 24
 Starcki Reitt. (Cortodera) 199
 Starcki Schilsky (Leptura) 213
 Staudingeri Pic 201

- Stebbingi Gah. 366
 stenochioides Thoms. 26
 stenocylindrus Fairm. 417
 stenothyreus Pasc. 368
 sternalis Gah. 290
Sterni Kraatz 370
 Steveni Sperk 211
 Stevensi Pasc. 10
 sthenias Bates (Psyrrasa) 101
sthenias Bates (Chrysoprasis) 440
 stictica Broun (Navomorpha) 488
stictica Newm. (Leptura) 223
 sticticollis Bates 83
Stierlini Tourn. 406
 stigma L. (Megaderus) 486
 stigma Ol. (Eburia) 80
stigma Panzer (Megaderus) 487
 stigmatica Chevr. 81
 stigmatipennis Fairm. (Aphel.) 175
 stigmatipennis White (Gnatholea) 74
 stigmosum Pasc. 117
 stillatus Auriv. 393
 stragulata Germ. (Leptura) 218
stragulata Charp. (Leptura) 219
 stramineus Lacord. 108
 strangaliodes Pasc. 411
 strangulata Horn 30
 strangulatus Serv. 320
 Straussi Webb 224
 strepens F. (Vesperus) 158
strepens F. (Stromatium) 73
striata Ol. 453
 striatocolle White 107
 striatum L. (Asemum) 16
striatum Kirby (Asemum) 15
striatum Laich. (Asemum) 16
 striatus F. (Trachyderes) 480
 striatus Voet (Cerambyx) 490
striatus Voet (Toxotus) 178
 stricticollis Fairm. 242
 strigatus Dupont 480
 strigicollis Jakowl. (Cleroclytus) 419
 strigicollis Kolbe (Mecosaspis) 304
strigicollis Dalm. (Derolus) 58
strigicollis Kolbe (Plocacderus) 49
strigilata F. 189
 strigipennis Westw. 142
 strigosa Auriv. (Dolichaspis) 304
 strigosa Newm. (Strangalia) 245
 strigosus Guér. (Cosmocerus) 452
 strigosus Gyllen. (Hypoescrus) 27
 strigosus Pasc. (Uracanthus) 147
strigosus Gmel. (Chlorophorus) 402
strigosus Gmel. (Trachyderes) 480
strigosus Pasc. (Dymasius) 60
strigosus Thoms. (Zymasius) 60
 striicollis Fairm. 148
striolatus Gebl. 188
 strumosa Pasc. (Pachyteria) 301
 strumosa Pasc. (Tethionea) 126
stuposus Gyllen. 157
 stygium Pasc. 177
 suaveolens Redt. 326
 suavis Bates 282
 subaenea J. Lec. 192
subaffinis White 82
subangulata Chevr. 442
 subapicalis Pic (Anaglyptus) 415
subapicalis Reitter (Stenocorus) 181
 subargentata Kirby 244
 subauratus Gah. 45
 subaurea Pasc. 293
 subaureus Jord. 58
 subbasale Kolbe 310
 subclavatus Pasc. 153
 subcostata Fall 244
 subcostatum Fairm. 358
 subcruciatum White 113
 subcruciatum White 374
 subcrucifer Pic 363
subcyanea J. Lec. 192
 subcylindricum Thoms. 12
 subcylindricus Fairm. 23
 subdepressum Schaeffer 88
 subdepressus Chevr. 366
 subditus Chevr. 366
 subburneum White 106
 suberis Chab. 219
 subfasciata Fairm. 11
 subfasciatum Gah. 88
 subfasciatus Dupont (Trachyd.) 480
 subfasciatus Gah. (Placodes) 70
 subfasciatus Germ. (Tragocerus) 487
 subfasciatus Pic (Analyptus) 415
subfasciellus White 355
 subhamata Rand. 244
subhumeralis Pic 266
 subimpressus Pic 415
 sublaevicollis Bates 444
 sublineata Broun. (Oemona) 116
 sublineata J. Lec. (Centrodera) 167
 sublineata White (Didymoc.) 116
sublineata Hald. (Acmaeops) 192
sublineata Muls. (Leptura) 219
sublineatum Pasc. 140
 sublineatus Fairm. 149
 submaculata White 104
submaculatus Lameere 111
 submetallicum Blanch. 343
subnitescens Goun. 311
subnotata Pic 202
 subnotatus Pic 465
 subnuda Lacord. 74
 subopaca Bates 41
 subpilosa J. Lec. 192
 subpilosus Bates (Trachyderes) 480
 subpilosus Nonfr. (Zoodes) 74
 subpubescens J. Lec. (Elaphid.) 88

- subpubescens* Schaeffer (Brothyl.) 76
subpubescens Kirby (Leptura) 223
subscutellaris Pic 234
subscutellatus Chev. 367
subseriatum Bates 88
subseriatus Newm. 55
subsignata Pic 229
subspinosa F. (Strangalia) 235
subspinosa Ol. (Strangalia) 235
subspinosa Panz. (Strangalia) 236
substriatum Hald. 15
subsulcatum Motsch. 16
subsulcatus Fairm. 174
subtilis Bates (Stenosphenus) 444
subtilis Bates (Strangalia) 239
subtruncatus Bates 317
subuniformis Pic 363
subulata Pasc. 273
subustus Fairm. 173
subvestita Bates (Mecosaspis) 304
subvestita White (Phygopoda) 284
subvirescens White 433
subvittata Reitt. 207
subvittatus Casey (Anthophyl.) 195
subvittatus Reitter (Stenocorus) 181
subvittatus Reitter (Toxotus) 178
succedanea Lewis 219
succincta Bates 248
succinctus Dupont (Trachyderes) 481
succinctus L. (Trachyderes) 480
succinctus Latr. (Trachyderes) 479
succineum Pasc. 25
sudeticus Richter 24
sulcata F. (Navomorpha) 489
sulcata Sulzer (Chlorida) 77
sulcatulum White 310
sulcatus Brongn. (Pachyl.) 289
sulcatus Burm. (Trachyderes) 481
sulcicollis Bates (Hemilissa) 104
sulcicollis Gah. (Margites) 59
sulcicorne White 113
sulcicornis Germain 68
sulcifrons Fairm. (Hornius) 251
sulcifrons Jord. (Margites) 59
sulcipennis Bates (Ephies) 249
sulcipennis Gah. (Lyramela) 26
sulfureicauda Goun. 281
sulfureus Muls. 397
sulfurifera Goun. 83
sulphurata Fairm. 169
sulphuratus Voet 343
sulphureosignata Er. 81
sulphurescens Sharp 389
sulphureus Schaum 397
sulphurifer Chev. 382
sumatrana Nonfr. 273
sumatrensis Cast. & Gory 404
sumatrensis Gah. (Strangalia) 242
sumatrensis Gah. (Thranius) 263
sumbavae Auriv. 405
superans Pasc. 91
superba Auriv. (Euchitonina) 299
superba Auriv. (Stenaspis) 458
superba Brongn. (Pavicia) 460
superba Ganglb. (Gaurotina) 193
superba Gestro (Pachyteria) 301
superba Newm. (Stenaspis) 458
superba Poll (Distichocera) 287
superbum Auriv. (Chloridolum) 315
superbum Auriv. (Orthoschema) 332
superbum Auriv. (Sphallenum) 64
superbus Lameere 321
surinamense Ol. 40
surinamensis Voet 490
surinamum L. 40
suspecta Rits. 299
suturale Auriv. (Hypatium) 305
suturale White (Ibidion) 113
suturale F. (Callichroma) 311
suturalis Bates (Distenia) 8
suturalis Bates (Stenosphenus) 444
suturalis Buq. (Pteroplatus) 455
suturalis Chev. (Cordylomera) 95
suturalis Gah. (Psathyrus) 32
suturalis Gah. (Rhaphuma) 408
suturalis Gory (Coleoxestia) 65
suturalis Har. (Closteromerus) 324
suturalis Lameere (Chrysoprasis) 441
suturalis J. Lec. (Crossidius) 472
suturalis J. Lec. (Sphaenothecus) 172
suturalis Ol. (Euryseelis) 389
suturalis Ol. (Stenoderus) 151
suturalis Pasc. (Glaucytes) 437
suturalis Pasc. (Stizocera) 99
suturalis Péring. (Litopus) 321
suturalis Perty (Psygnatoecerus) 43
suturalis Pic (Asiates) 468
suturalis Say (Batyle) 475
suturalis Waterh. (Logisticus) 173
suturalis White (Tylosis) 470
suturalis Fr. (Cortodera) 198
suturalis Goun. (Haruspex) 103
suturalis Jord. (Alloeme) 32
suturalis Muls. (Acmaeops) 189
suturalis Ol. (Pidonia) 200
suturalis Perty (Coleoxestia) 64
suturalis Serv. (Rhinotragus) 277
suturalis White (Batyle) 475
sutura nigra Degeer 237
suturata Reiche 239
suturella White 441
suturifera Reitt. 197
Suvurovi Baeckm. 201
Suvorovi Reitter 181
suaveolens L. 312
Swiestrae Poll 154
sycophanta Schrank 163
sylphis Bates 111

- sylvarum* Bates 105
sylvaticus Hintz 406
synonyma Newm. 90
syriaca Pic (Cortodera) 199
syriaca Pic (Strangalia) 239
syriaca Pic (Rosalia) 329
syriacum Pic (Callidium) 344
syriacum Pic (Rhagium) 164
syriacus Pic (Isotomus) 407
syriacus Reitter (Criocephalus) 22
syriacus Chev. (Alocerus) 17
syriacus Pic (Phymatodes) 352
syriacus Pic (Stenopterus) 266
syriacus Théry (Hylotrupes) 341
- tabacicolor* Degeer 206
tabidus Klug (Chariergus) 334
tabidus Pasc. (Syllitus) 151
tabidus Pasc. (Tetraommatus) 28
tabidus White (Chariergus) 334
taeniata Pasc. (Omophaena) 293
taeniata Serv. (Temnopsis) 29
taeniatum J. Lec. 84
taeniatus Germ. 479
talyschensis Reitter (Purpuric.) 463
talyschensis Reitt. (Alosterna) 206
tangeriana Tourn. (Leptura) 219
tangeriana L. Heyd. (Leptura) 219
tapajonus Bates 393
taprobanica Gah. 273
taprobanicus Gah. (Doesus) 156
taprobanicus Gah. (Molorchus) 269
Tardifi Michard 450
Tarnieri Bates 332
tasmanica Gah. 118
tataricus Gebl. (Stenocorus) 181
tataricus Gebl. (Plocaederus) 50
Tatei Blackb. (Atesta) 92
Tatei Blackb. (Pachydissus) 57
tauricola Pic 198
taurusiensis Pic 401
taygetana Daniel 231
telephorina Bates 277
telephoroides Lameere (Kunbir) 273
telephoroides Pasc. (Doesus) 156
telephoroides Westw. (Callichr.) 327
tectum J. Lec. 88
temera Jord. 374
temesiensis Germ. 371
Temmincki Guér. (Sternoplistes) 466
Temmincki Matsum. (Sternopl.) 466
Templetoni Pasc. 61
tenebricosa Ol. 429
tenebrosa F. 429
tenebrosus Fairm. (Penthoc.) 175
tenebrosus J. Lec. (Anthophylax) 195
tenella Pasc. 276
tenellum Burm. 113
tenellus Bates (Euporus) 320
tenellus F. (Malacopterus) 35
teniensis Pic 234
tenuata Bates 110
tenuatum Bates 315
tenuatus Serv. 432
tenue J. Lec. 88
tenuelineatus Fairm. 176
tenuicorne Bates (Orthoschema) 332
tenuicorne Kraatz (Asemum) 17
tenuicornis Fall (Lianema) 130
tenuicornis Motsch. (Strangalia) 239
tenuicornis Fairm. (Chlorophor.) 396
tenuicornis Hald. (Leptura) 221
tenuicornis Pasc. (Dialeges) 61
tenuior Kirby 246
tenuipes Fairm. (Icariotis) 174
tenuipes Fairm. (Leontium) 315
tenuipes Hald. (Tessaropa) 39
tenuipes W. Saund. (Psilom.) 148
tenuis Bates (Closteromerus) 324
tenuis Blanch. (Callideriphus) 444
tenuis Burm. (Ommata) 279
tenuis Chev. (Rhopalophora) 431
tenuis Duviv. (Derolus) 58
tenuis Fairm. (Minutius) 122
tenuis Jord. (Calanthemis) 374
tenuis Jord. (Eulitopus) 321
tenuis Poll (Zoedia) 155
tenuis Solsky (Strangalomorpha) 203
tenuiscriptus Fall 393
tenuispinosus Pasc. 411
tenuissima Bates 110
tenuitarsis Pasc. 70
terebrans Newm. 119
terminalis White 442
terminans F. 363
terminata Buq. 446
terminatum Perr. 98
terminatus Buq. (Oxilus) 138
terminatus Pasc. (Syllitus) 151
ternatensis Fairm. 47
tessellata Auriv. 27
tessellatum Newm. 87
tesserula Charp. 219
testacea Buq. (Cordylomera) 95
testacera Gah. (Sebasmia) 61
testacea Jord. (Delagoa) 123
testacea Scop. (Genus?) 490
testacea L. (Leptura) 216
testacea Motsch. (Alosterna) 207
testaceicornis Fairm. & Germain 421
testaceipenne Pic (Rhamnusium) 167
testaceipenne Rits. (Callichroma) 313
testaceipes Fairm. (Mastododera) 170
testaceipes Fairm. & Germain
 (Callisphyrus) 257
testaceipes Pic (Cortodera) 197
testaceiventris Fairm. 325

- testaceofasciata* Degeer 226
testaceum Gah. (Criodion) 63
testaceum Pic (Rhamnusium) 166
testaceus Blanch. (Chenoderus) 335
testaceus Broun (Ophryops) 142
testaceus Dupont (Trachyderes) 481
testaceus Fairm. (Icariotis) 174
testaceus Gah. (Lygrus) 33
testaceus Gah. (Pseudophilus) 69
testaceus Hope (Demonax) 411
testaceus L. (Phymatodes) 352
testaceus J. Lec. (Crossidius) 472
testaceus J. Lec. (Haplidus) 31
testaceus Newm. (Tritomacrus) 132
testaceus Pasc. (Tetraommatus) 28
testaceus Dupont (Dendrobias) 478
testaceus Gredl. (Toxotus) 178
testaceus Jacobs. (Phymatodes) 355
testaceus Ol. (Dorcasomus) 251
Tethys Thoms. 113
tetraspilotus Hope (Polyzonus) 317
tetraspilotus White (Lissonotus) 485
tetrastalacta White 81
tetrops Bates (Octoplon) 107
tetrops Newm. (Skeletodes) 94
texana Schaeffer (Idoemea) 38
texana Schaeffer (Pysrassa) 101
textilis Thoms. 110
textor Pasc. 47
textoria Newm. 489
thalassina Schrank 194
thalassinum Thoms. 315
thaliodes Bates 315
Thea Reitter 308
Theorini Auriv. 454
Thersae Pic 407
Theryi Pic 404
thibetana Blanch. 242
thibetanus Pic 185
Thirki Küst. 53
Thomae Gah. 88
thomensis Auriv. (Calanthemis) 374
thomensis Auriv. (Closteromerus) 324
thomsonella White 287
Thomsoni Chabrill. (Praxitheia) 43
Thomsoni Har. (Carinoclytus) 367
Thomsoni Pasc. (Chloridolum) 315
Thomsoni Chabr. (Ibidion) 112
thoracica Bates (Ommata) 280
thoracica Blackb. (Nenia) 276
thoracica Chevr. (Dihammaph.) 430
thoracica Creutz. (Strangalia) 239
thoracica Fleut. & Sallé (Ophis.) 248
thoracica Hald. (Aemacops) 192
thoracica Poll (Brachytria) 293
thoracica White (Deltaspis) 459
thoracica White (Dere) 426
thoracica White (Eburia) 81
thoracica Fischer (Aromia) 308
thoracica Redt. (Ctenodes) 451
thoracica Waterh. (Plectogaster) 252
thoracicum Sharp (Cartallum) 294
thoracicum White (Octoplon) 107
thoracicum White (Mallosoma) 439
thoracicus Donovan. (Aridaeus) 438
thoracicus Fairm. (Aedoeus) 171
thoracicus Ol. (Trachyderes) 481
thoracicus Pasc. (Strongylurus) 146
thoracicus White (Crioprosopus) 458
thoracicus Chevr. (Callinus) 271
thoracicus Comolli (Phymatodes) 351
thyrsochorus Burm. 333
tibetanus Sharp 22
tibialis Fairm. (Mastododera) 170
tibialis Kraatz 205
tibialis J. Lec. (Leptura) 224
tibialis Pasc. (Noserius) 27
tibialis Rits. (Coloborhombus) 298
tibialis J. Friv. (Strangalia) 237
tibialis Mars. (Cortodera) 196
tillides Newm. (Pempsamacra) 293
tillides Pasc. (Ipomoria) 422
tillomorphoides Pasc. 136
timida Ménétr. (Penichroa) 129
timida Scop. (Pachyta) 184
timoriensis Jord. 438
tinctus Blackb. 422
tipularius Pasc. 411
Tisiphone Thoms. 113
Titania Bates 434
Tixieri Pic 404
tjanshanicum Semen. 20
tnesisternoides Lacord. 144
T-nigrum Jord. 405
togonica Hintz 37
tomentosa Gebl. (Apatophysis) 160
tomentosa F. (Leptura) 214
tomentosum Lucas (Icosium) 42
tomentosum Serv. (Criodion) 63
tomentosum Chevr. (Elaphidion) 87, 88
tomentosus Chevr. (Ochraethes) 386
tomentosus Dupont (Sphaenoth.) 472
tomentosus Lucas (Hesperophan.) 67
tonkinensis Fairm. 291
tonkineus Fairm. (Chlorophorus) 404
tonkineus Fairm. (Cyrtonops) 7
tonsa Daniel 219
torquata Chevr. 432
torquatus Dalm. (Euporus) 320
torquatus J. Lec. (Neoclytus) 393
torquilla Pasc. 404
torrida Pasc. (Nyphasia) 95
torrida Ol. 95
torridus Pasc. 289
torticolle Bates 64
Tournieri Pic 199
Townsendi Linell 113
toxotoides Chevr. 160

- trachyderoides* Thoms. 75
tragocephaloides Thoms. 468
tranquebaricum Gmel. 73
transilis Bates 411
translucidum Fauv. 135
transsylvanica Csiki (Judalia) 225
transsylvanica Csiki (Rosalia) 329
transversale Chevr. (Mallosoma) 439
transversale Kolbe (Philematium) 306
transversalis Auriv. (Demonax) 411
transversalis Brême (Pteroplatus) 455
transversalis Buq. (Chlorida) 77
transversalis Dupont (Trachyd.) 481
transversalis Fairm. (Mastodod.) 170
transversalis Fairm. & Germ. (Callideriphus) 444
transversum White 88
transversus Fairm. 122
tredecimmaculatus Chevr. 401
triangularis Auriv. (Phylloen.) 303
triangularis Cast. & Gory (Mec.) 395
triangularis Hope (Uracanthus) 147
triangularis Pasc. (Zoedia) 155
triangulifera Reitt. 213
triangulimacula A. Costa 370
triangulum Belon 70
tribalteata J. Lec. 228
tricolor Blackb. (Bethelium) 119
tricolor Chevr. (Anthoboscus) 387
tricolor Fairm. (Chenoderus) 335
tricolor Goun. (Stizocera) 99
tricolor Guér. (Apiogaster) 425
tricolor Jord. (Callichroma) 311
tricolor Jord. (Cloniophorus) 314
tricolor Jord. (Eximia) 322
tricolor Newm. (Niræus) 299
tricolor Perty (Mallosoma) 439
tricolor Serv. (Phædinus) 477
tricolor Thoms. (Muscidora) 473
tricolor Waterh. (Crioprosopus) 458
tricolor Bates (Crioprosopus) 457
tricolor Belon (Heterachtes) 110
tricolor Chevr. (Cartallum) 294
tricolor Dalla Torre (Phymatodes) 354
tricolor Har. (Euporus) 320
tricolor Serv. (Stenygra) 448
tricuspis Newm. 90
tridentata Pasc. (Tethionea) 126
tridentata Bleuse (Xylotrechus) 360
trifasciata Bates² (Distenia) 8
trifasciata Pasc. (Nericonia) 11
trifasciata F. (Judolia) 226
trifasciatus F. (Chlorophorus) 401
trifasciatus Hintz (Calanthemis) 374
trifasciatus Waterh. (Lygrus) 33
trifasciatus Bates (Agallissus) 445
trigona Pasc. 63
triguttata Auriv. 28
trilineata Auriv. 81
trilineatum Bates 312
trilineatus Dupont (Sphaenoth.) 472
trilineatus White (Rhinotragus) 277
trilineatus Voet (Plagionotus) 379
triliturata Bates 281
trimaculata Chevr. (Rhaphuma) 408
trimaculata Hopc (Phoracantha) 90
trimalba Gah. 408
triozellata Stål 83
tripartita L. Heyd. 220
tripartitum Pasc. 117
tripagiatus Gah. 263
tripunctata Chevr. 474
tripunctatus Gory 465
trisignata Fairm. (Leptura) 219
trisignata Goun. (Odontocera) 281
trispinosus Bates 444
triste Hope (Tessaromma) 144
triste Ol. (Tetropium) 19
tristicula Kraatz 201
tristiculus Fairm. 404
tristina Reitt. 218
tristis Blanch. (Ancylo-donta) 143
tristis Blanch. (Coccoderus) 44
tristis Chevr. (Rhopalophora) 431
tristis F. (Ambeodontus) 141
tristis Guér. (Stizocera) 99
tristis Hald. (Atimia) 449
tristis Pasc. (Oebarina) 70
tristis F. (Criocephalus) 22
tristis Fairm. & Germ. (Ancyl.) 143
tristis Pic (Phymatodes) 351
trituberculatus Redt. 141
trivialr Fährs. 26
trivittata Quedf. 37
trivittatus Bates (Crossidius) 472
trivittatus Say (Stenocorus) 182
trizonata Blanch. 275
trizonatus Blanch. (Perissus) 375
trizonatus Blanch. (Rhinotragus) 277
Troberti Chevr. 447
trochanterius Gah. 9
troglydytes Cast. & Gory 395
trogoninum Pasc. 315
tropicus Panz. 372
trucidata Chevr. 474
truncata Thoms. 110
truncatum Hald. 89
Truquii Chevr. (Anthoboscus) 387
Truquii Muls. (Saphanus) 24
tsitoensis Fairm. 404
tuberculata J. Lec. 272
tuberculatum Gah. 64
tuberculatus F. (Genus?) 490
tuberculatus Buq. (Coccoderus) 44
tuberculo-collis Bates (Deltaspis) 459
tuberculo-collis Blanch. (Gaurotes) 193
tuberculo-collis Chabril. (Batus) 452
tuberculo-collis Quedf. (Mecos.) 304

- tubericollis* Bates (Aphysotes) 421
tubericollis Fairm. (Anomoderus) 270
tuberosa Goun. 83
tuberosum Bates 64
tuberosus Brancs. 26
tulensis Bates 386
tumida J. Lec. (Acmaeops) 192,⁴
tumida J. Lec. (Eburia) 79
tumulifer Auriv. 395
tunicata M'Leay 90
tuniseus Pic 55
tunisticus Pic 55
turbinaticornis Germ. 57
turcicus Geoffr. 349
turkestanica Ganglb. 203
turkestanicus Heyd. (Hesperoph.) 67
turkestanicus Ganglb. (Stenocor.) 181
Türki Ganglb. (Phymatodes) 355
Türki L. Heyd. (Leptura) 209
tylonotoides Goun. 71
tympanophora Bates
- uncinata* Blackb. 91
uncinatum Goun. 105
Uddmanniana Harrer 208[¶]
Ulkei Blandf. 81
ulmi Chevr. 260
ultimus Sharp 389
umbellatarum Schreber (Mol.) 268
umbellatarum Laich (Leptura) 216
umbellatarum Muls. 268
umbraticus Ol. 490
umbratilis Bates 386
umbrina Dalm. 50
umbripennis Reitter 199
umbrosa Goun. (Mallopera) 101
umbrosa Kirsch (Eburia) 81
umbrosum Goun. 98
undata F. 8
undatum Newm. 144
undatus L. (Semanotus) 342
undatus Ol. (Sternacanthus) 451
undatus Kirby (Xylotrechus) 364
undulans White 101
undulata Hope (Epipedocera) 423
undulata Hope (Epithora) 92
undulata Pasc. (Diotima) 141
undulata Muls. (Strangalia) 236
undulata Gmel. (Distenia) 9
undulatum Bates (Elaphidion) 89
undulatum Burm. (Achryson) 40
undulatus Gah. (Dialeges) 61
undulatus Say (Xylotrechus) 364
ungaricus Herbst (Ropalopus) 339
ungaricus Herbst (Purpuricenus) 462
unicolor Bates (Eburia) 81
unicolor Bates (Euryptera) 249
unicolor Bates (Parevander) 453
unicolor Bruch (Achryson) 40
unicolor Cast. & Gory (Neoclyt.) 393
unicolor A. Deyr. (Anisogaster) 122
unicolor Dohrn (Pachylocerus) 289
unicolor F. (Ceresium) 125
unicolor Gah. (Allogaster) 41
unicolor Gah. (Criocephalus) 22
unicolor Gah. (Massicus) 55
unicolor Hald. (Anoplium) 126
unicolor Hope (Phyllarthrus) 453
unicolor Hope (Rhagiomorpha) 149
unicolor Lacord. (Myrsus) 139
unicolor Pasc. (Exaereta) 146
unicolor Pasc. (Icariotis) 174
unicolor Pasc. (Tethionea) 126
unicolor Randall (Pysrassa) 102
unicolor White (Ibidion) 113
unicolor Dalla Torre (Phymatod.) 355
unicolor Dupont (Stenaspis) 458
unicolor Fleisch. (Stenocorus) 181
unicolor Goun. (Achryson) 39
unicolor Hald. (Strangalia) 245
unicolor Ol. (Strangalia) 232
unicolor Ol. (Stromatium) 73
unidens Fauv. 146
unidentatus Ol. 484
unifasciata Hope 92
unifasciatum Goun. (Octoplon) 107
unifasciatum Muls. (Rhagium) 162
unifasciatus Bates (Anubis) 317
unifasciatus Gory (Lissonotus) 485
unifasciatus Rits. (Zonopterus) 299
unifasciatus Ol. (Phymatodes) 349
unifasciatus Pic (Chlorophorus) 399
uniforme Berg (Ibidion) 113
uniforme Goun. (Callichroma) 312
uniformis Blackb. (Oroderes) 153
uniformis Blackb. (Syllitus) 151
uniguttata Hope 92
uninstigmata Pic 211
unipunctata F. 211
unipunctatus Buq. 476
unoculum Bates 108
upiformis Mannerh. 14
upsilon Steph. 363
urbanus Broun 274
ussuriensis Blessig 194
ustulata Ménétr. (Leptura) 220
ustulata Schaller (Grammopt.) 204
ustulata Laich. (Strangalia) 233
ustulata Motsch. (Acmaeops) 189
ustulatum Thoms. 135
ustulatus Muls. 265
utschderensis Starek 350
- Vacheri* Fairm. 123
vagens Ol. 224
vagus Gah. 56

- V-album* Boisd. 156
valdiviensi F. Phil. 275
valida Bates (Chrysoprasis) 441
valida Goun. (Ischasia) 283
valida J. Lec. (Leptura) 224
validicornis Bates (Heterachtes) 111
validicornis Pic (Stenocorus) 181
validipes Fairm. 125
validum J. Lec. 84
validus Blackb. (Phacodes) 70
validus Blackb. (Scolecobrotus) 147
validus Fairm. (Clytus) 373
validus Gah. (Coptocercus) 93
vana Thoms. 110
Vandepolli Rits. 301
varia Fauv. (Astetholea) 140
varia Waterh. (Brachytria) 293
variabile Goun. (Protosphacirion) 96
variabile F. (Callidium) 344
variabilis Bates (Deltaspis) 459
variabilis Gebl. (Evodinus) 187
variabilis Montrouz. (Purpuric.) 465
variabilis Sallé (Pteroplatus) 455
variabilis Serv. (Desmoderus) 477
variabilis Bon. (Callimus) 271
variabilis Degeer (Leptura) 217
variabilis L. (Phymatodes) 354
variabilis Laich. (Phymatodes) 353
variabilis Motsch. (Plagionotus) 379
variabilis Pasc. (Euryphagus) 461
variabilis Payk. (Leptura) 212
variabilis Payk. (Phymat.) 353, 354
variabilis Schönh. (Phymatodes) 353
varians Goun. (Ectenessa) 41
varians Goun. (Gnomidolon) 106
varians J. Lec. (Pseudodinopt.) 191
varians Lucas (Rachidion) 486
varians Sharp (Plagithm.) 388, 389
variatus Newm. 97
varicornis Germ. (Leptura) 220
varicornis Hope (Didymocantha) 116
variegata Germ. (Grammoptera) 205
variegata F. (Hcsthesis) 286
variegata Cast. & Gory (Cyllene) 384
variegatum F. (Coptomma) 488
variegatum Goetze (Romaleum) 84
variegatus Bates (Thranus) 263
variegatus Blackb. (Bebius) 146
variegatus Blackb. (Scolecobr.) 147
variegatus Perty (Trachyderes) 481
variegatus Geoffr. (Xylotrechus) 363
variicollis Fairm. 367
variicornis Dalm. (Leptura) 220
variicornis Pasc. (Prothema) 291
variipennis Fairm. 122
variipes Casey (Acmaeops) 192
variipes Ganglb. (Cortodera) 197
Variini Bedel 339
variolosum F. 73
variolosus Gerst. 68
varipes Muls. 219
varium Voet 161
varius F. (Phymatodes) 355
varius Müller (Chlorophorus) 401
variventris L. W. Schauf. 219
vau Berg 100
Vaucheri Bedel 240
vaucum F. 490
Vauthieri Dupont 481
velox Fährs. 323
velutina Bates (Acyphoderes) 282
velutina Jord. (Xystrocera) 37
velutina Ol. (Strangalia) 246
velutina Waterh. (Bradycnemis) 302
velutina L. Heyd. (Cortodera) 198
velutina Thoms. (Aeolesthes) 47
velutinum F. (Callichroma) 312
velutinum J. Lec. (Tetropium) 20
velutinus Brullé (Cerambyx) 55
velutinus M'Leay (Xylotrechus) 367
velutinus Pasc. (Aphelodes) 175
venatum Thoms. 138
venerea Thoms. 291
venereum Thoms. 316
Venezuelae White 113
venezuelensis Chev. 431
venosum Eschsch. 344
ventrale Blackb. (Sisyrium) 118
ventrale Gah. (Ceresium) 125
ventrale Germ. (Orthoschema) 332
ventralis Chev. (Oligoenoplus) 416
ventralis Gah. (Demox) 411
ventralis Horn (Ophistomis) 248
ventralis Hald. (Phymatodes) 355
ventralis Hald. (Tessaropa) 39
ventralis L. Heyd. (Leptura) 208
ventricosa Bates 110
ventripennis Pic 372
Venus Thoms. (Callichroma) 311
Venus Thoms. (Hexaplon) 105
venusta Brême 249
venustus Bates (Cometes) 11
venustus Fairm. (Chenoderus) 335
venustus Pasc. (Massicus) 55
venustus Bland (Anthophylax) 195
venustus Gmel. (Chlorophorus) 402
venustus Newm. (Aegoidus) 477
verbasci F. 397
verbasci L. 402
vermicularis Pasc. 60
vermiculatus Bates 481
Verneti Pellet 342
Verneuli Muls. 178
vernicosus Pasc. 56
verruca Jord. 33
verrucifer Bates 31
verrucosus Ol. 415
versicolor Chev. (Rhopalophora) 432

- versicolor* F. Phil. (Hephaestion) 258
versicolor Cast. (Pocillopeplus) 450
versicolor Gmel. (Phymatodes) 355
versutum Pasc. 125
versutus Pasc. 50
verticalis Germ. (Strangalia) 231
verticalis Serv. (Stenaspis) 458
verticenigra Pic 231
vespa Fairm. & Germ. 257
vesparia Pasc. (Chorotyse) 261
vesparia Pasc. (Hesthesis) 286
vesparum Reitter 372
vespiventris Bates 282
vespoides White (Tomopterus) 285
vespoides Hald. (Clytus) 372
vestigiale Pasc. 125
vestita Pasc. (Agapete) 256
vestita Pasc. (Pempsamacra) 293
vestita Thoms. (Cleonice) 437
vestitus Goun. (Paromoeocerus) 333
vestitus Hald. (Stenocorus) 182
vestitus Jakowl. (Cleroclytus) 419
vestitus Jord. (Taurotagus) 45
vestitus White (Ozodes) 435
vesubiensis Pic 371
Vethi Lansb. (Callichr.) 311
Vethi Rits. (Demonax) 412
vexatrix Mannerh. 228
vexatum Newm. 358
vibex Newm. 224
vicaria Bates 240
vicarius Auriv. 57
vicina Hope 90
vicinum Goun. (Obrium) 133
vicinum Perr. (Periboeum) 98
vicinum Hald. (Elaphid.) 86
vicinus Sharp (Plagith.) 389
vicinus Cast. & Gory (Xylotr.) 366
vidua Lacord. (Oncopt.) 83
vidua Waterh. (Apped.) 176
vidua Chev. (Rhopaloph.) 431
vidua Muls. (Gaurotas) 194
viduus Geoffr.
vigilans Pasc. (Hesthesis) 286
vigilans Pasc. (Ocalemia) 250
vile J. Lec. (Callid.) 345
vile Newm. (Cercisium) 125
Villardi Belon 41
villica F. 230
villica Ol. 231
villicornis J. Lec. 29
villicus Ol. 364
Villioni Villard 363
villosa L. Heyd. (Cortod.) 199
villosa F. (Oemona) 115
villosa Schönh. (Leptura) 208
villosicornis Lacord. 78
villosimana Fairm. 171
villosiflavomaculatus Goeze 363
villosulum Bates (Periboeum) 98
villosulum Fairm. (Callid.) 346
villosum F. 89
villosus Geoffr. 399
vinculatum Germ. 439
vincla J. Lec. 192
vini Panz. 130
vinosus Fairm. 173
viola Jord. (Oxypros.) 318
viola J. Lec. (Acmaeops) 192
violacea Auriv. (Synapt.) 305
violacea Thoms. (Mecos.) 304
violacea Degeer (Gaurot.) 194
violaceipenne Auriv. (Orthoseh.) 332
violaceipenne Hamilt. (Physocn.) 336
violaceipennis Fairm. & Germain (Hephaest.) 258
violaceipennis Quedf. (Helym.) 325
violaceomaculata Goun. 431
violaceum L. 345
violaceus Serv. (Litopus) 321
violaceus White (Comsoc.) 333
violascens Perty 104
virens Bates (Deltaspis) 459
virens Drury (Callichr.) 312
virens F. (Clytus) 373
virens Jord. (Litopus) 321
virens L. (Leptura) 220
virens L. (Philematium) 306
virens Thunb. (Trachyd.) 481
virescens Auriv. (Strang.) 242
virescens Chev. (Ochraeth.) 386
virescens Fairm. & Germain (Platynoc.) 258
virescens Jord. (Callichr.) 311
virescens Newm. (Xystroc.) 37
virescens Pasc. (Pachyteria) 301
virescens Gmel. (Promeces) 322
virescens Leng (Callichr.) 312
virescens Stiehl. (Callid.) 346
virgata Blackb. (Nenenia) 276
virgata Goun. (Odontocera) 281
virgata Pasc. (Limozota) 115
virgata Pasc. (Pyrestes) 289
virgata Goun. (Euryptera) 249
virgatum Newm. 488
virgatus J. Lec.
virginea L. 194
virginea Leidl. 194
virgo Newm. (Eburod.) 83
virgo Voet (Rhamnus) 166
virgulatum Bates 108
viridana Gah. (Halme) 423
viridana Jord. (Rhopaliz.) 319
viridans Gmel. 344
viride Thoms. (Leontium) 315
viride Schönh. (Callid.) 344
viridescens Jord. (Saphanidus) 26
viridescens Motsch. (Callidium) 346

- viridescens* Thoms. (Rhopaligus) 319
viridiaureum Degeer 313
viridicinctus Auriv. 426
viridicollis Chev. (Trichox.) 382
viridicollis Kraatz (Chloroph.) 402
viridicostata Fairm. 303
viridicyanea Thoms. 9
viridipenne Pasc. (Chlorid.) 315
viridipenne Thoms. (Orthosch.) 332
viridipennis Gah. (Erythrus) 290
viridipennis Hope (Plocaed.) 49
viridipennis Lameere (Calanth.) 374
viridipennis Latr. (Criopros.) 458
viridipennis Pic (Grammopt.) 206
viridipennis Pasc. (Castiale) 100
viridipes Bates 312
viridipieta Fairm. 37
viridis Bates (Tristach.) 29
viridis Goun. (Ommata) 280
viridis Jord. (Mecox.) 304
viridis J. Lec. (Anthophyl.) 196
viridis Pasc. (Epianthe) 426
viridis Serv. (Euporus) 320
viridis Pasc. (Closterom.) 323
viridis Schaller (Promeces) 322
viridis Voet (Leptura) 220
viridiventris Chev. 386
virilis J. Lec. 245
viriosa J. Lec. 243
vitrea Serv. 280
vitreus Pasc. 60
vittata Auriv. (Chrysopr.) 441
vittata Bates (Distenia) 9
vittata Blanch. (Eburod.) 83
vittata Broun (Didymoc.) 116
vittata F. (Alloesia) 439
vittata F. (Xystrocera) 37
vittata Gah. (Rhaphuma) 408
vittata Jord. (Cordylom.) 95
vittata Ol. (Leptura) 224
vittata Pasc. (Xystoena) 276
vittata Sweder. (Acmaeops) 192
vittata Thoms. (Coleox.) 65
vittatithorax Goun. 430
vittatum Auriv. (Orthosch.) 332
vittatum Blackb. (Sisyr.) 118
vittatum F. (Callichr.) 313
vittatus Auriv. (Hypom.) 33
vittatus Fährs. (Zoocosm.) 426
vittatus Fisch. (Stenoc.) 181
vittatus Hintz (Calanth.) 374
vittatus J. Lec. (Perarthrus) 473
vittatus Pasc. (Zoocosm.) 426
vittatus Gmel. (Toxotus) 178
vittatus J. Lec. (Malacopecter) 35
vitticolle Fairm. 125
vitticollis Auriv. (Helymaeus) 325
vitticollis Bates (Ommata) 280
vitticollis Bates (Pachymerola) 335
vitticollis Bates (Stenosphenus) 444
vitticollis Cast. & Gory (Trichox.) 382
vitticollis Gah. (Xoanodera) 63
vitticollis J. Lec. (Pyrotr.) 251
vitticollis Sharp (Plagith.) 389
vitticollis Muls. (Strang.) 231
vittidorsum Pic (Ceresium) 125
vittidorsum Reitter (Stenoc.) 180
vittifera Buq. 437
vittiger J. Lec. (Amannus) 474
vittiger Rand. (Stenoc.) 182
vittigerum Bates (Chlorid.) 315
vittigerum Newm. (Genus?) 358
vittipennis Bates (Odontocera) 281
vittipennis Bates (Opades) 77
viverra Pasc. 412
V-notata Th. Pic 329
Voeltzkowi Kolbe 131
Vogti Guerry 338
volitans Thoms. 454
voluptuosa Thoms. 300
volvulus F. 53
Vuilleti R. Oberth. 326
vulgare Samouelle 163
vulneratum Fauv. 125
vulneratus J. Lec. 355

Wachanrui Levrat 464
Wagleri Perty 43
Wagneri Goun. 11
Wahlbergi Auriv. (Macropseb.) 262
Wahlbergi Fährs. (Purpuricen.) 465
Walkeri Gah. (Homaemota) 422
Walkeri Gah. (Neomicrus) 131
Walkeri Pasc. (Demonax) 412
Wallacei Pasc. (Cyriopalus) 47
Wallacei White (Mecometopus) 395
Waltli Chev. 420
Warentzovi Melgunov 38
Waterhousei Goun. (Coleoxestia) 65
Waterhousei Pasc. (Akiptera) 256
Waterhousei White (Ancylocera) 446
Watsoni Gah. (Aglaophis) 416
Watsoni Gah. (Polyzonus) 317
Webbi Brullé 399
Weisi L. Heyd. 203
Welensi Küst. 55
Westermanni Guér. 454
Westringi Fährs. 406
Westwoodi Chev. (Trichoxys) 382
Westwoodi Hope (Scolecobrot.) 147
Westwoodi Pasc. (Clytellus) 424
Westwoodi White (Erythrus) 290
Whitei Pasc. 292
Whytei Gah. 304
Wiedemanni Cast. & Gory 408
Wieneckei Vollenh. 465
Wilsoni Horn 469

- Wittei Hintz 304
 Wollastoni Gah. (Perissus) 375
 Wollastoni White (Telocera) 295
Wredii Fischer 462
- xantha* Jord. (Leptoeme) 27
xantha Semen. (Necydalis) 260
xantho Bates (Ommata) 280
xantho Bates (Opistomis) 248
xanthoderus Bates 476
xanthogastra J. Lec. 222
xanthogastrum Bates 313
xanthoma Bates 231
xanthomelaena White 450
xanthomelas Guér. (Parevander) 453
xanthomelas Jord. (Apiogaster) 425
xanthophasma Bates 435
xanthoptera Pic 199
xanthopus Quedf. 304
xanthospilos Dupont 483
xanthotelus Bates 248
Xatarti Duf. 159
xeniscus Bates 402
xestioides Bates 99
x-littera Chevr. (Perissus) 375
x-littera Thoms. (Gnomidolon) 106
x-maculatus Jord. 374
- Y-pallidum* Motsch. 137
ypsilon Chevr. 393
- yucateca* Bates (Apelocera) 420
yucateca Bates (Odontocera) 281
yunamensis Pic 373
- zambeziانا* Péring. 95
zarudnianus A. Sem. 464
zebra Ol. (Strangalia) 246
zebra Cast. & Gory (Plagionotus) 379
zebra Dalm. (Plagionotus) 379
zebra Felt (Judolia) 227
zebrata F. (Strangalia) 246
zebrata Hald. (Judolia) 227
zebratus Bates 386
zelandicum Blanch. 70
zeylanicum White 125
ziczac Nonfr. (Eligmoderma) 114
ziczac Voet (Cyllene) 385
z-littera Chevr. 386
zona Chevr. 423
zonarius Houttuyn 481
zonata Klug 451
zonatum Sahlb. (Mallosoma) 439
zonatum Goun. (Ibidion) 112
zonatus Dalm. (Trachyderus) 481
zonatus Pasc. (Asilaris) 249
zonatus Pasc. (Homalomelas) 291
zonifera Blanch 242
zonopteroides Fleut. 301
-