

Phyton (Horn, Austria)	Vol. 42	Fasc. 1	117–124	29. 7. 2002
------------------------	----------------	---------	---------	-------------

Neotypification of the Name *Hieracium bifidum* KIT. ex HORNEM. (*Asteraceae*).

By

Patrik MRÁZ*) and Karol MARHOLD**)

With 2 Figures

Received June 25, 2001

Key words: *Asteraceae*, *Compositae*, *Lactuceae*, *Hieracium*, *Hieracium bifidum*. – Neotypification.

Summary

MRÁZ P. & MARHOLD K. 2002. Neotypification of the name *Hieracium bifidum* KIT. ex HORNEM. (*Asteraceae*). – Phyton (Horn, Austria) 42 (1): 117–124, 2 figures. – English with German summary.

A neotype is designated for *Hieracium bifidum* because HORNEMANN's original material is missing. The neotype is a specimen collected by KITAIBEL in the Croatian mountains and kept in the KITAIBEL herbarium in the Hungarian Museum of Natural History (BP) in Budapest.

Zusammenfassung

MRÁZ P. & MARHOLD K. 2002. Neotypisierung des Namens *Hieracium bifidum* KIT. ex HORNEM. (*Asteraceae*). – Phyton (Horn, Austria) 42 (1): 117–124, 2 Abbildungen. – Englisch mit deutscher Zusammenfassung.

Ein Neotypus wurde für *Hieracium bifidum* festgelegt, weil kein Originalmaterial von HORNEMANN auffindbar war. Der Neotypus ist ein von KITAIBEL gesammelter Beleg aus den Bergen Kroatiens, der im Herbarium KITAIBEL am ungarischen naturhistorischen Museum in Budapest (BP) aufbewahrt wird.

*) P. MRÁZ, Institute of Biology & Ecology, Faculty of Sciences, P. J. Šafárik University, SK-451 54 Košice, Slovakia; Institute of Botany, Slovak Academy of Sciences, Dúbravská cesta 14, SK-842 23 Bratislava, Slovakia; e-mail: mrazpat@kosice.upjs.sk

**) K. MARHOLD, Institute of Botany, Slovak Academy of Sciences, Dúbravská cesta 14, SK-842 23 Bratislava, Slovakia; Department of Botany, Faculty of Sciences, Charles University, Benátská 2, CZ-128 01 Praha, Czech Republic; e-mail: botukmar@savba.sk

1. Introduction

According to ZAHN 1935, *Hieracium bifidum* constitutes one of the so-called “species collectivae principales”. ZAHN 1935 recognised altogether 177 subspecies within this broadly conceived taxon and grouped them into five “greges”. SELL & WEST 1976 included 11 species in the *H. bifidum* group. They noted that although the name *H. bifidum* has always been used for this group, “it has never been typified and it is uncertain to which segregate the name applies”. The *H. bifidum* group represents one of the most difficult and taxonomically poorly investigated groups of the genus *Hieracium* L. Its distribution is given by SELL & WEST 1976 as “throughout a large part of Europe, but absent from much of the southeast and southwest” (see also BRÄUTIGAM 1992). Therefore, the correct and exact interpretation of the name *H. bifidum* is essential for the further study of the group. In recent years the *Hieracium bifidum* group has been studied only in certain regions, e.g. Lower Saxony (GOTTSCHLICH 1999), Istria (GOTTSCHLICH & PERICIN 1999), and Tyrol and Vorarlberg (GOTTSCHLICH & al. 1999), and a broader study is still lacking. Chromosome numbers for *H. bifidum* indicated in the literature are at diploid, triploid and tetraploid levels (cf. SCHUHWERK 1996).

2. Results

In 1802 KITAIBEL (1757–1817) and WALDSTEIN (1759–1823) accompanied by illustrator J. SCHÜTZ visited mountainous parts of Croatia, including the Velebit Mts. and Plješivica Mts. (at that time part of the Hungarian Kingdom) (GOMBOCZ 1945, CHRTEK & SKOČDOPOLOVÁ 1995). During this visit they collected a lot of plants. GOMBOCZ 1945 listed 32 names of new species published by WALDSTEIN & KITAIBEL as a result of this journey in their “Descriptiones et icones ...” (WALDSTEIN & KITAIBEL 1799–1812). Most probably, one of the three specimens of *H. bifidum* deposited in the Herbarium Kitaibelianum in Budapest (JÁVORKA 1929) was collected during this journey. It is labelled “*Hieracium bifidum* mihi. E subalp. Croatiae in hortum illatum” (BP, Herb. Kit., fascicle XXVI, sheet number 171). WALDSTEIN and KITAIBEL apparently had intended to publish the name and description of *H. bifidum* in their “Descriptiones et icones”. An original colour illustration (Fig. 1) of this species is deposited in the Archive of the Department of Botany of the National Museum in Prague, Průhonice, among the unpublished illustrations clearly planned for publication in “Descriptiones et icones” (CHRTEK & SKOČDOPOLOVÁ 1984). But this monumental work (WALDSTEIN & KITAIBEL 1799–1812) remained unfinished. Out of 300 planned taxa, figures of only 280 of them, together with accompanying texts, were actually published. Financial reasons probably prevented publication of the final fascicle, but the colour tables of the remaining taxa, including *H. bifidum*, were finished and prepared for pub-




Fig. 1. Previously unpublished illustration (IC 443/36) of *Hieracium bifidum* originally prepared for the WALDSTEIN and KITAIBEL's work "Descriptiones et icones plantarum rariorum Hungariae" and deposited in the Archive of the Department of Botany of the National Museum in Prague, Průhonice, Czech Republic (Courtesy of the Department of Botany, National Museum in Prague).

lication (CHRTEK & SKOČDOPOLOVÁ 1984, 1995). A full description of *H. bifidum* was much later included in KITAIBEL'S unpublished manuscript "Additamenta ad floram hungaricam", which appeared in print in 1863, being posthumously edited by KANITZ (KITAIBEL 1863). The original locality of *H. bifidum* in this work reads as follows: "Habitat in rupibus calcareis subalpinis Croatiae".

It is apparent that the Croatian plant(s) of *H. bifidum* were transferred to the botanical garden in Budapest (custodian of which had been KITAIBEL himself since 1794, being director in 1810, see JÁVORKA 1957) and later sent under the still unpublished name to other botanical gardens. There is evidence that such specimens (or seeds) were sent to Göttingen and Copenhagen (see below), but maybe also to other gardens.

The name *Hieracium bifidum* was validly published by the Danish botanist Jens Wilken HORNEMANN (1770–1841) in the second volume of "Hortus regius botanicus hafniensis" (HORNEMANN 1815: 761). The protologue reads: "H. BIFIDUM: scapo nudo ramoso, floribus corymboso-paniculatis, foliis lanceolato-ovatis, basi profunde dentatis. *Hab.* – [no precise locality is given, unlike for other taxa in this work] ≠ D. [= planta sub dio vegetans] miss. 1810. ab ill. Kitaib. *sub hoc nom.* *Similis* *H. muror.* *sed scapus nudus*". From the context of the book it is clear that the plant material cultivated in the garden in Copenhagen was received from KITAIBEL in 1810 while the morphological description was written by HORNEMANN. Thus the name should be attributed to HORNEMANN, with KITAIBEL as "pre ex" author.

There are two herbarium specimens in the Copenhagen herbarium (C), where the main part of HORNEMANN'S collection is deposited, in the folder labelled recently as "Specimina originalia *Hieracium bifidum* Krt. ex HORNEM. in Hort. Reg. Bot. Hafn. 2: 761 (1815)". The first one (IDC. microfiche foto Type herbarium nr. 102^{1, 3}) has an inscription "*Hieracium bifidum / h. h. [hortus hafniensis]*" on the bottom right-hand side of the sheet. The handwriting is of unknown origin, but it differs from the one on the second sheet. On the reverse side, at the right top corner, the sheet is stamped in black ink "HB LIEBM", which means that this sheet belonged to the herbarium of Frederik Michael LIEBMANN (1813–1856) (TAN & SUDA, pers. comm.). The specimen apparently belongs to the *Hieracium murorum* group. Involucres and peduncles of the plant are densely covered by black glandular trichomes (TAN & SUDA, pers. comm., detailed xerocopies seen by the present authors), characters which clearly differentiate the *H. murorum* group in the current sense from the *H. bifidum* group. The second specimen (IDC. microfiche photo Type Herbarium nr. 102^{1, 1-2}) is clearly *H. bifidum* as understood in the current literature (SELL & WEST 1976: 377; ZAHN 1929: 1285–1289; see also GOTTSCHLICH 1987: 1448). The sheet has on the reverse side, at the top right-hand corner the blue stamp "HB

SCHUM" indicating this was acquired by Christian Friedrich SCHUMACHER (1757–1830) (TAN, pers. comm.). On the bottom left-hand there is an inscription, clearly in HORNEMANN's hand, "*Hieracium bifidum*", and on the bottom right-hand side "J. H. 1818" [Jens HORNEMANN]. The first of these specimens is undated and there is no evidence that it was in HORNEMANN's possession, while the second one, although clearly labelled by HORNEMANN bears the date three years after publication. Although one might speculate if "1818" is really the collection date, there is no evidence that this specimen was in HORNEMANN's hands while he wrote the description published in 1815. Therefore neither of these specimens is eligible as lectotype.

Searches in the herbaria where the specimens collected by HORNEMANN are occasionally found (BM, HBG, K, KIEL, LE, P, S, W, see STAFLEU & COWAN 1979: 333; LANJOUW & STAFLEU 1957: 286) did not bring any result. It is interesting, however, that in the St. Petersburg herbarium (LE) was found the specimen labelled "Herb. Schrader. *Hieracium bifidum* Kit. 1812 H. G. [Hortus Göttingensis]". A. H. SCHRADER (1767–1836) was in 1802/3–1836 director of botanical garden in Göttingen and his herbarium was acquired by LE. This provides evidence that KITAIBEL distributed specimens (and/or seeds) of *H. bifidum* not only to Copenhagen but also to other botanical garden(s). However, this specimen has no standing as the original material of the name published by HORNEMANN.

From the above-mentioned data it is clear that no original material related to the name *H. bifidum* KIT. ex HORNEM. is extant, which might be due to loss of the corresponding specimen or due to the fact that HORNEMANN based his description on the living plants. Therefore the selection of a neotype in the sense of Art. 9.6 of the ICBN (GREUTER & al. 2000) is inevitable.

In order to follow the original concept of the name *H. bifidum* as far as possible we decided to select as a neotype the above-cited specimen, collected by KITAIBEL in Croatia and cultivated in the botanical garden in Budapest.

Hieracium bifidum KIT. ex HORNEM., neotypus (hoc loco designatus): "E subalp. Croatiae in hortum illatum" (BP, Herb. KIT., fascicle XXVI, sheet number 171) (Fig. 2).

There are two individual plants on the sheet (Fig. 2), one of them without rosette leaves. The plant with five rosette leaves is 34 cm high (without rhizome). The leaf blade is oblongo-elliptical, slightly denticulate, 3–5 cm long and 2,5–3,5 cm wide, with scattered simple eglandular trichomes on the abaxial side, while the upper – adaxial one is ± glabrous, attenuate to 4–5 cm long petiole. The stem in the upper part shows typical "bifidum" branching, with a lateral branch 9 cm long, and it is ended like the main stem by two heads. Peduncles are with numerous stellate trichomes; simple eglandular trichomes are scarce and glandular trichomes




Fig. 2. *Hieracium bifidum* Kit. ex HORNEM. (neotype, BP; bar = 10 cm).

very rare. The involucrum is covered by dense stellate trichomes with rarely occurring simple eglandular trichomes. The style is yellow-brown coloured.

Acknowledgements

We thank Kit TAN (Copenhagen) and Jan SUDA (Praha) for valuable help with the specimens in HORNEMANN's herbarium in Copenhagen, Blanka SKOČDOPOLOVÁ (Průhonice) for providing the unpublished illustration of *H. bifidum*, and Clive A. STACE (Leicester) for linguistic corrections. Our thanks are due to the curators of the herbaria BM, HBG, K, KIEL, LE, P, S, W, and mainly BP, who enabled us to study herbarium material or provided the relevant information. The study was supported from the project no. 1/7558/20 (Scientific Grant Agency of the Ministry of Education of Slovak Republic and the Slovak Academy of Sciences – VEGA).

References

- BRÄUTIGAM S. 1992. *Hieracium* L. – In: MEUSEL H. & JÄGER E. J. (Eds.), Vergleichende Chorologie der zentraleuropäischen Flora, 3: 325–333. – Jena.
- CHRTEK J. & SKOČDOPOLOVÁ B. 1984. Neznámé kresby rostlin k dílu Waldsteina a Kitaibela. – Čas. nár. muz. přír. 153: 11–16.
- & — 1995. Nález originálních vyobrazení k botanickému dílu F. A. Waldsteina a P. Kitaibela. – Muz. vlastiv. práce 33: 227–235.
- GOMBOCZ E. 1945. Diaria Pauli Kitaibeli 2. – Budapest.
- GOTTSCHLICH G. 1987. *Hieracium* L. – In: WAGENITZ G. (Ed.), Nachträge, Berichtungen und Ergänzungen zum Nachdruck der 1. Auflage von Band VI/2 (1928/9): 1437–1451. – In: CONERT H. J. & al., HEGI G., Illustrierte Flora von Mitteleuropa, 6(4), 2nd Ed. – Hamburg.
- 1999. Zur taxonomischen Stellung der Kalkfels-Hieracien des Hohensteins im Süntel (Niedersachsen, Deutschland). – Braunschweig. naturkdl. Schr. 5: 811–821.
- & PERICIN C. 1999. Das Artenspektrum der Gattung *Hieracium* L. (*Compositae*) in Istrien. – Bauhinia 13: 29–40.
- , NEUMANN A., POLATSCHEK A. & SEIPKA R. 1999. *Hieracium*, Habichtskraut. – In: POLATSCHEK A., MAIER M. & NEUNER W. (Eds.), Flora von Nordtirol, Osttirol und Vorarlberg, 2: 418–556, 930–991. – Innsbruck.
- GREUTER W., MCNEILL J., BARRIE F. R., BURDET H. M., DEMOULIN V., FILGUEIRAS T. S., NICOLSON D. H., SILVA P. C., SKOG J. E., TREHANE P., TURLAND N. J. & HAWKSORTH D. L. (Eds.) 2000. International code of botanical nomenclature (Saint Louis Code) adopted by the Sixteenth International Botanical Congress, St. Louis, Missouri, July–August 1999. – Regnum vegetabile 138.
- HORNEMANN J. W. 1815. Hortus regius botanicus hafniensis, vol. 2. – Hafniae.
- JÁVORKA S. 1929. Kitaibel herbarium. Herbarium Kitaibelianum II. – Ann. Mus. nat. hung. 26: 97–210.
- JÁVORKA S. 1957. Kitaibel Pál. – Budapest.
- KITAIBEL P. (KANITZ A., Ed.) 1863. Additamenta ad floram hungaricam. – Linnaea 32: 305–642.
- LANJOUW J. & STAFLEU F. A. 1957. Index herbariorum, part II (2) Collectors E–H. – Regnum vegetabile 9.

- SELL P. D. & WEST C. 1976. *Hieracium* L. – In: TUTIN T. G., HEYWOOD V. H., BURGES N. A., MOORE D. M., VALENTINE D. H., WALTERS S. M. & WEBB D. A. (Eds.), *Flora europaea*, 4: 358–410. – Cambridge.
- SCHUHWERK F. 1996. Published chromosome counts in *Hieracium*.
– <http://www.botanik.biologie.uni-muenchen.de/botsamml/projects/chrzlit.html>.
- STAFLEU F. A. & COWAN R. S. 1979. Taxonomic literature, part II, H–Le. Ed. 2. – *Regnum vegetabile* 98.
- WALDSTEIN F. A. & KTAIBEL P. 1799–1812. *Descriptiones et icones plantarum rario-rum Hungariae*, I–III. – Viennae.
- ZAHN K. H. 1929. *Hieracium* L. – In: HEGI G. (Ed.), *Illustrierte Flora von Mitteleuropa*, VI/2: 1182–1351. – München.
- 1935. *Hieracium bifidum*. – In: GRAEBNER P. fil. (Ed.), *Synopsis der mittel-europäischen Flora* 12 (2): 605–675. – Leipzig.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Phyton, Annales Rei Botanicae, Horn](#)

Jahr/Year: 2002

Band/Volume: [42_1](#)

Autor(en)/Author(s): Mraz Patrik, Marhold Karol

Artikel/Article: [Neotypification of the Name Hieracium bifidum KIT. Ex HORNEM \(Asteraceae\). 117-124](#)