

# ZOOLOGISCHES MUSEUM

DER CHRISTIAN-ALBRECHTS-  
UNIVERSITÄT ZU KIEL

---


## Arbeitsblätter

Nr. 5 , Februar 1984

Index of Scientific Names to J.J. SCHEELS's

"Rivuline Studies"

J. Das



Herausgegeben von:

**Zoologisches Museum**  
der Christian-Albrechts-Universität  
zu Kiel  
Hegewischstraße 3  
D-2300 K I E L , FRG

This document is not part of the scientific literature and is not  
to be cited, abstracted or reprinted as a published document.

Index of Scientific Names to J. J. SCHEEL's

"Rivuline Studies"

J. DAS

SCHEEL's "Rivuline Studies" (1974) and "Rivulins of the Old World" (1968) are two of the most comprehensive publications on Cyprinodontidae, at least of tropical Africa, and are studied by every researcher on Cyprinodontid fishes. The lack of any index of scientific names in "Rivuline Studies" must be felt seriously. Therefore this paper will give such an index. The names in the index are presented as expressed by SCHEEL without any comments. It doesn't be the right time now to decide whether the inclusion of *Rolofia* in *Aphyosemion* or *Epiplatys* in *Aplocheilus*, etc. as done by SCHEEL is correct, or whether the new generic names (*Diapteron*, *Foerschichthys*, etc.) proposed by various authors (e. g. RADDA, HUBER, WILDEKAMP) are valid or not. Detailed revisions of the major groups of the Cyprinodontiformes (sensu PARENTI, 1981) at species level are overdue. Not till these revisions have been published such taxonomic problems can be solved. A first attempt in this direction may be the work of PARENTI (1981) on the families and genera of Cyprinodontiformes. The increasing number of described species, especially of the last years, do not reduce the taxonomic problems since SCHEEL's paper (1974). Therefore his "Rivuline Studies" are now as topical as in the year of its publication and an index seems to be appropriate.

- abbreviatus, Procatopus 19, 20  
aberrans, Procatopus 18, 19, 20, 43, 44  
ahli, Aphyosemion 28, 35, 98-112, 150  
ahli, Aphyosemion calliurum 98-112  
Alestes longipinnis 54, 55, 57  
annulatus, Aplocheilus 9, 10, 11, 37, 38, 135  
ansorgei, Aplocheilus 26, 46  
ansorgei, Neolebias 43  
Aphyoplatys 9  
Aphyosemion 3, 11, 13, 14, 27, 29, 32, 37, 38, 39, 40, 41,  
137, 142, 145, 146, 149, 150  
- ahli 28, 35, 98-112, 150  
- arnoldi 14, 28, 32, 41, 43, 49, 132, 142  
- australe 28, 44, 98-112, 149  
- bamilekorum 128, 149  
- batesii 31, 32, 38, 39, 149  
- bertholdi 12, 141, 143  
- bivittatum 20, 27, 28, 29, 30, 33, 34, 38, 39, 42, 43, 44,  
47-98, 99, 109, 111, 112, 114, 119, 121, 128, 131, 140,  
142, 146, 149, 150  
- b. hollyi 149  
- bualanum 12, 29, 30, 37, 122-129, 140, 149  
- calliurum 12, 28, 30, 31, 32, 33, 34, 35, 38, 39, 40, 42, 43,  
44, 49, 50, 53, 54, 56, 57, 58, 86, 98-112, 113,  
114, 116, 117, 119, 121, 132, 137, 139, 140, 142,  
146, 149  
- c. ahli 98-112  
- cameronense 12, 28, 30, 31, 32, 35, 39, 40, 44, 46, 51, 98, 99,  
112-122, 128, 137, 142, 150  
- celiae 32, 35, 39, 44, 99, 111, 112, 116, 150  
- chaytori 150  
- christyi 31, 132, 139, 140, 142, 143  
- cinnamomeum 32, 35, 39, 44, 99, 138, 140, 141  
- cognatum 132, 138, 139, 140, 142, 143  
- cyanostictum 31, 150  
- elegans 31, 46, 113, 138, 139, 141, 142  
- escherichi 29, 30, 39, 44  
- exiguum 29, 30, 39, 41, 46, 117, 121, 122-129, 140, 142  
- filamentosum 28, 32, 38, 41, 43, 53, 142  
- flavipinna 30, 32, 38, 42, 43, 53



- *franzwernerii* 32, 35, 39, 59
- *gardnerii* 14, 27, 28, 29, 30, 32, 34, 35, 38, 39, 42, 43, 44,  
47, 99, 132, 137, 139, 140, 141, 142, 143
- *georgiae* 29, 31
- *geryi* 12, 13, 41, 42
- *guineense* 12, 13, 37, 41
- *gulare* 14, 15, 28, 32, 38, 43, 49, 53, 55, 138, 142, 144
- *labarrei* 119, 138, 140, 141
- *liberiense* 12, 13, 37, 40, 41, 42, 99, 123, 139, 141, 143
- *loennbergii* 28, 47-98
- *louessense* 119
- *marmoratum* 150
- *melantheron* 12, 150
- *microphthalmum* 150
- *mirabile* 35, 39, 44
- *m. mirabile* 35
- *m. moense* 35
- *monroviae* 150
- *multicolor* 47-98
- *ndianum* 32, 35, 39, 44, 119, 139, 141, 150
- *obscurum* 30, 44, 112-122, 150
- *occidentale* 12, 13, 15, 40, 128, 140
- *ogoense* 30, 31, 41, 140, 141, 150
- *pascheni* 28, 101, 112, 150
- *petersii* 12, 13, 35, 40, 132, 140, 141
- *riggenbachi* 20, 28, 39, 47-98, 128, 149
- *roloffi* 139, 141, 143
- *aff. roloffi* 143
- *rubrofascium* 123
- *rubrolabiale* 150
- *santaisabellae* 32, 34, 39, 99, 150
- *scheeli* 41, 99
- *schoutedeni* 138, 139, 140, 142, 143
- *sjoestedti* 28, 32, 38, 41, 43, 49, 53, 139, 141
- *splendidum* 31
- *splendopleure* 47-98
- *spurrelli* 14
- *striatum* 30, 113, 150
- *st. ogoense* 30, 119
- *toddi* 12, 41, 128
- *viridis* 150

- walkeri 13, 14, 41, 42, 139, 142, 144
- wildekampi 150
- Aplocheilichthys 7, 21, 124
  - camerunensis 22;
  - kabae 7
  - lamberti 7
  - longicauda 22
  - macrophthalmus 5, 6, 7, 18, 21, 22, 33, 34, 36, 37, 38, 42, 43, 44, 45, 49,
  - m. hannerzi 21, 38, 43, 58
  - m. macrophthalmus 7, 21, 38, 43, 53
  - m. scheeli 21, 38, 44, 54
  - "macrurus" 7
  - m. manni 7
  - myersi 21
  - nimbaensis 7, 8, 36, 38, 42, 45
  - normani 7, 8, 18, 22, 36, 37, 46, 124
  - pfaffi 7, 8, 18, 21, 22, 37
  - rancureli 6, 8, 21, 38, 42
  - schioetzi 7
  - spilauchen 5, 6, 33, 34
- Aplocheilus 9, 10, 12, 22, 25, 37, 38, 40, 44, 122, 133, 145, 149
  - annulatus 9, 10, 11, 37, 38, 135
  - ansorgei 26, 46
  - barmoiensis 10, 11, 37, 38
  - baudoni 26
  - biafranus 25, 26, 58
  - bifasciatus 10, 11, 25, 26, 37, 46, 133, 135, 136
  - chaperi 9, 10, 22, 24, 25, 37, 38, 40, 42, 134, 135, 136
  - chevalieri 11, 134, 135
  - dageti 9, 10, 11, 24, 37, 38, 40, 132, 133, 135, 136
  - d. dageti 42
  - d. monroviae 9, 42
  - dayi 133, 134
  - esekanus 24, 25, 51, 114, 122
  - fasciolatus 9, 10, 37, 38, 133, 134, 135, 136, 145
  - grahami 11, 24, 25, 26, 34, 37, 38, 40, 43, 49, 53, 54, 58, 101, 134
  - lamottei 10, 11, 149
  - lineatus 133
  - longiventralis 23, 24, 25, 37, 49, 134, 135

- macrostigma 26, 134, 135
- multifasciatus 22, 37, 38
- nigromarginatus 26, 43
- ornatus 26, 149
- panchax 133
- sangmelinensis 24, 25, 26, 117, 124
- sexfasciatus 9, 10, 22, 23, 24, 25, 26, 33, 34, 35, 37, 38,  
40, 42, 43, 44, 49, 50, 51, 52, 53, 54, 55, 56,  
57, 58, 98, 101, 103, 121, 122, 133, 134, 135,  
136, 149
- singa 26
- spilargyreus 9, 10, 11, 25, 26, 37, 46, 132, 133, 135, 136
- arnoldi, Aphyosemion 14, 28, 32, 41, 43, 49, 132, 142
- australe, Aphyosemion 28, 44, 98-112, 149
  
- bamilekorum, Aphyosemion 128, 149
- Barbus callipterus 55
  - camptacanthus 33, 57, 58, 98, 103, 114, 116, 121
  - jae 124
  - trispilos 55
- barmoiensis, Aplocheilus 10, 11, 37, 38
- batesii, Aphyosemion 31, 32, 38, 39, 149
- batesii, Chromidotilapia 55, 57, 58, 114
- batesii, Pelmatochromis 50, 53, 54, 98
- baudoni, Aplocheilus 26
- bertholdi, Aphyosemion 12, 141, 143
- biafranus, Aplocheilus 25, 26, 58
- bifasciatus, Aplocheilus 10, 11, 25, 26, 37, 46, 133, 135, 136
- bivittatum, Aphyosemion (see Aphyosemion bivittatum)
- bivittatum hollyi 149
- bualanum, Aphyosemion 12, 29, 30, 37, 122-129, 140, 149
  
- callipterus, Barbus 55
- calliurum, Aphyosemion (see Aphyosemion calliurum)
- cameronense, Aphyosemion (see Aphyosemion cameronense)
- camerunensis, Aplocheilichthys 22
- camptacanthus, Barbus 33, 57, 58, 98, 103, 114, 116, 121
- celiae, Aphyosemion 32, 35, 39, 44, 99, 111, 112, 116, 150
- chaperi, Aplocheilus (see Aplocheilus chaperi)
- chaytori, Aphyosemion 150

- chevalieri, *Aplocheilus* 11, 134, 135  
christyi, *Aphyosemion* 31, 132, 139, 140, 142, 143  
*Chromidotilapia batesii* 55, 57, 58, 114  
cinnamomeum, *Aphyosemion* 32, 35, 39, 44, 99, 138, 140, 141  
clupeoides, *Denticeps* 54  
cognatum, *Aphyosemion* 132, 138, 139, 140, 142, 143  
*Ctenopoma kingsleyae* 54  
- nanum 53, 54, 115, 116, 117, 121, 124  
cyanostictum, *Aphyosemion* 31, 150  
*Cynolebias* 144  
- whitei 123  
*Cynopoecilus ladigesi* 123  
*Cyprinodontidae* 5
- dageti, *Aplocheilus* 9, 10, 11, 24, 37, 38, 40, 132, 133, 135, 136  
d. dageti, *Aplocheilus* 42  
dayi, *Aplocheilus* 133, 134  
*Denticeps clupeoides* 54
- electricus, *Malapterurus* 58  
elegans, *Aphyosemion* 31, 46, 113, 138, 139, 141, 142  
*Epiplatys* 9 (see also *Aplocheilus*)  
- sexfasciatus rathkei 24  
escherichi, *Aphyosemion* 29, 30, 39, 44  
esekanus, *Aplocheilus* 24, 25, 51, 114, 122  
exiguum, *Aphyosemion* (see *Aphyosemion exiguum*)
- fasciatus, *Hemichromis* 58  
fasciolatus, *Aplocheilus* 9, 10, 37, 38, 133, 134, 135, 136, 145  
filamentosum, *Aphyosemion* 28, 32, 38, 41, 43, 53, 142  
flavipinna, "Aphyosemion" 30, 32, 38, 42, 43, 53  
*Fluviphylax pygmaeus* 30  
franzwernerii, *Aphyosemion* 32, 35, 39, 59  
*Fundulopanchax* 12, 14  
*Fundulosoma* 14, 30 (see also *Nothobranchius*)
- gambiensis, *Nothobranchius* 15  
gardnerii, *Aphyosemion* (see *Aphyosemion gardnerii*)  
georgiae, *Aphyosemion* 29, 31  
geryi, *Aphyosemion* 12, 13, 41, 42



- grahami, Aplocheilus (see Aplocheilus grahami)  
guineense, Aphyosemion 12, 13, 37, 41  
gulare, Aphyosemion (see Aphyosemion gulare)
- hannerzi, Aplocheilichthys macrophthalmus 21, 38, 43, 58  
Hemichromis fasciatus 58  
hollyi, Aphyosemion bivittatum 149  
Hypsopanchax 46
- jae, Barbus 124
- kabae, Aplocheilichthys 7  
kingsleyae, Ctenopoma 54  
kiyawensis, Nothobranchius 14, 15
- labarrei, Aphyosemion 119, 138, 140, 141  
ladigesi, Cynopoecilus 123  
lamberti, Aplocheilichthys 7  
lamottei, Aplocheilus 10, 11, 149  
Lamprichthys tanganicanus 21, 36  
liberiense, Aphyosemion (see Aphyosemion liberiense)  
lineatus, Aplocheilus 133  
loennbergi, Aphyosemion 28, 47-98  
longicauda, Aplocheilichthys 22  
longipinnis, Alestes 54, 55, 57  
longiventralis, Aplocheilus 23, 24, 25, 37, 49, 134, 135  
louessense, Aphyosemion 119  
Lycocyprinus 9
- macrophthalmus, Aplocheilichthys (see Aplocheilichthys macrophthalmus)
- m. macrophthalmus, Aplocheilichthys 7, 21, 38, 43, 53  
macrostigma, Aplocheilus 26, 134, 135  
"macrurus", Aplocheilichthys 7  
maeseni, Roloffia 12, 150  
Malapterurus electricus 58  
manni, Aplocheilichthys macrurus 7  
marmoratum, Aphyosemion 150  
Mastacembelus 35  
melanteron, Aphyosemion 12, 150

- microphthalmum, Aphyosemion 150  
milesi, Rivulus 132  
mirabile, Aphyosemion 35, 39, 44  
m. mirabile, Aphyosemion 35  
moense, Aphyosemion mirabile 35  
monroviae, Aphyosemion 150  
monroviae, Aplocheilus dageti 9, 42  
multicolor, Aphyosemion 47-98  
multifasciatus, Aplocheilus 22, 37, 38  
myersi, Aplocheilichthys 21
- nanum, Ctenopoma 53, 54, 115, 116, 117, 121, 124  
ndianum, Aphyosemion 32, 35, 39, 44, 119, 139, 141, 150  
Neolebias ansorgei 43  
nigromarginatus, Aplocheilus 26, 43  
nimbaensis, Aplocheilichthys 7, 8, 36, 38, 42, 45  
normani, Aplocheilichthys 7, 8, 18, 22, 36, 37, 46, 124  
Nothobranchius 13, 14, 15, 28, 29, 33, 36, 46, 144, 145, 146  
- gambiensis 15  
- kiyawensis 14, 15  
- rubroreticulatus 33  
- seymouri 13, 14, 15  
- thierryi 13, 14, 29, 132  
nototaenia, Procatopus 18, 19, 20, 44, 54
- obscurum, Aphyosemion 30, 44, 112-122, 150  
obscurum, Ophiocephalus 54  
occidentale, Aphyosemion 12, 13, 15, 40, 128, 140  
ogoense, Aphyosemion 30, 31, 41, 140, 141, 150  
ogoense, Aphyosemion striatum 30, 119  
Ophiocephalus obscurum 54  
ornatus, Aplocheilus 26, 149
- panchax, Aplocheilus 133  
pascheni, Aphyosemion 28, 101, 112, 150  
Pelmatochromis batesii 50, 53, 54, 98  
- taeniatus 54  
petersii, Aphyosemion 12, 13, 35, 40, 132, 140, 141  
pfaffi, Aplocheilichthys 7, 8, 18, 21, 22, 37  
Phractura spec. 54

Pisces 5

Plataplochilus 18, 21, 36, 44, 46

Poecilia sexfasciata 9

Procatopodinae 5, 7, 8, 19

Procatopus 16, 19, 20, 21, 36, 37, 38, 44

- abbreviatus 19, 20

- aberrans 18, 19, 20, 43, 44

- nototaenia 18, 19, 20, 44, 54

- similis 18, 19, 20, 34, 38, 43, 44, 49, 50, 51, 52, 53, 54, 55  
57, 58

Pseudepiplatys 9

Pterolebias 146

pygmaeus, Fluviphylax 30

rancureli, Aplocheilichthys 6, 8, 21, 38, 42

rathkei, Epiplatys sexfasciatus 24

riggenbachi, Aphyosemion 20, 28, 39, 47-98, 128, 149

Rivulinae 5, 6, 9, 22

Rivulus milesi 132

roloffi, Aphyosemion 139, 141, 143

aff. roloffi, Aphyosemion 143

Roloffia 11, 12, 40 (see also Aphyosemion)

- maeseni 12, 150

rubrofascium, Aphyosemion 123

rubrolabiale, Aphyosemion 150

rubroreticulatus, Nothobranchius 33

sangmelinensis, Aplocheilus 24, 25, 26, 117, 124

santaisabellae, Aphyosemion 32, 34, 39, 99, 150

scheeli, Aphyosemion 41, 99

scheeli, Aplocheilichthys macrophthalmus 21, 38, 44, 54

schioetzi, Aplocheilichthys 7

schoutedeni, Aphyosemion 138, 139, 140, 142, 143

sexfasciata, Poecilia 9

sexfasciatus, Aplocheilus (see Aplocheilus sexfasciatus)

seymouri, Nothobranchius 13, 14, 15

similis, Procatopus (see Procatopus similis)

singa, Aplocheilus 26

sjoestedti, Aphyosemion 28, 32, 38, 41, 43, 49, 53, 139, 141

spilargyreus, Aplocheilus (see Aplocheilus spilargyreus)

spilauchen, Aplocheilichthys 5, 6, 33, 34  
splendidum, Aphyosemion 31  
splendopleure, Aphyosemion 47-98  
spurrelli, Aphyosemion 14  
striatum, Aphyosemion 30, 113, 150

taeniatus, Pelmatochromis 54  
tanganicanus, Lamprichthys 21, 36  
thierryi, Nothobranchius 13, 14, 29, 132  
toddi, Aphyosemion 12, 41, 128  
trispilos, Barbus 55

viridis, Aphyosemion 150

walkerii, Aphyosemion 13, 14, 41, 42, 139, 142, 144  
whitei, Cynolebias 123  
wildekampi, Aphyosemion 150

#### Literature cited

PARENTI, L. R., 1981. - A phylogenetic and biogeographic analysis of Cyprinodontiform fishes (Teleostei, Atherinomorpha). Bull. Am. Mus. Nat. Hist., 168 (4)

SCHEEL, J. J., 1968. - Rivulins of the Old World. T. F. H.- Publications, Neptune City, N. J., USA

SCHEEL, J. J., 1974. - Rivuline Studies - Taxonomic Studies of Rivuline Cyprinodonts from tropical Atlantic Africa (Rivulinae, Cyprinodontidae, Atheriniformes, Pisces). Koninklijk Museum voor Midden-Afrika - Tervuren, Belgie, Annalen - Reeks in-8<sup>o</sup> - Zoologische Wetenschappen - nr. 211

#### Author's adress:

Dr. J. Das  
Diekmissen 16  
D-2300 Kiel 17  
FRG





# ZOBODAT - [www.zobodat.at](http://www.zobodat.at)

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Zoologisches Museum der Christian-Albrechts-Universität Kiel: Arbeitsblätter](#)

Jahr/Year: 1984

Band/Volume: [5](#)

Autor(en)/Author(s): Das J.

Artikel/Article: [Index of Scientific Names to J.J. Scheel's "Rivuline Studies" 1-11](#)