



# Recent Plecoptera Literature

This section includes the Plecoptera papers published since PERLA 7 was mailed as well as some additions of older literature. PERLA is published every two years and a literature section is included in every issue.

Please help us to make this section as complete and correct as possible by sending us copies of your publication and/or notes on errors found.

- ADLER, P.H., R.W. LIGHT and E.A. CAMERON.** (1986): Habitat characteristics of *Palaeodipteron walkeri* (Diptera: Nymphomyiidae). *Entomol. News* 96(5):211–213.
- ALLAN, J.D.** (1987): Macroinvertebrate drift in a Rocky Mountain stream (Colorado, USA). *Hydrobiologia* 144:261–268.
- ALLAN, J.D., A.S. FLECKER and N.L. McCLINTOCK.** (1987): Prey preference of stoneflies: sedentary vs mobile prey. *Oikos* 49:323–331.
- ALLAN, J.D., A.S. FLECKER and N.L. McCLINTOCK.** (1987): Prey size selection by carnivorous stoneflies. *Limnol. Oceanogr.* 32(4):864–872.
- ALLEN, B.L. and D.C. TARTER.** (1985): Life history and ecology of *Eccoptura xanthenes* (Plecoptera: Perlidae) from a small Kentucky (USA) stream. *Trans. Kentucky Acad. Sci.* 46:87–91.
- ANDERSON, K.G.** (1986): The love-life of stoneflies: A behavioral ecological view. *Fauna Flora* 81:207–214.
- ANDERSON, N.H. and B.P. HANSEN.** (1987): An annotated check list of aquatic insects collected at Berry Creek Benton County, Oregon 1960–1984. *Occas. Pub. No. 2, Systematic Entomol. Lab., Dept. Entomol., Oregon St. Univ., Corvallis, Oregon* 2:1–13.
- AUBERT, J.** (1984): Les Plécoptères du Valais. *Bull. Murithienne* 102:167–183. (French).
- AUBERT, J.** (1986a): Les Plécoptères du Napf et des Préalpes de Lucerne et d'Unterwald (Plecoptera). Complément et corrections. *Entomol. Ber. Luzern* 15:17–18. (French).
- AUBERT, J.** (1986b): Quelques Plécoptères helvétiques du Natur-Museum de Lucern. *Entomol. Ber. Luzern* 15:19–25. (French).
- AUBERT, J.** (1986): Quelques Plécoptères nouveaux pour la faune de Suisse. *Mitt. Schweiz. Entomol. Ges.* 59:407–408. (French).
- AUBERT, J.** (1986): Plecoptera of the French Alps. *Ann. Soc. Entomol. Fr.* 22:81–104.
- AUBERT, J.** (1987): Quelques Plécoptères recoltés au piège lumineux. *Bull. Romand Entomol.* 5:41–43. (French).
- BACK, C., J. BOISVERT, J.L. LACOURSIERE and G. CHARPENTER.** (1985): High-dosage treatment of a Quebec stream with *Bacillus thuringiensis* serovar. *israelensis*: efficacy against black fly larvae (Diptera: Simuliidae) and impact on non-target insects. *Can. Entomol.* 117:1523–1534.
- BAEKKEN, T.** (1981): Growth patterns and food habits of *Baetis rhodani*, *Capnia pygmaea* and *Diura nanseni* in a West Norwegian river. *Holarctic Ecol.* (Copenhagen) 4:139–144.
- BANERVOA, Z. and J. CERVENY.** (1986): Towards an understanding of the trophic ecology of *Myotis natterii*. *Folia Zool.* 35:55–61.

- BAUMANN, R.W. and D.R. LAUCK.** (1987): *Salmoperla*, a new stonefly genus from northern California (Plecoptera: Perlodidae). Proc. Entomol. Soc. Wash. 89:825–830.
- BAUMANN, R.W. and T.W. MINGO.** (1987): *Zapada katahdin*, a new stonefly (Plecoptera: Nemouridae) from the Northeast. J. N.Y. Entomol. Soc. 95(2):252–257.
- BECKER, A.** (1986): Die Ephemeropteren und Plecopteren der MÖlle unter besonderer Berücksichtigung der Lebenszyklen ausgewählter Ephemeropteren-Arten. Unpublished thesis, University of Bielefeld, Germany 1–60.(German).
- BECKETT, D.C.** (1987): Plecoptera of the Ohio River: community composition and species phenologies of nymphs collected near Cincinnati, Ohio. Ohio J. Sci. 87(1):41–45.
- BEHMER, D.J. and C.P. HAWKINS.** (1986): Effects of overhead canopy on macroinvertebrate production in a Utah stream. Freshwater Biol. 16:287–300.
- BEIJER, J.A.J.** (1980): Ecologie van steenvliegen (Plecoptera) in periodiek droogvallende beken. (Ecology of stoneflies (Plec.) in periodically drying streams). Unpubl. report, Landbouwhogeschool Wageningen, Netherlands. 52pp.(Dutch, English summary).
- BENKE, A.C., R.J. HUNTER and F.K. PARRISH.** (1986): Invertebrate drift dynamics in a subtropical blackwater river. J. N. Am. Benthol. Soc. 5(3):173–190.
- BERKMAN, H.E., C.R. RABENI and T.P. BOYLE.** (1986): Biomonitoring of stream quality in agricultural areas: Fish vs. invertebrates. Environ. Manag. 10:413–420.
- BERNHARDT, P. and L.B. THIEN.** (1987): Self-isolation and insect pollination in the primitive angiosperms: new evaluations of older hypotheses. Plant Syst. Evol. 156:159–176.
- BERTHÉLEMY, C. and A. DIA** (1982): Plécoptères du Liban (Insecta). Annls Limnol. 18(2):191–214. (French, English abstract).
- BÖTTGER, K., U. HOLM and K. MIKOWSKI.** (1987): Vergleichende Emergenzstudien an einem naturnahen und einem naturfernen Abschnitt des Fließgewässersystems der Fuhlenau in Schleswig-Holstein. Int. Revue ges. Hydrobiol. 72(3):339–368.(German).
- BOTTORFF, R.L. and A.W. KNIGHT.** (1987): Ectosymbiosis between *Nanocladius downesi* (Diptera: Chironomidae) and *Acroneuria abnormis* (Plecoptera: Perlidae) in a Michigan Stream, USA. Entomol. Gener. 12 (2/3):97–113.
- BOURNAUD, M., H. TACHET and A.L. ROUX.** (1987): The effects of seasonal and hydrological influences on the macroinvertebrates of the Rhône River, France. Arch. Hydrobiol./Suppl. 76(1/2):25–51.
- BRÄNNAS, E. and SÖDERGREN.** (1984): Timing of emergence in *Taeniopteryx nebulosa* L.(Plecoptera) with special reference to temperature and photoperiod. Aquilo Ser. Zool. 24-

- BRAUKMANN, U.** (1987): Zoozöologische und saprobiologische Beiträge zu einer allgemeinen regionalen Bachtypologie. Arch. Hydrobiol. Beih. Ergeb. Limnol. 26:1–355. (German).
- BRITAIN, J.E. and A. LILLEHAMMER.** (1987): Variability in the rate of egg development of the stonefly, *Nemoura cinerea* (Plecoptera). Freshwater Biol. 17(3):565–568.
- BRITAIN, J.E., A. LILLEHAMMER and S.J. SALTVEIT.** (1986): Intraspecific variation in the nymphal growth rate of the stonefly, *Capnia atra* (Plecoptera). J. Anim. Ecol. 55:1001–1006.
- BRODSKY, A.K.** (1986): Flight of the gigantic stonefly *Allonarcys sachalina* (Plecoptera, Pteronarcyidae) and the study of the wing supination mechanism in insects. Zool. Zh. 65(3):349–360. (Russian, English summary).
- BRUNS, D.A. and G.W. MINSHALL.** (1986): Seasonal patterns in species diversity and niche parameters of lotic predator guilds. Arch. Hydrobiol. 106(3):395–419.
- BUNN, S.E.** (1986): Spatial and temporal variation in the macroinvertebrate fauna of streams of the Northern Jarrah Forest, Western Australia: Functional organization. Freshwater Biol. 16:621–632.
- BUNN, S.E., D.H. EDWARD and N.R. LONERAGAN.** (1986): Spatial and temporal variation in the macroinvertebrate fauna of streams of the northern Jarrah forest, western Australia: community structure. Freshwater Biol. 16:67–91.
- BURTON, T.M. and J.W. ALLEN.** (1986): Influence of pH, aluminum, and organic matter on stream invertebrates. Can. J. Fish. Aquat. Sci. 43:1285–1289.
- BUSHNELL, J.H., S.Q. FOSTER and B.M. WAHLE.** (1987): Annotated inventory of invertebrate populations of an alpine lake and stream chain in Colorado. Great Basin Natur. 47(3):500–511.
- CANNINGS, S.G.** (1987): *Capnia licina* Jewett (Plecoptera: Capniidae): a description of the adult female and redescription of the male. Can. Entomol. 119(5):439–441.
- CELLOT, B. and M. BOURNAUD.** (1986): Faunistic modifications caused by a small variation in discharge in a large river. Hydrobiologia 135:223–232.
- CESTARO, R. and M.G. BRAIONI.** (1987): I Macroinvertebrati del bacino idrografico dell'Adige V. I Plecotteri. pp. 185–202 in: BRAIONI, M.G. and S. RUFFO (eds.) Ricerche sulla qualità delle acque dell'Adige. Mem. Mus. Civic. Stor. Nat. Verona (2. Ser.), Sez. A (Biol.):6. (Italian) (1986).
- CHESSMAN, B.C.** (1986): Dietary studies of aquatic insects from two Victorian rivers. Australian J. Mar. Freshwater Res. 37:129–146.
- CHESSMAN, B.C., D.P. ROBINSON and K.G. HORTLE.** (1987): Changes in the riffle macroinvertebrate fauna of the Tanjil River, southeastern Australia, during construction of Blue Rock Dam. Regulated Rivers: Res. Manag. 1:317–329.
- COLLIER, K.J. and M.J. WINTERBOURN.** (1987): Faunal and chemical dynamics of some acid and alkaline New Zealand streams. Freshwater Biol. 18:227–240.

- COWIE, I.G., W.O. YOUNG and J.M. HELLAWELL.** (1984): The influence of drought on the fish and invertebrate populations of an upland stream in Wales. *Freshwater Biol.* 14:165–177.
- CUFFNEY, T.F. and J.B. WALLACE.** (1987): Leaf litter processing in Coastal Plain streams and floodplains of southeastern Georgia, U.S.A. *Arch. Hydrobiol./Suppl.* 76(1/2):1–24.
- CULP, J.M.** (1986): Experimental evidence that stream macroinvertebrate community structure is unaffected by different densities of coho salmon fry. *J. N. Am. Benthol. Soc.* 5:140–149.
- CUMMINS, K.W. and M.A. WILZBACH.** (1985): Field procedures for analysis of functional feeding groups of stream macroinvertebrates. *Univ. Maryland:*1–18.
- DALTON, V.M., V. BRACK and P.M. McTEER** (1986): Food habits of the big-eared bat, *Plecotus townsendii virginianus*, in Virginia. *Virginia J. Sci.* 37:348–354.
- DAVYDOVA, E.D.** (1984): Neurosecretory system of the brain and the retrocerebral endocrine complex of Plecoptera (Insecta). *Dokl. Akad. Nauk. SSSR* 276(2):501–503.
- DOEG, T.J., G.W. DAVEY and J.D. BLYTH.** (1987): Response of the aquatic macroinvertebrate communities to dam construction on the Thomson River, southeastern Australia. *Regulated Rivers: Res. Manag.* 1:195–209.
- DOLÉDEC, P.S.** (1987): Etude des peuplements de macroinvertébrés benthiques de l'Ardèche dans son cours inférieur. *Arch. Hydrobiol.* 190(4):541–565.(French).
- DOPAGNE, C. and J.P. THOME.** (1986): Impact de l'altération des eaux et de la pollution par les PCB sur les biocénoses d'Arthropodes aquatiques des bassins de la Haine et de la Scarpe (frontière Franco-Belge). *Mitt. Schweiz. Entomol. Ges.* 59:1–14.
- DOSDALL, L.M., and D.M. LEHMKUHL.**(1987): Stoneflies (Plecoptera) of the lake Athabasca region of northern Saskatchewan and their biogeographical affinities. *Can. Entomol.* 119:1059–1062.
- DOSDALL, L.M., P.G. MASON and D.M. LEHMKUHL.** (1986): First records of phoretic Chironomidae (Diptera) associated with nymphs of *Pteronarcys dorsata* (Say) (Plecoptera: Pteronarcyidae). *Can. Entomol.* 118:511–515.
- DOWNES, W.L.** (1987): The impact of vertebrate predators on early arthropod evolution. *Proc. Entomol. Soc. Wash.* 89:389–406.
- DUNCAN, W.F. and M.A. BRUSVEN.** (1985): Benthic macroinvertebrates in logged and unlogged low-order Southeast Alaskan streams. *Freshwater Invertebrate Biol.* 4:125–132.
- DUSA, L., P. GHERGHEL and D.F. SIRBA.** (1987): Scientific collections in the zoological museum of the Babes-Bolyai University in Cluj-Napoca (Romania). *Stud. Univ. Babes-Bolyai Biol.* 31:63–68.
- EDWARDS, J.S.** (1986): Derelicts of dispersal: Arthropod fallout on Pacific Northwest volcanoes. pp. 196–203 in: W. DANTHANARAYANA (ed.) *Insect Flight: Dispersal and Migration.* Springer-Verlag, Berlin.

- ELLIOTT, J.M.** (1986): The effect of temperature on the egg incubation period of *Capnia bifrons* (Plecoptera: Capniidae) from Windermere (English Lake District). *Holarctic Ecol.* 9:113–116.
- ELLIOTT, J.M.** (1987): Life cycle and growth of *Leuctra geniculata* (Stephens) (Plecoptera: Leuctridae) in the river Leven. *Entomol. Gazette* 38:129–136.
- ELLIOTT, J.M.** (1987): Egg hatching and resource partitioning in stoneflies—the 6 British *Leuctra* spp. (Plecoptera, Leuctridae). *J. Anim. Ecol.* 56(2):415–426.
- ELLIOTT, J.M.** (1987): Temperature-induced changes in the life cycle of *Leuctra nigra* (Plecoptera: Leuctridae) from a Lake District stream. *Freshwater Biol.* 18:177–184.
- ERNST, M.R. and K.W. STEWART.** (1986): Microdistribution of eight stonefly species (Plecoptera) in relation to organic matter in an Ozark foothills stream. *Aquat. Insects* 8(4):237–254.
- ERNST, M.R., B.C. POULTON and K.W. STEWART.** (1986): *Neoperla* (Plecoptera: Perlidae) of the Southern Ozark and Ouachita Mountain Region, and two new species of *Neoperla*. *Ann. Entomol. Soc. Am.* 79:645–661.
- FELTMATE, B.W.** (1987): Predator-prey interactions in a stream, a combined field and laboratory study of *Paragnetina media* (Plecoptera) and *Hydropsche sparna* (Trichoptera). *Can. J. Zool.* 65(2):448–454.
- FELTMATE, B.W., R.L. BAKER and P.J. POINTING.** (1986): Distribution of the stonefly nymph *Paragnetina media* (Plecoptera: Perlidae): influence of prey, predators, current speed, and substrate composition. *Can. J. Fish. Aquat. Sci.* 43:1582–1587.
- FELTMATE, B.W. and P.J. POINTING.** (1986): Effects of habitable space on substrate selection by *Paragnetina media* (Walker) (Plecoptera: Perlidae). *Hydrobiologia* 131:277–279.
- FEMINELLA, J.W. and K.W. STEWART.** (1986): Diet and predation by three leaf-associated stoneflies (Plecoptera) in an Arkansas mountain stream. *Freshwater Biol.* 16:521–538.
- FIALKOWSKI, W.** (1986): Life cycles and microdistribution of *Nemoura cinerea* (Retz.) and *Nemurella picteti* Klap. (Plecoptera: Nemouridae) from two small lowland streams in Southern Poland. *Acta Hydrobiol.* 28(1/2):199–213.
- FINDLAY, S., J.L. MEYER and P.J. SMITH.** (1986): Incorporation of microbial biomass by *Peltoperla* sp. (Plecoptera) and *Tipula* sp. (Diptera). *J. N. Am. Benthol. Soc.* 5:306–310.
- FISHBECK, D.W.** (1987): Stoneflies (Plecoptera) in Gray's Run in Northeastern Ohio. *Ohio J. Sci.* 87(3):67–72.
- FLEITUCH, T.** (1985): Macroinvertebrate drift in the middle course of the River Durajec (Southern Poland). *Acta Hydrobiol.* 27:49–61.
- FOCHETTI, R. and P. NICOLAI.** (1985): Spring Plecoptera from Friuli-Venezia Giulia. *Atti Mus. civ. Stor. nat. Trieste* 37(3):247–253. (Italian, English summary).

- FRUTIGER, A.** (1987): Investigations on the life-history of the stonefly *Dinocras cephalotes* Curt. (Plecoptera: Perlidae). *Aquat. Insects* 9(1):51–63.
- FULLER, R.L. and H.B.N. HYNES.** (1987): Feeding ecology of three predacious aquatic insects and two fish in a riffle of the Speed River, Ontario. *Hydrobiologia* 150:243–255.
- GARNAS, E. and N.A. HVIDSTEN** (1985): The food of Atlantic salmon *Salmo salar* and brown trout *Salmo trutta* smolts during migration in the Orkla River, Norway. *Fauna Norv. Ser. A* 5:24–28.
- GEE, J.H.R.** (1984): The microdistribution of benthic invertebrates in Cotswold stream. *Verh. Int. Verein. Limnol.* 22(3):1932–1938.
- GEHRKEN, U. and L. SOMME.** (1987): Increased cold hardiness in eggs of *Arcynopteryx compacta* (Plecoptera) by dehydration. *J. Insect Physiol.* 33(12):987–992.
- GELLERT, G.** (1987): Limnologische Untersuchung der Sieg zwischen Auer Mühle und Mündung (Fluß-km 76–146) unter besonderer Berücksichtigung der Gewässergüte. *Decheniana (Bonn)* 140:148–163. (German).
- GLAZIER, D.S. and J.L. GOOCH.** (1987): Macroinvertebrate assemblages in Pennsylvania (USA) springs. *Hydrobiologia* 150:33–43.
- GOLLADAY, S.W., J.R. WEBSTER and E.F. BENFIELD.** (1983): Factors affecting food utilization by a leaf shredding aquatic insect: leaf species and conditioning time. *Holarctic Ecol.* 6:157–162.
- GOLUBKOV, S.M.** (1986): Relationship between the rate of oxygen uptake by aquatic insect larvae and their body weight. *Hydrobiol. Zh.* 22:78–87.
- HALAND, Ø.** (1987): Influence of temperature on the egg-stage of *Capnopsis schilleri* (Plecoptera; Capniidae). *Fauna Norv. Ser. B* 34:41–44.
- HARPER, P.P.** (1976): Emergence patterns in Plecoptera. In: A report on the Fifth International Symposium on Plecoptera. *Proc. Biol. Soc. Wash.* 88(38):414–415.
- HART, D.D.** (1987): Feeding territoriality in aquatic insects: cost-benefit models and experimental tests. *Am. Zool.* 27:371–386.
- HEITKAMP, U., D. LESSMANN and C. PIEHL.** (1985): Makrobenthos-, Moos- und Interstitialfauna des Mittelgebirgsbachsystems der Sieber im Harz (Süd-Niedersachsen). *Arch. Hydrobiol./Suppl.* 70(3):279–364.
- HERRANZ, J.M. and M. GONZALEZ del TANAGO.** (1985): Ephemeroptera, Plecoptera and Trichoptera of the high Tagus basin (Guadalajara) Spain. *Biol. Asoc. Espan. Entomol.* 9:35–54.
- HILSENHOFF, W.L.** (1987): An improved biotic index of organic stream pollution. *Great Lakes Entomol.* 20:31–39.
- HORNIG, C.E. and M.A. BRUSVEN.** (1986): Effects of suspended sediment on leaf processing by *Hesperophylax occidentalis* (Trichoptera: Limnephilidae) and *Pteronarcys californica* (Plecoptera: Pteronarcyidae). *Great Basin Natur.* 46:33–38.

- HURU, H.** (1987): Occurrence and life cycle of *Dinocras cephalotes* (Curtis, 1827) (Plec. Perlidae) in north Norway. Fauna Norv., Ser. B. 34(1):14–18.
- HURYN, A. and J.B. WALLACE.** (1987): The exopterygote insect community of a mountain stream in North Carolina, USA: life histories, production, and functional structure. Aquat. Insects 9(4):229–251.
- HURYN, A.D. and J.B. WALLACE.** (1987): Local geomorphology as a determination of macrofaunal production in a mountain stream. Ecology 68(6):1932–1942.
- IKONOMOV, P.** (1986): (Contribution à la connaissance des Plécoptères (Insecta) de Macédoine). Fragmenta Balcanica 13(1/279):1–9. (Macedonian, English Abstract, French Résumé).
- IKONOMOV, P.** (1986): Plécoptères de Macédoine (Insecta, Plecoptera) Taxonomie et Distribution. Acat. Mus. Maced. Sci. Natur. 18(4/150):81–124. (Macedonian, French Résumé).
- JACOBI, G.Z. and S.J. CARY.** (1986): New records of winter stoneflies (Plecoptera) from southwestern New Mexico [USA], with notes on habitat preferences and zoogeographic origins. Southwest. Natur. 31:503–510.
- JALON, D.G., M.G. TANAGO, E. BARCELO, C. MONTES, F. MENES and C. CASADOE.** (1986): Contribution to the faunistic study of some aquatic insect taxocenoses of the Parque Natural del Lago de Sanabria y Rio Tera (Zamora). Servicio Publicaciones Universidad de Sevilla, Sevilla (Spain) pp.1145–1156.
- JAZDEWSKA, T.** (1987): (Materials to the knowledge of hydrofauna of the Widawka River). Acta Univ. Lodz., Folia Limnol. 2:27–47. (Polish, English summary).
- JEFFREY, K.A., F.W.H. BEAMISH, S.C. FERGUSON, R.J. KOLTON and P.D. MacMAHON.** (1986): Effects of the lampricide, 3-trifluoromethyl 4-nitrophenol (TFM) on the macroinvertebrates within the hypohelic region of a small stream. Hydrobiologia 134(1):43–51.
- JENSEN, F., C.F. JENSEN and T. MUNK.** (1986): Further records from Denmark of *Protonemura hrabei* (Insecta, Plecoptera) with some notes on its biology. Flora Fauna 92:13–16. (Danish, English Summary).
- JOOST, W.** (1983): Neue Steinfliegen (Insecta, Plecoptera) für die Fauna Thüringens. Entomol. Nachr. Ber. 27:84–84. (German).
- JOOST, W.** (1986): Plecopteren-Emergenz der Vesser 1983. Abh. Ber. Mus. Natur. Gotha 13:11–14. (German).
- JOOST, W., B. KLAUSNITZER and W. ZIMMERMAN.** (1985): Die merolimnische Insektenfauna eines Thüringer-Wald-Baches im Ergebnis dreijähriger Emergenzuntersuchungen. Teil I: Ephemeroptera, Plecoptera, Megaloptera, Coleoptera und Trichoptera. In: Faunistische Abhandl., Staatl. Mus. Tierkunde Dresden. 113:1.
- JOOST, W., B. KLAUSNITZER and W. ZIMMERMAN.** (1986): Die Sekundärproduktion eines Thüringer-Wald-Baches im Ergebnis dreijähriger Emergenz-Untersuchungen. Limnologica 17(1):29–52.



- JOP, K.M. and K.W. STEWART.** (1987): Annual stonefly (Plecoptera) production in a second order Oklahoma Ozark stream. *J. N. Am. Benthol. Soc.* 6(1):26–34.
- KAGE, S.** (1984): Transport und Anreicherung von Schadstoffen im limnischen Nahrungsnetz. Unpublished thesis, University of Bayreuth, Germany: 1–115. (German).
- KAPOOR, N.N.** (1987): Fine structure of the coniform sensillar complex on the antennal flagellum of the stonefly nymph *Paragnetina media* (Plecoptera: Perlidae). *Can. J. Zool.* 65(7):1827–1832.
- KAZANCI, N.** (1986): *Leuctra anatolica*, a new Plecoptera (Leuctridae) species from Turkey. *Aquat. Insects* 8:171–173.
- KING, J.M., M.P. HENSHALL-HOWARD, J.A. DAY, and B.R. DAVIES.** (1987): Leaf-pack dynamics in a southern African mountain stream. *Freshwater Biol.* 18:325–340.
- KIRBY, P. and R. BECK.** (1986): Muscular connections between the gut and thoracic exoskeleton in some orthopteroid insects. *Zool. J. Linn. Soc.* 86:185–196.
- KISHIMOTO, T.** (1987): Embryonic development of the ventral nervous system of the stonefly, *Kamimuria tibialis* (Pictet) (Plecoptera: Perlidae). pp.215–223 in: ANDO, D. and C. JURA (eds.) *Recent Advances in Insect Embryology in Japan and Poland.* Arthropod. Embryol. Soc. Japan.
- KISHIMOTO, T. and H. ANDO.** (1986): Alimentary canal formation in the stonefly, *Kamimuria tibialis* (Pictet) (Plecoptera: Perlidae). *Int. J. Morph. Embryol.* 15:97–106.
- KITTEL, W.** (1986): *Nemoura monticola* Raušer, 1965 (Plecoptera, Nemouridae), a new species of stonefly from Poland. *Przeł. Zool.* 30(2):197–200.
- KOLTON, R.J., P.D. MacMAHON, K.A. JEFFREY and F.W.H. BEAMISH.** (1986): Effects of the lampricide, 3-trifluoromethyl–4-nitrophenol (TMF) on the macroinvertebrates of a hardwater river. *Hydrobiologia.* 139:251–267.
- KONDRATIEFF, B.C. and R.F. KIRCHNER.** (1987): Additions, taxonomic corrections, and faunal affinities of the stoneflies (Plecoptera) of Virginia, USA. *Proc. Entomol. Soc. Wash.* 89(1):24–30.
- KONDRATIEFF, B.C. and W.B. PAINTER.** (1986): Two new records of stoneflies (Plecoptera: Perlodidae) from South Carolina. *Entomol. News* 97:17–20.
- KONDRATIEFF, B.C. and J.V. WARD.** (1987): *Taeniopteryx burksi*, (Plecoptera: Taeniopterygidae) in Colorado (USA) with notes on aquatic insects of plains streams. *Entomol. News* 98(1):13–16.
- KOVACHEV, S.G. and Y.I. UZUNOV.** (1986): Formation of macroinvertebrate communities in the course of the biological self purification of the Mesta River. *Arch. Hydrobiol./Suppl.* 72(4):427–526.
- KRNO, I.** (1982): Structure and dynamics of makrozoobenthos of the River Lupcianka and its tributaries (the Low Tatras). *Biol. Prace.* 28:1–126. (Czechoslovakian, English Summary).

- KRNO, I.** (1986): Stoneflies (Plecoptera) of the Bratislava Forest-Park (Little Carpathians). *Biologia* 41:115–125.
- LANG, C. and G.L. EPLOTTENIER.** (1985): Benthic invertebrates and water quality in sixteen rivers of western Switzerland. *Bull. Soc. Vaudoise Sci. Natur.* 77:341–352.
- LEES, J.H. and R.D. WARD.** (1987): Genetic variation and biochemical systematics of British Nemouridae. *Biochem. Syst. Ecol.* 15(1):117–125.
- LELAND, H.V., J.L. CARTER and S.V. FEND** (1986): Use of detrended correspondence analysis to evaluate factors controlling spatial distribution of benthic insects. *Hydrobiologia* 131(2):113–123.
- LELAND, H.V., S.V. FEND, J.L. CARTER AND A.D. MAHOOD.** (1986): Composition and abundance of periphyton and aquatic insects in a Sierra Nevada, California stream. *Great Basin Natur.* 46:595–611.
- LENAT, D.R.** (1987): The macroinvertebrate fauna of the Little River, North Carolina: taxa list and seasonal trends. *Arch. Hydrobiol.* 110(1):19–43.
- LENAT, D.R. and D.L. PENROSE.** (1987): New distribution records for North Carolina macroinvertebrates. *Entomol. News* 98(2):67–73.
- LILLEHAMMER, A.** (1985): Ecology of the regulated river Storelva in western Norway 50 years after regulation. *Fauna Norv. Ser. A.* 5:35–41.
- LILLEHAMMER, A.** (1986): Nymphs of the Fennoscandian *Nemoura* Latreille (Plecoptera:Nemouridae). *Entomol. Scandinavica* 17(4):511–519.
- LILLEHAMMER, A.** (1986): Taxonomic differences between populations of *Leuctra hippopus* Kempny (Plecoptera) in Norway. *Fauna Norv. Ser. B* 33:27–32.
- LILLEHAMMER, A.** (1986): Diapause and quiescence in eggs of Systellognatha stonefly species (Plecoptera) occurring in alpine areas of Norway. *Annl. Limnol.* 23(3):179–184.
- LILLEHAMMER, A.** (1987): Egg development on the stoneflies *Siphonoperla burmeisteri* (Chloroperlidae) and *Dinocras cephalotes* (Perlidae). *Freshwater Biol.* 17:35–40.
- LILLEHAMMER, A.** (1987): Intraspecific variation in the biology of eggs and nymphs of Norwegian populations of *Leuctra hippopus* (Plecoptera). *J. Natur. Hist.* 21(1):29–41.
- LILLEHAMMER, A.** (1987): The effect of temperature on the egg incubation period and nymphal growth of two *Nemoura* species (Plecoptera) from subarctic Fennoscandia. *Aquat. Insects* 8(1986):223–235.
- LILLEHAMMER, A. and B. OEKLAND.**(1987): Taxonomy of stonefly eggs of the genus *Isoperla* (Plecoptera, Perlodidae). *Fauna Norv., Ser. B* 34(2):121–124.
- LILLEHAMMER, A., M. JOHANSSON and G.M. GISLASON.** (1986): Studies on *Capnia vidua* (Capniidae, Plecoptera) populations in Iceland. *Fauna Norv. Ser. B* 33:93–97.

- LUTZ, H.** (1987): The insect-thanatocenosis from the middle Eocene of the Grube Messel near Darmstadt [West Germany]: Preliminary results. *Cour. Forschungsinst. Senckenberg.* 140:189–202.
- MACAN, T.T.** (1974): Running water. *Mitt. Internat. Verein. Limnol.* 20:301–321.
- MacMAHON, P.D., K.A. JEFFREY, F.W.H. BEAMISH, S.C. FERGUSON AND R.J. KOLTON.** (1987): Effects of the lampricide, 3-trifluoromethyl-4-nitrophenol (TFM) on the macroinvertebrates of Wilmot Creek. *Hydrobiologia* 148:25–34.
- MALMQVIST, B.** (1986): Drift of mayflies in response to disturbance by predacious stonefly nymphs. *Proc. 3rd Europ. Congr. Entomol.* part 1:107–110.
- MALMQVIST, B. and SJÖSTRÖM, P.** (1987): Stream drift as a consequence of disturbance by invertebrate predators. *Oecologia* 74:396–403.
- MARTINEZ, L.A.** (1986): Morphological and behavioral evidence for chemoreception by predaceous stonefly nymphs and their mayfly prey. *Chem. Senses* 11(4):633.
- MARCHANT, R.** (1986): Estimates of annual production for some aquatic insects from the La Trobe River, Victoria. *Australian J. Mar. Freshwater Res.* 37:113–120.
- McCULLOCH, D.L.** (1986): Benthic macroinvertebrate distributions in the riffle-pool communities of two east Texas streams. *Hydrobiologia* 135:61–70.
- McLELLAN, I.D.** (1987): A revision of *Spaniocerca* Tillyard (Plecoptera: Notonemouridae) and descriptions of new species. *New Zealand J. Zool.* 14:257–268.
- MELVILLE, R.** (1984): Opinion 1276: *Semblis marginata* Panzer, 1799 (Insecta Plecoptera): Conserved. *Bull. Zool. Nomencl.* 41(1):36–38.
- MEMBIELA IGLESIA, P.** (1986): Observaciones sobre algunas especies del género *Leuctra* Stephens, 1835 (Plec. Leuctridae) de Galicia. *Boletín Asoc. esp. Entomol.* 10:215–222.(Spanish).
- MEMBIELA IGLESIA, P. and E. MARTINEZ ANSEMIL.** (1984): Larvas de Plecópteros del río Tambre (Galicia): estudio ecológico. *Boletín Asoc. esp. Entomol.* 8:101–109.(Spanish).
- MENDL, H.** (1986): Steinfliegen-Fänge aus der Republik Irland (Insecta: Plecoptera). *Mitt. Entomol. Ges., Basel* 36(4):155–162.
- MEURISSE-GENIN, D.M., A. REYDAMS-DETOLLENAERE, P. STROOT and J.C. MICHA.** (1987): Les macroinvertébrés benthiques de la Meuse belge: bilan de cinq années de recherches (1980 à 1984). *Arch. Hydrobiol.* 109(1):67–88.(French).
- MICHAEL, D.I. and D.A. CULVER.** (1987): Influence of plecopteran and megalopteran predators on *Hydropsyche* (Trichoptera: Hydropsychidae) microdistribution and behavior. *J. N. Am. Benthol. Soc.* 6(1):46–55.
- MICKOLEIT, G.** (1987): Limnologische Untersuchung des Alpebaches und seiner Nebenbäche (Oberbergischer Kreis, NRW). *Decheniana (Bonn)* 140:164–173.(German).

- MILLER, M.C., J.R. STOUT and V. ALEXANDER.** (1986): Effects of a controlled under-ice oil spill on invertebrates of an arctic and a subarctic stream. *Environ. Pollut. Ser. A Ecol. Biol.* 42:99–132.
- MOLLES, M.C. and R.D. PIETRUSZKA.** (1987): Prey selection by a stonefly: the influence of hunger and prey size. *Oecologia* 72:473–478.
- MULHOLLAND, P.J., A.V. PALUMBO and J.W. ELWOOD.** (1987): Effects of acidification on leaf decomposition in streams. *J. N. Am. Benthol. Soc.* 6(3):147–158.
- MUNDIE, J.H., S.M. McKINNELL and R.E. TRABER.** (1983): Responses of stream zoobenthos to enrichment of gravel substrates with cereal grain and soybean. *Can. J. Fish. Aquat. Sci.* 40:1702–1712.
- MUTCH, R.A. and G. PRITCHARD.** (1986): Development rates of eggs of some Canadian stoneflies (Plecoptera) in relation to temperature. *J. N. Am. Benthol. Soc.* 5(4):272–277.
- NELSON, C.R. and R.W. BAUMANN.** (1987): The winter stonefly genus *Capnura* (Plecoptera: Capniidae) in North America: systematics, phylogeny, and zoogeography. *Trans. Am. Entomol. Soc.* 113:1–28.
- NELSON, C.R. and R.W. BAUMANN.** (1987): Scanning electron microscopy for the study of the winter stonefly genus *Capnia* (Plecoptera: Capniidae). *Proc. Entomol. Soc. Wash.* 89(1):51–56.
- NELSON, C.R. and R.W. BAUMANN.** (1987): New winter stoneflies of the genus *Capnia* with notes and an annotated checklist of the Capniidae of California (Plecoptera: Capniidae). *Entomography* 5:485–522.
- NELSON, C.R. and R.W. BAUMANN.** (1987): Gynandromorphism in the winter stonefly genus *Capnia* (Plecoptera: Capniidae). *Entomol. News* 98(5):224–229.
- NICOLAI, P.** (1983): Contributo alla conoscenza dei Plecotteri del Friuli-Venezia Giulia (Plecoptera). *GORTANIA-Atti Museo Friul. Storia Natur.* 4:153–162. (Italian).
- NICOLAI, P.** (1986): On the evolution and biogeography of the *Protonemura* species of the *corsicana* Group, with the Description of *P. helenae* sp. n. from Sicily (Plecoptera, Nemouridae). *Aquat. Insects* 7(4):249–257.
- NICOLAI, P. and R. Fochetti.** (1983): The Plecoptera fauna of a high quality rheocenic system: the spring stretch of the Cosa Stream (Central Italy) Riv. *Hydrobiol.* 22(2–3):187–202. (Italian, English summary).
- OBI, A. and J.V. CONNER.** (1986): Spring and summer macroinvertebrate drift in the lower Mississippi River, Louisiana. *Hydrobiologia* 139:167–175.
- ORMEROD, S.J. and S.J. TYLER.** (1986): The diet of dippers *Cinclus cinclus* wintering in the catchment of the River Wye, Wales (UK). *Bird Study* 33:36–45.
- ORMEROD, S.J., S. EFTELAND and L.E. GABRIELSEN.** (1987): The diet of breeding dippers *Cinclus cinclus cinclus* and their nestlings in southwestern Norway. *Holarctic Ecol.* 10:201–205.

- ORMEROD, S.J., K.R. WADE and A.S. GEE.** (1987): Macro-floral assemblages in upland Welsh streams in relation to acidity, and their importance to invertebrates. *Freshwater Biol.* 18:545–557.
- ORMEROD, S.J., P. BOOLE, C.P. McCAHON, N.S. WEATHERLEY, D. PASCOE and R.W. EDWARDS.** (1987): Short-term experimental acidification of a Welsh [UK] stream: comparing the biological effects of hydrogen ions and aluminum. *Freshwater Biol.* 17:341–356.
- OSBORNE, L.L. and R.W. DAVIES.** (1987): The effects of a chlorinated discharge and a thermal outfall on the structure and composition of the aquatic macroinvertebrate communities in the Sheep River, Alberta, Canada. *Water Res.* 21:913–922.
- OTTO, Ch. and P. SJÖSTRÖM.** (1986): Behavior of drifting insect larvae. *Hydrobiologia* 131(1):77–86.
- PASS, G.** (1987): The “Cercus Heart” in stoneflies - a new type of accessory circulatory organ in insects. *Naturwissenschaften* 74:440–441.(German).
- PECKARSKY, B.L.** (1986): Colonization of natural substrates by stream benthos. *Can. J. Fish. Aquat. Sci.* 43:700–709.
- PECKARSKY, B.L.** (1987): Mayfly cerci as defense against stonefly predation: deflection and detection. *Oikos* 48(2):161–170.
- PENNAK, R.W. and J.V. WARD.** (1986): Interstitial faunal communities of the hyporheic and adjacent groundwater biotopes of a Colorado mountain stream. *Arch. Hydrobiol. Suppl.* 74:356–396.
- PERRY, S.A. and W.B. PERRY.** (1986): Effects of experimental flow regulation on invertebrate drift and stranding in the Flathead and Kootenai Rivers, Montana, USA. *Hydrobiologia* 134(2):171–182.
- PERRY, S.A. and A.L. SHELDON.** (1986): Effects of exported seston and aquatic insect faunal similarity and species richness in lake outlet streams in Montana, USA. *Hydrobiologia* 137:65–77.
- PERRY, S.A., W.B. PERRY and J.A. STANFORD.** (1987): Effects of thermal regime on size, growth rates and emergence of two species of stoneflies (Plecoptera: Taeniopterygidae, Pteronarcyidae) in the Flathead River, Montana. *Amer. Midland Natur.* 117:83–93.
- PERRY, W.B., E.F. BENFIELD, S.A. PERRY and J.R. WEBSTER.** (1987): Energetics, growth, and production of a leaf-shredding stonefly in a Appalachian Mountain stream. *J. N. Am. Benthol. Soc.* 6(1):12–25.
- PETERSON, R.H. and D.J. MARTIN-ROBICH.** (1986): Aquatic insect histories and Atlantic salmon fry diets in the St. Croix River, New Brunswick, Canada. *Can. Tech. Rep. Fish. Aquat. Sci.* 1485:1–27.
- PIECHOCKI, A.** (1986): Rivers and streams of the Lysogory Region (Swietokrzaskie Mountains, Central Poland) as a subject of hydrobiological research. *Fragm. Faunistica* 30:3–24.
- PIERCE, R.J.** (1986): Observations on behavior and foraging of the ibisbill *Ibidorhyncha struthersii* in Nepal. *Ibis* 128:37–47.

- PINDER, L.C. and I.S. FARR.** (1987): Biological surveillance of water quality - 2. Temporal and spatial variation in the macroinvertebrate fauna of the River Frome, a Dorset chalk stream. Arch. Hydrobiol. 109(3):321–331.
- PINDER, L.C.V. and I.S. FARR.** (1987): Biological surveillance of water quality - 3. The influence of organic enrichment on the macroinvertebrate fauna of small chalk streams. Arch. Hydrobiol. 109(4):619–637.
- POR, F.D., H.J. BROMLEY, Ch. DIMENTMAN, G.N. HERBST and R. ORTAL.** (1986): River Dan, headwater of the Jordan, an aquatic oasis of the Middle East. Hydrobiologia 134(2):121–140.
- POTIKHA, E.V. and L.A. ZHILTOVA.** (1986): New data on the stonefly (Plecoptera) fauna of Sikhote-Alin biosphere State Nature Reserve. pp. 48–57 in, LEVANIDOVA, I.M. and V.V. BOGATOV (eds.) Data on the Organisms of Freshwaters of the Far East. Akad. Nauk., Vladivostok. (Russian).
- POULTON, B.C. and K. STEWART.** (1987): Three new species of stoneflies (Plecoptera) from the Ozark-Ouachita mountain region. Proc. Entomol. Soc. Wash. 89(2):296–302.
- PRAT, N., G. GONZALEZ, X. MILLET and M.A. PUIG.** ((1985): El Foix entre l'eixutesa i la contaminació. In: Estudis i Monografies 11.
- PRAT, N.F., M.A. PUIG, G. GONZALEZ, M.F. TORT and M. ESTRADA.** (1984): Llobregat. pp. 527–552 in: WHITTON, B.A. (ed.) Ecology of European Rivers.
- PUGSLEY, C.W. and H.B.N. HYNES.** (1986): Three-dimensional distribution of winter stonefly nymphs, *Allocapnia pygmaea*, within the substrate of a southern Ontario river. Can. J. Fish. Aquat. Sci. 43(9):1812–1817.
- PUIG, M.A.** (1985): The Spanish subspecies of *Nemoura cinerea* (Retzius) (Plecoptera: Nemouridae). Congresso Iberico Entomol. Actas 2:445–451.
- PUIG, M.A., G. GONZALEZ and O. SORIANO.** (1984): Introduccion al estudio de las comunidades macrobentonicas de los rios Asturianos: Efemeropteros, Plecopteros, Tricópteros, Simuliidos y Quironomidos.. Limnetica (Madrid) 1:187–196. (Spanish).
- RAVIZZA, C. and E. RAVIZZA DEMATTEIS.** (1986): Les Plécoptères du Grana (Alpes Cottiennes méridionales) (Plecoptera). Boll. Mus. reg. Sci. Natur. Torino 4(2):311–339. (Italian).
- RAVIZZA DEMATTEIS, E. and C. RAVIZZA.** (1986): *Leuctra sesvenna* Aubert and *Leuctra helvetica* Aubert in the high Po Valley, with notes on their morphology and distribution (Plecoptera, Leuctridae). Boll. Mus. Reg. Sci. Natur. Torino 3:381–388.
- REMPEL, R.S. and J.C.H. CARTER.** (1986): An experimental study on the effect of elevated temperature on the heterotrophic and autotrophic food resources of aquatic insects in a forested stream. Can. J. Zool. 64:2457–2466.
- REZBANYAI-RESER, L.** (1986): Bemerkungen und Ergänzungen zur Publikation J. Aubert: "Quelques Plécoptères helvétiques du Natur-Museum de Lucern." Entomol. Ber. Luzern 15:25–26. (German).

- RICHARZ, GISELA.** (1983): Limnologische Untersuchung von Bächen des Raumes Linz (Rhein) - Bad Hönningen (Rheinland-Pfalz). Decheniana (Bonn) 136:54–70. (German).
- ROBINSON, C.R. and G.W. MINSHALL.** (1986): Effects of disturbance frequency on stream benthic community structure in relation to canopy cover and season. J. N. Am. Benthol. Soc. 5(3):237–248.
- RODRIGUES, C.S. and N.N. KAUSHIK.** (1986): Laboratory evaluation of the insect growth regulator diflubenzuron against black fly (Diptera: Simuliidae) larvae and its effects on nontarget stream invertebrates. Can. Entomol. 118:549–558.
- SALTVEIT, S.J. and J.E. BRITTAİN.** (1986): Short-wingedness in the stonefly *Diura nanseni* (Kempany) (Plecoptera: Perlodidae). Entomol Scand. 17:153–156.
- SANCHEZ-ORTEGA, A.** (1986): Taxonomia, ecologia y ciclos de vida de los Plecopteros de Sierra Nevada. Unpublished PhD-Thesis, University of Granada, Spain, 362 + 60 unnumbered pages. (Spanish).
- SANCHEZ-ORTEGA, A. and J. ALBA TERCEDOR.** (1985): Consideraciones taxonomicas sobre *Leuctra fusca carpentieri* (Plecoptera: Leuctridae). Bol. Soc. Portuguesa Entomol., Suppl. 1:349–352. (Spanish).
- SANCHEZ ORTEGA, A. and J. ALBA TERCEDOR.** (1987): Lista faunistica y bibliografica de los Plecopteros de la Peninsula Ibérica. Asociacion Espanola de Limnologia. In: MONTES, C. and D. GARCIA DE JALON (eds.) Lista de la flora y fauna de las atuas continentales de la Peninsula Ibérica, 4:1–133 (Spanish).
- SCHERER, E. and R.E. McNICOL.** (1986): Behavioral responses of stream-dwelling *Acroneuria lycorias* (Ins., Plecopt.) larvae to methoxychlor and fenitrothion. Aquat. Toxicol. 8:251–264.
- SCHMIDT, D.A. and D.C. TARTER.** (1986): Life history and ecology of *Acroneuria carolinensis* (Banks) in Panther Creek, Nicholas County, West Virginia (Plecoptera: Perlidae). Psyche 92:393–406.
- SCHÖLL, F.** (1985): Limnologische Untersuchung der Gewässersysteme Hanfbach und Quirrenbach im südlichen Rhein-Sieg-Kreis. Decheniana (Bonn) 138:169–181. (German).
- SINITSHENKOVA, N.D.** (1985): (New Jurassic stoneflies of the family Balaeopterygidae). Paleontol. Zh. 1985(4):116–120. (Russian).
- SINITSHENKOVA, N.D.** (1986): (Stoneflies. Perlida (=Plecoptera)) pp. 169–171 in: TARTARINOV, L.P. et. al. (eds):(Insects in the early cretaceous ecosystems of the West Mongolia. The joint Soviet-Mongolian palaeontological expedition). Trudy Palaeontol. Inst. Acad. Sci. USSR 28, 214pp. (Russian).
- SINITSHEKOVA, N.D.** (1987): (Istoritsheskoje rasvitije Vesnjanok) (Historical development of Plecoptera). Trudi Palaeontol. Inst. AN, 221, 141 + 2 unnumbered pp. (Russian).
- SMITH, D.L.** (1985): Leaf litter processing and the associated invertebrate fauna in a tall grass prairie stream. Kans. State Univ. 78–86.

- SOLEM, J.O., J. STEINKJER and S. BRETTEEN.** (1987): Distribution and seasonal abundance of adult stoneflies (Plecoptera) in the Dovrefjell National Park, south Norway. *Fauna Norv.*, Ser. B, 34(1):45–50.
- SPÄH, H. and W. BEISENHERZ.** (1982): Ökologisch-faunistische Untersuchung der Fischfauna der im Bereich des Truppenübungsplatzes Senne gelegenen Bäche. *Decheniana* 135:66–87. (German).
- STARK, B.P.** (1986): The nearctic species of *Agnatina* (Plecoptera: Perlidae). *J. Kans. Entomol. Soc.* 59:437–445.
- STARK, B.P.** (1987): Records and Descriptions of Oriental Neoperlini (Plecoptera: Perlidae). *Aquat. Insects* 9(1):45–50.
- STARK, B.P. and R.W. BAUMANN.** (1987): *Anacroneuria comanche*, a new stonefly from Texas (Plecoptera: Perlidae). *J. Kans. Entomol. Soc.* 60(2):344–347.
- STARK, B.P. and S.C. HARRIS.** (1986): Records of stoneflies (Plecoptera) in Alabama. *Entomol. News* 97(4):177–182.
- STARK, B.P. and B.D. KONDRATIEFF.** (1987): A New Species of *Peltoperla* from eastern North America (Plecoptera:Peltoperlidae). *Proc. Entomol. Soc. Wash.* 89(1):141–146.
- STARK, B.P. and R.F. SURDICK.** (1987): A new *Kathroperla* species from Western North America (Plecoptera:Chloroperlidae). *Proc. Entomol. Soc. Wash.* 89(3):527–531.
- STARK, B.P., M. GONZALEZ del TANAGO and S.W. SZCZYTKO.** (1986): Systematic studies on Western Palaearctic Perlodini (Plecoptera: Perlodidae). *Aquat. Insects* 8(2):91–98.
- STARK, B.P., S.W. SZCZYTKO and R.W. BAUMANN.** (1986): North American stoneflies (Plecoptera): Systematics, distribution, and taxonomic references. *Great Basin Natur.* 46:383–397.
- STARK, B.P., P.G. COX, D.L. LENTZ and A.B. HOGUE.** (1987): Abnormalities in stonefly eggs (Insecta: Plecoptera). *J. Kan. Entomol. Soc.* 60(4):588–592.
- STEYSKAL, G.C.** (1976): Notes on the nomenclature and taxonomic growth of the Plecoptera. In: A report on the Fifth International Symposium on Plecoptera. R.W. Baumann (ed.) *Proc. Biol. Soc. Wash.* 88(38):408–410.
- STOUT, R.J., W.H. TAFT and R.W. MERRITT.** (1985): Patterns of macroinvertebrate colonization of fresh and senescent alder leaves in two Michigan streams. *Freshwater Biol.* 15:573–580.
- STRANGE, C.D.** (1985): The effect of temperature on the egg development of *Protonemura meyeri* (Pictet) (Plecoptera; Nemouridae). *Proc. R. Ir. Acad. Sect. B Biol. Geol. Chem. Sci.* 85:101–106.
- SWEENEY, B.W. and R.L. VANNOTE.** (1986): Growth and production of a stream stonefly (*Soyedina carolinensis*): influences of diet and temperature. *Ecology* 67:1396–1410.



- SWEENEY, B.W., R.L. VANNOTE and P.J. DODDS.** (1986): The relative importance of temperature and diet to larval development and adult size of the winter stonefly, *Soyedina carolinensis* (Plecoptera: Nemouridae). *Freshwater Biol.* 16(1):39–48.
- SZCZYTKO, S.W. and R.L. BOTTORFF.** (1987): *Cosumnoperla hypocrena*, a new genus and species of western Nearctic Isoperlinae (Plecoptera: Perlodidae). *Pan-Pacific Entomol.* 63(1):65–74.
- TAYLOR, B.R. and J.C. ROFF.** (1986): Long-term effects of highway construction on the ecology of a southern Ontario (Canada) stream. *Environ. Pollut. Ser. A Ecol. Biol.* 40:317–344.
- TESLENKO, V.A.** (1986): (Evaluation of the biological regime of the river Rudnaja according to the stock of bottom invertebrates). pp. 116–127 in LEVANIDOVA, I.M. and BOGATOV (eds.): (Data on the Organisms of Freshwaters of the Far East, Akad. Nauk, Vladivostok). (Russian).
- THEISCHINGER, B.G. and J.C. CARDALE.** (1987): An illustrated guide to the adults of the Australian stoneflies (Plecoptera). CSIRO Australian Div. Entomol. Tech. Pap. 26:1–83.
- THEURICH, A.** (1986): Limnologische Untersuchung zweier Mittelgebirgsbäche mit unterschiedlichem geologischen Untergrund unter besonderer Berücksichtigung der Plecopteren. Unpublished thesis, University of Frankfurt/Main, 162 pp. (German).
- THORP, J.H.** (1986): Two distinct roles for predators in freshwater assemblages. *Oikos* 47:75–82.
- TOWNS, D.R.** (1985): Limnological characteristics of a South Australian intermittent stream, Brown Hill Creek. *Australian J. Mar. Freshwater Res.* 36(6):812–837.
- TOWNSEND, C.R., A.G. HILDREW and K. SCHOFIELD.** (1987): Persistence of stream invertebrate communities in relation to environmental variability. *J. Anim. Ecol.* 56:597–613.
- TUA, I.** (1987): Structure, dynamics and production of zoobenthos in a trout stream (Czechoslovakia). *Cas. Sle. Muz. Opava (A)* 36:193–218. (Czechoslovakian, English summary).
- UCHIDA, S.** (1987): The lectotype of *Neoperla formosana* Okamoto (Plecoptera: Perlidae). *Aquat. Insects.* 9(3):159–160.
- UCHIDA, S.** (1987): Plecopteran distribution in the Tamagawa River system. pp. 23–78 in: ISHIKAWA, R., T. YAMASAKI, J. KOJIMA and S. UCHIDA (eds.): Analytic studies on the distribution of some insect groups in the Tamagawa River system and its upper reaches. Tokyo Foundation Better Environment, Tokyo, 1987, 736 pp. (Japanese).
- UCHIDA, S. and H. MARUYAMA.** (1987): What is *Scopura longa* Ueno, 1929 (Insecta, Plecoptera)? A revision of the genus. *Zool. Sci.* 4(4):699–709.
- UZUNOV, Y. and S. KOVACHEV.** (1987): The macrozoobenthos of Struma River: An example of a recovered community after the elimination of a heavy industrial impact with suspended materials. *Arch. Hydrobiol./Suppl.* 76(1/2):169–196.

- VAN TOL, J.** (1985): Notes on species of the genus *Brachyptera* (Plecoptera) from the Netherlands and Switzerland. *Zool. Mededel.* 59:381–390.
- VINÇON, G.** (1987): Comparaison de la faune benthique des Vallées d'Aure et d'Ossau, en vue de l'élaboration d'une méthodologie d surveillance des cours d'eau de montagne. Unpublished Doctor's Thesis, University of Toulouse 381 pp. (French).
- VINÇON, G.** (1987): Étude hydrobiologique de la vallée d'Ossau (Pyrénées-Atlantiques). II. Le milieu et la structure du peuplement benthique. *Annls. Limnol.* 23(3):225-243.
- WAGENER, S.M. and J.D. LAPERRIERE.** (1985): Effects of placer mining on the invertebrate communities of interior Alaska streams. *Freshwater Invertebrate Biol.* 4(4):208–214.
- WAIS, I.R.** (1986): First record for the Argentine Republic of Eustheniidae, the most primitive living family of Plecoptera. *Spheniscus* 4:39–44. (Spanish).
- WAIS, I.R.** (1987): Macrozoobenthos of Negro River basin, Argentine Patagonia. *Stud. Neotrop. Fauna Environ.* 22(2):73–91.
- WALDE, S.J.** (1986): Effect of an abiotic disturbance on a lotic predator-prey interaction. *Oecologia*, 69(2):243–247.
- WALDE, S.J. and R.W. DAVIES.** (1987): Spatial and temporal variation in the diet of a predacious stonefly (Plecoptera:Perlodidae). *Freshwater Biol.* 17(1):109–116.
- WALLACE, J.B., D.S. VOGEL and T.F. CUFFNEY.** (1986): Recovery of a headwater stream from an insecticide-induced community disturbance. *J. N. Am. Benthol. Soc.* 5:115–126.
- WARD, G.M. and D.R. WOODS.** (1986): Lignin and fiber content of FPOM generated by the shredders *Tipula abdominalis* (Diptera: Tipulidae) and *Tallaperla cornelia* (Needham and Smith) (Plecoptera: Peltoperlidae). *Arch. Hydrobiol.* 107:545–562.
- WARD, J.V.** (1986): Altitudinal zonation in a Rocky Mountain stream. *Arch. Hydrobiol.* 74:133–199.
- WARD, J.V., H.J. ZIMMERMAN and L.D. CLINE.** (1986): Lotic zoobenthos of the Colorado system. pp. 403–423 in: CAVIES, B.R. and K.F. WALKER (eds): *The Ecology of River Systems*. Junk Publ., Dordrecht, Netherlands.
- WEICHSELBAUMER, I.** (1987): Plekopterenemergenz im Piburger Bach (Ötztal, Tirol). Unpublished thesis, University of Innsbruck, 111 pp. (German).
- WHISLER, H.C.** (1965): Host-Integrated Development in the Amoebidiales. *J. Protozool.* 13(1):183–188.
- WILLIAMS, D.D.** (1986): Factors influencing the macrodistribution of two sympatric species of Plecoptera: An experimental study. *Can. J. Fish. Aquat. Sci.* 43(5): 1004–1009.
- WILLIAMS, D.D.** (1987): A laboratory study of predator-prey interactions of stoneflies and mayflies. *Freshwater Biol.* 17:471–490.

- WILLIAMS, D.D. and I.D. HOGG.** (1986): Longitudinal zonation and ecology of invertebrates in a coldwater spring. p. 52 in: Int. Assoc. Great Lakes Research.
- WILLIAMS, M.C. and LICHTWARDT, R.W.** (1987). Two new trichomycete species from *Zapada* spp. (stonefly) nymphs with an unusual distribution. *Mycologia* 79(3):473–478.
- WILLOUGHBY, L.G. and M.A. HURLEY.** (1987): 'Echo' moulting used to estimate moulting periodicity of mayflies (Ephemeroptera) and stoneflies (Plecoptera) in nature. *Aquat. Insects* 9:221–227.
- WINTERBOURN, M.J. and K.J. COLLIER.** (1987): Distribution of benthic invertebrates in acid, brown water streams in the South Island of New Zealand. *Hydrobiologia* 153:277–286.
- WINTERBOURN, M.J., J.S. ROUNICK and A.G. HILDREW.** (1986): Patterns of carbon resource utilization by benthic invertebrates in two British river systems: a stable carbon isotope study. *Arch. Hydrobiol.* 107:349–361.
- WIRJOATMODJO, S. and A.H. ATMOWIDJOJO.** (1985): Insect community of stream ecosystem of Ketambe forest, Gunung Leuser National Park. *Berita Biol.* 3:111–115.
- WOODWARD, D.F. and E.E. LITTLE.** (1987): Toxicity of five shale oils to fish and aquatic invertebrates. *Arch. Environ. Contam. Toxicol.* 16:239–246.
- YOON, I.B. and J.A. SUNG.** (1985): A taxonomic study on the stonefly (Plecoptera) nymphs of Korea (I): Suborder Holognatha and Systellognatha. *Entomol. Res. Bull.* 11:111–140. (Korean).
- YOON, I.B. and J.A. SUNG.** (1986): A taxonomic study on the stonefly (Plecoptera) nymphs of Korea (II): Leuctridae, Taeniopterygidae, Capniidae, Perlodidae. *Entomol. Res. Bull.* 12:7–27. (Korean).
- YOUNG, J.O. and S.M. SPELLING.** (1986): The incidence of predation on lake-dwelling leeches. *Freshwater Biol.* 16:465–478.
- YULE, C.** (1986): Comparison of the dietary habits of six species of *Dinotoperla* (Plecoptera: Gripopterygidae) in Victoria. *Australian J. Mar. Freshwater Res.* 37:121–128.
- ZEIGLER, D.D. and K.W. STEWART.** (1986): Female response thresholds of two stonefly (Plecoptera) species to computer-simulated and modified male drumming calls. *Anim. Behav.* 34(3):929–931.
- ZEIGLER, D.D. and K.W. STEWART.** (1987): Behavioral characters with systematic potential in stoneflies (Plecoptera). *Proc. Entomol. Soc. Wash.* 89(4):794–802.
- ZHILTOVA, L.A.** (1986): (Zoogeographical characteristics of the stonefly fauna, group palaeartic Euholognatha (Plecoptera). *Ovtshaja Entomol.* 68:7–11. (Russian).
- ZHILTOVA, L.A. and I.M. LEVANIDOVA.** (1984): (Annotated catalogue of the stoneflies (Plecoptera) of the Far East). (Biology of the Fresh Waters of the Far East. Vladivostok 1984:18–45. (Russian).

- ZHILTZOVA, L.A. and O.A. LOSKUTOVA.** (1986): New data on Plecoptera of the Petshora basin. Proc. Zool. Inst. AN 143:3–7. (Russian).
- ZHILTZOVA, L.A. and O.A. LOSKUTOVA.** (1986): The fauna of Plecoptera of the Petshora-Ilytsh reservation. Proc. Zool. Inst. AN 143:8–13. (Trudy Zool. Inst. AN CCCR). (Russian).
- ZHILTZOVA, L.A. and K.V. VARYKHANOVA.** (1984): To the knowledge of the stoneflies (Plecoptera) fauna of the lake Khugsugul basin in Mongolia. Nacekomije Mongolii (Insects of Mongolia) 9:21–28. (Russian).
- ZHILTZOVA, L.A. and K.V. VARYKHANOVA.** (1987): A new species of stoneflies of the genus *Capnia* Pictet (Plecoptera, Capniidae) from Mongolia. Rev. Ent. URSS (Ent. Obozr.) 66(1):102–104. (Russian).
- ZHILTZOVA, L.A. and Y.I. ZAPEKINA-DULKEIT.** (1986): Order Plecoptera-stoneflies. pp. 172–234 in Vol 1 of: LERA, P.A. (ed.): Keys to the insects of the Soviet Far East, in 6 volumes. 1 Apteriygota, Palaeodictyoptera, and Hemimetabola. Nauka Publishers, Leningrad. 451 pp. (Russian).
- ZIEMANN, H.** (1986): Steinfliegen aus dem Eichsfeld (Insecta, Plecoptera). Abh. Ber. Mus. Natur. Gotha 13:45–47. (German).
- ZWICK, P.** (1986): Contribution to the knowledge of *Phanoperla* Banks, 1938 (Plecoptera: Perlidae). Mitt. Schweiz. Entomol. Ges. 59:141–158.
- ZWICK, P.** (1986): Notes on Plecoptera (13) Types of the Japanese *Oyamia* (Perlidae). Aquat. Insects 7(4):208.
- ZWICK, P.** (1986): Size variation of *Leuctra prima* (Plecoptera) along a 2 km stretch of stream. pp. 167–170 in: Proc. 3rd Europ. Congr. Entomol. Amsterdam.
- ZWICK, P.** (1986): The Bornean species of the stonefly genus *Neoperla* (Plecoptera: Perlidae). Aquat. Insects 8:1–53.
- ZWICK, P.** (1987): Notes on Plecoptera (14). *Neoperla occipitalis* (Pictet, 1841). Aquat. Insects 9(1):16.
- ZWICK, P.** (1987): Species of *Neoperla* from the South-East Asian mainland (Plecoptera: Perlidae). Entomol. Scand. 18(4):393–408.

# ZOBODAT - [www.zobodat.at](http://www.zobodat.at)

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Perla](#)

Jahr/Year: 1986-1987

Band/Volume: [08](#)

Autor(en)/Author(s): Redaktion

Artikel/Article: [Recent Plecoptera Literature 12-31](#)