

GENERAL INDEX.

[NOTE.—In this index the names of families are indicated by "SMALL CAPS", of species by "Roman" type, and of synonyms by "*Italics*".]

A.	Page.	Page.	
<i>Abies</i>	11, 12, 16, 573	<i>Abies magnifica</i> (<i>Abies nobilis</i>).....	214
<i>Abies alba</i> (<i>Picea alba</i>).....	204	<i>Abies Mariana</i>	202
<i>Abies alba</i> (<i>Picea Engelmanni</i>).....	205	<i>Abies Marylandica</i>	203
<i>Abies alba</i> (<i>Picea nigra</i>).....	203	<i>Abies Menziesii</i> (<i>Picea pungens</i>).....	205
<i>Abies alba</i> , var. <i>arctica</i>	204	<i>Abies Menziesii</i> (<i>Picea Sitchensis</i>).....	206
<i>Abies alba</i> , var. <i>caerulea</i>	204	<i>Abies Menziesii</i> (<i>Parryana</i>).....	205
<i>Abies Albertiana</i>	208	<i>Abies Mertensiana</i>	207
<i>Abies amabilis</i>	213, 250, 255, 259, 346, 412, 478, 573, 578	<i>Abies microcarpa</i>	215
<i>Abies amabilis</i> (<i>Abies concolor</i>).....	212	<i>Abies mucronata</i>	209
<i>Abies amabilis</i> (<i>Abies grandis</i>).....	212	<i>Abies mucronata</i> (<i>palustris</i>).....	209
<i>Abies amabilis</i> (<i>Abies magnifica</i>).....	214	<i>Abies nigra</i> (<i>Picea Engelmanni</i>).....	205
<i>Abies Americana</i>	203	<i>Abies nigra</i> (<i>Picea nigra</i>).....	203
<i>Abies arctica</i> (<i>Picea alba</i>).....	204	<i>Abies nigra</i> , var. <i>rubra</i>	203
<i>Abies arctica</i> (<i>Picea nigra</i>).....	203	<i>Abies nobilis</i>	214, 250, 255, 259, 346, 412, 478, 573
<i>Abies aromatica</i>	212	<i>Abies nobilis</i> (<i>Abies magnifica</i>).....	214
<i>Abies balsamea</i>	210, 251, 255, 259, 346, 412, 478	<i>Abies nobilis robusta</i>	214
<i>Abies balsamea</i> (<i>Abies concolor</i>).....	212	<i>Abies Parsonsii</i>	212
<i>Abies balsamea</i> , var. <i>Fraseri</i>	210	<i>Abies Pattoni</i>	208
<i>Abies balsamifera</i>	211	<i>Abies Pattoniana</i>	208
<i>Abies bifolia</i>	211	<i>Abies Pattonii</i> (<i>Tsuga Mertensiana</i>).....	208
<i>Abies bracteata</i>	8, 213, 249, 346	<i>Abies Pattonii</i> (<i>Tsuga Pattoniana</i>).....	208
<i>Abies Bridgesii</i>	207	<i>Abies pendula</i>	215
<i>Abies campylocarpa</i>	214	<i>Abies religiosa</i>	185
<i>Abies Canadensis</i> (<i>Picea alba</i>).....	204	<i>Abies rubra</i>	208
<i>Abies Canadensis</i> (<i>Tsuga Canadensis</i>).....	206	<i>Abies rubra</i> , var. <i>arctica</i>	203
<i>Abies Canadensis</i> (<i>Tsuga Mertensiana</i>).....	207	<i>Abies rubra</i> , var. <i>caerulea</i>	204
<i>Abies Caroliniana</i>	207	<i>Abies Sitkensis</i>	206
<i>Abies caerulea</i>	204	<i>Abies species</i> (<i>Tsuga Carolina</i>).....	207
<i>Abies concolor</i>	9, 212, 251, 255, 259, 264, 346, 412, 478, 570	<i>Abies subalpina</i>	211, 251, 255, 259, 264, 346, 412, 478, 564-567, 572, 573, 575, 577
<i>Abies denticulata</i>	203	<i>Abies subalpina</i> , var. <i>jallax</i>	211
<i>Abies Douglasii</i>	209	<i>Abies taxifolia</i> (<i>Pseudotsuga Douglastii</i>).....	209
<i>Abies Douglasii</i> , var. <i>macrocarpa</i>	210	<i>Abies taxifolia</i> (<i>Tsuga Mertensiana</i>).....	208
<i>Abies Douglasii</i> , var. <i>taxifolia</i>	209	<i>Abies trigona</i>	206
<i>Abies Engelmanni</i>	205	<i>Abies venusta</i>	213
<i>Abies Engelmanni glauca</i>	205	<i>Abies Williamsonii</i>	208
<i>Abies falcata</i>	206	<i>Acacia</i>	6, 10-12, 14
<i>Abies Fraseri</i>	210, 251, 255, 259, 346, 412, 478	<i>Acacia Bahamensis</i>	64
<i>Abies Gordoniana</i>	212	<i>Acacia Berlandieri</i>	63, 248
<i>Abies grandis</i>	7, 212, 251, 255, 259, 346, 412, 478, 505, 566, 572, 573, 575-577	<i>Acacia biceps</i>	62
<i>Abies grandis</i> (<i>Abies amabilis</i>).....	213	<i>Acacia esculenta</i>	63
<i>Abies grandis</i> (<i>Abies concolor</i>).....	212	<i>Acacia frondosa</i>	62
<i>Abies grandis</i> (<i>Abies subalpina</i>).....	211	<i>Acacia glauca</i>	62
<i>Abies grandis</i> , var. <i>densiflora</i>	213	<i>Acacia Green-back</i>	60, 280, 362, 426
<i>Abies grandis</i> , var. <i>Lowiana</i>	212	<i>Acacia Greggii</i>	13, 63, 249, 282, 362, 426
<i>Abies heterophylla</i>	207	<i>Acacia latissima</i>	64
<i>Abies Hookeriana</i>	208	<i>Acacia leucocephala</i>	62
<i>Abies Hudsonica</i>	211	<i>Acacia pulverulenta</i>	63
<i>Abies lasiocarpa</i> (<i>Abies concolor</i>).....	212	<i>Acacia tephroloba</i>	63
<i>Abies lasiocarpa</i> (<i>Abies subalpina</i>).....	211	<i>Acacia</i> , Three-thorned.....	50, 280, 360, 426
<i>Abies laxa</i>	204	<i>Acacia Wrightii</i>	63, 249, 282
<i>Abies Lowiana</i>	212	<i>Acer</i>	10-12
<i>Abies macrocarpa</i>	210	<i>Acer barbatum</i> (<i>Acer glabrum</i>).....	48
<i>Abies magnifica</i>	214, 250, 255, 259, 346, 412, 478	<i>Acer barbatum</i> (<i>Acer saccharinum</i>).....	48
		<i>Acer Californicum</i>	51

GENERAL INDEX.

	Page.		Page.
<i>Acer Canadense</i>	46	Alabama, pine region of the Coosa in.....	520
<i>Acer Caroliniana</i>	50	Alabama, production of naval stores in.....	517, 527, 529, 530
<i>Acer circinatum</i>	47, 240, 253, 256, 274, 358, 422	Alabama, rank of, according to value of lumber products.....	487
<i>Acer coccineum</i>	50	Alabama, remarks by Dr. Charles Mohr on the forests and the turpentine industry of.....	525-530
<i>Acer dasycarpum</i>	49, 250, 253, 256, 276, 358, 424	Alabama, statistics of forests, forest fires, standing timber, etc., in.....	491, 524-530
<i>Acer Douglasii</i>	48	Alabama, tabular statement of the amount of Long- and Short-leaved Pine standing in the forests of, May 31, 1880.....	524
<i>Acer Drummondii</i>	50	Alabama, the forests of Pike county in.....	528
<i>Acer eriocarpum</i>	49	Alabama, the Maritime Pine Region in.....	525
<i>Acer glabrum</i>	47, 250, 274	Alaska, statistics of forests, forest fires, standing timber, etc., in.....	580
<i>Acer glaucum</i>	50	Alaska, the Northern Coast Forest in.....	580
<i>Acer grandidentatum</i>	13, 48, 240, 276	Albany, New York, rank of, as a lumber market.....	503
<i>Acer macrophyllum</i>	47, 250, 253, 256, 259, 274, 358, 422, 570	<i>Alder</i> (<i>Alnus oblongifolia</i>).....	163, 326, 394, 400
<i>Acer montanum</i>	48	<i>Alder</i> (<i>Alnus rhombifolia</i>).....	163, 326, 394, 400
<i>Acer Negundo</i>	51	<i>Alder</i> (<i>Alnus rubra</i>).....	163, 320, 392, 410, 458
<i>Acer nigrum</i>	49	<i>Alder</i> , Black (<i>Alnus incana</i>).....	165, 326, 394, 400
<i>Acer palmatum</i>	47	<i>Alder</i> , Black (<i>Alnus serrulata</i>).....	161, 326
<i>Acer parviflorum</i>	46	<i>Alder</i> , Hoary.....	165, 326, 394, 400
<i>Acer Pennsylvanicum</i>	46, 250, 274	<i>Alder</i> , Seaside.....	102, 326, 458
<i>Acer Pennsylvanicum</i> (<i>Acer spicatum</i>).....	46	<i>Alder</i> , Smooth.....	104, 326
<i>Acer rubrum</i>	50, 250, 253, 256, 259, 270, 358, 424	<i>Alder</i> , Speckled.....	105, 326, 394, 400
<i>Acer rubrum</i> , var. <i>Drummondii</i>	50, 250, 276	<i>Algaroba</i>	62, 265, 280, 302, 426
<i>Acer rubrum</i> , var. <i>pallidum</i>	49	<i>Algarobia glandulosa</i>	61
<i>Acer saccharinum</i>	48, 240, 253, 256, 259, 276, 358, 422	<i>Alnus</i>	11, 12, 10, 675
<i>Acer saccharinum</i> (<i>Acer dasycarpum</i>).....	49	<i>Alnus Americana</i> (<i>Alnus incana</i>).....	104
<i>Acer saccharinum</i> , var. <i>nigrum</i>	49, 240, 253, 256, 259, 276, 350, 358, 424	<i>Alnus Americana</i> (<i>Alnus serrulata</i>).....	104
<i>Acer saccharum</i>	48	<i>Alnus arguta</i>	102
<i>Acer sanguineum</i>	50	<i>Alnus Canadensis</i>	104
<i>Acer splendens</i>	46, 250, 274	<i>Alnus genuina</i>	104
<i>Acer striatum</i>	46	<i>Alnus glauca</i>	104
<i>Acer tripartitum</i>	48	<i>Alnus glutinosa</i> (<i>Alnus rubra</i>).....	103
<i>Acer virgatum</i>	47	<i>Alnus glutinosa</i> , var. <i>rugosa</i>	104
<i>Achras cuneifolia</i>	103	<i>Alnus glutinosa</i> , var. <i>serrulata</i> (<i>Alnus rhombifolia</i>).....	109
<i>Achras innomata</i>	103	<i>Alnus glutinosa</i> , var. <i>serrulata</i> (<i>Alnus serrulata</i>).....	104
<i>Achras pallida</i>	101	<i>Alnus hybrida</i>	104
<i>Achras salicifolia</i>	101	<i>Alnus incana</i>	12, 104, 250, 326, 394, 400
<i>Achras serrata</i>	69	<i>Alnus incana</i> (Regel).....	104
<i>Achras Zapotilla</i> , var. <i>parviflora</i>	103	<i>Alnus incana</i> , var. <i>glauca</i> (<i>Alnus incana</i>).....	104
Actual fuel value of some of the more important woods of the United States.....	350-353	<i>Alnus incana</i> , var. <i>glauca</i> (<i>Alnus incana</i> , var. <i>virescens</i>).....	105
<i>Adelia acuminata</i>	112	<i>Alnus incana</i> , var. <i>rubra</i>	103
<i>Æsculus</i>	10-13	<i>Alnus incana</i> , var. <i>virescens</i>	105
<i>Æsculus California</i>	43, 250, 253, 256, 274, 422	<i>Alnus Japonica</i>	102
<i>Æsculus carnea</i>	42	<i>Alnus maritima</i>	102, 250, 326, 458
<i>Æsculus discolor</i>	43	<i>Alnus maritima typica</i>	102
<i>Æsculus echinata</i>	42	<i>Alnus oblongata</i> (<i>Alnus maritima</i>).....	102
<i>Æsculus flava</i>	43, 250, 274	<i>Alnus oblongata</i> (<i>Alnus serrulata</i>).....	104
<i>Æsculus flava</i> , var. <i>purpureascens</i>	43	<i>Alnus oblongifolia</i>	163, 250, 255, 258, 326, 394, 400
<i>Æsculus glabra</i>	42, 250, 253, 256, 274, 422	<i>Alnus obtusifolia</i>	104
<i>Æsculus Hippocastanum</i> , var. <i>glabra</i>	42	<i>Alnus Oregana</i>	103
<i>Æsculus Hippocastanum</i> , var. <i>Ohiensis</i>	42	<i>Alnus rhombifolia</i>	163, 250, 255, 258, 326, 394, 400
<i>Æsculus Hippocastanum</i> , var. <i>pallida</i>	42	<i>Alnus rubra</i>	163, 250, 255, 258, 326, 392, 410, 458
<i>Æsculus hybrida</i>	43	<i>Alnus rubra</i> (<i>Alnus serrulata</i>).....	104
<i>Æsculus lutea</i>	43	<i>Alnus rugosa</i>	104
<i>Æsculus neglecta</i>	43	<i>Alnus serrulata</i>	104, 250, 326
<i>Æsculus octandra</i>	43	<i>Alnus serrulata</i> (Regel).....	104
<i>Æsculus Ohioensis</i>	42	<i>Alnus serrulata</i> <i>genuina</i>	104
<i>Æsculus pallida</i>	42	<i>Alnus serrulata</i> , var. <i>latifolia</i>	104
<i>Æsculus Pavia</i> , var. <i>discolor</i>	43	<i>Alnus serrulata</i> , var. <i>macrophylla</i>	104
<i>Æsculus Watsoniana</i>	42	<i>Alnus serrulata</i> , var. <i>oblongata</i>	104
<i>Agastianis secundiflora</i>	57	<i>Alnus serrulata</i> , var. <i>oblongifolia</i>	104
<i>Ageria Cassena</i>	36	<i>Alnus serrulata</i> , var. <i>rugosa</i> (<i>Alnus incana</i> , var. <i>virescens</i>).....	105
<i>Ageria geminata</i>	36	<i>Alnus serrulata</i> , var. <i>rugosa</i> (<i>Alnus rhombifolia</i>).....	103
<i>Ageria heterophylla</i>	35	<i>Alnus serrulata</i> , var. <i>rugosa</i> (<i>Alnus serrulata</i>).....	104
<i>Ageria obovata</i>	36	<i>Alnus serrulata</i> , var. <i>vulgaris</i>	104
<i>Ageria opaca</i>	35	<i>Alnus undulata</i>	104
<i>Ageria palustris</i>	35	<i>Amelanchier</i>	10, 12, 14
Alabama, central, pine belt of.....	520	<i>Amelanchier alnifolia</i>	85
Alabama, cypress swamps of the Tensas river in.....	525-527	<i>Amelanchier Bartramiana</i>	84
Alabama, eastern, forests of the Chattahoochee, mixed forest growth, etc., in.....	527, 528	<i>Amelanchier Botryapium</i>	84
Alabama, forests of the Tennessee valley in.....	528, 529	<i>Amelanchier Canadensis</i>	84, 249, 253, 256, 364, 430
Alabama, lumber industry and manufactures from wood in.....	486, 487, 524, 525	<i>Amelanchier Canadensis</i> , var. <i>oblongifolia</i>	84
Alabama, Mobile the principal center of wood manufacture in.....	525	<i>Amelanchier Canadensis</i> , var. <i>oligocarpa</i>	84
Alabama, pine forests of Baldwin county in	527	<i>Amelanchier Canadensis</i> , var. <i>rotundifolia</i>	84
		<i>Amelanchier intermedia</i>	85

GENERAL INDEX.

583

	Page.		Page.
<i>Amelanchier oblongifolia</i>	85	Arizona, lumber industry and manufactures from wood in	486, 487, 560
<i>Amelanchier ovalis</i> (<i>Amelanchier Canadensis</i>)	84	Arizona, rank of, according to value of lumber products	487
<i>Amelanchier ovalis</i> (<i>Amelanchier Canadensis</i> , var. <i>oblongifolia</i>)	85	Arizona, statistics of forests, forest fires, standing timber, etc., in	491, 568, 560
<i>Amelanchier spicata</i>	85	Arkansas, lumber industry and manufactures from wood in	480, 487, 544
<i>Amelanchier Wangenheimiana</i>	84	Arkansas, rank of, according to value of lumber products	487
American Crab	72, 284, 304, 428	Arkansas, statistics of forests, forest fires, standing timber, etc., in	491, 543, 544
American Crab Apple	72, 284	Arkansas, tabular statement of the amount of Short-leaved Pine standing in the forests of, May 31, 1880	544
American Elm	123, 304, 350, 374, 414, 440	<i>Aronia arborea</i>	84
American Holly	35, 270, 356, 420	<i>Aronia arbutifolia</i>	83
American Linden	27, 268, 350, 356, 418	<i>Aronia Botryapium</i>	84
Amount and value of charcoal used for domestic and manufacturing purposes during the census year	489	<i>Aronia cordata</i>	84
Amount and value of wood used as fuel in manufactures, etc., during the census year	480	<i>Aronia ovalis</i>	85
Amount and value of wood used for domestic purposes during the census year	480	Arrowwood	38, 272
<i>Amyris</i>	10, 13	<i>Asagraea spinosa</i>	55
<i>Amyris cymosa</i>	33	Ash	107, 296, 298, 370, 424
<i>Amyris dyatrica</i>	33	Ash and specific gravity of woods	248-251
<i>Amyris clemifera</i>	31	Ash, Black	111, 298, 372, 438
<i>Amyris Floridana</i>	33	Ash, Blue	111, 298, 370, 436
<i>Amyris maritima</i>	33	Ash, Green	109, 298, 370, 436
<i>Amyris Plumieri</i>	33	Ash, Ground	111, 298, 372, 438
<i>Amyris sylvatica</i>	33, 249, 253, 256, 270, 356, 420	Ash, Hoop	111, 298, 372, 438
ANACARDIACEÆ	52-54, 253, 256, 276, 360, 424	Ash, Mountain (<i>Pyrus Americana</i>)	73, 284, 428
<i>Ananomis punctata</i>	88	Ash, Mountain (<i>Pyrus sambucifolia</i>)	74, 284, 304, 428
Anaqua	114, 300, 372, 438	Ash, Oregon	111, 298, 372, 438
Andromeda	11, 15	Ash, Prickly (<i>Xanthoxylum Americanum</i>)	29, 268
<i>Andromeda arboreo</i>	98	Ash, Prickly (<i>Xanthoxylum Clava-Herculis</i>)	30, 270, 356, 410
<i>Andromeda arboreo</i>	98	Ash, Red	109, 298, 370, 436
<i>Andromeda ferruginea</i>	96, 249, 254, 257, 292, 368, 432	Ash, Sea	30, 270, 356, 420
<i>Andromeda ferruginea</i> , var. <i>arboreo</i>	96	Ash, specific gravity, and weight per cubic foot of dry specimens of the woods of the United States	266-349
<i>Andromeda ferruginea</i> , var. <i>fruticosa</i>	96	Ash, Wafer	31, 270
<i>Andromeda plumata</i>	37	Ash, Water	110, 298, 370, 436
<i>Andromeda rhomboidalis</i>	96	Ash, White	107, 296, 350, 370, 436
<i>Andromeda rigida</i>	96	Ash, Yellow	57, 278, 360, 426
Anona	10, 13	Ash-leaved Maple	51, 278, 360, 424
<i>Anona glabra</i>	23	Asimina	10, 11, 13
<i>Anona laurifolia</i>	23, 250, 253, 256, 266, 354, 418	<i>Asimina campaniflora</i>	23
<i>Anona pendula</i>	23	<i>Asimina triloba</i>	23, 250, 253, 256, 266, 354, 418
Anona species (<i>Anona laurifolia</i>)	23	Asp, Quaking	171, 328, 350, 394, 460
<i>Anona triloba</i>	23	Aspects, economic, of the forests of the United States	483-580
ANONACEÆ	23, 253, 256, 266, 354, 418	Aspen	171, 328, 350, 394, 460
<i>Anonymous aquatica</i>	124	Atlantic Plain, Deciduous Forest of the Mississippi Basin and the	4
<i>Anthomeles aestivalis</i>	82	Atlantic region, the	3-6
<i>Anthomeles Douglasi</i>	75	Atlantic region, western third of the, remarks on	4
<i>Anthomeles flava</i>	82	Average number of hands employed in the lumbering industry of the United States	486
<i>Anthomeles glandulosa</i>	82	Average size and product of saw-mills in each state and territory	488
<i>Anthomeles rotundifolia</i>	77	Avicennia	11, 15
<i>Anthomeles turbinata</i>	82	<i>Avicennia nitida</i>	117, 249, 302
Ants' Wood	103, 294, 368, 434	<i>Avicennia oblongifolia</i>	117
Apple, American Crab	72, 284	<i>Avicennia tomentosa</i>	117
Apple, Custard	23, 266, 354, 418	 B.	
Apple Haw	82, 286, 364, 430	Bald Cypress	184, 384, 350, 398, 466
Apple, Oregon Crab	73, 284	Balm of Gilead	173, 328, 394, 460
Apple, Pond	23, 266, 354, 418	Balm of Gilead Fir	211, 346, 412, 478
Apple, Seven-year	95, 290	Balsam (<i>Abies Fraseri</i>)	210, 346, 412, 478
Apple, Southern Crab	72, 284	Balsam (<i>Abies subalpina</i>)	211, 346, 412, 478, 577
Arbol de Hierro	56, 278, 360, 426	Balsam (<i>Populus balsamifera</i>)	173, 328, 394, 460
Arbor-vita	176, 330, 350, 396, 462	Balsam Cottonwood	174, 330, 394, 462
Arbutus	11, 12, 15	Balsam Fir (<i>Abies balsamea</i>)	211, 346, 412, 478
<i>Arbutus laurifolia</i>	97	Balsam Fir (<i>Abies concolor</i>)	213, 346, 412, 478
<i>Arbutus macrophylla</i>	97	Balsam, She	210, 346, 412, 478
<i>Arbutus Menziesii</i>	97, 249, 254, 257, 292, 368, 432	Banana, Mexican	210, 398
<i>Arbutus Menziesii</i> (<i>Arbutus Texana</i>)	97	Bartram's Oak	159, 320, 390, 456
<i>Arbutus Menziesii</i> (<i>Arbutus Xalapensis</i>)	97	Basket Oak	141, 316, 384, 410, 450
<i>Arbutus proceria</i>	97	Basswood	27, 268, 356, 418
<i>Arbutus Texana</i>	97, 240, 292	Basswood, White	28, 268, 356, 420
<i>Arbutus variens</i>	97	Bastard Cedar	176, 330, 396, 462
<i>Arbutus Xalapensis</i>	97, 240, 254, 257, 292, 368, 434	Bastard Pine	202, 342, 352, 406, 416, 474
<i>Arbutus Xalapensis</i> (<i>Arbutus Texana</i>)	97	<i>Batodendron arboreum</i>	66
Ardisia	11, 15	Bayonet, Spanish (<i>Yucca baccata</i>)	210, 348
Ardisia Pickeringia	100, 249, 292	Bayonet, Spanish (<i>Yucca canaliculata</i>)	218, 348
Areas burned over and value of property destroyed by forest fires during the census year (see, also, under state headings)	401, 402	Bayonet, Spanish (<i>Yucca elata</i>)	219, 348
		Bay, Bull	19, 266, 354, 414, 418

GENERAL INDEX.

	Page.		Page.
Bay, Loblolly.....	25, 265, 268, 354, 418	BIGNONIACEÆ.....	115, 116, 254, 257, 300, 372, 438
Bay, Red.....	118, 302, 372, 438	Bilsted.....	86, 286, 350, 364, 414, 430
Bay, Rose.....	90, 202, 368, 434	Birch, Black (<i>Betula lenta</i>).....	102, 324, 392, 458
Bay, Sweet.....	20, 206, 354, 414, 418	Birch, Black (<i>Betula occidentalis</i>).....	160, 324, 392, 458
Bay, Tan.....	25, 265, 268, 354, 418	Birch, Canoe.....	160, 324, 350, 392, 458
Bay Tree, California.....	120, 302, 374, 440	Birch, Cherry.....	102, 324, 392, 458
Bay, White.....	20, 266, 354, 414, 418	Birch, Gray (<i>Betula alba</i> , var. <i>populifolia</i>).....	160, 324, 350, 392, 458
Bayberry.....	136, 312, 380, 446	Birch, Gray (<i>Betula lutea</i>).....	161, 324, 392, 458
Bean, Indian.....	115, 300, 372, 438	Birch, Mahogany.....	162, 324, 392, 458
Beam Tree.....	115, 300, 372, 438	Birch, Old-field.....	150, 324, 350, 392, 458
Bearberry.....	41, 272, 358, 422	Birch, Paper.....	160, 324, 350, 392, 458
Bearwood.....	41, 272, 358, 422	Birch, Red.....	101, 324, 392, 458
Beaver Tree.....	20, 266, 354, 414, 418	Birch, River.....	101, 324, 392, 458
Beech.....	158, 322, 350, 390, 456	Birch, Sweet.....	102, 324, 392, 458
Beech, Blue.....	159, 322, 392, 450	Birch, West-Indian.....	38, 270, 350, 356, 420
Beech, Water (<i>Carpinus Caroliniana</i>).....	159, 322, 392, 450	Birch, White (<i>Betula alba</i> , var. <i>populifolia</i>).....	160, 324, 350, 392, 458
Beech, Water (<i>Platanus occidentalis</i>).....	120, 306, 350, 376, 442	Birch, White (<i>Betula papyrifera</i>).....	160, 324, 350, 392, 458
Beefwood.....	117, 302, 372, 438	Birch, Yellow.....	101, 324, 392, 458
Bee Tree.....	27, 208, 356, 418	Bishop's Pine.....	200, 340, 404, 472
Behavior of selected woods of the United States under transverse strain:		Bitter Nut.....	135, 310, 350, 380, 446
specimens eight centimeters square.....	414-417	Bitter Pecan.....	136, 310, 350, 380, 414, 446
Behavior of the principal woods of the United States under compression.....	418-481	Black Alder (<i>Alnus incana</i>).....	105, 326, 394, 460
Behavior of the principal woods of the United States under transverso strain.....	354-415	Black Alder (<i>Alnus serrulata</i>).....	104, 326
<i>Benthamidia floridæ</i>	90	Black and White Spruces the characteristic trees of the Northern Forest.....	3
<i>Betula</i>	11, 12, 15	Black Ash.....	111, 298, 372, 438
<i>Betula acuminata</i>	159	Black Birch (<i>Betula lenta</i>).....	102, 324, 392, 458
<i>Betula alba</i> , subspecies <i>commutata</i>	160	Black Birch (<i>Betula occidentalis</i>).....	160, 324, 302, 458
<i>Betula alba</i> , subspecies <i>occidentalis typica</i>	160	Black Calabash Tree.....	116, 300
<i>Betula alba</i> , subspecies <i>papyrifera</i>	160	Black Cherry, Wild.....	88, 282, 302, 428
<i>Betula alba</i> , subspecies <i>papyrifera</i> , var. <i>communis</i>	160	Black Cottonwood (<i>Populus angustifolia</i>).....	174, 330, 394, 462
<i>Betula alba</i> , subspecies <i>papyrifera</i> , var. <i>cordifolia</i>	160	Black Cottonwood (<i>Populus trichocarpa</i>).....	174, 330, 394, 462, 576
<i>Betula alba</i> , subspecies <i>populifolia</i>	159	Black Cypress.....	184, 334, 350, 398, 466
<i>Betula alba</i> , var. <i>papyrifera</i>	160	Black Gum.....	92, 290, 360, 432
<i>Betula alba</i> , var. <i>populifolia</i>	159, 250, 255, 258, 324, 350, 458	Black Haw.....	94, 290, 360, 432
<i>Betula alba</i> , var. <i>populifolia</i> (<i>Betula papyrifera</i>).....	160	Black Hickory (<i>Carya porcina</i>).....	134, 310, 350, 380, 446
<i>Betula angulata</i>	161	Black Hickory (<i>Carya tomentosa</i>).....	134, 310, 350, 380, 444
<i>Betula Canadensis</i>	100	Black Hills region of Dakota, remarks by Mr. Robert Douglas on the forests of the.....	561, 562
<i>Betula carpinifolia</i>	162	Black Ironwood.....	39, 272, 358, 422
<i>Betula cordifolia</i>	160	Black Jack (<i>Quercus Catesbeii</i>).....	151, 320, 388, 454
<i>Betula excelsa</i> (<i>Betula lenta</i>).....	102	Black Jack (<i>Quercus nigra</i>).....	150, 205, 320, 350, 388, 454
<i>Betula excelsa</i> (<i>Betula lutea</i>).....	101	Black Jack, Forked-leaf.....	151, 320, 388, 454
<i>Betula grandis</i>	160	Black Larch.....	215, 346, 352, 412, 478
<i>Betula incana</i>	164	Black Locust (<i>Gleditschia triacanthos</i>).....	50, 280, 360, 426
<i>Betula lanulosa</i>	161	Black Locust (<i>Robinia Pseudacacia</i>).....	55, 278, 350, 360, 414, 424
<i>Betula lenta</i>	162, 249, 255, 258, 324, 302, 458	Black Mangrove.....	117, 302
<i>Betula lenta</i> (<i>Betula alba</i> , var. <i>populifolia</i>).....	159	Black Oak (<i>Quercus Emoryi</i>).....	146, 265, 318, 386, 452
<i>Betula lenta</i> (<i>Betula lutea</i>).....	161	Black Oak (<i>Quercus Kelloggii</i>).....	149, 205, 320, 388, 416, 454
<i>Betula lutea</i>	161, 250, 255, 258, 262, 324, 302, 458	Black Oak (<i>Quercus rubra</i>).....	148, 205, 318, 350, 386, 452
<i>Betula nigra</i>	161, 250, 255, 258, 262, 324, 302, 458	Black Oak (<i>Quercus tinctoria</i>).....	149, 265, 318, 350, 388, 454, 528
<i>Betula nigra</i> (<i>Betula lenta</i>).....	162	Black Persimmon.....	105, 204
<i>Betula nigra</i> (<i>Betula papyrifera</i>).....	160	Black Pine (<i>Pinus Jeffreyi</i>).....	103, 338, 402, 470
<i>Betula occidentalis</i>	100, 250, 255, 258, 324, 392, 458	Black Pipe (<i>Pinus Murrayana</i>).....	105, 338, 350, 404, 470
<i>Betula occidentalis</i> (<i>Betula papyrifera</i>).....	160	Black Sloe.....	67, 282, 428
<i>Betula papyrifera</i>	150, 675	Black Spruce.....	203, 265, 342, 352, 408, 474, 490
<i>Betula papyrifera</i>	12, 159, 250, 255, 258, 262, 324, 350, 458	Black Sugar Maple.....	49, 276, 350, 358, 434
<i>Betula populifolia</i>	159	Black Thorn.....	79, 286, 364, 430
<i>Betula rubra</i> (<i>Betula nigra</i>).....	101	Black Tree.....	117, 302
<i>Betula rubra</i> (<i>Betula papyrifera</i>).....	160	Black Walnut.....	131, 308, 350, 376, 414, 444
<i>Betula rugosa</i>	164	Black Willow (<i>Salix flavescens</i> , var. <i>Scouleriana</i>).....	170, 328, 394, 400
<i>Betula serrulata</i>	104	Black Willow (<i>Salix nigra</i>).....	166, 326, 394, 460
<i>Betula-Abrus glauca</i>	164	Blackwood.....	117, 302
<i>Betula-Alnus maritima</i>	162	Blue Ash.....	111, 298, 370, 436
<i>Betula-Alnus rubra</i>	164	Blue Beech.....	159, 322, 392, 456
<i>Betula-Alnus</i> , var. <i>B. incana</i>	104	Blue Jack.....	158, 320, 390, 456
BETULACEÆ.....	159-165, 255, 258, 324, 392, 458	Blue Myrtle.....	41, 272
Big-bud Hickory.....	184, 310, 350, 380, 444	Blue Oak.....	143, 316, 386, 450
Big Cottonwood.....	175, 330, 350, 390, 462	Blue Spruce.....	205, 344, 408, 474
Big Cypress region of Florida.....	523	Bluemewood.....	40, 272
Big Laurel.....	19, 266, 354, 414, 418	Bois d'Arc.....	128, 306, 370, 442, 542
Big Shell-bark.....	133, 310, 378, 444	BORRAGINACEÆ.....	118, 114, 254, 257, 300, 372, 438
Big Tree.....	184, 310, 350, 380, 406	<i>Borya acuminata</i>	112
<i>Bigelovia acuminata</i>	184, 334, 398, 406	<i>Borya ligustrina</i>	112
<i>Bignonia Catalpa</i>	112	<i>Borya nitida</i>	112
<i>Bignonia linearis</i>	115	Bottom Shell-bark.....	133, 310, 378, 444
	116		

Page.	Page.
Bourreria.....	11, 15
Bourreria Havanensis.....	114, 249, 254, 257, 300, 372, 438
Bourreria Havanensis, var. radula.....	114
Bourreria ovata.....	114
Bourreria radula.....	114
Bourreria recurva.....	114
Bourreria tomentosa.....	114
Bourreria tomentosa, var. Havanensis.....	114
Box Elder (Negundo accroideus).....	51, 276, 300, 424
Box Elder (Negundo Californicum).....	51, 276, 300, 424
Boxwood (<i>Cornus florida</i>).....	91, 288, 366, 430
Boxwood (<i>Schaefferia frutescens</i>).....	30, 272
Brahea dulcis.....	217
Brahea filamentosa.....	217
Brickley Thatch.....	218, 348
Brittle Thatch.....	218, 348
Broad-leaved Maple.....	47, 274, 358, 422
Iroussonetia secundiflora.....	57
Broussonetia tinctoria.....	128
Brown Hickory.....	134, 310, 350, 380, 446
Bucida Buceras.....	87
Buckeye, California.....	44, 274, 358, 422
Buckeye, Fetid.....	42, 274, 358, 422
Buckeye, Ohio.....	42, 274, 358, 422
Buckeye, Spanish.....	44, 274, 422
Buckeye, Sweet.....	43, 274
Buckthorn, Southern.....	103, 204, 368, 434
Buckwheat Tree.....	38, 272, 350, 420
Bull Bay.....	10, 266, 354, 414, 418
Bull Nut.....	134, 310, 350, 380, 446
Bull Pine (<i>Pinus Jeffreyi</i>).....	193, 338, 402, 470
Bull Pine (<i>Pinus mitis</i>).....	200, 340, 350, 406, 472
Bull Pine (<i>Pinus ponderosa</i>).....	193, 338, 350, 402, 468
Bull Pine (<i>Pinus Sabiniana</i>).....	105, 328, 350, 404, 470
Bunelia.....	11, 15
Bumelia angustifolia.....	103
Bumelia arborea.....	102
Bumelia chrysophylloides.....	101
Bumelia cuneata.....	103, 249, 254, 294, 308, 434
Bumelia ferruginea.....	102
Bumelia fætidissima.....	101
Bumelia lanuginosa.....	102, 250, 254, 257, 204, 368, 434
Bumelia lanuginosa, var. macrocarpa.....	102
Bumelia lycioides.....	102, 249, 254, 257, 204, 368, 434
Bumelia lycioides, var. reclinatum.....	103
Bumelia macrocarpa.....	102
Bumelia Mastichodendron.....	101
Bumelia myrsinifolia.....	103
Bumelia oblongifolia.....	102
Bumelia pallida.....	101
Bumelia parvifolia.....	103
Bumelia reclinata (Bumelia cuneata).....	103
Bumelia reclinata (Bumelia lycioides).....	103
Bumelia reclinata (Bumelia tenax).....	101
Bumelia salicifolia.....	101
Bumelia serrata.....	60
Bumelia spinosa.....	102, 249, 294
Bumelia tenax.....	101, 249, 254, 257, 294, 368, 434
Bumelia tomentosa.....	102
Bumwood.....	54, 278, 360, 424
Burlington, Vermont, as a lumber market, importance of.....	400
Burning Bush.....	38, 272
Burr Oak.....	140, 265, 314, 384, 448
Bursara.....	10, 13
Bursera acuminata.....	32
Bursera gummosa.....	32, 251, 253, 256, 270, 350, 356, 420
BURSERACEÆ.....	32, 33, 253, 256, 270, 356, 420
Bustic.....	101, 294, 368, 434
Butternut.....	130, 306, 376, 442
Button-ball Tree.....	129, 306, 350, 376, 442
Buttonwood (<i>Conocarpus erecta</i>).....	87, 288, 364, 430
Buttonwood (<i>Platanus occidentalis</i>).....	120, 306, 350, 376, 442
Buttonwood (<i>Platanus racemosa</i>).....	120, 306, 376, 442
Buttonwood, White.....	87, 288, 364, 430
Byrsinoma.....	10, 13
Byrsinoma lucida.....	28, 250, 253, 256, 268, 350, 420
Cabbaga Palmetto.....	217, 348, 352
Cabbage Tree.....	217, 348, 352
Calabash Tree.....	99
CACTACEÆ.....	89, 90, 288
Cactus, Giant.....	90, 288
Cagipnt.....	120, 302, 374, 440
Calabash Tree, Black.....	116, 300
Calico Bush.....	98, 202, 368, 434
Calicewood.....	106, 296
California Bay Tree.....	120, 302, 374, 440
California Buckeye.....	44, 274, 358, 422
California, economic value of the Redwood of.....	570
California Holly.....	84, 286
California, injury by grazing cattle to the mountain forests of.....	570
California Laurel.....	120, 302, 374, 440
California, lumber industry and manufactures from wood in.....	480, 487, 578, 580
California Nutmeg.....	180, 334, 400, 466
California Olive.....	120, 302, 374, 440
California, pastureage of mountain forests in.....	570, 580
California, rank of, according to value of lumber products.....	487
California, statistics of forests, forest fires, standing timber, etc., in.....	491, 578-580
California, tubular statement of the amount of Redwood standing in the forests of, May 31, 1880.....	570
Calothyrza California.....	43
Calyptranthes.....	10, 14
Calyptranthes Chytraculia.....	88, 240, 288
Canada Plum.....	65, 282, 362, 426
Canella.....	10, 13
Canella alba.....	24, 240, 253, 256, 268, 354, 418
Canella laurifolia.....	24
Canella Winterana.....	24
CANELLACEÆ.....	24, 253, 256, 268, 354, 418
Canoe Birch.....	160, 324, 350, 392, 458
Canoe Cedar.....	177, 330, 390, 402
Canotia.....	10, 12, 13
Canotia holocantha.....	32, 249, 270
CAPPARIDACEÆ.....	24, 268
Capparis.....	10, 13
Capparis Breynia.....	24
Capparis cynophyllophora.....	24
Capparis emarginata.....	24
Capparis Jamaicensis.....	24, 240, 268
Capparis siliqueosa.....	24
Capparis torulosa.....	24
Capparis uncinata.....	24
CAPRIFOLIACEÆ.....	98, 94, 258, 257, 290, 366, 432
Cardiolepis obtusa.....	41
Carolina Poplar.....	175, 330, 350, 396, 402
Carpinus.....	11, 16
Carpinus Americana.....	158
Carpinus Betulus Virginiana.....	158
Carpinus Caroliniana.....	158, 249, 255, 258, 322, 392, 456
Carpinus Ostrya.....	158
Carpinus Ostrya, var. Americana.....	158
Carpinus triflora.....	158
Carpinus Virginiana.....	158
Carya.....	4, 11, 15
Carya alba.....	182, 249, 254, 257, 261, 308, 350, 378, 444
Carya alba (Carya tomentosa).....	184
Carya amara.....	135, 249, 254, 257, 310, 350, 380, 446
Carya amara, var. myristiciformis.....	135
Carya amara, var. porcina.....	134
Carya angustifolia.....	132
Carya aquatica.....	135, 249, 254, 257, 261, 310, 350, 380, 414, 446
Carya cathartica.....	130
Carya cordiformis.....	133
Carya glabra.....	134
Carya Illinoensis.....	132
Carya integrifolia.....	135
Carya microcarpa.....	133
Carya myristiciformis.....	135, 249, 254, 257, 310, 350, 380, 446
Carya olivæformis.....	132, 249, 254, 257, 308, 350, 378, 444
Carya porcina.....	134, 249, 254, 257, 261, 310, 350, 380, 446
Carya sulkata.....	133, 249, 254, 257, 261, 310, 378, 444
Carya tetrapera.....	132

GENERAL INDEX.

	Page.		Page.
<i>Carya tomentosa</i>	183, 240, 254, 257, 310, 350, 380, 444	<i>Celtis cordata</i>	125
<i>Carya tomentosa</i> , var. <i>maxima</i>	134	<i>Celtis crassifolia</i>	125
<i>Caryotaxus Myristica</i>	186	<i>Celtis crassifolia</i> , var. <i>eucalyptifolia</i>	125
<i>Caryotaxus taxifolia</i>	186	<i>Celtis crassifolia</i> , var. <i>morifolia</i>	125
<i>Cassada</i>	101, 294, 368, 424	<i>Celtis crassifolia</i> , var. <i>tiliaeefolia</i>	125
<i>Cassena</i>	36, 272	<i>Celtis Douglasii</i>	126
<i>Cassine Caroliniana</i>	36	<i>Celtis Floridiana</i>	125
<i>Cassine Peragua</i>	36	<i>Celtis fuscata</i>	125
<i>Cassine ramulosa</i>	36	<i>Celtis heterophylla</i>	125
<i>Castanea</i>	11, 16	<i>Celtis integrifolia</i>	125
<i>Castanea alnifolia</i>	150	<i>Celtis lavigata</i>	125
<i>Castanea Americana</i>	157	<i>Celtis Lindheimeri</i>	126
<i>Castanea chrysophylla</i>	156	<i>Celtis longifolia</i>	125
<i>Castanea chrysophylla</i> , var. <i>minor</i>	156	<i>Celtis maritima</i> (in Am. Monthly Mag. and Crit. Rev.)	125
<i>Castanea nana</i>	156	<i>Celtis maritima</i> (in New Fl. and Bot.)	125
<i>Castanea pumila</i>	150, 250, 255, 258, 322, 390, 456	<i>Celtis Mississippiensis</i>	125
<i>Castanea sempervirens</i>	156	<i>Celtis morifolia</i>	125
<i>Castanea vesca</i> (<i>Castanea pumila</i>)	156	<i>Celtis obliqua</i>	125
<i>Castanea vesca</i> (<i>Castanea vulgaris</i> , var. <i>Americana</i>)	157	<i>Celtis occidentalis</i>	12, 125, 249, 254, 257, 260, 300, 376, 414, 442
<i>Castanea vesca</i> , var. <i>Americana</i>	157	<i>Celtis occidentalis</i> , var. <i>cordata</i>	125
<i>Castanea vulgaris</i> , var. <i>Americana</i>	157, 250, 255, 258, 262, 265, 322, 390, 456	<i>Celtis occidentalis</i> , var. <i>crassifolia</i>	126
<i>Castanopsis</i>	11, 12, 15	<i>Celtis occidentalis</i> , var. <i>grandidentata</i>	125
<i>Castanopsis chrysophylla</i>	156, 250, 255, 258, 322, 390, 456	<i>Celtis occidentalis</i> , var. <i>integrifolia</i>	125
<i>Castanopsis chrysophylla</i> , var. <i>minor</i>	156	<i>Celtis occidentalis</i> , var. <i>pumila</i> (<i>Celtis occidentalis</i>)	126
<i>Castanopsis chrysophylla</i> , var. <i>pumila</i>	156	<i>Celtis occidentalis</i> , var. <i>pumila</i> (<i>Celtis occidentalis</i> , var. <i>reticulata</i>)	126
Catalogue of Forest Trees	17-210	<i>Celtis occidentalis</i> , var. <i>reticulata</i>	120, 249, 254, 257, 300, 376, 442
Catalogue of Forest Trees, Index to	220-248	<i>Celtis occidentalis</i> , var. <i>scabriuscula</i>	125
Catalpa	11, 15, 115, 300, 372, 438	<i>Celtis occidentalis</i> , var. <i>serrulata</i>	125
<i>Catalpa bignonioides</i>	115, 250, 254, 257, 300, 372, 438	<i>Celtis occidentalis</i> , var. <i>tenuifolia</i>	125
<i>Catalpa bignonioides</i> (<i>Catalpa speciosa</i>)	115	<i>Celtis patula</i>	125
<i>Catalpa communis</i>	115	<i>Celtis pumila</i>	125
<i>Catalpa cordifolia</i> (<i>Catalpa bignonioides</i>)	115	<i>Celtis reticulata</i>	126
<i>Catalpa cordifolia</i> (<i>Catalpa speciosa</i>)	115	<i>Celtis salicifolia</i>	125
<i>Catalpa speciosa</i>	115, 250, 254, 257, 300, 350, 372, 414, 438	<i>Celtis tenuifolia</i>	125
<i>Catalpa syringaeifolia</i>	115	<i>Celtis Texana</i>	126
<i>Catalpa Western</i>	115, 300, 350, 372, 414, 438	Central pine hills of Mississippi, forests of the	534
<i>Catawba</i>	115, 300, 372, 438	<i>Cerasus Americana</i>	65
Cat's Claw (Acacia Greggii)	63, 282, 362, 426	<i>Cerasus borealis</i>	66
Cat's Claw (Acacia Wrightii)	63, 282	<i>Cerasus Capillin</i>	68
Cat's Claw (Pithecellobium Unguis-cati)	64, 282	<i>Cerasus Capuit</i>	68
Ceanothus	10, 12, 18, 573	<i>Cerasus Caroliniana</i>	69
<i>Ceanothus ferreus</i>	30	<i>Cerasus Ohicasa</i>	66
<i>Ceanothus levigatus</i>	30	<i>Cerasus demissa</i>	69
<i>Ceanothus declinatus</i>	41	<i>Cerasus emarginata</i>	67
<i>Ceanothus thyrsiflorus</i>	41, 250, 272	<i>Cerasus erecta</i>	67
Cedar, Alaska, Tide-land Spruce, and Hemlock the characteristic and most valuable trees of the Northern Coast Forest	7	<i>Cerasus glandulosa</i>	67
Cedar an important tree in Texas	540	<i>Cerasus hicmalis</i>	65
Cedar, Bastard	170, 330, 366, 402	<i>Cerasus ilicifolia</i>	70
Cedar, Canoe	177, 330, 366, 402	<i>Cerasus mollis</i>	67
Cedar Elm	122, 304, 374, 440	<i>Cerasus nigra</i>	65
Cedar, Incense	176, 330, 396, 402	<i>Cerasus Pennsylvanica</i>	66
Cedar, Oregon	170, 332, 350, 398, 464	<i>Cerasus persicifolia</i>	66
Cedar, Pencil, of Florida	522	<i>Cerasus serotina</i> (<i>Prunus demissa</i>)	69
Cedar Pine	201, 340, 400, 472	<i>Cerasus serotina</i> (<i>Prunus serotina</i>)	68
Cedar, Port Orford	170, 332, 350, 398, 464	<i>Cerasus spheroarpa</i>	70
Cedar, Post	170, 330, 396, 462	<i>Cerasus umbellata</i>	67
Cedar, Red (<i>Juniperus Virginiana</i>)	183, 332, 398, 404, 544	<i>Cerasus Virginiana</i>	68
Cedar, Red (<i>Thuya gigantea</i>)	177, 330, 396, 402, 573, 575, 576, 580	<i>Cercidium floridum</i>	60
Cedar, Stinking (<i>Torreya Californica</i>)	186, 334, 400, 466	<i>Cercis</i>	10, 12, 14
Cedar, Stinking (<i>Torreya taxifolia</i>)	186, 334, 400, 468, 521	<i>Cercis Canadensis</i>	61, 250, 253, 256, 280, 362, 426
Cedar, White (<i>Chamaecyparis Lawsoniana</i>)	179, 332, 350, 398, 404	<i>Cercis Canadensis</i> , var. <i>pubescens</i>	61
Cedar, White (<i>Chamaecyparis spheroidea</i>)	178, 330, 396, 416, 464	<i>Cercis occidentalis</i>	61
Cedar, White (<i>Libocedrus decurrens</i>)	170, 330, 396, 402	<i>Cercis occidentalis</i> , var. <i>Texensis</i>	61
Cedar, White (<i>Thuya occidentalis</i>)	176, 330, 350, 396, 402	<i>Cercis reniformis</i>	61, 240, 280
<i>Cedrus Mahagoni</i>	83	<i>Cercocarpus</i>	9, 10, 12, 14, 560, 571
CELASTRACEÆ	38, 39, 272	<i>Cercocarpus betuloides</i>	71
<i>Celtis</i>	11, 12, 15, 251	<i>Cercocarpus betuloides</i>	71
<i>Celtis alba</i>	125	<i>Cercocarpus brevifolius</i>	71
<i>Celtis Audibertia</i>	126	<i>Cercocarpus intricatus</i>	71
<i>Celtis Audibertia</i> , var. <i>oblongata</i>	126	<i>Cercocarpus ledifolius</i>	18, 71, 249, 284, 350, 428
<i>Celtis Audibertia</i> , var. <i>ovata</i>	126	<i>Cercocarpus ledifolius</i> , var. <i>intricatus</i>	71
<i>Celtis Berlandieri</i>	126	<i>Cercocarpus parvifolius</i>	71, 240, 284
<i>Celtis brevipes</i>	126	<i>Cercocarpus parvifolius</i> , var. <i>glabor</i>	71
<i>Celtis canina</i>	125	<i>Cercocarpus parvifolius</i> , var. <i>pancidentatus</i>	71

GENERAL INDEX.

587

Page.	Page.
Cereus.....	10, 12, 14
Cereus giganteus	89, 251, 288
Chapote	105, 294
Chamæcypris.....	11, 12, 16
<i>Chamæcypris Boursteri</i> (<i>Chamæcypris Lawsoniana</i>)	178
<i>Chamæcypris Boursteri</i> (<i>Juniperus occidentalis</i>)	181
<i>Chamæcypris excelsa</i>	178
<i>Chamæcypris Lawsoniana</i>	8, 178, 250, 255, 258, 350, 398, 404, 576
<i>Chamæcypris Nutkaensis</i>	178, 250, 255, 258, 263, 392, 398, 404, 580
<i>Chamæcypris Nutkaensis</i> , var. <i>glauca</i>	178
<i>Chamæcypris Nutkanus</i>	178
Chamæcypris, one of the characteristic and most valuable trees of the Coast Forest	7
Chamæcypris sphæroidea.....	177, 251, 255, 258, 262, 380, 396, 416, 404
<i>Chamaerops Palmetto</i>	217
Charcoal used for domestic and manufacturing purposes during the census year, amount and value of	480
<i>Cheiranthodendron Californicum</i>	20
Cherry.....	100, 292
Cherry Birch	102, 324, 392, 458
Cherry, Indian	40, 272, 358, 422
Cherry, May	84, 286, 364, 430
Cherry, Pigeon	66, 282, 428
Cherry, Pin	66, 282, 428
Cherry, Rum	68, 282, 362, 428
Cherry, Wild (<i>Prunus Capuli</i>)	68, 282, 428
Cherry, Wild (<i>Prunus demissa</i>)	69, 284, 362, 428
Cherry, Wild Black	68, 282, 362, 428
Cherry, Wild Red	66, 282, 428
Chestnut	157, 265, 322, 350, 390, 456
Chestnut Oak (<i>Quercus densiflora</i>)	155, 265, 322, 360, 456, 576, 578, 580
Chestnut Oak (<i>Quercus prinoides</i>)	143, 265, 316, 384, 450
Chestnut Oak (<i>Quercus Prinus</i>)	142, 265, 316, 350, 384, 416, 450
Chestnut Oak, Rock	142, 265, 316, 350, 384, 416, 450
Chicago, amount of lumber and shingles received at, during the year 1880	548, 549
Chicago, commercial importance of, with reference to the lumber industry	548
Chicago, early lumber trade of	549, 550
Chicago, the principal source of supply of lumber for Colorado, Utah, and New Mexico	568, 569
Chickasaw Plum	66, 282, 362, 480
Chilopsis	11, 12, 15
<i>Chilopsis glutinosa</i>	116
<i>Chilopsis linearis</i>	116
Chilopsis saligna	18, 110, 250, 254, 257, 300, 372, 438
<i>Chimanthus amygdalinus</i>	60
China, Wild	44, 274, 368, 414, 422
Chinquapin (<i>Castanea pumila</i>)	156, 322, 390, 456
Chinquapin (<i>Castanopsis chrysophylla</i>)	156, 322, 390, 456
Chinquapin Oak	143, 265, 316, 384, 416, 450
Chionanthus	11, 15
<i>Chionanthus angustifolia</i>	112
<i>Chionanthus heterophylla</i>	112
<i>Chionanthus longifolia</i>	112
<i>Chionanthus maritima</i>	112
<i>Chionanthus montana</i>	112
<i>Chionanthus trifida</i>	112
Chionanthus Virginica	112, 250, 298
<i>Chionanthus Virginica</i> , var. <i>angustifolia</i>	112
<i>Chionanthus Virginica</i> , var. <i>latifolia</i>	112
<i>Chionanthus Virginica</i> , var. <i>maritima</i>	112
<i>Chionanthus Virginica</i> , var. <i>montana</i>	112
Chittamwood	52, 276
<i>Chloromeles sempervirens</i>	72
Chrysobalanus	10, 14
Chrysobalanus Iaco	64, 249, 282, 362, 426
<i>Chrysobalanus Iaco</i> , var. <i>pellocarpa</i>	65
<i>Chrysobalanus pellocarpa</i>	65
Chrysophyllum	11, 15
<i>Chrysophyllum Barbasco</i>	100
<i>Chrysophyllum Caneto</i> , β	100
<i>Chrysophyllum ferrugineum</i>	100
<i>Chrysophyllum microphyllum</i>	100
<i>Chrysophyllum monopyrenum</i>	100
<i>Chrysophyllum oliviforme</i>	100, 249, 254, 257, 292, 368, 434
Cigar Tree	115, 300, 372, 438
<i>Cinchona Caribaea</i>	95
<i>Cinchona Caroliniana</i>	95
<i>Cinchona Jamaicensis</i>	95
Cinnamon Bark	24, 268, 354, 418
Cinnamon, Wild	24, 268, 354, 418
Citharexylum	11, 15
<i>Citharexylum villosum</i>	116, 240, 254, 257, 300, 372, 438
Cladrastis	10, 11, 14
<i>Cladrastis lutea</i>	57
Cladrastis tinctoria	57, 250, 253, 256, 278, 360, 426
Clammy Locust	56, 278
Cliff Elm	123, 304, 374, 440
Cliftonia ligustrina	38, 250, 253, 256, 272, 350, 420
Clusia	10, 13
<i>Clusia flava</i>	25
<i>Clusia rosea</i>	25
Coast Forest in the Pacific region	7
Coast Forest, Northern, in Alaska	580
Coast Live Oak	147, 318, 386, 452
Coast Pine Belt in South Carolina	518
Coccoloba	11, 13
Coccoloba Floridana	117, 249, 254, 257, 302, 372, 488
<i>Coccoloba Læganensis</i>	118
<i>Coccoloba parvifolia</i>	117
<i>Coccoloba uvifera</i>	118, 249, 302, 372, 448
<i>Coccoloba uvifera</i> , var. <i>Læganensis</i>	118
<i>Coccoloba uvifera</i> , var. <i>ovalifolia</i>	118
Cockspur Thorn	76, 280, 364, 430
Cocoa Plum	65, 282, 362, 426
Coffee Nut	58, 280, 360, 426
Coffee Tree, Kentucky	58, 280, 360, 426
Colorado, lumber industry and manufactures from wood in	486, 487, 507, 568
Colorado, rank of, according to value of lumber products	487
Colorado, statistics of forests, forest fires, standing timber, etc., in	491, 567, 568
Colorado, Utah, and New Mexico, Chicago the principal source of supply of lumber for	568, 569
Colubrina	10, 13
<i>Colubrina reclinata</i>	41, 249, 274, 358
COMBRETACEAE	57, 253, 257, 288, 364, 430
Comparative value of woods	252-255
Compression, behavior of the principal woods of the United States under	418-481
Condalia	10-12
Condalia ferreri	39, 249, 253, 256, 272, 358, 422
<i>Condalia obovata</i>	12, 46, 249, 272
CONIFERAE	4, 170-210, 255, 258, 380, 382, 390, 410, 525
Connecticut, lumber industry and manufactures from wood in	486, 487, 500, 501
Connecticut, rank of, according to value of lumber products	487
Connecticut, statistics of forests, forest fires, standing timber, etc., in	500, 501
Connecticut, the Northern Pine belt in	500
Conocarpus	10, 14
<i>Conocarpus acutifolia</i>	87
<i>Conocarpus erecta</i>	87, 249, 253, 257, 288, 364, 430
<i>Conocarpus erecta</i> , var. <i>procumbens</i>	87
<i>Conocarpus procumbens</i>	87
<i>Conocarpus racemosa</i>	87
Consumption of wood for domestic purposes during the census year, estimated	489
Coral Stunach	54, 278, 360, 424
Cordia	11, 15
<i>Cordia Boissieri</i>	114, 249, 300
<i>Cordia Floridana</i>	114
<i>Cordia juglandifolia</i>	113
<i>Cordia Sebestena</i>	113, 249, 300
<i>Cordia spectosa</i>	113
Cork Elm	123, 304, 374, 440
Corkwood	117, 302, 372, 438
CORNACEAE	90-93, 253, 257, 288, 366, 430
<i>Cornus</i>	10-13, 14
<i>Cornus alternans</i>	90
<i>Cornus alternifolia</i>	90, 249, 288
<i>Cornus florida</i>	90, 249, 253, 257, 260, 288, 366, 432
<i>Cornus florida</i> (<i>Cornus Nuttallii</i>)	91
<i>Cornus Nuttallii</i>	91, 249, 253, 257, 288, 366, 432
<i>Corypha Palmetto</i>	217
<i>Cotinus Americanus</i>	52

	Page.		Page.
<i>Cotinus coggygria</i>	52	<i>Crataegus lucida</i> (<i>Crataegus Crus-galli</i>)	76
Cotton Gum	93, 290, 350, 360, 432	<i>Crataegus macracantha</i>	77
Cottonwood (<i>Populus Fremontii</i>)	175, 300, 390, 462	<i>Crataegus Michauxii</i>	83
Cottonwood (<i>Populus Fremontii</i> , var. <i>Wislizenii</i>)	175, 300, 390, 462	<i>Crataegus microcarpa</i>	81
Cottonwood (<i>Populus monilifera</i>)	175, 330, 350, 390, 462	<i>Crataegus mollis</i>	78
Cottonwood, Balsam	174, 330, 394, 462	<i>Crataegus obovatifolia</i>	80
Cottonwood, Big	175, 330, 350, 390, 462	<i>Crataegus opaca</i>	82
Cottonwood, Black (<i>Populus angustifolia</i>)	174, 330, 394, 462	<i>Crataegus ovalifolia</i>	76
Cottonwood, Black (<i>Populus trichocarpa</i>)	174, 330, 394, 462, 576	<i>Crataegus oxyacantha</i>	81
Cottonwood, River	172, 328, 394, 460	<i>Crataegus oxyacantha</i> , var. <i>apiifolia</i>	81
Cottonwood, Swamp	172, 328, 394, 460	<i>Crataegus parvifolia</i>	83
Cottonwood, White	175, 330, 390, 462	<i>Crataegus populifolia</i> (<i>Crataegus coccinea</i>)	78
Cow Oak	141, 318, 384, 416, 450, 533	<i>Crataegus pyrifolia</i> (<i>Crataegus cordata</i>)	80
Crab, American	72, 284, 364, 428	<i>Crataegus prunifolia</i>	76
Crab, Sweet-scented	72, 284, 364, 428	<i>Crataegus punctata</i>	77
Crab Apple, American	72, 284	<i>Crataegus punctata</i> , var. <i>brevispina</i>	75
Crab Apple, Oregon	73, 284	<i>Crataegus punctata</i> , var. <i>rubra</i> and <i>aurea</i>	80
Crab Apple, Southern	72, 284	<i>Crataegus punctata</i> , var. <i>xanthocarpa</i>	80
Crabwood	121, 304	<i>Crataegus pyrifolia</i>	70
<i>Crataegus</i>	10-12, 589, 573	<i>Crataegus racemosa</i>	84
<i>Crataegus aestivalis</i>	82, 250, 253, 256, 286, 364, 430	<i>Crataegus rivularis</i>	13, 74, 249, 264
<i>Crataegus apifolia</i>	81, 249, 286	<i>Crataegus rivularis</i> (<i>Crataegus Douglasii</i>)	75
<i>Crataegus arborescens</i>	75, 250, 253, 256, 284, 304, 428	<i>Crataegus salicifolia</i>	76
<i>Crataegus arbutifolia</i>	83	<i>Crataegus sanguinea</i>	75
<i>Crataegus berberifolia</i>	82, 249	<i>Crataegus sanguinea</i> , var. <i>Douglasii</i> (<i>Crataegus Douglasii</i>)	75
<i>Crataegus Bosciana</i>	77	<i>Crataegus sanguinea</i> , var. <i>Douglasii</i> (<i>Crataegus rivularis</i>)	74
<i>Crataegus brachycantha</i>	75, 249, 284, 539	<i>Crataegus sanguinea</i> , var. <i>villosa</i>	78
<i>Crataegus Caroliniana</i>	83	<i>Crataegus spathulata</i>	81, 240, 253, 256, 286, 364, 430
<i>Crataegus coccinea</i>	77, 249, 286	<i>Crataegus spathulata</i> (<i>Crataegus flava</i> , var. <i>pubescens</i>)	83
<i>Crataegus coccinea</i> (<i>Crataegus tomentosa</i>)	79	<i>Crataegus speciosa</i>	85
<i>Crataegus coccinea</i> , var. <i>cordata</i>	79	<i>Crataegus subvillosa</i>	78, 240, 253, 256, 286, 364, 430
<i>Crataegus coccinea</i> , var. <i>mollis</i>	78	<i>Crataegus Texana</i>	78
<i>Crataegus coccinea</i> var. <i>oligandra</i>	78	<i>Crataegus tomentosa</i>	12, 70, 249, 253, 256, 286, 364, 430
<i>Crataegus coccinea</i> var. <i>populifolia</i>	78	<i>Crataegus tomentosa</i> (<i>Amelanchier Canadensis</i>)	84
<i>Crataegus coccinea</i> , var. <i>typica</i>	78	<i>Crataegus tomentosa</i> , var. <i>mollis</i>	78
<i>Crataegus coccinea</i> , var. <i>viridis</i>	78	<i>Crataegus tomentosa</i> , var. <i>glicata</i>	80
<i>Crataegus coccinea</i> , var. <i>viridis</i> (<i>Crataegus tomentosa</i>)	79	<i>Crataegus tomentosa</i> , var. <i>punctata</i>	80
<i>Crataegus cordata</i>	80, 240, 286	<i>Crataegus tomentosa</i> , var. <i>pyrifolia</i>	70
<i>Crataegus coronaria</i>	72	<i>Crataegus turbinata</i>	82
<i>Crataegus Courselliana</i>	76	<i>Crataegus Virginica</i>	83
<i>Crataegus Crus-galli</i>	76, 240, 253, 256, 286, 364, 430	<i>Crataegus viridis</i> (<i>Crataegus coccinea</i>)	78
<i>Crataegus Crus-galli</i> (<i>Crataegus coccinea</i>)	77	<i>Crataegus viridis</i> (<i>Crataegus flava</i> , var. <i>pubescens</i>)	83
<i>Crataegus Crus-galli</i> , var. <i>punctata</i>	80	<i>Crataegus Watsoniana</i>	76
<i>Crataegus Crus-galli</i> , var. <i>linearis</i>	76	<i>Crescentia</i>	11, 15
<i>Crataegus Crus-galli</i> , var. <i>ovalifolia</i>	76	<i>Crescentia cucurbitina</i>	116, 250, 300
<i>Crataegus Crus-galli</i> , var. <i>prunifolia</i>	77	<i>Crescentia latifolia</i>	116
<i>Crataegus Crus-galli</i> , var. <i>pyracanthifolia</i>	76	<i>Crescentia lethifera</i>	116
<i>Crataegus Crus-galli</i> , var. <i>pyracanthifolia</i> (<i>Crataegus arborescens</i>)	75	<i>Crescentia obovata</i>	116
<i>Crataegus Crus-galli</i> , var. <i>salicifolia</i>	76	<i>Crescentia ovata</i>	116
<i>Crataegus Crus-galli</i> , var. <i>splendens</i>	76	<i>Crescentia toxicaria</i>	116
<i>Crataegus cuneifolia</i>	80	Crop, forest, of the United States for the census year	485
<i>Crataegus Donglasii</i>	76, 240, 284	<i>Cucumber Tree</i> (<i>Magnolia acuminata</i>)	20, 260, 354, 418
<i>Crataegus elliptica</i> (<i>Crataegus aestivalis</i>)	82	<i>Cucumber Tree</i> (<i>Magnolia cordata</i>)	21, 260, 354, 418
<i>Crataegus elliptica</i> (<i>Crataegus flava</i> , var. <i>pubescens</i>)	83	<i>Cucumber Tree</i> , Large-leaved	21, 260, 354, 418
<i>Crataegus flava</i>	82, 240, 286	<i>Cucumber Tree</i> , Long-leaved	22, 260, 354, 418
<i>Crataegus flava</i> (<i>Crataegus flava</i> , var. <i>pubescens</i>)	83	<i>Cupressinervata disticha</i>	183
<i>Crataegus flava</i> (<i>Crataegus tomentosa</i>)	79	<i>Cupressus</i>	11, 12, 10
<i>Crataegus flava</i> (<i>Crataegus tomentosa</i> , var. <i>punctata</i>)	80	<i>Cupressus Americana</i>	178
<i>Crataegus flava</i> , var. <i>lobata</i>	82	<i>Cupressus Arbor-vite</i>	177
<i>Crataegus flava</i> , var. <i>pubescens</i>	83, 240, 253, 256, 286, 364, 430	<i>Cupressus Arizonica</i>	180
<i>Crataegus flexuosa</i>	80	<i>Cupressus attenuata</i>	178
<i>Crataegus glandulosa</i> (<i>Crataegus coccinea</i>)	77	<i>Cupressus Californica</i>	179
<i>Crataegus glandulosa</i> (<i>Crataegus Donglasii</i>)	75	<i>Cupressus California gracilis</i> (<i>Cupressus Goveniana</i>)	179
<i>Crataegus glandulosa</i> (<i>Crataegus flava</i>)	77	<i>Cupressus California gracilis</i> (<i>Cupressus Macnabiana</i>)	180
<i>Crataegus glandulosa</i> (<i>Crataegus flava</i> , var. <i>pubescens</i>)	83	<i>Cupressus cornuta</i>	179
<i>Crataegus glandulosa</i> , var. <i>macracantha</i>	77	<i>Cupressus disticha</i>	183
<i>Crataegus glandulosa</i> , var. <i>rotundifolia</i>	78	<i>Cupressus disticha</i> , var. <i>imbricaria</i>	183
<i>Crataegus latifolia</i> (<i>Crataegus tomentosa</i>)	79	<i>Cupressus disticha</i> , var. <i>nutans</i>	183
<i>Crataegus latifolia</i> (<i>Crataegus tomentosa</i> , var. <i>punctata</i>)	80	<i>Cupressus disticha</i> , var. <i>patens</i>	183
<i>Crataegus leucocephala</i>	79	<i>Cupressus fragrans</i>	178
<i>Crataegus leucophleba</i>	79	<i>Cupressus glandulosa</i>	180
<i>Crataegus linearis</i>	79	<i>Cupressus Goveniana</i>	179, 250, 255, 258, 332, 398, 464
<i>Crataegus lobata</i> (<i>Crataegus flava</i>)	77	<i>Cupressus Guadalupensis</i>	180, 250, 332, 568, 569
<i>Crataegus lobata</i> (<i>Crataegus tomentosa</i>)	79	<i>Cupressus Hartwegii</i>	179
<i>Crataegus lucida</i> (<i>Crataegus aestivalis</i>)	82		

Page.	Page.
<i>Cupressus Hartwegii</i> , var. <i>fastigiata</i>	179
<i>Cupressus Lambertiana</i>	179
<i>Cupressus Lawsoniana</i>	178
<i>Cupressus Macnabiana</i>	180, 248
<i>Cupressus macrocarpa</i>	8, 179, 250, 332, 398, 461
<i>Cupressus macrocarpa</i> (<i>Cupressus Guadalupensis</i>).....	180
<i>Cupressus macrocarpa</i> , var. <i>fastigiata</i>	179
<i>Cupressus Nootkatensis</i>	178
<i>Cupressus Nutkaensis</i>	178
<i>Cupressus thyoides</i>	177
CUPULIFERÆ	137-159, 254, 257, 258, 312, 380, 414, 446
Curtiss, A. H., remarks on the forests of Florida by.....	521, 522
Custard Apple.....	23, 266, 354, 418
Cypress, Bald.....	184, 334, 350, 398, 466
Cypress, Black.....	184, 334, 350, 398, 466
Cypress, Deciduous.....	184, 334, 350, 398, 466
Cypress, Lawson's.....	179, 332, 350, 398, 464
Cypress, Monterey.....	179, 332, 398, 464
Cypress, Red.....	184, 334, 350, 398, 466
Cypress, Sitka.....	178, 332, 398, 464
Cypress, Southern, next to the Long-leaved Pine, the characteristic tree of the Southern Maritime Pine Belt.....	4
Cypress swamps of the Tensas river in Alabama.....	525-527
Cypress, White.....	184, 334, 350, 398, 466
Cypress, Yellow.....	178, 332, 398, 464
CYRILLACEÆ	37, 38, 253, 250, 272, 356, 420
<i>Cyrilla</i>	10, 11, 13
<i>Cyrilla Caroliniana</i>	37
<i>Cyrilla fuscata</i>	37
<i>Cyrilla paniculata</i>	100
<i>Cyrilla peruvifolia</i>	37
<i>Cyrilla polystachia</i>	37
<i>Cyrilla racemiflora</i>	37, 249, 272, 356
<i>Cyrilla racemosa</i>	37
D.	
Dahoon.....	35, 270, 356, 420
Dahoon Holly.....	35, 270, 356, 420
Dakota, lumber industry and manufacturers from wood in.....	486, 487, 561
Dakota, rank of, according to value of lumber products.....	487
Dakota, remarks by Mr. H. C. Putnam on the forests of the eastern portion of.....	561
Dakota, remarks by Mr. Robert Douglas on the forests of the Black Hills region of.....	561, 562
Dakota, statistics of forests, forest fires, standing timber, etc., in.....	561, 562
Dalea.....	10, 12, 14
Dalea spinosa.....	55, 230, 278
Darling Plum.....	89, 272, 358, 422
<i>Datisca hirta</i>	52
Deciduous Cypress.....	184, 334, 350, 398, 466
Deciduous Forest of the Mississippi Basin and the Atlantic Plain.....	4
Delaware, lumber industry and manufactures from wood in.....	486, 487, 511
Delaware, rank of, according to value of lumber products.....	487
Delaware, statistics of forests, forest fires, standing timber, etc., in.....	491, 511
<i>Dermatophyllum speciosum</i>	57
Desert Willow.....	116, 300, 372, 438
Devilwood.....	113, 300, 372, 438
Diamond Willow.....	170, 328
Digger Pine.....	195, 338, 350, 404, 470
Dilly, Wild.....	103, 204, 368, 494
Diospyros.....	11, 15
<i>Diospyros angustifolia</i>	104
<i>Diospyros calycina</i>	104
<i>Diospyros ciliata</i>	104
<i>Dio-pyros concolor</i>	104
<i>Diospyros Guaiacana</i>	104
<i>Diospyros intermedia</i>	104
<i>Diospyros lucida</i>	104
<i>Diospyros Persimmon</i>	104
<i>Diospyros puleans</i>	104
<i>Diospyros Texana</i>	105, 249, 294
<i>Diospyros Virginiana</i>	104, 249, 254, 257, 260, 204, 350, 368, 434
<i>Diospyros Virginiana</i> , var. <i>concolor</i>	104
<i>Diospyros Virginiana</i> , var. <i>macrocarpa</i>	104
<i>Diospyros Virginiana</i> , var. <i>microcarpa</i>	104
<i>Diospyros Virginiana</i> , var. <i>pubescens</i>	104
Dipholis.....	11, 15
Dipholis salicifolia.....	101, 249, 254, 257, 294, 368, 434
Distribution of genera.....	10
Distribution of species.....	12
District of Columbia, lumber industry and manufactures from wood in.....	486, 487
District of Columbia, original forest of, replaced by Oak, Scrub Pine, etc.....	511
District of Columbia, rank of, according to value of lumber products.....	487
District of Columbia, statistics of forests, forest fires, standing timber, etc, in.....	511
Division of the North American continent with reference to its forest geography.....	3
Doctor Gum.....	54, 278, 360, 424
Dogwood.....	90, 288
Dogwood, Flowering (<i>Cornus florida</i>).....	91, 288, 366, 430
Dogwood, Flowering (<i>Cornus Nuttallii</i>).....	91, 288, 366, 432
Dogwood, Jamaica.....	57, 278, 360, 426
Dogwood, Striped.....	40, 274
Douglas Fir.....	200, 265, 344, 352, 410, 476
Douglas, Robert, remarks on the forests of the Black Hills region of Dakota by.....	561, 562
Downward Plum.....	103, 204, 208, 431
<i>Drimophyllum pauciflorum</i>	120
Drypetes.....	11, 15
<i>Drypetes alba</i> , var. <i>latifolia</i>	121
<i>Drypetes crocea</i>	120, 249, 254, 257, 302, 374, 440
<i>Drypetes crocea</i> , var. <i>latifolia</i>	121, 249, 254, 257, 302, 374, 440
<i>Drypetes crocea</i> , var. <i>longipes</i>	120
<i>Drypetes glauca</i> (<i>Drypetes crocea</i>).....	120
<i>Drypetes glauca</i> (<i>Drypetes crocea</i> , var. <i>latifolia</i>).....	121
<i>Drypetes sessiliflora</i>	120
Dry wood of trees of the United States, weight of.....	249-251
Duck Oak.....	152, 320, 350, 388, 416, 454
Dwarf Maple.....	48, 274
Dwarf Sumach.....	53, 278, 360, 424
E.	
EBENACEÆ	104, 105, 254, 257, 294, 368, 454
Economic aspects of the forests of the United States.....	488-580
Ehretia.....	11, 15
<i>Ehretia Bourreria</i>	114
<i>Ehretia elliptica</i>	114, 250, 254, 257, 300, 372, 438
<i>Ehretia Havaneensis</i>	114
<i>Ehretia radula</i>	114
<i>Ehretia tomentosa</i>	114
<i>Elaphrium integrimum</i>	82
Elder (<i>Sambucus glauca</i>).....	93, 290, 366, 482
Elder (<i>Sambucus Mexicana</i>).....	94, 200
Elder, Box (<i>Negundo aceroides</i>).....	51, 270, 360, 424
Elder, Box (<i>Negundo Californicum</i>).....	51, 276, 360, 424
Elder, Poison.....	54, 278
Elemi, Gum.....	30, 270, 350, 350, 420
Elkwood.....	21, 260, 354, 418
Elm, American.....	128, 304, 350, 374, 414, 440
Elm, Cedar.....	122, 304, 374, 440
Elm, Cliff.....	123, 304, 374, 440
Elm, Cork.....	123, 304, 374, 440
Elm, Hickory.....	123, 304, 374, 440
Elm, Moose.....	122, 304, 374, 440
Elm, Red.....	122, 304, 374, 440
Elm, Rock.....	123, 304, 374, 440
Elm, Slippery (<i>Fremontia California</i>).....	26, 208
Elm, Slippery (<i>Ulmus fulva</i>).....	122, 304, 374, 440
Elm, Water.....	123, 304, 350, 374, 414, 440
Elm, White (<i>Ulmus Americana</i>).....	123, 304, 350, 374, 414, 440
Elm, White (<i>Ulmus racemosa</i>).....	123, 304, 374, 440
Elm, Winged.....	124, 304, 374, 440
Emetila ramulosa.....	36
Enceno.....	147, 318, 366, 452
<i>Endotropis oleifolia</i>	40
ERICACEÆ	96-99, 254, 257, 292, 368, 482
<i>Erythrina piscipula</i>	57
Eugenia.....	10, 14
<i>Eugenia axillaris</i>	89
<i>Eugenia Barriensis</i>	89

GENERAL INDEX.

	Page.		Page.
Eugenia buxifolia	88, 249, 253, 257, 288, 366, 430	Fires, forest, forests, standing timber, etc., extent of, in the—continued.	511–523
Eugenia dichotoma	88, 249, 288	South Atlantic division	524–546
Eugenia dichotoma, var. <i>fragrans</i>	88	Southern Central division	564–580
Eugenia <i>dicaricata</i>	88	Fires, forest, forests, standing timber, etc., statistics of, in—	
Eugenia longipes	89, 249, 288	Alabama	491, 524–530
Eugenia montana	88	Alaska	580
Eugenia monticola	89, 249, 253, 257, 288, 366, 430	Arizona	491, 568, 569
Eugenia <i>myrtoides</i>	88	Arkansas	491, 543, 544
Eugenia pallens	88	California	491, 578–580
Eugenia procera	89, 249, 253, 257, 288, 366, 430	Colorado	491, 507, 568
Eugenia <i>pungens</i>	88	Connecticut	500, 501
Eugenia <i>tripinnervia</i> (Eugenia buxifolia)	88	Dakota	491, 561, 562
Eugenia <i>tripinnervia</i> (Eugenia monticola)	89	Delaware	491, 511
Euonymus	10, 12, 13	District of Columbia	511
Euonymus <i>atropurpureus</i>	88, 249, 272	Florida	491, 520–523
Euonymus <i>Carolinensis</i>	38	Georgia	491, 519, 520
Euonymus <i>latifolius</i>	38	Idaho	491, 571–573
EUPHORBIACEÆ	120, 121, 254, 257, 302, 374, 440	Illinois	491, 547–550
Exocarica <i>lucida</i>	121	Indiana	491, 547
Exostemma	10, 14	Indian territory	491, 543
Exostemma <i>Caribaeum</i>	95, 249, 253, 257, 265, 290, 366, 432	Iowa	491, 560
Exotheca <i>oblongifolia</i>	45	Kansas	491, 562, 563
Experiments by Mr. S. P. Sharples	247, 261, 264, 265	Kentucky	491, 515, 546
Eysenhardtia	10, 12, 14	Louisiana	491, 520–540
Eysenhardtia <i>amorphoides</i>	55	Maine	491, 494–496
Eysenhardtia <i>amorphoides</i> , var. <i>orthocarpa</i>	55	Maryland	491, 511
Eysenhardtia <i>orthocarpa</i>	13, 55, 249, 278	Massachusetts	491, 500, 501
F.		Michigan	491, 550–554
<i>Fagara fraxinifolia</i>	30	Minnesota	491, 558–560
<i>Fagara lenticifolia</i>	31	Mississippi	491, 530–536
<i>Fagara Pterota</i>	31	Missouri	491, 500, 501
<i>Fagus</i>	11, 16	Montana	491, 501–506
<i>Fagus alba</i>	157	Nebraska	502
<i>Fagus Americana</i>	157	Nevada	491, 571
<i>Fagus Americana latifolia</i>	157	New Hampshire	491, 496–498
<i>Fagus Castanea</i>	157	New Jersey	491, 506
<i>Fagus Castanea dentata</i>	157	New Mexico	491, 568
<i>Fagus Castanea pumila</i>	156	New York	491, 501–506
<i>Fagus ferruginea</i>	157, 249, 255, 258, 262, 322, 350, 390, 456	North Carolina	491, 515–518
<i>Fagus ferruginea</i> , var. <i>Caroliniana</i>	157	Ohio	491, 547
<i>Fagus pumila</i>	156	Oregon	491, 570–578
<i>Fagus pumila</i> , var. <i>præcox</i>	158	Pennsylvania	491, 508–510
<i>Fagus sylvatica</i>	157	Rhode Island	491, 500, 501
<i>Fagus sylvatica atropunicea</i>	157	South Carolina	491, 518, 519
<i>Fagus sylvatica</i> , var. <i>Americana</i>	157	Tennessee	492, 544, 545
<i>Fagus sylvatica</i>	157	Texas	492, 540–543
Fan-leaf Palm	217, 348, 414, 480	Utah	492, 569–571
Farkleberry	96, 292, 432	Vermont	492, 498–500
Fetid Buckeye	42, 274, 358, 422	Virginia	492, 511, 512
<i>Ficus</i>	11, 15	Washington	492, 573–576
<i>Ficus aurea</i>	126, 251, 254, 257, 306, 376, 442	West Virginia	492, 512–515
<i>Ficus aurea</i> , var. <i>latifolia</i>	126	Wisconsin	492, 554–558
<i>Ficus brevifolia</i>	127, 250, 306	Wyoming	492, 560, 567
<i>Ficus complicata</i>	127	Fires, forest, remarks respecting prevalence of and losses occasioned by	491–493
<i>Ficus pedunculata</i>	127, 250, 254, 257, 306, 376, 442	Florida, lumber industry and manufactures from wood in	486, 487, 521–523
Fiddlewood	116, 306, 372, 438	Florida, Pencil Cedar of	522
Fig, Wild	127, 300, 376, 442	Florida, production of naval stores in	517
Fir, Balm of Gilead	211, 340, 412, 478	Florida, rank of, according to value of lumber products	487
Fir, Balsam (<i>Abies balsamea</i>)	211, 340, 412, 478	Florida, remarks by Dr. Charles Mohr on the forests of	522, 523
Fir, Balsam (<i>Abies concolor</i>)	213, 340, 412, 478	Florida, remarks by Mr. A. H. Curtiss on the forests of	521, 522
Fir, Douglas	208, 265, 344, 352, 410, 476	Florida, Semi-tropical Forest of	6
Fir, Red (<i>Abies magnifica</i>)	214, 340, 412, 478	Florida, Southern Pine Belt in	520
Fir, Red (<i>Abies nobilis</i>)	214, 346, 412, 478, 573	Florida, statistics of forests, forest fires, standing timber, etc., in	491, 520–523
Fir, Red (<i>Pseudotsuga Douglasii</i>)	200, 205, 344, 362, 410, 476, 565, 575	Florida, tabular statement of the amount of long-leaved pine standing	
Fir, Red, the most important timber tree of the Pacific region	7	in the forests of, May 31, 1880	521
Fir, White (<i>Abies concolor</i>)	213, 340, 412, 478	Florida, the Big Cypress region of	522
Fir, White (<i>Abies grandis</i>)	212, 340, 412, 478	Flowering Dogwood (<i>Cornus florida</i>)	91, 288, 366, 430
Fir, Yellow	200, 265, 344, 352, 410, 476, 576	Flowering Dogwood (<i>Cornus Nuttallii</i>)	91, 288, 366, 432
Fires, effect of, upon the forests of Tennessee	546	<i>Fetatarax montana</i>	186
Fires, forest, during the census year, causes of, areas burned over, and		<i>Fetatarax Myristica</i>	186
losses entailed by (see, also, under state headings)	491, 492	Forestiera	11, 12, 15
Fires, forest, in Michigan, destructiveness of	550	Forestiera acuminata	112, 250, 254, 257, 298, 372, 438
Fires, forest, forests, standing timber, etc., extent of, in the—		Forest crop of the United States for the census year, value of the	485
North Atlantic division	494–510	Forest, Deciduous, of the Mississippi Basin and the Atlantic Plain	4
Northern Central division	547–563	Forest fires during the census year, causes of, areas burned over, and	
Western division	511–523	losses entailed by (see, also, under state headings)	491, 492
Forests, forest fires, standing timber, etc., extent of, in the—		Forest fires, remarks respecting prevalence of and losses occasioned by	491–493
North Atlantic division	511–523	Forest, Interior, in the Pacific region, extent of the	8–10
Northern Central division	524–546	Forest, Mexican, of southern Texas, extent of the	6
Southern Central division	564–580	Forest of Florida, Semi-tropical	6
Western division	504–580	Forest Trees, Catalogue of	17–210
Forests, forest fires, standing timber, etc., extent of, in the—		Forest Trees, Index to Catalogue of	220–243
Alabama	491, 524–530	Forests, forest fires, standing timber, etc., extent of, in the—	
Alaska	580	North Atlantic division	494–510
Arizona	491, 568, 569	Northern Central division	547–563
Arkansas	491, 543, 544	South Atlantic division	511–523
California	491, 578–580	Southern Central division	524–546

GENERAL INDEX.

591

	Page.
Forests, forest fires, standing timber, etc., statistics of, in—continued.	
Colorado.....	491, 507, 508
Connecticut.....	500, 501
Dakota.....	491, 501, 502
Delaware.....	491, 511
District of Columbia.....	511
Florida.....	491, 520, 523
Georgia.....	491, 519, 520
Idaho.....	491, 571–573
Illinois.....	491, 547–550
Indiana.....	491, 547
Indian territory.....	491, 543
Iowa.....	491, 560
Kansas.....	491, 502, 503
Kentucky.....	491, 545, 546
Louisiana.....	491, 530–540
Maine.....	491, 494–496
Maryland.....	491, 511
Massachusetts.....	491, 509, 501
Michigan.....	491, 550–554
Minnesota.....	491, 558–560
Mississippi.....	491, 530–536
Missouri.....	491, 500, 501
Montana.....	491, 504–506
Nebraska.....	562
Nevada.....	491, 571
New Hampshire.....	491, 496–498
New Jersey.....	491, 508
New Mexico.....	491, 508
New York.....	491, 501–506
North Carolina.....	491, 515–518
Ohio.....	491, 547
Oregon.....	491, 576–578
Pennsylvania.....	491, 506–510
Rhode Island.....	491, 500, 501
South Carolina.....	491, 518, 519
Tennessee.....	492, 544, 546
Texas.....	492, 540–543
Utah.....	492, 509–571
Vermont.....	492, 498–500
Virginia.....	492, 511, 512
Washington.....	492, 573–576
West Virginia.....	492, 512–515
Wisconsin.....	492, 554, 558
Wyoming.....	492, 560, 567
Forests, mountain, of California, injury by grazing cattle to the.....	570
Forests of North America, general remarks on the.....	3–16
Forests of the central pine hills of Mississippi.....	534
Forests of the Chattahoochee, mixed forest growth, etc., in eastern Alabama.....	527, 528
Forests of the Northern Pine Belt once extended over the state of Maine.....	494
Forests of the Tennessee valley in Alabama.....	528, 529
Forests of the United States in their economic aspects.....	483–580
Forests of the Yazoo delta in Mississippi.....	535, 536
Forests of western Mississippi.....	534, 535
Forests on Indian reservations in Minnesota.....	559, 560
Forked-leaf Black Jack.....	151, 320, 388, 454
Fox-tail Pine.....	101, 336, 402, 468
<i>Frangula Californica</i>	40
<i>Frangula Californica</i> , var. <i>tomentella</i>	41
<i>Frangula Caroliniana</i>	40
<i>Frangula fragilis</i>	40
<i>Frangula Purshiana</i>	41
<i>Franklinia</i>	26
<i>Franklinia Alatamaha</i>	25
<i>Fraxinus</i>	11, 12, 15
<i>Fraxinus acuminata</i>	107
<i>Fraxinus alba</i>	112
<i>Fraxinus alba</i> (<i>Fraxinus Americana</i>).....	107
<i>Fraxinus albicans</i> (<i>Fraxinus Americana</i> , var. <i>microcarpa</i>).....	108
<i>Fraxinus albicans</i> (<i>Fraxinus Americana</i> , var. <i>Texensis</i>).....	108
<i>Fraxinus Americana</i>	107, 250, 251, 254, 257, 260, 206, 350, 370, 436
<i>Fraxinus Americana</i> (<i>Fraxinus platycarpa</i>).....	110
<i>Fraxinus Americana</i> , var. <i>Caroliniana</i>	110
<i>Fraxinus Americana</i> , var. <i>juglansifolia</i>	109
<i>Fraxinus Americana</i> , var. <i>latifolia</i>	107
<i>Fraxinus Americana</i> , var. <i>microcarpa</i>	108
<i>Fraxinus Americana</i> , var. <i>pubescens</i>	108
<i>Fraxinus Americana</i> , var. <i>quadrangulata</i>	110
<i>Fraxinus Americana</i> , var. <i>quadrangulata nervosa</i>	110
<i>Fraxinus Americana</i> , var. <i>sambucifolia</i>	111
<i>Fraxinus Americana</i> , var. <i>Texensis</i>	108, 249, 254, 257, 296, 370, 414, 436
<i>Fraxinus Americana</i> , var. <i>tripetra</i>	110
<i>Fraxinus anomala</i>	13, 106, 249, 290
<i>Fraxinus Berlandieriiana</i>	109
<i>Fraxinus Canadensis</i>	107
<i>Fraxinus Oaroliniana</i> (<i>Fraxinus platycarpa</i>).....	110
<i>Fraxinus Caroliniana</i> (<i>Fraxinus viridis</i>).....	109
<i>Fraxinus Carolinensis</i>	107
<i>Fraxinus cinerea</i>	112
<i>Fraxinus coriacea</i> (<i>Fraxinus Americana</i> , var. <i>Texensis</i>).....	108
<i>Fraxinus coriacea</i> (<i>Fraxinus pistaciæfolia</i>).....	106
<i>Fraxinus crispa</i>	111
<i>Fraxinus Curtissii</i>	108
<i>Fraxinus curvidens</i>	110
<i>Fraxinus cuspidata</i>	112
<i>Fraxinus dipetala</i>	112
<i>Fraxinus discolor</i>	107
<i>Fraxinus elliptica</i>	112
<i>Fraxinus epipetra</i>	107
<i>Fraxinus excelsior</i>	110
<i>Fraxinus expansa</i>	109
<i>Fraxinus fusca</i>	112
<i>Fraxinus grandifolia</i>	111
<i>Fraxinus Greggii</i>	100, 249, 251, 296
<i>Fraxinus juglansifolia</i> (<i>Fraxinus Americana</i>).....	107
<i>Fraxinus juglansifolia</i> (<i>Fraxinus viridis</i>).....	100
<i>Fraxinus juglansifolia</i> , var. <i>serratata</i>	107
<i>Fraxinus juglansifolia</i> , var. <i>subintegerrima</i>	109
<i>Fraxinus juglansifolia</i> , var. <i>subsererrata</i>	107
<i>Fraxinus lancea</i>	107
<i>Fraxinus longifolia</i>	108
<i>Fraxinus mixta</i>	112
<i>Fraxinus nervosa</i>	110
<i>Fraxinus nigra</i>	112
<i>Fraxinus nigra</i> (<i>Fraxinus pubescens</i>).....	108
<i>Fraxinus nigra</i> (<i>Fraxinus sambucifolia</i>).....	111
<i>Fraxinus nigrescens</i>	110
<i>Fraxinus Novæ-Angliae</i> (<i>Fraxinus sambucifolia</i>).....	111
<i>Fraxinus Novæ-Angliae</i> (<i>Fraxinus viridis</i>).....	109
<i>Fraxinus Nuttallii</i>	110
<i>Fraxinus oblongocarpa</i>	108
<i>Fraxinus Oregana</i>	111, 250, 254, 257, 298, 372, 438
<i>Fraxinus ovata</i>	112
<i>Fraxinus pallida</i>	110
<i>Fraxinus pannosa</i>	112
<i>Fraxinus pauciflora</i>	110
<i>Fraxinus Pennsylvanica</i>	108
<i>Fraxinus pistaciæfolia</i>	13, 100, 249, 254, 257, 296, 370, 434
<i>Fraxinus pistaciæfolia</i> (<i>Fraxinus Americana</i> , var. <i>Texensis</i>).....	108
<i>Fraxinus pistaciæfolia</i> , var. <i>coriacea</i>	106
<i>Fraxinus platycarpa</i>	110, 251, 254, 257, 298, 370, 436
<i>Fraxinus pubescens</i>	108, 250, 254, 257, 296, 370, 436
<i>Fraxinus pubescens</i>	110
<i>Fraxinus pubescens</i> , var.....	111
<i>Fraxinus pubescens</i> , var. <i>latifolia</i>	108
<i>Fraxinus pubescens</i> , var. <i>longifolia</i>	108
<i>Fraxinus pubescens</i> , var. <i>subpubescens</i>	108
<i>Fraxinus pulvifera</i>	112
<i>Fraxinus quadrangularis</i>	110
<i>Fraxinus quadrangulata</i>	110, 249, 254, 257, 260, 298, 370, 436
<i>Fraxinus quadrangulata</i> , var. <i>nervosa</i>	110
<i>Fraxinus Richardi</i>	112
<i>Fraxinus rubicunda</i>	112
<i>Fraxinus rufa</i>	112
<i>Fraxinus sambucifolia</i>	111, 250, 254, 257, 298, 372, 438
<i>Fraxinus sambucifolia</i> , var. <i>crispata</i>	111
<i>Fraxinus Schiediana</i> , var. <i>parvifolia</i>	106
<i>Fraxinus subvillosa</i>	108
<i>Fraxinus tetragona</i>	110
<i>Fraxinus tomentosa</i>	108
<i>Fraxinus trialata</i>	109
<i>Fraxinus triptera</i>	110
<i>Fraxinus velutina</i>	106
<i>Fraxinus viridis</i>	12, 100, 249, 251, 254, 257, 260, 298, 370, 436
<i>Fraxinus viridis</i> , var. <i>Berlandieriana</i>	100, 250, 298
<i>Fremontia</i>	10, 12, 13
<i>Fremontia California</i>	26, 249, 298
<i>Frigolito</i>	58, 278
Fringe Tree.....	113, 298
Fuel in manufactures during the census year, amount and value of wood used as.....	489
Fuel value, actual, of some of the more important woods of the United States'.....	350–353
Fuel value of woods, method of determining the.....	247, 251, 252

GENERAL INDEX.

G.	Page.	Page.	
<i>Gardenia clusiaefolia</i>	95	Gum, Tupelo98, 290, 350, 380, 432
Geiger Tree	118, 300	Gumbo Limbo83, 270, 350, 420
Genera, distribution of	10	Gurjeon Stopper88, 288, 380, 480
General remarks on the forests of North America	3-16	GUTTIFERÆ	26
Genipa	10, 14	<i>Gymnanthes lucida</i>	121
Genipa clusiaefolia.....	95, 240, 290	<i>Gymnocalamus Catesbyana</i>	119
Georgia Bark	95, 290, 380, 432	Gymnocladus10, 11, 14
Georgia, lumber industry and manufactures from wood in	480, 487, 510, 520	<i>Gymnocladus Canadensis</i>58, 240, 253, 256, 280, 380, 420
Georgia Pine	202, 342, 352, 406, 416, 472	<i>Gymnocladus dioica</i>58
Georgia, production of naval stores in	517	III.	
Georgia, rank of, according to value of lumber products	487	Hackberry (<i>Celtis occidentalis</i>)126, 300, 376, 414, 442
Georgia, statistics of forests, forest fires, standing timber, etc., in	491, 510, 520	Hackberry (<i>Celtis occidentalis</i> , var. <i>reticulata</i>)126, 360, 376, 442
Georgia, tabular statement of the amount of Long-leaved Pine standing in the forests of, May 31, 1880	520	Hackmatack215, 340, 352, 412, 478
Georgia, the Maritime Pine Belt in	519	Halesia11, 15
Giant Cactus	90, 288	<i>Halesia diptera</i>105, 250, 254, 257, 294, 368, 434
<i>Gigantabies taxifolia</i>	185	<i>Halesia parviflora</i>108
<i>Gigantabies Wellingtonia</i>	184	<i>Halesia reticulata</i>105
Ginger Pine	179, 382, 350, 388, 464	<i>Halosia tetraptera</i>100, 250, 296
Glamberry	28, 268, 350, 420	<i>Halmia cornifolia</i>80
Glaucous Willow	189, 328	<i>Halmia flabellata</i>77
Gleditschia	10, 11, 14	<i>Halmia lobata</i>70
<i>Gleditschia aquatica</i>	59	<i>Halmia punctata</i>80
<i>Gleditschia brachycarpa</i>	59	<i>Halmia tomentosa</i>70
<i>Gleditschia Carolinensis</i>	59	HAMAMELACHE85, 86, 253, 256, 280, 304, 414, 480
<i>Gleditschia elegans</i>	59	Hamamelis10, 11, 14
<i>Gleditschia inermis</i> (<i>Gleditschia monosperma</i>)	59	<i>Hamamelis androgyna</i>85
<i>Gleditschia inermis</i> (<i>Gleditschia triacanthos</i> , var. <i>inermis</i>)	59	<i>Hamamelis corylifolia</i>85
<i>Gleditschia macrantha</i>	59	<i>Hamamelis dioica</i>85
<i>Gleditschia Meliloba</i>	59	<i>Hamamelis macrophylla</i>85
<i>Gleditschia monosperma</i>	59, 240, 253, 256, 280, 382, 426	<i>Hamamelis parvifolia</i>85
<i>Gleditschia spinosa</i>	59	<i>Hamamelis Virginiana</i> , var. <i>parvifolia</i>85
<i>Gleditschia triacanthos</i>	59	Hamamelis Virginica85, 249, 286
<i>Gleditschia triacanthos</i> , var. <i>brachycarpus</i>	59	Hard Maple48, 270, 358, 422, 576
<i>Gleditschia triacanthos</i> , var. <i>inermis</i>	59	Hard Pine202, 342, 352, 406, 416, 472
<i>Gleditschia triacanthos</i> , var. <i>monosperma</i>	59	Haw, Apple82, 286, 304, 430
Goose-foot Maple	40, 274	Haw, Black94, 280, 366, 432
Gopher Plum	91, 290, 386, 432	Haw, Hogs'75, 284
Gopherwood	57, 278, 380, 426	Haw, May82, 286, 304, 430
Gorlonia	10, 11, 18	Haw, Parsley81, 286
<i>Gordonia Franklinii</i>	25	Haw, Pear79, 286, 304, 430
<i>Gordonia Lasianthus</i>	25, 250, 253, 256, 265, 268, 354, 418	Haw, Purple40, 272
<i>Gordonia pubescens</i>	25, 248	Haw, Red (Crataegus coccinea)78, 286
<i>Gordonia pyramidalis</i>	25	Haw, Red (Crataegus flavæ, var. pubescens)83, 286, 304, 430
Grape, Sea	118, 302, 438	Haw, Scarlet (Crataegus coccinea)78, 286
Gravity, specific, ash, and weight per cubic foot of dry specimens of the woods of the United States	280-349	Haw, Scarlet (Crataegus subvillosa)78, 286, 304, 430
Gray Birch (<i>Betula alba</i> , var. <i>populifolia</i>)	159, 324, 350, 392, 458	Haw, Small-fruited81, 286, 304, 430
Gray Birch (<i>Betula lutea</i>)	101, 324, 392, 458	Haw, Summer (Crataegus flavæ)83, 286
Gray Pine	201, 342, 352, 406, 472	Haw, Summer (Crataegus flavæ, var. pubescens)83, 286, 304, 430
Great Laurel9, 292, 388, 434	Haw, Yellow83, 286
Great Plains, the	4-6	Hazel, Witch85, 286
Green Ash	109, 208, 370, 436	Hemlock and White Pine standing in the forests of Pennsylvania May 31, 1880, tabular statement of the amount of506
Green-bark Acacia60, 280, 302, 426	Hemlock (<i>Pseudotsuga Douglassii</i> , var. <i>macrocarpa</i>)210, 340, 412, 478
Ground Ash	111, 298, 372, 438	Hemlock (<i>Tsuga Canadensis</i>)207, 265, 344, 352, 408, 474, 500
Guaiacum	10, 13	Hemlock (<i>Tsuga Caroliniana</i>)207, 265, 344, 410, 476
<i>Guaiacum angustifolium</i>	29	Hemlock (<i>Tsuga Mertensiana</i>)208, 265, 344, 410, 476, 573, 576
<i>Guaiacum sanctum</i>28, 240, 253, 256, 268, 356, 420	Heteromeles10, 12, 14
<i>Guaiacum verticale</i>	28	<i>Heteromeles arbutifolia</i>83, 240, 286
Guettarda	10, 15	<i>Heteromeles Fremontiana</i>83
Guettarda elliptica98, 249, 290	<i>Heyderia decurrens</i>170
Guettarda Blodgettii	98	<i>Heymassoli spinosa</i>34
Guiana Plum	121, 302, 374, 440	Hickorea, species132
Guilandina dioica28	<i>Hickorius amara</i>135
Gum, Black92, 290, 386, 432	Hickory, Big-bud184, 310, 350, 380, 444
Gum, Cotton93, 290, 350, 386, 432	Hickory, Black (<i>Carya porcina</i>)184, 310, 350, 380, 446
Gum, Doctor54, 278, 360, 424	Hickory, Black (<i>Carya tomentosa</i>)184, 310, 350, 380, 444
Gum Elastic102, 294, 308, 434	Hickory, Brown184, 310, 350, 380, 446
Gum Elmi33, 270, 350, 356, 420	Hickory Elm123, 304, 374, 440
Gum, Red86, 286, 350, 384, 414, 430	Hickory, Nutmeg135, 310, 350, 380, 446
Gum, Sour92, 290, 386, 432	Hickory Pine (<i>Pinus Balfouriana</i> , var. <i>aristata</i>)101, 330, 402, 468
Gum, Star-leaved86, 286, 350, 384, 414, 430	Hickory Pine (<i>Pinus pungens</i>)100, 340, 350, 404, 472
Gum, Sweet86, 286, 350, 384, 414, 430	Hickory, Shag-bark133, 308, 350, 378, 444
		Hickory, Shell-bark133, 308, 350, 378, 444
		Hickory, Swamp (<i>Carya amara</i>)135, 310, 350, 380, 446
		Hickory, Swamp (<i>Carya aquatica</i>)136, 310, 350, 380, 414, 446

GENERAL INDEX.

593

	Page.		Page.
Hickory, Switoh-bud	184, 310, 350, 380, 446	Incense Cedar	176, 380, 386, 462
Hickory, Water	186, 310, 350, 380, 414, 446	Index to Catalogue of Forest Trees	220-248
Hickory, White-heart	184, 310, 350, 380, 444	Indiana, lumber industry and manufactures from wood in	480, 487, 547
<i>Hicorius integrifolia</i>	185	Indiana, rank of, according to value of lumber products	487, 547
<i>Hierophyllum Cassine</i>	36	Indiana, statistics of forests, forest fires, standing timber, etc., in	401, 547
Hippomane	11, 15	Indian Bean	116, 300, 372, 438
Hippomane Mancinella	121, 250, 304, 460	Indian Cherry	40, 272, 358, 422
Hoary Alder	165, 326, 394, 460	Indian territory, statistics of forests, forest fires, standing timber, etc., in	481, 543
Hog Plum ('Prunus angustifolia')	66, 282, 362, 426	India-rubber Tree	127, 300, 376, 442
Hog Plum (<i>Rhus Metopium</i>)	54, 278, 360, 424	Industry, lumber, commercial importance of Chicago with reference to the	548
Hog Plum (<i>Ximenia Americana</i>)	34, 270	Industry, lumbering, of the United States, average number of hands em- ployed in the	486
Hogs' Haw	75, 284	Industry, lumbering, of the United States, general remarks on	485-493
Holly, American	35, 270, 356, 420	Industry, lumbering, of the United States, statistics of, for year ending May 31, 1880	486, 487
Holly, California	84, 286		
Holly, Dahoon	35, 270, 350, 420		
Honey Locust (<i>Gleditschia triacanthos</i>)	50, 280, 360, 420		
Honey Locust (<i>Prosopis juliflora</i>)	62, 265, 280, 350, 362, 426		
Honey Pod	62, 265, 280, 350, 362, 420		
Honey Shucks	50, 280, 360, 426		
Hoop Ash	111, 298, 372, 438		
<i>Hoppea tinctoria</i>	105		
Hop Hornbeam	158, 322, 390, 450		
Hop Tree	31, 270		
Hornbeam	150, 322, 392, 450		
Hornbeam, Hop	158, 322, 390, 450		
Horse Plum	65, 282, 362, 426		
Horse Sugar	105, 204, 368, 434		
Hypelate	10		
<i>Hypelate oblongifolia</i>	45		
<i>Hypelate paniculata</i>	45, 249, 272, 358, 422		
<i>Hypelate trifoliata</i>	45, 249, 272, 422		
<i>Hyperanthera dioica</i>	58		
<i>Hypericum Lasianthus</i>	25		
I.			
Idaho, lumber industry and manufactures from wood in	486, 487, 572		
Idaho, rank of, according to value of lumber products	487		
Idaho, remarks by Mr. Sereno Watson on the forests of	572, 573		
Idaho, statistics of forests, forest fires, standing timber, etc., in	491, 571-573		
Ilex	10, 11, 13		
<i>Ilex cestivialis</i>	87		
<i>Ilex ambigua</i>	87		
<i>Ilex angustifolia</i>	85		
<i>Ilex aquifolium</i>	85		
<i>Ilex Canadensis</i>	85		
<i>Ilex Cassena</i>	86		
<i>Ilex Cassine</i>	86, 249, 272		
<i>Ilex Cassine</i> (Ilex Dahoon)	85		
<i>Ilex Cassine</i> , β	86		
<i>Ilex Cassine</i> , var. <i>angustifolia</i>	85		
<i>Ilex Cassine</i> , var. <i>latifolia</i>	85		
<i>Ilex cassinoidea</i>	85		
Ilex Dahoon	35, 250, 253, 256, 270, 356, 420		
Ilex Dahoon, var. <i>angustifolia</i>	85		
Ilex Dahoon, var. <i>myrtifolia</i>	80, 250, 270		
Ilex decidua	37, 249, 272		
<i>Ilex Floridana</i>	36		
<i>Ilex laurifolia</i>	85		
<i>Ilex laevigata</i>	85		
<i>Ilex ligustrina</i> (Ilex Cassine)	86		
<i>Ilex ligustrina</i> (Ilex Dahoon, var. <i>angustifolia</i>)	86		
<i>Ilex myrtifolia</i>	86		
<i>Ilex opaca</i>	84, 250, 253, 256, 270, 356, 420		
<i>Ilex prionoides</i>	87		
<i>Ilex quercifolia</i>	85		
<i>Ilex religiosa</i>	86		
<i>Ilex rosmarinifolia</i>	86		
<i>Ilex vomitoria</i>	86		
<i>Ilex Watsoniana</i>	86		
ILICINÆ	84, 258, 250, 270, 356, 420		
Illinois, lumber industry and manufactures from wood in	486, 487, 548-550		
Illinois Nut	132, 308, 350, 378, 444		
Illinois, rank of, according to value of lumber products	487, 548		
Illinois, statistics of forests, forest fires, standing timber, etc., in	401, 547-550		
J.			
Jack, Black (<i>Quercus Catesbeii</i>)	151, 320, 388, 454		
Jack, Black (<i>Quercus nigra</i>)	150, 265, 320, 350, 388, 454		
Jack, Blue	183, 320, 390, 456		
Jack, Forked-leaved Black	151, 320, 388, 454		
Jack Oak	150, 265, 320, 350, 388, 454		
Jack, Sand	153, 320, 390, 456		
Jacquinia	11, 15		
Jacquinia armillaris	100, 240, 292		
Jamnica Dogwood	57, 278, 360, 426		
Jersey Pine	199, 340, 350, 404, 470, 546		
Joewood	100, 282		
Joshua, The	210, 348		
Joshua Tree	210, 348		
Judas Tree	61, 280, 362, 426		
JUGLANDACEÆ	180-181, 254, 257, 300, 370, 414, 442		
Juglans	11, 12, 15, 251		
<i>Juglans alba</i> (<i>Carya alba</i>)	188		
<i>Juglans alba</i> (<i>Carya tomentosa</i>)	188		
<i>Juglans alba acuminata</i>	184		
<i>Juglans alba minima</i>	185		
<i>Juglans alba ovata</i>	182		
<i>Juglans amara</i>	185		
<i>Juglans angustifolia</i> (<i>Carya amara</i>)	185		
<i>Juglans angustifolia</i> (<i>Carya olivæformis</i>)	182		
<i>Juglans aquatica</i>	185		
<i>Juglans Californica</i>	131		
<i>Juglans cathartica</i>	130		
<i>Juglans cinerea</i>	130, 250, 254, 257, 260, 308, 376, 442		
<i>Juglans compressa</i>	182		
<i>Juglans cordiformis</i>	185		
<i>Juglans cylindrica</i>	182		
<i>Juglans exaltata</i>	182		
<i>Juglans glabra</i>	184		

GENERAL INDEX.

	Page.		Page.
<i>Juglans Illinoiensis</i>	182	<i>Knackaway</i>	114, 300, 372, 438
<i>Juglans laciniosa</i>	183	<i>Knob-cone Pine</i>	196, 340, 404, 470
<i>Juglans macrocarpa</i>	133		
<i>Juglans nigra varisticaformis</i>	185		
<i>Juglans nigra</i>	181, 250, 251, 254, 257, 260, 308, 350, 370, 414, 444		
<i>Juglans nigra oblonga</i>	181		
<i>Juglans obcordata</i>	184		
<i>Juglans oblonga</i>	180		
<i>Juglans oblonga alba</i>	180		
<i>Juglans oliveiformis</i>	182		
<i>Juglans ovalis</i>	182		
<i>Juglans ovata</i>	182		
<i>Juglans Pecan</i>	182		
<i>Juglans porcina</i>	184		
<i>Juglans porcina</i> , var. <i>obcordata</i>	184		
<i>Juglans porcina</i> , var. <i>pisiformis</i>	184		
<i>Juglans pyriformis</i>	184		
<i>Juglans rubra</i>	182		
<i>Juglans rupestris</i>	18, 181, 250, 251, 254, 257, 308, 378, 444		
<i>Juglans rupestris</i> , var. <i>major</i>	181		
<i>Juglans squamosa</i>	182		
<i>Juglans succata</i>	183		
<i>Juglans tomentosa</i>	184		
<i>Juneberry</i>	84, 286, 364, 430		
<i>Juniper (Juniperus Californica)</i>	180, 382		
<i>Juniper (Juniperus Californica, var. Utahensis)</i>	181, 382		
<i>Juniper (Juniperus occidentalis)</i>	182, 382, 464		
<i>Juniper (Juniperus occidentalis, var. conjungens)</i>	182, 382, 398, 464		
<i>Juniper (Juniperus occidentalis, var. monosperma)</i>	182, 382, 350		
<i>Juniper (Juniperus pachyphyllea)</i>	181, 382, 398		
<i>Juniperus</i>	11, 12, 18		
<i>Juniperus Andina</i>	181		
<i>Juniperus arborescens</i>	182		
<i>Juniperus aromatica</i>	170		
<i>Juniperus Barbadensis</i>	182		
<i>Juniperus California</i>	180, 250, 332		
<i>Juniperus Californica</i> , var. <i>osteosperma</i>	180		
<i>Juniperus Californica</i> , var. <i>Utahensis</i>	180, 250, 332		
<i>Juniperus Caroliniana</i>	182		
<i>Juniperus Cerrosiana</i>	180		
<i>Juniperus excelsa</i>	181		
<i>Juniperus foetida</i> , var. <i>Virginiana</i>	182		
<i>Juniperus Hermanni (Juniperus occidentalis)</i>	181		
<i>Juniperus Hermanni (Juniperus Virginiana)</i>	182		
<i>Juniperus occidentalis</i>	18, 181, 250, 332, 464		
<i>Juniperus occidentalis (Juniperus Californica)</i>	180		
<i>Juniperus occidentalis (Juniperus California, var. Utahensis)</i>	180		
<i>Juniperus occidentalis, var. conjungens</i>	182, 249, 255, 258, 382, 398, 404		
<i>Juniperus occidentalis, var. monosperma</i>	181, 249, 382, 350		
<i>Juniperus occidentalis, var. pleiosperma</i>	181		
<i>Juniperus occidentalis, var. <i>Utahensis</i></i>	180		
<i>Juniperus pachyphyllea</i>	18, 181, 250, 332, 398		
<i>Juniperus plochiderma</i>	181		
<i>Juniperus pyriformis</i>	181		
<i>Juniperus Sabina pachyphyllea</i>	181		
<i>Juniperus Sabina</i> , var. <i>Virginiana</i>	182		
<i>Juniperus tetragona (Juniperus California)</i>	180		
<i>Juniperus tetragona, var. osteosperma</i>	180		
<i>Junipers Virginiana</i>	12, 182, 250, 255, 258, 263, 332, 388, 404, 544		
<i>Juniperus Virginiana, var. Caroliniana</i>	182		
<i>Juniperus Virginiana, var. Hermanni</i>	182		
<i>Juniperus Virginiana vulgaris</i>	182		
	K.		
<i>Kalmia</i>	11, 12, 15		
<i>Kalmia latifolia</i>	98, 249, 254, 257, 292, 308, 434		
<i>Kamprania fraxinifolia</i>	80		
Kansas, lumber industry and manufactures from wood in	486, 487, 563		
Kansas, rank of, according to value of lumber products	487		
Kansas, statistics of forests, forest fires, standing timber, etc., in	491, 562, 563		
Kentucky Coffee Tree	58, 280, 300, 420		
Kentucky, lumber industry and manufactures from wood in	486, 487, 546		
Kentucky, pastureage of woodlands in	546		
Kentucky, rank of, according to value of lumber products	487		
Kentucky, statistics of forests, forest fires, standing timber, etc., in	491, 545, 546		
King Nut	184, 310, 350, 380, 444		
	L.		
<i>Lacathea florida</i>	25		
<i>Lagunularia glabrifolia</i>	87		
<i>Lagunularia racemosa</i>	87, 240, 258, 257, 288, 304, 430		
<i>Lancewood</i>	119, 302		
<i>Larch</i>	215, 346, 352, 412, 478		
<i>Larch, Black</i>	215, 346, 352, 412, 478		
<i>Larch, Western</i> , the largest and most valuable tree of the Columbian Basin in the Interior Forest	9		
<i>Large-leaved Cucumber Tree</i>	21, 260, 354, 418		
<i>Large Tupelo</i>	98, 200, 350, 368, 432		
<i>Larix</i>	11, 12, 10, 575, 576		
<i>Larix Americana</i>	215, 250, 255, 260, 264, 346, 352, 413, 478		
<i>Larix Americana rubra</i>	215		
<i>Larix Americana, var. brevifolia</i>	215		
<i>Larix Americana, var. pendula</i>	215		
<i>Larix Americana, var. prolifera</i>	215		
<i>Larix decidua</i> , var. <i>Americana</i>	215		
<i>Larix intermedia</i>	215		
<i>Larix Lyallii</i>	210, 248		
<i>Larix microcarpa</i>	215		
<i>Larix occidentalis</i>	216, 240, 255, 260, 264, 348, 414, 480, 505, 574		
<i>Larix pendula</i>	215		
<i>Larix tenuifolia</i>	215		
LAURACEÆ	118-120, 254, 257, 302, 372, 438		
<i>Laurel</i>	98, 202, 368, 434		
<i>Laurel, Big</i>	10, 200, 354, 414, 418		
<i>Laurel, California</i>	120, 302, 374, 440		
<i>Laurel, Great</i>	99, 202, 368, 434		
<i>Laurel, Mountain</i>	120, 302, 374, 440		
<i>Laurel Oak (Quercus imbricaria)</i>	154, 322, 380, 456		
<i>Laurel Oak (Quercus laurifolia)</i>	158, 320, 380, 454		
<i>Laurel, Swamp</i>	20, 260, 354, 414, 418		
<i>Laurel, White</i>	20, 266, 354, 414, 418		
<i>Laurocerasus Caroliniana</i>	69		
<i>Laurocerasus illicifolia</i>	70		
<i>Laurus Borbonia</i>	118		
<i>Laurus Caroliniana</i>	118		
<i>Laurus Carolinensis</i>	118		
<i>Laurus Carolinensis</i> , var. <i>glabra</i>	118		
<i>Laurus Carolinensis</i> , var. <i>obtusa</i>	118		
<i>Laurus Carolinensis</i> , var. <i>pubescens</i>	110		
<i>Laurus Catesbeei</i>	110		
<i>Laurus Catesbyana</i>	110		
<i>Laurus regia</i>	120		
<i>Laurus sanguinea</i>	119		
<i>Laurus Sassafras</i>	110		
<i>Lawson's Cypress</i>	170, 382, 380, 388, 464		
<i>Leaf, Sweet</i>	105, 204, 368, 434		
LEGUMINOSÆ	55-64, 253, 256, 278, 360, 414, 424		
<i>Leguminosæ (Mexican)</i>	6		
<i>Leptocarpa Caroliniana</i>	60		
Letter of transmittal	ix		
<i>Leucæna</i>	6, 10, 12, 14		
<i>Leucæna glauca</i>	62, 249, 280		
<i>Leucæna pulverulenta</i>	63, 249, 280		
<i>Leverwood</i>	158, 322, 380, 456		
<i>Libocedrus</i>	8, 11, 12, 10		
<i>Libocedrus decurrens</i>	170, 250, 255, 258, 380, 390, 462		
<i>Lignum-vitæ</i>	28, 268, 350, 420		
LILIACEÆ	218, 210, 348		
<i>Lime, Ogeechee</i>	91, 290, 306, 432		
<i>Lime Tree</i>	27, 268, 350, 418		
<i>Lime, Wild (Xanthoxylum Pterota)</i>	31, 270		
<i>Limo, Wild (Ximenia Americana)</i>	34, 270		
<i>Lin</i>	27, 268, 356, 418		
<i>Linden, American</i>	27, 208, 350, 356, 418		
<i>Liquidambar</i>	10, 11, 14		
<i>Liquidambar macrophylla</i>	86		
<i>Liquidambar Styraciflua</i>	86, 250, 258, 256, 260, 280, 350, 304, 414, 430		
<i>Liquidambar Styraciflua</i> , var. <i>Mexicana</i>	86		
<i>Liquidambar</i>	86, 266, 350, 384, 414, 430		
<i>Liriodendron</i>	10, 11, 13		
<i>Liriodendron procera</i>	22		

GENERAL INDEX.

595

	Page.		Page.
Liriodendron Tulipifera	22, 250, 253, 256, 259, 260, 265, 350, 384, 418	Lumber industry and manufactures from wood in—continued.	486, 487, 568
Live Oak (<i>Quercus chrysolepis</i>)	146, 318, 386, 452	New Mexico	486, 487, 502-505
Live Oak (<i>Quercus virginiana</i>)	145, 265, 316, 386, 452	New York	486, 487, 515
Live Oak (<i>Quercus Wislizenii</i>)	147, 318, 386, 452	North Carolina	486, 487, 517
Live Oak, Coast	147, 318, 386, 452	Ohio	486, 487, 517
Loblolly Bay	25, 265, 268, 364, 418	Oregon	486, 487, 500-510
Loblolly, Long- and Short-leaved Pine standing in the forests of Texas May 31, 1880, tabular statement of the amount of	541	Pennsylvania	486, 487, 500, 501
Loblolly Pine	197, 340, 350, 404, 416, 470, 516, 541	Rhode Island	486, 487, 518, 519
Locust (<i>Robinia Neo-Mexicana</i>)	56, 278, 360, 426	South Carolina	486, 487, 545
Locust (<i>Robinia Pseudacacia</i>)	55, 278, 350, 360, 414, 424	Tennessee	486, 487, 541, 542
Locust, Black (<i>Gleditschia triacanthos</i>)	50, 280, 360, 426	Texas	486, 487, 569
Locust, Black (<i>Robinia Pseudacacia</i>)	55, 278, 350, 360, 414, 424	Vermont	486, 487, 498-500
Locust, Clammy	56, 278	Virginia	486, 487, 512
Locust, Honey (<i>Gleditschia triacanthos</i>)	50, 280, 360, 426	Washington	486, 487, 574
Locust, Honey (<i>Prosopis juliflora</i>)	62, 265, 280, 350, 360, 426	West Virginia	486, 487, 512-515
Locust, Sweet	50, 280, 360, 426	Wisconsin	486, 487, 554, 556
Locust, Water	50, 280, 360, 426	Wyoming	486, 487, 567
Locust, Yellow	55, 278, 350, 360, 414, 424	Lumber industry, commercial importance of Chicago with reference to the	548
Lodge-pole Pine	195, 338, 350, 404, 470, 504, 574, 577	Lumber industry of the Saginaw valley in Michigan	562
Logs rafted out of the Susquehanna boom at Williamsport, Pennsyl- vania, from 1862 to 1880, number of	508	Lumber industry of the United States, general remarks on	485-493
Logwood	40, 272	Lumber market, importance of Burlington, Vermont, as a	490
Long- and Short-leaved Pine standing in the forests of Alabama May 31, 1880, tabular statement of the amount of	524	Lumber market, rank of Albany, New York, as a	503
Long- and Short-leaved Pine standing in the forests of Louisiana May 31, 1880, tabular statement of the amount of	537	Lumber trade of Chicago, early	540, 550
Long- and Short-leaved Pine standing in the forests of Mississippi May 31, 1880, tabular statement of the amount of	531	Lumbering industry of the United States, average number of hands employed in	486
Long-leaved Cucumber Tree	22, 266, 354, 418	Lumbering industry of the United States, statistics of, for year ending May 31, 1880	486, 487
Long-leaved, Loblolly, and Short-leaved Pine standing in the forests of Texas May 31, 1880, tabular statement of the amount of	541	Lumbermen of Washington territory, wasteful methods of	574
Long-leaved Pine	202, 342, 352, 408, 416, 472, 510, 519-521, 524, 531, 537, 541	<i>Lyonia arborea</i>	98
Long-leaved Pine standing in the forests of Florida May 31, 1880, tabular statement of the amount of	521	<i>Lyonia ferruginea</i>	96
Long-leaved Pine standing in the forests of Georgia May 31, 1880, tabular statement of the amount of	520	<i>Lyonia rigidula</i>	96
Long-leaved Pine standing in the forests of North Carolina May 31, 1880, tabular statement of the amount of	516	<i>Lysiloma</i>	10, 14
Long-leaved Pine standing in the forests of South Carolina May 31, 1880, tabular statement of the amount of	519	<i>Lysiloma Bahamensis</i>	64
Long-leaved Pine, the characteristic tree of the Southern Maritime Pine Belt	4	<i>Lysiloma latisiliqua</i>	64, 250, 282, 362, 426
Louisiana, lumber industry and manufactures from wood in	486, 487, 530, 537	■■■■■	■■■■■
Louisiana, moss-ginning industry in	537, 538	Macrlura	11, 15
Louisiana, production of naval stores in	517, 536, 537	Macrlura aurantiaca	128, 249, 254, 257, 308, 376, 442, 542
Louisiana, rank of, according to value of lumber products	487	Madiera	34, 270, 350, 356, 420
Louisiana, remarks by Dr. Charles Mohr on the forests of	538-540	Madroño	97, 292, 368, 432
Louisiana, statistics of forests, forest fires, standing timber, etc., in	401, 536, 540	Magnolia	10, 11, 13
Louisiana, tabular statement of the amount of Long- and Short-leaved Pine standing in the forests of, May 31, 1880	537	<i>Magnolia acuminata</i>	20, 250, 253, 256, 260, 354, 418
Lumber and shingles received at Chicago during the year 1880, amount of ..	548, 549	<i>Magnolia auriculata</i>	22
Lumber for Colorado, Utah, and New Mexico, Chicago the principal source of supply of	508, 569	<i>Magnolia cordata</i>	20, 250, 253, 256, 260, 354, 418
Lumber industry and manufactures from wood in—		<i>Magnolia De Candolii</i>	20
Alabama	486, 487, 524, 525	<i>Magnolia fragrans</i>	20
Arizona	486, 487, 509	<i>Magnolia Fraseri</i>	22, 250, 253, 256, 260, 354, 418
Arkansas	486, 487, 544	<i>Magnolia glauca</i>	19, 250, 253, 256, 268, 354, 414, 418
California	486, 487, 578, 580	<i>Magnolia glauca</i> , var. <i>latifolia</i>	20
Colorado	486, 487, 567, 568	<i>Magnolia glauca</i> , var. <i>longifolia</i>	20
Connecticut	486, 487, 500, 501	<i>Magnolia grandiflora</i>	10, 250, 253, 256, 260, 354, 414, 418, 534
Dakota	486, 487, 561	<i>Magnolia grandiflora</i> , var. <i>elliptica</i> and <i>ovovata</i>	19
Delaware	486, 487, 511	<i>Magnolia grandiflora</i> , var. <i>lanceolata</i>	19
District of Columbia	486, 487	<i>Magnolia longifolia</i>	20
Florida	486, 487, 521, 523	<i>Magnolia macrophylla</i>	21, 250, 253, 256, 266, 354, 418
Georgia	486, 487, 519, 520	<i>Magnolia Mountain</i>	20, 260, 364, 418
Idaho	486, 487, 572	<i>Magnolia pyramidata</i>	22
Illinois	486, 487, 548-550	<i>Magnolia tripetala</i>	21
Indiana	486, 487, 547	<i>Magnolia Umbrella</i>	21, 250, 253, 256, 260, 354, 418
Iowa	486, 487, 560	<i>Magnolia Virginiana</i> , var. <i>a</i> <i>glauca</i>	20
Kansas	486, 487, 563	<i>Magnolia Virginiana</i> , var. <i>β</i> <i>petiolaris</i>	19
Kentucky	486, 487, 546	<i>MAGNOLIACEAE</i>	10-22, 253, 256, 266, 354, 414, 418
Louisiana	486, 487, 536, 537	<i>Mahogany</i>	34, 270, 350, 356, 420
Maine	486, 487, 494-496	<i>Mahogany Birch</i>	102, 324, 392, 458
Maryland	486, 487, 511	<i>Mahogany, Mountain</i> , and the Nut Pine the most important trees of the Interior Forest	9
Massachusetts	486, 487, 500, 501	<i>Mahogany, Mountain</i> (<i>Cercocarpus ledifolius</i>)	71, 284, 350, 428, 569, 571
Michigan	486, 487, 551, 552	<i>Mahogany, Mountain</i> (<i>Cercocarpus parvifolius</i>)	71, 284, 350, 571
Minnesota	486, 487, 558	<i>Maine</i> , forests of the Northern Pine Belt once extended over the state of	404
Mississippi	486, 487, 531	<i>Maine</i> , lumber industry and manufactures from wood in	486, 487, 494-496
Missouri	486, 487, 560, 561	<i>Maine</i> , rank of, according to value of lumber products	487
Montana	486, 487, 564	<i>Maine</i> , statistics of forests, forest fires, standing timber, etc., in	401, 404, 406
Nebraska	486, 487, 502	<i>Maine</i> , tabular statement of the amount of Pine and Spruce standing in the forests of, May 31, 1880	404
Nevada	486, 487, 571	<i>MALPIGHIAEAE</i>	28, 253, 256, 263, 350, 420
New Hampshire	486, 487, 497, 498	<i>Malpighia lucida</i>	28
New Jersey	486, 487, 506	<i>Malus angustifolia</i>	72
		<i>Malus coronaria</i>	72

GENERAL INDEX.

Page.	Page.
<i>Malus diversifolia</i>	73
<i>Malus microcarpa coronaria</i>	72
<i>Malus rufa</i>	73
<i>Malus sempervirens</i>	72
<i>Malus subcordata</i>	73
Manchineel.....	121, 304
Manchineel, Mountain.....	54, 278, 300, 424
<i>Mancinella renenata</i>	121
Mangrove.....	87, 205, 288, 304, 430
Mangrove, Black.....	117, 302
Mangrove, White.....	87, 288, 304, 430
Maple, Ash-leaved.....	51, 276, 300, 424
Maple, Black Sugar.....	49, 276, 350, 358, 424
Maple, Broad-leaved.....	47, 274, 358, 422
Maple, Dwarf.....	48, 274
Maple, Goose-foot.....	46, 274
Maple Hard.....	48, 276, 358, 422, 576
Maple, Mountain.....	40, 274
Maple, Red.....	50, 276, 358, 424
Maple, Rock.....	48, 276, 358, 422
Maple, Silver.....	40, 276, 358, 424
Maple, Soft (<i>Acer dasycarpum</i>).....	49, 276, 358, 424
Maple, Soft (<i>Acer rubrum</i>).....	50, 276, 358, 424
Maple, Striped.....	40, 274
Maple, Sugar.....	48, 276, 358, 422
Maple sugar and molasses produced in the United States in 1879, amount of.....	485
Maple, Swamp.....	50, 276, 358, 424
Maple, Vine.....	47, 274, 358, 422
Maple, Water.....	50, 276, 358, 424
Maple, White.....	49, 276, 358, 424
Maritime Pine Belt in Georgia.....	519
Maritime Pine Belt in Mississippi.....	532
Maritime Pine Belt in North Carolina.....	515
Maritime Pine Region in Alabama.....	525
Marlberry.....	100, 292
Maryland, lumber industry and manufactures from wood in.....	486, 487, 511
Maryland, rank of, according to value of lumber products.....	487
Maryland, statistics of forests, forest fires, standing timber, etc., in.....	491, 511
Massachusetts, lumber industry and manufactures from wood in.....	486, 487, 500, 501
Massachusetts, rank of, according to value of lumber products.....	487
Massachusetts, statistics of forests, forest fires, standing timber, etc., in.....	491, 500, 501
Massachusetts, the Northern Pine Belt in.....	500
Mastic.....	101, 202, 368, 434
Maul Oak.....	146, 318, 386, 452
May Cherry.....	84, 286, 364, 480
May Haw.....	82, 286, 364, 430
Meadow Pine.....	202, 342, 352, 400, 410, 474
MELIACEÆ.....	33, 34, 233, 256, 270, 350, 420
<i>Melicocca paniculata</i>	45
<i>Melilobus heterophylla</i>	59
<i>Mespilus acerifolia</i>	80
<i>Mespilus cestivalis</i>	82
<i>Mespilus aprifolia</i>	81
<i>Mespilus arborea</i>	84
<i>Mespilus arbustifolia</i>	88
<i>Mespilus Azarolus</i>	81
<i>Mespilus berberifolia</i>	82
<i>Mespilus Bosciana</i>	77
<i>Mespilus Calpodendron</i>	70
<i>Mespilus Canadensis</i>	84
<i>Mespilus Canadensis</i> , var. <i>cordata</i>	84
<i>Mespilus Canadensis</i> , var. <i>obovata</i>	85
<i>Mespilus Caroliniana</i>	82
<i>Mespilus coccinea</i>	77
<i>Mespilus cordata</i>	80
<i>Mespilus cornifolia</i>	80
<i>Mespilus Crus-galli</i>	76
<i>Mespilus Crus-galli</i> , var. <i>pyracanthifolia</i>	76
<i>Mespilus Crus-galli</i> , var. <i>salicifolia</i>	76
<i>Mespilus cuneifolia</i> (<i>Crataegus Crus-galli</i>).....	76
<i>Mespilus cuneifolia</i> (<i>Crataegus tomentosa</i> , var. <i>punctata</i>).....	76
<i>Mespilus cuneiformis</i>	76
<i>Mespilus elliptica</i> (<i>Crataegus Crus-galli</i>).....	76
<i>Mespilus elliptica</i> (<i>Crataegus flava</i> , var. <i>pubescens</i>).....	83
<i>Mespilus flabellata</i>	77
<i>Mespilus flava</i>	82
<i>Mespilus flexispina</i>	82
<i>Mespilus glandulosa</i>	77
<i>Mespilus hiemalis</i>	83
<i>Mespilus latifolia</i>	70
<i>Mespilus linearis</i>	77
<i>Mespilus lobata</i>	9
<i>Mespilus lucida</i>	76
<i>Mespilus lucida</i> , var. <i>angustifolia</i>	77
<i>Mespilus Michauxii</i>	83
<i>Mespilus monogyna</i> , var. <i>apiifolia</i>	81
<i>Mespilus nivea</i>	84
<i>Mespilus odorata</i>	79
<i>Mespilus ovalifolia</i>	76
<i>Mespilus Phœnopyrum</i>	80
<i>Mespilus populifolia</i>	78
<i>Mespilus pruinosa</i>	79
<i>Mespilus prunellifolia</i>	76
<i>Mespilus prunifolia</i>	77
<i>Mespilus pubescens</i>	77
<i>Mespilus punctata</i>	80
<i>Mespilus pyrifolia</i> (<i>Crataegus tomentosa</i>).....	79
<i>Mespilus pyrifolia</i> (<i>Crataegus tomentosa</i> , var. <i>punctata</i>).....	80
<i>Mespilus rotundifolia</i> (<i>Crataegus coccinea</i>).....	77
<i>Mespilus rotundifolia</i> (<i>Crataegus Crus-galli</i> , var. <i>prunifolia</i>).....	77
<i>Mespilus salicifolia</i>	76
<i>Mespilus spathulata</i>	81
<i>Mespilus tiliæfolia</i>	78
<i>Mespilus turbinata</i>	82
<i>Mespilus viridis</i>	78
<i>Mespilus Watsoniana</i>	76
<i>Mespilus Wendlandii</i>	77
Mesquit.....	62, 265, 280, 350, 362, 426
Mesquit, Screw-pod.....	62, 280, 302, 426
Mesquit the most important species in the valleys of the Atlantic-Mexi- can region.....	0
Method of determining the fuel value of woods.....	247, 251, 252
Method of determining the strength of woods.....	252
<i>Metopium Linnaei</i>	54
Mexican Banana.....	219, 348
Mexican Forest of southern Texas, extent of.....	6
Mexican Mulberry.....	128, 306
Mexican Persimmon.....	105, 294
<i>Michauxia sessilis</i>	25
Michigan, destructiveness of forest fires in.....	550
Michigan, lumber industry and manufactures from wood in.....	486, 487, 551, 552
Michigan, lumber industry of the Saginaw valley in.....	552
Michigan, maple-sugar product of.....	551
Michigan, rank of according to value of lumber products.....	487, 552
Michigan, remarks by Mr. H. C. Putnam on the forests of.....	553, 554
Michigan, statistics of forests, forest fires, standing timber, etc., in.....	401, 550-554
Michigan, tabular statement of the amount of White Pine standing in the forests of, May 31, 1880.....	551
<i>Mimosa biceps</i>	62
<i>Mimosa frondosa</i>	62
<i>Mimosa glauca</i>	62
<i>Mimosa Guadalupensis</i>	64
<i>Mimosa latiloba</i>	64
<i>Mimosa leucocephala</i>	62
<i>Mimosa rosea</i>	64
<i>Mimosa Unguis-cati</i>	64
<i>Mimusops</i>	11, 15
<i>Mimusops dissecta</i>	103
<i>Mimusops Sieberi</i>	103, 249, 254, 257, 204, 308, 434
Minnesota, forests on Indian reservations in.....	559, 560
Minnesota, lumber industry and manufactures from wood in.....	486, 487, 558
Minnesota, rank of, according to value of lumber products.....	487, 550
Minnesota, remarks by Mr. H. C. Putnam on the forests of.....	559, 560
Minnesota, statistics of forests, forest fires, standing timber, etc., in.....	401, 558-560
Minnesota, tabular statement of the amount of White Pine standing in the forests of, May 31, 1880.....	558
Minnesota, the Northern Pine Belt in.....	558
Mississippi Basin and the Atlantic Plain, Deciduous Forest of the.....	4

Page.	Page.
Mississippi, forests of the central pine hills of	534
Mississippi, forests of the Yazoo delta in	535, 536
Mississippi, lumber industry and manufactures from wood in	480, 487, 531
Mississippi, pine forests of the northeastern counties of	532-534
Mississippi, production of naval stores in	517, 531, 532, 536
Mississippi, rank of, according to value of lumber products	487
Mississippi, remarks by Dr. Charles Mohr on the forests of	531-536
Mississippi, Southern, pine forests of	531, 532
Mississippi, statistics of forests, forest fires, standing timber, etc., in	491, 530-536
Mississippi, tabular statement of the amount of Long and Short-leaved Pine standing in the forests of, May 31, 1880	531
Mississippi, the Maritimo Pine Belt in	532
Mississippi, western, forests of	534, 535
Missouri, lumber industry and manufactures from wood in	480, 487, 560, 561
Missouri, rank of, according to value of lumber products	487, 561
Missouri, statistics of forests, forest fires, standing timber, etc., in	491, 560, 561
Mobile the principal center of wood manufacture in Alabama	525
Mocker Nut	134, 310, 350, 380, 444
Mock Orange	70, 284, 362, 428
Mohr, Dr. Charles, remarks on the forests and the turpentine industry of Alabama by	525-530
Mohr, Dr. Charles, remarks on the forests of Florida by	522, 523
Mohr, Dr. Charles, remarks on the forests of Louisiana by	538-540
Mohr, Dr. Charles, remarks on the forests of Mississippi by	531-536
Mohr, Dr. Charles, remarks on the forests of Texas by	542, 548
Molasses and sugar, maple, produced in the United States in 1879, amount of	485
Montana, lumber industry and manufactures from wood in	480, 487, 564
Montana, rank of, according to value of lumber products	487
Montana, remarks by Mr. Sereno Watson on the forests of	565, 566
Montana, statistics of forests, forest fires, standing timber, etc., in	491, 564-566
Monterey Cypress	179, 332, 388, 464
Monterey Pine	196, 340, 404, 470
Moose Elm	122, 304, 374, 440
Moosewood	40, 274
<i>Morus Canadensis</i> (Lamarck and Rafinesque)	127
<i>Morus microphylla</i>	12, 128, 240, 306
<i>Morus Missouriensis</i>	127
<i>Morus parvifolia</i> (<i>Morus microphylla</i>)	128
<i>Morus parvifolia</i> (<i>Morus rubra</i>)	127
<i>Morus reticulata</i>	127
<i>Morus riparia</i>	127
<i>Morus rubra</i>	127, 250, 254, 257, 260, 300, 370, 442
<i>Morus rubra</i> , var. <i>Canadensis</i>	127
<i>Morus rubra</i> , var. <i>incisa</i>	127
<i>Morus rubra</i> , var. <i>tomentosa</i>	127
<i>Morus scabra</i>	127
<i>Morus tomentosa</i>	127
Moss-ginning industry in Louisiana	537, 538
Mossy-cup Oak	140, 265, 314, 384, 448
Mountain Ash (<i>Pyrus Americana</i>)	73, 284, 428
Mountain Ash (<i>Pyrus sambucifolia</i>)	74, 284, 364, 428
Mountain forests in California, pasturage of	570, 580
Mountain Laurel	120, 302, 374, 440
Mountain Magnolia	20, 266, 354, 418
Mountain Mahogany and the Nut Pine the most important trees of the Interior Forest	9
Mountain Mahogany (<i>Cercocarpus ledifolius</i>)	71, 284, 350, 428, 569, 571
Mountain Mahogany (<i>Cercocarpus parvifolius</i>)	71, 284, 569, 571
Mountain Manchineel	54, 278, 360, 424
Mountain Maple	46, 274
Mountain Plum	34, 270
Mountain White Oak	143, 316, 386, 450
Mulberry, Mexican	128, 306
Mulberry, Red	128, 306, 376, 442
Mygindia	10, 13
Mygindia pallens	38, 240, 272
<i>Mylocaryum ligustrinum</i>	38
Myrica	11, 12, 15
<i>Myrica Californica</i>	187, 240, 254, 257, 312, 380, 446
<i>Myrica Carolinensis</i>	136
<i>Myrica cerifera</i>	136, 250, 254, 257, 312, 380, 446
<i>Myrica cerifera humilis</i>	136
<i>Myrica cerifera sempervirens</i>	186
<i>Myrica cerifera</i> , var. <i>angustifolia</i>	136
<i>Myrica cerifera</i> , var. <i>arborescens</i>	136
<i>Myrica cerifera</i> , var. <i>latifolia</i>	136
<i>Myrica cerifera</i> , var. <i>media</i>	136
<i>Myrica cerifera</i> , var. <i>pumila</i>	136
<i>Myrica Pennsylvanica</i>	136
<i>Myrica Xolapensis</i>	137
MYRICACEÆ	186, 187, 254, 257, 312, 380, 446
MYRSINACEÆ	99, 100, 292
Myrsine	11, 15
<i>Myrsine floribunda</i>	99
<i>Myrsine Floridana</i>	99
Myrsine Rapanea	99, 240, 292
MYRTACEÆ	88, 89, 253, 257, 288, 306, 430
Myrtle, Blue	41, 272
Myrtle, Wax	136, 312, 380, 446
<i>Myrtus axillaris</i>	88
<i>Myrtus buxifolia</i>	88
<i>Myrtus Chryracantha</i>	88
<i>Myrtus dichotoma</i>	88
<i>Myrtus monticola</i>	89
<i>Myrtus Poireti</i>	88
<i>Myrtus procera</i>	89
N.	
Naked Wood (<i>Colubrina reclinata</i>)	42, 274, 358
Naked Wood (<i>Eugenia dichotoma</i>)	88, 288
Nannyberry	94, 290, 482
Naval stores, production of, in Alabama	517, 527, 529, 530
Naval stores, production of, in Florida	517
Naval stores, production of, in Georgia	517
Naval stores, production of, in Louisiana	517, 530, 537
Naval stores, production of, in Mississippi	517, 531, 532, 536
Naval stores, production of, in North Carolina	516-518
Naval stores, production of, in South Carolina	517
Nebraska, lumber industry and manufactures from wood in	486, 487, 562
Nebraska, rank of, according to value of lumber products	487
Nebraska, statistics of forests, forest fires, standing timber, etc., in	502
Necklace Poplar	175, 330, 350, 390, 402
Nectandra	11, 15
<i>Nectandra Bredemeyeriana</i>	119
<i>Nectandra Willdenoviana</i>	110, 240, 302
<i>Negundium fraxinifolium</i>	51
Negundo	10-13
Negundo aceroides	12, 50, 250, 253, 256, 276, 360, 424
<i>Negundo aceroides</i> (<i>Negundo Californicum</i>)	51
<i>Negundo Californicum</i>	51, 250, 253, 256, 276, 360, 424
<i>Negundo Californicum</i> (<i>Negundo aceroides</i>)	51
<i>Negundo fraxinifolium</i>	51
<i>Negundo lobatum</i>	51
<i>Negundo Mexicanum</i>	51
<i>Negundo trifoliatum</i>	51
Nebraska, lumber industry and manufactures from wood in	486, 487, 571
Nevada, rank of, according to lumber products	487
Nevada, statistics of forests, forest fires, standing timber, etc., in	491, 671
Newcastle Thorn	76, 280, 364, 430
New Hampshire, lumber industry and manufactures from wood in	486, 487, 497, 498
New Hampshire, rank of, according to value of lumber products	487
New Hampshire, remarks by Mr. C. G. Pringle on the forests of	497
New Hampshire, statistics of forests, forest fires, standing timber, etc., in	491, 496-498
New Hampshire, tabular statement of the amount of Spruce standing in the forests of May 31, 1880	496
New Jersey, lumber industry and manufactures from wood in	486, 487, 506
New Jersey, rank of, according to value of lumber products	487
New Jersey, statistics of forests, forest fires, standing timber, etc., in	491, 506
New Mexico, lumber industry and manufactures from wood in	486, 487, 503
New Mexico, rank of, according to value of lumber products	487
New Mexico, statistics of forests, forest fires, standing timber, etc., in	491, 508
New Mexico, Utah, and Colorado, Chicago the principal source of supply of lumber for	508, 509
New York, lumber industry and manufactures from wood in	486, 487, 502-505
New York, maple-sugar product of	501
New York, rank of, according to value of lumber products	487
New York, rank of Albany, as a lumber market	503

GENERAL INDEX.

	Page.		Page.
New York, remarks by Mr. C. G. Pringle on the forests of	501-506	Oak, Black (<i>Quercus Emoryi</i>)	146, 205, 318, 386, 452
New York, statistics of forests, forest fires, standing timber, etc., in	501, 501-506	Oak, Black (<i>Quercus Kelloggii</i>)	149, 205, 320, 388, 410, 454
New York, the Northern Pine Belt in	501	Oak, Black (<i>Quercus rubra</i>)	148, 205, 318, 350, 386, 452
North American continent, division of the, with reference to its forest geography	3	Oak, Black (<i>Quercus tinctoria</i>)	149, 205, 318, 350, 388, 454, 528
North American forests, general remarks on the	3-16	Oak, Blue	148, 310, 386, 450
North Atlantic division, extent of forests, standing timber, forest fires, etc., in the	494-510	Oak, Burr	140, 205, 314, 384, 448
North Carolina, grades of tar and rosin produced in	517	Oak, Chestnut (<i>Quercus densiflora</i>)	155, 205, 322, 390, 456, 576, 580
North Carolina, lumber industry and manufactures from wood in	480, 487, 515	Oak, Chestnut (<i>Quercus prinoides</i>)	143, 205, 316, 384, 450
North Carolina, production of naval stores in	510-518	Oak, Chestnut (<i>Quercus Prinus</i>)	142, 205, 310, 350, 384, 410, 450
North Carolina, rank of, according to value of lumber products	487	Oak, Chinquapin	149, 205, 316, 384, 450
North Carolina, statistics of forests, forest fires, standing timber, etc., in	498, 515-518	Oak, Coast Live	147, 318, 386, 452
North Carolina, tabular statement of the amount of Long-leaved Pine standing in the forests of, May 31, 1880	518	Oak, Cow	141, 310, 384, 416, 450, 533
North Carolina, the Maritime Pine Belt in	515	Oak, Duck	152, 320, 350, 388, 410, 454
Northern Central division, extent of forests, forest fires, standing timber, etc., in the	547-568	Oak, Iron	139, 312, 382, 448
Northern Forest in the Atlantic region	8, 4	Oak, Jack	150, 205, 320, 350, 388, 450
Northern Forest in the Pacific region, extent of the	7	Oak, Laurel (<i>Quercus imbricaria</i>)	154, 322, 390, 450
Northern Pine Belt, forests of the, once extended over the State of Maine	494	Oak, Laurel (<i>Quercus laurifolia</i>)	153, 320, 390, 454
Northern Pine Belt in Connecticut	500	Oak, Livo (<i>Quercus chrysolepis</i>)	146, 318, 380, 452
Northern Pine Belt in Massachusetts	500	Oak, Live (<i>Quercus vires</i>)	145, 205, 310, 386, 452
Northern Pine Belt in Minnesota	558	Oak, Live (<i>Quercus Wislizeni</i>)	147, 318, 386, 452
Northern Pine Belt in New York	501	Oak, Maul	146, 318, 386, 452
Northern Pine Belt in Rhode Island	500	Oak, Mossy-cup	140, 205, 314, 384, 448
Northern Pine Belt in the Atlantic region	4	Oak, Mountain White	148, 310, 386, 450
Norway Pine	192, 336, 350, 402, 468	Oak, Over-cup (<i>Quercus lyrata</i>)	140, 314, 350, 384, 450, 533
Nut, Bitter	135, 310, 350, 380, 446	Oak, Over-cup (<i>Quercus macrocarpa</i>)	140, 205, 314, 384, 448
Nut, Bull	134, 310, 350, 380, 444	Oak, Peach (<i>Quercus densiflora</i>)	155, 205, 322, 390, 456
Nut, Coffee	58, 260, 360, 420	Oak, Peach (<i>Quercus Phellos</i>)	154, 322, 390, 456
Nut, Illinois	132, 308, 350, 378, 444	Oak, Pin	152, 320, 388, 454
Nut, King	134, 310, 350, 380, 444	Oak, Possum	152, 320, 350, 388, 416, 454
Nut, Mockern	134, 310, 350, 380, 444	Oak, Post	139, 312, 382, 448, 528
Nut, Pig	134, 310, 350, 380, 446	Oak, Punk	152, 320, 350, 388, 416, 454
Nut Pine and the Mountain Mahogany the most important trees of the Interior Forest	9	Oak, Quercitron	149, 205, 318, 350, 388, 454
Nut Pine (<i>Pinus cembroides</i>)	100, 330	Oak, Red (<i>Quercus falcata</i>)	151, 265, 320, 350, 388, 454
Nut Pine (<i>Pinus edulis</i>)	100, 330, 402, 408	Oak, Red (<i>Quercus rubra</i>)	148, 205, 318, 350, 386, 452
Nut Pine (<i>Pinus monophylla</i>)	100, 330, 350, 402, 408	Oak, Red (<i>Quercus rubra</i> , var. <i>Texana</i>)	148, 318, 388, 452
Nut Pine (<i>Pinus Parryana</i>)	100, 330, 402, 408	Oak, Rock Chestnut	142, 205, 316, 350, 384, 416, 450
Nut, Tallow	34, 270	Oak, Scarlet	148, 318, 388, 452
Nutmeg, California	186, 334, 400, 406	Oak, Scrub (<i>Quercus Catesbeiana</i>)	151, 320, 388, 454
Nutmeg, Hickory	135, 310, 350, 380, 446	Oak, Scrub (<i>Quercus undulata</i> , var. <i>Gambelii</i>)	139, 314, 384, 448
NYCTAGINACEAE	117, 254, 257, 302, 372, 438	Oak, Shingle	154, 322, 390, 450
Nyssa	10, 11, 14	Oak, Spanish	151, 205, 320, 350, 388, 454, 528
Nyssa <i>angulans</i>	93	Oak, Swamp Post	140, 314, 350, 384, 450
Nyssa <i>angulosa</i>	93	Oak, Swamp Spanish	152, 320, 388, 454
Nyssa <i>aquatica</i> (<i>Nyssa sylvatica</i>)	92	Oak, Swamp White	141, 314, 384, 450
Nyssa <i>aquatica</i> (<i>Nyssa uniflora</i>)	92	Oak, Tanbark	155, 265, 322, 390, 450
Nyssa <i>biflora</i>	92	Oak, Turkey	151, 320, 388, 454
Nyssa <i>Canadensis</i>	92	Oak, Upland Willow	153, 320, 390, 450
Nyssa <i>candicans</i>	91	Oak, Valparaiso	140, 318, 386, 452
Nyssa <i>capitata</i>	91, 250, 253, 257, 290, 360, 432	Oak, Water (<i>Quercus aquatica</i>)	152, 320, 350, 388, 416, 454
Nyssa <i>capitata</i> , var. <i>grandidentata</i>	93	Oak, Water (<i>Quercus palustris</i>)	152, 320, 388, 454
Nyssa <i>Caroliniana</i>	92	Oak, Water White	140, 314, 350, 384, 450
Nyssa <i>coccinea</i>	91	Oak, Weeping	158, 312, 382, 448
Nyssa <i>dentilobata</i>	92	Oak, White (<i>Quercus alba</i>)	137, 205, 312, 350, 390, 414, 446
Nyssa <i>grandidentata</i>	93	Oak, White (<i>Quercus Garryana</i>)	138, 312, 350, 382, 448, 576
Nyssa <i>integerrima</i>	92	Oak, White (<i>Quercus gisela</i>)	144, 316, 386, 452
Nyssa <i>montana</i>	91	Oak, White (<i>Quercus lobata</i>)	138, 312, 382, 448
Nyssa <i>multijuga</i>	92	Oak, White (<i>Quercus oblongifolia</i>)	144, 316, 386, 452
Nyssa <i>multijuga</i> , var. <i>sylvatica</i>	92	Oak, Willow	154, 322, 390, 456
Nyssa <i>Ogeche</i>	91	Oak, Yellow (<i>Quercus prinoides</i>)	143, 205, 310, 384, 450
Nyssa <i>palustris</i>	93	Oak, Yellow (<i>Quercus tinctoria</i>)	149, 205, 318, 350, 388, 454
Nyssa <i>styliptica</i>	92, 250, 253, 257, 260, 290, 360, 432	Oak, Yellow-bark	149, 205, 318, 350, 388, 454
Nyssa <i>tomentosa</i> (<i>Nyssa capitata</i>)	91	Obispo Pine	200, 340, 404, 472
Nyssa <i>tomentosa</i> (<i>Nyssa uniflora</i>)	93	<i>Cenocarpus regia</i>	218
Nyssa <i>uniflora</i>	92, 250, 253, 257, 260, 290, 350, 360, 432	Ogeechee Lime	91, 290, 300, 432
Nyssa <i>villoso</i>	92	Ohio Buckeye	42, 274, 358, 422
O.		Ohio, lumber industry and manufactures from wood in	486, 487, 547
Oak, Bartram's	153, 320, 390, 450	Ohio, rank of, according to value of lumber products	487, 587
Oak, Basket	141, 316, 384, 416, 450	Ohio, statistics of forests, forest fires, standing timber, etc., in	491, 547
OLACINEAE		OLACINEAE	34, 270
Old-field Birch		Old-field Birch	159, 324, 350, 392, 458
Old-field Pine		Old-field Pine	107, 340, 350, 404, 416, 470
Old Man's Beard		Old Man's Beard	113, 298
Olea Americana		Olea Americana	118
OLEACEAE		OLEACEAE	106-113, 254, 257, 290, 370, 434
Olive, California		Olive, California	120, 302, 374, 440

GENERAL INDEX.

599

	Page.		Page.
Olneya.....	10, 12, 14	Pecan	182, 308, 350, 378, 444
Olneya Tesota.....	50, 249, 253, 256, 278, 360, 426	Pecan, Bitter.....	186, 310, 350, 380, 414, 440
Orange, Moch.....	70, 284, 302, 428	Pecan-nut, the, an important product west of the Colorado river in Texas.....	543
Orange, Osage.....	128, 306, 370, 442	Pencil Cedar of Florida.....	522
Orange, Wild (<i>Prunus Caroliniana</i>)	70, 284, 302, 428	Pennsylvania, lumber industry and manufactures from wood in	486, 487, 506-510
Orange, Wild (<i>Xanthoxylum Clava-Herculis</i>)	80, 270, 356, 420	Pennsylvania, rank of, according to value of lumber products.....	487
<i>Orchidocarpum arctatum</i>	23	Pennsylvania, remarks by Mr. C. G. Pringle on the forests of	507-510
Oregon Ash.....	111, 298, 372, 438	Pennsylvania, statistics of forests, forest fires, standing timber, etc., in	491, 506-510
Oregon Cedar.....	179, 332, 350, 388, 404	Pennsylvania, tabular statement of the amount of White Pine and Hem- lock standing in the forests of, May 31, 1880.....	506
Oregon Crab Apple.....	73, 284	Pepperidge	92, 290, 360, 492
Oregon, lumber industry and manufactures from wood in	488, 487, 577	Pepperwood	30, 270, 356, 420
Oregon Pine.....	209, 265, 344, 352, 410, 476	Per cent. of tannin in the bark of certain species	205
Oregon, rank of, according to value of lumber products	487	Persea	11, 15
Oregon, remarks by Mr. Sereno Watson on the forests of certain counties of	577, 578	<i>Persea Borbonia</i>	118
Oregon, statistics of forests, forest fires, standing timber, etc., in	491, 576-578	<i>Persea Carolinensis</i>	118, 250, 254, 257, 302, 372, 438
<i>Oreodaphne Californior</i>	120	<i>Persea Carolinensis</i> , var. <i>glabriuscula</i>	118
<i>Oreodoxa</i>	11, 10	<i>Persea Carolinensis</i> , var. <i>palustris</i>	119, 250, 254, 257, 302, 372, 438
<i>Oreodoxa oleracea</i>	218	<i>Persea Carolinensis</i> , var. <i>pubescens</i>	110
<i>Oreodoxa regia</i>	218, 250, 348, 352	<i>Persea Catechuana</i>	110
Original forest of the District of Columbia replaced by Oak, Scrub Pine, etc	511	<i>Persea Sassafras</i>	119
Osage Orange.....	128, 306, 370, 442	Persimmon	104, 294, 350, 368, 434
Osmanthus	11, 15	Persimmon, Black	105, 294
Osmanthus Americanus	113, 249, 254, 257, 300, 372, 438	Persimmon, Mexican	105, 204
Ostrya	11, 16	<i>Phænopyrum acerifolium</i>	80
<i>Ostrya Virginiana</i>	158	<i>Phænopyrum arborescens</i>	75
<i>Ostrya Virginica</i>	158, 249, 255, 258, 322, 390, 450	<i>Phænopyrum Carolinianum</i>	82
<i>Ostrya Virginica</i> , var. <i>eglandulosa</i>	158	<i>Phænopyrum coccineum</i>	77
<i>Ostrya Virginica</i> , var. <i>glandulosa</i>	158	<i>Phænopyrum cordatum</i>	80
Over-cup Oak (<i>Quercus lyrata</i>)	140, 314, 350, 384, 450, 533	<i>Phænopyrum ellipticum</i>	82
Over-cup Oak (<i>Quercus macrocarpa</i>)	140, 265, 314, 384, 448	<i>Phænopyrum populifolium</i>	78
Oxydendrum	11, 15	<i>Phænopyrum pruinosum</i>	79
Oxydendrum arboreum	98, 249, 254, 257, 292, 368, 434	<i>Phænopyrum spathulatum</i>	81
P.			
Pacific Coast Forest, the	7	<i>Phænopyrum subvillosum</i>	78
Pacific region, the	6-10	<i>Phænopyrum Virginicum</i>	82
<i>Padus cartilaginea</i>	68	<i>Phænopyrum viride</i>	78
<i>Padus demissa</i>	69	<i>Phænopyrum Wendlandii</i>	77
<i>Padus serotina</i>	68	<i>Photinia arbutifolia</i>	83
<i>Padus Virginiana</i>	68	<i>Photinia salicifolia</i>	83
Palm, Fan-leaf	217, 348, 414, 480	Picea	11, 12, 16, 575
Palm, Royal	218, 348, 352	<i>Picea alba</i>	12, 204, 250, 255, 258, 268, 342, 408, 474, 502, 564
<i>Palma argentea</i>	218	<i>Picea amabilis</i> (<i>Abies amabilis</i>)	213
PALMACEÆ	217, 218, 255, 259, 348, 414, 480	<i>Picea amabilis</i> (<i>Abies subalpina</i>)	211
Palmetto, Cabbage	217, 348, 352	<i>Picea balsamea</i>	211
Palmetto, Sabal	217, 250, 348, 352	<i>Picea balsamea</i> , var. <i>longifolia</i>	211
Palmetto, Silk-top	217, 348	<i>Picea bifolia</i>	211
Palmetto, Silver-top	218, 348	<i>Picea bracteata</i>	213
Palo Blanco	126, 306	<i>Picea California</i>	208
Palo Verde	60, 280, 362, 426	<i>Picea Canadensis</i>	206
Papaw	23, 266, 354, 418	<i>Picea caerulea</i>	204
Paper Birch	160, 324, 350, 392, 458	<i>Picea concolor</i>	212
Paradise Tree	32, 270, 356, 420	<i>Picea concolor</i> , var. <i>violacea</i>	212
Parkinsonia	10-12, 14	<i>Picea Douglasii</i>	200
Parkinsonia aculeata	12, 60, 250, 280	<i>Picea Engelmanni</i>	9, 205, 251, 255, 258, 265, 342, 408, 474, 504-567, 572-575
Parkinsonia microphylla	60, 249, 280	<i>Picea Fraseri</i> (<i>Abies balsamea</i>)	211
Parkinsonia Torreyana	60, 250, 259, 256, 280, 362, 426	<i>Picea Fraseri</i> (<i>Abies Fraseri</i>)	210
Parsley Haw	91, 286	<i>Picea glauca</i>	204
<i>Pasania densiflora</i>	155	<i>Picea grandis</i> (<i>Abies concolor</i>)	212
<i>Pavia Californica</i>	48	<i>Picea grandis</i> (<i>Abies grandis</i>)	212
<i>Pavia carnea</i>	42	<i>Picea laxa</i>	204
<i>Pavia discolor</i>	43	<i>Picea Lowiana</i>	212
<i>Pavia flava</i>	48	<i>Picea magnifica</i>	214
<i>Pavia glabra</i>	42	<i>Picea Menziesii</i> (<i>Picea pungens</i>)	205
<i>Pavia hybrida</i>	43	<i>Picea Menziesii</i> (<i>Picea Sitchensis</i>)	206
<i>Pavia lutea</i>	43	<i>Picea nigra</i>	202, 250, 255, 258, 263, 265, 342, 352, 408, 474, 494, 498
<i>Pavia neglecta</i>	43	<i>Picea nigra</i> , var. <i>glauca</i>	204
<i>Pavia pallida</i>	42	<i>Picea nigra</i> , var. <i>rubra</i>	203
<i>Pavia Watsoniana</i>	42	<i>Picea nobilis</i>	214
Peach Oak (<i>Quercus densiflora</i>)	155, 265, 322, 390, 456	<i>Picea pungens</i>	13, 205, 251, 255, 258, 344, 408, 474
Peach Oak (<i>Quercus Phellos</i>)	154, 322, 390, 456	<i>Picea rubra</i>	203
Peach, Wild	70, 284, 302, 428	<i>Picea Sitchensis</i>	206, 250, 255, 258, 263, 344, 408, 474, 576
Pear Haw	79, 286, 304, 430	<i>Pickerlingia paniculata</i>	100
		Pigeon Cherry	66, 282, 428

GENERAL INDEX.

Page.	Page.
Pigeon Plum	117, 302, 372, 438
Pigeonwood	117, 302, 372, 428
Pig Nut	134, 310, 350, 380, 446
Pike county, Alabama, the forests of	528
<i>Pilocereus Engelmanni</i>	89
Pin Cherry	60, 282, 428
Pin Oak	152, 320, 388, 454
Pinckneya	10, 11, 14
Pinckneya pubrons	95, 250, 253, 257, 280, 366, 432
Pinckneya pubescens	95
Pine and Spruce standing in the forests of Maine May 31, 1880, tabular statement of the amount of	404
Pine, Bastard	202, 342, 352, 406, 416, 474
Pine belt of central Alabama	529
Pine, Bishop's	200, 340, 404, 472
Pine, Black (<i>Pinus Jeffreyi</i>)	193, 338, 402, 470
Pine, Black (<i>Pinus Murrayana</i>)	195, 338, 350, 404, 470
Pine, Bull (<i>Pinus Jeffreyi</i>)	193, 338, 402, 470
Pine, Bull (<i>Pinus mitis</i>)	200, 340, 350, 406, 472
Pine, Bull (<i>Pinus ponderosa</i>)	193, 338, 350, 402, 488
Pine, Bull (<i>Pinus Sabiniana</i>)	195, 338, 350, 404, 470
Pine, Cedar	201, 340, 406, 472
Pine, Digger	105, 338, 350, 404, 470
Pine forests of Baldwin county, Alabama	527
Pine forests of southern Mississippi	531, 532
Pine forests of the northeastern counties of Mississippi	582-594
Pine, Foxtail	191, 336, 402, 468
Pine, Georgia	202, 342, 352, 406, 416, 472
Pine, Ginger	170, 332, 350, 398, 464
Pine, Gray	201, 342, 352, 406, 472
Pine, Hard	202, 342, 352, 406, 416, 472
Pine, Hickory (<i>Pinus Balfouriana</i> , var. <i>aristata</i>)	191, 336, 402, 468
Pine, Hickory (<i>Pinus pungens</i>)	190, 340, 350, 404, 472
Pine, Jersey	109, 330, 350, 404, 470, 546
Pine, Knob-cone	106, 340, 404, 470
Pine, Loblolly	107, 340, 350, 404, 416, 470, 516, 541
Pine, Lodge-pole	195, 338, 350, 404, 470, 564, 574, 577
Pine, Long-leaved	202, 342, 352, 406, 416, 472, 516, 519-521, 524, 531, 537, 541
Pine, Long- and Short-leaved, standing in the forests of Alabama May 31, 1880, tabular statement of the amount of	524
Pine, Long- and Short-leaved, standing in the forests of Louisiana May 31, 1880, tabular statement of the amount of	537
Pine, Long-leaved, Loblolly, and Short-leaved, standing in the forests of Texas May 31, 1880, tabular statement of the amount of	541
Pine, Long-leaved, standing in the forests of Florida May 31, 1880, tabular statement of the amount of	521
Pine, Long-leaved, standing in the forests of Georgia May 31, 1880, tabular statement of the amount of	520
Pine, Long-leaved, standing in the forests of North Carolina May 31, 1880, tabular statement of the amount of	516
Pine, Long-leaved, standing in the forests of South Carolina May 31, 1880, tabular statement of the amount of	519
Pine, Long-leaved, the characteristic tree of the Southern Maritime Pine Belt	4
Pine, Meadow	202, 342, 352, 406, 416, 474
Pine, Monterey	196, 340, 404, 470
Pine, Norway	192, 336, 350, 402, 468
Pine, Nut (<i>Pinus cembroides</i>)	100, 336
Pine, Nut (<i>Pinus edulis</i>)	190, 336, 402, 468
Pine, Nut (<i>Pinus monophylla</i>)	190, 336, 350, 402, 468
Pine, Nut (<i>Pinus Parryana</i>)	189, 336, 402, 468
Pine, Nut, and the Mountain Mahogany the most important trees of the Interior Forest	0
Pine, Obispo	200, 340, 404, 472
Pine, Old-field	107, 340, 350, 404, 416, 470
Pine, Oregon	200, 265, 344, 352, 410, 476
Pine, Pitch	108, 340, 350, 401, 470, 520, 525, 531
Pine, Pond	198, 340, 350, 404, 416, 470, 527
Pine, Prince's	201, 342, 352, 406, 472
Pine, Red	102, 336, 350, 402, 468
Pine region of the Coosa in Alabama	529
Pine, Rosemary	107, 340, 350, 404, 416, 470
Pine, Sand	109, 340, 404, 472
Pine, Scrub (<i>Pinus Banksiana</i>)	201, 342, 352, 406, 472
Pine, Scrub (<i>Pinus clausa</i>)	190, 340, 404, 472
Pine, Scrub (<i>Pinus contorta</i>)	194, 338, 404, 470
Pine, Scrub (<i>Pinus inops</i>)	190, 340, 350, 404, 470, 529
Pine, Short-leaved	200, 340, 350, 406, 472, 524, 527, 530, 531, 536, 537, 541, 544, 560
Pine, Short-leaved, standing in the forests of Arkansas May 31, 1880, tabular statement of the amount of	544
Pine, Slash	202, 342, 352, 406, 416, 474, 516
Pine, Southern	202, 342, 352, 406, 416, 472
Pine, Spruce (<i>Pinus clausa</i>)	109, 340, 404, 472
Pine, Spruce (<i>Pinus glabra</i>)	201, 340, 406, 472, 527
Pine, Spruce (<i>Pinus mitis</i>)	200, 340, 350, 400, 472
Pine, Spruce (<i>Pinus Murrayana</i>)	105, 338, 350, 404, 470
Pine, Sugar	188, 338, 350, 400, 466, 576, 578
Pine, Sugar, an important tree in the Coast Forest	8
Pine, Swamp	202, 342, 352, 406, 416, 474
Pine, Table-mountain	190, 340, 350, 404, 472
Pine, Weymouth	187, 334, 350, 400, 466
Pine, White, and Hemlock, standing in the forests of Pennsylvania, May 31, 1880, tabular statement of the amount of	506
Pine, White (<i>Pinus flexilis</i>)	188, 336, 400, 468, 509, 570, 571
Pine, White (<i>Pinus glabra</i>)	201, 340, 406, 472
Pine, White (<i>Pinus monticola</i>)	187, 330, 400, 466, 564, 574, 576
Pine, White (<i>Pinus reflexa</i>)	189, 336, 402, 468
Pine, White (<i>Pinus Strobus</i>)	187, 334, 350, 400, 468, 506, 551, 554, 558
Pine, White, standing in the forests of Michigan May 31, 1880, tabular statement of the amount of	551
Pine, White, standing in the forests of Minnesota May 31, 1880, tabular statement of the amount of	558
Pine, White, standing in the forests of Wisconsin May 31, 1880, tabular statement of the amount of	554
Pine, White, the characteristic tree of the Northern Pine Belt	4
Pine, Yellow, an important, characteristic tree of the Coast Forest	8
Pine, Yellow (<i>Pinus Arizonica</i>)	192, 338, 402, 468
Pine, Yellow (<i>Pinus mitis</i>)	200, 340, 350, 406, 472, 529
Pine, Yellow (<i>Pinus palustris</i>)	202, 342, 352, 406, 416, 472
Pine, Yellow (<i>Pinus ponderosa</i>)	198, 338, 350, 402, 468, 562, 565, 574, 578
Pinon (<i>Pinus edulis</i>)	190, 336, 402, 468
Pinon (<i>Pinus monophylla</i>)	190, 336, 350, 402, 468
Pinon (<i>Pinus Parryana</i>)	189, 336, 402, 468
Pinus	11, 12, 16
<i>Pinus Abies Americana</i>	206
<i>Pinus Abies Balsamea</i>	211
<i>Pinus Abies Canadensis</i>	202
<i>Pinus adunca</i>	106
<i>Pinus alba</i>	204
<i>Pinus albicaulis</i>	189, 250, 255, 258, 336, 400, 468, 565, 572, 578
<i>Pinus amabilis</i> (<i>Abies amabilis</i>)	213
<i>Pinus amabilis</i> (<i>Abies magnifica</i>)	214
<i>Pinus amabilis</i> (<i>Abies subalpina</i>)	211
<i>Pinus Americana</i> (<i>Picea nigra</i>)	203
<i>Pinus Americana</i> (<i>Tsuga Canadensis</i>)	206
<i>Pinus Americana rubra</i>	202
<i>Pinus aristata</i>	191
<i>Pinus Arizonica</i>	192, 250, 255, 258, 338, 402, 468
<i>Pinus australis</i>	201
<i>Pinus Balfouriana</i>	191, 250, 255, 258, 336, 402, 468
<i>Pinus Balfouriana</i> (<i>Pinus Balfouriana</i> , var. <i>aristata</i>)	191
<i>Pinus Balfouriana</i> , var. <i>aristata</i>	191, 250, 255, 258, 336, 402, 468
<i>Pinus balsamea</i>	210
<i>Pinus balsamea</i> , var. <i>Fraseri</i>	210
<i>Pinus Banksiana</i>	201, 250, 255, 258, 263, 342, 352, 406, 472
<i>Pinus Banksiana</i> (<i>Pinus contorta</i>)	194
<i>Pinus Beardsleyi</i>	193
<i>Pinus Benthamiana</i>	193
<i>Pinus Bolanderi</i>	194
<i>Pinus Bourieri</i>	194
<i>Pinus brachyptera</i>	193
<i>Pinus bracteata</i>	213
<i>Pinus California</i> (<i>Pinus insignis</i>)	196
<i>Pinus Californica</i> (<i>Pinus tuberculata</i>)	196
<i>Pinus Canadensis</i> (<i>Picea alba</i>)	204
<i>Pinus Canadensis</i> (<i>Tsuga Canadensis</i>)	206
<i>Pinus Canadensis</i> (<i>Tsuga Mertensiana</i>)	207
<i>Pinus cembroides</i>	190, 250, 336
<i>Pinus cembroides</i> (<i>Pinus albicaulis</i>)	189
<i>Pinus cembroides</i> (<i>Pinus edulis</i>)	190

GENERAL INDEX.

601

	Page.		Page.
<i>Pinus Chihuahuana</i>	194, 250, 255, 258, 388, 404, 470	<i>Pinus monophylla</i>	8, 18, 190, 250, 255, 258, 336, 350, 402, 468
<i>Pinus clausa</i>	109, 250, 255, 258, 340, 404, 472	<i>Pinus monticola</i>	7, 187, 250, 255, 258, 336, 400, 466, 564, 565, 573-576
<i>Pinus communata</i>	205	<i>Pinus muricata</i>	190, 250, 255, 258, 340, 404, 472
<i>Pinus concolor</i>	212	<i>Pinus muricata</i> (<i>Pinus contorta</i>)	194
<i>Pinus contorta</i>	104, 250, 255, 258, 338, 404, 470	<i>Pinus Murrayana</i>	8, 194, 250, 255, 258, 338, 350, 404, 470, 504-507, 572-577
<i>Pinus contorta</i> (<i>Pinus muricata</i>)	198	<i>Pinus nigra</i>	202
<i>Pinus contorta</i> (<i>Pinus Murrayana</i>)	194	<i>Pinus nobilis</i>	214
<i>Pinus contorta</i> , var. <i>Bolanderi</i>	194	<i>Pinus Nuttallii</i>	216
<i>Pinus contorta</i> , var. <i>latifolia</i>	194	<i>Pinus osteoperma</i>	190
<i>Pinus Coulteri</i>	105, 250, 255, 258, 340, 404, 470	<i>Pinus palustris</i>	4, 201, 240, 255, 258, 263, 342, 352, 406, 416, 472, 516, 519-521, 524, 531, 587, 541
<i>Pinus Craigiana</i>	193	<i>Pinus palustris</i> the characteristic tree of the Southern Maritime Pine Belt	4
<i>Pinus Cubensis</i>	202, 249, 255, 258, 268, 342, 352, 406, 416, 474, 516, 520, 522, 525	<i>Pinus Parryana</i>	189, 250, 255, 258, 336, 402, 468
<i>Pinus Cubensis</i> , var. <i>terthrocarpa</i>	202	<i>Pinus Parryana</i> (<i>Pinus ponderosa</i>)	193
<i>Pinus deflexa</i>	193	<i>Pinus Pattoniana</i> (<i>Tsuga Mertensiana</i>)	203
<i>Pinus Douglasii</i>	209	<i>Pinus Pattoniana</i> (<i>Tsuga Pattoniana</i>)	208
<i>Pinus Douglasii</i> , var. <i>brevibracteata</i>	209	<i>Pinus pendula</i>	215
<i>Pinus echinata</i>	200	<i>Pinus ponderosa</i>	8, 9, 102, 250, 255, 258, 263, 338, 350, 402, 468, 502, 565, 567, 574, 575, 578
<i>Pinus Edgariana</i>	199	<i>Pinus ponderosa</i> an important characteristic tree of the Coast Forest ..	8
<i>Pinus edulis</i>	9, 18, 100, 250, 255, 258, 336, 402, 468	<i>Pinus ponderosa</i> , var. <i>Benthamiana</i>	193
<i>Pinus Elliottii</i>	202	<i>Pinus ponderosa</i> , var. <i>Jeffreyi</i>	193
<i>Pinus Engelmanni</i> (<i>Picea Engelmanni</i>)	205	<i>Pinus ponderosa</i> , var. <i>scopulorum</i>	193
<i>Pinus Engelmanni</i> (<i>Pinus ponderosa</i>)	193	<i>Pinus porphyrocarpa</i>	187
<i>Pinus flexilis</i>	18, 188, 250, 255, 258, 336, 400, 468, 500-571	<i>Pinus pungens</i>	199, 250, 255, 258, 340, 350, 404, 472
<i>Pinus flexilis</i> (<i>Pinus albicaulis</i>)	180	<i>Pinus radiata</i>	106
<i>Pinus flexilis</i> , var. <i>albicaulis</i>	189	<i>Pinus reflexa</i>	189, 250, 255, 258, 336, 402, 468, 508, 509
<i>Pinus flexilis</i> , var. <i>macrocarpa</i>	188	<i>Pinus resinosa</i>	191, 250, 255, 258, 336, 350, 402, 468
<i>Pinus flexilis</i> , var. <i>reflexa</i>	189	<i>Pinus resinosa</i> (<i>Pinus ponderosa</i>)	193
<i>Pinus flexilis</i> , var. <i>serrulata</i>	188	<i>Pinus rigida</i>	107, 250, 255, 258, 340, 350, 404, 470
<i>Pinus Fraseri</i> (<i>Abies Fraseri</i>)	210	<i>Pinus rigida</i> (<i>Pinus insignis</i>)	196
<i>Pinus Fraseri</i> (<i>Pinus rigida</i>)	197	<i>Pinus rigida</i> (<i>Pinus mitis</i>)	200
<i>Pinus Fremontiana</i>	190	<i>Pinus rigida</i> , var. <i>serotina</i>	198
<i>Pinus futilis</i>	190	<i>Pinus rubra</i> (<i>Picea nigra</i>)	203
<i>Pinus glabra</i>	200, 250, 255, 258, 268, 340, 406, 472, 527	<i>Pinus rubra</i> (<i>Pinus resinosa</i>)	191
<i>Pinus grandis</i> (<i>Abies amabilis</i>)	218	<i>Pinus rubra</i> , var. <i>violacea</i>	204
<i>Pinus grandis</i> (<i>Abies concolor</i>)	212	<i>Pinus rupestris</i>	201
<i>Pinus grandis</i> (<i>Abies grandis</i>)	212	<i>Pinus Sabiniana</i>	195, 250, 255, 258, 338, 404, 470
<i>Pinus Grozelli</i>	187	<i>Pinus Sabiniana</i> <i>Coulteri</i>	195
<i>Pinus Hudsonica</i>	201	<i>Pinus Sabiniana</i> <i>macrocarpa</i>	195
<i>Pinus inops</i>	198, 250, 255, 258, 268, 340, 350, 404, 470, 529, 546	<i>Pinus serotina</i>	198, 249, 255, 258, 340, 350, 404, 416, 470, 527
<i>Pinus inops</i> (<i>Pinus contorta</i>)	194	<i>Pinus Shasta</i>	189
<i>Pinus inops</i> (<i>Pinus Murrayana</i>)	194	<i>Pinus Sinclairii</i>	196
<i>Pinus inops</i> , var. (<i>Pinus muricata</i>)	199	<i>Pinus Stickeansis</i>	206
<i>Pinus inops</i> , var. <i>clausa</i>	100	<i>Pinus species</i> (<i>Abies subalpina</i>)	211
<i>Pinus insignis</i>	8, 198, 250, 255, 258, 340, 404, 470	<i>Pinus Strobus</i>	4, 187, 251, 255, 258, 334, 350, 400, 468, 494, 500, 551, 554, 558
<i>Pinus insignis</i> <i>macrocarpa</i>	196	<i>Pinus Strobus</i> the characteristic tree of the Northern Pine Belt	4
<i>Pinus insignis</i> , var. <i>binata</i>	198	<i>Pinus Strobus</i> , var. <i>alba</i>	187
<i>Pinus intermedia</i>	215	<i>Pinus Strobus</i> , var. <i>brevifolia</i>	187
<i>Pinus Jeffreysi</i>	9, 198, 250, 255, 258, 338, 402, 470, 578	<i>Pinus Strobus</i> , var. <i>compressa</i>	187
<i>Pinus Lambertiana</i>	8, 188, 251, 255, 258, 336, 350, 400, 466, 570, 578	<i>Pinus Strobus</i> , var. <i>monticola</i>	187
<i>Pinus Lambertiana</i> , var. (<i>Pinus flexilis</i>)	188	<i>Pinus Strobus</i> , var. <i>nivea</i>	187
<i>Pinus Lambertiana</i> , var. <i>brevifolia</i>	188	<i>Pinus sylvestris</i> , var. <i>divaricata</i>	201
<i>Pinus laricina</i>	215	<i>Pinus Taeda</i>	107, 250, 255, 258, 340, 350, 404, 416, 470, 512, 516, 541
<i>Pinus Laricio</i> , var. <i>resinosa</i>	191	<i>Pinus Taeda</i> , var. <i>a</i>	197
<i>Pinus Larix</i>	216	<i>Pinus Taeda</i> , var. <i>alopecuroidae</i>	198
<i>Pinus Larix alba</i>	215	<i>Pinus Taeda</i> , var. <i>heterophylla</i>	202
<i>Pinus Larix nigra</i>	215	<i>Pinus Taeda</i> , var. <i>rigida</i>	107
<i>Pinus Larix rubra</i>	215	<i>Pinus Taeda</i> , var. <i>tenuifolia</i>	197
<i>Pinus lasiocarpa</i> (<i>Abies concolor</i>)	212	<i>Pinus Taeda</i> , var. <i>variabilis</i>	200
<i>Pinus lasiocarpa</i> (<i>Abies subalpina</i>)	211	<i>Pinus Taeda</i> , var. <i>Virginiana</i>	198
<i>Pinus Llaveana</i> (<i>Pinus cembroides</i>)	190	<i>Pinus taxifolia</i>	200
<i>Pinus Llaveana</i> (<i>Pinus Parryana</i>)	189	<i>Pinus tetragona</i>	204
<i>Pinus Loddigesii</i>	197	<i>Pinus Torreyana</i>	8, 192, 250, 255, 258, 338, 402, 468
<i>Pinus lophosperma</i>	192	<i>Pinus tuberculata</i>	196, 251, 255, 258, 340, 404, 470
<i>Pinus Lowiana</i>	212	<i>Pinus tuberculata</i> (<i>Pinus insignis</i>)	196
<i>Pinus Lyalli</i>	216	<i>Pinus variabilis</i>	200
<i>Pinus macrocarpa</i>	195	<i>Pinus venusta</i>	213
<i>Pinus macrophylla</i>	193	<i>Pinus Virginiana</i>	198
<i>Pinus Mariana</i>	202	<i>Pinus Virginiana</i> , var. <i>echinata</i>	200
<i>Pinus Menziesii</i>	206	<i>Piscidia</i>	10, 14
<i>Pinus Menziesii</i> , var. <i>crispata</i>	206	<i>Piscidia Carthagensis</i>	57
<i>Pinus Mertensiana</i>	207	<i>Piscidia Erythrina</i>	57, 249, 253, 256, 278, 360, 428
<i>Pinus microcarpa</i>	215	<i>Pisonia</i>	11, 15
<i>Pinus mitis</i>	4, 200, 250, 255, 258, 340, 350, 406, 472, 524, 527, 529-531, 533, 536, 537, 541, 544, 560		
<i>Pinus mitis</i> , var. <i>paupera</i>	200		

GENERAL INDEX.

Page.	Page.
Pisonia aculeata	117
Pisonia obtusata	117, 250, 254, 257, 302, 372, 438
Pistacia	10-12, 14
Pistacia Mexicana	54
Pitch Pine	198, 340, 350, 404, 470, 520, 522, 525, 531
Pithecellobium forbesii	64
Pithecellobium Guadalupense	64
Pithecellobium microphyllum	64
Pithecellobium Unguis-cati	64, 249, 282
Planera	11, 15
Planera aquatica	124, 250, 254, 257, 306, 370, 442
Planera Gmelini	124
Planera Richardii	124
Planera ulmifolia	124
PLATANACEÆ	129, 130, 254, 257, 306, 376, 442
Platanus	11, 12, 15, 251
Platanus Californica	129
Platanus hybrida	129
Platanus lobata	129
Platanus Mexicana (Platanus racemosa)	129
Platanus Mexicana (Platanus Wrightii)	130
Platanus occidentalis	129, 250, 254, 257, 306, 350, 376, 442
Platanus occidentalis (Platanus racemosa)	129
Platanus racemosa	129, 250, 254, 257, 306, 376, 442
Platanus racemosa (Platanus Wrightii)	130
Platanus vulgaris, var. angulosa	129
Platanus Wrightii	130, 250, 254, 257, 306, 376, 442
Plum, Canada	65, 282, 302, 426
Plum, Chickasaw	66, 282, 302, 426
Plum, Cocoa	65, 282, 302, 426
Plum, Darling	69, 272, 358, 422
Plum, Downward	103, 294, 308, 434
Plum, Gopher	61, 290, 306, 432
Plum, Guiana	121, 302, 374, 440
Plum, Hog (Prunus angustifolia)	66, 282, 302, 426
Plum, Hog (Rhus Metopium)	54, 278, 300, 424
Plum, Hog (Ximenia Americana)	34, 270
Plum, Horse	65, 282, 302, 426
Plum, Mountain	34, 270
Plum, Pigeon	117, 302, 372, 438
Plum, Saffron	103, 294, 368, 434
Plum, Wild	65, 282, 302, 426
Poison Elder	54, 278
Poison Sumach	54, 278
Poisonwood (Rhus Metopium)	54, 278, 300, 424
Poisonwood (Sebastiania Incisa)	121, 304
POLYGONACEÆ	117, 118, 254, 257, 302, 372, 438
Polygonum perfoliatum	118
Pond Apple	23, 266, 354, 418
Pond Pine	108, 340, 350, 404, 416, 470, 527
Poplar	172, 328, 394, 460
Poplar, Carolina	175, 330, 350, 396, 462
Poplar, Necklace	175, 330, 350, 396, 462
Poplar, Yellow	22, 206, 354, 418
Populus	11, 12, 16
Populus acerifolia	173
Populus angulata	175
Populus angulosa	175
Populus angustifolia	13, 174, 250, 255, 258, 304, 402, 565
Populus angustifolia (Populus trichocarpa)	174
Populus argentea	172
Populus Atheniensis	171
Populus balsamifera	12, 178, 251, 255, 258, 328, 304, 400, 573, 575
Populus balsamifera (Populus trichocarpa)	174
Populus balsamifera lanceolata	173
Populus balsamifera, var.	174
Populus balsamifera, var. angustifolia	174
Populus balsamifera, var. California	174
Populus balsamifera, var. candicans	173, 250, 255, 258, 330, 394, 460
Populus balsamifera, var. genuina	173
Populus Canadensis (Populus balsamifera, var. candicans)	173
Populus Canadensis (Populus monilifera)	175
Populus Canadensis, var. angustifolia	174
Populus candicans	173
Populus cordifolia	172
Populus deltoidea	174
Populus Fremontii	175, 250, 255, 258, 330, 396, 462
Populus Fremontii, var. Wislizeni	175, 250, 255, 258, 262, 330, 396, 462
Populus glandulosa	175
Populus grandidentata	172, 250, 255, 258, 328, 394, 460
Populus grandidentata, var. pendula	172
Populus heterophylla	172, 250, 255, 258, 328, 394, 460
Populus heterophylla (Populus balsamifera, var. candicans)	173
Populus heterophylla, var. argentea	172
Populus levigata (Populus monilifera, Aiton, etc.)	175
Populus levigata (Populus monilifera, Hort.)	175
Populus latifolia	173
Populus Lindleyana	175
Populus macrophylla (Populus balsamifera, var. candicans)	173
Populus macrophylla (Populus monilifera)	175
Populus Marylandica	175
Populus monilifera	174, 251, 255, 258, 262, 330, 396, 462
Populus monilifera (Populus Fremontii)	175
Populus monilifera (Populus Tremontii, var. Wislizeni)	175
Populus neglecta	175
Populus Ontariensis	173
Populus Tacamahaca	173
Populus tremuliformis	171
Populus tremuloides	12, 171, 250, 255, 258, 328, 350, 394, 460
Populus tremula	171
Populus trichocarpa	174, 251, 255, 258, 330, 394, 462, 576
Populus trichocarpa, var. cupulata	174
Populus viminea	173
Populus Virginiana	175
Porcellia tritoba	23
Porkwood	117, 302, 372, 438
Porlieria	10-13
Porlieria angustifolia	29, 249, 268
Port Orford Cedar	179, 332, 350, 398, 404, 576
Possum Oak	152, 320, 350, 388, 416, 454
Post Cedar	176, 330, 396, 462
Post Oak	189, 312, 382, 448, 528
Post Oak, Swamp	140, 314, 350, 384, 450
Prickly Ash (Xanthoxylum Americanum)	29, 268
Prickly Ash (Xanthoxylum Clava-Herculis)	30, 270, 350, 420
Prince's Pine	201, 342, 352, 406, 472
Principal woods of the United States under compression, behavior of the	418-481
Principal woods of the United States under transverse strain, behavior of the	351-414
Pringle, Mr. C. G., remarks on the forests of New Hampshire by	497
Pringle, Mr. C. G., remarks on the forests of New York by	501-506
Pringle, Mr. C. G., remarks on the forests of Pennsylvania by	507-510
Pringle, Mr. C. G., remarks on the forests of Vermont by	498-500
Pringle, Mr. C. G., remarks on the forests of West Virginia by	512-515
Prinos decidua	37
Pritchardia filamentosa	217
Privet	112, 208, 372, 468
Product and average size of saw-mills in each state and territory	488
Production of naval stores in Alabama	517, 527, 529, 530
Production of naval stores in Florida	517
Production of naval stores in Georgia	517
Production of naval stores in Louisiana	517
Production of naval stores in Mississippi	517
Production of naval stores in North Carolina	517
Production of naval stores in South Carolina	517
Prosopis	10-12, 14
Prosopis Emoryi	62
Prosopis glandulosa	61
Prosopis juliflora	12, 61, 249, 253, 256, 280, 350, 362, 426
Prosopis odorata (Prosopis juliflora)	61
Prosopis odorata (Prosopis pubescens)	62
Prosopis pubescens	13, 62, 249, 253, 256, 280, 362, 426
Prunus	10-12, 14, 573
Prunus Americana	12, 65, 249, 253, 256, 282, 362, 426
Prunus Americana, var. mollis	65
Prunus angustifolia	66, 249, 253, 256, 282, 362, 426
Prunus borealis	66
Prunus Canadensis	68
Prunus Capulin	68
Prunus Capuli	68, 249, 282, 428

	Page.		Page.
<i>Prunus Carolina</i>	60	<i>Quassia Simaruba</i>	32
<i>Prunus Caroliniana</i>	69, 249, 253, 256, 284, 362, 428	<i>Quercitron Oak</i>	149, 265, 318, 350, 388, 454
<i>Prunus cartilaginea</i>	68	<i>Quercus</i>	11, 12, 15
<i>Prunus Chilensis</i>	66	<i>Quercus acutidens</i>	155
<i>Prunus coccinea</i>	65	<i>Quercus acutiglandis</i>	146
<i>Prunus demissa</i>	69, 249, 253, 256, 284, 362, 428	<i>Quercus agrifolia</i>	146, 249, 254, 257, 318, 380, 452
<i>Prunus emarginata</i>	67, 250, 282	<i>Quercus agrifolia</i> , var. <i>frutescens</i>	147
<i>Prunus emarginata</i> , var. <i>mollis</i>	67, 253, 256, 282, 362, 428	<i>Quercus alba</i>	187, 249, 254, 257, 261, 265, 312, 350, 380, 414, 446
<i>Prunus hirta</i> (<i>Prunus Americana</i>).....	65	<i>Quercus alba</i> minor.....	189
<i>Prunus hirta</i> (<i>Prunus Americana</i> , var. <i>mollis</i>).....	65	<i>Quercus alba</i> palustris.....	141
<i>Prunus ilicifolia</i>	70, 249, 253, 256, 284, 364, 428	<i>Quercus alba</i> , var. <i>Gunnisonii</i>	139
<i>Prunus insititia</i>	66	<i>Quercus alba</i> , var. <i>microcarpa</i>	137
<i>Prunus lanceolata</i>	68	<i>Quercus alba</i> , var. <i>pinnatifida</i>	137
<i>Prunus Lusitanica</i>	69	<i>Quercus alba</i> , var. <i>pinnatifido-sinuata</i>	137
<i>Prunus Mississippi</i>	65	<i>Quercus alba</i> , var. <i>repanda</i>	137
<i>Prunus mollis</i> (<i>Prunus Americana</i> , var. <i>mollis</i>).....	65	<i>Quercus alba</i> , var. <i>sinuata</i>	137
<i>Prunus mollis</i> (<i>Prunus emarginata</i> , var. <i>mollis</i>).....	67	<i>Quercus ambigua</i>	147
<i>Prunus nigra</i>	65	<i>Quercus arnoldiana</i>	145
<i>Prunus Pennsylvanica</i>	12, 66, 230, 282, 428	<i>Quercus aquatica</i>	152, 249, 254, 258, 262, 320, 350, 388, 416, 454
<i>Prunus persicifolia</i>	66	<i>Quercus aquatica</i> (<i>Quercus nigra</i>).....	150
<i>Prunus pumila</i>	67	<i>Quercus aquatica</i> , var. <i>attenuata</i>	152
<i>Prunus sempervirens</i>	69	<i>Quercus aquatica</i> , var. <i>cuneata</i>	152
<i>Prunus serotina</i>	68, 250, 253, 256, 259, 282, 362, 428	<i>Quercus aquatica</i> , var. <i>elongata</i>	153
<i>Prunus serratifolia</i>	69	<i>Quercus aquatica</i> , var. <i>heterophylla</i>	15
<i>Prunus sphærocarpa</i>	70, 249, 284	<i>Quercus aquatica</i> , var. <i>hybrida</i>	152
<i>Prunus spinosa</i>	65	<i>Quercus aquatica</i> , var. <i>indivisa</i>	152
<i>Prunus umbellata</i>	67, 249, 282, 428	<i>Quercus aquatica</i> , var. <i>laurifolia</i>	152
<i>Prunus Virginiana</i>	68	<i>Quercus aquatica</i> , var. <i>myrtifolia</i>	155
<i>Prunus Virginiana</i> (<i>Prunus serotina</i>).....	68	<i>Quercus Banisteri</i>	155
<i>Prunus Virginiana</i> , var. <i>demissa</i>	69	<i>Quercus berberidifolia</i>	155
<i>Pseudacacia odorata</i>	55	<i>Quercus bicolor</i>	141, 249, 254, 257, 261, 314, 384, 450
<i>Pseudopetalon glandulosum</i>	30	<i>Quercus bicolor</i> , var. <i>Michauxii</i>	141
<i>Pseudopetalon tricarpum</i>	30	<i>Quercus bicolor</i> , var. <i>mollius</i>	141
<i>Pseudotsuga</i>	7, 9, 11, 12, 16, 575	<i>Quercus bicolor</i> , var. <i>platanoides</i>	141
<i>Pseudotsuga Douglasii</i>	200, 250, 255, 259, 264, 265, 344, 352, 410, 476, 565, 569, 573, 576	<i>Quercus Breweri</i>	155
<i>Pseudotsuga Douglasii</i> , var. <i>macrocarpa</i>	210, 250, 255, 259, 346, 412, 478	<i>Quercus California</i>	149
<i>Pseudotsuga magnifica</i>	214	<i>Quercus Castanea</i> (<i>Quercus prinoides</i>).....	142
<i>Pseudotsuga nobilis</i>	214	<i>Quercus Castanea</i> (<i>Quercus Prinus</i>).....	142
<i>Pseudotsuga</i> the most important timber tree of the Pacific region.....	7	<i>Quercus Catesbeiana</i>	151, 249, 254, 258, 320, 388, 454, 525
<i>Ptelea</i>	10, 13	<i>Quercus Chinquapin</i>	143
<i>Ptelea mollis</i>	31	<i>Quercus chrysolepis</i>	146, 249, 254, 258, 318, 380, 452
<i>Ptelea trifoliata</i>	12, 31, 249, 270	<i>Quercus chrysolepis</i> , var. <i>vaccinifolia</i>	146
<i>Ptelea trifoliata</i> , var. <i>mollis</i>	31	<i>Quercus cinerea</i>	153, 250, 255, 258, 320, 390, 450, 525
<i>Ptelea trifolia</i>	31	<i>Quercus cinerea</i> , var. <i>pumila</i>	155
<i>Punk Oak</i>	152, 320, 350, 388, 416, 454	<i>Quercus cinerea</i> , var. <i>sericea</i>	155
<i>Purple Haw</i>	40, 272	<i>Quercus coccinea</i>	148, 249, 254, 258, 318, 388, 452
<i>Purshia</i>	575	<i>Quercus coccinea</i> , var. <i>ambigua</i>	147
<i>Putnam</i> , Mr. H. C., remarks on the forests of Michigan by.....	553, 554	<i>Quercus coccinea</i> , var. <i>microcarpa</i>	148
<i>Putnam</i> , Mr. H. C., remarks on the forests of Minnesota by.....	559, 560	<i>Quercus coccinea</i> , var. <i>rubra</i>	147
<i>Putnam</i> , Mr. H. C., remarks on the forests of the eastern portion of Dakota by.....	561	<i>Quercus coccinea</i> , var. <i>tinctoria</i>	149
<i>Putnam</i> , Mr. H. C., remarks on the forests of Wisconsin by.....	555-558	<i>Quercus confertifolia</i>	154
<i>Pyrus</i>	10-12, 14	<i>Quercus crassipila</i>	146
<i>Pyrus Americana</i>	73, 250, 284, 428	<i>Quercus cuneata</i>	150
<i>Pyrus Americana</i> (<i>Pyrus sambucifolia</i>).....	74	<i>Quercus decipiens</i>	144
<i>Pyrus Americana</i> , var. <i>microcarpa</i>	74	<i>Quercus densiflora</i>	154, 249, 254, 258, 265, 322, 390, 450, 576, 580
<i>Pyrus angustifolia</i>	72, 249, 284	<i>Quercus discolor</i>	140
<i>Pyrus aucuparia</i> (<i>Pyrus Americana</i>).....	73	<i>Quercus discolor</i> , var. <i>triloba</i>	151
<i>Pyrus aucuparia</i> (<i>Pyrus sambucifolia</i>).....	74	<i>Quercus Douglasii</i>	143, 249, 251, 254, 258, 316, 386, 450
<i>Pyrus Bartramiana</i>	84	<i>Quercus Douglasii</i> , var. <i>Gambelii</i>	139
<i>Pyrus Botryapium</i>	84	<i>Quercus Douglasii</i> , var. <i>Neat</i>	138
<i>Pyrus coronaria</i>	72, 249, 253, 256, 259, 260, 284, 364, 428	<i>Quercus Drunmondi</i>	130
<i>Pyrus coronaria</i> (<i>Pyrus angustifolia</i>).....	72	<i>Quercus dumosa</i>	155
<i>Pyrus coronaria</i> , var. <i>angustifolia</i>	72	<i>Quercus dumosa</i> , var. <i>bullata</i>	155
<i>Pyrus diversifolia</i>	78	<i>Quercus Durandii</i>	145, 249, 251, 254, 258, 316, 386, 452
<i>Pyrus fusca</i>	73	<i>Quercus echinacea</i>	155
<i>Pyrus glandulosa</i>	77	<i>Quercus echinoides</i>	155
<i>Pyrus microcarpa</i>	74	<i>Quercus elongata</i>	150
<i>Pyrus ovalis</i>	85	<i>Quercus Emoryi</i>	12, 146, 249, 251, 254, 258, 318, 386, 452
<i>Pyrus rivularis</i>	73, 249, 284	<i>Quercus Emoryi</i> (<i>Quercus undulata</i> , var. <i>Gambolii</i>).....	139
<i>Pyrus sambucifolia</i>	12, 74, 250, 253, 256, 284, 364, 428	<i>Quercus falcata</i>	150, 249, 254, 258, 262, 265, 320, 350, 388, 454, 525
<i>Pyrus subcordata</i>	78	<i>Quercus falcata</i> , var. <i>Ludoviciana</i>	151
<i>Pyrus Wangenheimiana</i>	84	<i>Quercus falcata</i> , var. <i>pagodafolia</i>	161
Q.		<i>Quercus falcata</i> , var. <i>triloba</i>	151
<i>Quaking Asp</i>	171, 328, 350, 384, 460	<i>Quercus fulvescens</i>	146
<i>Quassia dioica</i>	32	<i>Quercus Gambelii</i>	130
		<i>Quercus Garryana</i>	138, 249, 254, 257, 261, 312, 350, 382, 448, 576

GENERAL INDEX.

	Page.
<i>Quercus Georgiana</i>	155
<i>Quercus grisea</i>	144, 249, 251, 254, 258, 310, 388, 452
<i>Quercus hastata</i>	146
<i>Quercus hemispharica</i>	152
<i>Quercus hemispharica</i> , var. <i>nana</i>	152
<i>Quercus heterophylla</i>	153, 249, 255, 258, 320, 390, 450
<i>Quercus Hindstii</i>	138
<i>Quercus humilis</i>	153
<i>Quercus hypoleuca</i>	154, 249, 255, 258, 322, 390, 450
<i>Quercus ilicifolia</i>	155
<i>Quercus imbricaria</i>	154, 249, 255, 258, 322, 390, 450
<i>Quercus Jacobi</i>	138
<i>Quercus Kelloggii</i>	140, 250, 254, 258, 265, 320, 388, 416, 454
<i>Quercus laevigata</i>	151
<i>Quercus laurifolia</i>	152, 249, 254, 258, 320, 390, 454
<i>Quercus laurifolia</i> , <i>hybrida</i>	152
<i>Quercus laurifolia</i> , var. <i>acuta</i>	152
<i>Quercus laurifolia</i> , var. <i>obtusa</i>	152
<i>Quercus lobata</i>	138, 249, 254, 257, 312, 382, 448
<i>Quercus lobata</i> , var. <i>fruticosa</i>	155
<i>Quercus lobulata</i>	139
<i>Quercus longiglinda</i>	138
<i>Quercus lyrata</i>	140, 249, 254, 257, 261, 314, 350, 384, 450, 533
<i>Quercus macrocarpa</i>	140, 249, 254, 257, 261, 265, 314, 384, 448
<i>Quercus macrocarpa</i> , var. <i>abbreviata</i>	140
<i>Quercus macrocarpa</i> , var. <i>minor</i>	140
<i>Quercus macrocarpa</i> , var. <i>olivaformis</i>	140
<i>Quercus Marylandica</i>	150
<i>Quercus Michauxii</i>	141, 249, 254, 258, 261, 316, 384, 410, 450, 533
<i>Quercus montana</i>	142
<i>Quercus Morehus</i>	147
<i>Quercus Muhlenbergii</i>	143
<i>Quercus myrtifolia</i>	155
<i>Quercus nana</i>	152
<i>Quercus Neæi</i>	138
<i>Quercus nigra</i>	150, 249, 254, 258, 265, 320, 380, 388, 454, 525
<i>Quercus nigra</i> (<i>Quercus aquatica</i>)	152
<i>Quercus nigra</i> (<i>Quercus tinctoria</i>)	149
<i>Quercus nigra aquatica</i>	152
<i>Quercus nigra digitata</i>	150
<i>Quercus nigra integrifolia</i>	150
<i>Quercus nigra trifida</i>	152
<i>Quercus nigra</i> , var. (<i>Quercus heterophylla</i>)	153
<i>Quercus nigra</i> , var. <i>latifolia</i>	156
<i>Quercus oblongifolia</i>	148, 249, 251, 254, 258, 316, 388, 452
<i>Quercus oblongifolia</i>	146
<i>Quercus oblongifolia</i> , var. <i>brevilobata</i>	148
<i>Quercus obtusa</i>	152
<i>Quercus obtusifolia</i> , var. <i>breviloba</i>	145
<i>Quercus obtusiloba</i>	138, 249, 254, 257, 261, 312, 382, 448, 525, 528
<i>Quercus obtusiloba</i> , var. <i>depressa</i>	140
<i>Quercus obtusiloba</i> , var. <i>parvifolia</i>	139
<i>Quercus Erstediana</i>	188
<i>Quercus oleoides</i>	145
<i>Quercus oliveiformis</i>	140
<i>Quercus oxyadenia</i>	146
<i>Quercus palustris</i>	151, 249, 254, 258, 320, 388, 454
<i>Quercus palustris</i> (<i>Quercus rubra</i> , var. <i>Texana</i>)	148
<i>Quercus parvifolia</i>	139
<i>Quercus Phellos</i>	154, 249, 255, 258, 322, 390, 456
<i>Quercus Phellos angustifolia</i>	154
<i>Quercus Phellos</i> <i>X</i> <i>coccinea</i>	153
<i>Quercus Phellos latifolia</i>	154
<i>Quercus Phellos pumila</i>	155
<i>Quercus Phellos</i> <i>X</i> <i>tinctoria</i>	158
<i>Quercus Phellos</i> , var. (<i>Quercus heterophylla</i>)	153
<i>Quercus Phellos</i> , var. <i>arenaria</i>	155
<i>Quercus Phellos</i> , var. <i>cinerrea</i>	153
<i>Quercus Phellos</i> , var. <i>humilis</i>	154
<i>Quercus Phellos</i> , var. <i>imbricaria</i>	154
<i>Quercus Phellos</i> , var. <i>laevigata</i>	152
<i>Quercus Phellos</i> , var. <i>semipervirens</i>	145
<i>Quercus Phellos</i> , var. <i>sericea</i>	155
<i>Quercus Phellos</i> , var. <i>viridis</i>	154
<i>Quercus prinoides</i>	142, 249, 251, 254, 258, 261, 262, 265, 316, 384, 450
	R.
<i>Randia clusiæfolia</i>	95.
<i>Rapanea Guyanensis</i>	90
<i>Rattle-box</i>	106, 290
<i>Red Ash</i>	109, 296, 370, 436
<i>Red Bay</i>	118, 302, 372, 438
<i>Red Birch</i>	161, 324, 392, 458
<i>Red Cedar</i> (<i>Juniperus Virginiana</i>)	183, 332, 398, 464, 544
<i>Red Cedar</i> (<i>Thuya gigantea</i>)	177, 330, 396, 462, 578, 575, 576, 580

	Page.		Page.
Red Cherry, Wild	66, 282, 428	Rhus cotinoides	52, 250, 276
Red Cypress	184, 334, 350, 398, 406	Rhus cotinus	52
Red Elm	122, 304, 374, 440	Rhus glabra	53
Red Fir (<i>Abies magnifica</i>)	214, 346, 412, 478	Rhus hypoleiodendron	52
Red Fir (<i>Abies nobilis</i>)	214, 346, 412, 478, 573	Rhus leucantha	53
Red Fir (<i>Pseudotsuga Douglasii</i>)	209, 265, 344, 352, 410, 476, 565, 575	Rhus Metopium	54, 240, 258, 256, 278, 300, 424
Red Fir the most important timber tree of the Pacific region	7	Rhus Toxicodendron	54
Red Gum	86, 286, 350, 364, 414, 430	Rhus typhina	52, 250, 278
Red Haw (<i>Crataegus coccinea</i>)	78, 286	Rhus typhina, var. <i>laciniata</i>	52
Red Haw (<i>Crataegus flava, var. pubescens</i>)	83, 280, 364, 430	Rhus typhina, var. <i>viridiflora</i>	52
Red Ironwood	39, 272, 358, 422	Rhus venenata	54, 250, 278
Red Maple	50, 276, 358, 424	Rhus vernix	54
Red Mulberry	128, 308, 376, 442	Rhus viridis	52
Red Oak (<i>Quercus falcata</i>)	151, 265, 320, 350, 388, 454	River Birch	101, 324, 392, 458
Red Oak (<i>Quercus rubra</i>)	148, 265, 318, 350, 386, 452	River Cottonwood	172, 328, 394, 400
Red Oak (<i>Quercus rubra, var. Texana</i>)	148, 318, 388, 452	Robinia	10, 13
Red Pine	192, 336, 350, 402, 408	Robinia <i>fragilis</i>	55
Red Stopper	89, 288, 366, 430	Robinia <i>glutinosa</i>	56
Redbud (<i>Cercis Canadensis</i>)	61, 280, 362, 420	Robinia Neo-Mexicana	13, 50, 240, 253, 256, 278, 300, 426
Redbud (<i>Cercis reniformis</i>)	61, 280	Robinia Pseudacacia	55, 240, 253, 256, 259, 278, 350, 360, 424
Redwood	185, 334, 350, 398, 460, 579	Robinia viscosa	56, 240, 278
Redwood Belt the most important feature in the Coast Range of the Coast Forest	8	Rock Chestnut Oak	142, 265, 316, 350, 384, 410, 450
Redwood of California, economic value of the	578	Rock Elm	123, 304, 374, 440
Redwood standing in the forests of California May 31, 1880, tabular state- ment of the amount of	579	Rock Maple	48, 276, 358, 422
Region, the Atlantic	3-6	Rocky Mountain region, northern, report by Mr. Sereno Watson on the forests of the	504, 505
Region, the Pacific	6-10	ROSACEAE	64-85, 253, 256, 282, 362, 426
Remarks, general, on the forests of North America	3-16	Rose Bay	90, 292, 368, 434
Reynosia	10, 13	Rosemary Pine	197, 340, 350, 404, 416, 470
Reynosia latifolia	39, 249, 253, 256, 272, 358, 422	Rosin and tar produced in North Carolina, grades of	517
Rhamnidium revolutum	39	Royal Palm	218, 348, 352
RHAMNACEAE	39-42, 253, 256, 272, 358, 422	RUBIACEAE	95, 96, 253, 257, 290, 366, 432
Rhamnus	10-13	Rum Cherry	68, 282, 362, 428
Rhamnus alnifolius	41	RUTACEAE	29-32, 253, 256, 268, 356, 420
Rhamnus Californica	40, 250, 272	S.	
Rhamnus Californica, var. <i>tomentella</i>	41	Sabal	11, 16
Rhamnus Caroliniana	40, 250, 253, 256, 272, 358, 422	Sabal Palmetto	217, 250, 348, 352
Rhamnus ellipticus	41	Saffron Plum	108, 294, 368, 434
Rhamnus ferrea	39	Sage-brush	575
Rhamnus laevigatus	39	Saginaw valley in Michigan, lumber industry of	552
Rhamnus laurifolius	40	Saguaro	90, 288
Rhamnus oleifolius	40	SALICACEAE	105-175, 253, 258, 326, 394, 400
Rhamnus Purshiana	41, 250, 253, 256, 272, 358, 422	Salix	11, 12, 16
Rhamnus tomentellus	41	Salix	170
Rhizophora	10, 11, 14	Salix <i>ambigua</i>	165
Rhizophora Americana	86	Salix <i>amygdaloides</i>	18, 160, 250, 255, 258, 326, 394, 460
Rhizophora Mangle	86, 240, 268, 287, 285, 288, 364, 430	Salix <i>argophylla</i>	168
Rhizophora racemosa	86	Salix <i>arguta</i>	167
RHIZOPHORACEAE	86, 87, 253, 257, 288, 364, 430	Salix <i>arguta</i> , var. <i>lasiantha</i>	167
Rhode Island, lumber industry and manufactures from wood in	486, 487, 500, 501	Salix <i>Bigelovii</i>	170
Rhode Island, rank of, according to value of lumber products	487	Salix <i>Bigelovii</i> , var. <i>fuscor</i>	170
Rhode Island, statistics of forests, forest fires, standing timber, etc., in	491, 500, 501	Salix <i>brachycarpa</i>	168
Rhode Island, the Northern Pine Belt in	500	Salix <i>brachystachys</i>	170
Rhododendron	11, 12, 15	Salix <i>brachystachys</i> , var. <i>Scouleriana</i>	170
Rhododendron maximum	89, 250, 254, 257, 292, 368, 434	Salix <i>Caroliniana</i>	165
Rhododendron maximum, var. <i>album</i>	99	Salix <i>chlorophylla</i> , var. <i>polita</i>	171
Rhododendron maximum, var. <i>purpureum</i>	99	Salix <i>cordata</i>	170
Rhododendron maximum, var. <i>roseum</i>	99	Salix <i>cordata</i> , var. <i>falcata</i>	165
Rhododendron procerum	99	Salix <i>cordata</i> , var. <i>vestita</i>	170, 250, 328
Rhododendron <i>purpureum</i>	99	Salix <i>crassa</i>	169
Rhododendron Purshii	99	Salix <i>cuneata</i>	171
Rhus	10, 12, 14	Salix <i>discolor</i>	169, 250, 328
Rhus arborescens	33	Salix <i>discolor</i> , var. <i>ericacephala</i>	169
Rhus Canadense	52	Salix <i>discolor</i> , var. <i>prinoides</i>	169
Rhus copallina	53, 250, 253, 256, 278, 360, 424	Salix <i>eriocephala</i>	169
Rhus copallina, var. <i>angustifolia</i>	53	Salix <i>exigua</i>	168
Rhus copallina, var. <i>angustifolia</i>	53	Salix <i>falcata</i>	165
Rhus copallina, var. <i>integrifolia</i>	53	Salix <i>Fendleriana</i>	167
Rhus copallina, var. <i>lanceolata</i>	53, 250, 278, 424	Salix <i>flavescens</i>	169, 250, 255, 258, 328, 394, 460
Rhus copallina, var. <i>latifolia</i>	53	Salix <i>flavescens</i> (<i>Salix flavescens</i> , var. <i>Scouleriana</i>)	170
Rhus copallina, var. <i>latifolia</i>	53	Salix <i>flavescens</i> , var. <i>Scouleriana</i>	170, 250, 255, 258, 328, 394, 460
Rhus copallina, var. <i>leucantha</i>	53	Salix <i>flavo-virens</i>	165
Rhus copallina, var. <i>serrata</i>	53	Salix <i>fluviatalis</i>	168

GENERAL INDEX.

Page.	Page.
<i>Salix Hindsiana</i> , var. <i>tenuifolia</i>	160
<i>Salix Hoffmanniana</i>	107
<i>Salix Hookeriana</i>	170, 250, 328, 460
<i>Salix Houstoniana</i>	105
<i>Salix humilis</i> , var. <i>Hartwegi</i>	171
<i>Salix laevigata</i>	167, 250, 255, 258, 326, 304, 400
<i>Salix laevigata</i> , var. <i>angustifolia</i>	167
<i>Salix laevigata</i> , var. <i>congesta</i>	167
<i>Salix lancifolia</i>	167
<i>Salix lasiandra</i>	167, 250, 326
<i>Salix lasiandra</i> , var. <i>Fendleriana</i>	167, 250, 255, 258, 326, 304, 400
<i>Salix lasiandra</i> , var. <i>lanceolata</i>	167, 250, 255, 258, 326, 304, 400
<i>Salix lasiolepis</i>	170, 250, 255, 258, 328, 304, 400
<i>Salix lasiolepis</i> , var. <i>angustifolia</i>	171
<i>Salix lasiolepis</i> , var. <i>Bigelowii</i>	170
<i>Salix lasiolepis</i> , var. <i>fallax</i>	170
<i>Salix lasiolepis</i> , var. <i>latifolia</i>	171
<i>Salix ligustrina</i>	165
<i>Salix longifolia</i>	12, 108, 250, 326
<i>Salix longifolia</i> , var. <i>angustissima</i>	168
<i>Salix longifolia</i> , var. <i>argyrophylla</i>	168
<i>Salix longifolia</i> , var. <i>argyrophylla angustissima</i>	168
<i>Salix longifolia</i> , var. <i>argyrophylla opaca</i>	168
<i>Salix longifolia</i> , var. <i>exigua</i>	168, 250, 326
<i>Salix longifolia</i> , var. <i>opaca</i>	168
<i>Salix longifolia</i> , var. <i>pedicellata</i>	168
<i>Salix longipes</i>	166
<i>Salix longipes</i> , var. <i>pubescens</i>	166
<i>Salix lucida</i> , var. <i>angustifolia</i> , forma <i>lasiantha</i>	167
<i>Salix lucida</i> , var. <i>macrophylla</i>	167
<i>Salix marginata</i>	166
<i>Salix melanopepla</i>	166
<i>Salix nigra</i>	12, 165, 250, 326, 304, 400
<i>Salix nigra</i> , var. <i>amygdaloides</i>	166
<i>Salix nigra</i> , var. <i>angustifolia</i>	166
<i>Salix nigra</i> , var. <i>falcata</i>	165
<i>Salix nigra</i> , var. <i>latifolia</i>	166
<i>Salix nigra</i> , var. <i>longifolia</i>	166
<i>Salix nigra</i> , var. <i>longipes</i>	166
<i>Salix nigra</i> , var. <i>longipes</i> , subvar. <i>gongylocarpa</i>	166
<i>Salix nigra</i> , var. <i>longipes</i> , subvar. <i>venulosa</i>	166
<i>Salix nigra</i> , var. <i>marginata</i>	166
<i>Salix nigra</i> , var. <i>Wardii</i>	166
<i>Salix nigra</i> , var. <i>Wrightii</i>	166
<i>Salix occidentalis</i>	166
<i>Salix pentandra</i>	166
<i>Salix pentandra</i> , var. <i>caudata</i>	167
<i>Salix prinoides</i>	169
<i>Salix Purshiana</i>	165
<i>Salix rubra</i>	168
<i>Salix Scouleriana</i>	170
<i>Salix sensitiva</i>	166
<i>Salix sessilifolia</i>	168, 250, 328
<i>Salix sessilifolia</i> , var. <i>Hindsiana</i>	169
<i>Salix sessilifolia</i> , var. <i>villosa</i>	168
<i>Salix Sitchensis</i>	171, 250, 328
<i>Salix Sitchensis</i> , var. <i>angustifolia</i>	171
<i>Salix speciosa</i>	167
<i>Salix subvillosa</i>	166
<i>Salix Wrightii</i>	166
<i>Samara floribunda</i>	99
<i>Samara pentandra</i>	99
<i>Sambucus</i>	10-12, 14
<i>Sambucus Californica</i>	93
<i>Sambucus glauca</i>	93, 250, 253, 257, 290, 306, 432
<i>Sambucus glauca</i> (<i>Sambucus Mexicana</i>).....	93
<i>Sambucus Mexicana</i>	12, 93, 250, 290
<i>Sambucus Mexicana</i> (<i>Sambucus glauca</i>).....	93
<i>Sambucus rotundifolia</i>	93
<i>Sand Jack</i>	153, 320, 390, 456
<i>Sand Pine</i>	199, 340, 494, 472
<i>Sand-bar Willow</i>	168, 326
SAPINDACEAE	42-51, 253, 256, 274, 358, 414, 422
<i>Sapindus</i>	10-13
<i>Sapindus acuminata</i>	44
<i>Sapindus Drummondii</i>	44
<i>Sapindus falcatus</i>	44
<i>Sapindus inequalis</i>	44
<i>Sapindus marginatus</i>	12, 44, 240, 258, 274, 358, 414, 422
<i>Sapindus Saponaria</i>	45, 249, 274
<i>Sapindus Saponaria</i> (<i>Sapindus marginatus</i>).....	44
SAPOTACEAE	100-103, 234, 257, 292, 308, 434
<i>Sarcocapnos Carolinianus</i>	40
<i>Sassafras</i>	120, 302, 374, 438
<i>Sassafras officinale</i>	110, 250, 254, 257, 260, 302, 374, 438
<i>Satinwood</i>	11, 15, 31, 270, 350, 420
<i>Savin</i> (<i>Juniperus Virginiana</i>).....	183, 322, 398, 464
<i>Savin</i> (<i>Torreya taxifolia</i>).....	186, 334, 400, 406
Saw-mills in each state and territory, average size and product of.....	488
<i>Semiret Haw</i> (<i>Crataegus coccinea</i>).....	78, 280
<i>Scarlet Haw</i> (<i>Crataegus subvilloso</i>).....	78, 286, 364, 430
<i>Scarlet Oak</i>	148, 318, 388, 452
<i>Schaefferia</i>	10, 13
<i>Schaefferia buxifolia</i>	39
<i>Schaefferia completa</i>	39
<i>Schaefferia frutescens</i>	39, 249, 272
<i>Schaefferia lateriflora</i>	120
<i>Schousbae commutata</i>	87
<i>Schubertia disticha</i>	188
<i>Schubertia sempervirens</i>	185
<i>Screw Bean</i>	62, 280, 362, 426
<i>Screw-pod Mesquit</i>	62, 280, 362, 426
<i>Scrub Oak</i> (<i>Quercus Catesbeii</i>).....	151, 320, 388, 454
<i>Scrub Oak</i> (<i>Quercus undulata</i> , var. <i>Gambelii</i>).....	139, 314, 384, 448
<i>Scrub Pine</i> (<i>Pinus Banksiana</i>).....	201, 342, 352, 406, 472
<i>Scrub Pine</i> (<i>Pinus clausa</i>).....	199, 310, 404, 472
<i>Scrub Pine</i> (<i>Pinus contorta</i>).....	194, 338, 404, 470
<i>Scrub Pine</i> (<i>Pinus inops</i>).....	199, 340, 350, 404, 470, 529
<i>Scutia ferrea</i> (<i>Condalia ferrea</i>).....	39
<i>Scutia ferrea</i> (<i>Reynosia latifolia</i>).....	39
<i>Sea Ash</i>	80, 270, 356, 420
<i>Sea Grape</i>	118, 302, 438
<i>Seaside Alder</i>	162, 326, 458
<i>Sebastiania</i>	11, 15
<i>Sebastiania Incidea</i>	121, 240, 304
<i>Sebastena scabra</i>	113
Selected woods of the United States under transverse strain, behavior of:	
specimens eight centimeters square.....	414-417
Semi-tropical Forest of Florida.....	6
<i>Sequoia</i>	8, 11, 12, 18
<i>Sequoia gigantea</i>	184, 251, 255, 258, 334, 398, 406, 578
<i>Sequoia gigantea</i> (<i>Sequoia sempervirens</i>).....	185
<i>Sequoia Rafinesquei</i>	206
<i>Sequoia religiosa</i>	185
<i>Sequoia sempervirens</i>	184, 250, 255, 258, 268, 334, 350, 398, 406, 579
<i>Sequoia Wellingtonia</i>	184
Service Tree.....	84, 280, 364, 400
Seven-year Apple.....	95, 290
Shad Bush.....	84, 280, 364, 430
Shag-bark Hickory.....	133, 308, 350, 378, 444
Sharplea, Mr. S. P., experiments by.....	247, 251, 264, 265
She Balsam.....	210, 346, 412, 478
Sheepberry.....	94, 290, 432
Shell-bark, Big.....	133, 310, 378, 444
Shell-bark, Bottom.....	133, 310, 378, 444
Shell-bark Hickory.....	133, 308, 350, 378, 444
Shingle Oak.....	154, 322, 390, 456
Shingles and lumber received at Chicago during the year 1880.....	548, 540
Shittimwood (<i>Bumelia lanuginosa</i>).....	102, 294, 368, 434
Shittimwood (<i>Rhamnus Purshiana</i>).....	41, 272, 358, 422
Short- and Long-leaved Pine standing in the forests of Alabama May 31, 1880, tabular statement of the amount of.....	534
Short- and Long-leaved Pine standing in the forests of Louisiana May 31, 1880, tabular statement of the amount of.....	537
Short- and Long-leaved Pine standing in the forests of Mississippi May 31, 1880, tabular statement of the amount of.....	531
Short-leaved, Loblolly, and Long-leaved Pine standing in the forests of Texas May 31, 1880, tabular statement of the amount of.....	541
Short-leaved Pine.....	200, 340, 350, 406, 472, 524, 527, 530, 531, 536, 537, 541, 544, 560
Short-leaved Pine standing in the forests of Arkansas May 31, 1880, tabular statement of the amount of.....	544
Shrubby Trefoil.....	31, 270

GENERAL INDEX.

607

	Page.	Page.	
<i>Sideroxylon</i>	11, 15	Southern Crab Apple.....	72, 284
<i>Sideroxylon Carolinense</i>	101	Southern Cypress, next to the Long-leaved Pine, the characteristic tree of the Southern Maritime Pine Belt.....	4
<i>Sideroxylon chrysophyllumoides</i>	101	Southern Maritime Pine Belt in the Atlantic region.....	4
<i>Sideroxylon cuneatum</i>	103	Southern Pine.....	202, 242, 252, 406, 416, 473
<i>Sideroxylon decandrum</i>	103	Southern Pine Belt in Florida.....	520
<i>Sideroxylon lanuginosum</i>	102	Spanish Bayonet (<i>Yucca baccata</i>).....	219, 348
<i>Sideroxylon laeve</i>	103	Spanish Bayonet (<i>Yucca canaliculata</i>).....	218, 348
<i>Sideroxylon lycioides</i>	103	Spanish Bayonet (<i>Yucca elata</i>).....	219, 348
<i>Sideroxylon Mastichodendron</i>	101, 240, 254, 257, 292, 368, 434	Spanish Buckeye.....	44, 274, 422
<i>Sideroxylon pallidum</i>	101	Spanish Oak.....	151, 205, 220, 250, 285, 454, 528
<i>Sideroxylon reclinatum</i>	103	Spanish Oak, Swamp.....	152, 220, 288, 464
<i>Sideroxylon salicifolium</i>	101	Spanish Stopper.....	88, 288, 300, 430
<i>Sideroxylon sericeum</i>	101	Species, distribution of.....	12
<i>Sideroxylon tenax</i> (<i>Bumelia lanuginosa</i>).....	102	Specific gravity and ash of woods.....	248-251
<i>Sideroxylon tenax</i> (<i>Bumelia tenax</i>).....	101	Specific gravity, ash, and weight per cubic foot of dry specimens of the woods of the United States.....	266-280
<i>Siliquastrum cordatum</i>	61	Specific gravity and transverse strength of certain woods, relation between 259-204	
Silk-top Palmetto.....	217, 348	Specimens of woods, where deposited.....	247, 248
Silky Willow.....	171, 328	Speckled Alder.....	165, 320, 304, 400
Silver-bell Tree (<i>Halesia diptera</i>).....	105, 204, 368, 434	Spice Tree.....	120, 202, 274, 440
Silver-bell Tree (<i>Halesia tetraptera</i>).....	106, 206	Spindle Tree.....	38, 272
Silver Maple.....	49, 276, 358, 424	<i>Spiraea California</i>	70
Silver-top Palmetto.....	218, 348	Spoonwood.....	68, 202, 308, 404
Simaruba.....	10, 13	Spruce, a species of, the characteristic tree of the Colorado mountains.....	9
<i>Simaruba amara</i>	32	Spruce, Black.....	203, 205, 342, 352, 408, 474, 400
<i>Simaruba glauca</i>	32, 250, 253, 256, 270, 356, 420	Spruce, Blue.....	205, 344, 408, 474
<i>Simaruba medicinalis</i>	32	Spruce Pine (<i>Pinus clausa</i>).....	100, 340, 404, 472
SIMARUBACEAE.....	32, 253, 256, 270, 356, 420	Spruce Pine (<i>Pinus glabra</i>).....	201, 340, 400, 472, 527
Sitka Cypress.....	178, 332, 398, 404	Spruce Pine (<i>Pinus mitchii</i>).....	200, 340, 360, 400, 472
Size, average, and product of saw-mills in each state and territory.....	488	Spruce Pine (<i>Pinus Murrayana</i>).....	105, 388, 350, 404, 470
Slash Pine.....	202, 342, 352, 406, 416, 474, 516	Spruce standing in the forests of New Hampshire May 31, 1880, tubular statement of the amount of.....	496
Slippery Elm (<i>Tremontia Californica</i>).....	26, 268	Spruce standing in the forests of Vermont May 31, 1880, tubular statement of the amount of.....	498
Slippery Elm (<i>Ulmus fulva</i>).....	122, 304, 374, 440	Spruce, Tide-land.....	206, 344, 408, 474, 580
Sloe.....	67, 282, 428	Spruce, White, the most important tree in the Pacific region.....	7
Sloe, Black.....	67, 282, 428	Spruce, White (<i>Picea alba</i>).....	204, 342, 408, 474, 502, 504
Small-fruited Haw.....	81, 286, 364, 430	Spruce, White (<i>Picea Engelmanni</i>).....	205, 206, 342, 408, 474, 504, 578, 574
Smooth Alder.....	164, 326	Spruce, White (<i>Picea pungens</i>).....	205, 344, 408, 474
Snow-drop Tree (<i>Halesia diptera</i>).....	105, 204, 368, 434	Spruces, Black and White, the characteristic trees of the Northern Forest.....	3
Snow-drop Tree (<i>Halesia tetraptera</i>).....	106, 296	Stag Bush.....	64, 200, 300, 432
Soapberry (<i>Sapindus marginatus</i>).....	44, 274, 358, 414, 422	Staghorn Sumach.....	58, 278
Soapberry (<i>Sapindus Saponaria</i>).....	45, 274	Standing timber, forests, forest fires, etc., extent of, in the—	
Soft Maple (<i>Acer dasycarpum</i>).....	49, 276, 358, 424	North Atlantic division.....	404-510
Soft Maple (<i>Acer rubrum</i>).....	50, 276, 358, 424	Northern Central division.....	547-608
Sophora.....	10, 11, 14	South Atlantic division.....	511-528
<i>Sophora affinis</i>	58, 240, 253, 256, 280, 360, 426	Southern Central division.....	524-546
<i>Sophora secundiflora</i>	57, 249, 278	Western division.....	564-580
<i>Sophora speciosa</i>	57	Standing timber, forests, forest fires, etc., statistics of, in—	
<i>Sorbus Americana</i>	73	Alabama.....	401, 524-530
<i>Sorbus Americana</i> , var. <i>microcarpa</i>	74	Alaska.....	580
<i>Sorbus aucuparia</i> (<i>Pyrus Americana</i>).....	73	Arizona.....	401, 508, 509
<i>Sorbus aucuparia</i> (<i>Pyrus sambucifolia</i>).....	74	Arkansas.....	401, 543, 544
<i>Sorbus aucuparia</i> , var. <i>Americana</i>	73	Colorado.....	401, 578-580
<i>Sorbus humifusa</i>	73	Connecticut.....	401, 607, 608
<i>Sorbus microcarpa</i>	74	Dakota.....	500, 601
<i>Sorbus riparia</i>	74	Delaware.....	401, 601, 602
<i>Sorbus sambucifolia</i>	74	District of Columbia.....	511
Sorrel Tree.....	98, 292, 368, 434	Florida.....	401, 620-623
Sour Gum.....	92, 200, 366, 432	Georgia.....	401, 510, 520
Sour Tupelo.....	91, 200, 366, 432	Idaho.....	401, 571-578
Sourwood.....	98, 292, 368, 434	Illinois.....	401, 547-550
South Atlantic division, extent of forests, forest fires, standing timber, etc., in the.....	511-523	Indiana.....	401, 549
South Carolina, lumber industry and manufactures from wood in.....	480, 487, 518, 510	Indian territory.....	401, 549
South Carolina, production of naval stores in.....	517	Iowa.....	401, 560
South Carolina, rank of, according to value of lumber products.....	487	Kansas.....	401, 602, 608
South Carolina, statistics of forests, forest fires, standing timber, etc., in.....	491, 518, 519	Kentucky.....	401, 646, 648
South Carolina, tabular statement of the amount of Long-leaved Pine standing in the forests of May 31, 1880.....	519	Louisiana.....	401, 530, 640
South Carolina, the Coast Pine Belt in.....	518	Maine.....	401, 494-496
Southern Buckthorn.....	103, 204, 368, 434	Maryland.....	401, 611
Southern Central division, extent of forests, forest fires, standing timber, etc., in the.....	524-546	Massachusetts.....	401, 500, 501
Southern Crab Apple.....	72, 284	Michigan.....	401, 560-564
Southern Cypress, next to the Long-leaved Pine, the characteristic tree of the Southern Maritime Pine Belt.....	4	Minnesota.....	401, 658-660
Southern Maritime Pine Belt in the Atlantic region.....	4	Mississippi.....	401, 630-636
Southern Pine.....	202, 242, 252, 406, 416, 473	Missouri.....	401, 500-501
Southern Pine Belt in Florida.....	520	Montana.....	401, 504, 506
Spanish Bayonet (<i>Yucca baccata</i>).....	219, 348	Nebraska.....	502
Spanish Bayonet (<i>Yucca canaliculata</i>).....	218, 348	Nevada.....	401, 571
Spanish Bayonet (<i>Yucca elata</i>).....	219, 348	New Hampshire.....	401, 499-508
Spanish Buckeye.....	44, 274, 422	New Jersey.....	401, 500
Spanish Oak.....	151, 205, 220, 250, 285, 408, 474	New Mexico.....	401, 508
Spanish Oak, Swamp.....	152, 220, 288, 464	New York.....	401, 501-506
Spanish Stopper.....	88, 288, 300, 430	North Carolina.....	401, 516-518
Species, distribution of.....	12	Ohio.....	401, 547
Specific gravity and ash of woods.....	248-251	Oregon.....	401, 576-578
Specific gravity, ash, and weight per cubic foot of dry specimens of the woods of the United States.....	266-280	Pennsylvania.....	401, 576-578
Specific gravity and transverse strength of certain woods, relation between 259-204		Rhode Island.....	401, 500, 501
Specimens of woods, where deposited.....	247, 248		
Speckled Alder.....	165, 320, 304, 400		
Spice Tree.....	120, 202, 274, 440		
Spindle Tree.....	38, 272		
<i>Spiraea California</i>	70		
Spoonwood.....	68, 202, 308, 404		
Spruce, a species of, the characteristic tree of the Colorado mountains.....	9		
Spruce, Black.....	203, 205, 342, 352, 408, 474, 400		
Spruce, Blue.....	205, 344, 408, 474		
Spruce Pine (<i>Pinus clausa</i>).....	100, 340, 404, 472		
Spruce Pine (<i>Pinus glabra</i>).....	201, 340, 400, 472, 527		
Spruce Pine (<i>Pinus mitchii</i>).....	200, 340, 360, 400, 472		
Spruce Pine (<i>Pinus Murrayana</i>).....	105, 388, 350, 404, 470		
Spruce standing in the forests of New Hampshire May 31, 1880, tubular statement of the amount of.....	496		
Spruce standing in the forests of Vermont May 31, 1880, tubular statement of the amount of.....	498		
Spruce, Tide-land.....	206, 344, 408, 474, 580		
Spruce, White, the most important tree in the Pacific region.....	7		
Spruce, White (<i>Picea alba</i>).....	204, 342, 408, 474, 502, 504		
Spruce, White (<i>Picea Engelmanni</i>).....	205, 206, 342, 408, 474, 504, 578, 574		
Spruce, White (<i>Picea pungens</i>).....	205, 344, 408, 474		
Spruces, Black and White, the characteristic trees of the Northern Forest.....	3		
Stag Bush.....	64, 200, 300, 432		
Staghorn Sumach.....	58, 278		
Standing timber, forests, forest fires, etc., extent of, in the—			
North Atlantic division.....	404-510		
Northern Central division.....	547-608		
South Atlantic division.....	511-528		
Southern Central division.....	524-546		
Western division.....	564-580		
Standing timber, forests, forest fires, etc., statistics of, in—			
Alabama.....	401, 524-530		
Alaska.....	580		
Arizona.....	401, 508, 509		
Arkansas.....	401, 543, 544		
California.....	401, 578-580		
Colorado.....	401, 607, 608		
Connecticut.....	500, 601		
Dakota.....	401, 601, 602		
Delaware.....	401, 601, 602		
District of Columbia.....	511		
Florida.....	401, 620-623		
Georgia.....	401, 510, 520		
Idaho.....	401, 571-578		
Illinois.....	401, 547-550		
Indiana.....	401, 549		
Indian territory.....	401, 549		
Iowa.....	401, 560		
Kansas.....	401, 602, 608		
Kentucky.....	401, 646, 648		
Louisiana.....	401, 530, 640		
Maine.....	401, 494-496		
Maryland.....	401, 611		
Massachusetts.....	401, 500, 501		
Michigan.....	401, 560-564		
Minnesota.....	401, 658-660		
Mississippi.....	401, 630-636		
Missouri.....	401, 500-501		
Montana.....	401, 504, 506		
Nebraska.....	502		
Nevada.....	401, 571		
New Hampshire.....	401, 499-508		
New Jersey.....	401, 500		
New Mexico.....	401, 508		
New York.....	401, 501-506		
North Carolina.....	401, 516-518		
Ohio.....	401, 547		
Oregon.....	401, 576-578		
Pennsylvania.....	401, 576-578		
Rhode Island.....	401, 500, 501		

GENERAL INDEX.

	Page.		Page.
Standing timber, forests, forest fires, etc., statistics of, in—continued.			
South Carolina	491, 518, 519		
Tennessee	492, 544, 545		
Texas	492, 540-542		
Utah	492, 569-571		
Vermont	492, 498-500		
Virginia	492, 511, 512		
Washington	492, 578-579		
West Virginia	492, 512-515		
Wisconsin	492, 564-568		
Wyoming	492, 568, 569		
Star-leaved Gum	86, 286, 350, 364, 414, 430		
Statistics of the lumbering industry of the United States for year ending May 31, 1880	436, 437		
STERCULLACEÆ	26, 268		
Stinking Cedar (<i>Torreya California</i>)	180, 334, 400, 460		
Stinking Cedar (<i>Torreya taxifolia</i>)	180, 334, 400, 406, 521		
Stopper (<i>Eugenia longipes</i>)	89, 288		
Stopper (<i>Eugenia monticola</i>)	89, 288, 366, 430		
Stopper, Gurgeon	88, 288, 366, 430		
Stopper, Red	89, 288, 366, 430		
Stopper, Spanish	88, 288, 366, 430		
Stopper, White	89, 288, 366, 430		
Strain, transverse, behavior of selected woods of the United States under: specimens eight centimeters square	414-417		
Strain, transverse, behavior of the principal woods of the United States under	354-414		
Strength of woods, method of determining the	262		
Strength, transverse, and specific gravity of certain woods, relation between	259-264		
Striped Dogwood	46, 274		
Striped Maple	46, 274		
Strombocarpa odorata	62		
Strombocarpa pubescens	62		
Strong Bark	114, 300, 372, 438		
Styphnolobium affine	58		
STYRACACEÆ	105, 106, 254, 257, 294, 368, 434		
Sugar and molasses, maple, produced in the United States in 1879, amount of	485		
Sugarberry	120, 306, 376, 414, 442		
Sugar Maple	48, 276, 356, 422		
Sugar Maple, Black	49, 276, 350, 358, 424		
Sugar, maple, product of Michigan	551		
Sugar, maple, product of New York	501		
Sugar, maple, product of Vermont	408		
Sugar Pine	188, 336, 350, 400, 406, 576, 578		
Sugar Pine an important tree in the Coast Forest	8		
Sugar Tree	48, 276, 358, 422		
Sumach, Coral	54, 278, 360, 424		
Sumach, Dwarf	53, 278, 360, 424		
Sumach, Poison	54, 278		
Sumach, Staghorn	53, 278		
Summer Haw (<i>Crataegus flava</i>)	83, 286		
Summer Haw (<i>Crataegus flava</i> , var. <i>pubescens</i>)	83, 286, 304, 430		
Susquehanna boom at Williamsport, Pennsylvania, number of logs rafted out of, 1862 to 1880	508		
Swallow	90, 288		
Swamp Cottenwood	172, 328, 394, 460		
Swamp Hickory (<i>Carya amara</i>)	136, 310, 350, 380, 414, 448		
Swamp Hickory (<i>Carya aquatica</i>)	136, 310, 350, 380, 414, 448		
Swamp Laurel	20, 206, 354, 414, 418		
Swamp Maple	50, 276, 358, 424		
Swamp Pine	202, 342, 352, 406, 416, 474		
Swamp Post Oak	140, 314, 350, 384, 450		
Swamp Spanish Oak	152, 320, 388, 454		
Swamp White Oak	141, 314, 384, 450		
Swamps, Cypress, of the Tensas river in Alabama	525-527		
Sweet Bay	20, 206, 354, 414, 418		
Sweet Birch	182, 324, 392, 458		
Sweet Buckeye	43, 274		
Sweet Gum	86, 286, 350, 364, 414, 430		
Sweet Leaf	105, 204, 368, 434		
Sweet Locust	50, 280, 360, 426		
Sweet-scented Crab	72, 284, 364, 428		
Swietenia	10, 13		
Swietenia Mahogoni	38, 248, 258, 256, 270, 350, 356, 420		
Swietenia Senegalensis	33		
Switch-bud Hickory	134, 310, 350, 380, 446		
		T.	
Table-mountain Pine	109, 340, 350, 404, 472		
Tacamahac	173, 328, 394, 460		
Tallowberry	28, 289, 366, 420		
Tallow Nut	34, 270		
Tamarack (<i>Larix Americana</i>)	215, 346, 352, 412, 478		
Tamarack (<i>Larix occidentalis</i>)	210, 348, 414, 480		
Tamarack (<i>Pinus Murrayana</i>)	105, 338, 350, 404, 470		
Tamarind, Wild	64, 282, 382, 426		
Tanbark Oak	155, 265, 322, 390, 456		
Tan Bay	25, 265, 268, 354, 418		
Tannin in the bark of certain species, per cent. of	285		
Tannin values of the bark of various trees	265		
Tar and rosin produced in North Carolina, grades of	517		
Tar, turpentine, and rosin industry of North Carolina	516-518		
Taxodium species (<i>Sequoia sempervirens</i>)	185		
Taxodium	4, 11, 16		
Taxodium ascendens	183		
Taxodium distichum	183, 250, 255, 258, 334, 350, 308, 466		
Taxodium distichum <i>fastigiatum</i>	183		
Taxodium distichum, var. <i>microphyllum</i>	183		
Taxodium distichum, var. <i>nutans</i>	183		
Taxodium distichum, var. <i>patens</i>	183		
Taxodium giganteum	184		
Taxodium microphyllum	183		
Taxodium, next to the Long-leaved Pine, the characteristic tree of the Southern Maritime Pine Belt	4		
Taxodium sempervirens	185		
Taxodium Washingtonianum	184		
Taxus	11, 12, 16, 572, 578		
<i>Taxus baccata</i> (<i>Taxus brevifolia</i>)	185		
<i>Taxus baccata</i> , var. <i>Canadensis</i>	185		
<i>Taxus Boursieri</i>	185		
<i>Taxus brevifolia</i>	185, 250, 255, 258, 334, 400, 466		
<i>Taxus Canadensis</i>	185		
<i>Taxus Floridana</i>	186, 250, 334, 521		
<i>Taxus Lindleyana</i>	185		
<i>Taxus montana</i>	186		
Tennessee, effect of fires upon the forests of	546		
Tennessee, lumber industry and manufactures from wood in	486, 487, 545		
Tennessee, rank of, according to value of lumber products	487		
Tennessee, statistics of forests, forest fires, standing timber, etc., in	402, 544, 545		
Tennessee valley in Alabama, forests of the	528, 529		
TEENSTACEMIACEÆ	25, 26, 253, 256, 268, 354, 418		
Tetranthera <i>Californica</i>	120		
Texas, Cedar an important tree in	540		
Texas, lumber industry and manufactures from wood in	486, 487, 541, 542		
Texas, rank of, according to value of lumber products	487		
Texas, remarks by Dr. Charles Mohr on the forests of	542, 548		
Texas, statistics of forests, forest fires, standing timber, etc., in	402, 540-543		
Texas, tabular statement of the amount of Longleafed, Loblolly, and Short-leaved Pine standing in the forests of, May 31, 1880	541		
Texas, the pecan-nut an important product west of the Colorado river in	543		
Thatch, Brickley	218, 348		
Thatch, Brittle	218, 348		
The Joshua	219, 348		
Thorn, Black	79, 280, 304, 430		
Thorn, Cockspur	76, 286, 364, 430		
Thorn, Newcastle	76, 286, 364, 430		
Thorn, Washington	81, 286		
Thora, White	78, 286		
Three-thorned Acacia	50, 280, 360, 426		
Thrinax	11, 16		
Thrinax argentea	218, 249, 348		
Thrinax Garberi	217		
Thrinax parviflora	217, 250, 348		
Thuya	7, 11, 12, 16, 566, 572, 578, 575, 576		
Thuya <i>Oregana</i>	176		
Thuya <i>excella</i>	178		
Thuya gigantea	177, 251, 255, 258, 330, 366, 402, 565, 566, 572, 578, 575, 576, 580		

GENERAL INDEX.

609

	Page.		Page.
<i>Thuya gigantea</i> (<i>Libocedrus decurrens</i>)	176	Timber, standing, forests, forest fires, etc., statistics of, in—continued.	
<i>Thuya Lobbii</i>	177	Texas	492, 540, 543
<i>Thuya Menziesii</i>	177	Utah	492, 569–571
<i>Thuya obtusa</i>	176	Vermont	492, 498–500
<i>Thuya occidentalis</i>	176, 251, 255, 258, 262, 330, 350, 396, 462, 552	Virginia	492, 511, 512
<i>Thuya occidentalis</i> , var. <i>plicata</i>	177	Washington	492, 573–576
<i>Thuya odorata</i>	178	West Virginia	492, 512–513
<i>Thuya plicata</i>	177	Wisconsin	492, 554–558
<i>Thuya Sibirica</i>	178	Wyoming	492, 566, 567
<i>Thuya sphaeroidalis</i>	177	Titi	38, 272, 350, 420
<i>Thuya sphaeroidea</i>	177	Tollon	84, 286
<i>Thuya Wareana</i>	176	Toothache Tree (<i>Xanthoxylum Americanum</i>)	29, 268
<i>Thuyopsis borealis</i>	178	Toothache Tree (<i>Xanthoxylum Clava-Herculis</i>)	30, 270, 356, 420
<i>Thuyopsis cupressoides</i>	178	Torchwood	33, 270, 356, 420
<i>Thuyopsis Tchugatkojæ</i>	178	Tornilla	62, 280, 302
<i>Thylax fraxineum</i>	29	Torreya	11, 12, 16, 521
Tide-land Spruce	206, 344, 408, 474, 580	Torreya California	186, 250, 255, 258, 334, 400, 466, 521
Tilia	10, 11, 13	Torreya Myristica	186
<i>Tilia alba</i>	27	Torreya taxifolia	186, 250, 255, 258, 334, 400, 466, 521
<i>Tilia Americana</i>	26, 250, 253, 256, 268, 356, 418	Toxicodendron arborescens	83
<i>Tilia Americana</i> (<i>Tilia Americana</i> , var. <i>pubescens</i>)	27	Toxylon Macilura	128
<i>Tilia Americana</i> , var. <i>heterophylla</i>	27	Toyon	84, 286
<i>Tilia Americana</i> , var. <i>pubescens</i>	27, 250, 253, 256, 268, 356, 420	Transmittal, letter of	ix
<i>Tilia Americana</i> , var. <i>Walteri</i>	27	Transverse strain, behavior of selected woods of the United States under:	
<i>Tilia Canadensis</i>	26	specimens eight centimeters square	414–417
<i>Tilia Caroliniana</i>	27	Transverse strain, behavior of the principal woods of the United States under	354–414
<i>Tilia glabra</i>	26	Transverse strength and specific gravity of certain woods, relation between	259–264
<i>Tilia grata</i>	27	Trees of the United States, weight of the dry wood of	249–251
<i>Tilia heterophylla</i>	27, 250, 253, 256, 268, 356, 420	Trees, tannin values of the bark of various	265
<i>Tilia heterophylla</i> , var. <i>alba</i>	27	Trefoil, Shrubby	81, 270
<i>Tilia latifolia</i>	26	<i>Trilopus dentata</i>	85
<i>Tilia laxiflora</i> (<i>Tilia Americana</i> , var. <i>pubescens</i>)	27	<i>Trilopus nigra</i>	85
<i>Tilia laxiflora</i> (<i>Tilia heterophylla</i>)	27	<i>Trilopus parvifolia</i>	85
<i>Tilia neglecta</i>	26	<i>Trilopus rotundifolia</i>	85
<i>Tilia nigra</i>	26	<i>Trilopus Virginiana</i>	85
<i>Tilia pubescens</i>	27	<i>Tsuga</i>	11, 12, 16, 573
<i>Tilia pubescens</i> , var. <i>leptophylla</i>	27	<i>Tsuga Canadensis</i>	206, 250, 255, 258, 269, 264, 265, 344, 352, 406, 474, 506
<i>Tilia stenopetala</i>	27	<i>Tsuga Caroliniana</i>	207, 250, 255, 258, 344, 410, 470, 506, 521
<i>Tilia truncata</i>	27	<i>Tsuga Douglasii</i>	209
TILIACEÆ	26–28, 253, 256, 268, 356, 418	<i>Tsuga Lindleyana</i>	209
Timber tree of the Pacific region, the Red Fir the most important	7	<i>Tsuga Mertensiana</i>	207, 250, 255, 258, 344, 410, 470, 565, 573
Timber, standing, forests, forest fires, etc., extent of, in the—		<i>Tsuga Pattoniana</i>	7, 208, 250, 255, 256, 265, 344, 410, 470, 565, 573
North Atlantic division	494–510	<i>Tulipastrum Americanum</i>	20
Northern Central division	547–563	<i>Tulipastrum Americanum</i> , var. <i>subcordatum</i>	20
South Atlantic division	511–523	<i>Tulipifera Liriodendron</i>	22
Southern Central division	524–546	<i>Tulip Tree</i>	22, 260, 250, 354, 418
Western division	564–580	<i>Tupelo</i>	92, 290, 366, 432
Timber, standing, forests, forest fires, etc., statistics of, in—		<i>Tupelo Gum</i>	93, 290, 350, 366, 432
Alabama	491, 524–530	<i>Tupelo</i> , Large	93, 290, 350, 366, 432
Alaska	580	<i>Tupelo</i> , Sour	91, 290, 366, 432
Arizona	491, 568, 589	<i>Turkey Oak</i>	151, 320, 388, 454
Arkansas	491, 543, 544	U.	
California	491, 578–580	<i>Ulmus</i>	11, 15
Colorado	567, 588	<i>Ulmus alata</i>	124, 249, 254, 257, 304, 374, 440
Connecticut	491, 500, 501	<i>Ulmus alba</i>	123
Dakota	491, 561, 562	<i>Ulmus Americana</i>	123, 250, 254, 257, 260, 304, 350, 374, 414, 440
Delaware	491, 511	<i>Ulmus Americana</i> (<i>Ulmus racemosa</i>)	123
District of Columbia	511	<i>Ulmus Americana</i> , var. <i>alata</i>	124
Florida	491, 520, 523	<i>Ulmus Americana</i> , var. <i>alba</i>	123
Georgia	491, 519, 520	<i>Ulmus Americana</i> , var. <i>aspera</i>	123
Idaho	491, 571–578	<i>Ulmus Americana</i> , var. <i>Bartramii</i>	123
Illinois	491, 547–550	<i>Ulmus Americana</i> , var. <i>pendula</i>	123
Indiana	491, 547	<i>Ulmus Americana</i> , var. <i>rubra</i>	122
Indian territory	543	<i>Ulmus Americana</i> , var. <i>scabra</i>	123
Iowa	491, 566	<i>Ulmus aquatica</i>	124
Kansas	491, 562, 563	<i>Ulmus crassifolia</i>	122, 249, 254, 257, 304, 374, 440
Kentucky	491, 545, 546	<i>Ulmus crispa</i>	122
Louisiana	491, 536–540	<i>Ulmus Floridana</i>	123
Maine	491, 494–496	<i>Ulmus fulva</i>	122, 249, 254, 257, 260, 304, 374, 440
Maryland	491, 511	<i>Ulmus mollifolia</i>	123
Massachusetts	491, 500, 501	<i>Ulmus nemoralis</i>	124
Michigan	491, 550–554	<i>Ulmus opaca</i>	122
Minnesota	491, 558–560	<i>Ulmus pendula</i>	123
Mississippi	491, 580–586	<i>Ulmus pubescens</i>	122
Missouri	491, 560, 561	<i>Ulmus pumila</i>	124
Montana	491, 564–566		
Nebraska	491, 562		
Nevada	491, 571		
New Hampshire	491, 496–498		
New Jersey	491, 508		
New Mexico	491, 568		
New York	491, 501–506		
North Carolina	491, 515–518		
Ohio	491, 547		
Oregon	491, 576–578		
Pennsylvania	491, 506–510		
Rhode Island	491, 500, 501		
South Carolina	491, 518, 519		
Tennessee	492, 544, 545		

GENERAL INDEX.

	Page.		Page.
<i>Ulmus racemosa</i>	123, 240, 254, 257, 260, 304, 374, 440	Washington territory, statistics of forests, forest fires, standing timber, etc., in	492, 573-576
<i>Ulmus rubra</i>	122	Washington territory, wasteful methods of the lumbermen of	574
<i>Umbellularia</i>	8, 11, 12, 15	Washington Thorn	81, 286
<i>Umbellularia California</i>	120, 250, 254, 257, 302, 374, 440, 576	Water Ash	110, 298, 370, 436
<i>Umbrella Tree</i>	21, 260, 354, 418	Water Beech (<i>Carpinus Caroliniana</i>)	150, 322, 392, 456
<i>Ungnadia</i>	10-31	Water Beech (<i>Platanus occidentalis</i>)	129, 306, 350, 376, 442
<i>Ungnadia heptaphylla</i>	44	Water Elm	128, 304, 350, 374, 414, 440
<i>Ungnadia heterophylla</i>	44	Water Hickory	136, 310, 350, 380, 414, 446
<i>Ungnadia speciosa</i>	12, 44, 250, 274, 422	Water Locust	60, 280, 302, 426
<i>Upland Willow Oak</i>	153, 320, 390, 456	Water Maple	50, 276, 358, 424
<i>Urostigma pedunculatum</i>	127	Water Oak (<i>Quercus aquatica</i>)	152, 320, 350, 388, 416, 454
<i>URTICACEÆ</i>	122-128, 254, 257, 304, 374, 414, 440	Water Oak (<i>Quercus palustris</i>)	152, 320, 388, 454
Utah, Colorado, and New Mexico, Chicago the principal source of supply of lumber for	568, 569	Water White Oak	140, 314, 350, 384, 450
Utah, lumber industry and manufactures from wood in	486, 487, 569	Watson, E. C., remarks on the forests of Utah by	569-571
Utah, rank of, according to value of lumber products	487	Watson, Sereno, remarks on the forests of certain counties of Oregon by	577, 578
Utah, remarks by Mr. E. C. Hall, on the forests of	569-571	Watson, Sereno, remarks on the forests of Idaho by	572, 573
Utah, statistics of forests, forest fires, standing timber, etc., in	492, 560-571	Watson, Sereno, remarks on the forests of Montana by	565, 566
<i>Uvaria triloba</i>	23	Watson, Sereno, remarks on the forests of Washington territory by	575, 576
V.			
<i>Vaccinium</i>	7	Watson, Sereno, report on the forests of the northern Rocky Mountain region by	564, 565
<i>Vaccinium</i>	11, 12, 15, 573	Wax Myrtle	186, 312, 380, 446
<i>Vaccinium arboreum</i>	96, 249, 292, 432	Weeping Oak	188, 312, 382, 418
<i>Vaccinium diffusum</i>	96	Weight, ash, and specific gravity per cubic foot of dry specimens of the woods of the United States	266-340
<i>Vaccinium muconatum</i>	96	Weight of the dry wood of trees of the United States	249-251
<i>Valparaiso Oak</i>	140, 318, 380, 452	<i>Wellingtonia Californica</i>	181
Value and amount of charcoal used for domestic and manufacturing pur- poses during the census year	489	<i>Wellingtonia gigantea</i>	184
Value and amount of wood used as fuel in manufactures, etc., during the census year	489	Western Catalpa	115, 300, 350, 392, 414, 438
Value and amount of wood used for domestic purposes during the census year	489	Western division, extent of forests, forest fires, standing timber, etc., in the	564-580
Value, economic, of the Redwood of California	578	West-Indian Birch	33, 270, 350, 356, 420
Value of property destroyed and areas burned over by forest fires during the census year (see, also, under state headings)	401, 492	West Virginia, lumber industry and manufactures from wood in	486, 487, 512-515
Value of the forest crop of the United States for the census year	485	West Virginia, rank of, according to value of lumber products	487
Values of woods, comparative	252-255	West Virginia, remarks by Mr. C. G. Pringle on the forests of	512-515
<i>Vauquelinia</i>	10, 12, 14	West Virginia, statistics of forests, forest fires, standing timber, etc., in	492, 512-515
<i>Vauquelinia corymbosa</i>	70	Weymouth Pine	187, 334, 350, 400, 460
<i>Vauquelinia Torreyi</i>	70, 240, 284	Whistlewood	40, 274
<i>VERBENACEÆ</i>	116, 117, 254, 257, 300, 372, 438	White and Black Spruces the characteristic trees of the Northern Forest.	3
Vermont, lumber industry and manufactures from wood in	486, 487, 498-500	White Ash	107, 296, 350, 370, 496
Vermont, maple-sugar product of	498	White Basswood	28, 268, 356, 420
Vermont, rank of, according to value of lumber products	487	White Bay	20, 266, 354, 414, 418
Vermont, remarks by Mr. C. G. Pringle on the forests of	498-500	White Birch (<i>Betula alba</i> , var. <i>populifolia</i>)	159, 324, 350, 392, 458
Vermont, statistics of forests, forest fires, standing timber, etc., in	492, 498-500	White Buttonwood	87, 288, 304, 430
Vermont, tabular statement of the amount of Spruce standing in the state of, May 31, 1880	498	White Cedar (<i>Chamaecyparis Lawsoniana</i>)	170, 332, 350, 398, 464
<i>Viburnum</i>	10-12, 14	White Cedar (<i>Chamaecyparis sphaeroidea</i>)	178, 330, 396, 416, 464
<i>Viburnum Lentago</i>	94, 249, 290, 432	White Cedar (<i>Lिबोद्रेस decurrens</i>)	176, 330, 396, 462
<i>Viburnum prunifolium</i>	94, 249, 259, 257, 386, 432	White Cedar (<i>Thuya occidentalis</i>)	170, 330, 350, 396, 462
<i>Viburnum prunifolium</i> , var. <i>ferrugineum</i>	94	White Cottonwood	175, 330, 396, 402
<i>Viburnum pyrifolium</i>	94	White Cypress	184, 334, 350, 398, 406
Vine Maple	47, 274, 358, 422	White Elm (<i>Ulmus Americana</i>)	128, 304, 350, 374, 414, 440
<i>Virgilia lutea</i>	57	White Elm (<i>Ulmus racemosa</i>)	128, 304, 374, 440
<i>Virgilia secundiflora</i>	57	White Fir (<i>Abies concolor</i>)	213, 346, 412, 478
Virginia, lumber industry and manufactures from wood in	486, 487, 512	White Fir (<i>Abies grandis</i>)	212, 346, 412, 478
Virginia, rank of, according to value of lumber products	487	White Ironwood	45, 274, 422
Virginia, statistics of forests, forest fires, standing timber, etc., in	492, 511, 512	White Laurel	20, 266, 354, 414, 418
W.			
Wafer Ash	31, 270	White Mangrove	87, 288, 364, 430
Wahoo (<i>Euonymus atropurpureus</i>)	38, 272	White Maple	49, 270, 358, 424
Wahoo (<i>Tilia heterophylla</i>)	28, 268, 356, 420	White Oak (<i>Quercus alba</i>)	187, 265, 312, 350, 380, 414, 446
Wahoo (<i>Ulmus alata</i>)	124, 304, 374, 440	White Oak (<i>Quercus Garryana</i>)	188, 312, 350, 382, 448, 576
<i>Wallia cinerea</i>	130	White Oak (<i>Quercus grisea</i>)	144, 316, 386, 452
<i>Wallia nigra</i>	131	White Oak (<i>Quercus lobata</i>)	188, 312, 382, 448
Walnut	131, 308, 378, 444	White Oak (<i>Quercus oblongifolia</i>)	144, 316, 386, 452
Walnut, Black	131, 308, 350, 376, 414, 444	White Oak, Mountain	143, 316, 386, 450
Walnut, White	130, 308, 376, 442	White Oak, Swamp	141, 314, 384, 450
Washingtonia	11, 12, 16	White Oak, Water	140, 314, 350, 384, 450
Washingtonia filifera	217, 250, 255, 259, 348, 414, 480	White Pine (<i>Pinus flexilis</i>)	188, 330, 400, 408, 569, 570, 571
Washington territory, lumber industry and manufactures from wood in	486, 487, 574	White Pine (<i>Pinus glabra</i>)	201, 340, 406, 472
Washington territory, rank of, according to value of lumber products	487	White Pine (<i>Pinus monticola</i>)	187, 336, 400, 466, 564, 574, 576
Washington territory, remarks by Mr. Sereno Watson on the forests of	575, 576	White Pine (<i>Pinus柔exa</i>)	189, 336, 402, 468
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, wasteful methods of the lumbermen of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, rank of, according to value of lumber products			
Washington territory, remarks by Mr. Sereno Watson on the forests of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, wasteful methods of the lumbermen of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, rank of, according to value of lumber products			
Washington territory, remarks by Mr. Sereno Watson on the forests of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, wasteful methods of the lumbermen of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, rank of, according to value of lumber products			
Washington territory, remarks by Mr. Sereno Watson on the forests of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, wasteful methods of the lumbermen of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, rank of, according to value of lumber products			
Washington territory, remarks by Mr. Sereno Watson on the forests of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, wasteful methods of the lumbermen of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, rank of, according to value of lumber products			
Washington territory, remarks by Mr. Sereno Watson on the forests of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, wasteful methods of the lumbermen of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, rank of, according to value of lumber products			
Washington territory, remarks by Mr. Sereno Watson on the forests of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, wasteful methods of the lumbermen of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, rank of, according to value of lumber products			
Washington territory, remarks by Mr. Sereno Watson on the forests of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, wasteful methods of the lumbermen of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, rank of, according to value of lumber products			
Washington territory, remarks by Mr. Sereno Watson on the forests of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, wasteful methods of the lumbermen of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, rank of, according to value of lumber products			
Washington territory, remarks by Mr. Sereno Watson on the forests of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, wasteful methods of the lumbermen of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, rank of, according to value of lumber products			
Washington territory, remarks by Mr. Sereno Watson on the forests of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, wasteful methods of the lumbermen of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, rank of, according to value of lumber products			
Washington territory, remarks by Mr. Sereno Watson on the forests of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, wasteful methods of the lumbermen of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, rank of, according to value of lumber products			
Washington territory, remarks by Mr. Sereno Watson on the forests of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, wasteful methods of the lumbermen of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, rank of, according to value of lumber products			
Washington territory, remarks by Mr. Sereno Watson on the forests of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, wasteful methods of the lumbermen of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, rank of, according to value of lumber products			
Washington territory, remarks by Mr. Sereno Watson on the forests of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, wasteful methods of the lumbermen of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in			
Washington territory, rank of, according to value of lumber products			
Washington territory, remarks by Mr. Sereno Watson on the forests of			
Washington territory, statistics of forests, forest fires, standing timber, etc., in</td			

GENERAL INDEX.

611

	Page
White Pine standing in the forests of Wisconsin May 31, 1880, tabular statement of the amount of.....	554
White Pine the characteristic tree of the Northern Pine Belt.....	4
White Spruce (<i>Picea alba</i>).....	204, 342, 408, 474, 562, 564
White Spruce (<i>Picea Engelmanni</i>).....	205, 205, 342, 408, 474, 564, 573, 574
White Spruce (<i>Picea pungens</i>).....	205, 344, 408, 474
White Spruce the most important tree in the Pacific region.....	7
White Stopper.....	89, 288, 360, 430
White Thorn.....	78, 286
White Walnut.....	130, 306, 376, 442
White-heart Hickory.....	134, 310, 350, 380, 444
Whitewood (<i>Canella alba</i>).....	24, 208, 354, 418
Whitewood (<i>Drypetes crocea</i>).....	121, 302, 374, 440
Whitewood (<i>Liriodendron Tulipifera</i>).....	22, 260, 350, 354, 418
Wild Black Cherry.....	68, 282, 362, 428
Wild Cherry (<i>Prunus Capuli</i>).....	60, 252, 428
Wild Cherry (<i>Prunus demissa</i>).....	69, 284, 362, 428
Wild China.....	44, 274, 358, 414, 422
Wild Cinnamon.....	24, 268, 354, 418
Wild Dilly.....	103, 294, 368, 434
Wild Fig.....	127, 306, 376, 442
Wild Lime (<i>Xanthoxylum Pterota</i>).....	31, 270
Wild Lime (<i>Ximenia Americana</i>).....	34, 270
Wild Orange (<i>Prunus Caroliniana</i>).....	70, 284, 362, 428
Wild Orange (<i>Xanthoxylum Clava-Herculis</i>).....	30, 270, 356, 420
Wild Peach.....	70, 284, 362, 428
Wild Plum.....	65, 282, 362, 426
Wild Red Cherry.....	66, 282, 428
Wild Tamarind.....	64, 282, 362, 426
Willow (<i>Salix amygdaloides</i>).....	166, 326, 394, 460
Willow (<i>Salix hævigata</i>).....	167, 326, 394, 460
Willow (<i>Salix lasiandra</i>).....	167, 326
Willow (<i>Salix lasiolepis</i>).....	171, 328, 394, 460
Willow, Black (<i>Salix flavescentis, var. Scouleriana</i>).....	170, 328, 394, 460
Willow, Black (<i>Salix nigra</i>).....	166, 326, 394, 460
Willow, Desert.....	116, 300, 372, 438
Willow, Diamond.....	170, 328
Willow, Glaucons.....	109, 328
Willow Oak.....	154, 322, 390, 456
Willow Oak, Upland.....	158, 320, 380, 456
Willow, Sand-bar.....	168, 326
Willow, Silky.....	171, 328
Winged Elm.....	124, 304, 374, 440
Wintera <i>Canella</i>	24
Wisconsin, lumber industry and manufactures from wood in.....	486, 487, 554, 556
Wisconsin, rank of, according to value of lumber products.....	487, 555
Wisconsin, remarks by Mr. H. C. Putnam on the forests of.....	555-558
Wisconsin, statistics of forests, forest fires, standing timber, etc., in 492, 554-558	
Wisconsin, tabular statement of the amount of White Pine standing in the forests of, May 31, 1880.....	554
Witch Hazel.....	85, 286
Woodlands in Kentucky, pasture of.....	546
Wood, manufactures from, and the lumber industry in—	
Alabama.....	486, 487, 524, 535
Arizona.....	486, 487, 569
Arkansas.....	486, 487, 544
California.....	486, 487, 578, 580
Colorado.....	486, 487, 567, 588
Connecticut.....	486, 487, 500, 501
Dakota.....	486, 487, 561
Delaware.....	486, 487, 511
District of Columbia.....	486, 487
Florida.....	486, 487, 521, 523
Georgia.....	486, 487, 519, 520
Idaho.....	486, 487, 572
Illinois.....	486, 487, 548-550
Indiana.....	486, 487, 547
Iowa.....	486, 487, 500, 500
Kansas.....	486, 487, 563
Kentucky.....	486, 487, 546
Louisiana.....	486, 487, 530, 537
Maine.....	486, 487, 494-496
Maryland.....	486, 487, 511
Massachusetts.....	486, 487, 500, 501
Michigan.....	486, 487, 551, 552
Minnesota.....	486, 487, 558
Mississippi.....	486, 487, 531
Missouri.....	486, 487, 560, 561
Montana.....	486, 487, 564
Nebraska.....	486, 487, 562
Nevada.....	486, 487, 571
New Hampshire.....	486, 487, 497, 498
New Jersey.....	486, 487, 506
New Mexico.....	486, 487, 568
New York.....	486, 487, 502-503
North Carolina.....	486, 487, 515
Wood, manufactures from, and the lumber industry in—continued.	
Ohio.....	486, 487, 547
Oregon.....	486, 487, 577
Pennsylvania.....	486, 487, 500-510
Rhode Island.....	486, 487, 500, 501
South Carolina.....	486, 487, 518, 519
Tennessee.....	486, 487, 545
Texas.....	486, 487, 541, 542
Utah.....	486, 487, 569
Vermont.....	486, 487, 498-500
Virginia.....	486, 487, 512
Washington.....	486, 487, 574
West Virginia.....	486, 487, 512-515
Wisconsin.....	486, 487, 564, 556
Wyoming.....	486, 487, 567
Wood used as fuel in manufactures, etc., during the census year, amount and value of.....	489
Wood used for domestic purposes during the census year, amount and value of.....	489
Woods, comparative values of.....	252-255
Woods, method of determining the fuel value of.....	247, 251, 252
Woods, method of determining the strength of.....	252
Woods of the United States, actual fuel value of some of the more important.....	350-353
Woods of the United States under compression, behavior of the principal.....	418-481
Woods of the United States under transverse strain, behavior of the principal.....	354-414
Woods, relation between transverse strength and specific gravity of certain.....	259-264
Woods, specific gravity and ash of.....	248-251
Woods, where specimens of, were deposited.....	247, 248
Wyoming, lumber industry and manufactures from wood in.....	492, 567
Wyoming, rank of, according to value of lumber products.....	487
Wyoming, statistics of forests, forest fires, standing timber, etc., in 492, 566, 567	
X.	
Xanthoxylum.....	10, 11, 13
Xanthoxylum Americanum.....	29, 250, 268
Xanthoxylum aromaticum.....	30
Xanthoxylum Caribaeum.....	30, 249, 253, 256, 270, 356, 420
Xanthoxylum Carolinianum.....	30
Xanthoxylum Oatesianum.....	30
Xanthoxylum Clava-Herculis.....	30, 250, 253, 256, 270, 356, 420
Xanthoxylum Clava-Herculis (<i>Xanthoxylum Americanum</i>).....	29
Xanthoxylum Clava-Herculis (<i>Xanthoxylum Caribaeum</i>).....	30
Xanthoxylum Olava-Herculis, var.....	30
Xanthoxylum Clava-Herculis, var. fruticosum.....	30, 250, 270
Xanthoxylum Floridanum.....	30
Xanthoxylum fraxineum.....	29
Xanthoxylum fraxinifolium (<i>Xanthoxylum Americanum</i>).....	29
Xanthoxylum fraxinifolium (<i>Xanthoxylum Clava-Herculis</i>).....	30
Xanthoxylum hirsutum.....	30
Xanthoxylum lanceolatum.....	30
Xanthoxylum macrophyllum.....	30
Xanthoxylum mite.....	29
Xanthoxylum Pterota.....	31, 249, 270
Xanthoxylum ramiflorum.....	29
Xanthoxylum triacarpum (<i>Xanthoxylum Americanum</i>).....	29
Xanthoxylum triacarpum (<i>Xanthoxylum Clava-Herculis</i>).....	30
Ximenia.....	10, 13
Ximenia Americana.....	34, 249, 270
Ximenia montana.....	34
Ximenia multiflora.....	34
X.	
Yapon.....	86, 272
Yazoo delta in Mississippi, forests of the.....	535, 536
Yellow Ash.....	57, 278, 360, 426
Yellow-bark Oak.....	140, 265, 318, 350, 388, 454
Yellow Birch.....	161, 324, 392, 458
Yellow Cypress.....	178, 332, 398, 464
Yellow Fir.....	209, 265, 344, 352, 410, 476, 576
Yellow Haw.....	82, 286
Yellow Locust.....	55, 278, 350, 360, 414, 424
Yellow Oak (<i>Quercus prinoides</i>).....	143, 265, 316, 384, 450
Yellow Oak (<i>Quercus tinctoria</i>).....	149, 265, 318, 350, 388, 454
Yellow Pine (<i>Pinus Arizonica</i>).....	102, 338, 402, 408
Yellow Pine (<i>Pinus mitis</i>).....	200, 340, 350, 406, 472, 520
Yellow Pine (<i>Pinus palustris</i>).....	202, 342, 352, 406, 416, 472
Yellow Pine (<i>Pinus ponderosa</i>).....	193, 338, 350, 402, 468, 502, 505, 574, 578
Yellow Pine an important and characteristic tree of the Coast Forest.....	8

GENERAL INDEX.

	Page.		Page.
Yellow Poplar.....	22, 266, 354, 418	Yucca canaliculata.....	218, 249, 348
Yellowwood (<i>Cladrastis tinctoria</i>)	57, 278, 360, 426	<i>Yucca Dracoids</i> , var. <i>arborescens</i>	218
Yellowwood (<i>Schaefferia frutescens</i>)	80, 272	Yucca elata.....	219, 250, 348
Yew (<i>Taxus brevifolia</i>).....	185, 334, 400, 466	Yucca filamentosa.....	219
Yew (<i>Taxus Floridana</i>).....	186, 334, 521	<i>Yucca Treculiana</i>	218
Yopen	36, 272		
Yucca.....	11, 12, 16		
<i>Yucca angustifolia</i> , var. <i>elata</i>	219		
<i>Yucca angustifolia</i> , var. <i>radiosa</i>	219		
Yucca baccata.....	6, 12, 219, 251, 348		
Yucca brevifolia.....	9, 18, 218, 251, 348, 578	Z.	
		<i>Zizyphus Dominicensis</i>	41
		<i>Zizyphus emarginatus</i>	39
		ZYGOHYLLACEAE	28, 29, 253, 258, 268, 356, 420