

Compartment Review Presentation

Newberry Forest Management Unit

Compartment 42029 Entry Year 2025 Acreage: 1,846 County Luce

Management Area: Grand Marais Moraine Complex

Stand Examiner: Victor Porteous

Legal Description:

T49N R10W Sections 2,3,10,11 & 15

Identified Planning Goals:

Maintain forest productivity, forest health, species diversification, and age class diversification through silvicultural and natural processes.

Soil and topography:

Compartment consists primarily of Deer Park and Rubicon Sand. The dominant forest cover types are jack pine and red pine. The topography throughout the compartment varies from level to rolling. There are receding beach line features in the north half of the compartment. The topography features in this compartment were not identified as Critical Dunes but these features are very similar to areas that have been identified as Critical Dunes in adjacent areas. The guidelines how to treat Critical Dune should be followed.

Ownership Patterns, Development, and Land Use in and Around the Compartment:

Ownership within the compartment boundaries is primarily State of Michigan. There are various small private land owners mixed in amongst the State land. State of Michigan land borders the compartment to the west and south with a mix of small private land owners and State bordering to the east. The northern border of the compartment is Lake Superior. There is no real development in and around the compartment. Most of the private land is used as seasonal property and hunting camps. Land use in the area would entail seasonal recreation on the ORV and snowmobile trails along with camping at the Reed and Green Bridge State Forest Campground just outside the compartment boundary

Unique Natural Features:

No Unique Natural Features known.

Archeological, Historical, and Cultural Features:

No Archeological, Historical, or Cultural Features known.

Special Management Designations or Considerations:

The topography and features in the northern portion of this compartment is similar to that of the Critical Dunes identified in adjacent areas. There are also receding beach line topography in the north half of the compartment. All necessary precautions will be taken with any management done in these areas. See the guidelines that have been established on how to treat Critical Dunes. The North Country Pathway, Pine Stump Snowmobile Tail, and Two Heart ORV trail all run through the compartment and steps for visual concerns should be taken when necessary with management activities.

Watershed and Fisheries Considerations:

ELSMU-Cory Kovacs

This portion of the Two Hearted River supports wild brook trout, as well as seasonal steelhead, coho, and Chinook salmon. The Two Hearted River is also designated as a Natural River requiring a 100-ft buffer in any areas where timber management is taking place. Following the guidelines of the Two Hearted River Natural River Plan, a 100-ft buffer needs to be maintained along the river in all treatment areas.

Wildlife Habitat Considerations:

Compartment 29- This small compartment is located in the Grand Marais Sandy End Moraine and Outwash ecological subsubsection. The Two-Hearted River serves as the eastern boundary of this compartment and is bordered by lowlands, providing an excellent wildlife travel corridor. Large jack and red pine stands dominate the compartment with small amounts of upland hardwoods, and aspen located centrally within the compartment. The current day species composition is consistent with records of presettlement conditions.

In a predominantly pine forested ecosystem, maintaining a variety of age and size classes and retaining as much structural diversity in managed stands as possible will be important to achieving wildlife objectives. Mast producing species, suitable nest and den trees, and snags will be retained and enhanced where they occur. Wildlife featured species in this management area include blackburnian and black throated blue warbler, spruce and sharp-tailed grouse,

snowshoe hare, black bear, American marten, piping plover, Kirtland's warbler, black-backed woodpecker, and red crossbill.

Mineral Resource and Development Concerns and/or Restrictions

Surface sediments consist of lacustrine (lake) clay, silt, sand, and gravel. There is insufficient data to determine the glacial drift thickness. The Precambrian Jacobsville Sandstone subcrops below glacial drift. The Jacobsville has been used as a building stone in the past. There are no gravel pits located in the area and potential appears to be limited. There is no economic oil and gas production in the Upper Peninsula.

Vehicle Access:

The compartment is located north of Newberry along the Lake Superior shoreline. Access to the compartment can be gained via the Coast Guard Road, and County Roads 374 and 410. Several two track roads transect the compartment providing access to most upland areas. The Two Heart ORV trail and Pine Stump Snowmobile trail also provide recreational vehicle access through the compartment.

Survey Needs:

Recreational Facilities and Opportunities:

Recreational opportunities consist of fishing, hunting, hiking, canoeing, camping, wildlife viewing, berry picking, ORV / snowmobile trail riding, and site seeing. The Pine Stump Snowmobile trail, trail #8, runs east and west through the compartment. A portion of the Two Hearted ORV trail runs through the compartment, through stands 10, 13 and 43. Do not skid along the trail and keep the trail clear of logging slash and debris. If trail marker trees are to be cut, work with the trails analyst or Rec Spec to place carsonite posts with trail markers. A portion of the North Country National Scenic Trail runs through this compartment. The Reed and Green Bridge State Forest Campground is located just outside the compartment boundary along the Two Hearted River. Canoeing and fishing are popular recreational activities along the Two Hearted River.


Fire Protection:

Large fire runs are possible because of the continuous conifer cover type and conifer age structure. Narrow sandy two tracks will challenge access by wheeled suppression equipment. Private property in and surrounding this compartment could be at risk from wildfires.

Additional Compartment Information:


The following reports from the Inventory are attached: Total Acres by Cover Type and Age Class Cover Type by Harvest Method Proposed Treatments – No Limiting Factors Proposed Treatments – With Limiting Factors Stand Details (Forested and Nonforested) Dedicated and Proposed Special Conservation Areas Site Condition Details

The following information is displayed, where pertinent, on the attached compartment maps: Base feature information, stand boundaries, cover types, and numbers Proposed treatments Site condition boundaries Details on the road access system





Stand Boundary Map


Compartment: 29 T49N R10W Sections 2,3,10,11 & 15 County: Luce Unit: Newberry Mgmt Area: Grand Marais Moraine Complex YOE: 2025 Acres: 1846.4 GIS Calculated Examiner: Victor Porteous Map Revised: 8/30/2023 Map Phase: Pre-Review



Miris Corners +**Remonumented Section Corners** Survey Grade Corners 0 Counties DNR - Secondary Forest Road = = DNR - Forest Access Route - • - County - Gravel Road - - Private - Dirt / Gravel Road Hiking Trails 💑 ORV Trails 🚣 Snowmobile Trails - Designated Hiking Trails Designated ATV Designated Snowmobile Trails Lake/Pond Perennial River Shoreline Lakes and Rivers A Berms H Bridges Compartment Boundary Stand Boundaries 411 - Northern Hardwood 413 - Aspen 419 - Mixed Upland Deciduous 421 - Planted Pines 422 - Natural Pines 423 - Other Upland Conifers 611 - Lowland Deciduous Forest 612 - Lowland Coniferous Forest 122 - Roads/Parking Lot 320 - Upland Shrub 500 - Water 622 - Lowland Shrub 710 - Sand/Soil











Stand Boundary Map


Compartment: 29 T49N R10W Sections 2,3,10,11 & 15 County: Luce Unit: Newberry Mgmt Area: Grand Marais Moraine Complex YOE: 2025 Acres: 1846.4 GIS Calculated Examiner: Victor Porteous Map Revised: 8/30/2023 Map Phase: Pre-Review











Report 1 – Total Acres by Cover Type and Age Class

Newberry Mgt. Unit

Victor Porteous : Examiner

Compartment 29 Year of Entry 2025





Age Class

| | No. | KOSE C | 83 / 4 | 81-51 24-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5 | | 3 | en in | 3 8 | | £ 5 | 8 55 8 | 8 4 | ⁷ a ⁷ | 6. | E. E. | 67.1 N | AR ST | St Joos | AND LOO |
|------------------------|-----|--------|--------|---|-----|-----|-------|-----|-----|-----|-----------|-----|-----------------------------|----|-------|--------|-------|---------|---------|
| Aspen | 0 | 8 | 27 | 29 | 24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 88 |
| Jack Pine | 0 | 62 | 68 | 0 | 105 | 132 | 0 | 0 | 271 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 637 |
| Lowland Conifers | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 66 | 82 |
| Lowland Deciduous | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| Lowland Shrub | 60 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 60 |
| Lowland Spruce/Fir | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 16 |
| Mixed Upland Deciduous | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 27 | 27 |
| Natural Mixed Pines | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 140 | 146 |
| Northern Hardwood | 0 | 0 | 0 | 21 | 0 | 0 | 0 | 0 | 55 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 76 |
| Red Pine | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 337 | 155 | 21 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 513 |
| Sand, Soil | 21 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 21 |
| Upland Shrub | 140 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 140 |
| Upland Spruce/Fir | 0 | 0 | 0 | 0 | 0 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| Urban | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| Water | 24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 24 |
| Total | 250 | 70 | 95 | 50 | 129 | 141 | 0 | 4 | 689 | 155 | 27 | 0 | 0 | 0 | 0 | 0 | 0 | 239 | 1848 |




| AN | Newberry Mgt. Offic | | Compartment 29 |
|----|---------------------|----------------------------------|--------------------------------|
| | Year of Entry: 2025 | Acres of Harvest | Total Compartment Acres: 1,846 |
| | | Commercial Harvest - 270 | |
| | | Harvests with Site Condition - 0 | |
| | | Next Step Harvest - 0 | |
| | | Habitat Cut - 0 | |





Proposed and Next Step Treatments by Method



- -

| Newberry Mgt. Unit S t | | | | I | Repo | rt 3 ⁻ | Treatments | | Compartmer Year of Entr | | 5 | |
|--|--|-----------------------------------|--|----------------------------------|--------------|-------------------|-------------------|---------------------------------|-----------------------------|------------------|------------|--|
| a n d | Treatment Name | Acres | Stand CoverType | Size Density | Stand Age | BA Range | Treatment Type | Treatment Method | Cover Type Objective | Age Structure | Habi | |
| pose | ed Treatmen | <u>ts:</u> | | | | | | | | | | |
| 11 | 42029011-Cut | 270.5 | 42220 - Natural Jack Pine | Poletimbe Well | r 70 | 171- 200 | Harvest | Clearcut with Retention | 4222 - Natural Jack Pine | Even-Aged | N | |
| Pres Spec | | | ak. Leave 3-10% p nter of stand, and a | | | | | ountry Trail and adj | acent timber sale | to the SE, buf | ifer strip | |
| | <u>t Step</u> Monitor <u>atments:</u> Monitor | | ral Regen (Intermed cial Regen(1yr) | diate); Sitel | Prep, T | renching; | Planting, Initia | al Plant; Planting, | Unfurrowed; Site | Prep, Scarific | ation; | |
| Acce Reg | | ine with co | omponents of Red | and White P | ine, Re | ed Oak, Bi | rch, and some I | Maple. | | | | |
| ittog | | | | | | | | | | | | |
| Othe Com | _ 0 | e may cha | ange due to topogra | aphy/retentio | on. | | | | | | | |
| Com | er Acreag ament: Condition | e may cha | ange due to topogra | aphy/retentic | on. | | | | | | | |
| Com Site | <u>ment:</u> | | | aphy/retentio | on. | | | | | | | |
| Com Site | Condition oosed Start Date 42029040- | | | aphy/retentio Sapling Poor | on. 4 | Immatu re | Monitoring | Natural Regen | 4222 - Natural Jack Pine | Even-Aged | N | |
| Com Site Prop 40 Pres | Condition Condition Dosed Start Date 42029040- Monitor Scription Monitor | : 10/1 /20 7.8 |)24 | Sapling Poor | | Immatu re | Monitoring | Natural Regen (Intermediate) | 4222 - Natural Jack Pine | Even-Aged | N | |
| Com Site Prop 40 | Condition Condition Dosed Start Date 42029040- Monitor Scription Monitor | : 10/1 /20 7.8 | 024 4130 - Aspen | Sapling Poor | | | Monitoring | | | Even-Aged | N | |
| Com Site Prop 40 Pres Spec | Condition Condition Cossed Start Date 42029040- Monitor Scription Monitor CS: t Step | : 10/1 /20 7.8 | 024 4130 - Aspen | Sapling Poor | | | Monitoring | | | Even-Aged | N | |
| Com Site Prop 40 Press Spec Next Trea | Condition Condition bosed Start Date 42029040- Monitor scription Monitor cs: t Step ttments: | : 10/1 /20 7.8 r for natura | 024 4130 - Aspen al Jack Pine regene | Sapling Poor eration. | 4 | re | Ŭ | | | Even-Aged | N | |
| Com Site Prop 40 Press Spec Next Trea | Condition Condition Cosed Start Date 42029040- Monitor ccription Monitor cs: t Step ttments: Condition Cost Cost Condition Cost Condition Cost Cost Condition Cost Condition Cost Condition Cost Condition Cost Condition Cost Co | : 10/1 /20 7.8 r for natura | 024 4130 - Aspen | Sapling Poor eration. | 4 | re | Ŭ | | | Even-Aged | N | |
| Corr Site Prop 40 Press Speet Next Treat Accea Regu | Condition Condition 20029040- 42029040- Monitor Scription Monitor CS: t Step ttments: eptable Jack Pi en: | : 10/1 /20 7.8 r for natura | 024 4130 - Aspen al Jack Pine regene | Sapling Poor eration. | 4 | re | Ŭ | | | Even-Aged | N | |
| Corr Site Prop 40 Press Speet Next Trea Acces Regu | Condition Condition 2005ed Start Date 42029040- Monitor Scription Monitor Scription Monitor Monitor Scription Monitor Scription Monitor Monitor Scription | : 10/1 /20 7.8 r for natura | 024 4130 - Aspen al Jack Pine regene | Sapling Poor eration. | 4 | re | Ŭ | | | Even-Aged | Ν | |

Total Treatment 278.3 Acreage Proposed:

Report 4 – Site Conditions

Newberry Mgt. Unit

Compartment: 29 Year of Entry: 2025

Victor Porteous : Examiner

Availability for Management

| Total | Acres | Acres Avail | Acres | | Domina | nt Site | e Con | dition | s | | | | |
|-------|-----------|----------------|---------------|------------------------|--------|---------|-------|--------|----|----|-----|----|----|
| Acres | Available | With Condition | Not Available | | 5B | 5C | 5F | 1A | 2F | 3B | 3D | 5D | 5E |
| 87 | 87 | 0 | 0 | Aspen | | | | | | | | | |
| 637 | 637 | 0 | 0 | Jack Pine | | | | | | | | | |
| 82 | 49 | 0 | 34 | Lowland Conifers | | | | 20 | | | | 14 | |
| 4 | 4 | 0 | 0 | Lowland Deciduous | | | | | | | | | |
| 60 | 41 | 0 | 19 | Lowland Shrub | | | | 19 | | | | | |
| 16 | 16 | 0 | 0 | Lowland Spruce/Fir | | | | | | | | | |
| 27 | 0 | 27 | 0 | Mixed Upland Deciduous | | 27 | | | | | | | |
| 146 | 6 | 0 | 140 | Natural Mixed Pines | | | | 0 | | | 140 | | |
| 76 | 36 | 40 | 0 | Northern Hardwood | | | 40 | | | | | | |
| 512 | 96 | 387 | 29 | Red Pine | 79 | 308 | 0 | 21 | 5 | 0 | | | 3 |
| 21 | 19 | 0 | 1 | Sand, Soil | | | | | | | 1 | | |
| 140 | 139 | 0 | 0 | Upland Shrub | | | | 0 | | | | | 0 |
| 9 | 0 | 9 | 0 | Upland Spruce/Fir | | | 9 | | | | | | |
| 5 | 4 | 0 | 2 | Urban | | | | 0 | | | 2 | | |
| 24 | 9 | 0 | 15 | Water | | | | 13 | | | | | 1 |
| 1,846 | 1,144 | 463 | 239 | Total Forested Acres | 79 | 335 | 49 | 73 | 5 | 0 | 143 | 14 | 4 |
| | 62% | 25% | 13% | Relative Percent | | | | | | | | | |

*Due to limitations in the current Site Conditions Analysis tool, all nonforested acres are considered available. Future development will enable analysis of nonforested types.

| | Dominant Site Condition | Acres | Other Site Condition | Other Site Condition | Other Site Condition | Other Site Condition |
|-----------|---|---|--|---|--|---|
| Available | 5F: Evaluated for Forest Health Considerations | 10 | Unspecified | Unspecified | Unspecified | Unspecified |
| | or. Evaluated for SBW. | | | | | |
| Available | 5B: Maintain for regeneration purposes | 21 | Unspecified | Unspecified | Unspecified | Unspecified |
| Comments: | | | | | | |
| | | | | | | |
| | Cond Availability Available Comments: Natural River Corrid | Cond AvailabilityDominant Site ConditionAvailable5F: Evaluated for Forest Health ConsiderationsComments: Natural River Corridor. Evaluated for SBW.Available5B: Maintain for regeneration purposes | Cond AvailabilityDominant Site ConditionAcresAvailable5F: Evaluated for Forest Health Considerations10Comments: Natural River Corridor. Evaluated for SBW.21Available5B: Maintain for regeneration purposes21 | Cond AvailabilityDominant Site ConditionAcresOther Site ConditionAvailable5F: Evaluated for Forest Health Considerations10UnspecifiedComments: Natural River Corridor. Evaluated for SBW.10UnspecifiedAvailable5B: Maintain for regeneration purposes21Unspecified | Cond AvailabilityDominant Site ConditionAcresOther Site ConditionOther Site ConditionAvailable5F: Evaluated for Forest Health Considerations10UnspecifiedUnspecifiedComments: Natural River Corridor. Evaluated for SBW.21UnspecifiedUnspecifiedAvailable5B: Maintain for regeneration purposes21UnspecifiedUnspecified | Cond AvailabilityDominant Site ConditionAcresOther Site ConditionOther Site ConditionOther Site ConditionAvailable5F: Evaluated for Forest Health Considerations10UnspecifiedUnspecifiedUnspecifiedComments: Natural River Corridor. Evaluated for SBW.21UnspecifiedUnspecifiedUnspecifiedAvailable5B: Maintain for regeneration purposes21UnspecifiedUnspecifiedUnspecified |

Report 4 – Site Conditions

Compartment: 29

Victor Porteous : Examiner

Newberry Mgt. Unit

| Year | of | Entry: | 2025 |
|------|----|--------|------|
| | - | | |

| 4 | Available | 5F: Evaluated for Forest Health Considerations | 40 | Unspecified | Unspecified | Unspecified | Unspecified |
|----|---------------------------------------|--|----------|----------------------------|-------------|-------------|-------------|
| | Comments: Evaluated for SBW | | | | | | |
| 5 | Unavailable | 5E: Long-Term Retention | 3 | Unspecified | Unspecified | Unspecified | Unspecified |
| | Comments: | | | | | | |
| 6 | Unavailable | 5E: Long-Term Retention | 1 | Unspecified | Unspecified | Unspecified | Unspecified |
| | Comments: | | | | | | |
| 7 | Unavailable | 3B: Threatened, endangered, and special concern species | 0 | Unspecified | Unspecified | Unspecified | Unspecified |
| | Comments: | | | | | | |
| 8 | Available | 5C: Delay treatment for age/size class diversity or exceptional site quality | 14 | Unspecified | Unspecified | Unspecified | Unspecified |
| | Comments: Cedar, Spruce, Wh | ite Pine, and Balsam Fir all pres | sent. Wa | as part of PVT, now state- | owned. | | |
| 9 | Unavailable | 1A: Federal/State/Local Law | 73 | Unspecified | Unspecified | Unspecified | Unspecified |
| | Comments: Natural River mana | agement zone | | | | | |
| 10 | Unavailable | 3D: Recreational / Scenic values | 2 | Unspecified | Unspecified | Unspecified | Unspecified |
| | Comments: Reed and Green C | ampground | | | | | |

Report 4 – Site Conditions

Compartment: 29 Year of Entry: 2025

Victor Porteous : Examiner

Newberry Mgt. Unit

| 11 | Unavailable | 3D: Recreational / Scenic values | 35 | Unspecified | Unspecified | Unspecified | Unspecified |
|----|-----------------------------|--|-----|-------------|-------------|-------------|-------------|
| | omments: CT and Lake Sup | perior shoreline | | | | | |
| 12 | Available | 5C: Delay treatment for age/size class diversity or exceptional site quality | 20 | Unspecified | Unspecified | Unspecified | Unspecified |
| Co | omments: | | | | | | |
| 13 | Unavailable | 5E: Long-Term Retention | 3 | Unspecified | Unspecified | Unspecified | Unspecified |
| Co | omments: | | | | | | |
| 14 | Unavailable | 2F: Too steep | 5 | Unspecified | Unspecified | Unspecified | Unspecified |
| Co | omments: | | | | | | |
| 15 | Available | 5B: Maintain for regeneration purposes | 21 | Unspecified | Unspecified | Unspecified | Unspecified |
| Co | omments: | | | | | | |
| 16 | Available | 5C: Delay treatment for age/size class diversity or exceptional site quality | 226 | Unspecified | Unspecified | Unspecified | Unspecified |
| Co | omments: | | | | | | |
| 17 | Available | 5B: Maintain for regeneration purposes | 37 | Unspecified | Unspecified | Unspecified | Unspecified |
| Co | omments: | | | | | | |
| Co | omments: | | | | | | |

| Nev | vberry Mgt. Unit | | Report 4 – Site Cor | ditions | Compartment: 29 |
|-----------|---------------------------------|----|---------------------|-------------|---------------------|
| Victor Po | rteous : Examiner | | | | Year of Entry: 2025 |
| available | 5D: Unproductive Forest Land | 14 | Unspecified | Unspecified | Unspecified |
| | | | | | |

| (| Comments: | | | | | | |
|----|--|--|------------|--------------------------|-----------------------------|----------------|-------------|
| 19 | Available | 5C: Delay treatment for age/size class diversity or exceptional site quality | 23 | Unspecified | Unspecified | Unspecified | Unspecified |
| | Comments: In the Two-Hearted | d River Zone, so must follow gui | delines fo | or harvest. May be ready | for harvest at next invento | ry cycle. | |
| 20 | Available | 5C: Delay treatment for age/size class diversity or exceptional site quality | 24 | Unspecified | Unspecified | Unspecified | Unspecified |
| (| Comments: | | | | | | |
| 21 | Available | 5C: Delay treatment for age/size class diversity or exceptional site quality | 27 | Unspecified | Unspecified | Unspecified | Unspecified |
| (| Comments: | | | | | | |
| 22 | Unavailable | 3D: Recreational / Scenic values | 106 | Unspecified | Unspecified | Unspecified | Unspecified |
| | Comments: 2023- Thought abc | out proposing treatment to cut Ja | ack Pine o | out of stand. Topography | and access would make th | nis difficult. | |

18

Unavailable

Unspecified



Report 5 – PROPOSED SPECIAL CONSERVATION AREA* (SCA) DETAILS

* This is a partial list of SCAs for this compartment. Not included are those areas identified under other Department initiatives (Natural Rivers, Deer Wintering Areas, etc.). Those will be identified in separate, future map and report products.

| SCA Name | SCA Category | Detail Type | Recommendation | Acres |
|---|------------------------------|-------------------------|----------------|-------|
| Reed & Green Bridge Campground Comments | Concentrated Recreation Area | State Forest Campground | SCA | 0 |



Report 6 – EXISTING SPECIAL CONSERVATION AREA DETAILS

* This is a list of SCA's for this compartment along with a 1/4 mile buffer surrounding the compartment. Refer to the Special Conservation Area Map for locations of the below listed Conservation Areas.

| Conservati Area | on Type | Description | ERA = Ecological Reference Area HCVA = High Conservation Value Area SCA = Special Conservation Area |
|--------------------|---|--|---|
| SCA | Cold Water Stream | A coldwater stream has temperature and dissolved oxygen condi stocked trout populations and those of other coldwater fish speci- year to year. Coldwater streams in Michigan typically provide the contributions of groundwater to their stream flows. Such streams designated as trout resources by Fisheries Order 210. | es (e.g., slimy sculpin) to persist from se conditions due to substantial |
| SCA | Non-Dedicated Natural Areas and National Natural Landmarks | This category is comprised of those Natural, Wilderness and Wild proposed for legal dedication, but for which legal dedication by le nomination process is defined by Part 351, Wilderness and Natu Environmental Protection Act, 1994 PA 451. The program is adm require the submittal of a Natural Areas Nomination Packet to the proposed sites in various stages of review. Final dedication of no Areas is accomplished through legislative action. | gislature has not occurred. The ral Areas, of the Natural Resources and inistered by the DNR. Nominations DNR. This is an active program, with |
| HCVA | Designated Critical Habitat | Critical habitat areas are established via a consultative and coop U.S. Fish and Wildlife service for the recovery of threatened and 365, Endangered Species Protection, of the Natural Resources a PA 451, and the Federal Endangered Species Act of 1973. This is species plans in various stages of review. As of now only two ex Plover Habitat. | endangered species, as governed by Part and Environmental Protection Act, 1994 s an active program, with proposed |
| HCVA | Legally dedicated Natural Areas, Wilderness or Wild Areas | The nomination process is defined by Part 351, Wilderness and I and Environmental Protection Act, 1994 PA 451. The program is require the submittal of a Natural Areas Nomination Packet to the proposed sites in various stages of review. Final dedication of no Areas is accomplished through legislative action. | administered by the DNR. Nominations DNR. This is an active program, with |
| HCVA | Natural Rivers | There are two Natural Rivers datasets which are derived from spa approved distance from the river centerlines. The Natural Rivers most Natural Rivers. The Vegetative Buffer ranges from 25 to 10 | Zoning District is a 400 foot buffer for |

Report 7 – Stands

Compartment: 29 Year of Entry: 2025

| OF NATURAL PRODUCTS |
|---------------------|
| MICHIGAN |

| Stand | Level 4 C | over Type | | Size Density | | Acres | Stand Age | BA Range | Managed S | Site | General Comments | |
|-------|---|-----------------------------------|---|--------------------------------|-----------------------|--------|--------------|-------------|-------------------------|---|---|--|
| 1 | 320 - Up | and Shrub | | Nonsto | ocked | 138.4 | 0 | Unspecified | 4222 - Natural | Jack Pine | Stand had all jack pine removed as part of Two Heart Jack, #027-15. Some scattered individual red pine remain. Scarify complete 9/15/17. | |
| | | | | | | Sub-Ca | anopy Specie | | Avg. Height < 5 feet | Size Seeding | FTP 42-882.Regen survey 5/22/2023: Approximately 65% stocked 12- | |
| | | | | | | Ja | ack Pine | High | | | 24" jack pine with areas of moderate stocking now slowly filling in with | |
| | | | | | | W | hite Pine | Trace | < 5 feet | Seeding | new trees from this year. Stocking approximately 700 TPA. Should look | |
| | | | | | | R | led Pine | Trace | < 5 feet | Seeding | at again for mortality upon next inventory. | |
| 2 | 122 - Road/Parking Lot | | Nonstocked | | 1.6 | 0 | Unspecified | No | | Reed and Green State Forest Campground; 7 designated campsites; Tahquamenon Falls SP management. | | |
| 4 | 42120 - Plan Canopy Species Red Pine Jack Pine White Pine | | Size Class Log Sapling Sapling | Sapling DBH 13 3 3 | g Well H Age 31 | 33.0 | 31 | Immature | N/A | | Stand was cut in 97'. Young jack pine saplings with small component of White Pine, 2-4" dbh. Very thick. Some large Red Pine overstory. | |
| 5 | 42210 - Na | tural Red Pi | ine | Poletimb | er Poor | 8.4 | 75 | 81-110 | N/A | | | |
| | Canopy Species White Pine Red Pine | % Cover 10 90 | Size Class Log Log | DBH 12 12 | Age 75 | | | | | | | |
| 6 | 42290 - Nati | | | Poletimb | | 139.8 | 112 | 111-140 | N/A | | | |
| | Canopy Species | % Cover | | | I Age | | anopy Specie | | Avg. Height | Size | - | |
| | Red Oak | 20 | Pole/Log | 12 | | | alsam Fir | Medium | < 5 feet | Sapling | - | |
| | Jack Pine | 50 | Pole | 7 | 112 | | ack Pine | Low | 5 - 10 feet | Sapling | - | |
| | Red Pine | 30 | Log/XLog | 16 | 112 | | ed Maple | Medium | 5 - 10 feet | Sapling | | |
| | | | | | | R | Red Oak | Medium | 5 - 10 feet | Sapling | | |
| 7 | 710 - 5 | Sand, Soil | | Nonsto | ocked | 20.7 | | Unspecified | No | | | |
| 8 | 42220 - Nat | tural Jack P | ine | Sapling | g Well | 60.7 | 31 | 81-110 | N/A | | Good regeneration coming up, few large red pine mixed within. Also | |
| | Canopy Species | % Cover | Size Class | DBF | I Age | | | | | | there were two small patches of trees in the stand that were combined into stand 8 rather than stand 13. These were kept as retention within | |
| | Red Pine | 5 | Log | 16 | 85 | | | | | | stand 8 from the previous cutting. | |
| | White Pine | 5 | Pole/Log | 10 | | | | | | | | |
| | Jack Pine | 90 | Sapling/Pole | e 4 | 31 | | | | | | | |
| 9 | 42220 - Nat | | | Sapling | - | 67.9 | 15 | Immature | N/A | | Young Jack Pine stand, lots of regen, small amount of W. Pine incorporated. 1- 2 1/2" diameter avg. 6-10' tall. | |
| | Canopy Species | | Size Class | | l Age | | | | | | | |
| | White Pine | 5 | Pole | 10 | | | | | | | Regen 2013: 616 TPA of jack pine. | |
| | | 0.0 | O and l' a se | | 4.5 | | | | | | | |
| | Jack Pine Red Pine | 90 5 | Sapling Pole | 2 | 15 | | | | | | | |

Report 7 – Stands

Compartment: 29 Year of Entry: 2025

| OFNATURAL | |
|------------|---|
| St and the | ١ |
| E P | 2 |
| | 2 |
| 19. | / |
| MICHIGAN | |

 \sim

| C4 | | | | | Acres | Ctand Ana | | Managard C | | General Comments | |
|-------|--------------------------------------|-------------|--------------|------------|----------|------------|-------------|--|--------------|------------------|--|
| Stand | Level 4 Co | 3 | Size Density | | | Stand Age | BA Range | Managed S | lite | General Comments | |
| 10 | 122 - Road | d/Parking L | ot | Nonstocked | | 3.7 | | Unspecified | No | | |
| 11 | 42220 - Nat | er Well | 270.5 | 70 | 171-200 | N/A | | 2013. Large natural jack pine stand that was just acquired by the state. | | | |
| | Canopy Species | | | DBH Age | | | | | | | Very few red and white pine within the stand. 2023. Large natural jack pine stand. Very small component Red and White Pine. |
| | Jack Pine | 100 | Pole/Sap/Log | 7 | 70 | | | | | | |
| 12 | 42210 - Nat | ural Red P | ine Saw | vtimbei | r Medium | 20.6 | 99 | 111-140 | N/A | | Mature Red Pine stand, has decent Red Pine regen mixed with some |
| | Canopy Species | % Cover | Size Class | s DBH Age | | Sub-Ca | nopy Specie | s Density | Avg. Height | Size | Jack Pine. |
| | Red Pine | 100 | Log | 13 | 99 | R | ed Pine | Low | 5 - 10 feet | Sapling | |
| | | | | | | Ja | ck Pine | Low | 5 - 10 feet | Sapling | |
| 13 | 42210 - Nat | tural Red P | ine Saw | vtimbe | r Medium | 42.2 | 83 | 51-80 | N/A | | Harvested via Thinning in 2016 as part of Two Heart Jack, #027-15. |
| | Canopy Species | % Cover | Size Class | DBH | I Age | Sub-Ca | nopy Specie | s Density | Avg. Height | Size | Good White and Red Pine regeneration coming in, along with some |
| | Red Pine | 75 | Log/XLog | 14 | 83 | Re | d Maple | Low | 10 - 20 feet | Sapling | Maple and Paper Birch. |
| | White Pine | 25 | Log | 14 | 83 | Ba | lsam Fir | Low | 10 - 20 feet | Sapling | |
| | | | | | | Whi | te Spruce | Low | < 5 feet | Sapling | |
| | | | | | | White Pine | | Medium | 10 - 20 feet | Sapling | |
| | | | | Ja | ck Pine | Low | < 5 feet | Sapling | | | |
| | | | | | R | ed Pine | Medium | 10 - 20 feet | Sapling | | |
| | | | | | | Pa | per Birch | Low | 10 - 20 feet | Sapling | |
| 14 | 42210 - Nat | tural Red P | ine Saw | vtimbe | r Medium | 25.5 | 87 | 111-140 | N/A | | Large red pine in the stand with some large white pine as well. Good |
| | Canopy Species | % Cover | Size Class | DBH | I Age | Sub-Ca | nopy Specie | s Density | Avg. Height | Size | Spruce and Red Maple regen coming in, with some White Pine as well. |
| | Red Maple | 8 | Pole/Sap/Log | 7 | | Re | d Maple | Low | 10 - 20 feet | Sapling | |
| | White Pine | 15 | Log/Pole | 12 | 87 | R | ed Oak | Low | 5 - 10 feet | Sapling | |
| | Red Pine | 65 | Log | 12 | 87 | Wł | nite Pine | Low | 10 - 20 feet | Sapling | - |
| | Red Oak | 10 | Log | 11 | | Whi | te Spruce | Medium | 5 - 10 feet | Sapling | - |
| | Paper Birch | 2 | Pole | 7 | | | | · · · · · | | | - |
| 15 | 4113 - R.Maple, Conifer Poletimber W | | | | er Well | 8.2 | 77 | 81-110 | N/A | | 2013-Stand has many smaller 5-8" trees that have defects in them. The |
| | Canopy Species | % Cover | Size Class | DBH | I Age | Sub-Ca | nopy Specie | s Density | Avg. Height | Size | stand is slightly thin for the covertype. 2023- Red Maple/Balsam mix. Stand largely consists of 7-9" individuals, there are mature trees in the 1 |
| | Red Pine | 5 | Pole/Log | 10 | | Ba | lsam Fir | Medium | 5 - 10 feet | Sapling | 18" range scattered throughout as well. Lots of snags and natural |
| | Balsam Fir | 20 | Pole/Sapling | 7 | | Wł | nite Pine | Low | 5 - 10 feet | Sapling | thinning taking place. |
| | White Pine | 10 | Pole/Log | 10 | | Re | d Maple | Medium | 5 - 10 feet | Sapling | |
| | | | | | | | | | | | |

Compartment: 29

Year of Entry: 2025



| Stand | Level 4 C | over Type | s | Size De | nsity | Acres | Stand Age | BA Range | Managed S | ite | General Comments |
|-------|--|---|-----------------------------------|--------------------------|---------|----------------------------|-------------------------|-------------------------------------|--|------------------------|---|
| 16 | 4130 - Aspen | | | Saplinę | | 23.6 | 34 | Unspecified | N/A | | Stand is mainly aspen with balsam fir and paper birch coming in. Some Sugar Maple as well. There are a few large scattered red pine and white |
| | Canopy Species | % Cover | | | Age | | | | | | pine in the stand. |
| | Quaking Aspen | 70 | Sapling/Pole | 4 | 34 | | | | | | |
| | Jack Pine | 10 | Sapling/Pole | 4 | 25 | | | | | | |
| | Sugar Maple | 10 | Sapling | 3 | | | | | | | |
| | Paper Birch | 10 | Sapling | 3 | 34 | | | | | | |
| 17 | 42220 - Natural Jack Pine | | | Poletimber Well | | 11.5 | 31 | Unspecified | N/A | | Semi-mature Jack Pine stand, has large Red Pine overstory. Few |
| | Canopy Species % Cover Size Class | | | DBH | Age | | | | | | scattered Red Oak, especially along road to south. |
| | Jack Pine | 80 | Pole/Sapling | 5 | 31 | | | | | | |
| | Red Pine | 20 | Log | 12 | | | | | | | |
| 18 | 42220 - Nat | ural Jack F | ine | Saplinę | g Well | 61.7 | 6 | Immature | N/A | | Removed all Jack Pine, some large Red and White Pine left. Part of Two |
| | Canopy Species | DBH | Age | | | | | | Heart Jack 42-27-15, Scarification complete 9/15/17. FTP 42-882. | | |
| | Red Pine | 5 | Log | 14 | 80 | | | | | | 5/19/2023 Heavy Jack Pine regen, over 75% stocked, avg seedlings are |
| | White Pine | 5 | Sapling | 1 | 6 | | | | | | 12-24" tall. Large White Pine overstory/seed tree. |
| | White Pine | 5 | Log | 14 | 80 | | | | | | |
| | Jack Pine | 85 | Sapling | 1 | 6 | | | | | | |
| 19 | 4117 - Mixed N | . Hardwood | I - Pine | Saplinę | g Well | 20.6 | 26 | Immature | N/A | | Stand was cut in 95', jack pine regen has given way to the deciduous |
| | Canopy Species | % Cover | Size Class | DBH | Age | Sub-Ca | nopy Specie | s Density | Avg. Height | Size | species, mostly Sugar Maple with some Red Maple. Large Red and White Pine mixed throughout. |
| | Balsam Fir | 5 | Sapling | 2 | | Ba | lsam Fir | Low | 5 - 10 feet | Sapling | |
| | White Pine | 10 | Sapling/Pole | 2 | | WI | nite Pine | Low | 5 - 10 feet | Sapling | |
| | Sugar Maple | 50 | Sapling | 2 | 26 | Re | ed Maple | Medium | 5 - 10 feet | Sapling | |
| | Jack Pine | 10 | Sapling/Pole | 3 | 26 | | | | | | |
| | Red Maple | 25 | Sapling | 2 | | | | | | | |
| 20 | 42290 - Natu | Iral Mixed I | Pine Po | oletimb | er Poor | 6.3 | 90 | 81-110 | N/A | | Removed all jack pine, some large red pine left. part of Two Heart Jack |
| | Canopy Species | % Cover | Size Class | DBH | Age | Sub-Ca | nopy Specie | es Density | Avg. Height | Size | 42-27-15. |
| | White Pine | 15 | Log/XLog | 14 | 90 | WI | nite Pine | Low | < 5 feet | Sapling | Overstory consists of mainly Red Pine, with scattered White Pine. |
| | | 50 | Log | 12 | 90 | Blac | ck Spruce | Low | 5 - 10 feet | Sapling | Undergrowth mainly Balsam and Red Maple. |
| | Red Pine | 00 | | | | De | d Maple | Medium | 10 - 20 feet | Sapling | |
| | Red Pine White Spruce | 20 | Pole/Sapling | 5 | | Re | u maple | moundin | | | |
| | | | Pole/Sapling Pole/Sapling | 5 6 | | | Ilsam Fir | Medium | 10 - 20 feet | Sapling | |
| 21 | White Spruce Red Oak | 20 | Pole/Sapling | 6 | er Well | | | | 10 - 20 feet N/A | Sapling | Stand has steep ridges make logging very difficult. Stand has heavy |
| 21 | White Spruce Red Oak | 20 15 Upland Fir | Pole/Sapling | 6 oletimb | er Well | Ва 9.4 | lsam Fir | Medium Unspecified | | Sapling Size | balsam fir and spruce component with red pine sparsely scattered |
| 21 | White Spruce Red Oak 42330 - | 20 15 Upland Fir | Pole/Sapling | 6 oletimb | | 9.4 Sub-Ca | Ilsam Fir 44 | Medium Unspecified | N/A | | Stand has steep ridges make logging very difficult. Stand has heavy balsam fir and spruce component with red pine sparsely scattered througout. |
| 21 | White Spruce Red Oak 42330 - Canopy Species | 20 15 Upland Fir % Cover | Pole/Sapling Pole/Sapling | 6 oletimb DBH | Age | 9.4 Sub-Ca Re | 44 1000 Specie | Medium Unspecified es Density | N/A Avg. Height | Size | balsam fir and spruce component with red pine sparsely scattered |
| 21 | White Spruce Red Oak 42330 - Canopy Species Balsam Fir | 20 15 Upland Fir % Cover 75 | Pole/Sapling Pole Size Class Pole | 6 oletimb DBH 7 | Age | 9.4 Sub-Ca Re Ba | 44 44 nopy Specie | Medium Unspecified Density Medium | N/A Avg. Height 5 - 10 feet | Size Sapling | balsam fir and spruce component with red pine sparsely scattered |

Report 7 – Stands

Compartment: 29 Year of Entry: 2025



| Stand | Level 4 C | over Type | | Size De | nsity | Acres | Stand Age | BA Range | Managed | Site | General Comments |
|-------|-------------------------|-----------------------|--------------|----------|----------|---------|-------------|-------------|--------------|------------|--|
| 22 | 6122 - B | ack Spruce | | Poletimb | er Well | 6.1 | 89 | Unspecified | N/A | | Wet with bog in middle of stand. Well stocked, Spruce, Balsam, with |
| | Canopy Species | % Cover | Size Class | DBH | Age | Sub-Car | nopy Specie | es Density | Avg. Height | Size | some Red and White Pine. |
| | Black Spruce | 65 | Pole | 7 | 89 | Red | d Maple | Medium | 5 - 10 feet | Sapling | |
| | White Pine | 10 | Log | 13 | 89 | Lea | therleaf | Medium | < 5 feet | Tall Shrub | |
| | Red Pine | 10 | Log | 12 | | Bal | sam Fir | Medium | 5 - 10 feet | Sapling | |
| | Balsam Fir | 15 | Pole | 5 | | Blac | k Spruce | Medium | 5 - 10 feet | Sapling | |
| 23 | 622 - Lov | vland Shrub | | Nonsto | ocked | 15.4 | | Unspecified | No | | |
| 24 | 42220 - Nat | ural Jack P | ine | Saplinę | g Well | 131.9 | 41 | 171-200 | N/A | | Southwest of stand along road has mix of Red and White Pine, few |
| | Canopy Species | % Cover | Size Class | DBH | Age | | | | | | scattered Oaks. The rest of stand is healthy young Jack Pine. East/We road through middle of stand is very tight, barely passable by pickup, n |
| | Red Pine | 5 | Pole/Log | 10 | | | | | | | room for turn-around. 4-stick average height. |
| | Jack Pine | 95 | Pole/Sapling | g 5 | 41 | | | | | | |
| 25 | 6124 - Lowl | and Spruce | -Fir Po | oletimbe | r Mediur | n 16.3 | 79 | Unspecified | N/A | | |
| | Canopy Species | % Cover | Size Class | DBH | Age | Sub-Car | nopy Specie | es Density | Avg. Height | Size | |
| No | rthern White Cedar | 30 | Pole | 8 | | Bal | sam Fir | Medium | < 5 feet | Sapling | |
| | Black Spruce | 40 | Pole/Sapling | g 6 | 79 | Blac | k Spruce | Medium | < 5 feet | Sapling | |
| | Balsam Fir | 30 | Pole/Sapling | g 6 | | | | | | | |
| 26 | 4191 - Mixed Upla Co | and Deciduo onifer | ous with | Poletimb | er Well | 26.8 | 79 | 111-140 | N/A | | Center pocket almost entirely a young Aspen stand. West side of stand very wet with some Hemlock, Balsam, and Maples. Outside of stand h |
| | Canopy Species | % Cover | Size Class | DBH | Age | Sub-Car | nopy Specie | es Density | Avg. Height | Size | log-sized Sugar Maple, some Red Maple. Large Red and White Pine throughout stand. |
| | Sugar Maple | 30 | Log | 13 | 79 | Pap | er Birch | Low | 10 - 20 feet | Sapling | Large amount of Striped Maple understory. |
| | Red Maple | 10 | Log | 13 | | Red | d Maple | Medium | 10 - 20 feet | Sapling | Some very large White Pine 40+" |
| | White Pine | 15 | Log | 14 | | Wh | ite Pine | Medium | 10 - 20 feet | Sapling | |
| | Red Pine | 15 | Log | 13 | 79 | Strip | ed Maple | Medium | 10 - 20 feet | Sapling | |
| 27 | 4112 - Maple, Beed | h, Cherry A | ssociation | Poletimb | er Well | 46.8 | 70 | 51-80 | N/A | | Pole sized hardwood stand with both Red and Sugar Maple. Good |
| | Canopy Species | | Size Class | | Age | | nopy Specie | es Density | Avg. Height | Size | amount of Balsam component. Large White Pine scattered throughout stand. |
| | Sugar Maple | 20 | Pole | 7 | | Red | d Maple | Medium | 5 - 10 feet | Sapling | - |
| | Red Maple | 60 | Pole | 8 | 70 | Bal | sam Fir | Medium | < 5 feet | Sapling | |
| | Balsam Fir | 20 | Pole/Sapling | g 7 | | | | | | | |
| 28 | | ack Spruce | | Poletimb | | 10.3 | 75 | Unspecified | N/A | | Stand has steep ridges making access difficult. Spruce - fir component dominated stand. North side of stand is large steep ridgeline. |
| | Canopy Species | | Size Class | | Age | | nopy Specie | | Avg. Height | Size | מסוווותנים שנוות. הסונה שמי סי שנמות ש ומוצב שנכבף וומצבוווב. |
| | Yellow Birch | 10 | Pole | 8 | | | k Spruce | Medium | 5 - 10 feet | Sapling | |
| | Balsam Fir | 20 | Pole/Sapling | - | | Bal | sam Fir | Medium | 5 - 10 feet | Sapling | |
| | Black Spruce | 70 | Pole | 7 | 75 | | | | | | |

Report 7 – Stands

Compartment: 29

Year of Entry: 2025



| Stand | d Level 4 C | over Type | s | ize De | nsity | Acres | Stand Age E | BA Range | Managed S | Site | General Comments |
|-------|----------------|--------------------------------|---------------|---------|---------|-------------|--------------|-------------|--------------|---------|---|
| 29 | 42210 - Na | tural Red P | ine Saw | vtimber | Medium | า 24.1 | 70 | 81-110 | N/A | | Stand was cut in 97', red pine poles with white pine mixed throughout. |
| | Canopy Species | % Cover | Size Class | DBH | Age | Sub-Car | nopy Species | Density | Avg. Height | Size | Lots of variability in sub-canopy regeneration depending on location |
| | White Pine | 20 | Log/Pole/XLog | 11 | | Wh | ite Pine | Medium | 10 - 20 feet | Sapling | within stand. |
| | Red Pine | 80 | Log/Pole | 11 | 70 | Bal | sam Fir | Medium | 5 - 10 feet | Sapling | Some very large 40"+ White Pine. |
| | | | | | | Aspe | en (spp.) | Low | 10 - 20 feet | Sapling | |
| | | | | | | Red | d Maple | Low | 10 - 20 feet | Sapling | |
| 30 | 42210 - Na | tural Red P | ine Po | oletimb | er Well | 42.6 | 80 | 111-140 | N/A | | Two hearted river zone, mature Red and Jack Pine, with decent Red Oak |
| | Canopy Species | % Cover | Size Class | DBH | Age | Sub-Car | nopy Species | Density | Avg. Height | Size | regeneration with some Red Maple. |
| | Jack Pine | 10 | Pole | 7 | 80 | Red | d Maple | Low | 10 - 20 feet | Sapling | |
| | Red Oak | 5 | Pole/Sap/Log | 8 | 80 | Jao | ck Pine | Medium | 5 - 10 feet | Sapling | |
| | Red Pine | 70 | Log/XLog | 12 | 80 | Wh | ite Pine | Low | 5 - 10 feet | Sapling | |
| | White Pine | 15 | Pole/Log | 12 | 80 | Re | ed Oak | Low | 5 - 10 feet | Sapling | |
| 31 | 320 - Up | land Shrub | 1 | Nonsto | cked | 1.1 | L | Inspecified | No | | Small turn-around that some use to access the Two-Hearted river. Evidence of campfires. |
| 32 | 4133 - Aspe | en, Mixed P | line Po | oletimb | er Well | 28.6 | 26 L | Inspecified | N/A | | Aspen mixed with white and red pine along with balsam fir and white spruce. Small red maple scattered throughout. Stand data from previous |
| | Canopy Species | % Cover | Size Class | DBH | Age | Sub-Car | nopy Species | Density | Avg. Height | Size | inventory and cutting records. |
| | Red Maple | 5 | Pole/Sapling | 6 | | Red | d Maple | Medium | >20 feet | Sapling | |
| | Bigtooth Aspen | 60 | Sapling/Pole | 4 | 26 | Whit | e Spruce | Medium | Variable | Sapling | |
| | White Pine | 20 | Log/Pole | 10 | | Wh | ite Pine | Low | Variable | Sapling | |
| | Balsam Fir | 15 | Pole/Sapling | 6 | | Bal | sam Fir | Medium | Variable | Sapling | |
| 33 | 42210 - Na | tural Red P | ine Sa | awtimb | er Well | 23.0 | 82 | 81-110 | N/A | | Crown thinning in 2018 as part of Crop Circle Red Pine, #023-16. |
| | Canopy Species | % Cover | Size Class | DBH | Age | Sub-Car | nopy Species | Density | Avg. Height | Size | Lots of White Pine regen, 1-3" dia. Large log trees in stand, both Red and |
| | Red Pine | 80 | Log | 13 | 82 | Red | d Maple | Medium | 10 - 20 feet | Sapling | White Pine. |
| | White Pine | 20 | Log | 13 | 82 | Bal | sam Fir | Medium | 5 - 10 feet | Sapling | |
| | | | | | | Wh | ite Pine | High | 10 - 20 feet | Sapling | |
| 34 | 500 | - Water | | Nonsto | cked | 2.4 | L | Inspecified | No | | |
| 35 | 622 - Lov | vland Shrut |) | Nonsto | cked | 11.8 | L | Inspecified | No | | |
| 36 | 622 - Lov | 622 - Lowland Shrub Nonstocked | | 2.5 | L | Inspecified | No | | | | |

Report 7 – Stands

Compartment: 29 Year of Entry: 2025

NR DNR

| tanc | Level 4 C | over Type | | Size De | nsity | Acres | Stand Age | BA Range | Managed S | Site | General Comments |
|------|--------------------|--------------|--------------|----------|---------|------------|-------------|-------------|--------------|------------|--|
| 37 | 6113 - Lo | wland Maple | e f | Poletimb | er Well | 4.0 | 64 | Unspecified | N/A | | Two hearted river zone. Stand is very wet. |
| | Canopy Species | % Cover | Size Class | DBH | Age | Sub-Ca | nopy Specie | s Density | Avg. Height | Size | |
| | Red Maple | 70 | Pole/Sapling | j 7 | 64 | Та | g Alder | Medium | 5 - 10 feet | Tall Shrub | 9 |
| | Black Spruce | 10 | Sapling/Pole | 9 4 | 64 | Blac | k Spruce | High | 5 - 10 feet | Sapling | |
| No | rthern White Cedar | 5 | Pole | 6 | | Re | d Maple | Medium | 5 - 10 feet | Sapling | |
| | Balsam Fir | 15 | Pole/Sapling | 6 | 64 | | | | | | |
| 88 | 500 | - Water | | Nonsto | cked | 2.2 | | Unspecified | No | | |
| 39 | 622 - Lov | wland Shrub |) | Nonsto | cked | 12.0 | | Unspecified | No | | |
| 10 | 4130 | - Aspen | | Sapling | Poor | 7.8 | 4 | Immature | N/A | | Clearcut in 2018 as part of Crop Circle Red Pine, #023-16. To be |
| | Canopy Species | % Cover | Size Class | DBH | Age | | | | | | scarified in 2019 under FTP 42-907. 7/28/2020: Stand Scarified summer of 2020. 5/22/2023: Good Birch and Aspen regeneration. |
| | Bigtooth Aspen | 65 | Sapling | 1 | 4 | | | | | | Some Red Pine coming in as well. No Jack Pine can be seen as of ye |
| | Paper Birch | 32 | Sapling | 1 | 4 | | | | | | Will continue to monitor for 2-3 years. |
| | Red Maple | 3 | Pole/Log | 8 | | | | | | | |
| 1 | 42210 - Na | tural Red Pi | ne s | Sawtimb | er Well | 21.0 | 85 | 81-110 | N/A | | Mature Red Pine stand with mix of White Pine. About 75-80% canopy |
| | Canopy Species | % Cover | Size Class | DBH | Age | Sub-Ca | nopy Specie | s Density | Avg. Height | Size | closure. White Pine and Balsam regen throughout, while central and e central areas of stand have good amount of Bigtooth Aspen regenerat |
| | Red Pine | 80 | Log | 12 | 85 | Wh | nite Pine | Medium | 10 - 20 feet | Sapling | with Red Maple component. |
| | White Pine | 20 | Log | 12 | | Balsam Fir | | Medium | 5 - 10 feet | Sapling | |
| | | | | | | Re | d Maple | Medium | 10 - 20 feet | Sapling | |
| | | | | | | Bigto | oth Aspen | Low | 10 - 20 feet | Sapling | |
| 2 | 42210 - Na | tural Red Pi | ne F | Poletimb | er Well | 6.1 77 1 | | 111-140 | N/A | | Mix of pole and log sized Red Pine with Jack Pine throughout. Possibl |
| | Canopy Species | % Cover | Size Class | DBH | Age | Sub-Ca | nopy Specie | s Density | Avg. Height | Size | ready for harvest at next inventory cycle. |
| | Red Pine | 85 | Log/Pole | 10 | 77 | Re | ed Pine | Low | 5 - 10 feet | Sapling | |
| | Jack Pine | 15 | Pole | 7 | 77 | Wh | nite Pine | Medium | 5 - 10 feet | Sapling | |
| 3 | 42110 - Pla | nted Red Pi | ine s | Sawtimb | | 240.9 | 76 | 81-110 | N/A | | Crown thinning in 2018 as part of Crop Circle Red Pine, #023-16. |
| | Canopy Species | | Size Class | | Age | | nopy Specie | s Density | Avg. Height | Size | Understory looks to be completely Aspen at first glance, but some R |
| | White Pine | 25 | Log | 15 | 76 | Re | d Maple | Low | 5 - 10 feet | Sapling | Maple and W Pine present as well. If left alone, conversion to Aspen |
| | Red Pine | 75 | Log | 14 | 76 | | White Pine | | 5 - 10 feet | Sapling | stand is possible. |
| | | | | | | Bigto | oth Aspen | High | 5 - 10 feet | Sapling | Upon next inventory cycle, would go final harvest, then steps to replan |
| | | | | | | Ba | lsam Fir | Low | 5 - 10 feet | Sapling | back to R Pine. |
| 44 | 500 | - Water | | Nonsto | cked | 2.6 | | Unspecified | No | | |

| | Nev | wberry Mg | t. Unit | | | | Rep | oort 7 – Sta | ands | | Compartment: 29 Year of Entry: 2025 |
|-------|--------------------------|-----------------------|----------------|--------------|----------|--------|--------------|----------------|--------------|------------|---|
| Stand | Level 4 Co | over Type | | Size Density | | Acres | Stand Age | BA Range | Managed Site | | General Comments |
| 45 | 622 - Lowland Shrub | | nrub Nonstocke | | ocked | 18.1 | ι | Jnspecified | No | | Stand consists mostly of small tag alder and stunted black spruce with leatherleaf. |
| 46 | 42110 - Plar | anted Red Pine | | Sawtim | oer Well | 57.8 | 74 | 81-110 | N/A | | Crown thinning in 2018 as part of Crop Circle Red Pine, #023-16. Hawk |
| | Canopy Species | % Cover | Size Class | DBI | H Age | Sub-Ca | nopy Species | Density | Avg. Height | Size | nest noted. |
| | Bigtooth Aspen | 1 | Pole/Log | 12 | 74 | Re | ed Maple | Medium | 5 - 10 feet | Sapling | |
| | Red Pine | 80 | Log | 13 | 74 | W | hite Pine | Medium | 5 - 10 feet | Sapling | |
| | White Pine | 19 | Log | 12 | 74 | Ja | ack Pine | Low | 5 - 10 feet | Sapling | |
| 47 | 500 - | Water | | Nonst | ocked | 16.5 | ι | Jnspecified | No | | |
| 48 | 4133 - Aspe | en, Mixed P | ine | Sapling Well | | 27.4 | 15 | Immature | N/A | | Acquired property in 2015. Cut between 2005 and 2009. Good Aspen |
| | Canopy Species | % Cover | Size Class | DBI | H Age | | | | | | regeneration, 2-4" dia. Large White Pine overstory with some Red Pine. |
| | Red Pine | 10 | Log/XLog | 16 | | | | | | | |
| | Quaking Aspen | 75 | Sapling | 3 | 15 | | | | | | |
| | White Pine | 15 | XLog/Log | 18 | 90 | | | | | | |
| 49 | 6128 - Lowland (Deci | Coniferous, iduous | Mixed | Poletim | oer Well | 66.1 | 85 L | Jnspecified | N/A | | |
| | Canopy Species | % Cover | Size Class | DBI | H Age | Sub-Ca | nopy Species | Density | Avg. Height | Size | |
| | Balsam Fir | 25 | Pole | 8 | | Та | ag Alder | Medium | 5 - 10 feet | Tall Shrub | |
| | Red Maple | 30 | Log/Pole/Sa | ар 10 | | Re | ed Maple | High | 5 - 10 feet | Sapling | |
| | Black Spruce | 15 | Pole | 8 | | | | | | | |
| No | orthern White Cedar | 30 | Log | 14 | 85 | | | | | | |