



ROSE and FLORAL Dust

Sulphur may cause injury to foliage if applied during periods of high daytime temperature. Do not apply during periods when the daytime temperature is 90 degrees F. or above, or within two days of the time such temperatures may be expected.

CAUTION

May be absorbed through skin. Harmful if inhaled or swallowed. May cause irritation of nose and throat. Do not breathe dust. Do not take internally. Skin contact may be harmful. Avoid contact with skin and eyes. Wash thoroughly after handling and before eating. Take shower or bath after work. Wear regular long-sleeved work clothing. Change to clean clothing daily. Avoid contamination of feed and foodstuffs.

For the protection of honeybees, avoid use, if possible during periods when bees are visiting the plants or crops. When necessary to use during such periods, warn beekeepers well in advance to locate hives at a safe distance until one week after application.

NOTE FOR PHYSICIAN: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

This product is poisonous to fish. Keep out of any body of water. Do not apply to crops or areas other than those for which directions are stated in this label. Do not apply when weather conditions favor drift of dust from area treated. Do not use where runoff may occur as a result of heavy rain. Clean application equipment and dispose of wastes and unused chemical in a pit on non-crop land well away from water supplies.

DESTROY EMPTY CONTAINERS. Do not reuse this container for any purpose. Burn empty container (paper) in a hot fire, outdoors, in an isolated area. The smoke is dangerous. Stay well away from the smoke.

NOTICE

Use only for the purposes and in compliance with the limitations, cautions or warnings stated on this label.

ACCEPTED



INGREDIENTS

ACTIVE INGREDIENTS:		
Carbaryl (1-naphthyl N-methylcarbamate)	3.0%	
Lindane (gamma isomer of benzene hexachloride)	1.0%	
Zineb (zinc ethylene bisdithiocarbamate)	5.0%	
Sulphur	20.0%	
INERT INGREDIENT:	71.0%	
Total		100.0%

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Remainder of CAUTION Statement on Side Panel

USDA Reg. 1386-323

NET WEIGHT

(H&G-116)

1 POUND

Prod. 2145

DISTRIBUTED BY

UNITED CO-OPERATIVES, INC.

ALLIANCE, OHIO 44601

UNICO ROSE and FLORAL DUST

DIRECTIONS FOR USE

This is a ready-to-use insecticide-fungicide dust to be applied to ROSES, ORNAMENTAL FLOWERING PLANTS and SHRUBS to control the insects and plant diseases listed below.

Apply during the early morning when plants are wet with dew or in the evening when the air is calm. Begin applications before diseases are apparent and before insects become numerous, which is usually early in the season when new growth is just starting in the spring, when seedlings appear above ground, or when young plants are transplanted. Cover all foliage evenly and thoroughly with a light film of dust, including underside of leaves. Repeat applications at 5 to 10-day intervals and after heavy rains to maintain protection during the growing season.

Use on:

Aster	Dogwood	Lilac
Azalea	Euonymus	Peony
Arborvitae	Forsythia	Rhododendron
Boxwood	Gardenia	Rose
Camellia	Gladiolus	Snapdragon
Chrysanthemum	Hemlock	Spirea
Dahlia	Holly	Yew
Delphinium	Iris	Zinnia

to control aphids, ants (attending aphids), certain caterpillars such as tent caterpillar, fleabeetles, fleahoppers, Fuller's rose weevil, Japanese beetle adults, leafhoppers, lace bug, leaf miners, plant bugs, rose chafer, thrips (exposed), spittlebug, and white fly among the insects, and black spot, powdery mildew, Botrytis flower blight and certain other flower blights, leaf scorch, spot anthracnose, Didymellina leaf spot, Septoria leaf spot, and rust among the plant diseases.

For Botrytis flower blight and similar flower blights on azalea and camellia, apply liberally to flowers while open and to soil and litter around the plants. For Botrytis blight, spot anthracnose, and leaf spot on dogwood, apply at bud break and repeat as previously directed.

1386-Sub 3

UNICO

ROSE and FLORAL Dust



Sulphur may cause injury to foliage if applied during periods of high daytime temperature. Do not apply during periods when the daytime temperature is 90 degrees F. or above, or within two days of the time such temperatures may be expected.

CAUTION

May be absorbed through skin. Harmful if inhaled or swallowed. May cause irritation of nose and throat. Do not breathe dust. Do not take internally. Skin contact may be harmful. Avoid contact with skin and eyes. Wash thoroughly after handling and before eating. Take shower or bath after work. Wear regular long-sleeved work clothing. Change to clean clothing daily. Avoid contamination of food and foodstuffs.

For the protection of honeybees, avoid use, if possible during periods when bees are visiting the plants or crops. When necessary to use during such periods, warn beekeepers well in advance to locate hives at a safe distance until one week after application.

NOTE FOR PHYSICIAN: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

This product is poisonous to fish. Keep out of any body of water. Do not apply to crops or areas other than those for which directions are stated in this label. Do not apply when weather conditions favor drift of dust from area treated. Do not use where runoff may occur as a result of heavy rain. Clean application equipment and dispose of wastes and unused chemical in a pit on non-crop land well away from water supplies.

DESTROY EMPTY CONTAINERS. Do not reuse this container for any purpose. Burn empty container (paper) in a hot fire, outdoors, in an isolated area. The smoke is dangerous. Stay well away from the smoke.

NOTICE

Use only for the purposes and in compliance with the limitations, cautions or warnings stated on this label.

ACCEPTED

INGREDIENTS		
ACTIVE INGREDIENTS:		
Carbaryl (1-naphthyl N-methylcarbamate)	3.0%
Lindane (gamma isomer of benzene hexachloride)	1.0%
Zineb (zinc ethylene bisdithiocarbamate)	5.0%
Sulphur	20.0%
INERT INGREDIENT:	71.0%
Total	100.0%

CAUTION

KEEP OUT OF REACH OF CHILDREN
See Remainder of CAUTION Statement on Side Panel
USDA Reg. 1384-323

NET WEIGHT
(H&G-116)

1 POUND
Prod. 2145

DISTRIBUTED BY

UNITED CO-OPERATIVES, INC.
ALLIANCE, OHIO 44601

UNICO ROSE and FLORAL DUST DIRECTIONS FOR USE

This is a ready-to-use insecticide-fungicide dust to be applied to ROSES, ORNAMENTAL FLOWERING PLANTS and SHRUBS to control the insects and plant diseases listed below.

Apply during the early morning when plants are wet with dew or in the evening when the air is calm. Begin applications before diseases are apparent and before insects become numerous, which is usually early in the season when new growth is just starting in the spring, when seedlings appear above ground, or when young plants are transplanted. Cover all foliage evenly and thoroughly with a light film of dust, including underside of leaves. Repeat applications at 5 to 10-day intervals and after heavy rains to maintain protection during the growing season.

Use on:

Aster	Dogwood	Lilac
Azalea	Evonymus	Peony
Arbutus	Forsythia	Rhododendron
Boxwood	Gardenia	Rose
Camellia	Gladiolus	Snapdragon
Chrysanthemum	Hemlock	Spiraea
Dahlia	Holly	Yew
Delphinium	Irises	Zinnia

to control aphids, ants (attending aphids), certain caterpillars such as tent caterpillar, fleabeetles, leafhoppers, Fuller's rose weevil, Japanese beetle adults, leafhoppers, lace bug, leaf miners, plant bugs, rose chafer, thrips (exposed), spittlebug, and white fly among the insects, and black spot, powdery mildew, Botrytis flower blight and certain other flower blights, leaf scorch, spot anthracnose, Didymella leaf spot, Septoria leaf spot, and rust among the plant diseases.

For Botrytis flower blight and similar flower blights on azalea and camellia, apply liberally to flowers (while open) and to soil and litter around the plants. For Botrytis blight, spot anthracnose, and leaf spot on dogwood, apply at bud break and repeat as previously directed.

BEST DOCUMENT AVAILABLE