

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93

(A) 	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number 185166
	Application for Pesticide:		

Section I		
1. Company/Product Number 2217-751	2. EPA Product Manager Robert Taylor	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) EH951 Herbicide	PM# (PM 25)	
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation PO BOX 4090 1217 West 12TH Street Kansas City, MO 64101 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section II	
<input type="checkbox"/> Amendment - Explain below <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - explain below.

NOTIFICATION LABEL NO. REVIEWED PER PR-NOTICE 88-6

DATE 6/30/93

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION

(1) Clarification of the methods of application previously approved. The "over-the-top" and directed spray applications are defined and presented in the Directions for Use of the revised labeling.

(2) Revision of the wetlands warning statement within the Environmental Hazards section according to definition stated in Pesticide Regulation (PR) Notice 93-3, "Labeling Statement Prohibiting Application to Water", March 9, 1993. This is to certify that this notification meets every requirement of PR-Notice 88-6. Three copies of revised labeling are enclosed.

Section III				
1. Material This Product Will Be Packaged In:				
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
* Certification must be submitted.		If "Yes," Unit Package wgt. No. per container	If "Yes," Package wgt. No. per container	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container 10 fl.oz., 1.0 quart & 1 gallon		5. Location of Label Directions <input type="checkbox"/> On Label <input checked="" type="checkbox"/> On Labeling accompanying product
6. Manner in Which Label is Affixed To Product <input type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Other (_____) <input type="checkbox"/> Stenciled				

Section IV		
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name James A. Armbruster, Ph.D.	Title Mgr. Regulatory Services	Telephone No. (Include Area Code) (816) 421-4070

Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Mgr. Regulatory Services	
4. Typed Name James A. Armbruster, Ph.D.	5. Date May 19, 1993	

EH 951 GRASS HERBICIDE

-SHAKE WELL BEFORE USING-

ACTIVE INGREDIENT:

fluazifop-P-butyl butyl(R)-2-[4-[[5-(trifluoromethyl)-
2-pyridinyl]oxy]phenoxy] propanoate..... 1.70%

INERT INGREDIENTS..... 98.30%
TOTAL 100.00%

EH951 contains 0.125 pound (+) isomer (fluazifop-P-butyl) per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION


See additional Precautionary Statements Including
Statement of Practical Treatment on next panel.

NET CONTENTS ONE U.S. QUART (32 FL. OZ.)

677/ AP051893

EPA REG NO 2217-751
EPA EST NO 2217-KS-1

MFD BY PBI/GORDON CORPORATION
KANSAS CITY, MISSOURI 64101



NOTIFICATION
LABEL NOT REVIEWED
PER PR NOTICE 88-8
DATE. 6/30/93

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

CAUTION: HARMFUL IF ABSORBED THROUGH SKIN OR INHALED. CAUSES EYE IRRITATION. MAY CAUSE ALLERGIC SKIN REACTIONS. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Wear protective clothing, PVC gloves and apron and full face shield when handling or mixing concentrate. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.

IF ON SKIN: Immediately remove contaminated clothing and wash thoroughly with plenty of soap and water. Get medical attention.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area.

GROUNDWATER ADVISORY: Residues of fluzifop-P-butyl can seep or leach through soil and can contaminate groundwater which may be used as drinking water. Users are advised not to apply fluzifop-P-butyl where the water table (groundwater) is close to the surface and where the soils are very permeable, i.e., well drained soils such as loamy sands. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater.

PHYSICAL AND CHEMICAL HAZARDS: Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This labeling must be in the possession of the user at the time of application.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse container.

STORAGE: Store in original container only. Keep container closed when not in use. Do not store near food or feed. In case of spill or leak on floor or paved surfaces, soak up with sand, earth or synthetic absorbent. Remove to chemical waste area.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

- GENERAL INFORMATION -

EH951 is a selective postemergence herbicide for control of annual and perennial grass weeds. EH951 does not control broadleaf weeds or sedges (nutgrass).

Control Symptoms – EH951 is a systemic herbicide which moves from the treated foliage into the shoots, roots, rhizomes, stolons, and growing points (meristematic regions) of treated grass weeds. Excellent control of a wide range of annual and perennial grass weeds will be obtained with EH951 when applied as recommended on this label.

Growth of treated grass weeds stops soon after application. Symptoms include loss of vigor, yellowing and/or reddening, and eventual death to the treated grass plant. Symptoms are generally observed within one to three weeks, depending on grass weed species and environmental conditions.

APPLICATION DIRECTIONS: EH951 can be used to control grass weeds in many newly transplanted and established nongrassy ornamentals, trees, shrubs and groundcovers. Apply to actively growing grass weeds before they exceed the recommended growth stages shown below.

Do not apply EH951 if rainfall is expected within 1 hour.

"Over-the-top" applications are recommended for the ornamentals listed in Table I. "Over-the-top" applications are defined as spray patterns delivered to the upper portions of the established ornamentals and target weeds. Use sufficient spray volumes to ensure a uniform distribution and complete spray coverage of the target weeds.

Directed spray applications are recommended for the ornamentals listed in Tables II, III, and IV. Directed spray applications are defined as spray patterns aimed or directed toward the lower portion of the established ornamentals, and this method of application will minimize the phytotoxicity of the desired species. If the growth habit of the plant or other factors do not allow a directed spray, an over-the-top application can be made to plants in Table II-IV. However, there is the possibility of damage in the range listed for each table when applied at label rates. Refer to Table II-IV for the list of ornamental species appropriate for directed spray applications.

DO NOT APPLY TO ORNAMENTALS THAT MAY BE HARVESTED FOR FOOD WITHIN ONE YEAR AFTER APPLICATION.

NOTICE TO BUYER AND USER: It is impossible to test every species and variety of cultivar of ornamental or nursery plants under all conditions. Plant tolerance of pesticides vary as conditions vary. Plant tolerance of EH951 at label rates has been found to be acceptable within the ranges specified for the indicated genera and species. Neither the manufacturer nor the seller has determined whether EH951 can safely be used on plants not specified on this label. The professional user should determine if EH951 can be used safely prior to use.

-SPOT TREATMENTS-

Mix EH951 with water according to the amounts shown below. Spray to obtain thorough coverage, but do not spray to runoff. Retreat if necessary.

To Make Volume	Add EH 951
1 gallon	10 fluid ounces (18 tablespoons)
10 gallon	104 fluid ounces
25 gallon	256 fluid ounces
50 gallon	512 fluid ounces

ANNUAL AND PERENNIAL GRASS CONTROL RECOMMENDATIONS

- For annual grass species, use 6-9 fl. oz. of EH951 per 1,000 square feet. For perennial grass species, use 9 fl. oz. of EH951 per 1,000 square feet per application; three applications will be needed.
- Spray to obtain thorough coverage of grass foliage, but not to runoff. Repeat treatments may be necessary to provide full season control.
- Use standard hollow cone or flat fan nozzles.
- Apply EH951 herbicide to actively growing grasses before they exceed the recommended growth stages shown below.

- Do not apply EH951 herbicide to grasses which are stressed due to moisture, temperature, low soil fertility, mechanical or chemical injury.
- Do not apply to grasses which have tillered, formed seed heads, or exceeded recommended growth stages.
- Apply EH951 herbicide when the first grass species in a mixed grass weed population reaches the recommended growth stage for treatment.

=====

ANNUALS

GRASS SPECIES - Growth Stage: 2 to 8 inches tall, before tillering and/or heading.

=====

- Barnyardgrass (Echinochloa crusgalli)
 - Broadleaf signalgrass (Brachiaria platyphylla)
 - Crabgrass, large (Digitaria sanguinalis)
 - Crabgrass, smooth (Digitaria ischaemum)
 - Fall Panicum (Panicum dichotomiflorum)
 - Field sandbur (Cenchrus pauciflorus)
 - Foxtail, giant (Setaria faberi)
 - Foxtail, green (Setaria viridis)
 - Foxtail, yellow (Setaria lutescens)
 - Goosegrass (Eleusine indica)
 - Guineagrass, seedling (Panicum maximum)
 - Itchgrass (Rottboellia exaltata)
 - Johnsongrass, seedling (Sorghum halepense)
 - Junglerice (Echinochloa contracta)
 - Prairie cupgrass (Eriochloa contracta)
 - Red rice (Oryza sativa)
 - Shattercane/Wildcane/Volunteer milo (Sorghum bicolor)
 - Southern sandbur (Cenchrus echinatus)
 - Southwestern cupgrass (Eriochloa gracilis)
 - Texas panicum (Panicum texanum)
 - Volunteer barley (Hordeum vulgare)
 - Volunteer oats (Avena fatua)
 - Volunteer rye (Secale cereale)
 - Volunteer corn (Zea mays)
 - Volunteer wheat (Triticum aestivum)
 - Wild oats (Avena fatua)
 - Wild proso millet (Panicum milliaceum)
 - Witchgrass (Panicum capillare)
 - Wooly cupgrass (Eriochloa villosa)
- =====

PERENNIALS

Grass Species	Growth Stage
Bermudagrass (<u>Cynodon dactylon</u>)	4 to 8 inch runners
Guineagrass (<u>Panicum maximum</u>)	6 to 12 inches tall before seedhead initiation
Quackgrass (<u>Agropyron repens</u>)	6 to 10 inches
Rhizome johnsongrass (<u>Sorghum halepense</u>)	8 to 18 inches tall and before boot stage
Torpedograss (<u>Panicum repens</u>)	3 to 6 inches tall (1st application) 2 to 3 inches tall (subsequent application)
Wirestem muhly (<u>Muhlenbergia frondosa</u>)	4 to 12 inches tall before seedhead initiation


=====

*Use 9 fluid ounces of product per 1000 square feet per application. Three applications will be needed.

TABLE I


OVER-THE-TOP APPLICATIONS may be applied to the following ornamentals:

Common Name/Variety	Scientific Name
	<u>Ageratum sp.</u>
	<u>Aloe vera</u>
	<u>Aloe zanzibarica</u>
	<u>Aucuba japonica variegata</u>
	<u>Caesalpinia cacalaco</u>
	<u>Carissa tuttlei</u>
	<u>Cassia sturtii</u>
	<u>Cotoneaster apiculata</u>
	<u>Cotoneaster microphyllus</u>
	<u>Escallonia fradessii</u>
	<u>Escallonia rubra</u>
	<u>Euonymus fortunei</u>
	<u>Euryops pectinatus</u>
	<u>Forsythia intermedia</u>
	<u>Forsythia sp.</u>
	<u>Forsythia x intermedia</u>
	<u>Gazania uniflora leucholaena</u>
	<u>Hesperaloe parviflora</u>
	<u>Iris sp.</u>
	<u>Jacobinia ghiesbreghtiana</u>
	<u>Juniperus procumbens</u>
	<u>Leptospermum laevigatum</u>
	<u>Odocanthus sp.</u>
	<u>Petunia sp.</u>
	<u>Philodendron selloum</u>
	<u>Polystichum capense</u>
	<u>Pyracantha graberi</u>
	<u>Rhododendron formosa</u>
	<u>Rheullia californica</u>
	<u>Salvia greggii</u>
	<u>Sedum x rubrotinctum</u>
	<u>Xylosma senticosa</u>
	<u>Physocarpus fruticosa</u>
	<u>Acacia redolens</u>
	<u>Juniperus horizontalis</u>
	<u>Cassia didymobotrya</u>
	<u>Podocarpus gracilior</u>
	<u>Rhus lancea</u>
	<u>Hedera canariensis</u>
	<u>Chamaecypraris lawsoniana</u>
	<u>Hibiscus syriacus</u>
	<u>Ilex opaca</u>
	<u>Liquidambar styraciflua</u>
	<u>Rhododendron obtusum</u>
	<u>Ligustrum amurense</u>
	<u>Statice sinuata</u>
	<u>Spiraea x bumalda</u>
	<u>Fraxinus velutina</u>
	<u>Trachelospermum asiaticum</u>
	<u>Aucuba japonica</u>
	<u>Philadelphus coronarius</u>
	<u>Syzgium paniculatum</u>
Abbotswood	
Acacia ongerops	
Admiral	
African cassia	
African fern pine	
African sumar standard	
Algerian ivy	
Lawson cypress	
Althea	
American Holly	
American sweetgum	
Amoenum	
Amur River	
Annual statice	
Anthony Waterer	
Arizona Ash	
Asiatic jasmine	
Aucuba	
Aurea	
Australian bush cherry	




Australia willow
Austrian pine/Black pine
Banksia
Barbados aloe
Barrel cactus
Bellflower
Berkman's
Billiard spirea
Bird of paradise
Bird of paradise
Brittle bush
Blaauw's pink
Black Hills
Blue Point
Blue Spruce
Blue star creeper
Blue vase juniper
Bottle-brush
Boule de neige
Bradford pear
Brazilian peppertree
Brown beam
Brush cherry
Buffalo
Bush honeysuckle
Bush lantana
Bush morningglory
California pepper tree
Camellia
Canary Island date palm
Canary Island pine
Candelabra plant
Candytuff
Cane plumbago
Cape honeysuckle
Capeweed
Caricature plant
Carob tree
Carolina cherry
Carolina jessamine
Century plant
Chilean mesquite
Chinese fan palm
Chinese hibiscus
Chionoides rhododendron
Chives
Cholla cactus
Cleyera
Cleyera
Coffee
Coleus
Cologreen
Common boxwood
Common yarrow
Compact burningbush
Compact cranberrybush viburnum
Compact inkberry

Geijera parviflora
Pinus nigra
Rosa Banksiae
Aloe barbadensis
Ferocactus sp.
Campanula carpatica
Thuja orientalis
Spiraea x billiardii
Caesalpinia gilliesii
Strelitzia reginae
Encelia farinosa
Rhododendron sp.
Picea glauca
Juniperus chinensis
Picea pungens
Isotoma sp.
Juniperus chinensis
Callistemon lanceolatus
Rhododendron sp.
Pyrus calleryana
Schinus terebinthifolius
Sedum guatemalense
Eugenia myrtifolia
Juniperus sabina
Diervilla lonicera
Lantana camara
Convolvulus oneorum
Schinus molle
Camellia japonica
Phoenix canariensis
Pinus canariensis
Euphorbia lactea
Iberis sempervirens
Plumbago capensis
Tecomaria capensis
Arctotheca calendula
Graptophyllum pictum
Ceratonia siliqua
Prunus caroliniana compacta
Gelsemium sempervirens
Agave americana
Prosopis chilensis
Livistona chinensis
Hibiscus rose-sinensis
Rhododendron catawbiense
Allium schoenopresum
Opuntia Cholla
Cleyera spp.
Temstroemia gymnanthera
Coffea arabica
Coleus x hybridus
Juniperus scopulorum
Buxus sempervirens
Achillea millefolium
Kochia scoparia trychophylla
Viburnum trilobum
Ilex glabra



Concolor fir
Coral beauty
Coral bells
Cornelian cherry dogwood
Coronation gold
Cotoneaster
Cranesbill
Creeping Charlie
Creeping fig
Crepe myrtle
Crimson pygmy
Hinoki falsecypress
Crispa spirea
Crossandra
Croton
Crown Vetch
Daylily
Debbie, Jennie, Mahogany, Stargaze
Delaware Valley white
Densata
Dense yew
Desert fern tree
Desert gum
Desert willow
Doublefile viburnum/tomentosum
Douglas fir
Dusty miller
Dwarf Alberta
Dwarf burford holly
Dwarf Ninebark, Nanus
Dwarf Swiss mountain pine
Dwarf yaupon/Tall yaupon
Eastern hemlock
Eastern white pine
Elizabeth Gable
Ellen Danica, grape ivy
Emerald green
Emerald mound
English ivy
English roseum
Ethiopia banana
Exotica weeping fig
False spirea
Fashion
Fastadiata
Fatshedera
Feathery cassia
Fernleaf yarrow
Firecracker
Firewheel tree
Flaviramea
Flowering almond
Flowering dogwood
Fosteri holly
Fransher evergreen
Froebelii
Gardenia, dwarf

Abies concolor
Cotoneaster dammeri
Rhododendron obtusum
Cornus mas
Achillea filipendulina
Cotoneaster repens
Geranium pratense
Pilea nummulariifolia
Ficus repens
Lagerstroemia indica
Berberis thunbergii
Chamaecyparis obtusa
Spiraea x bumalda
Crossandra nilotica
Codiaeum variegatum
Vicia sp.
Hemerocallis hybrids
Gladiolus x hort: 'anus
Rhododendron sp.
Picea glauca
Taxus x media
Lysiloma thornberii
Eucalyptus rudis
Pittosporum phillyraeoides
Viburnum plicatum
Pseudotsuga menziesii
Centaurea cineraria
Picea glauca
Ilex comuta
Physocarpus opulifolius
Pinus muco
Ilex vomitoria
Tsuga canadensis
Pinus strobus
Rhododendron "Gable Hybrid"
Cissus rhombifolia
Thuja occidentalis
Lonicera xylosteum
Hedera helix
Rhododendron catawbiense
Musa maurelli
Ficus benamina
Astilbe x arendsii
Rhododendron sp.
Erythrina fusca
Fatshedera lizei
Cassia artemisioides
Achillea filipendulina
Jus'icia spicigera
Stenocarpus sinuatus
Cornus sericea
Prunus triloba
Cornus florida
Ilex x attenuata
Aglanoma commutatum
Spiraea x bumalda
Gardenia jasminoides



Gay feather
Gazania gold ush
Geranium
Gerard's rose
Giant bird of paradise
Giant dumbcane
Giant/king protea
Gibraltar
Globosa
Gloria
Glossy abelia
Golden bamboo
Golden fruited palm
Gold coast juniper
Gold drop
Gold drop ,Primrose beauty
Gold flame
Gold tip
Grapefruit
Green liriopse/Variegated liriopse
Green palo verde
Green stone crop
Greeting
Gumpo pink
Gumpo white
Gum-barked coolibah
Hahnii/Mother-in-law's tongue
Hahn red
Hahn's ivy
Hedgehog cactus
Hen and chickens
Herbert
Hicks yew
Hino red
Hollyhock
Hollywood
Honey locust/shade master
Hybrid tea rose
H.H. Hume
Indian laurel
Indian laurel
Ironwood
Italian cypress
Ivy geranium
Ixora
Jacaranda
Jackranni
James McFarlane Liliac
Japanese boxwood
Japanese holly
Japanese pachysandra
Japanese yew
Jim wheat acacia
Jojoba
Judd


Kaempo

Liatris spicata
Gazania splendens
Petargonium domesticum
Rhododendron sp.
Strelitzia nicolai
Dieffenbachia amoena
Protea cynaroids
Rhododendron sp.
Thuja occidentalis
Rhododendron sp.
Abelia grandiflora
Phyllostachys aurea
Chrysalidocarpus lutescens(small)
Juniperus chinensis
Physocarpus fruiticosa
Potentilla fruiticosa
Spiraea x bumalda
Juniperus chinensis
Citrus paradisi
Liroipe muscari
Parkinsonia aculeata
Sedum brevifolium
Rhododendron sp.
Rhododendron sp.
Rhododendron sp.
Eucalyptus microtheca
Sansevieria Trifasciata
Rhododendron sp.
Hedera helix hahnii
Echniocactus sp.
Sempervivum tectorum
Rhododendron sp.
Taxus x media
Rhododendron sp.
Alcea rosea
Juniperus chinensis
Gleditsia triacanthos var. inermis
Rosa hybrida
Rhododendron sp.
Ficus macrocarpa nitiida
Ficus nitida
Oneya tesota
Cupressus sempervirens
Pelargonium peltatum
Ixora coccinea
Jacaranda acutifolia
Physocarpus fruiticosa
Syringa villosa
Buxus microphylla var. japonica
Ilex crenata
Pachysandra terminalis
Taxus cuspidata
Aciacia schafnerii
Simmondsia chinensis
Viburnum x juddii
Juniperus chinensis
Rhododendron sp.

Kaffir lily
Keteleeri
Kluis sensation
Korean azalea/Poukhanense
Korean boxwood
Korean lilac
Lavender cotton
Lees dark purple
Lily-of-the-valley bush
Liriope
Lodense pyracantha
Mahonia
Manila Ripple
Maple/Japanese
Marigold
Marigold
Masasoit
Mediterranean fan palm
Mentor barberry
Meserve Holy
Mexican border pine
Mexican fan palm
Mexican indigo
Micans velvetleaf philodendron
Mirror plant
Mojave firethorn
Moneywort/Wandering Sally
Moon Glow
Morrow honeysuckle
Mother's Day
Myres asparagus
Myrtle, Dwarf periwinkle
Nanum
Narrow-leaf gimlet
Natal plum
Newport red
New Zealand christmas tree
Nicks compact juniper
Noble fir
Norfolk Island pine
Norway maple
Norway spruce
Oakleaf hydrangea
Oak, live
Ocotillo
Oleander-leaved protea
Olive tree
Oregon Grapeholly
Ornamental strawberry
Osmanthus, tea olive
O'Connors legume
Pagoda flower
Painted evergreen
Palibin
Panicle hydrangea
Parsley panax
Parsoni


Clivia miniata
Juniperus chinensis
Rhododendron sp.
Rhododendron yedoense
Buxus microphylla var. koreana
Syringa patula
Santolina chamaecyparissus
Rhododendron catawbiense
Pieris japonica
Liriope spicata
Pyracantha koidzumii
Mahonia aquifolium
Schefflera arboricola
Acer palmatum
Tagetes sp.
Calendula sp.
Rhododendron sp.
Chamaerops humilis
Berberis mentorensis
Ilex x Meserveae
Pinus strobiformis
Washingtonia robusta
Justicia spicigera
Philodendron oxycardium
Coprosma baueri
Pyracantha koidzumii x coccinea
Lysimachia nummularia
Sansevieria sp.
Lonicera x morrowii
Rhododendron sp.
Asparagus densiflorus
Vinca minor
Viburnum opulus
Eucalyptus spathulata
Carissa grandiflora
Weigela florida
Metrosideros excelsus
Juniperus chinensis
Abies procera
Araucaria heterophylla
Acer platanoides
Picea abies
Hydrangea quercifolia
Quercus virginiana
Fouquieria splendens
Protea neriifolia
Olea europaea
Magnolia sp.
Fragaria chiloensis
Osmanthus fragans
Trifolium fragiferum
Clerodendrum speciosum
Aqlanoma crispum
Syringa meyeri
Hydrangea paniculata
Polyscias fruticosa
Juniperus chinensis

Passion vine	<u>Passiflora pfordtii</u>
Pepin	<u>Juniperus sabina</u>
Pericat	<u>Rhododendron sp.</u>
Periwinkle	<u>Vinca major</u>
Peter pan lily of the Nile	<u>Agapanthus africanus</u>
Photinia	<u>Photinia x fraseri</u>
Pink clover	<u>Polygonum capitatum</u>
Pink lady	<u>Raphiolepis indica</u>
Pink pearl	<u>Rhododendron sp.</u>
Pink weigelia	<u>Weigela florida</u>
Pink, variegated, petite oleander	<u>Nerium oleander</u>
Plumosa	<u>Chamaecyparis pisifera</u>
Plumosa	<u>Juniperus horizontalis</u>
President Lincoln	<u>Rhododendron sp.</u>
Privet/California	<u>Ligustrum ovalifolium</u>
Prize	<u>Rhododendron sp.</u>
Prostrate myoporum	<u>Myoporum parvifolium</u>
Protea	<u>Protea compacta</u>
Protea	<u>protea eximia</u>
Protea	<u>Protea repens</u>
Purple elegans	<u>Rhododendron catawbiense</u>
Purple false eranthemum	<u>Pseuderanthemum atropurpureum</u>
Purple Gem	<u>Rhododendron sp.</u>
Purple hopseed bush	<u>Dodonea viscosa puplurea</u>
Purple lantana (trailing)	<u>Lantana sellowiana</u>
Purple splendor	<u>Rhododendron</u>
Purple trailing ice plant	<u>Mesembryanthemum lampranthus</u>
Pygmy date palm	<u>Phoenix roebelenii</u>
Pyramidalis	<u>Thuja occidentalis</u>
Queen plam	<u>Acrocastrum romanzoffianum</u>
Queen palm	<u>Cocos plumosa</u>
Radiator plant	<u>Peperomia scandens</u>
Raspberry ice	<u>Bougainvillea sp.</u>
Red bearberry	<u>Arctostaphylos uva-ursi</u>
Red box gum	<u>Eucalyptus polyanthemom</u>
Red bud	<u>Cercis canadensis</u>
Red cedar	<u>Juniperus virginiana</u>
Red fountain grass	<u>Pennisetum setaceum</u>
Reg Gum	<u>Eucalyptus rostrata</u>
Red pine	<u>Pinus resinosa</u>
Red ruffle	<u>Rhododendron sp.</u>
Red spike ice plant	<u>Mesembryanthemum lampranthus spectabilis</u>
Red twig dogwood	<u>Comus sericea</u>
Red wing	<u>Rhododendron sp.</u>
Road runner	<u>Rhododendron sp.</u>
Rock rose	<u>Cistus hybridus</u>
Rose	<u>Rosa sp.</u>
Rosebud	<u>Rhododendron sp.</u>
Rosemary dwarf	<u>Rosmarinus officinalis prostratus</u>
Roseum elegan	<u>Rhododendron catawbiense</u>
Roseum superbum	<u>Rhododendron catawbiense</u>
Rose greely	<u>Rhododendron</u>
Rose ice plant	<u>Mesembryanthemum drosanhemum hispidum</u>
Royalty	<u>Rhododendron sp.</u>
Royal beauty	<u>Cotoneaster dammeri</u>
Rubber tree	<u>Ficus elastica decora</u>
Russian oliive	<u>Elaeagnus angustifolia</u>



Rutherfordiana Constance
Sago palm
Saguaro cactus
Salmon spray
Saltbrush
Sandankwa viburnum
Sandwort
San Jose
Sargent juniper
Sasanqua camellia
Scarlet firethorn, Lalandei
Scotch heather
Scotch pine
Sedum
Serbian spruce
Shasta daisy
Shoe-string acacia
Shore juniper
Showy crabapple
Siebold
Silk oak
Silver King
Silver maple
Silver Queen evergreen
Skandia
Slender deutzia
Snow
Snowmound spirea
Snow in summer
Sour orange
Spanish dagger
Spider flower
Spreading cotoneaster
Spreading euonymus
Sprengeri
Sprenger asparagus
sp.
Star jasmine
Star Magnolia
Stewartstonian
Swamp immortella
Sweetheart
Sweet William
Sword fern
Tabor
Tahitian gardenia
Tallhedge buckthorn
Techny
Techny american arborvitae
Texas privet
Texas sage
Thayeri yew
Threadleaf coreopsis
Ti
Tortuosa corkscrew willow
Torulosa
Tradition

Rhododendron sp.
Cycus revoluta
Camegiea gigantea
Rhododendron sp.
Atriplex sp.
Viburnum suspensum
Arenaria yema
Juniperus chinensis
Juniperus chinensis
camellia sasanqua
Pyracantha coccinea
Calluna vulgaris
Pinus sylvestris
Sedum spectabile
Picea omorika
Chrysanthemum x superbum
Acacia stenophylla
Juniperus conferta
Malus floribunda
Euonymus alata
Grevillea robusta
Euonymus japonica
Acer saccharinum
Adiantum commutatum
Juniperus sabina
Deutzia gracilis
Rhododendron sp.
Spireaea nipponica
Cerastium tomentosum
Citrus aurantium
Yucca gloriosa
Grevillea rosmarinifolia
Cotoneaster divaricatus
Euonymus kiautschovica
Asparagus densiflorus
Asparagus densiflorus
Alyssum
Trachelospermum jasminoides
Magnolia stellata
Rhododendron sp.
Eruthrina fusca
Rhododendron sp.
Dianthus barbatus
Nephrolepis exaltata
Rhododendron sp.
Gardenia taitensis
Rhamnus frangula
Thuja occidentalis
Thuja occidentalis
Ligustrum texanum
Leucophyllum frutescens
Taxus x media
Coreopsis verticillata
Cordyline terminalis
Salix matsudana
Juniperus chinensis
Rhododendron sp.



variegated

Treubii Ribbon evergreen
 Variegated firethorn
 Variegated hosta
 Variegated mirror plant
 Viburnum
 Viburnum/willowood
 Vicari
 Waffle plant/Metallic plant
 Wax myrtle
 Weeping dagger
 Weeping forsythia
 Weeping willow
 Welleri
 Western/Ponderosa pine
 Wheelers dwarf, variegated
 White African Daisy
 White cascade
 White catawba
 White cedar
 Willowleaf cotoneaster
 Willow acacia
 Willow-leafed acacia
 Windmill palm
 Wichita blue
 Woodwardii
 Yedda/Indian hawthorn
 Yellow bells
 Yellow oleander tree
 Yew pine
 Yucca

Aqlanoema commutatum
Pyracantha angustifolia
Hosta lancifolia
Coprosma repens
Viburnum odoratissimum
Viburnum x rhytidophylloides
Ligustrum x Vicari
Hemigraphis sp.
Myrica cerifera
Yucca pendula
Forsythia suspensa
Salix alba
Buxus sempervirens
Pinus ponderosa
Pittosporum Tobira
Osteospermum fruticosum alba
Rhododendron sp.
Rhododendron catawbiense
Thuja occidentalis
Cotoneaster salicifolius franch
Acacia saligna
Acacia salacina
Chamaerops excelsa
Juniperus scopulorum
Thuja occidentalis
Raphiolepis umcellata
Tecoma stans angustate
Thevetia peruviana
Podocarpus macrophylla
Yucca filamentosa

=====

TABLE II

DIRECTED APPLICATIONS to avoid ornamental foliage are recommended for the list below:


- When possible and plant growth habit allows, applications should be made as a directed spray to the plants listed below.
- Limited testing of the same plants has shown phytotoxicity of up to 20% when EH951 herbicide is applied over-the-top at label rates.

Common Name/Variety

Scientific Name

=====

Ceanothus griseus
Gamolepis chrysanthemoides
Gazania ringens
Philodendron sp.
 Arcadia Juniperus sabina
 Blue Pacific Juniperus conferta
 Blue rug Juniperus horizontalis
 Broadmoor Juniperus sabina
 Bugle weed Ajuqa variegata
 Cats claw, Yellow trumpet Bignonia tweediana
 Chinese snowball Viburnum macrocephalum
 Coiumbine Aquilegia hybrida
 Eureka Rhododendron obtusum
 Fetterbush Leucothoe axillaris
 Fraser Fir Abies fraseri
 Gallery Gladiolus x hortulanus
 Green Carpet Hemiaria glabra



Green fountain grass
Grey owl
Heavenly bamboo
Hughes
Indica
Japanese honeysuckle
Japanese privet
Kurume
Lavender star plant
Lemon-scented gum
Leyland cypress
Lilac
Maki
Maney
Maple/red
Massangeana, dracaena
Mondo grass
Nana
Old Gold
Oleander
Oyster plant
Pathfinder
Pfitzerana
Pineapple guava
Prickly pear cactus
Prostrata
P.J.M.
Robusta
Ruellia
San Jose
Scandia
Sky Rocket
Spearmint
Spring cinquefoil
Strawberry tree
Tamariseifolia
Temple tree
Tricolor dracaena
Vanhoutte spirea
Variagata
Variegated ajuga
Webberi
Weeping bottle-brush
Welchii
White lantana
Willow
Wiltonii
Youngtown Compacta

Pennisetum setaceum
Juniperus virginiana
nandina domestica
Juniperus horizontalis
Rhododendron indicum
Lonicera japonica
Ligustrum japonicum
Rhododendron obtusum
Grewia caffra
Eucalyptus citriodora
Cupressocyparis leylandi
Syringa chinensis
Podocarpus macrophyllus
Juniperus chinensis
Acer rubrum
Dracaena fragans
Ophiopogon japonicum
Juniperus chinensis
Juniperus chinensis
Nerium oleander standard
Rhoeo spathacea
Juniperus scopulorum
Juniperus chinensis
Feijoa sellowiana
Opuntia sp.
Juniperus chinensis
Rhododendron sp.
Juniperus chinensis
Ruellia ciliosa
Juniperus japonica
Juniperus sabina
Juniperus virginiana
Juniperus chinensis
Potentilla verna
Arbutus unedo
Juniperus sabina
Plumeria acuminata
Dracaena marginata
Spiraea x vanhoutteii
Juniperus horizontalis
Ajuga reptans
Juniperus horizontalis
Callistemon viminalis
Juniperus scopulorum
Lantana montevidensis
Salix caroliniana
Juniperus horizontalis
Juniperus horizontalis




TABLE III

DIRECTED APPLICATIONS To avoid ornamental foliage are recommended for the list below:

- When possible and plant growth habit allows, applications should be made as a directed spray to the plants listed below.
- Limited testing of the same plants has shown phytotoxicity of up to 50% when EH951 herbicide is applied over-the-top at label rates.

Common Name/Variety	Scientific Name
	<u>Acacia latifolia</u>
	<u>Cassia condolioma</u>
	<u>Eucalyptus nicholii</u>
	<u>Hibiscus lepenk</u>
Armstrongii	<u>Juniperus chinensis</u>
Baby rubber plant	<u>Peperomia obtusifolia</u>
Bleeding heart	<u>Dicentra spectabilis</u>
Bottle tree	<u>Brachychiton populneus</u>
Burkii	<u>Juniperus virginiana</u>
Carrot wood	<u>Cupaniopsis anacardioides</u>
Chinese crenate croton	<u>Exococaria cochichinensis</u>
Cordyline	<u>Cordyline stricta</u>
Coromandel	<u>Asystasia gangetica</u>
Desert broom	<u>Baccharis sarothroides</u>
Excelsa Strieta	<u>Juniperus scopulorum</u>
Fiddlewood	<u>Citharexylum spinosum</u>
Formosa	<u>Rhododendron indicum</u>
Hearts and flowers	<u>Aptenia cordifolia</u>
Hersey red	<u>Rhododendron obtusum</u>
Hinodegeri	<u>Rhododendron obtusum</u>
Hino Pink	<u>Rhododendron obtusum</u>
Jade plant	<u>Crassula argentea</u>
Janet Craig/Wameckii	<u>Dracaena deremensis</u>
Karen	<u>Rhododendron poukhanense</u>
Kings crown	<u>Justicia camea</u>
Fragrant sumac	<u>Rhus aromatica</u>
Laurel-leaved thunbergia	<u>Thunbergia laurifolia</u>
Marble Queen pothos	<u>Epipremnum aureum</u>
Mexican evening primrose	<u>Oenothera berlandieri</u>
Pinkhead knotweed	<u>Polygonum capitatum</u>
Red justicia	<u>Odontonema strictum</u>
Shrimp plant	<u>Justicia brandegeana</u>
Slipper flower	<u>Pedilanthus tithymaloides</u>
Sonoran palo verde	<u>Cercidium praecox</u>
Southern magnolia	<u>Magnolia grandifolia</u>
Spiny Greek	<u>Juniperus scopulorum</u>
Swedish ivy	<u>Plectranthus australis</u>
Sweet acacia	<u>Acacia farnesiana</u>
Tifblue Blueberry	<u>Vaccinium ashei</u>
Umbrella plant	<u>Cyperus alternifolius</u>
White ice plant (trailing)	<u>Mesembryanthemum delosperma alba</u>
White shrimp plant	<u>Justicia betonia</u>
Yellow shrimp plant	<u>Pachystachys lutea</u>

=====

TABLE IV

DIRECTED APPLICATIONS To avoid ornamental foliage are recommended for the list below:

- When possible and plant growth habit allows, applications should be made as a directed spray to the plants listed below.
- Limited testing of the same plants has shown phytotoxicity greater than 50% when EH951 herbicide is applied over-the-top at label rates.

Common Name/Variety	Scientific Name
=====	
Australia tree fern	<u>Acalypha godseffiana hertophylla</u>
Bar Harbor	<u>Alsophia australis</u>
Birch/River	<u>Juniperus horizontalis</u>
Blue Chip	<u>Betula nigra</u>
Blue Haven	<u>Juniperus horizontalis</u>
Boulevard falsecypress	<u>Juniperus scopulorum</u>
Chandelier plant	<u>Chamaecyparis pisifera</u>
Compacta	<u>Kalanchoe tubiflora</u>
Hinocrimson	<u>Euonymus alata</u>
Katherine Dykes	<u>Rhododendron obtusum</u>
Lavender-scallops	<u>Physocarpus fruticosa</u>
Madagascar periwinkle	<u>Kalanchoe fedtschenkoi</u>
Pampas grass	<u>Catharanthus roseus</u>
Prince of Wales	<u>Cortaderia selloana</u>
Purple heart	<u>Juniperus horizontalis</u>
Sea Green	<u>Setcreasea purpurea</u>
Spider plant	<u>Juniperus chinensis</u>
Wandering jew	<u>Chlorophytum comosum</u>
	<u>Zebrina pendula</u>

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.