
Master Plan for Delhi-2021

(Incorporating modifications up to March 2014)





DELHI DEVELOPMENT AUTHORITY

Draft compilation for reference only

MASTER PLAN FOR DELHI – 2021

Prepared by Delhi Development Authority and approved by the Central Government under Section 11A(2) of Delhi Development Act 1957 and notified on **7th February 2007** (The Gazette of India, Extraordinary, Part II—Section 3 Subsection (ii) No. 125 (Magha 18, 1928) vide S.O. 141- (E).

- Reprinted edition dated May 2010 incorporates Gazette notifications of amendments / modifications up to October 2009.
- Draft incorporating modifications notified by Central Government upto March 2014 for reference only.
- In case of any legal / official purpose, notifications issued by Central Government to be referred.



DELHI DEVELOPMENT AUTHORITY

MASTER PLAN FOR DELHI - 2021

CONTENTS

	Chapters	Page No.	Modifications as part of Review of MPD 2021
	Introduction	iv—x	
1.	Regional and Sub-Regional Frame	1-1—1-3	No Change
2.	Population and Employment	2-1—2-3	No Change
3.	Delhi Urban Area 2021	3-1—3-13	
4.	Shelter	4-1—4-26	
5.	Trade and Commerce	5-1—5-13	
6.	Wholesale Trade	6-1—6-4	
7.	Industry	7-1—7-17	
8.	Government Offices	8-1—8-2	No Change
9.	Environment	9-1—9-11	
10.	Conservation and Heritage	10-1—10-2	
11.	Urban Design	11-1—11-5	
12.	Transportation	12-1—12-20	
13.	Social Infrastructure	13-1—13-33	
14.	Physical Infrastructure	14-1—14-10	
15.	Mixed Use Regulations	15-1—15-16	
16.	Landuse Plan	16-1—16-3	
17.	Development Code	17-1—17-12	
18.	Plan Monitoring	18-1—18-9	
19.	Land Policy	19-1 19-4	New Chapter
	Maps	M-1—M-5	•

Annexures: Perspective Plans of Physical Infrastructure and Gazette Notifications Containing Modifications

	Annexures	Page No.
Annexure I.	Delhi Jal Board (Perspective Plan for Infrastructural Services for Delhi 2021 - Water Supply).	A-1
Annexure II.	Delhi Jal Board (Perspective Plan for Infrastructural Services for Delhi 2021 - Sewerage).	A-14
Annexure III.	Delhi Transco Limited (Write-up on Power).	A-22
Annexure IV.	(i) Municipal Corporation of Delhi (Strategies/Master Plan 2021 for Solid Waste for Delhi City).(ii) Municipal Corporation of Delhi – Action Plan.	A-25 A-29
Annexure V.	Members of the Delhi Development Authority, Members of Board of Enquiry and Hearing, Members of Advisory Council, MPD-2021 Sub- Groups, Consultants to the MPD-2021 and Team.	A-37
Annexure VI.	Gazette Notifications Containing Modifications to the Master Plan for Delhi - 2021 and Change of Land uses (February 2007 – October 2009).	A-42

MINISTRY OF URBAN DEVELOPMENT GOVERNMENT OF INDIA

(Delhi Division)

NOTIFICATION

New Delhi, the 7th February, 2007

- S.O. 141.–(E)
- Whereas extensive modifications which the Central Government proposed to make in the Master Plan for Delhi keeping in view the perspective for Delhi for the year 2021 and growing new dimensions in urban development were published vide Public Notice in the Gazette of India Extraordinary S.O. No. 318(E) dated 16th March, 2005 by the Delhi Development Authority inviting objections/ suggestions as required by sub-section (3) of Section 11-A of the Delhi Development Act, 1957 (61 of 1957), within ninety days from the date of the said notice.
- 2. Whereas, the objections/suggestions received with regard to the said public notice have been considered by a Board of Enquiry set up by the Delhi Development Authority and also by the Delhi Development Authority, and the Central Government has, after carefully considering all aspects of the matter, decided to extensively modify the Master Plan for Delhi.
- 3. Now, therefore, in exercise of the powers conferred by subsection (2) of Section 11-A of the said Act, the Central Government hereby approves the Master Plan for Delhi with the perspective for the year 2021, as an extensive modification to the Master Plan for Delhi with perspective for the year 2001, as notified vide Ministry of Urban Development Notification S.O. No. 606 (E) dated 1.8.1990 along with all the amendments carried out till date therein. The said Master Plan for Delhi with perspective for the 2021 as notified herein shall come into effect from the date of Publication of this Notification in the Gazette of India.

MASTER PLAN FOR DELHI-WITH THE PERSPECTIVE FOR THE YEAR 2021

INTRODUCTION

- 1. Delhi, the focus of the socio-economic and political life of India, a symbol of ancient values and aspirations and capital of the largest democracy, is assuming increasing eminence among the great cities of the world.
 - Growing at an unprecedented pace, the city needs to be able to integrate its elegant past as well as the modern developments into an organic whole, which demands a purposeful transformation of the socio-economic, natural and built environment. The city will be a prime mover and nerve centre of ideas and actions, the seat of national governance and a centre of business, culture, education and sports.
- 2. Apart from critical issues such as land, physical infrastructure, transport, ecology and environment, housing, socio-cultural and other institutional facilities, the cornerstone for making Delhi a world-class city is the planning process itself and related aspects of governance and management. This needs a co-ordinated and integrated approach amongst several agencies involved with urban services and development along with a participatory planning process at local levels.

VISION

3. Vision-2021 is to make Delhi a global metropolis and a world-class city, where all the people would be engaged in productive work with a better quality of life, living in a sustainable environment. This will, amongst other things, necessitate planning and action to meet the challenge of population growth and in-migration into Delhi; provision of adequate housing, particularly for the weaker sections of the society; addressing the problems of small enterprises, particularly in the unorganized informal sector; dealing with the issue of slums, up-gradation of old and dilapidated areas of the city; provision of adequate infrastructure services; conservation of the environment; preservation of Delhi's heritage and blending it with the new and complex modern patterns of development; and doing all this within a framework of sustainable development, public private and community participation and a spirit of ownership and a sense of belonging among its citizens.

REVIEW OF PAST EXPERIENCE

- 4. The process of planned development of the National Capital began with enactment of the Delhi Development Act 1957, followed by the promulgation of the Master Plan of Delhi in 1962 (MPD-62).
- 5. The MPD-62 set out the broad vision for the development of Delhi and, with a view to realizing the development plan underlying this vision, a scheme of Large Scale Acquisition and Development of Land was also formulated. The aim of the latter was to ensure that the spatial pattern of development and use of land could conform to the development plan and infrastructure and services could be laid out to match the same. At that early stage, the process of planned development was envisaged as a public sector led process with very little private participation in terms of development of both, shelter and infrastructure services. The philosophy of public sector led growth and development process continued in general till the process of economic reforms was initiated in the early nineties. Therefore, the Master Plan for Delhi 2001 (MPD-2001) also substantially reiterated the planning process, which had been outlined in MPD-62.

Introduction (i)

These plans could be seen mainly as land use plans with a three level hierarchy i.e. Master Plan, Zonal Plans and Layout Plans for specific development schemes within each zone.

6. The population of Delhi in 2001 was 138 lakh as against the MPD-2001 projection of 128 lakh. This has had its inevitable implications and impact in terms of shelter, including squatter settlements, and other infrastructure facilities.

Some issues that arise for consideration and are also directions for policy include:

- i) Review of the scheme of large scale development and acquisition and its relevance in the present context;
- ii) Alternative options for development of areas identified for urbanization in MPD-2021:
- iii) Evolving a system under which planning for, and provision of basic infrastructure could take place simultaneously with reference to (i) and (ii) above; and
- iv) Involving the private sector in the assembly and development of land and provision of infrastructure services.
- 7. One of the most important aspects of planned development pertains to the provision of adequate well-planned shelter and housing for the different categories of inhabitants of the city. The quantitative and qualitative shortages and deficiencies in this regard have been observed while formulating the MPD-2021. In turn, this should also be seen in concert with the involvement of the private sector in land assembly and development.
- 8. Two major challenges which have emerged in the wake of the developments outlined above relate to the phenomenon of unauthorized colonies and squatter / jhuggi jhompri settlements. This reality will have to be dealt with not only in its present manifestation, but also in terms of future growth and proliferation.
- 9. The exercises done for the MPD-2021 show that there is a need for redevelopment and densification of the existing urban areas and city improvement. This aspect is a major component of the new Master Plan. It calls for a comprehensive redevelopment strategy for accommodating a larger population, strengthening of infrastructure facilities accompanied by creation of more open spaces at the local level by undertaking measures for redevelopment of congested areas.
- 10. Another important development observed during the period of the last Master Plan is the phenomenal growth of automobiles in Delhi. This has resulted in a variety of problems pertaining to congestion, pollution, safety of travel and parking etc., which need to be addressed.
- 11. The NCT of Delhi has been divided into 15 Zones from A to H and J to P, of which 8 Zones are in the urban area, one in Riverbed and remaining 6 in the rural area. So far, Zonal Plans in respect of 11 zones (including sub cities of Dwaraka, Rohini and Narela) have been notified with the approval of the Government of India. It is pertinent to finalise the Zonal Plans for all the planning zones within a year from the date of notification of the MPD-2021.
- 12. The experience of the past two Master Plans shows that projections regarding various basic infrastructure services have been made with reference to the population growth projections and the increased urbanization requirements. However, the infrastructure provisions especially those related to water and power have not matched the pace of development.

Introduction (ii)

METHODOLOGY ADOPTED FOR PLAN PREPARATION

- 13. Keeping in view the democratic procedure and statutory obligations, the Draft Plan was prepared after obtaining the views of the public. It also included extensive consultations at the pre-planning stage by involving local bodies, Government of NCT of Delhi, public sector agencies, professional groups, resident welfare associations, elected representatives, etc.
- 14. The Ministry of Urban development issued guidelines in 2003 for the preparation of the MPD 2021 which inter alia emphasised the need to explore alternate methods of land assembly, private sector participation, and flexible land use and development norms. The Authority also had the benefit of the reports of 12 study groups set up with experts and stakeholders on various aspects such as shelter, demography, conservation, transportation, industry, environment, mixed use, infrastructure, trade and commerce etc. Details of the study groups are given in Annexure-V. Five seminars were organised on various aspects involving experts in the field, representatives of GNCTD and local bodies and NGOs.
- 15. The DDA has also made presentations on the draft MPD 2021 before various forums including the Consultative Committee of Parliament, Lt Governor, Delhi, Chief Minister Delhi and the Cabinet of GNCTD and the Group of Ministers set up by the Central Government. The Draft MPD 2021 was also discussed at length in the Legislative Assembly of NCT of Delhi and the suggestions made by the members were considered and forwarded by the Delhi cabinet to the Authority and the Ministry of Urban Development for its consideration. A large number of representations received in the Ministry of Urban Development from various interest groups such as lawyer, doctors, Chartered Accountants, traders, residents, etc were also considered. Personal interaction with various interest groups as well as elected representatives including Members of Parliament, Members of Legislative assembly, Municipal Councillors were held by the Minister and Minister of state for Urban development at various points in time.
- 16. The Draft Master Plan was notified for inviting public objections / suggestions through Gazette Notification dated 16.03.2005 and public notice in newspapers on 08.04.2005. In response, about 7000 objections / suggestions were received, which were considered by the Board of Enquiry which met on 17 occasions and also afforded personal hearing to about 611 persons / organizations. The Authority considered the revised draft MPD 2021 along with the report of the Board of Enquiry in three sittings held on 29.12.2006, 4.1.2007 and 19.1.2007 before it was sent to the Ministry of Urban Development for approval. The Ministry of Urban development considered the proposal in the light of the inputs received from DDA and from various quarters and finally approved the Master Plan for Delhi 2021 in the present form.
- 17. The success of Master Plan depends on conversion of the policies and strategies outlined in it into time bound development and action plans, periodic reviews and close monitoring, besides the people's will and willingness to adhere to discipline in the use of land, roads, public space and infrastructure. Any issue arising from interpretation of the provisions of this Master Plan will be settled by DDA in consultation if required with Central Government.

Introduction (iii)

MAJOR HIGHLIGHTS OF THE PLAN

- 18. The Master Plan incorporates several innovations for the development of the National Capital. A critical reform has been envisaged in the prevailing land policy and facilitating public private partnerships. Together with planned development of new areas, a major focus has been on incentivising the recycling of old, dilapidated areas for their rejuvenation. The Plan contemplates a mechanism for the restructuring of the city based on mass transport. The Perspective Plans of physical infrastructure prepared by the concerned service agencies should help in better coordination and augmentation of the services.
- 19. The Master Plan envisages vision and policy guidelines for the perspective period upto 2021. It is proposed that the Plan be reviewed at five yearly intervals to keep pace with the fast changing requirements of the society.
- 20. The following critical areas have been the focal points of the Plan:

(a) Land Policy:

The land policy ¹[would be based on the optimum utilisation of available resources, both, public and private in land assembly, development and housing to be as per Chapter 19.0.]

(b) Public Participation and Plan Implementation:

- Decentralised local area planning by participatory approach;
- Performance oriented planning and development, with focus on implementation and monitoring.

(c) Redevelopment:

Incentivised redevelopment with additional FAR has been envisaged as a major element of city development covering all the areas;

- Planned Areas: Influence Zone along MRTS and Major Transport Corridor; underutilised / low-density areas; Special Area; shopping / commercial centres; Industrial areas / clusters and resettlement colonies.
- Unplanned Areas: Villages; unauthorised colonies and JJ Clusters.

(d) Shelter:

- Shift from plotted housing to group housing for optimal utilization of land;
- Private sector participation for development / redevelopment of housing;
- Removing unnecessary controls (like height) for optimum utilization of land and to facilitate creation of 'signature' projects.
- Enhancement of ground coverage, FAR and height for all categories of residential plots.

(e) Housing for poor

- In-situ slum rehabilitation, including using land as a resource for private sector participation;
- In order to prevent growth of slums, mandatory provision of EWS housing / slum rehabilitation in all group housing to the extent ²[of-minimum 15% of permissible the proposed FAR or 35% of dwelling units on the plot, whichever is higher.]
- Housing for urban poor to the extent of 50-55% of total;
- Recategorisation of housing types, development control norms and differential densities to make EWS /LIG housing viable and economical.

(f) Environment:

• Special emphasis on conservation of the Ridge.

Introduction (iv)

¹ Modified vide S.O. 2687(E) dated 05-09-2013

² Modified vide S.O. 1215(E) dated 13-05-2013

- Rejuvenation of River Yamuna through a number of measures including ensuring adequate flow in river by release of water by riparian states, refurbishment of trunk sewers, treatment of drains, sewering of unsewered areas, treatment of industrial affluent, recycling of treated effluent and removal of coliforms at STPs.
- Provision of lung spaces / recreational areas and green belt to the extent of 15 to 20% of land use.
- Multipurpose grounds: A special category for marriages / public functions.

(g) Unauthorised Colonies:

Unauthorised colonies, which are to be regularised as per government policy, should be effectively incorporated in the mainstream of urban development. This requires provision of infrastructure development, services and facilities for which differential norms and procedures have been devised.

(h) Mixed Use:

- To meet the growing demand of commercial activities and overcome the shortfall of available commercial space, a liberalized provision of Mixed Use in residential areas has been adopted adhering to the requisites of the environment, while achieving better synergy between workplace, residence and transportation.
- 2183 streets have been notified by the GNCTD vide notification dated 15.09.06 for local commercial and mixed-use activities.
- Small shops of daily needs have been permitted on ground floor, in residential areas.

(i) Trade & Commerce:

- District & Community Centres are proposed to be developed as facility corridors along major transport networks to prevent unintended and unplanned ribbon development and for better synergy between public transport and work centres.
- Development of Integrated Freight Complexes / Wholesale Markets at the urban periphery.
- Mandatory provisions for service and repair activities.
- Informal shops, weekly markets, handicrafts bazaars, used books / furniture / building materials bazaars to be developed.
- Enhancement of FAR.

(j) Informal Sector:

The informal and organised sector is a major source of employment in the economic fabric of the city for which the following approach is proposed:

- Earmarking of 'Hawking' and 'No Hawking' Zones at neighbourhood and cluster levels.
- The weekly markets to be identified and planned / developed.
- New areas for informal trade to be developed and integrated with housing, commercial, institutional and industrial areas.
- Provision of common basic services like toilets, water points, etc.
- Institutionalizing designs of stalls, push-carts and mobile vans.
- Involvement of NGOs envisaged.

(k) Industry:

- Environment as a major concern and listing of prohibited industries.
- Modernisation / up-gradation of existing industries including non-conforming industrial centres.
- Special provisions for service and repair centres.
- Inclusion of new activities like IT industry, etc.
- Enhancement of FAR.

(I) Conservation of Heritage:

- Identification of heritage zones and archaeological parks.
- Development of Special Conservation plans for listed buildings and precincts.

(m) Transportation:

The proposals include the following:

Introduction (v)

- Unified Metro Transport Authority
- Synergy between landuse and transport
- A new parking policy including private sector development of parking facilities, increase in norms for parking space, multi-level parking and underground parking.
- Integrated multimodal public transport system to reduce dependence on personalised vehicles.
- Road and rail based mass transport system to be a major mode of public transport, optimal use of existing road network and development of missing links.
- Restructuring of existing network through expressways, elevated roads, arterial roads, distributor roads and relief roads.
- Provision for introducing cycle tracks, pedestrian and ¹[disabled differently abled persons] friendly features in arterial and sub-arterial roads.

(n) Health Infrastructure:

- Health facilities proposed to achieve norms of 5 beds / 1000 population
- Enhancement of FAR for hospitals and other health facilities.
- Nursing Homes, clinics etc. also allowed under relaxed Mixed Use norms.

(o) Educational Facilities:

- Rationalisation of planning norms with enhanced floor area.
- Locating new school sites adjacent to parks / playgrounds.
- Provision for vocational and other educational facilities.
- Schools and training centres for mentally / physically challenged with differential development norms.

(p) Disaster Management:

- Disaster Management centre provided in each administrative zone.
- Building regulations for safety of structures as per seismic zone.
- Land Use zoning as per microzonation.

(q) Provision of Sports Facilities:

- Provisions for sports infrastructure for local, national and international events.
- Incentives provided for sports facilities and swimming pools in schools, clubs and group housing.

(r) Focus on Infrastructure Development:

- Perspective Plans for Water, Power, Drainage & Solid Waste Management of Service Agencies part of MPD-2021. Alternative Sources of energy and new technology. The Plan gives emphasis on energy conservation, efficiency and exploring alternative sources of energy.
- Realistic standards of water supply for equitable distribution.

Introduction (vi)

.

¹ Modified vide S.O. 2895(E) dated 23-09-2013

1. REGIONAL AND SUB-REGIONAL FRAME

Delhi as the National Capital has a distinct and unique character. It is a growing and expanding magnet of attraction for people from all across the country and also a hub for the region surrounding it. Planning for a metropolis like Delhi, therefore, cannot be limited within its boundaries.

The physical potential for further urbanization within the NCT is reducing although there is a virtual urban continuum between Delhi and the surrounding areas, which lie in the States of Uttar Pradesh and Haryana. With the imperatives of growth and development, the problems of Delhi have become complex, which have to be viewed both as a challenge in terms of the pressures of regular and floating in-migration, as well as an opportunity in terms of planning and development in a regional context.

1.1. BALANCED REGIONAL DEVELOPMENT

In recognition of the above factors, the Central Government enacted the National Capital Region Planning Board Act, 1985. The National Capital Region (NCR) Planning Board, constituted under the Act, is charged with the responsibility of coordinating the efforts of the adjoining States through the instrumentality of Regional and Sub-Regional Plans.

The present National Capital Region (NCR) comprises of a total area of 33,578 sq. km. including areas of Delhi (1483 sq. kms), Haryana (13413 sq. kms.), Uttar Pradesh (10853 sq. kms.) and Rajasthan (7829 sq. kms).

1.2. POLICY ZONES

The Regional Plan 2021 has been drawn up with reference to the following four Policy Zones: -

- i) NCT of Delhi.
- ii) Central National Capital Region Central NCR
- iii) Highway Corridor Zone
- iv) Rest of NCR.

1.2.1. NATIONAL CAPITAL TERRITORY OF DELHI

In the National Capital Territory of Delhi, the basic policy is to achieve environmentally sustainable development / re-development considering the limitations of land and water with significantly improved quality of infrastructure.

1.2.2. CENTRAL NATIONAL CAPITAL REGION (CENTRAL NCR)

The Central NCR (earlier the Delhi Metropolitan Area) as defined in the Regional Plan – 2021, comprises of the notified / controlled development areas of the neighboring towns of Ghaziabad – Loni, NOIDA, Gurgaon-Manesar, Faridabad-Ballabhgarh, Bahadurgarh and Sonepat-Kundli, and the extension of the ridge in Haryana, having an area of about 2000 sq. kms.

It has been suggested that the opportunities presented by the Central NCR should be maximized to enable it to compete effectively with the NCT of Delhi, offering comparable employment, economic activities, comprehensive transport system, housing, social infrastructure and quality of life and environment. Together with this larger industries should be located in the urbanisable areas in this zone.

1.2.3. HIGHWAY CORRIDOR ZONE

The NCR Plan has proposed promotion of planned and regulated development along the National Highways. However, while planning for these Zones, due care has to be taken to ensure that the activities being permitted are segregated from highway traffic through proper green belts, and regulated and controlled access to the Highways. The identified Highway Corridor Zones will also have to be notified by the respective State Governments with appropriate regulations for their development.

1.2.4. REST OF NCR

In the Rest of the NCR (approximately 29,795 sq. kms.), the basic policy of the Regional Plan – 2021 is aimed at accelerated development of the urban and rural areas. For this, infrastructure has to be substantially upgraded at local and regional level (both by the State and Central Government) in order to induce growth in these areas, specifically in identified settlements / Metro Centres. It is felt that this will make them more attractive for locating economic and allied activities and for attracting private sector investment.

1.3. FRAME WORK FOR SUB- REGIONAL DEVELOPMENT

As a follow up of the Regional Plan-2021 and in consonance with, under Section 17 of the NCRPB Act, 1985, a Sub-Regional Plan for Delhi is to be prepared by GNCT-Delhi. It is suggested that a High Level Group may be constituted by GNCT-Delhi to implement the policies of the Regional Plan and ensure timely preparation of the Sub-Regional Plan.

As already mentioned Delhi has a limited area of 1483 sq. kms., out of which about half of the area is already urbanized. For the remaining area, optimum utilization of land is required so that while providing for the urbanization requirements, the natural features like the ridge and other major green areas, defined water bodies and areas of ecological importance could be conserved.

In this background, it has been suggested that:

- i) As per NCR Plan, no new Central Government and Public Sector Undertaking offices should be located in NCTD. However, this would be possible only after a time bound action plan is prepared together with suitable incentives and disincentives.
- ii) Industrial growth in Delhi should be restricted to high-tech with emphasis on units, which require skill, less manpower and energy and do not create pollution / nuisance.
- iii) Legal and fiscal measures should be adopted to restrict employment in industries and distributive trade.
- iv) Major regional transport corridor and communication network needs to be strengthened to enhance economic development within the region and decentralization of the distributive trade.
- v) The natural features such as Forest, Wild life Sanctuary, Ridge, River Yamuna and other water bodies should be conserved and kept free from unrestricted and unplanned urban development.

NCR Plan-2021 has proposed the availability of urbanisable land in NCT-Delhi for 2021, which is given in Table 1.0.

Table 1.0: Availability of Urbanisable Land in NCT-Delhi for 2021

S. No.	Land Use	Area (Ha.)	Percentage to Total Area (Ha.)
1	Total Geographical Area – NCT Delhi	148300	100
2	Built –up Area (As per IRS IC LISS III Satellite data 1999)	70162	47.31
3	Natural Features (Forest, Wild Life Sanctuary, Ridge, River Yamuna and Other Water Bodies / Drains)	19509.10	13.16
4	Sub- Total (Built-Up + Natural Features)	89671.10	60.47
5	Balanced land available in NCT - Delhi (1-4)	58628.90	39.53
6	Land to be kept reserved for:		
	(i) Disposal of Solid Waste generated up to 2051 (sanitary landfill & statutory green belts)	10000	6.74
	(ii) Metro Services / Utilities e.g. power plant, grid station water and sewerage treatment plant, etc.	10000	6.74
	(iii) Agriculture zone in NCT Delhi including dairy farming, horticulture, greenbelts etc.	11000	7.42
7	Sub Total – 6	31000	20.90
8	Proposed/Actual Land available for urbanization (5-7)	27628.90*	18.63
9	Total Urbanisable area 2021 (including built up area 1999) (2+8)	97790.90	65.94
10	Population, which can be accommodated in 97790.90 ha. @ 225 PPH = 220 lakh		

^{*} This includes unplanned and existing built up area. Source: NCR Plan 2021

2. POPULATION AND EMPLOYMENT

As per 2001 Census, NCT of Delhi had a total population of 138 lakh. NCT Delhi is highly urbanized with 93.18% of its population living in urban areas as against the national average of 27.81%. During 1991-2001, the urban population of Delhi increased at 3.87 % annual growth rate. With the continuation of the present population trend, the total population of NCTD by the year 2011 and 2021 would be 182 lakh and 225 lakh respectively. Envisaging a balanced regional development, the population for the NCTD has been projected as under:

2.1. POPULATION

The population assignment stipulated in the Regional Plan-2021 for the National Capital Region (NCR) and National Capital Territory of Delhi (NCTD) are as given below:

TABLE 2.1: Population Assignment - 2021

Area	Population (In lakh)
NCR	641.38
NCTD	220-230

Source: NCR Plan - 2021.

While it may not be possible to make an accurate forecast, the expectation is that the population of Delhi may range between 220 to 230 lakh in the year 2021. However, requirement of land, provision of infrastructure and transportation, etc. should be planned for the projected population of 230 lakh.

2.2 POPULATION ESTIMATES AT FIVE YEAR INTERVALS

The population estimates for NCTD at five year intervals are given in the following table:

Table 2.2 Five Yearly estimates of Projected Population

Year	Population (In lakh)
2001	138.0
2006	162.0
2011	182.0
2016	199.0
2021	230.0

Source: Census of India and projections by DDA Sub-Group (MPD- 2021)

During the course of implementation of the plan, attempts should be made to restrict the population of Delhi lower than 220 lakh by 2021. To a substantial extent, this depends on the effective implementation of the policies and proposals of the Regional Plan -2021 NCR by the Government of NCT Delhi/Agencies, DDA, concerned Central Govt. Department. and other NCR participating States.

2.3 NATURAL GROWTH AND INMIGRATION

There has been increase in natural growth from 55.80% in 1981 to 59.21% in 1991 and 60.18% in 2001 and decrease in the net migrants from 44.20% in 1981 to 40.78% in 1991 and 39.82% in 2001. However, a reduction in the rate of natural growth and increase in migration between 2001and 2021 is envisaged in the MPD 2021. The net increase of population in NCT-Delhi is given below:

Table 2.3 Population in NCT-Delhi

Year	Addition by Natural Growth	Increase by Migration	Net Increase (in lakh)
1981	12.0	9.52	21.54 (100%)
	(55.8%)	(44.2%)	
1991	18.9	13.05	32.0
	(59.2%)	(40.8%)	(100%)
2001		17.64	44.30 (100%)
	26.66 (60.18%)	(39.82%)	
2011	24.2	20.0	44.2
	(54.8%)	(45.2%)	(100%)
2021	24.0	24.0	48.0
	(50%)	(50%)	(100%)

Note: Figures (in bracket) indicate percentage to total net increase. Source: Census of India and projections by DDA Sub-Group (MPD- 2021)

2.4 ELDERLY AND CHILDREN POPULATION

The DDA Sub-group (MPD-2021) projected that the Rate of elderly population (persons aged +60) is expected to increase from 5.9% in 2001 to 10.7% in 2021. At the same time population of children (aged 0-14 years) would decrease from 29.5% in 2001 to 21.75 % in 2021. The details break-up of elderly people and children are given below.

Table 2.4. Elderly and Children population

Year	Population in lakl	า
i eai	Elderly (+60year)	Children (0-14year)
1991	4.5 (4.8%)	32.8 (34.8%)
2001	8.1 (5.9%)	40.6 (29.5%)
2011	14.2 (7.8%)	45.0(24.7%)
2021	24.6 (10.7%)	49.9 (21.7%)

Figures (in bracket) indicate percentages to the total population.

Source: Census of India and projections by DDA Sub-Group (MPD- 2021)

The above age-group wise distribution of population should form the basis for providing special facilities to the elderly such as old age homes, low floor buses, special seats in buses, special seats in public toilets and ramps in public buildings.

2.5 EMPLOYMENT

The participation rate (Working Population / Total Population x 100) for the last two decades for Delhi is as given below:

Table 2.5. Participation rate of population

Year	Male	Female	Total
1991	28.8	3.7	32.5
2001	28.3	4.4	32.72

Source: Census of India and projections by DDA Sub-Group (MPD- 2021)

With the generation of employment in different sectors, the participation rate for 2021 would be 38.1 percent in NCTD. Based on the assigned population of 220 lakh, this would generate a total work force of 83.82 lakh by 2021.

2.6 PROJECTED WORK FORCE FOR NCTD-2021.

The work force in different economic sectors has been assigned as follows:

Table 2.6: Projected Work Force for NCTD-2021

	SECTORS	WORK FORCE (IN LAKH)	%
1	Agricultural Etc.	0.67	0.8
2	Manufacturing, Processing, Servicing, Repairs Household Industry	0.34	0.4
3	Other Than Household Industry	17.52	20.9
4	Construction	5.95	7.1
5	Trade And Commerce	25.31	30.2
6	Transport, Storage & Communications	6.20	7.4
7	Other Services *	27.83	33.2
	Total	83.82	100

Source: Census of India and projections by DDA Sub-Group (MPD- 2021).

The demographic trends indicate the following:

- (i) The rate of growth of the elderly population is expected to show an increasing trend from 5.9% in 2001 to 10.7% in 2021.
- (ii) It is projected that the gender composition will shift significantly to a greater parity between numbers of males and females with 102 lakh females and 106 lakh males in 2021.

The trend discerned from a comparison of the 1991 Census and 2001 Census shows that the percentage of combined workforce in 'Primary activities, Industry & Construction' is declining and that in 'Services' is increasing. In keeping with this decline, emphasis should be laid on tertiary sector activities such as commerce, sports, IT applications, cultural activities and tourism.

^{*}Includes Central Govt., Quasi Govt., Delhi Admin., Local Bodies and Private Sector etc.

3.0 DELHI URBAN AREA - 2021

The In 2001, about 702 sq km of area was estimated to have been built up, accommodating about 138 lakh population. To accommodate the projected population of 230 lakh by the year 2021, a three-pronged strategy is recommended:

- i. To encourage the population to deflect in the NCR towns;
- ii. To increase the population holding capacity of the area within existing urban limits through redevelopment; and
- iii. Extension of the present urban limits to the extent necessary.

3.1 POPULATION HOLDING CAPACITY OF DELHI

The area within the existing urbanisable limits of Delhi Urban Area-2001 consists of the planning zones A to H and the Dwarka, Rohini, Narela Sub-city projects. Population holding capacity of A to H zones is to be enhanced through a redevelopment strategy and modified development norms. This will be related with:

- i. Residential development types and their potential for higher absorption.
- ii.Redensification of housing areas developed at lower densities and along selected sections of the Metro corridor.
- iii.Redevelopment areas should be identified by the concerned agencies and Special Redevelopment Schemes should be prepared with regard thereto for implementation within a stipulated time framework.
- iv. Employment areas / centres
- v. Augmentation and rationalisation of infrastructure physical and social.
- vi. Increase in transportation network capacity.

The holding capacity of Dwarka, Rohini Phase III, IV & V and Narela is proposed to be enhanced through:

- i. Early and full utilisation of the planned areas and.
- ii. Implementation of the schemes under planning stages.

Existing residential areas may provide a potential to accommodate about 153 lakh population ultimately i.e. 114 lakh in Zones A to H and 39 lakh in Dwarka, Rohini Phase III, IV & V and Narela.

Table 3.1: Zonewise Estimated Holding Capacity of Existing Urban Area

(Population in '000)

Zone	Holding capacity MPD 2001	Existing population 2001	Holding capacity 2021
Α	420	570	570
В	630	624	630
С	751	679	788
D	755	587	813
Е	1789	2798	2800
F	1278	1717	1975
G	1490	1629	1955
Н	1865	1226	1865
Sub total	8978	9830	11400

3.0 Delhi Urban Area - 2021 3—1

Dwarka		597	1300
Rohini III		96	160
Rohini IV& V		198	820
Narela		179	1620
Sub total	3222	1070	3900
GRAND	122 Lakh	109 lakh	153 Lakh
TOTAL			

Note: Population figures are only broad planning guidelines

The remaining population for the year 2021 will have to be accommodated in the planned new urban extensions.

3.2 URBAN EXTENSION

Out of the remaining 77 lakh (230-153 lakh) population, 29 lakh already exists in villages, census towns, unauthorised colonies and JJ clusters in the present rural areas. Therefore about 48 lakh additional population is to be accommodated in the future urban extensions.

Due to land constraint in the NCTD, the areas earmarked as rural / agricultural in the previous Master Plans have always been under pressure for utilisation for various urban activities and have virtually lost their original character. In future, urbanisation has to be in the areas that have development pressure / potential like the areas along the major transport corridors and fringes of already urbanised areas. It is envisaged that major rural areas would be absorbed as urban extension from time to time with due regard to balanced city development.

At the first instance, to accommodate the projected additional population @ 250-300 pph average city level density, the requirement for urban extension would be 20,000-22,000 ha. of land within development time frame of 15 -16 years. The immediate urban extension could be in the zones of J to L, N & P (I & II). ¹[In order to accommodate the additional population, the land required for urban extension, will have to be assembled for planned development as per the land policy given in Chapter 19.0.] Considering the constant pressure on the rural land, new farmhouses and motels shall not be permitted in the proposed Urban Extension as per MPD-2021.

²[Motels with sanctioned plans as on 07/02/2007 or whose proposal of Motel has been acceded to ³{(including all such proposal of motels which were in process of examination or matter challenged in the court of law or having approval in files from DDA or MCD or not acceded to due to enforcement of MPD-2021 on 07.02.2007 are also eligible for sanction)} and located in Commercial Areas or Proposed Facility Corridor in Zonal Development Plans and other use Zones, shall be permissible subject to Development Control conditions mentioned in Table 5.4 and clause in Chapter 17.0.]

¹ Modified vide S.O. 2687(E) dated 05-09-2013

² Added vide S.O. 2555 (E) dated 26/10/2012

³ Added vide S.O. 2759(E) dated 13-09-2013 and S.O. 2799(E) dated 16-09-2013

¹[However, the land pockets of minimum 0.4ha (4000sqm) may be developed in areas separately Notified as Low Density Residential Area". Relaxation in the minimum size of plot shall be allowed to the extent of land which farm owners have surrendered for road widening/public facility to MCD/Local authority causing land holding less than 1 acre.

3.2.1 GREEN BELT

The previous Master Plan proposals for retention of Green Belt have not been maintained and a considerable part has already been utilised for both, planned and unplanned developments.

The Plan stipulates that the land upto the depth of one peripheral village revenue boundary along the border of NCTD, wherever available, would be maintained as Green Belt. Considering the constant pressure on the rural land, new motels shall not be permitted in the green belt. However, existing village abadis, regularized unauthorized colonies and approved motels may continue in the green belt. (Refer Table 9.4, Chapter 9.0 Environment, for permissibility). GNCTD shall be responsible for ensuring utilization of land in Green belt in accordance with permissible uses.

Land in the Urban Extension is proposed to be broadly distributed in different land uses in the following manner as shown in Table 3.2.

Land use	% of Land
Residential	45-55
Commercial	4-5
Industrial	4-5
Green/ Recreational*	15-20
Public & Semi-Public Facilities	8-10
Circulation	10-12

Table 3.2: Land use Distribution

On an average the space required per person would be 40 sqm, covering about 920 sqkm of urban area for the projected population of 230 lakh in year 2021.

3.2.2 HIERARCHY OF URBAN DEVELOPMENT

A planned city for an environment of convenience should have a hierarchical cellular structure; with nuclei to contain essential facilities and services at different levels. The pattern of a community module is conceived as residential area containing a 'neighbourhood' with senior secondary school and shopping facilities for day-to-day needs. The higher level of additional facilities is to be provided at Community, District and Zonal / sub-city levels. Such a structure could be maintained in the process of the preparation of plans on the basis of the standards set in the Table 3.3:

3.0 Delhi Urban Area - 2021 3—3

^{*} This does not include green areas within the various gross land use categories.

¹ Added vide S.O. 1199 (E) dated 10.05.2013

¹[Table 3.3: Hierarchy of Urban Development]

[Table 6.6. Theraren's or orban beverepinent]							
Lovel	Facilities		Area in sq.m.			be ded	
Level	Facilities	·			indicate		
					d		
		No.	Per Unit	Total	LOP	ZP	
1	2	3	4	5	6	7	
1. Housing	Convenience shopping	1	1,000	1,000	•		
Area	2. Totlot	20	125	2,500	•		
Population-	3. Housing area Park	1	5,000	5,000	•		
5,000	4. Housing area Play ground	1	5,000	5,000			
	5. Anganwari	1	200-300	400-600	•		
	6. Milk Booth	1	-	rd design of the	•		
	1.5:			Department			
2. Neighborh	1. Primary School	1	2,000-4,000	2,000-4,000	•		
ood	2. Sr. Secondary School	1	6,000-8,000	6,000-8,000	•		
Population-	3. Religious building	2	400	800	•		
10,000	4. Electric Sub Station 11 KV	1	80	80	•		
	5. Banquet Halls	1	800-2,000	800-2,000	•		
	6. Local shopping	1	3,000	3,000	•		
	7. Service Market	1	2,000	2,000	•		
	8. Informal Bazaar / Rehri Bazar	1	1,000	1,000			
	9. Three wheeler & Taxi Stand	1	400	400	•		
	10. Neighborhood Park	1	10,000	10,000	•		
	11. 11Neighborhood Play Area	1	5,000-10,000	5,000-10,000	•		
	12. Underground water tank with booster station and OHT	1	2,000	2,000	•		
	13. Sewage Pumping Station	1	500	500	•		
	14. Coaching centres, IT & language training centres	1	500	500	•		
	15. Dhalao including segregation	1	200	200	•		
	16. Dispensary	1	800-1,200	800-1,200	•		
	17. Local level waste water treatment facility	1		quirement	•		

3.0 Delhi Urban Area - 2021 3-4

¹ Table modified vide S.O. 2895(E) dated 23-09-2013

3. Community	1	4	E 000 10 000	E 000 10 000		
Population-	¹ [1. Hospital*	1 2	5,000-10,000 2,000 – 15,000	5,000-10,000 4,000 – 30,000	•	•
1,00,000	'C' (101 beds & 200 beds)				_	
	2. Hospital 'D' (upto 100 beds) Tertiary Health Care	1	2500-5000 10,000 -	2500-5000 10,000 - 15,000	•	•
	Centre		15,000	10,000 - 15,000]		
	3. a) Family Welfare Centre	1	13,000			
	b) Pediatric Centre	1	500-800	500-800	•	
	c) Geriatric centre	1	Each	Each		
	d) Diagnostic center	1				
	4. Maternity Home	2	1,000-2,000	2,000-4,000	•	
	5. Nursing Home/ Polyclinic	1	1,000-2,000	2,000-4,000	•	
	6. Dispensary for pet animals	1	300	300	•	
	& birds					
	7. Police Post	1	1,000	1,000	•	
	8. Community Recreational	1			•	
	club		2,000	2,000		
	9. Socio-Cultural activities	1			•	
	(auditorium, music, dance & drama centre / meditation &		4.000	4 000		
	spiritual centre)		1,000	1,000		
	, ,					
	10.Night Shelter	1	1,000	1,000		
	11.Multipurpose Community	1	2,000	2,000	•	
	hall (provision for	•	2,000	2,000	_	
	marriages, small public					
	gathering, function, eating					
	joint and library, gym etc.					
	12.LPG Godowns		3 LPG Godowns	-	•	
	40.000/1.00		populat			
	13.SKO/ LDO outlet		As per standard		•	
	14.Electric sub-station 66KV	2	concerned de	•		
	15. Community Centre		8,55			
	16. Informal Bazar		As per norms/ r	•	•	
	17. Community Park	1	1,00	1,000	•	
	•	,	50.00			
	a. Park	1	50,00			•
	b. Multipurpose Park / ground	1	20,00	00	•	•
	18.Community Sports Centre	1	10,000-30,00	00 10,000-30,000	•	
	19.Bus Terminal	1	1,00	· · · · · · · · · · · · · · · · · · ·		
	20.Waste Water Treatment	•	•	,	_	
	facility		As per requ	irement	•	
	21.Sewage Pumping Station	1	2,00	2,000	•	
	22.Parking space for parking of	2	3,00		•	
	buses, LMVs, IPTs, etc.	_		3,230		

¹ Modified vide S.O. 2893(E) dated 23-09-2013

Table modified vide S.O. 2895(E) dated 23-09-2013

4. District	1. Hospital ¹ ['A' (501 beds &	1	25,000-45,000	25,000-45,000	•	•
Population-	above)]					
5,00,000	2. Hospital ² [' B' (201 beds to 500 beds)]	2	15,000-25,000	30,000-50,000	•	•
	Veterinary Hospital for pet animals & birds	1	2,000	2,000	•	 .
	4. Vocational Training Centre: (ITI / Polytechnic / Vocational Training Institute / Management Institute / Teacher Training Institute etc.) Research and Development Centre	1	4000	4000	•	•
	5. School for Mentally Challenged		2,000	4,000	•	
	6. School for Physically Challenged	2	2,000	4,000	•	
	7. General College	1	As per the L	JGC norms		
	8. Professional College (Engineering)	1	As per the Al	ICTE norms		•
	9. Police Station	2	3 <mark>[10,000</mark> 7,500-10,000	20,000 15,000-20,000]		•
	10.Fire Station (5 to 7 km radius)	3	10000	30000	•	•
	11.Old Age Home	1	1000	1000	•	
	12.Care Centre for Physically/ Mentally Challenged	1	1,000	1,000	•	• ,
	13.Working women-men hostel	1	1,000	1,000		
	14. Adult Education Centre	1	1000	1,000		
	15.Orphanage/ Children's Centre (one each)	1	1,000	1,000	•	
	16.Electric sub-station 220 KV	1	29,600	29,600	•	•
	17. District Centre	1	4,00,000	4,00,000	•	•
	18. Service Market	1	60,000	60,000	•	•
	19. Bus Terminal	1	2,000	2,000	•	
	20. Bus Depot	1	4,000	4,000		•
	21. District park			2,90,000		•
	a. Park	1	2,50,000			
	b. Multipurpose ground / Park	1	40,000			
	22. District Sports Centre	1	30,000-1,00,000	30,000-1,00,000		•

^{1–2} Deleted vide S.O. 2893(E) dated 23-09-2013

Table modified vide S.O. 2895(E) dated 23-09-2013

 $^{^{\}rm 3}$ Modified vide S.O. 2894(E) dated 23-09-2013

	23. Recreational club	1	5,000	5,000		•
	24. Cremation ground	1	4,000	4,000		•
5. Zonal / Sub-	Medical College	1	As per Medical Co			•
City			Regulatory			
Population 10,00,000	Nursing and Paramedic Institute	1	2,000	2,000	•	
	Telephone Exchange	1	2,500	2,500	•	
	4. RSU (Remote Subscribe	1 for 3	300	300	•	
	Unit)	km radius				
	5. Sub City Wholesale Market	1	1,50,000	1,50,000		•
	6. Bus Depot		As per requi	irement		•
	7. Head Post Office &	1	2,500	2,500	•	
	Administration Office	4	0.500	0.500		
	8. Sewage Pumping Station	1	2,500	2,500	•	
	Municipal Office for water & sewerage	1	1,000	1,000	•	
	10.Sewerage Treatment Plant (180 mld)	1	2,34,000	2,34,000		•
	11.City Park			10,80,000		•
	a. Park	1	10,00,000			
	b. Multipurpose ground	1	80,000			
	12.Old Age Home	2	1,000	1,000	•	<u> </u>
	13.Divisional Sports Centre	1	3,00,000	3,00,000		•
	14.Burial ground / Cemetery	1	10,000	10,000		•
	15.Religious Centre	1	40,000	40,000		•
	16. Science Centre	!	As per requireme	ent		•

LOP - Layout Plan

ZP - Zonal Plan

¹[Note:

In addition, the following facilities shall also be provided at city level:

Facilities		No.		Area (in ha.)	
1.	University Campus	4 sites in Urban Extension		Up to 20.0	
	a) Academic incl. Administration				
	b) Residential				
	c) Sports & Cultural Activities				
	d) Parks & Landscape				
2.	District office and battalion	1 for each administrative zone		1.0	
3.	Police Lines			2.0	
4.	District Jail	1 25 lakh population		5.0	
5.	Police Training Institute/ College		City level	5.0	
6.	Police Firing Range	(To be located in fringe area) As per requirement		Up to 10.0	
7.	Police Camp			Up to 10.0	
8.	Interstate Bus Terminus (ISBT)			10.0	

¹ Added vide S.O. 2893(E) dated 23-09-2013

3.0 Delhi Urban Area - 2021

^{*} Size of hospital will be restricted upto 1.5 ha. in residential area, with preference to plot having three side open and having minimum 18 m ROW on one side. Total floor area of the hospital shall be governed as per the total number of beds allowed in it.]

9. International Conventional Centre	At city level	As per requirement	
10. Fire Training Institute/ College	City level	3.0	
	(One site in Urban Extension)		
11. Disaster Management Centre	1 for each administrative zone.	1.0 Ha along with suitable open area (2Ha) for soft parking, temporary shelter, parade ground etc.	
12. Exhibition-cum-Fair Ground	2 sites in Urban Extension.	Up to 40.0 each	
13. Religious Centre	1 25 lakh population	4.0	
14. Integrated Office Complex	1 for each administrative zone.	1.5	
15. Amusement Park	Up to 10 ha., in District Park.		
16. International Sports Complex	About 200 Ha to be reserved wherever possible in Urban Extension.		
17. Veterinary Institute	As per Veterinary Council of India / Ministry norms (subject availability of land.		

Note:

- i) Post office counter, telegraph office, courier service counter, Internet counter, bank counter/ATM permitted in all use zones / under mixed use as per requirement.
- ii) These are suggestive norms and lower norms could be adopted in built up areas / special areas, etc.
- iii) For the Zonal Development Plans in Urban Extension, the facility belts/corridors shall be detailed out in the layout plans.

3.3 REDEVELOPMENT OF EXISTING URBAN AREA

The scope for development of urban extensions on a large scale is restricted due to limitations of buildable / urbanizable land in Delhi. Therefore, the option of redevelopment through a process of reorganisation and utilisation of the land already developed will be a major element of the overall city development plan.

A redevelopment strategy for accommodating more population in a planned manner is to be taken up on priority in all use zones for efficient and optimum utilization of the existing urban land, both in planned and unplanned areas. This would have to be based on provision of infrastructure viz. water supply, sewerage, road network, open spaces and the essential social infrastructure.

To encourage the growth impulse for regeneration in the target redevelopment areas, the possible incentives and modalities recommended include grant of planning permission at the scheme level with permission to reorganize / pool properties for planning purposes, provision of social infrastructure through Transferable Development Rights or Accommodation Reservation and reduced space standards for unplanned areas, enhanced FAR for specified redevelopment areas and application of flexible concept of mix-use zones in Special Area & Villages on scheme basis.

3.3.1 REDEVELOPMENT STRATEGY

The target areas for redevelopment will have to be identified on the basis of their need for up-gradation and potential for development. Redevelopment Schemes will be prepared by the respective local body / land owners / residents. The concerned local body should promote private land owners to take up assembly and redevelopment of a minimum area of 4 hectares. Some of the areas identified are:

3-8

3.3.1.1 Planned Areas

A. Influence Zone along MRTS and major Transport Corridor

Growth of Delhi over the years has been on the ring and radial pattern with reliance on road based public transport. The development envisaged by the previous Plans was poly nodal with hierarchy of Commercial Centres located either on ring or radial roads. The proposed MRTS network will bring sizable urban area within walking distance from the proposed stations. This will have an impact on the existing structure of the city and consequently its development. This changed scenario provides opportunities for city restructuring and optimum utilization of the land along the MRTS corridors. In this process, a sizable proportion of the additional population with requisite facilities and employment can be absorbed along these corridors.

Influence Zone along MRTS corridor is envisaged as intensive development zone. The scheme for Redevelopment of Influence Zone shall be prepared on the basis of the following:

- i) Maximum upto 500 m. wide belt on both sides of centre line of the MRTS / Major Transport Corridor (to be identified in consultation with GNCTD) will be designated as Influence Zone which will be identified in the respective Zonal Development Plans.
- ii) Entire approved layout plan of a scheme will be included in the zone if more than 70% of the plan area falls inside the influence zone. In case of large schemes, block / pocket boundary should be considered as one scheme for this purpose.
- iii) The approval of schemes will be granted only after commencement of execution of the respective phase of MRTS.
- iv) Development Controls applicable will be as permissible for the respective use zones / use premises.
- v) Higher FAR and height can be availed of through the preparation and approval of comprehensive integrated scheme.
- vi) In the proposed Urban Extension areas the land uses will be integrated with the proposed movement corridors at planning stages only.
- vii) The following areas shall be excluded from the enhancement of FAR:-
 - Lutyens' Bungalow Zone, Chanakya Puri., DIZ Area and Matasundari Area.
 - Civil Lines Bungalow Area.
 - Monument Regulated Zone (As per ASI guidelines).
 - ¹Property development of DMRC.
 - Comprehensive commercial schemes.

B. Re-densification of low-density areas

There is a large proportion of underused land with a number of vacant sites as well as dilapidated built-up areas lying vacant in the city. Many of such areas are owned by Government of India. Such areas are recommended to be planned for redevelopment with higher density in order to make optimum use of land resource as per the prescribed norms.

3.0 Delhi Urban Area - 2021 3—9

¹ Deleted vide S.O. 751 (E) dated 18-04-2011

C. Redevelopment of Other Developed areas

In Delhi, including New Delhi (NDMC area), a large number of housing, commercial and industrial areas are old and characterized by poor structural condition, sub-optimal utilisation of land, congestion, poor urban form, inadequate infrastructure services, lack of community facilities, etc. These are to be redeveloped as per the prescribed norms and development controls and with the initiative / consultation with the Residents' society / RWA / Traders' Associations.

3.3.1.2 Special Area

The Special Area as defined in the Plan has been divided into three separate parts, namely (i) Walled City (ii) Walled City and Extension and (iii) Karol Bagh. These are characterized by a mix of different land uses and have similarities in compact built form, narrow circulation space and low-rise high-density developments, mainly accommodating residential, commercial - both retail or wholesale and industrial uses. Therefore, it is important that the areas, which are already established with identified uses, continue to play an active economic role. The Authority may further designate certain other areas as 'Special Area'.

The strategy is to provide suitable framework for allowing mix-use activities appropriate to the character of the areas as per the individual schemes having greater flexibility in terms of permitting variety of uses namely, commercial use (shops, offices, banks etc.), household industries or outlets for specialized services etc. However, the criterion of selection of the mix-use activities shall be as per Mixed Use Regulations.

Required parking and open spaces will have to be provided as per the norms, while reduced space norms for other facilities may be accepted. The redevelopment areas should ensure modern services and amenities, thereby eliminating risk generating structures and activities.

The regulations for Special Area shall be different from other areas. All these areas are to be brought within the planning purview. For this, the owners can jointly redevelop on the basis of the norms and regulations to be prescribed.

A. Shahjahanabad (Walled City)

The most important part of the Special Area is the traditional City of Shahjahanabad, part of which is a core of the business district. The area is prone to commercialisation, particularly with improved accessibility due to the MRTS. The Plan proposes to regulate and shift noxious and hazardous wholesale trades and industrial activity from this area.

Traditional areas in Walled City need special treatment to conserve its heritage value while retaining the residential character. Redevelopment of government owned katras is to be taken on priority. However, redevelopment would also be promoted in privately owned katras simultaneously. Permission of activities in use premises and building control regulations shall be as follows:

- i) The area surrendered for public facilities or for heritage value to be used as tradable FAR.
- ii) Street pattern:
- iii) The street pattern in residential area is proposed to be restructured with linkages from the metro stations. The minimum road width and prioritizing of road widening are dictated by fire and other disaster management criteria. The streets, having 30m to

3-10

50m lengths, shall have a minimum of 3m width and streets having more than 50m length shall have a minimum of 4.5m width. Common facilities shall be located with linkages to pedestrian roads and metro stations.

iv) Subject to preparation and approval of an Integrated Redevelopment Scheme, higher FAR and other development controls can be considered. This provision is also subject to requirement of heritage controls, parking, accessibility of emergency vehicles and basic services.

B. Walled City Extension

Pahar Ganj, Sadar Bazar, Roshanara Road and their adjoining areas comprise the Walled City and Extension. These are old congested built-up areas and for up-gradation of the environment in these areas, minimum level of infrastructure and parking facilities should be provided.

The redevelopment in these areas shall be in accordance with the respective comprehensive redevelopment schemes with conservative surgery as a planning tool, as far as possible.

In the Special Area Plan, use zones have been marked in different pockets of the `Other Urban Renewal Areas'. These pockets shall be planned for the respective use zones assigned. The redevelopment schemes for different use zones shall generally adopt regulations prescribed in the Development Code except in cases where special provisions have been made / proposed in this Plan.

C. Karol Bagh

Karol Bagh has become one of the important commercial centre outside the Walled City. The invasion of commercial activity has pushed out the residential use substantially. Karol Bagh area is due for comprehensive redevelopment on the basis of mixed-use concept with provisions of parking and up-gradation of facilities and utilities. The gridiron pattern should be treated as an asset to regulate and pedestrianize the traffic movement.

3.3.1.3 Unplanned Areas

A. Slum and JJ Clusters, Resettlement Colonies and Unauthorised Colonies

In-situ up-gradation of the land pockets of slum and JJ Clusters, which are not required for public / priority use is the first option for provision of affordable housing for rehabilitation of squatters. Resettlement colonies though planned, are also to be upgraded in a similar way for infrastructure provision. Similarly, unauthorized colonies slated for regularization are also proposed to be improved through redevelopment by ensuring participation of the inhabitants.

B. Villages

The villages in Delhi have undergone significant physical and functional transformation related with their specific location. Villages are characterized by a mix of different land uses and have similarities in compact built form, narrow circulation space and low-rise high-density developments. These mainly accommodate residential, commercial and industrial uses and function as a mix. It is important that these areas, which are already established with identified uses, continue to play an active economic role.

Comprehensive schemes for the development of villages should be prepared by the concerned local bodies with the aim of provision of optimal facilities and services within the abadis and integration with the surrounding areas. Towards the latter objective, development along the peripheries of the villages should be carefully planned, wherever

3.0 Delhi Urban Area - 2021 3—11

necessary for the provision of services and green / open areas, circulation, etc. This aspect should also be kept in view while preparing layout plans for urban extension areas.

For provision of social and educational facilities, reduced space standards shall be adopted. The facilities like community hall, dispensary etc. may be grouped together depending on the availability land. Small shops shall be permissible in residential plots on ground floor as per provisions of Mixed Use Regulations in village abadi including rural (para 15.6.3).

3.3.2 GUIDELINES FOR REDEVELOPMENT SCHEMES

The basic objective of redevelopment is to upgrade the area by implementing specific schemes on the basis of existing physical and socio-economic conditions in the following way:

- i) Influence Zone along MRTS Corridor and the Sub-Zones for redevelopment and renewal should be identified on the basis of physical features such as metro, roads, drains, high tension lines and control zones of Monuments / Heritage areas, etc.
- ii) The residents / cooperative societies / private developers should get the layout and services plan prepared in consultation with the concerned authority for approval.
- iii) Within the overall Redevelopment / Regularisation plans, building plan approval shall be at following two stages:
 - a) Planning Permission for an area of around 4 Ha. This permission may not be required in case an approved layout / Redevelopment / Regularisation plan exists.

b)

- 1. Cluster Block for a minimum area of 3000 sq.m. The owners should pool together and reorganise their individual properties so as to provide minimum 30% of area as common green / soft parking besides circulation areas and common facilities.
- 2. Individual buildings shall be given sanction by the concerned authority within the framework of cluster block approval.
- c) The norms of Group Housing with respect to ground coverage, basement, parking, set backs etc. (except FAR) shall be applicable.
- iv) Amalgamation and reconstitution of the plots for planning purpose will be permitted.
- v) To incentivise the redevelopment a maximum overall FAR of 50% over and above the existing permissible FAR on individual plots subject to a maximum of 400 shall be permissible. Higher FAR shall however not be permissible in redevelopment of Lutyens Bungalow Zone, Civil Lines Bungalows Area and Monument regulated Zone.
- vi) In case of plots with service lanes, the lane area may be included in the scheme. However, no FAR / coverage will be granted and the area shall be used as public area.
- vii) The standards of housing density, minimum width of roads and community facilities can be relaxed, wherever justified, by planning considerations (e.g., pedestrianization of the area).
- viii) The Public and Semi-public uses and services like hospitals ¹[/ tertiary health care centres], dispensaries, colleges, schools, police stations, fire stations, post offices, local government offices, parking etc. shall be retained in their present locations as far as possible and if not, relocated as part of the redevelopment scheme. Alternative

-

¹ Added vide S.O. 2893(E) dated 23-09-2013

3-13

- sites shall be indicated in the Redevelopment Schemes / Zonal Development Plans. Any change or addition thereof shall be in accordance with the overall policy frame prescribed in the plan.
- ix) Reduced space standards may be adopted for community facilities / social infrastructure for the areas mentioned in 4.2.2.2 B sub para (ii) 'social'. The land required for any public purpose may be acquired with the consent of the owner through issue of Development Rights Certificate in lieu of payment towards cost of land as per the prescribed regulations. The concept of Accommodation Reservation i.e. allowing construction of community facilities without counting in FAR may also be utilized.
- x) Subject to preparation and approval of integrated / comprehensive Redevelopment schemes and provision of parking and services, up to 10% of the FAR may be allowed for commercial use and 10% of the FAR for community facilities with a view to trigger a process of self-generating redevelopment.
- xi) The circulation pattern should include segregation of pedestrian and vehicular traffic, entry control, access of emergency vehicles to every block, provision of adequate parking etc.
- xii) Appropriate levies for increased FAR, and landuse conversion shall be charged from the beneficiaries by the competent authority as per prevailing rules / orders.
- xiii) Urban Design and Heritage to be ensured as per the guidelines.
- xiv) The land use shall be governed as per the Master Plan / Zonal Development Plan. The non-residential use will be permitted as per the provisions of the Mixed Use Regulations and Special Area Regulations.

3.0 Delhi Urban Area - 2021

4.0 SHELTER

The policy regarding "Shelter" is based on the goal of ensuring 'Shelter for All' by harnessing the potential of the public, private / corporate and household sectors. It aims to ensure effective housing and shelter options for all citizens, especially for the vulnerable groups and the poor, by creation of adequate housing stock on either rental or ownership basis. It envisages the role of the public agencies as facilitator through policy and strategic interventions.

Housing has a strong spatial relationship with employment, social services and other urban activities. The policy for development of housing could act as major tool for influencing the efficiency and equity of urban areas, besides its direct role in the provision of shelter.

4.1 HOUSING NEED

As per the Census 2001, Delhi has 24.5 lakh Census houses under the category of residence and residence-cum-other uses, in which 25.5 lakh households are residing. This reflects a net housing shortage of about 1.0 lakh houses / dwelling units. The households are accommodated in a variety of housing types including different categories of planned built housing, squatter settlements, unauthorized colonies, traditional areas and villages. The Sub-group on Shelter noted that up to the year 1991, the contribution to housing stock through institutional agencies was only 53% (excluding squatter housing). Therefore, the component of housing through non-institutional sources, viz., unauthorized colonies, squatter / JJ clusters, etc., is quite significant. This trend has continued in the current decade as well and has to be kept in view while determining the plan and strategy for housing.

Based on the projected population of 230 lakh by 2021, the estimated additional housing stock required will be around 24 lakh dwelling units. This includes an estimated housing requirement of 20 lakh dwelling units for additional population and backlog of about 4 lakh units comprising of 1 lakh net shortage and the rest by dilapidated and Kutcha structures requiring replacement.

It has also been assessed that around 40% of housing need can potentially be satisfied through redevelopment / up-gradation of existing areas of Delhi. This may be met in the present urban limits of A to H zones and in the sub cities of Dwarka, Rohini and Narela. This implies that the remaining 60% of the requirement would have to be met through 14.4 lakh new housing units to be provided in new areas. In order to ensure that housing need is accommodated in the urban extension, the Zonal Plans for 2021 should be prepared within 12 months.

Keeping in view the socio-economic composition of the population, it is estimated that around 50-55% of the housing requirement would be for the urban poor and the economically weaker sections in the form of houses of two rooms or less. Based on past experience it is necessary to distinguish between the urban poor comprising the inhabitants of squatter settlements / pavement dwellers, etc. and other economically weaker sections of the society, conventionally classified in the form of EWS, LIG, etc. The role of the government would have to be both as a provider and facilitator. The category of the urban poor is to be broadly catered in old and new urban areas through up-gradation of old / traditional areas, employers and industrial housing, group housing and also in unauthorised regularised colony infills.

A possible indicative scenario in terms of mode of housing supply in different types of development for the next two decades emerges as under:

Regularised

Up-

areas/

areas.

Old

6

3

54

9

3

46

15

6

100

Housing Component (%) Housing Type Development Agencies EWS / LIG Others Total Slum & JJ -In-situ Rehabilitation Public, Private, Co-op 25 25 Relocation / Reconstruction Society &Up-gradation Houses on Independent Plots & Public, Private 4 4 8 Redevelopment Group Housing(Min. 35% of Public, Private, Co-op 42 14 28 total DUs mandatory 2 room or Society less) Central / State Govt. 2 **Employer Housing** 2 4

Co-op Society/ Residents'

Association / Private
Public, Private, Co-op

Society

Table 4.1 Indicative Distribution of Housing Types

4.2 HOUSING STRATEGY

Housing

Traditional areas/ Villages

of

Unauthorised

colonies infill

Other

TOTAL

gradation

The proposed housing strategy incorporates specific approaches for development of new housing areas, up-gradation and re-densification through redevelopment of existing housing areas including unauthorized colonies, housing in villages and Special Area. Looking at the possible distribution of housing types, the future requirement of shelter provision will be dominated by small dwelling units. In view of the limited availability of land and increased requirement of housing, plotted residential development shall be discouraged.

It is proposed to adopt a multi-pronged housing strategy for provision of housing stock and for delivery of serviced land, involving the private sector to a significant extent, public agencies and co-operative societies etc. The overall responsibility for provision of land and facilitation of adequate housing to meet the projected demand lies with the DDA in collaboration with GNCTD and other agencies.

Planning norms, land use zoning, density, FAR, and building controls have been reviewed for housing, both in new areas to be opened up and for redevelopment of existing areas. In the context of housing strategy, it is essential to optimise utilization of land and space with a view to increasing net residential density. These norms and controls should also be reviewed periodically (preferably every five years) by DDA and suitably modified / updated to meet the requirements of the citizens. It has been observed that the practice of prescribing FAR / density norms without distinguishing between housing categories in terms of plinth area, can result in over population or under population on the one hand, and non-optimal design and under-utilisation of the utility network, on the other. The norms should provide options to achieve the density and FAR both in Ground + 3 or 4 storeyed walk-up structures, without lift or in high-rise construction. ¹[A fixed density could lead to under utilisation of FAR or imposition of artificial limits to optimal use of land, which is a scarce commodity. Therefore, the following density norms, with corresponding category of dwelling unit (DU) sizes are proposed:

¹Deleted vide S.O. 1215 (E) dated 13-05-2013

Slum/EWS housing (upto 30 sq.m) -	600 DUs/Ha
Category I (above30-upto40sq.m.)	500 DUs/ Ha
Category II (above40-upto80sq.m.)	250 DUs/ Ha
Category III (above80sqm) –	175 DUs/Ha

¹[As the development of housing in new area or redevelopment of existing housing stock in built up area to be taken by the Public Agencies, Society or private developers the upper limit of density be taken as 200 DUs/ha.(900pph) with flexible Dwelling Unit sizes to achieve optimal utilization of land. The density for Slum & JJ clusters (In-situ up-gradation/ Rehabilitation/ Redevelopment of Slum & JJ Clusters, Resettlement Colonies) and EWS Public Housing Schemes be maximum 900 DUs/ hect ha (±15% variation permissible).]

The Central Government may relax density and other norms in consultation with DDA for public housing and projects of national importance.

In case of plotted development, the permissible number of dwelling units will be as prescribed for different plot sizes given in the development controls.

In case of Bungalow area (Part zone D) any residential density in group housing pockets shall be prescribed on the basis of detailed scheme.

In case of Civil Lines Bungalow Area, the development controls for group housing shall be as prescribed in the Zonal Development Plan of zone 'C'.

To make the construction activity more environment friendly, the choice of alternative building materials and techniques have to be reoriented and promoted for construction activity. Building technology parks and mobile expositions for cost effective materials and techniques are to be explored for new housing areas and redevelopment schemes. Standard specifications may also be incorporated in the Government Schedule and may be adopted for public buildings and housing schemes.

4.2.1 NEW HOUSING AREAS

Even if the assumptions regarding the extent of housing that could be met by redevelopment of the existing areas actually materialize, there would still be a need for the development of housing to the extent of at least 75,000 DUs per annum in different categories. This implies that specific plans would have to be evolved by DDA with the approval of the Competent Authority and action be taken with reference to the following:

- (i) Determination of area requirement;
- (ii) Identification of the areas for urbanization / housing development;
- (iii) Evolving the pattern and norms for new housing development;
- (iv) The mode and manner of development, and the roles of the private and public sectors in this process.

As already indicated, more than 50% of the new housing would be in the form of one and two room units with average plinth area of about 25 sq.m. to 40 sq.m. The average plinth area per house to be achieved in various neighbourhoods will also depend on composition of various income groups to be accommodated in the composite housing schemes.

¹Added vide S.O. 1215 (E) dated 13-05-2013 and modified vide S.O. 2894 dated 23-09-2013

The policy should indicate that EWS & LIG houses after construction by a private group shall be handed over to the nodal agency/ agencies and these should be allotted to eligible beneficiaries.

The new housing developed through the aforementioned methods should be based on a composite area basis and should cater to the special needs of elderly, handicapped and single occupants. With these aspects and planning norms, the land required to be developed in new housing will be to the tune of around 450-500 ha. per annum.

4.2.2 RESTRUCTURING AND UP-GRADATION OF THE EXISTING AREAS

In Delhi, a large number of areas are old and are characterized by poor structural condition of buildings, sub-optimal utilisation of land, congestion, poor urban form, inadequate infrastructure services, lack of community facilities, etc. The housing stock in both planned and unplanned areas can be enhanced through various approaches as given below.

4.2.2.1 Planned Areas

A. Plotted / Group Housing

The flats built by DDA, particularly those, which have become aged, may be redeveloped with permission and subject to the condition that the structural safety of other flats is not impinged. Already developed group housing inclusive of public (DDA and others), co-operative housing may be redeveloped on the basis of prescribed norms and regulations by formulating co-operative societies or self-managing communities. The funds for redevelopment should be contributed by the residents.

B. Employer Housing

In Delhi after Independence, substantial areas were developed at low density and have potential for densification. These are mainly government and cantonment areas. In order to optimally utilise these prime lands there is need of intensive development. On a conservative estimate the present housing stock can be increased to more than double. Infrastructure enhancement and provision for additional housing can be financed from the funds generated through cross-subsidisation between commercial and residential use for EWS and LIG categories.

C. Bungalow Area

Lutyens' Bungalow Zone comprises of large size plots and has a very pleasant green environment. The essential character of wide avenues, large plots, extensive landscape and low rise development, has a heritage value which has to be conserved. Mixed use, high intensity development along MRTS corridor and de-densification of trees / reduction of green cover is not permitted at all. The strategy for development in this zone will be as per the approved plans and the LBZ guidelines, as may be issued by the Government of India from time to time.

Civil Lines also has Bungalow Area of which the basic character has to be maintained.

¹[D. Low Density Residential Area

The majority of Farm Houses in the urban extension areas are located on lands where ground water has already been severely depleted or close to such depletion. Further, intensification of residential density and heavy additional load on civic infrastructure such as water supply, Drainage, Sewerage, Parking etc. is highly undesirable in such areas from environmental considerations. Therefore, villages containing existing farm houses clusters are notified as "Low Density Residential Area" (list of village at Annexure-I). Low Density Residential Plots are also allowed in the village falling in Green belt (list of villages in Green Belt at Annexure-II).

4.2.2.2 Traditional Inner City and Unplanned Areas

The congested areas of the city have a predominant residential component like Shahjehanabad (Walled City), and its Extensions, Karol Bagh (Special Area) and villages. The unauthorised / regularised colonies, which are unplanned areas, have a role to play as a housing stock provider. All these areas should be redeveloped ensuring modern services and amenities for a safe residential environment and in the process, eliminating risk prone structures and activities. The owners can jointly redevelop the areas based on the prescribed guidelines.

A. Special Area and Villages

The Old City areas, Shahjehanabad (Walled City), and its Extensions, Karol Bagh (designated as Special Area) are fast changing their residential character to non-residential use, but still have a residential component. The non-residential uses of varying degrees have developed with time depending on their location, related with accessibility and the established trade.

In the case of traditional inner city areas, it is essential first to distinguish between the heritage segment of the area and the non-heritage segment of the area. Well-designed Special Area Redevelopment Schemes must be prepared for traditional areas giving the development control parameters for the heritage areas keeping in view archaeological norms / architectural character and general parameters for the non-heritage segment of the traditional area. Each Special Area Redevelopment Scheme should entail an enumeration of the monuments and old buildings within the heritage areas, which must be conserved. The MCD is the nodal agency who should prepare Special Area Redevelopment Schemes for all traditional areas within a time frame.

The basic objective of Special Area Redevelopment Scheme in traditional areas is to bring about in situ improvements which help in improving architectural character of the area, i.e., design and layout, as well as revitalising trade and commerce in the area.

The villages are also considered at par with these as they also have the same traits. The socio-economic changes in these old unplanned areas, especially in villages, have been substantial. The redevelopment plans should ensure that the permissibility of mixed use zoning at property or within the premise level is compatible to the predominant residential areas.

B. Unauthorised / Regularised Unauthorised Colonies

Unauthorised colonies in Delhi pose a serious human problem as a huge population is living in these colonies. The issue of existing unauthorized colonies has engaged attention since the mid-seventies when a policy for regularization was formulated. 567 out of 607 listed unauthorized colonies were regularised till October 1993, but many more unauthorized colonies have come up since then. Such colonies are to be identified by the Govt. of NCTD.

4.0 Shelter 4—5

.

¹Added vide S.O. 1744 (E) dated 18-06-2013

The present method of regularization of unauthorized colonies is by the provision of basic infrastructure to improve the environment. However, regularization has not really brought in any tangible improvement. Effectively, the process has only led to de-facto tenure rights on the land and access to services.

In all unauthorised colonies whether on private or public land, regularization should be done as per the government orders issued from time to time. It must be ensured that for improvement of physical and social infrastructure, the minimum necessary / feasible level of services and community facilities are provided.

- (i) Physical: Plans for provision of services shall be prepared by the concerned local bodies.
- (ii) **Social**: For provision of social facilities, reduced space standards shall be adopted. Depending on the availability of land, facilities like community hall, dispensary etc. can be grouped together.

a) Primary school 800 sq.m. per 5000 population

b) Sr. Secondary School 2000 sq.m per 10000 population

The above norms can be further relaxed for existing recognised schools on the basis of minimum norms prescribed by the Education Department, GNCTD / Central Board of Secondary Education.

- c) The following facilities can be clubbed in a composite facility centre (500-1000 sqm.)
 - (i) Multi-purpose community hall 100 sqm.
 - (ii) BastiVikas Kendra 100 sqm.
 - (iii) Religious site 100 sqm.
 - (iv) Police Post 100 sqm.
 - (v) Health Centre 100 sqm.
 - (vi) Park/Shishu Vatika- 200 sqm.
 - (vii) Area for essential retail outlets e.g., Milk Booth, Fair Price Shop, Kerosene shop, etc. may be provided.
 - (viii) Provisions for informal trade units and weekly market to be made, wherever necessary.
- ¹[d) In case separate facility plots as per MPD norms are not feasible, the facilities may be clubbed and provided on the basis of ground realities and also by using the concept of Accommodation Reservation (AR).

4.2.3 HOUSING FOR URBAN POOR

The category of urban poor for purpose of the Plan would mainly comprise the inhabitants of squatter settlements and informal service providers. Such services could include domestic help, hawkers and vendors, low paid workers in the industrial, commercial and trade / business sectors, etc. These include both existing population and future migrants. In terms of housing requirements of the city, this continues to be the single biggest challenge and would require a mix of approaches and innovative solutions.

¹Added vide S.O. 2890(E) dated 23-09-2013

4.2.3.1 Rehabilitation/Relocation of Slum & JJ Clusters

In so far as the existing squatter settlements are concerned, the present three-fold strategy of relocation from areas required for public purpose, in-situ up-gradation at other sites to be selected on the basis of specific parameters and environmental up-gradation to basic minimum standards shall be allowed as an interim measure. Rest of the clusters, till they are covered by either of the first two components of the strategy, should be continued.

During the Plan period 1981-2001, sites and services approach based relocation was employed in which resettlement of squatter slums was done on 18 sqm and 12.5 sqm. plots (transit accommodation)allotted to eligible persons on licence basis. This has led to a number of aberrations and there are several aspects, due to which this approach needs to be progressively abandoned and substituted by an alternate approach. Broadly speaking this alternate approach should have the following components:

- (i) Resettlement, whether in the form of in-situ up-gradation or relocation, should be based mainly on built up accommodation of around 25 sq. m with common areas and facilities, rather than on the model of horizontal plotted development.
- (ii) The concept of land as a resource should be adopted to develop such accommodation with private sector participation and investment, to the extent possible.
- (iii) Incentives by way of higher FAR, part commercial use of the land and, if necessary and feasible, Transfer of Development Rights should be provided.
- (iv) A cooperative resettlement model with adequate safeguards may be adopted with tenure rights being provided through the institution of Co-operative Societies.
- (v) The provision of accommodation should be based on cost with suitable arrangements for funding / financing, keeping in view the aspect of affordability and capacity to pay.
- (vi) In cases of relocation, the sites should be identified with a view to develop relatively small clusters in a manner that they can be integrated with the overall planned development of the area, particularly keeping in view the availability of employment avenues in the vicinity. Very large resettlement sites could lead to a phenomenon of planned slums.
- (vii) Suitable arrangement for temporary transit accommodation for families to be rehabilitated should be made. This may preferably be near or at the same site and the utilization of these may be synchronised with the phases of implementation of the scheme of in-situ up-gradation.
- (viii) Community Based Organisations (CBOs) and Non-Governmental Organisations (NGOs) should be closely involved in the resettlement process.

4.2.3.2 Resettlement Colonies

Most of the resettlement colonies have been provided with essential services, but the immediate need is of individual services i.e. water, sewerage and electricity. To ensure healthy and better environment, the construction of houses needs to be based on approved / standard building plans.

Co-operative societies / private developers / govt. agencies may come forward for redevelopment based on the incentives as applicable for the Squatter Rehabilitation Scheme. Reconstruction of existing plotted development, group housing should be encouraged as per the Redevelopment Guidelines given in para 4.2.3.4.

4.2.3.3 New Housing for Urban Poor

New housing should be in the form of one or two room units, which would be developed through public and private agencies and through Cooperative societies. As this category constitutes bulk of the housing stock that has to be catered at an affordable price to the lowest income bracket as housing for Economically Weaker Sections (EWS), this is often done by cross-subsidization.

For this purpose, adequate land would be earmarked for EWS housing. The developers of group housing shall ensure that minimum ¹[15% of proposed FAR or 35% of the dwelling units, whichever is more, are to be] constructed for Community-Service Personnel / EWS and lower income category. ²[Employer Housing of Central Government, State Government and other Government Agencies are not required to follow the requirement of FAR or Dwelling Units for Community Service Personnel / EWS and lower income category.] In old built up areas, this may be as redevelopment schemes or industrial housing, etc., whereas, in urban extensions, the acquisition and development cost of this land should be borne by rest of the project. Such reserved lands should be handed over to a designated agency for promoting housing for low income and weaker sections.

The pattern of EWS housing shall be such as to ensure optimal utilization of land in a sustainable manner. For that purpose, multi- storied housing will be the preferred option. Apart from mandatory provision for EWS housing in all group housing projects/ schemes, the primary responsibility for creating adequate stock of housing for urban poor shall be borne by public agencies.

4.2.3.4 Slum & JJ Redevelopment Regulations and Guidelines for Collective Community Rehabilitation / Relocation - In-situ Up-gradation / Rehabilitation of Slum & JJ Clusters and Resettlement Colonies ³[and, Schemes for rehabilitation of project-affected persons**& and Unsafe Buildings**#] ⁴[and EWS public housing schemes]

The ⁵[concerned implementing agency / corporate body concerned] should work out schemes for collective community rehabilitation/ relocation and explore the possibility of involving private sector/slum cooperatives. In existing resettlement colonies, redevelopment, regular servicing and maintenance, which are overdue, are to be based on the guidelines and incentives as applicable for the Slum& JJ Rehabilitation Scheme ⁶[and schemes for rehabilitation of project-affected persons[#] and for Unsafe Buildings*#] ⁷[and EWS public housing schemes.]

The following guidelines with site-specific relaxations may be adopted as required. Regular monitoring of executed schemes and revision of these guidelines at the time of preparation of new schemes is essential. Group housing norms shall be applicable with the following conditions:

¹ Modified vide S.O. 1215 (E) dated 13-05-2013

² Added vide S.O. 1277(E) dated 19-05-2009

³ Added vide S.O. 2894(E) dated 23-09-2013 and modified vide S.O. 2895(E) dated 23-09-2013

⁴ Added vide S.O. 2895(E) dated 23-09-2013

⁵⁻⁶ Modified vide S.O. 2894(E) dated 23-09-2013

⁷ Added vide S.O. 2895(E) dated 23-09-2013

- (i) ¹[Minimum plot size 2000 sqm (facing on a min. road ROW of 9m).] ²[In case of Public Housing, the Technical Committee of DDA may relax minimum plot size by 10 %.]
- (ii) Maximum ³[density 600 units per ha. <u>+</u> 10% variation, 900 DUs/ha] on residential component of the land.
- (iii) The scheme should be designed in a composite manner with an overall maximum FAR of 400 on the residential component of the land ⁴[(including facilities i.e., Facility for the level as indicated in Table.3.3 of Chapter 3 based on the population accommodated under the project/scheme)] and FAR on the remunerative component of the land shall be as applicable for the relevant land use.
- (iv) Mixed land use / commercial component up to 10% of permissible FAR in the residential component of the land. ⁵[In addition, 10% of the permissible FAR shall be permitted for home based economic activities (i.e., Group-A Household Industries as given in Annexure I of Chapter 7) to the beneficiaries of the project scheme.]
- (v) Specific situations may require clubbing of scattered squatters with JJ sites in the neighbourhood to work out an overall comprehensive scheme.
- (vi) The minimum residential component of the land area for rehabilitation of squatters has to be 60% and maximum area for remunerative use has to be 40%.
- (vii) Area of dwelling unit for ⁶[EWS or rehabilitation shall be around 25 to 30 sqm minimum 25 sqm and max. 40 sq. mt. and room sizes as per IS: 8888.]
- (viii) ⁷[Common parking is to be provided for residential component at 0.5 ECS per 100 sqm of floor area which can be relaxed wherever required, except for the. Parking for remunerative purposes shall be as applicable for the relevant land use.]
- (ix) No restriction on ground coverage (except set backs)
- (x) Schemes shall be approved by concerned local body.
- (xi) Schemes / designs should be compatible for ⁸[disabled differently-abled persons].
- (xii) Norms for Social Infrastructure shall be as per 4.2.2.2 B sub para (ii) 'Social'.
- (xiii) Norms for Physical Infrastructure shall be as per note (iv) of Table 4.2.

¹⁻⁵ Modified vide S.O. 2894(E) dated 23-09-2013

⁶⁻⁷ Modified vide S.O. 2895(E) dated 23-09-2013

⁸ Modified vide S.O. 2894(E) dated 23-09-2013

¹[Note:

- * Unsafe buildings are to be determined by the statutory competent authority.
- # In case of Schemes for Rehabilitation of Project-affected Persons & Unsafe Buildings, this will only be applicable for those schemes wherein these guidelines are adopted. Disposal and eligibility for allotment of the built flats/plots for Schemes for Rehabilitation of Project-affected Persons & Unsafe Buildings shall be governed by the separate policy already formulated or yet to be framed by the Housing & Lands Departments of DDA.]

²[Slum & JJ Clusters on plots smaller than 2000 sqm be relocated instead of taking up in-situ rehabilitation as per the above-cited guidelines.]

4.3 NIGHT SHELTER

³[The provision of night shelters is envisaged to cater to the shelter less shelterless, which are proposed to should be provided near the Railway Terminals, Bus Terminals, Wholesale / Retail markets, Freight Complexes etc. as per requirements, and should be identified keeping in view major work centres. Special provisions should be made for the homeless, women and children including the disabled differently-abled 4 (persons), orphans and old age persons.] ⁵ [Further, to the development of night shelters by GNCTD/DUSIB/MCD/DDA as per MPD-2021, provisions for night shelter should also be made in existing buildings and in new proposed constructions within the Railway Terminals, Bus Terminals, Wholesale/Retail markets, Freight Complexes, Police Stations, etc. by the agencies concerned such as Railways, Health, Industry, DTC, Police, etc., wherever available, with suitable modifications into night shelters as well as by adopting innovative concepts such as integrated complex with commercial space on the ground floor and night shelters on the first floor.] In addition, multi-purpose use of the existing facility buildings may be allowed for night shelter purpose. Provision should also be made for converting existing buildings, wherever available, with suitable modifications into night shelters. [Since land is a constraint, the endeavour should be to optimally utilize the land for creating multipurpose facilities in residential and PSP plots.

On the basis of the 2001 Census of houseless population, at least 25 sites should be earmarked in Delhi for night shelters. In order to make the provision of this facility financially sustainable for the local body, innovative concepts such as integrated complex with commercial space on the ground floor and night shelter on the first floor should be explored. The guidelines and incentive package should be designed by the concerned local agency in collaboration with the Govt of NCT-Delhi with a view to develop self-sustaining night shelters. One night shelter shall be provided for 1 lakh population. ⁷[The actual location and need of night shelter is to be decided by the Local Authorities / GNCTD based on practical demand / assessment. However, in this regard for the geographical distribution of Night Shelters a minimum of at least one Night Shelter per administrative unit such as the Revenue Sub-Division or jurisdiction of Police Station may also be taken as criteria for planning purposes.]

¹ Added vide S.O. 2894(E) dated 23-09-2013

² Added vide S.O. 2895(E) dated 23-09-2013

³ Modified vide S.O. 2894(E) dated 23-09-2013

⁴ Added vide S.O. 2895(E) dated 23-09-2013

⁵⁻⁷ Added vide S.O. 2894(E) dated 23-09-2013

DEVELOPMENT CONTROLS FOR RESIDENTIAL USE ZONE 4.4

In the residential use zone there are two sub-zones, RD - Residential Area (including villages within Laldora located in any use zone) and RF - Foreign Mission. Permission of use premises in sub-use zone RD shall be as per permissibility given in the respective chapters.

4.4.1 PERMISSION OF USE PREMISES INTHE SUB USE ZONE - FOREIGN MISSION (RF)

Use premises in the Foreign Mission sub use zone as part of the approved layout plan.

i. Foreign Mission

iii. Guest House

v. Bank

vii. Health Centre- Hospital, ¹[/Tertiary viii. Integrated Residential School health care centre. Dispensary

ix. Cultural and Information Centre

xi. Post and Telegraph office

ii. Housing (for the Mission Employees)

iv. Local Shopping

vi. Recreational Club

x. Police Post and Fire Station

4.4.2 ²[A] SUB-DIVISION OF RESIDENTIALZONE (RD) INTO USE PREMISES

The sub-division of residential use zone into use premises and subsequent approval of the layout plans shall be governed by the following norms:

The residential area can have both the plotted and group housing. In case of group and cluster court housing the minimum plot size shall be 3000 sqm. (2000 sqm for slum rehousing plot with differential infrastructure norms).

The provision of requisite social infrastructure shall be governed by the norms for residential neighbourhood of 10,000 population. In any residential sub division plan the minimum area reserved for social infrastructure shall be about 7 sqm per person.

³I4.4.2 B USE PREMISES FOR RESIDENTIAL USE ZONE AT COMMUNITY LEVEL AND **ABOVE**

Following Use Premises are to be provided/ permitted while preparing plans for Residential use zone at Community level and above:

- i. Family Welfare Centre/ Pediatric Centre/Geriatric Centre/ Diagnostic Center
- ii. Maternity Home
- Nursing Home/Polyclinic iii.
- Dispensary for pet animals & birds iv.
- Police Post ٧.
- Community Recreational Club Socio-Cultural activities (auditorium, music, dance vi. & drama centre/meditation & spiritual centre)
- vii. Night Shelter
- Multipurpose Community hall (provision for marriages, small public gathering, viii. function, eating joint and library, gym etc.)
- Electric sub-station 66 KV ix.
- Informal Bazaar Χ.
- Bus terminal xi.
- xii. Old age Home
- Care Centre for Physically/Mentally challenged xiii.

4.0 Shelter 4-11

¹ Added vide S.O. 2893(E) dated 23-09-2013

^{2–3} Added vide S.O. 2895(E) dated 23-09-2013

- xiv. Working women- men hostel
- xv. Adult Education Centre
- xvi. Orphanage/Children's centre
- xvii. Sewage Pumping Station
- xviii. Waste Water Treatment Facility
- xix. Telephone Exchange
- xx. Head Post Office & Administration Office
- xxi. Municipal Office for water & sewerage
- xxii. Parking space for parking of buses, LMVs, IPTs, etc.]

Table 4.2 Infrastructure Requirement for layout at Residential Neighbourhood level

S.No.	Use Premises	No. of units	Unit Area (ha.)	Total land (ha.)
(a)	Education			
	1. Primary School	1	0.20-0.40	0.20-0.40
	2. Senior Secondary School	1	0.60-0.80	0.60-0.80
(b)	Shopping			
	3. Local Convenience shopping	1	0.40	0.40
	4. Service Market	1	0.20	0.20
	5. Informal Bazaar	1	0.10	0.10
(c)	Other Community Facilities			
	6. Milk Booth		As per standard norm	s (in LSC)
	7. Banquet Hall	1	0.08-0.20	0.08-0.20
	8. Religious Building	2	0.04	0.08
	9. Housing Area Play ground	2	0.5	1.0
	10. Neighbourhood Play area	1	1.0	1.0
	11. Anganwari	2	0.02-0.03	0.04-0.06
(d)	Recreational			
	12. Tot lot @ 0.50sq.m/person	-	0.0125	0.5
	13. Housing Area Park	2 1	0.5	1.0
	14. Neighbourhood Park	1	1.0	1.0
(e)	Utilities			
	¹ [15. Dhalao including segregation facility	1	0.02	0.02
	Area for segregation of waste and parking			
	of utility vehicles.]			
	16. Underground water tank	1	0.20	0.20
	17. Local level waste water treatment		Wherever feasible	
	facility			
(f)	Transportation			
	18. Three wheeler and Taxi Stand	1	0.04	0.04

Notes:

- i. These facilities should preferably be located along internal roads with minimum 12 m ROW, unless specified. The development of the infrastructure should be monitored to assess the achievement in the relevant sectors.
- ii. The open space at the neighbourhood level shall be provided @ 4.5 sq.m. per person Minimum size of tot lot at cluster level shall be 125 sq.m.
- iii. The location of schools and Anganwaris should be made in the layout plan in cluster form to facilitate sharing of common parking space and playground.
- iv. The planning of physical infrastructure shall be governed by the following norms:

4.0 Shelter 4—12

_

¹ Modified vide S.O. 2895(E) dated 23-09-2013

- a) Under ground tank, sewerage-pumping system shall be provided as per requirement.
- b) Rainwater harvesting shall be an integral part of the storm water drainage plan at the time of sanction of layout plan for all the plots.
- c) The natural drainage pattern is not to be disturbed.
- d) Dual pipe system of recycled water is recommended in new areas and redevelopment schemes.
- e) Dhalaos including facility of segregation of biodegradable and recyclable solid waste should be provided.
- f) Electric sub station shall be provided as per requirement.
- g) Pole mounted electric transformers for augmenting electric supply in already developed areas are recommended.
- Non-conventional sources i.e. solar energy etc is recommended for public areas in all the establishments.
- i) Provisions for decentralised sewerage treatment plant and segregated waste disposal shall be made where centralised system is not available. It shall be ensured that no untreated effluent is allowed to exit / spill out of the scheme area.
- v. Planning of the residential neighbourhood regarding circulation system, including safety requirements shall be governed by the BIS standards or as per the norms of the concerned agencies.
- vi. Suitable landscape plans for the neighbourhood shall be prepared, indicating in reasonable detail, the landscape development of the parks and roadside plantation etc.
- vii. These are suggestive norms and lower norms could be adopted in built up areas / Special Areas, etc.

¹[viii. Local Bodies to ensure removal of existing dhalaos in phases.]

Table 4.3: Uses / Use Activities Permitted in Use Premises

Table 4.0. 03037 030 Addivides 1 chilities in 030 1 femises					
Use Premises	Definition	Use/ Use Activities Permitted			
* Residential Plot - Plotted Housing	A Premise for one or more than one dwelling unit and may have on it one main building block and one accessory block for garages and service personnel.	Residence, mixed use activity as per the Master Plan provisions/ Registered RWA/ Society Office (50 sq.m.)			
Residential Plot - Group Housing	A premise of size not less than 3000 sqm (2000 sqm. for slum/ JJ rehabilitation ² [and 1670 sqm. i.e., 2000 sq.yds. for Redevelopment Areas/ Rehabilitation area/Special Area/Village (Lal Dora/Firni)/Extended Lal Dora)] comprising of residential flats with basic amenities like parking, park, convenience shops, public utility etc.	Residential flat, mixed use activity as per the Master Plan provisions, retail shops of confectionery, grocery & general merchandise, books and stationery, Chemist, Barber, Laundry, Tailor, Vegetable Shop (On ground floor with an area up to 20 sqm. each). Community Room, Society office, Crèche / Day Care Centre, religious, Senior citizen recreation room, swimming pool.			

¹ Added vide S.O. 2895(E) dated 23-09-2013

² Added vide S.O. 2894(E) dated 23-09-2013

Residential Flat	Residential accommodation for one family / household as part of group housing.	Residence, mixed use activity as per the Master Plan provisions.	
Residential Premises Special Area	A residential premise in Special Area.	As per Special Area Regulations	
Slum/ JJ rehabilitation	Residential accommodation provided as part of slum area resettlement/ rehabilitation	As per Slum Area Redevelopment Regulations	
Foreign Mission	A Premise for the foreign mission.	Foreign Mission and related facilities / offices 1 [(with max. 25% of FAR for residential component).]	
Hostel	A premise in which residential	² [i) Hostel, Old Age Home,	
	accommodation in the form of rooms is provided, usually attached to an institution, with or without dining facility.	ii) Dining Area, Watch and Ward Residence	
Guest House,	A premise providing temporary	⁴ [i. Guest Rooms	
Lodging &Boarding House, ³ [Sarai]	accommodation for short durations.	ii. Watch and Ward Residence (20 sqm), Service Shops of Barber, Laundry, Soft Drink and Snack Stall (upto 20 sqm each) to be restricted up to 20% of floor area.]	
Dharamshala or	A premise providing temporary	⁵ [i. Dharamshala,	
its equivalent	accommodation for short duration on no-profit basis.	ii. Service Personnel Shops of Barber & Laundry, Soft Drink & Snack Stall (upto 20 sqm each) to be restricted up to 20% of floor area.]	
Rain Basera (Night Shelter)	A premise having the facility for providing the night accommodation to individuals without any charges or with token charges. It may run by local government or voluntary agencies. **	Night Shelter and related facilities.	
⁶ [Farm House	A dwelling house on a farm.	Farm House, Watch and Ward Residence (up	
Low Density Residential Plot Existing farm houses in urba extension regularised as per Polic and new Low Density Residentia Plots to be permitted in the gree belt and in Low Density Residentia		to 20 sqm) Low Density Residential/Housing Plots, service Personnel Residence, watch and Ward residence, subject to further uses as per Para 4.4.3.G.]	

¹ Deleted vide S.O. 225 (E) dated 02-02-2012

^{2–5} Modified vide S.O. 2895(E) dated 23-09-2013

⁶ Modified vide S.O. 1199(E) dated 10-05-2013

4	Area in the Urban Extension.	
¹ [Studio Apartment	A premise in which residential	i) Suite
Aparamone	multipurpose rooms is provided for	ii) Caretaker's Office, Retail Shops, Dining and supporting facilities, as per the requirement to
	Individual/Family.	be restricted up to 10% of floor area.]

- * Pre 1962 plotted double storied flats shall be treated as Residential Plots.
- * Bed and Breakfast accommodation may be a permissible activity in residential plot/ flat, if registered under the Scheme notified by Ministry of Tourism, Gol/ GNCTD from time to time.

²[** As land is a constraint, the endeavour should be to optimally utilize the land for creating multipurpose facilities in residential and PSP plots.

Night shelter should also be made in existing buildings and in new proposed constructions within the Railway Terminals, Bus Terminals, Wholesale/Retail markets, Freight Complexes, Police Stations etc. by the agencies concerned such as Railways, Health, Industry, DTC, Police, etc., wherever available, with suitable modifications into night shelters as well as by adopting innovative concepts such as integrated complex with commercial space on the ground floor and night shelter on the first floor.

4.4.3 CONTROL FOR BUILDING/BUILDINGS WITHIN RESIDENTIAL PREMISES

A. Residential Plot-Plotted Housing

Maximum ground coverage, FAR, number of dwelling units for different size of residential plots shall be as per the following table:

	Area of Plot (sq. m)	Max. GroundCoverage %	FAR	No. of DUs
1	Below 32	90*	350	3
2	Above 32 to 50	90*	350	3
3	Above 50 to 100	90*	350	4
4	Above 100 to 250	75**	300**	4
5	Above 250 to 750	75	225	6
6	Above 750 to 1000	50	150	9
7	Above 1000 to 1500	40	120	9
8	Above 1500 to 2250	40	120	12
9	Above 2250 to 3000	40	120	15
10	Above 3000 to3750	40	120	18
11	Above 3750	40	120	21

Notes:

1. The local body concerned shall be competent to disregard variation of upto 2% in plot size, arising from conversion of area from sq. yard to sq.m. and to grant the norms applicable to the lower category of plot size in accordance to para (ii) below.

¹ Added vide S.O. 2895(E) dated 23-09-2013

² Added vide S.O. 2894(E) dated 23-09-2013

- 2. *100% ground coverage shall be eligible for regularization of construction, already existing as on 22.09.06 on payment of charges as notified.
- 3. Minimum size of the residential plot shall be 32 sqm. However, in case of Government sponsored economically weaker section schemes, size could be reduced further.
- 4. **100% ground coverage and 350 FAR shall be eligible for regularization of construction already existing as on 22.09.06 on payment of charges as per the notification, in respect plot size between 100 to 175sqm.
- 5. Permissible FAR and Dwelling Units shall not be less than MPD-2001 norms.

Terms and Conditions:

- i. The additional number of dwelling units would be subject to payment of levy for the augmentation of civic infrastructure.
- ii. The total coverage and FAR permissible in any plot in a category, shall not be less than that permissible and available to the largest plot in the next lower category.
- iii. ¹[Height: The maximum height of the building in all plots shall be 15 metres. Maximum height of the building shall be 15m in plots without stilt parking and 17.5m in plots with stilt parking. Such residential building shall not be considered as high rise building. For purpose of fire and life safety requirements, clearance of Fire Department will be obtained by the individual plot owner.]
- iv. Subdivision of plots is not permitted. However, if there are more than one buildings in one residential plot, the sum of the built up area and ground coverage of all such buildings, shall not exceed the built up area and ground coverage permissible in that plot.
- v. The mezzanine floor, and service floor, if constructed, shall be counted in the FAR.
- vi. **Basement:** Basement shall not be counted towards FAR if used for purposes permissible under Building byelaws namely household storage and parking. Basement area shall not extend beyond the coverage on the ground floor as per permissible and sanctioned built up area, but may extend to the area below the internal courtyard and shaft. Basement if used in terms of Chapter 15.0. Mixed Use regulations shall count towards FAR and shall be liable to payment of appropriate charges, if it exceeds the permissible FAR.
- vii. **Stilts:** If the building is constructed with stilt area of non-habitable height (less than 2.4m), used for parking, such stilt area shall not be included in FAR but would be counted towards the height of the building.
- viii. **Parking:** Parking space shall be provided for within the residential plot as follows:
 - a) 2 Equivalent Car Space (ECS) in plots of size 250-300 sq.m.
 - b) 1 ECS for every 100 sq.m. built up area, in plots exceeding 300 sq.m., provided that, if the permissible coverage and FAR is not achieved with the abovementioned parking norms in a plot, the parking norms of the preceding category shall be allowed.
- ix. **Density:** For the purpose of density calculations, the dwelling unit shall be considered to accommodate 4.5 persons and the servant quarter to accommodate 2.25 persons.
- x. The minimum setbacks shall be as given in the following table:

4.0 Shelter 4—16

.

¹ Modified vide S.O. 2894(E) dated 23-09-2013

S.No.	Plot size (in sq.m.)	Minimum Setbacks (in metre)				
		Front	Rear	Side(1)	Side(2)	
1	Below 100	0	0	0	0	
2	Above 100 and upto 250	3	0	0	0	
3	Above 250 and upto 500	3	3	3	0	
4	Above 500 and upto 2000	6	3	3	3	
5	Above 2000 and upto 10000	9	6	6	6	
6	Above 10000	15	9	9	9	

- a) In case the permissible coverage is not achieved with the above-mentioned setbacks in a plot, the setbacks of the preceding category may be allowed.
- b) In the case of construction in the future, a minimum 2m x 2m open courtyard shall be provided for in residential plots of area of 50 sqm. to 100 sqm.
- xi. Number of servant quarters shall be provided as per approved layout plan and shall be constructed within the stipulated height. However, if the garage block space is merged with the main building, no separate servant quarter block or servant quarter, as part of main building shall be allowed. However, provision for a servant's room as part of the dwelling unit within the permissible coverage FAR shall be allowed.
- xii. Each servant quarter shall comprise of one habitable room of area not less than 11 sqm. floor area, exclusive of cooking verandah, bathroom and lavatory. The maximum size of servant quarter shall be 25 sqm. If larger in size, the servant's quarter shall be counted in density as a full dwelling unit.
- xiii. Plot owners / allottees seeking extra coverage, additional floor or part thereof, over and above Gazette Notification dated 23.07.98, as per above mentioned norms shall be charged betterment levy (or additional FAR charges) at the rates notified with the approval the Government from time to time. This is in addition to the levy payable on the additional FAR allowed vide notification dated 23.07.98 and over the FAR allowed vide notification dated 15.05.95.
- xiv. Plot owners / allottees seeking regularization of construction in terms of the additional coverage allowed under this notification, shall have to pay a penalty and compounding charges notified with the approval of the Government, over and above the betterment levy referred to in para (xiii) above.
- xv. Plot owners / allottees seeking regularization of additional height in terms of this notification, will have to pay penalty and special compounding charges notified with the approval of the Government, in addition to betterment levy referred to in para (xiv).
- xvi. The amount so collected be deposited in an escrow account by the local body concerned for incurring expenditure for developing parking sites, augmentation of amenities / infrastructure and environmental improvement programmes and a quarterly statement of the income and expenditure of the account shall be rendered by the local bodies to the Government.
- xvii. ¹[Enroachment on public land shall not be regularized and shall be removed before the local body grants sanction for regularization of additional construction or height except the following:-

¹Substituted vide S.O. 2034(E) dated 12-08-2008

- a) Projections / chajjas / covered chajjas built up portion which existed before 7.2.2007 upto 1m above 3m height from the ground level shall be regularized for plot size upto 175 sqm on roads below 24m ROW in pre-1962 colonies (except for A & B category), in unplanned areas (including special area, village abadi and unauthorized regularized colonies) and re-settlement colonies. The owners /occupiers shall have to obtain structural safety certificate and fire clearance within a reasonable period of time as notified by the Government. Such projections / built up portion thereon shall be counted in FAR and in case of excess FAR over and above permissible FAR, such FAR in excess shall be regularized subject to payment of appropriate charges as approved by the Government.
- b) The local body concerned shall carry out a survey within a period of two months from the date of notification of all such projections eligible to be regularized and put such list in public domain for objections from the occupiers / owners and any person of the public against inclusion / exclusion of such projection in the list and the list thereafter will be finalized within a period of one month after considering such objections received in writing.]
- xviii. Every applicant seeking sanction or regularization of additional FAR and/ or height shall submit a certificate of structural safety obtained from a structural engineer. Where such certificate is not submitted or the Building is otherwise found to be structurally unsafe, formal notice shall be given to the owner by the local body concerned, to rectify the structural weakness within a reasonable stipulated period, falling which the building shall be declared unsafe by the local body concerned and shall be demolished by owner or the local body.
- xix. **Standard Plans:**There are a number of standard building plans designed and approved by the Authority. Such plans shall continue to operate whenever applicable. Such plans shall be modified as per the applicable development controls.
- xx. ¹[Amalgamation of the two plots upto 64 sq.m maximum will be permitted with following conditions:
 - Local Body will simultaneously modify the Layout Plan.
 - The maximum Ground Coverage, setbacks, parking, Dwelling Units etc. shall be for the amalgamated plot size.
 - The maximum FAR permissible shall not be less than the permissible in case of two individual plots.]

B. Residential Plot – Group Housing

Minimum size of plot 3000 sq.m.

Maximum Ground Coverage 33.3%

Maximum FAR 200

Height NR (Subject to clearance from AAI/Fire Department

and other statutory bodies.

Parking 2.0 ECS/100 sqm built up area ²[and 0.5 ECS/100

sam, for EWS/Service Personnel housing

i. ³[The density may vary (10% variation permissible in all categories) for specific categories as given below:

4.0 Shelter 4—18

-

¹ Added vide S.O. 2894(E) dated 23-09-2013

² Added vide S.O. 2889(E) dated 23-09-2013

³ Substituted vide S.O. 1215(E) dated 13-05-2013 and S.O. 2894(E) dated 23-09-2013

- a) Category I (upto 40 sg.m) 500 DUs/Ha.
- b) Category II (above 40-upto 80 sqm) 250 DUs/Ha.
- c) Category III 175 Dus/Ha. (above 80sqm)

The upper limit of density be taken as 200 DUs/ha.(900pph) with flexible Dwelling Unit sizes to achieve optimal utilization of land. The density for Slum & JJ clusters (In-situ up-gradation/ Rehabilitation/ Redevelopment of Slum & JJ Clusters, Resettlement Colonies) and EWS Public Housing Schemes be maximum 900 DUs/ ha hect. (± 15% variation permissible)].

- ii. ¹[Plots for group housing should be located on roads facing a minimum width of 18 m ROW (13.5 m ROW for redevelopment areas and 9m ROW for Slum Rehabilitation / Special Area and Villages). (7.5m ROW for Redevelopment Areas/Rehabilitation area//Special Area/Village (Lal Dora/Firni)/Extended Lal Dora)]
- iii. ²[Additional floor area up to a maximum of 400 sq.m minimum 400 sq.m or at the rate 0.6% of permissible FAR shall be allowed free from FAR to cater to community needs such as community / recreational hall, crèche, library, reading room, senior citizen recreation room / club and society office. In addition to above, 100 sq.m. area shall be permissible for Senior Citizen Recreation Room.]
- iv. The Central Government in consultation with the DDA may relax density and other norms for public housing and projects of national importance.
- v. ³[The developer shall ensure that minimum 15% of the proposed FAR or 35% of the dwelling units, whichever is more, are to be constructed for Community-Service Personnel / EWS and lower category. Such flats should have a carpet area between ⁴{25 to 40 sqm.}]. ⁵[This 15% of the proposed FAR or 35% of the Dwelling Units for Community Service Personnel / EWS and lower category housing would be over and above 200 Permissible FAR and density mentioned at (i) (a), (b) & (c) above of 200 DUs.] Employer Housing of Central Government, State Government and other Government Agencies are not required to follow the requirement of FAR or Dwelling Units for Community Service Personnel / EWS and lower income category. ⁶[50% of the EWS Housing Stock shall be retained by Developer Entity (DE) and disposed only to the Apartment owners, at market rates, to house Community Service Personnel (CSP) working for the Residents/Owners of the Group Housing. These will be developed by DE at the respective Group Housing site/premises or contiguous site. Remaining 50% of DUs developed by DE to be sold to DDA for EWS housing purpose will be sold to DDA/ Local Bodies at base cost of Rs. 2000 per sq. ft. as per CPWD index of 2013 (plus cost of EWS parking) which shall be enhanced as per CPWD escalation index at the time of actual handing over and can be developed by DE at an alternate nearby site. Necessary commercial and PSP facilities shall also be provided by the DE for this separate housing pocket. The EWS housing component created by the DE shall be subject to quality assurance checks, as prescribed in this regard by Govt./DDA. The final handing/taking over of this

4.0 Shelter 4—19

_

¹ Modified vide S.O. 2894(E) dated 23-09-2013

² Modified vide S.O. 1215(E) dated 13-05-2013

³ Modified vide S.O. 1215(E) dated 13-05-2013

⁴ Modified vide S.O. 2895(E) dated 23-09-2013

⁵ Added vide S.O. 1277(E) dated 19-05-2009 and modified vide S.O. 1215(E) dated 13-05-2013

⁶ Added vide S.O. 2889(E) dated 23-09-2013

component shall be subject to fulfilling the quality assurance requirements. The DE shall be allowed to undertake actual transfer/transaction of saleable component under its share/ownership to the prospective buyers only after the prescribed land and EWS housing component is handed over to the DDA.

- vi. Ground coverage up to 40% may be allowed to achieve low-rise high-density housing without lifts.
- vii. Levy on additional FAR shall be at rates notified with the approval of Government from time to time.
- viii. Stilts: If the building is constructed with stilt area of non- habitable height and is proposed to be used for parking, landscaping etc. the stilt floor need not be included in FAR and shall be counted towards height.
- ix. Basement, if constructed, and used only for parking, utilities and services shall not be counted towards FAR.
- x. ¹[In case of Redevelopment Areas/ Rehabilitation area/ Special Area/ Village/ (Lal Dora/Firni)/Extended Lal Dora, the minimum size of plot for Group Housing shall be 1670 sqm. (2000 sq.yds.) on roads having a minimum width of 7.5m ROW subject to meeting parking requirements within the plot and NOC from the Traffic Police Deptt. and the Fire Deptt. of GNCTD. Such plots shall be incorporated as group housing plots in the Development/Layout Plans of these areas to be prepared, subsequently, if such, plans are not already approved.]

C. Cluster Court Housing

Minimum size of plot 3000 sqm.

Maximum FAR 175

Maximum height 15.0m with maximum coverage 100% subject to light and

ventilation condition

- i. The net housing density permissible shall be 225 DUs per Ha. with 15% variation on either side and could be averaged for more than one pocket.
- ii. Minimum street in front of pocket to be 12 m.
- iii. No projection outside the building envelope allowed.
- iv. Each cluster court house is for one dwelling for a single family.

v. Basement:

- a) Basement if constructed shall not be included in FAR calculations.
- b) Basement shall be below the ground floor. Basement area may, however, be extended below the internal courtyard and shaft.

vi. Stilts:

If the building is constructed with the stilt area of non-habitable height and is proposed to be used for parking, landscaping etc., the stilt floor need not be included in the FAR but would becounted towards height (within stipulated height).

vii. Parking:

Parking shall be provided as per group housing norms.

4.0 Shelter 4—20

_

¹ Added vide S.O. 2894(E) dated 23-09-2013

viii. Density:

For the purpose of density calculations, the dwelling unit shall be considered to accommodate 4.5 persons and the servant quarter to accommodate 2.25 persons.

ix. Servant quarter:

No separate servant quarter block or servant quarter as part of main building shall be allowed if the garage block space is merged with the main building. Provision for a servant's room as part of the dwelling unit within the permissible coverage and FAR shall be allowed with maximum size of servant quarter as 25 sgm and if larger in size would be counted as a full dwelling unit.

D. Foreign Mission

Maximum Ground Coverage 25%

Maximum FAR 75

Maximum height 15 m.

Basement upto the building envelope line to the maximum extent of 50% of plot area shall be allowed and if used for parking and services should not be counted in FAR.

E. Hostel / Guest House / Lodging & Boarding House / Dharamshala

Min. Plot size 500 sqm.

Maximum ground coverage 30%

Maximum floor area ratio 120

Maximum height 15 m.

- (i) Parking to be provided @ 2 ECS per 100 sq.m. of built up area.
- (ii) These norms shall not be applicable for Guest House under Mixed Use Regulations.

F. Night Shelter

Min. Plot Size 1000 sqm.

Max. Ground Coverage 30%

Max. FAR 120

Max. Height 26m

¹ [G. Farm House Low Density Residential Area

Plot Area

4.0 ha. and above but less than 2.0 ha.

Maximum Floor Area 100 sq.m. 150 sq.m.

Maximum Height 6 m.(Single storey) 6 m. (Single storey)

Other Controls for farmhouses:

- i. Setback in dwelling house should be 15 m away from any boundary line of the property.
- ii. Where the property abuts to urban road, the dwelling house building should be setback from the centre line of that road by 60m. Where the property abuts to

¹ Modified vide S.O. 1199(E) dated 10-05-2013

village road, the building setback from the centre line of that road should be by 30m.

iii. No dwelling units should be built within 400m of the right of way of any National Highway.

i. Minimum Plot Area

0.4 Hectare

ii. Max. FAR

- 20 (without any charges)
- above 20-upto 30(with additional charges to be notified by the competent authority)
- For Plots more than 1 acre, the portions remaining (if any) after plot subdivision will get the benefit of FAR only on prorata basis

iii. Max. Height

12 meter

iv. Min width of continuous road in front

6 meter*

v. Min. green area

50%

vi. ¹[Dwelling unit permitted No. of main dwelling units permitted

- Number of units to be restricted by the FAR permissible Two Dwelling Units on LDRA plot of one acre (0.4 ha) may be permitted with FAR of 20 and for additional 10 FAR i.e. from 20 to 30 one additional Dwelling Unit is allowed subject to payment of requisite charges as approved and notified by Government of India.]
- EWS unit of 60 sgm per acre in addition to permitted FAR.

Other Controls:

- i. Where the property abuts urban road, the dwelling house building should be setback from the centre line of that road by 30m. Where the property abuts village road, the building setback from the centre line of that road should be 15m in the front side and 5 metres on three sides.
- ii. For dwelling unit on National Highway, the prescribed norms of NHAI will be applicable.
- iii. For infrastructure roads etc. Land holders will be required to cede land to enable to building up of infrastructure after Public Notice and hearing by the Authority.
- iv. Every part of the building including the basement used for normal habitation will be counted in FAR. Basement used for recreational purpose, home office, storage, parking, services and utilities installation will not be counted in FAR.
- v. Pool/pond/water bodies are permitted and excluded from FAR and setback norms.
- vi. The watch & ward guard unit will be permitted adjacent to boundary or entrance gate as per provision for Building Byelaws and it is to be excluded from FAR and setback norms.
- vii. For plots 0.4 to 2 hectare the use activities such as Fitness/wellness Centres, Naturopathy Clinics may be allowed subject to the condition that minimum 50% of Plot area be left for soft parking and landscaping. For activities permitted, provision for parking must be ensured within the plot.
- viii. Apart from use/activities permitted in (vii) above, for plots more than 2.0ha (5acres) located on roads of minimum width of 18m, use/activities such as recreational/club may be allowed subject to the conditions that minimum 50% of plot area be left for soft parking, maximum 25% of the plot area for landscaping and maximum 25% of the plot area for functions/building purposes.

¹ Modified vide S.O. 2912(E) dated 25-09-2013

- ix. No Low density residential premises would be built on lands notified for acquisition, the legality of which has been upheld by the Hon'ble Supreme Court, except if it falls within the boundary of an unauthorised colony listed for regularization as per Union Government's decision of 8th February, 2007 in accordance with the regulations No. S.O. 683(E) dated 24-03-2008 pertaining to regulation of Unauthorised colonies or unless the acquisition is denotified.
- x. Rain water harvesting and waste water recharging shall be mandatory with provision for storage for surface run-off water to improve the depleting ground water levels.
- * In certain cases where access to Farm Houses/Country Homes is only by private road or exceptionally restricted by the Dead end Road, the Road width will be governed as per the sanctioned layout plan. For the purpose of subdivision of land which is minimum 2 acres and above, an internal road of minimum width 6m may be planned as a feeder to the subdivided plots (of minimum 1 acre each). Such plots will get benefit of FAR and Ground coverage on proportionate land surrendered for planning of such roads. Necessary provision shall be made by the plot owner for parking of emergency vehicles like Police, Ambulance, Fire tender etc.

Owner is required to submit an undertaking along with proposal and plans for sanction of Country Home to Local Authority about his willingness to surrender land for road widening. Reference of this undertaking shall be recorded on plan by Local authority while releasing the plan.]

¹[H. STUDIO APARTMENTS

Minimum size of plot 2000 sqm. Maximum Ground 33.3%

Coverage

Maximum FAR 200

Height NR (Subject to clearance from AAI / Fire Department and

other statutory bodies)

Parking 2.0 ECS/100 sqm built up area

Other Controls for studio apartments:

i. The maximum size of the apartment will be 60 sqm built-up.

- ii. The plots should be located on road facing minimum width of 12m.
- iii. Basement, if constructed, and used only for parking, utilities and services shall not be counted towards FAR.]

¹ Added vide S.O. 2895(E) dated 23-09-2013

Annexure- 4.0 (I)

¹[List of villages declared as Low Density Residential Area (LDRA) in Urban Extension:

1.	Sayurpur*	13.	Mehrauli*
2.	Satbari*	14.	Rajokri
3.	Chattapur	15.	Samalkha
4.	Khanpur	16.	Ghitorni*
5.	Devli*	17.	Rangpuri*
6.	Bhatti*	18.	HolambiKhurd
7.	FatehpuriBeri*	19.	Bakoli
8.	Asola*	20.	Bakatawarpur
9.	Jounapur	21.	Hiranki
10.	Chandan Hula	22.	Bijawasan
11.	Gadaipur	23.	Bamnoli
12.	Sultanpur		

Note:

- In case if Metro Corridor is passing through villages in LDRA, development along Metro Corridor and Metro influence zone shall also be allowed in LDRA villages as per TOD policy.
- ii) Low Density Residential area in 5 villages mentioned at Sr. No. 1 to 5 shall be subject to relevant stipulations imposed by the Authority arising from Supreme Courts orders.
- iii) *Villages where low density residential development may be allowed in the areas other than those falling under Regional Park.
- iv) Any approved Layout/ Scheme falling in the above villages shall be deemed to have been approved under clause 3(4) of Development Code of MPD-2021.
- v) The term "Village" refers to "Revenue Village Boundary".

Annexure- 4.0 (II)

²[List of villages in Green Belt where Low Density Residential Plots are permitted:

SI. No.	Planning Zone		Name of Village			
(1)	Zone G	1.	Bijwasan (Part)	3.	Salahpur	
		2.	Kapashera			
(2)	Zone J	4.	Rajokri (Part)			
(3)	Zone K-II	5.	Bamnoli (Part)	6.	Bijwasan (Part)	
(4)	Zone L	7.	Badusaria	18.	Kanganheri	
		8.	Bakargarh	19.	Mitraon (Part)	
		9.	Deorala	20.	MundhelaKalan	
		10.	Dhansa	21.	MundhelaKhurd	
		11.	Ghalibpur	22.	Nanakheri	
		12.	Ghumanhera	23.	Raghopur	

¹ Added vide S.O. 1744 (E) dated 18-06-2013

² Added vide S.O. 1744 (E) dated 18-06-2013

MPD-2021 modified upto 31/03/2014

Draft for observation / discussion

		13.	Isapur	24.	Rauta
		14.	•	25.	
			Jainpur (=)		Shikarpur
		15.	JharodaKalan (Part)	26.	Surekhpur (Part)
		16.	Jhatikara	27.	TikriKalan (Part)
		17.	Kair		
(5)	Zone P-I	28.	Bakaner	30.	Lampur
		29.	Ghoga	31.	Mamurpur
(6)	Zone P-II	32.	Hamidpur	35.	Singhu
		33.	Jhangola	36.	Tajpurkalan
		34.	Palla		
(7)	Zone N	37.	Auchandi	42.	Jaunti
		38.	Mungeshpur	43.	GarhiRindhala
		39.	Qutabgarh	44.	Nizampur-Rashidpur
		40.	Khor Punjab	45.	TikriKalan (Part)
		41.	Chatesar	46.	Hareoli
(8)	Zone E	47.	Mandoli		

Source: As per Zonal Development Plan-2021]

5.0 TRADE AND COMMERCE

Shopping and commercial areas reflect the economy and the image of the city. As per the Economic Survey of Delhi 2001-2002, there were about 2.3 lakhs retail enterprises in Delhi with an employment of 5.4 lakhs engaged in trade, commerce and allied services. It is expected that the number of enterprises in retail trade are likely to increase to about 4.15 lakhs by 2021 and the corresponding employment is likely to increase to about 9.63 lakhs. In addition to these, large number of enterprises in sectors such as restaurants and hotels, finance & insurance, real estate & business operate from commercial centres. This indicates the predominance of retail and allied service activities in the economic structure of the city.

The major changes in the economic structure are due to liberalization of the economy, entry of multinational companies in the consumer sector, improved telecommunication system, increased per capita income and the purchasing power of the people.

5.1 PRE 1962 / MPD-1962 COMMERCIAL AREAS

Residential areas and streets / stretches earlier declared as commercial areas / streets or where commercial use was allowed in MPD-1962 shall continue such use at least to the extent as permissible in MPD-1962. Commercial activities existing from prior to 1962 in residential areas are also permitted subject to documentary proof thereof.

5.2 HIERARCHY OF COMMERCIAL AREAS

The following five-tier system of Commercial Areas is envisaged to accommodate required shopping, commercial office and other service activities like cinema, hotel and restaurant and various community services and facilities in an integrated manner. In addition, some components of commercial use are also provided under mixed use, non-hierarchical commercial centres, and informal sector in the selected areas along the MRTS corridor.

Tier About 5 lakhs About 1 lakh About 10,000 About 5,000 Population Metropolitan City District Centre Community Convenience Local Centre (Pertains to Centre Shopping Shopping already developed Centre Centre Central Business District) 40 Area (Ha.) 4.0 0.3 0.1 Activities Retail Shopping. Retail Retail Retail Retail Permitted Stockists and Shopping, Shopping, Shopping, Shopping, Local dealers of Stockists and Stockists and Stockists and level service medicines and dealers of dealers dealers of of activities, drugs, Commercial medicines and 1 Office Repair, medicines and medicines and and Offices of local drugs, to 125 drugs, drugs. up Commercial bodies, PSUs, Commercial Commercial Bank, **sqm**.*], Cinema, Cineplex, and Offices of and Offices of Informal Offices, ATM, Hotels, local bodies, local bodies, Clinical trade. Restaurants. PSUs. Laboratory, PSUs. restaurant Banquet Halls. Cinema. Clinic & Poly Cinema, Socio-Cultural Cineplex, Cineplex, Clinic, Repair / activities / Hotels,

Table 5.1: Five-Tier System of Commercial Areas

¹ Modified vide S.O. 1215(E) dated 13-05-2013

Recreational Club, Service Apptts, Coaching Centres/ Training Institutes, Police Post, Fire Post. Tel. Exchange, Post & Telegraph Office, Petrol Pump / CNG Station, Bus Terminal, Informal Trade.	Restaurants, Banquet Halls, Socio-Cultural activities / Recreational Club, Service Apptts, Coaching Centres/ Training Institutes, Police Post, Fire Post. Tel. Exchange, Post & Telegraph Office, Petrol Pump / CNG Stn., Bus Terminal, Repair / Services, Bank, ATM, Guest House, Nursing Home, Informal	Hotels, Service Apptts. Restaurants, Banquet halls, Guest House, Nursing Home, Dispensary, Clinical Lab. Clinic & Poly Clinic, Coaching Centres / Training Institutes, Police Post, Post Office, Petrol Pump / CNG Station, Repair / Services, Bank, ATM, Informal Trade, Multi level parking.	Services, Bank, ATM, Guest House, Nursing Home, Informal Trade. Coaching Centres / Training Institutes, Restaurant.	
--	---	--	---	--

The provision of offices space upto 125 sq.mtr. to be applicable from the prospective date of notification in view of clause 3 (4) of Development Code.

Notes:

- i. Besides the above, retail shopping of desired level shall also be provided in all work centres and transportation nodes.
- ii. Utilities, Public Conveniences shall be provided as per requirement.
- iii. Service & Repair and Informal activities should be provided as Service markets and Informal bazaar
- iv. The mandatory requirement of parking as per prescribed standards would be met through multi level parking as far as possible in Metropolitan City Centre, District Centre and Community Centre.
- v. ²[The non-residential activities permitted as per Mixed Use Regulations with stipulations for category of colony, road ROW etc. in residential plots will be permitted in Commercial Centres.]

5.3 METROPOLITAN CITY CENTRE

The existing CBDs are Connaught Place and its Extension, commercial areas in Walled City and its Extension and Karol Bagh. These have all the necessary ingredients to emerge as Metropolitan City Centres.

These Metropolitan City Centres, need to be seen in the light of the historical legacy of the pre-colonial and post-colonial capital cities of the so called old and new Delhi, are envisaged as a city level centre for shopping, entertainment, socio-cultural and all other activities indicated in respect of District Centres. A comprehensively planned and

¹ Added vide S.O. 1215(E) dated 13-05-2013

² Added vide S.O. 2895(E) dated 23-09-2013

attractive built environment will therefore need to be conceptualized and implemented to develop these as unique centres and major attraction of the city, apart from their commercial and social value for the citizens.

The Urban Design guidelines for Metropolitan City Centre are given in Chapter 11.0 Urban Design.

5.3.1 CONNAUGHT PLACE & EXTENSION

The development of the Metropolitan City Centre in harmony with the existing urban form of the classical Connaught Circus and multi-storeyed buildings in its extension is envisaged to bring in visual integration in the overall urban form.

The areas included in the Metropolitan City Centre would be Connaught Place & Extension (Janpath, Sansad Marg, Baba Kharag Singh Marg, Panchkuian Road, Barakhamba Road, Kasturba Gandhi Marg), Gole Market, Mandi House, Pragati Maidan, Indraprastha Estate.

An integrated plan incorporating urban design, landscape, traffic and transportation schemes, safe pedestrian walkways, parking areas, recreational and cultural areas etc. is to be prepared for its development.

5.3.2 SHAHJAHANABAD (WALLED CITY) AND EXTENSIONS

The commercial areas in Shahjahanabad (Walled City) and Extensions would be delineated in Special Area / Zonal Plan (as provided for in para 16.3 (5)). These traditional areas need to be treated carefully and sensitively in view of their high density and multiple uses. The aim is to revitalize the glory of Walled city and its economic & tourism potential.

5.3.3 KAROL BAGH

Commercial area of Karol Bagh has become one of the important centre in the Special Area, for which development norms / regulations have been given in Chapter 17.0 Development Code.

5.4 DISTRICT CENTRE / SUB- CENTRAL BUSINESS DISTRICT

The District Centres are meant to serve as the apex of the multi-nodal activities of the community, which should be conceived as major shopping centers, while serving the community with a reasonable variety of other services and facilities and also centres of socio-cultural activity where the community can get together. MPD-2001 proposed two sub CBDs with norms of District Centres (namely Shahadara and in Urban Extension). These are now proposed to be dealt as District Centres. The emphasis in these centers should be on commerce and their related activities.

The District Centres already developed or in advanced stages of development are:

i)	Nehru Place	ii)	Rajendra Place
iii)	Bhikaji Cama Place	iv)	Janakpuri
v)	Laxmi Nagar	vi)	Shivaji Place (Raja Garden)
vii)	Jhandewalan	viii)	Netaji Subhash Place (Wazirpur)
ix)	Saket	x)	Manglam Place (Rohini)

These centres were developed on the basis of integrated schemes and some of these need upgradation in terms of infrastructure, parking spaces, hawking plazas, physical infrastructure and built environment. The implementing agency / land owning agency can undertake review of the schemes for their upgradation and optimum utilisation of land. The implementing agency should formulate action plans by involving developers

and owners associations to improve the environment through self-sustaining schemes, which should include provisions for their subsequent maintenance and upkeep.

Other District Centres in Delhi Urban Area (DUA)-2001, in the process of development yet to be developed are as indicated below:

i۱	Trane '	Vamuna	Araa-	Shahdra
1)	Halls	rannuna	Alea-	Silanula

- iii) Peeragarhi (Rohtak Road)
- v) Shalimar Bagh
- vii) Majnu ka Tila (Khyber Pass)
- ix) Shastri Park (Shahdara)
- xi) Rohini Ph-III /IV /V
- xiii) Narela

- ii) Rohini Twin District Centre
- iv) Paschim Vihar
- vi) Dheerpur Extension (Jahangirpuri)
- viii) Dilshad Garden
- x) Mayur Vihar
- xii) Dwarka

5.5 NON - HIERARCHICAL COMMERCIAL CENTRES

Besides the above District Centres, the following Non Hierarchical Commercial Centres shall be developed with specific schemes for each centre:

- i) Commercial Centre at Asaf Ali Road
- ii) Commercial Centre adjoining Metropolitan Passenger Terminal, Okhla (Jasola)
- iii) Commercial Centre Laxmi Bai Nagar
- iv) Commercial Centre, Nehru Nagar (Near Ring Rail)

The following other existing non-hierarchical commercial centres, which are also providing services at city level, would also need to be redeveloped:

- i) Central market Lajpat Nagar
- ii) INA market
- iii) Sarojini Nagar market
- iv) Any other area as may be identified

The development control norms for the above areas shall be as per approved schemes and any enhancement in FAR wherever approved shall be subject to charging appropriate levies from the beneficiaries.

5.6 COMMUNITY CENTRE (CC) LOCAL SHOPPING CENTRE (LSC) / CONVENIENCE SHOPPING CENTRE (CSC)

- 5.6.1 The Community Centres should be conceived as shopping and business centres catering to the needs of the population at community level. These centres may have Retail Shopping, Commercial and Government Offices, Local Body / Public Sector Undertaking offices, Cinema / Cineplexes, Hotels, Restaurants, Banquet halls and Guest House, Nursing Home, Dispensary, Clinical Laboratory, Clinic & Poly Clinic facilities together with other community facilities as indicated in table 5.1.
- 5.6.2 The LSC / CSC will cater to the day-to-day needs of the local population. Some areas developed prior to 1962 like Lajpat Nagar, Rajouri Garden, Tilak Nagar, Kamla Nagar etc. having concentration of commercial activities, may continue subject to conditions prescribed under the Mixed Use Regulations. The existing built-up commercial centres may be redeveloped if need be with enhanced FAR subject to payment of appropriate

levies. ¹[To incentivize the redevelopment a maximum overall FAR of 50% over and above the existing permissible FAR shall be given.

FAR enhancement in the shops cum residence complex developed prior to 1962 in rehabilitation colonies or other residential area shall be allowed higher FAR equivalent to FAR permissible on residential plot subject to availability of the parking in the area. The plot holder of shop-cum-residence plot is also allowed to continue with the original use i.e. shop-cum-residence plot and in such cases there will be no insistence for levy of any conversion charges.]

5.7 COMMERCIAL CENTRES IN URBAN EXTENSION

5.7.1 SUB CITY LEVEL COMMERCIAL AREAS

In Urban Extension, District Centres and Community Centres could be developed wherever possible, in a linear form as commercial cum facility corridors along major transport networks. Such corridors will have non-residential uses like Commercial, Recreational, Public and Semi public, Utilities, Service and Repair, etc. with detailed Urban Design and landscape schemes. The aim is to prevent unintended and unplanned ribbon development. The proposed MRTS stations and bus terminals, as the case may be, shall be integrated within these facility corridors.

5.7.2 LOCAL LEVEL COMMERCIAL AREAS

In case of Urban Extensions it is proposed to combine and integrate LSC and CSC at neighborhood level to ensure their location within walkable distance.

5.8 ²[(A)] HOTELS

Delhi is emerging as an international centre of education, health care, tourism, sports and business, which require complimentary facilities such as hotels catering to various economic groups. Such uses are proposed as part of commercial use (Community Centres and above), Public Semi-Public facilities, wholesale markets, transport nodes, etc.

³[To cater to low tariff accommodation, a hierarchy of Guest House, Lodging and Boarding House / Dharamshala / Hostel have been proposed under respective land uses.

Hotels is are permitted in Commercial Use Zone,] Commercial Centres in Industrial Use Zone, and Transport Nodes (ISBT, Bus Depot/ Terminal, Railway Station, Airport, Integrated Freight Complex, Metropolitan Passenger Terminal) and other use zones - where already existing and where building plans are approved by the Competent Authority. The maximum ground coverage and FAR in such cases shall be as per the sanctioned building plans but in no case exceeding the permissible ground coverage and FAR of that use zone. This is subject to the provision of parking as per norms.

⁴[5.8 (B) LONG TERM (SERVICE APARTMENTS) AND SHORT TERM ACCOMMODATION

In order to cater to the long term accommodation requirement, service apartments are proposed as per the parameters stipulated by Ministry of Tourism and Culture, GOI. To cater to low tariff short term accommodation, a hierarchy of Guest House, Lodging and Boarding House/ Dharamshala/ Hostel have been proposed.

¹ Added vide S.O. 1215 (E) dated 13-05-2013

² Added vide S.O. 2895(E) dated 23-09-2013

³ Modified vide S.O. 2895(E) dated 23-09-2013

⁴ Added vide S.O. 2895(E) dated 23-09-2013

These are to be provided/ permitted while modifying existing and/or preparing schemes for Commercial, Industrial, Public Semi Public and Transportation Use Zones.

5.9 SERVICE MARKETS

Special attention is required for the low turnover and space extensive shops for fruits and vegetables, service and repair, junk and scrap materials (*kabari*), building materials, automobile workshops etc. The grouping of such activities with planned retail markets leads to conversion of shops into high profit commercial activity. To avoid continuance of this situation, about 10% of the unutilized sites of LSC / CSC are proposed to be converted into Service Markets.

In Urban Extensions, sites for such service markets at two levels should be established in the initial stages of development to avoid unauthorized ribbon development and misuse of residential premises.

Table 5.2: Norms for Service Markets & Organised Informal Bazaars

Sub City leve	el (DC / CC)	Community Level (LSC/CC)	
Population	About 5 lakhs	About 100,000	
	Service Mark	ket	
Area (ha.)	6.0	0.2	
Activities Permitted	Service and repair activities as specified in Industries chapter. Retail and Limited Wholesale for low turnover activities, like Auto workshops, Fruit & vegetable, General Merchandise, Hardware and Building materials, Gas Godowns.	Service and repair activities as specified in the Industries chapter. Low turnover activities, like Auto workshops, Fruit & vegetable, General Merchandise, Hardware and Building materials, Kabari.	
	Informal Baz	aar	
Area (ha.)	5.0	0.1	
Activities Permitted	Informal shops, Weekly markets, Organised eating places, Handicraft bazaar, used Book / Furniture / Building materials bazaar, Cycle & Rickshaw repairs, Kabari, etc.	Informal shops, Weekly markets, Handicraft bazaar, Cycle & Rickshaw repair, Kabari, etc.	

Note: Utilities, Public Conveniences shall be provided as per requirement.

5.10 INFORMAL SECTOR

Large sections of unemployed and under employed population in rural areas and small towns look forward to the metropolitan cities like Delhi for employment and enter the city to move up the economy ladder. This brings forth a multitude of small enterprises and petty trading activities in the informal sector. Thus, a metropolis like Delhi has organized sector and an equally large informal sector. This sector with highly reduced needs of floor space and investment is important as a source of employment and services in the economic fabric of the city.

A survey conducted by the Directorate of Economics and Statistics on unorganized trading activity in Delhi estimated the total number of unorganized trading enterprises as 2 lakh and the number of persons employed about as 3.18 lakh. The contribution of this sector, which is measured in terms of Gross Value added to the economy of Delhi, was estimated at Rs. 1.01 lakh per enterprise per annum.

The informal sector units locate themselves strategically near work centres, commercial areas, outside the boundaries of schools colleges, hospitals ¹[/tertiary health care centres], and transport nodes and near large housing clusters. A very high percentage of this activity has been observed in the Walled city, Trans Yamuna area and old commercial areas. A large number of units are mobile in nature.

5.10.1 POLICY FOR EXISTING AREAS

Keeping in view the National Policy on Urban Street vendors the following provisions are made:

- i) The location / concentration of present stationary informal units shall be considered on case to case basis and steps for relocation / improvement shall be taken. It should be ensured that such activities do not spill over on the right of way. The Government / concerned local agency should coordinate the policy.
- ii) The areas of informal sector shall have suitable public conveniences and solid waste disposal arrangements.
- iii) Formulation of guidelines for schemes would include 'Hawking' and 'No Hawking' Zones. Specific areas should be earmarked for stationary and mobile street vendors by the concerned local authority in consultation with RWAs.
- iv) The local authorities should take up new designs of stalls, push-carts and mobile vans of various sizes and with cleaning facilities, giving due consideration to urban design requirement of specific area, where informal shopping is being permitted.
- v) Defining the role and responsibility of NGOs along with specific obligations on part of hawkers towards the society for maintenance of law and order within the hawking zones and weekly markets.
- vi) An informal unit shall not be permitted within a distance equivalent to half the width of the road, from an intersection.

5.10.2 ORGANISED INFORMAL SECTOR PLACES (Haat)

There are large numbers of informal sector units in the city but no organized clusters. There is a need to provide for organised informal eating-places along with casual shopping, etc. to be located strategically in the city and at the following locations:

- i) Near TV Tower Pitampura.
- ii) Geeta colony
- iii) Near sub C.B.D. Trans Yamuna Area
- iv) Adjacent to transport nodes including ISBT

v) Rohini

Implementing agency may identify locations as per requirement for such activities.

5.10.3 INFORMAL BAZAAR

In new urban areas, informal bazaars could form part of the planned commercial areas at two levels. These could be implemented in the initial planning stages along with development of residential areas. The planning norms are given in the Table 5.3.

5.10.4 WEEKLY MARKETS

Weekly market, which is the traditional style of retail shopping, is quite popular in Delhi especially among the lower and middle-income groups. These markets are held in various areas. Further, parking and other open spaces within the service markets and commercial centres should be so planned that weekly markets can operate in these areas. The specific locations and timings of operation of such markets should be specified and regulated by the concerned local body.

¹ Added vide S.O. 2893(E) dated 23-09-2013

5.10.5 PLANNING NORMS FOR INFORMAL TRADE

The informal sector trade should be incorporated in the planned development in various use zones. The provision of informal sector trade units should be ensured at the time of sanction of building plans / layout plans as per the norms given in the Table 5.3.

Table 5.3: Planning Norms

S. No.	Use Zones / Use premise	No. of Informal shops / Units	
i)	Retail trade:		
	Metropolitan City Centre,		
	District Centre,	3 to 4 units per 10 formal shops (to be provided in informal bazaar / service market components)	
	Community Centre,	mannar sazaar / cs. vice manet compensive/	
	Convenience Shopping Centre,		
ii)	Government and Commercial Offices	5 to 6 units per 1000 employees	
iii)	Wholesale trade and Freight Complexes 3 to 4 units per 10 formal shops		
iv)	Hospital ¹ [/Tertiary Health Care Centre]	3 to 4 units per 100 beds	
v)	Bus Terminal	1 unit for two bus bay	
vi)	Schools		
	Primary Secondary/	3 to 4 units	
	Senior Secondary/Integrated	5 to 6 units	
vii)	Parks		
	District Parks	8 to 10 units at each major entry	
	Neighbourhood parks	2 to 3 units	
viii)	Residential	1 unit / 1000 population	
ix)	Industrial	5 to 6 units per 1000 employees	
x)	Railways Terminus / MRTS Stations	To be based on surveys at the time of preparation of the project.	

Table 5.4: Development Controls - Commercial Centres

Table 5.4. Development Controls - Commercial Centres						
	Maximum			Parking		
Use/ use premises	Groun d Covera ge (%)	FAR	Heig ht (mts)	Standard ECS/100 sqm. of floor area	Other controls	
a) Commercial Cer	ntres					
i. Convenience Shopping Centre / Local Shopping Centre / Local Level Commercial areas	40	100	15	2	Max. 10% additional Ground Coverage shall be allowed for providing atrium only in LSC.	

¹ Added vide S.O. 2893(E) dated 23-09-2013

ii. Service Market	40	100	15	2	1
iii. Organised	40	40	8		
Informal					
Bazaar. iv. Community	25	125	NR*	3	Maximum 10% additional ground
Centre / Non-	20	120	1414		coverage shall be allowed for providing
hierarchical					atrium.
Commercial Centre					
v. District Centre/	25	150	NR*	3	Maximum 10% additional ground
Sub-Central					coverage shall be allowed for providing
Business					atrium.
District / Sub- City Level					
Commercial					
areas					
b) Metropolitan C	ty Centre	/ Central Bu	NR*	District 3	The size of the plot shall be as in the
Plot: Retail &	25	150	INIX	3	layout of commercial area and any
Commerce					subdivision of the plot in Connaught
Metropolitan					Place and its extension should not be
City Centre i.e. Connaught					permitted The development controls shall be in
Place & its					accordance with the comprehensive plan
Extension					of the area to be reframed by the local
					body. (a) In case of Connaught Place, the
					existing height shall be maintained and
					FAR could be achieved by increasing
					proportionate ground coverage. (b) No basement shall be permitted in
					middle circle of Connaught Place.
					(c) Mandatory Architectural Controls
:: Commonsial	25	450	ND*	2	shall be applicable.
ii. Commercial Complex at	25	150	NR*	3	Ground coverage and FAR shall be calculated on the area of presently
Fire Brigade					available plots.
Lane and					The area shall be developed on the basis
Janpath Lane c) Hotel	40	¹ [225 [#]	NR*	3@	of comprehensive scheme. i) Maximum 10% additional ground
c) Hotel	40	i) Plot	INIX	3@	coverage shall be allowed for
		below 30			providing atrium. In case, the
		m ROW			permissible additional ground
		- 325 (ii) Plot			coverage for atrium is utilized, 25% of the utilized ground coverage shall be
		30 m &			counted towards FAR.
		above –			ii) Maximum 20% of the FAR can be
		375]			used for the Commercial offices, Retail & Service shops.
					iii) The enhanced FAR will be allowed
					subject to payment of charges to be
					prescribed/ notified by the Government.
² [d) Service	30	150- 225	NR*	3 2]	
Apartments					

¹ Modified vide S.O. 2034(E) dated 12-08-2008 and S.O. 678(E) dated 04-03-2014

² Added vide S.O. 2895(E) dated 23-09-2013

a) Amu athan	25	100	ND*	2	Cubicat to statutany placement The		
e) Any other Commercial Centre i. (Including Commercial component along with Railway / MRTS Stations / ISBT)	25	100	NR*	3	Subject to statutory clearances. The development controls can vary subject to approved scheme.		
ii. Asaf Ali Road (the area shown as commercial strip in Delhi Gate — Ajmeri Gate scheme)	80	200	20	3	Setbacks are not mandatory In case of rebuilding stilts shall be provided for parking.		
(with sanctioned plans as on 07-02-2007 or whose proposal of Motel has been acceded to, ² (including all such proposal of motels which were in process of examination or matter challenged in the court of law or having approval in files from DDA or MCD or not acceded to due to enforcement of MPD-2021 on 07.02.2007 are also eligible for sanction) which are in Commercial Areas or Proposed Facility Corridor in Zonal Development Plans and Other use Zones)	40	175^	NR*	3.0 ECS per 100 sq.metres of floor area (as per Developm ent Code Chapter of MPD – 2021) All guest parking must be catered to within the motel premises themselve s.	 i) Maximum 175 FAR as applicable to plot area of one hectare shall be permissible on the plot area disclosed in the sanctioned plan as on 07-02-2007 in conformity with Government of India Notification S.O. 550 (E) dated 16-06-1995 and motel guidelines issued by Government of India, MoUD on 04-03-2002. ii) The motels shall face the road of minimum 30 mts. ROW (if additional land is required for road widening, same to be kept reserved out of the motel area). iii) Other norms and permissible activities shall be the same as applicable to hotel use premise. iv) Water, Electric supply, Sewerage, drainage, traffic circulation, provision of linking road of adequate ROW and other such infrastructure shall have to be provided by the owner at their own cost till the same is made available by the service providing agencies. The Motel owner will have to pay the external development charges including provision of linking road of adequate ROW as demanded by the concerned agencies. v) All motels should follow rainwater harvesting and energy conservation provision laid down under Notification and Building Bye-Laws issued by MoUD/GOI. vi) Disposal of waste in Motels will be responsibility of the Motel owner and net pollution discharge from the Motels should be zero. vii) Modern techniques shall have to be adopted in disposal of waste in 		

¹ Added vide S.O. 2555(E) dated 26-10-2012

² Modified vide S.O. 2759(E) dated 13-09-2013 and S.O. 2799(E) dated 16-09-2013

	motels viz. segregation of solid waste into compostable and non-
	compostable. Compostable waste
	should be deposited in localised
	compost pits; non-compostable
	should be incinerated in incinerators
	maintained by the Motel, subject to
	pollution control norms. The Building
	shall have dual piping system. Mini
	sewage treatment plant shall be
	constructed within premises for
	treatment of sewage and utilising the
	treated water for purposes other than
	drinking, with dual piping system.
	viii) Revised building plans will be
	submitted to the local bodies i.e.,
	· · · · · · · · · · · · · · · · · · ·
	MCD/DDA as the case may be for
	sanction under Building Bye-Laws.]

¹[^Note- Additional FAR charges, Conversion Charges, Betterment Levy/ External Development Charges etc. shall be payable as decided by the Government from time to time.

²[i. NR* - No Restriction, subject to clearance from AAI, Delhi Fire Service and other statutory bodies.]

ii. FAR# - ³[The norms of 225 325 FAR below 30m ROW or 375 FAR on 30m ROW or above and 40% ground coverage shall be applicable in respect of all (I) hotels including hotel plots in (a) Commercial Centres (iv), (v) and (b) Metropolitan City Centre/Central Business District except those located in LBZ area, Civil Lines Bungalow Area and hotels existing on heritage structures and (II) Hotel-cum-commercial plots. This shall apply to all categories of hotels mentioned at para 5.8. The FAR for Commercial Centres mentioned at Table 5.4(a) and (b) as well as Hotel-cum-commercial plots where apportionment of FAR shall be as per original lease conditions and also shall stand enhanced automatically to that extent, for this purpose only if not available.]

⁴[iii. In case of revision of building plans to avail additional FAR, hotel can avail additional FAR only if adequate parking provision is made within the plot itself.]

⁵[@ - In respect of hotels where the building plans stand sanctioned prior to 27.1.2006, parking standard of 3 ECS for 100 sqm of floor area shall be applicable only for the additional FAR which will be availed consequent upon amendment to MPD-2021. In respect of hotels where the building plans have been sanctioned on or after 27.1.2006, the parking standard of 3 ECS for 100 sqm of floor area shall be applicable to the entire plot.]

Notes:

i) The utilities such as, underground water storage tank, roof top water harvesting system, separate dry and wet dustbins, post delivery counter etc. are to be provided within the plot. All

^{*}No restriction subject to clearance from Airport Authority of India and Fire Department of GNCTD.]

¹ Added vide S.O. 2555(E) dated 26-10-2012

² Modified vide S.O. 2034(E) dated 12-08-2008

³ Modified vide S.O. 558(E) dated 26-02-2009 and S.O. 678(E) dated 04-03-2014

⁴ Added vide S.O. 678(E) dated 04-03-2014

⁵ Modified vide S.O. 2034(E) dated 12-08-2008

- hotels, restaurants, auto workshops, hospitals ¹[/ tertiary health care centres] etc. will have to make arrangements for solid waste disposal and primary effluent treatment.
- ii) Individual plot with floor area of 5000 sq.m. or above will provide ESS and generator within the plot. They have to submit energy consumption / audit at the time of sanction of building plans.
- iii) Height subject to clearance from ASI, Airport Authority of India, Delhi Fire Service and concerned authority.
- iv) Wherever parking is provided within the plot / basement and is misused, the same is liable to municipalisation / taken over by the authority.
- v) Wherever redevelopment of existing commercial areas stipulate preparation of a comprehensive scheme, the same can be initiated jointly by the lessees / owners themselves and submitted to land owning agency / planning authority for approval. Wherever any enhancement in FAR is approved, the same will be subject to charging appropriate levies from the beneficiaries. For Metropolitan City Centre, in Special Area, development controls shall be as per approved scheme.

²[** Ground Coverage up to 50% instead of 40% will be permissible to achieve the enhanced FAR at site(s), if their exist any height restriction from Airport Authority of India.]

Table 5.5: Definitions and Activities Permitted in Use Premises

Use premise	Definition	Activities permitted		
Retail Shop	A premise for sale of commodities directly to consumer with necessary storage.	Retail Shop, Repair Shop, Personnel Service Shop.		
Repair Shop	A premise equivalent of a of a retail shop for carrying out repair of household goods, electronic gadgets, automobiles, cycles etc.	Retail Shop, Repair Shop, Personnel Service Shop.		
Personnel Service Shop	A premise equivalent of retail shop providing personnel services like tailor barber etc.	Retail Shop, Repair Shop, Personnel Service Shop.		
Vending Booth	A premise in the form of booth for sale of commodities of daily needs either through a mechanical installation or otherwise.	Vending Booth		
Convenience Shopping Centre	A group of shops in residential area serving a population of about 5,000 persons.	As given in table 5.1.		
Local Shopping Centre	A group of shops in residential area serving a population of 10,000 persons	As given in table 5.1		
Commercial Office	A premise used for offices of profit making organizations.	Commercial Office, retail & personal Service Shop, Restaurant, Bank, Post & Telegraph Office.		
Bank	A premise for offices to perform banking function and operation.	Bank, Watch & Ward Residence (upto 20 sqm.) commercial office, Canteen		
Motor Garage and workshop	A premise for servicing and repair of automobiles.	Motor garage and Work Shop, retail shop (spare parts), Soft drinks and Snacks stall)		

¹ Added vide S.O. 2893(E) dated 23-09-2013

² Added vide S.O. 2759(E) dated 13-09-2013 and modified vide S.O. 2799(E) dated 16-09-2013

Cinema / Cineplex	A premise with facilities for projection of movies and stills with a covered space to seat audience.	Cinema, Watch & Ward Residence (upto 20 sqm.) Administrative Office, Soft Drink & Snack Stall, Retail Shop & Commercial office.
Restaurant	A premise used for serving food items on commercial basis including cooking facilities. It may have covered or open space or both for sitting arrangement.	Restaurant
Hotel	¹ [A premise used having minimum 10 lettable rooms for lodging of and boarding of 15 persons or more on short / long term basis.]	Hotel, ² [Service Apartment,] Banquet / Conferencing facilities, Restaurant, Swimming pool, Health Club, Food court, Discotheque.
		Commercial offices, retail & service shops to be restricted to 20% of floor area.
Service Apartment	A premise fully furnished, serviced and self contained with meal preparation and used for short-term ³ [/ long term corporate] accommodation.	 i) ⁴[Guest suite, Conference facilities, Office ii) Retail / Service shops, Dining and supporting facilities, as per the requirement] to be restricted up to 20% of floor area.
	Informal Sector	
Weekly Market/	An area used once in a week by a group of informal shop establishments in the form of a market. These markets shift from one area to another on different days of the week.	Weekly market, informal Retail trade, Soft Drink and Snack Stall (All structures will be either temporary or mobile), only for one day in a week.
Informal Sector Unit	Retail/ service unit, stationary or mobile, working without roof including small khokhas on roadside.	Informal Sector Unit
	Street vendor- A person who offers goods or services for sale to the public without having a permanent built up structure but with a temporary static structure or mobile stall (or head load).	

 $^{^{1-2}}$ Modified vide S.O. No. 678(E) dated 04-03-2014

 $^{^{3-4}}$ Modified vide S.O. no. 2895(E) dated 23-09-2013

6.0 WHOLESALE TRADE

Delhi is the biggest consumption centre in North India. It has attained the status of a major distribution centre by virtue of its geographical location and other historical factors.

As per Economic Survey of Delhi 2001-2002, there are about 37,000 wholesale enterprises in Delhi with an employment of about 1.6 lakh. In addition there are about 6,500 enterprises of storage and warehousing providing employment to 27,000 persons. It is expected that the number of enterprises in wholesale trade may increase to about 66,000 by 2021 leading to increase in employment to about 2.85 lakh persons. Some of the major commodities involved in the wholesale trade are textile and related products, food items, auto-parts and machinery, hardware and building materials, paper and stationery, fruits and vegetables and Iron and Steel.

Around 20% of the total wholesale trade enterprises of urban Delhi are located in the walled city, accounting for around 12% of the employment. The average enterprise in the Walled City has less employment but high turnover in comparison to units in other areas. In order to decentralise wholesale trade, the planned markets were developed at Azadpur, Naraina, Okhla, Narela, Keshopur, etc. (HEADING – 2)

6.1 CITY LEVEL WHOLESALE MARKETS

6.1.1 EXISTING MARKETS IN SPECIAL AREA

In case of existing developed areas, all wholesale markets generated with hazardous materials should be developed in decentralized manner and shifted to the areas assigned for these. All unauthorized encroachments / projections on roads / government land should be removed to facilitate easy movement of traffic. Further extension of the wholesale activity in the Walled City and its Extension shall be totally stopped by giving incentives and disincentives as under:

i) Incentives:

- a) The liasioning offices of the traders/ agents to continue in the present location;
- b) Development of New counter markets for wholesale trade and warehousing;
- c) The new counter markets should have access from National Highway, arterial networks and connectivity with MRTS; and
- d) Incentives such as Transferable Development Rights (TDR) and reduced taxes to enable start up / expanding of activity in the new markets.

ii) Disincentives:

- a) Restriction on the entry of heavy goods vehicles in the Special area;
- b) Storage of hazardous / inflammable commodities like paper, plastic / PVC, chemicals, petroleum and its products; should be discouraged.
- Restriction on storage / warehousing of bulky commodities like food grains, fruits and vegetables, dairy, poultry / fish products, iron and steel, and building materials; and
- d) Non-renewal of trade licenses for Wholesale Trade in non-conforming areas.

Sadar Bazar

The old congested built up areas like Sadar bazaar have serious problems of traffic congestion, inadequate physical and social infrastructure, lack of open spaces etc. The wholesale market of Sadar bazaar needs to be redeveloped at the same location with necessary infrastructure and parking required for wholesale trade.

6.0 Wholesale Trade 6—1

6.1.2 PROPOSED WHOLESALE MARKETS WITHIN INTEGRATED FREIGHT COMPLEXES

It is proposed to develop new wholesale markets as counter markets to cater to the demands of the growing population of Delhi only, near the rail and road entry points of NCTD. These should be linked with the proposed Wholesale Markets within Integrated Freight Complexes where the wholesale business could be operated more efficiently in a better environment. The break up of land requirement for different commodities at various locations should be decided at the time of preparation of schemes for the complex by the implementing agency.

Wholesale markets within Integrated Freight Complexes are to be developed as per requirement.

The new wholesale markets shall provide facilities for:

- i) Intra-urban freight movement and interchange of mode.
- ii) Warehousing and storage facilities.
- iii) Servicing, lodging and boarding, idle parking and other required facilities.

6.2 SUB-CITY LEVEL MARKETS

Delhi has become an agglomeration of cities over a period of time. Sub-City level wholesale markets shall cater to the needs of population at local level. These markets of medium size need to be dispersed throughout the city to enable even distribution of commodities from these complexes to the retail outlets.

Most of the existing planned markets and warehousing were developed in early seventies for specific commodities. Due to their proximity to residential area, these markets need to be redeveloped to overcome the environmental and traffic problems. ¹[To incentivize the redevelopment, a maximum overall FAR of 50% over and above the permissible FAR shall be given.] The traders associations shall share the responsibility of redevelopment to modern wholesale markets. The beneficiaries will have to pay the betterment charges to the implementing agency. Space for commodities that are not permissible in mixed use streets under para 15.6. shall be made available in wholesale city level market and sub-city level market to enable their relocation.

Some of the existing planned Wholesale Markets, Warehousing and Transport Centres are as given in Table 6.1.

S. No. Location **Commodity / Activities** Azadpur Fruit and vegetable i) ii) Okhla Fruit and vegetable iii) Keshopur Fruit and vegetable iv) Naraina Iron and Steel v) Sanjay Gandhi Transport Centre Transport / Warehousing vi) Rohtak Road Transport Centre Transport / Warehousing Narela Food grains vii) viii) Najafgarh Food grains

Table 6.1: Sub-City Level Markets

In addition to above, the following wholesale markets are to be developed:

6.0 Wholesale Trade 6—2

_

¹ Added vide S.O. 1215(E) dated 13.05.2013

- i) Loni Road
- ii) Rohini Ph-IV / V
- iii) Dwarka Sub-City
- iv) Narela Sub-City

In Urban Extension, about 8-10 ha. of land for about one million population should be provided for such Sub-City level markets. The different commodities to be provided at various locations should be decided at the time of preparation of schemes by the implementing agency. These markets shall have adequate parking, repair and servicing facilities. Land should be identified in each zone accordingly.

6.3 STORAGE OF OIL, CNG AND LPG

Shakurbasti Oil Depot has been shifted to a site between Ghevra and Tikri Kalan, which will be a major storage site for oil. The land thus vacated should be partly utilized for Disaster Management Centre and rest for recreational activities.

No new Depots for oil and LPG shall be developed in NCT of Delhi. The new depots required for the increased energy requirement shall be developed in the National Capital Region and the supply of Oil / LPG / CNG etc. to Delhi should be through pipelines.

Parking Maximum **Standard** Use/ Use **Activities** Definition Ground ECS/100 **Premises Permitted** Height Coverage **FAR** sq.m. of (m) % floor area 30 80 3 Wholesale Integrated No Wholesale Market. shop, Freight Restriction Godown and premise from Complex / subject to storage, where goods and Wholesale Commercial (i) office commodities are (restricted to 25% of Market sold and delivered to the total floor area), retailers. The Night Shelter premises include storage and godown, loading and unloading faculties.

Table 6.2: Development Controls – Wholesale Trade

Notes:

- i) Height subject to clearance from Airport Authority of India, Fire Department and other statutory bodies.
- ii) In case of plots upto 300 sqm. common parking is to be provided.
- iii) In case of plots of size 300 sqm and above, the utilities such as E.S.S., underground water storage tank, roof top water harvesting system, separate dry and wet dustbins, solar heating / lighting system etc. are to be provided within the plot.
- iv) In case of individual plots not forming part of any comprehensive / integrated development scheme, the development controls shall be as per already approved scheme / layout plan.

6.0 Wholesale Trade 6—3

¹ Added vide S.O. 2894(E) dated 23-09-2013

7.0 INDUSTRY

As per Economic Survey of Delhi 2001-02, there were about 1,29,000 industrial units in Delhi in 1998 against 85,050 units in 1991. A door-to-door industrial survey revealed that an average unit employed 9 workers while 30% of the units employed 4 workers or less. The survey also revealed that textiles products (garments) units constitute the largest number, followed by repair services and electrical machinery. The table below shows the growth of industrial units and employment.

Year	No. of Industries	No. of Employees
1981	42,000	5,68,910
1991	85,050	7,30,951
1998	1,29,000	14,40,000

Source: Economic Survey of Delhi 2001-02

The issue of industries in Delhi has been a subject of extensive debate, controversy and concern over the past decade. This has centred mainly on the aspects of pollution and negative environmental impact of industries, the existence and continued growth of industries in non-conforming areas and the issue of classification and permissibility with reference to household industries. Serious concern has been expressed regarding the continued existence and further proliferation of industries in contravention of Master Plan provisions.

7.1 STRATEGY

Keeping in view the position brought out above as also in the context of the continuing pressure of population growth in Delhi, the following broad policy would be required for the industrial sector:

- i. Promote hi-tech and low volume -high value added industries, which are not labor intensive.
- ii. Encourage modernization and technological up-gradation of existing industries required for day-to-day needs of the people of the city.
- iii. Take corrective measures with regard to industries in non-conforming industrial areas in terms of environmental and other norms as may be prescribed.
- iv. Provide suitable incentives and disincentives, and other measures, for shifting and relocation of industrial units not conforming to the land use norms.
- v. Review, and possibly widen, the scope of permissibility of household industrial units subject to adherence to pollution control norms and environmental considerations, fire safety regulations and other relevant factors, particularly the aspect of infrastructure services.

7.2 CLASSIFICATION OF INDUSTRIES

The classification of Industries is proposed to be simplified with prohibited category and non-prohibited category subject to proposals regarding specific category of industries permitted in different use zones. Further, all planned industrial areas are designated under a single landuse category namely Industry. The standards prescribed by the pollution control authorities would have to be met by all industrial units, in addition to specific conditions in terms of number of workers and power load in specified categories.

7.0 Industry 7—1

Industries listed under prohibited category shall not be permitted to be set up in Delhi (Annexure - III). The existing industrial units under prohibited category need to relocate themselves outside Delhi, within a period of three years.

7.3 PERMISSIBILITY OF INDUSTRIAL UNITS IN DIFFERENT USE ZONES AND USE PREMISES

For the industrial classification, the limits of aforesaid parameters shall be fixed according to the nature of industries, area and the nature of industrial development. The threshold parameters for industrial units are given in table 7.1.

Table 7.1: Parameters for Industrial Units in Different Use Zones and Use Premises

Use Zone / Use	Groups Permitted	Conditions		
Premises	(Refer Annexure)	Max. no. of workers	Max. Industrial Power Load (KW)	
Residential Use				
a) Residential b) Villages (Abadi)	A A+A1	5 5	5 5	
Commercial Use				
a) Convenience Shopping Centre, Local Shopping	A+ A1+B	5	11	
Centre. b) Community Centre.	Service / repair / packaging / assembly (without manufacturing) of	9	11	
c) District Centre, d) Service Market, Service Centre.	permissible industries.	19	11	
Industrial Use				
a) Plotted development	All industries except those prohibited and of Non-polluting & non-hazardous nature,	As per need	As per need	
b) Flatted Industries	All industries except those prohibited, and of Non-polluting & non-hazardous nature, excluding industries producing noise / water / vibrations / odour pollution	20	As per need	

Notes:

- i. Maximum no. of workers shall be as per notification issued by the competent authority from time to time.
- ii. The power requirement for operating pollution control devices and non-manufacturing use shall be over and above the aforesaid permissible load.
- iii. Existing Industrial Estates in the Growth Centres shall be considered as industrial use.

7.0 Industry 7—2

7.4 HOUSEHOLD / SERVICE INDUSTRIES

- i. Household industrial units with maximum 5 workers and 5 kilowatt power may be allowed to continue in residential areas and new industrial units of this type could be permitted in residential areas subject to the condition that no polluting industrial unit shall be permitted as household industry.
- ii. The industrial units could be permitted only after provisional registration by the Govt. of NCTD.
- iii. Household industrial units shall be allowed on any floor to the extent of 50% of permissible floor area of the dwelling unit.
- iv. Further additions / alterations to the list of Household Industries could be made, if considered appropriate and in public interest by the Central Government to do so.
- v. No inflammable or hazardous substance is permitted to be stored.
- vi. Separate industrial electric connection (single phase) and Municipal License, would be necessary to set up a household industry.

7.5 NO INDUSTRIAL ACTIVITY ZONE

In order to maintain the city's ambience and pollution free environment in important and historic areas of Delhi, following locations are categorized as 'No Industrial Activity Zone' where no industrial activity including household industry, shall be permitted.

- a) Lutyens' Bungalow Zone
- b) Civil Lines Bungalow Area
- c) Employer Housing
- d) Group Housing (excluding Janata Flats)

7.6 INDUSTRIAL AREA REDEVELOPMENT SCHEMES

The redevelopment schemes cover the following aspects:

- i. Modernization and upgradation of existing planned industrial areas; and,
- ii. Redevelopment of areas, which have become industrialized over the period of the two Master Plans even though not designated as such.

7.6.1 EXISTING PLANNED INDUSTRIAL AREAS

These industrialized areas were developed in the 70's and over the years, have deteriorated considerably in terms of physical infrastructure and, in some cases deficiencies on this score have persisted in an overall sense. Besides, there have been changes in the nature of activities in some of the areas and there have also been demands for using part of the plots for activities, which could be classified as commercial. There may also be a need to see whether further densification is possible in terms of creating smaller plots by sub-divisions to accommodate a larger number of industries / units. Guidelines for redevelopment of existing industrial areas shall be framed within 2 years by DDA in consultation with GNCTD and the local body. Till such time, the existing sub divisions may continue.

There is, therefore, a need for modernization and up-gradation of the existing industrial areas with due regard to environmental considerations. Since most of the Industrial areas are located along the Mass Public Transport Corridors, there is also a need for optimizing the use around these areas through the process of redevelopment.

This process of upgradation and redevelopment will need to be carried out in a planned manner, and in a public-private partnership framework, in which the entrepreneurs contribute to the betterment and subsequent maintenance through suitable Operation and Maintenance arrangements.

7.6.1.1 Industrial activity shall be conducted at the following locations in the Industrial Use Zone, as indicated in the Land Use Plan:

ZONES A to H:

Naraina Indl. Area, Jhandewallan Flatted Factory, Motia Khan Scheme, DCM Flatted Factory Complex, Shahzada Bagh Indl. Area, Gulabi Bagh Indl. Area, Rajasthan Udyog Nagar G.T. Road near Jahangirpuri, SMA Co-op. Indl. Estate G.T. Road near Jahangirpuri, SISI Indl. Area G.T. road near Jahangirpuri, G.T. Karnal Road Indl. Area near Rana Pratap Bagh, Hindustan Prefab Ltd., Indl. Area near Shivaji Rly Stn. (Minto Road), Okhla Indl. Area Ph.I, II & III, Mohan Co-op Indl. Area, SISI Complex Okhla near Modi Flour Mills, Najafgarh Road Indl. Area near Zakhira, Kirti Nagar Indl. Area, Mayapuri Ph. I & II, Udyog Nagar Rohtak Road, Keshav Pur Leather Tannery Scheme (part of Service Centre) near Vikaspuri, Wazirpur Industrial Area, Lawrence Road Indl. Area, Mangolpuri Indl. Area Ph.I & II, Jhilmil Indl. Area, Patparganj Indl. Area, Friends Colony Indl. Area, Narela Indl. Estate, Bawana Indl. Estate, Khanjhawala Indl. Estate, PVC Bazar Tikri Kalan.

- a. Additional Industrial Areas will be indicated while preparing plans for Urban Extension Areas.
- b. The approved Work-cum-Industries Centres, Service Centres etc., where development has been undertaken in accordance with the land use / earlier Master Plans, shall continue to be industrial subject to conformity with provisions stipulated.

¹[7.6.1.2 Pre-1962 / MPD-1962 Industrial Areas

Industrial Areas, existing prior to 1962 or where Industrial Use was allowed in MPD-1962, shall continue such use at least to the extent as permissible in MPD-1962, subject to documentary proof thereof. The standards prescribed in Para 7.2 shall have to be met by all such industrial units.]

7.6.2 REDEVELOPMENT OF UNPLANNED INDUSTRIAL AREAS

Besides the planned Industrial Areas, the Govt. of Delhi has notified following non-conforming clusters of industrial concentration having more than 70% plots in the cluster with industrial activities for redevelopment.

- 1. Anand Parbat
- 2. Shahdara
- 3. Samai Pur Badli
- 4. Jawahar Nagar
- 5. Sultanpur Mazra
- 6. Hastsal Pocket A
- 7. Naresh Park Extension
- 8. Libaspur
- 9. Peeragarhi Village
- 10. Khyala
- 11. Hastsal Pocket D
- 12. Shalamar Village
- 13. New Mandoli
- 14. Nawada
- 15. Rithala

¹ Added vide S.O. 2894(E) dated 23-09-2013

- 16. Swarn Park Mundka
- 17. Haiderpur
- 18. Karawal Nagar
- 19. Dabri
- 20. Basai Darapur
- ¹[21. Prahladpur Banger
 - 22. Mundka and Mundka Udyog Nagar

The redevelopment process involves preparation of redevelopment plans for widening of roads, laying of services, development of open space and parking etc.

In practical terms, these areas are deficient in terms of services and endanger the environment. The redevelopment of such areas needs to be based on clearly defined parameters in terms of the types of industries which may be permitted, spatial planning norms and environment related conditionalities regarding the provision of essential infrastructure with the participation of the owners / entrepreneur in a systematic manner.

7.6.2.1 Norms for Redevelopment of clusters of Industrial Concentration in Non Conforming Areas

Keeping in view the existing realities, as well as the imperatives of planned development, the following norms will have to be followed in the redevelopment process.

Non-conforming clusters of industrial concentration of minimum 4 hectare contiguous area, having more than 70% plots within the cluster under industrial activity / use may be considered for redevelopment of area identified on the basis of actual surveys. After notification of such clusters by GNCTD, the redevelopment scheme will have to be prepared by the concerned local body / land owning agency in consultation with the Society (to be formed by the land owners) based on the following norms / conditions:

- i. The cluster should have direct approach from a road of at least 18 m R/W.
- ii. Formation of Society shall be mandatory to facilitate preparation of redevelopment plan, pollution control and environmental management, development of services and parking and maintenance.
- iii. Only permissible industries having clearance from DPCC shall be permitted.
- iv. Amalgamation and reconstitution of plots shall be permissible for redevelopment.
- v. All the units shall have to obtain the statutory clearances. The industrial units shall have separate electric connections.
- vi. Other stipulations shall include
 - a) ²[Minimum About] 10% area is to be reserved for circulation / roads / service lanes.
 - b) ³[Minimum About] 10% of semi-permeable surface for parking and loading / unloading areas.
 - c) ⁴[Minimum About] 10% of total area to be reserved for infrastructure requirements like CETP, Sub-Stations. Pump House, Fire Station, Police post, etc. as per the norms.
 - d) Preparation of:

¹ Added vide S.O. 2894(E) dated 23-09-2013

² -4 Modified vide S.O. 1215(E) dated 13-05-2013

- Plan for water supply from DJB / Central Ground Water Authority (wherever required) along with requirement for pumping stations, storage tanks, ground water recharging / rainwater harvesting.
- Drainage plan as per norms.
- e) 8% of the cluster area shall be reserved for parks / green buffer.
- f) Plots measuring more than 100 sqm to have minimum 9.0 m. ROW.
- g) Plots measuring less than 100 sqm to have minimum 7.5 m. ROW.
- h) Common parking to be provided for plots below 60 sqm, whereas for plots above 60 sqm front set back (min. 3 m) shall be provided without boundary wall for parking and loading and unloading.
- vii. Other provisions / development control norms shall be applicable as prescribed. Depending upon ground conditions, the Technical Committee of DDA may relax the norms up to 10%.

¹[Note: Subject to availability of land for these facility mentioned at vi (a, b, c, e) with Industrial cluster or in the surrounding area be considered.]

The redevelopment work may be undertaken by the societies voluntarily or by the concerned local body / agencies. In case the agencies take up the redevelopment work for execution, they shall collect the charges from the individual industries themselves directly. Requisite charges for change in land use, enhanced FAR and land (wherever applicable) would be required to be paid to the concerned Authority.

The redevelopment shall be completed within the period specified by the Delhi Development Authority, Local Bodies in this regard. Clusters, which fail to complete the redevelopment proposals within the period specified as above, shall have to shift to other conforming industrial areas and the units functioning in non-conforming clusters shall have to close down. In such cases, the licensing authority will not renew / issue the licenses to industrial units without obtaining land use clearance from the competent authority. Further, no new licenses will be issued in non-conforming areas, without obtaining land use clearance.

The following areas shall not be eligible for industrial clusters redevelopment scheme:

Bungalow Zones (New Delhi & Civil Lines), the Ridge, River Bed (Zone-O), areas along water bodies, canals, sensitive areas from security point of view, conservation & heritage areas, reserved / protected forests, DDA flats, Cooperative Group Housing Societies, Government flats / bungalows / employer housing etc. and their immediate proximity.

7.7 NEW INDUSTRIAL AREAS

Development of new industrial areas in Greenfield areas of NCT of Delhi should be largely planned for the purpose of relocation of existing industries and for the development of a limited type of new industries for the following purposes:

- a. Relocation of permissible industries from the non-conforming clusters that are not eligible for regularization / development; and
- b. Green field sites for Hi-tech industries.

New industrial activity in the NCT of Delhi should be restricted to hi-tech areas as given below:

i. Computer hardware and software industry and industries doing system integration using computer hardware and software.

¹ Added vide S.O. 1215(E) dated 13-05-2013

- ii. Packaging
- iii. Industries integrating and manipulating the interfaces of the computers and telecom facilities.
- iv. Industries catering to the information needs of uses by providing databases or access to databases spread throughout the globe.
- v. Industries providing the facilities for sophisticated testing of different or all components of the information technology.
- vi. Electronic goods.
- vii. Service and repair of TV and other electronic items.
- viii. Photo composing and desktop publication.
- ix. TV and video programme production.
- x. Textile designing and fabric testing, etc.
- xi. Biotechnology.
- xii. Telecommunications and enabling services.
- xiii. Gems and jewellery.

7.7.1 INDUSTRY USE ZONE - GUIDELINES

The subdivision of industrial use zone into use premises and subsequent approval of layout plans for industrial estates shall be governed by the following norms:

- i. The new industrial areas to be developed may have plotted development for individual industrial units. The maximum size of industrial plots in new industrial areas shall be 400 sqm. except in already approved schemes.
- ii. The provision of land for the required facilities in industrial areas shall conform to norms given in the Table 7.2.
- iii. All new Industrial Estates shall have approach from a road of at least 30 m ROW.
- iv. Plots measuring less than 100 sqm. and will face 9 m ROW roads whereas plots measuring more than 100 sqm. will face 12 m ROW roads.
- v. Individual industrial plots facing main peripheral roads shall have access from dedicated service road after leaving green buffer.
- vi. The listed water bodies and / or any water body above 1 Ha. size are mandatory to be systematically included in the landscape plan.
- vii. Minimum 10m wide green buffer shall be provided along peripheral / access roads in the industrial areas.
- viii. The provision of Rainwater harvesting as an integral part of the landscape and storm water drainage plan at the time of sanction of layout plan shall be prepared.
- ix. The provision of minimum 30% of semi-permeable surface in all parking and loading / unloading areas.
- x. Grease traps should be provided near automobile washing area.
- xi. New Industrial areas should be located along major arterial roads. Major infrastructure network like CNG, LPG, oil, optical fibre, electricity, etc. to be made available along this corridor through underground pipelines.
- xii. Optimum utilisation of industrial areas should be made by way of development of flatted factories complexes.
- xiii. All industries should have provision for separating the solid waste before disposal. No untreated effluent shall be allowed to be discharged in the water bodies, open areas etc., outside the Industrial area. Primary treatment of the effluent shall be done at the plot level as per requirement.
- xiv. The provision of CETPs, solid waste separation / treatment plants shall be made at the industrial cluster level.
- xv. Proper disaster arrangements shall be made by the concerned agency for meeting any emergency situation arising due to fire, explosion, sudden leakage of gas or other natural calamities like earthquake, flood, etc.

- xvi. Industries in future may be grouped on the basis of common requirements such as effluent treatment, interdependence and nuisance value (fire hazard, noise, etc.).
- xvii. Selection of trees and plants shall be made keeping in view aspects such as distinctive avenue development, round the year flowering in park areas (either mixed or in cluster form) and shade requirements in specific areas.

¹[Table 7.2: Norms for Land Distribution in Industrial Areas

SI. No.	Use Premises	Percentage
1	Industrial Plots (Net Area)	55-60
		45-50
2	Residential*	20
2 3	Recreational: Buffer Zone, Parks, Water Bodies, Green under HT lines, etc.	10-12
		8-10
3 4	Commercial: Shopping Centre, Petrol Pumps, Guest House / Budget hotels,	2-3
	Lodging and Boarding, Service and Repair shops, Communication /	
	Telephone Exchange, etc.	
-4 5	Facilities	8-10
	Public and Semi-Public: Fire Station / Fire Post, Police Station / Police	6-8
	Post, Hospital / ² {Tertiary Health care Centre} /Dispensary, ITI /	
	Polytechnic, Dharamshala, Night Shelter, Day Care Centre, etc.	
	Utilities: Electric Sub-Station, CETPs, Pumping Stations, Underground	
	Reservoirs / Fire Fighting Tanks and other utilities, etc.	
5 6	Transportation: Circulation, Loading / Unloading Area, Parking, ideal truck	18-20
	Parking, Goods Vehicle Parking etc.	16-18
	Total	100

³[Note:

* Residential Use premise shall be carved out in the industrial area of urban extension. In case of residential use premises regulations for Group Housing shall apply. The land shall be reserved for facilities as per residential facilities. This housing would be for workers engaged in the industrial sector. These provisions to be applicable to New Industrial Area.

¹ Modified vide S.O. 1215(E) dated 13-05-2013

² Added vide S.O. 2893(E) dated 23-09-2013

³ Added vide S.O. 1215(E) dated 13-05-2013

Table 7.3: Development Control Norms

	Maximum		Parking standard ECS /				
Use Premises	Gr.Cov (%)	FAR	Ht (m)	100 sqm of floor area	Activities Permitted	Definition	
Industrial Plot i. 50 sqm. and below	100	200	8	2	Industrial units: unit retail sales outlet and	¹ [A premise for industrial activity having upto 50	
ii. 51 sqm to 400 sqm.	60	180	15	2	administrative office upto maximum 10%	workers with non- hazardous, non-polluting	
iii. 401 sqm and above	50	150	15	2	of floor area on ground floor only; residential flat upto the maximum extent of 5% of the floor space or 50 sqm. whichever is less for watch & ward and supervision, incidental storage [] related to the industrial activity, commercial activity as	performance.]	
Flatted group Industry (Minimum plot size – 400 sqm.)	30	150	26	2	per footnote (vi). Industrial units; administrative office, watch and ward, maximum upto 5% of floor area or 20 sqm. whichever is less, storage related to the manufacturing activity, commercial activity as per footnote (vi).	² [A premise having a group of small industrial units having upto 20 workers with common services and facilities of non-hazardous, non-polluting nature.]	

Notes:

- i. In case of plots upto 60 sqm. common parking shall be provided.
- ii. In case of plots of size 500 sqm and above, the utilities such as E.S.S., underground water storage tank, roof top water harvesting system, separate dry and wet dustbins, solar heating / lighting system etc. shall be provided within the plot.
- iii. Identified Service Centres shall be planned as per plotted industrial area norms.
- iv. Development of IT hardware and software permissible under industrial use.
- V. ³[Banquet hall shall be permissible in Industrial premises subject to specifications / regulations as may be prescribed, along with conversion charges as prescribed by the Government from time to time.]
- vi. ⁴[Industrial units / plots abutting roads of 24m ROW and above shall be eligible for conversion to commercial use within the existing development control norms, subject to payment of conversion

¹⁻² Modified vide S.O. 1215(E) dated 13-05-2013

³⁻⁴ Substituted vide S.O. 2034(E) dated 12-08-2008

charges ¹{computed on current market value of commercial area and cost of parking as decided as prescribed by the Government from time to time. The activities permissible in local shopping centres Community Centre will be permitted in such plots.} In addition, multilevel parking shall be permissible activity. However, this shall not be permitted on non-conforming / regularized industrial cluster. The above provision shall not affect the Supreme Court orders in any way.]

- vii. ²[Industrial plots abutting roads of 24m ROW and above shall be eligible for conversion to Hospitals (up to 100 beds) within the existing development control norms, subject to the conditions (a) the number of beds to be accommodated on a plot shall be worked out ³{@ 400 sqm-80 sqm} of gross floor area per bed and (b) payment of conversion charges as prescribed by the government from time to time. The activities permissible in Hospital (Table 13.20) shall be permitted in such plots. However, this shall not be permitted on non-conforming/ regularized industrial cluster. The above provision shall not affect the Supreme Court orders in any manner.
- viii. In the redevelopment of industrial plots, 1.5 times of permissible FAR has already been notified in Notification S.O. 683 (E) dated 01.04.2011 regarding Regulations and Guidelines for Existing Planned Industrial Area, therefore, the incentive of 1.5 times of permissible FAR shall be allowed on all permissible uses on industrial plot.
- ix. Banquet Hall, Restaurant, Recreational Club, Hostel & Old age home, Community and Recreational hall, Nursing Home & Health Centre are permitted as part of modification in layout plan of industrial area where also enhanced FAR 1.5 times of permissible FAR of respective Use shall be allowed.
- x. As per the Notification S.O. 683 (E) dated 01.04.2011, minimum plot size eligible for redevelopment is given 1000 Sqm. whereas some of the plots are less than 50-100 Sq.mtrs. from area limit of 1000 Sq.mts. In such redevelopment relaxation in area upto 5% in lower limit of plot size shall be permitted.
- xi. The development control norms i.e. Ground Coverage, FAR etc. of respective use premises while allowing redevelopment/ reconstruction on the individual industrial plots shall be adhered to and there shall be no height restriction. The height shall be as per requirement of AAI/ Fire Department. In case of addition, alteration or change of use within permissible category in existing building to achieve permissible FAR, already sanctioned ground coverage shall continue, if parking requirement or sufficient open space around building is made available.
- xii. In existing Industrial Units/ plots with an area of 3000 sq.mtrs. or above abutting road of 24mtr. ROW and above shall be eligible for Residential use (Group Housing) within development control norms of group housing along with incentive 1.5 times FAR of permissible FAR of Group Housing subject to payment of Conversion charges as prescribed by the Government from time to time for respective use. Required Commercial preferably and PSP activity for residential population, and working space up to 15% of Permissible FAR shall also be allowed. Sub-division of larger Industrial plot or amalgamation of smaller Industrial plots will be allowed in existing areas as well as approved schemes/ layouts/ building plans on these Industrial Plots. Rain water harvesting preferably with Rain water storage for re-use & STP, Dual piping system use of solar electricity shall be provided to minimize the additional burden on infrastructure services. This provision shall not affect any Court Orders.

¹ Modified vide S.O. 1215(E) dated 13-05-2013

² Added vide S.O. 1215(E) dated 13-05-2013

³ Modified vide S.O. 2893(E) dated 23-09-2013

ANNEXURE -7.0 (I)

CLASSIFICATION OF INDUSTRIES

GROUP - A

HOUSEHOLD INDUSTRIES

- 1. Agarbatti and similar products
- 2. Aluminium hanger (excluding wire drawing and anodizing).
- 3. Ayurvedic / Homoeopathic / Unani medicines.
- Assembly and repair of electronic goods.
- 5. Assembly and repair of sewing machines.
- 6. Assembly of hand tools.
- 7. Assembly of Badminton shuttlecocks.
- 8. Assembly and repair of electrical gadgets, cooler/heater etc.
- 9. Assembly and repair of typewriter (excluding Font Casting).
- Assembly of Bakelite Switches.
- 11. Assembly and repair of measuring instruments (excluding handling of Mercury and hazardous materials).
- 12. Atta Chakkies.
- 13. Batik works.
- 14. Block making and photo enlarging.
- 15. Biscuit, pappey, cakes and cookies making.
- 16. Button making, fixing of button and hooks.
- 17. Bookbinding.
- 18. Brushes and brooms (by hand). s
- 19. Calico and Textile products.
- 20. Cane and bamboo products.
- 21. Cassettes recording.
- 22. Clay and modeling with / without Plaster of Paris.
- 23. Coir and jute products.
- 24. Cardboard boxes.
- 25. Candles.
- 26. Copper and brass art wares.
- 27. Cordage, rope and twine making.
- 28. Carpentary.
- 29. Contact Lens.
- 30. Canvas bags and hold-alls making.
- 31. Candies, sweets, rasmalai etc. (when not canned).
- 32. Cotton / silk printing (by hand).
- 33. Computer repairing and cyber information Centre.
- 34. Computer Software.
- 35. Dari and carpet weaving.
- 36. Detergent (without bhatti).
- 37. Data processing.
- 38. Dairy products e.g. Cream, ghee, paneer, etc.
- 39. Dry Cleaning (excluding big workshops).
- 40. Desk Top Publishing.
- 41. Embroidery.
- 42. Enameling Vitreous (without use of coal).
- 43. Framing of pictures and mirrors.
- 44. Fountain pens, ball pens and felt pens.
- 45. Gold and Silver thread, kalabattu.
- 46. Hosiery products (without dyeing and bleaching).
- 47. Hats, caps, turbans including embroideries.

- 48. Information Technology enabled services
- 49. Ink making for fountain pens.
- 50. Interlocking and buttoning.
- 51. Jewellery items.
- 52. Khadi and handloom.
- 53. Khus tattis.
- 54. Knitting works.
- 55. Lace products.
- 56. Leather footwear.
- 57. Leather belts and assembly of buckles (by hand)
- 58. Leather and rexine made ups.
- 59. Milk Cream Separation.
- 60. Manufacture of Jute products.
- 61. Manufacture of Bindi.
- 62. Name plate making.
- 63. Production of following items.
 - i. Blanco cakes
 - ii. Brushes
 - iii. Kulfi and confectionery.
 - iv. Crayons.
 - v. Jam, jellies and fruit preserves.
 - vi. Musical instruments (including repairs).
 - vii. Lace work and like.
 - viii. Ornamental leather goods like purses, handbags.
 - ix. Small electronic components.
- 64. Paper stationery items and book binding.
- 65. Pith hat, garlands of flowers and pitch.
- 66. P.V.C. products (maximum one moulding machine).
- 67. Paper machine.
- 68. Perfumery and cosmetics
- 69. Photosetting.
- 70. Photostat and cyclostyling.
- 71. Photo copying of drawings including enlargement of drawings.
- 72. Packaging of Shampoos.
- 73. Packaging of Hair Oil.
- 74. Preparation of Vadi, Papad etc.
- 75. Processing of condiments, spices, groundnuts and dal etc.
- 76. Pan masala.
- 77. Production of Sweets and Namkeens (less than one ton/day)
- 78. Paper Mache
- 79. Paper cup. Plates, files cover and letter pads (without printing).
- 80. Photography (developing and printing).
- 81. Repair of watches and clocks.
- 82. Rakhee making
- 83. Repair of domestic electrical appliances.
- 84. Readymade garments (without washing).
- 85. Repair of bicycles.
- 86. Repair and assembly of computer hardware.
- 87. Repair of bags, brief cases, suitcases, except use of leather and PVC material.
- 88. Repairing of Water meters, stabilizer, UPS, etc.
- 89. Rubber Stamps.
- 90. Stone engraving.
- 91. Sports goods/Sports Nets.
- 92. Surgical bandage rolling and cutting.
- 93. Stove pipe, safety pins and aluminium buttons (by hand press).

- 94. Silver foil making.
- 95. Saree fall making.
- 96. Shoe laces.
- 97. Stamp pads.98. Screen Printing.
- 99. Tailoring.
- 100. Thread balls and cotton fillings.
- 101. Toys and dolls.
- 102. Ties.
- 103. Tomato Ketchup.
- 104. Umbrella assembly.
- 105. Utensil washing powder (only mixing and packaging).
- 106. Velvet embroidered shoes / shawls.
- 107. Vermicelli and macaroni.
- 108. Wood carving and decorative wood wares.
- 109. Wool balling and lachee making.
- 110. Wooden / cardboard jewellery boxes (subject to no objection certificate from the department).
- 111. Wool knitting (with machine).
- 112. Zari Zardozi.

GROUP A - 1

HOUSEHOLD INDUSTRIES PERMISSIBLE IN VILLAGES (ABADI)

- 1. Black smithy.
- 2. Cane and bamboo products.
- 3. Clay and modelling with / without Plaster of Paris.
- 4. Dari / Carpet / Sari weaving (except dying & bleaching).
- 5. Ice cream and water-cooling by Refrigeration. (without cold storage)
- Stone engraving.
- 7. Village pottery Industry (without bhatti).
- 8. Village oil ghani.
- Wood carving and decorative wood wares.

None of the industries mentioned in Group A and A-1 shall carry out the following processes:

- i. Anodising
- ii. Bleaching
- Burning of coal iii.
- Canning Facility iv.
- ٧. Dyeing
- vi. Electroplating
- Moulding works vii.
- viii. Use of CFC gases
- Varnishing ix.
- Washing Χ.

Notes:

i. Storing of chemicals listed under schedule I and/ or II of the Manufacture, Storage and import of hazardous Chemical Rules, 1989 and Public Liability Insurance Act, 1990 shall be prohibited.

7.0 Industry 7-13 ii. No effluent / emissions shall be allowed to be generated by the units and these shall adhere to the noise standards as stipulated by Ministry of Environment and Forests, Government of India.

ANNEXURE -7.0 (II)

GROUP - B

INDUSTRIES PERMISSIBLE IN COMMERCIAL CENTRES

- 1. Air Conditioner Parts.
- 2. Aluminium doors / windows / fittings / furniture.
- 3. Assembly and repair of Cycles.
- 4. Auto Parts.
- 5. Belts and Buckles.
- 6. Bulbs (battery).
- 7. Cloth Dyeing.
- 8. Cotton ginning.
- 9. Cycle Chain / Locks.
- 10. Diamond Cutting and Polishing work.
- 11. Electric fittings (switch, plug pin etc.)
- 12. Elastic products.
- 13. Engineering works.
- 14. Foundry (small job works as per prescribed limits of Industries Department / DPCC).
- 15. Ice-cream and water cooling by Refrigeration (without cold storage)
- 16. Ice boxes and cooler bodies.
- 17. Iron grills and door making.
- 18. Jute products.
- 19. Key Rings.
- 20. Knife making.
- 21. Marble stone items.
- 22. Metal lathe cutting.
- 23. Motor winding works.
- 24. Printing Press.
- 25. Screws and nails.
- 26. Scissors making.
- 27. Spectacles and Optical frames.
- 28. Steel Furniture / Almirah.
- 29. Steel lockers
- 30. Steel Springs.
- 31. Surgical instruments and equipments.
- 32. Table lamps and shades.
- 33. Tin box making.
- 34. Transformer covers.
- 35. TV, Radio, Cassette recorders etc.
- 36. TV / Radio / Transistor cabinets.
- 37. Typewriter parts manufacturing and assembly.
- 38. Water meter repairing.
- 39. Water tanks.
- 40. Welding works.
- 41. Wire Knitting.
- 42. Wooden furniture works.
- 43. Information Technology enabled Services.

ANNEXURE -7.0 (III)

PROHIBITED / NEGATIVE LIST OF INDUSTRIES

Industries manufacturing the following shall be prohibited within National Capital Territory of Delhi. ¹[However, Environment Department, GNCTD in consultation with Industries department, GNCTD shall take the final decisions to ascertain a particular activity/Industry/ factory to fall under the said list as per the parameters/ norms set by the CPCB and adopted by the DPCC.]

- 1. Arc / Induction Furnace
- 2. Acids
- 3. Alkalis
- 4. Animal & fish oils
- 5. Aldehydes
- 6. Acid slurry
- 7. Acetylides, phridines, iodoform, chloroform, E-nepthol, etc.
- 8. Ammonium sulphoajanide, arsenic and its compounds, barium carbonate, barium cyanide, barium ethyle sulphate, barium acetate cinnabar, copper sulphocyanide, ferrocyanide, hydro cyanide, hydro cyanic acid, potassium biocalate, potassium, cyanide, prussiate of potash, phynigallc acid, silver cyanide
- 9. Aircraft building.
- 10. Abattoirs, animal blood processing (except existing and relocation)
- 11. Bitumen blowing (hot)
- 12. Brick kiln (using fresh earth as raw material, coal as fuel)
- 13. B-nepthol
- 14. Bakelite powder (starting from formaldehyde)
- 15. Barely malt and extract
- 16. Bone-grist, bone-meal, salting of bones, storages of bones in open, bone drying
- 17. Bone charcoal manufacturing
- 18. Blast furnaces coal fired
- 19. Bicycles (integrated plant)
- 20. Brewery and potable spirits
- 21. Chlorinated paraffin wax purification
- 22. Carbon black
- 23. Cement industry
- 24. Calcium carbide, phosphorous, aluminum dust paste and powder, copper, zinc, etc. (electrothermal industries)
- 25. Cranes, hoists and lifts (excluding assembly)
- 26. General industrial machinery (such as hydraulic equipments, drilling equipments, boilers, etc.)
- 27. DOP (Dioctyl Phthalate), DBP & Plasticizer
- 28. Dry cell battery
- 29. Dye & dye intermediates
- 30. Distillation of wood, chemical seasoning of wood (excluding natural seasoning)
- 31. Explosives, i.e., Fireworks, Gunpowder, Guncotton, etc.
- 32. Earth moving machinery / equipment (manufacturing of assembly)
- 33. Electric wires and cables (more than 100 workers, 2000 sqm plot)
- 34. Fatty acids
- 35. Fungicides & pesticides
- 36. Flexographic ink
- 37. Fuel oils, illuminating oils and other oils such as stchetic oil, shoal oil, lubricants

¹ Added vide S.O. 2890(E) dated 23-09-2013

- 38. ¹[Foundries (except Pit Furnace) (Cupola Furnace)*]
- 39. Gas compressors
- 40. Graphite production
- 41. Glass furnace (more than 1 ton / day capacity)
- 42. Gases-carbon-disulphide, ultramarine blue, chlorine, hydrogen, sulphur dioxide, acetylene, etc. (other than LPG / CNG / Oxygen / medical gases)
- 43. Glandular / glandes extraction
- 44. Glue and gelatine from bones and flesh
- 45. Hot mix plant (except those approved by DPCC / CPCB)
- Hazardous waste processing viz. hospital/ ²[tertiary health care centre/] medical/industrial waste
- 47. Polyurethene foam
- 48. Industrial gelatine, nitro glycerine and fulminate
- 49. Iron / steel metal forging (using pneumatic hammer).
- 50. Industrial gelatine, nitro glycerine and fulminate
- 51. Industrial trucks, trailers, etc.
- 52. Linear alkyd benzene
- 53. Lead manufacturing including secondary lead industry (recovery of lead from waste scrap)
- 54. Lime kiln.
- 55. Leather tanning and dyeing (raw hides/skins to semi finish)
- 56. Locomotives and wagons
- 57. Methanol
- 58. Methylated spirit
- 59. Mechanical stone crushers & washing of coarse sand
- 60. Manufacturing of pulp & paper
- 61. Melamine resin
- 62. Mineral salts (which involve use of acids: CuSO4, FESO4, alum, etc.)
- 63. Manufacturing of diesel engines, generators except assembly
- 64. Motor cycles, scooters, cars, tempos, trucks, etc.
- 65. News print manufacturing, pulping, fresh paper making
- 66. Nitrogeneors and phosphatic fertilizers, except mixing of fertilizers for compounding (large scale)
- 67. Organic solvent, chlorinated minerals, methanol, aldehydes, methylated spirits
- 68. Petroleum coke processing, not as fuel
- 69. Potteries / refractories (using coal or furnace oil)
- 70. Polyethylene polymers including resins
- 71. Paint industry (nitro Cellulose & Alkyd resin based)
- 72. Plasticisers manufacturing
- 73. Pvridines
- 74. Phenol formaldehyde resin and powder
- 75. Porcelain product potteries (using coal of production capacity more than 2 tonne per day)
- 76. Rubber solution and thinner (using naptha and rubber scrap)
- 77. Roasting of Ore Sulphide Oxides of mixtures
- 78. Rayon fibre manufacturing
- 79. Refractories
- 80. Reclamation of rubber.
- 81. Production of tyres and tubes (devulcanisation)
- 82. Saccharine

7.0 Industry 7—16

_

¹ Modified vide S.O. 2890(E) dated 23-09-2013

² Added vide S.O. 2893(E) dated 23-09-2013

- 83. Secondary Zine industry
- 84. Synthetic rubber
- 85. Smelting
- 86. Sewing machines (integrated units) except assembly
- 87. Sluice gates and gears
- 88. Stainless Steel Pickling
- 89. Steam engines
- 90. Steel pipes and tubes (continuous welded/seamless)
- 91. Sugar, khand sari
- 92. Sodium silicatc industry (more than 1 tonne/day)
- 93. Stone quarrying
- 94. Textile (more than 100 workers in all shifts, I acre of land, 100 LKD of water)
- 95. Thorium, radium and similar isotopes and recovery of rare earth
- 96. Turbines
- 97. Urea & Phenyl Formaldehyde resin
- 98. Vegetable oil hydrogenerated
- 99. Waste (crude / burnt) oil processing (refinery)

Notes:

- i. A public utility service involving any of the activities referred to above shall be permitted subject to environmental laws.
- ii. Further additions / alterations to the list of Prohibited Industries could be made if considered appropriate and in public interest by the Central Government to do so.

¹[iii. * However, continuity of any type of furnace shall be within set parameters of CPCB & DPCC.]

¹ Added vide S.O. 2890(E) dated 23-09-2013

8. GOVERNMENT OFFICES

Delhi being the country's capital provides excellent opportunities in service sector. It has attracted people in government and quasi government sector from all parts of India. The growth in the sector was significant till 1981. However, as per the report on Economic Census, 2003, the employment in government sectors is on decline. The table below shows the growth of employment in different government sectors.

1981 1991 2000 S. No. Category 2003 1. Central Government 2.25 2.15 2.13 2.14 (6.64)(-4.44)(-0.93)Government of 2. 0.58 1.04 1.13 1.21 **NCTD** (9.43)(9.31)(8.65)3. Quasi Government 1.41 2.14 2.04 1.96 (Central + State) (151.79)(51.77)(-4.67)4. **Local Bodies** 1.17 0.83 0.95 0.93 (-29.06)(14.46)(30)TOTAL 5.33 6.16 6.25 6.24 (1.46)(30)(15.57)

Table 8.1: Employment in Govt. and Quasi Govt. Sector (in Lakh)

Figures in brackets indicate decadal growth rate in percentage. Source: Directorate of Employment, GNCTD and MPD-2001

8.1. DECENTRALIZATION OF OFFICES

As per NCR Plan, no new Central Government and Public Sector Undertaking offices should be located in NCTD. However, the issue of shifting existing Government / PSU offices from Delhi as well as restricting the setting up of new offices would only be possible after a time bound action plan is prepared together with suitable incentives and disincentives.

8.2. OPTIMUM UTILIZATION OF GOVERNMENT LAND

Government of India, Govt. of NCTD and local bodies are occupying prime land in Delhi for their offices. Most of the offices have been setup immediately after Independence. Large areas are underutilized and have completed their economic life. Due to downsizing of government employment and need for generation of resources by the ministries, optimum utilization of existing government offices / land could be achieved by the following measures:

- i) Intensive utilization of existing government offices/land.
- ii) Utilization of Surplus land by the government for residential development.
- iii) Utilization of 10% of total FAR for commercial uses to make the restructuring process financially feasible. This shall be subject to approval of land owning agency and concerned local body.

Major GNCTD Offices, which were located in Old Secretariat building, have been shifted to the new premises at Indraprastha Estate. Old Secretariat is a historical building and needs to be conserved. Barracks area adjacent to the Old Secretariat could be redeveloped to accommodate additional GNCTD Offices.

Presently District courts are located at Tis Hazari, Karkarduma and Rohini Sub-city. Land has been earmarked at following locations to accommodate new District Courts.

8.0.Government Offices 8- 1

- i) Near Saket District Centre -7 ha.
- ii) Narela Sub-City 3ha.
- iii) Dwarka Sub-City- 3 ha.

Major employment of the Local Bodies and GNCTD should be accommodated in the public and semi-public facility areas such as health facilities, education etc. The head quarters of the Municipal Corporation of Delhi would be housed in the proposed Civic Centre under construction on Jawahar Lal Nehru Marg, which has been designated as Non-Hierarchical commercial centre.

In the Urban Extension as far as possible, the government offices should be provided along the MRTS corridor. Four sites (10-15 Ha. each) for the offices of the Govt. of NCT Delhi, Courts and Local Bodies, etc. should be provided.

Table 8.2: Development Controls - Govt. Offices

Use/ Use	M	aximuı	n	Parking	Definition	Activities permitted
Premises	Ground Coverage %	FAR	Height (m)	Standard ECS/100 sq.m. of floor area		
i) Integrated Office Complex	30	200	NR, subject to approval of AAI, Fire Departm ent and other statutory bodies.	1.8	Premises used for the office of Central Government, Local Government and Local Bodies.	Government Offices, Watch and Ward Residence / residential maintenance staff (maximum 5% of FAR), Retail shop of Chemist, Book and stationery, Consumer Store, Canteen, Post office, Bank Extension Counter etc. Public sector Undertaking / Commercial offices (restricted to 10% of the total floor area)
ii) District Court	30	200	NR, subject to approval of AAI, Fire Departm ent and other statutory bodies.	1.8	Premises used for the offices of Judiciary.	Court, Residential maintenance staff (maximum 5% of FAR), Canteen, Restaurant, Ancillary services and Retail shop, Library, Dispensary, Administrative offices, Banks, Post offices, Police post, Fire post, Lawyer's chamber.

Notes:

8.0.Government Offices 8- 2

⁽i) The norms for Local Government offices / Public Sector Undertakings under Government Land use shall be as per Integrated office complex.

⁽ii) The norms of Govt. use (undetermined) shall be as per approved layout / scheme, which development controls shall be as per respective use premises.

9.0 ENVIRONMENT

Creation of a sustainable physical and social environment for improving quality of life is one of the major objectives of the plan. The almost unprecedented scale and speed of urbanisation in Delhi has resulted in enormous pressures on the physical environment with a severe adverse impact in terms of pollution, and today Delhi is considered to be among the most polluted cities in the world.

The city's environment can essentially be seen in terms of two components of urban management- the environment per se, or the habitat, and services management. The former pertains to the natural features and resources including: the elements of air and noise, water (water bodies-river, lakes, drains and ponds and ground water) and land with reference to open spaces, green areas and other surface and sub-surface conditions. The latter is related to the built environment and includes the environmental infrastructure - water supply, sewerage, solid waste disposal, and the transportation network.

In the above stated background the following three fold approach and strategy will need to be adopted.

- i) Management of Natural Resources and the related environment infrastructure and services in a manner that would lead to optimisation of use of natural resources, and reduction/abatement of pollution.
- ii) Conservation and Development of the Natural features with a view to enhancing their environmental value; and
- iii) Development and preservation of open spaces, greens and landscape/ recreational areas.

A clear approach towards management of 4 types of wastes generated in Delhi, namely Solid Waste, Hazardous Waste, Bio-Medical Waste and Electronic Waste, should be adopted. The approach should take into account the need for adopting the Clean Development Mechanism (CDM) and the awareness of the carbon credits that can be earned and encashed through a planned and organized mechanism, to be developed for this purpose.

9.1 NATURAL RESOURCES

Natural Resource Conservation includes management of water (surface and ground), air and noise.

9.1.1 WATER (SURFACE AND GROUND)

a) The surface water resources in Delhi are basically comprised of the river Yamuna, drains and the lakes/ponds. The ground water in Delhi occurs in confined and semi-confined conditions, with depths varying from 1 m to 10 m below the ground level and in the alluvial terrain, several sandy aquifers occur at different levels upto a depth of 70 m.

Based on studies and statistics, some of the striking features that are revealed about the surface water resources in Delhi are:

The Yamuna river and the drains are highly polluted;

- ii. The supply of water for human use is too much in absolute terms, but is characterized by iniquitous distribution in per capita terms in different areas, and significant wastage;
- iii. Assuming that 80 percent of the water is converted into waste water, the capacity to treat waste water is grossly deficient; Various options for the re-use of treated waste water must be explored and implemented.
- iv. The actual quantity of waste water treated is much below the installed capacity on account of missing links in sewer connectivity between the generation points and treatment plants and choking/silting of sewer lines, etc. The missing links in sewer connectivity must be covered for its continuity from the generation point to the treatment plant.
- v. The planned re-use of treated waste water is minuscule;
- vi. The treated wastewater is being largely put back into the drains and gets polluted again before flowing into the river Yamuna, which receives 70 percent of its waste from the 22 kms. of its flow through urban Delhi which, in turn, constitutes only 2 percent of the total length of the river basin stretching from its point of origin till its merger into the Ganga at Allahabad;
- vii. A large number of the traditional water bodies in the form of ponds, etc. (excluding areas of unintended water logging along railway tracks, highways and canals etc.) have been encroached or have otherwise become defunct.
- viii. The standards for STP / CETP developed by Central Pollution Control Board / Delhi Pollution Control Committee should be adhered to.
- ix. The public participation and education programmes must be encouraged so that the sensitivity of the water resource is understood by the consumers, students and RWAs.
- b) Groundwater is one of the major sources for water supply in many parts of the country. In Delhi too, ground water contributes a substantial quantity of water supply. Especially in new development areas, groundwater is largely being used as drinking water resources. The Central Ground Water Board (CGWB) assessed the total groundwater potential to be 292 million cubic meters (MCM) in 2003 as compared to 428.07 MCM in 1983, showing an overdraft and reduction of around 130 MCM over the past 20 years. Out of the 6 blocks into which Delhi is divided, significant over drawl / reduction has been observed in the Najafgarh and Mehrauli blocks. Rapid urbanisation leading to reduction in recharge of aquifers, increasing demand in the agriculture, industrial and domestic sectors, stress put on groundwater resources in periods of drought/deficient rainfall, and unplanned withdrawal from the sub soil aquifers, have been mainly responsible for decline in groundwater levels.

The average annual rainfall in Delhi is 611 mm. However, recharge of ground water gets limited due to decreased availability of permeable surfaces owing to urbanisation, and the runoff getting diverted into the sewers or storm water drains that convey the water into the river Yamuna. The annual rainwater harvesting potential has been assessed at 900 billion litres or 2500 million litres per day. If even 25% of this could be harvested it would imply availability of 625 mld, which would be nearly equivalent to the presently estimated deficiency. This is in addition to the potential for roof water harvesting assessed at around 27 mld.

The existing drainage basins shall have to be made self-sustainable in water management by integrating water-sewerage-drainage systems. New projects and upgradation of present infrastructure should be taken up in addition to promotion of water conservation through an integrated and a community driven model. Complimentary short term and long-term strategies as mentioned above will need to be initiated.

- c) Development of parks and green corridors along the Nallahs should incorporate conservation of ground water and water bodies. To recharge the ground water, conservation of water bodies and rainwater shall be essential. The area near Najafgarh Jheel and its surroundings and the Ridge can also be used as potential water conservation area.
- d) To increase sub-surface soil water through seepage of rain water, porous paving tiles should be used in the pavements and soft parking areas. All the new bridges / flyovers must have the provision for rain water harvesting. Water bodies, having a minimum size of surface area of 1 ha., shall be preserved by the concerned authorities. Further efforts shall be made at the local level to retain smaller water bodies.

9.1.2 AIR

Despite various initiatives and measures taken over the past few years, like introduction of CNG and EURO II norms etc., the air quality in the city, in terms of pollution levels, has continued to be a matter of concern, and has been responsible for a number of respiratory diseases, heart ailments, eye irritation, asthma, etc. The three main sources of air pollution in Delhi are vehicular emission (around 70 percent) industrial emissions (around 20 percent) with a major element of this coming from the three thermal power plants, and from other sources such as diesel generator sets and domestic cooking, burning of biomass, etc.

Apart from the issue of pollution on account of industries, the major area of planning and intervention would relate to transportation planning. With the phenomenal growth in the number of vehicles, almost 8-10 times in the last two decades in absolute terms, the most significant aspect in the context of congestion and pollution, relates to the growth in personalised transport as compared to the availability of public transport. It has been estimated that buses, which constitute barely 1.2 percent of the total number of vehicles, cater to around 60 percent of the total transport load, while personal vehicles —cars and scooters, though almost 93 percent of the total number of vehicles, cater to around only 30 percent of the travel demand. Such a huge share of private vehicles in Delhi, while serving a relatively limited purpose in terms of the transportation modal split, obviously creates tremendous pressure on road space, parking, and pollution directly and through congestion.

Public transportation planning must, therefore, drive the future policy. So far public transport is largely seen as the transport mode for the not so well off and poorer sections of the community, who cannot afford to own/use personal transport. An important element of policy would now also have to aim to make public transport a mode for personal vehicle owners and users through a mix of incentives and disincentives. Apart from aspects like frequency, inter-modal integration, a possible single ticketing system, use of parking policy as a means to influence vehicle use, etc., the quality of public transport, particularly buses, would need to be significantly upgraded, inter-alia, keeping the element of clean transport in view.

Another issue which has been raised in the context of vehicular congestion and pollution relates to the policy of mixed land use, which will also have to be carefully considered.

The other elements which would need carefully thought out policy measures would relate to the operation of existing Power plants to significantly reduce the pollution

arising from them, and industries, both in terms of pollution control in designated industrial areas, and relocation of non-conforming industries.

As per the Government of India Notification, it is mandatory for all construction agencies to use Fly Ash bricks or tiles or clay fly ash bricks along with pond ash in the construction of roads / flyovers embankments and reclamation of low-lying areas. To control the ambient air quality of Delhi, it may be made mandatory that all commercial vehicles (like trucks and tempos) are converted into CNG. All Thermal Power plants located in the NCT of Delhi should be gradually converted to gas based plants.

9.1.3 NOISE

Noise is emerging as a major pollutant and irritant as well as a constant source of disturbance and health hazards. Against a permissible level of 50-60 dB (A), the sound level in Indian cities often exceeds 80 dB (A). Faulty and leaking silencers, over-use of horns and vehicles plying on roads accentuate noise level, besides the noise from commercial and industrial activities, unabated use of sound amplifiers, generator sets and fire- crackers etc.

The Noise Pollution (Regulation & Control) Rules 2000 specify the noise levels in the industrial area, commercial area, residential area and silence zone. It also specifies banning of all noise creating activities between 10 PM to 6 AM, which may be adhered to by the concerned agencies.

By proper land use planning, such as location of public, semi-public and commercial activities along major transport arteries, a buffer can be created for residential zones. Green buffer through thin leaved trees, land formations, mounds, embankments, etc. along major roads could also provide effective barriers to transmission of noise. It is also necessary to improve monitoring and effective implementation of the Noise Pollution (Level) Rules 2000 and, to notify certain areas as 'No Horn Zones'. The design and surface material of roads and pavements should also ensure reduction of noise. The concerned authorities should prepare area wise traffic calming schemes and a Noise Monitoring and Control Plan (NMCP).

Working in night shifts for household industries or non-conforming industries in the residential areas should be prohibited. Areas located within the air funnel should be planned with due consideration of noise generated from the aeroplanes.

Environmentally stressed zones in Delhi should be identified and local area environment management plans should be prepared for such areas, together with regular monitoring.

9.2 NATURAL FEATURES

The major natural features and eco-systems of Delhi are the river Yamuna, together with a network of streams/drains that empty into the river, and the Aravalli Range. Both of these are in a state of considerable degradation, and it is of vital importance to conserve and rejuvenate these ecosystems. This has regional bearing, therefore, surrounding states also have to contribute towards their conservation and rejuvenation.

9.2.1 RIVER YAMUNA

Once the lifeline, which spawned the many civilisations and Cities that grew in the area of the present NCT of Delhi, the River Yamuna today suffers from inadequate flow and quantum of water and an extremely high degree of pollution. The length of the river in

the NCT of Delhi is 48 kms from Palla in the North to Okhla in the South, with a total river bed/flood plane area of around 97 sq.kms. which is about 7 percent of the total area of Delhi. A little over 50 percent of the river lies North of Wazirabad and the rest, around 22 kms., to its South, in the Urban area of Delhi. Apart from being the main sources of water supply for Delhi, it is one of the major sources of ground water recharge. However, over the years, rapid urbanisation, encroachments on the river banks, over exploitation of natural resources/water, and serious deficiencies and backlog in sanitation and waste water management services, have resulted in the dwindling of water flow in the river and extremely high levels of pollution in the form of BOD and Coliforms, etc. As against the stipulated 3mg./1, the designated water quality for bathing purposes, the water quality data for 2003-04 suggests that the BOD values range from 1-3 mg/1 at Palla, 5.56 mg/1 at Nizamuddin and nearly 7 mg/l at Okhla. Similarly, at all locations, except Palla, the total coliform levels are many times higher than the minimum tolerable standards for drinking and bathing purposes.

The major source of pollution in the river to the extent of about 80%, is the discharge of treated and untreated waste water through the 22 major drains, which flow into the river(Annexure-I). The CPCB data shows that six of these drains viz. the Najafgarh and the Supplementary Drain, the Shahdara Drain, the Drain near Sarita Vihar, the Maharani Bagh Drain, the Barapulla drain and the Sen Nursing Home Drain contribute almost 90 percent of the flow and 80 percent BOD load levels respectively.

The concerned agencies must ensure that through public awareness campaigns, people are discouraged from throwing garbage into the river or the drains and measures are taken to prevent throwing of garbage by the habitations along side. Regular de-silting of the drains should also be undertaken.

1. Measures for rejuvenation of River Yamuna

- a) The issue of pollution in the river Yamuna has engaged the attention of the Supreme Court for the last several years, and it constituted a Committee with Secretary, Ministry of Urban Development as a Member, to draw up an Action plan for the cleaning/rejuvenation of the Yamuna River. A summary of the recommendations of the Committee is given in Annexure II.
- b) Apart from the above measures, steps would also need to be taken to augment ground recharge from the river and decentralised wastewater treatment system. The creation of 'regulated flood plane reservoirs', for storing the excess monsoon overflow at suitable locations would augment the water retention capacity of the riverbed. The upstream of Wazirabad Barrage and some other areas offer such a potential. To facilitate ground water recharge it may also be ensured that minimum required flow in the river during lean season exists. The reservoirs may be created in low-lying areas.
- c) At another level, a strategy for the conservation/development of the Yamuna River Bed area needs to be developed and implemented in a systematic manner. This issue is sensitive both in terms of the environment and public perceptions. Any such strategy will need to take into account the cycle of flood occurrences and flood zones, the ground water recharge potentials and requirements, potential for reclamation derived from the foregoing considerations, designation and delineation of appropriate land uses and aesthetics of the River Front which should be more fully integrated with the city and made more accessible-physically, functionally and visually.
- d) Environmental study of the existing major drains should be conducted before their covering.

9.2.2 REGIONAL PARK

The Aravalli Range in the NCT of Delhi comprises of the rocky outcrop stretching from the University in the North to the NCT Border in the South and beyond, and sizeable areas of the same have been designated as the Ridge. This is not a continuum as various intervening stretches have, over a period of time, been brought under urbanisation - for example the Central Ridge area was planned as an integral part of New Delhi, at the time of the development of New Delhi as the Capital in the early part of the twentieth century. The Master Plan of Delhi – 2001 identified the Regional Park into four parts as below:

Northern Ridge
 Central Ridge
 South Central Ridge (Mehrauli)
 Southern Ridge
 626 ha.
 Southern Ridge
 6200 ha.

Subject to verification, the area of Regional Park is 7777 hectares. Part of this has been notified as Reserve Forest under the Indian Forest Act, 1927 vide Notification dated 24.5.94 and 02.04.96. There are discrepancies between the area notified and the physical boundaries of the total area owned by various agencies – DDA, CPWD, NDMC, MCD, Forest Department and the Ministry of Defence. Till the exact boundaries are identified by the Forest Department, the boundary indicated in the Master Plan for Delhi (land use plan) as Regional Park shall continue.

9.3 GREEN / RECREATIONAL AREAS

Delhi has a much larger green cover than any of the other metropolitan city in the country, and could well be called a "Green City". The green / recreational use constitutes 8,722 ha of land as per MPD 2001, which is around 19% of the total urban land area of 44,777 ha. This includes 1577 ha. under the Northern, Central and South Central Ridge (the remaining area of the Ridge is in the rural area). The balance area under recreational/ green use i.e. 7145 ha. is in the form of District Parks, City Parks, Community Parks etc. comprising around 15% of the total urban land area. In addition to this, a large chunk of green area is provided in the form of Neighborhood Parks / Tot lots in the gross residential use zones, plantations / greens in large campuses like President's Estate, JNU, IARI, Delhi University, plantations along drains and roadside plantations. In addition to above, two Bio-diversity parks are under development by the DDA.

In the Urban Extension the green cover is to be provided at the rate of 15% of the total land, excluding the Ridge/ Regional Park. Out of this, some area shall be developed in the form of formal parks for the community and the rest shall be developed as woodlands and incidental greens for balancing the environment. This will be in addition to the development of specialized parks like Bio-Diversity Parks, plantation along the roads, drains, riverbank, etc.

Further, Sports Complexes, which were included in the green / recreational use category under the MPD-2001 will be seen under a separate category of sports. One of the main reasons for this modification is that, Delhi is emerging as an important centre for National and International sports events. Sports facilities are being developed by various agencies besides DDA in Delhi, mostly as a part of recreational activity/ facility. As a result there is still a need for planned and structured sports infrastructure which can take care of training needs of sportsmen and also act as integrated sports complexes for national and international events. This will not disturb

the green areas, which are meant for recreational purposes. Keeping this in mind, sports facilities have been included as a part of social infrastructure, which in turn may help to develop better sports infrastructure for training needs, related logistics and sports medicine etc. This will also facilitate private participation. Integrated sports complexes are envisaged under one roof to accommodate variety of sports and related functions, by way of facilitating wide-range of permissibility, ground coverage and FAR.

Table 9.1: Planning Norms, Standards for Recreational Areas/ Parks at Sub-City Level:

S.No	Category	Planning Norms & Standards	
		Population / Unit (Approx.)	Plot Area (Ha)
1.	City Park	10 lakh	100
2.	District Park	5 lakh	25
3.	Community Park	1 lakh	5

Note: 5 to 10 % of the Multipurpose Ground area will be under use for rainwater harvesting / water body.

Table 9.2: Planning Norms, Standards for Recreational Areas/ Parks at Neighbourhood Level:

S.	Category	Planning Norms & Standards		
No.		Population / Unit (Approx.)	Plot Area (Ha)	
1.	Neighbourhood	10000	1.0	
	Park ¹ [*]			
2.	Housing Area Park	5000	0.5	
3.	Tot lot at Housing	250	0.0125	
	Cluster Level			

²[* Multi-gyms would be permissible in parks having an area of one ha. and would have built-up area upto 225 sq.m.]

9.4 MULTIPURPOSE GROUNDS

Experience shows that formal parks are fouled if used for marriages/ public functions etc. Therefore, a special category is proposed to take care of the same at three levels in the following manner:

Table 9.3: Planning Norms, Standards for Multipurpose Grounds:

S.No	Category	Planning Norms & Standards		
		Pop./ Unit (Approx.)	Plot Area (Ha)	
1.	City Multipurpose Ground	10 lakh	8	
2.	District Multipurpose Ground	5 lakh	4	
3.	Community Multipurpose Ground	1 lakh	2	

Other Controls:

- i) Minimum 50% of total area shall be under Soft Parking and remaining 50% shall be utilized for activities.
- ii) Minimum 3% of the remaining area (excluding Soft Parking area) shall be utilized for Electric Sub Station, Toilets, Security and other marriage related activities etc.
- iii) Multipurpose Ground can be sub-divided suitably with minimum of 0.5 ha of plot area to accommodate number of functions at one time.
- iv) Park / multipurpose ground shall have provisions for rainwater harvesting

 $^{^{1-2}}$ Added vide S.O. 2890(E) dated 23-09-2013

9.5 AMUSEMENT PARK

Amusement Park up to 10 Ha. may be permitted in District Park. Following development controls shall be applicable:

- i) Max Ground Coverage- 5%
- ii) Max. FAR- 7.5
- iii) Max. Height- 8 mt
- iv) Parking- 3 ECS/100 sqm. of floor area with the stipulation to provide min. parking for 100 cars.

9.6 GREEN BELT

The Plan provides for agricultural land as Green Belt along the border of NCT of Delhi, in synergy with the provisions of Regional Plan 2021 of NCR. The belt extends from the NCTD boundary up to a depth of one peripheral revenue village boundary, wherever possible.

Table 9.4: Permission of Use Premises in Sub Use Zones

S. No	Use Zone	Activities Permitted
		Forest, Agriculture use, Vegetation belt, Dairy Farms, Piggery, Poultry
1.	Green Belt	farms, ¹ [Farm house Low Density Residential Plots], Wild life sanctuary,
		Bird sanctuary, Biodiversity Park, Veterinary Centre, Police Post, Fire Post,
		Smriti Van, Plant Nursery, Orchard, Area for water-harvesting, Floriculture
		farm, Open Playground, Agro forestry, Amenity structures (List given in
		note).
		Existing village Abadis, already Regularised Unauthorised colonies and
		already approved Motels may continue ² [subject to development control
		conditions mentioned in Table 5.4 and Clause in Chapter 17.0].
2.	Regional	Ridge, Residential Flat (For watch & ward), Picnic Hut, Park, Shooting
	Park	Range, ³ [Bio-diversity Park], Zoological Garden, Bird Sanctuary,
		Botanical Garden, Local Government Office (Maintenance), Open Air
		Theatre, Police Post, Fire Post, Orchard, Plant Nursery and Forest.
		•
		Approved Farm Houses sanctioned prior to 01.08.90 ⁴ [may continue or
		subsequently if approved by MCD, as per the policy applicable for
		regularization of the existing farm houses subject to necessary clearances
		from the Central Empowered Committee of Supreme Court and the Ridge
		Management Board of GNCTD are allowed.]
3.	City park	Aqua park/water sports park, Arboretum, ⁵ [Bio-diversity Park], Botanical
		Garden, National Memorial (approved by Cabinet/ Govt. of India),
		Amphitheatre, Open Playground, Aquarium, Other activities same as
		permitted in District Park.
		permitted in District 1 dix.
		30% of the area shall be developed with plantation of native species.
4.	District Park	District Park, Theme park, ⁶ [Bio-diversity Park], Recreational Club,
7.	District Lark	National Memorial, Open-air food court, Children Park, Orchard, Plant
		Nursery, Area for water harvesting, Archaeological Park, Specialized Park,
		Amusement Park, Children Traffic Park, Sports activity, Playground,
		Amenity structures.
		Rectaurant in a District Bark having an area above 25 Ha subject to
		Restaurant in a District Park having an area above 25 Ha. subject to
		following:
		a. Area of the restaurant plot shall not be more than 0.8 Ha or 1% of the
		District Park, whichever is less.

¹ Modified vide S.O. 1199(E) dated 10-05-2013

² Added vide S.O. 2555(E) dated 26-10-2012

³ Added vide S.O. 2532 (É) dated 19-10-2012

⁴ Modified vide S.O. 1199(É) dated 10-05-2013

⁵⁻⁶ Added vide S.O. 2532 (E) dated 19-10-2012

		b. Restaurant plot shall have no physical segregation from the rest of the District Park area.			
		c. The building shall be a single storey structure with max. FAR of 5 and height not more than 4m. without any residential facility and to harmonize with the surroundings.			
		d. In case there is no parking lot in the vicinity, parking should be			
		provided at a reasonable distance from the restaurants. Parking ar			
		should not form part of the restaurant complex / greens.			
		e. 30% of the area shall be developed as dense plantation.			
5.	Community	Park, Children Park, Open-air food court, Playground etc.			
	Park	7 70			
6.	Multipurpos	Public meeting ground, Public address podium, Social functions, Soft drink			
	e Ground	and snack stalls etc.			

Notes:

- i) The following amenity structures are permissible in the above use premises except in Central Vista and Heritage areas: Toilet blocks, Pump Room, Electric Room, Guard Room, Equipment Room,
- ii) Interpretation Centre and Administrative office is permissible only in Heritage Areas.
- ¹[iii) Multi-gyms would be permissible in parks having an area of one ha. and would have built-up area upto 225 sq.m.]

² [9.7 Bio-diversity Park

The activities and development control norms permitted in Bio-diversity Parks are as under:

- Orchards, Specialized Parks like Butterfly Parks, Fernarium etc. Facilities for Flora & Fauna, Water Harvesting Structures, Open Air-Theatre, Food courts, Scientific Laboratories, Interpretation Centre, Administrative Office, Camping Site. Amenity Structures – Toilet Block, Pump Room, Electric Room, Guard Room and Equipment Room.
- a. Maximum Permissible Area of built structures shall be 0.5% of Biodiversity Park area or 10000 sqm., whichever is less.
- b. Building within the Bio-diversity parks would be restricted to 2 storeys with a maximum height of 12 m for sloping roof structures and should meet "green building" criteria (Griha 4 star rating).
- c. Parking may be provided in the lots of 20 to 25 ECS at different locations, as per requirement.]

9.0 Environment 9—9

_

¹ Added vide S.O. 2890(E) dated 23-09-2013

² Added vide S.O. 2532 (É) dated 19-10-2012

ANNEXURE 9.0 (I)

LIST OF DRAINS OUT FALLING INTO RIVER YAMUNA:

1.	Najafgarh drain	12.	Sen Nursing Home drain
2.	Magazine Road drain	13.	Drain No. 14
3.	Sweeper Colony drain	14.	Barapullah Drain
4.	Khyber pass drain	15.	Maharani Bagh drain
5.	Metcalfe drain	16.	Kalkaji drain
6.	Kudsia Bagh drain	17.	Okhla drain
7.	Moat drain	18.	Tughlakabad drain
8.	Trans Yamuna MCD drain	19.	Shahdara drain
9.	Mori Gate drain	20.	Sarita Vihar Drain
10.	Civil Mill Drain	21.	LPG Bottling Plant Drain
11.	Power House drain	22.	Tehkhand Drain

ANNEXURE 9.0 (II)

RECOMMENDATIONS OF THE COMMITTEE UNDER SECRETARY (UD) MOUD, GOVT. OF INDIA, FOR YAMUNA ACTION PLAN (2004)

1. Minimum flow in river Yamuna to be ensured by Riparian states by releasing adequate water.

2. Refurbishment of Trunk Sewerage System

DJB has a network of approx. 130 Kms. length of trunk sewerage system to convey the collected sewage to different STPs for treatment. Nearly 91 Km of sewer lines are in highly dilapidated condition and have been silted to the extent of 50% to 70% at different stretches. Therefore, rehabilitation of following three major trunk sewers is proposed to be taken up under the Yamuna Action Plan.

- a) Rehabilitation of Ring Road trunk sewer under Yamuna Action Plan-II (YAP-II)
- b) Rehabilitation of Bela Road trunk sewer under YAP-II
- c) Rehabilitation of West Delhi trunk sewer under YAP-III

3. Treatment of the flows in Najafgarh and Shahdara drains.

The drains contributing maximum to the pollution load in the river water are Najafgarh and Shahdara drains. Action plan to check flows in Najafgarh Drain and Shahdara drain is recommended. The untreated sewage results in pollution of the water flowing in the drain and affects its quality by increasing BOD level and suspended solid. Majority of the untreated sewage is contributed by unauthorised colonies. It would be possible to treat this sewage only after laying of internal sewerage system or installation of decentralized treatment plants, which are proposed to be attempted by MCD on pilot basis.

4. Laying of Sewer Lines in the un-sewered areas of Delhi

DJB has pointed that it has laid internal sewerage system in 482 unauthorized / regularised colonies and in 98 urban villages of Delhi. The sewerage systems in 496 unauthorized / regularised colonies and 103 urban villages are likely to be laid by

December 2005. In 516 unauthorized / regularised colonies and 105 urban villages, sewerage systems are expected to be completed by May 2006.

5. Slum Cluster and Yamuna River Bed

One of the contributory factors to the flow of untreated sewage into river Yamuna is the slum clusters that have come up unauthorisedly on both eastern and western bank of river Yamuna. Local bodies have already removed several JJ Clusters existing on the Western Bank. Slum clusters need to be cleared from riverbed.

6. Treatment of Industrial Effluent

Delhi Small Industries Development Corporation has constructed 10 Common Effluent Treatment Plants (CETPs) having an installed capacity of 133 mld for treating the industrial effluent before they are discharged into the drains/river. Better capacity utilisation and laying of conveyance system wherever required is needed.

7. Utilisation of Treated Effluent

Currently 109.5 MGD of treated effluent is being supplied by DJB to CPWD, DDA, Pragati Power Plant and Minor Irrigation Department. Additional 241 MGD is available for other user agencies. The issue of utilising the additional treated water is being deliberated by CPWD.

8. Removal of Coliform at STPs

The task force has set up a committee to determine the permissible level of coliform in the treated wastewater and the process required for achieving the same keeping in view its techno-economic feasibility.

10.0 CONSERVATION OF BUILT HERITAGE

10.1 CONSERVATION OF BUILT HERITAGE

Delhi is a historical city, whose remnants are spread right from Mehrauli to Shahjahanabad having large number of monuments scattered all over Delhi. The built heritage of Delhi is an irreplaceable and non-renewable cultural resource. Besides being part of life for many, it has educational, recreational and major tourism potential. It enhances Delhi's environment, giving it identity and character. It encompasses culture, lifestyles, design, materials, engineering and architecture.

The Heritage Resources include symbols of successive civilizations and cities that came up over the millennia, historic buildings and complexes, historical gardens, water engineering structures and their catchments, the remains of fortified citadels, places for worship and for the deceased, historic cities and villages, unearthed heritage and their components.

The surveys conducted by the DDA & INTACH identify 1208 historical monuments in Delhi of which the Archeological Survey of India has declared 170 monuments as protected. In addition to these MCD, NDMC and the State Archaeological Department have published lists of Heritage Buildings.

10.2 CONSERVATION STRATEGY

The agencies concerned with the protection of Delhi's Built Heritage are ASI, GNCTD, State Archaeology Department, NDMC, MCD, Cantonment Board and DDA.

Built heritage of Delhi needs to be protected, nourished and nurtured by all citizens and passed on to the coming generations. It is suggested that with the aim of framing policies and strategies for conservation, appropriate action plans may be prepared by all the agencies. These should include promotion of conservation of the civic and urban heritage, architecturally significant historical landmarks, living monuments, memorials and historical gardens, riverfront, city wall, gates, bridges, vistas, public places, edicts and the ridge.

It is recommended that these should be suitably incorporated while preparing layout plans / schemes. In case of major monuments it is necessary that the surrounding area should be identified in the layout / detail plan, and should have building controls in relation to height, material and spread of the monuments.

It will also be necessary to maintain close interaction and coordination between all these agencies keeping in view the following objectives and requirements.

- i. Maintain and update a database.
- ii. Develop organizational capacity for heritage management.
- iii. Define all the applicable terms.
- iv. Listing of Heritage Buildings based on the following criteria:
 - a) The age of the building;
 - b) Its special value for architectural or cultural reasons or historical periods;
 - c) Its relevance to history:
 - d) Its association with a well-known character or event;
 - e) Its value as part of a group of buildings;
 - f) The uniqueness of the building or any object or structures fixed to the building or forming part of the land and comprised within the curtilage of the building.

- v. Prepare guidelines for development, redevelopment, additions alterations, repairs, renovations and reuse of the heritage buildings.
- vi. Implementing programmes for education and awareness.

10.3 HERITAGE ZONES

Heritage Zone is an area, which has significant concentration, linkage or continuity of buildings, structures, groups or complexes united historically or aesthetically by plan or physical development. The following areas have been identified as Heritage Zones as indicated in the Zonal Plan:

- i. Specific heritage complex within Walled City of Delhi, Shahjahanabad.
- ii. Specific heritage complex within Lutyens Bungalow Zone.
- iii. Specific heritage complex within Nizamuddin and Humayun's Tomb Complex.
- iv. Specific heritage complex within Mehrauli area.
- v. Specific heritage complex within Vijay Mandal Begumpur Sarai Shahji Lal Gumbad.
- vi. Specific heritage complex within Chirag Delhi.

¹[Heritage Zones mentioned in para (i) and (ii) have been nominated by GNCTD for inclusion as 'Imperial Cities of Delhi' in UNESCO's list of World Heritage Cities.]

However more areas ²[can may] be added to this list based on studies by concerned agencies.

10.4 ARCHAEOLOGICAL PARK

Archaeological Park is an area distinguishable by heritage resource and land related to such resources, which has potential to become an interpretive and educational resource for the public in addition to the value as a tourist attraction

All decisions regarding Built Heritage in general and Archeological Parks in particular should be based on evaluation of the pertinent aspects like form and design, materials and substance, use and function, traditions and techniques, location and setting, spirit and feeling and other internal and external factors.

The following areas have been designated as Archaeological Parks:

- i. Mehrauli Archaeological Park.
- ii. Tughlaquabad Archaeological Park.
- iii. Sultan Garhi Archaeological Park.

Other areas can be added to the list on the basis of studies.

10.5 SPECIAL CONSERVATION PLANS

Each local body / land owning agency should formulate "Special Development Plans" for the conservation and improvement of listed heritage complexes and their appurtenant areas. Alteration or demolition of any listed heritage building is prohibited without the prior approval of the Competent Authority.

The development plans / schemes for such areas shall conform to the provisions, in respect of Conservation of Heritage Sites including Heritage Buildings, Heritage Precincts and Natural Feature Areas.

¹ Added vide S.O. 678(E) dated 04-03-2014

² Modified vide S.O. 678(E) dated 04-03-2014

11.0 URBAN DESIGN

A city is an assemblage of buildings and streets, system of communication and utilities, places of work, transportation, leisure and meeting places. The process of arranging these elements both functionally and beautifully is the essence of Urban Design. Delhi had a traditional Urban Design, which is reflected in the glory of 17th century Shahajahanabad and New Delhi. In the course of time Delhi has been becoming amorphous aggregate of masses and voids.

The Walled City of Shahjahanabad has certain urban form characteristics. The Jama Masjid is a dominating feature located on hilltop and is different, both in form and scale from the other developments of the city. The boulevard of Chandni Chowk was its commercial centerpiece, with certain visual character terminating at two landmarks viz. Red Fort and Fatehpuri Mosque at its ends.

In the planning of New Delhi in 1916, the Central Vista was conceived as a landscaped stretch to form continuity between the ridge and the river Yamuna. The stretch with the Rashtrapati Bhawan and the India Gate at two ends has tremendous visual quality and is one of the finest examples of Urban Design and monumentality in planning in the world. The Jama Masjid was visually linked with Parliament House and Connaught Place.

The following aspects need to be considered to arrive at the basis for policies affecting the urban fabric:

- i) Areas of significance in built environment.
- ii) Visual integration of the city.
- iii) Policy for tall buildings.
- iv) Policy on unhindered access movement, parking and pedestrian realm.
- v) Policy on Hoardings, Street furniture and Signage.
- vi) Urban Design Scheme.
- vii) Policy for design of pedestrian realm.
- viii) City structure plan and Urban Design objective.
- ix) Policy for conservation of Heritage precincts Buildings and Zones.

11.1 SIGNIFICANT AREAS OF BUILT ENVIRONMENT

The areas identified for Urban Design guidelines are as given below:

11.1.1 METROPOLITAN CITY CENTRE

1. Connaught Place and Extensions

The various proposals are:

- Detailed Urban Design and Landscape Schemes should be prepared to integrate MRTS stations, safe pedestrian walkways, parking areas, recreational and cultural areas, etc.
- ii) The intermediate public transport such as monorail, battery operated / high capacity buses, sky buses should be introduced to increase the mobility within the City Centre.

- iii) Activities such as viewing gallery, open-air theatres, amusement parks, mini-golf courses/sports activities, food plazas etc. should be introduced to make them more attractive even after working hours.
- iv) The envelope, FAR, architectural features of the buildings in the Connaught Circus Connaught Place should be retained as existing.
- v) Continuity of the sidewalks should be maintained in terms of the width, surface treatment, curb cuts, tree and street furniture locations, for the pedestrians and 'ldisabled differently abled persons].
- vi) Use of alternative renewable sources of energy should be encouraged for new buildings (especially those of commercial or institutional nature), traffic signals and public signage, etc.

2. Walled City and Extensions

The various proposals for revitalizing the glory of Walled City are:

- i) Conservation approach to retain the overall traditional character of the Walled City.
- ii) Visual integration of major landmarks to revitalise the past glory.
- iii) Many areas in Shahjahanabad should be pedestrianised and made completely free of vehicular traffic so as to restore the human scale and convenient living.
- iv) Judicious use of existing spaces for development of recreational uses.
- v) MRTS station areas should be dealt as per specific Urban Design schemes and be declared as pedestrian zones.
- vi) Introduction of activities such as traditional / craft bazaar / heritage walk / rides to attract tourists. Generation of urban culture at neighbourhood level such as festivals/fairs, kite flying etc.
- vii) Environmental up-gradation to reduce degenerative effects of traffic congestion.
- viii) Rejuvenation and conservation through management options, financing incentives, innovative development controls.

11.1.2 DISTRICT CENTRES

A District Centre should have all the components to create a pleasant environment with easy accessibility from the major transport nodes and surrounding residential areas through pedestrian approach or by subways etc. Planned District Centres can be best utilized for creating public spaces.

11.1.3 OTHER AREAS

Other areas of Urban Design importance are as follows:

- a. Central Vista and the areas in its North and South, Lutyen's Bungalow Zone.
- b. Ancient settlements.
- c. Historical Monuments and Gardens.
- d. Exhibition grounds, Zoo etc.
- e. Areas along entry routes and other important routes in Delhi.
- f. Republic day parade route.
- g. Road and Rail, MRTS corridors, entries, and terminals.
- h. City as a whole for aerial view.

¹ Substituted vide S.O. no. 2895(E) dated 23-09-2013

11.2 VISUAL INTEGRATION

Delhi has a tremendous diversity of built form, color, scale and texture with a heterogeneous end product from aesthetic point of view. Visual integration can possibly be achieved by identifying features such as appropriately conserved historic buildings and heritage zones, which integrate and provide strong visual identity.

The important mass movement corridors i.e., Ring road / Outer ring road and major radials are used by city dwellers for internal city commuting. These corridors along with newly introduced MRTS corridors have potential to acquire an additional dimension of visual quality and integration. The studies and proposals for ring road and MRTS corridors should be formulated to improve, geometry, landscaping, street furniture, signage, introduction of urban forms at selected points and clearance of unsightly developments.

Other important elements for the integration of different parts of the city, planned at different times are (i) flora i.e. tree plantation, (ii) linking open spaces and (iii) harmonious treatment for major ecological features i.e. the Ridge and the River Yamuna.

11.3 TALL BUILDINGS

The height of buildings (above and below the ground) needs to be seen in the light of modern technology with due consideration for natural disasters like earthquakes, floods etc.

Restrictions on tall buildings would be necessary in important areas like Lutyen's Bungalow Zone, Civil lines and North Delhi campus. In case of Urban Extension, areas for specific Urban Design projects and tall buildings should be identified.

11.4 URBAN CORRIDORS

Delhi with huge intra city trip lengths and increasing number of personalized vehicles, few imperatives cannot be ignored for its sustainable and healthy growth, such as more dependency on efficient, convenient and safe modes of public transport, linking large number of work centres with residential areas and overall disincentives for the private vehicle ownership.

11.4.1 CITY GATEWAYS

1. Road:

- i) Non-residential public buildings with pleasing appearance should be located on entry corridors.
- ii) Attractive landscape should be developed in accordance with the highway landscape norms.
- iii) Segregation of goods and passenger vehicles at the entry point through separate lanes to improve the visual environment.

2. Rail:

- i) Enhancing visual experience for commuters through appropriate landscape along railway tracks.
- ii) Reconstruction / redevelopment of existing stations should be undertaken through comprehensive Urban Design schemes.
- iii) Attractive designs should be evolved for new stations.

3. Air:

- i) Natural and built environment should be revitalized to give an impression of global city.
- ii) The overall green cover in this zone should be enhanced and protected.

11.4.2 MRTS CORRIDOR

City structure of Delhi had been conceived in terms of hierarchies with CBD, District Centres and Community Centres in descending order of importance. With the development and introduction of MRTS, need is felt to connect these scattered districts with more imageable components. These components with enhanced built up areas and activities, form a network by which the experience of various District and commercial centres becomes a part of continued urban experience.

11.5 SERVICES

The organization of services makes the city to work along with the buildings and the open spaces. Services and public amenities should, therefore, be provided in a coordinated way, conforming to the National Building Code, wherever applicable.

11.5.1 PUBLIC AMENITIES

The clean, litter free public spaces add to the pleasant built environment. Thus the design, location and maintenance of public amenities such as public toilets, garbage bins, bus stops, etc. determine the quality of public spaces. These should be located appropriately while formulating the schemes.

11.5.2 PARKING

Access to the parking should be well defined and conducive to its usage, whether at the surface or underground. Basement parking lots need to be structured legibly and access to vertical cores clearly defined. Surface parking should be located in a manner that does not diminish or hinder the continuity and homogeneity of the spatial and pedestrian movement.

11.6 HOARDINGS, STREET FURNITURE & SIGNAGE

Hoardings, sign boards, directional boards, bill boards, neon sign bards, balloons, banners etc. have become symbols of present day urban scape and important instruments of outdoor publicity and public information. These, if located properly and aesthetically, may enhance the visual quality of the city. Otherwise, these may cause hazards, obstruction and visual pollution etc.

11.6.1 STREET FURNITURE & SIGNAGE

Public art is an important part of the urban spatial experience, which can be incorporated in the form of functional objects such as street furniture and paving designs.

Street furniture and signage should be designed sensitively considering the land use, intensity of activity and other identified design districts. Their design must also reflect respect to pedestrians and ²[physically challenged people differently abled persons].

² Substituted vide S.O. no. 2895(E) dated 23-09-2013

Access provisions for the ³[physically challenged differently abled persons] should be made from the street to overcome curb heights, rain water gratings etc. Parking spaces close to the entrance should be reserved for ⁴[physically challenged differently abled persons]. Exclusive parking bays are proposed near major intersections as part of road R/W with adequate landscaping to provide for parking of mobile repair vans, PCR vans, ambulances, cranes, fire tenders and other public utility vehicles.

11.6.2 ROAD SIGNAGE & SAFETY

Safety of road users shall be one of the prime consideration while planning / designing of road network and infrastructure. A major cause for present day chaos on the roads is that the road infrastructure, signage and road markings are not in accordance to the standards laid down by the Motor Vehicle Rules and Highway Code.

Appropriate road signage and markings are excellent means of educating road users about road safety rules and road discipline and add to the road beautification. These prevent the deviant behaviour of motorists and at the same time provide useful route related information. Concerned road owning agencies shall be responsible for installing the appropriate road signage and markings on regular basis.

Few other measures by the concerned agencies shall be:

- i. Provision of adequate pedestrian facilities.
- ii. Removal of encroachments from footpaths.
- iii. Improvement in accident handling and reporting.

11.7 PEDESTRIAN FRIENDLY CITY

Major work centres, where large number of pedestrian networks emerge and culminate, should have enhanced facilities for the pedestrians. This will lead to more sensitive and intricate design of street furniture, making major image able components part of daily urban experience.

Pedestrian networks affect spaces in a very distinctive way. Establishment of pedestrian networks in any area reveals its vitality. They provide richness in terms of spatial experience and community interaction etc.

11.8 URBAN DESIGN SCHEME

In case of development / redevelopment of an area of around 4 ha., an Urban Design scheme shall be prepared for approval by the Competent Authority.

³⁻⁴ Substituted vide S.O. no. 2895(E) dated 23-09-2013

12.0 TRANSPORTATION

The period between 1981 and 2001 has seen a phenomenal increase in the growth of vehicles and traffic in Delhi. There has been a rise in per capita trip rate (excluding walk trips) from 0.72 in 1981 to 0.87 in 2001. Keeping in view the population growth, this translates into an increase from 45 lakh trips to around 118 lakh trips. The population of motor vehicles has increased from 5.13 lakh in 1981 to 32.38 lakh in 2001, and the number of buses has increased from 8,600 to 41,483 during this period.

Besides the above, Delhi has developed as a borderless city and an urban continuum comprising of a number of rapidly growing towns in Haryana and UP. This has added to the flow and movement of traffic within Delhi.

Despite measures by way of increasing the length of the road network and road surface space through widening, construction of a number of flyovers/grade separators and, launching of the Metro, the traffic congestion has continued to increase unabated. This has its inevitable consequences in terms of accidents, pollution, commuting time, and wasteful energy / fuel consumption.

Based on the rate of increase in the number of trips between 1981 and 2001, it is estimated that the total trips would rise to 280 lakh by the year 2021, including 257 lakh motorized trips and 23 lakh non-motorized trips. In this context, it needs to be noted that roads already occupy 21 percent of the total area of the city, which clearly limits the potential for increase in road length.

Apart from the problems and requirements of transportation at the macro level, there are special problems in specific areas, particularly the old city, which deserve special attention. Special requirements will also arise from the mega events such as the Commonwealth Games.

The plan and strategy for transportation will have to be worked out in this background. The broad aim of this would be to ensure safe and economical commuting between place of origin and destination, convenient and quick access to all areas for all sections of the society, reduction of pollution and congestion, energy efficiency and conservation, safety for all sections of the road and transport users and, towards meeting these objectives, providing a significant increase in efficient rapid public transport systems and facilities with a corresponding reduction in individual private transport usage. This is in addition to pedestrianisation and properly planned use of non-motorised transport systems in specific areas.

The following strategy is proposed in order to meet these objectives: -

- Preparation and operationalisation of an integrated and mutually complementary multi-modal transportation and traffic plan comprising the Road, Rail and Metro-rail network, so that work centers / residences are within a walkable distance.
- ii. The multimodal system will be integrated with safe facilities for pedestrians, bicyclists, ¹ [disabled differently abled] persons and Intelligent Transport System (ITS) enabled taxis and three-wheeled scooter rickshaws (TSR).
- iii. Optimal use and utilisation of the existing road network and full development of ROW by removing all impediments. All arterial roads will be restructured to

-

12.0 Transportation 12—1

¹ Substituted vide S.O. 2895(E) dated 23-09-2013

- allow for smooth and safe flow of buses and non-motorised transport to minimize pollution and congestion.
- iv. Expansion and restructuring of the existing network through expressways, arterial roads, elevated distributors and relief roads with a view to creating alternate access ways and reducing congestion on the existing roads to the extent possible. Urban Relief Roads should also be identified as additional or alternative link roads, wherever possible, to reduce congestion.
- v. Planning of new road network in such a manner as to prevent possibilities of future congestion by modifying road sections to promote use of public transport, which would reduce use of private transport modes.
- vi. Planned and targeted expansion of the Metro-rail network.
- vii. Expansion and strengthening / restructuring of the Ring Rail System and suburban rail system.
- viii. Developing an integrated relationship between the bus, rail and metro-system to provide for seamless multi-modal transport, through provision of additional stations, park and ride facilities, introduction of single multi-modal ticketing, etc. The choice of technology for the multimodal public transport system (Bus Rapid Transit System, Metro, Mono-Rail, Light Rail) be based on comparative cost-effectiveness analysis studies to ensure rapid development of public transport and to ensure judicious use of public funds.
 - ix. Development of a comprehensive parking policy in line with the broad aims of the Plan for transportation mentioned earlier, including measures for linking new vehicle registration with owner parking facilities.
 - x. Establishment of a quick and efficient transport network between the NCR and the NCT of Delhi.
 - xi. Provision of directional Goods and Passenger Terminals with adequate infrastructure.
- xii. Review of the licensing policy and systems, and effective arrangements for training of drivers / transport operators.

It is proposed that unrestricted movement of buses, taxis and auto rickshaws be permitted within the National Capital Region by developing a consensus amongst the constituents of the NCR.

12.1 INTEGRATED MULTI-MODAL TRANSPORT SYSTEM

Keeping in view the diverse built up physical forms within the city, it is logical to state that a single mode of transport cannot practically and effectively, serve the needs of the city. Accordingly, an Integrated Multi-Modal Transport System suitable for the overall structure of the city and at the same time interlinking the various substructures is necessary. It is envisaged that the future transport system shall consist of a mix of rail and road based systems which may include Metro Rail, ring rail, dedicated rail corridors for daily commuters, (IRBT/ RRTS corridors as identified in NCR Plan 2021), Bus Rapid Transit System (BRTS), other mass transit modes as technologies become available and Intermediate Passenger Transport (IPT) and private modes on selected corridors to be identified as per the needs from time to

time. All roads should be made pedestrian, ¹[disabled differently abled] and bicycle friendly as far as possible.

12.2 METROPOLITAN TRANSPORT AUTHORITY

Establishment of a single authority is the need of the hour for planning/development of an integrated system, implementation and enforcement of the policies, which may be framed in that context. Inter alia, this would help to avoid wasteful expenditure and other problems that could arise from duplication, overlap and even mutually exclusive/and contradictory facilities. Therefore, a single unified Metropolitan Transport Authority, on the lines recommended by the National Transport Policy Committee, needs to be established on priority.

12.3 ROADS

Delhi is planned on a ring – radial pattern with a hierarchical road network. Broadly, the road network is designed for regional, intra – city and local traffic. The proposed roads are classified taking into account the land use pattern and road system hierarchy with recommended right of ways as follows:

1. National Highways

The recommended minimum right of way (ROW) is 90 meters, wherever possible. However, within the city it shall not be less than 60meters. All the National Highways within the NCTD shall be access controlled upto the Delhi Border.

2. Arterial Roads

These include primary roads with access control and other primary roads.

Primary Roads: Vehicular routes carrying heavy volumes of traffic will generally have free / stable flow conditions with controlled access. The recommended ROW in existing urban area is 60-80 m. and minimum 80 m. in the proposed urban extension. While designing roads with 30m. ROW and above, provision should also be made for public mass rapid transport system, which may include BRT. Present ring road and outer ring road to be converted to access controlled arterial roads. Cycle tracks should also be constructed along all arterial roads wherever possible.

Other Primary roads: Vehicular routes carrying heavy volumes of traffic, BRT route may also be allowed on these roads. The recommended ROW in existing urban area is 45-60 m. and minimum 60 m. in the proposed urban extension. Cycle tracks should also be constructed along all other primary roads wherever possible.

3. Sub Arterial Roads

These include primary and secondary collector streets.

- i) Primary Collector: These roads will connect major arterial roads and inter residential district collectors. The recommended ROW in existing urban area is 30-40 m. and minimum 45 m. in the proposed urban extension. In addition to this, a separate cycle track should be provided wherever possible.
- ii) Secondary Collector: These roads are intended to collect traffic from local streets within one residential district. The recommended R/W in existing urban area is 18-24 m. and minimum 30 m. in the proposed urban extension.

4. Local Streets

¹ Substituted vide S.O. 2895(E) dated 23-09-2013

These are intended for neighbourhood (or local) use on which through traffic is to be discouraged. The suggested ROW is 12 to 20 m. in the existing and proposed urban area. These roads should be made pedestrian and bicycle friendly by using modern traffic calming designs to keep the speeds within limits as per design. A special cell should be set up within Transport Deptt. for developing standards and guidelines for traffic calming designs and for their implementation in the whole city in a phased manner. In existing areas like Rohini project, having plot sizes below 90 sq.m., minimum ROW of 9 m. may continue.

As a matter of general policy, it is proposed that for all categories of roads, the full cross section should be developed in future and no encroachments will be permitted on the existing road network. Further, the development of roads should start from the extremes of the designated ROW.

12.3.1 URBAN RELIEF ROADS

In order to reduce congestion on the existing roads, it is proposed to identify additional/alternative links and access corridors. Such links termed as Urban Relief Roads, may be proposed subject to feasibility, along drains (including their covering), identification of new alignment, or upgradation/ strengthening of an existing road/alignment or in the form of elevated roads/grade separators etc. All the options should be exercised for restoration of full ROW, including relaying of services etc., if affecting ROW.

The following priority stretches for provision of Urban Relief Roads have been identified:

- i. Shankar Road alternative elevated road may be explored.
- ii. Vikas Marg
- iii. Extension of NH-24 to join Mathura Road (near Humayun's Tomb).
- iv. Prem Bari Pul (Pitampura) to Outer Ring Road along disused Western Yamuna Canal.
- v. Road between Nehru Place and Hotel Park Royal to be extended up to Lotus Temple and towards East of Kailash, if feasible.
- vi. Badarpur Border entry point.
- vii. Karol Bagh (new Rohtak Road) -alternative alignment by extending Arya Samaj Road through Anand Parbat to connect existing roads leading to Patel Road and Shivaji Marg on ROB or RUB.
- viii. More bridges on river Yamuna (at Geeta Colony, Mayur Vihar, etc. alignments of Platoon Bridges can be considered.)
 - ix. Along drains passing through Lajpat Nagar, Defence Colony, Sarai Kale Khan, Lodhi Road, etc.
 - x. Sarita Vihar (Junction of Mathura Road and Road No. 13-A) to Okhla Industrial Areas (road between Ph I and Ph. II to be connected by ROB or RUB).
 - xi. Elevated road corridor between Connaught Place and East Delhi (Marginal Bundh Road).
- xii. Missing link and Outer Ring Road from NH-8 to Najafgarh Road.

Additional stretches of missing links could be identified from time to time by the concerned agencies. Their project may be implemented after carrying out detailed studies.

12.3.2 UNDERGROUND ROADS

Vehicular traffic is a major contributor to the air pollution in Delhi. In order to reduce road congestion and the level of pollution, the possibility of having Underground Roads or Tube roads in critical areas needs to be considered. Such measures, together with provision of Metro Services, will also help to make historically important areas like Connaught Place, Chandni Chowk and Karol Bagh etc. pedestrian friendly. With advancement in technology, and a better climate for private participation and investment in infrastructure development, such proposals could be explored.

12.3.3 GRADE SEPARATORS

The Master Plan studies indicate the need for provision of intersections with grade separators. In case of existing grade separators the possibility of providing cloverleaves and direct interchanges, wherever necessary and feasible, may be examined in order to make the junctions signal free. To provide uninterrupted traffic movement various other options such as elevated roads with supporting infrastructure etc. will also need to be explored.

In the proposed urban extension, space reservation is to be kept for provision of grade separators, cloverleaves and Left Slip roads at intersections of all roads of 30 m. and above ROW. However, grade separated junctions shall be considered if there is no other possibility of including traffic flow. Further it should also be ensured that pedestrians and bicyclists continue to have safe and convenient access to the junction.

12.3.4 FREEWAYS

Freeways are defined as divided arterial highways for vehicular traffic with full access control and provided generally with grade separation at intersections. A freeway network in the NCR should be developed so that the cris-cross movement through Delhi is lessened.

With such a network of Freeways, Highways, MRTS and Electric Multiple Units (EMUs) a 2 to 3 hour movement network can be generated which will cover entire NCR. This will encourage interaction between Delhi and NCR towns.

12.4 MASS RAPID TRANSIT SYSTEM (MRTS)

The Metro Rail System the most important, component, of a Mass Rapid Transport System (MRTS) in the City. The Metro Rail network for the entire city has been identified in various phases, which comprises of a network of underground, elevated and surface corridors aggregating to approximately 250 Kms., and is expected to carry 108 lakh daily passengers with an average trip length of 15 Km. by 2021.

Phase I of the network is already implemented and operational.

Phase-II of the network covering a length of 56.76 km is likely to be completed by 2010 for the following stretches.

- i. Vishwavidyalaya Jahangir Puri.
- ii. Central Secretariat Qutab Minar.
- iii. Indra Prastha Yamuna Depot New Ashok Nagar.
- iv. Yamuna Depot Anand Vihar ISBT.
- v. Shahdra Seemapuri.
- vi. Kirti Nagar Nangloi along Rohtak Road.

Subsequent phases shall be worked out in conjunction with the overall circulation plan for the city.

Rohini and Narela sub-city projects with population of more than 10 lakh each need to be connected to the MRTS. Following extensions of routes are proposed:

- From existing Rithala Station upto Barwala (Rohini Ph.IV-V).
- ii. From Sanjay Gandhi Transport Terminal to Narela.

Considering the future needs of the city additional links of MRTS may be identified by the DMRC.

It is expected that about 60% of the urban area will be within 15-minute walking distance from the proposed MRTS stations, after full development of the system. Additional areas could come within easy access and connectivity with the Metro Rail through inter-linkages with other transport modes. About 15% of urban area of Delhi is likely to be directly affected, and may undergo a dramatic impact and change. Further, due to development of economic activities along the Metro Corridors and optimization of connectivity provided by it, the rider ship on the Metro is expected to grow substantially over time. Correspondingly, it is expected that vehicular trips may also progressively shift from road-based transport to MRTS, particularly, with reference to the longer trip lengths (greater than 10 Kms) within the city.

To achieve the above potential impact of the Metro Rail System a number of measures will be necessary. These will include the following:

- i. Preparation of detailed plans to facilitate and encourage direct pedestrian access to the Metro Rail System/Station.
- ii. Preparation of detailed multi-modal transport plans with reference to each major Metro Station, with particular reference to bus transport routes, which could provide inter-linkages and feeder arrangements.
- iii. Parking arrangements at Metro Stations, both for short and medium period viz. for those who would travel for local level requirements such as shopping, etc. and those who would need parking by way of a Park and Ride facility.
- iv. Provision of Park and Ride facilities at identified points from where feeder bus services would be available, or convenient direct pedestrian access would be feasible.

12.4.1 SYNERGY BETWEEN TRANSPORT AND LAND USE

The concept of the Master Plan for Delhi 1962 was based on a poly-nodal, polycentric, distribution of work centres, largely based on road transport nodes. A major fall-out of this has been distortion between infrastructure, transport and land use. To achieve spatial balance, development should take place according to new corridors of mass movement. This has implications in terms of land use planning along major transport corridors and the Mass Rapid Transport/Transit System. This would not only help to solve, to some extent, the enormous problems of mass transportation, but would also generate a dynamic potential for growth and employment. This is particularly true for the Metro Rail System. In this context the Metro corridors upto a certain depth would require selective re-development and re-densification/ intensification of existing land uses based on site conditions. It is proposed that comprehensive redevelopment schemes of the influence area of MRTS stations be prepared.

12.5 BUS

Apart from the Metro Rail System, buses will continue to be other major public transport in the city. The Bus Transport system is presently estimated to carry around 23.40 lakh passengers per day (2002). Even after the introduction/ expansion of the

Metro, major dependence will continue to be on Bus Transport as a form of comfortable and convenient public movement within the city. However, keeping in view the extension of road network in Delhi on one hand and the existing/likely congestion on the roads on the other, it is necessary to take steps for rationalization of Bus Transport. This would entail action on the following fronts: -

- i. Bus connectivity would need to be planned to a considerable extent in the form of feeder services to the Metro Rail Stations and the Ring Rail System.
- ii. Park and ride facilities will have to be developed at important bus terminals.
- iii. The quality and design of buses would have to be significantly upgraded with a view to providing comfort to the riders and thereby make bus travel a part of an efficient mass public transport system which could also help to reduce individualized / private vehicle usage.
- iv. On all roads with ROW greater than 30 m exclusive bus lanes will be planned to implement the Bus Rapid Transit System (BRTS) in a phased manner to cover the whole city.
- v. New bus terminals need to be planned and developed in strategic locations to make the use of BRTS and Metro Stations convenient for all commuters.

12.6 BICYCLE/ CYCLE-RICKSHAW

Bicycle/ Cycle-Rickshaw could be an important mode of travel, particularly with reference to short and medium trip lengths. To the extent that it meets individual or public transport requirements, it is a non-energy consuming and non-polluting mode of transport. However, there are several issues, which have to be kept in view while planning in respect of these modes.

With a mixed type of fast moving traffic on the roads, travel by bicycle and rickshaws is very unsafe.

In so far as rickshaws are concerned, apart from issues pertaining to the aspect of mixed traffic, this mode also provided employment to a very large number of unskilled workers residing in the city.

In view of the above, the following actions should be considered/ taken: -

- i. On all arterial roads fully segregated cycle tracks should be provided with provision for safe parking in park and ride lots.
- ii. In urban extension, cycle tracks should be provided at the sub-arterial and local level roads and streets.
- iii. In specific areas, like the Walled City / Chandni Chowk / Sadar Bazar / Karol Bagh / Lajpat Nagar and Trans Yamuna Area, the use of cycles/rickshaw as a non-motorised mode of transport should be consciously planned along with pedestrianisation.

12.7 TRANSPORTATION FOR SPECIAL AREAS

Central congested areas of the Walled City, Sadar Bazar, Karol Bagh and other similar areas like certain Trans Yamuna areas are characterized by heavy traffic congestion. In order to address this problem a medium capacity Mass Transit system comprising of BRTS, Light Rail Transit System (LRT) and battery operated bus system may be considered on selected routes based on feasibility.

For proper functioning of above said systems a restraint on the use of private modes and provision of parking would be required. This would be necessary in order to

revitalize the area and to improve its environment quality. This will also increase accessibility to such areas considerably.

In order to manage the additional traffic of Metro stations at Old Delhi, Chandni Chowk and Chawri Bazar, the following management measures are required to be taken:-

- i. Need based Traffic circulation schemes integrating various modes.
- ii. Improvement of major road stretches and intersections like Ajmeri Gate, Fountain Chowk. Fatehpuri Chowk, Kaudia Pul, Khari Baoli, etc.
- iii. Removal of encroachments from footpaths to facilitate smooth movement.
- iv. The movement of heavy vehicles will continue to be banned in the Walled City. However, for the services of this area Light Commercial goods vehicles may be allowed during the night.

12.8 **RAIL**

In the National Capital Territory of Delhi both intercity and intra-city passenger movements are being catered to by the existing rail network comprising the Regional and Ring Rail Systems respectively.

In order to improve the rider-ship on Ring Rail, the following is proposed:

- a) Intensive land use around the following:
 - i. Anand Parbat
- ii. INA Colony
- iii. Pusa Institute
- iv. Kirti Nagar
- b) Accessibility improvement and augmentation of infrastructure on ring rail stations:
 - i. Shivaji Bridge
- ii. Bhairon Marg
- iii. Kasturba Nagar (Sewa Nagar)
- iv. Lajpat Nagar
- v. Kirti Nagar
- vi. Shakur Basti
- c) Provision of Halt Stations on ring rail at the following locations:
- i. Moti Bagh
- ii. Bhairon Road
- iii. Hans Bhawan (ITO)
- iv. Ganesh Nagar
- v. Preet Vihar
- vi. Shyamlal College.

The interchange points of Regional Road, MRTS, Ring Rail and any other future rail network should be developed as interchange stations/convergence zone. The change over facilities should include approach roads, pedestrian walkways, shuttle services, wherever feasible parking, areas for various modes including feeder buses, and adequate public conveniences, etc.

12.9 MODAL SPLIT

The transport network is based on the modal split for Delhi to move 280 lakh trips by the year 2021as given below:

1. Present Scenario

As per Modal Split (2001) among the vehicular trips, maximum 60% trips are being performed by buses, which include chartered and school buses. The personalised modes of transport are carrying about 35.9% of vehicular trips. The modal split projected for the years 2011 and 2021 is as follows:

Table 12.1 Modal Split Projections

Mode	Modal Split (%)		
	2011	2021	
Public Transport (including Rail/ Light Rail/ MRTS/ IRBT/ Bus/ Tram)	70.25	80.0	
Personal modes (including Personal Fast Modes / Hired Fast Modes/	29.75	20.0	
Hired Slow Modes/ Bicycle)			

12.10 INTERCITY PASSENGER MOVEMENT

In 2001, on a normal weekday 56.46% of the commuters visited Delhi by Road, 42.67% by Rail and 0.87% by Air.

Table 12.2: Passenger Trips at Outer Cordons per Day

Medium	Total Passengers	Commuters
Road	15.98 lakh	9.59 lakh
Road	(56.46%)	9.59 IANT
Rail	12.08 lakh	9.06 lakh
Itali	(42.67%)	9.00 laki1
Air	0.22 lakh	N.A.
All	(0.87%)	N.A.

12.10.1 RAIL

At present there are 43 railway stations in Delhi. The total passengers catered to at these stations in 2001 are 12.08 lakh/day including about 9.06 lakh commuters. Out of these stations, major stations catering more than 1.0 lakh passengers per day are:

Delhi Junction 2.72 lakh New Delhi 3.19 lakh Nizamuddin 1.28 lakh Sadar Bazar 1.00 lakh

Five directional Metropolitan Passenger Terminals (MPT) have been proposed to decongest the central area. These are:

- i. Anand Vihar, East Delhi
- ii. Bhartal in Dwarka, South-West Delhi
- iii. Holumbi Kalan in Narela, North Delhi
- iv. Tikri Kalan, West Delhi
- v. Hazrat Nizammudin, South West Delhi

It is proposed to integrate the Inter State Bus Terminus with Delhi main railway station and the land should be made available by the shifting the IP University to the new campus.

Since about 75% of the total passengers are commuters, therefore in order to facilitate improvement in their movement between Delhi and surrounding towns either of the following is proposed based on the feasibility by the concerned authorities:

Extension of MRTS.

ii. Provision of dedicated railway corridor with supplementary feeder bus services for linking with other modes of transport (IRBT Corridors).

12.10.2 BUS

The total passenger trips per day catered by road-based transport are 15.97 lakh, out of which about 9.54 lakh (60%) are commuters. Majority of such trips are by bus.

Out of four new Interstate Bus Terminals (ISBT) as proposed in MPD-2001, only one at Anand Vihar in East Delhi has been developed as a part of Metropolitan Rail Terminal. The terminal at Dwarka (Bhartal) has also been included in Dwarka Project. The remaining two terminals at Okhla (Madanpur Khadar) and Narela (Holambikalan) have not been developed.

In order to cater to the additional passenger requirements, it is proposed to develop the following ISBTs (10 Ha each) along the Metropolitan Passenger Terminals:

- i. At Bhartal, Dwarka.
- ii. At Holambi Kalan, Narela Subcity.
- iii. At Sarai Kale Khan. the existing Bus terminal should be upgraded and be linked to Hazrat Nizammudin Railway Station.
- iv. At Tikri Kalan.

Apart from above ISBT, it is proposed to identify exclusive bus terminal sites at the intersection points of NH and outer ring road/ ring road to cater to the passenger movement.

These could be developed at:

- Dhaula Kuan.
- ii. IFC Madanpur Khadar to relieve Intercity Passenger congestion at Ashram Chowk.
- iii. Tikri Kalan to relieve Intercity Passenger congestion at Peeragarhi Chowk.
- iv. Narela to relieve Intercity Passenger congestion at Outer Ring Road and G.T. Karnal Road Junction-Jahangirpuri Byepass.

A smaller Terminal at Narela Railway Station and ISBT along G.T. Road may be considered. This concept can be applied wherever possible to intercept Intercity Passenger Traffic at Arterial roads.

12.10.3 AIR

The International and Domestic air passenger movement in Delhi is catered by Indira Gandhi International Airport and Palam Airport respectively. Both the Airports have been linked to other parts of the city and urban extension through the transport network to facilitate fast movement. The passenger movement by air in Delhi on an average day in 2001 was as under:

Table 12.3: Distribution of Daily Air Passengers

Airport	Number of Travelers (%)	Number of Visitors, Staff (%)	Total Nos., (%)
Domestic Airport	12450 (82.0)	2650 (18.0)	15100 (100.0)
International Airport	10120 (77.0)	3000 (23.0)	13120 (100.0)

Total	22570 (80.0)	5650 (20.0)	28220 (100.0)
	,	, ,	` ,

A strong and vibrant economy of Delhi Metropolitan Area provides a backdrop to a healthy demand for air travel. IGI Airport, Delhi has witnessed a phenomenal growth of traffic during the last few years both on account of business travel and leisure trips. Total passenger traffic through Delhi Airport grew by 27.4% in 2005 -06 over the previous year and reached an annual figure of 162 lakh. According to the current forecasts, the passenger traffic through Delhi Airport is expected to increase to 290 lakh in 2010 and 370 lakh in 2012. In terms of air cargo traffic, Delhi airport handled 383,000 tons of cargo during 2005-06, and this is estimated to grow to 540,000 tons in 2010 and 638,000 tons during 2012. Long-term forecasts indicate that Delhi Airport would be handling over 1000 lakh passengers and 3.6 million tons of cargo in the year 2036.

In order to meet the requirements of growing traffic and to upgrade the facilities to world-class standards, phased development of the airport has been initiated according to a Master Plan. The first phase of development is scheduled to be completed in early 2010, in line with the Commonwealth Games being hosted in Delhi. The airport may be connected by an expanded NH-8, as well as the MRTS by providing a rail station close to the passenger terminal to shorten the journey time. The development of the airport will also require augmentation of utilities serving the airport, particularly power supply, water supply and drainage facilities.

12.10.4 GOODS MOVEMENT

With the expansion of commercial and industrial activities in Delhi Metropolitan Area, the goods movement within urban area and outside has grown considerably, leading to environmental deterioration in the city.

In 2001, on an average day, the goods movement by various modes at outer cordons in Delhi was as under:

Road 68808 vehicles/day
Rail 1463 wagons/ day
Air 644 tonnes/ day

Table 12.4: Goods Traffic at Outer Cordons

1. Goods movement by Rail

Presently the goods are terminating as below: -

Iron and Steel - Tuglagabad (Bahadurgarh) thereafter by road to Naraina

Food Grains - Delhi Cantt., Narela, Ghevra

Coal - Badarpur Border, Rajghat, I.P.Thermal Power Station.

Fruits and - Naya Azadpur

Vegetables

Fuel - Shakur Basti

Cement - Shakur Basti, Naya Azadpur, Safdarjung Rail siding.

2. Goods movement by Road

Out of the total Goods traffic volume, major share is handled by the points at NH-8, NH-1, NH-24 and Kalindi Kunj. On an average day in 2001, about 68,808 goods vehicles were entering and/or leaving Delhi.

Movement of incoming /outgoing goods traffic in 2001, on different highways and other major roads on average weekday, is given as under:

Table 12.5: Directional Distribution of Daily Goods Traffic in Delhi - 2001

Name of Location	No. of Goods Vehicles	Modal Share (%)
South and South East		
Kalindi Kunj	9948	14.46
Badarpur Border (NH-2)	5993	8.71
North and North East		
Singhu Border (NH-1)	8542	12.41
Loni Border	4881	7.10
West		
Tikri Border (NH-10)	4460	6.48
South West		
Sirhole Border (NH-8)	9139	13.28
Dundahera Border	4933	7.17
East		
Ghaziabad Border (NH-24)	7914	11.51
Chilla Check Post	2101	3.05
Jhundupura	1376	2.01
Gazipur	2220	3.22

12.11 INTEGRATED FREIGHT COMPLEXES

Integrated Freight Complexes have been recommended for the integration of goods movement by road and rail. These would consist of wholesale market, warehousing, road for trucks and rail transport terminals so as to curtail the movement of heavy vehicles within the complex. The freight complexes are to be located in the places where they intercept the maximum possible regional goods traffic entering Delhi.

Based on the pattern of goods traffic movement in Delhi, following four sites for Integrated Freight Complexes (IFC), are presently at various stages of planning and/ or development and one more new site is proposed in Urban Extension area. These freight complexes shall be dedicated to meet the demand of Delhi's needs and not cater to the distributive requirements of regional goods.

- i. Madanpur Khadar (NH-2)
- ii. Gazipur (NH-24)
- iii. Narela (NH-1)
- iv. Dwarka (NH-8)
- v. New site in Urban Extension (Rohtak Road) Tikri Kalan

12.12 FUEL STATIONS

The environmental concerns have been constantly advocating identification of clean and environment friendly fuels. Presently, the main fuel types being used include: Petrol, Diesel and CNG. These fuels are being made available from Petrol Pumps and CNG stations.

With the advancement of technology some new types of clean fuels may also be used in future. CNG stations may be permitted in all use zones except in Regional park / Ridge, developed District Parks. Petrol pumps are permissible in all use zones except in Recreational use zone.

12.12.1 FUEL STATIONS IN URBAN AREAS.

Fuel Stations are permissible on Master Plan / Zonal Plan roads and shall not be permitted in absence of an approved Zonal Plan of the area.

At the time of preparation of layout plans of various use zones namely, residential commercial, industrial, PSP facilities and other areas the location of Fuel Stations should be provided as per the norms given in Table 12.6-

12.12.2 DEVELOPMENT CONTROL NORMS AND PERMISSIBILITY

The regulations for locating the fuel stations —cum-service stations, the development control and permissibility shall be governed by the policy / decision by competent Authority / Government Notifications issued from time to time. New fuel stations shall be regulated by the following controls:

- i. Fuel stations shall be located on roads of minimum 30m ROW.
- ii. The plot size for fuel stations shall be minimum of 30m X 36m and maximum of 33m X 45m (75m X 40m for CNG mother station as per requirement).
- iii. The minimum distance of plot from the road intersections shall be as follows:
 - a. For minor roads having less than 30m ROW-50m
 - b. For roads of ROW 30m or more- 100m
 - c. Frontage of plots should not be less than 30m.
- iv. Maximum Ground Coverage: 20%, Maximum FAR: 40
- v. Maximum Height: 6m
- vi. Canopy: equivalent to ground coverage within set back.
- vii. ¹ [Maximum 10 FAR permissible for non-inflammable, non-hazardous commercial activities subject to payment of conversion charges/ levies as may be prescribed by the government from time to time.]
- viii. ²[In case of existing petrol pumps the provision of maximum 10 FAR for commercial activity would be permissible only to those fuel stations / petrol pumps which conform to the controls given in i, ii, and iii, above subject to payment of appropriate fees/ levies/ misuse, penalty and other charges.]

_

¹ Substituted vide S.O. 2034(E) dated 12-08-2008

² Added vide S.O. 2351(E) dated 12-10-2011

Land Use/Use Premises S. Norms No Residential Use Zone Two Fuel Stations (One Petrol Pump + One CNG 1. station) per 150 ha. Of gross residential area Industrial Use Zone Two Fuel Stations (One Petrol Pump + One CNG station) per 40 ha of gross industrial area 3. Freight Complexes Four Fuel Stations (Two Petrol Pumps + Two CNG stations) in each 4. **District Centres** Four Fuel Stations (Two Petrol Pumps + Two CNG stations) in each district centre 5. Community Centre Two Fuel Stations (One Petrol Pump + One CNG station) in each Public & Semi Public use Two Fuel Stations (One Petrol Pump + One CNG 6. station) in each PSP area. zone 7. Security Forces Campus / For captive use/ as per requirement. Police/ Hospitals/ ¹ Tertiary Health Care Centres/] Govt.

Table 12.6: Norms for Fuel Stations

12.12.3 CNG SERVICE STATIONS:

Already existing authorized CNG service stations for public transport vehicles may continue for this purpose alone, till regulations in this regard are notified or the Zonal Plans for such areas are finalized, whichever is earlier. While finalizing Zonal plans, efforts may be made to integrate such service stations in the Plan.

12.13 PARKING

With the phenomenal increase in personalized motor vehicles, one of the major problems being faced today is an acute shortage of parking space. In the absence of adequate organized parking space and facilities, valuable road space is being used for vehicular parking. The problem of parking in the city can be broadly divided into the following categories:

- i) Along streets, which are commercialised.
- ii) In planned commercial centres.
- iii) In residential colonies.
- iv) In the large institutional complexes.

The experience has shown that: -

- (a) The provisions relating to parking within the plot area are normally not adhered resulting in vehicles spilling over on to the roads and adding to congestion; and
- (b) The norms themselves appear to be considerably on the lower side keeping in view the actual vehicle use, both in terms of the multiple vehicle ownership in the same family and the pattern of individual private vehicle use.

In the above background, the whole subject of parking has become a matter of serious public concern and requires a carefully considered policy and planned measures to alleviate the problem to the maximum feasible extent in existing areas and for

12.0 Transportation

¹ Added vide S.O. 2893(E) dated 23-09-2013

adequate provisioning with reference to future developments. As recommended by the Environment Pollution (Prevention & Control) Authority for the National Capital Region, the approach should be focused more on demand management (restricting vehicle numbers) through enforcement and pricing policy rather than only on increasing supply of parking. In this background, the following measures are proposed:

12.13.1 PARK AND RIDE

Apart from providing Park and Ride facilities with reference to integration between the Road and Metro Rail / Rail Transport systems, such facilities would also need to be provided to reduce the problem of parking on main arterial roads in the context of identified work and activity centres which may not be directly connected by the MRTS and to encourage use of public transport.

12.13.2 PUBLIC PARKING

The major efforts will have to come through the creation of public facilities in designated commercial/work centres and other areas and corridors where significant commercial activity has developed by way of mixed use. In the context of the latter, it would also need to be linked to pedestrianisation within the identified areas. In the above context following steps would be necessary: -

- i. All existing areas of concentration of business / commercial activity, where absence of adequate parking and congestion is visible, should be identified and listed, and based on studies of vehicle volumes specific projects for multi level parking, using the latest available technologies should be formulated and implemented in a time bound manner.
- ii. Major corridors along which commercial activity has grown over the years by way of mixed land use with/without authorisation should be identified and taken up for redevelopment with a major objective being the identification and development of open areas for parking, green development and pedestrianisation.
- iii. In all new Commercial / Business/ Industrial centres, adequate parking on the surface as well as below and above the ground must be provided. Revised norms in terms of Equivalent Car Space (ECS) are being provided and would need to be strictly adhered to and enforced.
- iv. The development of multi level parking facilities may be taken up, wherever, feasible in a public private partnership framework, with private sector investment and involvement, for which incentives may be provided by way of land use and FAR etc.
- v. The use of basement wherever provided for parking, must be strictly adhered to.
- vi. Stringent provisions by way of fine and other penal actions need to be provided for violation of parking rules.
- vii. A graded parking fees structure should be evolved as of measure of parking demand management, and encouraging use of public transport.
- viii. Serious consideration should be given to evolve a policy linking registration of new vehicles to availability of owner parking facilities.

12.13.3 PARKING FACILITIES IN DTC DEPOTS

The use of DTC terminals and depots for development of public parking alongwith parking of DTC buses, private buses and Chartered buses, should be explored and specific projects developed.

12.13.4 UNDERGROUND PARKING

Based on the site feasibility, parking facilities can be created under the open spaces without disturbing the green areas on the surface and surrounding environment. The approvals from the concerned agencies are mandatory before taking up such works.

12.13.5 PARKING IN RESIDENTIAL AREAS

Over the years a large number of the residential areas have been experiencing severe problems of vehicular congestion and shortage of parking space. Most of the parking is, in fact, being done on the road, which significantly reduces the carriageway width. The problem has been exacerbated by the traffic congestion generated by schools in gross residential use areas. Some measures required to alleviate the problem, to some extent, will be as under: -

- i. All the encroachments on residential streets in the form of kitchen gardens/roadside private greens, large projections/ramps, etc. need to be removed.
- ii. Road cross sections may be redesigned wherever possible to accommodate planned car parking along the residential streets, and also creating more surface movement space.
- iii. Other options, in selected areas, such as creation of underground parking below parks and open spaces will also have to be considered.
- iv. Resident Welfare Associations will have to be called upon to participate in this process by raising contributions from the residents on the basis of objective criteria such as number of cars owned, etc.
- v. Problem of congestion arising on account of the traffic generated by schools have to be specifically addressed, and the main responsibility for putting up the required additional facilities has to be borne by the schools themselves. Policy guidelines will have to be evolved for this purpose.

12.13.6 PARKING STANDARDS

Parking is one of the utilities permitted in all use zones except in regional park / ridge, developed recreational areas and parks as per the approved layout plan. Parking standard have been prescribed in each use premises. However, where not prescribed, these will be followed as per standards given in Development Code section of the Master Plan. The standards given are in Equivalent Car Space (ECS) which include parking for all types of vehicles i.e. cars, scooters, cycles, light and heavy commercial vehicles, buses etc. Parking adequacy statement/study for large projects like Stadia, Shopping Malls, Multiplexes will be desirable.

12.13.7 MULTI LEVEL PARKING

Multi level parking facility should preferably be developed in the designated parking spaces or in the residential, public-semi-public facilities, commercial, transport node, DTC depot, etc. with the following Development Controls:

i. Minimum Plot Size – 1000 sqm. [--]

- ii. In order to compensate the cost of Multi-level parking and also to fulfill the growing need of parking spaces within urban area, a maximum of 25 % of gross floor area may be utilized as commercial / office space.
- iii. In addition to the permissible parking spaces on max. FAR, 3 times additional space for parking component shall be provided.
- iv. Maximum FAR permissible shall be 100 (excluding parking area) or as per the comprehensive scheme. However, no FAR shall be permissible in plots / existing buildings where 5% addl. ground coverage is permissible (Refer para 8 (4) i) Parking Standards, Chapter 17.0 Development Code).
- v. Maximum ground coverage shall be 66.6%. The maximum height shall be restricted to permissible height of the land use in which the plot falls. There will be restriction on the number of levels of basement subject to structural safety.
- vi. In case of comprehensive schemes, development controls including height shall be as per approved scheme.
- vii. Number of basements No Limit, subject to adequate safety measures.
- viii. For development of Multilevel Parking, models should be worked out to encourage the private sector initiative with restricted commercial component, not exceeding 10% limited to FAR 40 on the plot.
- ix. Specific proposals requiring relaxation in above-mentioned norms would be referred to the Authority.

A number of multilevel parking sites have been identified by the local bodies / agencies. (List given in the Annexure I).

12.14 REGISTRATION AND LICENSING

The aspects of registration and training of transport operators / drivers needs to be viewed as an important element of the overall transport plan and policy. Licensing system should be made strict to create awareness about traffic rules and regulations among road users.

12.15 BARRIER FREE ENVIRONMENT

A major consideration in the planning and design of outdoor and indoor movement should be that people with disability, older persons and people in wheel chairs could move about without help from others. This requires that:

- i. Paths and pavements shall be flat, uniform, slip-free and free from unnecessary obstacles.
- ii. Orientation points and guide routes may be provided for visually disabled people:
- iii. Information and warning signs must be understandable, clear and well lit.

Table 12.7: Development Controls for Transportation

	Table 12.7: Development Controls for Transportation Development Controls (4)							
			D	evelopmen	t Contr	` '		
S. No.	Use Premises	Activities Permitted	Area under Operati on (%)	Area under building (%)	FAR *	Floor area that can be utilised for passenger accommodat ion		
1.	Airport	All facilities related to Airport/Aviation Passengers as decided by Airport authority of India including watch & ward			IA-			
2.	Rail Terminal/ Integrated Passenger Terminal Metropolitan Passenger Terminal	All facilities related to Railway, Passengers, operations, goods handling, passengers change over facilities, including watch & ward, Hotel ¹ [, Night Shelter].	70	30	100	15%		
3.	Rail Circulation	All facilities related to Railway Tracks, operational areas including watch & ward.			IA-			
4.	Bus Terminal / Bus Depot	All facilities related to Bus & Passengers, parking including watch & ward, Soft Drink & Snack Stall, Administrative Office, Other Offices, ² [Night Shelter] and Hotel.	50	50	100	25%		
5.	ISBT	All facilities related to Bus & Passengers, parking including watch & ward, Bus Terminal, Soft Drink & Snack Stall, Administrative Office, hotel ³ [, Night Shelter].	b. FAR: 100, subject to the following: (i) FAR shall be available on a maximum area of 10 ha. or area of site			on a maximum area of site onal structures on a modation and a 30. requirement of arking for Hotel/ on and facilities ECS per 100		
6.	Toll Plaza	Toll collection booth, utilities, facilities and required infrastructure.	·		IA-			

^{1–3} Added vide S.O. 2894(E) dated 23-09-2013

7.	Road Circulation	All types of road, street furniture, bus shelters, under ground & over ground services utilities, signals, metro tracks as part of r/w, sub-ways, underpasses, ROB & RUB including watch & ward.		-1	NA-	
8.	Metro Yards	Idle parking of coaches, washing and cleaning facilities, maintenance related facilities, watch & ward and staff related facilities.	80%	20%	100	15%

^{*} The F.A.R. is to be calculated on the Building Plot. Area under Bus Shelter not to be included in FAR.

Development Controls for Metro Stations:

- 1. Metro Stations along with property development (composite development) up to a maximum area of 3.0 ha shall be permitted in all Use Zones, except in Recreational and Regional Park / Ridge Use Zone, Lutyens' Bungalow Zone and Heritage Zones,

 ¹[subject to approval of Technical Committee of DDA].
- 2. This enabling provision of property development would have the following broad development controls:
 - i. 25% ground coverage and 100 FAR, including area under Metro Station with no height restrictions and subject to approval of the statutory bodies such as ASI, Airport Authority, DUAC etc.
 - ii. In addition to the requirement of parking for Metro Stations, parking for the commercial component will be @ 2 ECS per 100 sq.m.
 - iii. The development shall be undertaken in a composite manner and DMRC shall obtain approval of all the concerned local bodies/ agencies.
- 3. The following structures shall be treated as operational structures:
 - i. All Metro Stations and tracks supporting at grade, elevated and underground including entry structures, ancillary buildings to house DG sets, chilling plants and electric sub station, supply exhaust and tunnel ventilation shafts etc.
 - ii. Depots and maintenance workshops.
 - iii. Traction sub-stations.
 - iv. Operational Control Centers
 - v. Police Station.
 - ²[vi. Recruitment and Training Centers for operational and maintenance staff
 - vii. Housing for operational staff and Metro security personnel only
 - viii. Rehabilitation work to be undertaken for the construction of Metro Project
 - ix. Shops in Metro Stations to cater to the public amenities
 - x. Structures above platform over the foot print of the Metro Stations]

¹ Deleted vide S.O. 751(E) dated 18-04-2011

² Added vide S.O. 751(E) dated 18-04-2011

ANNEXURE -12.0 (I)

12-20

Proposed Multi-Level Parking Sites

NDMC:

- 1. Baba Kharak Singh Marg
- 2. Behind Hindustan Times Building, Kasturba Gandhi Marg
- 3. Sarojini Nagar

MCD:

- 1. Hamilton Road
- 2. Lajpat Nagar
- 3. Bahadur Shah Zafar Marg
- 4. Green Park
- 5. Rajinder Nagar
- 6. Anupam PVR, Saket
- 7. Rajouri Garden
- 8. Sant Nagar, Ravi Bagh Market
- 9. Parade Ground
- 10. Kamla Nagar
- 11. Ramlila Ground
- 12. South Extension Part I
- 13. South Extension Part II
- 14. Mehrauli
- 15. Greater Kailash
- 16. Shastri Park, Karol Bagh

DDA:

- 1. Nehru Place District Centre
- 2. Mangalam Place District Centre

Note: In addition to above, the concerned agencies shall finalise other sites from time to time.

12.0 Transportation

13.0 SOCIAL INFRASTRUCTURE

The quality of life in any urban centre depends upon the availability of and accessibility to quality social infrastructure. Social infrastructure can be looked at in terms of the facilities indicated in the City Level Master Plan, and Community Facilities, which are indicated at the layout plan level in various use zones. Together, these include social infrastructure facilities pertaining to health, education, sports facilities, socio-cultural activities, communications, security and safety, and other community facilities pertaining to recreation, religious activities, social congregations and community events, cremation / burial grounds etc. These are generally planned in terms of population norms with stipulated permissibility conditions and development controls.

13.1 HEALTH

The capital city is strategically located and has many specialised health facilities, which serve the city population as well as that of the region, and in many respects the country as a whole. As per available statistics, there are 23 types of health units (facilities) in Delhi. The total numbers of health units are 1914 and the number of beds is 30,667. The existing bed density per thousand population in Delhi works out to only 2.2. The World Health Organization (WHO) has recommended a norm of 5 beds per thousand population. It is estimated that the total number of beds required in the year 2021 will be about 1,15,000.

The following broad strategies are proposed in order to meet the requirements of health related infrastructure:

- i. Shortfall in the availability of number of beds per 1000 population is proposed to be met through
 - a) Enhancement in FAR for various levels of health facilities;
 - b) Promoting rebuilding of the existing old hospitals and;
 - c) Shifting of contagious diseases hospitals from existing urban areas to the proposed urban extension with proper seclusion facilities and connectivity, and using the space thus made available for general hospitals.
- ii. Essential provisions shall be made for Old Age Home-cum-Care Centres for Senior Citizens and Mentally Challenged by way of specialised / target group oriented facilities, which will also relieve the pressure on general hospitals to some extent.
- iii. Premises earmarked for health facilities should also include other medical streams like Ayurvedic / Homeopathic medicine, governed by any statutory code / body.
- iv. Complementary health facilities at par should be developed in the NCR to reduce burden on Delhi.

There shall be following ¹[5-tiers] health facilities for the city population:

- i. ²[Hospitals category:
 - a) Category A- 501 beds and above:
 - b) Category B- 201 beds to 500 beds;
 - c) Category C- 101 beds to 200 beds;

13.0 Social Infrastructure 13—1

_

¹ Deleted vide S.O. 2893(E) dated 23-09-2013

² Modified vide S.O. 2893(E) dated 23-09-2013

- d) Category D- Upto 100 beds
- a) Hospital (category of hospital shall be governed by number of beds, which shall be regulated with respect to maximum permissible FAR and area per bed is 80 sqm.)
- b) Tertiary Health Care Centre;
- e) c)] Other health facilities, which include maternity home, nursing home, family welfare centre, polyclinic, paediatrics centre, geriatric centre, diagnostic centre, etc.
- ii. For health care of animals and pets the following 3 tier of health facilities has been proposed:
 - a) Veterinary Hospitals for pet / domestic animals and birds shall be provided as per need.
 - b) Dispensary for pet animals and birds shall be provided in all the zones at Community Level.
 - c) Pet clinic is permitted in all landuse zones except in Recreational use zone.

¹[Table 13.1: Planning Norms and Standards for Health Facilities

SI. No.	Category	Population / Unit	Plot Area (approx.)
1	Hospital A (501 beds & above)	5.0 lakh	2.5 ha to 4.5 ha
2	Hospital B (201 beds to Hospital 500 beds)	2.5 lakh	1.5 ha to 2.5 ha
3	Hospital C (101 beds to 200 beds)	1.00 lakh	0.5 0.2 ha. to 1.0 1.5 ha.*
4	Hospital D (Upto 100 beds) Tertiary Health Care Centre	1.00 lakh	0.25 0.2 ha. to 0.5 1.5 ha.]
5	Other Health Facilities		
	i. Maternity Home ii. Nursing Home/ Polyclinic iii. Dispensary	1 per 50000 1 per 50000 1 per 10000	1000 sqm to 2000 sqm 1000 sqm to 2000 sqm 800 sqm to 1200 sqm
	b. i. Family Welfare Centre ii. Pediatric Centre iii. Geriatric Centre iv. Diagnostic Centre.	1 each per 50000	500 sqm to 800 sqm each
6	a. Veterinary Hospital for pet animals and birds	1 per 5.0 lakh	2000 sq m. (Subject to availability of land)

¹ Modified vide S.O. 2893(E) dated 23-09-2013

	b. Dispensary for pet animals and birds	1 per 1.0 lakh	300 sq m.
7	a. Medical College	1 per 10 lakh	As per norms of Medical Council of India / Regulatory Body (subject to availability of land)
	b. Nursing and Paramedic Institute	1 per 10 lakh	2000 sqm (Subject to Nursing Council of India / Ministry of Health norms).
	c. Veterinary Institute	As per requirement	As per the Veterinary Council of India / Ministry norms (subject to availability of land)

¹[Note:

Table 13.2: Development Controls for Health Facilities

SI.			Maximum		
N o.	Category	Ground Coverage	FAR	Height	Other Controls
1 3	2[Hospit al A (501 & above) Hospital B (201 to 500) Hospital / Tertiary Health Care Centre Hospital C (101 to 200)	30% + additional 5% for multi-level parking (not to be included in FAR) Ground coverage to be decided by interse building to building distances as per Building Bye Laws and fire tender movement requirements, subject to a maximum 40% excluding 5% additional ground coverage for multi-level parking	FAR on plot facing ROW should be subject to NOC from all concerned agencies depending on locations shall be as under. 1.RoW less 250 than 24m 2.RoW24M 300 UP TO 30M 3.RoW 375 30M and above For plots falling under Influence Zones of MRTS/Major Transport Corridors such as Metro and BRT Corridors, 50% more FAR should be available.	•	1. Upto 15% of the permitted FAR can be utilized for residential use of essential staff. 2. Upto 10% of max. FAR to be kept for dormitory/ hostel for attendants of the patients, Crèche etc. 1. Upto 25% of the permitted FAR can be utilized for residential use of essential staff, dormitory/ hostel for attendants of the patients, Crèche etc. 3.2. Parking standard @ 2.0 ECS/100 Sqm of floor area. 3.Maximum 10% ground coverage shall be allowed for providing atrium* In case, the permissible

¹ Added vide S.O. 2893(E) dated 23-09-2013

^{*} Size of hospital plot will be restricted up to 1.5 ha. in residential area, with preference to plot having three side open and having minimum 18m ROW on one side. Total floor area of the hospital shall be governed as per the total number of beds allowed in it.]

 $^{^{2}}$ Modified vide S.O. 2893(E) dated 23-09-2013

4	Hospital D (upto 100)			safety measures, subject to clearance from AAI, DFS,DMA, NMA and other statutory provisions.	additional ground coverage for atrium is utilized 25% of the utilized ground coverage shall be counted toward FAR 4. Multi Level Podium parking shall be permissible to the extent of building envelope lines, free
					form FAR and ground coverage to facilitate ample parking in spaces, subject to structural safety. 5. Common areas such as waiting halls, reception and fire stair cases shall be allowed free from FAR. 6. Service floor of height 1.8m shall not be counted In FAR.
2	Other Health Facilities a. i. Maternity Home ii. Nursing Home/ Polyclinic/ Dispensary b. i. Family Welfare Centre ii. Paediatric Centre iii. Geriatric Centre iv. Diagnostic Centre	30%	150	26 m	Parking standard @ 2.0 ECS/ 100 sqm of floor area.
3	a. Veterinary Hospital for pet animals and birds	30%	150	26 m	Parking standard @ 1.33 ECS/ 100 sqm of floor area.
	b. Dispensary for pet animals and birds	35%	100	26 m	Parking standard @ 1.33 ECS/ 100 sqm of floor area.
4	a. Medical College	As pe	er norms of Medical Co	uncil of India / Reg	gulatory Body
	b. Nursing and Paramedic Institute	30%	150	26 m	Parking standard @ 2 ECS/ 100 sqm of floor area.
	c. Veterinary Institute	As per the Veterinary Council of India / Ministry norms			

- ¹[* Natural sky light condition is exempted for Atrium and construction over the Atrium may be allowed.
- # Height restriction of 30 mts. in Hospital Buildings should be reviewed in consultation with Fire Deptt. of GNCTD

Notes:

- 1. Plot area for all ²[hospitals Hospital/ Tertiary Health Care Centre would be worked out @ 100 80sqm] of gross floor area per bed. However, for other health facilities like Maternity / Nursing homes, family Welfare and other centres, the plot area would be worked out @ 60 sqm of gross floor area per bed.
- 2. Max. upto 300 sqm of floor area shall be allowed to be used for community space / religious shrine / crèche / chemist shop/bank counter on Hospital sites and also Medical College / Nursing and Paramedic Institutes sites.

Other controls:

- a. In case of super specialty medical facilities / hospitals duly certified as such by the competent authority, the gross area shall be worked out @ upto ³[125 80] sqm per bed.
- b. In case of existing premises / sites, the enhanced FAR shall be permitted, subject to payment of charges as may be prescribed by the Authority / land owning agency and other clearances.
- c. ⁴In case of hospitals, service floor is exempted from FAR calculation. Basement if utilized for Hospital purpose shall be counted in FAR.
 - Basement after utilization for Parking; Services Requirements such as air conditioning plant and equipment, water storage, boiler, electric sub-station, HT & LT panel rooms, transformer compartment, control room, pump house, generator room; staff locker room, staff changing room, staff dining facilities without kitchen facility, Central sterile supply deptt., back end office; Other Mechanical Services; Installation of Electrical and fire fighting equipments; and Other Services like kitchen, laundry and radiology lab and other essential services required for the maintenance/functioning of the building may be used for healthcare facilities with prior approval of the concerned agencies.]
- d. Other controls related to basements etc. are given in the Development Code chapter.
- ⁵[e. The bed count of a Health Facility may be allowed as per permissible FAR, needs of the community and demand studies.
- f. Environment clearances shall be made mandatory considering that bio wastes are generated. Environmental clearances are mandatory as per the prevailing regulations related to the environment.
- g. Zero discharge for sewerage shall be enforced at the cost of the promoters and post treatment water can be used by premises for its needs of horticulture, flushing, coolant tower, washing or disposal to other construction sites. These issues concerned the local bodies and can be dealt accordingly as per existing regulations at the time of sanctioning the plan.
- h. The additional power requirements shall be met by power supply from grid and till such time by means of suitable captive generation.]

¹ Added vide S.O. 2893(E) dated 23-09-2013

²⁻⁴ Modified vide S.O. 2893(E) dated 23-09-2013

⁵ Added vide S.O. 2893(E) dated 23-09-2013

13.2 EDUCATION

The literacy rate in Delhi has increased from 75.3% in the year 1991 to 81.82% in the year 2001. In overall terms Delhi has a fairly elaborate network of educational institutions from the pre-primary / primary to the higher education and professional education levels. At present there are 2416 primary schools, 755 middle schools, and 1576 secondary / senior secondary schools. At the higher/ professional education levels, there are 114 colleges for general education, 8 engineering colleges, 4 universities, 7 deemed universities and one Open University.

However, there is a deficiency in few planning zones, particularly in the field of school education. Further, keeping in view the fast changing national and global economic scenario, the employment and educational requirements are also undergoing a rapid change involving the development of new professional and vocational avenues for specialised education. A number of coaching centres, computer training institutes and language / training classes are opening up. However, these are mainly operated by the private sector. Suitable provision for such centres in commercial areas is desirable with a view to enhancing the financial resources of the concerned land owning agency.

With the consequent potential for availability of financial resources for this purpose, involvement of the private sector in the development of educational facilities is growing.

Keeping the need for expansion and diversification as brought out above, the availability of land could become a major constraining factor. It has, therefore, become necessary to develop policies and norms, which would enable optimal utilisation of land and available educational infrastructure. As far as school education is concerned, the policy should be geared to encourage integrated schools from the pre-primary to the higher secondary level, rather than allocating space separately for Nursery Schools, Primary Schools and Middle Schools. Primary Schools may specifically be set up by the Delhi Government or the Local Civic Bodies.

Following planning policy parameters are proposed:

- i. Differential norms and standards for various educational institutes / institutions shall be applicable in the light of the norms of the concerned controlling authorities e.g. University Grants Commission (UGC) / All India Council for Technical Education (AICTE) / Directorate of Education, GNCTD / Central Board of Secondary Education (CBSE) etc.
- ii. Coaching centres / vocational training centres would be permissible in school classes after school hours with (a) prior approval of Competent Authority in the case of schools run by GNCTD or local body and (b) with prior intimation to lessor and payment of fee to be prescribed in the case of schools run privately on leased land. Structured courses leading directly to degree / diploma shall however not be permitted.
- iii. The educational institution premises may be permitted to function in two shifts, subject to statutory approvals and any other conditions that may be stipulated by the relevant competent authority.
- iv. Nursery School may function as part of Primary School / Secondary School / Senior Secondary School, wherever needed. Separate / exclusive Nursery Schools are permitted in residential premises as per the Mixed-use policy.
- v. Requirement of schools and training centres for mentally and ¹[physically challenged differently abled persons] with differential development norms are given.

_

¹ Modified vide S.O. 2895(E) dated 23-09-2013

Table 13.3: Planning Norms and Standards for Education Facilities

SI. No.	Category	Population / unit (approx.)	Plot Area
1	Primary School	10,000	0.2 - 0.4 ha
2	Sr. Secondary School ¹ [/ Secondary School]	10,000	0.6 - 0.8 ha
3	School for Mentally challenged	10.0 lakh	0.2 ha
4	School for ² [Physically challenged differently abled persons]	10.0 lakh	0.2 ha

Table 13.4: Development Controls for Education Facilities

SI.	Category		Maximu	m	Other Controls
No.		Gr. Cov.	FAR	Height	
1	Play School, Coaching Centre, Computer-Training Institute, physical Education Centre etc.	N.A.	N.A.	N.A.	 Practice of providing dedicated Nursery School plots in the layout plan discontinued as same is permissible in mixed use. Parking standard @ 1.33 ECS / 100 sq m of floor area. In case of schools for mentally ³[/
2	Nursery School	33.33%	100	15 m	persons 20% of max. FAR can be utilized
3	Primary school	30%	120	18 m	for residential use of essential staff and
4	Sr. Secondary	35%	150	18 m	student accommodation.
	School ⁴ [/ Secondary Secondary School]				Parking standard:
5	School for Mentally challenged	50%	120	18 m	 Primary School / Middle School @ 1.33 ECS / 100 sq m of floor area. Sr. Sec. School @ 2.00 ECS / 100 sq m of floor area.
6	School for 5 Physically challenged differently abled persons	50%	120	18 m	The areas earmarked for parking if misused, liable to be municipalized/ taken over.
	asion personing				Other controls related to basements etc. are given in the Development Code chapter.

Notes:

Pre-Primary Schools / Nursery Schools / Montessary Schools / Creche, Play Schools, are permissible in residential use premises as per Mixed use policy.

Other Controls:

 $^{^{1-2}}$ Modified vide S.O. 2895(E) dated 23-09-2013

 $^{^{3-5}}$ Modified vide S.O. 2895(E) dated 23-09-2013

- 1. In case of new schools, the front boundary wall shall be recessed by 6 m to accommodate visitors parking within setback area.
- 2. Upto 10% variation in plot size is permitted. Differential norms will be applicable to Special Area, Regularized Unauthorized Colonies, Urban Villages and Resettlement Colonies.
- 3. Playground shall be developed on pool basis in different areas at neighborhood level.

Table 13.5: Planning Norms and Standards for Education Facilities (Higher Education)

SI. No.	Category	Pop./ unit (approx.)	Plot Area
1	Vocational Training Centre(ITI/ Polytechnic / Vocational Training Institute/ Management Institute/ Teacher Training Institute etc.), Research and Development centre	5.0 lakh	0.4 ha
2	General College	5.0 lakh	As per UGC norms
3	Professional College (Technical)	5.0 lakh	As per the AICTE norms.
4	University Campus including International Education Centre (IEC) – Large campus (10 ha and above) will be divided into following four parts: a) Academic including Administration (45% of total land area).	4 sites in urban extension.	Upto 20.0 ha
	b) Residential (25% of total land area).		
	c) Sports and Cultural activities (15% of total land area).		
	d) Parks and Landscape (15% of total land area).		

Upto 10% variation in plot size is permitted.

Table 13.6: Development Controls for Education Facilities (Higher Education)

SI.		М	aximum		
No.	Category	Ground Coverage	FAR	Height	Other Controls
1	Vocational Training Centre (ITI/Polytechnic / Vocational/ Training Institute/ Management Institute/ Teacher Training Institutes etc.) / Research and Development centre.	35%	150 1[225]	37 m	1. ² [Upto 15% 30% of max. permissible FAR can be utilized for residential use of essential staff and student accommodation used for hostel accommodation for the students.]
2 3	General College Professional College (Technical)				2. Parking standard @ 1.33 ECS / 100 sq m of floor area. The areas earmarked for parking if misused liable to be municipalized / taken over by the authority.
					Other controls related to basements etc. are given in the Development Code chapter.

^{1–2} Modified vide S.O. 2895(E) dated 23-09-2013

4	University Campus including International Education Centre (IEC) – Large campus (10 ha and above) will be divided into following four parts:					 Parking standard @ 1.33 ECS / 100 sq m of floor area. Other controls related to basements etc. are given in the Development Code chapter. Landscape plan to be prepared.
	a) Academic including Administration (45% of total land area)	30%	¹ [12 225		37 m	
	b) Residential (25% of total land area)	Regulations for group housing shall apply. The land shall be reserved for facilities as per residential norms.				
	c) Sports and Cultural activities (15%)	10%	15	2	26 m	
	d) Parks and Landscape (15%)	N. A.				
² [5	College i. In case of old colleges plot will be divided as follows: Area per college: 4.0 ha a. College 1.8 45% Building ha area b. Play field 1.8 45% area ha c. Residential 0.4 10% including ha hostel area ii. In case of variation in area the % to be followed.	Development control norm residential will be same as				ns for academic college building area & s S. No. 4 above]

13.3 SPORTS FACILITIES

Delhi is emerging as an important centre for National and International Sports events. Sizeable sports facilities have been developed in the City by various agencies like the Sports Authority of India (SAI), Delhi Development Authority (DDA), GNCTD, etc. However, sports activities, so far, been dealt with as a part of Recreational use. It is also felt that many of the facilities, which have been developed, could actually be seen as recreation and / or club type of facilities. As a result, even though the DDA has developed a large network of excellent sports facilities, over and above the facilities developed by the SAI, etc. there is an evident need for a properly planned and structured sports infrastructure in the city which, inter alia, should also be able to take care of mega / international sporting events, such as the forthcoming Commonwealth Games in 2010.

¹ Modified vide S.O. 2895(E) dated 23-09-2013

² Added vide S.O. 1215(E) dated 13-05-2013

Even the various facilities, which have been developed as pure sports facilities, suffer from lack of full and proper utilisation, and there are issues related to maintenance and resources for the same. With reference to the latter, for example, the Jawahar Lal Nehru Stadium premises are, on the one hand, presently under use for a variety of non-sports related activities and on the other hand, the Stadium itself cannot be used for anything but sports activities. The latter aspect, in turn, is characterised by gross under utilisation. This also brings out the need for developing and prescribing planning and development control norms geared to planned, practical and proper development of sports facilities as an important component of social development and optimum utilisation of the facilities to be developed.

In addition to the above, there is a trend for development of gyms, spas, bowling alleys etc. at neighbourhood level. Since these are mostly being established as commercial ventures, provision of land / space for these should be made in commercial premises.

13.3.1 PROVISION OF SPORTS FACILITIES

Sports activities are an important part of physical and social development of an individual and, at another level sports activities have a significant aspect of, and potential in the form of congregational and competitive events at the community, city, national and international levels. Keeping this in view norms and space standards separately for sports facilities at neighbourhood level and city level have been proposed with the aim of development of sports and play areas for all age groups at appropriate levels.

Table 13.7: Planning Norms and Standards for Sports Facilities

SI. No.	Category	Pop. / Unit (Approx.)	Plot Area (Ha.)*
1	Divisional Sports Centre/ Golf Course	10 lakh	10 to 30 & above
2	District Sports ¹ [Centre-Complex]	5 lakh	3 to 10
3	Community Sports Centre	1 lakh	1 to 3
4	Neighborhood Play area	10,000	0.5 to 1
5	Housing Area Play Ground	5,000	0.5

^{*} Subject to availability of land.

Notes:

- i. The sports facilities shall be developed according to proper layout plan and landscape plan with adequate parking facility.
- ii. The existing sports infrastructure shall be upgraded and efficiently re-planned to provide better facilities.
- iii. New play fields shall be preferably provided / developed in the vicinity of educational institutions and landscape areas.
- iv. The playground and sports facilities should be accessible by a network of pedestrian and cycle tracks wherever feasible.

²[v. Multi-gyms would be permissible in parks having an area of one ha. and would have built up area upto 225 sq.m.]

¹ Modified vide S.O. 2890(E) dated 23-09-2013 and S.O. 149(E) dated 20-01-2014

² Added vide S.O. 2890(E) dated 23-09-2013

13.3.2 INTERNATIONAL SPORTS EVENTS

Suitable area of about 200 ha. shall be reserved for International Sports events wherever possible.

13.3.3 DEVELOPMENT CONTROLS

The development controls for the various sports facilities will be as indicated below:

Maximum ground coverage 20% including amenity structures

Max. FAR 40

Height NR (Subject to clearance from AAI, Fire Dept.

and other statutory bodies).

Parking 2 ECS/ 100 sqm of floor area.

Other Development Controls:

- i. To incentivise development of sports facilities and swimming pool (upto maximum 100 sqm) within the group housing areas, schools, clubs, etc. shall not be counted towards ground coverage and FAR.
- ii. All these various sports facilities shall have layout plan, landscape plan, and parking plan, etc.

13.4 COMMUNICATIONS - POST / TELEGRAPH / TELEPHONE FACILITY

With liberalisation and technological advancement, communication has become very important medium of accessibility. Following means of communication are available:

13.4.1 POST AND TELEGRAPH

Post and Telegraph is one of the most popular means of communication. The provision and management of Post and Telegraph facility in Delhi is the responsibility of Post Master General of Delhi Circle. At present Delhi has 553 post offices and 36 telegraph offices. Although, the number of telegraph offices is decreasing due to availability of other easier, cheaper and faster modes of communication these facilities still serve considerable population both at the city level and National level. The future space norms have been worked out accordingly.

13.4.2 TELEPHONE

With privatisation of tele-communication sector most of the space requirement is expected to be satisfied in private sector. There are 267 telephone exchanges in Delhi with provision of 140 lakh connections, which works out to be 145 connections per thousand population. The introduction of mobile telephony has completely transformed the telecommunication system in the city. Therefore, the future space requirement for telephone network has been worked out accordingly.

Table 13.8: Planning Norms and Standards for Communication Facilities

SI. No.	Category	Population / Unit Plot Area (approx)
A.	POST & TELEGRAPH	
1	a) Post Office Counter (without delivery) b) Courier Service Office	No specific site reservation to be kept in the layout plan since

2	Telegraph office (Booking & Delivery)	Permitted in all use / zones / under mixed use as per requirement except in Recreational use zone.		
3	Head Post Office with Administrative office & with / without delivery office.	10.0 lakh	2500 sq m.	
В	TELEPHONE			
4.	a) Telephone Exchange	10.0 lakh	2500 sq m.	
	b) RSU (Remote Subscriber Units)	1 for 3 Km radius	300 sqm.	

Upto 10% variation in plot size is permitted.

Table 13.9: Development Controls for Communication Facilities

SI.		Maximum		1	
No.	Category	Ground Coverage	FAR	Height	Other Controls
Α	POST & TELEGRAPH				
1	a) Post Office Counter (without delivery) b) Courier Service Office	No specific site reservation to be kept in the layout plan since permitted in all use zones / under mixed use as per requirement, except in Recreational use zone.			
2	Telegraph office (Booking & Delivery)				
3	Head Post Office with Administrative office & with				Upto 15% of max. FAR can be utilized for residential use of essential staff.
	/ without delivery office	30%	120	26 m.	Parking standard @ 1.33 ECS / 100 sq m of floor area.
					Other controls related to basements etc. are given in the Development Code chapter.
В	TELEPHONE				
4	a) Telephone Exchange b) RSU (Remote Subscriber Units)	30% 30%	120 100	26m 15 m	

13.5 SECURITY- POLICE

Law and order are increasingly becoming a matter of concern in Delhi. For maintenance of proper law and order, the security force must keep pace with the growth and development of an area. The main agency looking after security aspect in the city is Delhi Police. At present, there are 123 police stations, 80 police posts, 10 Delhi Armed Police battalions, 9 District offices of DCPs and 9 District Lines.

Table 13.10: Planning Norms and Standards for Security (Police) Facilities

SI. No.	Category	Pop. / unit (approx.)	Plot Area
1	Police Post	1.0 lakh	1000 sqm.

2	Police Station	2.5 lakh	¹ [1.0 ha
			0.75 ha. to 1.0 ha. **]
3	District Office and Battalion	One for each	1.0 ha
4	Police Lines	administrative zone	2.0 ha
5	District Jail	25.0 lakh	5.0 ha
6	Police Training Institute / College*		5.0 ha
7	Police Firing Range	City level (to be	Upto 10.0 ha
8	Police camp including Central Police Organization / Security Forces*	located in fringe area)	Upto 10.0 ha
9	Traffic and police control room	As per requirement	

^{*}Including Central Security Forces

²[** 60% of the plot land shall be utilized for the Police Station with 200 FAR and 40% of the plot land shall be utilized for Police Personnel Housing with 400 FAR. Whereas other Development Control Norms i.e., ground coverage, set-back and parking requirement, etc. shall be as prescribed in Table 13.11 and para 4.4.3.B Residential Plot-Group Housing, respectively. Existing police station sites shall also be eligible for afore-said provision.]

Table 13.11: Development Controls for Security (Police) Facilities

SI.	Category		Maximum		Other Controls	
No.		Ground Coverage	FAR	Height		
1	Police Post	35%	150	15 m.	1. Upto 30% of max. FAR can be utilized	
2	Police Station	30%	⁴ [150 200**]	26 m.	for residential use of essential staff ³ [(except Police Station which will as per ** of Notes below the Table).]	
3	District Office and Battalion	30%	120	26 m.	Parking standard @ 2.00 ECS / 100 sq m of floor area.	
4	Police Lines	Land Distribu i) Adminis ii) Resider iii) Sports & iv) Open S	tration itial & Facilitie	20% 30% es 10% 40%	Additional space available in police station due to increased development controls shall be used for locating Civil Defence and Home Guards etc.	
5	District Jail	30%	120	26 m	4. Upto 15% of max. FAR can be utilize for residential use/hostel for essential staff and student accommodation, in Police Training Institute / college.	
6	Police Training Institute / College*	30%	120	26 m.		

¹ Modified vide S.O. 2894(E) dated 23-09-2013

²⁻³ Added vide S.O. 2894(E) dated 23-09-2013

⁴ Modified vide S.O. 2894(E) dated 23-09-2013

7	Police Firing Range	12.5%	25	9 m.	Other controls related to basements etc. are given in the Development
8	Police camp including Central Police Organization /Security Forces*	12.5%	25	9 m.	Code chapter.
9	Traffic and police control room	 As per requirement on major road junctions / stretches etc. as part of road right of way based on site feasibility. Maximum area = 25 sq m. 			

^{*}Including Central Security Forces

¹[Notes:

** 60% of the plot land shall be utilized for the Police Station with 200 FAR and 40% of the plot land shall be utilized for Police Personnel Housing with 400 FAR. Whereas other Development Control Norms i.e., ground coverage, set-back and parking requirement, etc. shall be as prescribed in Table 13.11 and para 4.4.3.B Residential Plot-Group Housing, respectively. Existing police station sites shall also be eligible for afore-said provision.]

13.6 SAFETY

13.6.1 FIRE

Fire services have to play pivotal role and be fully prepared in protecting people from fire hazards, building collapses, road accidents and other unforeseen emergencies etc. At present, there are 36 fire stations in Delhi.

Table 13.12: Planning Norms and Standards for Safety / Fire Facilities

SI. No	Category	Population / Unit (approx.)	Plot Area
1	Fire Post	3 to 4 km radius	2000 sqm
2	Fire Station	5 to 7 km radius	1.0 Ha.
3	Disaster Management Centre	One in each Administrative Zone	1.0 Ha. along with suitable open area (2Ha) for soft parking, temporary shelter, parade ground etc.
4	Fire Training Institute / College	City level (one site in urban extension)	3.0 Ha.

Table 13.13: Development Controls for Safety / Fire Facilities

SI.	Category	Maximum		1	Other Controls	
No.		Ground Coverage	FAR	Height		
1	Fire Post	30%	120	26 m.	1. Upto 25% of max. FAR can be utilized for residential	
2	Fire Station	30%	120	26 m.	use of essential staff in fire station.	

¹ Added vide S.O. 2894(E) dated 23-09-2013

3	Disaster Management Centre	30% (on building area only)	120	26 m.	 Parking standard @ 1.33 ECS / 100 sq m of floor area. Upto 15% of max. FAR can be utilized for residential use/hostel for essential staff and student
4	Fire Training Institute / College	30%	120	26 m.	accommodation, in Fire Training Institute / college. 4. Other controls related to basements etc. are given in the Development Code chapter.

13.6.2 GUIDELINES FOR LOCATING FIRE STATIONS & OTHER FIRE FIGHTING FACILITIES IN URBAN EXTENSION:

- Fire stations should be located so that the fire tenders are able to reach any disaster site within 3-5 minutes.
- ii. Fire Stations shall be located on corner plots as far as possible and on main roads with minimum two entries.
- iii. In the new layouts, concept of underground pipelines for fire hydrants on the periphery, exclusively for fire fighting services should be considered.
- iv. Fire stations are permitted in all land use zones except in Recreational use zone.
- v. Necessary provisions for laying underground / over ground fire fighting measures, water lines, hydrants etc. may be kept wherever provision of fire station is not possible.
- vi. The concerned agencies shall take approval from Fire Department for fire fighting measures while laying the services for an area.

13.6.3 DISASTER MANAGEMENT CENTRE

According to the Indian Seismic Zone map, Delhi is placed in Seismic Zone IV, which means high damage risk zone. In the past, several earthquakes of Richter magnitude 5.5 to 6.7 have occurred in the National Capital Territory of Delhi. Two major lineaments, namely Delhi-Haridwar ridge and Delhi-Muradabad faults pass through the territory, both having potential of generating earthquakes of the magnitude upto 6.5 to 6.7 in future. Such natural and man-made disasters neither can be prevented nor predicted. However, with the technological advancement to some extent mechanism can be developed to mitigate the after effects of the disaster. Areas of vulnerability can be identified and necessary measures can be proposed by the concerned agencies. The concerned local bodies should keep updating the building bye-laws to safeguard against disasters and ensure effective and impartial enforcement. Following policies and strategies for disaster management are proposed:

1. Pre-Disaster Preparedness

- a) Micro-zonation surveys should be referred for land use planning and be considered while preparing the Zonal Plans and Layout Plans.
 - Seismic micro-zonation for selected areas having high growth rates should be taken up on priority.
 - On the basis of vulnerability studies and hazard identification, which includes soil conditions, probable intensity of earthquake, physiographic conditions of the area, fault traces, etc., local level land use zoning and planning should be undertaken.
- b) Building bye-laws should incorporate the aspects of Multi Hazard Safety, and Retrofitting.

- Priority should be given to public buildings (such as hospitals ¹[/tertiary health care centres], educational, institutional, power stations, infrastructure, heritage monuments, lifeline structures and those which are likely to attract large congregation) for their ability to withstand earthquake of the defined intensity.
- Suitable action should be taken for retrofitting and strengthening of structures identified as vulnerable as per earthquake manuals and National Building Code. A techno-legal regime has to be adopted for provisions on Multi Hazard Safety aspects.
- ii. Delhi Fire Services being the nodal agency for disaster management should identify vulnerable areas such as areas with high density and poor accessibility in the city and propose suitable measures. Proposed Disaster Management Centres should be established in every zone to deal with the disasters, including bio-chemical and nuclear disasters.
- iii. Sensitize people, particularly school children, about after effects of disaster.
- iv. Make people aware through media campaigns and advertisements about emergency procedures and location of emergency shelters etc.

2. Post Disaster Management

- i. It has been observed that any disaster is generally followed by break down of communication lines and disruption of essential services. Therefore, the key communication centres should be protected from natural disasters i.e. flood, fire and earthquake etc. and services restoration should be taken up on top most priority. Necessary setup should be created in each of the concerned department for such eventualities.
- Standard type designs and layout should be prepared by the local bodies and made available to the people so that crucial time is not lost in approval of layout plans and building plans after disaster.

 Disaster Management Centres have been proposed to serve people in the case of disaster and provide emergency shelters.

13.7 DISTRIBUTIVE FACILITIES

Milk, Fruit, vegetable and LPG are the basic requirements of the day-to-day life, and should have proper distribution set-up.

PDS facilities / fair price shops may be provided in close proximity to EWS / LIG housing / resettlement colonies at the same standard as the milk / vegetable booths.

¹ Added vide S.O. 2893(E) dated 23-09-2013

Table 13.14: Planning Norms and Standards for Distributive Services

SI. No.	Category	Population / unit
1	Milk Booth /Milk and Fruit & Vegetable Booth	One per 5000 population. As per standard design of the concerned department.
2	LPG godown including booking office	3 LPG godowns per one lakh population.
3	SKO / LDO outlets	As per standard design of the concerned department.

Table 13.15: Development Controls for Distributive Services

SI.		Max	imum			
No.	Category	Ground Coverage	FAR	Height	Other Controls	
1	Milk Booth /Milk and Fruit & Vegetable Booth	Permitted in all zones as per approved layout plan.				
2	LPG godown including booking office	 i. Plot size – upto 600 sqm including booking office and security hut. ii. Permitted in all use zones except in residential and recreational use zones subject to statutory clearances. 				
3	SKO / LDO outlets	i. Permitted in a zones subjec			t in residential and recreational use nces.	

13.8 SOCIO-CULTURAL FACILITIES

Table 13.16: Planning Norms and Standards for Socio-Cultural Facilities

SI. No.	Category	Population / unit (approx.)	Plot Area
1	a) Banquet Hall	10000	800-2000 sqm
	 Multipurpose Community Hall which may include provision for marriages, small public gathering, function, eating joint, and library etc. 	1.0 lakh	2000 sqm
2	a) Community Recreational Club	1.0 lakh	2000 sqm
	b) Recreational Club	5.0 lakh	5000 sqm
3	Socio-cultural activities such as auditorium, music, dance & drama centre/ meditation & spiritual centre etc.	1.0 lakh	1000 sqm
4	Exhibition –cum-Fair Ground	2 sites in new urban extension	Upto 40 ha. Each
5	Science Centre	10.0 lakh	As per requirement
6	International Convention Centre	City Level	As per requirement

Table 13.17: Development Controls for Socio-Cultural Facilities

SI.		Maximum		mum	
No.	Category	Ground Coverage	FAR	Height	Other Controls
1	a) Multipurpose Community Hall	30%	120	26 m	Parking standard @ 3.0 ECS / 100 sq m of floor area.
	b) Banquet Hall	30%	120	26 m	Other controls related to basements etc. are given in the Development Code chapter.
2	a) Community	¹ [25%	100	26 m	Parking standard @ 2 ECS / 100 sq
	Recreational Club b) Recreational Club	30%	120]		m of floor area
3	Socio-cultural activities such as auditorium, music, dance & drama centre/ meditation & spiritual centre etc.	35%	120	26 m	 Parking standard @ 2 ECS / 100 sq m of floor area. A proper scheme for visitors parking and parking adequacy statement shall be prepared taking into consideration large number of visitors.
4	Exhibition –cum-Fair Ground	20%	20		Subject to statutory clearances
5	Science Centre	30%	120	26 m	Parking standard @ 2 ECS
6	International Convention centre	30%	120	NR, subject to approval of AAI, Fire Department and other statutory bodies	Parking standard @ 2 ECS

Notes:

- i) ²[In case of Community Recreational Clubs, 50 FAR shall be admissible on the area beyond 2000 sqm. and below 5000 sqm. The Recreational Clubs located in LBZ Area, Civil Lines Bungalow Area, Recreational Use Zones and existing on Heritage Structures will be dealt on case to case basis and Technical Committee of DDA will approve the Development Controls norms based on the existing status.]
- ii) In case of Recreational Club, 50 FAR shall be admissible on the area beyond 5000 sqm. and upto 10,000 sqm.
- iii)ii) In the open area apart from outdoor games / sport facilities, swimming pool would be permissible upto a area of 300 sqm. free from ground coverage.
- iv)iii) In case of Banquet Hall,
 - a) Basements within the ground envelope shall be allowed for parking. Stilt floor for parking is permissible.
 - b) 30% of basement area for services / storage shall not be counted in FAR.

^{1–2} Modified vide S.O. 2895(E) dated 23-09-2013

¹Iv) In case of International Convention Centre, maximum 10% ground coverage shall be allowed for providing atrium. In case, the permissible additional ground coverage for atrium is utilized, 25% of the utilized ground coverage shall be counted towards FAR.1

13.9 OTHER COMMUNITY FACILITIES

The Planning Norms, Standards and Development Controls for other facilities such as old age homes, religious facilities, etc. are as given in Table 13.18.

Table 13.18: Planning Norms and Standards for Other Community Facilities

	Table for the farming from a data standards for strict something facilities					
SI. No.	Category	Population / Unit (approx.)	² [Max.] Plot Area			
1	 a) Old Age Home b) Care Centre for ³[Physically differently abled persons]- Mentally challenged c) Working women- men hostel d) Adult Education Centre 	5 lakh Each category for 10 lakh	⁴ [Maximum] 1000 sqm subject to availability of land			
	e) Orphanage/ Children's centre (One each) f) Night shelter [*]	⁵ [1 lakh	Minimum 1000 sqm, subject to availability of land.			
2	g) ⁶ [Service Apartment Religious Facilities	100000 5000 10 lakh	Minimum 2000 sqm.] ⁷ [Max.] 400 sqm ⁸ [Max.] 4.0 Ha.			
3	Anganwari a) Housing area / cluster	5000	⁹ [Max.] 200-300 sqm			

Upto 10% variation in plot size is permitted.

¹¹[Notes:

- i) The minimum size of the apartment will be 40 sgm built-up.
- ii) The plots should be located on road facing minimum width of 12m.
- iii) Basement, if constructed, and used only for parking, utilities and services shall not be counted towards FAR.

¹⁰[*The actual location and need of night shelter is to be decided by the Local Authorities/GNCTD based on practical demand/assessment. For geographical distribution of Night Shelters a minimum of at least one Night Shelter per administrative unit such as the Revenue Sub-Division or jurisdiction of Police Station may also be taken as criteria for planning purposes.

¹ Added vide S.O. 2890(E) dated 23-09-2013

² Deleted vide S.O. 2894(E) dated 23-09-2013

³ Modified vide S.O. 2895(E) dated 23-09-2013

⁴⁻⁵ Modified vide S.O. 2894(E) dated 23-09-2013

⁶ Added vide S.O. 2895(E) dated 23-09-2013

⁷⁻⁹ Modified vide S.O. 2894(E) dated 23-09-2013

¹⁰ Added vide S.O. 2894(E) dated 23-09-2013

¹¹ Added vide S.O. 2895(E) dated 23-09-2013

Table 13.19: Development Controls for Other Community Facilities

SI.			Max		
No.	Category	Ground Coverage	FAR	Height	Other Controls
2	¹ [Old Age Home / Care Centre for Physically differently abled persons] / Mentally challenged/ Working women /men hostel / Adult Education Centre / Orphanage / Children's Centre/ Night Shelter. Religious	30%	120	26m.	 Parking standard @ 1.8 ECS / 100 sqm of floor area. Other controls related to basements etc.
	a) At neighbourhood level	35%	70	15 m. including shikhara	are given in the Development Code chapter.
	b) At sub city level in urban extension*	25%	50	26 m.	
3	Anganwari a) At Housing area / cluster level	30%	60	15 m.	
² [4	Service Apartment	30%	225	NR* (subject to approval of AAI, Fire Department and	Parking @ 2 ECS per 100 sqm. of floor area.
				Other Statutory Bodies.)	Other controls related to basements etc. are given in the Development Code chapter.]

^{*} These facilities should be developed in a composite manner to accommodate a number of religious institutes / premises with common facilities.

Note: Sites for Dhobi ghats / laundry shall be provided in Residential use zone / PSP facility areas as per the norms of local body.

13.10 CREMATION GROUND, BURIAL GROUND & CEMETERY

At present there are 59 cremation grounds and 4 graveyards (qabristans) of the MCD and Delhi Waqf Board has 53 burial grounds.

- i) In the existing cremation grounds, provision of crematorium is to be made.
- ii) In proposed urban extension new burial grounds / crematorium / cremation grounds / cemetery etc. are to be planned with proper parking and landscape provisions. The plot area to be about 0.4 Ha. per 5.0 lakh population for a cremation ground and upto 1.0 Ha. per 10 lakh population for a cemetery and burial ground subject to availability of land.

13.11 PUBLIC & SEMI-PUBLIC FACILITIES / PREMISES

The following norms shall be applicable in case of PSP facilities / premises, for which specific development controls have not been specified.

1. Max. Ground Coverage 30%

¹ Modified vide S.O. 2895(E) dated 23-09-2013

² Added vide S.O. 2895(E) dated 23-09-2013

Max. Floor Area Ratio
 Max. Height
 Max. Height

Other controls:

Parking @ 2 ECS / 100 sqm. of floor area. Other controls as given in Development Code chapter. **Note:**

- i) ¹[In case of plots allotted to political parties by the government land housing agencies, up to 15% of maximum FAR may be utilized for residential hostel accommodation.]
- ii) ²[Amalgamation of the smaller PSP plots or sub division of the larger PSP plots for a single or its multiple use, is allowed with the permissible PSP facilities as per the provisions of MPD-2021.]

DEFINITIONS AND PERMISSIBLE USE PREMISES IN SUB USE ZONES

Table 13.20: Health Facilities

SI. No.	Use Premises	Definitions	Activities Permitted
1.	Hospital	A premise providing medical facilities of general or specialised nature for treatment of indoor and outdoor patients. It may be managed by public, private or charitable institution.	Hospital, Staff accommodation, patient attendant accommodation, Institutional Hostel, Medical College ³ [(only on plot size 2.5 ha. to 4.5 ha., approximately),] Parking, Retail Shop. (canteen, confectionery, grocery & general merchandise, books and stationery, chemist, barber, launderer, vegetable), Bank extension counter.
2.	Primary Health Centre/Family Welfare Centre/ Pediatric Centre/ Geriatric Centre/ Diagnostic Centre	A premise having facilities for treating indoor and outdoor patients having upto 10-15 beds. It may be managed by a public or charitable institution on non-commercial basis. It includes family welfare centre & maternity home.	Health Facility Watch & Ward Residence (Upto 20 sqm), Chemist Shop (Upto 20 sqm), Soft Drink & Snack Stall.
3.	Dispensary	A premise having facilities for medical advice and provision of medicine, managed by public or charitable institutions.	Dispensary, Watch & Ward Residence (Upto 20 sqm), Chemist Shop (Upto 20 sqm), Soft Drink & Snack Stall.
4.	Nursing Home/ Maternity Home / Polyclinic	A premise having medical facilities for indoor and outdoor patients having upto 50 beds. It may be managed by a doctor or a group of doctors. In case of polyclinic, it shall be managed by a	Nursing Home, Watch &Ward Residence (Upto 20 sqm), Chemist Shop (Upto 20 sqm), Soft Drink & Snack Stall.

¹ Added vide S.O. 2894(E) dated 23-09-2013

² Added vide S.O. 2895(E) dated 23-09-2013

³ Added vide S.O. 2893(E) dated 23-09-2013

		group of doctors	T
		group of doctors.	
5.	Clinic	A premise with facilities for treatment of outdoor patients by a doctor.	Clinic
6.	Clinical Laboratory	A premise with facilities for carrying out various tests for confirmation of symptoms of a disease.	Clinical Laboratory, Watch &Ward Residence (Upto 20 sqm), Chemist Shop (Upto 20sqm), Soft Drink & Snack Stall.
7.	Veterinary Hospital for pet animals and birds	A premise having medical facilities for indoor and outdoor treatment of pets animals and birds. It may be managed by a public or charitable institution or on community basis.	Hospital with Surgeon's lab, office, operation theater, examination room, X-ray rooms, wards, reception, store, kitchen, etc; staff accommodation, Watch & Ward Residence (Upto 20 sqm), Chemist Shop (Upto 20 sqm), Diagnostic Centre.
8.	Dispensary for pet animals and birds	Premises having facilities for medical advice and provision of medicines, managed by public/private or charitable institutions.	Surgeon's lab, office, Operation Theater, examination room, wards, reception, store, kitchen, etc
9.	Voluntary Health Service	A premise having medical facilities for treatment of outdoor patients and other like blood bank etc. by voluntary institutions. This service may also take the form of temporary camp with charitable motive.	Voluntary Health Service, Watch & Ward Residence (upto 20 sqm), Administrative Office, Dispensary, Canteen.
10.	Veterinary Institute	A premise having educational and playing facilities for students of undergraduate & post-graduate courses along with research facilities under a university.	College, Residential Flat (For maintenance staff), Institutional Hostel, Retail Shops of area 20 sqm each (confectionery, grocery and general merchandise, books & stationery, chemist, barber, launderer, vegetable), Canteen, Bank Extension Counter, Auditorium, Indoor Games Hall, Swimming Pool, Play Ground, Post Office Counter Facility, Facilities for Indoor & Outdoor Treatment for Pets, Animals & Birds.
¹ [11	Tertiary health care centre	A premise providing advanced health care facilities of specialised nature such as super specialty/ multi-specialty health care, types of rehabilitation	Hospital, Staff accommodation, patient attendant accommodation, Institutional Hostel, Health care management centre, Parking, Retail

¹ Added vide S.O. 2893(E) dated 23-09-2013

centre, etc. for treatment of patients. It may be managed by public, private or charitable institution.	
---	--

Table 13.21: Educational Facilities

		Table 13.21. Educational 1	
SI. No.	Use Premises	Definition	Activities Permitted
1.	Pre-Primary/ Nursery/ Montessary/ Creche & Day Care Centre	A premise having nursery facilities for infants during day time. The centre may be managed by an individual or an institution on commercial or non-commercial basis.	
2.	Primary School	A premise having educational and playing facilities for students upto V standard.	Nursery School, Primary School, Watch & Ward Residence (Upto 20 sqm). Books & Stationery Shop (Upto 20 sqm.), Soft Drink & Snack Stall.
3.	Middle School	A premise having educational and playing facilities for students upto VIII standard.	Nursery School, Middle School, Watch & Ward Residence (Upto 20 sqm), Books & Stationery Shop (Upto 20 sqm.), Soft Drink and Snack Stall.
4 ¹[(a)]]	Senior Secondary School	A premise having educational and playing facilities for students upto XII standard.	Nursery School, Sr. Secondary School, Watch & Ward Residence (Upto 20 sqm), Books and Stationery Shop, Uniform Shop (Upto 20 sqm each) Soft Drink & Snack Stall, Canteen, Bank Extension Counter, Auditorium, Indoor Games Hall, Swimming Pool, Post Office Counter Facility.
² [4 (b)	Secondary School	A premise having educational and playing facilities for students from VI to XII standard.	Secondary School, Watch & Ward Residence (Upto 20 sqm), Books and Stationery Shop, Uniform Shop (Upto 20 sqm each), Soft Drink & Snack Stall, Canteen, Bank Extension Counter, Auditorium, Indoor Games Hall, Swimming Pool, Post Office Counter Facility.]

^{1–2} Added vide S.O. 2895(E) dated 23-09-2013

	T	T	T
5.	School for Mentally/ ¹ [Physically challenged differently abled persons]	A premise having educational (formal and vocational) and playing facilities for mentally & ² [physically challenged differently abled persons]	School, Ward & Watch Residence (Upto 20 sqm), workshop, sale counter, hostel facility (15% of permissible built up area), Books & Stationery Shop (Upto 20 sqm), Canteen, Bank Extension Counter, Post Office Counter facility, Indoor Games Hall, Upto 20% of max. FAR can be utilized for residential use of essential staff and student accommodation, office, professional activity, rehabilitation centre.
6.	College (including Professional College)	A premise having educational and playing facilities for students of under-graduate & post-graduate courses under a university. It includes all professional disciplines.	College, Residential Flat (For maintenance staff), Hostel, Retail Shops of area 20 sqm each (confectionery, grocery and general merchandise, books & stationery, chemist, barber, launderer, vegetable), Canteen, Bank Extension Counter, Auditorium, Indoor Games Hall, Swimming Pool, Playground, Post Office Counter facility.
7.	Library	A premise having a large collection of books for reading and reference for general public or specific class.	Library, Watch & Ward Residence (upto 20 sqm.), canteen, exhibition and art gallery, auditorium.
8.	Technical Training centre / Institute, Nursing and Paramedic Institute	A premise with facilities for training in discipline of technical nature. It includes technical school and industrial training institute etc.	Technical Training Centre, Residential flat (for maintenance staff), Books and stationery and chemist shops (Upto 20 sqm each) Canteen, Bank Extension counter, Auditorium, Post Office Counter facility.
9.	Vocational Training Institute	A premise with training facilities for short term courses for discipline e.g. Commercial, Secretarial, Nursing training etc., preparatory to the employment in certain profession & trade. It shall be run by public or charitable institution on non-commercial basis. It includes training-cumwork centre.	Vocational Training Institute, Watch & Ward Residence (upto 20 sqm.), Hostel (only in case of Government Centres), Books & Stationery Shop (Upto 20 sqm.), Canteen, Library, Chemist Shop (Upto 20 sqm), Bank Extension Counter, Auditorium, Post Office Extension Counter Facility.
10.	Commercial and secretarial training centre	A premise having training facilities for stenography, correspondence, record keeping etc.	Commercial and secretarial training centre, Watch & Ward Residence (upto 20 sqm.), Canteen.

^{1–2} Modified vide S.O. 2895(E) dated 23-09-2013

11.	Hotel Management Institute	A premise with training facilities for hotel management discipline. It shall be run by public/ private body. It includes training-cumwork-centre.	Hotel Management Institute, Watch & Ward Residence (Upto 20 sqm), Books and stationery and chemist shops (Upto 20 sqm each) Canteen, Bank Extension counter, Auditorium, Post Office Counter facility.
12.	Social Welfare Centre	A premise having facilities for welfare and promotion of community development. It shall be run by a public and charitable institution.	Social Welfare Centre, Watch & Ward Residence (upto 20 sqm.) canteen, Exhibition cum sale counter.
13.	Research and Development Centre	A premise providing facilities for research and development for any specific field.	Research and Development Centre, Watch & Ward Residence (upto 20 sqm.) residential flat,(For maintenance staff) Hostel, Canteen, Bank Extension counter, Library, Post Office counter facility.
14.	University Campus and International Education Centre	A premise having an educational institution designed for instruction, examination, or both, of students in many branches of advanced learning, conferring degrees in various faculties, and often embodying colleges and similar institutions.	Educational Institution, Colleges, Residential Flat (for maintenance staff), Institutional Hostel, Retail Shops of area 20 sqm each (confectionery, grocery and general merchandise, books & stationery, chemist, barber, launderer, vegetable), Residential, Library, Bank Extn. Counter, Auditorium, Post Office Extn. Counter Facility, Canteen, Indoor Games Hall.

Table 13.22: Sports Facilities

SI. No.	Use Premises	Definition	Activities Permitted
1.	Divisional Sports Centre/ Golf Course	A premise for Outdoor and Indoor games with pavilion buildings, stadium structure for spectators and related facilities.	 a. Sports related Commercial component - 5% of total floor area. b. Multiuse Stadium (Seating capacity 15,000). c. Multipurpose Hall (Seating capacity 4,000) for Enhibition Trade Observed.
			4,000) for Exhibitions, Trade Shows, Banquets, Multiple sports & related events,
			d. Aquatic Centre (covered or otherwise with full size competition pool, a training / lap pool, diving pool which can also be used for Water Polo and Synchronized swimming as well as other aquatic recreational facilities like waterslides, wave pool, hydrotherapy pool, Akhara etc.
			e. Facilities for Outdoor Sports like Cricket, Football, Hockey Grounds

			etc including extreme sports & Golf Course/ Range. f. Sports academy for multiple sports events. g. Sports Medicine Centre. h. Residential accommodation/ Hostel, Watch & Ward Residence. i. Playground.
2.	District Sports Centre	A premise for Outdoor and Indoor games with pavilion buildings, stadium structure for spectators and related facilities.	 a. Indoor Stadium with ancillary halls for basket ball, badminton, tabletennis, volley ball, swimming pool. b. Facilities like open Cricket, Football and Hockey grounds, Skating Rinks, Jogging track, Cricket practice nets, children's' corner, etc. c. Provision for extreme sports like skate boarding, etc., can also be made. d. At least one of these can be designed for a sports academy/ sports training centre for multiple sports events with residential accommodation/ hostel. Retail shops, bank, post office & sports related commercial component - 5% of total FAR. e. Playgrounds.
3.	Community Sports Centre	A premise used for Outdoor Games. It may have landscaping, parking facility, public toilets etc.	These can have facilities like open Cricket, Football and Hockey grounds, Volleyball courts, Skating Rinks, Jogging track, Cricket practice nets, children's' corner, etc. Besides, amenities for small change rooms, offices, lavatories and store rooms should be provided. In these some provision for extreme sports like skate boarding, etc., can also be provided, Playgrounds, sports centre related component maximum 5% of FAR for sports, retail shops, cafeteria/ snack bar.

Table 13.23: Communication Facilities

S. No.	Use Premises	Definition	Activities Permitted		
	Post Office				
1.	Post office Counter (without delivery)	A premise with facilities of post office counter only (without post delivery)	Post office counter, watch and ward residence (upto 20 sq mt).		
2.	Post and Telegraph office (Booking & Delivery)	A premise with facility for postal and telegraphic communication.	Telegraph office, watch and ward residence (upto 20 sq mt).		
3.	General and Head Post Office with Administrative office with/without delivery office	A premise with facility for postal and telecommunication to and from a number of post offices attached to it.	Head post office, general post office, watch and ward residence (upto 20 sq.mt), canteen.		
	Telephone				
4.	Telephone Exchange/ RSU	A premise having central facilities for operation of telephone system for a designated area.	Telephone Exchange/RSU, Logistics, Watch & Ward Residence (upto 20 sqm.) canteen.		
5.	Radio & Television Station	A premise with facilities for recording, broadcast and transmission of news and other programmes through the respective medium. It may include some hostel accommodation for artists, transmission facilities like towers.	Radio and television station, watch and ward residence (upto 20 sqm) hostel, library and canteen.		
6.	Transmission Tower and wireless station	A premise used for installation of a tower for communication purposes.	Transmission tower, watch and ward residence (upto 20 sqm).		
7.	Satellite and Tele- Communication Centre	A premise with facilities for research & development of satellite & telecommunication technology.	Satellite and telecommunication centre, residential flat (for maintenance staff), watch and ward residence (upto 20 sqm) research laboratory, canteen.		
8.	Observatory & Weather Office	A premise with facilities for research and development of data relating to weather and forecasting thereof.	Observatory and weather office, residential flat (for maintenance staff), watch and ward residence (upto 20sqm).		

Table 13.24: Security Facilities

SI. No.	Use Premises	Definitions	Activities Permitted	
1.	Police post	A premise having facility for a local police post of a temporary nature or on smaller scale as compared to a police station.	Police Post, essential staff housing.	
2.	Police station	A premise having facilities for offices of local police post.	Police Station, essential staff housing, canteen, bank extension counter, ¹ [Night Shelter]	
3.	District Police Office and Battalion	A premise having facilities for the offices and paramilitary forces.	District Police Office and Civil Defence & Home Guard residential flat (For maintenance staff) Hostel Play Ground, canteen, bank extension counter.	
4.	Police Line	An area having facilities for work and residential accommodation of paramilitary forces.	Police line and related facilities.	
5.	Jail	A premise with facilities for detention, confinement and reform of criminals under the law	Jail and related facilities.	
6.	Police Training Institute/ College	A premise having facilities for training of paramilitary forces.	Training institute/college, residential flat (for maintenance staff), hostel, retail shops of area 20 sqm each, confectionery, grocery merchandise, books and stationary, chemist barber, laundry, vegetable, canteen, bank extension counter, auditorium, indoor, outdoor games, swimming pool, playground, post office counter facility.	
7.	Police Firing Range	A premise having facilities for firing practice of the paramilitary forces.	Police firing range (Temporary Structure only).	
8.	Traffic and Police Control Room	A premise of temporary structures having facilities for the managing of traffic, & law and order related issues.	ng	
9.	Civil defense and home guards etc.	A premise having facilities for offices and other functions of civil organization for internal defence.		
10.	Forensic science laboratory	A premise having facility for application of medical knowledge.	Forensic science laboratory and related facilities.	

¹ Added vide S.O. 2894(E) dated 23-09-2013

Table 13.25: Safety - Fire

S. No.	Use Premises	Definitions	Activities Permitted
1.	Fire post	Premises with lesser degree of facilities for fire fighting. The post may be attached to specific premises with fire prone activities.	Fire post with residential flat for staff.
2.	Fire station	A premise having facility for fire fighting for a catchment area assigned to it. It may include residence of essential staff.	Fire station, residential flat, service workshop.
3.	Fire station with essential residential accommodation	A premise having facility for fire fighting for a catchment area assigned to it. It includes residence of essential staff.	Fire station residential flat (for maintenance staff), hostel (for employees), service workshop.
4.	Fire Training Institute	A premise having facilities of training for emergency times in case of fire, building collapse etc.	Fire training centre, hostels, staff residences, open practice grounds, fire station, watch and ward residence (upto 20 sq m) etc.
5.	Disaster Management Centre	A premise having facility of disaster emergency backup, hospital facility, training centre for disaster preparedness, wireless communication etc.	Disaster management training centre, hospital ¹ [/ tertiary health care centre], open grounds for practice and relief camps, communication centre, hostels, staff residences, fire station, watch and ward residence (upto 20 sq m) etc.

Table 13.26: Distributive Services

S. No.	Use Premises	Definitions	Activities Permitted
1.	Milk Booth/Milk and Fruit & Vegetable Booth/Delhi Milk Supply Booth	A premise with basic facility for the supply of daily groceries to the local population.	Booth/ built structure for display and sale of dairy products/ fruits and vegetables etc.
2.	Dairy Farm	A premise with facility for rearing and processing of dairy products. It may have temporary structures for sheds of animals.	Dairy farm, watch & ward residence (upto 20 sqm.) All structures shall be temporary in nature.
3.	Poultry Farm	A premise with facility for rearing and processing of poultry products. It may have temporary structures for	Poultry farm, watch & ward residence (upto 20 sqm.) All structures shall be temporary in

¹ Added vide S.O. 2893(E) dated 23-09-2013

		sheds of birds.	nature.
4.	Piggery	A premise with facility for rearing and processing of piggery products. It may have temporary structures for sheds of pigs.	Piggery shed, watch & ward residence (upto 20 sqm.). All structures shall be temporary in nature.
5.	LPG godown including booking office	A premise for the booking, storing and supply of LPG to local population.	Booking office, store/ godown, watch & ward residence (upto 20 sqm.).
6.	SKO/LDO outlets	A premise with facility of retail storage of SKO/LDO for supply to local population.	Booking office, store/ godown, watch & ward residence (upto 20 sqm.).
7.	Gas godown	A premise having the facility of wholesale storage of LPG, godown, etc.	Gas godown, watch & ward residence (upto 20 sqm.) Care taker office.

Table 13.27: Socio-Cultural and Community Facilities

SI. No.	Use Premises	Definitions	Activities Permitted
1.	Multipurpose Community Hall, Barat ghar	A premise having an enclosed space for various social and cultural activities.	Community Hall, Watch & Ward Residence (upto 20 sqm.) Soft Drink and Snack Stall and library etc.
2.	Music Dance and Drama Training Centre	A premise having facilities for imparting training and coaching for music, dance and dramatics.	Music, dance and drama training centre, watch and ward residence (up to 20 sq m.), canteen, auditorium.
3.	Yoga Meditation, Spiritual and Religious Discourse Centre	A premise having facilities for self attainment, achieving higher quality of mind and body, spiritual and religious discourse etc.	Yoga centre, meditation, spiritual and religious discourse centre, watch and ward residence (up to 20 sq mt), hostel, soft drink and snack stall.
4.	Recreational Club	A premise having the facility for recreation with indoor sports, swimming pool, outdoor sports, socializing and gathering space for small functions with restaurant.	Recreational club, watch & ward residence (upto 20 sqm.) Residential flat (for maintenance staff), swimming pool, indoor and outdoor games facilities club.
5.	Banquet Hall	A premise to hold small public gatherings, community functions, marriages, etc.	Hall for public gatherings, marriages, cooking facilities and other logistics.
6.	Open air theater	A premise having facilities for audience seating and a stage for performance and open to sky.	Open Air theatre, Watch & Ward Residence (upto 20 sqm.) canteen.

7.	Auditorium	A premise having an enclosed space to seat audience and stage for various performances like concerts, play, recitals, functions etc. Auditorium, Watch & Verification Residence (upto 20 sqm.) cantee		
8.	Museum	A premise with facilities for storage and exhibition of objects illustrating antiques, natural history, art etc. Museum, Watch & Ward Re (upto 20 sqm.) canteen.		
9.	Exhibition-cum-Fair Ground	A premise having facilities for the exhibition and display and other cultural activities for a group of participants. Fair Ground, Residential Flamaintenance staff) Exhibition (Temporary in nature) Restance Soft Drink & snack Stall, Police Fire Post, bank Extension of facility, Post Office counter facility.		
10.	Museum, exhibition centre and art gallery, auditorium and open air theatre	Combination of Museum, exhibition centre and art gallery, auditorium and open air theatre.	Museum, Exhibition Centre and Art Gallery Auditorium and Open Air theatre, Watch & Ward Residence (upto 20 sqm.)	
11.	Cultural and Information Centre	A premise with facility for cultural and information services for an institution, state, and country. Cultural and Information Watch & Ward Residence sqm.) Hostel, Cante Extension Counter Auditorium (Up to 50 capacity) Library, Exhibit Gallery.		
12.	Social and Cultural Institute	A premise with facilities for activities of socio-cultural nature run by a public, voluntary or individual on primarily non commercial basis.	Social and Cultural Institute, Watch & Ward Residence (upto 20 sqm.) Soft Drink & Snack Stall, Restaurant, Canteen, Bank Extension Counter Facility Auditorium, Library, Music, Dance, and Drama Training Centre, Museum, Exhibition Centre and Art Gallery.	
13.	International Convention Centre	A premise having all facilities for international / national conferences, meetings, symposium, etc.	International Convention Centre, watch and ward residence (up to 20 sq mt), residential flat (for maintenance staff), restaurant, bank, post and telegraph office, library, exhibition centre.	
14.	Planetarium	A premise having the facility of watching and observing the sky and universe and information dissemination. Planetarium, watch & ward residupto 20 sqm.), cafeteria.		
15.	Rain Basera (Night Shelter)	A premise having the facility for providing the night accommodation to individuals without any charges or with token charges. It may run by	Night Shelter and related facilities.	

		local government or voluntary agencies.	
16.	Anganwari	Anganwari as a space provision at residential housing / neighbourhood level is a centre to provide service for children of 0 to 6 years age, pregnant women, feeding mothers, etc. under the Integrated Child Development Scheme (ICDS).	
17.	Dharamshala and its equivalent	A premise providing temporary accommodation for short duration on no profit basis.	Dharmshala, personnel service shops of barber and launderer, soft drinks and snack bar (upto 20 sq m).
18.	Adult Education Centre	A premise having the facility of formal education and training to adults with flexible timings.	Flexible use given to a primary school, community centre or any such community building.
19.	Reformatory	A premise with facilities for behavioural reforms.	Reformatory and Orphanage, Residential Flat (For maintenance staff), Hostel, Personnel Service shop (upto 20 sqm.).
20.	Orphanage	A premise having the facility of boarding of children who are bereaved of parents. It may or may not have educational facilities.	Hostels, residence (for management and maintenance staff), primary school, watch and ward residence (upto 20 sq m).
21.	Reformatory and Orphanage	A premise with facilities for confinement and behavioural reform, boarding of children who are bereaved of parents. It may or may not have educational facilities.	Reformatory and Orphanage, Residential Flat (For maintenance staff), Hostel, Personnel Service shop (upto 20 sqm.).
22.	Old Age Home/Care Centre for ¹ [Physically differently abled persons] / Mentally challenged / Working women/ Men Hostel	A premise having the facility of caring and training boarding & lodging of the elderly / ² [physically differently abled persons] / mentally challenged / working women / men.	residence (for management and
23.	Religious Premises / Building	A premise dedicated to the service of the objects of religious nature. It may have different nomenclature in different religions / faiths.	Temple, Mosque, Church, Gurdwara, Synagogue, Ashram, Bathing Ghat, Gaushala, Dargah, Charitable Dispensary, Library.

 $^{^{\}rm 1-2}$ Modified vide S.O. 2895(E) dated 23-09-2013

24.	Dhobi Ghat/ Machine Laundry - public utility premises	A premise used for cleaning and drying of clothes and linen.	Overhead tank, Underground Tank, Oxidation Pond, Septic Tank Sewerage Pumping station, Public Toilet & Urinal, Electric Sub-station, Dhallao and Dustbin, Dhobi Ghat, Machine Laundry.
1 [25	Short Term Accommodation (Hostel / Guest House / Boarding and Lodging House / Working women- men Hostel / Service Apartment)	A premise fully furnished, serviced and self-contained with meal preparation and used for short term or long term individual, family or corporate accommodation	i) Guest Suite ii) Conference Facilities, Office, Retail and Service Shops and Common Dining Facilities, and other facilities supporting the main activity (restricted up to 20% of permissible FAR).]

Table 13.28: Cremation / Burial Ground and Cemetery

SI. No.	Use Premises	Definitions	Activities Permitted	
1.	Burial ground	A premise with facilities for burying of dead bodies.	Burial Ground, Cremation Ground Cemetery and Crematorium,	
2.	Cremation ground	A premise with facilities of performing last rites of dead bodies by burning.	retail shops of Wood, flowers an related materials, Watch & War Residence (upto 20 sqm.).	
3.	Cemetery	A premise with facilities for burying of dead bodies.	Facility for registration of deaths, sheds for performing rituals,	
4.	Crematorium	A premise with facilities for last rites of the deceased.	drinking water, parking, etc.	

¹ Added vide S.O. 2895(E) dated 23-09-2013

14.0 PHYSICAL INFRASTRUCTURE

A key issue related to the sustainable development of Delhi, and a minimum quality and standard of living pertains to the availability of, and accessibility to basic infrastructure facilities viz. water, power, sewerage, drainage and solid waste management. The rapid and almost uncontrolled growth of population has put these facilities under severe pressure, and there are significant deficiencies. Even a cursory analysis of the present state of affairs, infrastructure problems could become a cause of crisis. Sewerage and solid waste management are GNCTD affairs but water supply, power and drainage are Inter-State issues. Thus critical need of advance action and arrangement is required for the adequate provision of physical infrastructure. For each component a broad augmentation plan is essential to meet the projected requirement. GNCTD should prepare a detailed and integrated plan in coordination with concerned authorities, NGOs and community groups.

The Master Plan envisages an integrated approach that packages mutually supportive infrastructure components i.e. water-sewerage-drainage for recycling, harvesting and optimal use of water; solid waste-sewerage-power for power generation, etc. Innovative techniques for the use of alternative technologies like solar energy, recycling, etc., are also to be encouraged. The Plan accepts the need for institutional capacity building, "User Pays" approach and public private partnership as tools for institutional strengthening. To improve the efficiency and to boost the performance, more community participation and decentralised management is required. Technical feasibility of rehabilitation/ augmentation network of sewerage, water supply and drainage is required on priority for old built up areas and the areas identified for redevelopment.

14.1 PROJECTED REQUIREMENTS FOR THE YEAR 2021

The existing availability and projected requirement for physical infrastructure components as indicated by the agencies concerned are given in the Annexure I to IV.

14.2 **WATER**

Delhi depends largely on river Yamuna and partially on river Ganga for its share of raw water. For sustainable development of Delhi, it is essential to ensure adequate supply of water in terms of reliability, quality and quantity. Although, Delhi has an average water availability of 225 lpcd, the distribution of the same is not uniform. Some areas get 24 hrs water supply, whereas some get hardly 1-2 hr water in a day. In line with the norms laid down in CPHEEO Manual 1999, in respect of mega cities, after taking into account 15% losses, the minimum water supply @ 172 lpcd will have to be ensured for domestic use for the projected population. The water requirement has to be made from river water allocation and ranney wells in Yamuna flood plains. The future supply crucially depends on the progress of the proposed dams in U.P. Uttranchal and H.P. Satlui Yamuna link canal and Sharda Yamuna link canal. Further it will also depend upon the conveyance system, which should be in place before the release of allocated water to Delhi. However to some extent localised ground water extraction and its supply after treatment to prescribed level of quality may also be required to meet up the demands. In addition, promotion of recycled wastewater based on techno economic feasibility is also to be done by the concerned agencies for water augmentation.

To improve the water supply in accordance with the projected requirement upto the year 2021 Inter-State river water allocation is required to be worked out. All measures are to be taken to reduce unaccounted flow of water (UFW) and production losses at existing water treatment plants. The drainage basins shall be made self-sustainable in water management by integrating water-sewerage-drainage systems. It is imperative to not only initiate new projects and upgrade present infrastructure, but also to promote water conservation through an integrated and a community driven model, comprising of complimentary short term and long term measures as given below:

- Towns/cities have so far been planned by their respective authorities for their individual needs. There has been total lack of regional approach for sustainable use of available water and its conveyance from areas of plenty to scarcity. The raw water augmentation should not be territory specific but it should be on regional basis irrespective of State boundaries.
- 2. Recycling of treated wastewater with separate lines for potable water and recycled water. For this, dual pipeline system has to be introduced in a phased manner in all the areas.
- 3. Ground water recharging through rain water harvesting, conserving water bodies and controlling groundwater extraction:
 - i. Groundwater extraction is to be controlled through registering boreholes and recharging according to test yields. Ground water management is to be enforced by concerned agency.
 - ii. Focused planning and action will be required to be taken to prepare and implement rain water as roof water harvesting schemes both with the aim of optimizing water use and ground water recharge. For this suitable mandatory provision should be made for planning and construction of various schemes.
 - Blue print is required to be prepared for Integrated Water Management of all iii. the water resources in the NCR as well as potential for water reservoirs in Himachal Pradesh and Uttaranchal. Further it is vital to identify all the potential surface water sources, ground water aquifers and inter-basin opportunities for transfer of water to the region. This should include water mapping, desilting of existing lakes/depressions for augmentation of storage of rain/flood water, capturing the monsoon run off, rain water harvesting, reuse and recycling of waste water and measures for conservation of water, inter-basin transfer of water. It should also ensure the conservation of natural depressions, water bodies, flood plains and aquifers. Major water bodies can be developed as places of tourist interest/picnic spots to make them sources of revenue as well as to ensure their protection. The concepts of 'zero run-off drainage', with retention ponds, sediments traps and balancing lakes should be adopted, with a segregated wastewater disposal system. A green network overlapping the blue network would protect the ecology of aquifers, and also provide a pleasant environment. Simple methods of site planning, which incorporate porous/semi permeable paving, drop inlet/down pipe, sediment trap, retention ponds, etc. will contribute in maintaining ground water table.
 - iv. Yamuna River, major drains and canals, with indiscriminate dumping of wastes, have become polluted and foul. These need strict pollution control measures and eco-sensitive land use controls. Water flow needs to be controlled and stabilized and marked at each kilometer station. The valleys should be zoned as water portals, so that these are flanked with greenery, farmlands and forests.
 - v. One of the prime objectives of development should be to live in harmony with the environment. Efforts should be made to improve the quality of river-water, to secure its continuous flow and to encourage the return of aquatic life. This

- needs improvement of drainage, waste water treatment and pollution abatement by sewerage improvement. The surplus water during the monsoons should be retained in balancing ponds along the riverbed rather than allowing it to the downstream areas.
- vi. The drains and waterfront can be landscaped in the form of interconnected parkways. There is no need for elaborate gardening of the greenways, but wild, simple and natural stretch by itself would be ecologically important. Such trails could be one of the cheapest forms of drainage and recreation.
- vii. Water supply in new areas should incorporate separate lines one for washing, water coolers and garden taps, the second for supplying potable water. All non-residential buildings having a discharge of over 10,000 litres a day should incorporate a wastewater recycling. The capacity of the sewage treatment plants / recycling plants would be equal to or more than the water inflow requirements so that it may be possible to treat major part of the discharge excepting toilets and kitchen discharge. Keeping in view the uses of recycled water, a policy shall be formulated for determining the optimum water requirements for various uses.
- viii. The wasteful practice of 'drill, pump, and spill' has to be replaced by efficient methods of water conservation, use, and recycling as standard and mandatory procedures. There is a need to incorporate the mandatory stipulation of water saving/waterless flushing system in the Building Bye-laws.
 - ix. At the time of preparation of zonal Development Plans, water bodies, large depressions and other ground water recharging areas will be identified and protected from unintentional filling and encroachments.
 - x. At the time of preparation of Zonal Development Plans, appropriate areas should be identified and earmarked for utilities pertaining to Power (Power Plants and Substations), Water (Sewage Treatment Plants and Sewage Pumping Stations) and Solid Waste management (Solid Waste Treatment Plants and Sanitary landfill sites). Appropriate land should accordingly be earmarked for solid waste management keeping in view a long-term perspective.
- 4. Where the hazard of pollution exists, the minimum charge for operating permits should cover the expenses of adequate policing and controls. Mandatory performance bonds and liability insurance should pay for all damages plus any corrective measures, which might be needed. As a governing rule, no new development, manufacturing, process or operation of any polluting activity should be permitted, which may result in the significant degradation of any water resource.
- 5. About half of the water that is treated and distributed at public expense is non-revenue water. This is due to unrecorded usage or illegal taps and water connections. Reducing water losses is cheaper than augmenting water capacity for such losses.

To provide additional supply of water, augmentation of existing water treatment plants is proposed as given in Table 14.2. The actual provision of water treatment plants should be monitored depending on availability of raw water and need of potable water.

Corresponding requirement of land shall be kept in view.

Capacity 2001 Capacity* 2021 S. No **Water Treatment Plants** (in mgd) (in mgd) Chandrawal I & II 90 100 1. Wazirabad 120 130 2. 3. Haiderpur I & II 200 216 4. Bhagirathi 100 110 5. Dwarka 40 6. Sonia Vihar 140 7. Nangloi 40 40 8. Bawana 20 9. Okhla 20 10. Ranney wells at Okhla 100 12 Palla and other ground water sources 11. 91 650 919

Table 14.1 Water Augmentation Plan

In addition, new water treatment plants may be identified for potable water requirement.

14.3 SEWERAGE

Sewerage is the core element of physical infrastructure that determines the environmental status of any city and requires minute planning, development and management. Development of appropriate sewerage system with efficient sewage treatment is vital to facilitate balanced and harmonized development. Augmentation of existing inadequate systems / treatment facilities as well as adoption of new technologies of waste treatment demands special efforts. Further, it is pertinent to point-out that the existing capacity of sewerage system in Delhi is grossly inadequate, as only about 55% of the population is covered under organised sewerage system and about 15% under on-site sanitation systems. Rest of the population does not have proper access to sanitation facilities. The sewage treatment facility is also inadequate. The increasing pollution in the river Yamuna is a major indicator of lack of sewage treatment facilities.

By the year 2021 entire Delhi should be served by regular sewerage system. It should be developed in a phased manner. The areas where immediate regular sewerage system is not available, low cost sanitation system by individual families could be adopted as a short-range provision. These should be planned in such a way that in the long term regular sewerage could be provided. To improve the sewerage and sanitation, the surface drainage and sewerage systems would have to be developed in an integrated manner.

Planning of the city must incorporate land at appropriate locations for sewage treatment plants (STPs), sewage pumping stations, recycling plants for waste water, sewage treatment plants, common effluent treatment plants (CETPs) with supportive distributive infrastructure i.e. conveyance system to be laid to carry treated wastewater from STPs to the areas for alternative uses. Decentralised STPs with smaller capacities are to be provided at the community / subcity level. Possibility of recovering energy/ gas as fuel from sewage shall be explored.

The liquid waste would be taken care of by augmenting the capacity of existing treatment plants as well as through new sewerage treatment plants. The sewerage system is designed to handle domestic liquid waste @ 80 % of the water supply, which has to cater to 1100 mgd (4950 mld) of waste water by the year 2021. The wastewater is also generated due to the use of ground water drawn from the boreholes installed by the public. The needed capacity has to be monitored with

^{*} Capacity 2021 is as proposed by DJB.

provision of water recycling infrastructure and mini/decentralised treatments. The treated sewage effluent should be recycled for non-potable uses like gardening, cooling towers, etc. The sewerage augmentation plan is given in Table 14.2.

Table 14.2: Sewerage Augmentation Plan

S.	Treatment Plant	Capacity 2001	Capacity* 2021
No.		(in mgd)	(in mgd)
1.	Okhla	140	170
2.	Keshav Pur	72	72
3.	Nilothi	40	70
4.	Coronation pillar	40	50
5.	Rithala	80	110
6.	Kondli	45	90
7.	Others		
	a) Sen Nursing Home Nalla STP	2.2	2.2
	b) Delhi Gate Nalla STP	2.2	17
	c) Yamuna Vihar	20	45
	d) Timarpur	6	6
	e) Mehrauli	5	5
8.	New plants in North Delhi		
	a) Narela / Alipur	10	50
	b) Rohini	15	55
9.	New plants in West Delhi		
	a) Dwarka / Pappankalan	20	40
	b) Najafgarh	5	5
10.	New plants in South Delhi		
	a) Vasant Kunj	5	5
	b) Ghitorni	5	5
	c) Badarpur		8
	Total	512.4	805.2

^{*} Total sewerage treatment capacity based on 80% of water supply of 2011. Capacity 2021 is as proposed by DJB.

In addition, new sewerage treatment plants may be identified as per requirement.

14.4 DRAINAGE

Drainage has two aspects: flood protection and storm water discharge, which are interrelated. The storm water and flood protection in Delhi are not local but have regional bearing including areas of Haryana and Rajasthan. The main drainage system of Delhi is such that all water collected through main drains, link drains and small rivulets is discharged into Yamuna. On the basis of topographical characteristics and existing drainage network, NCT of Delhi has been divided into five drainage basins namely Najafgarh, Alipur, Shahdara, Khushak nallah and Mehrauli. The blockage of natural channel is a matter of concern. It is mainly because of the encroachment by slum dwellers along the drains which causes choking of drains and flooding in the upstream areas due to reduced carrying capacity. The other major reason is dumping of solid waste in the drains causing blockage. The blockage of natural depressions and drainage channels must be prohibited.

To improve the drainage system of Delhi, effluent treatment plants should be provided at outfall of drains and aeration units at interceptions with advanced techniques for maintenance of drains. A time bound action program for augmentation and capacity revision of existing and new drains (due to increase in run off from urban extensions) is also vital. Check dams and depression/ lakes may be designed for increasing ground water table and as storm water holding points wherever

1435

needed. The design shall preserve the natural drainage pattern after the development of an area.

Drainage should be linked with the ecology and green networks, by adopting the concept of "bio-drainage".

Regular desilting of drains and control of dumping of solid waste / malba into the drains should be taken up. Public awareness program need to be taken up in association with NGOs and RWAs to make the people aware about the consequences of dumping malba in the drains.

Other measures essential for proper drainage are the following:

- 1) Drainage to be integral part of Road Development Plans / flyover / Grade Separators.
- 2) A proper database should be prepared and GIS based drainage mapping and planning should be promoted.
- 3) Sub-wells need to be developed under flyovers for trapping rainwater.
- 4) Pump houses in low-lying areas should be provided with back-up power.
- 5) Remodelling of selected drains may also be required considering the upstream flow in the region.

14.5 POWER

The present total availability of power is 3170 MW. The existing power generation stations within Delhi and their capacity are given:

Station **Installed Capacity Present Generation** (MW) (Max) (MW) Raighat Power Station 135 105 **IP Power Station** 247.5 160 **GT Power Station** 282 210 Pragati Power Station 330 330 Badarpur Thermal 705 630 Power Station

1699.5

Table 14.3: Existing Power generation Stations in Delhi

Source: GNCT-Delhi

Total

Based on the 17th Electricity Power Survey of India, Central Electricity Authority (CEA), requirement of power for Delhi in the year 2021, as tentatively estimated by the Delhi Transco Ltd. is 11000 MW. To meet the additional requirement of 7830 MW, the concerned agencies need to augment the power supply and improve the transmission and distribution system. The additional power requirement would be met from allocated share from the grid system and local generation for which required land component will be identified. Further, land for transmission network and grid stations will be identified in the Zonal Development Plans / Urban Extension Plans as per requirement. A 400 KV ring has been established around Delhi to draw power from northern regional grid.

A detailed Sectoral Plan for power development in NCT-Delhi may be prepared by the concerned agencies in consultation with DDA within one year after the approval of the MPD-2021.

Table 14.4: Proposed Power Plants In NCTD

1.	Pragati-II	330.0
2.	Pragati-III	1000.0
3.	Ι.Ρ.	700.0
	Total	2030

Outside NCTD

Location	Generation	For Delhi	Year of Commissioning
Jhajjar (Haryana)	1500 MW	750 MW	2010
DVC (West Bengal)	2600 MW	2600 MW	2007-11
THDC (Uttranchal)	1000MW	600 MW	2010
TOTAL	-	3950 MW	2011

The remaining power requirements are proposed to be met from the power projects proposed to be taken up during the 11th Plan period. The Government of NCT of Delhi should enter into power purchase agreements with power generating companies for effectively meeting Delhi's power demand within a perspective plan framework.

The erstwhile Delhi Vidyut Board (DVB) has been re-structured into separate companies for generation, transmission and distribution of power.

Following critical areas need to be attended for energy efficiency:

- i) The concept of energy efficiency should begin with the idea of Zero-fossil Energy Development (ZED) which envisages an urban form and design of passive building envelope that reduce the demand for power to the point where it becomes economically viable to use energy from renewable resources. This involves a holistic approach combining the issues and actions at various levels of planning, design, construction and maintenance leading to a sustainable and energy efficient regime. The city geometry, restructuring and zoning with selfcontained neighbourhoods could minimise the need to travel and substantial saving of recurring energy/ fuel consumption. Integrated mass transport system, traffic and transit operation and management, better telecommunications, promoting bicycles and NMV transport, is another major area of energy efficient habitat. The introduction of energy audit and design of energy efficient buildings by site planning, heights, form, construction and materials and reducing energy demand by passive micro-climatic design approach, intelligent energy controls, heat recovery, landscape, opening design, furnishings, etc., are the critical considerations. The key to future is a cybernetic form of sustainable energy, which integrates symbosis, recycling and energy chains.
- ii) Load management techniques and energy accounting should be adopted. Schemes to minimise power thefts/ losses by improved metering arrangements should be enforced.
- iii) Non-conventional energy sources like recovering energy from sewerage, solar energy, etc. should be used for street lighting, lighting at public spaces, open areas, traffic signals, hoardings, etc.
- iv) To supplement part of the estimated growing power requirement, nonconventional sources / solar energy and other actions proposed are as follows:
 - 1. Solar energy should be encouraged for all establishments with floor area of more than 300 sqm.

- 2. Solar Panels for public advertising, lighting in open areas, public utilities, streets, etc.
- 3. As alternate mandatory arrangement during power cuts to replace generators/inverters etc.
- 4. Adoption of Load Management Technique.
- 5. Tariff restructuring and improved metering arrangement to minimize power thefts/losses.
- 6. Interim solutions of single point connection in unauthorized colonies and jhuggies.
- 7. Private Sector Participation in different stages of Power generation, transmission and distribution.
- 8. Incentivising energy savings and use of energy efficient gadgets.
- 9. Public awareness, capacity building and training.
- v) As per Asian Development Bank's report (1997) potential in saving due to better overall efficiency in domestic sector is about 20% by adopting following measures:
 - a) Replacement of low efficiency incandescent lamp with high efficiency fluorescent tubes (CFLs) without compromising with the lumens output.
 - b) Similarly for refrigerators, which account for 30% of total electricity consumed, measures like increased thickness of foam insulation, use of high coefficient compressors increased evaporator surfaces, use of tighter door seals and through technical improvements can reduce consumption from 540 KWH/year to 300 KWH/year (for a 165 litre refrigerator).
 - c) Incandescent bulbs, neon tubes and fluorescent lamps are giving way to light-emitting microchips that work longer, use less power and allow the use of light in new ways. The chips, known as light emitting diodes, or LEDs have huge performance advantages in many mundane tasks (such as traffic lights). These consume 80 per cent less electricity than the bulbs and have longer life. Moreover, they have the safety advantage of gradually fading instead of burning out. This eventually results in huge savings in terms of energy and maintenance costs.

14.6 SOLID WASTE

The problem of solid waste management in Delhi is assuming serious proportions due to increasing population, urbanisation, changing lifestyles and consumption patterns. The garbage from unauthorised developments, slums, JJ settlements, etc is not collected which further adds to the environmental degradation. The projected average garbage generation upto the year 2021 is @ 0.68 kg per capita per day and total guantum of solid waste is 15750 tons/day as given in Table 14.5.

Table 14.5: Quantum of Municipal Solid Waste (Tons/Day)

Local body area	Existing capacity 2001	Projected generation for 2021	
MCD	5250	15100	
NDMC	245	550	
Cantonment	48	100	
Total	5543	15750	

Management of solid waste involves waste generation, segregation and storage; waste collection; waste transfer/ transportation; treatment, recycle, reuse, recovery; and disposal. For effective waste management, its segregation at the community and neighbourhood level is imperative. The waste shall be segregated and collected, in separate chambers at dalaos. For this, involvement of rag pickers with RWAs, CBOs and NGOs is to be encouraged.

The projected composition of municipal waste for the Plan period is estimated as given in Table 14.6. For biodegradable and recyclable waste, which is segregated at the source, decentralised treatment at neighbourhood level may be adopted, while for non-biodegradable, centralised treatment may be followed.

Table 14.6: Projected Composition of Total Municipal Solid Waste for 2021

Constituents	Quantum (in tones)	Percentage to total waste	
Bio-degradable	6000	38	
Non Bio-degradable	6000	38	
Recyclable	3750	24	
Total	15750	100	

Notes:

- (i) Above figures are based on Report on Solid Waste Management in Delhi conducted by NEERI, Nagpur through DDA;
- (ii) Figures of MCD are based on 'Feasibility study in Master Plan for Optimal Waste Treatment & Disposal for the entire State of Delhi' June, 2004 by COWI Consultants appointed by MCD.

The other type of specialised waste includes biomedical waste; hazardous waste from industries; construction debris and fly ash; meat processing centre etc. Disposal of bio-medical waste is to be as per bio-medical waste rules and hazardous waste requires special handling according to hazardous waste handling rules. Proper dumping, recycling and reuse of construction debris and fly ash have to be linked. Meat processing centre waste is to be recycled for chicken feed etc.

Considering the nature of solid waste and the economic aspects of its disposal, major part of solid waste especially non bio-degradable has to be disposed off in sanitary landfills. Recycling should be preferred than disposing off the waste in sanitary landfill sites' wherever possible. The segregation of solid waste should start at the point of generation of the waste. It should be collected in two separate bags of green and black colour. The involvement of RWAs and Rag pickers association will reduce the quantum of waste drastically. And it will also result in the reduction of area required for landfill sites.

Further, some more viable alternatives to landfills are vermiculture, fossilisation, composting etc. Waste Minimisation Circles (WMCs) should be constituted and made effective. Implementation and monitoring & Bio-Medical Wastes (Handling & Management) Rules, 1998, for hospitals, ¹ [tertiary health care centres,] nursing homes, and clinics should be taken up. The sites, which are filled up or are in operation, are given in Table 14.7. The filled up sites may be reused for plantation or as recreational area. The proposed sites for sanitary landfill and compost plants are to be finalised by the MCD.

_

¹ Added vide S.O. 2893(E) dated 23-09-2013

Table 14.7: Existing Landfill sites for Waste Management

S. No.	Location	Area (in ha.)	Remarks
1.	Kailash Nagar, East Delhi	1.8	Filled up
2.	Tilak Nagar, West Delhi	16.0	Filled up
3.	Subroto Park	-	Filled up
4.	Purana Qila/Bharion Road	2.7	Filled up
5.	Timarpur	16.0	Filled up
6.	Sarai Kale Khan	24.0	Filled up
7.	Gopal pur	4.0	Filled up
8.	Chhaterpur	1.7	Filled up
9.	S.G.T. Nagar	14.4	Filled up
10.	I.P. Deoit	1.8	Filled up
11.	Sunder Nagar	2.8	Filled up
12.	Tuglakabad Extension	2.4	Filled up
13.	Haider Pur	1.6	Filled up
14.	Mandawali Fazilpur	2.8	Filled up
15.	Rohini Phase III	4.8	Filled up
16.	Near Hastal Village in West Delhi	9.6	Filled up
17.	Site near Ghazipur Dairy Farm	28.0	In operation
18.	Site near Jhangipur / Bhalswa	16.0	In operation
19.	Okhla Phase I	12.8	In operation
20.	Crossing on G.T. Karnal Road	3.2	In operation
21.	Jaitpur / Tajpur	9.84	New
22.	Near Puthkhurd	55.0	New
23.	Bawana to Narela Road	28.0	New
24.	Sultanpur Dabas (Bawana)	16.0	New

Appropriate land should be earmarked for solid waste management keeping in view a long-term perspective.

The area required for solid waste disposal through various technologies including sanitary landfill sites shall be reserved in the Zonal Plans. This shall also include buffer zone of 'no development' around landfill sites. Keeping in view the fact that finding new sanitary landfill sites in Delhi is becoming extremely difficult, there is no option, but to resort to alternative and decentralised methods of waste treatment, reduction, recycle and use, which include vermiculture, fossilisation and composting. Pilot projects in this regard have been taken up by the MCD with the consultants.

15.0 MIXED USE REGULATIONS

The policy acknowledges the need for permitting use of land for purposes other than that for which it was originally envisaged and lays down the conditions under which this may be applied in different situations. The general procedure to be followed for implementation of the said policy, and mitigating measures to be taken to counter the effect of such non-intended use in such area also described.

15.1 GOVERNING PRINCIPLES FOR MIXED USE

- i) Mixed use means the provision for non-residential activity in residential premises.
- ii) The policy aims to balance the socio-economic need for such activity and the environmental impact of the said activity in residential areas.
- iii) Mixed use allows access to commercial activities in the proximity of the residences and reduces the need for commuting across zones in the city. However, at the same time, it needs to be regulated in order to manage and mitigate the associated adverse impact related to congestion, increased traffic and increased pressure on civic amenities.
- iv) The over-riding principles for permitting mixed use are the need to acknowledge and make adequate provision for meeting community needs, mitigating environmental impact and providing for safe and convenient circulation and parking.
- v) Mixed-use, (including small shops as per para 15.6.3.) shall not be permitted in the Lutyens' Bungalow Zone, Civil Lines bungalow zone, government housing, institutional / staff housing of public and private agencies and buildings / precincts listed by the Heritage Conservation Committee.

15.2 MIXED USE IN RESIDENTIAL AREAS

15.2.1 DIFFERENTIATED APPROACH

- i) The need for differentiated approach to mixed use policy arises from the fact that Delhi, being the country's capital and an important centre of economic activity has a large diversity in the typology of residential areas. Apart from the planned residential colonies built as part of Lutyens' Delhi as well as through the process of planned development undertaken by the Delhi Development Authority, there are authorized residential areas in the Walled City, Special areas and urban villages. Other planned areas include resettlement colonies and pre-Delhi Development Act colonies, including post-partition rehabilitation colonies and pre-1962 residential colonies as per list given in Annexure-I. There are also regularized-unauthorized colonies; unauthorized colonies as well as slums and jhuggi jhompri clusters in various parts of Delhi.
- ii) Moreover, the extent of non-residential activity seen as being necessary or desirable by the residents themselves varies from area to area based on the socio-economic status of the residents as well as the past pattern of development in that area. While certain colonies may need non-residential activity as an integral part of their livelihood, some others may wish to preserve the residential character of their colonies and neighbourhood.
- iii) Hence, it is proposed to follow a differentiated approach in the application of the mixed-use policy in Delhi. The differentiated approach would be based on categorization of colonies from A to G as adopted by MCD for unit area method of property tax assessment as applicable on 7.9.2006. Any change in the categorization of these colonies shall not be made applicable for the purpose of this chapter without prior approval of Central Government.

15.2.2 TYPES OF MIXED USE

Subject to the provisions of this chapter, the following three broad types of mixed use shall be permissible, in residential premises:

- i) Commercial activity in the form of retail shops as per conditions given in para 15.6 in plots abutting notified mixed use streets.
- ii) "Other activity" broadly in the nature of 'Public and Semi-Public' facilities listed in para 15.7.1 and as per conditions specified in para 15.7, in plots abutting roads of minimum ROW prescribed in para 15.3.2.
- iii) Professional activity as per conditions specified in para 15.8.

The above mentioned types of mixed use shall be subject to the general terms and conditions specified in the succeeding paragraphs.

15.3 IDENTIFICATION OF MIXED USE AREAS IN EXISTING URBAN AREAS AND URBANIZABLE AREAS

The identification of mixed use areas / streets in both the urbanized / urban as well as urbanizable areas of Delhi would be as follows:

- 15.3.1 In already urbanized / urban areas, mixed use shall be permissible in the following areas:
 - i) On all streets / stretches already notified by the competent authority.
 - ii) Residential areas and streets / stretches earlier declared as commercial areas / streets or where commercial use was allowed in MPD-1962 shall continue such use at least to the extent as permissible in MPD-1962.
 - iii) Commercial activity existing from prior to 1962 in residential areas, subject to documentary proof thereof.
 - iv) Identification and notification of mixed use streets in future shall be based on the criteria given in para 15.3.2 and as per procedure prescribed in para 15.3.3, and given wide publicity by the local bodies concerned.
 - v) Plotted development in pre-1962 colonies listed in Annexure I shall be treated as rehabilitation colonies in their respective categories (A to G) for the purpose of this Chapter.
- 15.3.2 The extent of mixed use permissible in various categories of colonies is further clarified as follows:

1. In colonies falling in categories A and B

No commercial activities will be permissible in the colonies of A & B categories except the following:

- Professional activity, subject to conditions given in para 15.8, mixed use and commercial activity up to one plot depth, in plots abutting Master Plan roads that are notified as mixed use streets, and commercial streets respectively, since such roads are not internal to the colonies (provided that the request of the RWA concerned shall not be necessary for notifying the Master Plan roads abutting the colonies, as mixed use streets on commercial streets).
- ¹["Other activity" restricted to guest houses, nursing homes and pre-primary schools, as defined in para 15.7.1, subject to conditions contained in para 15.7, in plots abutting roads of minimum 18m ROW in regular plotted development, since

.

¹ Substituted vide S.O. 2034(E) dated 12-08-2008

these activities are in the nature of 'Public and Semi-Public' facilities. New banks and fitness centres, wellness centres and NGOs will not be permissible. Banks which existed as on 7.9.2006, fitness centres ¹[existed as on 12.8.2008], wellness centres and NGOs which existed as on 7.2.2007, (as defined in para 15.7.1), in accordance with notifications issued in this regard from time to time, and are on plots abutting roads of minimum 18m ROW, on the date of notification, shall however, continue.]

Retail shops in terms of para 15.6 on such mixed use streets with a minimum 18m ROW, within the colony, in regular residential plotted development, as are notified in terms of para 15.3.3, if there is a specific request of the RWA concerned, in terms of para 15.10.

Note:

Commercial activity on mixed use streets, within A & B category colonies, earlier notified under MPD-2001 shall cease with immediate effect (other than in plots abutting Master Plan roads).

2. In colonies falling in categories C & D

- Mixed use in the form of Retail shops shall continue to be permissible as per conditions in para 15.6, in plots abutting notified mixed use streets.
- "Other activity" in terms of para 15.7 shall be permissible in plots abutting roads
 of minimum 18m ROW in regular plotted development, 13.5m ROW in
 rehabilitation colonies and 9m ROW in Walled City, regularized -unauthorized
 colonies, resettlement colonies, Special Areas, and urban villages, subject to
 conditions in para 15.7.
- Notification of mixed use streets in future, of minimum 18 m ROW in regular residential plotted development, 9 m ROW in rehabilitation colonies and any road in regularized- unauthorized colonies, resettlement colonies, Walled City, Special Area and urban villages in terms of para 15.3.3 shall be subject to consultation with RWAs concerned in terms of para 15.10.
- Mixed use shall be permissible in pedestrianized shopping streets as per para 15.3.3.
- Professional activities shall be permissible as per conditions laid down in para 15.8

3. In colonies falling in categories E, F and G

- Retail shops shall continue to be permissible as per conditions in para 15.6., in plots abutting notified mixed use streets.
- "Other activity" in terms of para 15.7 shall continue to be permissible in plots abutting roads of minimum 13.5m ROW in regular plotted development, 9m ROW in rehabilitation colonies and any road in Walled City, regularizedunauthorized colonies, resettlement colonies, Special areas, and urban villages subject to conditions in para 15.7.
- Professional activities shall be permissible subject to conditions in para 15.8.
- Notification of mixed use streets in future, of minimum 13.5m ROW in regular residential plotted development, 9m ROW in rehabilitation colonies and any road in regularized-unauthorized colonies, resettlement colonies, Walled City, Special Area and urban villages shall be in terms of para 15.3.3.
- Mixed use shall be permissible in pedestrianised shopping streets as per para 15.3.3.

¹Added vide S.O. 1215 (E) dated 13-05-2013

4. Group housing in all categories of colonies

• ¹[Only professional activity, small shops in terms of para 15.6.3 and tution centres for school children only shall be permissible. Retail shops specifically provided for in the lay out plan of group housing under para 15.4(ii) would be permissible.] ²[In case of Employer Housing (government housing, institutional/staff housing of public and private agencies), the use activities permitted in Table 4.3 for 'Residential Plot- Group Housing' will be allowed as part of the approval of the Layout Plan. Non-residential activity will not be permitted within residential plot/ flat.]

5. In respect of colonies falling in NDMC area

Excluding Lutyens' Bungalow Zone, government housing, institutional and staff housing of public and private agencies and buildings / precincts listed by the Heritage Conservation Committee, existing mixed use streets / stretches will be notified by NDMC. Future notification of mixed use streets / stretches will be done on a field level survey to assess the community needs, environmental impact and traffic circulation/adequate parking and in consultation with Residents Welfare Associations concerned.

15.3.3 NOTIFICATION OF MIXED USE STREETS IN URBAN AREAS

- i) ³[Where more than 50% of the plots in a stretch / street, are having shops / offices and other activities permitted in Local Shopping Centres on ground floor, such streets / stretches shall be eligible for notification as mixed use street.]
- ii) The minimum ROW for identification of a street or stretch of road as mixed use street would be follows*:

In A & B Colonies : 18m ROW in regular plotted development on the specific request of RWAs.

In C & D colonies : 18 m ROW

: 18 m ROW in regular residential plotted development, 9 m ROW in rehabilitation colonies and any road in regularized-unauthorized colonies, resettlement colonies, Walled City, Special area and urban villages; in consultation with RWA concerned.

In E, F & G Colonies

& G : 13.5m ROW in regular plotted development, 9m ROW in rehabilitation colonies and any road in Walled City, regularized-unauthorized colonies, resettlement colonies, Special Areas, and urban villages.

- * Provided that consistency shall be maintained by the local body in determining the ROW whether the street is bordered by service road, green verge, park or not.
- iii) Streets of less than 6 m ROW notified as mixed use streets or as commercial streets, in regularised-unauthorised colonies, resettlement colonies, Special Area, urban villages, will be declared as pedestrian shopping streets (PSS) and will not be open to motorized transport.

Note:

-

¹ Substituted vide S.O. 2034(E) dated 12-08-2008

² Added vide S.O. 678(E) dated 04-03-2014

³ Substituted vide S.O. 2034(E) dated 12-08-2008

- a) Request of the RWA concerned or consultation with RWAs concerned, shall not be necessary for notifying the Master Plan roads abutting the colonies as mixed use streets, since such roads are not internal to the colonies.
- Specific request of or consultation with RWA concerned shall be governed by Para 15.10.
- iv) For the notification of mixed use streets, in areas that have not been surveyed or have been surveyed but streets have not been notified pursuant to notification dated 7.9.2006, local bodies shall be required to carry out within a reasonable time of the notification coming into force, and with due expedition, and not later than 90 days, a survey of all streets of the above-mentioned width, if not already done, with a view to identifying stretches of such streets as mixed use streets.
 - ¹[Note-1: The local body shall carry out a survey in those streets / roads in urban villages and regularized-unauthorized colonies not surveyed pursuant to the provisions of MPD-2021 notified on 7.2.2007, within a period of three months of this Notification.]
- v) The field survey shall assess the extent of existing non-residential use on the streets, the stretch of the street to be notified, the additional requirement of civic amenities and the provision for traffic circulation and parking.
- vi) The notification shall be issued by the Urban Development Department, GNCTD immediately after the field survey is completed.

15.3.4 NOTIFICATION OF MIXED USE STREETS IN URBANISABLE AREAS IN FUTURE

In new urbanisable areas, mixed use shall be permissible in the following areas:

- i) In newly developed residential areas, mixed use as specified above shall be permitted only on residential plots abutting 18m. ROW roads.
- ii) The layout plan in newly developed urban extension shall earmark such stretches / plots and notify them under the mixed use policy at the time of grant of permission for layout plan in the case of private development and at the time of disposal by allotment or auction in the case of areas developed by DDA.
- iii) In the Abadi area of villages in urbanisable area, mixed use shall be permissible as per the provisions of urban villages and for this purpose, local bodies shall be required to carry out within a reasonable time of the notification coming into force, and with due expedition, and not later than 90 days, a survey of all streets of the above-mentioned width, if not already done, with a view to identifying stretches of such streets as mixed use streets.

15.4 GENERAL TERMS AND CONDITIONS GOVERNING MIXED USE

In terms of the conditions prescribed for different categories of colonies, in para 15.3.2, and provided that the plot abuts a notified mixed use street (in the case of retail shops) or a road of prescribed minimum ROW (in the case of other mixed use activities), mixed use shall be permitted, subject to the following general terms and conditions:

In residential plotted development

- i) Where there is only one dwelling unit in a residential plot, only one type of mixed use (i.e. retail shop as per para 15.6 or professional activity or one of the other activities listed in para 15.7) shall be permissible in that unit.
- ii) Where there are more than one dwelling units in a residential plot, each of the dwelling units will be permitted to have only type of mixed use activity (either retail

.

¹ Added vide S.O. 2034(E) dated 12-08-2008

shop as per para 15.6. or professional activity or any one of the other activities listed in para 15.7).

In group housing

Only professional activity and small shops in terms of para 15.6.3 shall be permissible. Retail shops specifically provided for in the lay out plan of group housing would be permissible. ¹[However, the entire ground floor of DDA flats on mixed use / commercial use area / stretches / roads is allowed for mixed use / commercial use ²{as notified vide S.O. 2034(E) dated 12.08.2008. Whereas w.e.f. 25.09.2013 only one retail shop of maximum size of 20 sqm is permitted and rest of the area may be used for professional activity.} No amalgamation of two or more DDA flats shall be allowed.]

Other terms and conditions

- i) No encroachment shall be permitted on the streets or public land.
- ii) Development control norms as applicable for the particular residential use will continue to be applicable, even if the plot / dwelling unit is put to mixed use.
- iii) If the notified street is a Master Plan road, and if a service road is available or provided for by local bodies, then, the mixed use premises should be approached from such service road and not directly from the main carriageway.
- iv) In plotted development, front setback should not have boundary wall, so that it can be used for additional parking.
- v) Parking @ 2.0 ECS per 100 sqm built up area shall be provided within the premises. Where this is not available, cost of development of parking, shall be payable by the plot allottee / owner to the local body concerned. This condition shall apply even if residential premises are used only for professional activity.
- vi) Common parking areas would be earmarked on notified mixed use streets taking into account the additional load on traffic and parking consequent upon notification of the street under Mixed Use Policy. If no parking space is available, land/ plot on the said street may be made available by Traders association, wherever possible, or acquired for construction of parking facilities, preferably, multi level parking. Development of such parking facilities shall be done by either the traders Association or by local bodies and may include public-private partnership as model for implementation.

15.5 PERMISSIBLE AND NON-PERMISSIBLE USES

Any trade or activity involving any kind of obnoxious, hazardous, inflammable, non-compatible and polluting substance or process shall not be permitted.

15.6 ³[RETAIL SHOPS and Offices]

- 15.6.1 ⁴[(i) Retail shops and Offices shall be permitted on plots abutting streets notified for mixed use only on the ground floor upto the maximum permissible ground floor coverage.
 - (ii) Mixed use from basement on such streets may be allowed, subject to relevant provisions of building bye-laws, structural safety and fire safety clearance.

¹ Added vide S.O. 2034(E) dated 12-08-2008

² Added vide S.O. 678(E) dated 04-03-2014

^{3–4} Modified vide S.O. 2034(E) dated 12-08-2008

However, if such use of basement leads to exceeding the permissible FAR on the plot, such FAR in excess shall be used, subject to payment of appropriate charges prescribed with the approval of Government. Paras 15.3.2.1, 15.3.2.2., 15.3.2.3, 15.3.3(i) and 15.4 and any other relevant provisions shall be read along with the above provisions.]

- 15.6.2 The following activities shall not be allowed under Mixed Use:
 - a) Retail shops of building materials [timber, timber products (excluding furniture), marble1, iron and steel, (gravel, cement and sand2], firewood, coal and any fire hazardous and other bulky materials.
 - b) Repair shops / workshops of automobiles, tyre resoling and re-treading, and battery charging3.
 - c) Storage, go-down and warehousing.
 - d) Junk shop (except paper and glass waste)
 - e) Liquor shop
 - f) Printing, dyeing and varnishing
 - g) Any other activity that may be notified from time to time by Government.

Notes:

Will not include:

- 1) Business of finished marble products where cutting and polishing activity of marble is not undertaken.
- 2) Retail shops of gravel, sand and cement shall be permissible in residential plots of at least 50 sq.m., in notified mixed use streets in E, F and G category colonies, provided that the material is kept entirely within the plot premises.
- 3) Repair shops and workshops in case of automobiles shall not be prohibited on plots abutting mixed-use streets or commercial streets of right of way (ROW) of 30m or more.
- 15.6.3 ¹[Small shops of maximum 20 sqm area each, restricted to maximum permissible number of DUs in the plot or four numbers, whichever is less, trading in or dealing with the following specified 24 items / activities are allowed on ground floor only in residental plot, excluding A & B category of colonies. However, small shops of maximum 20 sqm area each, restricted to maximum permissible number of dwelling units in the plot or four in number, whichever is less, trading in or dealing with specified items / activities existing as on 7.2.2007 may continue on ground floor only in a residential plot in A & B category of colonies but in future only one small shop of 20 sqm area shall be allowed on ground floor in a residential plot in A & B category of colonies.]
 - i) Vegetables / fruits / flowers
 - ii) Bakery items / Confectionary items;
 - iii) Kirana / General store;
 - iv) Dairy product;
 - v) Stationery / Books / Gifts / Book binding;
 - vi) Photostat / Fax / STD / PCO;
 - vii) Cyber café / Call phone booths;
 - viii) LPG booking office / Showroom without LPG cylinders;
 - ix) Atta Chakki;
 - x) Meat / Poultry and Fish shop;
 - xi) Pan shop;
 - xii) Barber shop / Hair dressing saloon / Beauty parlour;
 - xiii) Laundry / Dry cleaning / ironing;
 - xiv) Sweet shop / Tea stall without sitting arrangement;
 - xv) Chemist shop / Clinic / Dispensary / Pathology lab;

¹ Modified vide S.O. 2034(E) dated 12-08-2008

- xvi) Optical shop;
- xvii) Tailoring shop;
- xviii) Electrical / Electronic repair shop; and
- xix) Photo studio;
- xx) Cable TV / DTH Operation;
- xxi) Hosiery / Readymade Garments / Cloth shop;
- xxii) ATM
- xxiii) Cycle Repair Shop
- xxiv) Ration shop & Kerosene Shop under PDS.
- Any other item / activity that may be notified by the Central Government.

15.7 OTHER ACTIVITY

- 15.7.1 Subject to the general conditions given in para 15.4 and additional conditions given in para 15.7.3, the following public and semi-public activities shall also be permitted in the residential plots abutting roads of minimum ROW prescribed in 15.7.2, whether or not the road is notified as mixed use street:
 - a. Pre-primary school (including nursery / Montessori school, creche.)

b.

- i) Nursing home
- ii) Clinic, Dispensary, Pathology lab and Diagnostic center.
- iii) ¹[Wellness Centers including Day Spas / Weight Loss Centres / Ayurvedic Centres offering Ayurvedic treatment / Salons offering fitness & aesthetic medical services and operating as on 7.2.2007.]
- c. Guest house (including lodging houses) irrespective of number of rooms.
- d. Bank
- e. Fitness Centre (including gymnasium, yoga / meditation centre)²[as existed on 7.2.2007 12.8.2008.]
- f. Coaching centres / tuition centres other than those imparting structured courses leading directly to the award of a degree or diploma or conducting classes such as a regular school.
- g. ³[Non-profit making Non-Governmental Organizations (NGOs) existing as on 7.2.2007 and registered as such under Section 12A read with Section 12AA(1)(b) of the Income Tax Act, 1961.]
- h. ⁴[Vocational Training Centre (ITI / Polytechnic / Vocational Training Institute / Management Institute / Teacher Training Institute for the AICTE / NCTE approved courses (diploma level) as per AICTE / NCTE Norms.]
- 15.7.2 The minimum ROW of a street or stretch of road on which the above-mentioned other activities are permissible is as follows:

In A & B Colonies*: 18m ROW in regular plotted development;

Notes:

*Banks ⁵[...] shall however, not be permissible, except those already operating as on 07.09.06.

¹ Added vide S.O.2034 (E) dated 12-08-2008

² Added vide S.O.2034 (E) dated 12-08-2008, modified vide S.O. 1215 (E) dated 13-05-2013

³ Added vide S.O.2034 (E) dated 12-08-2008

⁴ Added vide S.O. 678(E) dated 04-03-2014

⁵ Deleted vide S.O.2034 (E) dated 12-08-2008

In C & D colonies: 18 m ROW in regular residential plotted development, 13.5

m ROW in rehabilitation colonies and 9 m ROW in regularized-unauthorized colonies, resettlement colonies, Walled City, special area and urban villages; and in pedestrian shopping streets (of

less than 6 m ROW).

In E, F &G Colonies: 13.5 m ROW in regular plotted development, 9 m ROW in

rehabilitation colonies and 6m ROW in Walled City, regularized-unauthorised colonies, resettlement colonies, Special areas, and urban villages and in pedestrian shopping streets (of less than 6m

ROW).

¹[Note: Coaching centres / tuition centres shall also be allowed to operate on a minimum ROW of 9m unless lesser ROW is specified, in all colonies planned and developed prior to 1962 including A and B category colonies.]

- 15.7.3 ²[The above mentioned public and semi-public activities shall be subject to the following overriding conditions on the general conditions prescribed in preceding paras:]
 - i) Subject to the specific conditions mentioned in succeeding paras, the minimum size** of the plot on which these activities shall be permissible, on streets of prescribed minimum ROW, shall be 200 sqm in regular plotted development, 75 sqm in rehabilitation colonies, regularized -unauthorized colonies, resettlement colonies, Walled City, Special Area & urban villages subject to the following specific conditions.
 - ³[Banks shall be permissible on maximum 2/3rd of FAR subject to 600 sqm while guest house, nursing homes, Wellness Centres including Day Spas / Weight Loss Centres / Ayurvedic Centres offering Ayurvedic treatment/salons offering fitness & aesthetic medical services will be permissible upto 3/4th of the floor area.]
 - Nursing Homes, dispensaries, clinics, ⁴[Wellness Centres including Day Spas/ Weight Loss Centers/ Ayurvedic Centres offering Ayurvedic treatment/ Salons offering fitness & aesthetic medical services,] ⁵[Multidisciplinary Clinics for persons with Learning Disabilities (facilities for care of the elderly and disabled shall be permissible under this category)] and pathology labs shall be permissible: on minimum plot size of 100 sqm in regular plotted development on 13.5 m ROW in C & D colonies and 9 m ROW in E, F & G colonies. ⁶[However, the minimum plot size size shall be 50 sqm for clinics, dispensaries and pathology labs shall be permissible: on minimum plot size of 100 sqm in regular plotted development on 13.5 m ROW in C & D colonies and 9 m ROW in E, F & G colonies.] However, the minimum plot size shall be 50 sqm for clinics, dispensaries and pathology labs running in these colonies and also in E, F and G category colonies. In Walled City, Walled city extension, villages and unauthorized-regularized colonies, conditions of plot size and minimum ROW shall not be applicable.]
 - iv) Nursing Homes, ⁷[Wellness Centres including Day Spas / Weight Loss Centres/ Ayurvedic Centres offering Ayurvedic treatment / Salons offering fitness & aesthetic

.

¹ Added vide S.O.2034 (E) dated 12-08-2008

² Modified vide S.O.2034 (E) dated 12-08-2008

³ Substituted vide S.O. 2034 (E) dated 12-08-2008

⁴ Inserted vide S.O. 2034 (E) dated 12-08-2008

⁵⁻⁶ Added vide S.O. 2866(E) dated 10-12-2012

⁷ Inserted vide S.O. 2034 (E) dated 12-08-2008

- medical services] operating in plots abutting Master Plan roads and Zonal Plan roads shall be permissible up to 100% of built up area and the limit on the size of the plot would not apply.
- v) Guest Houses operating in plots abutting streets of prescribed minimum ROW in Special Area and in plots abutting Master plan roads and zonal plan roads shall be permissible up to 100% of built up area and the limits on the size of the plot shall not apply. Provided that except in LBZ and Civil Line Bungalow Zone, Guest houses that were operating validly under provisions of MPD, prior to 7.9.2006 would continue to the extent as was permissible at that time.
- vi) ¹[Pre-primary school (other than those on plots abutting commercial streets) shall be restricted only to the ground floor upto the permissible ground coverage. Fitness Centre (including Gymnasium, Yoga / Meditation Centre), (other than those on plots abutting commercial streets) is permitted on all floors. It is also permitted in the basement subject to relevant provisions of Building Bye Laws, structural safety norms and fire safety clearance. In case the use of basement leads to exceeding the permissible FAR on the plot, such FAR in excess shall be used subject to payment of appropriate charges prescribed with the approval of Government.]
- vii) ²[Coaching centres and tuition centres referred to in para 15.7.1 (f) including computer coaching and language coaching centres shall be permissible upto 2/3rd of the maximum permissible FAR of the plot size subject to a maximum of 500 sqm built area and basement. There shall be no restriction on the size of the plot. Use of basement shall be subject to clearance from the fire authorities and other statutory bodies as per the relevant provisions of MPD 2021 and Unified Building Bye-Laws, 1983, amended from time to time. In case the use of basement for coaching centres and tuition centres including computer coaching and language coaching activity leads to exceeding the permissible FAR on the plot, such FAR in excess shall be used subject to payment of appropriate charges prescribed with the approval of Government. Other existing coaching/tuition centres may be allowed to continue till end of May, 2008 and shift to conforming locations by then. The tuition centres for school children only, shall also be permissible in the ground floor dwelling of any group housing on a maximum floor area of 100 sqm or 50% of the floor area of the flat, whichever is less.]
- viii) The above mentioned activities shall also be subject to any other specific terms and conditions, as may be prescribed in the relevant statutes / acts applicable to them.
- ix) It shall be the responsibility of the plot allottee / owner to make arrangements for parking so that the parking does not encroach / spill over on public land.
 x) INGOs as referred to in Clause (g) of Sub-para 15.7.1, if not registered as yet,
- x) ³[NGOs as referred to in Clause (g) of Sub-para 15.7.1, if not registered as yet, should get themselves registered within one year from the date of Notification. Activities of NGOs will be allowed to continue only from that part of the premises which was in use as on 7.2.2007 without permitting any further increase subejct to the condition that it is less than 3/4th of the floor area.]
- xi) ⁴[The activity given in Para 15.7.1 (h) shall be permitted on individual residential plots of size 1000 sq.m. and above.]

Note:

**Variation of ± 5% in plot size may be disregarded.

¹ Substituted vide S.O. 2034 (E) dated 12-08-2008

² Modified vide S.O.2034 (E) dated 12-08-2008

³ Added vide S.O.2034 (E) dated 12-08-2008

⁴ Added vide S.O. 678(E) dated 04-03-2014

15.7.4 BANQUET HALL

Banquet Hall shall also be permissible in industrial and commercial areas including notified commercial streets under Mixed Use Regulations. Development control norms in respect of ground coverage, FAR, height and basement shall be applicable as per master plan norms for the specific land use for that premises till specific regulations are notified for this purpose.

15.8 PROFESSIONAL ACTIVITY

Subject to the general terms and conditions specified in para 15.4, professional activity is permissible in plotted development and group housing under the following specific conditions:

- (i) Professional activities shall mean those activities involving services based on professional skills namely Doctor, Lawyer, Architect, and Chartered Accountant, Company secretary, Cost and Works Accountant, Engineer, Town Planner, Media professionals and Documentary Film maker ¹[and Management Professionals.*]
- (ii) In group housing, and plotted development with multiple dwelling units, professional activity shall be permitted on any floor subject to maximum of 50% of the permissible or sanctioned FAR, whichever is less, of each dwelling unit.
- (iii) In the case of plotted development with single dwelling unit, professional activity shall be permissible on any one floor only, but restricted to less than 50% of the permissible or sanctioned FAR whichever is less on that plot.
- (iv) ²[Professional activity in basements is permissible in plotted development, subject to relevant provisions of Building Bye-Laws, structural safety norms and fire safety clearance. In case, the use of basement for professional activity leads to exceeding the permissible FAR on the plot, such FAR in excess shall be used subject to payment of appropriate charges prescribed with the approval of Government.]

³[Note:

* Management professional shall be the one holding MBA degree / diploma from AICTE / UGC / Centrally recognized institutions or institutes of national importance and having membership of Delhi Management Association.]

15.9 REGISTRATION OF MIXED USE PREMISES AND PAYMENT OF CHARGES

- (i) In respect of a residential premises already under mixed use or intended to be put to mixed use, the owner / allottee / resident of the plot / dwelling unit, in case of plotted development and dwelling unit in the case of group housing, shall be required to declare such mixed-use by filling up a form in this respect and depositing it with the local body concerned any pay one-time registration charges at rates to be notified with the approval of the Central Government.
- (ii) The premises under mixed use shall also be liable for payment of mixed- use charges every Year to the local body concerned at the rates notified with the approval of Central Government, for the period during which the property is put to mixed use. Such payment will be made by the property owner / allottee voluntarily before 30th June of every year in respect of the previous assessment year (April March).

¹[For mixed use for the year 2006-07 and 2007-08, the property owner / allottee shall be allowed to pay one time registration charges and annual conversion

.

¹ Added vide S.O.1135 (E) dated 14-05-2008

² Added vide S.O.2034 (E) dated 12-08-2008

³ Added vide S.O.1135 (E) dated 14-05-2008

- charges without payment of any penalty under Clause 15.9 (v) for mixed use on or before 30.6.2009.
- (iii) No modification to the building for using residential premises for non-residential activities, under the mixed use policy, shall be permitted unless the allottee / owner has obtained sanction of revised building plans and has paid necessary fees or charges.
- (iv) The local body concerned shall be responsible for the conduct of test check of properties under mixed use, whether registered with it or not.
- (v) In addition to other penal action available under the relevant act, properties found to be under mixed use, without registration or in violation of the terms of this notification shall be liable to pay, to the local body, a penalty amounting to 10 times the annual conversion charges for mixed use.
- (vi) ²[In respect of residential premises already under mixed use on 7.2.2007 in Special area, the owner / allottee / occupier of the plotted development shall be required to declare such mixed use by filling up a form in this respect and depositing it with local body concerned and pay one time registration charges and conversion charges without penalty on or before 30.6.2009 at the rate to be notified with the approval of the Government from time to time.]

¹ Added vide S.O.2034 (E) dated 12-08-2008

² Added vide S.O.2034 (E) dated 12-08-2008

15.10 CONSULTATION WITH RWAS

- (i) The Residents Welfare Association (RWA) shall be a body registered before 21.07.06, or registered for at least three years under any statute, such as Societies Registration Act.
- (ii) Consultation with the RWA concerned for the purposes of declaring mixed use streets shall be done by the local bodies concerned.
- (iii) Genuine efforts for meaningful consultation with RWAs shall be made by the local bodies. Such efforts may include wide publicity to the proposed consultations, maintenance of record of consultation and providing access to those records to RWA concerned and public.
- (iv) Consultation with the RWA concerned shall be limited to identification of mixed use streets, and not for grant of permission in individual cases. However, RWAs shall have a right to be heard in cases of complains of public nuisance and non-permissible uses.

15.11 CONDITIONS FOR DENIAL / WITHDRAWAL / RESTRICTIONS OF MIXED USE

- 15.11.1 Permission or registration for mixed use can be cancelled or suspended by the concerned local body in case of violation of any of the conditions under which such mixed use is permissible / permitted.
- 15.11.2 The following non-residential activities, not covered under the mixed use policy, shall be permissible in residential areas under the following conditions:
 - (i) All such non-conforming schools operating on private lands and existing on or before 01.07.06 shall be required to conform to the prevailing norms within three years. Such schools shall apply to the concerned local body to consider for regularisation by modification in the layout plan, failing which these shall be closed down / shift to conforming premises.
 - (ii) In addition, coaching centers and tuition centers referred to in para 15.7.1, running in residential premises, shall be allowed to continue till the end of May, 2008.

15.12 COMMERCIAL STREETS AND AREAS

- 15.12.1 The following streets / stretches of streets or areas may be notified as commercial streets or commercial areas by the local authority*:
 - a) Where more than 70% of the plots abutting roads of ROW of 24m or more, in a stretch of at least 300m, in regular plotted development are under commercial use, provided that no street in colonies in A and B categories shall be notified as commercial street.
 - b) Where more than 70% of the properties abutting roads of less width than 24m ROW, in a stretch of at least 100m, in rehabilitation colonies, regularized-unauthorized colonies, resettlement colonies, Walled City, Special Area and urban villages and local commercial streets / areas declared under MPD-1962 as per para 15.3.1; and
 - c) ¹[In E, F and G category colonies, where, 80% of residential plots are under mixed use, or if there are 150 shops, within a contiguous area of 1 hectare, the Local Body shall carry out a survey in such areas within a period of three months from the date of this Notification.]
 - d) Any street less than 6m ROW if declared as commercial streets shall be a pedestrian shopping street and not open to motorized transport.
 *Provided that consistency shall be maintained by the local body in determining the ROW whether the street is bordered by service road, green verge, park or not.

.

¹ Modified vide S.O.2034 (E) dated 12-08-2008

- 15.12.2 For the notification of commercial streets / areas, in areas that have not been surveyed or have been surveyed but streets have not been notified pursuant to notification dated 7.9.2006, local bodies shall be required to carry out within a reasonable time of the notification coming into force, and with due expedition, and not later than 90 days, a survey of all streets of the above-mentioned width / areas, if not already done, with a view to identifying stretches of such streets / areas as commercial streets / areas.
 - ¹[Note 1: The local body shall carry out a survey in those areas / streets / roads in urban villages and regularized-unauthorized colonies not surveyed pursuant to the provisions of MPD-2021 notified on 7.2.2007, within a period of three months of this notification.]
- 15.12.3 After identification is done, notification of commercial stretches / streets by the Urban Development Department, GNCTD would necessitate compliance to the following terms and conditions:
 - (i) Preparation of revised layout plan / Scheme for such areas / streets with the approval of the local body / Authority;
 - (ii) The lay-out plan / Scheme for such areas / streets should indicate adequate provision for circulation, parking, open spaces and other planning norms;
 - (iii) Common parking areas would be earmarked taking into account the additional load on traffic and parking consequent upon notification of the street as commercial area / street. If no parking space is available, land / plot on the said street / area may be made available by traders association, wherever possible, or acquired for construction of parking facilities, preferably, multi level parking. Development of such parking facilities may be done by either the traders association or by local bodies and may include public-private partnership as a model for implementation.
 - (iv) ²[On notification of a commercial street / area under this clause, such streets / areas shall be considered as local shopping centres as mentioned in Chapter 5 of this Plan. The plot owners / allottees on these commercial streets / areas shall have to pay conversion charges as prescribed by the Government from time to time, in respect of the built up area which shall not exceed the residential development control norms applicable to the plot. This is a one-time facility for plot allottees / owners in such commercial areas / streets and shall not be construed as relaxation of the development control norms in future.]
 - (v) Any other condition that may be prescribed by Government from time to time.
 - (vi) One time facility for all activities permitted in Local Shopping Centres shall be permissible in commercial streets and areas including multi-level parking. In addition, banquet halls shall also be permissible for which regulations may be prepared.
 - (vii)³[Commercial activity in basement on such streets shall be permitted, subject to relevant provisions of building bye laws, structural safety and fire safety clearance. However, if such use of basement leads to exceeding the permissible FAR on the plot, such FAR in excess shall be used subject to payment of appropriate charges prescribed with the approval of Government.]

¹ Added vide S.O.2034 (E) dated 12-08-2008

² Modified vide S.O.2034 (E) dated 12-08-2008

³ Modified vide S.O.2034 (E) dated 12-08-2008

ANNEXURE- 15.0 (I)

LIST OF PRE-1962 BUILT UP RESIDENTIAL AND REHABILITATION COLONIES

- 1. Aliganj
- 2. Andha Mughal
- 3. Balbir Nagar
- 4. Bharat Nagar
- 5. B. K. Dutt Colony
- 6. Dishad Garden
- 7. Gandhi Nagar
- 8. Geeta Colony
- 9. Gulabi Bagh
- 10. Inderpuri
- 11. Jangpura A
- 12. Jangpura B
- 13. Jangpura Extn.
- 14. Jawahar Nagar
- 15. Kalkaji
- 16. Kamla Nagar
- 17. Karol Bagh
- 18. Kingsway Camp
- 19. Kirti Nagar
- 20. Kishan Ganj
- 21. Kishan Nagar
- 22. Lajpat Nagar I to IV
- 23. Malka Ganj
- 24. Malviya Nagar
- 25. Mansarovar Garden
- 26. Model Basti
- 27. Model Town
- 28. Moti Nagar
- 29. Multan Nagar
- 30. Nanakpura
- 31. Nicholson Marg
- 32. New Rajinder Nagar
- 33. Old Rajinder Nagar
- 34. Outram Lines
- 35. Patel Nagar (E)
- 36. Patel Nagar (W)
- 37. Patel Nagar (S)
- 38. Pratap Nagar
- 39. Prem Nagar
- 40. Punjabi Bagh
- 41. Rajouri Garden

- 42. Rana Pratap Bagh
- 43. Ramesh Nagar
- 44. Ram Nagar
- 45. Rohtas nagar
- 46. Roop Nagar
- 47. Sarai Rohilla
- 48. Shahdara
- 49. Shakti Nagar
- 50. Sheikh Sarai
- 51. Shivaji Park
- 52. Subhash Nagar
- 53. Tilak Nagar
- 54. Timar Pur
- 55. Tihar I & II
- 56. Vinoba Puri
- 57. Vijay Nagar

16.0 LAND USE PLAN

The Land Use Plan-2021 has been prepared based on

- i) The policies enunciated for different urban activities,
- ii) Requirement of additional social and physical infrastructure,
- iii) Transportation and work centres,
- iv) Already approved Zonal Development Plans and land use modifications.

In order to control the development, the areas have been designated as one of the 27 use zones identified in the Development Code. These use zones have been classified broadly in nine categories of land uses namely Residential, Commercial, Industrial, Recreational, Transportation, Utility, Government, Public & Semi - Public Facilities and Agriculture & Water Body. The development in these use zones would be carried out in accordance with the regulations as laid down in the Development Code and respective chapters.

16.1 ZONAL DEVELOPMENT PLANS

The NCTD has been divided in 15 Zones (Divisions) designated 'A' to 'P' (except Zone 'I') in the Master Plan 2021. The Zonal Plans of eleven zones for the perspective year 2001 have been approved and notified whereas the Zonal Plans for the zones 'N (North West Delhi-III)', 'K' (part) between Dwarka & Rohini, 'J' (South Delhi- II), L (West Delhi-III), O (River Yamuna), P- II (North Delhi) are at various stages of preparation and process. The boundaries of the zones 'O', 'P' and 'N' as given in the MPD-2001 have been modified and accordingly the areas have been computed approximately as given in the Table 16.1

Table 16.1: Zone wise Area

Zone	Name of Zone	Area (Ha.)
Α	Old City	1159
В	City Extn. (Karol Bagh)	2304
С	Civil Line	3959
D	New Delhi	6855
E	Trans Yamuna	8797
F	South Delhi-I	11958
G	West Delhi-I	11865
Н	North West Delhi-I	5677
J	South Delhi-II	15178
K	K-I West Delhi-II	5782
	K-II Dwarka	6408
L	West Delhi-III	22840
M	North West Delhi-II	5073
N	North West Delhi-III	13975
*O	River Yamuna / River Front	8070
Р	P-I Narela	9866
	P-II North Delhi	8534

^{*} The above areas are approximate and the re-delineation and rezoning of the zones can be done with the approval of the Authority.

Mapping of the NCT of Delhi would be done using remote sensing and GIS tools and will also be updated from time to time to have valuable data as regards ground

16.0 Land Use Plan 16—1

situation and also to have inputs to detect and prevent unauthorised development and encroachment on public land and to facilitate the protection of greens. The Zonal plans shall detail out the policies of the Master Plan 2021 and act as link between the Layout Plan and Master Plan. The development schemes and layout plans indicating various use premises shall conform to the Master Plan / Zonal Plans. The Zonal Plans of the areas shall be prepared under Section 8 and processed under Section 10 and simultaneously the modifications of land uses shall be processed under Section 11(A) of the Delhi Development Act, 1957. Already approved Sub Zonal (earlier Zonal) Plans in conformity with the Master Plan shall continue for the areas where the Zonal Plans have not been approved. The Zonal Plans in the form of structure plans shall be prepared within 12 months of the approval of the MPD-2021.

In absence of Zonal Plan of any area, the development shall be in accordance with the provisions of the Master Plan. No urban activity shall be permitted in the proposed Urban Extension without change of land use / modification to the Master Plan as per the Delhi Development Act, 1957.

16.2 SPECIAL AREA REGULATIONS

The Walled City and its Extensions, Karol Bagh and the contiguous area in between has been designated as Special Area for the purpose of development since this area cannot be developed on the basis of normal regulations given in the development code. The Redevelopment Scheme for this Special Area should be prepared and notified by the MCD within three years. Special Area Building regulations shall be prepared by the Authority in consultation with the local body within a period of three years and notified with the approval of the Central Government.

The Authority may declare other historical / pre-1962 developed areas as Special Area. The development within these areas shall be governed as per the following norms and regulations (also refer 3.3.2 'Guidelines for Redevelopment Schemes' and 4.2.2. 'Restructuring and Upgradation of the existing areas):

Permission of use / use activities in use premises.

- 1. The noxious industries and hazardous trades shall be shifted from the Special Area within a maximum period of five years, and shall be replaced by other compatible uses.
- 2. The Public and Semi-public uses and services like Hospitals, ¹[Tertiary Health Care Centre,] Dispensaries, Colleges, Schools, Police Stations, Fire Stations, Post Offices, Local Government Offices, Parking etc. shall be retained in their present locations and additional sites could be indicated in the Redevelopment Schemes / Zonal Plans. Any change or additions thereof shall be in accordance with the overall policy frame prescribed in the plan.
- 3. ²[Special Area Building Regulations shall be framed for special area, unauthorized regularized colonies and village abadis. Owners in special area, unauthorised regularized colonies and village abadi shall register themselves with the Local Body within the next six months. They will also submit a certificate of structural safety by qualified engineers. Owners / occupiers of properties beyond 15 m height, may bring the structure within prespcribed height by 30th June, 2009. Till such time, no

16-2

16.0 Land Use Plan

_

Added vide S.O. 2893(E) dated 23-09-2013

Modified vide S.O. 2034(E) dated 12-08-2008

punitive action would be taken against these structures beyond 15 m height. Subsequent to this date, subject to height restriction of 15 m, all buildings covered by such registration shall be exempted from punitive action till Special Area Building Regulations for these areas are notified or maximum three years, whichever is earlier.

- 4. Regulations for special specific areas shall be as under:
 - i) Lajpat Rai Market: The single storeyed market on either side of Chandni chowk shall be retained.
 - ii) The isolated use premises like School adjoining Jama Masjid, Presentation Convent School and the Church at Kashmere Gate, Municipal Offices at Old Hindu College Building Complex shall be retained with existing building volume. Any additions or alterations shall be within the overall policy frame of conservation.
 - iii) Karol Bagh: Landuse and Development Code as per approved Zonal Development Plan and Local Area Plans.
 - iv) The redevelopment schemes for different use zones generally shall adopt regulations prescribed in the Development Code. However, the Authority may adopt suitable regulations in case where either it is not feasible or not advisable to adopt the general regulations prescribed.
- 5. Re-development Plan and Schemes for the Special Area should be prepared by the local body within three years of approval of the MPD 2021. In this Plan, the Metropolitan City Centres as referred in 5.3, Chapter 5.0 Trade and Commerce, shall be delineated based on survey. Till such time, status quo shall be maintained.

16.0 Land Use Plan 16—3

17.0 DEVELOPMENT CODE

INTRODUCTION

The purpose of the code is to promote quality of built environment by organising the most appropriate development of land in accordance with the development policies and land use proposals contained in the Plan.

It is a systematic code to ascertain the use activity (use) at two levels:

- i. Conversion of Use Zone into Use Premises (layout); and
- ii. Permission of Use Activities on Use Premises. The code differentiates between the Use Zone and Use Premises.

ENFORCEMENT OF THE CODE

To regulate development in the National Capital Territory of Delhi within the framework of the land use plan, the following shall be observed:

CLAUSE 1.0 TITLES AND EXTENT

- 1(1) This code may be called the Development Code.
- 1(2) It covers the National Capital Territory of Delhi.

CLAUSE 2.0 DEFINITIONS

In this code unless the context otherwise require:

- 2(1) Land use Plan means the plan indicating Use Zones as defined in Clause 4.0.
- 2(2) Zonal Development Plan means a plan for one of the zones (divisions) of the National Capital Territory of Delhi containing detailed information regarding provision of social infrastructure, parks and open spaces, circulation system, etc.
- 2(3) Local Area Plan means the plan of a Ward / Sub Zone to be prepared and approved by the concerned local body.
- 2(4) Layout Plan means a Plan indicating configuration and sizes of all Use Premises. Each Use Zone may have one or more than one Layout Plan depending upon the extensiveness of the area under the specific Use Zones and vice-versa. A layout plan shall have at least two use premises (apart from Recreational, utilities and transportation) and a minimum area of 1 Ha. below which it shall be termed as site plan or sub division plan.
 - Layout Plan will indicate the location of all proposed and existing roads with their widths, dimensions of plots along with building lines and setbacks, location of drains, public facilities and services and electric lines etc, statement indicating the total area of the site, area under roads, open spaces for parks, playground, recreational spaces and other public places, as required by specific sections of the development code.
- 2(5) Site Plan: A Detailed Plan showing the proposed placement of structures, parking areas, open space, landscaping, and other development features, on a parcel of land, as required by specific sections of the development code.

- 2(6) Use Zone means an area for any one of the Specified Use Category of the urban functions as provided for in Clause 4.0.
- 2(7) Use Premises means one of the many sub divisions of a Use Zone, designated in an approved layout plan, for a specific Use. Land use of a premise has to be determined on the basis of an approved layout plan.
- 2(8) Special Area means an area with special characteristics designated as such in the Plan for development / redevelopment.
- 2(9) Commercial Centres include a Metropolitan City Centre, District Centre, Community Centre, Local Shopping Centre, Convenience Shopping Centre and Non-Hierarchical Commercial Centres, Wholesale and Warehousing.
- 2(10) ¹[Conversion charges / other levies as prescribed by the Government from time to time shall be payable wherever land use conversion is enabled at premise level by the Master Plan / Zonal Plan, Mixed Use Regulation and other Regulations.]

CLAUSE 3.0 ESTABLISHMENT OF USE ZONES AND USE PREMISES

- 3(1) The National Capital Territory of Delhi is divided into 9 land use categories as mentioned in clause 4.0
- 3(2) Each land Use category is assigned number of use zones, which shall be further subdivided into required number of Use Premises with or without conditions in Layout Plans.
- 3(3) Each use premises shall be permitted to have specific uses / use activities out of the prescribed uses / use activities with or without conditions.
- 3(4) The Layout Plans already approved by the Authority or any other local authority concerned in accordance with law shall be deemed to have been approved under this code.
- 3(5) An area in respect of which there is no approved Layout Plan shall be governed by the provisions of the Master Plan / Zonal Development Plan.
- 3(6) In case of Urban Design schemes, Redevelopment along MRTS Corridor, Urban Renewal schemes etc. on comprehensive basis the minimum area prescribed for planning and approval:
 - a) Scheme area for redevelopment 4 Ha.
 - b) Plot area for redevelopment 3000 sqm.
- 3(7) Accommodation Reservation (AR) and Transfer of Development Control Rights (TDR) are used as development control tools for implementing plans for redevelopment schemes in urban areas.
- 3(8) A landscape plan shall be prepared in case of the premises of size 3000 sqm. and above.
- 3(9) The natural drainage pattern shall not be disturbed.

_

¹ Modified vide S.O. 2034(E) dated 12-08-2008

3(10) Rainwater harvesting shall form an integral part of the storm water drainage plan, at the time of sanction of any layout plan.

SANCTION OF PLANS

- 3(11) Layout Plans / Site Plans and Building plans shall be approved by the Local Bodies and Authority in their areas of jurisdiction.
- 3(12) Authority / Local Body(s) shall be empowered after levying penalty to compound deviations from limits of coverage/ FAR to the extent of 5% of the permissible coverage and FAR, subject to maximum of 13.5 sqm. in building(s) / premises at the time of considering the completion / occupancy certificate. In Group Housing schemes and Public & semi-public facilities, 5% FAR beyond permissible FAR can be compounded by the authority / Local Body at the time of considering the completion/occupancy certificate.
- 3(13) Wherever required, the Technical Committee of the DDA shall formulate policy guidelines for the sanctioning of local area plans, layout plans, comprehensive schemes, re-development schemes, urban renewal schemes and multi-storeyed buildings in all land use categories. The Technical Committee shall be empowered to call for the plans from the development organisations / Local Bodies and would give directions / recommendations wherever necessary.

CLAUSE 4.0 USE ZONES DESIGNATED

There shall be 9 Land Use categories subdivided into use Zones as given below:

- RESIDENTIAL
 - RD Residential area
 - RF Foreign Mission
- COMMERCIAL
 - C1 Retail Shopping, General Business and Commerce, District Centre, Community Centre, Non Hierarchical Commercial Centre.
 - C2 Wholesale, Warehousing, Cold Storage and Oil Depot
 - C3 Hotels
- INDUSTRIAL
 - M1 Manufacturing, Service and Repair Industry.
- RECREATIONAL
 - P1 Regional Park
 - P2 City Park, District Park, Community Park.
 - P3 Historical Monuments
- TRANSPORTATION
 - T1 Airport
 - T2 Terminal / Depot Rail / MRTS / Bus / Truck
 - T3 Circulation Rail / MRTS / Road

UTILITY

- U1 Water (Treatment Plant etc.),
- U2 Sewerage (Treatment Plant etc.),
- U3 Electricity (Power House, Sub-Station etc.)
- U4 Solid Waste (Sanitary landfill etc.)
- U5 Drain

GOVERNMENT

- G1 President Estate and Parliament House
- G2 Government Office / Courts
- G3 Government Land (use undetermined)

PUBLIC AND SEMIPUBLIC FACILITES

- PS1 Hospital, ¹[Tertiary Health Care Centre,] Education and Research University / University centre, College, Social Cultural, Socio Cultural Complex/ Centre, Police / Police Headquarter / Police Lines, Fire Stations / Disaster Management Centres, Religious, Burial Ground / Cremation.
- PS2 Transmission Site / Centre
- PS3 Sports Facilities / Complex / Stadium / Sports Centre.
- GREEN BELT / AND WATER BODY
 - A1 Plant Nursery
 - A2 Green Belt / Agricultural Green
 - A3 River and Water body

Mixed Use Zone

A use zone in the Land Use Plan could be indicated as consisting of more than one use zones.

CLAUSE 5.0 USE PREMISES DESIGNATED

The use premises and Uses / Use Activities with similar nomenclature are given with the controls of specific premises in the respective chapters.

CLAUSE 6.0 LOCATION AND BOUNDARIES FOR USE ZONES

- 6(1) Any one of the use zones may be located at one or more than one places as shown in the Land Use Plan.
- 6(2) The boundaries of various pockets of use zones are defined in land Use Plan by features like roads, railway tracks, drains etc.

_

¹ Added vide S.O. 2893(E) dated 23-09-2013

CLAUSE 7.0 LOCATION AND BOUNDARIES OF USE PREMISES

- 7(1) The location and boundaries of each use premises shall conform to as specified in the layout plan with reference to important bench mark like road, drain or other physical features.
- 7(2) Any change in the location, boundaries and predominant use of use premises due to any reason whatsoever and duly approved shall be incorporated in layout plan.

CLAUSE 8.0 SUB DIVISION OF USE ZONES, PERMISSION OF USE PREMISES IN USE ZONES AND CONTROL OF BUILDINGS

8(1) SUB-DIVISON OF USE ZONES INTO USE PREMISES

The objective of these regulations is to guide the preparation of layout plans for residential and industrial use zones. These regulations include norms for provision of facilities and circulation system. The service plans corresponding to these layout plans for provision of physical infrastructure like water supply, sewerage, drainage, etc., shall conform to municipal byelaws.

The use zone other than residential and industrial shall have integrated plans governed by respective building control regulations.

Integrated plan differs from customary layout plan as in the former the regulations are for the total plot and sub-divisions are done for the development purpose. The norms for sub-division of residential and manufacturing use zone into use premises are given in respective chapters.

SUB / CLAUSE 8(2) PERMISSION OF USE PREMISES IN USE ZONES

(As part of approval of layout plan or as a case of special permission from the Authority)

Permission of selected Use Premises in Use Zones RD, C4, C2, M, PS

SI.	Use Premises	Use Zones						
No.	Use Premises	RD	C ₁	C ₂	М	PS		
RD	RESIDENTIAL							
i	Residential plot – Plotted Housing	Р	P**	NP	NP	NP		
¹ [ii	Residential plot – Group Housing	Р	Р	NP	NP P	P]		
²[iii	Studio Apartment	Р	NP	NP	NP	NP]		
iii iv	Residence - cum - Work Plot	Р	Р	NP	NP	NP		
iv v	Foreign mission	Р	Р	NP	NP	NP		
y ∨i	Hostel / Old age home	Р	Р	NP	Р	Р		
³ [vii	Short term Accommodation – Hostel / Guest house / Lodging & Boarding House / Sarai /	Р	Р	Р	Р	Р		

¹ Modified vide S.O. 1215(E) dated 13-05-2013

² Added vide S.O. 2895(E) dated 23-09-2013

³ Modified vide S.O. 2895(E) dated 23-09-2013

	Working Women-Men Hostel, Dharamshala and its equivalent / Service Apartment					
₩i	Guest House, Boarding and Lodging House	₽	₽	₽	NP	₽
vii	Dharamshala and its equivalent	₽	₽	NP	NP	₽]
viii	Community Hall / Barat Ghar	Р	Р	NP	NP	Р
ix	Night Shelter	Р	Р	Р	Р	Р
х	Community / Recreational Hall, Library, Reading Room, Society Office, Crèche and Day Care Centre.	Р	Р	Р	Р	Р
С	COMMERCIAL					
i	Local Level (Convenience / Local shopping centre)	Р	Р	Р	Р	Р
ii	Cinema / Multiplexes	NP	Р	Р	P*	NP
iii	Service markets / Informal Bazaars	Р	Р	Р	Р	NP
iv	Wholesale Trade	NP	Р	Р	NP	NP
V	Storage, godown and warehousing, cold storage & Ice factory, gas godown.		NP	Р	Р	NP
R	RECREATIONAL					
	Recreational (Park, Play grounds, Swimming Pool) / Sports Complex/ Stadium/ Amusement parks/ Recreational Clubs etc.	Р	Р	Р	Р	Р
М	INDUSTRY					
i	Industrial plot, flatted group industry	NP	NP	NP	Р	NP
ii	Service centre & Service industry	NP	Р	Р	Р	NP
Т	TRANSPORTATION					
	Circulation (Road network with street furniture, Bus terminal, MRTS stations, Parking etc.	Р	Р	Р	Р	Р
	Bus depot & Workshop	NP	NP	NP	Р	NP
G	GOVERNMENT					
i	Local / Government maintenance Offices	Р	Р	Р	Р	Р
ii	Offices of utility services providing agencies	Р	Р	Р	Р	Р
PS	PUBLIC AND SEMI PUBLIC FACILITIES					
¹ [i	Hospital (upto 100 beds) (0.2 ha. to 1.5 ha.)	Р	Р	NP	NP P	Р
ii	Tertiary Health Care Centre	Р	Р	NP	Р	P]
ii	Primary Health Centre / Family Welfare Centre / Maternity Home / dispensary etc.	Р	Р	NP	Р	Р

iii	Nursing Home / poly clinic / clinic / clinical laboratory etc.	Р	Р	NP	P*	Р
iv	Dispensary for pet and animals	Р	Р	Р	Р	Р
V	Primary school / Middle school	Р	NP	NP	NP	Р
vi	Sr. Secondary School	Р	NP	NP	NP	Р
vii	School for Mentally / Physically Challenged ¹ [/ differently abled persons]	Р	NP	NP	NP	Р
viii	Technical Training centre (ITI / Polytechnic/ Vocational/ Training Institute/ Management institute/ Teacher Training Institute, etc.)	Р	Р	NP	NP	Р
ix	Facilities - Bus terminal, taxi stand, milk / vegetable booths, religious premises, vending booth, petrol / CNG filling pump, recreational club, police post, police station, fire station, post office, & telegraph office and telephone exchange.	Р	Р	Р	Р	Р

NP: Not Permitted P**: Special permission as per Mixed use / Special Area Regulations

Notes:

i) Park, Open Parking, Circulation and Public Utilities are permitted in all use zones.

- ii) Limited remunerative uses may be permitted for making environmental upgradation of social upliftment projects such as covering of drains, in-situ rehabilitation schemes etc. financially viable. The activities and extent of the use permitted to be decided by DDA.
- iii) Property development in area around Metro Stations (composite) upto a maximum area of 3.0 Ha., shall be permitted in all use zones, except Recreational and Ridge / regional park use zone subject to approval of the Technical Committee of DDA.
- iv) The permission of use premise in the following use zones shall be governed by the specific function of the use zone.
 - C3- Hotel, P3- Historical Monuments, T1- Airport, T2- Terminal / Depot Rail / MRTS / Bus / Truck, T3- Circulation Rail / MRTS / Road, U1-Water, U2-Sewerage, U3-Electricity, U4-Solid Waste, U5-Drain, G1-President Estate & Parliament House, G3-Government Land (Use Undetermined), PS1 -Cremation and Burial Ground, Religious, A2-Green Belt and A3-River & Water Body.
- ²[v) Land use of Village Abadi (Lal Dora / firni) ³{and Extended Lal Dora} located in any use zone is residential.]
- ⁴[vi) Motels with sanctioned plans as on 07-02-2007 or whose proposal of Motel has been acceded to ⁵{(including all such proposal of motels which were in process of examination or

-

¹ Added vide S.O. 2895(E) dated 23-09-2013

² Modified vide S.O. 2034(E) dated 12-08-2008

³ Added vide S.O. 2890(E) dated 23-09-2013

⁴ Added vide S.O. 2555 (E) dated 26-10-2012

⁵ Modified vide S.O. 2759(E) dated 13-09-2013 and S.O. 2799(E) dated 16-09-2013

matter challenged in the court of law or having approval in files from DDA or MCD or not acceded to due to enforcement of MPD-2021 on 07.02.2007 are also eligible for sanction) and located in Commercial Areas or proposed facility corridor in Zonal Development Plans and Other Use Zones (which have been established under MoUD Notification dated 16-06-1995 of the notified Zonal Development Plans under MPD-2021 which were having Rural Use Zone / Green Belt prior to 07-02-2007) shall be permissible subject to development control conditions mentioned in Table 5.4.

¹[vi) New Temporary cinemas shall not be permissible, however already existing Temporary Cinemas shall be allowed to continue on permanent basis as per the conditions given below:

i) Seat Capacity

- Minimum 300 seats in one or more cinema halls

ii) Minimum road R/W in front

- 18 mt.

iii) Parking Requirement

- 3 ECS per 100 sqmt of Built up space (with in Plot Area)

iv) Maximum Ground Coverage

- 50% (subject to minimum setbacks as per MPD - 2021 to be adhered)

v) FAR

- 100 subject to a maximum built up area of 3000 sqmt. In case, the plot size is more than 4000 sqm. and is located on 24 mt. ROW, maximum FAR allowed not to exceed 4000 sqm. subject to undertaking traffic impact study, availability of the road width and the surrounding development so that it may not cause traffic congestion in the area.

vi) Plot size

- Min. 1200 sq.mts & max. 4000 sq.mts. In case a Cinema hall has more land, the rest of the area would be kept Green.

vii) Max. Permissible Height

- 15mts.

- viii) Commercial activity shall be permissible after excluding the space required for capacity of 300 seated cinema hall. The commercial space will be for the activities as permissible for Local Shopping Centre (LSC) in MPD 2021.
- ix) Cinema would confirm to the Cinematography act and other statutory provisions. Multiplexes shall accordingly be permissible.
- x) Landuse conversion charges, FAR charges, betterment levies and other charges will be levied as approved by the Government from time to time.
- xi) The local body and licensing Authorities shall ensure that the above conditions are compiled before renewing the license.
- xii) The temporary cinema existing on government land shall not continue.
- xiii) The excess land in such cases if required for larger public purposes shall be acquired and developed as per the local area needs/Master Plan provisions by the concerned local agencies.

Individual cases will be processed as per the above provisions after the enabling provisions are made in the MPD- 2021 for change of landuse.

It should be ensured that adequate parking facilities are provided within the respective plot areas.

¹ Added vide S.O. 1487(E) dated 07-06-2013

- ¹[viii) Extension of Lal Dora/firni, located in any use-zone, be considered as residential as per the notification by Revenue Deptt., GNCTD.
- xi) In Village Abadi (Lal Dora/firni) and Extended Lal Dora, the facilities recommended for neighbourhood population of 10,000 (as per Table 4.2) to be permitted on plots facing a minimum road of 9 m.]
- Size of hospital plot will be restricted upto 1.5 ha. in residential area, with preference to plot having three side open and having minimum 18m ROW on one side. Total floor area of the hospital shall be governed as per the total number of beds allowed in it.
- xi) The bed count of a Health Facility may be allowed as per permissible FAR, needs of the community and demand studies.]
- Use premise which are to be provided/permitted while preparing plans for Residential Use Zone at community level given in para 4.4.2 A and B, shall be permitted in other use zones as above. These Use Premises are also permitted while preparing layout plans for respective Use Zone with the approval of concerned local body and approval of the Authority is not required.

8(3) REGULATIONS FOR BUILDING CONTROLS WITHIN USE PREMISES

The objective of these regulations is to provide controls for building(s) within use premises excluding the internal arrangement, which are covered in Building Bye-laws.

General Notes:

- 1. Where development controls are not stipulated for any use premise, the same can be formulated by the Authority.
- 2. The mezzanine floor and service floor wherever provided shall be considered as a part of the total FAR. ⁴[In case of the buildings with 26 m. and more height in all use-zones, Technical Committee of DDA may permit the following in special circumstances:
 - a) In case of provision of stack-parking in stilt floor or basement, minimum height should be 2.5 m.
 - b) Intermittent service floor may be permitted for installation of equipments and services required for the maintenance of the building with prior approval of the agencies concerned and are not to be counted in FAR. The height of the service floor is to be decided based on the depth of structural members, the height requirement for providing water-reservoirs, other equipments, etc. The height of Service floor in the building shall be limited to 1.8 m.]
- 3. If the building is constructed with stilt area of non-habitable height (2.4 mts) and is proposed to be used for parking, landscaping, etc. the stilt floor need not be included in FAR.
- 4. Wherever the building regulations are given for different categories of plots, the area covered and the floor area shall in no case be less than the permissible covered area and floor area respectively for the largest size of plot in the lower category.

¹ Added vide S.O. 2894(E) dated 23-09-2013

² Added vide S.O. 2893(E) dated 23-09-2013

³⁻⁴ Added vide S.O. 2895(E) dated 23-09-2013

1 In case of all the plots of size 1000 sq.m. and above, except 'Residential Plot – Plotted Housing', atrium will be permitted with stipulations – Maximum 10% additional ground coverage shall be allowed for providing atrium. In case, the permissible additional ground coverage for atrium is utilized, 25% of the utilized ground coverage shall be counted towards FAR.

Table 17.1: Minimum Setbacks (Other than Residential Plotted Development)

01.11	Plot size (in sa m)	Minimum Setbacks							
SI. No.	Plot size (in sq.m)	Front (m)	Rear (m)	Side (m) (1)	Side (m) (2)				
1	Upto 60	0	0	0	0				
2	Above 60 & upto 150	3	1.5 (avg.)	-	-				
3	Above150 & upto 300	4	2 (avg.)	-	-				
4	Above 300 upto 500	4	3	3	-				
5	Above 500 upto 2,000	6	3	3	3				
6	Above 2,000 upto 10,000	9	6	6	6				
7	Above 10,000	15	12	12	12				

Note:

- i. In case the permissible coverage is not achieved with the above given setbacks, the setbacks of the preceding category may be followed.
- ii. The setbacks are subject to requirements of height and ventilation as per building byelaws.
- iii. In case a layout is sanctioned with more than the minimum prescribed setbacks, the same shall be followed in the sanction of the building plans.
- iv. The Technical Committee of DDA may relax setbacks, ground coverage and height in special circumstances.
- v. ESS wherever required to be provided within the plot, is allowed by shifting of side / rear setbacks.

8(4) PARKING STANDARDS

Parking Standards have been prescribed in each use premises however, where it is not prescribed, it will be followed as given in the Table 17.2.

Table 17.2: Parking Standards

SI. No.	Use Premises	Permissible Equivalent Car Spaces (ECS) per 100 sqm. of floor area
1.	Residential	2.0
2.	Commercial	3.0
3.	Manufacturing	2.0
4.	Government	1.8
5.	Public and Semi Public-Facilities	2.0

- i) In existing buildings having plot area of more than 2000 sqm., an extra ground coverage of 5% shall be permissible for construction of automated multi-level parking to provide dedicated parking structures for additional needs.
- ii) For the provision of car parking spaces, the space standards shall be as given in Table 17.3.

_

¹ Added vide S.O. 678(E) dated 04-03-2014

SI. No. Type of Parking Area in sqm. per ECS 1. Open 23 2. Ground floor covered 28 3. **Basement** 32 4. Multi level with ramps 30 5. Automated multilevel with lifts 16

Table 17.3: Space Standards for Car Parking

- iii) In the use premises, parking on the above standards shall be provided within the plot.
- iv) ¹[In cases, where the building (except hotel) with sanctioned plan is existing/ under construction and where building plans stand sanctioned as per MPD-2001, the parking is to be provided for additional FAR availed, shall be as per the parking standards prescribed in MPD- 2021.]

8(5) BASEMENTS

- a) Basement(s) upto the setback line maximum equivalent to parking and services requirement, such as Air Conditioning Plant and equipment, water storage, Boiler, Electric Sub-Station HT and LT Panel rooms, Transformer Compartment, Control Room, Pump House, Generator Room and other mechanical services and installation of electrical and fire fighting equipments, and other services required for the maintenance of the building with prior approval of the concerned agencies, could be permitted and not to be counted in FAR. ²[However, the area provided for services should not exceed 30% of the basement area. In case of Hotels Laundry, Cold Room for storing Food articles, Linen store, Garbage room, Housekeeping store and cold storage may be allowed.]
- b) ³[The basement(s) above the plot level beyond building line shall be kept flushed with the ground and shall be ventilated with mechanical means of ventilation; and]
- c) Basement(s) shall be designed to take full load of the fire tender, wherever required and subject to adequate safety measures.
- d) In case the basement is used for activity in conformity with the use premises, wherever permitted, the same shall be counted in FAR subject to clearance from the Fire Authorities and other statutory bodies.
- e) Parking area, if misused, is liable to be municipalized / taken over by the Local Body / Authority.
- f) The ESS, fire fighting installations and underground water tank shall neither be counted in ground coverage nor in FAR.

¹ Added vide S.O. 1603(E) dated 17-07-2012 and S.O. 1706(E) dated 26-07-2012

² Modified vide S.O. 678(E) dated 04-03-2014

³ Modified vide S.O. 1215(E) dated 13-05-2013

¹[8 (6) SERVICES PLAN

The Developing Agency should provide for the following in layout plans of plots of size 3000 sq.m and above:

- Recycling of treated waste water with separate lines for potable water and recycled water. Dual piping system to be introduced.
- ii) Ground water recharge through rain water harvesting, conserving water bodies and regulating groundwater abstraction.
- iii) Treated sewage effluent should be recycled for non-potable uses like gardening, washing of vehicles, cooling towers, etc.
- iv) Utilities such as, underground water storage tank, roof-top water harvesting system, separate dry and wet dustbins etc. are to be provided within the plot.
- v) All hospitals, commercial, industrial, hotels, restaurants, auto workshops, etc. will have to make arrangements for primary effluent treatment within the plot.
- vi) Provide ESS and generator and to submit energy consumption/audit will be submitted at the time of sanction of building plans.
- vii) Provision of cavity walls, atriums, shading devices in buildings will be encouraged to make them energy efficient.
- viii) Solar heating system will be provided on all plots with roof area of 300 sgm and above.
- ix) In order to encourage the above, 1% to 4% extra ground coverage and FAR, on each, may be given as an incentive by the local bodies, depending upon the provisions made. In exceptional cases 5% incentive may be permitted.
- x) These incentives shall be based on the rating criteria prescribed by 'Green Rating for Integrated Habitat Assessment' (GRIHA) for green buildings.
- xi) In case of non-compliance of above, after obtaining occupancy certificate, penalty at market rate shall be levied for incentive FAR by land owning agency.

The regulations for enforcement of above shall be prepared by the Director, Local Self Government, GNCTD in consultation with Environment Department, GNCTD within a period of six months (after notification of modifications) and notified with the approval of the Authority/Central Government.

8 (6).1 Neighbourhood Level

- i) The listed water bodies and/or any water body above 1 ha. size are mandatory to be systematically included in the landscape plan.
- ii) Decentralised STPs with smaller capacities are to be provided at the community level. Possibility of generating energy/gas as fuel from sewage shall be explored.
- iii) Municipal Waste of biodegradable and recyclable waste is to be segregated at source, decentralized treatment at neighbourhood level may be adopted; whereas for non-biodegradable waste centralized treatment may be followed.]

_

¹ Added vide S.O. 2894(E) dated 23-09-2013

¹[8 (7) HIGH RISE BUILDINGS

- a) Buildings taller than 15M (without stilt) and 17.5M (including stilt) in all use zones will be considered as a High Rise Building.
- b) In case of provision of stack-parking in still floor, minimum height of 2.4 m. for still floor may be relaxed. However, in case of stack parking the height shall be as per design and structural safety requirement.
- c) Intermittent service floor may be permitted for installation of equipments and services required for the maintenance of the building with prior approval of the agencies concerned and is not to be counted in FAR. The height of the service floor is to be decided based on the depth of structural members, the height requirement for providing water-reservoirs, other equipments, etc. Height below bottom of any beam shall not be more than 1.8 m. from the finished floor level excluding false floor if any.
- d) Basement will be permitted within the setback lines subject to clearance from local bodies / deptts. concerned, Municipal Corporation and Fire Deptt. Where there are no setbacks, basements should be permitted upto 2 meters and where there is setback, it should be 6 meters from the plot boundary.
- e) Podium(s) will be permitted within the setback lines subject to clearance from the fire department. The movement of vehicles and parking shall be restricted within the podium. Rooftop to be allowed for uses such as swimming pool, landscaping, and related structures.
- f) Other conditions for basement will be as Sub-Clause 8(5).

.

¹ Added vide S.O. 678(E) dated 04-03-2014

18.0 PLAN REVIEW AND MONITORING

Plan Monitoring is essential to evaluate the changes required to improve the quality of life in the city. Properly phased monitoring makes the plan responsive to the emerging socio-economic forces. Implementation of the plan can be effective only when monitored and reviewed at appropriate periods.

No long-range plan can be implemented as it is. The process of implementation has to be divided into various time frames depending on the projects & schemes. To study the effect of implementation of these projects, monitoring is required from time to time for each of the various aspects of the master plan. A scientific monitoring framework is essential for:

- 1) Effective implementation of plan within the plan period, thereby achieving the intended targets.
- 2) Respond to the changing socio-economic needs of the people of the city.
- 3) To check unintended growth within the city.
- 4) Time lags between various implementation schemes and emerging needs of the people.
- 5) Review the appropriateness of the plan policies.

Monitoring framework for targets of the master plan helps in judging the performance of various sectors, which need priority. Critical aspects and their targets need shorter monitoring period so that they can be constantly reviewed from time to time.

The Plan period is proposed to be divided in three phases taking 2006 as the base year. However, the targets, which are not achieved within the defined period, shall be carried forward in the next phase.

The following table lists the different sectors, their targets to be achieved and the period of monitoring. This table is however, not a programme of development but it provides a scale to assess the achievements in different sectors for the city development.

However, infrastructure facilities at neighbourhood level should be monitored in consonance with neighbourhood development / redevelopment scheme.

Table 18.1 Monitoring Framework for Development

Components	Unit	Period of Monitoring	Pha up 20	to	Phas 201 20	1-	Phas 201 202	l 6 -		et upto 021
I. POPULATION (For Infrastructure Provision)	Lakhs		138-	·182	182-	199	199-	230	2	30
II. NEW HOUSING	No. in lakhs DUs		7	7	9.	0	8.	0		akhs Us
			R * 3.5	N * 3.5	R 3.5	N 5.5	R 3.0	N 5.0	R 10	N 14
a) Housing for Urban poor through Slum & JJ approaches	No. in lakhs	2 years	0.7	1.0	0.7	1.6	0.6	1.4	2.0	4.0
b) Houses as Independent Plots & Redevelopment	No. in lakhs	2 years	0.35	0.2	0.35	0.3	0.3	0.3	1.0	0.8
c) Group Housing (35% of total DU's	No. in lakhs	2 years	0.84	1.9	0.84	3.0	0.72	2.7	2.4	7.6

	mandatory not to exceed 2 room or less)						
d)	Employer Housing	No. in lakhs	1 year	0.14 0.15	0.14 0.25	0.12 0.2	0.4 0.6
e)	Unauthorized Regularised colonies**	No. in lakhs	1 year	1.05 0.15	1.05 0.25	0.9 0.2	3.0 0.6
f)	Other Housing areas Upgradation of Old areas Traditional / Villages**	No. in lakhs	4 years	0.42 0.1	0.42 0.16	0.36 0.14	1.2 0.4
	cludes backlog housing ck & replacement						
III.F	PHYSICAL INFRASTRUC	TURE					
a)	Augmentation of water distribution	Mgd	5 years	351	139	240	730
b)	Construction of new treatment plants	Mgd	5 years	129	51	89	269
c)	Augmentation of sewerage T Plants.	Mgd	15 years	282	112	194	588
d)	Construction of new sewerage treatment plants	Mgd	5 years	140	56	97	293
e)	Augmentation of power distribution system	MW	2 years	3744	1447	2639	7830
f)	Development of sanitary landfill sites	На	5 years	98	39	68	205
g)	Construction/ development of compost incineration plants	Ha /	5 years	15	6	11	32.0
h)	Municipal Solid Waste	Tons	1 Year	4900	1939	3368	10207
IV.	SOCIAL INFRASTRUCT	URE					
a.l	Health						
i.	¹ [Hospital A (501 beds & above) (2.5 ha. to 4.5 ha.)	No.	2 years	9	3	6	18
ii.	Hospital B (201 beds to 500 beds) (1.5 ha. to 2.5 ha.)	No.	1 year	18	6	12	36
iii.	Hospital C (101 beds to 200 beds) (0.2 ha. to 1.5 ha.)	No.	1 year	43	17	30	90
iv.	Hospital D (Upto 100	No.	1 year	43	17	30	90

¹ Modified vide S.O. 2893(E) dated 23-09-2013

18.0 Plan Review and Monitoring

V.	beds) Tertiary Health Care Centre (0.2 ha. to 1.5 ha.)* Veterinary hospitals	No.	1 year	6	6	6	18
vi	Dispensary for pet	No.	1 year	43	17	30	90
	animals	110.	i youi	10	.,	00	00
fa re w T s p th	The number of the various acilities in absolute numbers equired for various plan period upto the year 2021 have been worked out but in case of ertiary health care centre ince this is a new premise proposed to be worked out by the Health Deptt. of Delhi Govt.]						
b. E	Education						
i	. School for ¹ [physically handicapped differently abled persons]	No.	2 years	4	2	3	9
ii	. School for mentally handicapped	No.	2 years	4	2	3	9
iii	. Vocational Training Centre	No.	1 year	9	3	6	18
iv	. General college	No.	5 year	9	3	6	18
V	. Professional College	No.	10 years	9	3	6	18
vi	. Medical college	No.	10 year	4	2	3	9
vii	. Nursing and Paramedic Institute	No.	5 year	4	2	3	9
viii	. Training –Cum- Research Institute in Veterinary Sciences			As pe	er requireme	nt	
ix	. University Campus Including International Education Centre (IEC)	No.	10 years	4 sites ir	n Urban Exte	ension	
c. C	Communication						
i.	Head post office- administrative office	No.	5 year	4	2	3	9
ii.	Telephone Exchange	No.	5 year	4	2	3	9
d. S	Security- Police						
i.	Police Station	No.	1 year	17	7	12	36

¹ Modified vide S.O. 2895(E) dated 23-09-2013

ii. iii.	Police line District jail	No. No.	1 year 5 years	1 for e 1	ach admi 1	inistrative z	one 4
iv.	District office and battalion	No.	1 year	I for e	each adm	inistrative Z	Zone
v.	Police training institute/	City level	5 years	As per demand			
vi.	Police firing range	City level	5 years		As per	demand	
vii.	Traffic and police control room	City level	5 years	As per demand			
e. S	Safety- Fire						
i.	Fire station	No.	1 year		As per	demand	
ii.	Disaster Management Centre	No.	1 year	1 in 6	each adm	inistrative Z	Zone
iii.	Fire Training Institute	No.	1 year	City level	(One site	in Urban E	xtension)
f.S	ocio-cultural facilities						
i.	Multipurpose community hall	No.	5 years	s As per residential development phase			
ii.	Community Recreational Club	No.	5 years				
iii.	Recreational Club	No.	5 years	9	3	6	18
iv.	Socio Cultural Activities Centre	No.	5 years	43	17	30	90
V.	Exhibition sites	No.	5 years	2 sites in Urban Extension			
	Other community ilities						
	. Old Age Home	No.	5 years	9	3	6	18
	. Working women hostels	No.	5 years	9	3	6	18
iii	. Night Shelters	No.	5 years	9	3	6	18
iv	 Care centre for mentally and ¹[physically handicapped differently abled persons] 	No.	5 years	9	3	6	18
\ \	Adult Educational centres	No.	5 years	9	3	6	18
Vi	. Orphanage	No.	5 years	9	3	6	18
vii		No		4	2	3	9
	. Religious Premises						
	sub city level in urban ension	No	10 years	5	2	2	9
OAL	i. Cremation grounds	No.	10 years	9	3	6	18
	Cemetery / burial	No.	10 years	4	2	3	9
	grounds						

¹ Modified vide S.O. 2895(E) dated 23-09-2013

V . 1	TRADE AND COMMERCE							
	Metropolitan City Centre Preparation of integrated schemes & specific projects	No.	5 years	1	-	1	2	
b.	District Centre/ Sub CBD							
i.	Upgradation of existing areas	No.	5 Years	6	2	2	10	
	Under implementation New locations in urban extension	No. 5 Years 9 2 2 13 To be located along major arterial road as per norms.						
	Community Centre							
i.	Upgradation of existing areas	No.	5 Years	20	10	10	40	
ii.	Under implementation in DUA -81	No.	5 Years	22	10	10	42	
iii.	New locations in urban extension/ Projects	To be located along major arterial road as per norms						
VI.	TRANSPORT							
a)	Fully/Partially segregated cycle tracks.	No.	1year	As per requirements				
b)	MRTS	Length in k.m.	5 years	120	47.5	82.5	250	
c)	Construction of grade separators	No.	2 years			ith 5 year p regular bas		
d)	Development of urban relief roads	No.	2 Years			•		
e)	Construction of interstate bus terminals	No.	1 Year					
f)	Construction of Metropolitan Passenger Terminals	No.	5 Years				5	
g)	Integrated Freight Complexes	No.	1 Year				5	
h)	Petrol pumps & CNG stations	No.	1 Year		As per	norms		
VII.	RESTRUCTURING ALON	G MRTS NE	TWORK					
i.	Upgradation of existing areas	No.	2 years	As pe	r phasing c	of MRTS Ne	twork	
ii.	New locations in urban extension	No.	2 years					
VIII	. INDUSTRIES							
i.	Redeveloped / Upgradation	No.	3 years	To be R	-	d / Upgrade ms	d as per	
	New locations in urban extension	No.	3 years	То	be located	as per nor	ms	
IX.	GOVERNMENT OFFICES	/ DISTRICT	COURT					

i.	Redeveloped / Upgradation	No.	3 years				
ii.	New locations in urban extension	No.	3 years	Area located in MRTS influence zone			ce zone
X. El	NVIRONMENT						
New area.	•						
i.	City park	No.	10 years	4	2	3	9
ii.	District Park	No.	5 years	9	3	6	18
iii.	Community Park	No.	1 year	43	17	30	90
iv.	City Multipurpose ground	No.	10 years	4	2	3	9
V.	District Multipurpose ground	No.	5 years	9	3	6	18
vi.	Community Multipurpose ground	No.	1 year	43	17	30	90
vii.	Divisional Sports Centres	No.	5 years	4	2	3	9
viii.	District Sports Centres	No.	1 year	9	3	6	18
ix.	Community Sports Centres	No.	5 years	43	17	30	90

^{*} R- Redevelopment

18.1 MAJOR ISSUES

- 1. The Planning process needs reforms and capacity building to meet projected targets adequately, such as preparation of Sub-Regional Plan, Zonal Plans etc.
- 2. Local level participation in the planning process, its coordination, planning and building approvals, slum rehabilitation, social housing and legal reforms also requires attention for implementation of provisions of the Master Plans.
- 3. Monitoring & Review of Master Plan should be done through indicators of physical and socio-economic changes.

Taking into account the above, it is proposed to formulate a separate Monitoring Unit and a team of action groups which will function within the specified prescribed norms and social indicators within the overall framework of the Master Plan.

18.3 MONITORING UNIT

A dedicated Monitoring Unit with modern data processing facilities should be set up which would be responsible for collection and analysis of primary and secondary data and bringing the important changes to the notice of the authority comprehensively. This unit should also be in-charge of overall monitoring of implementation of the approved development plans and layout plans.

A suitable mechanism by way of high-level committee under Lt. Governor, Delhi is also proposed to be set up for periodic review and monitoring of the plan. To

N- New Housing

^{**} No additional land required

enable this, apart from targets arising from various infrastructure plans etc., other action points emerging from the proposals made in the plan for various sectors would also be listed out, to enable monitoring of timely implementation / identifying the need for any changes / corrections.

18.4 MANAGEMENT ACTION GROUPS

It is proposed that for participatory planning, the following management action groups and initiatives are taken for addressing the major issues. These groups would work on following Planning indicators.

18.4.1 PLANNING INDICATORS

The following would be the indicators of physical and socio-economic changes to be monitored periodically.

- Demographic: Population size, Population distribution in relation to holding capacity, Age sex structure, Household size, Rate of migration, Causes of migration etc.
- 2) Landuse: Landuse pattern, Development / Layout plans etc.
- 3) **Housing:** Slum and squatter settlements, Household with essential services
- 4) Social Infrastructure: Mortality Rate and Infant Mortality Rate, access of population to safe drinking water, access to low cost sanitation, removal of solid waste per capita, distribution of police and fire services, requirement of old age homes, working women's hostels, adult education centres etc.
- 5) **Transport:** Percentage trips by public transport (modal split), cost of using and operating different modes, passenger capacity and distance traveled by public transport per year in relation to population, facilities provided on railways / metro stations / I.S.B.T, Requirement of petrol pumps & CNG stations.
- 6) Economic Aspects: Distribution of households by income, consumption expenditure, employment, participation rate, employment in different sectors, shifting / relocation of industries, growth of informal sector, shifting of government offices etc.
- 7) **Environment:** Air pollution, Water pollution, Noise, Quality of water of River Yamuna, Ridge area conservation etc
- 8) **Natural Disasters:** Floods intensity areas & effected population, any other natural disasters etc.

It is proposed to organize the following groups for follow up planning and integrated implementation of the Plan:

18.4.2 HIGH LEVEL GROUP FOR SUB-REGIONAL PLAN FOR DELHI

As a follow up of the Regional Plan-2021 and in consonance with Section 17 of the NCRPB Act, 1985, a Sub-Regional Plan for Delhi is to be prepared by GNCT-Delhi.

18.4.3 ENVIRONMENT PLANNING AND COORDINATION GROUP

The Group will evolve strategies for sustainable development, with major issues as conservation of Yamuna River bed and flood plain (including defining the

same), Ridge etc. It will evolve a mechanism to coordinate the interventions of the several organizations involved in this cross-cutting task.

18.4.4 DELHI UNIFIED METROPOLITAN TRANSPORT GROUP

This group shall be responsible to prepare an action programme to coordinate a sustainable and balanced public transport system and will prepare traffic management strategic action plans with emphasis on movement of people and goods. The group will also evolve a parking policy and identify a Parking Authority for Delhi.

18.4.5 INFRASTRUCTURE DEVELOPMENT GROUP

The Infrastructure Development Group (IDG) will comprise of experts and agencies namely the PWD, MCD, NDMC, NHAI, DMRC, I&F Deptt, DJB, Power Companies, DDA, etc. This group will streamline infrastructure planning strategies and practices and formulate projects with latest technological and management interventions.

18.4.6 ENFORCEMENT AND PLAN MONITORING GROUP

The Enforcement and Plan Monitoring Group (EG) may comprise of the professionals, concerned local bodies and residents and evolve strategic action plans to ensure enforcement of the Plan. It will work out the implementation strategy and Monitoring System to review the progress periodically.

18.4.7 SPATIAL DATA INFRASTRUCTURE (SDI) GROUP

The SDI Group will ensure that the documentation, information with respect to settlements, colonies, villages, buildings, utilities, transport network, land use etc. incorporating upto date Geographical Information System, land / ground surveys, layout plans and land use plans are systematically organized and disseminated. This will develop a common database and provide a platform for documentation, planning and timely implementation of the Plan.

18.4.8 LOCAL LEVEL PARTICIPATORY PLANNING GROUP

The Group will define local areas and work out systems and procedures so that the local governments could take up the preparation of local level plans by participatory process. The institutional capacity building for this purpose should be taken up as a priority.

18.4.9 COMMON PLATFORM FOR BUILDING APPROVALS

To streamline the process of building approvals and to bring together many agencies involved in planning permissions and approvals, the Group shall work out the establishment of a common platform. The aim will be to devolve the process of building approvals and to deregulate, wherever necessary, and to review the Building Bye-laws and procedures.

18.4.10 SLUM REHABILITATION AND SOCIAL HOUSING GROUP

The Group will work out policies, physical and financial strategies and organizational structure for slum & JJ rehabilitation with the objective to make Delhi Slum free within a time frame.

18.4.11 LEGAL FRAMEWORK REVIEW GROUP

It is time that the present legal framework is reviewed and the framing of the following Regulations are taken up:

- a) Land Assembly and Private Sector Participation in Housing and Land Development.
- b) Regularisation & Up-gradation of Unauthorised Colonies and areas of mixed use.
- c) Local level Planning Regulations.

18.5 REVIEW

Timely review of the plan with the help of above groups and monitoring unit shall ensure mid-term correction and modifications if needed in the Plan Policies as well as the implementation procedures, which will help to re-adjust the events in the plan that could not be foreseen or anticipated during the Plan Formulation. If the plan is timely monitored and appropriately reviewed, the policies can be moulded in the right direction according to the present needs of the people of the city.

18.6 PROGRAMME OF ACTION

Chapter No.	Title	Programme of Action	Instrument/ Agency			
2.0	Population & Employment	The projected population for NCT Delhi will be reviewed after Census figures of 2011 are published.	DDA and concerned agencies			
3.0	Population Holding Capacity of Delhi	Redevelopment areas should be identified and Special Redevelopment Schemes should be prepared for implementation within a stipulated time framework.	DDA, MCD, NDMC & Cantonment Board			
4.1	Housing Need	In order to ensure that housing need is accommodated in the Urban Extension, the Zonal Plans for 2021 should be prepared within 12 months.	DDA			
4.2	Housing Strategy					
4.2.1	New Housing Areas	A suitable policy and guidelines involving Public Private Sectors is to be framed. The policy should ensure that a min. provision of 55% percent of the housing is for EWS & LIG.	DDA in collaboration with the Government of NCT of Delhi and the Ministry of Urban Development			
4.2.2.2 A.	Restructuring and Upgradation of the Existing Areas • Traditional Inner City and Unplanned Areas	Special Area Redevelopment Schemes must be prepared for traditional areas, giving the development control parameters for the heritage areas keeping in view archeological norms / architectural character and general parameters for	MCD, DDA & ASI			

	 Special Area and Villages Heritage Conservation Zone 	the non-heritage segment of the traditional area. Each Special Area Redevelopment Scheme for a traditional area should entail an enumeration of the monuments and old buildings within the heritage areas which must be conserved.			
4.2.2.2 B.	Unauthorized / Regularised Colonies	In all unauthorised colonies, whether on private or public land, regularization should be done as per the government orders issued from time to time. It must be ensured that for improvement of physical and social infrastructure, the minimum necessary / feasible level of services and community facilities are provided.	DDA, MCD & GNCTD		
4.2.3.4	Housing for the Urban Poor Guidelines for Collective Community Rehabilitation/ Relocation - In-situ Upgradation/ Rehabilitation of Slum & JJ Clusters & Resettlement Colonies	corporate body should work out schemes for collective community rehabilitation/ relocation - In-situ gradation/ nabilitation of Slum J Clusters & settlement colonies, redevelopment regular servicing and maintenance, are to be based on the guidelines and			
4.3	Night Shelters	On the basis of 2001 Census of Houseless population at least 25 sites should earmarked in Delhi for Night Shelters.	DDA, MCD, NDMC & GNCTD.		
14.0	Physical Infrastructure	Provision of physical infrastructure like power, water, sewerage and solid waste disposal to be ensured for the projected population.	DJB, Delhi Transco Ltd., MCD, GNCTD and other concerned agencies.		
16.0	Landuse	Zonal Development Plans of MPD-2021 should be prepared and notified within 1 year of approval of the MPD-2021.	DDA		

Note: Detailed Action Plans shall be prepared by the concerned departments / organizations / local bodies specifying time lines.

[No. K-12011/1/2005-DDIB] Dr M.M. Kutty, Joint Secretary to Government of India

19.0 ¹LAND POLICY

The large scale Land Acquisition, Development and Disposal Policy of Delhi approved in 1961 is still in operation. However, land acquisition and planned development has not kept pace with the increasing demands of urbanization during the last five decades. Moreover, the process of acquisition is increasingly challenged by land owners due to low compensation as compared to the market value. Therefore, the new land policy is based on the concept of Land Pooling wherein the land parcels owned by individuals or group of owners are legally consolidated by transfer of ownership rights to the designated Land Pooling Agency, which later transfers the ownership of the part of land back to the land owners for undertaking of development for such areas. The policy is applicable in the proposed urbanisable areas of the Urban Extensions for which Zonal Plans have been approved.

19.1 Guiding Principles

- i. Govt. / DDA to act as a facilitator with minimum intervention to facilitate and speed up integrated planned development.
- ii. A land owner, or a group of land owners (who have grouped together of their own volition/will for this purpose) or a developer, hereinafter referred to as the "Developer Entity" (DE), shall be permitted to pool land for unified planning, servicing and subdivision / share of the land for development as per prescribed norms and guidelines.
- iii. Each landowner to get an equitable return irrespective of land uses assigned to their land in the Zonal Development Plan (ZDP) with minimum displacement.
- To ensure speedy development of Master Plan Roads and other essential Physical
 & Social Infrastructure and Recreational areas.
- v. To ensure inclusive development by adequate provision of EWS and other housing as per Shelter Policy of the Master Plan.

19.2 Role of DDA/Government

- i. Declaration of areas under land pooling and preparation of Layout Plans and Sector Plans based on the availability of physical infrastructure.
- ii. Superimposition of Revenue maps on the approved Zonal plans.
- iii. Time bound development of identified land with Master Plan Roads, provision of Physical Infrastructure such as Water Supply, Sewerage and Drainage, provision of Social Infrastructure and Traffic and Transportation Infrastructure including Metro Corridors.
- iv. DDA shall be responsible for external development in a time bound manner.
- v. Acquisition of left out land pockets in a time bound manner shall only be taken up wherever the persons are not coming forward to participate in development through land pooling.

19.3 Role of the Developer Entity (DE)

- i. Assembly and surrender of land as per policy in the prescribed time frame to be specified in the Regulations.
- ii. Preparation of the layout plans/detailed plans as per the provisions of Master Plan and the Policy.

¹ New Chapter added vide S.O. 2687 (E) dated 05.09.2013

iii. Demarcate all the roads as per Layout Plan and Sector Plan and get the same verified from the concerned Authority within the assembled area and seek approval of layout plans/detailed plans from the DDA.

iν.

- Develop Sector Roads/Internal Roads/ Infrastructure/Services (including water supply lines, power supply, rain water harvesting, STP, WTP etc.) falling in its share of the land.
- b) DE shall be allowed creation of infrastructure facilities, roads, parks etc. at city level subject to approval of Competent Authority.
- v. Return of the prescribed built up space/ Dwelling Units for EWS/LIG housing component to the DDA as per the policy.
- vi. Timely completion of development and its maintenance with all the neighborhood level facilities i.e. open spaces, roads and services till the area is handed over to the Municipal Corporation concerned for maintenance. The deficiency charges if any, shall be borne by the DE at the time of handing over of the services to the Corporation.

19.4 Land Use Distribution:

- 19.4.1 The Land Use distribution at the city level for the urbanisable areas in the urban extension adopted for this policy is as under:
 - Gross Residential: 53%. (For every 1000 ha of Land pooled, the gross residential distribution provides approximately 50,000 DU's for EWS housing.)

Commercial: 5%Industrial: 4%Recreational: 16%

• Public & Semi-Public Facilities: 10%

• Roads & Circulation: 12%

- 19.4.2 The Recreational Land Use does not include green areas within the various gross land use categories.
- 19.4.3 The share of city level remunerative land to be retained by DDA shall depend on the categories/size of land pooled under this policy. DDA's share in Residential land shall vary between 0-10%, Commercial Land shall vary between 0-2% and entire Industrial land of 4% shall be retained by DDA.

19.5 Norms for Land Assembly/Land Pooling

The Land Pooling Model proposed for land assembly & development with Developer Entities are as follows:

- i. The two categories of land pooling are Category I for 20 Ha and above and Category II for 2 Ha to less than 20 Ha.
- ii. The land returned to Developer Entity (DE) in Category I (20 Ha and above) will be 60% and land retained by DDA 40%.
- iii. The Land returned to Developer Entity (DE) in Category II (2 Ha to less than 20 Ha) will be 48% and land retained by DDA 52%.
- iv. The distribution of land returned to DE (60%) in terms of land use in Category I will be 53% Gross residential, 2% City Level Public/Semi-Public and 5% City Level Commercial. The distribution of land returned to DE (48%) in terms of land use in Category II will be 43% as Gross residential, 2% City Level Public/Semi-Public and 3% City Level Commercial.

v. DE shall be returned land within 5 km radius of pooled land subject to other planning requirements.

Table 19.1: Land Assembly and Pooling Model

Category	Land Returne d to DE	Land Retaine d by DDA	Land Returned to Developer Entity								Tota	Max		
of Land Assembl			Gross Residential			City Level Commercial		City Level PSP			I BUA	Populatio n		
y (Ha)			Land (Net Land)		Built Up Area* (Ha)		Land BU A			Land		BU A		
			%	На	Resi BUA	Facilitie s BUA	%	На	На	%	На	На		
20 Ha & above	12Ha (60%)	8Ha (40%)	5 3	10.6 (5.83)	26.8	4.65***	5	1.0	2.5	2	0.4	1.0	34.9 5	15518**
2 - under 20 Ha~	0. 96Ha (48%)	1.02 Ha (52%)	4 3	0.86 (0.473)	2.17	0.37***	3	0.0 6	0.1 5	2	0.0 4	0.1	2.79	1256**

- Land Pooled for the illustrative example is assumed at 20 Ha for Category I and 2 Ha for Category II.
- * Residential BUA includes 15% of BUA for EWS Housing.
- ** Calculated at maximum density of 1000 persons per hectare of gross residential land and density for 15% FAR reserved for EWS calculated at unit size of 32 sqm.
- *** Calculated as per MPD-2021 norms of 3 sqm per person for facilities.

19.6 Development Control Norms:

- i. Development Control Norms under the policy are:
 - a) Residential FAR 400 for Group housing to be applicable on net residential land which is exclusive of the 15% FAR reserved for EWS Housing. Net Residential land to be a maximum of 55% of Gross Residential land.
 - b) FAR for City Level Commercial and City Level PSP to be 250.
 - c) Maximum Ground Coverage shall be 40%.
 - d) Density of 15% FAR for EWS population shall be considered over and above the permissible Gross Residential Density of 800-1000 pph.
 - e) Adequate parking as per norms of 2 ECS/100 sqm of BUA to be provided for Residential development by the DE. However, in case of the housing for EWS, the norms of 0.5 ECS/ 100 sqm of BUA to be provided.
 - f) Incentives for Green Building norms as per MPD-2021 to be applicable to Group Housing developed under this policy.
 - g) Basement below and beyond building line up to setback line may be kept flushed with the ground in case mechanical ventilation is available. In case not prescribed, basement up to 2 mts from plot line shall be permitted.
- ii. Sub-division of gross residential areas and provision of facilities (local and city level) shall be as per MPD 2021.
- iii. Local level facilities to commensurate with the density specified at 19.6 (i.) (d.) above.
- iv. Tradable FAR is allowed for development. However, in case of residential use, tradable FAR can only be transferred to another DE in the same planning Zones having approval/licence of projects more than 20 Ha.

19.7 Other terms and conditions

i. Land Pooling to be permitted as per this policy in the urbanisable areas of entire urban extension for which Zonal Plans have been approved. However, development along TOD corridors in these areas will be as per TOD policy.

- ii. In case of fragmented land holdings coming forward for Land Pooling in the same Planning Zone, land shall be returned in the vicinity of the largest land holding within the same zone. If there is any shortfall / variation of land in any zone or category due to site conditions, the DE will be entitled to the entire built up area permissible to him in that category on the land returned, ever though the actual land retuned to DE may be lesser than due to him.
- iii. EWS Housing unit size to be ranging between 32-40 sqm.
- iv. 50% of the EWS Housing Stock shall be retained by Developer Entity (DE) and disposed only to the Apartment owners, at market rates, to house Community Service Personnel (CSP) working for the Residents / Owners of the Group Housing. These will be developed by DE at the respective Group Housing site / premises or contiguous site.
- v. Remaining 50% of DUs developed by DE to be sold to DDA for EWS housing purpose will be sold to DDA / Local Bodies at base cost of Rs. 2000/- per sq. ft. as per CPWD index of 2013 (plus cost of EWS parking) which shall be enhanced as per CPWD escalation index at the time of actual handing over and can be developed by DE at an alternate nearby site. Necessary commercial and PSP facilities shall also be provided by the DE for this separate housing pocket.
- vi. The EWS housing component created by the DE shall be subject to quality assurance checks, as prescribed in this regard by Govt./DDA. The final handing/taking over of this component shall be subject to fulfilling the quality assurance requirements.
- vii. The DE shall be allowed to undertake actual transfer/transaction of saleable component under its share/ownership to the prospective buyers only after the prescribed land and EWS housing component is handed over to the DDA.
- viii. External Development Charges and any other development charges incurred for the city infrastructure shall be payable by the DE on actual cost incurred by DDA.

19.8 Framework for Implementation of the Policy

- i. The detailed Regulations for operationalisation of the Land Pooling Policy including process and timeframe for participation shall be framed separately in a time bound manner. In order to make the Policy people friendly and transparent, the detailed Regulations shall be put up in Public domain for inviting views of the stakeholders giving 30 days time in the newspapers and website since it involves development through participation.
- ii. Creation of a dedicated Unit in DDA for dealing with approvals of Land Pooling applications. The option of outsourcing of the scrutiny for legality of applications and online submission of building plans to experts may also be considered.