

A Handbook of Pottery Glazes

DAVID GREEN

219

FABER AND FABER
London & Boston

Contents

Acknowledgements	Page 7
Preface	17
Introduction	19
Part One CONES, RECIPES AND FORMULAE	
1. 1886: Seger develops cones—and glaze formulae	29
Analyses and formulae of Seger's ingredients	31
Equivalent weights	32
Seger's use of 'unified' formulae for glazes	33
Seger establishes the lowest melting point of his ingredients	34
The importance of alumina	37
The ratios of the bases	37
Cones for all temperatures	38
2. Glaze recipes from cone formulae	43
Calculating from a formula to a recipe—cone 4	43
Percentage recipes	45
Cone 015—use of a simple frit	45
Different molecular weights for lead oxide	46
Cone 07—use of a more complex frit	47
3. Exploring glazes through the use of formulae	49
Planning tests—graphs and charts	51
Lead silicates and their equivalent weights	55
Planning tests—ternary or triaxial diagrams	56
Calculations involving a complicated frit—further example	60
Line blends	64
Part Two TYPES OF GLAZE	
Preliminary Note	65
Reading the tables of compositional limits	70
4. Lead glazes	71
The introduction of lead silicates	73
Other improvements in frit manufacture	75

4. Lead glazes— <i>cont.</i>	
Low solubility glazes	<i>page</i> 76
Lead poisoning from fired glaze surfaces	77
The causes of lead release from glazed surfaces	78
The firing and application of lead glazes	78
Lead release tests	79
Other poisons from ceramic articles	80
Traditional lead glaze recipes [L]	80
Lead and alkaline glazes [LA]	83
Lead and alkaline earth glazes [LAE]	86
Lead glazes with magnesium or barium [LAE(Mg) or (Ba)]	89
5. Alkaline and alkaline earth glazes	93
Alkaline glazes [A]	93
Alkaline earth glazes (Lime) [AE]	98
Alkaline earth glazes containing magnesium, barium or strontium [AE(Mg), (Ba) or (Sr)]	102
6. Boric oxide glazes	108
Lead borosilicate glazes [LB]	112
Alkaline earth glazes with boric oxide—the leadless earthenware glazes [AEB]	116
Predominantly alkaline glazes with boric oxide [AB]	119
7. Zinc glazes	124
Zinc glazes [Z]	126
Lead and zinc glazes [LZ]	129
Leadless zinc and boric glazes [ZB]	130
Crystalline glazes	131
8. The addition of pigments to glazes	135
Kiln atmospheres	138
The history of ceramic pigments	140
Summary of oxide forms and colour variations	143
 Part Three PREPARING, TESTING AND APPLYING GLAZES	
Preliminary Note	155
9. Preparing glazes for use	157
Flocculation and deflocculation	158
Practical measures to improve glaze suspensions	160
Grinding	161
Ageing	161
The water used in glazes	162

9. Preparing glazes for use— <i>cont.</i>	
Consistency	page 162
Adjusting the behaviour of glaze slips	163
Clays	163
Adhesives	165
Felspars and frits	165
Borax and colemanite	165
Ashes	166
Lithium minerals	166
Sprayed glazes	166
10. The application of glazes	167
Methods of applying glazes	167
Basic methods of dipping and pouring on porous biscuit	168
The need for speed and the avoidance of bubbles in dipping or pouring	169
Other methods	170
11. Testing glazes	173
Numbering and cataloguing tests	176
12. Defects in glazes	178
Crazing	178
The part of silica in the cure of crazing	179
Curing crazing by alterations to the glaze	181
Seger's rules for curing crazing	182
Shedding of a fired glaze	182
Contraction of the glaze leaving bare patches	183
The escape of gases; pinholes, blisters, etc.	184
Other glaze faults	187

The Appendices

1. Basic chemical terms and reactions	189
<p>General terms. Names of the elements. Symbols. The chemical names and formulae of compounds. The number and proportion of the elements in a compound. Which elements combine together? In which proportions do the elements combine? The influence of atomic structure on chemical reactions. The Periodic Table of the elements. Atomic and molecular weights. Equivalent weights. Ions and solutions. Crystals. Solids, liquids and gases.</p>	
2. The periodic table of the elements	203
3. Table of atomic weights and symbols of the chemical elements used in ceramics	204

12 Contents

4. Mineral sources of oxides used in Glazes (with formulae and chemical, common and ancient names)	page 205
Sources of single glaze oxides. Sources of glaze oxides in pairs. Sources of glaze oxides in trios.	
5. Natural variations in the composition of common glaze ingredients	216
Feldspars. Clays. Average molecular compositions of clays. Clay formulae and the clay convention.	
6. The chemical compositions of rocks	223
7. Average molecular compositions of some other glaze ingredients	227
Plant ashes. Coal ash. Bone ash. Colemanite. Fuller's earth. Sources of lithium oxide. Sandstone. Slate. Volcanic ash. Ochre, umber and sienna.	
8. Molecular compositions of commercial frits	231
9. The rapid estimation of glaze recipes by the equivalent method	232
10. Calculating from a glaze recipe to a formula	234
Using simple theoretical compositions of minerals. Recipe incorporating a frit or mineral for which a formula is available. Recipe to formula using percentage analyses of the ingredients.	
11. Fritting and grinding	239
12. Quotations concerning lead release from glazes and accepted testing procedures	242
13. Poisons in ceramic workshops	244
14. Supplementary glossary of glaze terms	246
15. Quick reference list of molecular weights of the commonest ceramic ingredients	261
Bibliography	263
Addresses of suppliers mentioned in the text	266
Index of chemicals and minerals	267
General Index	273

Index of Chemicals and Minerals

- Acidic oxides, in formulae, 49; definition of, 192
- Acids, for suspension, 120; in natural water, 160; as flocculants, 164, 165; definition of, 192
- Alabaster, 206
- Albite, 214
- Alkali Lake, California, 108
- Alkaline earths, in formulae, 49; effect on lead release, 78; melting points, 103; definition of, 192
- Alkalis, as fluxes, 21; in soap, 22; loss on heating, 30, 94; in formulae, 49; sources of, 61, 68, 83; effect in glazes, 68, 93; effect on lead release, 78; cause of crazing, 93, 96; excess in ashes, 166; definition of, 192; vegetable, 209; marine, 210
- Alumina. See Aluminium oxide
- Aluminates, definition of, 193; list of, 211
- Aluminium compounds, 205
- Aluminium oxide, function in glazes, 25; effect on fusibility, 36; effect on crystal growth, 36; ratio to silica, 39; in formulae, 49-50; as a glassformer, 50; melting point, 50; eutectic with silica, 50; effect on lead solubility, 74; in frits, 239
- Aluminium silicates, list, 211
- Amethyst, 205
- Ammonia, 193
- Amphoteric oxides, in formulae, 49; definition of, 193
- Anatase, 210
- Andalusite, 211
- Andesine, 214
- Andesite, 224
- Anhydrite, 206
- Anorthoclase, 214
- Antimonates, lead, pigments, 144, 212; poison, 244
- Antimony compounds, 205
- Antimony oxide, in glazes, 141; forms of, 144; colours from, 144, 154; list of poisons, 244, 245
- Apatite, 213
- Aragonite, 206
- Armenian bole, 246
- Arsenic oxide, opacifier, 154; poison, 244
- Asbolan, 207
- Asbolite, 207
- Asbestos, 213; carcinogen, 244
- Ashes, in Oriental glazes, 20; in stoneware firings, 22; from cereal crops, 83; seaweed, 85; lead-tin, 85; in earthenware glazes, 87; from marine plants, 94; basic ash recipes, 96; effect of various ashes in base glaze, 96; substitution for limestone, 101, 102; preparation of, 166, 228; average molecular compositions, 227; fly ash, 251
- Azote, 190
- Azurite, 147, 207
- Baddeleyite, 211
- Baking soda, 210
- Ball clay, substitution for china clay, 163, 218; in cures for crazing, 182; average composition, 182; variations of composition, 221
- Barbierite, 214
- Baria. See Barium oxide
- Barite, 205
- Barium carbonate, poison, 244
- Barium compounds, 205
- Barium oxide, in formulae, 49; eutectic with alumina and silica, 51; common sources in glazes, 68-9; effect in glazes, 69; effect on lead solubility, 74; in earthenware glazes, 89
- Barium sulphate, in crater glazes, 248
- Barytes, 205
- Barytocalcite, 212
- Basalt, 224
- Bases, chemical, see Fluxes
- Basic oxides, definition of, 192
- Bath stone, 206
- Bayerite, 205
- Beidellite, 211
- Bentonite, aid in suspension, 164-5
- Beryllium compounds, 206
- Beryllium oxide, opacifier, 154, poison, 244
- Bicarbonates, derivation, 193
- Biotite, 215
- Bismuth compounds, 206
- Black ash, 210
- Black jack, 211
- Blacksmith's scale, 208
- Bleaching powder, 206
- Blue vitriol, 207
- Boehmite, 205
- Bog iron ore, 208
- Bologna stone, 205
- Bone, calcined, 213
- Bone ash, equivalent weight of, 47; opacifier, 154; formula, 213; average composition, 228
- Boric acid, solubility of, 110; formula, 206
- Borates, list of, 212
- Borax, in soap, 22; in glazes, 22; first appearance in Stoke-on-Trent, 72; in solder,

- Borax;—*cont.*
 108; in Tuscany, 108; in U.S.A., 108; solubility of, 110; frits, 111; in simple glazes, 117; as a flocculant, 165
 Boric acid, solubility, 110; formula, 206
 Boric oxide, glassformer, 23, 50; melting point, 24; in cones, 38-9; in formulae, 49-50; common sources in glazes, 69; effect in glazes, 69; effect on lead solubility, 74; uses of, 108; in glass manufacture, 109; function in glazes, 109; in frits, 239-40
 Boro-calcite, solubility of, 110; formula of, 212
 Boron, position in periodic table, 50; isolation of, 108; minerals, 108; compounds of, 206
 Braunitz, 209
 Bronze powder, in tin glazes, 85
 Brookite, 210
 Bytownite, 214

 Cadmia. See Cadmium oxide
 Cadmium compounds, 206
 Cadmium oxide, colours from, 144; formula, 211; poison, 244; volatility, 245
 Caen stone, 206
 Calamine, 211
 Calcia. See Calcium oxide
 Calcite, 206
 Calcium borate, solubility of, 110
 Calcium carbonate, loss of CO₂ on heating, 33; temperature of breakdown to oxide, 155-6; see also Calcium oxide
 Calcium chloride, in slips, 160; preparation of, 164
 Calcium compounds, 206
 Calcium oxide, as a flux, 30; in formulae, 49; eutectic with alumina and silica, 51; effect in glazes, 68; common sources in glazes, 68; effect on lead solubility, 73-4; in early glazes, 86-7; in frits, 87
 Calcspars, 208
 Calk stone, 205
 Carbonates, break down temperatures, 185-6; derivation, 193; list, 212
 Carbonic acid, in water, 160
 Carborundum, 209
 Carolina stone, 214
 Cassiterite, 210
 Caulk, 205
 Cawk stone, 205
 Celestine, 210
 Celestite, 210
 Celsian, 214
 Cerium oxide, history, 143; opacifier, 154
 Cerrusite, 208
 Ceruse, 208
 Cervantite, 205
 Chalcantite, 207
 Chalcedony, 207
 Chalcocite, 207
 Chalcotrichite, 207
 Chalk, 206
 Chalybite, 208
 Chert, 209
 Chessylite, 207
 Chile salt petre, 210

 Chinese white, 211
 Chlorates, derivation, 193
 Chlorite, 215
 Chromates, list, 212
 Chrome-tin pink, 142, 145
 Chromium, derivation of name, 143; compounds, 207
 Chromium oxide, forms of, 144-5; colours from, 144-5; poison, 244; blushing, 247
 Chrysolite, 213
 Clay, in glazes, 22; suspension of, 157; changes on crystals, 157-9; states, 158; importance in soil, 160; impurities in, 160; preparation of, 164; local clays, 164; marly, 164; water of plasticity, 179; changes on firing, 179; crystal formula, 191; average composition, 217; unification of clay formulae, 218; range of compositions, 221-2; danger of dust, 244; adsorbed water in, 246
 Clay, china, equivalent weight of, 32; water molecules in calculations, 44; calcined, 44; in traditional recipes, 81
 Clinton ore, 208
 Coal ash, average composition, 228
 Cobalt compounds, 207
 Cobalt oxide, effect on lead release, 78; origin of name, 141; use in industry, 141; history of use, 141; forms of, 146; colours from, 146; changes of form, 186
 Colcothar, 208
 Colemanite, equivalent weight, 47; solubility of, 110, 165; in simple earthenware glazes, 117; substitution by frits, 166; average composition, 228; formula, 212
 Copper, filings in tin glaze, 85; compounds of, 207; poison, 244
 Copperas, 208
 Copper oxide, effect on lead release, 73; reduction of, 138, 140; history of use, 140; forms of, 146-7; colours from, 147; blushing, 247
 Cornish stone, use in eighteenth century, 83; recipes with whitening, 97; fluorine content, 185; formula of, 216; range of compositions, 220
 Corundum, 205
 Covellite, 207
 Covellite, 207
 Cream of tartar, 209
 Cristobalite, forms of, 179-80; formula, 209
 Crocoisite, 212
 Crocoite, 212
 Crocus martis, 208
 Cryolite, 211
 Cullet, 249
 Cuprite, 207
 Cyanite, 211
 Cyanosite, 207

 Danborite, 212
 Derbyshire spar, 206
 Diallogite, 209
 Diaspore, 205
 Diatomaceous earth, 209
 Diatomite, 209
 Dickite, 211

- Diopside, 213
 Diorite, 224
 Disperzon, opacifier, 152
 Disthene, 211
 Dolerite, 224
 Dolomite, in glaze suspension, 165; formula, 212; uniformity of composition, 216
 Emerald, 205
 Emery, 205
 Enstatite, 213
 Epsomite, 208
 Epsom salts, in slips, 164; formula, 208
 Etruria marl, in glazes, 81
 Fayalite, 213
 Felsite, 224
 Felspar, as glaze base, 25; Roerstrand, 30; percentage composition, 31; equivalent weight, 32; limit in recipes, 53, 60; limit in earthenware glazes, 83; impurities in, 160; deflocculation of, 165; list of, 214; predominant fluxes in, 216; range of compositions, 219; on Dartmoor, 223; aventurine, 246
 Felspathoids, 214
 Fibrolite, 211
 Fixed white, 205
 Flint, in curing crazing, 180; uniformity of composition, 216
 Flint glass cullet, 252
 Flour, as a plasticiser, 93
 Fluorite, 206
 Fluorspar, 206
 Forest marble clay, 81
 Forsterite, 213
 Fremington clay, in glazes, 81, 89, 103
 Frits, definition of, 45; impurities in, 160; deflocculation of, 165; manufacture of, 239
 Fuller's earth, average composition, 229
 Gabbro, average composition, 224
 Gahnite, 211
 Galena, 80, 208
 Ganister, 209
 Gaylussite, 212
 Germania, glassformer, 23
 Gerstley borate, 212
 Gibbsite, 205
 Glass, container, average composition, 61; in nineteenth-century glazes, 83; analyses, 95; manufacture in Egypt, 95; acid resistant, 126; as a 'salt', 193
 Goethite, 208
 Gold, compounds of, 207
 Granite, as a glaze base, 96; order of crystallisation, 223; mineralogical composition, 189, 224; average composition, 224; grinding of, 240
 Greenland spar, 211
 Greenockite, 206
 Gum arabic, suspender, 165
 Gypsum, 206
 Haematite, 148, 208; brown, 208
 Halite salt, 210
 Halloysite, 211
 Hausmannite, 209
 Heavy spar, 205
 Hyalophane, 214
 Hydrargillite, 205
 Hydroboracite, 212
 Hydrocerrusite, 208
 Hydroxides, definition of, 192
 Hypersthene, 213
 Iceland spar, 206
 Igneous rocks, average compositions, 223
 Ilmenite, 213
 Indianite, 214
 Indian nitre, 209
 Indian red, 208
 Ionic substitution, in clays, 159-60
 Iron, derivation of name, 142; compounds of, 208
 Iron ore slag, 252
 Iron oxide in Seger cones, 38; reduction of, 138-9, 148-9, 185; forms of, 148; colours from, 148-9
 Ironstones, 208
 Jersey stone, 214
 Jeweller's rouge, 208
 Kali, 209
 Kaolin, Zettlitz, 30; percentage composition of, 32; equivalent weight, 32. See also Clay, china
 Kaolinite, 211
 Kelp, 253
 Kermesite, 205
 Kermite, composition, 111
 Kidney ore, 208
 Kieselguhr, 209
 Kyanite, 211
 Labradorite, 214
 Lead, position in periodic table, 50; compounds of, 208
 Lead antimonate, pigment, 144; poison, 244
 Lead bisilicate, introduction to industry, 75; recipes with clay, 80
 Lead carbonate, in simple experiments, 22
 Lead chromate, pigment, 145; poison, 244
 Lead oxide, introduction into glazes, 19-20; in simple experiments, 22; in calculations, 46; as a glassformer, 50; in formulae, 49-50; eutectic with alumina and silica, 51; effect in glazes, 68; common sources in glazes, 68; effect of fritting on solubility, 73; volatility, 78; application by dusting, 80; reduction of, 138-40; forms of, 208
 Lead sesquisilicate, in calculation, 55
 Lead-tin ash, 85
 Lepidocrosite, 208
 Lepidolite, 215; average composition, 229
 Leucite, 214
 Lime. See Calcium oxide
 Limestone, 206; break down to oxide, 185-6; in clay, 253
 Limonite, 208
 Linnaeite, 207

- Litharge, 208
Lithia. See Lithium oxide
Lithium carbonate, in glaze recipes, 95;
insolubility, 166; deflocculant, 166
Lithium compounds, 208
Lithium oxide, in formulae, 49; effect in
glazes, 68
Lodestone, 208
Lunar caustic, 210
Lynn sand, 209
- Magnesia. See Magnesium oxide
Magnesite, 208
Magnesium compounds, 208
Magnesium oxide, in formulae, 49; eutectic
with alumina and silica, 51; effect in glazes,
69; common sources in glazes, 69; effect on
lead solubility, 73-4; effect on crazing, 81,
182; in earthenware glazes, 89; history of
use, 102; in high temperature glazes, 102-3
Magnetite, 208
Malachite, in calculations, 138; origin of
name, 141; pigment, 147
Manganese, isolation of metal, 142; com-
pounds of, 209
Manganese oxide, in tin glazes, 85; in Euro-
pean porcelain, 141; forms of, 150, 186;
colours from, 150
Manganite, 209
Manganosite, 209
Marble, Carrara, 30; percentage composition,
32; equivalent weight, 33. See also Calcium
carbonate and oxide
Martite, 208
Massicot, 208
Melaconite, 207
Melanterite, 208
Menaccanite, 213
Mennige, 208
Metakaolin, formation of, 179
Micas, list, 215
Microline, 214
Mineralised stone, formula, 261
Minium, discovery of use in glazes, 22;
formula, 208
Molybdenum, pigment, 143
Montmorillonite, formula, 215
Moonstone, 214
Mullite, formation of, 179; formula, 211
Muscovite, 215
Muscovy, 215
- Nacrite, 211
Naples yellow, pigment, 144; formula, 212
Natron, 210
Nepheline, 214
Nepheline syenite, substitution for felspar, 53;
formula, 214, 216; range of compositions,
220
Nephelite, 214
Neutral oxides. See Amphoteric
Nickel compounds, 209
Nickel oxide, effect on lead release, 78; forms
of, 150; colours from, 150
Nitrates, derivation of, 193
Nitratine, 210
- Nitre, 209
Nix alba, 211
- Obsidian, average composition, 224
Ochre, formula, 211; average composition,
230
Octohedrite, 210
Oligoclase, 214
Olivine, 213
Opal, 209
Opax, opacifier, 152
Orthoclase, 214
Oxides, order of shrinkage induction in
glazes, 181; release of oxygen on change of
valency, 186; acidic, 192; basic, 192;
amphoteric or neutral, 193
- Pai-tun-tzü, 256
Paragonite, 215
Paris white, 206
Pearl ash, 209
Periclase, 208
Peridot, 213
Peridotites, average composition, 224
Permanent white, 205
Perovskite, 213
Petalite, formula, 214; average composition,
229
Petuntse, 256
Philosopher's wool or white, 211
Phosphates, derivation, 193; list, 213
Phosphorite, 213
Phosphorus pentoxide, 23
Picrites, average composition, 224
Pitchblende, 210
Pitchstone, average composition, 224
Placing powder, 256
Plaster of Paris, 206
Polianite, 209
Polycell, as a suspender, 165
Pompholyx, 211
Porphyrite, average composition, 224
Porphyry, average composition, 224
Portland stone, 206
Potash, correct and incorrect, 209
Potassa. See Potassium oxide
Potasse, 209
Potassium chromate, pigment, 145
Potassium compounds, 209
Potassium dichromate, poison, 244
Potassium oxide, in formulae, 49; eutectic
with alumina and silica, 51. See also Alkali
Powder of Algorath, 205
Praseodymium, poison, 244
Pumice, average composition, 230
Pyroborate, 212
Pyrolusite, derivation of name, 142; formula,
209
Pyrophillite, 211
- Quartz, in Egyptian paste, 19, 93; Seger's use
of Norwegian, 30; composition, 32; forms
of, 179; in cures for crazing, 182
Quartzite, 209
Quicklime, 206

- Rackonitz shale, in cones, 41
 Radicles, definition, 193; list, 262
 Redruthite, 207
 Rhodocrosite, 209
 Rhodonite, 213
 Rhyolite, average composition, 224
 Rochelle salt, 210
 Rock crystal, 19
 Rock phosphate, 213
 Rocks, igneous, 22; classification, 223
 Rock salt, 210
 Ruby, 205
 Rust, pigment, 148; formula, 208
 Rutile, pigment, 143; formula, 210
- Sal sedativum, 206
 Salt, in Egyptian paste, 93
 Salt of Tartar, 209
 Saltpetre, 209
 Salts, definition of, 192-3
 Sand, basic ingredient of glass, 21
 Sandstone, average composition, 229
 Sapphire, 205
 Sassolite, 206
 Sedative salts, 206
 Selenite, 206
 Selenium oxide, pigment, 143, 151; poison, 244; volatility, 245
 Senarmontite, 205
 Serpentine, formula, 213; average composition, 224
 Siderite, 208
 Sienna, average composition, 230
 Silix, 209
 Silica. See Silicon dioxide
 Silicates, list, 213
 Silicon compounds, 209
 Silicon dioxide, glassformer, 23; representations of tetrahedra, 24; in formulae, 49; melting point, 50; eutectic with alumina, 50; reaction in a glaze, 50; effect on lead solubility, 73; in cures for crazing, 179-82; crystalline forms of, 179; linking of atoms, 200
 Sillimanite, 211
 Silt, in clays, 164
 Silver compounds, 210
 Slaked lime, 206
 Slate, in stoneware glazes, 22; average composition, 229-30
 Smithsonite, 211
 Smithum, 258
 Soapstone, earliest glaze base, 19; formula, 213
 Soda. See Sodium oxide
 Sodalite, 214
 Sodium carbonate, in casting slip, 159-60
 Sodium compounds, 210
 Sodium oxide, in formulae, 49; eutectic with alumina and silica, 51; effect on lead solubility, 73-4. See also Alkalis
 Sodium silicate, in glazes, 84, 95; in casting slip, 159-60
 Soude, 210
 Spartalite, 211
 Sphalerite, 211
- Spinel, formula, 211; definition, 258
 Spodumene, formula, 214; average composition, 229
 Steatite, 213
 Sterlingite, 211
 Stibium, 205
 Stibnite, 205
 Strontia. See Strontium oxide
 Strontium compounds, 210
 Strontium oxide, in formulae, 49; common sources in glazes, 69; effect in glazes, 69, 103
 Sulphates, derivation of, 193
 Sulphites, derivation of, 193
 Sulphur compounds, avoidance of, 187; breakdown of, 187
 Superphosphate, 213
 Syenites, average composition, 224
- Talc, equivalent weight in calculations, 47; for curing crazing, 182; formula, 213
 Tenorite, 207
 Thenard's blue, 211
 Tincal, source of boric oxide, 108; formula, 212
 Tincalconite, 212
 Tin compounds, 210
 Tin oxide, in Islamic and maiolica glazes, 20; in Cornwall, 143; opacifier, 152; forms of, 152
 Tinstone, 210
 Titanates, list, 213
 Titania. See Titanium dioxide
 Titanium compounds, 210
 Titanium dioxide, from emulsion paint, 22; effect on lead solubility, 74; opacifier, 152; forms of, 152; colours from, 152; polymorphism, 256
 Topaz, 211
 Trachytes, average composition, 224
 Tridymite, formation of, 180; formula, 209
 Triphane, 214
 Tripoli powder, 209
 Trona, 210
 Tungsten, pigment, 143
 Turgite, 208
 Tutia, 211
- Ulexite, formula, 111, 212
 Umber, average composition, 230
 Unaker, 260
 Uranates, 213
 Uraninite, 210
 Uranium compounds, 210
 Uranium oxide, pigment, 143; forms of, 151; colours from, 151
 Urao, 210
- Valentinite, 205
 Vanadates, 213
 Vanadium compounds, 210
 Vanadium oxides, pigments, 143; forms of, 151-2; colours from, 151-2; vanadium-tin or zircon stains, 152
 Venetian red, 208
 Verditer, 207

- Vermiculite, 213
Vitriol, green, 208
Volcanic ash, average composition, 230
- Water, purity in glazes, 162
Water glass, in glazes, 84; formula, 213
Whiting, CO₂ ignored in calculations, 44; uniformity of composition, 216. See also Calcium carbonate
Wilhelmite, 213
Willemite, 213
Witherite, formula, 205; poison, 244
Wolfram, pigment, 143; synonymous with tungsten, 190
Wollastonite, substitute for calcium carbonate, 87; formula, 213
Wurtzite, 211
- X-ray meal, 205
- Zaffre, 260
Zararite, 209
Zettlitz kaolin, 38
Zinc compounds, 211
Zincite, 211
Zinc oxide, in formulae, 49; eutectic with alumina and silica, 51; common sources in glazes, 69; effect in glazes, 69, 124-6; effect on lead solubility, 74; acid resistance properties, 126; poison, 244
Zircon, 213
Zirconia. See Zirconium oxide
Zirconite, 211
Zirconium compounds, 211
Zirconium oxide (dioxide), effect on lead solubility, 74; forms of, 152; opacifier, 153-4
Zirconium silicate, 152
Zircopax, opacifier, 152

General Index

- Abbé, Professor, research on glass composition, 29
Absolute temperature scale, 202
Allison, R.S., boric oxide in glass, 109
Amargosa, California, borax deposits, 108
American Ceramic Society, seminar on lead glazes, 115; *Transactions*, quotation on zinc glazes, 124
American Food and Drug Administration (FDA), lead release regulations, 77-80
American Lead Industries Association, research into lead release, 77
Amorphous, definition of, 246
An hua, 246
Anhydrous, definition of, 194
Anions, in clay crystals, 157; definition of, 199
Arista, 246
Atoms, arrangement in glass, 23; symbols for, 189-90; structure of, 195-7; influence of structure on atomic weight, 198
Autoclave, 246
Batch, 247
Bat wash, 247
Bennett, H., *Methods of Silicate Analysis* (1958), coal and bone ash analyses, 228
Berlin, Royal Porcelain Works, Seger at, 30
Binns, C.F., function of boric oxide in glazes, 109; *Ceramic Technology* (1897), list of pigments, 143
Biscuit, cleaning of, 183-4
Bisque, 247
Black, standard, 258
Blunger, 247
Boiling, definition of, 201
Bonding, in molecules and crystals, 199-200
Böttger, J.F., discovery of porcelain, 21
Boxing, 247
Bradford-on-Avon, clay deposits, 81
Brongniart, A., research on glaze stains, 143
Byzantium, centre of early glass industry, 20
Caiger-Smith, A., *Tin Glazed Wares*, (1973), traditional recipes, 85
Cations, in clay crystals, 157; definition of, 199
Celadon, definition of, 247
Celsius temperature scale, 248
Centigrade temperature scale, 201
Ceramics, properties of, 25
Champion family, producers of Bristol porcelain, 124
Chemical reactions, causes of, 196-7
Chemistry, organic and inorganic, 189
Chi hung, 248
Ch'ui Ch'ing, 248
Cloam, 248
Cloisonné, 248
Coefficient of expansion, effect of fluxes and boric oxide on, 68-9
Coleman Company, California, 108
Colloidal, definition of, 157-8
Comminution, 248
Compounds, classification of, 189, 191-2, 199, 200
Cones, Seger, effectiveness of, 30; maturing point as against bending, 43
Cooling speeds, 22
Copper lustre, 140
Covalent bonding, 200
Cramer, colleague of Seger, 40, 50
Crank, 248
Cryptocrystalline, 249
Crystals, formation of, 22; types of, 199-201; absorption and adsorption of water, 246
Cuenca, 246, 249
Cuerda seca, 249
Dagget, California, borax deposits, 108
Decal, 249
Décor sur émail, cru, 249; cuit, 249
Deflocculation, 158-60
Deformation point, 249
Dehydration, 194
Dehydroxylation, 249
Deliquescent, 249
Devitrification, 249
Dipping plate, 249
Dips, 249
Dispersoid, 249
Dissociation, 249
Dobbin, 249
Dolly, 249
Dotting, 249
Duster, 249
Efflorescence, 250
Egypt, discovery of glass, 19; pigments used in ancient times, 141-2; Egyptian blue, 250
Electricity, charges on particles, 157; effect in solutions, 199; in a wire, 201; the basis of matter, 202
Electrolyte, additions to suspensions, 160; definition, 199
Electromotive force, 159
Electrons, 195-6; clouds, 201
Electrovalent bonding, 199

- Elements, chemical, electrochemical series of, 159-60; definition of, 189; causes of difference between, 195-6; comparative weights, 198; pattern of properties, 197-8
- Elutriation, 250
- Email, 250
- Enamel, 250; Chinese red, 142; French red, 142; fan hung, 250
- Engobe, for grogged bodies, 96; definition, 250
- Equivalent weight, of a mineral, 32; of a compound, 46-7; of an element, 198
- Eutectic, of alumina and silica, 50; of alumina and silica with fluxes, 51; definition of, 250
- Expansion, moisture, 254; negative, 254
- Faraday, M., investigations of glass compositions, 108
- Faults, aired ware, 187; beading, 183; black core, 139; blackening of glaze, 187; bloating, 185; blush, 247, 251; bubbles in glazes, 186; butterfly, 183; chattering, 182; cracking, 187; crazing, 109-10, 181-2, 246; crawling, 125, 183; creeping, 183; curling, 183; cutlery marks, 188; cut glaze, 188; drawing, 249; droppers, 188; dunting, 187; efflorescence, 250; feathered glaze, 250; feathering, 187; flaking, 182; fosted, 251; knocking, 188; lime blowing, 253; loss of gloss, 188; moulting, 182; patch marks, 255; peeling, 182; pinholing, 186; plucking, 256; rearing, 257; rolling, 183; ruckling, 183; scum, 257, seconds, 257; shelling, 183; shivering, 182; shoulder marking, 188; smoked ware, 187; specking, 188; spit out, 188; spluttering, 183; spots, 188; starring, 187; starved ware, 188; stuck ware, 188; sucked ware, 188; sucking, 259; sulphuring, 187; sulphation, 259; sweat marks, 187; worm tracks, 260; yellowing of glaze, 187
- Ferruginous, 250
- Feu, grand and petit, 251
- Firing, avoidance of lead release, 78-9; reduction, 138; reduction for copper red, 148; biscuit, 167; conversions during biscuit, 180; speed of, 184; gases emitted during, 185; 244-5, water smoking stage, 187; easy, 249; glost, 251; hardening-on, 251; neutral, 254; open, 255; raku, 257; soaking, 258; through, 259
- Flocculation, 158-9
- Flotation, 157
- Flotatives, 251
- Flow blue, 251
- Fluxes, list of, 49; action of, 50
- Formulae, empirical, 250; ideal, 252; limit, 253; oxide, 255; rational, 257; ultimate, 260
- Formula weight, 198
- Fourcroy, M. de, *Essai sur les Maladies des Artisans*, 71
- Frits, definition of, 45; low solubility, 75; testing for solubility, 76, 243; in ancient Egypt, 93; selection of, 111, 240; standard borax, 111; general composition, 239-240; manufacture, 239-40; molecular weight, 240
- Fusion buttons, 251
- Gel, 251
- Glass, early history of, 19; chemical base, 21; physical nature, 22; oxygen atoms in, 23; conditions necessary for formation, 23; difference between glass and glaze, 25; optical, 29; phase, 251
- Glazes, early history of, 19; from domestic ingredients, 22; confusing nomenclature, 65, 127; effect of common oxides in, 68; acid resistance, 68-9; effect of thickness of application, 79, 173-4; soluble ingredients in, 95, 166; substitutes for water, 120; replacement of salt by zinc, 124; causes of colour in, 135; dispersion of pigment, 136; use of stains, 136, 143; use of tin oxide, 143; procedure for testing, 155; suspension of, 157-60; ageing, 161; limits of grinding, 161; storing, 162; effect of consistency, 162-3; types of clay in recipes, 163-4; consistency for spraying, 166; application of, 167-72; application of fritted glazes, 175; for flatwares, 175; mistakes in mixing, 176; compression in, 178; viscosity of melt, 183; grinding, 184; calcining of ingredients, 184; loss of volatiles, 184; bubbles in, 186; volatilisation of ingredients, 187; lead release, 242; lead release tests, 243; danger of dust, 244; slop, 258; surface tension, 259
- TYPES OF: agate slip, 246; alkaline, 19, 93-4, 239; ash, 58-60; aventurine, 246; Bristol, 124, 127; Byzantine, 140; celadon, 138, 149; china, 248; Chinese porcelain, 98; chrome red, 82; chün, 248; commercial, modern, 112; coperta, 86; couverte, 248; crackle, 248; crater, 248; crystalline, 82, 125, 131-2; dolomite, 65, 103; earth, 249; earthenware, 65; eel's blood crackle, 250; eggshell, 250; Egyptian, 93-4, 140-41; European porcelain, 98; felspathic, 65; frit, 65; green, 251; Hanley, 84; hare's fur, 149, 252; honey, 252; Japanese porcelain, 98; kaki, 252; Kinuta, 253; ko, 253; Korean celadon, 98; kwarant, 86; lead, 20, 65, 81-2, 95; leadless, 116-17; lime matt, 87; loam, 253; low sol., 75-6; ma chün, 254; marzaccotto, 95; masticot, 85-6; matte, 254; medieval, 140; Mesopotamian, 141; Ming, 141; mule's liver, 254; oil spot, 255; opaque, modern, 125; ox-blood, 255; partridge feather, 255; peach bloom, 255; porphyry, 256; raku, 45, 82, 113-14, 119; raw, 257; Rockingham, 257; Roman, 140; salt, 21, 98; sang-de-boeuf, 253, 257; satin matt, 257; saturated, 257; sho-hsueh Wên, 250; shu t'ai, 254; slip, 246, 258; smear, 258; soft, 258; stanniferous, 258; Sung, 142; supersaturated, 259; T'ang, 141; tea dust, 259; terracotta, 126; tessha, 259; temmoku, 259; tiger skin, 259; tin, traditional, 85-6; vellum, 260; vellum matt, 125; Vernis, 260
- Glue, rubber-based in glazes, 120
- Goulson, Dr., on lead poisoning, 72

- Greek numerals, list, 194
 Ground laying, 251
 Gum, use in sprayed glazes, 171
- Habit, of crystals, 251
 Hakeme, 251
 Half metals, 197
 Hamada, S., experimental glaze base, 100
 Harkort, H., solubility of lead frits, 74; test for craze resistance, 252
 Heat, effect on atomic and molecular structures, 201-2
 Hecht, colleague of Seger, 40, 50
 Holdcroft bars, 246
 Howat, W.L., stoneware glaze trials, 51
 Hydrates, definition of, 194
 Hydrometer, 252
 Hygroscopic, 252
- Immiscible, 252
 Insufflation, 252
 Interface layer, control of crazing and lead release through, 79; formation of, 183; definition of, 252
 Intermediate oxides, in formulae, 49
 International Lead Zinc Research Organisation (ILZRO), 77
 Inversion point, 252
 Ionic bonding, 199
 Ions, in clay slips, 158-60; definition of, 199
 Iron foot, 252
 Isotopes, definition of, 198
- Jamestown, Virginia, early glass factory, 20
- Kawai, celadon recipe, 97-8
 Kelvin, temperature scale, 253
 Kenzan, raku recipes, 108, 114
 Kern County, California, borax deposits, 108
 Kiln gases, effect on cones, 39
 Koenig, G.H., improvement in lead frits, 75
 Koerner, J., solubility of lead frits, 73
- Lamellar, crystal structure, 253
 Lanilis Pottery, Brest, glaze recipe, 118
 Lattice, 253
 Lawn, 253; cup, 249
 Leach, B., celadon glazes, 97-8; cone and limestone glaze, 100; ash analyses from *A Potter's Book*, 103, 228; raku recipe, 114; preparation of ashes, 166
 Lead poisoning, 71; from glazed ware, 77; attempts to replace lead glazes, 116
 Lead release, regulations, 77; tests, 79-80, 243
 Levigation, 253
 Littler, W., introduction of cobalt to Stoke-on-Trent, 141
 Loss-on-ignition (L.O.I.), 253
 Lucas, H., *Ancient Egyptian Materials and Industries*, (1962), 86, 94
 Lustre, 140-41
- Macrocrystalline, 254
 Magnetic separator, 254
 Mangle, 254
- Meigh, J., leadless glaze, 72
 Mellor, J.W., safety rules for lead solubility, 75; leadless earthenware glaze, 117
 Melting, definition of, 201; congruent, 248; incongruent, 252
 Mendeléef, D., periodic table, 197
 Metals, names of, 190; poisonous nature of compounds, 245
 Microcrystalline, 254
 Micron, 254
 Midford, Somerset, fuller's earth deposit, 229
 Mill, 254; ball, operation of, 240-41; edge runner, 250; jar, 252; pan, 255; pebble, 256
 Mineral, definition of, 189
 Ministry of Education, circular on lead poisoning, 76
 Miscibility, 254
 Mixture, 189
 Mohammedan blue, 141
 Mojave Desert, California, borax deposit, 108
 Molecular weight, definition of, 198
 Molecules, 189; giant, 200
 Mortar, 254
 Muffle, 254
 Muller, 254
- Network formers, 49; modifiers, 24, 49
 Neutral oxides, 49
 Neutrons, 198
 Ninsei, raku glazes, 108
 Noble gases, 196
 Non-metals, names of, 190
 Norris, A.W., lead solubility testing procedure, 76, 243
 Nucleus, atomic, 195
 Nutfield, Surrey, fuller's earth deposit, 229
- Oliver, Dr., report on lead poisoning, 72-3
 On-glaze colours, poisoning from, 80, 255
 Opalescence, 255
 Organic matter, 200
 Oxides, glass forming, 23; order in glaze formulae, 33; list of those employed in glaze formation, 49; those affected by reduction, 138; acidic, basic and amphoteric, definitions of, 192-3; electrovalent bonding of those in glazes, 199
- Parmelee, C.W., *Ceramic Glazes*, (1951), quotation on zinc glazes, 124; on water in glazes, 162
 Particle size, effect on solubility, 157, 161
 Pastes, 255
 Percentages, by calculator, 45
 Percival, Dr. Thomas, 72
 Periodic table, 197, 203; exceptions, 166
 Phase, 256
 Phoenicians, discovery of glass blowing, 19
 Pigments, from powder paint, 117; traditional ones, 135; effect on fusibility, 136; dispersion in glaze, 136; position in formulae, 137; grinding of, 184. See also *History of Ceramic Pigments*, 140-43 and *Summary of Oxide Forms and Colour Variations*, 143-54

- Pint weight, 256
 Podmore and Sons, Ltd., improvements in lead frits, 75; frit as replacement for colemanite, 110
 Poise, 256
 Polymorphism, 256
 Porcelain, constituents of glazes, 30; reduction firing of, 138. See Ware, types of
 Powell, W., introduction of zinc oxide to glazes, 124
 Protons, 195
 Pyrometer, optical, 255
 Pyrometric Cone Equivalent (P.C.E.), 255
 Pyrometry, 30
 Pyroplastic, 256
 Pyroscopes, 256
- Radicles, 193
 Radioactivity, 198
 Rainbow effect, 256
 Ramazzini, B., *De Morbis (1700)*, 71
 Rational analysis, 257
 Refractive index of glazes, 68-9
 Refractory, 257
 Resist method, 257
 Rhinelands, early production of glass, 20
 Rocks, as glaze bases, 25; use in Oriental glazes, 102; definition of, 189; igneous compositions, 223-6; grinding of, 240
 Romans, spread of glass manufacture, 20; use of tin, 143. See also Ware, types of
 Royal Society, London, prize for leadless glaze, 72; research into optical glass, 108
- Sagar, 257; in lead glaze firings, 79
 Scheele, C., chemist, 103
 Schmelz, 250
 Schott, Dr., investigations into glass composition, 29
 Schraff, 258
 Screen, 257
 Seger, H., ceramic chemist, 29; paper on cones, 30-42; favourite flux group, 51-3; introduction of alkaline earth glazes, 98; leadless glaze, 116; valency rule, 137; rules for curing crazing, 182
 Setters, 257
 Sèvres, enamels, 141; discovery of chrome pigments, 142; glaze stains, 143
 Shand, S.J., *Rocks for Chemists, (1952)*, nomenclature for rocks, 223; sandstone composition, 229
 Shards, 258
 Shou-hsueh Wên, 250
 Shraff, 258
 Singer and Singer, *Industrial Ceramics*, orange-red pigments, 144
 Sintering, 258
 Slaking, 258
 Slip, for alkaline glaze, 19, 95; under pigments, 143; Albany, 246; dips, 249; vitreous, 260
 Slop weight, 258
 Smalto, 250
 Solid, non crystalline, 246; solution, 258
- Solubility of glazes, effect of fluxes and boric oxide, 68-9
 Solution, definition of, 157; colour, 258
 Sortwell, H.H., glaze experiments, 56-8
 Specific gravity (S.G.), 258
 Specific surface area, 258
 Stabilisers, in glazes, 24, 49
 State, change of, 201
 Steger's bending test, 258
 Stoke-on-Trent, salt glaze, 21; borax appears from Tibet, 72; Cornish stone available, 83; introduction of cobalt, 141
 Stoke's law, 258
 Stourbridge, English glass centre, 20
 Strontian, source of strontianite, 103
 Stull, R.T., glaze experiments, 51
 Supercooling, 23
 Suspender, 259
 Suspension of glazes, 120, 157
- Tailings, 259
 Tall 'umar, Seleucia, early lead glaze recipe, 20
 Tamman temperature, 259
 Tarsus, Levant, early lead wares, 20
 Temple Gate Pottery, Bristol, use of zinc oxide, 124
 Tensile strength, 254
 Thermal shock, 259
 Thixotropic suspensions, 158
 Thorpe, Sir Thomas, report on lead poisoning, 72-5
 Tomimoto, raku recipe, 114
 Towing, 259
 Trek, 259
 T's ai, 259
 Turner, W.E.S., boric oxide in glass, 109
 Turpentine, in place of water in glazes, 120
 Tutankhamen, objects in tomb, 19, 143
 Twaddell, degrees of, 259
- Underglaze colours, 143
 United States Potters Association, (USPA), 77
- Valency, of oxides in glaze formulae, 33; definition of, 194; connection with atomic structure, 196
 Venice, centre of glass manufacture, 20
 Vitreous, 260
 Vitrification, effect on glazing, 167; definition of, 260
 Volatilisation, 260
 Voltaic cell, 159
- Wads, 260
 Ware, types of: art, folk, hobby, speciality, 77; lump, 253; earthenware, definition of, 249; stoneware, 22, 97-8, 167
 ENGLISH: bianco-sopra-bianco, 247; bone china, 167; Bristol, porcelain, 124; delft, 247; creamware, 248; Chelsea, 246; clouded, 248; Crich, 248; crouch, 248; Elizabethan, 250; ironstone caneware, 252; ironstone china, 252; lava ware, 253; lead dusted wares, 80; opaque porcelain,

255; parian, 255; pearl, 248; scratch blue, 257; Stoke-on-Trent, salt glaze, 21; tortoise shell, 259

EUROPEAN: berettino, 247; blanc fixe, 247; bleu nuagé, 247; blue persan, 247; cailloutages, 248; delft, 20, 249; Dutchware, 249; faience, 248; flint porcelin, 248; grès de Flandres, 251; Hispano-Moresque, 138-40; Hollandische porcelain, 249; maiolica, 20, 140; Medici porcelain, 246; pâte-sur-pâte, 255; pâte tendre, 246; Rhenish stoneware, 249; rouge-de-fer, 257; Roman glazed ware, 140; steingut, 248; terraglia, 248; terre de pipe anglaise, 248; terra sigillata, 259

NEAR EASTERN: Byzantine, 20; Egyptian paste or faience, 19, 93-6, 140-41; Gombroon, 251; Islamic, 20, 95, 143, 149; Isnik, 142, 149, 246; Mesopotamian, 141; minai, 254; Persian, 95; Rhages, 250

ORIENTAL: blanc de chine, 247; blue and white, 247; celadon, 247; chang, 248; chien yao, 248; ching-pai, 248, 260; chün, 248; eggshell, 250; fa-hua, 250; famille jaune, noire, rose, verte, 250; fatshan chün, 250; flambé, 250; Han, 83; jiki, 253; ju, 253; K'ang hsi, 248; kinuta, 253; kuan yao, 253; Koryo, 253; lang yao, 253; Lung-ch'üan, 248, 253; Ming, 247, 254, 260; pai-ting, 255; pai-tzü, 255; pien yao, 256; san ts'ai, 257; Sung, 22, 248, 250, 253, 255, 259, 260; T'ang, 20; tè hua, 247; temmoku, 175; Ting, 247,

259; t'o t'ai, 259; T'ung, 259; t'u ting, 259; tz'u-chou, 260; wu chin, 260; wu ts'ai, 260; ying ch'ing, 260

WEDGWOOD: agate, 246; bamboo, 246; basaltes, 247; creamware, 248; granite, 251; pearl, 256; porphyry, 256; Queen's ware, 72, 248

PORCELAIN: artificial, 246; bone ash, 246; frit, 246; hard paste, 252; pâte dure, 252; phosphatic, 256; porcelaine royale, 252; proto, 256; soaprock, 246; soft paste, 246

Warren, B.E., work on atomic structure of glass, 23

Watkins' recorders, 260

Wedgwood, Josiah, key figure of eighteenth century, 21; on lead poisoning, 72; use of alkalis in lead glazes, 83; use of barium oxide, 103; glaze stains, 143. See also Ware, types of

Wengers Ltd., pigments sold in 1937, 143

Window dipping, 260

Woburn, Bedfordshire, fuller's earth deposits, 229

Work heat, 266

Yellow, imperial, 251

Yu, 260

Zachariasen, W.H., *Atomic Arrangement in Glass*, (1932), 23

Zeiss, Dr. R., production of optical glass, 29