

## INDEX, VOLUME 73, 1988

- Abbott, R.N., Jr., C.W. Burnham: Polytypism in micas: A polyhedral approach to energy calculations, 105
- Abrecht, J.: Experimental evaluation of the  $MnCO_3 + SiO_2 = MnSiO_3 + CO_2$  equilibrium at 1 kbar, 1285
- Abrecht, J., D.A. Hewitt: Experimental evidence on the substitution of Ti in biotite, 1275
- Afifi, A.M., E.J. Essene: MINFILE: A microcomputer program for storage and manipulation of chemical data on minerals, 446
- Ahn, J.H., D.M. Burt, P.R. Buseck: Alteration of andalusite to sheet silicates in a pegmatite, 559
- Aizenshtat, Z., see Heller-Kallai, L., 376
- Akizuki, M., K. Harada: Symmetry, twinning, and parallel growth of scolecite, mesolite, and natrolite, 613
- Akizuki, M., H. Nishido: Epistilbite: Symmetry and twinning, 1434
- Allan, J.F., R.O. Sack, R. Batiza: Cr-rich spinels as petrogenetic indicators: MORB-type lavas from the Lamont seamount chain, eastern Pacific, 741
- Allen, F.M., P.R. Buseck: XRD, FTIR, and TEM studies of optically anisotropic grossular garnets, 568
- Altaner, S.P., C.M. Bethke: Interlayer order in illite/smectite, 766
- Altaner, S.P., N. Vergo: Sericite from the Silverton caldera, Colorado: Discussion, 1472
- Altaner, S.P., J.J. Fitzpatrick, M.D. Krohn, P.M. Bethke, D.O. Hayba, J.A. Goss, Z.A. Brown: Ammonium in alunites, 145
- Andersen, D.J., D.H. Lindsley: Internally consistent solution models for Fe-Mg-Mn-Ti oxides: Fe-Ti oxides, 714
- Andersen, D.J., see Frost, B.R., 727
- Angel, R.J.: High-pressure structure of anorthite, 1114
- Anovitz, L.M., E.J. Essene, W.R. Durham: Order-disorder experiments on orthopyroxenes: Implications for the orthopyroxene geospeedometer, 1060
- Appleman, D.E., see Post, J.E., 1401
- Arima, M., see Edgar, A.D., 524
- Armbruster, T., R. Oberhänsli: Crystal chemistry of double-ring silicates: Structural, chemical, and optical variation in osumilites, 585
- Armbruster, T., R. Oberhänsli: Crystal chemistry of double-ring silicates: Structures of sugilite and brannockite, 595
- Aurisicchio, C., G. Fioravanti, O. Grubessi, P.F. Zanazzi: Reappraisal of the crystal chemistry of beryl, 826
- Bacon, C.R., M.M. Hirschmann: Mg/Mn partitioning as a test for equilibrium between coexisting Fe-Ti oxides, 57
- Bailey, S.W., see MacKinney, J.A., 365
- Bailey, S.W., see Peacor, D.R., 876
- Baldwin, D.K., see Edgar, A.D., 524
- Ball, D.G.A., see Robin, P.F., 253
- Barton, M., C. Van Gaans: Formation of orthopyroxene - Fe-Ti oxide symplectites in Precambrian intrusives, Rogaland, southwestern Norway, 1046
- Batiza, R., see Allan, J.F., 741
- Bayliss, P., A.A. Levinson: A system of nomenclature for rare-earth mineral species: Revision and extension, 422
- Belkin, H.E., G. Cavarretta, B. De Vivo, F. Tecce: Hydrothermal phlogopite and anhydrite from the SH2 well, Sabatini volcanic district, Latium, Italy: Fluid inclusions and mineral chemistry, 775
- Bell, D.R., see Edgar, A.D., 524
- Bernstein, L.R., see Ross, C.R., II, 657
- Bethke, C.M., see Altaner, S.P., 766
- Bethke, P.M., see Altaner, S.P., 145
- Bettison, L.A., P. Schiffman: Compositional and structural variations of phyllosilicates from the Point Sal ophiolite, California, 62
- Bhattacharya, A., A.C. Mazumdar, S.K. Sen: Fe-Mg mixing in cordierite: Constraints from natural data and implications for cordierite-garnet geothermometry in granulites, 338
- Bhattacharya, R.N., see Ganguly, J., 901
- Bianchi, R., T. Pilati, V. Diella, C.M. Gramaccioli, G. Mannucci: A re-examination of thortveitite, 601
- Bish, D.L., see Post, J.E., 861
- Bish, D.L., see Veblen, D.R., 677
- Bladh, K.W., see Jambor, J.L., 927
- Bloss, F.D.: Presentation of the Roebling Medal of the Mineralogical Society of America for 1987 to Gerald V. Gibbs, 668
- Bloss, F.D.: Memorial of D. Jerome Fisher, 925
- Bloss, F.D., see Gunter, M.E., 1481
- Boak, J.L., see Dymek, R.F., 547
- Boggs, R.C.: Calciohilairite:  $CaZrSi_3O_9 \cdot 3H_2O$ , the calcium analogue of hilairite from the Golden Horn batholith, northern Cascades, Washington, 1191
- Boland, J.N., see Konings, R.J.M., 754
- Boulègue, J., see Stouff, P., 1162
- Bowles, J.F.W.: Definition and range of composition of naturally occurring minerals with the pseudobrookite structure, 1377
- Brothers, S.C., see Dymek, R.F., 547
- Brown, Z.A., see Altaner, S.P., 145
- Bryndzia, L.T., O.J. Kleppa: High-temperature reaction calorimetry of solid and liquid phases in part of the quasi-binary system  $Cu_2S-Sb_2S_3$ , 707
- Burke, E.A.J., see Hawthorne, F.C., 189
- Burke, E.A.J., see Jambor, J.L., 1492
- Burnham, C.W., see Abbott, R.N., Jr., 105
- Burnham, C.W., see Pinckney, L.R., 798, 809
- Burt, D.M.: Planet Alsioff: A problem set for students of phase equilibria or metamorphic petrology, 936

- Burt, D.M.: Planet Alsioff: Solutions to problems posed in the previous issue, 1201
- Burt, D.M.: Stability of genthelvite,  $Zn_4(BeSiO_4)_3S$ : An exercise in chalcophilicity using exchange operators, 1384
- Burt, D.M., see Ahn, J.H., 559
- Burt, D.M., see Kortemeier, W.T., 507
- Burton, B.P., P.M. Davidson: Order-disorder in omphacitic pyroxenes: A model for coupled substitution in the point approximation--Reply, 916
- Buseck, P.R., see Ahn, J.H., 559
- Buseck, P.R., see Allen, F.M., 568
- Buseck, P.R., see Hassan, I., 119
- Buseck, P.R., see Sharp, T.G., 1292
- Campana, C.F., see Hughes, J.M., 181
- Cannillo, E., F. Mazzi, G. Rossi: Crystal structure of andremeyerite:  $BaFe(Fe,Mn,Mg)Si_2O_7$ , 608
- Carlson, W.D.: Subsolidus phase equilibria on the forsterite-saturated join  $Mg_2Si_2O_6-CaMgSi_2O_6$  at atmospheric pressure, 232
- Carlson, W.D., D.H. Lindsley: Thermochemistry of pyroxenes on the join  $Mg_2Si_2O_6-CaMgSi_2O_6$ , 242
- Carlson, W.D., G.R. Rossman: Vanadium- and chromium-bearing andalusite: Occurrence and optical-absorption spectroscopy, 1366
- Carlson, W.D., J.S. Swinnea, D.E. Miser: Stability of orthoenstatite at high temperature and low pressure, 1255
- Carlson, W.D., see Davidson, P.M., 1264
- Carmichael, I., see Kress, V.C., 1267
- Carpenter, P.K., see Williams, L.B., 1457
- Carroll, M.R., M.J. Rutherford: Sulfur speciation in hydrous experimental glasses of varying oxidation state: Results from measured wavelength shifts of sulfur X-rays, 845
- Catti, M., G. Ferraris, G. Ivaldi: Thermal behavior of the crystal structure of strontian piemontite, 1370
- Catti, M., see Ivaldi, G., 358
- Cavarretta, G., see Belkin, H.E., 775
- Chakoumakos, B.C., see Duesler, E.N., 1186
- Chakoumakos, B.C., see Lumpkin, G.R., 1405
- Chakraborty, S., see Ganguly, J., 901
- Chappell, B.W., see Whalen, J.B., 281
- Christy, A.G.: A new 2<sub>c</sub> superstructure in beryllian sapphirine from Casey Bay, Enderby Land, Antarctica, 1134
- Chu, H., see Shen, P., 383
- Clowe, C.A., R.K. Popp, S.J. Fritz: Experimental investigation of the effect of oxygen fugacity on ferric-ferrous ratios and unit-cell parameters of four natural clinoamphiboles, 487
- Clowe, C.A., see Phillips, M.W., 500
- Cohen, R.E.: Order-disorder in omphacitic pyroxenes: A model for coupled substitution in the point approximation--Discussion, 910
- Collyer, S., N.W. Grimes, D.J. Vaughan, G. Longworth: Studies of crystal structure and crystal chemistry of titanomaghmite, 153
- Cosca, M.A., R.C. Rouse, E.J. Essene: Dorrite [ $Ca_2(Mg_2Fe^{3+})_2(Al_4Si_2)O_{20}$ ], a new member of the aenigmatite group from a pyrometamorphic melt-rock, 1440
- Craig, J.R., see Johnson, N.E., 389
- Criddle, A.J., see Dunn, P.J., 405, 413
- Criddle, A.J., see Rouse, R.C., 643
- Daddar, R., see King, R.W., 424
- Davidson, P.M., D.H. Lindsley, W.D. Carlson: Thermochemistry of pyroxenes on the join  $Mg_2Si_2O_6-CaMgSi_2O_6$ : A revision of the model for pressures up to 30 kbar, 1264
- Davidson, P.M., see Burton, B.P., 916
- de Camargo, M.B., S. Isotani: Optical absorption spectroscopy of natural and irradiated pink tourmaline, 172
- de Gennaro, M., see Franco, E., 420
- DePaolo, D.J.: Acceptance of the Mineralogical Society of America Award for 1987, 674
- De Vivo, B., see Belkin, H.E., 775
- Diella, V., see Bianchi, R., 601
- Drexler, J.W., see Hughes, J.M., 181
- Duesler, E.N., B.C. Chakoumakos, E.E. Foord: Zimbabweite,  $Na(Pb,Na,K)_2As_4(Ta,Nb,Ti)_{40}18$ , an arsenite-tantalate with a novel corner-linked octahedral sheet, 1186
- Dunn, P.J.: Protocols for scientists on the deposition of investigated mineral specimens, 1480
- Dunn, P.J., D.R. Peacor, A.J. Criddle, C.J. Stanley: Ingersonite, a new calcium-manganese antimonate related to pyrochlore, from Långban, Sweden, 405
- Dunn, P.J., D.R. Peacor, A.J. Criddle, C.J. Stanley: Filipstadite, a new Mn-Fe<sup>3+</sup>-Sb derivative of spinel, from Långban, Sweden, 413
- Dunn, P.J., J.D. Grice, F.J. Wicks, R.A. Gault: Paulkellerite, a new bismuth iron phosphate mineral from Schneeberg, Germany, 870
- Dunn, P.J., J.D. Grice, W.C. Metropolis: Zodacite, the Mn analogue of montgomeryite, from Mangualde, Portugal, 1179
- Dunn, P.J., C.A. Francis, J. Innes: A mcgovernite-like mineral and leucophoenicite from the Kombat mine, Namibia, 1182
- Dunn, P.J., see Peacor, D.R., 632, 838, 888
- Dunn, P.J., see Rouse, R.C., 643
- Durham, W.R., see Anovitz, L.M., 1060
- Dutrow, B.L., see Holdaway, M.J., 20
- Dyar, M.D., M.T. Naney: Effects of quench methods on Fe<sup>3+</sup>/Fe<sup>2+</sup> ratios: Reply, 1479
- Dymek, R.F., J.L. Boak, S.C. Brothers: Titanian chondrodite- and titanian clinohumite-bearing metadunite from the 3800 Ma Isua supracrustal belt, West Greenland: Chemistry, petrology, and origin, 547
- Eberl, D.D., J. Środon: Ostwald ripening and interparticle-diffraction effects for illite crystals, 1335
- Eberl, D.D., J. Środon, M. Lee, P.H. Nadeau: Sericite from the Silverton caldera, Colorado: Reply, 1475
- Edgar, A.D., M. Arima, D.K. Baldwin, D.R. Bell, S.R. Shee, E.M.W. Skinner, E.C. Walker: High-pressure - high-temperature melting experiments on a SiO<sub>2</sub>-poor aphanitic kimberlite from the Wesselton mine, Kimberley, South Africa, 524
- Eggleson, C.M., see Hochella, M.F., Jr., 1449

- Enami, M., Q. Zang: Magnesian staurolite in garnet-corundum rocks and eclogite from the Donghai district, Jiangsu province, east China, 48
- Ercit, T.S., see Hawthorne, F.C., 189
- Ercit, T.S., see Jambor, J.L., 927, 1492
- Essene, E.J., see Afifi, A.M., 446
- Essene, E.J., see Anovitz, L.M., 1060
- Essene, E.J., see Cosca, M.A., 1440
- Essene, E.J., see Peacor, D.R., 632
- Ettel, V.A., see Krause, E., 850
- Ferraris, G., see Catti, M., 1370
- Ferraris, G., see Ivaldi, G., 358
- Ferrell, R.E., see Williams, L.B., 1457
- Fioravanti, G., see Aurisicchio, C., 826
- Fitzpatrick, J.J., see Altaner, S.P., 145
- Foord, E.E., see Duesler, E.N., 1186
- Francis, C.A., see Dunn, P.J., 1182
- Franco, E., M. de Gennaro: Panunzite, a new mineral from Mt. Somma - Vesuvio, Italy, 420
- Freed, R.L., see Rouse, R.C., 168
- Fritz, S.J., see Clowe, C.A., 487
- Frondel, C.: Memorial of Martin Julian Buerger, 1483
- Frost, B.R.: Review of The Interpretation of Geological Phase Diagrams, by Ernest G. Ehlers, 939
- Frost, B.R., D.H. Lindsley, D.J. Andersen: Fe-Ti oxide - silicate equilibria: Assemblages with fayalitic olivine, 727
- Fudali, R.F.: Effects of quench methods on  $\text{Fe}^{3+}/\text{Fe}^{2+}$  ratios: Discussion, 1478
- Fuhrman, M.L., D.H. Lindsley: Ternary-feldspar modeling and thermometry, 201
- Ganguly, J., R.N. Bhattacharya, S. Chakraborty: Convolution effect in the determination of compositional profiles and diffusion coefficients by microprobe step scans, 901
- Gault, R.A., see Dunn, P.J., 870
- Gibbs, G.V.: Acceptance of the Roebling Medal of the Mineralogical Society of America for 1987, 670
- Gittins, J.: Partial melting of fenitized crustal xenoliths in the Oldoinyo Lengai carbonatitic volcano, Tanzania: Discussion, 1465
- Goss, J.A., see Altaner, S.P., 145
- Gramaccioli, C.M., see Bianchi, R., 601
- Green, N.L., S.I. Ustdansky: Ternary-feldspar mixing relations and thermobarometry [erratum], 667
- Grew, E.S.: Kornerupine at the Sar-e-Sang, Afghanistan, whiteschist locality: Implications for tourmaline-kornerupine distribution in metamorphic rocks, 345
- Grew, E.S., see Hawthorne, F.C., 189
- Grew, E.S., see Jambor, J.L., 439, 927
- Grice, J.D., L.A. Groat: Crystal structure of paulkellerite, 873
- Grice, J.D., see Dunn, P.J., 870, 1179
- Grice, J.D., see Hawthorne, F.C., 189
- Grice, J.D., see Jambor, J.L., 927, 1492
- Grice, J.D., see Peacor, D.R., 632
- Griffen, D.T.: Howlite,  $\text{Ca}_2\text{SiB}_5\text{O}_9(\text{OH})_5$ : Structure refinement and hydrogen bonding, 1138
- Grimes, N.W., see Collyer, S., 153
- Groat, L.A., see Grice, J.D., 873
- Grubessi, O., see Aurisicchio, C., 826
- Gunter, M.E., F.D. Bloss, S. Su: EXCALIBR revisited, 1481
- Hafner, S.S., see Petrov, I., 97
- Halicz, L., see Heller-Kallai, L., 376
- Harada, K., see Akizuki, M., 613
- Hassan, I., P.R. Buseck: HRTEM characterization of scapolite solid solutions, 119
- Hawthorne, F.C., E.A.J. Burke, T.S. Ercit, E.S. Grew, J.D. Grice, J.L. Jambor, J. Puziewicz, A.C. Roberts, D.A. Vanko: New mineral names, 189
- Hayba, D.O., see Altaner, S.P., 145
- Hazen, R.M., Z.D. Sharp: Compressibility of sodalite and scapolite, 1120
- Heller-Kallai, L., I. Miloslavski, Z. Aizenshtat, L. Halicz: Chemical and mass spectrometric analysis of volatiles derived from clays, 376
- Hemphill, W.R., see Tyson, R.M., 1145
- Hervig, R.L., see Kovalenko, V.I., 1038
- Hewitt, D.A., see Abrecht, J., 1275
- Higgins, M.D., see Shaw, D.M., 894
- Hinton, R.W., see Holdaway, M.J., 20
- Hirschmann, M.M., see Bacon, C.R., 57
- Hochella, M.F., Jr., J.R. Lindsay, V.G. Mossotti, C.M. Eggleston: Sputter depth profiling in mineral-surface analysis , 1449
- Hodges, K.V., see McKenna, L.W., 1205
- Holdaway, M.J., B.L. Dutrow, R.W. Hinton: Devonian and Carboniferous metamorphism in west-central Maine: The muscovite-almandine geobarometer and the staurolite problem revisited, 20
- Hollis, D.B.: Review of hyper - Rayleigh and second-harmonic scattering in minerals and other inorganic solids, 701
- Hover-Granath, V.C., see Labotka, T.C., 1095
- Huebner, J.S., D.E. Voigt: Electrical conductivity of diopside: Evidence for oxygen vacancies, 1235
- Hughes, J.M., J.W. Drexler, C.F. Campana, M.L. Malinconico: Howardevansite,  $\text{NaCu}^{2+}\text{Fe}^{3+}_2(\text{VO}_4)_3$ , a new fumarolic sublimate from Izalco volcano, El Salvador: Descriptive mineralogy and crystal structure, 181
- Hwang, S., see Shen, P., 383
- Innes, J., see Dunn, P.J., 1182
- Innes, J., see Peacor, D.R., 632, 888
- Innes, J., see Rouse, R.C., 643
- Inoue, A., B. Velde, A. Meunier, G. Touchard: Mechanism of illite formation during smectite-to-illite conversion in a hydrothermal system, 1325
- Irving, A.J., see O'Brien, H.E., 1007
- Iostani, S., see de Camargo, M.B., 172
- Ivaldi, G., M. Catti, G. Ferraris: Crystal structure at 25 and 700 °C of magnesiochloritoid from a high-pressure assemblage (Monte Rosa), 358
- Ivaldi, G., see Catti, M., 1370
- Jaffe, E.B., see Ollila, P.W., 261
- Jaffe, H.W., see Ollila, P.W., 261

- Jambor, J.L.: New mineral names, 666  
 Jambor, J.L., E.S. Grew, J. Puziewicz, D.A.  
     Vanko: New mineral names, 439  
 Jambor, J.L., K.W. Bladh, T.S. Ercit, J.D.  
     Grice, E.S. Grew: New mineral names, 927  
 Jambor, J.L., E.A.J. Burke, T.S. Ercit, J.D.  
     Grice: New mineral names, 1492  
 Jambor, J.L., see Hawthorne, F.C., 189  
 Jansen, J.B.H., see Konings, R.J.M., 754  
 Jeng, R., see Shen, P., 383  
 Johnson, N.E., J.R. Craig, J.D. Rimstidt: Crystal chemistry of tetrahedrite, 389  
 Jones, B.F.: Memorial of Hans P. Eugster, 1489
- Kamineni, D.C., A.T. Rao: Sapphirine granulites, Kakanuru area, Eastern Ghats, India, 692  
 Kampf, A.R., C.R. Ross II: End-member villyaelenite from Mapimi, Durango, Mexico: Descriptive mineralogy, crystal structure, and implications for the ordering of Mn and Ca in type villyaelenite, 1172  
 Kato, A., E.H. Nickel: A possible unit cell for danielsite, 187  
 Katsura, S., see Sabelli, C., 398  
 Kerrich, R.W., see King, R.W., 424  
 Kesson, S.E., see Myhra, S., 161  
 King, R.W., R.W. Kerrich, R. Daddar: REE distributions in tourmaline: An INAA technique involving pretreatment by B volatilization, 424  
 Kirkpatrick, R.J., see Oestrike, R., 534  
 Kleppa, O.J., see Bryndzia, L.T., 707  
 Konings, R.J.M., J.N. Boland, S.P. Vriend, J.B.H. Jansen: Chemistry of biotites and muscovites in the Abas granite, northern Portugal, 754  
 Kortemeier, W.T., D.M. Burt: Ongonite and topazite dikes in the Flying W ranch area, Tonto basin, Arizona, 507  
 Kovalenko, V.I., R.L. Hervig, M.F. Sheridan: Ion-microprobe analyses of trace elements in anorthoclase, hedenbergite, aenigmatite, quartz, apatite, and glass in pantellerite: Evidence for high water contents in pantellerite melt, 1038  
 Koziol, A.M., R.C. Newton: Redetermination of the anorthite breakdown reaction and improvement of the plagioclase-garnet-Al<sub>2</sub>SiO<sub>5</sub>-quartz geobarometer, 216, 1501 [erratum]  
 Krause, E., V.A. Ette: Solubility and stability of scorodite FeAsO<sub>4</sub>·2H<sub>2</sub>O: New data and further discussion, 850  
 Kress, V.C., I. Carmichael: Stoichiometry of the iron oxidation reaction in silicate melts, 1267  
 Kretz, R.: SEM study of dolomite microcrystals in Grenville marble, 619  
 Krohn, M.D., see Altaner, S.P., 145  
 Kubicki, J.D., A.C. Lasaga: Molecular dynamics simulations of SiO<sub>2</sub> melt and glass: Ionic and covalent models, 941  
 Kushiro, I., see Mysen, B.O., 1
- Labotka, T.C., P.I. Nabelek, J.J. Papike, V.C. Hover-Granath, J.C. Laul: Effects of contact metamorphism on the chemistry of calcareous rocks in the Big Horse Limestone Member, Notch Peak, Utah, 1095  
 Labotka, T.C., P.I. Nabelek, J.J. Papike: Fluid infiltration through the Big Horse Limestone Member in the Notch Peak contact-metamorphic aureole, Utah, 1302  
 Lasaga, A.C., see Kubicki, J.D., 941  
 Lasaga, A.C., see Muncill, G.E., 982  
 Laul, J.C., see Labotka, T.C., 1095  
 Lee, M., see Eberl, D.D., 1475  
 Lehmann, B., see Nakai, S., 1111  
 Levinson, A.A., see Bayliss, P., 422  
 Lindsay, J.R., see Hochella, M.F., Jr., 1449  
 Lindsay, D.H., see Andersen, D.J., 714  
 Lindsay, D.H., see Carlson, W.D., 242  
 Lindsay, D.H., see Davidson, P.M., 1264  
 Lindsay, D.H., see Frost, B.R., 727  
 Lindsay, D.H., see Fuhrman, M.L., 201  
 Longworth, G., see Collyer, S., 153  
 Lumpkin, G.R., B.C. Chakoumakos: Chemistry and radiation effects of thorite-group minerals from the Harding pegmatite, Taos County, New Mexico, 1405  
 Luth, R.W.: Raman spectroscopic study of the solubility mechanisms of F in glasses in the system CaO-CaF<sub>2</sub>-SiO<sub>2</sub>, 297  
 Luth, R.W.: Effects of F on phase equilibria and liquid structure in the system NaAlSiO<sub>4</sub>-CaMgSi<sub>2</sub>O<sub>6</sub>-SiO<sub>2</sub>, 306
- MacKinney, J.A., C.I. Mora, S.W. Bailey: Structure and crystal chemistry of clintonite, 365  
 Malinconico, M.L., see Hughes, J.M., 181  
 Malvin, D.J.: Silica-glass containers for high-temperature experiments, 1198  
 Mandarino, J.A., see Nickel, E.H., 200  
 Mannucci, G., see Bianchi, R., 601  
 Martin, R.F., V. Morogan: Partial melting of fenitized crustal xenoliths in the Oldoinyo Lengai carbonatitic volcano, Tanzania: Reply, 1468  
 Masuda, A., see Nakai, S., 1111  
 Mazumdar, A.C., see Bhattacharya, A., 338  
 Mazzi, F., see Cannillo, E., 608  
 McCallum, I.S., see O'Brien, H.E., 1007  
 McKenna, L.W., K.V. Hodges: Accuracy versus precision in locating reaction boundaries: Implications for the garnet - plagioclase - aluminum silicate - quartz geobarometer, 1205  
 Meagher, E.P.: Review of Crystal Structures and Cation Sites of the Rock-Forming Minerals, by J.R. Smyth and D.L. Bish, 1501  
 Merzbacher, C.I., W.B. White: Structure of Na in aluminosilicate glasses: A far-infrared reflectance spectroscopic study, 1089  
 Metropolis, W.C., see Dunn, P.J., 1179  
 Meunier, A., see Inoue, A., 1325  
 Meyer, C., S.V. Yang: Tungsten-bearing yttrium-betafite in lunar granophyre, 1420  
 Meyer, H.O.A.: Report of the Secretary for 1987, 1209  
 Middleton, T.A., see Shaw, D.M., 894  
 Miloslavski, I., see Heller-Kallai, L., 376  
 Miser, D.E., see Carlson, W.D., 1255  
 Mogessie, A., see Rammelmair, D., 651  
 Moore, P.B.: The joesmithite enigma: Note on the 6s<sup>2</sup> Pb<sup>2+</sup> lone pair, 843  
 Mora, C.I., see MacKinney, J.A., 365

- Morimoto, N.: Nomenclature of pyroxenes, 1123  
 Morogan, V., see Martin, R.F., 1468  
 Mossotti, V.G., see Hochella, M.F., Jr., 1449  
 Muncill, G.E., A.C. Lasaga: Crystal-growth kinetics of plagioclase in igneous systems: Isothermal H<sub>2</sub>O-saturated experiments and extension of a growth model to complex silicate melts, 982  
 Munoz, J.L.: Review of Hydrothermal Experimental Techniques, edited by G.C. Ulmer and H.L. Barnes, 939  
 Munoz, J.L.: Report of the Editor for 1987, 1214  
 Murad, E., U. Schwertmann: Iron oxide mineralogy of some deep-sea ferromanganese crusts, 1395  
 Myhra, S., T.J. White, S.E. Kesson, J.C. Riviere: X-ray photoelectron spectroscopy for the direct identification of Ti valence in [Ba<sub>x</sub>Cs<sub>y</sub>][(Ti,A<sub>1</sub>)<sub>2x+y</sub>Ti<sub>8-2x-y</sub>]<sub>0</sub>16 hollandites, 161  
 Mysen, B.O., I. Kushiro: Condensation, evaporation, melting, and crystallization in the primitive solar nebula: Experimental data in the system MgO-SiO<sub>2</sub>-H<sub>2</sub> to 1.0 x 10<sup>-9</sup> bar and 1870 °C with variable oxygen fugacity, 1  
 Nabelek, P.I., see Labotka, T.C., 1095, 1302  
 Nadeau, P.H., see Eberl, D.D., 1475  
 Nakai, S., A. Masuda, B. Lehmann: La-Ba dating of bastnaesite, 1111  
 Nakai, I., see Sabelli, C., 398  
 Naney, M.T., see Dyar, M.D., 1479  
 Navrotsky, A., see Ross, N.L., 1355  
 Nekvasil, H.: Calculation of equilibrium crystallization paths of compositionally simple hydrous felsic melts, 956  
 Nekvasil, H.: Calculated effect of anorthite component on the crystallization paths of H<sub>2</sub>O-undersaturated haplogranitic melts, 966  
 Nelen, J.A., see Peacor, D.R., 632, 888  
 Newton, R.C., see Koziol, A.M., 216, 1501  
 Nickel, E.H., see Kato, A., 187  
 Nickel, E.H., J.A. Mandarino: Procedures involving the IMA Commission on New Minerals and Mineral Names and guidelines on mineral nomenclature [errata], 200  
 Nishido, H., see Akizuki, M., 1434  
 Nitkiewicz, A.M., S.M. Sternier: An improved Bond air mill for the preparation of spherical single crystals, 662  
 Nord, G.L., Jr.: Report of the Treasurer for 1987, 1210  
 Northrop, H.R., see Whitney, G., 77  
 O'Brien, H.E., A.J. Irving, I.S. McCallum: Complex zoning and resorption of phenocrysts in mixed potassic mafic magmas of the Highwood Mountains, Montana, 1007  
 O'Neill, H.St.C.: Systems Fe-O and Cu-O: Thermodynamic data for the equilibria Fe-<sup>"</sup>FeO, Fe-Fe<sub>3</sub>O<sub>4</sub>, <sup>"</sup>FeO-Fe<sub>3</sub>O<sub>4</sub>, Fe<sub>3</sub>O<sub>4</sub>-Fe<sub>2</sub>O<sub>3</sub>, Cu-Cu<sub>2</sub>O, and Cu<sub>2</sub>O-CuO from emf measurements, 470  
 Oberhänsli, R., see Armbruster, T., 585, 595  
 Oestrike, R., R.J. Kirkpatrick: <sup>27</sup>Al and <sup>29</sup>Si MASS NMR spectroscopy of glasses in the system anorthite-diopside-forsterite, 534  
 Ollila, P.W., H.W. Jaffe, E.B. Jaffe: Pyroxene exsolution: An indicator of high-pressure igneous crystallization of pyroxene-bearing quartz syenite gneiss from the High Peaks region of the Adirondack Mountains, 261  
 Paces, J.B., see Zolensky, M.E., 313  
 Papike, J.J., see Labotka, T.C., 1095, 1302  
 Papike, J.J., see Shearer, C.K., 324  
 Parnell, J.: Native platinum in pyrobitumen from Fonda, New York, 1170  
 Pasteris, J.D., B.J. Wanamaker: Laser Raman microprobe analysis of experimentally re-equilibrated fluid inclusions in olivine: Some implications for mantle fluids, 1074  
 Pe-Piper, G.: Calcic amphiboles of mafic rocks of the Jeffers Brook plutonic complex, Nova Scotia, Canada, 993  
 Peacor, D.R., P.J. Dunn: Dollaseite-(Ce) (magnesium orthite redefined): Structure refinement and implications for F + M<sup>2+</sup> substitutions in epidote-group minerals, 838  
 Peacor, D.R., R.C. Rouse: Holdawayite, Mn<sub>6</sub>(CO<sub>3</sub>)<sub>2</sub>(OH)<sub>7</sub>(Cl,OH), a structure containing anions in zeolite-like channels, 637  
 Peacor, D.R., E.J. Essene, R.C. Rouse, P.J. Dunn, J.A. Nelen, J.D. Grice, J. Innes, O. von Knorring: Holdawayite, a new manganese hydroxyl-carbonate from the Kombat mine, Namibia, 632  
 Peacor, D.R., R.C. Rouse, S.W. Bailey: Crystal structure of franklinfurnaceite: A tridioctahedral zincosilicate intermediate between chlorite and mica, 876  
 Peacor, D.R., H. Sarp, P.J. Dunn, J. Innes, J.A. Nelen: Defernrite from the Kombat mine, Namibia: A second occurrence, structure refinement, and crystal chemistry, 888  
 Peacor, D.R., see Dunn, P.J., 405, 413  
 Peacor, D.R., see Rouse, R.C., 168, 643  
 Petrov, I., S.S. Hafner: Location of trace Fe<sup>3+</sup> ions in sanidine, KAlSi<sub>3</sub>O<sub>8</sub>, 97  
 Phillips, M.W., R.K. Popp, C.A. Clowe: Structural adjustments accompanying oxidation-dehydrogenation in amphiboles, 500  
 Pilati, T., see Bianchi, R., 601  
 Pinckney, L.R., C.W. Burnham: Effects of compositional variation on the crystal structures of pyroxmangite and rhodonite, 798  
 Pinckney, L.R., C.W. Burnham: High-temperature crystal structure of pyroxmangite, 809  
 Podvin, P.: Ni-Mg partitioning between synthetic olivines and orthopyroxenes: Application to geothermometry, 274  
 Popp, R.K., see Clowe, C.A., 487  
 Popp, R.K., see Phillips, M.W., 500  
 Post, J.E., D.E. Appleman: Chalcophanite, ZnMn<sub>3</sub>O<sub>7</sub>·3H<sub>2</sub>O: New crystal-structure determinations, 1401  
 Post, J.E., D.L. Bish: Rietveld refinement of the todorokite structure, 861  
 Post, J.E., see Turner, S., 1155  
 Powell, R., see Sandiford, M., 434  
 Price, G.D., see Wall, A., 224  
 Pring, A., see Williams, T.B., 1426  
 Purtscheller, F., see Rammelmair, D., 651  
 Puziewicz, J., see Hawthorne, F.C., 189  
 Puziewicz, J., see Jambor, J.L., 439

- Radke, F., see Rule, A.C., 135  
 Rajabali, G.: Ordering behavior of albite using modified sequential construction method, 91  
 Rammlmair, D., A. Mogessie, F. Pütscheller, R. Tessadri: Högbomite from the Vumba schist belt, Botswana, 651  
 Rao, A.T., see Kamineni, D.C., 692  
 Reed, M.H.: Memorial of Charles Meyer, 1486  
 Reinitz, I.M., G.R. Rossman: Role of natural radiation in tourmaline coloration, 822  
 Ribbe, P.H.: Assessment of prestige and price of professional publications, 449, 1501 [errata]  
 Ribbe, P.H.: Mammon and prestige in earth science departments, 1221  
 Rietmeijer, F.J.M.: Pyroxene exsolution in granulites from Fyfe Hills, Enderby Land, Antarctica: Evidence for 1000 °C metamorphic temperatures in Archean continental crust--Discussion, 432  
 Rimstidt, J.D., see Johnson, N.E., 389  
 Riviere, J.C., see Myhra, S., 161  
 Roberts, A.C., see Hawthorne, F.C., 189  
 Robin, P.F., D.G.A. Ball: Coherent lamellar exsolution in ternary pyroxenes: A pseudobinary approximation, 253  
 Rock, N.M.S., see Wheatley, M., 919  
 Rosenberg, P.E.: Aluminum fluoride hydrates, volcanogenic salts from Mount Erebus, Antarctica, 855  
 Ross, C.R., II, L.R. Bernstein, G.A. Waychunas: Crystal-structure refinement of stottite, FeGe(OH)<sub>6</sub>, 657  
 Ross, C.R., II, see Kampf, A.R., 1172  
 Ross, N.L., A. Navrotsky: Study of the MgGeO<sub>3</sub> polymorphs (orthopyroxene, clinopyroxene, and ilmenite structures) by calorimetry, spectroscopy, and phase equilibria, 1355  
 Rossi, G., see Cannillo, E., 608  
 Rossman, G.R., see Carlson, W.D., 1366  
 Rossman, G.R., see Reinitz, I.M., 822  
 Rossman, G.R., see Solomon, G.C., 818  
 Rouse, R.C., D.R. Peacor, R.L. Freed: Pyrophosphate groups in the structure of canapite, CaNa<sub>2</sub>P<sub>2</sub>O<sub>7</sub>·4H<sub>2</sub>O: The first occurrence of a condensed phosphate as a mineral, 168  
 Rouse, R.C., D.R. Peacor, P.J. Dunn, A.J. Criddle, C.J. Stanley, J. Innes: Asisite, a silicon-bearing lead oxychloride from the Kombat mine, South West Africa (Namibia), 643  
 Rouse, R.C., see Cosca, M.A., 1440  
 Rouse, R.C., see Peacor, D.R., 632, 637, 876  
 Rule, A.C., F. Radke: Baileychlore, the Zn end member of the trioctahedral chlorite series, 135  
 Rutherford, M.J., see Carroll, M.R., 845  
 Sabelli, C., I. Nakai, S. Katsura: Crystal structures of cetineite and its synthetic Na analogue Na<sub>3.6</sub>(Sb<sub>2</sub>O<sub>3</sub>)<sub>3</sub>(SbS<sub>3</sub>)(OH)O<sub>6</sub>·2.4H<sub>2</sub>O, 398  
 Sack, R.O., see Allan, J.F., 741  
 Sandiford, M., R. Powell: Pyroxene exsolution in granulites from Fyfe Hills, Enderby Land, Antarctica: Evidence for 1000 °C metamorphic temperatures in Archean continental crust--Reply, 434  
 Sarp, H., see Peacor, D.R., 888  
 Schiffman, P., see Bettison, L.A., 62  
 Schwertmann, U., see Murad, E., 1395  
 Sen, S.K., see Bhattacharya, A., 338  
 Sharp, T.G., P.R. Buseck: Prograde versus retrograde chlorite-amphibole intergrowths in a calc-silicate rock, 1292  
 Sharp, Z.D., see Hazen, R.M., 1120  
 Shaw, D.M., M.D. Higgins, M.G. Truscott, T.A. Middleton: Boron contamination in polished thin sections of meteorites: Implications for other trace-element studies by alpha-track image or ion microprobe, 894  
 Shearer, C.K., J.J. Papike: Pegmatite-wallrock interaction: Holmquistite-bearing amphibolite, Edison pegmatite, Black Hills, South Dakota, 324  
 Shee, S.R., see Edgar, A.D., 524  
 Shen, P., S. Hwang, H. Chu, R. Jeng: STEM study of "ferritchromit" from the Heng-Chun chromitite, 383  
 Sheridan, M.F., see Kovalenko, V.I., 1038  
 Sherman, D.M., N. Vergo: Optical spectrum, site occupancy, and oxidation state of Mn in montmorillonite, 140  
 Sherman, D.M., N. Vergo: Optical (diffuse reflectance) and Mössbauer spectroscopic study of nontronite and related Fe-bearing smectites, 1346  
 Sinkankas, J.: Review of Gemstones, by Michael O'Donoghue, 1500  
 Skinner, E.M.W., see Edgar, A.D., 524  
 Smith, R.L., see Warshaw, C.M., 1025  
 Solomon, G.C., G.R. Rossman: NH<sub>4</sub><sup>+</sup> in pegmatitic feldspars from the southern Black Hills, South Dakota, 818  
 Środoń, J., see Eberl, D.D., 1335, 1475  
 Stanley, C.J., see Dunn, P.J., 405, 413  
 Stanley, C.J., see Rouse, R.C., 643  
 Sternier, S.M., see Nitkiewicz, A.M., 662  
 Stevenson, L.S.: Memorial of John Sinclair Stevenson, 922  
 Stolper, E.: Presentation of the Mineralogical Society of America Award for 1987 to Donald J. DePaolo, 673  
 Stouff, P., J. Boulegue: Synthetic 10-Å and 7-Å phyllo-manganates: Their structures as determined by EXAFS, 1162  
 Su, S., see Gunter, M.E., 1481  
 Swinnea, J.S., see Carlson, W.D., 1255  
 Sylvester, P.J., see Zolensky, M.E., 313  
 Tecce, F., see Belkin, H.E., 775  
 Tessadri, R., see Rammlmair, D., 651  
 Theisen, A.F., see Tyson, R.M., 1145  
 Tingle, T.N.: Retrieval of uncracked single crystals from high pressure in piston-cylinder apparatus, 1195  
 Touchard, G., see Inoue, A., 1325  
 Truscott, M.G., see Shaw, D.M., 894  
 Turner, S., J.E. Post: Refinement of the substructure and superstructure of romanechite, 1155  
 Tyson, R.M., W.R. Hemphill, A.F. Theisen: Effect of the W:Mo ratio on the shift of excitation and emission spectra in the scheelite-powellite series, 1145

- Usdansky, S.I., see Green, N.L., 667
- Van Gaans, C., see Barton, M., 1046
- Vanko, D.A., see Hawthorne, F.C., 189
- Vanko, D.A., see Jambor, J.L., 439
- Vaughan, D.J., see Collyer, S., 153
- Veblen, D.R., D.L. Bish: TEM and X-ray study of orthopyroxene megacrysts: Microstructures and crystal chemistry, 677
- Velde, B., see Inoue, A., 1325
- Vergo, N., see Altaner, S.P., 1472
- Vergo, N., see Sherman, D.M., 140, 1346
- Voigt, D.E., see Huebner, J.S., 1235
- von Knorring, O., see Peacor, D.R., 632
- Vriend, S.P., see Konings, R.J.M., 754
- Walker, E.C., see Edgar, A.D., 524
- Wall, A., G.D. Price: Computer simulation of the structure, lattice dynamics, and thermodynamics of ilmenite-type  $MgSiO_3$ , 224
- Walther, J.V.: Review of Chemical Transport in Metasomatic Processes, edited by Harold C. Helgeson, 1204
- Wanamaker, B.J., see Pasteris, J.D., 1074
- Warshaw, C.M., R.L. Smith: Pyroxenes and fayalites in the Bandelier Tuff, New Mexico: Temperatures and comparison with other rhyolites, 1025
- Waychunas, G.A., see Ross, C.R., II, 657
- Whalen, J.B., B.W. Chappell: Opaque mineralogy and mafic mineral chemistry of I- and S-type
- granites of the Lachlan fold belt, southeast Australia, 281
- Wheatley, M., N.M.S. Rock: SPIDER: A Macintosh program to generate normalized multi-element "spidergrams," 919
- White, T.J., see Myhra, S., 161
- White, W.B., see Merzbacher, C.I., 1089
- Whitney, G.: Review of Proceedings of the International Clay Conference, Denver, 1985, edited by L.G. Schultz, H. van Olphen, and F.A. Mumpton, 1500
- Whitney, G., H.R. Northrop: Experimental investigation of the smectite to illite reaction: Dual reaction mechanisms and oxygen-isotope systematics, 77
- Wicks, F.J., see Dunn, P.J., 870
- Williams, L.B., R.E. Ferrell, P.K. Carpenter: CHEMODO: An automated chemical and modal analysis technique, 1457
- Williams, T.B., A. Pring: Structure of lengenbachite: A high-resolution transmission electron microscope study, 1426
- Yang, S.V., see Meyer, C., 1420
- Zanazzi, P.F., see Aurisicchio, C., 826
- Zang, Q., see Enami, M., 48
- Zolensky, M.E., P.J. Sylvester, J.B. Paces: Origin and significance of blue coloration in quartz from Llano rhyolite (llanite), north-central Llano County, Texas, 313

Ab-An-H<sub>2</sub>O, 982  
 Ab-Or-An-Qz-H<sub>2</sub>O, 956  
 Ab-Or-Qz-H<sub>2</sub>O, 956  
 Ag-Cu-Fe-S minerals, 439  
 Ag-Fe sulfides, 1492  
 Ag-Pb-Bi sulfosalts, 439  
 Al sulfate, 927  
 Al-Fe<sup>3+</sup> and Ca-Fe<sup>2+</sup> ordering in grossular, 568  
 Al-Si ordering in micas, 105  
 Al-Si-O-F system (hypothetical), 936  
 AlF<sub>3</sub> and AlF<sub>3</sub>·3H<sub>2</sub>O, 855  
   See also Beta-AlF<sub>3</sub>·3H<sub>2</sub>O, 855  
 Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-H<sub>2</sub>O, 559  
 Au-Pb mineral, 189  
 Actinolite, 993  
 Actinolitic hornblende, 993  
 Acuminitite, 1492  
 Aenigmatite, 1038  
 Aerinite, 1492  
 Afghanistan  
   beryl, 826  
   kornerupine, 345  
 Alacranite, 189  
 Albite, 91  
 Alkali halides, 701  
 Alkalic carbonatite, 1465  
 Allanite, Mg-rich, 48  
 Almandine, 20  
 Alpha-track imaging of meteorites, 894  
 Althupite, 189

Aluminous pyroxenes, 910, 916  
 Aluminum fluoride hydrates, 855  
 Ammonioalunite, 145  
 Amphibole, 281, 500  
   Al-rich, 48  
   oxidation effects on crystal structure, 500  
 Amphibole-chlorite intergrowths, 1292  
 Amphibolite, 324  
 Amstallite, 1492  
 Analcime, 1007  
 Analysis, chemical (mineral)  
   actinolite, 993  
   actinolitic hornblende, 993  
   aenigmatite, 1038  
   allanite, Mg-rich, 48  
   almandine, 20  
   ammonioalunite, 145  
   amphibole, 281  
   amphibole, Al-rich, 48  
   analcime, 1007  
   andalusite, 559, 1366  
   anhydrite, 775  
   anorthoclase, 1038  
   apatite, 1038  
   asisite, 643  
   augite, 261, 1025  
   baileychlore, 135  
   beryl, 826  
   biotite, 20, 281, 324, 692,  
     754, 1007  
   calciohilaite, 1191  
   calcite, 619  
   chlorite, 20, 48, 62, 651  
   chondrodite, 547  
   clinohumite, 547  
   clinopyroxene, 48, 524, 1046,  
     1235, 1440  
   clintonite, 365  
   corundum, 48, 651  
   defernite, 888  
   diopside, 1007, 1235  
   dolaseite-(Ce), 838  
   dolomite, 619  
   donbassite, 559  
   dorrite, 1440  
   epidote, 651  
   epistilbite, 1434  
   Fe-Ti oxides, 57  
   fayalite, 1025  
   "ferritchromit," 383  
   filipstadite, 413  
   forsterite, 345  
   gahnite, 651  
   garnet, 48  
   grossular, 568, 1302  
   grunerite, 487  
   hedenbergite, 1025, 1038  
   hercynite, 651  
   hogbomite, 651  
   holdawayite, 632  
   holmquistite, 324  
   hornblende, 324, 993  
   howardevansite, 181  
   hypersthene, 1025

ilmenite, 20, 57, 281, 651, 1420  
 ingersonite, 405  
 inverted pigeonite, 261  
 kornerupine, 345  
 kyanite, 48  
 leucite, 1007  
 leucophoenicite, 1182  
 magnesiochloritoid, 358  
 magnesiohornblende, 487  
 magnesite, 345  
 magnetite, 57, 281, 547, 1046  
 margarite, 48, 651  
 mcgovernite-like mineral, 1182  
 melanite, 1440  
 microcline, 313  
 monazite, 692  
 monticellite, 524  
 montmorillonite, 77, 140, 1346  
 muscovite, 20, 754  
 nontronite, 1346  
 olivine, 524, 547, 1007, 1046  
 orthopyroxene, 261, 345, 1046, 1060  
 osumilite, 585  
 panunzite, 420  
 pargasite, 993  
 paulkellerite, 870  
 perovskite, 524  
 phlogopite, 48, 345, 651, 692, 775, 1007  
 piemontite, strontian, 1370  
 pigeonite, inverted, 261  
 preiswerkite, 651  
 pyroxenes, 677, 692  
 quartz, 313, 1038  
 riebeckite, 487  
 salite, 1007  
 saponite, 1346  
 sapphirine, 345, 692  
 scorodite, 850  
 serpentine, 547  
 silicate glasses, 1478, 1479  
 smectite/chlorite, 62  
 spinel, 345, 651, 692, 741  
 staurolite, 20  
 stauroelite, Mg-rich, 48  
 stottite, 657  
 strontian piemontite, 1370  
 sugilite, 595  
 thorite, 1405  
 thortveitite, 601  
 titanomaghemite, 153  
 todorokite, 861  
 tourmaline, 424, 822  
 tschermakitic hornblende, 487  
 vesuvianite, 1302  
 villyaellenite, 1172  
 yttrobetafite, 1420  
 zircon, 1405  
 zodacite, 1179  
 zoisite, 48, 651  
 See also Microcomputer processing, 446  
 See also "Spidergrams," plotting of, 919

Analysis, chemical (rock)  
 amphibolite, 324  
 argillite, 1095  
 basalt (MORB), 741  
 calcareous argillite, 1095  
 chromitite, 383  
 diorite, 993  
 eclogite, 48  
 $\text{Fe}^{2+}\text{-}\text{Fe}^{3+}$  in igneous rocks, 1478, 1479  
 ferromanganese crusts, 1395  
 gabbro, 993  
 garnet-corundum rock, 48  
 granodiorite, 993  
 kimberlite, 524  
 kornerupine-bearing rock, 345  
 llanite, 313  
 marble, 1095  
 metadunite, 547  
 meteorites, 894  
 ongonite, 507  
 pantellerite, 1038  
 rhyolite, 313  
 sapphirine granulite, 692  
 schist, Mg-Fe-Al - rich, 651  
 spinel pyroxenite, 692  
 topazite, 507  
 volcanogenic salt, 855  
 See also "Spidergrams," 919  
 Anandite, 105  
 Andalusite, 1366  
 Andalusite-donbassite reaction, 559  
 Andremeyerite, 608  
 Anhydrite, 775  
 Anorthite breakdown reaction, 216, 1205, 1501 [erratum]  
 Anorthite-grossular-kyanite-quartz, 216, 1501 [erratum]  
 Anorthite (high pressure), 1114  
 Anorthoclase, 1038  
 Anorthosite, 261, 677  
 Antarctica  
     aluminum fluoride hydrates, 855  
     beryllian sapphirine, 1134  
     donbassite, 559  
     granulites, 432, 434  
 Apatite, 1038  
 Apollo 14  
     granophyre, 1420  
     ilmenite, 1420  
     yttrobetafite, 1420  
 Argentotennantite, 439  
 Argillite, 1095  
 Arizona  
     beryl, 826  
     chalcopyrite, 1401  
     olivine, 1074  
     ongonite, 507  
     topaz, 507  
 Armalcolite, 1377  
 Arseniopleite, 666  
 Arsenoflorencite-(Ce), 1492  
 Asisite, 643  
 Atlasovite, 927  
 Atomistic computer simulation, 224  
 Augite, 261, 1025  
 Australia  
     amphibole, 281  
     baileychlore, 135  
     biotite, 281  
     danielsite, 187  
     granites, I- and S-type, 281  
     ilmenite, 281  
     magnetite, 281  
 Austria  
     anorthite, 1114  
     beryl, 826  
 Awards  
     MSA Award, acceptance of, 674  
     MSA Award, presentation of, 673  
     Roebling Medal, acceptance of, 670  
     Roebling Medal, presentation of, 668  
 B in meteorites, 894  
 Baileychlore, 135  
 Bandelier Tuff rhyolite, 1025  
 Bárrenite (= romeite + metacinnabar), 1492  
 Basaltic liquids, 1267  
 Basalt (MORB), 741  
 Basic Mg carbonate, 1492  
 Bastnaesite, 1111  
 Beegerite(?), 439  
 Benleonardite, 439  
 Beryl, 826, 1384  
 Beryllian sapphirine, 1134  
 Beta- $\text{AlF}_3\cdot 3\text{H}_2\text{O}$ , 855  
 Biotite, 20, 105, 281, 324, 692, 754, 1007, 1275  
 Birnessite-like phases, synthetic, 1162  
 Blue quartz, 313  
 Bob Fergusonite, 189  
 Bonchevite, 666  
 Book reviews  
     Frost, B.R.: The Interpretation of Geological Phase Diagrams by Ernest G. Ehlers, 939  
     Meagher, E.P.: Crystal Structures and Cation Sites of the Rock-Forming Minerals by Joseph R. Smyth and David L. Bish, 1501  
     Munoz, J.L.: Hydrothermal Experimental Techniques edited by G. C. Ulmer and H. L. Barnes, 939  
     Sinkankas, J.: Gemstones by Michael O'Donoghue, 1500  
     Walther, J.V.: Chemical Transport in Metasomatic Processes edited by Harold C. Helgeson, 1204  
     Whitney, G.: Proceedings of the International Clay Conference, Denver, 1985 edited by L. G. Schultz, H. van Olphen, and F. A. Mumpton, 1500

- Botswana  
  högbonite, 651  
  preiswerkite, 651
- Brazil  
  beryl, 826  
  clinopyroxene, 1235  
  tourmaline, 172
- Buerger, Martin Julian,  
  Memorial of, 1483
- Burundi, bastnaesite, 1111
- Buserite-like phases, synthetic, 1162
- $\text{Ca}_3\text{Al}_2[(\text{Ge},\text{Si})\text{O}_4]_3$  garnet, 927
- $\text{Ca}\text{Al}_2\text{Si}_2\text{O}_8-\text{CaMgSi}_2\text{O}_6-\text{Mg}_2\text{SiO}_4$  glasses, 534
- $\text{Ca}_3\text{Ga}_2(\text{GeO}_4)_3$  garnet, 927
- $\text{CaMgSi}_2\text{O}_6$  glass, 306
- $\text{CaMgSi}_2\text{O}_6-\text{F}_2\text{O}_1$  glass, 306
- $\text{CaMgSi}_2\text{O}_6-\text{SiO}_2$  glass, 306
- $\text{CaO}-\text{Al}_2\text{O}_3-\text{SiO}_2$ , 216, 1501  
  [erratum]
- $\text{CaO}-\text{CaF}_2-\text{SiO}_2$  system, glasses in, 297
- CO in natural olivine, 1074
- $\text{CO}_2$  in natural olivine, 1074
- $\text{Cr}_2\text{C}$  mineral, 439
- $\text{CrS}$  mineral, 439
- Cu-Au, 910
- Cu-O, 470
- Cu-stannoidite, 439
- $\text{Cu}_{11}\text{Fe}_4\text{GeAsS}_{16}$ , 439
- $\text{Cu}_2\text{Fe}_3\text{S}_5$  mineral, 927
- $\text{Cu}_6$ , 470
- $\text{Cu}_2\text{O}$ , 470
- $\text{Cu}_2\text{S}-\text{Sb}_2\text{S}_3$ , 707
- $\text{CuSb}_2$ , 707
- $\text{Cu}_3\text{Sb}_3$ , 707
- Calcareous argillite, 1095
- Calcareous rocks, 1302
- Calciocelsian (= armenite), 927
- Calciohilairite, 1191
- Calcite-dolomite exsolution, 619
- Calculated phase relations of low-Ca granites, 966
- Calculation of mineral optics data, 1481
- California  
  ammonioalunite, 145  
  beryl, 826  
  chlorite/smectite, 62  
  tourmaline, 822
- Calomel, 189
- Canaphite, 168
- Carbonate-vishnevite, 927
- Carbonatite, 1465, 1468
- Caryinite, 666
- Cassedanneite, 1492
- Cebaite-(Nd), 1492
- Central Pacific  
  ferrihydrite, 1395  
  ferromanganese crusts, 1395
- Cetineite, 398
- Chaidamuite, 1492
- Chalcophanite, 1401
- Chalcophile tendencies, 1384
- Chalcostibite, 707
- Charnockite, 261
- Charoite, 189
- Chemical analysis of mineral surfaces, 1449
- Chemical analysis, automated, 1457
- China (People's Republic of),  
  Mg-rich staurolite, 48
- Chlorite, 20, 48, 62, 77, 651
- Chlorite-amphibole intergrowths, 1292
- Chlorite/smectite, 62
- Chondrite-normalized plots, 919
- Chondrodite, 547
- Chromiferide, 189
- Chromitite, 383
- Clastic sediments, 1457
- Clay minerals, volatiles derived from, 376
- Clinoamphibole,  $\text{Fe}^{3+}/\text{Fe}^{2+}$  in, 487
- Clinohumite, 547
- Clinopyroxene, 48, 232, 242, 524, 1046, 1235, 1264, 1440  
  exsolution, 253  
  solution models, 253
- Clintonite, 365
- Coherent exsolution in minerals, 253
- Colombia, beryl, 826
- Colorado  
  illite, 1335  
  sericite, 1335
- Compressibility measurements  
  illite/smectite, 766  
  ilmenite-type  $\text{MgSiO}_3$ , 224  
  meionite, 1120  
  scapolite, 1120  
  smectite. See  
    Illite/smectite, 766  
    sodalite, 1120
- Computer modeling, Monte Carlo, 766
- Computer program  
  calculation of mineral optics data, 1481  
  "spidergrams," plotting of, 919  
  storage and calculation of mineral analyses, 446  
  ternary-feldspar geothermometry, 201
- Contamination of meteorites, 894
- Convolution effect applied to microprobe step scans, 901
- Cordierite, Fe-Mg mixing in, 338
- Cordierite-garnet geothermometry, 338
- Corundum, 48, 651
- Crevasse-splay sediments, 1457
- Crookesite, 927
- Crystal chemistry, tetrahedite, 389
- Crystal growth  
  clinopyroxene, 253  
  epistilbite, 1434
- ferrihydrite, 1395
- grossular, 568
- illite/smectite, 1335
- mesolite, 613
- natrolite, 613
- Ostwald ripening, 1325, 1335, 1475
- plagioclase, 982
- pyroxene, 232
- scolecite, 613
- smectite. See  
  Illite/smectite, 1335
- Crystal structure  
  ammonioalunite, 145
- amphiboles, 500
- anandite, 105
- andremeyerite, 608
- anorthite (high pressure), 1114
- asisite, 643
- baileychlore, 135
- beryl, 826
- biotite, 105
- birnessite-like phases, synthetic, 1162
- buserite-like phases, synthetic, 1162
- canaphite, 168
- cetineite, 398
- chalcophanite, 1401
- clintonite, 365
- defernite, 888
- dollaseite-(Ce), 838
- dorrite, 1440
- franklinfurnaceite, 876
- grannockite, 595
- grossular, 568
- holdawayite, 637
- howardevansite, 181
- howlite, 1138
- illite/smectite, 77, 1335
- ilmenite-type  $\text{MgSiO}_3$ , 224
- interparticle diffraction, 1335
- lengenbachite, 1426
- magnesiochloritoid, 358
- muscovite, 105
- $\text{Na}_3.6(\text{Sb}_2\text{O}_3)_3(\text{Sb}_3)(\text{OH})_{0.6} \cdot 2.4\text{H}_2\text{O}$ , 398
- osumilite, 585
- paulkellerite, 873
- piemontite, strontian, 1370
- publications on, and their costs, 449, 1501 [erratum]
- pyrophyllite, 105
- pyroxmangite, 798, 809
- rhodonite, 798
- romanechite, 1155
- scapolite, 119
- smectite. See  
  Illite/smectite, 77
- stottite, 657
- strontian piemontite, 1370
- sugilite, 595
- synthetic buserite-like and birnessite-like phases, 1162
- talc, 105

- tetrahedrite, 389  
 thortveitite, 601  
 titanomaghemitic, 153  
 todorokite, 861  
 villyaelenite, 1172  
 zimbabweite, 1186
- Crystal synthesis**  
 ammonioalunite, 145  
 biotite, Ti-bearing, 1275  
 chalcostibite, 707  
 Ni-Mg-Fe olivine, 274  
 Ni-Mg-Fe orthopyroxene, 274  
 orthoenstatite, 1255  
 scorodite, 850  
 skinnerite, 707
- Cuba, todorokite, 861  
 Cubic NiSe<sub>2</sub>, 439  
 Cuprocassiderite (= mushistonite), 189  
 Czechoslovakia, natrolite, 613
- Danielsite, 187  
 Defernite, 888  
 Delindeite, 1492  
 Differentiation of granite, 966  
 Diomignite, 927  
 Diopside, 232, 1007, 1235  
 Diorite, 993  
 Discredited minerals  
     bárcenite (= romeite + metacinnabar), 1492  
     calciocelsian (= armenite), 927  
     cuprocassiderite (= mushistonite), 189  
     kennedyite (= armalcolite solid solution), 1377  
     kusuite (= plomboan wakefieldite-(Ce)), 189  
     tagilite (= pseudomalachite), 927  
 Dollaseite-(Ce), 838  
 Dolomite microcrystals in marble, 619  
 Donbassite, 559  
 Dorrite, 1440  
 DTA, TGA  
     ammonioalunite, 145  
     baileychlore, 135  
     thorite, 1405  
 Dunite. See Metadunite, 547
- Earth-science funding, 1221  
 East Germany, paulkellerite, 870, 873  
 Eastern Pacific, basalts, 741  
 Eclogite, 48  
 Editor, 1987 Report of the, 1214  
 El Salvador, howardite, 181  
 Electrical properties  
     clinopyroxene, 1235  
     diopside, 1235  
     hollandite, 161  
     perovskite-type oxides and fluorides, second-harmonic generation in, 701
- Electron diffraction  
     amphibole-chlorite intergrowths, 1292  
     andalusite, 559  
     chlorite-amphibole intergrowths, 1292  
     donbassite, 559  
     " ferritchromit," 383  
     grossular, 568  
     ilmenite in blue quartz, 313  
     lengenbachite, 1426  
     pyroxenes, 677  
     scapolite, 119  
     thorite, 1405
- Electron microscopy  
     AlF<sub>3</sub>·3H<sub>2</sub>O, 855  
     ammonioalunite, 145  
     amphibole-chlorite intergrowths, 1292  
     andalusite, 559  
     beryllian sapphirine, 1134  
     biotite, 754  
     biotite, Ti-bearing, 1275  
     chlorite-amphibole intergrowths, 1292  
     clastic sediments, 1457  
     dolomite microcrystals in marble, 619  
     donbassite, 559  
     " ferritchromit," 383  
     fundamental particles, 1335  
     grossular, 568  
     HRTEM, scapolite, 119  
     illite, 1335  
     illite/smectite, morphology of, 1325  
     ilmenite in blue quartz, 313  
     lengenbachite, 1426  
     marble, dolomite microcrystals in, 619  
     muscovite, 754  
     orthoenstatite, 1255  
     pyrobitumen, 1170  
     pyroxenes, 677  
     pyroxmangite, 1285  
     rhodochrosite, 1285  
     rhodonite, 1285  
     scapolite (HRTEM), 119  
     smectite. See Illite/smectite, 1325  
     spinel, Cr-rich, 741  
     thorite, 1405
- Ellenbergerite, 189  
 Enstatite, 232  
 Enthalpy and entropy of vaporization in MgO-SiO<sub>2</sub>-H<sub>2</sub>, 1
- Epidote, 651  
 Epistilbite, Al-Si ordering in, 1434  
 Epistolite intergrowths, 927  
 EPR spectroscopy, sanidine, 97
- Errata, 200, 667, 1501  
 Eugster, Hans P., Memorial of, 1489
- EXAFS spectroscopy  
     birnessite-like phase, 1162  
     buserite-like phase, 1162
- Exchange operators, 1384  
 Expansivity measurements  
     magnesiochloritoid, 358  
     orthoenstatite, 1255
- Experimental petrology**  
     anorthite-grossular-kyanite-quartz, 216, 1501 [erratum]  
     basaltic liquids, 1267  
     biotite, Ti-bearing, 1275  
     chlorite, 77  
     experimental techniques for high pressure, 1195  
     Fe<sup>3+</sup>/Fe<sup>2+</sup> in clinoamphibole, 487  
     forsterite-saturated Mg<sub>2</sub>Si<sub>2</sub>O<sub>6</sub>-CaMgSi<sub>2</sub>O<sub>6</sub> join, 232  
     granites, H<sub>2</sub>O-saturated and H<sub>2</sub>O-undersaturated, 956  
     granites, low-Ca, 966  
     H<sub>2</sub>O-saturated and H<sub>2</sub>O-undersaturated granites, 956  
     H<sub>2</sub>O-saturated melts, plagioclase growth in, 982  
     high pressure, experimental techniques for, 1195  
     illite/smectite, 77  
     kimberlite, melting at high pressure, 524  
     MgO-SiO<sub>2</sub>-H<sub>2</sub>, vaporous and liquidus phase relations in, 1  
     NaAlSiO<sub>4</sub>-CaMgSi<sub>2</sub>O<sub>6</sub>-SiO<sub>2</sub>-F<sub>2</sub>O<sub>1</sub>, 306  
     Ni-Mg exchange in olivine-orthopyroxene, 274  
     olivine, heat treatment of, 1074  
     orthoenstatite, 1255  
     oxidation state, 1267  
     oxygen buffers in systems Fe-O and Cu-O, 470  
     phase boundaries, uncertainty in location of, 1205  
     phase relations in MgO-SiO<sub>2</sub>-H<sub>2</sub>, vaporous and liquidus, 1  
     plagioclase growth in H<sub>2</sub>O-saturated melts, 982  
     pyroxmangite, 1285  
     rhodochrosite, 1285  
     rhodonite, 1285  
     silica-glass containers, 1198  
     smectite. See Illite/smectite, 77  
     spherical reaction monitors, manufacture of, 662  
     sulfur speciation, 845  
     vaporous and liquidus phase relations in MgO-SiO<sub>2</sub>-H<sub>2</sub>, 1
- Experimental techniques for high pressure, 1195

- F in granitic melts, 507  
 F influence on melt viscosity and crystallization, 507  
 Fe mineral. See Gamma-Fe mineral, 439  
 Fe saponite, 439  
 Fe-Ge-Ga equivalent of sapphirine, 927  
 Fe-Mg exchange between cordierite and garnet, 338  
 Fe-Mg ordering in orthopyroxene, 1060  
 Fe-Mg oxide, 439  
 Fe-O, 470  
 Fe-Ti oxide - silicate equilibria, 727  
 Fe-Ti oxides, 57  
 "FeO," 470  
 $\text{Fe}_2\text{O}_3$  and  $\text{Fe}_3\text{O}_4$ , 470  
 $\text{FeO}-\text{MgO}-\text{Al}_2\text{O}_3-\text{SiO}_2-\text{TiO}_2$ , 434  
 $\text{FeTiSi}_2$  mineral, 189  
 Falkmanite, 666  
 Fayalite, 1025  
 Feldspar, 201, 956  
 Felsic melts, 956  
 Ferchromide, 189  
 Ferric-ferrous ratios in clinoamphibole, 487  
 in igneous rocks, 1478, 1479  
 Ferrihydrite, 1395  
 "Ferrichromit," 383  
 Ferrithorite, 189  
 Ferromanganese crusts, 1395  
 Ferropyrosmalite, 927  
 Filipstadite, 413  
 Financial Advisory Committee, 1987 Report of the, 1213  
 Fisher, D. Jerome, Memorial of, 925  
 Fluorides (perovskite-type), second-harmonic generation in, 701  
 Fluid inclusions anhydrite, 775  
 microthermometry, 1074  
 phlogopite, 775  
 Fluid-rock interaction, 1302  
 Former MSA officers and meeting places, list of, 1216  
 Forsterite, 345  
 Forsterite-saturated  $\text{Mg}_2\text{Si}_2\text{O}_6-\text{CaMgSi}_2\text{O}_6$  join, 232  
 Franklinfurnaceite, 876  
 Freedite, 666  
 Fundamental particles, 1335  
 Funding of science, 1221  
 Furongite, 189  
 Gabbro, 993  
 Gahnite, 651, 1384  
 Gamma-Fe mineral, 439  
 Gananite, 1492  
 Garnet, 48  
 Garnet-biotite, 692  
 Garnet-corundum rock, 48  
 Garnet-plagioclase- $\text{Al}_2\text{SiO}_5$  barometer, 1205  
 Garnet-sillimanite-plagioclase-quartz, 692  
 Gasparite-(Ce), 1492  
 Genthelvite, 1384  
 Geobarometry Bandelier Tuff rhyolite, 1025  
 clinopyroxene, 1264  
 fluid-inclusion microthermometry, 1074  
 garnet-plagioclase- $\text{Al}_2\text{SiO}_5$ , 1205  
 garnet-sillimanite-plagioclase-quartz, 692  
 $\text{Mg}_2\text{Si}_2\text{O}_6-\text{CaMgSi}_2\text{O}_6$  join, 1264  
 orthopyroxene, 1264  
 pelitic schist (Maine), 20  
 plagioclase-garnet- $\text{Al}_2\text{SiO}_5$ -quartz (or GASP), 216, 1501 [erratum]  
 pyroxene exsolution, 261  
 ternary-feldspar mixing relations, erratum on, 667  
 Geochemistry actinolite, 993  
 ammonioalunite, 145  
 anorthosite, 677  
 argillite, 1095  
 beryl, 826  
 blue quartz, 313  
 $\text{CO}_2$  fluids in olivine, 1074  
 calcareous argillite, 1095  
 chromitite, 383  
 clay minerals, volatiles derived from, 376  
 diorite, 993  
 F in granitic melts, 507  
 "ferrichromit," 383  
 ferromanganese crusts, 1395  
 granites, 754  
 granitic pegmatite, 1405  
 hornblende, 993  
 illite, K-Ar dating of, 1335  
 illite/smectite, 77, 1472, 1475  
 marble, 1095  
 metadunite, 547  
 microlite, 1405  
 olivine,  $\text{CO}_2$  fluids in, 1074  
 Ostwald ripening, 1335  
 pantellerite, 1038  
 publications on, and their costs, 449, 1501  
 [erratum]  
 quartz, 313  
 REEs in tourmaline, 424  
 smectite. See Illite/smectite, 77, 1472, 1475  
 "spidergrams," plotting of, 919  
 sulfur, 845  
 thorite, 1405  
 tourmaline, REEs in, 424  
 volatiles derived from clay minerals, 376  
 Zn-Be-S-O-F system, 1384  
 zircon, 1405  
 Geospeedometry, 1060  
 Geothermometry Bandelier Tuff rhyolite, 1025  
 clinopyroxene, 232, 1264  
 cordierite-garnet, 338  
 Fe-Ti oxides, 57  
 feldspars, 201  
 fluid inclusions in anhydrite and phlogopite, 775  
 fluid-inclusion microthermometry, 1074  
 garnet-biotite, 692  
 granite, 727  
 granulites, 432, 434  
 ilmenite, 57  
 $\text{Mg}_2\text{Si}_2\text{O}_6-\text{CaMgSi}_2\text{O}_6$  join, 1264  
 magnetite + ilmenite, 714  
 magnetite, 57  
 monzonite, 727  
 olivine-orthopyroxene, 274  
 orthopyroxene, 232, 1264  
 orthopyroxene-clinopyroxene, 1046  
 orthopyroxene-garnet, 692  
 orthopyroxene-ilmenite, 1046  
 pantellerite, 727  
 pelitic schist (Maine), 20  
 pitchstone, 727  
 pyroxene exsolution, 261  
 rhyolite, 727  
 syenite, 727  
 ternary feldspars, 201  
 titanomagnetite-ilmenite, 1046  
 trachyte, 727  
 two-feldspar, 692  
 Germany (East) paulkellerite, 870, 873  
 romanechite, 1155  
 Ginzburgite, 439  
 Glass structure,  $\text{CaAl}_2\text{Si}_2\text{O}_8-\text{CaMgSi}_2\text{O}_6-\text{Mg}_2\text{SiO}_4$ , 534  
 Glasses, 941  
 Glushinskite, 189  
 Granite, 727, 754, 956, 966, 1384  
 $\text{H}_2\text{O}$ -saturated and  $\text{H}_2\text{O}$ -undersaturated, 956  
 I- and S-type, 281  
 low-Ca, 966  
 lunar, 1420  
 Granitic pegmatite, 1405  
 Grannockite, 595  
 Granodiorite, mafic facies in, 993  
 Granophyre, 1420  
 Granulite, 432, 434, 692  
 Graphite in natural olivine, 1074  
 Greenland dunite. See Metadunite, 547  
 titanium humites, 547  
 Greisen, 1384  
 Grossular, 1302  
 anisotropic, 568  
 Growth using fluxes, 232  
 Grumantite, 439  
 Grunerite, 487

- $H_2O$ -saturated and  $H_2O$ -undersaturated granites, 956  
 $H_2O$ -saturated and  $H_2O$ -undersaturated low-Ca granites, 966  
 $H_2O$ -saturated melts, plagioclase growth in, 982  
 $H_6Si2O7$  clusters, 941  
Hannebachite, 927  
Hedenbergite, 1025, 1038  
Hematite, 714  
Heneuite, 439  
Hercynite, 651  
High pressure, experimental techniques for, 1195  
High-pressure phases glasses, 941  
ilmenite-type  $MgSiO_3$ , 224  
melts, 941  
 $MgGeO_3$  (clinopyroxene- and ilmenite-type structures), 1355  
 $SiO_2$  glasses and melts, 941  
High-temperature crystal structure, strontian piemontite, 1370  
High-temperature reaction calorimetry, 707  
Högbonite-bearing rocks, 651  
Holdawayite, 632, 637  
Hollandite, 161  
Holmquistite-bearing amphibolite, 324  
Hornblende, 324, 993  
Hot-springs deposits, 145  
Howardevansite, 181  
Howlite, 1138  
HRTEM, scapolite, 119  
Humite minerals in system  $MgO-SiO_2-TiO_2-H_2O$ , 547  
Hydrogen bonding, 1138  
Hydroxyl-bastnaesite-(Nd), 439  
Hydroxyl vishnevite, 927  
Hyper-Rayleigh scattering, 701  
Hypersthene, 1025  
Ir-Os-Ru with Fe, solid solutions of, 189  
I- and S-type granites, 281  
Iceland  
epistilbite, 1434  
scolecite, 613  
Igneous melts, plagioclase growth in, 982  
Igneous petrology  
Al-Si-O-F system (hypothetical), 936  
anorthosite, 677  
basaltic liquids, 1267  
basalts (MORB), 741  
carbonatite, 1465, 1468  
differentiation of plagioclase-free and plagioclase-bearing granites, 966  
Fe-Ti oxide - silicate equilibria, 727  
granite, 754, 956, 966, 1384  
granite, I- and S-type, 281  
granite, lunar, 1420  
granodiorite, mafic facies in, 993  
greisen, 1384  
 $H_2O$ -saturated and  $H_2O$ -undersaturated granites, 956  
I- and S-type granites, 281  
kimberlite,  $SiO_2$ -poor, 524  
llanite, 313  
mafic facies in granodiorite, 993  
minette, 1007  
ongonite dikes, 507  
oxidation state, 1267  
pantellerite, 1038  
pegmatite, 1384  
pegmatite-wallrock interaction, 324  
phonolite, mafic, 1007  
publications on, and their costs, 449, 1501 [erratum]  
pyrometamorphic rocks, 1440  
rhyolite, 313  
S- and I-type granites, 281  
shonkinite, 1007  
sulfur speciation, 845  
symplectites, 1046  
ternary feldspars, 201  
topazite dikes, 507  
Illite, 1335, 1472, 1475  
growth mechanism of, 1325  
K-Ar dating of, 1335  
Illite/smectite, 77, 766, 1325, 1335, 1472, 1475  
expandability of, 1335  
morphology of, 1325  
swelling of, 1335  
Ilmenite, 20, 57, 281, 651, 714, 1420  
in blue quartz, 313  
Ilmenite-type  $MgSiO_3$ , 224  
Image-processing techniques, 1457  
Imogolite, 189  
India  
granulite, 692  
monazite, 692  
sapphirine, 692  
scolecite, 613  
spinel, 692  
Ingersonite, 405  
Instrumental neutron activation analysis, tourmaline, 424  
Interparticle diffraction, 1335  
Inverted pigeonite, 261  
Ionic-structure modeling, 105  
IR spectroscopy  
ammonioalunite, 145  
grossular, 568  
illite/smectite, expandability of, 1335  
ilmenite-type  $MgSiO_3$ , 224  
 $MgGeO_3$  (orthopyroxene-, clinopyroxene-, and ilmenite-type structures), 1355  
microcline, 818  
Na aluminosilicate glasses, 1089  
thorite, 1405  
Irian Jaya (New Guinea), clin-tonite, 365  
Italy  
anhydrite, 775  
beryl, 826  
leucophoenicite, 1182  
magnesiochloritoid, 358  
pantellerite, 1038  
panunzite, 420  
phlogopite, 775  
scapolite, 1120  
strontian piemontite, 1370  
Japan  
clintonite, 365  
epistilbite, 1434  
illite/smectite, 1325  
mesolite, 613  
natrolite, 613  
Joesmithite, Pb in, 843  
Johnnnesite, 927  
K-dominant laumontite, 1492  
K-V-Ba titanate, 927  
Kamikite, 189  
Kamotoite-(Y), 189  
Keivite-(Y), 189  
Kennedyite (= armalcolite solid solution), 1377  
Kerchenite, 666  
Khademite, 1492  
Kimberlite, melting at high pressure, 524  
Kimberlite,  $SiO_2$ -poor, 524  
Kinetics  
clinopyroxene, 1235  
clinopyroxene exsolution, 253  
diopside, 1235  
epistilbite, 1434  
Fe-Mg ordering in orthopyroxene, 1060  
igneous melts, plagioclase growth in, 982  
illite, growth mechanism of, 1325  
illite/smectite, 77  
LSW theory, 1335  
mesolite, 613  
natrolite, 613  
orthopyroxene, Fe-Mg ordering in, 1060  
Ostwald ripening, 1335  
plagioclase growth in igneous melts, 982  
recrystallization, 1335  
 $SiO_2$  melts, 941  
scolecite, 613  
smectite. See  
illite/smectite, 77  
spherical reaction monitors, manufacture of, 662  
symplectites, 1046  
Kombatite, 927  
Kornerupine-tourmaline, 345

- Kulickite-(Y), 189  
 Kusuite (= plomboan wakefieldite-(Ce)), 189  
 Kuzminit, 189  
 Kyanite, 48
- La-Ba dating, 1111  
 Li in meteorites, 894  
 Layer silicate, 189  
 Lengenbachite, 1426  
 Leucite, 1007  
 Leuconorite, 1046  
 Leucophoenicite, 1182  
 Liquidus and vaporous phase relations in  $MgO-SiO_2-H_2$ , 1  
 Lithiophorite, 666  
 Llanite, 313  
 Lone-pair cations, 843  
 Louisiana, crevasse-splay sediments, 1457  
 Lourensalsite, 1492  
 LSW theory, 1335  
 Luanheite, 189  
 Ludjibaite, 1492  
 Lunar samples  
     granophyre, 1420  
     ilmenite, 1420  
     yttrobafite, 1420
- Mg phosphates, 439  
 Mg/Mn partitioning in Fe-Ti oxides, 57  
 $MgGeO_3$  (orthopyroxene-, clinopyroxene-, and ilmenite-type structures), 1355  
 $MgO-SiO_2-H_2$ , vaporous and liquidus phase relations in, 1  
 $MgO-SiO_2-TiO_2-H_2O$ , 547  
 $Mg_2Si_2O_6-CaMgSi_2O_6$ , 232, 242  
 $Mg_2Si_2O_6-CaMgSi_2O_6$  join, 1264  
 Mn-Cr silicate, 439  
 Mn-dominant deereite, 1492  
 $MnO-CO_2-H_2O$ , 632  
 MnSiO<sub>3</sub> polymorphs, 1285  
 MacEwan crystallites, 1335  
 Madagascar, beryl, 826  
 Mafic facies in granodiorite, 993  
 Maghemite, 153  
 Magnesiochloritoid, 358  
 Magnesiohornblende, 487  
 Magnesiohulsite, 927  
 Magnesite, 345  
 Magnetic properties, ferromanganese crusts, 1395  
 Magnetite, 57, 281, 547, 714, 1046  
 Magnetite + ilmenite, 714  
 Magnetite + ilmenite + fayalite + quartz, 727  
 Maine  
     chlorite-amphibole intergrowths, 1292  
     pelitic schist, 20  
 Malagasy Republic, thortveitite, 601
- Manganese oxides, 1395  
 Manganostibite, 666  
 Mannardite, 189  
 Marble, 1095  
     dolomite microcrystals in, 619  
 Margarite, 48, 651  
 Marine minerals, 1395  
 Mass spectra of clay-derived volatiles, 376  
 Mattheidleite, 927  
 Mcbirneyite, 1492  
 McGovernite-like mineral, 1182  
 Mechanical properties  
     illite/smectite, swelling of, 1335  
     panunzite, 420  
 Medals. See Awards, 668, 670, 673, 674  
 Meionite, 1120  
 Melanite, 1440  
 Melt structure  
      $CaMgSi_2O_6-F_2O_1$  glasses, 306  
      $CaO-CaF_2-SiO_2$  system, glasses in, 297  
     F influence on melt viscosity, 507  
     Na aluminosilicate glasses, 1089  
      $SiO_2$ , 941  
     sulfur speciation, 845  
 Melts, 941  
 Memorials  
     Buerger, Martin Julian, 1483  
     Eugster, Hans P., 1489  
     Fisher, D. Jerome, 925  
     Meyer, Charles, 1486  
     Stevenson, John Sinclair, 922  
 Mendozavilite, 189  
 Mesolite, 613  
 Metadunite, 3800 Ma, 547  
 Metamorphic petrology  
     Al-Si-O-F system (hypothetical), 936  
     amphibole-chlorite reactions, prograde vs. retrograde, 1292  
     argillite, 1095  
     calcareous argillite, 1095  
     calcareous rocks, 1302  
     calcite-dolomite exsolution, 619  
     chlorite-amphibole reactions, prograde vs. retrograde, 1292  
     cordierite-garnet geothermometry, 338  
     fluid-rock interaction, 1302  
     garnet-plagioclase- $Al_2SiO_5$  barometer, 1205  
     geospeedometry, 1060  
     granulites, 432, 434  
     holmquistite-bearing amphibolite, 324  
     marble, 1095  
     metadunite, 3800 Ma, 547  
      $NH_4^+$  in metamorphic fluids, 818
- orthopyroxene geospeedometry, 1060  
 pelitic schist (Maine), 20  
 plagioclase-garnet- $Al_2SiO_5$ -quartz (or GASP), 216, 1501 [erratum]  
 publications on, and their costs, 449, 1501 [erratum]  
 pyroxene-bearing quartz  
     syenite gneiss, 261  
     sapphirine granulite, 692  
     staurolite, Mg-rich (China), 48  
     symplectites, 1046  
 ternary feldspars, 201  
 topaz in metamorphosed rhyolite tuff, 507  
 Vumbi schist belt, Botswana, 651  
 Metavivianite, 666  
 Meteorites, alpha-track imaging of, 894  
 Mexico, villyaellenite, 1172  
 Meyer, Charles, Memorial of, 1486  
 Microcline, 313, 818  
 Microcomputer processing, 446  
 Microlite, 1405  
 Microprobe step scans, convolution effects applied to, 901  
 Mineral nomenclature, errata, 200  
 Mineral specimens, protocols for archiving, 1480  
 Mineral-surface analysis, 1449  
 Mineralogical Society of America Award, acceptance of, 674  
 Mineralogical Society of America Award, presentation of, 673  
 Mineralogy, publications on, and their costs, 449, 1501 [erratum]  
 Minette, 1007  
 Modal analysis, automated, 1457  
 Modeling, Monte Carlo, 766  
 Monazite, 692  
 Monazite-(Nd), 1492  
 Mongshanite, 439  
 Montana  
     minette, 1007  
     phonolite, mafic, 1007  
     shonkinite, 1007  
 Monte Carlo computer modeling, 766  
 Monticellite, 524  
 Montmorillonite, 77, 1346  
      $Mn^{3+}$ -bearing, 140  
 Monzonite, 727  
 Moon  
     granophyre, 1420  
     ilmenite, 1420  
     yttrobafite, 1420  
 Mössbauer spectroscopy  
     clintonite, 365  
      $Fe^{3+}/Fe^{2+}$  ratios in igneous rocks, 1478, 1479

- ferromanganese crusts, 1395  
 maghemite, 153  
 montmorillonite, 1346  
 nontronite, 1346  
 orthopyroxene, 1060  
 saponite, 1346  
 silicate glasses, 1478, 1479  
 titanomaghemitic, 153  
 Moydite, 189  
 Murmanite, 927  
 Muscovite, 20, 105, 754
- Na-Al-Si glasses, 1089  
 Na-Ti silicate, 439  
 $\text{NaAlSiO}_4\text{-CaMgSi}_2\text{O}_6\text{-SiO}_2\text{-F}_2\text{O}_1$ , 306  
 $\text{Na}_2\text{O}\text{-Al}_2\text{O}_3\text{-SiO}_2$ , 1089  
 $\text{Na}_3.6(\text{Sb}_2\text{O}_3)_3(\text{SbS}_3)(\text{OH})_0.6\cdot 2.4\text{H}_2\text{O}$ , 398  
 Nd-Nb-Ti silicate, 1492  
 $\text{NH}_4^+$  in metamorphic fluids and microcline, 818  
 Ni-Mg-Fe olivine, 274  
 Ni-Mg-Fe orthopyroxene, 274  
 Ni/Mg partitioning in olivine-orthopyroxene, 274  
 Nabokoite, 927  
 Namibia  
   asosite, 643  
   defernrite, 888  
   holdawayite, 632, 637  
   leucophoenicite, 1182  
   mcgovernite-like mineral, 1182  
 Natrocarbonatite, 1468  
 Natrolite, 613  
 Nevada, ammonioalunite, 145  
 New Jersey  
   canaphite, 168  
   chalcophanite, 1401  
   franklinfurnaceite, 876  
 New Mexico  
   fayalite, 1025  
   pyroxene, 1025  
   rhyolite, 1025  
   thorite, 1405  
   zircon, 1405  
 New mineral data (abstracts)  
   aerinite, 1492  
   arseniopleite, 666  
   bonchevite, 666  
   calomel, 189  
   caryinite, 666  
   charoite, 189  
   crookesite, 927  
   falkmanite, 666  
   ferrithorite, 189  
   ferropyrosmalite, 927  
   freedite, 666  
   furongite, 189  
   glushinskite, 189  
   imogolite, 189  
   kerchenite, 666  
   khademite, 1492  
   lithiophorite, 666  
   manganostibite, 666  
   metavivianite, 666  
   murmanite, 927
- polarite, 1492  
 redledgeite, 189  
 rozenite, 189  
 sakuraiite, 927  
 scapolite, 189  
 schmiederite, 189  
 shakhovite, 189, 1492  
 sjögrenite, 189  
 stibiomicrolite, 1492  
 tugarinovite, 189  
 volkonskoite, 927  
 wakefieldite-(Ce), 927  
 waylandite, 189  
 New minerals (abstracts)  
   acuminite, 1492  
   alacranite, 189  
   althupite, 189  
   amstallite, 1492  
   argentotennantite, 439  
   arsenoflorencite-(Ce), 1492  
   atlasovite, 927  
   benleonardite, 439  
   bobergusonite, 189  
   carbonate-vishnevite, 927  
   cassedanneite, 1492  
   cebaite-(Nd), 1492  
   chaudamuite, 1492  
   chromferide, 189  
   delindeite, 1492  
   diomignite, 927  
   ellenbergerite, 189  
   ferchromide, 189  
   gananeite, 1492  
   gasparite-(Ce), 1492  
   ginzburgite, 439  
   grumantite, 439  
   hannebachite, 927  
   heneuite, 439  
   hydroxyl-bastnaesite-(Nd), 439  
   hydroxyl vishnevite, 927  
   johnninesite, 927  
   kamiokite, 189  
   kamotoite-(Y), 189  
   keiviite-(Y), 189  
   kombatite, 927  
   kulikite-(Y), 189  
   kuzminit, 189  
   lourensawsite, 1492  
   luanheite, 189  
   ludjibaite, 1492  
   magnesiohulsite, 927  
   mannardite, 189  
   mattheddleite, 927  
   mcbirneyite, 1492  
   mendozavilite, 189  
   monazite-(Nd), 1492  
   mongshanite, 439  
   moydite, 189  
   nabokoite, 927  
   nickelaustinite, 927  
   okhotskite, 1492  
   olenite, 439  
   pahasapaita, 1492  
   palenzonaita, 927  
   parabariomicrolite, 189  
   parabrandtite, 1492  
   paramendozavilite, 189
- paraotwayite, 1492  
 parisite-(Nd), 1492  
 poudretteite, 1492  
 qandilite, 927  
 qitianlingite, 1492  
 rhodizite, 189  
 simonkolleite, 189  
 stronalsite, 189  
 strontiopyrochlore, 927  
 sturmanite, 189  
 tengchongite, 189  
 thometzekite, 927  
 thornasite, 927  
 tokkoite, 189  
 trabzonite, 1492  
 vantasselite, 927  
 volfonite, 439  
 weishanite, 189  
 wülfingite, 189  
 xinganite, 439  
 yttroceneberysite, 439  
 zincochromite, 927  
 zincroselite, 927  
 New minerals (descriptions)  
   ammonioalunite, 145  
   asisite, 643  
   baileychlore, 135  
   calciohilaireite, 1191  
   dorrite, 1440  
   filipstadite, 413  
   holdawayite, 632  
   howardevansite, 181  
   ingersonite, 405  
   magnesiochloritoid, 358  
   panunzite, 420  
   paulkellerite, 870  
   zodacite, 1179  
 New minerals and mineral names  
   See Errata, 200  
   See also Unnamed minerals  
 New York  
   anorthosite, 261  
   charnockite, 261  
   clintonite, 365  
   diopside, 1235  
   platinum, 1170  
   pyroxene-bearing quartz  
     syenite gneiss, 261  
 Nickelaustinite, 927  
 NMR spectroscopy  
 $\text{CaAl}_2\text{Si}_2\text{O}_8\text{-CaMgSi}_2\text{O}_6\text{-Mg}_2\text{SiO}_4$  glasses, 534  
 illite/smectite, expandability of, 1335  
 Nomenclature  
   of oxides, 1377  
   of pyroxenes, 1123  
   of REE minerals, 422  
   See Errata, 200  
 Nontronite, 1346  
 North Carolina, grannockite, 595  
 Norway  
   dolaseite-(Ce), 838  
   leuconorite, 1046  
   orthopyroxene-magnetite symplectites, 1046  
   thortveitite, 601

- Nova Scotia  
 actinolite, 993  
 diorite, 993  
 hornblende, 993  
 howlite, 1138  
 Nyiragongo volcano (Zaire),  
 andremeyerite, 608
- Officers  
 1988 Officers and Committees,  
 1219  
 Former Officers and Meeting  
 Places, 1216  
 Okhotskite, 1492  
 Oldoinyo Lengai volcano  
 alkalic carbonatite, 1465  
 natrocarbonatite, 1468  
 Olenite, 439  
 Olivine, 524, 547, 1007, 1046,  
 1074  
 $\text{CO}_2$  fluids in, 1074  
 heat treatment of, 1074  
 Olivine-orthopyroxene, 274  
 Omphacite, 910, 916  
 Ongonite dikes, 507  
 Optical mineralogy, 1481  
 Optical properties  
 ammonioalunite, 145  
 andalusite, 1366  
 augite, 1025  
 baileychlore, 135  
 calciohilairite, 1191  
 chlorite, 62  
 defernite, 888  
 epistilbite, 1434  
 fayalite, 1025  
 filipstadite, 413  
 grossular, anisotropic, 568  
 hedenbergite, 1025  
 holdawayite, 632  
 howardevansite, 181  
 ingersonite, 405  
 mesolite, 613  
 natrolite, 613  
 orthoenstatite, 1255  
 orthopyroxene, 1025  
 osumilite, 585  
 panunzite, 420  
 paulkellerite, 870  
 pervoskites, second-harmonic  
 generation in, 701  
 pyroxene exsolution, 261  
 scolecite, 613  
 smectite/chlorite, 62  
 villyaelenite, 1172  
 zodacite, 1179  
 Optical spectroscopy  
 andalusite, 1366  
 montmorillonite, 1346  
 montmorillonite  
 ( $\text{Mn}^{3+}$ -bearing), 140  
 nontronite, 1346  
 saponite, 1346  
 scheelite-powellite, 1145  
 tourmaline, 172, 822  
 Order-disorder  
 $\text{Al}-\text{Fe}^{3+}$  and  $\text{Ca}-\text{Fe}^{2+}$  in grossular, 568
- albite, 91  
 alkali halides, 701  
 aluminous pyroxenes, 910  
 beryllian sapphirine, 1134  
 epistilbite, Al-Si ordering  
 in, 1434  
 fluorides, 701  
 joesmithite, Pb in, 843  
 mesolite, 613  
 natrolite, 613  
 omphacite, 910, 916  
 orthopyroxene, Fe-Mg in,  
 1060  
 oxides, 701  
 Pb in joesmithite, 843  
 pyroxenes, aluminous, 910  
 pyroxmangite, 798, 809  
 rhodonite, 798  
 scapolite, 119  
 scolecite, 613  
 scorodite, 850  
 Orthoenstatite, 232, 1255  
 Orthopyroxene, 232, 242, 261,  
 345, 1025, 1264  
 Fe-Mg ordering in, 1060  
 geospeedometry, 1060  
 megacrysts, 677  
 Orthopyroxene-clinopyroxene,  
 1046  
 Orthopyroxene-garnet, 692  
 Orthopyroxene-ilmenite, 1046  
 Orthopyroxene-magnetite  
 symplectites, 1046  
 Ostwald ripening, 1325, 1335,  
 1475  
 Osumilite, 585  
 Oxidation state, 1267  
 Oxides  
 second-harmonic generation  
 in, 701  
 topotaxial intergrowths in,  
 383  
 Oxygen buffers in systems Fe-O  
 and Cu-O, 470  
 Oxygen fugacity using Fe-Ti  
 oxides, 714  
 Oxygen geobarometry, 727  
 Pb in joesmithite, 843  
 Pb-Au-Bi sulfotelluride, 927  
 $(\text{Pb}, \text{Bi}, \text{Ag})_9\text{Sb}_{11}\text{As}_{11}\text{S}_{42}$  mineral,  
 927  
 $\text{Pb}_5\text{Cu}_2(\text{Sb}, \text{Bi})_{15}\text{S}_{28}$ , 439  
 Pt in pyrobitumen, 1170  
 Pt-group minerals, 439  
 Pahasapaite, 1492  
 Pakistan, beryl, 826  
 Palenzonaite, 927  
 Pantellerite, 727  
 minerals and glass in, 1038  
 Panunzite, 420  
 Parabariomicrolite, 189  
 Parabrandtite, 1492  
 Paramendozavilite, 189  
 Paraotwayite, 1492  
 Pargasite, 993  
 Parisite-(Nd), 1492  
 Paulkellerite, 870, 873
- Pegmatite, 1384  
 Pegmatite-wallrock interaction,  
 324  
 Pelitic schist (Maine), 20  
 Perovskite, 524  
 Perovskite-type oxides and  
 fluorides, second-harmonic  
 generation in, 701  
 Phase boundaries, uncertainty  
 in location of, 1205  
 Phase equilibria  
 Al-Si-O-F system  
 (hypothetical), 936  
 aluminous pyroxenes, 910, 916  
 andalusite-donbassite reac-  
 tion, 559  
 basaltic liquids, 1267  
 beryl, 1384  
 F influence on melt crystal-  
 lization, 507  
 $\text{Fe}^{3+}/\text{Fe}^{2+}$  in clinoamphibole,  
 487  
 forsterite-saturated join  
 $\text{Mg}_2\text{Si}_2\text{O}_6-\text{CaMgSi}_2\text{O}_6$ , 232  
 gahnite, 1384  
 genthelvite, 1384  
 granite, 956  
 $\text{H}_2\text{O}$ -saturated and  $\text{H}_2\text{O}$ -under-  
 saturated low-Ca granites,  
 966  
 holdawayite, 632  
 humite minerals in system  
 $\text{MgO}-\text{SiO}_2-\text{TiO}_2-\text{H}_2\text{O}$ , 547  
 kimberlite,  $\text{SiO}_2$ -poor, 524  
 korneurupine-tourmaline, 345  
 Mg/Mn partitioning in Fe-Ti  
 oxides, 57  
 MgGeO<sub>3</sub> polymorphs, 1355  
 $\text{MgO}-\text{SiO}_2-\text{H}_2$ , 1  
 $\text{Mg}_2\text{Si}_2\text{O}_6-\text{CaMgSi}_2\text{O}_6$ , 242  
 magnetite + ilmenite, 714  
 magnetite + ilmenite +  
 fayalite + quartz, 727  
 $\text{NaAlSiO}_4-\text{CaMgSi}_2\text{O}_6-\text{SiO}_2-\text{F}_2\text{O}-1$ ,  
 306  
 omphacite, 910  
 oxidation state, 1267  
 phenakite, 1384  
 pyroxenes, aluminous, 910,  
 916  
 spherical single crystals,  
 preparation of, 662  
 topaz, 1384  
 willemite, 1384  
 Phase relations in  $\text{MgO}-\text{SiO}_2-\text{H}_2$ ,  
 vaporous and liquidus, 1  
 Phenakite, 1384  
 Phlogopite, 48, 345, 651, 692,  
 775, 1007  
 Phonolite, mafic, 1007  
 Piemontite, strontian, 1370  
 Pigeonite, 232  
 inverted, 261  
 Piston-cylinder apparatus, 1195  
 Pitchstone, 727  
 Plagioclase, 982  
 Plagioclase growth in igneous  
 and  $\text{H}_2\text{O}$ -saturated melts, 982

- Plagioclase-garnet-Al<sub>2</sub>SiO<sub>5</sub>-quartz (or GASP), 216, 1501 [erratum]
- Platinum, 1170
- Point defects, 1235
- Polarite, 1492
- Polished thin section preparation for ion-microprobe analysis, 894
- Polytypism, 105
- Portugal  
biotite, 754  
muscovite, 754  
zodacite, 1179
- Poudretteite, 1492
- Preiswerkite, 651
- Presidential Address for 1987, 449, 1221, 1501 [erratum]
- Proceedings for 1987, 1209
- Protocols for mineral archiving, 1480
- Protoenstatite, 232
- Protopyroxene, 242
- Pseudobrookite, 1377
- Publications on mineralogy, etc., and their costs, 449, 1501 [erratum]
- Pyrobitumen, 1170
- Pyrochlore group, 405
- Pyrometamorphic rocks, 1440
- Pyrophyllite, 105
- Pyroxene, 232, 677, 692, 1025  
aluminous, 910, 916  
exsolution, 261, 432, 434  
growth using fluxes, 232  
nomenclature of, 1123
- Pyroxene-bearing quartz syenite gneiss, 261
- Pyroxmangite, 798, 809, 1285
- Qandilite, 927
- Qitianlingite, 1492
- Quantum mechanical calculations H<sub>6</sub>Si<sub>2</sub>O<sub>7</sub> clusters, 941  
pyroxene, aluminous, 910, 916
- Quartz, 313, 1038
- Quartz syenite gneiss, 261
- Quebec  
dolomite microcrystals, 619  
grossular, 568  
marble, 619  
sodalite, 1120
- Radiation effects, thorite, 1405
- Raman spectroscopy  
CaMgSi<sub>2</sub>O<sub>6</sub>, CaMgSi<sub>2</sub>O<sub>6</sub>-F<sub>20-1</sub>, and CaMgSi<sub>2</sub>O<sub>6</sub>-SiO<sub>2</sub> glasses, 306  
CaO-CaF<sub>2</sub>-SiO<sub>2</sub> system, glasses in, 297  
CO and CO<sub>2</sub> in natural olivine, 1074  
graphite in natural olivine, 1074  
ilmenite-type MgSiO<sub>3</sub>, 224  
MgGeO<sub>3</sub> polymorphs, 1355  
serpentine, 547
- Rayleigh. See Hyper - Rayleigh scattering, 701
- Recrystallization, 1335
- Redefinition of armalcolite, 1377
- Redefinition of pseudobrookite, 1377
- Redledgeite, 189
- Redox equilibrium, 1267
- Rare-earth elements  
argillite, 1095  
blue quartz, 313  
calcareous argillite, 1095  
chondrite-normalized plots, 919  
llanite, 313  
marble, 1095  
metadunite, 547  
microcline, 313  
nomenclature of REE minerals, 422  
panellerite, minerals and glass in, 1038  
quartz, 313  
rhyolite, 313  
sapphirine granulite, 692  
thorite, 1405  
thortveitite, 601  
tourmaline, 424  
yttriotabafite, 1420
- Remote sensing using scheelite-powellite, 1145
- Reports for 1987  
Editor, 1214  
Financial Advisory Committee, 1213  
Proceedings, 1209  
Secretary, 1209  
Treasurer, 1210
- Research, evaluation of funding of, 1221
- Reviewers for *American Mineralogist* in 1987, 1215
- Rhodizite, 189
- Rhodochrosite, 1285
- Rhodonite, 798, 1285
- Rhyolite, 313, 727, 1025
- Riebeckite, 487
- Rietveld refinement, todorokite, 861
- Roebling Medal, acceptance of, 670
- Roebling Medal, presentation of, 668
- Romanechite, 1155
- Rozenite, 189
- SiO<sub>2</sub> glasses and melts, 941
- S- and I-type granites, 281
- Sakuraiite, 927
- Salite, 1007
- Salt (volcanogenic), Mount Erebus, Antarctica, 855
- Sanidine, 97
- Saponite, 1346
- Sapphirine, 345
- Sapphirine granulite, 692
- Scapolite, 189, 1120
- Scapolite (HRTEM), 119
- Scheelite-powellite, 1145
- Schist, Mg-Fe-Al - rich, 651
- Schmiederite, 189
- Scolecite, 613
- Scorodite, 850
- Second-harmonic scattering in minerals, 701
- Secretary, 1987 Report of the, 1209
- Sericite, 1335, 1472
- Serpentine, 547
- Shakhovite, 189, 1492
- Shonkinite, 1007
- Silica-glass containers, 1198
- Silicate glasses, ferric/ferrous ratios in, 1478, 1479
- Simonkolleite, 189
- Sjögrenite, 189
- Skinnerite, 707
- Smectite. See Chlorite/smectite, 62
- Smectite. See Illite/smectite, 77, 766, 1325, 1335, 1472, 1475
- Sodalite, 1120
- Software  
calculation of mineral optics data, 1481  
"spidergrams," plotting of, 919  
storage and calculation of mineral analyses, 446  
ternary-feldspar geothermometry, 201
- Solubility studies, scorodite, 850
- Solution calorimetry, 1355
- South Africa  
kimberlite, 524  
sugilite, 595  
titanomaghemite, 153  
todorokite, 861
- South Dakota  
holmquistite, 324  
microcline, 818
- South West Africa. See Namibia
- Spectroscopy, X-ray  
photoelectron (hollandite), 161
- Spherical reaction monitors, manufacture of, 662
- Spherical single crystals, preparation of, 662
- "Spidergrams," plotting of, 919
- Spinel, 345, 651  
Cr-rich, 741  
Mn-Fe<sup>3+</sup>-Sb derivative of, 413
- Spinel pyroxenite, 692
- Stable isotopes  
illite/smectite, 77  
sapphirine granulite, 692
- Stannite-like minerals, 439
- Statistical thermodynamics, 91
- Staurolite, Mg-rich (China), 48
- Staurolite problem, 20
- Stereoactivity, 843

- Stevenson, John Sinclair,  
     Memorial of, 922  
 Stibiomicrolite, 1492  
 Storage and calculation of  
     mineral analyses, 446  
 Stottite, 657  
 Stronalsite, 189  
 Strontian piemontite, 1370  
 Strontiopyrochlore, 927  
 Structure-energy calculations  
     aluminous pyroxenes, 910  
     chalcopyanite, 1401  
     pyroxenes, aluminous, 910  
     todorokite, 861  
 Sturmanite, 189  
 Sugilite, 595  
 Sulfur speciation, 845  
 Sweden  
     filipstadite, 413  
     ingersonite, 405  
 Switzerland  
     illite, 1335  
     lengenbachite, 1426  
 Syenite, 727  
 Symplectites, 1046  
 Synthetic buserite-like and  
     birnessite-like phases, 1162  
 Systems (chemical)  
     Ab-An-H<sub>2</sub>O, 982  
     Ab-Or-An-Qz-H<sub>2</sub>O, 956  
     Ab-Or-Qz-H<sub>2</sub>O, 956  
     Al-Si-O-F (hypothetical), 936  
     Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-H<sub>2</sub>O, 559  
     basaltic liquids, 1267  
     CaO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>, 216, 1501  
         [erratum]  
     CaO-CaF<sub>2</sub>-SiO<sub>2</sub>, 297  
     Cu-Au, 910  
     Cu-O, 470  
     Cu<sub>2</sub>S-Sb<sub>2</sub>S<sub>3</sub>, 707  
     Fe-O, 470  
     FeO-MgO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-TiO<sub>2</sub>, 434  
     feldspar, 956  
     MgO-SiO<sub>2</sub>-H<sub>2</sub>O, 1  
     MgO-SiO<sub>2</sub>-TiO<sub>2</sub>-H<sub>2</sub>O, 547  
     Mg<sub>2</sub>Si<sub>2</sub>O<sub>6</sub>-CaMgSi<sub>2</sub>O<sub>6</sub>, 232, 242  
     Mn<sub>0</sub>-CO<sub>2</sub>-H<sub>2</sub>O, 632  
     Na<sub>2</sub>O-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>, 1089  
     ZnO-BeO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-SO<sub>4</sub>-  
         F<sub>2</sub>O<sub>1</sub>, 1384  
  
 Ti valence in hollandite, 161  
 TiP mineral, 189  
 Tagilite (= pseudomalachite),  
     927  
 Taiwan  
     chromitite, 383  
     "ferritchromit," 383  
 Talc, 105  
 Tanzania  
     alkalic carbonatite, 1465  
     natrocarbonatite, 1468  
 Tengchongite, 189  
 Ternary-feldspar geother-  
     mometry, 201  
 Ternary-feldspar solid solu-  
     tions, 956  
 Tetragonal U<sub>3</sub>O<sub>7</sub>, 439  
  
 Tetrahedrite, 389  
 Texas, andalusite, 1366  
 TGA. See DTA  
 Thalenite, analogue of, 189  
 Thermodynamic data  
     albite, 91  
     anorthite breakdown reaction,  
         216, 1205, 1501 [erratum]  
     basaltic liquids, 1267  
     CuO, 470  
     Cu<sub>2</sub>O, 470  
     Cu<sub>2</sub>Sb<sub>2</sub>S, 707  
     Cu<sub>3</sub>Sb<sub>2</sub>S<sub>3</sub>, 707  
     clinopyroxene, 242, 1264  
     clinopyroxene solution  
         models, 253  
     cordierite, Fe-Mg mixing in,  
         338  
     enthalpy and entropy of  
         vaporization in  
         MgO-SiO<sub>2</sub>-H<sub>2</sub>O, 1  
     Fe-Mg exchange between cor-  
         dierite and garnet, 338  
     Fe-Mg mixing in cordierite,  
         338  
     "FeO," Fe<sub>2</sub>O<sub>3</sub>, and Fe<sub>3</sub>O<sub>4</sub>, 470  
     feldspars, 201  
     felsic melts, 956  
     hematite, 714  
     ilmenite, 714  
     ilmenite-type MgSiO<sub>3</sub>, 224  
     MgGeO<sub>3</sub> polymorphic transi-  
         tions, 1355  
     Mg<sub>2</sub>Si<sub>2</sub>O<sub>6</sub>-CaMgSi<sub>2</sub>O<sub>6</sub> join, 1264  
     MnSiO<sub>3</sub> polymorphs, 1285  
     magnetite, 714  
     Ni/Mg partitioning in  
         olivine-orthopyroxene, 274  
     orthopyroxene, 242, 1264  
     protopyroxene, 242  
     redox equilibrium, 1267  
     scorodite, 850  
     statistical thermodynamics,  
         91  
     ternary feldspars, 201  
     ternary-feldspar solid solu-  
         tions, 956  
     ulvöspinel, 714  
 Thometzekite, 927  
 Thorite, 1405  
 Thornasite, 927  
 Thortveitite-group minerals,  
     601  
 Titanium humites, 547  
 Titanomaghemitite, 153  
 Titanomagnetite-ilmenite, 1046  
 Todorokite, 861  
 Tokkoite, 189  
 Topaz, 1384  
     in metamorphosed rhyolite  
         tuff, 507  
 Topazite dikes, 507  
 Topotaxial intergrowths in  
     oxides, 383  
 Tourmaline, 172, 822  
     REEs in, 424  
     Sr, Sc, Th, U, and Zn in, 424  
 Tourmaline-kornerupine, 345  
  
 Trabzonite, 1492  
 Trace elements  
     amphibolite, 324  
     andalusite, 1366  
     anhydrite, 775  
     argillite, 1095  
     B in meteorites, 894  
     basalts in mid-ocean ridges,  
         741  
     biotite, 324, 754  
     blue quartz, 313  
     calcareous argillite, 1095  
     clinopyroxene, 1235  
     diopside, 1235  
     högbonite-bearing rocks, 651  
     hornblende, 324  
     Li in meteorites, 894  
     llanite, 313  
     marble, 1095  
     metadunite, 547  
     microcline, 313  
     muscovite, 754  
     NH<sub>4</sub><sup>+</sup> in microcline, 818  
     panellerite, minerals and  
         glass in, 1038  
     quartz, 313  
     rhyolite, 313  
     sanidine, 97  
     tourmaline, Sr, Sc, Th, U,  
         and Zn in, 424  
     yttriotourmaline, W in, 1420  
 Trachyte, 727  
 Treasurer, 1987 Report of the,  
     1210  
 Tschermarkitic hornblende, 487  
 Tugarinovite, 189  
 Tunnel structures, 1155  
 Twinning, andremeyerite, 608  
 Two-feldspar geothermometer,  
     692  
  
 U-Fe silicates, 927  
 USSR, beryl, 826  
 Ulvöspinel, 714  
 Unit-cell data  
     AlF<sub>3</sub>·3H<sub>2</sub>O, 855  
     ammonioalunite, 145  
     andremeyerite, 608  
     anorthite, 216, 1501 [er-  
         ratum]  
     asisite, 643  
     baileychlore, 135  
     beryl, 826  
     beryllian sapphirine, 1134  
     biotite, Ti-bearing, 1275  
     calciohilaireite, 1191  
     chalcopyanite, 1401  
     clinoamphibole, Fe<sup>3+</sup>/Fe<sup>2+</sup> in,  
         487  
     clintonite, 365  
     danielsite, 187  
     defernite, 888  
     dolaseite-(Ce), 838  
     dorrite, 1440  
     epistilbite, 1434  
     Fe<sup>3+</sup>/Fe<sup>2+</sup> in clinoamphibole,  
         487  
     filipstadite, 413

- grannockite, 595  
 grossular, 568  
 holdawayite, 632  
 holmquistite, 324  
 howardevansite, 181  
 howlite, 1138  
 ilmenite-type  $MgSiO_3$ , 224  
 ingersonite, 405  
 magnesiochloritoid, 358  
 mcgovernite-like mineral, 1182  
 meionite, 1120  
 orthoenstatite, 1255  
 osumilite, 585  
 panunzite, 420  
 paulkellerite, 870  
 piemontite, strontian, 1370  
 pyroxmangite, 798, 809, 1285  
 rhodonite, 798, 1285  
 romanechite, 1155  
 scapolite, 1120  
 sodalite, 1120  
 staurolite, Mg-rich, 48  
 stottite, 657  
 strontian piemontite, 1370  
 sugilite, 595  
 thorite, 1405  
 thortveitite-group minerals, 601  
 titanomaghemitic, 153  
 todorokite, 861  
 villyaellenite, 1172  
 zodacite, 1179  
 Unnamed minerals  
 Ag-Cu-Fe-S minerals, 439  
 Ag-Fe sulfides, 1492  
 Al sulfate, 927  
 $AlF_3$  and  $AlF_3 \cdot 3H_2O$ , 855  
 Au-Pb mineral, 189  
 basic Mg carbonate, 1492  
 beta- $AlF_3 \cdot 3H_2O$ , 855  
 $Ca_3Al_2[(Ge,Si)O_4]_3$  garnet, 927  
 $Ca_3Ga_2(GeO_4)_3$  garnet, 927  
 $Cr_2C$  mineral, 439  
 $CrS$  mineral, 439  
 Cu-stannoidite, 439  
 $Cu_2Fe_3S_5$  mineral, 927  
 cubic  $NiSe_2$ , 439  
 epistolite intergrowths, 927  
 Fe-Ge-Ga equivalent of sapphirine, 927  
 $FeTiSi_2$  mineral, 189  
 gamma-Fe mineral, 439  
 Ir-Os-Ru with Fe, solid solutions of, 189  
 K-dominant laumontite, 1492  
 K-V-Ba titanate, 927  
 layer silicate, 189  
 mcgovernite-like mineral, 1182  
 Mn-dominant deerite, 1492  
 Na-Ti silicate, 439  
 Nd-Nb-Ti silicate, 1492  
 Pb-Au-Bi sulfotelluride, 927  
 $(Pb,Bi,Ag)_9Sb_{11}As_{11}S_{42}$  mineral, 927  
 Pt-group minerals, 439  
 stannite-like minerals, 439  
 TiP mineral, 189  
 thalenite, analogue of, 189  
 U-Fe silicates, 927  
 uranyl sulfate, 1492  
 Uranyl sulfate, 1492  
 Utah  
 argillite, 1095  
 beryl, 826  
 calcareous argillite, 1095  
 calcareous rocks, 1302  
 marble, 1095  
 Vantasselite, 927  
 Vaporous and liquidus phase relations in  $MgO-SiO_2-H_2O$ , 1  
 Vermont, grossular, 568  
 Vesuvianite, 1302  
 Villyaellenite, 1172  
 Volatiles derived from clay minerals, 376  
 Volcanogenic salt, Mount Erebus, Antarctica, 855  
 Volfonite, 439  
 Volkonskoite, 927  
 Vumba schist belt, Botswana, 651  
 Wakefieldite-(Ce), 927  
 Warren-Averbach method, 1335, 1475  
 Washington  
 calciohilairite, 1191  
 nontronite, 1346  
 saponite, 1346  
 Waylandite, 189  
 Weishanite, 189  
 West Germany, sanidine, 97  
 Western Australia, danielsite, 187  
 Willemite, 1384  
 Wulfingite, 189  
 Wyoming  
 clinopyroxene, 1440  
 dorrite, 1440  
 melanite, 1440  
 ternary feldspars, 201  
 X-ray photoelectron spectroscopy, 1449  
 X-ray photoelectron spectroscopy, hollandite, 161  
 Xinganite, 439  
 XRD data  
 ammonioalunite, 145  
 amphibolite, 324  
 asisite, 643  
 baileychlore, 135  
 calciohilairite, 1191  
 chlorite, 62, 77  
 clintonite, 365  
 danielsite, 187  
 defernite, 888  
 dollaseite-(Ce), 838  
 dorrite, 1440  
 ferromanganese crusts, 1395  
 filipstadite, 413  
 grossular, 568  
 högbomite, 651  
 holdawayite, 632  
 howardevansite, 181  
 illite/smectite, 77, 766, 1335  
 ingersonite, 405  
 interparticle diffraction, 1335  
 mcgovernite-like mineral, 1182  
 montmorillonite, 77, 1346  
 nontronite, 1346  
 orthoenstatite, 1255  
 panunzite, 420  
 paulkellerite, 870  
 salts from Mount Erebus, Antarctica, 855  
 saponite, 1346  
 scorodite, 850  
 serpentine, 547  
 smectite. See Illite/smectite, 77, 766, 1335  
 smectite/chlorite, 62  
 spherical single crystals, preparation of, 662  
 villyaellenite, 1172  
 Warren-Averbach method, 1335, 1475  
 zodacite, 1179  
 XRF data  
 anhydrite, 775  
 calcareous argillite, 1095  
 marble, 1095  
 montmorillonite, 77  
 Yttrobetafite, W in, 1420  
 Yttroceneberysite, 439  
 Zn-Be-S-O-F system, 1384  
 $ZnO-BeO-Al_2O_3-SiO_2-SO_2-F_2O_1$ , 1384  
 Zaire, andremeyerite, 608  
 Zambesia, beryl, 826  
 Zimbabwe, beryl, 826  
 Zimbabweite, 1186  
 Zincochromite, 927  
 Zincroelite, 927  
 Zircon, 1405  
 Zodacite, 1179  
 Zoisite, 48, 651