

SUBJECT INDEX, VOLUME 75, 1990

- (Ag,Bi)₂Se, 706
Ag-Cu and Ag-Sn sulfides, 706
Ag_{1.97}Hg_{0.96}S_{2.07}, 431
Ag₄PbTe₂S and Ag₈Bi₃Te₇, 1209
Al₂O₃-Fe-O, 1342
Al-Si order on melting, effect of, 1362
AlTi phases A and B, 1431
Au, 956
AuBi₅S₄, 431
Actinolite, 230
Aenigmatite, 694
Agate, 1205, 1207
Akhtenskite, 931
Albite, 443, 723, 1268
Alkali feldspar, 141, 544
Alkaline lake system, 201
Alkremite, 775
Almandine, 328, 1375 [erratum]
Alteration, 813
Aluminum silicate, 1043
Alunite, 209
Alunite group, 1176
Amblygonite, 992
AMPHIBOL, 421
Amphibole, 840, 1092, 1349
Amphibole, calcic, 358
Amphibolite, 1349
Amphibolite facies, 589
Analcime, 201, 1209
Analysis, chemical (mineral)
 Au, 956
 aenigmatite, 694
 alkali feldspar, 544
 alunite group, 1176
 amblygonite, 992
 amphibole, 163, 1092, 1349
 andalusite, 1043
 andradite, 1327
 ankerite, 495
 annite, 183
 armalcolite, 97
 augite, 170
 baumhauerite, 915
 baumhauerite-2a, 915
 berthierine, 909
Analysis, chemical (mineral),
 cont.
 biotite, 305, 656, 886, 983
 birnessite, 477
 boggsite, 1200
 bytownite, 170
 calcite, 807, 1106
 celadonite, 983
 chalcopyrite, 881
 chlorapatite, 687
 chlorite, 825
 chloritoid, 1043
 chromite, 97
 clinoptilolite (Cs-exchanged), 522
 clinopyroxene, 345, 1426
 coesite, 775
 cordierite, 71
 corundum, 775
 dahllite, 687
 dolomite, 1106
 dufrenite, 1197
 dumortierite, 1370
 edgarbaileyite, 1192
 electrum, 956
 enstatite, 813, 1029
 feldspar, 1059
 francisite, 1421
 galena, 1438
 garnet, 89, 381, 775, 859, 886
 garnet (fluorian), 859
 garnet (synthetic), 345
 genthelvite, 909
 grandidierite, 415
 hedenbergite, 1327
 hematite-ilmenite, 1043
 hentschelite, 1197
 hercynite, 589, 1342
 högbomite, 589
 hornblende, 89, 170
 hydroxyapatite, 687
 illite, 825, 1282
 ilmenite, 97, 589, 1059
 ilmenite-hematite, 886
 jahnite-(CaMnMn), 401
 jarosite group, 1176
Analysis, chemical (mineral),
 cont.
 K₂Al₂Si₃O₁₀·KCl, 947
 kegelite, 702
 kornerupine, 415
 kyanite, 381, 775, 1043
 lehnerite (synthetic), 221
 lithiomarsturite, 409
 liveingite (disordered), 289
 lizardite, 813
 low albite, 135
 magnesian calcite, 1151
 magnetite, 1059
 merlinoite (synthetic), 188
 mica, 529, 874
 monazite, 687
 montebrasite, 992
 montesommaite, 1415
 mullite (Cr-doped synthetic), 392
 muscovite, 983
 muscovite analysis, statistical treatment of, 1406
 muscovite, phengitic, 983
 olivine, 97
 omphacite, 381
 orlymanite, 923
 orthopyroxene, 1426
 Pt-Fe alloy, 881
 pentlandite, 881
 periclase, 1106
 phlogopite, 97, 983, 1029
 plagioclase, 89
 plagioclase feldspar, 544
 pyrophyllite, 825
 pyroxene, 1, 620, 764, 813, 1092, 1349, 1426
 pyrrhotite, 881
 quartz, 791, 1381
 rectorite, 825
 rutile, 97, 775
 SiC, 1110
 sanidine, 775
 serpentine, 813
 sillimanite, 1043
 spessartine, 314

- Analysis, chemical (mineral),**
cont.
 spinel, 775, 1428, 1342
 staurolite, 589, 1043
 sudoite, 825
 titanite, 97
 tosudite, 825
 wawayandaite, 405, 1216
 [erratum]
 werdingite, 415
 wilkinsonite, 694
 wollastonite, 262
 yoshiokaite, 676
 zeolite, 522
- Analysis, chemical (rock)**
 anorthosite, 27, 572
 Bishop Tuff Rhyolite, 1381
 calc-silicate, 874
 camptonite, 1092
 carbonatite, 1106
 diorite, 27, 620
 ferrodiorite, 572
 glimmerite, 27
 leuconorite, 1
 leucotroctolite, 1
 limestone, 874
 monzosyenite, 572
 Nd and Sr isotopes, 13
 norite, 27
 pyroxenite, 27
 quartz syenite, 1092
 rhyolite, 1311
 Sr and Nd isotopes, 13
 syenite, 1092
 trachyte, 694, 1092
- Andalusite, 1043**
- Andesite genesis, 345**
- Andradite, 1327**
- Andrewsite (= hentschelite), 1197**
- Anhydrous mica, 529**
- Ankerite, 495**
- Annite, 183, 328, 1375 [erratum]**
- Annivite, 706**
- Anorthite, 1268**
- Anorthosite, 1, 13, 27, 37, 46, 150, 572**
- Anorthosite, ferroan, 46**
- Anorthosite, lunar, 46**
- Anorthosite; Penrose Conference papers, i, 1, 13, 21, 27, 37, 46**
- Antarctica**
- högbomite, 589
- Anthracite, 825**
- Apatite (hexagonal; F, OH, Cl),**
 295, 1216 [erratum]
- Apatite (monoclinic; F, OH, Cl),**
 295, 1216 [erratum]
- Apatite fission tracks, 1120**
- Arizona**
- bokite, 508, 1216 [erratum]
 navajoite, 508, 1216 [erratum]
 stishovite, 951
- Arkansas**
- laubmannite (= dufrenite), 1197
- Armalcolite, 97**
- Arsenohauchecornite, 706**
- Arupite, 1209**
- Ashoverite, 431**
- Atomic force microscopy**
 albite, 723
- Augite, 170, 813**
- Auroantimonate, 931**
- Australia**
- alunite group, 1176
 jarosite group, 1176
- Awards**
- MSA Award, acceptance of, 719
 MSA Award, presentation of, 718
 Roebling Medal, acceptance of, 715
 Roebling Medal, presentation of, 714
- B, 874**
- BaAl₂Si₂O₈·4H₂O, 1431**
- Be, 631**
- Be(OH)₂, 1209**
- BiPb₂S₂, 1209**
- Bi₃S₄, 1209**
- Bi₃S₅, 1209**
- Bi₉Te₄, 1209**
- B-SiC, 1110**
- Baiyuneboite-(Ce), 240**
- Bannisterite, Ba analogue of, 931**
- Baumhauerite, 915**
- Baumhauerite-2a, 915**
- Baumite (= zincian caryopilitite or zincian greenalite), 705**
- Beckelite, 431**
- Beidellite, 970**
- Benjaminite (Cu-free), 706**
- Bentonite, 267**
- Bernardite, 1209**
- Berndtite polytypes, 1431**
- Berthierine, 909**
- Beutschliite, 1147**
- Biotite, 27, 305, 656, 886, 983**
- Biotite (in granitoids), 305**
- Birnessite, 477**
- Bishop Tuff Rhyolite, 1381**
- Boehmite, 209**
- Boggsite, 1200**
- Bokite, 508, 1216 [erratum]**
- Book reviews**
- Essene, E.J.: *Encyclopedia of Minerals*, second edition, by W.L. Roberts, T.J. Campbell, and G.R. Rapp, Jr., 938
- Holloway, J.R.: *Origins of Igneous Rocks* by Paul C. Hess, 721
- Ross, M.: *Classical Marble: Geochemistry, Technology, Trade* edited by Norman Herz and Marc Waelkens, 721
- Stebbins, J.F.: *Fundamentals of Optical, Spectroscopic, and X-Ray Mineralogy* by S. Mitra, 938
- Breccias, lunar regolith, 676**
- Bunsenite, 781**
- Bytownite, 170**
- CaNiSi₂O₆ (synthetic), 1274**
- CaNiSi₂O₆-CaMgSi₂O₆, 1274**
- CaO-Al₂O₃-Fe₂O₃-SiO₂-H₂O-HF, 859**
- CaO-Al₂O₃-SiO₂, 676**
- CaO-MeO-GeO₂-SiO₂-NaOH (Me²⁺ = Zn, Fe, Mg), 963**
- CaO-ZnO-GeO₂-SiO₂, 847**
- Ca₂ZnGe_{1.25}Si_{0.75}O₇, 847**
- Ca₂ZnGe₂O₇, 847**
- Ca₅[(Ge,Si)₂O₇][(Ge,Si)O₄], 963**
- Cd-freibergite, 706**
- CH₄ fluid inclusion, 59**
- CO₂, 1311**
- CO₂ fluid inclusion, 59**
- CO₂ in melt inclusions, 1381**
- Cu₂AgS, 431**
- Cu_{4.43}Ag_{1.05}S_{5.00}, 431**
- Cu₅Fe₉S₁₄, 706**
- Cu₇Fe₈S₁₆, 706**
- Calc-silicate, 874**
- Calc-silicate hornfels, 387**
- Calc-silicate reaction, 874**
- Calciovolborthite, 1209**

Calcite, 801, 807, 1106, 1151
 Calcite-I, 801
 Calcite-II, 801
 Calibration curve
 (microthermometric), 226
 California
 Bishop Tuff Rhyolite, 1381
 dumortierite, 1370
 greenschist, 230
 merlinoite, 201
 nissonite, 1170
 phillipsite, 201
 quartz, 1381
 tuffaceous sediments, 201
 Camptonite, 1092
 Carbonatite, 1106
 Carrollite, 247
 Cathodoluminescence, 791
 Celadonite, 983
 Cervandonite-(Ce), 931
 Cervelleite, 1431
 Chaidamuite, 1431
 Chalcopyrite, 881
 Chalcopyrite (zincian), 706
 Chernikovite, 221
 Chestermanite, 431
 Chile
 garnet amphibolite, 89
 China
 coesite (pseudomorph), 381
 diamond, 1110
 eclogite, 381
 kimberlite, 1110
 SiC inclusion, 1110
 Chlorapatite, 687
 Chlorite, 230, 813, 825
 Chlorite stability, 105
 Chloritoid, 1043
 Chromatography, 1447
 Chromite, 97
 Clathrasil, 748
 Clay, 230
 Cliachite, 431
 Clinochlore, 14-Å, 105
 Clinoenstatite, 1080
 Clinoptilolite, 601
 Clinoptilolite (Cs-exchanged), 522
 Clinopyroxene, 345, 1426
 Clintonite, 656
 Coesite, 748, 775
 Coesite (pseudomorph), 381
 Color, 237

Colorado
 bentonite, 267
 spessartine, 314
 Committees of MSA for 1990,
 1227
 Compressibility measurements
 garnet, 731
 olivine, 731
 orthopyroxene, 731
 stishovite, 739
 Computer programs
 AMPHIBOL, 421
 graphical projections, 1428
 mineral formula recalculation,
 424
 MINTAB, 424
 PX, 1426
 SPINEL, 1428
 SPINELTAB, 1428
 Cordierite, 71
 Corundum, 209, 439, 775
 Corvusite, 508, 1216 [erratum]
 Criddleite, 706
 Crustal evolution, 37
 Crystal growth
 amphibole, 1349
 $\text{Ca}_2\text{ZnGe}_{1.25}\text{Si}_{0.75}\text{O}_7$, 847
 $\text{Ca}_2\text{ZnGe}_2\text{O}_7$, 847
 enstatite, 1029
 $\text{K}_2\text{Al}_2\text{Si}_3\text{O}_{10}\text{-KCl}$, 947
 phlogopite, 1029
 quartz, 791
 sylvite, 226
 Crystal structure, 501
 albite, 723
 alkali feldspar, 141
 amblygonite, 992
 anhydrous mica, 529
 anorthosite, 150
 apatite (hexagonal; F, OH, Cl),
 295, 1216 [erratum]
 apatite (monoclinic; F, OH, Cl),
 295, 1216 [erratum]
 biotite, 305
 birnessite, 477
 $\text{CaNiSi}_2\text{O}_6$ (synthetic), 1274
 $\text{Ca}_2\text{ZnGe}_{1.25}\text{Si}_{0.75}\text{O}_7$, 847
 $\text{Ca}_2\text{ZnGe}_2\text{O}_7$, 847
 $\text{Ca}_5[(\text{Ge},\text{Si})_2\text{O}_7][(\text{Ge},\text{Si})\text{O}_4]$,
 963
 calcite, 1151
 carrollite, 247
 clathrasil, 748

Crystal structure, *cont.*
 clinoptilolite (Cs-exchanged),
 522
 coesite, 748
 diopside (synthetic), 1274
 edgarbaileyite, 1192
 framework silicates, 1253
 francisite, 1421
 $\text{K}_2\text{Al}_2\text{Si}_3\text{O}_{10}\text{-KCl}$, 947
 leucite, 464
 lithiomarthurite, 409
 lithiophorite (Cu-bearing), 490
 low albite, 135
 magnesian calcite, 1151
 mica, 529
 $\text{Mn}_3\text{O}_4\text{-II}$, 1249
 montebrasite, 992
 montesommaite, 1415
 mullite (Cr-doped synthetic),
 392
 $\text{NaAlSi}_3\text{O}_8$ glass, 943
 $\text{Na}_2\text{Ca}_6[\text{Si}_2\text{O}_7][\text{SiO}_4]_2$, 963
 nissonite, 1170
 plagioclase, 150
 polydymite, 247
 polyhedral model, 1376
 polytype, 1*M*, 305
 silica minerals, 1253
 silica polymorph, 748
 spessartine (F-bearing), 314
 stishovite, 739
 tectosilicates, 1159
 violarite, 247
 yoshiokaite, 1186
 zeolite, 522
 Crystal synthesis
 alkali feldspar, 544
 andradite, 1327
 beutschliite, 1147
 birnessite, 477
 $\text{CaNiSi}_2\text{O}_6$ (synthetic), 1274
 $\text{Ca}_5[(\text{Ge},\text{Si})_2\text{O}_7][(\text{Ge},\text{Si})\text{O}_4]$,
 963
 clinoptilolite (Cs-exchanged),
 522
 diopside (synthetic), 1274
 elite, 1147
 enstatite, 1029
 fairchildite_{ss}, 1147
 hedenbergite, 1327
 $\text{Mn}_3\text{O}_4\text{-II}$, 1249
 mullite (Cr-doped synthetic),
 392

Crystal synthesis, cont.

$\text{Na}_2\text{Ca}_6[\text{Si}_2\text{O}_7][\text{SiO}_4]_2$, 963
 phlogopite, 1029
 plagioclase feldspar, 544
 pyroxene, 1349
 pyrrhotite, 755
 quartz, 1029
 sanidine, 1029
 stishovite, 739

Crystallinity

^{133}Cs MAS-NMR
 spectroscopy, 970
 tremolite (synthetic), 358

Cuprotungstite, 706**DTA, TGA**

graphite, 1447
 jahnsite-(CaMnMn), 401
 lehnerite (synthetic), 221
 merlinoite (synthetic), 188
 $\text{Na}_2\text{CO}_3\text{-H}_2\text{O}$, 667
 wawayandaite, 405, 1216
 [erratum]

Dahllite, 687**Darken equation**, 539**Davyne**, 1431**Density**, 46**Diamond**, 1110, 1290**Diamond**, N defects in, 1290**Diaoyudaoite**, 240**Diopside**, 840, 1080**Diopside** (synthetic), 1274**Diorite**, 27, 620**Discreditation of mineral species**, 928**Discredited minerals**

andrewsite (= hentschelite), 1197
 baumite (= zincian caryopilite or
 zincian greenalite), 705
 discreditation of a mineral
 species, 928
 isostannite (= kesterite-
 ferrokesterite series member),
 1431
 laubmannite (= dufrenite), 1197
 piypite-caratiite, 1209

Discredited minerals (abstract)

fernandinite, 1209
 kirwanite (= ferri-ferro-
 hornblende), 431

Dolomite, 1106**Donharrisite**, 706**Dufrenite**, 1197**Dumortierite**, 1370

Eu (in lunar anorthosite), 46
Eclogite, 381, 775
Edgarbaileyite, 1192, 1431
Editor, 1989 Report of the, 1221
Eitelite, 1147
Electron diffraction
 albite, 723
 amphibole, 840
 ankerite, 495
 augite, 813
 baumhauerite, 915
 baumhauerite-2a, 915
 birnessite, 477
 calcite, 807
 chlorite, 813
 diopside, 840
 enstatite, 813
 illite, 1282
 illite/smectite, 267
 leucite, 464
 liveingite (disordered), 289
 lizardite, 813
 magnetite, 840
 pyroxene, 813
 serpentine, 813
Electron microscopy
 amphibole, 840, 1349
 ankeriteite, 495
 augite, 813
 baumhauerite, 915
 baumhauerite-2a, 915
 birnessite, 477
 calcite, 807
 chalcopyrite, 881
 chlorite, 813
 diopside, 840
 enstatite, 813
 hollandite, 490
 illite, 1282, 1443
 illite/smectite, 267, 1443
 leucite, 464
 lithiomarsturite, 409
 lithiophorite (Cu-bearing), 490
 liveingite (disordered), 289
 lizardite, 813
 magnetite, 840
 orlymanite, 923
 Pt-Fe alloy, 881
 pentlandite, 881
 pyroxene, 813
 pyrrhotite, 881

Electron microscopy, cont.

serpentine, 813
 sheet silicates, 276
 smectite, 1443
 vermiculite, 1443
Electrum, 956
England
 andrewsite (= hentschelite), 1197
Enstatite, 813, 1029, 1080
Epidote, 230
EPR spectroscopy
 color, 237
 Mn^{2+} , 237
 mullite (Cr-doped synthetic),
 392
 O^{1-} centers, 237
 tourmaline, 237

Errata

garnet mixing, 1375
 ternary apatites, crystal
 structures, 1216
 V bronzes, crystal chemistry,
 1216
 wawayandaite, 1216
Euchlorine, 1209
EXAFS, 247, 490
Experimental apparatus, 398
Experimental petrology

alunite, 209
 amphibole, calcic, 358
 amphibolite, 1349
 andradite, 1327
 carbonatite, 1106
 enstatite, 1029
 experiments, inclusion
 homogenization, 1381
 feldspar, 544
 feldspar, ternary, 560, 1071
 glass inclusions, 1381
 grossular-almandine, 319
 grossular-spessartine, 319
 hedenbergite, 1327
 hercynite, 1342
 kinetics, 1349
 liquid, 1349
 melt, 1349
 microcline-sanidine- H_2O , 1362
 multianvil device, 1020
 $\text{Na}_2\text{CO}_3\text{-H}_2\text{O}$ fluids, 667
 natroalunite, 209
 oxygen fugacity control, 398
 phlogopite, 1029
 pyroxene, 1349

Experimental petrology, *cont.*
 rhyolitic melt, CO₂ solubility
 in, 1311
 spinel, 1342
 tonalite, 345
 tremolite, 358
 Experiments, inclusion
 homogenization, 1381
 Fe²⁺, 237
 Fe³⁺, 237
 Fe-Mn oxide, 256
 Fe-Mn silicate, 256
 Fe-shafranovskite, 431
 Fe_{1-x}S-Ni_{1-x}S *Mss*, 431
 Fe-Ti oxide, 1059
 Fairchildite_{ss}, 1147
 Fairchildite_{ss}-beutschliite-eitelite
 eutectoid, 1147
 Fedotovite, 240
 Feldspar, 230, 544, 1059
 Feldspar crystallization, 560
 Feldspar, I_I, 150
 Feldspar-leucite relations, 1362
 Feldspar, ternary, 560, 1071
 Feldspar thermometry, 544
 Fernandinite, 508, 1209, 1216
 [erratum]
 Ferrihydrite, 431
 Ferrodiorite, 572
 Ferrokesterite, 1431
 Feruvite, 706
 Financial Advisory Committee,
 1989 Report of the, 1219
 Florensovite, 1209
 Fluid immiscibility, 59
 Fluid inclusions, 59, 909
 quartz calcite, 387
 vesuvianite, 387
 Fluids, metamorphic, 387
 Foordite, 706
 Former officers, medal recipients,
 and meeting places, list of,
 1223
 Forsterite, 443, 109
 Framework silicates, 1253
 France
 low albite, 135
 pyroxene, 813
 serpentine, 813
 Francisite, 1421
 Françoisite-(Nd), 240

Ga (in lunar anorthosite), 46
 GeO₂ (rutile structure), 1238
 Galena, 1438
 Galena (Ag-Sb-bearing), 1438
 Galliosilicate, 1231
 Garnet, 89, 328, 381, 731, 775,
 859, 886, 1375 [erratum]
 Garnet amphibolite, 89
 Garnet-biotite, 328, 1375
 [erratum]
 Garnet (fluorian), 859
 Garnet (hydrated), 859
 Garnet mixing, 1375
 Garnet, Mn mixing in, 886
 Garnet (synthetic), 345
 Gartrellite, 931
 Genthelvite, 909
 Geobarometry
 feldspar, 544
 fluid inclusion, 59
 garnet, 328, 1375 [erratum]
 garnet amphibolite, 89
 garnet-biotite, 328, 1375
 [erratum]
 pelitic schist, 1043
 quartzite, 1043
 Geochemistry
 agate, 1205, 1207
 alkaline lake system, 201
 alunite, 209
 anorthosite, 1, 13, 572
 anorthosite, ferroan, 46
 anorthosite, lunar, 46
 anthracite, 825
 B, 874
 breccias, lunar regolith, 676
 carbonatite, 1106
 chlorapatite, 687
 Darken equation, 539
 feldspar, 1059
 ferrodiorite, 572
 garnet, F in, 859
 greenschist, 230
 hydrocarbon fluid inclusions
 (synthetic), 226
 hydroxyapatite, 687
 ilmenite, 1059
 magnetite, 1059
 meteorite, lunar, 46
 mica, 529
 microdiorite, 620
 mineral solid solutions, 539
 monzosyenite, 13, 572
 Geochemistry, *cont.*
 natroalunite, 209
 plagioclase, lunar, 46
 pyroxene, 620
 saline lake system, 201
 thermodynamics, 539
 Geothermometry
 biotite, 886
 calibration curve
 (microthermometric), 226
 diamond, 1290
 Fe-Ti oxide, 1059
 feldspar, 544, 1059
 garnet, 886
 garnet-biotite, 328, 1375
 [erratum]
 genthelvite, 909
 muscovite, 1406
 pelitic schist, 1043
 plagioclase, 1406
 pyroxene, 620
 pyroxene thermometry, 1426
 quartzite, 1043
 Glass inclusions, 1381
 Glimmerite, 27
 Godovikovite, 240
 Gold amalgam, 1209
 Gottardi, Glauco, Memorial of,
 940
 Grandidierite, 415
 Granite, 631, 1029
 Granulite, 1349
 Graphical projections, 1428
 Greenland
 garnet (F-bearing), 859
 Greenschist, 230
 Grimm, Ralph E., Memorial of,
 721
 Graphite, 1447
 Grossular-almandine, 319
 Grossular-spessartine, 319
 H₂O, 1311
 H₂O in melt inclusions, 1381
 H₂O-CaO-MgO-SiO₂, 358
 Hainite, 931
 Hectorite, 970
 Hedenbergite, 1327
 Hematite, 781, 886
 Hematite-ilmenite, 1043
 Hemloite, 1431
 Hentschelite, 1197
 Hercynite, 589, 1342

- Heulandite, 601
 Hewettite group, 508, 1216
 [erratum]
 High cubanite (zincian), 706
 High-pressure phases
 calcite, 801
 calcite-I, 801
 calcite-II, 801
 coesite (pseudomorph), 381
 corundum, 439
 diamond, 1110
 GeO_2 (rutile structure), 1238
 MgSiO_3 perovskite, 443
 Mn_3O_4 -II, 1249
 $\text{NaAlSi}_3\text{O}_8$ glass, 943
 ringwoodite, 443
 SiC , 1110
 stishovite, 739
 wadsleyite, 443
 High-silica melts, 1362
 Hingganite-(Ce), 431
 Högbomite, 589
 Hollandite, 490
 Holtedahlite, 931
 Holtite, 931
 Hornblende, 89, 170
 Hydrocarbon fluid inclusions
 (synthetic), 226
 Hydrogen fugacity at high P and
 T , 1399
 Hydrotalcite (7.56-Å CO_3^- -
 manasseite, 2*H*), 240
 Hydrotalcite (8.85-Å SO_4^-), 240
 Hydrotalcite (11-Å SO_4^- , 1*H*), 240
 Hydrotalcite (16.5-Å mixed-layer
 CO_3^- - SO_4^-), 240
 Hydrotalcite (18.5-Å mixed-layer
 CO_3^- - SO_4^- , 3*R*), 240
 Hydroxyapatite, 687
 Hypothetical lunar, 46
 Iceland
 calcite, 801
 Igneous petrology
 amphibolite (melted), 1349
 andesite genesis, 345
 anorthosite, 1, 13, 37, 572
 anorthosite, ferroan, 46
 anorthosite, lunar, 46
 CO_2 in melt inclusions, 1381
 chlorapatite, 687
 crustal evolution, 37
 feldspar crystallization, 560
 Igneous petrology, *cont.*
 feldspar, ternary, 560
 granite, 631, 1029
 H_2O in melt inclusions, 1381
 high-silica melts, 1362
 hydroxyapatite, 687
 kimberlite, 97
 mantle nodules (xenoliths), 97
 metasomatism, 97
 meteorite, lunar, 46
 microdiorite, 620
 monazite, 687
 monzosyenite, 13
 partial melt, 1349
 pegmatite, 631
 rutile nodules, 97
 Stillwater Complex, 37
 subduction zone magmatism,
 105
 syenite, 1029
 Ilbaite, 1209
 Illite, 825, 1282, 1443
 Illite/smectite, 267, 970, 1182,
 1443
 Ilmenite, 97, 328, 589, 886,
 1059, 1375 [erratum]
 Ilmenite-hematite, 886
 Indonesia
 diamond, 1290
 Ion exchange, 529
 IR spectroscopy
 amblygonite, 992
 anhydrous cesium mica, 529
 biotite, 983
 CO_2 , 1311
 CO_2 in melt inclusions, 1381
 celadonite, 983
 coesite, 775
 cordierite, 71
 corundum, 775
 diamond, 1290
 GeO_2 (rutile structure), 1238
 garnet, 775
 graphite, 1447
 H_2O , 1311
 H_2O in melt inclusions, 1381
 kegelite, 702
 kyanite, 775
 lepidolite, 983
 montebrasite, 992
 muscovite, 983
 muscovite (phengitic), 983
 paragonite (dehydroxylated), 529
 IR spectroscopy, *cont.*
 phlogopite, 983
 pyroxene, 764
 rhyolitic glass, 1311
 rutile, 775
 sanidine, 775
 spessartine (F-bearing), 314
 spinel, 775
 stishovite, 951
 surface analysis (by micro-
 FTIR), 226
 Iron chlorides, 706
 Isochalcopyrite, 431
 Isostannite (= kesterite-
 ferrokesterite series member),
 1431
 Italy
 biotite (in granitoids), 305
 montesommaite, 1415
 Ivory Coast
 lithiophorite, 490
 Jahnite-(CaMnMn), 401
 Jarosite group, 1176
 $\text{KAlSi}_3\text{O}_8\text{-H}_2\text{O}$, 1362
 $\text{KCl}\text{-H}_2\text{O}$ -hydrocarbon, 226
 $\text{K}_2\text{Al}_2\text{Si}_3\text{O}_{10}\text{-KCl}$, 947
 $\text{K}_2\text{Ca}(\text{CO}_3)_2\text{-Na}_2\text{Mg}(\text{CO}_3)_2$, 1147
 $\text{K}_2\text{O}\text{-Al}_2\text{O}_3\text{-SiO}_2$, 120
 $\text{K}_2\text{O}\text{-MgO}\text{-Al}_2\text{O}_3\text{-SiO}_2\text{-H}_2\text{O}\text{-CO}_2$,
 1029
 Kamchatkite, 1209
 Kaolinite, 825, 970
 Karoo volcanics, 1207
 Kegelite, 702
 KFMASH system, 367
 Kimberlite, 97, 1110
 Kinetics, 1349
 amphibole, 1349
 apatite fission tracks, 1120
 CO_2 in melt inclusions, 1381
 diamond, N defects in, 1290
 H_2O in melt inclusions, 1381
 liquid, 1349
 pyroxene, 1349
 rhyolitic liquid, CO_2 diffusion
 in, 1311
 Kirwanite (= ferri-ferro-
 hornblende), 431
 Klyuchevskite, 1209
 Kornerupine, 415
 Krautite, 1140

- Kulanite, 240
 Kullerud, Gunnar, Memorial of, 1451
 Kyanite, 381, 775, 1043
- Li, 631
 $\text{Li}_2\text{O}-\text{Al}_2\text{O}_3-\text{SiO}_2$, 120
 Labrador
 anorthosite, 1
 Lacroixite, 431
 Lanthanite group, 1209
 Laubmannite (= dufrenite), 1197
 Lehnerite, 1431
 Lehnerite (synthetic), 221
 Lepidolite, 983
 Leucite, 464
 Leucodiorite, 27
 Leuconorite, 1, 27
 Leucotroctolite, 1
 Limestone, 874
 Liquid, 1349
 Lithiomarsturite, 409
 Lithiophorite, 490
 Lithiophorite (Cu-bearing), 490
 Liveingite, 289
 Liveingite (disordered), 289
 Liveingite (relationship to baumhauerite-2a), 915
 Lizardite, 813
 Low albite, 135
 Lunar mineralogy, 676
- $\text{MgO}-\text{Al}_2\text{O}_3-\text{SiO}_2-\text{H}_2\text{O}$ (MASH) system, 105
 MgSiO_3 perovskite, 443
 $\text{Mg}_2\text{Si}_2\text{O}_6-\text{CaMgSi}_2\text{O}_6$, 1080
 Mn^{2+} , 237
 Mn^{3+} , 237
 Mn_3O_4 -II, 1249
 Magma ocean, 46
 Magnéli phases (natural), 1431
 Magnesian calcite, 1151
 Magnesioaubertite, 1431
 Magnetic properties
 bunsenite, 781
 magnetite, 781
 pyrrhotite, 755
 Magnetite, 781, 840, 1059, 1327
 Magnetite-hematite, 781
 Magnolite, 431
 Maine
 biotite, 656
 metacarbonate, 59
- Maine, *cont.*
 pelite, 59
 Manandonite, 1209
 Mantle metasomatism, 97
 Mantle nodules (xenoliths), 97
 Mcauslanite, 706
 Mechanical properties
 density, 46
 garnet, 731
 melt during anorthosite genesis, 46
 olivine, 731
 orthopyroxene, 731
 viscosity, 1231
 Melt, 1349
 Melt during anorthosite genesis, 46
 Melt structure
 galliosilicate, 1231
 rhyolite, 1311
 rhyolitic-composition glass, 1009
 tectosilicates, 1159
 Melted amphibolite, 1349
 Memorials
 Gottardi, Glauco, 940
 Grimm, Ralph E., 1229
 Kullerud, Gunnar, 1451
 Merlinoite, 201
 Merlinoite (by EMP), 188
 Merlinoite (synthetic), 188, 201
 Metacarbonate, 59
 Metamictization, 1447
 Metamorphic fluid, F-rich, 859
 Metamorphic petrology
 amphibolite, 1349
 amphibolite facies, 589
 B, 874
 biotite, 886
 calc-silicate reaction, 874
 cordierite, 71
 eclogite, 381
 enstatite, 1029
 feldspar thermometry, 544
 fluid inclusion, 59
 fluids, 387
 garnet, 886
 granulite, 1349
 greenschist, 230
 hematite, 886
 ilmenite, 886
 mantle metasomatism, 97
 metamorphic fluid, F-rich, 859
- Metamorphic petrology, *cont.*
 metapelitic rocks, 367
 phlogopite, 1029
 quartzofeldspathic gneisses, 589
 Metapelitic rocks, 367
 Metasomatism, 97
 Meteorite, lunar, 46
 Mexico
 galena (Ag-Sb-bearing), 1438
 Mica, 529, 874
 Mica-diorite, 27
 Microcline, 1268
 Microcline-sanidine- H_2O , 1362
 Microdiorite, 620
 Mineral formula recalculation, 424
 Mineral solid solutions, 539
 Mineral X, 431
 Mineralogical Society of America
 Award
 acceptance of, 719
 presentation of, 718
 Minnesota
 bytownite, 170
 MINTAB, 424
 Modulated microstructures, 495
 Monazite, 687
 Monoclinic polymorph of SiO_2 , 1431
 Montana
 annite, 183
 chlorapatite, 687
 hydroxyapatite, 687
 monazite, 687
 Montana, Stillwater Complex, 687
 Montebrasite, 992
 Montesommaite, 1415
 Montmorillonite, 970
 Monzosyenite, 13, 572
 Moon
 anorthosite, 46
 norite, 46
 troctolite, 46
 yoshiokaite, 676
 Moschelite, 1209
 Mössbauer spectroscopy
 biotite, 656, 886
 pyrrhotite, 755
 Mückeite, 706
 Mullite (Cr-doped synthetic), 392
 Multianvil device, 1020
 Muscovite, 970, 983, 1406

Muscovite analysis, statistical treatment of, 1406
 Muscovite (dehydroxylated), 529
 Muscovite (phengitic), 983

$\text{NaAlSi}_3\text{O}_8$ glass, 943
 $\text{Na}_2\text{Ca}_6[\text{Si}_2\text{O}_7][\text{SiO}_4]_2$, 963
 $\text{Na}_2\text{CO}_3\text{-H}_2\text{O}$, 667
 $\text{Na}_2\text{CO}_3\text{-H}_2\text{O}$ fluids, 667
 $\text{Na}_2\text{O}\text{-Al}_2\text{O}_3\text{-SiO}_2$, 120
 Nb, 631
 Nd and Sr isotopes, 13
 Ni-NiO , 781
 Ni_3Sn_2 , 431
 Nacareniobsite-(Ce), 706
 Namibia

 agate, 1205, 1207
 kegelite, 702

Nanpingite, 706
 Natroalunite, 209
 Navajoite, 508, 1216 [erratum]
 New equipment

 multianvil device, 1020

New Hampshire

 amphibole, 1092
 camptonite, 1092
 pyroxene, 1092
 syenite, 1092

New Jersey

 wawayandaite, 405, 1216
 [erratum]
 zincian caryopilite or zincian greenalite, 705

New Mexico

 feldspar, 1059
 ilmenite, 1059
 magnetite, 1059
 pelitic schists, 1043
 rhyolite, 1059

New Mexico (Precambrian)
 pelitic schist, 886

New mineral data (abstracts)

 analcime, 1209
 arsenohauchecornite, 706
 beckelite, 431
 benjaminite (Cu-free), 706
 berndtite polytypes, 1431
 calciovoltorthite, 1209
 chaidamuite, 1431
 cuprotungstite, 706
 davyne, 1431
 euchlorine, 1209
 ferrihydrite, 431

 New mineral data (abstracts), *cont.*

 hainite, 931
 holtedahlite, 931
 holtite, 931
 kulonite, 240
 lacroixite, 431
 lanthanite group, 1209
 magnolite, 431
 manandonite, 1209
 nisaita = phurcalite, 1209
 robinsonite, 1431
 sapphirine polytypes, 931
 stibivanite-2O, 931
 tangeite, 1209
 tokkoite, 1209
 tučekite (As-bearing), 706
 volkovskite, 1431
 wolframoixiolite, 1209
 wölsendorfite group, 240
 yafsoanite, 931
 zirconolite, 1209

New minerals (abstracts)

 ($\text{Ag},\text{Bi})_2\text{Se}$, 706
 akhtenskite, 931
 annivite, 706
 arupite, 1209
 ashoverite, 431
 auroantimonate, 931
 baiyuneboite-(Ce), 240
 bernardite, 1209
 Cd-freibergerite, 706
 $\text{Cu}_5\text{Fe}_9\text{S}_{14}$, 706
 $\text{Cu}_7\text{Fe}_8\text{S}_{16}$, 706
 cervandonite-(Ce), 931
 cervelleite, 1431
 chalcopyrite (zincian), 706
 chestermanite, 431
 cliachite, 431
 criddleite, 706
 diaoyudaoite, 240
 donharrisite, 706
 edgarbaileyite, 1431
 Fe-shafranovskite, 431
 fedotovite, 240
 ferrokesterite, 1431
 feruvite, 706
 florensovite, 1209
 foordite, 706
 françoisite-(Nd), 240
 gartrellite, 931
 godovikovite, 240
 gold amalgam, 1209
 hemloite, 1431

 New minerals (abstracts), *cont.*

 high cubanite (zincian), 706
 hingganite-(Ce), 431
 hydrotalcite ($7.56\text{-}\text{\AA}$ CO_3 -manasseite, 2H), 240
 hydrotalcite ($8.85\text{-}\text{\AA}$ SO_4^-), 240
 hydrotalcite ($11\text{-}\text{\AA}$ SO_4^- , 1H), 240
 hydrotalcite ($16.5\text{-}\text{\AA}$ mixed-layer $\text{CO}_3\text{-SO}_4^-$), 240
 hydrotalcite ($18.5\text{-}\text{\AA}$ mixed-layer $\text{CO}_3\text{-SO}_4^-$, 3R), 240
 ilbaite, 1209
 iron chlorides, 706
 isochalcopyrite, 431
 kamchatkite, 1209
 klyuchevskite, 1209
 lehnerite, 1431
 magnéli phases (natural), 1431
 magnesioaubertite, 1431
 mcauslanite, 706
 moschelite, 1209
 mückeite, 706
 nacareniobsite-(Ce), 706
 nanpingite, 706
 odinite, 431
 $\text{Pb}_6\text{Bi}_7(\text{Cu},\text{Ag})\text{S}_{17}$, 706
 pararobertsite, 1209
 petrukite, 1431
 ponomarevite, 706
 remondite-(Ce), 431
 rhenium sulfide, 1209
 rittmannite, 931
 scrutinyite, 706
 shabaite-(Nd), 431
 sophiite, 1209
 tetrahedrite-Cd, 706
 ulrichite, 240
 unnamed Ag-Cu and Ag-Sn sulfides, 706
 unnamed Pd-As-Sb-Te minerals, 706
 vanadium-titanium carbide, 1431
 vaughanite, 706
 velikite, 931
 vochtenite, 1209
 voggite, 1431
 whiteite-(CaMnMg), 931
 zabuyelite, 240
 zemkorite, 931
 zhanghengite, 240
 zimbabweite, 240
 zincovoltaite, 240

New minerals (descriptions)
 baumhauerite-2a, 915
 boggsite, 1200
 francisite, 1421
 jahnsite-(CaMnMn), 401
 lithiomarsturite, 409
 montesommaite, 1415
 orlymanite, 923
 wawayandaite, 405, 1216
 [erratum]
 werdingite, 415
 wilkinsonite, 694
 yoshiokaite, 676
 New South Wales
 diamond, 1290
 wilkinsonite, 694
 New York
 bentonite, 267
 New Zealand
 augite, 170
 hornblende, 170
 illite, 1282
 microdiorite, 620
 pyroxene (Fe-rich), 620
 Niger
 berthierine, 909
 genthelvite, 909
 Nisaite = phurcalite, 1209
 Nissonite, 1170
 NMR spectroscopy
 beidellite, 970
 hectorite, 970
 illite/smectite, 970
 kaolinite, 970
 montmorillonite, 970
 muscovite, 970
 $\text{NaAlSi}_3\text{O}_8$ glass, 943
 phlogopite, F-rich, 970
 pyrophyllite, 970
 rhyolitic-composition glass,
 1009
 saponite, 970
 talc, 970
 vermiculite, 970
 Norite, 27, 46
 North Carolina
 lithiomarsturite, 409
 North Sea
 ankerite, 495
 O^{1-} centers, 237
 Odinite, 431

Officers of MSA
 Former officers, medal
 recipients, and meeting places,
 list of, 1223
 Officers and committees for
 1990, 1227
 Olivine, 97, 731
 Olivine-plagioclase-silica, 46
 Omphacite, 381
 Optical properties
 amblygonite, 992
 baumhauerite, 915
 baumhauerite-2a, 915
 biotite, 656
 boggsite, 1200
 clintonite, 656
 jahnsite-(CaMnMn), 401
 lehnerite (synthetic), 221
 lithiomarsturite, 409
 low albite, 135
 montebrasite, 992
 montesommaite, 1415
 orlymanite, 923
 wawayandaite, 405, 1216
 [erratum]
 werdingite, 415
 wilkinsonite, 694
 yoshiokaite, 676
 Optical spectroscopy
 color, 237
 Fe-Mn oxide, 256
 Fe-Mn silicate, 256
 Mn^{2+} , 237
 Mn^{3+} , 237
 O^{1-} centers, 237
 quartz, 791
 tourmaline, 237
 Order-disorder
 Al-Si order on melting, effect
 of, 1362
 albite, 443
 alkali feldspar, 141
 baumhauerite, 915
 baumhauerite-2a, 915
 $\text{Ca}_2\text{ZnGe}_2\text{O}_7$, 847
 calcite, 807
 clathrasil, 748
 clinoptilolite (Cs-exchanged),
 522
 Darken equation, 539
 feldspar, I \bar{I} , 150
 framework silicates, 1253
 liveingite, 289

Order-disorder, *cont.*
 low albite, 135
 pyrrhotite, 755
 sartorite group, 289
 silica minerals, 1253
 silica polymorph, 748
 thermodynamics, 539
 Oregon
 boggsite, 1200
 clinoptilolite, 522
 Orlymanite, 923
 Orthoenstatite, 1080
 Orthopyroxene, 27, 731, 1426
 Oxyamphibole, 163
 Oxygen fugacity control, 398
 Pb (in zircon), 21
 Pb chlorosulfosalts, 1431
 Pb-As-S, 289
 $\text{Pb}_5\text{As}_8\text{S}_{17}$ and argentiferous
 baumhauerite, 431
 $\text{Pb}_6\text{Bi}_7(\text{Cu},\text{Ag})\text{S}_{17}$, 706
 Pd-As-Sb-Te minerals, 706
 Pt-Fe alloy, 881
 Pt-Fe alloy; Pd, Ru, and Rh in,
 881
 Paragonite (dehydroxylated), 529
 Pararobertsite, 1209
 Partial melt, 1349
 Pegmatite, 631
 Pelite, 59
 Pelitic schist, 886, 1043
 Pennsylvania
 anthrasite, 825
 illite, 825
 Pt-Fe alloy, 881
 Penrose Conference papers, i, 1,
 13, 21, 27, 37, 46
 Pentlandite, 881
 Pentlandite; Pd, Ru, and Rh in,
 881
 Periclase, 1106
 Perovskite, 443
 Peru
 fernandinite, 508, 1216
 [erratum]
 Petrukite, 1431
 Phase equilibria
 aluminum silicate, 1043
 alunite, 209
 analcime, 201
 andradite, 1327
 boehmite, 209

Phase equilibria, *cont.*

- CaO-ZnO-GeO₂-SiO₂, 847
- calcite, 801
- carbonatite, 1106
- chlorite stability, 105
- chloritoid, 1043
- clinoenstatite, 1080
- clinoptilolite, 601
- corundum, 209
- diopside, 1080
- enstatite, 1029, 1080
- fairchildite_{ss}-beutschliite-eitelite eutectoid, 1147
- feldspar-leucite relations, 1362
- fluid immiscibility, 59
- garnet (fluorian), 859
- hedenbergite, 1327
- hercynite, 1342
- heulandite, 601
- illite/smectite, 1182
- KFMASH system, 367
- magnetite, 1327
- magnetite-hematite, 781
- merlinoite, 201
- metapelitic rocks, 367
- Na₂CO₃-H₂O, 667
- Ni-NiO, 781
- natrolalunite, 209
- orthoenstatite, 1080
- phillipsite, 201, 601
- phlogopite, 1029
- potassium feldspar (K-Na-Al-Si-H₂O system), 201
- protoenstatite, 1080
- quartz, 1327
- quartz-fayalite-magnetite, 781
- spinel, 1342
- staurolite, 1043
- ternary feldspar solvus, 1071
- tonalite-H₂O, 345
- tremolite, 358
- tremolite (synthetic), 358
- WO₂-WO_{2.72}(WO_{2.29},WO₃), 1399
- wollastonite, 1327
- zeolite, 601
- Phase transitions
leucite, 464
- Phillipsite, 201, 601
- Phlogopite, 97, 328, 983, 1029, 1375 [erratum]
- Phlogopite, F-rich, 970
- Phlogopite, Fe-rich, 983

PIXE, 956

- Piypite-caratiite, 1209
- Plagioclase, 27, 89, 150, 1406
- Plagioclase (lunar), 46
- Plagioclase feldspar, 544
- Polydymite, 247
- Polyhedral model, 1376
- Polyhedral modeling
 - garnet, 731
 - olivine, 731
 - orthopyroxene, 731
- Polyhedral units, 1376
- Polymorphism, 1249
- Polytype, 1M, 305
- Ponomarevite, 706
- Portugal
 - jahnsite-(CaMnMn), 401
- Potassium feldspar (K-Na-Al-Si-H₂O system), 201
- Presidential Address for 1989, 443
- Pressure, fluid, 1043
- Pressure, rock, 1043
- Proceedings for 1989, 1217
- Prompt gamma neutron activation (PGNAA), 874
- Protoenstatite, 1080
- PX, 1426
- Pyrophyllite, 825, 970
- Pyroxene, 1, 620, 764, 813, 1092, 1349, 1426
- Pyroxene (Fe-rich), 620
- Pyroxene, H in, 764
- Pyroxene thermometry, 1426
- Pyroxenite, 27
- Pyrrhotite, 755, 881
- Pyrrhotite; Pd, Ru, and Rh in, 881
- Quantum mechanical calculations
 - Fe-Mn oxide, 256
 - Fe-Mn silicate, 256
- Quartz, 443, 791, 1029, 1327, 1381
- Quartz calcite, 387
- Quartz syenite, 1092
- Quartz-fayalite-magnetite, 781
- Quartzite, 1043
- Quartzofeldspathic gneisses, 589
- Quebec
 - carbonatite, 1106
- Raman spectroscopy
 - CH₄ fluid inclusion, 59
 - CO₂ fluid inclusion, 59

Raman spectroscopy, *cont.*

- calcite, 801
- calcite-I, 801
- calcite-II, 801
- forsterite, 109
- GeO₂ (rutile structure), 1238
- hydrocarbon inclusions
 - (synthetic, by Raman microanalysis), 226
- Rathite (relationship to baumhauerite-2a), 915
- Rectorite, 825
- REE
 - anorthosite, 572
 - chlorapatite, 687
 - hydroxyapatite, 687
 - monazite, 687
 - monzosyenite, 572
- Remondite-(Ce), 431
- Reports for 1989
 - Editor, 1221
 - Financial Advisory Committee, 1219
 - Secretary, 1217
 - Treasurer, 1218
- Reviewers for *American Mineralogist* in 1989, 1222
- Rhenium sulfide, 1209
- Rhyolite, 1059, 1311
- Rhyolite, CO₂ in, 1311
- Rhyolite, CO₂ solubility in, 1311
- Rhyolite melt, CO₂ solubility in, 1311
- Rhyolite (melt inclusions), 1381
- Rhyolitic glass, 1311
- Rhyolitic liquid, CO₂ diffusion in, 1311
- Rhyolitic-composition glass, 1009
- Rietveld refinement, 477
- Ringwoodite, 443
- Rittmannite, 931
- Robinsonite, 1431
- Roebling Medal
 - acceptance of, 715
 - presentation of, 714
- Routhierite, Sb analogue of, 931
- Rutile, 97, 775
- Rutile nodules, 97
- Rutile-olivine nodules, 97
- SiC, 1110
- SiC inclusion, 1110
- Sn, 631

- Sn₂O₃-Sn₃O₄**, 1209
Sr and Nd isotopes, 13
Sakhaite-like mineral, 1431
Saline lake system, 201
Sanidine, 775, 1029
Saponite, 970
Sapphirine polytypes, 931
Sartorite group, 289
Scanning tunneling microscopy (galena), 1438
Scrutinite, 706
Secretary, 1989 Report of the, 1217
Serpentine, 813
Shabaite-(Nd), 431
Sheet silicates, 276
Silica minerals, 1253
Silica polymorph, 748
Sillimanite, 1043
Smeectite, 1443
Software notices
 AMPHIBOL, 421
 graphical projections, 1428
 mineral formula recalculation, 424
MINTAB, 424
PX, 1426
SPINEL, 1428
SPINELTAB, 1428
Solid solutions, 539
Sophiite, 1209
South Africa
 alkremite, 775
 anorthosite, 27
 biotite, 27
 diorite, 27
 eclogite, 775
 glimmerite, 27
 grandidierite, 415
 kornerupine, 415
 norite, 27
 orlymanite, 923
 orthopyroxene, 27
 plagioclase, 27
 pyroxenite, 27
 rutile-olivine nodules, 97
 werdingite, 415
South Australia
 francisite, 1421
South Dakota
 granite, 631
 graphite, 1447
 pegmatite, 631
Spessartine, 314, 886
Spessartine (F-bearing), 314
Spessartine-grossular solid solutions, 319
Spinel, 775, 1342, 1428
SPINEL, 1428
SPINELTAB, 1428
Stable isotopes
 agate, 1205, 1207
Star diopside, 840
Staurolite, 589, 1043
Stibivanite-2O, 931
Stillwater Complex, 37
Stishovite, 739, 951
Strazzekite group, 508, 1216 [erratum]
Structure-energy calculations
 albite, 443, 1268
 anorthite, 1268
 corundum, 439
 forsterite, 443, 109
 microcline, 1268
 perovskite, 443
 polyhedral units, 1376
 quartz, 443
 TiO₂ polymorphs, 443
Subduction zone magmatism, 105
Sudoite, 825
Surface analysis (by micro-FTIR), 226
Switzerland
 baumhauerite, 915
 baumhauerite-2a, 915
 liveingite, 289
 quartz, 791
Syenite, 1029, 1092
Sylvite, 226
Systems (chemical)
 Al₂O₃-Fe-O, 1342
 CaNiSi₂O₆-CaMgSi₂O₆, 1274
 CaO-Al₂O₃-Fe₂O₃-SiO₂-H₂O-HF, 859
 CaO-Al₂O₃-SiO₂, 676
 CaO-MeO-GeO₂-SiO₂-NaOH (Me²⁺ = Zn, Fe, Mg), 963
 CaO-ZnO-GeO₂-SiO₂, 847
 H₂O-CaO-MgO-SiO₂, 358
 KAISi₃O₈-H₂O, 1362
 KCl-H₂O-hydrocarbon, 226
 K₂Ca(CO₃)₂-Na₂Mg(CO₃)₂, 1147
 K₂O-Al₂O₃-SiO₂, 120
Systems (chemical), cont.
 K₂O-MgO-Al₂O₃-SiO₂-H₂O-CO₂, 1029
 KFMASH, 367
 Li₂O-Al₂O₃-SiO₂, 120
 MgO-Al₂O₃-SiO₂-H₂O (MASH) system, 105
 Mg₂Si₂O₆-CaMgSi₂O₆, 1080
 Na₂CO₃-H₂O, 667
 Na₂O-Al₂O₃-SiO₂, 120
 olivine-plagioclase-silica, 46
 Pb-As-S, 289
 V bronzes, 508, 1216 [erratum]
Ta, 631
TiO₂ polymorphs, 443
Talc, 970
Tangeite, 1209
Tectosilicates, 1159
Ternary apatites, crystal structures, 1216, [erratum]
Ternary feldspar solvus, 1071
Tetrahedrite-Cd, 706
Texas
 edgarbaileyite, 1192
TGA, DTA
 graphite, 1447
 lehnerite (synthetic), 221
 merlinoite (synthetic), 188
 Na₂CO₃-H₂O, 667
Thalenite-(Y), fluorine analogue of, 431
Thermodynamic data
 almandine, 328, 1375 [erratum]
 andradite, 1327
 annite, 183, 328, 1375 [erratum]
 bunsenite, 781
 chloritoid, 1043
 clinoptilolite, 601
 diopside, 1080
 dumortierite, 1370
 enstatite, 1080
 estimation, 1376
 feldspar, 544
 feldspar, I \bar{I} (order parameters), 150
 garnet, 328, 1375 [erratum]
 garnet (fluorian), 859
 garnet (hydrinous), 859
 grossular-almandine, 319
 grossular-spessartine, 319
 hedenbergite, 1327
 hematite, 781
 hercynite, 1342

- Thermodynamic data, cont.**
- heulandite, 601
 - ilmenite, 328, 1375 [erratum]
 - $Mg_2Si_2O_6\text{-CaMgSi}_2O_6$, 1080
 - magnetite, 781
 - merlinoite (synthetic), 188, 201
 - natrolunite, 209
 - phillipsite, 601
 - phlogopite, 328, 1029, 1375
[erratum]
 - rhyolite melt, CO_2 solubility
in, 1311
 - spessartine, 886
 - staurolite, 1043
 - zeolite, 601
- Thermodynamics**, 539
- Thiospinels**, 247
- Titanite**, 97
- Tokkoite**, 1209
- Tonalite**, 345
- Tonalite- H_2O** , 345
- Tosudite**, 825
- Tourmaline**, 237
- Trace elements**
- alunite group, 1176
 - anorthosite, 1, 27, 572
 - B, 874
 - Be, 631
 - diamond (N), 1290
 - diorite, 27
 - Eu (in lunar anorthosite), 46
 - Fe^{2+} , 237
 - Fe^{3+} , 237
 - Ga (in lunar anorthosite), 46
 - glimmerite, 27
 - H (in pyroxene), 764
 - Li, 631
 - Mn^{2+} , 237
 - Mn^{3+} , 237
 - monzosyenite, 572
 - Nb, 631
 - norite, 27
 - Pb (in zircon), 21
 - Pt-Fe alloy; Pd, Ru, and Rh in,
881
 - pentlandite; Pd, Ru, and Rh in,
881
 - pyroxenite, 27
 - pyrrhotite; Pd, Ru, and Rh in,
881
 - quartz, 791
 - Sn, 631
 - Ta, 631
- Trace elements, cont.**
- U (in zircon), 21
 - Trachyte, 694, 1092
 - Treasurer, 1989 Report of the,
1218
 - Tremolite, 358
 - Tremolite (synthetic), 358
 - Troctolite, 46
 - Tučekite (As-bearing), 706
 - Tuffaceous sediments, 201
 - U (in zircon), 21
 - Ulrichite, 240
- Unit-cell data**, 501
- amblygonite, 992
 - andradite, 1327
 - anhydrous mica, 529
 - annite, 183
 - baumhauerite, 915
 - baumhauerite-2a, 915
 - biotite, 305
 - birnessite, 477
 - boggsite, 1200
 - bokite, 508, 1216 [erratum]
 - $CaNiSi_2O_6$ (synthetic), 1274
 - $Ca_5[(Ge,Si)_2O_7][(Ge,Si)O_4]$,
963
 - clinoptilolite (Cs-exchanged),
522
 - corvusite, 508, 1216 [erratum]
 - diopside (synthetic), 1274
 - edgarbaileyite, 1192
 - fernandinite, 508, 1216
[erratum]
 - francisite, 1421
 - hedenbergite, 1327
 - illite, 825
 - jahnsite-(CaMnMn), 401
 - $K_2Al_2Si_3O_{10}\text{-KCl}$, 947
 - kegelite, 702
 - lithiomarsturite, 409
 - $Mn_3O_4\text{-II}$, 1249
 - magnesian calcite, 1151
 - magnetite, 1327
 - merlinoite (synthetic), 188, 201
 - montebrasite, 992
 - montesommaite, 1415
 - mullite (Cr-doped synthetic),
392
 - muscovite (dehydroxylated), 529
 - $Na_2Ca_6[Si_2O_7][SiO_4]_2$, 963
 - navajoite, 508, 1216 [erratum]
 - nissonite, 1170
- Unit-cell data, cont.**
- orlymanite, 923
 - paragonite (dehydroxylated), 529
 - pyrrhotite, 755
 - spessartine (F-bearing), 314
 - spessartine-grossular solid
solutions, 319
 - staurolite, 1043
 - stishovite, 739
 - wawayandaite, 405, 1216
[erratum]
 - werdingite, 415
 - wilkinsonite, 694
 - wollastonite, 1327
 - yoshiokaite, 676, 1186
 - Unnamed Ag-Cu and Ag-Sn sulfides**, 706
 - Unnamed Al sulfate**, 431
 - Unnamed Au-Pb intermetallic**, 931
 - Unnamed Bi sulfotelluride and Pb sulfobismuthide**, 431
 - Unnamed Bi_3S_5** , 931
 - Unnamed $Cu_2Fe_3S_3$ phases**, 431
 - Unnamed $K(Nb,Ti)_3Si(O,OH)_{10}\cdot 1.5H_2O$** , 1209
 - Unnamed layered titanosilicate**,
240
 - Unnamed Mg oxalate**, 931
 - Unnamed $MnSb_2S_4$** , 931
 - Unnamed minerals**
 - Ag-Cu and Ag-Sn sulfides, 706
 - $Ag_{1.97}Hg_{0.96}S_{2.07}$, 431
 - Ag_4PbTe_2S and $Ag_8Bi_3Te_7$,
1209
 - $AuBi_5S_4$, 431
 - $BaAl_2Si_2O_8\cdot 4H_2O$, 1431
 - $Be(OH)_2$, 1209
 - $BiPb_2S_2$, 1209
 - Bi_3S_4 , 1209
 - Bi_3S_5 , 1209
 - Bi_9Te_4 , 1209
 - $\beta\text{-SiC}$, 1110
 - bannisterite, Ba analogue of,
931
 - Cu_2AgS , 431
 - $Cu_{4.43}Ag_{1.05}S_{5.00}$, 431
 - $Fe_{1-x}S\text{-Ni}_{1-x}S\text{ }Mss$, 431
 - mineral X, 431
 - monoclinic polymorph of SiO_2 ,
1431
 - Ni_3Sn_2 , 431
 - Pb chlorosulfosalts, 1431

- Unnamed minerals, *cont.*
- Pb₅As₈S₁₇ and argentiferous baumhauerite, 431
 - Pd-As-Sb-Te minerals, 706
 - routhierite, Sb analogue of, 931
 - Sn₂O₃-Sn₃O₄, 1209
 - sakhaite-like mineral, 1431
 - thalenite-(Y), fluorine analogue of, 431
 - unnamed Al sulfate, 431
 - unnamed Au-Pb intermetallic, 931
 - unnamed Bi sulfotelluride and Pb sulfobismuthide, 431
 - unnamed Bi₃S₅, 931
 - unnamed Cu₂Fe₃S₃ phases, 431
 - unnamed K(Nb,Ti)₃Si(O,OH)_{10.1.5}H₂O, 1209
 - unnamed layered titanosilicate, 240
 - unnamed Mg oxalate, 931
 - unnamed MnSb₂S₄, 931
 - unnamed Na-Ca-Zr silicate, 431
 - unnamed Na-P layered titanosilicate, 931
 - unnamed Ni compound, 931
 - unnamed phosphate, 240
 - wicksite-like phase, 1431
 - Unnamed Na-Ca-Zr silicate, 431
 - Unnamed Na-P layered titanosilicate, 931
 - Unnamed Ni compound, 931
 - Unnamed Pd-As-Sb-Te minerals, 706
 - Unnamed phosphate, 240
 - Utah
 - calc-silicate, 874
 - calc-silicate hornfels, 387
 - corvusite, 508, 1216 [erratum]
 - V bronzes, 508, 1216 [erratum]
 - V bronzes, fibrous (structure types), 508, 1216 [erratum]
- Vanadium-titanium carbide, 1431
- Vaughanite, 706
- Velikite, 931
- Vermiculite, 970, 1443
- Vermont
 - garnet amphibolite, 89
- Vesuvianite, 387
- Violarite, 247
- Viscosity, 1231
- Vochtenite, 1209
- Voggite, 1431
- Volatile contents (of cordierite), 71
- Volkovskite, 1431WO₂-WO_{2.72}(WO_{2.29},WO₃), 1399
- Wadsleyite, 443
- Wawayandaite, 405, 1216
 - [erratum]
- Werdingite, 415
- Western Australia
 - diamond, 1290
- Whiteite-(CaMnMg), 931
- Wicksite-like phase, 1431
- Wilkinsonite, 694
- Wolframoixiolite, 1209
- Wollastonite, 262, 1327
- Wölsendorfite group, 240
- Wyoming
 - anorthosite, 13, 572
- XRD data
- actinolite, 230
 - baumhauerite-2a, 915
 - biotite, 983
 - birnessite, 477
 - boggsite, 1200
 - bokite, 508, 1216 [erratum]
 - celadonite, 983
 - chlorite, 230
 - clay, 230
 - corvusite, 508, 1216 [erratum]
 - epidote, 230
 - feldspar, 230
- XRD data, *cont.*
- fernandinite, 508, 1216
 - [erratum]
 - francisite, 1421
 - illite, 825
 - jahnsite-(CaMnMn), 401
 - kaolinite, 825
 - kegelite, 702
 - krautite, 1140
 - lehnerite (synthetic), 221
 - lithiomarsturite, 409
 - montesommaite, 1415
 - muscovite, 983
 - muscovite (phengitic), 983
 - navajoite, 508, 1216 [erratum]
 - orlymanite, 923
 - phlogopite, 983
 - phlogopite (Fe-rich), 983
 - pyrrhotite, 755
 - tosudite, 825
 - wawayandaite, 405, 1216
 - [erratum]
 - werdingite, 415
 - wilkinsonite, 694
 - yoshiokaite, 676
- XRF data
- anorthosite, 572
 - monzosyenite, 572
- Yafsoanite, 931
- Yoshiokaite, 676, 1186
- Zabuyelite, 240
- Zemkorite, 931
- Zeolite, 522, 601
- Zeolite (montesommaite), 1415
- Zhanghengite, 240
- Zimbabwe, 240
- Zincian caryopilite or zincian greenalite, 705
- Zincovoltaite, 240
- Zirconolite, 1209