

SUBJECT INDEX, VOLUME 77, 1992

- (Ag,Cu)Bi₃(Se,S)₅, 207
AgPd, 1305
Ag₁₁FeAs₄(Se,S)_{12.5}, 207
 α -Al₂O₃, 44
Abswurmbachite, 670
Acmite, 751
Actinolite, 345
Acuminite, 446
Albite, 303, 751
Albite-diopside, 62
Alkali feldspar, 126
Alm + Mt + Ky + Qtz + O₂, 558
Almandine, 512, 558
Alunite, 857, 860, 1092, 1275
Alushtite, 1116
Alvanite, 207
Amarillite, 207
Amphibole, 617, 954
Amphibolite, 617
Analysis, chemical (mineral)
 actinolite, 345
 albite, 303
 alunite, 860, 1092
 amphibole, 617
 annite, 34
 attakolite, 1285
 augite, 1099
 B-bearing minerals, 101
 biotite, 34, 821
 bottinoite, 1301
 CaMgSi₂O₆, 258
 CaSiO₃, 258
 chlorite, 821
 chondrodite, 168
 clinohumite, 168
 clinoptilolite, 314
 enstatite, 1206
 epidote, 617
 epidote group, 631
 fayalite, 1067
 feldspar, 126, 1223
 ferrierite, 314
 ferrisurite, 1107
 garnet, 94, 399, 617, 821
 hematite, 1099
 huangite, 1275
 kalsilite, 19
Analysis, chemical (mineral), *cont.*
 laihunite, 977
 leakeite, 1112
 MgSiO₃, 258
 microlite, 179
 mordenite, 85, 314
 mullite, 251
 muscovite, 821
 natroalunite, 860, 1092
 natrolite group, 685
 nepheline, 19
 olivine, 977
 parafransoletite, 843
 pararealgar, 1266
 pargasite, 1250
 perovskite, 359
 phlogopite, 34, 1099, 1206
 plagioclase, 795, 1021, 1242, 1258
 potassium feldspar, 303
 pyroxene, 617
 pyroxenoids, 380
 quartz, 534
 realgar, 1266
 sanidine, 795, 1206
 searlesite, 1182
 segnitite, 656
 sillimanite, 374
 spinel, 1074
 tetrakalsilite, 19
 tirodite, 1099
 tvedalite, 438
 vyalsovite, 201
 walthierite, 1275
 woodhouseite, 860, 1275
 zinnwaldite, 303
Analysis, chemical (rock)
 andesite, 1242
 chert, 1031
 dacite, 795
 granite, 1067
 granitic melts, 1223
 limestone, 1031
 melt inclusions, 453
 obsidian, 453
 peridotite, 977
 rhyolite, 314, 795, 1021, 1067
 topaz-bearing rocks, 303
Anatase, 545
Andalusite, 751
Andesite, 1242
Anhydrous phase B, 217
Ankangite, 1116
Ankerite, 412
Annite, 34
Anorthite, 484, 923
Anorthosite, 605, 1258
Apatite, 529
Aragonite, 244
Ardennite, 670
Arizona, 94
Arkansas, 359, 685, 1087
Armenite, 422, 1116
Asbestos, 225
Asbolane, 1133, 1144
Atomic force microscopy, 904
Attakolite, 1285
Augite, 1099
Austria, 412, 484, 631, 685, 923
Awards
 Distinguished Public Service Medal
 of the MSA, acceptance of, 872
 Distinguished Public Service Medal
 of the MSA, presentation of, 870
 Mineralogical Society of America
 Award, acceptance of, 869
 Mineralogical Society of America
 Award, presentation of, 867
 Roebling Medal, acceptance of, 865
 Roebling Medal, presentation of,
 863
B-bearing minerals, 101
B₂O₃, 457
Ba-Mn titanosilicate, 446
Ba-rich sanidine, 795
Bi₃(Se₂TeS)₂₄, 207
 β -SiC, 207
Barstowite, 670
Basalt, 605, 1066 [erratum]
Bayerite, 44
Belendorffite, 1305
Binary alloy, 1080
Biotite, 34, 821, 1087
Birnessite, 1133, 1144

- Bolivia, 126, 758
 Boltwoodite, 431
 Bonding radii, 741
 Book reviews
 Arculus, R.J.: *Intraplate Volcanism in Eastern Australia and New Zealand.* By R.W. Johnson, J. Knutson, and S.R. Taylor, 1312
 Craig, J.R.: *Handbook of Mineralogy: Volume I. Elements, Sulfides, Sulfosalts.* By J.W. Anthony, R.A. Bideaux, K.W. Bladh, and M.C. Nichols, 1122
 Davies, G.R.: *Igneous Petrogenesis: A Global Tectonic Approach.* By M. Wilson, 214
 Essene, E.J.: *A Handbook of Silicate Rock Analysis.* By P.J. Potts, 676
 Essene, E.J.: *Introduction to Optical Mineralogy, Second Edition.* By W.D. Nesse, 889
 Glass, B.P.: *The Cretaceous/Tertiary Boundary Interval, Raton Basin, Colorado and New Mexico, and Its Content of Shock-metamorphosed Minerals; Evidence Relevant to the K/T Boundary Impact-Extinction Theory.* By G.A. Izett, 214
 Hughes, J.M.: *X-Ray Structure Determination, a Practical Guide, Second Edition.* By G.H. Stout and L.H. Jensen, 215
 Mukasa, S.B.: *An Introduction to Metamorphic Petrology.* By B.W.D. Yardley, 1122
 Simmons, W.B.: *Chemical and Determinative Tables of Mineralogy—Silicates.* By R.M. Pierrot and F. Cesbron, 216
 Boron albite, 76
 Bottinoite, 1301
 Brazil, 101, 168, 545, 937
 Brucite, 1129
 Bulgaria, 380
 C-H-O-S fluid, 1038
 Ca acetate, 446
 Ca-Ba-Ce fluorcarbonate, 1116
 CaMgSi₂O₆, 258
 CaO-FeO-Fe₂O₃-MgO-TiO₂-SiO₂, 987
 CaO-ZrO₂-SiO₂-H₂O, 810
 Ca-phosphoromolybdate, 446
 CaSiO₃, 258
 (Cu,Fe)(Re,Mo)₄S₈, 1116
 Calcite, 244, 904, 1158
 California, 94, 565, 795, 977, 1107
 Camerolaite, 1116
 Cancrinite, OH-bearing, 670
 Capgaronnite, 197
 Carbonate melts, 784
 Carbonatite, 663, 666
 Cathodoluminescence, 534, 1258
 Celsian, 121
 Cesium cordierite, 407
 Chalcomenite, 834
 Cheremnykhite, 446
 Chert, 1031
 Chestermanite, 670
 Chile, 1275
 China, 115, 1266
 Chlorite, 821
 Chondrodite, 168
 Chrysotile, 225, 1125
 Clay minerals, 1116
 Clays, 225
 Clinohumite, 168
 Clinoptilolite, 314
 Clinopyroxene, 462, 774, 1242
 Colorado, 179, 685
 Compressibility measurements
 ankerite, 412
 anorthite, 923
 clinopyroxene, 462
 cubanite, 937
 dolomite, 412
 fluids, 156
 grunerite, 480
 hedenbergite, 462
 muscovite, 1172
 Computer programs
 Inforex, 668
 microprobe analysis reduction, 444
 mineral melt, 668
 PRSUPR, 444
 Contact aureole, 577
 Coombsite, 670
 Cordierite, 930
 Crystal growth
 almandine, 512
 boron albite, 76
 cesium cordierite, 407
 fayalite, 1067
 fluorite, 1067
 fracture healing, 156
 olivine, 296
 plagioclase, 1242
 Crystal growth, *cont.*
 pyrope, 512
 quartz, 534
 superhydrous B, 681
 Crystal structure
 almandine, 512
 anhydrous phase B, 217
 ankerite, 412
 apatite, 529
 armenite, 422
 asbolane, 1133, 1144
 attakolite, 1285
 birnessite, 1133, 1144
 boron albite, 76
 calcite, 904
 capgaronnite, 197
 celsian, 121
 cesium cordierite, 407
 chalcomenite, 834
 cubanite, 937
 dolomite, 412
 eglestonite, 839
 enstatite, 115
 francoletite, 848
 garnet, 399
 garronite, 189
 hematite, 911
 hypersthene, 115
 magnesioferrite, 725
 muscovite, 1172
 natrolite group, 685
 parafrancoletite, 848
 phlogopite, 1172
 potassium cordierite, 407
 pyrite, 221
 pyrope, 512
 reedmergnerite, 76
 sillimanite, 374
 spinelloid, 507
 superhydrous B, 681
 vesuvianite, 945
 vonbezingite, 1292
 Crystal synthesis
 α-Al₂O₃, 44
 almandine, 512
 bayerite, 44
 boltwoodite, 431
 celsian, 121
 chalcomenite, 834
 cordierite, 930
 magnesioferrite, 725
 metal alloys, 284
 mullite, 251

- Crystal synthesis, *cont.*
- oxides, 284
 - potassium cordierite, 407
 - pyrope, 512
 - soddyite, 431
 - spinel, 44
 - weeksite, 431
- Cubanite, 937
- Cuprian phlogopite, 1099
- Cylindrite, 758
- $\delta\text{-Al}_2\text{O}_3$, 207, 670
- Dacite, 795
- Damaraite, 670
- Deloryite, 1305
- Diffusion, 275
- Diffusivity of H_2O , 565
- Dikes, 605
- Dinite, 670
- Diopsidite, 751
- Discredited minerals
- donathite (= intergrowth of magnetite and chromite), 1116
 - iridosmine (= iridium), 207
 - osmiridium (= osmium), 207
 - platiniridium (= platinian iridium), 207
 - rezbanyite (= mixture of bismuthinitite derivatives and cosalite), 1305
 - ruthenosmiridium (= rutheniridomine), 207
 - sulrhodite (= bowieite), 1305
- Dissolution, 1125
- Distinguished Public Service Medal of the MSA
- acceptance of, 872
 - presentation of, 870
- Dmisteinbergite, 446
- Dolomite, 412
- Donathite (= intergrowth of magnetite and chromite), 1116
- DTA, TGA
- bottinoite, 1301
 - silicate glasses, 457
 - silicate melts, 30
 - tvedalite, 438
 - vonbezingite, 1292
- Eastonite, 1191
- Editors, 1991 Report of the, 877
- Eglestonite, 839
- Electrical properties
- B-bearing minerals, 101
 - Electrical properties, *cont.*
 - garnet, 94
 - hematite, 911
 - muscovite, 1172
 - pyrite, 221
- Electron diffraction
- armenite, 422
 - asbolane, 1133, 1144
 - cylindrite, 758
 - enstatite, 115
 - gonnardite, 685
 - huangite, 1275
 - hypersthene, 115
 - laihunite, 977
 - olivine, 977
 - perovskite, 359
 - pyroxenoids, 380
 - TiO_2 , 545
 - tvedalite, 438
 - vyalosovite, 201
 - walthierite, 1275
- Electron microscopy
- amphibole, 617
 - armenite, 422
 - biotite, 1087
 - bottinoite, 1301
 - cylindrite, 758
 - epidote, 617
 - epidote group, 631
 - feldspar, 126, 329
 - fluorapatite, 336
 - gonnardite, 685
 - hematite, 1087
 - huangite, 1275
 - laihunite, 977
 - muscovite, 1087
 - olivine, 977, 1087
 - pararealgar, 1266
 - perovskite, 359
 - pigeonite, 107
 - pyroxenoids, 380
 - rhyolite, 314
 - TiO_2 , 545
 - walthierite, 1275
- Elpidite, 810
- Enstatite, 115, 1087, 1206
- Epidote, 617
- Epidote group, 631
- Errata
- basalt equilibria, 1066
 - equilibrium between garnet and biotite, 188
 - kazakhstanite, 207
- EXAFS, 677, 1133, 1144
- Expansivity, 457
- Expansivity measurements
- acmite, 751
 - albite, 751
 - andalusite, 751
 - brucite, 1129
 - diopside, 751
 - fluor-richterite, 751
 - jadeite, 751
 - kyanite, 751
 - spodumene, 751
- Experimental petrology
- Alm + Mt + Ky + Qtz + O_2 , 558
 - andesite, 1242
 - anorthosite, 605
 - carbonate melts, 784
 - carbonatite, 666
 - clinopyroxene, 774, 1242
 - dikes, 605
 - enstatite, 1206
 - Fe-Mg exchange, 774
 - fluid inclusions, 156
 - haplogranite, 1223
 - hydrogen fugacity, 647
 - lherzolite, 784
 - metal alloys, 284
 - mineral melt, 668
 - olivine, 296, 774
 - oxides, 284
 - phlogopite, 1206
 - plagioclase, 605, 1242
 - pressure vessel, 643
 - sanidine, 1206
 - silicate melts, 457
 - solubility measurements, 1080
 - viscosity, 270
- Experimental techniques, 643
- Fe chloride, 670
- Fe-Mg exchange, 774
- FeS, 391
- Fe-Si-O-H-S, 1050
- Fe-Ti oxide, 987, 1004
- Fe-Ti-Ca-Mg-Si-O, 1004
- Fayalite, 1067
- Feldspar, 126, 329, 592, 1223
- Ferrierite, 314
- Ferrilotharmeyerite, 1305
- Ferrisurite, 1107
- Financial Advisory Committee, 1991 Report of the, 877
- Finland, 329

- Fluid equilibria, 156
 Fluid inclusions, 156, 296, 565, 1031
 Fluid volumes, 156
 Fluorapatite, 336
 Fluorapophyllite, 1116
 Fluorite, 1067
 Fluoroaluminates, 718
 Fluor-richterite, 751
 Former officers, medal recipients, and meeting places, 880
 Fracture healing, 156
 France, 126, 374, 685, 967
 Fransoletite, 848
 Fuchs, Louis H., Memorial of, 1123
 Ganophyllite type, 670
 Garnet, 94, 399, 617, 704, 765, 774, 821, 1087
 Garnet hornblende, 617
 Garnet-clinopyroxene, 617, 774
 Garronite, 189
 Geminite, 670
 Geobarometry
 epidote group, 631
 Fe-Ti oxide, 987, 1004
 GRAIL, 765
 olivine, 987
 pyroxene, 987
 Geochemistry
 alkali feldspar, 126
 Alm + Mt + Ky + Qtz + O₂, 558
 calcite, 904
 carbonatite, 663
 fluid equilibria, 156
 fluid volumes, 156
 melt inclusions, 1021
 metal alloys, 284
 microlite, 179
 oxides, 284
 pegmatite, 179
 perovskite, 545
 quartz, 534
 rhyolite, 314
 searlesite, 1182
 topaz-bearing rocks, 303
 transition metals, 62
 transport models, 577
 Georgeite, 207
 Georgia, 617
 Geothermometry
 carbonatite, 663
 epidote group, 631
 Geothermometry, *cont.*
 Fe-Ti oxide, 987, 1004
 garnet hornblende, 617
 garnet-clinopyroxene, 617, 774
 olivine, 987
 olivine-clinopyroxene, 774
 plagioclase hornblende, 617
 pyroxene, 987
 Germany, 359, 631
 Gibbsite, 85
 Girvasite, 207
 Gittinsite, 810
 Gonnardite, 685
 GRAIL, 765
 Granite, 126, 329, 1067, 1223
 Granite crystallization, 821
 Granitic melts, 1223
 Gravegliaite, 670
 Greenland, 391, 718
 Grunerite, 474, 480
 Haplogranite, 1223
 Haynesite, 446
 Health effects, 225, 1125
 Heat capacity, 457
 Hedenbergite, 462
 Hejtmanite, 1305
 Hematite, 911, 1087, 1099
 Hercynite, 558
 High-pressure phases
 anhydrous phase B, 217
 anorthite, 923
 calcite, 1158
 clinopyroxene, 462
 cubanite, 937
 garnet, 704
 grunerite, 474
 hedenbergite, 462
 magnesite, 1158
 perovskite, 890, 894
 plagioclase, 605
 pyrope, 713
 pyroxene, 605
 spineloid, 507
 superhydrus B, 681
 Honessite, Cu-Al analogue of, 207
 Hornfels, 577
 Huangite, 1275
 Hydrogen fugacity, 647
 Hydrohonessite, Cu-Al analogue of, 207
 Hypersthene, 115
 Idaho, 1258
 Igneous petrology
 andesite, 1242
 anorthosite, 605
 B₂O₃, 457
 basalt, 1066 [erratum]
 carbonatite, 663, 666
 experimental techniques, 643
 Fe-Ti oxide, 1004
 feldspar, 592
 granite, 126, 1223
 granite crystallization, 821
 magma mixing, 795
 mantle metasomatism, 784
 mantle xenoliths, 977
 melt inclusions, 146, 565, 1021
 pegmatite, 126
 plagioclase, 1242
 rapakivi texture, 795
 rhyolite, 126, 592, 1067
 topaz-bearing rocks, 303
 trachyte, 592
 volatiles, 1021
 zeolite group, 685
 Illite, 967
 Ilmenite, 558
 India, 685, 1112
 Inforex, 668
 IR spectroscopy
 actinolite, 345
 boltwoodite, 431
 bottinoite, 1301
 CaMgSi₂O₆, 258
 CaSiO₃, 258
 calcite, 1158
 eglestonite, 839
 ferrisurite, 1107
 fluid inclusions, 1031
 MgSiO₃, 258
 marcasite, 1166
 melt inclusions, 1021
 orthosilicate glasses, 1
 pyrite, 1166
 pyrope, 713
 quartz, 1031
 sapphirine, 8
 soddyite, 431
 transition metals, 62
 tvedalite, 438
 weeksite, 431
 Iridium, 207
 Iridosmine (= iridium), 207

Italy, 19, 94, 189, 713, 1301

Jadeite, 751

Japan, 685, 945, 967, 1099

Jolliffeite, 446

K-Na-Zn-Mn silicate, 446

K₂TiSi₆O₁₅, 446

Kaersutite, 1087

Kalsilite, 19

Kamchatkite, 207

Kazakhstanite, 207 [erratum]

Kinetics

binary alloy, 1080

chrysotile, 1125

diffusion, 275

diffusivity of H₂O, 565

dissolution, 1125

FeS, 391

illite, 967

marcasite, 1166

pararealgar, 1266

pyrite, 1166

realgar, 1266

silicate melts, 457

smectite, 967

troilite, 391

Komkovite, 207

Kukisvumite, 1116

Kuksite, 446

Kurilite, 207

Kuznetsovite, 670

Kyanite, 751

Laihunite, 977

Langbanite, 446

Leakeite, 1112

Lesotho, 685

Lherzolite, 784

Limestone, 1031

Lovdarite, 207

Luminescence, 534

Lunjijianlaite, 446

MgO-Al₂O₃-K₂O-SiO₂-H₂O, 1206

MgO-FeO-Al₂O₃-SiO₂-TiO₂, 765

MgSiO₃, 258

Mn member of epidote group, 446

(Mn,Fe)₅Si₃, 1116

Madagascar, 94, 101

Magma mixing, 795

Magnesioferrite, 725

Magnesite, 1158

Magnetic properties, 901

Maine, 101

Makarochkinite, 446

Manganotychite, 446

Mantle metasomatism, 784

Mantle xenoliths, 977

Marcasite, 1166

Massachusetts, 101

Maxwellite, 446

Mechanical properties

expansivity, 457

heat capacity, 457

molar volume, 457

silicate melts, 30

viscosity, 270

Melt inclusions, 146, 453, 565, 1021

Melt structure

B₂O₃, 457

CaMgSi₂O₆, 258

CaSiO₃, 258

granitic melts, 1223

MgSiO₃, 258

orthosilicate glasses, 1

SiO₂-Al₂O₃-K₂O-P₂O₅, 495

silicate glasses, 677

silicate melts, 30

transition metals, 62

Memorials

Fuchs, Louis H., 1123

Muan, Arnulf, 886

Park, Charles F., Jr., 1310

Metal alloys, 284

Metamorphic petrology

amphibolite, 617

anorthositic, 1258

chert, 1031

contact aureole, 577

cuprian phlogopite, 1099

experimental techniques, 643

fluid inclusions, 565

garnet, 765

granite, 329

hornfels, 577

pyroxenoids, 380

Metamunirite, 1116

Mexico, 101, 336

Microlite, 179

Microprobe analysis reduction, 444

Mineral melt, 668

Mineralogical Society of America

Award

acceptance of, 869

presentation of, 867

Moissanite-6H, -33R, -15R, 207

Molar volume, 457

Mordenite, 85, 314

Mössbauer spectroscopy

anhydrous phase B, 217

annite, 34

biotite, 34, 1087

clinopyroxene, 462

FeS, 391

garnet, 399, 1087

grunerite, 474

hedenbergite, 462

hematite, 1087

kaersutite, 1087

laihunite, 977

magnesioferrite, 725

olivine, 977

orthopyroxene, 901

perovskite, 894

phlogopite, 34

troilite, 391

Mrázekite, 1305

Muan, Arnulf, Memorial of, 886

Mullite, 251

Muscovite, 821, 1087, 1172

Na-K-Fe silicate, 670

Na₂O-B₂O₃-SiO₂-H₂O, 1182

Na₂O-ZrO₂-SiO₂-H₂O, 810

Na₃Ca(Mn,Ca)(CO₃)F, 446

Nalipote, 446

Native brass, 446

Natroalunite, 860, 1092, 1275

Natrolite group, 685

Nebraska, 860

Nepheline, 19

Neutron diffraction

eglestonite, 839

sillimanite, 374

Nevada, 314, 1067, 1266

New Jersey, 685

New Mexico, 179, 380

New mineral data (abstracts)

acuminite, 446

alushtite, 1116

alvanite, 207

amarillite, 207

ankangite, 1116

ardennite, 670

armenite, 1116

chestermanite, 670

clay minerals, 1116

δ-Al₂O₃, 670

dinite, 670

New mineral data (abstracts), *cont.*
 fluorapophyllite, 1116
 georgeite, 207
 iridium, 207
 kamchatkite, 207
 kuznetsovite, 670
 langbanite, 446
 lovdarite, 207
 osmium, 207
 perryite, 446
 phosphuranylite, 1116
 phurcalite, 207
 pseudoboleite, 1305
 rhodesite, 1305
 rinkite, 670
 roggianite, 446
 rutheniridosmine, 207
 ruthenium, 207
 silicon, 207
 stillwellite, 1305
 strätlingite, 670
 terskite, 446
 testibiopalladite, 670
 tinticite, 1305
 tuperssuatsiaite, 1305
 vertumnite, 670
 vesignieite, 670
 New minerals (abstracts)
 $(\text{Ag},\text{Cu})\text{Bi}_3(\text{Se},\text{S})_5$, 207
 AgPd , 1305
 $\text{Ag}_{11}\text{FeAs}_4(\text{Se},\text{S})_{12.5}$, 207
 abswurmbachite, 670
 Ba-Mn titanasilicate, 446
 $\text{Bi}_3(\text{Se}_2\text{TeS})_{\Sigma 4}$, 207
 $\beta\text{-SiC}$, 207
 barstowite, 670
 belendorffite, 1305
 Ca acetate, 446
 Ca-Ba-Ce fluorcarbonate, 1116
 Ca-phosphoromolybdate, 446
 $(\text{Cu},\text{Fe})(\text{Re},\text{Mo})_4\text{S}_8$, 1116
 camerolaite, 1116
 cancrinite, OH-bearing, 670
 cheremnykhite, 446
 coombsite, 670
 $\delta\text{-Al}_2\text{O}_3$, 207
 damaraite, 670
 deloryite, 1305
 dmisteinbergite, 446
 Fe chloride, 670
 ferrilotharmeyerite, 1305
 ganophyllite type, 670
 geminite, 670

New minerals (abstracts), *cont.*
 girvasite, 207
 graveglaite, 670
 haynesite, 446
 hejtmanite, 1305
 honessite, Cu-Al analogue of, 207
 hydrohonessite, Cu-Al analogue of, 207
 jolliffeite, 446
 K-Na-Zn-Mn silicate, 446
 $\text{K}_2\text{TiSi}_6\text{O}_{15}$, 446
 komkovite, 207
 kukisvumite, 1116
 kuksite, 446
 kurilite, 207
 lunijianlaite, 446
 Mn member of epidote group, 446
 $(\text{Mn},\text{Fe})_5\text{Si}_3$, 1116
 makarochkinite, 446
 manganotychite, 446
 maxwellite, 446
 metamunirite, 1116
 moissanite-6H, -33R, -15R, 207
 mrázeckite, 1305
 Na-K-Fe silicate, 670
 $\text{Na}_3\text{Ca}(\text{Mn},\text{Ca})(\text{CO}_3)\text{F}$, 446
 malipoite, 446
 native brass, 446
 $\text{PbCO}_3\cdot\text{PbO}$, 207
 Pd_2AgS_2 , 1305
 $\text{Pd}_2(\text{Sb},\text{As})$, 1305
 Pd_5As_2 , 1305
 $(\text{Rh},\text{Pt})(\text{As},\text{S})_2$, 1305
 romanite, 1116
 roshchinitite, 446
 $\text{SrMn}_2[\text{Si}_2\text{O}_7](\text{OH})_2\cdot\text{H}_2\text{O}$, 1305
 squawcreekite, 446
 Te_3Se_4 , 207
 Tl-Cu-Fe sulfide, 1116
 tobermorite, monoclinic, 446
 tooeleite, 1305
 toyohaite, 1116
 tuliolite, 207
 $\theta\text{-Al}_2\text{O}_3$, 207
 unnamed borate, 670
 unnamed CoAsSe, 446
 unnamed gadolinite type, 670
 unnamed hydrous zirconium silicate, 1116
 unnamed iron silicide, 207
 unnamed $(\text{Mn},\text{Fe})_7\text{Si}_2$, 1116
 unnamed $[\text{N}(\text{CH}_3)_4][\text{Si}_2(\text{Si}_{0.5}\text{Al}_{0.5})\text{O}_6]_2$, 1116

New minerals (abstracts), *cont.*
 unnamed ralstonite-like mineral, 207
 V-dominant pumpellyite, 1305
 wattersite, 670
 New minerals (descriptions)
 bottinoite, 1301
 capgaronnite, 197
 ferrisurite, 1107
 huangite, 1275
 leakeite, 1112
 parafransoletite, 843
 segnitite, 656
 tvedalite, 438
 vonbezingite, 1292
 vyalovsite, 201
 walthierite, 1275
 New South Wales, 656
 New York, 94
 NMR spectroscopy
 anorthite, 484
 fluoroaluminates, 718
 garnet, 704
 kalsilite, 19
 nepheline, 19
 pyrope, 713
 sapphirine, 8
 silicate glasses, 495, 898
 spinel, 44
 Nomenclature, solid solutions, 660
 Norway, 115, 422, 438, 945
 O, 577
 Obsidian, 453
 Officers of MSA
 Former officers, medal recipients, and meeting places, 880
 Officers and committees for 1992, 883
 Olivine, 296, 774, 977, 987, 1087
 Olivine-clinopyroxene, 774
 Optical properties
 apatite, 529
 armenite, 422
 attakolite, 1285
 bottinoite, 1301
 capgaronnite, 197
 ferrisurite, 1107
 garnet, 399
 huangite, 1275
 leakeite, 1112
 parafransoletite, 843
 plagioclase, 1242
 realgar, 1266

- Optical properties, *cont.*
 segnitite, 656
 tvedalite, 438
 vonbezingite, 1292
 vyalsovite, 201
 walthierite, 1275
- Optical spectroscopy
 actinolite, 345
 luminescence, 534
 mullite, 251
 plagioclase, 1258
 silicate glasses, 677
 transition metals, 62
- Order-disorder
 almandine, 512
 anorthite, 484, 923
 boron albite, 76
 calcite, 244, 904
 celsian, 121
 garnet, 399, 704
 magnesioferrite, 725
 natrolite group, 685
 perovskite, 359
 plagioclase, 53
 pyrope, 512, 713
 reedmergnerite, 76
 sapphirine, 8
 silicon aluminum armenite, 422
 sillimanite, 374
 spinel, 44, 522
- Oregon, 85, 189, 685, 1021
- Orthopyroxene, 901
- Orthosilicate glasses, 1
- Osmiridium (= osmium), 207
- Osmium, 207
- Oxides, 284
- PbCO₃·PbO, 207
- Pd₂AgS₂, 1305
- Pd₂(Sb,As), 1305
- Pd₅As₂, 1305
- Pakistan, 1074
- Parafranoseelite, 843, 848
- Pararealgar, 1266
- Pargasite, 1250
- Park, Charles F., Jr., Memorial of, 1310
- Pegmatite, 126, 179
- Peridotite, 977
- Perovskite, 359, 545, 890, 894
- Perryite, 446
- Phase equilibria
cont.
 alunite, 1275
 amphibole, 954
 andesite, 1242
 anorthosite, 605
 basalt, 605
 boltwoodite, 431
 brucite, 1129
 C-H-O-S fluid, 1038
 carbonatite, 666
 clinopyroxene, 774, 1242
 elpidite, 810
 epidote group, 631
 Fe-Si-O-H-S, 1050
 Fe-Ti oxide, 987, 1004
 feldspar, 592
 garnet, 774
 gittinsite, 810
 MgO-FeO-Al₂O₃-SiO₂-TiO₂, 765
 magnesite, 1158
 mineral melt, 668
 natroalunite, 1275
 olivine, 774, 987
 phlogopite + quartz, 1206
 plagioclase, 53, 1242
 pyrochlore group, 179
 pyroxene, 987, 1066 [erratum]
 quartz, 987
 searlesite, 1182
 silicate melts, 592
 soddyite, 431
 solid solutions, 660
 weeksite, 431
 zirconosilicates, 810
- Phase transitions, 107, 244, 359, 391, 631
- Phlogopite, 34, 1099, 1172, 1191, 1206
cont.
 Phlogopite + quartz, 1206
- Phosphuranylite, 1116
- Phurcalite, 207
- Pigeonite, 107
- Plagioclase, 53, 275, 605, 795, 1021, 1242, 1258
cont.
 Plagioclase hornblende, 617
- Platiniridium (= platinian iridium), 207
- Potassium cordierite, 407
- Potassium feldspar, 303
- Pressure vessel, 643
- Proceedings for 1991, 874
- PRSUPR, 444
- Pseudoboleite, 1305
- Pyrite, 221, 1166
- Pyrochlore group, 179
- Pyrope, 512, 713
- Pyroxene, 605, 617, 987, 1066 [erratum]
- Pyroxenoids, 380
- Quantum mechanical calculations, bonding radii, 741
- Quartz, 534, 987, 1031
- Quebec, 34, 94, 422, 663, 666, 685, 810, 1125
- Queensland, 303, 857, 860
- (Rh,Pt)(As,S)₂, 1305
- Raman spectroscopy
 CaMgSi₂O₆, 258
 CaSiO₃, 258
 fluid inclusions, 1031
 MgSiO₃, 258
 magnesite, 1158
 perovskite, 890
 quartz, 1031
 SiO₂-Al₂O₃-K₂O-P₂O₅, 495
- Rapakivi texture, 795
- Realgar, 1266
- REE
 perovskite, 359
 rhabdophane, 545
 rhyolite, 1067
 topaz-bearing rocks, 303
- Reedmergnerite, 76
- Reports for 1991
 Editors, 877
 Financial Advisory Committee, 877
 Secretary, 874
 Treasurer, 875
- Reviewers for *American Mineralogist* in 1991, 879
- Rezbanyite (= mixture of bismuthinite derivatives and cosalite), 1305
- Rhabdophane, 545
- Rhodesite, 1305
- Rhyolite, 126, 314, 592, 795, 1021, 1067
- Rietveld refinement, 189, 374, 522
- Rinkite, 670
- Roebling Medal
 acceptance of, 865
 presentation of, 863
- Roggianite, 446
- Romania, 1266
- Romanite, 1116
- Roshchinitie, 446

- Russia, 201, 359
 Rutheniridosmine, 207
 Ruthenium, 207
 Ruthenosmiridium (= rutheniridosmine), 207
- $\text{SiO}_2\text{-Al}_2\text{O}_3\text{-K}_2\text{O}\text{-P}_2\text{O}_5$, 495
 $\text{SrMn}_2[\text{Si}_2\text{O}_7](\text{OH})_2\cdot\text{H}_2\text{O}$, 1305
 Sanidine, 795, 1206
 Sapphirine, 8
 Scanning laser microscopy, 529
 Scanning probe microscopy, 221
 Scanning tunneling microscopy, 911
 Searlesite, 1182
 Secretary, 1991 Report of the, 874
 Segnitite, 656
 Silicate glasses, 457, 495, 677, 898
 Silicate melts, 30, 457, 592
 Silicon, 207
 Sillimanite, 374
 Smectite, 967
 Soddyite, 431
 Software notices
 Inforex, 668
 microprobe analysis reduction, 444
 mineral melt, 668
 PRSUPR, 444
 Solid solutions, 660
 Solubility measurements, 1080
 South Africa, 685, 1292
 South Carolina, 821
 Spain, 412
 Spinel, 44, 522, 1074
 Spinelloid, 507
 Spodumene, 751
 Squawcreekite, 446
 Sri Lanka, 94, 101, 1087
 Stable isotopes
 alunite, 1092
 chert, 1031
 limestone, 1031
 natroalunite, 1092
 O, 577
 Stillwellite, 1305
 Strätlingite, 670
 Structure-energy calculations
 aragonite, 244
 calcite, 244
 Sudan, 631
 Sulrhodite (= bowieite), 1305
 Superhydrous B, 681
 Sweden, 1285
- Switzerland, 422, 534
 Systems (chemical)
 albite-diopside, 62
 C-H-O-S fluid, 1038
 $\text{CaO}\text{-FeO}\text{-Fe}_2\text{O}_3\text{-MgO}\text{-TiO}_2\text{-SiO}_2$, 987
 $\text{CaO}\text{-ZrO}_2\text{-SiO}_2\text{-M}_2\text{O}$, 810
 Fe-Si-O-H-S, 1050
 Fe-Ti-Ca-Mg-Si-O, 1004
 $\text{MgO}\text{-Al}_2\text{O}_3\text{-K}_2\text{O}\text{-SiO}_2\text{-H}_2\text{O}$, 1206
 $\text{Na}_2\text{O}\text{-B}_2\text{O}_3\text{-SiO}_2\text{-H}_2\text{O}$, 1182
 $\text{Na}_2\text{O}\text{-ZrO}_2\text{-SiO}_2\text{-H}_2\text{O}$, 810
- Te_3Se_4 , 207
 TiO_2 , 545
 TiO_2 (B), 545
 Ti-Cu-Fe sulfide, 1116
 Talc, 225
 Tanzania, 94
 Terskite, 446
 Testibiopalladite, 670
 Tetrakalsilite, 19
 Texas, 1031
 Thermodynamic data
 almandine, 558
 amphibole, 954
 brucite, 1129
 C-H-O-S fluid, 1038
 calcite, 244
 clinopyroxene, 462, 774
 cordierite, 930
 eastonite, 1191
 epidote group, 631
 Fe-Si-O-H-S, 1050
 garnet, 765, 774
 gibbsite, 85
 grunerite, 480
 hedenbergite, 462
 hercynite, 558
 ilmenite, 558
 metal alloys, 284
 mordenite, 85
 olivine, 774
 oxides, 284
 phlogopite, 1191
 plagioclase, 53
 searlesite, 1182
 silicate melts, 30
 spinel, 44
 Tinticite, 1305
 Tirodite, 1099
 Tobermorite, 446
 Tooeleite, 1305
 Topaz-bearing rocks, 303
- Toyohaite, 1116
 Trace elements
 alkali feldspar, 126
 alunite, 860
 Ba-rich sanidine, 795
 gibbsite, 85
 mordenite, 85
 natroalunite, 860
 plagioclase, 1258
 quartz, 534
 ryolite, 1067
 topaz-bearing rocks, 303
 transition metals, 62
 woodhouseite, 860
- Trachyte, 592
 Transition metals, 62
 Transport models, 577
 Treasurer, 1991 Report of the, 875
 Troilite, 391
 Tuliokite, 207
 Tuperssuatsiaite, 1305
 Turkey, 101, 399
 Tvedalite, 438
- $\theta\text{-Al}_2\text{O}_3$, 207
- Unit-cell data
 alunite, 1092
 anatase, 545
 anhydrous phase B, 217
 ankerite, 412
 anorthite, 923
 armenite, 422
 attakolite, 1285
 B-bearing minerals, 101
 boron albite, 76
 bottinoite, 1301
 brucite, 1129
 calcite, 904
 capgaronnite, 197
 celsian, 121
 chalcomenite, 834
 clinopyroxene, 462, 774
 cubanite, 937
 dolomite, 412
 FeS, 391
 ferrisurite, 1107
 fransoletite, 848
 garnet, 94
 grunerite, 480
 hedenbergite, 462
 huangite, 1275
 hypersthene, 115

- Unit-cell data, cont.**
- kalsilite, 19
 - leakeite, 1112
 - magnesioferrite, 725
 - mullite, 251
 - muscovite, 1172
 - natroalunite, 1092
 - natrolite group, 685
 - nepheline, 19
 - olivine, 774
 - parafranoseite, 843
 - phlogopite, 1172
 - reedmergnerite, 76
 - segnitite, 656
 - sillimanite, 374
 - spinel, 522
 - spinelloid, 507
 - superhydrinous B, 681
 - tetrakalsilite, 19
 - troilite, 391
 - tvedalite, 438
 - vonbezingite, 1292
 - vyalsovite, 201
 - walthierite, 1275
- United Kingdom, 126**
- Unnamed borate, 670**
- Unnamed CoAsSe, 446**
- Unnamed gadolinite type, 670**
- Unnamed hydrous zirconium silicate, 1116**
- Unnamed iron silicide, 207**
- Unnamed minerals**
- (Ag,Cu)Bi₃(Se,S)₅, 207
 - AgPd, 1305
 - Ag₁₁FeAs₄(Se,S)_{12.5}, 207
 - Ba-Mn titanosilicate, 446
 - Bi₃(Se₂TeS)_{Σ4}, 207
 - β-SiC, 207
 - Ca acetate, 446
 - Ca-Ba-Ce fluorcarbonate, 1116
 - Ca-phosphoromolybdate, 446
 - (Cu,Fe)(Re,Mo)₄S₈, 1116
 - cancrinite, OH-bearing, 670
 - δ-Al₂O₃, 207
 - Fe chloride, 670
 - ganophyllite type, 670
 - honesite, Cu-Al analogue of, 207
 - hydrohonesite, Cu-Al analogue of, 207
- Unnamed minerals, cont.**
- K-Na-Zn-Mn silicate, 446
 - K₂TiSi₆O₁₅, 446
 - Mn member of epidote group, 446
 - (Mn,Fe)₅Si₃, 1116
 - Na-K-Fe silicate, 670
 - Na₃Ca(Mn,Ca)(CO₃)F, 446
 - PbCO₃·PbO, 207
 - Pd₂AgS₂, 1305
 - Pd₂(Sb,As), 1305
 - Pd₅As₂, 1305
 - (Rh,Pt)(As,S)₂, 1305
 - SrMn₂[Si₂O₇](OH)₂·H₂O, 1305
 - Te₃Se₄, 207
 - TiO₂ (B), 545
 - Tl-Cu-Fe sulfide, 1116
 - θ-Al₂O₃, 207
 - unnamed borate, 670
 - unnamed CoAsSe, 446
 - unnamed gadolinite type, 670
 - unnamed hydrous zirconium silicate, 1116
 - unnamed iron silicide, 207
 - unnamed (Mn,Fe)₇Si₂, 1116
 - unnamed [N(CH₃)₄][Si₂(Si_{0.5}Al_{0.5})O₆]₂, 1116
 - unnamed ralstonite-like mineral, 207
 - V-dominant pumpellyite, 1305
 - Unnamed (Mn,Fe)₇Si₂, 1116
 - Unnamed [N(CH₃)₄][Si₂(Si_{0.5}Al_{0.5})O₆]₂, 1116
 - Unnamed ralstonite-like mineral, 207
 - Uranyl silicates, 431
 - Utah, 76, 577
 - V-dominant pumpellyite, 1305
 - Vertumnite, 670
 - Vesignieite, 670
 - Vesuvianite, 945
 - Virginia, 179, 1087
 - Viscosity, 270
 - Volatiles, 1021
 - Vonbezingite, 1292
 - Vyalsovite, 201
 - Walthierite, 1275
 - Wattersite, 670
 - Weeksite, 431
 - Woodhouseite, 860, 1275
- XANES, 1133, 1144**
- XRD data**
- alunite, 1092
 - attakolite, 1285
 - bottinoite, 1301
 - brucite, 1129
 - capgaronnite, 197
 - celsian, 121
 - cesium cordierite, 407
 - clays, 225
 - clinopyroxene, 462
 - cubanite, 937
 - FeS, 391
 - ferrisurite, 1107
 - grunerite, 480
 - hedenbergite, 462
 - huangite, 1275
 - illite, 967
 - kalsilite, 19
 - leakeite, 1112
 - magnesioferrite, 725
 - microlite, 179
 - natroalunite, 1092
 - nepheline, 19
 - parafranoseite, 843
 - potassium cordierite, 407
 - segnitite, 656
 - smectite, 967
 - spinel, 522
 - spinelloid, 507
 - superhydrinous B, 681
 - tetrakalsilite, 19
 - topaz-bearing rocks, 303
 - troilite, 391
 - tvedalite, 438
 - uranyl silicates, 431
 - vonbezingite, 1292
 - vyalsovite, 201
 - walthierite, 1275
 - zeolite, 225
- XRF data**
- enstatite, 1087
 - garnet, 1087
 - kaersutite, 1087
 - topaz-bearing rocks, 303
- Zeolite group, 225, 685**
- Zinnwaldite, 303**
- Zirconosilicates, 810**