

- gibbera* Roe, 1975
Scottocalanus
corystes Owre & Foyo, 1967
helenae (Lubbock, 1856)
persecans (Giesbrecht, 1895)
securifrons (T. Scott, 1894)
thomasi A. Scott, 1909
thori With, 1915
Family Spinocalanidae
Damkaeria
falcifera Fosshagen, 1983
Mimocalanus
brodskyi Razouls, 1974
cultrifer Farran, 1908
inflatus Davis, 1949
major Sars, 1920
nudus Farran, 1908
ovalis (Grice & Hulsemann, 1965)
Monacilla
tenera Sars, 1907
typica Sars, 1905
Spinocalanus
abruptus Grice & Hulsemann, 1965
abyssalis Giesbrecht, 1888
angusticeps Sars, 1920
brevicaudatus Brodsky, 1950
caudatus Sars, 1920
hirtus Sars, 1907
horridus Wolfenden, 1911
longicornis Sars, 1900
magnus Wolfenden, 1904
oligospinosus Park, 1970
polaris Brodsky, 1950
spinosus Farran, 1908
validus Sars, 1920
Teneriforma
meteorae Schulz, 1989
naso (Farran, 1936)
pentatrichodes Schulz, 1989
Family Stephidae
Parastephos
pallidus Sars, 1902
Stephos
balearensis Carola & Razouls, 1996
canariensis Boxshall, Stock, Sanchez, 1990
cryptospinosus Zagami, Campolmi & Costanzo, 2000
fultoni T & A. Scott, 1898
gyrans (Giesbrecht, 1892)
lamellatus Sars, 1902
margalefi Riera, Vives & Gili, 1991
minor T. Scott, 1892
rustadi Stromgren, 1969
scotti Sars, 1902
Family Temoridae
Eurytemora
affinis (Poppe, 1880)
americana Williams, 1906
grimmi (Sars, 1897)
lacustris (Poppe, 1887)
raboti Richard, 1897
velox (Lilljeborg, 1853)
Temora
longicornis Müller, 1792)
stylifera (Dana, 1849)
turbinata (Dana, 1849)
Temoropia
mayumbaensis T. Scott, 1894
minor Deevey, 1972
setosa Schulz, 1986
Family Tharybidae
Neoscolecithrix
farrani Smirnov, 1935
koehleri Canu, 1896
watersae (Grice, 1972)

- Pseudophaenna**
typica Sars, 1902
Rythabis
atlantica Schulz, 1995
Tharybis
angularis Schulz, 1995
crenata Schulz, 1995
groenlandicus (Tupitzky, 1982)
macrophthalma Sars, 1902
minor Schulz, 1981
Undinella
brevipes Farran, 1908
oblonga Sars, 1900
strini Grice, 1971

Harpacticoida

Compiled by Rony Huys

North-west European data on the primarily benthic harpacticoid copepods are derived from Huys, Gee, Moore & Hamond (1996) and an unpublished checklist prepared by these authors, from the monograph by Lang (1948) for Baltic and Arctic records and from several studies by Gerd Schriever for North Atlantic deepwater species. Mediterranean records postdating Lang (1948) have been compiled primarily from Bodin (1964) and Soyer (1971) for the Western Mediterranean and from Noodt (1955) and Por (1964) for the Eastern Mediterranean. Data on harpacticoids from the Black Sea basin were almost exclusively drawn from Apostolov & Marinov's (1988) *Fauna Bulgarica*. A research database maintained at the Natural History Museum was used to identify missing entries and we envisage the checklist to be over 95% complete. The family level classification is based on Huys, Gee, Moore & Hamond (1996) and includes recent additions of two anchialine cave-dwelling families by Huys (1996) and Huys & Iliffe (1998).

Order Harpacticoida

Family Adenopleurellidae

- Miroslavia**
longicaudata Apostolov, 1980
Sarsocletodes
typicus (Sars, 1920)

Family Aegisthidae

- Aegisthus**
aculeatus Giesbrecht, 1891
mucronatus Giesbrecht, 1891
spinulosus Farran, 1905

Family Ambunguipedidae

- Ambunguipes**
rufocincta (Norman in Brady, 1880)

Family Ameiridae

- Ameira**
atlantica subsp. *atlantica* Noodt, 1958
atlantica subsp. *mediterranea* Kunz, 1975
divigans subsp. *divigans* Nicholls, 1939
divigans subsp. *pontica* Marinov, 1973
exigua T. Scott, 1894
faroerensis Schriever, 1982
listensis Mielke, 1973
longipes Boeck, 1865
lusitanica Galhano, 1970
minuta Boeck, 1865
parascotti Chislenko, 1977
parvula subsp. *nana* Willey, 1935
parvula subsp. *parvula* (Claus, 1866)
parvula subsp. *temiseta* Willey, 1929
parvuloides Lang, 1965
pusilla T. Scott, 1903

- reducta* Petkovski, 1954
scotti Sars, 1911
speciosa Monard, 1935
tenuicornis T Scott, 1902
usitata Klie, 1950
- Ameiropsis**
angulifera Sars, 1911
brevicornis Sars, 1907
longicornis Sars, 1907
minor (Sars, 1920)
mixta Sars, 1907
nobilis Sars, 1911
- Ameiropsyllus**
arianus (Monard, 1928)
monardi Bodin, 1979
- Anoplosoma**
sordidum Sars, 1911
stryx Por, 1964
- Filexilia**
attenuata (Thompson, 1893)
azorica Conroy-Dalton & Huys, 1997
brevipes (Kunz, 1954)
gravellicola (Guille & Soyer, 1966)
intermedia (Galhano, 1970)
longifurca (Bodin, 1964)
marinovi Conroy-Dalton & Huys, 1997
pestae (Petkovski, 1955)
- Haifameira**
archibenthoica Por, 1964
- Interleptomesochra**
attenuata (A Scott, 1896)
elongata (Bozic, 1955)
eulitoralis (Noodt, 1952)
noodti Galhano, 1968
tenuicornis (Sars, 1911)
- Leptomesochra**
confluens Sars, 1911
infima Monard, 1928
macintoshi (T & A Scott, 1895)
nichollsi Noodt, 1955
theodoridis Soyer, 1966
- Limameira**
mediterranea Soyer, 1975
- Malacopsyllus**
fragilis Sars, 1911
- Nitokra**
affinis subsp. *affinis* Gurney, 1927
affinis subsp. *californica* Lang, 1965
affinis subsp. *rijekana* Petkovski, 1954
balnearia Por, 1964
baltica Arlt, 1983
cari Petkovski, 1954
divaricata Chappuis, 1923
elegans (T Scott, 1905)
elongata Marcus, 1968
fallaciosa subsp. *baltica* Lang, 1965
fallaciosa subsp. *fallaciosa* Klie, 1937
fragilis Sars, 1905
hamata Bodin, 1970
hibernica subsp. *bulgarica* Apostolov, 1976
hibernica subsp. *hibernica* (Brady, 1880)
lacustris subsp. *azorica* Kunz, 1983
lacustris subsp. *lacustris* (Shmankevich, 1875)
lacustris subsp. *sinoi* Marcus & Por, 1961
mediterranea subsp. *mediterranea* Brian, 1928
mediterranea subsp. *pontica* Apostolov, 1980
pontica Jakubisiak, 1938
pusilla Sars, 1911
reducta subsp. *fluvialis* Galhano, 1968
reducta subsp. *reducta* Schäfer, 1936
spinipes Boeck, 1865
stygia (Apostolov, 1976)
typica subsp. *adriatica* Petkovski, 1954
typica subsp. *typica* Boeck, 1865
- Parameiropsis**
rapiens Becker, 1974
Parapseudoleptomesochra
polychaeta (Noodt, 1952)
- Parevansula**
elegans (Marinov, 1974)
mediterranea Guille & Soyer, 1966
vermiformis Moore, 1976
wellsi (Marinov, 1973)
- Praeleptomesochra**
africana (Kunz, 1951)
- Proameira**
arenicola (Lang, 1935)
dubia (Sars, 1920)
echinipes Soyer, 1975
hiddensoensis (Schäfer, 1936)
phaedra (Monard, 1935)
psammophila Wells, 1963
signata Por, 1964
simplex (Norman & T Scott, 1905)
- Psammameira**
hyalina Noodt, 1952
- Pseudameira**
antennulata Schriever, 1984
breviseta Klie, 1950
crassicornis Sars, 1911
furcata Sars, 1911
gracilis Sars, 1920
limicola Soyer, 1975
minutissima Monard, 1928
mixta subsp. *adriatica* Apostolov & Petkovski, 1980
mixta subsp. *mixta* Sars, 1920
perplexa Soyer, 1975
reducta Klie, 1950
reflexa (T Scott, 1894)
trisetosa Schriever, 1984
- Pseudoleptomesochrella**
halophila (Noodt, 1952)
- Pseudosarsameira**
exilis (T & A Scott, 1894)
- Psyllocampus**
eridani Ceccherelli, 1988
minutus subsp. *minutus* Sars, 1911
monachus Chappuis, 1938
propinquus (T Scott, 1896)
- Sarsameira**
boeckii (Lang, 1936)
elongata (Sars, 1909)
giraulti Monard, 1935
longifurcata Becker, 1974
longiremis (T Scott, 1894)
major (Sars, 1907)
parva (Boeck, 1873)
peresi Bodin, 1970
propinqua (T Scott, 1902)
sarsi Lang, 1948
- Sicameira**
gracilis (A Scott, 1896)
intermedia Marinov, 1973
leptoderma Klie, 1950
- Stenocopia**
longicaudata subsp. *longicaudata* (T Scott, 1892)
longicaudata subsp. *pontica* Griga, 1962
setosa Sars, 1907
spinosa (T Scott, 1892)
- Family Ancorabolidae**
Ancorabolus
mirabilis Norman, 1903
- Arthropsoyllus**
serratus subsp. *serratus* Sars, 1909
- Ceratonotus**
coineaui Soyer, 1964
pectinatus subsp. *elaphus* Por, 1965
pectinatus subsp. *pectinatus* Sars, 1909
- Dorsiceratus**
otocornis Drzycimski, 1967

- Echinocletodes*
armatus (T Scott, 1903)
- Echinopsyllus*
normani Sars, 1909
- Laophontodes*
armatus Lang, 1936
bicornis A Scott, 1896
expansus Sars, 1908
gracilipes Lang, 1936
typicus (T Scott, 1894)
- Paralaophontodes*
echinatus (Willey, 1930)
- Family Arenopontiidae**
Arenopontia
nesaie Cottarelli, 1975
problematica Masry, 1970
stygia Noodt, 1955
subterranea Kunz, 1937
acantha subsp. *acantha* Chappuis, 1954
phreatica Cottarelli, Bruno & Venanzetti, 1995
speluncae Cottarelli, Bruno & Venanzetti, 1995
- Pararenopontia*
breviarticulata (Mielke, 1975)
- Family Argestidae**
Argestes
mollis Sars, 1910
- Argestigens*
abyssalis Becker, 1979
glacialis Lang, 1936
- Corallicletodes*
boutierei Soyer, 1966
- Eurycletoodes*
laticauda (Boeck, 1873)
rectangulatus Lang, 1936
serratus Sars, 1920
abyssi Lang, 1936
aculeatus Sars, 1920
arcticus Lang, 1936
echinatus Lang, 1936
ephippiger Por, 1964
irelandica Roe, 1959
latus (T Scott, 1892)
major Sars, 1909
minutus Sars, 1920
oblongus Sars, 1920
parasimilis Por, 1959
petiti Soyer, 1964
profundus Becker, 1979
quadrispinosa Schriever, 1986
similis (T Scott, 1895)
- Fultonia*
bougisi Soyer, 1964
gascognensis Bodin, 1968
hirsuta T Scott, 1902
- Hemicletodes*
typicus Lang, 1936
- Hypalocletodes*
aberrans (Marinov, 1973)
- Leptocletodes*
debilis Sars, 1920
- Mesocletodes*
abyssicola (T & A Scott, 1901)
ameliae Soyer, 1975
arenicola Noodt, 1952
bathybia Por, 1964
bodini Soyer, 1975
brevifurca Lang, 1936
carpinei Soyer, 1975
duosetosus Schriever, 1985
faroerensis Schriever, 1985
ftadensis Wells, 1965
glaber Por, 1964
guillei Soyer, 1964
inermis Sars, 1920
irrasus (T & A Scott, 1894)
- katharinae* Soyer, 1964
kunzi Schriever, 1985
monensis (Thompson, 1893)
parabodini Schriever, 1983
quadrispinosa Schriever, 1985
robustus Por, 1965
sarsi Becker, 1979
soyeri Bodin, 1968
thieli Schriever, 1985
trisetosa Schriever, 1983
variabilis Schriever, 1983
- Neoargestes*
incertus Becker, 1979
variabilis Drzycimski, 1967
- Odiliacletodes*
gracilis Soyer, 1964
- Parargestes*
tenuis (Sars, 1921)
- Family Balaenophilidae**
Balaenophilus
unisetus Aurivillius, 1879
- Family Canthocamptidae**
Bathycamptus
minutus (Wells, 1965)
- Boreolimella*
dubia (Wells, 1965)
nympha (Por, 1964)
- Cletocamptus*
confluens (Schmeil, 1894)
retrogressus Shmankevich, 1875
- Hemimesochra*
clavularis Sars, 1920
- Heteropsyllus*
confluens Soyer, 1975
curticaudatus T Scott, 1894
exiguus (Sars, 1911)
major (Sars, 1920)
masculus Kunz, 1971
meridionalis Soyer, 1975
nanus (Sars, 1920)
rostratus subsp. *rostratus* (Sars, 1920)
- Itunella*
intermedia Apostolov, 1975
muelleri (Gagem, 1922)
tenuiremis (T Scott, 1893)
- Mesochra*
aestuarii subsp. *aestuarii* Gurney, 1921
aestuarii subsp. *baltica* Schäfer, 1936
anomala Klie, 1950
armoricana Monard, 1935
heldti Monard, 1935
inconspicua (T Scott, 1900)
lilljeborgii Boeck, 1865
lindbergi Petkovski, 1964
pestai Lang, 1948
pontica Marcus, 1965
pygmaea (Claus, 1863)
rapiens (Schmeil, 1894)
reducta Klie, 1950
rostrata Gurney, 1927
schmidti Mielke, 1974
timsae Gurney, 1927
xenopoda Monard, 1935
- Mesopsyllus*
atargatis Por, 1960
secundus (Wells, 1965)
- Nannomesochra*
arupinensis (Brian, 1925)
zavodniki Petkovski & Apostolov, 1974
- Parepactophanes*
dubia Noodt, 1958
minuta Kunz, 1935
- Poria*
derketo (Por, 1964)
- Psammocamptus*

- axi* Mielke, 1975
Pusillargillus
nixe (Por, 1964)
- Family Canuellidae**
Brianola
stebleri (Monard, 1926)
Canuella
furcigera Sars, 1903
perplexa T & A Scott, 1893
pontica Apostolov, 1971
Canuellina
insignis Gurney, 1927
Canuellopsis
mediterranea Soyer, 1966
swedmarki Por, 1964
typica Lang, 1936
Nathaniella
reichi (Por, 1964)
Scottolana
longipes (Thompson & A Scott, 1903)
bulbosa (Por, 1964)
Sunaristes
paguri Hesse, 1867
- Family Cerviniidae**
Cervinia
bradyi (Norman in Brady (1878, 1878))
pilosa Lang, 1948
synarthra Sars, 1910
Cerviniella
lagarderei Bodin, 1968
langi Bodin, 1968
talpa (Por, 1964)
Cerviniopsis
clavicornis Sars, 1903
intermedia Lang, 1936
langi Soyer, 1970
longicaudata Sars, 1903
stylicaudata Lang, 1936
Eucanuella
langi Por, 1964
reticulata Soyer, 1970
spinifera T Scott, 1901
Hemicervinia
stylifera (Thompson, 1893)
Pontostratiotes
abyssicola Brady, 1883
barnetti Dinet, 1978
ceciliae Dinet, 1978
denticulatus Dinet, 1978
fontani Dinet, 1981
gladius Dinet, 1978
horrida Brotskaya, 1959
lubricus Dinet, 1978
minor Dinet, 1981
scotti Brotskaya, 1959
uxoris Dinet, 1978
vasconiensis Dinet, 1978
vitielloi Dinet, 1978
vivierae Dinet, 1978
Stratiopontotes
mediterraneus Soyer, 1970
- Family Cletodidae**
Acrenhydrosoma
perplexum (T Scott, 1899)
Cletodes
brucei T & A Scott, 1901
carthaginiensis Monard, 1935
endopodita (Schriever, 1984)
latirostris Drzycimski, 1967
limicola Brady, 1872
longicaudatus (Boeck, 1873)
longifurca Lang, 1948
pusillus Sars, 1920
reductus Moore, 1978
reysyi Soyer, 1964
setosus Marinov & Apostolov, 1985
smirnovi Bodin, 1970
tenuipes T Scott, 1897
- Enhydrosoma**
caeni Raibaut, 1965
curticauda Boeck, 1873
curvirostre (T Scott, 1894)
gariene Gurney, 1930
hopkinsi Lang, 1965
longicauda Marinov & Apostolov, 1983
longifurcatum Sars, 1909
micrurum Monard, 1928
migoti Monard, 1926
pontica Jakubisiak, 1938
propinquum (Brady & Robertson in Brady, 1880)
sarsi (T Scott, 1905)
sordidum Monard, 1926
wellsi Bodin, 1968
- Enhydrosomella**
setiensis Raibaut, 1965
staufferi Monard, 1935
- Limnocletodes**
behningi Borutzky, 1926
- Nannopodella**
denisi Monard, 1928
- Paracrenhydrosoma**
normani Gee, 1999
- Pontocletodes**
ponticus Apostolov, 1980
- Strongylacron**
buchholzi (Boeck, 1873)
- Stylicletodes**
longicaudatus (Brady & Robertson in Brady, 1880)
minutus Bodin, 1968
oligochaeta Bodin, 1968
reductus Wells, 1965
- Family Cletopsyllidae**
Isocletopsyllus
quartus (Soyer, 1966)
tertius (Por, 1964)
- Family Clytemnestridae**
Clytemnestra
rostrata (Brady, 1883)
scutellata Dana, 1848
- Family Cristacoxidae**
Noodtorthopsyllus
psammophilus (Noodt, 1955)
- Family Cyliindropsyllidae**
Boreopontia
heipi Willems, 1981
Cyliindropsyllus
govaerei Huys & Willems, 1993
ibericus Huys & Willems, 1993
kunzi Huys, 1988
laevis Brady, 1880
remanei Kunz, 1949
Cylinula
arganoi Cottarelli & Venanzetti, 1989
Evansula
incerta (T Scott, 1892)
pygmaea (T Scott, 1903)
Selenopsyllus
abyssalis (Becker, 1979)
profundus (Becker, 1979)
Stenocaris
baltica Arlt, 1983
gracilis Sars, 1909
kliei Kunz, 1936
minor (T Scott, 1892)
minuta Nicholls, 1935
pontica Chappuis & Serban, 1953
pygmaea Noodt, 1955
Stenocaropsis

- pristina* (Wells, 1968)
similis Cottarelli & Venanzetti, 1989
valkanovi (Marinov, 1974)
- Willemsia*
calceola Huys & Conroy-Dalton, 1993
- Family Darcythompsoniidae**
- Darcythompsonia*
neglecta Redeke, 1953
fairliensis (T Scott, 1899)
- Horsiella*
brevicornis Douwe, 1904
- Leptocaris*
biscayensis (Noodt, 1955)
canariensis Lang, 1965
igneus Cottarelli & Baldari, 1982
insularis (Noodt, 1958)
marinus (Por, 1964)
minimus (Jakobi, 1954)
minus T Scott, 1899
trisetosus (Kunz, 1935)
- Family Diosaccidae**
- Amonardia*
arctica (T Scott, 1899)
normani (Brady, 1872)
pelophila Por, 1964
phyllopus (Sars, 1906)
similis (Claus, 1866)
- Amphiascoides*
breviarticulatus Kunz, 1983
brevifurca (Czerniavski, 1868)
debilis (Giesbrecht, 1881)
dispar (T & A Scott, 1894)
golikovi Chislenko, 1977
koltuni Chislenko, 1977
limicola (Brady, 1899)
littoralis (T Scott, 1903)
nanoides (Sars, 1911)
nanus (Sars, 1906)
neglecta (Norman & T Scott, 1905)
sterilis (Monard, 1926)
subdebilis (Willey, 1935)
- Amphiascopsis*
cinctus (Claus, 1866)
thalestroides (Sars, 1911)
- Amphiascus*
amblyops Sars, 1911
angustipes Gurney, 1927
caudaespinosus Brian, 1927
gauthieri Monard, 1936
gracilis Lang, 1936
graciloides Klie, 1950
hirtus Gurney, 1927
humphriesi Roe, 1958
longarticulatus Marcus, 1974
minus (Claus, 1863)
pacificus Sars, 1905
paracaudaespinosus Roe, 1958
parvus Sars, 1906
perplexus (Thompson & A Scott, 1903)
polapinquus Marcus, 1966
propinquus Sars, 1906
sinuatus Sars, 1906
tenellus Sars, 1906
tenuiremis (Brady & Robertson in Brady (1880), 1880)
ultimus Monard, 1928
varians (Norman & T Scott, 1905)
- Bulbamphiacus*
denticulatus (Thompson, 1893)
imus (Brady, 1872)
minus Dinet, 1971
- Dactylopodamphiascopsis*
latifolius (Sars, 1909)
- Diosaccopsis*
rubeus Brian, 1925
- Diosaccus*
tenuicornis (Claus, 1863)
truncatus Gurney, 1927
varicolor subsp. *biarticulatus* (Monard, 1924)
varicolor subsp. *pentasetosus* (Noodt, 1955)
varicolor subsp. *varicolor* (Farran, 1913)
- Eoschizopera*
sylvensis (Mielke, 1973)
gligici (Petkovski, 1957)
- Haloschizopera*
bathyalis Schriever, 1984
bulbifera (Sars, 1911)
clotensis Moore & O'Reilly, 1993
conspicua Por, 1964
exigua (Sars, 1906)
latisetifera Marinov, 1973
lionensis Moore & O'Reilly, 1993
marmarae Noodt, 1955
mathoi (Monard, 1935)
minima Por, 1964
noodti Bodin, 1968
nuditerga Moore & O'Reilly, 1993
pauciseta Por, 1959
pygmaea (Norman & T Scott, 1905)
- Ialysus*
rufus Brian, 1927
- Metamphiascopsis*
banyulensis (Monard, 1928)
hirsutus subsp. *hirsutus* (Thompson & A Scott, 1903)
- Paramphiascella*
bodini Marcotte, 1974
brucei (T & A Scott, 1901)
bulifer Guille & Soyer, 1966
coulli Marcotte, 1974
delamarei Guille & Soyer, 1966
faurei Bodin, 1968
fulvofasciata Rosenfield & Coull, 1974
hispidia (Brady, 1880)
hyperborea (T Scott, 1903)
intermedia (T Scott, 1897)
invaginata (Monard, 1926)
langi (Monard, 1936)
mediterranea Lang, 1948
roberti (Monard, 1935)
robinsoni (A Scott, 1902)
sirbonica Por, 1973
vararensis (T Scott, 1903)
- Paramphiascopsis*
giesbrechti (Sars, 1906)
longirostris (Claus, 1863)
pallidus (Sars, 1906)
paromolae Soyer, 1973
soyeri Lang, 1965
trarticulatus Moore, 1976
- Pararobertsonia*
abyssi (Boeck, 1873)
- Protopsammitopa*
norvegica Geddes, 1968
- Psammitopa*
chappuisi Noodt, 1955
phyllosetosa (Noodt, 1952)
polyphylla Noodt, 1955
vulgaris Pennak, 1942
- Pseudamphiascopsis*
attenuatus (Sars, 1906)
herdmani (A Scott, 1896)
- Pseudodiosaccopsis*
mesogaeae Por, 1964
rufescens (Brian, 1925)
- Pseudodiosaccus*
propinquus (T & A Scott, 1893)
- Rhyncholagena*
lagenirostris (Sars, 1911)
levantina Por, 1964
pestai subsp. *pestai* (Monard, 1935)

- spinifer* (Farran, 1913)
- Robertgurneya**
dictyodiophora (Monard, 1924)
ecaudata (Monard, 1936)
erythraeus (A Scott, 1902)
ilievicensis (Monard, 1935)
intermedia Bozic, 1955
oligochaeta Noodt, 1955
remanei Klie, 1950
rostrata (Gurney, 1927)
similis subsp. *bulbamphiascoides* Noodt, 1955
similis subsp. *similis* (A Scott, 1896)
simulans (Norman & T Scott, 1905)
soyeri Apostolov, 1974
spinulosa (Sars, 1911)
- Robertsonia**
angolensis (Monard, 1934)
diademata Monard, 1926
knoxii subsp. *kieliensis* Becker, 1970
knoxii subsp. *knoxii* (Thompson & A Scott, 1903)
monardi (Klie, 1937)
propinqua (T Scott, 1894)
salsa Gurney, 1927
tenuis (Brady & Robertson in Brady (1880, 1880))
- Schizopera**
arconae Arlt, 1983
chaetosa Petkovski, 1954
meridionalis subsp. *listensis* Mielke, 1975
meridionalis subsp. *meridionalis* Petkovski, 1954
monardi Petkovski, 1955
ornata Noodt & Purasjoki, 1953
pratensis Noodt, 1958
baltica Lang, 1965
borutzkyi Monchenko, 1967
brusinae Petkovski, 1954
cicolanii Galassi & Pesce, 1988
clandestina (Klie, 1924)
compacta De Lint, 1922
jugurtha subsp. *stephanidesi* Pesta, 1938
kunzi Apostolov, 1967
langi Petkovski, 1954
minuta Noodt, 1955
nana Noodt, 1955
neglecta Akatova, 1935
parvula Noodt, 1955
petkovski Apostolov, 1971
pontica Chappuis & Serban, 1953
elatensis Kahan & Bar-El, 1982
- Schizoperopsis**
arenicola (Chappuis & Serban, 1953)
varnensis (Apostolov, 1967)
- Stenhelia**
adriatica Marinov & Apostolov, 1981
arctica (T Scott, 1899)
bocqueti Soyer, 1972
caulerpae (Por, 1964)
coineauae Soyer, 1972
confluens Lang, 1948
cornuta Lang, 1936
elisabethae Por, 1960
giesbrechti (T & A Scott, 1896)
hanstromi Lang, 1948
incerta Por, 1964
intermedia Marinov & Apostolov, 1981
islandica Schriever, 1982
longicaudata Boeck, 1873
magnacaudata Monard, 1928
mastigochaeta Wells, 1965
minuta (A Scott, 1902)
noodti Schriever, 1982
normani subsp. *normani* (T Scott, 1905)
normani subsp. *polluta* Monard, 1928
palustris subsp. *bispinosa* Bodin, 1970
palustris subsp. *palustris* (Brady, 1869)
pygmaea (Brady, 1905)
- reflexa* (Brady & Robertson in Brady (1880), 1880)
saharae Marinov & Apostolov, 1985
tethysensis Monard, 1928
aemula (T Scott, 1893)
curviseta Lang, 1936
gibba Boeck, 1865
proxima Sars, 1906
hirsuta Thompson, 1893
- Teissierella**
massiliensis (Bodin, 1964)
pontica (Apostolov, 1968)
salamboi Monard, 1935
- Typhlamphiascus**
blanchardi (T & A Scott, 1895)
bouligandi Soyer, 1972
confusus (T Scott, 1902)
drachi Soyer, 1963
gracilis Por, 1963
lamellifer subsp. *lamellifer* (Sars, 1911)
luticola Soyer, 1963
typhloides (Sars, 1911)
typhlops (Sars, 1906)
- Family Ectinosomatidae**
- Arenosetella**
duriensis Galhano, 1970
germanica subsp. *germanica* Kunz, 1937
incerta Chappuis, 1954
littoralis Bodin, 1979
longiseta Kunz, 1983
tenuissima (Klie, 1929)
- Bradya**
congenera Sars, 1920
furcata Sars, 1920
macrochaeta Sars, 1920
minutiseta Soyer, 1973
proxima T Scott, 1912
scotti Sars, 1920
simulans Sars, 1920
theodori Soyer, 1973
typica Boeck, 1873
atlantica Bodin, 1968
bodini Bozic, 1980
confluens Lang, 1936
dilatata Sars, 1904
pugiochaeta Arlt, 1983
- Bradyellopsis**
arupinensis Steuer, 1941
briani Steuer, 1941
subniger Brian, 1925
tumidus Brian, 1925
- Ectinosoma**
breviarticulatum Lang, 1965
californicum Lang, 1965
compressum Sars, 1920
dentatum Steuer, 1940
litorale (Noodt, 1958)
mediterraneum Kunz, 1975
melaniceps Boeck, 1865
normani T & A Scott, 1896
obtusum Sars, 1920
paradentatum Bozic, 1965
pruvoti Soyer, 1972
reductum subsp. *listensis* Mielke, 1975
reductum subsp. *reductum* Bozic, 1955
soyeri Apostolov, 1975
tenuipes T & A Scott, 1896
vervoorti Soyer, 1972
- Ectinosomella**
nitidula Sars, 1910
- Ectinosomoides**
pectinatus (Chappuis, 1954)
- Halectinosoma**
abrau (Krichagin, 1877)
abyssicola Bodin, 1968
angulifrons (Sars, 1919)

- argyllensis* Clément & Moore, 1995
armiferum (T & A Scott, 1896)
bodotriaensis Clément & Moore, 1999
brevirostre (Sars, 1904)
britannicum Clément & Moore, 1999
brunneum (Brady, 1905)
canaliculatum (Por, 1964)
chislenki Clément & Moore, 1995
chrySTALLI (T Scott, 1894)
clavatum (Sars, 1920)
cooperatum Bodin, Bodiou & Soyer, 1971
crenulatum Clément & Moore, 1995
curticorne (Boeck, 1873)
denticulatum Clément & Moore, 1995
diops (Por, 1964)
distinctum (Sars, 1920)
elongatum (Sars, 1904)
erythroptis (Brady, 1880)
gascognense Bodin, 1968
gothiceps (Giesbrecht, 1881)
gracile (T & A Scott, 1896)
herdmani (T & A Scott, 1896)
huysi Clément & Moore, 1999
inopinatum (Por, 1964)
itoi Clément & Moore, 1999
longicorne (T & A Scott, 1896)
mixtum (Sars, 1904)
monardi Soyer, 1973
neglectum (Sars, 1904)
oblongum (Kunz, 1949)
paraspinicauda Bodin, 1979
pilosum Clément & Moore, 1999
proximum (Sars, 1919)
pseudosarsi Clément & Moore, 1995
pterinum Moore, 1974
rouchi Soyer, 1973
similidistinctum Lang, 1965
smirnovi (Chislenko, 1967)
spinicauda (Wells, 1961)
tenerum (Sars, 1920)
tenuireme (T & A Scott, 1896)
travei Soyer, 1973
valeriae Soyer, 1973
Halophytophilus
fusiformis Brian, 1918
similis Lang, 1948
spinicornis Sars, 1920
Hastigerella
abbotti Lang, 1965
bodini Apostolov, 1974
bozici Soyer, 1974
chappuisi Soyer, 1974
leptoderma (Klie, 1929)
meridionalis (Chappuis, 1954)
monniotae (Guille & Soyer, 1966)
psammae (Noodt, 1955)
scheibeli Mielke, 1975
soyeri Bodin, 1976
unisetosa (Wells, 1965)
Klieosoma
spinosum (Hicks & Schriever, 1983)
triarcticulatum (Klie, 1949)
Lineosoma
iscensis Wells, 1965
Microsetella
norvegica (Boeck, 1865)
rosea (Dana, 1947)
Noodtiella
arenosetelloides (Noodt, 1958)
gracile Mielke, 1975
lusitanica Wells, 1965
wellsi Apostolov, 1974
Peltobradya
bryozoophila Médioni & Soyer, 1967
Pseudectinosoma
minor Kunz, 1935
Pseudobradya
acuta Sars, 1904
ambigua Sars, 1920
attenuata Sars, 1920
banyulensis Soyer, 1974
beduina subsp. *beduina* Monard, 1935
beduina subsp. *faialensis* Kunz, 1983
brevicaudata Soyer, 1974
brevicornis (T Scott, 1893)
digitata Sars, 1920
distinctum Wells, 1968
elegans (T & A Scott, 1896)
exilis Sars, 1920
fusca (T & A Scott, 1896)
hirsuta (T & A Scott, 1896)
kusnezovi Chislenko, 1967
leptognatha Sars, 1920
major (Olofsson, 1917)
maxima Lang, 1935
minor (T & A Scott, 1896)
oligochaeta Chislenko, 1967
parvula Sars, 1920
pectinifera Lang, 1965
peresi Soyer, 1974
psammophila Bodiou, 1974
pulchella Sars, 1920
pygmaea Sars, 1920
rhea Bodin, 1979
robusta Sars, 1910
scabriuscula Sars, 1920
similis (T & A Scott, 1896)
soyeri Bodiou, 1974
spinulosa Soyer, 1974
tenella Sars, 1920
truncatiseta Soyer, 1974
Sigmatidium
difficile Giesbrecht, 1881
noodti Kunz, 1975
parvulum Mielke, 1974
rouchi Kunz, 1975
Tetanopsis
medius Perkins, 1956
smithi Perkins, 1956
Family Euterpinidae
Euterpina
acutifrons (Dana, 1847)
Family Harpacticidae
Harpacticus
alevinae Chislenko, 1977
chelifer (OF Müller, 1776)
compsonyx Monard, 1926
depressus Boeck, 1865
flexulosus Ceccherelli, 1988
flexus Brady & Robertson, 1873
giesbrechti Klie, 1927
gracilis Claus, 1863
littoralis Sars, 1910
longiantennata Apostolov & Petkovski, 1980
macroductylus Fischer, 1860
nicaeensis Claus, 1866
obscurus T Scott, 1895
ponticus Marcus, 1967
septentrionalis Klie, 1939
tenellus Sars, 1920
uniremis subsp. *uniremis* (Krøyer in Gaimard (1842-1845?, 1842-1845?))
virescens Dana, 1848
Perissocope
adiastaltus Wells, 1968
xenus (Monard, 1926)
Tigriopus
brevicornis (OF Müller, 1776)
fulvus (Fischer, 1860)
Zaus

- abbreviatus* Sars, 1904
aurelii Poppe, 1884
caeruleus Campbell, 1929
goodsiri Brady, 1880
spinatus subsp. *spinatus* Goodsir, 1845
- Family Huntemaniidae**
- Huntemannia*
jadensis Poppe, 1884
micropus Monard, 1935
- Metahuntemannia*
arctica Schriever, 1984
atlantica Schriever, 1983
crassa (Por, 1965)
dovpori Bodin, 1968
drzycimskii Soyer, 1970
iberica Becker, 1979
mediterranea Soyer, 1970
pseudomagniceps Schriever, 1983
smirnovi Bodin, 1968
spinosa (Klie, 1939)
triarticulata Schriever, 1984
- Monocletodes*
varians (T Scott, 1903)
- Nannopus*
palustris Brady, 1880
- Pontopolites*
typicus T Scott, 1894
- Pseudocletodes*
vararensis T & A Scott, 1893
- Talpina*
bifida Schriever, 1984
curticauda (Becker, 1979)
- Family Laophontidae**
- Afroloaophonte*
pori Masry, 1970
- Applanola*
hirsuta (Thompson & A Scott, 1903)
- Archesola*
hamondi Huys & Lee, 2000
longiremis (T Scott, 1905)
typhlops (Sars, 1908)
typhlops subsp. *pontoica* (Por, 1959)
- Asellopsis*
bacescui Por, 1959
duboscqui Monard, 1926
hispida Brady & Robertson, 1873
intermedia (T Scott, 1895)
penicillata Por, 1964
sarmatica Jakubisiak, 1938
- Bathylaophonte*
azorica Lee & Huys, 1999
faroensis (T Scott, 1902)
- Corbulaseta*
bulligera (Farran, 1913)
- Coullia*
platychelipusoides (Noodt, 1958)
- Echinolaophonte*
armiger subsp. *armiger* (Gurney, 1927)
brevispinosa (Sars, 1908)
horrida (Nonnan, 1876)
minuta Cottarelli & Forniz, 1991
veniliae Cottarelli, Forniz & Bascherini, 1992
- Esola*
bulbifera (Norman, 1911)
profunda Huys & Lee, 2000
- Harrietella*
simulans (T Scott, 1894)
- Hemilaophonte*
janinae Jakubisiak, 1932
- Heterolaophonte*
brevipes Roe, 1958
curvata subsp. *curvata* (Douwe, 1929)
curvata subsp. *micrarthros* Marcus & Por, 1960
denticulata Roe, 1958
furcata Noodt, 1958
- hamondi* Hicks, 1975
letovae Huys, 1990
littoralis (T & A Scott, 1893)
longisetigera Klie, 1950
mendax (Klie, 1939)
minuta (Boeck, 1873)
murmanica Letova, 1982
norvegica Drzycimski, 1968
phycobates (Monard, 1935)
setigera (Kricagin, 1873)
stroemii subsp. *brevicaudata* (Monard, 1928)
stroemii subsp. *paraminuta* Noodt, 1955
stroemii subsp. *stroemii* (Baird, 1837)
uncinata (Czerniavski, 1868)
- Klieonychocamptoides*
remanei Noodt, 1958
- Klieonychocamptus*
discipes Noodt, 1958
kliei subsp. *adriaticus* (Petkovski, 1954)
kliei subsp. *confluens* Noodt, 1958
kliei subsp. *kliei* (Monard, 1935)
kliei subsp. *ponticus* Marcus, 1971
ponticus (Serban & Plesa, 1957)
- Laophonte*
adamsiae Raibaut, 1966
aldonae Chislenko, 1977
baltica Klie, 1929
borceai Jakubisiak, 1938
brevifurca Sars, 1920
commensalis Raibaut, 1961
cornuta Philippi, 1840
danversae Hamond, 1969
denticornis T Scott, 1894
depressa T Scott, 1894
dinocerata Monard, 1926
dominicalis Monard, 1935
drachi Médioni & Soyer, 1967
elongata subsp. *barbata* Lang, 1934
elongata subsp. *elongata* Boeck, 1873
elongata subsp. *triarticulata* Monard, 1928
farrani Roe, 1958
foxi Harding, 1956
inopinata T Scott, 1892
inornata A Scott, 1902
longicaudata Boeck, 1865
nordgaardi Sars, 1908
parvula Sars, 1908
parvuloides Monard, 1935
serrata (Claus, 1863)
setosa Boeck, 1865
sima Gurney, 1927
thoracica Boeck, 1865
trilobata Willey, 1929
- Laophontina*
acantha Noodt, 1955
dubia Norman & T Scott, 1905
noodti Kunz, 1983
posidoniae Fiers, 1986
- Li pomelum*
adriaticum (Petkovski, 1955)
- Loureiophonte*
cesareae (Por, 1964)
majacola Fiers, 1993
mediterranea Fiers, 1993
- Onychocamptus*
mohammed (Blanchard & Richard, 1891)
- Paralaophonte*
brevirostris (Claus, 1863)
congenera (Sars, 1908)
dieuzeidei (Monard, 1936)
hyperborea (Sars, 1909)
innae Chislenko, 1977
karmensis (Sars, 1911)
macera (Sars, 1908)
majae Petkovski, 1964

- octavia* (Monard, 1935)
ormieresi Raibaut, 1968
perplexa (T Scott, 1899)
quaterspinata (Brian, 1917)
royi (Jakubisiak, 1932)
spitzbergensis Mielke, 1974
taurina (Monard, 1928)
tenera (Sars, 1920)
zimmeri (Douwe, 1929)
- Paronychocamptus**
curticaudatus (Boeck, 1865)
nanus (Sars, 1908)
- Pilifera**
gracilis (T Scott, 1903)
- Platyhelipus**
laophontoides Sars, 1908
littoralis Brady, 1880
- Platylaophonte**
delamarei Bodin, 1968
- Pontophonte**
grigae Lee & Huys, 1999
leuke (Por, 1959)
- Pseudolaophonte**
glemareci Bodin, 1977
proteus Klie, 1950
spinosa (Thompson, 1893)
- Pseudonychocamptus**
abbreviatus (Sars, 1920)
carthyi Hamond, 1968
colombi Ceccherelli, 1988
koreni (Boeck, 1873)
marinovi Apostolov & Petkovski, 1980
proximus (Sars, 1908)
- Quinquelaophonte**
quinqspinosus (Sewell, 1924)
- Troglophonte**
spelaea (Chappuis, 1938)
- Family Laophontopsidae**
Aculeopsis
longisetosa Huys & Willems, 1989
- Laophontopsis**
borealis Huys & Willems, 1989
lamellifera (Claus, 1863)
monardi Huys & Willems, 1989
- Family Latiremidae**
Delamarella
arenicola Chappuis, 1954
galatae Cottarelli, 1971
karamani Petkovski, 1957
- Family Leptastacidae**
Archileptastacus
aberrans (Chappuis, 1954)
- Arenocaris**
bifida Nicholls, 1935
reducta Huys, 1992
- Leptastacus**
corsicaensis Huys, 1992
kwintei Huys, 1992
laticaudatus Nicholls, 1935
macronyx (T Scott, 1892)
operculatus Masry, 1970, 1970
pygmaeus Huys, 1992
uncinatus Cottarelli & Venanzetti, 1989
- Meloriastacus**
ctenidis Huys & Todaro, 1997
- Minervella**
baccettii Cottarelli & Venanzetti, 1989
perplexa (Wells & Clark, 1965)
- Paraleptastacus**
brevicaudatus CB Wilson, 1932
espinulatus Nicholls, 1935
holsaticus Kunz, 1937
kliei (Gagern, 1923)
monensis Whybrew, 1986
- moorei* Whybrew, 1986
spinicauda (T & A Scott, 1895)
supralitoralis Mielke, 1975
triseta Noodt, 1954
- Psamathea**
britannica Huys, Bodiou & Bodin, 1996
nautarum Cottarelli & Venanzetti, 1989
- Psammastacus**
confluens Nicholls, 1935
- Schizothrix**
pontica (Griga, 1964)
rostrata (Nicholls, 1940)
- Family Leptopontiidae**
Leptopontia
curvicauda T Scott, 1902
dovpori Huys & Conroy-Dalton, 1996
flandrica Huys & Conroy-Dalton, 1996
mediterranea Huys & Conroy-Dalton, 1996
punctata Huys & Conroy-Dalton, 1996
- Syrticola**
flandricus Willems & Claeys, 1982
mediterraneus Willems, Claeys & Fiers, 1987
trispinosus (A Scott, 1896)
- Family Longipediidae**
Longipedia
brevispinosa Gurney, 1927
coronata Claus, 1863
ferox Kricagin, 1877
helgolandica Klie, 1949
minor T & A Scott, 1893
pirgos Apostolov, 1972
pontica Kricagin, 1877
rosea Sars, 1903
scotti Sars, 1903
weberi A Scott, 1909
- Family Louriniidae**
Lourinia
armata (Claus, 1866)
- Family Metidae**
Laubieria
corallicola Soyer, 1966
- Metis**
holothuriae (Edwards, 1891)
ignea subsp. *halmyricola* Marcus & Por, 1961
ignea subsp. *ignea* Philippi, 1843
- Family Miraciidae**
Distioculus
minor (T Scott, 1894)
- Macrossetella**
gracilis (Dana, 1847)
- Miracia**
efferata Dana, 1849
- Oculosetella**
gracilis (Dana, 1849)
- Family Neobradidae**
Marsteinia
bozici (Bodin, 1968)
ibericus (Becker, 1974)
sarsi (Bodin, 1968)
similis Drzycimski, 1968
typica Drzycimski, 1968
- Neobradya**
pectinifera T Scott, 1892
- Family Normanellidae**
Normanella
dubia (Brady & Robertson in Brady (1880, 1880)
minuta (Boeck, 1873)
mucronata Sars, 1909
obscura Lee & Huys, 1999
paratenuifurca Lee & Huys, 1999
quarta Monard, 1935
reducta Noodt, 1955
sarsi Lee & Huys, 1999

- semitica* Monard, 1935
serrata Por, 1959
similis Lang, 1936
tenifurca Sars, 1909
Sagamiella
aberrans Bodin, 1968
- Family Novocriniidae**
Atergopedia
vetusta Martinez Arbizu & Moura, 1998
- Family Orthopsyllidae**
Orthopsyllus
linearis subsp. *illgi* (Chappuis, 1958)
linearis subsp. *linearis* (Claus, 1866)
linearis subsp. *setosus* Boer, 1971
sarsi Klie, 1941
- Family Paramesochridae**
Apodopsyllus
africanus subsp. *listensis* Mielke, 1975
arenicolus (Chappuis, 1954)
littoralis (Nicholls, 1939)
lynceorum Cottarelli, 1973
melitae Kunz, 1992
spinipes (Nicholls, 1939)
- Diarthrodella**
convexa Kunz, 1983
lancifera Kunz, 1983
orbiculata Klie, 1949
parorbiculata subsp. *parorbiculata* Wells, 1963
psammophila (Bocquet & Bozic, 1955)
secunda subsp. *secunda* Kunz, 1954
- Kliopsyllus**
atlanticus Kunz, 1983
coelebs (Monard, 1935)
constrictus subsp. *constrictus* (Nicholls, 1935)
constrictus subsp. *orotavae* (Noodt, 1958)
holsaticus subsp. *holsaticus* (Klie, 1929)
holsaticus subsp. *listensis* Mielke, 1984
holsaticus subsp. *longicaudatus* Galhano, 1970
laurenticus (Nicholls, 1939)
longifurcatus Scheibel, 1975
major (Nicholls, 1939)
masryi Bodin, 1979
miguelensis Kunz, 1983
paraholsaticus Mielke, 1975
perharidiensis (Wells, 1963)
ponticus (Serban, 1959)
pygmaeus (Nicholls, 1939)
- Leptopsyllus**
abyssalis Becker, 1979
celticus Bodin & Jackson, 1987
elongatus Drzycimski, 1967
harveyi Wells, 1963
paratypicus Nicholls, 1939
reductus Lang, 1948
typicus T Scott, 1894
arcticus (Lang, 1936)
- Meiopsyllus**
marinae Cottarelli & Forniz, 1995
- Paramesochra**
acutata Klie, 1934
borealis Geddes, 1981
brevifurca subsp. *brevifurca* Galhano, 1970
brevifurca subsp. *mediterranea* Huys, 1987
dubia T Scott, 1892
helgolandica subsp. *helgolandica* Kunz, 1936
mielkei Huys, 1987
pteroaudata Kunz, 1936
similis Kunz, 1936
- Remanea**
arenicola Klie, 1929
- Scottopsyllus**
intermedius (T & A Scott, 1895)
minutus (Nicholls, 1939)
smirnovi Kunz, 1992
- herdmani* (Thompson & A Scott, 1899)
langi subsp. *continentalis* Kunz, 1992
minor (T & A Scott, 1895)
robertsoni (T & A Scott, 1895)
gigas (Wells, 1965)
- Family Parastenheliidae**
Parastenhelia
anglica Norman & T Scott, 1905
hornelli Thompson & A Scott, 1903
ornatissima (Monard, 1935)
reducta Apostolov, 1975
spinosa subsp. *bulbosa* Wells, 1963
spinosa subsp. *spinosa* (Fischer, 1860)
- Family Parastenocarididae**
Parastenocaris
chappuisi Serban, 1960
phyllura Kiefer, 1938
vicesima subsp. *vicesima* Klie, 1934
- Family Peltidiidae**
Alteutha
aberrans Czerniavski, 1868
depressa (Baird, 1837)
interrupta (Goodsir, 1845)
oblonga (Goodsir, 1845)
roaeae Hicks, 1982
sarsi Monard, 1924
typica Czerniavski, 1868
- Eupelte**
gracilis Claus, 1860
- Oniscidium**
incertum Haller, 1879
sculptum Haller, 1879
triarticulatum Haller, 1879
- Peltidium**
gracile (Claus, 1889)
purpureum Philippi, 1839
robustum (Claus, 1889)
sacesphorum Monard, 1928
- Zausoscidia**
folii Haller, 1879
- Family Phyllognathopodidae**
Phyllognathopus
viguieri (Maupas, 1892)
- Family Porcellidiidae**
Porcellidium
fimbriatum Claus, 1863
lecanoides Claus, 1889
ovatum Haller, 1879
sarsi Bocquet, 1948
tenicauda Claus, 1860
viride (Philippi, 1840)
- Family Psammopsyllidae**
Ichnusella
eione Cottarelli, 1971
pasquinii (Cottarelli, 1969)
- Psammopsyllus**
arenarius Enckell, 1965
delamarei (Chappuis, 1954)
maricae Cottarelli, Saporito & Puccetti, 1983
operculatus Nicholls, 1945
- Family Pseudotachidiidae**
Anapophysia
borealis (Klie, 1939)
- Archisenia**
sibirica (Sars, 1898)
- Bathypsammis**
longifurca (Bodin, 1968)
- Cylindronannopus**
bispinosus Schriever, 1985
elongatus (Becker, 1979)
- Dactylopodella**
clypeata Sars, 1911
flava (Claus, 1866)

- rostrata* (T Scott, 1893)
vervoorti Moore, 1976
- Danielssenia**
quadriseta Gee, 1988
spitsbergensis Gee & Huys, 1994
typica Boeck, 1873
- Fladenia**
robusta (Sars, 1921)
- Idomene**
borealis Sars, 1911
coronata (T Scott, 1894)
forficata Philippi, 1843
kabylica Monard, 1936
parasimulans Médioni & Soyer, 1967
pectinata (T & A Scott, 1898)
purpurocincta (Norman & T Scott, 1905)
- Jonesiella**
fusififormis (Brady & Robertson in Brady (1880, 1880))
- Leptotachidia**
iberica Becker, 1974
- Micropsammis**
noodti Mielke, 1975
- Mucrosenia**
kendalli Gee & Huys, 1994
- Paradanielssenia**
biclavata Gee, 1988
christineae Gee & Huys, 1994
kathleenae Gee & Huys, 1994
kunzi Soyer, 1970
- Paranannopus**
abyssi (Sars, 1920)
bahusiense Por, 1964
caheti Soyer, 1964
denticulatus Schriever, 1985
hicksi Schriever, 1985
kunzi Schriever, 1985
phillistinus Por, 1964
plumosus Schriever, 1983
reductus Becker, 1979
sarsi Lang, 1936
singulosestosus Schriever, 1985
triariculatus Wells, 1965
trisetosus Schriever, 1985
uniarticulatus Schriever, 1985
variabilis Schriever, 1985
wellsi Soyer, 1976
- Peltisenia**
aberrans (Por, 1964)
- Psammis**
longisetosa Sars, 1910
- Pseudomesochra**
aberrans Bodin, 1968
abyssalis Becker & Schriever, 1979
beckeri Becker & Schriever, 1979
brucei (T & A Scott, 1901)
divaricata (Sars, 1906)
latifurca (Sars, 1911)
longifurcata T Scott, 1902
media (Sars, 1911)
perplexa Bodin, 1968
scheibeli Schriever, 1982
similis Lang, 1935
tatiana Drzycimski, 1968
- Pseudotachidius**
coronatus T Scott, 1898
ibericus Becker & Schriever, 1979
similis T Scott, 1903
vikingus Drzycimski, 1968
- Telopsammis**
secunda (Mielke, 1975)
- Family Rhizothricidae**
Rhizothrix
curvata (Brady & Robertson in Brady (1880), 1880)
gracilis (T Scott, 1903)
minuta (T Scott, 1903)
- pubescens* Por, 1959
reducta subsp. *noodti* Galhano, 1970
reducta subsp. *reducta* Noodt, 1952
scotti Lang, 1936
wilsoni Bodin, 1979
- Tryphoema**
bocqueti (Bozic, 1953)
lusitanica (Wells & Clark, 1965)
porca Monard, 1926
scillonensis (Wells, 1968)
- Family Rotundiclipeidae**
Rotundiclipeus
canariensis Huys, 1988
- Family Superornatiremidae**
Intercrusia
garciai Jaume, 1997
Neoechinophora
karayugi Huys, 1996
xoni Jaume, 1997
Superornatiremis
mendai Jaume, 1997
- Family Tachidiidae**
Geeopsis
incisipes (Klie, 1913)
Microarthridion
berberum (Monard, 1935)
fallax Perkins, 1956
littorale (Poppe, 1881)
reductum (Monard, 1935)
Tachidius
discipes Giesbrecht, 1881
- Family Tegastidae**
Parategastes
haphae Leigh-Sharpe, 1936
sphaericus (Claus, 1863)
Syngastes
cornalinus Monard, 1924
macrognathus Monard, 1924
Tegastes
areolatus Monard, 1935
calcaratus Sars, 1910
clausi Sars, 1910
dalmatinus Petkovski, 1955
elenae Marcus, 1963
falcatus (Norman, 1868)
flavidus Sars, 1904
grandimanus Sars, 1904
knoepffleri Médioni & Soyer, 1967
longimanus (Claus, 1863)
nanus Sars, 1904
neapolitanus (Claus, 1863)
porosus Petkovski, 1955
riedli Pesta, 1959
satyrus (Claus, 1860)
seurati Monard, 1936
- Family Tetragnonicipitidae**
Aigondiceps
bocki (Lang, 1948)
brevicauda (Huys, 1995)
kunzi (Marinov, 1974)
Laophontella
horrida subsp. *horrida* (Por, 1964)
Paraschizopera
menaiensis (Geddes, 1968)
Phyllopodopsyllus
berrieri Monard, 1936
bradyi (T Scott, 1892)
briani Petkovski, 1955
curtus Marcus, 1976
danielae Bodin, 1964
furciger Sars, 1907
hardingi (Roe, 1955)
hibernicus (Roe, 1955)
laspalmensis Marinov, 1973

- laticauda* Por, 1964
longicaudatus A Scott, 1909
longipalpatus subsp. *longipalpatus* (Chappuis, 1954)
medius Por, 1964
pauli Crisafi, 1960
thiebaudi subsp. *thiebaudi* Petkovski, 1955
Protogoniceps
hebraeus Por, 1964
Pteropsyllus
consimilis (T Scott, 1894)
Tetragoniceps
bergensis Por, 1965
bookhouti Coull, 1971
brevicauda T Scott, 1900
malleolatus Brady, 1880
scotti Sars, 1911
Family Thalestridae
Amenophia
pellata Boeck, 1865
pulchella Sars, 1906
Dactylopodopsis
dilatata Sars, 1911
Dactylopusia
brozkiae (Chislenko, 1967)
euryhalina Monard, 1935
glacialis subsp. *glacialis* Sars, 1909
longyearbyenensis (Mielke, 1974)
micronyx Sars, 1905
neglecta Sars, 1905
pontica (Apostolov, 1968)
tisboides (Claus, 1863)
vulgaris subsp. *dissimilis* Brian, 1921
vulgaris subsp. *inornata* (Lang, 1965)
vulgaris subsp. *vulgaris* Sars, 1905
Dactylopusioides
macrolabris (Claus, 1866)
Diarthrodes
aegideus (Brian, 1927)
andrewi (T Scott, 1894)
assimilis (Sars, 1906)
drachi Bodiou, 1974
dubius (Brian, 1921)
fahrenbachi Bodin, 1968
feldmanni Bocquet, 1953
gravellicola Soyer, 1975
major (T & A Scott, 1895)
minutus (Claus, 1863)
nanus (T Scott, 1914)
nobilis (Baird, 1845)
ponticus subsp. *orientalis* Apostolov, 1975
ponticus subsp. *ponticus* (Kricagin, 1877)
pygmaeus (T & A Scott, 1895)
roscoffensis (Monard, 1935)
zavodniki Apostolov & Petkovski, 1980
Donsiella
anglica Hicks, 1988
limnorica Stephensen, 1936
Eudactylopus
latipes (T Scott, 1893)
robustus (Claus, 1863)
spectabilis (Brian, 1923)
Paradactylopusia
bathybates (Monard, 1936)
brevicornis (Claus, 1866)
latipes (Boeck, 1865)
striata Kunz, 1983
Parathalestris
camabriensis Wells, 1964
clausi (Norman, 1868)
croni (Krøyer in Gaimard (1842-1845?), 1842-1845?)
dovi Marcus, 1966
harpactoides (Claus, 1863)
hibernica (Brady & Robertson, 1873)
intermedia Gurney, 1930
irelandica Roe, 1958
jacksoni (T Scott, 1899)
plumisetia Moore, 1976
Peltthestris
tripartita Monard, 1924
Phyllothalestris
mysis (Claus, 1863)
Rhynchothalestris
helgolandica (Claus, 1863)
Thalestris
brunnea Sars, 1905
curticornis Boeck, 1865
denti Brady, 1905
filifera Kricagin, 1877
frigida T Scott, 1899
gibba (Krøyer in Gaimard (1842-1845?), 1842-1845?)
longimana Claus, 1863
longipes Boeck, 1865
microphylla Claus, 1863
normani T Scott, 1903
northumbrica (Brady, 1905)
purpurea Sars, 1905
rhodymeniae (Brady, 1894)
rufoviolascens Claus, 1866
Tisemus
pulchellus Monard, 1928
Family Thompsonulidae
Thompsonula
hyaenae (Thompson, 1889)
Family Tisbidae
Bathyidia
remota Farran, 1926
Cholidya
polypti Farran, 1914
Cholidyella
intermedia (Bresciani, 1970)
Idyanthe
dilatata (Sars, 1905)
pusilla (Sars, 1905)
Idyella
exigua Sars, 1905
kunzi Bodin, 1968
major Sars, 1920
pallidula Sars, 1905
Idyellopsis
typica Lang, 1944
Peresime
reducta (Becker & Schriever, 1979)
Sacodiscus
fasciatus (Norman, 1868)
humesi Stock, 1960
littoralis (Sars, 1904)
Scutellidium
arthuri Poppe, 1884
fucicolum (T Scott, 1912)
hippolytes subsp. *hippolytes* (Krøyer, 1863)
ligusticum (Brian, 1920)
longicauda subsp. *longicauda* (Philippi, 1840)
Tachidiella
minuta Sars, 1909
reducta Lee & Huys, 1999
Tachidiopsis
cyclopoidea Sars, 1911
Tisbe
angusta (Sars, 1905)
aragoi Battaglia & Volkmann-Rocco, 1969
battagliai Volkmann-Rocco, 1972
bulbisetosia Volkmann-Rocco, 1972
clodiensis Battaglia & Fava, 1968
cluthae (T Scott, 1899)
compacta (Sars, 1920)
cucumariae Humes, 1957
dilatata Klie, 1949
dobzhanskii Volkmann-Rocco & Battaglia, 1972
elegantula (Sars, 1905)
elongata (A Scott, 1896)

ensifer Fischer, 1860
finmarchica (Sars, 1905)
furcata subsp. *furcata* (Baird, 1837)
gigantea Volkmann, 1979
gracilis (T Scott, 1895)
graciloides (Sars, 1920)
histriana Marcus & Por, 1961
holothuriae Humes, 1957
inflatiseta Volkmann, 1979
lagunaris Volkmann-Rocco, 1972
longicornis (T & A Scott, 1895)
longisetosa Gurney, 1927
marmorata Volkmann-Rocco, 1973
minor (T & A Scott, 1896)
palaeocrystica (Norman, 1878)
pentataenia Volkmann-Rocco, 1973
perplexa Volkmann, 1979
persimilis Volkmann-Rocco & Fava, 1969
pontina Volkmann-Rocco, 1969
pori Betouhim-El & Kahan, 1972
reluctans Volkmann-Rocco, 1968
remanei Volkmann, 1975
reticulata Bocquet, 1951
similis Kricagin, 1873
tenella (Sars, 1911)
tenera (Sars, 1905)
varipes Marcus, 1974
wirketissae Chislenko, 1967
Zosime
atlantica Bodin, 1968
bergensis Drzycimski, 1968
gisleni Lang, 1948
incrassata subsp. *bathybia* Bodin, 1968
incrassata subsp. *incrassata* Sars, 1910
major Sars, 1919
mediterranea Lang, 1948
paramajor Bodin, 1968
paratypica Becker & Schriever, 1979
rubra Thompson, 1888
typica Boeck, 1873
valida Sars, 1919

Tantulocarida

Compiled by Geoff Boxshall

The classification follows Huys (1991). These microscopic crustaceans, recognised in the 1980s, occur as ectoparasites on other host crustaceans, including the copepods, isopods, tanaids and amphipods. The data are drawn largely from Huys (1991), Boxshall & Vader (1993), Huys, Andersen and Kristensen (1992), and Huys, Boxshall and Casanova (1993).

References

- Boxshall, G.A. & Vader, W. 1993. A new genus of Tantulocarida (Crustacea) parasitic on an amphipod host from the North Sea. *J. nat. Hist.* 27:977-988.
- Huys, R., 1991. Tantulocarida (Crustacea: Maxillopoda): A new taxon from the temporary meiobenthos, *Marine Ecology: Pubblicazione della Stazione Zoologica di Napoli*, 12: 1-34.
- Huys, R., Andersen, P.F. and Kristensen, R.M., 1992. *Tantulacus hoegi* gen. et sp. nov. (Tantulocarida: Deoterthridae) from the meiobenthos of the Faroe Bank, North Atlantic, *Sarsia*, 76: 287-297.
- Huys, R., Boxshall, G.A. and Casanova, J.-P., 1993. A redescription of *Cumoniscus* Bonnier, 1903 (Crustacea: Tantulocarida) from a cumacean host in the Bay of Biscay, *Systematic Parasitology*, 26: 75-79.

Subclass Tantulocarida

Family Deoterthridae

- Tantulacus*
hoegi Huys, Andersen & Kristensen, 1992 A
Cumoniscus

kruppi Bonier, 1903
Boreotantulus
kunzi Huys & Boxshall, 1988
Amphitantulus
harpiniacheres Boxshall & Vader, 1993
Dicrotrichura
tricincta Huys, 1989

Family Basipodellidae

Basipodella
atlantica Boxshall & Lincoln, 1983
Stygotantulus
stocki Boxshall & Huys, 1989

Family Microdajidae

Microdajus
gaelicus Boxshall & Lincoln, 1987
langi Greve, 1965
pectinatus Boxshall, Huys & Lincoln, 1988

Family Doryphallophoridae

Doryphallophora
harrisoni (Boxshall & Lincoln, 1987)

Family Onceroxenidae

Onceroxenus
birdi Boxshall & Lincoln, 1987
curtus Boxshall & Lincoln, 1987

Cirripedia

Free-living

Compiled by A. J. Southward

Note here the parasitic groups Ascothoracida and Rhizocephala are not included, and indeed the latter are often considered to be separate from the true Cirripedia.

The taxonomic classification is based on Darwin (1851, 1854), Gruvel (1905), Pilsbry (1907, 1916), Tomlinson (1967) and Zevina (1981, 1982), as revised by Newman (1996). Other details of taxonomy and geographical limits are based on Darwin's volumes and on Bassindale (1964), Crisp *et al.* (1981), Marine Biological Association (1957), Nilsson-Cantell (1978), Newman and Ross (1976), Hayward and Ryland (1990), Relini (1980), Southward, (1976), Southward and Crisp (1963) and Young (1998a, 1998b, 1998c), with revisions from personal records of A.J. Southward and the late D.J. Crisp. Note that some geographical distributions in Nilsson-Cantell (1978) are incorrect, notably those for *Chthamalus* species and for *Semibalanus balanoides*. Species recently described, or not covered in detail or not included in the above compilations are described by Noll (1872), Southward (1995, 1999) and Turquier (1967).

References

- Bassindale, R., 1964. British Barnacles. *Synopses of the British Fauna*, no. 14.
- Crisp, D.J., Southward, A.J. & Southward, E.C. 1981. On the distribution of the intertidal barnacles *Chthamalus stellatus*, *Chthamalus montagui* and *Euraphia depressa*. *Journal of the Marine Biological Association of the United Kingdom* 61,359-380.
- Darwin, C., 1851. *A Monograph on the Sub-Class Cirripedia*, vol. 1. *The Lepadidae; or, pedunculated cirripedes*. London: Ray Society.
- Darwin, C., 1854. *A Monograph on the Sub-Class Cirripedia*, vol. 2. *The Balanidae, the Verrucidae, etc.* London: Ray Society.
- Gruvel 1905. Monographie des Cirripèdes ou Thecostracés. Paris, Masson et cie.
- Hayward, P.J. & Ryland, J.S. (eds), 1990. *The marine fauna of the British Isles and North-west Europe*, vol. 1. Oxford: Clarendon Press