

PHONES (044) 360-7-130 (050) 336-0-130 (063) 788-0-130 (067) 233-0-130 (068) 282-0-130

## 130 Internet store of autogoods



294-0-130 597-0-130

> SKYPE km-130

CAR RECEIVERS — Receivers • Media receivers and stations • Native receivers • CD/DVD changers • FM-modulators/USB adapters • Flash memory • Facia plates and adapters • Antennas • Accessories |


CAR AUDIO — Car audio speakers • Amplifiers • Subwoofers • Processors • Crossovers • Headphones • Accessories | TRIP COMPUTERS — Universal computers • Model computers • Accessories |


GPS NAVIGATORS — Portable GPS • Built-in GPS • GPS modules • GPS trackers • Antennas for GPS navigators • Accessories | VIDEO — DVR • TV sets and monitors • Carr TV tuners • Cameras • Videomodules
• Transcoders • Carr TV antennas • Accessories | SECURITY SYSTEMS — Car alarms • Bike alarms • Mechanical blockers • Immobilizers • Sensors • Accessories | OPTIC AND LIGHT — Xenon • Bixenon • Lamps
• LED • Stroboscopes • Optic and Headlights • Washers • Light, rain sensors • Accessories | PARKTRONICS AND MIRRORS — Rear parktronics • Combined parktronics • Rear-view mirrors
• Accessories | HEATING AND COOLING — Seat heaters • Mirrors heaters • Screen-wipers heaters • Engine heaters • Auto-refrigerators • Air conditioning units • Accessories | TUNING — Vibro-isolation
• Noise-isolation • Tint films • Accessories | ACCESSORIES — Radar-detectors • Handsfree, Bluetooth • Windowlifters • Compressors • Beeps, loudspeakers • Measuring instruments • Cleaners • Carsits
• Miscellaneous | MOUNTING — Installation kits • Upholstery • Grilles • Tubes • Cable and wire • Tools • Miscellaneous | POWER — Batteries • Converters • Start-charging equipment • Capacitors
• Accessories | MARINE AUDIO AND ELECTRONICS — Marine receivers • Marine audio speakers • Marine subwoofers • Marine amplifiers • Accessories | CAR CARE PRODUCTS — Additives • Washer fluid • Care accessories • Car polish • Flavors • Adhesives and sealants | LIQUID AND OIL — Motor oil • Transmission oil • Brake fluid • Antifreeze • Technical lubricant




In store "130" you can find and buy almost all necessary goods for your auto in Kyiv and other cities, delivery by ground and postal services. Our experienced consultants will provide you with exhaustive information and help you to chose the very particular thing. We are waiting for you at the address


http://130.com.ua








## 5020cs, b020cs, b520cs, b520scs, b820cs





















P250cs, b520scs, b620cs)







1021t,5020cs,6020cs,6520cs,6520cs



**O**Infinity

A valid serial number is required for warranty coverage.

Features, specifications and appearance are subject to change without notice.

This product is designed for mobile applications and is not intended for connection to the mains.

Infinity Systems • 2 route de Tours, 72500 Château du Loir, France • www.infinitysystems.com

© 2006 Harman International Industries, Incorporated. All rights reserved. Part No. REFCOMPOM10/06

Infinity is a trademark of Harman International Industries, Incorporated,
registered in the United States and/or other countries.


H A Harman International Company


Declaration of Conformity


We, Harman Consumer Group International
2, route de Tours
72500 Château du Loir
France
declare in own responsibility that the products described in this owner's manual
are in compliance with technical standards:


EN 61000-6-3:2001
EN 61000-6-1:2001
Klaus Lebherz
Harman Consumer Group International
Château du Loir, France 10/06


reference series











	5020cs	6020cs	6520cs	6520scs	6820cs	1021
BL (T-m)	3.54	3.80	3.65	3.96	3.59	
DCR (ohms)	2.27	2.13	2.30	2.50	2.12	2.30
Mms (g)	10.86	15.10	13.07	13.37	19.57	
Sd (sq cm)	103.9	132.7	132.7	132.7	178.1	
Cms (µm/N)	528	236	295	228	189	
Vas (I)	8.00	5.84	7.30	5.64	8.42	
Fs (Hz)	66.5	84.3	81.1	91.2	82.8	
Qes	0.82	1.18	1.15	1.22	1.67	
Qms	6.27	6.61	6.92	8.34	5.99	
Qt	0.73	1.00	0.99	1.06	1.31	
1wSPL (dB)	86.5	86.6	87.2	87.4	86.5	
SPL 2.83V	92.0	92.4	92.6	92.4	92.2	

SPECIFICATIONS Type:	<b>5020cs</b> 5-1/4" 2-Way Component System	6020cs 6-1/2" 2-Way Component System	6520cs 165mm 2-Way Component System	6520scs 165mm Shallow- Mount 2-Way Component System	<b>6820cs</b> 6" x 8"/5" x 7" 2-Way Component System	1021t 1" Component Tweeter
Nominal Impedance:	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms
Power Handling, RMS:	75W	90W	90W	75W	90W	50W
Power Handling, Peak:	225W	270W	270W	225W	270W	150W
Frequency Response:	67Hz – 21kHz	53Hz – 21kHz	58Hz – 21kHz	58Hz – 21kHz	49Hz – 21kHz	2.5kHz – 51kHz
Sensitivity (2.83V, 1m):	92dB	93dB	93dB	93dB	93dB	93dB

**GENERAL CARE**: The loudspeaker grilles may be cleaned with a damp cloth. Do not use any cleaners or solvents on the grilles or the speaker cones. **WARRANTY**: Reference Series speakers are warranted against defects. The duration of the speaker's warranty depends on the laws in the country in which it was purchased. Your local Infinity car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.infinitysystems.com.

SPECIFICATIONS	5020cs	6020cs	6520cs	6520scs	6820cs	1021t
Type:	5-1/4" 2-Way	6-1/2" 2-Way	165mm 2-Way	165mm Shallow-	6" x 8"/5" x 7" 2-Way	1" Component
	Component System	Component System	Component System	Mount 2-Way Component System	Component System	Tweeter
Nominal Impedance:	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms
Power Handling, RMS:	75W	90W	90W	75W	90W	50W
Power Handling, Peak:	225W	270W	270W	225W	270W	150W
Frequency Response:	67Hz – 21kHz	53Hz – 21kHz	58Hz – 21kHz	58Hz – 21kHz	49Hz – 21kHz	2.5kHz - 51kHz
Sensitivity (2.83V, 1m):	92dB	93dB	93dB	93dB	93dB	93dB

GENERAL CARE: The loudspeaker grilles may be cleaned with a damp cloth. Do not use any cleaners or solvents on the grilles or the speaker cones.

**WARRANTY:** Reference Series speakers are warranted against defects. The duration of the speaker's warranty depends on the laws in the country in which it was purchased. Your local Infinity car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.infinitysystems.com.

<b>SPECIFICATIONS</b> Type:	<b>5020cs</b> 5-1/4" 2-Way Component System	6020cs 6-1/2" 2-Way Component System	6520cs 165mm 2-Way Component System	6520scs 165mm Shallow- Mount 2-Way Component System	<b>6820cs</b> 6" x 8"/5" x 7" 2-Way Component System	1021t 1" Component Tweeter
Nominal Impedance:	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms
Power Handling, RMS:	75W	90W	90W	75W	90W	50W
Power Handling, Peak:	225W	270W	270W	225W	270W	150W
Frequency Response:	67Hz – 21kHz	53Hz – 21kHz	58Hz – 21kHz	58Hz – 21kHz	49Hz – 21kHz	2.5kHz – 51kHz
Sensitivity (2.83V, 1m):	92dB	93dB	93dB	93dB	93dB	93dB

**GENERAL CARE**: The loudspeaker grilles may be cleaned with a damp cloth. Do not use any cleaners or solvents on the grilles or the speaker cones. **WARRANTY**: Reference Series speakers are warranted against defects. The duration of the speaker's warranty depends on the laws in the country in which it was purchased. Your local Infinity car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.infinitysystems.com.

SPECIFICATIONS Type:	<b>5020cs</b> 5-1/4" 2-Way Component System	6020cs 6-1/2" 2-Way Component System	6520cs 165mm 2-Way Component System	6520scs 165mm Shallow- Mount 2-Way Component System	<b>6820cs</b> 6" x 8"/5" x 7" 2-Way Component System	1021t 1" Component Tweeter
Nominal Impedance:	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms
Power Handling, RMS:	75W	90W	90W	75W	90W	50W
Power Handling, Peak:	225W	270W	270W	225W	270W	150W
Frequency Response:	67Hz – 21kHz	53Hz – 21kHz	58Hz – 21kHz	58Hz – 21kHz	49Hz – 21kHz	2.5kHz - 51kHz
Sensitivity (2.83V, 1m):	92dB	93dB	93dB	93dB	93dB	93dB

GENERAL CARE: The loudspeaker grilles may be cleaned with a damp cloth. Do not use any cleaners or solvents on the grilles or the speaker cones.

**WARRANTY:** Reference Series speakers are warranted against defects. The duration of the speaker's warranty depends on the laws in the country in which it was purchased. Your local Infinity car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.infinitysystems.com.

SPECIFICATIONS Type:	<b>5020cs</b> 5-1/4" 2-Way Component System	6020cs 6-1/2" 2-Way Component System	6520cs 165mm 2-Way Component System	6520scs 165mm Shallow- Mount 2-Way Component System	<b>6820cs</b> 6" x 8"/5" x 7" 2-Way Component System	1021t 1" Component Tweeter
Nominal Impedance:	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms
Power Handling, RMS:	75W	90W	90W	75W	90W	50W
Power Handling, Peak:	225W	270W	270W	225W	270W	150W
Frequency Response:	67Hz – 21kHz	53Hz – 21kHz	58Hz – 21kHz	58Hz – 21kHz	49Hz – 21kHz	2.5kHz – 51kHz
Sensitivity (2.83V, 1m):	92dB	93dB	93dB	93dB	93dB	93dB

GENERAL CARE: The loudspeaker grilles may be cleaned with a damp cloth. Do not use any cleaners or solvents on the grilles or the speaker cones.

WARRANTY: Reference Series speakers are warranted against defects. The duration of the speaker's warranty depends on the laws in the country in which it v

**WARRANTY:** Reference Series speakers are warranted against defects. The duration of the speaker's warranty depends on the laws in the country in which it was purchased. Your local Infinity car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.infinitysystems.com.

SPECIFICATIONS Type:	<b>5020cs</b> 5-1/4" 2-Way Component System	6020cs 6-1/2" 2-Way Component System	<b>6520cs</b> 165mm 2-Way Component System	6520scs 165mm Shallow- Mount 2-Way Component System	<b>6820cs</b> 6" x 8"/5" x 7" 2-Way Component System	<b>1021t</b> 1" Component Tweeter
Nominal Impedance:	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms
Power Handling, RMS:	75W	90W	90W	75W	90W	50W
Power Handling, Peak:	225W	270W	270W	225W	270W	150W
Frequency Response:	67Hz – 21kHz	53Hz – 21kHz	58Hz – 21kHz	58Hz – 21kHz	49Hz – 21kHz	2.5kHz – 51kHz
Sensitivity (2.83V, 1m):	92dB	93dB	93dB	93dB	93dB	93dB

**GENERAL CARE**: The loudspeaker grilles may be cleaned with a damp cloth. Do not use any cleaners or solvents on the grilles or the speaker cones.

**WARRANTY:** Reference Series speakers are warranted against defects. The duration of the speaker's warranty depends on the laws in the country in which it was purchased. Your local Infinity car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.infinitysystems.com.

SPECIFICATIONS Type:	<b>5020cs</b> 5-1/4" 2-Way Component System	6020cs 6-1/2" 2-Way Component System	6520cs 165mm 2-Way Component System	6520scs 165mm Shallow- Mount 2-Way Component System	<b>6820cs</b> 6" x 8"/5" x 7" 2-Way Component System	1021t 1" Component Tweeter
Nominal Impedance:	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms
Power Handling, RMS:	75W	90W	90W	75W	90W	50W
Power Handling, Peak:	225W	270W	270W	225W	270W	150W
Frequency Response: Sensitivity (2.83V, 1m):	67Hz – 21kHz 92dB	53Hz – 21kHz 93dB	58Hz – 21kHz 93dB	58Hz – 21kHz 93dB	49Hz – 21kHz 93dB	2.5kHz – 51kHz 93dB

GENERAL CARE: The loudspeaker grilles may be cleaned with a damp cloth. Do not use any cleaners or solvents on the grilles or the speaker cones.

WARRANTY: Reference Series speakers are warranted against defects. The duration of the speaker's warranty depends on the laws in the country in which it was purchased. Your local Infinity car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.infinitysystems.com.

SPECIFICATIONS Type:	<b>5020cs</b> 5-1/4" 2-Way Component System	6020cs 6-1/2" 2-Way Component System	6520cs 165mm 2-Way Component System	6520scs 165mm Shallow- Mount 2-Way Component System	<b>6820cs</b> 6" x 8"/5" x 7" 2-Way Component System	1021t 1" Component Tweeter
Nominal Impedance:	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms
Power Handling, RMS:	75W	90W	90W	75W	90W	50W
Power Handling, Peak:	225W	270W	270W	225W	270W	150W
Frequency Response:	67Hz – 21kHz	53Hz – 21kHz	58Hz – 21kHz	58Hz – 21kHz	49Hz – 21kHz	2.5kHz – 51kHz
Sensitivity (2.83V, 1m):	92dB	93dB	93dB	93dB	93dB	93dB

**GENERAL CARE**: The loudspeaker grilles may be cleaned with a damp cloth. Do not use any cleaners or solvents on the grilles or the speaker cones. **WARRANTY**: Reference Series speakers are warranted against defects. The duration of the speaker's warranty depends on the laws in the country in which it was purchased. Your local Infinity car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.infinitysystems.com.

SPECIFICATIONS	5020cs	6020cs	6520cs	6520scs	6820cs	1021t
Type:	5-1/4" 2-Way	6-1/2" 2-Way	165mm 2-Way	165mm Shallow-	6" x 8"/5" x 7" 2-Way	1" Component
	Component System	Component System	Component System	Mount 2-Way Component System	Component System	Tweeter
Nominal Impedance:	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms
Power Handling, RMS:	75W	90W	90W	75W	90W	50W
Power Handling, Peak:	225W	270W	270W	225W	270W	150W
Frequency Response:	67Hz – 21kHz	53Hz – 21kHz	58Hz – 21kHz	58Hz – 21kHz	49Hz – 21kHz	2.5kHz – 51kHz
Sensitivity (2.83V, 1m):	92dB	93dB	93dB	93dB	93dB	93dB

**GENERAL CARE**: The loudspeaker grilles may be cleaned with a damp cloth. Do not use any cleaners or solvents on the grilles or the speaker cones. **WARRANTY**: Reference Series speakers are warranted against defects. The duration of the speaker's warranty depends on the laws in the country in which it was purchased.

WARRANTY: Reference Series speakers are warranted against defects. The duration of the speaker's warranty depends on the laws in the country in which it was purchased Your local Infinity car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.infinitysystems.com.

SPECIFICATIONS Type:	<b>5020cs</b> 5-1/4" 2-Way Component System	6020cs 6-1/2" 2-Way Component System	6520cs 165mm 2-Way Component System	6520scs 165mm Shallow- Mount 2-Way Component System	<b>6820cs</b> 6" x 8"/5" x 7" 2-Way Component System	<b>1021t</b> 1" Component Tweeter
Nominal Impedance:	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms
Power Handling, RMS:	75W	90W	90W	75W	90W	50W
Power Handling, Peak:	225W	270W	270W	225W	270W	150W
Frequency Response:	67Hz – 21kHz	53Hz – 21kHz	58Hz – 21kHz	58Hz – 21kHz	49Hz – 21kHz	2.5kHz – 51kHz
Sensitivity (2.83V, 1m):	92dB	93dB	93dB	93dB	93dB	93dB

**GENERAL CARE**: The loudspeaker grilles may be cleaned with a damp cloth. Do not use any cleaners or solvents on the grilles or the speaker cones.

**WARRANTY:** Reference Series speakers are warranted against defects. The duration of the speaker's warranty depends on the laws in the country in which it was purchased. Your local Infinity car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.infinitysystems.com.

SPECIFICATIONS Type:	<b>5020cs</b> 5-1/4" 2-Way Component System	<b>6020cs</b> 6-1/2" 2-Way Component System	<b>6520cs</b> 165mm 2-Way Component System	6520scs 165mm Shallow- Mount 2-Way Component System	<b>6820cs</b> 6" x 8"/5" x 7" 2-Way Component System	<b>1021t</b> 1" Component Tweeter
Nominal Impedance:	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms
Power Handling, RMS:	75W	90W	90W	75W	90W	50W
Power Handling, Peak:	225W	270W	270W	225W	270W	150W
Frequency Response: Sensitivity (2.83V, 1m):	67Hz – 21kHz 92dB	53Hz – 21kHz 93dB	58Hz – 21kHz 93dB	58Hz – 21kHz 93dB	49Hz – 21kHz 93dB	2.5kHz – 51kHz 93dB

GENERAL CARE: The loudspeaker grilles may be cleaned with a damp cloth. Do not use any cleaners or solvents on the grilles or the speaker cones.

**WARRANTY:** Reference Series speakers are warranted against defects. The duration of the speaker's warranty depends on the laws in the country in which it was purchased. Your local Infinity car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.infinitysystems.com.

SPECIFICATIONS Type:	<b>5020cs</b>	6020cs	<b>6520cs</b>	6520scs	<b>6820cs</b>	<b>1021t</b>
	5-1/4" 2-Way	6-1/2" 2-Way	165mm 2-Way	165mm Shallow-	6" x 8"/5" x 7" 2-Way	1" Component
	Component System	Component System	Component System	Mount 2-Way	Component System	Tweeter
Nominal Impedance: Power Handling, RMS:	2.65 Ohms 75W	2.65 Ohms 90W	2.65 Ohms 90W	Component System 2.65 Ohms 75W	2.65 Ohms 90W	2.65 Ohms 50W
Power Handling, Peak:	225W	270W	270W	225W	270W	150W
Frequency Response:	67Hz – 21kHz	53Hz – 21kHz	58Hz – 21kHz	58Hz – 21kHz	49Hz – 21kHz	2.5kHz – 51kHz
Sensitivity (2.83V, 1m):	92dB	93dB	93dB	93dB	93dB	93dB

**GENERAL CARE**: The loudspeaker grilles may be cleaned with a damp cloth. Do not use any cleaners or solvents on the grilles or the speaker cones. **WARRANTY**: Reference Series speakers are warranted against defects. The duration of the speaker's warranty depends on the laws in the country in which it was purchased. Your local Infinity car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.infinitysystems.com.

SPECIFICATIONS Type:	<b>5020cs</b> 5-1/4" 2-Way Component System	<b>6020cs</b> 6-1/2" 2-Way Component System	6520cs 165mm 2-Way Component System	6520scs 165mm Shallow- Mount 2-Way Component System	<b>6820cs</b> 6" x 8"/5" x 7" 2-Way Component System	<b>1021t</b> 1" Component Tweeter
Nominal Impedance:	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms	2.65 Ohms
Power Handling, RMS:	75W	90W	90W	75W	90W	50W
Power Handling, Peak:	225W	270W	270W	225W	270W	150W
Frequency Response:	67Hz – 21kHz	53Hz – 21kHz	58Hz – 21kHz	58Hz – 21kHz	49Hz – 21kHz	2.5kHz – 51kHz
Sensitivity (2.83V, 1m):	92dB	93dB	93dB	93dB	93dB	93dB

GENERAL CARE: The loudspeaker grilles may be cleaned with a damp cloth. Do not use any cleaners or solvents on the grilles or the speaker cones.

**WARRANTY:** Reference Series speakers are warranted against defects. The duration of the speaker's warranty depends on the laws in the country in which it was purchased. Your local Infinity car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.infinitysystems.com.