

Index for Volume 57 (2008)

Syst. Biol. 57(6):957–986, 2008
Copyright © Society of Systematic Biologists
ISSN: 1063-5157 print / 1076-836X online
DOI: 10.1080/10635150802630959

- 1*fin*, 922
25*fin*, 922
289*fin*, 922
3*genes*, 930, 931
6*fin*, 922
A Bayesian Perspective on a Non-parsimonious Parsimony Model,
John P. Huelsenbeck, Cécile Ané, Bret Larget, and Fredrik
Ronquist, 406
A Comparative Study in Ancestral Range Reconstruction Methods:
Retracing the Uncertain Histories of Insular Lineages, John R.
Clark, Richard H. Ree, Michael E. Alfaro, Matthew G. King,
Warren L. Wagner, and Eric H. Roalson, 693
A Justification for Reporting the Majority-Rule Consensus Tree in
Bayesian Phylogenetics, Mark T. Holder, Jeet Sukumaran, and
Paul O. Lewis, 814
A Likelihood Framework for Estimating Phylogeographic History on
a Continuous Landscape, Alan R. Lemmon and Emily
Moriarty Lemmon, 544
A Model-Based Approach to Study Nearest-Neighbor Influences
Reveals Complex Substitution Patterns in Non-coding
Sequences, Guy Baele, Yves Van de Peer, and Stijn
Vansteelandt, 675
A Novel Test for Host-Symbiont Codivergence Indicates Ancient
Origin of Fungal Endophytes in Grasses, C. L. Schardl, K. D.
Craven, S. Speakman, A. Stromberg, A. Lindstrom, and R.
Yoshida, 483
A priori directionality test, 554
A Rapid Bootstrap Algorithm for the RAxML Web Servers,
Alexandros Stamatakis, Paul Hoover, and Jacques Rougemont,
758
A. aeolicus, 855
A. altissima, 798
A. angelinajoliae, 646
A. atomarius, 629, 632, 634, 639, 641, 642
A. australis, 330
A. caesium, 800
A. carpinifolium, 800
A. catus, 121
A. caudatum, 805
A. circinatum, 796, 804, 806
A. cissifolium, 805
A. confucii, 798
A. cotylalveus, 23
A. crataegifolium, 800
A. dawsoni, 398, 403
A. distylum, 800, 804
A. fabri, 796
A. fumigatus, 618
A. glabrum, 796, 800, 804
A. haselbachense, 805
A. heldreichii, 805
A. henryi, 805
A. kweilinense, 796
A. laurinum, 800, 804, 806
A. longicaulis, 695
A. lyrata, 481
A. macrophyllum, 796, 800, 805, 806
A. macrophyllum/A. caesium, 804
A. melas, 119
A. nebulosus, 119
A. negundo, 796, 800, 804, 805
A. nidulans, 618
A. nipponicum, 800
A. oryzae, 618, 624
A. osmontii, 805
A. pennsylvanicum, 796, 800, 806
A. pennsylvanicum/A. crataegifolium, 804
A. petraea, 478
A. pictum, 280
A. pilosum, 800, 804
A. polydentatus, 22, 23
A. pseudoplatanus, 800, 804, 805
A. rubrum, 796, 800, 806
A. rubrum/A. saccharinum, 804
A. saccharinum, 796, 800, 807
A. saccharum, 795, 796, 800, 804
A. spicatum, 796, 800, 805
A. spicatum/A. carpinifolium, 804
A. stellatus, 912
A. tataricum, 800
A. tegmentosum, 800, 804
A. thaliana, 469
A. trautvetteri, 805
A. tricolor, 695
A. vastus, 403
A. wardii, 796
A. weltoni, 17, 22, 24, 27
Abacion magnum, 922
Abalistes stellatus, 907
Abalistes, 906, 910–912, 916
Abbotii, 880, 885, 886
Abronia, 172
Acanthascus (Rhabdocalyptus), 391
Acanthascus dawsoni, 390, 392, 398, 403
Acanthascus, 395
Acanthaster planci, 906, 918
Acanthocyclops vernalis, 922
Acanthospartum, 279
Accounting for Phylogenetic Uncertainty in Biogeography: A
Bayesian Approach to Dispersal-Variance Analysis
of the Thrushes (Aves: *Turdus*), Johan A. A. Nylander, Urban
Olsson, Per Alström, and Isabel Sanmartín, 257
Acer arcticum, 806
Acer circinatum, 800
Acer, 795–808
Acer/Dipteronia, 800, 804, 807

- Acheta veletis*, 889
Achimenes, 706
Achnatherum inebrians, 485
Acipenser, 116
Acoelocalyx brucei, 391, 395, 398, 402
Aconitum, 58
Acontias, 644
Acrochordus, 421
 ACT, 874
 ACTB, 577
 Actinobacteria, analysis of, 835
 Actinopterygii, 519
 Adaptive radiation, 562
Adelolecia pilati, 143
Adenocarpus, 748
adh1, 478, 480
 ADORA3, 500
 ADRA2B, 500
 ADRB2, 500
Aegilops, 365
Aeonium, 734, 744, 748
Aeschynanthus, 694, 695
Aesculus, 796, 798, 807, 808
Aetiocetus cotylalveus, 17, 21, 27, 34
Aetiocetus polydentatus, 17, 22, 34
Aetiocetus weltoni, 16–18, 21, 23, 24, 27–30, 34
Aetiocetus, 23, 27
 AFLP, 347
Agathis australis, 330
Agathis, 330, 331
Aglaocetus patulus, 34
Aglaocetus, 23
Agorophius pygmaeus, 31, 34
Agorophius, 34
Agrostis hiemalis, 485
Agrostis tenuis, 485
 Aguilera, G., Marthey, S., Chiapello, H., Lebrun, M.-H., Rodolphe, F., Fournier, E., Gendraulat-Jacquemard, A., and Giraud, T., Assessing the Performance of Single-Copy Genes for Recovering Robust Phylogenies, 613
Agus fran, 735
Agus juba, 735
Agus petr, 735
Agustinii, 741
Aichryson, 744, 747
Ailanthus, 798, 807
Ailuronyx seychellensis, 564
 Akaike information criterion (AIC), 42, 60, 76, 77, 84, 113
Akanthosuchus langstoni, 181
Albatus, 310
Albatarum pueri, 282
Albifrons, 537
Albula, 537, 538
Alectoria, 142
 Alekseyenko, Alexander V., Lee, Christopher J. and Suchard, Marc A., Wagner and Dollo: A Stochastic Duet by Composing Two Parsimonious Solos, 772
Alfaro, Michael E., see Clark, John R., 693
Alfaro, Michael E., see Dornburg, Alex, 905
Ali, Farhan, see Meier, Rudolf, 809
 Alignment accuracy, 656
Alligator mississippiensis, 173
Allodaposuchus precedens, 181
Allognathosuchus, 181
Allopauropus proximus, 922
Allophana, 143
 Alpine, 58
Alpinobombus, 59
Alström, Per, see Nylander, Johan A. A., 257
 Alternative phylogenies, 785
 Alternative splicing evolution, 772
Altingia, 43, 55
Ambiortus, 188
 AMBN, 15, 17, 18, 21, 25–27, 33, 34, 577, 579
Ambrosina bassii, 269, 271, 272, 276, 277, 284
Ambrosina, 271, 272, 276, 277, 279, 282
Ambystoma californiense, 645
Ambystoma tigrinum melanostictum, 561
Ameiurus brunneus, 118
Ameiurus catus, 118
Ameiurus melas, 118
Ameiurus natalis, 118
Ameiurus nebulosus, 118
Ameiurus pectinatus, 117, 119
Ameiurus platycephalus, 118
Ameiurus sawrockensis, 119
Ameiurus serracanthus, 118
Ameiurus, 116, 117, 121, 125–128
 Ameloblastin (AMBN), 15
Amia, 116, 519, 520, 527, 531, 532, 537
 Amino acid model, 367
 dimension reduction, 368
 conversion to codon model, 368, 369
 codon model equivalent to, 369, 370
 Amniote, 179
Amorphophallus, 272
 Amplified fragment length polymorphism (AFLP), 347
 DNA fingerprinting, 347
 technique, 347, 348
 automated scoring of, 350
 Sampling Strategy for, 350, 351
 Generation of Raw data, 351
 optimal scoring parameters using AFLP, 352
 An Integrative Method for Delimiting Cohesion Species: Finding the Population-Species Interface in a Group of Californian Trapdoor Spiders with Extreme Genetic Divergence and Geographic Structuring, Jason E. Bond and Amy K. Stockman, 628
Anadenobolus, 644
Anartia, 235
Anas, 188, 481
 Ancestral range reconstruction, 693
 explicit methods, 698
 analysis, 699–701
 Ancestral state reconstruction, 141
 of discrete morphological characters, 145, 146
 for deep nodes with high support, 146
 algorithm, 147
 using maximum parsimony, 149
 by SIMMAP, 152
 Ancestral state reconstruction, 4
Amphidiscs, 400
Andersen 17, 34, 48, 91, 92, 143
Andersen, Heidi L., see Ekman, Stefan, 141
Androcymbium, 745, 747
Aneides flavipunctatus, 645
Anetia, 235
Anguilla, 537
Anidiops villosus, 645
 Annelida, 514
Anolis auratus, 513
Anolis cristatellus, 573

- Anolis extremus*, 328
Anolis, 513, 571, 748, 889
 Anomalous gene trees (AGTs), 131, 133, 134, 136, 139, 140
Anomalous gene trees, 131
Anomalous, 131, 132
Anomaly zone, 131, 132
Anomochilus, 430
Anopheles gambiae, 780
Anopsobius neozelanicus, 922
Anthoxanthum, 748
Anthus, 268
Anthyllis hermanniae, 279, 282
Antilocapra americana, 33
Antipathes galapagensis, 392
Antrodiaetus riversi, 645
Antrodiaetus unicolor, 644
Anura, 560
Ané, Cécile, see Huelsenbeck, John P., 406
Aoraki denticulate, 644
Apatornis, 200, 514
Aphanopetalum, 39, 43, 54
Apheliscus, 313
Aphredoderus, 538
Aphrocallistes vastus, 390, 403
Aphrocallistes, 391, 395, 396, 402
Aplysina fistularis, 392, 396
 APOB, 500, 501
Apomastus, 644
 Apomorphy, 903
 APP, 500
 Application of Phylogenetically Defined Names Does Not Require That Every Specifier Be Present on a Tree, Philip D. Cantino and Richard G. Olmstead, 157
Apsaravis, 188, 189
Apteronotus, 537
Aptostichus angelinajoliae, 641, 646
Aptostichus atomarius, 628–630, 634, 635, 639, 642, 643, 646
Aptostichus miwok, 641, 646
Aptostichus simus, 644
Aptostichus stanfordianus, 641, 646
Aptostichus stephencolberti, 628, 641, 646
Aptostichus stephencolberti, 628
Aptostichus, 629, 639, 641–644
Aptostichus angelinajoliae, 646
Aquifex aeolicus, 855
Arabidopsis halleri, 481
Arabidopsis thaliana, 469, 481, 780
Arabidopsis, 341, 478, 844
 Araceae, 269
 Arachnida, 931
Arbutus, 269
 Archaea, 839
Archaeomycteris, 502
Archaeopteryx lithographica, 200
Archaeopteryx, 174–176, 185–187, 200
Archeozetes longisetosus, 711
Archeoziphius microglenoideus, 873
 Argentina, 537
Argulus, 922
Argyranthemum, 734, 744, 748
Arisarum probosciideum, 283
Arisarum vulgare, 276
Arisarum, 271, 272, 276, 277, 282
Armadillidium vulgare, 922
Artemia salina, 922
 Arthropoda, 920, 931
Arum maculatum, 276
Arum pictum, 269, 271, 272, 276, 277, 279–282
Arum, 271, 272, 276, 279, 280, 282, 283
 Ascomycetes, 141
 Ascomycota, 613
Ashbya gossypii, 615
 Asher, Robert J., Geisler, Jonathan H., and Sánchez-Villagra, Marcelo R., Morphology, Paleontology, and Placental Mammal Phylogeny, 311
Asiatosuchus germanicus, 180
Asiatosuchus, 180, 181
Aspergillus fumigatus, 615
Aspergillus nidulans, 615
Aspergillus oryzae, 615, 616, 625
Aspergillus, 618, 624, 625
Aspidoscelis tigris, 421
 Assessing the Performance of Single-Copy Genes for Recovering Robust Phylogenies, G. Aguileta, S. Marthey, H. Chiapello, M.-H. Lebrun, F. Rodolphe, E. Fournier, A. Gendrault-Jacquemard, and T. Giraud, 613
 Assignment, 750
 graphic representation of, 753
 flowchart of, 751
 taxonomic, 752
 probabilities, 753
 false, 756
Astephus, 116, 117, 119, 126–128
Astragalus, 410, 414
Astrartes fulgurator, 207, 210, 212–214
Astrocystis, 155
Atolla vanhoeffeni, 392
atp1, 41
ATP7A, 17–19, 34, 500
AtpB, 41, 55, 56, 410, 414
Aulaxyper, 732, 733, 736, 740, 744, 745
Aulosaccus, 391, 395, 398
Australosuchus clarkae, 180
 Automated scoring, 347
 parameter settings, 348
AvG(G), 767
AVG(P), 767
AvG(P), 767
AvG(R), 767
AvG(S), 767
 Avise, John C., and Robinson, Terence J., Hemiptyly: A New Term in the Lexicon of Phylogenetics, 503
Axestotrigona ferruginea, 60
B. acutorostrata, 24
B. alboanalis, 72
B. appositus, 72
B. ashtoni, 73
B. atratus, 58
B. beaticola, 72
B. bimaculatus, 72
B. bohemicus, 73
B. borealis, 25, 72
B. brydei, 25, 34
B. californicus, 72
B. caprisicus, 912
B. cingulatus, 72
B. conspicillum, 910, 916
B. dahlbomii, 68
B. davisii, 281
B. dispar, 281
B. distinguendus, 72
B. edeni, 34

- B. ephippiatus*, 58, 68
B. fernaldae, 73
B. fervidus, 72
B. flavidus, 73
B. fuscus, 912
B. gerstaeckeri, 58
B. handlirschi, 68
B. hypnorum, 71, 72
B. impatiens, 68
B. lapponicus, 72
B. lucorum, 71, 72
B. mexicanus, 68
B. monticola, 72
B. mori, 233, 235, 240
B. morrisoni, 58
B. musculus, 25
B. ovalis, 909
B. pennsylvanicus, 72
B. perplexus, 71, 72
B. physalus, 25, 867, 873
B. polylepis, 912
B. pratorum, 71
B. pullatus, 58
B. sandersoni, 72
B. sitkensis, 72
B. sonorus, 58, 72
B. spinosus, 398, 909
B. sylvicola, 72
B. transversalis, 58
B. vetula, 912
B. volucelloides, 68
Bacchetta, Gianluigi, *see* Mansion, Guilhem, 269
Bacidia arceutina, 146
Bacidia heterochroa, 146
Bacidia rosella, 143
Bacidia, 145, 146, 150–154
Bacidina, 154
Bacillus, 840
 Back-propagation, 202
 rule, 206
 neural network, 202, 203
 DNA barcoding, 202, 207
Bacterial Code, 507
 Baele, Guy, Van de Peer, Yves and Vansteelandt, Stijn, A Model-Based Approach to Study Nearest-Neighbor Influences Reveals Complex Substitution Patterns in Non-coding Sequences, 675
Baker, C. Scott, *see* Dalebout, Merel L., 857
Balaena mysticetus, 23, 33, 34, 578
Balaena, 29
Balaenoptera acutorostrata, 16, 24, 30, 31, 33, 34, 574, 583
Balaenoptera bonaerensis, 25, 33, 34
Balaenoptera borealis, 33, 34
Balaenoptera brydei, 34
Balaenoptera davidsonii, 31
Balaenoptera edeni, 33, 34
Balaenoptera gastaldii, 34
Balaenoptera musculus, 25, 27, 33, 34, 867, 873
Balaenoptera omurai, 33, 874
Balaenoptera physalus, 16, 25, 31, 33, 34
Balaenoptera siberi, 32
Balaenoptera, 23, 25, 31, 32, 34
Balearia, 280
 Baleen, 15
Balistapus undulates, 907
Balistapus, 906, 910, 912, 916
Balistes capricus, 907
Balistes fuscus, 916
Balistes polylepis, 907
Balistes punctatus, 907
Balistes vetula, 907
Balistes, 909–912, 916, 918
 Balistidae, 905
 phylogenetic relationships of, 916
Balistoides conspicillum, 906, 907
Balistoides viridescens, 906, 907, 910
Balistoides, 905, 906, 910, 912, 916
Balistomorphus orbiculatus, 909
Balistomorphus, 906
Ball, Bernard, *see* Regier, Jerome C., 920
 Bandelt, Hans-Jürgen, and Fischer, Mareike, Perfectly Misleading Distances from Ternary Characters, 540
Baptornis, 187, 188
 Barcoding, 750
Barrett, Paul M., *see* Wills, Matthew A., 891
Baru darrowi, 180
Basal centrality, 245
 Basidiomycota, 613
Basilosaurus cetooides, 33
Basilosaurus, 30
Bathydorus spinosus, 398
Bathydorus, 391, 395
Baumgartner, Manuela, *see* Leigh, Jessica W., 104
 Bayes factors (BFs), 120
 Bayes factors, 388, 675, 795
 Bayesian Analysis in Molecular Biology and Evolution (BAMBE), 87, 90
 Bayesian analysis, 466
 Bayesian Estimation of Species Trees (BEST), 299, 876
 Bayesian genetic analyses, 732
 Bayesian hierarchical model, 299
 Bayesian inference, 86, 257, 693
 Bayesian information criterion, 76
 Bayesian methods, 905
 Bayesian phylogenetic inference, 406, 772
 Bayesian relaxed clock, 795
 Bayesian, 708
 MCMC, 710
 constrained analysis, 714
 test results, 716
 unconstrained analysis, 713, 714, 716
 Bayesian, 750
 framework, 750
 approach, 755, 756
BC, 507–512
BDNF, 17–19, 34, 500
 Beiko, Robert G., Doolittle, W. Ford and Charlebois, Robert L., The Impact of Reticulate Evolution on Genome Phylogeny, 844
 Belfiore, Natalia M., Liu, Liang, and Moritz, Craig, Multilocus Phylogenetics of a Rapid Radiation in the Genus *Thomomys* (Rodentia: Geomyidae), 294
Bell, Charles D., *see* Jian, Shuguang, 38
Bellemera diamarta, 142, 143
Belodon, 177
Bencomia, 748
Benton, Michael J., *see* Martin, Jeremy E., 173
 Beringian disjunctions, 795
Bernissartia fagesii, 181
Berta, Annalisa, *see* Deméré, Thomas A., 15
 Betweenness, 432, 437
 Intermediary species and, 436, 437
 edge, 446
BF, 713

- BGN, 874
Biarum dispar, 269, 271, 272, 276, 277, 279, 281
Biarum, 271, 272, 276, 279–281, 284
Biatora, 145
Biblis, 235
Bicirrhosum, 538
Bicyclus anynana, 232, 233, 241
Bicyclus, 235
Bilimbia sabuletorum, 143, 145
Bilimbia, 150–152
Billia, 796
Binary, 253
 Bioclimatic modeling, 328
 Biodiversity conservation, 825
 Biodiversity conservation, 825
 applicability, 827
 stability, 826, 827
 bootstrapped, 849
 problem specification, 827, 828
 Biogeography, 269, 795
Bit score, 219
 BLAST database, 207
 BLAST, 216
Boa, 538
Bombias, 68
Bombus gerstaeckeri, 75
Bombus luanus, 59
Bombus proavus, 59
Bombus s.s., 68
Bombus vetustus, 59
Bombus, 58–60, 62, 63, 66–75, 946
Bombyx mori, 231–233, 240–242
Bombyx, 235, 240
Bond sp. nov. (Figs. 1, 646
 Bond, Jason E., and Stockman, Amy K., An Integrative Method for Delimiting Cohesion Species: Finding the Population-Species Interface in a Group of Californian Trapdoor Spiders with Extreme Genetic Divergence and Geographic Structuring, 628
Boomsma, Wouter, see Munch, Kasper, 750
 Bootstrap support, 602
 survivor functions for, 608
 limiting distribution of, 604
 Bordewich, Magnus, Rodrigo, Allen G. and Semple, Charles, Selecting Taxa to Save or Sequence: Desirable Criteria and a Greedy Solution, 825
Borealis, 25
Borealosuchus, 181
Bos taurus, 33, 574, 576–580
Bos, 577–580, 582
 Boss, Darren, see Sanderson, Michael J., 335
Bothropolys multidentatus, 922
Botrytis cinerea, 615
Bottae, 310
Brachychampsia montana, 179, 181
Brachychampsia sealeyi, 180
Brachyelytrum erectum, 485
Brachyphona, 552, 560
Brachypodium sylvaticum, 485
Brachyrhinodon, 322
 Branch Lengths, Support, and Congruence: Testing the Phylogenomic Approach with 20 Nuclear Loci in Snakes, John J. Wiens, Caitlin A. Kuczynski, Sarah A. Smith, Daniel G. Mulcahy, Jack W. Sites Jr., Ted M. Townsend, and Tod W. Reeder, 420
 Branch length, 420
 related to clade support, 420
 estimation of, 421, 422
 correlation between bootstrap and, 425
 support/congruence and, 427
 estimation of, 429
 combined data, 429
Branchiopoda, 931
Branchiostoma floridae, 711
Brassica oleracea, 481
Brassica rapa, 481
 BRCA, 500, 501
 Breeding behavior, 474
Bridgeri, 310
Brimleyi, 552
Brintesia, 235
Bromham, Lindell, see Lanfear, Robert, 708
Bromus erectus, 485
Bromus purgans, 485
Bromus ramosus, 485
Brotula, 538
Brucei, 391
 Bruen, Trevor C., and Bryant, David, Parsimony via Consensus, 251
 Brumfield, Robb T., Liu, Liang, Lum, David E. and Edwards, Scott V., Comparison of Species Tree Methods for Reconstructing the Phylogeny of Bearded Manakins (Aves: Pipridae, *Manacus*) from Multilocus Sequence Data, 719
 Bryant, David, see Bruen, Trevor C., 251
Brydei, 33, 34
 BTN1A1, 577, 579, 588
Buchnera, 463
Bulgaria inquinans, 156
 Bumblebees, 58
 Burbrink, Frank T., and Pyron, R. Alexander, The Taming of the Skew: Estimating Proper Confidence Intervals for Divergence Dates, 317
Byssoloma leucoblepharum, 143
C-mos, 564
C. (L.) arboreus, 210, 211, 213
C. (L.) hiurai, 210, 211, 213
C. (L.) procerulus, 210, 211, 213
C. albicans, 790, 791
C. anthropophagorum, 695
C. arcticus, 398
C. aurantiicarpa, 695
C. baileyi, 465
C. californicus, 465
C. calpidicarpa, 695
C. coccinea, 695
C. compressa, 695
C. cordifolia, 695
C. dryas, 259
C. elegans, 935
C. eremicus, 465
C. feaniana, 695
C. formosus, 465
C. gracilirostris, 259
C. grandiflora, 695
C. grayana, 695
C. grayi, 695
C. hawaiiensis, 695
C. hispidus, 465
C. intermedius, 465
C. jeffreyi, 259
C. jonesii, 695
C. kauaiensis, 695
C. kaulantha, 695
C. kealiae, 695
C. kusaimontana, 695

- C. laxiflora*, 695
C. leucantha, 695
C. lherminieri dominicensis, 259
C. lherminieri lawrencii, 259
C. longifolia, 695
C. meyeri, 398
C. milnei, 695
C. mollis, 707
C. munroi, 695
C. nukukivensis, 695
C. occidentalis, 259
C. occulta, 695, 704
C. ootensis, 695
C. pendula, 695
C. picta, 695
C. pogonantha, 695
C. propinqua, 695
C. pulchella, 695
C. richii, 695
C. samoensis, 695, 698, 699
C. sandwicensis, 695
C. spathulata, 695
C. sulcata, 695
C. thibaultii, 695
C. tintinabula, 695
C. urvillei, 695
C. ustulatus, 259
C. valdiviae, 398
C. viridis, 259
C. wagneri, 695
C. wainihaensis, 695
C. wawrae, 695
C. weddelli, 398
Cactophilus, 310
Caenorhabditis elegans, 780, 921, 926, 932
Caenorhabditis, 109, 921, 922
Caerulea, 470
Cairina moschata, 387
Calabaria, 429
Caladidosoma messelense, 276
Caladium, 272
Calamagras turkestanicus, 322
Calamagras, 327
Calamagrositis villosa, 485
Calculating gene tree probabilities (COAL), 133
Calibrations, 909
Calinaga, 237
Calla palustris, 272, 276
Callicarpa japonica, 707
Callithrix, 590
Calopadia foliicola, 143
Calycadenia, 705
Calycidium, 142, 156
Calymperaceae, 514
Cambrian explosion, 920
Camelus dromedarius, 33
Cameron, Sydney A., see Whitfield, James B., 939
Candida glabrata, 615
Candida lusitanae, 615
Canis familiaris, 33, 574, 576
Canthidermis maculata, 912
Canthidermis maculatus, 907
Canthidermis, 906, 909–912, 916
Cantino, Philip D. and Olmstead, Richard G., Application of Phylogenetically Defined Names Does Not Require That Every Specifier Be Present on a Tree, 157
Cantino, Philip D., see Dayrat, Benoît, 503
Caperea marginata, 22, 23, 25, 26, 33, 34
Caperea, 25
Capitella species, 711
Carabus, 207, 210, 211
Carboxydotherrmus hydrogenoformans, 840
Carcinoscorpius rotundicauda, 922
Cardamine, 365
Carlia, 308, 560
Carolinensis, 391
Caryopteris, 514
Casarea dussumieri, 428
CAT, 874
Catalán, Pilar, see Díaz-Pérez, Antonio, 732
Catharus ustulatus, 561
Catharus, 259, 268
Cathayornis, 192
Catinaria atropurpurea, 143, 144
Catinaria, 153
Caulophacella, 391, 395, 398, 399, 402
Caulophacus (Caulodiscus), 391
Caulophacus (Caulophacus), 391
Caulophacus (Oxydiscus), 391
Caulophacus, 395, 398, 402
Cavia, 383
CBest-RBS, 767
CBest-SBS(GAMMA), 767
CBest-SBS, 767
CBest-SBS/CBest-RBS, 767
Cdx, 708, 712, 714, 715
Cedrela, 798
Cenozoic freshwater fishes, 116
Centris, 946
Cephaloleia, 59
Cercidiphyllum, 43
Cetaceans, 574
 OR subgenome of, 574
 relationships among, 580
Cetacean, 857
Cetotherium rathkii, 34
Cetotherium, 23
Cetradonia linearis, 142
Cetradonia, 156
Cetraria, 145
Chaetodipus, 449, 453, 454, 456, 457, 459, 465
Chaetomium globosum, 615
Chaetopterus variopedatus, 711
Chamaea fasciata, 644
Changchengornis, 188
Chanos, 537
Character evolution, 169
Character state reconstruction, 694
Character-state change, 195
Character-state space, 938
Charina, 429
Charlebois, Robert L., see Beiko, Robert G., 844
Chelicerata, 920
Chelonus, 940, 942
Chen, Duhong, see Sanderson, Michael J., 335
Chiapello, H., see Aguileta, G., 613
Chihuahuae, 310
Chilopoda, 931
Chirocentrus, 537
Chiroxiphia linearis, 725
Chiroxiphia pareola, 724
Chiroxiphia, 727

- Chitoria*, 235
Chlamydochaera, 259
Chlamydomonas, 108
Choeropsis liberiensis, 33
Chonecetus goedertorum, 17, 21, 23, 27, 34
Chonecetus, 23
Choneziphius, 873
Choristylis, 43
CHRNA1, 874
Chrysochloris, 315
Chrysops, 538
Chthalamus fragilis, 922
Cichlasoma, 533, 538
Cichlerminia, 263
Cichlherminia, 258, 259, 264
Citrinopsithyrus, 68
 Clade asymmetry, 116
Cladistics, 179
Cladonia digitata, 143
Cladonia peziziformis, 143
Cladonia, 142
Clark, Clay, see McGowen, Michael R., 574
Clark, John R., Ree, Richard H., Alfaro, Michael E., King, Matthew G., Wagner, Warren L. and Roalson, Eric H., A Comparative Study in Ancestral Range Reconstruction Methods: Retracing the Uncertain Histories of Insular Lineages, 693
Clarke, Andrew C., see Holland, Barbara R., 347
Clarke, Julia A., and Middleton, Kevin M., Mosaicism, Modules, and the Evolution of Birds: Results from a Bayesian Approach to the Study of Morphological Evolution Using Discrete Character Data, 185
Clarke, Julia A., see Dayrat, Benoît, 503
Clarkia, 517
Clarkii, 549
Clathrochone clathroclada, 396, 402
Clathrochone, 391, 395, 398
Clathroclada, 391
 Cluster analysis, 519
 data partitioning approach, 526
 parameter estimation, 522, 523
Cluster set, 338
 Cluster Sets, 343
 Clustering coefficient, 432
 units of co-occurrence and, 437, 438
 of a node, 438
CNGC5, 471, 473
CNR1, 500
 Coalescence, 131
 Coalescence, 466
 hybridization versus the sorting of ancestral polymorphisms tested by, 477–479
Coccidioides immitis, 615
Cochoa, 259
 Coding Meristic Characters for Phylogenetic Analysis: A Comparison of Step-Matrix Gap-Weighting and Generalized Frequency Coding, A. Michelle Lawing, Jesse M. Meik, and Walter E. Schargel, 167
 Codivergence in Heteromyid Rodents (Rodentia: Heteromyidae) and Their Sucking Lice of the Genus *Fahrenholzia* (Phthiraptera: Anoplura), Jessica E. Light and Mark S. Hafner, 449
Codon Model Equivalent to Amino Acid Model, 369
 Codon model, 367
 conventional, 371–373
Coerulea, 467
 Coevolution, 483
 Cohesion species, 628
 concept, 629
 methodological framework to, 632
 topology-based evaluation of, 639–641
COI, 292, 564, 809, 810
COII, 292
Colias eurytheme, 233
Collar, David C., see Revell, Liam J., 591
Collembola, 220
Collins, Allen G., see Dohrmann, Martin, 388
 Colonization of oceanic islands, 732
 Colonization of South America, 264
Colossendeis, 923
 Combinability, 469
Combination, 400
 Commensalism, 840
 Comparative method, 591
 Comparison of Methods for Species-Tree Inference in the Sawfly Genus *Neodiprion* (Hymenoptera: Diprionidae), Catherine R. Linnen and Brian D. Farrell, 876
 Comparison of Species Tree Methods for Reconstructing the Phylogeny of Bearded Manakins (Aves: Pipridae, *Manacus*) from Multilocus Sequence Data, Robb T. Brumfield, Liang Liu, David E. Lum, and Scott V. Edwards, 719
 Compatibility, 251, 253
 Concatenated analysis, 104
 Concatenation with monophyly constraints (CMC), 876
Conchopetalum, 796
Concornis, 192
Condylostylus, 707
Confuciusornis, 189, 197
 Congruence, 420
 analyses of support and, 422, 423
 gene tree, 428
 Consensus method, 939
 Consensus trees, 244, 785, 794
Conservation probability, 648
 Consistent Estimation of Divergence Times in Phylogenetic Trees with Local Molecular Clocks, Bodil Sennblad, 947
 Context effect, 675
 Context-dependent evolution, 675
Conti, Elena, see Mansion, Guilhem, 269
Converged, 94, 95
Convolutulus, 747
Copepoda, 931
Cophocetus oregonensis, 34
Cophocetus, 23
 Cophylogenetic methods, 449
 advantages and disadvantages, 450
 component of, 450
 data based, 452
Cophylogeny, 449
 Cophylogeny, 449
 documentation of significant, 457
 test of, 456, 457
Coprosma propinqua, 280
Coptolabrus, 207, 214
CorrAll, 763
CorrBest, 763, 764
Coryphaenoides, 537
 Cosmopolitan frog radiation, 327
 Cospeciation, 449
 testing for codivergence and, 449, 450
 as contemporaneous speciation events, 460
Cotesia, 940
Covering property, 245
CP, 438, 439

- CpG effect, 675
 Craig, Timothy P., *Evolutionary Ecology of Parasites*, second edition, 182
 Crambe, 734, 747
Cranoglanis boudierius, 118–120
Cranoglanis, 116, 126, 127
 Cranston, Karen A., *see* Sanderson, Michael J., 335
Crassula, 43
Crateromorpha (Crateromorpha), 391
Crateromorpha meyeri, 398
Crateromorpha, 395, 402, 404
Cratogeomys merriami, 463
Cratogeomys perotensis, 450
 Craven, K. D., *see* Schardl, C. L., 483
 CREM, 500
Cretotrigona prisca, 60
Cretotrigona, 62
 Crisp, Michael D., *Ghosts of Gondwana: The History of Life in New Zealand*, 329
Crocodylus niloticus, 173, 176–178
Crocodylus, 178, 181
Crocynia gossypina, 143–146
Crocynia, 150–152
Crotalus horridus, 172
 Crown Clades in Vertebrate Nomenclature: Correcting the Definition of Crocodylia, Jeremy E. Martin and Michael J. Benton, 173
 Crown groups, 841
Cryptococcus neoformans, 615
Cryptococcus, 156
Crypturellus, 192
Crysoleucas, 537
 CSN2, 17–20, 34
Ctenolepisma lineata, 922
 CTinter, 434
 CTintra, 434
 CTLA3, 874
 Cuzzo, María Gabriela, *see* Santos, Daniel A. Dos, 432
 Cummings, Michael P., *see* Regier, Jerome C., 920
 Cunningham, Clifford W., *see* Regier, Jerome C., 920
Curimata aspera, 443
Curimata cerasina, 443
Curimata cisandina, 443
Curimata cyprinoides, 443
Curimata incompta, 443
Curimata inornata, 443
Curimata knerii, 443
Curimata macrops, 443
Curimata ocellata, 443
Curimata roseni, 443
Curimata vittata, 443
Curimata, 448
Curimatella dorsalis, 443
Curimatella lepidura, 442, 443
Curimatella meyeri, 443
Curimatella, 448
Curimatopsis crypticus, 443
Curimatopsis microlepis, 443
Curimatopsis myersi, 443
Cyanophora paradoxa, 686
Cyclamen balearicum, 280
Cyclamen, 283, 285
 Cycles, 381, 383
Cylindrophis, 429
Cynomorium coccineum, 39
Cynomorium, 56
Cyphocharax aspilos, 442
Cyphocharax gangamon, 443
Cyphocharax gilbert, 442, 443
Cyphocharax gillii, 443
Cyphocharax gouldingi, 443
Cyphocharax laticlavius, 443
Cyphocharax leucostictus, 443
Cyphocharax meniscaprorus, 443
Cyphocharax mestomyllon, 443
Cyphocharax microcephalus, 443
Cyphocharax modestus, 443
Cyphocharax nagelii, 443
Cyphocharax nigripinnis, 443
Cyphocharax notatus, 443
Cyphocharax oenas, 443
Cyphocharax pantostictos, 443
Cyphocharax platanus, 443
Cyphocharax plumbeus, 443
Cyphocharax saladensis, 443
Cyphocharax spilolus, 443
Cyphocharax spiluropsis, 443
Cyphocharax stilbolepis, 443
Cyphocharax vanderi, 443
Cyphocharax vexillapinnus, 443
Cyphocharax voga, 443
Cypridopsis vidua, 922
Cypridopsis, 925, 927, 929
 Cyrestis, 237
Cyrtandra richii, 707
Cyrtandra, 693–699, 701–707
Cyrtandra, 693
D. dyeriana, 796, 800, 804
D. heermanni, 450, 465
D. melanogaster, 935
D. merriami, 465
D. microps, 465
D. nelsoni, 465
D. ordii, 465
D. panamintinus, 465
D. persimilis, 308, 479, 480, 560, 730, 889
D. phillipsii, 465
D. rerio, 521
D. santomea, 481
D. simulans, 669
D. sinensis, 796, 800, 804
D. spectabilis, 465
Dactylurina, 60
Dakosaurus andiniensis, 176
 Dalebout, Merel L., Steel, Debbie and Baker, C. Scott, *Phylogeny of the Beaked Whale Genus Mesoplodon (Ziphiidae: Cetacea) Revealed by Nuclear Introns: Implications for the Evolution of Male Tusks*, 857
Danio rerio, 791
Danio, 537
Daphnia, 220
 Data for Evolution (DRIADE), 1
 Data partitioning, 388, 519, 920
 rate variation, 393
 28S, 393
 dinosaur, 902
 Dataset, 711
 Dayrat, Benoît, Cantino, Philip D., Clarke, Julia A., and de Queiroz, Kevin, *Species Names in the PhyloCode: The Approach Adopted by the International Society for Phylogenetic Nomenclature*, 507
 de Queiroz, Kevin, *see* Dayrat, Benoît, 503
Debaryomyces hansenii, 615

- Decision theory (DT), 76, 77
Delphinapterus leucas, 33
 Delphinidae, 574
Delphinus delphis, 576–578, 583, 588
 Deméré, Thomas A., McGowen, Michael R., Berta, Annalisa and Gatesy, John, Morphological and Molecular Evidence for a Stepwise Evolutionary Transition from Teeth to Baleen in Mysticete Whales, 15
Dendrocrambe, 747
Dendroscope, 736
Denticrenatus, 22
Depressaria, 240
Deschampsia foliosa, 746
Descurainia, 267
Desmognathus fuscus conanti, 172
Desmognathus fuscus fuscus, 172
 Developmental biology, 378
 analysis of, 379, 380
 evolution of, 380
 Developmental sequences, 378
Deviacer wolfei, 806
 Dhingra, Amit, see Jian, Shuguang, 38
 Diapsida, 179
Diaulula sandiegensis, 513
Diaulula, 513
Dicamptodon aterrimus, 84, 560
Dicamptodon tenebrosus, 561
 Dinosaurs, 891
 sample of, 899
 avian, 892
 nonavian, 899
Diorocetus hiatus, 34
Diorocetus, 23
Dioryctria, 645
Diplocynodon muelleri, 181
Diplocynodon ratelii, 180
Diplocynodon, 180
Dipodomys deserti, 451
Dipodomys ordii, 456
Dipodomys, 449, 452–454, 456, 457, 459, 460, 465
Dipteronia dyerana, 808
Dipteronia, 795–808
 Dirichlet process prior, 671
Discodoridae Diaulula sandiegensis, 513
Discodoridae, 511, 513, 514
 Disconcordant trees, 540
 Discordance of Species Trees with Their Most Likely Gene Trees: The Case of Five Taxa, Noah A. Rosenberg and Randa Tao, 131
 Discrete gamma categories, 141
 Dispersal models, 732
 hypothesis testing of populations' IBD and, 742–744 and the PCT, 745
 Bayesian approaches and, 746
 Dispersal-extinction-cladogenesis (DEC), 6, 8, 11, 13
Dispersal-mediated allopatry, 693
 Dispersal-mediated allopatry, 693
 Dispersal-vicariance analysis, 257
 Dispersal, 4
 explicit model of, 5
 rates of, 6
 between areas and rates of local extinction, 6, 7
 estimated rates for, 7
 history of the clade, 7
 constraints, 11
 unrealistic sequence of range evolution in, 13
 DIVA, 269
Divergence of, 729
 Diversification rates, 905
Divisestylus, 43, 52, 54, 55
DMP1, 16–18, 21, 26, 27, 33, 34
Dmp1, 33
 DNA barcoding, 202, 216, 628
Dodonaea, 796
 Does Choice in Model Selection Affect Maximum Likelihood Analysis?, Jennifer Ripplinger and Jack Sullivan, 76
 Dohrmann, Martin, Janussen, Dorte, Reitner, Joachim, Collins, Allen G., and Wörheide, Gert, Phylogeny and Evolution of Glass Sponges (Porifera, Hexactinellida), 388
 Domínguez, Eduardo, see Santos, Daniel A. Dos, 432
 Doolittle, W. Ford, see Beiko, Robert G., 844
Doridina, 514
 Dornburg, Alex, Santini, Francesco and Alfaro, Michael E., The Influence of Model Averaging on Clade Posteriors: An Example Using the Triggerfishes (Family Balistidae), 905
Dorosoma, 537
Dorudon atrox, 33
Dorudon, 30
 Dot maps, 432
 Double-membrane, 835
 Doyle, Jeff J., see Maureira-Butler, Iván J., 466
 DQA, 874
Dracophyllum, 330
Dracunculus muscivorus, 284
Dracunculus, 271, 272, 276, 279, 280, 282
Dromiciops gliroides, 315
Drosophila melanogaster, 240, 674, 780, 921, 926, 932
Drosophila pseudoobscura, 308, 479–482, 560, 730, 889
Drosophila simulans, 155
Drosophila yakuba, 481
Drosophila, 241, 373, 374, 478, 481, 589, 626, 645, 669, 674, 731, 857, 921, 922, 932, 938
Drosophila/Homo, 921
Dyeriana, 796
Dysidea etheria, 392
Dysidea, 392, 396
 Díaz-Pérez, Antonio, Sequeira, Miguel, Santos-Guerra, Arnoldo and Catalán, Pilar, Multiple Colonizations, In Situ Speciation, and Volcanism-Associated Stepping-Stone Dispersals Shaped the Phylogeography of the Macaronesian Red Fescues (*Festuca* L., Gramineae), 732
E. argentina, 440, 441
E. australis, 578
E. coli, 214, 837
E. cryptomphala, 440, 441
E. escoipensis, 440, 441
E. glacialis, 23
E. guevarai, 440, 441
E. hemiclausa, 440, 441
E. hieronymi, 440, 441
E. jujuyensis, 440, 441
E. parodizi, 440, 441
E. puella, 440, 441
E. puntana, 440, 441
E. quirogai, 440, 441
E. rhathymos, 440, 441
E. saltana, 440, 441
E. tomsici, 440, 441
E. tranquelleonis, 440, 441
E. trifasciata, 440, 441
E. trigrammephora, 440, 441
E. tucumanensis, 440, 441
E. variegata, 440, 441

- E. villavilensis*, 440, 441
E. walshi, 440, 441
ear1, 482
Echiniscus viridissimus, 923
Echinopogon ovatus, 485
Echium, 734, 744, 747
Eco, 351, 734
 Ecological interchangeability, 628
 second assessment of, 632
 evaluation of, 641, 642
Ecology and Evolution of Flowers, 516
 Ecology and Evolution of Flowers, Jeff Ollerton, 516
Edeni, 25
Edwards, Scott V., see Brumfield, Robb T., 719
EF-1 α , 920–923, 926, 931, 937
EF-2, 920–923, 926, 931, 937
 Efficiency of Markov Chain Monte Carlo Tree Proposals in Bayesian Phylogenetics, Clemens Lakner, Paul van der Mark, John P. Huelsenbeck, Bret Larget, and Fredrik Ronquist, 86
 Efficient algorithm, 345
Effigia okeefeae, 176
Eizirik, Eduardo, see Springer, Mark S., 499
 Ekman, Stefan, Andersen, Heidi L. and Wedin, Mats, The Limitations of Ancestral State Reconstruction and the Evolution of the Ascus in the Lecanorales (Lichenized Ascomycota), 141
Elaphe obsoleta, 172
Elicodicerus muscivorus, 280
Elongation factor-1 α , 878
Elops, 537
Elymnias, 240
Elymus canadensis, 485
Eminium koenianum, 283
Eminium, 271, 272, 276, 279, 283, 284
 ENAM, 15, 17, 18, 21, 23, 25–27, 32–34
 Enamelin (ENAM), 15, 32
Endeis laevis, 923
 Endemism, 269
 Hercynian, 270, 271
 Mediterranean, 271
 Corsican, 280
 paleo-, 280
 Endophytes, 483
 Endosymbiotic gene transfer, 104
Eoalulavis, 188
 Eocene extinction, 116
Eocetus wardii, 33
Eomysticetus whitmorei, 23, 27, 30, 34
Eomysticetus, 15
Eosuchus lerichei, 181
Eosuchus minor, 181
Epicephala, 463
Epichloë amarillans, 485
Epichloë baconii, 485
Epichloë brachyelytri, 485
Epichloë bromicola, 485
Epichloë elymi, 485
Epichloë festucae, 485
Epichloë glyceriae, 485
Epichloë sylvatica, 485, 497
Epichloë typhina, 485
Epichloë, 485
Epicrates, 32, 889
Epiperipatus biolleyi, 939
Epiphragmophora, 440, 441, 447
 Equalrates Markov (ERM) model, 119, 161, 163, 165
Erebia, 240
Eremita, 263
 Error rates, 347, 356
 Error rates, 356
Eryx, 429
Escherichia coli, 826, 837
Eschrichtius robustus, 23
Eschrichtius robustus, 25, 26, 30, 33, 34
Eschrichtius, 25, 29
Eshanosaurus, 893, 901
Esox, 537
 Estimating Evolution of Temporal Sequence Changes: A Practical Approach to Inferring Ancestral Developmental Sequences and Sequence Heterochrony, Luke B. Harrison and Hans C. E. Larsson, 378
Eubalaena australis, 33, 34
Eubalaena glacialis, 23, 33, 34
Eubalaena japonica, 33, 34, 576, 578, 583
Eubalaena, 23, 29, 34, 583, 586, 588
Eublepharus turkmenicus, 564, 566
Euchel:genes, 930, 934, 936
Euchelicerata, 931
Euglena, 220
Eulemur, 601
Eumesocampa fragilis, 922
EuMyPan:genes, 932, 934, 936
Euphorbia, 748
Euphractus sexcinctus, 317
Euplectella, 389, 391, 395, 398, 402, 403
Euproctus, 282
Eurycea, 514
Eurypauropus spinosus, 922
Eurytemora affinis, 922
Euthyneura, 514
Euxanthe, 235
 Event-pairs, 378
 matrix, 378
 tracing of, 379
 cracking, 379
 tree, 384
 Evidence for a New Root of the Tree of Life, James A. Lake, Jacqueline A. Servin, Craig W. Herbold, and Ryan G. Skophammer, 835
 Evolutionary developmental biology, 378
Evolutionary Ecology of Parasites, 182
Evolutionary Ecology of Parasites, second edition, Timothy P. Craig, 182
 Evolutionary lability, 591
Evolutionary Pathways, 184
 Evolutionary simulation, 844
 Evolution, 15
 of nutrient foramina and baleen, 27
 in Mysticeti, 21
Exiliboa, 429
 Exons, 231
 finding and amplifying, 233, 234
 assessing long, 235
Explicit ancestral range reconstruction, 694
 Extant phylogenetic bracket (EPB), 174
 Extending subtree swapper (eSTS), 87, 91, 103
 Extending tree bisection and reconnection (eTBR), 88, 91
 Extinction, 4
F. agustinii, 732–747
F. boleni, 465
F. ehrlichi, 465
F. fairchildi, 450, 465
F. ferrisi, 465

- F. francoi*, 732–740, 742–746
F. Francoi, 738
F. hertigi, 458, 465
F. jubata, 732–742, 744, 745
F. microcephala, 451, 465
F. occa, 393, 394, 396
F. petraea, 732–740, 742–747
F. pinnata, 452, 465
F. reducta, 452, 465
F. rivularis, 732, 733, 744
F. rubra, 733
F. texana, 465
F. tribulosa, 465
F. zacatecae, 452, 465
Fagustinii, 744
Fabaceae, 466
Fagales, 807
Fagonia, 267, 917
Fahrenholzia, 449, 451, 453–458, 460, 463, 465
Falcao, 480
Farrea occa, 390, 396, 404
Farrea, 389, 391, 395
Farrell, Brian D., see Linnen, Catherine R., 876
Fellhanera bouteillei, 143
Fellhanera subtilis, 143
Female holotype, 646
Female paratype, 646
Fernández, Hugo R., see Santos, Daniel A. Dos, 432
Feroidobombus, 62, 68–70, 72, 74
Festuca agustinii, 733, 740
Festuca francoi, 741
Festuca jubata, 737, 739, 741
Festuca longifolia, 485
Festuca petraea, 741, 746
Festuca rubra, 485
Festuca, 732–738, 740–745, 747
Festuca sect. *Aulaxyper*, 732
Ficus, 463
Filter-feeding, 15
Filtered Z-Closure Supernetworks for Extracting and Visualizing
 Recurrent Signal from Incongruent Gene Trees, James B.
 Whitfield, Sydney A. Cameron, Daniel H. Huson, and Mike A.
 Steel, 939
Firmicutes, 835
Fischer, Mareike, see Bandelt, Hans-Jürgen, 540
Flavipinnis, 537
Forficula auricularia, 922
Forficula, 925, 927, 929
Fossil calibration, 269
Fossil record, 891
 relationship between cladistic/stratigraphic congruence and the
 completeness of, 899, 900
Fournier, E., see Aguilera, G., 613
Frutidella caesiaatra, 143
Fugu, 421
Functional constraint, 591
Fundulus, 537
Fungi, 613
FUNYBASE, 613
Fusarium graminearum, 615
G. aculeatus, 521
G3pdh, 704
Gadus, 537
Gallotia-Galloti, 284
Gallus, 421
Gambusia, 537
Ganley, Austen R. D., see Regier, Jerome C., 920
Gap excess ratio, 891
GARLI program, 770
Gasterosteus, 537
Gastropoda, 514
Gatesy, John, see Deméré, Thomas A., 15
Gatesy, John, see McGowen, Michael R., 574
Gavialis gangeticus, 173
Gavialis, 178, 181
GBSSI, 704
Geisler, Jonathan H., see Asher, Robert J., 311
Gekko gecko, 421
GenBank
 data, 335
 taxonomic diversity, 336
 annotations, 336
 tracking changes, 342
 release 159, 342
Gendrault-Jacquemard, A., see Aguilera, G., 613
Gene content tree, 844
Gene Mapper, 358, 359
Gene trees, 243, 249, 420, 719
 congruence between, 723, 724
 statistical consistency of ML species supertrees for, 246, 247
 true, 247
 estimation of, 294, 295
 a posterior distribution of, 299
 probability density function of, 299
 topologies, 300
 versus concatenated tree versus species trees, 304–306
Gene-tree discordance, 876
Gene-tree reconciliation, 574
General no-common-mechanisms, 670
Genetic distance, 219
Genetic drift, 591
 rate of phenotypic evolution by, 594
 heterogeneous rate, 595, 597
 constant-rate, 596
 neutral, 600
Genista, 279, 748
Genome phylogeny, 844
Genome phylogeographic history, 559
Genomes, 855
Genomic Outposts Serve the Phylogenomic Pioneers: Designing
 Novel Nuclear Markers for Genomic DNA Extractions of
 Lepidoptera, Niklas Wahlberg and Christopher West Wheat,
 231
Gentiana, 73
Geocarpa, 475
Geodesic distance, 436
Geomydoecus oregonus, 464
Geomys breviceps, 297
Gesneriaceae, 693
Ghosts of Gondwana, 329, 331
Ghosts of Gondwana: The History of Life in New Zealand, Michael D.
 Crisp, 329
GHR, 500
GI, 338
Giardia-Lamblia, 840
Gilia, 283
Ginnala, 800
Giraud, T., see Aguilera, G., 613
Gitzendanner, Matthew A., see Jian, Shuguang, 38
Glesne, 537
Glochidion, 463
Glomerata, 467

- Glyceria striata*, 485
Glycine, 480
Glyphopeltis ligustica, 143
Glyphorhynchus spirurus, 729, 731
Glypta, 940
Glyptapanteles, 940
gncm, 670, 671, 673
Gnetum, 808
Gobipteryx, 192
Gorilla, 505
Grabau, 188
Grande Coupure, 69, 74
Grantiopsis, 392
Grasses, 483
 clades of, 489
 cool season, 484, 489, 495
 endophyte-infected, 484
Greedy algorithm, 825
 for MAD, 832
GREEDYMMD, 827, 830, 831, 833
 HisA, 836, 838
Greta, 237
Grimm, Guido W., see Renner, Susanne S., 795
Growth heterochrony, 378
Gryllus firmus, 172
Gryposuchus, 180
GR, 575, 579, 580
GS, 478
Gsx, 708, 712, 714, 715
GTR, 206–211, 213
Gymmoderma, 156
Gymnotus, 172
Gyrodactylus, 463
H. annuus, 466
H. anomalus, 466
H. carolinensis, 391
H. deserticola, 466
H. desmarestianus, 465
H. irroratus, 465
H. muscivorus, 279, 280
H. mustelina, 259
H. paradoxus, 466
H. petiolaris, 466
H. pictus, 465
H. salvini, 465
Haasiophis terrasanctus, 322
Haasiophis, 322
Haematomma ochroleucum, 143
Hafner, Mark S., see Light, Jessica E., 449
Halecania alpivaga, 143, 144
Halecania, 153
Halictus, 889
Hallopus victor, 179
Handeliodendron bodinieri, 796
Handeliodendron, 796, 798
Hanseniella, 922
Haplotype trees, 639
Harbansus paucichelatus, 922
Hardman, Lotta M., see Hardman, Michael, 116
Hardman, Michael and Hardman, Lotta M., The Relative Importance of Body Size and Paleoclimatic Change as Explanatory Variables Influencing Lineage Diversification Rate: An Evolutionary Analysis of Bullhead Catfishes (Siluriformes: Ictaluridae), 116
Harmon, Luke J., Melville, Jane, Larson, Allan, and Losos, Jonathan B., The Role of Geography and Ecological Opportunity in the Diversification of Day Geckos (*Phelsuma*), 562
Harmon, Luke J., see Revell, Liam J., 591
Harrison, Luke B., and Larsson, Hans C. E., Estimating Evolution of Temporal Sequence Changes: A Practical Approach to Inferring Ancestral Developmental Sequences and Sequence Heterochrony, 378
Hassianycteris, 502
Hastings ratio, 86
Hawai'i, 4
Heath, Tracy A., Zwickl, Derrick J., Kim, Junhyong and Hillis, David M., Taxon Sampling Affects Inferences of Macroevolutionary Processes from Phylogenetic Trees, 160
Heathcote, Julia F., see Wills, Matthew A., 891
Heating parameter, 393
Helianthus deserticola, 480
Helianthus, 466, 481
Helichrysum frigidum, 280
Helichrysum, 283
Helicodiceros muscivorus, 269, 271, 272, 277, 279, 281–283
Helicodiceros, 271, 272, 276, 279, 280, 282
Heliconius melpomene, 232, 241
Heliconius, 233, 235, 237, 308, 730
Helobdella robusta, 711
Helobdella triserialis, 711
Helocarpon crassipes, 143
Helocarpon, 142, 153
Hemidactyliini, 514
Hemiplasy: A New Term in the Lexicon of Phylogenetics, John C. Avise and Terence J. Robinson, 503
Hendry, Tory A., see Jian, Shuguang, 38
Hepialus, 240
Herbert, Dai, Phylogeny and Evolution of the Mollusca, 955
Herbold, Craig W., see Lake, James A., 835
Herpetocetus, 31
Herteliana taylorii, 143
Hesionidae, 514
Hesperornis, 185, 187
Heterochone calyx, 389
Heterochone, 389, 391, 395, 396, 402
Heterochrony, 378
 on a single phylogeny, 379, 380
 debt, 385
Heteromys pictus, 451
Heteromys, 449, 453, 454, 456, 457, 465
Heteropodarke, 514
Heuchera, 56
Heuristics, 759
Hexasters, 400
Hexactinella carolinensis, 389
Hexactinella, 391, 395, 396, 398
Hexactinellida, 388
 taxonomy of, 394
 molecular phylogeny of, 396, 399
 phylogeny of, 400–402
Hexagenia limbata, 922
Hexapoda, 931
Hierarchical clustering, 104
Hierarchical likelihood-ratio test (hLRT), 76, 84
Hillebrandia sandwicensis, 327
Hillis, David M., see Heath, Tracy A., 160
Hines, Heather M., Historical Biogeography, Divergence Times, and Diversification Patterns of Bumble Bees (Hymenoptera: Apidae: *Bombus*), 58
Hiodon, 538
Hirudo medicinalis, 711
Historical Biogeography, Divergence Times, and Diversification Patterns of Bumble Bees (Hymenoptera: Apidae: Bombus), Heather M. Hines, 58

- Historical biogeography, 4, 116, 257, 432
 Quantitative statistical inference in, 4
 methodological links between character evolution and, 11, 12
 constraints on range evolution, 12
- Historis*, 237
- HKY, 208, 212
- HLRT, 76–79
- Holarctic, 58
- Holcus mollis*, 485
- Holder, Mark T., Sukumaran, Jeet and Lewis, Paul O., A Justification for Reporting the Majority-Rule Consensus Tree in Bayesian Phylogenetics, 814
- Holland, Barbara R., Clarke, Andrew C., and Meudt, Heidi M., Optimizing Automated AFLP Scoring Parameters to Improve Phylogenetic Resolution, 347
- Holostei, 519
- Homeobox, 708
- Homo sapiens*, 20, 33, 469, 521, 574, 576, 583, 620, 780, 921, 926, 932
- Homo*, 174, 175, 341, 421, 505, 537, 922
- Homoplasy, 503
- Homoplasy, 251
- Hoover, Paul, *see* Stamatakis, Alexandros, 758
- Hoplodactylus maculatus*, 285
- Hordelymus europaeus*, 485
- Hordeum brevisubulatum*, 485
- Hordeum marinum*, 283, 644
- Host, 449
 multi host parasite, 460
 vertebrate, 460
 switching, 462
 parasite relationship, 462
- Hox1*, 708, 712, 714, 715
- Hox10*, 712
- Hox14*, 708
- Hox2*, 708, 712, 714, 715
- Hox3*, 708, 712, 714, 715
- Hox4*, 708, 712, 714, 715
- Hox5*, 712, 714, 715
- Hox6*, 714, 715
- Hox7*, 715
- Hox8*, 708, 714, 715
- Hox9*, 708, 712, 714, 715
- Hoya*, 482
- Huelsenbeck, John P., Ané, Cécile, Larget, Bret, and Ronquist, Fredrik, A Bayesian Perspective on a Non-parsimonious Parsimony Model, 406
- Huelsenbeck, John P., *see* Lakner, Clemens, 86
- Huelsenbeck, John P., *see* Munch, Kasper, 750
- Huson, Daniel H., *see* Whitfield, James B., 939
- Hussey, April, *see* Regier, Jerome C., 920
- Hutchinsoniella macracantha*, 922
- Hyalonema*, 389, 391, 395, 396, 401
- Hybridization, 466
 versus the sorting of ancestral polymorphisms tested by coalescence simulation, 477–479
- Hybridization, 876
- Hydra circumcincta*, 392
- Hydra littoralis*, 392
- Hydra*, 392
- Hydrozoa, 392
- Hylaeochampsia vectiana*, 181
- Hyllota*, 267
- Hylocichla*, 259
- Hypanartia*, 235
- Hypericum balearicum*, 280
- Hypericum*, 282
- Hyperoodon planifrons*, 862
- Hyperoodon rostratus*, 30
- Hypochaeris*, 366
- Hypochilus thorelli*, 644
- Hypochilus*, 644
- Hypogymnia physodes*, 143
- Hypothesis tests, 76
 ML hypothesis test, 79
 model-averaged, 81
 outcome of, 83
- Hypotheticus*, 511
- Hypotrigona*, 60
- Hypsipetes*, 573
- Högnabba 101*, 143
- I. australis*, 117
- I. balsanus*, 117, 119
- I. batatas*, 351
- I. dugesi*, 116, 117, 119
- I. furcatus*, 117, 119
- I. lupus*, 119, 121, 125
- I. meridionalis*, 116, 117, 119
- I. mexicanus*, 117, 119
- I. naevia*, 259
- I. ochoterenai*, 116, 119
- I. panicea*, 396, 402
- I. pricei*, 117, 119
- I. punctatus*, 119, 121, 125–127
- I. tiliacea*, 351, 355
- Iaceornis*, 188
- Iberomesornis*, 188
- Icaronycteris*, 502
- ICBN, 507–512
- Ichthyornis*, 185, 200, 514
- ICPN, 507
- Ictalurus furcatus*, 118, 121, 122, 126, 127
- Ictalurus lupus*, 118
- Ictalurus punctatus*, 117–119, 791
- Ictalurus rhaea*, 119
- Ictalurus*, 116, 117, 119, 121, 125, 126, 538
- ICZN, 507–513
- Immigration-mutation-death process, 772
- Importance sampling, 294
- In silico*, 365
- Incertae sedis*, 390, 391, 396, 402, 405
- Incomplete lineage sorting, 202, 294
 of daughter species, 295
 demographic scenarios of, 305
- Incomplete lineage sorting, 719
- Incongruence length difference (ILD) test, 104
- Incongruence, 466
 test of, 472
 various causes of, 474–477
 among data sets, 479
- Incongruence, 613
- Indels, 835
- Independent contrasts, 129
- Indian Ocean, 562
- Indopacetus pacificus*, 873
- Indostomus paradoxus*, 315
- Inferring Species Membership Using DNA Sequences with Back-Propagation Neural Networks, A. B. Zhang, D. S. Sikes, C. Muster, and S. Q. Li, 202
- Inocybe*, 155
- Insecta*, 752–755
- Institutional abbreviations*:, 34
- Intercept*, 763, 767

- Intermediary species, 432
 and betweenness measure, 436, 437
 removal of, 438
 clustering value of, 438
- Internal nodes*, 338
- International Code of Botanical Nomenclature*, 507
- International Code of Phylogenetic Nomenclature*, 507
- International Code of Zoological Nomenclature*, 507
- Interpenetrate*, 435
- Intertextae*, 474, 475, 481
- Introgression, 876
- Intron conservation, 772
 inference based on, 779–781
 phyla representatives used in, 780
 parameter estimates for, 781
- Iphiteon panicea*, 394, 396, 399, 401
- Iphiteon*, 391, 395, 398, 401
- Ipomoea batatas*, 349, 350
- Ipomoea*, 351, 353–364
- IRBP, 501
- Isanacetes laticephalus*, 34
- Isanacetes*, 23
- Ischyrochampsia meridionalis*, 180
- Isisfordia duncani*, 177
- Isohypsibius elegans*, 923
- Ithomia*, 232, 242
- Ixoreus*, 259
- Janjucetus hunderi*, 17, 23, 34
- Janussen, Dorte*, see Dohrmann, Martin, 388
- Jian, Shuguang, Soltis, Pamela S., Gitzendanner, Matthew A., Moore, Michael J., Li, Ruiqi, Hendry, Tory A., Qiu, Yin-Long, Dhiragra, Amit, Bell, Charles D. and Soltis, Douglas E., Resolving an Ancient, Rapid Radiation in Saxifragales, 38
- Kalanchoe*, 42
- Kelneriapis*, 60
- Keratoperma allenbyense*, 284
- KH test, 450
- Kim, Junhyong and Sanderson, Michael J., Penalized Likelihood Phylogenetic Inference: Bridging the Parsimony-Likelihood Gap, 665
- Kim, Junhyong, see Heath, Tracy A., 160
- Kimura two-parameter (K2P) model, 77, 78, 81, 84
- King, Matthew G., see Clark, John R., 693
- Kishino, Hirohisa, see Seo, Tae-Kun, 367
- KITLG, 17–19, 34
- Kluyveromyces lactis*, 615
- Koeleria cristata*, 485
- Koelreuteria*, 796
- Kogia breviceps*, 33, 578
- Kogia sima*, 574, 583
- Kogia*, 23
- Krog & Timdal MAU61/08*, 143
- Kuczynski, Caitlin A., see Wiens, John J., 420
- L. atrosanguinea*, 149
- L. fuscoatra*, 149
- L. kurilensis*, 214
- L. silacea*, 142
- Labidesthes*, 537
- Lacantunia enigmatica*, 128
- Lachnum*, 156
- Lactuca*, 748
- Lake, James A., Servin, Jacqueline A., Herbold, Craig W. and Skophammer, Ryan G., Evidence for a New Root of the Tree of Life, 835
- Lakner, Clemens, van der Mark, Paul, Huelsenbeck, John P., Larget, Bret and Ronquist, Fredrik, Efficiency of Markov Chain Monte Carlo Tree Proposals in Bayesian Phylogenetics, 86
- LALBA*, 577, 579, 588
- Lama guanicoe*, 33
- Lamium purpureum*, 158
- Landscape, 544
- Lanfear, Robert and Bromham, Lindell, Statistical Tests between Competing Hypotheses of Hox Cluster Evolution, 708
- Lapparentophis defrennei*, 320
- Large data sets, 38
- Larget, Bret, see Huelsenbeck, John P., 406
- Larget, Bret, see Lakner, Clemens, 86
- Larson, Allan, see Harmon, Luke J., 562
- Larsson, Hans C. E., see Harrison, Luke B., 378
- Lateral gene transfer (LGT), 104, 113
- Lateral gene transfer, 104
- Lateral genetic transfer (LGT), 844, 845, 847, 848, 849, 852
- Lateral genetic transfer, 844
- Laudakia caucasia*, 572
- Lavatera*, 269, 748
- Lawing, A. Michelle, Meik, Jesse M. and Schargel, Walter E., Coding Meristic Characters for Phylogenetic Analysis: A Comparison of Step-Matrix Gap-Weighting and Generalized Frequency Coding, 167
- Lebrun, M.-H., see Aguilera, G., 613
- Lecania atrynoides*, 143
- Lecanora intumescens*, 143
- Lecanora*, 141, 143, 145, 146, 150–154, 156
- Lecanorales, 141
- Lecidea atrosanguinea*, 143
- Lecidea fuscoatra*, 142, 143
- Lecidea silacea*, 143
- Lecidea turgidula*, 143, 149
- Lecidea*, 149, 153, 154
- Lecidella meiococca*, 143
- Lecontei*, 876–878, 880, 886, 888
- Lecontei*, 885
- Lee, Christopher J., see Alekseyenko, Alexander V., 772
- Lehtonen, Samuli, Phylogeny Estimation and Alignment via POY versus Clustal + PAUP*: A Response to Ogden and Rosenberg (2007), 653
- Leidyosuchus canadensis*, 181
- Leidyosuchus*, 181
- Leigh, Jessica W., Susko, Edward, Baumgartner, Manuela and Roger, Andrew J., Testing Congruence in Phylogenomic Analysis, 104
- Lemmon, Alan R., and Lemmon, Emily Moriarty, A Likelihood Framework for Estimating Phylogeographic History on a Continuous Landscape, 544
- Lemmon, Emily Moriarty, see Lemmon, Alan R., 544
- Leotia lubrica*, 156
- Lepas anserifera*, 922
- Lepidoptera, 231
- Lepidothrix coronata*, 730
- Lepidothrix coronta*, 729
- Lepisosteidae*, 531, 532
- Lepisosteus*, 116, 519, 520, 527, 532, 537
- Lepraria bergensis*, 143
- Lepraria lobificans*, 143
- Lepraria*, 150
- Leptocarabus*, 207, 210, 214, 215
- Leptopogon*, 267
- Leptospirae*, 474
- Lethe*, 240
- Leucascus*, 392
- Leuckarti*, 391
- Leucophanella*, 514
- Leucopsacus*, 391, 395
- Lewis, Paul O., see Holder, Mark T., 814

- Li, Chenhong, Lu, Guoqing, and Ortí, Guillermo, Optimal Data Partitioning and a Test Case for Ray-Finned Fishes (Actinopterygii) Based on Ten Nuclear Loci, 519
- Li, Guoliang, Steel, Mike, and Zhang, Louxin, More Taxa Are Not Necessarily Better for the Reconstruction of Ancestral Character States, 647
- Li, Ruiqi*, see Jian, Shuguang, 38
- Li, S. Q.*, see Zhang, A. B., 202
- Li, Wai Lok Sibon*, see Ross, Howard A., 216
- Libinia emarginata*, 922
- Libythea*, 237
- Libytheana*, 235
- Lichanura*, 429
- Lichens, 141
- Light, Jessica E., and Hafner, Mark S., Codivergence in Heteromyid Rodents (Rodentia: Heteromyidae) and Their Sucking Lice of the Genus *Fahrenholzia* (Phthiraptera: Anoplura), 449
- Likelihood function, 675
- Likelihood methods, 693
- Likelihood ratio testing, 104
- Likelihood-ratio test (LRT), 43, 76, 105, 367
- Liliopsida*, 752–755
- Limenavis*, 188
- Limnadia lenticularis*, 922
- Limulus polyphemus*, 922, 923
- Limulus*, 925, 927
- Lindstrom, A.*, see Schardl, C. L., 483
- Lineage sorting, 307
- Lineage sorting, 131, 466, 876
- Lineage-through-time (LTT), 58
- Lingula anatina*, 711
- Linnen, Catherine R. and Farrell, Brian D., Comparison of Methods for Species-Tree Inference in the Sawfly Genus *Neodiprion* (Hymenoptera: Diprionidae), 876
- Liomys*, 449, 454, 465
- Liotrigona*, 60
- Liotrionopsis*, 60
- Liotyphlops*, 428
- Liquidambar*, 43, 55, 56
- Lissodelphis borealis*, 33
- Lithobius forficatus*, 922
- Lithobius*, 925, 927
- Lithornis*, 192
- Liu, Liang*, see Belfiore, Natalia M., 294
- Liu, Liang*, see Brumfield, Robb T., 719
- Llanocetus denticrenatus*, 30
- Llanocetus*, 22, 31
- Lobodon carcinophagus*, 15
- Lolium arundinaceum*, 485
- Lolium edwardii*, 485
- Lolium multiflorum*, 485
- Lolium perenne*, 485
- Lolium*, 485
- Long branch attraction, 38
- Lopadium disciforme*, 143
- Lopadium*, 153
- Lophius*, 538
- Lophocalyx*, 391, 395, 398, 402
- Losos, Jonathan B.*, see Harmon, Luke J., 562
- Lotus*, 748
- Low copy nuclear genes, 466
- Loxocemus*, 429
- Loxothylacus texanus*, 922
- LR1+nt3*, 929
- LR1*, 923, 925–929, 935, 937, 938
- Lu, Guoqing*, see Li, Chenhong, 519
- Lucius*, 537
- Lum, David E.*, see Brumfield, Robb T., 719
- Lupularia*, 474
- Lutjanus*, 533, 538
- Lycodes*, 533, 538
- Lycopersicon*, 365
- Lygodactylus*, 564, 566
- Lynceus*, 922
- Lysichiton*, 283
- M. rhodopea*, 473
- M. arabica*, 467, 473
- M. arborea*, 467, 468, 475
- M. astroides*, 468
- M. aurantiacus*, 719–723, 725, 728
- M. auranticaus*, 727
- M. bahamondi*, 874
- M. bidens*, 864, 865
- M. biflora*, 468, 482
- M. blancheana*, 467
- M. bowdoini*, 864, 871
- M. brachycarpa*, 468
- M. cancellata*, 481
- M. candei*, 719–723, 725, 727–729
- M. carlhubbisi*, 864, 865, 871
- M. carstiensis*, 467
- M. ciliaris*, 467, 473
- M. constricta*, 467
- M. coronata*, 467, 479
- M. crassipes*, 468
- M. cretacea*, 468, 475
- M. densirostris*, 861, 864–866, 871
- M. disciformis*, 467, 479
- M. doliata*, 467
- M. edgeworthii*, 466, 467
- M. europaeus*, 32, 864, 865
- M. europeus*, 871
- M. falcata*, 480
- M. fischeriana*, 468
- M. ginkgodens*, 864, 865, 868
- M. granadensis*, 467, 473
- M. grayi*, 864, 865
- M. hectori*, 864, 865, 871, 872
- M. heymaniana*, 467, 479, 482
- M. huberi*, 468, 482
- M. hybrida*, 480, 481
- M. intertexta*, 467, 473
- M. italica*, 467, 482
- M. laciniata*, 467
- M. lanigera*, 467, 482
- M. laxispira*, 467, 482
- M. layardii*, 859, 864, 868, 871
- M. lesinsii*, 467, 475, 482
- M. littoralis*, 467, 481
- M. lupulina*, 467, 474, 479, 482
- M. manacus*, 719–723, 725, 727–729
- M. marina*, 467, 473
- M. micrococca*, 149
- M. minima*, 467, 479
- M. mirus*, 32, 864, 865, 871
- M. monspeliaca*, 468
- M. murex*, 467
- M. muricolepsis*, 467, 473
- M. noeana*, 467
- M. novaeangliae*, 25
- M. orbicularis*, 467, 482
- M. perrini*, 864, 865, 870–872

- M. peruvianus*, 859, 864, 865, 870, 872
M. phrygia, 468
M. pironae, 467
M. platicarpa, 482
M. platycarpa, 466, 467, 473, 481
M. plicata, 467, 482
M. polymorpha, 467
M. popovii, 467, 473
M. praecox, 467, 479
M. prasina, 149
M. prostrata, 467
M. radiata, 467, 482
M. ralloides, 259
M. rhodopea, 467, 481
M. rigidula, 467, 481
M. rotata, 467, 482
M. ruthenica, 467, 473
M. sativa, 466–471, 473, 478–481
M. sauvagei, 467
M. secundiflora, 467, 482
M. shepardii, 467, 482
M. soleirolii, 467, 482
M. stejnegeri, 864, 865, 871
M. suavei, 482
M. suffruticosa, 467, 480, 481
M. tenoreana, 467, 474, 479, 482
M. tornata, 481
M. traversii, 859, 860, 871
M. truncatula, 466, 467, 469, 471–473, 479, 481, 482
M. turbinata, 467
M. v. milleri, 728
M. vitellinus, 719–722, 725, 727–729
M. vitellinus/M. manacus, 727
M13(–21), 922
M13, 922
M13REV, 922
Mabuya, 572
Macaronesia, 732
Machiloides banksi, 922
Macrantha, 806
Macrobiotus islandicus, 923
Macroevolution, 905
Macrolepidotus, 538
Macrothele calpeiana, 643
Maculata/clarkii, 552
Maf_order, 681
Magnaporthe grisea, 615
Mahogoni, 538
Malacosaccus coatsi, 398
Malacosaccus, 391, 395, 398, 402
Malacostraca, 931
Male holotype, 646
Male paratype, 646
Mammalodon colliveri, 17, 23, 34
Manacus manacus, 720
Manacus, 719–721, 723–725, 727–730
Manakin, 719
Mandibulata, 920
manE, 723
Mansion, Guilhem, Rosenbaum, Gideon, Schoenenberger, Nicola, Bacchetta, Gianluigi, Rosselló, Josep A., and Conti, Elena, Phylogenetic Analysis Informed by Geological History Supports Multiple, Sequential Invasions of the Mediterranean Basin by the Angiosperm Family Araceae, 269
manW, 723
Maoricicada, 480, 730
Markov chain Monte Carlo, 86, 406, 675
Marpesia, 235
Marthey, S., see Aguilera, G., 613
Martin, Jeremy E. and Benton, Michael J., Crown Clades in Vertebrate Nomenclature: Correcting the Definition of Crocodylia, 173
Martin, Joel W., see Regier, Jerome C., 920
Martini, 188
mask1, 923
mask2, 923, 926
Mastigoproctus giganteus, 923
Mastigoproctus, 925, 927
mat, 272, 274, 276, 283, 807
matK, 41, 43, 55, 470
matR, 39, 41, 43
Matthiola bolleana, 749
Mauicetus, 15
Maureira-Butler, Iván J., Pfeil, Bernard E., Muangprom, Amorntip, Osborn, Thomas C., and Doyle, Jeff J., The Reticulate History of *Medicago* (Fabaceae), 466
Maximum likelihood (ML) estimate, 249
Maximum likelihood (ML), 797
Maximum Likelihood Inference of Geographic Range Evolution by Dispersal, Local Extinction, and Cladogenesis, Richard H. Ree and Stephen A. Smith, 4
Maximum Likelihood Supertrees, Mike Steel and Allen Rodrigo, 243
Maximum likelihood, 76, 104, 243, 406, 544, 708, 758
 approach to supertree, 247
 framework, 246
 statistical consistency, 248
 of the no-common-mechanism model, 415
 use of, 408
 estimation of ?, 547
 compared with other data, 551
Maximum parsimony, 251
 tree, 253
 score, 253
Mayoa, 274
McGowen, Michael R., Clark, Clay, and Gatesy, John, The Vestigial Olfactory Receptor Subgenome of Odontocete Whales: Phylogenetic Congruence between Gene-Tree Reconciliation and Supermatrix Methods, 574
McGowen, Michael R., see Deméré, Thomas A., 15
MCMC approaches, 86, 118
MCMC model, 409
Meade, Andrew, see Venditti, Chris, 286
Median tree, 785
Medicago hypogaea, 475
Medicago lupulina, 479
Medicago rigiduloides, 481
Medicago ruthenica, 481
Medicago sativa, 480, 481
Medicago saxatilis, 481
Medicago sinkiae, 481
Medicago syriaca, 481
Medicago truncatula, 469, 480
Medicago, 466–471, 473–482
Medicago, 466
Mediterranean Basin, 269
Megachile rotundata, 479
Megalaria grossa, 143
Megalaria, 153
Megaptera hubachi, 34
Megaptera longimana, 33
Megaptera mioaena, 34
Megaptera novaeangliae, 23, 25, 33, 34, 872
Megaptera, 25, 32

- Megascapheus*, 295–298, 300, 302, 305–307
 Meier, Rudolf, Zhang, Guanyang and Ali, Farhan, The Use of Mean Instead of Smallest Interspecific Distances Exaggerates the Size of the “Barcoding Gap” and Leads to Misidentification, 809
 Meik, Jesse M., *see* Lawing, A. Michelle, 167
Melanitis, 237
Melanobombus, 68
Melanoplus, 365, 730, 889
Melanopus, 506
Melanosaurus, 904
Melichthys niger, 906, 907, 916
Melichthys vidua, 907
Melichthys, 906, 910, 912, 916
Melilotus, 466
Melipona grandis, 60
Meliponula bocandei, 60
Melitaea cinxia, 232, 233
Melitaea, 237
 Melville, Jane, *see* Harmon, Luke J., 562
Mendacibombus, 59, 69, 71
Menidia, 172
 Meredith, Robert W., *see* Springer, Mark S., 499
Merlia normani, 405
Mertensiella luschani, 573
Mesocetus argillarius, 32
Mesocyclops edax, 922
Mesocyclops, 925, 927, 929, 935, 936
Mesoplodon bahamondi, 874
Mesoplodon bidens, 33, 34
Mesoplodon bowdoini, 872, 873
Mesoplodon carlhubbsi, 873
Mesoplodon densirostris, 30, 873
Mesoplodon gervaisi, 873
Mesoplodon grayi, 30, 858
Mesoplodon hectori, 873
Mesoplodon layardii, 874
Mesoplodon mirus, 873
Mesoplodon perrini, 873
Mesoplodon peruvianus, 33, 34
Mesoplodon traversii, 874
Mesoplodon, 22, 31, 32, 857–860, 862–868, 870–874
Metajapyx subterraneus, 922
 Metazoan phylogeny, 388
Methanopyrus kandleri, 855
Methona, 235
 Meudt, Heidi M., *see* Holland, Barbara R., 347
Micarea alabastrites, 143
Micarea erratica, 143, 146
Micarea intrusa, 146
Micarea micrococca, 143, 146
Micarea sylvicola, 143, 146, 149
Micarea, 143, 145, 146, 149–153
Microdipodops, 449
Micromysticetus rothauseni, 32
Micromysticetus, 15
Microplitis, 940
Microraptor zhauianus, 200
 Middleton, Kevin M., *see* Clarke, Julia A., 185
Migratorius, 263, 264
Milnesium tardigradum, 923
Mimulus, 696, 705
 Minimize deep coalescences (MDC), 876, 877, 879, 880
Minimum extension, 256
Minuta, 391
Miriquidica garovaglii, 143
Mitsukurii, 391, 398
Mitsukurii/R. nodastrella, 398
Mixocetus elysius, 34
Mixocetus, 23
 Mixture models, 286
 ML bootstrap pseudoreplicates (MLBPs), 121
 Model averaging, 905
 Model comparison, 367, 388
 of codon and amino acid model, 368
 61-dimensional SK-P0 and amino acid model, 369
 of paired-sites models, 393, 394
 of single-gene analyses, 394
 Tree topologies and PPs, 394
 Model of Diversity, 828, 829
Model organism, 338
 Model selection, 76, 665
 standard, 83
 relationship between model-fit and, 84
 Molecular clock, 905
 Molecular dating, 58, 269
 Molecular evolution, 286
 Molecular phylogeny, 562
 Molecular rates, 449
Molissima, 695
Mollissima, 695
Mollusca, 514
Monanthes, 744
Monodelphis breviceaudata, 317
Monodelphis domestica, 521
Monodelphis, 537
Monopterus, 538
Monosiga brevicollis, 390, 392
Montastraea franksi, 392
Monticola, 261
 Moore, Michael J., *see* Jian, Shuguang, 38
Morawanocetus, 22
 More Taxa Are Not Necessarily Better for the Reconstruction of Ancestral Character States, Guoliang Li, Mike Steel, and Louxin Zhang, 647
 Moritz, Craig, *see* Belfiore, Natalia M., 294
Morone, 533, 538
 Morphological and Molecular Evidence for a Stepwise Evolutionary Transition from Teeth to Baleen in Mysticete Whales, Thomas A. Deméré, Michael R. McGowen, Annalisa Berta, and John Gatesy, 15
 Morphology and Placental Mammal Phylogeny, Mark S. Springer, Robert W. Meredith, Eduardo Eizirik, Emma Teeling, and William J. Murphy, 499
 Morphology, Paleontology, and Placental Mammal Phylogeny, Robert J. Asher, Jonathan H. Geisler, and Marcelo R. Sánchez-Villagra, 311
 Morphometrics, 316
 Morrison, David A., *Phylogenetic Trees Made Easy: A How-to Manual*, third edition, 658
 Morrison, David A., *The Cambridge Companion to the Philosophy of Biology*, 822
Mos, 320, 322
Mosaic evolution, 185
 Mosaicism, Modules, and the Evolution of Birds: Results from a Bayesian Approach to the Study of Morphological Evolution Using Discrete Character Data, Julia A. Clarke and Kevin M. Middleton, 185
Motacilla, 268
MPeLT, 815
 MRCA, 498
Mse, 351, 734
MT-CO2, 577–579

- MT-CYB, 577–579, 586
 MtDNA, 38
Muangprom, *Amorntip*, see *Maureira-Butler*, Iván J., 466
Mugil, 538
Mulcahy, Daniel G., see *Wiens*, John J., 420
Multibarbata, 538
Multidivtime, 798, 800
Multidivtime, 798
 Multigene phylogenies, 613
 Multilocus Phylogenetics of a Rapid Radiation in the Genus
 Thomomys (Rodentia: Geomyidae), Natalia M. Belfiore, Liang
 Liu, and Craig Moritz, 294
 Multilocus phylogeny, 294
 Multiple Colonizations, In Situ Speciation, and Volcanism-Associated
 Stepping-Stone Dispersals Shaped the Phylogeography of the
 Macaronesian Red Fescues (*Festuca* L., Gramineae), Antonio
 Díaz-Pérez, Miguel Sequeira, Arnoldo Santos-Guerra, and
 Pilar Catalán, 732
Munch, Kasper, Boomsma, Wouter, Huelsenbeck, John P., Willerslev,
 Eske and Nielsen, Rasmus, Statistical Assignment of DNA
 Sequences Using Bayesian Phylogenetics, 750
Murex, 475
Murphy, William J., see *Springer*, Mark S., 499
Murugan, Sumathi, see *Ross*, Howard A., 216
Mus musculus, 20, 33, 469, 521, 574, 711
Mus, 537
Muscivorus, 279
Musculus, 537
Museum abbreviations, 260
Muster, C., see *Zhang*, A. B., 202
Myadestes, 259
Mycale fibrexilis, 392, 396
Mycoblastus sanguinarius, 143
 Mygalomorphae, 628
Mykiss, 538
Myophonous, 261
Myosotis, 285
Myria:genes, 930, 934, 936
Myriapoda, 931
Myriapoda, 920
 nonavian, 900
Myriophyllum, 42
Myripristis, 537
Mystacina, 329
Mysticetes, 574
Mysticeti, 15
N. abbotii, 883, 886, 888
N. autumnalis, 878, 879
N. baileyi, 119
N. compar, 883, 888
N. crypticus, 117
N. cubensis, 878
N. dubiosus, 889
N. elegans, 119
N. eremita, 259
N. exilis, 125
N. fasciatus, 119
N. gladiator, 117, 119
N. gyrinus, 127
N. hildebrandi, 119
N. insignis, 127
N. insularis, 878
N. maurus, 886
N. merkei maestrensis, 878
N. merkei, 888
N. miurus, 127
N. nigroscutum, 883, 886, 888
N. pratti, 886
N. stanauli, 117, 119
N. stigmosus, 119, 127
N. taedae taedae, 878
N. taedae, 883
nad5, 41, 43
Naegleria gruberi, 108
Naegleria, 109
Nananthea perpusilla, 280
Nananthea, 281
Narceus americanus, 922
Narceus, 925, 927
Narcissus, 517
Naso, 918
 National Evolutionary Synthesis Center (NESCent), 1
Natural History, 184
Nature, 179
Naufraga balearica, 283
Naufraga, 280
ND2, 564, 566
ndhB, 41
ndhF, 41, 55
 NDNA, 466
 Nearest-neighbor influences, 675
Nebalia hessleri, 922
Nebalia, 925, 927, 929, 935, 936
Nectarinia, 573
Negundo, 806
Nematostella vectensis, 708
Neobulgaria pura, 156
Neochlamisus, 889
Neodiprion abietis, 889
Neodiprion fulviceps, 890
Neodiprion nigroscutum, 889
Neodiprion pratti, 889, 890
Neodiprion rugifrons, 889
Neodiprion virginianus, 889
Neodiprion, 876–878, 880, 881, 885–890
Neogonodactylus oerstedii, 922
Neopsacas, 404
Neoscopelus, 538
Neotoma fuscipes, 645
Neotyphodium aotearoae, 485
Neotyphodium coenophialum, 485
Neotyphodium gansuense, 485
Neotyphodium lolii, 485
Neotyphodium occultans, 485
Neotyphodium typhinum, 485
Neotyphodium, 485
Nepeta cataria, 158
Nereis virens, 711
Nesocichla, 258, 259, 263
Neuquenornis, 192
 Neural networks, 202
 memory of, 203
 output of, 203
 definition of, 203
Neurospora crassa, 613, 615
New Systematics, 661
 Niche conservatism, 591
 Niche-based distribution modeling, 628
Nicoletia meinerti, 922
Nielsen, Rasmus, see *Munch*, Kasper, 750
Nipponopsalis abei, 923
Nitophyllites zaisanicus, 276

- Nodastrella*, 391
 Node clusters, 338
 Node-density effect, 286
 magnitude of the reduction in, 289
 degree of, 287
Noguerornis, 188
noLR1+nt2, 923, 925–929, 931, 933, 935–938
noLR1, 923, 926, 927
noLR1nt2, 926
 Noninformative ternary characters, 540
 Nonparametric bootstrap, 76
Normania, 747
Norops auratus, 513
Norops, 513
 North American ichthyofauna, 116
Notemigonus, 537
Nothofagus, 330, 331
Notocetus vanbenedeni, 32
Noturus albater, 118
Noturus baileyi, 118
Noturus crypticus, 119, 129
Noturus elegans, 118
Noturus eleutherus, 118, 127
Noturus exilis, 118, 125
Noturus fasciatus, 118
Noturus flavater, 118
Noturus flavipinnis, 118
Noturus flavus, 118, 127
Noturus funebris, 118
Noturus furiosus, 118
Noturus gilberti, 118
Noturus gladiator, 129
Noturus gyrimus, 118
Noturus hildebrandi, 118
Noturus insignis, 118
Noturus lachneri, 118
Noturus leptacanthus, 118
Noturus maydeni, 116, 118
Noturus miurus, 118
Noturus munitus, 118
Noturus nocturnus, 118
Noturus phaeus, 118
Noturus placidus, 118
Noturus stanauli, 129
Noturus stigmatosus, 118
Noturus taylori, 118
Noturus, 116–119, 121, 125–129
Novaeangliae, 25
NRinter, 434
NRintra, 434
nt1, 923, 937
nt12 and nt3, 925
nt12, 923, 925, 927, 928, 930, 931, 935, 937, 938
nt123, 923, 925–929, 935
nt123-, 929
nt2, 923, 925–927
nt3, 923, 926–929, 935, 937
ntLR1+nt2, 928
 Nuclear genes, 920
 Nuclear introns, 857
 amplification of, 860, 862t
 analysis of, 871
 nuclear, 860
 observed level of, 894
 Nuclear loci, 519
 Nuclear ribosomal DNA, 38
 Nuclear ribosomal RNA gene (nrLSU), 142, 144, 145, 147
 Nucleotide composition, 927
Nudibranchia, 514
 Nye, Tom M. W., *Trees of Trees: An Approach to Comparing Multiple Alternative Phylogenies*, 785
 Nylander, Johan A. A., Olsson, Urban, Alström, Per, and Sanmartín, Isabel, *Accounting for Phylogenetic Uncertainty in Biogeography: A Bayesian Approach to Dispersal-Vicariance Analysis of the Thrushes (Aves: Turdus)*, 257
 Nymphalidae, 231
Nymphalis, 242
O. glandulosa, 366
O. latipes, 521
O. macrophylla, 366
O. modesta, 366
O. moesta, 259
O. oenanthe, 259
O. pleschanka, 259
O. simpsonii, 366
 OCP, 439, 441, 448
 Odontocetes, 574
 database for, 575
 degradation of olfaction in, 580
Odontotrizona haematoptera, 60
Odonus niger, 907
Odonus, 906, 910, 912, 916
Oenanthe, 259, 261
Olea europaea, 746, 748
 Olfactory receptors, 574
Oligobalistes robustus, 909
Oligobalistes, 906
 Ollerton, Jeff, *Ecology and Evolution of Flowers*, 516
 Olmstead, Richard G., *see* Cantino, Philip D., 157
 Olsson, Urban, *see* Nylander, Johan A. A., 257
Ombrophila violacea, 156
 On Evolution, Danny Yee, 184
On Growth and Form, 185
 On the Distributions of Bootstrap Support and Posterior Distributions for a Star Tree, Edward Susko, 602
Oncorhynchus mykiss, 791
Oncorhynchus, 538
One-interval data set, 288
Onthophagus, 873
Oopsacas minuta, 390, 404
Oopsacas, 391, 395
Oopsacas/Leucopsacus, 396
 Optimal Data Partitioning and a Test Case for Ray-Finned Fishes (Actinopterygii) Based on Ten Nuclear Loci, Chenhong Li, Guoqing Lu, and Guillermo Ortí, 519
 Optimizing Automated AFLP Scoring Parameters to Improve Phylogenetic Resolution, Barbara R. Holland, Andrew C. Clarke, and Heidi M. Meudt, 347
OR10A1, 579
OR10AB1, 579, 583, 584
OR10AB2, 584
OR10J1, 579, 583, 588
OR10J2, 579, 583
OR10K1, 579
OR10K3, 579
OR13F1, 579, 583
OR13J1, 579, 580, 583, 586
OR13J1B, 579
OR11I, 579, 580, 583, 584, 588
OR2AT1, 579
OR6M1, 579, 583, 584

- Orchesella imitari*, 922
Orcinus orca, 576–578, 583, 588
Oreochromis, 533, 538
Origin and Evolutionary Radiation of the Mollusca, 955
 Origin of life, 840
Ornithorhynchus, 175
Orontium, 283
Orthogeomys grandis, 450
Orthogeomys heterodus, 297
 Orthology, 503
 Ortí, Guillermo, *see* Li, Chenhong, 519
Orycteropus afer, 316
Oryza sativa, 338
Oryzias, 533, 537
 Osborn, Thomas C., *see* Maureira-Butler, Iván J., 466
Oscarella tuberculata, 392
Osteoglossum, 538
Ourisia crosbyi, 366
Ourisia, 350, 351, 353–366
 Overall directionality test, 522
Ovis dalli, 33
Ovophis okinavensis, 431
 p-Median, 832, 833
P. borbonica borbonica, 564
P. borbonica mater, 564
P. borbonica, 566
P. brachyphona, 549
P. brimleyi, 549
P. cepediana A, 564
P. comorensis, 566, 568
P. comoroensis, 571
P. crassidens, 588
P. edwardnewtonii, 571
P. feriarum, 549, 551, 552, 554–556
P. flavipes polionota, 259
P. flavus, 465
P. fouquettei, 549
P. fuscus, 909
P. g. rosagularis, 563
P. gigas, 571
P. guimbeau guimbeau, 563
P. hathewayi, 11
P. hawaiiensis, 8
P. kaduana, 8, 9, 11
P. kalmi, 549
P. leucops, 259
P. litsipsirupa, 259
P. longimembris, 465
P. m. kochi, 563
P. maculata, 549, 551, 556
P. maculata/clarkii, 549, 551
P. madagascarensis grandis, 563
P. mariniana, 8
P. mauiensis, 8
P. merriami, 465
P. nigrita, 549
P. o. inexpectata, 564
P. olivaris, 125, 127
P. ornata ornata, 564
P. parkeri, 564
P. pasteuri, 568
P. sundbergi longinsulae, 564
P. sundbergi sundbergi, 564
P. triseriata, 549, 556
P. v-nigra anjouanensis, 564
P. v-nigra comoraegrandensis, 564
P. v-nigra v-nigra, 564
Pachycladae, 748
Pachydactylus, 564, 566
Pachyspirae, 474, 475
Pacificus, 538
Paeonia, 39, 42, 46, 53, 284
 Page, Roderic D. M. and Sullivan, Jack, *The Expanding Contributions of Systematic Biology*, 1
 Pagel, Mark, *see* Venditti, Chris, 286
Palaeochiropteryx, 502
 Paleomap, 269
Pallimnarchus, 180
Palmata, 796, 800, 804, 806
Pan, 505
Pancrust:genes, 930, 934, 936
Pancrustacea, 931
Pancrustacea, 920
Papilio glaucus, 234
Papilio, 242
 Papilionoidea, 344
Pappogeomys bulleri, 450
Parabalaenoptera baulinensis, 34
Paradoris dubia, 511
Paradoris, 511
Paradoxopoda, 920
 ParaHox, 708
Paralamyctes grayi, 922
Paranephrops, 331
 Paraphyletic, 640
Parapliosaccomys, 297
Pararge, 235
Parasite phylogeny mirrors host phylogeny, 462
 Parasite, 449
 host and, 450, 451
 tree, 452, 453, 455
 COI gene, 453
 speciation, 462
 topologies, 462
 phylogenies, 454
Parastacoides, 331
Parasuchus, 177
Pareas, 430
 Parent cluster, 338
 Parent, 338
Parietobalaena palmeri, 32, 34
Parietobalaena, 23
Parmelia, 142
 Parsimony length, 251
 Parsimony model, 406
 Parsimony via Consensus, Trevor C. Bruen and David Bryant, 251
 Parsimony-based analyses, 39
 Parsimony, 785
 bootstrapping in PAUP, 797
 with the Robinson-Foulds metric, 787
 meta-trees and, 787, 788
Passer, 174
Patagopteryx deferrariisi, 199
Pauropoda, 931
 PCR, 231
PD, 831
Pectinopygus, 463
Pedetontus saltator, 922
Pedicularis, 73, 74
Pelagosaurus, 176
Pellona, 537
Pelocetus calvertensis, 34

- Pelocetus*, 23
Peltandra, 271, 277
Peltigera, 154
 Penalized Likelihood Phylogenetic Inference: Bridging the Parsimony-Likelihood Gap, Junhyong Kim and Michael J. Sanderson, 665
 Penalized likelihood, 665
 estimator for phylogeny, 666, 667
 maximum estimate of the tree, 668
 estimator, 670
 in tree inference, 671
Penthorum, 42
Per-generation, 546
 Perfect phylogeny, 540
 Perfectly Misleading Distances from Ternary Characters, Hans-Jürgen Bandelt and Mareike Fischer, 540
Pericallis, 748
Peridiscus, 43
Period, 242
 Peripatric model, 595
Periplaneta americana, 922
Perognathus flavus, 452
Perognathus, 449, 453, 454, 456, 457, 459, 465
Peromyscus aztecus, 85, 536
Peromyscus maniculatus, 333
Pfeil, Bernard E., see *Maureira-Butler, Iván J.*, 466
Phanerochaete chrysosporium, 615
Phascolion strombi, 711
Phelsuma andamanensis, 564
Phelsuma comorensis, 568
Phelsuma guentheri, 571
Phelsuma nigristrata, 568
Phelsuma robertmertensi, 568
Phelsuma, 562–567, 570–573
Pheronema carpenteri, 405
Pheronema, 391, 395, 396
 Philippine endemic rodents, 292
Philoceanus, 464
Phocoena phocoena, 576, 578, 588
Phocoenoides dalli, 574, 583
Phryma, 705
Phylloscopus, 730
PhyloCode, 507–514
Phylogen, 162
 Phylogenetic Analysis Informed by Geological History Supports Multiple, Sequential Invasions of the Mediterranean Basin by the Angiosperm Family Araceae, Guilhem Mansion, Gideon Rosenbaum, Nicola Schoenenberger, Gianluigi Bacchetta, Josep A. Rosselló, and Elena Conti, 269
 Phylogenetic congruence, 104
 Phylogenetic database, 335
 Phylogenetic diversity, 825
 Phylogenetic inference, 758
 Phylogenetic informativeness, 613
 Phylogenetic Mixture Models Can Reduce Node-Density Artifacts, Chris Venditti, Andrew Meade, and Mark Pagel, 286
 Phylogenetic mixture models, 286
 Phylogenetic nomenclature (PN), 173
 Phylogenetic resolution, 347, 354, 355
 Phylogenetic Signal, Evolutionary Process, and Rate, Liam J. Revell, Luke J. Harmon, and David C. Collar, 591
 Phylogenetic supertree, 243
 estimates of, 243
 ML, 244
 triplet-based, 247
 likelihood-based, 247, 248
 subtree-to, 247
 Phylogenetic Trees Made Easy: A How-to Manual, third edition, David A. Morrison, 658
 Phylogenetic trees, 483
 Phylogenetic variation, 419
Phylogenetically informative cluster, 338
 Phylogenetics, 216, 378, 519, 591, 708, 750
 tree, 217, 220
 circumstances, 217
 scenario, 218
 software library of, 219
 model-based, 519
 risk of, 520
 pattern of relationships, 520
 topology, 378, 379, 381
 analysis in R, 383
 signal, 385
 Phylogenomics, 104, 231, 335
 newly designed genes for, 233
 concept, 232
 goals of, 231
 analyses, 336
 GeneTrees, 339
 Phylogeny and Evolution of Glass Sponges (Porifera, Hexactinellida), Martin Dohrmann, Dorte Janussen, Joachim Reitner, Allen G. Collins, and Gert Wörheide, 388
Phylogeny and Evolution of the Mollusca, 955
 Phylogeny and Evolution of the Mollusca, Dai Herbert, 955
 Phylogeny Estimation and Alignment via POY versus Clustal + PAUP*: A Response to Ogden and Rosenberg (2007), Samuli Lehtonen, 653
 Phylogeny estimation, 665
 Phylogeny inference, 85
 Phylogeny of the Beaked Whale Genus *Mesoplodon* (Ziphiidae: Cetacea) Revealed by Nuclear Introns: Implications for the Evolution of Male Tusks, Merel L. Dalebout, Debbie Steel, and C. Scott Baker, 857
 Phylogeny reconstruction, 286
 using Bayesian mixture, 288
 using Markov chains, 289
 making ancestral, 292
 Phylogeny: phylogenomics, 420
 higher-level, 422
 methods, 428
 snake, 420, 421
 implication of, 429, 430
 Phylogeny, 141, 347, 449, 574, 719, 857, 891
 of the order Lecanorales, 142
 Bayesian analyses of, 147
 53-taxon,
 and classification, 153, 154
 to changes in parameter settings, 359
 additional independent evidence for, 364
 simulated, 849
 multi-gene, 864
 p-median, 832, 833
 molecular, 870, 872
 robust, 859
 Phylogeography, 544, 732
 Phyloinformatics, 335
 PhyloMapper, 544
PHYML(hrs)/GARLI(hrs), 767
Physeter macrocephalus, 30–34, 576, 578, 583
Physeter, 23, 586, 588
PI, 439, 440, 442, 444, 445, 448
Pieris rapae, 232, 233
Pinus, 478, 482
Pinusrigidae, 885

- Pionopsitta*, 731
Piscobalaena nana, 31
Pistia, 284
 PKDREJ, 17–19, 34
 PL, 666, 667, 670–672
Plakortis simplex, 392
Plasmodium, 108
 Plastid inverted repeat, 38
Platanthera leucophaea, 748
Platanus, 39, 41
Platismatia glauca, 143
Platycichla, 258, 259
 PLCB4, 500
Plebeia, 60
Plectrodon, 537
Plectroninia neocaledoniense, 392
Plethodon vandykei, 84
Plethodontidae, 514
Pleuronectes, 538
PLoS Biology, 1
PLoS One, 1
 Pocket gopher, 294
Podarcis lilfordi, 284
Podarcis lilfordii, 279
Podarcis, 283
Podura aquatica, 922
Podura, 925, 927, 929
Poephila, 730
Pol II, 920–923, 926, 930, 931, 936, 937
Polychaeta, 514
Polygona, 242
 Polymerase chain reaction (PCR), 348
Polymixia, 533, 538
Polyodon, 116, 527, 537
Polypterus, 527, 532, 538
Polyxenus fasciculatus, 922
Porichthys, 537
Porifera, 388
Porphyra, 111
Porpidia, 889
 Posterior probability, 602
 limiting distribution of, 603, 604
 limiting survivor function of, 608
Potamorhina laticeps, 442
Potamorhina latior, 443
Potamorhina pristigaster, 443
Potamorhina squamoralevis, 443
Potamorhina, 448
Potential, 344
Pratti, 880, 885, 886
Prietella, 117
 Primers, 231
 cDNA-based, 232
 PCR, 232
 test, 233
Pristichampsus rollinatti, 180
PRM1, 17–19, 34, 577, 579
 Probability, 131
 gene tree, 133
 general model, 131, 132
 overall, 132
 distribution, 132
Proctoporus, 172
Produces anomalies, 132
Progeomys, 297
Prokaryotes, 835
Proplebeia dominicana, 74
Proplebeia, 60
Proterochampsia, 179
Protoblastenia rupestris, 143
Protocalliphora, 214, 230
 ProtoHox, 708
Protomicarea limosa, 143, 146
Protosuchus richardsoni, 176–178
Protosuchus, 179
Proxapertites, 285
psaI-accD, 704
psbA-trnH, 695–697, 699, 700, 796
psbB, 41
psbB-psbH, 704
psbB/T/N/H, 41
psbH, 41
psbM-trnD, 796
psbN, 41, 42
psbT, 41
Psectrogaster amazonica, 443
Psectrogaster essequibensis, 443
Psectrogaster falcata, 443
Psectrogaster rhomboides, 443
Psectrogaster rutiloides, 443
Psectrogaster saguiru, 443
Pseudacris brachyphona, 556, 560
Pseudacris feriarum, 544, 548–556, 558
Pseudacris kalmi, 549, 551
Pseudacris triseriata triseriata, 560
Pseudacris, 544, 548, 551, 560, 561
Pseudacris, 544
Pseudergolis, 235
Pseudobalistes flavimarginatus, 907, 910
Pseudobalistes fuscus, 910, 916
Pseudobalistes fuscus, 907, 909, 910, 916
Pseudobalistes viridescens, 916
Pseudobalistes, 905, 910, 912, 916
Pseudocurimata patiae, 442
Pseudocurimata, 442, 448
Pseudogenes, 574
 phylogenetic utility of, 574
 OR, 575
 and optimization of nonsense mutations, 576, 577
 Percentage of, 583
Pseudorca crassidens, 33, 576, 578, 588
Pseudoryx nghetinhensis, 31
Psilolechia leprosa, 143
Psilolechia lucida, 143
Psithyrus, 59, 62, 68–70, 73–75
Psittacula, 572
Psophocichla, 258, 259, 263
Psora decipiens, 143
Psora rubiformis, 143
Psora, 145, 146, 150–153
Psorula rufonigra, 143
Psorula, 145
Psychotria, 4, 6, 8, 9, 11–13, 704, 706
Psychotria, 4
Pteropus, 315
Pterostemon, 43
Puccinia graminis, 620
Purussaurus, 180, 181
Pycnogonida, 931
Pycnogonida, 920
Pygmaeus, 310
Pygocentrus, 537

- Pylodictis olivaris*, 117–119, 121, 126, 127
Pylodictis, 119, 121, 125–127
Pyrobombus, 62, 68–70, 74
Pyrococcus, 855
 Pyron, R. Alexander, *see* Burbrink, Frank T. 317
Pyrrhospora quernea, 143
 Qiu, Yin-Long, *see* Jian, Shuguang, 38
 Quantitative characters, 591
 Quartet puzzling, 771
Quercus, 795
Quinkana, 181
R. aculeatus, 912
R. assasi, 912
R. lunula, 910, 912
R. nodastrella, 398, 402
R. nuda, 398
R. pinicola, 259
R. racovitzae, 398
R. rectangularis, 910, 912
R. tintinnus, 391, 398
R. verrucosus, 910, 912
 RA, 648, 649
Rabida, 125
Racovitzae, 391
 Radiation of the Genus, 866
 RAG, 501
rag1, 129
RAG1, 17–19, 34, 577, 579, 588
Rag2, 117, 118, 129
RAG2, 577
Rahonavis, 188
Ramalina fastigiata, 143
Ramalina, 142
 Random exchanges, effects of directed versus, 854, 855
 Random subtree pruning and regrafting (rSPR), 87, 89, 91
 Random walk, 544
 Randomization, 891
 Ranidae, 327
 Rapid bootstrap(RBS), 758
 heuristics in RAxML, 758, 759
 search, 760, 762
 Outline of, 761
 Rapid radiation, 38
Rattus norvegicus, 20, 33, 469
 RAxML program, 765
 RAxML, 758
 Ray-finned fish, 519
 diversity, 521
 characteristics of the ten nuclear loci amplified in, 523
 phylogenetic relationships among, 527
 Strict consensus tree of, 530
rbc, 56, 272, 274, 276, 807
rbcL, 41, 54–56, 160, 328, 410, 414, 796–798, 800, 801, 807, 808
RBS(Bips), 763, 765
RBS(hrs), 762
 Real time, 925
 Reconciled trees, 590
 Ree, Richard H. and Smith, Stephen A., Maximum Likelihood
 Inference of Geographic Range Evolution by Dispersal, Local
 Extinction, and Cladogenesis, 4
 Ree, Richard H., *see* Clark, John R., 693
 Reeder, Tod W., *see* Wiens, John J., 420
Regalecus, 537
 Regier, Jerome C., Shultz, Jeffrey W., Ganley, Austen R. D., Hussey,
 April, Shi, Diane, Ball, Bernard, Zwick, Andreas, Stajich, Jason
 E., Cummings, Michael P., Martin, Joel W. and Cunningham,
 Clifford W., Resolving Arthropod Phylogeny: Exploring
 Phylogenetic Signal within 41 kb of Protein-Coding Nuclear
 Gene Sequence, 920
 Reitner, Joachim, *see* Dohrmann, Martin, 388
 Relative proximity, 435
 Relaxed clock, 116
 MCMC approach, 118
 UCLN modelling, 119
Relictus, 310
 Renner, Susanne S., Grimm, Guido W., Schneeweiss, Gerald M.,
 Stuessy, Tod F. and Ricklefs, Robert E., Rooting and Dating
 Maples (*Acer*) with an Uncorrelated-Rates Molecular Clock:
 Implications for North American/Asian Disjunctions, 795
 Resolving an Ancient, Rapid Radiation in Saxifragales, Shuguang
 Jian, Pamela S. Soltis, Matthew A. Gitzendanner, Michael J.
 Moore, Ruiqi Li, Tory A. Hendry, Yin-Long Qiu,
 Amit Dhingra, Charles D. Bell, and Douglas E. Soltis, 38
 Resolving Arthropod Phylogeny: Exploring Phylogenetic Signal
 within 41 kb of Protein-Coding Nuclear Gene Sequence,
 Jerome C. Regier, Jeffrey W. Shultz, Austen R. D. Ganley, April
 Hussey, Diane Shi, Bernard Ball, Andreas Zwick, Jason E.
 Stajich, Michael P. Cummings, Joel W. Martin, and Clifford W.
 Cunningham, 920
 Retrotransposon, 499
 Revell, Liam J., Harmon, Luke J., and Collar, David C., Phylogenetic
 Signal, Evolutionary Process, and Rate, 591
RF, 763, 764
RF-SBS/RF-RBS, 767
Rhabdocalyptus dawsoni, 404
Rhabdopectella tintinnus, 389, 398
Rhabdopectella, 391, 395, 398, 402
Rhinecanthus aculeatus, 907
Rhinecanthus assasi, 907
Rhinecanthus lunula, 907
Rhinecanthus rectangularis, 907
Rhinecanthus verrucosus, 907, 912
Rhinecanthus, 906, 910–912, 916
Rhinecantus, 906
Rhinotus purpureus, 922
Rhizocarpon, 154
Rhizopus oryzae, 615, 616
RHO, 874
Rhododendron, 73
Rhoptropella ocellata, 564, 566
Rhoptropus boultoni, 564
Rhoptropus, 573
Rhymphoctona, 947
 Ribosomal DNA, 388
Richii, 695
Richtersius coronifer, 923
 Ricklefs, Robert E., *see* Renner, Susanne S., 795
Ridgwayia, 259
 Ripplinger, Jennifer and Sullivan, Jack, Does Choice in Model
 Selection Affect Maximum Likelihood Analysis?, 76
RLH(hrs), 766
RLH, 766
 RNA secondary structure, 388
 Roalson, Eric H., *see* Clark, John R., 693
 Robinson, Terence J., *see* Avise, John C., 503
Robustus, 25
 Rodolphe, F., *see* Aguileta, G., 613
 Rodrigo, Allen G., *see* Bordewich, Magnus, 825
 Rodrigo, Allen, *see* Steel, Mike, 243
 Roger, Andrew J., *see* Leigh, Jessica W., 104
Rolfidium coccocarpioides, 143
 Ronquist, Fredrik, *see* Huelsenbeck, John P., 406

- Ronquist, Fredrik, *see* Lakner, Clemens, 86
- Rooted, 251
- Rooting and Dating Maples (*Acer*) with an Uncorrelated-Rates Molecular Clock: Implications for North American/Asian Disjunctions, Susanne S. Renner, Guido W. Grimm, Gerald M. Schneeweiss, Tod F. Stuessy, and Robert E. Ricklefs, 795
- Rooting of phylogenies, 795
- Root, 835
- Rosellinia, 155
- Rosenbaum, Gideon, *see* Mansion, Guilhem, 269
- Rosenberg, Noah A. and Tao, Randa, Discordance of Species Trees with Their Most Likely Gene Trees: The Case of Five Taxa, 131
- Ross, Howard A., Murugan, Sumathi, and Li, Wai Lok Sibon, Testing the Reliability of Genetic Methods of Species Identification via Simulation, 216
- Rossella nodastrella, 402, 405
- Rossella, 391, 395, 398, 402
- Rosselló, Josep A., *see* Mansion, Guilhem, 269
- Rotatae, 474, 475
- Rougemont, Jacques, *see* Stamatakis, Alexandros, 758
- Rozeni, 60
- rp, 466, 469, 470, 472, 473
- rpl16, 796
- rpl2, 41
- rpl23, 41
- rpoC1, 480
- rpoC2, 41–43
- rps, 272, 274, 276, 284
- rps12, 41
- rps16, 87
- rps3, 41, 43
- rps4, 41–43
- rps4-cob, 471
- rps4/trnV, 41
- rps7, 41
- rrn16, 41
- rrn23, 41
- rrn4.5, 41
- rrn5, 41
- Rubra, 804, 806
- Rubra-Hyptiocarpa, 804
- Rubus, 73
- S. albicaudatum*, 912
- S. bayanus*, 790, 791
- S. bolanderi*, 158
- S. bredanensis*, 588
- S. bursa*, 912
- S. castellii*, 790, 791
- S. cerevisiae*, 623, 790
- S. chrysopterum*, 912
- S. coeruleoalba*, 580
- S. galericulata*, 158
- S. granosus*, 445
- S. kluyveri*, 790, 791
- S. kudriavzevii*, 790, 791
- S. lidii*, 749
- S. marshalli*, 444, 445
- S. mikatae*, 790
- S. nodorum*, 618, 624, 625
- S. paradoxus*, 790
- S. pombe*, 623
- S. pullus*, 444, 445
- S. sialis*, 259
- S. str.*, 400
- S. thompsoni*, 445
- S. vulgaris*, 259
- Saccharomyces bayanus*, 615
- Saccharomyces castellii*, 615
- Saccharomyces cerevisiae*, 613, 615, 621
- Saccharomyces kluyveri*, 615
- Saccharomyces kudriavzevi*, 615
- Saccharomyces mikatae*, 615
- Saccharomyces paradoxus*, 615
- Saghatarium antiquum*, 315
- Sanderson, Michael J., Boss, Darren, Chen, Duhong, Cranston, Karen A., and Wehe, Andre, The PhyLoTA Browser: Processing GenBank for Molecular Phylogenetics Research, 335
- Sanderson, Michael J., *see* Kim, Junhyong, 665
- Sandiegensis, 513
- Sanmartín, Isabel, *see* Nylander, Johan A. A., 257
- Santalum, 702, 706
- Santini, Francesco, *see* Dornburg, Alex, 905
- Santos, Daniel A. Dos, Fernández, Hugo R., Cuezso, María Gabriela, and Domínguez, Eduardo, Sympatry Inference and Network Analysis in Biogeography, 432
- Santos-Guerra, Arnoldo, *see* Díaz-Pérez, Antonio, 732
- Sapeornis, 188
- Sarcosuchus imperator, 176
- Sarcosuchus, 179
- Sarga, 514
- Satan eurystomus, 117
- Sauromatum guttatum, 279
- Sauromatum, 272, 276
- Saxifraga flagellaris, 57
- Saxifraga integrifolia, 43
- Saxifraga, 749
- Saxifragales, 38
- SBS(Bips), 763, 765
- SBS(hrs), 762
- Sceloporus undulatus, 463
- Sceloporus, 645
- Schadonia fecunda, 143, 146
- Schardl, C. L., Craven, K. D., Speakman, S., Stromberg, A., Lindstrom, A., and Yoshida, R., A Novel Test for Host-Symbiont Codivergence Indicates Ancient Origin of Fungal Endophytes in Grasses, 483
- Schargel, Walter E., *see* Lawing, A. Michelle, 167
- Schilbeodes, 125
- Schismatoglottis, 282
- Schizosaccharomyces pombe, 615
- Schmidly, David J., Terry Lamont Yates, 333
- Schneeweiss, Gerald M., *see* Renner, Susanne S., 795
- Schoenenberger, Nicola, *see* Mansion, Guilhem, 269
- Sciobius, 443–446, 448
- Scleromochlus taylori, 178
- Sclerotinia sclerotiorum, 615
- Scoliciosporum intrusum, 143
- Scoliciosporum umbrinum, 143
- Scolopendra polymorpha, 922
- Scoring parameters, 347
- automated, 364
- of AFLP, 364
- Scutellaria bolanderi, 158
- Scutellaria galericulata, 158
- Scutellaria, 73, 158
- Scutigera, 922
- Scyphozoa, 392
- Sebastes, 538
- Securidaca, 808
- Selecting Taxa to Save or Sequence: Desirable Criteria and a Greedy Solution, Magnus Bordewich, Allen G. Rodrigo, and Charles Semple, 825

- Semi-parametric, 665
- Semibalanus balanoides*, 922
- Semotilus atromaculatus*, 791
- Semotilus*, 537
- Semperella schulzei*, 396
- Semperella*, 391, 395
- Semple, Charles, *see* Bordewich, Magnus, 825
- Senecio jacobaea*, 365
- Senecio*, 282
- Seo, Tae-Kun, and Kishino, Hirohisa, Synonymous Substitutions Substantially Improve Evolutionary Inference from Highly Diverged Proteins, 367
- Separate analysis, 104
 advantage of, 105
 lowers bootstrap support, 111
- Sequeira, Miguel*, *see* Diaz-Pérez, Antonio, 732
- Sequence heterochrony, 378
- Sequence heterochrony, 378
 identification of, 379, 380
 hypothetical, 380
- Sequencing protocol, 907
- Sericolophus hawaiiicus*, 396
- Sericolophus*, 391, 395
- Serjania*, 796
- Sertifer*, 877–879, 890
- Servin, Jacqueline A.*, *see* Lake, James A., 835
- Sexual selection, 857
- SF(hrs)*, 766
- Shallowest divergences (SD), 876
- Shi, Diane*, *see* Regier, Jerome C., 920
- Shultz, Jeffrey W.*, *see* Regier, Jerome C., 920
- Sialia*, 259
- Sikes, D. S.*, *see* Zhang, A. B., 202
- Simulation, 286
- Site-specific rates, 670
- Sites Jr., Jack W.*, *see* Wiens, John J., 420
- Skogsbergia lernerii*, 922
- Skophammer, Ryan G.*, *see* Lake, James A., 835
- SLH*, 766
- Slowly evolving genes, 38
- Smith, Sarah A.*, *see* Wiens, John J., 420
- Smith, Stephen A.*, *see* Ree, Richard H., 4
- Smith, Vincent S.*, The New Taxonomy, 660
- Smithi*, 263
- Smyrna*, 240
- Solanum vespertilio*, 749
- Solanum*, 365
- Soleneiscus stolonifer*, 392
- Soltis, Douglas E.*, *see* Jian, Shuguang, 38
- Soltis, Pamela S.*, *see* Jian, Shuguang, 38
- Sonchus gandogeri*, 748
- Sonchus*, 734, 744, 748
- Songlingornis linghensis*, 188
- Songlingornis*, 188, 189, 192, 193
- Sorghum*, 514
- Sotalia*, 589
- Spatial expression*, 439
- Speakman, S.*, *see* Schardl, C. L., 483
- Speciation in Birds*, 515
- Speciation in Birds*, Glenn-Peter Sætre, 515
- Speciation rate of evolution, 562
- Speciation, 4, 116
- Species choice, 833
- Species delineation, 628
- Species identification, 202
 success rate of, 207
 BP-based, 208, 209
- Species identification, 216
 testing methods of
 discussion, 222, 226
 paraphyly and, 228
- Species Names in the *PhyloCode*: The Approach Adopted by the International Society for Phylogenetic Nomenclature, Benoît Dayrat, Philip D. Cantino, Julia A. Clarke, and Kevin de Queiroz, 507
- Species tree, 243, 294
 gene trees versus concatenated tree versus, 304, 306
 species tree analysis, 300
 distribution of, 299
- Species tree, 719
 Bayesian estimation of, 724
 congruence between gene trees and, 725
 reconstruction, 725
 phylogenetic methods, 729
- SpeedupF*, 766
- Speleonectes tulumensis*, 922
- Speleonectes*, 925, 927, 929
- Sphaerophorus globosus*, 143
- Sphaerophorus*, 142, 150
- Sphenodon guntheri*, 330
- Sphenodon*, 175, 331
- Sphenopholis obtusata*, 485
- Sphenosuchus acutus*, 179
- Spiders, 628
- Spirocarpos*, 474, 481
- Split, 785
 definition, 787
 consensus of sets of, 788
 tree-like sets of, 789
- Spongilla lacustris*, 392, 396
- SPR distance*, 251
- SPR distance*, 251
- SPR median tree*, 253
- SPR*, 250
- Springer, Mark S., Meredith, Robert W., Eizirik, Eduardo, Teeling, Emma, and Murphy, William J., Morphology and Placental Mammal Phylogeny, 499
- SPTBN1*, 577, 579
- Squalodon calvertensis*, 34
- Squamarina lentigera*, 143
- Squamarina scopulorum*, 154
- SRY*, 577
- Stagonolepis Robertsoni*, 179
- Stagonolepis*, 177
- Stagonospora nodorum*, 615, 616
- Stajich, Jason E.*, *see* Regier, Jerome C., 920
- Stamatakis, Alexandros, Hoover, Paul and Rougemont, Jacques, A Rapid Bootstrap Algorithm for the RAxML Web Servers, 758
- Star tree, 602
 paradox, 602, 607
 simulation, 605
- Starting tree, 578
- STAT5A*, 17–19, 34
- Statistical Assignment of DNA Sequences Using Bayesian Phylogenetics, Kasper Munch, Wouter Boomsma, John P. Huelsenbeck, Eske Willerslev, and Rasmus Nielsen, 750
- Statistical consistency, 243
 of ML supertree, 245, 247
 of MRP, 246
 for maximum likelihood, 248
- Statistical phylogeography, 544
 primary aim of, 544
 coalescent-based approaches in, 556

- to test for simultaneous vicariance in, 558
 future of, 559, 560
- Statistical Tests between Competing Hypotheses of Hox Cluster
 Evolution, Robert Lanfear and Lindell Bromham, 708
- Statistically consistent, 249
- Steel, Debbie, *see* Dalebout, Merel L., 857
- Steel, Mike A., *see* Whitfield, James B., 939
- Steel, Mike, and Rodrigo, Allen, Maximum Likelihood Supertrees, 243
- Steel, Mike, *see* Li, Guoliang, 628
- Steindachnerina argentea, 443
- Steindachnerina atratoensis, 442
- Steindachnerina biornata, 443
- Steindachnerina brevipinna, 443
- Steindachnerina conspersa, 443
- Steindachnerina dobula, 443
- Steindachnerina elegans, 442, 443
- Steindachnerina fasciata, 443
- Steindachnerina hypostoma, 443
- Steindachnerina insculpta, 443
- Steindachnerina leucisca, 443
- Steindachnerina notonota, 443
- Steindachnerina pupula, 443
- Steindachnerina quasimodoi, 443
- Steindachnerina runa, 443
- Steindachnerina, 448
- Stenella coeruleoalba, 580
- Stenella coeruleoalba, 574, 576, 578, 579, 583, 586, 588
- Steneosaurus, 175
- Steno bredanensis, 576, 578, 588
- Steno, 588, 589
- Stereocaulon pileatum, 143
- Stereocaulon tomentosum, 143
- Stochastic Dollo, 772
 multi-state model, 776, 778
 binary model, 773–775
- Stochastic mapping (SIMMAP), 141
- Stochastic mapping, dispersal, 693
- Stochastic nearest neighbor interchange (stNNDI), 87
- Stockman, Amy K., *see* Bond, Jason E., 628
- Stomias, 538
- Storeria dekayi, 379
- Stratigraphic congruence, 891
 choose between trees for the same taxa, 901, 902
 and the completeness of the fossil record, 899, 900
 existing indices of, 894
 for dinosaurs, 902
- Stratigraphic fit, 903
- Streptocephalus seali, 922
- Stricto, 388
- Strobus, 482
- Stromberg, A., *see* Schardl, C. L., 483
- Strong, 929
- Structure, 748
- Struthio, 174
- Stuessy, Tod F., *see* Renner, Susanne S., 795
- Sturnus, 259, 261
- Suberites ficus, 392, 396
- Substitution rates, 539
- Substitution rates, 795
- Subterraneobombus, 68
- Subtree clusters, 338
- Subtree, 338, 344
- Subtree-prune and regraft, 251
- Suchard, Marc A., *see* Alekseyenko, Alexander V., 772
- Sufflamen albicaudatum, 907
- Sufflamen bursa, 907
- Sufflamen chrysopterum, 907
- Sufflamen fraenatum, 907, 911
- Sufflamen, 906, 910–912, 916
- Sukumaran, Jeet, *see* Holder, Mark T., 814
- Sulfolobus, 844, 854
- Sullivan, Jack, *see* Page, Roderic D. M., 1
- Sullivan, Jack, *see* Ripplinger, Jennifer, 76
- Sump, 234, 631
- Sumt, 631
- Superkingdom, 104
- Supermatrix analysis, 104
- Supermatrix, 574
 and GR analyses, 575, 588
 advantages of, 575
 combined, 579
 of OR genes and independent DNA data, 584
- Supernetworks, 939
- Supertree construction, 248
- Supertree methods, 940
- Supertree, 243
- Supertrees, 243
- Support values, 758
- Sus scrofa, 26, 33
- Susko, Edward, *see* Leigh, Jessica W., 104
- Susko, Edward, On the Distributions of Bootstrap Support and Posterior Distributions for a Star Tree, 602
- Svenblad, Bodil, Consistent Estimation of Divergence Times in Phylogenetic Trees with Local Molecular Clocks, 947
- Symbiobacterium thermophilum, 840
- Symbiosis, 449
- Sympatry Inference and Network Analysis in Biogeography, Daniel A. Dos Santos, Hugo R. Fernández, María Gabriela Cuezco, and Eduardo Domínguez, 432
- Symphyla, 931
- Symplocarpus, 283
- Synapomorphy, 503
- Synodus, 537
- Synonymous saturation, 367
 and Evolutionary Distance, 370, 371
 effect of ignoring, 371
- Synonymous Substitutions Substantially Improve Evolutionary Inference from Highly Diverged Proteins, Tae-Kun Seo and Hirohisa Kishino, 367
- Systematic Biology, 1, 2, 43, 335, 440, 512, 822, 872, A-1
- Syzygium, 403
- Sánchez-Villagra, Marcelo R., *see* Asher, Robert J., 311
- Sætre, Glenn-Peter, Speciation in Birds, 515
- T. albicollis paraguayensis, 259
- T. albicollis, 264
- T. albocinctus, 259
- T. amaurochalinus, 259
- T. ambiguum, 468
- T. anguina, 468
- T. arabica, 468
- T. assimilis dague, 259
- T. aurantius, 259
- T. b. awahmee, 305
- T. balansae, 468
- T. bewsheri, 259
- T. bottae awahmee, 297, 300
- T. bottae, 295, 297–300, 302, 304–307
- T. bouboul, 259
- T. bulbivorus, 295, 297, 300, 302, 304
- T. caerulea, 468
- T. calliceras, 468
- T. cardis, 259, 265

- T. celaenops*, 259
T. chiguanco chiguanco, 259
T. chiguanco, 264
T. chrysolais, 259
T. clusius, 295, 297, 306
T. corniculata, 468
T. cretica, 468
T. dissimilis, 259
T. falcklandii magellanicus, 259
T. feae, 265
T. foenum-graecum, 468
T. fulvoventris, 259, 264
T. fumigatus, 259
T. fuscater fuscater, 259
T. fuscater, 264
T. glabra, 468
T. grayi, 259, 261
T. haplochrous, 259
T. hauxwelli, 259
T. hortulorum, 259
T. idahoensis, 295, 297, 300, 302, 306
T. ignobilis debilis, 259
T. iliacus iliacus, 259
T. iliacus, 264
T. infuscatus, 259
T. jamaicensis, 259
T. kessleri, 259
T. lawrencii, 259
T. leucomelas leucomelas, 259
T. libonyanus peripheris, 259
T. m. merula/T. m. intermedius, 264
T. macrorrhynca, 468
T. maculirostris, 259
T. maranonicus, 259
T. maritima, 855
T. mazama, 295, 297, 300
T. merula intermedius, 260
T. merula mandarinus, 259
T. merula maximus, 260
T. merula merula, 260
T. merula simillimus, 260
T. mesopotamica, 468
T. migratorius migratorius, 260
T. migratorius, 266
T. monticola, 295, 297, 300, 302
T. mupinensis, 260, 261
T. naumanni eunomus, 260
T. naumanni naumanni, 260
T. nigrescens, 260
T. nigriceps, 260
T. nudigenis, 260
T. obscurus, 260
T. obsoletus parambanus, 260
T. olivaceofuscus, 263, 265
T. olivaceofuscus, 260
T. olivaceus abyssinicus, 260
T. olivaceus helleri, 260
T. olivaceus ludoviciae, 260
T. olivaceus nyikae, 260
T. olivaceus olivaceus, 260
T. olivaceus roehli, 260
T. olivaceus smithi, 260
T. olivater, 260
T. pallidus, 260
T. pelios centralis, 260
T. pelios saturatus, 260
T. pelios, 260, 263, 265
T. philomelos philomelos, 260
T. philomelos, 261
T. pilaris, 260, 264
T. plebejus, 260
T. plumbeus ardosiaceus, 260
T. plumbeus plumbeus, 260
T. poliocephalus hygroskopus, 260
T. poliocephalus kulambangrae, 260
T. poliocephalus niveiceps, 260
T. poliocephalus poliocephalus, 260
T. poliocephalus rennellianus, 260
T. poliocephalus thomassoni, 260
T. pratenses, 468
T. r. atrogularis, 266
T. r. ruficollis, 266
T. reevei, 260
T. rubripes, 521
T. rubrocanus gouldi, 260
T. rubrocanus rubrocanus, 260
T. ruficollis atrogularis (AB)–T. ruficollis ruficollis (B), 266
T. ruficollis atrogularis, 260
T. ruficollis ruficollis, 260
T. rufitorques, 260, 264
T. rufiventris, 260, 264
T. rufopalliatius, 258
T. serranus serranus, 260
T. serranus, 264
T. spicata, 468
T. spruneriana, 468
T. stellata, 468
T. suavissima, 468
T. swalesi swalesi, 260
T. talpoides, 295, 297, 300, 302, 306
T. tephronotus, 260, 263
T. torqatus torqatus, 260
T. torquatus–T. ruficollis, 265
T. townsendii, 295, 297, 300, 302, 304
T. tubulosum, 391
T. umbrinus, 295, 297, 302, 307
T. unicolor, 260, 265
T. viscivorus viscivorus, 260
Tachyglossus, 175
Takifugu, 538
Talpa europaea, 314, 315
Tamias amoenus, 84
Tamura-Nei model, 678
Tamystylum orbiculare, 923
Tamystylum, 925, 927, 929
Tao, Randa, see Rosenberg, Noah A., 131
Tapirus indicus, 33
Taq, 17, 469, 576
Tarsius bancanus, 316
Tasmacetus sheperdi, 22
Tasmacetus shepherdii, 34, 860, 874
Taxon ID, 338
Taxon names, 336
Taxon Sampling Affects Inferences of Macroevolutionary Processes from Phylogenetic Trees, Tracy A. Heath, Derrick J. Zwickl, Junhyong Kim, and David M. Hillis, 160
Taxon selection, 835
Taxon Selection, 835
Taxonomic distinctness (TD), 831, 832
taxonomic distinctness, 831, 832
Taxonomic distinctness, 831
Taxonomy tree, 335

- Taxus mairei*, 681
Tayassu tajacu, 33
 TBR, 250
 TBX4, 577
 Teeling, Emma, see Springer, Mark S., 499
 Teeth, 857
 medial, 906, 916
 tusk-like, 857
 strap-like, 868
tefA, 489
Tegeticula yuccasella, 84
Tektin, 242
Teleosaurus, 175
Teline, 748
Teloschistes, 154
 Temporal diversification, 905
 Tenrecs, 316
Tenuis, 391, 398
Tephromela atra, 143
Terraenovae, 538
 Terry Lamon Yates, David J. Schmidly, 333
 Testing Congruence in Phylogenomic Analysis, Jessica W. Leigh, Edward Susko, Manuela Baumgartner, and Andrew J. Roger, 104
 Testing the Reliability of Genetic Methods of Species Identification via Simulation, Howard A. Ross, Sumathi Murugan, and Wai Lok Sibon Li, 216
Tetracarpaea, 43
Tetragnatha, 562
Tetragonisca angustula, 60
Tetragonula fuscobalteata, 60
Tetramorium, 645
Tetraodon, 538
 Tetraodontiformes, 905
 Tetrapoda, 175
Texasophis galbreathi, 322
Thaleichthys, 538
Thamnophilus, 267
Thamnophis, 29
 The Cambridge Companion to the Philosophy of Biology, David A. Morrison, 822
 The Expanding Contributions of *Systematic Biology*, Roderic D. M. Page and Jack Sullivan, 1
The Florida Naturalist, 184
 The Impact of Reticulate Evolution on Genome Phylogeny, Robert G. Beiko, W. Ford Doolittle, and Robert L. Charlebois, 844
 The Influence of Model Averaging on Clade Posteriors: An Example Using the Triggerfishes (Family Balistidae), Alex Dornburg, Francesco Santini, and Michael E. Alfaro, 905
 The Limitations of Ancestral State Reconstruction and the Evolution of the Ascus in the Lecanorales (Lichenized Ascomycota), Stefan Ekman, Heidi L. Andersen and Mats Wedin, 141
 The Modified Gap Excess Ratio (GER*) and the Stratigraphic Congruence of Dinosaur Phylogenies, Matthew A. Wills, Paul M. Barrett, and Julia F. Heathcote, 891
The New Systematics, 661
The New Taxonomy, 660, 662, 663
 The New Taxonomy, Vincent S. Smith, 660
 The PhyLoTA Browser: Processing GenBank for Molecular Phylogenetics Research, Michael J. Sanderson, Darren Boss, Duhong Chen, Karen A. Cranston, and Andre Wehe, 335
 The Relative Importance of Body Size and Paleoclimatic Change as Explanatory Variables Influencing Lineage Diversification Rate: An Evolutionary Analysis of Bullhead Catfishes (Siluriformes: Ictaluridae), Michael Hardman and Lotta M. Hardman, 116
 The Reticulate History of *Medicago* (Fabaceae), Iván J. Maureira-Butler, Bernard E. Pfeil, Amorntip Muangprom, Thomas C. Osborn, and Jeff J. Doyle, 466
 The Role of Geography and Ecological Opportunity in the Diversification of Day Geckos (*Phelsuma*), Luke J. Harmon, Jane Melville, Allan Larson, and Jonathan B. Losos, 562
 The Taming of the Skew: Estimating Proper Confidence Intervals for Divergence Dates, Frank T. Burbrink and R. Alexander Pyron, 317
 The Use of Mean Instead of Smallest Interspecific Distances Exaggerates the Size of the “Barcoding Gap” and Leads to Misidentification, Rudolf Meier, Guanyang Zhang, and Farhan Ali, 809
 The Vestigial Olfactory Receptor Subgenome of Odontocete Whales: Phylogenetic Congruence between Gene-Tree Reconciliation and Supermatrix Methods, Michael R. McGowen, Clay Clark, and John Gatesy, 574
Thecadactylus rapicauda, 644
Thecostraca, 931
Thereuonema, 922
 Thermodynamic integration, 190
 Thermodynamic integration, 675
Thermoplasma, 844, 854
Thermotoga maritima, 855
Theromyzon trizonare, 711
Thomomys bottae, 308–310, 464
Thomomys bulbivorus, 310
Thomomys idahoensis, 310
Thomomys mazama, 310
Thomomys monticola, 310
Thomomys talpoides, 309, 310
Thomomys townsendii, 300, 307, 309, 310
Thomomys umbrinus, 300, 308, 310
Thomomys, 294–298, 300, 302, 305–310, 518, 886, 889
Thomomys. Geomyidae, 294
Thoracobombus, 68
Thoracosaurus, 181
Thouinia, 796
Thouinopsis, 796
Three-interval data set, 288
Thul, 934
Thuliana:genes, 930, 936
Thulina stephaniae, 923
Thulina, 934
Thulinia stephaniae, 922
Thulinia, 925, 927, 930, 934
Thulinia:genes, 934
Tigriopus californicus, 644
 Time dependency, 730
tk3, 274
tn, 672
 TNT, 234
Tolpis, 744, 745, 747, 748
Tomocerus, 922
Toninia cinereovirens, 143
Toona, 798
 Topological score, 613
 as a function of the Robinson-Foulds, 618, 619
 relationship between the Kuhner-Felsenstein distance, 618
 distribution of, 619, 620
 as a function of gene size for the 246 individual gene phylogenies, 622
 Topology proposals, 86
 Topology, 785
 result for the star, 788
 frequency of, 789

- Townsend, Ted M., *see* Wiens, John J., 420
- Townsendii, 310
- Toxoneuron, 940
- Trachyboa, 429
- Trachyiulus nordquisti, 922
- Tragopogon, 56
- Tragulus napu, 33
- Trebouxia, 156
- Tree bisection reconnection (TBR), 20, 42, 60, 78, 90
- Tree of life, 613, 835
- Tree-based methods, 450
- Trees of Trees: An Approach to Comparing Multiple Alternative Phylogenies, Tom M. W. Nye, 785
- Tretodictyum, 391, 395, 396, 398
- Trichoderma reesei, 615
- Trichopeziza, 156
- Trichoplax, 392, 396
- Trifolium, 467, 468, 472, 473
- Triggerfish
 - global diversification rate of, 909
 - age and evolutionary history of, 906
- Trigona, 60, 74, 75, 947
- Trigonella, 466–470, 473, 476, 480
- Triguera, 747
- Trilophosuchus rackhami, 180
- Triops longicaudatus, 922
- Triops, 925, 927, 929
- Tripleurospermum, 280
- Triseriata, 552
- trn, 272, 274, 276, 283, 284, 733, 808
- trnA, 41
- trnC-ycf6, 704
- trnD-trnT, 796
- trnL, 41
- trnL, 41, 796
- trnL-F, 55, 796
- trnL-trnF, 704
- trnN, 41
- trnR, 41
- trnT-trnD, 704
- trnT-trnF, 55
- trnV, 41
- Trochodendron, 39
- Trogloglanis pattersoni, 117, 128
- Tropicalis, 537
- Tropidophis, 429
- tubB, 489
- Tubulosum, 391
- Turdus feae, 258
- Turdus iliacus, 264
- Turdus, 257–259, 261, 263–266, 268
- Turdus, 257
- Tursiops truncatus, 588
- Tursiops, 30, 589
- Two-interval data set, 288
- Typhlomolge, 514
- Typhonium giganteum, 279
- Typhonium, 272, 276
- Typhonodorum, 277
- Tyrrhenoleuctra, 283
- UA, 648, 649
- Ukurunduense, 805
- Ultrametric, 828
- Ultrametric, 540
- Ungaliophis, 429
- Units of co-occurrence, 432
 - and clustering coefficient, 437, 438
 - extracting, 438, 439
- Uroleucon, 463
- Uropeltis melanogaster, 429
- Uropeltis, 424, 429
- Urosaurus, 172
- Ursus arctos, 509
- Usnea, 142
- Ustilago maydis, 615
- V-nigra, 568
- Vacoparis, 514
- Vagrans, 235
- Valdiviae, 391
- Van de Peer, Yves, *see* Baele, Guy, 675
- Van der Mark, Paul, *see* Lakner, Clemens, 86
- Vansteelandt, Stijn, *see* Baele, Guy, 675
- Variation distance, 249
- Venditti, Chris, Meade, Andrew, and Pagel, Mark, Phylogenetic Mixture Models Can Reduce Node-Density Artifacts, 286
- Veronica cymbalaria, 365
- Veronica, 329
- Vicariance, 4, 693
 - basic rationale of, 12
 - pattern of, 5
- Vidua, 464
- Vincelestes neuquenianus, 316
- Viola palmensis, 747
- Virginianus, 880, 886
- Virginianus, 885
- Viscivorous, 261
- Vitellinus, 720, 721, 724, 728
- Vitis, 39, 41, 55
- Vorona, 195, 196
- Vultur gryphus, 512
- VWF, 500, 501
- W. leuckarti, 398
- Wagner and Dollo: A Stochastic Duet by Composing Two Parsimonious Solos, Alexander V. Alekseyenko, Christopher J. Lee, and Marc A. Suchard, 772
- Wagner, Warren L., *see* Clark, John R., 693
- Wahlberg, Niklas, and Wheat, Christopher West, Genomic Outposts Serve the Phylogenomic Pioneers: Designing Novel Nuclear Markers for Genomic DNA Extractions of Lepidoptera, 231
- Walking legs, 646
- Walteria leuckarti, 398
- Walteria, 391, 395, 398, 402
- Wardiana, 796
- Weapons, 857
- Web site, 613
- Web-based taxonomy, 661
- Wedin, Mats, *see* Ekman, Stefan, 141
- Wehe, Andre, *see* Sanderson, Michael J., 335
- Whale, 15
- Wheat, Christopher West, *see* Wahlberg, Niklas, 231
- Whitfield, James B., Cameron, Sydney A., Huson, Daniel H. and Steel, Mike A., Filtered Z-Closure Supernetworks for Extracting and Visualizing Recurrent Signal from Incongruent Gene Trees, 939
- Wiens, John J., Kuczynski, Caitlin A., Smith, Sarah A., Mulcahy, Daniel G., Sites Jr., Jack W., Townsend, Ted M., and Reeder, Tod W., Branch Lengths, Support, and Congruence: Testing the Phylogenomic Approach with 20 Nuclear Loci in Snakes, 420
- Wikipedia, 822
- Willerslev, Eske, *see* Munch, Kasper, 750
- Wills, Matthew A., Barrett, Paul M. and Heathcote, Julia F., The Modified Gap Excess Ratio (GER*) and the Stratigraphic Congruence of Dinosaur Phylogenies, 891

- WIN, 404
 Wingless, 87, 241, 289
 Withania aristata, 280
 Wolseley 18/2/98, 143
 Woody clade, 53
 WRF, 763, 764
 WRF-SBS/WRF-RBS, 767
 Wörheide, Gert, *see* Dohrmann, Martin, 388
 X. auromarginatus, 912
 X. ringens, 912
 Xanthichthys auromarginatus, 906, 907
 Xanthichthys mento, 907
 Xanthichthys ringens, 907
 Xanthichthys, 906, 912, 916
 Xanthosoma, 272
 Xantusia vigilis, 421
 Xantusia, 645
 Xenobalistes, 907
 Xenodermus, 430
 Xenopeltis, 429
 Xenophidion schaeferi, 430
 Xenopus leavis, 342
 Xenopus tropicalis, 521
 Xenopus, 537
 Xerophilus, 310
 Xiphosura, 931
 Xlox, 708, 712, 714, 715
 Xvaria, 468
 Yanornis, 188, 189, 192, 193
 Yarrowia lipolytica, 615
 ycf1, 41, 42
 ycf15, 41
 ycf2, 41
 ycf6-psbM, 704
 Yee, Danny, On Evolution, 184
 Yixianornis grabau, 200
 Yixianornis, 187–189, 192, 193, 198
 Yoshida, R., *see* Schardl, C. L., 483
 Yucca moths, 84
 Yule tree, 654
 Z. cameronensis graueri, 260
 Z. citrina innotata, 260
 Z. crossleyi, 260
 Z. dauma aurea, 260
 Z. dixon, 260
 Z. erythronota mendeni, 260
 Z. monticola, 260
 Z. princei batesi, 260
 Z. schistacea, 260
 Z. sibirica davisoni, 260
 Zaglossus, 175
 Zea maize, 478
 Zea mays, 747
 Zea, 480, 482
 Zeus, 533, 538
 Zhang, A. B., Sikes, D. S., Muster, C., and Li, S. Q., Inferring Species Membership Using DNA Sequences with Back-Propagation Neural Networks, 202
 Zhang, Guanyang, *see* Meier, Rudolf, 809
 Zhang, Louxin, *see* Li, Guoliang, 628
 Ziphrostrum, 873
 Ziphius cavirostris, 34, 860, 863, 873, 874
 Ziphius, 864, 872
 ZooTaxa, 663
 Zoothera, 260
 Zwick, Andreas, *see* Regier, Jerome C., 920
 Zwickl, Derrick J., *see* Heath, Tracy A., 160
 Zygogeomys trichopus, 450
 Zygorhiza kochii, 20, 34
 Zygorhiza, 22