

# AOSA RULES FOR TESTING SEEDS



## Volume 3. Uniform Classification of Weed and Crop Seeds

Published by the  
Association of Official Seed Analysts

Copyright © 2017 by Association of Official Seed Analysts

All rights reserved; no part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the AOSA Executive Board.

**Volume Editor**

Deborah J. Lionakis Meyer  
California Department of Food and Agriculture  
Sacramento, California

**Nomenclature Editor**

John Wiersema  
United States Department of Agriculture  
Agricultural Research Service  
Beltsville, Maryland

1952

First Revision 1964

Second Revision 1977

Third Revision 1993

Fourth Revision 1999

Fifth Revision 2001

Sixth Edition 2007

Seventh Edition 2008

Volume 3, 2009

Volume 3, 2010

Volume 3, 2011

Volume 3, 2012

Volume 3, 2013

Volume 3, 2014

Volume 3, 2015

Volume 3, 2016

Volume 2, 2017

## CONTENTS

	<u>Page</u>
Acknowledgments	ii
Introduction	iii
Symbols and Definitions Used in Rules Volume 3	iv
Format for Rules Volume 3	v
Cautions	vi
Updating Rules Volume 3	viii
Selected References	x
Uniform Classification Sorted by Scientific Name	1
Appendix A - Common Names Sort	AA-1
Appendix B – Glossary of Nomenclature Terms, Abbreviations and Symbols	AB-1
Appendix C - Noxious Weed List Resources	AC-1
Appendix D – Uniform Classification Sorted by Family Name	AD-1

## **ACKNOWLEDGMENTS**

The Association of Official Seed Analysts and the California Department of Food and Agriculture (CDFA) provided support for the preparation of this revision of the AOSA Rules Volume 3. Uniform Classification of Weed and Crop Seeds. John Wiersema, USDA/ARS Germplasm Resources Information Network (GRIN), provided a listing of the necessary nomenclature updates. **Red text** is used to indicate updates made to Volume 3 in 2017.

Deborah J. Lionakis Meyer, September 2017  
California Department of Food and Agriculture  
Plant Pest Diagnostics Center – Seed Science Laboratory

## INTRODUCTION

The main function of a seed laboratory is to determine the quality of seed samples. Services most commonly requested include purity analysis, noxious weed seed examination and estimation of viability. Procedures for these laboratory tests are found in the Association of Official Seed Analysts Rules for Testing Seeds (Rules) Volume 1. Section 4 of the Rules refers to Rules Volume 3 (formerly referred to as Handbook 25) for the classification of contaminating species found during a purity analysis. The classification scheme is based on the species class of the pure seed component. All contaminating species are classified as either other crop seeds or weed seeds based on the pure seed species class. Dr. Arnold Larsen and the Handbook 25 Revision Committee developed this classification scheme in the early 1990's. The goal of the committee was to improve upon the classification scheme developed in 1952 by Dr. O. L. Justice. To achieve this goal Dr. Larsen sought assistance from commercial and governmental seed laboratories and plant specialists from all over the United States and Canada. The earlier versions of Handbook 25 contained less than 350 species. The version developed by Dr. Larsen and his committee included more than 2000 species. This document more accurately reflected the increased number of species in the marketplace, and the expanding number of contaminating species encountered by seed laboratories. The Association of Official Seed Analysts (AOSA) adopted the revised version of Handbook 25 in 1993. At that time the revision committee envisioned the handbook as a continuously evolving document.

Each year numerous changes to this document are made via addition of new species or changes to species classifications (as adopted by the membership at the annual meeting). The nomenclature is reviewed annually and updated as necessary. Nomenclature decisions are based on the USDA Germplasm Resources Information Network (GRIN).

In 2009, Handbook 25 was renamed as the AOSA Rules for Testing Seeds, Volume 3. Uniform Classification of Weed and Crop Seeds (AOSA Rules Volume 3). The document now contains weed and crop classifications for 2,871 taxa and includes a select number of useful synonyms, representing 140 families (family designations according to GRIN may differ from those found in other reference sources). Nomenclature changes, spelling corrections and amendments are indicated by red text. Future editions of this document should be referenced by publication date.

## SYMBOLS AND DEFINITIONS USED IN RULES VOLUME 3

Species involved directly or indirectly in seed commerce have been described by different classes in Rules Volume 3. These classes and their associated symbols are described as follows:

**Agricultural (A)** – Cultivated crops which are harvested for grain, ensilage, fiber, sugar, oil, or hay.

**Flowers (F)** – Domesticated or wild plants grown for the aesthetic appearance of the flowers or foliage.

**Herbs and Spices (H)** – Cultivated species grown for the aromatic, medicinal or flavor qualities of their seed or vegetative parts. Often these species are perennial and subject to multiple harvest of annual top growth.

**Revegetation and Rangeland (R)** – Species capable of establishing permanent vegetation on rangelands, or used to stabilize disturbed or denuded sites.

**Shrub and Trees (S)** – Woody, perennial species including fruit producing species.

**Turf (T)** – Species used for lawns or play areas. They are usually perennial and subject to mowing to maintain uniform top growth.

**Vegetable (V)** – Cultivated species where the seeds, fruit, stems or roots are consumed as food. They are mostly herbaceous annuals, but some are perennial in temperate and tropical zones.

**Weeds (W)** – Undesirable species that are excessively competitive, difficult to control or eradicate, poisonous, or simply not wanted. This symbol is used in the “spp. Class” column (see Format for Rules Volume 3, item four, page v) if the species is generally weedy in nature. The weeds category may also be used in response to the Acontaminating@ species classification under the seven crop types as described under Format for Rules Volume 3, item five, page v.

**Other crop (C)** – Species that are usually involved in seed commerce but are not intended to be part of the seed lot being tested. Contamination by these seeds is undesirable in the seed lot but not usually harmful. This symbol is only used in response to the Acontaminating@ species classification under the seven crop types as described under Format for Rules Volume 3, item 5, page v.

**Multiple species classification** – A species may fit into two or more of the above classes. For example tall fescue (*Festuca arundinacea*) may qualify for both permanent pasture (R) and turf (T).

## FORMAT FOR RULES VOLUME 3

When seed of any species is found as a contaminant in a seed lot of another species, the contaminant must be classified as either a *weed* (W) or *other crop* (C). However, it is inevitable that seed of a contaminating species can be considered either *other crop* when found in one class of species or a *weed* when found in another class. Therefore the AOSA membership chose to position species commonly encountered in seed testing into classes. To accommodate the need to sub-classify contaminating species with respect to various pure seed species classes, the following format was devised using the code letters given on the previous page:

1	2	3	4	5	6							
NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
316748	<i>Mentzelia laevicaulis</i> (Douglas) Torr. & A. Gray	blazingstar	Loasaceae	F	W	C	W	W	W	W	W	W

1. The classification table is arranged alphabetically by the scientific names in column two. This column contains cross-referencing to botanical names that are currently accepted by the USDA-GRIN system as most appropriate for the designation of a particular taxon. Column one includes the GRIN database nomen number. Appendix B contains information about the International Code of Botanical Nomenclature explaining the parts of scientific names, author citations, and the meanings of symbols and abbreviations used.
2. AOSA accepted common names are included in column three. When more than one common name is given for a particular scientific name they are equivalent. A second listing of species arranged alphabetically by common name is provided in Appendix A.
3. Family names are included in column four. All family names ending in "-aceae" are derived from a type genus within that family. Family names of Gramineae, Leguminosae, and Compositae are considered alternative names to Poaceae, Fabaceae and Asteraceae, respectively. Recently, there has been considerable research on family characterization resulting in the movement of many genera from one family to another. These types of changes are indicated in column four of the classification table; the current placement is listed first followed by the former family placement shown in brackets. In some cases there may be more than one former family placement. An additional listing of species arranged alphabetically by family is provided in Appendix D.
4. The information in column five is used to determine the classification of a species when it is the kind of seed under consideration (i.e., pure seed component). Each entry listed in column two is classified according to the symbols given on the previous page. In the example above, when this species is the kind under consideration the species class is flower.
5. The information in column six indicates how a seed of the entry listed in column two is classified as either weed (W) or other crop (C) when it is found contaminating a seed lot. Whether the contaminant is classified as a weed or other crop seed depends upon the classification of the kind under consideration (i.e., the pure seed component of the seed lot being tested). If the species in the example given above is contaminating an agricultural (A) seed lot, it must be classified a weed (W); however, if this species is contaminating a flower (F) seed lot, it must be classified as other crop (C). Exceptions to these classifications are stated on the following two pages.

## CAUTIONS

1. *The purpose of this handbook is to clarify the designation of a seed that is an unintended contaminant* in a seed lot, in which case it must be determined if the contaminating seed is a *weed* or *other crop*. Pure seed is the species intended to be part of the seed lot and is therefore listed under the pure seed component on the label. All other species found in a seed lot are considered contaminating species and shall be classified based on the chosen "spp. Class" for the pure seed component tested.
2. If the species of the pure seed component is not listed in the classification section of Rules Volume 3, contaminants found in the sample shall be classified as those of a similar pure seed species listed. If the species of the pure seed component is listed as "W" only under the "spp. class," the species shall be classified according to its intended use. Classification of all contaminating species shall be based on the chosen "spp. class."
3. When seeds of indistinguishable species are found as contaminants and may be classified either as weed or other crop depending on the species they belong to, they shall be regarded as *weeds*. For example, the seeds of lettuce, *Lactuca sativa*, cannot always be distinguished from seeds of weedy species of *Lactuca*.
4. Seed lots that move in commerce are subject to the individual seed laws and regulations promulgated by State, Province, or Federal governments. The user of this handbook must be aware that differences occur among these laws and regulations and that the user is responsible for being familiar with these documents. Copies of these documents are available from the seed related sections of each governmental unit.
5. State, Province, or Federal governments may consider certain species to be noxious weeds. For the determination of noxious weed status refer to Appendix C, Noxious Weed Lists. CAUTION: It is the responsibility of the Rules Volume 3 user to keep Appendix C updated. If a species listed as a noxious weed is found as a contaminant in a seed lot that either is in or being sent to one of these government units, the contaminating species should be listed as a *weed* regardless of its classification under the contaminating species category.
6. There is a dilemma associated with multiple classifications of species under Format for Rules Volume 3, item four (page v) when the pure seed species is classified in two or more groups (e.g., A and R) and the contaminating species is not uniformly classified under the associated groups.

### **Example 1: Single Component**

<b>Pure Seed Species</b>	<b>spp. class</b>
<i>Agropyron desertorum</i> , standard crested wheatgrass	A, R
<b>Contaminating Species</b>	<b>Contaminating Classification</b>
<i>Poa secunda</i> - big bluegrass	<u>A</u> <u>E</u> <u>H</u> <u>R</u> <u>S</u> <u>I</u> <u>V</u> W W W C W W W



## Volume 3. Uniform Classification of Weed and Crop Seeds

In this example, the contaminating species can be classified as *weed* under A and *other crop* under R. The contaminating species shall be classified as *other crop* when this conflict occurs.

### **Example 2: Mixture of two or more components with different species classification.**

<b>Pure Seed Species</b>	<b>spp. class</b>
<i>Festuca arundinacea</i> – tall fescue	R, T
<i>Bromus inermis</i> – smooth brome	A
<i>Lolium perenne</i> – perennial ryegrass	A, T
<i>Dactylis glomerata</i> – orchardgrass	A, R
<i>Agrostis gigantea</i> – redtop	T
<i>Arrhenatherum elatius</i> – tall oatgrass	R

Overall species class = A, R, T

<b>Contaminating Species</b>	<b>Contaminating Classification</b>
	<u>A</u> <u>F</u> <u>H</u> <u>R</u> <u>S</u> <u>T</u> <u>V</u>
<i>Paspalum dilatatum</i> – dallisgrass	C C W W W C W
<i>Nemophila maculata</i> – fivespot	W C W W W W W

The overall species class is a combination of all the species classes for all the kinds in a mixture. In this example, the overall species class for all kinds combined is A, R, T. In this example, the contaminating species *Paspalum dilatatum* is classified as *other crop* under A and T, and *weed* under R. The contaminating species *Paspalum dilatatum* shall be called *other crop* when this conflict occurs. The contaminating species *Nemophila maculata* is classified as *weed* under A, R and T, and therefore shall be classified as a *weed* for this mixture of kinds. If a contaminating species is classified as other crop under at least one species class the contaminating species shall be classified as other crop.

## UPDATING RULES VOLUME 3

Many persons from commercial and governmental seed laboratories assisted in reviewing this document. However, it is most unlikely that all the errors have been found or that all the changes in nomenclature have been made. It is anticipated that revisions will be necessary from time to time. Users of this document should therefore note errors they find and other adjustments they believe to be necessary and report these to the AOSA Rules Committee.

When changes to Rules Volume 3 are deemed necessary the following procedures, as adopted by AOSA in 1995, shall be followed (refer to Format for Rules Volume 3, page v):

Column 2, Scientific Names --- The AOSA Nomenclature Committee in consultation with the USDA Germplasm Resources Information Network (GRIN) and with the Canadian Food Inspection Agency shall be responsible for updating scientific names. These changes shall be considered editorial and do not require submission of a rule change proposal. Nomen numbers assigned in the GRIN database appear in column 1.

Column 3, Common Names --- Members of AOSA and SCST shall submit proposed common name additions, deletions, or alterations to the AOSA Rules Committee. The final approval shall be made by vote of the membership at an annual meeting.

Column 4, Family Names --- Updates shall be made by the method described for Column 2, Scientific Names.

Columns 5 and 6, Species Class and Contaminating Classification --- Updates shall be made by the method described for Column 3, Common Names.

When preparing a rule change proposal for Rules Volume 3 please consider the following:

1. The author of the proposal should assemble expertise from several viewpoints (e.g. seed analysts, weed specialists, agronomists, taxonomists, etc.) and assemble one consensus viewpoint.
2. The proposal should concern only species involved in seed commerce, either as the designated component or as a contaminant of seed lots.
3. Each species must be assigned to a species class, as shown in column five of the example on page v. Multiple classifications should be avoided unless absolutely needed.
4. All areas (States or Provinces) should contribute to the classification of contaminating species. Make sure the system is appropriate for all regions. The default contaminating species classification for new additions to Volume 3 should be 'weed' unless it can clearly be demonstrated that the species found is truly a crop in commerce, and as such when found incidentally in a seed sample (a contaminant), it is non-invasive and is not difficult to control and eradicate. A species that may be appropriately classified as 'other crop' under one species class may be best classified as a 'weed' under other species classes.

## Volume 3. Uniform Classification of Weed and Crop Seeds

5. Common names should refer to a single species, if possible. Although not required, it's preferable to limit the number of common names associated with a species to one whenever possible.

Rule change proposals must include appropriate supporting evidence for the addition or change requested. Please contact the AOSA Rules Committee with questions concerning appropriate supporting evidence.

Note: The most current updates to nomenclature in AOSA Rules Volume 3 are available on the GRIN website (<http://www.ars-grin.gov/~sbmljw/cgi-bin/aosarpt.pl>). Although the nomenclature in the GRIN database is continuously updated, nomenclature in AOSA Rules Volume 3 is updated annually. Effective date of all AOSA Rules Volume 3 updates is October 1, 2017.

Significant changes to the 2017 edition include the correction of author names, nomen numbers, and minor spelling errors, and the following nomenclature changes (new names in red):

Scientific name changes
<i>Caesalpinia gilliesii</i> (Hook.) D. Dietr. = <i>Erythrostemon gilliesii</i> (Hook.) Klotzsch
<i>Lotus micranthus</i> Benth. = <i>Acmispon parviflorus</i> (Benth.) D. D. Sokoloff
<i>Lotus scoparius</i> (Nutt.) Ottley = <i>Acmispon glaber</i> (Vogel) Brouillet
<i>Lotus unifoliolatus</i> (Hook.) Benth. = <i>Acmispon americanus</i> (Nutt.) Rydb.
<i>Panicum brachyanthum</i> Steud. = <i>Kelochloa brachyantha</i> (Steud.) Lizarazu et al.
<i>Piptatherum miliaceum</i> (L.) Coss. = <i>Oloptum miliaceum</i> (L.) Röser & Hamasha
<i>Setaria italica</i> (L.) P. Beauv. subsp. <i>viridis</i> (L.) Thell. = <i>Setaria viridis</i> (L.) P. Beauv.
<i>Tridens muticus</i> (Torr.) Nash var. <i>elongatus</i> (Buckley) Shinnars = <i>Tridentopsis mutica</i> (Torr.) P. M. Peterson var. <i>elongata</i> (Buckley) P. M. Peterson & Romasch.

Corrected family and alternate family names	
<i>Asphodelus fistulosus</i> L.	Xanthorrhoeaceae [Asphodelaceae] [Liliaceae] [Xanthorrhoeaceae]
<i>Emmenanthe penduliflora</i> Benth.	Boraginaceae [Hydrophyllaceae] [Boraginaceae]
<i>Heliotropium curassavicum</i> L.	Heliotropiaceae [Boraginaceae]
<i>Heliotropium europaeum</i> L.	Heliotropiaceae [Boraginaceae]
<i>Heliotropium</i> spp.	Heliotropiaceae [Boraginaceae]
<i>Kniphofia</i> spp.	Xanthorrhoeaceae [Asphodelaceae] [Liliaceae] [Xanthorrhoeaceae]
<i>Nama hispida</i> A. Gray	Namaceae [Boraginaceae] [Hydrophyllaceae]
<i>Nemophila maculata</i> Benth. ex Lindl.	Hydrophyllaceae [Boraginaceae] [Hydrophyllaceae]
<i>Nemophila menziesii</i> Hook. & Arn.	Hydrophyllaceae [Boraginaceae] [Hydrophyllaceae]
<i>Nemophila</i> spp.	Hydrophyllaceae [Boraginaceae] [Hydrophyllaceae]
<i>Nyssa aquatica</i> L.	Nyssaceae [Cornaceae] [Nyssaceae]
<i>Nyssa sylvatica</i> Marshall	Nyssaceae [Cornaceae] [Nyssaceae]
<i>Phacelia californica</i> Cham.	Hydrophyllaceae [Boraginaceae] [Hydrophyllaceae]
<i>Phacelia campanularia</i> A. Gray	Hydrophyllaceae [Boraginaceae] [Hydrophyllaceae]
<i>Phacelia cicutaria</i> Greene	Hydrophyllaceae [Boraginaceae] [Hydrophyllaceae]

## AOSA Rules for Testing Seeds

<i>Phacelia crenulata</i> Torr.	Hydrophyllaceae [Boraginaceae <del>Hydrophyllaceae</del> ]
<i>Phacelia hastata</i> Douglas ex Lehm.	Hydrophyllaceae [Boraginaceae <del>Hydrophyllaceae</del> ]
<i>Phacelia minor</i> (Harv.) Thell. ex F. Zimm.	Hydrophyllaceae [Boraginaceae <del>Hydrophyllaceae</del> ]
<i>Phacelia</i> spp.	Hydrophyllaceae [Boraginaceae <del>Hydrophyllaceae</del> ]
<i>Phacelia tanacetifolia</i> Benth.	Hydrophyllaceae [Boraginaceae <del>Hydrophyllaceae</del> ]
<b>Add alternate family</b>	
<i>Azolla pinnata</i> R. Br.	Salviniaceae [Azollaceae]
<i>Blitum nuttallianum</i> Schult.	Chenopodiaceae [Amaranthaceae]
<i>Calliandra eriophylla</i> Benth.	Fabaceae [Mimosaceae]
<i>Callicarpa americana</i> L.	Lamiaceae [Verbenaceae]
<i>Camassia</i> spp.	Asparagaceae [Agavaceae] [Hyacinthaceae] [Liliaceae]
<b>Add new species to Volume 3</b>	
<i>Achnatherum lemmonii</i> (Vasey) Barkworth	Poaceae
<i>Camassia leichtlinii</i> (Barker) S. Watson	Asparagaceae [Agavaceae] [Hyacinthaceae] [Liliaceae]
<i>Clarkia purpurea</i> (Curtis) A. Nelson & J. F. Macbr.	Onagraceae
<i>Festuca roemerii</i> (Pavlick) E. B. Alexeev	Poaceae
<i>Grindelia integrifolia</i> DC.	Asteraceae
<i>Lomatium nudicaule</i> (Pursh) J. M. Coult. & Rose	Apiaceae
<i>Microseris laciniata</i> (Hook.) Sch. Bip.	Asteraceae
<i>Plectritis congesta</i> (Lindl.) DC.	Caprifoliaceae [Valerianaceae]
<i>Prunella vulgaris</i> L. subsp. <i>lanceolata</i> (W. P. C. Barton) Piper & Beattie	Lamiaceae
<i>Ranunculus occidentalis</i> Nutt.	Ranunculaceae
<i>Sidalcea malviflora</i> (DC.) A. Gray	Malvaceae

## SELECTED REFERENCES

- Agriculture Canada, Food Production and Inspection Branch, Laboratory Services Division. 1989. Canadian Noxious Weed Seed Descriptions.
- Ashton, D. 2000. AOSA Business Meeting Minutes – Rules Committee Report. AOSA and SCST Proceedings, p. 39-41.
- Ashton, D. 2000. Rule Proposals – 2000. The Seed Technologist Newsletter 74(1):72-134.
- Ashton, D. 2001. Rule Proposals – 2001. The Seed Technologist Newsletter 75(1):57-153.
- Ashton, D. 2001. Rules Committee Report. AOSA and SCST Proceeding – 2001 Annual Meeting, p. 17-18.
- Barkley, T. M. (Editor). 1986. Flora of the Great Plains. University Press of Kansas.
- Brummitt, R. K. and Powell, C. E. 1992. Authors of Plant Names. A List of Authors of Scientific Names of Plants, with Recommended Standard Forms of Their Names, Including Abbreviations. Royal Botanic Gardens, Kew, England. Now updated online at <http://www.rbgekew.org.uk/data/authors.html>.
- Effenberger, J. 1995. AOSA Rule Changes for 1995. The News Letter of the Association of Official Seed Analysts, Inc. 69(3):78-83.
- Finneseth, C. 2010. AOSA Rule Change Proposals. The Seed Technologist Newsletter 84(1). Distributed in CD and webpage format.
- Finneseth, C. 2009. Rules Change Proposals. The Seed Technologist Newsletter 83(1). Distributed in CD and webpage format.
- Finneseth, C. 2008. Rules Change Proposals. The Seed Technologist Newsletter 82(1). Distributed in CD and webpage format.
- Finneseth, C. 2007. Rules Change Proposals. The Seed Technologist Newsletter 81(1). Distributed in CD and webpage format.
- Finneseth, C. 2007. Rules Committee Annual Report. AOSA and SCST Proceedings – 2007 Annual Meeting, p. 59-60. Distributed in CD and webpage format.
- Hitchcock, A. S. 1935. Revised by Agnes Chase 1950. Manual of the Grasses of the United States. USDA Miscellaneous Publication No. 200.
- ISTA Nomenclature Committee (W. A. Brandenburg, Chairman). 1988. ISTA List of Standardized Plant Names, 3rd. Edition. International Seed Testing Association, Zurich, Switzerland.

## AOSA Rules for Testing Seeds

Justice, O. L. 1952, Revised 1977. Uniform Classification of Weed and Crop Seeds. Contribution No. 25 to the Handbook on Seed Testing. Association of Official Seed Analysts.

Larsen, A. L., Wiersema, J. H., and Handwerker, T. 1993. Uniform Classification of Weed and Crop Seeds. Contribution No. 25 to the Handbook on Seed Testing. Association of Official Seed Analysts.

Mabberley, D. J. 1997. The Plant-book: a Portable Dictionary of the Vascular Plants. Cambridge University Press, Cambridge, England.

Meyer, D. J. L. 2002. Rules Change Proposals. The Seed Technologist Newsletter 76(1):66-168.

Meyer, D. J. L. 2002. Rules Committee Annual Report. AOSA and SCST Proceedings – 2002 Annual Meeting, p. 15-17. Distributed in CD format.

Meyer, D. J. L. 2003. Rules Change Proposals. The Seed Technologist Newsletter 77(1). Distributed in CD format.

Meyer, D. J. L. 2003. Rules Committee Annual Report. AOSA and SCST Proceedings – 2003 Annual Meeting, p. 20-23. Distributed in CD format.

Meyer, D. J. L. 2004. Rules Change Proposals. The Seed Technologist Newsletter 78(1). Distributed in CD format.

Meyer, D. J. L. 2004. Rules Committee Annual Report. AOSA and SCST Proceedings – 2004 Annual Meeting, p. 30-32. Distributed in CD format.

Meyer, D. J. L. 2005. Rules Change Proposals. The Seed Technologist Newsletter 79(1). Distributed in CD and webpage format.

Meyer, D. J. L. 2005. Rules Committee Annual Report. AOSA and SCST Proceedings – 2005 Annual Meeting, p. 24-25. Distributed in CD and webpage format.

Meyer, D. J. L. 2006. Rules Change Proposals. The Seed Technologist Newsletter 80(1). Distributed in CD and webpage format.

Meyer, D. J. L. 2006. Rules Committee Annual Report. AOSA and SCST Proceedings – 2006 Annual Meeting, p. 51-54. Distributed in CD and webpage format.

Radford, A. E. 1986. Fundamentals of Plant Systematics. Harper & Row, Publishers, Inc.

Radford, A. E., W.C. Dickinson, J.R. Massey and C.R. Bell. 1974. Vascular Plant Systematics. Harper & Row, Publishers, Inc.

Schopmeyer, C. S. (Technical Coordinator). 1974. Seeds of Woody Plants in the United States. USDA-Forest Service Agric. Handbook No. 450.

### Volume 3. Uniform Classification of Weed and Crop Seeds

SCS Ecological Sciences Staff. 1982. National List of Scientific Plant Names. Vol. 1: List of Plant Names. Vol. 2: Synonymy. USDA-SCS Publication SCS-TP-159.

Staff of the L. H. Bailey Hortorium, Cornell University. 1976. Hortus Third: A Concise Dictionary of the Plants Cultivated in the United States and Canada. Macmillan Publishing Co.

Stahr, M. and S. Alvarez. 2015. 2015 AOSA Rules Change Proposals. The Seed Technologist Newsletter 89(1). Association of Official Seed Analysts and Society of Commercial Seed Technologists. Distributed in webpage format.

Stahr, M. and S. Alvarez. 2016. 2016 AOSA Rules Change Proposals. Association of Official Seed Analysts and Society of Commercial Seed Technologists. Distributed in webpage format at <https://www.analyzeseed.com/aosa-rules-2/>.

Stahr, M. and S. Alvarez. 2017. 2017 AOSA Rules Change Proposals. Association of Official Seed Analysts and Society of Commercial Seed Technologists. Distributed in webpage format at <https://www.analyzeseed.com/aosa-rules-2/>.

Stern, W. T. 1983. Botanical Latin: History, Grammar, Syntax, Terminology and Vocabulary. 3rd Ed. David & Charles, Inc.

Terrell, E. E., S. R. Hill, J. H. Wiersema and W. E. Rice. 1986. A Checklist of Names for 3,000 Vascular Plants of Economic Importance. USDA-ARS Agric. Handbook No. 505.

USDA, AMS, Livestock and Seed Program, Seed Regulatory and Testing Branch. 1998. State Noxious Weed Seed Requirements Recognized in Administration of the Federal Seed Act.

USDA, ARS, National Genetic Resources Program. Germplasm Resources Information Network - (GRIN). [Online Database] National Germplasm Resources Laboratory, Beltsville, Maryland. Available: [www.ars-grin.gov/npgs](http://www.ars-grin.gov/npgs)

USDA, NRCS 1997. The PLANTS database. (<http://plants.usda.gov>). National Plant Data Center, Baton Rouge, LA 70874-4490 USA.

Waibel, G. 2011. AOSA Rule Change Proposals. The Seed Technologist Newsletter 85(1). Distributed in CD and webpage format.

Waibel, G. and S. Alvarez. 2012. AOSA Rule Change Proposals. The Seed Technologist Newsletter 86(1). Association of Official Seed Analysts and Society of Commercial Seed Technologists. Distributed in CD and webpage format.

Waibel, G. and S. Alvarez. 2013. AOSA Rule Change Proposals. The Seed Technologist Newsletter 87(1). Association of Official Seed Analysts and Society of Commercial Seed Technologists. Distributed in webpage format.

Wiersema, J. H. 1994. Taxonomic Information on Cultivated Plants in the USDA/ARS Germplasm Resources Information Network (GRIN). Paper Presented to the ASecond International Symposium on

## AOSA Rules for Testing Seeds

the Taxonomy of Cultivated Plants@ in Seattle, Washington, August 10-15, 1994. <http://www.ars-grin.gov/cgi-bin/npgs/html/paper>.

Wiersema, J. H., J. H. Kirkbride Jr. and C. R. Gunn. 1990. Legume (Fabaceae) Nomenclature in the USDA Germplasm System. USDA Technical Bulletin 1757, p. 1-572.

Young, R. W. 1996. AOSA Rule Changes for 1996. The News Letter of the Association of Official Seed Analysts, Inc. 70(3):18-25.

Young, R. W. 1997. AOSA Rule Changes for 1997. The News Letter of the Association of Official Seed Analysts, Inc. 71(3):30-33.

Young, R. W. 1998. AOSA Rule Changes for 1998. The Seed Technologist Newsletter 72(3):66-88.

Young, R. W. 1999. AOSA Rule Changes for 1999. The Seed Technologist Newsletter 73(3):39-50.



## UNIFORM CLASSIFICATION SORTED BY SCIENTIFIC NAME

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
619	<i>Abelmoschus esculentus</i> (L.) Moench	okra	Malvaceae	V	C	C	C	C	C	C	C
633	<i>Abies amabilis</i> Douglas ex J. Forbes	fir, Pacific silver	Pinaceae	S	W	W	W	W	C	W	W
635	<i>Abies balsamea</i> (L.) Mill.	fir, balsam	Pinaceae	S	W	W	W	W	C	W	W
649	<i>Abies concolor</i> (Gordon & Glend.) Lindl. ex Hildebr.	fir, white	Pinaceae	S	W	W	W	W	C	W	W
100491	<i>Abies fraseri</i> (Pursh) Poir.	fir, Fraser	Pinaceae	S	W	W	W	W	C	W	W
664	<i>Abies grandis</i> (Douglas ex D. Don) Lindl.	fir, grand	Pinaceae	S	W	W	W	W	C	W	W
669	<i>Abies homolepis</i> Siebold & Zucc.	fir, Nikko	Pinaceae	S	W	W	W	W	C	W	W
676	<i>Abies lasiocarpa</i> (Hook.) Nutt.	fir, subalpine	Pinaceae	S	W	W	W	W	C	W	W
677	<i>Abies lasiocarpa</i> (Hook.) Nutt. var. <i>arizonica</i> (Merriam) Lemmon	fir, cork-bark	Pinaceae	S	W	W	W	W	C	W	W
680	<i>Abies magnifica</i> A. Murray bis	fir, California red	Pinaceae	S	W	W	W	W	C	W	W
317264	<i>Abies magnifica</i> A. Murray bis var. <i>shastensis</i> Lemmon = <i>Abies xshastensis</i> (Lemmon) Lemmon										
693	<i>Abies nordmanniana</i> (Steven) Spach	fir, Nordmann	Pinaceae	S	W	W	W	W	C	W	W
708	<i>Abies procera</i> Rehder	fir, noble	Pinaceae	S	W	W	W	W	C	W	W
316933	<i>Abies xshastensis</i> (Lemmon) Lemmon	fir, Shasta red	Pinaceae	S	W	W	W	W	C	W	W
727	<i>Abies veitchii</i> Lindl.	fir, Veitch	Pinaceae	S	W	W	W	W	C	W	W
316867	<i>Abronia fragrans</i> Nutt. ex Hook.	sandverbena, snowball	Nyctaginaceae	F, R	W	C	W	C	W	W	W
316868	<i>Abronia maritima</i> Nutt. ex S. Watson	sandverbena, seaside	Nyctaginaceae	F, R	W	C	W	C	W	W	W
317010	<i>Abronia</i> spp.	sandverbena	Nyctaginaceae	F, R	W	C	W	C	W	W	W
316869	<i>Abronia villosa</i> S. Watson	sandverbena, desert	Nyctaginaceae	F, R	W	C	W	C	W	W	W
739	<i>Abrus precatorius</i> L.	pea, rosary	Fabaceae	W	W	W	W	W	W	W	W
757	<i>Abutilon theophrasti</i> Medik.	butterprint; velvetleaf	Malvaceae	W	W	W	W	W	W	W	W
777	<i>Acacia armata</i> R. Br. = <i>Acacia paradoxa</i> DC.										
812	<i>Acacia constricta</i> Benth. = <i>Vachellia constricta</i> (Benth.) Seigler & Ebinger										
860	<i>Acacia greggii</i> A. Gray = <i>Senegalia greggii</i> (A. Gray) Britton & Rose										
101107	<i>Acacia mearnsii</i> De Wild.	wattle, black	Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W
313094	<i>Acacia paradoxa</i> DC.	kangaroothorn	Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W
316529	<i>Acaena anserinifolia</i> (J. R. Forst. & G. Forst.) Druce	biddy-biddy; pipiripi	Rosaceae	R, S	W	W	W	W	W	W	W
316530	<i>Acaena novae-zelandiae</i> Kirk	biddy-biddy	Rosaceae	W	W	W	W	W	W	W	W
316531	<i>Acaena pallida</i> (Kirk) Allan	biddy-biddy	Rosaceae	W	W	W	W	W	W	W	W
317174	<i>Acaena sanguisorbae</i> L. f. = <i>Acaena anserinifolia</i> (J. R. Forst. & G. Forst.) Druce										
1049	<i>Acalypha virginica</i> L.	three-seeded mercury	Euphorbiaceae	W	W	W	W	W	W	W	W
316532	<i>Acanthospermum australe</i> (Loefl.) Kuntze	Paraguay-burr	Asteraceae	W	W	W	W	W	W	W	W
1077	<i>Acanthospermum hispidum</i> DC.	starbur; starbur, bristly	Asteraceae	W	W	W	W	W	W	W	W

## AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
1113	<i>Acer circinatum</i> Pursh	maple, vine	Sapindaceae [Aceraceae]	S	W	W	W	W	C	W	W
1132	<i>Acer ginnala</i> Maxim. = <i>Acer tataricum</i> L. subsp. <i>ginnala</i> (Maxim.) Wesm.										
1135	<i>Acer glabrum</i> Torr.	maple, dwarf	Sapindaceae [Aceraceae]	S	W	W	W	W	C	W	W
1161	<i>Acer macrophyllum</i> Pursh	maple, bigleaf	Sapindaceae [Aceraceae]	S	W	W	W	W	C	W	W
1170	<i>Acer negundo</i> L.	maple, box elder; maple, negundo	Sapindaceae [Aceraceae]	S	W	W	W	W	C	W	W
1202	<i>Acer pensylvanicum</i> L.	maple, striped	Sapindaceae [Aceraceae]	S	W	W	W	W	C	W	W
1209	<i>Acer platanoides</i> L.	maple, Norway	Sapindaceae [Aceraceae]	S	W	W	W	W	C	W	W
1211	<i>Acer pseudoplatanus</i> L.	maple, sycamore	Sapindaceae [Aceraceae]	S	W	W	W	W	C	W	W
1220	<i>Acer rubrum</i> L.	maple, red	Sapindaceae [Aceraceae]	S	W	W	W	W	C	W	W
1225	<i>Acer saccharinum</i> L.	maple, silver	Sapindaceae [Aceraceae]	S	W	W	W	W	C	W	W
409105	<i>Acer saccharum</i> Marshall	maple, sugar	Sapindaceae [Aceraceae]	S	W	W	W	W	C	W	W
100760	<i>Acer spicatum</i> Lam.	maple, mountain	Sapindaceae [Aceraceae]	S	W	W	W	W	C	W	W
403019	<i>Acer tataricum</i> L. subsp. <i>ginnala</i> (Maxim.) Wesm.	maple, Amur	Sapindaceae [Aceraceae]	S	W	W	W	W	C	W	W
1263	<i>Achillea filipendulina</i> Lam.	yarrow, fernleaf	Asteraceae	F, R	W	C	W	C	W	W	W
1268	<i>Achillea lanulosa</i> Nutt. = <i>Achillea millefolium</i> L.										
1270	<i>Achillea millefolium</i> L.	yarrow, common; yarrow, western yarrow, woolly	Asteraceae	F, R	W	C	W	C	W	W	W
409106	<i>Achillea millefolium</i> L. var. <i>occidentale</i> DC. = <i>Achillea millefolium</i> L.										
1273	<i>Achillea ptarmica</i> L.	achillea pearl, the	Asteraceae	F	W	C	W	W	W	W	W
402264	<i>Achnatherum brachychaetum</i> (Godr.) Barkworth = <i>Amelichloa brachychaeta</i> (Godr.) Arriaga & Barkworth										
402285	<i>Achnatherum hymenoides</i> (Roem. & Schult.) Barkworth	ricegrass, Indian	Poaceae	R	W	W	W	C	W	C	W
402267	<i>Achnatherum lemmonii</i> (Vasey) Barkworth	needlegrass, Lemmon's	Poaceae	R	W	W	W	C	W	W	W
402268	<i>Achnatherum lettermanii</i> (Vasey) Barkworth	needlegrass, Letterman's	Poaceae	R	W	W	W	C	W	W	W
402271	<i>Achnatherum nelsonii</i> (Scribn.) Barkworth subsp. <i>dorei</i> (Barkworth & J. Maze) Barkworth	needlegrass, subalpine	Poaceae	R	W	W	W	C	W	W	W
402275	<i>Achnatherum occidentale</i> (Thurb.) Barkworth	needlegrass, western	Poaceae	R	W	W	W	C	W	W	W
402278	<i>Achnatherum robustum</i> (Vasey) Barkworth	sleepygrass	Poaceae	R	W	W	W	C	W	W	W
402280	<i>Achnatherum speciosum</i> (Trin. & Rupr.) Barkworth	needlegrass, desert	Poaceae	R	W	W	W	C	W	W	W
402281	<i>Achnatherum thurberianum</i> (Piper) Barkworth	needlegrass, Thurber	Poaceae	R	W	W	W	C	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
316870	<i>Achyrachaena mollis</i> Schauer	blow-wives	Asteraceae	W	W	W	W	W	W	W	W
316871	<i>Acinos arvensis</i> (Lam.) Dandy = <i>Clinopodium acinos</i> (L.) Kuntze										
317175	<i>Acinos thymoides</i> Moench = <i>Clinopodium acinos</i> (L.) Kuntze										
448500	<i>Acmispon americanus</i> (Nutt.) Rydb.	deervetch; trefoil, prairie	Fabaceae	R	W	W	W	C	W	W	W
477827	<i>Acmispon glaber</i> (Vogel) Brouillet	deerweed	Fabaceae	R	W	W	W	C	W	W	W
437649	<i>Acmispon parviflorus</i> (Benth.) D. D. Sokoloff	trefoil, slender	Fabaceae	W	W	W	W	W	W	W	W
316533	<i>Aconitum delphiniifolium</i> DC.	monkshood; wolfsbane	Ranunculaceae	F	W	C	W	W	W	W	W
1347	<i>Aconitum napellus</i> L.	aconite; monkshood, garden	Ranunculaceae	F	W	C	C	W	W	W	W
103782	<i>Acroptilon repens</i> (L.) DC. = <i>Rhaponticum repens</i> (L.) Hidalgo										
417462	<i>Adenostoma fasciculatum</i> Hook. & Arn.	chamise	Rosaceae	R, S	W	W	W	C	C	W	W
311438	<i>Adesmia</i> spp.		Fabaceae	W	W	W	W	W	W	W	W
1531	<i>Aegilops cylindrica</i> Host	goatgrass, jointed	Poaceae	W	W	W	W	W	W	W	W
100014	<i>Aegilops geniculata</i> Roth	goatgrass, tufted; goatgrass, ovate	Poaceae	W	W	W	W	W	W	W	W
1543	<i>Aegilops ovata</i> auct. = <i>Aegilops geniculata</i> Roth										
300011	<i>Aegilops</i> spp.	goatgrass	Poaceae	W	W	W	W	W	W	W	W
1552	<i>Aegilops triuncialis</i> L.	goatgrass, barb	Poaceae	W	W	W	W	W	W	W	W
413715	<i>Aeginetia</i> spp.	aeginetia	Orobanchaceae	W	W	W	W	W	W	W	W
1602	<i>Aeschynomene americana</i> L.	jointvetch, American; deervetch	Fabaceae	R	W	W	W	C	W	W	W
1610	<i>Aeschynomene indica</i> L.	ding ding; indigo, curly; jointvetch, Indian; jointvetch, northern; jointvetch, sensitive	Fabaceae	W	W	W	W	W	W	W	W
70056	<i>Aeschynomene rudis</i> Benth.	jointgrass, rough	Fabaceae	W	W	W	W	W	W	W	W
315816	<i>Aeschynomene</i> spp.	indigo, curly	Fabaceae	W	W	W	W	W	W	W	W
318360	<i>Aeschynomene virginica</i> auct. mult. = <i>Aeschynomene indica</i> L.										
1635	<i>Aesculus pavia</i> L.	buckeye, red	Sapindaceae [Hippocastanaceae]	S	W	W	W	W	C	W	W
316872	<i>Aethusa cynapium</i> L.	parsley, fool's	Apiaceae	W	W	W	W	W	W	W	W
318669	<i>Agastache urticifolia</i> (Benth.) Kuntze	hyssop, nettleleaf giant	Lamiaceae	F, H, R	W	C	C	C	W	W	W
316409	<i>Ageratina adenophora</i> (Spreng.) R. M. King & H. Rob.	craftonweed; pamakani, Maui; thoroughwort, white	Asteraceae	W	W	W	W	W	W	W	W
317713	<i>Ageratina altissima</i> (L.) R. M. King & H. Rob.	snakeroot, white	Asteraceae	W	W	W	W	W	W	W	W
317712	<i>Ageratina riparia</i> (Regel) R. M. King & H. Rob.	pamakani, hamakua	Asteraceae	W	W	W	W	W	W	W	W
1761	<i>Ageratum houstonianum</i> Mill.	ageratum, Mexican	Asteraceae	F	W	C	W	W	W	W	W
317011	<i>Ageratum</i> spp.	ageratum; flower, floss	Asteraceae	F	W	C	W	W	W	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
316873	<i>Agoseris glauca</i> (Pursh) Raf.	false-dandelion; chicory, goat	Asteraceae	W	W	W	W	W	W	W	W
317012	<i>Agoseris</i> spp.	lamb's lettuce; dandelion, mountain	Asteraceae	W	W	W	W	W	W	W	W
N/A	<i>Agropyron</i> × <i>Triticum</i> spp. = × <i>Agrotriticum</i> spp.										
317265	<i>Agropyron boreale</i> (Turcz.) Drobow = <i>Elymus kronokensis</i> (Kom.) Tzvelev subsp. <i>subalpinus</i> (Neuman) Tzvelev										
102774	<i>Agropyron cristatum</i> (L.) Gaertn.	wheatgrass, fairway crested	Poaceae	A,R	C	C	C	C	C	C	C
310372	<i>Agropyron dasystachyum</i> (Hook.) Scribn. = <i>Elymus lanceolatus</i> (Scribn. & J. G. Sm.) Gould subsp. <i>lanceolatus</i>										
1815	<i>Agropyron dasystachyum</i> (Hook.) Scribn. var. <i>riparium</i> (Scribn. & J. G. Sm.) Bowden = <i>Elymus lanceolatus</i> (Scribn. & J. G. Sm.) Gould subsp. <i>riparius</i> (Scribn. & J. G. Sm.) Barkworth										
1817	<i>Agropyron desertorum</i> (Fisch. ex Link) Schult.	wheatgrass, standard crested	Poaceae	A, R	C	C	C	C	C	C	C
463686	<i>Agropyron elongatum</i> auct. nonn. = <i>Thinopyrum ponticum</i> (Podp.) Barkworth & D. R. Dewey										
102520	<i>Agropyron fragile</i> (Roth) P. Candargy	wheatgrass, Siberian	Poaceae	A, R	C	C	C	C	C	C	C
102519	<i>Agropyron fragile</i> (Roth) P. Candargy subsp. <i>sibiricum</i> (Willd.) Melderis = <i>Agropyron fragile</i> (Roth) P. Candargy										
310233	<i>Agropyron inerme</i> (Scribn. & J. G. Sm.) Rydb. = <i>Pseudoroegneria spicata</i> (Pursh) Á. Löve										
317176	<i>Agropyron intermedium</i> (Host) P. Beauv. var. <i>intermedium</i> = <i>Thinopyrum</i> <i>intermedium</i> (Host) Barkworth & D. R. Dewey subsp. <i>intermedium</i>										
317171	<i>Agropyron intermedium</i> (Host) P. Beauv. var. <i>trichophorum</i> (Link) Halácsy = <i>Thinopyrum intermedium</i> (Host) Barkworth & D. R. Dewey subsp. <i>barbulatum</i> (Schur) Barkworth & D. R. Dewey										
1850	<i>Agropyron macrourum</i> (Turcz. ex Steud.) Drobow = <i>Elymus macrourus</i> (Turcz. ex Steud.) Tzvelev										
1877	<i>Agropyron repens</i> (L.) P. Beauv. = <i>Elymus repens</i> (L.) Gould										
310892	<i>Agropyron riparium</i> Scribn. & J. G. Sm. = <i>Elymus lanceolatus</i> (Scribn. & J. G. Sm.) Gould subsp. <i>riparius</i> (Scribn. & J. G. Sm.) Barkworth										
1889	<i>Agropyron sibiricum</i> (Willd.) P. Beauv. = <i>Agropyron fragile</i> (Roth) P. Candargy										
310152	<i>Agropyron smithii</i> Rydb. = <i>Pascopyrum</i> <i>smithii</i> (Rydb.) Barkworth & D. R. Dewey										

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
310238	<i>Agropyron smithii</i> Rydb. var. <i>molle</i> (Scribn. & J. G. Sm.) M. E. Jones = <i>Pascopyrum smithii</i> (Rydb.) Barkworth & D. R. Dewey											
1893	<i>Agropyron spicatum</i> (Pursh) Scribn. & J. G. Sm. = <i>Pseudoroegneria spicata</i> (Pursh) Á. Löve											
310240	<i>Agropyron spicatum</i> (Pursh) Scribn. & J. G. Sm. f. <i>inerme</i> (Scribn. & J. G. Sm.) Beetle = <i>Pseudoroegneria spicata</i> (Pursh) Á. Löve											
1900	<i>Agropyron subsecundum</i> (Link) Hitchc. = <i>Elymus trachycaulus</i> (Link) Gould ex Shinnars subsp. <i>subsecundus</i> (Link) Á. Löve & D. Löve											
1905	<i>Agropyron trachycaulum</i> (Link) Malte ex H. F. Lewis = <i>Elymus trachycaulus</i> (Link) Gould ex Shinnars subsp. <i>trachycaulus</i>											
310388	<i>Agropyron trichophorum</i> (Link) K. Richt. = <i>Thinopyrum intermedium</i> (Host) Barkworth & D. R. Dewey subsp. <i>barbulatum</i> (Schur) Barkworth & D. R. Dewey											
1913	<i>Agropyron violaceum</i> (Hornem.) Lange = <i>Elymus violaceus</i> (Hornem.) Feilberg											
1916	<i>Agropyron yukonense</i> Scribn. & Merr. = <i>Elymus xyukonensis</i> (Scribn. & Merr.) Á. Löve											
1917	<i>Agrostemma githago</i> L.	corncockle	Caryophyllaceae	W	W	W	W	W	W	W	W	W
2002	<i>Agrostis alba</i> auct. Amer. = <i>Agrostis gigantea</i> Roth											
2015	<i>Agrostis canina</i> L.	bentgrass, velvet	Poaceae	T	C	C	C	C	C	C	C	C
2017	<i>Agrostis capillaris</i> L.	bentgrass, colonial	Poaceae	T	C	C	C	C	C	C	C	C
316535	<i>Agrostis eliottiana</i> Schult.	bentgrass, Elliott	Poaceae	T	W	W	W	C	C	C	W	
2024	<i>Agrostis exarata</i> Trin.	bentgrass, spike bentgrass, awned spike	Poaceae	R	W	W	W	C	W	W	W	
316536	<i>Agrostis exarata</i> Trin. var. <i>monolepis</i> (Torr.) Hitchc. = <i>Agrostis exarata</i> Trin.											
2027	<i>Agrostis gigantea</i> Roth	redtop	Poaceae	T	C	C	C	C	C	C	C	C
316537	<i>Agrostis hyemalis</i> (Walter) Britton et al.	bentgrass, winter	Poaceae	R	W	W	W	C	W	W	W	
316538	<i>Agrostis longiligula</i> Hitchc.	bentgrass, longtongue	Poaceae	W	W	W	W	W	W	W	W	
103618	<i>Agrostis nigra</i> With. = <i>Agrostis gigantea</i> Roth											
2044	<i>Agrostis palustris</i> Huds. = <i>Agrostis stolonifera</i> L. var. <i>palustris</i> (Huds.) Farw.											
2052	<i>Agrostis scabra</i> Willd.	ticklegrass	Poaceae	W	W	W	W	W	W	W	W	W
2056	<i>Agrostis spica-venti</i> L. = <i>Apera spica-venti</i> (L.) P. Beauv.											
2059	<i>Agrostis stolonifera</i> L. var. <i>palustris</i> (Huds.) Farw.	bentgrass, creeping	Poaceae	T	C	C	C	C	C	C	C	C
2061	<i>Agrostis tenuis</i> Sibth. = <i>Agrostis capillaris</i> L.											
300016	× <i>Agrotitricum</i> spp.	agrotitricum	Poaceae	A	C	C	C	C	C	C	C	C

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
2072	<i>Ailanthus altissima</i> (Mill.) Swingle	ailanthus; tree-of-heaven	Simaroubaceae	S	W	W	W	W	C	W	W
2086	<i>Aira caryophyllea</i> L.	hairgrass, silver	Poaceae	W	W	W	W	W	W	W	W
2089	<i>Aira elegans</i> auct. = <i>Aira elegantissima</i> Schur										
317137	<i>Aira elegantissima</i> Schur	hairgrass, fine	Poaceae	W	W	W	W	W	W	W	W
317013	<i>Aira</i> spp.	hairgrass	Poaceae	W	W	W	W	W	W	W	W
316539	<i>Ajuga chamaepitys</i> (L.) Schreb.	bugle, ground	Lamiaceae	W	W	W	W	W	W	W	W
2170	<i>Alcea rosea</i> L.	hollyhock	Malvaceae	F	W	C	W	W	W	W	W
404467	<i>Alchemilla arvensis</i> (L.) Scop.	lady's mantle, western	Rosaceae	W	W	W	W	W	W	W	W
317266	<i>Alchemilla occidentalis</i> Nutt. = <i>Alchemilla arvensis</i> (L.) Scop.										
413714	<i>Alectra</i> spp.	alectra	Orobanchaceae [Scrophulariaceae]	W	W	W	W	W	W	W	W
310715	<i>Alhagi camelorum</i> Fisch. = <i>Alhagi maurorum</i> Medik.										
2198	<i>Alhagi maurorum</i> Medik.	camelthorn	Fabaceae	W	W	W	W	W	W	W	W
2199	<i>Alhagi pseudalhagi</i> (M. Bieb.) Desv. ex B. Keller & Shap. = <i>Alhagi maurorum</i> Medik.										
310080	<i>Alhagi</i> spp.	camelthorn	Fabaceae	W	W	W	W	W	W	W	W
2204	<i>Alisma plantago-aquatica</i> L.	mad-dog weed; plantain, water	Alismataceae	W	W	W	W	W	W	W	W
459430	<i>Allenrolfea occidentalis</i> (S. Watson) Kuntze	iodine-bush	Chenopodiaceae [Amaranthaceae]	R, S	W	W	W	C	C	W	W
456337	<i>Allionia choisyi</i> Standl.	four-o'clock, trailing	Nyctaginaceae	F	W	C	W	W	W	W	W
316540	<i>Allium acuminatum</i> Hook.	onion, tapertip	Amaryllidaceae [Alliaceae] [Liliaceae]	R	W	W	W	W	W	W	W
2217	<i>Allium ampeloprasum</i> L.	garlic, elephant	Amaryllidaceae [Alliaceae] [Liliaceae]	H, V	W	W	C	W	W	W	C
101407	<i>Allium amplexans</i> Torr.	onion, narrowleaved	Amaryllidaceae [Alliaceae] [Liliaceae]	W	W	W	W	W	W	W	W
316541	<i>Allium canadense</i> L.	onion, wild; onion, wild bulbous	Amaryllidaceae [Alliaceae] [Liliaceae]	W	W	W	W	W	W	W	W
2244	<i>Allium cepa</i> L.	onion	Amaryllidaceae [Alliaceae] [Liliaceae]	V	W	C	C	W	W	W	C
2246	<i>Allium cernuum</i> Roth	onion, nodding	Amaryllidaceae [Alliaceae] [Liliaceae]	F, R, V	W	C	W	C	W	W	C
2276	<i>Allium fistulosum</i> L.	onion, Welsh	Amaryllidaceae [Alliaceae] [Liliaceae]	V	W	W	W	W	W	W	C
2324	<i>Allium neapolitanum</i> Cirillo	garlic, false; onion, flowering	Amaryllidaceae [Alliaceae] [Liliaceae]	W	W	W	W	W	W	W	W
2343	<i>Allium paniculatum</i> L.	onion, Mediterranean; onion, paniced	Amaryllidaceae [Alliaceae] [Liliaceae]	W	W	W	W	W	W	W	W
2351	<i>Allium porrum</i> L.	leek	Amaryllidaceae [Alliaceae] [Liliaceae]	H, V	W	W	C	W	W	W	C

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
316542	<i>Allium praecox</i> Brandegee	onion, wild	Amaryllidaceae [Alliaceae] [Liliaceae]	R	W	C	W	W	W	W	W	W
2368	<i>Allium sativum</i> L.	garlic	Amaryllidaceae [Alliaceae] [Liliaceae]	H, V	W	W	C	W	W	W	W	C
2369	<i>Allium schoenoprasum</i> L.	chives	Amaryllidaceae [Alliaceae] [Liliaceae]	H, V	W	C	C	W	W	W	W	C
300022	<i>Allium</i> spp.	onion, prairie; onion, wild	Amaryllidaceae [Alliaceae] [Liliaceae]	W	W	W	W	W	W	W	W	W
2400	<i>Allium textile</i> A. Nelson & J. F. Macbr.	onion, textile	Amaryllidaceae [Alliaceae] [Liliaceae]	W	W	W	W	W	W	W	W	W
101616	<i>Allium tricoccum</i> Aiton	leek, wild; ramp	Amaryllidaceae [Alliaceae] [Liliaceae]	H, V	W	W	C	W	W	W	W	C
2409	<i>Allium tuberosum</i> Rottler ex Spreng.	chives, Chinese; garlic, Oriental	Amaryllidaceae [Alliaceae] [Liliaceae]	H, V	W	W	C	W	W	W	W	C
2416	<i>Allium vineale</i> L.	garlic, wild	Amaryllidaceae [Alliaceae] [Liliaceae]	W	W	W	W	W	W	W	W	W
317000	<i>Allocarya</i> spp. = <i>Plagiobothrys</i> spp.											
411501	<i>Alnus incana</i> (L.) Moench subsp. <i>tenuifolia</i> (Nutt.) Breitung	alder, mountain	Betulaceae	S	W	W	W	W	C	W	W	W
316543	<i>Alnus rhombifolia</i> Nutt.	alder, white	Betulaceae	S	W	W	W	W	C	W	W	W
105118	<i>Alnus rubra</i> Bong.	alder, red	Betulaceae	S	W	W	W	W	C	W	W	W
2477	<i>Alnus sinuata</i> (Regel) Rydb. = <i>Alnus viridis</i> (Chaix) DC. subsp. <i>sinuata</i> (Regel) Á. Löve & D. Löve											
2480	<i>Alnus tenuifolia</i> Nutt. = <i>Alnus incana</i> (L.) Moench subsp. <i>tenuifolia</i> (Nutt.) Breitung											
411499	<i>Alnus viridis</i> (Chaix) DC. subsp. <i>crispa</i> (Aiton) Turrill	alder, American green; alder, green	Betulaceae	S	W	W	W	W	C	W	W	W
402101	<i>Alnus viridis</i> (Chaix) DC. subsp. <i>sinuata</i> (Regel) Á. Löve & D. Löve	alder, Sitka	Betulaceae	S	W	W	W	W	C	W	W	W
409852	<i>Alnus viridis</i> (Chaix) DC. subsp. <i>viridis</i>	alder, European green; alder, green	Betulaceae	S	W	W	W	W	C	W	W	W
2637	<i>Alopecurus aequalis</i> Sobol.	foxtail, shortawn	Poaceae	W	W	W	W	W	W	W	W	W
2642	<i>Alopecurus arundinaceus</i> Poir.	foxtail, creeping	Poaceae	A, R	C	W	W	C	W	C	W	W
316544	<i>Alopecurus carolinianus</i> Walter	foxtail, Carolina	Poaceae	W	W	W	W	W	W	W	W	W
2645	<i>Alopecurus geniculatus</i> L.	foxtail, water	Poaceae	R	W	W	W	C	W	W	W	W
2650	<i>Alopecurus myosuroides</i> Huds.	foxtail, slender	Poaceae	W	W	W	W	W	W	W	W	W
2651	<i>Alopecurus pratensis</i> L.	foxtail, meadow	Poaceae	A, R	C	W	W	C	W	C	W	W
316545	<i>Alopecurus saccatus</i> Vasey	meadowgrass, Pacific	Poaceae	W	W	W	W	W	W	W	W	W
315494	<i>Alopecurus</i> spp.	foxtail	Poaceae	W	W	W	W	W	W	W	W	W
101502	<i>Alternanthera philoxeroides</i> (Mart.) Griseb.	alligatorweed	Amaranthaceae	W	W	W	W	W	W	W	W	W
316546	<i>Alternanthera pungens</i> Kunth	khakiweed	Amaranthaceae	W	W	W	W	W	W	W	W	W
317493	<i>Alternanthera repens</i> (L.) Link, nom. illeg. = <i>Alternanthera pungens</i> Kunth											

## AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
2713	<i>Alternanthera sessilis</i> (L.) DC.	joyweed, sessile; periquito-sessil	Amaranthaceae	W	W	W	W	W	W	W	W
2717	<i>Althaea hirsuta</i> L.	marshmallow, hairy; marshmallow, rough	Malvaceae	W	W	W	W	W	W	W	W
2721	<i>Althaea officinalis</i> L.	marshmallow	Malvaceae	F	W	C	W	W	W	W	W
317177	<i>Althaea rosea</i> (L.) Cav. = <i>Alcea rosea</i> L.										
2740	<i>Alysicarpus vaginalis</i> (L.) DC.	alyceclover	Fabaceae	A	C	C	C	C	C	C	C
2742	<i>Alyssum alyssoides</i> (L.) L.	alyssum, pale	Brassicaceae	F	W	C	W	W	W	W	W
2762	<i>Alyssum maritimum</i> (L.) Lam. = <i>Lobularia maritima</i> (L.) Desv.										
315432	<i>Alyssum minus</i> auct. = <i>Alyssum simplex</i> Rudolphi										
317267	<i>Alyssum petraeum</i> Ard. subsp. <i>grandiflora</i> hort. = <i>Aurinia petraea</i> (Ard.) Schur										
2769	<i>Alyssum saxatile</i> L. = <i>Aurinia saxatilis</i> (L.) Desv.										
318725	<i>Alyssum simplex</i> Rudolphi		Brassicaceae	W	W	W	W	W	W	W	W
317014	<i>Alyssum</i> spp.	alyssum	Brassicaceae	F, R	W	C	W	C	W	W	W
101509	<i>Amaranthus albus</i> L.	pigweed, tumble	Amaranthaceae	W	W	W	W	W	W	W	W
101529	<i>Amaranthus blitoides</i> S. Watson	pigweed, prostrate	Amaranthaceae	W	W	W	W	W	W	W	W
70070	<i>Amaranthus cruentus</i> L.	amaranth, purple	Amaranthaceae	A	C	W	W	W	W	W	W
101536	<i>Amaranthus graecizans</i> L.	pigweed, tumble	Amaranthaceae	W	W	W	W	W	W	W	W
2795	<i>Amaranthus hybridus</i> L.	pigweed, slender; pigweed, smooth	Amaranthaceae	W	W	W	W	W	W	W	W
2796	<i>Amaranthus hypochondriacus</i> L.	prince's-feather	Amaranthaceae	F	W	C	W	W	W	W	W
101541	<i>Amaranthus palmeri</i> S. Watson	carelessweed; pigweed, Palmer	Amaranthaceae	W	W	W	W	W	W	W	W
2803	<i>Amaranthus retroflexus</i> L.	pigweed, redroot; pigweed, rough	Amaranthaceae	W	W	W	W	W	W	W	W
2804	<i>Amaranthus spinosus</i> L.	pigweed, spiny	Amaranthaceae	W	W	W	W	W	W	W	W
300025	<i>Amaranthus</i> spp.	pigweed amaranth	Amaranthaceae	F	W	W	W	W	W	W	W
103809	<i>Amberboa moschata</i> (L.) DC.	sultan, sweet	Asteraceae	F	W	C	W	W	W	W	W
316547	<i>Ambrosia acanthicarpa</i> Hook.	bursage, annual	Asteraceae	R	W	W	W	C	W	W	W
103817	<i>Ambrosia artemisiifolia</i> L.	ragweed, common	Asteraceae	W	W	W	W	W	W	W	W
316548	<i>Ambrosia bidentata</i> Michx.	ragweed, lanceleafed	Asteraceae	W	W	W	W	W	W	W	W
316549	<i>Ambrosia confertiflora</i> DC.	bursage, slimleaf	Asteraceae	R	W	W	W	C	W	W	W
316550	<i>Ambrosia coronopifolia</i> Torr. & A. Gray = <i>Ambrosia psilostachya</i> DC.										
103819	<i>Ambrosia deltoidea</i> (Torr.) W. W. Payne	bursage, triangle-leaf	Asteraceae	R, S	W	W	W	C	C	W	W
103821	<i>Ambrosia dumosa</i> (A. Gray) W. W. Payne	bursage	Asteraceae	F, R	W	C	W	C	W	W	W
103823	<i>Ambrosia grayi</i> (A. Nelson) Shinnars	ragweed, bur; povertyweed, woollyleaf	Asteraceae	W	W	W	W	W	W	W	W
103825	<i>Ambrosia psilostachya</i> DC.	ragweed, perennial; ragweed, western	Asteraceae	R	W	W	W	W	W	W	W
449253	<i>Ambrosia salsola</i> (Torr. & A. Gray) Strother & B. G. Baldwin	burrobush; cheeseweed	Asteraceae	R, S	W	W	W	C	C	W	W



Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
317003	<i>Ambrosia</i> spp.	bursage; ragweed	Asteraceae	W	W	W	W	W	W	W	W
103826	<i>Ambrosia tomentosa</i> Nutt.	bursage, skeletonleaf; povertyweed, silverleaf	Asteraceae	W	W	W	W	W	W	W	W
103827	<i>Ambrosia trifida</i> L.	ragweed, giant	Asteraceae	W	W	W	W	W	W	W	W
2870	<i>Amelanchier alnifolia</i> (Nutt.) Nutt. ex M. Roem.	serviceberry, Saskatoon	Rosaceae	R, S	W	W	W	C	C	W	W
317178	<i>Amelanchier oreophila</i> A. Nelson = <i>Amelanchier utahensis</i> Koehne										
313668	<i>Amelanchier</i> spp.	serviceberry	Rosaceae	R, S	W	W	W	C	C	W	W
2881	<i>Amelanchier utahensis</i> Koehne	serviceberry, Utah	Rosaceae	R, S	W	W	W	C	C	W	W
452839	<i>Amelichloa brachychaeta</i> (Godr.) Arriaga & Barkworth	punagrass	Poaceae	W	W	W	W	W	W	W	W
403806	<i>Ammannia coccinea</i> Rottb.	toothcup redstem, valley	Lythraceae	W	W	W	W	W	W	W	W
2899	<i>Ammi majus</i> L.	ammi, greater; bishop's-flower	Apiaceae	F	W	C	W	W	W	W	W
2900	<i>Ammi visnaga</i> (L.) Lam.	plant, toothpick	Apiaceae	W	W	W	W	W	W	W	W
2911	<i>Ammophila arenaria</i> (L.) Link	beachgrass	Poaceae	W	W	W	W	W	W	W	W
2935	<i>Amorpha californica</i> Nutt.	indigo, California false	Fabaceae	R, S	W	W	W	C	C	W	W
2936	<i>Amorpha canescens</i> Pursh	leadplant	Fabaceae	S, R	W	W	W	C	C	W	W
2937	<i>Amorpha fruticosa</i> L.	indigobush; false-indigo	Fabaceae	S,R	W	W	W	C	C	W	W
317179	<i>Ampelamus albidus</i> (Nutt.) Britton = <i>Cynanchum laeve</i> (Michx.) Pers.										
103834	<i>Amphiachyris dracunculoides</i> (DC.) Nutt.	broomweed	Asteraceae	W	W	W	W	W	W	W	W
2984	<i>Amphibromus neesii</i> Steud.	wallabygrass, swamp	Poaceae	W	W	W	W	W	W	W	W
456008	<i>Amphiscirpus nevadensis</i> (S. Watson) Oteng-Yeb.	bulrush, Nevada	Cyperaceae	R	W	W	W	C	W	W	W
316551	<i>Amsinckia intermedia</i> Fisch. & C. A. Mey.	fiddleneck, coast	Boraginaceae	R	W	W	W	W	W	W	W
453243	<i>Amsinckia menziesii</i> (Lehm.) A. Nelson & J. F. Macbr.	fiddleneck, common	Boraginaceae	W	W	W	W	W	W	W	W
317015	<i>Amsinckia</i> spp.	fiddleneck	Boraginaceae	W	W	W	W	W	W	W	W
3006	<i>Amsinckia tessellata</i> A. Gray	fiddleneck, western	Boraginaceae	H, R	W	W	W	W	W	W	W
453197	<i>Amsonia tomentosa</i> Torr. & Frém.	bluestar, woolly	Apocynaceae	F, R	W	C	W	C	W	W	W
316552	<i>Anagallis arvensis</i> L.	pimpernel, scarlet; anagallis	Primulaceae [Myrsinaceae]	F, R	W	C	W	C	W	W	W
317180	<i>Anagallis arvensis</i> L. f. <i>caerulea</i> (L.) Lüdi = <i>Anagallis arvensis</i> L. var. <i>caerulea</i> (L.) Gouan										
3066	<i>Anagallis arvensis</i> L. var. <i>caerulea</i> (L.) Gouan	weatherglass	Primulaceae [Myrsinaceae]	F	W	C	W	W	W	W	W
316934	<i>Anagallis monelli</i> L.	anagallis; pimpernel, smooth	Primulaceae [Myrsinaceae]	F	W	C	W	W	W	W	W
3086	<i>Anaphalis margaritacea</i> (L.) Benth. & Hook. f.	everlasting, pearly	Asteraceae	F, R	W	C	W	C	W	W	W
3098	<i>Anchusa azurea</i> Mill.	bugloss, Italian	Boraginaceae	F	W	C	W	W	W	W	W
3099	<i>Anchusa capensis</i> Thunb.	bugloss, cape	Boraginaceae	F	W	C	W	W	W	W	W
317016	<i>Anchusa</i> spp.	Anchusa; bugloss	Boraginaceae	W	W	W	W	W	W	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
477000	<i>Andersonglossum virginianum</i> (L.) J. I. Cohen	comfrey, wild; hound's-tongue, blue	Boraginaceae	W	W	W	W	W	W	W	W
3164	<i>Andropogon bicornis</i> L.	foxtail, West Indian	Poaceae	W	W	W	W	W	W	W	W
3215	<i>Andropogon gerardi</i> Vitman	bluestem, big	Poaceae	A, R	C	W	W	C	W	W	W
317181	<i>Andropogon gerardi</i> Vitman var. <i>paucipilus</i> (Nash) Fernald = <i>Andropogon hallii</i> Hack.										
3219	<i>Andropogon glomeratus</i> (Walter) Britton et al.	beardgrass, bushy	Poaceae	W	W	W	W	W	W	W	W
3225	<i>Andropogon hallii</i> Hack.	bluestem, sand	Poaceae	A, R	C	W	W	C	W	W	W
3236	<i>Andropogon intermedius</i> R. Br. = <i>Bothriochloa bladhii</i> (Retz.) S. T. Blake										
3264	<i>Andropogon nodosus</i> auct. = <i>Dichanthium aristatum</i> (Poir.) C. E. Hubb.										
3311	<i>Andropogon scoparius</i> Michx. = <i>Schizachyrium scoparium</i> (Michx.) Nash										
3314	<i>Andropogon sericeus</i> R. Br. = <i>Dichanthium sericeum</i> (R. Br.) A. Camus										
300029	<i>Andropogon</i> spp.	bluestem	Poaceae	R	W	W	W	C	W	W	W
3343	<i>Andropogon ternarius</i> Michx.	bluestem, split	Poaceae	R	W	W	W	C	W	W	W
3355	<i>Andropogon virginicus</i> L.	broomsedge	Poaceae	W	W	W	W	W	W	W	W
315598	<i>Anemone canadensis</i> L.	anemone, meadow; windflower	Ranunculaceae	F	W	C	W	W	W	W	W
3379	<i>Anemone cylindrica</i> A. Gray	anemone, candle	Ranunculaceae	F, R	W	C	W	C	W	W	W
318689	<i>Anemone patens</i> L.	pasqueflower, eastern	Ranunculaceae	F, R	W	C	W	C	W	W	W
100742	<i>Anemone pulsatilla</i> L.	anemone; pasqueflower, European	Ranunculaceae	F, R	W	C	W	C	W	W	W
3410	<i>Anemopsis californica</i> (Nutt.) Hook. & Arn.	yerba-mansa	Saururaceae	H, R	W	W	C	C	W	W	W
3412	<i>Anethum graveolens</i> L.	dill	Apiaceae	H	W	W	C	W	W	W	C
3508	<i>Anoda cristata</i> (L.) Schldl.	anoda, spurred	Malvaceae	W	W	W	W	W	W	W	W
316553	<i>Antennaria plantaginifolia</i> (L.) Richardson	cat's paw; everlasting, plantain- leaved	Asteraceae	W	W	W	W	W	W	W	W
103870	<i>Anthemis arvensis</i> L.	chamomile, field	Asteraceae	W	W	W	W	W	W	W	W
103883	<i>Anthemis cotula</i> L.	dogfennel; mayweed	Asteraceae	W	W	W	W	W	W	W	W
103913	<i>Anthemis nobilis</i> L. = <i>Chamaemelum nobile</i> (L.) All.										
3536	<i>Anthemis sancti-johannis</i> Stoj. et al.	chamomile, St. Johns	Asteraceae	F	W	C	W	W	W	W	W
316554	<i>Anthemis tinctoria</i> L. = <i>Cota tinctoria</i> (L.) J. Gay										
3590	<i>Anthoxanthum aristatum</i> Boiss.	vernalgrass, sweet	Poaceae	W	W	W	W	W	W	W	W
452388	<i>Anthoxanthum nitens</i> (Weber) Y. Schouten & Veldkamp	sweetgrass	Poaceae	W	W	W	W	W	W	W	W
3594	<i>Anthoxanthum odoratum</i> L.	vernalgrass, sweet	Poaceae	A	W	W	W	W	W	W	W
317017	<i>Anthoxanthum</i> spp.	vernalgrass	Poaceae	W	W	W	W	W	W	W	W
316479	<i>Anthriscus caucalis</i> M. Bieb.	chervil, bur	Apiaceae	W	W	W	W	W	W	W	W
3595	<i>Anthriscus cerefolium</i> (L.) Hoffm.	chervil	Apiaceae	H	W	W	C	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
317182	<i>Anthriscus scandicinus</i> Mansf. = <i>Anthriscus caucalis</i> M. Bieb.											
317018	<i>Anthriscus</i> spp.	chervil	Apiaceae	W	W	W	W	W	W	W	W	W
316555	<i>Anthriscus sylvestris</i> (L.) Hoffm.	chervil, wild	Apiaceae	W	W	W	W	W	W	W	W	W
300032	<i>Anthyllis vulneraria</i> L.	kidney-vetch	Fabaceae	W	W	W	W	W	W	W	W	W
432267	<i>Anticlea elegans</i> (Pursh) Rydb.	death camas, white; death camas, mountain	Melanthiaceae [Liliaceae]	W	W	W	W	W	W	W	W	W
317269	<i>Antirrhinum orontium</i> L. = <i>Misopates orontium</i> (L.) Raf.											
311595	<i>Antirrhinum</i> spp.	snapdragon	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F	W	C	W	W	W	W	W	W
70080	<i>Apera interrupta</i> (L.) P. Beauv.	silkybent, dense	Poaceae	W	W	W	W	W	W	W	W	W
3681	<i>Apera spica-venti</i> (L.) P. Beauv.	windgrass	Poaceae	W	W	W	W	W	W	W	W	W
316983	<i>Aphanes arvensis</i> L. = <i>Alchemilla arvensis</i> (L.) Scop.											
476221	<i>Apiastrum angustifolium</i> Nutt.	parsley, mock	Apiaceae	R	W	W	W	C	W	W	W	W
3701	<i>Apium ammi</i> Urb. = <i>Cyclospermum leptophyllum</i> (Pers.) Sprague ex Britton & P. Wilson											
102051	<i>Apium graveolens</i> L. var. <i>dulce</i> (Mill.) DC.	celery	Apiaceae	V, H	C	W	C	W	W	W	W	C
3704	<i>Apium graveolens</i> L. var. <i>rapaceum</i> (Mill.) DC.	celeriac	Apiaceae	V	C	C	C	W	W	W	W	C
3706	<i>Apium leptophyllum</i> (Pers.) F. Muell. ex Benth. = <i>Cyclospermum leptophyllum</i> (Pers.) Sprague ex Britton & P. Wilson											
317270	<i>Apium segetum</i> (L.) Dumort. = <i>Petroselinum segetum</i> (L.) W. D. J. Koch											
102186	<i>Apocynum androsaemifolium</i> L.	dogbane, spreading	Apocynaceae	W	W	W	W	W	W	W	W	W
3718	<i>Apocynum cannabinum</i> L.	dogbane, hemp; Indian-hemp	Apocynaceae	W	W	W	W	W	W	W	W	W
300035	<i>Apocynum</i> spp.	dogbane	Apocynaceae	W	W	W	W	W	W	W	W	W
3730	<i>Aquilegia alpina</i> L.	columbine, alpine	Ranunculaceae	F, R	W	C	W	C	W	W	W	W
3738	<i>Aquilegia canadensis</i> L.	columbine, dwarf	Ranunculaceae	F, R	W	C	W	C	W	W	W	W
3741	<i>Aquilegia chrysantha</i> A. Gray	columbine, golden	Ranunculaceae	F, R	W	C	W	C	W	W	W	W
3737	<i>Aquilegia coerulea</i> E. James	columbine, Colorado blue	Ranunculaceae	F, R	W	C	W	C	W	W	W	W
316556	<i>Aquilegia flavescens</i> S. Watson	columbine, yellow	Ranunculaceae	F, R	W	C	W	C	W	W	W	W
3747	<i>Aquilegia formosa</i> Fisch. ex DC.	columbine, western red	Ranunculaceae	F	W	C	W	W	W	W	W	W
316557	<i>Aquilegia longissima</i> A. Gray ex S. Watson	columbine, longspur	Ranunculaceae	F, R	W	C	W	C	W	W	W	W
300037	<i>Aquilegia</i> spp.	columbine	Ranunculaceae	F, R	W	C	W	C	W	W	W	W
3767	<i>Aquilegia vulgaris</i> L.	columbine, European	Ranunculaceae	F, R	W	C	W	C	W	W	W	W
3769	<i>Arabidopsis thaliana</i> (L.) Heynh.	cress, mouse-ear	Brassicaceae	W	W	W	W	W	W	W	W	W
3770	<i>Arabis alpina</i> L.	rockcress; mountaincress	Brassicaceae	F	W	C	W	W	W	W	W	W
316558	<i>Arabis glabra</i> (L.) Bernh. = <i>Turritis glabra</i> L.											
316559	<i>Arabis rigidissima</i> Rollins var. <i>demota</i> Rollins = <i>Boechera rigidissima</i> (Rollins) Al-Shehbaz											

## AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
317019	<i>Arabis</i> spp.	rockcress	Brassicaceae	F	W	C	W	W	W	W	W	W
3785	<i>Arachis hypogaea</i> L.	peanut	Fabaceae	A	C	C	C	C	C	C	C	C
3812	<i>Aralia cordata</i> Thunb.	udo	Araliaceae	W	W	W	W	W	W	W	W	W
3841	<i>Araujia sericifera</i> Brot.	bladderflower	Apocynaceae [Asclepiadaceae]	W	W	W	W	W	W	W	W	W
316002	<i>Arbutus menziesii</i> Pursh	madrone, Pacific	Ericaceae	S	W	W	W	W	C	W	W	W
3855	<i>Arctagrostis latifolia</i> (R. Br.) Griseb.	polargrass	Poaceae	R	C	W	W	C	W	W	W	C
3857	<i>Arctium lappa</i> L.	burdock, great	Asteraceae	V	W	W	W	W	W	W	W	W
313517	<i>Arctium minus</i> (Hill) Bernh.	burdock, common	Asteraceae	W	W	W	W	W	W	W	W	W
3862	<i>Arctostaphylos glauca</i> Lindl.	manzanita, bigberry	Ericaceae	R, S	W	W	W	C	C	W	W	W
316560	<i>Arctostaphylos patula</i> Greene	manzanita, greenleaf	Ericaceae	R, S	W	W	W	C	C	W	W	W
3866	<i>Arctostaphylos uva-ursi</i> (L.) Spreng.	bearberry, common; kinnikinnick	Ericaceae	R, S	W	W	W	C	C	W	W	W
316561	<i>Arctotheca calendula</i> (L.) Levyns	capeweed	Asteraceae	W	W	W	W	W	W	W	W	W
3871	<i>Arctotis fastuosa</i> Jacq.	daisy, Cape; monarch-daisy	Asteraceae	F	W	C	W	W	W	W	W	W
404794	<i>Arctotis stoechadifolia</i> auct. = <i>Arctotis venusta</i> Norl.											
3875	<i>Arctotis venusta</i> Norl.	African-daisy, blue-eyed; African-daisy, lilac; arctotis	Asteraceae	F	W	C	W	W	W	W	W	W
403463	<i>Ardisia elliptica</i> Thunb.	ardisia, shoebutton	Primulaceae [Myrsinaceae]	W	W	W	W	W	W	W	W	W
3943	<i>Arenaria serpyllifolia</i> L.	sandwort, thymeleaf	Caryophyllaceae	W	W	W	W	W	W	W	W	W
317020	<i>Arenaria</i> spp.	sandwort	Caryophyllaceae	W	W	W	W	W	W	W	W	W
3958	<i>Argemone albiflora</i> Hornem.	pricklypoppy, bluestem; pricklypoppy, white	Papaveraceae	W	W	W	W	W	W	W	W	W
50045	<i>Argemone hispida</i> A. Gray	pricklypoppy, hairy	Papaveraceae	F, R	W	C	W	C	W	W	W	W
3959	<i>Argemone mexicana</i> L.	pricklypoppy, Mexican	Papaveraceae	R	W	W	C	W	W	W	W	W
316563	<i>Argemone polyanthemus</i> (Fedde) G. B. Ownbey	pricklypoppy, crested; pricklypoppy, plains	Papaveraceae	R	W	W	W	C	W	W	W	W
316564	<i>Argemone squarrosa</i> Greene	pricklypoppy, hedgehog	Papaveraceae	F, R	W	C	W	C	W	W	W	W
4028	<i>Aristida adscensionis</i> L.	three-awn, six-weeks	Poaceae	R	W	W	W	C	W	W	W	W
319176	<i>Aristida beyrichiana</i> Trin. & Rupr. = <i>Aristida stricta</i> Michx.											
316565	<i>Aristida dichotoma</i> Michx.	povertygrass	Poaceae	W	W	W	W	W	W	W	W	W
317272	<i>Aristida intermedia</i> Scribn. & C. R. Ball = <i>Aristida longespica</i> Poir. var. <i>geniculata</i> (Raf.) Fernald											
459454	<i>Aristida lanosa</i> Muhl. ex Elliott	three-awn, woolly	Poaceae	R	W	W	W	C	W	W	W	W
316935	<i>Aristida longespica</i> Poir. var. <i>geniculata</i> (Raf.) Fernald	povertygrass	Poaceae	W	W	W	W	W	W	W	W	W
4059	<i>Aristida oligantha</i> Michx.	threeawn, prairie	Poaceae	R	W	W	W	C	W	W	W	W
412657	<i>Aristida purpurascens</i> Poir.	three-awn, arrow-feather	Poaceae	R	W	W	W	C	W	W	W	W
316566	<i>Aristida purpurea</i> Nutt.	threeawn, tufted	Poaceae	R	W	C	W	C	W	W	W	W
300043	<i>Aristida</i> spp.	povertygrass; threeawn	Poaceae	R	W	W	W	C	W	W	W	W
316567	<i>Aristida stricta</i> Michx.	aristida, erect	Poaceae	R	W	W	W	C	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
317021	<i>Armeria</i> spp.	armeria; thrift, sea	Plumbaginaceae	F	W	C	W	W	W	W	W	W
317022	<i>Arnica</i> spp.	arnica	Asteraceae	F	W	C	W	W	W	W	W	W
316874	<i>Arnoseris minima</i> (L.) Schweigg. & Körte	succory, lamb	Asteraceae	W	W	W	W	W	W	W	W	W
103453	<i>Arrhenatherum elatius</i> (L.) P. Beauv. ex J. Presl & C. Presl	oatgrass, tall	Poaceae	R	W	W	W	C	W	W	W	W
4274	<i>Artemisia absinthium</i> L.	wormwood, absinthe	Asteraceae	W	W	W	W	W	W	W	W	W
4275	<i>Artemisia annua</i> L.	wormwood, annual	Asteraceae	S	W	W	W	W	C	W	W	W
70091	<i>Artemisia arbuscula</i> Nutt.	sagebrush, low	Asteraceae	R, S	W	W	W	C	C	W	W	W
4278	<i>Artemisia biennis</i> Willd.	wormwood, biennial	Asteraceae	S	W	W	W	W	C	W	W	W
103962	<i>Artemisia californica</i> Less.	sagebrush, California	Asteraceae	R, S	W	W	W	C	C	W	W	W
70094	<i>Artemisia cana</i> Pursh	sagebrush, silver	Asteraceae	R, S	W	W	W	C	C	W	W	W
103964	<i>Artemisia douglasiana</i> Besser	sagewort, Douglas	Asteraceae	R	W	W	W	C	W	W	W	W
4282	<i>Artemisia dracunculus</i> L.	tarragon	Asteraceae	H, V	W	W	C	W	W	W	W	C
316568	<i>Artemisia filifolia</i> Torr.	sage, sand; sagebrush, sand	Asteraceae	F, R, S	W	C	W	C	C	W	W	W
4283	<i>Artemisia frigida</i> Willd.	sagebrush, fringed	Asteraceae	F, R, S	W	C	W	C	C	W	W	W
103970	<i>Artemisia ludoviciana</i> Nutt.	sagewort, Louisiana	Asteraceae	R, S	W	W	W	C	C	W	W	W
316569	<i>Artemisia nova</i> A. Nelson	sagebrush, black	Asteraceae	R, S	W	W	W	C	C	W	W	W
316570	<i>Artemisia spinescens</i> D. C. Eaton = <i>Picrothamnus desertorum</i> Nutt.											
300044	<i>Artemisia</i> spp.	sagebrush; wormwood	Asteraceae	R, S	W	W	W	C	C	W	W	W
4299	<i>Artemisia tilesii</i> Ledeb.	sagebrush, Tilesy	Asteraceae	R	W	W	W	C	W	W	W	W
103973	<i>Artemisia tridentata</i> Nutt.	sagebrush, big	Asteraceae	R, S	W	W	W	C	C	W	W	W
411019	<i>Artemisia tridentata</i> Nutt. subsp. <i>tridentata</i>	sagebrush, basin big; sagebrush, big	Asteraceae	R, S	W	W	W	C	C	W	W	W
411020	<i>Artemisia tridentata</i> Nutt. subsp. <i>vaseyana</i> (Rydb.) Beetle	sagebrush, mountain big	Asteraceae	R, S	W	W	W	C	C	W	W	W
416067	<i>Artemisia tridentata</i> Nutt. subsp. <i>wyomingensis</i> Beetle & A. L. Young	sagebrush, Wyoming big	Asteraceae	R, S	W	W	W	C	C	W	W	W
4439	<i>Arundo donax</i> L.	reed, giant	Poaceae	W	W	W	W	W	W	W	W	W
4469	<i>Asclepias curassavica</i> L.	milkweed, bloodflower; sunset flower	Apocynaceae [Asclepiadaceae]	W	W	W	W	W	W	W	W	W
448084	<i>Asclepias fascicularis</i> Decne.	milkweed, Mexican	Apocynaceae [Asclepiadaceae]	R	W	W	W	C	W	W	W	W
317183	<i>Asclepias galioides</i> auct. Amer. = <i>Asclepias subverticillata</i> (A. Gray) Vail											
4472	<i>Asclepias incarnata</i> L.	milkweed, swamp	Apocynaceae [Asclepiadaceae]	F, R	W	C	W	C	W	W	W	W
316571	<i>Asclepias labriformis</i> M. E. Jones	milkweed, labriform	Apocynaceae [Asclepiadaceae]	W	W	W	W	W	W	W	W	W
316572	<i>Asclepias mexicana</i> Cav.	milkweed, Mexican	Apocynaceae [Asclepiadaceae]	W	W	W	W	W	W	W	W	W
316573	<i>Asclepias pumila</i> (A. Gray) Vail	milkweed, low poison	Apocynaceae [Asclepiadaceae]	W	W	W	W	W	W	W	W	W
316574	<i>Asclepias speciosa</i> Torr.	milkweed, showy	Apocynaceae [Asclepiadaceae]	W	W	W	W	W	W	W	W	W
310125	<i>Asclepias</i> spp.	milkweed	Apocynaceae [Asclepiadaceae]	W	W	W	W	W	W	W	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
316575	<i>Asclepias subverticillata</i> (A. Gray) Vail	milkweed, poison; milkweed, whorled	Apocynaceae [Asclepiadaceae]	R	W	W	W	C	W	W	W
4478	<i>Asclepias syriaca</i> L.	milkweed, common	Apocynaceae [Asclepiadaceae]	W	W	W	W	W	W	W	W
4480	<i>Asclepias tuberosa</i> L.	butterfly-weed; milkweed, butterfly	Apocynaceae [Asclepiadaceae]	F	W	W	W	W	W	W	W
103167	<i>Asclepias verticillata</i> L.	milkweed, whorled	Apocynaceae [Asclepiadaceae]	W	W	W	W	W	W	W	W
N/A	<i>Asparagus densiflorus</i> (Kunth) Jessop 'Sprengeri'	asparagus, Sprenger; fern, emerald	Asparagaceae [Liliaceae]	F	W	C	W	W	W	W	W
300050	<i>Asparagus officinalis</i> L.	asparagus	Asparagaceae [Liliaceae]	V	W	C	W	W	W	W	C
5536	<i>Asparagus plumosus</i> Baker	fern, asparagus	Asparagaceae [Liliaceae]	F	W	C	W	W	W	W	W
464373	<i>Asparagus setaceus</i> auct. nonn. = <i>Asparagus plumosus</i> Baker										
5562	<i>Asperugo procumbens</i> L.	madwort, German	Boraginaceae	W	W	W	W	W	W	W	W
103350	<i>Asperula odorata</i> L. = <i>Galium odoratum</i> (L.) Scop.										
5573	<i>Asphodelus fistulosus</i> L.	asphodel; onionweed	Asphodelaceae [Liliaceae] [Xanthorrhoeaceae]	F	W	C	W	W	W	W	W
316576	<i>Aster chilensis</i> Nees = <i>Symphyotrichum chilense</i> (Nees) G. L. Nesom										
316577	<i>Aster engelmannii</i> (D. C. Eaton) A. Gray = <i>Eucephalus engelmannii</i> (D. C. Eaton) Greene										
5628	<i>Aster ericoides</i> L. = <i>Symphyotrichum ericoides</i> (L.) G. L. Nesom										
5638	<i>Aster glaucodes</i> S. F. Blake = <i>Herrickia glauca</i> (Nutt.) Brouillet										
5652	<i>Aster novae-angliae</i> L. = <i>Symphyotrichum novae-angliae</i> (L.) G. L. Nesom										
316578	<i>Aster pilosus</i> Willd. = <i>Symphyotrichum pilosum</i> (Willd.) G. L. Nesom										
300053	<i>Aster</i> spp.	aster	Asteraceae	W	W	W	W	W	W	W	W
5664	<i>Aster tanacetifolius</i> Kunth = <i>Machaeranthera tanacetifolia</i> (Kunth) Nees										
5726	<i>Astragalus bisulcatus</i> (Hook.) A. Gray	locoweed, two-grooved	Fabaceae	F, R	W	C	W	W	W	W	W
300055	<i>Astragalus canadensis</i> L.	milkvetch, Canada	Fabaceae	R	W	W	W	C	W	W	W
5749	<i>Astragalus chinensis</i> L. f.	milkvetch, Chinese	Fabaceae	W	W	W	W	W	W	W	W
5753	<i>Astragalus cicer</i> L.	milkvetch, cicer	Fabaceae	R	W	W	W	C	W	W	W
411737	<i>Astragalus convallarius</i> Greene	milk-vetch, lesser rushy	Fabaceae	R	W	W	W	C	W	W	W
5775	<i>Astragalus drummondii</i> Douglas	milk-vetch, Drummond's	Fabaceae	R	W	W	W	C	W	W	W
5781	<i>Astragalus falcatus</i> Lam.	milkvetch, sicklepod	Fabaceae	W	W	W	W	W	W	W	W
403261	<i>Astragalus filipes</i> Torr. ex A. Gray	milk-vetch, basalt	Fabaceae	R	W	W	W	C	W	W	W
5784	<i>Astragalus flexuosus</i> (Hook.) Douglas ex G. Don	milkvetch, flexile	Fabaceae	W	W	W	W	W	W	W	W
300059	<i>Astragalus miser</i> Douglas	milkvetch, timber	Fabaceae	W	W	W	W	W	W	W	W
5842	<i>Astragalus nuttallianus</i> DC.	milkvetch, Nuttall	Fabaceae	W	W	W	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
5848	<i>Astragalus pectinatus</i> (Hook.) Douglas ex G. Don	milkvetch, narrow-leaved	Fabaceae	W	W	W	W	W	W	W	W
5869	" <i>Astragalus rubyi</i> J. R. Green & H. E. Morris, nom. inval." = <i>Oxytropis riparia</i> Litv.										
300061	<i>Astragalus</i> spp.	locoweed; milkvetch	Fabaceae	W	W	W	W	W	W	W	W
417481	<i>Atriplex amnicola</i> Paul G. Wilson	saltbush, swamp	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W
433235	<i>Atriplex argentea</i> Nutt. subsp. <i>expansa</i> (S. Watson) H. M. Hall & Clem. = <i>Atriplex argentea</i> Nutt. var. <i>mohavensis</i> M. E. Jones										
433238	<i>Atriplex argentea</i> Nutt. var. <i>mohavensis</i> M. E. Jones	orach, spreading	Chenopodiaceae [Amaranthaceae]	H, R	W	W	W	W	W	W	W
316579	<i>Atriplex bonnevillensis</i> C. A. Hanson = <i>Atriplex gardneri</i> (Moq.) D. Dietr. var. <i>bonnevillensis</i> (C. A. Hanson) S. L. Welsh										
6000	<i>Atriplex canescens</i> (Pursh) Nutt.	saltbush, fourwing	Chenopodiaceae [Amaranthaceae]	R, S	W	W	W	C	C	W	W
6004	<i>Atriplex confertifolia</i> (Torr. & Frém.) S. Watson	saltbush, shadscale	Chenopodiaceae [Amaranthaceae]	R, S	W	W	W	C	C	W	W
316580	<i>Atriplex corrugata</i> S. Watson	saltbush	Chenopodiaceae [Amaranthaceae]	R, S	W	W	W	C	C	W	W
316581	<i>Atriplex cuneata</i> A. Nelson = <i>Atriplex gardneri</i> (Moq.) D. Dietr. var. <i>cuneata</i> (A. Nelson) S. L. Welsh										
311184	<i>Atriplex expansa</i> S. Watson = <i>Atriplex argentea</i> Nutt. var. <i>mohavensis</i> M. E. Jones										
405465	<i>Atriplex gardneri</i> (Moq.) D. Dietr. var. <i>aptera</i> (A. Nelson) S. L. Welsh & Crompton	saltbush, Nuttall	Chenopodiaceae [Amaranthaceae]	R, S	W	W	W	C	C	W	W
405313	<i>Atriplex gardneri</i> (Moq.) D. Dietr. var. <i>bonnevillensis</i> (C. A. Hanson) S. L. Welsh	saltbush, Bonneville	Chenopodiaceae [Amaranthaceae]	R, S	W	W	W	C	C	W	W
405314	<i>Atriplex gardneri</i> (Moq.) D. Dietr. var. <i>cuneata</i> (A. Nelson) S. L. Welsh	saltbush	Chenopodiaceae [Amaranthaceae]	R, S	W	W	W	C	C	W	W
412294	<i>Atriplex gardneri</i> (Moq.) D. Dietr. var. <i>gardneri</i>	saltbush, Gardner	Chenopodiaceae [Amaranthaceae]	R, S	W	W	W	C	C	W	W
405316	<i>Atriplex gardneri</i> (Moq.) D. Dietr. var. <i>utahensis</i> (M. E. Jones) Dorn	saltbush; saltbush, basin	Chenopodiaceae [Amaranthaceae]	R, S	W	W	W	C	C	W	W
6017	<i>Atriplex hortensis</i> L.	orach, garden	Chenopodiaceae [Amaranthaceae]	V	W	W	W	W	W	W	C
6018	<i>Atriplex hymenelytra</i> (Torr.) S. Watson	holly, desert	Chenopodiaceae [Amaranthaceae]	R, S	W	W	W	C	C	W	W
6022	<i>Atriplex lentiformis</i> (Torr.) S. Watson	quailbush	Chenopodiaceae [Amaranthaceae]	R, S	W	W	W	C	C	W	W
455867	<i>Atriplex obovata</i> Moq.	saltbush, New Mexico; saltbush, mound	Chenopodiaceae [Amaranthaceae]	R, S	W	W	W	C	C	W	W
459699	<i>Atriplex parryi</i> S. Watson	saltbush, Parry's	Chenopodiaceae [Amaranthaceae]	R, S	W	W	W	C	C	W	W
317184	<i>Atriplex patula</i> L. subsp. <i>hastata</i> auct. = <i>Atriplex prostrata</i> Boucher ex DC.										
6035	<i>Atriplex polycarpa</i> (Torr.) S. Watson	saltbush, cattle	Chenopodiaceae [Amaranthaceae]	R, S	W	W	W	C	C	W	W

## AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
6036	<i>Atriplex prostrata</i> Boucher ex DC.	orach, common; saltbush, fat hen	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W
6041	<i>Atriplex rosea</i> L.	orach, red	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W
6042	<i>Atriplex semibaccata</i> R. Br.	saltbush, Australian	Chenopodiaceae [Amaranthaceae]	F, R, S	W	C	W	C	C	W	W
459698	<i>Atriplex spinifera</i> J. F. Macbr.	saltbush, spinescale	Chenopodiaceae [Amaranthaceae]	R, S	W	W	W	C	C	W	W
300063	<i>Atriplex</i> spp.	saltbush	Chenopodiaceae [Amaranthaceae]	R, S	W	W	W	C	W	W	W
316583	<i>Atriplex subspicata</i> (Nutt.) Rydb.	saltbush, saline	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W
316584	<i>Atriplex tridentata</i> Kuntze = <i>Atriplex gardneri</i> (Moq.) D. Dietr. var. <i>utahensis</i> (M. E. Jones) Dorn										
311096	<i>Atriplex truncata</i> (Torr. ex S. Watson) A. Gray	saltbush, wedgescale	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W
6051	<i>Atropa belladonna</i> L.	belladonna	Solanaceae	H	W	C	C	W	W	W	W
6073	<i>Aubrieta deltoidea</i> (L.) DC.	aubrieta; rockcress, purple	Brassicaceae	F	W	C	W	W	W	W	W
316937	<i>Aurinia petraea</i> (Ard.) Schur	mad wort, giant	Brassicaceae	F	W	C	W	W	W	W	W
6083	<i>Aurinia saxatilis</i> (L.) Desv.	alyssum, golden tuft; basket-of-gold	Brassicaceae	F, R	W	C	W	C	W	W	W
6089	<i>Avena barbata</i> Pott ex Link	oat, slender	Poaceae	W	W	W	W	W	W	W	W
6095	<i>Avena byzantina</i> K. Koch = <i>Avena sativa</i> L.										
6104	<i>Avena fatua</i> L.	oat, wild	Poaceae	W	W	W	W	W	W	W	W
6116	<i>Avena nuda</i> L.	oat, naked	Poaceae	W	W	W	W	W	W	W	W
6123	<i>Avena sativa</i> L.	oat	Poaceae	A	C	C	C	C	C	C	C
6148	<i>Avena sterilis</i> L.	oat, animated; oat, sterile	Poaceae	W	W	W	W	W	W	W	W
6150	<i>Avena strigosa</i> Schreb.	oat, sand	Poaceae	W	W	W	W	W	W	W	W
404477	<i>Avenella flexuosa</i> (L.) Parl.	hairgrass, common; hairgrass, wavy	Poaceae	W	W	W	W	W	W	W	W
6180	<i>Axonopus affinis</i> Chase = <i>Axonopus fissifolius</i> (Raddi) Kuhl.										
6174	<i>Axonopus compressus</i> (Sw.) P. Beauv.	carpetgrass, broadleaved	Poaceae	T	W	W	W	W	W	W	W
317140	<i>Axonopus fissifolius</i> (Raddi) Kuhl.	carpetgrass	Poaceae	A, T	C	W	W	C	W	C	W
311099	<i>Axyris amaranthoides</i> L.	pigweed, Russian	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W
316376	<i>Azolla pinnata</i> R. Br.	azolla, ferny; fern, mosquito; water-velvet	Salviniaceae [Azollaceae]	W	W	W	W	W	W	W	W
429385	<i>Baccharis salicifolia</i> (Ruiz & Pav.) Pers.	mule-fat	Asteraceae	R, S	W	W	W	C	C	W	W
6242	<i>Baccharis sarothroides</i> A. Gray	broom, desert	Asteraceae	R, S	W	W	W	C	C	W	W
316585	<i>Bahia oppositifolia</i> (Nutt.) DC. = <i>Picradeniopsis oppositifolia</i> (Nutt.) Rydb.										
432282	<i>Bahiopsis laciniata</i> (A. Gray) E. E. Schill. & Panero	goldeneye, cutleaf; sunflower, San Diego	Asteraceae	F	W	C	W	W	W	W	W
6315	<i>Baileya multiradiata</i> Harv. & A. Gray ex Torr.	marigold, desert; marigold, wooly	Asteraceae	F	W	C	W	C	W	W	W
104824	<i>Ballota nigra</i> L.	horehound, black	Lamiaceae	W	W	W	W	W	W	W	W



Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
459701	<i>Balsamorhiza hookeri</i> Nutt. var. <i>hookeri</i>	balsamroot, Hooker's	Asteraceae	F, R	W	C	W	C	W	W	W
448089	<i>Balsamorhiza macrophylla</i> Nutt.	balsamroot, cutleaf	Asteraceae	F, R	W	C	W	C	W	W	W
6339	<i>Balsamorhiza sagittata</i> (Pursh) Nutt.	balsamroot, arrowleaved	Asteraceae	F, R	W	C	W	C	W	W	W
317023	<i>Balsamorhiza</i> spp.	balsamroot	Asteraceae	R	W	W	W	C	W	W	W
315154	<i>Baptisia alba</i> (L.) R. Br.	indigo, white false	Fabaceae	F, R	W	C	W	C	W	W	W
423906	<i>Baptisia lanceolata</i> (Walter) Elliott	gopherweed	Fabaceae	R	W	W	W	C	W	W	W
6490	<i>Baptisia tinctoria</i> (L.) R. Br.	horseflyweed	Fabaceae	R	W	W	W	C	W	W	W
317024	<i>Barbarea</i> spp.	wintercress	Brassicaceae	W	W	W	W	W	W	W	W
105428	<i>Barbarea verna</i> (Mill.) Asch.	cress, upland; wintercress, early	Brassicaceae	V	W	W	W	W	W	W	W
6491	<i>Barbarea vulgaris</i> W. T. Aiton	wintercress, bitter; yellowrocket	Brassicaceae	W	W	W	W	W	W	W	W
6541	<i>Bassia hyssopifolia</i> (Pall.) Kuntze	bassia, fivehook	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W
409953	<i>Bassia prostrata</i> (L.) A. J. Scott	kochia, forage	Chenopodiaceae [Amaranthaceae]	R	W	W	W	C	W	W	W
404228	<i>Bassia scoparia</i> (L.) A. J. Scott	kochia	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W
N/A	<i>Bassia scoparia</i> (L.) A. J. Scott 'Trichophylla'	cypress, summer; firebush, Mexican	Chenopodiaceae [Amaranthaceae]	F	W	C	W	W	W	W	W
317025	<i>Bassia</i> spp.	bassia	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W
454207	<i>Bebbia juncea</i> (Benth.) Greene	sweetbush	Asteraceae	F, R	W	C	W	C	W	W	W
315495	<i>Beckmannia</i> spp.	sloughgrass	Poaceae	R	W	W	W	C	W	W	W
6620	<i>Beckmannia syzigachne</i> (Steud.) Fernald	sloughgrass, American	Poaceae	R	W	W	W	C	W	W	W
300071	<i>Begonia</i> spp.	begonia	Begoniaceae	F	W	C	W	W	W	W	W
6728	<i>Bellis perennis</i> L.	daisy, English	Asteraceae	F	W	C	W	W	W	W	W
6814	<i>Berberis aquifolium</i> Pursh	grape, Oregon	Berberidaceae	S	W	W	W	W	C	W	W
317185	<i>Berberis fremontii</i> Torr.	barberry	Berberidaceae	S	W	C	W	W	C	W	W
413268	<i>Berberis haematocarpa</i> Wooton	mahonia, red	Berberidaceae	S	W	W	W	W	C	W	W
6947	<i>Berberis repens</i> Lindl.	mahonia, creeping	Berberidaceae	F, S	W	C	W	C	C	W	W
314463	<i>Berberis</i> spp.	barberry	Berberidaceae	S	W	W	W	W	C	W	W
6974	<i>Berberis thunbergii</i> DC.	barberry, Japanese	Berberidaceae	S	W	W	W	W	C	W	W
317553	<i>Berberis trifoliolata</i> Moric.	mahonia, Laredo	Berberidaceae	S	W	W	W	W	C	W	W
6992	<i>Berberis vulgaris</i> L.	barberry, common; barberry, European	Berberidaceae	S	W	W	W	W	C	W	W
7021	<i>Berteroa incana</i> (L.) DC.	alyssum, hoary	Brassicaceae	W	W	W	W	W	W	W	W
412556	<i>Beta vulgaris</i> L. subsp. <i>cicla</i> (L.) Schübl. & G. Martens = <i>Beta vulgaris</i> L. subsp. <i>vulgaris</i>										
7057	<i>Beta vulgaris</i> L. subsp. <i>vulgaris</i>	beet; beet, field; beet, sugar; beet, vegetable; chard, Swiss; mangel	Chenopodiaceae [Amaranthaceae]	A, V	C	C	C	C	C	C	C
7068	<i>Betula alleghaniensis</i> Britton	birch, yellow	Betulaceae	S	W	W	W	W	C	W	W
7107	<i>Betula lenta</i> L.	birch, sweet	Betulaceae	S	W	W	W	W	C	W	W
7118	<i>Betula nigra</i> L.	birch, river	Betulaceae	S	W	W	W	W	C	W	W
7122	<i>Betula papyrifera</i> Marshall	birch, paper	Betulaceae	S	W	W	W	W	C	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
7127	<i>Betula pendula</i> Roth	birch, European white	Betulaceae	S	W	W	W	W	C	W	W
7134	<i>Betula populifolia</i> Marshall	birch, gray	Betulaceae	S	W	W	W	C	C	W	W
416228	<i>Bidens aristosa</i> (Michx.) Britton	tickseed, western	Asteraceae	R	W	W	W	C	W	W	W
316586	<i>Bidens bigelovii</i> A. Gray	sticktight	Asteraceae	W	W	W	W	W	W	W	W
104072	<i>Bidens bipinnata</i> L.	beggarticks; Spanish-needles	Asteraceae	W	W	W	W	W	W	W	W
104074	<i>Bidens cernua</i> L.	beggarticks, nodding; sticktight, nodding	Asteraceae	W	W	W	W	W	W	W	W
7167	<i>Bidens frondosa</i> L.	beggarticks, devil's; sticktight, devil's	Asteraceae	W	W	W	W	W	W	W	W
300075	<i>Bidens</i> spp.	beggarticks; sticktight	Asteraceae	W	W	W	W	W	W	W	W
316587	<i>Bidens tenuisecta</i> A. Gray	sticktight	Asteraceae	W	W	W	W	W	W	W	W
7249	<i>Bixa orellana</i> L.	annatto tree; lipstick tree	Bixaceae	S	W	W	W	W	C	W	W
407705	<i>Blepharoneuron tricholepis</i> (Torr.) Nash	dropseed, pine	Poaceae	R	W	W	W	C	W	W	W
311119	<i>Blitum californicum</i> S. Watson	goosefoot, California	Chenopodiaceae [Amaranthaceae]	R	W	W	W	C	W	W	W
446566	<i>Blitum nuttallianum</i> Schult.	monolepis, Nuttall; saltbush, one-scaled	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W
7282	<i>Bocconia frutescens</i> L.	poppy, plume	Papaveraceae	W	W	W	W	W	W	W	W
434901	<i>Boechera rigidissima</i> (Rollins) Al-Shehbaz	rockcress, Galena creek	Brassicaceae	F	W	C	W	W	W	W	W
316875	<i>Boerhavia erecta</i> L.	spiderling	Nyctaginaceae	W	W	W	W	W	W	W	W
310185	<i>Boisduvalia densiflora</i> (Lindl.) S. Watson = <i>Epilobium densiflorum</i> (Lindl.) Hoch & P. H. Raven										
316588	<i>Boisduvalia stricta</i> (A. Gray) Greene = <i>Epilobium torreyi</i> (S. Watson) Hoch & P. H. Raven										
427912	<i>Bolboschoenus fluviatilis</i> (Torr.) Soják	bulrush, river	Cyperaceae	R	W	W	W	C	W	W	W
405576	<i>Bolboschoenus maritimus</i> (L.) Palla	bulrush, alkali; bulrush, cosmopolitan	Cyperaceae	R	W	W	W	C	W	W	W
7422	<i>Borago officinalis</i> L.	borage	Boraginaceae	H, V	W	W	W	W	W	W	W
317173	<i>Borreria alata</i> (Aubl.) DC. = <i>Spermacoce alata</i> Aubl.										
7462	<i>Bothriochloa barbinodis</i> (Lag.) Herter	beardgrass, cane	Poaceae	R	W	W	W	C	W	W	W
103434	<i>Bothriochloa bladhii</i> (Retz.) S. T. Blake	bluestem, Caucasian	Poaceae	A, R	C	W	W	C	W	W	W
7464	<i>Bothriochloa caucasica</i> (Trin.) C. E. Hubb. = <i>Bothriochloa bladhii</i> (Retz.) S. T. Blake										
7483	<i>Bothriochloa ischaemum</i> (L.) Keng	bluestem, yellow	Poaceae	A, R	C	W	W	C	W	W	W
103438	<i>Bothriochloa laguroides</i> (DC.) Herter subsp. <i>torreyana</i> (Steud.) Allred & Gould	bluestem, silver	Poaceae	R	W	W	W	C	W	W	W
409408	<i>Bothriochloa saccharoides</i> auct. nonn. = <i>Bothriochloa laguroides</i> (DC.) Herter subsp. <i>torreyana</i> (Steud.) Allred & Gould										
403080	<i>Bouteloua aristoides</i> (Kunth) Griseb.	grama, needle	Poaceae	R	W	W	W	C	W	W	W
404475	<i>Bouteloua barbata</i> Lag. var. <i>rothrockii</i> (Vasey) Gould	grama, Rothrock's	Poaceae	R	W	W	W	C	W	W	W
7524	<i>Bouteloua curtipendula</i> (Michx.) Torr.	grama, side-oats	Poaceae	A, R	C	W	W	C	W	C	W

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
418957	<i>Bouteloua dactyloides</i> (Nutt.) Columbus	buffalograss	Poaceae	R, T	W	W	W	C	W	C	W
7525	<i>Bouteloua eriopoda</i> (Torr.) Torr.	grama, black	Poaceae	R	W	W	W	C	W	W	W
7527	<i>Bouteloua gracilis</i> (Kunth) Lag. ex Griffiths	grama, blue	Poaceae	A, R	C	W	W	C	W	C	W
7529	<i>Bouteloua hirsuta</i> Lag.	grama, hairy	Poaceae	R	W	W	W	C	W	W	W
310137	<i>Bouteloua simplex</i> Lag.	grama, mat	Poaceae	W	W	W	W	W	W	W	W
300077	<i>Bouteloua</i> spp.	grama	Poaceae	R	W	W	W	C	W	W	W
318405	<i>Brachiaria fasciculata</i> (Sw.) Parodi = <i>Urochloa fusca</i> (Sw.) B. F. Hansen & Wunderlin										
7563	<i>Brachiaria mutica</i> (Forssk.) Stapf = <i>Urochloa mutica</i> (Forssk.) T. Q. Nguyen										
7568	<i>Brachiaria platyphylla</i> (Munro ex C. Wright) Nash = <i>Urochloa platyphylla</i> (Munro ex C. Wright) R. D. Webster										
7569	<i>Brachiaria ramosa</i> (L.) Stapf = <i>Urochloa ramosa</i> (L.) T. Q. Nguyen										
310138	<i>Brachiaria texana</i> (Buckley) S. T. Blake = <i>Urochloa texana</i> (Buckley) R. D. Webster										
316589	<i>Brachyscome iberidifolia</i> Benth.	daisy, Swan River	Asteraceae	F	W	C	W	W	W	W	W
407244	<i>Bracteantha bracteata</i> (Vent.) Anderb. & Haegi = <i>Xerochrysum bracteatum</i> (Vent.) Tzvelev										
7632	<i>Brassica alboglabra</i> L. H. Bailey = <i>Brassica oleracea</i> L. var. <i>alboglabra</i> (L. H. Bailey) Musil										
70128	<i>Brassica arvensis</i> (L.) Rabenh., nom. illeg. = <i>Sinapis arvensis</i> L. subsp. <i>arvensis</i>										
7636	<i>Brassica campestris</i> L. = <i>Brassica rapa</i> L. subsp. <i>oleifera</i> (DC.) Metzg.										
7643	<i>Brassica chinensis</i> L. = <i>Brassica rapa</i> L. subsp. <i>chinensis</i> (L.) Hanelt										
7649	<i>Brassica hirta</i> Moench = <i>Sinapis alba</i> L. subsp. <i>alba</i>										
7654	<i>Brassica juncea</i> (L.) Czern.	mustard, brown; mustard, India; mustard, Indian	Brassicaceae	V	W	W	W	W	W	W	C
7657	<i>Brassica kaber</i> (DC.) L. C. Wheeler = <i>Sinapis arvensis</i> L. subsp. <i>arvensis</i>										
319661	<i>Brassica napus</i> L. subsp. <i>napus</i> f. <i>annua</i> (Schübl. & G. Martens) Thell.	rape, annual	Brassicaceae	A	C	W	W	W	W	W	C
464497	<i>Brassica napus</i> L. subsp. <i>napus</i> f. <i>napus</i>	rape, winter	Brassicaceae	A	C	W	W	W	W	W	C
7664	<i>Brassica napus</i> L. subsp. <i>napus</i> var. <i>pabularia</i> (DC.) Alef.	kale, Siberian	Brassicaceae	A	W	W	W	W	W	W	W
319659	<i>Brassica napus</i> L. subsp. <i>rapifera</i> Metzg.	rutabaga	Brassicaceae	V	C	C	C	C	W	C	C
316590	<i>Brassica napus</i> L. var. <i>annua</i> W. D. J. Koch = <i>Brassica napus</i> L. subsp. <i>napus</i> f. <i>annua</i> (Schübl. & G. Martens) Thell.										
316591	<i>Brassica napus</i> L. var. <i>biennis</i> (Schübl. & G. Martens) Rchb. = <i>Brassica napus</i> L. subsp. <i>napus</i> f. <i>napus</i>										

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
7663	<i>Brassica napus</i> L. var. <i>napobrassica</i> (L.) Döll = <i>Brassica napus</i> L. subsp. <i>rapifera</i> Metzg.											
311781	<i>Brassica napus</i> L. var. <i>napus</i> = <i>Brassica napus</i> L. subsp. <i>napus</i> f. <i>napus</i>											
7666	<i>Brassica nigra</i> (L.) W. D. J. Koch	mustard, black; mustard, wild	Brassicaceae	A	W	W	W	W	W	W	W	W
404237	<i>Brassica oleracea</i> L. var. <i>acephala</i> auct. = <i>Brassica oleracea</i> L. var. <i>sabellica</i> L.											
7669	<i>Brassica oleracea</i> L. var. <i>acephala</i> DC. = <i>Brassica oleracea</i> L. var. <i>viridis</i> L.											
7670	<i>Brassica oleracea</i> L. var. <i>alboglabra</i> (L. H. Bailey) Musil	kale, Chinese	Brassicaceae	V	C	C	C	W	W	W	W	C
7671	<i>Brassica oleracea</i> L. var. <i>botrytis</i> L.	broccoli; cauliflower	Brassicaceae	V	C	C	C	C	C	C	C	C
7672	<i>Brassica oleracea</i> L. var. <i>capitata</i> L.	cabbage	Brassicaceae	V	C	C	C	C	C	C	C	C
105448	<i>Brassica oleracea</i> L. var. <i>costata</i> DC.	cabbage, tronchuda	Brassicaceae	V	C	C	C	C	C	C	C	C
7675	<i>Brassica oleracea</i> L. var. <i>gemmifera</i> DC.	brussels-sprouts	Brassicaceae	V	C	C	C	C	C	C	C	C
7676	<i>Brassica oleracea</i> L. var. <i>gongylodes</i> L.	kohlrabi	Brassicaceae	V	C	C	C	C	C	C	C	C
319629	<i>Brassica oleracea</i> L. var. <i>sabellica</i> L.	cabbage, ornamental; kale, ornamental	Brassicaceae	V	C	C	C	C	C	C	C	C
317186	<i>Brassica oleracea</i> L. var. <i>tronchuda</i> L. H. Bailey = <i>Brassica oleracea</i> L. var. <i>costata</i> DC.											
7679	<i>Brassica oleracea</i> L. var. <i>viridis</i> L.	collards; kale	Brassicaceae	V	C	C	C	C	C	C	C	C
7682	<i>Brassica pekinensis</i> (Lour.) Rupr. = <i>Brassica rapa</i> L. subsp. <i>pekinensis</i> (Lour.) Hanelt											
7683	<i>Brassica perviridis</i> (L. H. Bailey) L. H. Bailey = <i>Brassica rapa</i> L. subsp. <i>nipposinica</i> (L. H. Bailey) Hanelt var. <i>perviridis</i> L. H. Bailey											
409456	<i>Brassica rapa</i> L. subsp. <i>campestris</i> (L.) A. R. Clapham = <i>Brassica rapa</i> L. subsp. <i>oleifera</i> (DC.) Metzg.											
319634	<i>Brassica rapa</i> L. subsp. <i>chinensis</i> (L.) Hanelt	cabbage, celery; pak-choi	Brassicaceae	V	W	W	W	W	W	W	W	C
7687	<i>Brassica rapa</i> L. subsp. <i>nipposinica</i> (L. H. Bailey) Hanelt var. <i>perviridis</i> L. H. Bailey	mustard, spinach	Brassicaceae	V	C	C	C	C	C	C	C	C
319648	<i>Brassica rapa</i> L. subsp. <i>oleifera</i> (DC.) Metzg.	rape, turnip	Brassicaceae	A	C	W	W	W	W	W	W	C
319636	<i>Brassica rapa</i> L. subsp. <i>pekinensis</i> (Lour.) Hanelt	cabbage, Chinese; pe-tsai	Brassicaceae	V	C	C	C	C	C	C	C	C
316592	<i>Brassica rapa</i> L. subsp. <i>rapa</i>	rape, annual turnip; rape, biennial turnip; rape, bird; turnip	Brassicaceae	A, V	C	W	W	W	W	W	W	C
105437	<i>Brassica rapa</i> L. subsp. <i>sarson</i> (Prain) Denford = <i>Brassica rapa</i> L. subsp. <i>trilocularis</i> (Roxb.) Hanelt											
319639	<i>Brassica rapa</i> L. subsp. <i>trilocularis</i> (Roxb.) Hanelt	mustard, field; sarson, brown	Brassicaceae	V	C	W	W	W	W	W	W	C

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
105435	<i>Brassica rapa</i> L. var. <i>sylvestris</i> Purchas & Ley, nom. illeg. = <i>Brassica rapa</i> L. subsp. <i>oleifera</i> (DC.) Metzg.											
7691	<i>Brassica tournefortii</i> Gouan	mustard, African; mustard, wild; turnip, Mediterranean	Brassicaceae	W	W	W	W	W	W	W	W	W
317320	<i>Brauneria angustifolia</i> (DC.) A. Heller = <i>Echinacea angustifolia</i> DC. var. <i>angustifolia</i>											
316467	<i>Brickellia chlorolepis</i> (Wooton & Standl.) Shinnery = <i>Brickellia eupatorioides</i> (L.) Shinnery var. <i>chlorolepis</i> (Wooton & Standl.) B. L. Turner											
476182	<i>Brickellia eupatorioides</i> (L.) Shinnery var. <i>eupatorioides</i>	bonset, false	Asteraceae	W	W	W	W	W	W	W	W	W
476183	<i>Brickellia eupatorioides</i> (L.) Shinnery var. <i>chlorolepis</i> (Wooton & Standl.) B. L. Turner	bonset, false	Asteraceae	W	W	W	W	W	W	W	W	W
7725	<i>Briza maxima</i> L.	quakinggrass, big	Poaceae	F, R	W	W	W	W	W	W	W	W
7726	<i>Briza media</i> L.	quakinggrass, perennial	Poaceae	W	W	W	W	W	W	W	W	W
7727	<i>Briza minor</i> L.	quakinggrass, little	Poaceae	W	W	W	W	W	W	W	W	W
316594	<i>Brodiaea coronaria</i> (Salisb.) Engl.	brodiaea, harvest	Asparagaceae [Alliaceae] [Liliaceae] [Themidaceae]	W	W	W	W	W	W	W	W	W
317026	<i>Brodiaea</i> spp.	brodiaea	Asparagaceae [Alliaceae] [Liliaceae] [Themidaceae]	W	W	W	W	W	W	W	W	W
7766	<i>Bromus anomalus</i> Rupr. ex E. Fourn.	brome, nodding	Poaceae	R	W	W	W	C	W	W	W	W
7769	<i>Bromus arvensis</i> L.	brome, field	Poaceae	A	W	W	W	W	W	W	W	W
7774	<i>Bromus biebersteinii</i> Roem. & Schult.	brome, Bieberstein; brome, meadow	Poaceae	A	C	C	C	C	C	C	C	C
7779	<i>Bromus briziformis</i> Fisch. & C. A. Mey.	chess, rattlesnake; brome, quaking	Poaceae	W	W	W	W	W	W	W	W	W
461745	<i>Bromus carinatus</i> Hook. & Arn. var. <i>carinatus</i>	brome, California; brome, sweet	Poaceae	A, R	W	W	W	C	W	C	W	W
461744	<i>Bromus carinatus</i> Hook. & Arn. var. <i>marginatus</i> (Steud.) Barkworth & Anderton	brome, mountain	Poaceae	A, R	W	W	W	C	W	W	W	W
423745	<i>Bromus catharticus</i> Vahl var. <i>catharticus</i>	brome, prairie; rescuegrass	Poaceae	A, R	W	W	W	W	W	W	W	W
451892	<i>Bromus catharticus</i> Vahl var. <i>elatus</i> (É. Desv.) Planchuelo	brome, Harlan	Poaceae	A, T	C	C	C	C	C	C	C	C
7786	<i>Bromus ciliatus</i> L.	brome, sweet; brome, fringed	Poaceae	R	W	W	W	C	W	W	W	W
7788	<i>Bromus commutatus</i> Schrad.	brome, hairy; chess, hairy	Poaceae	W	W	W	W	W	W	W	W	W
432366	<i>Bromus diandrus</i> Roth var. <i>rigidus</i> (Roth) Sales	brome, ripgut	Poaceae	W	W	W	W	W	W	W	W	W
7320	<i>Bromus hordeaceus</i> L.	brome, blando; chess, soft	Poaceae	R	W	W	W	C	W	W	W	W
317142	<i>Bromus inermis</i> Leyss. subsp. <i>inermis</i>	brome, smooth	Poaceae	A	C	C	C	C	C	C	C	C

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
317143	<i>Bromus inermis</i> Leyss. subsp. <i>pumpellianus</i> (Scribn.) Wagnon	brome, Pumpelly's	Poaceae	W	W	W	W	W	W	W	W
7809	<i>Bromus japonicus</i> Houtt.	brome, Japanese; chess, Japanese	Poaceae	W	W	W	W	W	W	W	W
401069	<i>Bromus kalmii</i> A. Gray	brome, Kalm's	Poaceae	R	W	W	W	C	W	W	W
460103	<i>Bromus lanatipes</i> (Shear) Rydb.	brome, woolly	Poaceae	R	W	W	W	C	W	W	W
7824	<i>Bromus marginatus</i> Steud. = <i>Bromus carinatus</i> Hook. & Arn. var. <i>marginatus</i> (Steud.) Barkworth & Anderton										
7831	<i>Bromus mollis</i> L. = <i>Bromus hordeaceus</i> L.										
401070	<i>Bromus pubescens</i> Spreng.	chess, hairy woodland; brome, Canada	Poaceae	R	W	W	W	C	W	W	W
7853	<i>Bromus pumpellianus</i> Scribn. = <i>Bromus inermis</i> Leyss. subsp. <i>pumpellianus</i> (Scribn.) Wagnon										
7855	<i>Bromus racemosus</i> L.	brome, bald	Poaceae	W	W	W	W	W	W	W	W
7860	<i>Bromus rigidus</i> Roth = <i>Bromus diandrus</i> Roth var. <i>rigidus</i> (Roth) Sales										
7864	<i>Bromus rubens</i> L.	brome, red; chess, foxtail	Poaceae	R	W	W	W	W	W	W	W
7867	<i>Bromus secalinus</i> L.	cheat chess	Poaceae	W	W	W	W	W	W	W	W
7873	<i>Bromus stamineus</i> É. Desv. = <i>Bromus catharticus</i> Vahl var. <i>elatus</i> (É. Desv.) Planchuelo										
7875	<i>Bromus sterilis</i> L.	chess, barren;	Poaceae	W	W	W	W	W	W	W	W
7880	<i>Bromus tectorum</i> L.	brome, downy	Poaceae	W	W	W	W	W	W	W	W
7885	<i>Bromus unioloides</i> Kunth = <i>Bromus catharticus</i> Vahl var. <i>catharticus</i>										
7894	<i>Bromus willdenowii</i> Kunth = <i>Bromus catharticus</i> Vahl var. <i>catharticus</i>										
317027	<i>Browallia</i> spp.	browallia; violet, bush	Solanaceae	F	W	C	W	W	W	W	W
70131	<i>Brugmansia arborea</i> (L.) Sweet	maikoa; trumpet, angel's	Solanaceae	F	W	C	W	W	W	W	W
316876	<i>Brunnera macrophylla</i> (Adams) I. M. Johnst.	bugloss, Siberian; forget-me-not, dwarf	Boraginaceae	F	W	C	W	W	W	W	W
8066	<i>Buchloe dactyloides</i> (Nutt.) Engelm. = <i>Bouteloua dactyloides</i> (Nutt.) Columbus										
105293	<i>Buglossoides arvensis</i> (L.) I. M. Johnst.	gromwell, corn; gromwell, field	Boraginaceae	W	W	W	W	W	W	W	W
316931	<i>Bunias orientalis</i> L.	mustard, hill	Brassicaceae	W	W	W	W	W	W	W	W
316877	<i>Bunium bulbocastanum</i> L.	earthnut	Apiaceae	W	W	W	W	W	W	W	W
8151	<i>Buphthalmum salicifolium</i> L.	oxeye, willowleaf	Asteraceae	F	W	C	W	W	W	W	W
451204	<i>Bupleurum griffithii</i> hort. = <i>Bupleurum rotundifolium</i> L.										
316595	<i>Bupleurum lancifolium</i> Hornem.	thoroughwax	Apiaceae	W	W	W	W	W	W	W	W
316596	<i>Bupleurum rotundifolium</i> L.	bupleurum, green-gold; hare's-ear; thoroughwax; throw-wax	Apiaceae	F, H	W	W	W	W	W	W	W
404280	<i>Butomus umbellatus</i> L.	rush, flowering; grassy-rush; water-gladiolus	Butomaceae	W	W	W	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
400193	<i>Cabomba caroliniana</i> A. Gray	fanwort, Carolina	Cabombaceae	W	W	W	W	W	W	W	W
8290	<i>Caesalpinia gilliesii</i> (Hook.) D. Dietr. = <i>Erythrostemon gilliesii</i> (Hook.) Koltzsch										
8319	<i>Cajanus cajan</i> (L.) Huth	pigeonpea	Fabaceae	W	W	W	W	W	W	W	W
8329	<i>Cakile maritima</i> Scop.	rocket, sea	Brassicaceae	R	W	W	W	W	W	W	W
8345	<i>Calamagrostis canadensis</i> (Michx.) P. Beauv.	bluejoint	Poaceae	R	W	W	W	C	W	W	W
8347	<i>Calamagrostis coarctata</i> Eaton	reedgrass, artic	Poaceae	R	W	W	W	C	W	W	W
406431	<i>Calamagrostis rubescens</i> Buckley	grass, pine	Poaceae	R	W	W	W	C	W	W	W
300091	<i>Calamagrostis</i> spp.	reedgrass	Poaceae	R	W	W	W	C	W	W	W
70138	<i>Calamagrostis stricta</i> (Timm) Koeler	reedgrass, Northern	Poaceae	R	W	W	W	C	W	W	W
317162	<i>Calamintha nepeta</i> (L.) Savi = <i>Clinopodium nepeta</i> (L.) Kuntze										
476214	<i>Calamovilfa brevipilis</i> (Torr.) Scribn.	sandreed, pine barren	Poaceae	R	W	W	W	C	W	W	W
8370	<i>Calamovilfa longifolia</i> (Hook.) Scribn.	sandreed, prairie	Poaceae	R	W	W	W	C	W	W	W
317028	<i>Calamovilfa</i> spp.	sandreed	Poaceae	R	W	W	W	C	W	W	W
454693	<i>Calandrinia ciliata</i> (Ruiz & Pav.) DC.	red-maids	Montiaceae [Portulacaceae]	F, R	W	C	W	C	W	W	W
317029	<i>Calceolaria</i> spp.	calceolaria	Calceolariaceae [Scrophulariaceae]	F	W	C	W	W	W	W	W
8457	<i>Calendula officinalis</i> L.	calendula marigold, pot	Asteraceae	F	W	C	W	W	W	W	W
8505	<i>Calliandra eriophylla</i> Benth.	fairy-duster; mesquite, false	Fabaceae [Mimosaceae]	R, S	W	W	W	C	C	W	W
8516	<i>Callicarpa americana</i> L.	beauty-berry, American; French-mulberry	Lamiaceae [Verbenaceae]	S	W	W	W	W	C	W	W
316878	<i>Callirhoe involucrata</i> (Torr. & A. Gray) A. Gray	mallow, poppy	Malvaceae	F, R	W	C	W	C	W	W	W
8581	<i>Callistephus chinensis</i> (L.) Nees	China-aster	Asteraceae	F	W	C	W	W	W	W	W
8615	<i>Calocedrus decurrens</i> (Torr.) Florin	cedar, incense	Cupressaceae	S	W	W	W	W	C	W	W
317187	<i>Calonyction muricatum</i> (L.) G. Don = <i>Ipomoea muricata</i> (L.) Jacq.										
311558	<i>Calystegia sepium</i> (L.) R. Br.	bindweed, hedge	Convolvulaceae	W	W	W	W	W	W	W	W
318328	<i>Calystegia</i> spp.	bindweed, hedge	Convolvulaceae	W	W	W	W	W	W	W	W
8697	<i>Camassia leichtlinii</i> (Barker) S. Watson	camas, large	Asparagaceae [Agavaceae] [Hyacinthaceae] [Liliaceae]	F, R	W	C	W	C	W	W	W
317030	<i>Camassia</i> spp.	camas	Asparagaceae [Agavaceae] [Hyacinthaceae] [Liliaceae]	W	W	W	W	W	W	W	W
104834	<i>Camelina microcarpa</i> Andrz. ex DC.	falseflax, littleseed	Brassicaceae	W	W	W	W	W	W	W	W
317128	<i>Camelina parodii</i> Ibarra & La Porte = <i>Camelina sativa</i> (L.) Crantz										
8700	<i>Camelina sativa</i> (L.) Crantz	falseflax, bigseed; camelina	Brassicaceae	A	C	W	W	W	W	W	W
317031	<i>Camelina</i> spp.	falseflax	Brassicaceae	W	W	W	W	W	W	W	W
316598	<i>Camissonia cheiranthifolia</i> (Hornem. ex Spreng.) Raim. = <i>Camissoniopsis cheiranthifolia</i> (Hornem. ex Spreng.) W. L. Wagner & Hoch										

## AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
100609	<i>Camissonia claviformis</i> (Torr. & Frém.) P. H. Raven = <i>Chylismia claviformis</i> (Torr. & Frém.) A. Heller subsp. <i>claviformis</i>											
458566	<i>Camissoniopsis cheiranthifolia</i> (Hornem. ex Spreng.) W. L. Wagner & Hoch	evening-primrose, beach	Onagraceae	F	W	W	W	W	W	W	W	W
8749	<i>Campanula carpatica</i> Jacq.	bellflower, Carpathian; bellflower, tussock	Campanulaceae	F, R	W	C	W	C	W	W	W	W
8766	<i>Campanula medium</i> L.	bells, Canterbury	Campanulaceae	F	W	C	W	W	W	W	W	W
N/A	<i>Campanula medium</i> L. 'Calycanthema'	bellflower, cup and saucer	Campanulaceae	F	W	C	W	W	W	W	W	W
317188	<i>Campanula medium</i> L. var. <i>calycanthema</i> T. Moore = <i>Campanula medium</i> L. 'Calycanthema'											
316599	<i>Campanula persicifolia</i> L.	bellflower, peach; peach-bells	Campanulaceae	F	W	C	W	W	W	W	W	W
316600	<i>Campanula rapunculoides</i> L.	bellflower, creeping	Campanulaceae	W	W	W	W	W	W	W	W	W
8780	<i>Campanula rotundifolia</i> L.	bluebell; harebell; bells-of-Scotland, blue	Campanulaceae	F, R	W	C	W	C	W	W	W	W
8799	<i>Campsis radicans</i> (L.) Seem. ex Bureau	trumpet-creeper	Bignoniaceae	S	W	W	W	W	C	W	W	W
8862	<i>Cannabis sativa</i> L.	hemp, <b>industrial</b> ; marijuana	Cannabaceae	A, H	W	W	W	W	W	W	W	W
316879	<i>Caperonia castaneifolia</i> (L.) A. St.-Hil.	Mexican-weed	Euphorbiaceae	W	W	W	W	W	W	W	W	W
105461	<i>Capsella bursa-pastoris</i> (L.) Medik.	shepherd's-purse	Brassicaceae	W	W	W	W	W	W	W	W	W
8910	<i>Capsicum chinense</i> Jacq.	pepper, habanero	Solanaceae	V	C	C	C	C	C	C	C	C
300105	<i>Capsicum</i> spp.	pepper; pepper, Ornamental	Solanaceae	F, V	C	C	C	C	C	C	C	C
8923	<i>Caragana arborescens</i> Lam.	peashrub, Siberian	Fabaceae	R, S	W	W	W	C	C	W	W	W
8944	<i>Caragana pygmaea</i> (L.) DC.	caragana	Fabaceae	S	W	W	W	W	C	W	W	W
317032	<i>Cardamine</i> spp.	cross, bitter	Brassicaceae	W	W	W	W	W	W	W	W	W
105464	<i>Cardaria chalepensis</i> (L.) Hand.-Mazz. = <i>Lepidium chalepense</i> L.											
407478	<i>Cardaria draba</i> (L.) Desv. subsp. <i>chalepensis</i> (L.) O. E. Schulz = <i>Lepidium chalepense</i> L.											
407479	<i>Cardaria draba</i> (L.) Desv. subsp. <i>draba</i> = <i>Lepidium draba</i> L.											
316601	<i>Cardaria pubescens</i> (C. A. Mey.) Jarm. = <i>Lepidium appelianum</i> Al-Shehbaz											
317189	<i>Cardaria repens</i> (Schrenk ex Fisch. & C. A. Mey.) Jarm. = <i>Lepidium chalepense</i> L.											
317033	<i>Cardaria</i> spp. = <i>Lepidium</i> spp.											
9014	<i>Cardiospermum halicacabum</i> L.	balloonvine; heartseed	Sapindaceae	F	W	W	W	W	W	W	W	W
104108	<i>Carduus acanthoides</i> L.	thistle, plumeless	Asteraceae	W	W	W	W	W	W	W	W	W
316602	<i>Carduus crispus</i> L.	thistle, curly	Asteraceae	W	W	W	W	W	W	W	W	W
104109	<i>Carduus nutans</i> L.	thistle, musk; thistle, nodding	Asteraceae	W	W	W	W	W	W	W	W	W
317274	<i>Carduus pumilus</i> Nutt., nom. illeg. = <i>Cirsium pumilum</i> Spreng.											
316603	<i>Carduus pycnocephalus</i> L.	thistle, Italian spiny	Asteraceae	W	W	W	W	W	W	W	W	W



Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
318329	<i>Carduus</i> spp.	thistle, plumeless	Asteraceae	W	W	W	W	W	W	W	W
316604	<i>Carduus tenuiflorus</i> Curtis	thistle, Italian clasping; thistle, slenderflower; thistle, tenderflower	Asteraceae	W	W	W	W	W	W	W	W
459703	<i>Carex aperta</i> Boott	sedge, Columbian	Cyperaceae	R	W	W	W	C	W	W	W
9029	<i>Carex aquatilis</i> Wahlenb.	bullgrass	Cyperaceae	R	W	W	W	C	W	W	W
9032	<i>Carex athrostachya</i> Olney	sedge, slenderbeak	Cyperaceae	R	W	W	W	C	W	W	W
9037	<i>Carex bebbii</i> (L. H. Bailey) Olney ex Fernald	sedge, Bebb's	Cyperaceae	R	W	W	W	C	W	W	W
459705	<i>Carex comosa</i> Boott	sedge, bristly	Cyperaceae	R	W	W	W	C	W	W	W
316605	<i>Carex festucacea</i> Schkuhr ex Willd.	sedge	Cyperaceae	W	W	W	W	W	W	W	W
9065	<i>Carex hoodii</i> Boott	sedge, hoodii	Cyperaceae	R	W	W	W	C	W	W	W
448104	<i>Carex hystericina</i> Muhl. ex Willd.	sedge, bottlebrush	Cyperaceae	R	W	W	W	C	W	W	W
316606	<i>Carex lupulina</i> Muhl. ex Willd.	sedge, hop	Cyperaceae	W	W	W	W	W	W	W	W
9087	<i>Carex microptera</i> Mack.	sedge, small-winged	Cyperaceae	R	W	W	W	C	W	W	W
9090	<i>Carex nebrascensis</i> Dewey	sedge, Nebraska	Cyperaceae	R	W	W	W	C	W	W	W
448105	<i>Carex obnupta</i> L. H. Bailey	sedge, slough	Cyperaceae	R	W	W	W	C	W	W	W
433424	<i>Carex pellita</i> Muhl. ex Willd.	sedge, wooly	Cyperaceae	R	W	W	W	C	W	W	W
9104	<i>Carex praegracilis</i> W. Boott	sedge, meadow; sedge, clustered field; sedge, bleakcreeper	Cyperaceae	R	W	W	W	C	W	W	W
459706	<i>Carex retrorsa</i> Schwein.	sedge, knotsheath	Cyperaceae	R	W	W	W	C	W	W	W
9114	<i>Carex rostrata</i> Stokes	sedge, beaked	Cyperaceae	R	W	W	W	C	W	W	W
9119	<i>Carex simulata</i> Mack.	sedge, slender	Cyperaceae	R	W	W	W	C	W	W	W
300109	<i>Carex</i> spp.	sedge	Cyperaceae	R	W	W	W	C	W	W	W
316607	<i>Carex trichocarpa</i> Willd.	sedge, hairyseed	Cyperaceae	W	W	W	W	W	W	W	W
417216	<i>Carex utriculata</i> Boott	sedge, Northwest Territory	Cyperaceae	R	W	W	W	C	W	W	W
9131	<i>Carex vesicaria</i> L.	sedge, bladder	Cyperaceae	R	W	W	W	C	W	W	W
310457	<i>Carnegiea gigantea</i> (Engelm.) Britton & Rose	cactus, saguaro	Cactaceae	F	W	C	W	W	W	W	W
9228	<i>Carthamus baeticus</i> (Boiss. & Reut.) Pérez Lara = <i>Carthamus creticus</i> L.										
9230	<i>Carthamus creticus</i> L.	distaff thistle, smooth; distaff thistle, woolly	Asteraceae	W	W	W	W	W	W	W	W
9235	<i>Carthamus lanatus</i> L.	distaff thistle, western	Asteraceae	W	W	W	W	W	W	W	W
104112	<i>Carthamus lanatus</i> L. subsp. <i>baeticus</i> (Boiss. & Reut.) Nyman = <i>Carthamus creticus</i> L.										
70152	<i>Carthamus lanatus</i> L. subsp. <i>creticus</i> (L.) Holmboe = <i>Carthamus creticus</i> L.										
9237	<i>Carthamus leucocaulos</i> Sm.	distaff thistle, whitestem	Asteraceae	W	W	W	W	W	W	W	W
9239	<i>Carthamus oxyacantha</i> M. Bieb.	safflower, wild	Asteraceae	W	W	W	W	W	W	W	W
9243	<i>Carthamus tinctorius</i> L.	safflower	Asteraceae	A, F	C	C	C	W	W	W	W
9245	<i>Carum carvi</i> L.	caraway; caraway, wild	Apiaceae	H	W	W	C	W	W	W	W
313856	<i>Carya illinoensis</i> (Wangenh.) K. Koch, orth. var. = <i>Carya illinoensis</i> (Wangenh.) K. Koch										
9253	<i>Carya illinoensis</i> (Wangenh.) K. Koch	pecan	Juglandaceae	S	W	W	W	W	C	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
9255	<i>Carya ovata</i> (Mill.) K. Koch	hickory, shagbark	Juglandaceae	S	W	W	W	W	C	W	W
317190	<i>Cassia armata</i> S. Watson = <i>Senna armata</i> (S. Watson) H. S. Irwin & Barneby										
9303	<i>Cassia artemisioides</i> Gaudich. ex DC. = <i>Senna artemisioides</i> (Gaudich. ex DC.) Randell										
9323	<i>Cassia covesii</i> A. Gray = <i>Senna covesii</i> (A. Gray) H. S. Irwin & Barneby										
9331	<i>Cassia fasciculata</i> Michx. = <i>Chamaecrista fasciculata</i> (Michx.) Greene										
310910	<i>Cassia nictitans</i> L. = <i>Chamaecrista nictitans</i> (L.) Moench										
9368	<i>Cassia obtusifolia</i> L. = <i>Senna obtusifolia</i> (L.) H. S. Irwin & Barneby										
9397	<i>Cassia tora</i> L. = <i>Senna tora</i> (L.) Roxb.										
104119	<i>Castalis tragus</i> (Aiton) Norl. = <i>Dimorphotheca tragus</i> (Aiton) DC.										
9505	<i>Castanopsis chrysophylla</i> (Douglas ex Hook.) A. DC. = <i>Chrysolepis chrysophylla</i> (Douglas ex Hook.) Hjelmq.										
448109	<i>Castilleja angustifolia</i> (Nutt.) G. Don	Indian paintbrush, northwestern	Orobanchaceae [Scrophulariaceae]	R	W	W	W	C	W	W	W
449761	<i>Castilleja applegatei</i> Fernald	Indian paintbrush, early; Indian paintbrush, wavyleaf	Orobanchaceae [Scrophulariaceae]	F, R	W	C	W	C	W	W	W
316608	<i>Castilleja chromosa</i> A. Nelson	Indian paintbrush, early	Orobanchaceae [Scrophulariaceae]	F, R	W	C	W	C	W	W	W
449758	<i>Castilleja coccinea</i> (L.) Spreng.	Indian paintbrush, scarlet	Orobanchaceae [Scrophulariaceae]	R	W	W	W	C	W	W	W
453254	<i>Castilleja exserta</i> (A. Heller) T. I. Chuang & Heckard var. <i>exserta</i>	clover, owl's; Indian paintbrush, exserted	Orobanchaceae [Scrophulariaceae]	F, R	W	C	W	C	W	W	W
9540	<i>Castilleja indivisa</i> Engelm.	Indian paintbrush, Texas	Orobanchaceae [Scrophulariaceae]	F, R	W	C	W	C	W	W	W
316609	<i>Castilleja integra</i> A. Gray	Indian paintbrush, orange	Orobanchaceae [Scrophulariaceae]	F, R	W	C	W	C	W	W	W
316610	<i>Castilleja linariifolia</i> Benth.	Indian paintbrush, narrowleaf; Indian paintbrush, Wyoming	Orobanchaceae [Scrophulariaceae]	F, R	W	C	W	C	W	W	W
452101	<i>Castilleja miniata</i> Douglas ex Hook.	Indian paintbrush, great red	Orobanchaceae [Scrophulariaceae]	F, R	W	C	W	C	W	W	W
448007	<i>Castilleja minor</i> (A. Gray) A. Gray var. <i>minor</i>	Indian paintbrush, marsh; Indian paintbrush, lesser	Orobanchaceae [Scrophulariaceae]	F, R	W	C	W	C	W	W	W
316611	<i>Castilleja rhexiifolia</i> Rydb.	Indian paintbrush, splitleaf	Orobanchaceae [Scrophulariaceae]	F, R	W	C	W	C	W	W	W
456395	<i>Castilleja rhexiifolia</i> Rydb. var. <i>sulphurea</i> (Rydb.) N. D. Atwood	Indian paintbrush, sulphur	Orobanchaceae [Scrophulariaceae]	F, R	W	C	W	C	W	W	W
317034	<i>Castilleja</i> spp.	Indian paintbrush; paintbrush	Orobanchaceae [Scrophulariaceae]	F, R	W	C	W	C	W	W	W
312277	<i>Casuarina</i> spp.	beefwood	Casuarinaceae	S	W	W	W	W	C	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
9578	<i>Catabrosa aquatica</i> (L.) P. Beauv.	grass, brook; whorlgrass, water	Poaceae	R	W	W	W	C	W	W	W
9581	<i>Catalpa bignonioides</i> Walter	catalpa, common; catalpa, southern	Bignoniaceae	S	W	W	W	C	C	W	W
9592	<i>Catalpa speciosa</i> E. Y. Teas	catalpa, northern; catalpa, western	Bignoniaceae	S	W	W	W	C	C	W	W
9594	<i>Catananche caerulea</i> L.	cupid's dart	Asteraceae	F	W	C	W	W	W	W	W
70159	<i>Catharanthus roseus</i> (L.) G. Don	periwinkle, rose; vinca	Apocynaceae	F	W	C	W	W	W	W	W
459713	<i>Caulanthus lasiophyllus</i> (Hook. & Arn.) Payson = <i>Streptanthus lasiophyllus</i> (Hook. & Arn.) Hoover										
417591	<i>Ceanothus cordulatus</i> Kellogg	whitethorn	Rhamnaceae	R, S	W	W	W	C	C	W	W
9648	<i>Ceanothus cuneatus</i> (Hook.) Nutt.	buckbrush	Rhamnaceae	R, S	W	W	W	C	C	W	W
9653	<i>Ceanothus fendleri</i> A. Gray	ceanothus, Fendler	Rhamnaceae	S	W	W	W	W	C	W	W
315998	<i>Ceanothus integerrimus</i> Hook. & Arn.	deerbrush	Rhamnaceae	R, S	W	W	W	C	C	W	W
9664	<i>Ceanothus prostratus</i> Benth.	carpet, squaw	Rhamnaceae	R, S	W	W	W	C	C	W	W
105420	<i>Ceanothus sanguineus</i> Pursh	ceanothus, redstem	Rhamnaceae	R, S	W	W	W	C	C	W	W
313601	<i>Ceanothus velutinus</i> Douglas	snowbrush	Rhamnaceae	R, S	W	W	W	C	C	W	W
9690	<i>Cedrus atlantica</i> (Endl.) G. Manetti ex Carrière	cedar, Atlas	Pinaceae	S	W	W	W	W	C	W	W
9692	<i>Cedrus deodara</i> (Roxb. ex D. Don) G. Don	cedar, deodar	Pinaceae	S	W	W	W	C	C	W	W
9695	<i>Cedrus libani</i> A. Rich.	cedar-of-Lebanon	Pinaceae	S	W	W	W	C	C	W	W
9719	<i>Celastrus orbiculatus</i> Thunb.	bittersweet, Oriental	Celastraceae	S	W	W	W	W	C	W	W
9727	<i>Celastrus scandens</i> L.	bitterweet, American	Celastraceae	S	W	W	W	W	C	W	W
101551	<i>Celosia argentea</i> L. var. <i>cristata</i> (L.) Kuntze	celosia; cockscomb	Amaranthaceae	F	W	C	W	W	W	W	W
311807	<i>Celosia</i> spp.	celosia; cockscomb	Amaranthaceae	F	W	C	W	W	W	W	W
464000	<i>Celtis ehrenbergiana</i> (Klotzsch) Liebm. = <i>Celtis iguanaea</i> (Jacq.) Sarg.										
418705	<i>Celtis ehrenbergiana</i> auct. nonn. = <i>Celtis pallida</i> Torr.										
101687	<i>Celtis iguanaea</i> (Jacq.) Sarg.	hackberry, iguana	Cannabaceae [Celtidaceae] [Ulmaceae]	R, S	W	W	W	C	C	W	W
9774	<i>Celtis occidentalis</i> L.	hackberry, common	Cannabaceae [Celtidaceae] [Ulmaceae]	R, S	W	W	W	C	C	W	W
101691	<i>Celtis pallida</i> Torr.	hackberry, desert; hackberry, spiny	Cannabaceae [Celtidaceae] [Ulmaceae]	R, S	W	W	W	C	C	W	W
464256	<i>Cenchrus americanus</i> (L.) Morrone	millet, pearl	Poaceae	A	C	C	C	C	C	C	C
476777	<i>Cenchrus caudatus</i> (Schrad.) Kuntze	feathergrass, African	Poaceae	W	W	W	W	W	W	W	W
9794	<i>Cenchrus ciliaris</i> L.	buffelgrass, hairy	Poaceae	R	W	W	W	C	W	W	W
464260	<i>Cenchrus clandestinus</i> (Hochst. ex Chiov.) Morrone	kikuyugrass	Poaceae	W	W	W	W	W	W	W	W
9795	<i>Cenchrus echinatus</i> L.	sandbur, southern	Poaceae	W	W	W	W	W	W	W	W
103624	<i>Cenchrus incertus</i> M. A. Curtis = <i>Cenchrus spinifex</i> Cav.										

## AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
103625	<i>Cenchrus longispinus</i> (Hack.) Fernald	sandbur, longspine; sandbur, mat	Poaceae	W	W	W	W	W	W	W	W
103626	<i>Cenchrus pauciflorus</i> Benth. = <i>Cenchrus spinifex</i> Cav.										
464274	<i>Cenchrus pedicellatus</i> (Trin.) Morrone	kyasumagrass	Poaceae	W	W	W	W	W	W	W	W
476779	<i>Cenchrus polystachios</i> (L.) Morrone	missiongrass; napiergrass, thin	Poaceae	W	W	W	W	W	W	W	W
464278	<i>Cenchrus purpureus</i> (Schumach.) Morrone	napiergrass	Poaceae	A	C	C	W	C	C	C	W
464280	<i>Cenchrus setaceus</i> (Forssk.) Morrone	fountaingrass	Poaceae	F	W	W	W	W	W	W	W
433278	<i>Cenchrus spinifex</i> Cav.	sandbur, coast; sandbur, field	Poaceae	W	W	W	W	W	W	W	W
313892	<i>Cenchrus</i> spp.	sandbur	Poaceae	W	W	W	W	W	W	W	W
9810	<i>Cenchrus tribuloides</i> L.	sandbur, dune	Poaceae	W	W	W	W	W	W	W	W
9812	<i>Centaurea americana</i> Nutt. = <i>Plectocephalus americana</i> (Nutt.) D. Don										
455331	<i>Centaurea benedicta</i> (L.) L.	thistle, blessed	Asteraceae	W	W	W	W	W	W	W	W
316612	<i>Centaurea calcitrapa</i> L.	starthistle, purple	Asteraceae	W	W	W	W	W	W	W	W
104124	<i>Centaurea cineraria</i> L.	dusty-miller	Asteraceae	F	W	C	W	W	W	W	W
9817	<i>Centaurea cyanus</i> L.	cornflower; bachelor's-button; robin, ragged	Asteraceae	F	W	C	W	W	W	W	W
100749	<i>Centaurea dealbata</i> Willd. = <i>Psephellus dealbatus</i> (Willd.) K. Koch										
104125	<i>Centaurea diffusa</i> Lam.	knawweed, diffuse	Asteraceae	W	W	W	W	W	W	W	W
100753	<i>Centaurea gymnocarpa</i> Moris & De Not.	centaurea, velvet	Asteraceae	F	W	C	W	W	W	W	W
316084	<i>Centaurea iberica</i> Trevir. ex Spreng.	starthistle, Iberian	Asteraceae	W	W	W	W	W	W	W	W
100919	<i>Centaurea imperialis</i> Hausskn. ex Bornm.	centaurea, royal	Asteraceae	F	W	C	W	W	W	W	W
N/A	<i>Centaurea jacea</i> x <i>C. nigra</i> = <i>Centaurea xmoncktonii</i> C. E. Britton										
9821	<i>Centaurea jacea</i> L.	knawweed, brownscale	Asteraceae	W	W	W	W	W	W	W	W
401600	<i>Centaurea macrocephala</i> Muss. Puschk. ex Willd.	knawweed, big-head	Asteraceae	F	W	C	W	W	W	W	W
104126	<i>Centaurea maculosa</i> auct. Amer. = <i>Centaurea stoebe</i> L. subsp. <i>australis</i> (Pančić ex A. Kern.) Greuter										
316613	<i>Centaurea melitensis</i> L.	starthistle, Malta	Asteraceae	W	W	W	W	W	W	W	W
432926	<i>Centaurea xmoncktonii</i> C. E. Britton	knawweed, meadow	Asteraceae	W	W	W	W	W	W	W	W
401601	<i>Centaurea montana</i> L.	mountain-bluet	Asteraceae	F	W	C	W	W	W	W	W
104128	<i>Centaurea nigra</i> L.	knawweed, black	Asteraceae	W	W	W	W	W	W	W	W
403429	<i>Centaurea nigrescens</i> Willd.	knawweed, Vochin	Asteraceae	W	W	W	W	W	W	W	W
317191	<i>Centaurea picris</i> Pall. ex Willd. = <i>Rhaponticum repens</i> (L.) Hidalgo										
104129	<i>Centaurea repens</i> L. = <i>Rhaponticum repens</i> (L.) Hidalgo										
9825	<i>Centaurea rothrockii</i> Greenm. = <i>Plectocephalus rothrockii</i> (Greenm.) D. J. N. Hind										
9827	<i>Centaurea solstitialis</i> L.	starthistle, yellow	Asteraceae	W	W	W	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
310941	<i>Centaurea</i> spp.	knapweed; starthistle	Asteraceae	W	W	W	W	W	W	W	W
317192	<i>Centaurea squarrosa</i> Willd., nom. illeg. = <i>Centaurea virgata</i> Lam. subsp. <i>squarrosa</i> (Boiss.) Gugler										
464558	<i>Centaurea stoebe</i> L. subsp. <i>australis</i> (Pančić ex A. Kern.) Greuter	knapweed, spotted	Asteraceae	W	W	W	W	W	W	W	W
419663	<i>Centaurea stoebe</i> L. subsp. <i>micranthos</i> (Gugler) Hayek = <i>Centaurea stoebe</i> L. subsp. <i>australis</i> (Pančić ex A. Kern.) Greuter										
316614	<i>Centaurea sulphurea</i> Willd.	starthistle, Sicilian	Asteraceae	W	W	W	W	W	W	W	W
316482	<i>Centaurea virgata</i> Lam. subsp. <i>squarrosa</i> (Boiss.) Gugler	knapweed, squarrose	Asteraceae	W	W	W	W	W	W	W	W
317035	<i>Centaureum</i> spp.	centaury	Gentianaceae	W	W	W	W	W	W	W	W
9837	<i>Centranthus ruber</i> (L.) DC.	Jupiter's-beard	Caprifoliaceae [Valerianaceae]	F	W	C	W	W	W	W	W
317002	<i>Centromadia</i> spp.		Asteraceae	W	W	W	W	W	W	W	W
9854	<i>Cephalanthus occidentalis</i> L.	buttonbush	Rubiaceae	F, S	W	C	W	W	C	W	W
9866	<i>Cephalaria transsylvanica</i> (L.) Roem. & Schult.	hairy head	Caprifoliaceae [Dipsacaceae]	W	W	W	W	W	W	W	W
9894	<i>Cerastium biebersteinii</i> DC.	chickweed, taurus	Caryophyllaceae	F, R	W	C	W	C	W	W	W
407889	<i>Cerastium fontanum</i> Baumg. subsp. <i>vulgare</i> (Hartm.) Greuter & Burdet	chickweed, mouse-ear	Caryophyllaceae	W	W	W	W	W	W	W	W
407894	<i>Cerastium glomeratum</i> Thuill.	mouse-ear, sticky	Caryophyllaceae	W	W	W	W	W	W	W	W
316615	<i>Cerastium siculum</i> Guss.	chickweed	Caryophyllaceae	W	W	W	W	W	W	W	W
318355	<i>Cerastium</i> spp.	chickweed, mouse-ear	Caryophyllaceae	W	W	W	W	W	W	W	W
9895	<i>Cerastium tomentosum</i> L.	snow-in-summer; cerastium	Caryophyllaceae	F	W	C	W	W	W	W	W
9896	<i>Cerastium viscosum</i> auct. = <i>Cerastium</i> <i>glomeratum</i> Thuill.										
310772	<i>Cerastium vulgatum</i> auct. = <i>Cerastium</i> <i>fontanum</i> Baumg. subsp. <i>vulgare</i> (Hartm.) Greuter & Burdet										
104842	<i>Ceratoides lanata</i> (Pursh) J. T. Howell = <i>Krascheninnikovia lanata</i> (Pursh) A. Meeuse & A. Smit										
406350	<i>Cercidium floridum</i> Benth. ex A. Gray = <i>Parkinsonia florida</i> (Benth. ex A. Gray) S. Watson										
300123	<i>Cercis canadensis</i> L.	redbud	Fabaceae [Caesalpiaceae]	S	W	W	W	W	C	W	W
401020	<i>Cercocarpus betuloides</i> Nutt. var. <i>betuloides</i>	mountain-mahogany, birchleaf	Rosaceae	R, S	W	W	W	C	C	W	W
9950	<i>Cercocarpus ledifolius</i> Nutt. ex Torr. & A. Gray	mountain-mahogany, curlleaf	Rosaceae	R, S	W	W	W	C	C	W	W
316939	<i>Cercocarpus montanus</i> Raf. var. <i>glaber</i> (S. Watson) F. L. Martin = <i>Cercocarpus</i> <i>betuloides</i> Nutt. var. <i>betuloides</i>										
318365	<i>Cercocarpus montanus</i> Raf. var. <i>montanus</i>	mountain-mahogany, true	Rosaceae	R, S	W	W	W	C	C	W	W
317036	<i>Cercocarpus</i> spp.	mountain-mahogany	Rosaceae	S	W	W	W	C	C	W	W
435348	<i>Cereus hildmannianus</i> K. Schum. subsp. <i>uruguayanus</i> (R. Kiesling) N. P. Taylor	cactus, spiny tree; apple, Peruvian	Cactaceae	W	W	W	W	W	W	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
402304	<i>Cereus martinii</i> Labour. = <i>Harrisia martinii</i> (Labour.) Britton											
319175	<i>Cereus uruguayanus</i> R. Kiesling = <i>Cereus hildmannianus</i> K. Schum. subsp. <i>uruguayanus</i> (R. Kiesling) N. P. Taylor											
447572	<i>Chaenactis douglasii</i> (Hook.) Hook. & Arn.	dusty-maiden, Douglas'	Asteraceae	R	W	W	W	C	W	W	W	W
462986	<i>Chaenactis fremontii</i> A. Gray	pincushion-flower	Asteraceae	R	W	W	W	C	W	W	W	W
10020	<i>Chaerophyllum bulbosum</i> L.	chervil, turnip-rooted	Apiaceae	V	C	C	C	C	C	C	C	C
316616	<i>Chaerophyllum procumbens</i> (L.) Crantz	chervil, spreading	Apiaceae	W	W	W	W	W	W	W	W	W
311805	<i>Chaerophyllum</i> spp.	chervil	Apiaceae	W	W	W	W	W	W	W	W	W
10060	<i>Chamaebatiaria millefolium</i> (Torr.) Maxim.	fernbush	Rosaceae	R, S	W	W	W	C	C	W	W	W
100081	<i>Chamaecrista fasciculata</i> (Michx.) Greene	pea, partridge	Fabaceae [Caesalpinaceae]	F, R	W	C	W	C	W	W	W	W
310909	<i>Chamaecrista nictitans</i> (L.) Moench	pea, sensitive	Fabaceae [Caesalpinaceae]	F	W	C	W	W	W	W	W	W
10064	<i>Chamaecyparis lawsoniana</i> (A. Murray bis) Parl.	cedar, Port Orford	Cupressaceae	S	W	W	W	W	C	W	W	W
10077	<i>Chamaecyparis nootkatensis</i> (D. Don) Spach = <i>Cupressus nootkatensis</i> D. Don											
10102	<i>Chamaecyparis thyoides</i> (L.) Britton et al.	white-cedar, Atlantic	Cupressaceae	S	W	W	W	W	C	W	W	W
104133	<i>Chamaemelum nobile</i> (L.) All.	chamomile, Roman	Asteraceae	F	W	C	W	W	W	W	W	W
413648	<i>Chamaenerion angustifolium</i> (L.) Scop.	fireweed	Onagraceae	F, R	W	C	W	C	W	W	W	W
317276	<i>Chamaesaracha grandiflora</i> (Hook.) Fernald = <i>Leucophysalis grandiflora</i> (Hook.) Rydb.											
402371	<i>Chamaesyce glyptosperma</i> (Engelm.) Small = <i>Euphorbia glyptosperma</i> Engelm.											
402374	<i>Chamaesyce maculata</i> (L.) Small = <i>Euphorbia maculata</i> L.											
402375	<i>Chamaesyce nutans</i> (Lag.) Small = <i>Euphorbia nutans</i> Lag.											
402377	<i>Chamaesyce prostrata</i> (Aiton) Small = <i>Euphorbia prostrata</i> Aiton											
410680	<i>Chamerion angustifolium</i> (L.) Holub = <i>Chamaenerion angustifolium</i> (L.) Scop.											
50018	<i>Chasmanthium latifolium</i> (Michx.) H. O. Yates	sea oats, inland	Poaceae	W	W	W	W	W	W	W	W	W
317193	<i>Cheiranthus xallionii</i> hort. = <i>Erysimum xmarshallii</i> (Henfr.) Bois											
104663	<i>Cheiranthus cheiri</i> L. = <i>Erysimum cheiri</i> (L.) Crantz											
466031	<i>Chenopodium murale</i> (L.) S. Fuentes et al.	goosefoot, nettleleaf	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W	W
466033	<i>Chenopodium simplex</i> (Torr.) S. Fuentes et al.	goosefoot, mapleleaf	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W	W
10178	<i>Chenopodium album</i> L.	lamb's-quarters, common	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
10180	<i>Chenopodium ambrosioides</i> L. = <i>Dysphania ambrosioides</i> (L.) Mosyakin & Clemants											
104843	<i>Chenopodium berlandieri</i> Moq.	lamb's-quarters, pitseed	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W	W
10185	<i>Chenopodium botrys</i> L. = <i>Dysphania botrys</i> (L.) Mosyakin & Clemants											
10188	<i>Chenopodium fremontii</i> S. Watson	goosefoot, Fremont's	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W	W
316497	<i>Chenopodium gigantospermum</i> Aellen = <i>Chenopodiastrum simplex</i> (Torr.) S. Fuentes et al.											
10191	<i>Chenopodium leptophyllum</i> (Moq.) Nutt. ex S. Watson	goosefoot, narrowleaf	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W	W
316617	<i>Chenopodium multifidum</i> L. = <i>Dysphania multifida</i> (L.) Mosyakin & Clemants											
311139	<i>Chenopodium murale</i> L. = <i>Chenopodiastrum murale</i> (L.) S. Fuentes et al.											
10194	<i>Chenopodium quinoa</i> Willd.	goosefoot, five-lobed; quinoa	Chenopodiaceae [Amaranthaceae]	A	C	W	W	W	W	W	W	W
311144	<i>Chenopodium rubrum</i> L. = <i>Oxybasis rubra</i> (L.) S. Fuentes et al.											
316496	<i>Chenopodium simplex</i> (Torr.) Raf. = <i>Chenopodiastrum simplex</i> (Torr.) S. Fuentes et al.											
314984	<i>Chenopodium</i> spp.	goosefoot	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W	W
10201	<i>Chilopsis linearis</i> (Cav.) Sweet	desertwillow	Bignoniaceae	F, R, S	W	C	W	C	C	W	W	W
10236	<i>Chloris acicularis</i> Lindl. = <i>Enteropogon acicularis</i> (Lindl.) Lazarides											
316618	<i>Chloris divaricata</i> R. Br.	fingergrass, Australian; stargrass, Australian	Poaceae	W	W	W	W	W	W	W	W	W
10260	<i>Chloris gayana</i> Kunth	rhodesgrass	Poaceae	A, R	C	W	W	C	C	C	W	W
10265	<i>Chloris latisquamea</i> Nash = <i>Chloris subdolichostachya</i> Müll. Berol.											
317145	<i>Chloris subdolichostachya</i> Müll. Berol.	windmillgrass, Nash	Poaceae	W	W	W	W	W	W	W	W	W
103627	<i>Chloris verticillata</i> Nutt.	windmillgrass	Poaceae	W	W	W	W	W	W	W	W	W
10289	<i>Chloris virgata</i> Sw.	fingergrass, feather	Poaceae	W	W	W	W	W	W	W	W	W
10317	<i>Chondrilla juncea</i> L.	skeletonweed, rush; skeletonweed, yellowflowering	Asteraceae	W	W	W	W	W	W	W	W	W
316880	<i>Chorispora tenella</i> (Pall.) DC.	mustard, blue; mustard, purple	Brassicaceae	W	W	W	W	W	W	W	W	W
403697	<i>Chromolaena odorata</i> (L.) R. M. King & H. Rob.	bitterbush; siamweed	Asteraceae	W	W	W	W	W	W	W	W	W
10348	<i>Chrysanthemum carinatum</i> Schousb. = <i>Glebionis carinata</i> (Schousb.) Tzvelev											
10352	<i>Chrysanthemum coronarium</i> L. = <i>Glebionis coronaria</i> (L.) Cass. ex Spach											
10366	<i>Chrysanthemum leucanthemum</i> L. = <i>Leucanthemum vulgare</i> Lam.											

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
318341	<i>Chrysanthemum maximum</i> hort. = <i>Leucanthemum xsuperbum</i> (Bergmans ex J. W. Ingram) D. H. Kent											
317277	<i>Chrysanthemum multicaule</i> Desf. = <i>Coleostephus multicaulis</i> (Desf.) Durieu											
317278	<i>Chrysanthemum paludosum</i> Poir. = <i>Mauranthemum paludosum</i> (Poir.) Vogt & Oberpr.											
10378	<i>Chrysanthemum parthenium</i> (L.) Bernh. = <i>Tanacetum parthenium</i> (L.) Sch. Bip.											
317279	<i>Chrysanthemum ptarmiciflorum</i> (Webb & Berthel.) Brenan = <i>Tanacetum ptarmiciflorum</i> (Webb & Berthel.) Sch. Bip.											
10382	<i>Chrysanthemum segetum</i> L. = <i>Glebionis segetum</i> (L.) Fourr.											
318340	<i>Chrysanthemum xsuperbum</i> Bergmans ex J. W. Ingram = <i>Leucanthemum xsuperbum</i> (Bergmans ex J. W. Ingram) D. H. Kent											
409800	<i>Chrysolepis chrysophylla</i> (Douglas ex Hook.) Hjelmq.	chinkapin, golden	Fagaceae	R, S	W	W	W	C	C	W	W	
409801	<i>Chrysolepis sempervirens</i> (Kellogg) Hjelmq.	chinquapin, bush	Fagaceae	R, S	W	W	W	C	C	W	W	
10501	<i>Chrysopogon aciculatus</i> (Retz.) Trin.	pilipiliula	Poaceae	W	W	W	W	W	W	W	W	
317037	<i>Chrysopsis</i> spp.	aster, golden	Asteraceae	F	W	C	W	W	W	W	W	
316619	<i>Chrysopsis villosa</i> (Pursh) Nutt. ex DC. = <i>Heterotheca villosa</i> (Pursh) Shinnars											
104148	<i>Chrysothamnus nauseosus</i> (Pall. ex Pursh) Britton = <i>Ericameria nauseosa</i> (Pall. ex Pursh) G. L. Nesom & G. I. Baird											
317038	<i>Chrysothamnus</i> spp.	rabbitbrush	Asteraceae	R, S	W	W	W	C	C	W	W	
104150	<i>Chrysothamnus viscidiflorus</i> (Hook.) Nutt.	rabbitbrush, Douglas	Asteraceae	R, S	W	W	W	C	C	W	W	
458579	<i>Chylismia claviformis</i> (Torr. & Frém.) A. Heller	primrose, clavate fruit; primrose, brown-eyed	Onagraceae	F, R	W	C	W	C	W	W	W	
458580	<i>Chylismia claviformis</i> (Torr. & Frém.) A. Heller subsp. <i>claviformis</i>	primrose, brown-eyed	Onagraceae	F, R	W	C	W	C	W	W	W	
10535	<i>Cicer arietinum</i> L.	chickpea; garbanzo	Fabaceae	A, V	C	C	C	C	C	C	C	
10542	<i>Cichorium endivia</i> L.	endive	Asteraceae	V	W	W	C	W	W	W	C	
10543	<i>Cichorium intybus</i> L.	chicory	Asteraceae	F, R, V	W	C	W	C	W	W	W	
316620	<i>Cicuta douglasii</i> (DC.) J. M. Coult. & Rose	water-hemlock, western	Apiaceae	W	W	W	W	W	W	W	W	
10545	<i>Cicuta maculata</i> L.	water-hemlock, spotted	Apiaceae	R	W	W	W	C	W	W	W	
317039	<i>Cicuta</i> spp.	water-hemlock	Apiaceae	W	W	W	W	W	W	W	W	
316621	<i>Cirsium altissimum</i> (L.) Spreng.	thistle, field; thistle, tall	Asteraceae	W	W	W	W	W	W	W	W	
100755	<i>Cirsium arvense</i> (L.) Scop.	thistle, Canada	Asteraceae	W	W	W	W	W	W	W	W	
316622	<i>Cirsium canescens</i> Nutt.	thistle, Platte	Asteraceae	W	W	W	W	W	W	W	W	
316623	<i>Cirsium discolor</i> (Muhl. ex Willd.) Spreng.	thistle, field	Asteraceae	W	W	W	W	W	W	W	W	
316624	<i>Cirsium flodmanii</i> (Rydb.) Arthur	thistle, Flodman's	Asteraceae	W	W	W	W	W	W	W	W	



Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
419814	<i>Cirsium japonicum</i> Fisch. ex DC.	thistle, Japanese	Asteraceae	W	W	W	W	W	W	W	W
316625	<i>Cirsium ochrocentrum</i> A. Gray	thistle, yellowspine	Asteraceae	W	W	W	W	W	W	W	W
317194	<i>Cirsium plattense</i> (Rydb.) Cockerell ex Daniels = <i>Cirsium canescens</i> Nutt.										
316940	<i>Cirsium pumilum</i> Spreng.	thistle, hills	Asteraceae	W	W	W	W	W	W	W	W
316626	<i>Cirsium remotifolium</i> (Hook.) DC.	thistle, weak	Asteraceae	W	W	W	W	W	W	W	W
317040	<i>Cirsium</i> spp.	thistle	Asteraceae	W	W	W	W	W	W	W	W
316627	<i>Cirsium undulatum</i> (Nutt.) Spreng.	thistle, wavyleaf	Asteraceae	W	W	W	W	W	W	W	W
104163	<i>Cirsium vulgare</i> (Savi) Ten.	thistle, bull	Asteraceae	W	W	W	W	W	W	W	W
468434	<i>Citrullus amarus</i> Schrad.	citron	Cucurbitaceae	V	C	C	C	C	C	C	C
10675	<i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai	watermelon	Cucurbitaceae	V	C	C	C	C	C	C	C
317195	<i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai var. <i>caffer</i> (Schrad.) Mansf. = <i>Citrullus amarus</i> Schrad.										
314922	<i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai var. <i>citroides</i> (L. H. Bailey) Mansf. = <i>Citrullus amarus</i> Schrad.										
10677	<i>Citrullus vulgaris</i> Schrad. = <i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai										
310184	<i>Clarkia amoena</i> (Lehm.) A. Nelson & J. F. Macbr.	flower, satin	Onagraceae	F	W	C	W	W	W	W	W
433293	<i>Clarkia bottae</i> (Spach) F. H. Lewis & M. R. Lewis	clarkia, Botta's; godetia; godetia, punch-bowl	Onagraceae	F	W	C	W	C	W	W	W
314832	<i>Clarkia concinna</i> (Fisch. & C. A. Mey.) Greene	godetia; red-ribbons	Onagraceae	F	W	C	W	W	W	W	W
314809	<i>Clarkia purpurea</i> (Curtis) A. Nelson & J. F. Macbr	clarkia, winecup	Onagraceae	F, R	W	C	W	C	W	W	W
310108	<i>Clarkia unguiculata</i> Lindl.	clarkia; garland, mountian	Onagraceae	F	W	C	W	W	W	W	W
316941	<i>Claytonia perfoliata</i> Donn ex Willd.	lettuce, miner's	Montiaceae [Portulacaceae]	H, R	W	W	W	W	W	W	W
98	<i>Clematis orientalis</i> L.	clematis, Chinese	Ranunculaceae	W	W	W	W	W	W	W	W
310626	<i>Cleome hassleriana</i> Chodat = <i>Tarenaya hassleriana</i> (Chodat) H. H. Iltis										
315408	<i>Cleome isomeris</i> Greene = <i>Peritoma arborea</i> (Nutt.) H. H. Iltis var. <i>arborea</i>										
312120	<i>Cleome lutea</i> Hook. = <i>Peritoma lutea</i> (Hook.) Raf.										
316628	<i>Cleome serrulata</i> Pursh = <i>Peritoma serrulata</i> (Pursh) DC.										
467569	<i>Cleretum bellidiforme</i> (Burm. f.) G. D. Rowley	daisy, livingstone; iceplant	Aizoaceae	F	W	C	W	W	W	W	W
10919	<i>Clidemia hirta</i> (L.) D. Don	curse; curse, Koster's	Melastomataceae	W	W	W	W	W	W	W	W
476458	<i>Clinopodium acinos</i> (L.) Kuntze	savory, spring	Lamiaceae	W	W	W	W	W	W	W	W
10924	<i>Clinopodium nepeta</i> (L.) Kuntze	savory, catnip	Lamiaceae	H	W	W	C	W	W	W	W
316629	<i>Clinopodium vulgare</i> L.	basil, wild	Lamiaceae	W	W	W	W	W	W	W	W
10967	<i>Cnicus benedictus</i> L. = <i>Centaurea benedicta</i> (L.) L.										
10972	<i>Cobaea scandens</i> Cav.	cathedral bells; ivy, Mexican	Polemoniaceae [Cobaeaceae]	F	W	C	W	W	W	W	W

## AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
10974	<i>Coccinia grandis</i> (L.) Voigt	gourd, ivy	Cucurbitaceae	W	W	W	W	W	W	W	W
11129	<i>Coix lacryma-jobi</i> L.	Job's-tears	Poaceae	F	W	C	W	W	W	W	W
462775	<i>Coleataenia anceps</i> (Michx.) Soreng	panicum, beaked	Poaceae	R	W	W	W	C	W	W	W
417495	<i>Coleogyne ramosissima</i> Torr.	blackbrush	Rosaceae	R, S	W	W	W	C	C	W	W
316942	<i>Coleostephus multicaulis</i> (Desf.) Durieu	daisy, yellowclump	Asteraceae	F	W	C	W	W	W	W	W
11154	<i>Coleus blumei</i> Benth. = <i>Plectranthus scutellarioides</i> (L.) R. Br.										
70195	<i>Coleus scutellarioides</i> (L.) Benth. = <i>Plectranthus scutellarioides</i> (L.) R. Br.										
316881	<i>Collinsia heterophylla</i> <b>Graham</b>	Chinese-houses	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F, R	W	C	W	C	W	W	W
316882	<i>Collinsia parviflora</i> <b>Lindl.</b>	collinsia, smallflower	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	W	W	W	W	W	W	W	W
317196	<i>Collomia gracilis</i> (Hook.) Douglas ex Benth. = <i>Microsteris gracilis</i> (Hook.) Greene										
316630	<i>Collomia grandiflora</i> Douglas ex Lindl.	gilia, big-flower; collomia, grand	Polemoniaceae	F, R	W	C	W	C	W	W	W
316631	<i>Collomia linearis</i> Nutt.	mountaintrumpet, narrowleaf	Polemoniaceae	W	W	W	W	W	W	W	W
311531	<i>Commelina benghalensis</i> L.	dayflower, Bengal	Commelinaceae	W	W	W	W	W	W	W	W
311532	<i>Commelina communis</i> L.	dayflower, common	Commelinaceae	W	W	W	W	W	W	W	W
466111	<i>Condea emoryi</i> (Torr.) Harley & J. F. B. Pastore	lavender, desert	Lamiaceae	R, S	W	W	W	C	C	W	W
11262	<i>Conium maculatum</i> L.	hemlock, poison	Apiaceae	W	W	W	W	W	W	W	W
11275	<i>Conringia orientalis</i> (L.) C. Presl	mustard, hare's-ear	Brassicaceae	W	W	W	W	W	W	W	W
105348	<i>Consolida ajacis</i> (L.) Schur	delphinium, ajacis; larkspur, annual; larkspur, rocket	Ranunculaceae	F, R	W	C	W	C	W	W	W
105346	<i>Consolida ambigua</i> auct. = <i>Consolida ajacis</i> (L.) Schur										
70198	<i>Consolida regalis</i> Gray	larkspur, field	Ranunculaceae	F	W	C	W	W	W	W	W
11287	<i>Convolvulus arvensis</i> L.	bindweed, field	Convolvulaceae	W	W	W	W	W	W	W	W
316632	<i>Convolvulus equitans</i> Benth.	bindweed, hoary	Convolvulaceae	W	W	W	W	W	W	W	W
317197	<i>Convolvulus incanus</i> auct. = <i>Convolvulus equitans</i> Benth.										
311562	<i>Convolvulus sepium</i> L. = <i>Calystegia sepium</i> (L.) R. Br.										
104171	<i>Conyza canadensis</i> (L.) Cronquist = <i>Erigeron canadensis</i> L.										
316943	<i>Conyza ramosissima</i> Cronquist = <i>Erigeron divaricatus</i> Michx.										
11503	<i>Cordyline australis</i> (G. Forst.) Endl.	cordyline; fountain-dracaena; giant-dracaena	Asparagaceae [Agavaceae] [Laxmanniaceae] [Lomandraceae]	F	W	C	W	W	W	W	W
318331	<i>Coreopsis basalis</i> (A. Dietr.) S. F. Blake	calliopsis	Asteraceae	F	W	C	W	W	W	W	W
316633	<i>Coreopsis gigantea</i> (Kellogg) H. M. Hall	coreopsis, tree	Asteraceae	F	W	C	W	W	W	W	W
11519	<i>Coreopsis grandiflora</i> Hogg ex Sweet	coreopsis	Asteraceae	F	W	C	W	W	W	W	W
11520	<i>Coreopsis lanceolata</i> L.	coreopsis, perennial; tickseed, perennial	Asteraceae	F, R	W	C	W	C	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
453839	<i>Coreopsis linifolia</i> Nutt.	coreopsis, savanna	Asteraceae	R	W	W	W	C	W	W	W
449423	<i>Coreopsis major</i> Walter	tickseed, greater	Asteraceae	R	W	W	W	C	W	W	W
316634	<i>Coreopsis maritima</i> (Nutt.) Hook. f.	dahlia, sea	Asteraceae	F	W	C	W	W	W	W	W
70200	<i>Coreopsis palmata</i> Nutt.	coreopsis, prairie	Asteraceae	R	W	W	W	C	W	W	W
11522	<i>Coreopsis tinctoria</i> Nutt.	calliopsis; tickseed, plains	Asteraceae	F, R	W	C	W	C	W	W	W
11523	<i>Coriandrum sativum</i> L.	coriander	Apiaceae	H	W	W	C	W	W	W	W
316635	<i>Corispermum hyssopifolium</i> L.	bugseed; tickseed	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W
316636	<i>Corispermum nitidum</i> Kit. ex Schult.	bugseed	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W
449246	<i>Corispermum orientale</i> auct. Amer. = <i>Corispermum villosum</i> Rydb.										
317041	<i>Corispermum</i> spp.	tickseed	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W
317280	<i>Corispermum villosum</i> Rydb.	bugseed, hairy	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W
11545	<i>Cornus canadensis</i> L.	bunchberry	Cornaceae	F, R	W	C	W	C	W	W	W
11551	<i>Cornus florida</i> L.	dogwood, flowering	Cornaceae	S	W	W	W	W	C	W	W
11565	<i>Cornus nuttallii</i> Audubon	dogwood, Pacific	Cornaceae	R, S	W	W	W	C	C	W	W
402148	<i>Cornus sericea</i> L. subsp. <i>sericea</i>	dogwood, red-osier	Cornaceae	R, S	W	W	W	C	C	W	W
11573	<i>Cornus stolonifera</i> Michx. = <i>Cornus sericea</i> L. subsp. <i>sericea</i>										
11598	<i>Coronilla scorpioides</i> (L.) W. D. J. Koch	coronilla, scorpion	Fabaceae	W	W	W	W	W	W	W	W
11602	<i>Coronilla varia</i> L. = <i>Securigera varia</i> (L.) Lassen										
316637	<i>Coronopus didymus</i> (L.) Sm. = <i>Lepidium didymum</i> L.										
105471	<i>Coronopus squamatus</i> (Forssk.) Asch. = <i>Lepidium coronopus</i> (L.) Al-Shehbaz										
403448	<i>Cortaderia jubata</i> (Lemoine ex Carrière) Stapf	grass, pampas	Poaceae	W	W	W	W	W	W	W	W
11618	<i>Cortaderia selloana</i> (Schult. & Schult. f.) Asch. & Graebn.	grass, pampas	Poaceae	F, R	W	C	W	C	W	W	W
316638	<i>Corynephorus canescens</i> (L.) P. Beauv.	club-awn grass	Poaceae	W	W	W	W	W	W	W	W
11680	<i>Cosmos bipinnatus</i> Cav.	cosmos; sensation, mammoth or crested types	Asteraceae	F, R	W	C	W	C	W	W	W
11684	<i>Cosmos sulphureus</i> Cav.	cosmos, klondyke; cosmos, yellow	Asteraceae	F, R	W	C	W	C	W	W	W
462955	<i>Cota tinctoria</i> (L.) J. Gay	chamomile, golden; marguerite, golden	Asteraceae	F	W	C	W	W	W	W	W
456567	<i>Cotoneaster acutifolius</i> Turcz. var. <i>lucidus</i> (Schltdl.) L. T. Lu	cotoneaster, hedge	Rosaceae	R, S	W	W	W	C	C	W	W
316639	<i>Cotula coronopifolia</i> L.	brass-button	Asteraceae	R	W	W	W	W	W	W	W
11879	<i>Cowania mexicana</i> D. Don = <i>Purshia mexicana</i> (D. Don) S. L. Welsh var. <i>mexicana</i>										
316640	<i>Cowania mexicana</i> D. Don var. <i>stansburyana</i> (Torr.) Jeps. = <i>Purshia mexicana</i> (D. Don) S. L. Welsh var. <i>stansburyana</i> (Torr.) S. L. Welsh										

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
12001	<i>Crambe abyssinica</i> Hochst. ex R. E. Fr. = <i>Crambe hispanica</i> L. subsp. <i>abyssinica</i> (Hochst. ex R. E. Fr.) Prina											
461441	<i>Crambe hispanica</i> L. subsp. <i>abyssinica</i> (Hochst. ex R. E. Fr.) Prina	crambe	Brassicaceae	A	C	W	W	W	W	W	W	W
12013	<i>Crambe maritima</i> L.	kale, sea	Brassicaceae	V	C	C	C	C	C	C	C	C
12096	<i>Crataegus douglasii</i> Lindl.	hawthorn, black	Rosaceae	S	W	W	W	W	C	W	W	W
12121	<i>Crataegus mollis</i> (Torr. & A. Gray) Scheele	hawthorn, downy	Rosaceae	S	W	W	W	W	C	W	W	W
300154	<i>Crataegus</i> spp.	hawthorn	Rosaceae	S	W	W	W	W	C	W	W	W
12182	<i>Crepis capillaris</i> (L.) Wallr.	hawksbeard, smooth	Asteraceae	W	W	W	W	W	W	W	W	W
12200	<i>Crepis setosa</i> Haller f.	hawksbeard, hairy	Asteraceae	W	W	W	W	W	W	W	W	W
316083	<i>Crepis</i> spp.	hawksbeard	Asteraceae	W	W	W	W	W	W	W	W	W
12203	<i>Crepis tectorum</i> L.	hawksbeard, narrowleaf	Asteraceae	W	W	W	W	W	W	W	W	W
451603	<i>Cressa truxillensis</i> Kunth	alkaliweed, spreading	Convolvulaceae	R	W	W	W	C	W	W	W	W
12265	<i>Crocus sativus</i> L.	crocus, saffron	Iridaceae	F	W	C	W	W	W	W	W	W
12273	<i>Crossandra infundibuliformis</i> (L.) Nees	crossandra; firecracker flower	Acanthaceae	F	W	C	W	W	W	W	W	W
70208	<i>Crotalaria brevidens</i> Benth. var. <i>intermedia</i> (Kotschy) Polhill	crotalaria, slenderleaf	Fabaceae	A	W	W	W	W	W	W	W	W
12330	<i>Crotalaria intermedia</i> Kotschy = <i>Crotalaria brevidens</i> Benth. var. <i>intermedia</i> (Kotschy) Polhill											
12331	<i>Crotalaria juncea</i> L.	crotalaria, sunn; sunnhemp	Fabaceae	A	W	W	W	W	W	W	W	W
12336	<i>Crotalaria lanceolata</i> E. Mey.	crotalaria, lanceleaf	Fabaceae	A	W	W	W	W	W	W	W	W
12340	<i>Crotalaria longirostrata</i> Hook. & Arn.	crotalaria, long-beaked; rattlepod, long-beaked	Fabaceae	W	W	W	W	W	W	W	W	W
12352	<i>Crotalaria mucronata</i> Desv. = <i>Crotalaria pallida</i> Aiton											
70209	<i>Crotalaria pallida</i> Aiton	crotalaria, smooth; crotalaria, striped	Fabaceae	A	W	W	W	W	W	W	W	W
12384	<i>Crotalaria spectabilis</i> Roth	crotalaria, showy; rattlepod, showy	Fabaceae	A	W	W	W	W	W	W	W	W
300155	<i>Crotalaria</i> spp.	crotalaria	Fabaceae	W	W	W	W	W	W	W	W	W
12388	<i>Crotalaria striata</i> DC. = <i>Crotalaria pallida</i> Aiton											
104857	<i>Croton capitatus</i> Michx.	croton, woolly	Euphorbiaceae	W	W	W	W	W	W	W	W	W
318021	<i>Croton setigerus</i> Hook.	turkey-mullein	Euphorbiaceae	R	W	W	W	W	W	W	W	W
317042	<i>Croton</i> spp.	croton; prairie-tea	Euphorbiaceae	W	W	W	W	W	W	W	W	W
316641	<i>Croton texensis</i> (Klotzsch) Müll. Arg.	croton, Texas	Euphorbiaceae	W	W	W	W	W	W	W	W	W
12504	<i>Crupina vulgaris</i> Cass.	creeper, bearded; crupina, common	Asteraceae	W	W	W	W	W	W	W	W	W
317043	<i>Cryptantha</i> spp.	cryptantha; forget-me-not, white	Boraginaceae	W	W	W	W	W	W	W	W	W
12546	<i>Cucumis anguria</i> L.	gherkin, bur; gherkin, West Indian	Cucurbitaceae	V	C	C	C	C	C	C	C	C
12553	<i>Cucumis dudaim</i> L. = <i>Cucumis melo</i> L. subsp. <i>agrestis</i> (Naudin) Pangalo var. <i>dudaim</i> (L.) Naudin											

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
404410	<i>Cucumis melo</i> L.	muskmelon; cantaloupe; honeydew	Cucurbitaceae	V	C	C	C	C	C	C	C
12568	<i>Cucumis melo</i> L. subsp. <i>agrestis</i> (Naudin) Pangalo var. <i>dudaim</i> (L.) Naudin	melon, dudaim	Cucurbitaceae	W	W	W	W	W	W	W	W
N/A	<i>Cucumis melo</i> L. var. <i>dudaim</i> (L.) Naudin see <i>Cucumis melo</i> L. subsp. <i>agrestis</i> (Naudin) Pangalo var. <i>dudaim</i> (L.) Naudin										
12576	<i>Cucumis myriocarpus</i> Naudin	melon, paddy	Cucurbitaceae	W	W	W	W	W	W	W	W
404426	<i>Cucumis sativus</i> L.	cucumber	Cucurbitaceae	V	C	W	W	W	W	W	C
404427	<i>Cucurbita argyrosperma</i> C. Huber subsp. <i>argyrosperma</i>	pumpkin, cushaw; squash	Cucurbitaceae	V	C	C	C	C	C	C	C
12590	<i>Cucurbita foetidissima</i> Kunth	calabazilla; gourd, buffalo; gourd, wild	Cucurbitaceae	R	W	W	W	W	W	W	W
12592	<i>Cucurbita lagenaria</i> L. = <i>Lagenaria siceraria</i> (Molina) Standl.										
412557	<i>Cucurbita luffa</i> hort. = <i>Luffa aegyptiaca</i> Mill.										
12597	<i>Cucurbita maxima</i> Duchesne	pumpkin, mammoth; squash, winter large	Cucurbitaceae	V	C	C	C	C	C	C	C
12600	<i>Cucurbita mixta</i> Pangalo = <i>Cucurbita argyrosperma</i> C. Huber subsp. <i>argyrosperma</i>										
12601	<i>Cucurbita moschata</i> Duchesne	pumpkin, crookneck; pumpkin, Kentucky field; squash, winter small	Cucurbitaceae	V	C	C	C	C	C	C	C
12606	<i>Cucurbita pepo</i> L.	gourd, small; pumpkin, common; squash, acorn; squash, summer	Cucurbitaceae	V	C	C	C	C	C	C	C
300161	<i>Cucurbita</i> spp.	gourds	Cucurbitaceae	F, V	W	C	W	W	W	W	C
12617	<i>Cuminum cyminum</i> L.	cumin	Apiaceae	H	W	W	C	W	W	W	W
12638	<i>Cupressus arizonica</i> Greene	cypress, Arizona	Cupressaceae	S	W	W	W	W	C	W	W
12663	<i>Cupressus nootkatensis</i> D. Don	cedar, Alaska; cedar, yellow	Cupressaceae	S	W	W	W	W	C	W	W
311577	<i>Cuscuta campestris</i> Yunck.	dodder, field	Convolvulaceae [Cuscutaceae]	W	W	W	W	W	W	W	W
311578	<i>Cuscuta coryli</i> Engelm.	dodder, hazel	Convolvulaceae [Cuscutaceae]	W	W	W	W	W	W	W	W
12684	<i>Cuscuta epilinum</i> Weihe	dodder, flax	Convolvulaceae [Cuscutaceae]	W	W	W	W	W	W	W	W
311579	<i>Cuscuta epithymum</i> (L.) L.	dodder, clover	Convolvulaceae [Cuscutaceae]	W	W	W	W	W	W	W	W
12685	<i>Cuscuta indecora</i> Choisy	dodder, bigseed alfalfa	Convolvulaceae [Cuscutaceae]	W	W	W	W	W	W	W	W
12687	<i>Cuscuta pentagona</i> Engelm.	dodder, field	Convolvulaceae [Cuscutaceae]	W	W	W	W	W	W	W	W
12688	<i>Cuscuta planiflora</i> Ten.	dodder, littleseed alfalfa	Convolvulaceae [Cuscutaceae]	W	W	W	W	W	W	W	W
317199	<i>Cuscuta racemosa</i> Brand var. <i>chiliana</i> Engelm. = <i>Cuscuta suaveolens</i> Ser.										
318333	<i>Cuscuta reflexa</i> Roxb.	dodder, giant	Convolvulaceae [Cuscutaceae]	W	W	W	W	W	W	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
317044	<i>Cuscuta</i> spp.	dodder	Convolvulaceae [Cuscutaceae]	W	W	W	W	W	W	W	W
316642	<i>Cuscuta suaveolens</i> Ser.	dodder, Chilean	Convolvulaceae [Cuscutaceae]	W	W	W	W	W	W	W	W
12701	<i>Cyamopsis tetragonoloba</i> (L.) Taub.	guar	Fabaceae	A	C	W	W	W	W	W	W
419636	<i>Cyclachaena xanthiifolia</i> (Nutt.) Fresen.	marsh-elder	Asteraceae	W	W	W	W	W	W	W	W
12730	<i>Cyclamen africanum</i> Boiss. & Reut.	cyclamen	Primulaceae [Myrsinaceae]	F	W	C	W	W	W	W	W
12761	<i>Cycloloma atriplicifolium</i> (Spreng.) J. M. Coult.	pigweed, winged; ringwing, tumble	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W
406521	<i>Cyclospermum leptophyllum</i> (Pers.) Sprague ex Britton & P. Wilson	celery, filiform; celery, wild	Apiaceae	W	W	W	W	W	W	W	W
12819	<i>Cymbopogon refractus</i> (R. Br.) A. Camus	barbwiregrass; boatgrass, bearded	Poaceae	W	W	W	W	W	W	W	W
316883	<i>Cymopterus acaulis</i> (Pursh) Raf.	chimaya	Apiaceae	W	W	W	W	W	W	W	W
452531	<i>Cymopterus bulbosus</i> A. Nelson	spring-parsley, onion	Apiaceae	F, R	W	C	W	C	W	W	W
103228	<i>Cynanchum laeve</i> (Michx.) Pers.	milkweed, climbing; milkweed, honeyvine	Apocynaceae [Asclepiadaceae]	W	W	W	W	W	W	W	W
12839	<i>Cynara cardunculus</i> L.	artichoke; cardoon; thistle, artichoke	Asteraceae	V	W	W	W	W	W	W	C
12842	<i>Cynara scolymus</i> L. = <i>Cynara cardunculus</i> L.										
103629	<i>Cynodon dactylon</i> (L.) Pers. var. <i>aridus</i> J. R. Harlan & de Wet	bermudagrass, giant	Poaceae	A, R	W	W	W	W	W	C	W
315474	<i>Cynodon dactylon</i> (L.) Pers. var. <i>dactylon</i>	bermudagrass	Poaceae	R, T	W	W	W	W	W	W	W
12860	<i>Cynoglossum amabile</i> Stapf & J. R. Drumm.	forget-me-not, Chinese; hound's-tongue, small	Boraginaceae	F	W	C	W	W	W	W	W
12866	<i>Cynoglossum officinale</i> L.	hound's-tongue, common	Boraginaceae	W	W	W	W	W	W	W	W
317045	<i>Cynoglossum</i> spp.	hound's-tongue	Boraginaceae	W	W	W	W	W	W	W	W
316643	<i>Cynoglossum virginianum</i> L. = <i>Andersonglossum virginianum</i> (L.) J. I. Cohen										
12879	<i>Cynosurus cristatus</i> L.	dogtail, crested	Poaceae	A, R	W	W	W	W	W	W	W
12881	<i>Cynosurus echinatus</i> L.	dogtail, bristly	Poaceae	W	W	W	W	W	W	W	W
300164	<i>Cynosurus</i> spp.	dogtail	Poaceae	W	W	W	W	W	W	W	W
12901	<i>Cyperus esculentus</i> L.	nutgrass, yellow; nutsedge, yellow	Cyperaceae	W	W	W	W	W	W	W	W
316644	<i>Cyperus rotundus</i> L.	nutgrass, purple; nutsedge, purple	Cyperaceae	W	W	W	W	W	W	W	W
300165	<i>Cyperus</i> spp.	nutgrass; nutsedge; kyllinga	Cyperaceae	W	W	W	W	W	W	W	W
12990	<i>Cytisus monspessulanus</i> L. = <i>Genista monspessulana</i> (L.) L. A. S. Johnson										
13019	<i>Cytisus scoparius</i> (L.) Link	broom, Scotch	Fabaceae	W	W	W	W	W	W	W	W
13114	<i>Dactylis glomerata</i> L.	orchardgrass	Poaceae	A, R	C	C	C	C	C	C	C
13133	<i>Dactyloctenium aegyptium</i> (L.) Willd.	crowfootgrass	Poaceae	W	W	W	W	W	W	W	W
300170	<i>Dahlia</i> spp.	dahlia	Asteraceae	F	W	C	W	W	W	W	W
311191	<i>Dalea candida</i> Michx. ex Willd.	prairieclover, white	Fabaceae	F, R	W	C	W	C	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
460307	<i>Dalea ornata</i> (Douglas) Eaton & J. Wright	prairieclover, blue mountain	Fabaceae	R	W	W	W	C	W	W	W
310911	<i>Dalea purpurea</i> Vent.	prairieclover, purple	Fabaceae	F, R	W	C	W	C	W	W	W
311285	<i>Dalea</i> spp.	indigo bush	Fabaceae	W	W	W	W	W	W	W	W
311203	<i>Dalea villosa</i> (Nutt.) Spreng.	prairieclover, silky	Fabaceae	F, R	W	C	W	C	W	W	W
13211	<i>Danthonia californica</i> Bol.	oatgrass, California	Poaceae	R	W	W	W	C	W	W	W
13228	<i>Danthonia nuda</i> Hook. f. = <i>Rytidosperma nudum</i> (Hook. f.) Connor & Edgar										
407710	<i>Danthonia parryi</i> Scribn.	oatgrass, Parry's	Poaceae	R	W	W	W	C	W	W	W
13240	<i>Danthonia semiannularis</i> (Labill.) R. Br. = <i>Rytidosperma semiannulare</i> (Labill.) Connor & Edgar										
103485	<i>Danthonia spicata</i> (L.) P. Beauv. ex Roem. & Schult.	oatgrass, poverty	Poaceae	W	W	W	W	W	W	W	W
300171	<i>Danthonia</i> spp.	oatgrass	Poaceae	W	W	W	W	W	W	W	W
413500	<i>Dasiphora fruticosa</i> (L.) Rydb.	cinquefoil, shrubby; golden-hardhack	Rosaceae	F, R, S	W	C	W	C	C	W	W
13297	<i>Dasyliirion wheeleri</i> S. Watson	sotol, common	Asparagaceae [Agavaceae] [Dracaenaceae] [Ruscaceae]	R	W	W	W	C	W	W	W
13323	<i>Datura stramonium</i> L.	jimsonweed	Solanaceae	F	W	W	W	W	W	W	W
317200	<i>Daubentonia texana</i> Pierce, nom. illeg. = <i>Sesbania drummondii</i> (Rydb.) Cory										
13337	<i>Daucus carota</i> L. subsp. <i>carota</i>	carrot, wild; queen Anne's-lace	Apiaceae	F	W	W	W	W	W	W	W
446682	<i>Daucus carota</i> L. subsp. <i>sativus</i> (Hoffm.) Schübl. & G. Martens	carrot	Apiaceae	V	W	W	W	W	W	W	C
13355	<i>Daucus pusillus</i> Michx.	carrot, southwestern; rattlesnake-weed	Apiaceae	W	W	W	W	W	W	W	W
476216	<i>Deinandra clementina</i> (Brandege) B. G. Baldwin	tarweed, Catalina	Asteraceae	R, S	W	W	W	C	C	W	W
410179	<i>Delairea odorata</i> Lem.	ivy, German	Asteraceae	W	W	W	W	W	W	W	W
317201	<i>Delphinium ajacis</i> L. = <i>Consolida ajacis</i> (L.) Schur										
13410	<i>Delphinium bicolor</i> Nutt.	larkspur, low	Ranunculaceae	F	W	C	W	W	W	W	W
316645	<i>Delphinium californicum</i> Torr. & A. Gray	larkspur, coast	Ranunculaceae	F	W	C	W	W	W	W	W
13417	<i>Delphinium cardinale</i> Hook.	delphinium, perennial; larkspur, cardinal; larkspur, scarlet	Ranunculaceae	F	W	C	W	W	W	W	W
13424	<i>Delphinium consolida</i> L. = <i>Consolida regalis</i> Gray										
13436	<i>Delphinium elatum</i> L.	larkspur, Pacific giant	Ranunculaceae	F	W	C	W	W	W	W	W
316646	<i>Delphinium glaucum</i> S. Watson	larkspur, tall	Ranunculaceae	F, R	W	C	W	C	W	W	W
13453	<i>Delphinium menziesii</i> DC.	larkspur, Menzies	Ranunculaceae	F	W	C	W	W	W	W	W
13456	<i>Delphinium xoccidentale</i> (S. Watson) S. Watson	larkspur, western; larkspur, duncecap	Ranunculaceae	F, R	W	C	W	C	W	W	W
300175	<i>Delphinium</i> spp.	larkspur	Ranunculaceae	F	W	C	W	W	W	W	W
104236	<i>Deschampsia beringensis</i> Hultén = <i>Deschampsia cespitosa</i> (L.) P. Beauv. subsp. <i>beringensis</i> (Hultén) W. E. Lawr.										
412689	<i>Deschampsia cespitosa</i> (L.) P. Beauv. subsp. <i>beringensis</i> (Hultén) W. E. Lawr.	hairgrass, Bering	Poaceae	R	W	W	W	C	W	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
412729	<i>Deschampsia cespitosa</i> (L.) P. Beauv. subsp. <i>cespitosa</i>	hairgrass, tufted	Poaceae	F, R, T	W	C	W	C	W	C	W
13560	<i>Deschampsia danthonioides</i> (Trin.) Munro	hairgrass, annual	Poaceae	R	W	W	W	W	W	W	W
13561	<i>Deschampsia elongata</i> (Hook.) Munro	hairgrass, slender	Poaceae	R	W	W	W	C	W	W	W
13562	<i>Deschampsia flexuosa</i> (L.) Trin. = <i>Avenella flexuosa</i> (L.) Parl.										
300176	<i>Deschampsia</i> spp.	hairgrass	Poaceae	W	W	W	W	W	W	W	W
13567	<i>Descurainia pinnata</i> (Walter) Britton	tansymustard	Brassicaceae	W	W	W	W	W	W	W	W
13568	<i>Descurainia sophia</i> (L.) Webb ex Prantl	flixweed	Brassicaceae	W	W	W	W	W	W	W	W
13603	<i>Desmanthus illinoensis</i> (Michx.) MacMill. ex B. L. Rob. & Fernald	bundleflower	Fabaceae [Mimosaceae]	R	W	W	W	C	W	W	W
13617	<i>Desmodium canadense</i> (L.) DC.	tick-trefoil, showy	Fabaceae	R	W	W	W	C	W	W	W
300183	<i>Desmodium</i> spp.	tickclover	Fabaceae	R	W	W	W	C	W	W	W
13679	<i>Desmodium tortuosum</i> (Sw.) DC.	beggarweed, Florida	Fabaceae	A	W	W	W	W	W	W	W
316648	<i>Dianthus xallwoodii</i> Bowles et al.	sweet wivelsfield	Caryophyllaceae	F	W	C	W	W	W	W	W
13813	<i>Dianthus armeria</i> L.	pink, deptford	Caryophyllaceae	F	W	C	W	W	W	W	W
13817	<i>Dianthus barbatus</i> L.	sweet-william	Caryophyllaceae	F, R	W	C	W	C	W	W	W
13826	<i>Dianthus caryophyllus</i> L.	carnation	Caryophyllaceae	F	W	C	W	W	W	W	W
13827	<i>Dianthus chinensis</i> L.	pinks, China; pinks, Indian	Caryophyllaceae	F	W	C	W	W	W	W	W
13829	<i>Dianthus deltoides</i> L.	pinks, maiden	Caryophyllaceae	F, R	W	C	W	C	W	W	W
317202	<i>Dianthus heddeiwigii</i> hort. = <i>Dianthus chinensis</i> L.										
13850	<i>Dianthus plumarius</i> L.	pinks, grass	Caryophyllaceae	F	W	C	W	W	W	W	W
13888	<i>Dicentra eximia</i> (Ker Gawl.) Torr.	bleeding heart	Papaveraceae [Fumariaceae]	F	W	C	W	W	W	W	W
433147	<i>Dichanthelium acuminatum</i> (Sw.) Gould & C. A. Clark subsp. <i>acuminatum</i>	panicum, woolly; panicum, hairy	Poaceae	W	W	W	W	W	W	W	W
454201	<i>Dichanthelium acuminatum</i> (Sw.) Gould & C. A. Clark subsp. <i>fasciculatum</i> (Torr.) Freckmann & Lelong	panicum, woolly; panicum, hairy	Poaceae	W	W	W	W	W	W	W	W
416328	<i>Dichanthelium clandestinum</i> (L.) Gould	deertongue grass	Poaceae	R	W	W	W	C	W	C	W
13898	<i>Dichanthium aristatum</i> (Poir.) C. E. Hubb.	angletongrass	Poaceae	W	W	W	W	W	W	W	W
13907	<i>Dichanthium sericeum</i> (R. Br.) A. Camus	bluestem, silky	Poaceae	W	W	W	W	W	W	W	W
316649	<i>Dichondra repens</i> J. R. Forst. & G. Forst.	dichondra	Convolvulaceae	T	W	W	W	W	W	C	W
100199	<i>Dichrostachys cinerea</i> (L.) Wight & Arn.	marabu	Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W
13922	<i>Dichrostachys nutans</i> (Pers.) Benth. = <i>Dichrostachys cinerea</i> (L.) Wight & Arn.										
13928	<i>Dictamnus albus</i> L.	dittany; gasplant	Rutaceae	F	W	C	W	W	W	W	W
317282	<i>Didiscus coeruleus</i> (Graham) DC. = <i>Trachymene coerulea</i> Graham										
452954	<i>Dieteria bigelovii</i> (A. Gray) D. R. Morgan & R. L. Hartm.	aster, plains	Asteraceae	F, R	W	C	W	C	W	W	W
452974	<i>Dieteria bigelovii</i> (A. Gray) D. R. Morgan & R. L. Hartm. var. <i>bigelovii</i>	aster, Bigelow	Asteraceae	F, R, S	W	C	W	C	C	W	W
452956	<i>Dieteria canescens</i> (Pursh) Nutt. var. <i>canescens</i>	hoary-aster	Asteraceae	F, R	W	C	W	C	W	W	W



Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
13986	<i>Digitalis purpurea</i> L.	foxglove, common	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F	W	C	W	W	W	W	W	W
300186	<i>Digitalis</i> spp.	foxglove	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F	W	C	W	W	W	W	W	W
13989	<i>Digitaria abyssinica</i> (Hochst. ex A. Rich.) Stapf	couchgrass, African; fingergrass	Poaceae	W	W	W	W	W	W	W	W	W
13995	<i>Digitaria californica</i> (Benth.) Henrard	cottontop, Arizona	Poaceae	R	W	W	W	C	W	W	W	W
317149	<i>Digitaria cognata</i> (Schult.) Pilg.	witchgrass, fall	Poaceae	W	W	W	W	W	W	W	W	W
316650	<i>Digitaria filiformis</i> (L.) Koeler	crabgrass, slender	Poaceae	W	W	W	W	W	W	W	W	W
14029	<i>Digitaria ischaemum</i> (Schreb.) Schreb. ex Muhl.	crabgrass, smooth	Poaceae	W	W	W	W	W	W	W	W	W
14103	<i>Digitaria sanguinalis</i> (L.) Scop.	crabgrass, hairy; crabgrass, large	Poaceae	W	W	W	W	W	W	W	W	W
14104	<i>Digitaria scalarum</i> (Schweinf.) Chiov. = <i>Digitaria abyssinica</i> (Hochst. ex A. Rich.) Stapf											
301018	<i>Digitaria</i> spp.	crabgrass	Poaceae	W	W	W	W	W	W	W	W	W
316378	<i>Digitaria velutina</i> (Forssk.) P. Beauv.	couchgrass, annual; fingergrass, velvet	Poaceae	W	W	W	W	W	W	W	W	W
14143	<i>Dimorphotheca aurantiaca</i> DC., <b>nom. illeg.</b> = <i>Dimorphotheca tragus</i> (Aiton) DC.											
404577	<i>Dimorphotheca aurantiaca</i> hort. = <i>Dimorphotheca sinuata</i> DC.											
14149	<i>Dimorphotheca pluvialis</i> (L.) Moench	African-daisy, white; cape-marigold, rain	Asteraceae	F	W	C	W	W	W	W	W	W
14151	<i>Dimorphotheca sinuata</i> DC.	African-daisy; cape-marigold, blue-eyed	Asteraceae	F, R	W	C	W	C	W	W	W	W
409357	<i>Dimorphotheca tragus</i> (Aiton) DC.	cape-marigold, winter	Asteraceae	F, R	W	C	W	C	W	W	W	W
465460	<i>Dinebra chinensis</i> (L.) P. M. Peterson & N. Snow	sprangletop, Asian	Poaceae	W	W	W	W	W	W	W	W	W
316884	<i>Diodia teres</i> Walter	buttonweed, rough	Rubiaceae	W	W	W	W	W	W	W	W	W
316885	<i>Diodia virginiana</i> L.	buttonweed, Virginia	Rubiaceae	W	W	W	W	W	W	W	W	W
465472	<i>Diplachne fusca</i> (L.) P. Beauv. ex Roem. & Schult. subsp. <i>fascicularis</i> (Lam.) P. M. Peterson & N. Snow	sprangletop, bearded	Poaceae	F, R	W	W	W	C	W	W	W	W
465474	<i>Diplachne fusca</i> (L.) P. Beauv. ex Roem. & Schult. subsp. <i>uninervia</i> (J. Presl) P. M. Peterson & N. Snow	sprangletop, Mexican	Poaceae	R	W	W	W	C	W	W	W	W
316945	<i>Diplacus aurantiacus</i> (Curtis) Jeps.	monkeyflower, mission red; monkeyflower, sticky	Phrymaceae [Scrophulariaceae]	F	W	C	W	W	W	W	W	W
14350	<i>Diplacus longiflorus</i> Nutt.	monkeyflower, southern	Phrymaceae [Scrophulariaceae]	F	W	C	W	W	W	W	W	W
316946	<i>Diplacus puniceus</i> Nutt.		Phrymaceae [Scrophulariaceae]	F	W	C	W	W	W	W	W	W
317046	<i>Diplotaxis</i> spp.	wallrocket; arugula, wild; rocket, wild	Brassicaceae	V	W	W	W	W	W	W	W	W
316651	<i>Diplotaxis tenuifolia</i> (L.) DC.	wallrocket; arugula, wild; rocket, wild	Brassicaceae	V	W	W	W	W	W	W	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
14380	<i>Dipsacus fullonum</i> L.	teasel	Caprifoliaceae [Dipsacaceae]	W	W	W	W	W	W	W	W
316652	<i>Dipsacus laciniatus</i> L.	teasel, cut-leaf	Caprifoliaceae [Dipsacaceae]	W	W	W	W	W	W	W	W
317047	<i>Dipsacus</i> spp.	teasel	Caprifoliaceae [Dipsacaceae]	W	W	W	W	W	W	W	W
465476	<i>Disakisperma dubium</i> (Kunth) P. M. Peterson & N. Snow	sprangletop, green	Poaceae	R, T	W	W	W	C	W	C	W
316653	<i>Distichlis spicata</i> (L.) Greene var. <i>spicata</i>	saltgrass, coastal; saltgrass, seashore	Poaceae	R	W	W	W	C	W	W	W
316654	<i>Distichlis spicata</i> (L.) Greene var. <i>stricta</i> (Torr.) Scribn.	saltgrass, desert; saltgrass, inland	Poaceae	R	W	W	W	C	W	W	W
434089	<i>Doellingeria umbellata</i> (Mill.) Nees	whiteweed, parasol	Asteraceae	R	W	W	W	C	W	W	W
14486	<i>Dolichos lablab</i> L. = <i>Lablab purpureus</i> (L.) Sweet subsp. <i>purpureus</i>										
316655	<i>Doronicum orientale</i> Hoffm.	leopardbane, Caucasian	Asteraceae	F	W	C	W	W	W	W	W
100824	<i>Dorotheanthus bellidiformis</i> (Burm. f.) N. E. Br. = <i>Cleretum bellidiforme</i> (Burm. f.) G. D. Rowley										
453231	<i>Downingia bicornuta</i> A. Gray	calicoflower, doublehorn	Campanulaceae	F, R	W	C	W	C	W	W	W
316993	<i>Downingia</i> spp.	downingia	Campanulaceae	W	W	W	W	W	W	W	W
316656	<i>Draba verna</i> L.	whitewort	Brassicaceae	W	W	W	W	W	W	W	W
317203	<i>Dracocephalum nuttallii</i> Britton = <i>Physostegia parviflora</i> Nutt. ex A. Gray										
316657	<i>Dracocephalum parviflorum</i> Nutt.	dragonhead, American	Lamiaceae	W	W	W	W	W	W	W	W
14673	<i>Dracopis amplexicaulis</i> (Vahl) Cass. = <i>Rudbeckia amplexicaulis</i> Vahl										
14708	<i>Dryas octopetala</i> L.	avens, mountain	Rosaceae	F	W	C	W	W	W	W	W
316379	<i>Drymaria arenarioides</i> Humb. & Bonpl. ex Willd.	alfombrilla; lightingweed	Caryophyllaceae	W	W	W	W	W	W	W	W
14710	<i>Drymaria cordata</i> (L.) Willd. ex Schult.	chickweed, tropical	Caryophyllaceae	W	W	W	W	W	W	W	W
456624	<i>Drymocallis arguta</i> (Pursh) Rydb.	cinquefoil, tall	Rosaceae	R, S	W	W	W	C	C	W	W
456629	<i>Drymocallis glandulosa</i> (Lindl.) Rydb.	potentilla	Rosaceae	F	W	C	W	W	W	W	W
446530	<i>Dysphania ambrosioides</i> (L.) Mosyakin & Clemants	Mexican-tea; wormseed, American	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W
446551	<i>Dysphania botrys</i> (L.) Mosyakin & Clemants	geranium, feather; jerusalem-oak	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W
446555	<i>Dysphania multifida</i> (L.) Mosyakin & Clemants	flatweed	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W
317283	<i>Dyssodia aurea</i> (A. Gray) A. Nelson = <i>Thymophylla aurea</i> (A. Gray) Greene										
316658	<i>Dyssodia papposa</i> (Vent.) Hitchc.	prairie-dog-weed	Asteraceae	R	W	W	W	C	W	W	W
409333	<i>Echinacea angustifolia</i> DC. var. <i>angustifolia</i>	coneflower, purple-headed	Asteraceae	F, H	W	C	C	C	W	W	W
70237	<i>Echinacea pallida</i> (Nutt.) Nutt.	coneflower, pale purple	Asteraceae	F,H,R	W	C	C	C	W	W	W
70238	<i>Echinacea pallida</i> (Nutt.) Nutt. var. <i>angustifolia</i> (DC.) Cronquist = <i>Echinacea angustifolia</i> DC. var. <i>angustifolia</i>										
14799	<i>Echinacea purpurea</i> (L.) Moench	coneflower, purple	Asteraceae	F, H	W	C	C	C	W	W	W
316659	<i>Echinochloa colona</i> (L.) Link	rice, jungle	Poaceae	W	W	W	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
14823	<i>Echinochloa crus-galli</i> (L.) P. Beauv.	barnyardgrass	Poaceae	W	W	W	W	W	W	W	W
14825	<i>Echinochloa crus-galli</i> (L.) P. Beauv. var. <i>frumentacea</i> (Link) E. G. Camus & A. Camus = <i>Echinochloa frumentacea</i> Link										
14828	<i>Echinochloa frumentacea</i> Link	millet, Japanese	Poaceae	A	C	C	C	C	C	C	C
14841	<i>Echinopanax horridus</i> (Sm.) Decne. & Planch. ex Harms = <i>Oplopanax horridus</i> (Sm.) Miq.										
14848	<i>Echinops ritro</i> L.	globethistle, small	Asteraceae	F	W	C	W	W	W	W	W
14879	<i>Echium vulgare</i> L.	blueweed	Boraginaceae	W	W	W	W	W	W	W	W
14881	<i>Eclipta alba</i> (L.) Hassk. = <i>Eclipta prostrata</i> (L.) L.										
104200	<i>Eclipta prostrata</i> (L.) L.	Yerba De Tajo	Asteraceae	W	W	W	W	W	W	W	W
14901	<i>Ehrharta calycina</i> Sm.	veldtgrass, perennial	Poaceae	A	W	W	W	W	W	W	W
316411	<i>Eichhornia azurea</i> (Sw.) Kunth	water-hyacinth; water-hyacinth, anchored	Pontederiaceae	W	W	W	W	W	W	W	W
318848	<i>Eichhornia crassipes</i> (Mart.) Solms	water hyacinth, floating	Pontederiaceae	W	W	W	W	W	W	W	W
14915	<i>Elaeagnus angustifolia</i> L.	olive, Russian	Elaeagnaceae	S	W	W	W	W	C	W	W
70241	<i>Elaeagnus commutata</i> Bernh. ex Rydb.	silverberry; wolfberry	Elaeagnaceae	S	W	W	W	W	C	W	W
459692	<i>Eleocharis brittonii</i> Svenson ex Small	spikerush, stoloniferous; spikerush, Britton's	Cyperaceae	R	W	W	W	C	W	W	W
447396	<i>Eleocharis macrostachya</i> Britton	spikerush, pale	Cyperaceae	R	W	W	W	C	W	W	W
316660	<i>Eleocharis obtusa</i> (Willd.) Schult.	spikerush, blunt	Cyperaceae	R	W	W	W	C	W	W	W
14977	<i>Eleocharis palustris</i> (L.) Roem. & Schult.	spikerush, creeping; spikerush, common	Cyperaceae	R	W	W	W	C	W	W	W
448133	<i>Eleocharis parishii</i> Britton	spikerush, Parish's	Cyperaceae	R	W	W	W	C	W	W	W
459694	<i>Eleocharis parvula</i> (Roem. & Schult.) Link ex Bluff et al.	spikerush, dwarf	Cyperaceae	R	W	W	W	C	W	W	W
448134	<i>Eleocharis rostellata</i> (Torr.) Torr.	spikerush, beaked	Cyperaceae	R	W	W	W	C	W	W	W
317048	<i>Eleocharis</i> spp.	spikerush	Cyperaceae	R	W	W	W	C	W	W	W
316661	<i>Eleocharis tenuis</i> (Willd.) Schult.	spikerush, slender	Cyperaceae	W	W	W	W	W	W	W	W
403809	<i>Elephantopus mollis</i> Kunth	elephant's foot	Asteraceae	W	W	W	W	W	W	W	W
316994	<i>Elephantopus</i> spp.	elephantopus; elephant's foot	Asteraceae	W	W	W	W	W	W	W	W
14992	<i>Eleusine coracana</i> (L.) Gaertn.	millet, African	Poaceae	W	W	W	W	W	W	W	W
14997	<i>Eleusine indica</i> (L.) Gaertn.	goosegrass	Poaceae	W	W	W	W	W	W	W	W
454278	<i>Elymus albicans</i> (Scribn. & J. G. Sm.) Á. Löve	wheatgrass, Montana	Poaceae	R	W	W	W	C	W	W	W
15027	<i>Elymus angustus</i> Trin. = <i>Leymus angustus</i> (Trin.) Pilg.										
15030	<i>Elymus arenarius</i> L. = <i>Leymus arenarius</i> (L.) Hochst.										
15032	<i>Elymus canadensis</i> L.	wildrye, Canada	Poaceae	A, R	C	W	W	C	W	W	W
15033	<i>Elymus caput-medusae</i> L. = <i>Taeniatherum caput-medusae</i> (L.) Nevski subsp. <i>caput-medusae</i>										
15036	<i>Elymus cinereus</i> Scribn. & Merr. = <i>Leymus cinereus</i> (Scribn. & Merr.) Á. Löve										

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
15037	<i>Elymus condensatus</i> J. Presl = <i>Leymus condensatus</i> (J. Presl) Á. Löve											
15040	<i>Elymus dahuricus</i> Turcz. ex Griseb.	wildrye, Dahurian	Poaceae	A, R	C	W	W	C	W	W	W	W
102289	<i>Elymus elymoides</i> (Raf.) Swezey	bottlebrush-squirreltail; squirreltail	Poaceae	R	W	W	W	C	W	W	W	W
15050	<i>Elymus glaucus</i> Buckley	wildrye, blue; wildrye, smooth	Poaceae	F, R	W	C	W	C	W	W	W	W
408527	<i>Elymus hoffmannii</i> K. B. Jensen & K. H. Asay	wheatgrass, RS hybrid; wheatgrass, RS	Poaceae	R	W	W	W	C	W	W	W	W
102306	<i>Elymus hystrix</i> L.	bottlebrush grass, eastern	Poaceae	R	W	W	W	C	W	W	W	W
15054	<i>Elymus junceus</i> Fisch. = <i>Psathyrostachys juncea</i> (Fisch.) Nevski											
316948	<i>Elymus kronokensis</i> (Kom.) Tzvelev subsp. <i>subalpinus</i> (Neuman) Tzvelev	wheatgrass, boreal	Poaceae	R	C	W	W	C	W	C	W	W
315452	<i>Elymus lanceolatus</i> (Scribn. & J. G. Sm.) Gould subsp. <i>lanceolatus</i>	wheatgrass, thickspike	Poaceae	A, R	C	W	W	C	W	W	W	W
407713	<i>Elymus lanceolatus</i> (Scribn. & J. G. Sm.) Gould subsp. <i>psammophilus</i> (J. M. Gillett & H. Senn) Á. Löve	wheatgrass, streambank; wheatgrass, Great Lakes	Poaceae	A, R	C	W	W	C	W	W	W	W
451888	<i>Elymus lanceolatus</i> (Scribn. & J. G. Sm.) Gould subsp. <i>riparius</i> (Scribn. & J. G. Sm.) Barkworth	wheatgrass, streambank	Poaceae	A, R	C	W	W	C	W	W	W	W
310377	<i>Elymus lanceolatus</i> (Scribn. & J. G. Sm.) Gould subsp. <i>yukonensis</i> (Scribn. & Merr.) Á. Löve = <i>Elymus xyukonensis</i> (Scribn. & Merr.) Á. Löve											
102732	<i>Elymus macrourus</i> (Turcz. ex Steud.) Tzvelev	wheatgrass, angara	Poaceae	R	C	W	W	C	W	C	W	W
412002	<i>Elymus multisetus</i> (J. G. Sm.) Burt Davy	squirreltail, big	Poaceae	A, R	W	W	W	W	W	W	W	W
102069	<i>Elymus repens</i> (L.) Gould	quackgrass	Poaceae	W	W	W	W	W	W	W	W	W
15071	<i>Elymus sibiricus</i> L.	wildrye, Siberian	Poaceae	R	W	W	W	C	W	W	W	W
102041	<i>Elymus smithii</i> (Rydb.) Gould = <i>Pascopyrum smithii</i> (Rydb.) Barkworth & D. R. Dewey											
102650	<i>Elymus subsecundus</i> (Link) Á. Löve & D. Löve = <i>Elymus trachycaulus</i> (Link) Gould ex Shinnars subsp. <i>subsecundus</i> (Link) Á. Löve & D. Löve											
315451	<i>Elymus trachycaulus</i> (Link) Gould ex Shinnars subsp. <i>subsecundus</i> (Link) Á. Löve & D. Löve	wheatgrass, bearded	Poaceae	A, R	C	W	W	C	W	C	W	W
313183	<i>Elymus trachycaulus</i> (Link) Gould ex Shinnars subsp. <i>trachycaulus</i>	wheatgrass, slender	Poaceae	A, R	C	W	W	C	W	C	W	W
102535	<i>Elymus trachycaulus</i> (Link) Gould ex Shinnars subsp. <i>violaceus</i> (Hornem.) Á. Löve & D. Löve = <i>Elymus violaceus</i> (Hornem.) Feilberg											
15072	<i>Elymus triticoides</i> Buckley = <i>Leymus triticoides</i> (Buckley) Pilg.											
15074	<i>Elymus villosus</i> Muhl. ex Willd.	wildrye, silky	Poaceae	R	W	W	W	C	W	W	W	W
454271	<i>Elymus violaceus</i> (Hornem.) Feilberg	wheatgrass, violet	Poaceae	R	C	C	W	C	W	C	W	W
15075	<i>Elymus virginicus</i> L.	wildrye, Virginia	Poaceae	R	W	W	W	C	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
317738	<i>Elymus wawawaiensis</i> J. R. Carlson & Barkworth	wheatgrass, Snake River	Poaceae	A,R	C	W	W	C	W	W	W
454285	<i>Elymus xyukonensis</i> (Scribn. & Merr.) Á. Löve	wheatgrass, Yukon	Poaceae	R	C	C	W	C	W	C	W
463687	<i>Elytrigia elongata</i> auct. nonn. = <i>Thinopyrum ponticum</i> (Podp.) Barkworth & D. R. Dewey										
300199	<i>Elytrigia intermedia</i> (Host) Nevski subsp. <i>barbulata</i> (Schur) Á. Löve = <i>Thinopyrum intermedium</i> (Host) Barkworth & D. R. Dewey subsp. <i>barbulatum</i> (Schur) Barkworth & D. R. Dewey										
315649	<i>Elytrigia intermedia</i> (Host) Nevski subsp. <i>intermedia</i> = <i>Thinopyrum intermedium</i> (Host) Barkworth & D. R. Dewey subsp. <i>intermedium</i>										
102068	<i>Elytrigia repens</i> (L.) Desv. ex Nevski = <i>Elymus repens</i> (L.) Gould										
102031	<i>Elytrigia spicata</i> (Pursh) D. R. Dewey = <i>Pseudoroegneria spicata</i> (Pursh) Á. Löve										
316412	<i>Emex australis</i> Steinh. = <i>Rumex hypogaeus</i> T. M. Schust. & Reveal										
316413	<i>Emex spinosa</i> (L.) Campd. = <i>Rumex spinosus</i> L.										
453282	<i>Emmenanthe penduliflora</i> Benth.	whispering-bells	Hydrophyllaceae [Boraginaceae]	F, R	W	C	W	C	W	W	W
462987	<i>Encelia actoni</i> Elmer	encelia, Anton	Asteraceae	F, R, S	W	C	W	C	C	W	W
447408	<i>Encelia californica</i> Nutt.	sunflower, California	Asteraceae	F, R, S	W	C	W	C	C	W	W
15137	<i>Encelia farinosa</i> A. Gray ex Torr.	brittlebush	Asteraceae	F, R, S	W	C	W	C	C	W	W
15138	<i>Encelia frutescens</i> (A. Gray) A. Gray	encelia, bush; brittlebush, button; brittlebush	Asteraceae	F, R, S	W	C	W	C	C	W	W
463478	<i>Encelia</i> spp.	brittlebush	Asteraceae	F, R, S	W	C	W	C	C	W	W
448135	<i>Encelia virginensis</i> A. Nelson	brittlebush, Virgin River	Asteraceae	F, R, S	W	C	W	C	C	W	W
418964	<i>Engelmannia peristenia</i> (Raf.) Goodman & C. A. Lawson	daisy, Engelmann	Asteraceae	R	W	W	W	C	W	W	W
104871	<i>Engelmannia pinnatifida</i> Nutt. = <i>Engelmannia peristenia</i> (Raf.) Goodman & C. A. Lawson										
317144	<i>Enteropogon acicularis</i> (Lindl.) Lazarides	windmillgrass, curly	Poaceae	W	W	W	W	W	W	W	W
316662	<i>Ephedra nevadensis</i> S. Watson	ephedra, Nevada; Mormon-tea, Nevada	Ephedraceae	R, S	W	W	W	C	C	W	W
316663	<i>Ephedra viridis</i> Coville	Mormon-tea, green	Ephedraceae	R, S	W	W	W	C	C	W	W
27826	<i>Epilobium angustifolium</i> L. = <i>Chamaenerion angustifolium</i> (L.) Scop.										
316949	<i>Epilobium brachycarpum</i> C. Presl	willowherb, panicle	Onagraceae	W	W	W	W	W	W	W	W
456306	<i>Epilobium canum</i> (Greene) P. H. Raven	hummingbird-flower	Onagraceae	F, R	W	C	W	C	W	W	W
416974	<i>Epilobium densiflorum</i> (Lindl.) Hoch & P. H. Raven	boisduvalia, dense-flowered	Onagraceae	W	W	W	W	W	W	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
317284	<i>Epilobium paniculatum</i> Nutt. ex Torr. & A. Gray = <i>Epilobium brachycarpum</i> C. Presl											
317049	<i>Epilobium</i> spp.	fireweed; willowherb	Onagraceae	W	W	W	W	W	W	W	W	W
416975	<i>Epilobium torreyi</i> (S. Watson) Hoch & P. H. Raven	boisduvalia, stiff	Onagraceae	W	W	W	W	W	W	W	W	W
313321	<i>Episcia</i> spp.	flame-violet; carpetplant	Gesneriaceae	F	W	C	W	W	W	W	W	W
103631	<i>Eragrostis capillaris</i> (L.) Nees	lacegrass	Poaceae	W	W	W	W	W	W	W	W	W
27884	<i>Eragrostis chloromelas</i> Steud. = <i>Eragrostis curvula</i> (Schrad.) Nees											
27885	<i>Eragrostis cilianensis</i> (All.) Vignolo ex Janch.	stinkgrass, strong-scented	Poaceae	W	W	W	W	W	W	W	W	W
27889	<i>Eragrostis curvula</i> (Schrad.) Nees	lovegrass, Boer; lovegrass, weeping	Poaceae	R	W	W	W	C	W	C	W	W
103490	<i>Eragrostis diffusa</i> Buckley = <i>Eragrostis pectinacea</i> (Michx.) Nees ex Jedwabn.											
15259	<i>Eragrostis intermedia</i> Hitchc.	lovegrass, plains	Poaceae	R	W	W	W	C	W	W	W	W
15268	<i>Eragrostis lehmanniana</i> Nees	lovegrass, Lehmann	Poaceae	T	W	W	W	W	W	C	W	W
103491	<i>Eragrostis oxylepis</i> (Torr.) Torr. = <i>Eragrostis secundiflora</i> J. Presl subsp. <i>oxylepis</i> (Torr.) S. D. Koch											
15292	<i>Eragrostis pectinacea</i> (Michx.) Nees ex Jedwabn.	lovegrass, spreading	Poaceae	W	W	W	W	W	W	W	W	W
15296	<i>Eragrostis plana</i> Nees	lovegrass, tough	Poaceae	W	W	W	W	W	W	W	W	W
316664	<i>Eragrostis secundiflora</i> J. Presl subsp. <i>oxylepis</i> (Torr.) S. D. Koch	lovegrass, red	Poaceae	W	W	W	W	W	W	W	W	W
15314	<i>Eragrostis spectabilis</i> (Pursh) Steud.	lovegrass, purple	Poaceae	W	W	W	W	W	W	W	W	W
300203	<i>Eragrostis</i> spp.	lovegrass	Poaceae	R	W	W	W	W	W	W	W	W
15319	<i>Eragrostis superba</i> Peyr.	lovegrass, Wilman	Poaceae	R	W	W	W	C	W	W	W	W
15320	<i>Eragrostis tef</i> (Zuccagni) Trotter	teff	Poaceae	A	C	W	W	W	W	W	W	W
15326	<i>Eragrostis trichodes</i> (Nutt.) Alph. Wood	lovegrass, sand	Poaceae	R	W	W	W	C	C	C	W	W
15344	<i>Erechtites hieraciifolius</i> (L.) Raf. ex DC.	burnweed, American	Asteraceae	W	W	W	W	W	W	W	W	W
316665	<i>Erechtites minimus</i> (Poir.) DC. = <i>Senecio minimus</i> Poir.											
317204	<i>Erechtites prenanthoides</i> (A. Rich.) DC. = <i>Senecio minimus</i> Poir.											
320094	<i>Eremalche parryi</i> (Greene) Greene subsp. <i>kernensis</i> (C. B. Wolf) D. M. Bates	Kern-mallow	Malvaceae	R	W	W	W	C	W	W	W	W
316886	<i>Eremocarpus setigerus</i> (Hook.) Benth. = <i>Croton setigerus</i> Hook.											
15352	<i>Eremochloa ophiuroides</i> (Munro) Hack.	centipedegrass	Poaceae	R, T	C	W	W	C	W	C	W	W
15376	<i>Eremopyrum triticeum</i> (Gaertn.) Nevski	wheatgrass, annual	Poaceae	R	W	W	W	C	W	W	W	W
453060	<i>Ericameria laricifolia</i> (A. Gray) Shinnery	turpentinebush	Asteraceae	R, S	W	W	W	C	C	W	W	W
455384	<i>Ericameria linearifolia</i> (DC.) Urbatsch & Wussow	goldenbush, narrowleaf	Asteraceae	R, S	W	W	W	C	C	W	W	W
404918	<i>Ericameria nauseosa</i> (Pall. ex Pursh) G. L. Nesom & G. I. Baird	rabbitbrush, rubber	Asteraceae	R, S	W	W	W	C	C	W	W	W
455387	<i>Ericameria palmeri</i> (A. Gray) H. M. Hall	goldenbush, Palmer's	Asteraceae	R, S	W	W	W	C	C	W	W	W
452140	<i>Ericameria teretifolia</i> (Durand & Hilg.) Jeps.	rabbitbrush, green	Asteraceae	R, S	W	W	W	C	C	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
104210	<i>Erigeron annuus</i> (L.) Pers.	fleabane, annual	Asteraceae	W	W	W	W	W	W	W	W
104213	<i>Erigeron canadensis</i> L.	horseweed	Asteraceae	W	W	W	W	W	W	W	W
317285	<i>Erigeron divaricatus</i> Michx.	fleabane, dwarf	Asteraceae	W	W	W	W	W	W	W	W
448142	<i>Erigeron engelmannii</i> A. Nelson	fleabane, Engelmann's	Asteraceae	R	W	W	W	C	W	W	W
417219	<i>Erigeron peregrinus</i> (Pursh) Greene	fleabane, subalpine	Asteraceae	R	W	W	W	C	W	W	W
448146	<i>Erigeron pumilus</i> Nutt.	fleabane, shaggy	Asteraceae	R	W	W	W	C	W	W	W
70266	<i>Erigeron speciosus</i> (Lindl.) DC.	daisy, aspen; fleabane, Oregon	Asteraceae	F, R	W	C	W	C	W	W	W
316666	<i>Erigeron strigosus</i> Muhl. ex Willd.	fleabane, daisy	Asteraceae	W	W	W	W	W	W	W	W
404598	<i>Eriocereus martinii</i> (Labour.) Riccob. = <i>Harrisia martinii</i> (Labour.) Britton										
316667	<i>Eriochloa aristata</i> Vasey	cupgrass, bearded	Poaceae	W	W	W	W	W	W	W	W
15618	<i>Eriochloa punctata</i> (L.) Ham.	cupgrass, Louisiana	Poaceae	W	W	W	W	W	W	W	W
300206	<i>Eriochloa</i> spp.	cupgrass	Poaceae	W	W	W	W	W	W	W	W
15623	<i>Eriochloa villosa</i> (Thunb.) Kunth	cupgrass, woolly	Poaceae	W	W	W	W	W	W	W	W
316668	<i>Eriogonum corymbosum</i> Benth.	buckwheat, corymb; umbrella plant, corymb	Polygonaceae	F, R, S	W	C	W	C	C	W	W
301042	<i>Eriogonum fasciculatum</i> Benth.	buckwheat, flat-top; buckwheat, Eastern Mojave	Polygonaceae	F, R, S	W	C	W	C	C	W	W
459709	<i>Eriogonum flavum</i> Nutt.	buckwheat, golden; buckwheat, Alpine golden	Polygonaceae	F, R, S	W	C	W	C	C	W	W
448154	<i>Eriogonum heracleoides</i> Nutt.	buckwheat, Wyeth; buckwheat, parsnipflower	Polygonaceae	F, R, S	W	C	W	C	C	W	W
452148	<i>Eriogonum nidularium</i> Coville	buckwheat, bird-nest	Polygonaceae	R	W	W	W	C	W	W	W
448662	<i>Eriogonum nudum</i> Douglas ex Benth. var. <i>nudum</i>	buckwheat, naked stem	Polygonaceae	R, S	W	W	W	C	C	W	W
310942	<i>Eriogonum</i> spp.	buckwheat; umbrella plant	Polygonaceae	F, R, S	W	C	W	C	C	W	W
70267	<i>Eriogonum umbellatum</i> Torr.	buckwheat, sulfur; sulfur flower	Polygonaceae	F, R, S	W	C	W	C	C	W	W
300207	<i>Eriophorum</i> spp.	cottongrass	Cyperaceae	F	W	C	W	W	W	W	W
316887	<i>Eriophyllum confertiflorum</i> (DC.) A. Gray	yarrow, golden	Asteraceae	F	W	C	W	W	W	W	W
454786	<i>Eriophyllum lanatum</i> (Pursh) J. Forbes	sunflower, common woolly	Asteraceae	F, R	W	C	W	C	W	W	W
316669	<i>Erodium botrys</i> (Cav.) Bertol.	filaree, broadleaf	Geraniaceae	R	W	W	W	W	W	W	W
15670	<i>Erodium cicutarium</i> (L.) L'Hér.	alfilaria; filaree, redstem	Geraniaceae	A	W	W	W	W	W	W	W
15679	<i>Erodium moschatum</i> (L.) L'Hér.	alfilaria, whitestem; filaree, whitestem	Geraniaceae	W	W	W	W	W	W	W	W
15697	<i>Eruca sativa</i> Mill. = <i>Eruca vesicaria</i> (L.) Cav. subsp. <i>sativa</i> (Mill.) Thell.										
104951	<i>Eruca vesicaria</i> (L.) Cav. subsp. <i>sativa</i> (Mill.) Thell.	arugula; rocketsalad; roquette	Brassicaceae	V	W	W	W	W	W	W	W
447376	<i>Erucastrum austroafricanum</i> Al- Shehbaz & Warwick	turnipweed, African	Brassicaceae	W	W	W	W	W	W	W	W
316670	<i>Erucastrum gallicum</i> (Willd.) O. E. Schulz	rocketweed; mustard, dog	Brassicaceae	W	W	W	W	W	W	W	W
316671	<i>Eryngium articulatum</i> Hook.	eryngo, blue-topped; snakeroot, blue-topped	Apiaceae	W	W	W	W	W	W	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
316672	<i>Eryngium petiolatum</i> Hook.	eryngo, rush-leaved; snakeroot, rush-leaved	Apiaceae	W	W	W	W	W	W	W	W
311810	<i>Eryngium</i> spp.	eryngo; snakeroot	Apiaceae	W	W	W	W	W	W	W	W
102098	<i>Eryngium yuccifolium</i> Michx.	rattlesnake-master	Apiaceae	F	W	C	W	W	W	W	W
317206	<i>Erysimum xallionii</i> hort., nom. illeg. = <i>Erysimum xmarshallii</i> (Henfr.) Bois										
316673	<i>Erysimum asperum</i> (Nutt.) DC.	blistercress, rough; wallflower, western	Brassicaceae	W	W	W	W	W	W	W	W
105478	<i>Erysimum cheiranthoides</i> L.	mustard, treacle; mustard, wormseed	Brassicaceae	W	W	W	W	W	W	W	W
318992	<i>Erysimum cheiri</i> (L.) Crantz	wallflower	Brassicaceae	F	W	C	W	W	W	W	W
315610	<i>Erysimum hieraciifolium</i> L.	wallflower	Brassicaceae	F	W	C	W	W	W	W	W
317154	<i>Erysimum inconspicuum</i> (S. Watson) MacMill. var. <i>inconspicuum</i>	erysimum, small-flower	Brassicaceae	F, R	W	C	W	C	W	W	W
412383	<i>Erysimum xmarshallii</i> (Henfr.) Bois	wallflower	Brassicaceae	F, R	W	C	W	C	W	W	W
317205	<i>Erysimum parviflorum</i> Nutt., nom. illeg. = <i>Erysimum inconspicuum</i> (S. Watson) MacMill. var. <i>inconspicuum</i>										
105480	<i>Erysimum repandum</i> L.	mustard, treacle; wallflower, bushy	Brassicaceae	W	W	W	W	W	W	W	W
314466	<i>Erysimum</i> spp.	treacle	Brassicaceae	W	W	W	W	W	W	W	W
468034	<i>Erythranthe cardinalis</i> (Douglas ex Benth.) Spach	monkeyflower, cardinal	Phrymaceae [Scrophulariaceae]	F, R	W	C	W	C	W	W	W
468039	<i>Erythranthe guttata</i> (DC.) G. L. Nesom	monkeyflower, creek	Phrymaceae [Scrophulariaceae]	F, R	W	C	W	C	W	W	W
468036	<i>Erythranthe lewisii</i> (Pursh) G. L. Nesom & Fraga	monkeyflower, Lewis; monkeyflower, purple	Phrymaceae [Scrophulariaceae]	F, R	W	C	W	C	W	W	W
465150	<i>Erythrostemon gilliesii</i> (Hook.) Koltzsch	bird of paradise; cat's-claw	Fabaceae [Caesalpinaceae]	F, R	W	C	W	C	W	W	W
15816	<i>Eschscholzia caespitosa</i> Benth.	California-poppy, dwarf	Papaveraceae	F	W	C	W	C	W	W	W
318366	<i>Eschscholzia californica</i> Cham. subsp. <i>californica</i>	California-poppy	Papaveraceae	F	W	C	W	C	W	W	W
316950	<i>Eschscholzia californica</i> Cham. subsp. <i>mexicana</i> (Greene) C. Clark	gold-poppy, Mexican	Papaveraceae	F	W	C	W	C	W	W	W
15820	<i>Eschscholzia minutiflora</i> S. Watson	poppy, miniature	Papaveraceae	F, R	W	C	W	C	W	W	W
15893	<i>Eucalyptus deglupta</i> Blume	gum, Mindanao	Myrtaceae	S	W	W	W	W	C	W	W
15924	<i>Eucalyptus grandis</i> W. Hill ex Maiden	gum, rose	Myrtaceae	S	W	W	W	W	C	W	W
434103	<i>Eucephalus engelmannii</i> (D. C. Eaton) Greene	aster, Engelmann	Asteraceae	F, R	W	C	W	C	W	W	W
317208	<i>Eupatorium adenophorum</i> Spreng. = <i>Ageratina adenophora</i> (Spreng.) R. M. King & H. Rob.										
16330	<i>Eupatorium perfoliatum</i> L.	boneset, common	Asteraceae	F, R	W	C	W	C	W	W	W
316676	<i>Eupatorium purpureum</i> L. = <i>Eutrochium</i> <i>purpureum</i> (L.) E. E. Lamont										
16333	<i>Eupatorium riparium</i> Regel = <i>Ageratina</i> <i>riparia</i> (Regel) R. M. King & H. Rob.										
104223	<i>Eupatorium rugosum</i> Houtt. = <i>Ageratina</i> <i>altissima</i> (L.) R. M. King & H. Rob.										
310142	<i>Eupatorium</i> spp.	boneset; thoroughwort	Asteraceae	F, R	W	C	W	C	W	W	W
316677	<i>Euphorbia corollata</i> L.	spurge, flowering	Euphorbiaceae	F, R	W	C	W	C	W	W	W



Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
316678	<i>Euphorbia cyparissias</i> L.	spurge, cypress	Euphorbiaceae	W	W	W	W	W	W	W	W
429419	<i>Euphorbia davidii</i> Subils	poinsettia, wild; spurge, toothed	Euphorbiaceae	W	W	W	W	W	W	W	W
456276	<i>Euphorbia dentata</i> auct. = <i>Euphorbia davidii</i> Subils										
16366	<i>Euphorbia esula</i> L.	spurge, leafy	Euphorbiaceae	W	W	W	W	W	W	W	W
316680	<i>Euphorbia falcata</i> L.	spurge, sickle	Euphorbiaceae	W	W	W	W	W	W	W	W
316681	<i>Euphorbia glyptosperma</i> Engelm.	spurge, ridgeseed	Euphorbiaceae	W	W	W	W	W	W	W	W
454910	<i>Euphorbia graminea</i> Jacq.	spurge, grassleaf	Euphorbiaceae	W	W	W	W	W	W	W	W
16373	<i>Euphorbia helioscopia</i> L.	spurge, sun	Euphorbiaceae	W	W	W	W	W	W	W	W
16374	<i>Euphorbia heterophylla</i> L.	poinsettia, annual; spurge, painted; euphorbia, painted	Euphorbiaceae	F	W	C	W	W	W	W	W
70275	<i>Euphorbia lathyris</i> L.	moleplant; spurge, caper	Euphorbiaceae	W	W	W	W	W	W	W	W
316682	<i>Euphorbia lucida</i> Waldst. & Kit.	spurge, broad-leaved; spurge, shining	Euphorbiaceae	W	W	W	W	W	W	W	W
316683	<i>Euphorbia maculata</i> L.	spurge, spotted	Euphorbiaceae	W	W	W	W	W	W	W	W
315689	<i>Euphorbia marginata</i> Pursh	snow-on-the-mountain	Euphorbiaceae	F	W	W	W	W	W	W	W
16389	<i>Euphorbia myrsinites</i> L.	spurge, myrtle	Euphorbiaceae	W	W	W	W	W	W	W	W
16391	<i>Euphorbia nutans</i> Lag.	eyebane; spurge, nodding	Euphorbiaceae	W	W	W	W	W	W	W	W
316684	<i>Euphorbia oblongata</i> Griseb.	spurge, oblong	Euphorbiaceae	W	W	W	W	W	W	W	W
16401	<i>Euphorbia prostrata</i> Aiton	spurge, prostrate	Euphorbiaceae	W	W	W	W	W	W	W	W
316420	<i>Euphorbia prunifolia</i> Jacq. = <i>Euphorbia heterophylla</i> L.										
317717	<i>Euphorbia serrata</i> L.	spurge	Euphorbiaceae	W	W	W	W	W	W	W	W
300213	<i>Euphorbia</i> spp.	spurge	Euphorbiaceae	W	W	W	W	W	W	W	W
317209	<i>Euphorbia supina</i> Raf. = <i>Euphorbia maculata</i> L.										
16410	<i>Euphorbia terracina</i> L.	spurge, carnation	Euphorbiaceae	W	W	W	W	W	W	W	W
317050	<i>Euphrasia</i> spp.	eyebright	Orobanchaceae [Scrophulariaceae]	W	W	W	W	W	W	W	W
16433	<i>Eurotia lanata</i> (Pursh) Moq. = <i>Krascheninnikovia lanata</i> (Pursh) A. Meeuse & A. Smit										
406987	<i>Eurybia glauca</i> (Nutt.) G. L. Nesom = <i>Herrickia glauca</i> (Nutt.) Brouillet										
16459	<i>Euryops multifidus</i> (Thunb.) DC.	resinbush, sweet	Asteraceae	W	W	W	W	W	W	W	W
458488	<i>Euryops subcarneus</i> DC. subsp. <i>vulgaris</i> B. Nord.	resinbush, sweet	Asteraceae	W	W	W	W	W	W	W	W
449987	<i>Eustoma exaltatum</i> (L.) Salisb. ex G. Don subsp. <i>russellianum</i> (Hook.) Kartesz	eustoma; gentian, prairie; gentian, tulip; lisianthus	Gentianaceae	F	W	C	W	W	W	W	W
316685	<i>Eustoma grandiflorum</i> (Raf.) Shinnars = <i>Eustoma exaltatum</i> (L.) Salisb. ex G. Don subsp. <i>russellianum</i> (Hook.) Kartesz										
16465	<i>Eustoma russellianum</i> (Hook.) G. Don = <i>Eustoma exaltatum</i> (L.) Salisb. ex G. Don subsp. <i>russellianum</i> (Hook.) Kartesz										

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
459154	<i>Eutrochium purpureum</i> (L.) E. E. Lamont	joe-pye-weed	Asteraceae	F, R	W	C	W	C	W	W	W
16486	<i>Exacum affine</i> Balf. f.	violet, German	Gentianaceae	F	W	C	W	W	W	W	W
16528	<i>Fagopyrum esculentum</i> Moench	buckwheat	Polygonaceae	A	C	C	C	C	C	C	C
16530	" <i>Fagopyrum sagittatum</i> Gilib., nom. inval." = <i>Fagopyrum esculentum</i> Moench										
16531	<i>Fagopyrum tataricum</i> (L.) Gaertn.	buckwheat, Tartary; duckwheat	Polygonaceae	W	W	W	W	W	W	W	W
16532	" <i>Fagopyrum vulgare</i> Hill, nom. inval." = <i>Fagopyrum esculentum</i> Moench										
316888	<i>Falcaria vulgaris</i> Bernh.	sickleweed	Apiaceae	W	W	W	W	W	W	W	W
404599	<i>Fallopia convolvulus</i> (L.) Á. Löve	bindweed, black; buckwheat, wild	Polygonaceae	W	W	W	W	W	W	W	W
409771	<i>Fallopia japonica</i> (Houtt.) Ronse Decr. = <i>Reynoutria japonica</i> Houtt.										
409770	<i>Fallopia sachalinensis</i> (F. Schmidt) Ronse Decr. = <i>Reynoutria sachalinensis</i> (F. Schmidt) Nakai										
416901	<i>Fallopia scandens</i> (L.) Holub	buckwheat, climbing false	Polygonaceae	W	W	W	W	W	W	W	W
16562	<i>Fallugia paradoxa</i> (D. Don) Endl. ex Torr.	Apache-plume	Rosaceae	R, S	W	W	W	C	C	W	W
419835	<i>Fatoua villosa</i> (Thunb.) Nakai	crabweed, hairy	Moraceae	W	W	W	W	W	W	W	W
16591	<i>Ferocactus wislizeni</i> (Engelm.) Britton & Rose	cactus, barrel	Cactaceae	F, R	W	C	W	C	W	W	W
16624	<i>Festuca altaica</i> Trin.	fescue, rough	Poaceae	R	W	W	W	C	W	W	W
103633	<i>Festuca arizonica</i> Vasey	fescue, Arizona	Poaceae	R, T	W	W	W	C	W	C	W
16631	<i>Festuca arundinacea</i> Schreb.	fescue, tall	Poaceae	R, T	C	C	C	C	C	C	C
413549	<i>Festuca arvernensis</i> Auquier et al.	fescue, blue; fescue field	Poaceae	R	W	W	W	C	W	W	W
317148	<i>Festuca brevipila</i> R. Tracey = <i>Festuca trachyphylla</i> (Hack.) Hack.										
417515	<i>Festuca campestris</i> Rydb.	fescue, rough	Poaceae	R	W	W	W	C	W	W	W
16641	<i>Festuca capillata</i> Lam., nom. illeg. = <i>Festuca filiformis</i> Pourr.										
16646	<i>Festuca dertonensis</i> (All.) Asch. & Graebn. = <i>Vulpia bromoides</i> (L.) Gray										
318357	<i>Festuca duriuscula</i> auct. N. Amer. = <i>Festuca trachyphylla</i> (Hack.) Hack.										
401066	<i>Festuca elatior</i> auct. Amer. = <i>Festuca pratensis</i> Huds.										
402520	<i>Festuca filiformis</i> Pourr.	fescue, fine-leaf sheep; fescue, hair; fescue, slender	Poaceae	T	W	W	W	W	W	W	W
16665	<i>Festuca idahoensis</i> Elmer	fescue, Idaho	Poaceae	R	W	W	W	C	W	W	W
16667	<i>Festuca kingii</i> (S. Watson) Cassidy	fescue, spiked	Poaceae	W	W	W	W	W	W	W	W
317896	<i>Festuca longifolia</i> auct. pl. = <i>Festuca trachyphylla</i> (Hack.) Hack.										
16676	<i>Festuca megalura</i> Nutt. = <i>Vulpia myuros</i> (L.) C. C. Gmel.										
16682	<i>Festuca myuros</i> L. = <i>Vulpia myuros</i> (L.) C. C. Gmel.										

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
16686	<i>Festuca octoflora</i> Walter = <i>Vulpia octoflora</i> (Walter) Rydb.											
16688	<i>Festuca ovina</i> L.	fescue, sheep	Poaceae	R, T	C	C	C	C	C	C	C	C
318358	<i>Festuca ovina</i> L. var. <i>duriuscula</i> auct. N. Amer. = <i>Festuca trachyphylla</i> (Hack.) Hack.											
317210	<i>Festuca pacifica</i> Piper = <i>Vulpia microstachys</i> (Nutt.) Benth. var. <i>pauciflora</i> (Scribn. ex Beal) Lonard & Gould											
16709	<i>Festuca pratensis</i> Huds.	fescue, meadow	Poaceae	T	C	C	C	C	C	C	C	C
423853	<i>Festuca roemerii</i> (Pavlick) E. B. Alexeev	fescue, Roemer's	Poaceae	R, T	W	W	W	C	W	C	W	W
103637	<i>Festuca rubra</i> L. subsp. <i>commutata</i> Markgr.-Dann.	fescue, chewings	Poaceae	T	C	C	C	C	C	C	C	C
406689	<i>Festuca rubra</i> L. subsp. <i>fallax</i> auct. = <i>Festuca rubra</i> L. subsp. <i>commutata</i> Markgr.-Dann.											
300215	<i>Festuca rubra</i> L. subsp. <i>rubra</i>	fescue, creeping red; fescue, red	Poaceae	T	C	C	C	C	C	C	C	C
459711	<i>Festuca saximontana</i> Rydb.	fescue, Rocky Mountain	Poaceae	R	W	W	W	C	W	W	W	W
16733	<i>Festuca scabrella</i> Torr. ex Hook. = <i>Festuca altaica</i> Trin.											
317211	<i>Festuca sciurea</i> Nutt. = <i>Vulpia ellioatea</i> (Raf.) Fernald											
300216	<i>Festuca</i> spp.	fescue	Poaceae	W	C	W	W	C	W	C	W	W
16745	<i>Festuca tenuifolia</i> Sibth. = <i>Festuca filiformis</i> Pourr.											
16746	<i>Festuca thurberi</i> Vasey	fescue, Thurber	Poaceae	R, T	W	W	W	C	W	C	W	W
16747	<i>Festuca trachyphylla</i> (Hack.) Hack.	fescue, hard	Poaceae	R, T	C	C	C	C	C	C	C	C
316951	<i>Fimbristylis annua</i> (All.) Roem. & Schult.	spikerush, Baldwin	Cyperaceae	W	W	W	W	W	W	W	W	W
316686	<i>Fimbristylis autumnalis</i> (L.) Roem. & Schult.	spikerush, autumn	Cyperaceae	W	W	W	W	W	W	W	W	W
317287	<i>Fimbristylis baldwiniana</i> (Schult.) Torr. = <i>Fimbristylis annua</i> (All.) Roem. & Schult.											
317051	<i>Fimbristylis</i> spp.	fimbristylis	Cyperaceae	W	W	W	W	W	W	W	W	W
300219	<i>Foeniculum vulgare</i> Mill.	fennel; fennel, Florence; sweetanise	Apiaceae	H	W	C	C	W	W	W	W	W
217	<i>Forestiera neomexicana</i> A. Gray	desert-olive	Oleaceae	R, S	W	W	W	C	C	W	W	W
300221	<i>Fragaria</i> spp.	strawberry	Rosaceae	V	W	W	W	W	W	W	W	C
403169	<i>Frangula purshiana</i> (DC.) A. Gray	buckthorn, cascara	Rhamnaceae	S	W	W	W	W	C	W	W	W
317212	<i>Franseria acanthicarpa</i> (Hook.) Coville = <i>Ambrosia acanthicarpa</i> Hook.											
317213	<i>Franseria confertiflora</i> (DC.) Rydb. = <i>Ambrosia confertiflora</i> DC.											
317214	<i>Franseria discolor</i> Nutt. = <i>Ambrosia tomentosa</i> Nutt.											
317004	<i>Franseria</i> spp. = <i>Ambrosia</i> spp.											
317215	<i>Franseria tomentosa</i> A. Gray = <i>Ambrosia grayi</i> (A. Nelson) Shinnars											
316687	<i>Fraxinus americana</i> L.	ash, white	Oleaceae	S	W	W	W	W	C	W	W	W

## AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
278	<i>Fraxinus anomala</i> Torr. ex S. Watson	ash, singleleaf	Oleaceae	S	W	W	W	W	C	W	W
282	<i>Fraxinus excelsior</i> L.	ash, European	Oleaceae	S	W	W	W	W	C	W	W
316688	<i>Fraxinus latifolia</i> Benth.	ash, Oregon	Oleaceae	S	W	W	W	W	C	W	W
301	<i>Fraxinus nigra</i> Marshall	ash, black	Oleaceae	S	W	W	W	W	C	W	W
306	<i>Fraxinus pennsylvanica</i> Marshall	ash, green	Oleaceae	S	W	W	W	W	C	W	W
317052	<i>Fuchsia</i> spp.	fuchsia	Onagraceae	F	W	C	W	W	W	W	W
70905	<i>Fumaria officinalis</i> L.	fumitory, common	Papaveraceae [Fumariaceae]	W	W	W	W	W	W	W	W
70935	<i>Gaillardia aristata</i> Pursh	gaillardia, perennial; blanket-flower; firewheel	Asteraceae	F, R	W	C	W	C	W	W	W
70936	<i>Gaillardia pulchella</i> Foug.	gaillardia, rose-ring; blanket-flower, Indian	Asteraceae	F, R	W	C	W	C	W	W	W
316689	<i>Gaillardia pulchella</i> Foug. var. <i>picta</i> (Sweet) A. Gray	gaillardia, annual; blanket-flower, annual	Asteraceae	F, R	W	C	W	C	W	W	W
70971	<i>Galega officinalis</i> L.	galega; goatsrue	Fabaceae	W	W	W	W	W	W	W	W
316889	<i>Galeopsis ladanum</i> L.	hemp-nettle, red	Lamiaceae	W	W	W	W	W	W	W	W
316890	<i>Galeopsis tetrahit</i> L.	hemp-nettle, bristlestem; hemp-nettle, common	Lamiaceae	W	W	W	W	W	W	W	W
104241	<i>Galinsoga parviflora</i> Cav.	quickweed; galinsoga, small-flower	Asteraceae	W	W	W	W	W	W	W	W
103276	<i>Galium aparine</i> L.	cleavers; galium	Rubiaceae	H, R	W	W	W	W	W	W	W
316690	<i>Galium asprellum</i> Michx.	bedstraw, rough	Rubiaceae	W	W	W	W	W	W	W	W
103277	<i>Galium boreale</i> L.	bedstraw, northern	Rubiaceae	W	W	W	W	W	W	W	W
103278	<i>Galium mollugo</i> L.	bedstraw, white; madder, wild	Rubiaceae	W	W	W	W	W	W	W	W
103279	<i>Galium odoratum</i> (L.) Scop.	woodruff, sweet	Rubiaceae	W	W	W	W	W	W	W	W
311992	<i>Galium</i> spp.	bedstraw	Rubiaceae	W	W	W	W	W	W	W	W
316691	<i>Galium spurium</i> L.	cleavers	Rubiaceae	W	W	W	W	W	W	W	W
318334	<i>Galium tricorne</i> Stokes, pro parte = <i>Galium tricornutum</i> Dandy										
316692	<i>Galium tricornutum</i> Dandy	bedstraw, corn; bedstraw, three-horn	Rubiaceae	W	W	W	W	W	W	W	W
316984	<i>Gamochaeta purpurea</i> (L.) Cabrera	cudweed, purple	Asteraceae	W	W	W	W	W	W	W	W
70316	<i>Gastridium ventricosum</i> (Gouan) Schinz & Thell.	nitgrass	Poaceae	W	W	W	W	W	W	W	W
316952	<i>Gaura drummondii</i> (Spach) Torr. & A. Gray = <i>Oenothera xenogaura</i> W. L. Wagner & Hoch										
316992	<i>Gaura odorata</i> auct. = <i>Oenothera</i> <i>xenogaura</i> W. L. Wagner & Hoch										
316694	<i>Gaura parviflora</i> Douglas ex Lehm. = <i>Oenothera curtiflora</i> W. L. Wagner & Hoch										
316695	<i>Gaura sinuata</i> Nutt. ex Ser. = <i>Oenothera sinuosa</i> W. L. Wagner & Hoch										
317053	<i>Gaura</i> spp. = <i>Oenothera</i> spp.										
316696	<i>Gaura villosa</i> Torr. = <i>Oenothera cinerea</i> (Wooton & Standl.) W. L. Wagner & Hoch										

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
382	<i>Gazania rigens</i> (L.) Gaertn.	gazania, pied; treasure flower	Asteraceae	F, R	W	C	W	C	W	W	W
311106	<i>Genista monspessulana</i> (L.) L. A. S. Johnson	broom, French	Fabaceae	W	W	W	W	W	W	W	W
452886	<i>Geraea canescens</i> Torr. & A. Gray	desertsunflower, hairy; desert-gold	Asteraceae	F, R	W	C	W	C	W	W	W
403	<i>Geranium carolinianum</i> L.	geranium, Carolina	Geraniaceae	F, R	W	W	W	W	W	W	W
407	<i>Geranium columbinum</i> L.	geranium, longstalk	Geraniaceae	W	W	W	W	W	W	W	W
411	<i>Geranium dissectum</i> L.	geranium, cutleaf	Geraniaceae	W	W	W	W	W	W	W	W
314414	<i>Geranium maculatum</i> L.	cranesbill, spotted; geranium, spotted	Geraniaceae	R	W	W	W	C	W	W	W
426	<i>Geranium molle</i> L.	cranesbill, dovefoot; geranium, dovefoot	Geraniaceae	W	W	W	W	W	W	W	W
437	<i>Geranium pusillum</i> L.	geranium, small	Geraniaceae	W	W	W	W	W	W	W	W
300227	<i>Geranium</i> spp.	geranium	Geraniaceae	W	W	W	W	W	W	W	W
100508	<i>Geranium viscosissimum</i> Fisch. & C. A. Mey.	geranium, wild	Geraniaceae	F, R	W	C	W	C	W	W	W
17506	<i>Gerbera jamesonii</i> Adlam	transvaal-daisy	Asteraceae	F	W	C	W	W	W	W	W
17514	<i>Geum aleppicum</i> Jacq.	avens, Allepo	Rosaceae	W	W	W	W	W	W	W	W
316698	<i>Geum canadense</i> Jacq.	avens, white	Rosaceae	W	W	W	W	W	W	W	W
431618	<i>Geum macrophyllum</i> Willd.	avens, large leaf	Rosaceae	R	W	W	W	C	W	W	W
317054	<i>Geum</i> spp.	avens; geum	Rosaceae	W	W	W	W	W	W	W	W
17517	<i>Geum triflorum</i> Pursh	old-man's-whiskers	Rosaceae	R	W	W	W	C	W	W	W
17532	<i>Gilia capitata</i> Sims	gilia, globe	Polemoniaceae	F	W	C	W	W	W	W	W
316699	<i>Gilia leptantha</i> Parish subsp. <i>purpusii</i> (Milliken) A. D. Grant & V. E. Grant	gilia, blue	Polemoniaceae	F, R	W	C	W	C	W	W	W
317216	<i>Gilia rubra</i> (L.) A. Heller = <i>Ipomopsis rubra</i> (L.) Wherry										
318335	<i>Gilia</i> spp.	gilia	Polemoniaceae	F, R	W	C	W	C	W	W	W
316700	<i>Gilia tricolor</i> Benth.	bird's-eyes; gilia	Polemoniaceae	F, R	W	C	W	C	W	W	W
316332	<i>Gladiolus</i> spp.	gladiolus	Iridaceae	F	W	C	W	W	W	W	W
405160	<i>Glandularia aristigera</i> (S. Moore) Tronc.	vervain, moss	Verbenaceae	F, R	W	C	W	C	W	W	W
316985	<i>Glandularia bipinnatifida</i> (Nutt.) Nutt.	vervain, Dakota; vervain, Dakota mock	Verbenaceae	F, R	W	C	W	C	W	W	W
405150	<i>Glandularia gooddingii</i> (Briq.) Solbrig	verbena, southwestern	Verbenaceae	F, R	W	C	W	C	W	W	W
419693	<i>Glandularia xhybrida</i> (hort. ex Groenl. & Rümpler) G. L. Nesom & Pruski	verbena; vervain, garden	Verbenaceae	F	W	C	W	W	W	W	W
419694	<i>Glandularia pulchella</i> (Sweet) Tronc.	verbane, moss; vervain, American mock	Verbenaceae	F, R	W	C	W	C	W	W	W
17622	<i>Glaucium corniculatum</i> (L.) Rudolph	poppy, sea; horned-poppy, red	Papaveraceae	W	W	W	W	W	W	W	W
417416	<i>Glebionis carinata</i> (Schousb.) Tzvelev	chrysanthemum, annual; daisy, painted	Asteraceae	F	W	C	W	W	W	W	W
417417	<i>Glebionis coronaria</i> (L.) Cass. ex Spach	chrysanthemum, edible; chrysanthemum, garland; daisy, crown	Asteraceae	F, V	W	C	W	W	W	W	C
417418	<i>Glebionis segetum</i> (L.) Fourr.	chrysanthemum, annual	Asteraceae	F	W	C	W	W	W	W	W

## AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
316891	<i>Glechoma hederacea</i> L.	ivy, ground	Lamiaceae	W	W	W	W	W	W	W	W
17641	<i>Gleditsia triacanthos</i> L.	locust, honey	Fabaceae [Caesalpinaceae]	S	W	W	W	W	C	W	W
17675	<i>Glyceria elata</i> (Nash) Hitchc.	manna grass, tall	Poaceae	R	W	W	W	C	W	W	W
17676	<i>Glyceria fluitans</i> (L.) R. Br.	manna grass, water	Poaceae	W	W	W	W	W	W	W	W
17677	<i>Glyceria grandis</i> S. Watson	manna grass, American	Poaceae	W	W	W	W	W	W	W	W
418731	<i>Glyceria occidentalis</i> (Piper) J. C. Nelson	manna grass, western	Poaceae	R	W	W	W	C	W	W	W
300229	<i>Glyceria</i> spp.	manna grass	Poaceae	W	W	W	W	W	W	W	W
70324	<i>Glyceria striata</i> (Lam.) Hitchc.	manna grass, fowl	Poaceae	R	W	W	W	C	W	W	W
17711	<i>Glycine max</i> (L.) Merr.	soybean	Fabaceae	A, V	C	C	C	C	C	C	C
17822	<i>Glycyrrhiza lepidota</i> Pursh	licorice, wild	Fabaceae	W	W	W	W	W	W	W	W
104247	<i>Gnaphalium obtusifolium</i> L. = <i>Pseudognaphalium obtusifolium</i> (L.) Hilliard & B. L. Burt										
317288	<i>Gnaphalium purpureum</i> L. = <i>Gamochaeta purpurea</i> (L.) Cabrera										
300235	<i>Gnaphalium</i> spp.	cudweed	Asteraceae	W	W	W	W	W	W	W	W
104248	<i>Gnaphalium uliginosum</i> L.	cudweed, low	Asteraceae	W	W	W	W	W	W	W	W
17860	<i>Gomphrena globosa</i> L.	amaranth, globe	Amaranthaceae	F	W	C	W	W	W	W	W
17904	<i>Gossypium barbadense</i> L.	cotton, American- Egyptian; cotton, Sea-Island	Malvaceae	A	C	C	C	C	C	C	C
17917	<i>Gossypium hirsutum</i> L.	cotton, upland	Malvaceae	A	C	C	C	C	C	C	C
300245	<i>Gossypium</i> spp.	cotton	Malvaceae	A	C	C	C	C	C	C	C
316701	<i>Gratiola neglecta</i> Torr.	hyssop, hedge	Plantaginaceae [Gratiolaceae] [Scrophulariaceae] [Veronicaceae]	W	W	W	W	W	W	W	W
316892	<i>Grayia spinosa</i> (Hook.) Moq.	hopsage, spiny	Chenopodiaceae [Amaranthaceae]	R, S	W	W	W	C	C	W	W
17976	<i>Grevillea banksii</i> R. Br.	kahiliflower	Proteaceae	W	W	W	W	W	W	W	W
18006	<i>Grevillea robusta</i> A. Cunn. ex R. Br.	silky-oak	Proteaceae	S	W	W	W	W	C	W	W
104250	<i>Grindelia camporum</i> Greene	gumweed, Great Valley	Asteraceae	F, R	W	C	W	C	W	W	W
453033	<i>Grindelia ciliata</i> (Nutt.) Spreng.	goldenweed, hairy	Asteraceae	W	W	W	W	W	W	W	W
429499	<i>Grindelia integrifolia</i> DC.	gumplant, Puget Sound; gumweed, Willamette	Asteraceae	R	W	W	W	C	W	W	W
316953	<i>Grindelia integrifolia</i> DC. var. <i>macrophylla</i> (Greene) Cronquist = <i>Grindelia stricta</i> DC. var. <i>stricta</i>										
404921	<i>Grindelia papposa</i> G. L. Nesom & Y. B. Suh = <i>Grindelia ciliata</i> (Nutt.) Spreng.										
317055	<i>Grindelia</i> spp.	gumweed; tarweed	Asteraceae	W	W	W	W	W	W	W	W
316702	<i>Grindelia squarrosa</i> (Pursh) Dunal	gumweed, curly-cup	Asteraceae	W	W	W	W	W	W	W	W
317289	<i>Grindelia stricta</i> DC. subsp. <i>venulosa</i> (Jeps.) D. D. Keck = <i>Grindelia stricta</i> DC. var. <i>platyphylla</i> (Greene) M. A. Lane										
429498	<i>Grindelia stricta</i> DC. var. <i>platyphylla</i> (Greene) M. A. Lane		Asteraceae	F, H, R	W	W	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
429496	<i>Grindelia stricta</i> DC. var. <i>stricta</i>	gumweed, prostrate	Asteraceae	F, H, R	W	W	W	W	W	W	W
459714	<i>Guillenia lasiophylla</i> (Hook. & Arn.) Greene = <i>Streptanthus lasiophyllus</i> (Hook. & Arn.) Hoover										
18068	<i>Guizotia abyssinica</i> (L. f.) Cass.	niger	Asteraceae	A	C	W	W	W	W	W	W
455438	<i>Gutierrezia californica</i> (DC.) Torr. & A. Gray	snakeweed, San Joaquin	Asteraceae	R	W	W	W	C	W	W	W
104256	<i>Gutierrezia sarothrae</i> (Pursh) Britton & Rusby	snakeweed, broom; broomweed	Asteraceae	H, R	W	W	W	C	W	W	W
18128	<i>Gypsophila elegans</i> M. Bieb.	baby's-breath, long-petalled	Caryophyllaceae	F	W	C	W	W	W	W	W
310828	<i>Gypsophila muralis</i> L.	baby's-breath, walled	Caryophyllaceae	F	W	C	W	W	W	W	W
315515	<i>Gypsophila pacifica</i> Kom.	baby's-breath, Pacific	Caryophyllaceae	F	W	C	W	W	W	W	W
18131	<i>Gypsophila paniculata</i> L.	baby's-breath, perennial	Caryophyllaceae	F	W	W	W	W	W	W	W
18132	<i>Gypsophila repens</i> L.	baby's-breath	Caryophyllaceae	F	W	C	W	W	W	W	W
459036	<i>Gypsophila</i> spp.	baby's-breath	Caryophyllaceae	F	W	W	W	W	W	W	W
18147	<i>Hackelochloa granularis</i> (L.) Kuntze = <i>Mnesithea granularis</i> (L.) de Koning & Sosef										
18221	<i>Halimodendron halodendron</i> (Pall.) Voss	salt-tree, Russian	Fabaceae	W	W	W	W	W	W	W	W
311156	<i>Halogeton glomeratus</i> (M. Bieb.) Ledeb.	halogeton; salt barilla, clustered	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W
317271	<i>Haplopappus ciliatus</i> (Nutt.) DC. = <i>Grindelia ciliata</i> (Nutt.) Spreng.										
104264	<i>Haplopappus spinulosus</i> (Pursh) DC. = <i>Xanthisma spinulosum</i> (Pursh) D. R. Morgan & R. L. Hartm.										
401697	<i>Harrisia martinii</i> (Labour.) Britton	cactus, harrisia; cactus, moon; cactus, moonlight; cactus, snake	Cactaceae	W	W	W	W	W	W	W	W
413841	<i>Hazardia squarrosa</i> (Hook. & Arn.) Greene	goldenbush, saw-tooth	Asteraceae	R	W	W	W	C	W	W	W
316704	<i>Hedeoma hispida</i> Pursh	false pennyroyal, rough	Lamiaceae	W	W	W	W	W	W	W	W
316705	<i>Hedeoma pulegioides</i> (L.) Pers.	false pennyroyal, American; pennyroyal, American	Lamiaceae	W	W	W	W	W	W	W	W
317056	<i>Hedeoma</i> spp.	false pennyroyal	Lamiaceae	W	W	W	W	W	W	W	W
317217	<i>Hedyotis purpurea</i> (L.) Torr. & A. Gray = <i>Houstonia purpurea</i> L.										
311493	<i>Hedysarum boreale</i> Nutt. var. <i>boreale</i>	sweetvetch, northern; sweetvetch, Utah	Fabaceae	A, R	C	W	W	C	W	W	W
317218	<i>Hedysarum boreale</i> Nutt. var. <i>utahense</i> (Rydb.) Rollins = <i>Hedysarum boreale</i> Nutt. var. <i>boreale</i>										
18615	<i>Hedysarum coronarium</i> L.	sulla; sweetvetch, sulla	Fabaceae	A, F	C	C	W	W	W	W	W
104272	<i>Helenium amarum</i> (Raf.) H. Rock	sneezeweed, bitter	Asteraceae	W	W	W	W	W	W	W	W
27906	<i>Helenium autumnale</i> L.	sneezeweed, common	Asteraceae	W	W	W	W	W	W	W	W
316706	<i>Helenium flexuosum</i> Raf.	sneezeweed, purplehead	Asteraceae	W	W	W	W	W	W	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
317057	<i>Helenium</i> spp.	sneezeweed; helenium	Asteraceae	F	W	W	W	W	W	W	W
27917	<i>Helianthemum nummularium</i> (L.) Mill.	rose, rock	Cistaceae	F	W	C	W	W	W	W	W
27923	<i>Helianthus annuus</i> L.	sunflower, common; sunflower, wild	Asteraceae	A, F, R	C	C	W	C	W	W	W
104282	<i>Helianthus atrorubens</i> L.	sunflower, purple-disc	Asteraceae	F, R	W	C	W	C	W	W	W
104286	<i>Helianthus ciliaris</i> DC.	blueweed	Asteraceae	W	W	W	W	W	W	W	W
104287	<i>Helianthus cusickii</i> A. Gray	sunflower, Cusick's	Asteraceae	F, R	W	C	W	C	W	W	W
27927	<i>Helianthus giganteus</i> L.	sunflower, giant	Asteraceae	F, R	W	C	W	C	W	W	W
27928	<i>Helianthus grosseserratus</i> M. Martens	sunflower, sawtooth	Asteraceae	F, R	W	C	W	C	W	W	W
27931	<i>Helianthus maximiliani</i> Schrad.	sunflower, Maximilian's	Asteraceae	F, R	W	C	W	C	W	W	W
27935	<i>Helianthus nuttallii</i> Torr. & A. Gray	sunflower, marsh	Asteraceae	F, R	W	C	W	C	W	W	W
27936	<i>Helianthus occidentalis</i> Riddell	sunflower, fewleaf	Asteraceae	F, R	W	C	W	C	W	W	W
316322	<i>Helianthus pauciflorus</i> Nutt.	sunflower, stiff	Asteraceae	F, R	W	C	W	C	W	W	W
27937	<i>Helianthus petiolaris</i> Nutt.	sunflower, prairie	Asteraceae	W	W	W	W	W	W	W	W
27938	<i>Helianthus pumilus</i> Nutt.	sunflower, little	Asteraceae	F, R	W	C	W	C	W	W	W
300260	<i>Helianthus</i> spp.	sunflower	Asteraceae	A, F	C	C	W	W	W	W	W
27946	<i>Helianthus tuberosus</i> L.	Jerusalem-artichoke	Asteraceae	V	W	W	W	W	W	W	C
27953	<i>Helichrysum bracteatum</i> (Vent.) Andrews = <i>Xerochrysum bracteatum</i> (Vent.) Tzvelev										
463631	<i>Helictochloa hookeri</i> (Scribn.) Romero Zarco	spike-oat	Poaceae	W	W	W	W	W	W	W	W
18808	<i>Helictotrichon hookeri</i> (Scribn.) Henrard = <i>Helictochloa hookeri</i> (Scribn.) Romero Zarco										
18818	<i>Heliomeris multiflora</i> Nutt.	goldeneye, showy	Asteraceae	F, R	W	C	W	C	W	W	W
70331	<i>Heliopsis helianthoides</i> (L.) Sweet	heliopsis, sunflower	Asteraceae	F, R	W	C	W	C	W	W	W
317058	<i>Heliopsis</i> spp.	heliopsis	Asteraceae	F	W	C	W	W	W	W	W
18822	<i>Heliotropium curassavicum</i> L.	heliotrope, salt; heliotrope, seaside	Heliotropiaceae [Boraginaceae]	R	W	W	W	W	W	W	W
18823	<i>Heliotropium europaeum</i> L.	heliotrope, common	Heliotropiaceae [Boraginaceae]	W	W	W	W	W	W	W	W
312886	<i>Heliotropium</i> spp.	heliotrope	Heliotropiaceae [Boraginaceae]	F	W	W	W	W	W	W	W
316708	<i>Helipterum roseum</i> (Hook.) Benth. = <i>Rhodanthe chlorocephala</i> (Turcz.) Paul G. Wilson subsp. <i>rosea</i> (Hook.) Paul G. Wilson										
406955	<i>Helminthotheca echioides</i> (L.) Holub	oxtongue, bristly	Asteraceae	W	W	W	W	W	W	W	W
413096	<i>Hemizonia congesta</i> DC. subsp. <i>luzulifolia</i> (DC.) Bab. & H. M. Hall	tarweed, hay-field	Asteraceae	W	W	W	W	W	W	W	W
316893	<i>Hemizonia luzulifolia</i> DC. = <i>Hemizonia</i> <i>congesta</i> DC. subsp. <i>luzulifolia</i> (DC.) Bab. & H. M. Hall										
317001	<i>Hemizonia</i> spp.	hemizonia; tarweed	Asteraceae	W	W	W	W	W	W	W	W
18895	<i>Heracleum lanatum</i> Michx. = <i>Heracleum sphondylium</i> L. subsp. <i>montanum</i> (Schleich. ex Gaudin) Briq.										
18896	<i>Heracleum mantegazzianum</i> Sommier & Levier	hogweed, giant	Apiaceae	W	W	W	W	W	W	W	W



Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
319140	<i>Heracleum sphondylium</i> L. subsp. <i>montanum</i> (Schleich. ex Gaudin) Briq.	cowparsnip, common	Apiaceae	F, R	W	W	W	W	W	W	W
460269	<i>Herrickia glauca</i> (Nutt.) Brouillet	aster, blueleaf	Asteraceae	F, R	W	C	W	C	W	W	W
18933	<i>Hesperis matronalis</i> L.	dame's-rocket; rocket, sweet	Brassicaceae	F, R	W	C	W	C	W	W	W
18935	<i>Hesperochloa kingii</i> (S. Watson) Rydb. = <i>Festuca kingii</i> (S. Watson) Cassidy										
316894	<i>Hesperocnide sandwicensis</i> (Wedd.) Wedd.	nettle, stinging	Urticaceae	W	W	W	W	W	W	W	W
402288	<i>Hesperostipa comata</i> (Trin. & Rupr.) Barkworth	needle-and-thread	Poaceae	R	W	W	W	C	W	W	W
402290	<i>Hesperostipa spartea</i> (Trin.) Barkworth	grass, porcupine	Poaceae	R	W	W	W	C	W	W	W
18953	<i>Heteropogon contortus</i> (L.) P. Beauv. ex Roem. & Schult.	tanglehead	Poaceae	R	W	W	W	C	W	W	W
316895	<i>Heterotheca grandiflora</i> Nutt.	telegraphweed	Asteraceae	R	W	W	W	W	W	W	W
316896	<i>Heterotheca subaxillaris</i> (Lam.) Britton & Rusby	camphorweed	Asteraceae	W	W	W	W	W	W	W	W
413988	<i>Heterotheca villosa</i> (Pursh) Shinnars	aster, hairy golden	Asteraceae	F, R	W	C	W	C	W	W	W
18967	<i>Heuchera sanguinea</i> Engelm.	coralbell	Saxifragaceae	F	W	C	W	W	W	W	W
314467	<i>Heuchera</i> spp.	alumroot	Saxifragaceae	W	W	W	W	W	W	W	W
19012	<i>Hibiscus cannabinus</i> L.	kenaf; mallow, rose	Malvaceae	A	C	C	W	W	W	W	W
19031	<i>Hibiscus esculentus</i> L. = <i>Abelmoschus esculentus</i> (L.) Moench										
300267	<i>Hibiscus</i> spp.	hibiscus	Malvaceae	F	W	C	W	W	W	W	W
19098	<i>Hibiscus trionum</i> L.	flower-of-an-hour; shoo-fly	Malvaceae	W	W	W	W	W	W	W	W
104345	<i>Hieracium aurantiacum</i> L. = <i>Pilosella aurantiaca</i> (L.) F. W. Schultz & Sch. Bip.										
317059	<i>Hieracium</i> spp.	hawkweed	Asteraceae	W	W	W	W	W	W	W	W
19124	<i>Hierochloa odorata</i> (L.) P. Beauv. = <i>Anthoxanthum nitens</i> (Weber) Y. Schouten & Veldkamp										
19126	<i>Hilaria belangeri</i> (Steud.) Nash	mesquite, curly	Poaceae	R	W	W	W	C	W	W	W
19128	<i>Hilaria jamesii</i> (Torr.) Benth. = <i>Pleuraphis jamesii</i> Torr.										
19129	<i>Hilaria mutica</i> (Buckley) Benth. = <i>Pleuraphis mutica</i> Buckley										
317060	<i>Hilaria</i> spp.	hilaria	Poaceae	R	W	W	W	C	W	W	W
316897	<i>Hirschfeldia incana</i> (L.) Lagr.-Foss.	mustard, hairy; mustard, shortpod	Brassicaceae	W	W	W	W	W	W	W	W
317219	<i>Hoffmannseggia densiflora</i> Benth. = <i>Hoffmannseggia glauca</i> (Ortega) Eifert										
313185	<i>Hoffmannseggia glauca</i> (Ortega) Eifert	hogpotato; pignut; rushpea, Indian	Fabaceae [Caesalpinaceae]	W	W	W	W	W	W	W	W
19209	<i>Holcus lanatus</i> L.	velvetgrass	Poaceae	T	W	W	W	W	W	W	W
19210	<i>Holcus mollis</i> L.	velvetgrass, German	Poaceae	T	W	W	W	W	W	W	W
317061	<i>Holcus</i> spp.	velvetgrass	Poaceae	T	W	W	W	W	W	W	W
19235	<i>Holodiscus discolor</i> (Pursh) Maxim.	ocean-spray	Rosaceae	R, S	W	W	W	C	C	W	W
316709	<i>Holosteum umbellatum</i> L.	chickweed, jagged	Caryophyllaceae	W	W	W	W	W	W	W	W
317792	<i>Homeria</i> spp. = <i>Moraea</i> spp.										

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
401759	<i>Hopea odorata</i> Roxb.	thingwa	Dipterocarpaceae	S	W	W	W	W	C	W	W
467846	<i>Hopia obtusa</i> (Kunth) Zuloaga & Morrone	mesquite, vine	Poaceae	R, T	W	W	W	C	W	C	W
317468	<i>Hordeum brachyantherum</i> Nevski subsp. <i>brachyantherum</i>	barley, meadow; barley, wild	Poaceae	R	W	W	W	C	W	W	W
317469	<i>Hordeum brachyantherum</i> Nevski subsp. <i>californicum</i> (Covas & Stebbins) Bothmer et al.	barley, California	Poaceae	R	W	W	W	C	W	W	W
102505	<i>Hordeum californicum</i> Covas & Stebbins = <i>Hordeum brachyantherum</i> Nevski subsp. <i>californicum</i> (Covas & Stebbins) Bothmer et al.										
19281	<i>Hordeum depressum</i> (Scribn. & J. G. Sm.) Rydb.	barley, low	Poaceae	R	W	W	W	C	W	W	W
19282	<i>Hordeum distichon</i> L. = <i>Hordeum vulgare</i> L. subsp. <i>vulgare</i>										
19294	<i>Hordeum geniculatum</i> All. = <i>Hordeum marinum</i> Huds. subsp. <i>gussoneanum</i> (Parl.) Thell.										
19295	<i>Hordeum glaucum</i> Steud. = <i>Hordeum murinum</i> L. subsp. <i>glaucum</i> (Steud.) Tzvelev										
19300	<i>Hordeum hystrix</i> Roth = <i>Hordeum marinum</i> Huds. subsp. <i>gussoneanum</i> (Parl.) Thell.										
19308	<i>Hordeum jubatum</i> L.	barley, foxtail; barley, squirreltail	Poaceae	F, R	W	W	W	W	W	W	W
19311	<i>Hordeum leporinum</i> Link = <i>Hordeum murinum</i> L. subsp. <i>leporinum</i> (Link) Arcang.										
102508	<i>Hordeum marinum</i> Huds. subsp. <i>gussoneanum</i> (Parl.) Thell.	barley, Mediterranean	Poaceae	W	W	W	W	W	W	W	W
102507	<i>Hordeum murinum</i> L. subsp. <i>glaucum</i> (Steud.) Tzvelev	barley, Stebbins	Poaceae	W	W	W	W	W	W	W	W
102928	<i>Hordeum murinum</i> L. subsp. <i>leporinum</i> (Link) Arcang.	barley, wall	Poaceae	W	W	W	W	W	W	W	W
19322	<i>Hordeum pusillum</i> Nutt.	barley, little	Poaceae	W	W	W	W	W	W	W	W
300269	<i>Hordeum</i> spp.	barley, wild	Poaceae	W	W	W	W	W	W	W	W
19327	<i>Hordeum stebbinsii</i> Covas = <i>Hordeum murinum</i> L. subsp. <i>glaucum</i> (Steud.) Tzvelev										
19333	<i>Hordeum vulgare</i> L. subsp. <i>vulgare</i>	barley	Poaceae	A	C	C	C	C	C	C	C
452684	<i>Horkelia cuneata</i> Lindl.	horkelia, Kellogg's	Rosaceae	R	W	W	W	C	W	W	W
316710	<i>Houstonia purpurea</i> L.	bluets, purple	Rubiaceae	W	W	W	W	W	W	W	W
19415	<i>Humulus lupulus</i> L.	hops	Cannabaceae	A	C	W	C	W	W	W	C
19416	<i>Hunnemannia fumariifolia</i> Sweet	tulip-poppy, Mexican	Papaveraceae	F	W	C	W	W	W	W	W
316414	<i>Hydrilla verticillata</i> (L. f.) Royle	Florida-elodea; hydrilla; water-thyme	Hydrocharitaceae	W	W	W	W	W	W	W	W
316380	<i>Hygrophila polysperma</i> (Roxb.) T. Anderson	swampweed, East Indian; Miramar-weed	Acanthaceae	W	W	W	W	W	W	W	W
411706	<i>Hylotelephium telephium</i> (L.) H. Ohba	live-forever	Crassulaceae	F	W	C	W	W	W	W	W
316995	<i>Hymenopappus</i> spp.	hymenopappus	Asteraceae	W	W	W	W	W	W	W	W

## Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
317220	<i>Hymenophyssa pubescens</i> C. A. Mey. = <i>Lepidium appelianum</i> Al-Shehbaz											
104355	<i>Hymenoxys odorata</i> DC.	actinea, bitterweed	Asteraceae	W	W	W	W	W	W	W	W	W
316711	<i>Hymenoxys richardsonii</i> (Hook.) Cockerell	rubberweed, Colorado	Asteraceae	W	W	W	W	W	W	W	W	W
317062	<i>Hymenoxys</i> spp.	actinea	Asteraceae	W	W	W	W	W	W	W	W	W
19532	<i>Hyoscyamus niger</i> L.	henbane, black	Solanaceae	W	W	W	W	W	W	W	W	W
19550	<i>Hyparrhenia rufa</i> (Nees) Stapf	jaraguagrass	Poaceae	W	W	W	W	W	W	W	W	W
19559	<i>Hypericum ascyron</i> L.	St. John's-wort, great	Hypericaceae [Clusiaceae]	R	W	W	W	C	W	W	W	W
19562	<i>Hypericum canariense</i> L.	St. John's-wort, Canary Island	Hypericaceae [Clusiaceae]	W	W	W	W	W	W	W	W	W
19600	<i>Hypericum perforatum</i> L.	St. John's-wort, common; Klamathweed	Hypericaceae [Clusiaceae]	W	W	W	W	W	W	W	W	W
316954	<i>Hypericum scouleri</i> Hook.	St. John's-wort, slender	Hypericaceae [Clusiaceae]	W	W	W	W	W	W	W	W	W
19621	<i>Hypochaeris radicata</i> L.	cat's-ear, spotted	Asteraceae	W	W	W	W	W	W	W	W	W
19625	<i>Hypoestes phyllostachya</i> Baker	polka-dot-plant	Acanthaceae	F, R	W	C	W	C	W	W	W	W
401710	<i>Hyptis pectinata</i> (L.) Poit. = <i>Mesosphaerum pectinatum</i> (L.) Kuntze											
19643	<i>Hyptis suaveolens</i> (L.) Poit. = <i>Mesosphaerum suaveolens</i> (L.) Kuntze											
19644	<i>Hyssopus officinalis</i> L.	hyssop	Lamiaceae	F, H	W	C	C	W	W	W	W	W
19648	<i>Iberis amara</i> L.	candytuft, annual; candytuft, rocket	Brassicaceae	F	W	C	W	W	W	W	W	W
70369	<i>Iberis gibraltarica</i> L.	candytuft, Gibraltar; candytuft, perennial	Brassicaceae	F	W	C	W	W	W	W	W	W
100747	<i>Iberis sempervirens</i> L.	candytuft; iberis	Brassicaceae	F	W	C	W	W	W	W	W	W
19652	<i>Iberis umbellata</i> L.	candytuft, globe; iberis	Brassicaceae	F	W	C	W	W	W	W	W	W
19791	<i>Ilex vomitoria</i> Sol. ex Aiton	Christmasberry; holly, cassena; yaupon	Aquifoliaceae	S	W	W	W	W	C	W	W	W
19810	<i>Impatiens balsamina</i> L.	balsam	Balsaminaceae	F	W	C	W	W	W	W	W	W
19862	<i>Impatiens walleriana</i> Hook. f.	balsam, Zanzibar; impatiens	Balsaminaceae	F	W	C	W	W	W	W	W	W
19863	<i>Imperata brasiliensis</i> Trin.	satintail, Brazilian	Poaceae	W	W	W	W	W	W	W	W	W
103384	<i>Imperata brevifolia</i> Vasey	satintail	Poaceae	W	W	W	W	W	W	W	W	W
19864	<i>Imperata cylindrica</i> (L.) P. Beauv.	cogon; cogongrass	Poaceae	W	W	W	W	W	W	W	W	W
20017	<i>Indigofera hirsuta</i> L.	indigo, hairy	Fabaceae	R	W	W	W	W	W	W	W	W
317291	<i>Inula grandiflora</i> Willd. = <i>Inula orientalis</i> Lam.											
316955	<i>Inula orientalis</i> Lam.	inula, sunflower; sneezewort, false	Asteraceae	F	W	C	W	W	W	W	W	W
20135	<i>Ipomoea alba</i> L.	moonflower; morning-glory, white	Convolvulaceae	F	W	C	W	W	W	W	W	W
20138	<i>Ipomoea aquatica</i> Forssk.	morning-glory, swamp; water-convolvulus; water-spinach, Chinese	Convolvulaceae	W	W	W	W	W	W	W	W	W
20172	<i>Ipomoea hederacea</i> Jacq.	morning-glory, ivyleaf	Convolvulaceae	F	W	C	W	W	W	W	W	W

## AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
317221	<i>Ipomoea hirsutula</i> J. Jacq. = <i>Ipomoea purpurea</i> (L.) Roth											
20182	<i>Ipomoea lacunosa</i> L.	morning-glory, small-white-flowered	Convolvulaceae	W	W	W	W	W	W	W	W	W
20184	<i>Ipomoea leptophylla</i> Torr.	morning-glory, bush	Convolvulaceae	W	W	W	W	W	W	W	W	W
20187	<i>Ipomoea lobata</i> (Cerv.) Thell.	Spanish-flag	Convolvulaceae	F	W	C	W	W	W	W	W	W
427063	<i>Ipomoea</i> × <i>multifida</i> auct. mult. = <i>Ipomoea sloteri</i> Macfarl. ex E. T. Reichert											
402175	<i>Ipomoea muricata</i> (L.) Jacq.	moonflower, purple; morning-glory, giant	Convolvulaceae	W	W	W	W	W	W	W	W	W
311672	<i>Ipomoea pandurata</i> (L.) G. Mey.	morning-glory, bigroot	Convolvulaceae	W	W	W	W	W	W	W	W	W
20214	<i>Ipomoea purpurea</i> (L.) Roth	morning-glory, tall; morning-glory, wild; morning-glory, woolly	Convolvulaceae	F	W	C	W	W	W	W	W	W
310475	<i>Ipomoea quamoclit</i> L.	morning-glory, cypress-vine; cypressvine	Convolvulaceae	F	W	C	W	W	W	W	W	W
402182	<i>Ipomoea sloteri</i> Macfarl. ex E. T. Reichert	cardinal climber; hearts and honey vine	Convolvulaceae	F	W	C	W	W	W	W	W	W
300283	<i>Ipomoea</i> spp.	morning-glory; cardinal climber	Convolvulaceae	F	W	W	W	W	W	W	W	W
20231	<i>Ipomoea tricolor</i> Cav.	morning-glory	Convolvulaceae	F	W	C	W	W	W	W	W	W
20232	<i>Ipomoea triloba</i> L.	little-bell; morning-glory, aiea	Convolvulaceae	W	W	W	W	W	W	W	W	W
311690	<i>Ipomoea turbinata</i> Lag. = <i>Ipomoea muricata</i> (L.) Jacq.											
316898	<i>Ipomopsis aggregata</i> (Pursh) V. E. Grant	gilia, scarlet	Polemoniaceae	F, R	W	C	W	C	W	W	W	W
316899	<i>Ipomopsis rubra</i> (L.) Wherry	bird's-eye; standing-cypress	Polemoniaceae	F, R	W	C	W	C	W	W	W	W
20293	<i>Iris douglasiana</i> Herb.		Iridaceae	F	W	C	W	W	W	W	W	W
20295	<i>Iris ensata</i> Thunb.	iris, Japanese	Iridaceae	F	W	C	W	W	W	W	W	W
20340	<i>Iris kaempferi</i> Siebold ex Lem. = <i>Iris ensata</i> Thunb.											
20363	<i>Iris missouriensis</i> Nutt.	blue flag, western; iris, Rocky Mountain	Iridaceae	F, R	W	C	W	C	W	W	W	W
20385	<i>Iris pseudacorus</i> L.	iris, yellow flag	Iridaceae	W	W	W	W	W	W	W	W	W
20397	<i>Iris setosa</i> Pall. ex Link	iris, wild	Iridaceae	F	W	C	W	W	W	W	W	W
20440	<i>Iris versicolor</i> L.	iris, blue flag	Iridaceae	F, R	W	C	W	C	W	W	W	W
20462	<i>Isatis tinctoria</i> L.	woad, dyer's	Brassicaceae	W	W	W	W	W	W	W	W	W
20489	<i>Ischaemum rugosum</i> Salisb.	saramollagrass; murainograss	Poaceae	W	W	W	W	W	W	W	W	W
413814	<i>Isocoma acradenia</i> (Greene) Greene	goldenweed, pale leaf	Asteraceae	R, S	W	W	W	C	C	W	W	W
404914	<i>Isocoma tenuisecta</i> Greene	burweed	Asteraceae	R, S	W	W	W	C	C	W	W	W
104368	<i>Iva annua</i> L.	sumpweed, rough	Asteraceae	W	W	W	W	W	W	W	W	W
20534	<i>Iva axillaris</i> Pursh	povertyweed, mouse-ear; sumpweed, poverty; povertyweed	Asteraceae	W	W	W	W	W	W	W	W	W
20535	<i>Iva ciliata</i> Willd. = <i>Iva annua</i> L.											
476218	<i>Iva hayesiana</i> A. Gray	povertyweed, San Diego	Asteraceae	R	W	W	W	C	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
20536	<i>Iva xanthiifolia</i> Nutt. = <i>Cyclachaena xanthiifolia</i> (Nutt.) Fresen.											
456827	<i>Ivesia gordonii</i> (Hook.) A. Gray	ivesia, Gordon's; iversia, alpine	Rosaceae	F, R, S	W	C	W	C	C	W	W	
450260	<i>Jacobaea vulgaris</i> Gaertn.	ragwort, tansy	Asteraceae	W	W	W	W	W	W	W	W	W
20617	<i>Jacquemontia tamnifolia</i> (L.) Griseb.	choisy; morning-glory, hairy	Convolvulaceae	W	W	W	W	W	W	W	W	W
447103	<i>Juncus acutus</i> L.	rush, spiny	Juncaceae	F, R	W	C	W	C	W	W	W	W
459769	<i>Juncus arcticus</i> Willd. subsp. <i>littoralis</i> (Engelm.) Hultén = <i>Juncus balticus</i> Willd. subsp. <i>littoralis</i> (Engelm.) Snogerup											
316712	<i>Juncus balticus</i> Willd.	rush, Baltic	Juncaceae	F, R	W	C	W	C	W	W	W	W
459436	<i>Juncus balticus</i> Willd. subsp. <i>littoralis</i> (Engelm.) Snogerup	rush, mountain	Juncaceae	R	W	W	W	C	W	W	W	W
316713	<i>Juncus bufonius</i> L.	rush, toad	Juncaceae	R	W	W	W	W	W	W	W	W
20791	<i>Juncus effusus</i> L.	rush, soft	Juncaceae	F, R	W	C	W	C	W	W	W	W
20792	<i>Juncus ensifolius</i> Wikstr.	rush, daggerleaf	Juncaceae	R	W	W	W	C	W	W	W	W
20793	<i>Juncus gerardi</i> Loisel.	rush, saltmarsh; black-grass	Juncaceae	R	W	W	W	C	W	W	W	W
452171	<i>Juncus patens</i> E. Mey.	rush, spreading	Juncaceae	R	W	W	W	C	W	W	W	W
300289	<i>Juncus</i> spp.	rush	Juncaceae	R	W	W	W	C	W	W	W	W
20804	<i>Juncus tenuis</i> Willd.	rush, path	Juncaceae	W	W	W	W	W	W	W	W	W
448186	<i>Juncus torreyi</i> Coville	rush, Torrey's	Juncaceae	R	W	W	W	C	W	W	W	W
20821	<i>Juniperus communis</i> L.	juniper, common	Cupressaceae	S	W	W	W	W	C	W	W	W
316255	<i>Juniperus deppeana</i> Steud.	juniper, alligator	Cupressaceae	S	W	W	W	W	C	W	W	W
20846	<i>Juniperus monosperma</i> (Engelm.) Sarg.	juniper, one-seeded	Cupressaceae	S	W	W	W	W	C	W	W	W
314425	<i>Juniperus occidentalis</i> Hook.	juniper, sierra	Cupressaceae	S	W	W	W	W	C	W	W	W
301046	<i>Juniperus osteosperma</i> (Torr.) Little	juniper, Utah	Cupressaceae	R, S	W	W	W	C	C	W	W	W
20863	<i>Juniperus scopulorum</i> Sarg.	juniper, Rocky Mountain	Cupressaceae	R, S	W	W	W	C	C	W	W	W
21015	<i>Kalanchoe blossfeldiana</i> Poelln.	kalanchoe	Crassulaceae	F	W	C	W	W	W	W	W	W
21110	<i>Kallstroemia grandiflora</i> Torr. ex A. Gray	Arizona-poppy; desert-poppy	Zygophyllaceae	F, R	W	C	W	C	W	W	W	W
316714	<i>Kallstroemia hirsutissima</i> Vail ex Small	caltrop, hairy	Zygophyllaceae	W	W	W	W	W	W	W	W	W
448716	<i>Keckiella breviflora</i> (Lindl.) Straw	beardtongue, bush	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F, R, S	W	C	W	C	C	W	W	W
477709	<i>Kellochloa brachyantha</i> (Steud.) Lizarazu et al.	panicgrass, prairie	Poaceae	W	W	W	W	W	W	W	W	W
316715	<i>Kickxia spuria</i> (L.) Dumort.	toadflax, roundleaf	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	W	W	W	W	W	W	W	W	W
21181	<i>Knautia arvensis</i> (L.) Coult.	scabiosa, field	Caprifoliaceae [Dipsacaceae]	W	W	W	W	W	W	W	W	W
317063	<i>Kniphofia</i> spp.	torchlily; tritoma	Asphodelaceae [Liliaceae] [Xanthorrhoeaceae]	F	W	C	W	W	W	W	W	W
21204	<i>Kochia prostrata</i> (L.) Schrad. = <i>Bassia prostrata</i> (L.) A. J. Scott											
21206	<i>Kochia scoparia</i> (L.) Schrad. = <i>Bassia scoparia</i> (L.) A. J. Scott											

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
317130	<i>Kochia scoparia</i> (L.) Schrad. f. <i>trichophylla</i> (hort. ex Voss) Schinz & Thell. = <i>Bassia scoparia</i> (L.) A. J. Scott 'Trichophylla'											
317136	<i>Koeleria cristata</i> auct. = <i>Koeleria macrantha</i> (Ledeb.) Schult.											
314896	<i>Koeleria macrantha</i> (Ledeb.) Schult.	junegrass	Poaceae	A, R, T	C	W	W	C	W	C	W	
317008	<i>Koellia</i> spp. = <i>Pycnanthemum</i> spp.											
476847	<i>Koenigia polystachya</i> (Wall. ex Meisn.) T. M. Schust. & Reveal	knotweed, Himalayan	Polygonaceae	W	W	W	W	W	W	W	W	W
315464	<i>Krascheninnikovia lanata</i> (Pursh) A. Meeuse & A. Smit	winterfat	Chenopodiaceae [Amaranthaceae]	R, S	W	W	W	C	C	W	W	
316956	<i>Krigia cespitosa</i> (Raf.) K. L. Chambers	dwarf dandelion, western	Asteraceae	W	W	W	W	W	W	W	W	W
316900	<i>Krigia occidentalis</i> Nutt.	dwarf dandelion, western	Asteraceae	W	W	W	W	W	W	W	W	W
317292	" <i>Krigia oppositifolia</i> Raf., nom. inval." = <i>Krigia cespitosa</i> (Raf.) K. L. Chambers											
316468	<i>Kuhnia chlorolepis</i> Wooton & Standl. = <i>Brickellia eupatorioides</i> (L.) Shinnars var. <i>chlorolepis</i> (Wooton & Standl.) B. L. Turner											
317222	<i>Kuhnia eupatorioides</i> L. = <i>Brickellia eupatorioides</i> (L.) Shinnars var. <i>eupatorioides</i>											
311524	<i>Kummerowia stipulacea</i> (Maxim.) Makino	lespedeza, Korean	Fabaceae	A	C	C	C	C	C	C	C	C
21266	<i>Kummerowia striata</i> (Thunb.) Schindl.	lespedeza, common; lespedeza, striate	Fabaceae	A, T	C	C	C	C	C	C	C	C
N/A	<i>Kummerowia striata</i> (Thunb.) Schindl. 'Kobe'	lespedeza, kobe	Fabaceae	A, T	C	C	C	C	C	C	C	C
317223	<i>Kummerowia striata</i> (Thunb.) Schindl. var. <i>kobe</i> hort. = <i>Kummerowia striata</i> (Thunb.) Schindl. 'Kobe'											
316996	<i>Kyllinga</i> spp. = <i>Cyperus</i> spp.	kyllinga	Cyperaceae	W	W	W	W	W	W	W	W	W
314607	<i>Lablab purpureus</i> (L.) Sweet subsp. <i>purpureus</i>	bean, hyacinth	Fabaceae	F	W	C	W	W	W	W	W	W
21329	<i>Lactuca canadensis</i> L.	lettuce, tall	Asteraceae	W	W	W	W	W	W	W	W	W
21355	<i>Lactuca pulchella</i> (Pursh) DC. = <i>Lactuca tatarica</i> (L.) C. A. Mey. subsp. <i>pulchella</i> (Pursh) Stebbins											
21360	<i>Lactuca sativa</i> L.	lettuce	Asteraceae	V	C	C	C	C	C	C	C	C
21364	<i>Lactuca scariola</i> L. = <i>Lactuca serriola</i> L.											
21365	<i>Lactuca serriola</i> L.	lettuce, prickly	Asteraceae	W	W	W	W	W	W	W	W	W
300295	<i>Lactuca</i> spp.	lettuce, wild	Asteraceae	W	W	W	W	W	W	W	W	W
104386	<i>Lactuca tatarica</i> (L.) C. A. Mey. subsp. <i>pulchella</i> (Pursh) Stebbins	lettuce, blue-flowering	Asteraceae	W	W	W	W	W	W	W	W	W
21375	<i>Lactuca virosa</i> L.	lettuce, bitter	Asteraceae	W	W	W	W	W	W	W	W	W
316415	<i>Lagarosiphon major</i> (Ridl.) Moss	oxygen-weed	Hydrocharitaceae	W	W	W	W	W	W	W	W	W
316901	<i>Lagascea mollis</i> Cav.	acuate	Asteraceae	W	W	W	W	W	W	W	W	W
21385	<i>Lagenaria siceraria</i> (Molina) Standl.	gourd, white-flowered	Cucurbitaceae	F	W	C	W	W	W	W	W	C
300296	<i>Lagenaria</i> spp.	gourd	Cucurbitaceae	F	W	C	W	W	W	W	W	C
21418	<i>Lamium amplexicaule</i> L.	henbit	Lamiaceae	W	W	W	W	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
310628	<i>Lantana camara</i> L.	lantana	Verbenaceae	F	W	C	W	W	W	W	W	W
315394	" <i>Lappula echinata</i> Gilib., nom. inval." = <i>Lappula squarrosa</i> (Retz.) Dumort.											
316957	<i>Lappula occidentalis</i> (S. Watson) Greene var. <i>cupulata</i> (A. Gray) L. C. Higgins	stickseed, hairy	Boraginaceae	W	W	W	W	W	W	W	W	W
318336	<i>Lappula occidentalis</i> (S. Watson) Greene var. <i>occidentalis</i>	stickseed, western	Boraginaceae	W	W	W	W	W	W	W	W	W
318337	<i>Lappula redowskii</i> (Hornem.) Greene var. <i>occidentalis</i> (S. Watson) Rydb. = <i>Lappula occidentalis</i> (S. Watson) Greene var. <i>occidentalis</i>											
317293	<i>Lappula redowskii</i> (Hornem.) Greene var. <i>texana</i> (Scheele) Brand = <i>Lappula occidentalis</i> (S. Watson) Greene var. <i>cupulata</i> (A. Gray) L. C. Higgins											
317064	<i>Lappula</i> spp.	stickseed	Boraginaceae	W	W	W	W	W	W	W	W	W
105313	<i>Lappula squarrosa</i> (Retz.) Dumort.	bluebur; stickseed, European	Boraginaceae	W	W	W	W	W	W	W	W	W
317294	<i>Lappula texana</i> (Scheele) Britton = <i>Lappula occidentalis</i> (S. Watson) Greene var. <i>cupulata</i> (A. Gray) L. C. Higgins											
21475	<i>Lapsana communis</i> L.	nipplewort	Asteraceae	F	W	W	W	W	W	W	W	W
21485	<i>Larix decidua</i> Mill.	larch, European	Pinaceae	S	W	W	W	W	C	W	W	W
21486	<i>Larix xeurolepis</i> A. Henry, nom. illeg. = <i>Larix xmarschlinii</i> Coaz											
21495	<i>Larix kaempferi</i> (Lamb.) Carrière	larch, Japanese	Pinaceae	S	W	W	W	W	C	W	W	W
21499	<i>Larix laricina</i> (Du Roi) K. Koch	tamarack	Pinaceae	S	W	W	W	W	C	W	W	W
316718	<i>Larix xmarschlinii</i> Coaz	larch, Dunkeld	Pinaceae	S	W	W	W	W	C	W	W	W
21504	<i>Larix occidentalis</i> Nutt.	larch, western	Pinaceae	S	W	W	W	W	C	W	W	W
21507	<i>Larix sibirica</i> Ledeb.	larch, Siberian	Pinaceae	S	W	W	W	W	C	W	W	W
21509	<i>Larrea tridentata</i> (DC.) Coville	creosotebush	Zygophyllaceae	S	W	W	W	C	C	W	W	W
316986	<i>Lasthenia californica</i> DC. ex Lindl.	lasthenia, California	Asteraceae	F, R	W	C	W	C	W	W	W	W
317295	<i>Lasthenia chrysostoma</i> (Fisch. & C. A. Mey.) Greene = <i>Lasthenia californica</i> DC. ex Lindl.											
317129	<i>Lasthenia glabrata</i> Lindl.	California sunshine; goldfields	Asteraceae	F	W	C	W	W	W	W	W	W
21542	<i>Lathyrus angulatus</i> L.	peavine	Fabaceae	W	W	W	W	W	W	W	W	W
21544	<i>Lathyrus aphaca</i> L.	pea, yellow; vetchling, yellow	Fabaceae	W	W	W	W	W	W	W	W	W
21571	<i>Lathyrus hirsutus</i> L.	rough-pea	Fabaceae	A	C	C	C	C	C	C	C	C
21580	<i>Lathyrus latifolius</i> L.	sweet-pea, perennial; everlasting-pea	Fabaceae	F	W	C	W	W	W	W	W	W
21596	<i>Lathyrus odoratus</i> L.	sweet-pea, annual	Fabaceae	F	W	C	W	W	W	W	W	W
21600	<i>Lathyrus palustris</i> L.	marsh-pea	Fabaceae	W	W	W	W	W	W	W	W	W
316719	<i>Lathyrus pusillus</i> Elliott	vetchling, low	Fabaceae	W	W	W	W	W	W	W	W	W
21613	<i>Lathyrus sativus</i> L.	vetch, bitter; grasspea	Fabaceae	A	W	W	W	W	W	W	W	W
21616	<i>Lathyrus sphaericus</i> Retz.	flat-pea, round-seeded	Fabaceae	W	W	W	W	W	W	W	W	W
300300	<i>Lathyrus</i> spp.	pea, wild; vetchling	Fabaceae	W	W	W	W	W	W	W	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
21618	<i>Lathyrus sulphureus</i> W. H. Brewer ex A. Gray	pea, sulphur	Fabaceae	W	W	W	W	W	W	W	W
21619	<i>Lathyrus sylvestris</i> L.	flat-pea	Fabaceae	A, R	C	W	W	C	W	W	W
21620	<i>Lathyrus tingitanus</i> L.	tangier-pea	Fabaceae	F	W	C	W	W	W	W	W
21622	<i>Lathyrus tuberosus</i> L.	pea, groundnut	Fabaceae	W	W	W	W	W	W	W	W
21677	<i>Lavandula angustifolia</i> Mill.	lavender	Lamiaceae	F, H	W	C	C	W	W	W	W
313167	<i>Lavandula</i> spp.	lavender	Lamiaceae	H	W	W	C	W	W	W	W
21695	<i>Lavatera trimestris</i> L.	treemallow, herb	Malvaceae	F	W	C	W	W	W	W	W
316720	<i>Layia platyglossa</i> (Fisch. & C. A. Mey.) A. Gray	daisy, tidytips	Asteraceae	F	W	C	W	W	W	W	W
21732	<i>Leersia oryzoides</i> (L.) Sw.	cutgrass, rice	Poaceae	R	W	W	W	C	W	W	W
21739	<i>Lens culinaris</i> Medik. subsp. <i>culinaris</i>	lentil	Fabaceae	A	C	C	C	C	C	C	C
316721	<i>Leontodon autumnalis</i> L. = <i>Scorzoneroides autumnalis</i> (L.) Moench										
317296	<i>Leontodon nudicaulis</i> auct. = <i>Leontodon saxatilis</i> Lam.										
454196	<i>Leontodon saxatilis</i> Lam.	hawkbit, rough	Asteraceae	W	W	W	W	W	W	W	W
316958	<i>Leontodon taraxacoides</i> (Vill.) Willd. ex Mérat, nom. illeg. = <i>Leontodon saxatilis</i> Lam.										
21750	<i>Leontopodium alpinum</i> Cass. = <i>Leontopodium nivale</i> (Ten.) Hand.-Mazz.										
464691	<i>Leontopodium nivale</i> (Ten.) Hand.-Mazz.	edelweiss	Asteraceae	F	W	C	W	W	W	W	W
21756	<i>Leonurus cardiaca</i> L.	motherwort	Lamiaceae	W	W	W	W	W	W	W	W
423805	<i>Lepidium appelianum</i> Al-Shehbaz	cress, ball; hoarycress, globe-podded; whitetop, hairy	Brassicaceae	W	W	W	W	W	W	W	W
21763	<i>Lepidium campestre</i> (L.) W. T. Aiton	peppergrass, field; peppergrass, field; pepperweed, field	Brassicaceae	W	W	W	W	W	W	W	W
311718	<i>Lepidium chalepense</i> L.	hoarycress, lens-podded; peppergrass, perennial	Brassicaceae	W	W	W	W	W	W	W	W
454282	<i>Lepidium coronopus</i> (L.) Al-Shehbaz	swinecress	Brassicaceae	W	W	W	W	W	W	W	W
316722	<i>Lepidium densiflorum</i> Schrad.	pepperweed, greenflowered; pepperweed, prairie	Brassicaceae	W	W	W	W	W	W	W	W
423806	<i>Lepidium didymum</i> L.	wartcress	Brassicaceae	W	W	W	W	W	W	W	W
317224	<i>Lepidium draba</i> L.	hoarycress, heart-podded; whitetop	Brassicaceae	W	W	W	W	W	W	W	W
423804	<i>Lepidium draba</i> L. subsp. <i>chalepense</i> (L.) Thell. = <i>Lepidium chalepense</i> L.										
423803	<i>Lepidium draba</i> L. subsp. <i>draba</i> = <i>Lepidium draba</i> L.										
318964	<i>Lepidium fremontii</i> S. Watson	pepperweed, desert; peppergrass	Brassicaceae	F, R, S	W	C	W	C	C	W	W
316723	<i>Lepidium heterophyllum</i> Benth.	pepperweed, Smith	Brassicaceae	W	W	W	W	W	W	W	W



Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
21765	<i>Lepidium latifolium</i> L.	peppercress, perennial; pepperweed, perennial; whitetop, tall	Brassicaceae	W	W	W	W	W	W	W	W
316724	<i>Lepidium nitidum</i> Nutt.	pepperweed, tongue	Brassicaceae	H, R	W	W	W	W	W	W	W
316725	<i>Lepidium perfoliatum</i> L.	pepperweed, clasping; pepperweed, perfoliate	Brassicaceae	W	W	W	W	W	W	W	W
21768	<i>Lepidium repens</i> (Schrenk ex Fisch. & C. A. Mey.) Boiss. = <i>Lepidium chalepense</i> L.										
21769	<i>Lepidium sativum</i> L.	cress, garden	Brassicaceae	V	W	C	C	W	W	W	C
313165	<i>Lepidium</i> spp.	Hoarycress; peppercress; peppergrass; pepperweed	Brassicaceae	W	W	W	W	W	W	W	W
423807	<i>Lepidium squamatum</i> Forssk. = <i>Lepidium coronopus</i> (L.) Al-Shehbaz										
21770	<i>Lepidium virginicum</i> L.	pepperweed, Virginia	Brassicaceae	H, R	W	W	W	W	W	W	W
21778	<i>Leptochloa chinensis</i> (L.) Nees = <i>Dinebra chinensis</i> (L.) P. M. Peterson & N. Snow										
21781	<i>Leptochloa dubia</i> (Kunth) Nees = <i>Disakisperma dubium</i> (Kunth) P. M. Peterson & N. Snow										
316726	<i>Leptochloa fascicularis</i> (Lam.) A. Gray = <i>Diplachne fusca</i> (L.) P. Beauv. ex Roem. & Schult. subsp. <i>fascicularis</i> (Lam.) P. M. Peterson & N. Snow										
416598	<i>Leptochloa fusca</i> (L.) Kunth subsp. <i>fascicularis</i> (Lam.) N. Snow = <i>Diplachne fusca</i> (L.) P. Beauv. ex Roem. & Schult. subsp. <i>fascicularis</i> (Lam.) P. M. Peterson & N. Snow										
416599	<i>Leptochloa fusca</i> (L.) Kunth subsp. <i>uninervia</i> (J. Presl) N. Snow = <i>Diplachne fusca</i> (L.) P. Beauv. ex Roem. & Schult. subsp. <i>uninervia</i> (J. Presl) P. M. Peterson & N. Snow										
317065	<i>Leptochloa</i> spp.	sprangletop	Poaceae	R	W	W	W	C	W	W	W
316727	<i>Leptochloa uninervia</i> (J. Presl) Hitchc. & Chase = <i>Diplachne fusca</i> (L.) P. Beauv. ex Roem. & Schult. subsp. <i>uninervia</i> (J. Presl) P. M. Peterson & N. Snow										
21798	<i>Leptoloma cognatum</i> (Schult.) Chase = <i>Digitaria cognata</i> (Schult.) Pilg.										
459777	<i>Leptosiphon aureus</i> (Nutt.) J. M. Porter & L. A. Johnson, nom. illeg. = <i>Linanthus aureus</i> (Nutt.) Greene var. <i>aureus</i>										
459772	<i>Leptosiphon grandiflorus</i> Benth. = <i>Linanthus grandiflorus</i> (Benth.) Greene										
407971	<i>Lepyrodiclis holosteoides</i> (C. A. Mey.) Fenzl ex Fisch. & C. A. Mey.	lepyrodiclis	Caryophyllaceae	W	W	W	W	W	W	W	W
21847	<i>Lespedeza bicolor</i> Turcz.	lespedeza, shrub	Fabaceae	W	W	W	W	W	W	W	W
21854	<i>Lespedeza capitata</i> Michx.	lespedeza, bush	Fabaceae	R	W	W	W	C	W	W	W
21856	<i>Lespedeza cuneata</i> (Dum. Cours.) G. Don	lespedeza, Chinese; lespedeza, sericea	Fabaceae	A	C	C	C	C	C	C	C

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
21865	<i>Lespedeza hedysaroides</i> (Pall.) Kitag. = <i>Lespedeza juncea</i> (L. f.) Pers.											
21866	<i>Lespedeza hirta</i> (L.) Hornem.	lespedeza, hairy	Fabaceae	R	W	W	W	C	W	W	W	
21873	<i>Lespedeza juncea</i> (L. f.) Pers.	lespedeza, Siberian	Fabaceae	A	W	W	W	W	W	W	W	
21901	<i>Lespedeza stipulacea</i> Maxim. = <i>Kummerowia stipulacea</i> (Maxim.) Makino											
21902	<i>Lespedeza striata</i> (Thunb.) Hook. & Arn. = <i>Kummerowia striata</i> (Thunb.) Schindl.											
317225	<i>Lespedeza striata</i> (Thunb.) Hook. & Arn. var. <i>kobe</i> hort. = <i>Kummerowia striata</i> (Thunb.) Schindl. 'Kobe'											
21904	<i>Lespedeza thunbergii</i> (DC.) Nakai	lespedeza, shrub; lespedeza, Thunberg's	Fabaceae	R, S	W	W	W	C	W	W	W	
21909	<i>Lespedeza virgata</i> (Thunb.) DC.	lespedeza, wand	Fabaceae	R	W	W	W	C	W	W	W	
21918	<i>Lesquerella gordonii</i> (A. Gray) S. Watson = <i>Physaria gordonii</i> (A. Gray) O'Kane & Al-Shehbaz											
317334	<i>Leucanthemum maximum</i> (Ramond) DC.	daisy, Shasta; chrysanthemum max	Asteraceae	F, R	W	C	W	C	W	W	W	
316959	<i>Leucanthemum paludosum</i> (Poir.) Pomel = <i>Mauranthemum paludosum</i> (Poir.) Vogt & Oberpr.											
318339	<i>Leucanthemum xsuperbum</i> (Bergmans ex J. W. Ingram) D. H. Kent	daisy, Shasta	Asteraceae	F, R	W	C	W	C	W	W	W	
104402	<i>Leucanthemum vulgare</i> Lam.	daisy ox-eye; daisy, Shasta	Asteraceae	F	W	C	W	W	W	W	W	
428951	<i>Leucoglossum paludosum</i> (Poir.) B. H. Wilcox et al. = <i>Mauranthemum paludosum</i> (Poir.) Vogt & Oberpr.											
316987	<i>Leucophysalis grandiflora</i> (Hook.) Rydb.	groundcherry, large white-flowered	Solanaceae	W	W	W	W	W	W	W	W	
103174	<i>Leucopoa kingii</i> (S. Watson) W. A. Weber = <i>Festuca kingii</i> (S. Watson) Cassidy											
102170	<i>Leymus angustus</i> (Trin.) Pilg.	wildrye, Altai	Poaceae	A, R	C	W	W	C	W	W	W	
102161	<i>Leymus arenarius</i> (L.) Hochst.	grass, lyme; wildrye, beach	Poaceae	R	W	W	W	C	W	W	W	
102177	<i>Leymus cinereus</i> (Scribn. & Merr.) Á. Löve	wildrye, basin	Poaceae	R	W	W	W	C	W	W	W	
102176	<i>Leymus condensatus</i> (J. Presl) Á. Löve	wildrye, giant	Poaceae	R	W	W	W	C	W	W	W	
316728	<i>Leymus racemosus</i> (Lam.) Tzvelev subsp. <i>racemosus</i>	wildrye, mammoth	Poaceae	R	W	W	W	C	W	W	W	
102175	<i>Leymus salina</i> (M. E. Jones) Á. Löve	wildrye, Saline	Poaceae	R	W	W	W	C	W	W	W	
102173	<i>Leymus triticoides</i> (Buckley) Pilg.	wildrye, beardless	Poaceae	R	W	W	W	C	W	W	W	
416347	<i>Liatris aspera</i> Michx.	blazingstar, tall	Asteraceae	F, R	W	C	W	C	W	W	W	
406931	<i>Liatris elegans</i> (Walter) Michx.	blazingstar, pink scale	Asteraceae	F, R	W	C	W	C	W	W	W	
459783	<i>Liatris ligulistylis</i> (A. Nelson) K. Schum.	blazingstar, meadow; blazingstar, Rocky Mountain	Asteraceae	F, R	W	C	W	C	W	W	W	
406936	<i>Liatris pilosa</i> (Aiton) Willd.	blazingstar, shaggy	Asteraceae	F, R	W	C	W	C	W	W	W	
22023	<i>Liatris punctata</i> Hook.	blazingstar	Asteraceae	F, R	W	C	W	C	W	W	W	
22024	<i>Liatris pycnostachya</i> Michx.	gayfeather, thickspike; snakeroot, button	Asteraceae	F, R	W	C	W	C	W	W	W	

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
22026	<i>Liatrix spicata</i> (L.) Willd.	gayfeather, spiked	Asteraceae	F, R	W	C	W	C	W	W	W
300305	<i>Liatrix</i> spp.	gayfeather	Asteraceae	F, R	W	C	W	C	W	W	W
70401	<i>Liatrix squarrosa</i> (L.) Michx.	blazingstar, scaly	Asteraceae	F, R	W	C	W	C	W	W	W
22036	<i>Libocedrus decurrens</i> Torr. = <i>Calocedrus decurrens</i> (Torr.) Florin										
402613	<i>Ligusticum porteri</i> J. M. Coult. & Rose	ligusticum, Porter; licorice-root, Porter's; osha-root	Apiaceae	F, R	W	C	W	C	W	W	W
22212	<i>Lilium regale</i> E. H. Wilson	lily, regal	Liliaceae	F	W	C	W	W	W	W	W
22242	<i>Limnanthes alba</i> Hartw. ex Benth.	meadowfoam	Limnanthaceae	A	C	W	W	W	W	W	W
419810	<i>Limnobium spongia</i> (Bosc) Rich. ex Steud.	spongeplant, American	Hydrocharitaceae	W	W	W	W	W	W	W	W
419806	<i>Limnophila indica</i> (L.) Druce	marshweed, Indian	Plantaginaceae [Gratiolaceae] [Scrophulariaceae]	W	W	W	W	W	W	W	W
316416	<i>Limnophila sessiliflora</i> Blume	ambulia	Plantaginaceae [Gratiolaceae] [Scrophulariaceae]	W	W	W	W	W	W	W	W
316729	<i>Limonium californicum</i> (Boiss.) A. Heller	rosemary, marsh	Plumbaginaceae	F	W	C	W	W	W	W	W
22283	<i>Limonium perezii</i> (Stapf) F. T. Hubb.	lavendar, sea	Plumbaginaceae	F	W	C	W	W	W	W	W
100512	<i>Limonium sinuatum</i> (L.) Mill.	statice	Plumbaginaceae	F	W	C	W	W	W	W	W
459779	<i>Linanthus aureus</i> (Nutt.) Greene var. <i>aureus</i>	linanthus, golden	Polemoniaceae	F, R	W	C	W	C	W	W	W
459771	<i>Linanthus grandiflorus</i> (Benth.) Greene	phlox, mountain; linanthus, largeflower	Polemoniaceae	F, R	W	C	W	C	W	W	W
102284	<i>Linaria dalmatica</i> (L.) Mill.	toadflax, Dalmatian	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	W	W	W	W	W	W	W	W
316730	<i>Linaria genistifolia</i> (L.) Mill.	phlox, mountain	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F	W	C	W	W	W	W	W
102285	<i>Linaria genistifolia</i> (L.) Mill. subsp. <i>dalmatica</i> (L.) Maire & Petitm. = <i>Linaria dalmatica</i> (L.) Mill.										
22288	<i>Linaria maroccana</i> Hook. f.	linaria; snapdragon, spurred; toadflax	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F, R	W	C	W	C	W	W	W
317066	<i>Linaria</i> spp.	linaria; toadflax	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F	W	C	W	W	W	W	W
102290	<i>Linaria vulgaris</i> Mill.	butter-and-eggs; toadflax, yellow	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F	W	C	W	W	W	W	W
22292	<i>Lindera benzoin</i> (L.) Blume	spicebush, common	Lauraceae	S	W	W	W	W	C	W	W
22334	<i>Linum flavum</i> L.	flax, golden	Linaceae	F	W	C	W	W	W	W	W
22335	<i>Linum grandiflorum</i> Desf.	flax, flowering	Linaceae	F, R	W	C	W	C	W	W	W
N/A	<i>Linum grandiflorum</i> Desf. 'Rubrum'	flax, scarlet	Linaceae	F, R	W	C	W	C	W	W	W
22342	<i>Linum lewisii</i> Pursh	flax, Lewis; flax, prairie	Linaceae	F, R	W	C	W	C	W	W	W
22353	<i>Linum perenne</i> L.	flax, perennial; flax, blue	Linaceae	F	W	C	W	W	W	W	W
317226	<i>Linum rubrum</i> hort. = <i>Linum grandiflorum</i> Desf. 'Rubrum'										
310085	<i>Linum</i> spp.	flax	Linaceae	W	W	W	W	W	W	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
313374	<i>Linum sulcatum</i> Riddell	flax, wild	Linaceae	W	W	W	W	W	W	W	W
22361	<i>Linum usitatissimum</i> L.	flax	Linaceae	A	C	C	C	C	C	C	C
316731	<i>Linum virginianum</i> L.	flax, woodland	Linaceae	F	W	C	W	W	W	W	W
22371	<i>Lippia nodiflora</i> (L.) Michx. = <i>Phyla nodiflora</i> (L.) Greene										
22379	<i>Liquidambar styraciflua</i> L.	sweetgum	Altingiaceae [Hamamelidaceae]	S	W	W	W	W	C	W	W
22382	<i>Liriodendron tulipifera</i> L.	tulip-poplar; yellow-poplar	Magnoliaceae	S	W	W	W	W	C	W	W
22404	<i>Lithocarpus densiflorus</i> (Hook. & Arn.) Rehder = <i>Notholithocarpus densiflorus</i> (Hook. & Arn.) Manos et al.										
317297	<i>Lithospermum arvense</i> L. = <i>Buglossoides arvensis</i> (L.) I. M. Johnst.										
316732	<i>Lithospermum incisum</i> Lehm.	gromwell, narrow-leaved	Boraginaceae	W	W	W	W	W	W	W	W
105322	<i>Lithospermum ruderale</i> Douglas ex Lehm.	gromwell, western	Boraginaceae	W	W	W	W	W	W	W	W
317067	<i>Lithospermum</i> spp.	gromwell	Boraginaceae	W	W	W	W	W	W	W	W
22456	<i>Lobelia cardinalis</i> L.	cardinal flower	Campanulaceae	F	W	C	W	W	W	W	W
22459	<i>Lobelia erinus</i> L.	lobelia, edging	Campanulaceae	F	W	C	W	W	W	W	W
22466	<i>Lobelia inflata</i> L.	tobacco, Indian	Campanulaceae	F	W	C	W	W	W	W	W
317068	<i>Lobelia</i> spp.	lobelia	Campanulaceae	F, R	W	C	W	C	W	W	W
22478	<i>Lobularia maritima</i> (L.) Desv.	alyssum, sweet	Brassicaceae	F, R	W	C	W	C	W	W	W
100773	<i>Lolium xhybridum</i> Hausskn.	ryegrass, intermediate	Poaceae	A, R	W	W	W	C	W	W	W
22493	<i>Lolium multiflorum</i> Lam.	ryegrass, annual; ryegrass, Italian	Poaceae	A, T	C	C	C	C	C	C	C
22494	<i>Lolium perenne</i> L.	ryegrass, perennial	Poaceae	A, T	C	C	C	C	C	C	C
22495	<i>Lolium persicum</i> Boiss. & Hohen.	darnel, Persian; ryegrass, Persian	Poaceae	W	W	W	W	W	W	W	W
22496	<i>Lolium remotum</i> Schrank	darnel, slender	Poaceae	W	W	W	W	W	W	W	W
22498	<i>Lolium rigidum</i> Gaudin	ryegrass, Wimmera	Poaceae	A	C	C	C	C	C	C	C
300314	<i>Lolium</i> spp.	ryegrass	Poaceae	A, T	C	W	W	C	W	C	W
22502	<i>Lolium temulentum</i> L.	darnel; ryegrass, poison	Poaceae	W	W	W	W	W	W	W	W
102115	<i>Lomatium dissectum</i> (Nutt.) Mathias & Constance	biscuitroot	Apiaceae	R	W	W	W	C	W	W	W
316733	<i>Lomatium geyeri</i> (S. Watson) J. M. Coult. & Rose	biscuitroot, Geyer	Apiaceae	W	W	W	W	W	W	W	W
448197	<i>Lomatium grayi</i> (J. M. Coult. & Rose) J. M. Coult. & Rose	biscuitroot, Gray's	Apiaceae	R	W	W	W	C	W	W	W
411269	<i>Lomatium macrocarpum</i> (Nutt. ex Torr. & A. Gray) J. M. Coult. & Rose	lomatum, stinking; biscuitroot, bigseed	Apiaceae	R	W	W	W	C	W	W	W
448198	<i>Lomatium nudicaule</i> (Pursh) J. M. Coult. & Rose	biscuitroot, barestem	Apiaceae	R	W	W	W	C	W	W	W
316734	<i>Lomatium simplex</i> (Nutt. ex S. Watson) J. F. Macbr. = <i>Lomatium triternatum</i> (Pursh) J. M. Coult. & Rose subsp. <i>platycarpum</i> (Torr.) Cronquist										
317069	<i>Lomatium</i> spp.	biscuitroot	Apiaceae	R	W	W	W	C	W	W	W
448013	<i>Lomatium triternatum</i> (Pursh) J. M. Coult. & Rose subsp. <i>platycarpum</i> (Torr.) Cronquist	biscuitroot, narrow-leaf; lomatum, narrow-leaf	Apiaceae	W	W	W	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
402936	<i>Lomelosia caucasica</i> (M. Bieb.) Greuter & Burdet	scabiosa, perennial	Caprifoliaceae [Dipsacaceae]	F	W	C	W	W	W	W	W	W
22588	<i>Lonicera japonica</i> Thunb.	honeysuckle, common	Caprifoliaceae	S	W	W	W	W	C	W	W	W
22644	<i>Lonicera tatarica</i> L.	honeysuckle, Tartarian	Caprifoliaceae	S	W	W	W	W	C	W	W	W
22680	<i>Lotus americanus</i> (Nutt.) Bisch., nom. illeg. = <i>Acmispon americanus</i> (Nutt.) Rydb.											
22681	<i>Lotus angustissimus</i> L.	deervetch, slender-pod	Fabaceae	W	W	W	W	W	W	W	W	W
300317	<i>Lotus corniculatus</i> L.	trefoil, birdsfoot	Fabaceae	A, R	C	C	C	C	C	C	C	C
319764	<i>Lotus glaber</i> Mill. = <i>Lotus tenuis</i> Waldst. & Kit. ex Willd.											
22720	<i>Lotus hispidus</i> Desf. ex DC. = <i>Lotus parviflorus</i> Desf.											
100288	<i>Lotus micranthus</i> Benth. = <i>Acmispon parviflorus</i> (Benth.) D. D. Sokoloff											
22732	<i>Lotus parviflorus</i> Desf.	deervetch, hispid	Fabaceae	W	W	W	W	W	W	W	W	W
22733	<i>Lotus pedunculatus</i> Cav.	trefoil, big	Fabaceae	A, R	C	C	W	C	W	C	W	W
22735	<i>Lotus purshianus</i> Clem. & E. G. Clem. = <i>Acmispon americanus</i> (Nutt.) Rydb.											
70418	<i>Lotus scoparius</i> (Nutt.) Ottley = <i>Acmispon glaber</i> (Vogel) Brouillet											
22744	<i>Lotus tenuis</i> Waldst. & Kit. ex Willd.	trefoil, narrow-leaf birdsfoot	Fabaceae	A	W	C	W	C	W	W	W	C
100286	<i>Lotus uliginosus</i> Schkuhr	trefoil, big	Fabaceae	A, R	C	C	C	C	C	C	C	C
317846	<i>Lotus unifoliolatus</i> (Hook.) Benth. = <i>Acmispon americanus</i> (Nutt.) Rydb.											
316902	<i>Ludwigia alternifolia</i> L.	seedbox	Onagraceae	W	W	W	W	W	W	W	W	W
403743	<i>Ludwigia peruviana</i> (L.) H. Hara	primrose-willow, Peruvian	Onagraceae	W	W	W	W	W	W	W	W	W
22788	<i>Luffa aegyptiaca</i> Mill.	sponge gourd; sponge, vegetable	Cucurbitaceae	F, V	W	C	W	W	W	W	W	C
22794	<i>Lunaria annua</i> L.	honesty; moneyplant; silver-dollar; lunaria	Brassicaceae	F	W	C	W	W	W	W	W	W
22799	<i>Lupinus albicaulis</i> Douglas	lupine, sicklekeel	Fabaceae	F, R	W	C	W	C	W	W	W	W
22802	<i>Lupinus albus</i> L.	lupine, white	Fabaceae	A, F	C	C	C	C	C	C	C	C
22803	<i>Lupinus alpestris</i> A. Nelson = <i>Lupinus argenteus</i> Pursh var. <i>rubricaulis</i> (Greene) S. L. Welsh											
22805	<i>Lupinus angustifolius</i> L.	lupine, blue; lupine, narrow-leaved	Fabaceae	A, F	C	C	C	C	W	W	W	W
22807	<i>Lupinus arboreus</i> Sims	lupine, tree	Fabaceae	F, R	W	C	W	C	W	W	W	W
22808	<i>Lupinus arbustus</i> Douglas ex Lindl.	lupine, longspur	Fabaceae	F, R, S	W	C	W	C	C	W	W	W
316735	<i>Lupinus arcticus</i> S. Watson	lupine, arctic	Fabaceae	F	W	C	W	W	W	W	W	W
22809	<i>Lupinus argenteus</i> Pursh	lupine, silvery	Fabaceae	R	W	W	W	C	W	W	W	W
403052	<i>Lupinus argenteus</i> Pursh var. <i>heteranthus</i> (S. Watson) Barneby	lupine, tailcup	Fabaceae	F, R	W	C	W	C	W	W	W	W
403050	<i>Lupinus argenteus</i> Pursh var. <i>rubricaulis</i> (Greene) S. L. Welsh	lupine, mountian	Fabaceae	F, R	W	C	W	C	W	W	W	W
315905	<i>Lupinus arizonicus</i> (S. Watson) S. Watson	lupine, desert	Fabaceae	F, R	W	C	W	C	W	W	W	W

## AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
22812	<i>Lupinus bicolor</i> Lindl.	lupine, miniature	Fabaceae	F, R	W	C	W	C	W	W	W
22814	<i>Lupinus caudatus</i> Kellogg = <i>Lupinus argenteus</i> Pursh var. <i>heteranthus</i> (S. Watson) Barneby										
316736	<i>Lupinus densiflorus</i> Benth. var. <i>aureus</i> (Kellogg) Munz = <i>Lupinus microcarpus</i> Sims var. <i>densiflorus</i> (Benth.) Jeps.										
448200	<i>Lupinus excubitus</i> M. E. Jones	lupine, bush	Fabaceae	F, R, S	W	C	W	C	C	W	W
22829	<i>Lupinus latifolius</i> J. Agardh	lupine, broadleaf	Fabaceae	F, R	W	C	W	C	W	W	W
22831	<i>Lupinus lepidus</i> Douglas ex Lindl.	lupine, Pacific	Fabaceae	F, R	W	C	W	C	W	W	W
22838	<i>Lupinus luteus</i> L.	lupine, yellow	Fabaceae	A, F	C	C	W	C	C	C	C
401705	<i>Lupinus microcarpus</i> Sims var. <i>densiflorus</i> (Benth.) Jeps.	lupine, golden	Fabaceae	F	W	C	W	C	W	W	W
22845	<i>Lupinus nanus</i> Douglas ex Benth.	lupine, sky-blue-and-white	Fabaceae	F	W	C	W	C	W	W	W
22847	<i>Lupinus nootkatensis</i> Donn ex Sims	lupine, Nootka	Fabaceae	W	W	W	W	W	W	W	W
22852	<i>Lupinus perennis</i> L.	lupine, wild	Fabaceae	F, R	W	C	W	C	W	W	W
22855	<i>Lupinus polyphyllus</i> Lindl.	lupine, Russell hybrids	Fabaceae	F	W	C	W	W	W	W	W
22905	<i>Lupinus sericeus</i> Pursh	lupine, silky	Fabaceae	F, R	W	C	W	C	W	W	W
315904	<i>Lupinus sparsiflorus</i> Benth.	lupine, desert; lupine, Mojave	Fabaceae	F, R	W	C	W	C	W	W	W
300335	<i>Lupinus</i> spp.	lupine	Fabaceae	F, R	W	C	W	C	W	W	W
22907	<i>Lupinus subcarneus</i> Hook.	bluebonnet, Texas	Fabaceae	F	W	C	W	C	W	W	W
22908	<i>Lupinus succulentus</i> Douglas ex K. Koch	lupine, arroyo	Fabaceae	F	W	C	W	C	W	W	W
315908	<i>Lupinus texensis</i> Hook.	lupine, Texas	Fabaceae	F	W	C	W	C	W	W	W
317070	<i>Luzula</i> spp.	wood rush	Juncaceae	W	W	W	W	W	W	W	W
316737	<i>Luzula sylvatica</i> (Huds.) Gaudin	wood rush, greater	Juncaceae	F	W	W	W	W	W	W	W
310831	<i>Lychnis alba</i> Mill. = <i>Silene latifolia</i> Poir.										
100516	<i>Lychnis chalcedonica</i> L. = <i>Silene chalcedonica</i> (L.) E. H. L. Krause										
22928	<i>Lychnis coronaria</i> (L.) Desr. = <i>Silene coronaria</i> (L.) Clairv.										
317227	<i>Lychnis dioica</i> L. = <i>Silene dioica</i> (L.) Clairv.										
317071	<i>Lychnis</i> spp. = <i>Silene</i> spp.										
316738	<i>Lychnis viscaria</i> L. = <i>Silene viscaria</i> (L.) Borkh.										
448201	<i>Lycium andersonii</i> A. Gray	wolfberry; water-jacket	Solanaceae	R, S	W	W	W	C	C	W	W
452182	<i>Lycium cooperi</i> A. Gray	peachthorn	Solanaceae	R, S	W	W	W	C	C	W	W
316381	<i>Lycium ferocissimum</i> Miers	boxthorn, African	Solanaceae	W	W	W	W	W	W	W	W
313141	<i>Lycopersicon esculentum</i> Mill. var. <i>esculentum</i> = <i>Solanum lycopersicum</i> L. var. <i>lycopersicum</i>										
103078	<i>Lycopersicon lycopersicum</i> (L.) H. Karst. = <i>Solanum lycopersicum</i> L. var. <i>lycopersicum</i>										
317072	<i>Lycopus</i> spp.	bugleweed	Lamiaceae	W	W	W	W	W	W	W	W
316739	<i>Lycopus virginicus</i> L.	bugleweed, Virginia	Lamiaceae	W	W	W	W	W	W	W	W
22989	<i>Lycurus phleoides</i> Kunth	wolftail	Poaceae	W	W	W	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
316740	<i>Lygodesmia juncea</i> (Pursh) D. Don	skeletonplant	Asteraceae	W	W	W	W	W	W	W	W
316741	<i>Lysimachia nummularia</i> L.	moneywort	Primulaceae [Myrsinaceae]	F	W	C	W	W	W	W	W
317073	<i>Lysimachia</i> spp.	loosestrife	Primulaceae [Myrsinaceae]	W	W	W	W	W	W	W	W
316742	<i>Lythrum hyssopifolia</i> L.	loosestrife, hyssop	Lythraceae	W	W	W	W	W	W	W	W
23022	<i>Lythrum salicaria</i> L.	loosestrife, purple; lythrum, purple	Lythraceae	F	W	W	W	W	W	W	W
317074	<i>Lythrum</i> spp.	lythrum	Lythraceae	W	W	W	W	W	W	W	W
403433	<i>Lythrum virgatum</i> L.	loosestrife, purple	Lythraceae	W	W	W	W	W	W	W	W
316743	<i>Machaeranthera bigelovii</i> (A. Gray) Greene = <i>Dieteria bigelovii</i> (A. Gray) D. R. Morgan & R. L. Hartm. var. <i>bigelovii</i>										
316960	<i>Machaeranthera canescens</i> (Pursh) A. Gray = <i>Dieteria canescens</i> (Pursh) Nutt. var. <i>canescens</i>										
104415	<i>Machaeranthera pinnatifida</i> (Hook.) Shinnars = <i>Xanthisma spinulosum</i> (Pursh) D. R. Morgan & R. L. Hartm.										
317298	<i>Machaeranthera spinulosa</i> Greene = <i>Dieteria canescens</i> (Pursh) Nutt. var. <i>canescens</i>										
104416	<i>Machaeranthera tanacetifolia</i> (Kunth) Nees	aster, tansy; daisy, Tahoka	Asteraceae	F	W	C	W	C	W	W	W
454225	<i>Madia elegans</i> D. Don ex Lindl.	madia, common	Asteraceae	R	W	W	W	C	W	W	W
316744	<i>Madia glomerata</i> Hook.	tarweed, cluster	Asteraceae	W	W	W	W	W	W	W	W
23084	<i>Madia sativa</i> Molina	tarweed, Chilean	Asteraceae	W	W	W	W	W	W	W	W
23108	<i>Magnolia grandiflora</i> L.	magnolia, southern	Magnoliaceae	S	W	W	W	W	C	W	W
23157	<i>Mahonia aquifolium</i> (Pursh) Nutt. = <i>Berberis aquifolium</i> Pursh										
103140	<i>Mahonia fremontii</i> (Torr.) Fedde = <i>Berberis fremontii</i> Torr.										
23160	<i>Mahonia haematocarpa</i> (Wooton) Fedde = <i>Berberis haematocarpa</i> Wooton										
23172	<i>Mahonia repens</i> (Lindl.) G. Don = <i>Berberis repens</i> Lindl.										
105082	<i>Mahonia trifoliolata</i> (Moric.) Fedde = <i>Berberis trifoliolata</i> Moric.										
317228	" <i>Majorana majorana</i> (L.) H. Karst., nom. inval." = <i>Origanum majorana</i> L.										
316903	<i>Malachra alceifolia</i> Jacq.	malachra	Malvaceae	W	W	W	W	W	W	W	W
23183	<i>Malacothrix coulteri</i> Harv. & A. Gray	snake's-head	Asteraceae	F, R	W	C	W	C	W	W	W
452896	<i>Malacothrix glabrata</i> (A. Gray ex D. C. Eaton) A. Gray	desert-dandelion, smooth	Asteraceae	F, R	W	C	W	C	W	W	W
476202	<i>Malacothrix saxatilis</i> (Nutt.) Torr. & A. Gray	desert-dandelion, cliff	Asteraceae	R	W	W	W	C	W	W	W
100518	<i>Malcolmia maritima</i> (L.) W. T. Aiton	stocks, Virginia	Brassicaceae	F	W	C	W	W	W	W	W
104681	<i>Malus domestica</i> Borkh.	apple	Rosaceae	S	W	W	W	W	C	W	W
300350	<i>Malus</i> spp.	apple; crabapple	Rosaceae	S	W	W	W	W	C	W	W
23279	<i>Malus sylvestris</i> (L.) Mill.	apple; crabapple	Rosaceae	S	W	W	W	W	C	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
23300	<i>Malva crispa</i> (L.) L. = <i>Malva verticillata</i> L. var. <i>crispa</i> L.											
104912	<i>Malva moschata</i> L.	mallow, musk	Malvaceae	W	W	W	W	W	W	W	W	W
23305	<i>Malva neglecta</i> Wallr.	mallow, common	Malvaceae	W	W	W	W	W	W	W	W	W
90031	<i>Malva parviflora</i> L.	mallow, little	Malvaceae	W	W	W	W	W	W	W	W	W
105654	<i>Malva pusilla</i> Sm.	mallow, roundleaf; mallow, round-leaved	Malvaceae	W	W	W	W	W	W	W	W	W
105655	<i>Malva rotundifolia</i> L. = <i>Malva pusilla</i> Sm.											
311601	<i>Malva</i> spp.	mallow	Malvaceae	W	W	W	W	W	W	W	W	W
23307	<i>Malva sylvestris</i> L.	mallow, high; mallow, woodland	Malvaceae	W	W	W	W	W	W	W	W	W
23312	<i>Malva verticillata</i> L.	mallow, whorled	Malvaceae	W	W	W	W	W	W	W	W	W
318558	<i>Malva verticillata</i> L. var. <i>crispa</i> L.	mallow, curly	Malvaceae	W	W	W	W	W	W	W	W	W
23314	<i>Malvastrum coromandelianum</i> (L.) Garcke	mallow, beaked	Malvaceae	W	W	W	W	W	W	W	W	W
316961	<i>Malvastrum hispidum</i> (Pursh) Hochr.	mallow, false-yellow	Malvaceae	W	W	W	W	W	W	W	W	W
105665	<i>Malvella leprosa</i> (Ortega) Krapov.	mallow, alkali; sida, alkali	Malvaceae	R	W	W	W	W	W	W	W	W
23450	<i>Marrubium vulgare</i> L.	horehound, white	Lamiaceae	H, R	W	W	W	W	W	W	W	W
316745	<i>Marsilea vestita</i> Hook. & Grev.	pepperwort, hairy	Marsileaceae	W	W	W	W	W	W	W	W	W
317229	<i>Martynia louisianica</i> Mill. = <i>Proboscidea louisianica</i> (Mill.) Thell. subsp. <i>louisianica</i>											
23475	<i>Matricaria chamomilla</i> L.	chamomile, German; chamomile, sweet false; chamomile, wild	Asteraceae	H	W	W	W	W	W	W	W	W
104425	<i>Matricaria discoidea</i> DC.	pineappleweed	Asteraceae	W	W	W	W	W	W	W	W	W
104427	<i>Matricaria inodora</i> L. = <i>Tripleurospermum inodorum</i> (L.) Sch. Bip.											
318350	<i>Matricaria maritima</i> L. = <i>Tripleurospermum maritimum</i> (L.) W. D. J. Koch subsp. <i>maritimum</i>											
104433	<i>Matricaria matricarioides</i> auct. = <i>Matricaria discoidea</i> DC.											
104434	<i>Matricaria perforata</i> Mérat = <i>Tripleurospermum inodorum</i> (L.) Sch. Bip.											
104435	<i>Matricaria recutita</i> L. = <i>Matricaria chamomilla</i> L.											
317075	<i>Matricaria</i> spp.	matricaria	Asteraceae	F	W	C	W	W	W	W	W	W
317230	<i>Matthiola bicornis</i> (Sm.) DC. = <i>Matthiola longipetala</i> (Vent.) DC. subsp. <i>bicornis</i> (Sm.) P. W. Ball											
23480	<i>Matthiola incana</i> (L.) W. T. Aiton	stocks, common	Brassicaceae	F	W	C	W	W	W	W	W	W
105496	<i>Matthiola longipetala</i> (Vent.) DC. subsp. <i>bicornis</i> (Sm.) P. W. Ball	stocks, evening-scented	Brassicaceae	F	W	C	W	W	W	W	W	W
447681	<i>Mauranthemum paludosum</i> (Poir.) Vogt & Oberpr.	daisy, dwarf	Asteraceae	F	W	C	W	W	W	W	W	W
23555	<i>Medicago arabica</i> (L.) Huds.	burclover, spotted; medic, spotted	Fabaceae	A	C	C	C	C	C	C	C	C



Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
23581	<i>Medicago falcata</i> L. = <i>Medicago sativa</i> L. subsp. <i>falcata</i> (L.) Arcang.											
23592	<i>Medicago hispida</i> Gaertn. = <i>Medicago polymorpha</i> L.											
23613	<i>Medicago lupulina</i> L.	medic, black	Fabaceae	A	C	W	W	C	W	C	C	
23636	<i>Medicago orbicularis</i> (L.) Bartal.	buttonclover	Fabaceae	A	C	C	W	C	C	C	C	W
23645	<i>Medicago polymorpha</i> L.	burclover, California	Fabaceae	A	C	C	C	C	C	C	C	C
23668	<i>Medicago rigidula</i> (L.) All.	burclover, Tifton	Fabaceae	R	W	W	W	C	W	W	W	
104918	<i>Medicago sativa</i> L. subsp. <i>falcata</i> (L.) Arcang.	alfalfa, Siberian; alfalfa, yellow-flowered	Fabaceae	A	C	C	C	C	C	C	C	C
300359	<i>Medicago sativa</i> L. subsp. <i>sativa</i>	alfalfa; lucerne	Fabaceae	A	C	C	C	C	C	C	C	C
300363	<i>Medicago</i> spp.	medic	Fabaceae	W	W	W	W	W	W	W	W	W
23705	<i>Medicago truncatula</i> Gaertn.	barrelclover	Fabaceae	A	C	C	W	C	C	C	C	W
23713	<i>Medicago turbinata</i> (L.) All.	medic, cogwheel	Fabaceae	W	W	W	W	W	W	W	W	W
23723	<i>Medinilla venosa</i> (Blume) Blume		Melastomataceae	W	W	W	W	W	W	W	W	W
447623	<i>Megathyrsus maximus</i> (Jacq.) B. K. Simon & S. W. L. Jacobs	guineagrass; panicgrass, green	Poaceae	A	C	C	C	C	C	C	C	C
105723	<i>Melaleuca quinquenervia</i> (Cav.) S. T. Blake	melaleuca; paperbark, broadleaf; teatree, broadleaf; teatree, paperbark	Myrtaceae	W	W	W	W	W	W	W	W	W
23910	<i>Melampyrum arvense</i> L.	wheat, cow	Orobanchaceae [Scrophulariaceae]	W	W	W	W	W	W	W	W	W
23928	<i>Melastoma malabathricum</i> L.	melastoma, banks; rhododendron, Indian	Melastomataceae	W	W	W	W	W	W	W	W	W
414937	<i>Melica californica</i> Scribn.	melic, California	Poaceae	R	W	W	W	C	W	W	W	W
23989	<i>Melilotus albus</i> Medik.	sweetclover, white; sweetclover, hubam	Fabaceae	A	C	C	C	C	C	C	C	C
23990	<i>Melilotus albus</i> Medik. var. <i>annuus</i> H. S. Coe = <i>Melilotus albus</i> Medik.											
24000	<i>Melilotus indicus</i> (L.) All.	sourclover	Fabaceae	A	C	C	C	C	C	C	C	C
24009	<i>Melilotus officinalis</i> (L.) Lam.	sweetclover, yellow	Fabaceae	A	C	C	C	C	C	C	C	C
300369	<i>Melilotus</i> spp.	sweetclover	Fabaceae	A	C	C	C	C	C	C	C	C
24025	<i>Melinis minutiflora</i> P. Beauv.	molassesgrass	Poaceae	A	C	W	W	C	W	C	W	
409666	<i>Melinis repens</i> (Willd.) Zizka	natalgrass	Poaceae	F, R	W	W	W	W	W	W	W	W
24036	<i>Melissa officinalis</i> L.	balm; balm, lemon	Lamiaceae	H	W	W	C	W	W	W	W	W
316904	<i>Melochia corchorifolia</i> L.	chocolateweed; redweed	Malvaceae [Sterculiaceae]	W	W	W	W	W	W	W	W	W
459798	<i>Menodora spinescens</i> A. Gray	menodora, spiny	Oleaceae	R, S	W	W	W	C	C	W	W	
24069	<i>Mentha arvensis</i> L.	mint, field	Lamiaceae	W	W	W	W	W	W	W	W	W
313999	<i>Mentha arvensis</i> L. var. <i>glabrata</i> (Benth.) Fernald = <i>Mentha canadensis</i> L.											
313998	<i>Mentha canadensis</i> L.	mint, Canada	Lamiaceae	W	W	W	W	W	W	W	W	W
24078	<i>Mentha x piperita</i> L.	peppermint	Lamiaceae	H	W	W	C	W	W	W	W	W
24082	<i>Mentha spicata</i> L.	mint, curled; spearmint	Lamiaceae	H	W	W	C	W	W	W	W	W
313210	<i>Mentha</i> spp.	mint	Lamiaceae	H	W	W	C	W	W	W	W	C
316746	<i>Mentzelia albicaulis</i> (Douglas) Douglas ex Torr. & A. Gray	mentzelia, whitestem	Loasaceae	H, R	W	W	W	W	W	W	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
316747	<i>Mentzelia dispersa</i> S. Watson	mentzelia, bushy	Loasaceae	W	W	W	W	W	W	W	W
457059	<i>Mentzelia eremophila</i> (Jeps.) H. J. Thomps. & J. E. Roberts	blazingstar, pinyon	Loasaceae	F, R	W	C	W	C	W	W	W
316748	<i>Mentzelia laevicaulis</i> (Douglas) Torr. & A. Gray	blazingstar	Loasaceae	F	W	C	W	W	W	W	W
316749	<i>Mentzelia lindleyi</i> Torr. & A. Gray	stickleaf	Loasaceae	F, R	W	C	W	C	W	W	W
316750	<i>Mentzelia nuda</i> (Pursh) Torr. & A. Gray	mentzelia, bractless	Loasaceae	W	W	W	W	W	W	W	W
317076	<i>Mertensia</i> spp.	bluebell	Boraginaceae	F	W	C	W	W	W	W	W
466116	<i>Mesosphaerum pectinatum</i> (L.) Kuntze	hyptis, comb	Lamiaceae	W	W	W	W	W	W	W	W
466118	<i>Mesosphaerum suaveolens</i> (L.) Kuntze	spikenard, wild	Lamiaceae	W	W	W	W	W	W	W	W
312413	<i>Miconia</i> spp.	miconia	Melastomataceae	W	W	W	W	W	W	W	W
412995	<i>Microseris laciniata</i> (Hook.) Sch. Bip.	silverpuffs, cutleaf	Asteraceae	R	W	W	W	C	W	W	W
317077	<i>Microseris</i> spp.	cat's-ear, false; microseris	Asteraceae	W	W	W	W	W	W	W	W
316751	<i>Microstegium vimineum</i> (Trin.) A. Camus	stiltgrass, Japanese	Poaceae	W	W	W	W	W	W	W	W
24276	<i>Microsteris gracilis</i> (Hook.) Greene	gilia	Polemoniaceae	W	W	W	W	W	W	W	W
316382	<i>Mikania cordata</i> (Burm. f.) B. L. Rob.	mile-a-minute	Asteraceae	W	W	W	W	W	W	W	W
316383	<i>Mikania micrantha</i> Kunth	mile-a-minute vine	Asteraceae	W	W	W	W	W	W	W	W
104438	<i>Mikania scandens</i> (L.) Willd.	hempweed, climbing	Asteraceae	W	W	W	W	W	W	W	W
313380	<i>Mimosa diplotricha</i> C. Wright	sensitive-plant, giant	Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W
24376	<i>Mimosa invisiva</i> Mart., nom. illeg. = <i>Mimosa diplotricha</i> C. Wright										
24400	<i>Mimosa pigra</i> L.	mimosa, catclaw	Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W
24405	<i>Mimosa pudica</i> L.	sensitive-plant	Fabaceae [Mimosaceae]	F	W	C	W	W	W	W	W
320381	<i>Mimosa quadrivalvis</i> L. var. <i>nuttallii</i> (DC. ex Britton & Rose) L. S. Beard ex Barneby	schranksia, catsclaw; sensitivebrier	Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W
448020	<i>Mimulus aurantiacus</i> Curtis var. <i>aurantiacus</i> = <i>Diplacus aurantiacus</i> (Curtis) Jeps.										
451429	<i>Mimulus aurantiacus</i> Curtis var. <i>pubescens</i> (Torr.) D. M. Thomps. = <i>Diplacus longiflorus</i> Nutt.										
451427	<i>Mimulus aurantiacus</i> Curtis var. <i>puniceus</i> (Nutt.) D. M. Thomps. = <i>Diplacus puniceus</i> Nutt.										
24440	<i>Mimulus cardinalis</i> Douglas ex Benth. = <i>Erythranthe cardinalis</i> (Douglas ex Benth.) Spach										
24442	<i>Mimulus guttatus</i> DC. = <i>Erythranthe</i> <i>guttata</i> (DC.) G. L. Nesom										
316752	<i>Mimulus xhybridus</i> hort. ex Voss	monkeyflower, tiger	Phrymaceae [Scrophulariaceae]	F	W	C	W	W	W	W	W
448210	<i>Mimulus lewisii</i> Pursh = <i>Erythranthe</i> <i>lewisii</i> (Pursh) G. L. Nesom & Fraga										
317231	<i>Mimulus longiflorus</i> (Nutt.) A. L. Grant = <i>Diplacus longiflorus</i> Nutt.										
317300	<i>Mimulus puniceus</i> (Nutt.) Steud. = <i>Diplacus puniceus</i> Nutt.										

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
311602	<i>Mimulus</i> spp.	monkeyflower	Phrymaceae [Scrophulariaceae]	F, R	W	C	W	C	W	W	W
317232	<i>Mimulus tigrinus</i> hort. = <i>Mimulus</i> <i>xhybridus</i> hort. ex Voss										
24469	<i>Mirabilis jalapa</i> L.	four-o'clock, common; marvel-of-Peru	Nyctaginaceae	F, R	W	C	W	C	W	W	W
455876	<i>Mirabilis laevis</i> (Benth.) Curran var. <i>villosa</i> (Kellogg) Spellensb.	wishbone-bush	Nyctaginaceae	R, S	W	W	W	C	C	W	W
316753	<i>Mirabilis nyctaginea</i> (Michx.) MacMill.	four-o'clock, wild	Nyctaginaceae	R	W	W	W	C	W	W	W
310955	<i>Mirabilis</i> spp.	four-o'clock	Nyctaginaceae	F, R	W	C	W	C	W	W	W
24482	<i>Miscanthus floridulus</i> (Labill.) Warb. ex K. Schum. & Lauterb.	canegrass; plumegrass, Japanese	Poaceae	W	W	W	W	W	W	W	W
24484	<i>Miscanthus japonicus</i> Andersson = <i>Miscanthus floridulus</i> (Labill.) Warb. ex K. Schum. & Lauterb.										
316988	<i>Misopates orontium</i> (L.) Raf.	snapdragon, little	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F	W	C	W	W	W	W	W
433176	<i>Mnesithea granularis</i> (L.) de Koning & Sosef	grass, lizardtail	Poaceae	W	W	W	W	W	W	W	W
317233	<i>Moldavica parviflora</i> (Nutt.) Britton = <i>Dracocephalum parviflorum</i> Nutt.										
24515	<i>Molinia caerulea</i> (L.) Moench	moorgrass; pearlgrass, blue	Poaceae	W	W	W	W	W	W	W	W
101375	<i>Mollugo verticillata</i> L.	carpetweed	Molluginaceae	W	W	W	W	W	W	W	W
100521	<i>Moluccella laevis</i> L.	bells-of-Ireland	Lamiaceae	F	W	C	W	W	W	W	W
312135	<i>Monarda citriodora</i> Cerv. ex Lag.	mint, lemon	Lamiaceae	F, R	W	C	W	C	W	W	W
24535	<i>Monarda didyma</i> L.	bee-balm; bergamot; oswego-tea	Lamiaceae	F	W	C	W	W	W	W	W
24536	<i>Monarda fistulosa</i> L.	bergamot, wild	Lamiaceae	F, R, S	W	C	W	C	C	W	W
312138	<i>Monarda pectinata</i> Nutt.	beebalm	Lamiaceae	F, R	W	C	W	C	W	W	W
24538	<i>Monarda punctata</i> L.	horsemint	Lamiaceae	W	W	W	W	W	W	W	W
316384	<i>Monochoria hastata</i> (L.) Solms	hastate-leaf- pondweed; monochoria, arrow- leaf; monochoria	Pontederiaceae	W	W	W	W	W	W	W	W
316385	<i>Monochoria vaginalis</i> (Burm. f.) C. Presl ex Kunth	pickerel-weed; monochoria, oval-leaf; oval-leaf-pondweed	Pontederiaceae	W	W	W	W	W	W	W	W
316905	<i>Monolepis nuttalliana</i> (Schult.) Greene = <i>Blitum nuttallianum</i> Schult.										
24561	<i>Montanoa hibiscifolia</i> Benth.	daisy, tree	Asteraceae	W	W	W	W	W	W	W	W
316754	<i>Montia linearis</i> (Douglas) Greene	montia, narrow-leaved	Montiaceae [Portulacaceae]	W	W	W	W	W	W	W	W
317301	<i>Montia perfoliata</i> (Donn ex Willd.) Howell = <i>Claytonia perfoliata</i> Donn ex Willd.										
318062	<i>Moraea</i> spp.	cape-tulip	Iridaceae	W	W	W	W	W	W	W	W
413127	<i>Morella faya</i> (Aiton) Wilbur	candleberry-myrtle; fayatree; firetree	Myricaceae	W	W	W	W	W	W	W	W

## AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
24638	<i>Mucuna deeringiana</i> (Bort) Merr. = <i>Mucuna pruriens</i> (L.) DC. var. <i>utilis</i> (Wall. ex Wight) Baker ex Burck											
310522	<i>Mucuna pruriens</i> (L.) DC. var. <i>utilis</i> (Wall. ex Wight) Baker ex Burck	velvetbean	Fabaceae	A	C	C	C	C	C	C	C	C
24672	<i>Muhlenbergia asperifolia</i> (Nees & Meyen ex Trin.) Parodi	muhly, alkali; grass, scratch	Poaceae	W	W	W	W	W	W	W	W	W
476212	<i>Muhlenbergia expansa</i> (Poir.) Trin.	muhly, cutover	Poaceae	R	W	W	W	C	W	W	W	W
316755	<i>Muhlenbergia filiformis</i> (Thurb. ex S. Watson) Rydb.	muhly, pullup	Poaceae	W	W	W	W	W	W	W	W	W
316756	<i>Muhlenbergia frondosa</i> (Poir.) Fernald	muhly, wirestem	Poaceae	W	W	W	W	W	W	W	W	W
104932	<i>Muhlenbergia montana</i> (Nutt.) Hitchc.	muhly, mountain	Poaceae	R	C	W	W	C	W	W	W	W
316757	<i>Muhlenbergia racemosa</i> (Michx.) Britton et al.	muhly, green; muhly, marsh	Poaceae	W	W	W	W	W	W	W	W	W
455163	<i>Muhlenbergia rigens</i> (Benth.) Hitchc.	deer grass	Poaceae	R	W	W	W	C	W	W	W	W
24683	<i>Muhlenbergia schreberi</i> J. F. Gmel.	nimblewill	Poaceae	W	W	W	W	W	W	W	W	W
300382	<i>Muhlenbergia</i> spp.	grass, scratch	Poaceae	R	W	W	W	C	W	W	W	W
24685	<i>Muhlenbergia wrightii</i> Vasey ex J. M. Coult.	muhly, spike	Poaceae	R	W	W	W	C	W	W	W	W
316906	<i>Munroa squarrosa</i> (Nutt.) Torr.	buffalograss, false	Poaceae	F	W	C	W	W	W	W	W	W
24755	<i>Muscari comosum</i> (L.) Mill.	hyacinth, grape; hyacinth, tassel	Asparagaceae [Hyacinthaceae] [Liliaceae]	F	W	C	W	W	W	W	W	W
316758	<i>Myosotis alpestris</i> F. W. Schmidt	forget-me-not, alpine	Boraginaceae	F, R	W	C	W	C	W	W	W	W
404704	<i>Myosotis alpestris</i> hort. = <i>Myosotis sylvatica</i> Hoffm.											
24809	<i>Myosotis arvensis</i> (L.) Hill	forget-me-not, field	Boraginaceae	F	W	C	W	W	W	W	W	W
24815	<i>Myosotis scorpioides</i> L.	forget-me-not, common; myosotis	Boraginaceae	F	W	C	W	W	W	W	W	W
24818	<i>Myosotis sylvatica</i> Hoffm.	forget-me-not, garden; forget-me-not, wood	Boraginaceae	F, R	W	C	W	C	W	W	W	W
401760	<i>Myosoton aquaticum</i> (L.) Moench	chickweed, giant	Caryophyllaceae	W	W	W	W	W	W	W	W	W
24841	<i>Myrica faya</i> Aiton = <i>Morella faya</i> (Aiton) Wilbur											
400094	<i>Myriophyllum spicatum</i> L.	watermilfoil, Eurasian	Haloragaceae	W	W	W	W	W	W	W	W	W
316907	<i>Nama hispida</i> A. Gray	bells, sand	Namaceae [Boraginaceae] [Hydrophyllaceae]	F	W	C	W	C	C	W	W	W
402078	<i>Nassella cernua</i> (Stebbins & Á. Löve) Barkworth	stipa, nodding	Poaceae	R	W	W	W	C	W	W	W	W
465916	<i>Nassella lepida</i> (Hitchc.) Barkworth	needlegrass, foothill	Poaceae	R	W	W	W	C	W	W	W	W
402091	<i>Nassella pulchra</i> (Hitchc.) Barkworth	stipa, purple	Poaceae	R	W	W	W	C	W	W	W	W
316386	<i>Nassella trichotoma</i> (Nees) Hack. ex Arechav.	tussock, serrated	Poaceae	W	W	W	W	W	W	W	W	W
402095	<i>Nassella viridula</i> (Trin.) Barkworth	needlegrass, green	Poaceae	R	W	W	W	C	W	W	W	W
25072	<i>Nasturtium officinale</i> W. T. Aiton	watercress	Brassicaceae	V	W	W	W	W	W	W	W	C
316908	<i>Navarretia intertexta</i> (Benth.) Hook.	navarretia, needleleaved	Polemoniaceae	W	W	W	W	W	W	W	W	W
316909	<i>Navarretia squarrosa</i> (Eschsch.) Hook. & Arn.	skunkweed	Polemoniaceae	W	W	W	W	W	W	W	W	W
316997	<i>Nemesia</i> spp.	nemesia	Scrophulariaceae	F	W	C	W	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
100864	<i>Nemophila maculata</i> Benth. ex Lindl.	nemophila, spotted; fivespot	Hydrophyllaceae [Boraginaceae]	F, R	W	C	W	C	W	W	W
316759	<i>Nemophila menziesii</i> Hook. & Arn.	baby-blue-eyes	Hydrophyllaceae [Boraginaceae]	F	W	C	W	W	W	W	W
317078	<i>Nemophila</i> spp.	nemophila	Hydrophyllaceae [Boraginaceae]	W	W	W	W	W	W	W	W
25165	<i>Nepeta cataria</i> L.	catnip	Lamiaceae	H	W	W	W	W	W	W	W
25233	<i>Neslia paniculata</i> (L.) Desv.	mustard, ball	Brassicaceae	W	W	W	W	W	W	W	W
25243	<i>Nicandra physalodes</i> (L.) Gaertn.	apple-of-Peru	Solanaceae	W	W	W	W	W	W	W	W
25252	<i>Nicotiana glauca</i> Link & Otto	tobacco, flowering; tobacco, Jasmine	Solanaceae	F	W	C	W	W	W	W	W
25299	<i>Nicotiana glauca</i> W. Watson	nicotiana	Solanaceae	F	W	C	W	W	W	W	W
25309	<i>Nicotiana glauca</i> L.	tobacco	Solanaceae	A	C	C	C	C	C	C	C
317079	<i>Nierembergia</i> spp.	cupflower; nierembergia	Solanaceae	F	W	C	W	W	W	W	W
25336	<i>Nigella arvensis</i> L.	love-in-a-mist; nigella	Ranunculaceae	F	W	C	W	W	W	W	W
25337	<i>Nigella arvensis</i> L.	fennel-flower, garden	Ranunculaceae	W	W	W	W	W	W	W	W
317080	<i>Nigella arvensis</i> spp.	fennel-flower	Ranunculaceae	F	W	C	W	W	W	W	W
465924	<i>Notholithocarpus densiflorus</i> (Hook. & Arn.) Manos et al.	tan-oak; tanbark-oak	Fagaceae	S	W	W	W	W	C	W	W
310101	<i>Nothoscordum inodorum</i> (Aiton) G. Nicholson = <i>Allium neapolitanum</i> Cirillo										
433196	<i>Notodanthonia semiannularis</i> (Labill.) Zotov = <i>Rytidosperma semiannulare</i> (Labill.) Connor & Edgar										
25439	<i>Nymphaea mexicana</i> Zucc.	waterlily, banana	Nymphaeaceae	W	W	W	W	W	W	W	W
25450	<i>Nyssa aquatica</i> L.	tupelo, water	Nyssaceae [Cornaceae]	S	W	W	W	W	C	W	W
25455	<i>Nyssa sylvatica</i> Marshall	tupelo, black	Nyssaceae [Cornaceae]	S	W	W	W	W	W	C	W
25478	<i>Ocimum basilicum</i> L.	basil, sweet	Lamiaceae	H	W	C	C	W	W	W	W
317302	<i>Odontites serotinus</i> Dumort. = <i>Odontites vernus</i> (Bellardi) Dumort. subsp. <i>serotinus</i> Corb.										
316989	<i>Odontites vernus</i> (Bellardi) Dumort. subsp. <i>serotinus</i> Corb.	bartsia, red	Orobanchaceae [Scrophulariaceae]	W	W	W	W	W	W	W	W
316760	<i>Oenothera albicaulis</i> Pursh	evening-primrose, prairie	Onagraceae	F	W	C	W	W	W	W	W
100523	<i>Oenothera argillicola</i> Mack.	evening-primrose, shale	Onagraceae	F	W	C	W	W	W	W	W
25521	<i>Oenothera biennis</i> L.	evening-primrose, common	Onagraceae	F, R	W	C	W	C	W	W	W
316761	<i>Oenothera canescens</i> Torr. & Frém.	evening-primrose, pink	Onagraceae	F	W	C	W	W	W	W	W
310176	<i>Oenothera cespitosa</i> Nutt.	evening-primrose, desert; evening-primrose, white-tufted	Onagraceae	F	W	C	W	W	W	W	W
317303	<i>Oenothera cheiranthifolia</i> Hornem. ex Spreng. = <i>Camissoniopsis cheiranthifolia</i> (Hornem. ex Spreng.) W. L. Wagner & Hoch										
458531	<i>Oenothera cinerea</i> (Wootton & Standl.) W. L. Wagner & Hoch	gaura, hairy	Onagraceae	W	W	W	W	W	W	W	W

## AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
316762	<i>Oenothera coronopifolia</i> Torr. & A. Gray	evening-primrose, crownleaf	Onagraceae	F	W	C	W	W	W	W	W	W
458529	<i>Oenothera curtiflora</i> W. L. Wagner & Hoch	gaura, small-flowered	Onagraceae	W	W	W	W	W	W	W	W	W
317167	<i>Oenothera elata</i> Kunth subsp. <i>hookeri</i> (Torr. & A. Gray) W. Dietr. & W. L. Wagner	evening-primrose, hooker	Onagraceae	F, R	W	C	W	C	W	W	W	W
316763	<i>Oenothera flava</i> (A. Nelson) Garrett	evening-primrose, yellow	Onagraceae	F, R	W	C	W	C	W	W	W	W
458528	<i>Oenothera glaucifolia</i> W. L. Wagner & Hoch	stenosiphon	Onagraceae	W	W	W	W	W	W	W	W	W
100525	<i>Oenothera glazioviana</i> Micheli	evening-primrose, lamarck	Onagraceae	F, R	W	C	W	C	W	W	W	W
25529	<i>Oenothera hookeri</i> Torr. & A. Gray = <i>Oenothera elata</i> Kunth subsp. <i>hookeri</i> (Torr. & A. Gray) W. Dietr. & W. L. Wagner											
300403	<i>Oenothera laciniata</i> Hill	evening-primrose, cutleaf	Onagraceae	F	W	C	W	W	W	W	W	W
317847	<i>Oenothera lamarckiana</i> auct. = <i>Oenothera glazioviana</i> Micheli											
100623	<i>Oenothera macrocarpa</i> Nutt.	primrose, Missouri; sundrops, Ozark	Onagraceae	F, R	W	C	W	C	W	W	W	W
25532	<i>Oenothera missouriensis</i> Sims = <i>Oenothera macrocarpa</i> Nutt.											
316764	<i>Oenothera pallida</i> Lindl.	evening-primrose, jasmine; evening-primrose, pale	Onagraceae	F, R	W	C	W	C	W	W	W	W
316765	<i>Oenothera parodiana</i> Munz	evening-primrose, pointed	Onagraceae	F	W	C	W	W	W	W	W	W
458530	<i>Oenothera sinuosa</i> W. L. Wagner & Hoch	gaura, wavyleafed	Onagraceae	W	W	W	W	W	W	W	W	W
70465	<i>Oenothera speciosa</i> Nutt.	evening-primrose, showy	Onagraceae	F	W	C	W	W	W	W	W	W
300406	<i>Oenothera</i> spp.	evening-primrose; gaura	Onagraceae	F, R	W	C	W	C	W	W	W	W
300407	<i>Oenothera villosa</i> Thunb.	evening-primrose, hairy	Onagraceae	F	W	C	W	W	W	W	W	W
458524	<i>Oenothera xenogaura</i> W. L. Wagner & Hoch	gaura, scarlet; gaura, scented	Onagraceae	W	W	W	W	W	W	W	W	W
418966	<i>Oligoneuron rigidum</i> (L.) Small = <i>Solidago rigida</i> L.											
25621	<i>Olneya tesota</i> A. Gray	Ironwood	Fabaceae	R, S	W	W	W	C	C	W	W	W
477743	<i>Oloptum miliaceum</i> (L.) Röser & Hamasha	smilo; smilograss	Poaceae	R	W	W	W	W	W	W	W	W
25737	<i>Onobrychis viciifolia</i> Scop.	sainfoin	Fabaceae	A	C	C	C	C	C	C	C	C
25743	<i>Ononis alopecuroides</i> L.	restharrow, foxtail	Fabaceae	W	W	W	W	W	W	W	W	W
313901	<i>Ononis repens</i> L.	ononis, cammock	Fabaceae	W	W	W	W	W	W	W	W	W
104466	<i>Onopordum acanthium</i> L.	thistle, cotton; thistle, Scotch	Asteraceae	W	W	W	W	W	W	W	W	W
317081	<i>Onopordum</i> spp.	thistle, onopordum	Asteraceae	W	W	W	W	W	W	W	W	W
401780	<i>Onopordum tauricum</i> Willd.	thistle, Scotch	Asteraceae	W	W	W	W	W	W	W	W	W
102557	<i>Oplopanax horridus</i> (Sm.) Miq.	devil's-club	Araliaceae	W	W	W	W	W	W	W	W	W
316387	<i>Opuntia aurantiaca</i> Lindl.	prickly-pear, jointed	Cactaceae	W	W	W	W	W	W	W	W	W
314437	<i>Opuntia polyacantha</i> Haw.	prickly-pear, plains	Cactaceae	W	W	W	W	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
300410	<i>Opuntia</i> spp.	prickly-pear	Cactaceae	W	W	W	W	W	W	W	W
25912	<i>Origanum majorana</i> L.	marjoram, sweet	Lamiaceae	H	W	W	C	W	W	W	W
25913	<i>Origanum vulgare</i> L.	marjoram, wild; oregano	Lamiaceae	H	W	W	C	W	W	W	W
26023	<i>Ornithopus sativus</i> Brot.	serradella	Fabaceae	W	W	W	W	W	W	W	W
316962	<i>Orobanche cooperi</i> (A. Gray) A. Heller	broomrape, Cooper's	Orobanchaceae	W	W	W	W	W	W	W	W
317304	<i>Orobanche ludoviciana</i> Nutt. var. <i>cooperi</i> (A. Gray) Beck = <i>Orobanche cooperi</i> (A. Gray) A. Heller										
26029	<i>Orobanche ramosa</i> L. = <i>Phelipanche ramosa</i> (L.) Pomel										
317082	<i>Orobanche</i> spp.	broomrape	Orobanchaceae	W	W	W	W	W	W	W	W
316766	<i>Orthocarpus bracteosus</i> Benth.	owlclover, purple	Orobanchaceae [Scrophulariaceae]	W	W	W	W	W	W	W	W
317083	<i>Orthocarpus</i> spp.	owlclover	Orobanchaceae [Scrophulariaceae]	R	W	W	W	C	W	W	W
26067	<i>Oryza longistaminata</i> A. Chev. & Roehr.	rice, red	Poaceae	W	W	W	W	W	W	W	W
26074	<i>Oryza punctata</i> Kotschy ex Steud.	rice, red	Poaceae	W	W	W	W	W	W	W	W
26076	<i>Oryza rufipogon</i> Griff.	rice, red	Poaceae	W	W	W	W	W	W	W	W
26077	<i>Oryza sativa</i> L.	rice	Poaceae	A	C	C	C	C	C	C	C
26093	<i>Oryzopsis hymenoides</i> (Roem. & Schult.) Ricker ex Piper = <i>Achnatherum hymenoides</i> (Roem. & Schult.) Barkworth										
26095	<i>Oryzopsis micrantha</i> (Trin. & Rupr.) Thurb. = <i>Piptatherum micranthum</i> (Trin. & Rupr.) Barkworth										
26097	<i>Oryzopsis miliacea</i> (L.) Benth. & Hook. f. ex Asch. & Schweinf. = <i>Oloptum miliaceum</i> (L.) Röser & Hamasha										
300416	<i>Oryzopsis</i> spp.	ricegrass	Poaceae	R, T	W	W	W	C	W	C	W
316767	<i>Osmorhiza longistylis</i> (Torr.) DC.	aniseroot	Apiaceae	W	W	W	W	W	W	W	W
316768	<i>Osmorhiza occidentalis</i> (Nutt. ex Torr. & A. Gray) Torr.	aniseroot, sweet	Apiaceae	F, R	W	C	W	C	W	W	W
402901	<i>Ottelia alismoides</i> (L.) Pers.	duck-lettuce; ottelia; water-plantain	Hydrocharitaceae	W	W	W	W	W	W	W	W
317084	<i>Oxalis</i> spp.	oxalis; woodsorrel	Oxalidaceae	W	W	W	W	W	W	W	W
26216	<i>Oxalis stricta</i> L.	woodsorrel, yellow	Oxalidaceae	F	W	C	W	W	W	W	W
466036	<i>Oxybasis rubra</i> (L.) S. Fuentes et al.	goosefoot, red	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W
26242	<i>Oxyspora paniculata</i> (D. Don) DC.		Melastomataceae	W	W	W	W	W	W	W	W
26252	<i>Oxytropis lambertii</i> Pursh	locoweed, Lambert	Fabaceae	W	W	W	W	W	W	W	W
317234	<i>Oxytropis macounii</i> auct. = <i>Oxytropis sericea</i> Nutt. var. <i>speciosa</i> (Torr. & A. Gray) S. L. Welsh										
100368	<i>Oxytropis riparia</i> Litv.	milkvetch, ruby	Fabaceae	A	C	W	W	C	W	W	W
403451	<i>Oxytropis sericea</i> Nutt. var. <i>speciosa</i> (Torr. & A. Gray) S. L. Welsh	locoweed, early-yellow	Fabaceae	W	W	W	W	W	W	W	W
26261	<i>Oxytropis sericea</i> Nutt. var. <i>spicata</i> auct. = <i>Oxytropis sericea</i> Nutt. var. <i>speciosa</i> (Torr. & A. Gray) S. L. Welsh										
300418	<i>Oxytropis</i> spp.	locoweed	Fabaceae	W	W	W	W	W	W	W	W



AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
452808	<i>Packera aurea</i> (L.) Á. Löve & D. Löve	ragwort, golden	Asteraceae	W	W	W	W	W	W	W	W
26312	<i>Paeonia brownii</i> Douglas	peony, Brown's	Paeoniaceae	R	W	W	W	C	W	W	W
316964	<i>Panicum acuminatum</i> Sw. var. <i>acuminatum</i> = <i>Dichantherium acuminatum</i> (Sw.) Gould & C. A. Clark subsp. <i>acuminatum</i>										
316965	<i>Panicum acuminatum</i> Sw. var. <i>fasciculatum</i> (Torr.) Beetle = <i>Dichantherium acuminatum</i> (Sw.) Gould & C. A. Clark subsp. <i>fasciculatum</i> (Torr.) Freckmann & Lelong										
26438	<i>Panicum anceps</i> Michx. = <i>Coleataenia anceps</i> (Michx.) Soreng										
26439	<i>Panicum antidotale</i> Retz.	panicgrass, blue	Poaceae	R, T	W	W	W	W	W	C	W
26448	<i>Panicum bergii</i> Arechav.	panicum, Berg	Poaceae	W	W	W	W	W	W	W	W
315741	<i>Panicum brachyanthum</i> Steud. = <i>Kelochloa brachyantha</i> (Steud.) Lizarazu et al.										
26459	<i>Panicum capillare</i> L.	witchgrass	Poaceae	W	W	W	W	W	W	W	W
70476	<i>Panicum clandestinum</i> L. = <i>Dichantherium clandestinum</i> (L.) Gould										
26469	<i>Panicum coloratum</i> L.	kleingrass	Poaceae	R	W	W	W	C	W	C	W
26487	<i>Panicum dichotomiflorum</i> Michx.	panicum, fall	Poaceae	W	W	W	W	W	W	W	W
26498	<i>Panicum fasciculatum</i> Sw. = <i>Urochloa fusca</i> (Sw.) B. F. Hansen & Wunderlin										
26505	<i>Panicum gattingeri</i> Nash	witchgrass, Gattinger's	Poaceae	W	W	W	W	W	W	W	W
316769	<i>Panicum hians</i> Elliott = <i>Steinchisma hians</i> (Elliott) Nash										
315737	<i>Panicum hillmanii</i> Chase	witchgrass, Hillman	Poaceae	W	W	W	W	W	W	W	W
317305	<i>Panicum huachucae</i> Ashe = <i>Dichantherium acuminatum</i> (Sw.) Gould & C. A. Clark subsp. <i>fasciculatum</i> (Torr.) Freckmann & Lelong										
317306	<i>Panicum lanuginosum</i> Elliott = <i>Dichantherium acuminatum</i> (Sw.) Gould & C. A. Clark subsp. <i>acuminatum</i>										
26558	<i>Panicum maximum</i> Jacq. = <i>Megathyrsus maximus</i> (Jacq.) B. K. Simon & S. W. L. Jacobs										
26567	<i>Panicum miliaceum</i> L. subsp. <i>miliaceum</i>	millet, broomcorn; millet, proso	Poaceae	A	C	C	C	C	C	C	C
317236	<i>Panicum miliaceum</i> L. subsp. <i>ruderales</i> (Kitag.) Tzvelev	millet, wild proso	Poaceae	W	W	W	W	W	W	W	W
26586	<i>Panicum obtusum</i> Kunth = <i>Hopia obtusa</i> (Kunth) Zuloaga & Morrone										
26612	<i>Panicum purpurascens</i> Raddi = <i>Urochloa mutica</i> (Forssk.) T. Q. Nguyen										
26618	<i>Panicum ramosum</i> L. = <i>Urochloa ramosa</i> (L.) T. Q. Nguyen										
26620	<i>Panicum repens</i> L.	torpedograss	Poaceae	W	W	W	W	W	W	W	W
300423	<i>Panicum</i> spp.	panicgrass	Poaceae	W	W	W	W	W	W	W	W
26643	<i>Panicum texanum</i> Buckley = <i>Urochloa texana</i> (Buckley) R. D. Webster										
26657	<i>Panicum virgatum</i> L.	switchgrass	Poaceae	R	C	W	W	C	W	W	W



Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
26676	<i>Papaver dubium</i> L.	poppy, long-pod; poppy, smooth-fruited	Papaveraceae	W	W	W	W	W	W	W	W
26679	<i>Papaver glaucum</i> Boiss. & Hausskn.	poppy, tulip	Papaveraceae	F	W	C	W	W	W	W	W
26691	<i>Papaver nudicaule</i> L.	poppy, Iceland	Papaveraceae	F, R	W	C	W	C	W	W	W
26693	<i>Papaver orientale</i> L.	poppy, Oriental	Papaveraceae	F	W	C	W	W	W	W	W
26703	<i>Papaver rhoeas</i> L.	poppy, corn; poppy, Shirley	Papaveraceae	F, R	W	C	W	C	W	W	W
406377	<i>Papaver somniferum</i> L.	poppy, opium	Papaveraceae	W	W	W	W	W	W	W	W
310957	<i>Papaver</i> spp.	poppy	Papaveraceae	F, R	W	C	W	C	W	W	W
316910	<i>Parentucellia viscosa</i> (L.) Caruel	parentucellia	Orobanchaceae [Scrophulariaceae]	W	W	W	W	W	W	W	W
100139	<i>Parkinsonia florida</i> (Benth. ex A. Gray) S. Watson	paloverde	Fabaceae [Caesalpinaceae]	F, R, S	W	C	W	C	C	W	W
100141	<i>Parkinsonia microphylla</i> Torr.	verde, foothills palo; paloverde, yellow	Fabaceae [Caesalpinaceae]	R, S	W	W	W	C	C	W	W
26802	<i>Parthenium argentatum</i> A. Gray	guayule	Asteraceae	S	C	C	C	C	C	C	C
315270	<i>Parthenium incanum</i> Kunth	mariola	Asteraceae	W	W	W	W	W	W	W	W
102367	<i>Pascopyrum smithii</i> (Rydb.) Barkworth & D. R. Dewey	wheatgrass, western	Poaceae	A, R	C	W	W	C	C	C	C
26823	<i>Paspalum boscianum</i> Flügge	paspalum, bull	Poaceae	W	W	W	W	W	W	W	W
26843	<i>Paspalum dilatatum</i> Poir.	dallisgrass	Poaceae	A	C	C	W	W	W	C	W
26845	<i>Paspalum distichum</i> L.	knotgrass	Poaceae	W	W	W	W	W	W	W	W
26850	<i>Paspalum floridanum</i> Michx.	paspalum, Florida	Poaceae	R	W	W	W	C	W	W	W
26871	<i>Paspalum laeve</i> Michx.	paspalum, field	Poaceae	W	W	W	W	W	W	W	W
26880	<i>Paspalum malacophyllum</i> Trin.	paspalum, ribbed	Poaceae	W	W	W	W	W	W	W	W
26888	<i>Paspalum nicorae</i> Parodi	brunswickgrass	Poaceae	R	W	W	W	C	W	W	W
26889	<i>Paspalum notatum</i> Flügge	bahiagrass	Poaceae	A	C	C	C	C	C	C	C
26897	<i>Paspalum plicatulum</i> Michx.	paspalum, brown-seed	Poaceae	A	C	W	W	C	W	C	W
26917	<i>Paspalum scrobiculatum</i> L.	millet, kodo	Poaceae	W	W	W	W	W	W	W	W
26923	<i>Paspalum setaceum</i> Michx.	kodo; paspalum, thin	Poaceae	W	W	W	W	W	W	W	W
316770	<i>Paspalum setaceum</i> Michx. var. <i>stramineum</i> (Nash) D. J. Banks	paspalum, sand	Poaceae	W	W	W	W	W	W	W	W
300431	<i>Paspalum</i> spp.	paspalum	Poaceae	W	W	W	W	W	W	W	W
26926	<i>Paspalum stramineum</i> Nash = <i>Paspalum setaceum</i> Michx. var. <i>stramineum</i> (Nash) D. J. Banks										
26932	<i>Paspalum urvillei</i> Steud.	vaseygrass	Poaceae	A	W	W	W	C	W	C	W
410646	<i>Passiflora bicornis</i> Mill.	passionflower, wingleaf	Passifloraceae	W	W	W	W	W	W	W	W
26951	<i>Passiflora caerulea</i> L.	passionflower, bluecrown	Passifloraceae	F	W	C	W	W	W	W	W
26962	<i>Passiflora edulis</i> Sims	granadilla, purple	Passifloraceae	F, V	W	C	W	W	W	W	C
26977	<i>Passiflora incarnata</i> L.	maypop; passion flower	Passifloraceae	W	W	W	W	W	W	W	W
26991	<i>Passiflora mollissima</i> (Kunth) L. H. Bailey = <i>Passiflora tripartita</i> (Juss.) Poir. var. <i>mollissima</i> (Kunth) Holm-Niels. & P. Jørg.										
316771	<i>Passiflora pulchella</i> Kunth = <i>Passiflora bicornis</i> Mill.										

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
400952	<i>Passiflora tripartita</i> (Juss.) Poir. var. <i>mollissima</i> (Kunth) Holm-Niels. & P. Jørg.	passionfruit, banana; poka, banana	Passifloraceae	W	W	W	W	W	W	W	W	W
27018	<i>Pastinaca sativa</i> L.	parsnip; parsnip, wild	Apiaceae	V	W	C	C	W	W	W	W	C
316911	<i>Pectocarya penicillata</i> (Hook. & Arn.) DC.	combseed	Boraginaceae	W	W	W	W	W	W	W	W	W
317085	<i>Pedicularis</i> spp.	lousewort; wood-betony	Orobanchaceae [Scrophulariaceae]	F	W	C	W	W	W	W	W	W
312044	<i>Pediomelum argophyllum</i> (Pursh) J. W. Grimes	Indian breadfoot, silverleaf	Fabaceae	R	W	W	W	C	W	W	W	W
27098	<i>Peganum harmala</i> L.	harmel; rue, African	Nitrariaceae [Peganaceae] [Zygophyllaceae]	W	W	W	W	W	W	W	W	W
317086	<i>Pelargonium</i> spp.	geraniums	Geraniaceae	F	W	C	W	W	W	W	W	W
27170	<i>Pennisetum americanum</i> (L.) Leeke = <i>Cenchrus americanus</i> (L.) Morrone											
27177	<i>Pennisetum ciliare</i> (L.) Link = <i>Cenchrus ciliaris</i> L.											
27178	<i>Pennisetum clandestinum</i> Hochst. ex Chiov. = <i>Cenchrus clandestinus</i> (Hochst. ex Chiov.) Morrone											
27187	<i>Pennisetum glaucum</i> (L.) R. Br. = <i>Cenchrus americanus</i> (L.) Morrone											
27197	<i>Pennisetum macrourum</i> Trin. = <i>Cenchrus caudatus</i> (Schrad.) Kuntze											
27206	<i>Pennisetum pedicellatum</i> Trin. = <i>Cenchrus pedicellatus</i> (Trin.) Morrone											
27207	<i>Pennisetum polystachion</i> (L.) Schult. = <i>Cenchrus polystachios</i> (L.) Morrone											
27208	<i>Pennisetum purpureum</i> Schumach. = <i>Cenchrus purpureus</i> (Schumach.) Morrone											
317237	<i>Pennisetum ruppelii</i> Steud. = <i>Cenchrus setaceus</i> (Forssk.) Morrone											
27214	<i>Pennisetum setaceum</i> (Forssk.) Chiov. = <i>Cenchrus setaceus</i> (Forssk.) Morrone											
313223	<i>Pennisetum typhoides</i> (Burm. f.) Stapf & C. E. Hubb. = <i>Cenchrus americanus</i> (L.) Morrone											
448220	<i>Penstemon acuminatus</i> Douglas ex Lindl.	penstemon, sharpleaf	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	R	W	W	W	C	W	W	W	W
27229	<i>Penstemon albidus</i> Nutt.	penstemon, white; beardtongue, white	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F, R	W	C	W	C	W	W	W	W
27232	<i>Penstemon angustifolius</i> Pursh	beardtongue, narrow; penstemon, narrow-leaf	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F, R	W	C	W	C	W	W	W	W
27235	<i>Penstemon barbatus</i> (Cav.) Roth	penstemon, beardlip	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F, R	W	C	W	C	W	W	W	W
27244	<i>Penstemon clutei</i> A. Nelson	beardtongue, Sunset Crater	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	R	W	W	W	C	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
27251	<i>Penstemon cyananthus</i> Hook.	penstemon, Wasatch	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F, R	W	C	W	C	W	W	W
448223	<i>Penstemon cyaneus</i> Pennell	penstemon, blue	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F, R	W	C	W	C	W	W	W
459799	<i>Penstemon cyanocaulis</i> Payson	penstemon, basin blue; beardtongue, bluestem	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F, R	W	C	W	C	W	W	W
408210	<i>Penstemon deustus</i> Douglas ex Lindl.	penstemon, scabland	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	R	W	W	W	C	W	W	W
449815	<i>Penstemon digitalis</i> Nutt. ex Sims	beardtongue, foxglove	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	R	W	W	W	C	W	W	W
27254	<i>Penstemon eatonii</i> A. Gray	beardtongue, red; penstemon, firecracker	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F, R	W	C	W	C	W	W	W
27259	<i>Penstemon fruticosus</i> (Pursh) Greene	penstemon, lowbush	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F, R	W	C	W	C	W	W	W
409427	<i>Penstemon gracilis</i> Nutt.	penstemon, lilac	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F, R	W	C	W	C	W	W	W
316772	<i>Penstemon grandiflorus</i> Nutt.	beardtongue, large- flower; penstemon, shell-leaf	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F, R	W	C	W	C	W	W	W
27264	<i>Penstemon hirsutus</i> (L.) Willd.	beardtongue, hairy; penstemon, type	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F	W	C	W	W	W	W	W
27267	<i>Penstemon laevigatus</i> Aiton	penstemon, smooth	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F	W	C	W	W	W	W	W
451571	<i>Penstemon pachyphyllus</i> A. Gray ex Rydb.	penstemon, thickleaf	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F, R	W	C	W	C	W	W	W
27279	<i>Penstemon palmeri</i> A. Gray	penstemon, Palmer	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F, R	W	C	W	C	W	W	W
408220	<i>Penstemon parryi</i> (A. Gray) A. Gray	penstemon, Parry; beardtongue, Parry's	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F, R	W	C	W	C	W	W	W
316014	<i>Penstemon penlandii</i> W. A. Weber	beardstongue, Penland's	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F, R	W	C	W	C	W	W	W
409279	<i>Penstemon procerus</i> Douglas ex Graham	penstemon, small- flower	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F, R	W	C	W	C	W	W	W
452205	<i>Penstemon pseudospectabilis</i> M. E. Jones	penstemon, showy; penstemon, desert	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F, R	W	C	W	C	W	W	W
27284	<i>Penstemon rydbergii</i> A. Nelson	penstemon, blue mountain; penstemon, Rydberg's	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F, R	W	C	W	C	W	W	W
448226	<i>Penstemon speciosus</i> Douglas ex Lindl.	penstemon, Royal	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F, R	W	C	W	C	W	W	W
27288	<i>Penstemon spectabilis</i> Thurb. ex A. Gray	penstemon, showy	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F	W	C	W	C	W	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
300438	<i>Penstemon</i> spp.	beardtongue; penstemon	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F	W	C	W	C	W	W	W
27289	<i>Penstemon strictus</i> Benth.	beardtongue, Rocky Mountain; penstemon, Rocky Mountain	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F, R	W	C	W	C	W	W	W
452207	<i>Penstemon subglaber</i> Rydb.	penstemon, Great Basin; penstemon, smooth	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F, R	W	C	W	C	W	W	W
27294	<i>Penstemon venustus</i> Douglas ex Lindl.	penstemon, Venus	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F, R	W	C	W	C	W	W	W
456593	<i>Penstemon virgatus</i> A. Gray	beardtongue, Wand; beardtongue, upright blue	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F, R	W	C	W	C	W	W	W
27352	<i>Peraphyllum ramosissimum</i> Nutt.	squawapple	Rosaceae	R, S	W	W	W	C	C	W	W
407693	<i>Pericallis cruenta</i> (Masson ex L'Hér.) Bolle	cineraria, common	Asteraceae	F	W	C	W	W	W	W	W
316912	<i>Perideridia gairdneri</i> (Hook. & Arn.) Mathias	yampa; squawroot	Apiaceae	W	W	W	W	W	W	W	W
316913	<i>Perideridia oregana</i> (S. Watson) Mathias	yampa, eppaw	Apiaceae	R	W	C	W	C	W	W	W
27364	<i>Perilla frutescens</i> (L.) Britton	horse balm, false; perilla	Lamiaceae	W	W	W	W	W	W	W	W
461447	<i>Peritoma arborea</i> (Nutt.) H. H. Iltis var. <i>arborea</i>	bladderpod; bladderpod, spiderflower	Cleomaceae [Brassicaceae] [Capparaceae]	R, S	W	W	W	C	C	W	W
461451	<i>Peritoma lutea</i> (Hook.) Raf.	spiderflower, yellow	Cleomaceae [Brassicaceae] [Capparaceae]	F	W	C	W	W	W	W	W
461452	<i>Peritoma serrulata</i> (Pursh) DC.	beeplant, Rocky Mountain	Cleomaceae [Brassicaceae] [Capparaceae]	F, R	W	C	W	C	W	W	W
454516	<i>Perityle emoryi</i> Torr.	daisy, desert; rockdaisy, Emory's	Asteraceae	F, R	W	C	W	C	W	W	W
409764	<i>Persicaria amphibia</i> (L.) Delarbre	kelp; smartweed, water	Polygonaceae	W	W	W	W	W	W	W	W
448806	<i>Persicaria bungeana</i> (Turcz.) Nakai	smartweed, prickly	Polygonaceae	W	W	W	W	W	W	W	W
416900	<i>Persicaria capitata</i> (Buch.-Ham. ex D. Don) H. Gross	knotweed, creeping; fleece flower	Polygonaceae	F	W	C	W	W	W	W	W
400981	<i>Persicaria hydropiper</i> (L.) Delarbre	smartweed, common water	Polygonaceae	W	W	W	W	W	W	W	W
409765	<i>Persicaria lapathifolia</i> (L.) Delarbre	smartweed, pale	Polygonaceae	H, R	W	W	W	W	W	W	W
409768	<i>Persicaria maculosa</i> Gray	ladysthumb	Polygonaceae	W	W	W	W	W	W	W	W
409773	<i>Persicaria pensylvanica</i> (L.) M. Gómez	smartweed, Pennsylvania	Polygonaceae	W	W	W	W	W	W	W	W
409767	<i>Persicaria perfoliata</i> (L.) H. Gross	mile-a-minute	Polygonaceae	W	W	W	W	W	W	W	W
409774	<i>Persicaria punctata</i> (Elliott) Small	smartweed, dotted	Polygonaceae	R	W	W	W	W	W	W	W
448734	<i>Persicaria sagittata</i> (L.) H. Gross	tearthumb, arrow-leaved	Polygonaceae	W	W	W	W	W	W	W	W
448733	<i>Persicaria wallichii</i> Greuter & Burdet = <i>Koenigia polystachya</i> (Wall. ex Meisn.) T. M. Schust. & Reveal										
27436	<i>Petalostemon purpureus</i> (Vent.) Rydb. = <i>Dalea purpurea</i> Vent.										

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
300441	<i>Petalostemon</i> spp. = <i>Dalea</i> spp.											
27448	<i>Petroselinum crispum</i> (Mill.) Fuss	parsley	Apiaceae	H, V	W	W	C	W	W	W	W	C
316966	<i>Petroselinum segetum</i> (L.) W. D. J. Koch	parsley, corn	Apiaceae	W	W	W	W	W	W	W	W	W
317087	<i>Petunia</i> spp.	petunia	Solanaceae	F	W	C	W	W	W	W	W	W
316774	<i>Phacelia californica</i> Cham.	phacelia, California	Hydrophyllaceae [Boraginaceae]	F	W	C	W	W	W	W	W	W
312139	<i>Phacelia campanularia</i> A. Gray	bluebells, California; phacelia, harebell	Hydrophyllaceae [Boraginaceae]	F, R	W	C	W	C	W	W	W	W
463067	<i>Phacelia cicutaria</i> Greene	phacelia, caterpillar	Hydrophyllaceae [Boraginaceae]	R	W	W	W	C	W	W	W	W
408229	<i>Phacelia crenulata</i> Torr.	bluebells, desertbells; wildheliotrope, cleftleaf	Hydrophyllaceae [Boraginaceae]	F, R	W	C	W	C	W	W	W	W
455794	<i>Phacelia hastata</i> Douglas ex Lehm.	phacelia, lanceleaf; phacelia, silverleaf	Hydrophyllaceae [Boraginaceae]	R	W	W	W	C	W	W	W	W
316775	<i>Phacelia minor</i> (Harv.) Thell. ex F. Zimm.	phacelia, bluebell	Hydrophyllaceae [Boraginaceae]	F	W	C	W	W	W	W	W	W
317088	<i>Phacelia</i> spp.	phacelia; scorpionweed	Hydrophyllaceae [Boraginaceae]	W	W	W	W	W	W	W	W	W
27492	<i>Phacelia tanacetifolia</i> Benth.	phacelia, tansy	Hydrophyllaceae [Boraginaceae]	F, R	W	C	W	C	W	W	W	W
27510	<i>Phalaris angusta</i> Nees ex Trin.	canarygrass, timothy	Poaceae	W	W	W	W	W	W	W	W	W
27511	<i>Phalaris aquatica</i> L.	canarygrass, bulbous; hardinggrass	Poaceae	A	C	C	C	C	C	C	C	C
27512	<i>Phalaris arundinacea</i> L.	canarygrass, reed	Poaceae	A	C	C	C	C	C	C	C	C
27517	<i>Phalaris canariensis</i> L.	canarygrass	Poaceae	A	C	C	C	C	C	C	C	C
27518	<i>Phalaris caroliniana</i> Walter	canarygrass, Carolina	Poaceae	W	W	W	W	W	W	W	W	W
27523	<i>Phalaris minor</i> Retz.	canarygrass, littleseed	Poaceae	W	W	W	W	W	W	W	W	W
27526	<i>Phalaris paradoxa</i> L.	canarygrass, hood	Poaceae	W	W	W	W	W	W	W	W	W
300444	<i>Phalaris</i> spp.	canarygrass	Poaceae	A, R	C	W	W	C	W	C	W	W
27531	<i>Phalaris stenoptera</i> Hack. = <i>Phalaris aquatica</i> L.											
27558	<i>Phaseolus aureus</i> Roxb. = <i>Vigna radiata</i> (L.) R. Wilczek var. <i>radiata</i>											
27563	<i>Phaseolus coccineus</i> L.	bean, scarlet runner	Fabaceae	F	C	C	C	C	C	C	C	C
27591	<i>Phaseolus lunatus</i> L.	bean, lima	Fabaceae	V	C	C	C	C	C	C	C	C
27632	<i>Phaseolus vulgaris</i> L.	bean, field; bean, garden	Fabaceae	V	C	C	C	C	C	C	C	C
460119	<i>Phelipanche ramosa</i> (L.) Pomel	broomrape, branched; broomrape, hemp	Orobanchaceae	W	W	W	W	W	W	W	W	W
446605	<i>Phemeranthus parviflorus</i> (Nutt.) Kiger	flameflower, prairie	Montiaceae [Portulacaceae]	W	W	W	W	W	W	W	W	W
28001	<i>Phleum alpinum</i> L.	cat's-tail, alpine	Poaceae	T	C	C	C	C	C	C	C	C
28004	<i>Phleum bertolonii</i> DC. = <i>Phleum nodosum</i> L.											
410207	<i>Phleum nodosum</i> L.	timothy, turf	Poaceae	T	C	C	C	C	C	C	C	C
28019	<i>Phleum pratense</i> L.	timothy	Poaceae	A	C	C	C	C	C	C	C	C
28035	<i>Phlox drummondii</i> Hook.	phlox, Drummond	Polemoniaceae	F, R	W	C	W	C	W	W	W	W
411412	<i>Phlox gracilis</i> (Hook.) Greene = <i>Microsteris gracilis</i> (Hook.) Greene											
300456	<i>Phlox</i> spp.	phlox	Polemoniaceae	F	W	C	W	W	W	W	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
28091	<i>Phragmites australis</i> (Cav.) Trin. ex Steud.	reed, common	Poaceae	W	W	W	W	W	W	W	W
28092	<i>Phragmites communis</i> Trin. = <i>Phragmites australis</i> (Cav.) Trin. ex Steud.										
101146	<i>Phyla nodiflora</i> (L.) Greene	fogfruit, spatulate	Verbenaceae	W	W	W	W	W	W	W	W
102418	<i>Physalis acutifolia</i> (Miers) Sandwith	groundcherry, sharpleaf	Solanaceae	W	W	W	W	W	W	W	W
102387	<i>Physalis alkekengi</i> L.	lanternplant, Chinese	Solanaceae	F	W	W	W	W	W	W	W
102417	<i>Physalis heterophylla</i> Nees	groundcherry, clammy	Solanaceae	W	W	W	W	W	W	W	W
317238	<i>Physalis lobata</i> Torr. = <i>Quincula lobata</i> (Torr.) Raf.										
316967	<i>Physalis longifolia</i> Nutt. var. <i>longifolia</i>	groundcherry, longleaf	Solanaceae	W	W	W	W	W	W	W	W
316968	<i>Physalis longifolia</i> Nutt. var. <i>subglabrata</i> (Mack. & Bush) Cronquist	groundcherry, smooth	Solanaceae	W	W	W	W	W	W	W	W
102411	<i>Physalis philadelphica</i> Lam.	tomatillo groundcherry, Mexican	Solanaceae	V	W	W	W	W	W	W	C
102403	<i>Physalis pubescens</i> L.	groundcherry, downy; tomato, husk	Solanaceae	V	W	W	W	W	W	W	C
300461	<i>Physalis</i> spp.	groundcherry; physalis	Solanaceae	F, V	W	W	W	W	W	W	W
317307	<i>Physalis subglabrata</i> Mack. & Bush = <i>Physalis longifolia</i> Nutt. var. <i>subglabrata</i> (Mack. & Bush) Cronquist										
317308	<i>Physalis virginiana</i> Mill. var. <i>sonorae</i> (Torr.) Waterf. = <i>Physalis longifolia</i> Nutt. var. <i>longifolia</i>										
102405	<i>Physalis viscosa</i> L.	groundcherry, grape	Solanaceae	W	W	W	W	W	W	W	W
317239	<i>Physalis wrightii</i> A. Gray = <i>Physalis acutifolia</i> (Miers) Sandwith										
462158	<i>Physaria gordonii</i> (A. Gray) O'Kane & Al-Shehbaz	bladderpod, Gordon's	Brassicaceae	F, R	W	C	W	C	W	W	W
314439	<i>Physocarpus capitatus</i> (Pursh) Kuntze	ninebark, Pacific	Rosaceae	S	W	W	W	W	C	W	W
316914	<i>Physostegia parviflora</i> Nutt. ex A. Gray	ninebark, Pacific; false dragonhead, American	Lamiaceae	W	W	W	W	W	W	W	W
316915	<i>Physostegia virginiana</i> (L.) Benth.	false dragonhead, Virginia; obedience	Lamiaceae	F	W	C	W	W	W	W	W
28252	<i>Phytolacca americana</i> L.	pokeweed	Phytolaccaceae	W	W	W	W	W	W	W	W
28264	<i>Picea abies</i> (L.) H. Karst.	spruce, Norway	Pinaceae	S	W	W	W	W	C	W	W
28284	<i>Picea breweriana</i> S. Watson	spruce, Brewer	Pinaceae	S	W	W	W	W	C	W	W
28288	<i>Picea engelmannii</i> Engelm.	spruce, Engelmann	Pinaceae	S	W	W	W	W	C	W	W
28291	<i>Picea glauca</i> (Moench) Voss	spruce, white spruce, western white; spruce, Alberta white	Pinaceae	S	W	W	W	W	C	W	W
N/A	<i>Picea glauca</i> (Moench) Voss 'Densata'	spruce, Black Hills	Pinaceae	S	W	W	W	W	C	W	W
28294	<i>Picea glauca</i> (Moench) Voss var. <i>albertiana</i> (S. Br.) Sarg. = <i>Picea glauca</i> (Moench) Voss	common names moved under <i>Picea glauca</i> spruce, western white; spruce, Alberta white									
28295	<i>Picea glehnii</i> (F. Schmidt) Mast.	spruce, Sakhalin	Pinaceae	S	W	W	W	W	C	W	W
28298	<i>Picea jezoensis</i> (Siebold & Zucc.) Carrière	spruce, Yeddo	Pinaceae	S	W	W	W	W	C	W	W

## Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
28301	<i>Picea koyamae</i> Shiras.	spruce, Koyama	Pinaceae	S	W	W	W	W	C	W	W
28305	<i>Picea mariana</i> (Mill.) Britton et al.	spruce, black	Pinaceae	S	W	W	W	W	C	W	W
28318	<i>Picea omorika</i> (Pančić) Purk.	spruce, Serbian	Pinaceae	S	W	W	W	W	C	W	W
28319	<i>Picea orientalis</i> (L.) Link	spruce, Oriental	Pinaceae	S	W	W	W	W	C	W	W
28322	<i>Picea polita</i> (Siebold & Zucc.) Carrière	spruce, tigertail	Pinaceae	S	W	W	W	W	C	W	W
28323	<i>Picea pungens</i> Engelm.	spruce, blue	Pinaceae	S	W	W	W	W	C	W	W
N/A	<i>Picea pungens</i> Engelm. Glauca Group	spruce, Colorado blue	Pinaceae	S	W	W	W	W	C	W	W
317240	<i>Picea pungens</i> Engelm. var. <i>glauca</i> Regel = <i>Picea pungens</i> Engelm. Glauca Group										
316777	<i>Picea rubens</i> Sarg.	spruce, red	Pinaceae	S	W	W	W	W	C	W	W
28327	<i>Picea sitchensis</i> (Bong.) Carrière	spruce, Sitka	Pinaceae	S	W	W	W	W	C	W	W
406916	<i>Picradeniopsis oppositifolia</i> (Nutt.) Rydb.	bahia, plains	Asteraceae	W	W	W	W	W	W	W	W
28338	<i>Picris echioides</i> L. = <i>Helminthotheca echioides</i> (L.) Holub										
28339	<i>Picris hieracioides</i> L.	oxtongue, hawkweed	Asteraceae	W	W	W	W	W	W	W	W
452222	<i>Picrothamnus desertorum</i> Nutt.	sagebrush, bud	Asteraceae	R, S	W	W	W	C	C	W	W
409972	<i>Pilosella aurantiaca</i> (L.) F. W. Schultz & Sch. Bip.	hawkweed, orange	Asteraceae	W	W	W	W	W	W	W	W
28395	<i>Pimpinella anisum</i> L.	anise	Apiaceae	H	W	C	C	W	W	W	W
315595	<i>Pimpinella saxifraga</i> L.	saxifrage, burnet	Apiaceae	W	W	W	W	W	W	W	W
28411	<i>Pinus albicaulis</i> Engelm.	pine, whitebark	Pinaceae	S	W	W	W	W	C	W	W
100545	<i>Pinus aristata</i> Engelm.	pine, bristlecone	Pinaceae	S	W	W	W	W	C	W	W
28415	<i>Pinus attenuata</i> Lemmon	pine, knobcone	Pinaceae	S	W	W	W	W	C	W	W
28420	<i>Pinus banksiana</i> Lamb.	pine, jack	Pinaceae	S	W	W	W	W	C	W	W
28425	<i>Pinus canariensis</i> C. Sm.	pine, Canary Island	Pinaceae	S	W	W	W	W	C	W	W
28426	<i>Pinus caribaea</i> Morelet	pine, Caribbean	Pinaceae	S	W	W	W	W	C	W	W
28427	<i>Pinus cembra</i> L.	pine, Swiss stone	Pinaceae	S	W	W	W	W	C	W	W
28430	<i>Pinus cembroides</i> Zucc.	pine, Mexican pinyon	Pinaceae	S	W	W	W	W	C	W	W
316778	<i>Pinus clausa</i> (Chapm. ex Engelm.) Vasey ex Sarg.	pine, sand	Pinaceae	S	W	W	W	W	C	W	W
404908	<i>Pinus contorta</i> Douglas ex Loudon var. <i>contorta</i>	pine, shore	Pinaceae	S	W	W	W	W	C	W	W
28436	<i>Pinus contorta</i> Douglas ex Loudon var. <i>latifolia</i> Engelm. ex S. Watson	pine, lodgepole	Pinaceae	S	W	W	W	W	C	W	W
28437	<i>Pinus coulteri</i> D. Don	pine, Coulter; pine, bigcone	Pinaceae	S	W	W	W	W	C	W	W
28441	<i>Pinus densiflora</i> Siebold & Zucc.	pine, Japanese red	Pinaceae	S	W	W	W	W	C	W	W
28444	<i>Pinus echinata</i> Mill.	pine, shortleaf	Pinaceae	S	W	W	W	W	C	W	W
28445	<i>Pinus edulis</i> Engelm.	pine, pinyon	Pinaceae	S	W	W	W	W	C	W	W
28447	<i>Pinus elliotii</i> Engelm.	pine, slash	Pinaceae	S	W	W	W	W	C	W	W
28449	<i>Pinus flexilis</i> E. James	pine, limber	Pinaceae	S	W	W	W	W	C	W	W
100546	<i>Pinus glabra</i> Walter	pine, spruce	Pinaceae	S	W	W	W	W	C	W	W
28455	<i>Pinus halepensis</i> Mill.	pine, Aleppo	Pinaceae	S	W	W	W	W	C	W	W
70507	<i>Pinus heldreichii</i> Christ	pine, Bosnian	Pinaceae	S	W	W	W	W	C	W	W
28458	<i>Pinus heldreichii</i> Christ var. <i>leucodermis</i> (Antoine) Markgr. ex Fitschen = <i>Pinus heldreichii</i> Christ										
28461	<i>Pinus jeffreyi</i> A. Murray bis et al.	pine, Jeffrey	Pinaceae	S	W	W	W	W	C	W	W

## AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
28462	<i>Pinus kesiya</i> Royle ex Gordon	pine, Khasia	Pinaceae	S	W	W	W	W	C	W	W
28464	<i>Pinus lambertiana</i> Douglas	pine, sugar	Pinaceae	S	W	W	W	W	C	W	W
28476	<i>Pinus leucodermis</i> Antoine = <i>Pinus heldreichii</i> Christ										
316781	<i>Pinus luchuensis</i> Mayr	pine, Formosa	Pinaceae	S	W	W	W	W	C	W	W
28483	<i>Pinus merkusii</i> Jungh. & de Vriese	pine, Merkus	Pinaceae	S	W	W	W	W	C	W	W
316782	<i>Pinus monophylla</i> Torr. & Frém.	pine, singleleaf pinyon	Pinaceae	S	W	W	W	W	C	W	W
28491	<i>Pinus monticola</i> Douglas ex D. Don	pine, western white	Pinaceae	S	W	W	W	W	C	W	W
28494	<i>Pinus mugo</i> Turra var. <i>mughus</i> (Scop.) Zenari	pine, Mugo Swiss mountain	Pinaceae	S	W	W	W	W	C	W	W
310630	<i>Pinus mugo</i> Turra var. <i>mugo</i>	pine, Swiss mountain	Pinaceae	S	W	W	W	W	C	W	W
28497	<i>Pinus muricata</i> D. Don	pine, bishop	Pinaceae	S	W	W	W	W	C	W	W
317158	<i>Pinus nigra</i> J. F. Arnold subsp. <i>laricio</i> Maire	pine, Corsican	Pinaceae	S	W	W	W	W	C	W	W
317157	<i>Pinus nigra</i> J. F. Arnold subsp. <i>nigra</i>	pine, Austrian	Pinaceae	S	W	W	W	W	C	W	W
28518	<i>Pinus palustris</i> Mill.	pine, longleaf	Pinaceae	S	W	W	W	W	C	W	W
28519	<i>Pinus parviflora</i> Siebold & Zucc.	pine, Japanese white	Pinaceae	S	W	W	W	W	C	W	W
28521	<i>Pinus patula</i> Schtdl. & Cham.	pine, Jelecote; pine, Mexican yellow	Pinaceae	S	W	W	W	W	C	W	W
28525	<i>Pinus pinaster</i> Aiton	pine, cluster	Pinaceae	S	W	W	W	W	C	W	W
28527	<i>Pinus pinea</i> L.	pine, Italian stone	Pinaceae	S	W	W	W	W	C	W	W
28530	<i>Pinus ponderosa</i> P. Lawson & C. Lawson	pine, ponderosa; pine, western yellow	Pinaceae	S	W	W	W	W	C	W	W
316783	<i>Pinus quadrifolia</i> Parl. ex Sudw.	pine, Parry pinyon	Pinaceae	S	W	W	W	W	C	W	W
28536	<i>Pinus radiata</i> D. Don	pine, Monterey	Pinaceae	S	W	W	W	W	C	W	W
316784	<i>Pinus resinosa</i> Aiton	pine, Norway; pine, red	Pinaceae	S	W	W	W	W	C	W	W
28537	<i>Pinus rigida</i> Mill.	pine, pitch	Pinaceae	S	W	W	W	W	C	W	W
316785	<i>Pinus serotina</i> Michx.	pine, pond	Pinaceae	S	W	W	W	W	C	W	W
28550	<i>Pinus strobiformis</i> Engelm.	pine, southwestern white	Pinaceae	S	W	W	W	W	C	W	W
28551	<i>Pinus strobus</i> L.	pine, eastern white	Pinaceae	S	W	W	W	W	C	W	W
28552	<i>Pinus sylvestris</i> L.	pine, Scotch; pine, Scots	Pinaceae	S	W	W	W	W	C	W	W
28556	<i>Pinus taeda</i> L.	pine, loblolly	Pinaceae	S	W	W	W	W	C	W	W
28563	<i>Pinus thunbergii</i> Parl.	pine, Japanese black	Pinaceae	S	W	W	W	W	C	W	W
28568	<i>Pinus virginiana</i> Mill.	pine, scrub; pine, Virginia	Pinaceae	S	W	W	W	W	C	W	W
316268	<i>Pinus wallichiana</i> A. B. Jacks.	pine, Himalayan	Pinaceae	S	W	W	W	W	C	W	W
316786	<i>Piper aduncum</i> L.	pepper, hooked-spiked	Piperaceae	W	W	W	W	W	W	W	W
402291	<i>Piptatherum micranthum</i> (Trin. & Rupr.) Barkworth	ricegrass, little-seed	Poaceae	R, T	W	W	W	C	W	C	W
317150	<i>Piptatherum miliaceum</i> (L.) Coss. = <i>Oloptum miliaceum</i> (L.) Röser & Hamasha										
311566	<i>Pisum sativum</i> L. subsp. <i>sativum</i> var. <i>arvense</i> (L.) Poir.	pea, field	Fabaceae	A	C	C	C	C	C	C	C
400961	<i>Pisum sativum</i> L. subsp. <i>sativum</i> var. <i>sativum</i>	pea, garden	Fabaceae	V	C	C	C	C	C	C	C
301090	<i>Pisum</i> spp.	pea	Fabaceae	V	C	C	C	C	C	C	C
28757	<i>Pittosporum undulatum</i> Vent.	box, Victorian	Pittosporaceae	S	W	W	W	W	W	W	W



Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
316916	<i>Plagiobothrys figuratus</i> (Piper) I. M. Johnst.	scorpionweed	Boraginaceae	W	W	W	W	W	W	W	W
317309	<i>Plagiobothrys hispidulus</i> (Greene) I. M. Johnst. = <i>Plagiobothrys scouleri</i> (Hook. & Arn.) I. M. Johnst. var. <i>hispidulus</i> (Greene) Dorn										
316969	<i>Plagiobothrys scouleri</i> (Hook. & Arn.) I. M. Johnst. var. <i>hispidulus</i> (Greene) Dorn	popcornflower, hairy; scorpionweed, small Dorn	Boraginaceae	W	W	W	W	W	W	W	W
316999	<i>Plagiobothrys</i> spp.	popcornflower; scorpionweed	Boraginaceae	W	W	W	W	W	W	W	W
316475	<i>Plantago afra</i> L.	plantain, flaxseed	Plantaginaceae [Veronicaceae]	W	W	W	W	W	W	W	W
315865	<i>Plantago arenaria</i> Waldst. & Kit.	psyllium	Plantaginaceae [Veronicaceae]	W	W	W	W	W	W	W	W
28780	<i>Plantago aristata</i> Michx.	plantain, bracted	Plantaginaceae [Veronicaceae]	W	W	W	W	W	W	W	W
429317	<i>Plantago australis</i> Lam. subsp. <i>hirtella</i> (Kunth) Rahn	plantain, Mexican	Plantaginaceae [Veronicaceae]	W	W	W	W	W	W	W	W
28781	<i>Plantago coronopus</i> L.	plantain, crowfoot	Plantaginaceae [Veronicaceae]	W	W	W	W	W	W	W	W
317310	<i>Plantago hirtella</i> Kunth = <i>Plantago australis</i> Lam. subsp. <i>hirtella</i> (Kunth) Rahn										
316787	<i>Plantago insularis</i> Eastw. = <i>Plantago ovata</i> Forssk.										
28787	<i>Plantago lanceolata</i> L.	buckhorn; plantain, buckhorn	Plantaginaceae [Veronicaceae]	W	W	W	W	W	W	W	W
28788	<i>Plantago major</i> L.	plantain, broadleaf; plantain, common	Plantaginaceae [Veronicaceae]	W	W	W	W	W	W	W	W
28790	<i>Plantago ovata</i> Forssk.	plantain, blond; wheat, desert Indian	Plantaginaceae [Veronicaceae]	F, R	W	C	W	C	W	W	W
28791	<i>Plantago patagonica</i> Jacq.	plantain, woolly	Plantaginaceae [Veronicaceae]	W	W	W	W	W	W	W	W
28792	<i>Plantago psyllium</i> auct. = <i>Plantago afra</i> L.										
28793	<i>Plantago purshii</i> Roem. & Schult. = <i>Plantago patagonica</i> Jacq.										
316788	<i>Plantago pusilla</i> Nutt.	plantain, slender	Plantaginaceae [Veronicaceae]	W	W	W	W	W	W	W	W
316789	<i>Plantago rhodosperma</i> Decne.	plantain, redseed	Plantaginaceae [Veronicaceae]	W	W	W	W	W	W	W	W
28794	<i>Plantago rugelii</i> Decne.	plantain, blackseed; plantain, Ruge's	Plantaginaceae [Veronicaceae]	W	W	W	W	W	W	W	W
315862	<i>Plantago scabra</i> Moench, nom. illeg. = <i>Plantago arenaria</i> Waldst. & Kit.										
315864	<i>Plantago sempervirens</i> Crantz	plantain, evergreen	Plantaginaceae [Veronicaceae]	F, R	W	W	W	W	W	W	W
317089	<i>Plantago</i> spp.	plantain	Plantaginaceae [Veronicaceae]	W	W	W	W	W	W	W	W
28796	<i>Plantago virginica</i> L.	plantain, paleseed plantain, Virginia	Plantaginaceae [Veronicaceae]	W	W	W	W	W	W	W	W
28802	<i>Platanus occidentalis</i> L.	planetree, American; sycamore, American	Platanaceae	S	W	W	W	W	C	W	W
310211	<i>Platycladus orientalis</i> (L.) Franco	arborvitae, Oriental; arborvitae, Chinese	Cupressaceae	S	W	W	W	W	C	W	W

## AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
28819	<i>Platycodon grandiflorus</i> (Jacq.) A. DC.	balloon-flower	Campanulaceae	F	W	C	W	W	W	W	W	W
463127	<i>Plectocephalus americana</i> (Nutt.) D. Don	basket-flower; flower, Texas	Asteraceae	F	W	C	W	W	W	W	W	W
463126	<i>Plectocephalus rothrockii</i> (Greenm.) D. J. N. Hind	knapweed, Rothrock's	Asteraceae	F	W	C	W	W	W	W	W	W
317146	<i>Plectranthus scutellarioides</i> (L.) R. Br.	coleus, common	Lamiaceae	F	W	C	W	W	W	W	W	W
452225	<i>Plectritis congesta</i> (Lindl.) DC.	sealush, shortspur	Caprifoliaceae [Valerianaceae]	F, R	W	C	W	C	W	W	W	W
28864	<i>Pleuraphis jamesii</i> Torr.	galleta; galleta grass	Poaceae	R	W	W	W	C	W	W	W	W
28865	<i>Pleuraphis mutica</i> Buckley	tobosagrass	Poaceae	R	W	W	W	C	W	W	W	W
28866	<i>Pleuraphis rigida</i> Thurb.	galleta, big	Poaceae	R	W	W	W	C	W	W	W	W
312925	<i>Plumbago auriculata</i> Lam.	leadwort, Cape; plumbago, Cape	Plumbaginaceae	F	W	C	W	W	W	W	W	W
28896	<i>Poa alpina</i> L.	bluegrass, alpine	Poaceae	R, T	C	W	W	C	W	C	W	W
28901	<i>Poa ampla</i> Merr. = <i>Poa secunda</i> J. Presl											
28904	<i>Poa annua</i> L.	bluegrass, annual	Poaceae	T	W	W	W	W	W	W	W	W
28907	<i>Poa arachnifera</i> Torr.	bluegrass, Texas	Poaceae	A	W	W	W	W	W	C	W	W
28910	<i>Poa arida</i> Vasey	bluegrass, plains	Poaceae	W	W	W	W	W	W	W	W	W
28920	<i>Poa bulbosa</i> L.	bluegrass, bulbous	Poaceae	A	W	W	W	W	W	W	W	W
28926	<i>Poa canbyi</i> (Scribn.) Howell = <i>Poa secunda</i> J. Presl											
28934	<i>Poa compressa</i> L.	bluegrass, Canada	Poaceae	A, R	C	C	C	C	C	C	C	C
316122	<i>Poa cusickii</i> Vasey	bluegrass, cusick	Poaceae	A	W	W	W	C	W	C	W	W
103649	<i>Poa fendleriana</i> (Steud.) Vasey	muttongrass	Poaceae	A, R	W	W	W	C	W	C	W	W
28949	<i>Poa glauca</i> Vahl	bluegrass, glaucantha; bluegrass, tundra; bluegrass, upland	Poaceae	R, T	W	W	W	C	W	C	W	W
28950	<i>Poa glaucanthos</i> Gaudin = <i>Poa glauca</i> Vahl											
28951	<i>Poa glaucifolia</i> Scribn. & T. A. Williams	bluegrass, Swallen	Poaceae	A	W	W	W	C	W	C	W	W
28958	<i>Poa interior</i> Rydb.	bluegrass, inland	Poaceae	A	W	W	W	W	W	C	W	W
28962	<i>Poa juncifolia</i> Scribn. = <i>Poa secunda</i> J. Presl											
28982	<i>Poa nemoralis</i> L.	bluegrass, wood	Poaceae	R	C	C	C	C	C	C	C	C
28984	<i>Poa nervosa</i> (Hook.) Vasey	bluegrass, Wheeler	Poaceae	R	W	W	W	C	W	W	W	W
28985	<i>Poa nevadensis</i> Vasey ex Scribn. = <i>Poa secunda</i> J. Presl											
28989	<i>Poa palustris</i> L.	bluegrass, fowl	Poaceae	R	W	W	W	C	W	W	W	W
28996	<i>Poa pratensis</i> L.	bluegrass, Kentucky	Poaceae	T	C	C	C	C	C	C	C	C
317243	<i>Poa scabrella</i> (Thurb.) Benth. ex Vasey = <i>Poa secunda</i> J. Presl											
29004	<i>Poa secunda</i> J. Presl	bluegrass, alkali; bluegrass, big; bluegrass, Canby; bluegrass, Nevada; bluegrass, pine; bluegrass, Sandberg	Poaceae	R	W	W	W	C	W	W	W	W
300480	<i>Poa</i> spp.	bluegrass	Poaceae	A, R, T	W	W	W	C	W	C	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
29012	<i>Poa stenantha</i> Trin.	bluegrass, northern	Poaceae	A	W	W	W	W	W	C	W
29016	<i>Poa supina</i> Schrad.	bluegrass, supina	Poaceae	R	W	W	W	C	W	W	W
29023	<i>Poa trivialis</i> L.	bluegrass, rough	Poaceae	A, T	C	C	C	C	C	C	C
29030	<i>Podalyria sericea</i> R. Br.	sophora, silky	Fabaceae	W	W	W	W	W	W	W	W
417366	<i>Podospermum laciniatum</i> (L.) DC.	salsify, cutleaf	Asteraceae	W	W	W	W	W	W	W	W
317090	<i>Polanisia</i> spp.	clammyweed	Cleomaceae [Brassicaceae] [Capparaceae]	W	W	W	W	W	W	W	W
316790	<i>Polemonium micranthum</i> Benth.	polemonium, annual	Polemoniaceae	W	W	W	W	W	W	W	W
317091	<i>Polemonium</i> spp.	Jacob's-ladder; polemonium	Polemoniaceae	F	W	C	W	W	W	W	W
317092	<i>Polygala</i> spp.	milkwort	Polygalaceae	W	W	W	W	W	W	W	W
29231	<i>Polygonum acre</i> Kunth, nom. illeg. = <i>Persicaria punctata</i> (Elliott) Small										
316791	<i>Polygonum amphibium</i> L. var. <i>emersum</i> Michx. = <i>Persicaria amphibia</i> (L.) Delarbre										
316792	<i>Polygonum argyrocoleon</i> Steud. ex Kunze	knotweed, silversheath	Polygonaceae	W	W	W	W	W	W	W	W
29238	<i>Polygonum aviculare</i> L.	knotweed, prostrate	Polygonaceae	W	W	W	W	W	W	W	W
316793	<i>Polygonum bungeanum</i> Turcz. = <i>Persicaria bungeana</i> (Turcz.) Nakai										
29245	<i>Polygonum capitatum</i> Buch.-Ham. ex D. Don = <i>Persicaria capitata</i> (Buch.-Ham. ex D. Don) H. Gross										
317244	<i>Polygonum coccineum</i> Muhl. ex Willd. = <i>Persicaria amphibia</i> (L.) Delarbre										
29247	<i>Polygonum convolvulus</i> L. = <i>Fallopia</i> <i>convolvulus</i> (L.) Á. Löve										
316794	<i>Polygonum cuspidatum</i> Siebold & Zucc. = <i>Reynoutria japonica</i> Houtt.										
316795	<i>Polygonum hydropiper</i> L. = <i>Persicaria</i> <i>hydropiper</i> (L.) Delarbre										
317311	<i>Polygonum kelloggii</i> Greene = <i>Polygonum polygaloides</i> Meisn. subsp. <i>kelloggii</i> (Greene) J. C. Hickman										
316796	<i>Polygonum lapathifolium</i> L. = <i>Persicaria</i> <i>lapathifolia</i> (L.) Delarbre										
316797	<i>Polygonum pensylvanicum</i> L. = <i>Persicaria pensylvanica</i> (L.) M. Gómez										
29263	<i>Polygonum perfoliatum</i> L. = <i>Persicaria</i> <i>perfoliata</i> (L.) H. Gross										
29264	<i>Polygonum persicaria</i> L. = <i>Persicaria</i> <i>maculosa</i> Gray										
316971	<i>Polygonum polygaloides</i> Meisn. subsp. <i>kelloggii</i> (Greene) J. C. Hickman	knotweed, Kellogg	Polygonaceae	W	W	W	W	W	W	W	W
29266	<i>Polygonum polystachyum</i> Wall. ex Meisn. = <i>Koenigia polystachya</i> (Wall. ex Meisn.) T. M. Schust. & Reveal										
29268	<i>Polygonum punctatum</i> Elliott = <i>Persicaria punctata</i> (Elliott) Small										
316798	<i>Polygonum ramosissimum</i> Michx.	knotweed, bushy	Polygonaceae	W	W	W	W	W	W	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
29272	<i>Polygonum sachalinense</i> F. Schmidt = <i>Reynoutria sachalinensis</i> (F. Schmidt) Nakai											
29273	<i>Polygonum sagittatum</i> L. = <i>Persicaria sagittata</i> (L.) H. Gross											
29275	<i>Polygonum scandens</i> L. = <i>Fallopia scandens</i> (L.) Holub											
300483	<i>Polygonum</i> spp.	knotweed; smartweed	Polygonaceae	W	W	W	W	W	W	W	W	W
29317	<i>Polypogon monspeliensis</i> (L.) Desf.	rabbitfootgrass	Poaceae	R	W	W	W	W	W	W	W	W
29365	<i>Populus balsamifera</i> L.	poplar, balsam	Salicaceae	S	W	W	W	W	C	W	W	W
316800	<i>Populus balsamifera</i> L. subsp. <i>trichocarpa</i> (Torr. & A. Gray) Brayshaw = <i>Populus trichocarpa</i> Torr. & A. Gray											
29382	<i>Populus deltoides</i> W. Bartram ex Marshall	cottonwood	Salicaceae	S	W	W	W	W	C	W	W	W
310683	<i>Populus</i> spp.	poplar	Salicaceae	S	W	W	W	W	C	W	W	W
29424	<i>Populus tremuloides</i> Michx.	aspen, quaking	Salicaceae	S	W	W	W	W	C	W	W	W
317245	<i>Populus trichocarpa</i> Torr. & A. Gray	cottonwood, black	Salicaceae	S	W	W	W	W	C	W	W	W
29451	<i>Portulaca grandiflora</i> Hook.	moss-rose; portulaca; purslane, large	Portulacaceae	F	W	C	W	W	W	W	W	W
29453	<i>Portulaca oleracea</i> L.	purslane, common	Portulacaceae	W	W	W	W	W	W	W	W	W
400123	<i>Potamogeton crispus</i> L.	pondweed, curly leaf	Potamogetonaceae	W	W	W	W	W	W	W	W	W
29466	<i>Potentilla argentea</i> L.	cinquefoil, silvery	Rosaceae	W	W	W	W	W	W	W	W	W
29471	<i>Potentilla biennis</i> Greene	cinquefoil, biennial	Rosaceae	W	W	W	W	W	W	W	W	W
104786	<i>Potentilla canadensis</i> L.	cinquefoil, oldfield	Rosaceae	W	W	W	W	W	W	W	W	W
405359	<i>Potentilla diversifolia</i> Lehm.	cinquefoil, wedgeleaf	Rosaceae	R	W	W	W	C	W	W	W	W
29482	<i>Potentilla fruticosa</i> L. = <i>Dasiphora fruticosa</i> (L.) Rydb.											
316801	<i>Potentilla glandulosa</i> Lindl. = <i>Drymocallis glandulosa</i> (Lindl.) Rydb.											
313631	<i>Potentilla gracilis</i> Douglas ex Hook.	cinquefoil, slender	Rosaceae	R	W	W	W	C	W	W	W	W
29505	<i>Potentilla monspeliensis</i> L. = <i>Potentilla norvegica</i> L.											
29510	<i>Potentilla norvegica</i> L.	cinquefoil, rough; strawberryweed	Rosaceae	W	W	W	W	W	W	W	W	W
317246	<i>Potentilla norvegica</i> L. subsp. <i>monspeliensis</i> (L.) Asch. & Graebn. = <i>Potentilla norvegica</i> L.											
29517	<i>Potentilla recta</i> L.	cinquefoil, rough-fruited	Rosaceae	W	W	W	W	W	W	W	W	W
N/A	<i>Potentilla recta</i> L. 'Warrenii'	cinquefoil, sulphur	Rosaceae	W	W	W	W	W	W	W	W	W
317247	<i>Potentilla recta</i> L. var. <i>warrensii</i> hort. = <i>Potentilla recta</i> L. 'Warrenii'											
313630	<i>Potentilla</i> spp.	cinquefoil	Rosaceae	R	W	W	W	C	W	W	W	W
104790	<i>Potentilla tridentata</i> Aiton	cinquefoil, three-toothed	Rosaceae	W	W	W	W	W	W	W	W	W
29592	<i>Primula auricula</i> L.	auricula	Primulaceae	F	W	C	W	W	W	W	W	W
29671	<i>Primula xpolyantha</i> Mill.	polyanthus	Primulaceae	F	W	C	W	W	W	W	W	W
317093	<i>Primula</i> spp.	primrose	Primulaceae	F	W	C	W	W	W	W	W	W
316990	<i>Prionopsis ciliata</i> (Nutt.) Nutt. = <i>Grindelia ciliata</i> (Nutt.) Spreng.											

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
401398	<i>Proboscidea louisianica</i> (Mill.) Thell. subsp. <i>louisianica</i>	devil's-claw; martynia; ram's-horn; unicorn-plant	Martyniaceae [Pedaliaceae]	F	W	W	W	W	W	W	W	W
316388	<i>Prosopis alata</i> Phil.		Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W	W
316389	<i>Prosopis argentina</i> Burkart		Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W	W
316390	<i>Prosopis articulata</i> S. Watson	amargo, mesquite	Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W	W
316391	<i>Prosopis burkartii</i> Muñoz		Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W	W
316392	<i>Prosopis caldenia</i> Burkart		Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W	W
316393	<i>Prosopis calingastana</i> Burkart	cusqui	Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W	W
29746	<i>Prosopis campestris</i> Griseb.		Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W	W
316394	<i>Prosopis castellanosi</i> Burkart		Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W	W
313262	<i>Prosopis denudans</i> Benth.		Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W	W
316395	<i>Prosopis elata</i> (Burkart) Burkart		Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W	W
100110	<i>Prosopis farcta</i> (Banks & Sol.) J. F. Macbr.		Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W	W
29754	<i>Prosopis ferox</i> Griseb.		Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W	W
316396	<i>Prosopis fiebrigii</i> Harms		Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W	W
316397	<i>Prosopis hassleri</i> Harms		Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W	W
316398	<i>Prosopis humilis</i> Gillies ex Hook. & Arn.		Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W	W
29758	<i>Prosopis juliflora</i> (Sw.) DC. var. <i>juliflora</i>	mesquite	Fabaceae [Mimosaceae]	R, S	W	W	W	C	C	W	W	W
29762	<i>Prosopis kuntzei</i> Harms		Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W	W
313266	<i>Prosopis pallida</i> (Humb. & Bonpl. ex Willd.) Kunth	algarrobo; huarango; kiawe	Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W	W
316399	<i>Prosopis palmeri</i> S. Watson		Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W	W
316423	<i>Prosopis reptans</i> Benth. var. <i>reptans</i>		Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W	W
316401	<i>Prosopis rojasiana</i> Burkart		Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W	W
316402	<i>Prosopis ruizlealii</i> Burkart		Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W	W
316403	<i>Prosopis ruscifolia</i> Griseb.		Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W	W
29769	<i>Prosopis sericantha</i> Gillies ex Hook. & Arn.		Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W	W
318356	<i>Prosopis</i> spp.	mesquite	Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W	W
29773	<i>Prosopis strombulifera</i> (Lam.) Benth.	mesquite, creeping	Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
316404	<i>Prosopis torquata</i> (Cav. ex Lag.) DC.		Fabaceae [Mimosaceae]	W	W	W	W	W	W	W	W
29775	<i>Prosopis velutina</i> Wooton	mesquite, velvet	Fabaceae [Mimosaceae]	R, S	W	W	W	C	C	W	W
29826	<i>Prunella vulgaris</i> L.	heal-all; self-heal	Lamiaceae	W	W	W	W	W	W	W	W
459329	<i>Prunella vulgaris</i> L. subsp. <i>lanceolata</i> (W. P. C. Barton) Piper & Beattie	selfheal, lance	Lamiaceae	F, R	W	W	W	W	W	W	W
29835	<i>Prunus andersonii</i> A. Gray	peach, desert; plum cherry	Rosaceae	R, S	W	W	W	C	C	W	W
29841	<i>Prunus armeniaca</i> L.	apricot	Rosaceae	S	W	W	W	W	C	W	W
29844	<i>Prunus avium</i> (L.) L.	cherry, sweet	Rosaceae	S	W	W	W	W	C	W	W
29860	<i>Prunus cerasifera</i> Ehrh.	plum, myrobalan	Rosaceae	S	W	W	W	W	W	C	W
29888	<i>Prunus domestica</i> L.	plum; prune	Rosaceae	S	W	W	W	W	C	W	W
29893	<i>Prunus emarginata</i> (Douglas) Eaton	cherry, bitter	Rosaceae	A, R, S	W	W	W	C	C	W	W
29895	<i>Prunus fasciculata</i> (Torr.) A. Gray	almond, desert	Rosaceae	R, S	W	W	W	C	C	W	W
30034	<i>Prunus mahaleb</i> L.	cherry, mahaleb	Rosaceae	S	W	W	W	W	C	W	W
30064	<i>Prunus pensylvanica</i> L. f.	cherry, pin	Rosaceae	S	W	W	W	W	C	W	W
30065	<i>Prunus persica</i> (L.) Batsch	peach	Rosaceae	S	W	W	W	W	C	W	W
30083	<i>Prunus pumila</i> L.	cherry, sand	Rosaceae	R, S	W	W	W	C	C	W	W
30099	<i>Prunus serotina</i> Ehrh.	cherry, black	Rosaceae	S	W	W	W	W	C	W	W
30151	<i>Prunus virginiana</i> L.	chokecherry	Rosaceae	R, S	W	W	W	C	C	W	W
30152	<i>Prunus virginiana</i> L. var. <i>demissa</i> (Nutt.) Torr.	chokecherry, black	Rosaceae	R, S	W	W	W	C	C	W	W
30153	<i>Prunus virginiana</i> L. var. <i>melanocarpa</i> (A. Nelson) Sarg. = <i>Prunus virginiana</i> L. var. <i>demissa</i> (Nutt.) Torr.										
70517	<i>Psathyrostachys juncea</i> (Fisch.) Nevski	wildrye, Russian	Poaceae	R	W	W	W	C	W	C	W
462375	<i>Psephellus dealbatus</i> (Willd.) K. Koch	coneflower, Persian	Asteraceae	F	W	C	W	W	W	W	W
476219	<i>Pseudognaphalium biolettii</i> Anderb.	rabbit-tobacco, two-color	Asteraceae	R	W	W	W	C	W	W	W
411036	<i>Pseudognaphalium obtusifolium</i> (L.) Hilliard & B. L. Burt	cudweed, everlasting; everlasting, common	Asteraceae	W	W	W	W	W	W	W	W
408177	<i>Pseudolysimachion longifolium</i> (L.) Opiz = <i>Veronica longifolia</i> L.										
408176	<i>Pseudolysimachion spicatum</i> (L.) Opiz = <i>Veronica spicata</i> L.										
313402	<i>Pseudoroegneria spicata</i> (Pursh) Á. Löve	wheatgrass, beardless; wheatgrass, bluebunch	Poaceae	A, R	C	W	W	C	W	C	W
316802	<i>Pseudotsuga macrocarpa</i> (Vasey) Mayr	douglas-fir, bigcone	Pinaceae	S	W	W	W	W	C	W	W
30192	<i>Pseudotsuga menziesii</i> (Mirb.) Franco var. <i>glauca</i> (Beissn.) Franco	douglas-fir, blue; douglas-fir, grey	Pinaceae	R, S	W	W	W	C	C	W	W
310540	<i>Pseudotsuga menziesii</i> (Mirb.) Franco var. <i>menziesii</i>	douglas-fir, green	Pinaceae	R, S	W	W	W	C	C	W	W
316917	<i>Psilocarphus elatior</i> A. Gray	woollyheads, tall	Asteraceae	W	W	W	W	W	W	W	W
317094	<i>Psilocarphus</i> spp.	woollyheads	Asteraceae	W	W	W	W	W	W	W	W
452923	<i>Psilostrophe cooperi</i> (A. Gray) Greene	paperflower, whitestem	Asteraceae	F, R, S	W	C	W	C	C	W	W
30222	<i>Psophocarpus tetragonolobus</i> (L.) DC.	asparagus-bean; winged-bean	Fabaceae	V	W	W	W	W	W	W	C

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
318407	<i>Psoralea</i> auct. spp. = <i>Psoralidium</i> spp.											
30247	<i>Psoralea lanceolata</i> Pursh = <i>Psoralidium lanceolatum</i> (Pursh) Rydb.											
30257	<i>Psoralea tenuiflora</i> Pursh = <i>Psoralidium tenuiflorum</i> (Pursh) Rydb.											
312049	<i>Psoralidium lanceolatum</i> (Pursh) Rydb.	scurfpea, lemon	Fabaceae	W	W	W	W	W	W	W	W	W
318406	<i>Psoralidium</i> spp.	scurfpea	Fabaceae	W	W	W	W	W	W	W	W	W
312048	<i>Psoralidium tenuiflorum</i> (Pursh) Rydb.	scurfpea, slimflower	Fabaceae	W	W	W	W	W	W	W	W	W
408796	<i>Psorothamnus arborescens</i> (Torr. ex A. Gray) Barneby	indigobush, Mojave	Fabaceae	R, S	W	W	W	C	C	W	W	W
316918	<i>Psylliostachys suworowii</i> (Regel) Roshkova	statice	Plumbaginaceae	F	W	W	W	W	W	W	W	W
103546	<i>Puccinellia airoides</i> S. Watson & J. M. Coult. = <i>Puccinellia nuttalliana</i> (Schult.) Hitchc.											
30339	<i>Puccinellia distans</i> (Jacq.) Parl.	alkaligrass, weeping	Poaceae	R	W	W	W	C	W	C	W	W
316803	<i>Puccinellia lemmonii</i> (Vasey) Scribn.	alkaligrass, Lemmons	Poaceae	R	W	W	W	C	W	W	W	W
103547	<i>Puccinellia nuttalliana</i> (Schult.) Hitchc.	alkaligrass, Nuttall	Poaceae	R	W	W	W	C	W	W	W	W
300495	<i>Puccinellia</i> spp.	alkaligrass	Poaceae	R	W	W	W	C	W	W	W	W
30353	<i>Pueraria lobata</i> (Willd.) Ohwi = <i>Pueraria montana</i> (Lour.) Merr. var. <i>lobata</i> (Willd.) Maesen & S. M. Almeida ex Sanjappa & Predeep											
314966	<i>Pueraria montana</i> (Lour.) Merr. var. <i>lobata</i> (Willd.) Maesen & S. M. Almeida ex Sanjappa & Predeep	kudzu	Fabaceae	A	W	W	W	W	W	W	W	W
30357	<i>Pueraria phaseoloides</i> (Roxb.) Benth.	kudzu, tropical	Fabaceae	W	W	W	W	W	W	W	W	W
105334	<i>Pulsatilla vulgaris</i> Mill. = <i>Anemone pulsatilla</i> L.											
316804	<i>Purshia glandulosa</i> Curran	bitterbrush, desert	Rosaceae	R, S	W	W	W	C	C	W	W	W
318363	<i>Purshia mexicana</i> (D. Don) S. L. Welsh var. <i>mexicana</i>	cliff-rose; quininebush	Rosaceae	R, S	W	W	W	C	C	W	W	W
318364	<i>Purshia mexicana</i> (D. Don) S. L. Welsh var. <i>stansburyana</i> (Torr.) S. L. Welsh	cliff-rose, Stansbury	Rosaceae	R, S	W	W	W	C	C	W	W	W
30375	<i>Purshia tridentata</i> (Pursh) DC.	bitterbrush, antelope	Rosaceae	R, S	W	W	W	C	C	W	W	W
317007	<i>Pycnanthemum</i> spp.	mint, mountain	Lamiaceae	R	W	W	W	C	W	W	W	W
312143	<i>Pycnanthemum virginianum</i> (L.) T. Durand & B. D. Jacks. ex B. L. Rob. & Fernald	mountainmint, whorled	Lamiaceae	F, R	W	C	W	C	W	W	W	W
317127	<i>Pyrethrum</i> spp. = <i>Tanacetum</i> spp.											
30474	<i>Pyrus communis</i> L.	pear	Rosaceae	S	W	W	W	W	C	W	W	W
30530	<i>Pyrus malus</i> L. = <i>Malus domestica</i> Borkh.											
316805	<i>Quercus alba</i> L.	oak, white	Fagaceae	S	W	W	W	W	C	W	W	W
30661	<i>Quercus chrysolepis</i> Liebm.	oak, canyon live	Fagaceae	S	W	W	W	W	C	W	W	W
30678	<i>Quercus gambelii</i> Nutt.	oak, Gambel	Fagaceae	S	W	W	W	W	C	W	W	W
30679	<i>Quercus garryana</i> Douglas ex Hook.	oak, Oregon white	Fagaceae	S	W	W	W	W	C	W	W	W
316806	<i>Quercus kelloggii</i> Newb.	oak, California black	Fagaceae	S	W	W	W	W	C	W	W	W
104673	<i>Quercus muehlenbergii</i> Engelm.	oak, chinkapin	Fagaceae	S	W	W	W	W	C	W	W	W
400317	<i>Quercus nigra</i> L.	oak, water	Fagaceae	S	W	W	W	W	C	W	W	W
70539	<i>Quercus shumardii</i> Buckley	oak, Shumard	Fagaceae	S	W	W	W	W	C	W	W	W
300504	<i>Quercus</i> spp.	oak	Fagaceae	S	W	W	W	W	C	W	W	W

## AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
30771	<i>Quercus virginiana</i> Mill.	oak, live	Fagaceae	S	W	W	W	W	C	W	W
316919	<i>Quincula lobata</i> (Torr.) Raf.	groundcherry, purple	Solanaceae	W	W	W	W	W	W	W	W
105370	<i>Ranunculus abortivus</i> L.	buttercup, small-flower; crowfoot, small-flower	Ranunculaceae	W	W	W	W	W	W	W	W
30810	<i>Ranunculus acris</i> L.	buttercup, tall	Ranunculaceae	F	W	W	W	W	W	W	W
30813	<i>Ranunculus arvensis</i> L.	buttercup, corn	Ranunculaceae	W	W	W	W	W	W	W	W
30817	<i>Ranunculus bulbosus</i> L.	buttercup, bulbous	Ranunculaceae	F	W	W	W	W	W	W	W
30835	<i>Ranunculus muricatus</i> L.	buttercup	Ranunculaceae	W	W	W	W	W	W	W	W
457485	<i>Ranunculus occidentalis</i> Nutt.	buttercup, western	Ranunculaceae	F, R	W	C	W	C	W	W	W
30838	<i>Ranunculus parviflorus</i> L.	buttercup, sticktight	Ranunculaceae	W	W	W	W	W	W	W	W
30841	<i>Ranunculus repens</i> L.	buttercup, creeping	Ranunculaceae	F	W	W	W	W	W	W	W
30844	<i>Ranunculus sceleratus</i> L.	buttercup, blister	Ranunculaceae	W	W	W	W	W	W	W	W
317095	<i>Ranunculus</i> spp.	buttercup; ranunculus	Ranunculaceae	F	W	W	W	W	W	W	W
30856	<i>Raphanus raphanistrum</i> L.	radish, wild	Brassicaceae	W	W	W	W	W	W	W	W
30857	<i>Raphanus sativus</i> L.	radish	Brassicaceae	V	C	C	C	C	C	C	C
310087	<i>Raphanus</i> spp.	radish	Brassicaceae	V	W	W	W	W	W	W	C
30874	<i>Rapistrum rugosum</i> (L.) All.	mustard, common giant; turnipweed	Brassicaceae	W	W	W	W	W	W	W	W
30877	<i>Ratibida columnifera</i> (Nutt.) Wooton & Standl.	coneflower, prairie; Mexican hat	Asteraceae	F	W	C	W	W	W	W	W
70542	<i>Ratibida pinnata</i> (Vent.) Barnhart	coneflower, greyhead prairie; coneflower, yellow	Asteraceae	F, R	W	C	W	C	W	W	W
317096	<i>Ratibida</i> spp.	coneflower	Asteraceae	F, R	W	C	W	C	W	W	W
70545	<i>Reseda lutea</i> L.	rocket, base; mignonette, yellow	Resedaceae	W	W	W	W	W	W	W	W
30928	<i>Reseda odorata</i> L.	mignonette, common	Resedaceae	F	W	C	W	W	W	W	W
313199	<i>Reseda</i> spp.	mignonette	Resedaceae	W	W	W	W	W	W	W	W
311145	<i>Retama monosperma</i> (L.) Boiss.	broom, bridal veil	Fabaceae	W	W	W	W	W	W	W	W
400616	<i>Reynoutria japonica</i> Houtt.	knotweed, Japanese	Polygonaceae	W	W	W	W	W	W	W	W
409769	<i>Reynoutria sachalinensis</i> (F. Schmidt) Nakai	knotweed, giant; knotweed, Sakhalin	Polygonaceae	W	W	W	W	W	W	W	W
31053	<i>Rhamnus purshiana</i> DC. = <i>Frangula purshiana</i> (DC.) A. Gray										
454138	<i>Rhaponticum repens</i> (L.) Hidalgo	knapweed, Russian	Asteraceae	W	W	W	W	W	W	W	W
31110	<i>Rheum xhybridum</i> Murray = <i>Rheum xrhubarbarum</i> L.										
404883	<i>Rheum xrhubarbarum</i> L.	rhubarb	Polygonaceae	V	W	W	W	W	W	W	C
411098	<i>Rhodanthe chlorocephala</i> (Turcz.) Paul G. Wilson subsp. <i>rosea</i> (Hook.) Paul G. Wilson	helipterum; strawflower	Asteraceae	F	W	C	W	W	W	W	W
301067	<i>Rhododendron</i> spp.	azalea; rhododendron	Ericaceae	S	W	W	W	W	C	W	W
31664	<i>Rhodomyrtus tomentosa</i> (Aiton) Hassk.	myrtle, downy; rosemyrtle, downy	Myrtaceae	W	W	W	W	W	W	W	W
464048	<i>Rhus aromatica</i> Aiton var. <i>trilobata</i> (Nutt.) A. Gray	sumac, oakbrush; sumac, skunkbrush	Anacardiaceae	R, S	W	W	W	C	C	W	W
101785	<i>Rhus diversiloba</i> Torr. & A. Gray = <i>Toxicodendron diversilobum</i> (Torr. & A. Gray) Greene										



Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
31689	<i>Rhus glabra</i> L.	sumac, smooth	Anacardiaceae	R, S	W	W	W	C	C	W	W
31699	<i>Rhus microphylla</i> Engelm.	sumac, littleleaf	Anacardiaceae	S	W	W	W	W	C	W	W
317312	<i>Rhus parviflora</i> Roxb. = <i>Toxicodendron parviflorum</i> (Roxb.) Kuntze										
317097	<i>Rhus</i> spp.	sumac	Anacardiaceae	R, S	W	W	W	C	C	W	W
31717	<i>Rhus trilobata</i> Nutt. = <i>Rhus aromatica</i> Aiton var. <i>trilobata</i> (Nutt.) A. Gray										
31726	<i>Rhus vernix</i> L. = <i>Toxicodendron vernix</i> (L.) Kuntze										
31730	<i>Rhynchelytrum repens</i> (Willd.) C. E. Hubb. = <i>Melinis repens</i> (Willd.) Zizka										
31732	<i>Rhynchelytrum roseum</i> (Nees) Stapf & C. E. Hubb. = <i>Melinis repens</i> (Willd.) Zizka										
317098	<i>Rhynchospora</i> spp.	spearhead	Cyperaceae	W	W	W	W	W	W	W	W
31779	<i>Ribes aureum</i> Pursh	currant, golden	Grossulariaceae	R, S	W	W	W	C	C	W	W
31785	<i>Ribes cereum</i> Douglas	currant, wax; gooseberry	Grossulariaceae	R, S	W	W	W	C	C	W	W
31840	<i>Ribes montigenum</i> McClatchie	currant, gooseberry; gooseberry, mountain	Grossulariaceae	R, S	W	W	W	C	C	W	W
31889	<i>Richardia scabra</i> L.	Mexican-clover; pusley, Florida	Rubiaceae	R	W	W	W	W	W	W	W
31896	<i>Ricinus communis</i> L.	castorbean	Euphorbiaceae	A	C	C	C	C	C	C	C
105063	<i>Robinia hispida</i> L.	locust, bristly; rose-acacia	Fabaceae	R, S	W	W	W	C	C	W	W
5236	<i>Robinia neomexicana</i> A. Gray	locust, New Mexican	Fabaceae	S	W	C	W	C	C	W	W
5238	<i>Robinia pseudoacacia</i> L.	locust, black	Fabaceae	S	C	C	C	C	C	C	C
5268	<i>Roemeria refracta</i> DC.	poppy, roemer	Papaveraceae	W	W	W	W	W	W	W	W
32042	<i>Romneya coulteri</i> Harv.	poppy, matilija	Papaveraceae	F	W	C	W	W	W	W	W
316807	<i>Romulea rosea</i> (L.) Eckl.	grass, onion	Iridaceae	W	W	W	W	W	W	W	W
316808	<i>Rorippa austriaca</i> (Crantz) Besser	fieldcress, Austrian	Brassicaceae	W	W	W	W	W	W	W	W
105512	<i>Rorippa nasturtium-aquaticum</i> (L.) Hayek = <i>Nasturtium officinale</i> W. T. Aiton										
316809	<i>Rorippa palustris</i> (L.) Besser	yellowcress, western	Brassicaceae	W	W	W	W	W	W	W	W
317099	<i>Rorippa</i> spp.	yellowcress	Brassicaceae	W	W	W	W	W	W	W	W
105513	<i>Rorippa sylvestris</i> (L.) Besser	yellowcress, creeping	Brassicaceae	W	W	W	W	W	W	W	W
300515	<i>Rosa acicularis</i> Lindl.	rose, prickly	Rosaceae	S	W	W	W	W	C	W	W
32081	<i>Rosa arkansana</i> Porter	rose, prairie	Rosaceae	F, R, S	W	C	W	C	C	W	W
5347	<i>Rosa foetida</i> Herm.	briar, Australian	Rosaceae	F, R, S	W	C	W	C	C	W	W
32108	<i>Rosa multiflora</i> Thunb.	rose, multiflora	Rosaceae	R, S	W	W	W	C	C	W	W
32118	<i>Rosa nutkana</i> C. Presl	rose, nootka	Rosaceae	F, R, S	W	C	W	C	C	W	W
32151	<i>Rosa rubiginosa</i> L.	rose, sweetbriar	Rosaceae	R, S	W	W	W	C	C	W	W
300516	<i>Rosa</i> spp.	rose, wild	Rosaceae	S	W	W	W	W	C	W	W
32199	<i>Rosa woodsii</i> Lindl.	rose, Woods'	Rosaceae	R, S	W	W	W	C	C	W	W
32207	<i>Rosmarinus officinalis</i> L.	rosemary	Lamiaceae	H, S	W	W	C	W	C	W	W
310370	<i>Rottboellia cochinchinensis</i> (Lour.) Clayton	itchgrass; raulgrass	Poaceae	W	W	W	W	W	W	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
32217	<i>Rottboellia exaltata</i> L. f., nom. illeg. = <i>Rottboellia cochinchinensis</i> (Lour.) Clayton											
317249	<i>Roubieva multifida</i> (L.) Moq. = <i>Dysphania multifida</i> (L.) Mosyakin & Clemants											
418506	<i>Rubrivena polystachya</i> (Wall. ex Meisn.) M. Král = <i>Koenigia polystachya</i> (Wall. ex Meisn.) T. M. Schust. & Reveal											
104946	<i>Rubus argutus</i> Link	blackberry, prickly Florida	Rosaceae	W	W	W	W	W	W	W	W	W
32308	<i>Rubus ellipticus</i> Sm.	raspberry, yellow Himalayan	Rosaceae	W	W	W	W	W	W	W	W	W
476563	<i>Rubus ellipticus</i> Sm. var. <i>ellipticus</i>		Rosaceae	W	W	W	W	W	W	W	W	W
415906	<i>Rubus ellipticus</i> Sm. var. <i>obcordatus</i> (Franch.) Focke		Rosaceae	W	W	W	W	W	W	W	W	W
32322	<i>Rubus fruticosus</i> L., sensu typo = <i>Rubus plicatus</i> Weihe & Nees											
32388	<i>Rubus moluccanus</i> L.	raspberry, wild	Rosaceae	W	W	W	W	W	W	W	W	W
32396	<i>Rubus niveus</i> Thunb.	raspberry, hill	Rosaceae	W	W	W	W	W	W	W	W	W
32408	<i>Rubus parviflorus</i> Nutt.	thimbleberry	Rosaceae	F, R, S	W	C	W	C	C	W	W	W
32419	<i>Rubus plicatus</i> Weihe & Nees	blackberry, wild	Rosaceae	W	W	W	W	W	W	W	W	W
318577	<i>Rubus sieboldii</i> Blume	raspberry, Molucca	Rosaceae	W	W	W	W	W	W	W	W	W
300518	<i>Rubus</i> spp.	blackberry; raspberry	Rosaceae	S	W	W	W	W	C	W	W	W
317250	<i>Rudbeckia amplexicaulis</i> Vahl	coneflower, clasping	Asteraceae	F, R	W	C	W	C	W	W	W	W
32495	<i>Rudbeckia hirta</i> L.	black-eyed-Susan; coneflower, hairy	Asteraceae	F, R	W	C	W	C	W	W	W	W
410025	<i>Rudbeckia occidentalis</i> Nutt.	coneflower, western	Asteraceae	F, R	W	C	W	C	W	W	W	W
300519	<i>Rudbeckia</i> spp.	black-eyed-Susan; coneflower	Asteraceae	F	W	C	W	W	W	W	W	W
32518	<i>Rumex acetosa</i> L.	sorrel; sorrel, garden	Polygonaceae	V	W	W	W	W	W	W	W	W
32519	<i>Rumex acetosella</i> L.	sorrel, red; sorrel, sheep	Polygonaceae	W	W	W	W	W	W	W	W	W
32521	<i>Rumex altissimus</i> Alph. Wood	dock, pale; dock, smooth; dock, tall	Polygonaceae	W	W	W	W	W	W	W	W	W
32528	<i>Rumex conglomeratus</i> Murray	dock, cluster; dock, green	Polygonaceae	W	W	W	W	W	W	W	W	W
32530	<i>Rumex crispus</i> L.	dock, curly; dock, sour	Polygonaceae	W	W	W	W	W	W	W	W	W
316810	<i>Rumex hastatulus</i> Baldwin	sorrel, heartwing	Polygonaceae	W	W	W	W	W	W	W	W	W
476848	<i>Rumex hypogaeus</i> T. M. Schust. & Reveal	emex; Jack, three-cornered	Polygonaceae	W	W	W	W	W	W	W	W	W
316811	<i>Rumex maritimus</i> L. var. <i>persicarioides</i> (L.) R. S. Mitch.	dock, golden	Polygonaceae	W	W	W	W	W	W	W	W	W
32539	<i>Rumex mexicanus</i> Meisn.	dock, Mexican	Polygonaceae	W	W	W	W	W	W	W	W	W
32541	<i>Rumex obtusifolius</i> L.	dock, bitter; dock, broadleaf	Polygonaceae	W	W	W	W	W	W	W	W	W
316812	<i>Rumex occidentalis</i> S. Watson	dock, western	Polygonaceae	W	W	W	W	W	W	W	W	W
32544	<i>Rumex patientia</i> L.	dock, patience	Polygonaceae	W	W	W	W	W	W	W	W	W

## Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
317251	<i>Rumex persicarioides</i> L. = <i>Rumex maritimus</i> L. var. <i>persicarioides</i> (L.) R. S. Mitch.											
32545	<i>Rumex pulcher</i> L.	dock, fiddleleaf	Polygonaceae	W	W	W	W	W	W	W	W	W
32548	<i>Rumex salicifolius</i> Weinm.	dock, willowleaf	Polygonaceae	H, R	W	W	W	W	W	W	W	W
317161	<i>Rumex salicifolius</i> Weinm. var. <i>mexicanus</i> (Meisn.) C. L. Hitchc. = <i>Rumex mexicanus</i> Meisn.											
447547	<i>Rumex spinosus</i> L.	emex, spiny	Polygonaceae	W	W	W	W	W	W	W	W	W
311838	<i>Rumex</i> spp.	dock; sorrel	Polygonaceae	W	W	W	W	W	W	W	W	W
316813	<i>Rumex stenophyllus</i> Ledeb.	dock, narrowleaf	Polygonaceae	W	W	W	W	W	W	W	W	W
315692	<i>Rumex venosus</i> Pursh	begonia, wild; dock, veiny; dock, winged	Polygonaceae	W	W	W	W	W	W	W	W	W
32578	<i>Ruta graveolens</i> L.	rue	Rutaceae	W	W	W	W	W	W	W	W	W
412781	<i>Rytidosperma nudum</i> (Hook. f.) Connor & Edgar		Poaceae	W	W	W	W	W	W	W	W	W
412792	<i>Rytidosperma semiannulare</i> (Labill.) Connor & Edgar	danthonia, Australian; wallabygrass	Poaceae	W	W	W	W	W	W	W	W	W
32625	<i>Saccharum spontaneum</i> L.	sugarcane, wild	Poaceae	W	W	W	W	W	W	W	W	W
316814	<i>Sagina subulata</i> (Sw.) C. Presl	pearlwort	Caryophyllaceae	F	W	C	W	W	W	W	W	W
101379	<i>Sagittaria latifolia</i> Willd.	arrowleaf, duck potato	Alismataceae	F, R	W	C	W	C	W	W	W	W
32648	<i>Sagittaria sagittifolia</i> L.	arrowhead	Alismataceae	W	W	W	W	W	W	W	W	W
317100	<i>Saintpaulia</i> spp.	violet, African	Gesneriaceae	F	W	C	W	W	W	W	W	W
102718	<i>Salix nigra</i> Marshall	willow, black	Salicaceae	S	W	W	W	W	C	W	W	W
300521	<i>Salix</i> spp.	willow	Salicaceae	S	W	W	W	W	C	W	W	W
316920	<i>Salpiglossis sinuata</i> Ruiz & Pav.	painted-tongue; salpiglossis	Solanaceae	F	W	C	W	W	W	W	W	W
312330	<i>Salsola australis</i> R. Br. = <i>Salsola tragus</i> L.											
316815	<i>Salsola collina</i> Pall.	Russian-thistle, less- spiny; Russian-thistle, spineless	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W	W
317252	<i>Salsola iberica</i> auct. = <i>Salsola tragus</i> L.											
318408	<i>Salsola kali</i> auct. nonn. = <i>Salsola tragus</i> L.											
312332	<i>Salsola kali</i> L. subsp. <i>ruthenica</i> (Iljin) Soó = <i>Salsola tragus</i> L.											
312333	<i>Salsola kali</i> L. var. <i>tenuifolia</i> Tausch = <i>Salsola tragus</i> L.											
312334	<i>Salsola paulsenii</i> Litv.	Russian-thistle, barbwire	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W	W
32810	<i>Salsola pestifer</i> A. Nelson = <i>Salsola tragus</i> L.											
313194	<i>Salsola</i> spp.	Russian-thistle; tumbleweed	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W	W
32817	<i>Salsola tragus</i> L.	Russian-thistle, common; Russian-thistle, tumbling	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W	W
316405	<i>Salsola vermiculata</i> L.	Russian-thistle, wormleaf	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
32902	<i>Salvia aethiopsis</i> L.	sage, Mediterranean	Lamiaceae	W	W	W	W	W	W	W	W
70592	<i>Salvia azurea</i> Lam. var. <i>grandiflora</i> Benth.	sage, Pitcher's	Lamiaceae	R	W	C	W	C	W	W	W
32923	<i>Salvia coccinea</i> Buc'hoz ex Etl.	sage, Texas	Lamiaceae	F, R	W	C	W	C	W	W	W
315102	<i>Salvia columbariae</i> Benth.	sage, chia; chia	Lamiaceae	F, R	W	C	W	C	W	W	W
100549	<i>Salvia farinacea</i> Benth.	sage, mealy-cup; sage, blue; blue-bedder	Lamiaceae	F	W	C	W	W	W	W	W
317253	<i>Salvia lanceolata</i> Brouss. = <i>Salvia reflexa</i> Hornem.										
464660	<i>Salvia nemorosa</i> hort. = <i>Salvia xsylvestris</i> L.										
32950	<i>Salvia officinalis</i> L.	sage	Lamiaceae	H	W	W	C	W	W	W	C
317254	<i>Salvia pitcheri</i> Torr. ex Benth. = <i>Salvia azurea</i> Lam. var. <i>grandiflora</i> Benth.										
316816	<i>Salvia reflexa</i> Hornem.	sage, lance-leaf	Lamiaceae	W	W	W	W	W	W	W	W
70596	<i>Salvia splendens</i> Sellow ex Nees	sage, scarlet	Lamiaceae	F	W	C	W	W	W	W	W
310089	<i>Salvia</i> spp.	sage	Lamiaceae	W	W	W	W	W	W	W	W
32969	<i>Salvia xsylvestris</i> L.	sage, woodland	Lamiaceae	W	W	W	W	W	W	W	W
32976	<i>Salvia verticillata</i> L.	sage, lilac	Lamiaceae	W	W	W	W	W	W	W	W
70597	<i>Salvia virgata</i> Jacq.	sage, meadow	Lamiaceae	W	W	W	W	W	W	W	W
102981	<i>Salvinia auriculata</i> Aubl.	salvinia	Salviniaceae	W	W	W	W	W	W	W	W
316406	<i>Salvinia biloba</i> Raddi	salvinia, giant	Salviniaceae	W	W	W	W	W	W	W	W
316407	<i>Salvinia herzogii</i> de la Sota	salvinia, giant	Salviniaceae	W	W	W	W	W	W	W	W
102979	<i>Salvinia molesta</i> D. S. Mitch.	salvinia, giant	Salviniaceae	W	W	W	W	W	W	W	W
32983	<i>Sambucus canadensis</i> L. = <i>Sambucus nigra</i> L. subsp. <i>canadensis</i> (L.) Bolli										
32985	<i>Sambucus cerulea</i> Raf. = <i>Sambucus nigra</i> L. subsp. <i>cerulea</i> (Raf.) Bolli										
429680	<i>Sambucus nigra</i> L. subsp. <i>canadensis</i> (L.) Bolli	elderberry, American; elderberry, common	Adoxaceae [Caprifoliaceae]	S	W	W	W	W	C	W	W
458023	<i>Sambucus nigra</i> L. subsp. <i>cerulea</i> (Raf.) Bolli	elderberry, blue	Adoxaceae [Caprifoliaceae]	R, S	W	W	W	C	C	W	W
33000	<i>Sambucus pubens</i> Michx. = <i>Sambucus racemosa</i> L. subsp. <i>pubens</i> (Michx.) House										
33001	<i>Sambucus racemosa</i> L.	elderberry, red	Adoxaceae [Caprifoliaceae]	R, S	W	W	W	C	C	W	W
313645	<i>Sambucus racemosa</i> L. subsp. <i>pubens</i> (Michx.) House	elderberry, scarlet	Adoxaceae [Caprifoliaceae]	R, S	W	W	W	C	C	W	W
316817	<i>Sanguisorba annua</i> (Nutt.) Nutt.	burnet, prairie	Rosaceae	W	W	W	W	W	W	W	W
300526	<i>Sanguisorba minor</i> Scop.	burnet, little; burnet, small	Rosaceae	A, R	C	W	W	C	W	W	W
300527	<i>Sanguisorba</i> spp.	burnet	Rosaceae	A	C	W	W	W	W	W	W
316818	<i>Sanicula canadensis</i> L.	snakeroot, Canada	Apiaceae	W	W	W	W	W	W	W	W
33034	<i>Sanicula marilandica</i> L.	snakeroot, black	Apiaceae	W	W	W	W	W	W	W	W
317101	<i>Sanicula</i> spp.	snakeroot	Apiaceae	W	W	W	W	W	W	W	W
33080	<i>Sanvitalia procumbens</i> Lam.	sanvitalia; zinnia, Mexican creeping	Asteraceae	F	W	C	W	W	W	W	W

## Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
100748	<i>Saponaria ocymoides</i> L.	saponaria, rock; soapwort, rock	Caryophyllaceae	F	W	C	W	W	W	W	W	W
33108	<i>Saponaria officinalis</i> L.	bouncing-bet	Caryophyllaceae	W	W	W	W	W	W	W	W	W
317102	<i>Saponaria</i> spp.	soapwort	Caryophyllaceae	W	W	W	W	W	W	W	W	W
33111	<i>Saponaria vaccaria</i> L. = <i>Vaccaria hispanica</i> (Mill.) Rauschert											
105067	<i>Sarcobatus vermiculatus</i> (Hook.) Torr.	greasewood, black	Sarcobataceae [Chenopodiaceae]	R, S	W	W	W	C	C	W	W	
317255	<i>Satureja acinos</i> (L.) Scheele = <i>Clinopodium acinos</i> (L.) Kuntze											
33176	<i>Satureja hortensis</i> L.	savory, summer	Lamiaceae	H	W	W	C	W	W	W	W	C
316819	<i>Satureja montana</i> L.	savory, winter	Lamiaceae	H, V	W	W	C	W	W	W	W	C
33179	<i>Satureja nepeta</i> (L.) Scheele = <i>Clinopodium nepeta</i> (L.) Kuntze											
317256	<i>Satureja vulgaris</i> (L.) Fritsch = <i>Clinopodium vulgare</i> L.											
33230	<i>Scabiosa arvensis</i> L. = <i>Knautia arvensis</i> (L.) Coult.											
33231	<i>Scabiosa atropurpurea</i> L.	mourning-bride, annual	Caprifoliaceae [Dipsacaceae]	F	W	C	W	W	W	W	W	W
33233	<i>Scabiosa caucasica</i> M. Bieb. = <i>Lomelosia caucasica</i> (M. Bieb.) Greuter & Burdet											
300532	<i>Scabiosa</i> spp.	flower, pincushion; scabiosa	Caprifoliaceae [Dipsacaceae]	W	W	W	W	W	W	W	W	W
70632	<i>Scandix pecten-veneris</i> L.	shepherd's-needle	Apiaceae	W	W	W	W	W	W	W	W	W
70635	<i>Schedonnardus paniculatus</i> (Nutt.) Trel.	tumblegrass	Poaceae	W	W	W	W	W	W	W	W	W
70689	<i>Schismus barbatus</i> (L.) Thell.	grass, Mediterranean	Poaceae	R	W	W	W	C	W	W	W	W
70698	<i>Schizachyrium scoparium</i> (Michx.) Nash	bluestem, little	Poaceae	A, R	C	W	W	C	W	W	W	W
316998	<i>Schizanthus</i> spp.	flower, butterfly; orchid, poor-man's; schizanthus	Solanaceae	F	W	C	W	W	W	W	W	W
409600	<i>Schoenoplectus acutus</i> (Muhl. ex Bigelow) Å. Löve & D. Löve	bulrush, hardstem	Cyperaceae	R	W	W	W	C	W	W	W	W
409602	<i>Schoenoplectus americanus</i> (Pers.) Volkart ex Schinz & R. Keller	threesquare, Oleny; bulrush, chairmaker's	Cyperaceae	R	W	W	W	C	W	W	W	W
416581	<i>Schoenoplectus pungens</i> (Vahl) Palla	threesquare, common	Cyperaceae	R	W	W	W	C	W	W	W	W
432555	<i>Schoenoplectus tabernaemontani</i> (C. C. Gmel.) Palla	bulrush, softstem	Cyperaceae	R	W	W	W	C	W	W	W	W
33308	<i>Schrankia nuttallii</i> (DC. ex Britton & Rose) Standl. = <i>Mimosa quadrivalvis</i> L. var. <i>nuttallii</i> (DC. ex Britton & Rose) L. S. Beard ex Barneby											
451305	<i>Scirpus atrovirens</i> Willd.	bulrush, dark green	Cyperaceae	R	W	W	W	C	W	W	W	W
70720	<i>Scirpus cyperinus</i> (L.) Kunth	wool-grass	Cyperaceae	R	W	W	W	C	W	W	W	W
448250	<i>Scirpus microcarpus</i> J. Presl & C. Presl	bulrush, smallfruit; bulrush, paniced	Cyperaceae	R	W	W	W	C	W	W	W	W
451307	<i>Scirpus pallidus</i> (Britton) Fernald	bulrush, pale	Cyperaceae	R	W	W	W	C	W	W	W	W
300534	<i>Scirpus</i> spp.	bulrush	Cyperaceae	R	W	W	W	C	W	W	W	W
310853	<i>Scleranthus annuus</i> L.	knawel	Caryophyllaceae	W	W	W	W	W	W	W	W	W
33399	<i>Scolymus hispanicus</i> L.	thistle, golden	Asteraceae	W	W	W	W	W	W	W	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
33413	<i>Scorzonera laciniata</i> L. = <i>Podospermum laciniatum</i> (L.) DC.											
462391	<i>Scorzonerooides autumnalis</i> (L.) Moench	hawkbit, fall	Asteraceae	W	W	W	W	W	W	W	W	W
316820	<i>Scrophularia lanceolata</i> Pursh	figwort, lanceleaf	Scrophulariaceae	W	W	W	W	W	W	W	W	W
316821	<i>Scrophularia marilandica</i> L.	figwort, American	Scrophulariaceae	W	W	W	W	W	W	W	W	W
314900	<i>Scrophularia</i> spp.	figwort	Scrophulariaceae	W	W	W	W	W	W	W	W	W
33443	<i>Secale cereale</i> L. subsp. <i>cereale</i>	rye	Poaceae	A	C	C	C	C	C	C	C	C
33447	<i>Secale montanum</i> Guss. = <i>Secale strictum</i> (C. Presl) C. Presl subsp. <i>strictum</i>											
317594	<i>Secale strictum</i> (C. Presl) C. Presl subsp. <i>strictum</i>	rye, mountain	Poaceae	A	C	W	W	C	W	C	W	W
315214	<i>Securigera varia</i> (L.) Lassen	crownvetch	Fabaceae	A, R	C	C	C	C	C	C	C	C
314447	<i>Sedum acre</i> L.	sedum, gold-moss; golden-carpet	Crassulaceae	F	W	C	W	W	W	W	W	W
33551	<i>Sedum telephium</i> L. = <i>Hylotelephium telephium</i> (L.) H. Ohba											
317103	<i>Sempervivum</i> spp.	hen-and-chickens	Crassulaceae	F	W	C	W	W	W	W	W	W
316822	<i>Senecio aureus</i> L. = <i>Packera aurea</i> (L.) Á. Löve & D. Löve											
100550	<i>Senecio cruentus</i> (Masson ex L'Hér.) DC. = <i>Pericallis cruenta</i> (Masson ex L'Hér.) Bolle											
317313	<i>Senecio douglasii</i> DC. var. <i>longilobus</i> (Benth.) L. D. Benson = <i>Senecio flaccidus</i> Less. var. <i>flaccidus</i>											
316973	<i>Senecio flaccidus</i> Less. var. <i>flaccidus</i>	groundsel, Douglas	Asteraceae	R	W	W	W	W	W	W	W	W
406768	<i>Senecio inaequidens</i> DC.	ragwort, narrow-leaf; ragwort, South African	Asteraceae	W	W	W	W	W	W	W	W	W
104534	<i>Senecio jacobaea</i> L. = <i>Jacobaea vulgaris</i> Gaertn.											
463130	<i>Senecio linearifolius</i> A. Rich.	groundse, fireweed	Asteraceae	W	W	W	W	W	W	W	W	W
403707	<i>Senecio madagascariensis</i> Poir.	fireweed	Asteraceae	W	W	W	W	W	W	W	W	W
104535	<i>Senecio mikanioides</i> Otto ex Walp. = <i>Delairea odorata</i> Lem.											
446652	<i>Senecio minimus</i> Poir.	burnweed, Australian	Asteraceae	W	W	W	W	W	W	W	W	W
316823	<i>Senecio spartioides</i> Torr. & A. Gray	groundsel, broom	Asteraceae	W	W	W	W	W	W	W	W	W
317104	<i>Senecio</i> spp.	groundsel	Asteraceae	W	W	W	W	W	W	W	W	W
316824	<i>Senecio squalidus</i> L.	ragwort, Oxford	Asteraceae	W	W	W	W	W	W	W	W	W
33708	<i>Senecio vulgaris</i> L.	groundsel, common	Asteraceae	W	W	W	W	W	W	W	W	W
414832	<i>Senegalia greggii</i> (A. Gray) Britton & Rose	acacia, catclaw	Fabaceae [Mimosaceae]	R, S	W	W	W	C	C	W	W	W
316483	<i>Senna armata</i> (S. Watson) H. S. Irwin & Barneby	senna	Fabaceae [Caesalpinaceae]	F	W	C	W	W	W	W	W	W
317954	<i>Senna artemisioides</i> (Gaudich. ex DC.) Randell	cassia, feathery	Fabaceae [Caesalpinaceae]	F	W	C	W	W	W	W	W	W
100047	<i>Senna covesii</i> (A. Gray) H. S. Irwin & Barneby	senna, desert	Fabaceae [Caesalpinaceae]	F, R	W	C	W	C	W	W	W	W
100044	<i>Senna obtusifolia</i> (L.) H. S. Irwin & Barneby	sicklepod	Fabaceae [Caesalpinaceae]	W	W	W	W	W	W	W	W	W
313456	<i>Senna tora</i> (L.) Roxb.	senna, sickle; sicklepod	Fabaceae [Caesalpinaceae]	W	W	W	W	W	W	W	W	W

## Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
33710	<i>Sequoia sempervirens</i> (D. Don) Endl.	redwood	Cupressaceae [Taxodiaceae]	S	W	W	W	W	C	W	W
33713	<i>Sequoiadendron giganteum</i> (Lindl.) J. Buchholz	sequoia, giant	Cupressaceae [Taxodiaceae]	S	W	W	W	W	C	W	W
33749	<i>Sesamum indicum</i> L.	sesame	Pedaliaceae	A, H	C	W	C	W	W	W	W
314045	<i>Sesbania drummondii</i> (Rydb.) Cory	rattlebox	Fabaceae	W	W	W	W	W	W	W	W
33768	<i>Sesbania exaltata</i> (Raf.) Rydb.	indigo, tall; peatree; river-hemp, Colorado; sesbania, hemp	Fabaceae	A	W	W	W	W	W	W	W
33771	" <i>Sesbania macrocarpa</i> Muhl., nom. nud." = <i>Sesbania exaltata</i> (Raf.) Rydb.										
33776	<i>Sesbania punicea</i> (Cav.) Benth.	rattlebox; Sesbania, red	Fabaceae	W	W	W	W	W	W	W	W
316825	<i>Sesuvium sessile</i> Pers.	sesuvium, purslane	Aizoaceae	W	W	W	W	W	W	W	W
103650	<i>Setaria faberii</i> R. A. W. Herrm.	foxtail, giant	Poaceae	W	W	W	W	W	W	W	W
33808	<i>Setaria geniculata</i> P. Beauv. = <i>Setaria parviflora</i> (Poir.) Kerguélen										
33810	<i>Setaria glauca</i> (L.) P. Beauv. = <i>Cenchrus americanus</i> (L.) Morrone	millet, pearl									
317166	<i>Setaria glauca</i> auct. = <i>Setaria pumila</i> (Poir.) Roem. & Schult. subsp. <i>pumila</i>	foxtail, yellow									
33812	<i>Setaria grisebachii</i> E. Fourn.	bristlegrass, Grisebach	Poaceae	W	W	W	W	W	W	W	W
430572	<i>Setaria italica</i> (L.) P. Beauv. subsp. <i>italica</i>	millet, foxtail; millet, Italian	Poaceae	A	C	C	C	C	C	C	C
430573	<i>Setaria italica</i> (L.) P. Beauv. subsp. <i>viridis</i> (L.) Thell. = <i>Setaria viridis</i> (L.) P. Beauv.										
320129	<i>Setaria leucopila</i> (Scribn. & Merr.) K. Schum.	bristlegrass, plains	Poaceae	A, T	W	W	W	C	W	C	W
33823	<i>Setaria lutescens</i> (Stuntz) F. T. Hubb. = <i>Setaria pumila</i> (Poir.) Roem. & Schult. subsp. <i>pumila</i>										
320131	<i>Setaria macrostachya</i> auct. nonn. = <i>Setaria leucopila</i> (Scribn. & Merr.) K. Schum.										
33826	<i>Setaria magna</i> Griseb.	bristlegrass, giant	Poaceae	A, T	C	W	W	W	W	C	W
33831	<i>Setaria pallidifusca</i> (Schumach.) Stapf & C. E. Hubb. = <i>Setaria pumila</i> (Poir.) Roem. & Schult. subsp. <i>subtesselata</i> (Büse) B. K. Simon										
317164	<i>Setaria parviflora</i> (Poir.) Kerguélen	bristlegrass, knotroot	Poaceae	W	W	W	W	W	W	W	W
418247	<i>Setaria pumila</i> (Poir.) Roem. & Schult. subsp. <i>pallidifusca</i> (Schumach.) B. K. Simon = <i>Setaria pumila</i> (Poir.) Roem. & Schult. subsp. <i>subtesselata</i> (Büse) B. K. Simon										
418246	<i>Setaria pumila</i> (Poir.) Roem. & Schult. subsp. <i>pumila</i>	bristlegrass, yellow; foxtail, yellow	Poaceae	W	W	W	W	W	W	W	W
468264	<i>Setaria pumila</i> (Poir.) Roem. & Schult. subsp. <i>subtesselata</i> (Büse) B. K. Simon	cattailgrass	Poaceae	W	W	W	W	W	W	W	W
33852	<i>Setaria verticillata</i> (L.) P. Beauv.	bristlegrass, bur	Poaceae	W	W	W	W	W	W	W	W
33853	<i>Setaria viridis</i> (L.) P. Beauv.	foxtail, green	Poaceae	W	W	W	W	W	W	W	W
33854	<i>Setaria vulpisetia</i> (Lam.) Roem. & Schult.	bristlegrass, plains	Poaceae	R	W	W	W	C	W	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
33863	<i>Shepherdia argentea</i> (Pursh) Nutt.	buffaloberry, silver	Elaeagnaceae	R, S	W	W	W	C	C	W	W
33864	<i>Shepherdia canadensis</i> (L.) Nutt.	buffaloberry, russet; soapberry	Elaeagnaceae	R, S	W	W	W	C	C	W	W
33866	<i>Shepherdia rotundifolia</i> Parry	buffaloberry, roundleaf; silverscale	Elaeagnaceae	R, S	W	W	W	C	C	W	W
316921	<i>Sherardia arvensis</i> L.	madder, field	Rubiaceae	W	W	W	W	W	W	W	W
316826	<i>Sicyos angulatus</i> L.	cucumber, bur	Cucurbitaceae	W	W	W	W	W	W	W	W
105688	<i>Sida hederacea</i> (Douglas) Torr. ex A. Gray = <i>Malvella leprosa</i> (Ortega) Krapov.										
317257	<i>Sida leprosa</i> (Ortega) K. Schum. var. <i>hederacea</i> (Douglas) K. Schum. = <i>Malvella leprosa</i> (Ortega) Krapov.										
33900	<i>Sida rhombifolia</i> L.	sida, arrow-leaf; teaweed	Malvaceae	W	W	W	W	W	W	W	W
33903	<i>Sida spinosa</i> L.	mallow, prickly; sida, prickly	Malvaceae	W	W	W	W	W	W	W	W
317105	<i>Sida</i> spp.	sida	Malvaceae	W	W	W	W	W	W	W	W
33905	<i>Sidalcea malviflora</i> (DC.) A. Gray	checkerbloom, dwarf	Malvaceae	F, R	W	C	W	C	W	W	W
400853	<i>Sidalcea oregana</i> (Nutt. ex Torr. & A. Gray) A. Gray	checkerbloom, Oregon	Malvaceae	F, R, S	W	C	W	C	C	W	W
317106	<i>Sidalcea</i> spp.	checkermallow	Malvaceae	W	W	W	W	W	W	W	W
33908	<i>Sideritis montana</i> L.	ironwoundwort	Lamiaceae	W	W	W	W	W	W	W	W
317314	<i>Sidopsis hispida</i> (Pursh) Rydb. = <i>Malvastrum hispidum</i> (Pursh) Hochr.										
50064	<i>Silene alba</i> (Mill.) E. H. L. Krause, nom. illeg. = <i>Silene latifolia</i> Poir.										
33925	<i>Silene anglica</i> L. = <i>Silene gallica</i> L.										
310854	<i>Silene antirrhina</i> L.	catchfly, sleepy	Caryophyllaceae	W	W	W	W	W	W	W	W
33927	<i>Silene armeria</i> L.	catchfly, sweet-William	Caryophyllaceae	F, R	W	C	W	C	W	W	W
429989	<i>Silene chalconica</i> (L.) E. H. L. Krause	Jerusalem-cross; Maltese-cross	Caryophyllaceae	F, R	W	C	W	C	W	W	W
401846	<i>Silene coeli-rosa</i> (L.) Godr.	rose-of-heaven	Caryophyllaceae	F	W	C	W	W	W	W	W
316827	<i>Silene conica</i> L.	catchfly, conical	Caryophyllaceae	W	W	W	W	W	W	W	W
316828	<i>Silene conoidea</i> L.	catchfly, narrow-clefted	Caryophyllaceae	W	W	W	W	W	W	W	W
407951	<i>Silene coronaria</i> (L.) Clairv.	campion, rose; mullein-pink	Caryophyllaceae	F	W	C	W	W	W	W	W
316829	<i>Silene cretica</i> L.	catchfly, cretian	Caryophyllaceae	W	W	W	W	W	W	W	W
316830	<i>Silene csereii</i> Baumg.	campion, biennial	Caryophyllaceae	W	W	W	W	W	W	W	W
33930	<i>Silene cucubalus</i> Wibel, nom. illeg. = <i>Silene vulgaris</i> (Moench) Garcke subsp. <i>vulgaris</i>										
316831	<i>Silene dichotoma</i> Ehrh.	catchfly, forked	Caryophyllaceae	W	W	W	W	W	W	W	W
316832	<i>Silene dioica</i> (L.) Clairv.	campion, red; cockle, red	Caryophyllaceae	W	W	W	W	W	W	W	W
33933	<i>Silene gallica</i> L.	catchfly, English; catchfly, French	Caryophyllaceae	W	W	W	W	W	W	W	W
400939	<i>Silene latifolia</i> Poir.	campion, white; cockle, white	Caryophyllaceae	W	W	W	W	W	W	W	W
315412	<i>Silene latifolia</i> Poir. subsp. <i>alba</i> (Mill.) Greuter & Burdet = <i>Silene latifolia</i> Poir.										



Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
317315	<i>Silene maritima</i> With. = <i>Silene uniflora</i> Roth											
33939	<i>Silene noctiflora</i> L.	catchfly, night-flowering	Caryophyllaceae	W	W	W	W	W	W	W	W	W
33941	<i>Silene pendula</i> L.	catchfly, nodding	Caryophyllaceae	F	W	C	W	W	W	W	W	W
317258	<i>Silene pratensis</i> (Rafn) Godr. = <i>Silene latifolia</i> Poir.											
316833	<i>Silene repens</i> Patrin var. <i>latifolia</i> Turcz.	catchfly, creeping	Caryophyllaceae	F	W	C	W	W	W	W	W	W
310960	<i>Silene</i> spp.	campion; catchfly	Caryophyllaceae	W	W	W	W	W	W	W	W	W
404872	<i>Silene uniflora</i> Roth	campion, rose	Caryophyllaceae	F	W	C	W	W	W	W	W	W
430081	<i>Silene viscaria</i> (L.) Borkh.	campion, clammy; catchfly, German	Caryophyllaceae	F	W	C	W	W	W	W	W	W
316974	<i>Silene vulgaris</i> (Moench) Garcke subsp. <i>maritima</i> (With.) Å. Löve & D. Löve = <i>Silene uniflora</i> Roth											
318320	<i>Silene vulgaris</i> (Moench) Garcke subsp. <i>vulgaris</i>	campion, bladder; campion, cowbell	Caryophyllaceae	W	W	W	W	W	W	W	W	W
33948	<i>Silphium perfoliatum</i> L.	cup-plant	Asteraceae	W	W	W	W	W	W	W	W	W
33952	<i>Silybum marianum</i> (L.) Gaertn.	milkthistle; milkthistle, blessed	Asteraceae	W	W	W	W	W	W	W	W	W
105075	<i>Simmondsia chinensis</i> (Link) C. K. Schneid.	goatnut; jojoba	Simmondsiaceae	A, S	C	C	C	C	C	C	C	C
316130	<i>Sinapis alba</i> L. subsp. <i>alba</i>	mustard, white	Brassicaceae	A	C	W	W	W	W	W	W	W
318926	<i>Sinapis arvensis</i> L. subsp. <i>arvensis</i>	charlock; mustard, field; mustard, wild; turnip, wild	Brassicaceae	W	W	W	W	W	W	W	W	W
316834	<i>Sinningia speciosa</i> (Lodd. et al. ex Ker Gawl.) Hiern	gloxinia, common	Gesneriaceae	F	W	C	W	W	W	W	W	W
34451	<i>Sisymbrium altissimum</i> L.	mustard, tumble	Brassicaceae	W	W	W	W	W	W	W	W	W
34456	<i>Sisymbrium irio</i> L.	rocket, London	Brassicaceae	W	W	W	W	W	W	W	W	W
316835	<i>Sisymbrium loeselii</i> L.	mustard, tall hedge	Brassicaceae	W	W	W	W	W	W	W	W	W
34458	<i>Sisymbrium officinale</i> (L.) Scop.	mustard, hedge	Brassicaceae	W	W	W	W	W	W	W	W	W
316836	<i>Sisymbrium thellungii</i> O. E. Schulz = <i>Erucastrum austroafricanum</i> Al-Shehbaz & Warwick											
316837	<i>Sisyrinchium bellum</i> S. Watson	blue-eyed-grass	Iridaceae	F, R	W	C	W	C	W	W	W	W
317107	<i>Sisyrinchium</i> spp.	blue-eyed-grass	Iridaceae	W	W	W	W	W	W	W	W	W
34475	<i>Sitanion hystrix</i> (Nutt.) J. G. Sm. = <i>Elymus elymoides</i> (Raf.) Swezey											
100795	<i>Solanum americanum</i> Mill.	nightshade, American black	Solanaceae	W	W	W	W	W	W	W	W	W
311306	<i>Solanum cardiophyllum</i> Lindl.	nightshade, heartleaf	Solanaceae	W	W	W	W	W	W	W	W	W
100938	<i>Solanum carolinense</i> L.	bullnettle; horsenettle, Carolina	Solanaceae	W	W	W	W	W	W	W	W	W
101498	<i>Solanum dimidiatum</i> Raf.	nightshade, Torrey's	Solanaceae	W	W	W	W	W	W	W	W	W
101313	<i>Solanum dulcamara</i> L.	nightshade, bitter	Solanaceae	W	W	W	W	W	W	W	W	W
101507	<i>Solanum elaeagnifolium</i> Cav.	horsenettle, white; nightshade, purple; nightshade, silverleaf	Solanaceae	W	W	W	W	W	W	W	W	W
101423	<i>Solanum heterodoxum</i> Dunal	nightshade, melonleaf	Solanaceae	W	W	W	W	W	W	W	W	W
316838	<i>Solanum interius</i> Rydb.	nightshade, inland	Solanaceae	W	W	W	W	W	W	W	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
314199	<i>Solanum lanceolatum</i> Cav.	nightshade, lanceleaf	Solanaceae	W	W	W	W	W	W	W	W
457162	<i>Solanum lycopersicum</i> L. var. <i>lycopersicum</i>	tomato	Solanaceae	V	C	C	C	C	C	C	C
101516	<i>Solanum marginatum</i> L. f.	nightshade, white-margined	Solanaceae	W	W	W	W	W	W	W	W
101312	<i>Solanum melongena</i> L.	eggplant	Solanaceae	V	W	C	W	W	W	W	C
310124	<i>Solanum nigrum</i> L.	nightshade, black	Solanaceae	W	W	W	W	W	W	W	W
416959	<i>Solanum physalifolium</i> Rusby	nightshade, hairy	Solanaceae	W	W	W	W	W	W	W	W
416957	<i>Solanum physalifolium</i> Rusby var. <i>nitidibaccatum</i> (Bitter) Edmonds = <i>Solanum physalifolium</i> Rusby										
316839	<i>Solanum ptychanthum</i> Dunal	nightshade, eastern black	Solanaceae	W	W	W	W	W	W	W	W
101426	<i>Solanum rostratum</i> Dunal	buffalobur	Solanaceae	W	W	W	W	W	W	W	W
102158	<i>Solanum sarrachoides</i> auct. = <i>Solanum physalifolium</i> Rusby										
300568	<i>Solanum</i> spp.	nightshade	Solanaceae	F	W	W	W	W	W	W	W
409884	<i>Solanum tampicense</i> Dunal	nightshade, wetland	Solanaceae	W	W	W	W	W	W	W	W
101441	<i>Solanum torvum</i> Sw.	terongan; turkeyberry	Solanaceae	W	W	W	W	W	W	W	W
101526	<i>Solanum triflorum</i> Nutt.	nightshade, cutleaf; nightshade, three-flowered	Solanaceae	W	W	W	W	W	W	W	W
103137	<i>Solanum tuberosum</i> L.	potato	Solanaceae	V	W	W	W	W	W	W	C
317433	<i>Solanum viarum</i> Dunal	soda-apple, tropical	Solanaceae	W	W	W	W	W	W	W	W
101393	<i>Solanum villosum</i> Mill.	nightshade, hairy	Solanaceae	W	W	W	W	W	W	W	W
317409	<i>Solenostemon scutellarioides</i> (L.) Codd = <i>Plectranthus scutellarioides</i> (L.) R. Br.										
34917	<i>Solidago canadensis</i> L.	goldenrod, Canada	Asteraceae	W	W	W	W	W	W	W	W
417569	<i>Solidago nemoralis</i> Aiton	goldenrod, gray	Asteraceae	F, R	W	C	W	C	W	W	W
104550	<i>Solidago odora</i> Aiton	goldenrod, anise-scent	Asteraceae	F, R	W	C	W	C	W	W	W
434015	<i>Solidago ptarmicoides</i> (Torr. & A. Gray) B. Boivin	goldenrod, upland white	Asteraceae	F, R	W	C	W	C	W	W	W
449811	<i>Solidago riddellii</i> Frank	goldenrod, Riddell's	Asteraceae	R	W	W	W	C	W	W	W
34924	<i>Solidago rigida</i> L.	goldenrod, stiff	Asteraceae	F, R	W	C	W	C	W	W	W
449813	<i>Solidago rugosa</i> Mill.	goldenrod, wrinkleleaf	Asteraceae	F, R	W	C	W	C	W	W	W
418492	<i>Solidago speciosa</i> Nutt.	goldenrod, showy	Asteraceae	F, R	W	C	W	C	W	W	W
317108	<i>Solidago</i> spp.	goldenrod	Asteraceae	W	W	W	W	W	W	W	W
34932	<i>Sonchus arvensis</i> L.	sowthistle, perennial	Asteraceae	W	W	W	W	W	W	W	W
34933	<i>Sonchus asper</i> (L.) Hill	sowthistle, spiny; sowthistle, spring	Asteraceae	W	W	W	W	W	W	W	W
34939	<i>Sonchus oleraceus</i> L.	sowthistle, annual	Asteraceae	W	W	W	W	W	W	W	W
317109	<i>Sonchus</i> spp.	sowthistle	Asteraceae	W	W	W	W	W	W	W	W
316840	<i>Sophora nuttalliana</i> B. L. Turner	sophora, silky	Fabaceae	W	W	W	W	W	W	W	W
315073	<i>Sophora sericea</i> Andrews, nom. illeg. = <i>Podalyria sericea</i> R. Br.										
34994	<i>Sorbus americana</i> Marshall	mountain-ash, American	Rosaceae	S	W	C	W	W	C	W	W
35064	<i>Sorbus scopulina</i> Greene	mountain-ash, Greene's; mountain-ash, western	Rosaceae	S	W	W	W	W	C	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
313670	<i>Sorbus</i> spp.	mountain-ash	Rosaceae	S	W	W	W	W	C	W	W
35081	<i>Sorghastrum elliotii</i> (C. Mohr) Nash	indiangrass, slender	Poaceae	R	W	W	W	C	W	W	W
35084	<i>Sorghastrum nutans</i> (L.) Nash	indiangrass, yellow	Poaceae	R	W	W	W	C	W	W	W
300575	<i>Sorghastrum</i> spp.	indiangrass	Poaceae	R	W	W	W	C	W	C	W
35129	<i>Sorghum xalmum</i> Parodi	Columbus grass; sorghum, alnum	Poaceae	A	W	W	W	W	W	W	W
454806	<i>Sorghum bicolor</i> (L.) Moench subsp. <i>bicolor</i>	broomcorn; milo; shattercane; sorghum	Poaceae	A	C	C	C	C	C	C	C
410498	<i>Sorghum bicolor</i> (L.) Moench nothosubsp. <i>drummondii</i> (Steud.) de Wet ex Davidse	sorghum-sudangrass; sudangrass	Poaceae	A	C	C	C	C	C	C	C
35113	<i>Sorghum xdrummondii</i> (Steud.) Nees ex Millsp. & Chase = <i>Sorghum bicolor</i> (L.) Moench nothosubsp. <i>drummondii</i> (Steud.) de Wet ex Davidse										
35119	<i>Sorghum halepense</i> (L.) Pers.	johnsongrass	Poaceae	A	W	W	W	W	W	W	W
300576	<i>Sorghum</i> hybr.	sorghum	Poaceae	A	W	W	W	W	W	W	W
35156	<i>Sorghum sudanense</i> (Piper) Stapf = <i>Sorghum bicolor</i> (L.) Moench nothosubsp. <i>drummondii</i> (Steud.) de Wet ex Davidse										
35164	<i>Sorghum vulgare</i> Pers., nom. illeg. = <i>Sorghum bicolor</i> (L.) Moench subsp. <i>bicolor</i>										
316417	<i>Sparganium erectum</i> L.	bur-reed, exotic	Typhaceae [Sparganiaceae]	W	W	W	W	W	W	W	W
103562	<i>Spartina alterniflora</i> Loisel.	cordgrass, smooth	Poaceae	W	W	W	W	W	W	W	W
416235	<i>Spartina anglica</i> C. E. Hubb.	cordgrass, common	Poaceae	W	W	W	W	W	W	W	w
416236	<i>Spartina densiflora</i> Brongn.	cordgrass, dense-flowered	Poaceae	W	W	W	W	W	W	W	W
70745	<i>Spartina patens</i> (Aiton) Muhl.	cordgrass, salt-meadow	Poaceae	W	W	W	W	W	W	W	W
70746	<i>Spartina pectinata</i> Link	cordgrass, prairie	Poaceae	R	W	W	W	C	W	W	W
300580	<i>Spartina</i> spp.	cordgrass	Poaceae	W	W	W	W	W	W	W	W
35189	<i>Spartium junceum</i> L.	broom, Spanish	Fabaceae	W	W	W	W	W	W	W	W
317259	<i>Specularia perfoliata</i> (L.) A. DC. = <i>Triodanis perfoliata</i> (L.) Nieuwl.										
35219	<i>Spergula arvensis</i> L.	spurry, corn	Caryophyllaceae	W	W	W	W	W	W	W	W
35220	<i>Spergula maxima</i> Weihe = <i>Spergula arvensis</i> L.										
316841	<i>Spergula pentandra</i> L.	spurry, wingseed	Caryophyllaceae	W	W	W	W	W	W	W	W
310862	<i>Spergularia rubra</i> (L.) J. Presl & C. Presl	sandspurry, red	Caryophyllaceae	W	W	W	W	W	W	W	W
316408	<i>Spermacoce alata</i> Aubl.	buttonplant	Rubiaceae	W	W	W	W	W	W	W	W
70747	<i>Sphaeralcea ambigua</i> A. Gray	globemallow, desert	Malvaceae	F, R	W	C	W	C	W	W	W
105692	<i>Sphaeralcea coccinea</i> (Nutt.) Rydb.	globemallow, scarlet	Malvaceae	F, R	W	C	W	C	W	W	W
446668	<i>Sphaeralcea coulteri</i> (S. Watson) A. Gray	globemallow, Coulter	Malvaceae	F, R, S	W	C	W	C	C	W	W
316842	<i>Sphaeralcea grossulariifolia</i> (Hook. & Arn.) Rydb.	globemallow, gooseberryleaf	Malvaceae	F, R	W	C	W	C	W	W	W

## AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
35232	<i>Sphaeralcea munroana</i> (Douglas ex Lindl.) Spach	globemallow, munro	Malvaceae	F, R	W	C	W	C	W	W	W
35234	<i>Sphaeralcea parvifolia</i> A. Nelson	globemallow, littleleaf	Malvaceae	F, R	W	C	W	C	W	W	W
317110	<i>Sphaeralcea</i> spp.	globemallow	Malvaceae	F, R	W	C	W	C	W	W	W
35239	<i>Sphaerophysa salsula</i> (Pall.) DC.	pea, Swainson; peaweed, Austrian	Fabaceae	W	W	W	W	W	W	W	W
35256	<i>Spinacia oleracea</i> L.	spinach	Chenopodiaceae [Amaranthaceae]	V	W	W	W	W	W	W	C
311453	<i>Spiraea douglasii</i> Hook.	spirea, rose	Rosaceae	F, R, S	W	C	W	C	C	W	W
35344	<i>Sporobolus airoides</i> (Torr.) Torr.	sacaton, alkali	Poaceae	R	W	W	W	C	W	W	W
35349	<i>Sporobolus asper</i> (P. Beauv.) Kunth = <i>Sporobolus compositus</i> (Poir.) Merr.										
316843	<i>Sporobolus clandestinus</i> (Biehler) Hitc.	dropseed, hidden; dropseed, rough	Poaceae	W	W	W	W	W	W	W	W
409825	<i>Sporobolus compositus</i> (Poir.) Merr.	dropseed, tall	Poaceae	R	W	W	W	C	W	W	W
35354	<i>Sporobolus contractus</i> Hitc.	dropseed, spike	Poaceae	R	W	W	W	C	W	W	W
35355	<i>Sporobolus cryptandrus</i> (Torr.) A. Gray	dropseed, sand	Poaceae	R	W	W	W	C	W	W	W
35362	<i>Sporobolus flexuosus</i> (Thurb. ex Vasey) Rydb.	dropseed, mesa	Poaceae	R	W	W	W	C	W	W	W
35363	<i>Sporobolus giganteus</i> Nash	dropseed, giant	Poaceae	R	W	W	W	C	W	W	W
35365	<i>Sporobolus heterolepis</i> (A. Gray) A. Gray	dropseed, prairie	Poaceae	R	W	W	W	C	W	W	W
461336	<i>Sporobolus junceus</i> (P. Beauv.) Kunth	dropseed, pineywood	Poaceae	R	W	W	W	C	W	W	W
103652	<i>Sporobolus neglectus</i> Nash	dropseed, annual; dropseed, puff	Poaceae	W	W	W	W	W	W	W	W
300584	<i>Sporobolus</i> spp.	dropseed	Poaceae	R	W	W	W	C	W	W	W
35394	<i>Sporobolus wrightii</i> Munro ex Scribn.	sacaton	Poaceae	R	W	W	W	C	W	W	W
317316	<i>Stachys agraria</i> Schldl. & Cham. = <i>Stachys crenata</i> Raf.										
316844	<i>Stachys annua</i> (L.) L.	betony, hedge-nettle	Lamiaceae	W	W	W	W	W	W	W	W
316845	<i>Stachys arvensis</i> (L.) L.	hedge-nettle, field; staggerweed	Lamiaceae	W	W	W	W	W	W	W	W
316846	<i>Stachys byzantina</i> K. Koch	lamb's-ears	Lamiaceae	F	W	C	W	W	W	W	W
316975	<i>Stachys crenata</i> Raf.	betony, shade	Lamiaceae	W	W	W	W	W	W	W	W
312174	<i>Stachys palustris</i> L.	betony, marsh; hedge-nettle; woundwort	Lamiaceae	W	W	W	W	W	W	W	W
317111	<i>Stachys</i> spp.	betony	Lamiaceae	W	W	W	W	W	W	W	W
35433	<i>Stanleya pinnata</i> (Pursh) Britton	prince's-plume	Brassicaceae	F, R	W	C	W	C	W	W	W
433174	<i>Steinchisma hians</i> (Elliott) Nash	panicum, gaping	Poaceae	W	W	W	W	W	W	W	W
35495	<i>Stellaria graminea</i> L.	starwort, little	Caryophyllaceae	W	W	W	W	W	W	W	W
310864	<i>Stellaria media</i> (L.) Vill.	chickweed, common	Caryophyllaceae	W	W	W	W	W	W	W	W
310961	<i>Stellaria</i> spp.	chickweed	Caryophyllaceae	W	W	W	W	W	W	W	W
316922	<i>Stenosiphon linifolius</i> (Nutt. ex E. James) Heynh. = <i>Oenothera glaucifolia</i> W. L. Wagner & Hoch										
35523	<i>Stenotaphrum secundatum</i> (Walter) Kuntze	St. Augustinegrass	Poaceae	T	C	W	W	C	W	C	W
35615	<i>Stipa brachychaeta</i> Godr. = <i>Amelichloa brachychaeta</i> (Godr.) Arriaga & Barkworth										

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
35622	<i>Stipa cernua</i> Stebbins & Á. Löve = <i>Nassella cernua</i> (Stebbins & Á. Löve) Barkworth											
35627	<i>Stipa columbiana</i> auct. = <i>Achnatherum nelsonii</i> (Scribn.) Barkworth subsp. <i>dorei</i> (Barkworth & J. Maze) Barkworth											
35631	<i>Stipa comata</i> Trin. & Rupr. = <i>Hesperostipa comata</i> (Trin. & Rupr.) Barkworth											
313890	<i>Stipa nelsonii</i> Scribn. subsp. <i>dorei</i> Barkworth & J. Maze = <i>Achnatherum nelsonii</i> (Scribn.) Barkworth subsp. <i>dorei</i> (Barkworth & J. Maze) Barkworth											
35687	<i>Stipa pennata</i> L.	feathergrass	Poaceae	F	W	C	W	W	W	W	W	W
35696	<i>Stipa pulchra</i> Hitchc. = <i>Nassella pulchra</i> (Hitchc.) Barkworth											
315841	<i>Stipa robusta</i> (Vasey) Scribn. = <i>Achnatherum robustum</i> (Vasey) Barkworth											
35706	<i>Stipa spartea</i> Trin. = <i>Hesperostipa spartea</i> (Trin.) Barkworth											
300587	<i>Stipa</i> spp.	needlegrass	Poaceae	W	W	W	W	W	W	W	W	W
35720	<i>Stipa viridula</i> Trin. = <i>Nassella viridula</i> (Trin.) Barkworth											
470161	<i>Streptanthus lasiophyllus</i> (Hook. & Arn.) Hoover	mustard, California	Brassicaceae	F, R	W	C	W	C	W	W	W	W
102305	<i>Striga asiatica</i> (L.) Kuntze	witchweed	Orobanchaceae [Scrophulariaceae]	W	W	W	W	W	W	W	W	W
102303	<i>Striga lutea</i> Lour.	witchweed	Orobanchaceae [Scrophulariaceae]	W	W	W	W	W	W	W	W	W
317112	<i>Striga</i> spp.	witchweed	Orobanchaceae [Scrophulariaceae]	W	W	W	W	W	W	W	W	W
35839	<i>Strophostyles leiosperma</i> (Torr. & A. Gray) Piper	bean, wild smooth-seeded	Fabaceae	W	W	W	W	W	W	W	W	W
35869	<i>Stylomecon heterophylla</i> (Benth.) G. Taylor	poppy, wind	Papaveraceae	F	W	C	W	W	W	W	W	W
316976	<i>Suaeda calceoliformis</i> (Hook.) Moq.	sea-blite; seepweed	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W	W
317317	<i>Suaeda depressa</i> auct. = <i>Suaeda calceoliformis</i> (Hook.) Moq.											
446510	<i>Suaeda nigra</i> (Raf.) J. F. Macbr.	inkweed; seepweed	Chenopodiaceae [Amaranthaceae]	R, S	W	W	W	C	C	W	W	W
311264	<i>Suckleya suckleyana</i> (Torr.) Rydb.	suckleya, poison	Chenopodiaceae [Amaranthaceae]	W	W	W	W	W	W	W	W	W
35935	<i>Swainsona salsula</i> (Pall.) Taub. = <i>Sphaerophysa salsula</i> (Pall.) DC.											
36006	<i>Symphoricarpos albus</i> (L.) S. F. Blake	snowberry	Caprifoliaceae	S	W	W	W	C	C	W	W	W
315604	<i>Symphoricarpos occidentalis</i> Hook.	snowberry, western; wolfberry	Caprifoliaceae	R, S	W	W	W	C	W	W	W	W
314997	<i>Symphoricarpos oreophilus</i> A. Gray	snowberry, mountain	Caprifoliaceae	R, S	W	W	W	C	C	W	W	W
434197	<i>Symphyotrichum chilense</i> (Nees) G. L. Nesom	aster, Pacific	Asteraceae	F, R	W	C	W	C	W	W	W	W
406991	<i>Symphyotrichum ericoides</i> (L.) G. L. Nesom	aster, heath; aster, many flowered	Asteraceae	F, R	W	C	W	C	W	W	W	W
406893	<i>Symphyotrichum laeve</i> (L.) Á. Löve & D. Löve	aster, smooth blue	Asteraceae	F, R	W	C	W	C	W	W	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
434248	<i>Symphotrichum lanceolatum</i> (Willd.) G. L. Nesom subsp. <i>lanceolatum</i> var. <i>lanceolatum</i>	aster, white panicle	Asteraceae	F, R	W	C	W	C	W	W	W
406994	<i>Symphotrichum novae-angliae</i> (L.) G. L. Nesom	aster, New England	Asteraceae	F, R	W	C	W	C	W	W	W
434270	<i>Symphotrichum oolentangiense</i> (Riddell) G. L. Nesom	aster, skyblue	Asteraceae	F, R, S	W	C	W	C	C	W	W
434279	<i>Symphotrichum pilosum</i> (Willd.) G. L. Nesom	aster, white-heath	Asteraceae	W	W	W	W	W	W	W	W
434291	<i>Symphotrichum puniceum</i> (L.) Á. Löve & D. Löve	aster, purplestem	Asteraceae	F, R	W	C	W	C	W	W	W
434299	<i>Symphotrichum sagittifolium</i> (Wedem. ex Willd.) G. L. Nesom	aster, arrowleaf	Asteraceae	R	W	W	W	C	W	W	W
36019	<i>Symphytum asperum</i> Lepech.	comfrey, prickly; comfrey, rough	Boraginaceae	W	W	W	W	W	W	W	W
36122	<i>Syringa vulgaris</i> L.	lilac, common	Oleaceae	S	W	W	W	W	C	W	W
100819	<i>Taeniatherum asperum</i> (Simonk.) Nevski = <i>Taeniatherum caput-medusae</i> (L.) Nevski subsp. <i>asperum</i> (Simonk.) Melderis										
102801	<i>Taeniatherum caput-medusae</i> (L.) Nevski subsp. <i>asperum</i> (Simonk.) Melderis	medusahead; medusahead rye	Poaceae	W	W	W	W	W	W	W	W
317718	<i>Taeniatherum caput-medusae</i> (L.) Nevski subsp. <i>caput-medusae</i>	medusahead; medusahead rye	Poaceae	W	W	W	W	W	W	W	W
36197	<i>Tagetes erecta</i> L.	marigold, African	Asteraceae	F	W	C	C	W	W	W	W
36201	<i>Tagetes minuta</i> L.	marigold, wild	Asteraceae	W	W	W	W	W	W	W	W
36202	<i>Tagetes patula</i> L.	marigold, French	Asteraceae	F	W	C	W	W	W	W	W
300597	<i>Tagetes</i> spp.	marigold	Asteraceae	F	W	C	W	W	W	W	W
36205	<i>Tagetes tenuifolia</i> Cav.	marigold, signet	Asteraceae	F	W	C	W	W	W	W	W
316847	<i>Talinum parviflorum</i> Nutt. = <i>Phemeranthus parviflorus</i> (Nutt.) Kiger										
36224	<i>Tamarix chinensis</i> Lour.	tamarisk, Chinese	Tamaricaceae	W	W	W	W	W	W	W	W
36228	<i>Tamarix gallica</i> L.	tamarisk, French	Tamaricaceae	W	W	W	W	W	W	W	W
103148	<i>Tamarix parviflora</i> DC.	tamarisk, small-flower	Tamaricaceae	W	W	W	W	W	W	W	W
50071	<i>Tamarix ramosissima</i> Ledeb.	saltcedar	Tamaricaceae	W	W	W	W	W	W	W	W
104584	<i>Tanacetum parthenium</i> (L.) Sch. Bip.	feverfew, common; matricaria	Asteraceae	F, H	W	C	C	W	W	W	W
316977	<i>Tanacetum ptarmiciflorum</i> (Webb & Berthel.) Sch. Bip.	chrysanthemum, Canary Island	Asteraceae	F	W	C	W	W	W	W	W
317009	<i>Tanacetum</i> spp.	pyrethrum; painted-daisy	Asteraceae	F	W	W	W	W	W	W	W
80037	<i>Tanacetum vulgare</i> L.	tansy, common	Asteraceae	F	W	W	W	W	W	W	W
104587	<i>Taraxacum erythrospermum</i> Andr. ex Besser aggr.	dandelion, red-seed	Asteraceae	W	W	W	W	W	W	W	W
80048	<i>Taraxacum kok-saghyz</i> L. E. Rodin	dandelion, Russian	Asteraceae	W	W	W	W	W	W	W	W
104588	<i>Taraxacum laevigatum</i> (Willd.) DC. aggr. = <i>Taraxacum erythrospermum</i> Andr. ex Besser aggr.										
80051	<i>Taraxacum officinale</i> F. H. Wigg. aggr.	dandelion	Asteraceae	V	W	W	W	W	W	W	W
461457	<i>Tarenaya hassleriana</i> (Chodat) H. H. Iltis	cleome; spiderflower	Cleomaceae [Brassicaceae] [Capparaceae]	F	W	C	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
101846	<i>Taxus brevifolia</i> Nutt.	yew, Pacific; yew, western	Taxaceae	S	W	W	W	W	C	W	W
101847	<i>Taxus canadensis</i> Marshall	yew, Canada; woodsage	Taxaceae	S	W	W	W	W	C	W	W
316923	<i>Teesdalia nudicaulis</i> (L.) W. T. Aiton	cress, shepherds; teesdalia	Brassicaceae	W	W	W	W	W	W	W	W
409935	<i>Tetradymia axillaris</i> A. Nelson	horsebush, spiny	Asteraceae	R, S	W	W	W	C	C	W	W
36382	<i>Tetragonia expansa</i> Murray, nom. illeg. = <i>Tetragonia tetragonoides</i> (Pall.) Kuntze										
36385	<i>Tetragonia tetragonoides</i> (Pall.) Kuntze	spinach, New Zealand	Aizoaceae	V	C	C	C	C	C	C	C
316848	<i>Teucrium botrys</i> L.	germander, cut-leaf	Lamiaceae	W	W	W	W	W	W	W	W
316849	<i>Teucrium canadense</i> L.	germander, American; wood-sage	Lamiaceae	W	W	W	W	W	W	W	W
316850	<i>Teucrium scorodonia</i> L.	germander, wood	Lamiaceae	W	W	W	W	W	W	W	W
310964	<i>Teucrium</i> spp.	germander	Lamiaceae	W	W	W	W	W	W	W	W
36428	<i>Thalictrum dasycarpum</i> Fisch. & Avé- Lall.	meadow-rue, purple	Ranunculaceae	F, R	W	C	W	C	W	W	W
36433	<i>Thalictrum fendleri</i> Engelm. ex A. Gray	meadow-rue, Fendler's	Ranunculaceae	R	W	W	W	C	W	W	W
311840	<i>Thalictrum</i> spp.	meadow rue	Ranunculaceae	F, R	W	C	W	C	W	W	W
317113	<i>Thelesperma</i> spp.	greenthread	Asteraceae	W	W	W	W	W	W	W	W
104131	<i>Themeda villosa</i> (Poir.) A. Camus	grass, lyon's	Poaceae	W	W	W	W	W	W	W	W
406347	<i>Thermopsis divaricarpa</i> A. Nelson	goldenbanner, foothills	Fabaceae	F, R	W	C	W	C	W	W	W
408451	<i>Thermopsis montana</i> Nutt. var. <i>montana</i>	golden banner	Fabaceae	F	W	C	W	W	W	W	W
310545	<i>Thermopsis rhombifolia</i> (Pursh) Richardson	golden-bean	Fabaceae	F, R	W	C	W	C	W	W	W
316978	<i>Thermopsis rhombifolia</i> (Pursh) Richardson var. <i>montana</i> (Nutt.) Isely = <i>Thermopsis montana</i> Nutt. var. <i>montana</i>										
463680	<i>Thinopyrum elongatum</i> auct. nonn. = <i>Thinopyrum ponticum</i> (Podp.) Barkworth & D. R. Dewey										
409629	<i>Thinopyrum intermedium</i> (Host) Barkworth & D. R. Dewey subsp. <i>barbulatum</i> (Schur) Barkworth & D. R. Dewey	wheatgrass, pubescent	Poaceae	A, R	C	C	C	C	C	C	C
454546	<i>Thinopyrum intermedium</i> (Host) Barkworth & D. R. Dewey subsp. <i>intermedium</i>	wheatgrass, intermediate	Poaceae	A, R	C	C	C	C	C	C	C
314153	<i>Thinopyrum ponticum</i> (Podp.) Barkworth & D. R. Dewey	wheatgrass, tall	Poaceae	A, R	C	C	C	C	C	C	C
105522	<i>Thlaspi arvense</i> L.	fanweed; Frenchweed; pennycress, field	Brassicaceae	W	W	W	W	W	W	W	W
36584	<i>Thuja occidentalis</i> L.	arborvitae, eastern; cedar, northern white	Cupressaceae	S	W	W	W	W	C	W	W
36592	<i>Thuja orientalis</i> L. = <i>Platycladus</i> <i>orientalis</i> (L.) Franco										
36593	<i>Thuja plicata</i> Donn ex D. Don	arborvitae, giant; cedar, western red	Cupressaceae	R, S	W	W	W	C	C	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
36599	<i>Thunbergia alata</i> Bojer ex Sims	black-eyed-Susan-vine; clockvine; thunbergia, clockvine	Acanthaceae	F	W	C	W	W	W	W	W	W
455615	<i>Thymophylla acerosa</i> (DC.) Strother	fir, dog; dogweed, pricklyleaf	Asteraceae	F, R, S	W	C	W	C	C	W	W	W
316979	<i>Thymophylla aurea</i> (A. Gray) Greene	dog-weed; manyawn, pricklyleaf	Asteraceae	F, R	W	C	W	C	W	W	W	W
454211	<i>Thymophylla pentachaeta</i> (DC.) Small	dyssoxia, golden; pricklyleaf, fiveneedle	Asteraceae	F, R, S	W	C	W	C	C	W	W	W
36628	<i>Thymus serpyllum</i> L.	mother-of-thyme; thyme, creeping; thyme, lemon	Lamiaceae	F, H, R	W	C	C	C	W	W	W	W
36631	<i>Thymus vulgaris</i> L.	thyme, common	Lamiaceae	F, H	W	C	C	W	W	W	W	W
312474	<i>Tibouchina</i> spp.		Melastomataceae	W	W	W	W	W	W	W	W	W
316924	<i>Tidestromia lanuginosa</i> (Nutt.) Standl.	tidestromia, woolly	Amaranthaceae	W	W	W	W	W	W	W	W	W
36675	<i>Tilia cordata</i> Mill.	linden, littleleaf	Malvaceae [Tiliaceae]	S	W	W	W	W	C	W	W	W
36735	<i>Tithonia rotundifolia</i> (Mill.) S. F. Blake	flower, torch; tithonia	Asteraceae	F	W	C	W	W	W	W	W	W
36758	<i>Torenia fourneri</i> Linden ex E. Fourn.	bluewings; wishbone-flower, blue	Linderniaceae [Plantaginaceae] [Scrophulariaceae] [Veronicaceae]	F	W	C	W	W	W	W	W	W
317260	<i>Torilis anthriscus</i> (L.) C. C. Gmel., nom. illeg. = <i>Torilis japonica</i> (Houtt.) DC.											
312176	<i>Torilis japonica</i> (Houtt.) DC.	hedge-parsley, erect	Apiaceae	W	W	W	W	W	W	W	W	W
316851	<i>Torilis nodosa</i> (L.) Gaertn.	hedge-parsley, knotted	Apiaceae	W	W	W	W	W	W	W	W	W
317114	<i>Torilis</i> spp.	hedge-parsley	Apiaceae	W	W	W	W	W	W	W	W	W
101865	<i>Toxicodendron diversilobum</i> (Torr. & A. Gray) Greene	poison-oak	Anacardiaceae	W	W	W	W	W	W	W	W	W
316980	<i>Toxicodendron parviflorum</i> (Roxb.) Kuntze		Anacardiaceae	W	W	W	W	W	W	W	W	W
101866	<i>Toxicodendron radicans</i> (L.) Kuntze	poison-ivy	Anacardiaceae	W	W	W	W	W	W	W	W	W
101871	<i>Toxicodendron vernix</i> (L.) Kuntze	poison-sumac	Anacardiaceae	W	W	W	W	W	W	W	W	W
432261	<i>Toxicoscordion venenosum</i> (S. Watson) Rydb.	death camas, grassy	Melanthiaceae [Liliaceae]	W	W	W	W	W	W	W	W	W
36794	<i>Trachymene coerulea</i> Graham	laceflower, blue	Araliaceae [Apiaceae]	F	W	W	W	W	W	W	W	W
452257	<i>Tradescantia occidentalis</i> (Britton) Smyth	spiderwort, prairie	Commelinaceae	F, R	W	C	W	C	W	W	W	W
407036	<i>Tradescantia ohioensis</i> Raf.	spiderwort, Ohio; bluejacket	Commelinaceae	F, R	W	C	W	C	W	W	W	W
312476	<i>Tradescantia</i> spp.	spiderwort	Commelinaceae	F	W	C	W	W	W	W	W	W
36812	<i>Tradescantia virginiana</i> L.	spiderwort, common	Commelinaceae	F	W	C	W	W	W	W	W	W
104595	<i>Tragopogon dubius</i> Scop.	salsify, western	Asteraceae	W	W	W	W	W	W	W	W	W
36817	<i>Tragopogon porrifolius</i> L.	oysterplant; salsify	Asteraceae	V	W	W	W	W	W	W	W	C
36818	<i>Tragopogon pratensis</i> L.	goatsbeard, yellow; salsify, meadow	Asteraceae	W	W	W	W	W	W	W	W	W
317115	<i>Tragopogon</i> spp.	goatsbeard; salsify	Asteraceae	W	W	W	W	W	W	W	W	W
36823	<i>Tragus racemosus</i> (L.) All.	burggrass, stalked	Poaceae	W	W	W	W	W	W	W	W	W



Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
36824	<i>Trapa natans</i> L.	bull-nut water-chestnut	Lythraceae [Trapaceae]	W	W	W	W	W	W	W	W
316925	<i>Trianthema portulacastrum</i> L.	purslane, horse	Aizoaceae	W	W	W	W	W	W	W	W
100965	<i>Tribulus terrestris</i> L.	puncturevine	Zygophyllaceae	W	W	W	W	W	W	W	W
317116	<i>Trichloris</i> spp.	Rhodesgrass, false	Poaceae	W	W	W	W	W	W	W	W
316852	<i>Trichostema dichotomum</i> L.	bluecurls, forked; pennyroyal, bastard	Lamiaceae	W	W	W	W	W	W	W	W
40119	<i>Trichostema lanceolatum</i> Benth.	bluecurls; vinegarweed	Lamiaceae	F, R	W	C	W	C	W	W	W
40146	<i>Tridax procumbens</i> L.	coat-buttons	Asteraceae	W	W	W	W	W	W	W	W
317261	<i>Tridens elongatus</i> (Buckley) Nash = <i>Tridens muticus</i> (Torr.) Nash var. <i>elongatus</i> (Buckley) Shinnars										
40150	<i>Tridens flavus</i> (L.) Hitchc.	purpletop	Poaceae	W	W	W	W	W	W	W	W
316853	<i>Tridens muticus</i> (Torr.) Nash var. <i>elongatus</i> (Buckley) Shinnars = <i>Tridentopsis mutica</i> (Torr.) P. M. Peterson var. <i>elongata</i> (Buckley) P. M. Peterson & Romasch.										
317117	<i>Tridens</i> spp.	tridens	Poaceae	W	W	W	W	W	W	W	W
478322	<i>Tridentopsis mutica</i> (Torr.) P. M. Peterson var. <i>elongata</i> (Buckley) P. M. Peterson & Romasch.	tridens, rough	Poaceae	W	W	W	W	W	W	W	W
40160	<i>Trifolium agrarium</i> L. = <i>Trifolium aureum</i> Pollich										
40161	<i>Trifolium alexandrinum</i> L.	clover, berseem	Fabaceae	A	C	C	C	C	C	C	C
40165	<i>Trifolium ambiguum</i> M. Bieb.	clover, kura	Fabaceae	F, R	W	C	W	C	W	W	W
40167	<i>Trifolium angulatum</i> Waldst. & Kit.	clover, crooked	Fabaceae	W	W	W	W	W	W	W	W
40173	<i>Trifolium arvense</i> L.	clover, rabbitfoot	Fabaceae	F, R	W	C	W	C	W	W	W
101725	<i>Trifolium aureum</i> Pollich	clover, hop	Fabaceae	W	W	W	W	W	W	W	W
404493	<i>Trifolium bifidum</i> A. Gray	clover, pinole	Fabaceae	R	W	W	W	C	W	W	W
40189	<i>Trifolium campestre</i> Schreb.	clover, large hop; clover, low hop	Fabaceae	A	W	W	W	W	W	W	W
40190	<i>Trifolium carolinianum</i> Michx.	clover, Carolina	Fabaceae	W	W	W	W	W	W	W	W
40194	<i>Trifolium cernuum</i> Brot.	clover, nodhead	Fabaceae	W	W	W	W	W	W	W	W
40198	<i>Trifolium ciliolatum</i> Benth.	clover, foothill	Fabaceae	R	W	W	W	C	W	W	W
40206	<i>Trifolium cyathiferum</i> Lindl.	clover, cup	Fabaceae	W	W	W	W	W	W	W	W
40214	<i>Trifolium depauperatum</i> Desv.	clover, poverty	Fabaceae	W	W	W	W	W	W	W	W
40219	<i>Trifolium dubium</i> Sibth.	clover, small hop; clover, suckling; shamrock, Irish	Fabaceae	A, F	W	C	W	W	W	W	W
40220	<i>Trifolium echinatum</i> M. Bieb. var. <i>echinatum</i>	clover, cocklebur	Fabaceae	W	W	W	W	W	W	W	W
40230	<i>Trifolium fragiferum</i> L.	clover, strawberry	Fabaceae	A	C	C	C	C	C	C	C
40231	<i>Trifolium fucatum</i> Lindl.	clover, puff	Fabaceae	R	W	W	W	C	W	W	W
40235	<i>Trifolium glomeratum</i> L.	clover, cluster	Fabaceae	A	C	C	C	C	C	C	C
40236	<i>Trifolium gracilentum</i> Torr. & A. Gray	clover, pinpoint	Fabaceae	R	W	W	W	C	W	W	W
40241	<i>Trifolium hirtum</i> All.	clover, rose	Fabaceae	A	C	C	C	C	C	C	C
300618	<i>Trifolium hybridum</i> L.	clover, alsike	Fabaceae	A	C	C	C	C	C	C	C
300619	<i>Trifolium incarnatum</i> L.	clover, crimson	Fabaceae	A	C	C	C	C	C	C	C
40262	<i>Trifolium lappaceum</i> L.	clover, lappa	Fabaceae	A	C	C	C	C	C	C	C

## AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
310362	<i>Trifolium medium</i> L.	clover, zigzag	Fabaceae	A, R	W	W	W	W	W	W	W
300620	<i>Trifolium michelianum</i> Savi	clover, big-flowered	Fabaceae	W	W	W	W	W	W	W	W
40294	<i>Trifolium microcephalum</i> Pursh	clover, littlehead	Fabaceae	R	W	W	W	C	W	W	W
40295	<i>Trifolium microdon</i> Hook. & Arn.	clover, thimble	Fabaceae	W	W	W	W	W	W	W	W
310557	<i>Trifolium nigrescens</i> Viv.	clover, ball	Fabaceae	W	W	W	W	W	W	W	W
404491	<i>Trifolium obtusiflorum</i> Hook. & Arn.	clover, clammy	Fabaceae	R	W	W	W	C	W	W	W
300623	<i>Trifolium pratense</i> L.	clover, red	Fabaceae	A	C	C	C	C	C	C	C
404960	<i>Trifolium procumbens</i> L. = <i>Trifolium campestre</i> Schreb.										
40345	<i>Trifolium reflexum</i> L.	clover, buffalo	Fabaceae	W	W	W	W	W	W	W	W
300625	<i>Trifolium repens</i> L.	clover, ladino; clover, white	Fabaceae	A	C	C	C	C	C	C	C
300626	<i>Trifolium resupinatum</i> L.	clover, Persian	Fabaceae	A	C	C	C	C	C	C	C
40282	<i>Trifolium retusum</i> L.	clover, teasel	Fabaceae	W	W	W	W	W	W	W	W
40364	<i>Trifolium semipilosum</i> Fresen.	clover, Kenya	Fabaceae	A, T	C	C	W	C	W	C	W
300627	<i>Trifolium</i> spp.	clover	Fabaceae	A	C	W	W	W	W	C	W
40377	<i>Trifolium striatum</i> L.	clover, striate	Fabaceae	A	C	C	C	C	C	C	C
300628	<i>Trifolium subterraneum</i> L.	clover, subterranean; subclover	Fabaceae	A	C	C	C	C	C	C	C
40386	<i>Trifolium supinum</i> Savi = <i>Trifolium echinatum</i> M. Bieb. var. <i>echinatum</i>										
101738	<i>Trifolium tridentatum</i> Lindl. = <i>Trifolium willdenovii</i> Spreng.										
40396	<i>Trifolium variegatum</i> Nutt.	clover, whitetip	Fabaceae	W	W	W	W	W	W	W	W
300630	<i>Trifolium vesiculosum</i> Savi	clover, arrowleaf	Fabaceae	A	C	C	C	C	C	C	C
40402	<i>Trifolium willdenovii</i> Spreng.	clover, tomcat	Fabaceae	A, R	W	W	W	C	W	W	W
40403	<i>Trifolium wormskioldii</i> Lehm.	clover, seaside; clover, Sierra	Fabaceae	W	W	W	W	W	W	W	W
316926	<i>Triglochin maritima</i> L.	arrowgrass, seaside	Juncaginaceae	R	W	W	W	C	W	W	W
40421	<i>Trigonella foenum-graecum</i> L.	fenugreek	Fabaceae	W	W	W	W	W	W	W	W
300636	<i>Trigonella</i> spp.	trigonella	Fabaceae	W	W	W	W	W	W	W	W
316854	<i>Triodanis perfoliata</i> (L.) Nieuwl.	lookingglass, venus	Campanulaceae	W	W	W	W	W	W	W	W
316855	<i>Triosteum perfoliatum</i> L.	horse gentian, common; coffee, wild	Caprifoliaceae	W	W	W	W	W	W	W	W
317118	<i>Triosteum</i> spp.	feverwort; horse gentian	Caprifoliaceae	W	W	W	W	W	W	W	W
316927	<i>Triplasis purpurea</i> (Walter) Chapm.	sandgrass, purple	Poaceae	W	W	W	W	W	W	W	W
104432	<i>Tripleurospermum inodorum</i> (L.) Sch. Bip.	mayweed, scentless	Asteraceae	W	W	W	W	W	W	W	W
433411	<i>Tripleurospermum maritimum</i> (L.) W. D. J. Koch subsp. <i>inodorum</i> (L.) Appleq. = <i>Tripleurospermum inodorum</i> (L.) Sch. Bip.										
416481	<i>Tripleurospermum maritimum</i> (L.) W. D. J. Koch subsp. <i>maritimum</i>	chamomile, scentless	Asteraceae	W	W	W	W	W	W	W	W
318346	<i>Tripleurospermum perforatum</i> (Mérat) M. Lainz = <i>Tripleurospermum inodorum</i> (L.) Sch. Bip.										
40489	<i>Tripsacum dactyloides</i> (L.) L.	gamagrass, eastern	Poaceae	A, R	C	W	W	C	W	W	W
40517	<i>Trisetum flavescens</i> (L.) P. Beauv.	oatgrass, yellow; trisetum, yellow	Poaceae	W	W	W	W	W	W	W	W

## Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
300639	<i>Trisetum</i> spp.	trisetum	Poaceae	W	W	W	W	W	W	W	W
300683	<i>xTriticosecale</i> spp.	triticale	Poaceae	A	C	C	C	C	C	C	C
N/A	<i>Triticum x Agrotriticum</i> spp. = <i>xAgrotriticum</i> spp.										
N/A	<i>Triticum x Secale</i> spp. = <i>xTriticosecale</i> spp.										
40544	<i>Triticum aestivum</i> L. subsp. <i>aestivum</i>	wheat, common	Poaceae	A	C	C	C	C	C	C	C
406901	<i>Triticum aestivum</i> L. subsp. <i>compactum</i> (Host) Mackey	wheat, club	Poaceae	A	C	C	C	C	C	C	C
406903	<i>Triticum aestivum</i> L. subsp. <i>spelta</i> (L.) Thell.	spelt	Poaceae	A	C	C	C	C	C	C	C
40562	<i>Triticum compactum</i> Host = <i>Triticum aestivum</i> L. subsp. <i>compactum</i> (Host) Mackey										
40571	<i>Triticum dicoccon</i> Schrank = <i>Triticum turgidum</i> L. subsp. <i>dicoccon</i> (Schrank) Thell.										
40577	<i>Triticum durum</i> Desf. = <i>Triticum turgidum</i> L. subsp. <i>durum</i> (Desf.) Husn.										
40607	<i>Triticum polonicum</i> L. = <i>Triticum turgidum</i> L. subsp. <i>polonicum</i> (L.) Thell.										
40617	<i>Triticum spelta</i> L. = <i>Triticum aestivum</i> L. subsp. <i>spelta</i> (L.) Thell.										
300643	<i>Triticum</i> spp.	wheat	Poaceae	A	C	C	C	C	C	C	C
314587	<i>Triticum turgidum</i> L. subsp. <i>dicoccon</i> (Schrank) Thell.	emmer	Poaceae	A	C	C	C	C	C	C	C
406896	<i>Triticum turgidum</i> L. subsp. <i>durum</i> (Desf.) Husn.	wheat, durum	Poaceae	A	C	C	C	C	C	C	C
406898	<i>Triticum turgidum</i> L. subsp. <i>polonicum</i> (L.) Thell.	wheat, Polish	Poaceae	A	C	C	C	C	C	C	C
40635	<i>Triticum turgidum</i> L. subsp. <i>turgidum</i>	wheat, poulard	Poaceae	A	C	C	C	C	C	C	C
40640	<i>Triticum vulgare</i> Vill. = <i>Triticum aestivum</i> L. subsp. <i>aestivum</i>										
317709	<i>Triumfetta bartramia</i> L., nom. illeg. = <i>Triumfetta rhomboidea</i> Jacq.										
40661	<i>Triumfetta rhomboidea</i> Jacq.	burbush	Malvaceae [Tiliaceae]	W	W	W	W	W	W	W	W
40662	<i>Triumfetta semitriloba</i> Jacq.	bur, Sacramento	Malvaceae [Tiliaceae]	W	W	W	W	W	W	W	W
40686	<i>Tropaeolum majus</i> L.	nasturtium	Tropaeolaceae	F	W	C	W	W	W	W	W
317119	<i>Tropaeolum</i> spp.	nasturtium	Tropaeolaceae	F	W	C	W	W	W	W	W
40698	<i>Tsuga canadensis</i> (L.) Carrière	hemlock, Canada; hemlock, eastern	Pinaceae	S	W	W	W	W	C	W	W
40705	<i>Tsuga heterophylla</i> (Raf.) Sarg.	hemlock, Pacific; hemlock, western	Pinaceae	S	W	W	W	W	C	W	W
40709	<i>Tsuga mertensiana</i> (Bong.) Carrière	hemlock, mountain	Pinaceae	S	W	W	W	W	C	W	W
430009	<i>Turritis glabra</i> L.	mustard, tower; mustard, smooth	Brassicaceae	W	W	W	W	W	W	W	W
101629	<i>Typha latifolia</i> L.	cattail, common	Typhaceae	F, R	W	W	W	C	W	W	W
40812	<i>Ulex europaeus</i> L.	gorse	Fabaceae	W	W	W	W	W	W	W	W
40817	<i>Ulmus americana</i> L.	elm, American	Ulmaceae	S	W	W	W	W	C	W	W
40847	<i>Ulmus parvifolia</i> Jacq.	elm, Chinese	Ulmaceae	S	W	W	W	W	C	W	W
40851	<i>Ulmus pumila</i> L.	elm, Siberian	Ulmaceae	S	W	W	W	W	C	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
40863	<i>Umbellularia californica</i> (Hook. & Arn.) Nutt.	bay, California; myrtle, Oregon	Lauraceae	S	W	W	W	W	C	W	W
40900	<i>Urena lobata</i> L.	aramina; cadillo	Malvaceae	W	W	W	W	W	W	W	W
405199	<i>Urochloa fasciculata</i> (Sw.) R. D. Webster ex Morrone & Zuloaga, nom. illeg. = <i>Urochloa fusca</i> (Sw.) B. F. Hansen & Wunderlin										
419492	<i>Urochloa fusca</i> (Sw.) B. F. Hansen & Wunderlin	panicum, browntop	Poaceae	W	W	W	W	W	W	W	W
401380	<i>Urochloa mutica</i> (Forssk.) T. Q. Nguyen	paragrass	Poaceae	W	W	W	W	W	W	W	W
40914	<i>Urochloa panicoides</i> P. Beauv.	grass, liverseed	Poaceae	W	W	W	W	W	W	W	W
401376	<i>Urochloa platyphylla</i> (Munro ex C. Wright) R. D. Webster	signalgrass, broadleaf	Poaceae	W	W	W	W	W	W	W	W
401370	<i>Urochloa ramosa</i> (L.) T. Q. Nguyen	millet, browntop	Poaceae	A	C	C	C	C	C	C	C
401372	<i>Urochloa texana</i> (Buckley) R. D. Webster	millet, Texas	Poaceae	W	W	W	W	W	W	W	W
40944	<i>Urtica dioica</i> L.	nettle, stinging	Urticaceae	R	W	W	W	W	W	W	W
317120	<i>Urtica</i> spp.	nettle	Urticaceae	W	W	W	W	W	W	W	W
310852	<i>Vaccaria hispanica</i> (Mill.) Rauschert	cow-cockle	Caryophyllaceae	F	W	C	W	W	W	W	W
40973	<i>Vaccaria pyramidata</i> Medik. = <i>Vaccaria hispanica</i> (Mill.) Rauschert										
40981	<i>Vaccinium angustifolium</i> Aiton	blueberry, lowbush	Ericaceae	S	W	W	W	W	C	W	W
41046	<i>Vaccinium ovatum</i> Pursh	blueberry, box; huckleberry, California	Ericaceae	S	W	W	W	W	C	W	W
300652	<i>Vaccinium</i> spp.	blueberry; huckleberry	Ericaceae	S	W	W	W	W	C	W	W
450077	<i>Vachellia constricta</i> (Benth.) Seigler & Ebinger	acacia, whitethorn; acacia, mescat	Fabaceae [Mimosaceae]	R, S	W	W	W	C	C	W	W
468410	<i>Vachellia</i> spp.	acacia	Fabaceae [Mimosaceae]	S	W	W	W	W	W	W	W
316856	<i>Valerianella dentata</i> (L.) Pollich	cornsalad, toothed	Caprifoliaceae [Valerianaceae]	W	W	W	W	W	W	W	W
41091	<i>Valerianella eriocarpa</i> Desv.	cornsalad, Italian	Caprifoliaceae [Valerianaceae]	V	W	W	W	W	W	W	C
80009	<i>Valerianella locusta</i> (L.) Laterr.	cornsalad, European; lamb's-lettuce	Caprifoliaceae [Valerianaceae]	V	C	C	C	C	C	C	C
317121	<i>Valerianella</i> spp.	cornsalad	Caprifoliaceae [Valerianaceae]	W	W	W	W	W	W	W	W
41130	<i>Venidium fastuosum</i> (Jacq.) Stapf = <i>Arctotis fastuosa</i> Jacq.										
316857	<i>Ventenata dubia</i> (Leers) Coss.	ventenata; ventgrass, soft	Poaceae	W	W	W	W	W	W	W	W
102317	<i>Verbascum blattaria</i> L.	mullein, moth	Scrophulariaceae	W	W	W	W	W	W	W	W
317122	<i>Verbascum</i> spp.	mullein	Scrophulariaceae	W	W	W	W	W	W	W	W
41150	<i>Verbascum thapsus</i> L.	mullein, common	Scrophulariaceae	W	W	W	W	W	W	W	W
317318	<i>Verbena ambrosiifolia</i> Rydb. ex Small = <i>Glandularia bipinnatifida</i> (Nutt.) Nutt.										
317262	<i>Verbena angustifolia</i> Michx., nom. illeg. = <i>Verbena simplex</i> Lehm.										
101139	<i>Verbena bracteata</i> Lag. & Rodr.	vervain, prostrate	Verbenaceae	R	W	W	W	W	W	W	W
316858	<i>Verbena gooddingii</i> Briq. = <i>Glandularia gooddingii</i> (Briq.) Solbrig										
41157	<i>Verbena hastata</i> L.	vervain, blue	Verbenaceae	F, R	W	C	W	C	W	W	W

## Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
315533	<i>Verbena xhybrida</i> hort. ex Groenl. & Rümpler = <i>Glandularia xhybrida</i> (hort. ex Groenl. & Rümpler) G. L. Nesom & Pruski											
41164	<i>Verbena officinalis</i> L.	vervain, European	Verbenaceae	W	W	W	W	W	W	W	W	W
41169	<i>Verbena rigida</i> Spreng.	vervain, purple	Verbenaceae	F	W	C	W	W	W	W	W	W
316859	<i>Verbena simplex</i> Lehm.	vervain, narrowleaf	Verbenaceae	W	W	W	W	W	W	W	W	W
300653	<i>Verbena</i> spp.	vervain	Verbenaceae	W	W	W	W	W	W	W	W	W
101140	<i>Verbena stricta</i> Vent.	vervain, hoary; vervain, woolly	Verbenaceae	F, R	W	C	W	C	W	W	W	W
41171	<i>Verbena tenuisecta</i> Briq. = <i>Glandularia aristigera</i> (S. Moore) Tronc.											
41173	<i>Verbena urticifolia</i> L.	vervain, white	Verbenaceae	W	W	W	W	W	W	W	W	W
41178	<i>Verbesina encelioides</i> (Cav.) Benth. & Hook. f. ex A. Gray	crownbeard, golden; crownbeard, western	Asteraceae	F, R	W	C	W	C	W	W	W	W
41185	<i>Verbesina occidentalis</i> (L.) Walter	crownbeard, Alleghany	Asteraceae	W	W	W	W	W	W	W	W	W
317123	<i>Verbesina</i> spp.	crownbeard	Asteraceae	W	W	W	W	W	W	W	W	W
60001	<i>Vernonia baldwinii</i> Torr.	ironweed, Baldwin; ironweed, western	Asteraceae	W	W	W	W	W	W	W	W	W
104618	<i>Vernonia gigantea</i> (Walter) Trel. ex Branner & Coville	ironweed, tall	Asteraceae	W	W	W	W	W	W	W	W	W
41218	<i>Vernonia noveboracensis</i> (L.) Michx.	ironweed, New York	Asteraceae	W	W	W	W	W	W	W	W	W
300655	<i>Vernonia</i> spp.	ironweed	Asteraceae	W	W	W	W	W	W	W	W	W
102201	<i>Veronica agrestis</i> L.	speedwell, field	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	W	W	W	W	W	W	W	W	W
316860	<i>Veronica americana</i> Schwein. ex Benth.	speedwell, American	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	W	W	W	W	W	W	W	W	W
80203	<i>Veronica anagallis-aquatica</i> L.	speedwell, water	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	W	W	W	W	W	W	W	W	W
80211	<i>Veronica arvensis</i> L.	speedwell, corn	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	W	W	W	W	W	W	W	W	W
80213	<i>Veronica austriaca</i> L.	speedwell, Hungarian	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F	W	C	W	W	W	W	W	W
316861	<i>Veronica hederifolia</i> L.	speedwell, ivy-leaf	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	W	W	W	W	W	W	W	W	W
80277	<i>Veronica longifolia</i> L.	speedwell, garden	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F	W	C	W	W	W	W	W	W
80301	<i>Veronica officinalis</i> L.	speedwell, common	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	W	W	W	W	W	W	W	W	W
80304	<i>Veronica peregrina</i> L.	speedwell, purslane	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	H, R	W	W	W	W	W	W	W	W
80306	<i>Veronica persica</i> Poir.	speedwell, bird-eye	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	W	W	W	W	W	W	W	W	W
80328	<i>Veronica serpyllifolia</i> L.	speedwell, thyme-leaf	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	W	W	W	W	W	W	W	W	W

AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
80332	<i>Veronica spicata</i> L.	speedwell, spike	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F	W	C	W	W	W	W	W	W
317124	<i>Veronica</i> spp.	speedwell	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	W	W	W	W	W	W	W	W	W
400612	<i>Veronicastrum virginicum</i> (L.) Farw.	blackroot	Plantaginaceae [Scrophulariaceae] [Veronicaceae]	F, R	W	C	W	C	W	W	W	W
41348	<i>Viburnum edule</i> (Michx.) Raf.	cranberry, lowbush; squashberry	Adoxaceae [Caprifoliaceae]	S	W	W	W	W	C	W	W	W
41383	<i>Viburnum lentago</i> L.	nannyberry; sheepberry; wild-raisin	Adoxaceae [Caprifoliaceae]	S	W	W	W	W	C	W	W	W
41449	<i>Vicia americana</i> Muhl. ex Willd.	vetch, American	Fabaceae	W	W	W	W	W	W	W	W	W
310558	<i>Vicia angustifolia</i> L. = <i>Vicia sativa</i> L. subsp. <i>nigra</i> (L.) Ehrh.											
41458	<i>Vicia articulata</i> Hornem.	vetch, monantha; vetch, single-flowered	Fabaceae	A	C	W	W	W	W	W	W	W
41460	<i>Vicia atropurpurea</i> Desf. = <i>Vicia benghalensis</i> L.											
41464	<i>Vicia benghalensis</i> L.	vetch, purple	Fabaceae	A, F	C	C	W	W	W	C	W	W
41475	<i>Vicia cracca</i> L. subsp. <i>cracca</i>	vetch, bird; vetch, boreal; vetch, tufted	Fabaceae	W	W	W	W	W	W	W	W	W
41477	<i>Vicia dasycarpa</i> Ten. = <i>Vicia villosa</i> Roth subsp. <i>varia</i> (Host) Corb.											
41481	<i>Vicia ervilia</i> (L.) Willd.	vetch, bitter	Fabaceae	W	W	W	W	W	W	W	W	W
300661	<i>Vicia faba</i> L.	broadbean; fava-bean; horsebean	Fabaceae	V	C	C	C	C	C	C	C	C
41495	<i>Vicia gracilis</i> Loisel., nom. illeg. = <i>Vicia parviflora</i> Cav.											
300662	<i>Vicia grandiflora</i> Scop.	vetch, showy	Fabaceae	W	W	W	W	W	W	W	W	W
41501	<i>Vicia hirsuta</i> (L.) Gray	vetch, tiny	Fabaceae	W	W	W	W	W	W	W	W	W
41505	<i>Vicia hybrida</i> L.	vetch, wild	Fabaceae	W	W	W	W	W	W	W	W	W
314005	<i>Vicia laxiflora</i> Brot., nom. illeg. = <i>Vicia parviflora</i> Cav.											
300664	<i>Vicia lutea</i> L.	vetch, yellow	Fabaceae	W	W	W	W	W	W	W	W	W
300666	<i>Vicia pannonica</i> Crantz	vetch, Hungarian	Fabaceae	A	C	C	C	C	C	C	C	C
411630	<i>Vicia parviflora</i> Cav.	vetch, slender	Fabaceae	W	W	W	W	W	W	W	W	W
41566	<i>Vicia sativa</i> L. subsp. <i>nigra</i> (L.) Ehrh.	vetch, blackpod; vetch, narrowleaf	Fabaceae	A	C	W	W	W	W	W	W	W
41559	<i>Vicia sativa</i> L. subsp. <i>sativa</i>	vetch, common	Fabaceae	A	C	C	C	C	C	C	C	C
300668	<i>Vicia</i> spp.	vetch	Fabaceae	A	C	W	W	W	W	W	W	W
41583	<i>Vicia tetrasperma</i> (L.) Schreb.	vetch, sparrow	Fabaceae	A	W	W	W	W	W	W	W	W
100245	<i>Vicia villosa</i> Roth subsp. <i>varia</i> (Host) Corb.	vetch, winter; vetch, woollypod	Fabaceae	A	C	C	C	C	C	C	C	C
41589	<i>Vicia villosa</i> Roth subsp. <i>villosa</i>	vetch, hairy	Fabaceae	A	C	C	C	C	C	C	C	C
41598	<i>Vigna angularis</i> (Willd.) Ohwi & H. Ohashi	bean, adzuki	Fabaceae	A	C	C	C	C	C	C	C	C
312026	<i>Vigna radiata</i> (L.) R. Wilczek var. <i>radiata</i>	bean, mung	Fabaceae	A	C	C	C	C	C	C	C	C

Volume 3. Uniform Classification of Weed and Crop Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
41646	<i>Vigna unguiculata</i> (L.) Walp. subsp. <i>sesquipedalis</i> (L.) Verdc. = <i>Vigna unguiculata</i> (L.) Walp. subsp. <i>unguiculata</i> Sesquipedalis Group											
467841	<i>Vigna unguiculata</i> (L.) Walp. subsp. <i>unguiculata</i> Sesquipedalis Group	asparagus-bean; yard-long-bean	Fabaceae	V	C	C	C	C	C	C	C	C
300675	<i>Vigna unguiculata</i> (L.) Walp. subsp. <i>unguiculata</i> Unguiculata Group	black-eyed pea; cowpea; southern-pea	Fabaceae	V	C	C	C	C	C	C	C	C
316862	<i>Viguiera laciniata</i> A. Gray = <i>Bahiopsis laciniata</i> (A. Gray) E. E. Schill. & Panero											
41655	<i>Viguiera multiflora</i> (Nutt.) S. F. Blake = <i>Heliomeris multiflora</i> Nutt.											
41704	<i>Viola cornuta</i> L.	Johnny-jump-up; viola; viola, horned	Violaceae	F	W	C	W	W	W	W	W	W
311605	<i>Viola</i> spp.	violet	Violaceae	F	W	C	W	W	W	W	W	W
41789	<i>Viola tricolor</i> L.	pansy	Violaceae	F	W	C	W	W	W	W	W	W
41807	<i>Viscum album</i> L.	mistletoe, European	Viscaceae [Santalaceae]	W	W	W	W	W	W	W	W	W
300680	<i>Vitis</i> spp.	grape	Vitaceae	S	W	W	W	W	C	W	W	W
41907	<i>Vitis vulpina</i> L.	grape, riverbank	Vitaceae	S	W	W	W	W	C	W	W	W
41932	<i>Vulpia bromoides</i> (L.) Gray	fescue, brome; fescue, squirreltail	Poaceae	W	W	W	W	W	W	W	W	W
41933	<i>Vulpia dertonensis</i> (All.) Gola = <i>Vulpia bromoides</i> (L.) Gray											
316526	<i>Vulpia elliottea</i> (Raf.) Fernald	fescue, squirrel	Poaceae	W	W	W	W	W	W	W	W	W
41938	<i>Vulpia megalura</i> (Nutt.) Rydb. = <i>Vulpia myuros</i> (L.) C. C. Gmel.											
316863	<i>Vulpia microstachys</i> (Nutt.) Benth. var. <i>pauciflora</i> (Scribn. ex Beal) Lonard & Gould	fescue, Pacific; fescue, threeweeks	Poaceae	R	W	W	W	C	W	W	W	W
41939	<i>Vulpia myuros</i> (L.) C. C. Gmel.	fescue, rattail	Poaceae	R	W	W	W	W	W	W	W	W
41940	<i>Vulpia octoflora</i> (Walter) Rydb.	fescue, six-weeks	Poaceae	R	W	W	W	C	W	W	W	W
316864	<i>Vulpia sciurea</i> (Nutt.) Henrard = <i>Vulpia elliottea</i> (Raf.) Fernald											
316928	<i>Wyethia amplexicaulis</i> (Nutt.) Nutt.	mules ears	Asteraceae	F, R	W	C	W	C	W	W	W	W
316929	<i>Wyethia angustifolia</i> (DC.) Nutt.	wyethia, narrowleaf	Asteraceae	R	W	W	W	W	W	W	W	W
448266	<i>Wyethia mollis</i> A. Gray	mulesears, woolly	Asteraceae	F, R	W	C	W	C	W	W	W	W
452989	<i>Xanthisma spinulosum</i> (Pursh) D. R. Morgan & R. L. Hartm.	goldenweed, spiny; ironplant, cutleaf	Asteraceae	W	W	W	W	W	W	W	W	W
42069	<i>Xanthisma texanum</i> DC.	star-of-Texas	Asteraceae	A	C	W	W	W	W	W	W	W
104652	<i>Xanthium pensylvanicum</i> Wallr. = <i>Xanthium strumarium</i> L.											
42071	<i>Xanthium spinosum</i> L.	cocklebur, spiny	Asteraceae	W	W	W	W	W	W	W	W	W
317125	<i>Xanthium</i> spp.	cocklebur	Asteraceae	W	W	W	W	W	W	W	W	W
42072	<i>Xanthium strumarium</i> L.	cocklebur, common	Asteraceae	W	W	W	W	W	W	W	W	W
104654	<i>Xanthium strumarium</i> L. var. <i>canadense</i> (Mill.) Torr. & A. Gray = <i>Xanthium strumarium</i> L.											
426902	<i>Xanthocyparis nootkatensis</i> (D. Don) Farjon & D. K. Harder = <i>Cupressus nootkatensis</i> D. Don											

## AOSA Rules for Testing Seeds

NOMEN #	SCIENTIFIC NAME	COMMON NAME	FAMILY	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
316865	<i>Xeranthemum cylindraceum</i> Sm.	immortelle, cylinder	Asteraceae	W	W	W	W	W	W	W	W
424010	<i>Xerochrysum bracteatum</i> (Vent.) Tzvelev	helichrysum; strawflower	Asteraceae	F	W	C	W	W	W	W	W
451620	<i>Xerophyllum tenax</i> (Pursh) Nutt.	beargrass, common	Melanthiaceae [Liliaceae] [Xerophyllaceae]	F, R	W	C	W	C	W	W	W
410050	<i>Xylorhiza tortifolia</i> (Torr. & A. Gray) Greene	woodyaster, Mojave; woody-aster, hurt-leaf	Asteraceae	F, R, S	W	C	W	C	C	W	W
42149	<i>Yucca elata</i> Engelm.	yucca, soaptree	Asparagaceae [Agavaceae]	F	W	C	W	W	W	W	W
42151	<i>Yucca filamentosa</i> L.	adam's-needle; yucca, spoon-leaf	Asparagaceae [Agavaceae]	F	W	C	W	W	W	W	W
42153	<i>Yucca glauca</i> Nutt.	yucca, narrowleaf; Spanish bayonet; yucca, soapweed	Asparagaceae [Agavaceae]	F, R, S	W	C	W	C	C	W	W
301030	<i>Yucca</i> spp.	soapweed; yucca	Asparagaceae [Agavaceae]	W	W	W	W	W	W	W	W
316866	<i>Yucca torreyi</i> Shafer	yucca, Torrey	Asparagaceae [Agavaceae]	R, S	W	W	W	C	C	W	W
42207	<i>Zea mays</i> L.	corn (all subsp.)	Poaceae	A	C	C	C	C	C	C	C
42250	<i>Zigadenus elegans</i> Pursh = <i>Anticlea elegans</i> (Pursh) Rydb.										
317319	<i>Zigadenus gramineus</i> Rydb. = <i>Toxicoscordion venenosum</i> (S. Watson) Rydb.										
317126	<i>Zigadenus</i> spp.	death camas	Melanthiaceae [Liliaceae]	W	W	W	W	W	W	W	W
316981	<i>Zigadenus venenosus</i> S. Watson var. <i>gramineus</i> (Rydb.) O. S. Walsh ex M. Peck = <i>Toxicoscordion venenosum</i> (S. Watson) Rydb.										
42256	<i>Zinnia acerosa</i> (DC.) A. Gray	zinnia	Asteraceae	F	W	C	W	W	W	W	W
42257	<i>Zinnia angustifolia</i> Kunth	zinnia	Asteraceae	F	W	C	W	W	W	W	W
42258	<i>Zinnia elegans</i> Jacq.	zinnia, common	Asteraceae	F	W	C	W	W	W	W	W
42259	<i>Zinnia grandiflora</i> Nutt.	zinnia	Asteraceae	F	W	C	W	W	W	W	W
42260	<i>Zinnia haageana</i> Regel	zinnia, Mexican	Asteraceae	F	W	C	W	W	W	W	W
42265	<i>Zinnia peruviana</i> (L.) L.	zinnia	Asteraceae	F	W	C	W	W	W	W	W
300688	<i>Zinnia</i> spp.	zinnia	Asteraceae	F	W	C	W	W	W	W	W
104661	<i>Zinnia violacea</i> Cav. = <i>Zinnia elegans</i> Jacq.										
42267	<i>Zizania aquatica</i> L.	wildrice, annual; wildrice, eastern	Poaceae	A, V	C	C	C	C	C	C	C
42270	<i>Zizia aptera</i> (A. Gray) Fernald	alexanders, golden heartleaf; zizia, meadow	Apiaceae	F, R	W	C	W	C	W	W	W
417633	<i>Zizia aurea</i> (L.) W. D. J. Koch	zizia, golden; alexanders, golden	Apiaceae	F, R	W	C	W	C	W	W	W
463134	<i>Zostera japonica</i> Asch. & Graebn.	eelgrass, dwarf	Zosteraceae	W	W	W	W	W	W	W	W
42306	<i>Zoysia japonica</i> Steud.	lawngrass, Japanese; zoysia	Poaceae	T	C	W	W	C	W	C	W
42307	<i>Zoysia matrella</i> (L.) Merr.	manilagrass; carpetgrass, Japanese	Poaceae	T	C	W	W	C	W	C	W
42309	<i>Zoysia tenuifolia</i> Willd. ex Thiele	mascarenegrass	Poaceae	W	W	W	W	W	W	W	W
42321	<i>Zygophyllum fabago</i> L.	bean-caper, Syrian	Zygophyllaceae	W	W	W	W	W	W	W	W



## APPENDIX A COMMON NAME SORT

COMMON NAME	SCIENTIFIC NAME
acacia	<i>Vachellia</i> spp.
acacia, catclaw	<i>Senegalia greggii</i>
acacia, mesquit	<i>Vachellia constricta</i>
acacia, whitethorn	<i>Vachellia constricta</i>
achillea	<i>Achillea ptarmica</i>
aconite	<i>Aconitum napellus</i>
actinea	<i>Hymenoxys</i> spp.
actinea, bitterweed	<i>Hymenoxys odorata</i>
acuate	<i>Lagascea mollis</i>
Adam's-needle	<i>Yucca filamentosa</i>
aeginetia	<i>Aeginetia</i> spp.
African-daisy	<i>Dimorphotheca sinuata</i>
African-daisy, blue-eyed	<i>Arctotis venusta</i>
African-daisy, lilac	<i>Arctotis venusta</i>
African-daisy, white	<i>Dimorphotheca pluvialis</i>
ageratum	<i>Ageratum</i> spp.
ageratum, Mexican	<i>Ageratum houstonianum</i>
agrotiticum	× <i>Agrotiticum</i> spp.
ailanthus	<i>Ailanthus altissima</i>
alder, American green	<i>Alnus viridis crispa</i>
alder, European green	<i>Alnus viridis</i> subsp. <i>viridis</i>
alder, green	<i>Alnus viridis</i> subsp. <i>crispa</i>
alder, green	<i>Alnus viridis</i> subsp. <i>viridis</i>
alder, mountain	<i>Alnus incana</i> subsp. <i>tenuifolia</i>
alder, red	<i>Alnus rubra</i>
alder, Sitka	<i>Alnus viridis</i> subsp. <i>sinuata</i>
alder, white	<i>Alnus rhombifolia</i>
alecra	<i>Alectra</i> spp.
alexanders, golden	<i>Zizia aurea</i>
alexanders, golden heartleaf	<i>Zizia aptera</i>
alfalfa	<i>Medicago sativa</i> subsp. <i>sativa</i>
alfalfa, Siberian	<i>Medicago sativa</i> subsp. <i>falcata</i>
alfalfa, yellow-flowered	<i>Medicago sativa</i> subsp. <i>falcata</i>
alfilaria	<i>Erodium cicutarium</i>
alfilaria, whitestem	<i>Erodium moschatum</i>
alfombrilla	<i>Drymaria arenarioides</i>
algarrobo	<i>Prosopis pallida</i>
alkaligrass	<i>Puccinellia</i> spp.
alkaligrass, Lemmons	<i>Puccinellia lemmonii</i>
alkaligrass, Nuttall	<i>Puccinellia nuttalliana</i>
alkaligrass, weeping	<i>Puccinellia distans</i>
alkaliweed, spreading	<i>Cressa truxillensis</i>
alligatorweed	<i>Alternanthera philoxeroides</i>
almond, desert	<i>Prunus fasciculata</i>
alumroot	<i>Heuchera</i> spp.
alyceclover	<i>Alysicarpus vaginalis</i>
alyssum	<i>Alyssum</i> spp.
alyssum, golden-tuft	<i>Aurinaria saxatilis</i>
alyssum, hoary	<i>Berteroa incana</i>
alyssum, pale	<i>Alyssum alyssoides</i>
alyssum, sweet	<i>Lobularia maritima</i>
amaranth	<i>Amaranthus</i> spp.
amaranth, globe	<i>Gomphrena globosa</i>
amaranth, purple	<i>Amaranthus cruentus</i>
amargo, mesquite	<i>Prosopis articulata</i>
ambulia	<i>Limnophia sessiliflora</i>
ammi, greater	<i>Ammi majus</i>
anagallis	<i>Anagallis monelli</i>
anagallis	<i>Anagallis arvensis</i>

COMMON NAME	SCIENTIFIC NAME
anchusa	<i>Anchusa</i> spp.
anemone	<i>Anemone pulsatilla</i>
anemone, candle	<i>Anemone cylindrica</i>
anemone, meadow	<i>Anemone canadensis</i>
angletongrass	<i>Dichanthium aristatum</i>
anise	<i>Pimpinella anisum</i>
aniseroot	<i>Osmorhiza longistylis</i>
aniseroot, sweet	<i>Osmorhiza occidentalis</i>
annatto tree	<i>Bixa orellana</i>
anoda, spurred	<i>Anoda cristata</i>
Apache-plume	<i>Fallugia paradoxa</i>
apple	<i>Malus domestica</i>
apple	<i>Malus</i> spp.
apple, Peruvian	<i>Cereus hildmannianus</i> subsp. <i>uruguayanus</i>
apple-of-Peru	<i>Nicandra physalodes</i>
apricot	<i>Prunus armeniaca</i>
aramina	<i>Urena lobata</i>
arborvitae, Chinese	<i>Platycladus orientalis</i>
arborvitae, eastern	<i>Thuja occidentalis</i>
arborvitae, giant	<i>Thuja plicata</i>
arborvitae, Oriental	<i>Platycladus orientalis</i>
arctotis	<i>Arctotis venusta</i>
ardisia, shoebutton	<i>Ardisia elliptica</i>
aristida, erect	<i>Aristida stricta</i>
Arizona-poppy	<i>Kallstroemia grandiflora</i>
armeria	<i>Armeria</i> spp.
arnica	<i>Arnica</i> spp.
arrowgrass, seaside	<i>Triglochin maritimum</i>
arrowhead	<i>Sagittaria sagittifolia</i>
arrowleaf, duck potato	<i>Sagittaria latifolia</i>
artichoke	<i>Cynara cardunculus</i>
arugula	<i>Eruca vesicaria</i> subsp. <i>sativa</i>
ash, black	<i>Fraxinus nigra</i>
ash, European	<i>Fraxinus excelsior</i>
ash, green	<i>Fraxinus pennsylvanica</i>
ash, Oregon	<i>Fraxinus latifolia</i>
ash, singleleaf	<i>Fraxinus anomala</i>
ash, white	<i>Fraxinus americana</i>
asparagus	<i>Asparagus officinalis</i>
asparagus, Sprenger	<i>Asparagus densiflorus</i> 'Sprenger'
asparagus-bean	<i>Vigna unguiculata</i> subsp. <i>unguiculata</i>
asparagus-bean	Sesquipedalis Group
asparagus-bean	<i>Psophocarpus tetragonolobus</i>
aspen, quaking	<i>Populus tremuloides</i>
asphodel	<i>Asphodelus fistulosus</i>
aster	<i>Aster</i> spp.
aster, arrowleaf	<i>Symphotrichum sagittifolium</i>
aster, Bigelow	<i>Dieteria bigelovii</i> var. <i>bigelovii</i>
aster, blueleaf	<i>Herrickia glauca</i>
aster, Engelmann	<i>Eucephalus engelmannii</i>
aster, golden	<i>Chrysopsis</i> spp.
aster, hairy golden	<i>Heterotheca villosa</i>
aster, heath	<i>Symphotrichum ericoides</i>
aster, many flowered	<i>Symphotrichum ericoides</i>
aster, New England	<i>Symphotrichum novae-angliae</i>
aster, Pacific	<i>Symphotrichum chilense</i>
aster, plains	<i>Dieteria bigelovii</i>
aster, purplestem	<i>Symphotrichum puniceum</i>
aster, skyblue	<i>Symphotrichum oolentangiense</i>

## AOSA Rules for Testing Seeds

COMMON NAME	SCIENTIFIC NAME
aster, smooth blue	<i>Symphotrichum laeve</i>
aster, tansy	<i>Machaeranthera tanacetifolia</i>
aster, white panicle	<i>Symphotrichum lanceolatum</i> subsp. <i>lanceolatum</i>
aster, white-head	<i>Symphotrichum pilosum</i>
aubrieta	<i>Aubrieta deltoidea</i>
auricula	<i>Primula auricula</i>
avens	<i>Geum</i> spp.
avens, Allepo	<i>Geum aleppicum</i>
avens, large leaf	<i>Geum macrophyllum</i>
avens, mountain	<i>Dryas octopetala</i>
avens, white	<i>Geum canadense</i>
azalea	<i>Rhododendron</i> spp.
azolla, ferny	<i>Azolla pinnata</i>
baby's-breath, Pacific	<i>Gypsophila pacifica</i>
baby-blue-eyes	<i>Nemophila menziesii</i>
baby's-breath	<i>Gypsophila repens</i>
baby's-breath	<i>Gypsophila</i> spp.
baby's-breath, long-petalled	<i>Gypsophila elegans</i>
baby's-breath, perennial	<i>Gypsophila paniculata</i>
baby's-breath, walled	<i>Gypsophila muralis</i>
bachelor's-button	<i>Centaurea cyanus</i>
bahia, plains	<i>Picradeniopsis oppositifolia</i>
bahiagrass	<i>Paspalum notatum</i>
balloon-flower	<i>Platycodon grandiflorus</i>
balloonvine	<i>Cardiospermum halicacabum</i>
balm	<i>Melissa officinalis</i>
balm, lemon	<i>Melissa officinalis</i>
balsam	<i>Impatiens balsamina</i>
balsam, Zanzibar	<i>Impatiens walleriana</i>
balsamroot	<i>Balsamorhiza</i> spp.
balsamroot, arrowleaved	<i>Balsamorhiza sagittata</i>
balsamroot, cutleaf	<i>Balsamorhiza macrophylla</i>
balsamroot, Hooker's	<i>Balsamorhiza hookeri</i> var. <i>hookeri</i>
barberry	<i>Berberis</i> spp.
barberry	<i>Berberis fremontii</i>
barberry, common	<i>Berberis vulgaris</i>
barberry, European	<i>Berberis vulgaris</i>
barberry, Japanese	<i>Berberis thunbergii</i>
barbwiregrass	<i>Cymbopogon refractus</i>
barley	<i>Hordeum vulgare</i> subsp. <i>vulgare</i>
barley, California	<i>Hordeum brachyantherum</i> subsp. <i>californicum</i>
barley, foxtail	<i>Hordeum jubatum</i>
barley, little	<i>Hordeum pusillum</i>
barley, low	<i>Hordeum depressum</i>
barley, meadow	<i>Hordeum brachyantherum</i> subsp. <i>brachyantherum</i>
barley, Mediterranean	<i>Hordeum murinum</i> subsp. <i>gussonianum</i>
barley, squirreltail	<i>Hordeum jubatum</i>
barley, Stebbins	<i>Hordeum murinum</i> subsp. <i>glaucum</i>
barley, wall	<i>Hordeum murinum</i> subsp. <i>leporinum</i>
barley, wild	<i>Hordeum brachyantherum</i> subsp. <i>brachyantherum</i>
barley, wild	<i>Hordeum</i> spp.
barnyardgrass	<i>Echinochloa crus-galli</i>
barrelclover	<i>Medicago truncatula</i>
bartsia, red	<i>Odonites vernus</i> subsp. <i>serotinus</i>
basil, sweet	<i>Ocimum basilicum</i>
basil, wild	<i>Clinopodium vulgare</i>
basket-flower	<i>Plectrocephalus americana</i>
basket-of-gold	<i>Aurinia saxatilis</i>
bassia	<i>Bassia</i> spp.
bassia, fivehook	<i>Bassia hyssopifolia</i>

COMMON NAME	SCIENTIFIC NAME
bay, California	<i>Umbellularia californica</i>
beachgrass	<i>Ammophila arenaria</i>
bean, adzuki	<i>Vigna angularis</i>
bean, field	<i>Phaseolus vulgaris</i>
bean, garden	<i>Phaseolus vulgaris</i>
bean, hyacinth	<i>Lablab purpureus</i> subsp. <i>purpureus</i>
bean, lima	<i>Phaseolus lunatus</i>
bean, mung	<i>Vigna radiata</i> var. <i>radiata</i>
bean, scarlet runner	<i>Phaseolus coccineus</i>
bean, wild smooth-seeded	<i>Strophostyles leiosperma</i>
bean-caper, Syrian	<i>Zygophyllum fabago</i>
bearberry, common	<i>Arctostaphylos uva-ursi</i>
beardgrass, bushy	<i>Andropogon glomeratus</i>
beardgrass, cane	<i>Bothriochloa barbinodis</i>
beardstongue	<i>Penstemon</i> spp.
beardstongue, hairy	<i>Penstemon hirsutus</i>
beardstongue, large-flower	<i>Penstemon grandiflorus</i>
beardstongue, Penland's	<i>Penstemon penlandii</i>
beardstongue, red	<i>Penstemon eatonii</i>
beardstongue, Rocky Mountain	<i>Penstemon strictus</i>
beardstongue, bluestem	<i>Penstemon cyanocaulis</i>
beardstongue, bush	<i>Keckiella breviflora</i>
beardstongue, foxglove	<i>Penstemon digitalis</i>
beardstongue, narrow	<i>Penstemon angustifolius</i>
beardstongue, Parry's	<i>Penstemon parryi</i>
beardstongue, Sunset Crater	<i>Penstemon clutei</i>
beardstongue, upright blue	<i>Penstemon virgatus</i>
beardstongue, Wand	<i>Penstemon virgatus</i>
beardstongue, white	<i>Penstemon albidus</i>
beargrass, common	<i>Xerophyllum tenax</i>
beauty-berry, American	<i>Callicarpa americana</i>
bedstraw	<i>Galium</i> spp.
bedstraw, corn	<i>Galium tricornutum</i>
bedstraw, northern	<i>Galium boreale</i>
bedstraw, rough	<i>Galium asprellum</i>
bedstraw, three-horn	<i>Galium tricornutum</i>
bedstraw, white	<i>Galium mollugo</i>
beebalm	<i>Monarda pectinata</i>
bee-balm	<i>Monarda didyma</i>
beefwood	<i>Casuarina</i> spp.
beeplant, Rocky Mountain	<i>Peritoma serrulata</i>
beet	<i>Beta vulgaris</i> subsp. <i>vulgaris</i>
beet, field	<i>Beta vulgaris</i> subsp. <i>vulgaris</i>
beet, sugar	<i>Beta vulgaris</i> subsp. <i>vulgaris</i>
beet, vegetable	<i>Beta vulgaris</i> subsp. <i>vulgaris</i>
beggarticks	<i>Bidens bipinnata</i>
beggarticks	<i>Bidens</i> spp.
beggarticks, devil's	<i>Bidens frondosa</i>
beggarticks, nodding	<i>Bidens cernua</i>
beggarweed, Florida	<i>Desmodium tortuosum</i>
begonia	<i>Begonia</i> spp.
begonia, wild	<i>Rumex venosus</i>
belladonna	<i>Atropa belladonna</i>
bellflower, Carpathian	<i>Campanula carpatica</i>
bellflower, creeping	<i>Campanula rapunculoides</i>
bellflower, cup and saucer	<i>Campanula medium</i> 'Calycanthema'
bellflower, peach	<i>Campanula persicifolia</i>
bellflower, tussock	<i>Campanula carpatica</i>
bells, Canterbury	<i>Campanula medium</i>
bells, sand	<i>Nama hispida</i>
bells-of-Ireland	<i>Moluccella laevis</i>
bells-of-Scotland, blue	<i>Campanula rotundifolia</i>
bentgrass, awned spike	<i>Agrostis exarata</i>
bentgrass, colonial	<i>Agrostis capillaris</i>

### Volume 3. Uniform Classification of Weed and Crop Seeds

COMMON NAME	SCIENTIFIC NAME
bentgrass, creeping	<i>Agrostis stolonifera</i> var. <i>palustris</i>
bentgrass, Elliott	<i>Agrostis eliottiana</i>
bentgrass, longtongue	<i>Agrostis longiligula</i>
bentgrass, spike	<i>Agrostis exarata</i>
bentgrass, velvet	<i>Agrostis canina</i>
bentgrass, winter	<i>Agrostis hyemalis</i>
bergamot	<i>Monarda didyma</i>
bergamot, wild	<i>Monarda fistulosa</i>
bermudagrass	<i>Cynodon dactylon</i> var. <i>dactylon</i>
bermudagrass, giant	<i>Cynodon dactylon</i> var. <i>aridus</i>
betony	<i>Stachys</i> spp.
betony, hedge-nettle	<i>Stachys annua</i>
betony, marsh	<i>Stachys palustris</i>
betony, shade	<i>Stachys crenata</i>
biddy-biddy	<i>Acaena novae-zelandiae</i>
biddy-biddy	<i>Acaena pallida</i>
biddy-biddy	<i>Acaena anserinifolia</i>
bindweed, black	<i>Fallopia convolvulus</i>
bindweed, field	<i>Convolvulus arvensis</i>
bindweed, hedge	<i>Calystegia sepium</i>
bindweed, hedge	<i>Calystegia</i> spp.
bindweed, hoary	<i>Convolvulus equitans</i>
birch, European white	<i>Betula pendula</i>
birch, gray	<i>Betula populifolia</i>
birch, paper	<i>Betula papyrifera</i>
birch, river	<i>Betula nigra</i>
birch, sweet	<i>Betula lenta</i>
birch, yellow	<i>Betula alleghaniensis</i>
bird of paradise	<i>Erythroselemon gillesii</i>
Bird's eyes	<i>Gilia tricolor</i>
bird's-eye	<i>Ipomopsis rubra</i>
bird's-eyes	<i>Gilia tricolor</i>
biscuitroot	<i>Lomatium</i> spp.
biscuitroot	<i>Lomatium dissectum</i>
biscuitroot, barestem	<i>Lomatium nudicaule</i>
biscuitroot, bigseed	<i>Lomatium macrocarpum</i>
biscuitroot, Geyer	<i>Lomatium geyeri</i>
biscuitroot, Gray's	<i>Lomatium grayi</i>
biscuitroot, narrow-leaf	<i>Lomatium triternatum</i> subsp. <i>platycarpum</i>
bishop's-flower	<i>Ammi majus</i>
bitterbrush, antelope	<i>Purshia tridentata</i>
bitterbrush, desert	<i>Purshia glandulosa</i>
bitterbrush; siamweed	<i>Chromolaena odorata</i>
bittersweet, American	<i>Celastrus scandens</i>
bittersweet, Oriental	<i>Celastrus orbiculatus</i>
blackberry	<i>Rubus</i> spp.
blackberry, prickly Florida	<i>Rubus argutus</i>
blackberry, wild	<i>Rubus plicatus</i>
blackbrush	<i>Coleogyne ramosissima</i>
	<i>Vigna unguiculata</i> subsp. <i>unguiculata</i> Unguiculata Group
black-eyed-pea	
black-eyed-Susan	<i>Rudbeckia hirta</i>
black-eyed-Susan	<i>Rudbeckia</i> spp.
black-eyed-Susan-vine	<i>Thunbergia alata</i>
black-grass	<i>Juncus gerardi</i>
blackroot	<i>Veronicastrum virginicum</i>
bladderflower	<i>Araujia sericifera</i>
bladderpod	<i>Peritoma arborea</i> var. <i>arborea</i>
bladderpod, Gordon's	<i>Physaria gordonii</i>
bladderpod, spiderflower	<i>Peritoma arborea</i> var. <i>arborea</i>
blanket-flower	<i>Gaillardia aristata</i>
blanket-flower, annual	<i>Gaillardia pulchella</i> var. <i>picta</i>
blanket-flower, Indian	<i>Gaillardia pulchella</i>
blazingstar	<i>Liatris punctata</i>

COMMON NAME	SCIENTIFIC NAME
blazingstar	<i>Mentzelia laevicaulis</i>
blazingstar, meadow	<i>Liatris ligulistylis</i>
blazingstar, pink scale	<i>Liatris elegans</i>
blazingstar, pinyon	<i>Mentzelia eremophila</i>
blazingstar, Rocky Mountain	<i>Liatris ligulistylis</i>
blazingstar, scaly	<i>Liatris squarrosa</i>
blazingstar, shaggy	<i>Liatris pilosa</i>
blazingstar, tall	<i>Liatris aspera</i>
bleeding heart	<i>Dicentra eximia</i>
blistercress, rough	<i>Erysimum asperum</i>
blue flag, western	<i>Iris missouriensis</i>
blue-bedder	<i>Salvia farinacea</i>
bluebell	<i>Campanula rotundifolia</i>
bluebell	<i>Mertensia</i> spp.
bluebells, California	<i>Phacelia campanularia</i>
bluebells, desertbells	<i>Phacelia crenulata</i>
blueberry	<i>Vaccinium</i> spp.
blueberry, box	<i>Vaccinium ovatum</i>
blueberry, lowbush	<i>Vaccinium angustifolium</i>
bluebonnet, Texas	<i>Lupinus subcarnosus</i>
bluebur	<i>Lappula squarrosa</i>
bluecurls	<i>Trichostema lanceolatum</i>
bluecurls, forked	<i>Trichostema dichotomum</i>
blue-eyed-grass	<i>Sisyrinchium bellum</i>
blue-eyed-grass	<i>Sisyrinchium</i> spp.
bluegrass	<i>Poa</i> spp.
bluegrass, alkali	<i>Poa secunda</i>
bluegrass, alpine	<i>Poa alpina</i>
bluegrass, annual	<i>Poa annua</i>
bluegrass, big	<i>Poa secunda</i>
bluegrass, bulbous	<i>Poa bulbosa</i>
bluegrass, Canada	<i>Poa compressa</i>
bluegrass, Canby	<i>Poa secunda</i>
bluegrass, cusick	<i>Poa cusickii</i>
bluegrass, fowl	<i>Poa palustris</i>
bluegrass, inland	<i>Poa interior</i>
bluegrass, Kentucky	<i>Poa pratensis</i>
bluegrass, Nevada	<i>Poa secunda</i>
bluegrass, northern	<i>Poa stenantha</i>
bluegrass, pine	<i>Poa secunda</i>
bluegrass, plains	<i>Poa arida</i>
bluegrass, rough	<i>Poa trivialis</i>
bluegrass, Sandberg	<i>Poa secunda</i>
bluegrass, supina	<i>Poa supina</i>
bluegrass, Swallen	<i>Poa glaucifolia</i>
bluegrass, Texas	<i>Poa arachnifera</i>
bluegrass, tundra	<i>Poa glauca</i>
bluegrass, upland	<i>Poa glauca</i>
bluegrass, Wheeler	<i>Poa nervosa</i>
bluegrass, wood	<i>Poa nemoralis</i>
bluejacket	<i>Tradescantia ohiensis</i>
bluejoint	<i>Calamagrostis canadensis</i>
bluestar, woolly	<i>Amsonia tomentosa</i>
bluestem	<i>Andropogon</i> spp.
bluestem, big	<i>Andropogon gerardi</i>
bluestem, Cacasian	<i>Bothriochloa bladii</i>
bluestem, little	<i>Schizachyrium scoparium</i>
bluestem, sand	<i>Andropogon hallii</i>
bluestem, silky	<i>Dichanthium sericeum</i>
bluestem, silver	<i>Bothriochloa laguroides</i> subsp. <i>torreyana</i>
bluestem, split	<i>Andropogon temarius</i>
bluestem, yellow	<i>Bothriochloa ischaemum</i>
bluets, purple	<i>Houstonia purpurea</i>
bluweed	<i>Echium vulgare</i>

## AOSA Rules for Testing Seeds

COMMON NAME	SCIENTIFIC NAME
blueweed	<i>Helianthus ciliaris</i>
bluewings	<i>Torenia fournieri</i>
boatgrass, bearded	<i>Cymbopogon refractus</i>
boisduvalia, dense-flowered	<i>Epilobium densiflorum</i>
boisduvalia, stiff	<i>Epilobium torreyi</i>
boneset	<i>Eupatorium</i> spp.
boneset, common	<i>Eupatorium perfoliatum</i>
bonset, false	<i>Brickellia eupatorioides</i> var. <i>chlorolepis</i>
bonset, false	<i>Brickellia eupatorioides</i> var. <i>eupatorioides</i>
borage	<i>Borago officinalis</i>
bottlebrush grass, eastern	<i>Elymus hystrix</i>
bottlebrush-squirreltail	<i>Elymus elymoides</i>
bouncing-bet	<i>Saponaria officinalis</i>
box, Victorian	<i>Pittosporum undulatum</i>
boxthorn, African	<i>Lycium ferocissimum</i>
brass-button	<i>Cotula coronopifolia</i>
briar, Australian	<i>Rosa foetida</i>
bristlegrass, bur	<i>Setaria verticillata</i>
bristlegrass, giant	<i>Setaria magna</i>
bristlegrass, Grisebach	<i>Setaria grisebachii</i>
bristlegrass, knotroot	<i>Setaria parviflora</i>
bristlegrass, plains	<i>Setaria leucopila</i>
bristlegrass, plains	<i>Setaria vulpiseta</i>
bristlegrass, yellow	<i>Setaria pumila</i> subsp. <i>pumila</i>
brittlebush	<i>Encelia farinosa</i>
brittlebush	<i>Encelia frutescens</i>
brittlebush	<i>Encelia</i> spp.
brittlebush, button	<i>Encelia frutescens</i>
brittlebush, Virgin River	<i>Encelia virginensis</i>
broadbean	<i>Vicia faba</i>
broccoli	<i>Brassica oleracea</i> var. <i>botrytis</i>
brodiaea	<i>Brodiaea</i> spp.
brodiaea, harvest	<i>Brodiaea coronaria</i>
brome, bald	<i>Bromus racemosus</i>
brome, Bieberstein	<i>Bromus biebersteinii</i>
brome, bland	<i>Bromus hordeaceus</i>
brome, California	<i>Bromus carinatus</i> var. <i>carinatus</i>
brome, Canada	<i>Bromus pubescens</i>
brome, downy	<i>Bromus tectorum</i>
brome, field	<i>Bromus arvensis</i>
brome, fringed	<i>Bromus ciliatus</i>
brome, hairy	<i>Bromus commutatus</i>
brome, Harlan	<i>Bromus catharticus</i> var. <i>elatus</i>
brome, Japanese	<i>Bromus japonicus</i>
brome, Kalm's	<i>Bromus kalmii</i>
brome, meadow	<i>Bromus biebersteinii</i>
brome, mountain	<i>Bromus carinatus</i> var. <i>marginatus</i>
brome, nodding	<i>Bromus anomalus</i>
brome, prairie	<i>Bromus catharticus</i> var. <i>catharticus</i>
brome, Pumpelly's	<i>Bromus inermis</i> subsp. <i>pumpellianus</i>
brome, quaking	<i>Bromus briziformis</i>
brome, red	<i>Bromus rubens</i>
brome, riggut	<i>Bromus diandrus</i> var. <i>rigidus</i>
brome, smooth	<i>Bromus inermis</i> subsp. <i>inermis</i>
brome, sweet	<i>Bromus carinatus</i> var. <i>carinatus</i>
brome, sweet	<i>Bromus ciliatus</i>
brome, woolly	<i>Bromus lanatipes</i>
broom, bridal veil	<i>Retama monosperma</i>
broom, desert	<i>Baccharis sarothroides</i>
broom, French	<i>Genista monspessulana</i>
broom, Scotch	<i>Cytisus scoparius</i>
broom, Spanish	<i>Spartium junceum</i>
broomcorn	<i>Sorghum bicolor</i> subsp. <i>bicolor</i>
broomrape	<i>Orobanche</i> spp.

COMMON NAME	SCIENTIFIC NAME
broomrape, branched	<i>Phelipanche ramosa</i>
broomrape, Cooper's	<i>Orobanche cooperi</i>
broomrape, hemp	<i>Phelipanche ramosa</i>
broomsedge	<i>Andropogon virginicus</i>
broomweed	<i>Amphichyris dracunculoides</i>
broomweed	<i>Gutierrezia sarothrae</i>
browallia	<i>Browallia</i> spp.
brunswickgrass	<i>Paspalum nicorae</i>
brussels-sprouts	<i>Brassica oleracea</i> var. <i>gemmifera</i>
buckbrush	<i>Ceanothus cuneatus</i>
buckeye, red	<i>Aesculus pavia</i>
buckhorn	<i>Plantago lanceolata</i>
buckthorn, cascara	<i>Fragula purshiana</i>
buckwheat	<i>Eriogonum</i> spp.
buckwheat	<i>Fagopyrum esculentum</i>
buckwheat, Alpine golden	<i>Eriogonum flavum</i>
buckwheat, bird-nest	<i>Eriogonum nidularium</i>
buckwheat, climbing false	<i>Fallopia scandens</i>
buckwheat, corymb	<i>Eriogonum corymbosum</i>
buckwheat, Eastern Mojave	<i>Eriogonum fasciculatum</i>
buckwheat, flat-top	<i>Eriogonum fasciculatum</i>
buckwheat, golden	<i>Eriogonum flavum</i>
buckwheat, naked stem	<i>Eriogonum nudum</i> var. <i>nudum</i>
buckwheat, parsnipflower	<i>Eriogonum heracleoides</i>
buckwheat, sulfur	<i>Eriogonum umbellatum</i>
buckwheat, Tartary	<i>Fagopyrum tataricum</i>
buckwheat, wild	<i>Fallopia convolvulus</i>
buckwheat, Wyeth	<i>Eriogonum heracleoides</i>
buffaloberry, roundleaf	<i>Shepherdia rotundifolia</i>
buffaloberry, russet	<i>Shepherdia canadensis</i>
buffaloberry, silver	<i>Shepherdia argentea</i>
buffalobur	<i>Solanum rostratum</i>
buffalograss	<i>Bouteloua dactyloides</i>
buffalograss, false	<i>Munroa squarrosa</i>
buffelgrass, hairy	<i>Cenchrus ciliaris</i>
bugle, ground	<i>Ajuga chamaepitys</i>
bugleweed	<i>Lycopus</i> spp.
bugleweed, Virginia	<i>Lycopus virginicus</i>
bugloss	<i>Anchusa</i> spp.
bugloss, cape	<i>Anchusa capensis</i>
bugloss, Italian	<i>Anchusa azurea</i>
bugloss, Siberian	<i>Brunnera macrophylla</i>
bugseed	<i>Corispermum hyssopifolium</i>
bugseed	<i>Corispermum nitidum</i>
bugseed, hairy	<i>Corispermum villosum</i>
bullgrass	<i>Carex aquatilis</i>
bullnettle	<i>Solanum carolinense</i>
bull-nut	<i>Trapa nutans</i>
bulrush	<i>Scirpus</i> spp.
bulrush	<i>Scirpus</i> spp.
bulrush, alkali	<i>Bolboschoenus maritimus</i>
bulrush, chairmaker's	<i>Schoenoplectus americanus</i>
bulrush, cosmopolitan	<i>Bolboschoenus maritimus</i>
bulrush, dark green	<i>Scirpus atrovirens</i>
bulrush, hardstem	<i>Schoenoplectus acutus</i>
bulrush, Nevada	<i>Amphiscirpus nevadensis</i>
bulrush, pale	<i>Scirpus pallidus</i>
bulrush, panicled	<i>Scirpus microcarpus</i>
bulrush, river	<i>Bolboschoenus fluviatilis</i>
bulrush, smallfruit	<i>Scirpus microcarpus</i>
bulrush, softstem	<i>Schoenoplectus tabernaemontani</i>
bunchberry	<i>Cornus canadensis</i>
bundleflower	<i>Desmanthus illinoensis</i>
bupleurum, green-gold	<i>Bupleurum rotundifolium</i>

### Volume 3. Uniform Classification of Weed and Crop Seeds

COMMON NAME	SCIENTIFIC NAME
bur, Sacramento	<i>Triumfetta semitriloba</i>
burbush	<i>Triumfetta rhomboidea</i>
burclover, California	<i>Medicago polymorpha</i>
burclover, spotted	<i>Medicago arabica</i>
burclover, Tifton	<i>Medicago rigidula</i>
burdock, common	<i>Arctium minus</i>
burdock, great	<i>Arctium lappa</i>
burgrass, stalked	<i>Tragus racemosus</i>
burnet	<i>Sanguisorba</i> spp.
burnet, little	<i>Sanguisorba minor</i>
burnet, prairie	<i>Sanguisorba annua</i>
burnet, small	<i>Sanguisorba minor</i>
burnweed, American	<i>Erechtites hieraciifolius</i>
burnweed, Australian	<i>Senecio minimus</i>
bur-reed, exotic	<i>Sparganium erectum</i>
burrobush	<i>Ambrosia salsola</i>
burroweed	<i>Isocoma tenuisecta</i>
bursage	<i>Ambrosia</i> spp.
bursage	<i>Ambrosia dumosa</i>
bursage, annual	<i>Ambrosia acanthicarpa</i>
bursage, skeletonleaf	<i>Ambrosia tomentosa</i>
bursage, slimleaf	<i>Ambrosia confertiflora</i>
bursage, triangle-leaf	<i>Ambrosia deltoidea</i>
butter-and-eggs	<i>Linaria vulgaris</i>
buttercup	<i>Ranunculus</i> spp.
buttercup	<i>Ranunculus muricatus</i>
buttercup, blister	<i>Ranunculus sceleratus</i>
buttercup, bulbous	<i>Ranunculus bulbosus</i>
buttercup, corn	<i>Ranunculus arvensis</i>
buttercup, creeping	<i>Ranunculus repens</i>
buttercup, small-flower	<i>Ranunculus abortivus</i>
buttercup, sticktight	<i>Ranunculus parviflorus</i>
buttercup, tall	<i>Ranunculus acris</i>
buttercup, western	<i>Ranunculus occidentalis</i>
butterfly-weed	<i>Asclepias tuberosa</i>
butterprint	<i>Abutilon theophrasti</i>
buttonbush	<i>Cephalanthus occidentalis</i>
buttonclover	<i>Medicago orbicularis</i>
buttonplant	<i>Spermacoce alata</i>
buttonweed, rough	<i>Diodia teres</i>
buttonweed, Virginia	<i>Diodia virginiana</i>
cabbage	<i>Brassica oleracea</i> var. <i>capitata</i>
cabbage, celery	<i>Brassica rapa</i> subsp. <i>chinensis</i>
cabbage, Chinese	<i>Brassica rapa</i> subsp. <i>pekinensis</i>
cabbage, ornamental	<i>Brassica oleracea</i> var. <i>sabellica</i>
cabbage, tronchuda	<i>Brassica oleracea</i> var. <i>costata</i>
cactus, barrel	<i>Ferocactus wislizenii</i>
cactus, harrisia	<i>Harrisia martinii</i>
cactus, moon	<i>Harrisia martinii</i>
cactus, moonlight	<i>Harrisia martinii</i>
cactus, saguaro	<i>Carnegiea gigantea</i>
cactus, snake	<i>Harrisia martinii</i>
cactus, spiny tree	<i>Cereus hildmannianus</i> subsp. <i>uruquayanus</i>
cadillo	<i>Urena lobata</i>
calabazilla	<i>Cucurbita foetidissima</i>
calceolaria	<i>Calceolaria</i> spp.
calendula	<i>Calendula officinalis</i>
calicoflower, doublehorn	<i>Downingia bicornuta</i>
California sunshine	<i>Lasthenia glabrata</i>
California-poppy	<i>Eschscholzia californica</i>
California-poppy, dwarf	<i>Eschscholzia caespitosa</i>
calliopsis	<i>Coreopsis basalis</i>
calliopsis	<i>Coreopsis tinctoria</i>
caltrop, hairy	<i>Kallstroemia hirsutissima</i>

COMMON NAME	SCIENTIFIC NAME
camas	<i>Camassia</i> spp.
Camas, large	<i>Camassia leichtlinii</i>
camelina	<i>Camelina sativa</i>
camellthorn	<i>Alhagi maurorum</i>
camellthorn	<i>Alhagi</i> spp.
camphorweed	<i>Heterotheca subaxillaris</i>
campion	<i>Silene</i> spp.
campion, biennial	<i>Silene csereii</i>
campion, bladder	<i>Silene vulgaris</i> subsp. <i>vulgaris</i>
campion, clammy	<i>Silene viscaria</i>
campion, cowbell	<i>Silene vulgaris</i> subsp. <i>vulgaris</i>
campion, red	<i>Silene dioica</i>
campion, rose	<i>Silene coronaria</i>
campion, rose	<i>Silene uniflora</i>
campion, white	<i>Silene latifolia</i>
canarygrass	<i>Phalaris</i> spp.
canarygrass	<i>Phalaris canariensis</i>
canarygrass, bulbous	<i>Phalaris aquatica</i>
canarygrass, Carolina	<i>Phalaris caroliniana</i>
canarygrass, hood	<i>Phalaris paradoxa</i>
canarygrass, littleseed	<i>Phalaris minor</i>
canarygrass, reed	<i>Phalaris arundinacea</i>
canarygrass, timothy	<i>Phalaris angusta</i>
Candleberry-myrtle	<i>Morella faya</i>
candytuft	<i>Iberis sempervirens</i>
candytuft, annual	<i>Iberis amara</i>
candytuft, annual	<i>Iberis umbellata</i>
candytuft, Gibraltar	<i>Iberis gibraltaria</i>
candytuft, globe	<i>Iberis umbellata</i>
candytuft, perennial	<i>Iberis gibraltaria</i>
candytuft, rocket	<i>Iberis amara</i>
canegrass	<i>Miscanthus floridulus</i>
cantaloupe	<i>Cucumis melo</i>
cape-marigold, blue-eyed	<i>Dimorphotheca sinuata</i>
cape-marigold, rain	<i>Dimorphotheca pluviialis</i>
cape-marigold, winter	<i>Dimorphotheca tragus</i>
cape-tulip	<i>Moraea</i> spp.
capeweed	<i>Arctotheca calendula</i>
caragana	<i>Spermacoce pygmaea</i>
caraway	<i>Carum carvi</i>
caraway, wild	<i>Carum carvi</i>
cardinal climber	<i>Ipomoea</i> spp.
cardinal climber	<i>Ipomoea sloteri</i>
cardinal flower	<i>Lobelia cardinalis</i>
cardoon	<i>Cynara cardunculus</i>
carelessweed	<i>Amaranthus palmeri</i>
carnation	<i>Dianthus caryophyllus</i>
carpet, squaw	<i>Ceanothus prostratus</i>
carpetgrass	<i>Axonopus fissifolius</i>
carpetgrass, broadleaved	<i>Axonopus compressus</i>
carpetgrass, Japanese	<i>Zoysia matrella</i>
carpetplant	<i>Episcia</i> spp.
carpetweed	<i>Mollugo verticillata</i>
carrot	<i>Daucus carota</i> subsp. <i>sativus</i>
carrot, southwestern	<i>Daucus pusillus</i>
carrot, wild	<i>Daucus carota</i> subsp. <i>carota</i>
cassia, feathery	<i>Senna artemisioides</i>
castorbean	<i>Ricinus communis</i>
catalpa, common	<i>Catalpa bignonioides</i>
catalpa, northern	<i>Catalpa speciosa</i>
catalpa, southern	<i>Catalpa bignonioides</i>
catalpa, western	<i>Catalpa speciosa</i>
catchfly	<i>Silene</i> spp.
catchfly, conical	<i>Silene conica</i>

## AOSA Rules for Testing Seeds

COMMON NAME	SCIENTIFIC NAME
catchfly, creeping	<i>Silene repens</i> var. <i>latifolia</i>
catchfly, cretlan	<i>Silene cretica</i>
catchfly, English	<i>Silene gallica</i>
catchfly, forked	<i>Silene dichotoma</i>
catchfly, French	<i>Silene gallica</i>
catchfly, German	<i>Silene viscaria</i>
catchfly, narrow-clefted	<i>Silene conoidea</i>
catchfly, night-flowering	<i>Silene noctiflora</i>
catchfly, nodding	<i>Silene pendula</i>
catchfly, sleepy	<i>Silene antirrhina</i>
catchfly, sweet-William	<i>Silene armeria</i>
cathedral bells	<i>Cobaea scandens</i>
catnip	<i>Nepeta cataria</i>
cat's paw	<i>Antennaria plantaginifolia</i>
cat's-claw	<i>Erythrostemon gilliesii</i>
cat's-ear, false	<i>Microriseris</i> spp.
cat's-ear, spotted	<i>Hypochaeris radicata</i>
cat's-tail, alpine	<i>Phleum alpinum</i>
cattail, common	<i>Typha latifolia</i>
cattailgrass	<i>Setaria pumila</i> subsp. <i>subtessalata</i>
cauliflower	<i>Brassica oleracea</i> var. <i>botrytis</i>
ceanothus, Fendler	<i>Ceanothus fendleri</i>
ceanothus, redstem	<i>Ceanothus sanguineus</i>
cedar, Alaska	<i>Cupressus nootkatensis</i>
cedar, Atlas	<i>Cedrus atlantica</i>
cedar, deodar	<i>Cedrus deodara</i>
cedar, incense	<i>Calocedrus decurrens</i>
cedar, northern white	<i>Thuja occidentalis</i>
cedar, Port Orford	<i>Chamaecyparis lawsoniana</i>
cedar, western red	<i>Thuja plicata</i>
cedar, yellow	<i>Cupressus nootkatensis</i>
cedar-of-Lebanon	<i>Cedrus libani</i>
celeriac	<i>Apium graveolens</i> var. <i>rapaceum</i>
celery	<i>Apium graveolens</i> var. <i>dulce</i>
celery, filiform	<i>Cyclospermum leptophyllum</i>
celery, wild	<i>Cyclospermum leptophyllum</i>
celosia	<i>Celosia argentea</i> var. <i>cristata</i>
celosia	<i>Celosia</i> spp.
centaurea, royal	<i>Centaurea imperialis</i>
centaurea, velvet	<i>Centaurea gymnocarpa</i>
centaury	<i>Centaurium</i> spp.
centipede-grass	<i>Eremochloa ophiuroides</i>
cerastium	<i>Cerastium tomentosum</i>
chamise	<i>Adenostoma fasciculatum</i>
chamomile, field	<i>Anthemis arvensis</i>
chamomile, German	<i>Matricaria chamomilla</i>
chamomile, golden	<i>Cota tinctoria</i>
chamomile, Roman	<i>Chamaemelum nobile</i>
chamomile, scentless	<i>Tripleurospermum maritimum</i> subsp. <i>maritimum</i>
chamomile, St. Johns	<i>Anthemis sancti-johannis</i>
chamomile, sweet false	<i>Matricaria chamomilla</i>
chamomile, wild	<i>Matricaria chamomilla</i>
chard, Swiss	<i>Beta vulgaris</i> subsp. <i>vulgaris</i>
charlock	<i>Sinapis arvensis</i> subsp. <i>arvensis</i>
cheat	<i>Bromus secalinus</i>
checkerbloom, Oregon	<i>Sidalcea oregana</i>
checkermallow	<i>Sidalcea</i> spp.
checkermallow, dwarf	<i>Sidalcea malviflora</i>
cheeseweed	<i>Ambrosia salsola</i>
cherry, bitter	<i>Prunus emarginata</i>
cherry, black	<i>Prunus serotina</i>
cherry, mahaleb	<i>Prunus mahaleb</i>
cherry, pin	<i>Prunus pensylvanica</i>

COMMON NAME	SCIENTIFIC NAME
cherry, sand	<i>Prunus pumila</i>
cherry, sweet	<i>Prunus avium</i>
chervil	<i>Anthriscus</i> spp.
chervil	<i>Chaerophyllum</i> spp.
chervil	<i>Anthriscus cerefolium</i>
chervil, burr	<i>Anthriscus caucalis</i>
chervil, spreading	<i>Chaerophyllum procumbens</i>
chervil, turnip-rooted	<i>Chaerophyllum bulbosum</i>
chervil, wild	<i>Anthriscus sylvestris</i>
chess	<i>Bromus secalinus</i>
chess, barren	<i>Bromus sterilis</i>
chess, foxtail	<i>Bromus rubens</i>
chess, hairy	<i>Bromus commutatus</i>
chess, hairy woodland	<i>Bromus pubescens</i>
chess, Japanese	<i>Bromus japonicus</i>
chess, rattlesnake	<i>Bromus briziformis</i>
chess, soft	<i>Bromus hordeaceus</i>
chia	<i>Salvia columbariae</i>
chickpea	<i>Cicer arietinum</i>
chickweed	<i>Stellaria</i> spp.
chickweed	<i>Cerastium sicutum</i>
chickweed, common	<i>Stellaria media</i>
chickweed, giant	<i>Myosoton aquaticum</i>
chickweed, jagged	<i>Holosteum umbellatum</i>
chickweed, mouse-ear	<i>Cerastium fontanum</i> subsp. <i>vulgare</i>
chickweed, taurus	<i>Cerastium biebersteinii</i>
chickweed, tropical	<i>Drymaria cordata</i>
chicory	<i>Cichorium intybus</i>
chicory, goat	<i>Agoseris glauca</i>
chimaya	<i>Cymopterus acaulis</i>
China-aster	<i>Callistephus chinensis</i>
Chinese-houses	<i>Collinsia heterophylla</i>
chinkapin, golden	<i>Chrysolepis chrysophylla</i>
chinquapin, bush	<i>Chrysolepis sempervirens</i>
chives	<i>Allium schoenoprasum</i>
chives, Chinese	<i>Allium tuberosum</i>
chocolateweed	<i>Melochia corchorifolia</i>
choisy	<i>Jacquemontia tamnifolia</i>
chokecherry	<i>Prunus virginiana</i>
chokecherry, black	<i>Prunus virginiana</i> var. <i>demissa</i>
Christmasberry	<i>Ilex vomitoria</i>
chrysanthemum max	<i>Leucanthemum maximum</i>
chrysanthemum, annual	<i>Glebionis carinata</i>
chrysanthemum, annual	<i>Glebionis segetum</i>
chrysanthemum, Canary Island	<i>Tanacetum plamiciflorum</i>
chrysanthemum, edible	<i>Glebionis coronaria</i>
chrysanthemum, garland	<i>Glebionis coronaria</i>
cineraria, common	<i>Pericallis cruenta</i>
cinquefoil	<i>Potentilla</i> spp.
cinquefoil, biennial	<i>Potentilla biennis</i>
cinquefoil, oldfield	<i>Potentilla canadensis</i>
cinquefoil, rough	<i>Potentilla norvegica</i>
cinquefoil, rough-fruited	<i>Potentilla recta</i>
cinquefoil, shrubby	<i>Dasiphora fruticosa</i>
cinquefoil, silvery	<i>Potentilla argentea</i>
cinquefoil, slender	<i>Potentilla gracilis</i>
cinquefoil, sulphur	<i>Potentilla recta</i> 'Warrenii'
cinquefoil, tall	<i>Drymocalis arguta</i>
cinquefoil, three-toothed	<i>Potentilla tridentata</i>
cinquefoil, wedgeleaf	<i>Potentilla diversifolia</i>
citron	<i>Citrus limon</i>
clammyweed	<i>Prunella vulgaris</i> spp.
clarkia	<i>Clarkia unguiculata</i>
clarkia, Botta's	<i>Clarkia bottae</i>



### Volume 3. Uniform Classification of Weed and Crop Seeds

COMMON NAME	SCIENTIFIC NAME
clarkia, winecup	<i>Clarkia purpurea</i>
cleavers	<i>Galium aparine</i>
cleavers	<i>Galium spurium</i>
clematis, Chinese	<i>Clematis orientalis</i>
cleome	<i>Tarenaya hassleriana</i>
cliff-rose	<i>Purshia mexicana</i> var. <i>mexicana</i>
cliff-rose, Stansbury	<i>Purshia mexicana</i> var. <i>stansburyana</i>
clockvine	<i>Thunbergia alata</i>
clover	<i>Trifolium</i> spp.
clover, alsike	<i>Trifolium hybridum</i>
clover, arrowleaf	<i>Trifolium vesiculosum</i>
clover, ball	<i>Trifolium nigrescens</i>
clover, berseem	<i>Trifolium alexandrinum</i>
clover, big-flowered	<i>Trifolium michelianum</i>
clover, buffalo	<i>Trifolium reflexum</i>
clover, Carolina	<i>Trifolium carolinianum</i>
clover, clammy	<i>Trifolium obtusiflorum</i>
clover, cluster	<i>Trifolium glomeratum</i>
clover, cocklebur	<i>Trifolium echinatum</i> var. <i>echinatum</i>
clover, crimson	<i>Trifolium incarnatum</i>
clover, crooked	<i>Trifolium angulatum</i>
clover, cup	<i>Trifolium cyathiferum</i>
clover, foothill	<i>Trifolium ciliolatum</i>
clover, hop	<i>Trifolium aureum</i>
clover, Kenya	<i>Trifolium semipilosum</i>
clover, kura	<i>Trifolium ambiguum</i>
clover, ladino	<i>Trifolium repens</i>
clover, lappa	<i>Trifolium lappaceum</i>
clover, large hop	<i>Trifolium campestre</i>
clover, littlehead	<i>Trifolium microcephalum</i>
clover, low hop	<i>Trifolium campestre</i>
clover, nodhead	<i>Trifolium cernuum</i>
clover, owl's	<i>Castilleja exserta</i> var. <i>exserta</i>
clover, Persian	<i>Trifolium resupinatum</i>
clover, pinole	<i>Trifolium bifidum</i>
clover, pinpoint	<i>Trifolium gracilentum</i>
clover, poverty	<i>Trifolium depauperatum</i>
clover, puff	<i>Trifolium fucatum</i>
clover, rabbitfoot	<i>Trifolium arvense</i>
clover, red	<i>Trifolium pratense</i>
clover, rose	<i>Trifolium hirtum</i>
clover, seaside	<i>Trifolium wormskioldii</i>
clover, Sierra	<i>Trifolium wormskioldii</i>
clover, small hop	<i>Trifolium dubium</i>
clover, strawberry	<i>Trifolium fragiferum</i>
clover, striate	<i>Trifolium striatum</i>
clover, subterranean	<i>Trifolium subterraneum</i>
clover, suckling	<i>Trifolium dubium</i>
clover, teasel	<i>Trifolium retusum</i>
clover, thimble	<i>Trifolium microdon</i>
clover, tomcat	<i>Trifolium willdenovii</i>
clover, white	<i>Trifolium repens</i>
clover, whitetip	<i>Trifolium variegatum</i>
clover, zigzag	<i>Trifolium medium</i>
club-awn grass	<i>Corynephorus canescens</i>
coat-buttons	<i>Tridax procumbens</i>
cockle, red	<i>Silene dioica</i>
cockle, white	<i>Silene latifolia</i>
cocklebur	<i>Xanthium</i> spp.
cocklebur, common	<i>Xanthium strumarium</i>
cocklebur, spiny	<i>Xanthium spinosum</i>
cockscomb	<i>Celosia argentea</i> var. <i>cristata</i>
cockscomb	<i>Celosia</i> spp.
coffee, wild	<i>Triosteum perfoliatum</i>

COMMON NAME	SCIENTIFIC NAME
cogon	<i>Imperata cylindrica</i>
cogongrass	<i>Imperata cylindrica</i>
coleus, common	<i>Plectranthus scutellarioides</i>
collards	<i>Brassica oleracea</i> var. <i>viridis</i>
collinsia, smallflower	<i>Collinsia parviflora</i>
columbine	<i>Aquilegia</i> spp.
columbine, alpine	<i>Aquilegia alpina</i>
columbine, Colorado blue	<i>Aquilegia caerulea</i>
columbine, dwarf	<i>Aquilegia canadensis</i>
columbine, European	<i>Aquilegia vulgaris</i>
columbine, golden	<i>Aquilegia chrysantha</i>
columbine, longspur	<i>Aquilegia longissima</i>
columbine, western red	<i>Aquilegia formosa</i>
columbine, yellow	<i>Aquilegia flavescens</i>
combseed	<i>Pectocarya penicillata</i>
comfrey, prickly	<i>Symphytum asperum</i>
comfrey, rough	<i>Symphytum asperum</i>
comfrey, wild	<i>Andersonglossum virginianum</i>
coneflower	<i>Ratibida</i> spp.
coneflower	<i>Rudbeckia</i> spp.
coneflower, clasping	<i>Rudbeckia amplexicaulis</i>
coneflower, greyhead prairie	<i>Ratibida pinnata</i>
coneflower, hairy	<i>Rudbeckia hirta</i>
coneflower, pale purple	<i>Echinacea pallida</i>
coneflower, Persian	<i>Psephellus dealbatus</i>
coneflower, prairie	<i>Ratibida columnifera</i>
coneflower, purple	<i>Echinacea purpurea</i>
coneflower, purple-headed	<i>Echinacea angustifolia</i> var. <i>angustifolia</i>
coneflower, western	<i>Rudbeckia occidentalis</i>
coneflower, yellow	<i>Ratibida pinnata</i>
coralbell	<i>Heuchera sanguinea</i>
cordgrass	<i>Spartina</i> spp.
cordgrass, common	<i>Spartina anglica</i>
cordgrass, dense-flowered	<i>Spartina densiflora</i>
cordgrass, prairie	<i>Spartina pectinata</i>
cordgrass, salt-meadow	<i>Spartina patens</i>
cordgrass, smooth	<i>Spartina alterniflora</i>
cordyline	<i>Cordyline australis</i>
coreopsis	<i>Coreopsis grandiflora</i>
coreopsis, perennial	<i>Coreopsis lanceolata</i>
coreopsis, prairie	<i>Coreopsis palmata</i>
coreopsis, savanna	<i>Coreopsis linifolia</i>
coreopsis, tree	<i>Coreopsis gigantea</i>
coriander	<i>Coriandrum sativum</i>
corn, all subsp.	<i>Zea mays</i>
corncockle	<i>Agrostemma githago</i>
cornflower	<i>Centaurea cyanus</i>
cornsalad	<i>Valerianella</i> spp.
cornsalad, European	<i>Valerianella locusta</i>
cornsalad, Italian	<i>Valerianella eriocarpa</i>
cornsalad, toothed	<i>Valerianella dentata</i>
coronilla, scorpion	<i>Coronilla scorpioides</i>
cosmos, crested types	<i>Cosmos bipinnatus</i>
cosmos, klondyke	<i>Cosmos sulphureus</i>
cosmos, mammoth	<i>Cosmos bipinnatus</i>
cosmos, sensation	<i>Cosmos bipinnatus</i>
cosmos, yellow	<i>Cosmos sulphureus</i>
cotoneaster, hedge	<i>Cotoneaster acutifolius</i> var. <i>lucidus</i>
cotton	<i>Gossypium</i> spp.
cotton grass	<i>Eriophorum</i> spp.
cotton, American-Egyptian	<i>Gossypium barbadense</i>
cotton, Sea-Island	<i>Gossypium barbadense</i>
cotton, upland	<i>Gossypium hirsutum</i>
cottontop, Arizona	<i>Digitaria californica</i>

## AOSA Rules for Testing Seeds

COMMON NAME	SCIENTIFIC NAME
cottonwood	<i>Populus deltoides</i>
cottonwood, black	<i>Populus trichocarpa</i>
couchgrass, African	<i>Digitaria abyssinica</i>
couchgrass, annual	<i>Digitaria velutina</i>
cow-cockle	<i>Vaccaria hispanica</i>
cowparsnip, common	<i>Heracleum sphondylium</i> subsp. <i>montanum</i>
cowpea	<i>Vigna unguiculata</i> subsp. <i>unguiculata</i> Unguiculata Group
crabapple	<i>Malus sylvestris</i>
crabapple	<i>Malus</i> spp.
crabgrass	<i>Digitaria</i> spp.
crabgrass, hairy	<i>Digitaria sanguinalis</i>
crabgrass, large	<i>Digitaria sanguinalis</i>
crabgrass, slender	<i>Digitaria filiformis</i>
crabgrass, smooth	<i>Digitaria ischaemum</i>
crabweed, hairy	<i>Fatoua villosa</i>
craftonweed	<i>Ageratina adenophora</i>
crambe	<i>Crambe hispanica</i> subsp. <i>abyssinica</i>
cranberry, lowbush	<i>Viburnum edule</i>
cranesbill, dovefoot	<i>Geranium molle</i>
cranesbill, spotted	<i>Geranium maculatum</i>
creeper, bearded	<i>Crupina vulgaris</i>
creosotebush	<i>Larrea tridentata</i>
cress, ball	<i>Lepidium appelianum</i>
cress, bitter	<i>Cardamine</i> spp.
cress, garden	<i>Lepidium sativum</i>
cress, mouse-ear	<i>Arabis thaliana</i>
cress, shepherds	<i>Teesdalia nudicaulis</i>
cress, upland	<i>Barbarea verna</i>
crocus, saffron	<i>Crocus sativus</i>
crossandra	<i>Crossandra infundibuliformis</i>
crotalaria	<i>Crotalaria</i> spp.
crotalaria, lanceleaf	<i>Crotalaria lanceolata</i>
crotalaria, long-beaked	<i>Crotalaria longirostrata</i>
crotalaria, showy	<i>Crotalaria spectabilis</i>
crotalaria, slenderleaf	<i>Crotalaria brevidens</i> var. <i>intermedia</i>
crotalaria, smooth	<i>Crotalaria pallida</i>
crotalaria, striped	<i>Crotalaria pallida</i>
crotalaria, sunn	<i>Crotalaria juncea</i>
croton	<i>Croton</i> spp.
croton, Texas	<i>Croton texensis</i>
croton, woolly	<i>Croton capitatus</i>
crowfoot, small-flower	<i>Ranunculus abortivus</i>
crowfootgrass	<i>Dactyloctenium aegyptium</i>
crowbeard	<i>Verbesina</i> spp.
crowbeard, Alleghany	<i>Verbesina occidentalis</i>
crowbeard, golden	<i>Verbesina encelioides</i>
crowbeard, western	<i>Verbesina encelioides</i>
crowvetch	<i>Securigera varia</i>
crupina, common	<i>Crupina vulgaris</i>
cryptantha	<i>Cryptantha</i> spp.
cucumber	<i>Cucumis sativus</i>
cucumber, bur	<i>Sicyos angulatus</i>
cudweed	<i>Gnaphalium</i> spp.
cudweed, everlasting	<i>Pseudognaphalium obtusifolium</i>
cudweed, low	<i>Gnaphalium uliginosum</i>
cudweed, purple	<i>Gamochaeta purpurea</i>
cumin	<i>Cuminum cyminum</i>
cupflower	<i>Nierembergia</i> spp.
cupgrass	<i>Eriochloa</i> spp.
cupgrass, bearded	<i>Eriochloa aristata</i>
cupgrass, Louisiana	<i>Eriochloa punctata</i>
cupgrass, woolly	<i>Eriochloa villosa</i>
cupid's dart	<i>Catananche caerulea</i>

COMMON NAME	SCIENTIFIC NAME
cup-plant	<i>Silphium perfoliatum</i>
currant, golden	<i>Ribes aureum</i>
currant, gooseberry	<i>Ribes montigenum</i>
currant, wax	<i>Ribes cereum</i>
curse	<i>Clidemia hirta</i>
curse, Koster's	<i>Clidemia hirta</i>
cusqui	<i>Prosopis calingastana</i>
cutgrass, rice	<i>Leersia oryzoides</i>
cyclamen	<i>Cyclamen africanum</i>
cypress, Arizona	<i>Cupressus arizonica</i>
cypress, summer	<i>Bassia scoparia</i> 'Trichophylla'
cypress-vine	<i>Ipomoea quamoclit</i>
dahlia	<i>Dahlia</i> spp.
dahlia, sea	<i>Coreopsis maritima</i>
daisy, aspen	<i>Erigeron speciosus</i>
daisy, Cape	<i>Arctotis fastuosa</i>
daisy, crown	<i>Glebionis coronaria</i>
daisy, desert	<i>Perityle emoryi</i>
daisy, dwarf	<i>Mauranthemum paludosum</i>
daisy, Engelmann	<i>Engelmannia peristenia</i>
daisy, English	<i>Bellis perennis</i>
daisy, livingstone	<i>Cleretum bellidifforme</i>
daisy, ox-eye	<i>Leucanthemum vulgare</i>
daisy, painted	<i>Glebionis carinatum</i>
daisy, Shasta	<i>Leucanthemum xsuperbum</i>
daisy, Shasta	<i>Leucanthemum maximum</i>
daisy, Swan River	<i>Brachycome iberidifolia</i>
daisy, Tahoka	<i>Machaeranthera tanacetifolia</i>
daisy, tidytips	<i>Layia platyglossa</i>
daisy, tree	<i>Montanoa hibiscifolia</i>
daisy, yellowclump	<i>Coleostephus multicaulis</i>
dallisgrass	<i>Paspalum dilatatum</i>
dame's-rocket	<i>Hesperis matronalis</i>
dandelion	<i>Taraxacum officinale</i>
dandelion, mountain	<i>Agoseris</i> spp.
dandelion, red-seed	<i>Taraxacum erythrospermum</i>
dandelion, Russian	<i>Taraxacum kok-saghyz</i>
danthonia, Australian	<i>Rytidosperma semiannulare</i>
darnel	<i>Lolium temulentum</i>
darnel, Persian	<i>Lolium persicum</i>
darnel, slender	<i>Lolium remotum</i>
dayflower, Bengal	<i>Commelina benghalensis</i>
dayflower, common	<i>Commelina communis</i>
death camas	<i>Zigadenus</i> spp.
death camas, grassy	<i>Toxicoscordion venenosum</i>
death camas, mountain	<i>Anticlea elegans</i>
death camas, white	<i>Anticlea elegans</i>
deer grass	<i>Muhlenbergia rigens</i>
deerbrush	<i>Ceanothus integerrimus</i>
deertongue grass	<i>Dichanthelium clandestinum</i>
deervetch	<i>Aeschynomene americana</i>
deervetch	<i>Acmispon americanus</i>
deervetch, hispid	<i>Lotus parviflorus</i>
deervetch, slender-pod	<i>Lotus angustissimus</i>
deerweed	<i>Acmispon glaber</i>
delphinium, ajacis	<i>Consolida ajacis</i>
delphinium, perennial	<i>Delphinium cardinale</i>
desert-dandelion, cliff	<i>Malacothrix saxatilis</i>
desert-dandelion, smooth	<i>Malacothrix glabrata</i>
desert-gold	<i>Geraea canescens</i>
desert-olive	<i>Forestiera neomexicana</i>
desert-poppy	<i>Kallstroemia grandiflora</i>
desertsunflower, hairy	<i>Geraea canescens</i>
desertwillow	<i>Chilopsis linearis</i>



### Volume 3. Uniform Classification of Weed and Crop Seeds

COMMON NAME	SCIENTIFIC NAME
devil's-claw	<i>Proboscidea louisianica</i> subsp. <i>louisianica</i>
devil's-club	<i>Oplopanax horridus</i>
dichondra	<i>Dichondra repens</i>
dill	<i>Anethum graveolens</i>
ding ding	<i>Aeschynomene indica</i>
distaff thistle, smooth	<i>Carthamus creticus</i>
distaff thistle, western	<i>Carthamus lanatus</i>
distaff thistle, whitestem	<i>Carthamus leucocaulos</i>
distaff thistle, woolly	<i>Carthamus creticus</i>
dittany	<i>Dictamnus albus</i>
dock	<i>Rumex</i> spp.
dock, bitter	<i>Rumex obtusifolius</i>
dock, broadleaf	<i>Rumex obtusifolius</i>
dock, cluster	<i>Rumex conglomeratus</i>
dock, curly	<i>Rumex crispus</i>
dock, fiddleleaf	<i>Rumex pulcher</i>
dock, golden	<i>Rumex maritimus</i> var. <i>persicarioides</i>
dock, green	<i>Rumex conglomeratus</i>
dock, Mexican	<i>Rumex salicifolius</i> var. <i>mexicanus</i>
dock, narrowleaf	<i>Rumex stenophyllus</i>
dock, pale	<i>Rumex altissimus</i>
dock, patience	<i>Rumex patientia</i>
dock, smooth	<i>Rumex altissimus</i>
dock, sour	<i>Rumex crispus</i>
dock, tall	<i>Rumex altissimus</i>
dock, veiny	<i>Rumex venosus</i>
dock, western	<i>Rumex occidentalis</i>
dock, willowleaf	<i>Rumex salicifolius</i>
dock, winged	<i>Rumex venosus</i>
dodder	<i>Cuscuta</i> spp.
dodder, bigseed alfalfa	<i>Cuscuta indecora</i>
dodder, Chilean	<i>Cuscuta suaveolens</i>
dodder, clover	<i>Cuscuta epilimum</i>
dodder, field	<i>Cuscuta campestris</i>
dodder, field	<i>Cuscuta pentagona</i>
dodder, flax	<i>Cuscuta epilinum</i>
dodder, giant	<i>Cuscuta reflexa</i>
dodder, hazel	<i>Cuscuta coryli</i>
dodder, littleseed alfalfa	<i>Cuscuta planiflora</i>
dogbane	<i>Apocynum</i> spp.
dogbane, hemp	<i>Apocynum cannabinum</i>
dogbane, spreading	<i>Apocynum androsaemifolium</i>
dogfennel	<i>Anthemis cotula</i>
dogtail	<i>Cynosurus</i> spp.
dogtail, bristly	<i>Cynosurus echinatus</i>
dogtail, crested	<i>Cynosurus cristatus</i>
dog-weed	<i>Thymophylla aurea</i>
dogweed, pricklyleaf	<i>Thymophylla acerosa</i>
dogwood, flowering	<i>Cornus florida</i>
dogwood, Pacific	<i>Cornus nuttallii</i>
dogwood, red-osier	<i>Cornus sericea</i> subsp. <i>sericea</i>
Douglas-fir, bigcone	<i>Pseudotsuga macrocarpa</i>
Douglas-fir, blue	<i>Pseudotsuga menziesii</i> var. <i>glauca</i>
Douglas-fir, green	<i>Pseudotsuga menziesii</i> var. <i>menziesii</i>
Douglas-fir, grey	<i>Pseudotsuga menziesii</i> var. <i>glauca</i>
downingia	<i>Downingia</i> spp.
dragonhead, American	<i>Dracocephalum parviflorum</i>
dropseed	<i>Sporobolus</i> spp.
dropseed, annual	<i>Sporobolus neglectus</i>
dropseed, giant	<i>Sporobolus giganteus</i>
dropseed, hidden	<i>Sporobolus clandestinus</i>
dropseed, mesa	<i>Sporobolus flexuosus</i>
dropseed, pine	<i>Blepharoneuron tricholepis</i>
dropseed, pineywood	<i>Sporobolus junceus</i>

COMMON NAME	SCIENTIFIC NAME
dropseed, prairie	<i>Sporobolus heterolepis</i>
dropseed, puff	<i>Sporobolus neglectus</i>
dropseed, rough	<i>Sporobolus clandestinus</i>
dropseed, sand	<i>Sporobolus cryptandrus</i>
dropseed, spike	<i>Sporobolus contractus</i>
dropseed, tall	<i>Sporobolus compositus</i>
duck-lettuce	<i>Ottelia alismoides</i>
duckwheat	<i>Fagopyrum tataricum</i>
dusty-maiden, Douglas'	<i>Chaenactis douglasii</i>
dusty-miller	<i>Centaurea cineraria</i>
dwarf dandelion, western	<i>Krigia cespitosa</i>
dwarf dandelion, western	<i>Krigia occidentalis</i>
dysodia, golden	<i>Thymophylla pentachaeta</i>
earthnut	<i>Bunium bulbocastanum</i>
edelweiss	<i>Leontopodium nivale</i>
eggplant	<i>Solanum melongena</i>
elderberry, American	<i>Sambucus nigra</i> subsp. <i>canadensis</i>
elderberry, blue	<i>Sambucus nigra</i> subsp. <i>cerulea</i>
elderberry, common	<i>Sambucus nigra</i> subsp. <i>canadensis</i>
elderberry, red	<i>Sambucus racemosa</i>
elderberry, scarlet	<i>Sambucus racemosa</i> subsp. <i>pubens</i>
elephantopus	<i>Elephantopus</i> spp.
elephant's foot	<i>Elephantopus</i> spp.
elephant's foot	<i>Elephantopus mollis</i>
elm, American	<i>Ulmus americana</i>
elm, Chinese	<i>Ulmus parvifolia</i>
elm, Siberian	<i>Ulmus pumila</i>
emex	<i>Rumex hypogaeus</i>
emex, spiny	<i>Rumex spinosus</i>
emmer	<i>Triticum turgidum</i> subsp. <i>dicoccon</i>
encelia, Anton	<i>Encelia actoni</i>
encelia, bush	<i>Encelia frutescens</i>
endive	<i>Cichorium endivia</i>
ephedra, Nevada	<i>Ephedra nevadensis</i>
eryngo	<i>Eryngium</i> spp.
eryngo, blue-topped	<i>Eryngium articulatum</i>
eryngo, rush-leaved	<i>Eryngium petiolatum</i>
erysimum, small-flower	<i>Erysimum inconspicuum</i> var. <i>inconspicuum</i>
euphorbia, painted	<i>Euphorbia heterophylla</i>
eustoma	<i>Eustoma exaltatum</i> subsp. <i>russellianum</i>
evening-primrose	<i>Oenothera</i> spp.
evening-primrose, beach	<i>Camissoniopsis cheiranthifolia</i>
evening-primrose, common	<i>Oenothera biennis</i>
evening-primrose, crownleaf	<i>Oenothera coronopifolia</i>
evening-primrose, cutleaf	<i>Oenothera laciniata</i>
evening-primrose, desert	<i>Oenothera cespitosa</i>
evening-primrose, hairy	<i>Oenothera villosa</i>
evening-primrose, hooker	<i>Oenothera elata</i> subsp. <i>hookeri</i>
evening-primrose, jasmine	<i>Oenothera pallida</i>
evening-primrose, lamark	<i>Oenothera glazioviana</i>
evening-primrose, pale	<i>Oenothera pallida</i>
evening-primrose, pink	<i>Oenothera canescens</i>
evening-primrose, pointed	<i>Oenothera parodiana</i>
evening-primrose, prairie	<i>Oenothera albicaulis</i>
evening-primrose, shale	<i>Oenothera argillicola</i>
evening-primrose, showy	<i>Oenothera speciosa</i>
evening-primrose, white-tufted	<i>Oenothera cespitosa</i>
evening-primrose, yellow	<i>Oenothera flava</i>
everlasting, common	<i>Pseudognaphalium obtusifolium</i>
everlasting, pearly	<i>Anaphalis margaritacea</i>
everlasting, plantain-leaved	<i>Antennaria plantaginifolia</i>
everlasting-pea	<i>Lathyrus latifolius</i>
eyebane	<i>Euphorbia nutans</i>
eyebright	<i>Euphrasia</i> spp.

## AOSA Rules for Testing Seeds

COMMON NAME	SCIENTIFIC NAME
fairy-duster	<i>Calliandra eriophylla</i>
false dragonhead, American	<i>Physostegia parviflora</i>
false dragonhead, Virginia	<i>Physostegia virginiana</i>
false pennyroyal	<i>Hedeoma</i> spp.
false pennyroyal, American	<i>Hedeoma pulegioides</i>
false pennyroyal, rough	<i>Hedeoma hispida</i>
false-dandelion	<i>Agoseris glauca</i>
falseflax	<i>Camelina</i> spp.
falseflax, bigseed	<i>Camelina sativa</i>
falseflax, littleseed	<i>Camelina microcarpa</i>
false-indigo	<i>Amorpha fruticosa</i>
fameflower, prairie	<i>Talinum parviflorum</i>
fanweed	<i>Thlaspi arvense</i>
fanwort, Carolina	<i>Cabomba caroliniana</i>
fava-bean	<i>Vicia faba</i>
fayatree	<i>Morella faya</i>
feathergrass	<i>Stipa pennata</i>
feathergrass, African	<i>Cenchrus caudatus</i>
fennel	<i>Foeniculum vulgare</i>
fennel, Florence	<i>Foeniculum vulgare</i>
fennel-flower	<i>Nigella</i> spp.
fennel-flower, garden	<i>Nigella sativa</i>
fenugreek	<i>Trigonella foenum-graecum</i>
fern, asparagus	<i>Asparagus plumosus</i>
fern, emerald	<i>Asparagus densiflorus 'Sprengeri'</i>
fern, mosquito	<i>Azolla pinnata</i>
fernbush	<i>Chamaebatiaria millefolium</i>
fescue	<i>Festuca</i> spp.
fescue field	<i>Festuca arvensis</i>
fescue, Arizona	<i>Festuca arizonica</i>
fescue, blue	<i>Festuca arvensis</i>
fescue, brome	<i>Vulpia bromoides</i>
fescue, chewings	<i>Festuca rubra</i> subsp. <i>commutata</i>
fescue, creeping red	<i>Festuca rubra</i> subsp. <i>rubra</i>
fescue, fine-leaf sheep	<i>Festuca filiformis</i>
fescue, hair	<i>Festuca filiformis</i>
fescue, hard	<i>Festuca trachyphylla</i>
fescue, Idaho	<i>Festuca idahoensis</i>
fescue, meadow	<i>Festuca pratensis</i>
fescue, Pacific	<i>Vulpia microstachys</i> var. <i>pauciflora</i>
fescue, rattail	<i>Vulpia myuros</i>
fescue, red	<i>Festuca rubra</i> subsp. <i>rubra</i>
fescue, Rocky Mountain	<i>Festuca saximontana</i>
fescue, Roemer's	<i>Festuca roemerii</i>
fescue, rough	<i>Festuca altaica</i>
fescue, rough	<i>Festuca campestris</i>
fescue, sheep	<i>Festuca ovina</i>
fescue, six-weeks	<i>Vulpia octoflora</i>
fescue, slender	<i>Festuca filiformis</i>
fescue, spiked	<i>Festuca kingii</i>
fescue, squirrel	<i>Vulpia elliotia</i>
fescue, squirreltail	<i>Vulpia bromoides</i>
fescue, tall	<i>Festuca arundinacea</i>
fescue, threeweeks	<i>Vulpia microstachys</i> var. <i>pauciflora</i>
fescue, Thurber	<i>Festuca thurberi</i>
feverfew, common	<i>Tanacetum parthenium</i>
feverwort	<i>Triosteum</i> spp.
fiddleneck	<i>Amsinckia</i> spp.
fiddleneck, coast	<i>Amsinckia intermedia</i>
fiddleneck, common	<i>Amsinckia menziesii</i>
fiddleneck, western	<i>Amsinckia tessellata</i>
fieldcress, Austrian	<i>Rorippa austriaca</i>
figwort	<i>Scrophularia</i> spp.
figwort, American	<i>Scrophularia marilandica</i>

COMMON NAME	SCIENTIFIC NAME
figwort, lanceleaf	<i>Scrophularia lanceolata</i>
filaree, broadleaf	<i>Erodium botrys</i>
filaree, redstem	<i>Erodium cicutarium</i>
filaree, whitestem	<i>Erodium moschatum</i>
fimbristylis	<i>Fimbristylis</i> spp.
fingergrass	<i>Digitaria abyssinica</i>
fingergrass, Australian	<i>Chloris divaricata</i>
fingergrass, feather	<i>Chloris virgata</i>
fingergrass, velvet	<i>Digitaria velutina</i>
fir, balsam	<i>Abies balsamea</i>
fir, California red	<i>Abies magnifica</i>
fir, cork-bark	<i>Abies lasiocarpa</i> var. <i>arizonica</i>
fir, dog	<i>Thymophylla acerosa</i>
fir, Fraser	<i>Abies fraseri</i>
fir, grand	<i>Abies grandis</i>
fir, Nikko	<i>Abies homolepis</i>
fir, noble	<i>Abies procera</i>
fir, Nordmann	<i>Abies nordmanniana</i>
fir, Pacific silver	<i>Abies amabilis</i>
fir, Shasta red	<i>Abies xshastensis</i>
fir, subalpine	<i>Abies lasiocarpa</i>
fir, Veitch	<i>Abies veitchii</i>
fir, white	<i>Abies concolor</i>
firebush, Mexican	<i>Bassia scoparia 'Trichophylla'</i>
firecracker flower	<i>Crossandra infundibuliformis</i>
firetree	<i>Morella faya</i>
fireweed	<i>Epilobium</i> spp.
fireweed	<i>Chamaenerion angustifolium</i>
Fireweed	<i>Senecio madagascariensis</i>
firewheel	<i>Gaillardia aristata</i>
fivespot	<i>Nemophila maculata</i>
flameflower, prairie	<i>Phemeranthus parviflorus</i>
flame-violet	<i>Episcia</i> spp.
flat-pea	<i>Lathyrus sylvestris</i>
flat-pea, round-seeded	<i>Lathyrus sphaericus</i>
flatweed	<i>Dysphania multifida</i>
flax	<i>Linum</i> spp.
flax	<i>Linum usitatissimum</i>
flax, blue	<i>Linum perenne</i>
flax, flowering	<i>Linum grandiflorum</i>
flax, golden	<i>Linum flavum</i>
flax, Lewis	<i>Linum lewisii</i>
flax, perennial	<i>Linum perenne</i>
flax, prairie	<i>Linum lewisii</i>
flax, scarlet	<i>Linum grandiflorum 'Rubrum'</i>
flax, wild	<i>Linum sulcatum</i>
flax, woodland	<i>Linum virginianum</i>
fleabane, annual	<i>Erigeron annuus</i>
fleabane, daisy	<i>Erigeron strigosus</i>
fleabane, dwarf	<i>Erigeron divaricatus</i>
fleabane, Engelmann's	<i>Erigeron engelmannii</i>
fleabane, Oregon	<i>Erigeron speciosus</i>
fleabane, shaggy	<i>Erigeron pumilus</i>
fleabane, subalpine	<i>Erigeron peregrinus</i>
fleece flower	<i>Persicaria capitata</i>
flixweed	<i>Descurainia sophia</i>
Florida-elodea	<i>Hydrilla verticillata</i>
flower, butterfly	<i>Schizanthus</i> spp.
flower, floss	<i>Ageratum</i> spp.
flower, pincushion	<i>Scabiosa</i> spp.
flower, satin	<i>Clarkia amoena</i>
flower, Texas	<i>Plectrocephalus americana</i>
flower, torch	<i>Tilthonia rotundifolia</i>
flower-of-an-hour	<i>Hibiscus trionum</i>

### Volume 3. Uniform Classification of Weed and Crop Seeds

COMMON NAME	SCIENTIFIC NAME
fogfruit, spatulate	<i>Phyla nodiflora</i>
forget-me-not, alpine	<i>Myosotis alpestris</i>
forget-me-not, Chinese	<i>Cynoglossum amabile</i>
forget-me-not, common	<i>Myosotis scorpioides</i>
forget-me-not, dwarf	<i>Brunnera macrophylla</i>
forget-me-not, field	<i>Myosotis arvensis</i>
forget-me-not, garden	<i>Myosotis sylvatica</i>
forget-me-not, white	<i>Cryptantha</i> spp.
forget-me-not, wood	<i>Myosotis sylvatica</i>
fountain-dracaena	<i>Cordylone australis</i>
fountaingrass	<i>Cenchrus setaceus</i>
four-o'clock, trailing	<i>Allionia choisyi</i>
four-o'clock	<i>Mirabilis</i> spp.
four-o'clock, common	<i>Mirabilis jalapa</i>
four-o'clock, wild	<i>Mirabilis nyctaginea</i>
foxglove	<i>Digitalis</i> spp.
foxglove, common	<i>Digitalis purpurea</i>
foxtail	<i>Alopecurus</i> spp.
foxtail, Carolina	<i>Alopecurus carolinianus</i>
foxtail, creeping	<i>Alopecurus arundinaceus</i>
foxtail, giant	<i>Setaria faberi</i>
foxtail, green	<i>Setaria viridis</i>
foxtail, meadow	<i>Alopecurus pratensis</i>
foxtail, shortawn	<i>Alopecurus aequalis</i>
foxtail, slender	<i>Alopecurus myosuroides</i>
foxtail, water	<i>Alopecurus geniculatus</i>
foxtail, West Indian	<i>Andropogon bicornis</i>
foxtail, yellow	<i>Setaria pumila</i> subsp. <i>pumila</i>
French-mulberry	<i>Callicarpa americana</i>
Frenchweed	<i>Thlaspi arvense</i>
fuchsia	<i>Fuchsia</i> spp.
fumitory, common	<i>Fumaria officinalis</i>
gaillardia, annual	<i>Gaillardia pulchella</i> var. <i>picta</i>
gaillardia, perennial	<i>Gaillardia aristata</i>
gaillardia, rose-ring	<i>Gaillardia pulchella</i>
galega	<i>Galega officinalis</i>
galinsoga, smallflower	<i>Galinsoga parviflora</i>
galium	<i>Galium aparine</i>
galleta	<i>Pleuraphis jamesii</i>
galleta grass	<i>Pleuraphis jamesii</i>
galleta, big	<i>Pleuraphis rigida</i>
gamagrass, eastern	<i>Tripsacum dactyloides</i>
garbanzo	<i>Cicer arietinum</i>
garland, mountain	<i>Clarkia unguiculata</i>
garlic	<i>Allium sativum</i>
garlic, elephant	<i>Allium ampeloprasum</i>
garlic, false	<i>Allium neapolitanum</i>
garlic, Oriental	<i>Allium tuberosum</i>
garlic, wild	<i>Allium vineale</i>
gasplant	<i>Dictamnus albus</i>
gaura	<i>Oenothera</i> spp.
gaura, hairy	<i>Oenothera cinerea</i>
gaura, scarlet	<i>Oenothera xenogaura</i>
gaura, scented	<i>Oenothera xenogaura</i>
gaura, small-flowered	<i>Oenothera curtiflora</i>
gaura, wavyleafed	<i>Oenothera sinuosa</i>
gayfeather	<i>Liatis</i> spp.
gayfeather, spiked	<i>Liatis spicata</i>
gayfeather, thickspike	<i>Liatis pycnostachya</i>
gazania, pied	<i>Gazania rigens</i>
gentian, prairie	<i>Eustoma exaltatum</i> subsp. <i>russellianum</i>
gentian, tulip	<i>Eustoma exaltatum</i> subsp. <i>russellianum</i>
geranium	<i>Geranium</i> spp.
geranium	<i>Pelargonium</i> spp.

COMMON NAME	SCIENTIFIC NAME
geranium, Carolina	<i>Geranium carolinianum</i>
geranium, cutleaf	<i>Geranium dissectum</i>
geranium, dovefoot	<i>Geranium molle</i>
geranium, feather	<i>Dysphania botrys</i>
geranium, longstalk	<i>Geranium columbinum</i>
geranium, small	<i>Geranium pusillum</i>
geranium, spotted	<i>Geranium maculatum</i>
geranium, wild	<i>Geranium viscosissimum</i>
germander	<i>Teucrium</i> spp.
germander, American	<i>Teucrium canadense</i>
germander, cut-leaf	<i>Teucrium botrys</i>
germander, wood	<i>Teucrium scorodonia</i>
geum	<i>Geum</i> spp.
gherkin, bur	<i>Cucumis anguria</i>
gherkin, West Indian	<i>Cucumis anguria</i>
giant-dracaena	<i>Cordylone australis</i>
gilia	<i>Gilia tricolor</i>
gilia	<i>Microsteris gracilis</i>
gilia, big-flower	<i>Collomia grandiflora</i>
gilia, blue	<i>Gilia leptantha</i> subsp. <i>purpusii</i>
gilia, globe	<i>Gilia capitata</i>
gilia, scarlet	<i>Ipomopsis aggregata</i>
gladiolus	<i>Gladiolus</i> spp.
globemallow	<i>Sphaeralcea</i> spp.
globemallow, Coulter	<i>Sphaeralcea coulteri</i>
globemallow, desert	<i>Sphaeralcea ambigua</i>
globemallow, gooseberryleaf	<i>Sphaeralcea grossulariifolia</i>
globemallow, littleleaf	<i>Sphaeralcea parvifolia</i>
globemallow, munro	<i>Sphaeralcea munroana</i>
globemallow, scarlet	<i>Sphaeralcea coccinea</i>
globethistle, small	<i>Echinops ritro</i>
gloxinia, common	<i>Sinningia speciosa</i>
goatgrass	<i>Aegilops</i> spp.
goatgrass, barb	<i>Aegilops triuncialis</i>
goatgrass, jointed	<i>Aegilops cylindrica</i>
goatgrass, ovate	<i>Aegilops geniculata</i>
goatgrass, tufted	<i>Aegilops geniculata</i>
goatnut	<i>Simmondsia chinensis</i>
goatsbeard	<i>Tragopogon</i> spp.
goatsbeard, yellow	<i>Tragopogon pratensis</i>
goatsrue	<i>Galega officinalis</i>
godetia	<i>Clarkia bottae</i>
godetia	<i>Clarkia concinna</i>
godetia, punch-bowl	<i>Clarkia bottae</i>
golden banner	<i>Thermopsis montana</i> var. <i>montana</i>
golden bean	<i>Thermopsis rhombifolia</i>
goldenbanner, foothills	<i>Thermopsis divaricarpa</i>
goldenbush, narrowleaf	<i>Ericameria linearifolia</i>
goldenbush, Palmer's	<i>Ericameria palmeri</i>
goldenbush, saw-tooth	<i>Hazardia squarrosa</i>
golden-carpet	<i>Sedum acre</i>
goldeneye, cutleaf	<i>Bahiopsis laciniata</i>
goldeneye, showy	<i>Helioomeris multiflora</i>
golden-hardhack	<i>Dasiphora fruticosa</i>
goldenrod	<i>Solidago</i> spp.
goldenrod, anise-scent	<i>Solidago odora</i>
goldenrod, Canada	<i>Solidago canadensis</i>
goldenrod, gray	<i>Solidago nemoralis</i>
goldenrod, Riddell's	<i>Solidago riddellii</i>
goldenrod, showy	<i>Solidago speciosa</i>
goldenrod, stiff	<i>Solidago rigida</i>
goldenrod, upland white	<i>Solidago ptarmicoides</i>
goldenrod, wrinkleleaf	<i>Solidago rugosa</i>
goldenweed, hairy	<i>Grindelia ciliata</i>

## AOSA Rules for Testing Seeds

COMMON NAME	SCIENTIFIC NAME
goldenweed, pale leaf	<i>Isocoma acradenia</i>
goldenweed, spiny	<i>Xanthisma spinulosum</i>
goldfields	<i>Lasthenia glabrata</i>
gold-poppy, Mexican	<i>Eschscholzia californica</i> subsp. <i>mexicana</i>
gooseberry	<i>Ribes cereum</i>
gooseberry, mountain	<i>Ribes montigenum</i>
goosefoot	<i>Chenopodium</i> spp.
goosefoot, California	<i>Blitum californicum</i>
goosefoot, five-lobed	<i>Chenopodium quinoa</i>
goosefoot, Fremont's	<i>Chenopodium fremontii</i>
goosefoot, mapleleaf	<i>Chenopodiastrum simplex</i>
goosefoot, narrowleaf	<i>Chenopodium leptophyllum</i>
goosefoot, nettleleaf	<i>Chenopodiastrum murale</i>
goosefoot, red	<i>Oxybasis rubra</i>
goosegrass	<i>Eleusine indica</i>
gopherweed	<i>Baptisia lanceolata</i>
gorse	<i>Ulex europaeus</i>
gourd	<i>Lagenaria</i> spp.
gourd (small)	<i>Cucurbita pepo</i>
gourd, buffalo	<i>Cucurbita foetidissima</i>
gourd, ivy	<i>Coccinia grandis</i>
gourd, white-flowered	<i>Lagenaria siceraria</i>
gourd, wild	<i>Cucurbita foetidissima</i>
gourds	<i>Cucurbita</i> spp.
grama	<i>Bouteloua</i> spp.
grama, black	<i>Bouteloua eriopoda</i>
grama, blue	<i>Bouteloua gracilis</i>
grama, hairy	<i>Bouteloua hirsuta</i>
grama, mat	<i>Bouteloua simplex</i>
grama, needle	<i>Bouteloua aristoides</i>
grama, Rothrock's	<i>Bouteloua barbata</i> var. <i>rothrockii</i>
grama, side-oats	<i>Bouteloua curtipendula</i>
granadilla, purple	<i>Passiflora edulis</i>
grape	<i>Vitis</i> spp.
grape, Oregon	<i>Berberis aquifolium</i>
grape, riverbank	<i>Vitis vulpina</i>
grass, brook	<i>Catabrosa aquatica</i>
grass, Columbus	<i>Sorghum xalmum</i>
grass, liverseed	<i>Urochloa panicoides</i>
grass, lizardtail	<i>Mnesithea granularis</i>
grass, lyme	<i>Leymus arenarius</i>
grass, lyon's	<i>Themeda villosa</i>
grass, Mediterranean	<i>Schismus barbatus</i>
grass, onion	<i>Romulea rosea</i>
grass, pampas	<i>Cortaderia jubata</i>
grass, pampas	<i>Cortaderia selloana</i>
grass, pine	<i>Calamagrostis rubescens</i>
grass, porcupine	<i>Hesperostipa spartea</i>
grass, scratch	<i>Muhlenbergia</i> spp.
grass, scratch	<i>Muhlenbergia asperifolia</i>
grasspea	<i>Lathyrus sativus</i>
grassy-rush	<i>Butomus umbellatus</i>
greasewood, black	<i>Sarcobatus vermiculatus</i>
greenthread	<i>Thelesperma</i> spp.
gromwell	<i>Lithospermum</i> spp.
gromwell, corn	<i>Buglossoides arvensis</i>
gromwell, field	<i>Buglossoides arvensis</i>
gromwell, narrow-leaved	<i>Lithospermum incisum</i>
gromwell, western	<i>Lithospermum ruderale</i>
groundcherry	<i>Physalis</i> spp.
groundcherry, clammy	<i>Physalis heterophylla</i>
groundcherry, downy	<i>Physalis pubescens</i>
groundcherry, grape	<i>Physalis viscosa</i>
groundcherry, large white-flowered	<i>Leucophysalis grandiflora</i>

COMMON NAME	SCIENTIFIC NAME
groundcherry, longleaf	<i>Physalis longifolia</i> var. <i>longifolia</i>
groundcherry, Mexican	<i>Physalis philadelphica</i>
groundcherry, purple	<i>Quincula lobata</i>
groundcherry, sharpleaf	<i>Physalis acutifolia</i>
groundcherry, smooth	<i>Physalis longifolia</i> var. <i>subglabrata</i>
groundse, fireweed	<i>Senecio linearifolius</i>
groundsel	<i>Senecio</i> spp.
groundsel, broom	<i>Senecio spartioides</i>
groundsel, common	<i>Senecio vulgaris</i>
groundsel, Douglas	<i>Senecio flaccidus</i> var. <i>flaccidus</i>
guar	<i>Cyamopsis tetragonoloba</i>
guayule	<i>Parthenium argentatum</i>
guineagrass	<i>Megathyrsus maximus</i>
gum, Mindanao	<i>Eucalyptus deglupta</i>
gum, rose	<i>Eucalyptus grandis</i>
gumplant	<i>Grindelia integrifolia</i>
gumweed	<i>Grindelia</i> spp.
gumweed, curly-cup	<i>Grindelia squarrosa</i>
gumweed, Great Valley	<i>Grindelia camporum</i>
gumweed, prostrate	<i>Grindelia stricta</i> var. <i>stricta</i>
gumweed, prostrate	<i>Grindelia stricta</i> var. <i>platyphylla</i>
hackberry, common	<i>Celtis occidentalis</i>
hackberry, desert	<i>Celtis pallida</i>
hackberry, iguana	<i>Celtis iguanaea</i>
hackberry, spiny	<i>Celtis pallida</i>
hairgrass	<i>Aira</i> spp.
hairgrass	<i>Deschampsia</i> spp.
hairgrass, annual	<i>Deschampsia danthonioides</i>
hairgrass, Bering	<i>Deschampsia cespitosa</i> subsp. <i>beringensis</i>
hairgrass, common	<i>Avenella flexuosa</i>
hairgrass, fine	<i>Aira elegantissima</i>
hairgrass, silver	<i>Aira caryophyllea</i>
hairgrass, slender	<i>Deschampsia elongata</i>
hairgrass, tufted	<i>Deschampsia cespitosa</i> subsp. <i>cespitosa</i>
hairgrass, wavy	<i>Avenella flexuosa</i>
hairy-head	<i>Cephalaria transsylvanica</i>
halogeton	<i>Halogeton glomeratus</i>
hardinggrass	<i>Phalaris aquatica</i>
hare's-ear	<i>Bupleurum rotundifolium</i>
harebell	<i>Campanula rotundifolia</i>
harmel	<i>Peganum harmala</i>
haslate-leaf-pondweed	<i>Monochoria hastate</i>
hawkbit, fall	<i>Scorzoneroides autumnalis</i>
hawkbit, rough	<i>Leontodon saxatilis</i>
hawksbeard	<i>Crepis</i> spp.
hawksbeard, hairy	<i>Crepis setosa</i>
hawksbeard, narrowleaf	<i>Crepis tectorum</i>
hawksbeard, smooth	<i>Crepis capillaris</i>
hawkweed	<i>Hieracium</i> spp.
hawkweed, orange	<i>Pilosella aurantiaca</i>
hawthorn	<i>Crataegus</i> spp.
hawthorn, black	<i>Crataegus douglasii</i>
hawthorn, downy	<i>Crataegus mollis</i>
heal-all	<i>Prunella vulgaris</i>
hearts and honey vine	<i>Ipomoea sloteri</i>
heartseed	<i>Cardiospermum halicacabum</i>
hedge-nettle	<i>Stachys palustris</i>
hedge-nettle, field	<i>Stachys arvensis</i>
hedge-parsley	<i>Torilis</i> spp.
hedge-parsley, erect	<i>Torilis japonica</i>
hedge-parsley, knotted	<i>Torilis nodosa</i>
helenium	<i>Helenium</i> spp.
helichrysum	<i>Xerochrysum bracteatum</i>
heliopsis	<i>Heliopsis</i> spp.

### Volume 3. Uniform Classification of Weed and Crop Seeds

COMMON NAME	SCIENTIFIC NAME
heliopsis, sunflower	<i>Helioopsis helianthoides</i>
heliotrope	<i>Heliotropium</i> spp.
heliotrope, common	<i>Heliotropium europaeum</i>
heliotrope, salt	<i>Heliotropium curassavicum</i>
heliotrope, seaside	<i>Heliotropium curassavicum</i>
helipterum	<i>Rhodanthe chlorocephala</i>
hemizonia	<i>Hemizonia</i> spp.
hemlock, Canada	<i>Tsuga canadensis</i>
hemlock, eastern	<i>Tsuga canadensis</i>
hemlock, mountain	<i>Tsuga mertensiana</i>
hemlock, Pacific	<i>Tsuga heterophylla</i>
hemlock, poison	<i>Conium maculatum</i>
hemlock, western	<i>Tsuga heterophylla</i>
hemp	<i>Cannabis sativa</i>
hemp-nettle, bristlestem	<i>Galeopsis tetrahit</i>
hemp-nettle, common	<i>Galeopsis tetrahit</i>
hemp-nettle, red	<i>Galeopsis ladanum</i>
hempweed, climbing	<i>Mikania scandens</i>
hen-and-chickens	<i>Sempervivum</i> spp.
henbane, black	<i>Hyoscyamus niger</i>
henbit	<i>Lamium amplexicaule</i>
hibiscus	<i>Hibiscus</i> spp.
hickory, shagbark	<i>Carya ovata</i>
hilaria	<i>Hilaria</i> spp.
hoary-aster	<i>Dieteria canescens</i> var. <i>canescens</i>
hoarycress	<i>Lepidium</i> spp.
hoarycress, globe-podded	<i>Lepidium appelianum</i>
hoarycress, heart-podded	<i>Lepidium draba</i>
hoarycress, lens-podded	<i>Lepidium chalapense</i>
hogpolato	<i>Hoffmannseggia glauca</i>
hogweed, giant	<i>Heracleum mantegazzianum</i>
holly, cassena	<i>Ilex vomitoria</i>
holly, desert	<i>Atriplex hymenelytra</i>
hollyhock	<i>Alcea rosea</i>
honesty	<i>Lunaria annua</i>
honey plant	<i>Lunaria annua</i>
honeydew	<i>Cucumis melo</i>
honeysuckle, common	<i>Lonicera japonica</i>
honeysuckle, Tartarian	<i>Lonicera tatarica</i>
hops	<i>Humulus lupulus</i>
hopsage, spiny	<i>Grayia spinosa</i>
horehound, black	<i>Ballota nigra</i>
horehound, white	<i>Marrubium vulgare</i>
horkelia, Kellogg's	<i>Horkelia cuneata</i>
horned-poppy, red	<i>Glaucium corniculatum</i>
horse balm, false	<i>Perilla frutescens</i>
horse gentian	<i>Triosteum</i> spp.
horse gentian, common	<i>Triosteum perfoliatum</i>
horsebean	<i>Vicia faba</i>
horsebush, spiny	<i>Tetradymia axillaris</i>
horseflyweed	<i>Baptisia tinctoria</i>
horsemint	<i>Monarda punctata</i>
horsenettle, Carolina	<i>Solanum carolinense</i>
horsenettle, white	<i>Solanum elaeagnifolium</i>
horseweed	<i>Erigeron canadensis</i>
hound's-tongue	<i>Cynoglossum</i> spp.
hound's-tongue, blue	<i>Andersonglossum virginianum</i>
hound's-tongue, common	<i>Cynoglossum officinale</i>
hound's-tongue, small	<i>Cynoglossum amabile</i>
huarango	<i>Prosopis pallida</i>
huckleberry	<i>Vaccinium</i> spp.
huckleberry, California	<i>Vaccinium ovatum</i>
hummingbird-flower	<i>Epilobium canum</i>
hyacinth, grape	<i>Muscari comosum</i>

COMMON NAME	SCIENTIFIC NAME
hyacinth, tassel	<i>Muscari comosum</i>
hydrilla	<i>Hydrilla verticillata</i>
hymenopappus	<i>Hymenopappus</i> spp.
hyptis, comb	<i>Mesospaerum pectinatum</i>
hyssop	<i>Hyssopus officinalis</i>
hyssop, hedge	<i>Gratiola neglecta</i>
hyssop, nettleleaf giant	<i>Agastache urticifolia</i>
iberis	<i>Iberis sempervirens</i>
iberis	<i>Iberis umbellata</i>
iceplant	<i>Cleretum bellidifforme</i>
immortelle, cylinder	<i>Xeranthemum cylindraceum</i>
impatiens	<i>Impatiens walleriana</i>
Indian breadfoot, silverleaf	<i>Pediomelum argophyllum</i>
Indian paintbrush	<i>Castilleja</i> spp.
Indian paintbrush, early	<i>Castilleja chromosa</i>
Indian paintbrush, early	<i>Castilleja applegatei</i>
Indian paintbrush, exserted	<i>Castilleja exserta</i> var. <i>exserta</i>
Indian paintbrush, great red	<i>Castilleja miniata</i>
Indian paintbrush, lesser	<i>Castilleja minor</i> var. <i>minor</i>
Indian paintbrush, marsh	<i>Castilleja minor</i> var. <i>minor</i>
Indian paintbrush, narrowleaf	<i>Castilleja linariifolia</i>
Indian paintbrush, northwestern	<i>Castilleja angustifolia</i>
Indian paintbrush, orange	<i>Castilleja integra</i>
Indian paintbrush, scarlet	<i>Castilleja coccinea</i>
Indian paintbrush, splitleaf	<i>Castilleja rhexiifolia</i>
Indian paintbrush, sulphur	<i>Castilleja rhexiifolia</i> var. <i>sulphurea</i>
Indian paintbrush, Texas	<i>Castilleja indivisa</i>
Indian paintbrush, wavyleaf	<i>Castilleja applegatei</i>
Indian paintbrush, Wyoming	<i>Castilleja linariifolia</i>
indiangrass	<i>Sorghastrum</i> spp.
indiangrass, slender	<i>Sorghastrum elliptii</i>
indiangrass, yellow	<i>Sorghastrum nutans</i>
Indian-hemp	<i>Apocynum cannabinum</i>
indigo, bush	<i>Dalea</i> spp.
indigo, California false	<i>Amorpha californica</i>
indigo, curly	<i>Aeschynomene</i> spp.
indigo, curly	<i>Aeschynomene indica</i>
indigo, hairy	<i>Indigofera hirsuta</i>
indigo, white false	<i>Baptisia alba</i>
indigobush	<i>Amorpha fruticosa</i>
indigobush, Mojave	<i>Psoralemmun arborescens</i>
inkweed	<i>Suaeda nigra</i>
inula, sunflower	<i>Inula orientalis</i>
iodine-bush	<i>Allenrolfea occidentalis</i>
iris, blue flag	<i>Iris versicolor</i>
iris, Douglas	<i>Iris douglasiana</i>
iris, Japanese	<i>Iris ensata</i>
iris, Rocky Mountain	<i>Iris missouriensis</i>
iris, wild	<i>Iris setosa</i>
iris, yellow flag	<i>Iris pseudacorus</i>
ironplant, cutleaf	<i>Xanthisma spinulosum</i>
ironweed	<i>Vernonia</i> spp.
ironweed, Baldwin	<i>Vernonia baldwinii</i>
ironweed, New York	<i>Vernonia noveboracensis</i>
ironweed, tall	<i>Vernonia gigantea</i>
ironweed, western	<i>Vernonia baldwinii</i>
ironwood	<i>Olneya tesota</i>
ironwoundwort	<i>Sideritis montana</i>
itchgrass	<i>Rottboellia cochinchinensis</i>
ivesia, alpine	<i>Ivesia gordonii</i>
ivesia, Gordon's	<i>Ivesia gordonii</i>
ivy, German	<i>Delairea odorata</i>
ivy, ground	<i>Glechoma hederacea</i>
ivy, Mexican	<i>Cobaea scandens</i>

## AOSA Rules for Testing Seeds

COMMON NAME	SCIENTIFIC NAME
Jack, three-cornered	<i>Rumex hypogaeus</i>
Jacob's-ladder	<i>Polemonium</i> spp.
Jaraguagrass	<i>Hypparrhenia rufa</i>
Jerusalem-artichoke	<i>Helianthus tuberosus</i>
Jerusalem-cross	<i>Silene chalcedonica</i>
Jerusalem-oak	<i>Dysphania botrys</i>
Jimsonweed	<i>Datura stramonium</i>
Job's-tears	<i>Coix lacryma-jobi</i>
Joe-pye-weed	<i>Eutrochium purpureum</i>
Johnny jump-up	<i>Viola cornuta</i>
Johnsongrass	<i>Sorghum halepense</i>
Jointvetch, American	<i>Aeschynomene americana</i>
Jointvetch, Indian	<i>Aeschynomene indica</i>
Jointvetch, northern	<i>Aeschynomene indica</i>
Jointvetch, rough	<i>Aeschynomene rudis</i>
Jointvetch, sensitive	<i>Aeschynomene indica</i>
Joboba	<i>Simmondsia chinensis</i>
Junegrass	<i>Koeleria macrantha</i>
Juniper, alligator	<i>Juniperus deppeana</i>
Juniper, common	<i>Juniperus communis</i>
Juniper, one-seeded	<i>Juniperus monosperma</i>
Juniper, Rocky Mountain	<i>Juniperus scopulorum</i>
Juniper, sierra	<i>Juniperus occidentalis</i>
Juniper, Utah	<i>Juniperus osteosperma</i>
Jupiter's-beard	<i>Centranthus ruber</i>
Kahiliflower	<i>Grevillea banksii</i>
Kalanchoe	<i>Kalanchoe blossfeldiana</i>
Kale	<i>Brassica oleracea</i> var. <i>viridis</i>
Kale, Chinese	<i>Brassica oleracea</i> var. <i>alboglabra</i>
Kale, ornamental	<i>Brassica oleracea</i> var. <i>sabellica</i>
Kale, sea	<i>Crambe maritima</i>
Kale, Siberian	<i>Brassica napus</i> subsp. <i>napus</i> var. <i>pabularia</i>
Kangaroothorn	<i>Acacia paradoxa</i>
Kelp	<i>Percicaria amphibia</i>
Kenaf	<i>Hibiscus cannabinus</i>
Kern-mallow	<i>Eremalche parryi</i> subsp. <i>kernensis</i>
Khakiweed	<i>Alternanthera pungens</i>
Kiawe	<i>Prosopis pallida</i>
Kidney-vetch	<i>Anthyllis vulneraria</i>
Kikuyugrass	<i>Cenchrus clandestinus</i>
Kinnikinnick	<i>Arctostaphylos uva-ursi</i>
Klamathweed	<i>Hypericum perforatum</i>
Kleingrass	<i>Panicum coloratum</i>
Knapweed	<i>Centaurea</i> spp.
Knapweed, big-head	<i>Centaurea macrocephala</i>
Knapweed, black	<i>Centaurea nigra</i>
Knapweed, brownscale	<i>Centaurea xmoncktonii</i>
Knapweed, diffuse	<i>Centaurea diffusa</i>
Knapweed, meadow	<i>Centaurea xmoncktonii</i>
Knapweed, meadow	<i>Centaurea xmoncktonii</i>
Knapweed, Rothrock's	<i>Plectocephalus rothrockii</i>
Knapweed, Russian	<i>Rhaponticum repens</i>
Knapweed, spotted	<i>Centaurea stoebe</i> subsp. <i>australis</i>
Knapweed, squarrose	<i>Centaurea virgata</i> subsp. <i>squarrosa</i>
Knapweed, Vochin	<i>Centaurea nigrescens</i>
Knawel	<i>Scleranthus annuus</i>
Knotgrass	<i>Paspalum distichum</i>
Knotweed	<i>Polygonum</i> spp.
Knotweed, bushy	<i>Polygonum ramosissimum</i>
Knotweed, creeping	<i>Percicaria capitata</i>
Knotweed, giant	<i>Reynoutria sachalinensis</i>
Knotweed, Himalayan	<i>Koenigia polystachya</i>
Knotweed, Japanese	<i>Reynoutria japonica</i>
Knotweed, kellogg	<i>Polygonum polygaloides</i> subsp. <i>kelloggii</i>

COMMON NAME	SCIENTIFIC NAME
knotweed, prostrate	<i>Polygonum aviculare</i>
knotweed, Sakhalin	<i>Reynoutria sachalinensis</i>
knotweed, silversheath	<i>Polygonum argyrocoleon</i>
kochia	<i>Bassia scoparia</i>
kochia, forage	<i>Bassia prostrata</i>
kodo	<i>Paspalum scrobiculatum</i>
kohlrabi	<i>Brassica oleracea</i> var. <i>gongyloides</i>
kudzu	<i>Pueraria montana</i> var. <i>lobata</i>
kudzu, tropical	<i>Pueraria phaseoloides</i>
kyasumagrass	<i>Cenchrus pedicellatus</i>
kyllinga	<i>Cyperus</i> spp.
laceflower, blue	<i>Trachymene coerulea</i>
lacegrass	<i>Eragrostis capillaris</i>
lady's-mantle, western	<i>Alchemilla arvensis</i>
lady's-thumb	<i>Percicaria maculosa</i>
lamb's-ears	<i>Stachys byzantina</i>
lamb's-lettuce	<i>Agoseris</i> spp.
lamb's-lettuce	<i>Valerianella locusta</i>
lamb's-quarters, common	<i>Chenopodium album</i>
lamb's-quarters, pitseed	<i>Chenopodium berlandieri</i>
lantana	<i>Lantana camara</i>
lanternplant, Chinese	<i>Physalis alkekengi</i>
larch, Dunkeld	<i>Larix xmarschlinii</i>
larch, European	<i>Larix decidua</i>
larch, Japanese	<i>Larix kaempferi</i>
larch, Siberian	<i>Larix sibirica</i>
larch, western	<i>Larix occidentalis</i>
larkspur	<i>Delphinium</i> spp.
larkspur, annual	<i>Consolida ajacis</i>
larkspur, cardinal	<i>Delphinium cardinale</i>
larkspur, coast	<i>Delphinium californicum</i>
larkspur, duncecap	<i>Delphinium xoccidentale</i>
larkspur, field	<i>Consolida regalis</i>
larkspur, low	<i>Delphinium bicolor</i>
larkspur, Menzies	<i>Delphinium menziesii</i>
larkspur, Pacific giant	<i>Delphinium elatum</i>
larkspur, rocket	<i>Consolida ajacis</i>
larkspur, scarlet	<i>Delphinium cardinale</i>
larkspur, tall	<i>Delphinium glaucum</i>
larkspur, western	<i>Delphinium xoccidentale</i>
lasthenia, California	<i>Lasthenia californica</i>
lavender	<i>Lavandula angustifolia</i>
lavender	<i>Lavandula</i> spp.
lavender, desert	<i>Condea emoryi</i>
lavender, sea	<i>Limonium perezii</i>
lawngrass, Japanese	<i>Zoysia japonica</i>
leadplant	<i>Amorpha canescens</i>
leadwort, Cape	<i>Plumbago auriculata</i>
leek	<i>Allium porrum</i>
leek, wild	<i>Allium tricoccum</i>
lentil	<i>Lens culinaris</i>
leopardbane, Caucasian	<i>Doronicum orientale</i>
Lepydoliclis	<i>Lepydoliclis holosteoides</i>
lespedeza, bush	<i>Lespedeza capitata</i>
lespedeza, Chinese	<i>Lespedeza cuneata</i>
lespedeza, common	<i>Kummerowia striata</i>
lespedeza, hairy	<i>Lespedeza hirta</i>
lespedeza, kobe	<i>Kummerowia striata 'Kobe'</i>
lespedeza, Korean	<i>Kummerowia stipulacea</i>
lespedeza, sericea	<i>Lespedeza cuneata</i>
lespedeza, shrub	<i>Lespedeza bicolor</i>
lespedeza, shrub	<i>Lespedeza thunbergii</i>
lespedeza, Siberian	<i>Lespedeza juncea</i>
lespedeza, striate	<i>Kummerowia striata</i>



### Volume 3. Uniform Classification of Weed and Crop Seeds

COMMON NAME	SCIENTIFIC NAME
lespedeza, Thunberg's	<i>Lespedeza thunbergii</i>
lespedeza, wand	<i>Lespedeza virgata</i>
lettuce	<i>Lactuca sativa</i>
lettuce, bitter	<i>Lactuca virosa</i>
lettuce, blue-flowering	<i>Lactuca tatarica</i> subsp. <i>pulchella</i>
lettuce, miner's	<i>Claytonia perfoliata</i>
lettuce, prickly	<i>Lactuca scariola</i>
lettuce, tall	<i>Lactuca canadensis</i>
lettuce, wild	<i>Lactuca</i> spp.
licorice, wild	<i>Glycyrrhiza lepidota</i>
licorice-root, Porter's	<i>Ligusticum porteri</i>
lightingweed	<i>Drymaria arenarioides</i>
ligusticum, Porter	<i>Ligusticum porteri</i>
lilac, common	<i>Syringa vulgaris</i>
lily, regal	<i>Lilium regale</i>
linanthus, golden	<i>Linanthus aureus</i> subsp. <i>aureus</i>
linanthus, largeflower	<i>Linanthus grandiflorus</i>
linaria	<i>Linaria</i> spp.
linaria	<i>Linaria maroccana</i>
linden, littleleaf	<i>Tilia cordata</i>
lipstick tree	<i>Bixa orellana</i>
lisianthus	<i>Eustoma exaltatum</i> subsp. <i>russellianum</i>
little-bell	<i>Ipomoea triloba</i>
liveforever	<i>Sedum telephium</i>
lobelia	<i>Lobelia</i> spp.
lobelia, edging	<i>Lobelia erinus</i>
locoweed	<i>Astragalus</i> spp.
locoweed	<i>Oxytropis</i> spp.
locoweed, early-yellow	<i>Oxytropis sericea</i>
locoweed, two-grooved	<i>Astragalus bisulcatus</i>
locust, black	<i>Robinia pseudoacacia</i>
locust, bristly	<i>Robinia hispida</i>
locust, honey	<i>Gleditsia triacanthos</i>
locust, New Mexican	<i>Robinia neomexicana</i>
lomatium, narrow-leaf	<i>Lomatium triternatum</i> subsp. <i>platycarpum</i>
lomatium, stinking	<i>Lomatium macrocarpum</i>
lookingglass, venus	<i>Triodanis perfoliata</i>
loosestrife	<i>Lysimachia</i> spp.
loosestrife, hyssop	<i>Lythrum hyssopifolia</i>
loosestrife, purple	<i>Lythrum salicaria</i>
loosestrife, purple	<i>Lythrum virgatum</i>
lousewort	<i>Pedicularis</i> spp.
lovegrass	<i>Eragrostis</i> spp.
lovegrass, Boer	<i>Eragrostis curvula</i>
lovegrass, Lehmann	<i>Eragrostis lehmanniana</i>
lovegrass, plains	<i>Eragrostis intermedia</i>
lovegrass, purple	<i>Eragrostis spectabilis</i>
lovegrass, red	<i>Eragrostis secundiflora</i> subsp. <i>oxylepis</i>
lovegrass, sand	<i>Eragrostis trichodes</i>
lovegrass, sand	<i>Eragrostis trichodes</i>
lovegrass, spreading	<i>Eragrostis pectinacea</i>
lovegrass, tough	<i>Eragrostis plana</i>
lovegrass, weeping	<i>Eragrostis curvula</i>
lovegrass, Wilman	<i>Eragrostis superba</i>
love-in-a-mist	<i>Nigella damascena</i>
low-wives	<i>Achyrochaena mollis</i>
lucerne	<i>Medicago sativa</i> subsp. <i>sativa</i>
lunaria	<i>Lunaria annua</i>
lupine	<i>Lupinus</i> spp.
lupine, arctic	<i>Lupinus arcticus</i>
lupine, arroyo	<i>Lupinus succulentus</i>
lupine, blue	<i>Lupinus angustifolius</i>
lupine, broadleaf	<i>Lupinus latifolius</i>
lupine, bush	<i>Lupinus excubitus</i>

COMMON NAME	SCIENTIFIC NAME
lupine, desert	<i>Lupinus arizonicus</i>
lupine, desert	<i>Lupinus sparsiflorus</i>
lupine, golden	<i>Lupinus microcarpus</i> var. <i>densiflorus</i>
lupine, longspur	<i>Lupinus arbustus</i>
lupine, miniature	<i>Lupinus bicolor</i>
lupine, Mojave	<i>Lupinus sparsiflorus</i>
lupine, mountain	<i>Lupinus argenteus</i> var. <i>rubricaulis</i>
lupine, narrow-leaved	<i>Lupinus angustifolius</i>
lupine, Nootka	<i>Lupinus nootkensis</i>
lupine, Pacific	<i>Lupinus lepidus</i>
lupine, perennial	<i>Lupinus perennis</i>
lupine, Russell hybrids	<i>Lupinus polyphyllus</i>
lupine, sicklekeel	<i>Lupinus alba</i> var. <i>albicaulis</i>
lupine, silky	<i>Lupinus sericeus</i>
lupine, silvery	<i>Lupinus argenteus</i>
lupine, sky-blue-and-white	<i>Lupinus nanus</i>
lupine, sundial	<i>Lupinus perennis</i>
lupine, tailcup	<i>Lupinus argenteus</i> var. <i>heteranthus</i>
lupine, Texas	<i>Lupinus texensis</i>
lupine, tree	<i>Lupinus arboreus</i>
lupine, white	<i>Lupinus albus</i>
lupine, wild	<i>Lupinus perennis</i>
lupine, yellow	<i>Lupinus luteus</i>
lythrum	<i>Lythrum</i> spp.
lythrum, succulent	<i>Lythrum salicaria</i>
madder, field	<i>Sherardia arvensis</i>
madder, wild	<i>Galium mollugo</i>
mad-dog weed	<i>Alisma plantago-aquatica</i>
madia, common	<i>Madia elegans</i>
madrone, Pacific	<i>Arbutus menziesii</i>
madwort, German	<i>Asperugo procumbens</i>
madwort, giant	<i>Aurinia petraea</i>
magnolia, southern	<i>Magnolia grandiflora</i>
mahonia, creeping	<i>Berberis repens</i>
mahonia, Laredo	<i>Berberis trifoliolata</i>
mahonia, red	<i>Berberis haematocarpa</i>
maikoa	<i>Brugmansia arborea</i>
malachra	<i>Malachra alceifolia</i>
mallow	<i>Malva</i> spp.
mallow, alkali	<i>Malvella leprosa</i>
mallow, beaked	<i>Malvastrum coromandelianum</i>
mallow, common	<i>Malva neglecta</i>
mallow, curly	<i>Malva verticillata</i>
mallow, false-yellow	<i>Malvastrum hispidum</i>
mallow, high	<i>Malva sylvestris</i>
mallow, little	<i>Malva parviflora</i>
mallow, musk	<i>Malva moschata</i>
mallow, poppy	<i>Callirhoe involucrata</i>
mallow, prickly	<i>Sida spinosa</i>
mallow, rose	<i>Hibiscus cannabinus</i>
mallow, roundleaf	<i>Malva pusilla</i>
mallow, round-leaved	<i>Malva pusilla</i>
mallow, whorled	<i>Malva verticillata</i>
mallow, woodland	<i>Malva sylvestris</i>
Maltese-cross	<i>Silene chalconica</i>
mangel	<i>Beta vulgaris</i> subsp. <i>vulgaris</i>
manilagrass	<i>Zoysia matrella</i>
manna grass	<i>Glyceria</i> spp.
manna grass, American	<i>Glyceria grandis</i>
manna grass, fowl	<i>Glyceria striata</i>
manna grass, tall	<i>Glyceria elata</i>
manna grass, water	<i>Glyceria fluitans</i>
manna grass, western	<i>Glyceria occidentalis</i>
manyawn, pricklyleaf	<i>Thymophylla aurea</i>

## AOSA Rules for Testing Seeds

COMMON NAME	SCIENTIFIC NAME
manzanita, bigberry	<i>Arctostaphylos glauca</i>
manzanita, greenleaf	<i>Arctostaphylos patula</i>
maple, Amur	<i>Acer tatarium</i> subsp. <i>ginnala</i>
maple, bigleaf	<i>Acer macrophyllum</i>
maple, box elder	<i>Acer negundo</i>
maple, dwarf	<i>Acer glabrum</i>
maple, mountain	<i>Acer spicatum</i>
maple, negundo	<i>Acer negundo</i>
maple, Norway	<i>Acer platanoides</i>
maple, red	<i>Acer rubrum</i>
maple, silver	<i>Acer saccharinum</i>
maple, striped	<i>Acer pensylvanicum</i>
maple, sugar	<i>Acer saccharum</i>
maple, sycamore	<i>Acer pseudoplatanus</i>
maple, vine	<i>Acer circinatum</i>
marabu	<i>Dichrostachys cinerea</i>
marguerite, golden	<i>Cota tinctoria</i>
marigold	<i>Tagetes</i> spp.
marigold, African	<i>Tagetes erecta</i>
marigold, desert	<i>Baileya multiradiata</i>
marigold, French	<i>Tagetes patula</i>
marigold, pot	<i>Calendula officinalis</i>
marigold, signet	<i>Tagetes tenuifolia</i>
marigold, wild	<i>Tagetes minuta</i>
marigold, woolly	<i>Baileya multiradiata</i>
marijuana	<i>Cannabis sativa</i>
mariola	<i>Parthenium incanum</i>
marjoram, sweet	<i>Origanum majorana</i>
marjoram, wild	<i>Origanum vulgare</i>
marsh-elder	<i>Cyclachaena xanthiifolia</i>
marshmallow	<i>Althaea officinalis</i>
marshmallow, hairy	<i>Althaea hirsuta</i>
marshmallow, rough	<i>Althaea hirsuta</i>
marsh-pea	<i>Lathyrus palustris</i>
marshweed, Indian	<i>Limnophila indica</i>
marlynia	<i>Proboscidea louisianica</i> subsp. <i>louisianica</i>
marvel-of-Peru	<i>Mirabilis jalapa</i>
mascarenegrass	<i>Zoysia tenuifolia</i>
matricaria	<i>Matricaria</i> spp.
matricaria	<i>Tanacetum parthenium</i>
maypop; passion flower	<i>Passiflora incarnata</i>
mayweed, scentless	<i>Tripleurospermum maritimum</i> subsp. <i>inodorum</i>
mayweed	<i>Anthemis cotula</i>
mayweed, scentless	<i>Tripleurospermum inodorum</i>
meadow rue	<i>Thalictrum</i> spp.
meadowfoam	<i>Limnanthes alba</i>
meadowgrass, Pacific	<i>Alopecurus saccatus</i>
meadow-rue, Fendler's	<i>Thalictrum fendleri</i>
meadow-rue, purple	<i>Thalictrum dasycarpum</i>
medic	<i>Medicago</i> spp.
medic, black	<i>Medicago lupulina</i>
medic, cogwheel	<i>Medicago turbinata</i>
medic, spotted	<i>Medicago arabica</i>
medusahead	<i>Taeniatherum caput-medusae</i> subsp. <i>asperum</i>
medusahead	<i>Taeniatherum caput-medusae</i> subsp. <i>caput-medusae</i>
medusahead rye	<i>Taeniatherum caput-medusae</i> subsp. <i>asperum</i>
medusahead rye	<i>Taeniatherum caput-medusae</i> subsp. <i>caput-medusae</i>
melaleuca	<i>Melaleuca quinquenervia</i>
melastoma, banks	<i>Melastoma malabathricum</i>

COMMON NAME	SCIENTIFIC NAME
melic, California	<i>Melica californica</i>
melon, dudaim	<i>Cucumis melo</i> subsp. <i>agrestis</i> var. <i>chito</i>
melon, paddy	<i>Cucumis myriocarpus</i>
menodora, spiny	<i>Menodora spinescens</i>
mentzelia, bractless	<i>Mentzelia nuda</i>
mentzelia, bushy	<i>Mentzelia dispersa</i>
mentzelia, whitestem	<i>Mentzelia albicaulis</i>
mesquite	<i>Prosopis juliflora</i> var. <i>juliflora</i>
mesquite	<i>Prosopis</i> spp.
mesquite, creeping	<i>Prosopis strombulifera</i>
mesquite, curly	<i>Hilaria belangeri</i>
mesquite, false	<i>Calliandra eriophylla</i>
mesquite, velvet	<i>Prosopis velutina</i>
mesquite, vine	<i>Hopia obtusa</i>
Mexican hat	<i>Ratibida columnifera</i>
Mexican-tea	<i>Dysphania ambrasioides</i>
Mexican-weed	<i>Caperonia castaneifolia</i>
Miconia	<i>Miconia</i> spp.
microseris	<i>Microseris</i> spp.
mignonette	<i>Reseda</i> spp.
mignonette	<i>Reseda odorata</i>
mignonette, yellow	<i>Reseda lutea</i>
mile-a-minute	<i>Mikania cordata</i>
mile-a-minute	<i>Persicaria perfoliata</i>
mile-a-minute vine	<i>Mikania micrantha</i>
milkthistle	<i>Silybum marianum</i>
milkthistle, blessed	<i>Silybum marianum</i>
milkvetch	<i>Astragalus</i> spp.
milk-vetch, basalt	<i>Astragalus filipes</i>
milkvetch, Canada	<i>Astragalus canadensis</i>
milkvetch, Chinese	<i>Astragalus chinensis</i>
milkvetch, cicer	<i>Astragalus cicer</i>
milk-vetch, Drummond's	<i>Astragalus drummondii</i>
milkvetch, flexile	<i>Astragalus flexuosus</i>
milk-vetch, lesser rushy	<i>Astragalus convallarius</i>
milkvetch, narrow-leaved	<i>Astragalus pectinatus</i>
milkvetch, Nuttall	<i>Astragalus nuttallianus</i>
milkvetch, ruby	<i>Oxytropis riparia</i>
milkvetch, sicklepod	<i>Astragalus falcatus</i>
milkvetch, timber	<i>Astragalus miser</i>
milkweed	<i>Asclepias</i> spp.
milkweed, bloodflower	<i>Asclepias curassavica</i>
milkweed, butterfly	<i>Asclepias tuberosa</i>
milkweed, climbing	<i>Cynanchum laeve</i>
milkweed, common	<i>Asclepias syriaca</i>
milkweed, honeyvine	<i>Cynanchum laeve</i>
milkweed, labriform	<i>Asclepias labriformis</i>
milkweed, low poison	<i>Asclepias pumila</i>
milkweed, Mexican	<i>Asclepias mexicana</i>
milkweed, Mexican	<i>Asclepias fascicularis</i>
milkweed, poison	<i>Asclepias subverticillata</i>
milkweed, showy	<i>Asclepias speciosa</i>
milkweed, swamp	<i>Asclepias incarnata</i>
milkweed, whorled	<i>Asclepias verticillata</i>
milkweed, whorled	<i>Asclepias subverticillata</i>
milkwort	<i>Polygala</i> spp.
millet, African	<i>Eleusine coracana</i>
millet, broomcorn	<i>Panicum miliaceum</i>
millet, browntop	<i>Urochloa ramosa</i>
millet, foxtail	<i>Setaria italica</i> subsp. <i>italica</i>
millet, Italian	<i>Setaria italica</i> subsp. <i>italica</i>
millet, Japanese	<i>Echinochloa frumentacea</i>
millet, Kodo	<i>Paspalum scrobiculatum</i>
millet, pearl	<i>Cenchrus americanus</i>



### Volume 3. Uniform Classification of Weed and Crop Seeds

COMMON NAME	SCIENTIFIC NAME
millet, proso	<i>Panicum miliaceum</i>
millet, Texas	<i>Urochloa texana</i>
milo	<i>Sorghum bicolor</i> subsp. <i>bicolor</i>
mimosa, catclaw	<i>Mimosa pigra</i>
mint	<i>Mentha</i> spp.
mint, Canada	<i>Mentha canadensis</i>
mint, curled	<i>Mentha spicata</i>
mint, field	<i>Mentha arvensis</i>
mint, lemon	<i>Monarda citriodora</i>
mint, mountain	<i>Pycnanthemum</i> spp.
Miramar-weed	<i>Hygrophila polysperma</i>
mistletoe, European	<i>Viscum album</i>
missiongrass	<i>Cenchrus polystachios</i>
molassesgrass	<i>Melinis minutiflora</i>
moleplant	<i>Euphorbia lathyris</i>
monarch-daisy	<i>Arctotis fastuosa</i>
moneyplant	<i>Lunaria annua</i>
moneywort	<i>Lysimachia nummularia</i>
monkeyflower	<i>Mimulus</i> spp.
monkeyflower, cardinal	<i>Erythranthe cardinalis</i>
monkeyflower, creek	<i>Erythranthe guttata</i>
monkeyflower, Lewis	<i>Erythranthe lewisii</i>
monkeyflower, mission red	<i>Diplacus aurantiacus</i>
monkeyflower, purple	<i>Erythranthe lewisii</i>
monkeyflower, southern	<i>Diplacus longiflorus</i>
monkeyflower, sticky	<i>Diplacus aurantiacus</i>
monkeyflower, tiger	<i>Mimulus x-hybridus</i>
monkshood	<i>Aconitum delphinifolium</i>
monkshood, garden	<i>Aconitum napellus</i>
monochoria	<i>Monochoria hastate</i>
monochoria, arrow-leaf	<i>Monochoria hastate</i>
monochoria, oval-leaf	<i>Monochoria vaginalis</i>
monolepis, Nuttall	<i>Blitum nuttallianum</i>
montia, narrow-leaved	<i>Montia linearis</i>
moonflower	<i>Ipomoea alba</i>
moonflower, purple	<i>Ipomoea muricata</i>
moorgrass	<i>Molinia caerulea</i>
Mormon-tea, green	<i>Ephedra viridis</i>
Mormon-tea, Nevada	<i>Ephedra nevadensis</i>
morning-glory	<i>Ipomoea</i> spp.
morning-glory	<i>Ipomoea tricolor</i>
morning-glory, aiea	<i>Ipomoea triloba</i>
morning-glory, bigroot	<i>Ipomoea pandurata</i>
morning-glory, bush	<i>Ipomoea leptophylla</i>
morning-glory, cypress-vine	<i>Ipomoea quamoclit</i>
morning-glory, giant	<i>Ipomoea muricata</i>
morning-glory, hairy	<i>Jacquemontia tamnifolia</i>
morning-glory, ivyleaf	<i>Ipomoea hederacea</i>
morning-glory, small-white-flowered	<i>Ipomoea lacunosa</i>
morning-glory, swamp	<i>Ipomoea aquatica</i>
morning-glory, tall	<i>Ipomoea purpurea</i>
morning-glory, white	<i>Ipomoea alba</i>
morning-glory, wild	<i>Ipomoea purpurea</i>
morning-glory, woolly	<i>Ipomoea purpurea</i>
moss-rose	<i>Portulaca grandiflora</i>
mother-of-thyme	<i>Thymus serpyllum</i>
motherwort	<i>Leonurus cardiaca</i>
mountain-ash	<i>Sorbus</i> spp.
mountain-ash, American	<i>Sorbus americana</i>
mountain-ash, Greene's	<i>Sorbus scopulina</i>
mountain-ash, western	<i>Sorbus scopulina</i>
mountain-bluet	<i>Centaurea montana</i>
mountaincress	<i>Arabis alpina</i>

COMMON NAME	SCIENTIFIC NAME
mountain-mahogany	<i>Cercocarpus</i> spp.
mountain-mahogany, birchleaf	<i>Cercocarpus betuloides</i> var. <i>betuloides</i>
mountain-mahogany, curleaf	<i>Cercocarpus ledifolius</i>
mountain-mahogany, true	<i>Cercocarpus montanus</i> var. <i>montanus</i>
mountainmint, whorled	<i>Pycnanthemum virginianum</i>
mountaintrumpet, narrowleaf	<i>Collomia linearis</i>
mourning-bride, annual	<i>Scabiosa atropurpurea</i>
mouse-ear, sticky	<i>Cerastium glomeratum</i>
muhly, alkali	<i>Muhlenbergia asperifolia</i>
muhly, cutover	<i>Muhlenbergia expansa</i>
muhly, green	<i>Muhlenbergia racemosa</i>
muhly, marsh	<i>Muhlenbergia racemosa</i>
muhly, mountain	<i>Muhlenbergia montana</i>
muhly, pullup	<i>Muhlenbergia filiformis</i>
muhly, spike	<i>Muhlenbergia wrightii</i>
muhly, wirestem	<i>Muhlenbergia frondosa</i>
mule-fat	<i>Baccharis salicifolia</i>
mules ears	<i>Wyethia amplexicaulis</i>
mulesears, woolly	<i>Wyethia mollis</i>
mullein	<i>Verbascum</i> spp.
mullein, common	<i>Verbascum thapsus</i>
mullein, moth	<i>Verbascum blattaria</i>
mullein-pink	<i>Silene coronaria</i>
murainoglass	<i>Ischaemum rugosum</i>
muskmelon	<i>Cucumis melo</i>
mustard, African	<i>Brassica tournefortii</i>
mustard, ball	<i>Neslia paniculata</i>
mustard, black	<i>Brassica nigra</i>
mustard, blue	<i>Chorispora tenella</i>
mustard, brown	<i>Brassica juncea</i>
mustard, California	<i>Streptanthus lasiophyllus</i>
mustard, common giant	<i>Rapistrum rugosum</i>
mustard, dog	<i>Erucastrum gallicum</i>
mustard, field	<i>Brassica rapa</i> subsp. <i>trilocularis</i>
mustard, field	<i>Sinapis arvensis</i> subsp. <i>arvensis</i>
mustard, hairy	<i>Hirschfeldia incana</i>
mustard, hare's-ear	<i>Conringia orientalis</i>
mustard, hedge	<i>Sisymbrium officinale</i>
mustard, hill	<i>Bunias orientalis</i>
mustard, India	<i>Brassica juncea</i>
mustard, Indian	<i>Brassica juncea</i>
mustard, purple	<i>Chorispora tenella</i>
mustard, shortpod	<i>Hirschfeldia incana</i>
mustard, smooth	<i>Turritis glabra</i>
mustard, spinach	<i>Brassica rapa</i> var. <i>perviridis</i>
mustard, tall hedge	<i>Sisymbrium loeselii</i>
mustard, tower	<i>Turritis glabra</i>
mustard, treacle	<i>Erysimum repandum</i>
mustard, tumble	<i>Sisymbrium altissimum</i>
mustard, white	<i>Sinapis alba</i> subsp. <i>alba</i>
mustard, wild	<i>Brassica nigra</i>
mustard, wild	<i>Sinapis arvensis</i> subsp. <i>arvensis</i>
mustard, wild	<i>Brassica tournefortii</i>
mustard, wormseed	<i>Erysimum cheiranthoides</i>
muttongrass	<i>Poa fendleriana</i>
myosotis	<i>Myosotis scorpioides</i>
myrtle, downy	<i>Rhodomyrtus tomentosa</i>
myrtle, Oregon	<i>Umbellularia californica</i>
nannyberry	<i>Viburnum lentago</i>
napierrgrass	<i>Cenchrus purpureus</i>
napierrgrass, thin	<i>Cenchrus polystachios</i>
nasturtium	<i>Tropaeolum majus</i>
nasturtium	<i>Tropaeolum</i> spp.
natalgrass	<i>Melinis repens</i>

## AOSA Rules for Testing Seeds

COMMON NAME	SCIENTIFIC NAME
navarretia, needleleaved	<i>Navarretia intertexta</i>
needle-and-thread	<i>Hesperostipa comata</i>
needlegrass	<i>Stipa</i> spp.
needlegrass, desert	<i>Achnatherum speciosum</i>
needlegrass, foothill	<i>Nassella lepida</i>
needlegrass, green	<i>Nassella viridula</i>
needlegrass, Lemmon's	<i>Achnatherum lemmonii</i>
needlegrass, Letterman's	<i>Achnatherum lettermanii</i>
needlegrass, subalpine	<i>Achnatherum nelsonii</i> subsp. <i>dorei</i>
needlegrass, Thurber	<i>Achnatherum thurberianum</i>
needlegrass, western	<i>Achnatherum occidentale</i>
nemesia	<i>Nemesia</i> spp.
nemophila	<i>Nemophila</i> spp.
nemophila, spotted	<i>Nemophila maculata</i>
nettle	<i>Urtica</i> spp.
nettle, stinging	<i>Hesperocnide sandwicensis</i>
nettle, stinging	<i>Urtica dioica</i>
nicotiana	<i>Nicotiana</i> × <i>sanderæ</i>
nierembergia	<i>Nierembergia</i> spp.
nigella	<i>Nigella damascena</i>
niger	<i>Guizotia abyssinica</i>
nightshade	<i>Solanum</i> spp.
nightshade, American black	<i>Solanum americanum</i>
nightshade, bitter	<i>Solanum dulcamara</i>
nightshade, black	<i>Solanum nigrum</i>
nightshade, cutleaf	<i>Solanum triflorum</i>
nightshade, eastern black	<i>Solanum ptychanthum</i>
nightshade, hairy	<i>Solanum physalifolium</i>
nightshade, hairy	<i>Solanum villosum</i>
nightshade, heartleaf	<i>Solanum cardiophyllum</i>
nightshade, inland	<i>Solanum interius</i>
nightshade, lanceleaf	<i>Solanum lanceolatum</i>
nightshade, melonleaf	<i>Solanum heterodoxum</i>
nightshade, purple	<i>Solanum elaeagnifolium</i>
nightshade, silverleaf	<i>Solanum elaeagnifolium</i>
nightshade, three-flowered	<i>Solanum triflorum</i>
nightshade, Torrey's	<i>Solanum dimidiatum</i>
nightshade, wetland	<i>Solanum tampicense</i>
nightshade, white-margined	<i>Solanum marginatum</i>
nimblewill	<i>Muhlenbergia schreberi</i>
ninebark, Pacific	<i>Physocarpus capitatus</i>
nipplewort	<i>Lapsana communis</i>
nitgrass	<i>Gastridium ventricosum</i>
no common name	<i>Adesmia</i> spp.
no common name	<i>Alyssum simplex</i>
no common name	<i>Diplacus puniceus</i>
no common name	<i>Lupinus lepidus</i>
no common name	<i>Medinilla venosa</i>
no common name	<i>Oxyspora paniculata</i>
no common name	<i>Prosopis alpataco</i>
no common name	<i>Prosopis argentina</i>
no common name	<i>Prosopis burkartii</i>
no common name	<i>Prosopis caldenia</i>
no common name	<i>Prosopis campestris</i>
no common name	<i>Prosopis castellanosi</i>
no common name	<i>Prosopis denudans</i>
no common name	<i>Prosopis elata</i>
no common name	<i>Prosopis farcta</i>
no common name	<i>Prosopis ferox</i>
no common name	<i>Prosopis fiebrigii</i>
no common name	<i>Prosopis hassleri</i>
no common name	<i>Prosopis humilis</i>
no common name	<i>Prosopis kuntzei</i>
no common name	<i>Prosopis palmeri</i>

COMMON NAME	SCIENTIFIC NAME
no common name	<i>Prosopis reptans</i> var. <i>reptans</i>
no common name	<i>Prosopis rojasiana</i>
no common name	<i>Prosopis ruizlealii</i>
no common name	<i>Prosopis ruscifolia</i>
no common name	<i>Prosopis sericantha</i>
no common name	<i>Prosopis torquata</i>
no common name	<i>Rubus ellipticus</i> var. <i>ellipticus</i>
no common name	<i>Rubus ellipticus</i> var. <i>obcordatus</i>
no common name	<i>Rytidosperma nudum</i>
no common name	<i>Tibouchina</i> spp.
no common name	<i>Toxicodendron parviflorum</i>
nutgrass	<i>Cyperus</i> spp.
nutgrass, purple	<i>Cyperus rotundus</i>
nutgrass, yellow	<i>Cyperus esculentus</i>
nutsedge	<i>Cyperus</i> spp.
nutsedge, purple	<i>Cyperus rotundus</i>
nutsedge, yellow	<i>Cyperus esculentus</i>
oak	<i>Quercus</i> spp.
oak, California black	<i>Quercus kelloggii</i>
oak, canyon live	<i>Quercus chrysolepis</i>
oak, chinkapin	<i>Quercus muehlenbergii</i>
oak, Gambel	<i>Quercus gambelii</i>
oak, live	<i>Quercus virginiana</i>
oak, Oregon white	<i>Quercus garryana</i>
oak, Shumard	<i>Quercus shumardii</i>
oak, water	<i>Quercus nigra</i>
oak, white	<i>Quercus alba</i>
oat	<i>Avena sativa</i>
oat, animated	<i>Avena sterilis</i>
oat, naked	<i>Avena nuda</i>
oat, sand	<i>Avena strigosa</i>
oat, slender	<i>Avena barbata</i>
oat, sterile	<i>Avena sterilis</i>
oat, wild	<i>Avena fatua</i>
oatgrass	<i>Danthonia</i> spp.
oatgrass, California	<i>Danthonia californica</i>
oatgrass, Parry's	<i>Danthonia parryi</i> Scribn.
oatgrass, poverty	<i>Danthonia spicata</i>
oatgrass, tall	<i>Arrhenatherum elatius</i>
oatgrass, yellow	<i>Trisetum flavescens</i>
obedience	<i>Physostegia virginiana</i>
ocean-spray	<i>Holodiscus discolor</i>
okra	<i>Abelmoschus esculentus</i>
old-man's-whiskers	<i>Geum triflorum</i>
olive, Russian	<i>Elaeagnus angustifolia</i>
onion	<i>Allium cepa</i>
onion, flowering	<i>Allium neapolitanum</i>
onion, mediterranean	<i>Allium paniculatum</i>
onion, narrowleaved	<i>Allium amplexans</i>
onion, nodding	<i>Allium cernuum</i>
onion, panicled	<i>Allium paniculatum</i>
onion, prairie	<i>Allium</i> spp.
onion, tapertip	<i>Allium acuminatum</i>
onion, textile	<i>Allium textile</i>
onion, Welsh	<i>Allium fistulosum</i>
onion, wild	<i>Allium canadense</i>
onion, wild	<i>Allium praecox</i>
onion, wild	<i>Allium</i> spp.
onion, wild bulbous	<i>Allium canadense</i>
onionweed	<i>Asphodelus fistulosus</i>
ononis, cammock	<i>Ononis repens</i>
orach, common	<i>Atriplex prostrata</i>
orach, garden	<i>Atriplex hortensis</i>
orach, red	<i>Atriplex rosea</i>

### Volume 3. Uniform Classification of Weed and Crop Seeds

COMMON NAME	SCIENTIFIC NAME
orach, spreading	<i>Atriplex argentea</i> subsp. <i>mohavensis</i>
orchardgrass	<i>Dactylis glomerata</i>
orchid, poor-man's	<i>Schizanthus</i> spp.
oregano	<i>Origanum vulgare</i>
osha-root	<i>Ligusticum porteri</i>
oswego-tea	<i>Monarda didyma</i>
ottelia, water-plantain	<i>Ottelia alismoides</i>
oval-leaf-pondweed	<i>Monochoria vaginalis</i>
owclover	<i>Orthocarpus</i> spp.
owclover, purple	<i>Orthocarpus bracteosus</i>
oxalis	<i>Oxalis</i> spp.
oxeye, willowleaf	<i>Bupthalmum salicifolium</i>
oxtongue, bristly	<i>Helminthotheca echioides</i>
oxtongue, hawkweed	<i>Picris hieracioides</i>
oxygen-weed	<i>Lagarosiphon major</i>
oysterplant	<i>Tragopogon porrifolius</i>
paintbrush	<i>Castilleja</i> spp.
painted-daisy	<i>Tanacetum</i> spp.
painted-tongue	<i>Salpiglossis sinuata</i>
pak-choi	<i>Brassica rapa</i> subsp. <i>chinensis</i>
paloverde	<i>Parkinsonia florida</i>
paloverde, yellow	<i>Parkinsonia microphylla</i>
pamakani, hamakua	<i>Ageratina riparia</i>
pamakani, Maui	<i>Ageratina adenophora</i>
panicgrass	<i>Panicum</i> spp.
panicgrass, blue	<i>Panicum antidotale</i>
panicgrass, green	<i>Megathyrsus maximus</i>
panicgrass, prairie	<i>Kelloggloa brachyantha</i>
panicum, beaked	<i>Coleataenia anceps</i>
panicum, Berg	<i>Panicum bergii</i>
panicum, browntop	<i>Urochloa fusca</i>
panicum, fall	<i>Panicum dichotomiflorum</i>
panicum, gaping	<i>Steinchisma hians</i>
panicum, hairy	<i>Dichanthelium acuminatum</i> subsp. <i>acuminatum</i>
panicum, woolly	<i>Dichanthelium acuminatum</i> subsp. <i>acuminatum</i>
pansy	<i>Viola tricolor</i>
paperbark, broadleaf	<i>Melaleuca quinquenervia</i>
paperflower, whitestem	<i>Psilostrophe cooperi</i>
paragrass	<i>Urochloa mutica</i>
Paraguay-bur	<i>Acanthospermum australe</i>
parentucellia	<i>Parentucellia viscosa</i>
parsley	<i>Petroselinum crispum</i>
parsley, corn	<i>Petroselinum segetum</i>
parsley, fool's	<i>Aethusa cynapium</i>
parsley, mock	<i>Apiastrum angustifolium</i>
parsnip	<i>Pastinaca sativa</i>
parsnip, wild	<i>Pastinaca sativa</i>
paspalum	<i>Paspalum</i> spp.
paspalum, brown-seed	<i>Paspalum plicatulum</i>
paspalum, bull	<i>Paspalum boscianum</i>
paspalum, field	<i>Paspalum laeve</i>
paspalum, Florida	<i>Paspalum floridanum</i>
paspalum, ribbed	<i>Paspalum malacophyllum</i>
paspalum, sand	<i>Paspalum setaceum</i> var. <i>stramineum</i>
paspalum, thin	<i>Paspalum setaceum</i>
pasqueflower, eastern	<i>Anemone patens</i>
pasqueflower, European	<i>Anemone pulsatilla</i>
passionflower, bluecrown	<i>Passiflora cerulea</i>
passionflower, wingleaf	<i>Passiflora bicornis</i>
passionfruit, banana	<i>Passiflora tripartita</i> var. <i>mollissima</i>
pea	<i>Pisum</i> spp.
pea, field	<i>Pisum sativum</i> subsp. <i>sativum</i> var. <i>arvense</i>

COMMON NAME	SCIENTIFIC NAME
pea, garden	<i>Pisum sativum</i> subsp. <i>sativum</i> var. <i>sativum</i>
pea, groundnut	<i>Lathyrus tuberosus</i>
pea, partridge	<i>Chamaecrista fasciculata</i>
pea, rosary	<i>Abrus precatorius</i>
pea, sensitive	<i>Chamaecrista nictitans</i>
pea, sulphur	<i>Lathyrus sulphureus</i>
pea, Swainson	<i>Sphaerophysa salsula</i>
pea, wild	<i>Lathyrus</i> spp.
pea, yellow	<i>Lathyrus aphaca</i>
peach	<i>Prunus persica</i>
peach, desert	<i>Prunus andersonii</i>
peach-bells	<i>Campanula persicifolia</i>
peachthorn	<i>Lycium cooperi</i>
peanut	<i>Arachis hypogaea</i>
pear	<i>Pyrus communis</i>
pearl, the	<i>Achillea ptarmica</i>
pearlgrass, blue	<i>Molinia caerulea</i>
pearlwort	<i>Sagina subulata</i>
peashrub, Siberian	<i>Caragana arborescens</i>
peatree	<i>Sesbania exaltata</i>
peavine	<i>Lathyrus angulatus</i>
peaweed, Austrian	<i>Sphaerophysa salsula</i>
pecan	<i>Carya illinoensis</i>
pennycress, field	<i>Thlaspi arvense</i>
pennyroyal, American	<i>Hedeoma pulegioides</i>
pennyroyal, bastard	<i>Trichostema dichotomum</i>
penstemon	<i>Penstemon</i> spp.
penstemon, basin blue	<i>Penstemon cyanocaulis</i>
penstemon, beardlip	<i>Penstemon barbatus</i>
penstemon, blue	<i>Penstemon cyaneus</i>
penstemon, blue mountain	<i>Penstemon rydbergii</i>
penstemon, desert	<i>Penstemon pseudospectabilis</i>
penstemon, firecracker	<i>Penstemon eatonii</i>
penstemon, Great Basin	<i>Penstemon subglaber</i>
penstemon, lilac	<i>Penstemon gracilis</i>
penstemon, lowbush	<i>Penstemon fruticosus</i>
penstemon, narrow-leaf	<i>Penstemon angustifolius</i>
penstemon, Palmer	<i>Penstemon palmeri</i>
penstemon, Parry	<i>Penstemon parryi</i>
penstemon, Rocky Mountain	<i>Penstemon strictus</i>
penstemon, Royal	<i>Penstemon speciosus</i>
penstemon, Rydberg's	<i>Penstemon rydbergii</i>
penstemon, scabland	<i>Penstemon deustus</i>
penstemon, sharp-leaf	<i>Penstemon acuminatus</i>
penstemon, shell-leaf	<i>Penstemon grandiflorus</i>
penstemon, showy	<i>Penstemon spectabilis</i>
penstemon, showy	<i>Penstemon pseudospectabilis</i>
penstemon, small-flower	<i>Penstemon procerus</i>
penstemon, smooth	<i>Penstemon laevigatus</i>
penstemon, smooth	<i>Penstemon subglaber</i>
penstemon, thickleaf	<i>Penstemon pachyphyllus</i>
penstemon, type	<i>Penstemon hirsutus</i>
penstemon, Venus	<i>Penstemon venustus</i>
penstemon, Wasatch	<i>Penstemon cyananthus</i>
penstemon, white	<i>Penstemon albidus</i>
peony, Brown's	<i>Paeonia brownii</i>
pepper	<i>Capsicum</i> spp.
pepper, habanero	<i>Capsicum chinense</i>
pepper, hooked-spiked	<i>Piper aduncum</i>
pepper, ornamental	<i>Capsicum</i> spp.
peppergrass	<i>Lepidium</i> spp.
peppergrass, field	<i>Lepidium campestre</i>
peppergrass, perennial	<i>Lepidium latifolium</i>
peppergrass	<i>Lepidium</i> spp.

## AOSA Rules for Testing Seeds

COMMON NAME	SCIENTIFIC NAME
peppergrass	<i>Lepidium fremontii</i>
peppergrass, field	<i>Lepidium campestre</i>
peppergrass, perennial	<i>Lepidium chalepense</i>
peppermint	<i>Mentha ×piperita</i>
pepperweed	<i>Lepidium</i> spp.
pepperweed, clasping	<i>Lepidium perfoliatum</i>
pepperweed, desert	<i>Lepidium fremontii</i>
pepperweed, field	<i>Lepidium campestre</i>
pepperweed, greenflowered	<i>Lepidium densiflorum</i>
pepperweed, perennial	<i>Lepidium latifolium</i>
pepperweed, perfoliate	<i>Lepidium perfoliatum</i>
pepperweed, prairie	<i>Lepidium densiflorum</i>
pepperweed, Smith	<i>Lepidium heterophyllum</i>
pepperweed, tongue	<i>Lepidium nitidum</i>
pepperweed, Virginia	<i>Lepidium virginicum</i>
pepperwort, hairy	<i>Marsilea vestita</i>
perilla	<i>Perilla frutescens</i>
periquito-sessil	<i>Altenanthera sessilis</i>
periwinkle, rose	<i>Catharanthus roseus</i>
pe-tsai	<i>Brassica rapa</i> subsp. <i>pekinensis</i>
petunia	<i>Petunia</i> spp.
phacelia	<i>Phacelia</i> spp.
phacelia, bluebell	<i>Phacelia minor</i>
phacelia, California	<i>Phacelia californica</i>
phacelia, caterpillar	<i>Phacelia cicutaria</i>
phacelia, harebell	<i>Phacelia campanularia</i>
phacelia, lanceleaf	<i>Phacelia hastata</i>
phacelia, silverleaf	<i>Phacelia hastata</i>
phacelia, tansy	<i>Phacelia tanacetifolia</i>
phlox	<i>Phlox</i> spp.
phlox, Drummond	<i>Phlox drummondii</i>
phlox, mountain	<i>Linaria genistifolia</i>
phlox, mountain	<i>Linanthus grandiflorus</i>
pickerel-weed	<i>Monochoria vaginalis</i>
pigeonpea	<i>Cajanus cajan</i>
pignut	<i>Hoffmanseggia glauca</i>
pigweed	<i>Amaranthus</i> spp.
pigweed, Palmer	<i>Amaranthus palmeri</i>
pigweed, prostrate	<i>Amaranthus blitoides</i>
pigweed, redroot	<i>Amaranthus retroflexus</i>
pigweed, rough	<i>Amaranthus retroflexus</i>
pigweed, Russian	<i>Axyris amaranthoides</i>
pigweed, slender	<i>Amaranthus hybridus</i>
pigweed, smooth	<i>Amaranthus hybridus</i>
pigweed, spiny	<i>Amaranthus spinosus</i>
pigweed, tumble	<i>Amaranthus albus</i>
pigweed, tumble	<i>Amaranthus graecizans</i>
pigweed, winged	<i>Cycloloma atriplicifolium</i>
pilpilula	<i>Chrysopogon aciculatus</i>
pimpernel, scarlet	<i>Anagallis arvensis</i>
pimpernel, smooth	<i>Anagallis monelli</i>
pincushion-flower	<i>Chaenactis fremontii</i>
pine, Aleppo	<i>Pinus halepensis</i>
pine, Austrian	<i>Pinus nigra</i> subsp. <i>nigra</i>
pine, bigcone	<i>Pinus coulteri</i>
pine, bishop	<i>Pinus muricata</i>
pine, Bosnian	<i>Pinus heldreichii</i>
pine, bristlecone	<i>Pinus aristata</i>
pine, Canary Island	<i>Pinus canariensis</i>
pine, Caribbean	<i>Pinus caribaea</i>
pine, cluster	<i>Pinus pinaster</i>
pine, Corsican	<i>Pinus nigra</i> subsp. <i>laricio</i>
pine, Coulter	<i>Pinus coulteri</i>
pine, eastern white	<i>Pinus strobus</i>

COMMON NAME	SCIENTIFIC NAME
pine, Formosa	<i>Pinus luchuensis</i>
pine, Himalayan	<i>Pinus wallichiana</i>
pine, Italian stone	<i>Pinus pinea</i>
pine, jack	<i>Pinus banksiana</i>
pine, Japanese black	<i>Pinus thunbergii</i>
pine, Japanese red	<i>Pinus densiflora</i>
pine, Japanese white	<i>Pinus parviflora</i>
pine, Jeffrey	<i>Pinus jeffreyi</i>
pine, Jelecote	<i>Pinus patula</i>
pine, Khasia	<i>Pinus kesiya</i>
pine, knobcone	<i>Pinus attenuata</i>
pine, limber	<i>Pinus flexilis</i>
pine, loblolly	<i>Pinus taeda</i>
pine, lodgepole	<i>Pinus contorta</i> var. <i>latifolia</i>
pine, longleaf	<i>Pinus palustris</i>
pine, Merkus	<i>Pinus merkusii</i>
pine, Mexican pinyon	<i>Pinus cembroides</i>
pine, Mexican yellow	<i>Pinus patula</i>
pine, Monterey	<i>Pinus radiata</i>
pine, Mugo Swiss mountain	<i>Pinus mugo</i> var. <i>mughus</i>
pine, Norway	<i>Pinus resinosa</i>
pine, Parry pinyon	<i>Pinus quadrifolia</i>
pine, pinyon	<i>Pinus edulis</i>
pine, pitch	<i>Pinus rigida</i>
pine, pond	<i>Pinus serotina</i>
pine, ponderosa	<i>Pinus ponderosa</i>
pine, red	<i>Pinus resinosa</i>
pine, sand	<i>Pinus clausa</i>
pine, Scotch	<i>Pinus sylvestris</i>
pine, Scots	<i>Pinus sylvestris</i>
pine, scrub	<i>Pinus virginiana</i>
pine, shore	<i>Pinus contorta</i> var. <i>contorta</i>
pine, shortleaf	<i>Pinus echinata</i>
pine, singleleaf pinyon	<i>Pinus monophylla</i>
pine, slash	<i>Pinus elliotii</i>
pine, southwestern white	<i>Pinus strobiformis</i>
pine, spruce	<i>Pinus glabra</i>
pine, sugar	<i>Pinus lambertiana</i>
pine, Swiss mountain	<i>Pinus mugo</i> var. <i>mugo</i>
pine, Swiss stone	<i>Pinus cembra</i>
pine, Virginia	<i>Pinus virginiana</i>
pine, western white	<i>Pinus monticola</i>
pine, western yellow	<i>Pinus ponderosa</i>
pine, whitebark	<i>Pinus albicaulis</i>
pineappleweed	<i>Matricaria discoidea</i>
pink, Deptford	<i>Dianthus armeria</i>
pinks, China	<i>Dianthus chinensis</i>
pinks, grass	<i>Dianthus plumarius</i>
pinks, Indian	<i>Dianthus chinensis</i>
pinks, maiden	<i>Dianthus deltoides</i>
piripiri	<i>Acaena anserinifolia</i>
planetree, American	<i>Platanus occidentalis</i>
plant, toothpick	<i>Ammi visnaga</i>
plantain	<i>Plantago</i> spp.
plantain, blackseed	<i>Plantago rugelii</i>
plantain, blond	<i>Plantago ovata</i>
plantain, bracted	<i>Plantago aristata</i>
plantain, broadleaf	<i>Plantago major</i>
plantain, buckhorn	<i>Plantago lanceolata</i>
plantain, common	<i>Plantago major</i>
plantain, crowfoot	<i>Plantago coronopus</i>
plantain, evergreen	<i>Plantago sempervirens</i>
plantain, flaxseed	<i>Plantago afra</i>
plantain, Mexican	<i>Plantago australis</i> subsp. <i>hirtella</i>

### Volume 3. Uniform Classification of Weed and Crop Seeds

COMMON NAME	SCIENTIFIC NAME
plantain, paleseed	<i>Plantago virginica</i>
plantain, redseed	<i>Plantago rhodosperma</i>
plantain, Rugel's	<i>Plantago rugelii</i>
plantain, slender	<i>Plantago pusilla</i>
plantain, Virginia	<i>Plantago virginica</i>
plantain, water	<i>Alisma plantago-aquatica</i>
plantain, woolly	<i>Plantago patagonica</i>
plum	<i>Prunus domestica</i>
plum, cherry	<i>Prunus andersonii</i>
plum, myrobalan	<i>Prunus cerasifera</i>
plumbago, Cape	<i>Plumbago auriculata</i>
plumegrass, Japanese	<i>Miscanthus floridulus</i>
poinsettia, annual	<i>Euphorbia heterophylla</i>
poinsettia, wild	<i>Euphorbia davidii</i>
poison-ivy	<i>Toxicodendron radicans</i>
poison-oak	<i>Toxicodendron diversilobum</i>
poison-sumac	<i>Toxicodendron vernix</i>
poka, banana	<i>Passiflora tripartita</i> var. <i>mollissima</i>
pokeweed	<i>Phytolacca americana</i>
polargrass	<i>Arctagrostis latifolia</i>
polemonium	<i>Polemonium</i> spp.
polemonium, annual	<i>Polemonium micranthum</i>
polka-dot plant	<i>Hypoestes phyllostachya</i>
polyanthus	<i>Primula</i> × <i>polyantha</i>
pondweed, curly leaf	<i>Potamogeton crispus</i>
popcornflower	<i>Plagiobothrys</i> spp.
popcornflower, hairy	<i>Plagiobothrys scouleri</i> var. <i>hispidulus</i>
poplar	<i>Populus</i> spp.
poplar, balsam	<i>Populus balsamifera</i> subsp. <i>balsamifera</i>
poppy	<i>Papaver</i> spp.
poppy, corn	<i>Papaver rhoeas</i>
poppy, Iceland	<i>Papaver nudicaule</i>
poppy, long-pod	<i>Papaver dubium</i>
poppy, matilija	<i>Romneya coulteri</i>
poppy, miniature	<i>Eschscholzia minutiflora</i>
poppy, opium	<i>Papaver somniferum</i>
poppy, Oriental	<i>Papaver orientale</i>
poppy, plume	<i>Bocconia frutescens</i>
poppy, roemer	<i>Roemeria refracta</i>
poppy, sea	<i>Glaucium corniculatum</i>
poppy, Shirley	<i>Papaver rhoeas</i>
poppy, smooth-fruited	<i>Papaver dubium</i>
poppy, tulip	<i>Papaver glaucum</i>
poppy, wind	<i>Stylomecon heterophylla</i>
portulaca	<i>Portulaca grandiflora</i>
potato	<i>Solanum tuberosum</i>
potentilla	<i>Drymocalis glandulosa</i>
povertygrass	<i>Aristida dichotoma</i>
povertygrass	<i>Aristida longespica</i> var. <i>geniculata</i>
povertygrass	<i>Aristida</i> spp.
povertyweed	<i>Iva axillaris</i>
povertyweed, mouse-ear	<i>Iva axillaris</i>
povertyweed, San Diego	<i>Iva hayesiana</i>
povertyweed, silverleaf	<i>Ambrosia tomentosa</i>
povertyweed, woollyleaf	<i>Ambrosia grayi</i>
prairieclover, blue mountain	<i>Dalea ornata</i>
prairieclover, purple	<i>Dalea purpurea</i>
prairieclover, silky	<i>Dalea villosa</i>
prairieclover, white	<i>Dalea candida</i>
prairie-dog-weed	<i>Dyssodia papposa</i>
prairie-tea	<i>Croton</i> spp.
prickly poppy, crested	<i>Argemone polyanthemus</i>
pricklyleaf, fiveneedle	<i>Thymophylla pentachaeta</i>
prickly-pear	<i>Opuntia</i> spp.

COMMON NAME	SCIENTIFIC NAME
prickly-pear, jointed	<i>Opuntia aurantiaca</i>
prickly-pear, plains	<i>Opuntia polyacantha</i>
pricklypoppy, bluestem	<i>Argemone albiflora</i>
pricklypoppy, hairy	<i>Argemone hispida</i>
pricklypoppy, hedgehog	<i>Argemone squarrosa</i>
pricklypoppy, Mexican	<i>Argemone mexicana</i>
pricklypoppy, plains	<i>Argemone polyanthemus</i>
pricklypoppy, white	<i>Argemone albiflora</i>
primrose	<i>Primula</i> spp.
primrose, brown-eyed	<i>Chylismia claviformis</i> subsp. <i>claviformis</i>
primrose, brown-eyed	<i>Chylismia claviformis</i> subsp. <i>claviformis</i>
primrose, clavate fruit	<i>Chylismia claviformis</i> subsp. <i>claviformis</i>
primrose, Missouri	<i>Oenothera macrocarpa</i>
primrose-willow, Peruvian	<i>Ludwigia peruviana</i>
prince's-feather	<i>Amaranthus hypochondriacus</i>
prince's-plume	<i>Stanleya pinnata</i>
prune	<i>Prunus domestica</i>
psyllium	<i>Plantago arenaria</i>
pumpkin, common	<i>Cucurbita pepo</i>
pumpkin, crookneck	<i>Cucurbita moschata</i>
pumpkin, cushaw	<i>Cucurbita argyrosperma</i> subsp. <i>argyrosperma</i>
pumpkin, Kentucky field	<i>Cucurbita moschata</i>
pumpkin, mammoth	<i>Cucurbita maxima</i>
punagrass	<i>Amelichloa brachychaeta</i>
puncturevine	<i>Tribulus terrestris</i>
purpletop	<i>Tridens flavus</i>
purslane, common	<i>Portulaca oleracea</i>
purslane, horse	<i>Trianthema portulacastrum</i>
purslane, large	<i>Portulaca grandiflora</i>
pusley, Florida	<i>Richardia scabra</i>
pyrethrum	<i>Tanacetum</i> spp.
quackgrass	<i>Elymus repens</i>
quailbush	<i>Atriplex lentiformis</i>
quakinggrass, big	<i>Briza maxima</i>
quakinggrass, little	<i>Briza minor</i>
quakinggrass, perennial	<i>Briza media</i>
Queen Anne's-lace	<i>Daucus carota</i> subsp. <i>carota</i>
quickweed	<i>Galinsoga parviflora</i>
quininebush	<i>Purshia mexicana</i> var. <i>mexicana</i>
quinoa	<i>Chenopodium quinoa</i>
rabbitbrush	<i>Chrysothamnus</i> spp.
rabbitbrush, Douglas	<i>Chrysothamnus viscidiflorus</i>
rabbitbrush, green	<i>Ericameria tetetifolia</i>
rabbitbrush, rubber	<i>Ericameria nauseosa</i>
rabbitfootgrass	<i>Polypogon monspeliensis</i>
rabbit-tobacco, two-color	<i>Pseudognaphalium biolettii</i>
radish	<i>Raphanus sativus</i>
radish	<i>Raphanus</i> spp.
radish, wild	<i>Raphanus raphanistrum</i>
ragweed	<i>Ambrosia</i> spp.
ragweed, bur	<i>Ambrosia grayi</i>
ragweed, common	<i>Ambrosia artemisiifolia</i>
ragweed, giant	<i>Ambrosia trifida</i>
ragweed, lanceleafed	<i>Ambrosia bidentata</i>
ragweed, perennial	<i>Ambrosia psilostachya</i>
ragweed, western	<i>Ambrosia psilostachya</i>
ragwort, golden	<i>Packera aurea</i>
ragwort, narrow-leaf	<i>Senecio inaequidens</i>
ragwort, Oxford	<i>Senecio squalidus</i>
ragwort, South African	<i>Senecio inaequidens</i>
ragwort, tansy	<i>Jacobaea vulgaris</i>
ramp	<i>Allium tricoccum</i>
ram's-horn	<i>Proboscidea louisianica</i> subsp. <i>louisianica</i>

## AOSA Rules for Testing Seeds

COMMON NAME	SCIENTIFIC NAME
ranunculus	<i>Ranunculus</i> spp.
raoulgrass	<i>Rottboellia cochinchinensis</i>
rape, annual	<i>Brassica napus</i> subsp. <i>napus</i> f. <i>annua</i>
rape, annual turnip	<i>Brassica rapa</i> subsp. <i>rapa</i>
rape, biennial turnip	<i>Brassica rapa</i> subsp. <i>rapa</i>
rape, bird	<i>Brassica rapa</i> subsp. <i>rapa</i>
rape, turnip	<i>Brassica rapa</i> subsp. <i>oleifera</i>
rape, winter	<i>Brassica napus</i> subsp. <i>napus</i> f. <i>napus</i>
raspberry	<i>Rubus</i> spp.
raspberry, hill	<i>Rubus niveus</i>
raspberry, Molucca	<i>Rubus sieboldii</i>
raspberry, wild	<i>Rubus moluccanus</i>
raspberry, yellow Himalayan	<i>Rubus ellipticus</i> var. <i>obcordatus</i>
rattlebox	<i>Sesbania drummondii</i>
rattlebox	<i>Sesbania punicea</i>
rattlepod, long-beaked	<i>Crotalaria longirostrata</i>
rattlepod, showy	<i>Crotalaria spectabilis</i>
rattlesnake-master	<i>Eryngium yuccifolium</i>
rattlesnake-weed	<i>Daucus pusillus</i>
redbud	<i>Cercis canadensis</i>
red-maids	<i>Calandrinia ciliata</i>
red-ribbons	<i>Clarkia concinna</i>
redtop	<i>Agrostis gigantea</i>
redweed	<i>Melochia corchorifolia</i>
redwood	<i>Sequoia sempervirens</i>
reed, common	<i>Phragmites australis</i>
reed, giant	<i>Arundo donax</i>
reedgrass	<i>Calamagrostis</i> spp.
reedgrass, artic	<i>Calamagrostis coarctata</i>
reedgrass, Northern	<i>Calamagrostis stricta</i>
rescuegrass	<i>Bromus catharticus</i> var. <i>catharticus</i>
resinbush, sweet	<i>Euryops multifidus</i>
resinbush, sweet	<i>Euryops subcarnosus</i> subsp. <i>vulgaris</i>
restharrow, foxtail	<i>Ononis alopecuroides</i>
rhodesgrass	<i>Chloris gayana</i>
rhodesgrass, false	<i>Trichloris</i> spp.
rhododendron	<i>Rhododendron</i> spp.
rhododendron, Indian	<i>Melastoma malabathricum</i>
rhubarb	<i>Rheum</i> × <i>rhabarbarum</i>
rice	<i>Oryza sativa</i>
rice, jungle	<i>Echinochloa colona</i>
rice, red	<i>Oryza longistaminata</i>
rice, red	<i>Oryza punctata</i>
rice, red	<i>Oryza rufipogon</i>
ricegrass	<i>Oryzopsis</i> spp.
ricegrass, Indian	<i>Achnatherum hymenoides</i>
ricegrass, little-seed	<i>Piptatherum micrantha</i>
ringwing, tumble	<i>Cycloloma atriplicifolium</i>
river-hemp, Colorado	<i>Sesbania exaltata</i>
robin, ragged	<i>Centaurea cyanus</i>
rockcress	<i>Arabis</i> spp.
rockcress	<i>Arabis alpina</i>
rockcress, Galena Creek	<i>Boechera rigidissima</i>
rockcress, purple	<i>Aubrieta deltoidea</i>
rockdaisy, Emory's	<i>Perityle emoryi</i>
rocket, base	<i>Reseda lutea</i>
rocket, London	<i>Sisymbrium irio</i>
rocket, sweet	<i>Hesperis matronalis</i>
rocketsalad	<i>Eruca vesicaria</i> subsp. <i>sativa</i>
rocketweed	<i>Erucastrum gallicum</i>
roquette	<i>Eruca vesicaria</i> subsp. <i>sativa</i>
rose, multiflora	<i>Rosa multiflora</i>
rose, nootka	<i>Rosa nutkana</i>
rose, prairie	<i>Rosa arkansana</i>

COMMON NAME	SCIENTIFIC NAME
rose, prickly	<i>Rosa acicularis</i>
rose, rock	<i>Helianthemum nummularium</i>
rose, sweetbriar	<i>Rosa rubiginosa</i>
rose, wild	<i>Rosa</i> spp.
rose, Woods'	<i>Rosa woodsii</i>
rose-acacia	<i>Robinia hispida</i>
rosemary	<i>Rosmarinus officinalis</i>
rosemary, marsh	<i>Limonium californicum</i>
rosemyrtle, downy	<i>Rhodomyrtus tomentosa</i>
rose-of-heaven	<i>Silene coeli-rosa</i>
rough-pea	<i>Lathyrus hirsutus</i>
rubberweed, Colorado	<i>Hymenoxys richardsonii</i>
rue	<i>Ruta graveolens</i>
rue, African	<i>Peganum harmala</i>
rush	<i>Juncus</i> spp.
rush, Baltic	<i>Juncus balticus</i>
rush, daggerleaf	<i>Juncus ensifolius</i>
rush, flowering	<i>Butomus umbellatus</i>
rush, mountain	<i>Juncus balticus</i> subsp. <i>littoralis</i>
rush, path	<i>Juncus tenuis</i>
rush, saltmarsh	<i>Juncus gerardi</i>
rush, soft	<i>Juncus effusus</i>
rush, spiny	<i>Juncus acutus</i>
rush, spreading	<i>Juncus patens</i>
rush, toad	<i>Juncus bufonius</i>
rush, Torrey's	<i>Juncus torreyi</i>
rush-pea, Indian	<i>Hoffmanseggia glauca</i>
Russian-thistle	<i>Salsola</i> spp.
Russian-thistle, barbwire	<i>Salsola paulsenii</i>
Russian-thistle, common	<i>Salsola tragus</i>
Russian-thistle, less-spiny	<i>Salsola collina</i>
Russian-thistle, spineless	<i>Salsola collina</i>
Russian-thistle, tumbling	<i>Salsola tragus</i>
Russian-thistle, wormleaf	<i>Salsola vermiculata</i>
rutabaga	<i>Brassica napus</i> subsp. <i>rapifera</i>
rye	<i>Secale cereale</i> subsp. <i>cereale</i>
rye, mountain	<i>Secale strictum</i> subsp. <i>strictum</i>
ryegrass	<i>Lolium</i> spp.
ryegrass, annual	<i>Lolium multiflorum</i>
ryegrass, intermediate	<i>Lolium</i> × <i>hybridum</i>
ryegrass, Italian	<i>Lolium multiflorum</i>
ryegrass, perennial	<i>Lolium perenne</i>
ryegrass, Persian	<i>Lolium persicum</i>
ryegrass, poison	<i>Lolium temulentum</i>
ryegrass, Wimmera	<i>Lolium rigidum</i>
sacaton	<i>Sporobolus wrightii</i>
sacaton, alkali	<i>Sporobolus airoides</i>
safflower	<i>Carthamus tinctorius</i>
safflower, wild	<i>Carthamus oxyacantha</i>
sage	<i>Salvia officinalis</i>
sage	<i>Salvia</i> spp.
sage, blue	<i>Salvia farinacea</i>
sage, chia	<i>Salvia columbariae</i>
sage, lance-leaf	<i>Salvia reflexa</i>
sage, lilac	<i>Salvia verticillata</i>
sage, meadow	<i>Salvia virgata</i>
sage, mealy-cup	<i>Salvia farinacea</i>
sage, Mediterranean	<i>Salvia aethiopsis</i>
sage, Pitcher's	<i>Salvia azurea</i> var. <i>grandiflora</i>
sage, sand	<i>Artemisia filifolia</i>
sage, scarlet	<i>Salvia splendens</i>
sage, Texas	<i>Salvia coccinea</i>
sage, woodland	<i>Salvia xylvestris</i>
sagebrush	<i>Artemisia</i> spp.

### Volume 3. Uniform Classification of Weed and Crop Seeds

COMMON NAME	SCIENTIFIC NAME
sagebrush fringed	<i>Artemisia frigida</i>
sagebrush, basin big	<i>Artemisia tridentata</i> subsp. <i>tridentata</i>
sagebrush, big	<i>Artemisia tridentata</i>
sagebrush, big	<i>Artemisia tridentata</i> subsp. <i>tridentata</i>
sagebrush, black	<i>Artemisia nova</i>
sagebrush, bud	<i>Artemisia spinescens</i>
sagebrush, bud	<i>Picrothamnus desertorum</i>
sagebrush, California	<i>Artemisia californica</i>
sagebrush, low	<i>Artemisia arbuscula</i>
sagebrush, mountain big	<i>Artemisia tridentata</i> subsp. <i>vaseyana</i>
sagebrush, sand	<i>Artemisia filifolia</i>
sagebrush, silver	<i>Artemisia cana</i>
sagebrush, Tilesy	<i>Artemisia tilesii</i>
sagebrush, Wyoming big	<i>Artemisia tridentata</i> subsp. <i>wyomingensis</i>
sagewort, Douglas	<i>Artemisia douglasiana</i>
sagewort, Louisiana	<i>Artemisia ludoviciana</i>
sainfoin	<i>Onobrychis viciifolia</i>
salpiglossis	<i>Salpiglossis sinuata</i>
salsify	<i>Tragopogon</i> spp.
salsify	<i>Tragopogon porrifolius</i>
salsify, cutleaf	<i>Podospermum laciniatum</i>
salsify, meadow	<i>Tragopogon pratensis</i>
salsify, western	<i>Tragopogon dubius</i>
salt barilla, clustered	<i>Halogeton glomeratus</i>
saltbush	<i>Atriplex gardneri</i> var. <i>cuneata</i>
saltbush	<i>Atriplex gardneri</i> var. <i>utahensis</i>
saltbush	<i>Atriplex corrugata</i>
saltbush	<i>Atriplex</i> spp.
saltbush, Australian	<i>Atriplex semibaccata</i>
saltbush, basin	<i>Atriplex gardneri</i> var. <i>utahensis</i>
saltbush, Bonneville	<i>Atriplex gardneri</i> var. <i>bonnevilleensis</i>
saltbush, cattle	<i>Atriplex polycarpa</i>
saltbush, fat-hen	<i>Atriplex prostrata</i>
saltbush, fourwing	<i>Atriplex canescens</i>
saltbush, Gardner	<i>Atriplex gardneri</i>
saltbush, mound	<i>Atriplex obovata</i>
saltbush, New Mexico	<i>Atriplex obovata</i>
saltbush, Nuttall	<i>Atriplex gardneri</i> var. <i>aptera</i>
saltbush, one-scaled	<i>Bitum nuttallianum</i>
saltbush, Parry's	<i>Atriplex parryi</i>
saltbush, saline	<i>Atriplex subspicata</i>
saltbush, shadscale	<i>Atriplex confertifolia</i>
saltbush, spinescale	<i>Atriplex spinifera</i>
saltbush, swamp	<i>Atriplex amnicola</i>
saltbush, wedgescale	<i>Atriplex truncata</i>
Saltcedar	<i>Tamarix ramosissima</i>
saltgrass, coastal	<i>Distichlis spicata</i> var. <i>spicata</i>
saltgrass, desert	<i>Distichlis spicata</i> var. <i>stricta</i>
saltgrass, inland	<i>Distichlis spicata</i> var. <i>stricta</i>
saltgrass, seashore	<i>Distichlis spicata</i> var. <i>spicata</i>
salt-tree, Russian	<i>Halimodendron halodendron</i>
salvinia	<i>Salvinia auriculata</i>
salvinia, giant	<i>Salvinia biloba</i>
salvinia, giant	<i>Salvinia herzogii</i>
salvinia, giant	<i>Salvinia molesta</i>
sandbur	<i>Cenchrus</i> spp.
sandbur, coast	<i>Cenchrus spinifex</i>
sandbur, dune	<i>Cenchrus tribuloides</i>
sandbur, field	<i>Cenchrus spinifex</i>
sandbur, longspine	<i>Cenchrus longispinus</i>
sandbur, mat	<i>Cenchrus longispinus</i>
sandbur, southern	<i>Cenchrus echinatus</i>
sandgrass, purple	<i>Triplasis purpurea</i>
sandreed	<i>Calamovilla</i> spp.

COMMON NAME	SCIENTIFIC NAME
sandreed, pine barren	<i>Calamovilla brevifolia</i>
sandreed, prairie	<i>Calamovilla longifolia</i>
sandspurry, red	<i>Spergularia rubra</i>
sandverbena	<i>Abronia</i> spp.
sandverbena, desert	<i>Abronia villosa</i>
sandverbena, seaside	<i>Abronia maritima</i>
sandverbena, snowball	<i>Abronia fragrans</i>
sandwort	<i>Arenaria</i> spp.
sandwort, thymeleaf	<i>Arenaria serpyllifolia</i>
sanvitalia	<i>Sanvitalia procumbens</i>
saponaria, rock	<i>Saponaria ocymoides</i>
saramollagrass	<i>Ischaemum rugosum</i>
sarson, brown	<i>Brassica rapa</i> subsp. <i>trilocularis</i>
satintail	<i>Imperata brevifolia</i>
satintail, Brazilian	<i>Imperata brasiliensis</i>
savory, catnip	<i>Clinopodium nepeta</i>
savory, spring	<i>Clinopodium acinos</i>
savory, summer	<i>Satureja hortensis</i>
savory, winter	<i>Satureja montana</i>
saxifrage, burnet	<i>Pimpinella saxifraga</i>
scabiosa	<i>Scabiosa</i> spp.
scabiosa, field	<i>Knautia arvensis</i>
scabiosa, perennial	<i>Lomelosia caucasica</i>
schizanthus	<i>Schizanthus</i> spp.
schrankia, catsclaw	<i>Mimosa quadrivalvis</i> var. <i>nuttallii</i>
scorpionweed	<i>Phacelia</i> spp.
scorpionweed	<i>Plagiobothrys</i> spp.
scorpionweed	<i>Plagiobothrys figuratus</i>
scorpionweed, small	<i>Plagiobothrys scouleri</i> var. <i>hispidulus</i>
scurfpea	<i>Psoraleidium</i> spp.
scurfpea, lemon	<i>Psoraleidium lanceolatum</i>
scurfpea, slimflower	<i>Psoraleidium tenuiflorum</i>
sea oats, inland	<i>Chasmanthium latifolium</i>
Sea rocket	<i>Cakile maritima</i>
sea-blite	<i>Suaeda calceoliformis</i>
seablush, shortspur	<i>Plectritis congesta</i>
sedge	<i>Carex festucacea</i>
sedge	<i>Carex</i> spp.
sedge, beaked	<i>Carex rostrata</i>
sedge, Bebb's	<i>Carex bebbii</i>
sedge, bladder	<i>Carex vesicaria</i>
sedge, bleakcreeper	<i>Carex praegracilis</i>
sedge, bottlebrush	<i>Carex hystericina</i>
sedge, bristly	<i>Carex comosa</i>
sedge, clustered field	<i>Carex praegracilis</i>
sedge, Columbian	<i>Carex aperta</i>
sedge, hairyseed	<i>Carex trichocarpa</i>
sedge, hoodii	<i>Carex hoodii</i>
sedge, hop	<i>Carex lupulina</i>
sedge, knotsheath	<i>Carex retrorsa</i>
sedge, meadow	<i>Carex praegracilis</i>
sedge, Nebraska	<i>Carex nebrascensis</i>
sedge, Northwest Territory	<i>Carex utriculata</i>
sedge, slender	<i>Carex simulata</i>
sedge, slenderbeak	<i>Carex athrostachya</i>
sedge, slough	<i>Carex obnupta</i>
sedge, small-winged	<i>Carex microptera</i>
sedge, wooly	<i>Carex pellita</i>
sedum, gold-moss	<i>Sedum acre</i>
seedbox	<i>Ludwigia alternifolia</i>
seepweed	<i>Suaeda calceoliformis</i>
seepweed	<i>Suaeda nigra</i>
self-heal	<i>Prunella vulgaris</i>
self-heal, lance	<i>Prunella vulgaris</i> subsp. <i>lanceolata</i>



## AOSA Rules for Testing Seeds

COMMON NAME	SCIENTIFIC NAME
senna	<i>Senna armata</i>
senna, desert	<i>Senna covesii</i>
senna, sickle	<i>Senna tora</i>
sensitive plant	<i>Mimosa pudica</i>
sensitivebrier	<i>Schrankia nuttallii</i>
sensitiveplant, giant	<i>Mimosa invisa</i>
sequoia, giant	<i>Sequoiadendron giganteum</i>
serradella	<i>Ornithopus sativus</i>
serviceberry	<i>Amelanchier</i> spp.
serviceberry, Saskatoon	<i>Amelanchier alnifolia</i>
serviceberry, Utah	<i>Amelanchier utahensis</i>
sesame	<i>Sesamum indicum</i>
sesbania, red	<i>Sesbania punicea</i>
sesuvium, purslane	<i>Sesuvium sessile</i>
shamrock, Irish	<i>Trifolium dubium</i>
shattercane	<i>Sorghum bicolor</i> subsp. <i>bicolor</i>
sheepberry	<i>Viburnum lentago</i>
shepherd's-needle	<i>Scandix pecten-veneris</i>
shepherd's-purse	<i>Capsella bursa-pastoris</i>
shoo-fly	<i>Hibiscus trionum</i>
sicklepod	<i>Senna tora</i>
sicklepod	<i>Senna obtusifolia</i>
sickleweed	<i>Falcaria vulgaris</i>
sida	<i>Sida</i> spp.
sida, alkali	<i>Malvella leprosa</i>
sida, arrow-leaf	<i>Sida rhombifolia</i>
sida, prickly	<i>Sida spinosa</i>
signalgrass, broadleaf	<i>Urochloa platyphylla</i>
silkybent, dense	<i>Apera interrupta</i>
silky-oak	<i>Grevillea robusta</i>
silverberry	<i>Elaeagnus commutata</i>
silver-dollar	<i>Lunaria annua</i>
silverpuffs, cutleaf	<i>Microseris laciniata</i>
silverscale	<i>Shepherdia rotundifolia</i>
skeletonplant	<i>Lygodesmia juncea</i>
skeletonweed, rush	<i>Chondrilla juncea</i>
skeletonweed, yellowflowering	<i>Chondrilla juncea</i>
skunkweed	<i>Navarretia squarrosa</i>
sleepygrass	<i>Achnatherum robustum</i>
sloughgrass	<i>Beckmannia</i> spp.
sloughgrass, American	<i>Beckmannia syzigachne</i>
smartweed	<i>Polygonum</i> spp.
smartweed, common water	<i>Persicaria hydropiper</i>
smartweed, dotted	<i>Persicaria punctata</i>
smartweed, pale	<i>Persicaria lapathifolia</i>
smartweed, Pennsylvania	<i>Persicaria pennsylvanica</i>
smartweed, prickly	<i>Persicaria bungeana</i>
smartweed, water	<i>Persicaria amphibia</i>
smilo	<i>Oloptum miliaceum</i>
smilgrass	<i>Oloptum miliaceum</i>
snakeroot	<i>Eryngium</i> spp.
snakeroot	<i>Sanicula</i> spp.
snakeroot, black	<i>Sanicula marilandica</i>
snakeroot, blue-topped	<i>Eryngium articulatum</i>
snakeroot, button	<i>Liatris pycnostachya</i>
snakeroot, Canada	<i>Sanicula canadensis</i>
snakeroot, rush-leaved	<i>Eryngium petiolatum</i>
snakeroot, white	<i>Eupatorium rugosum</i>
snake's-head	<i>Malacothrix coulteri</i>
snakeweed, broom	<i>Gutierrezia sarothrae</i>
snakeweed, San Joaquin	<i>Gutierrezia californica</i>
snapdragon	<i>Antirrhinum</i> spp.
snapdragon, little	<i>Misopates orontium</i>
snapdragon, spurred	<i>Linaria maroccana</i>

COMMON NAME	SCIENTIFIC NAME
sneezeweed	<i>Helenium</i> spp.
sneezeweed, bitter	<i>Helenium amarum</i>
sneezeweed, common	<i>Helenium autumnale</i>
sneezeweed, purplehead	<i>Helenium flexuosum</i>
sneezewort, false	<i>Inula orientalis</i>
snowberry	<i>Symphoricarpos albus</i>
snowberry, mountain	<i>Symphoricarpos oreophilus</i>
snowberry, western	<i>Symphoricarpos occidentalis</i>
snowbrush	<i>Ceanothus velutinus</i>
snow-in-summer	<i>Cerastium tomentosum</i>
snow-on-the-mountain	<i>Euphorbia marginata</i>
soapberry	<i>Shepherdia canadensis</i>
soapweed	<i>Yucca</i> spp.
soapwort	<i>Saponaria</i> spp.
soapwort, rock	<i>Saponaria ocymoides</i>
soda-apple, tropical	<i>Solanum viarum</i>
sophora, silky	<i>Podalyria sericea</i>
sophora, silky	<i>Sophora nuttalliana</i>
sorghum	<i>Sorghum bicolor</i> subsp. <i>bicolor</i>
sorghum, alnum	<i>Sorghum xalnum</i>
sorghum-sudangrass	<i>Sorghum bicolor</i> nothosubsp. <i>drummondii</i>
sorghgrass	<i>Sorghum</i> hybr.
sorrel	<i>Rumex</i> spp.
sorrel	<i>Rumex acetosa</i>
sorrel, garden	<i>Rumex acetosa</i>
sorrel, heartwing	<i>Rumex hastatulus</i>
sorrel, red	<i>Rumex acetosella</i>
sorrel, sheep	<i>Rumex acetosella</i>
sotol, common	<i>Dasyllirion wheeleri</i>
sourclover	<i>Melilotus indicus</i>
southern-pea	<i>Vigna unguiculata</i> subsp. <i>unguiculata</i> Unguiculata Group
sowthistle	<i>Sonchus</i> spp.
sowthistle, annual	<i>Sonchus oleraceus</i>
sowthistle, perennial	<i>Sonchus arvensis</i>
sowthistle, spiny	<i>Sonchus asper</i>
sowthistle, spring	<i>Sonchus asper</i>
soybean	<i>Glycine max</i>
Spanish bayonet	<i>Yucca glauca</i>
Spanish-flag	<i>Ipomoea lobata</i>
Spanish-needles	<i>Bidens bipinnata</i>
spearhead	<i>Rhynchospora</i> spp.
spearmint	<i>Mentha spicata</i>
speedwell	<i>Veronica</i> spp.
speedwell, American	<i>Veronica americana</i>
speedwell, bird-eye	<i>Veronica persica</i>
speedwell, common	<i>Veronica officinalis</i>
speedwell, corn	<i>Veronica arvensis</i>
speedwell, field	<i>Veronica agrestis</i>
speedwell, garden	<i>Veronica longifolia</i>
speedwell, Hungarian	<i>Veronica austriaca</i>
speedwell, ivy-leaf	<i>Veronica hederifolia</i>
speedwell, purslane	<i>Veronica peregrina</i>
speedwell, spike	<i>Veronica spicata</i>
speedwell, thyme-leaf	<i>Veronica serpyllifolia</i>
speedwell, water	<i>Veronica anagallis-aquatica</i>
spelt	<i>Triticum aestivum</i> subsp. <i>spelta</i>
spicebush, common	<i>Lindera benzoin</i>
spiderflower	<i>Tarenaya hassleriana</i>
spiderflower, yellow	<i>Peritoma lutea</i>
spiderling	<i>Boerhavia erecta</i>
spiderwort	<i>Tradescantia</i> spp.
spiderwort, common	<i>Tradescantia virginiana</i>
spiderwort, Ohio	<i>Tradescantia ohioensis</i>



### Volume 3. Uniform Classification of Weed and Crop Seeds

COMMON NAME	SCIENTIFIC NAME
spiderwort, prairie	<i>Tradescantia occidentalis</i>
spikenard, wild	<i>Mesosphaerum suaveolens</i>
spike-oat	<i>Helictochloa hookeri</i>
spikerush	<i>Eleocharis</i> spp.
spikerush, autumn	<i>Fimbristylis autumnalis</i>
spikerush, Baldwin	<i>Fimbristylis annua</i>
spikerush, beaked	<i>Eleocharis rostellata</i>
spikerush, blunt	<i>Eleocharis obtusa</i>
spikerush, Britton's	<i>Eleocharis brittonii</i>
spikerush, common	<i>Eleocharis palustris</i>
spikerush, creeping	<i>Eleocharis palustris</i>
spikerush, dwarf	<i>Eleocharis parvula</i>
spikerush, pale	<i>Eleocharis macrostachya</i>
spikerush, Parish's	<i>Eleocharis parishii</i>
spikerush, slender	<i>Eleocharis tenuis</i>
spikerush, stoloniferous	<i>Eleocharis brittonii</i>
spinach	<i>Spinacia oleracea</i>
spinach, New Zealand	<i>Tetragonia tetragonoides</i>
spirea, rose	<i>Spiraea douglasii</i>
sponge gourd	<i>Luffa aegyptiaca</i>
sponge, vegetable	<i>Luffa aegyptiaca</i>
spongeplant, American	<i>Limnobiium spongia</i>
sprangletop	<i>Leptochloa</i> spp.
sprangletop, Asian	<i>Dinebra chinensis</i>
sprangletop, bearded	<i>Diplachne fusca</i> subsp. <i>fascicularis</i>
sprangletop, green	<i>Disakisperma dubium</i>
sprangletop, Mexican	<i>Diplachne fusca</i> subsp. <i>uninervia</i>
spring-parsley, onion	<i>Cymopterus bulbosus</i>
spruce, Alberta white	<i>Picea glauca</i>
spruce, black	<i>Picea mariana</i>
spruce, Black Hills	<i>Picea glauca</i> 'Densata'
spruce, blue	<i>Picea pungens</i>
spruce, Brewer	<i>Picea breweriana</i>
spruce, Colorado blue	<i>Picea pungens</i> <i>Glauca</i> Group
spruce, Engelmann	<i>Picea engelmannii</i>
spruce, Koyama	<i>Picea koyamai</i>
spruce, Norway	<i>Picea abies</i>
spruce, Oriental	<i>Picea orientalis</i>
spruce, red	<i>Picea rubens</i>
spruce, Sakhalin	<i>Picea glehnii</i>
spruce, Serbian	<i>Picea omorika</i>
spruce, Sitka	<i>Picea sitchensis</i>
spruce, tigertail	<i>Picea polita</i>
spruce, western white	<i>Picea glauca</i>
spruce, white	<i>Picea glauca</i>
spruce, Yeddo	<i>Picea jezoensis</i>
spurge	<i>Euphorbia</i> spp.
spurge, broad-leaved	<i>Euphorbia lucida</i>
spurge, caper	<i>Euphorbia lathyris</i>
spurge, carnation	<i>Euphorbia terracina</i>
spurge, cypress	<i>Euphorbia cyparissias</i>
spurge, flowering	<i>Euphorbia corollata</i>
spurge, grassleaf	<i>Euphorbia graminea</i>
spurge, leafy	<i>Euphorbia esula</i>
spurge, myrtle	<i>Euphorbia myrsinites</i> .
spurge, nodding	<i>Euphorbia nutans</i>
spurge, oblong	<i>Euphorbia oblongata</i>
spurge, painted	<i>Euphorbia heterophylla</i>
spurge, prostrate	<i>Euphorbia prostrata</i>
spurge, ridgeseed	<i>Euphorbia glyptosperma</i>
spurge, serrate	<i>Euphorbia serrata</i>
spurge, shining	<i>Euphorbia lucida</i>
spurge, sickle	<i>Euphorbia falcata</i>
spurge, spotted	<i>Euphorbia maculata</i>

COMMON NAME	SCIENTIFIC NAME
spurge, sun	<i>Euphorbia helioscopia</i>
spurge, toothed	<i>Euphorbia davidii</i>
spurry, corn	<i>Spergula arvensis</i>
spurry, wingseed	<i>Spergula pentandra</i>
squash	<i>Cucurbita argyrosperma</i> subsp. <i>argyrosperma</i>
squash, acorn	<i>Cucurbita pepo</i>
squash, summer	<i>Cucurbita pepo</i>
squash, winter	<i>Cucurbita maxima</i>
squash, winter	<i>Cucurbita moschata</i>
squashberry	<i>Viburnum edule</i>
squawapple	<i>Peraphyllum ramosissimum</i>
squawroot	<i>Perideridia gairdneri</i>
squirreltail	<i>Elymus elymoides</i>
squirreltail, big	<i>Elymus multisetus</i>
St. Augustinegrass	<i>Stenotaphrum secundatum</i>
St. John's-wort, great	<i>Hypericum ascyron</i>
St. John's-wort, Canary Island	<i>Hypericum canariense</i>
St. John's-wort, common	<i>Hypericum perforatum</i>
St. John's-wort, slender	<i>Hypericum scouleri</i>
staggerweed	<i>Stachys arvensis</i>
standing-cypress	<i>Ipomopsis rubra</i>
starbur	<i>Acanthospermum hispidum</i>
starbur, bristly	<i>Acanthospermum hispidum</i>
stargrass, Australian	<i>Chloris divaricata</i>
star-of-Texas	<i>Xanthisma texana</i>
starthistle	<i>Centaurea</i> spp.
starthistle, Iberian	<i>Centaurea iberica</i>
starthistle, Malta	<i>Centaurea mellitensis</i>
starthistle, purple	<i>Centaurea calcitrapa</i>
starthistle, Sicilian	<i>Centaurea sulphurea</i>
starthistle, yellow	<i>Centaurea solstitialis</i>
starwort, little	<i>Stellaria graminea</i>
statice	<i>Limonium sinuatum</i>
statice	<i>Psylliostachys suworowii</i>
stenosiphon	<i>Oenothera glaucifolia</i>
stickleaf	<i>Mentzelia lindleyi</i>
stickseed	<i>Lappula</i> spp.
stickseed, European	<i>Lappula squarrosa</i>
stickseed, hairy	<i>Lappula occidentalis</i> var. <i>cupulata</i>
stickseed, western	<i>Lappula occidentalis</i> var. <i>occidentalis</i>
sticktight	<i>Bidens bigelovii</i>
sticktight	<i>Bidens</i> spp.
sticktight	<i>Bidens tenuisecta</i>
sticktight, devil's	<i>Bidens frondosa</i>
sticktight, nodding	<i>Bidens cernua</i>
stiltgrass, Japanese	<i>Microstegium vimineum</i>
stinkgrass, strong-scented	<i>Eragrostis cilianensis</i>
stipa, nodding	<i>Nassella cernua</i>
stipa, purple	<i>Nassella pulchra</i>
stocks, common	<i>Matthiola incana</i>
stocks, evening-scented	<i>Matthiola longipetala</i> subsp. <i>bicornis</i>
stocks, Virginia	<i>Malcolmia maritima</i>
strawberry	<i>Fragaria</i> spp.
strawberryweed	<i>Potentilla norvegica</i>
strawflower	<i>Xerochrysum bracteatum</i>
strawflower	<i>Rhodanthe chlorocephala</i>
subclover	<i>Trifolium subterraneum</i>
succory, lamb	<i>Arnoseris minima</i>
suckleya, poison	<i>Suckleya suckleyana</i>
sudangrass	<i>Sorghum bicolor</i> nothosubsp. <i>drummondii</i>
sugarcane, wild	<i>Saccharum spontaneum</i>
sulfur flower	<i>Eriogonum umbellatum</i>
sulla	<i>Hedysarum coronarium</i>

## AOSA Rules for Testing Seeds

COMMON NAME	SCIENTIFIC NAME
sultan, sweet	<i>Amberboa moschata</i>
sumac	<i>Rhus</i> spp.
sumac, littleleaf	<i>Rhus microphylla</i>
sumac, oakbrush	<i>Rhus aromatica</i> var. <i>trilobata</i>
sumac, skunkbrush	<i>Rhus aromatica</i> var. <i>trilobata</i>
sumac, smooth	<i>Rhus glabra</i>
sumpweed, poverty	<i>Iva axillaris</i>
sumpweed, rough	<i>Iva annua</i>
sundrops, Ozark	<i>Oenothera macrocarpa</i>
sunflower	<i>Helianthus</i> spp.
sunflower, California	<i>Encelia californica</i>
sunflower, common	<i>Helianthus annuus</i>
sunflower, common woolly	<i>Eriophyllum lanatum</i>
sunflower, Cusick's	<i>Helianthus cusickii</i>
sunflower, fewleaf	<i>Helianthus occidentalis</i>
sunflower, giant	<i>Helianthus giganteus</i>
sunflower, little	<i>Helianthus pumilus</i>
sunflower, marsh	<i>Helianthus nuttallii</i>
sunflower, Maximilian's	<i>Helianthus maximiliani</i>
sunflower, prairie	<i>Helianthus petiolaris</i>
sunflower, purple-disc	<i>Helianthus atrorubens</i>
sunflower, San Diego	<i>Bahiopsis laciniata</i>
sunflower, sawtooth	<i>Helianthus grosseserratus</i>
sunflower, stiff	<i>Helianthus pauciflorus</i>
sunflower, wild	<i>Helianthus annuus</i>
sunnhemp	<i>Crotalaria juncea</i>
sunset flower	<i>Asclepias curassavica</i>
swampweed, East Indian	<i>Hygrophila polysperma</i>
sweet wivelsfield	<i>Dianthus xallwoodii</i>
sweetanise	<i>Foeniculum vulgare</i>
sweetbush	<i>Bebbia juncea</i>
sweetclover	<i>Melilotus</i> spp.
sweetclover, hubam	<i>Melilotus albus</i>
sweetclover, white	<i>Melilotus albus</i>
sweetclover, yellow	<i>Melilotus officinalis</i>
sweetgrass	<i>Anthoxanthum nitens</i>
sweetgum	<i>Liquidambar styraciflua</i>
sweet-pea, annual	<i>Lathyrus odoratus</i>
sweet-pea, perennial	<i>Lathyrus latifolius</i>
sweetvetch, northern	<i>Hedysarum boreale</i> var. <i>boreale</i>
sweetvetch, sulla	<i>Hedysarum coronarium</i>
sweetvetch, Utah	<i>Hedysarum boreale</i> var. <i>boreale</i>
sweet-william	<i>Dianthus barbatus</i>
swinecress	<i>Lepidium coronopus</i>
switchgrass	<i>Panicum virgatum</i>
sycamore, American	<i>Platanus occidentalis</i>
tamarack	<i>Larix laricina</i>
tamarisk, Chinese	<i>Tamarix chinensis</i>
tamarisk, French	<i>Tamarix gallica</i>
tanbark-oak	<i>Notholithocarpus densiflorus</i>
Tangier-pea	<i>Lathyrus tingitanus</i>
tanglehead	<i>Heteropogon contortus</i>
tan-oak	<i>Notholithocarpus densiflorus</i>
tansy, common	<i>Tanacetum vulgare</i>
tansymustard	<i>Descurainia pinnata</i>
tarragon	<i>Artemisia dracunculus</i>
tarweed	<i>Grindelia</i> spp.
tarweed	<i>Hemizonia</i> spp.
tarweed, Catalina	<i>Deinandra clementina</i>
tarweed, Chilean	<i>Madia sativa</i>
tarweed, cluster	<i>Madia glomerata</i>
tarweed, hay-field	<i>Hemizonia congesta</i> subsp. <i>luzulifolia</i>
tearthumb, arrow-leaved	<i>Persicaria sagittata</i>
teasel	<i>Dipsacus fullonum</i>

COMMON NAME	SCIENTIFIC NAME
teasel	<i>Dipsacus</i> spp.
teasel, cut-leaf	<i>Dipsacus laciniatus</i>
teatree, broadleaf	<i>Melaleuca quinquenervia</i>
teatree, paperbark	<i>Melaleuca quinquenervia</i>
teaweed	<i>Sida rhombifolia</i>
teesdalia	<i>Teesdalia nudicaulis</i>
teff	<i>Eragrostis tef</i>
telegraphweed	<i>Heterotheca grandiflora</i>
terongan	<i>Solanum torvum</i>
thimbleberry	<i>Rubus parviflorus</i>
thingwa	<i>Hopea odorata</i>
thistle	<i>Cirsium</i> spp.
thistle, artichoke	<i>Cynara cardunculus</i>
thistle, blessed	<i>Centaurea benedicta</i>
thistle, bull	<i>Cirsium vulgare</i>
thistle, Canada	<i>Cirsium arvense</i>
thistle, cotton	<i>Onopordum acanthium</i>
thistle, curly	<i>Carduus crispus</i>
thistle, field	<i>Cirsium discolor</i>
thistle, Flodman's	<i>Cirsium flodmanii</i>
thistle, golden	<i>Cynolymus hispanicus</i>
thistle, hills	<i>Cirsium pumilum</i>
thistle, Italian clasping	<i>Carduus tenuiflorus</i>
thistle, Italian spiny	<i>Carduus pycnocephalus</i>
thistle, Japanese	<i>Cirsium japonicum</i>
thistle, musk	<i>Carduus nutans</i>
thistle, nodding	<i>Carduus nutans</i>
thistle, Platte	<i>Cirsium canescens</i>
thistle, plumeless	<i>Carduus acanthoides</i>
thistle, plumeless	<i>Carduus</i> spp.
thistle, Scotch	<i>Onopordum acanthium</i>
thistle, Scotch	<i>Onopordum tauricum</i>
thistle, slenderflower	<i>Carduus tenuiflorus</i>
thistle, tall	<i>Cirsium altissimum</i>
thistle, tenderflower	<i>Carduus tenuiflorus</i>
thistle, wavyleaf	<i>Cirsium undulatum</i>
thistle, weak	<i>Cirsium remotifolium</i>
thistle, yellowspine	<i>Cirsium ochrocentrum</i>
thoroughwax	<i>Bupleurum lancifolium</i>
thoroughwax, round-leaf	<i>Bupleurum rotundifolium</i>
thoroughwort	<i>Eupatorium</i> spp.
thoroughwort, white	<i>Ageratina adenophora</i>
thorow-wax	<i>Bupleurum rotundifolium</i>
threeawn	<i>Aristida</i> spp.
three-awn, arrow-feather	<i>Aristida purpurascens</i>
threeawn, prairie	<i>Aristida oligantha</i>
three-awn, six-weeks	<i>Aristida adscensionis</i>
threeawn, tufted	<i>Aristida purpurea</i>
three-awn, woolly	<i>Aristida lanosa</i>
three-seeded mercury	<i>Acalypha virginica</i>
threesquare, common	<i>Schoenoplectus pungens</i>
threesquare, Oleny	<i>Schoenoplectus americanus</i>
thrift, sea	<i>Armeria</i> spp.
thunbergia, clockvine	<i>Thunbergia alata</i>
thyme, common	<i>Thymus vulgaris</i>
thyme, creeping	<i>Thymus serpyllum</i>
thyme, lemon	<i>Thymus serpyllum</i>
tickclover	<i>Desmodium</i> spp.
ticklegass	<i>Agrostis scabra</i>
tickseed	<i>Corispermum hyssopifolium</i>
tickseed	<i>Corispermum</i> spp.
tickseed, greater	<i>Coreopsis major</i>
tickseed, perennial	<i>Coreopsis lanceolata</i>
tickseed, plains	<i>Coreopsis tinctoria</i>

### Volume 3. Uniform Classification of Weed and Crop Seeds

COMMON NAME	SCIENTIFIC NAME
tickseed, western	<i>Bidens aristosa</i>
tick-trefoil, showy	<i>Desmodium canadense</i>
tidestromia, woolly	<i>Tidestromia lanuginosa</i>
timothy	<i>Phleum pratense</i>
timothy, turf	<i>Phleum nodosum</i>
tithonia	<i>Tithonia rotundifolia</i>
toadflax	<i>Linaria</i> spp.
toadflax	<i>Linaria maroccana</i>
toadflax, Dalmatian	<i>Linaria dalmatica</i>
toadflax, roundleaf	<i>Kickxia spuria</i>
toadflax, yellow	<i>Linaria vulgaris</i>
tobacco	<i>Nicotiana tabacum</i>
tobacco, flowering	<i>Nicotiana glauca</i>
tobacco, Indian	<i>Lobelia inflata</i>
tobacco, Jasmine	<i>Nicotiana glauca</i>
tobosagrass	<i>Pleuraphis mutica</i>
tomatillo	<i>Physalis philadelphica</i>
tomato	<i>Solanum lycopersicum</i> var. <i>lycopersicum</i>
tomato, husk	<i>Physalis pubescens</i>
toothcup redstem, valley	<i>Ammannia coccinea</i>
torchlily	<i>Kniphofia</i> spp.
torpedograss	<i>Panicum repens</i>
transvaal-daisy	<i>Gerbera jamesonii</i>
treacle	<i>Erysimum</i> spp.
treasure flower	<i>Gazania rigens</i>
treemallow, herb	<i>Lavatera trimestris</i>
tree-of-heaven	<i>Ailanthus altissima</i>
trefoil, big	<i>Lotus pedunculatus</i>
trefoil, big	<i>Lotus uliginosus</i>
trefoil, birdsfoot	<i>Lotus corniculatus</i>
trefoil, narrow-leaf birdsfoot	<i>Lotus tenuis</i>
trefoil, prairie	<i>Acemispson americanus</i>
trefoil, slender	<i>Acemispson parviflorus</i>
tridens	<i>Tridens</i> spp.
tridens, rough	<i>Tridentopsis mutica</i> var. <i>elongata</i>
trigonella	<i>Trigonella</i> spp.
trisetum	<i>Trisetum</i> spp.
trisetum, yellow	<i>Trisetum flavescens</i>
triticales	× <i>Triticosecale</i>
tritoma	<i>Kniphofia</i> spp.
trumpet, angel's	<i>Brugmansia arborea</i>
trumpet-creeper	<i>Campsis radicans</i>
tulip, gentian	<i>Eustoma russellianum</i>
tulip-poplar	<i>Liriodendron tulipifera</i>
tulip-poppy, Mexican	<i>Hunnemannia fumarifolia</i>
tumblegrass	<i>Schedonnardus paniculatus</i>
tumbleweed	<i>Salsola</i> spp.
tupelo, black	<i>Nyssa sylvatica</i>
tupelo, water	<i>Nyssa aquatica</i>
turkeyberry	<i>Solanum torvum</i>
turkey-mullein	<i>Croton setigerus</i>
turnip	<i>Brassica rapa</i> subsp. <i>rapa</i>
turnip, Mediterranean	<i>Brassica tournefortii</i>
turnip, wild	<i>Sinapis arvensis</i> subsp. <i>arvensis</i>
turnipweed	<i>Rapistrum rugosum</i>
turnipweed, African	<i>Erucastrum austroafricanum</i>
turpentinebush	<i>Ericameria laricifolia</i>
tussock, serrated	<i>Nassella trichotoma</i>
udo	<i>Aralia cordata</i>
umbrella plant	<i>Eriogonum</i> spp.
umbrella plant, corymb	<i>Eriogonum corymbosum</i>
unicorn-plant	<i>Proboscidea louisianica</i> subsp. <i>louisianica</i>
vaseygrass	<i>Paspalum urvillei</i>
veldtgrass, perennial	<i>Ehrharta calycina</i>

COMMON NAME	SCIENTIFIC NAME
velvetbean	<i>Mucuna pruriens</i> var. <i>utilis</i>
velvetgrass	<i>Holcus</i> spp.
velvetgrass	<i>Holcus lanatus</i>
velvetgrass, German	<i>Holcus mollis</i>
velvetleaf	<i>Abutilon theophrasti</i>
ventenata	<i>Ventenata dubia</i>
ventgrass, soft	<i>Ventenata dubia</i>
verbane, moss	<i>Glandularia pulchella</i>
verbena	<i>Glandularia</i> × <i>hybrida</i>
verbena, southwestern	<i>Glandularia gooddingii</i>
verde, foothills palo	<i>Parkinsonia microphylla</i>
vernalgrass	<i>Anthoxanthum</i> spp.
vernalgrass, sweet	<i>Anthoxanthum aristatum</i>
vernalgrass, sweet	<i>Anthoxanthum odoratum</i>
vervain	<i>Verbena</i> spp.
vervain, American mock	<i>Glandularia pulchella</i>
vervain, blue	<i>Verbena hastata</i>
vervain, Dakota	<i>Glandularia bipinnatifida</i>
vervain, Dakota mock	<i>Glandularia bipinnatifida</i>
vervain, European	<i>Verbena officinalis</i>
vervain, garden	<i>Verbena</i> × <i>hybrida</i>
vervain, hoary	<i>Verbena stricta</i>
vervain, moss	<i>Glandularia aristigera</i>
vervain, narrowleaf	<i>Verbena simplex</i>
vervain, prostrate	<i>Verbena bracteata</i>
vervain, purple	<i>Verbena rigida</i>
vervain, white	<i>Verbena urticifolia</i>
vervain, woolly	<i>Verbena stricta</i>
vetch	<i>Vicia</i> spp.
vetch, American	<i>Vicia americana</i>
vetch, bird	<i>Vicia cracca</i> subsp. <i>cracca</i>
vetch, bitter	<i>Lathyrus sativus</i>
vetch, bitter	<i>Vicia ervilia</i>
vetch, blackpod	<i>Vicia sativa</i> subsp. <i>nigra</i>
vetch, boreal	<i>Vicia cracca</i> subsp. <i>cracca</i>
vetch, common	<i>Vicia sativa</i> subsp. <i>sativa</i>
vetch, hairy	<i>Vicia villosa</i> subsp. <i>villosa</i>
vetch, Hungarian	<i>Vicia pannonica</i>
vetch, monantha	<i>Vicia articulata</i>
vetch, narrowleaf	<i>Vicia sativa</i> subsp. <i>nigra</i>
vetch, purple	<i>Vicia benghalensis</i>
vetch, showy	<i>Vicia grandiflora</i>
vetch, single-flowered	<i>Vicia articulata</i>
vetch, slender	<i>Vicia parviflora</i>
vetch, sparrow	<i>Vicia tetrasperma</i>
vetch, tiny	<i>Vicia hirsute</i>
vetch, tufted	<i>Vicia cracca</i> subsp. <i>cracca</i>
vetch, wild	<i>Vicia hybrida</i>
vetch, winter	<i>Vicia villosa</i> subsp. <i>varia</i>
vetch, woollypod	<i>Vicia villosa</i> subsp. <i>varia</i>
vetch, yellow	<i>Vicia lutea</i>
vetchling	<i>Lathyrus</i> spp.
vetchling, low	<i>Lathyrus pusillus</i>
vetchling, yellow	<i>Lathyrus aphaca</i>
vinca	<i>Catharanthus roseus</i>
vinegarweed	<i>Trichostema lanceolatum</i>
viola	<i>Viola cornuta</i>
viola, horned	<i>Viola cornuta</i>
violet	<i>Viola</i> spp.
violet, African	<i>Saintpaulia</i> spp.
violet, bush	<i>Browallia</i> spp.
violet, German	<i>Exacum affine</i>
wallabygrass	<i>Rytidosperma semiannulare</i>
wallabygrass, swamp	<i>Amphibromus neesii</i>

## AOSA Rules for Testing Seeds

COMMON NAME	SCIENTIFIC NAME
wallflower	<i>Erysimum cheiri</i>
wallflower	<i>Erysimum hieraciifolium</i>
wallflower	<i>Erysimum ×marshallii</i>
wallflower, bushy	<i>Erysimum repandum</i>
wallflower, western	<i>Erysimum asperum</i>
walrocket	<i>Diplotaxis</i> spp.
walrocket	<i>Diplotaxis tenuifolia</i>
wartcress	<i>Lepidium didymum</i>
water-chestnut	<i>Trapa nutans</i>
water-convolvulus	<i>Ipomoea aquatica</i>
watercress	<i>Nasturtium officinale</i>
water-gladiolus	<i>Butomus umbellatus</i>
water-hemlock	<i>Cicuta</i> spp.
water-hemlock, spotted	<i>Cicuta maculata</i>
water-hemlock, western	<i>Cicuta douglasii</i>
water-hyacinth	<i>Eichhornia azurea</i>
water-hyacinth, anchored	<i>Eichhornia azurea</i>
water-hyacinth, floating	<i>Eichhornia crassipes</i>
water-jacket	<i>Lycium andersonii</i>
watermelon	<i>Citrullus lanatus</i>
watermilfoil, Eurasian	<i>Myriophyllum spicatum</i>
water-spinach, Chinese	<i>Ipomoea aquatica</i>
water-thyme	<i>Hydrilla verticillata</i>
water-velvet	<i>Azolla pinnata</i>
wattle, black	<i>Acacia mearsii</i>
weatherglass	<i>Anagallis arvensis</i> var. <i>caerulea</i>
wheat	<i>Triticum</i> spp.
wheat, club	<i>Triticum aestivum</i> subsp. <i>compactum</i>
wheat, common	<i>Triticum aestivum</i> subsp. <i>aestivum</i>
wheat, cow	<i>Melampyrum arvense</i>
wheat, desert Indian	<i>Plantago ovata</i>
wheat, durum	<i>Triticum turgidum</i> subsp. <i>durum</i>
wheat, Polish	<i>Triticum turgidum</i> subsp. <i>polonicum</i>
wheat, poulard	<i>Triticum turgidum</i>
wheatgrass, angara	<i>Elymus macrourus</i>
wheatgrass, annual	<i>Eremopyrum triticeum</i>
wheatgrass, bearded	<i>Elymus trachycaulus</i> subsp. <i>subsecundus</i>
wheatgrass, beardless	<i>Pseudoroegneria spicata</i>
wheatgrass, bluebunch	<i>Pseudoroegneria spicata</i>
wheatgrass, boreal	<i>Elymus kronokensis</i> subsp. <i>subalpinus</i>
wheatgrass, fairway crested	<i>Agropyron cristatum</i>
wheatgrass, Great Lakes	<i>Elymus lanceolatus</i> subsp. <i>psammophilus</i>
wheatgrass, intermediate	<i>Thinopyrum intermedium</i> subsp. <i>intermedium</i>
wheatgrass, Montana	<i>Elymus albicans</i>
wheatgrass, pubescent	<i>Thinopyrum intermedium</i> subsp. <i>barbulatum</i>
wheatgrass, RS	<i>Elymus hoffmannii</i>
wheatgrass, RS hybrid	<i>Elymus hoffmannii</i>
wheatgrass, Siberian	<i>Agropyron fragile</i> subsp. <i>sibiricum</i>
wheatgrass, slender	<i>Elymus trachycaulus</i> subsp. <i>trachycaulus</i>
wheatgrass, Snake River	<i>Elymus wawawaiensis</i>
wheatgrass, standard crested	<i>Agropyron desertorum</i>
wheatgrass, streambank	<i>Elymus lanceolatus</i> subsp. <i>riparius</i>
wheatgrass, streambank	<i>Elymus lanceolatus</i> subsp. <i>psammophilus</i>
wheatgrass, tall	<i>Thinopyrum ponticum</i>
wheatgrass, thickspike	<i>Elymus lanceolatus</i> subsp. <i>lanceolatus</i>
wheatgrass, violet	<i>Elymus violaceus</i>
wheatgrass, western	<i>Pascopyrum smithii</i>
wheatgrass, Yukon	<i>Elymus ×yukonensis</i>
whispering-bells	<i>Emmenanthe penduliflora</i>
white-cedar, Atlantic	<i>Chamaecyparis thyoides</i>
whitethorn	<i>Ceanothus cordulatus</i>
whitewort	<i>Lepidium draba</i>
whitewort, hairy	<i>Lepidium appelianum</i>

COMMON NAME	SCIENTIFIC NAME
whitewort, parasol	<i>Doellingeria umbellata</i>
whitewort, tall	<i>Lepidium latifolium</i>
whitewort	<i>Draba verna</i>
whorlgrass, water	<i>Catabrosa aquatica</i>
wildheliotrope, cleftleaf	<i>Phacelia crenulata</i>
wild-raisin	<i>Viburnum lentago</i>
wildrice, annual	<i>Zizania aquatica</i>
wildrice, eastern	<i>Zizania aquatica</i>
wildrye, Altai	<i>Leymus angustus</i>
wildrye, basin	<i>Leymus cinereus</i>
wildrye, beach	<i>Leymus arenarius</i>
wildrye, beardless	<i>Leymus triticoides</i>
wildrye, blue	<i>Elymus glaucus</i>
wildrye, Canada	<i>Elymus canadensis</i>
wildrye, Dahurian	<i>Elymus dahuricus</i>
wildrye, giant	<i>Leymus condensatus</i>
wildrye, mammoth	<i>Leymus racemosus</i> subsp. <i>racemosus</i>
wildrye, Russian	<i>Psathyrostachys juncea</i>
wildrye, Saline	<i>Leymus salinus</i>
wildrye, Siberian	<i>Elymus sibiricus</i>
wildrye, silky	<i>Elymus villosus</i>
wildrye, smooth	<i>Elymus glaucus</i>
wildrye, Virginia	<i>Elymus virginicus</i>
willow	<i>Salix</i> spp.
willow, black	<i>Salix nigra</i>
willowherb	<i>Epilobium</i> spp.
willowherb, panicle	<i>Epilobium brachycarpum</i>
windflower	<i>Anemone canadensis</i>
windgrass	<i>Apera spica-venti</i>
windmillgrass	<i>Chloris verticillata</i>
windmillgrass, curly	<i>Enteropogon acicularis</i>
windmillgrass, Nash	<i>Chloris subdolichostachya</i>
winged-bean	<i>Psophocarpus tetragonolobus</i>
wintercress	<i>Barbarea</i> spp.
wintercress, bitter	<i>Barbarea vulgaris</i>
wintercress, early	<i>Barbarea verna</i>
winterfat	<i>Krascheninnikovia lanata</i>
wishbone-bush	<i>Mirabilis laevis</i> var. <i>villosa</i>
wishbone-flower, blue	<i>Torenia fournieri</i>
witchgrass	<i>Panicum capillare</i>
witchgrass, fall	<i>Digitaria cognata</i>
witchgrass, Gattinger's	<i>Panicum gattingeri</i>
witchgrass, Hillman	<i>Panicum hillmanii</i>
witchweed	<i>Striga asiatica</i>
witchweed	<i>Striga</i> spp.
woad, dyer's	<i>Isatis tinctoria</i>
wolfberry	<i>Elaeagnus commutata</i>
wolfberry	<i>Symphoricarpos occidentalis</i>
wolfberry	<i>Lycium andersonii</i>
wolfbane	<i>Aconitum delphinifolium</i>
wolftail	<i>Lycurus phleoides</i>
wood rush	<i>Luzula</i> spp.
wood rush, greater	<i>Luzula sylvatica</i>
wood sage	<i>Teucrium canadense</i>
wood-betony	<i>Pedicularis</i> spp.
woodruff, sweet	<i>Galium odoratum</i>
woodsage	<i>Taxus canadensis</i>
woodsorrel	<i>Oxalis</i> spp.
woodsorrel, yellow	<i>Oxalis stricta</i>
woody-aster, hurt-leaf	<i>Xylorhiza tortifolia</i>
woodyaster, Mojave	<i>Xylorhiza tortifolia</i>
wool-grass	<i>Scirpus cyperinus</i>
woolyheads	<i>Psilocarphus</i> spp.
woolyheads, tall	<i>Psilocarphus elatior</i>

### Volume 3. Uniform Classification of Weed and Crop Seeds

COMMON NAME	SCIENTIFIC NAME
wormseed, American	<i>Dysphania ambrosioides</i>
wormwood	<i>Artemisia</i> spp.
wormwood, absinthie	<i>Artemisia absinthium</i>
wormwood, annual	<i>Artemisia annua</i>
wormwood, biennial	<i>Artemisia biennis</i>
woundwort	<i>Stachys palustris</i>
wyethia, narrowleaf	<i>Wyethia angustifolia</i>
yampa	<i>Perideridia gairdneri</i>
yampa, eppaw	<i>Perideridia oregana</i>
yard-long-bean	<i>Vigna unguiculata</i> subsp. <i>unguiculata</i> Sesquipedalis Group
yarrow, common	<i>Achillea millefolium</i>
yarrow, fernleaf	<i>Achillea filipendulina</i>
yarrow, golden	<i>Eriophyllum confertiflorum</i>
yarrow, western	<i>Achillea millefolium</i> var. <i>occidentalis</i>
yarrow, woolly	<i>Achillea lanulosa</i>
yaupon	<i>Ilex vomitoria</i>
yellowcress	<i>Rorippa</i> spp.
yellowcress, creeping	<i>Rorippa sylvestris</i>
yellowcress, western	<i>Rorippa palustris</i>
yellow-poplar	<i>Liriodendron tulipifera</i>
yellowrocket	<i>Barbarea vulgaris</i>
Yerba De Tajo	<i>Eclipta alba</i>
yerba-mansa	<i>Anemopsis californica</i>
yew, Canada	<i>Taxus canadensis</i>
yew, Pacific	<i>Taxus brevifolia</i>
yew, western	<i>Taxus brevifolia</i>
yucca	<i>Yucca</i> spp.
yucca, narrowleaf	<i>Yucca glauca</i>
yucca, soaptree	<i>Yucca elata</i>
yucca, soapweed	<i>Yucca glauca</i>
yucca, spoon-leaf	<i>Yucca filamentosa</i>
yucca, Torrey	<i>Yucca torreyi</i>
zinnia	<i>Zinnia acerosa</i>
zinnia	<i>Zinnia angustifolia</i>
zinnia	<i>Zinnia grandiflora</i>
zinnia	<i>Zinnia peruviana</i>
zinnia	<i>Zinnia</i> spp.
zinnia, common	<i>Zinnia elegans</i>
zinnia, Mexican	<i>Zinnia haageana</i>
zinnia, Mexican creeping	<i>Sanvitalia procumbens</i>
zizia, golden	<i>Zizia aurea</i>
zizia, meadow	<i>Zizia aptera</i>
zoysia	<i>Zoysia japonica</i>

## AOSA Rules for Testing Seeds

This page intentionally left blank.

## APPENDIX B

### GLOSSARY OF NOMENCLATURE TERMS, ABBREVIATIONS AND SYMBOLS

The nomenclature used in the AOSA Rules for Testing Seeds (AOSA Rules) follows that of the USDA/ARS Germplasm Resources Information Network (GRIN). A paper by Dr. John Wiersema describing the construct of the database is available on the Internet at <http://www.ars-grin.gov/cgi-bin/npgs/html/paper.pl>. The GRIN database is available on the Internet at <http://www.ars-grin.gov/npgs>. Nomenclature questions may be directed to:

Dr. John H. Wiersema  
USDA/ARS  
National Germplasm Resources Laboratory  
Bldg. 003, BARC-West  
Beltsville, MD 20705-2350 U.S.A.  
Tel: (301) 504-9181 FAX: (301) 504-5536  
E-mail: [john.wiersema@ars.usda.gov](mailto:john.wiersema@ars.usda.gov)

Each entry in Rules Volume 3 includes the nomen number assigned in the GRIN database. Author abbreviations follow those originally recommended by Brummitt and Powell (1992), now updated online under ‘search the data – authors’ at <http://www.ipni.org/index.html>.

Specific rules regarding scientific names are detailed in the International Code of Nomenclature (Melbourne Code, ICN). A few basic rules useful to users of the AOSA Rules include: the Latin portion of the scientific name is italicized or underlined in print and underlined when handwritten; the first letter of the genus name is always capitalized and all letters of the specific epithet are lowercase; for accuracy the scientific name should be followed by the full or abbreviated name(s) of the author(s). Generic names are monomials (e.g., *Medicago* L.), species names are binomials (e.g., *Medicago sativa* L.), subspecies and some varieties are trinomials (e.g., *Medicago sativa* L. subsp. *falcata* (L.) Arcang.). For a given classification there can be only one correct scientific name for a given plant. The ICN rules regarding naming and valid publication of scientific names are complex and discussion within the framework of this volume would be cumbersome; however, understanding the meaning of the author citations and other abbreviations can be useful to the users of the AOSA Rules. These symbols and abbreviations are described as follows:

**Original Author:** The person who originally described and validly published the scientific name. For example *Poa pratensis* L. was named and validly published by Carl Linnaeus.

**Joint Authors:** More than one person was responsible for the original description and valid publication of the scientific name. The two authors names are joined together by either the word et or an ampersand (&). For example, *Geranium viscosissimum* Fisch. & C.A. Mey. was named and validly published by Friedrich Ernst Ludwig von Fischer and Carl Anton von Meyer.

## AOSA Rules for Testing Seeds

**Name Proposal:** When a name is given by one author but not validly published and is later published by another author who gives credit for the name to the first author, the name of the first author may be cited followed by the word *ex* and the name of the publishing author. For example, *Abronia maritima* Nutt. *ex* S. Watson, Nuttall proposed the name but S. Watson was the publishing author. The ICN rules allow for omission of the proposing author name. The example may then be written as *Abronia maritima* S. Watson.

**Name Change:** When a change in a scientific name is necessary due to a change in classification, the name of the original author may be cited in parentheses followed by the name of the author who made the change. For example, *Stipa pulchra* Hitchc. was changed to *Nassella pulchra* (Hitchc.) Barkworth; the name originally given by Hitchcock was changed by Barkworth.

**Trinomials:** When two or more subspecies or varieties are given for a species, one subspecies or variety is considered the typical subspecies or variety and the specific epithet is repeated. Since the two names are the same the author name is not repeated (e.g., *Daucus carota* L. subsp. *carota*). When a non-typical subspecies or variety is listed the author of the species name is cited as well as the author of the subspecies or variety (e.g., *Daucus carota* L. subsp. *sativus* (Hoffm.) Arcang.).

Other Abbreviations and Symbols Appearing in GRIN or in the AOSA Rules for Testing Seeds:

**auct.** (auctorum) of authors

**auct. Amer.** (auctorum American) of American authors

**auct. nonn.** (auctorum nonnullorum) of some authors

**auct. pl.** (auctorum plurimorum) of most authors

**bis** (second) suffix used to indicate a second author where different authors have identical surname and forename

**et al.** (et alii) and others

**f.** three definitions: when used before a personal noun = *fide* (according to); when used after a personal noun = *filius* (son of); and when used before an epithet = *forma* (form)

**hort.** (hortorum) of gardens; (hortulanorum) of gardeners

**nom. ambig.** (nomen ambigum) ambiguous name; a name used in different senses becoming a source for error



### Volume 3. Uniform Classification of Weed and Crop Seeds

<b>nom. cons.</b>	(nomen conservandum) conserved name; a name conserved in the ICN to preserve a particular usage or preserve use over a competing name
<b>nom. dub.</b>	(nomen dubium) a name of uncertain application
<b>nom. illeg.</b>	(nomen illegitimum) a validly published name which conflicts with one or more ICN rules
<b>nom. inval.</b>	(nomen invalidum) an invalid name, one that does not meet the ICN rules for valid publication
<b>nom. nud.</b>	(nomen nudum) a name published without a proper species description or reference to such description
<b>nom. rej.</b>	(nomen rejiciendum) a rejected name in the ICN that is unavailable for use
<b>nothosubsp.</b>	(nothosubspecies) a hybrid whose parents include one or more subspecies, and which has thus been assigned the rank of subspecies
<b>pro parte</b>	partly, in part
<b>sensu</b>	in the sense of
<b>sensu typo</b>	in the sense of the nomenclatural type
<b>spp.</b>	(species) more than one species
<b>subsp.</b>	subspecies (alternative abbreviation = ssp.)
<b>var.</b>	(varietas) botanical variety
=	the equal sign follows a synonym and precedes the accepted name; this symbol does not always indicate strict nomenclatural equality but equality of classification or taxonomy
‘ ’	single quotation marks enclose the name of a cultivar or cultivated variety; the first letter of the name is always capitalized (previously the abbreviation “cv.” may have preceded the name of a cultivar or cultivated variety)

## AOSA Rules for Testing Seeds

This page intentionally left blank.

## **APPENDIX C NOXIOUS WEED LIST RESOURCES**

The noxious weed lists from Canada, U.S. Federal Government and the various states change frequently and it is the responsibility of the individuals working in seed laboratories to keep abreast of published updates. Many of these lists are updated annually.

*For updates of the Canada Noxious Weed List, contact:*

Saskatoon Laboratory  
Seed Science and Technology Section  
Canadian Food Inspection Agency  
301 421 Downey Road  
Saskatoon, Saskatchewan S7N 4L8  
CANADA

Telephone: (306) 975-5832  
FAX: (306) 975-6450

Web Page: <http://laws-lois.justice.gc.ca/eng/regulations/SOR-2016-93/index.html>  
Click on Table of Contents; Click on Weed Seeds Order 2016

*For updates of the Federal Noxious Weed List, contact:*

David F. Bitzel  
National Identification Services  
Registration, Identification, Permits, and Plant Safeguarding  
USDA, APHIS, PPQ  
Bldg. 308, Room 319  
BARC-East  
Beltsville, MD 20705

Telephone (301) 313-9333  
FAX: (301) 504-9840  
E-mail: [david.f.bitzel@aphis.usda.gov](mailto:david.f.bitzel@aphis.usda.gov)

WebPage: <https://www.aphis.usda.gov/aphis/ourfocus/planthealth/plant-pest-and-disease-programs/pests-and-diseases>

## AOSA Rules for Testing Seeds

*For updates on the State Noxious-Weed Seed Requirements Recognized in the Administration of the Federal Seed Act, contact:*

Seed Regulatory & Testing Branch  
U.S. Department of Agriculture  
801 Summit Crossing Place, Suite C  
Gastonia, NC 28054-2193

Telephone (704) 852-8870

E-mail: [seed.ams@usda.gov](mailto:seed.ams@usda.gov)

Web Page: <http://www.ams.usda.gov/rules-regulations/fsa>

Individuals should also be aware of the existence of quarantine species lists from various states and even counties within states. Movement of seed lots containing quarantined species can be more restricted than those containing noxious weed species. Seed testing laboratories and sellers of seed lots should inquire into the possibility that such lists exist in the region (state or province) the seed is to be shipped. Lists of quarantined species may not be widely distributed, so it is recommended that inquiries be directed to destination departments of agriculture.

*For information on objectionable seed contaminants in countries other than the United States and Canada:*

Refer to the USDA Phytosanitary Certificate Issuance and Tracking System (PCIT) and enter the country name of interest.

Web Page: <https://pcit.aphis.usda.gov/pcit/faces/signIn.jsf>

## APPENDIX D

### UNIFORM CLASSIFICATION SORTED BY FAMILY NAME

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Acanthaceae	12273	<i>Crossandra infundibuliformis</i> (L.) Nees	crossandra; firecracker flower	F	W	C	W	W	W	W	W
Acanthaceae	316380	<i>Hygrophila polysperma</i> (Roxb.) T. Anderson	swampweed, East Indian; Miramar-weed	W	W	W	W	W	W	W	W
Acanthaceae	19625	<i>Hypoestes phyllostachya</i> Baker	polka-dot-plant	F, R	W	C	W	C	W	W	W
Acanthaceae	36599	<i>Thunbergia alata</i> Bojer ex Sims	black-eyed-Susan-vine; clockvine; thunbergia, clockvine	F	W	C	W	W	W	W	W
Adoxaceae [Caprifoliaceae]	429680	<i>Sambucus nigra</i> L. subsp. <i>canadensis</i> (L.) Bolli	elderberry, American; elderberry, common	S	W	W	W	W	C	W	W
Adoxaceae [Caprifoliaceae]	458023	<i>Sambucus nigra</i> L. subsp. <i>cerulea</i> (Raf.) Bolli	elderberry, blue	R, S	W	W	W	C	C	W	W
Adoxaceae [Caprifoliaceae]	33001	<i>Sambucus racemosa</i> L.	elderberry, red	R, S	W	W	W	C	C	W	W
Adoxaceae [Caprifoliaceae]	313645	<i>Sambucus racemosa</i> L. subsp. <i>pubens</i> (Michx.) House	elderberry, scarlet	R, S	W	W	W	C	C	W	W
Adoxaceae [Caprifoliaceae]	41348	<i>Viburnum edule</i> (Michx.) Raf.	cranberry, lowbush; squashberry	S	W	W	W	W	C	W	W
Adoxaceae [Caprifoliaceae]	41383	<i>Viburnum lentago</i> L.	nannyberry; sheepberry; wild-raisin	S	W	W	W	W	C	W	W
Aizoaceae	467569	<i>Cleretum bellidiforme</i> (Burm. f.) G. D. Rowley	daisy, livingstone; iceplant	F	W	C	W	W	W	W	W
Aizoaceae	316825	<i>Sesuvium sessile</i> Pers.	sesuvium, purslane	W	W	W	W	W	W	W	W
Aizoaceae	36385	<i>Tetragonia tetragonoides</i> (Pall.) Kuntze	spinach, New Zealand	V	C	C	C	C	C	C	C
Aizoaceae	316925	<i>Trianthema portulacastrum</i> L.	purslane, horse	W	W	W	W	W	W	W	W
Alismataceae	2204	<i>Alisma plantago-aquatica</i> L.	mad-dog weed; plantain, water	W	W	W	W	W	W	W	W
Alismataceae	101379	<i>Sagittaria latifolia</i> Willd.	arrowleaf, duck potato	F, R	W	C	W	C	W	W	W
Alismataceae	32648	<i>Sagittaria sagittifolia</i> L.	arrowhead	W	W	W	W	W	W	W	W
Altingiaceae [Hamamelidaceae]	22379	<i>Liquidambar styraciflua</i> L.	sweetgum	S	W	W	W	W	C	W	W
Amaranthaceae	101502	<i>Alternanthera philoxeroides</i> (Mart.) Griseb.	alligatorweed	W	W	W	W	W	W	W	W
Amaranthaceae	316546	<i>Alternanthera pungens</i> Kunth	khakiweed	W	W	W	W	W	W	W	W
Amaranthaceae	2713	<i>Alternanthera sessilis</i> (L.) DC.	joyweed, sessile; periquito-sessil	W	W	W	W	W	W	W	W
Amaranthaceae	101509	<i>Amaranthus albus</i> L.	pigweed, tumble	W	W	W	W	W	W	W	W
Amaranthaceae	101529	<i>Amaranthus blitoides</i> S. Watson	pigweed, prostrate	W	W	W	W	W	W	W	W
Amaranthaceae	70070	<i>Amaranthus cruentus</i> L.	amaranth, purple	A	C	W	W	W	W	W	W
Amaranthaceae	101536	<i>Amaranthus graecizans</i> L.	pigweed, tumble	W	W	W	W	W	W	W	W
Amaranthaceae	2795	<i>Amaranthus hybridus</i> L.	pigweed, slender; pigweed, smooth	W	W	W	W	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Amaranthaceae	2796	<i>Amaranthus hypochondriacus</i> L.	prince's-feather	F	W	C	W	W	W	W	W
Amaranthaceae	101541	<i>Amaranthus palmeri</i> S. Watson	carelessweed; pigweed, Palmer	W	W	W	W	W	W	W	W
Amaranthaceae	2803	<i>Amaranthus retroflexus</i> L.	pigweed, redroot; pigweed, rough	W	W	W	W	W	W	W	W
Amaranthaceae	2804	<i>Amaranthus spinosus</i> L.	pigweed, spiny	W	W	W	W	W	W	W	W
Amaranthaceae	300025	<i>Amaranthus</i> spp.	pigweed amaranth	F	W	W	W	W	W	W	W
Amaranthaceae	101551	<i>Celosia argentea</i> L. var. <i>cristata</i> (L.) Kuntze	celosia; cockscomb	F	W	C	W	W	W	W	W
Amaranthaceae	311807	<i>Celosia</i> spp.	celosia; cockscomb	F	W	C	W	W	W	W	W
Amaranthaceae	17860	<i>Gomphrena globosa</i> L.	amaranth, globe	F	W	C	W	W	W	W	W
Amaranthaceae	316924	<i>Tidestromia lanuginosa</i> (Nutt.) Standl.	tidestromia, woolly	W	W	W	W	W	W	W	W
Amaryllidaceae [Alliaceae] [Liliaceae]	316540	<i>Allium acuminatum</i> Hook.	onion, tapertip	R	W	W	W	W	W	W	W
Amaryllidaceae [Alliaceae] [Liliaceae]	2217	<i>Allium ampeloprasum</i> L.	garlic, elephant	H, V	W	W	C	W	W	W	C
Amaryllidaceae [Alliaceae] [Liliaceae]	101407	<i>Allium amplexans</i> Torr.	onion, narrowleaved	W	W	W	W	W	W	W	W
Amaryllidaceae [Alliaceae] [Liliaceae]	316541	<i>Allium canadense</i> L.	onion, wild; onion, wild bulbous	W	W	W	W	W	W	W	W
Amaryllidaceae [Alliaceae] [Liliaceae]	2244	<i>Allium cepa</i> L.	onion	V	W	C	C	W	W	W	C
Amaryllidaceae [Alliaceae] [Liliaceae]	2246	<i>Allium cernuum</i> Roth	onion, nodding	F, R, V	W	C	W	C	W	W	C
Amaryllidaceae [Alliaceae] [Liliaceae]	2276	<i>Allium fistulosum</i> L.	onion, Welsh	V	W	W	W	W	W	W	C
Amaryllidaceae [Alliaceae] [Liliaceae]	2324	<i>Allium neapolitanum</i> Cirillo	garlic, false; onion, flowering	W	W	W	W	W	W	W	W
Amaryllidaceae [Alliaceae] [Liliaceae]	2343	<i>Allium paniculatum</i> L.	onion, Mediterranean; onion, panicked	W	W	W	W	W	W	W	W
Amaryllidaceae [Alliaceae] [Liliaceae]	2351	<i>Allium porrum</i> L.	leek	H, V	W	W	C	W	W	W	C
Amaryllidaceae [Alliaceae] [Liliaceae]	316542	<i>Allium praecox</i> Brandegees	onion, wild	R	W	C	W	W	W	W	W
Amaryllidaceae [Alliaceae] [Liliaceae]	2368	<i>Allium sativum</i> L.	garlic	H, V	W	W	C	W	W	W	C
Amaryllidaceae [Alliaceae] [Liliaceae]	2369	<i>Allium schoenoprasum</i> L.	chives	H, V	W	C	C	W	W	W	C
Amaryllidaceae [Alliaceae] [Liliaceae]	300022	<i>Allium</i> spp.	onion, prairie; onion, wild	W	W	W	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Amaryllidaceae [Alliaceae] [Liliaceae]	2400	<i>Allium textile</i> A. Nelson & J. F. Macbr.	onion, textile	W	W	W	W	W	W	W	W
Amaryllidaceae [Alliaceae] [Liliaceae]	101616	<i>Allium tricoccum</i> Aiton	leek, wild; ramp	H, V	W	W	C	W	W	W	C
Amaryllidaceae [Alliaceae] [Liliaceae]	2409	<i>Allium tuberosum</i> Rottler ex Spreng.	chives, Chinese; garlic, Oriental	H, V	W	W	C	W	W	W	C
Amaryllidaceae [Alliaceae] [Liliaceae]	2416	<i>Allium vineale</i> L.	garlic, wild	W	W	W	W	W	W	W	W
Anacardiaceae	464048	<i>Rhus aromatica</i> Aiton var. <i>trilobata</i> (Nutt.) A. Gray	sumac, oakbrush; sumac, skunkbrush	R, S	W	W	W	C	C	W	W
Anacardiaceae	31689	<i>Rhus glabra</i> L.	sumac, smooth	R, S	W	W	W	C	C	W	W
Anacardiaceae	31699	<i>Rhus microphylla</i> Engelm.	sumac, littleleaf	S	W	W	W	W	C	W	W
Anacardiaceae	317097	<i>Rhus</i> spp.	sumac	R, S	W	W	W	C	C	W	W
Anacardiaceae	101865	<i>Toxicodendron diversilobum</i> (Torr. & A. Gray) Greene	poison-oak	W	W	W	W	W	W	W	W
Anacardiaceae	316980	<i>Toxicodendron parviflorum</i> (Roxb.) Kuntze		W	W	W	W	W	W	W	W
Anacardiaceae	101866	<i>Toxicodendron radicans</i> (L.) Kuntze	poison-ivy	W	W	W	W	W	W	W	W
Anacardiaceae	101871	<i>Toxicodendron vernix</i> (L.) Kuntze	poison-sumac	W	W	W	W	W	W	W	W
Apiaceae	316872	<i>Aethusa cynapium</i> L.	parsley, fool's	W	W	W	W	W	W	W	W
Apiaceae	2899	<i>Ammi majus</i> L.	ammi, greater; bishop's-flower	F	W	C	W	W	W	W	W
Apiaceae	2900	<i>Ammi visnaga</i> (L.) Lam.	plant, toothpick	W	W	W	W	W	W	W	W
Apiaceae	3412	<i>Anethum graveolens</i> L.	dill	H	W	W	C	W	W	W	C
Apiaceae	316479	<i>Anthriscus caucalis</i> M. Bieb.	chervil, bur	W	W	W	W	W	W	W	W
Apiaceae	3595	<i>Anthriscus cerefolium</i> (L.) Hoffm.	chervil	H	W	W	C	W	W	W	W
Apiaceae	317018	<i>Anthriscus</i> spp.	chervil	W	W	W	W	W	W	W	W
Apiaceae	316555	<i>Anthriscus sylvestris</i> (L.) Hoffm.	chervil, wild	W	W	W	W	W	W	W	W
Apiaceae	476221	<i>Apiastrum angustifolium</i> Nutt.	parsley, mock	R	W	W	W	C	W	W	W
Apiaceae	102051	<i>Apium graveolens</i> L. var. <i>dulce</i> (Mill.) DC.	celery	V, H	C	W	C	W	W	W	C
Apiaceae	3704	<i>Apium graveolens</i> L. var. <i>rapaceum</i> (Mill.) DC.	celeriac	V	C	C	C	W	W	W	C
Apiaceae	316877	<i>Bunium bulbocastanum</i> L.	earthnut	W	W	W	W	W	W	W	W
Apiaceae	316595	<i>Bupleurum lancifolium</i> Hornem.	thoroughwax	W	W	W	W	W	W	W	W
Apiaceae	316596	<i>Bupleurum rotundifolium</i> L.	bupleurum, green-gold; hare's-ear; thoroughwax; throw-wax	F, H	W	W	W	W	W	W	W
Apiaceae	9245	<i>Carum carvi</i> L.	caraway; caraway, wild	H	W	W	C	W	W	W	W
Apiaceae	10020	<i>Chaerophyllum bulbosum</i> L.	chervil, turnip-rooted	V	C	C	C	C	C	C	C

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Apiaceae	316616	<i>Chaerophyllum procumbens</i> (L.) Crantz	chervil, spreading	W	W	W	W	W	W	W	W
Apiaceae	311805	<i>Chaerophyllum</i> spp.	chervil	W	W	W	W	W	W	W	W
Apiaceae	316620	<i>Cicuta douglasii</i> (DC.) J. M. Coult. & Rose	water-hemlock, western	W	W	W	W	W	W	W	W
Apiaceae	10545	<i>Cicuta maculata</i> L.	water-hemlock, spotted	R	W	W	W	C	W	W	W
Apiaceae	317039	<i>Cicuta</i> spp.	water-hemlock	W	W	W	W	W	W	W	W
Apiaceae	11262	<i>Conium maculatum</i> L.	hemlock, poison	W	W	W	W	W	W	W	W
Apiaceae	11523	<i>Coriandrum sativum</i> L.	coriander	H	W	W	C	W	W	W	W
Apiaceae	12617	<i>Cuminum cyminum</i> L.	cumin	H	W	W	C	W	W	W	W
Apiaceae	406521	<i>Cyclosperrum leptophyllum</i> (Pers.) Sprague ex Britton & P. Wilson	celery, filiform; celery, wild	W	W	W	W	W	W	W	W
Apiaceae	316883	<i>Cymopterus acaulis</i> (Pursh) Raf.	chimaya	W	W	W	W	W	W	W	W
Apiaceae	452531	<i>Cymopterus bulbosus</i> A. Nelson	spring-parsley, onion	F, R	W	C	W	C	W	W	W
Apiaceae	13337	<i>Daucus carota</i> L. subsp. <i>carota</i>	carrot, wild; queen Anne's-lace	F	W	W	W	W	W	W	W
Apiaceae	446682	<i>Daucus carota</i> L. subsp. <i>sativus</i> (Hoffm.) Schübl. & G. Martens	carrot	V	W	W	W	W	W	W	C
Apiaceae	13355	<i>Daucus pusillus</i> Michx.	carrot, southwestern; rattlesnake-weed	W	W	W	W	W	W	W	W
Apiaceae	316671	<i>Eryngium articulatum</i> Hook.	eryngo, blue-topped; snakeroot, blue-topped	W	W	W	W	W	W	W	W
Apiaceae	316672	<i>Eryngium petiolatum</i> Hook.	eryngo, rush-leaved; snakeroot, rush-leaved	W	W	W	W	W	W	W	W
Apiaceae	311810	<i>Eryngium</i> spp.	eryngo; snakeroot	W	W	W	W	W	W	W	W
Apiaceae	102098	<i>Eryngium yuccifolium</i> Michx.	rattlesnake-master	F	W	C	W	W	W	W	W
Apiaceae	316888	<i>Falcaria vulgaris</i> Bernh.	sickleweed	W	W	W	W	W	W	W	W
Apiaceae	300219	<i>Foeniculum vulgare</i> Mill.	fennel; fennel, Florence; sweetanise	H	W	C	C	W	W	W	W
Apiaceae	18896	<i>Heracleum mantegazzianum</i> Sommier & Levier	hogweed, giant	W	W	W	W	W	W	W	W
Apiaceae	319140	<i>Heracleum sphondylium</i> L. subsp. <i>montanum</i> (Schleich. ex Gaudin) Briq.	cowparsnip, common	F, R	W	W	W	W	W	W	W
Apiaceae	402613	<i>Ligusticum porteri</i> J. M. Coult. & Rose	ligusticum, Porter; licorice-root, Porter's; osha-root	F, R	W	C	W	C	W	W	W
Apiaceae	102115	<i>Lomatium dissectum</i> (Nutt.) Mathias & Constance	biscuitroot	R	W	W	W	C	W	W	W
Apiaceae	316733	<i>Lomatium geyeri</i> (S. Watson) J. M. Coult. & Rose	biscuitroot, Geyer	W	W	W	W	W	W	W	W
Apiaceae	448197	<i>Lomatium grayi</i> (J. M. Coult. & Rose) J. M. Coult. & Rose	biscuitroot, Gray's	R	W	W	W	C	W	W	W



Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Apiaceae	411269	<i>Lomatium macrocarpum</i> (Nutt. ex Torr. & A. Gray) J. M. Coult. & Rose	lomatum, stinking; biscuitroot, bigseed	R	W	W	W	C	W	W	W
Apiaceae	448198	<i>Lomatium nudicaule</i> (Pursh) J. M. Coult. & Rose	biscuitroot, barestem	R	W	W	W	C	W	W	W
Apiaceae	317069	<i>Lomatium</i> spp.	biscuitroot	R	W	W	W	C	W	W	W
Apiaceae	448013	<i>Lomatium triternatum</i> (Pursh) J. M. Coult. & Rose subsp. <i>platycarpum</i> (Torr.) Cronquist	biscuitroot, narrow-leaf; lomatum, narrow-leaf	W	W	W	W	W	W	W	W
Apiaceae	316767	<i>Osmorhiza longistylis</i> (Torr.) DC.	aniseroot	W	W	W	W	W	W	W	W
Apiaceae	316768	<i>Osmorhiza occidentalis</i> (Nutt. ex Torr. & A. Gray) Torr.	aniseroot, sweet	F, R	W	C	W	C	W	W	W
Apiaceae	27018	<i>Pastinaca sativa</i> L.	parsnip; parsnip, wild	V	W	C	C	W	W	W	C
Apiaceae	316912	<i>Perideridia gairdneri</i> (Hook. & Arn.) Mathias	yampa; squawroot	W	W	W	W	W	W	W	W
Apiaceae	316913	<i>Perideridia oregana</i> (S. Watson) Mathias	yampa, eppaw	R	W	C	W	C	W	W	W
Apiaceae	27448	<i>Petroselinum crispum</i> (Mill.) Fuss	parsley	H, V	W	W	C	W	W	W	C
Apiaceae	316966	<i>Petroselinum segetum</i> (L.) W. D. J. Koch	parsley, corn	W	W	W	W	W	W	W	W
Apiaceae	28395	<i>Pimpinella anisum</i> L.	anise	H	W	C	C	W	W	W	W
Apiaceae	315595	<i>Pimpinella saxifraga</i> L.	saxifrage, burnet	W	W	W	W	W	W	W	W
Apiaceae	316818	<i>Sanicula canadensis</i> L.	snakeroot, Canada	W	W	W	W	W	W	W	W
Apiaceae	33034	<i>Sanicula marilandica</i> L.	snakeroot, black	W	W	W	W	W	W	W	W
Apiaceae	317101	<i>Sanicula</i> spp.	snakeroot	W	W	W	W	W	W	W	W
Apiaceae	70632	<i>Scandix pecten-veneris</i> L.	shepherd's-needle	W	W	W	W	W	W	W	W
Apiaceae	312176	<i>Torilis japonica</i> (Houtt.) DC.	hedge-parsley, erect	W	W	W	W	W	W	W	W
Apiaceae	316851	<i>Torilis nodosa</i> (L.) Gaertn.	hedge-parsley, knotted	W	W	W	W	W	W	W	W
Apiaceae	317114	<i>Torilis</i> spp.	hedge-parsley	W	W	W	W	W	W	W	W
Apiaceae	42270	<i>Zizia aptera</i> (A. Gray) Fernald	alexanders, golden heartleaf; zizia, meadow	F, R	W	C	W	C	W	W	W
Apiaceae	417633	<i>Zizia aurea</i> (L.) W. D. J. Koch	zizia, golden; alexanders, golden	F, R	W	C	W	C	W	W	W
Apocynaceae	453197	<i>Amsonia tomentosa</i> Torr. & Frém.	bluestar, woolly	F, R	W	C	W	C	W	W	W
Apocynaceae	102186	<i>Apocynum androsaemifolium</i> L.	dogbane, spreading	W	W	W	W	W	W	W	W
Apocynaceae	3718	<i>Apocynum cannabinum</i> L.	dogbane, hemp; Indian-hemp	W	W	W	W	W	W	W	W
Apocynaceae	300035	<i>Apocynum</i> spp.	dogbane	W	W	W	W	W	W	W	W
Apocynaceae	70159	<i>Catharanthus roseus</i> (L.) G. Don	periwinkle, rose; vinca	F	W	C	W	W	W	W	W
Apocynaceae [Asclepiadaceae]	3841	<i>Araujia sericifera</i> Brot.	bladderflower	W	W	W	W	W	W	W	W
Apocynaceae [Asclepiadaceae]	4469	<i>Asclepias curassavica</i> L.	milkweed, bloodflower; sunset flower	W	W	W	W	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Apocynaceae [Asclepiadaceae]	448084	<i>Asclepias fascicularis</i> Decne.	milkweed, Mexican	R	W	W	W	C	W	W	W
Apocynaceae [Asclepiadaceae]	4472	<i>Asclepias incarnata</i> L.	milkweed, swamp	F, R	W	C	W	C	W	W	W
Apocynaceae [Asclepiadaceae]	316571	<i>Asclepias labrifomis</i> M. E. Jones	milkweed, labriform	W	W	W	W	W	W	W	W
Apocynaceae [Asclepiadaceae]	316572	<i>Asclepias mexicana</i> Cav.	milkweed, Mexican	W	W	W	W	W	W	W	W
Apocynaceae [Asclepiadaceae]	316573	<i>Asclepias pumila</i> (A. Gray) Vail	milkweed, low poison	W	W	W	W	W	W	W	W
Apocynaceae [Asclepiadaceae]	316574	<i>Asclepias speciosa</i> Torr.	milkweed, showy	W	W	W	W	W	W	W	W
Apocynaceae [Asclepiadaceae]	310125	<i>Asclepias</i> spp.	milkweed	W	W	W	W	W	W	W	W
Apocynaceae [Asclepiadaceae]	316575	<i>Asclepias subverticillata</i> (A. Gray) Vail	milkweed, poison; milkweed, whorled	R	W	W	W	C	W	W	W
Apocynaceae [Asclepiadaceae]	4478	<i>Asclepias syriaca</i> L.	milkweed, common	W	W	W	W	W	W	W	W
Apocynaceae [Asclepiadaceae]	4480	<i>Asclepias tuberosa</i> L.	butterfly-weed; milkweed, butterfly	F	W	W	W	W	W	W	W
Apocynaceae [Asclepiadaceae]	103167	<i>Asclepias verticillata</i> L.	milkweed, whorled	W	W	W	W	W	W	W	W
Apocynaceae [Asclepiadaceae]	103228	<i>Cynanchum laeve</i> (Michx.) Pers.	milkweed, climbing; milkweed, honeyvine	W	W	W	W	W	W	W	W
Aquifoliaceae	19791	<i>Ilex vomitoria</i> Sol. ex Aiton	Christmasberry; holly, cassena; yaupon	S	W	W	W	W	C	W	W
Araliaceae	3812	<i>Aralia cordata</i> Thunb.	udo	W	W	W	W	W	W	W	W
Araliaceae	102557	<i>Oplopanax horridus</i> (Sm.) Miq.	devil's-club	W	W	W	W	W	W	W	W
Araliaceae [Apiaceae]	36794	<i>Trachymene coerulea</i> Graham	laceflower, blue	F	W	W	W	W	W	W	W
Asparagaceae [Agavaceae] [Hyacinthaceae] [Liliaceae]	8697	<i>Camassia leichtlinii</i> (Barker) S. Watson	camas, large	F, R	W	C	W	C	W	W	W
Asparagaceae [Agavaceae]	42149	<i>Yucca elata</i> Engelm.	yucca, soaptree	F	W	C	W	W	W	W	W
Asparagaceae [Agavaceae]	42151	<i>Yucca filamentosa</i> L.	adam's-needle; yucca, spoon-leaf	F	W	C	W	W	W	W	W
Asparagaceae [Agavaceae]	42153	<i>Yucca glauca</i> Nutt.	yucca, narrowleaf; Spanish bayonet; yucca, soapweed	F, R, S	W	C	W	C	C	W	W
Asparagaceae [Agavaceae]	301030	<i>Yucca</i> spp.	soapweed; yucca	W	W	W	W	W	W	W	W
Asparagaceae [Agavaceae]	316866	<i>Yucca torreyi</i> Shafer	yucca, Torrey	R, S	W	W	W	C	C	W	W
Asparagaceae [Agavaceae] [Hyacinthaceae] [Liliaceae]	317030	<i>Camassia</i> spp.	camas	W	W	W	W	W	W	W	W
Asparagaceae [Agavaceae] [Dracaenaceae] [Ruscaceae]	13297	<i>Dasyliiron wheeleri</i> S. Watson	sotol, common	R	W	W	W	C	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
Asparagaceae [Agavaceae] [Laxmanniaceae] [Lomandraceae]	11503	<i>Cordyline australis</i> (G. Forst.) Endl.	cordyline; fountain-dracaena; giant-dracaena	F	W	C	W	W	W	W	W	W
Asparagaceae [Alliaceae] [Liliaceae] [Themidaceae]	316594	<i>Brodiaea coronaria</i> (Salisb.) Engl.	brodiaea, harvest	W	W	W	W	W	W	W	W	W
Asparagaceae [Alliaceae] [Liliaceae] [Themidaceae]	317026	<i>Brodiaea</i> spp.	brodiaea	W	W	W	W	W	W	W	W	W
Asparagaceae [Hyacinthaceae] [Liliaceae]	24755	<i>Muscari comosum</i> (L.) Mill.	hyacinth, grape; hyacinth, tassel	F	W	C	W	W	W	W	W	W
Asparagaceae [Liliaceae]	N/A	<i>Asparagus densiflorus</i> (Kunth) Jessop 'Sprengeri'	asparagus, Sprenger; fern, emerald	F	W	C	W	W	W	W	W	W
Asparagaceae [Liliaceae]	300050	<i>Asparagus officinalis</i> L.	asparagus	V	W	C	W	W	W	W	W	C
Asparagaceae [Liliaceae]	5536	<i>Asparagus plumosus</i> Baker	fern, asparagus	F	W	C	W	W	W	W	W	W
Asphodelaceae [Liliaceae] [Xanthorrhoeaceae]	5573	<i>Asphodelus fistulosus</i> L.	asphodel; onionweed	F	W	C	W	W	W	W	W	W
Asphodelaceae [Liliaceae] [Xanthorrhoeaceae]	317063	<i>Kniphofia</i> spp.	torchlily; tritoma	F	W	C	W	W	W	W	W	W
Asteraceae	316532	<i>Acanthospermum australe</i> (Loefl.) Kuntze	Paraguay-burr	W	W	W	W	W	W	W	W	W
Asteraceae	1077	<i>Acanthospermum hispidum</i> DC.	starbur; starbur, bristly	W	W	W	W	W	W	W	W	W
Asteraceae	1263	<i>Achillea filipendulina</i> Lam.	yarrow, fernleaf	F, R	W	C	W	C	W	W	W	W
Asteraceae	1270	<i>Achillea millefolium</i> L.	yarrow, common; yarrow, western yarrow, woolly	F, R	W	C	W	C	W	W	W	W
Asteraceae	1273	<i>Achillea ptarmica</i> L.	achillea pearl, the	F	W	C	W	W	W	W	W	W
Asteraceae	316870	<i>Achyrochaena mollis</i> Schauer	blow-wives	W	W	W	W	W	W	W	W	W
Asteraceae	316409	<i>Ageratina adenophora</i> (Spreng.) R. M. King & H. Rob.	craftonweed; pamakani, Maui; thoroughwort, white	W	W	W	W	W	W	W	W	W
Asteraceae	317713	<i>Ageratina altissima</i> (L.) R. M. King & H. Rob.	snakeroot, white	W	W	W	W	W	W	W	W	W
Asteraceae	317712	<i>Ageratina riparia</i> (Regel) R. M. King & H. Rob.	pamakani, hamakua	W	W	W	W	W	W	W	W	W
Asteraceae	1761	<i>Ageratum houstonianum</i> Mill.	ageratum, Mexican	F	W	C	W	W	W	W	W	W
Asteraceae	317011	<i>Ageratum</i> spp.	ageratum; flower, floss	F	W	C	W	W	W	W	W	W
Asteraceae	316873	<i>Agoseris glauca</i> (Pursh) Raf.	false-dandelion; chicory, goat	W	W	W	W	W	W	W	W	W
Asteraceae	317012	<i>Agoseris</i> spp.	lamb'slettuce; dandelion, mountain	W	W	W	W	W	W	W	W	W
Asteraceae	103809	<i>Amberboa moschata</i> (L.) DC.	sultan, sweet	F	W	C	W	W	W	W	W	W
Asteraceae	316547	<i>Ambrosia acanthicarpa</i> Hook.	bursage, annual	R	W	W	W	C	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Asteraceae	103817	<i>Ambrosia artemisiifolia</i> L.	ragweed, common	W	W	W	W	W	W	W	W
Asteraceae	316548	<i>Ambrosia bidentata</i> Michx.	ragweed, lanceleafed	W	W	W	W	W	W	W	W
Asteraceae	316549	<i>Ambrosia confertiflora</i> DC.	bursage, slimleaf	R	W	W	W	C	W	W	W
Asteraceae	103819	<i>Ambrosia deltoidea</i> (Torr.) W. W. Payne	bursage, triangle-leaf	R, S	W	W	W	C	C	W	W
Asteraceae	103821	<i>Ambrosia dumosa</i> (A. Gray) W. W. Payne	bursage	F, R	W	C	W	C	W	W	W
Asteraceae	103823	<i>Ambrosia grayi</i> (A. Nelson) Shinnars	ragweed, bur; povertyweed, woollyleaf	W	W	W	W	W	W	W	W
Asteraceae	103825	<i>Ambrosia psilostachya</i> DC.	ragweed, perennial; ragweed, western	R	W	W	W	W	W	W	W
Asteraceae	449253	<i>Ambrosia salsola</i> (Torr. & A. Gray) Strother & B. G. Baldwin	burrobush; cheeseweed	R, S	W	W	W	C	C	W	W
Asteraceae	317003	<i>Ambrosia</i> spp.	bursage; ragweed	W	W	W	W	W	W	W	W
Asteraceae	103826	<i>Ambrosia tomentosa</i> Nutt.	bursage, skeletonleaf; povertyweed, silverleaf	W	W	W	W	W	W	W	W
Asteraceae	103827	<i>Ambrosia trifida</i> L.	ragweed, giant	W	W	W	W	W	W	W	W
Asteraceae	103834	<i>Amphiachyris dracunculoides</i> (DC.) Nutt.	broomweed	W	W	W	W	W	W	W	W
Asteraceae	3086	<i>Anaphalis margaritacea</i> (L.) Benth. & Hook. f.	everlasting, pearly	F, R	W	C	W	C	W	W	W
Asteraceae	316553	<i>Antennaria plantaginifolia</i> (L.) Richardson	cat's paw; everlasting, plantain-leaved	W	W	W	W	W	W	W	W
Asteraceae	103870	<i>Anthemis arvensis</i> L.	chamomile, field	W	W	W	W	W	W	W	W
Asteraceae	103883	<i>Anthemis cotula</i> L.	dogfennel; mayweed	W	W	W	W	W	W	W	W
Asteraceae	3536	<i>Anthemis sancti-johannis</i> Stoj. et al.	chamomile, St. Johns	F	W	C	W	W	W	W	W
Asteraceae	3857	<i>Arctium lappa</i> L.	burdock, great	V	W	W	W	W	W	W	W
Asteraceae	313517	<i>Arctium minus</i> (Hill) Bernh.	burdock, common	W	W	W	W	W	W	W	W
Asteraceae	316561	<i>Arctotheca calendula</i> (L.) Levyns	capeweed	W	W	W	W	W	W	W	W
Asteraceae	3871	<i>Arctotis fastuosa</i> Jacq.	daisy, Cape; monarch-daisy	F	W	C	W	W	W	W	W
Asteraceae	3875	<i>Arctotis venusta</i> Norl.	African-daisy, blue-eyed; African-daisy, lilac; arctotis	F	W	C	W	W	W	W	W
Asteraceae	317022	<i>Arnica</i> spp.	arnica	F	W	C	W	W	W	W	W
Asteraceae	316874	<i>Arnoseris minima</i> (L.) Schweigg. & Körte	succory, lamb	W	W	W	W	W	W	W	W
Asteraceae	4274	<i>Artemisia absinthium</i> L.	wormwood, absinthe	W	W	W	W	W	W	W	W
Asteraceae	4275	<i>Artemisia annua</i> L.	wormwood, annual	S	W	W	W	W	C	W	W
Asteraceae	70091	<i>Artemisia arbuscula</i> Nutt.	sagebrush, low	R, S	W	W	W	C	C	W	W
Asteraceae	4278	<i>Artemisia biennis</i> Willd.	wormwood, biennial	S	W	W	W	W	C	W	W
Asteraceae	103962	<i>Artemisia californica</i> Less.	sagebrush, California	R, S	W	W	W	C	C	W	W
Asteraceae	70094	<i>Artemisia cana</i> Pursh	sagebrush, silver	R, S	W	W	W	C	C	W	W
Asteraceae	103964	<i>Artemisia douglasiana</i> Besser	sagewort, Douglas	R	W	W	W	C	W	W	W
Asteraceae	4282	<i>Artemisia dracunculus</i> L.	tarragon	H, V	W	W	C	W	W	W	C

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Asteraceae	316568	<i>Artemisia filifolia</i> Torr.	sage, sand; sagebrush, sand	F, R, S	W	C	W	C	C	W	W
Asteraceae	4283	<i>Artemisia frigida</i> Willd.	sagebrush, fringed	F, R, S	W	C	W	C	C	W	W
Asteraceae	103970	<i>Artemisia ludoviciana</i> Nutt.	sagewort, Louisiana	R, S	W	W	W	C	C	W	W
Asteraceae	316569	<i>Artemisia nova</i> A. Nelson	sagebrush, black	R, S	W	W	W	C	C	W	W
Asteraceae	300044	<i>Artemisia</i> spp.	sagebrush; wormwood	R, S	W	W	W	C	C	W	W
Asteraceae	4299	<i>Artemisia tilesii</i> Ledeb.	sagebrush, Tilesy	R	W	W	W	C	W	W	W
Asteraceae	103973	<i>Artemisia tridentata</i> Nutt.	sagebrush, big	R, S	W	W	W	C	C	W	W
Asteraceae	411019	<i>Artemisia tridentata</i> Nutt. subsp. <i>tridentata</i>	sagebrush, basin big; sagebrush, big	R, S	W	W	W	C	C	W	W
Asteraceae	411020	<i>Artemisia tridentata</i> Nutt. subsp. <i>vaseyana</i> (Rydb.) Beetle	sagebrush, mountain big	R, S	W	W	W	C	C	W	W
Asteraceae	416067	<i>Artemisia tridentata</i> Nutt. subsp. <i>wyomingensis</i> Beetle & A. L. Young	sagebrush, Wyoming big	R, S	W	W	W	C	C	W	W
Asteraceae	300053	<i>Aster</i> spp.	aster	W	W	W	W	W	W	W	W
Asteraceae	429385	<i>Baccharis salicifolia</i> (Ruiz & Pav.) Pers.	mule-fat	R, S	W	W	W	C	C	W	W
Asteraceae	6242	<i>Baccharis sarothroides</i> A. Gray	broom, desert	R, S	W	W	W	C	C	W	W
Asteraceae	432282	<i>Bahiopsis laciniata</i> (A. Gray) E. E. Schill. & Panero	goldeneye, cutleaf; sunflower, San Diego	F	W	C	W	W	W	W	W
Asteraceae	6315	<i>Baileya multiradiata</i> Harv. & A. Gray ex Torr.	marigold, desert; marigold, wooly	F	W	C	W	C	W	W	W
Asteraceae	459701	<i>Balsamorhiza hookeri</i> Nutt. var. <i>hookeri</i>	balsamroot, Hooker's	F, R	W	C	W	C	W	W	W
Asteraceae	448089	<i>Balsamorhiza macrophylla</i> Nutt.	balsamroot, cutleaf	F, R	W	C	W	C	W	W	W
Asteraceae	6339	<i>Balsamorhiza sagittata</i> (Pursh) Nutt.	balsamroot, arrowleaved	F, R	W	C	W	C	W	W	W
Asteraceae	317023	<i>Balsamorhiza</i> spp.	balsamroot	R	W	W	W	C	W	W	W
Asteraceae	454207	<i>Bebbia juncea</i> (Benth.) Greene	sweetbush	F, R	W	C	W	C	W	W	W
Asteraceae	6728	<i>Bellis perennis</i> L.	daisy, English	F	W	C	W	W	W	W	W
Asteraceae	416228	<i>Bidens aristosa</i> (Michx.) Britton	tickseed, western	R	W	W	W	C	W	W	W
Asteraceae	316586	<i>Bidens bigelovii</i> A. Gray	sticktight	W	W	W	W	W	W	W	W
Asteraceae	104072	<i>Bidens bipinnata</i> L.	beggarticks; Spanish-needles	W	W	W	W	W	W	W	W
Asteraceae	104074	<i>Bidens cernua</i> L.	beggarticks, nodding; sticktight, nodding	W	W	W	W	W	W	W	W
Asteraceae	7167	<i>Bidens frondosa</i> L.	beggarticks, devil's; sticktight, devil's	W	W	W	W	W	W	W	W
Asteraceae	300075	<i>Bidens</i> spp.	beggarticks; sticktight	W	W	W	W	W	W	W	W
Asteraceae	316587	<i>Bidens tenuisecta</i> A. Gray	sticktight	W	W	W	W	W	W	W	W
Asteraceae	316589	<i>Brachyscome iberidifolia</i> Benth.	daisy, Swan River	F	W	C	W	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Asteraceae	476183	<i>Brickellia eupatorioides</i> (L.) Shinnars var. <i>chlorolepis</i> (Wooton & Standl.) B. L. Turner	bonset, false	W	W	W	W	W	W	W	W
Asteraceae	476182	<i>Brickellia eupatorioides</i> (L.) Shinnars var. <i>eupatorioides</i>	bonset, false	W	W	W	W	W	W	W	W
Asteraceae	8151	<i>Bupthalmum salicifolium</i> L.	oxeye, willowleaf	F	W	C	W	W	W	W	W
Asteraceae	8457	<i>Calendula officinalis</i> L.	calendula marigold, pot	F	W	C	W	W	W	W	W
Asteraceae	8581	<i>Callistephus chinensis</i> (L.) Nees	China-aster	F	W	C	W	W	W	W	W
Asteraceae	104108	<i>Carduus acanthoides</i> L.	thistle, plumeless	W	W	W	W	W	W	W	W
Asteraceae	316602	<i>Carduus crispus</i> L.	thistle, curly	W	W	W	W	W	W	W	W
Asteraceae	104109	<i>Carduus nutans</i> L.	thistle, musk; thistle, nodding	W	W	W	W	W	W	W	W
Asteraceae	316603	<i>Carduus pycnocephalus</i> L.	thistle, Italian spiny	W	W	W	W	W	W	W	W
Asteraceae	318329	<i>Carduus</i> spp.	thistle, plumeless	W	W	W	W	W	W	W	W
Asteraceae	316604	<i>Carduus tenuiflorus</i> Curtis	thistle, Italian clasping; thistle, slenderflower; thistle, tenderflower	W	W	W	W	W	W	W	W
Asteraceae	9230	<i>Carthamus creticus</i> L.	distaff thistle, smooth; distaff thistle, woolly	W	W	W	W	W	W	W	W
Asteraceae	9235	<i>Carthamus lanatus</i> L.	distaff thistle, western	W	W	W	W	W	W	W	W
Asteraceae	9237	<i>Carthamus leucocaulos</i> Sm.	distaff thistle, whitestem	W	W	W	W	W	W	W	W
Asteraceae	9239	<i>Carthamus oxyacantha</i> M. Bieb.	safflower, wild	W	W	W	W	W	W	W	W
Asteraceae	9243	<i>Carthamus tinctorius</i> L.	safflower	A, F	C	C	C	W	W	W	W
Asteraceae	9594	<i>Catananche caerulea</i> L.	cupid's dart	F	W	C	W	W	W	W	W
Asteraceae	432926	<i>Centaurea xmoncktonii</i> C. E. Britton	knapweed, meadow	W	W	W	W	W	W	W	W
Asteraceae	455331	<i>Centaurea benedicta</i> (L.) L.	thistle, blessed	W	W	W	W	W	W	W	W
Asteraceae	316612	<i>Centaurea calcitrapa</i> L.	starthistle, purple	W	W	W	W	W	W	W	W
Asteraceae	104124	<i>Centaurea cineraria</i> L.	dusty-miller	F	W	C	W	W	W	W	W
Asteraceae	9817	<i>Centaurea cyanus</i> L.	cornflower; bachelor's-button; robin, ragged	F	W	C	W	W	W	W	W
Asteraceae	104125	<i>Centaurea diffusa</i> Lam.	knapweed, diffuse	W	W	W	W	W	W	W	W
Asteraceae	100753	<i>Centaurea gymnocarpa</i> Moris & De Not.	centaurea, velvet	F	W	C	W	W	W	W	W
Asteraceae	316084	<i>Centaurea iberica</i> Trevir. ex Spreng.	starthistle, Iberian	W	W	W	W	W	W	W	W
Asteraceae	100919	<i>Centaurea imperialis</i> Hausskn. ex Bornm.	centaurea, royal	F	W	C	W	W	W	W	W
Asteraceae	9821	<i>Centaurea jacea</i> L.	knapweed, brownscale	W	W	W	W	W	W	W	W
Asteraceae	401600	<i>Centaurea macrocephala</i> Muss. Puschk. ex Willd.	knapweed, big-head	F	W	C	W	W	W	W	W
Asteraceae	316613	<i>Centaurea melitensis</i> L.	starthistle, Malta	W	W	W	W	W	W	W	W
Asteraceae	401601	<i>Centaurea montana</i> L.	mountain-bluet	F	W	C	W	W	W	W	W
Asteraceae	104128	<i>Centaurea nigra</i> L.	knapweed, black	W	W	W	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Asteraceae	403429	<i>Centaurea nigrescens</i> Willd.	knapweed, Vochin	W	W	W	W	W	W	W	W
Asteraceae	9827	<i>Centaurea solstitialis</i> L.	starthistle, yellow	W	W	W	W	W	W	W	W
Asteraceae	310941	<i>Centaurea</i> spp.	knapweed; starthistle	W	W	W	W	W	W	W	W
Asteraceae	464558	<i>Centaurea stoebe</i> L. subsp. <i>australis</i> (Pančić ex A. Kern.) Greuter	knapweed, spotted	W	W	W	W	W	W	W	W
Asteraceae	316614	<i>Centaurea sulphurea</i> Willd.	starthistle, Sicilian	W	W	W	W	W	W	W	W
Asteraceae	316482	<i>Centaurea virgata</i> Lam. subsp. <i>squarrosa</i> (Boiss.) Gugler	knapweed, squarrose	W	W	W	W	W	W	W	W
Asteraceae	317002	<i>Centromadia</i> spp.		W	W	W	W	W	W	W	W
Asteraceae	447572	<i>Chaenactis douglasii</i> (Hook.) Hook. & Arn.	dusty-maiden, Douglas'	R	W	W	W	C	W	W	W
Asteraceae	462986	<i>Chaenactis fremontii</i> A. Gray	pincushion-flower	R	W	W	W	C	W	W	W
Asteraceae	104133	<i>Chamaemelum nobile</i> (L.) All.	chamomile, Roman	F	W	C	W	W	W	W	W
Asteraceae	10317	<i>Chondrilla juncea</i> L.	skeletonweed, rush; skeletonweed, yellowflowering	W	W	W	W	W	W	W	W
Asteraceae	403697	<i>Chromolaena odorata</i> (L.) R. M. King & H. Rob.	bitterbush; siamweed	W	W	W	W	W	W	W	W
Asteraceae	317037	<i>Chrysopsis</i> spp.	aster, golden	F	W	C	W	W	W	W	W
Asteraceae	317038	<i>Chrysothamnus</i> spp.	rabbitbrush	R, S	W	W	W	C	C	W	W
Asteraceae	104150	<i>Chrysothamnus viscidiflorus</i> (Hook.) Nutt.	rabbitbrush, Douglas	R, S	W	W	W	C	C	W	W
Asteraceae	10542	<i>Cichorium endivia</i> L.	endive	V	W	W	C	W	W	W	C
Asteraceae	10543	<i>Cichorium intybus</i> L.	chicory	F, R, V	W	C	W	C	W	W	W
Asteraceae	316621	<i>Cirsium altissimum</i> (L.) Spreng.	thistle, field; thistle, tall	W	W	W	W	W	W	W	W
Asteraceae	100755	<i>Cirsium arvense</i> (L.) Scop.	thistle, Canada	W	W	W	W	W	W	W	W
Asteraceae	316622	<i>Cirsium canescens</i> Nutt.	thistle, Platte	W	W	W	W	W	W	W	W
Asteraceae	316623	<i>Cirsium discolor</i> (Muhl. ex Willd.) Spreng.	thistle, field	W	W	W	W	W	W	W	W
Asteraceae	316624	<i>Cirsium flodmanii</i> (Rydb.) Arthur	thistle, Flodman's	W	W	W	W	W	W	W	W
Asteraceae	419814	<i>Cirsium japonicum</i> Fisch. ex DC.	thistle, Japanese	W	W	W	W	W	W	W	W
Asteraceae	316625	<i>Cirsium ochrocentrum</i> A. Gray	thistle, yellowspine	W	W	W	W	W	W	W	W
Asteraceae	316940	<i>Cirsium pumilum</i> Spreng.	thistle, hills	W	W	W	W	W	W	W	W
Asteraceae	316626	<i>Cirsium remotifolium</i> (Hook.) DC.	thistle, weak	W	W	W	W	W	W	W	W
Asteraceae	317040	<i>Cirsium</i> spp.	thistle	W	W	W	W	W	W	W	W
Asteraceae	316627	<i>Cirsium undulatum</i> (Nutt.) Spreng.	thistle, wavyleaf	W	W	W	W	W	W	W	W
Asteraceae	104163	<i>Cirsium vulgare</i> (Savi) Ten.	thistle, bull	W	W	W	W	W	W	W	W
Asteraceae	316942	<i>Coleostephus multicaulis</i> (Desf.) Durieu	daisy, yellowclump	F	W	C	W	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Asteraceae	318331	<i>Coreopsis basalis</i> (A. Dietr.) S. F. Blake	calliopsis	F	W	C	W	W	W	W	W
Asteraceae	316633	<i>Coreopsis gigantea</i> (Kellogg) H. M. Hall	coreopsis, tree	F	W	C	W	W	W	W	W
Asteraceae	11519	<i>Coreopsis grandiflora</i> Hogg ex Sweet	coreopsis	F	W	C	W	W	W	W	W
Asteraceae	11520	<i>Coreopsis lanceolata</i> L.	coreopsis, perennial; tickseed, perennial	F, R	W	C	W	C	W	W	W
Asteraceae	453839	<i>Coreopsis linifolia</i> Nutt.	coreopsis, savanna	R	W	W	W	C	W	W	W
Asteraceae	449423	<i>Coreopsis major</i> Walter	tickseed, greater	R	W	W	W	C	W	W	W
Asteraceae	316634	<i>Coreopsis maritima</i> (Nutt.) Hook. f.	dahlia, sea	F	W	C	W	W	W	W	W
Asteraceae	70200	<i>Coreopsis palmata</i> Nutt.	coreopsis, prairie	R	W	W	W	C	W	W	W
Asteraceae	11522	<i>Coreopsis tinctoria</i> Nutt.	calliopsis; tickseed, plains	F, R	W	C	W	C	W	W	W
Asteraceae	11680	<i>Cosmos bipinnatus</i> Cav.	cosmos; sensation, mammoth or crested types	F, R	W	C	W	C	W	W	W
Asteraceae	11684	<i>Cosmos sulphureus</i> Cav.	cosmos, klondyke; cosmos, yellow	F, R	W	C	W	C	W	W	W
Asteraceae	462955	<i>Cota tinctoria</i> (L.) J. Gay	chamomile, golden; marguerite, golden	F	W	C	W	W	W	W	W
Asteraceae	316639	<i>Cotula coronopifolia</i> L.	brass-button	R	W	W	W	W	W	W	W
Asteraceae	12182	<i>Crepis capillaris</i> (L.) Wallr.	hawksbeard, smooth	W	W	W	W	W	W	W	W
Asteraceae	12200	<i>Crepis setosa</i> Haller f.	hawksbeard, hairy	W	W	W	W	W	W	W	W
Asteraceae	316083	<i>Crepis</i> spp.	hawksbeard	W	W	W	W	W	W	W	W
Asteraceae	12203	<i>Crepis tectorum</i> L.	hawksbeard, narrowleaf	W	W	W	W	W	W	W	W
Asteraceae	12504	<i>Crupina vulgaris</i> Cass.	creeper, bearded; crupina, common	W	W	W	W	W	W	W	W
Asteraceae	419636	<i>Cyclachaena xanthiifolia</i> (Nutt.) Fresen.	marsh-elder	W	W	W	W	W	W	W	W
Asteraceae	12839	<i>Cynara cardunculus</i> L.	artichoke; cardoon; thistle, artichoke	V	W	W	W	W	W	W	C
Asteraceae	300170	<i>Dahlia</i> spp.	dahlia	F	W	C	W	W	W	W	W
Asteraceae	476216	<i>Deinandra clementina</i> (Brandege) B. G. Baldwin	tarweed, Catalina	R, S	W	W	W	C	C	W	W
Asteraceae	410179	<i>Delairea odorata</i> Lem.	ivy, German	W	W	W	W	W	W	W	W
Asteraceae	452954	<i>Dieteria bigelovii</i> (A. Gray) D. R. Morgan & R. L. Hartm.	aster, plains	F, R	W	C	W	C	W	W	W
Asteraceae	452974	<i>Dieteria bigelovii</i> (A. Gray) D. R. Morgan & R. L. Hartm. var. <i>bigelovii</i>	aster, Bigelow	F, R, S	W	C	W	C	C	W	W
Asteraceae	452956	<i>Dieteria canescens</i> (Pursh) Nutt. var. <i>canescens</i>	hoary-aster	F, R	W	C	W	C	W	W	W
Asteraceae	14149	<i>Dimorphotheca pluvialis</i> (L.) Moench	African-daisy, white; cape-marigold, rain	F	W	C	W	W	W	W	W
Asteraceae	14151	<i>Dimorphotheca sinuata</i> DC.	African-daisy; cape-marigold, blue-eyed	F, R	W	C	W	C	W	W	W
Asteraceae	409357	<i>Dimorphotheca tragus</i> (Aiton) DC.	cape-marigold, winter	F, R	W	C	W	C	W	W	W
Asteraceae	434089	<i>Doellingeria umbellata</i> (Mill.) Nees	whitetop, parasol	R	W	W	W	C	W	W	W



Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Asteraceae	316655	<i>Doronicum orientale</i> Hoffm.	leopardbane, Caucasian	F	W	C	W	W	W	W	W
Asteraceae	316658	<i>Dyssodia papposa</i> (Vent.) Hitchc.	prairie-dog-weed	R	W	W	W	C	W	W	W
Asteraceae	409333	<i>Echinacea angustifolia</i> DC. var. <i>angustifolia</i>	coneflower, purple-headed	F, H	W	C	C	C	W	W	W
Asteraceae	70237	<i>Echinacea pallida</i> (Nutt.) Nutt.	coneflower, pale purple	F,H,R	W	C	C	C	W	W	W
Asteraceae	14799	<i>Echinacea purpurea</i> (L.) Moench	coneflower, purple	F, H	W	C	C	C	W	W	W
Asteraceae	14848	<i>Echinops ritro</i> L.	globethistle, small	F	W	C	W	W	W	W	W
Asteraceae	104200	<i>Eclipta prostrata</i> (L.) L.	Yerba De Tajo	W	W	W	W	W	W	W	W
Asteraceae	403809	<i>Elephantopus mollis</i> Kunth	elephant's foot	W	W	W	W	W	W	W	W
Asteraceae	316994	<i>Elephantopus</i> spp.	elephantopus; elephant's foot	W	W	W	W	W	W	W	W
Asteraceae	462987	<i>Encelia actoni</i> Elmer	encelia, Anton	F, R, S	W	C	W	C	C	W	W
Asteraceae	447408	<i>Encelia californica</i> Nutt.	sunflower, California	F, R, S	W	C	W	C	C	W	W
Asteraceae	15137	<i>Encelia farinosa</i> A. Gray ex Torr.	brittlebush	F, R, S	W	C	W	C	C	W	W
Asteraceae	15138	<i>Encelia frutescens</i> (A. Gray) A. Gray	encelia, bush; brittlebush, button; brittlebush	F, R, S	W	C	W	C	C	W	W
Asteraceae	463478	<i>Encelia</i> spp.	brittlebush	F, R, S	W	C	W	C	C	W	W
Asteraceae	448135	<i>Encelia virginensis</i> A. Nelson	brittlebush, Virgin River	F, R, S	W	C	W	C	C	W	W
Asteraceae	418964	<i>Engelmannia peristenia</i> (Raf.) Goodman & C. A. Lawson	daisy, Engelmann	R	W	W	W	C	W	W	W
Asteraceae	15344	<i>Erechtites hieraciifolius</i> (L.) Raf. ex DC.	burnweed, American	W	W	W	W	W	W	W	W
Asteraceae	453060	<i>Ericameria laricifolia</i> (A. Gray) Shinnars	turpentinebush	R, S	W	W	W	C	C	W	W
Asteraceae	455384	<i>Ericameria linearifolia</i> (DC.) Urbatsch & Wussow	goldenbush, narrowleaf	R, S	W	W	W	C	C	W	W
Asteraceae	404918	<i>Ericameria nauseosa</i> (Pall. ex Pursh) G. L. Nesom & G. I. Baird	rabbitbrush, rubber	R, S	W	W	W	C	C	W	W
Asteraceae	455387	<i>Ericameria palmeri</i> (A. Gray) H. M. Hall	goldenbush, Palmer's	R, S	W	W	W	C	C	W	W
Asteraceae	452140	<i>Ericameria teretifolia</i> (Durand & Hilg.) Jeps.	rabbitbrush, green	R, S	W	W	W	C	C	W	W
Asteraceae	104210	<i>Erigeron annuus</i> (L.) Pers.	fleabane, annual	W	W	W	W	W	W	W	W
Asteraceae	104213	<i>Erigeron canadensis</i> L.	horseweed	W	W	W	W	W	W	W	W
Asteraceae	317285	<i>Erigeron divaricatus</i> Michx.	fleabane, dwarf	W	W	W	W	W	W	W	W
Asteraceae	448142	<i>Erigeron engelmannii</i> A. Nelson	fleabane, Engelmann's	R	W	W	W	C	W	W	W
Asteraceae	417219	<i>Erigeron peregrinus</i> (Pursh) Greene	fleabane, subalpine	R	W	W	W	C	W	W	W
Asteraceae	448146	<i>Erigeron pumilus</i> Nutt.	fleabane, shaggy	R	W	W	W	C	W	W	W
Asteraceae	70266	<i>Erigeron speciosus</i> (Lindl.) DC.	daisy, aspen; fleabane, Oregon	F, R	W	C	W	C	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Asteraceae	316666	<i>Erigeron strigosus</i> Muhl. ex Willd.	fleabane, daisy	W	W	W	W	W	W	W	W
Asteraceae	316887	<i>Eriophyllum confertiflorum</i> (DC.) A. Gray	yarrow, golden	F	W	C	W	W	W	W	W
Asteraceae	454786	<i>Eriophyllum lanatum</i> (Pursh) J. Forbes	sunflower, common woolly	F, R	W	C	W	C	W	W	W
Asteraceae	434103	<i>Eucephalus engelmannii</i> (D. C. Eaton) Greene	aster, Engelmann	F, R	W	C	W	C	W	W	W
Asteraceae	16330	<i>Eupatorium perfoliatum</i> L.	boneset, common	F, R	W	C	W	C	W	W	W
Asteraceae	310142	<i>Eupatorium</i> spp.	boneset; thoroughwort	F, R	W	C	W	C	W	W	W
Asteraceae	16459	<i>Euryops multifidus</i> (Thunb.) DC.	resinbush, sweet	W	W	W	W	W	W	W	W
Asteraceae	458488	<i>Euryops subcarnosus</i> DC. subsp. <i>vulgaris</i> B. Nord.	resinbush, sweet	W	W	W	W	W	W	W	W
Asteraceae	459154	<i>Eutrochium purpureum</i> (L.) E. E. Lamont	joe-pye-weed	F, R	W	C	W	C	W	W	W
Asteraceae	70935	<i>Gaillardia aristata</i> Pursh	gaillardia, perennial; blanket-flower; firewheel	F, R	W	C	W	C	W	W	W
Asteraceae	70936	<i>Gaillardia pulchella</i> Foug.	gaillardia, rose-ring; blanket-flower, Indian	F, R	W	C	W	C	W	W	W
Asteraceae	316689	<i>Gaillardia pulchella</i> Foug. var. <i>picta</i> (Sweet) A. Gray	gaillardia, annual; blanket-flower, annual	F, R	W	C	W	C	W	W	W
Asteraceae	104241	<i>Galinsoga parviflora</i> Cav.	quickweed; galinsoga, small-flower	W	W	W	W	W	W	W	W
Asteraceae	316984	<i>Gamochaeta purpurea</i> (L.) Cabrera	cudweed, purple	W	W	W	W	W	W	W	W
Asteraceae	382	<i>Gazania rigens</i> (L.) Gaertn.	gazania, pied; treasure flower	F, R	W	C	W	C	W	W	W
Asteraceae	452886	<i>Geraea canescens</i> Torr. & A. Gray	desertsunflower, hairy; desert-gold	F, R	W	C	W	C	W	W	W
Asteraceae	17506	<i>Gerbera jamesonii</i> Adlam	transvaal-daisy	F	W	C	W	W	W	W	W
Asteraceae	417416	<i>Glebionis carinata</i> (Schousb.) Tzvelev	chrysanthemum, annual; daisy, painted	F	W	C	W	W	W	W	W
Asteraceae	417417	<i>Glebionis coronaria</i> (L.) Cass. ex Spach	chrysanthemum, edible; chrysanthemum, garland; daisy, crown	F, V	W	C	W	W	W	W	C
Asteraceae	417418	<i>Glebionis segetum</i> (L.) Fourr.	chrysanthemum, annual	F	W	C	W	W	W	W	W
Asteraceae	300235	<i>Gnaphalium</i> spp.	cudweed	W	W	W	W	W	W	W	W
Asteraceae	104248	<i>Gnaphalium uliginosum</i> L.	cudweed, low	W	W	W	W	W	W	W	W
Asteraceae	104250	<i>Grindelia camporum</i> Greene	gumweed, Great Valley	F, R	W	C	W	C	W	W	W
Asteraceae	453033	<i>Grindelia ciliata</i> (Nutt.) Spreng.	goldenweed, hairy	W	W	W	W	W	W	W	W
Asteraceae	429499	<i>Grindelia integrifolia</i> DC.	gumplant, Puget Sound; gumweed, Willamette	R	W	W	W	C	W	W	W
Asteraceae	317055	<i>Grindelia</i> spp.	gumweed; tarweed	W	W	W	W	W	W	W	W
Asteraceae	316702	<i>Grindelia squarrosa</i> (Pursh) Dunal	gumweed, curly-cup	W	W	W	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Asteraceae	429498	<i>Grindelia stricta</i> DC. var. <i>platyphylla</i> (Greene) M. A. Lane		F, H, R	W	W	W	W	W	W	W
Asteraceae	429496	<i>Grindelia stricta</i> DC. var. <i>stricta</i>	gumweed, prostrate	F, H, R	W	W	W	W	W	W	W
Asteraceae	18068	<i>Guizotia abyssinica</i> (L. f.) Cass.	niger	A	C	W	W	W	W	W	W
Asteraceae	455438	<i>Gutierrezia californica</i> (DC.) Torr. & A. Gray	snakeweed, San Joaquin	R	W	W	W	C	W	W	W
Asteraceae	104256	<i>Gutierrezia sarothrae</i> (Pursh) Britton & Rusby	snakeweed, broom; broomweed	H, R	W	W	W	C	W	W	W
Asteraceae	413841	<i>Hazardia squarrosa</i> (Hook. & Arn.) Greene	goldenbush, saw-tooth	R	W	W	W	C	W	W	W
Asteraceae	104272	<i>Helenium amarum</i> (Raf.) H. Rock	sneezeweed, bitter	W	W	W	W	W	W	W	W
Asteraceae	27906	<i>Helenium autumnale</i> L.	sneezeweed, common	W	W	W	W	W	W	W	W
Asteraceae	316706	<i>Helenium flexuosum</i> Raf.	sneezeweed, purplehead	W	W	W	W	W	W	W	W
Asteraceae	317057	<i>Helenium</i> spp.	sneezeweed; helenium	F	W	W	W	W	W	W	W
Asteraceae	27923	<i>Helianthus annuus</i> L.	sunflower, common; sunflower, wild	A, F, R	C	C	W	C	W	W	W
Asteraceae	104282	<i>Helianthus atrorubens</i> L.	sunflower, purple-disc	F, R	W	C	W	C	W	W	W
Asteraceae	104286	<i>Helianthus ciliaris</i> DC.	blueweed	W	W	W	W	W	W	W	W
Asteraceae	104287	<i>Helianthus cusickii</i> A. Gray	sunflower, Cusick's	F, R	W	C	W	C	W	W	W
Asteraceae	27927	<i>Helianthus giganteus</i> L.	sunflower, giant	F, R	W	C	W	C	W	W	W
Asteraceae	27928	<i>Helianthus grosseserratus</i> M. Martens	sunflower, sawtooth	F, R	W	C	W	C	W	W	W
Asteraceae	27931	<i>Helianthus maximiliani</i> Schrad.	sunflower, Maximilian's	F, R	W	C	W	C	W	W	W
Asteraceae	27935	<i>Helianthus nuttallii</i> Torr. & A. Gray	sunflower, marsh	F, R	W	C	W	C	W	W	W
Asteraceae	27936	<i>Helianthus occidentalis</i> Riddell	sunflower, fewleaf	F, R	W	C	W	C	W	W	W
Asteraceae	316322	<i>Helianthus pauciflorus</i> Nutt.	sunflower, stiff	F, R	W	C	W	C	W	W	W
Asteraceae	27937	<i>Helianthus petiolaris</i> Nutt.	sunflower, prairie	W	W	W	W	W	W	W	W
Asteraceae	27938	<i>Helianthus pumilus</i> Nutt.	sunflower, little	F, R	W	C	W	C	W	W	W
Asteraceae	300260	<i>Helianthus</i> spp.	sunflower	A, F	C	C	W	W	W	W	W
Asteraceae	27946	<i>Helianthus tuberosus</i> L.	Jerusalem-artichoke	V	W	W	W	W	W	W	C
Asteraceae	18818	<i>Helioomeris multiflora</i> Nutt.	goldeneye, showy	F, R	W	C	W	C	W	W	W
Asteraceae	70331	<i>Heliopsis helianthoides</i> (L.) Sweet	heliopsis, sunflower	F, R	W	C	W	C	W	W	W
Asteraceae	317058	<i>Heliopsis</i> spp.	heliopsis	F	W	C	W	W	W	W	W
Asteraceae	406955	<i>Helminthotheca echioides</i> (L.) Holub	oxtongue, bristly	W	W	W	W	W	W	W	W
Asteraceae	413096	<i>Hemizonia congesta</i> DC. subsp. <i>luzulifolia</i> (DC.) Babc. & H. M. Hall	tarweed, hay-field	W	W	W	W	W	W	W	W
Asteraceae	317001	<i>Hemizonia</i> spp.	hemizonia; tarweed	W	W	W	W	W	W	W	W
Asteraceae	460269	<i>Herrickia glauca</i> (Nutt.) Brouillet	aster, blueleaf	F, R	W	C	W	C	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Asteraceae	316895	<i>Heterotheca grandiflora</i> Nutt.	telegraphweed	R	W	W	W	W	W	W	W
Asteraceae	316896	<i>Heterotheca subaxillaris</i> (Lam.) Britton & Rusby	camphorweed	W	W	W	W	W	W	W	W
Asteraceae	413988	<i>Heterotheca villosa</i> (Pursh) Shinnars	aster, hairy golden	F, R	W	C	W	C	W	W	W
Asteraceae	317059	<i>Hieracium</i> spp.	hawkweed	W	W	W	W	W	W	W	W
Asteraceae	316995	<i>Hymenopappus</i> spp.	hymenopappus	W	W	W	W	W	W	W	W
Asteraceae	104355	<i>Hymenoxys odorata</i> DC.	actinea, bitterweed	W	W	W	W	W	W	W	W
Asteraceae	316711	<i>Hymenoxys richardsonii</i> (Hook.) Cockerell	rubberweed, Colorado	W	W	W	W	W	W	W	W
Asteraceae	317062	<i>Hymenoxys</i> spp.	actinea	W	W	W	W	W	W	W	W
Asteraceae	19621	<i>Hypochaeris radicata</i> L.	cat's-ear, spotted	W	W	W	W	W	W	W	W
Asteraceae	316955	<i>Inula orientalis</i> Lam.	inula, sunflower; sneezewort, false	F	W	C	W	W	W	W	W
Asteraceae	413814	<i>Isocoma acradenia</i> (Greene) Greene	goldenweed, pale leaf	R, S	W	W	W	C	C	W	W
Asteraceae	404914	<i>Isocoma tenuisecta</i> Greene	burroweed	R, S	W	W	W	C	C	W	W
Asteraceae	104368	<i>Iva annua</i> L.	sumpweed, rough	W	W	W	W	W	W	W	W
Asteraceae	20534	<i>Iva axillaris</i> Pursh	povertyweed, mouse-ear; sumpweed, poverty; povertyweed	W	W	W	W	W	W	W	W
Asteraceae	476218	<i>Iva hayesiana</i> A. Gray	povertyweed, San Diego	R	W	W	W	C	W	W	W
Asteraceae	450260	<i>Jacobaea vulgaris</i> Gaertn.	ragwort, tansy	W	W	W	W	W	W	W	W
Asteraceae	316956	<i>Krigia cespitosa</i> (Raf.) K. L. Chambers	dwarf dandelion, western	W	W	W	W	W	W	W	W
Asteraceae	316900	<i>Krigia occidentalis</i> Nutt.	dwarf dandelion, western	W	W	W	W	W	W	W	W
Asteraceae	21329	<i>Lactuca canadensis</i> L.	lettuce, tall	W	W	W	W	W	W	W	W
Asteraceae	21360	<i>Lactuca sativa</i> L.	lettuce	V	C	C	C	C	C	C	C
Asteraceae	21365	<i>Lactuca serriola</i> L.	lettuce, prickly	W	W	W	W	W	W	W	W
Asteraceae	300295	<i>Lactuca</i> spp.	lettuce, wild	W	W	W	W	W	W	W	W
Asteraceae	104386	<i>Lactuca tatarica</i> (L.) C. A. Mey. subsp. <i>pulchella</i> (Pursh) Stebbins	lettuce, blue-flowering	W	W	W	W	W	W	W	W
Asteraceae	21375	<i>Lactuca virosa</i> L.	lettuce, bitter	W	W	W	W	W	W	W	W
Asteraceae	316901	<i>Lagascea mollis</i> Cav.	acuate	W	W	W	W	W	W	W	W
Asteraceae	21475	<i>Lapsana communis</i> L.	nipplewort	F	W	W	W	W	W	W	W
Asteraceae	316986	<i>Lasthenia californica</i> DC. ex Lindl.	lasthenia, California	F, R	W	C	W	C	W	W	W
Asteraceae	317129	<i>Lasthenia glabrata</i> Lindl.	California sunshine; goldfields	F	W	C	W	W	W	W	W
Asteraceae	316720	<i>Layia platyglossa</i> (Fisch. & C. A. Mey.) A. Gray	daisy, tidytips	F	W	C	W	W	W	W	W
Asteraceae	454196	<i>Leontodon saxatilis</i> Lam.	hawkbit, rough	W	W	W	W	W	W	W	W
Asteraceae	464691	<i>Leontopodium nivale</i> (Ten.) Hand.-Mazz.	edelweiss	F	W	C	W	W	W	W	W
Asteraceae	318339	<i>Leucanthemum xsuperbum</i> (Bergmans ex J. W. Ingram) D. H. Kent	daisy, Shasta	F, R	W	C	W	C	W	W	W
Asteraceae	317334	<i>Leucanthemum maximum</i> (Ramond) DC.	daisy, Shasta; chrysanthemum max	F, R	W	C	W	C	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Asteraceae	104402	<i>Leucanthemum vulgare</i> Lam.	daisy ox-eye; daisy, Shasta	F	W	C	W	W	W	W	W
Asteraceae	416347	<i>Liatris aspera</i> Michx.	blazingstar, tall	F, R	W	C	W	C	W	W	W
Asteraceae	406931	<i>Liatris elegans</i> (Walter) Michx.	blazingstar, pink scale	F, R	W	C	W	C	W	W	W
Asteraceae	459783	<i>Liatris ligulistylis</i> (A. Nelson) K. Schum.	blazingstar, meadow; blazingstar, Rocky Mountain	F, R	W	C	W	C	W	W	W
Asteraceae	406936	<i>Liatris pilosa</i> (Aiton) Willd.	blazingstar, shaggy	F, R	W	C	W	C	W	W	W
Asteraceae	22023	<i>Liatris punctata</i> Hook.	blazingstar	F, R	W	C	W	C	W	W	W
Asteraceae	22024	<i>Liatris pycnostachya</i> Michx.	gayfeather, thickspike; snakeroot, button	F, R	W	C	W	C	W	W	W
Asteraceae	22026	<i>Liatris spicata</i> (L.) Willd.	gayfeather, spiked	F, R	W	C	W	C	W	W	W
Asteraceae	300305	<i>Liatris</i> spp.	gayfeather	F, R	W	C	W	C	W	W	W
Asteraceae	70401	<i>Liatris squarrosa</i> (L.) Michx.	blazingstar, scaly	F, R	W	C	W	C	W	W	W
Asteraceae	316740	<i>Lygodesmia juncea</i> (Pursh) D. Don	skeletonplant	W	W	W	W	W	W	W	W
Asteraceae	104416	<i>Machaeranthera tanacetifolia</i> (Kunth) Nees	aster, tansy; daisy, Tahoka	F	W	C	W	C	W	W	W
Asteraceae	454225	<i>Madia elegans</i> D. Don ex Lindl.	madia, common	R	W	W	W	C	W	W	W
Asteraceae	316744	<i>Madia glomerata</i> Hook.	tarweed, cluster	W	W	W	W	W	W	W	W
Asteraceae	23084	<i>Madia sativa</i> Molina	tarweed, Chilean	W	W	W	W	W	W	W	W
Asteraceae	23183	<i>Malacothrix coulteri</i> Harv. & A. Gray	snake's-head	F, R	W	C	W	C	W	W	W
Asteraceae	452896	<i>Malacothrix glabrata</i> (A. Gray ex D. C. Eaton) A. Gray	desert-dandelion, smooth	F, R	W	C	W	C	W	W	W
Asteraceae	476202	<i>Malacothrix saxatilis</i> (Nutt.) Torr. & A. Gray	desert-dandelion, cliff	R	W	W	W	C	W	W	W
Asteraceae	23475	<i>Matricaria chamomilla</i> L.	chamomile, German; chamomile, sweet false; chamomile, wild	H	W	W	W	W	W	W	W
Asteraceae	104425	<i>Matricaria discoidea</i> DC.	pineappleweed	W	W	W	W	W	W	W	W
Asteraceae	317075	<i>Matricaria</i> spp.	matricaria	F	W	C	W	W	W	W	W
Asteraceae	447681	<i>Maurantherum paludosum</i> (Poir.) Vogt & Oberpr.	daisy, dwarf	F	W	C	W	W	W	W	W
Asteraceae	412995	<i>Microseris laciniata</i> (Hook.) Sch. Bip.	silverpuffs, cutleaf	R	W	W	W	C	W	W	W
Asteraceae	317077	<i>Microseris</i> spp.	cat's-ear, false; microseris	W	W	W	W	W	W	W	W
Asteraceae	316382	<i>Mikania cordata</i> (Burm. f.) B. L. Rob.	mile-a-minute	W	W	W	W	W	W	W	W
Asteraceae	316383	<i>Mikania micrantha</i> Kunth	mile-a-minute vine	W	W	W	W	W	W	W	W
Asteraceae	104438	<i>Mikania scandens</i> (L.) Willd.	hempweed, climbing	W	W	W	W	W	W	W	W
Asteraceae	24561	<i>Montanoa hibiscifolia</i> Benth.	daisy, tree	W	W	W	W	W	W	W	W
Asteraceae	104466	<i>Onopordum acanthium</i> L.	thistle, cotton; thistle, Scotch	W	W	W	W	W	W	W	W
Asteraceae	317081	<i>Onopordum</i> spp.	thistle, onopordum	W	W	W	W	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Asteraceae	401780	<i>Onopordum tauricum</i> Willd.	thistle, Scotch	W	W	W	W	W	W	W	W
Asteraceae	452808	<i>Packera aurea</i> (L.) Á. Löve & D. Löve	ragwort, golden	W	W	W	W	W	W	W	W
Asteraceae	26802	<i>Parthenium argentatum</i> A. Gray	guayule	S	C	C	C	C	C	C	C
Asteraceae	315270	<i>Parthenium incanum</i> Kunth	mariola	W	W	W	W	W	W	W	W
Asteraceae	407693	<i>Pericallis cruenta</i> (Masson ex L'Hér.) Bolle	cineraria, common	F	W	C	W	W	W	W	W
Asteraceae	454516	<i>Perityle emoryi</i> Torr.	daisy, desert; rockdaisy, Emory's	F, R	W	C	W	C	W	W	W
Asteraceae	406916	<i>Picradeniopsis oppositifolia</i> (Nutt.) Rydb.	bahia, plains	W	W	W	W	W	W	W	W
Asteraceae	28339	<i>Picris hieracioides</i> L.	oxtongue, hawkweed	W	W	W	W	W	W	W	W
Asteraceae	452222	<i>Picrothamnus desertorum</i> Nutt.	sagebrush, bud	R, S	W	W	W	C	C	W	W
Asteraceae	409972	<i>Pilosella aurantiaca</i> (L.) F. W. Schultz & Sch. Bip.	hawkweed, orange	W	W	W	W	W	W	W	W
Asteraceae	463127	<i>Plectocephalus americana</i> (Nutt.) D. Don	basket-flower; flower, Texas	F	W	C	W	W	W	W	W
Asteraceae	463126	<i>Plectocephalus rothrockii</i> (Greenm.) D. J. N. Hind	knappweed, Rothrock's	F	W	C	W	W	W	W	W
Asteraceae	417366	<i>Podospermum laciniatum</i> (L.) DC.	salsify, cutleaf	W	W	W	W	W	W	W	W
Asteraceae	462375	<i>Psephellus dealbatus</i> (Willd.) K. Koch	coneflower, Persian	F	W	C	W	W	W	W	W
Asteraceae	476219	<i>Pseudognaphalium biolettii</i> Anderb.	rabbit-tobacco, two-color	R	W	W	W	C	W	W	W
Asteraceae	411036	<i>Pseudognaphalium obtusifolium</i> (L.) Hilliard & B. L. Burt	cudweed, everlasting; everlasting, common	W	W	W	W	W	W	W	W
Asteraceae	316917	<i>Psilocarphus elatior</i> A. Gray	woollyheads, tall	W	W	W	W	W	W	W	W
Asteraceae	317094	<i>Psilocarphus</i> spp.	woollyheads	W	W	W	W	W	W	W	W
Asteraceae	452923	<i>Psilostrophe cooperi</i> (A. Gray) Greene	paperflower, whitestem	F, R, S	W	C	W	C	C	W	W
Asteraceae	30877	<i>Ratibida columnifera</i> (Nutt.) Wooton & Standl.	coneflower, prairie; Mexican hat	F	W	C	W	W	W	W	W
Asteraceae	70542	<i>Ratibida pinnata</i> (Vent.) Barnhart	coneflower, greyhead prairie; coneflower, yellow	F, R	W	C	W	C	W	W	W
Asteraceae	317096	<i>Ratibida</i> spp.	coneflower	F, R	W	C	W	C	W	W	W
Asteraceae	454138	<i>Rhaponticum repens</i> (L.) Hidalgo	knappweed, Russian	W	W	W	W	W	W	W	W
Asteraceae	411098	<i>Rhodanthe chlorocephala</i> (Turcz.) Paul G. Wilson subsp. <i>rosea</i> (Hook.) Paul G. Wilson	helipterum; strawflower	F	W	C	W	W	W	W	W
Asteraceae	317250	<i>Rudbeckia amplexicaulis</i> Vahl	coneflower, clasping	F, R	W	C	W	C	W	W	W
Asteraceae	32495	<i>Rudbeckia hirta</i> L.	black-eyed-Susan; coneflower, hairy	F, R	W	C	W	C	W	W	W
Asteraceae	410025	<i>Rudbeckia occidentalis</i> Nutt.	coneflower, western	F, R	W	C	W	C	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Asteraceae	300519	<i>Rudbeckia</i> spp.	black-eyed-Susan; coneflower	F	W	C	W	W	W	W	W
Asteraceae	33080	<i>Sanvitalia procumbens</i> Lam.	sanvitalia; zinnia, Mexican creeping	F	W	C	W	W	W	W	W
Asteraceae	33399	<i>Scolymus hispanicus</i> L.	thistle, golden	W	W	W	W	W	W	W	W
Asteraceae	462391	<i>Scorzoneroides autumnalis</i> (L.) Moench	hawkbit, fall	W	W	W	W	W	W	W	W
Asteraceae	316973	<i>Senecio flaccidus</i> Less. var. <i>flaccidus</i>	groundsel, Douglas	R	W	W	W	W	W	W	W
Asteraceae	406768	<i>Senecio inaequidens</i> DC.	ragwort, narrow-leaf; ragwort, South African	W	W	W	W	W	W	W	W
Asteraceae	463130	<i>Senecio linearifolius</i> A. Rich.	groundse, fireweed	W	W	W	W	W	W	W	W
Asteraceae	403707	<i>Senecio madagascariensis</i> Poir.	fireweed	W	W	W	W	W	W	W	W
Asteraceae	446652	<i>Senecio minimus</i> Poir.	burnweed, Australian	W	W	W	W	W	W	W	W
Asteraceae	316823	<i>Senecio spartioides</i> Torr. & A. Gray	groundsel, broom	W	W	W	W	W	W	W	W
Asteraceae	317104	<i>Senecio</i> spp.	groundsel	W	W	W	W	W	W	W	W
Asteraceae	316824	<i>Senecio squalidus</i> L.	ragwort, Oxford	W	W	W	W	W	W	W	W
Asteraceae	33708	<i>Senecio vulgaris</i> L.	groundsel, common	W	W	W	W	W	W	W	W
Asteraceae	33948	<i>Silphium perfoliatum</i> L.	cup-plant	W	W	W	W	W	W	W	W
Asteraceae	33952	<i>Silybum marianum</i> (L.) Gaertn.	milkthistle; milkthistle, blessed	W	W	W	W	W	W	W	W
Asteraceae	34917	<i>Solidago canadensis</i> L.	goldenrod, Canada	W	W	W	W	W	W	W	W
Asteraceae	417569	<i>Solidago nemoralis</i> Aiton	goldenrod, gray	F, R	W	C	W	C	W	W	W
Asteraceae	104550	<i>Solidago odora</i> Aiton	goldenrod, anise-scent	F, R	W	C	W	C	W	W	W
Asteraceae	434015	<i>Solidago ptarmicoides</i> (Torr. & A. Gray) B. Boivin	goldenrod, upland white	F, R	W	C	W	C	W	W	W
Asteraceae	449811	<i>Solidago riddellii</i> Frank	goldenrod, Riddell's	R	W	W	W	C	W	W	W
Asteraceae	34924	<i>Solidago rigida</i> L.	goldenrod, stiff	F, R	W	C	W	C	W	W	W
Asteraceae	449813	<i>Solidago rugosa</i> Mill.	goldenrod, wrinkleleaf	F, R	W	C	W	C	W	W	W
Asteraceae	418492	<i>Solidago speciosa</i> Nutt.	goldenrod, showy	F, R	W	C	W	C	W	W	W
Asteraceae	317108	<i>Solidago</i> spp.	goldenrod	W	W	W	W	W	W	W	W
Asteraceae	34932	<i>Sonchus arvensis</i> L.	sowthistle, perennial	W	W	W	W	W	W	W	W
Asteraceae	34933	<i>Sonchus asper</i> (L.) Hill	sowthistle, spiny; sowthistle, spring	W	W	W	W	W	W	W	W
Asteraceae	34939	<i>Sonchus oleraceus</i> L.	sowthistle, annual	W	W	W	W	W	W	W	W
Asteraceae	317109	<i>Sonchus</i> spp.	sowthistle	W	W	W	W	W	W	W	W
Asteraceae	434197	<i>Symphotrichum chilense</i> (Nees) G. L. Nesom	aster, Pacific	F, R	W	C	W	C	W	W	W
Asteraceae	406991	<i>Symphotrichum ericoides</i> (L.) G. L. Nesom	aster, heath; aster, many flowered	F, R	W	C	W	C	W	W	W
Asteraceae	406893	<i>Symphotrichum laeve</i> (L.) Å. Löve & D. Löve	aster, smooth blue	F, R	W	C	W	C	W	W	W
Asteraceae	434248	<i>Symphotrichum lanceolatum</i> (Willd.) G. L. Nesom subsp. <i>lanceolatum</i> var. <i>lanceolatum</i>	aster, white panicle	F, R	W	C	W	C	W	W	W
Asteraceae	406994	<i>Symphotrichum novae-angliae</i> (L.) G. L. Nesom	aster, New England	F, R	W	C	W	C	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Asteraceae	434270	<i>Symphotrichum oolentangiense</i> (Riddell) G. L. Nesom	aster, skyblue	F, R, S	W	C	W	C	C	W	W
Asteraceae	434279	<i>Symphotrichum pilosum</i> (Willd.) G. L. Nesom	aster, white-heath	W	W	W	W	W	W	W	W
Asteraceae	434291	<i>Symphotrichum puniceum</i> (L.) Å. Löve & D. Löve	aster, purplestem	F, R	W	C	W	C	W	W	W
Asteraceae	434299	<i>Symphotrichum sagittifolium</i> (Wedem. ex Willd.) G. L. Nesom	aster, arrowleaf	R	W	W	W	C	W	W	W
Asteraceae	36197	<i>Tagetes erecta</i> L.	marigold, African	F	W	C	C	W	W	W	W
Asteraceae	36201	<i>Tagetes minuta</i> L.	marigold, wild	W	W	W	W	W	W	W	W
Asteraceae	36202	<i>Tagetes patula</i> L.	marigold, French	F	W	C	W	W	W	W	W
Asteraceae	300597	<i>Tagetes</i> spp.	marigold	F	W	C	W	W	W	W	W
Asteraceae	36205	<i>Tagetes tenuifolia</i> Cav.	marigold, signet	F	W	C	W	W	W	W	W
Asteraceae	104584	<i>Tanacetum parthenium</i> (L.) Sch. Bip.	feverfew, common; matricaria	F, H	W	C	C	W	W	W	W
Asteraceae	316977	<i>Tanacetum ptarmiciflorum</i> (Webb & Berthel.) Sch. Bip.	chrysanthemum, Canary Island	F	W	C	W	W	W	W	W
Asteraceae	317009	<i>Tanacetum</i> spp.	pyrethrum; painted-daisy	F	W	W	W	W	W	W	W
Asteraceae	80037	<i>Tanacetum vulgare</i> L.	tansy, common	F	W	W	W	W	W	W	W
Asteraceae	104587	<i>Taraxacum erythrospermum</i> Andr. ex Besser aggr.	dandelion, red-seed	W	W	W	W	W	W	W	W
Asteraceae	80048	<i>Taraxacum kok-saghyz</i> L. E. Rodin	dandelion, Russian	W	W	W	W	W	W	W	W
Asteraceae	80051	<i>Taraxacum officinale</i> F. H. Wigg. aggr.	dandelion	V	W	W	W	W	W	W	W
Asteraceae	409935	<i>Tetradymia axillaris</i> A. Nelson	horsebush, spiny	R, S	W	W	W	C	C	W	W
Asteraceae	317113	<i>Thelesperma</i> spp.	greenthread	W	W	W	W	W	W	W	W
Asteraceae	455615	<i>Thymophylla acerosa</i> (DC.) Strother	fir, dog; dogweed, pricklyleaf	F, R, S	W	C	W	C	C	W	W
Asteraceae	316979	<i>Thymophylla aurea</i> (A. Gray) Greene	dog-weed; manyawn, pricklyleaf	F, R	W	C	W	C	W	W	W
Asteraceae	454211	<i>Thymophylla pentachaeta</i> (DC.) Small	dysodia, golden; pricklyleaf, fiveneedle	F, R, S	W	C	W	C	C	W	W
Asteraceae	36735	<i>Tithonia rotundifolia</i> (Mill.) S. F. Blake	flower, torch; tithonia	F	W	C	W	W	W	W	W
Asteraceae	104595	<i>Tragopogon dubius</i> Scop.	salsify, western	W	W	W	W	W	W	W	W
Asteraceae	36817	<i>Tragopogon porrifolius</i> L.	oysterplant; salsify	V	W	W	W	W	W	W	C
Asteraceae	36818	<i>Tragopogon pratensis</i> L.	goatsbeard, yellow; salsify, meadow	W	W	W	W	W	W	W	W
Asteraceae	317115	<i>Tragopogon</i> spp.	goatsbeard; salsify	W	W	W	W	W	W	W	W
Asteraceae	40146	<i>Tridax procumbens</i> L.	coat-buttons	W	W	W	W	W	W	W	W
Asteraceae	104432	<i>Tripleurospermum inodorum</i> (L.) Sch. Bip.	mayweed, scentless	W	W	W	W	W	W	W	W
Asteraceae	416481	<i>Tripleurospermum maritimum</i> (L.) W. D. J. Koch subsp. <i>maritimum</i>	chamomile, scentless	W	W	W	W	W	W	W	W



Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Asteraceae	41178	<i>Verbesina encelioides</i> (Cav.) Benth. & Hook. f. ex A. Gray	crownbeard, golden; crownbeard, western	F, R	W	C	W	C	W	W	W
Asteraceae	41185	<i>Verbesina occidentalis</i> (L.) Walter	crownbeard, Alleghany	W	W	W	W	W	W	W	W
Asteraceae	317123	<i>Verbesina</i> spp.	crownbeard	W	W	W	W	W	W	W	W
Asteraceae	60001	<i>Vernonia baldwinii</i> Torr.	ironweed, Baldwin; ironweed, western	W	W	W	W	W	W	W	W
Asteraceae	104618	<i>Vernonia gigantea</i> (Walter) Trel. ex Branner & Coville	ironweed, tall	W	W	W	W	W	W	W	W
Asteraceae	41218	<i>Vernonia noveboracensis</i> (L.) Michx.	ironweed, New York	W	W	W	W	W	W	W	W
Asteraceae	300655	<i>Vernonia</i> spp.	ironweed	W	W	W	W	W	W	W	W
Asteraceae	316928	<i>Wyethia amplexicaulis</i> (Nutt.) Nutt.	mules ears	F, R	W	C	W	C	W	W	W
Asteraceae	316929	<i>Wyethia angustifolia</i> (DC.) Nutt.	wyethia, narrowleaf	R	W	W	W	W	W	W	W
Asteraceae	448266	<i>Wyethia mollis</i> A. Gray	mulesears, woolly	F, R	W	C	W	C	W	W	W
Asteraceae	452989	<i>Xanthisma spinulosum</i> (Pursh) D. R. Morgan & R. L. Hartm.	goldenweed, spiny; ironplant, cutleaf	W	W	W	W	W	W	W	W
Asteraceae	42069	<i>Xanthisma texanum</i> DC.	star-of-Texas	A	C	W	W	W	W	W	W
Asteraceae	42071	<i>Xanthium spinosum</i> L.	cocklebur, spiny	W	W	W	W	W	W	W	W
Asteraceae	317125	<i>Xanthium</i> spp.	cocklebur	W	W	W	W	W	W	W	W
Asteraceae	42072	<i>Xanthium strumarium</i> L.	cocklebur, common	W	W	W	W	W	W	W	W
Asteraceae	316865	<i>Xeranthemum cylindraceum</i> Sm.	immortelle, cylinder	W	W	W	W	W	W	W	W
Asteraceae	424010	<i>Xerochrysum bracteatum</i> (Vent.) Tzvelev	helichrysum; strawflower	F	W	C	W	W	W	W	W
Asteraceae	410050	<i>Xylorhiza tortifolia</i> (Torr. & A. Gray) Greene	woodyaster, Mojave; woody-aster, hurt-leaf	F, R, S	W	C	W	C	C	W	W
Asteraceae	42256	<i>Zinnia acerosa</i> (DC.) A. Gray	zinnia	F	W	C	W	W	W	W	W
Asteraceae	42257	<i>Zinnia angustifolia</i> Kunth	zinnia	F	W	C	W	W	W	W	W
Asteraceae	42258	<i>Zinnia elegans</i> Jacq.	zinnia, common	F	W	C	W	W	W	W	W
Asteraceae	42259	<i>Zinnia grandiflora</i> Nutt.	zinnia	F	W	C	W	W	W	W	W
Asteraceae	42260	<i>Zinnia haageana</i> Regel	zinnia, Mexican	F	W	C	W	W	W	W	W
Asteraceae	42265	<i>Zinnia peruviana</i> (L.) L.	zinnia	F	W	C	W	W	W	W	W
Asteraceae	300688	<i>Zinnia</i> spp.	zinnia	F	W	C	W	W	W	W	W
Balsaminaceae	19810	<i>Impatiens balsamina</i> L.	balsam	F	W	C	W	W	W	W	W
Balsaminaceae	19862	<i>Impatiens walleriana</i> Hook. f.	balsam, Zanzibar; impatiens	F	W	C	W	W	W	W	W
Begoniaceae	300071	<i>Begonia</i> spp.	begonia	F	W	C	W	W	W	W	W
Berberidaceae	6814	<i>Berberis aquifolium</i> Pursh	grape, Oregon	S	W	W	W	W	C	W	W
Berberidaceae	317185	<i>Berberis fremontii</i> Torr.	barberry	S	W	C	W	W	C	W	W
Berberidaceae	413268	<i>Berberis haematocarpa</i> Wooton	mahonia, red	S	W	W	W	W	C	W	W
Berberidaceae	6947	<i>Berberis repens</i> Lindl.	mahonia, creeping	F, S	W	C	W	C	C	W	W
Berberidaceae	314463	<i>Berberis</i> spp.	barberry	S	W	W	W	W	C	W	W
Berberidaceae	6974	<i>Berberis thunbergii</i> DC.	barberry, Japanese	S	W	W	W	W	C	W	W
Berberidaceae	317553	<i>Berberis trifoliolata</i> Moric.	mahonia, Laredo	S	W	W	W	W	C	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Berberidaceae	6992	<i>Berberis vulgaris</i> L.	barberry, common; barberry, European	S	W	W	W	W	C	W	W
Betulaceae	411501	<i>Alnus incana</i> (L.) Moench subsp. <i>tenuifolia</i> (Nutt.) Breitung	alder, mountain	S	W	W	W	W	C	W	W
Betulaceae	316543	<i>Alnus rhombifolia</i> Nutt.	alder, white	S	W	W	W	W	C	W	W
Betulaceae	105118	<i>Alnus rubra</i> Bong.	alder, red	S	W	W	W	W	C	W	W
Betulaceae	411499	<i>Alnus viridis</i> (Chaix) DC. subsp. <i>crispa</i> (Aiton) Turrill	alder, American green; alder, green	S	W	W	W	W	C	W	W
Betulaceae	402101	<i>Alnus viridis</i> (Chaix) DC. subsp. <i>sinuata</i> (Regel) Á. Löve & D. Löve	alder, Sitka	S	W	W	W	W	C	W	W
Betulaceae	409852	<i>Alnus viridis</i> (Chaix) DC. subsp. <i>viridis</i>	alder, European green; alder, green	S	W	W	W	W	C	W	W
Betulaceae	7068	<i>Betula alleghaniensis</i> Britton	birch, yellow	S	W	W	W	W	C	W	W
Betulaceae	7107	<i>Betula lenta</i> L.	birch, sweet	S	W	W	W	W	C	W	W
Betulaceae	7118	<i>Betula nigra</i> L.	birch, river	S	W	W	W	W	C	W	W
Betulaceae	7122	<i>Betula papyrifera</i> Marshall	birch, paper	S	W	W	W	W	C	W	W
Betulaceae	7127	<i>Betula pendula</i> Roth	birch, European white	S	W	W	W	W	C	W	W
Betulaceae	7134	<i>Betula populifolia</i> Marshall	birch, gray	S	W	W	W	C	C	W	W
Bignoniaceae	8799	<i>Campsis radicans</i> (L.) Seem. ex Bureau	trumpet-creeper	S	W	W	W	W	C	W	W
Bignoniaceae	9581	<i>Catalpa bignonioides</i> Walter	catalpa, common; catalpa, southern	S	W	W	W	C	C	W	W
Bignoniaceae	9592	<i>Catalpa speciosa</i> E. Y. Teas	catalpa, northern; catalpa, western	S	W	W	W	C	C	W	W
Bignoniaceae	10201	<i>Chilopsis linearis</i> (Cav.) Sweet	desertwillow	F, R, S	W	C	W	C	C	W	W
Bixaceae	7249	<i>Bixa orellana</i> L.	annatto tree; lipstick tree	S	W	W	W	W	C	W	W
Boraginaceae	316551	<i>Amsinckia intermedia</i> Fisch. & C. A. Mey.	fiddleneck, coast	R	W	W	W	W	W	W	W
Boraginaceae	453243	<i>Amsinckia menziesii</i> (Lehm.) A. Nelson & J. F. Macbr.	fiddleneck, common	W	W	W	W	W	W	W	W
Boraginaceae	317015	<i>Amsinckia</i> spp.	fiddleneck	W	W	W	W	W	W	W	W
Boraginaceae	3006	<i>Amsinckia tessellata</i> A. Gray	fiddleneck, western	H, R	W	W	W	W	W	W	W
Boraginaceae	3098	<i>Anchusa azurea</i> Mill.	bugloss, Italian	F	W	C	W	W	W	W	W
Boraginaceae	3099	<i>Anchusa capensis</i> Thunb.	bugloss, cape	F	W	C	W	W	W	W	W
Boraginaceae	317016	<i>Anchusa</i> spp.	Anchusa; bugloss	W	W	W	W	W	W	W	W
Boraginaceae	477000	<i>Andersonglossum virginianum</i> (L.) J. I. Cohen	comfrey, wild; hound's-tongue, blue	W	W	W	W	W	W	W	W
Boraginaceae	5562	<i>Asperugo procumbens</i> L.	madwort, German	W	W	W	W	W	W	W	W
Boraginaceae	7422	<i>Borago officinalis</i> L.	borage	H, V	W	W	W	W	W	W	W
Boraginaceae	316876	<i>Brunnera macrophylla</i> (Adams) I. M. Johnst.	bugloss, Siberian; forget-me-not, dwarf	F	W	C	W	W	W	W	W
Boraginaceae	105293	<i>Buglossoides arvensis</i> (L.) I. M. Johnst.	gromwell, corn; gromwell, field	W	W	W	W	W	W	W	W
Boraginaceae	317043	<i>Cryptantha</i> spp.	cryptantha; forget-me-not, white	W	W	W	W	W	W	W	W

## Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION							
					A	F	H	R	S	T	V	
Boraginaceae	12860	<i>Cynoglossum amabile</i> Stapf & J. R. Drumm.	forget-me-not, Chinese; hound's-tongue, small	F	W	C	W	W	W	W	W	W
Boraginaceae	12866	<i>Cynoglossum officinale</i> L.	hound's-tongue, common	W	W	W	W	W	W	W	W	W
Boraginaceae	317045	<i>Cynoglossum</i> spp.	hound's-tongue	W	W	W	W	W	W	W	W	W
Boraginaceae	14879	<i>Echium vulgare</i> L.	bluweed	W	W	W	W	W	W	W	W	W
Boraginaceae	316957	<i>Lappula occidentalis</i> (S. Watson) Greene var. <i>cupulata</i> (A. Gray) L. C. Higgins	stickseed, hairy	W	W	W	W	W	W	W	W	W
Boraginaceae	318336	<i>Lappula occidentalis</i> (S. Watson) Greene var. <i>occidentalis</i>	stickseed, western	W	W	W	W	W	W	W	W	W
Boraginaceae	317064	<i>Lappula</i> spp.	stickseed	W	W	W	W	W	W	W	W	W
Boraginaceae	105313	<i>Lappula squarrosa</i> (Retz.) Dumort.	bluebur; stickseed, European	W	W	W	W	W	W	W	W	W
Boraginaceae	316732	<i>Lithospermum incisum</i> Lehm.	gromwell, narrow-leaved	W	W	W	W	W	W	W	W	W
Boraginaceae	105322	<i>Lithospermum ruderale</i> Douglas ex Lehm.	gromwell, western	W	W	W	W	W	W	W	W	W
Boraginaceae	317067	<i>Lithospermum</i> spp.	gromwell	W	W	W	W	W	W	W	W	W
Boraginaceae	317076	<i>Mertensia</i> spp.	bluebell	F	W	C	W	W	W	W	W	W
Boraginaceae	316758	<i>Myosotis alpestris</i> F. W. Schmidt	forget-me-not, alpine	F, R	W	C	W	C	W	W	W	W
Boraginaceae	24809	<i>Myosotis arvensis</i> (L.) Hill	forget-me-not, field	F	W	C	W	W	W	W	W	W
Boraginaceae	24815	<i>Myosotis scorpioides</i> L.	forget-me-not, common; myosotis	F	W	C	W	W	W	W	W	W
Boraginaceae	24818	<i>Myosotis sylvatica</i> Hoffm.	forget-me-not, garden; forget-me-not, wood	F, R	W	C	W	C	W	W	W	W
Boraginaceae	316911	<i>Pectocarya penicillata</i> (Hook. & Arn.) DC.	combseed	W	W	W	W	W	W	W	W	W
Boraginaceae	316916	<i>Plagiobothrys figuratus</i> (Piper) I. M. Johnst.	scorpionweed	W	W	W	W	W	W	W	W	W
Boraginaceae	316969	<i>Plagiobothrys scouleri</i> (Hook. & Arn.) I. M. Johnst. var. <i>hispidulus</i> (Greene) Don	popcornflower, hairy; scorpionweed, small	W	W	W	W	W	W	W	W	W
Boraginaceae	316999	<i>Plagiobothrys</i> spp.	popcornflower; scorpionweed	W	W	W	W	W	W	W	W	W
Boraginaceae	36019	<i>Symphytum asperum</i> Lepech.	comfrey, prickly; comfrey, rough	W	W	W	W	W	W	W	W	W
Brassicaceae	2742	<i>Alyssum alyssoides</i> (L.) L.	alyssum, pale	F	W	C	W	W	W	W	W	W
Brassicaceae	318725	<i>Alyssum simplex</i> Rudolphi		W	W	W	W	W	W	W	W	W
Brassicaceae	317014	<i>Alyssum</i> spp.	alyssum	F, R	W	C	W	C	W	W	W	W
Brassicaceae	3769	<i>Arabidopsis thaliana</i> (L.) Heynh.	cress, mouse-ear	W	W	W	W	W	W	W	W	W
Brassicaceae	3770	<i>Arabis alpina</i> L.	rockcress; mountaincress	F	W	C	W	W	W	W	W	W
Brassicaceae	317019	<i>Arabis</i> spp.	rockcress	F	W	C	W	W	W	W	W	W
Brassicaceae	6073	<i>Aubrieta deltoidea</i> (L.) DC.	aubrieta; rockcress, purple	F	W	C	W	W	W	W	W	W
Brassicaceae	316937	<i>Aurinia petraea</i> (Ard.) Schur	mad wort, giant	F	W	C	W	W	W	W	W	W
Brassicaceae	6083	<i>Aurinia saxatilis</i> (L.) Desv.	alyssum, golden tuft; basket-of-gold	F, R	W	C	W	C	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Brassicaceae	317024	<i>Barbarea</i> spp.	wintercress	W	W	W	W	W	W	W	W
Brassicaceae	105428	<i>Barbarea verna</i> (Mill.) Asch.	cress, upland; wintercress, early	V	W	W	W	W	W	W	W
Brassicaceae	6491	<i>Barbarea vulgaris</i> W. T. Aiton	wintercress, bitter; yellowrocket	W	W	W	W	W	W	W	W
Brassicaceae	7021	<i>Berteroa incana</i> (L.) DC.	alyssum, hoary	W	W	W	W	W	W	W	W
Brassicaceae	434901	<i>Boechera rigidissima</i> (Rollins) Al-Shehbaz	rockcress, Galena creek	F	W	C	W	W	W	W	W
Brassicaceae	7654	<i>Brassica juncea</i> (L.) Czern.	mustard, brown; mustard, India; mustard, Indian	V	W	W	W	W	W	W	C
Brassicaceae	319661	<i>Brassica napus</i> L. subsp. <i>napus</i> f. <i>annua</i> (Schübl. & G. Martens) Thell.	rape, annual	A	C	W	W	W	W	W	C
Brassicaceae	464497	<i>Brassica napus</i> L. subsp. <i>napus</i> f. <i>napus</i>	rape, winter	A	C	W	W	W	W	W	C
Brassicaceae	7664	<i>Brassica napus</i> L. subsp. <i>napus</i> var. <i>pabularia</i> (DC.) Alef.	kale, Siberian	A	W	W	W	W	W	W	W
Brassicaceae	319659	<i>Brassica napus</i> L. subsp. <i>rapifera</i> Metzg.	rutabaga	V	C	C	C	C	W	C	C
Brassicaceae	7666	<i>Brassica nigra</i> (L.) W. D. J. Koch	mustard, black; mustard, wild	A	W	W	W	W	W	W	W
Brassicaceae	7670	<i>Brassica oleracea</i> L. var. <i>alboglabra</i> (L. H. Bailey) Musil	kale, Chinese	V	C	C	C	W	W	W	C
Brassicaceae	7671	<i>Brassica oleracea</i> L. var. <i>botrytis</i> L.	broccoli; cauliflower	V	C	C	C	C	C	C	C
Brassicaceae	7672	<i>Brassica oleracea</i> L. var. <i>capitata</i> L.	cabbage	V	C	C	C	C	C	C	C
Brassicaceae	105448	<i>Brassica oleracea</i> L. var. <i>costata</i> DC.	cabbage, tronchuda	V	C	C	C	C	C	C	C
Brassicaceae	7675	<i>Brassica oleracea</i> L. var. <i>gemmifera</i> DC.	brussels-sprouts	V	C	C	C	C	C	C	C
Brassicaceae	7676	<i>Brassica oleracea</i> L. var. <i>gongyloides</i> L.	kohlrabi	V	C	C	C	C	C	C	C
Brassicaceae	319629	<i>Brassica oleracea</i> L. var. <i>sabellica</i> L.	cabbage, ornamental; kale, ornamental	V	C	C	C	C	C	C	C
Brassicaceae	7679	<i>Brassica oleracea</i> L. var. <i>viridis</i> L.	collards; kale	V	C	C	C	C	C	C	C
Brassicaceae	319634	<i>Brassica rapa</i> L. subsp. <i>chinensis</i> (L.) Hanelt	cabbage, celery; pak-choi	V	W	W	W	W	W	W	C
Brassicaceae	7687	<i>Brassica rapa</i> L. subsp. <i>nipposinica</i> (L. H. Bailey) Hanelt var. <i>perviridis</i> L. H. Bailey	mustard, spinach	V	C	C	C	C	C	C	C
Brassicaceae	319648	<i>Brassica rapa</i> L. subsp. <i>oleifera</i> (DC.) Metzg.	rape, turnip	A	C	W	W	W	W	W	C
Brassicaceae	319636	<i>Brassica rapa</i> L. subsp. <i>pekinensis</i> (Lour.) Hanelt	cabbage, Chinese; pe-tsai	V	C	C	C	C	C	C	C
Brassicaceae	316592	<i>Brassica rapa</i> L. subsp. <i>rapa</i>	rape, annual turnip; rape, biennial turnip; rape, bird; turnip	A, V	C	W	W	W	W	W	C
Brassicaceae	319639	<i>Brassica rapa</i> L. subsp. <i>trilocularis</i> (Roxb.) Hanelt	mustard, field; sarson, brown	V	C	W	W	W	W	W	C

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Brassicaceae	7691	<i>Brassica tournefortii</i> Gouan	mustard, African; mustard, wild; turnip, Mediterranean	W	W	W	W	W	W	W	W
Brassicaceae	316931	<i>Bunias orientalis</i> L.	mustard, hill	W	W	W	W	W	W	W	W
Brassicaceae	8329	<i>Cakile maritima</i> Scop.	rocket, sea	R	W	W	W	W	W	W	W
Brassicaceae	104834	<i>Camelina microcarpa</i> Andr. ex DC.	falseflax, littleseed	W	W	W	W	W	W	W	W
Brassicaceae	8700	<i>Camelina sativa</i> (L.) Crantz	falseflax, bigseed; camelina	A	C	W	W	W	W	W	W
Brassicaceae	317031	<i>Camelina</i> spp.	falseflax	W	W	W	W	W	W	W	W
Brassicaceae	105461	<i>Capsella bursa-pastoris</i> (L.) Medik.	shepherd's-purse	W	W	W	W	W	W	W	W
Brassicaceae	317032	<i>Cardamine</i> spp.	cress, bitter	W	W	W	W	W	W	W	W
Brassicaceae	316880	<i>Chorispora tenella</i> (Pall.) DC.	mustard, blue; mustard, purple	W	W	W	W	W	W	W	W
Brassicaceae	11275	<i>Conringia orientalis</i> (L.) C. Presl	mustard, hare's-ear	W	W	W	W	W	W	W	W
Brassicaceae	461441	<i>Crambe hispanica</i> L. subsp. <i>abyssinica</i> (Hochst. ex R. E. Fr.) Prina	crambe	A	C	W	W	W	W	W	W
Brassicaceae	12013	<i>Crambe maritima</i> L.	kale, sea	V	C	C	C	C	C	C	C
Brassicaceae	13567	<i>Descurainia pinnata</i> (Walter) Britton	tansymustard	W	W	W	W	W	W	W	W
Brassicaceae	13568	<i>Descurainia sophia</i> (L.) Webb ex Prantl	flixweed	W	W	W	W	W	W	W	W
Brassicaceae	317046	<i>Diplotaxis</i> spp.	walrocket; arugula, wild; rocket, wild	V	W	W	W	W	W	W	W
Brassicaceae	316651	<i>Diplotaxis tenuifolia</i> (L.) DC.	walrocket; arugula, wild; rocket, wild	V	W	W	W	W	W	W	W
Brassicaceae	316656	<i>Draba verna</i> L.	whitlowort	W	W	W	W	W	W	W	W
Brassicaceae	104951	<i>Eruca vesicaria</i> (L.) Cav. subsp. <i>sativa</i> (Mill.) Thell.	arugula; rocketsalad; roquette	V	W	W	W	W	W	W	W
Brassicaceae	447376	<i>Erucastrum austroafricanum</i> Al-Shehbaz & Warwick	turnipweed, African	W	W	W	W	W	W	W	W
Brassicaceae	316670	<i>Erucastrum gallicum</i> (Willd.) O. E. Schulz	rocketweed; mustard, dog	W	W	W	W	W	W	W	W
Brassicaceae	412383	<i>Erysimum xmarshallii</i> (Henfr.) Bois	wallflower	F, R	W	C	W	C	W	W	W
Brassicaceae	316673	<i>Erysimum asperum</i> (Nutt.) DC.	blistercress, rough; wallflower, western	W	W	W	W	W	W	W	W
Brassicaceae	105478	<i>Erysimum cheiranthoides</i> L.	mustard, treacle; mustard, wormseed	W	W	W	W	W	W	W	W
Brassicaceae	318992	<i>Erysimum cheiri</i> (L.) Crantz	wallflower	F	W	C	W	W	W	W	W
Brassicaceae	315610	<i>Erysimum hieraciifolium</i> L.	wallflower	F	W	C	W	W	W	W	W
Brassicaceae	317154	<i>Erysimum inconspicuum</i> (S. Watson) MacMill. var. <i>inconspicuum</i>	erysimum, small-flower	F, R	W	C	W	C	W	W	W
Brassicaceae	105480	<i>Erysimum repandum</i> L.	mustard, treacle; wallflower, bushy	W	W	W	W	W	W	W	W
Brassicaceae	314466	<i>Erysimum</i> spp.	treacle	W	W	W	W	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Brassicaceae	18933	<i>Hesperis matronalis</i> L.	dame's-rocket; rocket, sweet	F, R	W	C	W	C	W	W	W
Brassicaceae	316897	<i>Hirschfeldia incana</i> (L.) Lagr.-Foss.	mustard, hairy; mustard, shortpod	W	W	W	W	W	W	W	W
Brassicaceae	19648	<i>Iberis amara</i> L.	candytuft, annual; candytuft, rocket	F	W	C	W	W	W	W	W
Brassicaceae	70369	<i>Iberis gibraltarica</i> L.	candytuft, Gibraltar; candytuft, perennial	F	W	C	W	W	W	W	W
Brassicaceae	100747	<i>Iberis sempervirens</i> L.	candytuft; iberis	F	W	C	W	W	W	W	W
Brassicaceae	19652	<i>Iberis umbellata</i> L.	candytuft, globe; iberis	F	W	C	W	W	W	W	W
Brassicaceae	20462	<i>Isatis tinctoria</i> L.	woad, dyer's	W	W	W	W	W	W	W	W
Brassicaceae	423805	<i>Lepidium appelianum</i> Al- Shehbaz	cress, ball; hoarycress, globe- podded; whitotop, hairy	W	W	W	W	W	W	W	W
Brassicaceae	21763	<i>Lepidium campestre</i> (L.) W. T. Aiton	peppercress, field; peppergrass, field; pepperweed, field	W	W	W	W	W	W	W	W
Brassicaceae	311718	<i>Lepidium chalepense</i> L.	hoarycress, lens- podded; peppergrass, perennial	W	W	W	W	W	W	W	W
Brassicaceae	454282	<i>Lepidium coronopus</i> (L.) Al-Shehbaz	swinecress	W	W	W	W	W	W	W	W
Brassicaceae	316722	<i>Lepidium densiflorum</i> Schrad.	pepperweed, greenflowered; pepperweed, prairie	W	W	W	W	W	W	W	W
Brassicaceae	423806	<i>Lepidium didymum</i> L.	wartcress	W	W	W	W	W	W	W	W
Brassicaceae	317224	<i>Lepidium draba</i> L.	hoarycress, heart -podded; whitotop	W	W	W	W	W	W	W	W
Brassicaceae	318964	<i>Lepidium fremontii</i> S. Watson	pepperweed, desert; peppergrass	F, R, S	W	C	W	C	C	W	W
Brassicaceae	316723	<i>Lepidium heterophyllum</i> Benth.	pepperweed, Smith	W	W	W	W	W	W	W	W
Brassicaceae	21765	<i>Lepidium latifolium</i> L.	peppercress, perennial; pepperweed, perennial; whitotop, tall	W	W	W	W	W	W	W	W
Brassicaceae	316724	<i>Lepidium nitidum</i> Nutt.	pepperweed, tongue	H, R	W	W	W	W	W	W	W
Brassicaceae	316725	<i>Lepidium perfoliatum</i> L.	pepperweed, clasping; pepperweed, perfoliate	W	W	W	W	W	W	W	W
Brassicaceae	21769	<i>Lepidium sativum</i> L.	cress, garden	V	W	C	C	W	W	W	C
Brassicaceae	313165	<i>Lepidium</i> spp.	Hoarycress; peppercress; peppergrass; pepperweed	W	W	W	W	W	W	W	W
Brassicaceae	21770	<i>Lepidium virginicum</i> L.	pepperweed, Virginia	H, R	W	W	W	W	W	W	W
Brassicaceae	22478	<i>Lobularia maritima</i> (L.) Desv.	alyssum, sweet	F, R	W	C	W	C	W	W	W
Brassicaceae	22794	<i>Lunaria annua</i> L.	honesty; moneyplant; silver-dollar; lunaria	F	W	C	W	W	W	W	W
Brassicaceae	100518	<i>Malcolmia maritima</i> (L.) W. T. Aiton	stocks, Virginia	F	W	C	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Brassicaceae	23480	<i>Matthiola incana</i> (L.) W. T. Aiton	stocks, common	F	W	C	W	W	W	W	W
Brassicaceae	105496	<i>Matthiola longipetala</i> (Vent.) DC. subsp. <i>bicornis</i> (Sm.) P. W. Ball	stocks, evening-scented	F	W	C	W	W	W	W	W
Brassicaceae	25072	<i>Nasturtium officinale</i> W. T. Aiton	watercress	V	W	W	W	W	W	W	C
Brassicaceae	25233	<i>Neslia paniculata</i> (L.) Desv.	mustard, ball	W	W	W	W	W	W	W	W
Brassicaceae	462158	<i>Physaria gordonii</i> (A. Gray) O'Kane & Al-Shehbaz	bladderpod, Gordon's	F, R	W	C	W	C	W	W	W
Brassicaceae	30856	<i>Raphanus raphanistrum</i> L.	radish, wild	W	W	W	W	W	W	W	W
Brassicaceae	30857	<i>Raphanus sativus</i> L.	radish	V	C	C	C	C	C	C	C
Brassicaceae	310087	<i>Raphanus</i> spp.	radish	V	W	W	W	W	W	W	C
Brassicaceae	30874	<i>Rapistrum rugosum</i> (L.) All.	mustard, common giant; turnipweed	W	W	W	W	W	W	W	W
Brassicaceae	316808	<i>Rorippa austriaca</i> (Crantz) Besser	fieldcress, Austrian	W	W	W	W	W	W	W	W
Brassicaceae	316809	<i>Rorippa palustris</i> (L.) Besser	yellowcress, western	W	W	W	W	W	W	W	W
Brassicaceae	317099	<i>Rorippa</i> spp.	yellowcress	W	W	W	W	W	W	W	W
Brassicaceae	105513	<i>Rorippa sylvestris</i> (L.) Besser	yellowcress, creeping	W	W	W	W	W	W	W	W
Brassicaceae	316130	<i>Sinapis alba</i> L. subsp. <i>alba</i>	mustard, white	A	C	W	W	W	W	W	W
Brassicaceae	318926	<i>Sinapis arvensis</i> L. subsp. <i>arvensis</i>	charlock; mustard, field; mustard, wild; turnip, wild	W	W	W	W	W	W	W	W
Brassicaceae	34451	<i>Sisymbrium altissimum</i> L.	mustard, tumble	W	W	W	W	W	W	W	W
Brassicaceae	34456	<i>Sisymbrium irio</i> L.	rocket, London	W	W	W	W	W	W	W	W
Brassicaceae	316835	<i>Sisymbrium loeselii</i> L.	mustard, tall hedge	W	W	W	W	W	W	W	W
Brassicaceae	34458	<i>Sisymbrium officinale</i> (L.) Scop.	mustard, hedge	W	W	W	W	W	W	W	W
Brassicaceae	35433	<i>Stanleya pinnata</i> (Pursh) Britton	prince's-plume	F, R	W	C	W	C	W	W	W
Brassicaceae	470161	<i>Streptanthus lasiophyllus</i> (Hook. & Arn.) Hoover	mustard, California	F, R	W	C	W	C	W	W	W
Brassicaceae	316923	<i>Teesdalia nudicaulis</i> (L.) W. T. Aiton	cress, shepherds; teesdalia	W	W	W	W	W	W	W	W
Brassicaceae	105522	<i>Thlaspi arvense</i> L.	fanweed; Frenchweed; pennycress, field	W	W	W	W	W	W	W	W
Brassicaceae	430009	<i>Turritis glabra</i> L.	mustard, tower; mustard, smooth	W	W	W	W	W	W	W	W
Butomaceae	404280	<i>Butomus umbellatus</i> L.	rush, flowering; grassy-rush; water-gladiolus	W	W	W	W	W	W	W	W
Cabombaceae	400193	<i>Cabomba caroliniana</i> A. Gray	fanwort, Carolina	W	W	W	W	W	W	W	W
Cactaceae	310457	<i>Carnegiea gigantea</i> (Engelm.) Britton & Rose	cactus, saguaro	F	W	C	W	W	W	W	W
Cactaceae	435348	<i>Cereus hildmannianus</i> K. Schum. subsp. <i>uruguayanus</i> (R. Kiesling) N. P. Taylor	cactus, spiny tree; apple, Peruvian	W	W	W	W	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Cactaceae	16591	<i>Ferocactus wislizeni</i> (Engelm.) Britton & Rose	cactus, barrel	F, R	W	C	W	C	W	W	W
Cactaceae	401697	<i>Harrisia martinii</i> (Labour.) Britton	cactus, harrisia; cactus, moon; cactus, moonlight; cactus, snake	W	W	W	W	W	W	W	W
Cactaceae	316387	<i>Opuntia aurantiaca</i> Lindl.	prickly-pear, jointed	W	W	W	W	W	W	W	W
Cactaceae	314437	<i>Opuntia polyacantha</i> Haw.	prickly-pear, plains	W	W	W	W	W	W	W	W
Cactaceae	300410	<i>Opuntia</i> spp.	prickly-pear	W	W	W	W	W	W	W	W
Calceolariaceae [Scrophulariaceae]	317029	<i>Calceolaria</i> spp.	calceolaria	F	W	C	W	W	W	W	W
Campanulaceae	8749	<i>Campanula carpatica</i> Jacq.	bellflower, Carpathian; bellflower, tussock	F, R	W	C	W	C	W	W	W
Campanulaceae	8766	<i>Campanula medium</i> L.	bells, Canterbury	F	W	C	W	W	W	W	W
Campanulaceae	N/A	<i>Campanula medium</i> L. 'Calycanthema'	bellflower, cup and saucer	F	W	C	W	W	W	W	W
Campanulaceae	316599	<i>Campanula persicifolia</i> L.	bellflower, peach; peach-bells	F	W	C	W	W	W	W	W
Campanulaceae	316600	<i>Campanula rapunculoides</i> L.	bellflower, creeping	W	W	W	W	W	W	W	W
Campanulaceae	8780	<i>Campanula rotundifolia</i> L.	bluebell; harebell; bells-of-Scotland, blue	F, R	W	C	W	C	W	W	W
Campanulaceae	453231	<i>Downingia bicornuta</i> A. Gray	calicoflower, doublehorn	F, R	W	C	W	C	W	W	W
Campanulaceae	316993	<i>Downingia</i> spp.	downingia	W	W	W	W	W	W	W	W
Campanulaceae	22456	<i>Lobelia cardinalis</i> L.	cardinal flower	F	W	C	W	W	W	W	W
Campanulaceae	22459	<i>Lobelia erinus</i> L.	lobelia, edging	F	W	C	W	W	W	W	W
Campanulaceae	22466	<i>Lobelia inflata</i> L.	tobacco, Indian	F	W	C	W	W	W	W	W
Campanulaceae	317068	<i>Lobelia</i> spp.	lobelia	F, R	W	C	W	C	W	W	W
Campanulaceae	28819	<i>Platycodon grandiflorus</i> (Jacq.) A. DC.	balloon-flower	F	W	C	W	W	W	W	W
Campanulaceae	316854	<i>Triodanis perfoliata</i> (L.) Nieuwl.	lookingglass, venus	W	W	W	W	W	W	W	W
Cannabaceae	8862	<i>Cannabis sativa</i> L.	hemp, <b>industrial</b> ; marijuana	A, H	W	W	W	W	W	W	W
Cannabaceae	19415	<i>Humulus lupulus</i> L.	hops	A	C	W	C	W	W	W	C
Cannabaceae [Celtidaceae] [Ulmaceae]	101687	<i>Celtis iguanaea</i> (Jacq.) Sarg.	hackberry, iguana	R, S	W	W	W	C	C	W	W
Cannabaceae [Celtidaceae] [Ulmaceae]	9774	<i>Celtis occidentalis</i> L.	hackberry, common	R, S	W	W	W	C	C	W	W
Cannabaceae [Celtidaceae] [Ulmaceae]	101691	<i>Celtis pallida</i> Torr.	hackberry, desert; hackberry, spiny	R, S	W	W	W	C	C	W	W
Caprifoliaceae	22588	<i>Lonicera japonica</i> Thunb.	honeysuckle, common	S	W	W	W	W	C	W	W
Caprifoliaceae	22644	<i>Lonicera tatarica</i> L.	honeysuckle, Tartarian	S	W	W	W	W	C	W	W
Caprifoliaceae [Valerianaceae]	452225	<i>Plectritis congesta</i> (Lindl.) DC.	<b>sealush, shortspur</b>	F, R	W	C	W	C	W	W	W
Caprifoliaceae	36006	<i>Symphoricarpos albus</i> (L.) S. F. Blake	snowberry	S	W	W	W	C	C	W	W
Caprifoliaceae	315604	<i>Symphoricarpos occidentalis</i> Hook.	snowberry, western; wolfberry	R, S	W	W	W	C	W	W	W



Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Caprifoliaceae	314997	<i>Symphoricarpos oreophilus</i> A. Gray	snowberry, mountain	R, S	W	W	W	C	C	W	W
Caprifoliaceae	316855	<i>Triosteum perfoliatum</i> L.	horse gentian, common; coffee, wild	W	W	W	W	W	W	W	W
Caprifoliaceae	317118	<i>Triosteum</i> spp.	feverwort; horse gentian	W	W	W	W	W	W	W	W
Caprifoliaceae [Dipsacaceae]	9866	<i>Cephalaria transsylvanica</i> (L.) Roem. & Schult.	hairy head	W	W	W	W	W	W	W	W
Caprifoliaceae [Dipsacaceae]	14380	<i>Dipsacus fullonum</i> L.	teasel	W	W	W	W	W	W	W	W
Caprifoliaceae [Dipsacaceae]	316652	<i>Dipsacus laciniatus</i> L.	teasel, cut-leaf	W	W	W	W	W	W	W	W
Caprifoliaceae [Dipsacaceae]	317047	<i>Dipsacus</i> spp.	teasel	W	W	W	W	W	W	W	W
Caprifoliaceae [Dipsacaceae]	21181	<i>Knautia arvensis</i> (L.) Coult.	scabiosa, field	W	W	W	W	W	W	W	W
Caprifoliaceae [Dipsacaceae]	402936	<i>Lomelosia caucasica</i> (M. Bieb.) Greuter & Burdet	scabiosa, perennial	F	W	C	W	W	W	W	W
Caprifoliaceae [Dipsacaceae]	33231	<i>Scabiosa atropurpurea</i> L.	mourning-bride, annual	F	W	C	W	W	W	W	W
Caprifoliaceae [Dipsacaceae]	300532	<i>Scabiosa</i> spp.	flower, pincushion; scabiosa	W	W	W	W	W	W	W	W
Caprifoliaceae [Valerianaceae]	9837	<i>Centranthus ruber</i> (L.) DC.	Jupiter's-beard	F	W	C	W	W	W	W	W
Caprifoliaceae [Valerianaceae]	316856	<i>Valerianella dentata</i> (L.) Pollich	cornsalad, toothed	W	W	W	W	W	W	W	W
Caprifoliaceae [Valerianaceae]	41091	<i>Valerianella eriocarpa</i> Desv.	cornsalad, Italian	V	W	W	W	W	W	W	C
Caprifoliaceae [Valerianaceae]	80009	<i>Valerianella locusta</i> (L.) Laterr.	cornsalad, European; lamb's-lettuce	V	C	C	C	C	C	C	C
Caprifoliaceae [Valerianaceae]	317121	<i>Valerianella</i> spp.	cornsalad	W	W	W	W	W	W	W	W
Caryophyllaceae	1917	<i>Agrostemma githago</i> L.	corncockle	W	W	W	W	W	W	W	W
Caryophyllaceae	3943	<i>Arenaria serpyllifolia</i> L.	sandwort, thymeleaf	W	W	W	W	W	W	W	W
Caryophyllaceae	317020	<i>Arenaria</i> spp.	sandwort	W	W	W	W	W	W	W	W
Caryophyllaceae	9894	<i>Cerastium biebersteinii</i> DC.	chickweed, taurus	F, R	W	C	W	C	W	W	W
Caryophyllaceae	407889	<i>Cerastium fontanum</i> Baumg. subsp. <i>vulgare</i> (Hartm.) Greuter & Burdet	chickweed, mouse-ear	W	W	W	W	W	W	W	W
Caryophyllaceae	407894	<i>Cerastium glomeratum</i> Thuill.	mouse-ear, sticky	W	W	W	W	W	W	W	W
Caryophyllaceae	316615	<i>Cerastium siculum</i> Guss.	chickweed	W	W	W	W	W	W	W	W
Caryophyllaceae	318355	<i>Cerastium</i> spp.	chickweed, mouse-ear	W	W	W	W	W	W	W	W
Caryophyllaceae	9895	<i>Cerastium tomentosum</i> L.	snow-in-summer; cerastium	F	W	C	W	W	W	W	W
Caryophyllaceae	316648	<i>Dianthus xallwoodii</i> Bowles et al.	sweet wivelsfield	F	W	C	W	W	W	W	W
Caryophyllaceae	13813	<i>Dianthus armeria</i> L.	pink, deptford	F	W	C	W	W	W	W	W
Caryophyllaceae	13817	<i>Dianthus barbatus</i> L.	sweet-william	F, R	W	C	W	C	W	W	W
Caryophyllaceae	13826	<i>Dianthus caryophyllus</i> L.	carnation	F	W	C	W	W	W	W	W
Caryophyllaceae	13827	<i>Dianthus chinensis</i> L.	pinks, China; pinks, Indian	F	W	C	W	W	W	W	W
Caryophyllaceae	13829	<i>Dianthus deltoides</i> L.	pinks, maiden	F, R	W	C	W	C	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Caryophyllaceae	13850	<i>Dianthus plumarius</i> L.	pinks, grass	F	W	C	W	W	W	W	W
Caryophyllaceae	316379	<i>Drymaria arenarioides</i> Humb. & Bonpl. ex Willd.	alfombrilla; lightingweed	W	W	W	W	W	W	W	W
Caryophyllaceae	14710	<i>Drymaria cordata</i> (L.) Willd. ex Schult.	chickweed, tropical	W	W	W	W	W	W	W	W
Caryophyllaceae	18128	<i>Gypsophila elegans</i> M. Bieb.	baby's-breath, long-petalled	F	W	C	W	W	W	W	W
Caryophyllaceae	310828	<i>Gypsophila muralis</i> L.	baby's-breath, walled	F	W	C	W	W	W	W	W
Caryophyllaceae	315515	<i>Gypsophila pacifica</i> Kom.	baby's-breath, Pacific	F	W	C	W	W	W	W	W
Caryophyllaceae	18131	<i>Gypsophila paniculata</i> L.	baby's-breath, perennial	F	W	W	W	W	W	W	W
Caryophyllaceae	18132	<i>Gypsophila repens</i> L.	baby's-breath	F	W	C	W	W	W	W	W
Caryophyllaceae	459036	<i>Gypsophila</i> spp.	baby's-breath	F	W	W	W	W	W	W	W
Caryophyllaceae	316709	<i>Holosteum umbellatum</i> L.	chickweed, jagged	W	W	W	W	W	W	W	W
Caryophyllaceae	407971	<i>Lepyrodiclis holosteoides</i> (C. A. Mey.) Fenzl ex Fisch. & C. A. Mey.	lepyrodiclis	W	W	W	W	W	W	W	W
Caryophyllaceae	401760	<i>Myosoton aquaticum</i> (L.) Moench	chickweed, giant	W	W	W	W	W	W	W	W
Caryophyllaceae	316814	<i>Sagina subulata</i> (Sw.) C. Presl	pearlwort	F	W	C	W	W	W	W	W
Caryophyllaceae	100748	<i>Saponaria ocymoides</i> L.	saponaria, rock; soapwort, rock	F	W	C	W	W	W	W	W
Caryophyllaceae	33108	<i>Saponaria officinalis</i> L.	bouncing-bet	W	W	W	W	W	W	W	W
Caryophyllaceae	317102	<i>Saponaria</i> spp.	soapwort	W	W	W	W	W	W	W	W
Caryophyllaceae	310853	<i>Scleranthus annuus</i> L.	knawel	W	W	W	W	W	W	W	W
Caryophyllaceae	310854	<i>Silene antirrhina</i> L.	catchfly, sleepy	W	W	W	W	W	W	W	W
Caryophyllaceae	33927	<i>Silene armeria</i> L.	catchfly, sweet-William	F, R	W	C	W	C	W	W	W
Caryophyllaceae	429989	<i>Silene chalcedonica</i> (L.) E. H. L. Krause	Jerusalem-cross; Maltese-cross	F, R	W	C	W	C	W	W	W
Caryophyllaceae	401846	<i>Silene coeli-rosa</i> (L.) Godr.	rose-of-heaven	F	W	C	W	W	W	W	W
Caryophyllaceae	316827	<i>Silene conica</i> L.	catchfly, conical	W	W	W	W	W	W	W	W
Caryophyllaceae	316828	<i>Silene conoidea</i> L.	catchfly, narrow-clefted	W	W	W	W	W	W	W	W
Caryophyllaceae	407951	<i>Silene coronaria</i> (L.) Clairv.	campion, rose; mullein-pink	F	W	C	W	W	W	W	W
Caryophyllaceae	316829	<i>Silene cretica</i> L.	catchfly, cretian	W	W	W	W	W	W	W	W
Caryophyllaceae	316830	<i>Silene csereii</i> Baumg.	campion, biennial	W	W	W	W	W	W	W	W
Caryophyllaceae	316831	<i>Silene dichotoma</i> Ehrh.	catchfly, forked	W	W	W	W	W	W	W	W
Caryophyllaceae	316832	<i>Silene dioica</i> (L.) Clairv.	campion, red; cockle, red	W	W	W	W	W	W	W	W
Caryophyllaceae	33933	<i>Silene gallica</i> L.	catchfly, English; catchfly, French	W	W	W	W	W	W	W	W
Caryophyllaceae	400939	<i>Silene latifolia</i> Poir.	campion, white; cockle, white	W	W	W	W	W	W	W	W
Caryophyllaceae	33939	<i>Silene noctiflora</i> L.	catchfly, night-flowering	W	W	W	W	W	W	W	W
Caryophyllaceae	33941	<i>Silene pendula</i> L.	catchfly, nodding	F	W	C	W	W	W	W	W
Caryophyllaceae	316833	<i>Silene repens</i> Patrín var. <i>latifolia</i> Turcz.	catchfly, creeping	F	W	C	W	W	W	W	W
Caryophyllaceae	310960	<i>Silene</i> spp.	campion; catchfly	W	W	W	W	W	W	W	W
Caryophyllaceae	404872	<i>Silene uniflora</i> Roth	campion, rose	F	W	C	W	W	W	W	W
Caryophyllaceae	430081	<i>Silene viscaria</i> (L.) Borkh.	campion, clammy; catchfly, German	F	W	C	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Caryophyllaceae	318320	<i>Silene vulgaris</i> (Moench) Garcke subsp. <i>vulgaris</i>	campion, bladder; campion, cowbell	W	W	W	W	W	W	W	W
Caryophyllaceae	35219	<i>Spergula arvensis</i> L.	spurry, corn	W	W	W	W	W	W	W	W
Caryophyllaceae	316841	<i>Spergula pentandra</i> L.	spurry, wingseed	W	W	W	W	W	W	W	W
Caryophyllaceae	310862	<i>Spergularia rubra</i> (L.) J. Presl & C. Presl	sandspurry, red	W	W	W	W	W	W	W	W
Caryophyllaceae	35495	<i>Stellaria graminea</i> L.	starwort, little	W	W	W	W	W	W	W	W
Caryophyllaceae	310864	<i>Stellaria media</i> (L.) Vill.	chickweed, common	W	W	W	W	W	W	W	W
Caryophyllaceae	310961	<i>Stellaria</i> spp.	chickweed	W	W	W	W	W	W	W	W
Caryophyllaceae	310852	<i>Vaccaria hispanica</i> (Mill.) Rauschert	cow-cockle	F	W	C	W	W	W	W	W
Casuarinaceae	312277	<i>Casuarina</i> spp.	beefwood	S	W	W	W	W	C	W	W
Celastraceae	9719	<i>Celastrus orbiculatus</i> Thunb.	bittersweet, Oriental	S	W	W	W	W	C	W	W
Celastraceae	9727	<i>Celastrus scandens</i> L.	bitterweet, American	S	W	W	W	W	C	W	W
Chenopodiaceae [Amaranthaceae]	459430	<i>Allenrolfea occidentalis</i> (S. Watson) Kuntze	iodine-bush	R, S	W	W	W	C	C	W	W
Chenopodiaceae [Amaranthaceae]	417481	<i>Atriplex amnicola</i> Paul G. Wilson	saltbush, swamp	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	433238	<i>Atriplex argentea</i> Nutt. var. <i>mohavensis</i> M. E. Jones	orach, spreading	H, R	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	6000	<i>Atriplex canescens</i> (Pursh) Nutt.	saltbush, fourwing	R, S	W	W	W	C	C	W	W
Chenopodiaceae [Amaranthaceae]	6004	<i>Atriplex confertifolia</i> (Torr. & Frém.) S. Watson	saltbush, shadscale	R, S	W	W	W	C	C	W	W
Chenopodiaceae [Amaranthaceae]	316580	<i>Atriplex corrugata</i> S. Watson	saltbush	R, S	W	W	W	C	C	W	W
Chenopodiaceae [Amaranthaceae]	405465	<i>Atriplex gardneri</i> (Moq.) D. Dietr. var. <i>aptera</i> (A. Nelson) S. L. Welsh & Crompton	saltbush, Nuttall	R, S	W	W	W	C	C	W	W
Chenopodiaceae [Amaranthaceae]	405313	<i>Atriplex gardneri</i> (Moq.) D. Dietr. var. <i>bonnevilleensis</i> (C. A. Hanson) S. L. Welsh	saltbush, Bonneville	R, S	W	W	W	C	C	W	W
Chenopodiaceae [Amaranthaceae]	405314	<i>Atriplex gardneri</i> (Moq.) D. Dietr. var. <i>cuneata</i> (A. Nelson) S. L. Welsh	saltbush	R, S	W	W	W	C	C	W	W
Chenopodiaceae [Amaranthaceae]	412294	<i>Atriplex gardneri</i> (Moq.) D. Dietr. var. <i>gardneri</i>	saltbush, Gardner	R, S	W	W	W	C	C	W	W
Chenopodiaceae [Amaranthaceae]	405316	<i>Atriplex gardneri</i> (Moq.) D. Dietr. var. <i>utahensis</i> (M. E. Jones) Dorn	saltbush; saltbush, basin	R, S	W	W	W	C	C	W	W
Chenopodiaceae [Amaranthaceae]	6017	<i>Atriplex hortensis</i> L.	orach, garden	V	W	W	W	W	W	W	C
Chenopodiaceae [Amaranthaceae]	6018	<i>Atriplex hymenelytra</i> (Torr.) S. Watson	holly, desert	R, S	W	W	W	C	C	W	W
Chenopodiaceae [Amaranthaceae]	6022	<i>Atriplex lentiformis</i> (Torr.) S. Watson	quailbush	R, S	W	W	W	C	C	W	W
Chenopodiaceae [Amaranthaceae]	455867	<i>Atriplex obovata</i> Moq.	saltbush, New Mexico; saltbush, mound	R, S	W	W	W	C	C	W	W
Chenopodiaceae [Amaranthaceae]	459699	<i>Atriplex parryi</i> S. Watson	saltbush, Parry's	R, S	W	W	W	C	C	W	W
Chenopodiaceae [Amaranthaceae]	6035	<i>Atriplex polycarpa</i> (Torr.) S. Watson	saltbush, cattle	R, S	W	W	W	C	C	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Chenopodiaceae [Amaranthaceae]	6036	<i>Atriplex prostrata</i> Boucher ex DC.	orach, common; saltbush, fat hen	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	6041	<i>Atriplex rosea</i> L.	orach, red	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	6042	<i>Atriplex semibaccata</i> R. Br.	saltbush, Australian	F, R, S	W	C	W	C	C	W	W
Chenopodiaceae [Amaranthaceae]	459698	<i>Atriplex spinifera</i> J. F. Macbr.	saltbush, spinescale	R, S	W	W	W	C	C	W	W
Chenopodiaceae [Amaranthaceae]	300063	<i>Atriplex</i> spp.	saltbush	R, S	W	W	W	C	W	W	W
Chenopodiaceae [Amaranthaceae]	316583	<i>Atriplex subspicata</i> (Nutt.) Rydb.	saltbush, saline	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	311096	<i>Atriplex truncata</i> (Torr. ex S. Watson) A. Gray	saltbush, wedgescale	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	311099	<i>Axyris amaranthoides</i> L.	pigweed, Russian	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	6541	<i>Bassia hyssopifolia</i> (Pall.) Kuntze	bassia, fivehook	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	409953	<i>Bassia prostrata</i> (L.) A. J. Scott	kochia, forage	R	W	W	W	C	W	W	W
Chenopodiaceae [Amaranthaceae]	404228	<i>Bassia scoparia</i> (L.) A. J. Scott	kochia	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	N/A	<i>Bassia scoparia</i> (L.) A. J. Scott 'Trichophylla'	cypress, summer; firebush, Mexican	F	W	C	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	317025	<i>Bassia</i> spp.	bassia	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	7057	<i>Beta vulgaris</i> L. subsp. <i>vulgaris</i>	beet; beet, field; beet, sugar; beet, vegetable; chard, Swiss; mangel	A, V	C	C	C	C	C	C	C
Chenopodiaceae [Amaranthaceae]	311119	<i>Blitum californicum</i> S. Watson	goosefoot, California	R	W	W	W	C	W	W	W
Chenopodiaceae [Amaranthaceae]	446566	<i>Blitum nuttallianum</i> Schult.	monolepis, Nuttall; saltbush, one-scaled	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	466031	<i>Chenopodiastrum murale</i> (L.) S. Fuentes et al.	goosefoot, nettleleaf	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	466033	<i>Chenopodiastrum simplex</i> (Torr.) S. Fuentes et al.	goosefoot, mapleleaf	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	10178	<i>Chenopodium album</i> L.	lamb's-quarters, common	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	104843	<i>Chenopodium berlandieri</i> Moq.	lamb's-quarters, pitseed	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	10188	<i>Chenopodium fremontii</i> S. Watson	goosefoot, Fremont's	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	10191	<i>Chenopodium leptophyllum</i> (Moq.) Nutt. ex S. Watson	goosefoot, narrowleaf	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	10194	<i>Chenopodium quinoa</i> Willd.	goosefoot, five-lobed; quinoa	A	C	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	314984	<i>Chenopodium</i> spp.	goosefoot	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	316635	<i>Corispermum hyssopifolium</i> L.	bugseed; tickseed	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	316636	<i>Corispermum nitidum</i> Kit. ex Schult.	bugseed	W	W	W	W	W	W	W	W

## Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Chenopodiaceae [Amaranthaceae]	317041	<i>Corispermum</i> spp.	tickseed	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	317280	<i>Corispermum villosum</i> Rydb.	bugseed, hairy	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	12761	<i>Cycloloma atriplicifolium</i> (Spreng.) J. M. Coult.	pigweed, winged; ringwing, tumble	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	446530	<i>Dysphania ambrosioides</i> (L.) Mosyakin & Clemants	Mexican-tea; wormseed, American	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	446551	<i>Dysphania botrys</i> (L.) Mosyakin & Clemants	geranium, feather; jerusalem-oak	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	446555	<i>Dysphania multifida</i> (L.) Mosyakin & Clemants	flatweed	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	316892	<i>Grayia spinosa</i> (Hook.) Moq.	hopsage, spiny	R, S	W	W	W	C	C	W	W
Chenopodiaceae [Amaranthaceae]	311156	<i>Halogeton glomeratus</i> (M. Bieb.) Ledeb.	halogeton; salt barilla, clustered	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	315464	<i>Krascheninnikovia lanata</i> (Pursh) A. Meeuse & A. Smit	winterfat	R, S	W	W	W	C	C	W	W
Chenopodiaceae [Amaranthaceae]	466036	<i>Oxybasis rubra</i> (L.) S. Fuentes et al.	goosefoot, red	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	316815	<i>Salsola collina</i> Pall.	Russian-thistle, less-spiny; Russian-thistle, spineless	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	312334	<i>Salsola paulsenii</i> Litv.	Russian-thistle, barbwire	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	313194	<i>Salsola</i> spp.	Russian-thistle; tumbleweed	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	32817	<i>Salsola tragus</i> L.	Russian-thistle, common; Russian-thistle, tumbling	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	316405	<i>Salsola vermiculata</i> L.	Russian-thistle, wormleaf	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	35256	<i>Spinacia oleracea</i> L.	spinach	V	W	W	W	W	W	W	C
Chenopodiaceae [Amaranthaceae]	316976	<i>Suaeda calceoliformis</i> (Hook.) Moq.	sea-blite; seepweed	W	W	W	W	W	W	W	W
Chenopodiaceae [Amaranthaceae]	446510	<i>Suaeda nigra</i> (Raf.) J. F. Macbr.	inkweed; seepweed	R, S	W	W	W	C	C	W	W
Chenopodiaceae [Amaranthaceae]	311264	<i>Suckleya suckleyana</i> (Torr.) Rydb.	suckleya, poison	W	W	W	W	W	W	W	W
Cistaceae	27917	<i>Helianthemum nummularium</i> (L.) Mill.	rose, rock	F	W	C	W	W	W	W	W
Cleomaceae [Brassicaceae] [Capparaceae]	461447	<i>Peritoma arborea</i> (Nutt.) H. H. Ilits var. <i>arborea</i>	bladderpod; bladderpod, spiderflower	R, S	W	W	W	C	C	W	W
Cleomaceae [Brassicaceae] [Capparaceae]	461451	<i>Peritoma lutea</i> (Hook.) Raf.	spiderflower, yellow	F	W	C	W	W	W	W	W
Cleomaceae [Brassicaceae] [Capparaceae]	461452	<i>Peritoma serrulata</i> (Pursh) DC.	beepplant, Rocky Mountain	F, R	W	C	W	C	W	W	W
Cleomaceae [Brassicaceae] [Capparaceae]	317090	<i>Polanisia</i> spp.	clammyweed	W	W	W	W	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Cleomaceae [Brassicaceae] [Capparaceae]	461457	<i>Tarenaya hassleriana</i> (Chodat) H. H. Iltis	cleome; spiderflower	F	W	C	W	W	W	W	W
Commelinaceae	311531	<i>Commelina benghalensis</i> L.	dayflower, Bengal	W	W	W	W	W	W	W	W
Commelinaceae	311532	<i>Commelina communis</i> L.	dayflower, common	W	W	W	W	W	W	W	W
Commelinaceae	452257	<i>Tradescantia occidentalis</i> (Britton) Smyth	spiderwort, prairie	F, R	W	C	W	C	W	W	W
Commelinaceae	407036	<i>Tradescantia ohiensis</i> Raf.	spiderwort, Ohio; bluejacket	F, R	W	C	W	C	W	W	W
Commelinaceae	312476	<i>Tradescantia</i> spp.	spiderwort	F	W	C	W	W	W	W	W
Commelinaceae	36812	<i>Tradescantia virginiana</i> L.	spiderwort, common	F	W	C	W	W	W	W	W
Convolvulaceae	311558	<i>Calystegia sepium</i> (L.) R. Br.	bindweed, hedge	W	W	W	W	W	W	W	W
Convolvulaceae	318328	<i>Calystegia</i> spp.	bindweed, hedge	W	W	W	W	W	W	W	W
Convolvulaceae	11287	<i>Convolvulus arvensis</i> L.	bindweed, field	W	W	W	W	W	W	W	W
Convolvulaceae	316632	<i>Convolvulus equitans</i> Benth.	bindweed, hoary	W	W	W	W	W	W	W	W
Convolvulaceae	451603	<i>Cressa truxillensis</i> Kunth	alkaliweed, spreading	R	W	W	W	C	W	W	W
Convolvulaceae	316649	<i>Dichondra repens</i> J. R. Forst. & G. Forst.	dichondra	T	W	W	W	W	W	C	W
Convolvulaceae	20135	<i>Ipomoea alba</i> L.	moonflower; morning-glory, white	F	W	C	W	W	W	W	W
Convolvulaceae	20138	<i>Ipomoea aquatica</i> Forssk.	morning-glory, swamp; water-convolvulus; water-spinach, Chinese	W	W	W	W	W	W	W	W
Convolvulaceae	20172	<i>Ipomoea hederacea</i> Jacq.	morning-glory, ivyleaf	F	W	C	W	W	W	W	W
Convolvulaceae	20182	<i>Ipomoea lacunosa</i> L.	morning-glory, small- white-flowered	W	W	W	W	W	W	W	W
Convolvulaceae	20184	<i>Ipomoea leptophylla</i> Torr.	morning-glory, bush	W	W	W	W	W	W	W	W
Convolvulaceae	20187	<i>Ipomoea lobata</i> (Cerv.) Thell.	Spanish-flag	F	W	C	W	W	W	W	W
Convolvulaceae	402175	<i>Ipomoea muricata</i> (L.) Jacq.	moonflower, purple; morning-glory, giant	W	W	W	W	W	W	W	W
Convolvulaceae	311672	<i>Ipomoea pandurata</i> (L.) G. Mey.	morning-glory, bigroot	W	W	W	W	W	W	W	W
Convolvulaceae	20214	<i>Ipomoea purpurea</i> (L.) Roth	morning-glory, tall; morning-glory, wild; morning-glory, woolly	F	W	C	W	W	W	W	W
Convolvulaceae	310475	<i>Ipomoea quamoclit</i> L.	morning-glory, cypress- vine; cypressvine	F	W	C	W	W	W	W	W
Convolvulaceae	402182	<i>Ipomoea sloteri</i> Macfarl. ex E. T. Reichert	cardinal climber; hearts and honey vine	F	W	C	W	W	W	W	W
Convolvulaceae	300283	<i>Ipomoea</i> spp.	morning-glory; cardinal climber	F	W	W	W	W	W	W	W
Convolvulaceae	20231	<i>Ipomoea tricolor</i> Cav.	morning-glory	F	W	C	W	W	W	W	W
Convolvulaceae	20232	<i>Ipomoea triloba</i> L.	little-bell; morning-glory, aiea	W	W	W	W	W	W	W	W
Convolvulaceae	20617	<i>Jacquemontia tamnifolia</i> (L.) Griseb.	choisy; morning-glory, hairy	W	W	W	W	W	W	W	W
Convolvulaceae [Cuscutaceae]	311577	<i>Cuscuta campestris</i> Yunck.	dodder, field	W	W	W	W	W	W	W	W
Convolvulaceae [Cuscutaceae]	311578	<i>Cuscuta coryli</i> Engelm.	dodder, hazel	W	W	W	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Convolvulaceae [Cuscutaceae]	12684	<i>Cuscuta epilinum</i> Weihe	dodder, flax	W	W	W	W	W	W	W	W
Convolvulaceae [Cuscutaceae]	311579	<i>Cuscuta epithymum</i> (L.) L.	dodder, clover	W	W	W	W	W	W	W	W
Convolvulaceae [Cuscutaceae]	12685	<i>Cuscuta indecora</i> Choisy	dodder, bigseed alfalfa	W	W	W	W	W	W	W	W
Convolvulaceae [Cuscutaceae]	12687	<i>Cuscuta pentagona</i> Engelm.	dodder, field	W	W	W	W	W	W	W	W
Convolvulaceae [Cuscutaceae]	12688	<i>Cuscuta planiflora</i> Ten.	dodder, littleseed alfalfa	W	W	W	W	W	W	W	W
Convolvulaceae [Cuscutaceae]	318333	<i>Cuscuta reflexa</i> Roxb.	dodder, giant	W	W	W	W	W	W	W	W
Convolvulaceae [Cuscutaceae]	317044	<i>Cuscuta</i> spp.	dodder	W	W	W	W	W	W	W	W
Convolvulaceae [Cuscutaceae]	316642	<i>Cuscuta suaveolens</i> Ser.	dodder, Chilean	W	W	W	W	W	W	W	W
Cornaceae	11545	<i>Cornus canadensis</i> L.	bunchberry	F, R	W	C	W	C	W	W	W
Cornaceae	11551	<i>Cornus florida</i> L.	dogwood, flowering	S	W	W	W	W	C	W	W
Cornaceae	11565	<i>Cornus nuttallii</i> Audubon	dogwood, Pacific	R, S	W	W	W	C	C	W	W
Cornaceae	402148	<i>Cornus sericea</i> L. subsp. <i>sericea</i>	dogwood, red-osier	R, S	W	W	W	C	C	W	W
Crassulaceae	411706	<i>Hylotelephium telephium</i> (L.) H. Ohba	live-forever	F	W	C	W	W	W	W	W
Crassulaceae	21015	<i>Kalanchoe blossfeldiana</i> Poelln.	kalanchoe	F	W	C	W	W	W	W	W
Crassulaceae	314447	<i>Sedum acre</i> L.	sedum, gold-moss; golden-carpet	F	W	C	W	W	W	W	W
Crassulaceae	317103	<i>Sempervivum</i> spp.	hen-and-chickens	F	W	C	W	W	W	W	W
Cucurbitaceae	468434	<i>Citrullus amarus</i> Schrad.	citron	V	C	C	C	C	C	C	C
Cucurbitaceae	10675	<i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai	watermelon	V	C	C	C	C	C	C	C
Cucurbitaceae	10974	<i>Coccinia grandis</i> (L.) Voigt	gourd, ivy	W	W	W	W	W	W	W	W
Cucurbitaceae	12546	<i>Cucumis anguria</i> L.	gherkin, bur; gherkin, West Indian	V	C	C	C	C	C	C	C
Cucurbitaceae	404410	<i>Cucumis melo</i> L.	muskmelon; cantaloupe; honeydew	V	C	C	C	C	C	C	C
Cucurbitaceae	12568	<i>Cucumis melo</i> L. subsp. <i>agrestis</i> (Naudin) Pangalo var. <i>dudaim</i> (L.) Naudin	melon, dudaim	W	W	W	W	W	W	W	W
Cucurbitaceae	12576	<i>Cucumis myriocarpus</i> Naudin	melon, paddy	W	W	W	W	W	W	W	W
Cucurbitaceae	404426	<i>Cucumis sativus</i> L.	cucumber	V	C	W	W	W	W	W	C
Cucurbitaceae	404427	<i>Cucurbita argyrosperma</i> C. Huber subsp. <i>argyrosperma</i>	pumpkin, cushaw; squash	V	C	C	C	C	C	C	C
Cucurbitaceae	12590	<i>Cucurbita foetidissima</i> Kunth	calabazilla; gourd, buffalo; gourd, wild	R	W	W	W	W	W	W	W
Cucurbitaceae	12597	<i>Cucurbita maxima</i> Duchesne	pumpkin, mammoth; squash, winter large	V	C	C	C	C	C	C	C
Cucurbitaceae	12601	<i>Cucurbita moschata</i> Duchesne	pumpkin, crookneck; pumpkin, Kentucky field; squash, winter small	V	C	C	C	C	C	C	C

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Cucurbitaceae	12606	<i>Cucurbita pepo</i> L.	gourd, small; pumpkin, common; squash, acorn; squash, summer	V	C	C	C	C	C	C	C
Cucurbitaceae	300161	<i>Cucurbita</i> spp.	gourds	F, V	W	C	W	W	W	W	C
Cucurbitaceae	21385	<i>Lagenaria siceraria</i> (Molina) Standl.	gourd, white-flowered	F	W	C	W	W	W	W	C
Cucurbitaceae	300296	<i>Lagenaria</i> spp.	gourd	F	W	C	W	W	W	W	C
Cucurbitaceae	22788	<i>Luffa aegyptiaca</i> Mill.	sponge gourd; sponge, vegetable	F, V	W	C	W	W	W	W	C
Cucurbitaceae	316826	<i>Sicyos angulatus</i> L.	cucumber, bur	W	W	W	W	W	W	W	W
Cupressaceae	8615	<i>Calocedrus decurrens</i> (Torr.) Florin	cedar, incense	S	W	W	W	W	C	W	W
Cupressaceae	10064	<i>Chamaecyparis lawsoniana</i> (A. Murray bis) Parl.	cedar, Port Orford	S	W	W	W	W	C	W	W
Cupressaceae	10102	<i>Chamaecyparis thyoides</i> (L.) Britton et al.	white-cedar, Atlantic	S	W	W	W	W	C	W	W
Cupressaceae	12638	<i>Cupressus arizonica</i> Greene	cypress, Arizona	S	W	W	W	W	C	W	W
Cupressaceae	12663	<i>Cupressus nootkatensis</i> D. Don	cedar, Alaska; cedar, yellow	S	W	W	W	W	C	W	W
Cupressaceae	20821	<i>Juniperus communis</i> L.	juniper, common	S	W	W	W	W	C	W	W
Cupressaceae	316255	<i>Juniperus deppeana</i> Steud.	juniper, alligator	S	W	W	W	W	C	W	W
Cupressaceae	20846	<i>Juniperus monosperma</i> (Engelm.) Sarg.	juniper, one-seeded	S	W	W	W	W	C	W	W
Cupressaceae	314425	<i>Juniperus occidentalis</i> Hook.	juniper, sierra	S	W	W	W	W	C	W	W
Cupressaceae	301046	<i>Juniperus osteosperma</i> (Torr.) Little	juniper, Utah	R, S	W	W	W	C	C	W	W
Cupressaceae	20863	<i>Juniperus scopulorum</i> Sarg.	juniper, Rocky Mountain	R, S	W	W	W	C	C	W	W
Cupressaceae	310211	<i>Platycladus orientalis</i> (L.) Franco	arborvitae, Oriental; arborvitae, Chinese	S	W	W	W	W	C	W	W
Cupressaceae	36584	<i>Thuja occidentalis</i> L.	arborvitae, eastern; cedar, northern white	S	W	W	W	W	C	W	W
Cupressaceae	36593	<i>Thuja plicata</i> Donn ex D. Don	arborvitae, giant; cedar, western red	R, S	W	W	W	C	C	W	W
Cupressaceae [Taxodiaceae]	33710	<i>Sequoia sempervirens</i> (D. Don) Endl.	redwood	S	W	W	W	W	C	W	W
Cupressaceae [Taxodiaceae]	33713	<i>Sequoiadendron giganteum</i> (Lindl.) J. Buchholz	sequoia, giant	S	W	W	W	W	C	W	W
Cyperaceae	456008	<i>Amphiscirpus nevadensis</i> (S. Watson) Oteng-Yeb.	bulrush, Nevada	R	W	W	W	C	W	W	W
Cyperaceae	427912	<i>Bolboschoenus fluviatilis</i> (Torr.) Soják	bulrush, river	R	W	W	W	C	W	W	W
Cyperaceae	405576	<i>Bolboschoenus maritimus</i> (L.) Palla	bulrush, alkali; bulrush, cosmopolitan	R	W	W	W	C	W	W	W
Cyperaceae	459703	<i>Carex aperta</i> Boott	sedge, Columbian	R	W	W	W	C	W	W	W
Cyperaceae	9029	<i>Carex aquatilis</i> Wahlenb.	bullgrass	R	W	W	W	C	W	W	W
Cyperaceae	9032	<i>Carex athrostachya</i> Olney	sedge, slenderbeak	R	W	W	W	C	W	W	W
Cyperaceae	9037	<i>Carex bebbii</i> (L. H. Bailey) Olney ex Fernald	sedge, Bebb's	R	W	W	W	C	W	W	W



Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Cyperaceae	459705	<i>Carex comosa</i> Boott	sedge, bristly	R	W	W	W	C	W	W	W
Cyperaceae	316605	<i>Carex festucacea</i> Schkuhr ex Willd.	sedge	W	W	W	W	W	W	W	W
Cyperaceae	9065	<i>Carex hoodii</i> Boott	sedge, hoodii	R	W	W	W	C	W	W	W
Cyperaceae	448104	<i>Carex hystericina</i> Muhl. ex Willd.	sedge, bottlebrush	R	W	W	W	C	W	W	W
Cyperaceae	316606	<i>Carex lupulina</i> Muhl. ex Willd.	sedge, hop	W	W	W	W	W	W	W	W
Cyperaceae	9087	<i>Carex microptera</i> Mack.	sedge, small-winged	R	W	W	W	C	W	W	W
Cyperaceae	9090	<i>Carex nebrascensis</i> Dewey	sedge, Nebraska	R	W	W	W	C	W	W	W
Cyperaceae	448105	<i>Carex obnupta</i> L. H. Bailey	sedge, slough	R	W	W	W	C	W	W	W
Cyperaceae	433424	<i>Carex pellita</i> Muhl. ex Willd.	sedge, wooly	R	W	W	W	C	W	W	W
Cyperaceae	9104	<i>Carex praegracilis</i> W. Boott	sedge, meadow; sedge, clustered field; sedge, bleakcreeper	R	W	W	W	C	W	W	W
Cyperaceae	459706	<i>Carex retrorsa</i> Schwein.	sedge, knotsheath	R	W	W	W	C	W	W	W
Cyperaceae	9114	<i>Carex rostrata</i> Stokes	sedge, beaked	R	W	W	W	C	W	W	W
Cyperaceae	9119	<i>Carex simulata</i> Mack.	sedge, slender	R	W	W	W	C	W	W	W
Cyperaceae	300109	<i>Carex</i> spp.	sedge	R	W	W	W	C	W	W	W
Cyperaceae	316607	<i>Carex trichocarpa</i> Willd.	sedge, hairyseed	W	W	W	W	W	W	W	W
Cyperaceae	417216	<i>Carex utriculata</i> Boott	sedge, Northwest Territory	R	W	W	W	C	W	W	W
Cyperaceae	9131	<i>Carex vesicaria</i> L.	sedge, bladder	R	W	W	W	C	W	W	W
Cyperaceae	12901	<i>Cyperus esculentus</i> L.	nutgrass, yellow; nutsedge, yellow	W	W	W	W	W	W	W	W
Cyperaceae	316644	<i>Cyperus rotundus</i> L.	nutgrass, purple; nutsedge, purple	W	W	W	W	W	W	W	W
Cyperaceae	300165	<i>Cyperus</i> spp.	nutgrass; nutsedge; kyllinga	W	W	W	W	W	W	W	W
Cyperaceae	459692	<i>Eleocharis brittonii</i> Svenson ex Small	spikerush, stoloniferous; spikerush, Britton's	R	W	W	W	C	W	W	W
Cyperaceae	447396	<i>Eleocharis macrostachya</i> Britton	spikerush, pale	R	W	W	W	C	W	W	W
Cyperaceae	316660	<i>Eleocharis obtusa</i> (Willd.) Schult.	spikerush, blunt	R	W	W	W	C	W	W	W
Cyperaceae	14977	<i>Eleocharis palustris</i> (L.) Roem. & Schult.	spikerush, creeping; spikerush, common	R	W	W	W	C	W	W	W
Cyperaceae	448133	<i>Eleocharis parishii</i> Britton	spikerush, Parish's	R	W	W	W	C	W	W	W
Cyperaceae	459694	<i>Eleocharis parvula</i> (Roem. & Schult.) Link ex Bluff et al.	spikerush, dwarf	R	W	W	W	C	W	W	W
Cyperaceae	448134	<i>Eleocharis rostellata</i> (Torr.) Torr.	spikerush, beaked	R	W	W	W	C	W	W	W
Cyperaceae	317048	<i>Eleocharis</i> spp.	spikerush	R	W	W	W	C	W	W	W
Cyperaceae	316661	<i>Eleocharis tenuis</i> (Willd.) Schult.	spikerush, slender	W	W	W	W	W	W	W	W
Cyperaceae	300207	<i>Eriophorum</i> spp.	cottongrass	F	W	C	W	W	W	W	W
Cyperaceae	316951	<i>Fimbristylis annua</i> (All.) Roem. & Schult.	spikerush, Baldwin	W	W	W	W	W	W	W	W
Cyperaceae	316686	<i>Fimbristylis autumnalis</i> (L.) Roem. & Schult.	spikerush, autumn	W	W	W	W	W	W	W	W

AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Cyperaceae	317051	<i>Fimbristylis</i> spp.	fimbristylis	W	W	W	W	W	W	W	W
Cyperaceae	316996	<i>Kyllinga</i> spp. = <i>Cyperus</i> spp.	kyllinga	W	W	W	W	W	W	W	W
Cyperaceae	317098	<i>Rhynchospora</i> spp.	spearhead	W	W	W	W	W	W	W	W
Cyperaceae	409600	<i>Schoenoplectus acutus</i> (Muhl. ex Bigelow) Á. Löve & D. Löve	bulrush, hardstem	R	W	W	W	C	W	W	W
Cyperaceae	409602	<i>Schoenoplectus americanus</i> (Pers.) Volkart ex Schinz & R. Keller	threesquare, Oleny; bulrush, chairmaker's	R	W	W	W	C	W	W	W
Cyperaceae	416581	<i>Schoenoplectus pungens</i> (Vahl) Palla	threesquare, common	R	W	W	W	C	W	W	W
Cyperaceae	432555	<i>Schoenoplectus tabernaemontani</i> (C. C. Gmel.) Palla	bulrush, softstem	R	W	W	W	C	W	W	W
Cyperaceae	451305	<i>Scirpus atrovirens</i> Willd.	bulrush, dark green	R	W	W	W	C	W	W	W
Cyperaceae	70720	<i>Scirpus cyperinus</i> (L.) Kunth	wool-grass	R	W	W	W	C	W	W	W
Cyperaceae	448250	<i>Scirpus microcarpus</i> J. Presl & C. Presl	bulrush, smallfruit; bulrush, paniced	R	W	W	W	C	W	W	W
Cyperaceae	451307	<i>Scirpus pallidus</i> (Britton) Fernald	bulrush, pale	R	W	W	W	C	W	W	W
Cyperaceae	300534	<i>Scirpus</i> spp.	bulrush	R	W	W	W	C	W	W	W
Dipterocarpaceae	401759	<i>Hopea odorata</i> Roxb.	thingwa	S	W	W	W	W	C	W	W
Elaeagnaceae	14915	<i>Elaeagnus angustifolia</i> L.	olive, Russian	S	W	W	W	W	C	W	W
Elaeagnaceae	70241	<i>Elaeagnus commutata</i> Bernh. ex Rydb.	silverberry; wolfberry	S	W	W	W	W	C	W	W
Elaeagnaceae	33863	<i>Shepherdia argentea</i> (Pursh) Nutt.	buffaloberry, silver	R, S	W	W	W	C	C	W	W
Elaeagnaceae	33864	<i>Shepherdia canadensis</i> (L.) Nutt.	buffaloberry, russet; soapberry	R, S	W	W	W	C	C	W	W
Elaeagnaceae	33866	<i>Shepherdia rotundifolia</i> Parry	buffaloberry, roundleaf; silverscale	R, S	W	W	W	C	C	W	W
Ephedraceae	316662	<i>Ephedra nevadensis</i> S. Watson	ephedra, Nevada; Mormon-tea, Nevada	R, S	W	W	W	C	C	W	W
Ephedraceae	316663	<i>Ephedra viridis</i> Coville	Mormon-tea, green	R, S	W	W	W	C	C	W	W
Ericaceae	316002	<i>Arbutus menziesii</i> Pursh	madrone, Pacific	S	W	W	W	W	C	W	W
Ericaceae	3862	<i>Arctostaphylos glauca</i> Lindl.	manzanita, bigberry	R, S	W	W	W	C	C	W	W
Ericaceae	316560	<i>Arctostaphylos patula</i> Greene	manzanita, greenleaf	R, S	W	W	W	C	C	W	W
Ericaceae	3866	<i>Arctostaphylos uva-ursi</i> (L.) Spreng.	bearberry, common; kinnikinick	R, S	W	W	W	C	C	W	W
Ericaceae	301067	<i>Rhododendron</i> spp.	azalea; rhododendron	S	W	W	W	W	C	W	W
Ericaceae	40981	<i>Vaccinium angustifolium</i> Aiton	blueberry, lowbush	S	W	W	W	W	C	W	W
Ericaceae	41046	<i>Vaccinium ovatum</i> Pursh	blueberry, box; huckleberry, California	S	W	W	W	W	C	W	W
Ericaceae	300652	<i>Vaccinium</i> spp.	blueberry; huckleberry	S	W	W	W	W	C	W	W
Euphorbiaceae	1049	<i>Acalypha virginica</i> L.	three-seeded mercury	W	W	W	W	W	W	W	W
Euphorbiaceae	316879	<i>Caperonia castaneifolia</i> (L.) A. St.-Hil.	Mexican-weed	W	W	W	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Euphorbiaceae	104857	<i>Croton capitatus</i> Michx.	croton, woolly	W	W	W	W	W	W	W	W
Euphorbiaceae	318021	<i>Croton setigerus</i> Hook.	turkey-mullein	R	W	W	W	W	W	W	W
Euphorbiaceae	317042	<i>Croton</i> spp.	croton; prairie-tea	W	W	W	W	W	W	W	W
Euphorbiaceae	316641	<i>Croton texensis</i> (Klotzsch) Müll. Arg.	croton, Texas	W	W	W	W	W	W	W	W
Euphorbiaceae	316677	<i>Euphorbia corollata</i> L.	spurge, flowering	F, R	W	C	W	C	W	W	W
Euphorbiaceae	316678	<i>Euphorbia cyparissias</i> L.	spurge, cypress	W	W	W	W	W	W	W	W
Euphorbiaceae	429419	<i>Euphorbia davidii</i> Subils	poinsettia, wild; spurge, toothed	W	W	W	W	W	W	W	W
Euphorbiaceae	16366	<i>Euphorbia esula</i> L.	spurge, leafy	W	W	W	W	W	W	W	W
Euphorbiaceae	316680	<i>Euphorbia falcata</i> L.	spurge, sickle	W	W	W	W	W	W	W	W
Euphorbiaceae	316681	<i>Euphorbia glyptosperma</i> Engelm.	spurge, ridgeseed	W	W	W	W	W	W	W	W
Euphorbiaceae	454910	<i>Euphorbia graminea</i> Jacq.	spurge, grassleaf	W	W	W	W	W	W	W	W
Euphorbiaceae	16373	<i>Euphorbia helioscopia</i> L.	spurge, sun	W	W	W	W	W	W	W	W
Euphorbiaceae	16374	<i>Euphorbia heterophylla</i> L.	poinsettia, annual; spurge, painted; euphorbia, painted	F	W	C	W	W	W	W	W
Euphorbiaceae	70275	<i>Euphorbia lathyris</i> L.	moleplant; spurge, caper	W	W	W	W	W	W	W	W
Euphorbiaceae	316682	<i>Euphorbia lucida</i> Waldst. & Kit.	spurge, broad-leaved; spurge, shining	W	W	W	W	W	W	W	W
Euphorbiaceae	316683	<i>Euphorbia maculata</i> L.	spurge, spotted	W	W	W	W	W	W	W	W
Euphorbiaceae	315689	<i>Euphorbia marginata</i> Pursh	snow-on-the-mountain	F	W	W	W	W	W	W	W
Euphorbiaceae	16389	<i>Euphorbia myrsinites</i> L.	spurge, myrtle	W	W	W	W	W	W	W	W
Euphorbiaceae	16391	<i>Euphorbia nutans</i> Lag.	eyebane; spurge, nodding	W	W	W	W	W	W	W	W
Euphorbiaceae	316684	<i>Euphorbia oblongata</i> Griseb.	spurge, oblong	W	W	W	W	W	W	W	W
Euphorbiaceae	16401	<i>Euphorbia prostrata</i> Aiton	spurge, prostrate	W	W	W	W	W	W	W	W
Euphorbiaceae	317717	<i>Euphorbia serrata</i> L.	spurge	W	W	W	W	W	W	W	W
Euphorbiaceae	300213	<i>Euphorbia</i> spp.	spurge	W	W	W	W	W	W	W	W
Euphorbiaceae	16410	<i>Euphorbia terracina</i> L.	spurge, carnation	W	W	W	W	W	W	W	W
Euphorbiaceae	31896	<i>Ricinus communis</i> L.	castorbean	A	C	C	C	C	C	C	C
Fabaceae	739	<i>Abrus precatorius</i> L.	pea, rosary	W	W	W	W	W	W	W	W
Fabaceae	448500	<i>Acmispon americanus</i> (Nutt.) Rydb.	deervetch; trefoil, prairie	R	W	W	W	C	W	W	W
Fabaceae	477827	<i>Acmispon glaber</i> (Vogel) Brouillet	deerweed	R	W	W	W	C	W	W	W
Fabaceae	437649	<i>Acmispon parviflorus</i> (Benth.) D. D. Sokoloff	trefoil, slender	W	W	W	W	W	W	W	W
Fabaceae	311438	<i>Adesmia</i> spp.		W	W	W	W	W	W	W	W
Fabaceae	1602	<i>Aeschynomene americana</i> L.	jointvetch, American; deervetch	R	W	W	W	C	W	W	W
Fabaceae	1610	<i>Aeschynomene indica</i> L.	ding ding; indigo, curly; jointvetch, Indian; jointvetch, northern; jointvetch, sensitive	W	W	W	W	W	W	W	W
Fabaceae	70056	<i>Aeschynomene rudis</i> Benth.	jointgrass, rough	W	W	W	W	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Fabaceae	315816	<i>Aeschynomene</i> spp.	indigo, curly	W	W	W	W	W	W	W	W
Fabaceae	2198	<i>Alhagi maurorum</i> Medik.	camelthorn	W	W	W	W	W	W	W	W
Fabaceae	310080	<i>Alhagi</i> spp.	camelthorn	W	W	W	W	W	W	W	W
Fabaceae	2740	<i>Alysicarpus vaginalis</i> (L.) DC.	alyceclover	A	C	C	C	C	C	C	C
Fabaceae	2935	<i>Amorpha californica</i> Nutt.	indigo, California false	R, S	W	W	W	C	C	W	W
Fabaceae	2936	<i>Amorpha canescens</i> Pursh	leadplant	S, R	W	W	W	C	C	W	W
Fabaceae	2937	<i>Amorpha fruticosa</i> L.	indigobush; false-indigo	S,R	W	W	W	C	C	W	W
Fabaceae	300032	<i>Anthyllis vulneraria</i> L.	kidney-vetch	W	W	W	W	W	W	W	W
Fabaceae	3785	<i>Arachis hypogaea</i> L.	peanut	A	C	C	C	C	C	C	C
Fabaceae	5726	<i>Astragalus bisulcatus</i> (Hook.) A. Gray	locoweed, two-grooved	F, R	W	C	W	W	W	W	W
Fabaceae	300055	<i>Astragalus canadensis</i> L.	milkvetch, Canada	R	W	W	W	C	W	W	W
Fabaceae	5749	<i>Astragalus chinensis</i> L. f.	milkvetch, Chinese	W	W	W	W	W	W	W	W
Fabaceae	5753	<i>Astragalus cicer</i> L.	milkvetch, cicer	R	W	W	W	C	W	W	W
Fabaceae	411737	<i>Astragalus convallarius</i> Greene	milk-vetch, lesser rushy	R	W	W	W	C	W	W	W
Fabaceae	5775	<i>Astragalus drummondii</i> Douglas	milk-vetch, Drummond's	R	W	W	W	C	W	W	W
Fabaceae	5781	<i>Astragalus falcatus</i> Lam.	milkvetch, sicklepod	W	W	W	W	W	W	W	W
Fabaceae	403261	<i>Astragalus filipes</i> Torr. ex A. Gray	milk-vetch, basalt	R	W	W	W	C	W	W	W
Fabaceae	5784	<i>Astragalus flexuosus</i> (Hook.) Douglas ex G. Don	milkvetch, flexile	W	W	W	W	W	W	W	W
Fabaceae	300059	<i>Astragalus miser</i> Douglas	milkvetch, timber	W	W	W	W	W	W	W	W
Fabaceae	5842	<i>Astragalus nuttallianus</i> DC.	milkvetch, Nuttall	W	W	W	W	W	W	W	W
Fabaceae	5848	<i>Astragalus pectinatus</i> (Hook.) Douglas ex G. Don	milkvetch, narrow-leaved	W	W	W	W	W	W	W	W
Fabaceae	300061	<i>Astragalus</i> spp.	locoweed; milkvetch	W	W	W	W	W	W	W	W
Fabaceae	315154	<i>Baptisia alba</i> (L.) R. Br.	indigo, white false	F, R	W	C	W	C	W	W	W
Fabaceae	423906	<i>Baptisia lanceolata</i> (Walter) Elliott	gopherweed	R	W	W	W	C	W	W	W
Fabaceae	6490	<i>Baptisia tinctoria</i> (L.) R. Br.	horseflyweed	R	W	W	W	C	W	W	W
Fabaceae	8319	<i>Cajanus cajan</i> (L.) Huth	pigeonpea	W	W	W	W	W	W	W	W
Fabaceae	8923	<i>Caragana arborescens</i> Lam.	peashrub, Siberian	R, S	W	W	W	C	C	W	W
Fabaceae	8944	<i>Caragana pygmaea</i> (L.) DC.	caragana	S	W	W	W	W	C	W	W
Fabaceae	10535	<i>Cicer arietinum</i> L.	chickpea; garbanzo	A, V	C	C	C	C	C	C	C
Fabaceae	11598	<i>Coronilla scorpioides</i> (L.) W. D. J. Koch	coronilla, scorpion	W	W	W	W	W	W	W	W
Fabaceae	70208	<i>Crotalaria brevidens</i> Benth. var. <i>intermedia</i> (Kotschy) Polhill	crotalaria, slenderleaf	A	W	W	W	W	W	W	W
Fabaceae	12331	<i>Crotalaria juncea</i> L.	crotalaria, sunn; sunnhemp	A	W	W	W	W	W	W	W
Fabaceae	12336	<i>Crotalaria lanceolata</i> E. Mey.	crotalaria, lanceleaf	A	W	W	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Fabaceae	12340	<i>Crotalaria longirostrata</i> Hook. & Arn.	crotalaria, long-beaked; rattlepod, long-beaked	W	W	W	W	W	W	W	W
Fabaceae	70209	<i>Crotalaria pallida</i> Aiton	crotalaria, smooth; crotalaria, striped	A	W	W	W	W	W	W	W
Fabaceae	12384	<i>Crotalaria spectabilis</i> Roth	crotalaria, showy; rattlepod, showy	A	W	W	W	W	W	W	W
Fabaceae	300155	<i>Crotalaria</i> spp.	crotalaria	W	W	W	W	W	W	W	W
Fabaceae	12701	<i>Cyamopsis tetragonoloba</i> (L.) Taub.	guar	A	C	W	W	W	W	W	W
Fabaceae	13019	<i>Cytisus scoparius</i> (L.) Link	broom, Scotch	W	W	W	W	W	W	W	W
Fabaceae	311191	<i>Dalea candida</i> Michx. ex Willd.	prairieclover, white	F, R	W	C	W	C	W	W	W
Fabaceae	460307	<i>Dalea ornata</i> (Douglas) Eaton & J. Wright	prairieclover, blue mountain	R	W	W	W	C	W	W	W
Fabaceae	310911	<i>Dalea purpurea</i> Vent.	prairieclover, purple	F, R	W	C	W	C	W	W	W
Fabaceae	311285	<i>Dalea</i> spp.	indigo bush	W	W	W	W	W	W	W	W
Fabaceae	311203	<i>Dalea villosa</i> (Nutt.) Spreng.	prairieclover, silky	F, R	W	C	W	C	W	W	W
Fabaceae	13617	<i>Desmodium canadense</i> (L.) DC.	tick-trefoil, showy	R	W	W	W	C	W	W	W
Fabaceae	300183	<i>Desmodium</i> spp.	tickclover	R	W	W	W	C	W	W	W
Fabaceae	13679	<i>Desmodium tortuosum</i> (Sw.) DC.	beggarweed, Florida	A	W	W	W	W	W	W	W
Fabaceae	70971	<i>Galega officinalis</i> L.	galega; goatsrue	W	W	W	W	W	W	W	W
Fabaceae	311106	<i>Genista monspessulana</i> (L.) L. A. S. Johnson	broom, French	W	W	W	W	W	W	W	W
Fabaceae	17711	<i>Glycine max</i> (L.) Merr.	soybean	A, V	C	C	C	C	C	C	C
Fabaceae	17822	<i>Glycyrrhiza lepidota</i> Pursh	licorice, wild	W	W	W	W	W	W	W	W
Fabaceae	18221	<i>Halimodendron halodendron</i> (Pall.) Voss	salt-tree, Russian	W	W	W	W	W	W	W	W
Fabaceae	311493	<i>Hedysarum boreale</i> Nutt. var. <i>boreale</i>	sweetvetch, northern; sweetvetch, Utah	A, R	C	W	W	C	W	W	W
Fabaceae	18615	<i>Hedysarum coronarium</i> L.	sulla; sweetvetch, sulla	A, F	C	C	W	W	W	W	W
Fabaceae	20017	<i>Indigofera hirsuta</i> L.	indigo, hairy	R	W	W	W	W	W	W	W
Fabaceae	311524	<i>Kummerowia stipulacea</i> (Maxim.) Makino	lespedeza, Korean	A	C	C	C	C	C	C	C
Fabaceae	21266	<i>Kummerowia striata</i> (Thunb.) Schindl.	lespedeza, common; lespedeza, striate	A, T	C	C	C	C	C	C	C
Fabaceae	N/A	<i>Kummerowia striata</i> (Thunb.) Schindl. 'Kobe'	lespedeza, kobe	A, T	C	C	C	C	C	C	C
Fabaceae	314607	<i>Lablab purpureus</i> (L.) Sweet subsp. <i>purpureus</i>	bean, hyacinth	F	W	C	W	W	W	W	W
Fabaceae	21542	<i>Lathyrus angulatus</i> L.	peavine	W	W	W	W	W	W	W	W
Fabaceae	21544	<i>Lathyrus aphaca</i> L.	pea, yellow; vetchling, yellow	W	W	W	W	W	W	W	W
Fabaceae	21571	<i>Lathyrus hirsutus</i> L.	rough-pea	A	C	C	C	C	C	C	C
Fabaceae	21580	<i>Lathyrus latifolius</i> L.	sweet-pea, perennial; everlasting-pea	F	W	C	W	W	W	W	W
Fabaceae	21596	<i>Lathyrus odoratus</i> L.	sweet-pea, annual	F	W	C	W	W	W	W	W
Fabaceae	21600	<i>Lathyrus palustris</i> L.	marsh-pea	W	W	W	W	W	W	W	W
Fabaceae	316719	<i>Lathyrus pusillus</i> Elliott	vetchling, low	W	W	W	W	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Fabaceae	21613	<i>Lathyrus sativus</i> L.	vetch, bitter; grasspea	A	W	W	W	W	W	W	W
Fabaceae	21616	<i>Lathyrus sphaericus</i> Retz.	flat-pea, round-seeded	W	W	W	W	W	W	W	W
Fabaceae	300300	<i>Lathyrus</i> spp.	pea, wild; vetchling	W	W	W	W	W	W	W	W
Fabaceae	21618	<i>Lathyrus sulphureus</i> W. H. Brewer ex A. Gray	pea, sulphur	W	W	W	W	W	W	W	W
Fabaceae	21619	<i>Lathyrus sylvestris</i> L.	flat-pea	A, R	C	W	W	C	W	W	W
Fabaceae	21620	<i>Lathyrus tingitanus</i> L.	tangier-pea	F	W	C	W	W	W	W	W
Fabaceae	21622	<i>Lathyrus tuberosus</i> L.	pea, groundnut	W	W	W	W	W	W	W	W
Fabaceae	21739	<i>Lens culinaris</i> Medik. subsp. <i>culinaris</i>	lentil	A	C	C	C	C	C	C	C
Fabaceae	21847	<i>Lespedeza bicolor</i> Turcz.	lespedeza, shrub	W	W	W	W	W	W	W	W
Fabaceae	21854	<i>Lespedeza capitata</i> Michx.	lespedeza, bush	R	W	W	W	C	W	W	W
Fabaceae	21856	<i>Lespedeza cuneata</i> (Dum. Cours.) G. Don	lespedeza, Chinese; lespedeza, sericea	A	C	C	C	C	C	C	C
Fabaceae	21866	<i>Lespedeza hirta</i> (L.) Hornem.	lespedeza, hairy	R	W	W	W	C	W	W	W
Fabaceae	21873	<i>Lespedeza juncea</i> (L. f.) Pers.	lespedeza, Siberian	A	W	W	W	W	W	W	W
Fabaceae	21904	<i>Lespedeza thunbergii</i> (DC.) Nakai	lespedeza, shrub; lespedeza, Thunberg's	R, S	W	W	W	C	W	W	W
Fabaceae	21909	<i>Lespedeza virgata</i> (Thunb.) DC.	lespedeza, wand	R	W	W	W	C	W	W	W
Fabaceae	22681	<i>Lotus angustissimus</i> L.	deervetch, slender-pod	W	W	W	W	W	W	W	W
Fabaceae	300317	<i>Lotus corniculatus</i> L.	trefoil, birdsfoot	A, R	C	C	C	C	C	C	C
Fabaceae	22732	<i>Lotus parviflorus</i> Desf.	deervetch, hispid	W	W	W	W	W	W	W	W
Fabaceae	22733	<i>Lotus pedunculatus</i> Cav.	trefoil, big	A, R	C	C	W	C	W	C	W
Fabaceae	22744	<i>Lotus tenuis</i> Waldst. & Kit. ex Willd.	trefoil, narrow-leaf birdsfoot	A	W	C	W	C	W	W	C
Fabaceae	100286	<i>Lotus uliginosus</i> Schkuhr	trefoil, big	A, R	C	C	C	C	C	C	C
Fabaceae	22799	<i>Lupinus albicaulis</i> Douglas	lupine, sicklekeel	F, R	W	C	W	C	W	W	W
Fabaceae	22802	<i>Lupinus albus</i> L.	lupine, white	A, F	C	C	C	C	C	C	C
Fabaceae	22805	<i>Lupinus angustifolius</i> L.	lupine, blue; lupine, narrow-leaved	A, F	C	C	C	C	W	W	W
Fabaceae	22807	<i>Lupinus arboreus</i> Sims	lupine, tree	F, R	W	C	W	C	W	W	W
Fabaceae	22808	<i>Lupinus arbustus</i> Douglas ex Lindl.	lupine, longspur	F, R, S	W	C	W	C	C	W	W
Fabaceae	316735	<i>Lupinus arcticus</i> S. Watson	lupine, arctic	F	W	C	W	W	W	W	W
Fabaceae	22809	<i>Lupinus argenteus</i> Pursh	lupine, silvery	R	W	W	W	C	W	W	W
Fabaceae	403052	<i>Lupinus argenteus</i> Pursh var. <i>heteranthus</i> (S. Watson) Barneby	lupine, tailcup	F, R	W	C	W	C	W	W	W
Fabaceae	403050	<i>Lupinus argenteus</i> Pursh var. <i>rubricaulis</i> (Greene) S. L. Welsh	lupine, mountian	F, R	W	C	W	C	W	W	W
Fabaceae	315905	<i>Lupinus arizonicus</i> (S. Watson) S. Watson	lupine, desert	F, R	W	C	W	C	W	W	W
Fabaceae	22812	<i>Lupinus bicolor</i> Lindl.	lupine, miniature	F, R	W	C	W	C	W	W	W
Fabaceae	448200	<i>Lupinus excubitus</i> M. E. Jones	lupine, bush	F, R, S	W	C	W	C	C	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Fabaceae	22829	<i>Lupinus latifolius</i> J. Agardh	lupine, broadleaf	F, R	W	C	W	C	W	W	W
Fabaceae	22831	<i>Lupinus lepidus</i> Douglas ex Lindl.	lupine, Pacific	F, R	W	C	W	C	W	W	W
Fabaceae	22838	<i>Lupinus luteus</i> L.	lupine, yellow	A, F	C	C	W	C	C	C	C
Fabaceae	401705	<i>Lupinus microcarpus</i> Sims var. <i>densiflorus</i> (Benth.) Jeps.	lupine, golden	F	W	C	W	C	W	W	W
Fabaceae	22845	<i>Lupinus nanus</i> Douglas ex Benth.	lupine, sky-blue-and-white	F	W	C	W	C	W	W	W
Fabaceae	22847	<i>Lupinus nootkatensis</i> Donn ex Sims	lupine, Nootka	W	W	W	W	W	W	W	W
Fabaceae	22852	<i>Lupinus perennis</i> L.	lupine, wild	F, R	W	C	W	C	W	W	W
Fabaceae	22855	<i>Lupinus polyphyllus</i> Lindl.	lupine, Russell hybrids	F	W	C	W	W	W	W	W
Fabaceae	22905	<i>Lupinus sericeus</i> Pursh	lupine, silky	F, R	W	C	W	C	W	W	W
Fabaceae	315904	<i>Lupinus sparsiflorus</i> Benth.	lupine, desert; lupine, Mojave	F, R	W	C	W	C	W	W	W
Fabaceae	300335	<i>Lupinus</i> spp.	lupine	F, R	W	C	W	C	W	W	W
Fabaceae	22907	<i>Lupinus subcarnosus</i> Hook.	bluebonnet, Texas	F	W	C	W	C	W	W	W
Fabaceae	22908	<i>Lupinus succulentus</i> Douglas ex K. Koch	lupine, arroyo	F	W	C	W	C	W	W	W
Fabaceae	315908	<i>Lupinus texensis</i> Hook.	lupine, Texas	F	W	C	W	C	W	W	W
Fabaceae	23555	<i>Medicago arabica</i> (L.) Huds.	burclover, spotted; medic, spotted	A	C	C	C	C	C	C	C
Fabaceae	23613	<i>Medicago lupulina</i> L.	medic, black	A	C	W	W	C	W	C	C
Fabaceae	23636	<i>Medicago orbicularis</i> (L.) Bartal.	buttonclover	A	C	C	W	C	C	C	W
Fabaceae	23645	<i>Medicago polymorpha</i> L.	burclover, California	A	C	C	C	C	C	C	C
Fabaceae	23668	<i>Medicago rigidula</i> (L.) All.	burclover, Tifton	R	W	W	W	C	W	W	W
Fabaceae	104918	<i>Medicago sativa</i> L. subsp. <i>falcata</i> (L.) Arcang.	alfalfa, Siberian; alfalfa, yellow-flowered	A	C	C	C	C	C	C	C
Fabaceae	300359	<i>Medicago sativa</i> L. subsp. <i>sativa</i>	alfalfa; lucerne	A	C	C	C	C	C	C	C
Fabaceae	300363	<i>Medicago</i> spp.	medic	W	W	W	W	W	W	W	W
Fabaceae	23705	<i>Medicago truncatula</i> Gaertn.	barrelclover	A	C	C	W	C	C	C	W
Fabaceae	23713	<i>Medicago turbinata</i> (L.) All.	medic, cogwheel	W	W	W	W	W	W	W	W
Fabaceae	23989	<i>Melilotus albus</i> Medik.	sweetclover, white; sweetclover, hubam	A	C	C	C	C	C	C	C
Fabaceae	24000	<i>Melilotus indicus</i> (L.) All.	sourclover	A	C	C	C	C	C	C	C
Fabaceae	24009	<i>Melilotus officinalis</i> (L.) Lam.	sweetclover, yellow	A	C	C	C	C	C	C	C
Fabaceae	300369	<i>Melilotus</i> spp.	sweetclover	A	C	C	C	C	C	C	C
Fabaceae	310522	<i>Mucuna pruriens</i> (L.) DC. var. <i>utilis</i> (Wall. ex Wight) Baker ex Burck	velvetbean	A	C	C	C	C	C	C	C
Fabaceae	25621	<i>Olneya tesota</i> A. Gray	Ironwood	R, S	W	W	W	C	C	W	W
Fabaceae	25737	<i>Onobrychis viciifolia</i> Scop.	sainfoin	A	C	C	C	C	C	C	C
Fabaceae	25743	<i>Ononis alopecuroides</i> L.	restharrow, foxtail	W	W	W	W	W	W	W	W
Fabaceae	313901	<i>Ononis repens</i> L.	ononis, cammock	W	W	W	W	W	W	W	W
Fabaceae	26023	<i>Ornithopus sativus</i> Brot.	serradella	W	W	W	W	W	W	W	W
Fabaceae	26252	<i>Oxytropis lambertii</i> Pursh	locoweed, Lambert	W	W	W	W	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Fabaceae	100368	<i>Oxytropis riparia</i> Litv.	milkvetch, ruby	A	C	W	W	C	W	W	W
Fabaceae	403451	<i>Oxytropis sericea</i> Nutt. var. <i>speciosa</i> (Torr. & A. Gray) S. L. Welsh	locoweed, early-yellow	W	W	W	W	W	W	W	W
Fabaceae	300418	<i>Oxytropis</i> spp.	locoweed	W	W	W	W	W	W	W	W
Fabaceae	312044	<i>Pediomelum argophyllum</i> (Pursh) J. W. Grimes	Indian breadfoot, silverleaf	R	W	W	W	C	W	W	W
Fabaceae	27563	<i>Phaseolus coccineus</i> L.	bean, scarlet runner	F	C	C	C	C	C	C	C
Fabaceae	27591	<i>Phaseolus lunatus</i> L.	bean, lima	V	C	C	C	C	C	C	C
Fabaceae	27632	<i>Phaseolus vulgaris</i> L.	bean, field; bean, garden	V	C	C	C	C	C	C	C
Fabaceae	311566	<i>Pisum sativum</i> L. subsp. <i>sativum</i> var. <i>arvense</i> (L.) Poir.	pea, field	A	C	C	C	C	C	C	C
Fabaceae	400961	<i>Pisum sativum</i> L. subsp. <i>sativum</i> var. <i>sativum</i>	pea, garden	V	C	C	C	C	C	C	C
Fabaceae	301090	<i>Pisum</i> spp.	pea	V	C	C	C	C	C	C	C
Fabaceae	29030	<i>Podalyria sericea</i> R. Br.	sophora, silky	W	W	W	W	W	W	W	W
Fabaceae	30222	<i>Psophocarpus tetragonolobus</i> (L.) DC.	asparagus-bean; winged-bean	V	W	W	W	W	W	W	C
Fabaceae	312049	<i>Psoralegium lanceolatum</i> (Pursh) Rydb.	scurfpea, lemon	W	W	W	W	W	W	W	W
Fabaceae	318406	<i>Psoralegium</i> spp.	scurfpea	W	W	W	W	W	W	W	W
Fabaceae	312048	<i>Psoralegium tenuiflorum</i> (Pursh) Rydb.	scurfpea, slimflower	W	W	W	W	W	W	W	W
Fabaceae	408796	<i>Psoralegium arborescens</i> (Torr. ex A. Gray) Barneby	indigobush, Mojave	R, S	W	W	W	C	C	W	W
Fabaceae	314966	<i>Pueraria montana</i> (Lour.) Merr. var. <i>lobata</i> (Willd.) Maesen & S. M. Almeida ex Sanjappa & Predeep	kudzu	A	W	W	W	W	W	W	W
Fabaceae	30357	<i>Pueraria phaseoloides</i> (Roxb.) Benth.	kudzu, tropical	W	W	W	W	W	W	W	W
Fabaceae	311145	<i>Retama monosperma</i> (L.) Boiss.	broom, bridal veil	W	W	W	W	W	W	W	W
Fabaceae	105063	<i>Robinia hispida</i> L.	locust, bristly; rose-acacia	R, S	W	W	W	C	C	W	W
Fabaceae	5236	<i>Robinia neomexicana</i> A. Gray	locust, New Mexican	S	W	C	W	C	C	W	W
Fabaceae	5238	<i>Robinia pseudoacacia</i> L.	locust, black	S	C	C	C	C	C	C	C
Fabaceae	315214	<i>Securigera varia</i> (L.) Lassen	crownvetch	A, R	C	C	C	C	C	C	C
Fabaceae	314045	<i>Sesbania drummondii</i> (Rydb.) Cory	rattlebox	W	W	W	W	W	W	W	W
Fabaceae	33768	<i>Sesbania exaltata</i> (Raf.) Rydb.	indigo, tall; peatree; river-hemp, Colorado; sesbania, hemp	A	W	W	W	W	W	W	W
Fabaceae	33776	<i>Sesbania punicea</i> (Cav.) Benth.	rattlebox; Sesbania, red	W	W	W	W	W	W	W	W
Fabaceae	316840	<i>Sophora nuttalliana</i> B. L. Turner	sophora, silky	W	W	W	W	W	W	W	W
Fabaceae	35189	<i>Spartium junceum</i> L.	broom, Spanish	W	W	W	W	W	W	W	W



Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Fabaceae	35239	<i>Sphaerophysa salsula</i> (Pall.) DC.	pea, Swainson; peaweed, Austrian	W	W	W	W	W	W	W	W
Fabaceae	35839	<i>Strophostyles leiosperma</i> (Torr. & A. Gray) Piper	bean, wild smooth-seeded	W	W	W	W	W	W	W	W
Fabaceae	406347	<i>Thermopsis divaricarpa</i> A. Nelson	goldenbanner, foothills	F, R	W	C	W	C	W	W	W
Fabaceae	408451	<i>Thermopsis montana</i> Nutt. var. <i>montana</i>	golden banner	F	W	C	W	W	W	W	W
Fabaceae	310545	<i>Thermopsis rhombifolia</i> (Pursh) Richardson	golden-bean	F, R	W	C	W	C	W	W	W
Fabaceae	40161	<i>Trifolium alexandrinum</i> L.	clover, berseem	A	C	C	C	C	C	C	C
Fabaceae	40165	<i>Trifolium ambiguum</i> M. Bieb.	clover, kura	F, R	W	C	W	C	W	W	W
Fabaceae	40167	<i>Trifolium angulatum</i> Waldst. & Kit.	clover, crooked	W	W	W	W	W	W	W	W
Fabaceae	40173	<i>Trifolium arvense</i> L.	clover, rabbitfoot	F, R	W	C	W	C	W	W	W
Fabaceae	101725	<i>Trifolium aureum</i> Pollich	clover, hop	W	W	W	W	W	W	W	W
Fabaceae	404493	<i>Trifolium bifidum</i> A. Gray	clover, pinole	R	W	W	W	C	W	W	W
Fabaceae	40189	<i>Trifolium campestre</i> Schreb.	clover, large hop; clover, low hop	A	W	W	W	W	W	W	W
Fabaceae	40190	<i>Trifolium carolinianum</i> Michx.	clover, Carolina	W	W	W	W	W	W	W	W
Fabaceae	40194	<i>Trifolium cernuum</i> Brot.	clover, nodhead	W	W	W	W	W	W	W	W
Fabaceae	40198	<i>Trifolium ciliolatum</i> Benth.	clover, foothill	R	W	W	W	C	W	W	W
Fabaceae	40206	<i>Trifolium cyathiferum</i> Lindl.	clover, cup	W	W	W	W	W	W	W	W
Fabaceae	40214	<i>Trifolium depauperatum</i> Desv.	clover, poverty	W	W	W	W	W	W	W	W
Fabaceae	40219	<i>Trifolium dubium</i> Sibth.	clover, small hop; clover, suckling; shamrock, Irish	A, F	W	C	W	W	W	W	W
Fabaceae	40220	<i>Trifolium echinatum</i> M. Bieb. var. <i>echinatum</i>	clover, cocklebur	W	W	W	W	W	W	W	W
Fabaceae	40230	<i>Trifolium fragiferum</i> L.	clover, strawberry	A	C	C	C	C	C	C	C
Fabaceae	40231	<i>Trifolium fucatum</i> Lindl.	clover, puff	R	W	W	W	C	W	W	W
Fabaceae	40235	<i>Trifolium glomeratum</i> L.	clover, cluster	A	C	C	C	C	C	C	C
Fabaceae	40236	<i>Trifolium gracilentum</i> Torr. & A. Gray	clover, pinpoint	R	W	W	W	C	W	W	W
Fabaceae	40241	<i>Trifolium hirtum</i> All.	clover, rose	A	C	C	C	C	C	C	C
Fabaceae	300618	<i>Trifolium hybridum</i> L.	clover, alsike	A	C	C	C	C	C	C	C
Fabaceae	300619	<i>Trifolium incarnatum</i> L.	clover, crimson	A	C	C	C	C	C	C	C
Fabaceae	40262	<i>Trifolium lappaceum</i> L.	clover, lappa	A	C	C	C	C	C	C	C
Fabaceae	310362	<i>Trifolium medium</i> L.	clover, zigzag	A, R	W	W	W	W	W	W	W
Fabaceae	300620	<i>Trifolium michelianum</i> Savi	clover, big-flowered	W	W	W	W	W	W	W	W
Fabaceae	40294	<i>Trifolium microcephalum</i> Pursh	clover, littlehead	R	W	W	W	C	W	W	W
Fabaceae	40295	<i>Trifolium microdon</i> Hook. & Arn.	clover, thimble	W	W	W	W	W	W	W	W
Fabaceae	310557	<i>Trifolium nigrescens</i> Viv.	clover, ball	W	W	W	W	W	W	W	W
Fabaceae	404491	<i>Trifolium obtusiflorum</i> Hook. & Arn.	clover, clammy	R	W	W	W	C	W	W	W
Fabaceae	300623	<i>Trifolium pratense</i> L.	clover, red	A	C	C	C	C	C	C	C
Fabaceae	40345	<i>Trifolium reflexum</i> L.	clover, buffalo	W	W	W	W	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Fabaceae	300625	<i>Trifolium repens</i> L.	clover, ladino; clover, white	A	C	C	C	C	C	C	C
Fabaceae	300626	<i>Trifolium resupinatum</i> L.	clover, Persian	A	C	C	C	C	C	C	C
Fabaceae	40282	<i>Trifolium retusum</i> L.	clover, teasel	W	W	W	W	W	W	W	W
Fabaceae	40364	<i>Trifolium semipilosum</i> Fresen.	clover, Kenya	A, T	C	C	W	C	W	C	W
Fabaceae	300627	<i>Trifolium</i> spp.	clover	A	C	W	W	W	W	C	W
Fabaceae	40377	<i>Trifolium striatum</i> L.	clover, striate	A	C	C	C	C	C	C	C
Fabaceae	300628	<i>Trifolium subterraneum</i> L.	clover, subterranean; subclover	A	C	C	C	C	C	C	C
Fabaceae	40396	<i>Trifolium variegatum</i> Nutt.	clover, whitetip	W	W	W	W	W	W	W	W
Fabaceae	300630	<i>Trifolium vesiculosum</i> Savi	clover, arrowleaf	A	C	C	C	C	C	C	C
Fabaceae	40402	<i>Trifolium willdenovii</i> Spreng.	clover, tomcat	A, R	W	W	W	C	W	W	W
Fabaceae	40403	<i>Trifolium wormskioldii</i> Lehm.	clover, seaside; clover, Sierra	W	W	W	W	W	W	W	W
Fabaceae	40421	<i>Trigonella foenum-graecum</i> L.	fenugreek	W	W	W	W	W	W	W	W
Fabaceae	300636	<i>Trigonella</i> spp.	trigonella	W	W	W	W	W	W	W	W
Fabaceae	40812	<i>Ulex europaeus</i> L.	gorse	W	W	W	W	W	W	W	W
Fabaceae	41449	<i>Vicia americana</i> Muhl. ex Willd.	vetch, American	W	W	W	W	W	W	W	W
Fabaceae	41458	<i>Vicia articulata</i> Hornem.	vetch, monantha; vetch, single-flowered	A	C	W	W	W	W	W	W
Fabaceae	41464	<i>Vicia benghalensis</i> L.	vetch, purple	A, F	C	C	W	W	W	C	W
Fabaceae	41475	<i>Vicia cracca</i> L. subsp. <i>cracca</i>	vetch, bird; vetch, boreal; vetch, tufted	W	W	W	W	W	W	W	W
Fabaceae	41481	<i>Vicia ervilia</i> (L.) Willd.	vetch, bitter	W	W	W	W	W	W	W	W
Fabaceae	300661	<i>Vicia faba</i> L.	broadbean; fava-bean; horsebean	V	C	C	C	C	C	C	C
Fabaceae	300662	<i>Vicia grandiflora</i> Scop.	vetch, showy	W	W	W	W	W	W	W	W
Fabaceae	41501	<i>Vicia hirsuta</i> (L.) Gray	vetch, tiny	W	W	W	W	W	W	W	W
Fabaceae	41505	<i>Vicia hybrida</i> L.	vetch, wild	W	W	W	W	W	W	W	W
Fabaceae	300664	<i>Vicia lutea</i> L.	vetch, yellow	W	W	W	W	W	W	W	W
Fabaceae	300666	<i>Vicia pannonica</i> Crantz	vetch, Hungarian	A	C	C	C	C	C	C	C
Fabaceae	411630	<i>Vicia parviflora</i> Cav.	vetch, slender	W	W	W	W	W	W	W	W
Fabaceae	41566	<i>Vicia sativa</i> L. subsp. <i>nigra</i> (L.) Ehrh.	vetch, blackpod; vetch, narrowleaf	A	C	W	W	W	W	W	W
Fabaceae	41559	<i>Vicia sativa</i> L. subsp. <i>sativa</i>	vetch, common	A	C	C	C	C	C	C	C
Fabaceae	300668	<i>Vicia</i> spp.	vetch	A	C	W	W	W	W	W	W
Fabaceae	41583	<i>Vicia tetrasperma</i> (L.) Schreb.	vetch, sparrow	A	W	W	W	W	W	W	W
Fabaceae	100245	<i>Vicia villosa</i> Roth subsp. <i>varia</i> (Host) Corb.	vetch, winter; vetch, woollypod	A	C	C	C	C	C	C	C
Fabaceae	41589	<i>Vicia villosa</i> Roth subsp. <i>villosa</i>	vetch, hairy	A	C	C	C	C	C	C	C
Fabaceae	41598	<i>Vigna angularis</i> (Willd.) Ohwi & H. Ohashi	bean, adzuki	A	C	C	C	C	C	C	C

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Fabaceae	312026	<i>Vigna radiata</i> (L.) R. Wilczek var. <i>radiata</i>	bean, mung	A	C	C	C	C	C	C	C
Fabaceae	467841	<i>Vigna unguiculata</i> (L.) Walp. subsp. <i>unguiculata</i> Sesquipedalis Group	asparagus-bean; yard-long-bean	V	C	C	C	C	C	C	C
Fabaceae	300675	<i>Vigna unguiculata</i> (L.) Walp. subsp. <i>unguiculata</i> Unguiculata Group	black-eyed pea; cowpea; southern-pea	V	C	C	C	C	C	C	C
Fabaceae [Caesalpinaceae]	300123	<i>Cercis canadensis</i> L.	redbud	S	W	W	W	W	C	W	W
Fabaceae [Caesalpinaceae]	100081	<i>Chamaecrista fasciculata</i> (Michx.) Greene	pea, partridge	F, R	W	C	W	C	W	W	W
Fabaceae [Caesalpinaceae]	310909	<i>Chamaecrista nictitans</i> (L.) Moench	pea, sensitive	F	W	C	W	W	W	W	W
Fabaceae [Caesalpinaceae]	465150	<i>Erythrostemon gilliesii</i> (Hook.) Koltzsch	bird of paradise; cat's-claw	F, R	W	C	W	C	W	W	W
Fabaceae [Caesalpinaceae]	17641	<i>Gleditsia triacanthos</i> L.	locust, honey	S	W	W	W	W	C	W	W
Fabaceae [Caesalpinaceae]	313185	<i>Hoffmannseggia glauca</i> (Ortega) Eifert	hogpotato; pignut; rushpea, Indian	W	W	W	W	W	W	W	W
Fabaceae [Caesalpinaceae]	100139	<i>Parkinsonia florida</i> (Benth. ex A. Gray) S. Watson	paloverde	F, R, S	W	C	W	C	C	W	W
Fabaceae [Caesalpinaceae]	100141	<i>Parkinsonia microphylla</i> Torr.	verde, foothills palo; paloverde, yellow	R, S	W	W	W	C	C	W	W
Fabaceae [Caesalpinaceae]	316483	<i>Senna armata</i> (S. Watson) H. S. Irwin & Barneby	senna	F	W	C	W	W	W	W	W
Fabaceae [Caesalpinaceae]	317954	<i>Senna artemisioides</i> (Gaudich. ex DC.) Randell	cassia, feathery	F	W	C	W	W	W	W	W
Fabaceae [Caesalpinaceae]	100047	<i>Senna covesii</i> (A. Gray) H. S. Irwin & Barneby	senna, desert	F, R	W	C	W	C	W	W	W
Fabaceae [Caesalpinaceae]	100044	<i>Senna obtusifolia</i> (L.) H. S. Irwin & Barneby	sicklepod	W	W	W	W	W	W	W	W
Fabaceae [Caesalpinaceae]	313456	<i>Senna tora</i> (L.) Roxb.	senna, sickle; sicklepod	W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	101107	<i>Acacia mearnsii</i> De Wild.	wattle, black	W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	313094	<i>Acacia paradoxa</i> DC.	kangaroothorn	W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	8505	<i>Calliandra eriophylla</i> Benth.	fairy-duster; mesquite, false	R, S	W	W	W	C	C	W	W
Fabaceae [Mimosaceae]	13603	<i>Desmanthus illinoensis</i> (Michx.) MacMill. ex B. L. Rob. & Fernald	bundleflower	R	W	W	W	C	W	W	W
Fabaceae [Mimosaceae]	100199	<i>Dichrostachys cinerea</i> (L.) Wight & Arn.	marabu	W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	313380	<i>Mimosa diplotricha</i> C. Wright	sensitive-plant, giant	W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	24400	<i>Mimosa pigra</i> L.	mimosa, catclaw	W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	24405	<i>Mimosa pudica</i> L.	sensitive-plant	F	W	C	W	W	W	W	W
Fabaceae [Mimosaceae]	320381	<i>Mimosa quadrivalvis</i> L. var. <i>nuttallii</i> (DC. ex Britton & Rose) L. S. Beard ex Barneby	schrankia, catsclaw; sensitivebrier	W	W	W	W	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Fabaceae [Mimosaceae]	316388	<i>Prosopis alata</i> Phil.		W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	316389	<i>Prosopis argentina</i> Burkart		W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	316390	<i>Prosopis articulata</i> S. Watson	amargo, mesquite	W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	316391	<i>Prosopis burkartii</i> Muñoz		W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	316392	<i>Prosopis caldenia</i> Burkart		W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	316393	<i>Prosopis calingastana</i> Burkart	cusqui	W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	29746	<i>Prosopis campestris</i> Griseb.		W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	316394	<i>Prosopis castellanosi</i> Burkart		W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	313262	<i>Prosopis denudans</i> Benth.		W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	316395	<i>Prosopis elata</i> (Burkart) Burkart		W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	100110	<i>Prosopis farcta</i> (Banks & Sol.) J. F. Macbr.		W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	29754	<i>Prosopis ferox</i> Griseb.		W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	316396	<i>Prosopis fiebrigii</i> Harms		W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	316397	<i>Prosopis hassleri</i> Harms		W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	316398	<i>Prosopis humilis</i> Gillies ex Hook. & Arn.		W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	29758	<i>Prosopis juliflora</i> (Sw.) DC. var. <i>juliflora</i>	mesquite	R, S	W	W	W	C	C	W	W
Fabaceae [Mimosaceae]	29762	<i>Prosopis kuntzei</i> Harms		W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	313266	<i>Prosopis pallida</i> (Humb. & Bonpl. ex Willd.) Kunth	algarrobo; huarango; kiawe	W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	316399	<i>Prosopis palmeri</i> S. Watson		W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	316423	<i>Prosopis reptans</i> Benth. var. <i>reptans</i>		W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	316401	<i>Prosopis rojasiana</i> Burkart		W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	316402	<i>Prosopis ruizlealii</i> Burkart		W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	316403	<i>Prosopis ruscifolia</i> Griseb.		W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	29769	<i>Prosopis sericantha</i> Gillies ex Hook. & Arn.		W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	318356	<i>Prosopis</i> spp.	mesquite	W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	29773	<i>Prosopis strombulifera</i> (Lam.) Benth.	mesquite, creeping	W	W	W	W	W	W	W	W
Fabaceae [Mimosaceae]	316404	<i>Prosopis torquata</i> (Cav. ex Lag.) DC.		W	W	W	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Fabaceae [Mimosaceae]	29775	<i>Prosopis velutina</i> Wooton	mesquite, velvet	R, S	W	W	W	C	C	W	W
Fabaceae [Mimosaceae]	414832	<i>Senegalia greggii</i> (A. Gray) Britton & Rose	acacia, catclaw	R, S	W	W	W	C	C	W	W
Fabaceae [Mimosaceae]	450077	<i>Vachellia constricta</i> (Benth.) Seigler & Ebinger	acacia, whitethorn; acacia, mescat	R, S	W	W	W	C	C	W	W
Fabaceae [Mimosaceae]	468410	<i>Vachellia</i> spp.	acacia	S	W	W	W	W	W	W	W
Fagaceae	409800	<i>Chrysolepis chrysophylla</i> (Douglas ex Hook.) Hjelmq.	chinkapin, golden	R, S	W	W	W	C	C	W	W
Fagaceae	409801	<i>Chrysolepis sempervirens</i> (Kellogg) Hjelmq.	chinquapin, bush	R, S	W	W	W	C	C	W	W
Fagaceae	465924	<i>Notholithocarpus densiflorus</i> (Hook. & Arn.) Manos et al.	tan-oak; tanbark-oak	S	W	W	W	W	C	W	W
Fagaceae	316805	<i>Quercus alba</i> L.	oak, white	S	W	W	W	W	C	W	W
Fagaceae	30661	<i>Quercus chrysolepis</i> Liebm.	oak, canyon live	S	W	W	W	W	C	W	W
Fagaceae	30678	<i>Quercus gambelii</i> Nutt.	oak, Gambel	S	W	W	W	W	C	W	W
Fagaceae	30679	<i>Quercus garryana</i> Douglas ex Hook.	oak, Oregon white	S	W	W	W	W	C	W	W
Fagaceae	316806	<i>Quercus kelloggii</i> Newb.	oak, California black	S	W	W	W	W	C	W	W
Fagaceae	104673	<i>Quercus muehlenbergii</i> Engelm.	oak, chinkapin	S	W	W	W	W	C	W	W
Fagaceae	400317	<i>Quercus nigra</i> L.	oak, water	S	W	W	W	W	C	W	W
Fagaceae	70539	<i>Quercus shumardii</i> Buckley	oak, Shumard	S	W	W	W	W	C	W	W
Fagaceae	300504	<i>Quercus</i> spp.	oak	S	W	W	W	W	C	W	W
Fagaceae	30771	<i>Quercus virginiana</i> Mill.	oak, live	S	W	W	W	W	C	W	W
Gentianaceae	317035	<i>Centaurium</i> spp.	centaury	W	W	W	W	W	W	W	W
Gentianaceae	449987	<i>Eustoma exaltatum</i> (L.) Salisb. ex G. Don subsp. <i>russellianum</i> (Hook.) Kartesz	eustoma; gentian, prairie; gentian, tulip; lisianthus	F	W	C	W	W	W	W	W
Gentianaceae	16486	<i>Exacum affine</i> Balf. f.	violet, German	F	W	C	W	W	W	W	W
Geraniaceae	316669	<i>Erodium botrys</i> (Cav.) Bertol.	filaree, broadleaf	R	W	W	W	W	W	W	W
Geraniaceae	15670	<i>Erodium cicutarium</i> (L.) L'Hér.	alfilaria; filaree, redstem	A	W	W	W	W	W	W	W
Geraniaceae	15679	<i>Erodium moschatum</i> (L.) L'Hér.	alfilaria, whitestem; filaree, whitestem	W	W	W	W	W	W	W	W
Geraniaceae	403	<i>Geranium carolinianum</i> L.	geranium, Carolina	F, R	W	W	W	W	W	W	W
Geraniaceae	407	<i>Geranium columbinum</i> L.	geranium, longstalk	W	W	W	W	W	W	W	W
Geraniaceae	411	<i>Geranium dissectum</i> L.	geranium, cutleaf	W	W	W	W	W	W	W	W
Geraniaceae	314414	<i>Geranium maculatum</i> L.	cranesbill, spotted; geranium, spotted	R	W	W	W	C	W	W	W
Geraniaceae	426	<i>Geranium molle</i> L.	cranesbill, dovefoot; geranium, dovefoot	W	W	W	W	W	W	W	W
Geraniaceae	437	<i>Geranium pusillum</i> L.	geranium, small	W	W	W	W	W	W	W	W
Geraniaceae	300227	<i>Geranium</i> spp.	geranium	W	W	W	W	W	W	W	W
Geraniaceae	100508	<i>Geranium viscosissimum</i> Fisch. & C. A. Mey.	geranium, wild	F, R	W	C	W	C	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Geraniaceae	317086	<i>Pelargonium</i> spp.	geraniums	F	W	C	W	W	W	W	W
Gesneriaceae	313321	<i>Episcia</i> spp.	flame-violet; carpetplant	F	W	C	W	W	W	W	W
Gesneriaceae	317100	<i>Saintpaulia</i> spp.	violet, African	F	W	C	W	W	W	W	W
Gesneriaceae	316834	<i>Sinningia speciosa</i> (Lodd. et al. ex Ker Gawl.) Hiern	gloxinia, common	F	W	C	W	W	W	W	W
Grossulariaceae	31779	<i>Ribes aureum</i> Pursh	currant, golden	R, S	W	W	W	C	C	W	W
Grossulariaceae	31785	<i>Ribes cereum</i> Douglas	currant, wax; gooseberry	R, S	W	W	W	C	C	W	W
Grossulariaceae	31840	<i>Ribes montigenum</i> McClatchie	currant, gooseberry; gooseberry, mountain	R, S	W	W	W	C	C	W	W
Haloragaceae	400094	<i>Myriophyllum spicatum</i> L.	watermilfoil, Eurasian	W	W	W	W	W	W	W	W
Heliotropiaceae [Boraginaceae]	18822	<i>Heliotropium curassavicum</i> L.	heliotrope, salt; heliotrope, seaside	R	W	W	W	W	W	W	W
Heliotropiaceae [Boraginaceae]	18823	<i>Heliotropium europaeum</i> L.	heliotrope, common	W	W	W	W	W	W	W	W
Heliotropiaceae [Boraginaceae]	312886	<i>Heliotropium</i> spp.	heliotrope	F	W	W	W	W	W	W	W
Hydrocharitaceae	316414	<i>Hydrilla verticillata</i> (L. f.) Royle	Florida-elodea; hydrilla; water-thyme	W	W	W	W	W	W	W	W
Hydrocharitaceae	316415	<i>Lagarosiphon major</i> (Ridl.) Moss	oxygen-weed	W	W	W	W	W	W	W	W
Hydrocharitaceae	419810	<i>Limnobium spongia</i> (Bosc) Rich. ex Steud.	spongeplant, American	W	W	W	W	W	W	W	W
Hydrocharitaceae	402901	<i>Ottelia alismoides</i> (L.) Pers.	duck-lettuce; ottelia; water-plantain	W	W	W	W	W	W	W	W
Hydrophyllaceae [Boraginaceae]	453282	<i>Emmenanthe penduliflora</i> Benth.	whispering-bells	F, R	W	C	W	C	W	W	W
Hydrophyllaceae [Boraginaceae]	100864	<i>Nemophila maculata</i> Benth. ex Lindl.	nemophila, spotted; fivespot	F, R	W	C	W	C	W	W	W
Hydrophyllaceae [Boraginaceae]	316759	<i>Nemophila menziesii</i> Hook. & Arn.	baby-blue-eyes	F	W	C	W	W	W	W	W
Hydrophyllaceae [Boraginaceae]	317078	<i>Nemophila</i> spp.	nemophila	W	W	W	W	W	W	W	W
Hydrophyllaceae [Boraginaceae]	316774	<i>Phacelia californica</i> Cham.	phacelia, California	F	W	C	W	W	W	W	W
Hydrophyllaceae [Boraginaceae]	312139	<i>Phacelia campanularia</i> A. Gray	bluebells, California; phacelia, harebell	F, R	W	C	W	C	W	W	W
Hydrophyllaceae [Boraginaceae]	463067	<i>Phacelia cicutaria</i> Greene	phacelia, caterpillar	R	W	W	W	C	W	W	W
Hydrophyllaceae [Boraginaceae]	408229	<i>Phacelia crenulata</i> Torr.	bluebells, desertbells; wildheliotrope, cleftleaf	F, R	W	C	W	C	W	W	W
Hydrophyllaceae [Boraginaceae]	455794	<i>Phacelia hastata</i> Douglas ex Lehm.	phacelia, lanceleaf; phacelia, silverleaf	R	W	W	W	C	W	W	W
Hydrophyllaceae [Boraginaceae]	316775	<i>Phacelia minor</i> (Harv.) Thell. ex F. Zimm.	phacelia, bluebell	F	W	C	W	W	W	W	W
Hydrophyllaceae [Boraginaceae]	317088	<i>Phacelia</i> spp.	phacelia; scorpionweed	W	W	W	W	W	W	W	W
Hydrophyllaceae [Boraginaceae]	27492	<i>Phacelia tanacetifolia</i> Benth.	phacelia, tansy	F, R	W	C	W	C	W	W	W
Hypericaceae [Clusiaceae]	19559	<i>Hypericum ascyron</i> L.	St. John's-wort, great	R	W	W	W	C	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Hypericaceae [Clusiaceae]	19562	<i>Hypericum canariense</i> L.	St. John's-wort, Canary Island	W	W	W	W	W	W	W	W
Hypericaceae [Clusiaceae]	19600	<i>Hypericum perforatum</i> L.	St. John's-wort, common; Klamathweed	W	W	W	W	W	W	W	W
Hypericaceae [Clusiaceae]	316954	<i>Hypericum scouleri</i> Hook.	St. John's-wort, slender	W	W	W	W	W	W	W	W
Iridaceae	12265	<i>Crocus sativus</i> L.	crocus, saffron	F	W	C	W	W	W	W	W
Iridaceae	316332	<i>Gladiolus</i> spp.	gladiolus	F	W	C	W	W	W	W	W
Iridaceae	20293	<i>Iris douglasiana</i> Herb.		F	W	C	W	W	W	W	W
Iridaceae	20295	<i>Iris ensata</i> Thunb.	iris, Japanese	F	W	C	W	W	W	W	W
Iridaceae	20363	<i>Iris missouriensis</i> Nutt.	blue flag, western; iris, Rocky Mountain	F, R	W	C	W	C	W	W	W
Iridaceae	20385	<i>Iris pseudacorus</i> L.	iris, yellow flag	W	W	W	W	W	W	W	W
Iridaceae	20397	<i>Iris setosa</i> Pall. ex Link	iris, wild	F	W	C	W	W	W	W	W
Iridaceae	20440	<i>Iris versicolor</i> L.	iris, blue flag	F, R	W	C	W	C	W	W	W
Iridaceae	318062	<i>Moraea</i> spp.	cape-tulip	W	W	W	W	W	W	W	W
Iridaceae	316807	<i>Romulea rosea</i> (L.) Eckl.	grass, onion	W	W	W	W	W	W	W	W
Iridaceae	316837	<i>Sisyrinchium bellum</i> S. Watson	blue-eyed-grass	F, R	W	C	W	C	W	W	W
Iridaceae	317107	<i>Sisyrinchium</i> spp.	blue-eyed-grass	W	W	W	W	W	W	W	W
Juglandaceae	9253	<i>Carya illinoensis</i> (Wangenh.) K. Koch	pecan	S	W	W	W	W	C	W	W
Juglandaceae	9255	<i>Carya ovata</i> (Mill.) K. Koch	hickory, shagbark	S	W	W	W	W	C	W	W
Juncaceae	447103	<i>Juncus acutus</i> L.	rush, spiny	F, R	W	C	W	C	W	W	W
Juncaceae	316712	<i>Juncus balticus</i> Willd.	rush, Baltic	F, R	W	C	W	C	W	W	W
Juncaceae	459436	<i>Juncus balticus</i> Willd. subsp. <i>littoralis</i> (Engelm.) Snogerup	rush, mountain	R	W	W	W	C	W	W	W
Juncaceae	316713	<i>Juncus bufonius</i> L.	rush, toad	R	W	W	W	W	W	W	W
Juncaceae	20791	<i>Juncus effusus</i> L.	rush, soft	F, R	W	C	W	C	W	W	W
Juncaceae	20792	<i>Juncus ensifolius</i> Wikstr.	rush, daggerleaf	R	W	W	W	C	W	W	W
Juncaceae	20793	<i>Juncus gerardi</i> Loisel.	rush, saltmarsh; black-grass	R	W	W	W	C	W	W	W
Juncaceae	452171	<i>Juncus patens</i> E. Mey.	rush, spreading	R	W	W	W	C	W	W	W
Juncaceae	300289	<i>Juncus</i> spp.	rush	R	W	W	W	C	W	W	W
Juncaceae	20804	<i>Juncus tenuis</i> Willd.	rush, path	W	W	W	W	W	W	W	W
Juncaceae	448186	<i>Juncus torreyi</i> Coville	rush, Torrey's	R	W	W	W	C	W	W	W
Juncaceae	317070	<i>Luzula</i> spp.	wood rush	W	W	W	W	W	W	W	W
Juncaceae	316737	<i>Luzula sylvatica</i> (Huds.) Gaudin	wood rush, greater	F	W	W	W	W	W	W	W
Juncaginaceae	316926	<i>Triglochin maritima</i> L.	arrowgrass, seaside	R	W	W	W	C	W	W	W
Lamiaceae	318669	<i>Agastache urticifolia</i> (Benth.) Kuntze	hyssop, nettleleaf giant	F, H, R	W	C	C	C	W	W	W
Lamiaceae	316539	<i>Ajuga chamaepitys</i> (L.) Schreb.	bugle, ground	W	W	W	W	W	W	W	W
Lamiaceae	104824	<i>Ballota nigra</i> L.	horehound, black	W	W	W	W	W	W	W	W
Lamiaceae	476458	<i>Clinopodium acinos</i> (L.) Kuntze	savory, spring	W	W	W	W	W	W	W	W
Lamiaceae	10924	<i>Clinopodium nepeta</i> (L.) Kuntze	savory, catnip	H	W	W	C	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Lamiaceae	316629	<i>Clinopodium vulgare</i> L.	basil, wild	W	W	W	W	W	W	W	W
Lamiaceae	466111	<i>Condea emoryi</i> (Torr.) Harley & J. F. B. Pastore	lavender, desert	R, S	W	W	W	C	C	W	W
Lamiaceae	316657	<i>Dracocephalum parviflorum</i> Nutt.	dragonhead, American	W	W	W	W	W	W	W	W
Lamiaceae	316889	<i>Galeopsis ladanum</i> L.	hemp-nettle, red	W	W	W	W	W	W	W	W
Lamiaceae	316890	<i>Galeopsis tetrahit</i> L.	hemp-nettle, bristlestem; hemp-nettle, common	W	W	W	W	W	W	W	W
Lamiaceae	316891	<i>Glechoma hederacea</i> L.	ivy, ground	W	W	W	W	W	W	W	W
Lamiaceae	316704	<i>Hedeoma hispida</i> Pursh	false pennyroyal, rough	W	W	W	W	W	W	W	W
Lamiaceae	316705	<i>Hedeoma pulegioides</i> (L.) Pers.	false pennyroyal, American; pennyroyal, American	W	W	W	W	W	W	W	W
Lamiaceae	317056	<i>Hedeoma</i> spp.	false pennyroyal	W	W	W	W	W	W	W	W
Lamiaceae	19644	<i>Hyssopus officinalis</i> L.	hyssop	F, H	W	C	C	W	W	W	W
Lamiaceae	21418	<i>Lamium amplexicaule</i> L.	henbit	W	W	W	W	W	W	W	W
Lamiaceae	21677	<i>Lavandula angustifolia</i> Mill.	lavender	F, H	W	C	C	W	W	W	W
Lamiaceae	313167	<i>Lavandula</i> spp.	lavender	H	W	W	C	W	W	W	W
Lamiaceae	21756	<i>Leonurus cardiaca</i> L.	motherwort	W	W	W	W	W	W	W	W
Lamiaceae	317072	<i>Lycopus</i> spp.	bugleweed	W	W	W	W	W	W	W	W
Lamiaceae	316739	<i>Lycopus virginicus</i> L.	bugleweed, Virginia	W	W	W	W	W	W	W	W
Lamiaceae	23450	<i>Marrubium vulgare</i> L.	horehound, white	H, R	W	W	W	W	W	W	W
Lamiaceae	24036	<i>Melissa officinalis</i> L.	balm; balm, lemon	H	W	W	C	W	W	W	W
Lamiaceae	24078	<i>Mentha x piperita</i> L.	peppermint	H	W	W	C	W	W	W	W
Lamiaceae	24069	<i>Mentha arvensis</i> L.	mint, field	W	W	W	W	W	W	W	W
Lamiaceae	313998	<i>Mentha canadensis</i> L.	mint, Canada	W	W	W	W	W	W	W	W
Lamiaceae	24082	<i>Mentha spicata</i> L.	mint, curled; spearmint	H	W	W	C	W	W	W	W
Lamiaceae	313210	<i>Mentha</i> spp.	mint	H	W	W	C	W	W	W	C
Lamiaceae	466116	<i>Mesosphaerum pectinatum</i> (L.) Kuntze	hyptis, comb	W	W	W	W	W	W	W	W
Lamiaceae	466118	<i>Mesosphaerum suaveolens</i> (L.) Kuntze	spikenard, wild	W	W	W	W	W	W	W	W
Lamiaceae	100521	<i>Moluccella laevis</i> L.	bells-of-Ireland	F	W	C	W	W	W	W	W
Lamiaceae	312135	<i>Monarda citriodora</i> Cerv. ex Lag.	mint, lemon	F, R	W	C	W	C	W	W	W
Lamiaceae	24535	<i>Monarda didyma</i> L.	bee-balm; bergamot; oswego-tea	F	W	C	W	W	W	W	W
Lamiaceae	24536	<i>Monarda fistulosa</i> L.	bergamot, wild	F, R, S	W	C	W	C	C	W	W
Lamiaceae	312138	<i>Monarda pectinata</i> Nutt.	beebalm	F, R	W	C	W	C	W	W	W
Lamiaceae	24538	<i>Monarda punctata</i> L.	horsemint	W	W	W	W	W	W	W	W
Lamiaceae	25165	<i>Nepeta cataria</i> L.	catnip	H	W	W	W	W	W	W	W
Lamiaceae	25478	<i>Ocimum basilicum</i> L.	basil, sweet	H	W	C	C	W	W	W	W
Lamiaceae	25912	<i>Origanum majorana</i> L.	marjoram, sweet	H	W	W	C	W	W	W	W
Lamiaceae	25913	<i>Origanum vulgare</i> L.	marjoram, wild; oregano	H	W	W	C	W	W	W	W
Lamiaceae	27364	<i>Perilla frutescens</i> (L.) Britton	horse balm, false; perilla	W	W	W	W	W	W	W	W



Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Lamiaceae	316914	<i>Physostegia parviflora</i> Nutt. ex A. Gray	ninebark, Pacific; false dragonhead, American	W	W	W	W	W	W	W	W
Lamiaceae	316915	<i>Physostegia virginiana</i> (L.) Benth.	false dragonhead, Virginia; obedience	F	W	C	W	W	W	W	W
Lamiaceae	317146	<i>Plectranthus scutellarioides</i> (L.) R. Br.	coleus, common	F	W	C	W	W	W	W	W
Lamiaceae	29826	<i>Prunella vulgaris</i> L.	heal-all; self-heal	W	W	W	W	W	W	W	W
Lamiaceae	459329	<i>Prunella vulgaris</i> L. subsp. <i>lanceolata</i> (W. P. C. Barton) Piper & Beattie	selfheal, lance	F, R	W	W	W	W	W	W	W
Lamiaceae	317007	<i>Pycnanthemum</i> spp.	mint, mountain	R	W	W	W	C	W	W	W
Lamiaceae	312143	<i>Pycnanthemum virginianum</i> (L.) T. Durand & B. D. Jacks. ex B. L. Rob. & Fernald	mountainmint, whorled	F, R	W	C	W	C	W	W	W
Lamiaceae	32207	<i>Rosmarinus officinalis</i> L.	rosemary	H, S	W	W	C	W	C	W	W
Lamiaceae	32969	<i>Salvia xsylvestris</i> L.	sage, woodland	W	W	W	W	W	W	W	W
Lamiaceae	32902	<i>Salvia aethiopsis</i> L.	sage, Mediterranean	W	W	W	W	W	W	W	W
Lamiaceae	70592	<i>Salvia azurea</i> Lam. var. <i>grandiflora</i> Benth.	sage, Pitcher's	R	W	C	W	C	W	W	W
Lamiaceae	32923	<i>Salvia coccinea</i> Buc'hoz ex Etl.	sage, Texas	F, R	W	C	W	C	W	W	W
Lamiaceae	315102	<i>Salvia columbariae</i> Benth.	sage, chia; chia	F, R	W	C	W	C	W	W	W
Lamiaceae	100549	<i>Salvia farinacea</i> Benth.	sage, mealy-cup; sage, blue; blue-bedder	F	W	C	W	W	W	W	W
Lamiaceae	32950	<i>Salvia officinalis</i> L.	sage	H	W	W	C	W	W	W	C
Lamiaceae	316816	<i>Salvia reflexa</i> Hornem.	sage, lance-leaf	W	W	W	W	W	W	W	W
Lamiaceae	70596	<i>Salvia splendens</i> Sellow ex Nees	sage, scarlet	F	W	C	W	W	W	W	W
Lamiaceae	310089	<i>Salvia</i> spp.	sage	W	W	W	W	W	W	W	W
Lamiaceae	32976	<i>Salvia verticillata</i> L.	sage, lilac	W	W	W	W	W	W	W	W
Lamiaceae	70597	<i>Salvia virgata</i> Jacq.	sage, meadow	W	W	W	W	W	W	W	W
Lamiaceae	33176	<i>Satureja hortensis</i> L.	savory, summer	H	W	W	C	W	W	W	C
Lamiaceae	316819	<i>Satureja montana</i> L.	savory, winter	H, V	W	W	C	W	W	W	C
Lamiaceae	33908	<i>Sideritis montana</i> L.	ironwoundwort	W	W	W	W	W	W	W	W
Lamiaceae	316844	<i>Stachys annua</i> (L.) L.	betony, hedge-nettle	W	W	W	W	W	W	W	W
Lamiaceae	316845	<i>Stachys arvensis</i> (L.) L.	hedge-nettle, field; staggerweed	W	W	W	W	W	W	W	W
Lamiaceae	316846	<i>Stachys byzantina</i> K. Koch	lamb's-ears	F	W	C	W	W	W	W	W
Lamiaceae	316975	<i>Stachys crenata</i> Raf.	betony, shade	W	W	W	W	W	W	W	W
Lamiaceae	312174	<i>Stachys palustris</i> L.	betony, marsh; hedge-nettle; woundwort	W	W	W	W	W	W	W	W
Lamiaceae	317111	<i>Stachys</i> spp.	betony	W	W	W	W	W	W	W	W
Lamiaceae	316848	<i>Teucrium botrys</i> L.	germander, cut-leaf	W	W	W	W	W	W	W	W
Lamiaceae	316849	<i>Teucrium canadense</i> L.	germander, American; wood-sage	W	W	W	W	W	W	W	W
Lamiaceae	316850	<i>Teucrium scorodonia</i> L.	germander, wood	W	W	W	W	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Lamiaceae	310964	<i>Teucrium</i> spp.	germander	W	W	W	W	W	W	W	W
Lamiaceae	36628	<i>Thymus serpyllum</i> L.	mother-of-thyme; thyme, creeping; thyme, lemon	F, H, R	W	C	C	C	W	W	W
Lamiaceae	36631	<i>Thymus vulgaris</i> L.	thyme, common	F, H	W	C	C	W	W	W	W
Lamiaceae	316852	<i>Trichostema dichotomum</i> L.	bluecurls, forked; pennyroyal, bastard	W	W	W	W	W	W	W	W
Lamiaceae	40119	<i>Trichostema lanceolatum</i> Benth.	bluecurls; vinegarweed	F, R	W	C	W	C	W	W	W
Lamiaceae [Verbenaceae]	8516	<i>Callicarpa americana</i> L.	beauty-berry, American; French-mulberry	S	W	W	W	W	C	W	W
Lauraceae	22292	<i>Lindera benzoin</i> (L.) Blume	spicebush, common	S	W	W	W	W	C	W	W
Lauraceae	40863	<i>Umbellularia californica</i> (Hook. & Arn.) Nutt.	bay, California; myrtle, Oregon	S	W	W	W	W	C	W	W
Liliaceae	22212	<i>Lilium regale</i> E. H. Wilson	lily, regal	F	W	C	W	W	W	W	W
Limnanthaceae	22242	<i>Limnanthes alba</i> Hartw. ex Benth.	meadowfoam	A	C	W	W	W	W	W	W
Linaceae	22334	<i>Linum flavum</i> L.	flax, golden	F	W	C	W	W	W	W	W
Linaceae	22335	<i>Linum grandiflorum</i> Desf.	flax, flowering	F, R	W	C	W	C	W	W	W
Linaceae	N/A	<i>Linum grandiflorum</i> Desf. 'Rubrum'	flax, scarlet	F, R	W	C	W	C	W	W	W
Linaceae	22342	<i>Linum lewisii</i> Pursh	flax, Lewis; flax, prairie	F, R	W	C	W	C	W	W	W
Linaceae	22353	<i>Linum perenne</i> L.	flax, perennial; flax, blue	F	W	C	W	W	W	W	W
Linaceae	310085	<i>Linum</i> spp.	flax	W	W	W	W	W	W	W	W
Linaceae	313374	<i>Linum sulcatum</i> Riddell	flax, wild	W	W	W	W	W	W	W	W
Linaceae	22361	<i>Linum usitatissimum</i> L.	flax	A	C	C	C	C	C	C	C
Linaceae	316731	<i>Linum virginianum</i> L.	flax, woodland	F	W	C	W	W	W	W	W
Linderniaceae [Plantaginaceae] [Scrophulariaceae] [Veronicaceae]	36758	<i>Torenia fournieri</i> Linden ex E. Fourn.	bluewings; wishbone-flower, blue	F	W	C	W	W	W	W	W
Loasaceae	316746	<i>Mentzelia albicaulis</i> (Douglas) Douglas ex Torr. & A. Gray	mentzelia, whitestem	H, R	W	W	W	W	W	W	W
Loasaceae	316747	<i>Mentzelia dispersa</i> S. Watson	mentzelia, bushy	W	W	W	W	W	W	W	W
Loasaceae	457059	<i>Mentzelia eremophila</i> (Jeps.) H. J. Thoms. & J. E. Roberts	blazingstar, pinyon	F, R	W	C	W	C	W	W	W
Loasaceae	316748	<i>Mentzelia laevicaulis</i> (Douglas) Torr. & A. Gray	blazingstar	F	W	C	W	W	W	W	W
Loasaceae	316749	<i>Mentzelia lindleyi</i> Torr. & A. Gray	stickleaf	F, R	W	C	W	C	W	W	W
Loasaceae	316750	<i>Mentzelia nuda</i> (Pursh) Torr. & A. Gray	mentzelia, bractless	W	W	W	W	W	W	W	W
Lythraceae	403806	<i>Ammannia coccinea</i> Rottb.	toothcup redstem, valley	W	W	W	W	W	W	W	W
Lythraceae	316742	<i>Lythrum hyssopifolia</i> L.	loosestrife, hyssop	W	W	W	W	W	W	W	W
Lythraceae	23022	<i>Lythrum salicaria</i> L.	loosestrife, purple; lythrum, purple	F	W	W	W	W	W	W	W
Lythraceae	317074	<i>Lythrum</i> spp.	lythrum	W	W	W	W	W	W	W	W
Lythraceae	403433	<i>Lythrum virgatum</i> L.	loosestrife, purple	W	W	W	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Lythraceae [Trapaceae]	36824	<i>Trapa natans</i> L.	bull-nut water-chestnut	W	W	W	W	W	W	W	W
Magnoliaceae	22382	<i>Liriodendron tulipifera</i> L.	tulip-poplar; yellow-poplar	S	W	W	W	W	C	W	W
Magnoliaceae	23108	<i>Magnolia grandiflora</i> L.	magnolia, southern	S	W	W	W	W	C	W	W
Malvaceae	619	<i>Abelmoschus esculentus</i> (L.) Moench	okra	V	C	C	C	C	C	C	C
Malvaceae	757	<i>Abutilon theophrasti</i> Medik.	butterprint; velvetleaf	W	W	W	W	W	W	W	W
Malvaceae	2170	<i>Alcea rosea</i> L.	hollyhock	F	W	C	W	W	W	W	W
Malvaceae	2717	<i>Althaea hirsuta</i> L.	marshmallow, hairy; marshmallow, rough	W	W	W	W	W	W	W	W
Malvaceae	2721	<i>Althaea officinalis</i> L.	marshmallow	F	W	C	W	W	W	W	W
Malvaceae	3508	<i>Anoda cristata</i> (L.) Schldt.	anoda, spurred	W	W	W	W	W	W	W	W
Malvaceae	316878	<i>Callirhoe involucrata</i> (Torr. & A. Gray) A. Gray	mallow, poppy	F, R	W	C	W	C	W	W	W
Malvaceae	320094	<i>Eremalche parryi</i> (Greene) Greene subsp. <i>kernensis</i> (C. B. Wolf) D. M. Bates	Kern-mallow	R	W	W	W	C	W	W	W
Malvaceae	17904	<i>Gossypium barbadense</i> L.	cotton, American-Egyptian; cotton, Sea-Island	A	C	C	C	C	C	C	C
Malvaceae	17917	<i>Gossypium hirsutum</i> L.	cotton, upland	A	C	C	C	C	C	C	C
Malvaceae	300245	<i>Gossypium</i> spp.	cotton	A	C	C	C	C	C	C	C
Malvaceae	19012	<i>Hibiscus cannabinus</i> L.	kenaf; mallow, rose	A	C	C	W	W	W	W	W
Malvaceae	300267	<i>Hibiscus</i> spp.	hibiscus	F	W	C	W	W	W	W	W
Malvaceae	19098	<i>Hibiscus trionum</i> L.	flower-of-an-hour; shoo-fly	W	W	W	W	W	W	W	W
Malvaceae	21695	<i>Lavatera trimestris</i> L.	treemallow, herb	F	W	C	W	W	W	W	W
Malvaceae	316903	<i>Malachra alceifolia</i> Jacq.	malachra	W	W	W	W	W	W	W	W
Malvaceae	104912	<i>Malva moschata</i> L.	mallow, musk	W	W	W	W	W	W	W	W
Malvaceae	23305	<i>Malva neglecta</i> Wallr.	mallow, common	W	W	W	W	W	W	W	W
Malvaceae	90031	<i>Malva parviflora</i> L.	mallow, little	W	W	W	W	W	W	W	W
Malvaceae	105654	<i>Malva pusilla</i> Sm.	mallow, roundleaf; mallow, round-leaved	W	W	W	W	W	W	W	W
Malvaceae	311601	<i>Malva</i> spp.	mallow	W	W	W	W	W	W	W	W
Malvaceae	23307	<i>Malva sylvestris</i> L.	mallow, high; mallow, woodland	W	W	W	W	W	W	W	W
Malvaceae	23312	<i>Malva verticillata</i> L.	mallow, whorled	W	W	W	W	W	W	W	W
Malvaceae	318558	<i>Malva verticillata</i> L. var. <i>crispa</i> L.	mallow, curly	W	W	W	W	W	W	W	W
Malvaceae	23314	<i>Malvastrum coromandelianum</i> (L.) Garcke	mallow, beaked	W	W	W	W	W	W	W	W
Malvaceae	316961	<i>Malvastrum hispidum</i> (Pursh) Hochr.	mallow, false-yellow	W	W	W	W	W	W	W	W
Malvaceae	105665	<i>Malvella leprosa</i> (Ortega) Krapov.	mallow, alkali; sida, alkali	R	W	W	W	W	W	W	W
Malvaceae	33900	<i>Sida rhombifolia</i> L.	sida, arrow-leaf; teaweed	W	W	W	W	W	W	W	W
Malvaceae	33903	<i>Sida spinosa</i> L.	mallow, prickly; sida, prickly	W	W	W	W	W	W	W	W

AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Malvaceae	317105	<i>Sida</i> spp.	sida	W	W	W	W	W	W	W	W
Malvaceae	33905	<i>Sidalcea malviflora</i> (DC.) A. Gray	checkerbloom, dwarf	F, R	W	C	W	C	W	W	W
Malvaceae	400853	<i>Sidalcea oregana</i> (Nutt. ex Torr. & A. Gray) A. Gray	checkerbloom, Oregon	F, R, S	W	C	W	C	C	W	W
Malvaceae	317106	<i>Sidalcea</i> spp.	checkermallow	W	W	W	W	W	W	W	W
Malvaceae	70747	<i>Sphaeralcea ambigua</i> A. Gray	globemallow, desert	F, R	W	C	W	C	W	W	W
Malvaceae	105692	<i>Sphaeralcea coccinea</i> (Nutt.) Rydb.	globemallow, scarlet	F, R	W	C	W	C	W	W	W
Malvaceae	446668	<i>Sphaeralcea coulteri</i> (S. Watson) A. Gray	globemallow, Coulter	F, R, S	W	C	W	C	C	W	W
Malvaceae	316842	<i>Sphaeralcea grossulariifolia</i> (Hook. & Arn.) Rydb.	globemallow, gooseberryleaf	F, R	W	C	W	C	W	W	W
Malvaceae	35232	<i>Sphaeralcea munroana</i> (Douglas ex Lindl.) Spach	globemallow, munro	F, R	W	C	W	C	W	W	W
Malvaceae	35234	<i>Sphaeralcea parvifolia</i> A. Nelson	globemallow, littleleaf	F, R	W	C	W	C	W	W	W
Malvaceae	317110	<i>Sphaeralcea</i> spp.	globemallow	F, R	W	C	W	C	W	W	W
Malvaceae	40900	<i>Urena lobata</i> L.	aramina; cadillo	W	W	W	W	W	W	W	W
Malvaceae [Sterculiaceae]	316904	<i>Melochia corchorifolia</i> L.	chocolateweed; redweed	W	W	W	W	W	W	W	W
Malvaceae [Tiliaceae]	36675	<i>Tilia cordata</i> Mill.	linden, littleleaf	S	W	W	W	W	C	W	W
Malvaceae [Tiliaceae]	40661	<i>Triumfetta rhomboidea</i> Jacq.	burbush	W	W	W	W	W	W	W	W
Malvaceae [Tiliaceae]	40662	<i>Triumfetta semitriloba</i> Jacq.	bur, Sacramento	W	W	W	W	W	W	W	W
Marsileaceae	316745	<i>Marsilea vestita</i> Hook. & Grev.	pepperwort, hairy	W	W	W	W	W	W	W	W
Martyniaceae [Pedaliaceae]	401398	<i>Proboscidea louisianica</i> (Mill.) Thell. subsp. <i>louisianica</i>	devil's-claw; martynia; ram's-horn; unicorn-plant	F	W	W	W	W	W	W	W
Melanthiaceae [Liliaceae]	432267	<i>Anticlea elegans</i> (Pursh) Rydb.	death camas, white; death camas, mountain	W	W	W	W	W	W	W	W
Melanthiaceae [Liliaceae]	432261	<i>Toxicoscordion venosum</i> (S. Watson) Rydb.	death camas, grassy	W	W	W	W	W	W	W	W
Melanthiaceae [Liliaceae]	317126	<i>Zigadenus</i> spp.	death camas	W	W	W	W	W	W	W	W
Melanthiaceae [Liliaceae] [Xerophyllaceae]	451620	<i>Xerophyllum tenax</i> (Pursh) Nutt.	beargrass, common	F, R	W	C	W	C	W	W	W
Melastomataceae	10919	<i>Clidemia hirta</i> (L.) D. Don	curse; curse, Koster's	W	W	W	W	W	W	W	W
Melastomataceae	23723	<i>Medinilla venosa</i> (Blume) Blume		W	W	W	W	W	W	W	W
Melastomataceae	23928	<i>Melastoma malabathricum</i> L.	melastoma, banks; rhododendron, Indian	W	W	W	W	W	W	W	W
Melastomataceae	312413	<i>Miconia</i> spp.	miconia	W	W	W	W	W	W	W	W
Melastomataceae	26242	<i>Oxyspora paniculata</i> (D. Don) DC.		W	W	W	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Melastomataceae	312474	<i>Tibouchina</i> spp.		W	W	W	W	W	W	W	W
Molluginaceae	101375	<i>Mollugo verticillata</i> L.	carpetweed	W	W	W	W	W	W	W	W
Montiaceae [Portulacaceae]	454693	<i>Calandrinia ciliata</i> (Ruiz & Pav.) DC.	red-maids	F, R	W	C	W	C	W	W	W
Montiaceae [Portulacaceae]	316941	<i>Claytonia perfoliata</i> Donn ex Willd.	lettuce, miner's	H, R	W	W	W	W	W	W	W
Montiaceae [Portulacaceae]	316754	<i>Montia linearis</i> (Douglas) Greene	montia, narrow-leaved	W	W	W	W	W	W	W	W
Montiaceae [Portulacaceae]	446605	<i>Phemeranthus parviflorus</i> (Nutt.) Kiger	flameflower, prairie	W	W	W	W	W	W	W	W
Moraceae	419835	<i>Fatoua villosa</i> (Thunb.) Nakai	crabweed, hairy	W	W	W	W	W	W	W	W
Myricaceae	413127	<i>Morella faya</i> (Aiton) Wilbur	candleberry-myrtle; fayatree; firetree	W	W	W	W	W	W	W	W
Myrtaceae	15893	<i>Eucalyptus deglupta</i> Blume	gum, Mindanao	S	W	W	W	W	C	W	W
Myrtaceae	15924	<i>Eucalyptus grandis</i> W. Hill ex Maiden	gum, rose	S	W	W	W	W	C	W	W
Myrtaceae	105723	<i>Melaleuca quinquenervia</i> (Cav.) S. T. Blake	melaleuca; paperbark, broadleaf; teatree, broadleaf; teatree, paperbark	W	W	W	W	W	W	W	W
Myrtaceae	31664	<i>Rhodomyrtus tomentosa</i> (Aiton) Hassk.	myrtle, downy; rosemyrtle, downy	W	W	W	W	W	W	W	W
Namaceae [Boraginaceae] [Hydrophyllaceae]	316907	<i>Nama hispida</i> A. Gray	bells, sand	F	W	C	W	C	C	W	W
Nitrariaceae [Peganaceae] [Zygophyllaceae]	27098	<i>Peganum harmala</i> L.	harmel; rue, African	W	W	W	W	W	W	W	W
Nyctaginaceae	316867	<i>Abronia fragrans</i> Nutt. ex Hook.	sandverbena, snowball	F, R	W	C	W	C	W	W	W
Nyctaginaceae	316868	<i>Abronia maritima</i> Nutt. ex S. Watson	sandverbena, seaside	F, R	W	C	W	C	W	W	W
Nyctaginaceae	317010	<i>Abronia</i> spp.	sandverbena	F, R	W	C	W	C	W	W	W
Nyctaginaceae	316869	<i>Abronia villosa</i> S. Watson	sandverbena, desert	F, R	W	C	W	C	W	W	W
Nyctaginaceae	456337	<i>Allionia choisyi</i> Standl.	four-o'clock, trailing	F	W	C	W	W	W	W	W
Nyctaginaceae	316875	<i>Boerhavia erecta</i> L.	spiderling	W	W	W	W	W	W	W	W
Nyctaginaceae	24469	<i>Mirabilis jalapa</i> L.	four-o'clock, common; marvel-of-Peru	F, R	W	C	W	C	W	W	W
Nyctaginaceae	455876	<i>Mirabilis laevis</i> (Benth.) Curran var. <i>villosa</i> (Kellogg) Spellenb.	wishbone-bush	R, S	W	W	W	C	C	W	W
Nyctaginaceae	316753	<i>Mirabilis nyctaginea</i> (Michx.) MacMill.	four-o'clock, wild	R	W	W	W	C	W	W	W
Nyctaginaceae	310955	<i>Mirabilis</i> spp.	four-o'clock	F, R	W	C	W	C	W	W	W
Nymphaeaceae	25439	<i>Nymphaea mexicana</i> Zucc.	waterlily, banana	W	W	W	W	W	W	W	W
Nyssaceae [Cornaceae]	25450	<i>Nyssa aquatica</i> L.	tupelo, water	S	W	W	W	W	C	W	W
Nyssaceae [Cornaceae]	25455	<i>Nyssa sylvatica</i> Marshall	tupelo, black	S	W	W	W	W	W	C	W
Oleaceae	217	<i>Forestiera neomexicana</i> A. Gray	desert-olive	R, S	W	W	W	C	C	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Oleaceae	316687	<i>Fraxinus americana</i> L.	ash, white	S	W	W	W	W	C	W	W
Oleaceae	278	<i>Fraxinus anomala</i> Torr. ex S. Watson	ash, singleleaf	S	W	W	W	W	C	W	W
Oleaceae	282	<i>Fraxinus excelsior</i> L.	ash, European	S	W	W	W	W	C	W	W
Oleaceae	316688	<i>Fraxinus latifolia</i> Benth.	ash, Oregon	S	W	W	W	W	C	W	W
Oleaceae	301	<i>Fraxinus nigra</i> Marshall	ash, black	S	W	W	W	W	C	W	W
Oleaceae	306	<i>Fraxinus pennsylvanica</i> Marshall	ash, green	S	W	W	W	W	C	W	W
Oleaceae	459798	<i>Menodora spinescens</i> A. Gray	menodora, spiny	R, S	W	W	W	C	C	W	W
Oleaceae	36122	<i>Syringa vulgaris</i> L.	lilac, common	S	W	W	W	W	C	W	W
Onagraceae	458566	<i>Camissoniopsis cheiranthifolia</i> (Hornem. ex Spreng.) W. L. Wagner & Hoch	evening-primrose, beach	F	W	W	W	W	W	W	W
Onagraceae	413648	<i>Chamaenerion angustifolium</i> (L.) Scop.	fireweed	F, R	W	C	W	C	W	W	W
Onagraceae	458579	<i>Chylismia claviformis</i> (Torr. & Frém.) A. Heller	primrose, clavate fruit; primrose, brown-eyed	F, R	W	C	W	C	W	W	W
Onagraceae	458580	<i>Chylismia claviformis</i> (Torr. & Frém.) A. Heller subsp. <i>claviformis</i>	primrose, brown-eyed	F, R	W	C	W	C	W	W	W
Onagraceae	310184	<i>Clarkia amoena</i> (Lehm.) A. Nelson & J. F. Macbr.	flower, satin	F	W	C	W	W	W	W	W
Onagraceae	433293	<i>Clarkia bottae</i> (Spach) F. H. Lewis & M. R. Lewis	clarkia, Botta's; godetia; godetia, punch-bowl	F	W	C	W	C	W	W	W
Onagraceae	314832	<i>Clarkia concinna</i> (Fisch. & C. A. Mey.) Greene	godetia; red-ribbons	F	W	C	W	W	W	W	W
Onagraceae	314809	<i>Clarkia purpurea</i> (Curtis) A. Nelson & J. F. Macbr	clarkia, winecup	F, R	W	C	W	C	W	W	W
Onagraceae	310108	<i>Clarkia unguiculata</i> Lindl.	clarkia; garland, mountain	F	W	C	W	W	W	W	W
Onagraceae	316949	<i>Epilobium brachycarpum</i> C. Presl	willowherb, panicle	W	W	W	W	W	W	W	W
Onagraceae	456306	<i>Epilobium canum</i> (Greene) P. H. Raven	hummingbird-flower	F, R	W	C	W	C	W	W	W
Onagraceae	416974	<i>Epilobium densiflorum</i> (Lindl.) Hoch & P. H. Raven	boisduvalia, dense-flowered	W	W	W	W	W	W	W	W
Onagraceae	317049	<i>Epilobium</i> spp.	fireweed; willowherb	W	W	W	W	W	W	W	W
Onagraceae	416975	<i>Epilobium torreyi</i> (S. Watson) Hoch & P. H. Raven	boisduvalia, stiff	W	W	W	W	W	W	W	W
Onagraceae	317052	<i>Fuchsia</i> spp.	fuchsia	F	W	C	W	W	W	W	W
Onagraceae	316902	<i>Ludwigia alternifolia</i> L.	seedbox	W	W	W	W	W	W	W	W
Onagraceae	403743	<i>Ludwigia peruviana</i> (L.) H. Hara	primrose-willow, Peruvian	W	W	W	W	W	W	W	W
Onagraceae	316760	<i>Oenothera albicaulis</i> Pursh	evening-primrose, prairie	F	W	C	W	W	W	W	W
Onagraceae	100523	<i>Oenothera argillicola</i> Mack.	evening-primrose, shale	F	W	C	W	W	W	W	W
Onagraceae	25521	<i>Oenothera biennis</i> L.	evening-primrose, common	F, R	W	C	W	C	W	W	W

## Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Onagraceae	316761	<i>Oenothera canescens</i> Torr. & Frém.	evening-primrose, pink	F	W	C	W	W	W	W	W
Onagraceae	310176	<i>Oenothera cespitosa</i> Nutt.	evening-primrose, desert; evening-primrose, white-tufted	F	W	C	W	W	W	W	W
Onagraceae	458531	<i>Oenothera cinerea</i> (Wooton & Standl.) W. L. Wagner & Hoch	gaura, hairy	W	W	W	W	W	W	W	W
Onagraceae	316762	<i>Oenothera coronopifolia</i> Torr. & A. Gray	evening-primrose, crownleaf	F	W	C	W	W	W	W	W
Onagraceae	458529	<i>Oenothera curtiflora</i> W. L. Wagner & Hoch	gaura, small-flowered	W	W	W	W	W	W	W	W
Onagraceae	317167	<i>Oenothera elata</i> Kunth subsp. <i>hookeri</i> (Torr. & A. Gray) W. Dietr. & W. L. Wagner	evening-primrose, hooker	F, R	W	C	W	C	W	W	W
Onagraceae	316763	<i>Oenothera flava</i> (A. Nelson) Garrett	evening-primrose, yellow	F, R	W	C	W	C	W	W	W
Onagraceae	458528	<i>Oenothera glaucifolia</i> W. L. Wagner & Hoch	stenosiphon	W	W	W	W	W	W	W	W
Onagraceae	100525	<i>Oenothera glazioviana</i> Micheli	evening-primrose, lamarck	F, R	W	C	W	C	W	W	W
Onagraceae	300403	<i>Oenothera laciniata</i> Hill	evening-primrose, cutleaf	F	W	C	W	W	W	W	W
Onagraceae	100623	<i>Oenothera macrocarpa</i> Nutt.	primrose, Missouri; sundrops, Ozark	F, R	W	C	W	C	W	W	W
Onagraceae	316764	<i>Oenothera pallida</i> Lindl.	evening-primrose, jasmine; evening-primrose, pale	F, R	W	C	W	C	W	W	W
Onagraceae	316765	<i>Oenothera parodiana</i> Munz	evening-primrose, pointed	F	W	C	W	W	W	W	W
Onagraceae	458530	<i>Oenothera sinuosa</i> W. L. Wagner & Hoch	gaura, wavyleafed	W	W	W	W	W	W	W	W
Onagraceae	70465	<i>Oenothera speciosa</i> Nutt.	evening-primrose, showy	F	W	C	W	W	W	W	W
Onagraceae	300406	<i>Oenothera</i> spp.	evening-primrose; gaura	F, R	W	C	W	C	W	W	W
Onagraceae	300407	<i>Oenothera villosa</i> Thunb.	evening-primrose, hairy	F	W	C	W	W	W	W	W
Onagraceae	458524	<i>Oenothera xenogaura</i> W. L. Wagner & Hoch	gaura, scarlet; gaura, scented	W	W	W	W	W	W	W	W
Orobanchaceae	413715	<i>Aeginetia</i> spp.	aeginetia	W	W	W	W	W	W	W	W
Orobanchaceae	316962	<i>Orobanche cooperi</i> (A. Gray) A. Heller	broomrape, Cooper's	W	W	W	W	W	W	W	W
Orobanchaceae	317082	<i>Orobanche</i> spp.	broomrape	W	W	W	W	W	W	W	W
Orobanchaceae	460119	<i>Phelipanche ramosa</i> (L.) Pomel	broomrape, branched; broomrape, hemp	W	W	W	W	W	W	W	W
Orobanchaceae [Scrophulariaceae]	413714	<i>Alectra</i> spp.	alectra	W	W	W	W	W	W	W	W
Orobanchaceae [Scrophulariaceae]	448109	<i>Castilleja angustifolia</i> (Nutt.) G. Don	Indian paintbrush, northwestern	R	W	W	W	C	W	W	W
Orobanchaceae [Scrophulariaceae]	449761	<i>Castilleja applegatei</i> Fernald	Indian paintbrush, early; Indian paintbrush, wavyleaf	F, R	W	C	W	C	W	W	W
Orobanchaceae [Scrophulariaceae]	316608	<i>Castilleja chromosa</i> A. Nelson	Indian paintbrush, early	F, R	W	C	W	C	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Orobanchaceae [Scrophulariaceae]	449758	<i>Castilleja coccinea</i> (L.) Spreng.	Indian paintbrush, scarlet	R	W	W	W	C	W	W	W
Orobanchaceae [Scrophulariaceae]	453254	<i>Castilleja exserta</i> (A. Heller) T. I. Chuang & Heckard var. <i>exserta</i>	clover, owl's; Indian paintbrush, exserted	F, R	W	C	W	C	W	W	W
Orobanchaceae [Scrophulariaceae]	9540	<i>Castilleja indivisa</i> Engelm.	Indian paintbrush, Texas	F, R	W	C	W	C	W	W	W
Orobanchaceae [Scrophulariaceae]	316609	<i>Castilleja integra</i> A. Gray	Indian paintbrush, orange	F, R	W	C	W	C	W	W	W
Orobanchaceae [Scrophulariaceae]	316610	<i>Castilleja linariifolia</i> Benth.	Indian paintbrush, narrowleaf; Indian paintbrush, Wyoming	F, R	W	C	W	C	W	W	W
Orobanchaceae [Scrophulariaceae]	452101	<i>Castilleja miniata</i> Douglas ex Hook.	Indian paintbrush, great red	F, R	W	C	W	C	W	W	W
Orobanchaceae [Scrophulariaceae]	448007	<i>Castilleja minor</i> (A. Gray) A. Gray var. <i>minor</i>	Indian paintbrush, marsh; Indian paintbrush, lesser	F, R	W	C	W	C	W	W	W
Orobanchaceae [Scrophulariaceae]	316611	<i>Castilleja rhexiifolia</i> Rydb.	Indian paintbrush, splitleaf	F, R	W	C	W	C	W	W	W
Orobanchaceae [Scrophulariaceae]	456395	<i>Castilleja rhexiifolia</i> Rydb. var. <i>sulphurea</i> (Rydb.) N. D. Atwood	Indian paintbrush, sulphur	F, R	W	C	W	C	W	W	W
Orobanchaceae [Scrophulariaceae]	317034	<i>Castilleja</i> spp.	Indian paintbrush; paintbrush	F, R	W	C	W	C	W	W	W
Orobanchaceae [Scrophulariaceae]	317050	<i>Euphrasia</i> spp.	eyebright	W	W	W	W	W	W	W	W
Orobanchaceae [Scrophulariaceae]	23910	<i>Melampyrum arvense</i> L.	wheat, cow	W	W	W	W	W	W	W	W
Orobanchaceae [Scrophulariaceae]	316989	<i>Odontites vernus</i> (Bellardi) Dumort. subsp. <i>serotinus</i> Corb.	bartsia, red	W	W	W	W	W	W	W	W
Orobanchaceae [Scrophulariaceae]	316766	<i>Orthocarpus bracteosus</i> Benth.	owlclover, purple	W	W	W	W	W	W	W	W
Orobanchaceae [Scrophulariaceae]	317083	<i>Orthocarpus</i> spp.	owlclover	R	W	W	W	C	W	W	W
Orobanchaceae [Scrophulariaceae]	316910	<i>Parentucellia viscosa</i> (L.) Caruel	parentucellia	W	W	W	W	W	W	W	W
Orobanchaceae [Scrophulariaceae]	317085	<i>Pedicularis</i> spp.	lousewort; wood-betony	F	W	C	W	W	W	W	W
Orobanchaceae [Scrophulariaceae]	102305	<i>Striga asiatica</i> (L.) Kuntze	witchweed	W	W	W	W	W	W	W	W
Orobanchaceae [Scrophulariaceae]	102303	<i>Striga lutea</i> Lour.	witchweed	W	W	W	W	W	W	W	W
Orobanchaceae [Scrophulariaceae]	317112	<i>Striga</i> spp.	witchweed	W	W	W	W	W	W	W	W
Oxalidaceae	317084	<i>Oxalis</i> spp.	oxalis; woodsorrel	W	W	W	W	W	W	W	W
Oxalidaceae	26216	<i>Oxalis stricta</i> L.	woodsorrel, yellow	F	W	C	W	W	W	W	W
Paeoniaceae	26312	<i>Paeonia brownii</i> Douglas	peony, Brown's	R	W	W	W	C	W	W	W
Papaveraceae	3958	<i>Argemone albiflora</i> Hornem.	pricklypoppy, bluestem; pricklypoppy, white	W	W	W	W	W	W	W	W
Papaveraceae	50045	<i>Argemone hispida</i> A. Gray	pricklypoppy, hairy	F, R	W	C	W	C	W	W	W
Papaveraceae	3959	<i>Argemone mexicana</i> L.	pricklypoppy, Mexican	R	W	W	C	W	W	W	W



Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Papaveraceae	316563	<i>Argemone polyanthemos</i> (Fedde) G. B. Ownbey	pricklypoppy, crested; pricklypoppy, plains	R	W	W	W	C	W	W	W
Papaveraceae	316564	<i>Argemone squarrosa</i> Greene	pricklypoppy, hedgehog	F, R	W	C	W	C	W	W	W
Papaveraceae	7282	<i>Bocconia frutescens</i> L.	poppy, plume	W	W	W	W	W	W	W	W
Papaveraceae	15816	<i>Eschscholzia caespitosa</i> Benth.	California-poppy, dwarf	F	W	C	W	C	W	W	W
Papaveraceae	318366	<i>Eschscholzia californica</i> Cham. subsp. <i>californica</i>	California-poppy	F	W	C	W	C	W	W	W
Papaveraceae	316950	<i>Eschscholzia californica</i> Cham. subsp. <i>mexicana</i> (Greene) C. Clark	gold-poppy, Mexican	F	W	C	W	C	W	W	W
Papaveraceae	15820	<i>Eschscholzia minutiflora</i> S. Watson	poppy, miniature	F, R	W	C	W	C	W	W	W
Papaveraceae	17622	<i>Glaucium corniculatum</i> (L.) Rudolph	poppy, sea; horned-poppy, red	W	W	W	W	W	W	W	W
Papaveraceae	19416	<i>Hunnemannia fumariifolia</i> Sweet	tulip-poppy, Mexican	F	W	C	W	W	W	W	W
Papaveraceae	26676	<i>Papaver dubium</i> L.	poppy, long-pod; poppy, smooth-fruited	W	W	W	W	W	W	W	W
Papaveraceae	26679	<i>Papaver glaucum</i> Boiss. & Hausskn.	poppy, tulip	F	W	C	W	W	W	W	W
Papaveraceae	26691	<i>Papaver nudicaule</i> L.	poppy, Iceland	F, R	W	C	W	C	W	W	W
Papaveraceae	26693	<i>Papaver orientale</i> L.	poppy, Oriental	F	W	C	W	W	W	W	W
Papaveraceae	26703	<i>Papaver rhoeas</i> L.	poppy, corn; poppy, Shirley	F, R	W	C	W	C	W	W	W
Papaveraceae	406377	<i>Papaver somniferum</i> L.	poppy, opium	W	W	W	W	W	W	W	W
Papaveraceae	310957	<i>Papaver</i> spp.	poppy	F, R	W	C	W	C	W	W	W
Papaveraceae	5268	<i>Roemeria refracta</i> DC.	poppy, roemer	W	W	W	W	W	W	W	W
Papaveraceae	32042	<i>Romneya coulteri</i> Harv.	poppy, matilija	F	W	C	W	W	W	W	W
Papaveraceae	35869	<i>Stylomecon heterophylla</i> (Benth.) G. Taylor	poppy, wind	F	W	C	W	W	W	W	W
Papaveraceae [Fumariaceae]	13888	<i>Dicentra eximia</i> (Ker Gawl.) Torr.	bleeding heart	F	W	C	W	W	W	W	W
Papaveraceae [Fumariaceae]	70905	<i>Fumaria officinalis</i> L.	fumitory, common	W	W	W	W	W	W	W	W
Passifloraceae	410646	<i>Passiflora bicornis</i> Mill.	passionflower, wingleaf	W	W	W	W	W	W	W	W
Passifloraceae	26951	<i>Passiflora caerulea</i> L.	passionflower, bluecrown	F	W	C	W	W	W	W	W
Passifloraceae	26962	<i>Passiflora edulis</i> Sims	granadilla, purple	F, V	W	C	W	W	W	W	C
Passifloraceae	26977	<i>Passiflora incarnata</i> L.	maypop; passion flower	W	W	W	W	W	W	W	W
Passifloraceae	400952	<i>Passiflora tripartita</i> (Juss.) Poir. var. <i>mollissima</i> (Kunth) Holm-Niels. & P. Jørg.	passionfruit, banana; poka, banana	W	W	W	W	W	W	W	W
Pedaliaceae	33749	<i>Sesamum indicum</i> L.	sesame	A, H	C	W	C	W	W	W	W
Phrymaceae [Scrophulariaceae]	316945	<i>Diplacus aurantiacus</i> (Curtis) Jeps.	monkeyflower, mission red; monkeyflower, sticky	F	W	C	W	W	W	W	W
Phrymaceae [Scrophulariaceae]	14350	<i>Diplacus longiflorus</i> Nutt.	monkeyflower, southern	F	W	C	W	W	W	W	W
Phrymaceae [Scrophulariaceae]	316946	<i>Diplacus puniceus</i> Nutt.		F	W	C	W	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Phrymaceae [Scrophulariaceae]	468034	<i>Erythranthe cardinalis</i> (Douglas ex Benth.) Spach	monkeyflower, cardinal	F, R	W	C	W	C	W	W	W
Phrymaceae [Scrophulariaceae]	468039	<i>Erythranthe guttata</i> (DC.) G. L. Nesom	monkeyflower, creek	F, R	W	C	W	C	W	W	W
Phrymaceae [Scrophulariaceae]	468036	<i>Erythranthe lewisii</i> (Pursh) G. L. Nesom & Fraga	monkeyflower, Lewis; monkeyflower, purple	F, R	W	C	W	C	W	W	W
Phrymaceae [Scrophulariaceae]	316752	<i>Mimulus xhybridus</i> hort. ex Voss	monkeyflower, tiger	F	W	C	W	W	W	W	W
Phrymaceae [Scrophulariaceae]	311602	<i>Mimulus</i> spp.	monkeyflower	F, R	W	C	W	C	W	W	W
Phytolaccaceae	28252	<i>Phytolacca americana</i> L.	pokeweed	W	W	W	W	W	W	W	W
Pinaceae	316933	<i>Abies xshastensis</i> (Lemmon) Lemmon	fir, Shasta red	S	W	W	W	W	C	W	W
Pinaceae	633	<i>Abies amabilis</i> Douglas ex J. Forbes	fir, Pacific silver	S	W	W	W	W	C	W	W
Pinaceae	635	<i>Abies balsamea</i> (L.) Mill.	fir, balsam	S	W	W	W	W	C	W	W
Pinaceae	649	<i>Abies concolor</i> (Gordon & Glend.) Lindl. ex Hildebr.	fir, white	S	W	W	W	W	C	W	W
Pinaceae	100491	<i>Abies fraseri</i> (Pursh) Poir.	fir, Fraser	S	W	W	W	W	C	W	W
Pinaceae	664	<i>Abies grandis</i> (Douglas ex D. Don) Lindl.	fir, grand	S	W	W	W	W	C	W	W
Pinaceae	669	<i>Abies homolepis</i> Siebold & Zucc.	fir, Nikko	S	W	W	W	W	C	W	W
Pinaceae	676	<i>Abies lasiocarpa</i> (Hook.) Nutt.	fir, subalpine	S	W	W	W	W	C	W	W
Pinaceae	677	<i>Abies lasiocarpa</i> (Hook.) Nutt. var. <i>arizonica</i> (Merriam) Lemmon	fir, cork-bark	S	W	W	W	W	C	W	W
Pinaceae	680	<i>Abies magnifica</i> A. Murray bis	fir, California red	S	W	W	W	W	C	W	W
Pinaceae	693	<i>Abies nordmanniana</i> (Steven) Spach	fir, Nordmann	S	W	W	W	W	C	W	W
Pinaceae	708	<i>Abies procera</i> Rehder	fir, noble	S	W	W	W	W	C	W	W
Pinaceae	727	<i>Abies veitchii</i> Lindl.	fir, Veitch	S	W	W	W	W	C	W	W
Pinaceae	9690	<i>Cedrus atlantica</i> (Endl.) G. Manetti ex Carrière	cedar, Atlas	S	W	W	W	W	C	W	W
Pinaceae	9692	<i>Cedrus deodara</i> (Roxb. ex D. Don) G. Don	cedar, deodar	S	W	W	W	C	C	W	W
Pinaceae	9695	<i>Cedrus libani</i> A. Rich.	cedar-of-Lebanon	S	W	W	W	C	C	W	W
Pinaceae	316718	<i>Larix xmarschlinsii</i> Coaz	larch, Dunkeld	S	W	W	W	W	C	W	W
Pinaceae	21485	<i>Larix decidua</i> Mill.	larch, European	S	W	W	W	W	C	W	W
Pinaceae	21495	<i>Larix kaempferi</i> (Lamb.) Carrière	larch, Japanese	S	W	W	W	W	C	W	W
Pinaceae	21499	<i>Larix laricina</i> (Du Roi) K. Koch	tamarack	S	W	W	W	W	C	W	W
Pinaceae	21504	<i>Larix occidentalis</i> Nutt.	larch, western	S	W	W	W	W	C	W	W
Pinaceae	21507	<i>Larix sibirica</i> Ledeb.	larch, Siberian	S	W	W	W	W	C	W	W
Pinaceae	28264	<i>Picea abies</i> (L.) H. Karst.	spruce, Norway	S	W	W	W	W	C	W	W
Pinaceae	28284	<i>Picea breweriana</i> S. Watson	spruce, Brewer	S	W	W	W	W	C	W	W
Pinaceae	28288	<i>Picea engelmannii</i> Engelm.	spruce, Engelmann	S	W	W	W	W	C	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Pinaceae	28291	<i>Picea glauca</i> (Moench) Voss	spruce, white spruce, western white; spruce, Alberta white	S	W	W	W	W	C	W	W
Pinaceae	N/A	<i>Picea glauca</i> (Moench) Voss 'Densata'	spruce, Black Hills	S	W	W	W	W	C	W	W
Pinaceae	28295	<i>Picea glehnii</i> (F. Schmidt) Mast.	spruce, Sakhalin	S	W	W	W	W	C	W	W
Pinaceae	28298	<i>Picea jezoensis</i> (Siebold & Zucc.) Carrière	spruce, Yeddo	S	W	W	W	W	C	W	W
Pinaceae	28301	<i>Picea koyamae</i> Shiras.	spruce, Koyama	S	W	W	W	W	C	W	W
Pinaceae	28305	<i>Picea mariana</i> (Mill.) Britton et al.	spruce, black	S	W	W	W	W	C	W	W
Pinaceae	28318	<i>Picea omorika</i> (Pančić) Purk.	spruce, Serbian	S	W	W	W	W	C	W	W
Pinaceae	28319	<i>Picea orientalis</i> (L.) Link	spruce, Oriental	S	W	W	W	W	C	W	W
Pinaceae	28322	<i>Picea polita</i> (Siebold & Zucc.) Carrière	spruce, tigertail	S	W	W	W	W	C	W	W
Pinaceae	28323	<i>Picea pungens</i> Engelm.	spruce, blue	S	W	W	W	W	C	W	W
Pinaceae	N/A	<i>Picea pungens</i> Engelm. Glauca Group	spruce, Colorado blue	S	W	W	W	W	C	W	W
Pinaceae	316777	<i>Picea rubens</i> Sarg.	spruce, red	S	W	W	W	W	C	W	W
Pinaceae	28327	<i>Picea sitchensis</i> (Bong.) Carrière	spruce, Sitka	S	W	W	W	W	C	W	W
Pinaceae	28411	<i>Pinus albicaulis</i> Engelm.	pine, whitebark	S	W	W	W	W	C	W	W
Pinaceae	100545	<i>Pinus aristata</i> Engelm.	pine, bristlecone	S	W	W	W	W	C	W	W
Pinaceae	28415	<i>Pinus attenuata</i> Lemmon	pine, knobcone	S	W	W	W	W	C	W	W
Pinaceae	28420	<i>Pinus banksiana</i> Lamb.	pine, jack	S	W	W	W	W	C	W	W
Pinaceae	28425	<i>Pinus canariensis</i> C. Sm.	pine, Canary Island	S	W	W	W	W	C	W	W
Pinaceae	28426	<i>Pinus caribaea</i> Morelet	pine, Caribbean	S	W	W	W	W	C	W	W
Pinaceae	28427	<i>Pinus cembra</i> L.	pine, Swiss stone	S	W	W	W	W	C	W	W
Pinaceae	28430	<i>Pinus cembroides</i> Zucc.	pine, Mexican pinyon	S	W	W	W	W	C	W	W
Pinaceae	316778	<i>Pinus clausa</i> (Chapm. ex Engelm.) Vasey ex Sarg.	pine, sand	S	W	W	W	W	C	W	W
Pinaceae	404908	<i>Pinus contorta</i> Douglas ex Loudon var. <i>contorta</i>	pine, shore	S	W	W	W	W	C	W	W
Pinaceae	28436	<i>Pinus contorta</i> Douglas ex Loudon var. <i>latifolia</i> Engelm. ex S. Watson	pine, lodgepole	S	W	W	W	W	C	W	W
Pinaceae	28437	<i>Pinus coulteri</i> D. Don	pine, Coulter; pine, bigcone	S	W	W	W	W	C	W	W
Pinaceae	28441	<i>Pinus densiflora</i> Siebold & Zucc.	pine, Japanese red	S	W	W	W	W	C	W	W
Pinaceae	28444	<i>Pinus echinata</i> Mill.	pine, shortleaf	S	W	W	W	W	C	W	W
Pinaceae	28445	<i>Pinus edulis</i> Engelm.	pine, pinyon	S	W	W	W	W	C	W	W
Pinaceae	28447	<i>Pinus elliotii</i> Engelm.	pine, slash	S	W	W	W	W	C	W	W
Pinaceae	28449	<i>Pinus flexilis</i> E. James	pine, limber	S	W	W	W	W	C	W	W
Pinaceae	100546	<i>Pinus glabra</i> Walter	pine, spruce	S	W	W	W	W	C	W	W
Pinaceae	28455	<i>Pinus halepensis</i> Mill.	pine, Aleppo	S	W	W	W	W	C	W	W
Pinaceae	70507	<i>Pinus heldreichii</i> Christ	pine, Bosnian	S	W	W	W	W	C	W	W
Pinaceae	28461	<i>Pinus jeffreyi</i> A. Murray bis et al.	pine, Jeffrey	S	W	W	W	W	C	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Pinaceae	28462	<i>Pinus kesiya</i> Royle ex Gordon	pine, Khasia	S	W	W	W	W	C	W	W
Pinaceae	28464	<i>Pinus lambertiana</i> Douglas	pine, sugar	S	W	W	W	W	C	W	W
Pinaceae	316781	<i>Pinus luchuensis</i> Mayr	pine, Formosa	S	W	W	W	W	C	W	W
Pinaceae	28483	<i>Pinus merkusii</i> Jungh. & de Vriese	pine, Merkus	S	W	W	W	W	C	W	W
Pinaceae	316782	<i>Pinus monophylla</i> Torr. & Frém.	pine, singleleaf pinyon	S	W	W	W	W	C	W	W
Pinaceae	28491	<i>Pinus monticola</i> Douglas ex D. Don	pine, western white	S	W	W	W	W	C	W	W
Pinaceae	28494	<i>Pinus mugo</i> Turra var. <i>mughus</i> (Scop.) Zenari	pine, Mugo Swiss mountain	S	W	W	W	W	C	W	W
Pinaceae	310630	<i>Pinus mugo</i> Turra var. <i>mugo</i>	pine, Swiss mountain	S	W	W	W	W	C	W	W
Pinaceae	28497	<i>Pinus muricata</i> D. Don	pine, bishop	S	W	W	W	W	C	W	W
Pinaceae	317158	<i>Pinus nigra</i> J. F. Arnold subsp. <i>laricio</i> Maire	pine, Corsican	S	W	W	W	W	C	W	W
Pinaceae	317157	<i>Pinus nigra</i> J. F. Arnold subsp. <i>nigra</i>	pine, Austrian	S	W	W	W	W	C	W	W
Pinaceae	28518	<i>Pinus palustris</i> Mill.	pine, longleaf	S	W	W	W	W	C	W	W
Pinaceae	28519	<i>Pinus parviflora</i> Siebold & Zucc.	pine, Japanese white	S	W	W	W	W	C	W	W
Pinaceae	28521	<i>Pinus patula</i> Schtdl. & Cham.	pine, Jelecote; pine, Mexican yellow	S	W	W	W	W	C	W	W
Pinaceae	28525	<i>Pinus pinaster</i> Aiton	pine, cluster	S	W	W	W	W	C	W	W
Pinaceae	28527	<i>Pinus pinea</i> L.	pine, Italian stone	S	W	W	W	W	C	W	W
Pinaceae	28530	<i>Pinus ponderosa</i> P. Lawson & C. Lawson	pine, ponderosa; pine, western yellow	S	W	W	W	W	C	W	W
Pinaceae	316783	<i>Pinus quadrifolia</i> Parl. ex Sudw.	pine, Parry pinyon	S	W	W	W	W	C	W	W
Pinaceae	28536	<i>Pinus radiata</i> D. Don	pine, Monterey	S	W	W	W	W	C	W	W
Pinaceae	316784	<i>Pinus resinosa</i> Aiton	pine, Norway; pine, red	S	W	W	W	W	C	W	W
Pinaceae	28537	<i>Pinus rigida</i> Mill.	pine, pitch	S	W	W	W	W	C	W	W
Pinaceae	316785	<i>Pinus serotina</i> Michx.	pine, pond	S	W	W	W	W	C	W	W
Pinaceae	28550	<i>Pinus strobiformis</i> Engelm.	pine, southwestern white	S	W	W	W	W	C	W	W
Pinaceae	28551	<i>Pinus strobus</i> L.	pine, eastern white	S	W	W	W	W	C	W	W
Pinaceae	28552	<i>Pinus sylvestris</i> L.	pine, Scotch; pine, Scots	S	W	W	W	W	C	W	W
Pinaceae	28556	<i>Pinus taeda</i> L.	pine, loblolly	S	W	W	W	W	C	W	W
Pinaceae	28563	<i>Pinus thunbergii</i> Parl.	pine, Japanese black	S	W	W	W	W	C	W	W
Pinaceae	28568	<i>Pinus virginiana</i> Mill.	pine, scrub; pine, Virginia	S	W	W	W	W	C	W	W
Pinaceae	316268	<i>Pinus wallichiana</i> A. B. Jacks.	pine, Himalayan	S	W	W	W	W	C	W	W
Pinaceae	316802	<i>Pseudotsuga macrocarpa</i> (Vasey) Mayr	douglas-fir, bigcone	S	W	W	W	W	C	W	W
Pinaceae	30192	<i>Pseudotsuga menziesii</i> (Mirb.) Franco var. <i>glauca</i> (Beissn.) Franco	douglas-fir, blue; douglas-fir, grey	R, S	W	W	W	C	C	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Pinaceae	310540	<i>Pseudotsuga menziesii</i> (Mirb.) Franco var. <i>menziesii</i>	douglas-fir, green	R, S	W	W	W	C	C	W	W
Pinaceae	40698	<i>Tsuga canadensis</i> (L.) Carrière	hemlock, Canada; hemlock, eastern	S	W	W	W	W	C	W	W
Pinaceae	40705	<i>Tsuga heterophylla</i> (Raf.) Sarg.	hemlock, Pacific; hemlock, western	S	W	W	W	W	C	W	W
Pinaceae	40709	<i>Tsuga mertensiana</i> (Bong.) Carrière	hemlock, mountain	S	W	W	W	W	C	W	W
Piperaceae	316786	<i>Piper aduncum</i> L.	pepper, hooked-spiked	W	W	W	W	W	W	W	W
Pittosporaceae	28757	<i>Pittosporum undulatum</i> Vent.	box, Victorian	S	W	W	W	W	W	W	W
Plantaginaceae [Gratiolaceae] [Scrophulariaceae]	419806	<i>Limnophila indica</i> (L.) Druce	marshweed, Indian	W	W	W	W	W	W	W	W
Plantaginaceae [Gratiolaceae] [Scrophulariaceae]	316416	<i>Limnophila sessiliflora</i> Blume	ambulia	W	W	W	W	W	W	W	W
Plantaginaceae [Gratiolaceae] [Scrophulariaceae] [Veronicaceae]	316701	<i>Gratiola neglecta</i> Torr.	hyssop, hedge	W	W	W	W	W	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	311595	<i>Antirrhinum</i> spp.	snapdragon	F	W	C	W	W	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	316881	<i>Collinsia heterophylla</i> <b>Graham</b>	Chinese-houses	F, R	W	C	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	316882	<i>Collinsia parviflora</i> <b>Lindl.</b>	collinsia, smallflower	W	W	W	W	W	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	13986	<i>Digitalis purpurea</i> L.	foxglove, common	F	W	C	W	W	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	300186	<i>Digitalis</i> spp.	foxglove	F	W	C	W	W	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	448716	<i>Keckiella breviflora</i> (Lindl.) Straw	beardtongue, bush	F, R, S	W	C	W	C	C	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	316715	<i>Kickxia spuria</i> (L.) Dumort.	toadflax, roundleaf	W	W	W	W	W	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	102284	<i>Linaria dalmatica</i> (L.) Mill.	toadflax, Dalmatian	W	W	W	W	W	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	316730	<i>Linaria genistifolia</i> (L.) Mill.	phlox, mountain	F	W	C	W	W	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	22288	<i>Linaria maroccana</i> Hook. f.	linaria; snapdragon, spurred; toadflax	F, R	W	C	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	317066	<i>Linaria</i> spp.	linaria; toadflax	F	W	C	W	W	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	102290	<i>Linaria vulgaris</i> Mill.	butter-and-eggs; toadflax, yellow	F	W	C	W	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	316988	<i>Misopates orontium</i> (L.) Raf.	snapdragon, little	F	W	C	W	W	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	448220	<i>Penstemon acuminatus</i> Douglas ex Lindl.	penstemon, sharpleaf	R	W	W	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	27229	<i>Penstemon albidus</i> Nutt.	penstemon, white; beardtongue, white	F, R	W	C	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	27232	<i>Penstemon angustifolius</i> Pursh	beardtongue, narrow; penstemon, narrow-leaf	F, R	W	C	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	27235	<i>Penstemon barbatus</i> (Cav.) Roth	penstemon, beardlip	F, R	W	C	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	27244	<i>Penstemon clutei</i> A. Nelson	beardtongue, Sunset Crater	R	W	W	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	27251	<i>Penstemon cyananthus</i> Hook.	penstemon, Wasatch	F, R	W	C	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	448223	<i>Penstemon cyaneus</i> Pennell	penstemon, blue	F, R	W	C	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	459799	<i>Penstemon cyanocaulis</i> Payson	penstemon, basin blue; beardtongue, bluestem	F, R	W	C	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	408210	<i>Penstemon deustus</i> Douglas ex Lindl.	penstemon, scabland	R	W	W	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	449815	<i>Penstemon digitalis</i> Nutt. ex Sims	beardtongue, foxglove	R	W	W	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	27254	<i>Penstemon eatonii</i> A. Gray	beardtongue, red; penstemon, firecracker	F, R	W	C	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	27259	<i>Penstemon fruticosus</i> (Pursh) Greene	penstemon, lowbush	F, R	W	C	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	409427	<i>Penstemon gracilis</i> Nutt.	penstemon, lilac	F, R	W	C	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	316772	<i>Penstemon grandiflorus</i> Nutt.	beardtongue, large-flower; penstemon, shell-leaf	F, R	W	C	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	27264	<i>Penstemon hirsutus</i> (L.) Willd.	beardtongue, hairy; penstemon, type	F	W	C	W	W	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	27267	<i>Penstemon laevigatus</i> Aiton	penstemon, smooth	F	W	C	W	W	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	451571	<i>Penstemon pachyphyllus</i> A. Gray ex Rydb.	penstemon, thickleaf	F, R	W	C	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	27279	<i>Penstemon palmeri</i> A. Gray	penstemon, Palmer	F, R	W	C	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	408220	<i>Penstemon parryi</i> (A. Gray) A. Gray	penstemon, Parry; beardtongue, Parry's	F, R	W	C	W	C	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	316014	<i>Penstemon penlandii</i> W. A. Weber	beardstongue, Penland's	F, R	W	C	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	409279	<i>Penstemon procerus</i> Douglas ex Graham	penstemon, small-flower	F, R	W	C	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	452205	<i>Penstemon pseudospectabilis</i> M. E. Jones	penstemon, showy; penstemon, desert	F, R	W	C	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	27284	<i>Penstemon rydbergii</i> A. Nelson	penstemon, blue mountain; penstemon, Rydberg's	F, R	W	C	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	448226	<i>Penstemon speciosus</i> Douglas ex Lindl.	penstemon, Royal	F, R	W	C	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	27288	<i>Penstemon spectabilis</i> Thurb. ex A. Gray	penstemon, showy	F	W	C	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	300438	<i>Penstemon</i> spp.	beardtongue; penstemon	F	W	C	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	27289	<i>Penstemon strictus</i> Benth.	beardtongue, Rocky Mountain; penstemon, Rocky Mountain	F, R	W	C	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	452207	<i>Penstemon subglaber</i> Rydb.	penstemon, Great Basin; penstemon, smooth	F, R	W	C	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	27294	<i>Penstemon venustus</i> Douglas ex Lindl.	penstemon, Venus	F, R	W	C	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	456593	<i>Penstemon virgatus</i> A. Gray	beardtongue, Wand; beardtongue, upright blue	F, R	W	C	W	C	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	102201	<i>Veronica agrestis</i> L.	speedwell, field	W	W	W	W	W	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	316860	<i>Veronica americana</i> Schwein. ex Benth.	speedwell, American	W	W	W	W	W	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	80203	<i>Veronica anagallis-</i> <i>aquatica</i> L.	speedwell, water	W	W	W	W	W	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	80211	<i>Veronica arvensis</i> L.	speedwell, corn	W	W	W	W	W	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	80213	<i>Veronica austriaca</i> L.	speedwell, Hungarian	F	W	C	W	W	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	316861	<i>Veronica hederifolia</i> L.	speedwell, ivy-leaf	W	W	W	W	W	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	80277	<i>Veronica longifolia</i> L.	speedwell, garden	F	W	C	W	W	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	80301	<i>Veronica officinalis</i> L.	speedwell, common	W	W	W	W	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	80304	<i>Veronica peregrina</i> L.	speedwell, purslane	H, R	W	W	W	W	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	80306	<i>Veronica persica</i> Poir.	speedwell, bird-eye	W	W	W	W	W	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	80328	<i>Veronica serpyllifolia</i> L.	speedwell, thyme-leaf	W	W	W	W	W	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	80332	<i>Veronica spicata</i> L.	speedwell, spike	F	W	C	W	W	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	317124	<i>Veronica</i> spp.	speedwell	W	W	W	W	W	W	W	W
Plantaginaceae [Scrophulariaceae] [Veronicaceae]	400612	<i>Veronicastrum virginicum</i> (L.) Farw.	blackroot	F, R	W	C	W	C	W	W	W
Plantaginaceae [Veronicaceae]	316475	<i>Plantago afra</i> L.	plantain, flaxseed	W	W	W	W	W	W	W	W
Plantaginaceae [Veronicaceae]	315865	<i>Plantago arenaria</i> Waldst. & Kit.	psyllium	W	W	W	W	W	W	W	W
Plantaginaceae [Veronicaceae]	28780	<i>Plantago aristata</i> Michx.	plantain, bracted	W	W	W	W	W	W	W	W
Plantaginaceae [Veronicaceae]	429317	<i>Plantago australis</i> Lam. subsp. <i>hirtella</i> (Kunth) Rahn	plantain, Mexican	W	W	W	W	W	W	W	W
Plantaginaceae [Veronicaceae]	28781	<i>Plantago coronopus</i> L.	plantain, crowfoot	W	W	W	W	W	W	W	W
Plantaginaceae [Veronicaceae]	28787	<i>Plantago lanceolata</i> L.	buckhorn; plantain, buckhorn	W	W	W	W	W	W	W	W
Plantaginaceae [Veronicaceae]	28788	<i>Plantago major</i> L.	plantain, broadleaf; plantain, common	W	W	W	W	W	W	W	W
Plantaginaceae [Veronicaceae]	28790	<i>Plantago ovata</i> Forssk.	plantain, blond; wheat, desert Indian	F, R	W	C	W	C	W	W	W
Plantaginaceae [Veronicaceae]	28791	<i>Plantago patagonica</i> Jacq.	plantain, woolly	W	W	W	W	W	W	W	W
Plantaginaceae [Veronicaceae]	316788	<i>Plantago pusilla</i> Nutt.	plantain, slender	W	W	W	W	W	W	W	W
Plantaginaceae [Veronicaceae]	316789	<i>Plantago rhodosperma</i> Decne.	plantain, redseed	W	W	W	W	W	W	W	W
Plantaginaceae [Veronicaceae]	28794	<i>Plantago rugelii</i> Decne.	plantain, blackseed; plantain, Rugel's	W	W	W	W	W	W	W	W
Plantaginaceae [Veronicaceae]	315864	<i>Plantago sempervirens</i> Crantz	plantain, evergreen	F, R	W	W	W	W	W	W	W
Plantaginaceae [Veronicaceae]	317089	<i>Plantago</i> spp.	plantain	W	W	W	W	W	W	W	W
Plantaginaceae [Veronicaceae]	28796	<i>Plantago virginica</i> L.	plantain, paleseed plantain, Virginia	W	W	W	W	W	W	W	W
Platanaceae	28802	<i>Platanus occidentalis</i> L.	planetree, American; sycamore, American	S	W	W	W	W	C	W	W
Plumbaginaceae	317021	<i>Armeria</i> spp.	armeria; thrift, sea	F	W	C	W	W	W	W	W
Plumbaginaceae	316729	<i>Limonium californicum</i> (Boiss.) A. Heller	rosemary, marsh	F	W	C	W	W	W	W	W
Plumbaginaceae	22283	<i>Limonium perezii</i> (Stapf) F. T. Hubb.	lavendar, sea	F	W	C	W	W	W	W	W



Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Plumbaginaceae	100512	<i>Limonium sinuatum</i> (L.) Mill.	statice	F	W	C	W	W	W	W	W
Plumbaginaceae	312925	<i>Plumbago auriculata</i> Lam.	leadwort, Cape; plumbago, Cape	F	W	C	W	W	W	W	W
Plumbaginaceae	316918	<i>Psylliostachys suworowii</i> (Regel) Roshkova	statice	F	W	W	W	W	W	W	W
Poaceae	300016	<i>xAgrotriticum</i> spp.	agrotriticum	A	C	C	C	C	C	C	C
Poaceae	300683	<i>xTriticosecale</i> spp.	triticale	A	C	C	C	C	C	C	C
Poaceae	402285	<i>Achnatherum hymenoides</i> (Roem. & Schult.) Barkworth	ricegrass, Indian	R	W	W	W	C	W	C	W
Poaceae	402267	<i>Achnatherum lemmonii</i> (Vasey) Barkworth	needlegrass, Lemmon's	R	W	W	W	C	W	W	W
Poaceae	402268	<i>Achnatherum lettermanii</i> (Vasey) Barkworth	needlegrass, Letterman's	R	W	W	W	C	W	W	W
Poaceae	402271	<i>Achnatherum nelsonii</i> (Scribn.) Barkworth subsp. <i>dorei</i> (Barkworth & J. Maze) Barkworth	needlegrass, subalpine	R	W	W	W	C	W	W	W
Poaceae	402275	<i>Achnatherum occidentale</i> (Thurb.) Barkworth	needlegrass, western	R	W	W	W	C	W	W	W
Poaceae	402278	<i>Achnatherum robustum</i> (Vasey) Barkworth	sleepygrass	R	W	W	W	C	W	W	W
Poaceae	402280	<i>Achnatherum speciosum</i> (Trin. & Rupr.) Barkworth	needlegrass, desert	R	W	W	W	C	W	W	W
Poaceae	402281	<i>Achnatherum thurberianum</i> (Piper) Barkworth	needlegrass, Thurber	R	W	W	W	C	W	W	W
Poaceae	1531	<i>Aegilops cylindrica</i> Host	goatgrass, jointed	W	W	W	W	W	W	W	W
Poaceae	100014	<i>Aegilops geniculata</i> Roth	goatgrass, tufted; goatgrass, ovate	W	W	W	W	W	W	W	W
Poaceae	300011	<i>Aegilops</i> spp.	goatgrass	W	W	W	W	W	W	W	W
Poaceae	1552	<i>Aegilops triuncialis</i> L.	goatgrass, barb	W	W	W	W	W	W	W	W
Poaceae	102774	<i>Agropyron cristatum</i> (L.) Gaertn.	wheatgrass, fairway crested	A,R	C	C	C	C	C	C	C
Poaceae	1817	<i>Agropyron desertorum</i> (Fisch. ex Link) Schult.	wheatgrass, standard crested	A, R	C	C	C	C	C	C	C
Poaceae	102520	<i>Agropyron fragile</i> (Roth) P. Candargy	wheatgrass, Siberian	A, R	C	C	C	C	C	C	C
Poaceae	2015	<i>Agrostis canina</i> L.	bentgrass, velvet	T	C	C	C	C	C	C	C
Poaceae	2017	<i>Agrostis capillaris</i> L.	bentgrass, colonial	T	C	C	C	C	C	C	C
Poaceae	316535	<i>Agrostis elliotiana</i> Schult.	bentgrass, Elliott	T	W	W	W	C	C	C	W
Poaceae	2024	<i>Agrostis exarata</i> Trin.	bentgrass, spike bentgrass, awned spike	R	W	W	W	C	W	W	W
Poaceae	2027	<i>Agrostis gigantea</i> Roth	redtop	T	C	C	C	C	C	C	C
Poaceae	316537	<i>Agrostis hyemalis</i> (Walter) Britton et al.	bentgrass, winter	R	W	W	W	C	W	W	W
Poaceae	316538	<i>Agrostis longiligula</i> Hitchc.	bentgrass, longtongue	W	W	W	W	W	W	W	W
Poaceae	2052	<i>Agrostis scabra</i> Willd.	ticklegass	W	W	W	W	W	W	W	W
Poaceae	2059	<i>Agrostis stolonifera</i> L. var. <i>palustris</i> (Huds.) Farw.	bentgrass, creeping	T	C	C	C	C	C	C	C
Poaceae	2086	<i>Aira caryophyllea</i> L.	hairgrass, silver	W	W	W	W	W	W	W	W
Poaceae	317137	<i>Aira elegantissima</i> Schur	hairgrass, fine	W	W	W	W	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Poaceae	317013	<i>Aira</i> spp.	hairgrass	W	W	W	W	W	W	W	W
Poaceae	2637	<i>Alopecurus aequalis</i> Sobol.	foxtail, shortawn	W	W	W	W	W	W	W	W
Poaceae	2642	<i>Alopecurus arundinaceus</i> Poir.	foxtail, creeping	A, R	C	W	W	C	W	C	W
Poaceae	316544	<i>Alopecurus carolinianus</i> Walter	foxtail, Carolina	W	W	W	W	W	W	W	W
Poaceae	2645	<i>Alopecurus geniculatus</i> L.	foxtail, water	R	W	W	W	C	W	W	W
Poaceae	2650	<i>Alopecurus myosuroides</i> Huds.	foxtail, slender	W	W	W	W	W	W	W	W
Poaceae	2651	<i>Alopecurus pratensis</i> L.	foxtail, meadow	A, R	C	W	W	C	W	C	W
Poaceae	316545	<i>Alopecurus saccatus</i> Vasey	meadowgrass, Pacific	W	W	W	W	W	W	W	W
Poaceae	315494	<i>Alopecurus</i> spp.	foxtail	W	W	W	W	W	W	W	W
Poaceae	452839	<i>Amelichloa brachychaeta</i> (Godr.) Arriaga & Barkworth	punagrass	W	W	W	W	W	W	W	W
Poaceae	2911	<i>Ammophila arenaria</i> (L.) Link	beachgrass	W	W	W	W	W	W	W	W
Poaceae	2984	<i>Amphibromus neesii</i> Steud.	wallabygrass, swamp	W	W	W	W	W	W	W	W
Poaceae	3164	<i>Andropogon bicornis</i> L.	foxtail, West Indian	W	W	W	W	W	W	W	W
Poaceae	3215	<i>Andropogon gerardi</i> Vitman	bluestem, big	A, R	C	W	W	C	W	W	W
Poaceae	3219	<i>Andropogon glomeratus</i> (Walter) Britton et al.	beardgrass, bushy	W	W	W	W	W	W	W	W
Poaceae	3225	<i>Andropogon hallii</i> Hack.	bluestem, sand	A, R	C	W	W	C	W	W	W
Poaceae	300029	<i>Andropogon</i> spp.	bluestem	R	W	W	W	C	W	W	W
Poaceae	3343	<i>Andropogon ternarius</i> Michx.	bluestem, split	R	W	W	W	C	W	W	W
Poaceae	3355	<i>Andropogon virginicus</i> L.	broomsedge	W	W	W	W	W	W	W	W
Poaceae	3590	<i>Anthoxanthum aristatum</i> Boiss.	vernalgrass, sweet	W	W	W	W	W	W	W	W
Poaceae	452388	<i>Anthoxanthum nitens</i> (Weber) Y. Schouten & Veldkamp	sweetgrass	W	W	W	W	W	W	W	W
Poaceae	3594	<i>Anthoxanthum odoratum</i> L.	vernalgrass, sweet	A	W	W	W	W	W	W	W
Poaceae	317017	<i>Anthoxanthum</i> spp.	vernalgrass	W	W	W	W	W	W	W	W
Poaceae	70080	<i>Apera interrupta</i> (L.) P. Beauv.	silkybent, dense	W	W	W	W	W	W	W	W
Poaceae	3681	<i>Apera spica-venti</i> (L.) P. Beauv.	windgrass	W	W	W	W	W	W	W	W
Poaceae	3855	<i>Arctagrostis latifolia</i> (R. Br.) Griseb.	polargrass	R	C	W	W	C	W	W	C
Poaceae	4028	<i>Aristida adscensionis</i> L.	three-awn, six-weeks	R	W	W	W	C	W	W	W
Poaceae	316565	<i>Aristida dichotoma</i> Michx.	povertygrass	W	W	W	W	W	W	W	W
Poaceae	459454	<i>Aristida lanosa</i> Muhl. ex Elliott	three-awn, woolly	R	W	W	W	C	W	W	W
Poaceae	316935	<i>Aristida longespica</i> Poir. var. <i>geniculata</i> (Raf.) Fernald	povertygrass	W	W	W	W	W	W	W	W
Poaceae	4059	<i>Aristida oligantha</i> Michx.	threeawn, prairie	R	W	W	W	C	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Poaceae	412657	<i>Aristida purpurascens</i> Poir.	three-awn, arrow-feather	R	W	W	W	C	W	W	W
Poaceae	316566	<i>Aristida purpurea</i> Nutt.	threeawn, tufted	R	W	C	W	C	W	W	W
Poaceae	300043	<i>Aristida</i> spp.	povertygrass; threeawn	R	W	W	W	C	W	W	W
Poaceae	316567	<i>Aristida stricta</i> Michx.	aristida, erect	R	W	W	W	C	W	W	W
Poaceae	103453	<i>Arrhenatherum elatius</i> (L.) P. Beauv. ex J. Presl & C. Presl	oatgrass, tall	R	W	W	W	C	W	W	W
Poaceae	4439	<i>Arundo donax</i> L.	reed, giant	W	W	W	W	W	W	W	W
Poaceae	6089	<i>Avena barbata</i> Pott ex Link	oat, slender	W	W	W	W	W	W	W	W
Poaceae	6104	<i>Avena fatua</i> L.	oat, wild	W	W	W	W	W	W	W	W
Poaceae	6116	<i>Avena nuda</i> L.	oat, naked	W	W	W	W	W	W	W	W
Poaceae	6123	<i>Avena sativa</i> L.	oat	A	C	C	C	C	C	C	C
Poaceae	6148	<i>Avena sterilis</i> L.	oat, animated; oat, sterile	W	W	W	W	W	W	W	W
Poaceae	6150	<i>Avena strigosa</i> Schreb.	oat, sand	W	W	W	W	W	W	W	W
Poaceae	404477	<i>Avenella flexuosa</i> (L.) Parl.	hairgrass, common; hairgrass, wavy	W	W	W	W	W	W	W	W
Poaceae	6174	<i>Axonopus compressus</i> (Sw.) P. Beauv.	carpetgrass, broadleaved	T	W	W	W	W	W	W	W
Poaceae	317140	<i>Axonopus fissifolius</i> (Raddi) Kuhl.	carpetgrass	A, T	C	W	W	C	W	C	W
Poaceae	315495	<i>Beckmannia</i> spp.	sloughgrass	R	W	W	W	C	W	W	W
Poaceae	6620	<i>Beckmannia syzigachne</i> (Steud.) Fernald	sloughgrass, American	R	W	W	W	C	W	W	W
Poaceae	407705	<i>Blepharoneuron tricholepis</i> (Torr.) Nash	dropseed, pine	R	W	W	W	C	W	W	W
Poaceae	7462	<i>Bothriochloa barbinodis</i> (Lag.) Herter	beardgrass, cane	R	W	W	W	C	W	W	W
Poaceae	103434	<i>Bothriochloa bladhii</i> (Retz.) S. T. Blake	bluestem, Caucasian	A, R	C	W	W	C	W	W	W
Poaceae	7483	<i>Bothriochloa ischaemum</i> (L.) Keng	bluestem, yellow	A, R	C	W	W	C	W	W	W
Poaceae	103438	<i>Bothriochloa laguroides</i> (DC.) Herter subsp. <i>torreyana</i> (Steud.) Allred & Gould	bluestem, silver	R	W	W	W	C	W	W	W
Poaceae	403080	<i>Bouteloua aristidoides</i> (Kunth) Griseb.	grama, needle	R	W	W	W	C	W	W	W
Poaceae	404475	<i>Bouteloua barbata</i> Lag. var. <i>rothrockii</i> (Vasey) Gould	grama, Rothrock's	R	W	W	W	C	W	W	W
Poaceae	7524	<i>Bouteloua curtipendula</i> (Michx.) Torr.	grama, side-oats	A, R	C	W	W	C	W	C	W
Poaceae	418957	<i>Bouteloua dactyloides</i> (Nutt.) Columbus	buffalograss	R, T	W	W	W	C	W	C	W
Poaceae	7525	<i>Bouteloua eriopoda</i> (Torr.) Torr.	grama, black	R	W	W	W	C	W	W	W
Poaceae	7527	<i>Bouteloua gracilis</i> (Kunth) Lag. ex Griffiths	grama, blue	A, R	C	W	W	C	W	C	W
Poaceae	7529	<i>Bouteloua hirsuta</i> Lag.	grama, hairy	R	W	W	W	C	W	W	W
Poaceae	310137	<i>Bouteloua simplex</i> Lag.	grama, mat	W	W	W	W	W	W	W	W
Poaceae	300077	<i>Bouteloua</i> spp.	grama	R	W	W	W	C	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Poaceae	7725	<i>Briza maxima</i> L.	quakinggrass, big	F, R	W	W	W	W	W	W	W
Poaceae	7726	<i>Briza media</i> L.	quakinggrass, perennial	W	W	W	W	W	W	W	W
Poaceae	7727	<i>Briza minor</i> L.	quakinggrass, little	W	W	W	W	W	W	W	W
Poaceae	7766	<i>Bromus anomalus</i> Rupr. ex E. Fourn.	brome, nodding	R	W	W	W	C	W	W	W
Poaceae	7769	<i>Bromus arvensis</i> L.	brome, field	A	W	W	W	W	W	W	W
Poaceae	7774	<i>Bromus biebersteinii</i> Roem. & Schult.	brome, Bieberstein; brome, meadow	A	C	C	C	C	C	C	C
Poaceae	7779	<i>Bromus briziformis</i> Fisch. & C. A. Mey.	chess, rattlesnake; brome, quaking	W	W	W	W	W	W	W	W
Poaceae	461745	<i>Bromus carinatus</i> Hook. & Arn. var. <i>carinatus</i>	brome, California; brome, sweet	A, R	W	W	W	C	W	C	W
Poaceae	461744	<i>Bromus carinatus</i> Hook. & Arn. var. <i>marginatus</i> (Steud.) Barkworth & Anderton	brome, mountain	A, R	W	W	W	C	W	W	W
Poaceae	423745	<i>Bromus catharticus</i> Vahl var. <i>catharticus</i>	brome, prairie; rescuegrass	A, R	W	W	W	W	W	W	W
Poaceae	451892	<i>Bromus catharticus</i> Vahl var. <i>elatus</i> (É. Desv.) Planchuelo	brome, Harlan	A, T	C	C	C	C	C	C	C
Poaceae	7786	<i>Bromus ciliatus</i> L.	brome, sweet; brome, fringed	R	W	W	W	C	W	W	W
Poaceae	7788	<i>Bromus commutatus</i> Schrad.	brome, hairy; chess, hairy	W	W	W	W	W	W	W	W
Poaceae	432366	<i>Bromus diandrus</i> Roth var. <i>rigidus</i> (Roth) Sales	brome, ripgut	W	W	W	W	W	W	W	W
Poaceae	7320	<i>Bromus hordeaceus</i> L.	brome, bland; chess, soft	R	W	W	W	C	W	W	W
Poaceae	317142	<i>Bromus inermis</i> Leyss. subsp. <i>inermis</i>	brome, smooth	A	C	C	C	C	C	C	C
Poaceae	317143	<i>Bromus inermis</i> Leyss. subsp. <i>pumpellianus</i> (Scribn.) Wagnon	brome, Pumpelly's	W	W	W	W	W	W	W	W
Poaceae	7809	<i>Bromus japonicus</i> Houtt.	brome, Japanese; chess, Japanese	W	W	W	W	W	W	W	W
Poaceae	401069	<i>Bromus kalmii</i> A. Gray	brome, Kalm's	R	W	W	W	C	W	W	W
Poaceae	460103	<i>Bromus lanatipes</i> (Shear) Rydb.	brome, woolly	R	W	W	W	C	W	W	W
Poaceae	401070	<i>Bromus pubescens</i> Spreng.	chess, hairy woodland; brome, Canada	R	W	W	W	C	W	W	W
Poaceae	7855	<i>Bromus racemosus</i> L.	brome, bald	W	W	W	W	W	W	W	W
Poaceae	7864	<i>Bromus rubens</i> L.	brome, red; chess, foxtail	R	W	W	W	W	W	W	W
Poaceae	7867	<i>Bromus secalinus</i> L.	cheat chess	W	W	W	W	W	W	W	W
Poaceae	7875	<i>Bromus sterilis</i> L.	chess, barren;	W	W	W	W	W	W	W	W
Poaceae	7880	<i>Bromus tectorum</i> L.	brome, downy	W	W	W	W	W	W	W	W
Poaceae	8345	<i>Calamagrostis canadensis</i> (Michx.) P. Beauv.	bluejoint	R	W	W	W	C	W	W	W
Poaceae	8347	<i>Calamagrostis coarctata</i> Eaton	reedgrass, artic	R	W	W	W	C	W	W	W
Poaceae	406431	<i>Calamagrostis rubescens</i> Buckley	grass, pine	R	W	W	W	C	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Poaceae	300091	<i>Calamagrostis</i> spp.	reedgrass	R	W	W	W	C	W	W	W
Poaceae	70138	<i>Calamagrostis stricta</i> (Timm) Koeler	reedgrass, Northern	R	W	W	W	C	W	W	W
Poaceae	476214	<i>Calamovilfa brevipilis</i> (Torr.) Scribn.	sandreed, pine barren	R	W	W	W	C	W	W	W
Poaceae	8370	<i>Calamovilfa longifolia</i> (Hook.) Scribn.	sandreed, prairie	R	W	W	W	C	W	W	W
Poaceae	317028	<i>Calamovilfa</i> spp.	sandreed	R	W	W	W	C	W	W	W
Poaceae	9578	<i>Catabrosa aquatica</i> (L.) P. Beauv.	grass, brook; whorlgrass, water	R	W	W	W	C	W	W	W
Poaceae	464256	<i>Cenchrus americanus</i> (L.) Morrone	millet, pearl	A	C	C	C	C	C	C	C
Poaceae	476777	<i>Cenchrus caudatus</i> (Schrad.) Kuntze	feathergrass, African	W	W	W	W	W	W	W	W
Poaceae	9794	<i>Cenchrus ciliaris</i> L.	buffelgrass, hairy	R	W	W	W	C	W	W	W
Poaceae	464260	<i>Cenchrus clandestinus</i> (Hochst. ex Chiov.) Morrone	kikuyugrass	W	W	W	W	W	W	W	W
Poaceae	9795	<i>Cenchrus echinatus</i> L.	sandbur, southern	W	W	W	W	W	W	W	W
Poaceae	103625	<i>Cenchrus longispinus</i> (Hack.) Fernald	sandbur, longspine; sandbur, mat	W	W	W	W	W	W	W	W
Poaceae	464274	<i>Cenchrus pedicellatus</i> (Trin.) Morrone	kyasumagrass	W	W	W	W	W	W	W	W
Poaceae	476779	<i>Cenchrus polystachios</i> (L.) Morrone	missiongrass; napiergrass, thin	W	W	W	W	W	W	W	W
Poaceae	464278	<i>Cenchrus purpureus</i> (Schumach.) Morrone	napiergrass	A	C	C	W	C	C	C	W
Poaceae	464280	<i>Cenchrus setaceus</i> (Forssk.) Morrone	fountaingrass	F	W	W	W	W	W	W	W
Poaceae	433278	<i>Cenchrus spinifex</i> Cav.	sandbur, coast; sandbur, field	W	W	W	W	W	W	W	W
Poaceae	313892	<i>Cenchrus</i> spp.	sandbur	W	W	W	W	W	W	W	W
Poaceae	9810	<i>Cenchrus tribuloides</i> L.	sandbur, dune	W	W	W	W	W	W	W	W
Poaceae	50018	<i>Chasmanthium latifolium</i> (Michx.) H. O. Yates	sea oats, inland	W	W	W	W	W	W	W	W
Poaceae	316618	<i>Chloris divaricata</i> R. Br.	fingergrass, Australian; stargrass, Australian	W	W	W	W	W	W	W	W
Poaceae	10260	<i>Chloris gayana</i> Kunth	rhodesgrass	A, R	C	W	W	C	C	C	W
Poaceae	317145	<i>Chloris subdolichostachya</i> Müll. Berol.	windmillgrass, Nash	W	W	W	W	W	W	W	W
Poaceae	103627	<i>Chloris verticillata</i> Nutt.	windmillgrass	W	W	W	W	W	W	W	W
Poaceae	10289	<i>Chloris virgata</i> Sw.	fingergrass, feather	W	W	W	W	W	W	W	W
Poaceae	10501	<i>Chrysopogon aciculatus</i> (Retz.) Trin.	pilipiliula	W	W	W	W	W	W	W	W
Poaceae	11129	<i>Coix lacryma-jobi</i> L.	Job's-tears	F	W	C	W	W	W	W	W
Poaceae	462775	<i>Coleataenia anceps</i> (Michx.) Soreng	panicum, beaked	R	W	W	W	C	W	W	W
Poaceae	403448	<i>Cortaderia jubata</i> (Lemoine ex Carrière) Stapf	grass, pampas	W	W	W	W	W	W	W	W
Poaceae	11618	<i>Cortaderia selloana</i> (Schult. & Schult. f.) Asch. & Graebn.	grass, pampas	F, R	W	C	W	C	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Poaceae	316638	<i>Corynephorus canescens</i> (L.) P. Beauv.	club-awn grass	W	W	W	W	W	W	W	W
Poaceae	12819	<i>Cymbopogon refractus</i> (R. Br.) A. Camus	barbwiregrass; boatgrass, bearded	W	W	W	W	W	W	W	W
Poaceae	103629	<i>Cynodon dactylon</i> (L.) Pers. var. <i>aridus</i> J. R. Harlan & de Wet	bermudagrass, giant	A, R	W	W	W	W	W	C	W
Poaceae	315474	<i>Cynodon dactylon</i> (L.) Pers. var. <i>dactylon</i>	bermudagrass	R, T	W	W	W	W	W	W	W
Poaceae	12879	<i>Cynosurus cristatus</i> L.	dogtail, crested	A, R	W	W	W	W	W	W	W
Poaceae	12881	<i>Cynosurus echinatus</i> L.	dogtail, bristly	W	W	W	W	W	W	W	W
Poaceae	300164	<i>Cynosurus</i> spp.	dogtail	W	W	W	W	W	W	W	W
Poaceae	13114	<i>Dactylis glomerata</i> L.	orchardgrass	A, R	C	C	C	C	C	C	C
Poaceae	13133	<i>Dactyloctenium aegyptium</i> (L.) Willd.	crowfootgrass	W	W	W	W	W	W	W	W
Poaceae	13211	<i>Danthonia californica</i> Bol.	oatgrass, California	R	W	W	W	C	W	W	W
Poaceae	407710	<i>Danthonia parryi</i> Scribn.	oatgrass, Parry's	R	W	W	W	C	W	W	W
Poaceae	103485	<i>Danthonia spicata</i> (L.) P. Beauv. ex Roem. & Schult.	oatgrass, poverty	W	W	W	W	W	W	W	W
Poaceae	300171	<i>Danthonia</i> spp.	oatgrass	W	W	W	W	W	W	W	W
Poaceae	412689	<i>Deschampsia cespitosa</i> (L.) P. Beauv. subsp. <i>beringensis</i> (Hultén) W. E. Lawr.	hairgrass, Bering	R	W	W	W	C	W	W	W
Poaceae	412729	<i>Deschampsia cespitosa</i> (L.) P. Beauv. subsp. <i>cespitosa</i>	hairgrass, tufted	F, R, T	W	C	W	C	W	C	W
Poaceae	13560	<i>Deschampsia danthonioides</i> (Trin.) Munro	hairgrass, annual	R	W	W	W	W	W	W	W
Poaceae	13561	<i>Deschampsia elongata</i> (Hook.) Munro	hairgrass, slender	R	W	W	W	C	W	W	W
Poaceae	300176	<i>Deschampsia</i> spp.	hairgrass	W	W	W	W	W	W	W	W
Poaceae	433147	<i>Dichantherium acuminatum</i> (Sw.) Gould & C. A. Clark subsp. <i>acuminatum</i>	panicum, woolly; panicum, hairy	W	W	W	W	W	W	W	W
Poaceae	454201	<i>Dichantherium acuminatum</i> (Sw.) Gould & C. A. Clark subsp. <i>fasciculatum</i> (Torr.) Freckmann & Lelong	panicum, woolly; panicum, hairy	W	W	W	W	W	W	W	W
Poaceae	416328	<i>Dichantherium clandestinum</i> (L.) Gould	deertongue grass	R	W	W	W	C	W	C	W
Poaceae	13898	<i>Dichanthium aristatum</i> (Poir.) C. E. Hubb.	angletongrass	W	W	W	W	W	W	W	W
Poaceae	13907	<i>Dichanthium sericeum</i> (R. Br.) A. Camus	bluestem, silky	W	W	W	W	W	W	W	W
Poaceae	13989	<i>Digitaria abyssinica</i> (Hochst. ex A. Rich.) Stapf	couchgrass, African; fingergrass	W	W	W	W	W	W	W	W
Poaceae	13995	<i>Digitaria californica</i> (Benth.) Henrard	cottontop, Arizona	R	W	W	W	C	W	W	W
Poaceae	317149	<i>Digitaria cognata</i> (Schult.) Pilg.	witchgrass, fall	W	W	W	W	W	W	W	W
Poaceae	316650	<i>Digitaria filiformis</i> (L.) Koeler	crabgrass, slender	W	W	W	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Poaceae	14029	<i>Digitaria ischaemum</i> (Schreb.) Schreb. ex Muhl.	crabgrass, smooth	W	W	W	W	W	W	W	W
Poaceae	14103	<i>Digitaria sanguinalis</i> (L.) Scop.	crabgrass, hairy; crabgrass, large	W	W	W	W	W	W	W	W
Poaceae	301018	<i>Digitaria</i> spp.	crabgrass	W	W	W	W	W	W	W	W
Poaceae	316378	<i>Digitaria velutina</i> (Forssk.) P. Beauv.	couchgrass, annual; fingergrass, velvet	W	W	W	W	W	W	W	W
Poaceae	465460	<i>Dinebra chinensis</i> (L.) P. M. Peterson & N. Snow	sprangletop, Asian	W	W	W	W	W	W	W	W
Poaceae	465472	<i>Diplachne fusca</i> (L.) P. Beauv. ex Roem. & Schult. subsp. <i>fascicularis</i> (Lam.) P. M. Peterson & N. Snow	sprangletop, bearded	F, R	W	W	W	C	W	W	W
Poaceae	465474	<i>Diplachne fusca</i> (L.) P. Beauv. ex Roem. & Schult. subsp. <i>uninervia</i> (J. Presl) P. M. Peterson & N. Snow	sprangletop, Mexican	R	W	W	W	C	W	W	W
Poaceae	465476	<i>Disakisperma dubium</i> (Kunth) P. M. Peterson & N. Snow	sprangletop, green	R, T	W	W	W	C	W	C	W
Poaceae	316653	<i>Distichlis spicata</i> (L.) Greene var. <i>spicata</i>	saltgrass, coastal; saltgrass, seashore	R	W	W	W	C	W	W	W
Poaceae	316654	<i>Distichlis spicata</i> (L.) Greene var. <i>stricta</i> (Torr.) Scribn.	saltgrass, desert; saltgrass, inland	R	W	W	W	C	W	W	W
Poaceae	316659	<i>Echinochloa colona</i> (L.) Link	rice, jungle	W	W	W	W	W	W	W	W
Poaceae	14823	<i>Echinochloa crus-galli</i> (L.) P. Beauv.	barnyardgrass	W	W	W	W	W	W	W	W
Poaceae	14828	<i>Echinochloa frumentacea</i> Link	millet, Japanese	A	C	C	C	C	C	C	C
Poaceae	14901	<i>Ehrharta calycina</i> Sm.	veldtgrass, perennial	A	W	W	W	W	W	W	W
Poaceae	14992	<i>Eleusine coracana</i> (L.) Gaertn.	millet, African	W	W	W	W	W	W	W	W
Poaceae	14997	<i>Eleusine indica</i> (L.) Gaertn.	goosegrass	W	W	W	W	W	W	W	W
Poaceae	454285	<i>Elymus xyukonensis</i> (Scribn. & Merr.) Å. Löve	wheatgrass, Yukon	R	C	C	W	C	W	C	W
Poaceae	454278	<i>Elymus albicans</i> (Scribn. & J. G. Sm.) Å. Löve	wheatgrass, Montana	R	W	W	W	C	W	W	W
Poaceae	15032	<i>Elymus canadensis</i> L.	wildrye, Canada	A, R	C	W	W	C	W	W	W
Poaceae	15040	<i>Elymus dahuricus</i> Turcz. ex Griseb.	wildrye, Dahurian	A, R	C	W	W	C	W	W	W
Poaceae	102289	<i>Elymus elymoides</i> (Raf.) Swezey	bottlebrush-squirreltail; squirreltail	R	W	W	W	C	W	W	W
Poaceae	15050	<i>Elymus glaucus</i> Buckley	wildrye, blue; wildrye, smooth	F, R	W	C	W	C	W	W	W
Poaceae	408527	<i>Elymus hoffmannii</i> K. B. Jensen & K. H. Asay	wheatgrass, RS hybrid; wheatgrass, RS	R	W	W	W	C	W	W	W
Poaceae	102306	<i>Elymus hystrix</i> L.	bottlebrush grass, eastern	R	W	W	W	C	W	W	W
Poaceae	316948	<i>Elymus kronokensis</i> (Kom.) Tzvelev subsp. <i>subalpinus</i> (Neuman) Tzvelev	wheatgrass, boreal	R	C	W	W	C	W	C	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Poaceae	315452	<i>Elymus lanceolatus</i> (Scribn. & J. G. Sm.) Gould subsp. <i>lanceolatus</i>	wheatgrass, thickspike	A, R	C	W	W	C	W	W	W
Poaceae	407713	<i>Elymus lanceolatus</i> (Scribn. & J. G. Sm.) Gould subsp. <i>psammophilus</i> (J. M. Gillett & H. Senn) Á. Löve	wheatgrass, streambank; wheatgrass, Great Lakes	A, R	C	W	W	C	W	W	W
Poaceae	451888	<i>Elymus lanceolatus</i> (Scribn. & J. G. Sm.) Gould subsp. <i>riparius</i> (Scribn. & J. G. Sm.) Barkworth	wheatgrass, streambank	A, R	C	W	W	C	W	W	W
Poaceae	102732	<i>Elymus macrourus</i> (Turcz. ex Steud.) Tzelev	wheatgrass, angara	R	C	W	W	C	W	C	W
Poaceae	412002	<i>Elymus multisetus</i> (J. G. Sm.) Burt Davy	squirreltail, big	A, R	W	W	W	W	W	W	W
Poaceae	102069	<i>Elymus repens</i> (L.) Gould	quackgrass	W	W	W	W	W	W	W	W
Poaceae	15071	<i>Elymus sibiricus</i> L.	wildrye, Siberian	R	W	W	W	C	W	W	W
Poaceae	315451	<i>Elymus trachycaulus</i> (Link) Gould ex Shinnars subsp. <i>subsecundus</i> (Link) Á. Löve & D. Löve	wheatgrass, bearded	A, R	C	W	W	C	W	C	W
Poaceae	313183	<i>Elymus trachycaulus</i> (Link) Gould ex Shinnars subsp. <i>trachycaulus</i>	wheatgrass, slender	A, R	C	W	W	C	W	C	W
Poaceae	15074	<i>Elymus villosus</i> Muhl. ex Willd.	wildrye, silky	R	W	W	W	C	W	W	W
Poaceae	454271	<i>Elymus violaceus</i> (Hornem.) Feilberg	wheatgrass, violet	R	C	C	W	C	W	C	W
Poaceae	15075	<i>Elymus virginicus</i> L.	wildrye, Virginia	R	W	W	W	C	W	W	W
Poaceae	317738	<i>Elymus wawawaiensis</i> J. R. Carlson & Barkworth	wheatgrass, Snake River	A,R	C	W	W	C	W	W	W
Poaceae	317144	<i>Enteropogon acicularis</i> (Lindl.) Lazarides	windmillgrass, curly	W	W	W	W	W	W	W	W
Poaceae	103631	<i>Eragrostis capillaris</i> (L.) Nees	lacegrass	W	W	W	W	W	W	W	W
Poaceae	27885	<i>Eragrostis cilianensis</i> (All.) Vignolo ex Janch.	stinkgrass, strong-scented	W	W	W	W	W	W	W	W
Poaceae	27889	<i>Eragrostis curvula</i> (Schrad.) Nees	lovegrass, Boer; lovegrass, weeping	R	W	W	W	C	W	C	W
Poaceae	15259	<i>Eragrostis intermedia</i> Hitchc.	lovegrass, plains	R	W	W	W	C	W	W	W
Poaceae	15268	<i>Eragrostis lehmanniana</i> Nees	lovegrass, Lehmann	T	W	W	W	W	W	C	W
Poaceae	15292	<i>Eragrostis pectinacea</i> (Michx.) Nees ex Jedwabn.	lovegrass, spreading	W	W	W	W	W	W	W	W
Poaceae	15296	<i>Eragrostis plana</i> Nees	lovegrass, tough	W	W	W	W	W	W	W	W
Poaceae	316664	<i>Eragrostis secundiflora</i> J. Presl subsp. <i>oxylepis</i> (Torr.) S. D. Koch	lovegrass, red	W	W	W	W	W	W	W	W
Poaceae	15314	<i>Eragrostis spectabilis</i> (Pursh) Steud.	lovegrass, purple	W	W	W	W	W	W	W	W
Poaceae	300203	<i>Eragrostis</i> spp.	lovegrass	R	W	W	W	W	W	W	W
Poaceae	15319	<i>Eragrostis superba</i> Peyr.	lovegrass, Wilman	R	W	W	W	C	W	W	W
Poaceae	15320	<i>Eragrostis tef</i> (Zuccagni) Trotter	teff	A	C	W	W	W	W	W	W



Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Poaceae	15326	<i>Eragrostis trichodes</i> (Nutt.) Alph. Wood	lovegrass, sand	R	W	W	W	C	C	C	W
Poaceae	15352	<i>Eremochloa ophiuroides</i> (Munro) Hack.	centipedegrass	R, T	C	W	W	C	W	C	W
Poaceae	15376	<i>Eremopyrum triticeum</i> (Gaertn.) Nevski	wheatgrass, annual	R	W	W	W	C	W	W	W
Poaceae	316667	<i>Eriochloa aristata</i> Vasey	cupgrass, bearded	W	W	W	W	W	W	W	W
Poaceae	15618	<i>Eriochloa punctata</i> (L.) Ham.	cupgrass, Louisiana	W	W	W	W	W	W	W	W
Poaceae	300206	<i>Eriochloa</i> spp.	cupgrass	W	W	W	W	W	W	W	W
Poaceae	15623	<i>Eriochloa villosa</i> (Thunb.) Kunth	cupgrass, woolly	W	W	W	W	W	W	W	W
Poaceae	16624	<i>Festuca altaica</i> Trin.	fescue, rough	R	W	W	W	C	W	W	W
Poaceae	103633	<i>Festuca arizonica</i> Vasey	fescue, Arizona	R, T	W	W	W	C	W	C	W
Poaceae	16631	<i>Festuca arundinacea</i> Schreb.	fescue, tall	R, T	C	C	C	C	C	C	C
Poaceae	413549	<i>Festuca arvernensis</i> Auquier et al.	fescue, blue; fescue field	R	W	W	W	C	W	W	W
Poaceae	417515	<i>Festuca campestris</i> Rydb.	fescue, rough	R	W	W	W	C	W	W	W
Poaceae	402520	<i>Festuca filiformis</i> Pourr.	fescue, fine-leaf sheep; fescue, hair; fescue, slender	T	W	W	W	W	W	W	W
Poaceae	16665	<i>Festuca idahoensis</i> Elmer	fescue, Idaho	R	W	W	W	C	W	W	W
Poaceae	16667	<i>Festuca kingii</i> (S. Watson) Cassidy	fescue, spiked	W	W	W	W	W	W	W	W
Poaceae	16688	<i>Festuca ovina</i> L.	fescue, sheep	R, T	C	C	C	C	C	C	C
Poaceae	16709	<i>Festuca pratensis</i> Huds.	fescue, meadow	T	C	C	C	C	C	C	C
Poaceae	423853	<i>Festuca roemerii</i> (Pavlick) E. B. Alexeev	fescue, Roemer's	R, T	W	W	W	C	W	C	W
Poaceae	103637	<i>Festuca rubra</i> L. subsp. <i>commutata</i> Markgr.-Dann.	fescue, chewings	T	C	C	C	C	C	C	C
Poaceae	300215	<i>Festuca rubra</i> L. subsp. <i>rubra</i>	fescue, creeping red; fescue, red	T	C	C	C	C	C	C	C
Poaceae	459711	<i>Festuca saximontana</i> Rydb.	fescue, Rocky Mountain	R	W	W	W	C	W	W	W
Poaceae	300216	<i>Festuca</i> spp.	fescue	W	C	W	W	C	W	C	W
Poaceae	16746	<i>Festuca thurberi</i> Vasey	fescue, Thurber	R, T	W	W	W	C	W	C	W
Poaceae	16747	<i>Festuca trachyphylla</i> (Hack.) Hack.	fescue, hard	R, T	C	C	C	C	C	C	C
Poaceae	70316	<i>Gastridium ventricosum</i> (Gouan) Schinz & Thell.	nitgrass	W	W	W	W	W	W	W	W
Poaceae	17675	<i>Glyceria elata</i> (Nash) Hitchc.	manna grass, tall	R	W	W	W	C	W	W	W
Poaceae	17676	<i>Glyceria fluitans</i> (L.) R. Br.	manna grass, water	W	W	W	W	W	W	W	W
Poaceae	17677	<i>Glyceria grandis</i> S. Watson	manna grass, American	W	W	W	W	W	W	W	W
Poaceae	418731	<i>Glyceria occidentalis</i> (Piper) J. C. Nelson	manna grass, western	R	W	W	W	C	W	W	W
Poaceae	300229	<i>Glyceria</i> spp.	manna grass	W	W	W	W	W	W	W	W
Poaceae	70324	<i>Glyceria striata</i> (Lam.) Hitchc.	manna grass, fowl	R	W	W	W	C	W	W	W
Poaceae	463631	<i>Helictochloa hookeri</i> (Scribn.) Romero Zarco	spike-oat	W	W	W	W	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Poaceae	402288	<i>Hesperostipa comata</i> (Trin. & Rupr.) Barkworth	needle-and-thread	R	W	W	W	C	W	W	W
Poaceae	402290	<i>Hesperostipa spartea</i> (Trin.) Barkworth	grass, porcupine	R	W	W	W	C	W	W	W
Poaceae	18953	<i>Heteropogon contortus</i> (L.) P. Beauv. ex Roem. & Schult.	tanglehead	R	W	W	W	C	W	W	W
Poaceae	19126	<i>Hilaria belangeri</i> (Steud.) Nash	mesquite, curly	R	W	W	W	C	W	W	W
Poaceae	317060	<i>Hilaria</i> spp.	hilaria	R	W	W	W	C	W	W	W
Poaceae	19209	<i>Holcus lanatus</i> L.	velvetgrass	T	W	W	W	W	W	W	W
Poaceae	19210	<i>Holcus mollis</i> L.	velvetgrass, German	T	W	W	W	W	W	W	W
Poaceae	317061	<i>Holcus</i> spp.	velvetgrass	T	W	W	W	W	W	W	W
Poaceae	467846	<i>Hopia obtusa</i> (Kunth) Zuloaga & Morrone	mesquite, vine	R, T	W	W	W	C	W	C	W
Poaceae	317468	<i>Hordeum brachyantherum</i> Nevski subsp. <i>brachyantherum</i>	barley, meadow; barley, wild	R	W	W	W	C	W	W	W
Poaceae	317469	<i>Hordeum brachyantherum</i> Nevski subsp. <i>californicum</i> (Covas & Stebbins) Bothmer et al.	barley, California	R	W	W	W	C	W	W	W
Poaceae	19281	<i>Hordeum depressum</i> (Scribn. & J. G. Sm.) Rydb.	barley, low	R	W	W	W	C	W	W	W
Poaceae	19308	<i>Hordeum jubatum</i> L.	barley, foxtail; barley, squirreltail	F, R	W	W	W	W	W	W	W
Poaceae	102508	<i>Hordeum marinum</i> Huds. subsp. <i>gussoneanum</i> (Parl.) Thell.	barley, Mediterranean	W	W	W	W	W	W	W	W
Poaceae	102507	<i>Hordeum murinum</i> L. subsp. <i>glaucum</i> (Steud.) Tzvelev	barley, Stebbins	W	W	W	W	W	W	W	W
Poaceae	102928	<i>Hordeum murinum</i> L. subsp. <i>leporinum</i> (Link) Arcang.	barley, wall	W	W	W	W	W	W	W	W
Poaceae	19322	<i>Hordeum pusillum</i> Nutt.	barley, little	W	W	W	W	W	W	W	W
Poaceae	300269	<i>Hordeum</i> spp.	barley, wild	W	W	W	W	W	W	W	W
Poaceae	19333	<i>Hordeum vulgare</i> L. subsp. <i>vulgare</i>	barley	A	C	C	C	C	C	C	C
Poaceae	19550	<i>Hyparrhenia rufa</i> (Nees) Stapf	jaraguagrass	W	W	W	W	W	W	W	W
Poaceae	19863	<i>Imperata brasiliensis</i> Trin.	satintail, Brazilian	W	W	W	W	W	W	W	W
Poaceae	103384	<i>Imperata brevifolia</i> Vasey	satintail	W	W	W	W	W	W	W	W
Poaceae	19864	<i>Imperata cylindrica</i> (L.) P. Beauv.	cogon; cogongrass	W	W	W	W	W	W	W	W
Poaceae	20489	<i>Ischaemum rugosum</i> Salisb.	saramollagrass; murainograss	W	W	W	W	W	W	W	W
Poaceae	477709	<i>Kelochloa brachyantha</i> (Steud.) Lizarazu et al.	panicgrass, prairie	W	W	W	W	W	W	W	W
Poaceae	314896	<i>Koeleria macrantha</i> (Ledeb.) Schult.	junegrass	A, R, T	C	W	W	C	W	C	W
Poaceae	21732	<i>Leersia oryzoides</i> (L.) Sw.	cutgrass, rice	R	W	W	W	C	W	W	W
Poaceae	317065	<i>Leptochloa</i> spp.	sprangletop	R	W	W	W	C	W	W	W
Poaceae	102170	<i>Leymus angustus</i> (Trin.) Pilg.	wildrye, Altai	A, R	C	W	W	C	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Poaceae	102161	<i>Leymus arenarius</i> (L.) Hochst.	grass, lyme; wildrye, beach	R	W	W	W	C	W	W	W
Poaceae	102177	<i>Leymus cinereus</i> (Scribn. & Merr.) Á. Löve	wildrye, basin	R	W	W	W	C	W	W	W
Poaceae	102176	<i>Leymus condensatus</i> (J. Presl) Á. Löve	wildrye, giant	R	W	W	W	C	W	W	W
Poaceae	316728	<i>Leymus racemosus</i> (Lam.) Tzvelev subsp. <i>racemosus</i>	wildrye, mammoth	R	W	W	W	C	W	W	W
Poaceae	102175	<i>Leymus salina</i> (M. E. Jones) Á. Löve	wildrye, Saline	R	W	W	W	C	W	W	W
Poaceae	102173	<i>Leymus triticoides</i> (Buckley) Pilg.	wildrye, beardless	R	W	W	W	C	W	W	W
Poaceae	100773	<i>Lolium x hybridum</i> Hausskn.	ryegrass, intermediate	A, R	W	W	W	C	W	W	W
Poaceae	22493	<i>Lolium multiflorum</i> Lam.	ryegrass, annual; ryegrass, Italian	A, T	C	C	C	C	C	C	C
Poaceae	22494	<i>Lolium perenne</i> L.	ryegrass, perennial	A, T	C	C	C	C	C	C	C
Poaceae	22495	<i>Lolium persicum</i> Boiss. & Hohen.	darnel, Persian; ryegrass, Persian	W	W	W	W	W	W	W	W
Poaceae	22496	<i>Lolium remotum</i> Schrank	darnel, slender	W	W	W	W	W	W	W	W
Poaceae	22498	<i>Lolium rigidum</i> Gaudin	ryegrass, Wimmera	A	C	C	C	C	C	C	C
Poaceae	300314	<i>Lolium</i> spp.	ryegrass	A, T	C	W	W	C	W	C	W
Poaceae	22502	<i>Lolium temulentum</i> L.	darnel; ryegrass, poison	W	W	W	W	W	W	W	W
Poaceae	22989	<i>Lycurus phleoides</i> Kunth	wolftail	W	W	W	W	W	W	W	W
Poaceae	447623	<i>Megathyrsus maximus</i> (Jacq.) B. K. Simon & S. W. L. Jacobs	guineagrass; panicgrass, green	A	C	C	C	C	C	C	C
Poaceae	414937	<i>Melica californica</i> Scribn.	melic, California	R	W	W	W	C	W	W	W
Poaceae	24025	<i>Melinis minutiflora</i> P. Beauv.	molassesgrass	A	C	W	W	C	W	C	W
Poaceae	409666	<i>Melinis repens</i> (Willd.) Zizka	natalgrass	F, R	W	W	W	W	W	W	W
Poaceae	316751	<i>Microstegium vimineum</i> (Trin.) A. Camus	stiltgrass, Japanese	W	W	W	W	W	W	W	W
Poaceae	24482	<i>Miscanthus floridulus</i> (Labill.) Warb. ex K. Schum. & Lauterb.	canegrass; plumegrass, Japanese	W	W	W	W	W	W	W	W
Poaceae	433176	<i>Mnesithea granularis</i> (L.) de Koning & Sosef	grass, lizardtail	W	W	W	W	W	W	W	W
Poaceae	24515	<i>Molinia caerulea</i> (L.) Moench	moorgrass; pearlgrass, blue	W	W	W	W	W	W	W	W
Poaceae	24672	<i>Muhlenbergia asperifolia</i> (Nees & Meyen ex Trin.) Parodi	muhly, alkali; grass, scratch	W	W	W	W	W	W	W	W
Poaceae	476212	<i>Muhlenbergia expansa</i> (Poir.) Trin.	muhly, cutover	R	W	W	W	C	W	W	W
Poaceae	316755	<i>Muhlenbergia filiformis</i> (Thurb. ex S. Watson) Rydb.	muhly, pullup	W	W	W	W	W	W	W	W
Poaceae	316756	<i>Muhlenbergia frondosa</i> (Poir.) Fernald	muhly, wirestem	W	W	W	W	W	W	W	W
Poaceae	104932	<i>Muhlenbergia montana</i> (Nutt.) Hitchc.	muhly, mountain	R	C	W	W	C	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Poaceae	316757	<i>Muhlenbergia racemosa</i> (Michx.) Britton et al.	muhly, green; muhly, marsh	W	W	W	W	W	W	W	W
Poaceae	455163	<i>Muhlenbergia rigens</i> (Benth.) Hitchc.	deer grass	R	W	W	W	C	W	W	W
Poaceae	24683	<i>Muhlenbergia schreberi</i> J. F. Gmel.	nimblewill	W	W	W	W	W	W	W	W
Poaceae	300382	<i>Muhlenbergia</i> spp.	grass, scratch	R	W	W	W	C	W	W	W
Poaceae	24685	<i>Muhlenbergia wrightii</i> Vasey ex J. M. Coult.	muhly, spike	R	W	W	W	C	W	W	W
Poaceae	316906	<i>Munroa squarrosa</i> (Nutt.) Torr.	buffalograss, false	F	W	C	W	W	W	W	W
Poaceae	402078	<i>Nassella cernua</i> (Stebbins & Á. Löve) Barkworth	stipa, nodding	R	W	W	W	C	W	W	W
Poaceae	465916	<i>Nassella lepida</i> (Hitchc.) Barkworth	needlegrass, foothill	R	W	W	W	C	W	W	W
Poaceae	402091	<i>Nassella pulchra</i> (Hitchc.) Barkworth	stipa, purple	R	W	W	W	C	W	W	W
Poaceae	316386	<i>Nassella trichotoma</i> (Nees) Hack. ex Arechav.	tussock, serrated	W	W	W	W	W	W	W	W
Poaceae	402095	<i>Nassella viridula</i> (Trin.) Barkworth	needlegrass, green	R	W	W	W	C	W	W	W
Poaceae	477743	<i>Oloptum miliaceum</i> (L.) Röser & Hamasha	smilo; smiligrass	R	W	W	W	W	W	W	W
Poaceae	26067	<i>Oryza longistaminata</i> A. Chev. & Roehr.	rice, red	W	W	W	W	W	W	W	W
Poaceae	26074	<i>Oryza punctata</i> Kotschy ex Steud.	rice, red	W	W	W	W	W	W	W	W
Poaceae	26076	<i>Oryza rufipogon</i> Griff.	rice, red	W	W	W	W	W	W	W	W
Poaceae	26077	<i>Oryza sativa</i> L.	rice	A	C	C	C	C	C	C	C
Poaceae	300416	<i>Oryzopsis</i> spp.	ricegrass	R, T	W	W	W	C	W	C	W
Poaceae	26439	<i>Panicum antidotale</i> Retz.	panicgrass, blue	R, T	W	W	W	W	W	C	W
Poaceae	26448	<i>Panicum bergii</i> Arechav.	panicum, Berg	W	W	W	W	W	W	W	W
Poaceae	26459	<i>Panicum capillare</i> L.	witchgrass	W	W	W	W	W	W	W	W
Poaceae	26469	<i>Panicum coloratum</i> L.	kleingrass	R	W	W	W	C	W	C	W
Poaceae	26487	<i>Panicum dichotomiflorum</i> Michx.	panicum, fall	W	W	W	W	W	W	W	W
Poaceae	26505	<i>Panicum gattingeri</i> Nash	witchgrass, Gattinger's	W	W	W	W	W	W	W	W
Poaceae	315737	<i>Panicum hillmanii</i> Chase	witchgrass, Hillman	W	W	W	W	W	W	W	W
Poaceae	26567	<i>Panicum miliaceum</i> L. subsp. <i>miliaceum</i>	millet, broomcorn; millet, proso	A	C	C	C	C	C	C	C
Poaceae	317236	<i>Panicum miliaceum</i> L. subsp. <i>ruderales</i> (Kitag.) Tzvelev	millet, wild proso	W	W	W	W	W	W	W	W
Poaceae	26620	<i>Panicum repens</i> L.	torpedograss	W	W	W	W	W	W	W	W
Poaceae	300423	<i>Panicum</i> spp.	panicgrass	W	W	W	W	W	W	W	W
Poaceae	26657	<i>Panicum virgatum</i> L.	switchgrass	R	C	W	W	C	W	W	W
Poaceae	102367	<i>Pascopyrum smithii</i> (Rydb.) Barkworth & D. R. Dewey	wheatgrass, western	A, R	C	W	W	C	C	C	C
Poaceae	26823	<i>Paspalum boscianum</i> Flügge	paspalum, bull	W	W	W	W	W	W	W	W
Poaceae	26843	<i>Paspalum dilatatum</i> Poir.	dallisgrass	A	C	C	W	W	W	C	W
Poaceae	26845	<i>Paspalum distichum</i> L.	knotgrass	W	W	W	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Poaceae	26850	<i>Paspalum floridanum</i> Michx.	paspalum, Florida	R	W	W	W	C	W	W	W
Poaceae	26871	<i>Paspalum laeve</i> Michx.	paspalum, field	W	W	W	W	W	W	W	W
Poaceae	26880	<i>Paspalum malacophyllum</i> Trin.	paspalum, ribbed	W	W	W	W	W	W	W	W
Poaceae	26888	<i>Paspalum nicorae</i> Parodi	brunswickgrass	R	W	W	W	C	W	W	W
Poaceae	26889	<i>Paspalum notatum</i> Flügge	bahiagrass	A	C	C	C	C	C	C	C
Poaceae	26897	<i>Paspalum plicatulum</i> Michx.	paspalum, brown-seed	A	C	W	W	C	W	C	W
Poaceae	26917	<i>Paspalum scrobiculatum</i> L.	millet, kodo	W	W	W	W	W	W	W	W
Poaceae	26923	<i>Paspalum setaceum</i> Michx.	kodo; paspalum, thin	W	W	W	W	W	W	W	W
Poaceae	316770	<i>Paspalum setaceum</i> Michx. var. <i>stramineum</i> (Nash) D. J. Banks	paspalum, sand	W	W	W	W	W	W	W	W
Poaceae	300431	<i>Paspalum</i> spp.	paspalum	W	W	W	W	W	W	W	W
Poaceae	26932	<i>Paspalum urvillei</i> Steud.	vaseygrass	A	W	W	W	C	W	C	W
Poaceae	27510	<i>Phalaris angusta</i> Nees ex Trin.	canarygrass, timothy	W	W	W	W	W	W	W	W
Poaceae	27511	<i>Phalaris aquatica</i> L.	canarygrass, bulbous; hardinggrass	A	C	C	C	C	C	C	C
Poaceae	27512	<i>Phalaris arundinacea</i> L.	canarygrass, reed	A	C	C	C	C	C	C	C
Poaceae	27517	<i>Phalaris canariensis</i> L.	canarygrass	A	C	C	C	C	C	C	C
Poaceae	27518	<i>Phalaris caroliniana</i> Walter	canarygrass, Carolina	W	W	W	W	W	W	W	W
Poaceae	27523	<i>Phalaris minor</i> Retz.	canarygrass, littleseed	W	W	W	W	W	W	W	W
Poaceae	27526	<i>Phalaris paradoxa</i> L.	canarygrass, hood	W	W	W	W	W	W	W	W
Poaceae	300444	<i>Phalaris</i> spp.	canarygrass	A, R	C	W	W	C	W	C	W
Poaceae	28001	<i>Phleum alpinum</i> L.	cat's-tail, alpine	T	C	C	C	C	C	C	C
Poaceae	410207	<i>Phleum nodosum</i> L.	timothy, turf	T	C	C	C	C	C	C	C
Poaceae	28019	<i>Phleum pratense</i> L.	timothy	A	C	C	C	C	C	C	C
Poaceae	28091	<i>Phragmites australis</i> (Cav.) Trin. ex Steud.	reed, common	W	W	W	W	W	W	W	W
Poaceae	402291	<i>Piptatherum micranthum</i> (Trin. & Rupr.) Barkworth	ricegrass, little-seed	R, T	W	W	W	C	W	C	W
Poaceae	28864	<i>Pleuraphis jamesii</i> Torr.	galleta; galleta grass	R	W	W	W	C	W	W	W
Poaceae	28865	<i>Pleuraphis mutica</i> Buckley	tobosagrass	R	W	W	W	C	W	W	W
Poaceae	28866	<i>Pleuraphis rigida</i> Thurb.	galleta, big	R	W	W	W	C	W	W	W
Poaceae	28896	<i>Poa alpina</i> L.	bluegrass, alpine	R, T	C	W	W	C	W	C	W
Poaceae	28904	<i>Poa annua</i> L.	bluegrass, annual	T	W	W	W	W	W	W	W
Poaceae	28907	<i>Poa arachnifera</i> Torr.	bluegrass, Texas	A	W	W	W	W	W	C	W
Poaceae	28910	<i>Poa arida</i> Vasey	bluegrass, plains	W	W	W	W	W	W	W	W
Poaceae	28920	<i>Poa bulbosa</i> L.	bluegrass, bulbous	A	W	W	W	W	W	W	W
Poaceae	28934	<i>Poa compressa</i> L.	bluegrass, Canada	A, R	C	C	C	C	C	C	C
Poaceae	316122	<i>Poa cusickii</i> Vasey	bluegrass, cusick	A	W	W	W	C	W	C	W
Poaceae	103649	<i>Poa fendleriana</i> (Steud.) Vasey	muttongrass	A, R	W	W	W	C	W	C	W
Poaceae	28949	<i>Poa glauca</i> Vahl	bluegrass, glaucantha; bluegrass, tundra; bluegrass, upland	R, T	W	W	W	C	W	C	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Poaceae	28951	<i>Poa glaucifolia</i> Scribn. & T. A. Williams	bluegrass, Swallen	A	W	W	W	C	W	C	W
Poaceae	28958	<i>Poa interior</i> Rydb.	bluegrass, inland	A	W	W	W	W	W	C	W
Poaceae	28982	<i>Poa nemoralis</i> L.	bluegrass, wood	R	C	C	C	C	C	C	C
Poaceae	28984	<i>Poa nervosa</i> (Hook.) Vasey	bluegrass, Wheeler	R	W	W	W	C	W	W	W
Poaceae	28989	<i>Poa palustris</i> L.	bluegrass, fowl	R	W	W	W	C	W	W	W
Poaceae	28996	<i>Poa pratensis</i> L.	bluegrass, Kentucky	T	C	C	C	C	C	C	C
Poaceae	29004	<i>Poa secunda</i> J. Presl	bluegrass, alkali; bluegrass, big; bluegrass, Canby; bluegrass, Nevada; bluegrass, pine; bluegrass, Sandberg	R	W	W	W	C	W	W	W
Poaceae	300480	<i>Poa</i> spp.	bluegrass	A, R, T	W	W	W	C	W	C	W
Poaceae	29012	<i>Poa stenantha</i> Trin.	bluegrass, northern	A	W	W	W	W	W	C	W
Poaceae	29016	<i>Poa supina</i> Schrad.	bluegrass, supina	R	W	W	W	C	W	W	W
Poaceae	29023	<i>Poa trivialis</i> L.	bluegrass, rough	A, T	C	C	C	C	C	C	C
Poaceae	29317	<i>Polypogon monspeliensis</i> (L.) Desf.	rabbitfootgrass	R	W	W	W	W	W	W	W
Poaceae	70517	<i>Psathyrostachys juncea</i> (Fisch.) Nevski	wildrye, Russian	R	W	W	W	C	W	C	W
Poaceae	313402	<i>Pseudoroegneria spicata</i> (Pursh) Å. Löve	wheatgrass, beardless; wheatgrass, bluebunch	A, R	C	W	W	C	W	C	W
Poaceae	30339	<i>Puccinellia distans</i> (Jacq.) Parl.	alkaligrass, weeping	R	W	W	W	C	W	C	W
Poaceae	316803	<i>Puccinellia lemmonii</i> (Vasey) Scribn.	alkaligrass, Lemmons	R	W	W	W	C	W	W	W
Poaceae	103547	<i>Puccinellia nuttalliana</i> (Schult.) Hitchc.	alkaligrass, Nuttall	R	W	W	W	C	W	W	W
Poaceae	300495	<i>Puccinellia</i> spp.	alkaligrass	R	W	W	W	C	W	W	W
Poaceae	310370	<i>Rottboellia cochinchinensis</i> (Lour.) Clayton	itchgrass; raoulgrass	W	W	W	W	W	W	W	W
Poaceae	412781	<i>Rytidosperma nudum</i> (Hook. f.) Connor & Edgar		W	W	W	W	W	W	W	W
Poaceae	412792	<i>Rytidosperma semiannulare</i> (Labill.) Connor & Edgar	danthonia, Australian; wallabygrass	W	W	W	W	W	W	W	W
Poaceae	32625	<i>Saccharum spontaneum</i> L.	sugarcane, wild	W	W	W	W	W	W	W	W
Poaceae	70635	<i>Schedonnardus paniculatus</i> (Nutt.) Trel.	tumblegrass	W	W	W	W	W	W	W	W
Poaceae	70689	<i>Schismus barbatus</i> (L.) Thell.	grass, Mediterranean	R	W	W	W	C	W	W	W
Poaceae	70698	<i>Schizachyrium scoparium</i> (Michx.) Nash	bluestem, little	A, R	C	W	W	C	W	W	W
Poaceae	33443	<i>Secale cereale</i> L. subsp. <i>cereale</i>	rye	A	C	C	C	C	C	C	C
Poaceae	317594	<i>Secale strictum</i> (C. Presl) C. Presl subsp. <i>strictum</i>	rye, mountain	A	C	W	W	C	W	C	W
Poaceae	103650	<i>Setaria faberi</i> R. A. W. Herrm.	foxtail, giant	W	W	W	W	W	W	W	W
Poaceae	33812	<i>Setaria grisebachii</i> E. Fourn.	bristlegrass, Grisebach	W	W	W	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Poaceae	430572	<i>Setaria italica</i> (L.) P. Beauv. subsp. <i>italica</i>	millet, foxtail; millet, Italian	A	C	C	C	C	C	C	C
Poaceae	320129	<i>Setaria leucopila</i> (Scribn. & Merr.) K. Schum.	bristlegrass, plains	A, T	W	W	W	C	W	C	W
Poaceae	33826	<i>Setaria magna</i> Griseb.	bristlegrass, giant	A, T	C	W	W	W	W	C	W
Poaceae	317164	<i>Setaria parviflora</i> (Poir.) Kerguelen	bristlegrass, knotroot	W	W	W	W	W	W	W	W
Poaceae	418246	<i>Setaria pumila</i> (Poir.) Roem. & Schult. subsp. <i>pumila</i>	bristlegrass, yellow; foxtail, yellow	W	W	W	W	W	W	W	W
Poaceae	468264	<i>Setaria pumila</i> (Poir.) Roem. & Schult. subsp. <i>subtesselata</i> (Büse) B. K. Simon	cattailgrass	W	W	W	W	W	W	W	W
Poaceae	33852	<i>Setaria verticillata</i> (L.) P. Beauv.	bristlegrass, bur	W	W	W	W	W	W	W	W
Poaceae	33853	<i>Setaria viridis</i> (L.) P. Beauv.	foxtail, green	W	W	W	W	W	W	W	W
Poaceae	33854	<i>Setaria vulpiseta</i> (Lam.) Roem. & Schult.	bristlegrass, plains	R	W	W	W	C	W	W	W
Poaceae	35081	<i>Sorghastrum elliottii</i> (C. Mohr) Nash	indiangrass, slender	R	W	W	W	C	W	W	W
Poaceae	35084	<i>Sorghastrum nutans</i> (L.) Nash	indiangrass, yellow	R	W	W	W	C	W	W	W
Poaceae	300575	<i>Sorghastrum</i> spp.	indiangrass	R	W	W	W	C	W	C	W
Poaceae	35129	<i>Sorghum xalmum</i> Parodi	Columbus grass; sorghum, alnum	A	W	W	W	W	W	W	W
Poaceae	410498	<i>Sorghum bicolor</i> (L.) Moench nothosubsp. <i>drummondii</i> (Steud.) de Wet ex Davidse	sorghum-sudangrass; sudangrass	A	C	C	C	C	C	C	C
Poaceae	454806	<i>Sorghum bicolor</i> (L.) Moench subsp. <i>bicolor</i>	broomcorn; milo; shattercane; sorghum	A	C	C	C	C	C	C	C
Poaceae	35119	<i>Sorghum halepense</i> (L.) Pers.	johnsongrass	A	W	W	W	W	W	W	W
Poaceae	300576	<i>Sorghum</i> hybr.	sorghgrass	A	W	W	W	W	W	W	W
Poaceae	103562	<i>Spartina alterniflora</i> Loisel.	cordgrass, smooth	W	W	W	W	W	W	W	W
Poaceae	416235	<i>Spartina anglica</i> C. E. Hubb.	cordgrass, common	W	W	W	W	W	W	W	w
Poaceae	416236	<i>Spartina densiflora</i> Brongn.	cordgrass, dense-flowered	W	W	W	W	W	W	W	W
Poaceae	70745	<i>Spartina patens</i> (Aiton) Muhl.	cordgrass, salt-meadow	W	W	W	W	W	W	W	W
Poaceae	70746	<i>Spartina pectinata</i> Link	cordgrass, prairie	R	W	W	W	C	W	W	W
Poaceae	300580	<i>Spartina</i> spp.	cordgrass	W	W	W	W	W	W	W	W
Poaceae	35344	<i>Sporobolus airoides</i> (Torr.) Torr.	sacaton, alkali	R	W	W	W	C	W	W	W
Poaceae	316843	<i>Sporobolus clandestinus</i> (Biehler) Hitchc.	dropseed, hidden; dropseed, rough	W	W	W	W	W	W	W	W
Poaceae	409825	<i>Sporobolus compositus</i> (Poir.) Merr.	dropseed, tall	R	W	W	W	C	W	W	W
Poaceae	35354	<i>Sporobolus contractus</i> Hitchc.	dropseed, spike	R	W	W	W	C	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Poaceae	35355	<i>Sporobolus cryptandrus</i> (Torr.) A. Gray	dropseed, sand	R	W	W	W	C	W	W	W
Poaceae	35362	<i>Sporobolus flexuosus</i> (Thurb. ex Vasey) Rydb.	dropseed, mesa	R	W	W	W	C	W	W	W
Poaceae	35363	<i>Sporobolus giganteus</i> Nash	dropseed, giant	R	W	W	W	C	W	W	W
Poaceae	35365	<i>Sporobolus heterolepis</i> (A. Gray) A. Gray	dropseed, prairie	R	W	W	W	C	W	W	W
Poaceae	461336	<i>Sporobolus junceus</i> (P. Beauv.) Kunth	dropseed, pineywood	R	W	W	W	C	W	W	W
Poaceae	103652	<i>Sporobolus neglectus</i> Nash	dropseed, annual; dropseed, puff	W	W	W	W	W	W	W	W
Poaceae	300584	<i>Sporobolus</i> spp.	dropseed	R	W	W	W	C	W	W	W
Poaceae	35394	<i>Sporobolus wrightii</i> Munro ex Scribn.	sacaton	R	W	W	W	C	W	W	W
Poaceae	433174	<i>Steinchisma hians</i> (Elliott) Nash	panicum, gaping	W	W	W	W	W	W	W	W
Poaceae	35523	<i>Stenotaphrum secundatum</i> (Walter) Kuntze	St. Augustinegrass	T	C	W	W	C	W	C	W
Poaceae	35687	<i>Stipa pennata</i> L.	feathergrass	F	W	C	W	W	W	W	W
Poaceae	300587	<i>Stipa</i> spp.	needlegrass	W	W	W	W	W	W	W	W
Poaceae	102801	<i>Taeniatherum caput-medusae</i> (L.) Nevski subsp. <i>asperum</i> (Simonk.) Melderis	medusahead; medusahead rye	W	W	W	W	W	W	W	W
Poaceae	317718	<i>Taeniatherum caput-medusae</i> (L.) Nevski subsp. <i>caput-medusae</i>	medusahead; medusahead rye	W	W	W	W	W	W	W	W
Poaceae	104131	<i>Themeda villosa</i> (Poir.) A. Camus	grass, lyon's	W	W	W	W	W	W	W	W
Poaceae	409629	<i>Thinopyrum intermedium</i> (Host) Barkworth & D. R. Dewey subsp. <i>barbulatum</i> (Schur) Barkworth & D. R. Dewey	wheatgrass, pubescent	A, R	C	C	C	C	C	C	C
Poaceae	454546	<i>Thinopyrum intermedium</i> (Host) Barkworth & D. R. Dewey subsp. <i>intermedium</i>	wheatgrass, intermediate	A, R	C	C	C	C	C	C	C
Poaceae	314153	<i>Thinopyrum ponticum</i> (Podp.) Barkworth & D. R. Dewey	wheatgrass, tall	A, R	C	C	C	C	C	C	C
Poaceae	36823	<i>Tragus racemosus</i> (L.) All.	burggrass, stalked	W	W	W	W	W	W	W	W
Poaceae	317116	<i>Trichloris</i> spp.	Rhodesgrass, false	W	W	W	W	W	W	W	W
Poaceae	40150	<i>Tridens flavus</i> (L.) Hitchc.	purpletop	W	W	W	W	W	W	W	W
Poaceae	317117	<i>Tridens</i> spp.	tridens	W	W	W	W	W	W	W	W
Poaceae	478322	<i>Tridentopsis mutica</i> (Torr.) P. M. Peterson var. <i>elongata</i> (Buckley) P. M. Peterson & Romasch.	tridens, rough	W	W	W	W	W	W	W	W
Poaceae	316927	<i>Triplasis purpurea</i> (Walter) Chapm.	sandgrass, purple	W	W	W	W	W	W	W	W
Poaceae	40489	<i>Tripsacum dactyloides</i> (L.) L.	gamagrass, eastern	A, R	C	W	W	C	W	W	W
Poaceae	40517	<i>Trisetum flavescens</i> (L.) P. Beauv.	oatgrass, yellow; trisetum, yellow	W	W	W	W	W	W	W	W
Poaceae	300639	<i>Trisetum</i> spp.	trisetum	W	W	W	W	W	W	W	W



Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Poaceae	40544	<i>Triticum aestivum</i> L. subsp. <i>aestivum</i>	wheat, common	A	C	C	C	C	C	C	C
Poaceae	406901	<i>Triticum aestivum</i> L. subsp. <i>compactum</i> (Host) Mackey	wheat, club	A	C	C	C	C	C	C	C
Poaceae	406903	<i>Triticum aestivum</i> L. subsp. <i>spelta</i> (L.) Thell.	spelt	A	C	C	C	C	C	C	C
Poaceae	300643	<i>Triticum</i> spp.	wheat	A	C	C	C	C	C	C	C
Poaceae	314587	<i>Triticum turgidum</i> L. subsp. <i>dicoccon</i> (Schrank) Thell.	emmer	A	C	C	C	C	C	C	C
Poaceae	406896	<i>Triticum turgidum</i> L. subsp. <i>durum</i> (Desf.) Husn.	wheat, durum	A	C	C	C	C	C	C	C
Poaceae	406898	<i>Triticum turgidum</i> L. subsp. <i>polonicum</i> (L.) Thell.	wheat, Polish	A	C	C	C	C	C	C	C
Poaceae	40635	<i>Triticum turgidum</i> L. subsp. <i>turgidum</i>	wheat, poulard	A	C	C	C	C	C	C	C
Poaceae	419492	<i>Urochloa fusca</i> (Sw.) B. F. Hansen & Wunderlin	panicum, browntop	W	W	W	W	W	W	W	W
Poaceae	401380	<i>Urochloa mutica</i> (Forssk.) T. Q. Nguyen	paragrass	W	W	W	W	W	W	W	W
Poaceae	40914	<i>Urochloa panicoides</i> P. Beauv.	grass, liverseed	W	W	W	W	W	W	W	W
Poaceae	401376	<i>Urochloa platyphylla</i> (Munro ex C. Wright) R. D. Webster	signalgrass, broadleaf	W	W	W	W	W	W	W	W
Poaceae	401370	<i>Urochloa ramosa</i> (L.) T. Q. Nguyen	millet, browntop	A	C	C	C	C	C	C	C
Poaceae	401372	<i>Urochloa texana</i> (Buckley) R. D. Webster	millet, Texas	W	W	W	W	W	W	W	W
Poaceae	316857	<i>Ventenata dubia</i> (Leers) Coss.	ventenata; ventgrass, soft	W	W	W	W	W	W	W	W
Poaceae	41932	<i>Vulpia bromoides</i> (L.) Gray	fescue, brome; fescue, squirreltail	W	W	W	W	W	W	W	W
Poaceae	316526	<i>Vulpia ellioetea</i> (Raf.) Fernald	fescue, squirrel	W	W	W	W	W	W	W	W
Poaceae	316863	<i>Vulpia microstachys</i> (Nutt.) Benth. var. <i>pauciflora</i> (Scribn. ex Beal) Lonard & Gould	fescue, Pacific; fescue, threeweeks	R	W	W	W	C	W	W	W
Poaceae	41939	<i>Vulpia myuros</i> (L.) C. C. Gmel.	fescue, rattail	R	W	W	W	W	W	W	W
Poaceae	41940	<i>Vulpia octoflora</i> (Walter) Rydb.	fescue, six-weeks	R	W	W	W	C	W	W	W
Poaceae	42207	<i>Zea mays</i> L.	corn (all subsp.)	A	C	C	C	C	C	C	C
Poaceae	42267	<i>Zizania aquatica</i> L.	wildrice, annual; wildrice, eastern	A, V	C	C	C	C	C	C	C
Poaceae	42306	<i>Zoysia japonica</i> Steud.	lawngrass, Japanese; zoysia	T	C	W	W	C	W	C	W
Poaceae	42307	<i>Zoysia matrella</i> (L.) Merr.	manilagrass; carpetgrass, Japanese	T	C	W	W	C	W	C	W
Poaceae	42309	<i>Zoysia tenuifolia</i> Willd. ex Thiele	mascarenegrass	W	W	W	W	W	W	W	W
Polemoniaceae	316630	<i>Collomia grandiflora</i> Douglas ex Lindl.	gilia, big-flower; collomia, grand	F, R	W	C	W	C	W	W	W
Polemoniaceae	316631	<i>Collomia linearis</i> Nutt.	mountaintrumpet, narrowleaf	W	W	W	W	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Polemoniaceae	17532	<i>Gilia capitata</i> Sims	gilia, globe	F	W	C	W	W	W	W	W
Polemoniaceae	316699	<i>Gilia leptantha</i> Parish subsp. <i>purpusii</i> (Milliken) A. D. Grant & V. E. Grant	gilia, blue	F, R	W	C	W	C	W	W	W
Polemoniaceae	318335	<i>Gilia</i> spp.	gilia	F, R	W	C	W	C	W	W	W
Polemoniaceae	316700	<i>Gilia tricolor</i> Benth.	bird's-eyes; gilia	F, R	W	C	W	C	W	W	W
Polemoniaceae	316898	<i>Ipomopsis aggregata</i> (Pursh) V. E. Grant	gilia, scarlet	F, R	W	C	W	C	W	W	W
Polemoniaceae	316899	<i>Ipomopsis rubra</i> (L.) Wherry	bird's-eye; standing-cypress	F, R	W	C	W	C	W	W	W
Polemoniaceae	459779	<i>Linanthus aureus</i> (Nutt.) Greene var. <i>aureus</i>	linanthus, golden	F, R	W	C	W	C	W	W	W
Polemoniaceae	459771	<i>Linanthus grandiflorus</i> (Benth.) Greene	phlox, mountain; linanthus, largeflower	F, R	W	C	W	C	W	W	W
Polemoniaceae	24276	<i>Microsteris gracilis</i> (Hook.) Greene	gilia	W	W	W	W	W	W	W	W
Polemoniaceae	316908	<i>Navarretia intertexta</i> (Benth.) Hook.	navarretia, needleleaved	W	W	W	W	W	W	W	W
Polemoniaceae	316909	<i>Navarretia squarrosa</i> (Eschsch.) Hook. & Arn.	skunkweed	W	W	W	W	W	W	W	W
Polemoniaceae	28035	<i>Phlox drummondii</i> Hook.	phlox, Drummond	F, R	W	C	W	C	W	W	W
Polemoniaceae	300456	<i>Phlox</i> spp.	phlox	F	W	C	W	W	W	W	W
Polemoniaceae	316790	<i>Polemonium micranthum</i> Benth.	polemonium, annual	W	W	W	W	W	W	W	W
Polemoniaceae	317091	<i>Polemonium</i> spp.	Jacob's-ladder; polemonium	F	W	C	W	W	W	W	W
Polemoniaceae [Cobaeaceae]	10972	<i>Cobaea scandens</i> Cav.	cathedral bells; ivy, Mexican	F	W	C	W	W	W	W	W
Polygalaceae	317092	<i>Polygala</i> spp.	milkwort	W	W	W	W	W	W	W	W
Polygonaceae	316668	<i>Eriogonum corymbosum</i> Benth.	buckwheat, corymb; umbrella plant, corymb	F, R, S	W	C	W	C	C	W	W
Polygonaceae	301042	<i>Eriogonum fasciculatum</i> Benth.	buckwheat, flat-top; buckwheat, Eastern Mojave	F, R, S	W	C	W	C	C	W	W
Polygonaceae	459709	<i>Eriogonum flavum</i> Nutt.	buckwheat, golden; buckwheat, Alpine golden	F, R, S	W	C	W	C	C	W	W
Polygonaceae	448154	<i>Eriogonum heracleoides</i> Nutt.	buckwheat, Wyeth; buckwheat, parsnipflower	F, R, S	W	C	W	C	C	W	W
Polygonaceae	452148	<i>Eriogonum nidularium</i> Coville	buckwheat, bird-nest	R	W	W	W	C	W	W	W
Polygonaceae	448662	<i>Eriogonum nudum</i> Douglas ex Benth. var. <i>nudum</i>	buckwheat, naked stem	R, S	W	W	W	C	C	W	W
Polygonaceae	310942	<i>Eriogonum</i> spp.	buckwheat; umbrella plant	F, R, S	W	C	W	C	C	W	W
Polygonaceae	70267	<i>Eriogonum umbellatum</i> Torr.	buckwheat, sulfur; sulfur flower	F, R, S	W	C	W	C	C	W	W
Polygonaceae	16528	<i>Fagopyrum esculentum</i> Moench	buckwheat	A	C	C	C	C	C	C	C
Polygonaceae	16531	<i>Fagopyrum tataricum</i> (L.) Gaertn.	buckwheat, Tartary; duckwheat	W	W	W	W	W	W	W	W
Polygonaceae	404599	<i>Fallopia convolvulus</i> (L.) Á. Löve	bindweed, black; buckwheat, wild	W	W	W	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Polygonaceae	416901	<i>Fallopia scandens</i> (L.) Holub	buckwheat, climbing false	W	W	W	W	W	W	W	W
Polygonaceae	476847	<i>Koenigia polystachya</i> (Wall. ex Meisn.) T. M. Schust. & Reveal	knotweed, Himalayan	W	W	W	W	W	W	W	W
Polygonaceae	409764	<i>Persicaria amphibia</i> (L.) Delarbre	kelp; smartweed, water	W	W	W	W	W	W	W	W
Polygonaceae	448806	<i>Persicaria bungeana</i> (Turcz.) Nakai	smartweed, prickly	W	W	W	W	W	W	W	W
Polygonaceae	416900	<i>Persicaria capitata</i> (Buch.-Ham. ex D. Don) H. Gross	knotweed, creeping; fleece flower	F	W	C	W	W	W	W	W
Polygonaceae	400981	<i>Persicaria hydropiper</i> (L.) Delarbre	smartweed, common water	W	W	W	W	W	W	W	W
Polygonaceae	409765	<i>Persicaria lapathifolia</i> (L.) Delarbre	smartweed, pale	H, R	W	W	W	W	W	W	W
Polygonaceae	409768	<i>Persicaria maculosa</i> Gray	ladysthumb	W	W	W	W	W	W	W	W
Polygonaceae	409773	<i>Persicaria pensylvanica</i> (L.) M. Gómez	smartweed, Pennsylvania	W	W	W	W	W	W	W	W
Polygonaceae	409767	<i>Persicaria perfoliata</i> (L.) H. Gross	mile-a-minute	W	W	W	W	W	W	W	W
Polygonaceae	409774	<i>Persicaria punctata</i> (Elliott) Small	smartweed, dotted	R	W	W	W	W	W	W	W
Polygonaceae	448734	<i>Persicaria sagittata</i> (L.) H. Gross	tearthumb, arrow-leaved	W	W	W	W	W	W	W	W
Polygonaceae	316792	<i>Polygonum argyrocoleon</i> Steud. ex Kunze	knotweed, silversheath	W	W	W	W	W	W	W	W
Polygonaceae	29238	<i>Polygonum aviculare</i> L.	knotweed, prostrate	W	W	W	W	W	W	W	W
Polygonaceae	316971	<i>Polygonum polygaloides</i> Meisn. subsp. <i>kelloggii</i> (Greene) J. C. Hickman	knotweed, Kellogg	W	W	W	W	W	W	W	W
Polygonaceae	316798	<i>Polygonum ramosissimum</i> Michx.	knotweed, bushy	W	W	W	W	W	W	W	W
Polygonaceae	300483	<i>Polygonum</i> spp.	knotweed; smartweed	W	W	W	W	W	W	W	W
Polygonaceae	400616	<i>Reynoutria japonica</i> Houtt.	knotweed, Japanese	W	W	W	W	W	W	W	W
Polygonaceae	409769	<i>Reynoutria sachalinensis</i> (F. Schmidt) Nakai	knotweed, giant; knotweed, Sakhalin	W	W	W	W	W	W	W	W
Polygonaceae	404883	<i>Rheum xrhobarbarum</i> L.	rhubarb	V	W	W	W	W	W	W	C
Polygonaceae	32518	<i>Rumex acetosa</i> L.	sorrel; sorrel, garden	V	W	W	W	W	W	W	W
Polygonaceae	32519	<i>Rumex acetosella</i> L.	sorrel, red; sorrel, sheep	W	W	W	W	W	W	W	W
Polygonaceae	32521	<i>Rumex altissimus</i> Alph. Wood	dock, pale; dock, smooth; dock, tall	W	W	W	W	W	W	W	W
Polygonaceae	32528	<i>Rumex conglomeratus</i> Murray	dock, cluster; dock, green	W	W	W	W	W	W	W	W
Polygonaceae	32530	<i>Rumex crispus</i> L.	dock, curly; dock, sour	W	W	W	W	W	W	W	W
Polygonaceae	316810	<i>Rumex hastatulus</i> Baldwin	sorrel, heartwing	W	W	W	W	W	W	W	W
Polygonaceae	476848	<i>Rumex hypogaeus</i> T. M. Schust. & Reveal	emex; Jack, three-cornered	W	W	W	W	W	W	W	W
Polygonaceae	316811	<i>Rumex maritimus</i> L. var. <i>persicarioides</i> (L.) R. S. Mitch.	dock, golden	W	W	W	W	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Polygonaceae	32539	<i>Rumex mexicanus</i> Meisn.	dock, Mexican	W	W	W	W	W	W	W	W
Polygonaceae	32541	<i>Rumex obtusifolius</i> L.	dock, bitter; dock, broadleaf	W	W	W	W	W	W	W	W
Polygonaceae	316812	<i>Rumex occidentalis</i> S. Watson	dock, western	W	W	W	W	W	W	W	W
Polygonaceae	32544	<i>Rumex patientia</i> L.	dock, patience	W	W	W	W	W	W	W	W
Polygonaceae	32545	<i>Rumex pulcher</i> L.	dock, fiddleleaf	W	W	W	W	W	W	W	W
Polygonaceae	32548	<i>Rumex salicifolius</i> Weinm.	dock, willowleaf	H, R	W	W	W	W	W	W	W
Polygonaceae	447547	<i>Rumex spinosus</i> L.	emex, spiny	W	W	W	W	W	W	W	W
Polygonaceae	311838	<i>Rumex</i> spp.	dock; sorrel	W	W	W	W	W	W	W	W
Polygonaceae	316813	<i>Rumex stenophyllus</i> Ledeb.	dock, narrowleaf	W	W	W	W	W	W	W	W
Polygonaceae	315692	<i>Rumex venosus</i> Pursh	begonia, wild; dock, veiny; dock, winged	W	W	W	W	W	W	W	W
Pontederiaceae	316411	<i>Eichhornia azurea</i> (Sw.) Kunth	water-hyacinth; water-hyacinth, anchored	W	W	W	W	W	W	W	W
Pontederiaceae	318848	<i>Eichhornia crassipes</i> (Mart.) Solms	water hyacinth, floating	W	W	W	W	W	W	W	W
Pontederiaceae	316384	<i>Monochoria hastata</i> (L.) Solms	hastate-leaf-pondweed; monochoria, arrow-leaf; monochoria	W	W	W	W	W	W	W	W
Pontederiaceae	316385	<i>Monochoria vaginalis</i> (Burm. f.) C. Presl ex Kunth	pickerel-weed; monochoria, oval-leaf; oval-leaf-pondweed	W	W	W	W	W	W	W	W
Portulacaceae	29451	<i>Portulaca grandiflora</i> Hook.	moss-rose; portulaca; purslane, large	F	W	C	W	W	W	W	W
Portulacaceae	29453	<i>Portulaca oleracea</i> L.	purslane, common	W	W	W	W	W	W	W	W
Potamogetonaceae	400123	<i>Potamogeton crispus</i> L.	pondweed, curly leaf	W	W	W	W	W	W	W	W
Primulaceae	29671	<i>Primula xpolyantha</i> Mill.	polyanthus	F	W	C	W	W	W	W	W
Primulaceae	29592	<i>Primula auricula</i> L.	auricula	F	W	C	W	W	W	W	W
Primulaceae	317093	<i>Primula</i> spp.	primrose	F	W	C	W	W	W	W	W
Primulaceae [Myrsinaceae]	316552	<i>Anagallis arvensis</i> L.	pimpernel, scarlet; anagallis	F, R	W	C	W	C	W	W	W
Primulaceae [Myrsinaceae]	3066	<i>Anagallis arvensis</i> L. var. <i>caerulea</i> (L.) Gouan	weatherglass	F	W	C	W	W	W	W	W
Primulaceae [Myrsinaceae]	316934	<i>Anagallis monelli</i> L.	anagallis; pimpernel, smooth	F	W	C	W	W	W	W	W
Primulaceae [Myrsinaceae]	403463	<i>Ardisia elliptica</i> Thunb.	ardisia, shoebutton	W	W	W	W	W	W	W	W
Primulaceae [Myrsinaceae]	12730	<i>Cyclamen africanum</i> Boiss. & Reut.	cyclamen	F	W	C	W	W	W	W	W
Primulaceae [Myrsinaceae]	316741	<i>Lysimachia nummularia</i> L.	moneywort	F	W	C	W	W	W	W	W
Primulaceae [Myrsinaceae]	317073	<i>Lysimachia</i> spp.	loosestrife	W	W	W	W	W	W	W	W
Proteaceae	17976	<i>Grevillea banksii</i> R. Br.	kahiliflower	W	W	W	W	W	W	W	W
Proteaceae	18006	<i>Grevillea robusta</i> A. Cunn. ex R. Br.	silky-oak	S	W	W	W	W	C	W	W
Ranunculaceae	316533	<i>Aconitum delphinifolium</i> DC.	monkshood; wolfsbane	F	W	C	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Ranunculaceae	1347	<i>Aconitum napellus</i> L.	aconite; monkshood, garden	F	W	C	C	W	W	W	W
Ranunculaceae	315598	<i>Anemone canadensis</i> L.	anemone, meadow; windflower	F	W	C	W	W	W	W	W
Ranunculaceae	3379	<i>Anemone cylindrica</i> A. Gray	anemone, candle	F, R	W	C	W	C	W	W	W
Ranunculaceae	318689	<i>Anemone patens</i> L.	pasqueflower, eastern	F, R	W	C	W	C	W	W	W
Ranunculaceae	100742	<i>Anemone pulsatilla</i> L.	anemone; pasqueflower, European	F, R	W	C	W	C	W	W	W
Ranunculaceae	3730	<i>Aquilegia alpina</i> L.	columbine, alpine	F, R	W	C	W	C	W	W	W
Ranunculaceae	3738	<i>Aquilegia canadensis</i> L.	columbine, dwarf	F, R	W	C	W	C	W	W	W
Ranunculaceae	3741	<i>Aquilegia chrysantha</i> A. Gray	columbine, golden	F, R	W	C	W	C	W	W	W
Ranunculaceae	3737	<i>Aquilegia coerulea</i> E. James	columbine, Colorado blue	F, R	W	C	W	C	W	W	W
Ranunculaceae	316556	<i>Aquilegia flavescens</i> S. Watson	columbine, yellow	F, R	W	C	W	C	W	W	W
Ranunculaceae	3747	<i>Aquilegia formosa</i> Fisch. ex DC.	columbine, western red	F	W	C	W	W	W	W	W
Ranunculaceae	316557	<i>Aquilegia longissima</i> A. Gray ex S. Watson	columbine, longspur	F, R	W	C	W	C	W	W	W
Ranunculaceae	300037	<i>Aquilegia</i> spp.	columbine	F, R	W	C	W	C	W	W	W
Ranunculaceae	3767	<i>Aquilegia vulgaris</i> L.	columbine, European	F, R	W	C	W	C	W	W	W
Ranunculaceae	98	<i>Clematis orientalis</i> L.	clematis, Chinese	W	W	W	W	W	W	W	W
Ranunculaceae	105348	<i>Consolida ajacis</i> (L.) Schur	delphinium, ajacis; larkspur, annual; larkspur, rocket	F, R	W	C	W	C	W	W	W
Ranunculaceae	70198	<i>Consolida regalis</i> Gray	larkspur, field	F	W	C	W	W	W	W	W
Ranunculaceae	13456	<i>Delphinium occidentale</i> (S. Watson) S. Watson	larkspur, western; larkspur, duncecap	F, R	W	C	W	C	W	W	W
Ranunculaceae	13410	<i>Delphinium bicolor</i> Nutt.	larkspur, low	F	W	C	W	W	W	W	W
Ranunculaceae	316645	<i>Delphinium californicum</i> Torr. & A. Gray	larkspur, coast	F	W	C	W	W	W	W	W
Ranunculaceae	13417	<i>Delphinium cardinale</i> Hook.	delphinium, perennial; larkspur, cardinal; larkspur, scarlet	F	W	C	W	W	W	W	W
Ranunculaceae	13436	<i>Delphinium elatum</i> L.	larkspur, Pacific giant	F	W	C	W	W	W	W	W
Ranunculaceae	316646	<i>Delphinium glaucum</i> S. Watson	larkspur, tall	F, R	W	C	W	C	W	W	W
Ranunculaceae	13453	<i>Delphinium menziesii</i> DC.	larkspur, Menzies	F	W	C	W	W	W	W	W
Ranunculaceae	300175	<i>Delphinium</i> spp.	larkspur	F	W	C	W	W	W	W	W
Ranunculaceae	25336	<i>Nigella damascena</i> L.	love-in-a-mist; nigella	F	W	C	W	W	W	W	W
Ranunculaceae	25337	<i>Nigella sativa</i> L.	fennel-flower, garden	W	W	W	W	W	W	W	W
Ranunculaceae	317080	<i>Nigella</i> spp.	fennel-flower	F	W	C	W	W	W	W	W
Ranunculaceae	105370	<i>Ranunculus abortivus</i> L.	buttercup, small-flower; crowfoot, small-flower	W	W	W	W	W	W	W	W
Ranunculaceae	30810	<i>Ranunculus acris</i> L.	buttercup, tall	F	W	W	W	W	W	W	W
Ranunculaceae	30813	<i>Ranunculus arvensis</i> L.	buttercup, corn	W	W	W	W	W	W	W	W
Ranunculaceae	30817	<i>Ranunculus bulbosus</i> L.	buttercup, bulbous	F	W	W	W	W	W	W	W
Ranunculaceae	30835	<i>Ranunculus muricatus</i> L.	buttercup	W	W	W	W	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Ranunculaceae	457485	<i>Ranunculus occidentalis</i> Nutt.	buttercup, western	F, R	W	C	W	C	W	W	W
Ranunculaceae	30838	<i>Ranunculus parviflorus</i> L.	buttercup, sticktight	W	W	W	W	W	W	W	W
Ranunculaceae	30841	<i>Ranunculus repens</i> L.	buttercup, creeping	F	W	W	W	W	W	W	W
Ranunculaceae	30844	<i>Ranunculus sceleratus</i> L.	buttercup, blister	W	W	W	W	W	W	W	W
Ranunculaceae	317095	<i>Ranunculus</i> spp.	buttercup; ranunculus	F	W	W	W	W	W	W	W
Ranunculaceae	36428	<i>Thalictrum dasycarpum</i> Fisch. & Avé-Lall.	meadow-rue, purple	F, R	W	C	W	C	W	W	W
Ranunculaceae	36433	<i>Thalictrum fendleri</i> Engelm. ex A. Gray	meadow-rue, Fendler's	R	W	W	W	C	W	W	W
Ranunculaceae	311840	<i>Thalictrum</i> spp.	meadow rue	F, R	W	C	W	C	W	W	W
Resedaceae	70545	<i>Reseda lutea</i> L.	rocket, base; mignonette, yellow	W	W	W	W	W	W	W	W
Resedaceae	30928	<i>Reseda odorata</i> L.	mignonette, common	F	W	C	W	W	W	W	W
Resedaceae	313199	<i>Reseda</i> spp.	mignonette	W	W	W	W	W	W	W	W
Rhamnaceae	417591	<i>Ceanothus cordulatus</i> Kellogg	whitethorn	R, S	W	W	W	C	C	W	W
Rhamnaceae	9648	<i>Ceanothus cuneatus</i> (Hook.) Nutt.	buckbrush	R, S	W	W	W	C	C	W	W
Rhamnaceae	9653	<i>Ceanothus fendleri</i> A. Gray	ceanothus, Fendler	S	W	W	W	W	C	W	W
Rhamnaceae	315998	<i>Ceanothus integerrimus</i> Hook. & Arn.	deerbrush	R, S	W	W	W	C	C	W	W
Rhamnaceae	9664	<i>Ceanothus prostratus</i> Benth.	carpet, squaw	R, S	W	W	W	C	C	W	W
Rhamnaceae	105420	<i>Ceanothus sanguineus</i> Pursh	ceanothus, redstem	R, S	W	W	W	C	C	W	W
Rhamnaceae	313601	<i>Ceanothus velutinus</i> Douglas	snowbrush	R, S	W	W	W	C	C	W	W
Rhamnaceae	403169	<i>Frangula purshiana</i> (DC.) A. Gray	buckthorn, cascara	S	W	W	W	W	C	W	W
Rosaceae	316529	<i>Acaena anserinifolia</i> (J. R. Forst. & G. Forst.) Druce	biddy-biddy; piripiri	R, S	W	W	W	W	W	W	W
Rosaceae	316530	<i>Acaena novae-zelandiae</i> Kirk	biddy-biddy	W	W	W	W	W	W	W	W
Rosaceae	316531	<i>Acaena pallida</i> (Kirk) Allan	biddy-biddy	W	W	W	W	W	W	W	W
Rosaceae	417462	<i>Adenostoma fasciculatum</i> Hook. & Arn.	chamise	R, S	W	W	W	C	C	W	W
Rosaceae	404467	<i>Alchemilla arvensis</i> (L.) Scop.	lady'smantle, western	W	W	W	W	W	W	W	W
Rosaceae	2870	<i>Amelanchier alnifolia</i> (Nutt.) Nutt. ex M. Roem.	serviceberry, Saskatoon	R, S	W	W	W	C	C	W	W
Rosaceae	313668	<i>Amelanchier</i> spp.	serviceberry	R, S	W	W	W	C	C	W	W
Rosaceae	2881	<i>Amelanchier utahensis</i> Koehne	serviceberry, Utah	R, S	W	W	W	C	C	W	W
Rosaceae	401020	<i>Cercocarpus betuloides</i> Nutt. var. <i>betuloides</i>	mountain-mahogany, birchleaf	R, S	W	W	W	C	C	W	W
Rosaceae	9950	<i>Cercocarpus ledifolius</i> Nutt. ex Torr. & A. Gray	mountain-mahogany, curlleaf	R, S	W	W	W	C	C	W	W
Rosaceae	318365	<i>Cercocarpus montanus</i> Raf. var. <i>montanus</i>	mountain-mahogany, true	R, S	W	W	W	C	C	W	W
Rosaceae	317036	<i>Cercocarpus</i> spp.	mountain-mahogany	S	W	W	W	C	C	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Rosaceae	10060	<i>Chamaebatiaria millefolium</i> (Torr.) Maxim.	fernbush	R, S	W	W	W	C	C	W	W
Rosaceae	417495	<i>Coleogyne ramosissima</i> Torr.	blackbrush	R, S	W	W	W	C	C	W	W
Rosaceae	456567	<i>Cotoneaster acutifolius</i> Turcz. var. <i>lucidus</i> (Schltld.) L. T. Lu	cotoneaster, hedge	R, S	W	W	W	C	C	W	W
Rosaceae	12096	<i>Crataegus douglasii</i> Lindl.	hawthorn, black	S	W	W	W	W	C	W	W
Rosaceae	12121	<i>Crataegus mollis</i> (Torr. & A. Gray) Scheele	hawthorn, downy	S	W	W	W	W	C	W	W
Rosaceae	300154	<i>Crataegus</i> spp.	hawthorn	S	W	W	W	W	C	W	W
Rosaceae	413500	<i>Dasiphora fruticosa</i> (L.) Rydb.	cinquefoil, shrubby; golden-hardhack	F, R, S	W	C	W	C	C	W	W
Rosaceae	14708	<i>Dryas octopetala</i> L.	avens, mountain	F	W	C	W	W	W	W	W
Rosaceae	456624	<i>Drymocallis arguta</i> (Pursh) Rydb.	cinquefoil, tall	R, S	W	W	W	C	C	W	W
Rosaceae	456629	<i>Drymocallis glandulosa</i> (Lindl.) Rydb.	potentilla	F	W	C	W	W	W	W	W
Rosaceae	16562	<i>Fallugia paradoxa</i> (D. Don) Endl. ex Torr.	Apache-plume	R, S	W	W	W	C	C	W	W
Rosaceae	300221	<i>Fragaria</i> spp.	strawberry	V	W	W	W	W	W	W	C
Rosaceae	17514	<i>Geum aleppicum</i> Jacq.	avens, Aleppo	W	W	W	W	W	W	W	W
Rosaceae	316698	<i>Geum canadense</i> Jacq.	avens, white	W	W	W	W	W	W	W	W
Rosaceae	431618	<i>Geum macrophyllum</i> Willd.	avens, large leaf	R	W	W	W	C	W	W	W
Rosaceae	317054	<i>Geum</i> spp.	avens; geum	W	W	W	W	W	W	W	W
Rosaceae	17517	<i>Geum triflorum</i> Pursh	old-man's-whiskers	R	W	W	W	C	W	W	W
Rosaceae	19235	<i>Holodiscus discolor</i> (Pursh) Maxim.	ocean-spray	R, S	W	W	W	C	C	W	W
Rosaceae	452684	<i>Horkelia cuneata</i> Lindl.	horkelia, Kellogg's	R	W	W	W	C	W	W	W
Rosaceae	456827	<i>Ivesia gordonii</i> (Hook.) A. Gray	ivesia, Gordon's; ivesia, alpine	F, R, S	W	C	W	C	C	W	W
Rosaceae	104681	<i>Malus domestica</i> Borkh.	apple	S	W	W	W	W	C	W	W
Rosaceae	300350	<i>Malus</i> spp.	apple; crabapple	S	W	W	W	W	C	W	W
Rosaceae	23279	<i>Malus sylvestris</i> (L.) Mill.	apple; crabapple	S	W	W	W	W	C	W	W
Rosaceae	27352	<i>Peraphyllum ramosissimum</i> Nutt.	squawapple	R, S	W	W	W	C	C	W	W
Rosaceae	314439	<i>Physocarpus capitatus</i> (Pursh) Kuntze	ninebark, Pacific	S	W	W	W	W	C	W	W
Rosaceae	29466	<i>Potentilla argentea</i> L.	cinquefoil, silvery	W	W	W	W	W	W	W	W
Rosaceae	29471	<i>Potentilla biennis</i> Greene	cinquefoil, biennial	W	W	W	W	W	W	W	W
Rosaceae	104786	<i>Potentilla canadensis</i> L.	cinquefoil, oldfield	W	W	W	W	W	W	W	W
Rosaceae	405359	<i>Potentilla diversifolia</i> Lehm.	cinquefoil, wedgeleaf	R	W	W	W	C	W	W	W
Rosaceae	313631	<i>Potentilla gracilis</i> Douglas ex Hook.	cinquefoil, slender	R	W	W	W	C	W	W	W
Rosaceae	29510	<i>Potentilla norvegica</i> L.	cinquefoil, rough; strawberryweed	W	W	W	W	W	W	W	W
Rosaceae	29517	<i>Potentilla recta</i> L.	cinquefoil, rough-fruited	W	W	W	W	W	W	W	W
Rosaceae	N/A	<i>Potentilla recta</i> L. 'Warrenii'	cinquefoil, sulphur	W	W	W	W	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Rosaceae	313630	<i>Potentilla</i> spp.	cinquefoil	R	W	W	W	C	W	W	W
Rosaceae	104790	<i>Potentilla tridentata</i> Aiton	cinquefoil, three-toothed	W	W	W	W	W	W	W	W
Rosaceae	29835	<i>Prunus andersonii</i> A. Gray	peach, desert; plum cherry	R, S	W	W	W	C	C	W	W
Rosaceae	29841	<i>Prunus armeniaca</i> L.	apricot	S	W	W	W	W	C	W	W
Rosaceae	29844	<i>Prunus avium</i> (L.) L.	cherry, sweet	S	W	W	W	W	C	W	W
Rosaceae	29860	<i>Prunus cerasifera</i> Ehrh.	plum, myrobalan	S	W	W	W	W	W	C	W
Rosaceae	29888	<i>Prunus domestica</i> L.	plum; prune	S	W	W	W	W	C	W	W
Rosaceae	29893	<i>Prunus emarginata</i> (Douglas) Eaton	cherry, bitter	A, R, S	W	W	W	C	C	W	W
Rosaceae	29895	<i>Prunus fasciculata</i> (Torr.) A. Gray	almond, desert	R, S	W	W	W	C	C	W	W
Rosaceae	30034	<i>Prunus mahaleb</i> L.	cherry, mahaleb	S	W	W	W	W	C	W	W
Rosaceae	30064	<i>Prunus pensylvanica</i> L. f.	cherry, pin	S	W	W	W	W	C	W	W
Rosaceae	30065	<i>Prunus persica</i> (L.) Batsch	peach	S	W	W	W	W	C	W	W
Rosaceae	30083	<i>Prunus pumila</i> L.	cherry, sand	R, S	W	W	W	C	C	W	W
Rosaceae	30099	<i>Prunus serotina</i> Ehrh.	cherry, black	S	W	W	W	W	C	W	W
Rosaceae	30151	<i>Prunus virginiana</i> L.	chokecherry	R, S	W	W	W	C	C	W	W
Rosaceae	30152	<i>Prunus virginiana</i> L. var. <i>demissa</i> (Nutt.) Torr.	chokecherry, black	R, S	W	W	W	C	C	W	W
Rosaceae	316804	<i>Purshia glandulosa</i> Curran	bitterbrush, desert	R, S	W	W	W	C	C	W	W
Rosaceae	318363	<i>Purshia mexicana</i> (D. Don) S. L. Welsh var. <i>mexicana</i>	cliff-rose; quininebush	R, S	W	W	W	C	C	W	W
Rosaceae	318364	<i>Purshia mexicana</i> (D. Don) S. L. Welsh var. <i>stansburyana</i> (Torr.) S. L. Welsh	cliff-rose, Stansbury	R, S	W	W	W	C	C	W	W
Rosaceae	30375	<i>Purshia tridentata</i> (Pursh) DC.	bitterbrush, antelope	R, S	W	W	W	C	C	W	W
Rosaceae	30474	<i>Pyrus communis</i> L.	pear	S	W	W	W	W	C	W	W
Rosaceae	300515	<i>Rosa acicularis</i> Lindl.	rose, prickly	S	W	W	W	W	C	W	W
Rosaceae	32081	<i>Rosa arkansana</i> Porter	rose, prairie	F, R, S	W	C	W	C	C	W	W
Rosaceae	5347	<i>Rosa foetida</i> Herrm.	briar, Australian	F, R, S	W	C	W	C	C	W	W
Rosaceae	32108	<i>Rosa multiflora</i> Thunb.	rose, multiflora	R, S	W	W	W	C	C	W	W
Rosaceae	32118	<i>Rosa nutkana</i> C. Presl	rose, nootka	F, R, S	W	C	W	C	C	W	W
Rosaceae	32151	<i>Rosa rubiginosa</i> L.	rose, sweetbriar	R, S	W	W	W	C	C	W	W
Rosaceae	300516	<i>Rosa</i> spp.	rose, wild	S	W	W	W	W	C	W	W
Rosaceae	32199	<i>Rosa woodsii</i> Lindl.	rose, Woods'	R, S	W	W	W	C	C	W	W
Rosaceae	104946	<i>Rubus argutus</i> Link	blackberry, prickly Florida	W	W	W	W	W	W	W	W
Rosaceae	32308	<i>Rubus ellipticus</i> Sm.	raspberry, yellow Himalayan	W	W	W	W	W	W	W	W
Rosaceae	476563	<i>Rubus ellipticus</i> Sm. var. <i>ellipticus</i>		W	W	W	W	W	W	W	W
Rosaceae	415906	<i>Rubus ellipticus</i> Sm. var. <i>obcordatus</i> (Franch.) Focke		W	W	W	W	W	W	W	W
Rosaceae	32388	<i>Rubus moluccanus</i> L.	raspberry, wild	W	W	W	W	W	W	W	W



Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Rosaceae	32396	<i>Rubus niveus</i> Thunb.	raspberry, hill	W	W	W	W	W	W	W	W
Rosaceae	32408	<i>Rubus parviflorus</i> Nutt.	thimbleberry	F, R, S	W	C	W	C	C	W	W
Rosaceae	32419	<i>Rubus plicatus</i> Weihe & Nees	blackberry, wild	W	W	W	W	W	W	W	W
Rosaceae	318577	<i>Rubus sieboldii</i> Blume	raspberry, Molucca	W	W	W	W	W	W	W	W
Rosaceae	300518	<i>Rubus</i> spp.	blackberry; raspberry	S	W	W	W	W	C	W	W
Rosaceae	316817	<i>Sanguisorba annua</i> (Nutt.) Nutt.	burnet, prairie	W	W	W	W	W	W	W	W
Rosaceae	300526	<i>Sanguisorba minor</i> Scop.	burnet, little; burnet, small	A, R	C	W	W	C	W	W	W
Rosaceae	300527	<i>Sanguisorba</i> spp.	burnet	A	C	W	W	W	W	W	W
Rosaceae	34994	<i>Sorbus americana</i> Marshall	mountain-ash, American	S	W	C	W	W	C	W	W
Rosaceae	35064	<i>Sorbus scopulina</i> Greene	mountain-ash, Greene's; mountain-ash, western	S	W	W	W	W	C	W	W
Rosaceae	313670	<i>Sorbus</i> spp.	mountain-ash	S	W	W	W	W	C	W	W
Rosaceae	311453	<i>Spiraea douglasii</i> Hook.	spirea, rose	F, R, S	W	C	W	C	C	W	W
Rubiaceae	9854	<i>Cephalanthus occidentalis</i> L.	buttonbush	F, S	W	C	W	W	C	W	W
Rubiaceae	316884	<i>Diodia teres</i> Walter	buttonweed, rough	W	W	W	W	W	W	W	W
Rubiaceae	316885	<i>Diodia virginiana</i> L.	buttonweed, Virginia	W	W	W	W	W	W	W	W
Rubiaceae	103276	<i>Galium aparine</i> L.	cleavers; galium	H, R	W	W	W	W	W	W	W
Rubiaceae	316690	<i>Galium asprellum</i> Michx.	bedstraw, rough	W	W	W	W	W	W	W	W
Rubiaceae	103277	<i>Galium boreale</i> L.	bedstraw, northern	W	W	W	W	W	W	W	W
Rubiaceae	103278	<i>Galium mollugo</i> L.	bedstraw, white; madder, wild	W	W	W	W	W	W	W	W
Rubiaceae	103279	<i>Galium odoratum</i> (L.) Scop.	woodruff, sweet	W	W	W	W	W	W	W	W
Rubiaceae	311992	<i>Galium</i> spp.	bedstraw	W	W	W	W	W	W	W	W
Rubiaceae	316691	<i>Galium spurium</i> L.	cleavers	W	W	W	W	W	W	W	W
Rubiaceae	316692	<i>Galium tricorutum</i> Dandy	bedstraw, corn; bedstraw, three-horn	W	W	W	W	W	W	W	W
Rubiaceae	316710	<i>Houstonia purpurea</i> L.	bluets, purple	W	W	W	W	W	W	W	W
Rubiaceae	31889	<i>Richardia scabra</i> L.	Mexican-clover; pusley, Florida	R	W	W	W	W	W	W	W
Rubiaceae	316921	<i>Sherardia arvensis</i> L.	madder, field	W	W	W	W	W	W	W	W
Rubiaceae	316408	<i>Spermacoce alata</i> Aubl.	buttonplant	W	W	W	W	W	W	W	W
Rutaceae	13928	<i>Dictamnus albus</i> L.	dittany; gasplant	F	W	C	W	W	W	W	W
Rutaceae	32578	<i>Ruta graveolens</i> L.	rue	W	W	W	W	W	W	W	W
Salicaceae	29365	<i>Populus balsamifera</i> L.	poplar, balsam	S	W	W	W	W	C	W	W
Salicaceae	29382	<i>Populus deltoides</i> W. Bartram ex Marshall	cottonwood	S	W	W	W	W	C	W	W
Salicaceae	310683	<i>Populus</i> spp.	poplar	S	W	W	W	W	C	W	W
Salicaceae	29424	<i>Populus tremuloides</i> Michx.	aspen, quaking	S	W	W	W	W	C	W	W
Salicaceae	317245	<i>Populus trichocarpa</i> Torr. & A. Gray	cottonwood, black	S	W	W	W	W	C	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Salicaceae	102718	<i>Salix nigra</i> Marshall	willow, black	S	W	W	W	W	C	W	W
Salicaceae	300521	<i>Salix</i> spp.	willow	S	W	W	W	W	C	W	W
Salviniaceae	102981	<i>Salvinia auriculata</i> Aubl.	salvinia	W	W	W	W	W	W	W	W
Salviniaceae	316406	<i>Salvinia biloba</i> Raddi	salvinia, giant	W	W	W	W	W	W	W	W
Salviniaceae	316407	<i>Salvinia herzogii</i> de la Sota	salvinia, giant	W	W	W	W	W	W	W	W
Salviniaceae	102979	<i>Salvinia molesta</i> D. S. Mitch.	salvinia, giant	W	W	W	W	W	W	W	W
Salviniaceae [Azollaceae]	316376	<i>Azolla pinnata</i> R. Br.	azolla, ferny; fern, mosquito; water-velvet	W	W	W	W	W	W	W	W
Sapindaceae	9014	<i>Cardiospermum halicacabum</i> L.	balloonvine; heartseed	F	W	W	W	W	W	W	W
Sapindaceae [Aceraceae]	1113	<i>Acer circinatum</i> Pursh	maple, vine	S	W	W	W	W	C	W	W
Sapindaceae [Aceraceae]	1135	<i>Acer glabrum</i> Torr.	maple, dwarf	S	W	W	W	W	C	W	W
Sapindaceae [Aceraceae]	1161	<i>Acer macrophyllum</i> Pursh	maple, bigleaf	S	W	W	W	W	C	W	W
Sapindaceae [Aceraceae]	1170	<i>Acer negundo</i> L.	maple, box elder; maple, negundo	S	W	W	W	W	C	W	W
Sapindaceae [Aceraceae]	1202	<i>Acer pensylvanicum</i> L.	maple, striped	S	W	W	W	W	C	W	W
Sapindaceae [Aceraceae]	1209	<i>Acer platanoides</i> L.	maple, Norway	S	W	W	W	W	C	W	W
Sapindaceae [Aceraceae]	1211	<i>Acer pseudoplatanus</i> L.	maple, sycamore	S	W	W	W	W	C	W	W
Sapindaceae [Aceraceae]	1220	<i>Acer rubrum</i> L.	maple, red	S	W	W	W	W	C	W	W
Sapindaceae [Aceraceae]	1225	<i>Acer saccharinum</i> L.	maple, silver	S	W	W	W	W	C	W	W
Sapindaceae [Aceraceae]	409105	<i>Acer saccharum</i> Marshall	maple, sugar	S	W	W	W	W	C	W	W
Sapindaceae [Aceraceae]	100760	<i>Acer spicatum</i> Lam.	maple, mountain	S	W	W	W	W	C	W	W
Sapindaceae [Aceraceae]	403019	<i>Acer tataricum</i> L. subsp. <i>ginnala</i> (Maxim.) Wesm.	maple, Amur	S	W	W	W	W	C	W	W
Sapindaceae [Hippocastanaceae]	1635	<i>Aesculus pavia</i> L.	buckeye, red	S	W	W	W	W	C	W	W
Sarcobataceae [Chenopodiaceae]	105067	<i>Sarcobatus vermiculatus</i> (Hook.) Torr.	greasewood, black	R, S	W	W	W	C	C	W	W
Saururaceae	3410	<i>Anemopsis californica</i> (Nutt.) Hook. & Arn.	yerba-mansa	H, R	W	W	C	C	W	W	W
Saxifragaceae	18967	<i>Heuchera sanguinea</i> Engelm.	coralbelles	F	W	C	W	W	W	W	W
Saxifragaceae	314467	<i>Heuchera</i> spp.	alumroot	W	W	W	W	W	W	W	W
Scrophulariaceae	316997	<i>Nemesia</i> spp.	nemesia	F	W	C	W	W	W	W	W
Scrophulariaceae	316820	<i>Scrophularia lanceolata</i> Pursh	figwort, lanceleaf	W	W	W	W	W	W	W	W
Scrophulariaceae	316821	<i>Scrophularia marilandica</i> L.	figwort, American	W	W	W	W	W	W	W	W
Scrophulariaceae	314900	<i>Scrophularia</i> spp.	figwort	W	W	W	W	W	W	W	W
Scrophulariaceae	102317	<i>Verbascum blattaria</i> L.	mullein, moth	W	W	W	W	W	W	W	W
Scrophulariaceae	317122	<i>Verbascum</i> spp.	mullein	W	W	W	W	W	W	W	W
Scrophulariaceae	41150	<i>Verbascum thapsus</i> L.	mullein, common	W	W	W	W	W	W	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Simaroubaceae	2072	<i>Ailanthus altissima</i> (Mill.) Swingle	ailanthus; tree-of-heaven	S	W	W	W	W	C	W	W
Simmondsiaceae	105075	<i>Simmondsia chinensis</i> (Link) C. K. Schneid.	goatnut; jojoba	A, S	C	C	C	C	C	C	C
Solanaceae	6051	<i>Atropa belladonna</i> L.	belladonna	H	W	C	C	W	W	W	W
Solanaceae	317027	<i>Browallia</i> spp.	browallia; violet, bush	F	W	C	W	W	W	W	W
Solanaceae	70131	<i>Brugmansia arborea</i> (L.) Sweet	maikoa; trumpet, angel's	F	W	C	W	W	W	W	W
Solanaceae	8910	<i>Capsicum chinense</i> Jacq.	pepper, habanero	V	C	C	C	C	C	C	C
Solanaceae	300105	<i>Capsicum</i> spp.	pepper; pepper, Ornamental	F, V	C	C	C	C	C	C	C
Solanaceae	13323	<i>Datura stramonium</i> L.	jimsonweed	F	W	W	W	W	W	W	W
Solanaceae	19532	<i>Hyoscyamus niger</i> L.	henbane, black	W	W	W	W	W	W	W	W
Solanaceae	316987	<i>Leucophysalis grandiflora</i> (Hook.) Rydb.	groundcherry, large white-flowered	W	W	W	W	W	W	W	W
Solanaceae	448201	<i>Lycium andersonii</i> A. Gray	wolfberry; water-jacket	R, S	W	W	W	C	C	W	W
Solanaceae	452182	<i>Lycium cooperi</i> A. Gray	peachthorn	R, S	W	W	W	C	C	W	W
Solanaceae	316381	<i>Lycium ferocissimum</i> Miers	boxthorn, African	W	W	W	W	W	W	W	W
Solanaceae	25243	<i>Nicandra physalodes</i> (L.) Gaertn.	apple-of-Peru	W	W	W	W	W	W	W	W
Solanaceae	25299	<i>Nicotiana xsanderae</i> W. Watson	nicotiana	F	W	C	W	W	W	W	W
Solanaceae	25252	<i>Nicotiana alata</i> Link & Otto	tobacco, flowering; tobacco, Jasmine	F	W	C	W	W	W	W	W
Solanaceae	25309	<i>Nicotiana tabacum</i> L.	tobacco	A	C	C	C	C	C	C	C
Solanaceae	317079	<i>Nierembergia</i> spp.	cupflower; nierembergia	F	W	C	W	W	W	W	W
Solanaceae	317087	<i>Petunia</i> spp.	petunia	F	W	C	W	W	W	W	W
Solanaceae	102418	<i>Physalis acutifolia</i> (Miers) Sandwith	groundcherry, sharpleaf	W	W	W	W	W	W	W	W
Solanaceae	102387	<i>Physalis alkekengi</i> L.	lanternplant, Chinese	F	W	W	W	W	W	W	W
Solanaceae	102417	<i>Physalis heterophylla</i> Nees	groundcherry, clammy	W	W	W	W	W	W	W	W
Solanaceae	316967	<i>Physalis longifolia</i> Nutt. var. <i>longifolia</i>	groundcherry, longleaf	W	W	W	W	W	W	W	W
Solanaceae	316968	<i>Physalis longifolia</i> Nutt. var. <i>subglabrata</i> (Mack. & Bush) Cronquist	groundcherry, smooth	W	W	W	W	W	W	W	W
Solanaceae	102411	<i>Physalis philadelphica</i> Lam.	tomatillo groundcherry, Mexican	V	W	W	W	W	W	W	C
Solanaceae	102403	<i>Physalis pubescens</i> L.	groundcherry, downy; tomato, husk	V	W	W	W	W	W	W	C
Solanaceae	300461	<i>Physalis</i> spp.	groundcherry; physalis	F, V	W	W	W	W	W	W	W
Solanaceae	102405	<i>Physalis viscosa</i> L.	groundcherry, grape	W	W	W	W	W	W	W	W
Solanaceae	316919	<i>Quincula lobata</i> (Torr.) Raf.	groundcherry, purple	W	W	W	W	W	W	W	W
Solanaceae	316920	<i>Salpiglossis sinuata</i> Ruiz & Pav.	painted-tongue; salpiglossis	F	W	C	W	W	W	W	W
Solanaceae	316998	<i>Schizanthus</i> spp.	flower, butterfly; orchid, poor-man's; schizanthus	F	W	C	W	W	W	W	W

## AOSA Rules for Testing Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Solanaceae	100795	<i>Solanum americanum</i> Mill.	nightshade, American black	W	W	W	W	W	W	W	W
Solanaceae	311306	<i>Solanum cardiophyllum</i> Lindl.	nightshade, heartleaf	W	W	W	W	W	W	W	W
Solanaceae	100938	<i>Solanum carolinense</i> L.	bullnettle; horsenettle, Carolina	W	W	W	W	W	W	W	W
Solanaceae	101498	<i>Solanum dimidiatum</i> Raf.	nightshade, Torrey's	W	W	W	W	W	W	W	W
Solanaceae	101313	<i>Solanum dulcamara</i> L.	nightshade, bitter	W	W	W	W	W	W	W	W
Solanaceae	101507	<i>Solanum elaeagnifolium</i> Cav.	horsenettle, white; nightshade, purple; nightshade, silverleaf	W	W	W	W	W	W	W	W
Solanaceae	101423	<i>Solanum heterodoxum</i> Dunal	nightshade, melonleaf	W	W	W	W	W	W	W	W
Solanaceae	316838	<i>Solanum interius</i> Rydb.	nightshade, inland	W	W	W	W	W	W	W	W
Solanaceae	314199	<i>Solanum lanceolatum</i> Cav.	nightshade, lanceleaf	W	W	W	W	W	W	W	W
Solanaceae	457162	<i>Solanum lycopersicum</i> L. var. <i>lycopersicum</i>	tomato	V	C	C	C	C	C	C	C
Solanaceae	101516	<i>Solanum marginatum</i> L. f.	nightshade, white-margined	W	W	W	W	W	W	W	W
Solanaceae	101312	<i>Solanum melongena</i> L.	eggplant	V	W	C	W	W	W	W	C
Solanaceae	310124	<i>Solanum nigrum</i> L.	nightshade, black	W	W	W	W	W	W	W	W
Solanaceae	416959	<i>Solanum physalifolium</i> Rusby	nightshade, hairy	W	W	W	W	W	W	W	W
Solanaceae	316839	<i>Solanum ptychanthum</i> Dunal	nightshade, eastern black	W	W	W	W	W	W	W	W
Solanaceae	101426	<i>Solanum rostratum</i> Dunal	buffalobur	W	W	W	W	W	W	W	W
Solanaceae	300568	<i>Solanum</i> spp.	nightshade	F	W	W	W	W	W	W	W
Solanaceae	409884	<i>Solanum tampicense</i> Dunal	nightshade, wetland	W	W	W	W	W	W	W	W
Solanaceae	101441	<i>Solanum torvum</i> Sw.	terongan; turkeyberry	W	W	W	W	W	W	W	W
Solanaceae	101526	<i>Solanum triflorum</i> Nutt.	nightshade, cutleaf; nightshade, three-flowered	W	W	W	W	W	W	W	W
Solanaceae	103137	<i>Solanum tuberosum</i> L.	potato	V	W	W	W	W	W	W	C
Solanaceae	317433	<i>Solanum viarum</i> Dunal	soda-apple, tropical	W	W	W	W	W	W	W	W
Solanaceae	101393	<i>Solanum villosum</i> Mill.	nightshade, hairy	W	W	W	W	W	W	W	W
Tamaricaceae	36224	<i>Tamarix chinensis</i> Lour.	tamarisk, Chinese	W	W	W	W	W	W	W	W
Tamaricaceae	36228	<i>Tamarix gallica</i> L.	tamarisk, French	W	W	W	W	W	W	W	W
Tamaricaceae	103148	<i>Tamarix parviflora</i> DC.	tamarisk, small-flower	W	W	W	W	W	W	W	W
Tamaricaceae	50071	<i>Tamarix ramosissima</i> Ledeb.	saltcedar	W	W	W	W	W	W	W	W
Taxaceae	101846	<i>Taxus brevifolia</i> Nutt.	yew, Pacific; yew, western	S	W	W	W	W	C	W	W
Taxaceae	101847	<i>Taxus canadensis</i> Marshall	yew, Canada; woodsage	S	W	W	W	W	C	W	W
Tropaeolaceae	40686	<i>Tropaeolum majus</i> L.	nasturtium	F	W	C	W	W	W	W	W
Tropaeolaceae	317119	<i>Tropaeolum</i> spp.	nasturtium	F	W	C	W	W	W	W	W
Typhaceae	101629	<i>Typha latifolia</i> L.	cattail, common	F, R	W	W	W	C	W	W	W
Typhaceae [Sparganiaceae]	316417	<i>Sparganium erectum</i> L.	bur-reed, exotic	W	W	W	W	W	W	W	W
Ulmaceae	40817	<i>Ulmus americana</i> L.	elm, American	S	W	W	W	W	C	W	W

Volume 3. Uniform Classification of Weed and Crop Seeds

FAMILY	NOMEN #	SCIENTIFIC NAME	COMMON NAME	SPP. CLASS	CONTAMINATING CLASSIFICATION						
					A	F	H	R	S	T	V
Ulmaceae	40847	<i>Ulmus parvifolia</i> Jacq.	elm, Chinese	S	W	W	W	W	C	W	W
Ulmaceae	40851	<i>Ulmus pumila</i> L.	elm, Siberian	S	W	W	W	W	C	W	W
Urticaceae	316894	<i>Hesperocnide sandwicensis</i> (Wedd.) Wedd.	nettle, stinging	W	W	W	W	W	W	W	W
Urticaceae	40944	<i>Urtica dioica</i> L.	nettle, stinging	R	W	W	W	W	W	W	W
Urticaceae	317120	<i>Urtica</i> spp.	nettle	W	W	W	W	W	W	W	W
Verbenaceae	419693	<i>Glandularia ×hybrida</i> (hort. ex Groenl. & Rümpler) G. L. Nesom & Pruski	verbena; vervain, garden	F	W	C	W	W	W	W	W
Verbenaceae	405160	<i>Glandularia aristigera</i> (S. Moore) Tronc.	vervain, moss	F, R	W	C	W	C	W	W	W
Verbenaceae	316985	<i>Glandularia bipinnatifida</i> (Nutt.) Nutt.	vervain, Dakota; vervain, Dakota mock	F, R	W	C	W	C	W	W	W
Verbenaceae	405150	<i>Glandularia gooddingii</i> (Briq.) Solbrig	verbena, southwestern	F, R	W	C	W	C	W	W	W
Verbenaceae	419694	<i>Glandularia pulchella</i> (Sweet) Tronc.	verbane, moss; vervain, American mock	F, R	W	C	W	C	W	W	W
Verbenaceae	310628	<i>Lantana camara</i> L.	lantana	F	W	C	W	W	W	W	W
Verbenaceae	101146	<i>Phyla nodiflora</i> (L.) Greene	fogfruit, spatulate	W	W	W	W	W	W	W	W
Verbenaceae	101139	<i>Verbena bracteata</i> Lag. & Rodr.	vervain, prostrate	R	W	W	W	W	W	W	W
Verbenaceae	41157	<i>Verbena hastata</i> L.	vervain, blue	F, R	W	C	W	C	W	W	W
Verbenaceae	41164	<i>Verbena officinalis</i> L.	vervain, European	W	W	W	W	W	W	W	W
Verbenaceae	41169	<i>Verbena rigida</i> Spreng.	vervain, purple	F	W	C	W	W	W	W	W
Verbenaceae	316859	<i>Verbena simplex</i> Lehm.	vervain, narrowleaf	W	W	W	W	W	W	W	W
Verbenaceae	300653	<i>Verbena</i> spp.	vervain	W	W	W	W	W	W	W	W
Verbenaceae	101140	<i>Verbena stricta</i> Vent.	vervain, hoary; vervain, woolly	F, R	W	C	W	C	W	W	W
Verbenaceae	41173	<i>Verbena urticifolia</i> L.	vervain, white	W	W	W	W	W	W	W	W
Violaceae	41704	<i>Viola cornuta</i> L.	Johnny-jump-up; viola; viola, horned	F	W	C	W	W	W	W	W
Violaceae	311605	<i>Viola</i> spp.	violet	F	W	C	W	W	W	W	W
Violaceae	41789	<i>Viola tricolor</i> L.	pansy	F	W	C	W	W	W	W	W
Viscaceae [Santalaceae]	41807	<i>Viscum album</i> L.	mistletoe, European	W	W	W	W	W	W	W	W
Vitaceae	300680	<i>Vitis</i> spp.	grape	S	W	W	W	W	C	W	W
Vitaceae	41907	<i>Vitis vulpina</i> L.	grape, riverbank	S	W	W	W	W	C	W	W
Zosteraceae	463134	<i>Zostera japonica</i> Asch. & Graebn.	eelgrass, dwarf	W	W	W	W	W	W	W	W
Zygophyllaceae	21110	<i>Kallstroemia grandiflora</i> Torr. ex A. Gray	Arizona-poppy; desert-poppy	F, R	W	C	W	C	W	W	W
Zygophyllaceae	316714	<i>Kallstroemia hirsutissima</i> Vail ex Small	caltrop, hairy	W	W	W	W	W	W	W	W
Zygophyllaceae	21509	<i>Larrea tridentata</i> (DC.) Coville	creosotebush	S	W	W	W	C	C	W	W
Zygophyllaceae	100965	<i>Tribulus terrestris</i> L.	puncturevine	W	W	W	W	W	W	W	W
Zygophyllaceae	42321	<i>Zygophyllum fabago</i> L.	bean-caper, Syrian	W	W	W	W	W	W	W	W

