# On the possible discovery of precessional effects in ancient astronomy.

#### Giulio Magli

Dipartimento di Matematica, Politecnico di Milano P.le Leonardo da Vinci 32, 20133 Milano, Italy.

#### **Abstract:**

The possible discovery of astronomical effects due to precession - such as the shift in the declination of heliacal raising of bright stars or the precession of the equinoxes - is reviewed for various ancient cultures in the world. Although definitive evidence of the discovery is still lacking, the quantity of hints (for instance, coming from ancient Egypt) is impressive and stimulating in view of further research.

#### Plan of the paper:

- 1 Introduction
- 2 Astronomical data
- 2.1 Babylonian culture
- 2.2 The indo-savrastati culture
- 2.3 Egypt: Middle and New Kingdom astronomical data
- 2.4 The maya
- 3 Astronomical alignments
- 3.1 Egypt : orientation of temples
- 3.2 Egypt : orientation of pyramids
- 3.2 Malta
- 3.3 Majorca
- 3.4 The Medicine wheels
- 3.2 Teutihuacan and the "17 degree" family
- 4 Post-discovery hints
- 4.1 The cult of Mithras
- 4.2 The Gundestrup cauldron
- **5 Concluding remarks**

#### References

## 1 Introduction

The earth rotates around its axis in 24 hours, and the earth's axis rotates around the axis orthogonal to the ecliptic, describing a cone. Thus, the motion of the earth is similar to that of a spin: the earth precedes. The period of this movement of precession is extremely long with respect to human life, since the axis completes a circle in 25776 years.

Precession has a very important consequence on long-term naked eye astronomy. First of all, the prolongation of the earth axis on the celestial sphere defines the astronomical north. The direction in which astronomical north points – possibly indicating a star, thereby a pole star – changes therefore continuously in time. A today's pole star (our Polaris) will therefore resign to be the pole star in a few centuries, and all the stars which lie close to the circle described by the pole (actually not exactly a closed circle, due to perturbations) will become "pole stars" one time each precessional cycle. For instance, in Palaeolithic times, the north pole crossed the Milky Way and the Pole star in 15000 BC was Delta-Cygnus, a north sky which was therefore completely different from ours (dominated by the two Ursine and by the Draco constellations), probably depicted in a fresco of the famous Lascaux grotto (Rappenglueck 1998).




Fig. 1 The circle described in the sky by the north celestial pole during a precessional cycle

Although at best visualized with the movement of the north pole (or actually of the south pole, choice of north is only due to the latitude of the present author at the moment of writing) precessional effects act on all stars. For instance, precession slowly moves the point of rising on non-circumpolar stars and slowly moves the culmination of stars: it follows, that the whole visible sky in a given point at a given time depends on the precessional moment. As an example, one can consider the constellation of the group of stars Crux-Centaurs in the mediterean sea (the "South Cross" constellation was "isolated" as a standing constellation only the 16 century AD). The group was quite brilliant and important for people in very ancient times, as the research by Michael Hoskin on megalithic "sanctuaries" in Minorca and Majorca and in Malta has shown (we shall

come back on this later). However, this asterism became lower and lower over the horizon during the centuries, and today it "culminates below the south horizon" due to precession and is, therefore, invisible (it will be back here only in 12000 AD).

The question now arises, when was the discovery of precession actually achieved. "Standard" scientific point of view states the following:

- 1) Precession was first discovered in 117 BC by Hypparcus of Rhodes
- 2) Precession was never discovered in pre-Columbian cultures, in other words it was not known in any place in the Americas before Columbus

In spite of this, the very opposite idea that actually *all* archaic civilizations discovered precession very early has been around for a long time and was stated in a authoritative way by Ugo de Santillana and Ertha Von Dechend (1983) in their famous book *Hamlet's Mill*. Altough being an extremely interesting and worth reading book, however, the Amlet's Mill cannot be of any help when discussing the *basic* issue of the discovery of precession, since all the "proofs" recorded in the book cannot be considered as true scientific proofs. Indeed the authors report an (albeit impressive) amount of occurrences of similar images, same numbers, similar situations in a great number of cosmological myths around the world. Altough it is well known that the Myth has actually been used also as a technical language, without independent verification of assertions in contextual environment it is impossible to accept "images" and "numbers" as "proofs". The aim of the present paper is, therefore, to discuss which hints do we have about discovery of precession "before" Hypparcus in ancient cultures, in order to stimulate further research in this

## 2 Astronomical data

field.

It is nearly impossible, also for a very old and expert naked-eye astronomer, to discover precession in the course of its own life using only its own observations, due to the extremely slow nature of the phenomenon with respect to the length of human life. It is, however, sufficient to have astronomical data collected during - say - two or three centuries, like the height of transit of a bright star, and to trust in them, to become aware that "something is happening" in the sky with a very low, but measurable, velocity (this is exactly what happened to Hypparcus: he collected a great quantity of astronomical data over more than 800 celestial objects coming form Alexandria observatory and based his discovery on such data). I shall thus, of course, be concerned here with what I have called the "discovery that something is happening". This means, that I am not speaking about the possible discovery of the actual mechanism and/or of the length of the precessional cycle (although this discovery is not a priori excluded) but rather, of the observation of a discrepancy of specific visual data: from now on I will call them *precessional effects*. Typical examples may include the observation of the "Precessional Era" namely, the fact that the sun at the spring equinox rises "in different places" within a constellation and finally "changes constellation" every 2000 years, or the observation of the change in the declination of heliacal rising of a star.

#### 2.1 Babylonian culture

There are many examples of ancient cultures that kept written track of astronomical data for centuries. First of all, of course, the mesopotamic cultures (usually refereed to, collectively, as Babylonian). We have astronomical data collected by Babylonian astronomers on argilla tablets, which contain observations which are more precise than one minute of arc. Since it is nearly impossible to obtain such an accuracy at naked eye, it was probably obtained with the first spyglasses ever invented (Pettinato 1998).

One example of a Babylonian star catalogue is the famous *Mul-apin*. Probably written around 1000 BC, it contains astronomical data which can be traced back in time up to 2048 BC. The content includes:

- 1) A list of 71 celestial objects (constellations, single stars and the five planets) divided in three "courses" (Enlil, Anu ed Ea).
- 2) A list of heliacal rising of many stars
- 3) A list of simultaneous rising/settings of couplet of stars
- 4) A list of time delays between the rising of the same stars
- 5) A list of simultaneous transit/rising of some others couples of stars.

It is difficult to believe, that astronomers possessing data so accurate did not notice the effect of precession for instance on heliacal rising. However, no written record citing the phenomenon explicitly has ever been discovered so far.

#### 2.2 The indo-savrastati culture

The history of the Indian civilization has been plagued up to twenty years ago or so by the fool and anti-historical idea of the so called Arian invasion. The basis of this idea was that civilization was brought in India by indo-European people, the Arians, around 1000 BC. After the discovery of the 2500 BC towns of Harappa and Moenjo-daro, the Arians started to be considered warriors and invaders, but the idea remained, that the fundamental books of the Hindu religion, the Vedas, where conceived after this invasion. Today, we finally do know that the Arians simply never existed and that the Indian civilization (traditionally associated with the sites of Harappa and Moenjo-daro, but actually much more spread than the area individuated by these two cities) developed in between two rivers, the Indo and the Savrastati river (Feuerstein, Kak, and Frawley 1995). The Veda contain explicit reference to the latter river, which however drought at about 1900 b.c., and thus the books (actually memo-books learned by memory by Brahmins) are at least as old as that period. Together with this new approach to the Veda, in recent years a new approach to what we can now call Vedic astronomy emerged (Kak 2000).

In Vedic astronomy a fundamental role is played by the five visible planets, the sun and the moon, identified with seven fundamental deities. However, to keep track of the motion of them, 27 astronomical objects were used, the *naksatras*, asterisms/constellations used to divide the ecliptic in equal parts, in each one the sun "resting" about 13 and 1/3 days. *Naksatras* occur in ordered lists. For instance, one reads (with modern names) Pleiades, *alfa-tauri* (Aldebaran), *beta-tauri*, *gamma-gemini*, *beta-gemini* (Pollux), *delta-cancri*, Hidra, Regolus, and so on. Interestingly enough, lists of naksatras belonging to different periods contain the same objects but begin in different points. The starting point is individuated by the sun at the spring equinox, and this means that Vedic astronomers were almost certainly aware that the Sun was "changing naksatra" with a velocity of more than one naksatra per millennium (25776/27).

#### 2.3 Egypt: Middle and New Kingdom astronomical data

The study of the ancient astronomy in Egypt has been plagued for many years by the influence of the most important scholar in the field, Otto Neugebauer, who stated in several occasions things like "Egypt did not contribute to the history of mathematical astronomy" (see e.g. Neugebauer 1969, 1976). Curiously enough, it just suffices to read the information contained in the monumental books by the very same Otto Neugebauer and by Richard Parker on ancient Egyptian astronomical texts (1964), to see how such an assertion is far from being even a little bit true.

Another serious problem generated by the bad influence exerted by Neugebauer is the idea that astronomy was not present in the Pyramid Age, and in fact the Neugebauer-Parker book begins with the Middle Kingdom (we shall see later that also this assertion is clearly false).

Much of the confusion arises from the fact that we do not have any Egyptian text of explicit astronomical nature, a thing that, in my opinion, is probably due to the fact that such papyri simply were not part of the funerary items, and almost only such items are being recovered. In any case, it is obvious that Egyptian astronomers did actually keep track of many astronomical data. This is readable from those "astronomical texts" which were used in funerary contexts and are written in Middle Kingdom sarcophagi and in many New Kingdom tombs, such as the famous tomb of Semnut, architect of the Queen Hatshepsut, and many of the ramesside tombs of the King Valley. In the Middle Kingdom, the so-called decanal lists were used. Decans were 36 stars (or groups of stars) whose heliacal rising (the day of the first raising before dawn after a period of conjunction with the sun, i.e. invisibility) occurred in subsequent "weeks" (Egyptian week was made out of 10 days). In this way, the calendar was divided in decans (36x10) plus 5 epagomenal days associated to special decans as well (the calendar I am speaking about is the so-called religious or Sothic one, based on heliacal rising of Sirius which therefore was the first of the decans).

It was shown by Neugebauer and Parker that possible decans must lie in a band south of the ecliptic (decanal band) but they considered explicit identification of decans to be impossible. This is untrue and, in fact, today we do have a quite clear picture of which stars the decans represented (Belmonte 2001a,b). Decans were used to keep track of time during the night as well. This is proved by the so called Star Clocks, in which hours during the night are counted associating the last hour of the first day with the decan which has heliacal rise in that day. After one "week" the rising of this decan shifted back in time to sign the previous hour, and another decan signals the last hour., and so on for 12 times. Of course each hour has a non–fixed length. One can say that for us one hour has a fixed length and that the night has a variable length in the course of the year, and that for the Egyptian it was the opposite (our 24 division of the day comes from the 12+12 Egyptian division added to the fixed length Babylonian division of hours).




Fig. 2 Examples of ramesside star clocks.

In the New Kingdom the decans were observed at the meridian transit rather than at rising, but the way of keeping track of stellar events was similar. This is evident in the so called ramesside star clocks. In a ramesside star clock a men (an assistant of the astronomer, or a statue) is seen behind a list of 9 columns and 13 arrows. Arrows are associated with hours of the night, columns with parts

of "the reference men" and spots sign the transit or position of stars during the night. The framework was changed each 15 days.

I will not enter into further details on the problems of interpretations of such texts. The point I want to stress here is, that such astronomical devices, although depicted in the tombs (as `guides to the soul during the night') were almost certainly copied from scientific sources (the reader can, if he likes to, add quotation marks to the word "scientific" but I will not do so). In fact, already in the Middle Kingdom Egyptian astronomers were able to keep accurate track of 36 stellar objects taking into account their motion (hour of rising, period of invisibility and so on) and therefore they should have selected such properties from a huge amount of observational data. It is absolutely certain that one can discover a precessional effect in the heliacal rising of a star with data accurate to ½ of degree in – say – three centuries. This led Pogo (1930) and Zaba (1953) to propose that precession was probably discovered very early in Egypt. It is, in addition, worth mentioning that several authors have proposed, in order to explain the curious arrangements of the constellations in the famous round picture of the sky known as the "Dendera Zodiac", that it could contain a reference to the precessional movement of the north pole (see e.g. Trevisan). The "Zodiac" is however dated to the first half of the last century BC, and therefore it has been sculpted a few decades after Hypparcus discovery.

Again, we do not have any explicit record which can be associated unanbigously to the discovery of a precessional effect.

#### 2.4 Mesoamerica

As is well known, the maya kept track of astronomical data in a written and extremely accurate way (see e.g. Aveni 2001). Unfortunately, only four maya "codex's" survived to the *autodafe*' to which the bishop of Yucatan, Diego de Landa, condemned all the "heretic books". Such codex's contain data about eclipses, about Venus and about Mercury. Data are so precise (for instance, the Venus table in the Dresda codex is based on tens of years of observations) that the ability of the maya astronomers in taking extremely accurate measures is beyond any doubt. However one cannot discover precession using the motion of the sun, of the planets and of the moon, and we do not posses any record of star observations by the maya (the unique exception possibly being in the so called Paris codex, which is still partially not understood).

# 3 Astronomical alignments

So far, we have discussed possible textual evidences. There is, however, another possibility to keep track of celestial motions and to live astronomical data to successors as an heritage namely, that of constructing stellar alignments. Following their accuracy during a few centuries one can easy discover precessional effects (I am using here an abuse of notation calling "stellar" the alignments pointing to stars different from the sun).

#### 3.1 Egypt : orientation of temples

The pioneer in the studies of the astronomical orientation of temples in Egypt was Norman Lockyer (1894). In his book, he studied orientation of many temples, but I shall discuss in details here only the case of the two main Theban temples, Karnak and Luxor, because it suffices for our purposes. These two temples have a millenary history and were embellished and enlarged several times. In particular, different pharaons in different epochs "added" further galleries in the direction of the main axis of both temples. If one looks at the plan of the Karnak temple, it is clearly seen that the temple was always enlarged maintaining strictly the original direction of the main axis. It was shown by Lockyer that this direction is that of the setting sun of winter solstice. The work of Lockyer was criticized because hills at the horizon would have prevented the setting sun to

penetrate the gallery, and today we actually know that observations were performed at the other end of the temple in a chapel which – being in axis with the temple - is obviously oriented to the summer solstice sunrise (Krupp 1983, 1988). In any case, solstice alignment of the temple is certain, and of course, precession does not effect the apparent motion of the sun so that any enlargement was added in the same direction.




Fig. 3 Plan of Karnak and Luxor temples.

The other main temple of Thebes, today's called Luxor temple, is instead aligned to the stars. This is pretty clear because the axis was *slightly* deviated not less than four times, every time in the occasion of a subsequent enlargement which took place during the centuries. Unfortunately, although we do have several description of the alignment ceremony of temples to the stars, which was called by the Egyptians *Stretching of the Cord*, we do not have a clear picture of how the ceremony actually took place. For instance, in many cases it is said that the alignment occurred towards the *Mes* constellation, i.e. the Big Dipper which the Egyptian saw as a Bull's Foreleg, but we do not know exactly to which star it was made. It is as yet unclear therefore to which star or asterism the Luxor temple was aligned (Lockyer proposal, *alfa-lyrae* or Canopus, is, as far as I know, still to be confirmed).

In any case, the slight deviations in the temple axis clearly point to the discovery of a precessional effect; other examples pointing to the same conclusion include the temples at Medinet-Habu and the Isis chapel at Dendera. This building was aligned to the heliacal rising of Sirius in 54 B.C. However, the Chapel was erected on the foundations of a pre-existing ramesside building whose axis was aligned to the same astronomical event about 1250 years before and – therefore – was shifted of about 2.5 degrees.

#### 3.2 Egypt : orientation of pyramids

It is very well known that the main pyramids of the fourth dynasty (the main three at Giza and the two Snefru pyramids at Dashur) were oriented to face to the cardinal points with a high degree of precision. The deviation of the east side from true north is in fact the following: Meidum  $-20' \pm 1.0'$ ; Bent Pyramid  $-17.3' \pm 0.2'$ ; Red Pyramid  $-8.7' \pm 0.2'$ ; Giza 1 (Khufu)  $-3.4' \pm 0.2'$ ; Giza 2 (Khafre)  $-6.0' \pm 0.2'$ ; Giza 3 (Menkaure)  $+12.4' \pm 1.0'$ .

The precision achieved by the pyramid builders was so high that it is absolutely certain that the orientation method used was based on stars and not on the measurement of shadows (recently, the French mission directed by M. Valloggia has determined the orientation of the pyramid at Abu Roash (Mathieu 2001), probably constructed by Djedefre who ruled between Khufu and Khafre, to be -48.7', but this error is so out of stream with respect to the others that it points to a different, perhaps solar, orientation ceremony).

The stellar methods which have been proposed in the past, like e.g. the observation of rising and setting of a bright star on an artificial horizon, are not affected by precession. However, as already noticed by Haack (1984), the data strongly point to the existence of a time-dependent font of systematic error and this font is certainly precession. The problem aimed Kate Spence (2000) to propose a method of orientation – "simultaneous transit" – which consists in observing the cord connecting two circumpolar stars, namely Kochab (b UMi) and Mizar (z UMa) when it is orthogonal to the horizon. Due to the precessional motion of earth axis the cord does not identify always the true north: it has a slow movement which brought it from the `left` to the `right` of the pole in the 25 century B.C. Plotting the deviation from north against time, Spence shows that the corresponding straight line fits well with the deviation of the pyramids w.r. to true north if the date of "orientation ceremony" occurred for the Giza 1 pyramid in 2467 BC ±5y (although no written evidence of orientation ceremony exists for the old kingdom pyramids, the "Stretching of the Cord" foundation ceremony is actually already present in the old kingdom stele called "Pietra di Palermo"). If one, in turn, accepts the method as the one effectively used, the plot can be used to calibrate the date of construction of all the fourth dynasty pyramids, which turn out to be somewhat 80 years later than usually accepted.

Further to Spence work, Belmonte (2001c) proposed that the method actually used consisted in measuring alignments between two stars - as Spence proposed - but using a couple of stars (probably Megrez (d UMa) and Phecda (g UMa)) which are not each other opposite to the pole. The pole is thus obtained by elongation of a cord lying below or over it. This looks more natural (at least for modern naked-eye sky-watchers) and reconciles the astronomical chronology with the usually accepted one. However, it should be noted that the astronomical dating of the so called "air shafts" of the Giza 1 pyramid (Trimble 1964, Badawy 1964, Bauval 1993) points rather to support Spence's earlier chronology.




Fig. 4

The solution proposed by Spence for the orientation of the Giza 2 pyramid fits in the calibration line if and only if the corresponding point is "lifted up" vertically in the positive region. To solve this problem, Spence speculates that the orientation of the second pyramid was carried out in the

opposite season (summer instead of winter) with respect to the others (also in the Belmonte proposal the problem arises and has to be solved by assuming a special procedure for the orientation of the Giza 2 pyramid). I tend rather to think that a ceremony of religious nature, such as the orientation of a giant king's tomb, could not occur scattered in time but rather in a fixed, precise time dictated by astronomical counting, such as e.g. those rituals connected with the Sirius cycle, and I have, therefore, proposed that the error in the orientation of the "second pyramid" actually shows that it was constructed before Giza 1 or, more precisely, that the two projects were conceived together (it can be shown that this idea is not in contrast with any indubitable archaeological evidence: see Magli (2003) for details).

In any case, what is really interesting for us here is that the orientation errors of the pyramids form a set of experimental data from which a precessional effect can be deduced. Whatever the reason can be, the effect is absolutely trascurable exactly in the case of the most huge and perfectly built pyramids, namely Giza 1 and Giza 2. However one can speculate, for instance, that the relative orientation of the Giza 3 pyramid could have been compared with that of Giza 2 and therefore the precessional effect leading to a deviation of 18,4 ' i.e. about 1/3 of a degree, be observed. In any case, I want to stress that the astronomically anchored data coming from Giza (orientation of "air-shafts" and pyramids) as well as the many astronomical references present in the Pyramid Texts do show beyond any possible doubt that astronomy was present in the Old Kingdom as a fundamental part of thinking (religion and knowledge).

#### 3.2 Malta

Strangely enough, the Mediterranean archipelago of Malta (composed by the isles Malta, Gozo and Comino) has a short history which, according to all sources, begins only in the fifth millennium BC when Malta was first colonized by humans (Trump 1991,2002). However, after only 1500 years, with the beginning of the so called temples period (about 3500-2500) Malta civilization became the first to construct megalith buildings on the earth (only a few megalithic tombs are dated before this period, like Kintraw in Britain, while the first stone phases of Stonehenge and of others megalithic monuments – i.e. not tombs – belong to the first half of the third millennium).

In the megalithic phase more than 40 temples were constructed. Actually the world "temple" should be put in quotation marks because it is far from being clear which was the real function of the building. However traces of a worship for a "mother goddess" deity are evident. The temples are composed by buildings (up to three, corresponding to subsequent phases and numerated accordingly) which all have an external masonry of ovoid shape while the internal plan is composed by a subsequent series of "lobs" constructed along the same axis and ending with an "apse". The internal "lobs" probably recall the shape of the "Mother Goddess".

The best preserved temples are *Ggantija*, the place of the giants, in Gozo, and *Hagar Qim*, *Mnajdra* and *Tarxien* in Malta.

The temples show a clear interest of the builders for celestial phenomena. This interest is absolutely evident in Mnajdra II, which is a solar calendar built in stone: the axis is aligned with due east. and the "altar" stones are put in such a way that one can keep track of the yearly movement of the sun from the far left to the far right of the "apse". All other Malta temples have axes oriented to the south, and the orientation is to the south of all directions related to sun and moon (i.e. winter solstice sunrise and southern moon major standstill). Due to the work by Michael Hoskin and collaborators and by Klaus Albrecht however, today we have a quite clear picture of the astronomical orientation of Malta temples. As a key example, I will discuss Ggantjia. The two temples of Ggantjia correspond to two subsequent phases and the second one is oriented further south with respect to the first. Both exhibit a solar orientation in the left altar, which is oriented to winter solstice sunrise (Albrecht 2001) and both exhibit a stellar orientation in the main axis, which is oriented towards the asterism composed by the South Cross and the two bright stars of Centaurus (remember that it is only from a few centuries that the south cross has been identified

formally as a constellation, and that ancient constellation by no means should coincide with ours in any case, since ours belong to the mesopotamic-greek tradition) (Hoskin 2001).




Fig. 5 Plan of the Ggantija temples

have been abandoned around that date.

Albrecht, the discoverer of the solar orientation, thinks that the stellar hypothesis is not viable. However, I do instead think that this a quite clear example in which *both* solar and stellar orientations were realized. The problem was, of course, that while the solar one was to remain accurate for centuries and centuries, the stellar one was changing, due to precession. It is therefore strongly tempting to conclude that they were *obliged* to construct the second temple due to the movement due south of the raising of the Crux-Centaurus asterism.

#### 3.3 Majorca

The baleary isles of Minorca and Majorca were, about one thousand years after Malta and thus during the Bronze Age, inhabited by megalithic sky watchers. The so called sanctuaries of the two islands, including the famous minorcan *Taulas*, megalithic structures composed by two monoliths disposed as a giant "T", were oriented due south to the same asterisms mentioned before, composed by the south cross and the two bright stars of Centaurus (Hoskin 2001). We are interested here especially in one of the sanctuaries, called *Son Mas*, in Majorca. When the Hoskin group studied the site, it became clear that it was oriented to the low arc in the southern sky that the asterism Crux-Centaurs was following at the end of a valley, in about 2000 BC However the lower part of this asterism would have become invisible, due to precession, in about 1700 BC Therefore, if the site was really connected with astronomical observations, it should

Hoskin was not, at that time, aware that a team headed by Mark Van Strydonck of the Belgian Royal Institute of Cultural heritage was carbon-dating samples from the same site, and was actually wondering why the site was abandoned exactly in that period!

This is thus a very interesting example of the way in which Archaeo-astronomy can act as a predictive science. What is especially interesting for us here is, of course, that it is clear that an astronomical alignment showed that "something was happening" in the southern sky in Majorca and induced the people to abandon the site.

#### 3.4 The Medicine wheels

The so called *Medicine Wheels* are stone monuments composed by a central cairn of stones connected by radial rows to an external circle and other cairns. Most wheels can be found in Alberta, Canada, but the most famous of them, the Big Horn wheel, lies near the Medicine Mountain in Wyoming and the name of the family comes from this wheel.

There are several typologies of wheels, but some of them have been indubitably linked to astronomical observations. The first wheel to be identified with an astronomical observatory is exactly the Big Horn one. A Solar Physicist, John Eddy, recognized that the small cairns which are distributed on the external circle of the wheel serve as astronomical outpost for many alignments. The alignments recognized by Eddy are at the summer solstice and at the heliacal rising of Aldebaran, Rigel and Sirius (Eddy 1974, 1977). The window of validity of such alignments (which is of the order of three centuries, due to precession) holds for the last tree centuries, and indeed independent archaeological data give to the Big Horn an age of 250 years.




Fig. 6 The astronomical alignments of the Big Horn Medicine Wheel discovered by Eddy.

Eddy's interpretation received a wonderful confirmation after the archaeological study of another wheel, the Moose Mountain Medicine wheel. This wheel in fact has alignments towards the same targets, but the window of validity is completely different, and lies around the last centuries BC When archaeologists Tom and Alice Kecoe obtained c-14 datable samples from the site, they were able to confirm the "astronomically predicted" age of the monument, showing a constant interest of the (at yet unknown) wheel builders for the same astronomical objects in the courses of two millennia: another wonderful example of Archaoastronomy as a predictive science (actually the wheels astronomical tradition is much older than this: the Majorville Wheel in Alberta was used for solar observations already in 2500 BC).

What is especially interesting for us here is the missing "D" alignment, which was later individuated by Robinson (1980) both at Big Horn and at Moose Mountain. Robinson discovered this direction to be aligned with the rising of Fomalhaut, a star of the constellation Pisces Astrals (not to be confused with the zodiacal constellation Pisces). The window of validity of this alignment

is however *shifted in time* of some centuries with respect to Eddy's estimates for Moose Mountain. This looks strange, but the radial line of stones is curved along its length. It looks like that the line was originally pointing more westerly and was then curved *in order to follow the precessional shift of the point of rising of the star*. A similar deviation is shown by the cairn pointing to Sirius, another southerly star more quickly affected by the precessional cycle than Aldebaran and Rigel. Thus the Moose Mountain Medicine Wheel strongly candidates as a place where tenacious astronomers discovered a precessional effect.

#### 3.5 Teutihuacan and the "17 degree" family

While, as we have seen, we have a very clear picture of the way in which the Maya recorded their astronomical observations, the same cannot be said of others Mesoamerica cultures. We practically do not know anything about the astronomy of the so called mother culture of Mesoamerica, the olmecs, and we do not have written records coming from the most important culture of the Mexico valley, which flourished during the pre-classic maya period, roughly between the second and the sixth century ac, and which influenced all subsequent civilization in central Mexico, including the toltecs and, finally, the Aztecs. I am speaking, of course, of the place which the Aztecs themselves considered as the city of the gods, Teutihuacan.

Teutihuacan lies not far form Mexico city, and is still today a huge town which, at the moment of maximum urbanization, should have reached more than 125.000 inhabitants. The city was planned under a rigid project which aimed to *replicate* the landscape. This is evident from the fact that the main two buildings of the town, the so called Sun pyramid and Moon pyramid (these are late denominations, no connection with sun and moon has never been proved) are disposed in such a way to be a "copy", an image, of the two mountains which lie respectively on the back, the Cerro Gordo and the Cerro Patlachique.

The town was planned and constructed on a "cardinal grid" based on two axes, a "T-nord" axis oriented 15.5 degree east of north, and a "T-east" axis oriented 16.5 degrees south of east. This was not due, by no means, to geomorphologic reasons (it suffices indeed to think that the river crossing the town was canalised to conform to the grid). Teutihuacan "cardinal directions" are thus rotated with respect to the "true" cardinal directions ad tilted of one further degree each other for symbolic reasons.

Astronomy plays here a fundamental role, since the most reasonable explanation is the following. The T-east orientation is a solar orientation. It is too close to east to signal any special event in the motion of the sun at the horizon (solstice and days of zenit passage) however the sun sets at T-west On 13 august and 29 April, and these two dates are separated by 260 days. It is well known that the so called sacred calendar of Mesoamerica (well documented in the maya, but probably coming from the very early civilization and codified around 4 bc) was composed by 260 days. The origin should be the passage of the sun at zenit, which of course depends on latitude and occurred in those two dates at the latitude of the pre-classic site of Izapa (see Aveni 2001 for a complete discussion). Thus, the T-east orientation was probably a reminder for the sacred calendar of solar origin. What is especially interesting for us here is however the T-nord orientation because it is almost certainly a stellar one.

The axis orthogonal to T-nord (which, just as a remind, is *not* parallel to T-east) is individuated by an accurate alignment between two so called pecked crosses, pecked symbols incised on the ground, one on a hill at the west horizon and the other one in the centre of the town. This alignment points to the setting of the Pleiades around 1-4 AD, and this asterism had heliacal rising approximately in the same day of the zenit passage of the sun (18 May) and were culminating near the zenit as well (Dow 1967).




Fig. 7 Map of Teutihuacan

Teutihuacan collapsed a couple of centuries thereafter, and it is therefore unlikely that Teutihuacan astronomers were able to realize that the alignment was not accurate any more, due to precession. What is especially interesting for us here is rather what has been called after Aveni and Gibbs *The 17 Degree Family* (Aveni and Gibbs 1976).

The family comprises several archaeological sites in central Mexico. All such sites exhibit – during the course of several centuries up to  $1000 \, AD$  – the same (or very near to) T-nord orientation (for instance, the first phase of the giant Cholula pyramid, the toltec temple of Tula, the pyramids of Tenayuca and Tepotzteco).

The family thus comprises buildings which have been constructed several centuries after 400 AD, and therefore the T-nord orientation did not have the meaning of indicating the rising of the Pleiades any more. The question obviously arises, if the architects were aware that they were orienting buildings to a stellar direction which was no more effective for some reasons, and in this case, if they asked themselves for the reasons, or simply if they were doing so "in memory" of the past glory of Teutihuacan without even knowing which was the original meaning of the direction.

# 4 Post-discovery hints

#### 4.1 The cult of Mithras

The facts which I have exposed before do point, in my view, in the direction of showing that precessional effects were actually discovered. However, the problem arises, why we do not have explicit mention of such effects anywhere. Being a physicist, I like enigmas (i.e. solvable problems)

and I do not believe in "mysteries". Since it is actually very tempting the idea that the discovery was not explicitly stated because it was considered a thing to be kept secret, or at least reserved to a group of initiated people, it is natural to investigate whether traces of the discovery can be found in cults of this kind at least in historical times. Actually, it is so.

As is well known, the cults which where reserved to initiates are called in historic literature mysteric cults, one famous example being the so called Eleusi mysteries in Greece and another being the Mithras mysteries in the first three centuries AD in the roman empire. Interestingly enough, an extremely intriguing hint pointing to the discovery of precession in ancient times comes exactly from such a cult.

Hypparcus discovers precession about 127 bc, working in the Rhodes island but using data from Alexandria observatory in Egypt. About 50 years *later*, Pompeus fights with the Frigia pirates, and his legionnaires come into contact with a religion which will rapidly spread in the whole roman empire in the subsequent two centuries, and will be destroyed by the christianisation of the empire: the Mithras cult.

In the Mithras cult the rituals were kept secrets to non-adepts and we do not have any written records describing them. However, several underground "shrines" have been unhearted and studied by the archaeologists, perhaps the most famous of them being the one present in the S. Clemente catacombs in Rome. Thus, the iconography of the cult, always the same, is very well known and represented, sculpted or painted, in the ending "chapel" of the shrine. We see the god, Mithras, represented as a young men, killing a bull with a sword. The god does not look at the bull. Under the bull, a scorpion hits at the genitals of the bull, and the figures of a dog, a serpent, a crow, a lion and a vessel occur. From the bull's tail some grain ears sprout. Frequently, the zodiacal signs and planets are represented as well.

The history of modern Mithraic studies is very instructive and almost unbelievable. In 1896 the Belgian scholar Franz Cumont formulated a theory, in which the cult was interpreted as an adaptation of a old iranic cult of a deity called *Mithra*. Altough many clear aspects of the Mithras cult were not recognizable in the Mithra cult and, in particular, in the Mithra cult there was no sign of the killing of a bull, the authority of Cumont was so strong that his curios ways of deriving Mithras from the iranic Mithra (for instance, recovering the bull from another iranic myth in which Ahriman, a devil god, kills a bull and Mithra does not appear) was accepted up to 1970! This "Cumont dogma" is a "wonderful" example of the risks to which scientists submit themselves when the "authority of the giants" (or perhaps supposed giants) is accepted outright. In any way, finally in 1971 some persons started to bring the dogma to the court, and it became immediately clear that Mithraic studies had to be re-started from the very beginning and that the natural point to start with was astronomy. Actually already in 1869, the German scholar K. B. Stark had noticed strong, clear connections of the iconography with constellations. However Cumont went out to say, that although astronomy could admittedly have played a role in the lower degrees of initiation, the main stream of the high degrees was the iranic tradition on the origin and the end of the world.

Since the main personages in the play are Mithras and the Bull, it is clear that the bull has to be identified with Taurus but it is not clear with which constellation has Mithras to be identified. All the astronomical interpretation which have been proposed since 1970 - like e.g. heliacal rising of Taurus - have had serious problem with the identification of Mithras. For instance, one could think to Orion, but Orion is under, and not over, the Bull.




Fig. 8 The Mithras iconography.

Finally, the solution of the puzzle has been given by David Ulansey (Ulansey 1989). Ulansey observed that *over* Taurus there is Perseus, a constellation identified with a "frigian" warrior already in the 5 century BC But why the Scorpion? If we send the sky back in time up to the end of the Taurus era, about 2000 bc, we discover that the other equinoctial constellation was the Scorpio. The celestial equator crossed at that time Taurus, Canis major, Hydra (i.e. a serpent) Vessel, crow and Scorpion (besides a small part of Orion's sword). It remains Lion, which however was the summer solstice constellation at the same epoch. The grain ears from the tail of the Bull give the association with spring equinox.

This is what concerns the interpretation of the Mithras cult: a God who is so strong to be able to change the cosmic order of the motion of the sun with respect to the stars. A very convincing interpretation. However, the interest for us arises from the way in which Ulansey explains the origin of the Mithras cult.

According lo Ulansey, what happened is (in brief) the following. In 128 bc Hypparcus discover precession. The discovery rapidly permeates and fits into the symbolic scheme of the stoic philosophy school at Tarso. Since for stoic philosophers, natural forces where manifestations of deities, it was natural for them to introduce a new god responsible for the new movement of the cosmos, a god so strong to be able to move the "fixed" stars. Since Perseus was already venerated at Tarso, the identification followed naturally. Regarding the missing link with the pirates, which are the first Mithras adepts historically documented, Ulansey remarks that they had "contacts with intellectuals" and where used to the stars being sailors.

I should say immediately that I do believe in Ulansey's ingenious interpretation of the Mithras cult and that I am unable to believe in Ulansey's ingenious explanation for its origin.

The reason is very simple. Altough doing the best of my efforts, I cannot find even one example in history in which a scientific discovery became a religion. It could eventually became a myth within a religious framework, as in Amlet's Mill viewpoint, but not the foundation of a cult of a new god. There is also a technical reason for which I cannot believe in Ulansey's interpretation. Let us suppose that a scientific discovery of a mechanism becomes a religion. A religion is usually associated with eschatological thought: we aspect for future event, a future advent of a god, for instance. Therefore, I would rather think that the new religion will be based on the end of the present era (Aries to Fish) rather than on the end of the previous one occurred 2000 years (I repeat, 2000 years) before. Basing on slight different motivation, this objection has already been raised, and Ulansey answer is based on the fact that Hypparcus esteem of the precessional velocity was too low (about one degree for century). As a consequence, this led to an estimate of the future change of the precessional era after many centuries (about 800 years) and not at the time it really occurred, actually in the first century AD more or less.

While I consider this as a possible explanation of the decline of the Mithras cult (I am not aware of any other making this observation, but it looks natural to me) I do not consider this as a good explanation for the point, because "time of religion is the time of gods" so there is – usually – no urge for eschatological events to occur.

All in all, I think that the origin of Mithras precessional iconography can be much older than Hypparcus discovery. Once again, these are only speculative statements however. Hopefully new epigraphic or archaeological discoveries might be of help in assessing this interesting point, but at least one archaeological finding already exists.

#### **4.2 The Gundestrup cauldron**

The so called *Gundestrup Cauldrun* is a huge vessel made out of Silver plates. Found in Denmark in 1880, it is exposed in the Copenhagen national Museum and it is the most renewed masterpiece of Celtic art, dated to the first century BC (dating is however only approximate since no physical method is known to date such kind of objects).

The Gundestrup is magnificently decorated with enigmatic images. It undoubtedly shows peculiarities of Celtic art, like e.g. the god called Cermnumon, but it also shows clear "oriental" influxes (also elephants are represented on it). There is still debate about the meaning of the scenes, and what is most debated ids the meaning of the central plate representation. It shows, at the centre, a dying bull with, forming a circle contour to the animal, a warrior, a lizard, a dog. A bear seems also to be present, and a tree branch with leaves.

One can easily solve the exercise of foreseeing which interpretations have been proposed for this image. Of course we have "ritual sacrifice", "ritual fighting with bulls", "ritual fighting between bulls and dogs" and so on (actually the *Corrida* is missing).

Finally, the French scholar Paul Verdier (2000) proposed the idea that the symbolism of the cauldron has an astronomical content. For instance, one of the lateral plaques contains two bands separated by a branch. The upper band shows four riders (the solstices) the lower band twelve warriors (the months of the Celtic lunar calendar) while the tree branch is the Milky Way. The central plaque is probably, a representation of the death of the Taurus Era, as in the Mithras main iconography, and in fact if we take a look to the sky in 2000 BC, we can actually see in clockwise direction Lacerta (the lizard) Canis Major (the dog) Orion (the warrior) and Taurus, the bull, while the two Ursae "overlook" the scene from the north celestial pole.

In my opinion, the warrior in the scene *might well be Perseus, and not Orion*, since moving in clockwise *spiralling* towards the Taurus one actually encounters Perseus, as exemplified in the figure. In this case the analogy with the Mithra cult would become striking. To the best of my knowledge this is the first time that the scene is proposed to be the same as that of the Mithra cult.




Fig. 9 Portion of the sky at the latitude of Copenhagen, in 2000 BC.




Fig. 10 The central plaque of the Gundestrup cauldron and the corresponding astronomical interpretation according to Verdier.




Fig. 11 The same picture as that in Fig. 9, with only the relevant constellations shown. Reading in clockwise direction in a spiral from the pole (Ursa) we find Lacerta, Canis Major, Orion (actually Perseus if one has to proceed on the spiral) and Taurus.

Unfortunately, we do not know the level of astronomical knowledge of the Celtic astronomers, because most of the information we have on them comes from secondary sources, especially (curiously indeed) from the stoic Hellenistic writer Posidonio, besides the roman sources like Caesar's writings. However, some primary information is available, like e.g. the *Coligny Calendar*, a lunar calendar written in roman characters but in gallic language. In addition, the lore of astronomy in Bronze Age in North Europe has still to reveal his secrets, as shows the recent discovery of the so called Nebra Disk, a 16 century BC Bronze disk showing 32 stars, a crescent and the sun and probably representing a particular sky in a particular day. In any case, it is again difficult to believe (at least to me) that also the Celts did rapidly filtrate the discovery by Hypparcus, in such a way that an artist of the first century BC decided to represent a

discovery by Hypparcus, in such a way that an artist of the first century BC decided to represent a precessional event occurred 2000 years before in his masterpiece.

# **5 Concluding remarks**

All in all, there is *no* clear, absolute evidence of discovering of precession before Hellenistic times or in pre-Columbian culture. There is, however, at least in my view, a clear evidence that simple astronomical phenomena, such as heliacal rising of bright stars or the movement of the equinoctial point trough zodiacal constellations were traced for a sufficient amount of time and with a sufficient precision to lead many ancient astronomers to the discovery that "something was happening" with a very slow velocity with respect to human life.

More research focussed on this issue is certainly needed, first of all in Egypt. In fact, the problem of the stellar alignment of Egyptian temples should be reconsidered taking into account that the

chronology of Egypt is much more clear and accurate than it was in Lockyer times, and controlling the assertions of Lockyer from a *quantitative* point of view (for instance following the subsequent enlargements of the Luxor temple in terms of precessional movement of the stars). Theoretical research is also needed to relate in a secure way decanal lists coming from different centuries. The need for further research holds true also in Malta, and in all the places which show an interest of the builders for alignments changing in time due to precession.

### References

Albrecht, K, (2001) *Maltas tempel: zwischen religion und astronomie*, Naether-Verlag, Potsdam Aveni, A. F. (2001). *Skywatchers: A Revised and Updated Version of Skywatchers of Ancient Mexico*, University of Texas Press, Austin.

Aveni, A. F., Gibbs, S. L. (1976). On the orientation of pre-Columbian buildings in central Mexico. *American Antiquity* **41**: 510–517.

Badawy, A. (1964) *The stellar destiny of pharaoh and the so called air shafts in Cheops pyramid* M.I.O.A.W.B. **10** 189;

Bauval,R., (1993) *Cheop's pyramid: a new dating using the latest astronomical data*, Disc. Egypt. **26.** 5.

Belmonte, J.A. (2001a) *The ramesside star clocks and the ancient egyptian constellations*, SEAC Conference on Symbols, calendars and orientations, Stoccolma.

Belmonte, J.A. (2001b) *The decans and the ancient egyptian skylore: an astronomer's approach*, INSAP III Meeting, Palermo.

Belmonte, J.A. (2001c) On the orientation of old kingdom egyptian pyramids, Archaeoastronomy **26**, 2001, S1.

De Santillana, G., Von Dechend, E., (1983) Amlet's Mill, Dover.

Dow, J. (1967). Astronomical orientations at Teotihuacan; A case study in astroarchaeology. *American Antiquity* **32**: 326–334.

Feuerstein, G., Kak, S., and Frawley, D. (1995) *In search of the cradle of civilization*. Wheaton: Quest Books.

Eddy, J. A. (1974). Astronomical alignment of the Big Horn Medicine Wheel. *Science* **18**: 1035.

Eddy, J. A. (1977). Medicine wheels and plains Indian astronomy. In Aveni, A. (ed.), *Native American Astronomy*, University of Texas Press, Austin, pp. 147–170.

Haack, S. (1984) *The astronomical orientation of the Egyptian pyramids*, Archeoastronomy **7**, S119.

Hoskin, M. (2001) Tombs, temples and their orientations, Ocarina books.

Kak, S. (2000) Birth and Early Development of Indian Astronomy. In *Astronomy Across Cultures: The History of Non-Western Astronomy*, Helaine Selin (ed), Kluwer, pp. 303-340

Krupp, E. C. (1983). Echoes of the Ancient Skies, Harper, New York.

Krupp, E.C. (1988) The light in the temples. In Ruggles C.L.N. (ed.) *Records In Stone: Papers In Memory Of Alexander Thom*. Cambridge: Cambridge University Press.

Lockyer, N. (1894). The Dawn of Astronomy,

Magli, G. (2003) On the astronomical orientation of the IV dynasty egyptian pyramids and the dating of the second giza pyramid (pre-print, avaliable at it.arxiv.org/abs/physics/0307100)

Mathieu, B. (2001) *Travaux de l'Institut francais d'archeologie orientale en 2000-2001*, Bull. Inst. Franc. Arch. Orient. 101.

Neugebauer, O., (1976) A History of ancient mathematical astronomy, Springer-Verlag.

Neugebauer, O, (1969) The exact sciences in antiquity Dover, New York.

Neugebauer, O, Parker, R.A.,(1964) Egyptian astronomical texts, Lund Humphries, Londra.

Pettinato, G., (1998) La scrittura celeste, Milano, Mondadori.

Pogo, A (1930) The astronomical ceiling decoration of the tomb of Semnut, Isis 14, p. 301.

Rappenglueck, M. (1998) Palaeolithic Shamanistic Cosmography: How is the Famous Rock Picture in the Shaft of the Lascaux Grotto to be Decoded? XVI Valcamonica Symposium Arte preistorica e Tribale, Sciamanismo e Mito

Robinson, J.H.,(1980) Fomalhaut and Cairn D at the Big Horn and Moose Mountain Medicine Wheels, *Archaeaoastronomy: Bull. Center for Archaeoastr.*, 15 - 19

Spence, K., Ancient Egyptian chronology and the astronomical orientation of pyramids, Nature **408**, 320 (2000).

Trevisan, C. La rappresentazione delle costellazioni nello Zodiaco circolare di Dendera. (www.iuav.unive.it/dpa/ricerche/trevisan/dendera.htm)

Trimble, V. Astronomical investigations concerning the so called air shafts of Cheops pyramid M.I.O.A.W.B. **10** (1964) 183; A.

Trump, D. H., (1991), *Malta: An Archaeolgical Guide*, Progress Press Co. Ltd Trump, (2002) *Malta: Prehistory and Temples*, Midsea Books.

Ulansey, D. (1989). The Origins of the Mithraic Mysteries, Oxford University Press, Oxford.

Verdier, P. (2000) L'Astronomie celtique : l'énigme du chaudron de Gun-destrup, Archéologue 6.

Zaba,Z., L'orientation astronomique dans l'ancienne Egypte et la precession de l'axe du monde, Ed. Ac. Tchec. Sci., Prague 1953.