

## Index

- acquired resistance. *See* host relationship
- Actinonaias ligamentina*, 16, 33, 36, 38, 112, 124, 135, 289, 304, 327, 412
- dominance and role in assemblages, 247, 267, 274, 277–280, 285
- host infection strategy, 160, 170
- host use, 147, 150–151, 160, 268–272, 285
- life history, 182, 187–188, 200, 208, 211
- physiological optima, 100–101, 278–280
- response to human impacts, 346, 352
- Actinonaias pectorosa*, 247
- adductor muscles, 8–9, 27, 31, 41–42, 141, 151, 175
- Agassiz, Louis, 11, 47, 48
- age. *See* life span
- age at maturity, 143, 194–198, 206–213, 215, 238–239, 272–273, 276, 282–286, 352, 368, 371
- ala. *See* shell, wings
- Alabama River, 47, 313
- Alasmidonta*, 15, 17, 18, 93, 115, 147, 158, 196, 211, 380
- Alasmidonta arcula*, 15, 23
- Alasmidonta atropurpurea*, 80, 104, 125, 147, 152
- Alasmidonta heterodon*, 34, 104, 135, 152, 212, 401
- Alasmidonta marginata*, 83, 95, 147, 158, 208, 347
- Alasmidonta maccordi*, 88, 333
- Alasmidonta raveneliana*, 80, 104, 125, 401
- Alasmidonta robusta*, 333, 334
- Alasmidonta triangulata*, 90, 388
- Alasmidonta undulata*, 33, 104, 256
- Alasmidonta varicosa*, 33, 104, 141, 117, 135
- Alasmidonta viridis*, 83, 120, 124, 152, 154, 183, 208, 212, 252, 347
- Alasmidonta wrightiana*, 90, 333
- alewife, 102, 145, 159, 256, 400
- algae. *See* phytoplankton
- Allee effect, 393–394
- Altamaha River, 65, 93, 127, 331, 368, 388
- Amazon River, 60, 61
- American Conchology* (Say), 46–47
- Amblema*, 15, 18, 89, 112, 127, 150, 152, 158, 211
- Amblema elliotti*, 88
- Amblema neislerii*, 90, 91, 126, 257, 388
- Amblema plicata*, 12, 13, 14, 15, 20, 33, 152, 186, 216
- in button industry, 304, 312, 327
- distribution, 99
- dominance and role in assemblages, 246–248, 267, 274, 278–280, 285
- habitat use, 105, 135
- host use, 256, 268–272, 285
- life history, 188, 196, 207, 212, 238, 240, 286
- physiological optima, 101, 278–280
- population biology, 217, 218, 221, 222, 227, 230, 232, 236–238
- reproduction, 38, 198, 201
- response to human impacts, 346, 353, 355, 378
- shell variation, 16, 19, 186
- ammonia. *See* nitrogenous compounds
- amphibians, 147, 151, 358–359, 375, 376
- Anodonta*, 6, 15, 17, 23, 62, 96, 110, 115, 158, 192, 194, 275, 291
- Anodonta anatina*, 29, 159, 221
- Anodonta beringiana*, 7, 95–96
- Anodonta californiensis*, 95
- Anodonta couperiana*, 89
- Anodonta cygnea*, 62, 192, 382
- Anodonta heardi*, 90, 188
- Anodonta implicata*, 8, 94, 102, 118, 126, 145, 159, 247, 256, 400
- Anodonta kennelyi*, 95
- Anodonta nuttalliana*, 15, 102
- Anodonta oregonensis*, 95
- Anodonta piscinalis*, 132, 202, 279
- Anodonta suborbiculata*, 15, 76, 89, 100, 112, 113, 114, 117, 118, 132, 134, 151, 257, 343, 345, 352
- Anodonta woodiana*. *See* *Sinanodonta*
- Anodontini*, 17, 35
- dominance and role in assemblages, 265–267, 271
- glochidial characteristics, 151–152, 154–155
- habitat use, 10, 110, 112–115, 124, 133
- host infection strategies, 41, 155, 169, 271–272
- host use, 149–152, 154
- life history, 209–211
- Anodontoides*, 124, 158, 246, 252
- Anodontoides denigratus*, 81, 100, 125
- Anodontoides ferrusacianus*, 84, 95, 99, 100, 257
- Anodontoides radiatus*, 117, 125, 353

- Anthony, John G., 47  
*Apalachicola River*, 64, 116, 117, 325, 333. *See also*  
 Apalachicolan province  
 Apalachicolan province, 64, 89–91, 125, 126, 260, 388  
 apertures, 27–29, 31, 157, 164–168, 170, 172, 175, 177  
*Arcidens confragosus*, 15, 17, 18, 38, 76, 112, 123, 188,  
 200, 247, 346, 415  
*Arctica islandica*, 181  
*Arkansas wheeleri*, 18, 76, 388, 394  
 Aristotle, on the origin of bivalves, 37  
 Asian clam. *See Corbicula fluminea*  
 assisted colonization, 406, 416  
 Athearn, Herbert, 342  
 Atlantic region, 18–19, 84, 89, 92–95, 125–128. *See also*  
   Northern Atlantic province, Southern Atlantic  
   province  
 assemblage characteristics, 115, 129, 243–249, 260,  
 280  
 diversity, 61, 65, 67, 68  
 habitat affinities of species in, 25, 102, 104, 114–115,  
 117–118, 132  
 Audubon, John James, 45–46  
 augmentation, of populations. *See stocking*  
 autotrophy, 30
- bacteria  
 chemosymbiotic. *See* autotrophy  
 as food, 26, 30, 378  
 role in mussel declines, 382–383  
 role in nitrogen cycling, 379–380  
 in sewage, 326  
 Balcones Escarpment, 116  
 Bartram, William, 46  
 bead sculpture. *See shell, umbo sculpture*  
 bet-hedging. *See host infection strategies*  
 biodeposition. *See waste excretion*  
 biogeography, 4, 6, 60–96, 99–102, 118–119, 126–128,  
 256, 259, 281, 321, 372–373, 415  
 early studies of, 49, 51, 57, 67–68  
 biomass, 42, 245, 278  
 Bivalvia, 4–5  
 black bass, 147, 153–154, 160, 168, 171–173, 256, 258,  
 263, 265, 267–268, 271, 282, 284, 349, 357, 390,  
 406, 417  
 Black Prairie region, 19, 353  
*Boatload of Knowledge*, 46  
 body size. *See shell, size*  
 Boepple, Johann, 297–299  
 bradyticic. *See brooding*  
 broadcasting, of glochidia, 155–160, 177–179, 205,  
 211, 271, 283  
 brooding, of glochidia  
 adaptations for, 40, 161, 173  
 area of gill used for, 39–40  
 costs of, 186, 206  
 number and size of broods. *See fecundity*  
 period, 40–41  
 relationship to abundance, 274  
 role in dispersal, 144  
 role in life history strategies, 210–211  
 buffering capacity, of water. *See calcium*  
 burrowing, 3, 31–34, 36, 48, 190, 229, 381  
 adaptations for, 21–22, 24–25, 132, 222, 279  
 and drought survival, 109  
 ecological impacts of, 43, 278  
 Butler, Robert S., 167  
 Buttahatchee River, 185, 335–336  
 button industry, 1, 52, 291, 297–314, 408  
   as impetus for mussel research, 49, 52, 57  
   role in mussel declines, 326–328, 386, 391  
 byssus, 32–33, 144, 158, 339, 341, 368
- C-S-R life history framework, 209–214, 278–279, 285  
 Caddo Lake, 111, 295–296  
 Cahaba River, 64, 116, 331, 394, 395, 400. *See also*  
   Mobile Basin province  
 calcium (Ca) and calcium carbonate ( $\text{CaCO}_3$ )  
   as limiting factor in distribution, 102–104, 341  
   maternal contributions to glochidia, 40, 145–146  
   relationship to shell thickness, 14, 185  
   role of shells in Ca cycling, 43  
   in shell structure, 9–11  
 carp  
   black, 418–419  
   common, 366–367  
 caruncles. *See mantle lures*  
 catch-curve analysis, 218–220  
 catfish, 147, 149, 152, 167, 177, 179, 256, 263, 264,  
 267–268, 282, 349, 390. *See also* predation  
 channelization, 108, 283, 285, 330, 332, 335–336, 352,  
 365, 402–403  
 cilia, 28  
 Civil War (American), 47, 290  
 Clark, H. Walton, 54  
 classification. *See phylogenetics*  
 claustrum. *See shell, wings*  
 Clench, William J., 49  
 climate, 36, 84, 98–101, 185, 406, 419  
 clinal variation. *See shells*  
 Clinch River, 236, 295, 302, 326, 330, 332, 337, 338,  
 352, 362, 386, 392  
 coal mining, effects on mussels, 325, 338, 352, 355,  
 362, 387, 390, 392, 416  
 Coker, Robert E., 53–54, 308  
 collecting methods, for mussels. *See sampling*  
 colonization. *See dispersal*  
 commercial harvest, of mussels. *See button industry;*  
   pearls  
 competition, 187, 213, 239, 249–251, 253, 255, 362, 366  
   with *Corbicula*, 249, 280, 368–371  
   for food, 276–281, 284–285  
   for hosts, 171, 260–263, 268–272, 284–286, 417  
   for space, 34, 276, 279, 286  
 Conasauga River, 333, 364, 376, 380  
 conchiolin, 9–11  
 conglutinates, 160–169, 173, 176, 177, 205, 206, 264,  
 267, 271, 363. *See also* host infection strategies;  
   mucoid conglutinates  
 Congo River, 60, 61  
 Conrad, Timothy, 47  
 conservation, of mussels, 292, 297, 365, 391–421  
   early efforts, 51, 57–58, 140, 308–309, 392  
 Coosa River, 87, 103, 104, 108, 333–334, 398  
   shoals on, 50, 316–317  
*Corbicula fluminea*, 3, 19, 277, 377, 383  
 dispersal and spread, 33, 144, 341, 367–368

- edibility, 291, 367  
 interactions with mussels, 249, 278, 280, 368–371, 383–384  
 life history, 28, 191, 368  
 predation on, 224, 226, 228, 239
- Crassostrea virginica*, 102, 193, 290, 303
- crayfish, 51, 66, 171, 226, 258, 259, 357, 365, 385, 406
- Cumberland River, 49, 100, 295, 402. *See also* Tennessee-Cumberland province
- Big South Fork of, 415–416  
 conservation, 398, 415–416, 420  
 diversity and biogeography, 62, 63, 78, 79–82, 103, 104, 342, 373  
 historical description, 318, 416–417  
 impacts of dams, 331–333, 335, 344–345, 349, 385  
 Little South Fork of, 338, 352, 355  
 pearlting in, 326  
 stream-size succession in, 120–123
- Cumberlandia monodonta*, 12, 14, 36, 158, 182, 184, 188, 193, 346, 352, 394
- habitat use, 130–131, 138, 273
- host use, 147  
 life history, 194, 196, 198, 203, 208, 212, 272–273, 285
- Curlew*, research vessel, 52
- current  
 and dislodgement, 23, 32–33, 138  
 and dispersal in *Corbicula*, 368  
 orientation in relation to, 31  
 role in egg fertilization, 193
- Curtis, Winterton C., 52, 54
- Cyclonaias tuberculata*, 15, 16, 20, 38, 40, 83, 112, 124, 135, 149, 152, 166, 167, 176–177, 189, 196, 246, 346
- cymapallium. *See* *Epioblasma*; mantle lures
- Cyprogenia*, 17, 40, 83, 113, 135, 163–166, 170, 246
- Cyprogenia aberti*, 18, 67, 82–83, 117, 164
- Cyprogenia stegaria*, 12, 14, 18, 79, 80, 208, 335, 347, 351
- Cyrtonaias tampaensis*, 7, 17, 85–86
- da Vinci, Leonardo, 11
- dams, 17, 50, 57, 109, 111, 242, 320, 322, 328–330, 391, 403  
 creating habitat for lentic species, 100, 118, 312, 343–345, 351–352, 385, 418  
 effects on mussel assemblages, 38, 79, 101, 112–113, 185, 201, 234, 247, 258, 267, 275–276, 284, 311, 323, 324–325, 328–330, 331–338, 343–352, 384–387, 408  
 removal and remediation, 396–402, 408, 421
- darters, 66–67, 145, 147, 149, 152–154, 159, 163–166, 174–176, 226, 241, 256, 258, 262, 265–269, 271, 276, 282, 284, 343, 349, 351, 389, 408
- day length. *See* photoperiod
- deposit feeding, 28, 279. *See also* food and feeding
- De Soto, Hernando, 288, 295, 318
- detritus, 30, 360
- diet. *See* food and feeding
- dioecy. *See* gonochorism
- direct development. *See* glochidia
- dislodgement  
 adaptations to prevent, 23–25, 32–33, 138
- reburial after, 31–32, 284
- dispersal, 18, 25, 32, 49, 66, 67, 75, 77–79, 81, 83–85, 89, 90, 93, 95, 98, 100–101, 104, 111, 114, 115, 118, 126–128, 138, 144–145, 187, 191, 211, 213, 236, 241, 249, 253, 256, 260, 272, 279, 283, 287, 312, 323, 324, 328, 336–337, 341, 345, 351–352, 355, 368, 371–373, 385, 396, 398, 402, 405–406. *See also* biogeography; host relationship
- dissolved organic matter, as food, 30
- disturbance  
 defensive or stress responses to, 29, 32, 36, 161  
 frequency among macrohabitats, 106–108, 253–255  
 frequency among microhabitats, 137–138  
 history among biogeographical regions, 127–128, 249, 260  
 and life history strategies, 279–286, 343, 395
- rings in shells, 11
- diversity. *See also* species richness  
 general patterns for freshwater bivalves, 4–7  
 North American, compared with other regions, 60
- Dreissena*  
 controls on distribution, 100–101, 340–341  
 and demand for shell nuclei, 314  
 effects of filter feeding by, 277  
 effects on native mussels, 32, 338–341, 352, 355  
 predation on, 226, 239
- Dromus dromas*, 17, 18, 19, 40, 80, 113, 163–164, 166, 208, 335, 347, 351, 388, 408
- drought, 105, 108–109, 337, 355. *See also* disturbance
- drum, freshwater, 147, 160, 166, 177–179, 204–205, 256, 258, 263, 267–269, 271, 282, 349, 350, 356–357, 390. *See also* predation
- Duck River, 290, 314, 332, 355, 395, 398, 401, 407. *See also* Tennessee-Cumberland province
- Eastern Gulf region, 18–19, 89–92  
 assemblage characteristics, 243–247, 249, 259–260  
 habitat affinities of species in, 114–115, 125–127, 131, 135
- ecological role of mussels, 42–43, 250–251, 277–278, 280, 385, 393–394, 399, 420
- edibility, of mussels, 289–294
- eggs. *See* brooding; fecundity; spawning
- elasticity analysis, 236–240
- Ellipsaria lineolata*, 15, 17, 36, 87, 112, 123, 135, 160, 177–178, 208, 246, 268, 304, 346
- Elliptio*, 15, 18, 20, 38, 40, 93, 105, 112, 118, 149, 151, 158, 198–199, 218, 369
- dominance in assemblages, 89, 92, 247, 284
- taxonomic confusion in, 65–66, 91–92, 93–94, 127–128
- Elliptio ahenea*, 91
- Elliptio angustula*, 135
- Elliptio arca*, 8, 87, 134, 149, 158, 179, 194–195, 264, 350, 387
- life history, 189, 194, 207, 212, 275
- population biology, 220, 227, 229–231, 235, 237–238
- shell variation, 20–21
- Elliptio arctata*, 131, 135, 189
- Elliptio buckleyi*. *See* *E. Jayensis*
- Elliptio chipolaensis*, 20, 90, 388

- Elliptio collina*, 18, 118, 208  
*Elliptio complanata*, 32–35, 62, 65, 240, 256, 340  
  distribution, 84, 89, 92  
  dominance in assemblages, 115, 129, 243, 247, 280, 284, 391  
  food and feeding, 30, 369  
  habitat use, 98, 104, 115, 118, 132  
  reproduction, 36–37, 101, 189, 191, 193, 393  
*Elliptio congreata*, 135  
*Elliptio crassidens*, 90, 91, 134, 135, 181, 183, 196, 200, 201, 205, 208, 246, 247, 346  
  host use, 149, 258, 261, 349–350  
*Elliptio dilatata*, 14, 346, 352  
  dominance in assemblages, 247, 275, 276, 280  
  habitat use, 131, 270–271  
  host competition, 270–271  
  life history, 275, 280  
  shell variation, 20–21  
*Elliptio fisheriana*, 94, 126, 132  
*Elliptio folliculata*, 15  
*Elliptio fraterna*, 18, 126  
*Elliptio icterina*, 93, 118, 189  
*Elliptio jayensis*, 110, 189, 199  
*Elliptio mcmichaeli*, 18, 90  
*Elliptio nigella*, 388  
*Elliptio pullata*, 17, 90  
*Elliptio roanokensis*, 19, 93, 135  
*Elliptio shepardiana*, 15  
*Elliptio spinosa*, 18, 24, 388  
*Elliptio steinshansi*, 18, 199, 388  
*Elliptio waccamawensis*, 111  
*Elliptoideus sloanianus*, 18, 20, 40, 126, 135, 247  
Ellis, Max M., 56–57, 409  
Embarras River, 341, 356–357, 362–363, 368, 372, 376  
Endangered Species Act. *See* U.S. Endangered Species Act  
  endocrine disruptors, 374–375, 377, 379, 381  
*Epioblasma*, 15, 20, 88, 113, 116, 123, 131, 137, 187, 196, 200, 218  
  decline and extinction, 323–324, 334, 335, 336, 337, 342, 347, 351, 413  
  diversity, 80, 319  
  dominance in assemblages, 246, 273, 275, 279, 284  
  host infection strategy, 34, 174–176  
  sexual dimorphism, 17  
*Epioblasma ahlstedti*, 80, 395, 408  
*Epioblasma arcaeformis*, 306, 332  
*Epioblasma biemarginata*, 333  
*Epioblasma brevidens*, 236  
*Epioblasma capsaeformis*, 67, 80, 211, 219, 236, 273, 275  
*Epioblasma flexuosa*, 79, 332, 333  
*Epioblasma florentina* (and subspecies), 80, 82, 188, 190, 205, 216, 332, 333, 338, 342, 386, 388, 415  
*Epioblasma haysiana*, 12, 332, 333, 337  
*Epioblasma lenior*, 332  
*Epioblasma lewisi*, 332, 333  
*Epioblasma metastriata*, 333, 342  
*Epioblasma obliquata*, 388, 413  
*Epioblasma othcaloogensis*, 88, 333, 342  
*Epioblasma penita*, 336, 353, 388  
*Epioblasma personata*, 332, 333  
*Epioblasma propinquia*, 332, 333  
*Epioblasma sampsoni*, 78, 81, 333  
*Epioblasma stewardsoni*, 332, 333  
*Epioblasma torulosa* (and subspecies), 16, 18, 19, 34, 78–79, 80, 81, 188, 276, 332, 333, 335, 337  
*Epioblasma triquetra*, 67, 83, 176, 188, 256  
*Epioblasma turgidula*, 83, 332, 333  
Erie Canal, 95, 325  
Escambia-Choctawhatchee province, 64, 88, 89–91, 125, 260  
Etheridae, 4, 37  
eutrophication, 29, 104, 185, 198, 263, 312, 358, 379–381, 399  
evenness, of assemblages, 253, 323, 345. *See also* species richness  
evolution, emergence of science of, 48–49  
evolutionary relationships. *See* phylogenetics  
extinction, 44, 58, 88, 127, 146, 318, 319, 323, 325, 327–328, 332–334, 337, 339, 342, 348, 384, 386–387, 389–390, 392, 399, 406–408, 413–414, 419, 421  
debt, 373, 384–390, 392–396  
local, 118, 126, 323, 336–338, 371, 385, 393–396  
facilitation. *See* ecological role of mussels; food and feeding  
Fairport Biological Station, 52–57, 146, 299, 308–309, 392, 408–409  
fall line, 116–118, 257  
Falls of the Ohio. *See* Ohio River  
feces. *See* waste excretion  
fecundity, 161, 196–206  
  number of broods produced, 198–200  
  and life history strategies, 206–213, 284–285  
  and recruitment, 232  
  and species abundance, 273–274  
female sacrifice, 177–179. *See also* host infection strategies; predation  
fertilization, of eggs. *See* spawning  
filter feeding. *See* food and feeding  
fingernail clams. *See* Sphaeriidae  
fish  
  assemblage dynamics, 129, 248–249, 254, 264, 267–268, 286  
  diversity, 60, 66–67, 88, 92, 118, 259–260, 372–373  
  as hosts for glochidia. *See* host relationship; host infection strategies  
  life history strategies, 207, 209–212, 254, 284, 286  
  as predators. *See* predation  
  responses to human impacts, 325, 330, 342, 343, 349, 352, 355, 357–358, 359, 365, 374–376, 378, 383, 390, 397, 399–400  
  stocking, 95, 114, 366, 398, 406, 408, 409, 418–419  
floods, 32, 97, 106, 107, 108, 114, 137, 138, 228–229, 254–255, 284, 285, 329, 345, 397. *See also* disturbance  
food and feeding, 26–30  
  ecological impacts of mussel feeding, 42–43, 276–278  
  facilitative feeding interactions, 278, 280, 385, 393–394, 420

- food availability and limitation, 185, 186, 187, 233–234, 276–281. *See also* competition
- food webs. *See* ecological role of mussels
- foot, 22, 28, 30, 31–32, 37, 42, 132, 222, 383
- fragmentation, of stream systems, 239, 331–332, 334, 336–338, 341, 349–350, 351, 371–373, 384–390, 394–396, 398, 405, 421
- fungi, 30, 382, 409
- Fusconaia*, 6, 16, 40, 89, 112, 123, 149, 152, 162, 163, 196, 217, 218, 220, 246
- Fusconaia askewi*, 86
- Fusconaia burkei*, 18, 90, 256, 388
- Fusconaia cerina*, 19, 87, 88, 134, 353
- host infection strategy, 162–163
  - host use, 153, 262–263, 349, 350
  - life history, 189, 205, 208
  - population biology, 221, 227, 231, 235, 237–238
- Fusconaia cor*, 80, 347, 351
- Fusconaia cuneolulus*, 80, 347
- Fusconaia ebena*. *See* *Reginaia ebena*
- Fusconaia escambia*, 90
- Fusconaia flava*, 16, 33, 83, 101, 246, 250–251, 268–270, 278, 346, 349, 353, 415
- Fusconaia lananensis*, 86, 388
- Fusconaia masoni*, 93, 118
- Fusconaia ozarkensis*, 82, 124
- Fusconaia subrotunda*, 304, 347
- gametogenesis, 11, 37–38, 41, 101, 199, 398
  - gar, 147, 154, 258, 268, 271, 283, 349
  - Gastropoda. *See* snails
  - geography. *See* place names
  - gills, 27–28, 30, 42, 145. *See also* brooding; glochidia; host infection strategies
  - Glebula rotundata*, 101–102, 126, 198–199, 200
  - glochidia. *See also* brooding; fecundity; host relationship
    - abortion of, 161, 199–200
    - attachment and development on hosts, 42, 140–144, 151, 158, 177–178, 261, 363
    - brooding of. *See* brooding
    - development in maternal gill, 40–41, 161, 162, 164–165
    - direct development of, 41, 150, 284
    - dispersal on fishes. *See* dispersal
    - early descriptions of, 48, 56, 140
    - effects on fishes, 145
    - evolutionary history, 144–146
    - in vitro culture of, 56, 409
    - occurrence in mussel groups, 37
    - release of. *See* host infection strategies
    - sensitivity to contaminants, 369, 377
    - size, 142, 152, 196, 200, 203–205, 207, 285
    - structure and adaptations of, 41–42, 141, 151–152, 154–155, 157–158
    - survival after release, 41
    - temperature tolerance, 100, 101
  - Glochidium parasiticum*, 140
  - gonads, 37–38, 48, 191–192, 197–198, 381, 382
  - Gonidea angulata*, 6, 95, 115
  - gonochorism, 37, 187, 190–192. *See also* sex ratios
  - Goodrich, Calvin, 51
  - Great Plains province, 63, 76, 83–84, 105, 106, 108, 120, 128, 260, 390
  - Great Lakes, African, 111
  - Great Lakes, North American, 108, 111, 112, 314, 338–339. *See also* St. Lawrence-Great Lakes province
  - Green River, 50, 292, 316, 318, 326, 330, 337, 352, 394, 398, 401, 414. *See also* Ohioan province
  - growth constant,  $K$ . *See* von Bertalanffy growth equation
  - growth, individual, 180–187, 217, 250, 277, 278, 279, 336, 361, 369, 385, 405, 409, 412, 415
  - of glochidia, 142–143
  - of juveniles, 280, 363, 369, 377
  - and life history, 195–196, 202, 209–212, 221, 233–234, 279, 282–286, 343
  - record in shells, 10–11
  - and sex, 17, 193
  - growth, population, 213, 234–241, 255, 277, 394
  - and host fish abundance, 263
  - and life history strategies, 282–285, 343, 395
  - habitat, 58, 97–139, 242–287. *See also* disturbance; lentic habitats; shell; stream size
  - destruction and degradation, 318–390
  - diversity, 43, 254–255, 281, 321–322
  - in faunal provinces, 76–96
  - restoration, 396–405
  - Haeckel, Ernst, 50
  - Hamiota*, 89, 135, 162, 167–169, 174, 247, 256
  - Hamiota altilis*, 88, 154, 169, 171, 174, 206, 208
  - Hamiota perovalis*, 88, 168, 264
  - Hamiota subangulata*, 90, 105
  - headwater capture. *See* stream capture
  - heart rate, 29, 279
  - heavy metals, 103, 330, 362, 377, 379, 407
  - heelsplitters. *See* shell, wings
  - Hemistena lata*, 15, 20, 32, 40, 137, 337, 347, 351, 388, 413
  - hermaphroditism, 37–38, 190–194
  - adaptational significance of, 150, 191–192, 213, 283, 368, 393
  - early ideas about, 48
  - sequential, 192–193
  - hinge ligament, 8–9, 15, 23, 31, 41
  - hinge teeth, 8–9, 23
  - Holston River, 333
  - North Fork of, 262, 355, 407
  - Horse Lick Creek, 120, 245, 352, 355, 392, 420
  - host infection strategies, 42, 145, 155–179. *See also* broadcasting; conglutinates; female sacrifice; mantle lures
  - bet-hedging, 161, 169, 173–174, 179
  - costs of, 186, 187
  - effectiveness of, 205, 233, 255, 264, 271–272
  - and fecundity, 204–205
  - role in species abundance and distribution, 264, 267–268, 363
  - secondary strategy. *See* bet-hedging

host relationship, 37, 41–42. *See also* glochidia; competition, for hosts; dispersal; host infection strategies  
 acquired resistance, 143–144, 151, 261, 263  
 early work on, 56, 140, 146  
 and fecundity, 204–205  
 origin of, 144–146  
 partitioning of host resource, 179, 255, 261–263  
 role in mussel declines, 275–276, 325, 335, 343, 348–352, 356–357, 363, 365, 371, 389–390, 400, 408  
 role in species abundance and distribution, 97, 102, 201, 255–272, 280, 281–285, 417  
 specificity of, 143, 146–155  
 “universal hosts,” 154  
 host trapping. *See* *Epioblasma*; mantle lures  
 Howard, Arthur D., 54  
 Hudson River, 65, 125, 277, 331, 339  
 Hyriidae, 4, 37  
*Hyriopsis cummingii*, 382  
 Illinois River, IL, 62, 63, 298–299, 308, 312, 326, 346, 355. *See also* Upper Mississippi province  
 immigration. *See* dispersal  
 impoundment. *See* dams  
 in vitro culture. *See* glochidia  
 inbreeding, 336, 371, 393–394, 406, 412, 414  
 Index of Biotic Integrity, 355, 357–358  
 Interior Highlands province, 63, 67, 76, 82–83, 120, 260  
 invasive species, 358, 365–371, 398–399, 406, 417, 418.  
*See also* *Corbicula fluminea*, *Dreissena*  
 Iridinidae, 4, 30, 37  
 island biogeography, 126, 372–373  
 isolation, and speciation. *See* biogeography; speciation  
 isolation of populations. *See* fragmentation  
*Justicia americana*, 131–132  
 juvenile mussels. *See also* growth, individual;  
 propagation  
 burrowing behavior, 31–34  
 feeding, 28–29  
 identification of, 146  
 settlement of, 42, 97, 138, 143  
 sensitivity to contaminants, 342, 363, 369, 376–378, 379, 381, 405, 409  
 survival of, 143, 144, 220–221, 228, 229–230, 233–234, 240, 272, 280, 308–309, 335, 369, 370, 408  
 temperature tolerance, 100  
 keystone species. *See* ecological role of mussels  
 Kiamichi River, 63, 82, 245, 249  
 labial palps, 27–28  
 Lacey Act, 315  
 Lake Baikal, 111  
 Lake Erie, 64, 79, 84–85, 110–112, 120, 263–264, 330–331, 361. *See also* St. Lawrence-Great Lakes province  
 Lake Pepin, 110–112, 304, 309, 328. *See also* Mississippi River  
 Lake St. Clair, 84–85, 110–111, 120, 338. *See also* St. Lawrence-Great Lakes province

Lake Waccamaw, 65, 110–111  
 lakes. *See* lentic habitats  
*Lampsilini*  
 glochidial characteristics, 154–155  
 habitat use, 112–113, 115, 124, 133–134  
 host infection strategies, 161, 163, 167, 170–171, 174, 187  
 host use, 149, 154  
 life history strategies, 182–183, 200, 209–212  
 movement, 35  
 sexual dimorphism, 17  
*Lampsilis*, 6, 93, 112, 123, 134, 144, 160, 246  
 host use, 149, 153–154, 179, 263  
 life history, 84, 187, 200, 218  
 mantle lures, 22, 169, 171–173  
 natural rarity of, 247, 268, 271, 284  
 reproduction, 38  
 sexual dimorphism, 17  
*Lampsilis abrupta*, 78, 123, 247, 271, 346, 391, 416–417  
*Lampsilis binominata*, 90, 91, 333  
*Lampsilis bracteata*, 85, 387  
*Lampsilis cardium*, 33, 227, 278, 346, 353  
 host use, 147, 251, 256, 271, 417  
 local decline of, 356  
 lure display, 170–172  
*Lampsilis cariosa*, 110, 126, 132  
*Lampsilis fasciola*, 120, 171, 236, 347, 411  
*Lampsilis floridensis*, 89  
*Lampsilis fullertonii*, 111  
*Lampsilis higginsi*, 77, 78, 123, 154, 247, 258, 346, 412, 417  
*Lampsilis hydiana*, 76, 87  
*Lampsilis ornata*, 35, 134, 353  
 host use, 154, 263, 350  
 life history, 183, 188, 190, 194, 196, 201, 205, 208, 209, 212  
 population biology, 221, 227, 231  
*Lampsilis ovata*, 24, 293, 346  
*Lampsilis powelli*, 82, 271  
*Lampsilis radiata*, 11, 94, 115, 118  
*Lampsilis rafinesqueana*, 82, 412  
*Lampsilis reeviana*, 77, 82  
*Lampsilis sativa*, 76  
*Lampsilis siliquoidea*, 14, 33, 36, 84, 188, 271, 346, 353, 417  
 in button industry, 304, 309, 327  
 habitat use, 113, 132, 135, 271  
 glochidial release, 173  
 lure display, 171  
 temperature tolerance, 100–101, 279  
*Lampsilis straminea*, 19, 36, 91, 134, 188, 193, 229, 263, 353  
*Lampsilis streckeri*, 82, 387  
*Lampsilis teres*, 35, 36, 346, 353  
 in button industry, 304, 327  
 habitat use, 76, 83, 113, 134–135  
 host use, 154, 258, 268  
 life history, 188, 196, 210  
 population biology, 227, 230, 232, 235  
 response to human impacts, 258, 361  
 trematode infestation, 198

## Index

499

- Lampsilis virescens*, 80, 256, 321, 411  
 larval threads, 144–145, 151, 157–158, 169  
*lasidium*, 37  
*Lasmigona*, 15, 115, 150, 158, 169, 196, 213, 246  
*Lasmigona complanata*, 15, 112, 84, 135, 136, 213, 256, 346, 352  
*Lasmigona compressa*, 77–78, 81, 84, 95, 99–101, 124, 191  
*Lasmigona costata*, 18, 183, 346, 351, 362  
*Lasmigona decorata*, 117–118, 151, 387  
*Lasmigona etowaeensis*, 88, 104, 125, 257  
*Lasmigona holstonia*, 104, 125, 158, 257  
*Lasmigona subviridis*, 89, 91–93, 150, 191, 284  
 latitudinal effects, 9–10, 184–185, 199. *See also* climate  
 Lea, Isaac, 44, 47–48, 62, 65  
   on mussels' diet, 29–30  
 Leeuwenhoek, Antonie van, 140  
 Lefevre, George, 52, 54  
*Lemiox rimosus*, 12, 15, 17, 18, 80, 153, 174, 200, 208, 211, 247, 257, 347, 351, 407–408  
 lentic habitats, 29, 30, 42, 76–77, 84–85, 86, 87, 90, 91, 94, 95, 100, 106–108, 110–115, 116, 118, 136, 224, 229, 234, 252–255, 271, 276, 281, 309, 330–331, 341, 361, 367, 380  
   adaptations for, 17, 22–23, 36, 105, 109, 191, 283–286, 312, 343–345, 352, 385, 401, 418  
   in streams, 132–135, 136, 138, 263, 271, 279  
*Leptodea*, 15, 142, 143, 160, 170, 200  
*Leptodea fragilis*, 12, 13, 14, 15, 17, 20, 35, 246, 251, 346, 353  
   habitat use, 23, 112–114, 124, 134, 135  
   host use, 177–179, 256, 258, 268  
   life history, 84, 181, 182–183, 194–195, 196, 200, 202, 203, 205, 207, 209, 210, 212  
   local extinction, 337  
   population biology, 215, 218, 220, 221, 227–228, 232, 237–238  
*Leptodea leptodon*, 15, 17, 48, 123, 178, 187, 189, 337, 347, 350–351  
*Leptodea ochracea*, 94, 102, 118, 126  
 Leydig, Franz, 140  
 life history, 37–42, 180–214, 242–243, 253–255, 280, 362, 370. *See also* age at maturity; growth; fecundity; host relationship; life span; reproduction and assemblage structure, 115, 124, 272–276, 281–287  
   early work on, 50, 52–57  
   and imperilment, 342–358, 371, 389–390, 394–396  
   plasticity, 184, 196, 212, 238, 240, 286, 417  
   and population biology, 215–221, 231–240, 417  
   stages, 220, 236–238, 240, 280  
   strategies, defined, 206–213  
   tradeoffs, 187, 204–206  
 life span, 180–186, 195–196  
   and fecundity, 203–204  
   and life history strategies, 206–213, 272–276, 282–286  
   and population biology, 218–221, 232, 236  
   and imperilment, 335, 342–343, 348–349, 351, 394–395  
 ligulate. *See* glochidia  
*Ligumia*, 17, 116, 144  
*Ligumia nasuta*, 15, 94, 102, 110, 115, 118, 126, 174  
*Ligumia recta*, 112, 154, 171, 196, 200, 208, 212, 256, 258, 268, 271, 304, 346, 350  
*Ligumia subrostrata*, 29, 76, 83–84, 109, 112, 113, 114, 117, 161, 174–175, 189, 194, 198, 208, 236, 257, 263, 271, 275, 353  
 Little Tallahatchie River, 109, 167, 196, 207, 212, 221, 226–227, 230–238, 344, 345, 353  
 Little Tennessee River, 368  
 lures. *See* conglutinates; mantle lures; mantle magazines  
 madtoms, 67, 149, 152, 153  
 mantle, 9–11, 20, 28, 29, 41, 141, 158, 310  
 mantle lures, 170–177, 193, 267. *See also* host infection strategies; mantle magazines; superconglutinates  
   and burrowing behavior, 34  
   costs of, 22, 161, 187, 206, 229  
   of drum specialists, 178  
   early observations of, 155, 172, 175  
   effectiveness of, 233, 258, 264, 268, 271, 283, 284, 349, 363  
   and host trapping, 175–176  
   polymorphism in, 171  
   timing of display, 144, 161, 171, 173, 263  
 mantle magazines, 166–167, 173, 176–177, 205, 264, 267, 349. *See also* host infection strategies; mucoid conglutinates  
*Margaritifera falcata*, 29, 95, 159, 186, 191  
   habitat use, 115, 125, 131, 137, 285  
   population biology, 221, 233, 281  
   “spongy disease” of, 382–383  
*Margaritifera hembeli*, 18, 76, 104, 124, 128, 285  
*Margaritifera margaritifera*  
   distribution, 6–7, 93, 94  
   dominance in assemblages, 247, 272, 279, 285  
   glochidial release, 144, 159  
   habitat use, 103–104, 129, 131, 135, 380  
   host use, 145, 205, 263  
   life history, 180–181, 184, 192, 194, 198, 202, 207, 212, 215, 232–233, 285–286  
   and pearlning, 288, 297, 326  
   population biology, 215–216, 221, 228–229, 263  
   predation on, 224–225  
*Margaritifera marrianae*, 18, 36–37, 88–89, 90, 124, 200, 285, 388  
*Margaritiferidae*, 3–6, 17, 149, 211–212, 285–286. *See also* *Cumberlandia*; *Margaritifera*  
 marine bivalves, 1–5, 7, 10, 11, 18, 20–26, 27–28, 30, 31, 39, 42, 102, 144, 180, 187, 192–193, 206, 276, 288, 289, 290, 292, 295, 298–299, 309, 310, 339, 382  
 Maumee River, 64, 85  
*Medionidus*, 17, 18, 20, 33, 38, 116, 124, 137, 174, 200, 212, 257  
   dominance in assemblages, 247, 275, 279, 284  
*Medionidus acutissimus*, 12, 14, 32–33, 134, 174, 264  
   life history, 182, 189, 194–195, 205, 212  
   population biology, 217–218, 221, 227, 231, 238  
*Medionidus conradicus*, 175, 275, 321, 347, 351  
*Medionidus parvulus*, 388  
*Medionidus penicillatus*, 90, 91, 105  
*Medionidus simpsonianus*, 90, 387, 388  
*Medionidus walkeri*, 90, 388

- Megalonaia nervosa*, 11–12, 14, 18, 152, 251, 278, 415  
 and commercial harvest, 301, 304, 312, 327  
 distribution, 7, 89, 123, 126, 127, 256  
 dominance in assemblages, 246, 269, 272  
 as grave decoration, 289  
 habitat use, 112, 134–135, 137  
 host infection, 143, 158  
 host use, 150, 256, 258, 268, 272  
 life history, 183, 189, 195, 200, 211–212  
 reproduction, 38, 41, 192  
 response to human impacts, 346, 355, 361  
 metabolism, 11, 25, 29, 30, 43, 278–280, 284, 290, 336, 370, 379, 381  
 metamorphosis. *See* glochidia  
 metapopulations, 240–241, 336. *See also* dispersal; fragmentation  
 microlores. *See* *Epioblasma*; mantle lures  
 mimicry. *See* host infection strategies  
 minnows, 66, 147, 149, 151–153, 163, 166, 173, 177, 256, 262–263, 267–267, 271, 276, 282, 343, 349, 351, 381, 389  
 Mississippi Embayment province, 63, 76–77, 78, 79, 82, 83, 87, 88, 100  
 Mississippian region, 18, 68, 74–76, 89, 93  
 assemblage characteristics, 123–124, 128, 134–135, 137, 243–249, 252, 265–267  
 diversity, 63, 112  
 mussel-fish richness relationship, 259–260  
 species-area relationship, 119–120, 123, 126, 128  
 Mississippi River, 110, 111, 112, 116, 128, 136, 159, 224, 226, 228, 230, 277. *See also* Mississippi Embayment province; Upper Mississippi province basin, diversity, 60, 67, 74  
 commercial harvest, 52, 302–309, 312  
 as distributional barrier or corridor, 67, 77, 78, 83, 106–107  
 diversity, 62, 63  
*Dreissena* in, 339–341, 367  
 early research on, 52  
 flood of 1993, 107  
 historical description, 317  
 impact of dams, 328–329, 335, 346–347, 349, 350  
 mussel die-offs in, 383  
 mussel population of, 391  
 pearlning in, 296  
 pollution of, 324–325, 380  
 translocations, 411–412  
 Missouri River, 106, 291. *See also* Great Plains province; Pacific region; upper Mississippi province  
 mitochondrial DNA, 81, 187  
 Mobile Basin province, 64, 67, 75–76, 80, 87–89, 90, 116, 123, 127, 131, 133–134, 256, 264, 330, 350, 387, 398, 413  
 molecular genetics, 6, 66, 91  
 mortality. *See* predation; survival  
 movement, 34–37, 278, 368, 377. *See also* burrowing mucoïd conglutinates, 162, 166–167, 176–177  
 mucus webs, 157–158, 205, 264, 267, 271. *See also* broadcasting  
 Muscatine, Iowa, 299–309
- Muscle (Mussel) Shoals (Tennessee River), 1, 50, 78, 79, 80, 131, 292, 318–323, 408  
 impacts of dams, 329, 332, 351–352  
 museums. *See* research collections  
 muskrats. *See* predation  
*Mycetopodidae*, 4, 30, 37  
*Mytilopsis leucophaeata*, 102  
*Mytilus edulis*, 3, 290, 339
- nacre  
 color, 20–21, 25  
 and commercial harvest, 304, 306, 310–311  
 production and structure, 9–11, 182
- naiad, 3
- National Fish and Wildlife Foundation, 315
- National Marine Fisheries Service, 412
- Native Americans  
 harvest and use of mussels, 1, 276, 288, 289, 291, 292–295, 304, 318, 323–324, 327, 416  
 names for mussels, 1, 319
- Nature Conservancy, 338, 392, 397
- Necturus maculosus*. *See* *Simpsonaias ambigua*
- Neves, Richard J., 58
- New Harmony, Indiana, 46
- niche, 115, 248, 253, 254, 255, 261–262, 279, 284, 286, 417
- nitrogenous compounds, 104, 368–369, 376, 377, 379–381, 404–405
- Northern Atlantic province, 65, 92, 94–95, 119–120, 125, 135, 243, 247, 260, 390, 401
- Notrema fissurella*, 46
- nutrient cycling. *See* ecological role of mussels
- Obliquaria reflexa*, 15, 18, 20, 33, 36, 40, 41, 101, 112, 121, 134, 135, 147, 163, 165, 166, 189, 201, 208, 217, 221, 227, 230, 232, 235, 246, 278, 353, 415
- Obovaria*, 16, 17, 149, 174, 217
- Obovaria haddletoni*, 90, 334
- Obovaria jacksoniana*, 77, 87, 134, 251
- Obovaria olivaria*, 123, 144, 178, 247, 258, 346
- Obovaria retusa*, 20, 276, 335, 347, 352, 388, 390, 394, 414
- Obovaria subrotunda*, 16, 121, 347
- Obovaria unicolor*, 12, 14, 36, 87, 88, 134, 182, 183, 189, 208, 227, 231, 234, 237–238, 350, 353
- Ogeechee River, 93, 125, 127
- Ohio River, 45–46, 76, 77, 100, 116, 117, 137, 216, 230, 247  
 commercial harvest, 298, 302, 305, 308, 309
- Corbicula* in, 367, 370  
 as a dispersal corridor, 79, 81, 83, 85, 100  
 diversity, 62, 63
- Falls of the Ohio, 45  
 impacts of dams, 111, 112, 234, 329, 332, 335, 346–347, 349, 350  
 pollution of, 325  
 shoals on, 317
- Ohioan province, 78–79, 80, 81, 84, 127, 322  
 species-area relationship, 119–120, 123, 125
- optimal foraging, 222, 225, 324, 327
- Ortmann, Arnold E., 50–52, 57, 62, 66, 322, 328, 332  
 rowing in the Tennessee River, 49
- Ortmann's law of stream position, 16–17

- ostia, in gills, 28, 40
- Ouachita River, 62, 63, 76, 243, 244, 247, 249–252, 268–272, 394–395. *See also* Interior Highlands province
- ovisac. *See* conglutinates
- oxygen
- and burrowing, 31, 43
  - during *Corbicula* die-offs, 368–369
  - in dam tailwaters, 234, 331, 335, 396, 398–399, 401
  - as a limiting factor, 116, 229, 254, 255, 343, 360, 383
  - in polluted waters, 104, 326, 331, 376, 379–380
  - requirements and regulation, 104–105, 109, 161, 279, 283, 343
  - uptake, 27–28
- oysters. *See* *Crassostrea virginica*; *Pinctada*
- Pacific province and region, 83, 95–96, 127, 390
- assemblage characteristics, 115, 243
  - diversity, 65, 67
  - mussel-fish richness relationship, 260
  - species-area relationship, 125, 128
- parasites
- of mussels, 186, 197–198, 382
  - mussels as. *See* host relationship
  - role in pearl formation, 9
- parthenogenesis, 37
- paternity, multiple, 38–39, 412
- pearls, 1, 288, 301, 310
- cultured, 310–315, 327, 382
  - formation of, 9
  - harvest of, 1, 52, 289, 291, 295–297, 304, 326, 327
- Pearl River, 102, 198, 350. *See also*
- Pontchartrain-Pearl-Pascagoula province
- pedal feeding, 28, 34, 150, 363, 369
- Pegias fabula*, 11, 15, 17, 18, 20, 80, 115, 120, 131, 152, 159, 196, 213, 338, 387, 390, 415
- Peninsular Florida province, 64, 89, 91–92, 115, 120, 260
- periostracum. *See* shell, production and structure
- pesticides, 374–379, 381, 404–405
- Philadelphia Academy of Natural Sciences, 45, 46, 47, 51–52
- photoperiod, 29, 34, 36, 38, 171
- phylogenetics, 4–7, 12, 14–15, 17, 18, 38, 39–40, 41, 44, 49, 50, 57, 61–62, 65–67, 86, 88, 91, 92, 94, 110, 115, 116, 118, 123–124, 133, 147–149, 150, 152–153, 169, 181–182, 184, 187, 200, 205, 210–211, 213, 334
- phytoplankton, 116, 198, 367, 376
- effects of bivalve filtration on, 43, 276–277, 339
  - as food, 26, 29, 30, 233, 281, 378
- Piedmont, 87, 90, 93, 94, 116–118, 127
- Pilsbry, Henry A., 51–52
- Pinctada*, 310–311, 315
- place names, referring to mussels, 1
- placentae. *See* conglutinates
- Plectomerus dombeyanus*, 18, 40, 76, 77, 88, 112, 147, 196, 205, 208, 247, 251, 353
- Pleistocene, 77–78, 80–81, 83–85, 95, 100, 101, 111, 127. *See also* biogeography
- Plethobasus*, 18, 40, 162, 247, 352, 390
- Plethobasus cicatricosus*, 346, 388
- Plethobasus cooperianus*, 79, 346, 388
- Plethobasus cyphus*, 123, 346
- Pleurobema*, 16, 20, 40, 65, 83, 88, 89, 112, 116, 123, 135, 152, 153, 162, 163, 196, 247, 304, 334, 352, 353
- Pleurobema beadleanum*, 87
- Pleurobema bournianum*, 78, 334
- Pleurobema clava*, 347
- Pleurobema cordatum*, 15, 79, 104, 189, 246, 247, 308, 311, 335, 346
- Pleurobema curtum*, 88, 333, 337
- Pleurobema decisum*, 14, 20, 179, 394–395
- habitat use, 134
  - host infection, 162–163
  - host use, 153, 263, 349, 350
  - life history, 181, 183, 201, 208
  - population biology, 217, 219–221, 227–229, 231, 234–235, 238
- Pleurobema fibuloides*, 334
- Pleurobema georgianum*, 88
- Pleurobema hanleyianum*, 388
- Pleurobema hartmanianum*, 334
- Pleurobema marshalli*, 88, 332, 333
- Pleurobema oviforme*, 120, 347, 351
- Pleurobema perovatum*, 36, 134, 160
- Pleurobema plenum*, 346
- Pleurobema pyriforme*, 90, 91, 105
- Pleurobema riddelli*, 86
- Pleurobema rubellum*, 88, 264, 388
- Pleurobema rubrum*, 77, 247, 258, 268, 347
- Pleurobema sintoxia*, 20–21, 223, 256, 346
- Pleurobema stabilis*, 334
- Pleurobema strodeanum*, 257
- Pleurobema taitianum*, 388
- Pleurobemini
- fecundity, 200
  - habitat use, 115, 134
  - life history strategy, 211
  - life span, 182–183
- Pleuronaia*, 16, 40, 80, 152, 162, 163, 213, 247
- Pleuronaia barnesiana*, 16, 80, 347, 351
- Pleuronaia dolabelloides*, 80, 347, 351, 413
- Pleuronaia gibberum*, 80, 388
- pollution, water
- nonpoint source, 324–326, 330, 334, 338, 359–365, 373–381
  - point source, 324–326, 330–332, 334, 338, 342, 352–355, 386
- Pontchartrain-Pearl-Pascagoula province, 64, 87, 88, 260
- Popenaias popei*, 7, 85, 137, 150, 152, 158, 198–199, 388
- population growth. *See* growth
- population size, 126, 191, 235–236, 277, 332–334, 336–337, 351, 371–372, 393–395, 414, 416–417
- Potamilus*, 7, 15, 23, 38, 84, 112, 116, 135, 136, 142, 143, 152, 155, 160, 170, 177–179, 200, 210, 221, 246, 258
- Potamilus alatus*, 33, 135, 141, 178, 337, 346
- Potamilus amphichaenus*, 86
- Potamilus capax*, 15, 23, 76, 117, 346, 350–351, 402
- Potamilus inflatus*, 87, 88, 412
- Potamilus metnecknayi*, 388
- Potamilus ohiensis*, 20, 113, 194, 208, 212, 227

- Potamilus purpuratus*, 15, 17, 20, 76, 77, 83, 86, 88, 100, 134, 178, 183, 196, 208, 221, 227, 228, 233, 268, 337, 353
- Potamilus salinasensis*, 85
- potassium, 105
- predation, on mussels, 34, 36, 48, 49, 198, 222, 225, 228, 236, 239, 281, 283, 341, 362
- by birds, 225–226, 228
- and evolution of shell morphology, 21–22, 25
- by fish, 226–228, 239–240, 367
- and host infection, 178–179
- by muskrats, 186, 222–225, 239
- prehistoric use of mussels. *See* Native Americans
- prismatic layer. *See* shell, production and structure
- production, primary and secondary. *See* ecological role of mussels; eutrophication
- propagation, of mussels
- early efforts, 52–56, 146, 308, 392
  - modern efforts, 406, 408–414, 415, 418–420
- prosogyrous shells, 15, 16, 23, 25
- protandry. *See* hermaphroditism, sequential
- Pseudanodonta complanata*, 96
- pseudofeces. *See* waste excretion
- Ptychobranchus*, 40, 83, 88, 113, 135, 163, 164–166, 196, 246, 247, 274, 363
- Ptychobranchus fasciolaris*, 165, 206, 208, 346, 349, 352
- Ptychobranchus foremanianus*, 88
- Ptychobranchus greeni*, 88, 165, 264, 386
- Ptychobranchus jonesi*, 388
- Ptychobranchus occidentalis*, 82, 117, 165, 270
- Ptychobranchus subtentum*, 18, 165, 207, 347
- putrescine, 290–291
- Pyganodon*, 17, 23, 115, 275
- Pyganodon cataracta*, 89, 118, 135, 224, 247, 256
- Pyganodon fragilis*, 94
- Pyganodon gibbosa*, 188
- Pyganodon grandis*, 12, 14, 84, 223, 325, 391
- distribution, 84, 89, 100–101, 256
  - dominance in assemblages, 246, 275
  - feeding, 29, 279
  - habitat use, 105, 109, 110, 112, 114, 132, 134, 136, 343, 352
  - host infection, 158
  - host use, 151, 256, 263
  - life history, 84, 181–183, 194, 198, 200, 205, 208, 210
  - population biology, 227, 236, 263, 271
  - sexual dimorphism, 17
  - shell variation, 17, 23
- Quadrula*, 6, 16, 19, 20, 38, 89, 112, 116, 123, 124, 149, 152, 158, 176, 187, 217, 247
- Quadrula apiculata*, 76, 87, 142
- Quadrula asperata*, 9, 36, 134, 179, 186, 187, 189–190, 195, 196, 201, 208, 227, 231, 246, 261, 264, 350, 353
- Quadrula aurea*, 85–86
- Quadrula couchiana*, 85, 327, 333
- Quadrula cylindrica*, 33, 35, 77, 80, 132, 190, 210, 213, 347, 349, 388
- Quadrula fragosa*, 142, 143–144, 347, 350–351
- Quadrula houstonensis*, 85
- Quadrula infucata*, 90, 91
- Quadrula intermedia*, 33, 80, 132, 153, 256, 347, 349, 351, 388
- Quadrula metanevra*, 87, 149, 153, 166, 177, 190, 247, 268, 346, 349
- Quadrula mitchelli*, 85–86, 333
- Quadrula mortoni*, 74, 86
- Quadrula nobilis*, 74
- Quadrula nodulata*, 24, 123, 247, 346, 415
- Quadrula petrina*, 85, 388
- Quadrula pustulosa*, 10, 12, 14, 29, 86, 142, 190, 251, 278, 304
- distribution, 256, 268
  - dominance in assemblages, 246–248
  - habitat use, 105, 113, 135
  - host infection, 166–167, 177
  - growth, 181–182, 186
  - life history strategy, 205, 208, 209
  - population biology, 220–221, 228, 230, 232, 237–238
  - reproduction, 195, 196–197
  - response to human impacts, 327, 337, 346, 353, 355, 356
- Quadrula quadrula*, 15, 88, 113, 114, 135, 142, 166, 177, 227, 246–247, 251, 256, 268, 304, 312, 327, 346, 353
- Quadrula refulgens*, 20, 87
- Quadrula rumpfiana*, 88, 134, 137, 142, 179, 203, 207, 208, 227, 231, 246, 261, 353
- Quadrula sparsa*, 80, 388, 393
- Quadrula stapes*, 88, 333, 337
- Quadrula tuberosa*, 333, 334
- Quadrula verrucosa*, 179, 227, 231, 246, 251, 261, 268, 346, 353
- burrowing behavior, 33, 132
  - distribution, 256
  - glochidia, 142
  - habitat use, 134
  - host infection, 166, 177, 264
  - sexual dimorphism, 17, 186
  - shell variation, 20
- Quadrulinii*
- fecundity, 200
  - habitat use, 115, 134
  - host infection, 162, 166, 170, 176
  - host use, 149, 150
  - life history strategy, 211, 213
  - life span, 183
  - sexual dimorphism, 17
- r-* and *K*-selection, 209–213, 255, 278
- Rafinesque, Constantine S., 44–46, 48, 290
- Rangia cuneata*, 102, 226
- rank-abundance plots. *See* species richness
- rarity, natural, 191, 243–247, 267–268, 271, 275–276, 284, 327, 416–417
- recruitment, 107, 138, 194, 201, 215, 216, 218–221, 230–240, 263, 271–272, 281, 283–284, 311, 335, 336, 342, 349–352, 363, 376–378, 387, 393–395, 398, 407–408, 412, 413, 416, 417
- Red River, KY, TN, 79, 342, 356–358, 365, 372–373, 376
- Red River, LA, OK, TX, 106, 111, 259. *See also* Great Plains province; Mississippi Embayment province

- Reginaia*, 6  
*Reginaia apalachicola*, 323, 325, 327  
*Reginaia ebena*, 6, 40, 123, 196, 210, 213  
 and commercial harvest, 304, 327  
 dominance in assemblages, 246, 247, 274, 280  
 host relationship, 145, 258  
 population biology, 216, 230  
 response to human impacts, 234, 349  
 translocation, 415  
*Reginaia rotulata*, 90, 388  
 reintroduction, 398, 406–415, 419–420  
 relict populations, 5–6, 99–100, 124, 185, 201, 335  
 reproduction, 34, 36–42, 101, 181, 187–206, 278,  
 282–285, 336, 348–349, 365, 376, 381, 389,  
 394–395, 405, 408. *See also* brooding; fecundity;  
 gametogenesis; glochidia; host relationship;  
 recruitment; spawning; sperm  
 reproductive effort, 200–206, 209–211, 213  
 research collections, 44, 45, 47, 50, 57, 88, 334,  
 341–342, 404  
 respiration. *See* metabolism; oxygen  
 Rivers and Harbors Act, 329
- Saline River, 60, 243, 244, 250–252, 268–272  
 salinity, 101–102, 105, 330  
 salmon, 147, 149, 204–205, 400  
 sample bias, 130, 151, 187, 190, 216, 263  
 sampling,  
   for fishes, 263  
   for mussels, 47, 49–50, 54, 57, 58, 130, 137, 187,  
   190, 216, 218, 226, 230, 243, 249, 276, 299, 321,  
   323, 342, 361, 376, 394, 404, 407–408, 417  
 saturation, of assemblages. *See* competition  
 sauger, 154, 160, 171, 256, 268, 271, 350  
 Say, Thomas, 46–47, 48  
 scour. *See* dislodgement  
 sculpins, 147, 153–154, 159, 160, 163, 164, 166,  
 174–176, 258, 265, 267, 349  
 sculpture. *See* shell  
 secondary water tubes. *See* brooding; gills  
 sedimentation, 324–326, 334, 358, 359–365, 373–374,  
 378, 380–381, 396, 404–405  
 senescence, 197, 201, 221  
 sensitivity analysis. *See* elasticity  
 sex change. *See* hermaphroditism  
 sexual dimorphism. *See* shell  
 sex ratios, 178, 187–194  
 shell, 8–26. *See also* nacre  
   adaptive significance, 21–26, 31, 175, 178, 239  
   collecting, 44, 47, 288. *See also* research collections  
   dissolution, 10, 103  
   ecophenotypic variation, 14, 16–17, 19, 20, 50, 84,  
   92, 118, 185  
   evolutionary convergence, 14–15, 18  
   gaping, during feeding and movement, 28–29, 31,  
   377  
   as grave decoration, 289  
   polymorphism, 20–21, 26, 186  
   production and structure, 8–11, 20, 30, 103  
   rings, 10–11, 292  
   role of shells in the environment, 43  
   sculpture, distribution among faunal regions and  
   habitats, 18–19, 25  
 sexual dimorphism, 17, 37, 48, 186, 193  
 size, 11–14, 181–182, 185, 196, 200–202, 204, 207,  
 209–213, 222, 224, 227, 273, 279, 283–284, 291  
 umbo sculpture, 18  
 use by humans, 1, 288–289, 292, 294–295, 297–315  
 use in systematics, 48, 61, 65–66, 88, 91–92, 94, 334  
 wings, 15–16, 23  
 Shira, Austin F., 54  
*Simpsonaias ambigua*, 23, 131, 144, 147, 152, 159, 179,  
 213  
*Sinanodonta woodiana*, 96, 194, 417  
 siphons, 27, 28, 31, 369. *See also* apertures  
 Sipsey River, 21, 36, 110, 134, 185, 186, 196, 207, 212,  
 221, 226–227, 230–231, 234–238, 244, 245,  
 261–263, 333, 349–350, 370, 387, 394–395  
 skipjack herring, 149, 267, 280, 282, 349–350  
 Smith, H.H., 50, 316, 319, 321–322  
 Smithsonian Institution U.S. National Museum of  
 Natural History, 47  
 snails, 22, 37, 46, 103, 174, 192, 193, 209, 225, 226,  
 228, 240, 288, 310, 318, 319, 342, 355, 361, 365,  
 367, 380, 384, 419  
 Southern Atlantic province, 65, 92–94, 120, 125, 135,  
 147, 247, 260, 388  
 spawning and egg fertilization, 11, 34, 36–37, 38–39,  
 40, 41, 162, 166, 187, 191–194, 198, 205, 336,  
 339, 368, 381, 393, 412. *See also* sperm  
 speciation, 5, 67, 124–125, 127–128, 146, 149–150,  
 255, 256  
 species-area relationship. *See* stream size  
 species descriptions. *See* phylogenetics  
 species richness, 6, 60–67, 243–246, 248–249. *See also*  
 stream size  
 sperm and spermatozeugmata, 27, 38–39, 162, 172,  
 192, 194, 368, 393–394  
 spiny mussels, 18, 24  
*Sphaeriidae*, 3–6, 28, 103, 191, 196, 226, 228, 240, 361,  
 367, 368  
 St. Croix River, 245, 278, 280  
 St. Francis River, 62, 178, 362, 378. *See also* Interior  
 Highlands province  
 stability. *See* disturbance  
 stable stage distribution, 236  
 Stansbery, David H., 57, 341–342  
 stochasticity, 114, 190, 253, 272  
   demographic and environmental, 336–338, 351–352,  
   371–373, 387, 393–396, 414, 418  
 stocking  
   of fishes, 95, 114, 263, 366, 398–399, 406  
   of mussels, 308, 392, 406, 408, 409, 412–414,  
   416–420  
 sturgeon, 147, 178, 226, 282  
 Strayer, David L., 58  
 stream capture, 25, 86, 95  
 stream size  
   and assemblage structure, 120–129, 243–249,  
   252–254, 258, 259, 264–268, 274–276, 281–287  
   and extinction risk, 105, 126, 336–337, 355, 385,  
   393–395  
   and shell morphology, 16–17, 19, 50  
   and species richness, 118–128  
 stress. *See* disturbance  
*Strophitus*, 87, 115, 158, 169, 196, 246

- Strophitus connasaugensis*, 257  
*Strophitus subvexus*, 14, 151, 208, 264, 353, 394–395  
*Strophitus undulatus*, 33, 84, 93, 94, 104, 118, 147, 150, 169, 256, 347  
 suckers, 147, 226, 263  
 sulcus, 15. *See also* shell  
 suprabranchial chamber, 27, 38  
 sunfish, 147, 149, 154, 163, 174–176, 226, 256, 267, 271, 283, 343, 349, 357  
 Surber, Thaddeus, 54  
 surveys. *See* sampling  
 survival, 106–109, 143, 178, 186, 187, 215–216, 218–240, 272, 280–285, 335, 336, 339, 363, 369–370, 387, 393–394, 417  
 Susquehanna River, 65, 94–95, 125, 331, 362  
 symphynote. *See* shell, wings  
 systematics. *See* phylogenetics
- tachytic. *See* brooding  
 taxonomy. *See* phylogenetics  
 temperature, 29, 34, 36, 38, 41, 43, 98–101, 116, 142, 143–144, 151, 159, 169, 184–186, 202, 254–255, 278–280, 331, 335, 340, 343, 368, 369, 396–399, 401, 413  
 Tennessee-Cumberland province, 63, 76, 78, 79–82, 85, 88, 99, 120, 123, 322–323, 388, 413  
 Tennessee River, 1, 49, 50, 51, 100, 131, 247, 276, 292, 295, 318, 340, 394, 417. *See also* Little Tennessee River; Muscle Shoals; Tennessee-Cumberland province  
 commercial harvest, 298, 308, 309, 311–315  
 conservation, 398, 408, 413  
 diversity and biogeography, 60, 62–63, 67, 75, 78, 80–81, 88, 103, 104, 256  
 historical description, 328  
 impacts of dams, 111, 112, 329–330, 332, 333, 335, 344, 346–347, 349–350, 351–352  
 mussel die-offs in, 383  
 pollution of, 374  
 Tennessee Valley Authority, 322, 329, 397, 398, 407  
 Tolberg layer, 310, 312  
 Tombigbee River, 64, 330, 332, 333, 335, 337, 350, 402. *See also* Mobile Basin province  
 topminnows, 154  
*Toxolasma*, 17, 20, 23, 77, 83, 110, 115, 135, 174–175, 196, 246, 252, 283, 343  
*Toxolasma cylindrellus*, 80, 388  
*Toxolasma lividus*, 20, 83, 135, 347, 350–351  
*Toxolasma parva*, 11, 90, 109, 112, 114, 134, 136, 182, 183, 189, 191, 208, 212, 256, 275, 346, 353  
*Toxolasma paulus*, 91, 105, 109  
*Toxolasma pullus*, 93  
*Toxolasma texensis*, 76, 77, 112, 113, 114, 117, 189, 208, 257, 353  
 translocation, 406–410, 414–415, 418, 420  
 trematodes, 9, 191, 197–198, 378, 382  
*Tremesia patelloides*, 46  
 Trigoniida, 7  
 trout, 147, 263, 398–399, 406  
*Truncilla*, 15, 112, 142–143, 160, 177–178, 196, 200, 246, 258, 273, 275, 279, 283, 346  
*Truncilla cognata*, 85  
*Truncilla donaciformis*, 33, 183, 194, 202, 208, 221, 227, 232–233, 235–238, 256, 261, 268–269  
*Truncilla macrodon*, 85, 388  
*Truncilla truncata*, 14, 202, 208, 224, 269, 278  
 umbo, 10, 15, 16, 18, 20. *See also* shell  
*Unio*, 199  
*Unio crassus*, 31, 279  
*Unio pictorum*, 132, 157, 192  
*Unio tumidus*, 29, 192  
*Uniomerus*, 18, 20, 40, 65, 84, 87, 89, 91, 93, 94, 147, 213  
*Uniomerus carolinianus*, 105, 109  
*Uniomerus tetralasmus*, 108–109, 112, 114, 117, 134, 213, 353  
 Unionidae, 3–7  
 Unionoidea, 3–7, 61, 149  
 Upper Mississippi province, 55, 77–78, 82, 83, 84, 85, 120, 127, 260, 390  
 U.S. Army Corps of Engineers, 328–329, 397, 398  
 U.S. Bureau of Fisheries, 52, 56, 299, 308. *See also* U.S. Fish and Wildlife Service  
 U.S. Clean Water Act, 334, 420  
 U.S. Endangered Species Act, 58, 334, 338, 392, 396, 407, 419  
 U.S. Fish and Wildlife Service, 52, 309, 314, 397, 412  
*Utterbackia*, 17, 23, 110, 115  
*Utterbackia imbecillis*, 93, 188  
 habitat use, 105, 112, 114, 134–135, 275, 343  
 host infection, 158  
 host use, 147, 150, 151, 256  
 life history, 84, 210–211, 213, 283  
 reproduction, 41, 150, 191, 194, 199  
 response to human impacts, 346, 352, 353, 391  
*Utterbackia peggyae*, 91, 187, 188, 199  
*Utterbackia peninsularis*, 91  
*Venustaconcha ellipsiformis*, 77, 85, 100, 174, 189, 208  
*Venustaconcha pleasi*, 82  
*Venustaconcha simi*, 81  
*Villosa*, 6, 17, 19, 20, 38, 65, 80, 93, 116, 124, 135, 144, 149, 171, 173, 174, 196, 246, 247, 252, 257, 351  
*Villosa arkansasensis*, 82  
*Villosa constricta*, 93  
*Villosa delumbis*, 93, 118  
*Villosa fabalis*, 12, 33, 131, 337  
*Villosa iris*, 39, 83, 104, 131, 136, 171, 256, 321, 347  
*Villosa lienosa*, 36, 77, 98, 105, 112, 113, 117, 132–134, 136, 175, 208, 210, 227, 261, 353  
*Villosa nebulosa*, 117, 132, 171, 173, 208, 258, 263  
*Villosa ortmanni*, 78, 81  
*Villosa purpurea*, 80  
*Villosa taeniata*, 171, 321, 347  
*Villosa trabelsi*, 131, 338, 347, 415  
*Villosa umbrans*, 88, 175  
*Villosa vaughniana*, 118  
*Villosa vibex*, 14, 89, 93, 94, 105, 134, 141, 154, 171, 173, 261, 263, 264  
*Villosa villosa*, 89, 90

Cambridge University Press

978-0-521-19938-4 - North American Freshwater Mussels: Natural History, Ecology, and Conservation

Wendell R. Haag

Index

[More information](#)

*Index*

505

- von Bertalanffy growth equation, 182–186, 195–196, 206–207, 210, 219, 279  
Wabash River, 46–47, 62–63, 78, 85, 132, 178, 308, 312, 333  
Walker, Bryant, 50, 319, 321  
walleye, 154, 171, 256, 268, 271, 350, 417  
waste excretion, 27–28, 31, 43  
water chemistry, 14, 97, 102–105  
water temperature. *See* temperature  
wetlands. *See* lentic habitats  
White River, 62, 76, 308, 313, 397. *See also* Interior Highlands province  
Wilson, Alexander, 46  
World Wildlife Fund, 58  
zebra mussels. *See* *Dreissena*  
zooplankton, 26, 339, 367, 376