

Table (1)
Unrecorded pests to be declined entry into Egypt

Insect pests

Scientific Name	Family	Order
<i>Araecerus fasciculatus</i> (De Greer)	Anthribidae	Coleoptera
<i>Chelymorpha cassidea</i> (Fab.)*	Chrysomelidae	Coleoptera
<i>Chrysomela scripta</i> (Fab.)*	Chrysomelidae	Coleoptera
<i>Diabrotica</i> spp.*	Chrysomelidae	Coleoptera
<i>Epitrix cucumeris</i> (Harris)	Chrysomelidae	Coleoptera
<i>Gastroides polygoin</i> (L.)*	Chrysomelidae	Coleoptera
<i>Leptinotarsa decemlineata</i> (Say)	Chrysomelidae	Coleoptera
<i>Oulema melariopus</i> (L.)*	Chrysomelidae	Coleoptera
<i>Typophorus viridicyanus</i> (Crotch)*	Chrysomelidae	Coleoptera
<i>Epilachna</i> spp.*	Coccinellidae	Coleoptera
<i>Anthonomus</i> spp.	Curculionidea	Coleoptera
<i>Cosmopolites sordidus</i> (Gorm.)	Curculionidea	Coleoptera
<i>Larinus</i> spp.	Curculionidea	Coleoptera
<i>Otiorhynchus</i> spp.	Curculionidea	Coleoptera
<i>Phyllobius</i> spp.	Curculionidea	Coleoptera
<i>Rhynchites</i> spp.	Curculionidea	Coleoptera
<i>Rhynchophorus</i> spp.	Curculionidae	Coleoptera
<i>Scyphophorus yuccae</i> (Hom.)*	Curculionidae	Coleoptera
<i>Sphenophorus ventatus</i> (Chitt.)*	Curculionidae	Coleoptera
<i>Sternochetus mangiferae</i> (F.)	Curculionidae	Coleoptera
<i>Trogoderma tarsalis</i> (M.)	Dermestidae	Coleoptera
<i>Mezium americanum</i> (Cast.)	Ptinidae	Coleoptera
<i>Cotinus abdominalis</i> (Casey.)*	Searabaeidae	Coleoptera
<i>Oryctes elegans</i> (Prell.)	Searabaeidae	Coleoptera
<i>Popillia japonica</i> (Newm.)	Scarabaeidae	Coleoptera
<i>Hypothenemus hampei</i> (Ferr.)**	Scolytidae	Coleoptera

* Species added to table (1)

Scientific Name	Family	Order
Dasineura spp.*	Cecidomyiidae	Diptera
Mayetiola destructor (Say)	Cecidomyiidae	Diptera
Hermetia illucens (L.)*	Stratiomyiidae	Diptera
Eumerus strigatus (Fall.)	Syrphidae	Diptera
Merodon equestris (F.)	Syrphidae	Diptera
Anastrepha spp.	Tephritidae	Diptera
Ceratitis spp.	Tephritidae	Diptera
Dacus spp.*	Tephritidae	Diptera
Rhagoletis spp.	Tephritidae	Diptera
Leptoglossus spp.	Coreidae	Hemiptera
Blessus leucopterus (Say)*	Lygaeidae	Hemiptera
Eurygaster integriceps (Put.)	Pentatomidae	Hemiptera
Dysdercus spp.*	Pyrrhocoridae	Hemiptera
Aphis pomi (Deg.)	Aphididae	Homoptera
Rhopalosiphoninus spp.	Aphididae	Homoptera
Eulecanium capreae (L.)	Coccidae	Homoptera
Aspidiotus bromeliae (Newm.)	Diaspididae	Homoptera
Borchsiniaspis palmae (Cockerel)**	Diaspididae	Homoptera
Chionaspis evonymii (Sac.)	Diaspididae	Homoptera
Epidiaspis leperii (Sign.)	Diaspididae	Homoptera
Hemmiberlisia popularum (Marlatt)	Diaspididae	Homoptem
Lepidosaphes pistacheae (Arkh.)	Diaspididae	Homoptera
Pseudaonidia tesseratade (Charm.)	Diaspididae	Homoptera
Quadraspidiotus perniciosus (Comst.)	Diaspididae	Homoptera
Phylloxera vastatrix (Fitch.)	Phylloxeridae	Homoptera
Dysmicoccus alazon (Williams)	Pseudococcidae	Homoptera
Ferrisia claviseta (Ckll.)**	Pseudococcidae	Homoptera
Ferrisia setosa (Ckll.)**	Pseudococcidae	Homoptera
Planococcus kraunhiae (Kwvana)	Pseudococcidae	Homoptera

** Scientific name amended according to the latest nomenclature

* Species added to table (1)

Scientific Name	Family	Order
<i>Pseudococcus comstocki</i> (Kuw.)	Pseudococcidae	Homoptera
<i>Pulmicultor palmarum</i> (Ehr.)	Pseudococcidae	Homoptera
<i>Trionymus americanus</i> (Ckll.)	Pseudococcidae	Homoptera
<i>Trionymus bromi</i> (Ferris.)	Pseudococcidae	Homoptera
<i>Trionymus clandestinis</i> (Me Connel.)	Pseudococcidae	Homoptera
<i>Trioza buxtoni</i> (Laing)	Psyllidae	Homoptera
<i>Cephus</i> spp.*	Cephidae	Hymenoptera
All members of family Cynipidae	Cynipidae	Hymenoptera
<i>Eurytoma</i> spp.	Eurytomidae	Hymenoptera
<i>Harmolita grandis</i> (Riley)	Eurytomidae	Hymenoptera
<i>Harmolita tritici</i> (Fitch)	Eurytomidae	Hymenoptera
<i>Iridomyrmex humilis</i> (Mayr.)	Formicidae	Hymenoptera
<i>Leucoptera scitella</i> (L.)*	Lyonetiidae	Lepidoptera
<i>Busseola fusca</i> (Fuller)	Noctuidae	Lepidoptera
<i>Sesammia</i> spp.	Noctuidae	Lepidoptera
<i>Aphomia gularis</i> (Zell.)	Pyralidae	Lepidoptera
<i>Chilo</i> spp.	Pyralidae	Lepidoptera
<i>Diatraea</i> spp.	Pyralidae	Lepidoptera
<i>Setomorpha margolaestricta</i> (Keuch)	Tineidae	Lepidoptera
<i>Argyroploce leucotreta</i> (Mayr.)	Tortricidae	Lepidoptera
<i>Clysia ambiguella</i> (Hb.)	Tortricidae	Lepidoptera
<i>Laspeyrisia</i> spp.	Tortricidae	Lepidoptera

* Species added to table (1)

Table (1) cont.
Unrecorded pests and diseases to be declined entry to Egypt

Plant Diseases (Fungal Diseases)

Titricum aestivum	Wheat
Claviceps purpurea	Ergot
Gaeumannomyces graminis	Take-all
Gibberella avenaceae	Scab, Head blight
Gibberella zeae	Head blight
Septoria nodorum, S. tritici	Glum blotch
Tilletia controversa	Dwarf bunt
Tilletia indica	Kernel bunt
Typhula idahoensis	Typhula blight
Hordeum vulgare	Barley
Claviceps purpurea	Ergot
Gibberella zeae	Scab, Seedling blight
Septoria nodorum	Leaf and glum blotch
Septoria passerinii	Leaf spot
Thielaviopsis basicola	Black root rot
Ustilago hordei	Loose smut
Sorghum spp.	Sorghum
Claviceps sorghi	Ergot
Colletotrichum graminicola	Stalk rot, red leaf
Ascochyta sorghi	Leaf spot
Peronosclerospora maydis	Downey mildew
Lycopersicon esculentum	Tomato
Glomerella cingulata	Anthraenose
Oryza stiva	Rice
Balansia spp.	Black ring
Gibberella fujikuroi	Foot rot
Ophiobolus oryzinus	Brown or black sheath rot
Zea Mays	Maize
Claviceps gigantea	Ergot
Cochliobolus heterostrophus	Blight

Colletotrichum graminicola	Anthracnose
Diplodia spp.	Seedling blight
Gibberella fujikuroi	Kemel & stalk rot
Botryosphaeria zeae	Grey ear rot
Mycosphaerella zeae-maydis	
Peronosclerospora maydis	Downey mildew
Saccharum spp.	Sugar cane
Colletotrichum falcatum	Red rot
Beta vulgaris	Sugar beet
Colletotrichum dematium	Anthracnose
Pleospora betae	Black leg
Solanum tuberosum	Potato
Spongospora subterranean	Powdery scab
Synchytrium endobioticum	Black wart
Fragaria spp.	Strawberry
Phytophthora fragariae	Red stele
Allium spp.	Onion and Garlic
Colletotrichum circinans	Smudge
Helianthus annuus	Sunflower
Diaporthe helianthi	Blight
Leptosphaella helianthi	Leafspot
Stromatiina subularis	Wilt and white rot
Septoria helianthi	Septoria blight
Brassica spp.	Rape
Albugo candida	White blister
Mycosphaerella brassicicola	Black ring spot
Sclerotinia sclerotiorum	White blight
Gossypium spp.	Cotton
Ascochyta gossypii	Ascochyta
Colletotrichum indicum	Anthracnose
Linum usitatissimum	Flax
Colletotrichum linicola	Anthracnose

<i>Mycosphaerella linicola</i>	Pasmo, Rust blotch
<i>Phoma exigua</i>	Foot rot
<i>Arachis hypogaea</i>	Peanut
<i>Thielaviopsis basicola</i>	Black root rot
<i>Vicia faba</i>	Broad bean
<i>Ascochyta fabae</i>	Leaf and pod spot
<i>Colletotrichum graminicola</i>	Anthracnose
<i>Cicer arietinum</i>	Chick pea
<i>Colletotrichum dematium</i>	Anthracnose
<i>Glycine soja</i>	Soybean
<i>Macrophoma mame</i>	Anthracnose
<i>Melanopsichium nepalense</i>	Smut
<i>Trifolium sativa</i>	Clover
<i>Colletotrichum trifolii</i>	Southern anthracnose
<i>Kabatiella caulivora</i>	Northern anthracnose
<i>Typhula idahoensis</i>	Typhula blight
<i>Typhula trifolii</i>	
<i>Cucumis melo</i> (melon, cantaloupe, musk melon), <i>Cucumis sativus</i> (cucumber), <i>Cucurbita</i> spp. (squash), <i>Citrullus lanatus</i> (water melon)	Cucurbits
<i>Didymella bryoniae</i>	Gummy stem blight
<i>Gladiolus communis</i> L.	Gladiolus
<i>Septoria gladioli</i>	Hard rot
<i>Stromatina gladioli</i>	Dry rot
<i>Botrytis gladiorum</i>	Sponge rot
<i>Phytophthora cactorum</i>	
<i>Uromyces gladiolicola</i>	Rust
<i>Tulipa gesneriana</i> L.	Tulip
<i>Rhizoctonia tuliparum</i>	Grey bulb rot
<i>Botrytis tulipae</i>	Fire (botrytis) blight
<i>Gleosporium thumenii</i> f. sp. <i>tulipae</i>	Anthracnose
<i>Fusarium oxysporum</i> f. sp. <i>tulipae</i>	Basal rot
<i>Iris florentina</i> L.	Iris

Septoria iridis	Septoria disease
Narcissus poeticus L.	Narcissus
Ramularia vallisumbrosae	White mold
Staonospora eurtisii	Leaf scorch
Sclerotinia narcissicola	Smoulder
Sclerotinia polyblastis	Fire
Rosellinia necartix	White root rot
Fusarium oxysporium f.sp. narcissi	Basal rot
Sclerotinia bulborum	Black slime
Hippeastrum vittatum Herb.	Amaryllis
Stagonospora curtisii	Leaf scorch
Lilium spp.	Lily
Fusarium oxysporum f.sp. lillii	Fusarium scale rot
Cylindrocarpon radicola	Scale tip rot
	Hippeastrum
Armillaria mellea	Armillaria rot
Stagonospora curtisii	Ornamental Palm Trees
Fusarium oxysporum f.sp. candriensis	Wilt
Annellophora phoenicis	Annellophora leaf spot
Cylindrocladium spp.	Cylindrocladium leaf spot
Phytophthora spp.	Phytophthora leaf spot
Gliocladium vermoeseni	Pink rot
Pseudocercospora rhapsicola	Pseudocercospora leaf spot
Fusarium oxysporum f.sp. albendinis	Wilt
Ganoderma zohatum	Basal stem rot
Cerenomyces spp.	
Hyacinthus spp.	Hyacinthus
Sclerotinia bulborum	Black slime
	Convallaria
Mycosphaerella convallariae	Leaf blotch
Puccinia sessilis	Rust
Urocystis miyabeana	Smut

Rosa spp.	Rose
Armillaria mella	Armillaria rot
Cryptosporella umbrina	Brown canker
Sphaceloma rosarum	Anthrachnose
Silphium laciniatum L.	Chrysanthemum
Fusarium oxysporum f.sp. chrysanthemi	
Phyllosticta chrysanthemi	
Puccinia horiana	
Euphorbia pulcherrima	Euphorbia pulcherrima
Sphaceloma poinsettia	Scab
Dianthus spp.	Carnation
Septoria dianthi	Leafspot
Oidium sp.	Powdery mildew
Peronospora dianthicola	Downey mildew
Heterosporium echinulatum	Fairy ring spot
	Citrus
Acrosporium tingitaninum (Carter) Subr.	Powdery mildew
Colletotrichum gloeosporioides Penz.	Wither tip/Anthrachnose
Sphaceloma fawcetti var. scabiosa Jenkins	Pink disease
Botryobasidium salmonicolor (Berk. and Br.)	Ganoderma root rot
Ganoderma lucidum (Lyess) Karst	Limb breakage
Arbela tetraonis	Sphaeropsis leaf spots
Sphaeropsis tumefaciens var. citrum	Sour orange scab
Elsinoe fawcetti (Bitan & Jenk).	Fruit spot
Pestalotiopsis versicolor	
Elsinoe australis	Scab
Mangifera indica	Mango
Colletotrichum gloeosporioides (Penz)	Anthrachnose
Erythricium salmonicolor (Bark & Broome) Burds.	Pink disease
Elsinoe mangiferae (Bitancour & Jenk.) (anamorph; Sphaceloma mangiferae)	Scab
Macrophoma mangiferae Hingorani & Sharma the alga; Cephaleuros virescens Kunze	Blight Red rust of mango

<i>Boothiella tetraspora</i> (Lodhi & Mirza)	Dry rot of ripe fruits (Langra cv)
Ditylenchus spp.	Date palm
<i>Phytophthora</i> sp.	Boyoud
<i>Omphalia</i> spp.	Omphalia root rot
<i>Mauginiella scattae</i>	Khamedj
<i>Macrosporium</i> spp., <i>Citryomyces remosus</i>	Fruit rots
<i>Pomus malus</i> L. & <i>Pyrus communis</i>	Apple & Pear
<i>Phoma pomorum</i> Thumen	Phoma leaf and fruit spot
<i>Nectria cinnabarina</i> (Tode)	Nectria twig blight
<i>Armillaria mellea</i> (Vahl) Kummer	Armillaria root rot
<i>Sclerotinia sclerotiorum</i> (Lib) de Bary	Calyx end rot
<i>Penicillium</i> spp., <i>Mucorpiriformis</i> , <i>Fusarium</i> spp.	Wet core rot of apple after harvest
<i>Sclerotium rolfsii</i> (Saca)	Southern blight and root rot
<i>Phyllosicta solitaria</i>	Blotch
<i>Glomerella cingulata</i> , <i>Coniothyrium</i> spp.	Fruit rot
<i>Penicillium</i> spp.	Blue rot
<i>Botryodiplodia juglandicola</i> (Schw) Sacc <i>Botryosphaeria rodina</i> , <i>B. abtusa</i> (<i>Botrvodiplodia theobromae</i>) <i>Nectria galligena</i> (Bres)	Canker of apple and pear Die-back of apple, pear peach, plum and apricot European canker of apple and pear trees
<i>Venturia inequalis</i> (Cooke) Wint.	Apple scab
<i>Spilocaea</i> state of <i>Venturia pirina</i> Aderh.	Pear scab
<i>Podosphaera leucotricha</i> (Ell. & Ev.) Salmon (anamorph; <i>Oidium farinosum</i> Cooke)	Powdery mildew of apple and pear
<i>Gymnosporangium</i> spp. (more than 21 species)	Rust of apple, pear & quince
<i>Vitis vinifera</i> L	Grape
<i>Greeneria uvicola</i> (Berk & Curt.) Punithalingam	Bitter rot of ripe fruit
<i>Coniella diplodiella</i> (Speg.) Petrak & Syclov	White rot
<i>Pseudopezicula tracheiphila</i> (Mull-Thurg) Korf & Zhuang	Rot Brenner
<i>Elsinoe ampelina</i> (de Bary) Shear. <i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz (anamorph; <i>Phyllosticta ampelicida</i> (Engleman Von dear.)	Anthracnose Black rot
<i>Aspergillus</i> spp.	berry rots

Vitis vinifera L	Grape
Colletotrichum gloeosporioides (Penz.) Penz & Sacc.	Ripe rot of mature grapes
Mycosphaerella angulata Jenkins (anamorph; Cercospora brachypus Ell & Ev.)	Angular leaf spot
Physopella ampelopsidis (Diet.& Syd.) Cumm. & Ramachar	Rust
Coniothyrium diplodiella (Speg.) Petr. & Syd.	Coniothyrium blight
Hendersomula toruloidea Natt. Cirstulariella moricola (Hino) Redhead Briosia ampelophaga Cav Pseudocercospora vitis (Lev.) Speg. Rhytisma vitis Schw. Anthostomella pullulans (de Bary) Bennet. Eutypa lata (Pers. Fr.) Tul & C.Tul. (anamorph; Libertella blepharis Smith.) Botryosphaeria stevensii Shoem Rosellinia necatrix Prix (anamorph; Dematophora necatrix Hartig.) Roesleria subterranea (Weinmann) Redhead.	Drying of grapevine. Zonate leaf spot. Leaf blotch Leaf blight or Isariopsis leaf spot. Tar spot. Brulure Eutypa dieback Black dead arm. Dematophora root rot Grape root rot.
Elsinoe ampelina	Anthracoise
	Peach, Apricot
Cladosporium carpophilum	Peaches scab
Podosphaera oxycanthae	Powdery mildew of apricot
Sphaerotheca pannosa var. persica	
Monilinia fructigena	Powdery mildew of peach
Monilinia laxa Monilinia fructicola	Manila fruit rots of stone fruits
Pseudomonas mors-prunorum	Die back & shot-hole
Taphrina pruni	Leaf curl of plum
Glaeodes pomigena	
Armillaria mellea	Mushroom root rot of peach
Verticillium albo-atrum	Wilt disease of peach & plum fruits
Taphrina deformans	Peach and nectarine leaf curl
Coryneum beijerinckii	Coryneum blight or shot hole of peach, nectarine and apricot
Fusicladium carpophilum (Thuem) Quedem.	Peach scab Coryneum blight or shot hole of plum
Musa paradisiaca L.	Banana

<i>Mycosphaerella musicola</i> leach (<i>Cerospora musae</i> Zimm. As Imperfect stage)	Leaf spot (Sigatoka disease)
<i>Dothiorella gregarig</i>	Dothiorella fruit rot
<i>Macrophoma musae</i>	Freckle disease
<i>Fusarium moniliforme</i> var. <i>subglutinans</i>	Fusarium tip rot
<i>Oidium lactis</i>	Deightoniella torulsa
<i>Cephalo thecium roseum</i>	<i>Cercospora koepkei</i>
<i>Aspergillus wentii</i>	Albugo sp.
<i>Ramichloridium musae</i>	Common speckle
<i>Sclerofinia sclerotiorum</i>	Sclerotinia fruit rot
<i>Scolecotrichum musae</i>	Codna leaf spot
<i>Mycosphaerella musicola</i>	Surinamme leaf disease
<i>Helminthosporium torulosum</i>	Black spot
<i>Rosellinia bunodes</i>	Black rot
<i>Helminthosporium torulosum</i>	Trunka stem rot
<i>Fusarium moniliforme</i> var. <i>subglutinans</i>	Clordo disease
<i>Deightonilla tonilosa</i> (Syd.) Ell (= <i>Helminthosporium torulosum</i>)	Deightonilla leaf and fruit spot
<i>Colletotrichum musae</i>	Fruit Anthraconse
<i>Pyricularia grisea</i>	Fruit depression
<i>Pseudocercospora</i> spp. (<i>Mycosphaerella</i> spp.)	Fruit segatoca
<i>Deightoniella torulosa</i>	Black fuit top
<i>Cercospora hayi</i>	Brown fruit spots
<i>Dothiorella ribis</i>	Dothiorella rot
<i>Phyllosticta musarum</i>	Phyllosticta rot
<i>Phytophthora nicotianaea</i>	Phytophthora rot
<i>Nigrospora oryzae</i>	Nigrospora rot
<i>Sclerotinia sclerotiorum</i>	Sclerotinia rot
<i>Sphaerostible musarum</i>	Bonnygate disease
<i>Clitocybe</i> spp., <i>Poria</i> sp.	Dry rot
<i>Laccocephalum basilapiliodes</i>	Stone fungus
<i>Ustilaginoidella oedipigera</i>	Big foot
Ficus carica	fig
<i>Phomopsis cinerescens</i>	Canker

<i>Cylindrocladium scoparium</i> Morg.	Leaf spot of fig
<i>Phymatotrichum omnivorum</i>	
<i>Alternaria tenuis</i> , <i>Cladosporium herbarum</i>	Black spots of fruits
<i>Sphaceloma fici-caricae</i> Wani & Thirum	Anthracnose
<i>Phyllosticta fici-carici</i>	Leaf spot
Olea sativa	Olive
<i>Colletotrichum dematim</i> (Pers) Grove	Spongy dry fruit rot Quince rust
<i>Gymnosporangium clavipes</i> (Cooke & Peck)	Rocky mountain pear rust
<i>Gymnosporangium nelsoni</i> Arth.	White root rot
<i>Scytinostroma galactinum</i> (Fr.)	Violet root rot
<i>Helicobasidium mompa</i> Tanaka	Valsa (Cytosporra) canker
<i>Coccomyces hiemalis</i>	Botryosphaeria
<i>Valsa cinctal/V. leucostoma</i>	Gummosis
<i>Botryosphaeria dothide a/B. obtusa</i>	Dieback
<i>Gleosporium oliverum</i>	Anthracnose
<i>Cycloconium oleaginum</i>	Leaf spots
Persea americana	Avocado
<i>Pseudocercospora purpurea</i>	Septoria Fruit rot
<i>Colletotrichum gloeosporiodes</i>	Fruit Anthracnose
<i>Dothiorella gregaria</i> (<i>Botryosparia ribis</i>)	Dothioella rot
<i>Sphaceloma perseae</i>	Fruit scape
<i>Fusarium</i> spp.	<i>Fusarium</i> fruit rot
<i>Botryodiplodia theobromae</i>	Botryodiplodia rot
<i>Pestalotiopsis versicolor</i>	Pesalotiopsis rot
<i>Phytophthora citrophthora</i>	Phytophthora rot
<i>Akaropeltopsis</i> sp.	Akaropeltopsis rot
Diospyros kaki	Persimmon
<i>Alternaria</i> spp. & <i>Cladosporium</i> spp.	Leaf and fruit spots
<i>Fusarium</i> spp. & <i>Sclerotium</i> sp.	Root rots
<i>Botryodiplodia theobromae</i>	Dieback
<i>Rhizoctonia solani</i> , <i>Pythium</i> spp. and <i>Phytophthora</i> spp.	Damping off
<i>Aspergillus</i> group, <i>Penicillium</i> group	Fruit rot

Muntingia calabura	Cherry
Cercospora rubrotincta	Leaf spot on sweet cherry
Litchi chinensis	Litchis
Pestalotiopsis sp.	Pestalotiopsis rot
Aspergillus flavus group	Aspergillus rot
Peronophthora litchii	Peronophthora rot
Ceuthospora litchi	
Pestalotia pauciseta	
Colletotrichum gloeosporioides	
Aspergillus niger group	Aspergillus rot
Psidium guajava var. pyrifera L.	Guava
Myxosporium psidii, Gleosporium psidii	Fruit rot
Geotrichum candidum, Rhizopus nigricans	Pestalotia psidii
Fusarium spp., Cephalosporium sp.	Wilt
Gloeosporium psidii	Anthracites
Botryodiplodia psidii	Stem canker
Rhizoctonia solani	Seedling blight
Cercospora psidii	White leaf spots
	Annona
Alternaria sp., Cladosporium sp., Cercospora sp.,	Leaf spots
Fusarium sp. Botryodiplodia sp.	Die-back
Rhizopus nigricans, Cladosporium sp., Alternaria sp., Phytophthora sp.	Fruit rots
Alternaria alternata	Annona flowers blight
Fusarium spp.	Wilt root rot
Castanea mollissima	Chestnut
Aspergillus flavus group	Aspergillus rot
Aspergillus niger group	Aspergillus black rot
Armillaria mellea	Armillaria rot
Botryosphaeria dothidea	
Endothia parasitica	Blight
Coryneum castanicola	

<i>Coryneum kunzei</i>	
<i>Coryneum pustulatum</i>	
<i>Colletotrichum gloeosporioides</i>	
<i>Cryphonectria parasitica</i>	
<i>Diaporthe eres</i>	
<i>Hendersonula toruloidea</i>	
<i>Laetiporus sulphureus</i>	
<i>Marssonina ochroleuca</i>	
<i>Alternaria</i> sp.	Leaf spot
Persea americana	Avocado
<i>Phytophthora cinnamomi</i>	Phytophthora root rot
<i>Dothiorella</i> sp.	Dothiorella rot
<i>Glomerella cingulata</i>	Anthracnose
<i>Aspergillus niger</i> group	Aspergillus rot
<i>Aspergillus flavus</i> group	Aspergillus black rot
<i>Colletotrichum gloeosporioides</i>	Black spot
<i>Phomopsis</i> spp., <i>Diplodia hatalensis</i>	Stem end rot
<i>Fusarium</i> spp., <i>Rhizoctonia</i> spp., <i>Armillaria mellea</i>	root rot
Bromelia ananas L.	Pine apple
<i>Penicillium funiculosum</i>	Penicillium rot
<i>Aspergillus niger</i> group	Aspergillus rot
<i>Thielaviopsis paradoxa</i>	Thielaviopsis rot
<i>Phytophthora parasitica</i>	Heart rot
<i>Fusarium moniliforme</i> var. <i>subglutinans</i>	Fusarium rot
<i>Fusarium moniliforme</i>	Fruit rot
<i>Fusarium oxysporum</i>	Wilt
<i>Armillaria mellea</i>	Root rot
Carica papaya	Papaya
<i>Colletotrichum gloeosporioides</i>	Anthracnose
<i>Phytophthora palmivora</i>	Fruit rot
<i>Mycosphaerella caricae</i>	Fruit black rot
<i>Cercospora papaya</i>	Black spot

<i>Stemphylium lycopersici</i>	Stem rot
<i>Corynespora cassicola</i>	Coiynespora rot
<i>Aspergillus niger</i> group	Aspergillus rot
<i>Aspergillus flavus</i> group	Aspergillus black rot
<i>Fusarium</i> spp.	Wilt and root rot
Cocos nucifera L.	Coconut
<i>Aspergillus flavus</i> group	Aspergillus rot
<i>Aspergillus niger</i> group	Aspergillus black rot
<i>Aspergillus ochraceus</i>	Aspergillus rot
<i>Penicillium</i> spp.	Penicillium rot
Zingiber spp.	Ginger
<i>Penicillium</i> spp.	Penicillium rot
<i>Pythium</i> spp.	Pythium rot
<i>Macrophomina phaseolina</i> , <i>Sclerotium rolfsii</i>	
<i>Trichurus spiralis</i>	Grey rot
<i>Verticillium luteo-album</i> , <i>Nectria inventa</i>	Red rot
<i>Rosellinia bunodes</i>	Rosellinia rot
<i>Memmoniella echinata</i>	Black rot
<i>Armillaria mellea</i>	Armillaria rot
<i>Fusarium</i> spp.	Fusarium rot
Actinidia deliciosa	Kiwi
<i>Phomopsis actinidiae</i>	Phomopsis fruit rot
<i>Phoma</i> sp.	Phoma fruit rot
<i>Botryosphaeria</i> sp.	Botryosphaesia rot
<i>Colletotrichum</i> sp.	Colletotrichum rot
Prunus spp.	Almond
<i>Monilinia fructicola</i>	
<i>Aspergillus flavus</i> group	
<i>Aspergillus niger</i> group	
<i>Aspergillus ochraceus</i>	
<i>Penicillium</i> spp.	

Table (1) cont.
Unrecorded pests and diseases to be declined entry into Egypt

Plant Diseases (Bacterial Diseases)

Triticum aestivum	Wheat
<i>Pseudomonas cichorii</i>	Stem melanosis
<i>Pseudomonas fuscovaginae</i>	Bacterial sheath rot
<i>Pseudomonas syringae</i>	Bacterial leaf blight
<i>Xanthomonas translucens</i> pv. <i>graminis</i>	Black chaff
Hordeum vulgare	Barley
<i>Pseudomonas spinngar</i> pv. <i>atrofaciens</i>	Basal glume rot
<i>Xanthomonas translucens</i> pv. <i>graminis</i>	Black chaff
Sorghum spp.	Sorghum
<i>Xanthomonas campestris</i> pv. <i>hoccicola</i>	Bacterial leaf streak
Oryza stiva	Rice
<i>Pseudomonas avenae</i>	Bacterial stripe
<i>Pseudomonas fuscovaginae</i>	Bacterial sheath brown rot
<i>Pseudomonas glumae</i>	Bacterial grain rot
<i>Xanthomonas campestris</i> pv. <i>oryzae</i>	Bacterial leaf blight
<i>Xanthomonas campestris</i> pv. <i>oryzicola</i>	Leaf blight streak
Zea mays	Maize
<i>Erwinia stewartii</i>	Bacterial wilt
<i>Pseudomonas andropogonis</i>	Bacterial stripe
Saccharum spp.	Sugar cane
<i>Xanthomonas campestris</i> pv. <i>asculorum</i>	Gumming
Beta vulgaris	Sugar beet
<i>Pseudomonas syringae</i> pv. <i>aptata</i>	Bacterial blight

Lycopersicon esculentum	Tomato
Clavibacter michiganensis	Bacterial canker and wilt
Allium spp.	Onion & Garlic
Pseudomonas aeruginosa	Internal brown staining
Pseudomonas cepacia	Sour skin of onion
Helianthus annuus	Sunflower
Agrobacterium tumefaciens	Crown gall
Gossypium spp.	Cotton
Xanthomonas campestris pv. malvacearum	Angular leaf spot
Gladiolus communis L.	Gladiolus
Pseudomonas gladioli pv. allicola	Bacterial scab
Pseudomonas gladioli pv. gladioli	Soft rot
Agrobacterium tumefaciens	Crown wall
Tulipa gesneriana L.	Tulip
Corynebacterium oortii	Yellow pack
Iris florentia L.	Iris
	Soft rot
Erwinia carotovora var. carotovora	Lily
Corynebacterium fascians	Stem and leaf gall
	Rose
Agrobacterium tumefaciens	Crown gall
Silphium laciniatum L.	Chrysanthemums
Erwinia chrysanthemi	
Dianthus spp.	Carnation
Pseudomonas caryophylli	Wilt

Solanum tuberosum	potato
Clavibacter michiganensis ssp. sepedonicus	Bacterial ring rot
Erwinia carotovora spp. aroseptica 1%	Black leg
Erwinia carotovora spp. carotova 1%	Soft rot
Ralstonia solanacearum (Pseudomonas solanacearum)	Brown rot
Streptomyces scabies 5%	Common scab
	Citrus
Xanthomonas campestris citri	Citrus canker
Pseudomonas syringae syringae	Citrus blast
Mangifera indica	Mango
Xanthomonas campestris mangiferae	Black spot
Pomus malus L. & Pyrus communis	Apple & Pears
Erwinia amylovora	Fire blight
Vitis vinifera L.	Grape
Xanthomonas ampelina	Bacterial blight
Musa paradisiaca L.	Banana
Erwinia carotovora	Head rot & root disease
Bacillus clebense	Blood disease
Ralstonia solanacearum	Moko disease
Olea sativa	Olive
Pseudomonas syringae savastoni	Olive knot
Muntingia calabura	Cherry
Agrobacterium tumefaciens	Crown gall
Pseudomonas mors-prunorum	Bacterial leaf spot
Persea americana	Avocado

Erwinia sp.	Bacterial canker
Bromelia ananas L.	Pineapple
Acetobacter entrobacter	
Carica papaya	Papaya
Erwinia sp.	Bacterial canker
Zingiber spp.	Ginger
Erwinia carotovora	Soft rot
Pseudomonas selanaceamim	Bacterial wilt

Table (1) cont.

Unrecorded pests and diseases to be dechned entry into Egypt**Plant Diseases (Nematodes)**

Triticum aestivum	Wheat
Anguina tritici	Ear cockle
Oryza stiva	Rice
Aphelenchoides bessey	White tip
Ditylenchus angustus	Dak - pora
	Potato
Ditylenchus destructor	Stern nematode
Globodera pallida	Cyst nematode
Globodera restochiensis	Golden nematode
Pratylenchus destructor	Lesion nematode
Fragariae spp.	Strawberry
Aphelenchoides fragariae	
Ditylenchus spp.	
Allium spp.	Onion, Garlic
Ditylenchus dipsaci	Bloat, Eelworm rot

	Soya bean
Heterodera glycines	Soybean cyst nematode
Radopholus similis	
Tylenchulus spp.	Grape, guava, citrus
Meloidogyne spp.	Grape, banana, cheny, papaya, date palm, grape
Ditylenchus spp.	Date palm
Pratylenchus spp.	Apple, pear
Xiphinema spp.	Grape
Helicotylenchus multicinctus	Banana
Heterodera fic	Fig

Table (1) cont.
Unrecorded pests and diseases to be dechned entry into Egypt

Plant Diseases (Viral Diseases)

	Cereals
Barley stripe mosaic virus (BSMV)	Wheat
Brome mosaic virus (BMV)	Wheat, barley
Wheat streak mosaie virus (WSMV)	Wheat, barley, maize
Maize dwarf mottle virus (MDMV)	Wheat, sorghum, maize
Maize chlorotic mottle virus (MCMV)	Wheat
Maize dwarf ring spot virus (MbRSV)	Wheat
Maize ring mottle virus (MRMV)	Maize
Saccharum spp.	Sugar cane
Sugar cane dwarf virus (SCDV)	
Sugar cane Fiji virus (SCFV)	
Sugar cane mosaic virus (SCMV)	
Sugar cane streak virus (SCSV)	
Beet necrotic yellow vein virus (BNYVV)	Sugar beet
Solanum tuberosum	Potato
Potato yellow dwarf virus (PYDV)	
Potato spindle tuber viroid (PSTV)	
Lycopersicum esculentum	Tomato
Tomato bushy stunt virus (TBSV)	
Tomato black ring virus (TBRV)	
Frageria spp.	Strawberry
Strawberiy crinkle virus (SCV)	
Strawbeny vein-banding virus (SVBV)	

Strawberry ring spot virus (SRSV)	
Strawbeny mild yellow edge virus (SMYEV)	
	Pea & beans
Bean common mosaic virus (BCMV)	
Bean yellow mosaic virus (BYMV)	
Black Eye cowpea mosaic virus (BCMV)	
Cowpea green vein banding virus (CGVBV)	
Cowpea ring spot virus (CRSV)	
	Peas
Pea early browning virus (PEBV)	
Pea Enation mosaic virus (PEMV)	
Onion yellow dwarf virus (O YDV)	
Sunflower rugose mosaic virus (SRMV)	
Vicia faba	Broad bean
Broad bean mottle virus (BBMV)	
Broad bean stain virus (BBSV)	
Broad bean true mosaic virus (BSTMV)	
Red clover vein mosaic virus (RCVMV)	
Soybean mosaic virus (SMV)	
Pea seed-borne mosaic virus (PSBMV)	
Arachis hypogaea	Peanut
Peanut stunt virus (PSV)	
Peanut mottle virus (PMV)	
	Citrus
Citrustatterleaf virus (CTLV)	

Citrus Leaf rugose virus (CLR V)	
Citrus vein enation virus (CVEV)	
Citrus ring spot virus (CRSV)	
Pomus malus L. & Pyrus communis L.	Apple & Pear
Apple chlorotic leaf spot virus (ACLSV)	
Apple mosaic virus (AMV)	
Tomato ring spot virus (TRSV)	
Vitis vinifera L.	Grape
Grapevine chrome mosaic virus (GCMV)	
Grapevine corky bark virus (GCPV)	
Grapevine fleck virus (GFV)	
Grapevine leaf roll virus (GLRV)	
	Peach, Apricot
Plum line pattern virus (PLPV)	
Peach rosette mosaic virus (PRMV)	
Peach mosaic virus (PMV)	
Peach wart virus (PWV)	
Peach X virus (PXV)	
Peach mestern X virus (PMXV)	
Peach yellow virus (PYV)	
Peach little virus (PLV)	
Peach yellow bud mosaic virus (PYBM)	
Apricot (Moorpark) mottle virus (AMV)	
Musa paradisiaca L.	Banana
Banana streak virus (BSV)	

Banana bract mosaic virus (BBMV)	
Ficus carica	Fig
Fig poty virus (FPV)	
Fig S. Carla virus	
Olea sativa L.	olive
Olive latent ring spot virus (OLRSV)	
Olive latent 1 virus (OL 1 V)	
Olive latent 2 virus (OL 2 V)	
Carica papaya	Papaya
Papaya ring spot virus (PRSV)	
Papaya mosaic virus (PMV)	
Gladiolus latent virus (GLV)	Gladiolus
Tulip breaking virus (TB V)	Tulip
Iris mild mosaic virus (TMM V)	Iris
Iris sever mosaic virus (ISMV)	
	Rose
Rose mosaic virus (RMV)	
Rose streak virus (RSV)	
Rose Wilt virus (RWV)	
Rose ring spot virus (RRSV)	
Chrysanthemunt stunt viroid (CSV)	Chrysanthemum
Chrysanthemum chlorotic mottle viroid (CCMV)	
Chrysanthemum ring spot virus (CRSV)	
Carnation ring spot virus (CRSV)	Carnation
Carnation latent virus (CLV)	

Carnation vein mottle virus (CVMV)	
------------------------------------	--

Table (2)
Recorded pests to be declined entry into Egypt

Insects and mites

1. Insect pests:

Scientific Name	Family	Order
Myiopardalis pardalina (Big.)	Tephritidae	Diptera
Silba virescens (Macq.)*	Tephritidae	Diptera
Anuraphis tulipae (Boyer)	Aphididae	Homoptera
Palmaspis phoenicis (Ram. Rao.)**	Asterolecaniidae	Homoptera
Orthezia insignis (Douglas)	Ortheziidae	Homoptera
Nipaecoccus nipae (Mask)	Pseudococcidae	Homoptera
Pseudococcus maritimus (Ehr.)	Pseudococcidae	Homoptera
Anarsia lineatella (Zell.)	Gelechiidae	Lepidoptera
Lobesia botrana (Schiff.)*	Tortricidae	Lepidoptera

* Scientific name amended according to the latest nomenclature

** Species transferred to table (2)

2. Mites:

Scientific Name	Family	Order
Aceria sheldoni (Ewing)	Eriophyidae	Prostigmata
Phyllocoptruta olivora (Ashead)	Eriophyidae	Prostigmata
Bryobia rubrioculus (Sch)	Tetranychidae	Prostigmata

Table (2) cont.
unrecorded pests and diseases to be declined entry into Egypt

Plant diseases (Fungal Diseases)

Triticum aestivum	Wheat
Ustilago tritici	Loose smut
Hordeum vulgare	Barley
Ustilago nitida	Loose smut
Oryza stiva	Rice
Pyricularia oryzae	Blast
Helminthosporium oryzae	Brown spot
Tilletia baraclayana	Covered smut, kernel smut
Ustilaginoidea virens	False smut
Saccharum spp.	Sugar cane
Ustilago scitamina	Smut
Beta vulgaris	Sugar beet
Peronospora farinose f.sp. betae	Downy
Solanum tuberosum	Potato
Alternaria solani	Early blight
Fusarium solani	Dry rot
Helminthosporium solani	Silver scurf
Phoma exigua	Gangerine
Phytophthora erythroseptica	Purple rot
Phytophthora infestans	Late blight
Polyscytalum pustulans	Skin spot
Rhizoctonia solani	Mack scurt
Verticillium alboatrum	Verticillium wilt

Lycopersicon esculentum	Tomato
Didymella lycopersici	Stem rot
Verticillium dahliae	Wilt
Vigna catjang	Green beans
Colletotrichum lindemuthianum	Anthracnose
Diaporthe phaseolorum var. sojae	Stem blotch
Pisum spp.	Peas
Ascochyta pisi	Leafy and pod spot
Mycosphaerella pinodes	Blight
Phoma medicaginis var. pinodella	Foot and call pot
Septoria pisi	Leaf blotch
Fragariae spp.	Strawberry
Colletotrichum fragariae	Anthracnose
Fusarium oxysporum f.sp. fragariae	Wilt diseases
Verticillium albo-atrum	Wilt diseases
Mycosphaerella fragariae	Leafspot
Dendrophoma obseurans	Blight
Allium spp.	Onion & Garlic
Fusarium solani	Basal rot
Aspergillus niger	Black rot
Sclerotium cepivorum	White rot
Botrytis allii	Neck rot
Pyrenochaeta terrestris	Root rot
Urocystis cepulae	Smut
Helianthus spp.	Sunflower

Plasmopara halstedii	Downy mildew
Cicer arietinum	Chick pea
Ascochyta vabiei	Ascochyta blight
Glycine soja	Soybean
Colletotrichum truncatum	Anthracnose
Diaporthe phaseolorum	Stem canker
	Pea
Ascochyta lentis	Blight
	Cucurbits
Colletotrichum laginarum	Anthracnose
Fusarium oxysporum f.sp. nivium	Wilt
Brassica alba	Cabbage
Albugo candida	White rust
Plasmidiophora brassica	
	Citrus
Alternaria citri Ell. Pierce	Black rot of navel orange
Botryodiplodia theobromae	Small fruit dropping and die-back
Phytophthora spp. (P. citrophthora)	Gummosis and root rot
Diplodia natalensis	Diplodia
Macrophomina phaseolina (Tassi) Goid.	gummosis
Diplodia natalensis and Fusarium spp.	Dry root rot
Capnodium citri & Chaetothyrium citri	Sooty mould
Diaporthe citri (Fawcett) Wolf	Melanose
Phomopsis citri Fawcett Rhizoctonia solani, Pythium sp., Phytophthora spp.,	Damping off

Sclerotinia sp. & Sclerotium rolfsii Pestalotiopsis versicolor (Speg) Stewart	Citrus fruit spots
Botryodiplodia theobromae	Leaf spot
Fusarium spp., Rhizoctonia solani,	Root rot
Phytophthora spp., Pythium spp.	
Fusarium oxysporum	Wilt
Alternaria spp.	Leaf spot
Mangifera indica	Mango
Guignardia mangiferae Gloeodes ponzigena Phytophthora nicotianae var. parasiti	Fruit rot
Boothia tetraspora	Dry rot
Pestalotia mangiferae Actinodozum jenkinsii	Fruit rot
Glaeodes pomigena	Black blotch
Pomus malus L. & Pyrus communis L.	Apple & Pear
Phoma pomorum Thumen	Leaf and fruit spot
Nectria cinnabarina (Tode) Fr.	Twig blight
Armillaria mellea (Vahl) Kummer	Root rot
Phytophthora spp. (p.s) syringae (Klebahn) Kleba and P. cactorum (Lebert & Cohn) Schroter	Fruit rot, crown, collar and root rot
Penicillium spp. , Mucor piriformis, Fusarium spp. , Pestalotia laurocerasi westend, Botryosphaeria obtusa (Schwein) Shoemaker and Botrytis cinerea Pers.	Calyx rot and core rot
Mycosphaerella pyri (Auersw) Boerema	Leaf spot
Diaporthe pernicioso Em. Marchal	Phomopsis canker
Botryosphaeria stevensii Shoemaker	Fruit decay

<i>Botryosphaeria stevensii</i>	Canker & die-back
<i>Sclerotium rolfsii</i>	Southern blight
Vitis vinifera L.	Grape
<i>Plasmopara viticola</i> (Berk.& Curt) Berl & Det.	Downy mildew
<i>Cercospora viticola</i> (Ces) Sacc.	Leaf Spot
(<i>Mycosphaerella personata</i> Higgins)	
<i>Phomopsis viticola</i> (Sacc) Sacc.	Dead arm and led spot
<i>Althernaria vitis</i> Cavara	Blight (leaf spot)
<i>Uncinula necator</i> (Schw.) Burr.	Powdery mildew
<i>Armillaria mellea</i> (Vahl & Fr) Kummer	Root rot
<i>Phymatotrichum omnivorum</i> (Shear) Duggar	Verticillium wilt
<i>Verticillium dahliae</i> Kleb.	Crown and root rot
Musa paradisiaca L.	Banana
<i>Fusarium oxysporum</i> f.sp. cubense Woll & Reink	Anthracnose
<i>Colletotrichum musae</i> , <i>Fusarium</i> (Semitectum)	Pink mould
<i>Trichothecium roseum</i> Link	Root rot
<i>Botryodiplodia theobromae</i> pat	
<i>Fusarium moniliforme</i>	Mali formed Fruits
Ficus carica	Fig
<i>Penicillium</i> spp.	Penicillium rot
<i>Aspergillus</i> spp.	Aspergillus rot
<i>Botrytis cinerea</i>	Fruit soft rot
<i>Rhizopus nigricans</i>	Rhizopus rot
<i>Macrophomina phaseolina</i>	Root rot
<i>Cerotelium fici</i> (cast) Arth	Rust

Nectria cinnabarina	Canker
Fusarium sp. Botryodiplodia theobromae	Die back
Cercospora bolleana, Alternaria sp. Mycosphaerella bolleana	Leaf spots
Armillaria mellea	Root rot
Fusarium moniliforme	Root rot
Aspergillus niger	Fruit rot
Fusarium oxysporum	Wilt
Olea sativa L.	Olive
Verticillium albo-atrum	Wilt
Spilocae olegina (cast) Hugh	Peacock eye spot
Armillaria mellea	Root rot
Verticillium albo-atrum	Wilt
Muntingia calabura	Cherry
Verticillium albo-atrum	Wilt
Fusarium oxysporum	Wilt
Monilinia spp.	Brown rot
Stigmina carpophila Cladosporum carpophil	Corneum blight (shot hole)
Alternaria spp.	Leaf spot
Litchi chinensis	Litchis
Botryodiplodia theobromae	Leaf spot
Fusarium spp., Rhizoctonia solani, Phytophthora spp. Pythium spp.	Root rot
Fusarium oxysporum	Wilt

Alternaria spp.	Leafspot
Fomes igniarius	Wood trees
Armillaria mellea	White rot
Ceratostomella	Root rot

Table (2) cont.

Unrecorded pests and diseases to be declined entry into Egypt

Plant diseases (Bacterial diseases)

Erwinia amylovora	Apple, pear, fig
Agrobacterium tumefaciens	Grape, fig, olive

Table (2) cont.
Unrecorded pests and diseases to be declined entry into Egypt

Plant diseases (Nematodes)

Meloidogyne spp.	Sugar cane
Meloidogyne spp.	Date palm
Ditylenchus spp.	Apple & Pear
Pratylenchus spp.	
Xiphinema spp.	
Tylenchulus sp. (T. semipenetrans)	
Ditylenchus spp.	
Pratylenchus sp.	
Vitis vinifera L.	Grape
Meloidogyne spp. (M. javanica, Tylenchulus sp. (T. semipenetrans)	
Musa paradisiaca L.	Banana
Meloidogyne spp. (M. javanica)	
Helicotylenchus spp.	
Tylenchulus sp.	
Meloidogyne sp.	Fig
Xiphinema spp.	
Olea sativa L.	Olive
Meloidogyne spp.	
Tylenchulus semipenetrans	
Meloidogyne spp.	Bulbs & Ornamental
transplants	
Pratylenchus spp.	

Ditylenchus spp.	
Rotylenchulus reniformes	

**Table (2) cont.
Unrecorded pests and diseases to be declined entry into Egypt**

Plant diseases (Viral diseases)

	Citrus
Citrus tatter leaf virus (CTLV)	
Citrus leaf rugose virus (CLRV)	
Citrus vein enation virus (CVEY)	
Citrus ring spot virus (CRSV)	
Vitis Vinifera L.	Grape
Grapevine fan leaf virus (GVFLV)	
	Peach, Apricot, Plum
Plum pox virus (PPV)	
Prune necrotic ring spot virus (VNRSV)	
Prune dwarf virus (PDV)	
Tomato ring spot virus (TRSV)	
Peach rosette mosaic virus (PRUV)	
Arabis mosaic virus (AMV)	
Musa Paradisiaca L.	Banana
Banana bunchy top virus (BBTV)	

Table (3)
Pests recorded but will only be admitted after disinfection

Insect pests

Scientific Name	Family	Order
Lasioderma serricorne (Fab.)	Anobiidae	Coleoptera
Stegobium paniceum (L.)*	Anobiidae	Coleoptera
Egyptian members of family Anthicidae	Anthicidae	Coleoptera
All members of family Bruchidae	Bruchidae	Coleoptera
All members of family Cicindelidae	Cicindelidae*	Coleoptera
All members of family Cleridae	Cleridae*	Coleoptera
Cryptophagus affinis (Sturm)*	Cryptophagidae	Coleoptera
Ahasverus advena (Waltl.)	Cucujidae	Coleoptera
Laemophloeus spp.*	Cucujidae	Coleoptera
Oryzaephilus surinamensis (L.)**	Cucujidae	Coleoptera
Balaninus spp.	Curculionidae	Coleoptera
Calandra spp.	Curculionidae	Coleoptera
Sitona spp.	Curculionidae	Coleoptera
Egyptian members of family Dermestidae	Dermestidae	Coleoptera
All members of family Dytiscida*	Dytiscidae	Coleoptera
Egyptian members of family Histeridae	Histeridae	Coleoptera
Enicmus (=Lathridius) minutus (L.)*	Lathridiidae	Coleoptera
Egyptian members of family Nitidulidae	Nitidulidae	Coleoptera
Typhaea stercorea (L.)*	Mycetophagidae	Coleoptera
Gibbium psylloides (Czemp.)*	Ptinidae	Coleoptera
Aphodius lividus (Ol.)	Scarabaeidae	Coleoptera
All members of family Staphylinidae*	Scarabaeidae	Coleoptera
Alphitobius diaperinus (Panz.)*	Tenebrionidae	Coleoptera
Al. laevigatus (F.)*	Tenebrionidae	Coleoptera
Curmimosphena vilosus (Haag.)*	Tenebrionidae	Coleoptera
Gnathocerus cornutus (F.)*	Tenebrionidae	Coleoptera

* Species added to table (3).

** Scientific name amended according to the latest nomenclature.

Scientific Name	Family	Order
<i>Latheticus oryzae</i> (Wat.)*	Tenebrionidae	Coleoptera
<i>Palorus ratzeburgi</i> (Wissm.)*	Tenebrionidae	Coleoptera
<i>Tenebrio molitor</i> (L.) *	Tenebrionidae	Coleoptera
<i>Tribolium</i> spp.	Tenebrionidae	Coleoptera
<i>Zophosis abbreviata</i> (Sol.)*	Tenebrionidae	Coleoptera
<i>Z. punctata</i> (Brulle)*	Tenebrionidae	Coleoptera
<i>Tenebroides maritanicus</i> (L.)	Trogositidae	Coleoptera
All members of order Collembola	Collembola	Coleoptera
<i>Euborellia annulipes</i> (Lucas)*	Forficulidae	Dermaptera
<i>Forficula auricularia</i> (L.)*	Forficulidae	Dermaptera
<i>Labidura riparia</i> (Pall.)	Labiduridae	Dermaptera
<i>Drosophila melanogaster</i> (Meig.)	Drosophilidae	Diptera
All members of family Phoridae*	Phoridae	Diptera
All members of family Scatopsidae	Scatopsidae	Diptera
<i>Eristalis aeneus</i> (Scop.)	Syrphidae	Diptera
<i>Er. Tenax</i> (L.)*	Syrphidae	Diptera
All members of family Embidae*	Embidae	Embioptera
All members of family Corixidae*	Corixidae	Hemiptera
<i>Carpocoris purpureipennis</i> (De Geer).	Pentatomidae	Hemiptera
<i>Eusarcoris inconspicuus</i> (H.S.)	Pentatomidae	Hemiptera
<i>Nezara viridula</i> (L.)	Pentatomidae	Hemiptera
<i>Bemisia tabaci</i> (Gen.)	Aleyrodidae	Homoptera
<i>Asterolecanium sambuci</i> (Ckll.)	Asterolecaniidae	Homoptera
<i>Empoasca</i> spp.	Cicadellidae	Homoptera
<i>Ceroplastes floridensis</i> (Comst.)	Coccidae	Homoptera
<i>C. rusci</i> (L.)	Coccidae	Homoptera
<i>Coccus hesperidum</i> (L.)	Coccidae	Homoptera
<i>C. longulus</i> (Douglas)	Coccidae	Homoptera
<i>Eulecanium berberidis</i> (Schr)	Coccidae	Homeptera

* Species added to table (3)

Scientific Name	Family	Order
<i>Kilifia accuminata</i> (Sign)**	Coccidae	Homoptera
<i>Pulvinaria psidii</i> (Mask.)	Coccidae	Homoptera
<i>Saissetia coffeae</i> (Wik.)**	Coccidae	Homoptera
<i>S.</i> (= <i>Parasaissetia</i>) <i>nigra</i> (Niet.)	Coccidae	Homoptera
<i>S. oleae</i> (Bem.)	Coccidae	Homoptera
<i>Aspidiotus destructor</i> (Sign.)***	Diaspididae	Homoptera
<i>A. hederæ</i> (Vall.)	Diaspididae	Homoptera
<i>Aonidia lauri</i> (Bouche)	Diaspididae	Homoptera
<i>Aonidiella aurantii</i> (Mask.)	Diaspididae	Homoptera
<i>Aulacaspis rosae</i> (Bouche)	Diaspididae	Homoptera
<i>Au. tubercularis</i> (Newstead)	Diaspididae	Homoptera
<i>Chionaspis striata</i> (Newm.)	Diaspididae	Homoptera
<i>Chrysomphalus aonidum</i> (L.)**	Diaspididae	Homoptera
<i>Ch. dictyospermi</i> (Morg.)	Diaspididae	Homoptera
<i>Ch. personatus</i> (Comst.)	Diaspididae	Homoptera
<i>Diaspis boisduvalii</i> (Signoret)*	Diaspididae	Homoptera
<i>D. bromeliae</i> (Kein.)	Diaspididae	Homoptera
<i>Dynaspidiotus britannicus</i> (New.)**	Diaspididae	Homoptera
<i>Hemiberlisia cyanophylli</i> (Sign.)	Diaspididae	Homoptera
<i>H. latania</i> (Sign.)	Diaspididae	Homoptera
<i>H. rapax</i> (Comst.)***	Diaspididae	Homoptera
<i>Lepidosaphes ulmi</i> (L.)	Diaspididae	Homoptera
<i>Melanaspis inopinata</i> (Leon.)**	Diaspididae	Homoptera
<i>Parlatoria blanchardii</i> (Targ.)	Diaspididae	Homoptera
<i>P. oleae</i> (Colv.)	Diaspididae	Homoptera
<i>P. pergandii</i> (Comst.)	Diaspididae	Homoptera
<i>P. proteus</i> (Curt.)	Diaspididae	Homoptera
<i>P. ziziphus</i> (Lucas.)	Diaspididae	Homoptera

** Scientific name amended according to the latest nomenclature.

*** Species transferred to this table from another table.

* Species added to table (3).

Scientific Name	Family	Order
<i>Pseudaulacaspis pentagona</i> (Targo.) **	Diaspididae	Homoptera
<i>Quadraspidotus ostraeformis</i> (Cu.)	Diaspididae	Homoptera
<i>Icerya aegyptiaca</i> (Douglas)	Margarodidae	Homoptera
<i>I. purchasi</i> (Mask.)	Marcrodidae	Homoptera
<i>I. seychellarum</i> (Westwood)***	Margarodidae	Homoptera
<i>Eriosoma lanigerum</i> (Hausm.)	Pemphigidae	Homoptera
<i>Phoenicoccus marlatti</i> (Cock.)**	Phoenicococcidae	Homoptera
<i>Dysmicoccus brevipes</i> (Cock.)	Pseudococcidae	Homoptera
<i>Ferrisia virgata</i> (C.M.)**	Pseudococcidae	Homoptera
<i>Maconellicoccus hirsutus</i> (Green)	Pseudococcidae	Homoptera
<i>Nipaecoccus vastator</i> (Mask.)	Pseudococcidae	Homoptera
<i>Planococcus citri</i> (Risso)	Pseudococcidae	Homoptera
<i>Pl. vitis</i> (Niet.)	Pseudococcidae	Homoptera
<i>Pseudococcus longispinus</i>	Pseudococcidae	Homoptera
<i>Trionymus lounsburyi</i> (Brain)	Pseudococcidae	Homoptera
<i>Cossus L. niger</i> (B. Backer.)*	Cossidae	Lepidoptera
<i>Zeuzera pyrina</i> (L.)	Cossidae	Lepidoptera
<i>Phthorimea operculella</i> (Zell.)	Gelechiidae	Lepidoptera
<i>Sitotroga cerealella</i> (Oliver)	Gelechiidae	Lepidoptera
Egyptian members of family Geometridae	Geometridae	Lepidoptem
<i>Virachola livia</i> (Klug.)	Lycanidae	Lepidoptera
<i>Lyonetia clerkella</i> (L.)*	Lyonetiidae	Lepidoptem
<i>Cryptoblabes gnidiella</i> (Mill)	Pyralidae	Lepidoptem
<i>Ectomyelois ceratonia</i> (Zell.)**	Pyralidae	Lepidoptera
<i>Ephestia</i> spp.*	Pyralidae	Lepidoptera
<i>Gallria mellonella</i> (L.)	Pyralidae	Lepidoptera
<i>Palpita unionalis</i> (Hubner)**	Pyralidae	Lepidoptera
<i>Plodia interpunctella</i> (Hb.)*	Pyralidae	Lepidoptera

** Scientific name amended according to the latest nomenclature.

*** Species transferred to this table from another table.

* Species added to table (3).

Scientific Name	Family	Order
Pyralis spp.	Pyralidae	Lepidoptera
Members attacking wooden material from family Tineidae	Tineidae	Lepidoptera
Cydia pomonella (L.)	Tortricidae	Lepidoptera
All members of order psocoptera *	Tortricidae	Psocoptera
Haplotrips cahirensis (Tryp.)	Phalaeothripidae	Thysanoptera
Taeniothrips simplex (Morison)**	Thripidae	Thysanoptem
Thrips tabaci (Lind.)	Thripidae	Thysanoptem
All members of order thysanura*	Thripidae	Thysanura
All wood borers	Different	Different

* Species added to table (3).

** Scientific name amended according to the latest nomenclature.

Table (3) cont.

Pests recorded but would only be admitted after disinfection

Mites

Scientific Name	Family	Order
Rhizoglyphus echinopus (Fum. & Robin)	Acaridae	Astigmata
Eriophyes pyri (Pgst.)	Eriophyidae	Prostigmata
Er. vitis (Pgst.)	Eriophyidae	Prostigmata
Brevipalpus californicus (Bankes)	Tenuipalpidae	Prostigmata
Br. obovatus (Donn.)	Tenuipalpidae	Prostigmata
Br. phoenicis (Geijskes)	Tenuipalpidae	Prostigmata
Cenopalpus lanceolatisetae (Attiah)	Tenuipalpidae	Prostigmata
Ce. pulcher (C. & F.)	Tenuipalpidae	Prostigmata
Eutetranychus africanus (Tucker)	Tetranychidae	Prostigmata
Eu. orientalis (Klein)	Tetranychidae	Prostigmata
Panonychus ulmi (Kock) ***	Tetranychidae	Prostigmata
Tetranychus curcurbitacearum (Sayed)	Tetranychidae	Prostigmata

*** Species transferred to this table from another table.