

Index

- α chains, 292–293
- Acanthobdella*, 23, 117, 317
- Acanthobdella peledina*, 320–321, 342
- Acanthobdellida peledina*, 320
- Acanthodrilidae, 258, 272
- acetylated tubulin (ACT), 159–160
- Aciculata, 14, 16
- Acoelomorpha, 4
- Acrocirridae, 22
- acrosome tube, 314, 318, 324
- ACT. *See* acetylated tubulin
- actin, 172
- actin microfilaments, 121–122
- adenosine triphosphate (ATP), 310–311
 - citrate lyase, 289
- afterhyperpolarization (AHP), 143
- agriculture, 274
- AHP. *See* afterhyperpolarization
- albumenotrophy, 333
- Alciopidae, 212
- algal “gardening” behavior, 214
- Alitta virens*, 206
- Allolobophora celtica*, 274
- Allolobophora chlorotica*, 39–40
- alpha-tubulin, 94
- Alvinella pompejana*, 211, 287–290, 341
 - adaptation studies of, 297–298
 - amino acid composition of, 293
 - cellular temperature adaptation, 293–297
 - chemical and thermal stability of, 291–299
 - temperature comfort of, 290–291
 - tubes, 291–292
- Alvinella* spp., integument types in, 291
- Ampharetidae, 211
- Amphinomidae, 22, 50, 211
- Amphitrite* spp., 213
- Amyntas*, 275
- Amyntas corticis*, 273
- Amyntas diffringens*, 273
- Amyntas gracilis*, 273
- Amyntas hawayanus*, 273
- Amyntas hendersonianus*, 276
- Amyntas minimus*, 269
- Amyntas* spp., 269
- Amyntas tokioensis*, 273
- Anaitides*, 219
- Andiorrhinus amazonicus*, 232
- Anisochaeta* spp., 268
- Annelida, 4. *See also* Lophotrochozoa
 - and brachiopod/phoronid/nemertean clade, 5
 - cellular and behavioral properties of learning in, 135–150
 - culture techniques for, 48–50
 - developmental events, heterochronic shift in, 79
 - diversity in cleavage of, 78–79
 - in evo-devo biology, 65–82
 - genetic and developmental tools for, 5–6
 - genomics, 108–109
 - groups within, 78
 - hydrothermal vent, 287–298
 - life cycle cultures of, 47–59
 - major lineages of, 47
 - and metazoan phylogeny, 67–68
 - as model organisms, 6–9, 23–24
 - criteria for selection of, 48
 - molecular analysis of, 13–26
 - molecular relationships with allies, 16–22
 - phylogeny of, 4–5, 13–26, 24–25
 - molecular, 16–22
 - problems inferring, 23–24
 - radiation, 25
 - segmentation, molecular mechanism of, 73–74
 - studies of subtaxa relationships among, 16
 - subtaxa, 23
 - summary of representative studies of, 15
 - temperature adaption in, 290–291
- anoxia, 207
- anterior-posterior (AP) axis, 70, 72, 186
 - polarity, 106–108
- Aphelochaeta* sp., 212
- Aplysia*, 139, 143
- Aplysia californica*, 5
- Aporrectodea caliginosa*, 39–40, 237
- Aporrectodea rosea*, 39–40
- Aporrectodea turgida*, 273
- Archiannelida, 16

- Arenicola marina*, 207, 213–214, 221, 293
 Arenicolidae, 16
 Arthropoda, 4, 68, 81, 339
 astral microtubules, 122
 ATP. *See* adenosine triphosphate
Aulodrilus, 322
 Autolytinae, 49
Autolytus, 49
Autolytus brachycephalus, 56
Autolytus prolifera, 56
 axial patterning, 4, 66, 77
- BAFs. *See* bioaccumulation factors
 “bandlet,” 71, 121, 124–127
 bar coding, 34, 110
 basal taxon, 66
Begemius, 258, 272, 275
 behavioral neurobiology, 82
 bending, local, 166
 benthos, states of change in, 218–219
 BI. *See* biotic index
 bilateral organisms, clades of, 4–5
Bimastos parvus, 273
Bimastos spp., 268, 273–274
 bioaccumulation, 220
 factors, 234
 test
 Enchytraeid, 233–235
 oligochaete, 233–235
 sediment, 235–236
 biodiversity comparisons, requirements of, 269–271
 biomonitoring, 217–219
 biotic index (BI), 217
 bioturbation, 214, 216
 blast cells, 71, 72, 126–127
 blastomeres, 74–78, 94, 117–118, 120
Boccardia hamata, 210
Boccardia proboscidea, 54
 body shortening, 169–170
 Brachiopoda, 4–5
 branch length, 24
 branch point reflection, 149
Branchiobdella italica, 321
Branchiobdella pentodonta, 334
 Branchiobdellida, 320–321
Branchiomaldane vincentii, 208
Branchiomma luctuosum, 215, 219
Branchiomma vesiculosum, 147
Branchiura sowerbyi, 235
 BrdU, 73, 91, 95
 brooding behavior, 334–335
 Bryozoa, 4
- Caenorhabditis elegans*, 3, 13, 23–24, 65, 68, 76, 81, 99, 108, 124, 150, 169, 179
 calcium sensors/signaling, 173, 174
 Californian blackworm. *See* *Lumbriculus variegatus*
Calopteryx, 35
 cAMP/PKA messenger pathway, 141
 Canalipalata, 14, 16
 Capilloventridae, 23
Capitella capitata, 7, 16, 23–24, 50, 76, 89, 208, 216, 218
 chromosome numbers in, 90
 life history traits in, 90–91
 mesoderm and nervous system of, 95–97
Capitella sp., 207, 209, 219
Capitella sp. I, 5–8, 13, 23–24, 81, 104, 220
 advantages of, for evo-devo studies, 89
 allozyme patterns and species designations, 89–90
 colonizing polluted areas, 109
 developmental stages in, 92, 94
 evolution, development and ecology of origin of, 88–111
 gene expression during gut development of, 98
 metabolizing polycyclic aromatic hydrocarbons, 109
 metamorphosis in, 93
 morphology, 91–92
 phylogeny of, 110–111
 vasa expression in, 101
Capitella sp. II, 7
Capitella sp. IIIa, 90
 Capitellidae, 211
 carabid beetles, 234
 carbendazim, 232
 cathepsin L (*Tt-cat1*), 177
 cell division, asymmetric, 123–124
 centipedes, 234
 central arbors, 163–164
 central nervous system (CNS)
 development of the, 157–159
 injury, 172–173
 leech, 156–180
 neuromeres in, 156
 and regeneration, 169–171
 oligochaete, 187
 central pattern generator (CPG), 144
cephalochordate amphioxus, 107
 CGCs. *See* clitellar gland cells
 chaetal structures, 5
 Chaetopteridae, 16, 22–23, 211
Chaetopterus, 24, 76, 81, 104, 107
Chaetopterus variopedatus, 8–9, 13, 24, 207
Chaetozone setosa, 216

- Chironomidae, 230
Chironomus riparius, 230
 chitin, 291
Chlamydomonas nivalis, 305
 Chordata, 4–5, 96
 CI. *See* consistency index
 ciliary band markers, 94
Ciona intestinalis, 5
 circumferential indentation, 167
 Cirratulidae, 16, 50–51, 215–216
Cirratulus cirratus, 209
Cirriformia, 219
Cirriformia spirobrancha, 50–51
 cleavage, 120, 123–124
 equal, 75–76, 94
 polar lobe-dependent, 76
 spiral, 74–77, 117–121
 unequal, 76, 91, 117
 clitellar gland cells (CGCs), 329–332
 Clitellata, 5, 14, 16, 22, 25, 48, 71–73, 78, 305
 assessing phylogenetic relationships in, 314–325
 cocoon, 328–342
 biomaterials applications for, 342
 cryptic speciation in, 31–42
 ectoparasitic, 320
 examples of model organisms of, 34–36
 hermaphroditic reproduction of, 314, 329–330
 as model organisms, 34–40
 morphology, 32–34
 patterns of spermatological characters in,
 324–325
 phylogeny of, 23, 318–319
 polyploidy of, 33–34
 popularity of, for research, 31–32
 reproductive biology in, 330
 spermatozoal characters of, 315
 spermatozoon, 324
 variation, sources and kinds of, 32–34
 clitellum, 314, 328–331
Clymenella torquata, 14, 206, 213
 cnidarians, 4
 CNQX-sensitive synapse, 142
 CNS. *See* central nervous system
 cocoons
 Clitellata, 331–336
 T. tessulatum, 336–338
 types of, 329
 coelom, 25, 95, 176–177
Cognettia sphagnetorum, 228
 COI. *See* genes, cytochrome oxidase I
 collagen, 291–295
 Collembola, 304
 conduction, 149–150
 consistency index (CI), 324
Cossura sp., 207
cox1, 8, 14, 22–23
cox3, 14
 C-propeptide, 294
 crack propagation, 215
 Crassacitellata, 318
Crassostrea virginica, 210
 Ctenodrilidae, 51
Ctenodrilus, 16
Ctenodrilus serratus, 51, 220
 ctenogaths, 243
 ctenophores, 4
 culture techniques, 48–50
Cupiennius salei, 105
Cupressus sempervirens, 276
 cystatin B (*Tt-cysb*), 177
 cysteine-rich intestinal protein (CRIP), 172
 cytaster, 122
cytb, 14
 cytokinesis, 76
 proinflammatory, 178
 cytoplasm, 76
 cytotoxic lymphocytes, 177

Danio rerio, 3
 DD-PCR. *See* differential display-PCR
 dendritic arbor, 156–158
Dendrobaena attemsi, 274
Dendrobaena octaedra, 39–40, 274
Dendrobaena spp., 269
Dendrodrilus rubidus, 39–40
 deoxyribonucleic acid (DNA), 34
 RAPD, 40
 destabilase, 177–178
 Deuterostoma, 3–4, 67–70
 developmental system drift (DSD), 126–127
 5,7-DHT, 138–139
Diachaeta, 258
Dichogaster curgensis, 277
Dichogaster spp., 258, 269, 275
 differential display-PCR (DD-PCR), 128
 differentiation, 95, 96
 5,7-dihydroxytryptamine (5,7-DHT),
 138–139
 Dinophilidae, 16
Dinophilus gyrociatus, 51–52, 220
Diopatra, 206, 210
 dipteran insects, 70
 DM. *See* proteloblast, mesodermal DM
 D-NAME, 171
 DNOPQ. *See* proteloblast, ectodermal DNOPQ
Dodecaceria sp., 210

- Doliodrillus*, 322
 “dorsal pharynx,” 97
 dorsal-posterior (DP) nerve, 157, 165
Dorvillea, 219, 243–244
Dorvillea articulata, 51
Dorvillea (Schistomerings) longicornis, 51
 Dorvilleidae, 49, 51, 211, 243–253
 double-P triplets (GPP), 293
 DP. *See* dorsal-posterior nerve
 D-quadrant, 75–77
 draft genome sequence, 108–109
Drawida barwelli, 273
Drawida japonica, 275
Drawida spp., 269
Drosophila melanogaster, 3, 13, 23–24, 65, 68, 70, 73–74, 81, 96–97, 99, 101–103, 105–106, 108, 125, 150, 169, 177, 179
 DSCAM, 161
 DSD. *See* developmental system drift
Dunaliella sp., 49
- earthworm, 7, 230–232
 bioaccumulation test, 232
 common, *see* megadrile oligochaete
 cosmopolitan, 257–278
 field test, 231
 megascolecid, 319
 in soil ecotoxicology, 237
 standardized tests for, 231
 “true,” 267
- Ecdysozoa, 3–4, 13, 67–70, 96
 Echinodermata, 4, 68
 Echiura, 5, 14, 16, 22, 25, 74, 78
Eclysippe vanelli, 14
 “ecosystem engineers,” 228
 ectodermal ablations, 159
 EF-1 α . *See* elongation factor-1 α
 eggs
 hermaphroditic, 91, 100
 lecithotrophic, 91
- Eirene*, 49
Eisenia albidus, 41, 234, 237
Eisenia andrei, 39–40, 230, 232, 237
Eisenia fetida, 37, 39–41, 57, 71, 186–187, 228, 230, 232, 237, 273, 330, 336
Eisenia fetida Eisenia andrei, 39–40
Eisenia japonica, 272, 275
Eisenia koreana, 272
Eisenoides, 273
 El Niño-Southern Oscillation (ENSO) index, 311
 electrophoresis, 34, 35
 embryogenesis, 156, 167
 leech, 118–120
- Embryology of Clepsine, The* (Whitman), 116
 EML. *See* external mucous layer
 Enchytraeid, 233
 enchytraeid reproduction test (ERT), 233
 Enchytraeidae, 32–33, 37–39, 56–57, 301–311, 317–318, 330
 + Crassichelata, 23
 in soil ecotoxicology, 237–238
 soil tests with, 232–235
- Enchytraeus*, 37–38
Enchytraeus albidus, 33, 56–57, 233–234
 genotypes for, 38–39
Enchytraeus buchholzi, 38–39
Enchytraeus bulbosus, 38–39
Enchytraeus christensenii, 38–39
Enchytraeus coronatus, 95
Enchytraeus crypticus, 38, 56, 233, 237
Enchytraeus japonensis, 186
Enchytraeus luxuriosus, 56, 234
Enchytraeus variatus, 38
 endoderm formation, 4
 ENSO. *See* El Niño-Southern Oscillation index
Enteromorpha intestinalis, 214
Enteromorpha spp., 49
 environmental risk assessment (ERA), 229–230
 epsilon proteobacteria, 289
 EPSP. *See* excitatory postsynaptic potential
 ERA. *See* environmental risk assessment
- Erpobdella*, 333
Erpobdella lineata, 334
Erpobdella loctoculata, 321
 Erpobdellidae, 330, 334
Erpobdella punctata, 334, 336–337, 340
 Errantia. *See* Aciculata
 EST. *See* express sequence tag
 estuaries, 206–207
- Eteone*, 219
Eucalyptus marginata, 269
Euclymene sp., 207
Eukerria, 258
Eukerria saltensis, 269, 276–277
Eumida, 219
 Eunicidae, 16, 211, 244–253
Eurythoe complanata, 50
 eusperm, 322
 evolutionary development (evo-devo), 66–67, 79–80
Exallopus, 244, 246
 excitatory motor neurons (eMNs), 166–167
 excitatory postsynaptic potential (EPSP), 142
Exogone lourei, 208
 express sequence tag (EST), 4–5, 22, 26, 66, 298
 external mucous layer (EML), 332, 336
 extracellular matrices (ECMs), 290–291

- Fabricia berkeleyi*, 208
 Faivre's nerve, 140
 feeding, 213, 216
Ficopomatus enigmaticus, 209
 Flabelligeridae, 16, 22
 flatworms, 47, 68, 74
 foldases, 173
Fridericia, 39
- Galathealinum brachiosum*, 14
Galeolaria caespitosa, 48
 gamasid mites, 234
 gamma-tubulin, 123–124
 gastrulation, 78
 genes
 18S rRNA (*18S*), 14, 18–20, 22–23, 25, 34, 318–319
 + 28S rRNA + EF-1 α , 21, 25
 analysis of, 17–20
 28S rRNA (*28S*), 22, 25, 34
 brachyury, 108
 “candidate” approach, 73–75, 128
 CapI-Cdx, 100, 107
 CapI-Delta, 105
 CapI-en, 103
 CapI-foxA, 99
 CapI-gataA1, *-gataB1*, *-gataB2*, *-gataB3*, 99
 CapI-Gsx, 107
 CapI-hes1, *-hes2*, *-hes3*, *-hesr1*, *-hesr2*, 105
 CapI-hh, 100, 103
 CapI-nanos, 100
 CapI-Notch, 105
 CapI-sna1, 100
 CapI-twt1 and *twt2*, 100
 CapI-vasa, 100
 CapI-wnt1, 99–100, 103
 CapI-Xlox, 100, 107
 Cdx, 107
 CH-Hox2, 107
 claudal, 108
 CYP4AT, 109
 CYP331, 109
 cytochrome b (*cytb*), 14
 cytochrome c oxidase subunit I (*coxI*), 8, 14, 22–23
 cytochrome c oxidase subunit III (*cox3*), 14
 cytochrome oxidase I (COI), 31, 110, 127–128, 244
 Delta, 105–106
 developmental regulatory, 66, 75
 elongation factor-1 α (EF-1 α), 14, 22, 25
 engrailed (*en*), 73–74, 102–105, 125, 128
 even-skipped, 103, 108, 125
 expressing, 128–130
 foxA, 99
 “gap,” 73–74, 102–103
 GATA1/2/3, 97–99
 GATA4/5/6, 97–98
 GATAb, 98
 Gsx, 107
 hairy, 105–106
 Hau-Pax3/7A, 125
 hedgehog (*hh*), 102–105
 homeobox, 107
 “housekeeping,” 66
 Hox, 66, 101–102, 106–107, 124–125, 128
 Hox1-Hox5, 107
 Hro-nos, 125
 hunchback (*hb*), 102–103
 K110, 130
 mitochondrial (mtDNA), 14–16, 31, 40
 mitochondrial COI, 34, 37
 mt16S rRNA (*16S*), 8, 14, 22–23, 34–35, 37
 nad1, *nad6*, 14
 nanos, 125
 Notch, 105–106
 nuclear, 14, 40
 P450 (CYP), 109
 pair-rule, 102–103
 ParaHox, 107–108
 pax3/7, 103
 Pdu-en, 104
 Pdu-vasa, 100
 Pdu-wnt1, 104
 ProtoHox, 107
 runt, 103
 segment polarity, 102–104
 snail, 96
 translocations of, 15–16
 wingless (*wg*), 102–105
 wnt, 125
 Xlox, 107
 genetics, 5–6
 germinal band, 71
 germinal plate, 71
 GFs. *See* giant fibers
 giant fibers (GFs), 187
 glacier ice worms, 301–311. *See also*
 Mesenchytraeus solifugus; *Mesenchytraeus solifugus rainierensis*; *Sinenchytraeus glacialis*
 adenylate profiles of, 310
 clades, 307–309
 classification and phylogenetic relationships of, 305–306
 conservation status of, 311

- glacier ice worms (*cont'd*)
 density of, 302–305
 natural history of, 303–305
 origins of, 306–307
 phylogeny of, 307
 physiology of, 309–311
- Glossiphonia*, 335
- Glossiphonia complanata*, 118
- Glossiphoniidae, 6, 58–59, 71, 117, 330, 334
 brooding behavior in, 334–335
- Glossoscolecidae, 232
- glutamine (*trnQ*), 14
- Glycera dibranchiata*, 48, 209–210, 221
- glycosylation, 243, 341
 mannosidic, 163–164
- Glyphidrilus*, 275
- Glyphidrilus kuekenthali*, 275
- Glyphidrilus stuhlmanni*, 275
- Gly-X-Y amino acid triplets, 292–294
- Goniada*, 219
- Gordiodrilus elegans*, 269
- Grania*, 32
- growth zones, 95
- guanylate cyclase inhibitor, 171
- Haementeria*, 334
- Haementeria ghilianii*, 6, 139, 333
- Haemopsis* spp., 117
- Haliotis rufescens*, 210
- Halosydna*, 208
- Halosydna brevisetosus*, 53
- Halosydna johnsoni*, 53, 208
- Haplotaxidae, 318–319
- HARAP. *See* Higher-Tier Aquatic Risk Assessment
 for Pesticides
- Harmothoe imbricata*, 48, 206
- HCB. *See* hexachlorobenzene
- heat shock proteins (HSPs), 297–298
- Helobdella*, 122, 335
- Helobdella europaea*, 128
- Helobdella papillornata*, 329
- Helobdella robusta*, 5–7, 13–14, 40, 72, 77, 82,
 101, 104, 109–110, 122–123, 126–128, 169,
 179
- Helobdella* spp., 7, 23–24, 40–41, 50, 58, 65, 71,
 76, 81–82, 117–118, 125, 334
- Helobdella stagnalis*, 127, 330, 335
- Helobdella triserialis*, 6–7, 58, 107, 126–128
- Helodrilus oculatus*, 269, 274
- hemerythrin message, 175
- Hemichordata, 4–5
- hermaphrodites, 90–91, 118
- Hesiocaeca methanicola*, 212
- Hesiolyra bergi*, 297
- Hesionidae, 211
- Heteromastus*, 219
- Heteromastus filiformis*, 213
- Heteropodrilus*, 258
- hexachlorobenzene (HCB), 234–235
- Higher-Tier Aquatic Risk Assessment for Pesticides
 (HARAP), 238
- Hirudinidae, 6–7, 59, 117, 317, 320
 leeches, 156
 life cycle cultures of, 58–59
- Hirudo medicinalis*, 6–7, 13, 23, 40, 50, 59, 82,
 107, 117, 135–137, 139–140, 160, 163,
 165–166, 169, 186, 330, 333
 segmental nerves in, 158–159
- Hirudo* spp., 23–24, 333
- Hirudo verbana*, 7, 40
- histone H3, 14, 22
- Hm-inx1*, *-inx2*, *-inx5*, *-inx6*, *-inx8*, 169
- HmLAR1*, -2, 161–163
- HNK-1, 94
- Hodgkin, Alan, 117
- Hrabeiella periglandulata*, 206
- HSPs. *See* heat shock proteins
- 5-HT. *See* serotonin
- 5-HT₇, 141
- Hudineans, sperm ultrastructure in, 320–321
- human migration routes, 275
- Huxley, Andrew, 117
- HXXE divalent ion, 177
- Hydra*, 185
- Hydra magnipapillata*, 97
- Hydra vulgaris*, 97
- Hydroides dianthus*, 209
- Hydroides elegans*, 8–9, 53, 81, 94,
 103–104
- Hydroides norvegica*, 208
- hydrothermal vent, 211
 communities, 287–298
 hymenopteran insects, 70
- Ilyanassa*, 6
- Ilyanassa obsoleta*, 75–76, 125
- Ilyodrilus*, 33
- immune responses, in leech nervous system,
 156–180
- immunity, 176–178
- immunoreactivity, cGMP, 171
- iMN. *See* inhibitory motor neuron
- infaunal macrobenthos, 216
- inhibitory motor neuron (iMN), 165–167
- Insulodrilus bifidus*, 314
 spermatozoa, 316

- intercellular communication, 169
interleukin-1 β , 178
interleukin-6, 178
internal transcriber spacers (ITS1–2), 34
International Code of Zoological Nomenclature
(ICZN 1999), 278
interneuron S, 170
intertides, 207
introns, 26
introsperm, 314
Iospilidae, 212
Iphitime, 244
Iphitime paguri, 244–246
Iphitimidae, 244
Isochrysis sp., 49
isolates, tools to compare, 42
“ITS region,” 34
ITS1–2. *See* internal transcriber spacers
- Janua (Dexiospira) brasiliensis*, 54
- karyotypes, 90
kinases, 173
Kinorhyncha, 4
- lambda-cyhalothrin, 232
Lamelibranchia cf. *lumesi*, 211
large fat cells (LFCs), 177
large ribosomal subunit (LSU), 4
learning, nonassociative, 146–147
leech, 6–7, 40, 48, 78
 cellular and behavioral properties of learning in,
 135–150
 differentiation in, 116–130
 immune responses of nervous system of, 156–180
 innexins, 169
 sanguivorous, 332
 swim circuit, 144–146
 touch-based swim response, 145
 whole-body shortening and the s interneuron,
 137–139
leucopoiesis, 177
Leucosticte tephrocitis, 306–307
leukemia, 6
Limnodriloides monotheucus, 322–323
Limnodriloidinae, 317, 321–323, 322
Limnodrilus hoffmeisteri, 35–36, 41
Limnodrilus sp., 33, 95
lindane, 234
lineage tracer, intracellular, 73
linkage, M, N, O, P, Q, 125–128
litterbag test, 231
L-NAME, 171
- local bend interneurons (LBIs), 166–168
Loligo pealei, 6
long-branch attraction (LBA), 15, 22, 24
long-term depression (LTD), 148–149
long-term potentiation (LTP), 148–149
Lopadorhynchidae, 212
Lophotrochozoa, 3–9, 67–70, 74
 considerations for a model system for, 4–5
 early diversification of, 4
 genetic and developmental tools for, 5–6
 model taxa, 13
 phylogenetic considerations for, 4–5
Lottia gigantea, 5
LSU. *See* large ribosomal subunit
LTD. *See* long-term depression
LTP. *See* long-term potentiation
Lumbricidae, 39–40, 57, 186, 230, 267, 271–274
 soil tests with, 230–232
Lumbriculidae, 23, 37, 186, 317, 320
 bioaccumulation test, 235–236
Lumbriculus spp., 37
Lumbriculus variegatus, 33, 37, 41, 58, 140, 186,
 228, 236, 310
 asexual reproduction of, 191–192
 life cycle cultures of, 192
 as a model, 185–199
 and PCP toxicity, 235–236
 respiratory apparatus of, 190
Lumbricus rubellus, 7, 232
Lumbricus spp., 24
Lumbricus terrestris, 7, 13–14, 228–229, 237,
 272
Lumbrineridae, 16
Lumbrineris, 208, 219
”lumping,” 32
Lymnaea, 140
Lymnaea stagnalis, 75–76, 174
Lysidice collaris, 208
Lysidice ninetta, 208
- mAbs. *See* monoclonal antibodies
macromeres, 77–78, 121, 122
magelonids, 215
malate dehydrogenase-1, 90
Maldanidae, 211, 216
Manayunkia speciosa, 206
Marphysa leidi, 221
Marphysa sanguinea, 221
Marsupiobdella africana, 335
matrix-assisted laser desorption/ionization
(MALDI), 179–180
mechanoreceptor, T, 146
Mediomastus sp., 207–208, 212, 219

- megadrile oligochaete, 330
 in archeology and human history, 273–277
 biodiversity of, 268–273
 characteristics of, 268
 cosmopolitan, 258–278
 exotic, 268–273
 global and historical perspective on, 257–278
 introduced exotic, 258
 nonendemic species of, 258–266
 number of species of, 267–273
 population, components of, 258
 resident native, 258
 translocated native, 258
 transportations, 273–279
- Megascolecidae, 258, 267, 271–272
Megascolides australis, 331
Melanenchytraeus, 305
Mesenchytraeus altus, 301
Mesenchytraeus armatus, 306
Mesenchytraeus flavus, 306
Mesenchytraeus gelidus, 301, 305–307
Mesenchytraeus hydrius, 301
Mesenchytraeus niveus, 305
Mesenchytraeus pedatus, 306–307
Mesenchytraeus solifugus, 39, 55, 305, 307–310
Mesenchytraeus solifugus rainierensis, 305, 309
- mesodermal presumptive growth zone (MPGZ), 100–101
 metamerism, 70
 metamorphosis, 94
Metaphire, 275
Metaphire hilgendorfi, 273
 metatrochophore, 93
 gut formation in, 97–100
 methylene blue, 171
 methysergide, 146
 Michaelsen, W., 267
Microdorvillea, 244
 microdriles, 330
 microglial cells, 171–172
 micromeres, 75, 95
Microscolex dubius, 258
Microscolex kerguelarum, 258
Microscolex macquariensis, 258
Microscolex spp., 258
 microtubules, 122
 mitochondria, 314–317, 324
 model organisms, 24, 31
 model system, choosing, 3–9
 model waxing, for Polychaete study, 88–111
- Mollusca, 4–5, 47, 68, 74
 Moniligastridae, 272
 monoclonal antibodies (mAbs), 157, 160
Monticellina spp., 206, 217
Mooreonuphis stigmatis, 208
 morphallaxis, 186–187, 192–198
 morphology
 and clades, 13–14
 plasticity of, 25, 35
 MPGZ. *See* mesodermal presumptive growth zone
 mRNA, 123
Murchieona minuscula, 269
Mus musculus, 3
 mussel beds, 207–208
Mya arenaria, 6
 myohemerythrin, 172
 myomodulin, 141, 143
Mytilus edulis, 208
Myxobolus cerebralis, 35
Myzostoma seymourcollegiorum, 14
 myzostomids, 5, 14

nad1, *nad6*, 14
 Naididae, 23, 57, 186, 330
 Naidinae, 33, 41, 317
Neanthes acuminata, 52
Neanthes arenaceodentata, 52, 220–221
Neanthes caudata, 52
Neanthes lighti, 207
Neanthes limnicola, 52
Neanthes spp., 219
Neanthes succinea, 52
 Nematoda, 4, 68, 81, 339
Nematonereis unicornis, 208
Nematostella vectensis, 97, 99
 Cap1-Post1, 106
 Nemertea, 4–5, 74
Nephasoma minuta, 108
Nephtys spp., 14, 219
 Nereididae, 8, 23, 52–53, 206, 211–212, 214
 nereids, 208
Nereis crigognatha, 52
Nereis diversicolor, 214, 221
Nereis grubei, 52
Nereis spp., 8, 76, 213, 219
Nereis succinea, 206
Nereis vexillosa, 214
Nereis virens, 107, 210, 214
 Nerillidae spp., 16, 211, 212
 nerve injury, response to, 171–172
 netrin, 162
 receptor unc-5, 163
 siRNA, 163
 neurohemerythrin, 173–174
 neuroimmunity, 173–176
 neuronal circuits, 165–169

- neuronal formation, 4
- neurons
- AE and AP, 165
 - CD8+ cells, 176
 - L, 137, 143
 - mechanosensory, 137
 - NK-like, 176
 - nociceptive (N), 137, 144
 - P_D, 160–161
 - pressure (P) sensory, 137, 144, 147, 163, 166–168
 - P_V, 161–163
 - S, 147
 - touch (T) sensory, 137, 144, 163
- neuropil, 163–164
- nitric oxide (NO), 171–172, 175
- NMDA-R, 148–149
- notch signaling pathway, 105–106
- nuclear factor κB, 178
- OBT. *See* oligochaete bioaccumulation test
- Ocnodrilus occidentalis*, 269
- Octochaetidae, 258, 272
- Octochaetus ambrosensis*, 258
- Octodrilus* spp., 276
- octopamine, 149
- Oligochaeta, 48, 71–72, 78, 97, 330
- central nervous system (CNS) of, 187–189
 - for ecotoxicological assessment of soil and sediment, 228–238
 - escape reflex anatomy, 188–189
 - life cycle cultures of, 56–58
 - neural regeneration in, 187
 - in sediment ecotoxicology, 238
- Onuphidae, 214
- Onuphis teres*, 221
- operational taxonomic unit (OTU), 24
- opercula, 329, 334, 338–339, 342–343
- Ophryotrocha, 243–253
- Ophryotrocha adherens*, 251–252
 - Ophryotrocha akessoni*, 252
 - Ophryotrocha alborana*, 246
 - Ophryotrocha* cf. *vivipara*, 251
 - Ophryotrocha claparedii*, 251
 - Ophryotrocha diadema*, 8, 51, 95, 246, 250
 - Ophryotrocha gracilis*, 246–248, 250
 - Ophryotrocha hartmanni*, 244–248, 251
 - Ophryotrocha labidion*, 243
 - Ophryotrocha labronica*, 8, 24, 246, 248, 252
 - Ophryotrocha mandibulata*, 243
 - Ophryotrocha platycephale*, 252
 - Ophryotrocha puerilis*, 8, 250, 252
 - Ophryotrocha* sp. *japonica*, 252
 - Ophryotrocha spatula*, 252
 - Ophryotrocha* spp., 8, 13, 23, 49, 211–212, 220
 - characteristics of, 243–244
 - described, 245
 - ecology of, 250–252
 - evolution and ecology of, 243–253
 - phylogeny of, 247
 - reproductive biology of, 247–250
 - taxonomy of, 243–247
 - undescribed, 246
 - Orbinia latreillii*, 14
 - Orbiniidae, 14, 16, 22
 - Osedax* spp., 210–211
 - OTU. *See* operational taxonomic unit
 - Ougia* spp., 244
 - Oweniidae, 22
 - 2-oxoglutarate:acceptor oxidoreductase, 289
 - oxygen minimum zones (OMZs), 206
 - PAHs. *See* polycyclic aromatic hydrocarbons
 - Palola viridis*, 221
 - Palpata, 14
 - Paralvinella sulfincola*, 287, 297
 - Paranaïs litoralis*, 9, 57
 - Paraonidae, 211
 - Paraonidae* sp., 212
 - Parapionosyllis* sp., 208
 - Parapodrilus*, 244
 - parasperm, 322
 - Parergodrilidae, 22
 - Parergodrilus heideri*, 206
 - Parophryotrocha*, 244
 - Parougia*, 244
 - parthenogenesis, 268
 - Patella vulgate*, 75–76
 - Pax-6*, 66
 - PCP. *See* pentachlorophenol
 - PCs. *See* precursor cells
 - PEA. *See* proenkephalin A
 - PEC. *See* predicted environmental concentration
 - Pectinaria koreni*, 214
 - Penaeus kerathurus*, 221
 - Penaeus vannani*, 221
 - pentachlorophenol, 232
 - peptide B, 177
 - perforatorium, 314
 - Perinereis nuntia*, 221
 - Perionyx excavatus*, 14
 - peripheral nervous system (PNS), 156
 - and DP nerve formation, 160
 - and ectopic ganglia, 160–161
 - genesis of, 159–160
 - P-neuron arbor of, 161–163
 - target, disruption of, and abnormal central projections, 165

- PGCc. *See* primordial germ cells
- Pharmacopia californica*, 339
- Phascolion strombus*, 107
- Phascolopsis gouldii*, 14
- phenotype, and developmental change, 66
- Pheretima*, 275, 276
- phoronids, 5
- phosphoglucomutase, 89
- phosphohexose isomerase, 90
- Phreodrilidae, 314, 318–319
- Phyllodocidae, 211
- phylogenetic analysis, characters for, 15
- phylogeny
 - metazoan, typical, 68–69
 - molecular, 67
 - Annelida, 16–22
- Piscicola geometra*, CGC types in, 331
- Piscicolidae, 330
- Pisione*, 16
- Pista cristata*, 14
- Placobdella papillifera*, 331–332
- Placopecten magellanicus*, 210
- plankton, 212
- platyhelminthes, 5
- Platynereis*, 8, 24, 219
- Platynereis bicanaliculata*, 208, 214
- Platynereis dumerilii*, 5, 8, 13–14, 24, 53, 75–76, 81, 97, 99–100, 102, 104–105, 107–109
 - germ cell specification and differentiation in, 100–101
 - vasa* expression in, 101
- Platynereis massiliensis*, 53
- Platyzoa, 4
- Platyhelminthes, 4
- Poebius*, 16
- Poeobiidae, 212
- Pogonophora, 5, 22, 25, 78
- pollution, 215, 218, 219, 222
- Polychaeta, 5, 14, 22, 25, 47–48, 71–72, 78, 267
 - and cold methane environments, 211–212
 - economic importance of, 221
 - as environmental indicators and mediators, 214–217
 - in environmental studies, 205–222
 - feeding guilds, 213
 - gonochoristic, 212
 - habitats and demographics of, 205–206
 - holopelagic, 212
 - importance of, 205–206, 222
 - life cycle cultures of, 50–56
 - metals toxic to, 219–220
 - model, waxing, 88–111
 - selected metals and, 220
 - shell-boring, 210
 - skeletons, 210–211
 - and toxicological testing, 219–221
- Polychaete, 291, 342
- polycyclic aromatic hydrocarbons (PAHs), 216
- Polydora*, 219
- Polydora ciliata*, 55, 209
- Polydora commensalis*, 210
- Polydora concharum*, 210
- Polydora cornuta*, 55
- Polydora ligni*, 55, 208, 210
- Polydora socialis*, 210
- Polydora* spp., 210
- Polydora webseri*, 210
- Polygordiidae, 16
- Polynoidea, 53, 206, 208, 211
- Polypheretima*, 275
- Polypheretima brevis*, 275
- Polypheretima elongata*, 276, 277
- Polypheretima pentacystis*, 275
- Polypheretima voeltzkowi*, 276
- polyploidy, 33–34, 39–41, 268
- Pomatoceros triqueter, 54
- Pompeii worm. *See* *Annelida pompejana*
- Pontodoridae, 212
- Pontodrilus*, 258
- Pontodrilus litoralis*, 258
- Pontoscolex*, 258
- Pontoscolex corethrurus*, 258, 272, 277
- Potamothrix*, 33
- PPCs. *See* pro-precursor cells
- precursor cells (PCs), 331
- predicted environmental concentration (PEC), 229–230
- Priapulida, 4
- primordial germ cells (PGCs), 125
- Prionospio*, 219
- Pristina leidyi*, 57, 104, 186
- proenkephalin A (PEA), 177
- proline hydroxylation, 293
- Propappidae, 23
- Propappus*, 317
- Propappus glandulosus*, 317–319
- Propappus Volki*, spermatozoon of, 317–319
- pro-precursor cells (PPCs), 331
- proteins, 291
 - cytoskeletal and metabolic, 173
 - gliarin, 173
 - immunity and regeneration, 176
 - modulated after bacterial challenge, 174
 - ReN3, 172–173
- proteloblast, 122–124
- Protodrilidae, 16

- Psammoryctides*, 33
Pseudonereis, 208
Pseudophryotrocha, 244
Pseudopolamilla reniformis, 210
Pygospio, 219
Pygospio elegans, 55, 209, 214

Questa, 16

receptor protein tyrosine phosphatase (RPTP), 161
redox potential discontinuity (RPD), 219
regeneration, 71–72, 140, 169–170
 annelid and leech, 185–186
 in *Capitella* spp., 92–93
 epimorphic, 186
 in *Lumbriculus variegatus*, 185–199
 morphallaxis, 186–187
 neuronal, 169–170, 172
 segmental, 186
reproduction, 41, 48
 in Clitellata, 330
 fission, 330
 fragmentation, 330
 gonochoristic, 248, 250
 hermaphroditic, 330
 sequential, 248, 250
 simultaneous, 248–250
 in *Lumbriculus variegatus*, 185–199
 parthenogenesis, 330
 self-fertilizing, 118, 330
retention index (RI), 324
Retzius cells, 141–143, 146–147
reverse tricarboxylic acid (rTCA) cycle, 289
Rhododrilus, 258, 272
Rhododrilus edulis, 276
Rhododrilus kermadecensis, 276
Rhododrilus queenslandicus, 276
Rhodomonas sp., 49
Rhyacodrilus, 33
RI. *See* retention index (RI)
Riftia pachyptila, 14, 287, 289, 293–295, 296
rough endoplasmic reticulum protein 1 (RER-1), 172
RPD. *See* redox potential discontinuity

16S, 8, 14, 22–23, 34–35, 37
18S rRNA (18S), 14, 18–20, 22–23, 25, 34, 318–319
S cell. *See* S interneuron
S interneuron, 137–144
Sabella pavonina, 186
Sabella spallanzanii, 215, 219–220

Sabellaria cementarium, 76
Sabellidae, 16, 22, 209, 211
Saccocirridae, 16
Salmacina (or *Filograna*) spp., 54
Satchellius mammalis, 274
scanning electron microscopy (SEM), 340
Schistomeringos rudolphii, 252
Schistosoma mansoni, 6
Schmidtea mediterranea, 5
Scolecida, 14, 16
Scolecopsis, 219
Scoloplos, 208
Scoloplos armiger, 14
Scoloplos robustus, 210
sea grasses, 208
Seepiophyla jonesi, 211
segmental circuitry, and local bending, 166
segmental nerves, 159–160
segmentation, 24–25, 68–74, 88, 97
 Annelida, 101–102
 cellular mechanism of, 71–73
 molecular mechanism of, 73–74
 CapI-hbml, 97
 CapI-hes2, 97
 CapI-hes3, 97
 de novo, 72
 engrailed, 97
 evolution origin of, 70–71
 homologous, 70
 hunchback, 97
 HyAlx, 97
 interpreting conflicting comparative data about, 104–106
 leech, ganglion, 156
 muscle, 95
 periodicity in, 71
 vertebrate, 70
sensitization, 141, 146–147, 170
“sensory tile,” 161–163
serotonin (5-HT), 138, 141–144, 146–147, 149
Serpula narconensis, 209
Serpulidae, 16, 53–54, 209, 211
shortening, whole-body, 138
Siboglinidae, 5, 14, 16, 22–23, 25, 211
Sipuncula, 5, 14, 16, 22, 25, 74
siRNA, 173
small subunit (SSU), 4
Smithsonidrilus spp., 322
snowfleas, 304
Solea senegalensis, 221
Solea vulgaris, 221
Solenopsis richteri, 207
solifugus, 304

- speciation, in Clitellate model organisms, 31–42
- species
 novel, using as models, 47
 number of, in animal kingdom, 47
 opportunistic, characteristics of, 218
- specification
 axis, 74–77
 gene expression during, 95–100
- spermathecae, 330
- spermine NONOate (SPNO), 171
- Spio* spp., 209
- Spionidae, 49, 54–56, 210–211, 219
- Spiralia, 68, 73–77
- Spirobranchus corniculatus*, 48
- Spirorbis spirorbis*, 206
- “splitting,” 32
- springtails, 304
- SSU. *See* small subunit
- Stauronereis ruldolphi*, 51
- stem cell
 cytoplasmic rearrangement of, 121
 development, 117–121
 differentiation, 124–125
 genesis, 116–130
 and development, 117–120
 factors affecting, 121–124
 research, tenets of, 116
- Sternaspidae, 215
- Sternaspis*, 216
- Sternaspis scutata*, 207
- strand asymmetry, 15
- Streblospio*, 219
- Streblospio benedicti*, 55–56, 206, 210
- Stygocapitella subterranean*, 206
- subtidal benthic communities, 209–212
- “subzero effect,” 144
- sulfated glycosaminoglycans, 291
- swim circuit, 168–169
- Syllidae, 16, 56, 212
- synapsin, 172
- synaptic plasticity, in leech CNS, 147–150
- Taenia solium*, 5
- tandem cystatin B (*Tt-cysb*)–cathepsin L (*Tt-catl*), 177
- TC. *See* toxic concentration
- Tcp. *See* *Theromyzon tessulatum*, cocoon protein (Tcp)
- teloblasts, 71–73, 95, 120–121, 126, 156
- teloplasm, 121–123
- TER. *See* toxic exposure ratio
- Terebellida, 14, 215–217
- Terebellides stroemi*, 14
- Terebrasabella heterouncinata*, 210
- terrestrial model ecosystems (TMEs), 237
- Thalassia testudinum*, 208
- Thalassodrilides*, 322
- theromacin, 177
- Theromyzon rude*, 127
- Theromyzon* spp., 58–59, 117–118, 122
- Theromyzon tessulatum*, 6, 58, 81, 104, 126, 128–130, 177, 334–340
 cocoon, 338–341
 CGC types in, 330–333
 segmental nerves in, 159
- Theromyzon trizonare*, 329
- Tierreich, Das: *Vermes* (Michaelsen), 267
- thioredoxin (TRX), 172
- TMEs. *See* terrestrial model ecosystems
- Tomopteridae, 212
- toxic concentration (TC), 229
- toxic exposure ratio (TER), 229
- transposable elements, 26
- trichobranchids, 215–216
- Trilobodrilus axi*, 206
- triploblasty, 95
- Tritonia diomedea*, 6
- trochophore larva, 88, 93
- trochifers, 47
- Tt-catl*. *See* cathepsin L
- Tt-cysb*. *See* cystatin B
- Tubifex hattai*, 57–58, 126, 337
- Tubifex* spp., 117
- Tubifex tubifex*, 8, 9, 32–33, 35, 41, 57, 65, 71, 76–77, 81, 107, 124, 218, 235, 330, 336
 neighbor-joining tree for, 36
- Tubificidae, 23, 34–35, 41, 57–58, 318–319, 330
 bioaccumulation test, 235–236
 physiology of, 320–323
 sperm ultrastructure in, 320–322
- Tubificinae, 317, 322
- tubulin, 172
- tumor necrosis factor- α , 178
- 28S, 22, 25, 34
- Typhlosolecidae, 212
- Typosyllis pulchra*, 56
- Typosyllis* spp., 208
- U2 snRNA, 22
- Ulva* sp., 49
- Urechis caupo*, 14
- vent shrimps, 298
- ventral nerve cord (VNC), 187

vermes, sex among, 100–101

Vibrio alginolyticus, 215

VNC. *See* ventral nerve cord

Whitman, Charles O., 116, 121, 124

Xenopus laevis, 96

Xenoturbella, 4

zebra fish, 179

Zostera noltii, 214

