

International Nonproprietary Names for Pharmaceutical Substances

In accordance with paragraph 7 of the Procedure for the Selection of Recommended International Nonproprietary Names for Pharmaceutical Substances,¹ notice is hereby given that the following are selected as recommended international nonproprietary names.

The inclusion of a name in the lists of recommended international nonproprietary names does not imply any recommendation for the use of the substance in medicine or pharmacy.

RECOMMENDED INTERNATIONAL NONPROPRIETARY NAMES (*Rec. I.N.N.*): LIST 9²

<i>Recommended International Nonproprietary Name (Latin, English)</i>	<i>Chemical Name or Description and Molecular Formula</i>
acidum canrenoicum canrenoic acid	17-hydroxy-3-oxo-17 α -pregna-4,6-diene-21-carboxylic acid C ₂₂ H ₃₀ O ₄
acidum cicrotoicum cicrotoic acid	β -methylcyclohexaneacrylic acid C ₁₀ H ₁₆ O ₂
acidum clofibricum clofibric acid	2-(<i>p</i> -chlorophenoxy)-2-methylpropionic acid C ₁₀ H ₁₁ ClO ₃
acidum clorindanicum clorindanic acid	7-chloro-4-hydroxy-5-indancarboxylic acid C ₁₀ H ₈ ClO ₃
acidum ellagicum ellagic acid	2,3,7,8-tetrahydroxy[1]benzopyrano[5,4,3- <i>cde</i>][1]benzopyran-5,10-dione C ₁₄ H ₆ O ₆
acidum iobutoicum iobutoic acid	4-[2,4,6-triiodo-3-(morpholinocarbonyl)phenoxy]butyric acid C ₁₅ H ₁₄ I ₃ NO ₅
acidum metiazinicum metiazinic acid	10-methylphenothiazine-2-acetic acid C ₁₈ H ₁₃ NO ₂ S
acidum yohimbicum yohimbic acid	17 α -hydroxyyohimban-16 α -carboxylic acid C ₂₀ H ₂₄ N ₂ O ₃
acridorexum acridorex	9-[2-[(α -methylphenethyl)amino]ethyl]acridine C ₂₄ H ₂₄ N ₂
alexidinum alexidine	1,1'-hexamethylenebis[5-(2-ethylhexyl)biguanide] C ₂₈ H ₅₈ N ₁₀
alphameprodinum alphameprodine	α -3-ethyl-1-methyl-4-phenyl-4-propionoxypiperidine C ₁₇ H ₂₅ NO ₂
alphaprodinum alphaprodine	α -1,3-dimethyl-4-phenyl-4-propionoxypiperidine C ₁₆ H ₂₃ NO ₂
ambenoxanum ambenoxan	<i>N</i> -[2-(2-methoxyethoxy)ethyl]-1,4-benzodioxan-2-methylamine C ₁₄ H ₂₁ NO ₄
amquinatam amquinate	methyl 7-(diethylamino)-4-hydroxy-6-propyl-3-quinolinecarboxylate C ₁₈ H ₂₄ N ₂ O ₃

¹ *Off. Rec. Wld Hlth Org.*, 1955, 60, 3 (Resolution EB15.R7); 1969, 173, 10 (Resolution EB43.R9)

² Other lists of recommended international nonproprietary names can be found in *Chron. Wld Hlth Org.*, 1955, 9, 185; *WHO Chronicle*, 1959, 13, 106, 463; 1962, 16, 101; 1965, 19, 165, 206, 249; 1966, 20, 421; 1967, 21, 538; 1968, 22, 463.

*Recommended International
Nonproprietary Name
(Latin, English)*

*Chemical Name or Description
and Molecular Formula*

androstanonum androstanone	3 α -hydroxy-5 β -androstan-17-one C ₁₉ H ₃₀ O ₂
aptocainum aptocaine	2-methyl-1-pyrrolidineaceto-o-toluidide C ₁₄ H ₂₀ N ₂ O
aranotinum aranotin	5,5a,13,13a-tetrahydro-5,13-dihydroxy-8H,16H-7a,15a-epidithio-7H,15H-bisoxepino[3',4':4,5]pyrrolo[1,2-a:1',2'-d]pyrazine-7,15-dione 5-acetate C ₂₀ H ₁₆ N ₂ O ₇ S ₂
azaquinzolum azaquinzole	1,3,4,6,7,11b-hexahydro-2H-pyrazino[2,1-a]iosquinoline C ₁₂ H ₁₄ N ₂
azaserinum azaserine	L-serine diazoacetate (ester) C ₅ H ₇ N ₃ O ₄
benmoxinum benmoxin	benzoic acid 2-(<i>o</i> -methylbenzyl)hydrazide C ₁₅ H ₁₆ N ₂ O
benorilatam benorilate	4-acetamidophenyl salicylate acetate C ₁₇ H ₁₅ NO ₅
betameprodinum betameprodine	β -3-ethyl-1-methyl-4-phenyl-4-propionoxypiperidine C ₁₇ H ₂₅ NO ₂
bisobrinum bisobrin	1,1'-tetramethylenebis[1,2,3,4-tetrahydro-6,7-dimethoxy-isoquinoline] C ₂₂ H ₃₄ N ₂ O ₄
boldenonum boldenone	17 β -hydroxyandrosta-1,4-dien-3-one C ₁₈ H ₂₆ O ₂
bromhexinum bromhexine	3,5-dibromo- <i>N</i> '-cyclohexyl- <i>N</i> '-methyltoluene- α -2-diamine C ₁₄ H ₂₀ Br ₂ N ₂
bufexamacum bufexamac	2-(<i>p</i> -butoxyphenyl)-acetohydroxamic acid C ₁₂ H ₁₇ NO ₃
butalbitalum butalbital	5-allyl-5-isobutylbarbituric acid C ₁₁ H ₁₆ N ₂ O ₃
calcii dobesilas calcium dobesilate	calcium 2,5-dihydroxybenzenesulfonate C ₁₂ H ₁₀ CaO ₁₀ S ₂
carbazochromum carbazochrome	3-hydroxy-1-methyl-5,6-indolinedione semicarbazone C ₁₀ H ₁₂ N ₄ O ₃
carbenicillinum carbenicillin	<i>N</i> -(2-carboxy-3,3-dimethyl-7-oxo-4-thia-1-azabicyclo[3.2.0]hept-6-yl)-2-phenylmalonamic acid C ₁₇ H ₁₈ N ₂ O ₅ S
carbomerum carbomer	a polymer of acrylic acid cross-linked with allyl sucrose
cingestolum cingestol	19-nor-17 α -pregn-5-en-20-yn-17-ol C ₂₆ H ₄₆ O
cirolemycinum cirolemycin	an antibiotic obtained from cultures of <i>Streptomyces bellus</i> var. <i>ciroleosis</i> var. <i>nova</i> , or the same substance obtained by any other means
citenamidum citenamide	5 <i>H</i> -dibenzo[<i>a,d</i>]cycloheptene-5-carboxamide C ₁₆ H ₁₃ NO
cletoquinum cletoquine	2-[[4-[(7-chloro-4-quinolyl)amino]pentyl]amino]ethanol C ₁₉ H ₂₂ ClN ₃ O
clindamycinum clindamycin	methyl 7-chloro-6,7,8-trideoxy-6- <i>frans</i> -(1-methyl-4-propyl-L-2-pyrrolidinecarboxamido)-1-thio-L- <i>threo</i> - α -D- <i>galacto</i> -octopyranoside C ₁₈ H ₃₃ ClN ₂ O ₅ S
clogestonum clogestone	6-chloro-3 β ,17-dihydroxypregna-4,6-dien-20-one C ₂₁ H ₂₈ ClO ₃

<i>Recommended International Nonproprietary Name (Latin, English)</i>	<i>Chemical Name or Description and Molecular Formula</i>
clomegestonum clomegestone	6-chloro-17-hydroxy-16 α -methylpregna-4,6-diene-3,20-dione C ₂₂ H ₂₉ ClO ₂
clonidinum clonidine	2-(2,6-dichloroanilino)-2-imidazoline C ₉ H ₈ Cl ₂ N ₃
clopidolum clopidol	3,5-dichloro-2,6-dimethyl-4-pyridinol C ₇ H ₇ Cl ₂ NO
clotioxonum clotioxone	2-phenyl-4-[(trichloromethyl)thio]- Δ^2 -1,3,4-oxadiazolin-5-one C ₈ H ₅ Cl ₃ N ₂ O ₂ S
creatinolfosfatum creatinolfosfate	1-(2-hydroxyethyl)-1-methylguanidine dihydrogen phosphate (ester) C ₄ H ₁₂ N ₂ O ₄ P
dacuronii bromidum dacuronium bromide	(3 α ,17 β -dihydroxy-5 α -androstane-2 β ,16 β -ylene)bis(1-methylpiperidinium)dibromide 3-acetate C ₃₃ H ₅₀ Br ₂ N ₂ O ₃
decoquinatum decoquinatate	ethyl 6-(decyloxy)-7-ethoxy-4-hydroxy-3-quinolinecarboxylate C ₂₄ H ₃₅ NO ₃
desoximetasonum desoximetasone	9-fluoro-11 β ,21-dihydroxy-16 α -methylpregna-1,4-diene-3,20-dione C ₂₂ H ₂₈ FO ₄
dexivacainum dexivacaine	(+)-1-methyl-2',6'-piperocoloxylidide C ₁₉ H ₂₂ N ₂ O
dexpropranololum dexpropranolol	(+)-1-(isopropylamino)-3-(1-naphthoxy)-2-propanol C ₁₆ H ₂₁ NO ₂
diflumidonum diflumidone	3'-benzoyl-1,1-difluoromethanesulfonanilide C ₁₄ H ₁₁ F ₂ NO ₂ S
difluprednatum difluprednate	6 α ,9-difluoro-11 β ,17,21-trihydroxypregna-1,4-diene-3,20-dione 21-acetate 17-butyrate C ₂₇ H ₃₄ F ₂ O ₇
diprenorphinum diprenorphine	21-cyclopropyl-6,7,8,14-tetrahydro-7- α -(1-hydroxy-1-methylethyl)- 6,14- <i>endo</i> -ethanooripavine C ₂₆ H ₃₅ NO ₄
ditazolium ditazole	2,2'-[(4,5-diphenyl-2-oxazolyl)imino]diethanol C ₁₉ H ₂₀ N ₂ O ₃
dofamii chloridum dofamium chloride	dimethyl[2-(<i>N</i> -methylidodecanamido)ethyl][(phenylcarbamoyl)- methyl]ammonium chloride C ₂₃ H ₄₄ ClN ₂ O ₂
etisazolium etisazole	3-(ethylamino)-1,2-benzisothiazole C ₉ H ₁₀ N ₂ S
etolorexum etolorex	2-[(<i>p</i> -chloro- α , α -dimethylphenethyl)amino]ethanol C ₁₂ H ₁₃ ClNO
famprofazonum famprofazone	4-isopropyl-2-methyl-3-[[methyl(α -methylphenethyl)amino]- methyl]-1-phenyl-3-pyrazolin-5-one C ₂₄ H ₃₁ N ₃ O
fedrilatum fedrilate	1-methyl-3-morpholinopropyl tetrahydro-4-phenyl-2 <i>H</i> -pyran- 4-carboxylate C ₂₆ H ₂₉ NO ₄
fenspiridum fenspiride	8-phenethyl-1-oxa-3,8-diazaspiro[4,5]decan-2-one C ₁₅ H ₂₆ N ₂ O ₂
fetoxilatium fetoxilate	2-phenoxyethyl 1-(3-cyano-3,3-diphenylpropyl)-4-phenylisonipecotate C ₃₄ H ₃₄ N ₂ O ₃
fezationum fezatione	3-[(<i>p</i> -methylbenzylidene)amino]-4-phenyl-4-thiazoline-2-thione C ₁₇ H ₁₄ N ₂ S ₂
fipexidum fipexide	1-[(<i>p</i> -chlorophenoxy)acetyl]-4-piperonylpiperazine C ₂₀ H ₂₁ ClN ₂ O ₄

<i>Recommended International Nonproprietary Name (Latin, English)</i>	<i>Chemical Name or Description and Molecular Formula</i>
flualamidum flualamide	2-(allyloxy)- <i>N</i> -[2-(diethylamino)ethyl]- α,α,α -trifluoro- <i>p</i> -toluamide C ₁₇ H ₂₂ F ₃ N ₂ O ₂
flunidazolium flunidazole	2-(<i>p</i> -fluorophenyl)-5-nitroimidazole-1-ethanol C ₁₁ H ₁₀ FN ₂ O ₃
fluocortolonum fluocortolone	6 α -fluoro-11 β ,21-dihydroxy-16 α -methylpregna-1,4-diene-3,20-dione C ₂₂ H ₂₈ FO ₄
flurazepamum flurazepam	7-chloro-1-[2-(diethylamino)ethyl]-5-(<i>o</i> -fluorophenyl)-1,3-dihydro-2 <i>H</i> - 1,4-benzodiazepin-2-one C ₂₁ H ₂₃ ClFN ₂ O
fopirtolinum fopirtoline	4-[2-[(6-chloro-2-pyridyl)thio]ethyl]morpholine C ₁₁ H ₁₃ ClN ₂ OS
fospiratum fospirate	dimethyl 3,5,6-trichloro-2-pyridyl phosphate C ₇ H ₇ Cl ₃ NO ₄ P
geroquinolum geroquinol	2-geranylhydroquinone C ₁₈ H ₂₂ O ₂
glibenclamidum glibenclamide	1-[4-[2-(5-chloro-2-methoxybenzamido)ethyl]- phenylsulfonyl]-3-cyclohexylurea C ₂₃ H ₂₈ ClN ₂ O ₃ S
gloxazonum gloxazone	3-ethoxy-2-oxobutylaldehyde bis(thiosemicarbazone) C ₈ H ₁₄ N ₄ OS ₂
guanadrelum guanadrel	(1,4-dioxaspiro[4.5]dec-2-ylmethyl)guanidine C ₁₀ H ₁₆ N ₂ O ₂
halofenatum halofenate	(<i>p</i> -chlorophenyl)[(α,α,α -trifluoro- <i>m</i> -tolyl)oxy]acetic acid ester with <i>N</i> - (2-hydroxyethyl)acetamide C ₁₈ H ₁₇ ClF ₃ NO ₄
hexoprenalinum hexoprenaline	α,α' -[hexamethylenebis(iminomethylene)]bis(3,4-dihydroxybenzyl alcohol) C ₂₂ H ₃₂ N ₂ O ₄
homopipramolum homopipramol	4-[3-(5 <i>H</i> -dibenz[<i>b,f</i>]azepin-5-yl)propyl]hexahydro-1 <i>H</i> -1,4-diazepine-1- ethanol C ₂₄ H ₃₁ N ₃ O
hoquizilum hoquizil	2-hydroxy-2-methylpropyl 4-(6,7-dimethoxy-4-quinazoliny)- 1-piperazinecarboxylate C ₁₈ H ₂₆ N ₄ O ₅
ibuverinum ibuverine	isobutyl α -phenylcyclohexaneglycolate C ₁₈ H ₂₆ O ₃
ipronidazolium ipronidazole	2-isopropyl-1-methyl-5-nitroimidazole C ₇ H ₁₁ N ₃ O ₂
kalii canrenoas potassium canrenoate	potassium 17-hydroxy 3-oxo-17 α -pregna-4,6-diene-21-carboxylate C ₂₇ H ₃₈ KO ₄
levamisolum levamisole	(-)-2,3,5,6-tetrahydro-6-phenylimidazo[2,1- <i>b</i>]thiazole C ₁₁ H ₁₂ N ₂ S
levodopum levodopa	(-)-3-(3,4-dihydroxyphenyl)-L-alanine C ₉ H ₁₁ NO ₄
lidimycinum lidimycin	an antibiotic obtained from cultures of <i>Streptomyces lydicus</i> , or the same substance obtained by any other means
medazepamum medazepam	7-chloro-2,3-dihydro-1-methyl-5-phenyl-1 <i>H</i> -1,4-benzodiazepine C ₁₆ H ₁₅ ClN ₂
mefrusidum mefruside	4-chloro- <i>N'</i> -methyl- <i>N'</i> -(tetrahydro-2-methylfurfuryl)- <i>m</i> -benzenedi- sulfonamide C ₁₃ H ₁₉ ClN ₂ O ₃ S ₂

<i>Recommended International Nonproprietary Name (Latin, English)</i>	<i>Chemical Name or Description and Molecular Formula</i>
metampicillinum metampicillin	3,3-dimethyl-6-[2-(methyleneamino)-2-phenylacetamido]-7-oxo-4-thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid C ₁₇ H ₁₈ N ₂ O ₄ S
metolazonum metolazone	7-chloro-1,2,3,4-tetrahydro-2-methyl-4-oxo-3- <i>o</i> -tolyl-6-quinazolinesulfonamide C ₁₈ H ₁₆ ClN ₂ O ₂ S
metoserpatum metoserpate	methyl <i>O</i> -methyl-18-epireserpate C ₂₄ H ₃₂ N ₂ O ₅
milipertinum milipertine	5,6-dimethoxy-3-[2-[4-(<i>o</i> -methoxyphenyl)-1-piperazinyl]ethyl]-2-methylindole C ₂₄ H ₃₁ N ₃ O ₃
mithramycinum mithramycin	an antibiotic obtained from cultures of <i>Streptomyces tanashiensis</i> , or the same substance produced by any other means
mitobronitolum mitobronitol	1,6-dibromo-1,6-dideoxy-D-mannitol C ₆ H ₁₂ Br ₂ O ₄
mitoguazonum mitoguazone	1,1'-[(methylethanediyldiene)dinitrilo]diguanidine C ₅ H ₁₂ N ₈
mitotatum mitotane	1,1-dichloro-2-(<i>o</i> -chlorophenyl)-2-(<i>p</i> -chlorophenyl)ethane C ₁₄ H ₁₀ Cl ₄
nalbuphinum nalbuphine	17-(cyclobutylmethyl)-4,5 α -epoxymorphinan-3,6 α ,14-triol C ₂₁ H ₂₇ NO ₄
naranolum naranol	8,9,10,11,11a,12-hexahydro-8,10-dimethyl-7a <i>H</i> -naphtho[1',2':5,6]-pyrano[3,2- <i>c</i>]pyridin-7a-ol C ₁₈ H ₂₁ NO ₂
niclofolanum niclofolan	4,4'-dichloro-6,6'-dinitro- <i>o,o</i> -biphenol C ₁₂ H ₆ Cl ₂ N ₂ O ₆
nifurfolinum nifurfoline	3-(morpholinomethyl)-1-[(5-nitrofurfurylidene)amino]-hydantoin C ₁₃ H ₁₃ N ₃ O ₆
nifurpionum nifurpipone	4-methyl-1-piperazineacetic acid (5-nitrofurfurylidene)hydrazide C ₁₂ H ₁₇ N ₅ O ₄
nifurtimoxum nifurtimox	4-[(5-nitrofurfurylidene)amino]-3-methylthiomorpholine 1,1-dioxide C ₁₀ H ₁₃ N ₃ O ₅ S
niridazolium niridazole	1-(5-nitro-2-thiazolyl)-2-imidazolidinone C ₈ H ₈ N ₄ O ₃ S
nisobamatium nisobamate	2-(hydroxymethyl)-2,3-dimethylpentyl carbamate isopropylcarbamate C ₁₃ H ₂₆ N ₂ O ₄
norfluranum norflurane	1,1,1,2-tetrafluoroethane C ₂ H ₂ F ₄
nortetrazepamum nortetrazepam	7-chloro-5-(1-cyclohexen-1-yl)-1,3-dihydro-2 <i>H</i> -1,4-benzodiazepin-2-one C ₁₃ H ₁₅ ClN ₂ O
noxiptilinum noxiptiline	10,11-dihydro-5 <i>H</i> -dibenzo[<i>a,d'</i>]cyclohepten-5-one <i>O</i> -[2-(dimethylamino)ethyl]oxime C ₁₉ H ₂₂ N ₂ O
ormetoprimum ormetoprim	2,4-diamino-5-(6-methylveratryl)pyrimidine C ₁₄ H ₁₈ N ₄ O ₂
oxifentorexum oxifentorex	<i>N</i> -benzyl- <i>N</i> , α -dimethylphenethylamine <i>N</i> -oxide C ₁₇ N ₂ NO
oxitriptyllinum oxitriptyline	2-[(10,11-dihydro-5 <i>H</i> -dibenzo[<i>a,d'</i>]cyclohepten-5-yl)oxy]- <i>N,N</i> -dimethylacetamide C ₁₈ H ₂₁ NO ₂

Recommended International Nonproprietary Name (Latin, English)	Chemical Name or Description and Molecular Formula
oxprenololum oxprenolol	1-(<i>o</i> -allyloxyphenoxy)-3-(isopropylamino)-2-propanol C ₁₅ H ₂₃ NO ₂
pentorexum pentorex	α, α, β -trimethylphenethylamine C ₁₁ H ₁₇ N
pimeclonum pimeclone	2-(piperidinomethyl)cyclohexanone C ₁₂ H ₂₁ NO
plmefyllinum pimefylline	7-[2-[(3-pyridylmethyl)amino]ethyl]theophylline C ₁₉ H ₁₈ N ₄ O ₂
piprategolum piprategol	α -(3,4-dihydroxyphenyl)-4-(2-methoxyphenyl)-1-piperazineethanol C ₁₉ H ₂₄ N ₂ O ₄
piquizilum piquizil	isobutyl 4-(6,7-dimethoxy-4-quinazoliny)-1-piperazinecarboxylate C ₁₉ H ₂₆ N ₄ O ₄
polacrillinum polacrilin	a synthetic ion exchange resin which is prepared through the polymerization of methacrylic acid and divinylbenzene. It is supplied in the hydrogen or free acid form.
pramiverinum pramiverine	4,4-diphenyl- <i>N</i> -isopropylcyclohexylamine C ₂₁ H ₂₇ N
prifiniū bromidum prifinium bromide	3-(diphenylmethylene)-1,1-diethyl-2-methylpyrrolidinium bromide C ₂₂ H ₂₈ BrN
profadolū profadol	<i>m</i> -(1-methyl-3-propyl-3-pyrrolidiny)phenol C ₁₄ H ₂₁ NO
promolatū promolate	2-morpholinoethyl 2-methyl-2-phenoxypropionate C ₁₆ H ₂₃ NO ₄
proxyphyllinū proxyphylline	7-(2-hydroxypropyl)theophylline C ₁₆ H ₁₄ N ₄ O ₃
quazodinū quazodine	4-ethyl-6,7-dimethoxyquinazoline C ₁₂ H ₁₄ N ₂ O ₂
racefenicolum racefenicol	(±)- <i>threo</i> -2,2-dichloro- <i>N</i> -[β -hydroxy- α -(hydroxymethyl)- <i>p</i> -(methylsulfonyl)phenethyl]acetamide C ₁₂ H ₁₁ Cl ₂ NO ₅ S
ranimycinū ranimycin	an antibiotic obtained from cultures of <i>Streptomyces lincolnensis</i> , or the same substance obtained by any other means C ₁₂ H ₁₈ O ₈
riboprīnū riboprīne	<i>N</i> -(3-methyl-2-butenyl)adenosine C ₁₈ H ₂₁ N ₅ O ₄
salbutamolū salbutamol	α -[(<i>tert</i> -butylamino)methyl]-4-hydroxy- <i>m</i> -xylene- α, α' -diol C ₁₃ H ₂₁ NO ₃
saletamidū saletamide	<i>N</i> -[2-(diethylamino)ethyl]salicylamide C ₁₃ H ₂₀ N ₂ O ₂
spirgetinū spirgetine	[2-(6-azaspiro[2.5]oct-6-yl)ethyl]guanidine C ₁₀ H ₂₀ N ₄
stefimycinū stefimycin	an antibiotic obtained from cultures of <i>Streptomyces steffisburgensis</i> var. <i>stefisburgensis</i> sp. n., or the same substance obtained by any other means
stercuronii iodidū stercuronium iodide	(<i>con</i> a-4,6-dienin-3 β -yl)dimethylethylammonium iodide C ₂₆ H ₄₃ N ₂
sulfadoxinū sulfadoxine	<i>N</i> '-(5,6-dimethoxy-4-pyrimidinyl)sulfanilamide C ₁₂ H ₁₄ N ₄ O ₄ S
taloximinū taloximine	4-[2-(dimethylamino)ethoxy]-1(2 <i>H</i>)phthalazinone oxime C ₁₂ H ₁₅ N ₄ O ₂
tetridaminū tetridamine	4,5,6,7-tetrahydro-2-methyl-3-(methylamino)-2 <i>H</i> -indazole C ₉ H ₁₃ N ₃

<i>Recommended International Nonproprietary Name (Latin, English)</i>	<i>Chemical Name or Description and Molecular Formula</i>
tiapirinolum tiapirinol	tetrahydro-2-[3-hydroxy-5-(hydroxymethyl)-2-methyl-4-pyridyl]- 2 <i>H</i> -1,3-thiazine-4-carboxylic acid C ₁₂ H ₁₆ N ₂ O ₄ S
tigestolum tigestol	19-nor-17 <i>a</i> -pregn-5(10)-en-20-yn-17-ol C ₂₈ H ₄₆ O
tinidazolium tinidazole	1-[2-(ethylsulfonyl)ethyl]-2-methyl-5-nitroimidazole C ₈ H ₁₃ N ₃ O ₄ S
tolquinzolum tolquinzole	2-ethyl-1,3,4,6,7,11 <i>b</i> -hexahydro-10-methyl-2 <i>H</i> -benzo[<i>a</i>]- quinolizin-2-ol C ₁₅ H ₂₃ NO
tribenosidum tribenoside	ethyl 3,5,6-tri- <i>O</i> -benzyl-D-glucufuranoside C ₂₉ H ₃₄ O ₆
triflumidatum triflumidate	ethyl <i>m</i> -benzoyl- <i>N</i> -[(trifluoromethyl)sulfonyl]-carbanilate C ₁₇ H ₁₄ F ₃ NO ₅ S
tropirinum tropirine	3 <i>a</i> -[5 <i>H</i> -benzo[4.5]cyclohepta[1.2- <i>b</i>]pyridyl]-5-oxy]tropane C ₂₂ H ₂₄ N ₂ O

CORRIGENDA

Vol. 13, No. 2

RECOMMENDED INTERNATIONAL NON-PROPRIETARY NAMES (*Rec. I.N.N.*): LIST 2

p. 107: *delete*

propoxyphenum propoxyphene	4-dimethylamino-3-methyl-1,2-diphenyl-2-butanol propionate ester C ₂₂ H ₂₉ NO ₂
-------------------------------	---

Vol. 20, No. 11

RECOMMENDED INTERNATIONAL NON-PROPRIETARY NAMES (*Rec. I.N.N.*): LIST 6

p. 425: *delete*

etomidatum etomidate	(±)-ethyl 1-(<i>α</i> -methylbenzyl)imidazole-5-carboxylate C ₁₄ H ₁₆ N ₂ O ₂
-------------------------	---

insert

etomidatum etomidate	(+)-ethyl 1-(<i>α</i> -methylbenzyl)imidazole-5-carboxylate C ₁₄ H ₁₆ N ₂ O ₂
-------------------------	---