

ATOLL RESEARCH BULLETIN

NO. 570


**INVENTORY OF MARINE MOLLUSCS
OF FRENCH POLYNESIA**

BY

JEAN TRÖNDLÉ AND MICHEL BOUTET

ISSUED BY

**NATIONAL MUSEUM OF NATURAL HISTORY
SMITHSONIAN INSTITUTION
WASHINGTON, D.C., U.S.A.
JULY 2009**



Polynésie française

Figure 1. Index map of French Polynesia.

INVENTORY OF MARINE MOLLUSCS OF FRENCH POLYNESIA

BY

JEAN TRÖNDLÉ¹ AND MICHEL BOUTET²

ABSTRACT

An inventory of marine molluscan species from French Polynesia has been updated following recent field collections and numerous consultations of many shells collections. A total of 2373 species were analysed of which 1702 were identified: 13 chitons, 194 bivalves, 1 scaphopod, 8 cephalopods and 1486 gastropods. The present inventory indicates that the malacological fauna is more diverse than previously reported: 1008 species were identified by Dautzenberg and Bouge (1933) and 1061 species were identified by Richard (1975). A total of 671 species were not identified of which at least 21 are new to science and will be described in the near future.

RÉSUMÉ

L'inventaire des espèces de mollusques marins de Polynésie française est mis à jour au vu de collectes récentes et de l'examen de plusieurs collections. Au total 2373 espèces ont été séparées et comptabilisées dont 1702 ont été identifiées soit 13 chitons, 194 bivalves, 1 scaphopode, 8 céphalopodes et 1486 gastéropodes. Cet inventaire fait état d'une faune malacologique bien plus importante que celles des auteurs précédents: 1008 espèces pour Dautzenberg et Bouge (1933) et 1061 espèces identifiées pour Richard (1985). Un total de 671 espèces n'ont pu être identifiées dont 21 au moins d'entre elles sont actuellement considérées comme nouvelles pour la science et feront prochainement l'objet de publications.

INTRODUCTION

French Polynesia (Fig. 1) consisting of 118 volcanic and low coral reef islands in Oceania is oriented on a South East – North West axis between 8 and 28° South latitude and 134 and 155° West longitude. The exclusive economic zone is more than 5 millions km². Land area covers 3,726 km² and the coral reef ecosystem covers 15,047 km² (2,140 km² of reefs and 12,907 km² of lagoons). Geomorphological diversity is very important among all these islands (Salvat et al., 2008). The Society archipelago is a perfect illustration of islands emerging from hot spots which drift with the oceanic floor : the youngest are volcanic islands without reefs (e.g. Mehetia), then islands become surrounded by reefs (e.g. Tahiti, Moorea), then follows considerable subsidence of the volcanic substrate leaving a large lagoon (e.g. Bora Bora) and finally true atolls (e.g.

¹ Attaché au Muséum national d'Histoire naturelle, Département Systématique et Évolution
55, rue de Buffon, 75005 Paris, France – j.trondle@orange.fr

² 98712 Papara, Tahiti, Polynésie française – boutetmichel@mail.pf

Scilly). The Tuamotu archipelago, consisting of 76 atolls (either open with passes, closed or elevated), is one of the richest groups of atolls in the world. The Marquesas archipelago lacks barrier reefs and lagoons and has a poor coral fauna. The Austral archipelago consists of either volcanic islands with lagoons (e.g. Raevavae) or islands without lagoons but with coral reef beds (e.g. Rapa). These two last archipelagos are known to have endemic marine species.

Since the 18th century, large expeditions have collected fauna and flora of French Polynesian islands including marine molluscs (see Tröndle and Van Cossel, 2005). The first inventory of marine molluscs of Oceania was by Dautzenberg and Bouge in the *Journal de Conchyliologie* (1933). The first author was a Belgian malacologist while the second, an enlightened amateur, was French Polynesia's Governor between 1928 and 1931. In 1975 "Coquillages de Polynésie" was edited by Salvat and Rives illustrating more than 400 species with colour photos. In 1985, for the fifth international coral reefs symposium in Tahiti, Richard published a list of 1159 species, 98 of which were unidentified. These inventories also gave the species distributions known at that time.

The present inventory takes into account only those species from past inventories whose presence has been confirmed by the present authors during field expeditions and from collections at the Muséum National d'Histoire Naturelle Paris (MNHN), at the Centre de Recherches Insulaires et Observatoire de l'Environnement de Moorea en Polynésie française (CRILOBE), at the Ecole Pratique des Hautes Etudes (EPHE - Université de Perpignan), at the National Museum of Natural History Washington D.C. (USNM) and from several local French Polynesian private collections.

Two recent expeditions to the Marquesas (1997) and Austral archipelago (2002) provided the most valuable inventories of marine molluscs and greatly enlarged our faunistic knowledge. The first one, organized by the MNHN in collaboration with the Institut de Recherches pour le Développement (IRD), "MUSORSTOM 9" expedition, collected fauna from 168 stations between 40 and 1250 m depth. An additional 40 stations were prospected in the littoral zone on Ua Huka. The second expedition, jointly organized by CRILOBE, IRD and MNHN, "BENTHAUS expedition", worked in Rapa at 159 dredge stations between 50 and 1800 m depth and with 99 additional stations in the littoral zone.

The present list of molluscs in French Polynesia is the first step of an inventory which will be completed with a future article that will provide information and argumentation on each species with their references.

The following abbreviations are used to mention the geographical distribution of the species :

S : Society Islands

T : Tuamotu Islands

G : Gambier Islands

M : Marquesas Islands

A : Austral Islands

m. add. : additional morphospecies recognized, but not identified

Institutional abbreviations:

AIM	Auckland Institute and Museum
AMS	Australian Museum, Sydney, Australia
BMNH	The Natural History Museum, London, U.K.
CRIODE	Centre de Recherches Insulaires et Observatoire de l'Environnement, Moorea, Polynésie française
EPHE	École Pratique des Hautes Études, Perpignan, France
FMNH	Field Museum of Natural History, Chicago, U.S.A.
GNS Science	Institute of Geological and Nuclear Sciences, Lower Hutt, New Zealand
IRENav	Institut de Recherche de l'École Navale, Brest, France
IRSNB	Institut royal des Sciences naturelles de Belgique, Bruxelles, Belgique
MNHN	Muséum national d'Histoire naturelle, Paris, France
NMNZ	Museum of New Zealand Te Papa Tongarewa, Wellington, New Zealand
SBMNH	Santa Barbara Museum of Natural History, California U.S.A.
SMNH	Swedish Museum of Natural History, Stockholm, Sweden
USNM	National Museum of Natural History, Washington D.C., U.S.A.

LIST OF SPECIES

The list of molluscs follows the systematic order adopted by Beesley et al. (1998), except for the Colubrariidae family which is itself considered as a family (Bouchet and Rocroi, 2005). All genera and species are listed in alphabetic order within each family. Sub-families, sub-genera and sub-species are not mentioned, except for the Coralliophilinae which is a special group that was considered distinct from the Muricidae for a long time.

POLYPLACOPHORA. According to F.J.A. Slieker (2000)

LEPTOCHITONIDAE Dall, 1889

Leptochiton hiriensis Schwabe & Lozouet, 2006 (A)

HANLEYIDAE Bergenhayn, 1955

Weedingia alborosea Kaas, 1988 (T)

Weedingia exigua (Sowerby, 1832) (S, T, G)

Weedingia mooreana Kaas, 1988 (S)

MOPALIIDAE Dall, 1889

Plaxiphora gwenae Ferreira, 1987 (M)

Plaxiphora kamehamehae Ferreira & Bertsch, 1979 (S)

CHITONIDAE Rafinesque, 1815

Acanthopleura gemmata (Blainville, 1825) (S, M)

Chiton marquesanus Pilsbry, 1893 (M)

- Chiton pervaidis* Carpenter, 1865 (S, A)
Chiton rapaiensis Schwabe & Lozouet, 2006 (A)
Onithochiton lyellii (Sowerby, 1832) (G, A)
Rhyssoplax linsleyi Burghardt, 1973 (S, M)
Tonicia floccata (Sowerby, 1842) (S)
(1 m. add.)

BIVALVIA

NUCULIDAE Gray, 1824

- Nucula polynesica* Rehder, 1980 (A)

SAREPTIDAE Stoliczka, 1871

- Sarepta abysscola* E.A. Smith, 1885 (A)

MYTILIDAE Rafinesque, 1815

- Amygdalum peasei* (Newcomb, 1870) (S, M)
Botula cinnamomea (Gmelin, 1791) (S, T)
Brachidontes maritimus (Pilsbry, 1921) (S)
Lithophaga hanleyana (Reeve, 1857) (S)
Lithophaga laevigata (Quoy & Gaimard, 1835) (S, T, G, M)
Lithophaga lithura Pilsbry, 1905 (S, T, A)
Lithophaga malaccana (Reeve, 1858) (S)
Lithophaga cf. nasuta (Philippi, 1846) (S, T)
Lithophaga obesa (Philippi, 1847) (S)
Lithophaga teres (Philippi, 1846) (S, T, G, A)
Modiolus auriculatus Krauss, 1848 (S, T, M, A)
Modiolus bakeri (Dall, Bartsch & Rehder, 1938) (T)
Modiolus cf. comptus Sowerby, 1915 (M)
Modiolus matris Pilsbry, 1921 (M, A)
Modiolus philippinarum Hanley, 1843 (M)
Modiolus vaginus (Lamarck, 1819) (S)
Septifer bilocularis (Linné, 1758) (M)
Septifer bryanae (Pilsbry, 1921) (S, A)
Septifer rudis Dall, Bartsch & Rehder, 1938 (M)
(8 m. add.)

ARCIDAE Lamarck, 1809

- Acar plicata* (Dillwyn, 1817) (S, T)
Anadara uropigimelana (Bory St Vincent, 1824) (S, T)
Arca avellana Lamarck, 1819 (S, T, G, A)
Arca kauaia (Dall, Bartsch & Rehder, 1938) (S, M)
Arca ventricosa Lamarck, 1819 (S, T, G, A)
Barbatia decussata (Sowerby, 1833) (T)

- Barbatia foliata* (Forsskal, 1775) (S, T)
Barbatia iota (Iredale, 1939) (S, T, A)
Barbatia lima (Reeve, 1844) (S)
Barbatia molokaia Dall, Bartsch & Rehder, 1938 (S)
Barbatia parva (Sowerby, 1833) (S, T, A)
Barbatia cf. parvivillosa (Iredale, 1939) (A)
Barbatia setigera (Reeve, 1844) (S, T)
Barbatia tenella (Reeve, 1843) (T, M, A)
Barbatia trapezina (Lamarck, 1819) (S, T)
Bentharca cf. irregularis Hayami & Kase, 1993 (T)
Hawaiarca cf. rectangula Dall, Bartsch & Rehder, 1938 (T)
(5 m. add.)

PHILOBRYIDAE Bernard, 1897. Identification B. Marshall
Cratis kanekoi Hayami & Kase, 1993 (S, T)

PTERIIDAE Gray, 1847

- Pinctada maculata* (Gould, 1850) (S, T, G, A)
Pinctada margaritifera (Linné, 1758) (S, T, G, A)
Pteria macroptera (Lamarck, 1822) (M)
(2 m. add.)

MALLEIDAE Lamarck, 1819

- Malleus maculosus* (Reeve, 1858) (T, G)
Malleus nuttalli (Conrad, 1837) (S, T)

ISOGNOMONIDAE Woodring, 1925

- Isognomon ephippium* (Linné, 1758) (S, T, A)
Isognomon isognomum (Linné, 1758) (S, T, M, A)
Isognomon legumen (Gmelin, 1791) (S, T, M, A)
Isognomon nucleus (Lamarck, 1819) (S, T, G, M, A)
Isognomon pectinata (Reeve, 1858) (S, T)
Isognomon perna (Linné, 1767) (S, T, M, A)

PINNIDAE Leach, 1819

- Atrina pectinata* (Linné, 1767) (M)
Atrina vexillum (Born, 1778) (S)
Pinna muricata Linné, 1758 (S, T)
Streptopinna saccata (Linné, 1758) (S, T, M)
(1 m. add.)

LIMIDAE Rafinesque, 1815

- Ctenoides ales* (Finlay, 1927) (M)
Divarilima elegans Hayami & Kase, 1993 (A)

Lima keokea Dall, Bartsch & Rehder, 1938 (M)

Lima tahitensis E.A. Smith, 1885 (S, T, A)

Lima vulgaris (Link, 1807) (T)

Limaria fragilis (Gmelin, 1791) (S, T, G, M, A)

(4 m. add.)

GRYPHAEIDAE Vyalov, 1936

Hyotissa hyotis (Linné, 1758) (S, T)

Parahyotissa numisma (Lamarck, 1819) (T, M)

(1 m. add.)

OSTREIDAE Rafinesque, 1815

Nanostrea exigua Harry, 1985 (M)

Saccostrea cucullata (Born, 1778) (S, T, G, M, A)

(8 m. add.)

PLICATULIDAE Gray, 1857. Identification R. von Cosel

Plicatula plicata (Linné, 1758) (T, M)

(1 m. add.)

DIMYIDAE P. Fischer, 1886

(2 m. add.)

PECTINIDAE Rafinesque, 1815. According to H.H. Dijkstra (1989)

Anguipecten pacificus Dijkstra, 2002 (M)

Anguipecten superbus (Sowerby, 1842) (A)

Comptopallium radula (Linné, 1758) (T)

Cryptopecten bernardi (Philippi, 1851) (M)

Cryptopecten bullatus (Dautzenberg & Bavay, 1912) (M)

Cryptopecten nux (Reeve, 1853) (M)

Cyclopecten cancellus Dijkstra, 1991 (A)

Cyclopecten fluctuatus (Bavay, 1905) (M)

Excellichlamys spectabilis (Reeve, 1853) (T)

Glorichlamys elegantissima (Deshayes, 1863) (S, T)

Gloripallium pallium (Linné, 1758) (S, T, G, M)

Gloripallium spiniferum (Sowerby, 1835) (S, T, M)

Haumea minuta (Linné, 1758) (S, T, G)

Haumea rehderi (Grau, 1960) (S)

Laevichlamys irregularis (Sowerby, 1842) (S, T)

Laevichlamys squamosa (Gmelin, 1791) (S)

Laevichlamys wilhelminae (Bavay, 1904) (S)

Pascahinnites coruscans (Hinds, 1845) (S, T, G, M, A)

Pascahinnites pasca (Dall, 1908) (A)

Pedum spondyloideum (Gmelin, 1791) (S, T)

- Pseudohinnites levii* Dijkstra, 1989 (M)
Semipallium fulvicostatum (Adams & Reeve, 1850) (S, T, G)
Semipallium rapanense (Bavay, 1905) (A)
(2 n. sp. unpublished)

ENTOLIIDAE von Teppner, 1922
Pectinella aequoris Dijkstra, 1991 (M)

PROPEAMUSSIIDAE Abbott, 1954
Catillopecten translucens (Dautzenberg & Bavay, 1912) (M)
Parvamussium dautzenbergi (Dijkstra, 1990) (A)
Parvamussium marquesanum Dijkstra & Maestrati, 2008 (M)
Parvamussium polynesianum Dijkstra & Maestrati, 2008 (M)
Propeamussium malpelonium Dall, 1908 (M)
(3 n. sp. unpublished)

SPONDYLIDAE Gray, 1826. According to K. Lamprell & J.M. Healy (2001)
Spondylus linguafelis Sowerby, 1847 (S)
Spondylus nicobaricus Schreibers, 1793 (T)
Spondylus rubicundus Reeve, 1856 (S, T, A)
Spondylus varius Sowerby, 1838 (S, T, G)
Spondylus violascens Lamarck, 1819 (S, T)
(3 m. add.)

ANOMIIDAE Rafinesque, 1815
Monia cf. *timida* Iredale, 1939 (S)
(5 m. add.)

CHAMIDAE Lamarck, 1809
Chama asperella Lamarck, 1819 (S, A)
Chama brassica Reeve, 1846 (S, M)
Chama cerion Matsukuma, Paulay & Hamada, 2003 (S)
Chama iostoma Conrad, 1837 (S, T, A)
Chama pacifica Broderip, 1835 (S, T, G, A)
Chama cf. *retroversa* (Lischke, 1870) (S)
Chama spinosa Lamarck, 1819 (S, T, G, A)
(1 m. add.)

LUCINIDAE Fleming, 1828
Anodontia hawaiensis (Dall, Bartsch & Rehder, 1938) (S)
Anodontia ovum (Reeve, 185) (S, T, G)
Codakia punctata (Linné, 1758) (S, T, G, A)
Codakia tigerina (Linné, 1758) (S, T, G)
Ctena bella (Conrad, 1837) (S, T, G, M, A)

- Epicodakia sweeti* (Hedley, 1899) (T, M)
Funafutia levukana (Smith, 1885) (M)
Liralucina cf. *craticula* Glover & Taylor, 2007 (S, T)
Liralucina cf. *vaubani* Glover & Taylor, 2007 (S)
Troendleina marquesana Cosel & Bouchet, 2008 (M, A)
(1 m. add.)

UNGULINIDAE H. & A. Adams, 1857
(1 m. add.)

GALEOMMATIDAE Gray, 1840

- Kellia delmasi* Lamy, 1927 (S, M)
Lasaea hawaiensis Dall, Bartsch & Rehder, 1938 (G, M, A)
Pseudogaleomma castanea Habe, 1976 (S)
Scintilla hiloa Dall, Bartsch & Rehder, 1938 (S, T)
(8 m. add.)

NEOLEPTONIDAE Thiele, 1934
(1 m. add.)

SPORTELLIDAE Dall, 1899

- Anisodonta angulata* Dall, Bartsh & Rehder, 1938 (T)
Anisodonta lutea Dall, Bartsh & Rehder, 1938 (S, T)
Anisodonta ustulata (Reeve, 1844) (M)

CARDITIDAE Fleming, 1828

- Cardita muricata* Sowerby, 1832 (T, G, A)
Cardita variegata Bruguière, 1792 (T, G, A)

CONDYLOCARDIIDAE F. Bernard, 1896

- Carditella hawaiensis* Dall, Bartsch & Rehder, 1938 (S, A)
(1 m. add.)

CRASSATELLIDAE

- (1 m. add.)

CARDIIDAE Lamarck, 1809. Identifications J. Vidal

- Acrosterigma capricorne* Vidal & Kirkendale, 2007 (A)
Acrosterigma seurati Vidal, 1999 (T)
Acrosterigma transcendens (Melvill & Standen, 1899) (S, T)
Afrocardium richardi (Audouin, 1826) (A)
Corculum dionaeum (Broderip & Sowerby, 1829) (S, T, G, A)
Ctenocardia subfestivum Vidal & Kirkendale, 2007 (S, A)
Fragum fragum (Linné, 1758) (S, T, G, A)

- Fragum mundum* (Reeve, 1845) (T)
Nemocardium thaanumi (Pilsbry, 1921) (M)
Pseudofulvia arago Vidal & Kirkendale, 2007 (A)
Tridacna maxima (Röding, 1798) (S, T, G, A)
Tridacna squamosa (Lamarck, 1819) (T, A)
Vasticardium orbitum (Broderip & Sowerby, 1833) (S, T, M)
(1 m. add.)

MESODESMATIDAE Gray, 1840

- Mesodesma striata* (Schröter, 1788) (M)

TELLINIDAE Blainville, 1814

- Elliptotellina euglypta* Gould, 1861 (S)
Exotica fijiensis (Sowerby, 1868) (S, T, M)
Jactellina obliquaria (Deshayes, 1854) (S, T, G)
Loxoglypta clathrata (Deshayes, 1835) (S, T)
Scissulina dispar (Conrad, 1837) (S, T, G)
Tellina asperrima Hanley, 1844 (M)
Tellina crucigera Lamarck, 1818 (S, T, G, M)
Tellina cf. minuta Lischke, 1872 (S)
Tellina cf. nux Hanley, 1844 (S)
Tellina palatam (Iredale, 1829) (S, T, G, A)
Tellina cf. pallidula Lischke, 1871 (M)
Tellina parvitas (Iredale, 1931) (T)
Tellina perna Spengler, 1798 (S, T, M)
Tellina pulcherrima Sowerby, 1825 (M)
Tellina robusta Hanley, 1844 (S, T, A)
Tellina rostrata Linné, 1758 (M)
Tellina scobinata Linné, 1758 (S, T, G, A)
Tellina semen Hanley, 1844 (S, T, G, M)
Tellina virgata Linné, 1758 (S, T, G, M)
(9 m. add.)

SEMELIDAE Stoliczka, 1870

- Abra seurati* (Lamy, 1906) (S, T, G, A)
Ervilia bisculpta Gould, 1861 (S, A)
Lonoa hawaiiensis Dall, Bartsh & Rehder, 1938 (S, T)
Rochefortina sandwichensis (E.A. Smith, 1885) (S, T)
Semele australis (Sowerby, 1832) (S, T, G, M, A)
Semele monilis Tate, 1891 (M)
(3 m. add.)

PSAMMOBIIDAE Fleming, 1828

- Asaphis violascens* (Forsskal, 1775) (S, T, G, A)
Gari pennata (Deshayes, 1855) (S, M)

TRAPEZIIDAE Lamy, 1920

- Coralliophaga coralliophaga* (Gmelin, 1791) (T)
Glossocardia obesa (Reeve, 1843) (S)
Trapezium bicarinatum (Schumacher, 1817) (S)
Trapezium oblongum (Linné, 1758) (S, T, G)
Trapezium sublaevigatum (Lamark, 1819) (T, A)

GLOSSIDAE Gray, 1847

- Meiocardia hawaiana* Dall, Bartsch & Rehder, 1938 (M)

VENERIDAE Rafinesque, 1815. According to M.E. Harte, 1992

- Gafrarium pectinatum* (Linné, 1758) (S, T, G, A)
Gafrarium tumidum (Röding, 1798) (S)
Globivenus toreuma (Gould, 1850) (S, A)
Irus crenatus (Lamarck, 1818) (S, M)
Lioconcha gordoni (E.A. Smith, 1885) (S, T)
Lioconcha hieroglyphica (Conrad, 1837) (M)
Lioconcha ornata (Dillwyn, 1817) (S, M)
Lioconcha philippinarum (Hanley, 1844) (S, T, M)
Periglypta crispata (Deshayes, 1854) (S, T, G)
Periglypta reticulata (Linné, 1758) (S, T, G, M, A)
Pitar festoui Harte, 1993 (S)
Pitar prora (Conrad, 1837) (S, T, G, M, A)
Placamen retroversa (Deshayes, 1853) (T)
Timoclea imbricata (Sowerby, 1853) (S)
Timoclea subnodulosa (Hanley, 1844) (S)
(6 m. add.)

PETRICOLIDAE d'Orbigny, 1840

- Petricola divergens* (Gmelin, 1791) (M)

CORBULIDAE Lamarck, 1818

- Varicorbula rotalis* Hinds, 1843 (S)
(1 m. add.)

GASTROCHAENIDAE Gray, 1840

- Gastrochaena cuneiformis* Spengler, 1783 (S, T, G)
Gastrochaena dentifera Dufo, 1840 (S, G)
Spengleria mytiloides (Lamarck, 1818) (M)

HIATELLIDAE Gray, 1824

- (2 m. add.)

THRACIIDAE Stoliczka, 1870
(2 m. add.)

CLAVAGELLIDAE d'Orbigny, 1844
(1 m. add.)

VERTICORDIIDAE Stoliczka, 1871
(1 m. add.)

CUSPIDARIIDAE Dall, 1886
(4 m. add.)

SCAPHPODA

DENTALIIDAE Gray, 1847
Antalis albatrossae Scarabino, 2008 (M)
(1 m. add.)

CEPHALOPODA

OCTOPIDAE d'Orbigny, 1840
Octopus cf. abaculus Norman & Sweeney, 1997 (S)
Octopus bocki (Adams, 1941) (S)
Octopus cyanea Gray, 1849 (S, T, M, A)
Octopus cf. vitiensis Hoyle, 1885 (S)
Octopus wolfi (Wülker, 1913) (S)
(2 m. add.)

ARGONAUTIDAE Tryon, 1879
Argonauta argo Linné, 1758 (S)
Argonauta nouryi Lorois, 1852 (M)

SPIRULIDAE Rafinesque, 1815
Spirula spirula (Linné, 1758) (T, M, A)

GASTROPODA

PROSOBRANCHIA

PATELLIDAE Rafinesque, 1815
"Patella" *dira* Reeve, 1855 (A)
Scutellastra flexuosa (Quoy & Gaimard, 1834) (S, T, G, M, A)

NACELLIDAE Thiele, 1891

- Cellana radiata* (Born, 1778) (S, G, M)
Cellana taitensis (Röding, 1798) (S, G, A)
 (1 m. add.)

LOTTIIDAE Gray, 1840

- Asteracmea* cf. *axiaerata* (Verco, 1912) (S, A)
Patelloida conoidalis (Pease, 1868) (T, G, A)
 (1 m. add.)

SCISSURELLIDAE Gray, 1847. Identifications D.L. Geiger

- Scissurella coronata* Watson, 1886 (S)
Scissurella mirifica A. Adams, 1862 (S)
Scissurella quadrata Geiger & Jansen, 2004 (S)
Scissurella spinosa Geiger & Jansen, 2004 (S, T)
Sinezona danieldreieri Geiger, 2008 (A)
Sinezona plicata (Hedley, 1899) (S, T)
Sinezona wileyi Geiger, 2008 (T, A)
Sukashitrochus morleti (Crosse, 1880) (S, A)

LAROCHEIDAE Finlay, 1927

- Trogleconcha lozoueti* Geiger, 2008 (A)

ANATOMIDAE McLean, 1989. Identification D.L. Geiger

- Anatoma rapaensis* Geiger, 2008 (M, A)
Sasakiconcha elegantissima Geiger, 2006 (A)
 (2 m. add.)

HALIOTIDAE Rafinesque, 1815

- Haliotis pulcherrima* Gmelin, 1791 (S, T, G)

FISSURELLIDAE Fleming, 1822

- Diodora foveolata* (Garrett, 1873) (S)
Diodora granifera (Pease, 1861) (S, T, G, M, A)
Diodora cf. *lanceolata* (Sowerby, 1862) (G)
Diodora octagona (Reeve, 1850) (S, T)
Diodora ruppellii (Sowerby, 1834) (S, T)
Diodora cf. *ticaonica* (Reeve, 1850) (T, G)
Emarginula dilecta A. Adams, 1852 (T)
Emarginula velascoi Rehder, 1980 (T, G)
 (5 m. add.)

CHILODONTIDAE Wenz, 1938

- Calliotropis oros* Vilvens, 2007 (M)

TURBINIDAE Rafinesque, 1815

- Astralium confragosum* (Gould, 1849) (S, T, G)
Astralium milloni (B. & F. Salvat & G. Richard, 1973) (A)
Astralium cf. rhodostomum (Lamarck, 1822) (A)
Bolma maestratii Alf & Kreipl, 2009 (A)
Collonista picta (Pease, 1868) (S, T, G)
Collonista verruca (Gould, 1845) (M)
Tricolia variabilis (Pease, 1861) (T)
Turbo argyrostomus Linné, 1758 (S, T, G, A)
Turbo marmoratus Linné, 1758 (S, T)
Turbo petholatus Linné, 1758 (S, T, G, A)
Turbo setosus Gmelin, 1791 (S, T, G, M, A)
(8 m. add.)

TROCHIDAE Rafinesque, 1815

- Alcyna ocellata* A. Adams, 1860 (S, T, A)
Broderipia iridescens (Broderip, 1834) (T)
Broderipia rosea (Broderip, 1834) (T)
Calliotrochus marmoreus (Pease, 1861) (S, T, A)
Cantharidus marmoreus (Pease, 1868) (S, T)
Euchelus atratus (Gmelin, 1791) (A)
Euchelus corrugatus Pease, 1861 (S, T)
Euchelus foveolatus (A. Adams, 1853) (S, T, G, A)
Euchelus gemmatus (Gould, 1845) (S, T, M)
Herpetopoma cf. aspera (Philippi, 1846) (A)
"*Microtis*" *rubra* (Lamarck, 1822) (S, T, A)
Parmonolia cf. apicina (Gould, 1861) (T)
Stomatella laevis (Pease, 1868) (S, T, G)
Stomatella rosacea (Pease, 1868) (S, T, G, M, A)
Stomatella varia (A. Adams, 1850) (S, T, A)
Synaptocochlea concinna (Gould, 1845) (S, T, A)
Talopena vernicosa (Gould, 1861) (S, M)
Trochus histrio Reeve, 1861 (A)
Trochus maculatus Linné, 1758 (A)
Trochus niloticus Linné, 1767 (S, T, G, A)
(6 m. add.)

SKENEIDAE Clark, 1851. W.F. Ponder (pers. comm.)

- Cyclostremiscus emeryi* (Ladd, 1966) (S, T, G)
Leucorhynchia caledonica Crosse, 1867 (S, T, A)
(8 m. add.)

NERITOPSIDAE Gray, 1847

- Neritopsis radula* (Linné, 1758) (S, T)
(1 n. sp. unpublished)

NERITILIIDAE Schepman, 1908

Pisulina adamsiana G. & H. Nevill, 1869 (S, T)

NERITIDAE Rafinesque, 1815

Clithon chlorostoma (Broderip, 1832) (S, T, M)
Clithon cf. sowerbiana (Récluz, 1843) (M)
Nerita albicilla Linné, 1758 (S, T, A)
Nerita argus Récluz, 1841 (S, T)
Nerita morio (Sowerby, 1832) (S, T, G, M, A)
Nerita plicata Linné, 1758 (S, T, G, M, A)
Nerita polita Linné, 1758 (S, T, G, M, A)
Nerita textilis Gmelin, 1791 (T)
Nerita undata Linné, 1758 (S)
Neritina bensoni Récluz, 1850 (S, T, G, M)
Smaragdia paulucciana (Gassies, 1870) (S)
Smaragdia tragena (Iredale, 1936) (S)
(1 m. add.)

PHENACOLEPADIDAE Pilsbry, 1895

Phenacolepas compressa (Pease, 1868) (S)
Phenacolepas granocostata (Pease, 1868) (S, T)
Phenacolepas pulchella (Lischke, 1871) (S)
Phenacolepas scobinata (Gould, 1859) (S, T)
Phenacolepas senta Hedley, 1899 (S)
Phenacolepas tenuisculpta Thiele, 1909 (S, T, A)
Plesiothyreus cytherae (Lesson, 1830) (S, T)
Plesiothyreus newtoni Sowerby, 1894 (S, M)
(3 m. add.)

CERITHIIDAE Fleming, 1822. According to R.S Houbrick (1978, 1985, 1992)

Argyropeza cf. leucocephala (Watson, 1886) (A)
Bittium glareosum Gould, 1861 (S, T, G)
Cerithium amirantium E.A. Smith, 1884 (S, T)
Cerithium atromarginatum Dautzenberg & Bouge, 1933 (S, T, M, A)
Cerithium boeticum Pease, 1860 (S, T)
Cerithium cf. claviforme Schepman, 1907 (S)
Cerithium columna Sowerby, 1834 (S, T, G, M, A)
Cerithium dialeucum Philippi, 1849 (S)
Cerithium echinatum Lamarck, 1822 (S, T, G, M, A)
Cerithium egenum Gould, 1849 (S, T, G, A)
Cerithium impendens Hedley, 1899 (S, T, G, A)
Cerithium interstriatum Sowerby, 1855 (S, T, A)
Cerithium nesioticum Pilsbry & Vanatta, 1906 (S, T, G, M, A)
Cerithium ophioderma (Habe, 1968) (M)

- Cerithium pacificum* Houbrick, 1992 (S, T)
Cerithium punctatum Bruguière, 1792 (S, T, G, A)
Cerithium rehderi Houbrick, 1992 (M)
Cerithium rostratum Sowerby, 1855 (S, T)
Cerithium salebrosum Sowerby, 1855 (S, T, G)
Cerithium tenellum Sowerby, 1855 (T)
Cerithium zebrum Kiener, 1841 (S, T, G, M, A)
Clypeomorus batillariaeformis Habe & Kosuge, 1966 (A)
Clypeomorus brevis (Quoy & Gaimard, 1834) (S, T, G, A)
Ittibittium parcum (Gould, 1861) (S, A)
Pseudovertagus clava (Gmelin, 1791) (S, T, A)
Rhinoclavis articulata (Adams & Reeve, 1850) (S, T, G, M, A)
Rhinoclavis aspera (Linné, 1758) (T, G, A)
Rhinoclavis diadema Houbrick, 1978 (S, T, G, M, A)
Rhinoclavis fasciata (Bruguière, 1792) (S, T, G)
Rhinoclavis sinensis (Gmelin, 1791) (S, T, G, M, A)
Royella sinon (Bayle, 1880) (S, G, A)
(6 m. add.)

DIALIDAE Kay, 1979. According to W.F. Ponder & R. de Keyser (1992)

- Diala albugo* (Watson, 1886) (S, T, G)
Diala semistriata (Philippi, 1849) (S, T, G, M, A)
Diala sulcifera (A. Adams, 1862) (S, T, G)

LITIOPIDAE Gray, 1847

- Alaba fragilis* (Thiele, 1830) (A)
Alaba goniochila (A. Adams, 1860) (S, T, G, M, A)

TURRITELLIDAE Lovén, 1847

- (2 m. add.)

SILIQUARIIDAE Anton, 1838

- Tenagodus cumingi* (Mörch, 1860) (S)
Tenagodus tahitensis (Mörch, 1861) (S)

PLANAXIDAE Gray, 1850

- Angiola fasciata* (Pease, 1868) (S, T, G, M, A)
Fossarus cumingii (A. Adams, 1855) (S, T, M)
Hinea akuana Rehder, 1980 (A)
Planaxis sulcatus (Born, 1780) (S, T)
Supplanaxis niger (Quoy & Gaimard, 1834) (S, T)

MODULIDAE P. Fisher, 1884

- Modulus candidus* Petit de la Saussaye, 1853 (S, T, G, M, A)
Modulus tectum (Gmelin, 1791) (S, T, A)

SCALIOLIDAE Jousseaume, 1912

- Cerithidium actinium* Rehder, 1980 (A)
Cerithidium diplax (Watson, 1886) (S)
Cerithidium perparvulum (Watson, 1886) (S, T, G, M)
Finella pupoides A. Adams, 1860 (S, T, G, A)
Scaliola bella A. Adams, 1860 (S, T, G, A)

PLESIOTROCHIDAE Houbrick, 1990

- Plesiotrochus unicinctus* (A. Adams, 1853) (S, T, G, M)
(1 n. sp. unpublished)

LITTORINIDAE Children, 1834. Identifications D.G. Reid

- Echinolittorina cinerea* (Pease, 1869) (S, T, M)
Echinolittorina marquesensis Reid, 2007 (M)
Littoraria coccinea (Gmelin, 1791) (S, T, G, M, A)
Littoraria intermedia (Philippi, 1846) (S, T, G)
Littoraria scabra (Linné, 1758) (T)
Peasiella conoidalis (Pease, 1868) (S, T, A)
Tectarius grandinatus (Gmelin, 1791) (S, T, G)

PICKWORTHIIDAE Iredale, 1917. Identifications P. Bouchet

- Astrosansonia dautzenbergi* (Bavay, 1917) (S, T)
Clatrosansonia jousseaumei (Bavay, 1921) (S, T, A)
Clatrosansonia troendleei Le Renard & Bouchet, 2003 (S, T)
Mareleptopoma iredalei (Bavay, 1921) (S, T, A)
Microliotia alvanioides Le Renard & Bouchet, 2003 (M)
Reynellona marshallensis Kase, 1998 (S)
Reynellona natalis Iredale, 1917 (S, T)
Reynellona semipellucida Kase, 1998 (S)
Sansonria kirkpatricki (Iredale, 1917) (S, T, A)
Sansonria shigemitsui Kase, 1998 (S)
Sherbornia mirabilis Iredale, 1917 (T)

CINGULOPSIDAE Fretter & Patil, 1958

- Eatonina* cf. *colorata* Ponder & Yoo, 1980 (S, T)
Eatonina lunata (Laseron, 1956) (G)
Eatonina cf. *lunata* (Laseron, 1956) (T)
Eatonina cf. *pulicaria* Ponder & Yoo, 1980 (T)
(7 m. add.)

BARLEEIDAE Gray, 1857

- Protoparleeia myersi* (Ladd, 1966) (T)
(1 m. add.)

ANABATHRIDAE Keen, 1971*Amphithalamus fulcira* (Laseron, 1956) (M)**RISSOIDAE** Gray, 1877. Identifications W.F. Ponder and W.J.M. Sleurs

- Alvania hyalina* (Garrett, 1873) (T)
- Alvania isolata* (Laseron, 1956) (S, M)
- Merelina cf. longinqua* Rehder, 1980 (A)
- Merelina pisinna* Melvill & Standen, 1896 (S, A)
- Merelina wanawana* Kay, 1979 (T, G)
- Parashiela beetsi* Ladd, 1966 (S, T, G, A)
- Pusillina marmorata* (Hedley, 1907) (S, T, G)
- Rissoina ambigua* (Gould, 1849) (S, T, G)
- Rissoina cf. artensis* Montrouzier, 1872 (T)
- Rissoina cerithiformis* Tryon, 1887 (S, T, G, A)
- Rissoina costata* A. Adams, 1851 (G, A)
- Rissoina digera* (Laseron, 1956) (S, T)
- Rissoina dorbignyi* A. Adams, 1851 (S, T)
- Rissoina cf. evanida* (G. & H. Nevill, 1874) (S, T)
- Rissoina exasperata* Souverbie, 1866 (S, T)
- Rissoina heronensis* (Laseron, 1956) (S, T)
- Rissoina honoluluensis* Watson, 1886 (S)
- Rissoina imbricata* Gould, 1861 (S, T)
- Rissoina percrassa* G. & H. Nevill, 1874 (S)
- Rissoina schubelae* Sleurs & Preece, 1994 (A)
- Rissoina tenuistriata* Pease, 1868 (S, T, M)
- Rissoina torresiana* (Laseron, 1956) (S, T, M)
- Stosicia bourguignati* (Issel, 1869) (S, T)
- Stosicia chiltoni* (Oliver, 1915) (A)
- Stosicia hiloense* (Pilsbry & Vanatta, 1908) (S, T, G)
- Stosicia lochi* Sleurs, 1996 (S)
- Stosicia manikiensis* Sleurs, 1996 (S, T, M)
- Zebina bidentata* (Philippi, 1845) (S, T, M)
- Zebina insignis* (A. Adams & Reeve, 1850) (S, T)
- Zebina malagazzae* Sleurs & Van Goethem, 2002 (S, T)
- Zebina pupiniformis* (Preston, 1908) (T)
- Zebina subfirmata* (Boettger, 1887) (S, T, G)
- Zebina cf. subulina* (Weinkauff, 1881) (T)
- Zebina tridentata* (Michaud, 1836) (S, T)
- (15 m. add.)

IRAVADIIDAE Thiele, 1928

(1 m. add.)

ASSIMINEIDAE H. & A. Adams, 1856

- Assiminea nitida* (Pease, 1865) (S, T, G)
Assiminea vulgaris (Webster, 1905) (A)
Paludinella cf. *solomonensis* Dell, 1955 (T)
(6 m. add.)

TRUNCATELLIDAE Gray, 1840

- Truncatella* cf. *pfeifferi* Martens, 1860 (S, T)
Truncatella scalariformis Reeve, 1843 (T)

CAECIDAE Gray, 1850. M. Pizzini (pers. comm.)

- Caecum* cf. *bimarginatum* (Carpenter, 1859) (S, T, M)
Caecum cf. *chinense* de Folin, 1868 (S, T)
Caecum gulosum Hedley, 1899 (S)
Caecum cf. *modestum* de Folin, 1868 (S, T)
Caecum neocaledonicum de Folin, 1868 (S)
Caecum rostratum de Folin, 1881 (S)
Caecum sepimentum de Folin, 1867 (S, T)
Caecum vertebrale Hedley, 1899 (S, T)
Meioceras legumen Hedley, 1899 (S, T)
Strebloceras subannulatum de Folin, 1879 (S, T)
(4 n. sp. unpublished)
(10 m. add.)

TORNIDAE Sacco, 1896. W.F. Ponder (pers. comm.)

- Circulus modesta* (Gould, 1861) (S, T)
Lophocochlias minutissimus (Pilsbry, 1921) (S, T, M, A)
Pseudoliotia asterisca (Gould, 1859) (S)
Teinostoma cf. *impleta* (Laseron, 1958) (S)
Teinostoma vayssierei Couturier, 1907 (S, T, A)
Woodringilla solida (Laseron, 1954)) (M)
(4 m. add.)

STROMBIDAE Rafinesque, 1815

- Canarium erythrinum* (Dillwyn, 1817) (S, T)
Canarium haemastoma (Sowerby, 1842) (S, G)
Canarium maculatus (Sowerby, 1842) (S, T, A)
Canarium mutabile (Swainson, 1821) (S, T, G, A)
Euprotomus aurisdianae (Linné, 1758) (T)
Euprotomus vomer (Röding, 1798) (A)
Gibberulus gibbosus (Röding, 1798) (S, T, G, M, A)
Harpago chiragra (Linné, 1758) (S, T, G, M, A)
Lambis pilsbryi Abbott, 1961 (M)

- Lambis robusta* (Swainson, 1821) (S)
Lambis truncata (Lightfoot, 1786) (S, T, G, A)
Lentigo lentiginosus (Linné, 1758) (S, T, G, A)
Lentigo pipus (Röding, 1798) (S, T)
Tricornis thersites (Swainson, 1823) (S, T, G, A)
Tridentarius dentatus (Linné, 1758) (S, T, G, M)

HIPPONICIDAE Troschel, 1861

- Antisabia foliacea* (Quoy & Gaimard, 1835) (S, T, G, M, A)
Cheilea cf. cicatricosa (Reeve, 1858) (S, T, M, A)
Cheilea hipponiciformis (Reeve, 1858) (S, T)
Cheilea cf. pileopsis (Quoy & Gaimard, 1835) (S)
Pilosabia trigona (Gmelin, 1791) (S, T, G, M, A)
Sabia conica (Schumacher, 1817) (S, T, G, M, A)
(1 m. add.)

VANIKORIDAE Gray, 1840

- Vanikoro acuta* (Récluz, 1844) (S, T)
Vanikoro cancellata (Lamarck, 1822) (S, T, G, M, A)
Vanikoro delicata (Pease, 1868) (S, T)
Vanikoro deshayesiana (Récluz, 1843) (S, T)
Vanikoro disparilis Deshayes, 1863 (S, T)
Vanikoro distans (Récluz, 1843) (S, T, M)
Vanikoro fenestrata (A. Adams, 1863) (S, T)
Vanikoro cf. granifera (Pease, 1869) (T, G)
Vanikoro gueriniana (Récluz, 1844) (S, T)
Vanikoro helicoidea (Le Guillou, 1842) (S, T, M)
Vanikoro imbricata Pease, 1861 (T, M)
Vanikoro cf. sigaretiformis (Potiez & Michaud, 1838) (M)

CALYPTRAEIDAE Lamarck, 1809

- Crepidula aculeata* (Gmelin, 1791) (M)

CAPULIDAE Fleming, 1822

- Capulus bicarinatus* (Pease, 1861) (T, G, M)
Capulus liberatus Pease, 1868 (S, A)

XENOPHORIDAE Troschel, 1852

- (1 m. add.)

VERMETIDAE Rafinesque, 1815

- Dendropoma cf. annulatus* (Daudin, 1800) (S, T)
Dendropoma maxima (Sowerby, 1825) (S, T, G, A)

- Dendropoma* cf. *platypus* (Mörch, 1861) (A)
Petaloconchus cochlidium (Carpenter, 1850) (S)
Serpulorbis variabilis Hadfield & Kay, 1972 (S)
(10 m. add.)

CYPRAEIDAE Rafinesque, 1815. F. According to Lorenz & A. Hubert (2000)

- Annepona mariae* (Schilder, 1927) (S, T, G, M)
Bistolida goodallii (Sowerby, 1832) (S, T, G, M)
Blasicura pellucens (Melvill, 1888) (M)
Blasicura subteres (Weinkauff, 1881) (S, T, M)
Blasicura teres (Gmelin, 1791) (S, T, G, M, A)
Chelycypraea testudinaria (Linné, 1758) (S, T)
Cibrarula astaryi Schilder, 1971 (M)
Cibrarula compta (Pease, 1860) (T)
Cibrarula cibraria (Linné, 1758) (S)
Cibrarula cumingii (Sowerby, 1832) (S, T, M, A)
Cibrarula cf. *gaskoini* (Reeve, 1846) (T)
Cryptocypraea dillwyni (Schilder, 1922) (S, T, M)
Cypraea tigris Linné, 1758 (S, T, G, M, A)
Erosaria beckii (Gaskoin, 1836) (S, T, M)
Erosaria bernardi (Richard, 1974) (S, T)
Erosaria caputserpentis (Linné 1758) (S, T, G, M, A)
Erosaria cernica (Sowerby, 1870) (T)
Erosaria erosa (Linné, 1758) (S, T, G, M, A)
Erosaria helvolia (Linné, 1758) (S, T, G, M, A)
Erosaria moneta (Linné, 1758) (S, T, G, M, A)
Erosaria obvelata (Lamarck, 1810) (S, T, G, M, A)
Erosaria poraria (Linné, 1758) (S, T, G, M, A)
Erosaria thomasi (Crosse, 1865) (M)
Erronea chinensis (Gmelin, 1791) (S, T, A)
Ipsa childreni (Gray, 1825) (S, T, G)
Leporicypraea mappa (Linné, 1758) (S, T, M)
Luria isabella (Linné, 1758) (S, T, G, M, A)
Lyncina aurantium (Gmelin, 1791) (S, T)
Lyncina bouteti (Burgess & Arnette, 1981) (S, T, M, A)
Lyncina carneola (Linné, 1758) (S, T, G, M, A)
Lyncina lynx (Linné, 1758) (S, T, G, M, A)
Lyncina schilderorum (Iredale, 1939) (S, T, G, M, A)
Lyncina ventriculus (Lamarck, 1810) (S, T, G, M, A)
Lyncina vitellus (Linné, 1758) (S, T, G, M, A)
Mauritia arabica (Linné, 1758) (S, T, M, A)
Mauritia depressa (Gray, 1824) (S, T, G, M, A)
Mauritia maculifera Schilder, 1932 (S, T, M, A)
Mauritia mauritiana (Linné, 1758) (S, T, G, M)

- Mauritia scurra* (Gmelin, 1791) (S, T, G, M, A)
Naria irrorata (Gray, 1828) (S, T, G)
Nesiocypraea midwayensis Azuma & Kurohara, 1967 (S)
Palmadusta contaminata (Sowerby, 1832) (M)
Palmadusta zigzag (Linné, 1758) (S, T)
Purpuradusta barbieri (Raybaudi, 1986) (S)
Purpuradusta fimbriata (Gmelin, 1791) (S, T, G, M, A)
Purpuradusta oryzaeformis Lorenz & Sterba, 1999 (S, T)
Purpuradusta serrulifera (Schilder & Schilder, 1938) (S, T, M)
Pustularia bistrinotata Schilder & Schilder, 1937 (S, T, G, M, A)
Pustularia globulus (Linné, 1758) (S, T, G, M)
Pustularia margarita (Dillwyn, 1817) (S, T)
Ransonella trizonata (Sowerby, 1870) (S, T, G, M, A)
Staphylaea granulata (Pease, 1862) (T, M)
Staphylaea nucleus (Linné, 1758) (S, T, G, M)
Staphylaea staphylaea (Linné, 1758) (S, T)
Talparia talpa (Linné, 1758) (S, T, G, M, A)

OVULIDAE Fleming, 1822

- Calpurnus lacteus* (Lamarck, 1810) (S, T)
Ovula ovum (Linné, 1758) (A)
Pedicularia pacifica Pease, 1865 (T, M)
Phenacovolva carneopicta Rehder & Wilson, 1975 (S, M)
Pseudocypraea adamsonii (Sowerby, 1832) (S, T, M)

TRIVIIDAE Troschel, 1863. According to C.N. Cate, 1979

- Austrotrivia corinneae* (Shaw, 1909) (S, T)
Austrotrivia exigua (Gray, 1831) (S, T, G)
Niveria pilula (Kiener, 1843) (S, T)
Proterato sandwichensis (Sowerby, 1859) (T)
Proterato cf. schneideri (Schilder, 1933) (A)
Proterato sulcifera (Sowerby, 1832) (S, T, M)
Trivirostra corrugata (Pease, 1868) (S, T)
Trivirostra hordacea (Kiener, 1843) (S, T)
Trivirostra letourneuxi Fehse & Grego, 2008 (S, T)
Trivirostra pellucidula (Reeve, 1846) (S, T, M)
Trivirostra polynesiae Cate, 1979 (S)
Trivirostra pseudotrivellona Fehse & Grego, 2008 (S, T)
Trivirostra shawi Schilder, 1933 (S)
Trivirostra thaanumi Cate, 1979 (T)
(1m. add.)

VELUTINIDAE Gray, 1840

- Coriocella nigra* Blainville, 1824 (S)
(5 m. add.)

NATICIDAE Guilding, 1834

- Natica alapapilionis* (Röding, 1798) (M)
Natica cf. arachnoidea (Gmelin, 1791) (A)
Natica ochrostigmata Rehder, 1980 (S, T, G, M, A)
Naticarius orientalis (Gmelin, 1791) (S, T, M)
Notocochlis gualteriana (Récluz, 1844) (S, T, G, M, A)
Tanea cf. picta (Récluz, 1844) (A)
Tectonatica bougei (Sowerby, 1908) (S, T, G, A)
Tectonatica robillardi (Sowerby, 1893) (S, T)
Tectonatica violacea (Sowerby, 1825) (S)
Polinices aurantius (Röding, 1798) (S, T)
Polinices cf. jukesii (Reeve, 1855) (M)
Polinices melanostomoides (Quoy & Gaimard, 1833) (M)
Polinices melanostomus (Gmelin, 1791) (S, T, G, M, A)
Polinices peselephanti (Link, 1807) (M)
Polinices simiae (Deshayes, 1838) (S, T, M)
Polinices tumidus (Swainson, 1840) (S, T, A)
(5 m. add.)

BURSIDAE Thiele, 1925. Identifications A.G. Beu

- Bursa asperrima* (Dunker, 1862) (S, T, A)
Bursa bufonia (Gmelin, 1791) (S, T, G, M, A)
Bursa condita (Gmelin, 1791) (S, T)
Bursa cruentata (Sowerby, 1835) (S, T, M)
Bursa granularis (Röding, 1798) (S, T, G, M, A)
Bursa lamarckii (Deshayes, 1853) (S, M)
Bursa latitudo Garrard, 1961 (M, A)
Bursa rhodostoma (Sowerby, 1835) (S, T, M, A)
Bursa rosa (Perry, 1811) (S, T, M)
Bursina fijiensis (Watson, 1881) (A)
Bursina ignobilis (Beu, 1987) (M)
Tutufa bubo (Linné, 1758) (S, M)
Tutufa tenuigranosa (E.A. Smith, 1914) (M)

CASSIDAE Latreille, 1825. A.G. Beu (pers. comm.)

- Casmaria erinaceus* (Linné, 1758) (S, T, G, M, A)
Casmaria perryi (Iredale, 1912) (A)
Casmaria ponderosa (Gmelin, 1791) (S, T, M)
Cassis cornuta (Linné, 1758) (S, T)
Cypraeacassis rufa (Linné, 1758) (S, T, M)
Oocorys verrillii (Dall, 1889) (A)
Semicassis bulla Habe, 1961 (T, M, A)
(1 n. sp. unpublished)

PERSONIDAE Gray, 1854. A.G. Beu (pers. comm.)

- Distorsio anus* (Linné, 1758) (S, T, M)
- Distorsio graceiellae* Parth, 1989 (M)
- Distorsio perdistorta* Fulton, 1938 (M)
- Distorsomina pusilla* (Pease, 1861) (S, T, M, A)
- Personopsis trigonaperta* Beu, 1998 (A)

RANELLIDAE Gray, 1854. Identifications A.G. Beu

- Charonia tritonis* (Linné, 1758) (S, T, M, A)
- Gelagna succincta* (Linné, 1771) (S, T)
- Gutturnium muricinum* (Röding, 1798) (S, T, G, M, A)
- Gyrineum lacunatum* (Mighels, 1845) (S, M)
- Gyrineum pusillum* (Broderip, 1833) (T, G, A)
- Gyrineum roseum* (Reeve, 1844) (S)
- Halgyrineum louisae* (Lewis, 1974) (M)
- Lotoria lotoria* (Linné, 1758) (M)
- Monoplex aquatilis* (Reeve, 1844) (S, T, A)
- Monoplex gemmatum* (Reeve, 1844) (S, A)
- Monoplex intermedius* (Pease, 1869) (S, T, M)
- Monoplex mundus* (Gould, 1849) (S, T, M, A)
- Monoplex nicobaricus* (Röding, 1798) (S, T, G, M, A)
- Monoplex pilearis* (Linné, 1758) (S, T, M, A)
- Monoplex vespaceus* (Lamarck, 1822) (S)
- Ranularia pyrum* (Linné, 1758) (M)
- Sassia melpangi* Harasewych & Beu, 2007 (A)
- Septa hepatica* (Röding, 1798) (S, M)
- Septa peasei* (Beu, 1987) (S, T, M)
- Septa rubecula* (Linné, 1758) (S, T)
- Turritriton labiosum* (Wood, 1828) (M)

TONNIDAE Suter, 1913 A.G. Beu (pers. comm.)

- Eudolium bairdii* (Verrill & Smith in Verrill, 1881) (M, A)
- Eudolium crosseanum* (Monterosato, 1869) (A)
- Malea pomum* (Linné 1758) (S, T, M, A)
- Tonna melanostoma* (Jay, 1839) (S, A)
- Tonna perdix* (Linné, 1758) (S, T, G, M, A)

ATLANTIDAE Rang, 1829

- Atlanta* cf. *gaudichaudi* Souleyet, 1852 (T)
- Atlanta* cf. *inflata* Souleyet, 1852 (T)
- Atlanta peronii* Lesueur, 1817 (S)

TRIPHORIDAE Gray, 1847. Identifications B. Marshall

- Aclophoropsis mcmichaeli* (Kosuge, 1962) (T)

- Bouchetriphora pallida* (Pease, 1870) (S, T)
Euthymella bilix (Hinds, 1843) (S)
Euthymella concors (Hinds, 1843) (S)
Euthymella elegans (Hinds, 1843) (S, T)
Euthymella elongata (Laseron, 1958) (S, T)
Euthymella goubini (Hervier, 1897) (S)
Inella asperrima (Hinds, 1843) (S, T)
Iniforis hinuhinu Kay, 1979 (S)
Iniforis ikukoae (Kosuge, 1963) (S, T)
Latitriphora cf. carteretensis (Hinds, 1843) (T, M)
Liniphora restis Laseron, 1958 (S, T)
Mastonia cingulifera (Pease, 1861) (S)
Mastonia evandina (Laseron, 1958) (S, M)
Mastonia iris (Laseron, 1958) (S, G)
Mastonia lamberti (Hervier, 1897) (M)
Mastonia monilifera (Hinds, 1843) (T)
Mastonia papillata (Hervier, 1898) (S)
Mastonia peanites (Jousseaume, 1884) (S)
Mastonia robusta (Pease, 1870) (T)
Mastonia squalida Kosuge, 1962 (S, T)
Mastonia ustulata (Hervier, 1897) (S, T)
Mastoniaeforis chaperi Jousseaume, 1884 (S, T, M)
Mastoniaeforis decorata (Laseron, 1958) (S, T, A)
Mastoniaeforis lifuana (Hervier, 1897) (S, T)
Mastoniaeforis poecila (Hervier, 1897) (S)
Mesophora granosa (Pease, 1870) (S, T)
Metaxia brunnicephala Kay, 1979 (S, T)
Monophorus cf. hervieri (Kosuge, 1962) (S, T, M)
Monophorus quadrimaculata (Hervier, 1897) (T)
Monophorus tesselatus (Kosuge, 1963) (S, T)
Nanaphora cf. inflata (Laseron, 1958) (S, T)
Nanaphora cf. tricolor Laseron, 1958 (M)
Nanaphora triticea (Pease, 1861) (S, T)
Obesula cf. lucidus (Hervier, 1897) (S, T)
Opimaphora cf. integra Laseron, 1958 (S)
Opimaphora cf. sarcira Laseron, 1958 (S)
Risbecia montrouzieri (Hervier, 1897) (S)
Subulophora rutilans (Hervier, 1897) (T)
Triphora earlei Kay, 1979 (S)
Triphora cf. thaanumi Kay, 1979 (T)
Viriola abbotti (Baker & Spicer, 1935) (S, T, M)
Viriola tricincta (Dunker, 1882) (M)
Viriola vulpina (Hinds, 1843) (S, T)
(50 m. add.)

CERITHIOPSIDAE H. & A. Adams, 1853

- Ataxocerithium serotinum* (A. Adams, 1855) (S, T, A)
Cerithiopsis granata (Kay, 1979) (S)
Horologica semipicta (Gould, 1861) (S)
 (25 m. add.)

JANTHINIDAE Lamarck, 1822

- Janthina janthina* (Linné, 1758) (T, A)
Recluzia hargravesi Cox, 1870 (G)

EPITONIIDAE Berry, 1910. According to H. DuShane (1990) and E.F. Garcia (2002-2004)

- Amaea boucheti* Garcia, 2003 (M)
Asperiscala goldsmithi DuShane, 1988 (S)
Cirsotrema varicosum (Lamarck, 1822) (M)
Cycloscala crenulata (Pease, 1868) (S, T)
Cycloscala hyalina (Sowerby, 1844) (S, T, M, A)
Cylindriscala humerosa (Schepman, 1909) (M)
Depressiscala aurita (Sowerby, 1844) (M)
Depressiscala umbilicata (Pease, 1869) (S)
Epitonium alatum (Sowerby, 1844) (M)
Epitonium costulatum (Kiener, 1838) (S)
Epitonium hemmesi DuShane, 1988 (S, T)
Epitonium lyra (Sowerby, 1844) (S)
Epitonium marmoratum (Sowerby, 1844) (S)
Epitonium replicatum (Sowerby, 1844) (S, T, A)
Epitonium stigmaticum (Pilsbry, 1911) (M)
Epitonium thorsoni DuShane, 1988 (S)
Epitonium ulu Pilsbry, 1921 (S)
Gregorioscala burchorum (DuShane, 1988) (M)
Gyroscala lamellosa (Lamarck, 1822) (S, T, G, M, A)
Labeoscala thelcterium (Melvill & Standen, 1903) (T)
Laeviscala fucata (Pease, 1861) (S, T, A)
Laeviscala sandwichensis (Nyst, 1871) (S, T, G, A)
Laeviscala subauriculata (Souverbie, 1866) (S, T, A)
Librariscala millecostata (Pease, 1861) (G)
Opalia bicarinata (Sowerby, 1844) (S)
Opalia sumatrensis (Thiele, 1925) (M)
Parviscala crispata (Pease, 1868) (S, T)
Parviscala deifica (Melvill & Standen, 1903) (S, T)
Parviscala cf. gracilis (Jousseaume, 1912) (S, T)
Sodaliscala cf. cophinodes (Melvill, 1904) (T)
Sodaliscala paumotensis (Pease, 1868) (T, G, M)
Sodaliscala symmetrica (Pease, 1868) (S, T, M)
 (4 m. add.)

EULIMIDAE Philippi, 1853. According to A. Warén (1981-1983) and T. Okutani (2000)

- Apicalia* cf. *angulata* Warén, 1981 (S, T)
Bacula morisyuichiroi (Habe, 1968) (S, T)
Chrystella letsonae (Pilsbry, 1918) (T)
Echineulima robusta (Pease, 1860) (S, T)
Eulima bifasciata (A. Adams, 1863) (S)
"Eulima" cf. *venusta* Pease, 1868 (T)
Hemiliostraca distorta (Pease, 1861) (S, T)
Hemiliostraca cf. *metcalfei* (A. Adams, 1853) (T)
Hemiliostraca cf. *vincta* (A. Adams, 1863) (S)
Hypermastus teinostoma (A. Adams, 1853) (S)
Melanella aciculata (Pease, 1861) (S, T, G)
Melanella cf. *araesomae* (Habe, 1992) (S)
Melanella bovicornu (Pilsbry, 1905) (S, T)
Melanella cumingii (A. Adams, 1853) (S, T, G, A)
Melanella dufresnii Bowdich, 1822 (S)
Melanella cf. *exilis* (Pease, 1868) (S, T)
Melanella flexuosa (A. Adams, 1853) (S, T, A)
Melanella letsonae (Pilsbry, 1917) (T)
Melanella ogasawarana (Pilsbry, 1905) (S, T)
Melanella venusta (Pease, 1868) (S, T, G)
Parvioris brevis (Sowerby, 1834) (S, T, G A)
Parvioris inflexa (Pease, 1868) (S, T, G, A)
Parvioris cf. *noumeae* Warén, 1981 (S)
Parvioris cf. *styliferoides* (Melvill & Standen, 1901) (S, T)
Peasistilifer nitidula (Pease, 1860) (S, T)
Pictobalcis articulata (Sowerby, 1834) (S, A)
Prostilifer subpellucida (Pease, 1865) (S)
Pulicicochlea faba Ponder & Gooding, 1978 (S, T, G, M)
Pyramidelloides angusta (Hedley, 1898) (S, T)
Pyramidelloides delicatula (Laseron, 1956) (S, T, M)
Pyramidelloides suteri (Oliver, 1915) (A)
Scalenostoma carinata (Deshayes, 1863) (T)
Scalenostoma subulata (Broderip, 1832) (S, T)
Sticteulima lentiginosa (A. Adams, 1861) (S)
Stilifer utinomi Habe, 1951 (S, G)
Teretianax minuta (Turton, 1932) (S, T)
Vitreobalcis shoplandi (Melvill, 1898) (S)
Vitreolina cf. *flavipunctata* (Habe, 1961) (S, T)
(70 m. add.)

MURICIDAE Rafinesque, 1815

- Aspella helena* Houart & Tröndlé, 2008 (S)
Aspella hildrunae Houart & Tröndlé, 2008 (S, T, G, M, A)

- Aspella lozoueti* Houart & Tröndlé, 2008 (A)
Aspella producta (Pease, 1861) (S, T, M)
Attiliosa caledonica (Jousseaume, 1881) (S, T)
Chicomurex laciniatus (Sowerby, 1841) (S)
Chicomurex venustulus (Rehder & Wilson, 1975) (M)
Chicoreus laqueatus (Sowerby, 1841) (S, T)
Chicoreus maurus (Broderip, 1833) (S, T, M)
Chicoreus orchidiflorus (Shikama, 1973) (A)
Chicoreus ramosus (Linné, 1758) (S, T, G, M, A)
Chicoreus rubescens (Broderip, 1833) (S, T, M)
Chicoreus strigatus (Reeve, 1849) (S, T)
Chicoreus thomasi (Crosse, 1872) (M)
Chicoreus torrefactus (Sowerby, 1841) (S)
Cytharomorula ambonensis (Houart, 1996) (M)
Cytharomorula danigoi Houart, 1995 (A)
Cytharomorula grayi (Dall, 1889) (M)
Cytharomorula lefeuvreiana (Tapparone Canefri, 1880) (S, T)
Cytharomorula paucimaculata (Sowerby, 1903) (S, T, M, A)
Cytharomorula springsteeni Houart, 1995 (A)
Dermomurex infrons Vokes, 1974 (A)
Dermomurex trondleorum Houart, 1990 (T)
Drupa clathrata (Lamarck, 1816) (S, T, G, M, A)
Drupa elegans (Broderip & Sowerby, 1829) (S, T, M)
Drupa grossularia Röding, 1798 (S, T, G, M, A)
Drupa iodostoma (Lesson, 1840) (M)
Drupa morum Röding, 1798 (S, T, G, M, A)
Drupa ricinus (Linné, 1758) (S, T, G, M, A)
Drupa rubusidaeus Röding, 1798 (S, T, G, M, A)
Drupa speciosa (Dunker, 1867) (S, T, G, M)
Drupella cornus (Röding, 1798) (S, T, G, M, A)
Drupella eburnea (Küster, 1862) (S, T)
Drupella fragum (Blainville, 1832) (S, T, G, M)
Drupella rugosa (Born, 1778) (S, T, G)
Ergalatax contracta (Reeve, 1846) (T)
Ergalatax margariticola (Broderip, 1833) (S, T, G, A)
Favartia avatea Houart & Tröndlé, 2008 (T, A)
Favartia brevicula (Sowerby, 1834) (A)
Favartia conleyi Houart, 1999 (S, M)
Favartia guamensis Emerson & D'Attilio, 1979 (S, T)
Favartia maculata (Reeve, 1845) (M, A)
Favartia nivea Houart & Tröndlé, 2008 (A)
Favartia peregrina Olivera, 1980 (M)
Favartia ponderi Myers & D'Attilio, 1989 (S, T)
Favartia rosamiae D'Attilio & Myers, 1985 (M)

- Favartia salvati* Houart & Tröndlé, 2008 (M, A)
Favartia cf. *sykesi* (Preston, 1904) (M)
Favartia tetragona (Broderip, 1833) (S)
Homalocantha anatomica (Perry, 1811) (S, M)
Maculotriton serriale (Deshayes, 1830) (S, T, G, M, A)
Monstrotyphis singularis Houart, 2002 (A)
Morula ambrosia (Houart, 1995) (S, T, A)
Morula anaxeres (Kiener, 1835) (S)
Morula angulata (Sowerby, 1893) (S, T)
Morula bicanalata (Reeve, 1846) (S, T)
Morula cernohorskyi Houart & Tröndlé, 1997 (T)
Morula dichrous (Tapparone Canefri, 1880) (S)
Morula echinata (Reeve, 1846) (S, T, G, M, A)
Morula granulata (Duclos, 1832) (S, T, G, M, A)
Morula nodicostata (Pease, 1868) (S, T, G)
Morula oparensis (Melvill, 1912) (T, A)
Morula peasei Houart, 2002 (S, T, G, A)
Morula porphyrostoma (Reeve, 1846) (T, M)
Morula rodgersi Houart, 2000 (S)
Morula spinosa (H. & A. Adams, 1853) (S)
Morula striata (Pease, 1868) (T)
Morula uva (Röding, 1798) (S, T, G, M, A)
Morula variabilis (Pease, 1868) (T, A)
Morula zebrina Houart, 2004 (S, T, A)
Murexsul tokubeii Nakamigawa & Habe, 1964 (A)
Muricodrupa fenestrata (Blainville, 1832) (S, T, G, A)
Muricodrupa fiscella (Gmelin, 1791) (M)
Naquetia barclayi (Reeve, 1858) (M)
Naquetia cumingii (A. Adams, 1853) (S, T, G)
Naquetia triqueter (Born, 1778) (S, T, G)
Nassa sertata (Bruguière, 1789) (A)
Nassa tuamotuensis Houart, 1996 (S, T, G, M, A)
Neothais nesiotes (Dall, 1908) (G, A)
Orania archaea Houart, 1995 (M)
Orania atea Houart & Tröndlé, 2008 (M)
Orania maestratii Houart & Tröndlé, 2008 (A)
Orania pacifica (Nakayama, 1988) (M)
Orania simonetae Houart, 1995 (S, T, M, A)
Pagodula atanua Houart & Tröndlé, 2008 (M)
Pagodula pulchella (Schepman, 1911) (A)
Pascula citrica (Dall, 1908) (S, T, A)
Pascula darrosensis (E.A. Smith, 1884) (M)
Pascula muricata (Reeve, 1846) (S, T, G, M, A)
Pascula ozenneana (Crosse, 1861) (S, M)
Pascula submissus (E.A. Smith, 1903) (M)

- Phrygiomurex sculptilis* (Reeve, 1844) (S, T, M)
Phyllocoma convoluta (Broderip, 1833) (S, T, M)
Poirieria tanaoa Houart & Tröndlé, 2008 (M)
Pterynotus elongatus (Lightfoot, 1786) (S, T)
Pterynotus loebbeckei (Kobelt, 1879) (S, G, M, A)
Pterymarchia aparrii (D'Attilio & Bertsch, 1980) (A)
Pterymarchia bouteti (Houart, 1990) (S, T, M)
Pterymarchia martinetana (Röding, 1798) (S, T)
Pterymarchia triptera (Born, 1778) (S, M)
Purpura persica (Linné, 1758) (T, G, M)
Reishia armigera (Link, 1807) (S, T, G, M, A)
Semiricinula marginata (Blainville, 1832) (S, M)
Semiricinula muricoides (Blainville, 1832) (S)
Semiricinula turbinoides (Blainville, 1832) (S, M)
Spinidrupa euracantha (A. Adams, 1853) (S, T, M)
Thais aculeata (Deshayes & Milne Edwards, 1844) (S, T, G, M)
Thais intermedia (Kiener, 1835) (S, T, G, A)
Thais tuberosa (Röding, 1798) (S, T, G, M, A)
Tripterotyphis lowei (Pilsbry, 1931) (T)
Usilla avenacea (Lesson, 1842) (S, T, G, M, A)
Vexilla taeniata (Powis, 1835) (T)
Vexilla vexillum (Gmelin, 1791) (T, M)
(5 m. add.)

CORALLIOPHILINAE Chenu, 1859. Identifications M. Oliverio

- Babelomurex diadema* (A. Adams, 1854) (A)
Babelomurex fusiformis (Martens, 1902) (A)
Babelomurex japonicus (Dunker, 1882) (M)
Babelomurex kawanishii (Kosuge, 1979) (A)
Babelomurex mediopacificus (Kosuge, 1979) (A)
Babelomurex ricinuloides (Schepman, 1911) (S)
Babelomurex santacruzensis (Emerson & D'Attilio, 1970) (A)
Babelomurex sibogae (Schepman, 1911) (A)
Babelomurex takahashii (Kosuge, 1979) (M)
Babelomurex wormaldi (Powell, 1971) (A)
Coralliophila abnormis (Smith, 1878) (M)
Coralliophila amirantium Smith, 1884 (M)
Coralliophila bulbiformis (Conrad, 1837) (M)
Coralliophila clathrata (A. Adams, 1854) (M)
Coralliophila costularis (Lamarck, 1816) (T, A)
Coralliophila curta Sowerby, 1894 (M)
Coralliophila erosa (Röding, 1798) (S, T, M, A)
Coralliophila fimbriata (A. Adams, 1854) (S, T, M, A)
Coralliophila latilirata Rehder, 1985 (S, T, A)
Coralliophila mitraeformis Kosuge, 1985 (M, A)

- Coralliophila monodonta* (Blainville, 1832) (S, T, G, M, A)
Coralliophila nodosa (A. Adams, 1854) (M)
Coralliophila nukuhiva Oliverio, 2008 (M)
Coralliophila porphyroleuca (Crosse, 1870) (S, T)
Coralliophila pulchella (A. Adams, 1854) (A)
Coralliophila suduirauti Smriglio & Mariottini, 2003 (A)
Coralliophila turrita Sowerby, 1888 (T)
Coralliophila violacea (Kiener, 1836) (S, T, G, M, A)
Hirtomurex filiaregis (Kurohara, 1959) (A)
Leptoconchus lamarckii Deshayes, 1863 (S, T, M, A)
Leptoconchus peronii (Lamarck, 1818) (T)
Magilus antiquus (Monfort, 1810) (A)
Mipus nodosus (A. Adams, 1854) (A)
Rapa bulbiformis Sowerby, 1870 (T)
Rapa cf. incurva (Dunker, 1852) (A)
Reliquiaecava robilliardi (Liénard, 1870) (S, T)
Rhizochilus antipathum Steenstrup, 1850 (M, A)
(9 n. sp. unpublished)

TURBINELLIDAE Swainson, 1835

- Vasum armatum* (Broderip, 1833) (T, G)
Vasum ceramicum (Linné, 1758) (S, T, G, A)

BUCCINIDAE Rafinesque, 1815

- Caducifer decapitata* (Reeve, 1844) (S, T, M)
Clivipollia albocincta (Pease, 1860) (S, T, M)
Clivipollia costata (Pease, 1860) (S, M)
Clivipollia fragaria (Wood, 1828) (S, T, M)
Clivipollia pulchra (Reeve, 1846) (S, T)
Clivipollia recurva (Reeve, 1846) (T)
Engina farinosa (Gould, 1860) (S, T)
Engina mactanensis Cernohorsky, 1985 (M)
Engina phasinola (Duclos, 1840) (S, T, A)
Engina siderea (Reeve, 1846) (S, T, G, M, A)
Phos dumale (Philippi, 1851) (M)
Phos varicosus (Gould, 1849) (M)
Pisania decollata (Sowerby, 1833) (S, T)
Pisania fasciculata (Reeve, 1846) (S, M)
Pisania ignea (Gmelin, 1791) (S, T)
Pollia fumosus (Dillwyn, 1817) (S, T, G, A)
Pollia cf. subrubiginosus (E.A. Smith, 1879) (G, A)
Pollia undosus (Linné, 1758) (S, T, G, M, A)
Pollia wagneri (Anton, 1839) (S, T, A)
Prodotia iostomus (Gray in Griffith & Pidgeon, 1834) (S, T, G, M, A)
(5 m. add.)

COLUBRARIIDAE Dall, 1904 (Separate from Buccinidae, according to P. Bouchet & J.-P. Rocroi (2005)

- Colubraria castanea* Kuroda & Habe, 1952 (T)
- Colubraria clathrata* (Sowerby, 1833) (S, T)
- Colubraria muricata* (Lightfoot, 1786) (S, T)
- Colubraria nitidula* (Sowerby, 1833) (S, T, M)
- Colubraria obscura* (Reeve, 1844) (S, T, M)
- Colubraria souverbii* (Reeve, 1844) (T, M)
- Colubraria tortuosa* (Reeve, 1844) (S, T, G, M)
(4 m. add.)

COLUMBELLIDAE Swainson, 1840

- Aesopus clausiliformis* (Kiener, 1834) (A)
- Aesopus spiculus* (Duclos, 1846) (M)
- Anachis paumotensis* (Tryon, 1883) (S, T)
- Ascalista polita* (G. & H. Nevill, 1875) (A)
- Euplica ionida* (Duclos, 1840) (S, T, G, M, A)
- Euplica loisae* Rehder, 1980 (A)
- Euplica turturina* (Lamarck, 1822) (S, T, M, A)
- Euplica varians* (Sowerby, 1832) (S, T, G, M, A)
- Metanachis marquesa* (Gaskoin, 1852) (S, T, G, M, A)
- Mitrella albina* (Kiener, 1841) (S, A)
- Mitrella alofa* (Hedley, 1899) (S)
- Mitrella bella* (Reeve, 1859) (S, M)
- Mitrella bicinctella* Yokoyama, 1928 (M)
- Mitrella conspersa* (Gaskoin, 1852) (S, T)
- Mitrella cf. hanleyi* (Duclos, 1840) (S)
- Mitrella livescens* (Reeve, 1859) (S, T, G, M, A)
- Mitrella loyaltensis* (Hervier, 1900) (S, T)
- Mitrella margarita* (Reeve, 1859) (S, T)
- Mitrella moleculina* (Duclos, 1840) (S, T, M, A)
- Mitrella nympha* (Kiener, 1841) (T, A)
- Mitrella phila* (Duclos, 1840) (A)
- Mitrella rorida* (Reeve, 1859) (S, T, M)
- Mitrella russelli* (Brazier, 1874) (S, T, G)
- Mitrella cf. turriculata* (Yokoyama, 1922) (A)
- Pyrene cf. flava* (Bruguière, 1789) (S, M)
- Pyrene obtusa* (Sowerby, 1832) (S, T, G, M, A)
- Pyreneola cf. abyssicola* (Brazier, 1861) (T)
- Seminella peasei* (von Martens & Langkavel, 1871) (S, T, M, A)
- Seminella virginea* (Gould, 1860) (S, T)
- Zafra debilis* (Hedley, 1915) (M, A)
- Zafra minuscula* (Gould, 1860) (S)
- Zafra ornata* (Pease, 1868) (S, T, G)

- Zafra semiclatriata* Sleurs, 1987 (M)
Zafra troglodytes (Souverbie, 1866) (S, T, G)
Zafrona isomella (Duclos, 1840) (T)
Zafrona nebulosa (Gould, 1860) (S, T, A)
Zafrona striatula (Dunker, 1871) (S, M)
 (21 m. add.)

NASSARIIDAE Iredale, 1916. Identifications W.O. Cernohorsky and according to Kool (2005, 2006)

- Nassarius abyssicolus* (A. Adams, 1852) (S, T)
Nassarius albomaculatus Rehder, 1980 (A)
Nassarius candens (Hinds, 1844) (S, M)
Nassarius cernohorskyi Kool, 2005 (M)
Nassarius comptus (A. Adams, 1852) (S, M)
Nassarius concinnus (Powys, 1835) (S, T, G, A)
Nassarius cf. concinnus (Powys, 1835) (S)
Nassarius conoidalis (Deshayes, 1832) (S, T)
Nassarius crebricostatus (Schepman, 1911) (T)
Nassarius cf. crebricostatus (Schepman, 1911) (S)
Nassarius crenulicostatus Shuto, 1969 (M)
Nassarius dijki (Martin, 1895) (M)
Nassarius fraudulentus (Marrat, 1877) (S, T)
Nassarius gaudiosus (Hinds, 1844) (S, T, G, M, A)
Nassarius glans (Linné, 1758) (G, M)
Nassarius granifer (Kiener, 1834) (S, T, G, A)
Nassarius haldemanni (Dunker, 1847) (S, M)
Nassarius cf. haldemanni (Dunker, 1847) (A)
Nassarius herosae Kool, 2005 (M)
Nassarius hirtus (Kiener, 1834) (S, T, G, M)
Nassarius olomea Kay, 1979 (T, M)
Nassarius papillosus (Linné, 1758) (S, T, G, M, A)
Nassarius "pauper" (Gould, 1850) (T)
Nassarius poupini Cernohorsky, 1992 (S, T)
Nassarius protusidens Melvill, 1918 (M)
Nassarius reeveanus (Dunker, 1847) (S, T)
Nassarius rehderi Cernohorsky, 1980 (S)
Nassarius cf. rotundus (Melvill & Standen, 1896) (S)
Nassarius shacklefordi (Melvill & Standen, 1896) (M)
Nassarius silvardi Kool & Dekker, 2006 (M)
Nassarius splendidulus (Dunker, 1846) (S, T, G)
Nassarius substranslucidus (E.A. Smith, 1903) (M)
Nassarius tabescens (Marrat, 1880) (S, M)
Nassarius tangaroai Kool, 2006 (M)
Nassarius troendleorum Cernohorsky, 1980 (S, T)
Nassarius vittatus (A. Adams, 1853) (M)

FASCIOLARIIDAE Gray, 1853

- Cyrtulus serotinus* Hinds, 1843 (M)
Fusinus undatus (Gmelin, 1791) (S)
Latirus amplustris (Dillwyn, 1817) (T)
Latirus fallax (Kobelt, 1876) (M)
Latirus gemmatus (Reeve, 1847) (S, T)
Latirus iris (Lightfoot, 1786) (M)
Latirus maculatus (Reeve, 1847) (S, T)
Latirus nodatus (Gmelin, 1791) (S, T, G, M)
Latirus cf. nodatus (Gmelin, 1791) (A)
Latirus noumeensis (Crosse, 1870) (S, T, A)
Latirus sanguifluus (Reeve, 1847) (T, M)
Peristernia chlorostoma (Sowerby, 1825) (S, T)
Peristernia granulosa (Pease, 1868) (S, M)
Peristernia cf. iniuensis Melvill, 1891 (G)
Peristernia cf. iricolor (Hombron & Jacquinot, 1854) (T, M)
Peristernia lirata (Pease, 1868) (M)
Peristernia marquesana (A. Adams, 1855) (M)
Peristernia nassatula (Lamarck, 1822) (S, T, G, M, A)
Peristernia cf. nassatula (Lamarck, 1822) (A)
Peristernia sowerbyi (Melvill, 1907) (S, T)
Peristernia ustulata (Reeve, 1847) (M)
(14 m. add.)

OLIVIDAE Latreille, 1825. According to B. Tursch, & D. Greifeneder (2001)

- Belloliva simplex* (Pease, 1868) (T)
Oliva amethystina (Röding, 1798) (S, T, G, M, A)
Oliva carneola (Gmelin, 1791) (S, T, M)
Oliva jaspidea Duclos, 1835 (S, T)
Oliva nitidula Duclos, 1835 (S, T, M)
Oliva panniculata Duclos, 1835 (M)
Oliva richerti Kay, 1979 (M)
(2 m. add)

HARPIDAE Bronn, 1849. Identifications H.A. Rehder

- Harpa amouretta* Röding, 1798 (S, T, M)
Harpa gracilis Broderip & Sowerby, 1829 (T)
Harpa major Röding, 1798 (S, T, M)
Morum clatratum Bouchet, 2002 (M)
Morum macdonaldi Emerson, 1981 (S, T)
Morum ponderosum (Hanley, 1858) (A)
Morum roseum Bouchet, 2002 (M)

MARGINELLIDAE Fleming, 1828. According to Wakefield & Cleery (2002)

- Dentimargo* cf. *pumila* (Redfield, 1869) (T)
Serrata polynesiae Wakefield & Cleery, 2002 (S)
Serrata raiatea Wakefield & Cleery, 2002 (S)
Serrata tahanea Wakefield & Cleery, 2002 (T)
Serrata translata (Redfield, 1870) (S, T)
Volvarina micros (Bavay, 1922) (T)
Volvarina paumotensis (Pease, 1868) (T)
(2 m. add.)

CYSTISCIDAE Stimpson, 1865. According to Wakefield & Cleery (2005, 2006)

- Cystiscus carinifer* Wakefield & Cleery, 2005 (T)
Cystiscus garretti Wakefield & Cleery, 2006 (S, T)
Cystiscus mosaica Wakefield & Cleery, 2005 (T)
Cystiscus nebulosa Wakefield & Cleery, 2005 (T)
Cystiscus sandwicensis (Pease, 1860) (S, T, M)
Gibberula audreyae Cossignani, 2006 (M)
Gibberula pacifica (Pease, 1868) (T)
Gibberula pascuana (Rehder, 1980) (A)
Gibberula tahaukuensis Cossignani, 2001 (M)
(2 m. add.)

MITRIDAE Swainson, 1829. Identifications W.O. Cernohorsky

- Cancilla* cf. *aegra* (Reeve, 1845) (M)
Domiporta carnicolor (Reeve, 1844) (S, M)
Domiporta filaris (Linné, 1771) (S, T, M)
Domiporta granatina (Lamarck, 1811) (S, T, M)
Domiporta salisburyi (Drivas & Jay, 1990) (S)
Imbricaria conovula (Quoy & Gaimard, 1833) (S, T)
Imbricaria conularis (Lamarck, 1811) (S, T)
Imbricaria olivaeformis (Swainson, 1821) (S, T)
Imbricaria punctata (Swainson, 1821) (S, T)
Mitra acuminata Swainson, 1824 (S, T)
Mitra ambigua Swainson, 1829 (S, T, M)
Mitra ancillides Broderip, 1836 (S, T)
Mitra assimilis Pease, 1868 (S, T, G, M, A)
Mitra aurantia (Gmelin, 1791) (S)
Mitra auriculoides Reeve, 1845 (T)
Mitra aurora Dohrn, 1861 (S, T)
Mitra avenacea Reeve, 1845 (S, T, M)
Mitra bellula A. Adams, 1853 (S, T)
Mitra bernhardina (Röding, 1798) (S)
Mitra cardinalis (Gmelin, 1791) (S, T, G, M, A)
Mitra chrysostoma Broderip, 1836 (S, T, M)

- Mitra coarctata* Reeve, 1844 (S, T)
Mitra coffea Schubert & Wagner, 1829 (S, T, G, A)
Mitra columbelliformis Kiener, 1838 (S, T)
Mitra contracta Swainson, 1820 (S, T)
Mitra coronata Lamarck, 1811 (S, T, M)
Mitra cucumerina Lamarck, 1811 (S, T, A)
Mitra decurtata Reeve, 1844 (T)
Mitra dondani Cernohorsky, 1985 (S)
Mitra edentula Swainson, 1823 (S, T, A)
Mitra eremitarum Röding, 1798 (S, T)
Mitra fastigium Reeve, 1845 (S, T)
Mitra ferruginea Lamarck, 1811 (S, T, G, M, A)
Mitra fraga Quoy & Gaimard, 1833 (S, T)
Mitra fulvescens Broderip, 1836 (S, T)
Mitra gracilefragum Turner, 2007 (M)
Mitra incompta (Lightfoot, 1786) (S, T, G, M)
Mitra lienardi Sowerby, 1874 (S, M)
Mitra litterata Lamarck, 1811 (S, T, G, M, A)
Mitra luctuosa A. Adams, 1853 (S, M)
Mitra lugubris Swainson, 1821 (S, T, G, A)
Mitra micans Reeve, 1845 (S, T)
Mitra mitra (Linné, 1758) (S, T, G, M, A)
Mitra multiplicata (Pease, 1865) (S, T)
Mitra nivea (Broderip, 1836) (T, G)
Mitra papalis (Linné, 1758) (S, M)
Mitra paupercula (Linné, 1758) (S, T, G, M, A)
Mitra pele Cernohorsky, 1970 (S)
Mitra pellisserpentis Reeve, 1844 (S, T, M)
Mitra petrosa Sowerby, 1874 (T)
Mitra pica (Dillwyn, 1817) (A)
Mitra pudica Pease, 1860 (S, G)
Mitra rubritincta Reeve, 1844 (S, T, A)
Mitra saltata Pease, 1865 (S, T, M)
Mitra scutulata (Gmelin, 1791) (T)
Mitra sophiae Crosse, 1862 (S)
Mitra stictica (Link, 1807) (S, T, G, M, A)
Mitra testacea Broderip, 1836 (S, T, G, M, A)
Mitra ticaonica Reeve, 1844 (S, T)
Mitra tuberosa (Reeve, 1845) (S, T, G)
Mitra turgida Reeve, 1845 (S, T)
Mitra ustulata Reeve, 1844 (S, T)
Neocancilla arenacea (Dunker, 1852) (M)
Neocancilla circula (Kiener, 1838) (S)
Neocancilla clathrus (Gmelin, 1791) (S, M)

- Neocancilla papilio* (Link, 1807) (S, T, G, M)
Scabricola caerulea (Reeve, 1844) (M)
Scabricola casta (Gmelin, 1791) (S)
Scabricola newcombii (Pease, 1869) (S)
Scabricola variegata (Gmelin, 1791) (S, T, M)
Pterygia arctata (Sowerby, 1874) (S, T)
Pterygia crenulata (Gmelin, 1791) (S, T, G, M, A)
Pterygia dactylus (Linné, 1767) (S, T)
Pterygia fenestrata (Lamarck, 1811) (S, T)
Pterygia nucea (Gmelin, 1791) (S, T, G, A)
Pterygia scabricula (Linné, 1758) (S, T)
Ziba annulata (Reeve, 1844) (S, T)
"Ziba" cf. *duplilirata* (Reeve, 1845) (M)
"Ziba" *flammea* (Quoy & Gaimard, 1833) (S)
"Ziba" *foveolata* (Dunker, 1863) (S)
"Ziba" *interlirata* (Reeve, 1844) (T, M)
(10 m. add.)

COSTELLARIIDAE MacDonald, 1860. Identifications W.O. Cernohorsky and according to R. Salisbury (2000)

- Thala angostoma* Pease, 1868 (S, T)
Thala exquisita Garrett, 1872 (S, T)
Thala jaculanda (Gould, 1860) (S, T, M)
Thala roseata (A. Adams, 1855) (G)
Vexillum cf. *adamsi* (Dohrn, 1861) (S, T)
Vexillum adamsianum Cernohorsky, 1978 (S)
Vexillum approximatum (Pease, 1860) (S, T)
Vexillum aureolatum (Reeve, 1844) (S, T)
Vexillum aureolineatum Turner, 1988 (S, M)
Vexillum bellum (Pease, 1860) (S, M)
Vexillum cadaverosum (Reeve, 1844) (S, T, G, M, A)
Vexillum cancellarioides (Anton, 1839) (S, T, G, A)
Vexillum cf. *cithara* (Reeve, 1845) (A)
Vexillum collinsoni (A. Adams, 1864) (S)
Vexillum concentricum (Reeve, 1844) (T)
Vexillum corallinum (Reeve, 1845) (S, T)
Vexillum coronatum (Helbling, 1779) (S, T)
Vexillum cosmani Kay, 1979 (T)
Vexillum costatum (Gmelin, 1791) (S)
Vexillum cremans (Reeve, 1845) (S, T, M)
Vexillum crocatum (Lamarck, 1811) (S, T)
Vexillum cumingii (Reeve, 1844) (S, T, M)
Vexillum deshayesii (Reeve, 1844) (T)
Vexillum diutenerum (Hervier, 1897) (S, T, M)

- Vexillum echinatum* (A. Adams, 1853) (S)
Vexillum emiliae (Schmeltz, 1874) (S, T)
Vexillum exasperatum (Gmelin, 1791) (S, T)
Vexillum filistriatum (Sowerby, 1874) (M)
Vexillum fortiplicatum (Pease, 1868) (S, T)
Vexillum fraudator Turner, Gori & Salisbury, 2007 (S)
Vexillum goubini (Hervier, 1897) (S, T)
Vexillum interruptum (Anton, 1838) (S, T)
Vexillum interstriatum (Sowerby, 1870) (S)
Vexillum leucozonias (Deshayes, 1834) (S, T, G, M, A)
Vexillum cf. mediomaculatum (Sowerby, 1870) (S, T)
Vexillum micra Pilsbry, 1921 (S, M)
Vexillum microzonias (Lamarck, 1811) (S, T)
Vexillum cf. microzonias (Lamarck, 1811) (S)
Vexillum millecostatum (Broderip, 1836) (S, T)
Vexillum cf. mirabile (A. Adams, 1853) (S)
Vexillum moelleri (Küster, 1840) (S, T, A)
Vexillum monsecourorum Poppe, Suduiraut & Tagaro, 2006 (S)
Vexillum oryzum Kay, 1979 (S)
Vexillum pacificum (Reeve, 1845) (S)
Vexillum patriarchalis (Gmelin, 1791) (S, T)
Vexillum piceum (Pease, 1860) (S, T, G)
Vexillum plurinotatum (Hervier, 1897) (S, T)
Vexillum recurvirostris (Sowerby, 1908) (S, T)
Vexillum roseotinctum (Hervier, 1897) (S, T)
Vexillum roseum (Broderip, 1836) (S, T, G)
Vexillum rubrum (Broderip, 1836) (S, T)
Vexillum rusticum (Reeve, 1845) (S)
Vexillum sagamiense (Kuroda & Habe, 1971) (S)
Vexillum salisburyi Cernohorsky, 1976 (S, T, G, A)
Vexillum scitulum (A. Adams, 1853) (M)
Vexillum semifasciatum (Lamarck, 1811) (S)
Vexillum smithi (Sowerby, 1890) (T)
Vexillum speciosum (Reeve, 1844) (S, T)
Vexillum suavis (Souverbie, 1875) (S, T, G)
Vexillum tanguyae Guillot de Suduiraut & Boutet, 2007 (S, T)
Vexillum turben (Reeve, 1844) (S, T)
Vexillum tusum (Reeve, 1845) (S, T, M)
Vexillum unifasciale (Lamarck, 1811) (S, T)
Vexillum unifasciatum (Wood, 1828) (S, T)
Vexillum virginale (Lesson, 1842) (S, T, M)
Vexillum zelotypum (Reeve, 1845) (S)
(14 m. add.)

CANCELLARIIDAE Forbes & Hanley, 1851

- Tritonoharpa antiquata* (Hinds in Reeve, 1844) (S)
Tritonoharpa pseudangasi Beu & Maxwell, 1987 (S)

TURRIDAE Swainson, 1840. Here, all Conoidea except "Conidae" and "Terebridae" are included under the paraphyletic assemblage "Turridae"

- Anacithara* cf. *dulcinea* (Melvill & Standen, 1895) (S)
Anacithara hebes Hedley, 1922 (S, T)
Anarithma alphonsiana (Hervier, 1899) (S, T)
Anarithma cf. *dorcas* Kuroda & Oyama, 1971 (T)
Anarithma metula (Hinds, 1843) (S, T, M, A)
Anarithma salisburyi (Cernohorsky, 1978) (S, T)
Carinapex minutissimus (Garrett, 1873) (S, T, M, A)
Ceritoturris bittium Dall, 1924 (S)
Ceritoturris papillosa (Garrett, 1873) (S, T, M)
Ceritoturris theoteles (Melvill & Standen, 1896) (S, T)
Clathurella fuscobasis Rehder, 1980 (A)
Clavus bilineatus (Reeve, 1845) (S, T, A)
Clavus fulvus (Hinds, 1843) (G)
Clavus laetus (Hinds, 1843) (S, T, A)
Clavus lamberti (Montrouzier, 1860) (S, T)
Clavus protentus Hervier, 1896 (S, T, A)
Daphnella atractoides Hervier, 1897 (T)
Daphnella aureola (Reeve, 1845) (S, T)
Daphnella boholensis (Reeve, 1843) (S, T)
Daphnella curta Pease, 1868 (T)
Daphnella flammea (Hinds, 1843) (S, T, G, M, A)
Daphnella interrupta Pease, 1860 (S)
Daphnella ornata Hinds, 1844 (S, T)
Daphnella reeveana (Deshayes, 1863) (S, T, G)
Daphnella terina (Melvill & Standen, 1896) (T)
Daphnella varicosa (Souverbie, 1847) (S)
Diaugasma olyra (Reeve, 1845) (S, T)
Etrema acricula Hedley, 1922 (T, M, A)
Etrema crassilabrum (Reeve, 1843) (A)
Etrema culmea Hedley, 1922 (T)
Etrema glabriplicata (Sowerby, 1913) (G)
Etrema cf. *royi* (Sowerby, 1913) (T, A)
Eucyclotoma bicarinata (Pease, 1862) (T)
Eucyclotoma fusiformis (Garrett, 1873) (S, T, M)
Eucyclotoma lactea (Reeve, 1843) (T)
Eucyclotoma tricarinata (Kiener, 1839) (T)
Eucyclotoma varicifera (Pease, 1868) (T)
Eucithara abbreviata (Garrett, 1873) (T)

- Eucithara angostoma* (Pease, 1868) (S, T)
Eucithara coronata Hinds, 1843 (S, T)
Eucithara decussata (Pease, 1868) (S, T, G)
Eucithara cf. interstriata (E.A. Smith, 1873) (T)
Eucithara isseli (G. & H. Nevill, 1875) (S, T, G)
Eucithara lota (Gould, 1860) (T)
Eucithara cf. moraria (Hedley, 1922) (T)
Eucithara novaehollandiae (Reeve, 1846) (S)
Eucithara paucicostata (Pease, 1868) (S, T)
Eucithara semizonata (Hervier, 1897) (S, T, A)
Eucithara souverbiei (Tryon, 1884) (S, T)
Eucithara vexillum (Reeve, 1846) (S, T)
Funa cf. *tayloriana* (Reeve, 1846) (S)
Gemmula monilifera (Pease, 1860) (S, M)
Gemmula pdeudomonilifera Powell, 1957 (M)
Gingicithara cylindrica (Reeve, 1846) (S)
Gingicithara debilis (Pease, 1868) (S, T)
Gingicithara pessulata (Reeve, 1846) (S, T, G)
Gymnobela virgulata Sysoev & Bouchet, 2001 (M)
Hemicithara octangulata (Dunker, 1860) (S, T)
Hemilienardia apiculata (Montrouzier, 1861) (S, T)
Hemilienardia hersilia (Hedley, 1922) (S, T)
Hemilienardia malleti (Récluz, 1852) (S, T)
Hemilienardia cf. *ocellata* (Jousseaume, 1884) (S)
Heterocithara concinna Hedley, 1922 (S, T)
Heterocithara himerodes (Melvill & Standen, 1896) (S, T)
Heterocithara seriliola Hedley, 1922 (T, A)
Heterocithara transema Hedley, 1922 (T)
Iotyrris cerithiformis (Powell, 1964) (T, M)
Iotyrris marquesensis Sysoev, 2002 (M)
Iredalea balteata (Gould, 1860) (S, T)
Iredalea exilis (Pease, 1868) (S, M)
Iredalea inclinata (Sowerby, 1893) (S, T)
Kermia cf. *albibalteata* (Reeve, 1843) (S, G, M)
Kermia bifasciata (Pease, 1860) (T)
Kermia caletria (Melvill & Standen, 1897) (A)
Kermia cylindrica (Pease, 1860) (S, T)
Kermia episema (Melvill & Standen, 1896) (T, M)
Kermia felina (Hinds, 1843) (S, T)
Kermia granosa (Dunker, 1871) (S, T)
Kermia harenula (Hedley, 1922) (T)
Kermia irretita (Hedley, 1899) (T)
Kermia maculosa (Pease, 1862) (S, T, G, M)
Kermia mauritiana (Sowerby, 1893) (M)

- Kermia melanoxytum* (Hervier, 1896) (M)
Kermia cf. *pirgoidea* (Melvill, 1917) (S, T)
Kermia cf. *producta* (Pease, 1860) (T)
Kermia pumila (Mighels, 1848) (S, T)
Kermia punctifera (Garrett, 1873) (S)
Kermia sagenaria Rehder, 1980 (A)
Kermia subcylindrica (Hervier, 1897) (S, T, G)
Kermia tesselata (Hinds, 1843) (S, T)
Lienardia apiculata (Montrouzier, 1864) (S, T)
Lienardia canaliculata (Pease, 1868) (S, T, G, A)
Lienardia compta (Reeve, 1845) (S, T)
Lienardia crassicostata (Pease, 1860) (T)
Lienardia emmae (Melvill & Standen, 1895) (S, T)
Lienardia gilberti (Souverbie, 1874) (T)
Lienardia lutea (Pease, 1860) (T)
Lienardia mariei (Crosse, 1870) (T)
Lienardia mighelsi (Iredale & Tomlin, 1917) (S, T, M)
Lienardia ralla Hedley, 1922 (S, T)
Lienardia rosella Hedley, 1922 (T)
Lienardia roseotincta (Montrouzier, 1872) (S, T)
Lienardia rubicunda (Gould, 1860) (S, T, G)
Lophiotoma acuta (Perry, 1811) (S)
Lovellona atramentosa (Reeve, 1849) (S, T, G, M, A)
Lovellona peaseana Finlay, 1927 (T, A)
Macteola interrupta (Reeve, 1846) (M)
Macteola segesta (Chenu, 1850) (S, T, G)
Macteola cf. *thiasotes* (Melvill & Standen, 1896) (S, T)
Mangilia orophoma Melvill & Standen, 1896 (T, A)
Microdaphne morrisoni Rehder, 1980 (S, T, M, A)
Otitoma cyclophora (Deshayes, 1863) (S, T)
Paramontana exilis (Pease, 1860) (T)
Paramontana oligoina (Hedley, 1922) (T)
Pseudodaphnella nexa (Reeve, 1845) (S, T)
Pseudodaphnella tincta (Reeve, 1846) (S, T, G)
Splendrilla nodifera (Pease, 1860) (T)
Tritonoturris amabilis (Hinds, 1843) (T)
Tritonoturris cumingii (Powys, 1835) (S, T, M, A)
Tritonoturris cf. *subrissoides* (Hervier, 1897) (M)
Turridrupa cf. *armillata* (Reeve, 1845) (S)
Turridrupa astriccta (Reeve, 1843) (S, T, M)
Turridrupa cerithina (Anton, 1839) (S, T, G)
Turridrupa deceptrix Hedley, 1822 (S)
Turridrupa diffusa Powell, 1967 (S)
Turridrupa jubata (Hinds, 1843) (S)

- Turridrupa weaveri* Powell, 1967 (S, T)
Turris spectabilis (Reeve, 1843) (S)
Tylotiella mighelsi (Kay, 1979) (T)
Tylotiella pica (Reeve, 1843) (S, M)
Tylotiella rissoiniformis (Kay, 1979) (S)
Xenuroturris cingulifera (Lamarck, 1822) (S, T, G, M)
Xenuroturris gemmuloides Powell, 1967 (M)
Xenuroturris kingae Powell, 1964 (S, T)
Xenuroturris millepuntatus (Sowerby, 1909) (S)
(135 m. add.)

TEREBRIDAE Mörch, 1852. Identifications T. Bratcher and according to Y. Terryn (2007)

- Duplicaria* cf. *baileyi* Bratcher & Cernohorsky, 1982 (M)
Duplicaria trochlea (Deshayes, 1857) (M)
Hastula albula (Menke, 1843) (S, M)
Hastula celidonota (Melvill & Sykes, 1898) (M)
Hastula hectica (Linné, 1758) (S)
Hastula lanceata (Linné, 1767) (S, T, M, A)
Hastula matheroniana (Deshayes, 1859) (S, G, M)
Hastula penicillata (Hinds, 1844) (S, M)
Hastula philippiana (Deshayes, 1859) (S, M)
Hastula solida (Deshayes, 1857) (S)
Hastula strigilata (Linné, 1758) (S, G)
Hastula stylata (Hinds, 1844) (S, M)
Terebra affinis Gray, 1834 (S, T, G, M, A)
Terebra amanda Hinds, 1844 (S)
Terebra amoena Deshayes, 1859 (S, M)
Terebra arabella Thiele, 1925 (S)
Terebra areolata (Link, 1807) (S, T, G)
Terebra argus Hinds, 1844 (S, T, M)
Terebra babylonia Lamarck, 1822 (S, T, G, M, A)
Terebra cf. *boucheti* Bratcher, 1981 (M)
Terebra burchi Bratcher & Cernohorsky, 1982 (S)
Terebra caliginosa Deshayes, 1859 (S)
Terebra cerithina Lamarck, 1822 (S, T, G, M, A)
Terebra chlorata Lamarck, 1822 (S, M, A)
Terebra cingulifera Lamarck, 1822 (S, T, M)
Terebra circumcincta Deshayes, 1857 (A)
Terebra columellaris Hinds, 1844 (S, T)
Terebra consors Hinds, 1844 (S)
Terebra crenulata (Linné, 1758) (S, T, G, M, A)
Terebra dimidiata (Linné, 1758) (S, T)
Terebra cf. *elliscrossi* Bratcher, 1979 (S)
Terebra cf. *exiguoides* Schepman, 1913 (S)

- Terebra felina* (Dillwyn, 1817) (S, T)
Terebra fijiensis (E.A. Smith, 1873) (S)
Terebra flavofasciata Pilsbry, 1921 (M)
Terebra funiculata Hinds, 1844 (S, T, M)
Terebra guttata (Röding, 1798) (S, T, M)
Terebra hoaraui Drivas & Jay, 1998 (M)
Terebra kilburni Burch, 1965 (S, T)
Terebra ligata Hinds, 1844 (M)
Terebra maculata (Linné, 1758) (S, T, G, M, A)
Terebra mariesi E.A. Smith, 1880 (M)
Terebra nebulosa Sowerby, 1825 (S, T)
Terebra nitida Hinds, 1844 (S, M)
Terebra paucistriata (E.A. Smith, 1873) (S, T)
Terebra pertusa (Born, 1778) (S)
Terebra plumbea Quoy & Gaimard, 1833 (S)
Terebra punctatostriata Gray, 1834 (S, M)
Terebra quoygaimardi Cernohorsky & Bratcher, 1976 (S)
Terebra rosacea Pease, 1869 (M)
Terebra subulata (Linné, 1767) (S, T, G, M, A)
Terebra succincta (Gmelin, 1791) (S, M)
Terebra swainsoni Deshayes, 1859 (S, M)
Terebra tesselata Gray, 1834 (M)
Terebra textilis Hinds, 1844 (S)
Terebra trismacaria Melvill, 1917 (S, M)
Terebra troendlei Bratcher, 1981 (M)
Terebra undulata Gray, 1834 (S, T, G, M)
Terebra wellsiliae Aubry, 1994 (M)
(6 m. add.)

CONIDAE Fleming, 1822. G. Richard (pers. comm.) and according to D. Röckel, W.

- Korn & A.J. Kohn (1995)
- Conus acutangulus* Lamarck, 1810 (S, T)
Conus adamsonii Broderip, 1836 (S, T, M, A)
Conus arenatus Hwass in Bruguière, 1792 (S, T)
Conus aristophanes Sowerby, 1857 (S, T)
Conus armadillo Shikama, 1971 (S)
Conus aulicus Linné, 1758 (T)
Conus auratinus da Motta, 1982 (S, T, A)
Conus aureus Hwass in Bruguière, 1792 (S, T, M)
Conus auricomus Hwass in Bruguière, 1792 (S, T, M)
Conus aurisiacus Linné, 1758 (S, T)
Conus bandanus Hwass in Bruguière, 1792 (S, T, G, M)
Conus betulinus Linné, 1758 (T, M)
Conus bullatus Linné, 1758 (S, T, G, M)

- Conus canonicus* Hwass in Bruguière, 1792 (S, T, M)
Conus catus Hwass in Bruguière, 1792 (S, T, G, M, A)
Conus chaldaeus (Röding, 1798) (S, T, G, M, A)
Conus circumcisus Born, 1778 (S, T)
Conus cf. circumcisus Born, 1778 (S, T)
Conus coffeeae Gmelin, 1791 (S, T)
Conus coronatus Gmelin, 1791 (S, T, G, M, A)
Conus cylindraceus Broderip & Sowerby, 1830 (S, T, G, M)
Conus dieteri Moolenbeek, Zandbergen & Bouchet, 2008 (M)
Conus distans Hwass in Bruguière, 1792 (S, T, G, M)
Conus ebraeus Linné, 1758 (S, T, G, M, A)
Conus eburneus Hwass in Bruguière, 1792 (S, T, G, M, A)
Conus eldredi Morrison, 1955 (S, T, G, A)
Conus emaciatus Reeve, 1849 (S)
Conus encaustus Kiener, 1845 (M)
Conus episcopatus da Motta, 1982 (S, T, G)
Conus eugrammatus Bartsch & Rehder, 1943 (T)
Conus ferrugineus Hwass in Bruguière, 1792 (S, T)
Conus flavidus Lamarck, 1810 (S, T, G, M, A)
Conus frigidus Reeve, 1848 (S, T, G, M)
Conus gauguini Richard & Salvat, 1973 (M)
Conus generalis Linné, 1767 (S)
Conus geographus Linné, 1758 (S, T, G, A)
Conus glans Hwass in Bruguière, 1792 (S, T)
Conus halitropus Bartsch & Rehder, 1943 (T)
Conus hirasei (Kira, 1956) (S)
Conus hivanus Moolenbeek, Zandbergen & Bouchet, 2008 (M)
Conus imperialis Linné, 1758 (S, T, G, M, A)
Conus kimioi (Habe, 1965) (S)
Conus kinoshitai (Kuroda, 1956) (M)
Conus kuroharai (Habe, 1965) (S)
Conus legatus Lamarck, 1810 (S, T)
Conus leopardus (Röding, 1798) (S, T, A)
Conus litoglyphus Hwass in Bruguière, 1792 (S, T, G, M, A)
Conus litteratus Linné, 1758 (S, G, M, A)
Conus lividus Hwass in Bruguière, 1792 (S, T, G, M, A)
Conus luteus Sowerby, 1833 (S, T, G, M, A)
Conus magnificus Reeve, 1843 (S, T, G, M, A)
Conus maltzanianus Weinkauff, 1873 (S)
Conus marchionatus Hinds, 1843 (M)
Conus marielae Rehder & Wilson, 1975 (M)
Conus mcbridei Lorenz, 2005 (S)
Conus miles Linné, 1758 (S, T, G, M)
Conus miliaris Hwass in Bruguière, 1792 (S, T, G, M, A)

- Conus mitratus* Hwass in Bruguière, 1792 (S, T)
Conus moluccensis Küster, 1838 (S)
Conus moreleti Crosse, 1858 (S, M)
Conus nanus Sowerby, 1833 (S, T, G, M, A)
Conus nucleus Reeve, 1848 (S, T, G)
Conus nussatella Linné, 1758 (S, T, G, M, A)
Conus obscurus Sowerby, 1833 (S, T, M)
Conus pepeiu Moolenbeek, Zandbergen & Bouchet, 2008 (M)
Conus pertusus Hwass in Bruguière, 1792 (S, T, M)
Conus praecellens A. Adams, 1854 (S, T)
Conus pseudimperialis Moolenbeek, Zandbergen & Bouchet, 2008 (M)
Conus pulicarius Hwass in Bruguière, 1792 (S, T, G, M, A)
Conus quercinus Solander in Lightfoot, 1786 (S, T, G, M, A)
Conus racemosus Sowerby, 1873 (T)
Conus rattus Hwass in Bruguière, 1792 (S, T, G, A)
Conus cf. rattus Hwass in Bruguière, 1792 (M)
Conus retifer Menke, 1829 (S, T, G, M)
Conus sanguinolentus Quoy & Gaimard, 1834 (S, T, M, A)
Conus sponsalis Hwass in Bruguière, 1792 (S, T, G, M, A)
Conus stainforthii Reeve, 1843 (S)
Conus striatus Linné, 1758 (S, T, G, M)
Conus sugillatus Reeve, 1843 (S, T)
Conus sulcocastaneus Kosuge, 1981 (A)
Conus suturatus Reeve, 1844 (M)
Conus tenuigranulata Dautzenberg, 1937 (S, T)
Conus tenuistriatus Sowerby, 1858 (S, T, M, A)
Conus terebra Born, 1778 (S, T, G)
Conus tessulatus Born, 1778 (S, T, M)
Conus textile Linné, 1758 (S, T, G, M, A)
Conus textilinus Kiener, 1845 (M)
Conus tiki Moolenbeek, Zandbergen & Bouchet, 2008 (M)
Conus troendlei Moolenbeek, Zandbergen & Bouchet, 2008 (M)
Conus tulipa Linné, 1758 (S, T, G)
Conus unicolor Sowerby, 1833 (M)
Conus vautieri Kiener, 1845 (M)
Conus vexillum Gmelin, 1791 (S, T, G, M, A)
Conus virgo Linné, 1758 (S, T)
Conus vitulinus Hwass in Bruguière, 1792 (S, T, G, M)

ORBITESTELLIDAE Iredale, 1917

- Orbitestella* cf. *decorata* Laseron, 1954 (A)
Orbitestella regina Kay, 1979 (S, T)
Orbitestella cf. *toreuma* Powell, 1930 (A)
(3 m. add.)

MATHILDIDAE Dall, 1889

(2 m. add.)

ARCHITECTONICIDAE Gray, 1850. Identifications R. Bieler

- Adelphotectonica* cf. *nomotoi* (Kosuge, 1979) (M)
Architeconica maxima (Philippi, 1849) (S)
Architeconica modesta (Philippi, 1849) (S, M)
Architeconica perspectiva (Linné, 1758) (S, T, G, M)
Architeconica trochlearis (Hinds, 1844) (S, T, M)
Discotectonica cf. *petasus* (Tomlin, 1928) (M)
Heliacus areola (Gmelin, 1791) (S, T, M)
Heliacus discoideus (Pease, 1868) (S, T)
Heliacus implexus (Mighels, 1845) (M)
Heliacus infundibuliformis (Gmelin, 1791) (S, T)
Heliacus mighelsi (Philippi, 1853) (T)
Heliacus sterkii (Pilsbry & Vanatta, 1908) (S, T, M)
Heliacus trochoides (Deshayes, 1830) (S, T, M)
Heliacus variegatus (Gmelin, 1791) (S, T, M)
Heliacus cf. *virgatus* (Hinds, 1844) (S, T)
Pseudotorinia cf. *numulus* (Barnard, 1963) (S)
Psilaxis oxytropis (A. Adams, 1855) (S, T)
Psilaxis radiatus (Röding, 1798) (S, T, M, A)
Spirolaxis cf. *argonota* Bieler, 1993 (M)

(1 m. add.)

RISSOELLIDAE Gray, 1850

- Rissoella* cf. *confusa* Ponder & Yoo, 1977 (S, T)
(1 m. add.)

OMALOGYRIDAE G.O. Sars, 1878

- Ammonicera plicata* Sleurs, 1985 (S, T)
(2 m. add.)

PYRAMIDELLIDAE Gray, 1840

- Chemnitzia basicordata* (Nomura, 1936) (S)
Costabieta horrida (Garrett, 1873) (S, T, M)
Egilina cf. *mariella* (Adams, 1860) (T)
Evalea debilis (Pease, 1868) (T)
Evalea peasei (Dautzenberg & Bouge, 1933) (S, T, G)
Evalea waikikiensis (Pilsbry, 1918) (S, T)
Herviera gliriella (Melvill & Standen, 1896) (S, T, G)
Hinemoa duplex Laseron, 1959 (S, T, G, M)
Hinemoa cf. *ligata* (Angas, 1877) (S)
Miralda cf. *galloisi* Saurin, 1959 (S, G)

- Miralda gemma* (A. Adams, 1861) (M)
Miralda scopulorum (Watson, 1886) (S, T, A)
Miralda cf. zea (Hedley, 1902) (S)
Odostomella chorea (Hedley, 1909) (S, G)
Odostomella cf. chorea (Hedley, 1909) (S, G)
Odostomella opaca (Hedley, 1906) (S, T, M)
Odostomella pupa (Watson, 1886) (S, T)
Odostomia gulicki Pilsbry, 1918 (S, T, G)
Odostomia cf. obesula A. Adams, 1860 (S)
Odostomia cf. oxia Watson, 1886 (S)
Odostomia rosacea Pease, 1868 (T)
Odostomia sperabilis Hedley, 1909 (S, T)
Odostomia substitua Dautzenberg & Bouge, 1933 (S, G)
Otopleura mitralis (A. Adams, 1855) (S, T, A)
Otopleura nitida (A. Adams, 1854) (S, T)
Otopleura nodicincta (A. Adams, 1855) (S)
Polemicella cf. polemica (Melvill, 1911) (S, T)
Pyramidella dolabrata (Linné, 1758) (S, M)
Pyramidella sulcata (A. Adams, 1854) (S, T, G, M, A)
Pyrgiscus microscopica (Laseron, 1959) (S, T)
Pyrgulina cf. affinis Laseron, 1959 (S, T)
Pyrgulina cf. consobrina (A. Adams, 1861) (S, T, G)
Pyrgulina cf. oodes (Watson, 1886) (S)
Pyrgulina cf. pura (A. Adams, 1861) (T)
Turbanilla cornelliana (Newcomb, 1870) (S, T)
Turbanilla cf. tenuissima Hedley, 1909 (T)
Turbanilla thaanumi Pilsbry & Vanatta, 1908 (S)
Syrnola cf. aciculina (Souverbie, 1865) (S, M)
Syrnola cinnamomea (A. Adams, 1863) (S, M)
Tiberia paumotensis (Tryon, 1886) (S, T)
Tibersyrnola rubra (Pease, 1868) (T)
(30 m. add.)

MURCHISONELLIDAE Casey, 1904

(1 m. add.)

CIMIDAE Warén, 1993

Graphis cf. *infans* (Laseron, 1951) (S, T)

AMATHINIDAE Ponder, 1987

Amathina bicarinata Pease, 1860 (S)
Amathina tricarinata (Linné, 1767) (S)

OPISTHOBRANCHIA. According to W. Rudman (*Sea Slug Forum*) and determinations
T. Gosliner and D. Geiger

ACTEONIDAE d'Orbigny, 1843

- Pupa alveola* (Souverbie, 1863) (S, T, G, M)
Pupa pudica (A. Adams, 1854) (S, M)
Pupa solidula (Linné, 1758) (S, T, G)
Pupa sulcata (Gmelin, 1791) (S, T)
(2 m. add.)

BULLINIDAE Gray, 1850

- Bullina lineata* (Gray, 1825) (S)
(1 m. add.)

APLUSTRIDAE Gray, 1847

- Hydatina amplustre* (Linné, 1758) (S, T, M)
Hydatina exquisita Voskuil, 1995 (M)
Hydatina physis (Linné, 1758) (S, T)

CYLICHNIDAE H. & A. Adams, 1854

- Acteocina hawaiensis* Pilsbry, 1921 (S, T, G)
Acteocina sandwicensis (Pease, 1860) (S, T, G, M)
Cylichna tahitiensis Watson, 1883 (S)
(10 m. add.)

RETUSIDAE Thiele, 1925

- Retusa bizonata* A. Adams, 1855 (S, T)

AGLAJIDAE Pilsbry, 1895

- Philinopsis pilsbryi* (Eliot, 1900) (S)
Siphopteron citrinum (Carlson & Hoof, 1974) (S)

GASTROPTERIDAE Swainson, 1840

- Sagaminopteron psychedelicum* Carlson & Hoff, 1974 (S)

HAMINOEIDAE Pilsbry, 1895

- Atys cylindricus* (Helbling, 1779) (S, T, G, A)
Atys debilis (Pease, 1860) (S, T, G)
Atys muscaria Gould, 1859 (S)
Atys naucum (Linné, 1758) (S, T)
Atys cf. ooformis Habe, 1964 (S, T, A)
Atys parallela (Gould, 1847) (S)
Atys semistriata Pease, 1860 (S, T, G, M, A)
Diniatys dentifer (A. Adams, 1850) (S, T, G, A)
Haloa cf. flavescens (A. Adams, 1850) (S)
Haloa nigropunctata (Pease, 1868) (S)
Haminoea aperta Pease, 1868 (S)

- Haminoea crocata* (Pease, 1860) (S)
Haminoea cymbalum auctorum (S)
Haminoea ovalis (Pease, 1868) (S)
Haminoea cf. regularis (Gould, 1859) (T)
Liloa curta (A. Adams, 1850) (S, M)
(9 m. add.)

SMARAGDINELLIDAE Thiele, 1925

- Phanerophthalmus cylindricus* (Pease, 1861) (S)
Phanerophthalmus smaragdinus (Rüppell & Leuckart, 1828) (T)
Smaragdinella calyculata (Broderip & Sowerby, 1829) (S, T)
(5 m. add.)

BULLIDAE Gray, 1827

- Bulla ampulla* Linné, 1758 (T, G)
Bulla conspersa Pease, 1869 (M)
Bulla punctulata A. Adams, 1850 (S, T, G)
Bulla vernicosa Gould, 1859 (S, T, M)

VOLVATELLIDAE Pilsbry, 1895

- Cylindrobulla sculpta* G. & H. Nevill, 1869 (G)
Volvatella pyriformis Pease, 1868 (S, T)
(3 m. add.)

OXYNOIDAE Stoliczka, 1885

- Lobiger viridis* Pease, 1863 (S)
Oxynoe viridis Pease, 1861 (S)

JULIIDAE E.A. Smith, 1885

- Julia borbonica* Deshayes, 1863 (S, T, G)
Julia cf. borbonica Deshayes, 1863 (S, T)
Julia exquisita Gould, 1862 (S, T)
Julia cf. exquisita Gould, 1862 (T)
Julia zebra Kawaguti, 1981 (S, T)
(2 m. add.)

PLACOBRANCHIDAE Gray, 1827

- Elysia nigropunctata* (Pease, 1871a) (S)
Elysia ornata (Swainson, 1840) (S)
Elysia rufescens (Pease, 1871a) (S)
Placobranchus ocellatus van Hasselt, 1824 (S)
Placobranchus variegatus Pease, 1871a (S)
Thuridilla vatae (Risbec, 1928) (S)

CALIPHILLIDAE Tiberi, 1881

- Cyerce nigra* (Bergh, 1871) (S)
Cyerce nigricans (Pease, 1866) (S)
 (1 m. add.)

APLYSIIDAE Lamarck, 1809

- Aplysia dactylomela* Rang, 1828 (S)
Aplysia keraudreni Rang, 1828 (S)
Aplysia parvula Guilding in Mörch, 1863 (S)
Dolabella auricularia (Lightfoot, 1786) (S)
Dolabella teremini (Rang, 1828) (S)
Dolabrifera dolabrifera (Cuvier, 1817) (S)
Petalifera albomaculata (Farran, 1905) (S)
Phyllaplysia lafonti (Fischer, 1870) (S)
Stylocheilus longicauda (Quoy & Gaimard, 1825) (S)
Stylocheilus striatus (Quoy & Gaimard, 1832) (S)
 (2 m. add.)

TYLODINIDAE Gray, 1847

- Tylodina cf. perversa* (Gmelin, 1791) (A)
 (1 m. add.)

UMBRAKULIDAE Dall, 1889

- Umbraculum umbraculum* (Lightfoot, 1786) (S, T)

PLEUROBRANCHIDAE Gray, 1827

- Berthellina delicata* (Pease, 1861) (S)
Pleurehdera haraldi Marcus & Marcus, 1970 (T)
Pleurobranchus grandis Pease, 1868 (S)
Pleurobranchus peroni Cuvier, 1804 (S)

CAVOLINIIDAE Gray, 1850. According to S. van der Spoel (1976)

- Cavolinia globulosa* (Gray, 1850) (M)
Cavolinia inflexa (Lesueur, 1813) (S)
Cavolinia longirostris (Blainville, 1821) (M)
Cavolinia tridentata (Niebuhr, 1775) (T)
Cavolinia uncinata (Rang, 1829) (M)
Creseis acicula (Rang, 1828) (S)
Cuvierina columnella (Rang, 1827) (S)
Diacria quadridentata (Blainville, 1821) (S, T, M)
Diacria trispinosa (Blainville, 1821) (S, T)
Styliola subula (Quoy & Gaimard, 1827) (S)

LIMACINIDAE Gray, 1840? (*Cheletropis* is tentatively included in Limacinidae but this is not satisfactory!)

Cheletropis crenilabris Garrett, 1873 (S, T)

POLYCERIDAE Alder & Hancock, 1845

Robostra gracilis (Bergh, 1877) (S)

Tambja morosa (Bergh, 1817) (S)

?*Triopa gracilis* Pease, 1871a (S)

GYMNODORIDIDAE Odhner, 1941

Gymnodoris ceylonica (Kelaart, 1858) (S)

Gymnodoris citrina (Bergh, 1875) (S)

Gymnodoris inornata Bergh, 1880 (S)

HEXABRANCHIDAE Bergh, 1891

Hexabranchus marginatus (Quoy & Gaimard, 1832) (A)

Hexabranchus sanguineus (Rüppell & Leuckart, 1828) (S)

ACTINOCYCLIDAE O'Donoghue, 1929

Hallaxa fuscescens (Pease, 1871b) (S)

DORIDIDAE Rafinesque, 1815

Discodoris schmeltziana Bergh, 1880 (S)

Doriopsis granulosa Pease, 1860 (S)

Doriopsis scabra Pease, 1871a (S)

Doris cinerosa Pease, 1871b (S)

Doris villosa Pease, 1871b (S)

Halgerda willeyi Eliot, 1904 (S)

Jorunna funebris (Kelaart, 1858) (S)

Peronodoris rehderi Marcus & Marcus, 1970 (S)

Platydoris ellioti (Alder & Hancock, 1864) (T)

?*Pusikus pinguis* Marcus & Marcus, 1970 (S)

Sebadoris nubilosa (Pease, 1871b) (S, A)

?*Tayuya ketosjuva* Marcus & Marcus, 1970 (A)

CHROMODORIDIDAE Bergh, 1892

Ceratosoma miamiranum (Bergh, 1875) (S)

Chromodoris aspersa (Gould, 1852) (S, T)

Chromodoris inornata Pease, 1871b (S)

Chromodoris kuniei Pruvot-Fol, 1930 (T)

Chromodoris lentiginosa Pease, 1871b (S)

Chromodoris lochi Rudman, 1982 (S)

Chromodoris quadricolor (Rüppell & Leuckart, 1828) (S, T)

Chromodoris rufomaculata Pease, 1871b (S)

- Chromodoris* cf. *vibrata* Pease, 1860 (S)
Durvilledoris lemniscata (Quoy & Gaimard, 1832) (S)
Durvilledoris pusilla (Bergh, 1874) (S)
Glossodoris atromarginata (Cuvier, 1804) (S)
Glossodoris cincta (Bergh, 1888) (S)
Glossodoris hikuerensis (Pruvot-Fol, 1954) (S)
Glossodoris rufomarginata (Bergh, 1890) (S)
Glossodoris sibogae (Bergh, 1905) (S, T)
Hypselodoris bertschi Gosliner & Johnson, 1999 (S)
Hypselodoris maculosa (Pease, 1871b) (S)
Noumea simplex (Pease, 1871b) (S)
Noumea varians (Pease, 1871b) (S)
Risbecia imperialis (Pease, 1860) (S)
Risbecia tryoni Garrett, 1873 (S)
Thorunna cf. *australis* (Ribsec, 1928) (S)
(6 m. add.)

DENDRODORIDIDAE O'Donoghue, 1924

- Dendrodoris denisoni* (Angas, 1864) (A)
Dendrodoris nigra (Stimpson, 1855) (S, M, A)

PHYLLOIDIIDAE Rafinesque, 1814

- Fryeria guamensis* Brunckhorst, 1993 (M)
Phyllidia carlsonhoffi Brunckhorst, 1993 (T, M)
Phyllidia tula Marcus & Marcus, 1970 (T, M)
Phyllidiella annulata (Gray, 1853) (T)
Phyllidiella pustulosa (Cuvier, 1804) (T, M, A)
Phyllidiella rosans Bergh, 1873 (S)

BORNELLIDAE Bergh, 1874

- Bornella arborescens* Pease, 1871a (S)

SCYLLAEIDAE Alder & Hancock, 1855

- Scyllaea pelagica* Linné, 1758 (S)

FLABELLINIDAE Bergh, 1889

- Flabellina bicolor* (Kelaart, 1858) (S)
Flabellina bilas (Gosliner & Willan, 1991) (S)
Flabellina exoptata Gosliner & Willan, 1991 (S, T)

GLAUCIDAE Gray, 1827

- Favorinus mirabilis* Baba, 1955 (S)
Pteraeolidia ianthina (Angas, 1864) (S)
(1 m. add.)

PULMONATA

SIPHONARIIDAE Gray, 1827

- Siphonaria* cf. *laciniosa* (Linné, 1758) (S)
Siphonaria cf. *normalis* Gould, 1846 (S, T)
Siphonaria cf. *pascua* Rehder, 1980 (A)
Siphonaria *subatra* Pilsbry, 1904 (S)
Williamia *radiata* (Pease, 1860) (A)

ELLOBIIDAE L. Pfeiffer, 1854

- Allochroa* *layardi* (H. & A. Adams, 1855) (S, T)
Ellobium *semisculptum* H. & A. Adams, 1854 (G)
Laemodonta *bella* (H. & A. Adams, 1855) (S, T, G)
Laemodonta *monilifera* (H. & A. Adams, 1854) (S, T, G, A)
Laemodonta *octanfracta* (Jonas, 1845) (T)
Melampus *caffer* (Küster, 1844) (S, T, M, A)
Melampus *castaneus* (Muehlfeldt, 1818) (S, T, M, A)
Melampus *flavus* (Gmelin, 1791) (S, T, M, A)
Melampus *luteus* (Quoy & Gaimard, 1832) (S, T, A)
Melampus *striatus* Pease, 1861 (S)
Microtralia *insularis* (Powell, 1933) (A)
Microtralia *lucida* (Pease, 1869) (S, T)
Tralia *costata* (Quoy & Gaimard, 1833) (M)
(1 m. add.)

TRIMUSCULIDAE J.Q. Burch, 1945

- Trimusculus* *odhneri* (Hubendick, 1946) (T)

CONCLUSIONS

Dautzenberg and Bouge (1933) listed **1008** species for French Polynesia, together with numerous varieties, some of which are now considered distinct species. On the other hand, some taxa which they listed are now considered either synonyms or their presence has not been confirmed by our study. It was not our objective to discuss synonymy in the present study. Richard (1985) listed **1159** species. Our study records **2373** species of which at least **21** are new. Part of the material collected during the Marquesas and Austral expeditions are still under review, including many small molluscs. We consider that the whole marine malacological fauna of French Polynesia consists of over 2500 species.

ACKNOWLEDGEMENTS

We thank Bernard Salvat who encouraged us to establish this list in the framework of a new inventory of reef species after the one established by Richard (1985) at CRIODE-EPHE in Moorea (Directors René Galzin and Serge Planes). This up-dated list is also a reference for the barcoding project in French Polynesia headed by Neil Davies, Gustav Paulay and Serge Planes (University of Berkeley – Gump Research Station –, University of Florida, CRIODE-EPHE, Moorea).

We are especially grateful to Philippe Bouchet and his team (Virginie Heros, Pierre Lozouet and Philippe Maestrati) in the National Museum of Natural History, Paris, for their advice and for greatly facilitating consultation of collections.

We thank all those who helped by allowing us to consult their collections and giving documents and information : C. Beslu (Mahina, Tahiti), A.G. Beu (GNS Science), R. Bieler (FMNH), M. Balleton (Tautira, Tahiti), D. Brabant (MNHN), W.O. Cernohorsky (AIM), R. von Cosel (MNHN), H.H. Dijkstra (Université d'Amsterdam), D.L Geiger (SBMNH), H. Guiot (Société des Océanistes, Paris), R. Houart (IRSNB), J.-P. Lefort (Maeva, Huahine), J. Le Renard (MNHN), J. Letourneux (Mahina, Tahiti), B.A. Marshall (NMNZ), B. Métivier (MNHN), R. Moolenbeek (Université d'Amsterdam), O. Naim (Université de La Réunion), M. Oliverio (Université de Rome), G. Paulay (Université de Floride), M. Pizzini (Rome), W.F. Ponder (AMS), J. Poupin (IRENav), D.G. Reid (BMNH), G. Richard (Université de La Rochelle), † H.A. Rehder (USNM), W.J. Sleurs (IRSNB), O. Testu (Service historique de la Marine, Cherbourg), Y. & P. Vappereau (Faaa, Tahiti), † J. Vidal (MNHN), A. Warén (SMNH), V. Wargnier (Arue, Tahiti).

Thanks for the English translation go to Bernard Salvat and Suzanne Mills.

We would like to express our considerable thanks to Gustav Paulay for an attentive review of our paper along with many comments that we have taken into account.

REFERENCES

- Abbott, R.T.
 1959. The family Vasidae in the Indo-Pacific. *Indo-Pacific Mollusca*, 1(1): 15-32.
 1960. The genus *Strombus* in the Indo-Pacific. *Indo-Pacific Mollusca* 1(2): 33- 146.
 1961. The genus *Lambis* in the Indo-Pacific. *Indo-Pacific Mollusca* 1(3): 147-174.
 1968. The helmet shells of the world (Cassidae). Part 1. *Indo-Pacific Mollusca* 2(9): 7-202.
- Abbott, R.T., and S.P. Dance
 1982. *Compendium of Seashells*. A full-color guide to more than 4200 of the world's marine shells. E.P. Dutton, New York, 410p.
- Absalao, R.S., and M. Pizzini
 2002. Critical analysis of subgeneric taxa of the subfamily Caecinae (Caenogastropoda: Caecidae). *Archiv für Molluskenkunde*, 131(1/2): 167-183.
- Adams, A.
 1850. Monographs of *Cyclostrema*, Marryat, and *Separatista*, Gray; two genera of gasteropodous mollusks. *Proceedings of the Zoological Society of London* (part 18):41-45.

- 1852-1853. Catalogue of the species of *Nassa*, a genus of gasteropodous mollusca belonging to the family Buccinidae, in the Collection of Hugh Cuming, Esq., with the description of some new species. *Proceedings of the Zoological Society of London* for 1851 (part 19):94-112 (1852), 113-114 (1853).
- 1853a. Descriptions of fifty-two new species of the genus *Mitra*, from the Cumingian collection. *Proceedings of the Zoological Society of London* for 1851 part 19: 132-141.
- 1853b. Contribution towards a monograph of Trochidae, a family of gastropodous Mollusca. *Proceedings of the Zoological Society of London* for 1851 (part 19): 150-92.
- 1853c. Descriptions of several new species of *Murex*, *Rissoina*, *Planaxis* and *Eulima* from the Cumingian collection. *Proceedings of the Zoological Society of London* for 1851 part 19: 267-272.
1854. Monograph of the genera *Eulima*, *Niso*, *Leiostraca*, *Obeliscus*, *Pyramidella* and *Monoptygma*. *Thesaurus Conchyliorum or Monographs of Genera of Shells* vol. 2: 793-826. G.B. Sowerby, London.
1855. Descriptions of twenty-seven new species of shells from the collection of Hugh Cuming, Esq.. *Proceedings of the Zoological Society of London* for 1854 part 22:311-317.
- Alf, A., and K. Kreipl
2009. An updated list of the recent *Bolma* species (Gastropoda: Turbinidae) with description of two new species from French Polynesia and New Caledonia. *Novapex* 10(1): 17-24.
- Allan, J.
1956. *Cowry shells of world seas*. Georgian House, Melbourne, Victoria, 170p.
- Almasi, E.S.
2006. Working grunge in the Tuamotu's. *Of Sea and Shore*, 27(2): 156-163.
- Astary, J.C.
1973. Marquesas Muricidae. *Hawaiian Shell News* 21(5): 7.
- Augustin, D., G. Richard, and B. Salvat
1999. Long-term variation in mollusc assemblages on a coral reef, Moorea, French Polynesia. *Coral Reefs*, 18: 293-296.
- Bavay, A.
1917. Quelques coquilles des sables littoraux de divers pays. *Journal de Conchyliologie*, 63: 91-114.
1921. Coquilles des sables marins de l'Indo-Pacifique. Genres *Sansonnia* Jousseaume, *Pickworthia* Iredale, *Mecoliotia* Hedley. *Journal de Conchyliologie*, 66: 155-161.
1922. Coquilles des sables littoraux marins. *Journal de conchyliologie*, 67: 57-66.
- Beesley, P.L., G.J.B. Ross, and A. Wells (eds)
1998. *Mollusca: The Southern Synthesis. Fauna of Australia*, CSIRO Publishing, Melbourne. 5(Part A): xvi, 563 p., (Part B): viii, 565-1234.
- Belletante, H.
1954. Catalogue des Cymatiidae du Muséum national d'Histoire naturelle de Paris. *Journal de Conchyliologie*, 94: 70-84.

- Bernardi, M.
- 1852. Description d'une nouvelle espèce du genre *Sanguinolaria*. *Journal de Conchyliologie*, 3: 259.
- Beu, A.G.
- 1987 (1986). Taxonomy of gastropods of the families Ranellidae (= Cymatiidae) and Bursidae. Part 2. Descriptions of 14 new modern Indo-West Pacific species and subspecies, with revisions of related taxa. *New Zealand Journal of Zoology* 13:273-355.
 - 1988. Taxonomy of gastropods of the Families Ranellidae (=Cymatiidae) and Bursidae. Part 5. Early history of the families, with four new genera and recognition of the family Personidae. *Saito Ho-on Kai Special Publication (Professor Tamio Kotaka Commemorative Volume)*: 69-96.
 - 1998. Indo-West Pacific Ranellidae, Bursidae and Personidae (Mollusca: Gastropoda). A monograph of the New Caledonian fauna and revisions of related taxa. Résultats des Campagnes MUSORSTOM, 19. *Mémoires du Muséum national d'Histoire naturelle* 178: 1-255.
 - 2008. Recent deep-water Cassidae of the world. A revision of *Galeodea*, *Oocorys*, *Sconsia*, *Echinophoria* and related taxa, with new genera and species (Mollusca, Gastropoda), in Héros V., Cowie R.H., and Bouchet P. (eds), Tropical Deep-Sea Benthos 25. *Mémoires du Muséum national d'Histoire naturelle*, Paris, 196: 269-387.
- Beu, A.G., and W.O. Cernohorsky
- 1986. Taxonomy of gatropods of the families Ranellidae (= Cymatiidae) and Bursidae. Part 1. Adoption of Ranellidae, and review of *Linatella* Gray, 1857. *New Zealand Journal of Zoology*, 13: 241-266.
- Beu, A.G., and A.E. Kay
- 1988. Taxonomy of gastropods of the families Ranellidae (= Cymatiidae) and Bursidae. Part 4. The *Cymatium pileare* complex. *Journal of the Royal Society of New Zealand* 18(2): 185-223.
- Beu, A.G., and P.A. Maxwell
- 1987. A revision of the fossil and living gastropods related to *Plesiotriton* Fischer, 1884 (Family Cancellariidae, Subfamily Plesiotritoninae n. subfamily). With an appendix: Genera of Buccinidae Pisaniinae related to *Colubraria* Schumacher, 1817. *New Zealand Geological Survey, Paleontological Bulletin*, 54: 140p.
- Bieler, R.
- 1993. *Architectonicidae of the Indo-Pacific (Mollusca, Gastropoda)*. Gustav Fischer, Stuttgart, 376p.
- Blainville, H. de
- 1825. Oscabrelle. Oscabron. In: Dictionnaire des sciences naturelles. Ed. Levraut, 36:519-556.
 - 1832. Disposition méthodique des espèces récentes et fossiles des genres Pourpre, Ricinule, Licorne et Concholépas de M. de Lamarck, et description des espèces nouvelles ou peu connues, faisant partie de la collection du Muséum d'Histoire naturelle de Paris. *Nouvelles Annales du Muséum d'Histoire naturelle de Paris*, 1: 189-263.

- Bouchet, P.
- 1998. "Chronique du 55" [compte rendu de MUSORSTOM 9 et de l'atelier de Ua Huka, 1997 avec iconographie]. *Xenophora* 84: 16-23.
 - 2002. Protoconchs, dispersal, and tectonic plates biogeography: New Pacific species of *Morum* (Gastropoda: Harpidae). *Journal of Conchology* 37(5): 533-549.
- Bouchet, P., and J-P Rocroi
- 2005. Classification and nomenclator of gastropod families. *Malacologia*, 47(1-2): 397p.
- Bratcher, T.
- 1969. Rediscovery of *Terebra trochlea* Deshayes. *The Veliger* 11(4): 334-335.
 - 1975. The Marquesas: Collecting on Gaugin's island. *Hawaiian Shell News* 23(5): 1, 4-5.
 - 1977. Deshayes terebrid types in École des Mines, Paris. *The Nautilus*, 91(2): 39-42.
 - 1981. Four previously undescribed Indo-Pacific terebrids (Mollusca: Gastropoda). *The Veliger* 23(4): 329-332.
- Bratcher, T., and W.O. Cernohorsky
- 1982. Six new species of Indo-Pacific Terebridae (Gastropoda). *The Nautilus*, 96(2): 61-66.
 - 1987. *Living Terebras of the World. A monograph of the Recent Terebridae of the World.* American Malacologists, Melbourne, Fla. 236p.
- Broderip, W.J.
- 1833. Characters of new species of Mollusca and Conchifera collected by Mr. Cuming. *Proceedings of the Zoological Society of London* for 1833: 4-8.
 - 1836 (1835). Characters of new genera and species of Mollusca and Conchifera collected by Mr Cuming. *Proceedings of the Zoological Society of London*, 3:192-197.
- Broderip, W.J., and G.B. Sowerby
- 1833a. (1832). Characters of new species of Mollusca and Conchifera collected by Mr. Cuming. *Proceedings of the Committee of Science and Correspondence of the Zoological Society of London*, 2: 173-179.
 - 1833b. (1832). Characters of new species of Mollusca and Conchifera collected by Mr. Cuming. *Proceedings of the Committee of Science and Correspondence of the Zoological Society of London*, 2: 194 -202.
- Brousse, R.J.-P. Chevalier, M. Denizot, and B. Salvat
- 1978. Etude géomorphologique des Iles Marquises. Pages 9-74 in *Les Iles Marquises. Géomorphologie. Climatologie. Faune et flore. Cahiers du Pacifique* 21.
- Brunckhorst, D.J.
- 1993. The systematics and phylogeny of phyllidiid nudibranchs (Doridoidea). *Records of the Australian Museum*. Supplément 16: 35p.
- Bryce, C.
- 2000. The Marquesas Islands (French Polynesia) - A preliminary and brief account of molluscan finds resulting from a recent expedition. *The Festivus* 32(5): 71-75.

- Buck, P.H.
- 1953. Explorers of the Pacific. European and American discoveries in Polynesia. *Bernice P. Bishop Museum Special Publications* 43: 1-8, 1-125.
- Bullock, R.C.
- 1988. The Genus *Chiton* in the New World (Polyplacophora: Chitonidae). *The Veliger* 31(3/4):141-191.
- Burgess, C.M.
- 1965. Two new *Cypraea*. *The Nautilus* 79(2): 37-40.
 - 1970. *The living Cowries*. A.S. Barnes Co., Cranbury, N.J., 389p.
 - 1977a. The new cowries. Notes on more than a score of recently proposed species. *Hawaiian Shell News* 25(12): 1-2.
 - 1977b. The dubious "new species" and some suspected synonyms. *Hawaiian Shell News* 25(12): 7-8.
 - 1985. *Cowries of the world*. Gordon Verhœf. Cape Town, 289p.
 - 1993. A new species of *Cypraea* from Samoa in the *C. cibraria* complex. *The Veliger* 36(2): 174-177.
 - 1994. *Cypraea ostergaardi* and *Cypraea thomasi*. *Hawaiian Shell News* 42(4) :12.
 - Burgess, C.M., and D.S. Arnette
 - 1981. A new *Cypraea* from Polynesia (Gastropoda: Cypraeidae). *Venus* 40(2): 71-76.
 - Burghardt, G.E.
 - 1973. A new hawaiian chiton, *Rhyssoplax linsleyi* (Mollusca: Amphineura: Chitonidae). *Proceedings of the California Academy of Sciences*, 39(21): 501-506.
- Carpenter, P.P.
- 1865. Descriptions of two new species of Chitonidae from the collection of W. Harper Pease, Esq. *Proceedings of the Zoological Society of London* for 1865: 511-512.
- Cate, C.N.
- 1965. Hawaiian cowries. *The Veliger* 8(2): 45-61.
 - 1977. A review of the Eratoidae (Mollusca: Gastropoda). *The Veliger*, 19(3): 341-366.
 - 1979. A review of the Triviidae (Mollusca: Gastropoda). *San Diego Society of Natural History, Memoir* 10: 126p.
- Cernohorsky, W.O.
- 1965. The Mitridae of Fiji. *The Veliger* 8(2): 70-156.
 - 1969a. The types of the Lamarck Collection in the Museum d'Histoire naturelle in Geneva. Recent mollusca of the genera *Mitra*, *Columbella* (part) and *Cancellaria* (part). *Revue Suisse de Zoologie* 76(4): 953-994.
 - 1969b. Type specimens of Mitridae (Mollusca: Gastropoda) described by Linnaeus in the genera *Voluta*, *Buccinum* and *Bulla* between 1758 and 1771. *Zoological journal of the Linnean Society*, 48: 351-362.
 - 1970. Systematics of the families Mitridae and Volutomitridae (Mollusca: Gastropoda). *Bulletin of the Auckland Institute and Museum* 8: 1-190.
 - 1971a. *Marine shells of the Pacific*. Revised edition. Pacific Publications. Sydney, 248p.

- 1971b. Indo-Pacific Pisaniinae (Mollusca: Gastropoda) and related buccinid genera. *Records of the Auckland Institute and Museum* 8: 137-167.
- 1971c. Contribution to the taxonomie of the Muricidae (Gastropoda: Prosobranchia). *The Veliger*, 14(2): 187-191.
1972. *Marine shells of the Pacific*. vol. 2. Pacific Publications. Sydney, 411p.
- 1975a. Supplementary notes on the taxonomy of buccinid species of the subfamily Pisaniinae (Mollusca: Gastropoda). *Records of the Auckland Institute and Museum* 12: 175-211.
- 1975b. The taxonomy of some Indo-Pacific Mollusca. Part 3. With descriptions of new taxa and remarks on an Ecuadorian fossil species of Turridae. *Records of the Auckland Institute and Museum*, 12: 213-234.
- 1976a. The Mitridae of the World. Part 1. The Subfamily Mitrinae. *Indo-Pacific Mollusca* 3(17): 273-528.
- 1976b. The taxonomy of some Indo-Pacific Mollusca. Part 4. With descriptions of new taxa and remarks on *Nassarius coppereri* (Smith). *Records of the Auckland Institute and Museum*, 13: 111-129.
- 1978a. The taxonomy of some Indo-Pacific Mollusca. Part 6. *Records of the Auckland Institute and Museum* 15: 67-86.
- 1978b. New species of Mitridae, Costellariidae and Turridae from the Hawaiian Islands with notes on *Mitra sphoni* in the Galapagos Islands. *The Nautilus*, 92(2): 61-67.
- 1978c. *Tropical Pacific Marine Shells*. Pacific Publications. Sydney, 352p.
- 1980a. The taxonomy of some Indo-Pacific Mollusca. Part 7. *Records of the Auckland Institute and Museum*, 16:171-187.
- 1980b. Taxonomic notes on Polynesian Mollusca with descriptions of new species of Nassariidae. *Records of the Auckland Institute and Museum* 17: 113-125.
- 1981a. Revision of J. Hervier's type-specimens of Mitracea (Mollusca, Gastropoda) from the Loyalty Islands. *Bulletin du Muséum national d'Histoire naturelle, Paris*, 4. sér., 3, A(1): 93-109.
- 1981b. On a collection of buccinacean and mitracean gastropods (Mollusca, Neogastropoda) from the Mozambique Chanel and New Caledonia. *Bulletin du Muséum national d'Histoire naturelle, Paris*, 4. sér., 3, A(4): 985-1009.
- 1981c. Taxonomy of some Indo-Pacifique Mollusca. Part 9. *Records of the Auckland Institute and Museum*, 18: 193-202.
- 1982a. The taxonomic status of *Cronia fiscella* (Gmelin, 1791) and *C. margariticola* (Broderip, 1833) (Gastropoda: Muricidae). *Records of the Auckland Institute and Museum* 19: 113-124.
- 1982b. The taxonomy of some Indo-Pacific Mollusca. Part 10. *Records of the Auckland Institute and Museum* 19: 125-147.
1983. The taxonomy of some Indo-Pacific Mollusca. Part 11. *Records of the Auckland Institute and Museum*, 20: 185-202.
1984. Systematics of the family Nassariidae (Mollusca: Gastropoda). *Bulletin of the Auckland Institute and Museum* 14: 356p.
1986. A taxonomic study on two Indo-Pacific species of *Cantharus (Prodotia)* [Mollusca: Buccinidae]. *Records of the Auckland Institute and Museum* 23:59-65.

1987. Type specimens of Pacific Mollusca described mainly by A. Garrett and W. Pease with description of a new *Morula* species (Mollusca: Gastropoda). *Records of the Auckland Institute and Museum*, 24:93-105.
- 1988a. Taxonomic notes on the *Mitromorpha* group of the family Turridae (Mollusca:Gastropoda: Borsoniinae). *Records of the Auckland Institute and Museum*, 25:63-73.
- 1988b. The Mitridae, Costellariidae and Nassariidae (Mollusca: Gastropoda) recently dredged at Reunion Island, Indian Ocean, with description of new species. *Records of the Auckland Institute and Museum*, 25:75-85.
- 1991a. Mollusca Gastropoda: On a collection of Nassariidae from New Caledonian waters. Pages 187-204 in A. Crosnier, and P. Bouchet (éds). *Résultats des Campagnes Musorstrom*, 7(7). *Mémoires du Muséum national d'Histoire naturelle, Paris* 150. Zoologie.
- 1991b. The Mitridae of the World. Part 2. The Subfamily Mitrinae concluded and Subfamilies Imbricariinae and Cylindromitrinae. *Monographs of Marine Mollusca* 4:164p.
1992. Description of new species of Nassariidae (Mollusca, Neogastropoda) from the Pacific Ocean. *Bulletin du Muséum national d'Histoire naturelle, Paris* 4. sér., 14, A(1):69-74.
- Cernohorsky, W.O., and T. Bratcher
1976. Notes on the taxonomy of Indo-Pacific Terebridae (Mollusca: Gastropoda), with description of a new species. *Records of the Auckland Institute and Museum* 13:131-140.
- Chevalier, J.-P.
1978. Les coraux des Iles Marquises. Pages 243-283 in *Les Iles Marquises. Géomorphologie. Climatologie. Faune et flore. Cahiers du Pacifique* 21.
- Conrad, T.A.,
1837. Descriptions of new marine shells from Upper California, collected by Thomas Nuttall, Esq. *Journal of the Academy of Natural Sciences of Philadelphia*, 7(2):227-268.
- Cook, B., and G.
1992. *Cypraea cassiaui* shows off its mantle. *Hawaiian Shell News* 40(12):5.
- Coomans, H.E., R.G. Moolenbeek, and E. Wils
1983. Alphabetical revision of the (sub) species in recent Conidae. 6. *cabritii* to *cinereus*. *Basteria* 47:67-143.
1986. Alphabetical revision of the (sub)species in recent Conidae. 9. *ebraeus* to *extraordinarius* with the description of *Conus elegans ramalhoi*, nov. subspecies. *Basteria* 50:93-150.
- Coomans, H.E., and J.S. De Visser
1987. Studies on Conidae (Mollusca: Gastropoda). 10. The holotype and identity of *Conus coffeea* Gmelin. *The Veliger*, 29(4):437-441.
- Cosel, R. von, and P. Bouchet
2008. Tropical deep-water lucinids (Mollusca: Bivalvia) from the Indo-Pacific: essentially unknown, but diverse and occasionally gigantic, in Héros V., Cowie R.H., and Bouchet P. (eds), Tropical Deep-Sea Benthos 25. *Mémoires du Muséum national d'Histoire naturelle, Paris*, 196:115-213.

- Cossignani, T.
- 2001. Descrizione di una nuova marginella (Gastropoda: Prosobranchia, Cystiscidae) dell'Arcipelago delle Marchesi. *Malacologia*, 13(35):20.
 - 2006. Una nuova *Gibberula* dalle Marchesi (Gastropoda: Prosobranchia, Cystiscidae). *Malacologia*, 18(51):4.
- Couturier, M.
- 1907. Etude sur les Mollusques Gastropodes, recueillis par M.L.-G. Seurat dans les archipels de Tahiti, Paumotu et Gambier. *Journal de Conchyliologie* 55(2):123-178.
- Crandall, E.
- 2005. A stepping-stone to marine conservation: The importance of island-hopping. *American Conchologist*, 33(3):4-7.
- Crosse, H.
- 1858. Note sur le genre *Dibaphus* et description d'une nouvelle espèce de *Capulus*. *Revue et Magasin de Zoologie* 2ème sér., 10:157-162.
 - 1861. Diagnoses d'espèces nouvelles. *Journal de Conchyliologie*, 9:285
 - 1862. Description d'espèces nouvelles. *Journal de Conchyliologie* 10:47-51.
 - 1865. Diagnoses Molluscorum novorum. *Journal de Conchyliologie* 13:55-57.
 - 1872. Diagnoses Molluscorum novorum. *Journal de Conchyliologie* 20:211-214.
 - 1873. Description d'espèces nouvelles. *Journal de Conchyliologie* 21:248-254.
 - Dall, W.H., P. Bartsch, and H.A. Rehder
 - 1938. A manual of the recent and fossil marine pelecypod mollusks of the Hawaiian Islands. *Bernice P. Bishop Museum Bulletin* 153:233p.
- Dance, S.P.
- 1986. *A history of shell collecting*. E.J. Brill - Dr. W. Backhuys, Leiden, 265p.
- Dautzenberg, P.
- 1935. Résultats scientifiques du voyage aux Indes Orientales Néerlandaises; Gastropodes marins; Terebridae, Mitridae. *Mémoires du Muséum royal d'Histoire naturelle de Belgique* 2(17):208p.
- Dautzenberg, P., and J.L. Bouge
- 1933. Les mollusques testacés marins des Etablissements Français d'Océanie. *Journal de Conchyliologie* 77:41-108, 145-326, 351-469.
- Deschamps, E., and P. Laudon
- 1994. *L'Archipel des Marquises*. Editions Le Motu, Boulogne, 159p.
- Deshayes, G.P.
- 1857. Description d'espèces nouvelles du genre *Terebra*. *Journal de Conchyliologie* 6:65-102.
 - 1859. A general review of the genus *Terebra* and a description of new species. *Proceedings of the Zoological Society of London* for 1859 part 27:270-321.
- Dillwyn, L.W.
- 1817. *A descriptive catalogue of recent shells, arranged according to the linnaean method; with particular attention to the synonymy*. John, and Arthur Arch, Londres. 2 volumes, 1092p.
- Dijkstra, H.H.
- 1989. Les Pectinidae de Polynésie Française (exposé préliminaire). *Xenophora* 48: 11-19.

1990. Three new pectinacean species from the Indonesian Archipelago collected during the Siboga expedition (1899-1900). *Beaufortia* 40:1-14.
1997. Result of the Rumphius Biohistorical Expedition to Ambon (1990), Part 6. Mollusca, Bivalvia, Pectinidae. *Zoologische Mededelingen*, 71:313-343.
2002. A new species of living scallop of the genus *Anguipecten* (Bivalvia, Pectinidae) from the tropical Indo-Pacific. *Basteria*, 66: 139-142.
- Dijkstra, H.H., and R.N. Kilburn
2001. The family Pectinidae in South Africa and Mozambique (Mollusca: Bivalvia: Pectinoidea). *African Invertebrates*, 42: 263-321.
- Dijkstra, H.H., and P. Maestrati
2008. New species and new records of deep-water Pectinoidea (Bivalvia: Propeamussiidae, Entoliidae and Pectinidae) from the South Pacific, *in* Héros V., Cowie R.H., and Bouchet P. (eds), Tropical Deep-Sea Benthos 25. *Mémoires du Muséum national d'Histoire naturelle*, Paris, 196:77-113.
- Dohrn, H.
1861. Descriptions of new shells from the collection of Hugh Cuming Esq. *Proceedings of the Zoological Society of London* for 1861:205-207.
- Dolin, L., and P. Lozouet
2007. *Ransonella*, nouveau nom pour *Ransonnia* Dolin, and Lozouet, 2004 (Gastropoda:Cypraeidae). *Cossmanniana*, 10(1-4):80.
- Duclos, P.L.
1835. *Histoire naturelle générale et particulière de tous les genres de coquilles univalves marines à l'état vivant et fossile, publiée par monographies. Genre Olive*. Firmin Didot Frères, Paris.
- Dunker, W.
1852. *Argonauta gruneri* Dunker, 1852. *Zeitschrift für Malakozoologie* 9(3): 48.
- 1852-1853. Diagnoses Molluscorum novorum. *Zeitschrift für Malakozoologie* 9(4): 49-62.
- 1858-1870. *Novitates conchologicae. II. Mollusca marina. Beschreibung und Abbildung neuer oder wenig gekannter Meeres-Conchylien*. Theodor Fischer, Cassel, 144p.
- DuShane, H.
1988. New hawaiian species of Epitoniidae (Mollusca: Gastropoda). *The Veliger*, 31(3 4):267-271.
1990. Hawaiian Epitoniidae. *Hawaiian Shell News*, 38(supplément 1): 17p.
- Duval
1852. Description d'une espèce nouvelle du genre Mitre. *Journal de Conchyliologie* 3:160-162.
- Emerson, W.K.
1991. First records for *Cymatium mundum* (Gould) in the Eastern Pacific Ocean, with comments on the zoogeography of the tropical trans-pacific tonnacean and non-tonnacean prosobranch gastropods with indo-pacific faunal affinities in West American water. *The Nautilus* 105(2):62-80.
- Emerson, W.K., and W.O. Cernohorsky
1973. The genus *Drupa* in the Indo-Pacific. *Indo-Pacific Mollusca* 3(13):1-40.

- Fair, R.H.
- 1976. *The Murex book: an illustrated catalogue of Recent Muricidae (Muricinae, Muricopsinae, Ocenebrinae)*. Auto-édition, Sturgis Printing. Honolulu, Hawaii, 138p.
- Fehse, D., and J. Grego
- 2008. Contributions to the knowledge of the Triviidae: XIX. New species from the Indo-Pacific and eastern Atlantic (Mollusca: Gastropoda). *Neptunea*, 7(4):20-29.
- Ferreira, A.J.
- 1986. A revision of the genus *Acanthopleura* Guilding, 1829 (Mollusca: Polyplacophora). *The Veliger* 28(3):221-279.
 - 1987. The chiton fauna of the Marquesas Islands, with the description of a new species of Plaxiphora (Mollusca Polyplacophora). *Monitore zoologico italiano* 22(12):177-191.
- Ferreira, A.J., and H. Bertsch
- 1979. A new species of chiton (Mollusca: Polyplacophora) from the Hawaiian Islands and Tahiti. *Transactions of the San Diego Society of Natural History*, 19(7):75-83.
- Filmer, R.M.
- 2001. *A catalogue of nomenclature and taxonomy in the living Conidae, 1758-1998*. Backhuys Publishers, Leiden, 388p.
- Finet, Y., and R. Houart
- 1989. On the taxonomic status of *Murex tigonulus* Lamarck, 1816, *Murex tigonulus* Lamarck, 1822 and related taxa (Gastropoda, Muricidae). *Apex*, 4(1-2):1-18.
- Fischer, P.
- 1891. Catalogue et distribution géographique des mollusques terrestres, fluviatiles et marins d'une partie de l'Indo-Chine (Siam, Laos, Cambodge, Cochinchine, Annam, Tonkin). *Bulletin de la Société d'Histoire Naturelle d'Autun* 4:87-276.
- Folin L. de
- 1875. *Monographie de la famille des Caecidae*. A. Lamaignère, Bayonne, 39:31p.
 - 1881. *Les fonds de la mer*. Savy, Paris, Vol. 4:240p.
- Frias Martins, A.M. de
- 1995. Systematic revision of *Allochroa* Ancey, 1887 (Pulmonata: Ellobiidae), with an account of the anatomy of *Allochroa layardi* (H., and A. Adams, 1855) and the description of two new species. *The Nautilus*, 109(1):1-13.
- Frydman, F.
- 1990. Accordons nos Harpes! *Xenophora* 50:10-21.
 - 1991. Quelques mots des Morum. *Xenophora* 54:10-15.
- Garcia, E.F.
- 1991. A French Polynesian atoll and its molluscan fauna. *American Conchologist*, 19(1): 16-19.
 - 2003. New records of Indo-Pacific Epitoniidae (Mollusca: Gastropoda) with the description of nineteen new species. *Novapex* 4(HS):1-22.
 - 2004a. New records of *Opalia*-like molluscs (Gastropoda: Epitoniidae) from the Indo-Pacific, with the description of fourteen new species. *Novapex* 5(1):1-18.
 - 2004b. On the genus *Cycloscala* Dall, 1889 (Gastropoda: Epitoniidae) in the

- Indo-Pacific, with comments on the type species, new records of known species, and the description of three new species. *Novapex*, 5(2-3):57-68.
- Garrett, A.
- 1872. Descriptions of new species of shells from the south sea islands. *Proceedings of the California Academy of Sciences*, 4(15):201-204.
 - 1873. Descriptions of new species of marine shells inhabiting the south sea islands. *Proceedings of the Academy of Natural Science of Philadelphia*: 209-231.
 - 1878a. Occurrence of *Crepidula aculeata*, Gmel., in the Marquesas Island. *Journal of Conchology* 1:335-336.
 - 1878b. Annotated catalogue of the species of *Conus*, collected in the south sea islands. *Journal of Conchology* 1:353-367.
 - 1879. Annotated catalogue of the species of *Cypraeidae* collected in the s. sea islands. *Journal of Conchology* 2:105-128.
 - 1880. Catalogue of the Polynesian Mitridae, with remarks on their geographical range, station, and descriptions of supposed new species. *Journal of Conchology* 3:1-73.
 - 1887. Mollusques terrestres des Iles Marquises (Polynésie). *Bulletins de la Société Malacologique de France* 4:1-48.
- Gaskoin, J.S.
- 1836 (1835). Characters of several hitherto undescribed cowries. *Proceedings of the Zoological society of London*, 3:198-204.
 - 1852. Descriptions of twenty species of *Columbellae*, and one species of *Cypraea*. *Proceedings of the Zoological Society of London*, for 1851 part 19:2-14.
- Geiger, D.L.
- 2000. Distribution and biogeography of the recent Haliotidae (Gastropoda: Vetigastropoda) world-wide. *Bollettino Malacologico* 35(5-12):57-120.
 - 2003. Phylogenetic assessment of characters proposed for the generic classification of recent Scissurellidae (Gastropoda: Vetigastropoda) with a description of one new genus and six new species from Easter Island and Australia. *Molluscan Research*, 23:21-83.
 - 2006a. *Sasakiconcha elegantissima* new genus and new species (Gastropoda: Vetigastropoda: Anatomidae?) with disjointly coiled base. *The Nautilus*, 120(2): 45-51.
 - 2006b. Eight new species of Scissurellidae and Anatomidae (Mollusca: Gastropoda: Vetigastropoda) from around the world, with discussion of two new senior synonyms. *Zootaxa*, 1128:1-33.
 - 2008. New species of scissurellids from Austral Islands, French Polynesia, and the Indo-Malayan Archipelago (Gastropoda: Vetigastropoda: Scissurellidae, Anatomidae, Larocheidae). *The Nautilus*, 122(4):185-200.
- Gilbert A., S. Planes, S. Andrefouët, K. Friedman, and G. Remoissenet
- 2007. First observation of the giant clam *Tridacna squamosa* in French Polynesia : a species range extension. *Coral Reefs*, 26(2):229.
- Gittenberger, A., J. Goud, and E. Gittenberger
- 2000. *Epitonium* (Gastropoda: Epitoniidae) associated with mushroom corals

- (Scleractinia: Fungiidae) from Sulawesi, Indonesia, with the description of four new species. *The Nautilus*, 114(1):1-13.
- Glover, E.A., and J.D. Taylor
 2007. Diversity of chemosymbiotic bivalves on coral reefs: Lucinidae (Mollusca, Bivalvia) of New Caledonia and Lifou. *Zoosystema*, 29(1):109-181.
- Gould, A.A.
 1861. Descriptions of shells collected by the North Pacific Exploring Expedition, under Captains Ringgold and Rodgers. *Proceedings of the Boston Society of Natural History*, 7:386-389.
 1862. Descriptions of new genera and species of shells. *Proceedings of the Boston Society of Natural History*, 8: 280-285.
- Gray, J.E.
 1833. The new species of cowries contained in the collection formed by Mr Cuming in the Southern Pacific Ocean. *Proceedings of the Committee of Science and Correspondence of the Zoological Society of London*, for 1832, 2:184-186.
 1834. An extensive series of shells of the genus *Terebra*. *Proceedings of the Zoological Society of London* for 1834 2:59-63.
- Guillot de Suduiraut, E., and M. Boutet
 2007. Description of a new Costellariidae from French Polynesia (subgenus *Costellaria*) (Gastropoda: Muricidae: Costellariidae). *Visaya*, 2(2):91-93.
- Guyonneau, S.
 2005. Escale à Tikehau. *Xenophora*, 111: 20-22.
- Hanley, S.
 1844. Description of new species of *Tellina*, collected by H. Cuming Esq. *Proceedings of the Malacological Society of London*, 12:59-64.
- Harasewych, M.G., and A.G. Beu
 2007. *Sassia melpangi*, a new ranellid species (Gastropoda: Tonnaidea) from the Central Pacific. *The Nautilus*, 121(2): 90-94.
- Hart, M.
 1992. Further notes on *Conus adamsonii* Broderip, 1836. *Hawaiian Shell News* 40(8): 1, 5.
- Harte, M.E.
 1992. Les venerides de Polynésie Française. *Xenophora* 59: 4-10.
 1993. A review of *Pitar (Hyphantosoma)* Dall, 1902 (Veneridae: Pitarinae) and a description of *Pitar (H.) festoui* sp. n.. *The Veliger*, 36(4):343-350.
- Hedley, C.A.
 1899. The Mollusca of Funafuti. *Memoirs of Australian Museum* 3: 395-510;549-565.
 1922. A revision of the Australian Turridae. *Records of the Australian Museum*, 13(6):213-359.
- Henning, Th., and J. Hemmen
 1993. *Ranellidae, and Personidae of the World*. Verlag Christa Hemmen, Wiesbaden, 263p.

- Herbert, D.G.
- 1996. A critical review of the trochoidean types in the Muséum d'Histoire naturelle, Bordeaux (Mollusca, Gastropoda). *Bulletin du Muséum national d'Histoire naturelle, Paris*, 4. sér., 18, A(3-4):409-445.
 - 1998. Revision of the genus *Calliotrochus* Fischer, 1879 (Gastropoda: Trochoidea). *Invertebrate Taxonomy*, 12:545-565.
- Hertlein, L.G., and E.C. Allison
- 1960. Gastropods from Clipperton Island. *The Veliger* 3(1):13-16.
- Hervier, R.P.J.
- 1896a. Descriptions d'espèces nouvelles de l'archipel néo-calédonien. *Journal de Conchyliologie*, 43(3):141-152 ; 236-240.
 - 1896b. Descriptions d'espèces nouvelles de mollusques, provenant de l'Archipel de la Nouvelle Calédonie. *Journal de Conchyliologie*, 44:51-95.
 - 1897a. Descriptions d'espèces nouvelles de mollusques, provenant de l'Archipel de la Nouvelle Calédonie. *Journal de Conchyliologie*, 44:138-151.
 - 1897b. Descriptions d'espèces nouvelles de mollusques, provenant de l'Archipel de la Nouvelle Calédonie. *Journal de Conchyliologie*, 45:47-69.
 - 1897c. Descriptions d'espèces nouvelles de mollusques, provenant de l'Archipel de la Nouvelle Calédonie. *Journal de Conchyliologie*, 45:89-121.
 - 1898a. Descriptions d'espèces nouvelles de mollusques, provenant de l'Archipel de la Nouvelle Calédonie. *Journal de Conchyliologie*, 45:165-192.
 - 1898b. Descriptions d'espèces nouvelles de mollusques, provenant de l'Archipel de la Nouvelle Calédonie. *Journal de Conchyliologie*, 45:225-248.
 - 1898c. Diagnoses d'espèces nouvelles de *Triforis*, provenant de l'Archipel de la Nouvelle Calédonie. *Journal de Conchyliologie*, 45:249-266.
 - 1899a. Descriptions d'espèces nouvelles de mollusques, provenant de l'Archipel de la Nouvelle Calédonie. *Journal de Conchyliologie*, 46:209-213.
 - 1899b. Descriptions d'espèces nouvelles de mollusques, provenant de l'Archipel de la Nouvelle Calédonie. *Journal de Conchyliologie*, 46:270-313.
 - 1900. Le genre *Columbella* dans l'archipel de la Nouvelle-Calédonie. *Journal de Conchyliologie*, 47:305-391.
- Hickman, C.S., and J.S. McLean
- 1990. Systematic revision and suprageneric classification of trochacean gastropods. *Natural History Museum of Los Angeles County. Sciences series* 35:169p.
- Hidalgo, J.G.
- 1906-1907. Monografía de las especies vivientes del género *Cypraea*. *Memorias de la Real Academia de Ciencias Exactas, Fisicas y Naturales de Madrid*, 25, I-XV, 1-588 (entrega I, 1906, 240p.; entrega II, 1907, 363p.).
- Hinds, R.B.
- 1843. Descriptions of new shells from the collection of Capt. Sir Edwards Belcher, R.N., C.B. *Annals and Magazine of Natural History* 11:255-257.
 - 1844-45. *Mollusca*. In: *The Zoology of the voyage of H.M.S. "Sulphur"*. Smith, Elder, and Co., London, Part 1: 1-24; Part 2:25-48 (1844); Part 3:49-72 (1845).
 - 1844a. Descriptions of new shells, collected during the voyage of the Sulphur, and in Mr. Cuming's late visit to the Philippines. *Proceedings of the Zoological Society of London* for 1843 part 11:149-168.

- 1844b. Descriptions of new species of shells. Six species of *Triton*, from the collection of Sir Edwards Belcher, C.B.. *Proceedings of the Zoological Society of London* for 1844 part 12: 21-22.
1845. Monograph of the genus *Terebra* Bruguière. In: Sowerby, G.B. (ed.) *Thesaurus Conchyliorum or illustrations of the shells of molluscous animals* vol. 1:147-190. G.B. Sowerby, London.
- Hombron, J.B., and C.H. Jacquinot
1852. Zoologie 5. 132 pages in Voyage au pôle sud et dans l'Océanie sur les corvettes l'*Astrolabe* et la *Zélée*, exécuté par ordre du roi pendant les années 1837-1838 - 1839-1840, sous le commandement de J. Dumont d'Urville, capitaine de vaisseau, publié par ordonnance de Sa majesté. Gide et Baudry, Paris.
- Houart, R.
1985. Gros plan sur les *Naquetia* (Gastropoda: Muricidae). *Xenophora*, 29: 8-14.
1990. Description of two new species of Muricidae (Gastropoda) from French Polynesia. *Apex* 5(1-2): 7-12.
1992. The genus *Chicoreus* and related genera (Gastropoda: Muricidae) in the Indo-West Pacific. *Mémoires du Muséum national d'Histoire naturelle, Paris* (A) 154: 1-188.
1994. Some notes on the genus *Spinidrupa* Habe and Kosuge, 1966 (Muricidae: Ergalataxinae), with the description of *Habromorula* gen. nov. (Muricidae: Rapaninae) and four new species from the Indo-West Pacific. *Iberus* 12(2): 21-31.
- 1995a. The Ergalataxinae (Gastropoda, Muricidae) from the New Caledonia region with some comments on the subfamily and the description of thirteen new species from the Indo-West Pacific. *Bulletin du Muséum national d'Histoire naturelle, Paris* (A) 16(2-4): 245-297.
- 1995b. *Pteryimarchia* n. gen. and *Vaughtia* n. gen., two new muricid genera (Gastropoda, Muricidae: Muricinae and Ocenebrinae). *Apex*, 10(4): 127-136.
- 1996a. The genus *Nassa* Röding, 1798 in the Indo-West Pacific (Gastropoda: Prosobranchia: Muricidae: Rapaninae). *Archiv Molluskenkunde* 126(1/2): 51-63.
- 1996b. Results of the Rumphius biohistorical expedition to Ambon (1990). Part 5. Mollusca, Gastropoda, Muricidae. *Zoologische Mededelingen*, 70: 377-397.
1997. Le genre *Nassa* (Muricidae) dans l'Indo-Pacifique. *Xenophora*, 79: 29-33.
1999. Description of a new species of *Favartia* from Guam, Mariana Archipelago (Gastropoda: Muricidae). *Venus*, 58(1): 13-17.
2000. *Morula rodgersi* n. sp., a new Muricidae (Rapaninae) from Guam. *Novapex*, 1(3-4):101-104.
2002. Comments on a group of small *Morula* s.s. species (Gastropoda: Muricidae: Rapaninae) from the Indo-West Pacific with description of two new species. *Novapex*, 3(4): 97-118.
2004. Review of the recent species of *Morula* (*Oppomorus*), *M. (Azumamorula)* and *M. (Habromorula)* (Gastropoda: Muricidae: Ergalataxinae). *Novapex* 5(4): 91-130.

- Houart, R., and J. Tröndlé
- 1997. Additions to "Les Muricidae de Polynésie Française" and description of a new species of *Morula* Schumacher, 1817 (Muricidae, Rapaninae) from French Polynesia. *Apex* 12(1):1-7.
 - 2008. Update of Muricidae (excluding Coralliophilinae) from French Polynesia with description of ten new species. *Novapex* 9(2-3): 53-93.
- Houbrick, R. S.
- 1978. The Family Cerithiidae in the Indo-Pacific. Part 1. The Genera *Rhinoclavis*, *Pseudovertagus* and *Clavocerithium*. *Monographs of Marine Mollusca* 1:130p.
 - 1980. Review of deep-sea Genus *Argyropeza* (Gastropoda: Prosobranchia: Cerithiidae). *Smithsonian Contributions to Zoology*, 321:30p.
 - 1985. Genus *Clypeomorus* Jousseaume (Cerithiidae: Prosobranchia). *Smithsonian Contributions to Zoology*, 403:131p.
 - 1986. The systematic position of *Royella sinon* (Bayle) (Prosobranchia: Cerithiidae). *The Veliger*, 28(4):429-435.
 - 1987. Anatomy of *Alaba* and *Litiopia* (Prosobranchia: Litiopidae): Systematic implications. *The Nautilus*, 101(1):9-18.
 - 1992. Monograph of the Genus *Cerithium* Bruguière in the Indo-Pacific (Cerithiidae: Prosobranchia). *Smithsonian Contributions to Zoology* 510:211p.
 - 1993a. Phylogenetic relationships and generic review of the Bittiinae (Prosobranchia: Cerithioidea). *Malacologia*, 35(2):261-313.
 - 1993b. Two confusing Indo-Pacific cerithids. *The Nautilus*, 107(1):14-23, 28 figs.
- Hunon, C.
- 1985. *Cypraea thomasi* Crosse, 1865. *Xenophora*, 25:9-10.
 - 2000. *Cibrarula gaskoini fisheri* (Vayssiére, 1910). *Xenophora*, 89:26-27.
- Iredale, T.
- 1917. On some new species of marine Mollusca from Christmas Island, Indian Ocean. *Proceedings of the Malacological Society of London*, 12: 331-334.
- Jansen, P.
- 1999. The australian Scissurellidae. *La Conchiglia*, 291:47-55.
- Jardin, E.
- 1858. Essai sur l'histoire naturelle de l'Archipel de Mendana ou des Marquises. 3ème Partie: Zoologie. *Mémoires de la Société Impériale des Sciences Naturelles de Cherbourg* 6:161-200.
- Johnson, R.I.
- 1964. The Recent Mollusca of Augustus Addison Gould. Illustrations of the types described by Gould with a bibliography and catalog of his species. *Bulletin of the U.S. National Museum, Smithsonian Institution*, 239:182p..
- Jouan, H.
- 1858. *Archipel des Marquises*. Imprimerie administrative de Paul Dupont, Paris, 110p.
- Jourdain, P.
- 1970. Découverte et toponymie des îles de la Polynésie Française. *Bulletin de la Société des Etudes Océaniennes* 14(10)[171]:311-374.

- Jousseaume, Dr.
- 1884. Description de mollusques nouveaux. *Bulletin de la Société Zoologique de France*, 9:169-192.
- Kaas, P., and R.A. Van Belle
- 1994. *Monograph of living Chitons (Mollusca: Polyplacophora)*. E.J. Brill, Leiden, vol. 5:402p.
 - 1998. *Catalogue of living Chitons (Mollusca, Polyplacophora)*. Backhuys Publ., Leiden, 2e rev. éd., 204p.
- Kabat, A. R., and Y. Finet
- 1992. Catalogue of the Neritidae (Mollusca: Gastropoda) described by Constant A. Récluz including the location of the type specimens. *Revue Suisse de Zoologie* 99(2):223-253.
- Kaicher, S.D.
- 1973-1992. Card catalogue of world-wide shells. Auto-édition S.D. Kaicher, St. Petersburg, Florida. 6300 fiches (Pack n° 5, Strombacea, sept. 1974; Pack n° 12, Conidae II, janvier 1977; Pack n° 14, Conidae IV, juin 1977; Pack n° 16, Muricidae III, mars 1978; Pack n° 18, Fasciolariidae I, sept. 1978; Pack n° 24, Thaididae I, août 1980; Pack n° 32, Cymatiidae I et Bursidae, juillet 1982; Pack n° 34, Nassariidae II, mars 1983; Pack n° 38, Columbellidae II, août 1984; Pack n° 58, Ovulidae I, mars 1991).
- Kano, Y., and T. Kase
- 2002. Anatomy and systematics of the submarine-cave gastropod *Pisulina* (Neritopsina: Neritiliidae). *Journal of Molluscan Studies* 68: 365-384.
- Kantor, Y.I., and P. Bouchet
- 2007. Out of Australia: *Belloliva* (Neogastropoda: Olividae) in the Coral Sea and New Caledonia. *American Malacological Bulletin*, 22:27-73.
- Kase, T.
- 1998a. The family Pickworthiidae (Gastropoda: Caenogastropoda) from tropical Pacific submarine caves: Four new species of *Sansonina*. *Venus*, 57(3): 161-172.
 - 1998b. The family Pickworthiidae (Gastropoda: Caenogastropoda) from tropical Pacific submarine caves: Five new species of *Reynellona*. *Venus*, 57(4): 245-257.
- Kass, P., and R.A. Van Belle
- 1994a. *Monograph of living Chitons (Mollusca: Polyplacophora)*. Vol. 4. 298p. E.J. Brill, Leiden.
 - 1994b. *Monograph of living Chitons (Mollusca: Polyplacophora)*. vol. 5. 402p. E.J. Brill, Leiden.
- Kay, E.A.
- 1965. Marine molluscs in the Cuming collection, British Musem (Natural History) described by William Harper Pease. *Bulletin of the British Museum (Natural History)*, Zoology, Supplement I, 96p.
 - 1979. *Hawaiian Marine Shells*. Bishop Museum Press. Honolulu, 652p.
- Kenyon, A.
- 1902. Some undescribed varieties of *Cypraea*. *Journal of Conchology* 10(6): 183-184.

- Kiener, L.C.
- 1845 (planches); 1846-1850 (texte). *Species général et iconographie des coquilles vivantes, comprenant la collection du Muséum d'Histoire naturelle de Paris, la collection Lamarck, celle du Prince Masséna (appartenant maintenant à M. le baron Benjamin Delessert), et les découvertes récentes des voyageurs*, 2, Famille des Enroulées. Genre Cône (*Conus* Lin.). Rousseau, Baillière, Paris, 379p.
- Kilburn, R.N.
1983. Turridae (Mollusca: Gastropoda) of southern Africa and Mozambique. Part 1. Subfamily Turrinae. *Annals of the Natal Museum*, 25(2):549-585.
- 1985a. Turridae (Mollusca: Gastropoda) of southern Africa and Mozambique. Part 2. Subfamily Turrinae. *Annals of the Natal Museum*, 26(2):417-470.
- 1985b. The family Epitoniidae (Mollusca: Gastropoda) in southern Africa and Mozambique. *Annals of the Natal Museum*, 27(1):239-337.
1986. Turridae (Mollusca: Gastropoda) of southern Africa and Mozambique. Part 3. Subfamily Borsoniinae. *Annals of the Natal Museum*, 27(2):633-720.
1988. Turridae (Mollusca: Gastropoda) of southern Africa and Mozambique. Part 4. Subfamily Drilliinae, Crassispirinae and Stictispirinae. *Annals of the Natal Museum*, 29(1):167-320.
1991. Turridae (Mollusca: Gastropoda) of southern Africa and Mozambique. Part 5. Subfamily Taraninae. *Annals of the Natal Museum*, 32:325-339.
1992. Turridae (Mollusca: Gastropoda) of southern Africa and Mozambique. Part 6. Subfamily Mangeliinae, section 1. *Annals of the Natal Museum*, 33(2): 461-575. 1993. Turridae (Mollusca: Gastropoda) of southern Africa and Mozambique. Part 6. Subfamily Mangeliinae, section 2. *Annals of the Natal Museum*, 34(2): 317-367.
1994. Turridae [s.l.] (Mollusca: Gastropoda) of southern Africa and Mozambique. Part 7. Subfamily Crassispirinae, section 2. *Annals of the Natal Museum*, 35(1):177-228.
1995. Turridae (s.l.) of southern Africa and Mozambique (Mollusca: Gastropoda: Conoidea). Part 8. Conidae: subfamily Mangeliinae, section 3. *Annals of the Natal Museum*, 36:261-269.
2004. The identities of *Otitoma* and *Antimitra* (Mollusca: Gastropoda: Conidae and Buccinidae). *African Invertebrates*, 45:263-270.
- Kisch, B.S.
1959. La collection de Caecidae du Marquis de Folin au Muséum national d'Histoire naturelle. *Journal de Conchyliologie*, 99: 15-42.
- Kobelt, W.
- 1876a. Die geschwänzten unbewehrten Purpurschnecken. Erste Hälfte: *Turbinella* und *Fasciolaria*. 164 pages in H.C. Küster, and W. Kobelt (eds.), *Systematisches Conchylien-Cabinet von Martini, and Chemnitz*, 2. ed., 3(3). Bauer, and Raspe, Nürnberg.
- 1876b. Catalog der Gattung *Turbinella* Lam. *Jahrbücher der Deutschen Malakozoologischen Gesellschaft* 3:10-29.

1877. Catalog der Gattung *Murex* Lam. (excl. gen. *Trophon*, *Vitularia* et *Typhis*). *Jahrbücher der Deutschen Malakozoologischen Gesellschaft* 4: 141-161, 238-252.

1881. Die Gattungen *Pyrula* und *Fusus* nebst *Ficula*, *Bulbus*, *Tudicla*, *Busycon*, *Neptunea* und *Euthria*. 247 pages in H.C. Küster, and W. Kobelt (eds.), *Systematisches Conchylien-Cabinet von Martini & Chemnitz*, 2. ed., 3(3B). Bauer, and Raspe, Nürnberg.

Kohn, A.J.

1968. Type specimens and identity of the described species of *Conus* IV. The species described by Hwass, Bruguière and Olivi in 1792. *The Journal of the Linnean Society of London (Zoology)* 47(313): 431-503.
1992. *A chronological taxonomy of Conus, 1758-1840*. Smithsonian Institution Press, Washington, 315p.

Kool, H.H.

1996. Description of two new nassariid species from the western Pacific (Gastropoda: Nassariidae). *Vita Marina*, 44(1-2): 41-46.
2004. *Nassarius olomea* Kay, 1979, revalidated (Gastropoda, Caenogastropoda, Nassariidae). *Basteria*, 68 : 21-24.
- 2005a. Two new western Pacific deep water species of *Nassarius* (Gastropoda: Prosobranchia: Nassariidae): *Nassarius herosae* sp. nov. and *Nassarius vanpeli* sp. nov. *Gloria maris*, 44:46-54.
- 2005b. *Nassarius cernohorskyi* spec. nov. from Marquesas Islands (Gastropoda, Caenogastropoda, Nassariidae). *Basteria*, 69:87-89.
2006. *Nassarius tangaroai* spec. nov., a species from the Marquesas Archipelago (Gastropoda, Caenogastropoda, Nassariidae). *Basteria*, 70:97-100.

Kool, H.H., and H. Dekker

2006. Review of *Nassarius pauper* (Gould, 1850) complex (Gastropoda: Nassariidae). Part 1, with description of four new species from the Indo-West-Pacific. *Visaya*, 1(6):54-77.
2007. Review of the *Nassarius pauper* (Gould, 1850) complex (Gastropoda, Nassariidae). Part 2, the Western Indian Ocean species, with the description of two new species and introducing a *Nomen novum*. *Visaya*, 2(2):62-75.

Kosuge, S.

- 1961a. On the family Triphoridae (Gastropoda) from Amani Islands (1). *Venus*, 21(3):308-316.
- 1961b. On the family Triphoridae (Gastropoda) from Amani Islands (2). *Venus*, 21(4):413-415.
- 1962a. Descriptions of 10 new species and 1 new subspecies of the family Triphoridae (Mollusca) from Shiono-misaki, Kii Peninsula, central Japan with a list of hitherto known species. *Bulletin of the National Science Museum*, 6(2):78-89.
- 1962b. On the family Triphoridae (Gastropoda) from Amani Islands (3). *Venus*, 22(2):119-129.
- 1963a. On the family Triphoridae (Gastropoda) from Amani Islands (4). *Venus*, 22(3):240-257.
- 1963b. On the family Triphoridae (Gastropoda) from Amani Islands (5) (Supplement). *Venus*, 22(3):257-263.

- Kosuge, S., and M. Suzuki
 1985. Illustrated catalogue of *Latiaxis* and its related groups. Family
Coralliophilidae. *Institute of Malacology of Tokyo*. Special Publication 1:1-83.
- Kreipl, K., and G.T. Poppe
 1999. *The family Strombidae*. 60 pages in G.T. Poppe, and K. Groh dir., *A Conchologica Iconography*. Conchbooks, Hackenheim (Allemagne).
- Kuroda, T.
 1929. Notes and descriptions of some new and noteworthy species from Tateyama Bay in the report of Mr. T. Fujita. *Venus*, 1(3):93-97.
- Küster, H.C., and H.C. Weinkauff
 1882. Die Gattung *Littorina*. 114 pages in H.C. Küster, and W. Kobelt (eds.), *Systematisches Conchylien-Cabinet von Martini, and Chemnitz*, 2. ed., 2(9). Bauer, and Raspe, Nürnberg.
- Ladd, H.S.
 1966. Chitons and gastropods (Haliothidae through Adeorbidae) from the western Pacific islands. *Geological Survey Professional Paper*, 531:98p.
 1972. Cenozoic fossil mollusks from western Pacific islands; Gastropods (Turritellidae through Strombidae). *Geological Survey Professional Paper*, 532: 79p.
- Lamprell, K., and J.M. Healy
 1998. *Bivalves of Australia*. Vol. 2. Backhuys Publishers. Leiden, 288p.
 2001. Spondylidae (Bivalvia) from New Caledonian and adjacent waters. In P. Bouchet, and B. Marshall (eds), *Tropical Deep-Sea Benthos*, volume 22, *Mémoires du muséum national d'Histoire naturelle*, Paris, 185:111-163.
 2002. A review of the Indo-Pacific *Lioconcha* Mörcz (Mollusca: Bivalvia: Veneridae), including a description of four new species from Queensland, New Caledonia and Philippines Islands. *Molluscan Research*, 22:101-147.
- Lamprell, K., and T. Whitehead, T.
 1992. *Bivalves of Australia*. Vol. 1. Crawford House Press. Bathurst. Australia: 182p.
- Lamy, E.
 1906. Liste des Lamellibranches recueillis par M.L.-G. Seurat aux îles Tuamotu et Gambier (1902-1905). *Bulletin du Muséum national d'Histoire naturelle* 12: 205-215, 308-318.
 1918. Notes sur quelques espèces de *Purpura* déterminées par Blainville dans la Collection du Muséum de Paris. *Bulletin du muséum d'Histoire naturelle*, 5-6: 352-430.
 1926. Sur diverses coquilles de la Mer Rouge figurées en 1830 par Léon de Laborde. *Bulletin du Muséum national d'Histoire naturelle* 32:378-383.
 1927. Description d'un lamellibranche nouveau des îles Marquises. *Bulletin du Muséum national d'Histoire naturelle* 33:184-185.
 1940-1941. Révision des Corbulidae vivants du Muséum national d'Histoire naturelle de Paris. *Journal de Conchyliologie*, 84(2):121-144.
- Laseron, C.F.
 1956. The families Rissoinidae and Rissoidae (Mollusca) from the solanderian and

- dampierian zoogeographical provinces. *Australian Journal of Marine and Freshwater research*, 7(3):384-484.
1957. A new classification of the australian Marginellidae (Mollusca), with a review of species from the solanderian and dampierian zoogeographical provinces. *Australian Journal of Marine and Freshwater research*, 8(3):274-311.
1958. The family Triphoridae (Mollusca) from northern Australia; also Triphoridae from Christmas Island (Indian Ocean). *Australian Journal of Marine and Freshwater research*, 9(4):569-658.
1959. The family Pyramidellidae (Mollusca) from northern Australia. *Australian Journal of Marine and Freshwater research*, 10(2):177-267.
- Laurens, G.
1994. Iconographie. *Xenophora* 66:32.
- Lavondes, H., G. Richard, and B. Salvat
1973. Noms vernaculaires et usages traditionnels de quelques coquillages des Marquises. *Journal de la Société des Océanistes* 39(29):121-137.
- Lepetit, P.
1999. Les Cypraeidae du genre *Cibrarula* - Strand, 1929. *Xenophora* 85:11-20.
- Le Renard, J., and P. Bouchet
2003. New species and genera of the family Pickworthiidae (Mollusca Caenogastropoda). *Zoosystema* 25(4):569-591.
- Lesson, R.P.
1840. Molluscorum species novae. *Revue Zoologique par la Société Cuvierienne* 355-356.
- 1842a. Notes sur quelques coquilles marines rapportées de la mer du Sud. *Revue Zoologique par la Société Cuvierienne* 102-104.
- 1842b. Mollusques recueillis dans la mer du Sud (Genre *Mitra* et *Pleurotoma*). *Revue Zoologique par la Société Cuvierienne* 141-144.
- 1842c. Mollusques recueillis dans la mer du Sud et l'Océan Atlantique. *Revue Zoologique par la Société Cuvierienne* 184-187.
- 1842d. Mollusques recueillis dans la mer du Sud. *Revue Zoologique par la Société Cuvierienne* 210-214.
- 1842e. Mollusques recueillis dans la mer du Sud. *Revue Zoologique par la Société Cuvierienne* 237-238.
- 1842f. Catalogue des mollusques rares ou nouveaux, recueillis dans la Mer du Sud, par le Docteur Adolphe Lesson, et décrits par P. Lesson, membre correspondant de l'Institut. *Actes de la Société Linnéenne de Bordeaux* 12:198-209.
- Lewis, C.M.D.
1979. Range extension for *Conus encaustus*. *Hawaiian Shell News* 27(2):11.
- Lightfoot, J.
1992. Hawaiian Caecidae. *Hawaiian Shell News*, 40(7):1, 4-5.
- Lillico, S.
1993. Through time and space with *Cypraea ostergaardi* Dall. *Hawaiian Shell News* 41(9):3.
- Linnaeus, C.
1758. *Systema naturae per regna tria naturae*. (Editio decima, reformata.), Stockholm.

1767. *Systema naturae per regna tria naturae*. Vol. 1, *Regnum animale*, Part 2.
 (Editio duodecima, reformata.), Stockholm.
- Lloyd, C.M.
2003. Diving the reefs of French Polynesia. *American Conchologist*, 31(1):3-8.
- Lorenz, F.
2002. *New worldwide cowries. Descriptions of new taxa and revisions of selected groups of living Cypraeidae (Mollusca: Gastropoda)*. Conchbooks, Hackenheim, Allemagne, 292p.
2005. An overlooked species of *Conus* (Gastropoda: Conidae). *Schriften zur Malakozoologie*, 22:71-74.
- Lorenz, F., and A. Hubert
1993. *A guide to worldwide Cowries*. Verlag Christa Hemmen, Wiesbaden, 571p.
2000. *A guide to worldwide Cowries. Second, enlarged and completely revised edition*. Conchbooks, Hackenheim, Allemagne, 584p.
- Lorenz, F., and G. Sterba,
1999. *Purpuradusta oryzaeformis* sp. nov. (Mollusca: Gastropoda: Cypraeidae). An overlooked species in the family Cypraeidae. *Schriften zur Malakozoologie*, 13: 3-8.
- Lorois, E.L.
1852. Description d'une espèce nouvelle du genre Argonaute. *Revue et Magasin de Zoologie* 2ème sér., 4:10.
- Lozouet, P., R. von Cosel, V. Heros, A. Le Goff, P. Maestrati, J-L. Menou, S. Schiaparelli, and J. Tröndlé
2003. Biodiversity gradient in the Pacific: First results of Rapa 2002 (French Polynesia). In G. Richard, E. Boulle, P. Bustamante, A. Combaud, and T. Guyot (éds). 3ème congrès international des Sociétés Européennes de Malacologie, La Rochelle, 24-27 juin 2003:93-99.
2004. L'atelier Rapa 2002 (Polynésie Française). *Xenophora*, 107: 17-30.
- Marsh, J.A., and O.H. Rippingale
1964. *Cone shells of the world*. Jacaranda Press. Milton, Q., 185p.
- Marshall, B.A.
1981. The genus *Williamia* in the western Pacific (Mollusca: Siphonariidae). *New Zealand Journal of Zoology*, 8: 487-492.
1983. A revision of the recent Triphoridae of southern Australia (Mollusca: Gastropoda). *Records of the Australian museum*, Supplément 2: 1-119.
- Martens, E. von
1889. Die Gattungen *Nerita* und *Neritopsis*. 147 pages in H.C. Küster, and W. Kobelt (ed.). *Systematisches Conchylien Cabinet von Martini, and Chemnitz*, 2. ed., 2(11). Raspe, Nürnberg.
- Martens, E. von, and B. Langkavel
1871. *Donum Bismarckianum. Eine Sammlung von Südsee Conchylien* . F. Berggold, Berlin, 74p.
- Martin, P., and G. Laurens
1995. About the presence of *Cypraea mappa* in the French Polynesia. *La Conchiglia* 27(274):12-14.

- Martin, P., and G.T. Poppe
 1989. Description of a new species of Cypraeidae from the Marquesas Islands. *La Conchiglia* 21(246-249):3-7.
- Massin, C.
 1982. Contribution to the knowledge of two boring gastropods with an annotated list of the genera *Magilus* Montfort, 1810 and *Leptoconchus* Rüppell, 1835. *Bulletin de l'Institut royal des Sciences naturelles de Belgique, Biologie*, 53(17):1-28.
 1983. Note on the genus *Leptoconchus* Rüppell, 1835 (Mollusca, Gastropoda, Coralliophilidae) with the description of two new species, *Leptoconchus vangoethemi* sp.n., and *Leptoconchus cyphastreae* sp. n., from Papua New Guinea. *Bulletin de l'Institut royal des Sciences naturelles de Belgique, Biologie*, 55(1): 1-16.
 1987a. Redécouverte du type de *Leptoconchus tenuis* (Chenu, 1843) (Gastropoda, Coralliophilidae). *Revue suisse de Zoologie*, 94(4): 725-727.
 1987b. *Reliquiaecava*, a new genus of Coralliophilidae (Mollusca, Gastropoda). *Bulletin de l'Institut royal des Sciences naturelles de Belgique, Biologie*, 57: 79-90.
 1990. Biologie et écologie de *Leptoconchus peronii* (Lamarck, 1818) (Gastropoda, Coralliophilidae) récolté en Papouasie Nouvelle-Guinée, avec une redescription de l'espèce. *Bulletin de l'Institut royal des Sciences naturelles de Belgique, Biologie*, 60:23-33.
- McDonald, G.R.
 2006. Nudibranch systematic index. *Scholarship Repository, University of California*. 420p.
- Medinskaya, A.I., and A.V. Sysoev
 2001. The foregut anatomy of the genus *Xenuroturris* (Gastropoda, Conoidea, Turridae), with a description of a new genus. *Ruthenica* 11(1):7-14.
- Melvill, J.C., and R. Standen
 1897. Notes on a collection of shells from Lifu and Uvea, Loyauté Islands, formed by the Rev. James and Mrs Hadfield, with list of species. *Journal of Conchology*, 8:273-315, 379-381, 396-421.
- Meyer, C.P., J.B. Geller, and G. Paulay
 2005. Fine scale endemism on coral reefs: Archipelagic differentiation in turbinid gastropods. *Evolution*, 59(1):113-125.
- Mighels, J.W.
 1845. Descriptions of shells from the Sandwich Islands, and other country. *Proceedings of the Boston Society of Natural History*, 2: 18-25.
- Montrouzier le R.P.
 1872. Diagnoses de mollusques inédits, provenant de la Nouvelle Calédonie. *Journal de Conchyliologie*, 20: 361-365.
 1873. Descriptions d'espèces nouvelles de l'archipel calédonien. *Journal de Conchyliologie*, 21: 55-65.
- Moolenbeek, R.G., A. Zandbergen, and P. Bouchet
 2008. *Conus* (Gastropoda, Conidae) from the Marquesas Archipelago: description of a new endemic offshore fauna. *Vita Malacologica*, 6:19-34.

- Myers, B.W., and C.M. Hertz
 1999. The description of new species of *Favartia* (*Murexiella*) from South Pacific Ocean. *The Veliger*, 42(2):182-185.
- Nevill, G., and H.
 1875. Descriptions of new marine mollusca from the Indian Ocean. *Journal Asiatic Society of Bengal*, 44(2):83-104.
- Newcomb, W.
 1870. Descriptions of new species of marine Mollusca. *American Journal of Conchology*, 5:163-164.
- Okon, M.E.
 2004. The genus *Harpa* revisited. *American Conchologist*, 32(3): 4-13.
- Okutani, T.
 2000. *Marine Mollusks in Japan*. Tokai University Press. Tokyo, 1173p.
- Oliver, W.R.B.
 1915 (1914). The Mollusca of the Kermadec Islands. *Transactions and Proceedings of the New Zealand Institute*, 47:509-568.
- Oliverio, M.
 2008. Coralliophilinae (Neogastropoda: Muricidae) from the Marquesas Islands. *Journal of Conchology* 39:569-584.
- O'Reilly, P., and R. Teissier
 1962. Tahitiens. Répertoire bio-bibliographique de la Polynésie Française. *Publications de la Société des Océanistes* N°10. Musée de l'Homme, Paris, 535p.
- Orr Maes, V.
 1967. The littoral marine mollusks of Cocos-Keeling Islands (Indian Ocean). *Proceedings of the Academy of Natural Sciences of Philadelphia*, 119(4): 93-217.
- Pace, S.
 1902. Critical notes on Hervier's monograph of the Collumbellidae of New Caledonia, with *C. hervieri*, nom. nov. *Journal de Conchyliologie*, 4(50): 412-422.
- Paetel, F.
 1883. *Catalog der Conchylien-Sammlung*. Verlag Gebrüder Paetel, Berlin, 271p.
 1888. *Catalog der Conchylien-Sammlung. Erste Abtheilung: die Cephalopoden, Pteropoden und Meeres-Gastropoden*. Verlag Gebrüder Paetel, Berlin, 639p.
- Parth, M.
 1989. Brief notes on the genus *Distorsio* Röding, 1798 and description of a new species. *La Conchiglia*, 236: 52-57.
 1991. New species of *Colubraria* Schumacher, 1817 (Prosobranchia: Buccinidae). *La Conchiglia*, 261:48-50.
 1992. Some notes on the genus *Colubraria* Schumacher, 1817, with description of *Colubraria brinkae*, spec. nov.. *Spixiana*, 15(2):213-220.
- Paulay, G.
 1987. Biology of Cook Islands Bivalves, part I. Heterodont families. *Atoll Research Bulletin*, 298:31p.

1989. Marine invertebrates of the Pitcairn Islands: species composition and biogeography of corals, molluscs and echinoderms. *Atoll Research Bulletin*, 326: 28p.
1996. New records and synonymies of hawaiian bivalves (Mollusca). Records of the Hawaii Biological Survey for, 1995. *Bishop Museum Occasional Papers*, 45:18-29.
2003. Marine Bivalvia (Mollusca) of Guam. *Micronesica*, 35-36: 218-243.
- Pease, W.H.
- 1860a. Descriptions of new species of Mollusca from the Sandwich Islands, Part I, II. *Proceedings of the Zoological Society of London* for 1860: 18-36, 141-148.
- 1860b. Descriptions of three species of marine shells from the Pacific Ocean. *Proceedings of the Zoological Society of London*, for 1860: 189-190.
- 1861a. Descriptions of seventeen new species of marine shells, from the Sandwich Islands, in the Collection of Hugh Cuming. *Proceedings of the Zoological Society of London* for 1860: 397-400.
- 1861b. Descriptions of forty-seven new species of shells from the Sandwich Islands, in the Collection of Hugh Cuming. *Proceedings of the Zoological Society of London* for 1860: 431-438.
- 1861c. Descriptions of new species of Mollusca from the Pacific Islands. *Proceedings of the Zoological Society of London* for 1861: 242-247.
- 1863a. Description of new species of marine shells from the Pacific Islands. *Proceedings of the Zoological Society of London* for 1862: 240-243.
- 1863b. Descriptions of new species of shells from the Pacific Islands. *Proceedings of the Zoological Society of London* for 1862: 243-245.
- 1863c. Description of new species of marine shells from the Pacific Islands. *Proceedings of the Zoological Society of London* for 1862: 278-280.
1865. Descriptions of new genera and species of marine shells from the islands of the Central Pacific. *Proceedings of the Zoological Society of London* for 1865: 512-517.
- 1868a. Descriptions of marine Gasteropodae inhabiting Polynesia. *American Journal of Conchology*, 3(4): 211-222.
- 1868b. Descriptions of sixty-five new species of marine Gastropodae, inhabiting Polynesia. *American Journal of Conchology*, 3(4): 271-297.
- 1868c. Descriptions of marine gastropodae inhabiting Polynesia. *American Journal of Conchology*, 4(2):71-80.
- 1868d. Descriptions of marine gastropodae, inhabiting Polynesia. *American Journal of Conchology* 4(3):91-102.
- 1868e. Synonymy of marine gastropodae inhabiting Polynesia. *American Journal of Conchology* 4(3):103-132.
- 1868f. Description of a new species of the Genus *Latirus* Montfort. *American Journal of Conchology* 4(3):152.
1869. Descriptions of new species of marine gastropoda inhabiting Polynesia. *American Journal of Conchology* 5(2):64-79.
- 1871a. Remarks on the genus *Triphoritis* (Desh.), with descriptions of new species. *Proceedings of the Zoological Society of London* for 1870:773-777.

- 1871b. Descriptions of nudibranchiate mollusca, inhabiting Polynesia. *American Journal of Conchology*, 6: 299-305.
- 1871c. Descriptions of new species of nudibranchiate mollusca inhabiting Polynesia. N° 2. *American Journal of Conchology*, 7:11-19.
- 1871d. Notes on the synonymy and distribution of marine gastropoda. *American Journal of Conchology*, 7:20-25.
- Petit de la Saussaye, S.
- 1853a. Notice sur le genre *Modulus*, avec la liste des espèces appartenant à ce genre. *Journal de Conchyliologie*, 4:132-137.
- 1853b. Notice sur le genre *Phos* de Denys de Monfort, avec la description de deux espèces nouvelles. *Journal de Conchyliologie* 4:235-245.
- Petrbok, J.
1932. *Mauritia mauritiana* (Linné) var. *albiflora* var. n. *Archiv für Molluskenkunde* 64(4):207-208.
- Petuch, E.J., and D.M. Sargent
1986. *Atlas of the living olive shells of the World*. Coastal Education, and Research Foundation, Charlottesville, Virginia, 253p.
- Peyrot-Clausade, M., P. Hutchings, and G. Richard
1992. Temporal variations of macroborers in massive *Porites lobata* on Moorea, French Polynesia. *Coral Reefs*, 11: 161-166.
- Philippi, R.A.
1850. Bemerkungen über einige Arten von *Mitra*. *Zeitschrift für Malakozoologie* 7(1):22-30.
- 1851a. Centuria quarta testaceorum novorum (contin.). *Zeitschrift für Malakozoologie*, 8(4):49-64.
- 1851b. Centuria quarta testaceorum novorum. *Zeitschrift für Malakozoologie*, 8(5): 65-74.
- 1851c. Centuria quinta testaceorum novorum. *Zeitschrift für Malakozoologie* 8(5): 74-80; 8(6):81-96.
- Pilsbry, H.A.
1888. Family Turbinidae. Pages 161-290 in G.W. Tryon (ed.), *Manual of Conchology* 10.
1893. Genus *Chiton*. Pages 148-192 in G. W. Tryon (ed.), *Manual of Conchology* 14.
1921. Marine mollusks of Hawaii. *Proceedings of the Academy of Natural Sciences of Philadelphia*, 72 : 360-382.
- Pizzini, M.
1998. Contribution to the knowledge of the family Caecidae. 7: *C. fulvum* Kisch, 1959 a junior synonym of *C. neocaledonicum* de Folin, 1868 (Caenogastropoda:Rissooidea Gray J.E., 1847). *Argonauta*, 11(2):33-38.
- Plane, S., Y. Chancerelle, and R. Galzin
1995. *Etude de l'environnement marin de deux baies de Ua Huka (Archipel des Marquises, Polynésie Française)*. Contrat Centre Polynésien des Sciences Humaines, Rapport Centre de Recherches Insulaires et Observatoire de l'Environnement, E.P.H.E., 1995RA63, 70p.

- Ponder, W.F.
- 1967. The classification of the Rissoidae and Orbitestellidae with descriptions of some new taxa. *Transactions of the Royal Society of New Zealand. Zoology*, 19(17):193-224.
 - 1972a. Notes on some Australian genera and species of the family Muricidae (Neogastropoda). *Journal of the Malacological Society of Australia* 2(3):215-248.
 - 1972b. Notes on some australian species and genera of the family Buccinidae (Neogastropoda). *Journal of the malacological Society of Australia*, 2(3): 249-265.
 - 1983. Review of the genera of the Barleeidae (Mollusca: Gastropoda: Rissoacea). *Records of Australian Museum*, 35:231-281.
 - 1985. A review of the genera of the Rissoidae (Mollusca: Mesogastropoda: Rissoacea). *Records of the Australian Museum*, Supplement 4: 221p.
 - 1994. The anatomy and relationships of *Finella* and *Scaliola* (Caenogastropoda: Cerithioidea: Scaliolidae). In: *The Malacofauna of Hong Kong and Southern China III* (ed. B. Morton). *Proceedings of the Third International Workshop on the Malcofauna of Hong Kong and Southern China*: 216-241. Hong Kong University Press.
- Ponder, W.F., and R.U. Gooding
- 1978. Four new eulimid gastropods associated with shallow-water diadematid echinoids in the Western Pacific. *Pacific Science* 32(2):157-181.
- Ponder, W.F., and R. de Keyzer
- 1992. A Revision of the Genus *Diala* (Gastropoda: Cerithioidea: Dialidae). *Invertebrate Taxonomy* 6:1019-1075.
- Ponder, W.F., and E.K. Yoo
- 1977. Revision of australian species of Rissoellidae (Mollusca). *Records of Australian Museum*, 31(4-6):1-14.
- Poppe, G.T.
- 1993. From French Polynesia, a new cowrie. *La Conchiglia* 25(267):32-35.
 - 2008. *Philippine marine mollusks*. Volume I (Gastropoda-Part I). Conchbooks, Hackenheim (Allemagne), 766p.
- Poppe, G.T., T. Brulet, and S.P. Dance
- 1999. The family Harpidae. 68 pages in G.T. Poppe, and K. Groh, dir., *A Conchological Iconography*. ConchBooks, Hackenheim (Allemagne).
- Powell, A.W.B
- 1964. The family Turridae in the Indo-Pacific. Part 1. The subfamily Turrinae. *Indo-Pacific Mollusca* 1(5):227-345.
 - 1967. The family Turridae in the Indo-Pacific. Part 1a. The subfamily Turrinae concluded. *Indo-Pacific Mollusca* 1(7):409-443.
 - 1973. The patellid limpets of the world (Patellidae). *Indo-Pacific Mollusca* 3(15): 75-206.
- Powys, W.L.
- 1835. Characters of new species of shells collected by Mr. Cuming. *Proceedings of the Zoological Society of London*, 3:94-96.

- Quoy, J.R.C., and J.P. Gaimard
 1832-1835. *Voyage de découvertes de L'Astrolabe exécuté par ordre du Roi, pendant les années 1826-1828-1829, sous le commandement de M. J. Dumont d'Urville. Zoologie. Mollusca.* Paris, Vol. 2(2):321-686.
- Radwin, G.E., and A. D'Attilio
 1976. *Murex shells of the world. An illustrated guide to the Muricidae.* Standford University Press. California, 284p.
- Raines, B.K.
 2002a. Contributions to the knowledge of Easter Island Mollusca. *La Conchiglia*, 304:11-40.
 2002b. Contributions to the knowledge of Easter Island Mollusca. *La Conchiglia*, 305:41-50.
- Raybaudi, L.
 1986. *Palmadusta (Purpuradusta) barbieri* species nova. *The Connoisseur of seashells*, 12: 48-52.
- Récluz, C.A.
 1841a. Description de quelques nouvelles espèces de nérites vivantes. *Revue Zoologique par la Société Cuvierienne*: 147-152.
 1841b. Description de quelques nouvelles espèces de nérites vivantes. *Revue Zoologique par la Société Cuvierienne* 177-182.
 1844. Descriptions of new species of *Navicella*, *Neritina*, and *Natica*, in the cabinet of H. Cuming, Esq.. *Proceedings of the Zoological Society of London* for 1843 (part 11):197-214.
 1850. Notice sur le genre *Nerita* et sur le S.-G. *Neritina* avec le catalogue synonymique des neritines. *Journal de Conchyliologie* 1:131-164.
- Reeve, L.A.
 1843-1878. *Conchologia Iconica, or illustrations of the shells of molluscous animals*, vol. 1-15 (Reeve); 16-20 (Sowerby). Reeve Brothers, London, 20 vols.
- Rehder, H.A.
 1969. The Marine Molluscan Fauna of the Marquesas Islands. *Annual Report for 1968 of the American Malacological Union* 29-32.
 1973. The family Harpidae of the world. *Indo-Pacific Mollusca* 3(16):207-274.
 1980. The marine mollusks of Easter Island (Isla de Pascua) and Sala y Gomez. *Smithsonian Contributions to Zoology* 289:167p.
 1984. *Cypraea thomasi* Crosse: A Valid Species. *Hawaiian Shell News* 32(4):1, 8.
 1985. A new species of *Coralliophila* (Gastropoda: Coralliophilidae) from Southeastern Polynesia. *The Nautilus* 99(4):97-100.
 1986. *Cypraea thomasi* Crosse revalidated. *Hawaiian Shell News* 35(7):12.
- Rehder, H.A., and J.E. Randall
 1975. Ducie Atoll: Its history, physiography and biota. *Atoll Research Bulletin* 183: 40p.
- Rehder, H.A., and B.R. Wilson
 1975. New Species of Marine Mollusks from Pitcairn Island and the Marquesas. *Smithsonian Contributions to Zoology* 203: i-iv, 1-16.

- Reid, D.G.
- 1986. *The littorinid molluscs of mangrove forest in the Indo-Pacific region. The genus Littoraria*. British Museum (Natural History), 978: 228p.
 - 1989. Systematic revision of the recent species of *Peasiella* Nevill, 1885 (Gastropoda: Littorinidae), with notes on the fossil species. *The nautilus*, 103(2): 43-69.
 - 2007. The genus *Echinolittorina* Habe, 1956 (Gastropoda: Littorinidae) in the Indo-West Pacific Ocean. *Zootaxa*, 1420:1-161.
- Richard, G.
- 1974a. Bionomie des Mollusques littoraux des baies envasées de l’Île de Mangareva, Archipel des Gambier - Polynésie française. *Cahiers du pacifique*, 18(2):605-616.
 - 1974b. *Adusta (Cibraria) bernardi* sp. n. (Mesogastropoda, Cypraeidae) des îles de la Société et les porcelaines de Polynésie. *Bulletin de la Société des Études Océaniennes*, 16:377-383.
 - 1981. Révision systématique des Conidae. Première partie. *Xenophora* 3:7-12.
 - 1983. Biogéographie des Conidae indo-pacifiques. *Xenophora* 14:8-21.
 - 1984. Rapa la méconnue (aux frontières de la province Indo-Pacifique). *Xenophora*, 24:7-16.
 - 1985a. Fauna and Flora, a first compendium of French Polynesian sea-dwellers. Pages 379-520 in B. Delessale, R. Galzin, and B. Salvat (éds). 5th International Coral Reef Congress, Tahiti, 27 May-1 June 1985. Vol.1: “French Polynesian Coral Reefs”.
 - 1985b. Conidae de Polynésie Française. *Xenophora* 26: 9-20, 27:7-18, 28:9-20. [l’article a en plus une pagination séparée et continue : 1-36].
- Richard, G., and C. Hunon
- 1991a. Cypraeidae de Polynésie Française. Partie I. *Xenophora* 55:11-42.
 - 1991b. Cypraeidae de Polynésie Française. Partie II. *Xenophora* 56:7-42.
- Richard, G., and B. Salvat
- 1973. *Conus (Dendroconus) gauguini* sp. n. (Neogastropoda, Conidae) des Iles Marquises (Polynésie Française). *Cahiers du Pacifique* 17:26-29.
- Richard, G., B. Salvat, and O. Millous
- 1979. Mollusques et faune benthique du lagon de Takapoto. *Journal de la Société des Océanistes*, 35(62):59-68.
- Richard, G., J. Tröndlé, and B. Salvat
- 1984. Nassariidae de Polynésie Française. *Xenophora* 21:7-17.
- Richer de Forges, B., J. Poupin, and P. Laboute
- 1999. La campagne MUSORSTOM 9 dans l’Archipel des îles Marquises (Polynésie Française). Compte rendu et liste des stations. Pages 9-29 (tome 180) in A. Crosnier (ed.), Résultats des Campagnes MUSORSTOM, vol. 20. *Mémoires du Muséum national d’Histoire naturelle*.
- Roberts, S.R.
- 1885. Monograph of the family Cypraeidae. Prepared expressly for the “Manual of Conchology”. Pages 153-240 in G.W. Tryon *Manual of Conchology*, vol. 7. Chez l’auteur (Academy of Natural Sciences), Philadelphia.

- Robertson, R.
- 1970. Systematics of Indo-Pacific *Philippia (Psilaxis)*, architectonicid gastropods with eggs and young in the umbilicus. *Pacific Science* 24(1):66-83.
 - 1981. *Epitonium millecostatum* and *Coralliophila clathrata*: Two prosobranch gastropods symbiotic with indo-pacific *Palythoa* (Coelenterata: Zoanthidae). *Pacific Science* 34(1):1-17.
- Robin, A., and J-C. Martin
- 2004. *Mitridae, Costellariidae*. AFC – Xenophora, Paris/Conchbooks, Hackenheim. 34p.
- Röckel, D., W. Korn, and A.J. Kohn
- 1995. *Manual of living Conidae*. vol. 1: Indo-Pacific Region. Verlag Christa Hemmen, Wiesbaden, 517p.
- Rombouts, A.
- 1991. *Guidebook to Pecten shells. Recent Pectinidae and Propeamussiidae of the World*. Universal Book Services/Dr. W. Backhuys, Oegstgeest, Pays-Bas, 157p.
- Rosenberg, G., and R. Salisbury
- 2007. New species of *Thala* (Gastropoda: Costellariidae) from Hawaii, with comments on other Indo Pacific species. *Vita Malacologica*, 5:53-62.
- Rosewater, J.
- 1970. The Family Littorinidae in the Indo-Pacific. Part 1. The Subfamily Littorininae. *Indo-Pacific Mollusca* 2(11):417-506.
- Rousseau, L.
- 1854. Voyage au pôle Sud et dans l'Océanie sur les corvettes *l'Astrolabe* et la *Zélée*, exécuté par ordre du roi pendant les années 1837-1838-1839-1840. *Zoologie* vol. 5. Description des mollusques, coquilles et zoophytes. Paris. [texte seulement; planches parues 1842-1853, fide Dance, 1986].
- Rudman, W.,B.
- 1998-2009. [In] *Sea Slug Forum*. Australian Museum, Sydney.
- Salisbury, R.
- 1992. Collocation of two mitrids from the Indopacific in the family Mitridae instead of Costellariidae. *La Conchiglia*, 263: 35-38.
 - 1999. Costellariidae of the world, Part 1. *Of sea and shore*, 22(3):124-136.
 - 2000a. Costellariidae of the world, Part 2. *Of sea and shore*, 22(4):221-235.
 - 2000b. Costellariidae of the world, Part 3. *Of sea and shore*, 23(1):4-14.
 - 2000c. Costellariidae of the world, Part 4. *Of sea and shore*, 23(2):70-82.
- Salvat, B.
- 1967. *Cerithium (Pseudovertagus) clava* (Gmelin, 1791) (= *Clava maculata* Martyn, 1784). Taxonomie et distribution géographique. *Journal de Conchyliologie*, 106(4):130-137.
 - 1970. Les Mollusques des "réefs d'îlots" du récif barrière des Iles Gambier (Polynésie). Bionomie et densités de peuplement. *Bulletin du Muséum d'Histoire naturelle*, Paris, 42(3):525-542.
 - 1971. Mollusques lagunaires et récifaux de l'île de Raevavae (Australes, Polynésie). *Malacological Review*, 4:1-13.
 - 1973. Mollusques des Îles Tubuai (Australes, Polynésie). Comparaisons avec les Îles de la Société et des Tuamotu. *Malacologia*, 14:429-430.

1979. Scilly, atoll de l'archipel de la Société, Polynésie Française. Le lagon et ses peuplements. *Bulletin de l'Antenne de Tahiti du M.N.H.N. et de l'E.P.H.E.*, 1: 34-38.
1983. La faune benthique du lagon de l'atoll de Scilly, archipel de la Société. *Journal de la Société des Océanistes*, 39(77):5-15.
- Salvat, B., and J.P. Ehrhardt
1970. Mollusques de l'Ile Clipperton. *Bulletin du Muséum d'Histoire naturelle*, Paris, 42(1):223-231.
- Salvat, B., A. Aubanel, M. Adjeroud, P. Bouisset, D. Calmet, Y. Chancerelle, N. Cochenec, N. Davies, A. Fougerouse, R. Galzin, É. Lagouy, C. Lo, C. Monier, C. Ponsonnet, G. Remoissenet, D. Schneider, A. Stein, M. Tatarata, and L. Villiers
2008. Le suivi de l'état de santé des récifs coralliens de Polynésie française et leur récente évolution. *Revue d'écologie (Terre et Vie)*, 62:145-177.
- Salvat, B., G. Faure, R. Galzin, and C. Payri
1993. La biogéographie récifale et lagunaire. *Atlas de la Polynésie Française*. Ed. ORSTOM.
- Salvat, B., and F. and G. Richard
1973. *Astraea (Celcar) milloni* sp. n. (Archaeogastropoda, Turbinidae) de Rapa (Australes) Polynésie Française. *Cahiers du Pacifique*, 17:245-252.
- Salvat, B., and C. Rives
1975. *Coquillages de Polynésie*. Les Editions du Pacifique. Papeete. Tahiti, 391p.
1980. *Coquillages de Tahiti*. Times Editions: 1-159.
- Scarabino, V.
1995. Scaphopoda of the tropical Pacific and Indian Oceans, with description of 3 new genera and 42 new species. In: P. Bouchet (ed.), *Résultats des Campagnes Musorstrom*, Volume 14. *Mémoires du Muséum national d'Histoire naturelle*, 167:189-379. Paris.
2008. New species and new records of scaphopods from New Caledonia, in Héros V., Cowie R.H., and Bouchet P. (eds), *Tropical Deep-Sea Benthos 25. Mémoires du Muséum national d'Histoire naturelle*, Paris, 196:215-268.
- Schander, C., S. Hori, and J. Lundberg
1999. Anatomy, phylogeny and biology of *Odostomella* and *Herviera*, with the description of a new species of *Odostomella* (Mollusca, Heterostropha, Pyramydellidae). *Ophelia*, 51(1):39-76.
- Schilder, F.A.
1971. Zur Kenntnis der Cypraeidae 14: Eine neue *Cribrarula*. *Archiv für Molluskenkunde* 101(5/6):297-299.
- Schilder, F.A., and M. Schilder
1952. P. Dautzenberg's collection of Cypræidæ. *Mémoires de l'Institut Royal des Sciences Naturelles de Belgique* 45:243p.
- Schwabe, E., and P. Lozouet
2006. Chitons (Mollusca, Polyplacophora) from Rapa, the southernmost island of Polynesia. *Zoosystema*, 28(3):617-633.

- Shasky, D.R.
- 1989. Notes on marine mollusca from French Polynesia. *Hawaiian Shell News*, 37(6):1, 4.
- Shaw, H.O.N.
- 1909. Notes on the genera *Cypraea* and *Trivia*. *Proceedings of the Malacological Society of London* 7(5):288-313.
- Simonet, O.
- 1994. *Cypraea thomasi* Crosse, 1865: a marquesan cowrie. *Hawaiian Shell News* 42(4):1, 6-7.
- Sleurs, W. J.
- 1982. A new record and a redescription of the marine gastropod *Euplica amirantium* (E.A. Smith, 1884). *Annales de la Société royale zoologique de Belgique*, 112(2):197-203.
 - 1985. The marine microgastropods from the Northern Coast of Papua New Guinea (Mollusca: Gastropoda). II. Family Columbellidae (Subfamily Columbellinae), with descriptions of one new species. *Indo-Malayan Zoology* 2:267-280.
 - 1987. The marine microgastropods from the Northern Coast of Papua New Guinea (Mollusca: Gastropoda). III. Family Columbellidae (Subfamily Pyreninae), with description of two new species. *Indo-Malayan Zoology*, 4:33-68.
 - 1993. A revision of the recent species of *Rissoina* (*Moerchiella*), *R.* (*Apataxia*), *R.* (*Alinzebina*) and *R.* (*Pachyrissoina*) (Gastropoda: Rissoidae). *Bulletin de l'Institut royal de Sciences naturelles de Belgique, Biologie*, 63:71-135.
 - 1996. A revision of the recent species of the genus *Stosicia* (Gastropoda: Rissoidae). *Mededelingen van de Koninklijke Academie voor Wetenschappen, Letteren en Schone Kunsten van België*. 58 (1):117-158.
- Sleurs, W.J., and R.C. Preece
- 1994. The Rissoininae (Gastropoda: Rissoidae) of the Pitcairn Islands, with the description of two new species. *Journal of Conchology*, 35:67-82.
- Slieker, F.J.A.
- 2000. *Chitons of the World*. An illustrated synopsis of recent Polyplacophora. L'Informatore Piceno, Ancona, 154p.
- Smith, E.A.
- 1885. Report on the Lamellibranchiata. *Report on the Scientific results of the Voyage of H.M.S. Challenger during the years 1873-1876*, Zoology 13(35):1-341.
 - 1903. *Marine Mollusca... in The fauna and geography of the Maldive and Laccadive Archipelagoes*. Gardiner, J.S. (ed.): 589-630.
 - 1908. On the known recent species of the genus *Vanikoro* Quoy, and Gaimard. *Proceedings of the Malacological Society of London* 8:104-117.
- Solem, A.
- 1954. Living species of the pelecypod family Trapeziidae. *Proceedings of the Malacological Society*, London, 31(2):64-84.
- Souverbie, M.
- 1863. Descriptions d'espèces nouvelles de l'archipel calédonien. *Journal de Conchyliologie*, 11:276-287.

1866. Descriptions d'espèces nouvelles de l'archipel calédonien. *Journal de Conchyliologie*, 14:138-151, 248-261.
- 1875a. Descriptions d'espèces nouvelles de l'archipel calédonien. *Journal de Conchyliologie*, 23:33-43.
- 1875b. Descriptions d'espèces nouvelles de l'Archipel Calédonien. *Journal de Conchyliologie*, 23:282-296.
- Sowerby, G.B. [I]
- 1832. Characters of new species of Mollusca and Conchifera, collected by Mr. Cuming. *Proceedings of the Committee of Science and Correspondence of the Zoological Society of London*, 2:113-120.
 - 1833. Characters of and observations on new species of Mollusca and Conchifera collected by Mr. Cuming. *Proceedings of the Malacological Society of London*, 1:70-74.
 - 1834. Characters of new species of Mollusca and Conchifera, collected by Mr. Cuming. *Proceedings of the Zoological Society of London*, 2: 17-19, 21-22..
 - 1842. Descriptions of four species of the genus *Chiton*, brought by H. Cuming Esq., from the Philippine Island. *Proceedings of the Zoological Society of London* for 1841, 9: 103-104.
- Sowerby, G. B. [II]
- 1859. Monograph of the genus *Erato*. *Thesaurus Conchyliorum*. London, 3:81-84.
 - 1874. Monograph of the genus *Mitra*. *Thesaurus Conchyliorum*. London, 4:1-46.
- Sowerby, G. B. [III]
- 1897. On three new shells from the collection of Mr. B.C.Thomas, of Brest. *Proceedings of the Malacological Society of London* 2:137-138.
- Spoel van der, S.
- 1967. *Euthecosomata a group with remarkable developmental stages (Gastropoda, Pteropoda)*. J. Noorduijn en Zoon N.V., Gorinchem. 375p.
 - 1976. *Pseudothecosomata, Gymnosomata and Heteropoda (Gastropoda)*. Bohn, Scheltema, and Holkema, Utrecht. 484p.
- Sterba, G.
- 2003. *Olividae: Fiebel der Schalen*. Chez l'auteur, Kiel, Allemagne, 168p.
- Streitz, M.
- 1992a. Les natices de Thaïlande, 1ère partie. *Xenophora*, 57:8-22.
 - 1992b. Les natices de Thaïlande, 2ème partie. *Xenophora*, 60:12-25.
 - 1994. Les natices de Thaïlande, 3ème partie. *Xenophora*, 68:20-31.
- Sysoev, A.
- 2002. On the type species of *Iotyrris* Medinskaya et Sysoev, 2001 (Gastropoda, Turridae). *Ruthenica* 12(2): 169-171.
- Sysoev, A.V., and P. Bouchet
- 2001. New and uncommon turriform gastropods (Gastropoda: Conoidea) from the South-West Pacific. In: Bouchet, Ph., and Marshall, B.A. (eds.), Tropical Deep-Sea Benthos, 22. *Mémoires du Muséum national d'Histoire naturelle*, 185:271-320.

- Tebano, T., and G. Paulay
 2000. Variable recruitment and changing environments create a fluctuating resource:
 The biology of *Anadara uropigimelana* (Bivalvia: Arcidae) on Tarawa Atoll.
Atoll Research Bulletin, 488:15p.
- Terryn, Y.
 2007. *A collectors guide to recent Terebridae (Mollusca: Neogastropoda)*.
 Conchbooks, Hackenheim, D-555546, and Natural Art, Gent, B-9000. 57p.
- Thomassin, B.A., C. Jouin, J. Renaud-Mornant, G. Richard, and B. Salvat
 1982. Macrofauna and meiofauna in the coral sediments on the Tiahura reef
 complex, Moorea Island (French Polynesia). *Tethys*, 10(4):392-397.
- Touitou, D., and M. Balleton
 2003. Conidae de Polynésie. *Xenophora*, 111:27-42.
- Tröndlé, J.
 1983. Terebridae de Polynésie Française. *Xenophora* 15: 7-17.
 1986. Premières données en écologie et faunistique sur la microfaune malacologique
 de Tahiti. *Haliotis*, 15: 61-72.
 1989a. Coralliophilidae de Polynésie Française. *Xenophora* 45:18-27.
 1989b. Modulidae de Polynésie Française. *Xenophora* 46:16-18.
 1989c. Terebridae de Polynésie Française -Additif-.*Xenophora* 47:2.
 2003. "Coquillages de Polynésie», 25 ans déjà! *Xenophora*, 101:40-42.
- Tröndlé, J., and R. von Cosel
 2005. Inventaire bibliographique des mollusques marins de l'Archipel des
 Marquises (Polynésie Française). *Atoll Research Bulletin*, 542:265-340.
- Tröndlé, J., and R. Houart
 1992. Les Muricidae de Polynésie Française. *Apex* 7(3-4):67-149.
- Tryon, G.W.
 1878-1879. Cephalopoda. *Manual of Conchology* vol. 1:316p. [pages 1-64 (1878),
 pages 65-316 (1879)].
 1880. Muricinae, Purpurinae. *Manual of Conchology* vol. 2:289p.
 1880-1881. Tritonidae, Fusidae, Buccinidae. *Manual of Conchology* vol. 3:310p.
 [pages 1-64 (1880), pages 65-310 (1881)].
 1883-1884. Conidae, Pleurotomidae. *Manual of Conchology* vol. 6:413p.
 1885. Terebridae. *Manual of Conchology* vol. 7:64p.
- Turner, H.
 1988. *Vexillum (Costellaria) aureolineatum* a new costellarid species from Western
 and Central Pacific Ocean (Mollusca: Neogastropoda). *La Conchiglia*, 230-
 231:8-10.
 1989. Uncommon and new mitriform gastropods from the Indo-Pacific. Part 1.
Swiss Federal Research Institute for Forest, Snow and Landscape,
 Birmensdorf, 35p.
 1993. Mitroidea peu communes ou nouvelles de l'Indo-pacifique. 2ème partie.
Bulletin de la Société Internationale de Conchyliologie 15(4):1-27.
 2001. *Katalog der familie Costellariidae Macdonald 1860 (Gastropoda:*
Prosobranchia: Muricoidea): 100p. Conchbooks, Hackenheim (Allemagne).

- Tursch, B., and D. Greifeneder
 2001. *Oliva Shells. The genus Oliva and the species problem.* L'Informatore Piceno, Italy, 569p.
- Valenciennes, A., in Dupetit Thouars
 1846. *Voyage autour du Monde sur la frégate la Vénus pendant les années 1836-1839; publié par ordre du roi sous les auspices du Ministre de la Marine par: Abel du Petit Thouars. Atlas de Zoologie, Mollusques.* 27 planches [numérotées de 1 à 24] Gide, and Cie Ed., Paris.
- Vayssière, A.
 1910. Nouvelle étude sur les coquilles de quelques *Cypraea*. *Journal de Conchyliologie*, 58:301-311.
- Vermeij, G.J., E.A. Kay, and L.G. Eldredge
 1983. Molluscs of Northern Marianas Islands, with special reference to the selectivity of oceanic dispersal barriers. *Micronesica*, 9:27-55.
- Vidal, J.
 1997. Large Trachycardiinae from the Indo-Pacific: The group of *Vasticardium orbita* (Broderip, and Sowerby, 1833) (Mollusca, Cardiidae). *Molluscan Research* 18(1):11-32.
 1999. Taxonomic review of the elongated cockles: genera *Trachycardium*, *Vasticardium* and *Acrosterigma* (Mollusca, Cardiidae). *Zoosystema*, 21(2):259-335.
- Vidal, J., and L. Kirkendale
 2007. Ten new species of Cardiidae (Mollusca, Bivalvia) from New Caledonia and the tropical western Pacific. *Zoosystema*, 29(1): 83-107.
- Vignal, L.
 1903. Sur les variétés du *Cerithium zebrum*. *Journal de Conchyliologie*, 51:21-27.
- Vilvens, C.
 2007. New species and new records of *Calliotropis* (Gastropoda: Chilodontidae: Calliotropinae) from Indo-Pacific. *Novapex*, 8(HS 5): 1-72.
- Vokes, E.H.
 1974. On the identity of *Murex triqueter* Born. *Veliger* 16(3): 258-264.
 1999. Another look at the muricine genus *Attiliosa*. *The Veliger*, 42(4): 289-305.
- Voskuil, R.P.A.
 1995. The living species of genus *Hydatina* Schumacher, 1817 (Mollusca: Gastropoda:Opisthobranchia:Hydatinidae) with the description of a new species. *Vita Marina* 43(1-2): 29-38.
- Waller, T.R.
 1972. The Pectinidae (Mollusca: Bivalvia) of Eniwetok Atoll, Marshall Islands. *The Veliger* 14(3):221-264.
- Wakefield, A., and T. McCleery
 2002. A review of the genus *Serrata* Jousseaume, 1875 (Gastropoda: Marginellidae) from French Polynesia.
 2004. The genus *Volvarina* (Gastropoda: Marginellidae) in Polynesia. *Novapex* 5(4): 131-138.
 2005. Three new species of *Cystiscus* Stimpson, 1865 (Gastropoda: Cystiscidae) from the Tuamotu Archipelago. *Novapex*, 6(1-2):19-30.

2006. Descriptions of new species of Pacific *Cystiscus* Stimpson, 1865 (Gastropoda: Cystiscidae). Part 1: species with banded mantle patterns. *Novapex*, 7(HS 4): 1-31.
- Walls, J.G.
1979. *Cone shells. A synopsis of the living conidae*. T.F.H. Publications, Neptune, N.J., 1017p.
- Warén, A.
- 1980a. Revision of the genera *Thyca*, *Stilifer*, *Scalenostoma*, *Mucronalia* and *Echineulima* (Mollusca, Prosobranchia, Eulimidae). *Zoologica Scripta*, 9:187-210.
- 1980b. Descriptions of new taxa of Eulimidae (Mollusca, Prosobranchia), with notes on some previously described genera. *Zoologica Scripta*, 9:283-306.
1981. Revision of the genera *Apicalia* A. Adams and *Stilapex* Iredale and Description of two new genera (Mollusca, Prosobranchia, Eulimidae). *Zoologica Scripta*, 10:133-154.
- 1983a. An anatomical description of *Eulima bilineata* Alder with remarks on and a revision of *Pyramidelloides* Nevill (Mollusca, Prosobranchia, Eulimidae). *Zoologica Scripta* 12(4):273-294.
- 1983b. A generic revision of the family Eulimidae (Gastropoda, Prosobranchia). *The Journal of Molluscan Studies*, Supplement 13: 96p.
- Weil, A., L. Brown, and B. Nevill
1999. The Wentletrap book. Guide to the recent Epitoniidae of the world. Evolversrl, Roma. 244p.
- Weinkauff, H.C.
- 1873-1875. Die Familie Coneae oder Conidae. I. *Conus* Linné. 413 pages in H.C. Küster, and W. Kobelt (eds.) *Systematisches Conchylien Cabinet von Martini, and Chemnitz*, 2 ed., vol. 4(2). Raspe, Nürnberg.
1874. Catalog der bis jetzt bekannt gewordenen Arten der Gattung *Conus* L. *Jahrbücher der Deutschen Malakozoologischen Gesellschaft* 1: 236-268, 273-305.
1883. Catalog der Gattung *Littorina* Féussac. *Jahrbücher der Deutschen Malakozoologischen Gesellschaft* 10: 213-227.
- Wells, F.E.
1991. A revision of recent australian species of the turrid genera *Clavus*, *Plagiostropha*, and *Tylotiella* (Mollusca: Gastropoda). *Journal of the Malacological Society of Australia*, 12: 1-33.

