


2547-112  
0

JAPANESE MEDICAL MATERIEL

0493411

JAPANESE DRUGS AND MEDICINES



INVENTORY REPORT NO. 11

23 May 1946

MEDICAL ANALYSIS SECTION  
5250th Technical Intelligence Company  
APO 500

MEDICAL ANALYSIS SECTION  
5250th Technical Intelligence Company  
Office of the Assistant Chief of Staff, G-2  
UNITED STATES ARMY FORCES, PACIFIC

23 May 1946

INVENTORY REPORT NO. 11  
Japanese Drugs and Medicines

The following Japanese Drugs and Medicines have been examined and found to be of no Intelligence value:

1. Anti Diuretic Mixture, (God Medicine), powders, carton, #10, (Formula Unknown),  
Contains:  
(Geranium Maculatum)  
(Calc. Carbonate      )  
(Kaolin                )
2. Sedative Expectorant, (L. Husgen), solution, bottle, 50 cc.  
Contains:  
(Papaver Somniferum Shells      - 770)  
(Platycodon Grandiflorum Roots - 200)
3. Sedative Expectorant, (Markofen), powder, bottle, 25 gm.  
Contains:  
(Extract of Opium Shell          - 230)  
(Extract of Chinese Bellflower Root - 90)  
(Plantain Herb                  - 250)  
Chinese Bellflower Root is Platycodon Grandiflorum.
4. Antiphlogistine Substitute, (Hoppus), powder, can, 25 gm.  
Contains:  
(Kaolin                        - 565 gm)  
(Boric Acid                   - 45 gm)  
(Dehydrated Glycerine        - 387 gm)  
(Thymol                       - 0.5 gm)  
(Mint Oil                      - 0.5 gm)  
(Methyl Salicylate           - 2.0 gm)
5. Antiphlogistine Substitute, (Mex), powder, can, 1000 gm.  
Contains:  
(Kaolin                        - 565 gm)  
(Boric Acid                   - 45 gm)  
(Dehydrated Glycerine        - 387 gm)  
(Thymol                       - 0.5 gm)  
(Mint Oil                      - 0.5 gm)  
(Methyl Salicylate           - 2.0 gm)

6. Anti Strangles Serum, (Serum, Gland Epidemic), sterile solution, 200 cc. ampoules.
7. d-Ascorbic Acid, (Viton), sterile solution, 10 x 1 cc. ampoules, 5%.
8. Bacillus Anthrax Vaccine, (Bacillus Anthrax Vaccine), capillary tubes, carton, #10.
9. Benzedrine Sulfate, (Parpitone), powder, bottle, 1 gm.
10. Bile Acids, Bilirubin, Lecithin, Bitters and Musk, (Shin Riki), tablets, bottle, #50, (Formula Unknown).
11. Bismuth and Sodium Tartrate Injection, (Bismutin), sterile solution, 10 x 2 cc. ampoules, 2 cc. equals 0.2 gms. Bi.
12. Bismuthyl Chloride Injection, (Tribismin), sterile solution, 10 x 1 cc. ampoules, 1cc. equals 0.120 gms. Bi.
13. Bismuth Injection, (Bismosol), sterile solution, 10 x 2 cc. ampoules,  
Contains:  
(Colloidal Bismuth - 0.2%) (Distilled Water - 97.1%)  
(Sod. Peptid Casein - 0.2%) (Glucose - 2.5%)
14. Chiniocfon-Casein Injection, mild, (Yatren-Casein Injection, debil), 6 x 1 cc. ampoules,  
Contains:  
(Yatren - 3 %)  
(Casein - 2.5%)
15. Chiniocfon-Casein Injection, strong, (Yatren-Casein Injection, fuerte), 6 x 1 cc. ampoules,  
Contains:  
(Yatren - 3%)  
(Casein - 5%)
16. Colloidal Antimony, (Mirth), sterile solution, 3 x 2 cc. ampoules,  
2 cc. ampoules equal:  
(0.005 gm. Sb )  
(0.01 gm. Gelatin)  
(0.1 gm. Glucose )
17. Compress Powder, (Dermoreiz), powder, carton, 250 gm.  
Contains:  
(Camphor - .5 parts)  
(Capsicum Annum - .3 parts)  
(Calc. Carbonate - 10 parts)  
(Bentonite - 75.2 parts)  
(Machilus Thurburgii - 1 part )  
(Brassica Cernua - 3 parts)  
(Kaolin - 10 parts)

18. Dihydrocodeine Phosphate, (Dihydrocodeine Phosphate), powder, carton, 25 gm.
19. Enema Liquid, (Kawaikan), Liquid, bottle, 500 gm.  
Contains:  
 (Magnesium Sulfate - 100 parts)  
 (Salt - 10 parts)  
 (Mint Oil - 30 parts)  
 (Water - 770 parts)
20. Estrone Benzoate, (Ovahormon Benzoate), sterile solution, 10 x 5 cc. ampoules, one fifth as potent as Estradiol Benzoate, (Formula Unknown).
21. Ethyl Di-iodo Hydnocarpate, (Hydnol), liquid, 6 x 1 cc. ampoules.
22. Extract of Catalpa ovata and Benincasa, (Kidonin), powder, bottle, 100 gm.
23. Extract of Heart, Heart Muscle, Spleen, Liver, and Bone, (Kallikrein), sterile solution, 5 x 1 cc. ampoules, (Formula Unknown).
24. Extract of Heart, Heart Muscle, Spleen, Liver, and Bone, (Lacarnol), sterile solution, 5 x 1 cc. ampoules, (Formula Unknown).
25. Extract of Heart, Heart Muscle, Spleen, Liver, and Bone, (Romunahormon), sterile solution, 5 x 1 cc. ampoules, (Formula Unknown).
26. Extract of Kidney Liver and Blood Vessels, (Renuhormon) sterile solution, 5 x 1 cc. ampoules, (Formula Unknown).
27. Extract of Nerve Tissues, (Neo Psychorin), sterile solution, 5 x 1 cc. ampoules of "A" Solution and 5 x 1 cc. ampoules of "B" Solution,  
 (A) Solution Contains per 1 cc.:  
 (Solution of Brain Hormone - 0.4 gm.)  
 (Solution of Spinal Cord Hormone - 0.3 gm.)  
 (Solution of Brain Cortex Hormone - 0.29 gm.)  
 (Procaine Hydrochloride - 0.005 gm.)  
 (Phenol - 0.005 gm.)  
 (Sod. Chloride - 0.005 gm.)  
 (B) Solution Contains per 0.5 cc.:  
 (Fatty Substance of Brain - 0.004 gm.)  
 (Fatty Substance of Brain Cortex - 0.003 gm.)  
 (Fatty Substance of Spinal Cord - 0.003 gm.)  
 (Boric Acid - 0.1 gm.)  
 (Procaine Hydrochloride - 0.0025 gm.)  
 (Glycerine - 0.02 gm.)  
 (Sod. Chloride - 0.0025 gm.)

28. Fluid Extract Ephedra Equistina and Chinese Bell Flower,  
 (Platycodon Grandiflorum), (Campanol), solution, bottle,  
 60 cc.
29. Gastric Antacid, (Sunlife), powders, carton, #20,  
 Contains:  
 (Magnesia) - 0.5 gm  
 (Ext. Scopolia) - 0.03 gm  
 (Menthol) - 0.02 gm  
 (Powdered Swertiae Root) - .5 gm  
 (Starch) - .27 gm  
 (Medicinal Yeast) - 2.0 gm  
 (Aluminum Silicate) - 1.5 gm
30. Hemorrhoidal Suppositories, (Peryth Suppositories),  
 suppositories, carton #50  
 Contains per suppository:  
 (Anhydrous Lanolin) - 0.4 )  
 (Amm. Ichthyolsulfonate) - 0.2 )  
 (Tannic Acid) - 0.2 )  
 (Yellow Wax) - 0.4 )  
 (Liver Oil) - 0.02 )  
 (Ext. Scopolia) - 0.02 )  
 (Zinc Oxide) - 0.16 )  
 (Theobroma Oil) - 0.6 )
31. Papain-Aspergillus Mixture, (Lypase), powder, can, 500 gm.  
 Contains:  
 (Dried Aspergillus Oryzafel s.y.) - 100 gm  
 (Papain) - 0.05 gm  
 (Calc. Carbonate) - 0.03 gm
32. Male Hormone, (Seelman), sterile solution, 10 x 1 cc. ampoules,  
 Extracted From Urine.
33. Mercury Oxycyanide-Acoin Comp, (Aluesin), sterile solution,  
 3 x 1 cc. ampoules,  
 Contains:  
 (Mercury Oxycyanide) - 1.0 gm  
 (Acoin) - 0.25 gm  
 (Boric Acid) - 1.0 gm  
 (Acetic Acid) - 0.25 gm
34. Modified Basilicon Ointment, (Solid Hoof Oil), ointment,  
 carton, 30 gm  
 Contains:  
 (Resin) }  
 (Wax) }  
 (Terpene Oil) }  
 (Wood Tar) }
35. Nerve Tonic, (Nahrbrrom), sterile solution, 3 x 10 cc. ampoules,  
 (Composition Unknown), (Manufacture Ceased 10 Years Ago).

36. Non Specific Protein, Lipoid, and Fat, (Omnadin), sterile solution, 1 x 2 cc. ampoules, (Formula Unknown).
37. Ovarian Hormone, (Ovobrol), tablets, can, #15, (German Preparation), (Composition Unknown).
38. Polypharmaceutical, (Kidani Jitsubosan), crude drug mixture, carton, #3 cloth bags,  
Contains:

( NAME	ACTIVE INGREDIENTS	USE
(Rhizoma Cridii	(Cridium lactone C12H2003) { (Cridium acid C12H2003}	Pre and Post Parturient
Officinalis	(Cridium acid ester C12H1902-O-C10H17	
(Radix Ligustici	Composition of Oil Unknown.	Pre and Post Parturient)
(Rhizoma Nupharis	No research done on ingredients.	Pre and Post Parturient)
(Radix Scutellariae	(Woogonin C16H1204) (Baicalin C21H18011)	Febrifuge)
(Cortex Cinnamomi	Cinnamic aldehyde, Cinnamic esters	Aromatic and Peptic)
(Radix Atractylis alba	(Atractylool C15H240) (Atractylon C14H180)	Aromatic and Peptic)
(Rhizoma Coptidis	Berberin, Palmitin, Columbamin, Coptisin, Worenin	Aromatic and Peptic)
(Radix Costi	(Apotaxen C17H28) ( $\alpha$ , $\beta$ -Costen C15H24); (Costus lactone C15H2002) Costus acide, Costol,	Aromatic and Peptic)
(Flos Caryophylli	Eugenol, Caryophyllen, Caryophyllin	Aromatic and Peptic)
(Radix Liquiritiae	Glycyrrhizin C44H64O19	Aromatic, Peptic, and Laxative)
(Semen Arecae	Arecaidine, Arecoline Arecaine	Properties Unknown)

39. Procaine Hydrochloride Saline Solution, Anodynes, (Epilyse), sterile solution, 2 x 20 cc. ampoules, (Formula Unknown).
40. Radium Salt, Azo Dye and Colloidol Silver, (Otox B), sterile solution, 12 x 5 cc. ampoules, (Formula Unknown).
41. Serum, Normal, Horse, (Serum, Normal Horse), liquid, 5 x 10 cc. ampoules.
42. Silver Albumin Tannate, (Mutogol), crystals, Bottle, 10 gm.  
Contains:  
(Tannic Acid - 9.0 gm.)  
(Silver Peptone - 100 gm.) (8.7% Silver)
43. Sodium Hydroxide, (Air Purifying Drug), crystals, pellets, can, 1000 gm.
44. Spanish Fly Plaster, (Spanisch Fliegenpflaster), suppositories, carton, #18, Container is labeled "Emplastr. Saponat in Bacill," (Composition Unknown).
45. Stomachic Antacid, (B. Z. Tablets), tablets, bottle, 50 x .33 gm.  
Contains:  
(Powdered Spleen - 2.31)  
(Powdered Duodenum - 2.31)  
(Polished Rice Bran - 19.8 )  
(Powdered Stomach Mucous Membrane - 2.31)  
(Yeast - 68.32)  
(Powdered Lentil - 4.95)
46. Test Paper for Cyanide, (Test Paper for Poisoned Water), paper strips, bottle, 2 bottles in carton,  
Impregnated with Solution of:  
(O-Tolidine )  
(Cupric Acetate)  
(Acetic Acid )
47. Test Paper for Poisoned Water (Sublimate and Heavy Metals), (Test Paper for Poisoned Water (Sublimate and Heavy Metals)), paper strips, bottle, #100,  
Contains:  
(Diphenyl Carbazone)  
(Sod. Salicylate )  
(Formula Unknown )
48. Thrombin, (Thrombin), sterile solution, 2 x 3 cc. ampoules, (Formula Unknown).
49. Thrombokinase, (Clauden Pellets), 50 tampons, carton.

50. Tincture Digitalis Lanata, (Digilanogen), solution, bottle, 10cc.
51. Tonic Powder, (Neo Sumikomo), powder, bottle, 50 gm.  
Contains:  
(Dried Malt Powder - 1.625 parts)  
(Dried Rice Yeast Powder - 1.625 parts)  
(Medicinal Yeast - 17.5 parts)  
(Mag. Carbonate - 2.5 parts)  
(Saccharine - 0.875 parts)  
(Rice Starch - 0.625 parts)  
(Dried Pancreas Powder - 0.25 parts)
52. Unsaturated Shark Liver Hydrocarbon, (Sucwalen), sterile  
solution, #24, 0.5 cc. ampoules.