

Cornell University Insect Collection

Aetalionidae + Fulgoroidea

Determined species: 349

Updated August 2015
Jamie C. Freeman

updated August 2015

Family	Subfamily	Tribe	Genus	Species	Author/Date	Locality
Aetalionidae	Aetalioninae	Aetalionini	<i>Aetalion</i>	<i>nervosopunctatum</i>	Signoret 1851	NEO
				<i>reticulatum</i>	(Linnaeus 1767)	NEO
				spp.		NEO
	Biturritiinae	Biturritiinae	<i>Tropidaspis</i>	<i>affinis</i>	Fowler	NEO

updated August 2015

Family	Subfamily	Tribe	Genus	Species	Author/Date	Locality			
Cixiidae	Bothriocerinae	Bothriocerini	<i>Bothriocera</i>	<i>undata</i>	(Fabricius 1803)	NEO			
				<i>venosa</i>	Fowler 1904	NEO			
	Cixiinae	Cixiini	<i>Aka</i> <i>Cixius</i>	<i>duniani</i>	(Myers 1924)	AUS			
				<i>coloepenum</i>	Fitch 1856	NEA			
				[? <i>coniflidus</i>	Ball]	NEA			
				<i>misellus</i>	Van Duzee 1916	NEA			
				<i>nervosus</i>	(Linnaeus 1758)	NEA PAL			
				<i>pilosus</i>	Oliv.	NEA PAL			
				<i>pini</i>	Fitch 1851	NEA			
				[<i>stagnatus</i>	Say]	NEA			
				<i>venustula</i>	(Germar 1830)	PAL			
				<i>cunicularia</i>	(Linnaeus 1767)	PAL			
				spp.		NEA			
				spp.		PAL			
				<i>Iolania</i>	<i>lanaiensis</i>	Giffard 1925	AUS		
					<i>perkinsi</i>	Kirkaldy 1902	AUS		
					sp.		AUS		
				Mnemosynini	<i>Mnemosyne</i>	(Fabricius 1803)	NEO		
					spp.		NEO		
				Oecleini	<i>Haplaxius</i>	<i>enotatus</i>	(Van Duzee 1909)	NEA	
						<i>pictifrons</i>	Stål 1862	NEA	
						<i>racidis</i>	(Osborn 1903)	NEA	
						<i>wheeleri</i>	(Wilson 1996)	NEA	
						sp.		NEA	
						<i>Myndus</i>	<i>wheeleri</i>	Wilson 1996	NEA
							spp.		NEA
							spp.		NEO
						<i>Oecleus</i>	<i>borealis</i>	Van Duzee 1912	NEA
							<i>decens</i>	Stål 1862	NEA
							spp.		NEA
	spp.		NEO						
	spp.		NEO						
	Oecleini	<i>Rhamphixius</i>							
		Pentastirini	<i>Hyalesthes</i> <i>Melanoliarus</i>						
		<i>obsoletus</i>	Signoret 1865	PAL					
		<i>aridus</i>	(Ball 1902)	NEA					
		<i>complexus</i>	(Ball 1902)	NEA					
		<i>corvinus</i>	(Ball 1934)	NEA					
		<i>ecologus</i>	(Caldwell 1947)	NEA					
		<i>franciscanus</i>	(Stål 1859)	NEO					
	<i>humilis</i>	(Say 1830)	NEA						
	<i>quinquelineatus</i>	(Say 1830)	NEA						

updated August 2015

Family	Subfamily	Tribe	Genus	Species	Author/Date	Locality	
Cixiidae	Cixiinae	Pentastirini	<i>Melanoliarus</i>	<i>sablensis</i>	(Caldwell 1951)	NEA	
				<i>vicarius</i>	(Walker 1851)	NEA	
				<i>viequensis</i>	(Caldwell 1951)	NEA	
				<i>zyxus</i>	(Caldwell 1947)	NEA	
			<i>Oliarus</i>	<i>placitus</i>	(Van Duzee 1912)	NEA	
				<i>spp.</i>		NEA	
				<i>spp.</i>		NEO	
			<i>Pentastiridius</i>	<i>cinnamomeus</i>	(Provancher 1889)	NEA	
				<i>leporinus</i>	(Linnaeus 1761)	PAL	
				<i>pallens</i>	(Germar 1821)	PAL	
			Pintallini	<i>Reptalus</i>	(Low 1883)	PAL	
				<i>Cubana</i>	Muir 1924	NEO	
				<i>Pintalia</i>	<i>tortriciformis</i>	Osborn 1935	NEO
					<i>alta</i>	(Uhler 1895)	NEO
		<i>decorata</i>			(Fowler 1904)	NEA	
		<i>delicata</i>			Osborn 1935]	NEO	
		<i>[infuscata</i>	Osborn 1935	NEO			
		<i>insularis</i>	Caldwell 1951	NEO			
		<i>martorelli</i>		NEO			

Family	Subfamily	Tribe	Genus	Species	Author/Date	Locality	
Delphacidae	Asiracinae	Asiracini	<i>Asiraca</i>	<i>clavicornis</i>	(Fabricius 1794)	PAL	
			<i>Copicerus</i>	<i>irroratus</i>	Swartz 1802	NEO	
				spp.		NEO	
			<i>Idiosystatus</i>	<i>acutiusculus</i>	(Spinola 1852)	NEO	
			<i>Pentagramma</i>	<i>cosquina</i>	Penner 1947	NEO	
				<i>cosquina</i>	Penner 1947	NEO	
				<i>douglasensis</i>	Penner 1947	NEA	
				<i>variegata</i>	Penner 1947	NEA	
				<i>vittafrons</i>	(Uhler 1876)	NEA	
			Neopunanini	<i>Neopunana</i>	<i>carribbensis</i>	Caldwell 1951	NEO
			Tetrasteirini	<i>Tetrasteira</i>	spp.		NEO
			Ugyopini	<i>Ugyops</i>	<i>stigmatus</i>	(Crawford 1914)	NEO
					spp.		AUS
		Delphacini	<i>Achorotile (Achorotile)</i>	<i>albosignata</i>	(Dahlbom 1850)	NEA	
			<i>Achorotile (Criochora)</i>	<i>foeveata</i>	Spooner 1912	NEA	
			<i>Caenodelphax</i>	<i>teapae</i>	(Fowler 1905)	NEO	
			<i>Chionomus</i>	<i>balboae</i>	(Muir & Giffard 1924)	NEO	
				spp.		NEO	
				spp.		NEA	
			<i>Conomelus</i>	<i>anceps</i>	(Germar 1821)	NEA	
				<i>anceps</i>	(Germar 1821)	NEA	
			<i>Criomorphus</i>	<i>albomarginatus</i>	Curtis 1833	PAL	
				<i>inconspicuous</i>	(Uhler 1877)	NEA	
			<i>Delphacodes</i>	<i>arcuata</i>	Beamer 1948	NEO	
				<i>detecta</i>	(Van Duzee 1897)	NEA	
				<i>mcateei</i>	Muir & Giffard 1924	NEA	
				<i>pacifica</i>	(Crawford 1914)	NEA	
				<i>puella</i>	(Van Duzee 1897)	NEA	
				<i>puella</i>	(Van Duzee 1897)	NEO	
				sp. nr. <i>campestris</i>		NEA	
				sp. nr. <i>kilmanni</i>		NEA	
				spp.		NEA	
				spp.		NEA	
			<i>Delphax</i>	<i>pulchellus</i>	(Curtis 1833)	PAL	
			<i>Euides</i>	<i>magnistyla</i>	(Crawford 1914)	NEA	
				<i>weedi</i>	(Van Duzee 1897)	NEA	
				spp.		NEA	
				spp.		NEO	
			<i>Flavoclypeus</i>	<i>andromedus</i>	(Van Duzee 1907)	NEA	
				<i>nigrifacies</i>	(Muir 1918)	NEA	

Family	Subfamily	Tribe	Genus	Species	Author/Date	Locality
Delphacidae	Asiracinae	Delphacini	<i>Isodelphax</i>	<i>basivitta</i>	Van Duzee 1909	NEA
Delphacidae	Asiracinae	Delphacini	<i>Javesella</i>	<i>opaca</i>	(Beamer 1948)	NEA
				<i>pellucida</i>	(Fabricius 1794)	NEA
			<i>Kosswigianella (Acanthodelphax)</i>	<i>analisis</i>	(Crawford 1914)	NEA
			<i>Kosswigianella (Kosswigianella)</i>	<i>lutulenta</i>	(Van Duzee 1897)	NEA
			<i>Laccococera</i>	<i>vanduzeei</i>	Penner 1945	NEA
				<i>vittipennis</i>	Van Duzee 1897	NEA
				<i>zonata</i>	Van Duzee 1897	NEA
			<i>Liburniella</i>	<i>ornata</i>	(Stål 1862)	NEA
			<i>Macrotomella</i>	<i>carinata</i>	Van Duzee 1907	NEO
			<i>Megamelanus</i>	<i>bicolor</i>	Ball 1902	NEA
				spp.		NEA
			<i>Megamelus</i>	<i>flavus</i>	Crawford 1914	NEA
				<i>lobatus</i>	Beamer 1955	NEA
				<i>paleatus</i>	(Van Duzee 1897)	NEA
				spp.		NEA
				spp.		NEO
			<i>Metadelphax</i>	<i>propinqua</i>	(Fieber 1866)	NEA
				<i>propinqua</i>	(Fieber 1866)	NEO
				<i>wetmorei</i>	(Muir & Giffard 1924)	NEA
			<i>Muellerianella</i>	<i>laminalis</i>	(Van Duzee 1897)	NEA
				<i>lateralis</i>	(Van Duzee 1897)	NEA
			<i>Muirodelphax</i>	<i>arvensis</i>	(Fitch 1851)	NEA
				<i>parvulus</i>	(Ball 1902)	NEA
			<i>Neomegamelanus</i>	<i>elongatus</i>	(Ball 1905)	NEA
			<i>Nilaparvata</i>	<i>gerhardi</i>	(Metcalf 1923)	NEA
				<i>serrata</i>	Caldwell 1951	NEO
				<i>wolcottii</i>	Muir & Giffard 1924	NEA
				spp.		NEO
			<i>Nothodelphax</i>	<i>consimillis</i>	(Van Duzee 1897)	NEA
				<i>foveata</i>	(Van Duzee 1897)	NEA
				<i>gilletti</i>	(Van Duzee 1897)	NEA
				<i>lineatipes</i>	(Van Duzee 1897)	NEA
				<i>occlusa</i>	(Van Duzee 1897)	NEA
				<i>slossonae</i>	(Ball 1903)	NEA
				spp.		NEA
			<i>Paraliburnia</i>	<i>kilmanni</i>	(Van Duzee 1897)	NEA
			<i>Peregrinus</i>	<i>maidis</i>	(Ashmead 1890)	AUS
				<i>maidis</i>	(Ashmead 1890)	ETH
				<i>maidis</i>	(Ashmead 1890)	NEA

Family	Subfamily	Tribe	Genus	Species	Author/Date	Locality
Delphacidae	Asiracinae	Delphacini	<i>Peregrinus</i>	<i>maidis</i>	(Ashmead 1890)	NEO
			<i>Perkinsiella</i>	sp.		AUS
Delphacidae	Asiracinae	Delphacini	<i>Perkinsiella</i>	sp.		NEO
			<i>Phyllodinus</i>	<i>nervatus</i>	Van Duzee 1897	NEA
			<i>Pissonotus</i>	<i>agrestis</i>	Morgan & Beamer 1949	NEA
				<i>albivultus</i>	Morgan & Beamer 1949	NEA
				<i>albvenosus</i>	Osborn 1935	NEA
				<i>aphidioides</i>	Van Duzee 1897	NEA
				<i>basalis</i>	Van Duzee 1897	NEA
				<i>brunneus</i>	Van Duzee 1897	NEA
				<i>delicatus</i>	Van Duzee 1897	NEA
				<i>dentatus</i>	Morgan & Beamer 1949	NEA
				<i>dorsalis</i>	Van Duzee 1897	NEA
				<i>flabellatus</i>	(Ball 1902)	NEA
				<i>guttatus</i>	Spooner 1912	NEA
				<i>marginatus</i>	Van Duzee 1897	NEA
				<i>niger</i>	Morgan & Beamer 1949	NEA
				<i>pallipes</i>	Van Duzee	NEA
				<i>paludosus</i>	Morgan & Beamer 1949	NEA
				<i>piceus</i>	(Van Duzee 1894)	NEA
				<i>quadripustulatus</i>	(Van Duzee 1909)	NEA
			<i>Prokelisia</i>	<i>crocea</i>	(Van Duzee 1897)	NEA
				<i>marginata</i>	(Van Duzee 1897)	NEA
				<i>salina</i>	(Ball 1902)	NEA
				sp.		NEA
			<i>Pygospina</i>	<i>aurantii</i>	(Crawford 1914)	NEO
				<i>spinata</i>	Caldwell 1951	NEO
			<i>Sogatella</i>	<i>furcifera</i>	(Horvath 1899)	NEA
				<i>kolophon</i>	(Kirkaldy 1907)	NEA
				<i>kolophon</i>	(Kirkaldy 1907)	NEO
				<i>molina</i>	(Fennah 1963)	NEO
				spp.		AUS
				spp.		NEA
				spp.		NEO
			<i>Sparnia</i>	<i>praecellens</i>	(Stål 1862)	NEO
			<i>Stiroma</i>	<i>affinis</i>	Fieber 1866	PAL
			<i>Stobaera</i>	<i>affinis</i>	Van Duzee 1909	NEA
				<i>concinna</i>	(Stål 1854)	NEA
				<i>pallida</i>	Osborn 1905	PAL
				<i>tricarinata</i>	(Say 1825)	NEA

Family	Subfamily	Tribe	Genus	Species	Author/Date	Locality
Delphacidae	Asiracinae	Delphacini	<i>Stobaera</i>	spp.		NEA
				spp.		NEO
				<i>Syndelphax</i>	(Metcalf 1923)	NEA
				<i>Tagosodes</i>	(Crawford 1914)	NEO
					sp. probably <i>approximatus</i> (Crawford 1914)	NEO
				spp.		NEO
		Saccharosydmini	<i>Toya</i>	<i>boxi</i>	(Muir & Giffard 1924)	NEO
				<i>idonea</i>	(Beamer 1947)	NEA
				<i>terminalis</i>	(Metcalf 1923)	NEA
				<i>flava</i>	Muir 1918	NEO
				new spp.		NEO
				<i>saccharivora</i>	(Westwood 1833)	NEO
				<i>axialis</i>	Van Duzee 1897	NEA
				<i>bimaculata</i>	Beamer 1945	NEA
	Kelisiinae	Kelisiini	<i>Kelisia</i>	<i>crocea</i>	Van Duzee 1897	NEA
				<i>curvata</i>	Beamer 1945	NEA
				<i>hyalina</i>	Beamer 1945	NEA
				<i>pectinata</i>	Beamer 1945	NEA
				<i>spinosa</i>	Beamer 1945	NEA
				<i>vittipennis</i>	(Sahlberg 1868)	PAL
				<i>longicaput</i>	(Muir 1926)	NEO
				<i>campestris</i>	Van Duzee	NEA
				<i>foveata</i>	Van Duzee 1897	NEA
				<i>gilletti</i>	(Van Duzee 1897)	NEA
	Plesiodelphacinae	Plesiodelphacini	<i>Plesiodelphax</i>	<i>kilmanni</i>	(Van Duzee 1897)	NEA
				<i>lateralis</i>	Van Duzee 1897	NEA
				<i>lineatipes</i>	Van Duzee 1897	NEA
				<i>lutulenta</i>	Van Duzee 1897	NEA
				<i>puella</i>	Van Duzee 1897	NEA
				spp.		NEA
				<i>acutus</i>	Beamer 1946	NEA
				<i>brunneus</i>	Beamer 1946	NEA
<i>delicatus</i>				Beamer 1946	NEA	
<i>dorsalis</i>				(Fitch 1851)	NEA	
<i>felti</i>	Van Duzee 1910	NEA				
<i>lautus</i>	Van Duzee 1897	NEA				
<i>minutus</i>	(Fabricius 1787)	PAL				
<i>pallidus</i>	Beamer 1946	NEA				
Stenocraninae	Stenocranini	<i>Stenocranus</i>				

updated August 2015

Family	Subfamily	Tribe	Genus	Species	Author/Date	Locality
Kinnaridae				spp.		NEO
Meenoplidae				spp.		ETH
Achilixidae				spp.		NEO
Achilidae	Achilinae	Achilini	<i>Cixidia (Epiptera)</i>	<i>fusca</i>	(Walker 1951)	NEA
				<i>opaca</i>	(Say 1830)	NEA
				<i>variegata</i>	(Van Duzee 1908)	NEA
Achilidae	Achilinae	Apatesonini	<i>Apateson</i>	<i>albomaculatum</i>	Fowler 1900	NEO
		Plectoderini	<i>Catonia</i>	<i>carolina</i>	Metcalf 1923	NEA
				<i>cincitrons</i>	(Fitch 1856)	NEA
				<i>intricata</i>	Uhler 1895	NEO
				<i>lunata</i>	Metcalf 1923	NEA
				<i>pumila</i>	Van Duzee 1908	NEA
			<i>Plectoderes (Plectoderes)</i>	<i>collaris</i>	Coquebert de Montbret 1801	NEO
			<i>Synecdoche</i>	<i>grisea</i>	(Van Duzee 1908)	NEA
				<i>impunctata</i>	(Fitch 1851)	NEA
				<i>nemoralis</i>	(Van Duzee 1916)	NEA
				<i>rubella</i>	(Van Duzee 1910)	NEA
		Seviini	<i>Sevia (Ateson)</i>	<i>bicarinata</i>	(Fabricius 1803)	NEO

updated August 2015

Family	Subfamily	Tribe	Genus	Species	Author/Date	Locality			
Derbidae	Cedusinae	Cedusini	<i>Cedusa</i>	<i>californica</i>	(Van Duzee 1891)	NEA			
				<i>edentula</i>	(Van Duzee 1912)	NEA			
				<i>incisa</i>	(Metcalf 1923)	NEA			
				<i>kedusa</i>	McAtee 1924	NEA			
				<i>obscura</i>	(Ball 1902)	NEA			
				<i>vulgaris</i>	(Fitch 1851)	NEA			
				spp.		NEA			
				spp.		NEA			
				Cenchreini	<i>Cenchrea</i>	<i>uhleri</i>	Ball 1902	NEA	
						spp.		NEO	
						<i>obscura</i>	Ball 1902	NEA	
						<i>heidemanni</i>	(Ball 1902)	NEA	
		<i>uhleri</i>	(Ball 1902)			NEA			
		spp.				NEO			
		Dawnarioidini	<i>Persis (Persis)</i>	<i>stali</i>	Muir 1918	NEO			
				<i>sordidulus</i>	(Muir 1918)	NEO			
		Derbini	<i>Dawnarioides</i>	<i>westwoodi</i>	Fowler 1900	NEO			
				spp.		NEO			
		Otiocerinae	Otiocerini	<i>Anotia</i>	<i>uhleri</i>	(Van Duzee 1889)	NEA		
					<i>westwoodi</i>	Fitch 1856	NEA		
					<i>degeerii</i>	(Kirby 1821)	NEA		
					<i>sexguttata</i>	Fennah 1952	NEO		
					<i>abbotii</i>	Kirby 1821	NEA		
					<i>amyotii</i>	Fitch 1856	NEA		
	<i>coquebertii</i>				Kirby 1821	NEA			
	<i>kirbyii</i>				Fitch 1851	NEA			
	<i>wolfii</i>				Kirby 1821	NEA			
	spp.					NEO			
	Zoraidini								

Family	Subfamily	Tribe	Genus	Species	Author/Date	Locality		
Dictyopharidae	Dictyopharinae	Dictyopharini	<i>Dictyophara (Dictyophara)</i>	<i>europaea</i>	(Linnaeus 1767)	PAL		
			<i>Raivuna</i>	<i>patruelis</i>	(Stål 1859)	ORI		
		Hastini	<i>Thanatodictya (Niculda)</i>	<i>tillyardi</i>	Myers 1923	AUS		
		Lappidini		<i>Hydriena</i>	<i>ferruginea</i>	(Walker 1851)	NEO	
				<i>Lappida</i>	<i>ferocula</i>	(Distant 1887)	NEO	
					<i>robrovittata</i>	Metcalf 1938	NEO	
					nr. <i>tumidifrons</i> (Walker 1858)		NEO	
					sp.		NEO	
			Nersiini		<i>sertata</i>	(Jacobi 1904)	NEO	
				<i>Coronersia</i>	spp.		NEO	
				<i>Dictyopharoides</i>	spp.		NEO	
				<i>Hyalodictyon</i>	spp.		NEO	
				<i>Nersia</i>	<i>florens</i>	Stål 1862	NEA	
				<i>Plegmatoptera</i>	spp.		NEO	
				<i>Rhynchomitra</i>	<i>lingula</i>	(Van Duzee 1908)	NEA	
					<i>microrhina</i>	(Walker 1851)	NEA	
				<i>Xenochasma</i>	<i>rectirostris</i>	(Spinola 1852)	NEO	
				<i>Nersia</i> or <i>Retiala</i>			NEO	
			Phylloscelini		<i>Phylloscelis</i>	<i>pallescens</i>	Germar 1839	NEA
						<i>rubra</i>	Ball 1930	NEA
						sp.		NEA
			Scoloptini		<i>Scolops (Scolops)</i>	<i>angustatus</i>	Uhler 1876	NEA
						<i>perdix</i>	Uhler 1900	NEA
						<i>pungens</i>	(Germar 1830)	NEA
						<i>sulcipes</i>	(Say 1825)	NEA
						<i>uhleri</i>	Ball 1902	NEA
						<i>viridis</i>	Ball 1902	NEA
					<i>Scolops</i>	spp.		NEA
			Taosiini		<i>Sicoris</i>	<i>gayi</i>	(Spinola 1852)	NEO
					<i>Sicorisia</i>	<i>discreta</i>	Melichar 1912	NEO
					<i>Taosa</i>	<i>bimaculifrons</i>	Muir 1931	NEO
						<i>suturalis</i>	(Germar 1830)	NEO
						?n. sp.		NEO
				spp.		NEO		
	Orgeriinae	Orgeriini	<i>Taractellus</i>	<i>chilensis</i>	(Spinola 1852)	NEO		
		Orgeriini	<i>Orgerius</i>	spp.		NEA		
				spp.		NEO		

Family	Subfamily	Tribe	Genus	Species	Author/Date	Locality		
Fulgoridae	Aphaeninae	Aphaenini	<i>Aphaena (Aphaena)</i>	<i>submaculata</i>	(Duncan 1843)	ORI		
			<i>Coelodictya</i>	<i>sjöstedti</i>	Jacobi 1910	ETH		
			<i>Lycorma</i>	<i>delicatula</i>	(White 1845)	NEA		
				<i>delicatula</i>	(White 1845)	ORI		
			<i>Metaphaena</i>	<i>hilaris</i>	(Gerstaecker 1895)	ETH		
				<i>novemmaculata</i>	(Distant 1878)	ETH		
			<i>Penthicodes (Ereosoma)</i>	<i>atomaria</i>	(Weber 1801)	ORI		
				<i>variegata</i>	Guérin-Ménéville 1829	ORI		
			<i>Penthicodes (Penthicodes)</i>	<i>farinosa</i>	(Weber 1801)	ORI		
			<i>Copidocephala</i>	<i>guttata</i>	(White 1846)	NEO		
				<i>viridiguttata</i>	Stål 1869	NEO		
				<i>Enchophora</i>	Enchophorini	<i>prasina</i>	Gerstaecker 1895	NEO
			<i>rosea</i>			Distant 1887	NEO	
			<i>sanguinea</i>			Distant 1887	NEO	
			<i>stillifer</i>			(Stål 1862)	NEO	
			<i>subviridis</i>			Distant 1887	NEO	
		Fulgorinae	Fulgorini	<i>Cathedra</i>	<i>serrata</i>	(Fabricius 1781)	NEO	
				<i>Diareusa</i>	spp.		NEO	
				<i>Fulgora</i>	<i>laternaria</i>	(Linnaeus 1758)	NEO	
					<i>laternaria servillei</i>		NEO	
					spp.		NEO	
					spp.		NEO	
					<i>Odontoptera</i>	<i>carnenoi</i>	Signoret 1849	NEO
					<i>Phrictus</i>	<i>diadema</i>	(Linnaeus 1767)	NEO
						<i>quinquepartitus</i>	Distant 1883	NEO
					<i>Sinuala</i>	?n. sp.		NEO
			Laternarini	<i>Pyrops</i>	<i>candelaria</i>	(Linnaeus 1758)	ORI	
					<i>maculatus</i>	(Olivier 1791)	ORI	
					<i>viridirostris</i>	(Westwood 1848)	ORI	
			Zannini	<i>Zanna</i>	<i>madagascariensis</i>	Signoret 1860	ETH	
					<i>natalensis</i>	Distant 1893	ETH	
					spp.		ETH	
	Lystrinae	Lystrini	<i>Cerogenes</i>	<i>auricoma</i>	(Burmeister 1835)	NEO		
			<i>Lystra</i>	<i>lanata</i>	(Linnaeus 1758)	NEO		
		Paralystrini	<i>Alaruasa</i>	<i>aerata</i>	(Distant 1887)	NEO		
			<i>Japetus</i>	<i>tostus</i>	(Stål 1859)	NEO		
			<i>Zenuasa</i>	<i>germari</i>	(Gerstaecker 1860)	NEO		
		Poiocerini	<i>Aliphera</i>	<i>luctuosa</i>	(Spinola 1839)	NEO		
			<i>Alphina</i>	<i>glauca</i>	(Metcalf 1923)	NEA		
			<i>Calyptoproctus</i>	<i>marmoratus</i>	Spinola 1839	NEA		

updated August 2015

Family	Subfamily	Tribe	Genus	Species	Author/Date	Locality	
Fulgoridae	Lystrinae	Poiocerini	<i>Calyptoproctus</i>	<i>stigma</i>	(Fabricius 1803)	NEO	
			<i>Crepusia</i>	spp.		NEO	
			<i>Cyrpoptus</i>	<i>fuliginosa</i>	(Olivier 1791)	NEO	
				<i>belfragei</i>	Stål 1869	NEA	
				<i>obtusus</i>	(Valdes Ragues 1910)	NEO	
				<i>reineckei</i>	Van Duzee 1909	NEA	
	Phenacinae			spp.		NEA	
				<i>Phenax</i>	<i>variegata</i>	(Olivier 1791)	NEO
				<i>Pterodictya</i>	<i>reticularis</i>	(Olivier 1791)	NEO

updated August 2015

Family

Lophopidae
Eurybrachidae
Eurybrachidae

Subfamily

Tribe

Genus

Species

spp.
spp.
spp.

Author/Date

Locality

ETH
AUS
ETH

Family	Subfamily	Tribe	Genus	Species	Author/Date	Locality	
Flatidae	Flatinae	Ceryniini	<i>Bythopsyrna</i>	<i>circulata</i>	(Guérin-Méneville 1844)	ETH	
		Flatini	<i>Siphanta</i>	<i>acuta</i>	(Walker 1851)	AUS	
		Lawanini	<i>Lawana</i>	<i>conspersa</i>	(Walker 1851)	ETH	
		Nephesini	<i>Anzora</i>	<i>unicolor</i>	(Walker 1862)	AUS	
			<i>Flatormenis</i>	<i>proxima</i>	(Walker 1851)	NEA	
			<i>Hansenia</i>	<i>nigra</i>	(Lethierry 1881)	NEO	
			<i>Illesia</i>	<i>nefuscata</i>	(Caldwell 1951)	NEO	
			<i>Melormenis</i>	<i>basalis</i>	(Walker 1851)	NEO	
				<i>basalis</i>	(Walker 1851)	NEO	
				<i>padllicosta</i>	(Walker 1858)	NEO	
				<i>Metcalfa</i>	<i>pruinosa</i>	(Say 1830)	NEA
				<i>Monoflata</i>	<i>pallescens</i>	(Stål 1864)	NEO
				<i>Ormenaria</i>	<i>rufifascia</i>	(Walker 1851)	NEA
				<i>Ormenis</i>	<i>septentrionalis</i>	(Spinola 1839)	NEA
				<i>Ormenoides</i>	<i>venusta</i>	(Melichar 1902)	NEA
				<i>Parthenormenis</i>	<i>sanctaeursulae</i>	Fennah 1949	NEO
				<i>Petrusa</i>	<i>epilepsis</i>	(Kirkaldy 1767)	NEO
					<i>roquensis</i>	(Caldwell & Martorell 1951)	NEO
					<i>epilepsis</i> (Kirkaldy 1767) or <i>decepta</i> (Caldwell & Ma		NEO
					sp.		NEO
					<i>Flatormenis</i> or <i>Illesia</i>	sp.	NEO
			Ormenisini	<i>Ketumala</i>	<i>bisecta</i>	(Kirby 1891)	NEO
			Phromniini	<i>Flatida</i>	<i>tricolor</i>	(White 1846)	ORI
				<i>Ityraea</i>	<i>patricia</i>	(Melichar 1901)	ETH
					<i>speciosa</i>	(Melichar 1901)	ETH
				<i>Ormenina</i>	<i>paupera</i>	(Walker 1858)	NEO
			Phyllyphantini	<i>Geisha</i>	<i>distinctissima</i>	(Walker 1858)	ORI
			Poekillopterini	<i>Poekilloptera</i>	<i>melichari</i>	(Jacobi 1904)	NEO
					<i>phalaenoides</i>	(Linnaeus 1758)	NEO
					<i>phalaenoides aperta</i>	(Melichar 1901)	NEO
			Selizini	<i>Cyarda</i>	<i>difformis</i>	Walker 1858	NEO
					<i>melichari</i>	Van Duzee 1902	NEA
					<i>melichari</i>	Van Duzee 1902	NEO
					<i>walkeri</i>	Metcalf 1923	NEA
					spp.		NEO
				<i>Paradascalia</i>	<i>punctata</i>	(Schmidt 1904)	NEO
		<i>Stenocyarda</i>	<i>angustata</i>	(Melichar 1902)	NEO		
	Flatoidinae	Flatoidini	<i>Flatoidinus</i>	<i>fumatus</i>	(Melichar 1902)	NEO	
				<i>punctatus</i>	(Walker 1851)	NEO	
				spp.		NEO	

updated August 2015

Family	Subfamily	Tribe	Genus	Species	Author/Date	Locality
Flatidae	unplaced	unplaced	<i>Pseudoflatoides</i>	<i>albus</i>	(Caldwell & Martorell 1951)	NEO
			<i>Capistra</i>	<i>magna</i>	(Caldwell 1951)	NEO
			<i>Flatoidessa</i>	<i>vicina</i>	(Signoret 1860)	ETH

updated August 2015

Family	Subfamily	Tribe	Genus	Species	Author/Date	Locality		
Issidae	Issinae	Hemisphaeriini	<i>Gergithus</i>	<i>flavimacula</i>	(Walker 1851)	ORI		
			<i>Agalmatium</i>	<i>flavescens</i>	(Olivier 1791)	PAL		
		Issini	<i>Exortus</i>	<i>punctiferus</i>	(Walker 1851)	NEA		
			<i>Hysteropterum</i>	<i>algiricum</i>	(Lucas 1849)	ETH		
				<i>reticulatum</i>	(Herrich-Schäffer 1835)	PAL		
				<i>scaefferi</i>	Metcalf 1958	PAL		
				<i>coleoptratus</i>	(Fabricius 1781)	PAL		
				<i>lauri</i>	Ahrens 1814	PAL		
					<i>muscaeformis</i>	(Von Schrank 1781)	PAL	
					<i>dilatatus</i>	(Fourcroy 1785)	PAL	
					<i>Thionia</i>	<i>bullata</i>	(Say 1830)	NEA
						<i>simplex</i>	(Germar 1830)	NEA

updated August 2015

Family	Subfamily	Tribe	Genus	Species	Author/Date	Locality
Acaloniidae	Acanaloniinae	Acanaloniini	<i>Acanalonia</i>	<i>bivittata</i>	(Say 1825)	NEA
				<i>conica</i>	(Say 1830)	NEA
				<i>pumila</i>	(Van Duzee 1908)	NEA
				<i>servillei</i>	Spinola 1839	NEA
				<i>virescens</i>	(Stål 1864)	NEA
				spp.		NEA
			<i>Batusa</i>	<i>agilis</i>	Melichar 1901	NEO

updated August 2015

Family	Subfamily	Tribe	Genus	Species	Author/Date	Locality
Ricaniidae	Ricaniinae		<i>Euricania</i>	<i>facialis</i>	Melichar 1898	ORI
			<i>Ricania</i>	<i>japonica</i> [<i>petalum</i>]	Melichar 1898	ORI
			<i>Ricanula</i>	<i>stigma</i>	(Walker 1851)	ORI
			<i>Scolypopa</i>	<i>australis</i>	(Walker 1851)	AUS

updated August 2015

Family	Subfamily	Tribe	Genus	Species	Author/Date	Locality
Caliscelidae	Caliscelinae	Peltonotellini	<i>Aphelonema (Aphelonema)</i>	<i>simplex</i>	Uhler 1876	NEA
			<i>Aphelonema</i>	<i>quadrivittata</i>	(Fieber 1876)	PAL
			<i>Bruchomorpha</i>	<i>dorsata</i>	Fitch 1856	NEA
				<i>oculata</i>	Newman 1838	NEA
				<i>pallidipes</i>	Stål 1862	NEA
				<i>tristis</i>	Stål 1862	NEA
			<i>Nenema</i>	<i>histrionica</i>	(Stål 1862)	NEA
				<i>rugosa</i>	(Ball 1902)	NEA

updated August 2015

Family	Subfamily	Tribe	Genus	Species	Author/Date	Locality
Tropiduchidae	Elicinae	Elicini	<i>Acrisus</i>	spp.		NEO
			<i>Neaethus</i>	<i>maculatus</i>	Melichar 1906	NEA
			<i>Neaethus</i>	<i>vitripennis</i>	(Stål 1864)	NEA
			<i>Dictyssa</i>	<i>areolata</i>	Melichar 1906	NEA
			<i>Danepteryx</i>	<i>manca</i>	Uhler 1889	NEA
			<i>Gaetulia</i>	spp.		NEO
	Tropiduchinae	Cyphoceratopini	<i>Parahydriena</i>	<i>hyalina</i>	Muir 1924	NEO

updated August 2015

Family	Subfamily	Tribe	Genus	Species	Author/Date	Locality
Tettigometridae	Tettigometrinae	Tettigometrini	<i>Tettigometra (Mitricephalus)</i>	<i>obliqua</i>	Panzer 1799	PAL
Tettigometridae				spp.		
Nogodinidae	Nogodininae	Bladinini	<i>Bladina</i>	spp.		NEO
		Nogodinini	<i>Biolleyana</i>	spp.		NEO
			<i>Vutina</i>	spp.		NEO
Nogodinidae	Tonginae	Tongini	<i>Atylana</i>	<i>torcular</i>	Fennah 1958	AUS
				n. sp.		AUS
	Colpopterinae	Colpopterini	<i>Colpoptera</i> or <i>Neocolpoptera</i>	spp.		NEO
		Colpopterini		spp.		NEO
uncertain placement			<i>Hesticus</i>	<i>sanguinifrons</i>	Muir 1931	NEO