

Cornell University Insect Collection

NEUROPTERA

Determined Species: 465

Kyle DeMarr

Updated: October, 2013

Order	Family	Subfamily	Tribe	Subtribe	Genus	Species/Subspecies	Author	Zoogeography					
Neuroptera	Ascalaphidae	Albardiinae Ascalaphinae	Ascalaphini		<i>Albardia</i>	<i>furcata</i>	van der Weele 1903	NEO					
					<i>Ascalaphus</i>	<i>dicax</i>	Walker 1853	PAL/ORI					
						<i>libelluloides</i>	Schäffer 1763	PAL					
						<i>Ogcogaster</i>	<i>segmentator</i>	(Westwood 1847)	ORI				
						<i>Acheron</i>	<i>trux</i>	(Walker 1853)	ORI				
							<i>trux trux</i>	(Walker 1853)	ORI				
							<i>dentifera</i>	(Westwood 1847)	ORI				
						<i>Incertae sedis</i>	<i>Ascalohybris</i>	<i>angulata</i>	(Westwood 1847)	ORI			
								<i>javana</i>	(Burmeister 1839)	ORI			
								<i>subjacens</i>	(Walker 1853)	ORI			
							<i>Libelloides</i>	<i>coccajus</i>	(Denis & Schiffermüller 1775)	PAL			
								<i>cunii</i>	(Navás 1905)	PAL			
								<i>ictericus corsicus</i>	(Rambur 1842)	PAL			
								<i>ictericus ictericus</i>	(Charpentier 1825)	PAL			
								<i>italicus</i>	(Fabricius 1781)	PAL			
								<i>longicornis</i>	(Linnaeus 1764)	PAL			
								<i>macaronius</i>	(Scopoli 1763)	PAL			
								<i>ramburi</i>	(MacLachlan 1875)	PAL			
								<i>sibiricus sibiricus</i>	(Eversmann 1850)	PAL			
								<i>Stylascalaphus</i>	<i>obscurus</i>	(Westwood 1847)	ORI		
									sp.		ORI		
								<i>Proctarrelabris</i>	<i>capensis</i>	(Thunberg 1784)	ETH		
								<i>Ululodini</i>	<i>versicolor</i>	(Burmeister 1839)	NEA/NEO		
									<i>Cordulecerus</i>	<i>alopecinus</i>	(Burmeister 1839)	NEO	
										<i>praecellens</i>	(Gerstaecker 1885)	NEO	
										<i>unicus</i>	(Walker 1860)	NEO	
									<i>Ululodes</i>	<i>arizonensis</i>	Banks 1907	NEA	
										<i>bicolor</i>	(Banks 1895)	NEA	
										<i>cajennensis cajennensis</i>	(Fabricius 1787)	NEA/NEO	
										<i>floridanus</i>	(Banks 1906)	NEA	
										<i>macleayanus macleayanus</i>	(Guilding 1823)	NEA/NEO	
										<i>quadripunctatus</i>	(Burmeister 1839)	NEA	
										spp.		NEA	
										<i>tuberculatus</i>	(Banks 1901)	NEA/NEO	
										<i>vetulus</i>	(Rambur 1842)	NEO	
										<i>villosus</i>	(Palisot de Beauvois 1807)	NEO	
										<i>walkeri</i>	van der Weele 1909	NEO	
										<i>Allocormodes</i>	<i>intractabilis</i>	(Walker 1860)	ETH
									<i>Incertae sedis</i>	<i>Amoeba</i>	<i>iniqua</i>	(Walker 1853)	NEO
										<i>Ascalobyas</i>	sp.	NEO	
										<i>Ascaloptynx</i>	<i>appendiculata</i>	(Fabricius 1793)	NEA
											sp.	NEA	
										<i>Haploglenius</i>	<i>costatus</i>	(Burmeister 1839)	NEO
											<i>luteus</i>	(Walker 1853)	NEO
											<i>decrepitus</i>	(Walker 1860)	ORI/PAL
										<i>Idricerus</i>	<i>flavicornis</i>	(McLachlan 1871)	NEO
										<i>Protidricerus</i>	<i>japonicus</i>	(McLachlan 1891)	PAL
										<i>Tmesibasis</i>	<i>waelbroeckii</i>	van der Weele 1909	ETH
										<i>Lomamyia</i>	<i>banksi</i>	Carpenter 1940	NEA
											<i>flavicornis</i>	(Walker 1853)	NEA
											<i>hamata</i>	(Walker 1853)	NEA/NEO
											<i>latipennis</i>	Carpenter 1940	NEA
											<i>longicollis</i>	(Walker 1853)	NEA
											spp.		NEA
											<i>squamosa</i>	Carpenter 1940	NEA/NEO
											<i>texana</i>	(Banks 1897)	NEA
										<i>Loyola</i>	<i>croesus</i>	(Gerstaecker 1894)	NEO
											spp.		NEO
										<i>Ankylopteryx</i>	<i>octopunctata sigillaris</i>	Gerstaecker 1894	ORI
											<i>pallida</i>	Banks 1910	AUS
											sp.		ORI
											<i>tesselata</i>	Needham 1909	ORI
										<i>Abachrysa</i>	<i>eureka</i>	(Banks 1913)	NEA
										<i>Italochrysa</i>	<i>lefrayi</i>	(Needham 1909)	ORI
											<i>robusta</i>	(Needham 1909)	ORI
										<i>Nacarina</i>	<i>plectorica</i>	(Navás 1919)	NEO
											<i>viridipennis</i>	(Alayo 1968)	NEO
										<i>Nothochrysa</i>	<i>japonica</i>	(McLachlan 1875)	PAL/ORI
											sp.		ORI
										<i>Vieira</i>	<i>leschenaulti</i>	(Navás 1911)	NEO
										<i>Anomalochrysa</i>	<i>debilis</i>	Perkins in Sharp 1899	AUS
											<i>hepatica</i>	McLachlan 1883	AUS
											<i>maclachlani maclachlani</i>	Blackburn 1884	AUS
											<i>soror</i>	Perkins in Sharp 1899	AUS
										<i>Ceraeochrysa</i>	<i>cincta</i>	(Schneider 1851)	NEA/NEO
											<i>claveri</i>	(Navás 1911)	NEA/NEO
											<i>cornuta</i>	(Navás 1925)	NEO
											<i>cubana</i>	(Hagen 1861)	NEA/NEO
											<i>lineaticornis</i>	(Fitch 1855)	NEA
											<i>parvula</i>	(Banks 1903)	NEA/NEO
											<i>placita</i>	(Banks 1908)	NEA
											<i>reducta</i>	(Banks 1944)	NEO
											<i>smithi</i>	(Navás 1914)	NEA/NEO
											<i>valida</i>	(Banks 1895)	NEA/NEO
										<i>Chrysopa</i>	<i>chi</i>	Fitch 1855	NEA
											<i>coloradensis</i>	Banks 1895	NEA
											<i>excepta</i>	Banks 1911	NEA
											<i>incompleta</i>	Banks 1911	NEA
											<i>intima</i>	McLachlan 1893	PAL
											<i>nigricornis</i>	Burmeister 1839	NEA
											<i>oculata</i>	Say 1839	NEA
											<i>pallens</i>	(Rambur 1838)	PAL

			<i>perla</i>	(Linnaeus 1758)	PAL
			<i>perplexa</i>	McLachlan 1887	PAL
			<i>pleuralis</i>	Banks 1911	NEA
			<i>quadrifurcata</i>	Burmeister 1839	NEA
			<i>slossonae</i>	Banks 1924	NEA
			<i>timberlakei</i>	Penny et al. 2000	NEA
		<i>Chrysoperla</i>	<i>carnea</i>	(Stephens 1836)	PAL
			<i>carnea x downesi</i>	Tauber	NEA
			<i>carnea x carnea mojave</i>	Tauber	NEA
			<i>carnea mojave x downesi</i>	Tauber	NEA
			<i>comanche</i>	(Banks 1938)	NEA/NEO
			<i>downesi</i>	(Smith 1932)	NEA/AUS
			<i>exotera</i>	(Navás 1914)	NEA/NEO
			<i>externa externa</i>	(Hagen 1861)	NEA/NEO
			<i>harrisii</i>	(Fitch 1855)	NEA/NEO
			<i>plorabunda</i>	(Fitch 1855)	NEA/NEO
		<i>Chrysopodes</i>	<i>rufilabris</i>	(Burmeister 1839)	NEA/NEO
			<i>collaris</i>	(Schneider 1851)	NEA/NEO
			<i>parishi</i>	(Banks 1913)	NEO
			<i>porterinus</i>	(Navás 1910)	NEO
		<i>Eremochrysa</i>	<i>fraterna</i>	(Banks 1897)	NEA
			<i>hageni</i>	Banks 1903	NEA
			<i>pallida</i>	(Banks 1911)	NEA
			<i>punctinervis</i>	(McLachlan 1869)	NEA/NEO
			<i>sabulosa</i>	(Banks 1897)	NEA
			spp.		NEA
		<i>Gonzaga</i>	<i>callipterus</i>	Banks 1944	NEO
			<i>nigriceps</i>	(McLachlan 1867)	NEO
			<i>palliceps</i>	(McLachlan 1867)	NEO
		<i>Mallada</i>	<i>basalis</i>	(Walker 1853)	AUS/ORI
		<i>Meleoma</i>	<i>arizonensis</i>	(Banks 1903)	NEA
			<i>colhuaca</i>	Banks 1949	NEO
			<i>dolicharthra</i>	(Navás 1914)	NEA/NEO
			<i>emuncta</i>	(Fitch 1855)	NEA/NEO
			<i>furcata</i>	(Banks 1911)	NEA
			<i>hageni</i>	Banks 1949	NEA/NEO
			<i>poolei</i>	Adams 1969	NEO
			<i>schwarzi</i>	(Banks 1903)	NEA/NEO
			<i>signoretii</i>	Fitch 1855	NEA
		<i>Nineta</i>	<i>flava</i>	(Scopoli 1763)	PAL
		<i>Parachrysoptera</i>	<i>argentina</i>	(Banks 1910)	NEO
			<i>pallidicornis</i>	Penny 1996	NEO
		<i>Plesiochrysa</i>	<i>brasiliensis</i>	(Schneider 1851)	NEA/NEO
			<i>elongata</i>	(Navás 1913)	NEO
		<i>Pseudomallada</i>	<i>cognatellus</i>	(Okamoto 1914)	PAL
			<i>luctuosus</i>	(Banks 1911)	NEA
			<i>perfectus</i>	(Banks 1895)	NEA/NEO
			<i>prasinus</i>	(Burmeister 1839)	PAL
		<i>Tumochrysa</i>	<i>indica</i>	Needham 1909	ORI
		<i>Yumachrysa</i>	<i>apache</i>	(Banks 1938)	NEA/NEO
		<i>Leucochrysinini</i>	<i>Leucochrysa</i>	Banks 1897	NEA/NEO
			<i>callota</i>	Banks 1915	NEA/NEO
			<i>cerverai</i>	(Navás 1922)	NEO
			<i>compar</i>	(Navás 1921)	NEO
			<i>floridana</i>	Banks 1897	NEA/NEO
			<i>heriacles</i>	(Banks 1944)	NEO
			<i>insularis</i>	(Walker 1853)	NEA/NEO
			<i>marginalis</i>	Banks 1915	NEO
			<i>minima</i>	Banks 1918	NEO
			<i>pavida</i>	(Hagen 1861)	NEA/NEO
			<i>pretiosa</i>	(Banks 1910)	NEO
			<i>ramosa</i>	(Navás 1917)	NEO
			<i>submacula</i>	Banks 1915	NEO
			spp.		NEO
			<i>varia</i>	(Schneider 1851)	NEO
		<i>Pimachrysa</i>	<i>fusca</i>	Adams 1967	NEA
			spp.		NEA/NEO
		<i>Aleuropterygidae</i>	<i>Aleuropteryx</i>	Ohm 1968	NEA/PAL/ETH
		<i>Aleuropteryginae</i>	<i>Coniopteryx</i>	Curtis 1834	NEA/PAL
		<i>Coniopteryginae</i>	<i>Conwentzia</i>	Enderlein 1905	NEA/PAL
			<i>pineticola</i>	(Curtis 1834)	NEA/PAL/AUS
			<i>psociformis</i>	Hagen 1861	NEA/PAL
			<i>vicina</i>	(McLachlan 1881)	NEA/NEO
		<i>Dilaridae</i>	<i>Nallachius</i>	(Banks 1938)	NEA/NEO
			<i>pulchellus</i>	Adams 1970	NEO
			<i>limai</i>		ORI/NEA
			spp.		ORI/NEA
		<i>Hemerobiidae</i>	<i>Drepanacra</i>	(Newman 1838)	AUS
		<i>Drepanacrinae</i>	<i>Drepanopteryx</i>	(Linnaeus 1758)	PAL
		<i>Drepanopteryginae</i>	<i>Gayomyia</i>	(Blanchard in Gay 1851)	NEO
			<i>Neuronema</i>		PAL
			spp.		PAL
		<i>Hemerobiinae</i>	<i>Hemerobius</i>	Banks 1908	NEA/NEO
			<i>alpestris</i>	Fitch 1855	NEA
			<i>conjunctus</i>	Carpenter 1940	NEA
			<i>costalis</i>	Banks 1930	NEO
			<i>cubanus</i>	Banks 1930	NEO
			<i>darlingtoni</i>	Banks 1938	NEO
			<i>discretus</i>	Navás 1917	NEA/NEO
			<i>dorsatus</i>	Banks 1904	NEA
			<i>harmandinus</i>	Navás 1910	PAL/ORI
			<i>humulinus</i>	Linnaeus 1758	NEA/NEO/PAL
			<i>japonica</i>	Nakahara 1915	PAL
			<i>kokoneanus</i>	Currie 1904	NEA
			<i>micans</i>	Olivier 1793	PAL
			<i>ovalis</i>	Carpenter 1940	NEA

		<i>pacificus</i>	Banks 1897	NEA/NEO/AUS
		<i>pinidumus</i>	Fitch 1855	NEA
		<i>simulans</i>	Walker 1853	NEA/PAL
		<i>stigma</i>	Stephens 1836	NEA/AUS/PAL
		spp.		NEA/NEO/PAL/AUS
	<i>Wesmaelius</i>	<i>brunneus</i>	(Banks 1920)	NEA
		<i>coloradensis</i>	(Banks 1897)	NEA
		<i>involutus</i>	(Carpenter 1940)	NEA
		<i>furcatus</i>	(Banks 1935)	NEA/PAL
		<i>longifrons</i>	(Walker 1853)	NEA
		<i>longipennis</i>	(Banks 1920)	NEA/NEO
		<i>nervosus</i>	(Fabricius 1793)	NEA/PAL
		<i>pretiosus</i>	(Banks 1908)	NEA
		<i>schwarzi</i>	(Banks 1903)	NEA
		spp.		NEA/PAL
		<i>subnebulosus</i>	(Stephens 1836)	NEA/PAL/AUS
Megalominae	<i>Megalomus</i>	<i>angulatus</i>	Carpenter 1940	NEA
		<i>carpenteri</i>	Penny et al. 1997	NEA
		<i>fidelis</i>	(Banks 1897)	NEA
		<i>minor</i>	Banks in Baker 1905	NEA/NEO
		<i>moestus</i>	Banks 1895	NEA/NEO
		<i>tortricoides</i>	Rambur 1842	PAL
Microminae	<i>Micromus</i>	<i>angulatus</i>	Stephens 1836	NEA/PAL/ORI
		<i>angustipennis</i>	(Perkins in Sharp 1899)	AUS
		<i>bellulus</i>	(Perkins in Sharp 1899)	AUS
		<i>brunnescens</i>	(Perkins in Sharp 1899)	AUS
		<i>drepanoides</i>	(Perkins in Sharp 1899)	AUS
		<i>haleakalae</i>	(Perkins in Sharp 1899)	AUS
		<i>lanceolatus</i>	Navás 1910	ETH
		<i>lobipennis</i>	(Perkins in Sharp 1899)	AUS
		<i>longispinosus</i>	(Perkins in Sharp 1899)	AUS
		<i>montanus</i>	Hagen 1886	NEA
		<i>numerosus</i>	Navás 1910	PAL/ORI
		<i>paradoxus</i>	(Perkins in Sharp 1899)	AUS
		<i>posticus</i>	(Walker 1853)	NEA/NEO
		<i>rubrinervis</i>	(Perkins in Sharp 1899)	AUS
		<i>subanticus</i>	(Walker 1853)	NEA/NEO/PAL
		<i>subochraceus</i>	(Perkins in Sharp 1899)	AUS
		<i>tasmaniae</i>	(Walker 1860)	AUS
		<i>timidus</i>	Hagen 1853	ETH/ORI/AUS
		<i>vagus</i>	(Perkins in Sharp 1899)	AUS
		<i>variolosus</i>	Hagen 1886	NEA
		n. sp. nr. <i>lobipennis</i>	Tauber	AUS
		n. sp. nr. <i>minimus</i>	Tauber	AUS
		spp.		AUS
	<i>Nusalala</i>	spp.		NEO
Notiobiellinae	<i>Psectra</i>	<i>diptera</i>	(Burmeister 1839)	NEA/PAL
		spp.		PAL
Symphyerobiinae	<i>Nomerobius</i>	<i>spinus</i>	Oswald 1990	NEO
		<i>amiculus</i>	(Fitch 1855)	NEA/NEO
	<i>Symphyerobius</i>	<i>angustus</i>	(Banks 1904)	NEA/NEO
		<i>arizonicus</i>	Banks 1911	NEA/NEO
		<i>barberi</i>	(Banks 1903)	NEA/NEO
		<i>bifasciatus</i>	Banks 1911	NEA
		<i>californicus</i>	Banks 1911	NEA
		<i>fuscescens</i>	(Wallengren 1863)	PAL
		<i>gayi</i>	Navás 1910	NEO
		<i>killingtoni</i>	Carpenter 1940	NEA/NEO
		<i>limbus</i>	Carpenter 1940	NEA
		<i>occidentalis</i>	(Fitch 1855)	NEA
		<i>perparvus</i>	(McLachlan 1869)	NEA
Ithonidae	<i>Ithone</i>	<i>tessellatus</i>	Nakahara 1915	PAL
		<i>fusca</i>	Newman 1838	AUS
		<i>pallida</i>	(Tillyard 1919)	AUS
Mantispidae	<i>Oliarces</i>	<i>clara</i>	Banks 1908	NEA
Calomantispinae	<i>Nolima</i>	<i>dine</i>	Rehn 1939	NEA
		<i>kantsi</i>	Rehn 1939	NEA
		<i>pinal</i>	Rehn 1939	NEA
Drepanicinae	<i>Drepanicus</i>	<i>chrysopinus</i>	Brauer 1867	NEO
		<i>prasinus</i>	Esben-Petersen 1912	NEO
	<i>Gerstaeckerella</i>	<i>chilensis</i>	(Hagen 1859)	NEO
Mantispinae	<i>Austroclimaciella</i>	<i>habutsuella</i>	(Okamoto 1910)	PAL
		<i>quadrituberculata</i>	(Westwood 1852)	PAL
	<i>Buyda</i>	<i>phthisica</i>	(Gerstaecker 1885)	NEO
	<i>Cercomantispa</i>	spp.		?
	<i>Climaciella</i>	<i>brunnea</i>	(Say in Keating 1824)	NEA/NEO
		<i>cubana</i>	Enderlein 1910	NEO
		spp.		NEO
	<i>Dicromantispa</i>	<i>interrupta</i>	(Say 1825)	NEA
		<i>sayi</i>	(Banks 1897)	NEA/NEO
	<i>Euclimacia</i>	sp.		NEO
	<i>Eumantispa</i>	<i>harmandi harmandi</i>	(Navás 1909)	PAL
	<i>Leptomantispa</i>	<i>pulchella</i>	(Banks 1912)	NEA/NEO
	<i>Mantispa</i>	<i>japonica</i>	McLachlan 1875	PAL
		<i>lineolata</i>	Westwood 1852	ORI
		<i>styriaca</i>	(Poda 1761)	PAL
		<i>tropica</i>	Westwood 1852	ETH
	<i>Mantisvilla</i>	<i>indica indica</i>	(Westwood 1852)	PAL
	<i>Necyla</i>	<i>formosana formosana</i>	(Okamoto 1910)	ORI
		spp.		ORI
	<i>Sagittalata</i>	<i>vassei</i>	(Navás 1909)	ETH
	<i>Xeromantispa</i>	<i>scabrosa</i>	(Banks 1912)	NEA/NEO
	<i>Zeugomantispa</i>	<i>minuta</i>	(Fabricius 1775)	NEA/NEO

			<i>Plega</i>	<i>banksi</i>	Rehn 1939	NEA
				<i>dactylota</i>	Rehn 1939	NEA
				<i>fratercula</i>	Rehn 1939	NEA
				<i>fumosa</i>	Linsely & MacSwain 1955	NEO
				<i>hagenella</i>	(Westwood 1867)	NEO
				<i>melitamae</i>	Linsley & MacSwain 1955	NEO
				<i>signata</i>	(Hagen 1877)	NEA/NEO
				spp.		NEO
				<i>yucotanae</i>	Parker & Stange 1965	NEO
			<i>Trichoscelia</i>	spp.		NEO
				<i>varia</i>	(Walker 1853)	NEO
Myrmeleontidae	Myrmeleontinae	Acanthacisini	<i>Centroclisis</i>	<i>distincta</i>	(Rambur 1842)	ETH/ORI
			<i>Heoclisis</i>	<i>japonica</i>	(Hagen 1866)	PAL
			<i>Paranthaclisis</i>	<i>congener</i>	(Hagen 1861)	NEA
				<i>hageni</i>	(Banks 1899)	NEA
				<i>nevadensis</i>	Banks 1939	NEA
			<i>Synclisis</i>	<i>kawaii</i>	(Nakahara 1913)	PAL/ORI
			<i>Syngenes</i>	<i>horridus</i>	(Walker 1853)	ORI
			<i>Vella</i>	<i>americana</i>	(Drury 1773)	NEA/NEO
				<i>eggerti</i>	Esben-Petersen 1928	NEA/NEO
				<i>fallax fallax</i>	(Rambur 1842)	NEA/NEO
				<i>fallax texana</i>	(Hagen 1887)	NEA/NEO
		Brachynemurini	<i>Argentoleon</i>	<i>irrigatus</i>	(Gerstaecker 1894)	NEO
			<i>Atricoleon</i>	<i>tuberculatus</i>	(Banks 1899)	NEA/NEO
			<i>Austroleon</i>	<i>dispar</i>	Banks 1909	NEO
				<i>immitis</i>	(Walker 1853)	NEO
				spp.		NEO
			<i>Brachynemurus</i>	<i>abdominalis</i>	(Say 1823)	NEA
				<i>blandus</i>	(Hagen 1861)	NEA
				<i>carolinus</i>	Banks 1911	NEA
				<i>divisus</i>	(Navás 1928)	NEA/NEO
				<i>elongatus</i>	Banks 1904	NEA
				<i>ferox</i>	(Walker 1853)	NEA
				<i>fuscus</i>	(Banks 1905)	NEA/NEO
				<i>hubbardii</i>	Currie 1898	NEA
				<i>longicaudus</i>	(Burmeister 1839)	NEA
				<i>mexicanus</i>	Banks 1895	NEA/NEO
				<i>pulchellus</i>	Banks 1911	NEA
				<i>ramburi</i>	Banks 1907	NEA
				<i>sackeni</i>	Hagen 1888	NEA/NEO
				<i>signatus</i>	(Hagen 1887)	NEA
				<i>versutus</i>	(Walker 1853)	NEA
			<i>Claithroneuria</i>	<i>coquilletti</i>	(Currie 1898)	NEA
				<i>schwarzi</i>	(Currie 1903)	NEA
			<i>Dejuna</i>	<i>persimilis</i>	(Stange 1970)	NEO
			<i>Ensorra</i>	<i>verticalis</i>	(Banks 1910)	NEO
			<i>Mexoleon</i>	<i>papago</i>	(Currie 1899)	NEA
			<i>Peruveleon</i>	<i>dolichogaster</i>	(Navás 1915)	NEO
				<i>indiges</i>	(Walker 1860)	NEA/NEO
			<i>Scotoleon</i>	<i>carrizonus</i>	(Hagen 1888)	NEA
				<i>dissimilis</i>	(Banks 1903)	NEA
				<i>expansus</i>	(Navás 1913)	NEA
				<i>fideltis</i>	(Adams 1957)	NEA
				<i>intermedius</i>	(Currie 1903)	NEA
				<i>longipalpus</i>	(Hagen 1888)	NEA
				<i>minisculus</i>	(Banks 1899)	NEA
				<i>niger</i>	(Currie 1898)	NEA
				<i>nigribabris</i>	(Hagen 1888)	NEA
				<i>nivatensis</i>	(Navás 1915)	NEA
				<i>peregrinus</i>	(Hagen 1861)	NEA
				<i>quadripunctatus</i>	(Currie 1898)	NEA
				<i>singularis</i>	(Currie 1903)	NEA
Dendroleontini	Dendroleontina		<i>Bullanga</i>	<i>floridus</i>	(Navás 1913)	PAL
			<i>Cymothales</i>	<i>liberiensis</i>	van der Weele 1904	ETH
			<i>Dendroleon</i>	<i>obsoletus</i>	(Say 1839)	NEA
				<i>pupillaris</i>	(Gerstaecker 1894)	PAL
				<i>speciosus</i>	Banks 1905	NEA
			<i>Epacanthaclisis</i>	<i>moiwasana</i>	Okamoto 1910	PAL
			<i>Gatzara</i>	<i>jezoensis</i>	(Okamoto 1910)	PAL
			<i>Indoclystus</i>	<i>singularis</i>	(Westwood 1847)	ORI
		Gnopholeontini	<i>Gnopholeon</i>	<i>delicatulus</i>	(Currie 1903)	NEA
			<i>Maracandula</i>	<i>apicalis</i>	(Banks 1901)	NEA/NEO
			<i>Menkeleon</i>	<i>bellulus</i>	(Banks 1905)	NEA
		Myrmecaelurini	<i>Myrmecaelurus</i>	<i>acerbus</i>	(Walker 1853)	PAL/ORI
				<i>agrammus</i>	Navás 1912	PAL
				<i>?intensus?</i>	Walker	ORI
				<i>zigan</i>	H. Aspöck et al. 1980	PAL
Myrmeleontini	Myrmeleontina		<i>Baliga</i>	<i>asakurae</i>	(Okamoto 1910)	ORI
				<i>sagax</i>	(Walker 1853)	PAL/ORI
			<i>Hagenomyia</i>	<i>brunneipennis</i>	Esben-Petersen 1913	ORI
				<i>eurystictus</i>	(Gerstaecker 1885)	PAL/ORI
				<i>micans</i>	(McLachlan 1875)	PAL
				<i>tristis</i>	(Walker 1853)	ETH
			<i>Myrmeleon</i>	<i>crudelis</i>	Walker 1853	NEA/NEO
				<i>dolosus</i>	Walker 1853	NEO
				<i>exitialis</i>	Walker 1853	NEA
				<i>formicarius</i>	Linnaeus 1767	PAL
				<i>hyalinus hyalinus</i>	Olivier 1811	PAL
				<i>immaculatus</i>	De Geer 1773	NEA/NEO
				<i>insertus</i>	Hagen 1861	NEA/NEO
				<i>lethifer</i>	Walker 1853	ETH
				<i>marginicollis</i>	Gerstaecker 1894	ORI
				<i>mexicanus</i>	Banks 1903	NEA/NEO

				<i>obscurus</i>	(Rambur 1842)	ETH	
				<i>periculosus</i>	Walker 1853	ORI	
				<i>punctatus</i>	Fabricius 1787	ORI/ETH(?)	
				<i>rusticus</i>	Hagen 1861	NEA	
				<i>tenuipennis</i>	Rambur 1842	ORI	
			<i>Weeleus</i>	<i>acutus</i>	(Walker 1853)	AUS	
		Nemoleontini	<i>Dimarellina</i>	<i>Dimarellina</i>	<i>angusta</i>	(Banks 1908)	NEO
					<i>effera</i>	(Walker 1853)	NEO
			Neuroleontina	<i>Araucoleon</i>	<i>withycombei</i>	(Esben-Petersen 1927)	NEO
				<i>Banyutus</i>	<i>lethalis</i>	(Walker 1853)	ETH
					<i>pulverulentes</i>	(Rambur 1842)	ORI/ETH
				<i>Creoleon</i>	<i>griseus</i>	(Klug in Ehrenberg 1834)	PAL/ORI
					<i>lugdunensis</i>	(Villers 1789)	PAL/ORI
					near <i>plumbeus</i>	Olivier	ORI
					<i>plumbeus</i>	(Olivier 1811)	PAL/ETH
					<i>pretiosus</i>	(Banks 1911)	ETH
					sp. [excelsa]	[Banks]	ETH
					spp.		ORI
					<i>venosus</i>	(Navás 1914)	ETH
				<i>Distoleon</i>	<i>cerdo</i>	(Gerstaecker 1894)	ORI
					<i>formosanus</i>	(Okamoto 1910)	ORI
					<i>nefandus</i>	(Walker 1853)	ORI
					<i>nigricans</i>	(Okamoto 1910)	PAL
					<i>pugnax</i>	(Walker 1853)	ORI
					<i>tappa</i>	(Walker 1853)	ORI
					<i>verendus</i>	(Walker 1853)	ORI
				<i>Episalus</i>	<i>zephyrinus</i>	Gerstaecker 1885	AUS
				<i>Eremoleon</i>	<i>anomalous</i>	(Rambur 1842)	NEO
					<i>cerverai</i>	(Navás 1921)	NEO
					<i>macer</i>	(Hagen 1861)	NEA/NEO
					<i>nigribasis</i>	Banks 1920	NEA
					<i>pallens</i>	Banks 1941	NEA
					<i>arizonense</i>	(Banks 1935)	NEA
				<i>Euptilon</i>	<i>ornatum</i>	(Drury 1773)	NEA/NEO
					<i>sinuatum</i>	(Currie 1903)	NEA
				<i>Glenurus</i>	<i>gratus</i>	(Say 1839)	NEA
					<i>heteropteryx</i>	Gerstaecker 1885	NEO
					<i>luniger</i>	Gerstaecker 1894	NEA/NEO
					<i>peculiaris</i>	(Walker 1860)	NEO
					<i>snowii</i>	Banks 1907	NEA
				<i>Indoleon</i>	<i>barbarus</i>	(Walker 1853)	ORI
				<i>Macronemurus</i>	<i>appendiculatus</i>	(Latreille 1807)	PAL
					sp. nov.		ORI
					spp.		ORI
				<i>Megistopus</i>	<i>flavicornis</i>	(Rossi 1790)	PAL
				<i>Paraglenurus</i>	<i>japonicus</i>	(McLachlan 1867)	PAL
				<i>Purenleon</i>	<i>bisticus</i>	(Hagen 1861)	NEA
					<i>inscriptus</i>	(Hagen 1861)	NEA
					<i>minor</i>	(Banks 1927)	NEA
				<i>Obina</i>	<i>elizabethae</i>	(Banks 1911)	ETH
		Nesoleontini		<i>Obus</i>	<i>mysteriosus</i>	(Gerstaecker 1894)	ETH
				<i>Cueta</i>	<i>trivirgata</i>	(Gerstaecker 1885)	ETH
					<i>elegans</i>	(Perty 1833)	NEO
		Palparinae	Dimarini	<i>Dimares</i>	<i>platypterus</i>	McLachlan 1867	PAL
				<i>Echthromyrmex</i>	<i>pardus</i>	(Rambur 1842)	PAL/ORI
			Palparini	<i>Indopalpares</i>	<i>tigris</i>	(Dalmen 1823)	ETH
				<i>Nosa</i>	<i>tristis</i>	(Hagen 1853)	ETH
					<i>damarensis</i>	(McLachlan 1867)	ETH
					<i>dubiosus</i>	(Péringuey 1910)	ETH
				<i>Palpares</i>	<i>aeschnoides</i>	(Illiger in Rossi 1807)	PAL
					<i>caffer</i>	(Burmeister 1839)	ETH
					<i>contrarius</i>	(Walker 1853)	ORI
					<i>falcatus</i>	McLachlan 1867	ORI
					<i>fulvus</i>	McLachlan 1867	ORI
					<i>immensus</i>	McLachlan 1867	ETH
					<i>inclemens</i>	(Walker 1853)	ETH
					<i>libelluloides</i>	(Linnaeus 1764)	PAL
					<i>sobrinus</i>	Péringuey 1911	ETH
					<i>torridus</i>	Navás 1912	ETH
					<i>zebratus</i>	Rambur 1842	ORI
				<i>Parapalpares</i>	<i>latipennis</i>	(Rambur 1842)	ETH
				<i>Tomatares</i>	<i>citrinus</i>	(Hagen 1853)	ETH
					<i>clavicornis</i>	(Latreille 1829)	ETH/ORI
					<i>pardalis</i>	(Fabricius 1781)	ORI
				<i>Croce</i>	<i>filipennis</i>	(Westwood 1841)	ORI
					spp.		NEO/ORI
				<i>Laurhervasia</i>	<i>setacea</i>	(Klug 1838)	ETH
				<i>Nemopterinae</i>	<i>halteratus</i>	(Forskål 1775)	PAL/ORI
					spp.		ETH/?
					<i>extensa</i>	(Olivier 1811)	PAL
				<i>Nemeura</i>	<i>gracilis</i>	(Hagen 1886)	ETH
				<i>Nemopistha</i>	<i>hennini</i>	Navás 1911	ETH
					spp.		PAL
				<i>Nemoptera</i>	<i>bipennis</i>	(Illiger 1812)	PAL
					<i>coa</i>	(Linnaeus 1758)	PAL
					<i>sinuata</i>	Olivier 1811	PAL
					spp.		ETH
				<i>Olivierina</i>	sp.		PAL
				<i>Nevrorthus</i>	<i>apatelios</i>	H. Aspöck et al. 1977	PAL
					<i>iridipennis</i>	A. Costa 1863	PAL
				<i>Nipponeurorthus</i>	<i>punctatus</i>	(Nakahara 1915)	PAL
				<i>Nymphes</i>	<i>myrmeleonoides</i>	Leach 1814	AUS
					spp.		?

Osmylidae	Kempyninae	<i>Euosmylus stellae</i>	(McLachlan 1899)	AUS	
		<i>Kempynus citrinus</i>	(McLachlan 1873)	AUS	
		<i>falcatos</i>	Navás 1912	NEO	
		<i>incisus</i>	(McLachlan 1863)	AUS	
		<i>laticulus</i>	(McLachlan 1894)	AUS	
	Osmylinae	<i>Osmylus</i>	spp.		ORI/AUS
			<i>decoratus</i>	Nakahara 1914	PAL
			<i>fulvicephalus</i>	(Scopoli 1763)	PAL
			<i>harmandinus</i>	(Navás 1910)	PAL
			<i>hyalinatus</i>	McLachlan 1875	PAL
Spilosmylinae		<i>Parosmylus</i>	<i>prominens</i>	Needham 1909	ORI
			<i>Lysmus harmandinus</i>	(Navás 1910)	PAL
		<i>Spilosmylus</i>	<i>flavicornis</i>	(McLachlan 1875)	PAL
			<i>tuberculatus</i>	(Walker 1853)	ORI
		Stenosmylinae	<i>Thyridosmylis langii langii</i>	(McLachlan 1870)	PAL/ORI
<i>Phymatosmylus caprarum</i>	Adams 1969		NEO		
Polystoechidae		<i>Platystoechotes lineata</i>	Carpenter 1940	NEA	
		<i>punctata</i>	(Fabricius 1793)	NEA	
		spp.		NEA	
Psychopsidae	Psychopsinae	<i>Balmes birmanus</i>	(McLachlan 1891)	ORI	
		<i>terissinus</i>	Navás 1910	PAL	
Sisyridae	Zygophlebiinae	<i>Psychopsis</i>	sp.	?	
		<i>Silveira marshalli</i>	(MacLachlan 1902)	ETH	
		<i>Climacia areolaris</i>	(Hagen 1861)	NEA	
		<i>basalis</i>	Banks 1913	NEO	
		<i>bimaculata</i>	Banks 1913	NEO	
	<i>Sisyra</i>	<i>chapini</i>	Parfin & Gurney 1956	NEA/NEO	
		spp.		NEA/ETH/ORI	
		<i>afra</i>	Kimmins 1935	ETH	
		<i>apicalis</i>	Banks 1908	NEA/NEO	
		<i>nigra</i>	(Retzius 1783)	NEA/PAL	
		<i>nikkaana</i>	(Navás 1910)	PAL	
		spp.		NEA	
		<i>terminalis</i>	Curtis 1854	PAL	
		<i>vicaria</i>	(Walker 1853)	NEA	