

Vercors in Summer

Naturetrek Tour Report

11 - 18 July 2018



Blue Featherlegg by Diane Gee



Allium carinatum by Paul Harmes



Judolia cerambyciformis by Paul Harmes



Spotted Fritillary by Paul Harmes

Report and images compiled by Paul Harmes & Pete Stevens
– additional image by Diane Gee



Mingledown Barn Wolf's Lane Chawton Alton Hampshire GU34 3HJ England

T: +44 (0)1962 733051

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour Participants: Paul Harmes & Pete Stevens (Leaders) with 12 Naturetrek clients

Day 1

Wednesday 11th July

Fly London Heathrow to Lyon – Lans en Vercors

Twelve group members met Paul and Pete at Heathrow's Terminal 3 for the 1.50pm British Airways flight BA362 to Lyon St. Exupery. Upon our arrival, we soon completed passport control and baggage reclaim and made our way out to the arrivals area, before making our way to the bus stop for the bus to the car-rental area to collect the minibuses. With luggage loaded, we boarded the vehicles for the journey to the Vercors region.

We drove south-westwards on the A43 and A48 motorways, stopping to buy water at Aire L'Isle d'Abeau service area, before continuing south. We left the motorway at Voreppe, on the outskirts of Grenoble, and made our way, via Sessenage, up onto the Vercors Plateau to our destination, the Hotel Le Val Fleuri at Lans en Vercors. Along the way, we recorded Rook and Starling, neither of which, as yet, occur on the plateau, as well as Grey Heron.

At the hotel, our base for the rest of the tour, we were met by our host, Eliane Bonnard. At 8.15pm we reassembled to go to dinner at the Bois de Mures restaurant, before retiring for the night.

Day 2

Thursday 12th July

Les Merciers – Les Bruyeres – Bois de Mures

Following a splendid breakfast, we made the short journey to the small hamlet of Les Merciers. Here we explored a steep path, rocky lane sides and meadows. It was a bright, sunny morning, with good clear visibility all round. Leaving the buses, we began to explore. Sparrowhawk, Common Buzzard and Chaffinch were seen, together with Large Wall Brown, Pearly and Darwin's Heaths, Heath Fritillary, Scarce Copper, Marbled White and Small White butterflies. Moving on up the steep path, we began to find some plants, including *Helleborus foetidus* (Stinking Hellebore), *Dianthus gratianopolitanus* (Cheddar Pink), *Buphtbalmum salicifolium* (Yellow Ox-eye), *Campanula rotundifolia* (Harebell) and *Asplenium viride* (Green Spleenwort).

We now moved along a rocky lane bank adding *Sedum dasyphyllum* (Fat-leaved Stonecrop), *Sedum forsterianum* (Rock Stonecrop), *Dianthus sylvestris* (Wood Pink) and *Rhamnus alpinus* (Alpine Buckthorn). Additional butterfly species included Dark Green and High Brown Fritillaries. In some rocky meadows we found *Dianthus carthusianorum* (Carthusian Pink), *Thalictrum minus* (Lesser Meadow-rue) and *Gentiana cruciata* (Cross Gentian). Here, Red-backed Shrike, Alpine Swift and Crag Martin were added, as well as Silver-studded Blue butterfly.

We now returned to the vehicle in order to make the journey to our picnic site. This was situated a little way up the valley in the Forêt Comunale d'Autrans, where our leaders parked in a large clearing. During the meal we found a number of Longhorn Beetle species, on white Umbellifers.

We now made our way to the wet meadows at Les Bruyères, hoping to try and find Marsh Warbler. A small pond had a good stand of *Typha latifolia* (Bulrush). Other plants included *Juncus inflexus* (Hard Rush), *Sanguisorba*

officinalis (Great Burnet) and *Mentha longifolia* (Horse Mint). The Marsh Warbler was extremely obliging: not only was it singing but gave good close views also.

Our final stop of the day was in the Bois des Mures, to look for *Epipogium aphyllum* (Ghost Orchid). Making our way into the forest, it was not long before we found about half-a-dozen spikes. A high verge bank produced *Digitalis lutea* (Small Yellow Foxglove), *Epipactis atrorubens* (Dark Red Helleborine), *Melampyrum nemorosum* (a Cow-wheat), as well as the fruiting spikes of *Traunsteinera globosa* (Round-headed Orchid) and *Phyteuma nigra* (Black Rampion).

We now made our way back to Lans en Vercors to freshen up, before we went to dinner at the Restaurant La Charrette.

Day 3

Friday 13th July

Les Jarrards – Gorges de la Bourne – Font d’Urle – Col de Rousset

After breakfast we headed south, passing through Les Geymonds and down to the northern end of the spectacular Gorges de la Bourne, where we made a stop at the river bridge at Les Jarrards. Here, some group members had a brief glimpse of Dipper, as well as Grey Wagtail. On the river bank, there was *Sambucus ebulus* (Dwarf Elder), and the verge banks produced *Tilia cordata* (Small-leaved Lime), *Campanula rapunculoides* (Creeping Bellflower) and *Aegopodium prodragaria* (Ground Elder). Five-spot, Transparent and Six-spot Burnet moths, were also recorded, together with Yellow Shell.

We now continued south into the gorge, making a second stop at the Pont Valchevrière. The cliff faces here had *Campanula cochlearifolia* (Fairy’s Thimbles) and *Gymnocarpium dryopteris* (Oak Fern), and the verges produced *Prenanthes purpurea* (Purple Lettuce), *Calamintha grandiflora* (Large-flowered Calamint) and *Adenostyles alliariae* (Adenostyles). A patch of *Sedum album* (White Stonecrop), on a sunny rock, produced Blue-spot and White-letter Hairstreaks, as well as Holly Blue. For the birds, there was good numbers of House Martin and Crag Martin, as well as Common and Alpine Swifts.

We continued south through St. Julien en Vercors and La Chapelle en Vercors and made our way up over the Col de la Chau (1337 metres), and on towards the Font d’Urle, near which we had our picnic in a grassy area beside a large area of woodland. Examination of the numerous stands of *Heracleum sphondylium* (Hogweed), produced Wasp Beetle, *Graphasoma lineata* (a Shield Bug), Horse-flies and several more species of Longhorn Beetle. Chiffchaff and Blackcap were singing, and we also found Queen of Spain Fritillary, Cleopatra, Arran Brown, Large Copper, Niobe and High Brown Fritillary butterflies.

Upon our arrival on the Font d’Urle, we parked by the refuge and set off to explore, accompanied by a flock of Alpine Choughs, which were patrolling the slopes. The Font d’Urle (1500 metres) is a winter ski station with limestone outcrops and meadows. Early finds were *Onobrychis arenaria* (a Sainfoin) and *Gypsophila repens* (Alpine Gypsophila). Black Redstart, Water Pipit, Common Linnet and Northern Wheatear were also noted, as well as Alpine Marmot. Additional plants found were *Veronica spicata* (Spiked Speedwell), *Dianthus monspessulanus* (Fringed Pink), *Gymnadenia austriaca* var. *gallica* (a Dark Vanilla Orchid), *Persicaria bistorta* (Bistort), *Phyteuma orbiculare* (Round-headed Rampion), *Hypericum richeri* subsp. *burseri* (Alpine St. John’s-wort), as well as Common Brassy Ringlet and a probable Rock Grayling butterflies.

We now made our way back over the Col de la Chau and on through Vassieux, pausing briefly at the cemetery near Vassieux, where the victims of a Nazi reprisal against the Resistance, in 1944, are buried.

Our objective was the spectacular Col de Rousset, where we made a short stop to admire the view. Here, we found *Centranthus angustifolius* (Narrow-leaved Red Valerian), *Epilobium dodonaei*, *Linum suffruticosum* subsp. *salsaloides* (Pyrenean Flax), *Melilotus albus* (White Melilot) and *Origanum vulgare* (Marjoram). Birds included Griffon Vulture and Rock Bunting, and we added Amanda's Blue, Brown Argus and Small Tortoiseshell to the growing insect list.

We now moved back through the tunnel, and on to the small town of La Chapelle en Vercors, where we took dinner at the Hotel Bellier, before returning to our hotel in Lans en Vercors.

Day 4

Saturday 14th July

Presles – Forêt Domaniale des Coulmes – Pont en Royan

Following another excellent breakfast, we left the hotel and drove south once again through the Gorges de la Bourne. We took the road leading to the south-west, making our way down towards Choranche, where we turned west and began to climb up towards the Route de Presles. This is a magnificent limestone cliff formation, overlooking the Commune de Châtelus and the valley of the River Bourne. We made our first stop about three-quarters of the way up, where we explored the banks and meadows beside a quiet lane. Here we found Wall Brown, Great Banded Grayling, Dryad, Small Skipper, Large Skipper and probable Woodland Grayling butterflies. Plants included *Catanache caerulea* (Blue Catanache), *Quercus pubescens* (Downy Oak), *Epipactis mulleri* (Muller's Helleborine) and *Anthericum ramosum* (Branched St. Bernard's Lily). The calls of Cicadas could also be heard.

After spending some time exploring, we drove on up past the Rocher de Presles and into the Forêt Domaniale des Coulmes to a picnic site at the Fontaine de Petouze. During the lunch stop, Silver-washed Fritillary, Scarce Copper, Heath Fritillary and Pearly Heath butterflies were seen. For the plants, *Stachys alpina* (Alpine Woundwort), *Lilium martagon* (Martagon Lily), *Hypericum perforatum* (Common St. John's-wort) and *Sambucus ebulus* (Dwarf Elder) were also recorded. Chiffchaff and Chaffinch were heard, and Bonelli's Warbler seen.

From here we drove down into Pont en Royan, in order to visit an ice cream shop, where we sampled their wonderful range. Crag Martin and House Martin were very active, and we also noted Grey Wagtail and Mallard.

We now made our way back towards Choranche to a point on the bank of the River Bourne, below the Commune de Châtelus, a little to the north of the town. Here, we stopped by the River Bourne to explore the river-bank *Buddleja* vegetation for more butterflies and moths. We were not disappointed, seeing Scarce Swallowtail, Common Blue, Silver-spotted Skipper, High Brown Fritillary, Gatekeeper and Large Skipper butterflies. In addition, there was also Hummingbird Hawk- and Shaded Broad-bar moths.

It was now time to make the return journey to Lans en Vercors to freshen up before going to dinner at the Restaurant La Charrette.

Day 5

Sunday 15th July

Route Forestière de Autrans – Route Molière

After breakfast, we made the short journey to the Route Forestale de Autrans, part of the Forêt Commune de Autrans. The area comprises mixed woodland, open rides, rocky banks and open meadows. From Lans en Vercors, we took the road up towards the towns of Meaudre and Autrans, turning right onto the forest road. We made our way up towards the Refuge des Feneys, where we turned right and made our way up to the carpark on the Route Molière, and set off for a morning walk, initially through open woodland, and completing the circle through rough sub-alpine grassland. As we set off, Blackcap, Chiffchaff and Coal Tit were all noted together with Treecreeper. It was an overcast start to the day, so insects were not active; however, one of our number found a splendid Pine Longhorn Beetle. Three of the dominant plants were *Cirsium eriophorum* (Woolly Thistle), *Veratrum album* (White False-helleborine) and *Gentiana lutea* (Great Yellow Gentian). As the cloud began to dissipate, the sun appeared, together with butterflies. Apollo, Painted Lady, Small Tortoiseshell, Common Brassy Ringlet, Amanda's Blue and Berger's Clouded Yellow, were all seen. Alpine Marmots were calling, and distant views were had. Returning to the vehicles, we made a short drive back onto the 'Route Forestale', and found ourselves a picnic table, where Paul and Pete prepared lunch.

Following the meal, our first stop was on a rocky roadside where we found *Geranium sylvaticum* (Wood Crane's-bill), *Saxifraga rotundifolium* (Round-leaved Saxifrage) and a wonderful array of hybrid, Spotted, Marsh and Fragrant Orchids. Among these, we identified *Gymnadenia conopsea* subsp. *densiflora* (Marsh Fragrant Orchid) and *Dactylorhiza fuchsii* (Common Spotted Orchid). We also found *Veronica urticifolia* (Nettle-leaved Speedwell), *Cicerbita alpina* (Alpine Sow-thistle) and *Phyteuma nigra* (Black Rampion). Butterflies seen here included Large Skipper, Essex Skipper, Heath Fritillary, Mazarine Blue, Marbled White, Small Blue, Titania's Fritillary and False Heath Fritillary.

After pausing for refreshments in the Refuge des Feneys, we moved to our next stop, a wide verge beside a wet meadow below the road. Here we found *Cirsium montanum* (a Thistle), *Epilobium alpestre* (Whorled Willowherb) and *Traunsteinera globosa* (Round-headed Orchid). The insect life was active in the now-bright sunlight. Heath Fritillary, Scarce Copper, Black-veined White, Grison's Fritillary and Damon Blue were recorded.

It was now time to make our way back to the hotel in time for dinner.

Day 6

Monday 16th July

Plan de Grisail – Pas du Serpaton - Vif.

Leaving Lans en Vercors, we dropped down the east side of the Vercors plateau towards Claix, where we joined the motorway south to Monestier-de-Clermont, and on to the Plan de Grisail, an area of meadows, grassland and scrubby woodland.

The morning was overcast, but in the meadows we found numerous Marbled Whites, Meadow Brown and a solitary, fresh Purple Hairstreak. We also recorded Latticed Heath, Shaded Broad-bar and Common Heath moths. Plants included *Lysimachia vulgaris* (Yellow Loosestrife), *Filipendula ulmaria* (Meadowsweet) and *Lythrum salicaria* (Purple Loosestrife). Bird species were not abundant, but good views were had of Red-backed Shrike, Yellowhammer, Whinchat and a single Montagu's Harrier.

After enjoying our picnic, we continued towards Gresse en Vercors, and drove half way up the Pas du Serpaton, where we parked. From here we enjoyed the views of the Grand Veymont which, at 2341 metres, is the highest point in the Vercors, and the imposing Mont Aiguille (2085 metres). Some of the group, with Pete, set off to walk up towards the summit of the Pas du Serpaton (1588 metres), on a private road through calcareous grassland. They found *Campanula rotundifolia* (Harebell), *Gymnadenia conopsea* (Fragrant Orchid) and *Serratula tinctoria* (Saw-wort). Butterflies included Small Heath, Almond-eyed Ringlet and Scarce Copper. Birds were represented by Red-backed Shrike, Linnet and Black Redstart.

The remaining group members dropped back down towards Gresse en Vercors, stopping to explore the verges lower down. They found False Heath Fritillary Dark Green Fritillary, Small White, Niobe Fritillary, Damon Blue, Arran Brown Pearly Heath butterflies, as well as *Epilobium dodoneai*, *Centranthus angustifolius* (Narrow-leaved Red Valerian) and *Campanula rhomboidalis*.

After re-joining the other group members, we explored the lower section of the footpath at Uclaire. Butterflies here included Spotted Fritillary, Arran Brown, Scarce Copper, Meadow Fritillary, and Heath Fritillary. Plants included *Digitalis grandiflora* (Large Yellow Foxglove) and *Anacamptis pyramidalis* (Pyramidal Orchid).

We retraced our steps to Gresse en Vercors, where we took our dinner at the small and friendly restaurant 'Le Serpaton'. Following our meal, we returned to Monestier-de-Clermont, where we turned north on the N75 towards Vif, in the hope of seeing European Beaver.

We parked the vehicles and walked the several hundred yards to the series of lakes where these elusive animals live. As the sun set, we were able to find Blue-tailed, both White and Blue Featherleg, and both male and female Banded Demoiselle damselflies. In the distance Green Woodpecker and Turtle Dove were calling, and we also had snippets of Reed Warbler and Nightingale. As it got darker, European Nightjars began to 'churr' and Scops Owl called in the distance but, unfortunately, the Beavers did not appear. When it became too dark to see any more, we made our way back to the hotel, after a full day.

Day 7

Tuesday 17th July

Pas de l'Oeille

The principal objective for today was to make a walk up toward the Pas de l'Oeille, above Villard de Lans. After breakfast we drove up to the low-level cable-car station at Le Balcon Cote 2000 and caught the 9.15am lift to L'altitude 2000 upper station at 1720 metres. From the cable-car station, we began to make our way up the well-sign-posted track. Along the way we recorded Common Brassy Ringlet, False Heath Fritillary, Mountain Clouded Yellow, Geranium Argus and Small Tortoiseshell. As we progressed, we found *Hypericum richeri* subsp. *burseri* (an Alpine St. John's-wort), *Saxifraga aizoides* (Yellow Mountain Saxifrage), *Linaria supina* (Pyrenean Toadflax) and *Veratrum album* (White False-helleborine). We had good views of Citril Finch, Raven and Alpine Chough.

The path to the Pas de l'Oeille was uneven, but not too difficult, and along the way, as we paused for water, we found *Pinus uncinata* (Mountain Pine). As we climbed higher, there were good views of Alpine Marmot, sun-bathing. We also recorded Northern Brown Argus, Blind Ringlet, Mazarine Blue and Piedmont Ringlet, and the occasional Black Redstart. We stopped for lunch in an area of broken limestone boulders, enjoying our picnic with the addition of stunning views.

After eating some group members continued up towards the summit. Along the way, they reported *Doronicum grandiflorum* (Large-flowered Leopard's-bane), *Soldanella alpina* (Alpine Snowbell), *Globularia cordifolia* (Matted Globularia), *Hornungia alpina* (Chamois Cress), *Gentiana nivalis* (Snow Gentian), and the last remaining flower of *Gentiana clusii*, together with *Allium narcissiflorum* (Narcissus-flowered Onion).

The group re-convened at the Cable-car Station for refreshments, before taking the descending Cable car back down to where the vehicles were parked and returning to the hotel in time to begin packing for homeward journey tomorrow.

Day 8

Wednesday 18th July

Lans en Vercors to Lyon Exupery Airport.

Following a final splendid breakfast, at 8am we said goodbye to our host, Eliane Bonnard, and began our journey back to Lyon.

With some time to spare, our leaders decided to explore the area around Grenoble Isère Airport, making two stops. At the first we recorded Clouded Yellow butterfly, as well as *Papaver rhoeas* (Corn Poppy), *Conyza canadensis* (Canadian Fleabane) and *Ambrosia artemisiifolia* (Ragweed). There were also Common Swift and Barn Swallow.

The second stop, on the margins of some arable field and a small quarry, produced Gatekeeper and Small White butterflies, and the verge had *Dianthus armeria* (Deptford Pink) and *Silene baccifer* (Berry Catchfly). We also saw Black Kite and Common Buzzard.

We took lunch in a motorway rest area, Aire Oyeu, before moving on to the Airport. Whilst eating, we added Large Blue and Chapman's Blue butterflies.

We arrived at Lyon St. Exupery Airport in good time, where we said fairwell to Paul, who was staying in France to lead another tour. We then boarded our flight back to the UK.

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Social Media

We're social! Follow us on Facebook, Twitter and Instagram and be the first to hear about the launch of new tours, offers and exciting sightings and photos from our recently returned holidays.



www.facebook.com/naturetrekwildlifeholidays



www.twitter.com/naturetrektours



www.instagram.com/naturetrek_wildlife_holidays

Species Lists

Plants (* = Very localised distribution or endemic; [] = Planted or Introduced)

Nomenclature contained within this list follows the taxonomic amendments, based on DNA analysis, made by the Royal Botanic Gardens, Kew and the Missouri Botanic Garden, and following The Plant List, an internationally accepted list of vascular plant families, published and maintained by these two Institutions.

Scientific name	Common name	Location
Calamophytes		
Horsetails		
Equisetaceae	Horsetail Family	
<i>Equisetum palustre</i>	Marsh Horsetail	Les Bruyeres
Eusporangiate Ferns		
Adder's-tongues & Moonworts		
Ophioglossaceae	Adder's-tongue Family	
<i>Botrychium lunaria</i>	Moonwort	Font d'Urle
Leptosporangiate Ferns		
True Ferns		
Aspleniaceae	Spleenwort Family	
<i>Asplenium fontanum</i>	Smooth Rock Spleenwort	Gorges de la Bourne
<i>Asplenium ruta-muraria</i>	Wall Rue	Font d'Urle
<i>Asplenium trichomanes</i>	Maidenhair Spleenwort	Les Merciers
<i>Asplenium viride</i>	Green Spleenwort	Les Merciers
Dennstaedtiaceae	Bracken Family	
<i>Pteridium aquilinum</i>	Bracken	Gorges de la Bourne
Dryopteridaceae	Buckler-fern Family	
<i>Dryopteris filix-mas</i>	Male-fern	Route Forestale de Autrans
<i>Dryopteris submontana</i>	Rigid Buckler-fern	Pas de l'Oeille
<i>Polystichum lonchitis</i>	Holly Fern	Font d'Urle
Polypodiaceae	Polypody Family	
<i>Polypodium cambricum</i>	Southern Polypody	Pont en Royans
Woodsiaceae	Lady-fern Family	
<i>Cystopteris fragilis</i>	Brittle Bladder-fern	Font d'Urle
<i>Gymnocarpium dryopteris</i>	Oak Fern	Gorges de la Bourne
Gymnosperms		
Conifers		
Cupressaceae	Juniper Family	
<i>Juniperus communis</i>	Juniper	Les Merciers
<i>Juniperus thurifera</i>	French Alpine Juniper	Gorges de la Bourne
Pinaceae	Pine Family	
<i>Abies alba</i>	European Silver Fir	Route Forestale de Autrans
<i>Picea abies</i> subsp. <i>abies</i>	Spruce	Les Merciers
<i>Pinus sylvestris</i>	Scots Pine	Plan de Grisail
<i>Pinus uncinata</i>	Mountain Pine	Pas de l'Oeille

Scientific name	Common name	Location
Angiosperms		
Eu-Dicots		
Flowering Plants		
True Dicotyledons		
Adoxaceae	Moschatel Family	
<i>Sambucus ebulus</i>	Dwarf Elder or Danewort	Les Jerrands
<i>Sambucus nigra</i>	Elder	Rout Presles
<i>Viburnum opulus</i>	Guelder Rose	Plan de Grisail
Anacardiaceae	Sumach Family	
<i>Cotinus coggygia</i>	Smoke Bush	Route Presles
Apiaceae	Carrot Family	
<i>Aegipodium podagaria</i>	Ground Elder	Les Jerrands
<i>Angelica sylvestris</i>	Wild Angelica	Les Bruyeres
<i>Bupleurum falcatum</i> subsp. <i>cernuum</i>	Sickle-leaved Hare's-ear	Chatelus
<i>Bupleurum petraeum</i>	Rock Hare's-ear	Les Merciers
<i>Daucus carota</i>	Wild Carrot	Les Merciers
<i>Eryngium campestre</i>	Field Eryngo	Route Presles
<i>Heracleum sphondylium</i>	Hogweed	Near Font d'Urle
<i>Laserpitium latifolium</i>	Broad-leaved Sermountain	Route Moliere
<i>Laserpitium siler</i>	A Sermountain	Les Merciers
<i>Ligusticum mutellina</i>	Alpine Lovage	Font d'Urle
<i>Pastinaca sativa</i>	Wild Parsnip	Route Presles
<i>Pimpinella saxifraga</i>	Lesser Burnet Saxifrage	Route Forestale de Autrans
Apocynaceae	Periwinkle Family	
<i>Vincetoxicum hirundinaria</i>	Swallow-wort	Les Merciers
Aquifoliaceae	Holly Family	
<i>Ilex aquifolia</i>	Holly	Bois de Mares
Araliaceae	Ivy Family	
<i>Hedera helix</i> agg	Ivy	Pont en Royans
Betulaceae	Birch Family	
<i>Betula pendula</i>	Silver Birch	Vif
<i>Corylus avellana</i>	Hazel	Les Merciers
Boraginaceae	Forget-me-not Family	
<i>Echium vulgare</i>	Viper's-bugloss	Les Merciers
<i>Myosotis alpestris</i>	Alpine Wood Forget-me-not	Pas de l'Oeille
<i>Myosotis sylvatica</i>	Wood Forget-me-not	Route Moliere
<i>Pulmonaria officinalis</i>	Lungwort	Route Presles
Brassicaceae	Cabbage Family	
<i>Hornungia (Pritzelago) alpina</i>	Chamois Cress	Pas de l'Oeille
<i>Kernera saxatile</i>	Kernera	Pas de l'Oeille
<i>Lunaria redivida</i>	Perennial Honesty	
<i>Sinapis arvensis</i>	Charlock	
Buddlejaceae	Butterfly-bush Family	
<i>Buddleja davidii</i>	Butterfly-bush	Chatelus

Scientific name	Common name	Location
Buxaceae	Box Family	
<i>Buxus sempervirens</i>	Box	Route Presles
Campanulaceae	Bellflower Family	
<i>Campanula cochlearifolia</i>	Fairy's Thimbles	Gorges de la Bourne
<i>Campanula persicifolia</i>	Peach-leaved Bellflower	Foret des Coulmes
<i>Campanula rapunculoides</i>	Creeping Bellflower	Les Merciers
<i>Campanula rapunculus</i>	Rampion Bellflower	Les Jarrands
<i>Campanula rhomboidalis</i>	A Bellflower	Route Forestale de Autrans
<i>Campanula rotundifolia</i>	Harebell	Les Merciers
<i>Campanula thyrsoidea</i>	Yellow Bellflower	Route Moliere (over)
<i>Phyteuma nigra</i>	Black Rampion	Route Forestale de Autrans
<i>Phyteuma orbiculare</i>	Round-headed Rampion	Font d'Urle
Caprifoliaceae	Honeysuckle Family	
<i>Centranthus angustifolius</i>	Narrow-leaved Red Valerian	Co de Rousset
<i>Cephalaria alpina</i>	Alpine Scabious	Pas de Serpaton
<i>Knautia dipsacifolia</i>	Wood Scabious	Les Merciers
<i>Lonicera xylosteum</i>	Fly Honeysuckle	Plan de Grisail (in fruit)
<i>Scabiosa columbaria</i>	Small Scabious	Les Merciers
<i>Valeriana montana</i>	-	Route Forestale de Autrans
<i>Valeriana officinalis</i>	Common Valerian	Route Forestale de Autrans
Caryophyllaceae	Pink Family	
<i>Arenaria serpyllifolia</i> subsp. <i>serpyllifolia</i>	Thyme-leaved Sandwort	Pas de l'Oeille
<i>Cerastium arvense</i>	Field Mouse-ear	Font d'Urle
<i>Dianthus carthusianorum</i>	Carthusian Pink	Les Merciers
<i>Dianthus gratianopolitanus</i>	Cheddar Pink	Les Merciers
<i>Dianthus monspessulanus</i>	Fringed Pink	Les Merciers
<i>Dianthus sylvestris</i>	Wood Pink	Les Merciers
<i>Gypsophila repens</i>	Gypsophila	Font d'Urle
<i>Minuartia verna</i>	Spring Sandwort	Font d'Urle
<i>Saponaria officinalis</i>	Soapwort	Gorges de la Bourne
<i>Silene baccifer</i>	Berry Catchfly	Grenoble Isere Airport
<i>Silene dioica</i>	Red Campion	Route Moliere
<i>Silene flos-cuculi</i>	Ragged Robin	Les Bruyeres
<i>Silene vulgaris</i>	Bladder Campion	Gorges de la Bourne
<i>Stellaria graminea</i>	Lesser Stitchwort	Route Forestale de Autrans
<i>Stellaria nemorum</i>	Wood Stitchwort	Route Moliere
<i>Telephium imperati</i>	-	
Celastraceae	Spindle-tree Family	
<i>Euonymus europaeus</i>	Spindle	Vif
Cistaceae	Rock-rose Family	
<i>Helianthemum nummularium</i>	Common Rock-rose	Les Merciers
Compositae (Asteraceae)	Daisy Family	
<i>Achillea millefolium</i>	Yarrow	Route Forestale de Autrans
<i>Adenostyles alliariae</i>	Adenostyles	Gorges de la Bourne
<i>Anthemis triumfetti</i>	Southern Dog-daisy	Col de Rousset
<i>Artemisia absinthium</i>	Wormwood	Col de Rousset
<i>Artemisia vulgaris</i>	Mugwort	Route Presles

Scientific name	Common name	Location
<i>Aster alpinus</i>	Alpine Aster	Font d'Urle
<i>Aster bellidiastrum</i>	False Aster	Route Forestale de Autrans
<i>Bellis perennis</i>	Daisy	Lans en Vercors
<i>Buphthalmum salicifolium</i>	Yellow Ox-eye	Les Merciers
<i>Carduus defloratus</i>	-	Les Merciers
<i>Carduus nutans</i>	Nodding Thistle	Les Merciers
<i>Carlina acaulis</i>	Stemless Carline Thistle	Route Moliere
<i>Catananche caerulea</i>	Catananche	Route Presles
<i>Centaurea cyanus</i>	Cornflower	Roadside Arable
<i>Centaurea montana</i>	Perennial Cornflower	Near Font d'Urle
<i>Centaurea scabiosa</i>	Greater Knapweed	Gorges de la Bourne
<i>Cicerbita alpina</i>	Alpine Sow-thistle	Route Forestale de Autrans
<i>Cirsium acaule</i>	Stemless Thistle	Route Moliere
<i>Cirsium arvense</i>	Creeping Thistle	Les Bruyeres
<i>Cirsium eriophorum</i>	Woolly Thistle	Route Moliere
<i>Cirsium palustre</i>	Marsh Thistle	Roadside meadows
<i>Cirsium spinosissimum</i>	Spiniest Thistle	Pas de l'Oeille
<i>Crepis pyrenaica</i>	-	Route Moliere
<i>Doronicum grandiflorum</i>	Large Flowered Leopard's-bane	Pas de l'Oeille
<i>Erigeron annuus</i>	Annual Fleabane	Route Forestale de Autrans
<i>Erigeron uniflora</i>	One-flowered Fleabane	Font d'Urle
<i>Eupatorium cannabinum</i>	Hemp Agrimony	Gorges de la Bourne
<i>Gnaphalium sylvaticum</i>	Heath Cudweed	Route Forestale de Autrans
<i>Hieracium alpinum</i> agg	Alpine Hawkweed	Font d'Urle
<i>Helianthus annuus</i> (Planted)	Sunflower	Escape from cultivation
<i>Homogyne alpina</i>	Alpine Colt's-foot	Pas de l'Oeille
<i>Lapsana communis</i>	Nipplewort	Foret des Coulmes
<i>Leucanthemum vulgare</i>	Ox-eye Daisy	Col de Rousset
<i>Onopordum acanthium</i>	Cotton Thistle	Route Presles
<i>Petasites paradoxa</i>	Alpine Butterbur	Route Forestale de Autrans (leaves)
<i>Pilosella officinarum</i>	Mouse-eared Hawkweed	Pas de l'Oeille
<i>Prenanthes purpurea</i>	Purple Lettuce	Route Forestale de Autrans (in bud)
<i>Pulicaria dysenterica</i>	Fleabane	Vif
<i>Senecio doronicum</i>	Chamois Ragwort	Font d'Urle
<i>Senecio jacobaea</i>	Ragwort	Font d'Urle
<i>Senecio ovatus</i> subsp. <i>alpestris</i>	-	Near Font d'Urle
<i>Senecio vulgaris</i>	Groundsel	Lans en Vercors
<i>Serratula tinctoria</i>	Saw-wort	Font d'Urle
<i>Solidago virgaurea</i>	Goldenrod	Les Jerrands
<i>Tussilago farfara</i>	Colt's-foot	Font d'Urle (leaves)
Convolvulaceae	Bindweed Family	
<i>Calystegia sepium</i>	Hedge Bindweed	Plan de Grisail
<i>Convolvulus arvensis</i>	Field Bindweed	Pont en Royans
<i>Cuscuta europaeum</i>	Greater Dodder	Les Merciers
Cornaceae	Dogwood Family	
<i>Cornus sanguinea</i>	Dogwood	Chatelus
Crassulaceae	Stonecrop Family	
<i>Sedum acre</i>	Biting Stonecrop	Les Merciers
<i>Sedum album</i>	White Stonecrop	Les Merciers
<i>Sedum atratum</i>	Dark Stonecrop	Pas de l'Oeille

Scientific name	Common name	Location
<i>Sedum dasyphyllum</i>	Fat Stonecrop	Les Merciers
<i>Sedum forsterianum</i>	Rock Stonecrop	Les Merciers
<i>Sedum rupestre</i>	Large Yellow Stonecrop	Col de Rousset
<i>Sedum sediforme</i>	-	Col de Rousset
<i>Sempervivum tectorum</i>	Common Houseleek	Les Merciers
Ericaceae		
Heath family		
<i>Arctostaphylos uva-ursi</i>	Bearberry	Font d'Urle (fruit)
<i>Rhododendron ferrugineum</i>	Alpenrose	Pas de l'Oeille
<i>Vaccinium myrtillus</i>	Bilberry	Font d'Urle
<i>Vaccinium uliginosum</i>	Bog Whortleberry	
<i>Vaccinium vitis-idaea</i>	Cowberry	
Euphorbiaceae		
Spurge Family		
<i>Euphorbia cyparissias</i>	Cypress Spurge	Les Merciers
<i>Euphorbia peplus</i>	Petty Spurge	Pont en Royans
<i>Euphorbia verrucosa</i>	-	Grenoble Isere Airport
<i>Mercurialis perennis</i>	Dog's Mercury	Route Forestale de Autrans
Fagaceae		
Beech Family		
<i>Fagus sylvatica</i>	Beech	Bois de Mures
<i>Quercus pubescens</i>	Downy Oak	Route Presles
Gentianaceae		
Gentian Family		
<i>Blackstonia perfoliata</i>	Yellow-wort	Route Presles
<i>Gentiana clusii</i>	Clusius's Gentian	Pas de l'Oeille
<i>Gentiana cruciata</i>	Cross Gentian	Les Merciers
<i>Gentiana lutea</i>	Great Yellow Gentian	Route Forestale de Autrans
<i>Gentiana nivalis</i>	Snow Gentian	Pas de l'Oeille
<i>Gentiana verna</i>	Spring Gentian	Font d'Urle
Geraniaceae		
Geranium Family		
<i>Geranium pyrenaicum</i>	Hedgerow Crane's-bill	Foret des Coulmes
<i>Geranium robertianum</i>	Herb Robert	Les Merciers
<i>Geranium sylvaticum</i>	Wood Crane's-bill	Near Font d'Urle (over)
<i>Geranium versicolor</i>	Pencilled Crane's-bill	Plan de Grisail
Hypericaceae		
St. John's-wort Family		
<i>Hypericum hirsutum</i>	Hairy St. John's-wort	Plan de Grisail
<i>Hypericum maculatum</i>	Imperforate St. John's-wort	les Bruyeres
<i>Hypericum montanum</i>	Pale St. John's-wort	Font d'Urle
<i>Hypericum perforatum</i>	Perforate St. John's-wort	Font d'Urle
<i>Hypericum richeri</i> subsp. <i>burseri</i>	Alpine St. John's-wort	Font d'Urle
Lamiaceae		
Dead-nettle Family		
<i>Betonica officinalis</i>	Betony	Route Presles
<i>Calamintha grandiflora</i>	Large-flowered Calamint	Gorges de la Bourne
<i>Clinopodium alpinum</i>	Alpine Basil Thyme	Route Moliere
<i>Clinopodium vulgare</i>	Wild Basil	Les Merciers
<i>Galeopsis tetrahit</i> agg	Common Hempnettle	Foret des Coulmes
<i>Lamium garganicum</i>	Large Red Deadnettle	Pas de l'Oeille
<i>Mentha aquatica</i>	Water Mint	Plan de Grisail
<i>Mentha longifolia</i>	Horse Mint	Les Bruyeres

Scientific name	Common name	Location
<i>Origanum vulgare</i>	Marjoram	Col de Rousset
<i>Prunella vulgaris</i>	Self-heal	Les Bruyeres
<i>Sideritis hyssopifolia</i>	Sideritis	Les Merciers
<i>Stachys alpina</i>	Alpine Woundwort	Route Forestale de Autrans
<i>Stachys recta</i>	Yellow Woundwort	Les Jerrands
<i>Stachys sylvatica</i>	Hedge Woundwort	Foret des Coulmes
<i>Teucrium chamaedrys</i>	Wall Germander	Les Merciers
<i>Teucrium montanum</i>	Mountain Germander	Font d'Urle
<i>Thymus polytrichus</i>	Wild Thyme	Les Merciers
<i>Thymus serpyllum</i>	A Thyme	Pas de l'Oeille
Leguminosae (Fabaceae)	Pea Family	
<i>Anthyllis vulneraria</i> agg.	Kidney Vetch	Les Merciers
<i>Chamaespartium sagittale</i>	Winged Greenweed	Les Merciers (in fruit)
<i>Cytisophyllum sessilifolium</i>	Sessile Broom	Pas de l'Oeille
<i>Lathyrus latifolius</i>	Broad-leaved everlasting Pea	Route Presles
<i>Lathyrus pratensis</i>	Meadow Vetchling	Route Moliere
<i>Lotus alpinus</i>	Alpine Bird's-foot Trefoil	Font d'Urle
<i>Lotus corniculatus</i>	Bird's-foot Trefoil	Route Forestale de Autrans
<i>Medicago sativa</i> subsp. <i>sativa</i>	Lucerne	Chatelus
<i>Melilotus albus</i>	White Melilot	Col de Rousset
<i>Onobrychis arenaria</i>	Sainfoin	Font d'Urle
<i>Ononis repens</i>	Restharrow	Route Presles
<i>Ononis spinosa</i>	Spiny Restharrow	Bois de Mures
<i>Ononis viscosa</i>	Sticky Restharrow	Above Sessenage
[<i>Robinia pseudacacia</i>]	False Acacia	Chatelus
<i>Securigera varia</i>	Crown Vetch	Bois de Mures
<i>Trifolium hybridum</i>	Alsike	Les Bruyeres
<i>Trifolium medium</i>	Zigzag Clover	Plan de Grisail
<i>Trifolium pratense</i> subsp. <i>pratense</i>	Red Clover	Les Merciers
<i>Trifolium repens</i>	White Clover	Les Merciers
<i>Trifolium rubens</i>	Red Trefoil	Les Merciers
<i>Vicia cracca</i>	Tufted vetch	Les Merciers
Linaceae	Flax Family	
<i>Linum catharticum</i>	Purging or Fairy Flax	Route Forestale de Autrans
<i>Linum perenne</i> agg	Perennial Flax	Pas de l'Oeille
<i>Linum suffruticosum</i> subsp. <i>salsoloides</i>	Pyrenean Flax	Col de Rousset
Lythraceae	Loosestrife Family	
<i>Lythrum salicaria</i>	Purple Loosestrife	Plan de Grisail
Malvaceae	Mallow Family	
<i>Malva moschata</i>	Musk Mallow	Foret des Coulmes
<i>Tilia cordata</i>	Small-leaved Lime	Les Jerrands
<i>Tilia platyphyllos</i>	Broad-leaved Lime	Plan de Grisail
Oleaceae	Olive Family	
<i>Fraxinus excelsior</i>	Ash	Les Merciers
<i>Ligustrum vulgare</i>	Wild Privet	Plan de Grisail
Onagraceae	Willowherb Family	
<i>Chamerion angustifolium</i>	Rosebay Willowherb	Les Merciers

Scientific name	Common name	Location
<i>Epilobium alpestre</i>	-	Route Forestale de Autrans
<i>Epilobium dodonaei</i>	Alpine Willowherb	Col de Rousset
<i>Epilobium hirsutum</i>	Hairy Willowherb	Les Bruyeres
<i>Epilobium montanum</i>	Broad-leaved Willowherb	Route Forestale de Autrans
Orobanchaceae	Broomrape Family	
<i>Euphrasia rostkoviana</i> agg.	an Eyebright	Font d'Urle
<i>Melampyrum nemorosum</i>	a Cow-wheat	Route Forestale de Autrans
<i>Orobanche alba</i>	Thyme Broomrape	Les Merciers
<i>Orobanche gracilis</i>	Slender Broomrape	Pas de l'Oeille
<i>Pedicularis gyroflexa</i>	Tufted Lousewort	Font d'Urle
<i>Rhinanthus aristatus</i>	Aristate Rattle	Les Bruyeres
Oxalidaceae	Wood-sorrel Family	
<i>Oxalis acetosella</i>	Wood-sorrel	Bois de Mures
Papaveraceae	Poppy Family	
<i>Papaver rhoeas</i>	Corn Poppy	Roadsides
Plantaginaceae	Plantain Family	
<i>Digitalis grandiflora</i>	Large Yellow Foxglove	Bois de Mures
<i>Digitalis lutea</i>	Small Yellow Foxglove	Les Merciers
<i>Erinus alpinus</i>	Fairy Foxglove	Pas de l'Oeille
<i>Globularia cordifolia</i>	Matted Globularia	Pas de l'Oeille
<i>Linaria supina</i>	Pyrenean Toadflax	Pas de l'Oeille
<i>Plantago lanceolata</i>	Ribwort Plantain	Font d'Urle
<i>Plantago media</i>	Hoary or Lamb's-tail Plantain	Les Merciers
<i>Veronica austriaca</i> agg.	Large Speedwell	Pas de l'Oeille
<i>Veronica chamaedrys</i>	Germander Speedwell	Route Moliere
<i>Veronica officinalis</i>	Heath Speedwell	Route Moliere
<i>Veronica urticifolia</i>	Nettle-leaved Speedwell	Route Forestale de Autrans
Plumbaginaceae	Thrift Family	
<i>Armeria alpina</i>	Mountain Thrift	Pas de l'Oeille
Polygalaceae	Milkwort Family	
<i>Polygala vulgaris</i>	Common Milkwort	Pas de l'Oeille
Polygonaceae	Knotweed Family	
<i>Persicaria bistorta</i>	Bistort	Font d'Urle
<i>Persicaria vivipara</i>	Alpine Bistort	Pas de l'Oeille
<i>Rumex crispus</i>	Curled Dock	Les Bruyeres
<i>Rumex scutatus</i>	French Sorrel	Pas de l'Oeille
Primulaceae	Primrose Family	
<i>Lysimachia nummularia</i>	Creeping Jenny	Les Bruyeres
<i>Lysimachia vulgaris</i>	Yellow Loosestrife	Plan de Grisail
<i>Primula veris</i>	Cowslip	Font d'Urle (over)
<i>Soldanella alpina</i>	Alpine Snowbell	Pas de l'Oeille
Ranunculaceae	Buttercup Family	
<i>Aconitum vulparia</i>	Wolf's-bane	Route Forestale de Autrans
<i>Anemone (Pulsatilla) alpina</i>	Alpine Pasqueflower	Font d'Urle (in fruit)

Scientific name	Common name	Location
<i>Helleborus foetidus</i>	Stinking Hellebore	Les Merciers
<i>Ranunculus aconitifolius</i>	Aconite-leaved Buttercup	Route Moliere
<i>Ranunculus alpestris</i>	Alpine Buttercup	Pas de l'Oeille
<i>Thalictrum aquilegifolium</i>	Great Meadow-rue	Les Jerrands
<i>Thalictrum minus</i>	Lesser Meadow-rue	Les Merciers
Rosaceae	Rose Family	
<i>Agrimonia eupatorium</i>	Agrimony	Roadsides
<i>Alchemilla alpina</i> agg.	Alpine Lady's-mantle	Font d'Urle
<i>Alchemilla conjuncta</i>	Silvery lady's-mantle	Font d'Urle
<i>Alchemilla glabra</i>	Smooth Lady's-mantle	Plan de Grisail
<i>Aruncus dioicus</i>	Aruncus or Goatsbeard	Gorges de la Bourne
<i>Dryas octopetala</i>	Mountain Avens	Pas de l'Oeille
<i>Filipendula ulmaria</i>	Meadowsweet	Les Bruyeres
<i>Fragaria vesca</i>	Wild Strawberry	Bois de Mures
<i>Geum rivale</i>	Water Avens	Pas de l'Oeille
<i>Potentilla anserina</i>	Silverweed	Plan Grisail
<i>Potentilla caulescens</i>	Lax Potentilla	Route Presles
<i>Prunus avium</i>	Wild Cherry	Pas du Serpaton
<i>Rosa canina</i> agg.	Common Dog Rose	Font d'Urle
<i>Rosa pendulina</i>	Alpine Rose	Route Forestale de Autrans
<i>Rubus fruticosus</i> agg.	Bramble	Les Merciers
<i>Rubus idaeus</i>	Raspberry	Bois de Mures
<i>Rubus saxatilis</i>	Stone Bramble	Bois de Mures
<i>Sanguisorba minor</i> agg.	Salad Burnet	Route Presles
<i>Sanguisorba officinalis</i>	Greater Burnet	Les Bruyeres
<i>Sorbus aria</i>	Whitebeam	Les Merciers
<i>Sorbus aucuparia</i>	Rowan	Bois de Mures
<i>Sorbus chamaemespilus</i>	False Medlar	Route Forestale de Autrans
Salicaceae	Willow Family	
<i>Populus tremuloides</i>	Aspen	Les Merciers
<i>Salix purpurea</i>	Purple Willow	Les Bruyeres
Sapindaceae	Maple Family	
<i>Acer campestre</i>	Field Maple	Plan de Grisail
<i>Acer opalus</i>	Italian Maple	Les Merciers
<i>Acer pseudoplatanus</i>	Sycamore	Gorges de la Bourne
Saxifragaceae	Saxifrage Family	
<i>Saxifraga aizoides</i>	Yellow Saxifrage	Font d'Urle
<i>Saxifraga paniculata</i>	Live-long Saxifrage	Pas du Serpaton
<i>Saxifraga rotundifolia</i>	Round-leaved saxifrage	Near Font d'Urle
Scrophulariaceae	Figwort Family	
<i>Scrophularia nodosa</i>	Common Figwort	Foret des Coulmes
<i>Verbascum nigrum</i>	Dark Mullein	Les Merciers
<i>Verbascum phlomoides</i>	Orange Mullein	Les Merciers
<i>Verbascum pulverulentum</i>	Hoary Mullein	Presles
Thymelaeaceae	Mezereon Family	
<i>Daphne laureola</i>	Spurge Laurel	Plan de Grisail
<i>Daphne mezereum</i>	Mezereon	Route Moliere (in Fruit)

Scientific name	Common name	Location
Urticaceae	Nettle Family	
<i>Parietaria judaica</i>	Pellitory of the Wall	Pont en Royans
<i>Urtica dioica</i>	Common Nettle	Les Merciers
Verbenaceae	Vervain Family	
<i>Verbena officinalis</i>	Vervain	Col de Rousset
Violaceae	Violet Family	
<i>Viola tricolor</i> subsp. <i>subalpina</i>	a Heartsease	Font d'Urle
Monocots	Monocotyledons	
Amaryllidaceae	Onion Family	
<i>Allium carinatum</i>	Keeled Garlic	Near Claix
<i>Allium narcissiflorum</i>	Narcissus-flowered Onion	Pas de l'Oeille
<i>Allium oleraceum</i>	Field Garlic	Pas du Serpaton
<i>Allium rotundum</i>	-	Foret des Coulmes
<i>Allium senescens</i> subsp. <i>montanum</i>	Mountain Onion	Les Merciers
<i>Allium vineale</i>	Crow Garlic	Font d'Urle
Asparagaceae	Asparagus family	
<i>Anthericum ramosum</i>	Branched St. Bernard's Lily	Route Presles
<i>Maianthemum bifolium</i>	May Lily	Route Moliere
<i>Polygonatum verticillatum</i>	Whorled Solomon's-seal	Foret des Coulmes
Iridaceae	Iris Family	
<i>Iris pseudacorus</i>	Yellow Flag	Vif
Juncaceae	Rush Family	
<i>Juncus articulatus</i>	Jointed Rush	Route Forestale de Autrans
<i>Juncus effusus</i>	Soft Rush	Route Forestale de Autrans
<i>Juncus inflexus</i>	Hard Rush	Les Bruyeres
<i>Luzula luzuloides</i>	White Woodrush	Pas de l'Oeille
<i>Luzula nivea</i>	Snowy Woodrush	Near Font d'Urle
<i>Luzula pilosa</i>	Hairy Woodrush	
<i>Luzula sylvatica</i>	Greater Woodrush	
Liliaceae	Lily Family	
<i>Lilium martagon</i>	Martagon Lily	Foret des Coulmes
Melanthiaceae	Herb-Paris family	
<i>Paris quadrifolia</i>	Herb-Paris	Bois de Mures
<i>Veratrum album</i>	White False-helleborine	Route Moliere
Orchidaceae	Orchid Family	
<i>Anacamptis pyramidalis</i>	Pyramidal Orchid	Les Merciers
<i>Dactylorhiza fuchsii</i>	Common Spotted Orchid	Route Forestale de Autrans
<i>Epipactis atrorubens</i>	Dark Red Helleborine	Bois de Mures
<i>Epipactis helleborine</i>	Broad-leaved Helleborine	Bois de Mures
<i>Epipactis muelleri</i>	-	Route Presles
<i>Epipogium aphyllum</i>	Ghost Orchid	Bois de Mures
<i>Gymnadenia austriaca</i> var. <i>gallica</i>	a Vanilla Orchid	Font d'Urle
<i>Gymnadenia conopsea</i>	Fragrant Orchid	Pas du Serpaton

Scientific name	Common name	Location
<i>Gymnadenia densiflora</i>	Dense-flowered Fragrant Orchid	Route Forestale de Autrans
<i>Neottia nidus-avis</i>	Bird's-nest Orchid	Bois de Mures (over)
<i>Neottia ovata</i>	Twayblade	Route Forestale de Autrans
<i>Traunsteinera globosa</i>	Round-headed Orchid	Pas de l'Oeille
Poaceae		
<i>Briza media</i>	Quaking Grass	Bois de Mures
<i>Hordelymus europaeus</i>	Wood Barley	Foret des Coulmes
<i>Melica nutans</i>	Mountain Melick	Route Forestale de Autrans
<i>Molinia caerulea</i>	Purple Moor-grass	Pas de l'Oeille
<i>Phleum pratense</i>	Timothy	Les Bruyeres
<i>Poa alpina</i>	Alpine Meadow-grass	Pas de l'Oeille
Typhaceae		
<i>Typha latifolia</i>	Bulrush	Les Bruyeres

Birds (✓=recorded but not counted; H = heard only)

	Common name	Scientific name	July								
			11	12	13	14	15	16	17	18	
1	Mute Swan	<i>Cygnus olor</i>									
2	Mallard	<i>Anas platyrhynchos</i>			✓	✓	✓				
3	Little Bittern	<i>Ixobrychus minutus</i>							✓		
4	Grey Heron	<i>Ardea cinerea</i>	✓	✓	✓						
5	Griffon Vulture	<i>Gyps fulvus</i>		✓	✓					✓	
6	Eurasian Sparrowhawk	<i>Accipiter nisus</i>		✓					✓		
7	Montagu's Harrier	<i>Circus pygargus</i>			✓				✓		
8	Black Kite	<i>Milvus migrans</i>		✓					✓	✓	
9	Common Buzzard	<i>Buteo buteo</i>		✓	✓	✓	✓	✓	✓		
10	Rock Dove [Feral]	<i>Columba livia feral</i>	✓							✓	
11	Common Wood Pigeon	<i>Columba palumbus</i>	✓	✓	✓	✓	✓	✓	✓	✓	
12	European Turtle Dove	<i>Streptopelia turtur</i>							H		
13	Eurasian Collared Dove	<i>Streptopelia decaocto</i>	✓						✓	✓	
14	Eurasian Scops Owl	<i>Otus scops</i>							H		
15	European Nightjar	<i>Caprimulgus europaeus</i>							✓		
16	Alpine Swift	<i>Tachymartia melba</i>		✓	✓			✓		✓	
17	Common Swift	<i>Apus apus</i>	✓	✓	✓	✓	✓	✓	✓	✓	
18	Great Spotted Woodpecker	<i>Dendrocopos major</i>			✓						
19	European Green Woodpecker	<i>Picus viridis</i>		H	H				✓		
20	Common Kestrel	<i>Falco tinnunculus</i>		✓	✓	✓	✓	✓	✓		
21	Red-backed Shrike	<i>Lanius collurio</i>		✓				✓	✓		
22	Eurasian Jay	<i>Garrulus glandarius</i>	✓		✓	✓	✓	✓	✓		
23	Eurasian Magpie	<i>Pica pica</i>	✓	✓	✓	✓			✓	✓	
24	Red-billed Chough	<i>Pyrhocorax pyrrhocorax</i>			H						
25	Alpine Chough	<i>Pyrhocorax graculus</i>			✓				H	✓	
26	Western Jackdaw	<i>Corvus monedula</i>	✓					✓			
27	Rook	<i>Corvus frugilegus</i>	✓								
28	Carrion Crow	<i>Corvus corone</i>	✓	✓	✓	✓	✓	✓	✓	✓	
29	Northern Raven	<i>Corvus corax</i>		✓	H	H	H		✓		
30	Coal Tit	<i>Parus ater</i>			✓	H	✓				
31	European Crested Tit	<i>Lophophanes cristatus</i>			✓	✓					
32	Marsh Tit	<i>Poecile palustris</i>				H	✓				

	Common name	Scientific name	July							
			11	12	13	14	15	16	17	18
33	Willow Tit	<i>Poecile montanus</i>						H		
34	Eurasian Blue Tit	<i>Cyanistes caeruleus</i>			✓				✓	
35	Great Tit	<i>Parus major</i>		✓	✓	H	✓	✓	H	
36	Eurasian Skylark	<i>Alauda arvensis</i>			H		H	✓	H	
37	Barn Swallow	<i>Hirundo rustica</i>	✓	✓	✓	✓	✓	✓	✓	✓
38	Eurasian Crag Martin	<i>Ptyonoprogne rupestris</i>		✓	✓	✓				
39	Common House Martin	<i>Delichon urbicum</i>		✓	✓	✓	✓	✓	✓	✓
40	Long-tailed Tit	<i>Aegithalos caudatus</i>								✓
41	Common Chiffchaff	<i>Phylloscopus collybita</i>		H	H	H	✓	H		H
42	Western Bonelli's Warbler	<i>Phylloscopus bonelli</i>				✓				
43	Eurasian Reed Warbler	<i>Acrocephalus scirpaceus</i>						H		
44	Marsh Warbler	<i>Acrocephalus palustris</i>		✓				✓		
45	Eurasian Blackcap	<i>Sylvia atricapilla</i>	H	✓	H	H	✓	✓	H	H
46	Common Whitethroat	<i>Sylvia communis</i>					✓			
47	Common Firecrest	<i>Regulus ignicapilla</i>			✓	H				
48	Goldcrest	<i>Regulus regulus</i>					✓			
49	Eurasian Wren	<i>Troglodytes troglodytes</i>			H	H	H		H	H
50	Eurasian Nuthatch	<i>Sitta europaea</i>		H	H	H		✓		
51	Eurasian Treecreeper	<i>Certhia familiaris</i>				✓	✓			
52	Common Starling	<i>Sturnus vulgaris</i>	✓	✓			✓			✓
53	Ring Ouzel	<i>Turdus torquatus alpestris</i>						H	H	
54	Common Blackbird	<i>Turdus merula</i>	✓	✓	✓	✓	✓	✓	✓	✓
55	Song Thrush	<i>Turdus philomelos</i>		H		✓				
56	Mistle Thrush	<i>Turdus viscivorus</i>		✓	✓		✓	✓	✓	
57	Spotted Flycatcher	<i>Muscicapa striata</i>			✓					
58	European Robin	<i>Erithacus rubecula</i>				H		H	H	
59	Common Nightingale	<i>Luscinia megarhynchos</i>						H		
60	Black Redstart	<i>Phoenicurus ochruros</i>		✓	✓	✓	✓	✓	✓	
61	Common Redstart	<i>Phoenicurus phoenicurus</i>								✓
62	Whinchat	<i>Saxicola rubetra</i>		✓			✓	✓		
63	European Stonechat	<i>Saxicola rubicola</i>						✓		✓
64	Northern Wheatear	<i>Oenanthe oenanthe</i>			✓				✓	
65	White-throated Dipper	<i>Cinclus cinclus</i>			✓					
66	House Sparrow	<i>Passer domesticus</i>	✓	✓	✓	✓	✓	✓	✓	✓
67	Dunnock	<i>Prunella modularis</i>			✓	✓				
68	White Wagtail	<i>Motacilla alba</i>	✓	✓	✓	✓	✓	✓	✓	✓
69	Tree Pipit	<i>Anthus trivialis</i>		✓			✓			
70	Water Pipit	<i>Anthus spinoletta</i>			✓			✓	✓	
71	Common Chaffinch	<i>Fringilla coelebs</i>		✓	✓	✓	✓	✓	✓	✓
72	Eurasian Bullfinch	<i>Pyrrhula pyrrhula</i>		H						
73	European Greenfinch	<i>Chloris chloris</i>		✓	✓		✓			H
74	Common Linnet	<i>Linaria cannabina</i>		✓	✓		✓	✓		
75	European Goldfinch	<i>Carduelis carduelis</i>	✓	✓	✓	✓	✓	✓	✓	
76	Citril Finch	<i>Carduelis citrinella</i>			✓				✓	
77	European Serin	<i>Serinus serinus</i>					✓	✓	✓	
78	Yellowhammer	<i>Emberiza citrinella</i>		✓	✓		✓	✓	✓	
79	Rock Bunting	<i>Emberiza cia</i>			✓				✓	

Mammals (S = Signs Of):

1	European Free-tailed Bat	<i>Tadarida teniotis</i>						S		
2	Eurasian Badger	<i>Meles meles</i>						S		

	Common name	Scientific name	July								
			11	12	13	14	15	16	17	18	
3	Alpine Ibex	<i>Capra ibex</i>								✓	
4	Wild Boar	<i>Sus scrofa</i>			S	S	S				
5	Alpine Marmot	<i>Marmota marmota</i>			✓		✓	H	✓		
6	Brown Rat	<i>Rattus norvegicus</i>			✓						

Amphibians & Reptiles:

1	Marsh Frog	<i>Pelophylax ridibundus</i>		✓			✓	H		
2	Edible Frog (Hybrid)	<i>Pelophylax kl. esculentus</i>		✓						
3	Common Wall Lizard	<i>Podarcis muralis</i>		✓						

Butterflies (D = Dead)

N.B. (✓) = Woodland and Rock Graylings are not determinable in the field. However, enough individuals referring to both species were seen to suggest both were recorded.

	Common name	Scientific name	July							
			11	12	13	14	15	16	17	18
1	Swallowtail	<i>Papilio machaon</i>			✓		✓	✓	✓	
2	Scarce Swallowtail	<i>Iphiclides podalirius</i>			✓	✓	✓			✓
3	Apollo	<i>Parnassius apollo</i>		✓	✓	✓	✓	✓		
5	Black-veined White	<i>Aporia crataegi</i>		✓	✓		✓	✓		
6	Large White	<i>Pieris brassicae</i>		✓	✓		✓	✓		
7	Small White	<i>Pieris rapae</i>		✓	✓	✓			✓	✓
8	Mountain Clouded Yellow	<i>Colias phicomone</i>							✓	
9	Clouded Yellow	<i>Colias crocea</i>			✓	✓				✓
10	Berger's Clouded Yellow	<i>Colias alfacariensis</i>				✓	✓	✓		
11	Brimstone	<i>Gonepteryx rhamni</i>			✓	✓	✓			
12	Cleopatra	<i>Gonepteryx cleopatra</i>			✓					
13	Wood White	<i>Leptidea sinapis</i>			✓	✓	✓	✓		
15	Purple Hairstreak	<i>Favonius quercus</i>						✓		
16	Blue-spot Hairstreak	<i>Satyrion spini</i>			✓			✓		
17	White Letter Hairstreak	<i>Satyrion w-album</i>			✓					
18	Large Copper	<i>Lycaena dispar</i>			✓					
19	Scarce Copper	<i>Lycaena virgureae</i>		✓		✓	✓	✓		
20	Little Blue	<i>Cupido minimus</i>			✓		✓	✓		
21	Holly Blue	<i>Celastrina argiolus</i>			✓					
22	Large Blue	<i>Phengaris arion</i>								✓
23	Silver-studded Blue	<i>Plebejus argus</i>		✓						
24	Geranium Argus	<i>Aricia eumedon</i>							✓	
25	Brown Argus	<i>Aricia agrestis</i>			✓	✓				
26	Northern Brown Argus	<i>Aricia artaxerxes</i>								✓
27	Mazarine Blue	<i>Cyaniris semiargus</i>					✓	✓	✓	
28	Damon Blue	<i>Polyommatus damon</i>					✓	✓		
29	Chapman's Blue	<i>Polyommatus thersites</i>								✓
30	Common Blue	<i>Polyommatus icarus</i>				✓				✓
32	Peacock Butterfly	<i>Aglais io</i>						✓	✓	
33	Red Admiral	<i>Vanessa atalanta</i>		✓	✓	✓				
34	Painted Lady	<i>Vanessa cardui</i>					✓			
35	Small Tortoiseshell	<i>Aglais urticae</i>			✓	✓	✓	✓	✓	
36	Comma Butterfly	<i>Polygonia c-album</i>			✓		✓			
37	Silver-washed Fritillary	<i>Argynnis paphia</i>			✓	✓	✓	✓		

	Common name	Scientific name	July								
			11	12	13	14	15	16	17	18	
38	Dark Green Fritillary	<i>Argynnis aglaja</i>		✓					✓		
39	High Brown Fritillary	<i>Argynnis adippe</i>		✓	✓	✓			✓	✓	
40	Niobe Fritillary	<i>Argynnis niobe</i>			✓			✓	✓		
41	Queen of Spain Fritillary	<i>Issoria lathonia</i>			✓						
42	Titania's Fritillary	<i>Boloria titania</i>									
43	Spotted Fritillary	<i>Melitaea didyma</i>							✓		
44	False Heath Fritillary	<i>Melitaea diamina</i>						✓	✓	✓	
45	Heath Fritillary	<i>Melicta athalia</i>		✓	✓	✓	✓	✓	✓	✓	
46	Grison's Fritillary	<i>Melicta varia</i>						✓			
47	Meadow Fritillary	<i>Melicta parthenoides</i>							✓		
49	Marbled White	<i>Melanargia galathea</i>		✓	✓	✓	✓	✓			
50	Woodland Grayling	<i>Hipparchia fagi</i>				(✓)	(✓)	(✓)			
51	Rock Grayling	<i>Hipparchia alcyone</i>			(✓)			(✓)			
52	Dryad	<i>Minois dryas</i>				✓		✓			
53	Great Banded Grayling	<i>Brintesia circe</i>		✓	✓	✓					
54	Arran Brown	<i>Erebia ligea</i>		✓	✓				✓		
55	Blind Ringlet	<i>Erebia pharte</i>								✓	
56	Scotch Argus	<i>Erebia aethiops</i>			✓						
57	Woodland Ringlet	<i>Erebia medusa medusa</i>							✓	✓	
58	Almond-eyed Ringlet	<i>Erebia alberganus</i>			✓			✓	✓		
59	Common Brassy Ringlet	<i>Erebia cassioides</i>			✓					✓	
60	Piedmont Ringlet	<i>Erebia meolans</i>								✓	
61	Meadow Brown	<i>Maniola jurtina</i>		✓	✓	✓	✓	✓	✓		
62	Ringlet	<i>Aphantopus hyperantus</i>				D			✓		
63	Gatekeeper	<i>Pyronia tithonus</i>				✓			✓		
64	Small Heath	<i>Coenonympha pamphilus</i>			✓			✓	✓		
65	Pearly Heath	<i>Coenonympha arcania</i>		✓	✓	✓	✓	✓			
66	Darwin's Heath	<i>Coenonympha darwiniana</i>		✓							
67	Wall Brown	<i>Lasiommata megera</i>				✓					
68	Large Wall Brown	<i>Lasiommata maera</i>		✓							
70	Southern Grizzled Skipper	<i>Pyrgus malvoides</i>			✓						
71	Dingy Skipper	<i>Erynnis tages</i>				✓					
72	Lulworth Skipper	<i>Thymelicus acteon</i>							✓		
73	Essex Skipper	<i>Thymelicus lineolus</i>						✓			
74	Small Skipper	<i>Thymelicus sylvestris</i>		✓	✓	✓	✓	✓	✓	✓	
75	Silver-spotted Skipper	<i>Hesperia comma</i>				✓					
76	Large Skipper	<i>Ochlodes sylvanus</i>		✓	✓	✓	✓	✓			

Micros Moths

1	White Plume Moth	<i>Pterophorus pentadactyla</i>			✓				✓		
2	Tortrix	<i>Notocelia roborana</i>									✓
3	Pyralid	<i>Synaphe punctalis</i>									✓
4	Crambid	<i>Udea alpinalis</i>						✓	✓		

Macros Maths

1	Six-spot Burnet Moth	<i>Zygaena filipendulae</i>		✓	✓	✓	✓	✓			
2	Five-spot Burnet Moth	<i>Zygaena trifolii</i>		✓	✓	✓	✓	✓			
3	a Burnet Moth	<i>Zygaena carniolica</i>			✓	✓					
4	a Transparent Burnet Moth	<i>Zygaena osterodensis</i>					✓				
5	Reticent Burnet	<i>Zygaena romeo</i>			✓						

	Common name	Scientific name	July								
			11	12	13	14	15	16	17	18	
6	Slender Burnet	<i>Zygaena loti</i>							✓		
7	Lewes Wave	<i>Scopula immorata</i>							✓		
8	Golden-yellow Wave	<i>Idaea aureolaria</i>			✓				✓		
9	Ochraceous Wave	<i>Idaea serpentata</i>		✓	✓				✓	✓	
10	Shaded Broad-bar	<i>Scotopteryx chenopodiata</i>				✓			✓		
11	Yellow Shell	<i>Camptogramma bilineata</i>			✓						
12	Geometrid - 'Pearly White'	<i>Lithostege farinata</i>			✓	✓	✓	✓	✓		
13	Silver Y	<i>Autographa gamma</i>		✓	✓	✓	✓	✓	✓	✓	
14	Burnet Companion	<i>Euclidia gijphica</i>				✓					

Other Invertebrates (N = Nymph)

1	Banded Demoiselle	<i>Calopteryx splendens</i>							✓		
2	Beautiful Demoiselle	<i>Calopteryx virgo</i>		✓		✓					
3	Azure Bluet	<i>Coenagrion puella</i>		✓							
4	Common Bluet	<i>Enallagma cyathigerum</i>							✓		
5	Blue Featherleg	<i>Platycnemis pennipes</i>							✓		
6	White Featherleg	<i>Platycnemis latipes</i>							✓		
7	Blue Emperor	<i>Anax imperator</i>							✓		
8	Lesser Emperor	<i>Anax parthenope</i>							✓		
9	Broad Scarlet	<i>Crocothemis erythraea</i>							✓		
10	Four-spotted Chaser	<i>Libellula quadrimaculata</i>		✓							
11	Common Darter	<i>Sympetrum striolatum</i>		✓							
12	Large Marsh Grasshopper	<i>Stethophyma grossum</i>		✓							
13	Green Mountain Grasshopper	<i>Miramella alpina</i>			✓						
14	Great Green Bush-cricket	<i>Tettigonia viridissima</i>				✓			✓		
15	Green Bush-cricket	<i>Tettigonia cantans</i>						✓			
16	Field Cricket	<i>Gryllus campestris</i>							H		
17	Praying Mantis	<i>Mantis religiosa</i>					N				
18	an Earwig	<i>Anechusa bipunctata</i>								✓	
19	a Shield Bug	<i>Eurydema rugulosa</i>			✓						
20	a Shield Bug	<i>Graphosoma lineata</i>			✓	✓	✓				✓
21	Forest Bug	<i>Pentatoma rufipes</i>							✓		
22	Shield Bug	<i>Syromastes rhombeus</i>			✓						
23	Fire Bug	<i>Pyrrhocoris apterus</i>				✓					
24	a Mirid Bug	<i>Miridae</i> sp.							✓		
25	Common Pond Skater	<i>Gerris lacustris</i>			✓				✓		
26	Common Backswimmer	<i>Notonecta glauca</i>			✓						
27	Cicada	<i>Tibicen plebejus</i>					H				
28	a Horse Fly	<i>Tabanus</i> sp.		✓	✓			✓			
29	Cleg-fly	<i>Haematopota pluvialis</i>		✓		✓	✓	✓			
30	Marmalade Hover-fly	<i>Episyrphus balteatus</i>								✓	
31	Drone-fly	<i>Eristalis tenax</i>			✓	✓		✓			
32	Hornet Hover-fly	<i>Volucella zonaria</i>				✓		✓			
33	Pellucid Hover-fly	<i>Volucella pellucens</i>				✓	✓	✓	✓		
34	Blow-fly	<i>Eliozeta</i> c.f. <i>pellucens</i>							✓		
35	Wood Ant	<i>Formica rufa</i>			✓	✓	✓	✓	✓	✓	
36	Hornet	<i>Vespa crabro</i>							✓		
37	European Paper Wasp	<i>Polistes gallicus</i>			✓						
38	Carpenter Bee	<i>Xylocopa</i> sp.				✓		✓			
39	Honey Bee	<i>Apis mellifera</i>			✓	✓	✓				
40	White-tailed Bumblebee	<i>Bombus lucorum</i>		✓		✓	✓	✓	✓	✓	

	Common name	Scientific name	July							
			11	12	13	14	15	16	17	18
41	Buff-tailed Bumblebee	<i>Bombus terrestris</i>				✓	✓	✓	✓	
42	Red-tailed Bumblebee	<i>Bombus lapidarius</i>		✓		✓	✓		✓	
43	Alpine Bumblebee	<i>Bombus alpinus</i>						✓		
44	a Bumblebee	<i>Bombus mesomelas</i>						✓		
45	Chafer	<i>Hoplia argentea</i>			✓					
46	Bee Beetle	<i>Trichius fasciatus</i>		✓		✓				
47	a Chafer	<i>Oxythyrea funesta</i>		✓		✓				
48	Rose Chafer	<i>Cetonia aurata</i>				✓				
49	a Chafer	<i>Cetonia cuprea</i>				✓				
50	Soldier Beetle	<i>Cantharis rustica</i>						✓		
51	Soldier Beetle	<i>Rhagonycha fulva</i>				✓				
52	Seven Spot Ladybird	<i>Coccinella 7-punctata</i>						✓	✓	
53	Tumbling Flower Beetle	<i>Mordella brachyura</i>						✓		
54	Longhorn Beetle	<i>Strictoleptura (Leptura) rubra</i>						✓		
55	Longhorn Beetle	<i>Pachyta quadripunctata</i>		✓	✓	✓	✓			
56	Wasp Beetle	<i>Clytrus arietis arietis</i>			✓					
57	Longhorn Beetle	<i>Judolia cerambyciformis</i>			✓	✓				
58	Longhorn Beetle	<i>Stenurella (Strangalia) bifasciata</i>		✓						
59	Longhorn Beetle	<i>Rutpela (Strangalia) maculata</i>			✓					
60	Longhorn Beetle	<i>Stenurella (Strangalia) melanura</i>		✓	✓		✓			
61	Longhorn Beetle	<i>Stenurella septempunctata</i>			✓	✓				
62	Longhorn Beetle	<i>Stenopterus rufus rufus</i>			✓					
63	Longhorn Beetle	<i>Malochorus minor</i>			✓					
64	Longhorn Beetle	<i>Monochamus galloprovinciaslis</i>			✓					
65	Pine Longhorn Beetle	<i>Monochamus sartor</i>					✓			
66	Leaf Beetle (Blue)	<i>Clytra 4-punctata</i>								
67	Leaf Beetle	<i>Chrysomelidae sp</i>					✓			
68	Black Weevil	<i>Liparus glabrirostris</i>					✓			

Molluscs

1	Roman Snail	<i>Helix pomatia</i>						✓		
2	Brown-lipped Banded Snail	<i>Cepaea nemoralis</i>			✓				✓	



Epipogium aphyllum by Paul Harnes



Traunstienera globosa by Paul Harnes