

**Name**

Outpress

**Designer**

Suzanne Tick

**Style No.**

4049

**Use**

Upholstery

**Content**

82.67% Polyester +  
17.33% Nylon

**Abrasion**

Wyzenbeek  
105,000 double rubs\*\*

**Special****Characteristics**

Bleach Cleanable

**Environmental**

Heavy Metal Free  
PFOA/PFOS Free  
Stain Repellent



Stone 4049-03



Stone 4049-03




Sand 4049-02




Ashen 4049-01






Monarch 4049-07




Pepper 4049-06




Raven 4049-05



Soot 4049-04



Caribbean 4049-08



Denim 4049-09



## Outpress




# Outpress by Luum

Whether at work or play, both visible and invisible systems map our movements. Outpress draws inspiration from paths that guide us towards focusing our energies on a specific activity or goal. Curvilinear accent lines join and split across fields of heathered yarns evoking architectural structures. Achieving 105,000 double rubs, Outpress is a statement pattern that provides just enough color to complement any product and interior.

<b>Name</b>	—————	<b>Outpress</b>
<b>Style No.</b>	—————	<b>4049</b>
<b>Designer</b>		Suzanne Tick
<b>Specification</b>		<b>Use:</b> Upholstery <b>Content:</b> 82.67% Polyester + 17.33% Nylon <b>Weight:</b> 17.31 oz per linear yard <b>Width:</b> 57" <b>Pattern Repeat:</b> Horizontal 29.26" Vertical 45" Random Match <b>Directional:</b> Yes
<b>Finish</b>		Acrylic Backing Stain Repellent
<b>Performance</b>		<b>Abrasion:</b> ASTM D4157 Wyzenbeek 105,000 double rubs** <b>Breaking Strength:</b> ASTM D5034 Warp 194 lbf, Fill 277 lbf <b>Seam Slippage:</b> ASTM D4034 Warp 68 lbf, Fill 118 lbf <b>Colorfastness to Light:</b> AATCC 16, Grade 4 at 40 Hours <b>Colorfastness to Crocking:</b> AATCC 8, Wet Class 3, Dry Class 4 <b>Pilling:</b> ASTM D3511 (Brush Pill), Class 3
<b>Flame Retardancy</b>		Cal TB 117-2013, UFAC Class 1, NFPA 260
<b>Maintenance</b>		WS, Clean with either a water-based or solvent-based cleaning agent. Bleach Cleanable: 9% (10:1 Ratio), wipe with water after solution
<b>Environmental</b>		Heavy Metal Free PFOA/PFOS Free Stain Repellent
<b>Origin</b>		USA

Dye lots may vary slightly from samples shown. Samples shown off the bolt.



Graphic shows one full repeat

**Canada**  
877.705.LUUM  
luumtextiles.ca

**USA**  
877.705.LUUM  
luumtextiles.com

**International**  
919.464.2922  
luumtextiles.com

cdn/us/int/06-17

© Teknion 2017.

\*™ Trademarks of Teknion Corporation and/or its subsidiaries or licensed to it.

\*\*Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be a reliable indicator of increased fabric lifespan.

\*Certification Marks owned by the Association for Contract Textiles, Inc.

U6 — SC-305-4049