

Enterisol® Salmonella T/C

Salmonella Choleraesuis-Typhimurium Vaccine
Avirulent Live Culture

Description

Enterisol® Salmonella T/C is a safe, effective, convenient, one dose, live Salmonella Choleraesuis-Typhimurium vaccine. It is administered orally.

Features

- Safe for pigs 2 weeks of age or older
- Single dose, oral administration
- Avirulent live culture vaccine
- Dual antigen Salmonella vaccine – contains both Choleraesuis and Typhimurium antigens
- Both frozen and lyophilized presentations

Benefits

- Early vaccination age – 2 weeks
- Two antigens – one oral dose
- Simple oral vaccination eliminates the need for injections
- No needles results in improved pork quality and worker safety

Advantages

- “Aid in the prevention of disease” claims for both *Salmonella* Choleraesuis and *Salmonella* Typhimurium
- Contains both antigens for dual protection against *Salmonella* Choleraesuis and *Salmonella* Typhimurium
- Provides rapid onset of immunity after administration
 - Convenient oral delivery results in less animal stress

Dosage & Administration

Lyophilized Form - Rehydrate the vaccine by adding the full contents of the accompanying sterile water diluent to the vaccine vial. Mix gently until contents are completely dissolved. Use entire contents immediately. Administer a 2 mL dose orally.

Frozen Form - Plan vaccination timing to allow thawing of the contents of the vaccine vial in a trickling cool water bath until liquid (usually 30-40 minutes). Shake well and use entire contents immediately. Administer a 0.4 mL dose orally.

Precautions

Lyophilized Form – Store at 35° - 45°F (2° - 7°C). Do not freeze. Use entire contents immediately after reconstituting.

Frozen Form – Store at -70°C. Do not thaw until immediately prior to use. Use entire contents immediately after thawing. Do not refreeze.

In case of anaphylactoid reaction, epinephrine is symptomatic treatment.

Highlights

- Another innovative oral vaccine from Boehringer Ingelheim Vetmedica, Inc.
- The first dual antigen swine Salmonella vaccine
- Early vaccination age – 2 weeks of age
- Convenient oral delivery
- Easy on pigs and people
- PQA friendly – no needles

Uses

For vaccination of healthy, susceptible swine 2 weeks of age or older as an aid in the prevention of disease due to *Salmonella* Choleraesuis and *Salmonella* Typhimurium.

Warning

For veterinary use only.

Do not vaccinate within 21 days of slaughter.

Do not use in pregnant swine or breeding boars.

A minimum antibiotic-free period of 3 days pre- and post-vaccination is recommended.

Product Information

Name	Size	Code
Enterisol® Salmonella T/C FF	100 doses	175811000
Enterisol® Salmonella T/C FF	250 doses	175821000
Enterisol® Salmonella T/C FF	500 doses	175831000
Enterisol® Salmonella T/C	100 doses	175731000

