

NEW

EHEIM

compactON



Save up to
37%*
energy costs



Compact, powerful and silent
Improved performance values and
comprehensive accessories

Comprehensive accessories provide more flexibility

Suitable for fresh water and marine water



new

EHEIM compactON is the compact and yet powerful aquarium pump. Available in six sizes, for flow rates from 170 to 5000 liters per hour.

The aquarium pump is characterized by its name through a compact design and is thanks to the included accessory bag appropriate for versatile use – the EHEIM compactON 2100-5000 can also be modified for the use outside of the water. Thanks to the high quality material it is also possible to use them without problems in marine water.

For even more flexibility, the flow rate is adjustable for all models, except for the EHEIM compactON 5000.

EHEIM compactON 300/600



Application in the aquarium

EHEIM compactON 2100/3000



Application in and outside the aquarium



3 year
guarantee
EHEIM

adjustable flow rate
EHEIM compactON
300/600/1000/2100/3000

not adjustable
EHEIM compactON
5000



For perfect and clear water

- Successor to the compact and compact+ series
- Attached using robust suction cups
- Including accessories such as suction basket and threaded coupling
- Silent due to ceramic bearing
- High pump performance with low power consumption
- compactON 5000 as electronic version for more efficiency

EHEIM

compactON



EHEIM compactON 1000



EHEIM compactON 5000

A high security standard has been attached like to all other EHEIM products. The cables are characterized by a thicker insulation and to the benefit of the aquarium inhabitants only materials which do not dispense toxic substances into the water, have been used.

new

is replaced

Art.no.	New name		
1020220	compactON 300	1000220	compact 300
1021220	compactON 600*	1001220	compact 600
1022220	compactON 1000*	1002220	compact 1000
1030220	compactON 2100	1100220	compact+ 2000
1031220	compactON 3000*	1101220	compact+ 3000
1032220	compactON 5000*	1102220	compact+ 5000

* Energy-Saving: up to 37 % compared to the previous model.



Technical data


		compactON 300	compactON 600	compactON 1000
Pump output	l/h	170-300	250-600	400-1000
Delivery head	Hmax m	0,6	1,0	1,4
Hose connection	mm	12/16	12/16	16/22 / 19/27
Cable length	cm	204	204	200
Power consumption	W	7	7	15
Art.no. (Europe)		1020220	1021220	1022220
Art.no. (UK)		1020340	1021340	1022340



Technical data

		compactON 2100	compactON 3000	compactON 5000
Pump output	l/h	1400-2100	1800-3000	5000
Delivery head	Hmax m	2,4	2,7	3,6
Hose connection	mm	19/27	19/27	25/34
Cable length	cm	194	194	195
Power consumption	W	38	55	70
Art.no. (Europe)		1030220	1031220	1032220
Art.no. (UK)		1030340	1031340	1032340

Hmax_m



Hmax_m

