

## Taxa of Heteroptera described by Izyaslav M. Kerzhner

Compiled by D.A. Gapon & F.V. Konstantinov

D.A. Gapon, Zoological Institute RAS, Universitetskaya nab., 1, St. Petersburg 199034 Russia. E-mail: tentat@yandex.ru

F.V. Konstantinov, St. Petersburg State University, Faculty of Biology and Soil Sciences, Department of Entomology, Universitetskaya nab., 7/9, St. Petersburg 199034 Russia. E-mail: fkconstantinov@hotmail.com

Izyaslav Moiseyevich Kerzhner, a world distinguished specialist on the taxonomy of Heteroptera described 33 genera, 10 subgenera, 358 species and 29 subspecies. A complete list of taxa described by him is provided in alphabetical order. Current position of all taxa is indicated if different from the original combination. References to the papers by I.M. Kerzhner are given as a number (in square brackets) corresponding to the appended list of his printing works published in the present issue of *Zoosystematica Rossica* (Gapon D.A. Publications by Izyaslav M. Kerzhner).

### GENERA

#### Family Lygaeidae

1. *Bogdiana* Kerzhner, 1964 [17].
2. *Tropidophlebia* Kerzhner, 1964 [17].

#### Family Miridae

3. *Admetomiris* Kerzhner & Schuh, 1998 [204], nom. n. for *Admetus* Distant, 1883.
4. *Brasiliocarnus* Kerzhner & Schuh, 1995 [168], fixation of the type species for *Brasiliocarnus* Carvalho, 1984 (originally invalid because no type species was designated).
5. *Camptozorus* Kerzhner, 1996 [175].
6. *Candidomiris* Kerzhner & Schuh, 1995 [168], nom. n. for *Kraussella* Carvalho, 1987.
7. *Cearamiris* Kerzhner & Schuh, 1995 [168], nom. n. for *Cearana* Carvalho & Ferreira, 1974.
8. *Charitides* Kerzhner, 1962 [4], synonymized with *Calocoris* Fieber, 1858 by Rosenzweig (1997)
9. *Cyllecoridae* Kerzhner, 1967 [24].
10. *Dimia* Kerzhner, 1988 [130].
11. *Eumecotarsus* Kerzhner, 1962 [7].
12. *Faliscomiris* Kerzhner & Schuh, 1998 [204], nom. n. for *Faliscus* Distant, 1920.
13. *Josifovolygus* Kerzhner & Schuh, 1995 [168], nom. n. for *Tricholygus* Josifov, 1992.
14. *Leguminola* Kerzhner, 1962 [7].
15. *Leonomiris* Kerzhner & Schuh, 1998 [204], nom. n. for *Leonia* Carvalho, 1991.
16. *Loristes* Josifov & Kenzhner, 1972 [47].
17. *Mecommopsis* Kerzhner, 1979 [81].
18. *Mesotropiscus* Kerzhner & Schuh, 1998 [204], nom. n. for *Mesotropis* Reuter, 1907.
19. *Mircarvalhoia* Kerzhner & Schuh, 1998 [204], nom. n. for *Carvalhoia* Miller & China, 1956.
20. *Paracoriscus* Kerzhner & Schuh, 1998 [204], nom. n. for *Paracoris* Carvalho & Costa, 1991.
21. *Phaxia* Kerzhner, 1984 [111].
22. *Realomiris* Kerzhner & Schuh, 1998 [204], nom. n. for *Realia* Carvalho & Costa, 1992.
23. *Sacculifer* Kerzhner, 1959 [1].
24. *Salicarus* Kerzhner, 1962 [7].
25. *Sinevia* Kerzhner, 1988 [130].
26. *Ulmica* Kerzhner, 1988 [130].

**Family Nabidae**

27. *Anaptus* Kerzhner, 1968 [26]; a subgenus of *Stalia* by Benedek (1969), a subgenus of *Himacerus* by Kerzhner (1981 [91], 1989 [137]).
28. *Limnonabis* Kerzhner, 1968 [26]; a subgenus of *Dolichonabis* by Benedek (1969), a subgenus of *Nabicula* by Kerzhner (1981 [91]); a subgenus of *Nabis* by Kerzhner (1988 [130]).
29. *Philobatus* Kerzhner, 1968 [26]; a subgenus by Kerzhner (1992 [150]).
30. *Praecarthalasis* Kerzhner, 1986 [124].
31. *Reuteronabis* Kerzhner, 1968 [26]; synonymized with *Milu* Kirkaldy, 1907 by Kerzhner (1988 [130]).
32. *Tropiconabis* Kerzhner, 1968 [26]; a subgenus of *Nabis* by Benedek (1969).

**Family Tingidae**

33. *Ixia* Kerzhner, 1972 [47], synonymized with *Metasalis* Lee, 1971 by Golub (1982).

**SUBGENERA****Family Miridae**

1. *Arbolygus* Kerzhner, 1979 [81], subgenus of *Lygocoris*, a valid genus by Miyamoto (1988), a synonym of *Philostephanus* Distant, 1909 by Yasunaga & Schwartz (2007)
2. *Asthenarioius* Kerzhner, 1962 [7], subgenus of *Psallus* Fieber, 1858, synonymized with *Phylidea* Reuter, 1899 by Kerzhner (1964 [17]; 1993 [157]).
3. *Chlorillus* Kerzhner, 1962 [7], subgenus of *Plagiognathus* Fieber, 1858, raised to genus by Wagner (1963).
4. *Euattus* Kerzhner, 1962 [4], subgenus of *Chlamydatus* Curtis, 1833, nom. n. for *Attus* Hahn, 1832.
5. *Pedetocoris* Kerzhner, 1970 [34], subgenus of *Dimorphocoris* Reuter, 1890.
6. *Phaeochiton* Kerzhner, 1964 [14], subgenus of *Heterocapillus* Wagner, 1960, raised to genus by Putshkov (1977).
7. *Zophocnemis* Kerzhner, 1962 [7], subgenus of *Plagiognathus* Fieber, 1858, raised to genus by Schuh (2001).

**Family Tingidae**

8. *Notosima* Kerzhner, 1964 [17], subgenus of *Biskria*, synonymized with *Dictyonota* Curtis, 1827 by Golub (1975).

**Family Pentatomidae**

9. *Baglura* Kerzhner, 1972 [44], subgenus of *Bagrada* Stål, 1862.

**Family Urostylidae**

10. *Chlorochela* Kerzhner, 1966 [22], subgenus of *Urochela* Dallas, 1850.

**SPECIES****Family Acanthosomatidae**

1. *Elasmucha amurensis* Kerzhner, 1972 [46].

**Family Alydidae**

2. *Megalotomus zaitzevi* Kerzhner, 1972 [44].

### Family Anthocoridae

3. *Acompocoris brevirostris* Kerzhner, 1979 [81].
4. *Anthocoris kalopanacis* Kerzhner, 1977 [66].
5. *Lyctocoris kurentzovi* Kerzhner, 1979 [81].
6. *Lyctocoris obscurus* Kerzhner, 1979 [81].
7. *Temnostenus (Ectemnus) ulmi* Elov & Kerzhner, 1977 [72].
8. *Temnostenus distans* Kerzhner, 1972 [47].
9. *Xylocoris (Proxylocoris) carayoni* Kerzhner & Elov, 1976 [64].
10. *Xylocoris (Proxylocoris) dimorphus* Kerzhner & Elov, 1976 [64].
11. *Xylocoris (Proxylocoris) halophilus* Kerzhner & Elov, 1976 [64].
12. *Xylocoris (Proxylocoris) hiurai* Kerzhner & Elov, 1976 [64].
13. *Xylocoris (Proxylocoris) modestus* Kerzhner & Elov, 1976 [64].
14. *Xylocoris (Proxylocoris) mongolicus* Kerzhner & Elov, 1976 [64].
15. *Xylocoris (Proxylocoris) tesquorum* Kerzhner & Elov, 1976 [64].

### Family Aradidae

16. *Acoryphocoris chujoi* Lee & Kerzhner, 1994 [160].
17. *Aneurus (Aneurillus) glaberrimus* Kerzhner, 1979 [81], subsequently transferred to the genus *An-eurillodes* by Heiss (1999).
18. *Aneurus (Aneurus) galiae* Kerzhner, 1979 [81], subsequently transferred to the genus *Paraneurus* by Heiss (2001).
19. *Aradus pictellus* Kerzhner, 1972 [47].
20. *Calisius amudaryanus* Heiss & Kerzhner, 1999 [215].
21. *Mezira hoherlandti* Josifov & Kerzhner, 1974 [58], junior primary homonym of *Mezira hoherlandti* Kormilev, 1960; *Mezira ludviki* Josifov & Kerzhner, 1978, nom. n. for *hoherlandti* Josifov & Kerzhner, 1974
22. *Mezira subsetosa* Josifov & Kerzhner, 1974 [58].
23. *Mezira subtilis* Josifov & Kerzhner, 1974 [58].
24. *Neuroctenus koreanus* Lee & Kerzhner, 1994 [160].

### Family Cydnidae

25. *Aethus laeviceps* Kerzhner, 1972 [44], subsequently transferred to the genus *Byrsinus* by Lis (1993).
26. *Aethus riedeli* Josifov & Kerzhner, 1978 [79], synonymized with *Byrsinus varians* (Fabricius 1803) by Lis (1999).
27. *Chilocoris nigricans* Josifov & Kerzhner, 1978 [79].
28. *Ochetostethus corniger* Kerzhner, 1976 [62].
29. *Ochetostethus perepelovi* Kerzhner, 1976 [62].

### Family Lygaeidae

30. *Artheneis deserticola* Kerzhner, 1997 [196].
31. *Artheneis kiritshenkoi* Kerzhner, 1997 [196].
32. *Artheneis putshkovi* Kerzhner, 1997 [196].
33. *Artheneis turangae* Kerzhner, 1997 [196].
34. *Bogdiana myrmica* Kerzhner, 1964 [17].
35. *Cymus elegans* Josifov & Kerzhner, 1978 [79].
36. *Cymus koreanus* Josifov & Kerzhner, 1978 [79].
37. *Drymus (Sylvadrymus) laeviventris* Kerzhner, 1977 [66].
38. *Drymus (Sylvadrymus) orientalis* Kerzhner, 1977 [66].
39. *Emphanisis kiritshenkoi* Kerzhner, 1977 [67].
40. *Eremocoris insularis* Kerzhner, 1977 [66].
41. *Gastrodes parvulus* Kerzhner, 1977 [66].
42. *Geocoris apterus* Kerzhner, 1979 [84].
43. *Geocoris pallidicornis* Kerzhner, 1979 [84].

44. *Lamproplax majuscula* Kerzhner, 1977 [66].  
 45. *Lamproplax unispina* Kerzhner, 1977 [66].  
 46. *Lygaeus vicarius* Winkler & Kerzhner, 1977 [73].  
 47. *Nysius nigricornis* Kerzhner, 1979 [83].  
 48. *Parapolycrates (Parapolycrates) mongolicus* Kerzhner & Vinokurov, 2007 [266].  
 49. *Parapolycratus (Pagmania) arnoldii* Kerzhner, 1964 [17], currently treated as *Parapolycratus (Kerzhneroches) arnoldii* Kerzhner, 1964, as the preoccupied name *Pagmania* Kiritshenko, 1963 was replaced by *Kerzhneroches* (Kiritshenko & Scudder, 1973).  
 50. *Parapolycratus (Kerzhneroches) hannesi* Kerzhner & Vinokurov, 2007 [266].  
 51. *Peritrechus femoralis* Kerzhner, 1977 [66].  
 52. *Plinthisus (Dasythisus) bembidioides* Josifov & Kerzhner, 1978 [79].  
 53. *Plinthisus (Plinthisus) parvulus* Kerzhner, 1962 [4].  
 54. *Plinthisus (Plinthisus) soongoricus* Kerzhner, 1962 [4].  
 55. *Trichodrymus pallipes* Josifov & Kerzhner, 1978 [79].

#### Family Mesoveliidae

56. *Mesovelia miyamotoi* Kerzhner, 1977 [66].

#### Family Miridae

57. *Sacculifer pictipes* Kerzhner, 1959 [1].  
 58. *Eumecotarsus kiritshenkoi* Kerzhner, 1962 [7].  
 59. *Eumecotarsus chinensis* Kerzhner, 1962 [7].  
 60. *Charitides smaragdinus* Kerzhner, 1962 [4], currently treated as *Calocoris smaragdinus* (Kerzhner, 1962), because *Charitides* has been synonymized with *Calocoris* Fieber, 1858 by Rosenzweig (1997).  
 61. *Phytocoris (Ktenocoris) triodontus* Kerzhner, 1962 [4].  
 62. *Scirtetellus brachycerus* Kerzhner, 1962 [4].  
 63. *Orthotylus (Orthotylus) melanotylus* Kerzhner, 1962 [4].  
 64. *Coniortodes alatavicus* Kerzhner, 1962 [4], currently treated as *Compsidolon (Coniortodes) alatavicum* (Kerzhner, 1962).  
 65. *Coniortodes kiritshenkoi* Kerzhner, 1962 [4], synonymized with *Compsidolon eximium* (Reuter, 1879) by Kerzhner & Konstantinov (1997 [193]).  
 66. *Clamydatus (Euattus) eurotiae* Kerzhner, 1962 [4].  
 67. *Pseudoloxops iranicus* Kerzhner, 1962 [8].  
 68. *Dimorphocoris (Dimorphocoris) albipilis* Kerzhner, 1964 [14].  
 69. *Dimorphocoris (Pedetocoris) pedetes* Kerzhner, 1964 [14].  
 70. *Dimorphocoris mumonovi* Kerzhner, 1964 [14], transferred to the genus *Myrmecophyes* by Kerzhner (1970 [34]).  
 71. *Heterocapillus (Phaeochiton) caraganae* Kerzhner, 1964 [14], currently treated as *Phaeochiton caraganae* (Kerzhner, 1964).  
 72. *Phytocoris (Ktenocoris) caucasicus* Kerzhner, 1964 [17], transferred to the genus *Phytocoris (Eckerleinius)* by Wagner (1968).  
 73. *Phytocoris (Ktenocoris) platydens* Kerzhner, 1964 [17], transferred to the genus *Phytocoris (Eckerleinius)* by Wagner (1968).  
 74. *Phytocoris (Ktenocoris) rjabovi* Kerzhner, 1964 [17], transferred to the genus *Phytocoris (Eckerleinius)* by Wagner (1968).  
 75. *Phytocoris (Ktenocoris) tauricus* Kerzhner, 1964 [17], transferred to the genus *Phytocoris (Eckerleinius)* by Wagner (1968).  
 76. *Dimorphocoris (Dimorphocoris) asanovaae* Kerzhner, 1964 [17].  
 77. *Psallus (Phylidea) ulmi* Kerzhner & Josifov, 1966 [23].  
 78. *Pilophorus disjunctus* Kerzhner, 1969 [30].  
 79. *Pilophorus josifovi* Kerzhner, 2008 [271].  
 80. *Dimorphocoris (Pedetocoris) atrans* Kerzhner, 1970 [34].  
 81. *Dimorphocoris (Pedetocoris) mongolicus* Kerzhner, 1970 [34].  
 82. *Hypseloecus kiritshenkoi* Kerzhner, 1970 [34], transferred to the genus *Pherolepis* by Schuh (1989).  
 83. *Hypseloecus fasciatus* Kerzhner, 1970 [34], transferred to the genus *Pherolepis* by Schuh (1989).

84. *Nasocoris tesquorum* Kerzhner, 1970 [34].  
 85. *Nasocoris desertorum* Kerzhner, 1970 [34].  
 86. *Paralaemocoris (Laemocarella) linnavuorii* Kerzhner, 1970 [34].  
 87. *Bryocoris montanus* Kerzhner, 1972 [47].  
 88. *Peritropis advena* Kerzhner, 1972 [47].  
 89. *Tinginotum rostratum* Kerzhner, 1972 [47].  
 90. *Lygocoris (Apolygus) furvus* Kerzhner, 1972 [47], currently treated as *Apolygus furvus* (Kerzhner, 1972).  
 91. *Orthotylus (Orthotylus) emiliae* Kerzhner, 1972 [47], synonymized with *Orthotylus (Orthotylus) pallens* (Matsumura, 1911) by Kanyukova & Kerzhner (1982 [103]).  
 92. *Alloeotomus linnavuorii* Josifov & Kerzhner, 1972 [48], synonymized with *A. simplus* (Uhler, 1897) Kerzhner (1978 [76]).  
 93. *Halticus comitans* Josifov & Kerzhner, 1972 [48].  
 94. *Dryophilocoris pallidulus* Josifov & Kerzhner, 1972 [48].  
 95. *Tytthus koreanus* Josifov & Kerzhner, 1972 [48].  
 96. *Phylus (Teratoscopus) coryloides* Josifov & Kerzhner, 1972 [48].  
 97. *Pseudoloxops guttulatus* Kerzhner & Muminov, 1974 [55].  
 98. *Halticus obscurior* Kerzhner & Muminov, 1974 [55].  
 99. *Phytocoris (Phytocoris) scotinus* Kerzhner, 1977 [66].  
 100. *Phytocoris (Phytocoris) pallidicollis* Kerzhner, 1977 [66].  
 101. *Orthops nigrescens* Kerzhner, 1977 [66], transferred to the genus *Pinalitus* Kerzhner (1988 [130]) and subsequently transferred to the genus *Pachylygus* by Yasunaga (1994).  
 102. *Orthops festivus* Kerzhner, 1977 [66], transferred to the genus *Pinalitus* Kerzhner (1988 [130]) and subsequently transferred to the genus *Pachylygus* by Yasunaga (1994).  
 103. *Orthops japonicus* Kerzhner, 1977 [66], transferred to the genus *Pinalitus* Kerzhner (1988 [130]) and subsequently transferred to the genus *Pachylygus* by Yasunaga (1994).  
 104. *Lygocoris (Neolygus) pteleinus* Kerzhner, 1977 [66], currently treated as *Neolygus pteleinus* (Kerzhner, 1977).  
 105. *Lygocoris (Apolygus) infamis* Kerzhner, 1977 [66], currently treated as *Apolygus infamis* (Kerzhner, 1977).  
 106. *Blepharidopterus ulmicola* Kerzhner, 1977 [66].  
 107. *Pilophorus validicornis* Kerzhner, 1977 [66].  
 108. *Stenotus caucasicus* Akramovskaya & Kerzhner, 1978 [78].  
 109. *Stenotus tesquorum* Akramovskaya & Kerzhner, 1978 [78].  
 110. *Lygocoris (Arbolygus) falkovitshi* Kerzhner, 1979 [81], transferred to the genus *Castanopsides* by Yasunaga (1998b).  
 111. *Lygocoris (Arbolygus) ulmi* Kerzhner, 1979 [81], transferred to the genus *Philostephanus* by Yasunaga & Schwartz (2007).  
 112. *Teratocoris depressus* Kerzhner, 1979 [81].  
 113. *Deraeocoris ainoicus* Kerzhner, 1979 [81].  
 114. *Mecommopsis cruciata* Kerzhner, 1979 [81].  
 115. *Harpocera orientalis* Kerzhner, 1979 [81].  
 116. *Plesiodema stlaniki* Kerzhner, 1979 [81].  
 117. *Psallus (Phylidea) cinnabarinus* Kerzhner, 1979 [81].  
 118. *Psallus (Phylidea) ussuriensis* Kerzhner, 1979 [81].  
 119. *Psallus (Phylidea) dryos* Kerzhner, 1979 [81].  
 120. *Psallus (Pityopsallus) ermolenkoi* Kerzhner, 1979 [81].  
 121. *Plagiognathus leucopus* Kerzhner, 1979 [81], transferred to the genus *Europiella* Reuter, 1909 by Schuh, Linskog & Kerzhner (1995 [167]).  
 122. *Plagiognathus lividellus* Kerzhner, 1979 [81], transferred to the genus *Europiella* Reuter, 1909 by Schuh, Linskog & Kerzhner (1995 [167]), then transferred back to the genus *Plagiognathus* by Schuh (2004).  
 123. *Plagiognathus larae* Kerzhner, 1978 [78], synonymized with *Europiella decolor* (Uhler 1893) by Schuh, Linskog & Kerzhner (1995 [167]).  
 124. *Pilophorus mongolicus* Kerzhner, 1984 [111].  
 125. *Paralaemocoris anabaseus* Kerzhner, 1984 [111], synonymized with *P. anabasus* Linnavuori 1984 by Kerzhner (1993 [157]).  
 126. *Glaucopterus zygophylli* Kerzhner, 1984 [111].  
 127. *Glaucopterus putshkovi* Kerzhner, 1984 [111].

128. *Glaucopterum majus* Kerzhner, 1984 [111].
129. *Glaucopterum gobicum* Kerzhner, 1984 [111].
130. *Glaucopterum minus* Kerzhner, 1984 [111].
131. *Glaucopterum kyzylkumi* Kerzhner, 1984 [111].
132. *Glaucopterum emelianovi* Kerzhner, 1984 [111].
133. *Glaucopterum albonigrum* Kerzhner, 1984 [111].
134. *Glaucopterum maculipenne* Kerzhner, 1984 [111].
135. *Phaxia festiva* Kerzhner, 1984 [111].
136. *Criocoris tesquorum* Kerzhner, 1984 [111].
137. *Criocoris sibiricus* Kerzhner, 1984 [111].
138. *Macrotylus zinovievi* Kerzhner, 1984 [111].
139. *Dryophilocoris kanyukovae* Josifov & Kerzhner, 1984 [115].
140. *Dryophilocoris jenjouristi* Josifov & Kerzhner, 1984 [115].
141. *Isometopus amurensis* Kerzhner, 1988 [130].
142. *Isometopus rugiceps* Kerzhner, 1988 [130].
143. *Dimia inexpectata* Kerzhner, 1988 [130].
144. *Sinevia tricolor* Kerzhner, 1988 [130].
145. *Bryocoris persimilis* Kerzhner, 1988 [130].
146. *Deraeocoris (Deraeocoris) josifovi* Kerzhner, 1988 [130].
147. *Polymerus (Polymerus) amurensis* Kerzhner, 1988 [130].
148. *Lygocoris (Apolygus) fraxinicola* Kerzhner, 1988 [130], currently treated as *Apolygus fraxinicola* (Kerzhner, 1988).
149. *Lygocoris (Apolygus) nigrovirens* Kerzhner, 1988 [130], currently treated as *Apolygus nigrovirens* (Kerzhner, 1988).
150. *Lygocoris (Apolygus) subpulchellus* Kerzhner, 1988 [130], currently treated as *Apolygus subpulchellus* (Kerzhner, 1988).
151. *Lygocoris (Apolygus) syringae* Kerzhner, 1988 [130], synonymized with *Apolygus hilaris* (Horvath 1905) by Yasunaga (1992).
152. *Lygocoris (Arbolygus) glaber* Kerzhner, 1988 [130], transferred to the genus *Philostephanus* by Yasunaga & Schwartz (2007).
153. *Lygocoris (Neolygus) aceris* Kerzhner, 1988 [130], currently treated as *Neolygus aceris* (Kerzhner, 1988).
154. *Lygocoris (Neolygus) fraxini* Kerzhner, 1988 [130] currently treated as *Neolygus fraxini* (Kerzhner, 1988).
155. *Lygocoris (Neolygus) juglandis* Kerzhner, 1988 [130], currently treated as *Neolygus juglandis* (Kerzhner, 1988).
156. *Lygocoris (Neolygus) philyrinus* Kerzhner, 1988 [130], currently treated as *Neolygus philyrinus* (Kerzhner, 1988).
157. *Lygocoris (Neolygus) vityazi* Kerzhner, 1988 [130], currently treated as *Neolygus vityazi* (Kerzhner, 1988).
158. *Pinalitus nigriceps* Kerzhner, 1988 [130].
159. *Creontiades vitreus* Kerzhner, 1988 [130], transferred to the genus *Neomegacoelum* by Yasunaga (1998a).
160. *Calocoris (Closterotomus) ussuriensis* Kerzhner, 1988 [130], currently treated as *Closterotomus ussuriensis* (Kerzhner, 1988).
161. *Adelphocoris corallinus* Kerzhner, 1988 [130].
162. *Phytocoris (Phytocoris) shabliovskii* Kerzhner, 1988 [130].
163. *Teratocoris ussuriensis* Kerzhner, 1988 [130].
164. *Labops nivchorum* Kerzhner, 1988 [130].
165. *Cyllecoris vicarius* Kerzhner, 1988 [130].
166. *Cyllecoris opacicollis* Kerzhner, 1988 [130].
167. *Zanchius tarasovi* Kerzhner, 1988 [130].
168. *Orthotylus (Labopidea) bermani* Kerzhner, 1988 [130].
169. *Pilophorus oculatus* Kerzhner, 1988 [130].
170. *Phylus nigriscapus* Kerzhner, 1988 [130].
171. *Psallus (Apocremnus) stackelbergi* Kerzhner, 1988 [130].
172. *Psallus (Phylidea) loginovae* Kerzhner, 1988 [130].
173. *Psallus (Phylidea) flavescens* Kerzhner, 1988 [130].
174. *Psallus (Psallus) clarus* Kerzhner, 1988 [130], transferred to the genus *Psallus (Calopsallus)* by Yasunaga & Vinokurov (2000).

175. *Orthonotus bicoloripes* Kerzhner, 1988 [130].
176. *Plagiognathus miyamotoi* Kerzhner, 1988 [130], transferred to the genus *Europiella* Reuter, 1909 by Schuh, Linskog & Kerzhner (1995 [167]).
177. *Charagrochilus (Charagrochilus) spiralfifer* Kerzhner, 1988 [132].
178. *Deraeocoris (Deraeocoris) sanghonami* Lee & Kerzhner, 1995 [166].
179. *Europiella carvalhoi* Schuh, Linskog & Kerzhner, 1995 [167].
180. *Adelphocoris fijiensis* Kerzhner & Schuh, 1995 [168], nom. n. for *Adelphocoris lateralis* Reuter, 1908.
181. *Adelphocoris sichuanus* Kerzhner & Schuh, 1995 [168], nom. n. for *Adelphocoris apicalis* Reuter, 1906.
182. *Calocoris poppiusi* Kerzhner & Schuh, 1995 [168], nom. n. for *Calocoris caucasicus* Poppius, 1912, synonymized with *Reuterista caucasica* (Poppius, 1912) by Rosenzweig (1997).
183. *Campylomma odhiamboi* Kerzhner & Schuh, 1995 [168], nom. n. for *Campylomma punctipes* Odhiambo, 1959.
184. *Deraeocoris apicatus* Kerzhner & Schuh, 1995 [168], nom. n. for *Deraeocoris apicalis* Poppius, 1915.
185. *Deraeocoris brunneolus* Kerzhner & Schuh, 1995 [168], nom. n. for *Deraeocoris brunneus* (Poppius, 1915).
186. *Deraeocoris darjeelingensis* Kerzhner & Schuh, 1995 [168], nom. n. for *Deraeocoris discoidalis* Poppius, 1915.
187. *Heterocordylus italicus* Kerzhner & Schuh, 1995 [168], nom. n. for *Heterocordylus flavipes* Wagner, 1953.
188. *Lygocoris sinicus* Kerzhner & Schuh, 1995 [168], nom. n. for *Lygocoris (Apolygus) pubescens* Zheng & Wang, 1983.
189. *Lygocoris wangii* Kerzhner & Schuh, 1995 [168], nom. n. for *Lygocoris (Apolygus) signatus* Zheng & Wang, 1983.
190. *Orthotylus costai* Kerzhner & Schuh, 1995 [168], nom. n. for *Orthotylus clarensis* (Carvalho, 1990).
191. *Orthotylus harryi* Kerzhner & Schuh, 1995 [168], nom. n. for *Orthotylus pallens* (Knight, 1968).
192. *Orthotylus hazeltoni* Kerzhner & Schuh, 1995 [168], nom. n. for *Orthotylus uniformis* (Knight, 1968).
193. *Orthotylus leonardi* Kerzhner & Schuh, 1995 [168], nom. n. for *Orthotylus elongatus* (Kelton, 1980).
194. *Orthotylus subtropicalis* Kerzhner & Schuh, 1995 [168], nom. n. for *Orthotylus missionensis* (Carvalho & Carpintero, 1986).
195. *Orthotylus josei* Kerzhner & Schuh, 1995 [168], nom. n. for *Orthotylus cuneatus* Carvalho, 1985.
196. *Phoenicocoris knighti* Kerzhner & Schuh, 1995 [168], nom. n. for *Phoenicocoris pini* Knight, 1968, transferred to the genus *Pinomiris* by Stonedahl, Schwartz (1996).
197. *Phytocoris femoratus* Kerzhner & Schuh, 1995 [168], nom. n. for *Phytocoris femoralis* Fieber, 1861, subsequently synonymized with *Phytocoris (Compsocerocoris) sanctipetri* Carapezza, 1985 by Carapezza (1997).
198. *Phytocoris jorigtooi* Kerzhner & Schuh, 1995 [168], nom. n. for *Phytocoris desertorum* Nonnaizab & Jorigtoo, 1992.
199. *Phytocoris leucopterus* Kerzhner & Schuh, 1995 [168], nom. n. for *Phytocoris albipennis* Reuter, 1904.
200. *Phytocoris nonnaizabi* Kerzhner & Schuh, 1995 [168], nom. n. for *Phytocoris procerus* Nonnaizab & Jorigtoo, 1992.
201. *Phytocoris raunoi* Kerzhner & Schuh, 1995 [168], nom. n. for *Phytocoris irroratus* Linnauori, 1965.
202. *Phytocoris somersojae* Kerzhner & Schuh, 1995 [168], nom. n. for *Phytocoris artemisiae* Linnauori, 1984.
203. *Phytocoris stonedahli* Kerzhner & Schuh, 1995 [168], nom. n. for *Phytocoris hispidus* Stonedahl, 1988.
204. *Psallus michaili* Kerzhner & Schuh, 1995 [168], nom. n. for *Psallus niger* Josifov, 1992.
205. *Camptozorus chondrillae* Kerzhner, 1996 [175].
206. *Camptozorus linnauorii* Kerzhner, 1996 [175].
207. *Dicyphus parkheoni* Lee & Kerzhner, 1995 [171].
208. *Cyrtopeltis rufobrunnea* Lee & Kerzhner, 1995 [171].

209. *Orthotylus (Orthotylus) kurilensis* Kerzhner, 1997 [187].  
 210. *Deraeocoris srilankanus* Kerzhner & Schuh, 1998 [204], nom. n. for *Camptobrochis pallidus* Poppius, 1911.  
 211. *Apolygus zhengianus* Kerzhner & Schuh, 1998 [204], nom. n. for *Lygus (Apolygus) marginatus* Zheng & Wang, 1983.  
 212. *Phytocoris keltoni* Kerzhner & Schuh, 1998 [204], nom. n. for *Phytocoris alpinus* Kelton, 1979.  
 213. *Phytocoris wagneri* Kerzhner & Schuh, 1998 [204], nom. n. for *Phytocoris rubripictus* Wagner, 1961.  
 214. *Phytocoris eduardi* Kerzhner & Schuh, 1998 [204], nom. n. for *Phytocoris ruficollis* Wagner, 1959.  
 215. *Phytocoris ferreirai* Kerzhner & Schuh, 1998 [204], nom. n. for *Phytocoris singularis* Carvalho & Ferreira, 1969.  
 216. *Phytocoris linnaviiorii* Kerzhner & Schuh, 1998 [204], nom. n. for *Phytocoris tristis* Linnaviori, 1965.  
 217. *Taylorilygus lindbergi* Kerzhner & Schuh, 1998 [204], nom. n. for *Taylorilygus viridiflavus* (Lindberg, 1958).  
 218. *Leptopterna reuteri* Kerzhner & Schuh, 1998 [204], nom. n. for *Taylorilygus viridiflavus* (Lindberg, 1958).  
 219. *Plagiognathus knighti* Kerzhner & Schuh, 1998 [204], nom. n. for *Plagiognathus albellus* Knight, 1953.  
 220. *Scirtetellus mongolicus* Drapolyuk & Kerzhner, 1999 [210].  
 221. *Orthocephalus minimus* Drapolyuk & Kerzhner, 2000 [221].  
 222. *Orthocephalus scorzonerae* Drapolyuk & Kerzhner, 2000 [221].  
 223. *Myrmecophyes (Myrmecophyes) trispiculus* Drapolyuk & Kerzhner, 2000 [221].  
 224. *Myrmecophyes (Myrmecophyes) frontosus* Drapolyuk & Kerzhner, 2000 [221].

#### Family Nabidae

225. *Alloeorrhynchus (Alloeorrhynchus) grossi* Kerzhner, 1970 [38].  
 226. *Alloeorrhynchus (Alloeorrhynchus) papuanus* Kerzhner, 1970 [38].  
 227. *Alloeorrhynchus (Alloeorrhynchus) scutellatus* Kerzhner, 1970 [38].  
 228. *Alloeorrhynchus (Alloeorrhynchus) suturalis* Kerzhner, 1970 [38].  
 229. *Alloeorrhynchus (Alloeorrhynchus) brendelli* Kerzhner, 1990 [141].  
 230. *Alloeorrhynchus (Alloeorrhynchus) dollingi* Kerzhner, 1990 [141].  
 231. *Alloeorrhynchus (Alloeorrhynchus) fuscescens* Kerzhner, 1992 [150].  
 232. *Alloeorrhynchus (Alloeorrhynchus) himalayensis* Kerzhner, 1992 [150].  
 233. *Alloeorrhynchus (Alloeorrhynchus) maculosus* Kerzhner, 1992 [150].  
 234. *Alloeorrhynchus (Alloeorrhynchus) minahassa* Kerzhner, 1990 [141].  
 235. *Alloeorrhynchus (Psilistus) flavomaculatus* Kerzhner, 1990 [141].  
 236. *Alloeorrhynchus (Psilistus) rubromaculatus* Kerzhner, 1990 [141].  
 237. *Alloeorrhynchus alayoi* Kerzhner, 1986 [124].  
 238. *Alloeorrhynchus jamaicensis* Kerzhner, 2007 [268].  
 239. *Alloeorrhynchus maldonadoi* Kerzhner, 2007 [268].  
 240. *Alloeorrhynchus reinhardi* Kerzhner & Günther, 1999 [214].  
 241. *Alloeorrhynchus slateri* Kerzhner, 2007 [268].  
 242. *Aptus transcaucasicus* Kerzhner, 1981 [91], currently treated as *Himacerus (Aptus) transcaucasicus* (Kerzhner, 1981).  
 243. *Arachnocoris eberhardi* Kerzhner, 1990 [143].  
 244. *Arachnocoris setosus* Kerzhner, 1990 [143].  
 245. *Arbela carayoni* Kerzhner, 1986 [121].  
 246. *Arbela lemkanensis* Kerzhner, 1970 [39].  
 247. *Arbela limbata* Kerzhner, 1970 [39].  
 248. *Arbela peterseni* Kerzhner, 1970 [39].  
 249. *Arbela sophiae* Kerzhner, 1970 [38].  
 250. *Dolichonabis majusculus* Kerzhner, 1968 [26], currently treated as *Nabis (Dolichonabis) majusculus* (Kerzhner, 1968).  
 251. *Dolichonabis ponticus* Kerzhner, 1962 [4], currently treated as *Nabis (Limnonabis) ponticus* (Kerzhner, 1962).  
 252. *Dolichonabis tesquorum* Kerzhner, 1968 [26], currently treated as *Nabis (Dolichonabis) tesquorum* (Kerzhner, 1968).

253. *Dolichonabis ussuriensis* Kerzhner, 1962 [4], currently treated as *Nabis (Limnonabis) ussuriensis* (Kerzhner, 1962).
254. *Gorpis (Gorpis) japonicus* Kerzhner, 1968 [26].
255. *Gorpis harrisii* Kerzhner, 1970 [38].
256. *Himacerus erectipilis* Kerzhner, 1989 [137].
257. *Himacerus frater* Kerzhner & Jakobs, 2008 [272].
258. *Hoplistoscelis confusa* Kerzhner & Henry, 2008 [275].
259. *Lasiomerus andabata* Kerzhner, 1990 [151].
260. *Limnonabis demissus* Kerzhner, 1968 [26], currently treated as *Nabis (Limnonabis) demissus* (Kerzhner, 1968).
261. *Metatropiphorus alvarengai* Kerzhner, 1987 [127].
262. *Metatropiphorus emiliae* Kerzhner, 2006 [260].
263. *Nabis (Dolichonabis) valentinae* Kerzhner, 2006 [261].
264. *Nabis (Nabis) intermedius* Kerzhner, 1963 [11].
265. *Nabis (Nabis) meridionalis* Kerzhner, 1963 [11].
266. *Nabis (Nabis) remanei* Kerzhner, 1962 [4].
267. *Nabis (Tropiconabis) latior* Kerzhner & Henry, 2008 [275].
268. *Nabis chinai* Kerzhner, 1970 [38].
269. *Nabis fraternalis* Kerzhner, 1970 [38], currently treated as *Nabis (Australonabis) fraternalis* Kerzhner, 1970; new subgenus erected by Strommer (1988).
270. *Nabis galapagoensis* Kerzhner, 1968 [29].
271. *Nabis heissii* Kerzhner, 2006 [259].
272. *Nabis hsiaoii* Kerzhner, 1992 [150], nom. n. for *Nabis nigrovittatus* Ren, 1981.
273. *Nabis larvatus* Kerzhner, 1970 [38], currently treated as *Nabis (Australonabis) larvatus* Kerzhner, 1970.
274. *Nabis nepalensis* Kerzhner, 1992 [150].
275. *Nabis reductus* Kerzhner, 1968 [29].
276. *Nabis renae* Kerzhner, 2006 [259].
277. *Nabis riegeri* Kerzhner, 1996 [182], nom. n. for *Nabis meridionalis occidentalis* Rieger, 1973.
278. *Neogorpis spinicollis* Kerzhner, 1986 [124].
279. *Pagasa (Lampropagasa) cobbeni* Kerzhner, 2007 [268].
280. *Pagasa (Lampropagasa) confusa* Kerzhner, 1990 [151].
281. *Pagasa (Lampropagasa) lattini* Kerzhner & Henry, 2008 [275].
282. *Pagasa brailovskyi* Kerzhner, 2008 [277].
283. *Pagasa brunneipes* Kerzhner, 2008 [277].
284. *Pagasa doesburgi* Kerzhner, 2008 [277].
285. *Pagasa flavipennis* Kerzhner, 2008 [277].
286. *Pagasa henryi* Kerzhner, 2008 [277].
287. *Pagasa margaritae* Kerzhner, 2008 [277].
288. *Pagasa prostemmatoides* Kerzhner, 2008 [277].
289. *Phorticus abdominalis* Kerzhner, 1992 [150].
290. *Phorticus brevipennis* Kerzhner, 1970 [35].
291. *Phorticus flavoscutellatus* Kerzhner, 1970 [39].
292. *Phorticus harrisi* Kerzhner, 1992 [150].
293. *Phorticus martensi* Kerzhner, 1992 [150].
294. *Phorticus pellax* Kerzhner, 1990 [141].
295. *Phorticus rotundatus* Kerzhner, 1990 [141].
296. *Phorticus schwalleri* Kerzhner, 1992 [150].
297. *Phorticus simplicipes* Kerzhner, 1992 [150].
298. *Phorticus sulawesiensis* Kerzhner, 1990 [141].
299. *Praecarthasis froeschneri* Kerzhner, 1986 [124].
300. *Praecarthasis gibbus* Kerzhner, 1986 [124].
301. *Praecarthasis nigrescens* Kerzhner, 1986 [124].
302. *Praecarthasis paprzyckii* Kerzhner, 1986 [124].
303. *Praecarthasis pusillus* Kerzhner, 1986 [124].
304. *Prostemma antipodes* Kerzhner, 1990 [140].
305. *Prostemma australicum* Kerzhner & Strommer, 1990 [144].
306. *Prostemma reuteri* Kerzhner, 1990 [140].
307. *Prostemma walkeri* Kerzhner & Strommer, 1990 [144].

308. *Rhamphocoris rubroniger* Kerzhner, 1990 [141].  
 309. *Stenonabis anomellatus* Kerzhner, 1963 [11].  
 310. *Stenonabis australicus* Kerzhner, 1970 [38].  
 311. *Stenonabis carayoni* Kerzhner, 1970 [38].  
 312. *Stenonabis cheesmanae* Kerzhner, 1970 [38].  
 313. *Stenonabis communis* Kerzhner, 1970 [38].  
 314. *Stenonabis confusulus* Kerzhner, 2008 [276].  
 315. *Stenonabis darwini* Kerzhner, 1970 [38].  
 316. *Stenonabis extremus* Kerzhner, 1968 [26].  
 317. *Stenonabis imitator* Kerzhner, 1970 [38], synonymized with *Stenonabis bussyi* (Poppius, 1914) by Kerzhner (1994 [164]).  
 318. *Stenonabis irianus* Kerzhner, 1970 [38].  
 319. *Stenonabis leytensis* Kerzhner, 1970 [38].  
 320. *Stenonabis limbatellus* Kerzhner, 1970 [38].  
 321. *Stenonabis longipilis* Kerzhner, 1970 [38].  
 322. *Stenonabis nitidicollis* Kerzhner, 1970 [38].  
 323. *Stenonabis obscurus* Kerzhner, 1970 [38].  
 324. *Stenonabis olsufievi* Kerzhner, 1963 [11].  
 325. *Stenonabis papuanus* Kerzhner, 1970 [38].  
 326. *Stenonabis philippinensis* Kerzhner, 1970 [38], synonymized with *Stenonabis orientalis* (Reuter, 1910) by Kerzhner (1994 [164]).  
 327. *Stenonabis robustus* Kerzhner, 1970 [38].  
 328. *Stenonabis roseus* Kerzhner, 1970 [38].  
 329. *Stenonabis taiwanicus* Kerzhner, 1970 [38], synonymized with *Stenonabis tibialis* (Distant, 1904) by Kerzhner (1992 [150]).  
 330. *Stenonabis umianus* Kerzhner, 1970 [38].  
 331. *Stenonabis vanstallei* Kerzhner, 1990 [141].  
 332. *Stenonabis ventricosus* Kerzhner, 1970 [38].  
 333. *Stenonabis villiersi* Kerzhner, 1970 [38].

#### Family Pachynomidae

334. *Aphelonotus wygodzinskyi* Kerzhner, 1970 [37].

#### Family Pentatomidae

335. *Arma koreana* Josifov & Kerzhner, 1978 [79].  
 336. *Bagrada (Baglura) gobica* Kerzhner, 1972 [44].  
 337. *Capnoda altaica* Kerzhner, 1972 [44], synonymized with *Capnoda nigroaenea* Jakovlev, 1887 by Kerzhner (1993 [157]).  
 338. *Codophila (Antheminia) mongolica* Kerzhner & Josifov, 1966 [23], currently treated as *Antheminia mongolica* Kerzhner & Josifov, 1966.  
 339. *Homalogonia confusa* Kerzhner, 1972 [47].  
 340. *Homalogonia grisea* Josifov & Kerzhner, 1978 [79].  
 341. *Rhacognathus lamellifer* Josifov & Kerzhner, 1978 [79], synonymized with *Rhacognathus corniger* Hsiao & Cheng, 1977 by Kerzhner (1988 [130]).  
 342. *Tarisa salsa* Kerzhner, 1964 [17].

#### Family Reduviidae

343. *Sirthenea koreana* Lee & Kerzhner, 1996 [183].

#### Family Scutelleridae

344. *Irochrotus majusculus* Kerzhner, 1976 [64].  
 345. *Irochrotus sibiricus* Kerzhner, 1976 [62].  
 346. *Irochrotus turanicus* Kerzhner, 1976 [62].  
 347. *Phimodera curvipilis* Kerzhner, 1976 [62].

348. *Phimodera emeljanovi* Kerzhner, 1976 [62].
349. *Phimodera jaxartensis* Kerzhner, 1976 [62].
350. *Phimodera klementzorum* Kerzhner, 1976 [62], synonymized with *Phimodera nigra* Reuter 1879 by Kerzhner (1993 [157]).
351. *Phimodera montana* Kerzhner, 1976 [62].
352. *Phimodera semideserta* Kerzhner, 1976 [62].
353. *Phimodera smolini* Kerzhner, 1976 [62].

#### Family Tingidae

354. *Biskria (Notosima) ephedrae* Kerzhner, 1964 [17], currently treated as *Dictyonota ephedrae* (Kerzhner, 1964), because the genus *Biskra* has been synonymized with *Dictyonota* by Golub (1975).
355. *Biskria nigricosta* Kerzhner & Josifov, 1966 [23], *Dictyonota Dictyonota nigricosta* (Kerzhner & Josifov, 1966), because the genus *Biskra* has been synonymized with *Dictyonota* by Golub (1975).
356. *Biskria pulchricornis* Kerzhner & Josifov, 1966 [23], synonymized with *Dictyonota mitoris* Drake & Hsiung, 1936 by Li (2006).
357. *Sphaerista emeljanovi* Kerzhner, 1964 [17].

#### Family Urostylidae

358. *Urostylis trullata* Kerzhner, 1966 [22].

#### SUBSPECIES

#### Family Anthocoridae

1. *Temnostethus (Ectemnus) reduvinus mesasiaticus* Elov & Kerzhner, 1977 [72].
2. *Temnostethus (Ectemnus) reduvinus mongolicus* Elov & Kerzhner, 1977 [72].

#### Family Miridae

3. *Daraeocoris (Daraeocoris) ventralis megophthalmus* Josifov & Kerzhner, 1972 [48].
4. *Dicyphus orientalis sibiricus* Kerzhner, 1979 (in Vinokurov, 1979).
5. *Dimorphocoris (Dimorphocoris) fuscus altaicus* Kerzhner, 1964 [14], synonymized with *Dimorphocoris fuscus* Joakimov, 1909 by Kerzhner (1970 [34]).
6. *Phytocoris (Ribautomiris) scitulus frater* Kerzhner, 1964 [17], currently treated as *Phytocoris (Exophytocoris) scitulus frater* Kerzhner, 1964, because the subgenus *Ribautomiris* has been synonymized with *Exophytocoris* by Rieger (1989).
7. *Psallus (Phylidea) dryos dolerus* Kerzhner, 1979 [81].
8. *Psallus (Pityopsallus) ermolenkoi sichotensis* Kerzhner, 1979 [81].
9. *Rhabdomiris striatellus wagneri* Kerzhner & Schuh, 1998 [204], nom. n. for *Rhabdomiris striatellus fasciatus* Wagner, 1960.
10. *Salignus duplicatus medius* Kerzhner, 1979 [81].

#### Family Lygaeidae

11. *Drymus (Drymus) latus obscurior* Kerzhner, 1977 [66].
12. *Geocoris variabilis minusculus* Kerzhner & Josifov, 1966 [23], raised to *Geocoris minusculus* Kerzhner & Josifov, 1966 by Kerzhner (1979 [84]).
13. *Lygaeus vicarius flavescens* Winkler & Kerzhner, 1977 [73], raised to *Lygaeus flavescens* Winkler & Kerzhner, 1977 by Kerzhner (1982 [102]).

#### Family Nabidae

14. *Arbela elegantula occidentalis* Kerzhner, 1986 [121].
15. *Gorpis annulatus brevipennis* Kerzhner, 1970 [38].

16. *Halonabis sareptanus occidentalis* Kerzhner, 1963: 12, upgraded to full species by Kerzhner (1968 [26]), currently treated as *Nabis (Halonabis) occidentalis* (Kerzhner, 1963).
17. *Himacerus corixipennis elgonensis* Kerzhner, 1989 [137].
18. *Nabicula (Dolichonabis) nigrovittata nearctica* Kerzhner, 1981 [91], currently treated as *Nabis (Dolichonabis) nigrovittatus nearcticus* (Kerzhner, 1981).
19. *Nabicula (Dolichonabis) nigrovittata steppensis* Kerzhner, 1981 [91], currently treated as *Nabis (Dolichonabis) nigrovittatus steppensis* (Kerzhner, 1981).
20. *Nabicula (Dolichonabis) nigrovittata tianshanica* Kerzhner, 1981 [91], currently treated as *Nabis (Dolichonabis) nigrovittatus tianshanicus* (Kerzhner, 1981).
21. *Nabis meridionalis tauricus* Kerzhner, 1963 [11].
22. *Prostemma fasciatum sulawesiense* Kerzhner & Strommer, 1990 [144].
23. *Prostemma guttula asiaticum* Kerzhner, 1968 [26].
24. *Stenonabis imitator solomonensis* Kerzhner, 1970 [38].
25. *Stenonabis tagalicus linnavuorii* Kerzhner, 1970 [38].

### Family Pentatomidae

26. *Antheminia eurynota tamaninii* Kerzhner, 1972 [44], synonymized with *Antheminia eurynota remota* (Horvath, 1907) by Kerzhner (1993 [157]).
27. *Eurydema dominulus montana* Kerzhner, 1972 [44] raised to *Eurydema montana* by Kerzhner, 1972 Kerzhner (2005 [257]).
28. *Pitedia juniperina orientalis* Kerzhner, 1982 [100].
29. *Trochiscocoris rotundatus aeneus* Assanova & Kerzhner, 1969 [32].

### References

- Benedek, P.** 1969. Heteroptera. VII. *Fauna Hungariae*, **94**: 1-86. (In Hungarian).
- Carapezza, A.** 1997. Heteroptera of Tunisia. *Naturalista Siciliano*, (4) **21**. Suppl. A: 1-331.
- Golub, V.B.** 1975. Review of the lacebugs of the genus *Dictyonota* Curtis (Heteroptera, Tingidae) of the fauna of the USSR and Mongolia. *Nasekomye Mongoli*, **3**: 56-78. (In Russian).
- Golub, V.B.** 1982. New and little-known species of lacebugs (Heteroptera: Tingidae) from the Far East of the USSR. *Trudy Zoologicheskogo Instituta Akademii Nauk SSSR*, **105**: 118-127. (In Russian). 1981.
- Heiss, E.** 1999. Revision of Indo-Pacific *Aneurillus* Kormilev 1968. 1. Description of a new genus and two new species (Heteroptera, Aradidae, Aneurinae). *Linzer Biologische Beiträge*, **31**(2): 1009-1025.
- Heiss, E.** 2001. Family Aradidae Brulle, 1836 – flat bugs. In: Aukema, B. & C. Rieger (Eds.) *Catalogue of the Heteroptera of the Palaearctic region. Volume 4: Pentatomomorpha I*: 3-34. Netherlands Entomological Society, Amsterdam.
- Kiritschenko, A.N. & G.G.E. Scudder.** 1973. Some new genera and species of Rhyparochrominae (Hemiptera: Lygaeidae) from the Soviet Union, with a key to the genera of Gonianotini. *Journal of Natural History*, **7**(2): 133-151.
- Li, Chuan-ren.** 2006. Two species of lace bugs (Hemiptera: Tingidae) in East Asia and their new synonyms. *Entomotaxonomia*, **28**(1): 30-32. (In Chinese).
- Lis, J.A.** 1993. On *Byrsinus* Fieber and *Microporus* Uhler, two allied cydnid genera (Heteroptera: Cydnidae). *Annals of the Upper Silesian Museum in Bytom, Entomology*, **4**: 79-98.
- Lis, J.A.** 1999. Burrower bugs of the Old World – a catalogue (Hemiptera: Cydnidae). *Genus*, **10**(2): 165-249.
- Miyamoto, S.** 1988. Some mirids new to Japan (Heteroptera: Miridae). *Rostria*, **39**: 637-638. (In Japanese).
- Putshkov, V. G.** 1977. New and little-known mirid bugs (Heteroptera, Miridae) from Mongolia and Soviet Central Asia. *Entomologicheskoe Obozrenie*, **56**: 360-374. (In Russian; English translation: *Entomol. Rev.* **56**(2): 91-100).
- Rieger, C.** 1989. Anmerkungen zur Systematik von *Phytocoris* Fall. (Insecta, Hemiptera, Heteroptera: Miridae). *Reichenbachia*, **26**: 85-91.
- Rosenzweig, V. Y.** 1997. Revised classification of the *Calocoris* complex and related genera (Heteroptera: Miridae). *Zoosystematica Rossica*, **6**: 139-169.
- Schuh, R. T.** 1989. Old World Pilophorini: Descriptions of nine new species with additional synonymic and taxonomic changes (Heteroptera: Miridae: Phylinae). *American Museum Novitates*, **2945**: 1-16.
- Schuh, R. T.** 2001. Revision of New World *Plagiognathus* Fieber, with comments on the Palearctic fauna and the description of a new genus (Heteroptera: Miridae: Phylinae). *Bulletin of the American Museum of Natural History*, **266**: 1-267.
- Schuh, R.T.** 2004. Revision of *Europiella* Reuter in North America, with the description of a new genus (Heteroptera: Miridae: Phylinae). *American Museum Novitates*, **3463**: 1-58.
- Stonedahl, G. M. & M. D. Schwartz.** 1996. Two new genera for pine-inhabiting species of Phylini North America (Heteroptera: Miridae: Phylinae). *American Museum Novitates*, **3166**: 1-15.
- Strommer, N.G.** 1988. Genera *Nabis* Latreille and *Stenonabis* Reuter (Hemiptera: Nabidae) in Australia. *Records of the South Australian Museum*, **22**(2): 79-93.
- Vinokurov, N.N.** 1979. Heteroptera of Yakutia. *Opredelitel po Faune SSSR* **123**: 1-232. (In Russian; English translation 1988, 328 pp., Amerind, New Delhi).
- Wagner, E.** 1963. Zur systematik des *Psallus*-Komplexes (Hemiptera, Heteroptera: Miridae). *Mitteilungen der Münchner Entomologischen Gesellschaft*, **53**: 150-163.

- Wagner, E.** 1968. *Eckerleinius* nov. subgen. (gen. *Phytocoris* Fall.) (Hemiptera, Heteroptera, Miridae). *Reichenbachia*, 10: 39-62.
- Yasunaga, T.** 1992. A revision of the plant bug, genus *Lygocoris* Reuter from Japan, Part IV (Heteroptera, Miridae, *Lygus*-complex). *Japanese Journal of Entomology*, **60**: 10-25.
- Yasunaga, T.** 1994. *Pinalitus* Kelton (Heteroptera, Miridae) and its allied genera of Japan, with descriptions of new genera and species. *Japanese Journal of Entomology*, **62**: 115-131.
- Yasunaga, T.** 1998a. Revision of the mirine genus *Creontiades* Distant and allies from Japan (Heteroptera, Miridae). Part III: *Neomegacoelum* gen. n., and exotic new taxa, new synonymy and new combinations. *Entomological Science*, **1**: 63-70.
- Yasunaga, T.** 1998b. Revision of the mirine genus *Castanopsides* Yasunaga from eastern Asia (Heteroptera: Miridae). *Entomologica Scandinavica*, **29**: 99-119.
- Yasunaga, T. & M.D. Schwartz.** 2007. Revision of the mirine plant bug genus *Philostephanus* Distant and allies (Heteroptera: Miridae: Mirinae: Mirini). *Tijdschrift voor Entomologie*, **150**(1): 101-180.
- Yasunaga, T. & N. N. Vinokurov.** 2000. The phyline plant bug genus *Psallus* Fieber in Japan (Heteroptera: Miridae: Phylinae). *Entomological Science*, **3**: 653-668.