

Pycnogonida of New Caledonia

Roger N. BAMBER

The Natural History Museum, Cromwell Road, London SW7 5BD, UK.

r.bamber@nhm.ac.uk

Recording of pycnogonids from the New Caledonia region began as recently as 1977 (Child, 1977). Since then, the intensive sampling by cruises from the Paris Museum over the last twenty years has revealed a high diversity of pycnogonids in the Western Pacific, particularly in the area of the Melanesian island systems. The entire known pycnogonid fauna of the Melanesia-Micronesia-Polynesia region was discussed and summarized by Bamber (2004). The list below is of all species recorded from New Caledonia, the Loyalty Islands, the Chesterfield Islands and Vanuatu, including those from deeper water. There are as yet no published records of pycnogonids from the Matthew and Hunter Islands, the Norfolk Ridge or the Lord Howe Rise.

Although the region is relatively understudied for the rarer arthropod taxa, the high diversity of the region, and the preponderance of novel taxa are nevertheless surprising. Of 122 species listed for the wider area by Bamber (2004), 74 are known from the New Caledonia system as defined above, of which 66 are recorded from New Caledonia itself. The region represent the type-locality of 39 of these species, and 36 have not recorded elsewhere. At higher taxonomic levels, the monotypic genus *Proboehmia* (Ammonotheidae) is only known from New Caledonia, while the subgenus *Austrodecus* (*Tubidecus*) (Austrodecidae) is only known from New Caledonia and the Loyalty Islands (Melanesia). Whether this represents endemism cannot be said, owing to the general lack of study of pycnogonids in the western Pacific. Essentially, the pycnogonid fauna of the Melanesia-Micronesia-Polynesia island systems represents a subset of the Indo-West Pacific pycnogonid fauna, of high diversity. The concept of local endemism was predicted for this region by the model of Bamber (1998), and is supported by the fact that few of these species are known also from Japan, an admittedly cooler region but one which has been the subject of intensive study and which also shows high endemism (Nakamura & Child 1991). The following checklist indicates the local provenance of the species, those for which this is the type-locality, and those which are currently "endemic". The family structure is based on Arnaud and Bamber (1987), except for the resurrection of the family Pallenopsidae (see Bamber, 2004); *Ammothella indica* Stock, 1954 is currently treated as a junior synonym of *A. appendiculata* (Dohrn, 1881).

REFERENCES

- ARNAUD F. & BAMBER R.N., 1987. The Biology of Pycnogonida. *Advances in Marine Biology*, **24**: 1-96.
- BAMBER R.N., 1998. Zoogeographic trends in some Hong Kong arthropods. *The Marine Biology of the South China Sea*. ed. B. Morton). *Proceedings of the Third International Conference on the Marine Biology of the South China Sea. Hong Kong, 28 October - 1 November 1996*. pp. 91-112. Hong Kong: Hong Kong University Press.
- BAMBER R. N., 2004. Pycnogonids (Arthropoda: Pycnogonida) from French cruises to Melanesia. *Zootaxa*, **551**: 1-27.
- CHILD, C. A., 1977. On some Pycnogonida of French Oceania. *Proceedings of the Biological Society of Washington*, **90** (2): 440-446.
- NAKAMURA K. & CHILD C.A., 1991. Pycnogonida from waters adjacent to Japan. *Smithsonian Contributions to Zoology*, **512**: 1-74.

List of taxa

Class Pycnogonida

Family Nymphonidae Wilson, 1878

- Nymphon adenopus* Stock, 1991 (New Caledonia) ^{1,2}
- Nymphon apicatum* Stock, 1991 (New Caledonia) ^{1,2}
- Nymphon fortunatum* Stock, 1997 (New Caledonia) ^{1,2}
- Nymphon novaecaledoniae* Stock, 1991 (New Caledonia) ^{1,2}
- Nymphon parum* Stock, 1991 (New Caledonia) ^{1,2}
- Nymphon spinifex* Stock, 1997 (New Caledonia) ^{1,2}

Family Ammotheidae Dohrn, 1881

- Achelia assimilis* (Haswell, 1885) (New Caledonia)
- Achelia nana* Loman, 1908 (New Caledonia)
- Ammothella appendiculata* (Dohrn, 1881) (New Caledonia)
- Ammothella nimia* Stock, 1991 (New Caledonia) ^{1,2}
- Ammothella stauromata* Child, 1982 (New Caledonia)
- Scipiolus plumosus* Loman, 1908 (New Caledonia, Loyalty Islands)
- Ascorhynchus breviscapus* Stock, 1968 (New Caledonia)
- Ascorhynchus cactoides* Stock, 1954 (New Caledonia)
- Ascorhynchus constrictus* Stock, 1991 (Vanuatu) ^{1,2}
- Ascorhynchus fragilis* Stock, 1991 (New Caledonia) ^{1,2}
- Ascorhynchus ornatus* (Helfer, 1938) (New Caledonia)
- Ascorhynchus pilipes* Stock, 1991 (New Caledonia, Loyalty Islands) ^{1,2}
- Ascorhynchus seticauda* Stock, 1991 (New Caledonia, Chesterfield islands) ^{1,2}
- Bathyzetes setiger* (Loman, 1908) (New Caledonia)
- Cilunculus achelioides* Stock, 1991 (New Caledonia) ^{1,2}
- Cilunculus ateuchus* Bamber, 2004 (New Caledonia) ^{1,2}
- Cilunculus australiensis* Clark, 1963 (New Caledonia)
- Cilunculus compactus* Stock, 1991 (New Caledonia)
- Cilunculus crinitus* Stock, 1991 (New Caledonia) ^{1,2}
- Cilunculus frontosus* Loman, 1908 (New Caledonia)
- Cilunculus pedatus* Stock, 1991 (New Caledonia) ^{1,2}
- Cilunculus scaurus* Stock, 1997 (New Caledonia) ^{1,2}
- Dromedopycnon arthritis* Bamber, 2004 (New Caledonia) ^{1,2}
- Heterofragilia brevicauda* Stock, 1991 (New Caledonia) ^{1,2}
- Sericosura cochleifovea* Child, 1989 (New Caledonia)
- Proboehmia tubirostris* Stock, 1991 (New Caledonia) ^{1,2}

Family Endeidae Norman, 1908

- Endeis mollis* (Carpenter, 1904) (New Caledonia)

Family Pallenopsidae Fry, 1978

- Pallenopsis (Pallenopsis) angusta* Stock, 1991 (New Caledonia, Loyalty Islands)
- Pallenopsis (P.) dentifera* Stock, 1983 (New Caledonia)
- Pallenopsis (P.) spinipes* Carpenter, 1907 (Vanuatu)
- Pallenopsis (P.) virgata* Loman, 1908 (New Caledonia, Chesterfield islands, Vanuatu)
- Pallenopsis (B.) juttingae* Stock, 1964 (New Caledonia)
- Pallenopsis (B.) longimana* Stock, 1991 (New Caledonia) ^{1,2}
- Pallenopsis (B.) longirostris* Wilson, 1881 (Vanuatu)
- Pallenopsis (B.) mollissima* (Hoek, 1881) (Vanuatu)
- Pallenopsis (B.) richeri* Bamber, 2000 (Vanuatu)
- Pallenopsis (B.) scoparia* Fage, 1956 (Chesterfield Islands)
- Pallenopsis (B.) tydemani* Loman, 1908 (Vanuatu)

Family Callipallenidae Hilton, 1942

- Callipallene ersei* Bamber, 1997 (New Caledonia) ^{1,2}
- Callipallene fallax* (stock, 1994) (New Caledonia)
- Seguapallene tricuspidata* Stock, 1991 (New Caledonia) ^{1,2}

Parapallene arnaudae Stock, 1991 (New Caledonia) ^{1,2}

Parapallene australiensis (Hoek, 1881) (New Caledonia)

Pigrogromitus timsanus Calman, 1927 (New Caledonia)

Family Phoxichilidiidae Sars, 1891

Anoplodactylus batangensis (Helfer, 1938) (New Caledonia)

Anoplodactylus cribellatus Calman, 1923 (New Caledonia)

Anoplodactylus longiformis Child, 1977 (New Caledonia) ^{1,2}

Anoplodactylus pycnosoma (Helfer, 1938) (New Caledonia)

Anoplodactylus typhloides Stock, 1991 (New Caledonia) ^{1,2}

Phoxichilidium forfex Stock, 1991 (New Caledonia) ^{1,2}

Phoxichilidium tuberculatum Stock, 1991 (New Caledonia) ^{1,2}

Family Colossendeidae Hoek, 1881

Colossendeis colossea Wilson, 1881 (New Caledonia, Chesterfield islands, Vanuatu)

Colossendeis leptorhynchus Hoek, 1881 (New Caledonia, Vanuatu)

Colossendeis macerrima Wilson, 1881 (Chesterfield islands, Vanuatu)

Colossendeis minor Schimkewitsch, 1893 (New Caledonia)

Colossendeis pipetta Stock, 1991 (New Caledonia, Loyalty Islands, Chesterfield Islands) ¹

Colossendeis sinuosa Stock, 1997 (New Caledonia) ¹

Rhopalorhynchus filipes Stock, 1991 (New Caledonia, Loyalty Islands, Chesterfield Islands)

Hedgpathia tibialis Stock, 1991 (New Caledonia) ^{1,2}

Family Austrodecidae Stock, 1954

Austrodecus calvum Stock, 1991 (New Caledonia) ^{1,2}

Austrodecus (Tubidecus) bathyale Stock, 1991 (New Caledonia, Loyalty Islands) ^{1,2}

Austrodecus (T.) excelsum Stock, 1991 (New Caledonia) ^{1,2}

Austrodecus (T.) latum Stock, 1991 (New Caledonia, Loyalty Islands) ^{1,2}

Austrodecus (T.) offerrecans Bamber, 2000 (New Caledonia) ^{1,2}

Austrodecus (T.) tuberculatum Stock, 1991 (New Caledonia) ^{1,2}

Family Pycnogonidae Wilson, 1878

Pycnogonum crosnieri Stock, 1991 (New Caledonia) ^{1,2}

Pycnogonum occa Loman, 1908 (New Caledonia)

Pycnogonum (Nulloviger) lobipes Stock, 1991 (New Caledonia) ^{1,2}

Pycnogonum (N.) moniliferum Stock, 1991 (New Caledonia) ¹

¹ type locality

² currently endemic

DOCUMENTS
SCIENTIFIQUES
et TECHNIQUES

II7

Volume spécial

COMPENDIUM
of marine species from
New Caledonia



Edited by
CLAUDE E. PAYRI
Bertrand RICHER DE FORGES



Institut de recherche
pour le développement

CENTRE DE NOUMÉA

**DOCUMENTS
SCIENTIFIQUES
et TECHNIQUES**



**Institut de recherche
pour le développement**

Publication éditée par:
Centre IRD de Nouméa
BP A5, 98848 Nouméa CEDEX
Nouvelle-Calédonie
Téléphone: (687) 26 10 00
Fax: (687) 26 43 26

L'IRD propose des programmes regroupés en 5 départements pluridisciplinaires :

- I DME Département milieux et environnement
- II DRV Département ressources vivantes
- III DSS Département sociétés et santé
- IV DEV Département expertise et valorisation
- V DSF Département du soutien et de la formation des communautés scientifiques du Sud

Modèle de référence bibliographique à cette revue :

Adjeroud M. *et al.*, 2000. Premiers résultats concernant le benthos et les poissons au cours des missions TYPATOLL.
Doc. Sci. Tech. II 3, 125 p.

ISSN 1297-9635

Numéro II7 - Octobre 2006

© IRD 2006

Distribué pour le Pacifique par le Centre de Nouméa.

Première de couverture : Récif corallien (Côte Ouest, NC) © IRD/C. Geoffray
Vignettes : voir les planches photographiques

Quatrième de couverture : *Platygyra sinensis* © IRD/C. Geoffray

Matériel de plongée sous-marine © IRD/C. Geoffray	L'Aldric, moyen navigant de l'IRD © IRD/J.-M. Boré
Récoltes et photographies sous-marines en scaphandre autonome © IRD/J.-L. Menou	Traitement des récoltes en laboratoire © IRD/L. Mattio

CONCEPTION/MAQUETTE/MISE EN PAGE
MAQUETTE DE COUVERTURE
PLANCHES PHOTOGRAPHIQUES
TRAITEMENT DES PHOTOGRAPHIES

JEAN PIERRE MERMOUD
CATHY GEOFFRAY/ MINA VILAYLECK
CATHY GEOFFRAY/JEAN-LOUIS MENOU/GEORGES BARGIBANT
NOËL GALAUD

La traduction en anglais des textes d'introduction, des Ascidies et des Echinodermes a été assurée par EMMA ROCHELLE-NEWALL, la préface par MINA VILAYLECK.

Ce document a été produit par le Service ISC, imprimé par le Service de Reprographie du Centre IRD de Nouméa et relié avec l'aimable autorisation de la CPS, financé par le Ministère de la Recherche et de la Technologie.

ISSN 1297-9635
Numéro II7 - Octobre 2006
© IRD 2006

**COMPENDIUM OF MARINE SPECIES FROM
NEW CALEDONIA**

Edited by
CLAUDE E. PAYRI, BERTRAND RICHER DE FORGES
