

## Pycnogonida of New Caledonia

Roger N. BAMBER

The Natural History Museum, Cromwell Road, London SW7 5BD, UK.

r.bamber@nhm.ac.uk

Recording of pycnogonids from the New Caledonia region began as recently as 1977 (Child, 1977). Since then, the intensive sampling by cruises from the Paris Museum over the last twenty years has revealed a high diversity of pycnogonids in the Western Pacific, particularly in the area of the Melanesian island systems. The entire known pycnogonid fauna of the Melanesia-Micronesia-Polynesia region was discussed and summarized by Bamber (2004). The list below is of all species recorded from New Caledonia, the Loyalty Islands, the Chesterfield Islands and Vanuatu, including those from deeper water. There are as yet no published records of pycnogonids from the Matthew and Hunter Islands, the Norfolk Ridge or the Lord Howe Rise.

Although the region is relatively understudied for the rarer arthropod taxa, the high diversity of the region, and the preponderance of novel taxa are nevertheless surprising. Of 122 species listed for the wider area by Bamber (2004), 74 are known from the New Caledonia system as defined above, of which 66 are recorded from New Caledonia itself. The region represent the type-locality of 39 of these species, and 36 have not recorded elsewhere. At higher taxonomic levels, the monotypic genus *Proboehmia* (Ammotheidae) is only known from New Caledonia, while the subgenus *Austrodecus* (*Tubidecus*) (Austrodecidae) is only known from New Caledonia and the Loyalty Islands (Melanesia). Whether this represents endemism cannot be said, owing to the general lack of study of pycnogonids in the western Pacific. Essentially, the pycnogonid fauna of the Melanesia-Micronesia-Polynesia island systems represents a subset of the Indo-West Pacific pycnogonid fauna, of high diversity. The concept of local endemicity was predicted for this region by the model of Bamber (1998), and is supported by the fact that few of these species are known also from Japan, an admittedly cooler region but one which has been the subject of intensive study and which also shows high endemicity (Nakamura & Child 1991).

The following checklist indicates the local provenance of the species, those for which this is the type-locality, and those which are currently "endemic". The family structure is based on Arnaud and Bamber (1987), except for the resurrection of the family Pallenopsidae (see Bamber, 2004); *Animothella indica* Stock, 1954 is currently treated as a junior synonym of *A. appendiculata* (Dohrn, 1881).

## REFERENCES

- ARNAUD F. & BAMBER N., 1987. The Biology of Pycnogonida. *Advances in Marine Biology*, **24**: 1-96.
- BAMBER N., 1998. Zoogeographic trends in some Hong Kong arthropods. *The Marine Biology of the South China Sea. ed. B. Morton. Proceedings of the Third International Conference on the Marine Biology of the South China Sea. Hong Kong, 28 October - 1 November 1996.* pp. 91-112. Hong Kong: Hong Kong University Press.
- BAMBER N., 2004. Pycnogonids (Arthropoda: Pycnogonida) from French cruises to Melanesia. *Zootaxa*, **551**: 1-27.
- CHILD C. A., 1977. On some Pycnogonida of French Oceania. *Proceedings of the Biological Society of Washington*, **90** (2): 440-446.
- NAKAMURA K. & CHILD C.A., 1991. Pycnogonida from waters adjacent to Japan. *Smithsonian Contributions to Zoology*, **512**: 1-74.

## List of taxa

### Class Pycnogonida

#### Family Nymphonidae Wilson, 1878

- Nymphon adenopus* Stock, 1991 (New Caledonia) <sup>1,2</sup>  
*Nymphon apicatum* Stock, 1991 (New Caledonia) <sup>1,2</sup>  
*Nymphon fortunatum* Stock, 1997 (New Caledonia) <sup>1,2</sup>  
*Nymphon novaecaledoniae* Stock, 1991 (New Caledonia) <sup>1,2</sup>  
*Nymphon parum* Stock, 1991 (New Caledonia) <sup>1,2</sup>  
*Nymphon spinifex* Stock, 1997 (New Caledonia) <sup>1,2</sup>

#### Family Ammotheidae Dohrn, 1881

- Achelia assimilis* (Haswell, 1885) (New Caledonia)  
*Achelia nana* Loman, 1908 (New Caledonia)  
*Ammothella appendiculata* (Dohrn, 1881) (New Caledonia)  
*Ammothella nimia* Stock, 1991 (New Caledonia) <sup>1,2</sup>  
*Ammothella stauronata* Child, 1982 (New Caledonia)  
*Scipiulus plumosus* Loman, 1908 (New Caledonia, Loyalty Islands)  
*Ascorhynchus breviscapus* Stock, 1968 (New Caledonia)  
*Ascorhynchus cactoides* Stock, 1954 (New Caledonia)  
*Ascorhynchus constrictus* Stock, 1991 (Vanuatu) <sup>1,2</sup>  
*Ascorhynchus fragilis* Stock, 1991 (New Caledonia) <sup>1,2</sup>  
*Ascorhynchus ornatus* (Helfer, 1938) (New Caledonia)  
*Ascorhynchus pilipes* Stock, 1991 (New Caledonia, Loyalty Islands) <sup>1,2</sup>  
*Ascorhynchus seticauda* Stock, 1991 (New Caledonia, Chesterfield islands) <sup>1,2</sup>  
*Bathyzetes setiger* (Loman, 1908) (New Caledonia)  
*Cilunculus achelioides* Stock, 1991 (New Caledonia) <sup>1,2</sup>  
*Cilunculus ateuchus* Bamber, 2004 (New Caledonia) <sup>1,2</sup>  
*Cilunculus australiensis* Clark, 1963 (New Caledonia)  
*Cilunculus compactus* Stock, 1991 (New Caledonia)  
*Cilunculus crinitus* Stock, 1991 (New Caledonia) <sup>1,2</sup>  
*Cilunculus frontosus* Loman, 1908 (New Caledonia)  
*Cilunculus pedatus* Stock, 1991 (New Caledonia) <sup>1,2</sup>  
*Cilunculus scaurus* Stock, 1997 (New Caledonia) <sup>1,2</sup>  
*Dromedopycnon arthritis* Bamber, 2004 (New Caledonia) <sup>1,2</sup>  
*Heterofragilia brevicauda* Stock, 1991 (New Caledonia) <sup>1,2</sup>  
*Sericosura cochleifovea* Child, 1989 (New Caledonia)  
*Proboehmia tubirostris* Stock, 1991 (New Caledonia) <sup>1,2</sup>

#### Family Endeidae Norman, 1908

- Endeis mollis* (Carpenter, 1904) (New Caledonia)

#### Family Pallenopsidae Fry, 1978

- Pallenopsis (Pallenopsis) angusta* Stock, 1991 (New Caledonia, Loyalty Islands)  
*Pallenopsis (P.) dentifera* Stock, 1983 (New Caledonia)  
*Pallenopsis (P.) spinipes* Carpenter, 1907 (Vanuatu)  
*Pallenopsis (P.) virgata* Loman, 1908 (New Caledonia, Chesterfield islands, Vanuatu)  
*Pallenopsis (B.) juttingae* Stock, 1964 (New Caledonia)  
*Pallenopsis (B.) longimana* Stock, 1991 (New Caledonia) <sup>1,2</sup>  
*Pallenopsis (B.) longirostris* Wilson, 1881 (Vanuatu)  
*Pallenopsis (B.) mollissima* (Hoek, 1881) (Vanuatu)  
*Pallenopsis (B.) richeri* Bamber, 2000 (Vanuatu)  
*Pallenopsis (B.) scoparia* Fage, 1956 (Chesterfield Islands)  
*Pallenopsis (B.) tydemani* Loman, 1908 (Vanuatu)

**Family Callipallenidae Hilton, 1942**

- Callipallene ersei* Bamber, 1997 (New Caledonia)<sup>1,2</sup>  
*Callipallene fallax* (stock, 1994) (New Caledonia)  
*Seguapallene tricuspidata* Stock, 1991 (New Caledonia)<sup>1,2</sup>  
*Parapallene arnaudae* Stock, 1991 (New Caledonia)<sup>1,2</sup>  
*Parapallene australiensis* (Hoek, 1881) (New Caledonia)  
*Pigrogromitus timsanus* Calman, 1927 (New Caledonia)

**Family Phoxichilidiidae Sars, 1891**

- Anoplodactylus batangensis* (Helfer, 1938) (New Caledonia)  
*Anoplodactylus cribellatus* Calman, 1923 (New Caledonia)  
*Anoplodactylus longiformis* Child, 1977 (New Caledonia)<sup>1,2</sup>  
*Anoplodactylus pycnosoma* (Helfer, 1938) (New Caledonia)  
*Anoplodactylus typhloides* Stock, 1991 (New Caledonia)<sup>1,2</sup>  
*Phoxichilidium forfex* Stock, 1991 (New Caledonia)<sup>1,2</sup>  
*Phoxichilidium tuberculatum* Stock, 1991 (New Caledonia)<sup>1,2</sup>

**Family Colossendeidae Hoek, 1881**

- Colossendeis colossea* Wilson, 1881 (New Caledonia, Chesterfield islands, Vanuatu)  
*Colossendeis leptorhynchus* Hoek, 1881 (New Caledonia, Vanuatu)  
*Colossendeis macerrima* Wilson, 1881 (Chesterfield islands, Vanuatu)  
*Colossendeis minor* Schimkewitsch, 1893 (New Caledonia)  
*Colossendeis pipetta* Stock, 1991 (New Caledonia, Loyalty Islands, Chesterfield Islands)<sup>1</sup>  
*Colossendeis sinuosa* Stock, 1997 (New Caledonia)<sup>1</sup>  
*Rhopalorhynchus filipes* Stock, 1991 (New Caledonia, Loyalty Islands, Chesterfield Islands)  
*Hedgpethia tibialis* Stock, 1991 (New Caledonia)<sup>1,2</sup>

**Family Austrodecidae Stock, 1954**

- Austrodecus calvum* Stock, 1991 (New Caledonia)<sup>1,2</sup>  
*Austrodecus (Tubidecus) bathyale* Stock, 1991 (New Caledonia, Loyalty Islands)<sup>1,2</sup>  
*Austrodecus (T.) excelsum* Stock, 1991 (New Caledonia)<sup>1,2</sup>  
*Austrodecus (T.) latum* Stock, 1991 (New Caledonia, Loyalty Islands)<sup>1,2</sup>  
*Austrodecus (T.) oferrecans* Bamber, 2000 (New Caledonia)<sup>1,2</sup>  
*Austrodecus (T.) tuberculatum* Stock, 1991 (New Caledonia)<sup>1,2</sup>

**Family Pycnogonidae Wilson, 1878**

- Pycnogonum crosnieri* Stock, 1991 (New Caledonia)<sup>1,2</sup>  
*Pycnogonum occa* Loman, 1908 (New Caledonia)  
*Pycnogonum (Nullovier) lobipes* Stock, 1991 (New Caledonia)<sup>1,2</sup>  
*Pycnogonum (N.) moniliferum* Stock, 1991 (New Caledonia)<sup>1</sup>

<sup>1</sup> type locality

<sup>2</sup> currently endemic

**DOCUMENTS  
SCIENTIFIQUES  
et TECHNIQUES**

**II7**

**Volume spécial  
Deuxième édition**

# **COMPENDIUM of marine species from New Caledonia**



Edited by  
Claude E. PAYRI  
Bertrand RICHER DE FORGES



**Institut de recherche  
pour le développement**

CENTRE DE NOUméA

# *DOCUMENTS SCIENTIFIQUES et TECHNIQUES*

---



Institut de recherche  
pour le développement

Publication éditée par:  
Centre IRD de Nouméa  
BP A5, 98848 Nouméa CEDEX  
Nouvelle-Calédonie  
Téléphone : (687) 26 10 00  
Fax : (687) 26 43 26

L'IRD propose des programmes regroupés en 5 départements pluridisciplinaires :

- I DME Département milieux et environnement
- II DRV Département ressources vivantes
- III DSS Département sociétés et santé
- IV DEV Département expertise et valorisation
- V DSF Département du soutien et de la formation des communautés scientifiques du Sud

**Modèle de référence bibliographique à cette revue :**

Adjeroud M. *et al.*, 2000. Premiers résultats concernant le benthos et les poissons au cours des missions TYPATOLL.  
*Doc. Sci. Tech.* II 3, 125 p.

Première de couverture : Récif corallien (Côte Ouest, NC) © IRD C.Geffray  
Vignettes : voir les planches photographiques

Quatrième de couverture : *Platygyra sinensis* © IRD C.Geffray

Matériel de plongée sous-marine	L'Aldric, moyen naviguant de l'IRD
© IRD/C.Geffray	© IRD/J.-M. Boré
Récoltes et photographies sous-marines en scaphandre autonome	Traitement des récoltes en laboratoire
© IRD/J.-L. Menou	© IRD/L. Mattio

CONCEPTION/MAQUETTE/MISE EN PAGE  
MAQUETTE DE COUVERTURE  
PLANCHES PHOTOGRAPHIQUES  
TRAITEMENT DES PHOTOGRAPHIES

JEAN PIERRE MERMOUD/ISABELLE RITZENTHALER  
CATHY GEOFFRAY/MINA VILAYLECK  
CATHY GEOFFRAY/JEAN-LOUIS MENOU/GEORGES BARGIBANT  
NOËL GALAUD

La traduction en anglais des textes d'introduction, des Ascidies et des Echinodermes a été assurée par EMMA ROCHELLE-NEWALL,  
la préface par MINA VILAYLECK.

Ce document est publié par le Service ISC du Centre IRD de Nouméa et financé par le Ministère de la Recherche et de la Technologie.

# **COMPENDIUM OF MARINE SPECIES FROM NEW CALEDONIA**

SECOND EDITION

Edited by  
CLAUDE E. PAYRI, BERTRAND RICHER DE FORGES

