

Polychaete Worms of British Columbia

by
Aaron Baldwin, PhD Candidate
School of Fisheries and Ocean Science
University of Alaska, Fairbanks
E-mail ftapb1@uaf.edu

The following checklist was compiled using several sources, including Berkeley (1967 and 1968), Berkeley & Berkeley (1948, 1952, and 1962), and Hobson & Banse (1981). The higher level taxonomies was taken from the World Register of Marine Species (WoRMS, <http://www.marinespecies.org/index.php>) and the Integrated Taxonomic Information System (ITIS, www.itis.gov). The higher level taxonomy was often different between the two sources, so organized to the best of my ability. The taxonomy of polychaetes is still being resolved, and is likely to change in the near future.

Phylum Annelida

Class Polychaeta Grube, 1850

Order Phyllodocida Örsted, 1843

Superfamily Phyllodocidaea Örsted, 1843

Family Phyllodocidae Williams, 1851

Genus *Anaitides* Czerniavsky, 1882

Anaitides citrina Malmgren, 1865

Anaitides groenlandica Örsted, 1843

Anaitides maculata (Linnaeus 1767)

Anaitides madeirensis Langerhans, 1880

Anaitides mucosa Örsted, 1843

Genus *Eteone* Savigny, 1818

Eteone longa (Fabricius, 1780)

Eteone spetsbergensis Malmgren, 1865

Genus *Eulalia* Savigny, 1818

Eulalia bilineata (Johnston, 1840)

Eulalia macroceros (Grube, 1860)

Eulalia nigrimaculata Moore, 1909

Eulalia sanguinea Örsted, 1843

Eulalia viridis (Linnaeus, 1767)

Genus *Genetyllis* Malmgren, 1865

Genus *Notophyllum* Örsted, 1843

Notophyllum imbricatum Moore, 1906

Genus *Paranaitis* Southern, 1914

Paranaitis polynoides (Moore, 1909)

Family Alciopidae Ehlers, 1864

Genus *Plotohelms* Chamberlain, 1919

Plotohelms tenuis (Apstein, 1900)

Genus *Rhynchonarella* Costa, 1862

Rhynchonarella angelini (Kinberg, 1866)

Genus *Vanadis* Claparede, 1870

- Vanadis longissima* (Levinsen, 1885)
- Family Iospilidae Bergstrom, 1914
 Genus *Phalacrophorus* Greef, 1879
 Phalacrophorus pictus Greef, 1879
- Family Lopadorhynchidae Claparède, 1868
 Genus *Lopadorhynchus* Grube, 1855
 Lopadorhynchus uncinatus Fauvel, 1923
 Genus *Pedinosoma* Reibisch, 1895
 Pedinosoma curtum Reibisch, 1895
 Genus *Pelagobia* Greef, 1879
 Pelagobia longicirrata Greef, 1879
- Family Pontodoridae Bergstrom, 1914
- Family Tomopteridae Johnston, 1865
 Genus *Tomopterus* Eschscholtz, 1825
 Tomopteris cavallii Rosa, 1908
 Tomopteris septentrionalis Quatrefages, 1856
 Tomopteris renata Berkeley, 1930(?)
- Family Typhloscolecidae Uljanin, 1878
 Genus *Sagitella* Wagner, 1872
 Sagitella kowalevskii Wagner, 1872
 Genus *Travisiopsis* Levinsen, 1883
 Travisiopsis lobifera Levisen, 1883
 Genus *Typhloscolex* Busch, 1851
 Typhloscolex muelleri Busch, 1851
- Superfamily Glyceracea Grube, 1850
- Family Glyceridae Grube, 1850
 Genus *Hemipodus* Quatrefages, 1865
 Hemipodus borealis Johnson, 1901
 Genus *Glycera* Savigny, 1818
 Glycera americana Leidy, 1855
 Glycera convoluta Keferstein, 1862
 Glycera gigantea Quatrefages, 1865
 Glycera nana Johnson, 1901
 Glycera robusta Ehlers, 1868
 Glycera tessellata Grube 1863
- Family Goniadidae Müller, 1858
 Genus *Glycinde* Müller, 1858
 Glycinde picta Berkeley, 1927
 Glycinde polygnatha Hartman, 1950
 Glycinde wireni Arwidsson, 1899
 Genus *Goniada* Audouin & Milne-Edwards, 1833
 Goniada annulata Moore. 1905
 Goniada brunnea Treadwell, 1906
- Family Sphaerodoridae Malmgren, 1867
 Genus *Sphaerodorum* Örsted, 1843
 Sphaerodorum papillifer Moore, 1909

- Genus *Sphaerodoropsis* Hartman & Fauchald, 1971
 - Sphaerodoropsis minutum* (Webster & Benedict, 1887)
- Superfamily Nereidacea Johnston, 1865
 - Family Hesionidae Grube, 1850
 - Genus *Ophiodromus*
 - Ophiodromus pugettensis* (Johnson, 1901)
 - Family Nereididae Johnston, 1865
 - Genus *Cheilonereis* Benham, 1916
 - Cheilonereis cyclurus* (Harrington, 1897)
 - Genus *Micronereis* Claparède, 1863
 - Micronereis nanaimoensis* (Berkeley & Berkeley, 1953)
 - Genus *Nereis* Linnaeus, 1758
 - Nereis brandtii* (Malmgren, 1866)
 - Nereis eakini* Hartman, 1936
 - Nereis grubei* (Kinberg, 1866)
 - Nereis limnicola* Johnson, 1903
 - Nereis natans* Hartman, 1936
 - Nereis paucidentata* Moore, 1903
 - Nereis pelagica* Linnaeus, 1761
 - Nereis procera* Ehlers, 1868
 - Nereis vexillosa* Grube, 1851
 - Nereis virens* Sars, 1835
 - Nereis wailesi* Berkeley & Berkeley, 1954
 - Genus *Platynereis* Kinberg, 1866
 - Platynereis bicanaliculata* (Baird, 1863)
 - Family Pilargidae Saint-Joseph, 1899
 - Family Syllidae Grube, 1850
 - Genus *Autolytus* Grube, 1850
 - Autolytus cornutus* Agassiz, 1862
 - Autolytus magnus* Berkeley, 1923
 - Autolytus prismaticus* (Müller, 1776)
 - Autolytus verrilli* Marenzeller, 1892
 - Genus *Brania* Quatrefages, 1855
 - Brania brevipharyngea* Banse, 1972
 - Genus *Ehlersia* Quatrefages, 1865
 - Ehlersia heterochaeta* (Moore, 1909)
 - Genus *Eusyllis* Malmgren, 1867
 - Eusyllis assimilis* Marenzeller, 1875
 - Eusyllis blomstrandii* Malmgren, 1867
 - Eusyllis magnifica* (Moore, 1906)
 - Genus *Exogone* Örsted, 1845
 - Exogone dwisula* Kudenov and Harris, 1995
 - Exogone gemmifera* Pagenstecher, 1862
 - Exogone lourei* Berkeley and Berkeley, 1938
 - Exogone verugera* (Claparède, 1868)
 - Genus *Odonotosyllis* Claparède, 1863

- Odontosyllis parva* Berkeley, 1923
Odontosyllis phosphorea Moore, 1909
 Genus *Pionosyllis* Malmgren, 1867
 Pionosyllis gigantea Moore, 1908
 Pionosyllis magnifica Moore, 1906
 Genus *Sphaerosyllis* Claparede, 1863
 Sphaerosyllis hystrix Claparede, 1863
 Sphaerosyllis pirifera Claparede, 1863
 Genus *Syllides* Örsted, 1845
 Syllides japonica Imajima, 1966
 Syllides longocirrata Örsted, 1845
 Genus *Syllis* Lamarck, 1818
 Syllis elongata (Johnson, 1901)
 Syllis spongiphila Verrill, 1885
 Genus *Trypanosyllis* Claparede, 1864
 Trypanosyllis gemmipara Johnson, 1901
 Trypanosyllis ingens Johnson, 1902
 Genus *Typosyllis* Langerhans, 1879
 Typosyllis alternata (Moore, 1908)
 Typosyllis armillaris (Müller, 1771)
 Typosyllis fasciata Malmgren, 1867
 Typosyllis harti Berkeley & Berkeley, 1938
 Typosyllis hyalina (Grube, 1863)
 Typosyllis pulchra Berkeley & Berkeley, 1938
 Typosyllis stewarti Berkeley & Berkeley, 1938
 Superfamily Nephtydacea Grube, 1850
 Family Nephtyidae Grube, 1850
 Genus *Aglaophamus* Kinberg, 1866
 Aglaophamus rubella anops Hartman, 1950
 Genus *Nephtys* Cuvier, 1817
 Nephtys brachycephala Moore, 1903
 Nephtys caeca (Fabricius, 1780)
 Nephtys caecoides Hartman, 1938
 Nephtys californiensis Hartman, 1938
 Nephtys ciliata (Müller, 1776)
 Nephtys cornuta cf *franciscana* Clark & Jones, 1955
 Nephtys ferruginea Hartman, 1940
 Nephtys longosetosa Örsted, 1843
 Nephtys punctata Hartman, 1938
 Nephtys rickettsi Hartman, 1938
 Superfamily Aphroditacea
 Family Aphroditidae Malmgren, 1867
 Genus *Aphrodite* Linnaeus, 1758
 Aphrodite japonica Marenzeller, 1879
 Aphrodite negligens Moore, 1905
 Aphrodite parva Moore, 1905

Family Polynoidae Malmgren, 1867

- Genus *Arctonoe* Chamberlain, 1920
 - Arctonoe fragilis* (Baird, 1863)
 - Arctonoe pulchra* (Johnson, 1897)
 - Arctonoe vittata* (Grube, 1855)
- Genus *Bylgides* Chamberlain, 1919
 - Bylgides elegans* (Théel, 1879)
 - Bylgides macrolepidus* (Moore, 1905)
- Genus *Eunoe* Malmgren, 1865
 - Eunoe nodosa* (Sars, 1861)
 - Eunoe oerstedii* Malmgren, 1865
 - Eunoe senta* (Moore, 1902)
- Genus *Gattyana* McIntosh, 1900
 - Gattyana ciliata* Moore, 1902
 - Gattyana cirrosa* (Pallas, 1766)
- Genus *Gaudichaudius* Pettibone, 1986
 - Gaudichaudius iphionelloides* (Johnson, 1901)
- Genus *Halosydna* Kinberg, 1855
 - Halosydna brevisetosa* Kinberg, 1855
- Genus *Harmothoe* Kinberg, 1855
 - Harmothoe extenuata* (Grube, 1840)
 - Harmothoe fragilis* Moore, 1910
 - Harmothoe imbricata* (Linnaeus, 1767)
 - Harmothoe multisetosa* (Moore, 1902)
- Genus *Hermadion* Kinberg, 1855
 - Hermadione truncata* (Moore, 1902)
- Genus *Hesperonoe* Chamberlain, 1919
 - Hesperonoe complanata* (Johnson, 1901)
- Genus *Hololepida* Moore, 1905
 - Hololepida magna* Moore, 1905
- Genus *Lagisca* Malmgren, 1865
 - Lagisca multisetosa multisetosa* Moore, 1902
 - Lagisca multisetosa papillata* Moore, 1908
 - Lagisca rarispina* (Sars, 1861)
- Genus *Lepidasthenia* Malmgren, 1867
 - Lepidasthenia berkeleyae* Pettibone, 1948
 - Lepidasthenia longicirrata* Berkeley, 1923
- Genus *Lepidonotus* Leach, 1816
 - Lepidonotus spiculus* (Treadwell, 1906)
 - Lepidonotus squamatus* (Linnaeus 1767)
- Genus *Malmgreniella* Hartman, 1967
 - Malmgreniella nigralba* (Berkeley, 1923)
- Genus *Polynoe* Savigny, 1818
 - Polynoe canadensis* (McIntosh, 1874)
 - Polynoe gracilis* (Verrill, 1874)
- Genus *Polyeunoa* McIntosh, 1885

- Polyeunoa tuta* (Grube, 1855)
- Family Pholoidae Kinberg, 1858
 - Genus *Pholoe* Johnston, 1839
 - Pholoe glabra* Hartman, 1961
 - Genus Pholoides Pruvot, 1895
 - Pholoides asperus* (Johnson, 1897)
- Family Sigalionidae Kinberg, 1856
 - Genus *Sthenelais* Kinberg, 1855
 - Sthenelais berkeleyi* Bettibone, 1971
 - Sthenelais verruculosa* Johnson, 1897
 - Sthenelais tertiglabra* Moore, 1910
- Family Chrysopetalidae Ehlers, 1864
 - Genus *Paleonotus* Schmarda, 1861
 - Paleonotus chrysolepis* Hendel, 1920
- Order Amphinomida Lamarck, 1818
 - Family Amphinomidae Savigny, 1818
 - Genus *Notopygos* Grube, 1855
 - Notopygos labiata* McIntosh, 1885
 - Family Euphrosinidae Williams, 1851
 - Genus *Euphrosine* Savigny, 1818
 - Euphrosine bicirrata* Moore, 1905
 - Euphrosine hortensis* Moore, 1905
 - Euphrosine arctica* Johnson, 1897
 - Euphrosine multibranchiata* Essenberg, 1917
- Order Eunicida
 - Family Onuphidae Kinberg, 1865
 - Genus *Diopatra* Audouin and Milne-Edwards, 1833
 - Diopatra ornata* Moore, 1911
 - Genus *Epidiopatra* Malmgren, 1867
 - Epidiopatra hupferiana monroi* Day, 1960
 - Genus *Hyalinoecia* Malmgren, 1867
 - Hyalinoecia bilineata rigida* Claparède, 1868
 - Genus *Onuphis* Audouin and Milne-Edwards, 1833
 - Onuphis elegans* (Johnson, 1901)
 - Onuphis geophiliformis* (Moore, 1903)
 - Onuphis iridescens* (Johnson, 1901)
 - Onuphis quadricuspis* Audouin and Milne-Edwards, 1833
 - Family Eunicidae Savigny, 1818
 - Genus *Eunice* Cuvier, 1817
 - Eunice aphroditois* (Pallas, 1788)
 - Eunice biannulata* Moore, 1904
 - Eunice kobeensis* McIntosh, 1885
 - Eunice valens* (Chamberlin, 1919)
 - Family Lumbrineridae Malmgren, 1867
 - Genus *Errano* Kinberg, 1865
 - Errano lagunae* (Fauchald, 1970)

- Genus *Lumbrineris* Blainville, 1829
 - Lumbrineris bifurcata* (McIntosh, 1885)
 - Lumbrineris brevicirra* (Schmarda, 1861)
 - Lumbrineris cruzensis* Hartman, 1944
 - Lumbrineris inflata* Moore, 1911
 - Lumbrineris japonica* (Marenzeller, 1879)
 - Lumbrineris latreilli* Audouin and Milne-Edwards, 1834
 - Lumbrineris luti* Berekely & Berkeley, 1945
 - Lumbrineris similabris* Treadwell, 1926
- Genus *Ninoe* Kinberg, 1865
 - Ninoe gemmea* Moore, 1911
- Family Oeononidae Kinberg, 1865
 - Genus *Arabella* Grube, 1850
 - Arabella iricolor* (Montagu, 1804)
- Family Dorvilleidae Chamberlain, 1919
 - Genus *Dorvillea* Parfitt, 1866
 - Dorvillea longicornis* (Ehlers, 1901)
 - Genus *Pettiboneia* Orensanz, 1973
 - Pettiboneia brevipalpa* Hilbig and Ruff, 1990
 - Genus *Protodorvillea* Pettibone, 1961
 - Protodorvillea kefersteini* (McIntosh, 1869)
 - Genus *Schistomeringos* Jumars, 1974
 - Schistomeringos annulata* (Moore, 1909)
 - Schistomeringos moniloceras* (Moore, 1909)
 - Schistomeringos neglecta* (Fauvel, 1923)
 - Schistomeringos pseudorubrovittata* (Berkeley, 1927)
 - Schistomeringos rudolphii* (delle Chiaje, 1828)
- Order Orbiniida Hartman, 1942
 - Family Orbiniidae Hartman, 1942
 - Genus *Leitoscoloplos* Day, 1971
 - Leitoscoloplos panamensis* (Monroe, 1933)
 - Leitoscoloplos pugettensis* (Pettibone, 1957)
 - Genus *Naineris* Blainville, 1828
 - Naineris dendritica* (Kinberg, 1867)
 - Naineris quadricuspida* (Fabricius, 1780)
 - Naineris uncinata* Hartman, 1959
 - Genus *Orbinia* Quatrefages, 1865
 - Orbinia felix* (Kinberg, 1866)
 - Genus *Orbinella* Day, 1954
 - Orbinella nuda* Hobson, 1974
 - Genus *Protoaricella* Hartmann-Schroeder, 1962
 - Protoaricella oligobranchia* Hobson, 1976
 - Genus *Scoloplos* Blainville, 1828
 - Scoloplos acmaceps* Chamberlin, 1919
 - Scoloplos armiger* (Müller, 1776) Family Paraonidae Cerruti, 1909
 - Genus *Aricidea* Webster, 1879

- Aricidea assimilis* Tebble, 1959
- Aricidea lopezi* Berkeley and Berkeley, 1956
- Aricidea minuta* Southward, 1956
- Aricidea neosuecica* Hartman, 1965
- Aricidea quadrilobata* Webster & Benedict, 1857
- Aricidea wassi* Pettibone, 1965
- Genus *Cirrophorus* Ehlers, 1908
 - Cirrophorus branchiatus* Ehlers, 1908
 - Cirrophorus lyra* (Southern, 1914)
- Genus *Levinsenia* Mesnil, 1897
 - Levinsenia gracilis* (Tauber, 1879)
- Genus *Paraonella* Strelzov, 1973
 - Paraonella platybranchia* (Hartman, 1961)
 - Paraonella spinifera* (Hobson, 1972)
- Family Paraonidae Cerruti, 1909
 - Genus *Aricidea* Webster, 1879
 - Aricidea assimilis* Tebble, 1959
 - Aricidea lopezi* Berkeley and Berkeley, 1956
 - Aricidea minuta* Southward, 1956
 - Aricidea neosuecica* Hartman, 1965
 - Aricidea quadrilobata* Webster & Benedict, 1857
 - Aricidea wassi* Pettibone, 1965
 - Genus *Cirrophorus* Ehlers, 1908
 - Cirrophorus branchiatus* Ehlers, 1908
 - Cirrophorus lyra* (Southern, 1914)
 - Genus *Levinsenia* Mesnil, 1897
 - Levinsenia gracilis* (Tauber, 1879)
 - Genus *Paraonella* Strelzov, 1973
 - Paraonella platybranchia* (Hartman, 1961)
 - Paraonella spinifera* (Hobson, 1972)
- Family Questidae Hartman, 1966
 - Genus *Questa* Hartman, 1966
 - Questa caudicirra* Hartman, 1966
- Order Spionida Grube, 1850
 - Family Apistobranchidae Mesnil and Caullery, 1898
 - Genus *Apistobranchus* Levinsen, 1883
 - Apistobranchus ornatus* Hartman, 1965
 - Apistobranchus tullbergi* (Théel, 1879)
 - Family Cirratulidae Ryckholt, 1851
 - Genus *Aphelochaeta* Blake, 1991
 - Aphelochaeta multifilis* Moore, 1909
 - Aphelochaeta parvus* Berkeley, 1929
 - Aphelochaeta secundus* Banse & Hobson, 1968
 - Aphelochaeta serratsetis* Banse & Hobson, 1968
 - Genus *Caullerilla* Chamberlin, 1919
 - Caulleriella hamata* (Hartman, 1969)

- Genus *Chaetozone* Malmgren, 1867
Chaetozone acuta Banse & Hobson, 1968
Chaetozone setosa Malmgren, 1867
- Genus *Cirratulus* Lamarck, 1818
Cirratulus cirratus (Müller, 1776)
Cirratulus spectabilis (Kinberg, 1866)
- Genus *Dodecaceria* Örsted, 1843
Dodecaceria concharum Örsted, 1843
Dodecaceria fewkesi Berkeley & Berkeley, 1954
- Family Magelonidae Cunningham and Ramage, 1888
- Genus *Magelona* Müller, 1858
Magelona berkeleyi Jones, 1971
Magelona hobsonae Jones, 1978
Magelona longicornis Johnson, 1901
Magelona sacculata Hartman, 1961
- Family Spionidae Grube, 1850
- Genus *Aonides* Claparede, 1864
- Genus *Boccardia* Carazzi, 1895
Boccardia columbiana Berkeley, 1927
Boccardia hamata Webster, 1879
Boccardia polybranchia Haswell, 1885
Boccardia proboscoidea Hartman, 1940
Boccardia pugettensis Blake, 1979
- Genus *Dipolydora* Verrill, 1881
Dipolydora armata (Langerhans, 1880)
Dipolydora brachycephala (Hartman, 1936)
Dipolydora cardalia (Berkeley, 1927)
Dipolydora commensalis (Andrews, 1891)
Dipolydora giardi (Mesnil, 1896)
Dipolydora quadrilobata (Jacobi, 1883)
Dipolydora socialis (Schmarda, 1861)
- Genus *Dispio* Hartman, 1951
- Genus *Laonice* Malmgren, 1867
Laonice cirrata (Sars, 1851)
Laonice pugettensis Banse & Hobson, 1968
- Genus *Malacoceros* Quatrefages, 1843
Malacoceros fuliginosus (Claparede, 1870)
Malacoceros glutaeus (Ehlers, 1897)
- Genus *Minuspio* Foster, 1971
Minuspio cirrifera (Loew, 1869)
- Genus *Paraprionospio* Caullery, 1914
Paraprionospio pinnata (Ehlers, 1901)
- Genus *Polydora* Bosc, 1802
Polydora alloporis Light, 1970
Polydora cornuta Bosc, 1802
Polydora limicola Annekova, 1934

- Polydora pygidialis* Blake & Woodwick, 1972
- Polydora spongicola* Berkeley & Berkeley, 1950
- Polydora websteri* Hartman, 1943
- Genus *Prionospio* Malmgren, 1867
 - Prionospio lighti* Maciolek, 1985
 - Prionospio steenstrupi* Malmgren, 1867
- Genus *Pseudopolydora* Czerniavsky, 1881
 - Pseudopolydora kempii japonica* Imajima & Hartman, 1964
- Genus *Pygospio* Claparede, 1863
 - Pygospio californica* Hartman, 1936
 - Pygospio elegans* Claparede, 1863
- Genus *Scolepsis* Blainville, 1828
 - Scolepsis foliosa* (Audouin & Milne-Edwards, 1833)
 - Scolepsis squamata* (Müller, 1789)
- Genus *Spio* Fabricius, 1785
 - Spio butleri* Berkeley & Berkeley, 1954
 - Spio cirrifera* (Banse and Hobson, 1968)
 - Spio filicornis* (Müller, 1776)
- Genus *Spiophanes* Grube, 1860
 - Spiophanes berekeleyorum* Pettibone, 1962
 - Spiophanes bombyx* (Claparede, 1870)
 - Spiophanes kroyeri* Grube, 1860
- Genus *Strebliospio* Webster, 1879
 - Strebliospio elegans* Webster, 1879
- Family Trochochaetidae Pettibone, 1963
 - Genus *Trochochaeta* Levinsen, 1884
 - Trochochaeta multisetosa* (Ørsted, 1844)
- Order Chaetopterida Audouin and Milne-Edwards, 1833
 - Family Chaetopteridae Audouin and Milne-Edwards, 1833
 - Genus *Chaetopterus* Cuvier, 1827
 - Chaetopterus variopedatus* (Renier, 1814)*
 - Genus *Mesochaetopterus* Potts, 1914
 - Mesochaetopterus taylor* Potts, 1914
 - Genus *Phyllochaetopterus* Grube, 1863
 - Phyllochaetopterus claparedii* McIntosh, 1885
 - Phyllochaetopterus prolifica* Potts, 1914
 - Genus *Spiochaetopterus* Sars, 1853
 - Spiochaetopterus costarum* (Claparede, 1870)
- Order Ctenodrilida Kennel, 1882
 - Family Ctenodrilidae Kennel, 1882
 - Genus *Ctenodrillus* Claparede, 1863
 - Ctenodrillus serratus* (Schmidt, 1857)
 - Family Parergodrilidae Reisinger, 1925
 - Genus *Stygocapitella* Knöllner, 1934
 - Stygocapitella subterranea* Knöllner, 1934
- Order Cossurida Day, 1963

- Family Cossuridae Day, 1963
 Genus *Cossura* Webster & Benedict, 1887
 Cossura longocirrata Webster & Benedict, 1887
 Cossura modica Fauchald & Hancock, 1981
 Cossura pygodactylata Jones, 1956
- Order Flabelligerida Saint-Joseph, 1894
 Family Flabelligeridae Saint-Joseph, 1894
 Genus *Brada* Stimpson, 1854
 Brada sachalina Annenkova, 1922
 Brada villosa (Rathke, 1843)
 Genus *Flabelligera* Sars, 1829
 Flabelligera affinis Sars, 1829
 Flabelligera infundibularis Johnson, 1901
 Genus *Pherusa* Oken, 1807
 Pherusa inflata (Treadwell, 1914)
 Pherusa negligans (Berkeley & Berkeley, 1950)
 Pherusa papillata (Johnson, 1901)
 Pherusa plumosa (Müller, 1776)
 Genus *Piromis* Kinberg, 1867
 Piromis eruca (Claparede, 1870)
- Family Acrocirridae Banse, 1969
 Genus *Acrocirrus* Grube, 1872
 Acrocirrus columbianus Banse, 1979
 Acrocirrus heterochaetus Annenkova, 1934
 Acrocirrus occipitalis Banse, 1979
 Genus *Macrochaeta* Grube, 1850
 Macrochaeta pege Banse, 1969
- Order Opheliida Malmgren, 1867
 Family Opheliidae Malmgren, 1867
 Genus *Armandia* Filippi, 1861
 Armandia brevis (Moore, 1906)
 Genus *Euzonus* Grube, 1866
 Euzonus mucronata (Treadwell, 1914)
 Euzonus williamsi (Hartman, 1938)
 Genus *Ophelia* Savigny, 1818
 Ophelia limacina (Rathke, 1843)
 Genus *Ophelina* Örsted, 1843
 Ophelina acuminata Örsted, 1843
 Ophelina breviata (Ehlers, 1913)
 Genus *Travisia* Johnson, 1840
 Travisia brevis Moore, 1923
 Travisia forbesii Johnston, 1840
 Travisia japonica Fujiwara, 1933
 Travisia pupa Moore, 1906
- Family Scalibregmatidae Malmgren, 1867
 Genus *Asclerocheilus* Ashworth, 1901

- Asclerocheilus beringanus* Uschakov, 1955
- Genus *Hyboscolex* Schmarda
 - Hyboscolex pacifica* (Moore, 1909)
- Genus *Scalibregma* Rathke, 1843
 - Scalibregma inflatum* Rathke, 1843
- Order Sternapsida Carus, 1863
- Family Sternaspsidae Carus, 1863
 - Genus *Sternaspsis* Otto, 1821
 - Sternaspsis fossor* Stimpson, 1854
- Order Capitellida Grube, 1862
- Family Capitellidae Grube, 1862
 - Genus *Barantolla* Southern, 1921
 - Barantolla americana* Hartman, 1963
 - Genus *Capitella* Blainville, 1828
 - Capitella capitata* (Fabricius, 1780)
 - Genus *Decamastus* Hartman, 1963
 - Decamastus gracilis* Hartman, 1963
 - Genus *Heteromastus* Eisig, 1887
 - Heteromastus filiformis* (Claparede, 1864)
 - Heteromastus filobranchus* Berkeley and Berkeley, 1932
 - Genus *Mediomastus* Hartman, 1944
 - Mediomastus ambiseta* (Hartman, 1947)
 - Mediomastus californiensis* Hartman, 1944
 - Mediomastus capensis* Day, 1961
 - Genus *Notomastus* Sars, 1850
 - Notomastus giganteus* Moore, 1906
 - Notomastus lineatus* Claparede, 1870
 - Notomastus tenuis* Moore, 1909
 - Notomastus variegatus* Berkeley & Berkeley, 1950
- Family Arenicolidae Johnston, 1835
 - Genus *Aberenicola* Wells, 1859
 - Aberenicola claparedi oceanica* Healy & Wells, 1959
 - Aberenicola claparedi vagabunda* Healy & Wells, 1959
 - Aberenicola pacifica* Healy & Wells, 1959
 - Genus *Arenicola* Lamarck, 1801
 - Arenicola marina* (Linnaeus, 1758)
 - Genus *Branchiomaldane* Langerhans, 1881
 - Branchiomaldane vincentii* Langerhans, 1881
- Family Maldanidae Arwidsson, 1907
 - Genus *Axiothella* Verrill, 1900
 - Axiothella rubrocincta* (Johnson, 1901)*
 - Genus *Chirimia* Light, 1991
 - Chirimia biceps biceps* (Sars, 1861)
 - Chirimia biceps lacera* (Moore, 1906)
 - Chirimia similis* (Moore, 1906)
 - Genus *Clymenella* Verrill, 1873

- Clymenella torquata* (Leidy, 1855)
 Genus *Clymenura* Verrill, 1900
 Clymenura columbiana (Berkeley, 1929)
 Genus *Euclymene* Verrill, 1900
 Euclymene reticulata Moore, 1923
 Euclymene zonalis (Verrill, 1874)
 Genus *Isocirrus* Arwidsson, 1907
 Isocirrus longiceps (Moore, 1923)
 Genus *Macroclymene* Verrill, 1900
 Macroclymene sp.
 Genus *Maldane* Grube, 1860
 Maldane glebifex Grube, 1860
 Maldane sarsi sarsi Malmgren, 1865
 Genus *Maldanella* McIntosh, 1885
 Maldanella harai (Izuka, 1902)
 Maldanella robusta Moore, 1906
 Genus *Metasychis* Light, 1991
 Metasychis disparidenta (Moore, 1904)
 Genus *Nicomache* Malmgren, 1865
 Nicomache lumbricalis (Fabricius, 1780)
 Genus *Notoproctus* Arwidsson, 1907
 Notoproctus pacificus (Moore, 1906)
 Genus *Petaloproctus* Quatrefages, 1865
 Petaloproctus tenuis borealis Arwidsson, 1907
 Petaloproctus tenuis tenuis (Théel 1879)
 Genus *Praxillella* Verrill, 1881
 Praxillella affinis affinis (Sars, 1872)
 Praxillella affinis pacifica Berkeley, 1929
 Praxillella gracilis (Sars, 1861)
 Praxillella praetermissa (Malmgren, 1866)
 Genus *Praxillura* Verrill, 1880
 Praxillura maculata Moore, 1923
 Genus *Rhodine* Malmgren, 1865
 Rhodine bitorquata Moore, 1923
 Order Oweniida Rioja, 1917
 Family Oweniidae Rioja, 1917
 Genus *Galathowenia* Kirkegaard, 1959
 Galathowenia oculata (Zachs, 1923)
 Genus *Owenia* Delle Chiaje, 1844
 Owenia fusiformis Delle Chiaje, 1844*
 Order Terebellida Malmgren, 1867
 Family Ampharetidae Malmgren, 1867
 Genus *Amage* Malmgren, 1866
 Amage anops (Johnson, 1901)
 Genus *Ampharete* Malmgren, 1866
 Ampharete acutifrons (Grube, 1860)

- Ampharete finmarchica* (Sars, 1864)
Ampharete goesi Malmgren, 1866
Ampharete labrops Hartman, 1961
 Genus *Amphicteis* Grube, 1850
 Amphicteis florida Hartman, 1961
 Amphicteis mucronata Moore, 1923
 Amphicteis scaphobranchiata Moore, 1906
 Genus *Amphisamytha* Hesse, 1917
 Amphisamytha bioculata (Moore, 1906)
 Genus *Anobothrus* Levinsen, 1884
 Anobothrus gracilis (Malmgren, 1866)
 Genus *Asabellides* Annenkova, 1929
 Asabellides lineata (Berkeley and Berkeley, 1943)
 Asabellides sibirica (Wirén, 1883)
 Genus *Glyphanostomum* Levinsen, 1884
 Glyphanostomum pallescens (Théel, 1879)
 Genus *Lysippe* Malmgren, 1866
 Lysippe labiata Malmgren, 1866
 Genus *Melinna* Malmgren, 1866
 Melinna cristata (Sars, 1851)
 Melinna elisabethae McIntosh, 1922
 Genus *Samytha* Malmgren, 1866
 Samytha californiensis Hartman, 1961
 Genus *Schistocomus* Chamberlin, 1919
 Schistocomus hiltoni Chamberlin, 1919
 Genus *Sosanopsis* Hesse, 1917
 Sosanopsis hesslei Banse, 1979
 Family Pectinariidae Quatrefages, 1866
 Genus *Amphictene* Savigny, 1818
 Amphictene moorei Annenkova, 1929
 Genus *Cistenides* Malmgren, 1866
 Cistenides granulata (Linnaeus, 1767)
 Genus *Pectinaria* Savigny in Lamarck, 1818
 Pectinaria californiensis Hartman, 1971
 Family Sabellariidae Johnston, 1865
 Genus *Idanthysus* Kinberg, 1867
 Idanthysus macropalea (Schmarda, 1861)
 Idanthysus saxicava (Baird, 1893)
 Genus *Neosabellaria* Kirtley, 1994
 Neosabellaria cementarium (Moore, 1906)
 Family Terebellidae Grube, 1851
 Genus *Amaena* Hartman, 1959
 Amaena occidentalis (Hartman, 1944)
 Genus *Amphitrite* Müller, 1771
 Amphitrite cirrata Müller, 1771
 Genus *Artacama* Malmgren, 1866

- Artacama conifera* Moore, 1905
- Genus *Betapista* Banse, 1980
Betapista dekkeriae Banse, 1980
- Genus *Eupolymnia* Verrill, 1900
Eupolymnia heterobranchiata (Johnson, 1901)
- Genus *Lanassa* Malmgren, 1866
Lanassa venusta venusta (Malm, 1874)
- Genus *Laphania* Malmgren, 1866
Laphania boeckii Malmgren, 1866
- Genus *Lysilla* Malmgren, 1866
Lysilla loveni Malmgren, 1866
- Genus *Neoamphitrite* Hessle, 1917
Neoamphitrite edwardsi (Quatrefages, 1865)
Neoamphitrite robusta (Johnson, 1901)
- Genus *Neoleprea* Hessle, 1917
Neoleprea japonica Hessle, 1917
Neoleprea spiralis (Johnson, 1901)
- Genus *Nicolea* Malmgren, 1866
Nicolea zostericola (Örsted, 1844)
- Genus *Pista* Malmgren, 1866
Pista brevibranchiata Moore, 1923
Pista elongata Moore, 1909
Pista estavanica (Berkeley & Berkeley, 1942)
Pista moorei Berkeley & Berkeley, 1942
Pista pacifica Berkeley & Berkeley, 1942
Pista wui Saphronova, 1988
- Genus *Polycirrus* Grube, 1850
Polycirrus californicus Moore, 1909
- Genus *Proclea* Saint-Joseph, 1894
Proclea graffi (Langerhans, 1884)
- Genus *Scionella* Moore, 1903
Scionella japonica Moore, 1903
- Genus *Streblosoma* Sars, 1872
Streblosoma bairdi (Malmgren, 1866)
- Genus *Terebella* Linnaeus, 1767
Terebella ehrenbergi Grube, 1870
- Genus *Thelepus* Leuckart, 1849
Thelepus cincinnatus (Fabricius, 1780)
Thelepus crispus Johnson, 1901
Thelepus hamatus Moore, 1905
Thelepus japonicus Marenzeller, 1884
Thelepus setosus (Quatrefages, 1865)
- Family Trichobranchidae Malmgren, 1866
- Genus *Novobranchus* Berkeley & Berkeley, 1954
Novobranchus pacificus Berkeley & Berkeley, 1954
- Genus *Terebellides* Sars, 1835

- Terebellides stroemi* Sars, 1835
- Genus *Trichobranthus* Malmgren, 1866
- Trichobranthus glacialis* Malmgren, 1866
- Order Sabellida Malmgren, 1867
- Family Sabellidae Malmgren, 1867
- Genus *Bispira* Krøyer, 1856
- Bispira crassicornis* (Sars, 1851)
- Genus *Chone* Krøyer, 1856
- Chone aurantiaca* (Johnson, 1901)
- Chone duneri* Malmgren, 1867
- Chone ecaudata* (Moore, 1923)
- Chone infundibuliformis* Krøyer, 1856
- Chone magna* (Moore, 1923)
- Chone minuta* Hartman, 1944
- Chone mollis* (Bush, 1904)
- Genus *Demonax* Kinberg, 1867
- Demonax medius* (Bush, 1904)
- Demonax pacifica* (Berkeley & Berkeley, 1954)
- Genus *Euchone* Malmgren, 1866
- Euchone analis* (Krøyer, 1856)
- Euchone hancocki* Banse, 1970
- Euchone incolor* Hartman, 1965
- Genus *Eudistyla* Bush, 1904
- Eudistyla catherinae* Banse, 1979
- Eudistyla polymorpha* (Johnson, 1901)
- Eudistyla vancouveri* (Kinberg, 1867)
- Genus *Fabricia* Blainville, 1828
- Fabricia oregonica* Banse, 1979
- Fabricia sabella* (Ehrenberg, 1837)
- Genus *Fabricola* Friedrich, 1939
- Fabricola berkeleyi* Banse, 1956
- Genus *Jasmeneira* Langerhans, 1880
- Jasmeneira pacifica* Annenkova, 1937
- Genus *Laonome* Malmgren, 1866
- Laonome krøyeri* Malmgren, 1866
- Genus *Manayunkia* Leidy, 1859
- Manayunkia aestuarina* (Bourne, 1883)
- Genus *Megalomma* Johansson, 1926
- Megalomma splendida* (Moore, 1905)
- Genus *Myxicola* Koch in Renier, 1847
- Myxicola aesthetica* (Claparede, 1870)
- Myxicola infundibulum* (Renier, 1804)
- Genus *Oriopsis* Caullery and Mesnil, 1896
- Oriopsis gracilis* Hartman, 1969
- Oriopsis minuta* (Berkeley & Berkeley, 1932)
- Genus *Potamilla* Malmgren, 1866

- Potamilla intermedia* Moore, 1905
Potamilla myriops Marenzeller, 1884
Potamilla neglecta (Sars, 1851)
Potamilla ocellata Moore, 1905
 Genus *Sabellastarte* Savigny, 1818
 Sabellastarte sp. (Hobson & Banse, 1981)
 Genus *Schizobranhia* Bush, 1904
 Schizobranhia insignis Bush, 1904
 Family Serpulidae Johnston, 1865
 Genus *Apomatus* Philippi, 1844
 Apomatus geniculata (Moore & Bush, 1904)
 Apomatus timsii Pixel, 1912
 Genus *Crucigera* Benedict, 1887
 Crucigera irregularis Bush, 1904
 Crucigera zygophora (Johnson, 1901)
 Genus *Protula* Risso, 1826
 Protula pacifica Pixel, 1912
 Genus *Pseudochitinopoma* Zibrowius, 1969
 Pseudochitinopoma occidentalis (Bush, 1904)
 Genus *Salmacina* Claparede, 1870
 Salmacina tribranchiata (Moore, 1923)
 Genus *Serpula* Linnaeus, 1767
 Serpula columbiana Johnson, 1901
 Family Spirorbidae Pillai, 1970
 Genus *Circeis* Saint-Joseph, 1894
 Circeis amoricana Saint-Joseph, 1894
 Circeis spirillum (Linnaeus, 1758)
 Genus *Janua* Saint-Joseph, 1894
 Janua pagenstecheri (Quatrefages, 1865)
 Genus *Paradexiospira* Caullery and Mesnil, 1897
 Paradexiospira vitrea (Fabricius, 1780)
 Genus *Paralaeospira* Caullery & Mesnil, 1897
 Paralaeospira malardi Caullery & Mesnil, 1897
 Genus *Simplicaria* Knight-Jones, 1973
 Simplicaria potswaldi Knight-Jones, 1978
 Genus *Spirorbis* Daudin, 1800
 Spirorbis bifurcata Knight-Jones, 1978
 Order Myzostomida Benham, 1896
 Family Myzostomidae Benham, 1896
 Genus *Myzostoma* Leuckart, 1829
 Myzostoma pseudogigas Jägerstein, 1940
 Order "Archiannelida"
 Family Dinophilidae Remane, 1925
 Genus *Dinophilus* Schmidt, 1848
 Dinophilus kincaidi Jones & Ferguson, 1957
 Genus *Diurodrilus* Remane, 1925

- Diurodrilus ankei* Ax, 1967
- Family Nerillidae Levinsen, 1883
 Genus *Nerilla* Schmidt, 1848
 Nerilla antennata Schmidt, 1848
 Nerilla digitata Weiser, 1975
 Nerilla inopinata Gray, 1968
- Family Polygordiidae Czerniavsky, 1881
 Genus *Polygordius* Schneider, 1868
 Polygordius sp. (Hobson & Banse, 1981)
- Family Protodrilidae Czerniavsky, 1881
 Genus *Protodriloides* Jouin, 1966
 Protodriloides chaetifer (Remane, 1926)
 Genus *Protodrillus* Czerniavsky, 1881
 Protodrillus flabelliger Wieser, 1957
- Family Saccocirridae Czerniavsky, 1881
 Genus *Saccocirrus* Bobretzky, 1872
 Saccocirrus eroticus Gray, 1969

References

- Banse K (1979) Sabellidae (Polychaeta) principally from the northeast Pacific Ocean
 Journal of the Fisheries Research Board of Canada 36(8): 869-882.
- Berkeley C (1967) A checklist of Polychaeta recorded from British Columbia since 1923, with references to name changes, descriptions, and synonymies. I. Errantia. Canadian Journal of Zoology 45: 1049-1059.
- Berkeley C (1967) A checklist of Polychaeta recorded from British Columbia since 1923, with references to name changes, descriptions, and synonymies. I. Errantia. Canadian Journal of Zoology 45: 1049-1059.
- Berkeley C (1968) A checklist of Polychaeta recorded from British Columbia since 1923, with references to name changes, descriptions, and synonymies. I. Sedentaria. Canadian Journal of Zoology 46: 557-567.
- Berkeley E & Berkeley C (1948) Annelida. Polychaeta Errantia. Canadian Pacific Fauna 9b(1). 100 pp.
- Berkeley E & Berkeley C (1952) Annelida. Polychaeta Sedentaria. Canadian Pacific Fauna 9b(2). 139 pp.
- Berkeley E & Berkeley C (1962) Polychaeta from British Columbia; with a note on some western Canadian arctic forms. Canadian Journal of Zoology 40: 571-577.

- Blake, JA (1995) Family Pholodidae. *In* Blake, JA, B Hilbig, and PV Scott (eds) Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel, vol. 5. The Annelida Part 2. Polychaeta: Phyllodocida (Syllidae and Scale-bearing Families), Amphinomida, and Eunicida. Santa Barbara Museum of Natural History, Santa Barbara, CA. Pp. 175-188.
- Blake, JA (1996) Family Cirratulidae. *In* Blake, JA, B Hilbig, and PV Scott (eds) Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel, vol. 6. The Annelida Part 3. Polychaeta: Orbiniidae to Cossuridae. Santa Barbara Museum of Natural History, Santa Barbara, CA. Pp. 263-384.
- Blake, JA (1996) Family Magelonidae. *In* Blake, JA, B Hilbig, and PV Scott (eds) Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel, vol. 6. The Annelida Part 3. Polychaeta: Orbiniidae to Cossuridae. Santa Barbara Museum of Natural History, Santa Barbara, CA. Pp. 253-262.
- Blake, JA (1996) Family Orbiniidae. *In* Blake, JA, B Hilbig, and PV Scott (eds) Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel, vol. 6. The Annelida Part 3. Polychaeta: Orbiniidae to Cossuridae. Santa Barbara Museum of Natural History, Santa Barbara, CA. Pp. 1-26.
- Blake, JA (1996) Family Paraonidae. *In* Blake, JA, B Hilbig, and PV Scott (eds) Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel, vol. 6. The Annelida Part 3. Polychaeta: Orbiniidae to Cossuridae. Santa Barbara Museum of Natural History, Santa Barbara, CA. Pp. 27-80.
- Blake, JA (1996) Family Spionidae. *In* Blake, JA, B Hilbig, and PV Scott (eds) Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel, vol. 6. The Annelida Part 3. Polychaeta: Orbiniidae to Cossuridae. Santa Barbara Museum of Natural History, Santa Barbara, CA. Pp. 81-232.
- Blake, JA (1997) Family Phyllodocidae. *In* Blake, JA, B Hilbig, and PV Scott (eds) Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel, vol. 4. The Annelida Part 1. Oligochaeta and Polychaeta: Phyllodocida (Phyllodocidae to Paralacydoniidae). Santa Barbara Museum of Natural History, Santa Barbara, CA. Pp. 109-178.
- Blake, JA (2000) Family Capitellidae. *In* Blake, JA, B Hilbig, and PV Scott (eds) Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel, vol. 7. The Annelida Part 4. Polychaeta: Flabelligeridae to Sternapsidae. Santa Barbara Museum of Natural History, Santa Barbara, CA. Pp. 47-96.
- Blake, JA (2000) Family Flabelligeridae. *In* Blake, JA, B Hilbig, and PV Scott (eds) Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel, vol. 7. The Annelida Part 4. Polychaeta: Flabelligeridae to Sternapsidae. Santa Barbara Museum of Natural History, Santa Barbara, CA. Pp. 1-24.

- Blake, JA (2000) Family Opheliidae. *In* Blake, JA, B Hilbig, and PV Scott (eds) Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel, vol. 7. The Annelida Part 4. Polychaeta: Flabelligeridae to Sternapsidae. Santa Barbara Museum of Natural History, Santa Barbara, CA. Pp. 145-168.
- Blake, JA (2000) Family Oweniidae. *In* Blake, JA, B Hilbig, and PV Scott (eds) Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel, vol. 7. The Annelida Part 4. Polychaeta: Flabelligeridae to Sternapsidae. Santa Barbara Museum of Natural History, Santa Barbara, CA. Pp. 97-128.
- Blake, JA (2000) Family Scalibregmatidae. *In* Blake, JA, B Hilbig, and PV Scott (eds) Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel, vol. 7. The Annelida Part 4. Polychaeta: Flabelligeridae to Sternapsidae. Santa Barbara Museum of Natural History, Santa Barbara, CA. Pp. 129-144.
- Hilbig B (1995) Family Onuphidae. *In* Blake, JA, B Hilbig, and PV Scott (eds) Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel, vol. 4. The Annelida Part 2. Polychaeta: Phyllodocida (Syllidae and Scale-bearing Families), Amphinomida, and Eunicida. Santa Barbara Museum of Natural History, Santa Barbara, CA. Pp. 229-262.
- Hilbig B (1995) Family Lumbrineridae. *In* Blake, JA, B Hilbig, and PV Scott (eds) Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel, vol. 4. The Annelida Part 2. Polychaeta: Phyllodocida (Syllidae and Scale-bearing Families), Amphinomida, and Eunicida. Santa Barbara Museum of Natural History, Santa Barbara, CA. Pp. 279-314.
- Hilbig, B (1997) Family Glyceridae. *In* Blake, JA, B Hilbig, and PV Scott (eds) Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel, vol. 4. The Annelida Part 1. Oligochaeta and Polychaeta: Phyllodocida (Phyllodocidae to Paralacydoniidae). Santa Barbara Museum of Natural History, Santa Barbara, CA. Pp. 187-206.
- Hilbig, B (1997) Family Goniadidae. *In* Blake, JA, B Hilbig, and PV Scott (eds) Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel, vol. 4. The Annelida Part 1. Oligochaeta and Polychaeta: Phyllodocida (Phyllodocidae to Paralacydoniidae). Santa Barbara Museum of Natural History, Santa Barbara, CA. Pp. 207-222.
- Hilbig, B (1997) Family Nephtyidae. *In* Blake, JA, B Hilbig, and PV Scott (eds) Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel, vol. 4. The Annelida Part 1. Oligochaeta and Polychaeta: Phyllodocida (Phyllodocidae to Paralacydoniidae). Santa Barbara Museum of Natural History, Santa Barbara, CA. Pp. 317-350.

- Hilbig, B (2000) Family Ampharetidae. *In* Blake, JA, B Hilbig, and PV Scott (eds) Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel, vol. 7. The Annelida Part 4. Polychaeta: Flabelligeridae to Sternapsidae. Santa Barbara Museum of Natural History, Santa Barbara, CA. Pp. 169-230.
- Hilbig, B (2000) Family Terebellidae. *In* Blake, JA, B Hilbig, and PV Scott (eds) Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel, vol. 7. The Annelida Part 4. Polychaeta: Flabelligeridae to Sternapsidae. Santa Barbara Museum of Natural History, Santa Barbara, CA. Pp. 231-230.
- Hilbig, B (2000) Family Trichobranchidae. *In* Blake, JA, B Hilbig, and PV Scott (eds) Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel, vol. 7. The Annelida Part 4. Polychaeta: Flabelligeridae to Sternapsidae. Santa Barbara Museum of Natural History, Santa Barbara, CA. Pp. 295-310.
- Hobson, KD and K Banse (1981) Sedentariate and archiannelid polychaetes of British Columbia and Washington. Canadian Bulletin of Fisheries and Aquatic Sciences no. 209. 144 pp.
- Kozloff, EN (1996) Marine Invertebrates of the Pacific Northwest with additions and corrections. University of Washington Press, Seattle WA. 539 pp.
- Kudenov, JD and LH Harris (1995) Family Syllidae. *In* Blake, JA, B Hilbig, and PV Scott (eds) Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel, vol. 4. The Annelida Part 2. Polychaeta: Phyllodocida (Syllidae and Scale-bearing Families), Amphinomida, and Eunicida. Santa Barbara Museum of Natural History, Santa Barbara, CA. Pp. 1-98.
- Lamb A and Hanby PH (2005) Marine Life of the Pacific Northwest. Harbor Publishing, Madeira Park, BC. 398 pp.
- Saphronova MA (1991) Redescription of some species of *Scionella* Moore, 1903, with a review of the genus and comments on some species of *Pista* Malmgren, 1866 (Polychaeta: Terebellidae). Ophelia Supplemental 5:239-247.