

INDUSTRIALSUPPLY

EST. 1916

CLICKABLE CATALOG

**START
HERE**



IF YOU DON'T SEE WHAT YOU NEED, WE'LL GET IT FOR YOU.

MENU



FLUID POWER




HAND PROTECTION/ SAFETY



MRO & CLEANING SUPPLIES



METALWORKING



PNEUMATIC



SAFETY, PERSONAL PROTECTION EQUIPMENT & SERVICES



ADHESIVES & SEALANTS



HAND TOOLS



ABRASIVES




MATERIAL HANDLING & STORAGE



NYLON (PA) TUBING PART# COIL NC0650-500N

Nylon Tubing, 3/8" X .275" X 500', Natural



- For applications requiring low density, lightweight toughness, flexibility and chemical resistance
- Its dimensional stability makes it compatible with Coillock fittings and poly-tube fittings
- Packaged on reels
 - 28 in hg Vacuum rating
 - 0.002 -0.004 in tolerance
 - 78 Rockwell R hardness
 - UV stabilized

1/4" INDUSTRIAL CONNECTOR, 3/8" MPT PART# COIL 1503

These connectors are machined from steel, then plated to provide years of service

- Plated steel construction contains sealing surface, even in adverse conditions
- This series of couplers and connectors is engineered to interchange with the industrial interchange designs of all manufacturers
- Manual couplers offer a durable connection with years of service
- Made in the USA
- Knurled body enhances grip in oily or greasy conditions



600 SERIES BLOW GUN PART# COIL 600-SB

600 Series Blow Gun with Safety Booster Tip feature tough zinc die cast bodies that are made to last in even the harshest environments

- Features a booster nozzle
- Ergonomic re-design of the traditional thumb lever
- OSHA compliant
- Superior corrosion resistance



1/4" MANUAL COUPLER PART# COIL 150

1/4" Industrial coupler, 1/4" FPT

- Knurled body enhances grip in oily or greasy conditions
- Drag guard prevents accidental disconnection
- Buna N seals
- Maximum input pressure: 300 psi
- Temperature range: -40°F to 250°F
- Made in the USA





1/4" MANUAL COUPLER, 1/4" MPT

PART# COIL 152

1/4" Industrial Coupler, 1/4" MPT

- Drag guard prevents accidental disconnection
- Buna N seals
- Maximum input pressure: 300 psi
- Temperature range: -40°F to 250°F



TRI-POD ALUMINUM MANIFOLD 1/4"

PART# COIL 3002

3 Port Aluminum Manifold, 1/4" In x 1/4" Out

- Three-way manifold for distributing pneumatic power to multiple locations from a single source
- Aluminum for less weight than brass and resistance to corrosion
- 1/4" female NPT inlet port and three 1/4" female NPT outlet ports
- Maximum pressure rating of 300 psi
- Temperature range of -40 to +250 degrees F



HEAVY DUTY SERIES REGULATOR, 1/4"

PART# COIL 8802G-CS

Heavy Duty Series Regulator, 1/4", Gauge, Clamshell

- Pressure range: 0-125 psi
- Max pressure: 250 psi



FLEXCOIL® WITH REUSABLE FITTINGS

PART# COIL PR14-15B-Y

Flexcoil, 1/4" x 15', 1/4" NPT Reusable Swivel Fittings, Yellow

- Constructed of 95A polyurethane resin, lightweight and resists kinking
- Temperature range: -40°F to +125°F
- High quality brass fittings provide strong AND durable connection





MULTI-PLEAT™ XL8 HIGH CAPACITY MERV8 PANEL FILTER, 25x25x1 PART# KOCH 102-031-014



The Koch Multi-Pleat XL8 is a medium-efficiency extended surface pleated panel filter, engineered to provide higher initial efficiencies and overall superior performance than standard pleated filters



- Low resistance to airflow
- High dust holding capacity
- Sturdy double-wall frame design
- Moisture resistant beverage board frame

MULTI-PLEAT™ XL8 STANDARD CAPACITY MERV8 PANEL FILTER, 18x25x2 PART# KOCH 102-042-009

The Koch Multi-Pleat XL8 is a medium-efficiency extended surface pleated panel filter, engineered to provide higher initial efficiencies and overall superior performance than standard pleated filters



- Low resistance to airflow
- High dust holding capacity
- Sturdy double-wall frame design
- Moisture resistant beverage board frame

MULTI-PLEAT™ XL11 STANDARD CAPACITY MERV11 PANEL FILTER, 16x25x2 PART# KOCH 102-499-017

The Koch Multi-Pleat XL11 is a medium-efficiency extended surface pleated panel filter, engineered to provide higher initial efficiencies and better overall performance than standard pleated filters



- MERV11 efficiency rating
- Dual-layered filter media
- Low pressure drop
- Superior efficiency
- High dust holding capacity

DISPOSABLE POLYESTER FILTER, 20x25x2 PART# KOCH 286-200-250

Koch commercial and industrial disposable panels are economical air filters designed for light-to-medium duty air filtration applications



- Durable construction for all types of industrial and commercial applications
- Progressive density glass or poly filter media
- Heavy-duty frame and corners for added strength and durability
- Environmentally friendly





2" ECONOMY GRADE PAINT BRUSH

PART# OSB 86135

Ideal for use with oil paint and varnish


- Plastic handle with perfect balance for the ultimate control
- 2" trim length
- 1/2" brush thickness
- Overall Length: 11"



1" ECONOMY CHIP BRUSH PART# OSB 86016

Osborn chip brush, economy grade, 1" brush, bristle brush, wood handle, epoxies and glues paint

- Designed for long life in the industrial environments
- 1 1/2" trim length
- 5/16" brush thickness
- White bristle




3/8" HORSEHAIR TIN FERRULE ACID BRUSH

PART# OSB 74060

Ideal for use with acid, lubricant, and glue


- Tin ferrule design prevents bristles from loosening for longevity.
- For light duty flux applications
- Trim Length: 7/8"
- Overall Length: 6-1/8"



1" NYLON TUBE/SPOUT BRUSH PART# OSB 51104

Designed specifically as a hand tool, Osborn's nylon tube/spout brush features quality nylon fill and a handy eye loop

- Ideal for cleaning engine blocks, heads, and other assorted parts during the engine rebuilding process
- Steel twisted handle with end loop
- Nylon fill for superior cleaning





1 7/16" SMALL CLEANING SCRATCH BRUSH, 3x7 ROWS PART# OSB 54013

Osborn small cleaning scratch brushes effectively clean and prepare small surface areas

- High-quality cleaning brush: smooth machined finish provides excellent comfort in use
- Convenient storage: scratch brush features a hang-up hole for convenient storage
- Wood handle: features a handle made from kiln-dried hardwood for maximum tuft retention; hang-up hole for convenient storage



5" x 6 1/2" UTILITY SCRUB BRUSH – LONG HANDLE PART# OSB 54075

Choice of oval-trimmed fill material staple-set into long hardwood handle for ease of use

- Kiln-dried hardwood for maximum tuft retention
- Utility brushes are designed for the toughest environments
- These long handled brushes are designed for the hard to reach areas
- Solid block, staple set, oval trim



2 1/2" x 10" CAR WASH BRUSH PART# OSB 56200

Heavily filled with durable fiber, staple-set into plastic block

- Designed for rail and bus transportation companies
- Includes two handle holes, one threaded and one tapered, for use with your choice of handle
- Trim material: fiber
- Trim color: gray
- Handle material: plastic




3" NYLON/POLYESTER BLEND BRUSH PART# OSB 71061

Versatile synthetic blend brush ideal for use with all paints.

- Manufactured with wood or plastic handles with perfect balance for the ultimate control
- 3-1/4 in trim length
- 11/16 in brush thickness





24" FLOOR SQUEEGEE PART# OSB 75472

Ideal for moving larger volumes of water and wet debris

- Osborn floor squeegees feature a two-piece construction with heavy gauge, zinc plated steel handles and retaining strips
- 1/4"x2" black neoprene blades
- 72" zinc plated steel handle



6" STIFF WHISK BROOM PART# OSB 56002

Designed with heavy-duty black Bassine moisture resistant fiber for industrial and shipyard use

- Fiber is held in a metal band and reinforced with a heavy wire binding
- 4" width, 9-1/2" OAL
- Wood handle



8" COARSE COUNTER DUSTER PART# OSB 81004

Tackle heavier material removal and general factory/store dusting with Osborn coarse counter dusters

- Sturdy, light-weight brushing tool for removing dust accumulations from hard-to-reach places
- Durable and long-lasting counter brush is recommended for dusting and chip removal
- Can be used wet or dry, will not load



24" PRO ECONOMY FLOOR BROOM PART# OSB 81212

Combining performance and value, Osborn economy brooms feature durable construction and materials and an affordable price point

- Medium sweeping economy floor broom is ideal for sweeping on semi-smooth surfaces such as wood, concrete, factory and shop floors
- The broom's blocks have threaded holes for wood or fiberglass handles, and your choice of fill materials are staple-set for longer service life
- The durable, economical floor broom is perfect for industrial use or for DIY/home applications





ALKALINE AA BATTERY

PART# RAY ALAA-8J

Specially engineered for professional use

- Proudly made in the United States
- Guaranteed fresh for 10 years
- Best used before date on battery
- Mercury-free formula



ALKALINE C BATTERY

PART# RAY ALC-6J

Ultra Pro Alkaline C Battery

- Specially engineered for professional use
- Proudly made in the United States
- Guaranteed fresh for 10 years
- Mercury-free formula



ALKALINE 9V BATTERY

PART# RAY AL9V-6J

Ultra Pro Alkaline 9V Battery

- Specially engineered for professional use
- Guaranteed fresh for five years
- Best used before date on battery
- Mercury-free formula



RECHARGEABLE AA BATTERIES (4 PACK)

PART# RAY LD715-4OP

At 1350mAh, RAYOVAC rechargeable batteries last up to twice as long as alkaline

- Recharge up to 1500x
- Batteries come charged & ready to use
- Lasts up to 2x Longer than Alkaline batteries
- Reduce waste and save money. Keep disposable batteries out of the landfills and save hundreds of dollars when you use rechargeable batteries versus alkaline





DARK THREAD CUTTING OIL 1 GAL

PART# RID 70830

RIDGID® thread cutting oils are free of chlorine and other halogens, PCBs and heavy metals

- Reduces threading torque
- Dark is a low odor, anti-mist formulation thread oil
- Improves thread quality producing the best possible results
- Cools threads and pipe during operation and speeds scrap metal removal



RIDGID®



HALF HEIGHT FINE DUST FILTER - BLUE PART# RID 26643

This 3-Layer fine dust replacement filter features three layers of filtering material that captures particles too small to be seen by the naked eye

- Captures 99% of all particles ½ micron and larger
- Great for picking up cold fireplace ash, fine dust and everyday dirt
- Fits most compact RIDGID wet/dry vacs
- Fully washable and reusable



NU-CLEAR THREAD CUTTING OIL 1 GAL PART# RID 70835

RIDGID® thread cutting oils are free of chlorine and other halogens, PCBs and heavy metals

- Nu-Clear is a low odor, anti-mist formulation thread oil
- -20° Fahrenheit working viscosity of 44.5 mm²/s and relative density of 0.9297
- Improves thread quality producing the best possible results
- Reduces threading torque
- Cools threads and pipe during operation and speeds scrap metal removal



HEPA MEDIA FILTER - GREEN PART# RID 97457

This five-layer replacement allergen filter is made from HEPA-rated material and removes 99.97% of all particles 0.3 microns and larger from the air

- Washable and reusable
- Includes one filter per package
- Not EPA RRP qualified





AEROKROIL PENETRATING OIL, 10 OZ.

PART# KANO 10 OZ


When it comes to freeing corroded items in tough spaces, nothing rivals powerful, industry-proven Kroil penetrating oil



- Quickly loosens rusted nuts and bolts
- Frees frozen shafts, pulleys, etc.
- Removes and prevents rust, cleans and lubricates
- Displaces moisture
- Penetrates to 1 millionth inch spaces



KROIL®



CLICK HERE FOR A QUICK VIDEO!

KROIL PENETRATING OIL, 8OZ. PART# KANO KL081

Used and trusted by professionals since 1939, Kroil helps get moving parts up and running when others can't



- Quickly loosens rusted nuts and bolts
- Convenient liquid formula with precision applicator
- Penetrates deep and fast into small crevices
- Attacks corrosion
- Removes rust and carbon deposits



AERO KROIL PENETRATING OIL, 13 OZ. PART# KANO KS132

Used and trusted by professionals since 1939, Kroil helps get moving parts up and running when others can't



- Quickly loosens rusted nuts and bolts
- Convenient liquid formula with precision applicator
- Penetrates deep and fast into small crevices
- Attacks corrosion
- Removes rust and carbon deposits



SILIKROIL PENETRATING OIL, 10 OZ.

PART# KANO SILI KROIL

Free it up, lube it up, finish it up. No job is too tough for Kroil penetrant with silicone



- Carries lubrication into infinitely small spaces
- Engineered to loosen frozen metal parts and provide extra lubrication
- Inhibits corrosion by providing a moisture-repellent surface





2145QIMAX SERIES IMPACT WRENCH

PART# IR 2145QIMAX

The Ingersoll Rand 2145QiMAX 3/4" Impact Wrench delivers incredible performance and industrial-grade durability in an impact wrench



- Steel hammer case is designed to be strong and durable, to protect the interior components of the air impact wrench
- Finely tuned twin hammer impact mechanism and motor deliver more torque, durability, and efficiency
- Enhanced socket retention
- 7 vane motor delivers added power with less weight

301B DIE GRINDER PART# IR 301B

Durable, versatile and cost effective, these grinders are great for porting, weld grinding, smoothing edges, deburring and polishing



- Both the straight and angle die grinders are ergonomic and lightweight, making them more comfortable to use for longer stretches of time
- The right angle of the 301B allows for easier access to hard-to-reach places
- Durable metal housing and powerful vane motor will make them trusted tools in your arsenal for years to come

2235TIMAX SERIES 1/2" IMPACT WRENCH PART# IR 2235TIMAX

The powerful 2235TiMAX Series impact wrench is lightweight, durable and versatile




- 2235QTiMAX and the 2235QTiMAX-2 feature patented quiet tool technology reducing sound levels without compromising best-in-class power performance
- Finely tuned impact mechanism and motor deliver more torque, durability, and efficiency
- 1,350 ft-lb nut-busting torque
- A lightweight, balanced, air impact wrench that weighs just 4.6lbs
- Titanium hammer case is designed to be strong and durable, to protect the interior components of the air impact wrench

121 SUPER DUTY AIR HAMMER PART# IR 121/Q

A super duty tool that produces up to 3000 blows per minute



- Up to 3,000 blows per minute
- Alloyed steel barrel and heat-treated piston for longer life
- Built-in power regulator and trigger control



MAX SERIES ANGLE GRINDER PART# IR 3445MAX

The 3445MAX 4-1/2" Wheel Grinder is powered by compressed air and delivers maximum power



- With a lightweight composite housing and ergonomic design, the Max Series Angle Grinders are easier to work with for long periods of time
- With an ideal power-to-weight ratio, the Max Series Angle Grinders are great for high-performance material removal
- The Max Series Angle Grinders are a versatile set of tools you can use in most major markets, from vehicle repair and body work to construction and metal fabrication

AVC SERIES INDUSTRIAL AEROSPACE RIVETER PART# IR AVC12A1

This riveter is easily controlled and has a built-in power regulator in the A1 and B1 models that allow you to change power on the job with no downtime



- AVC Series Industrial Aerospace Riveters are sturdy enough to withstand harsh work sites
- You can count on this riveter to be one of the most trusted tools in your arsenal
- These industrial riveters will help you get the job done right, time after time

INLINE NEEDLE & CHISEL SCALER KIT PART# IR 182K1

This needle scaler and air chisel is well suited to a variety of finishing and surface preparation tasks such as removing rust, paint, and welding slag



- The adjustable bayonet-type needle housing lock allows for easy adjustment without special tools
- These scalers feature a rubber faced throttle valve to ensure positive sealing of internal components, and they're durable enough to withstand repeated drops and harsh conditions with ease
- Compact, well balanced and low vibration maximizes operators comfort



285B SERIES IMPACT WRENCH 1" DRIVE PART# IR 285B-6

This heavy-duty pneumatic impact wrench tackles the most demanding auto and industrial tasks with exceptional performance and efficiency



- Designed for the professional with over 1475 ft-lbs of torque for the toughest applications
- New phenolic vanes resist harsh environments for less downtime on the job
- Protective rubber tool boot for all models of this air impact wrench
- Durable design for handling the toughest jobs





LOCTITE 243 BLUE MEDIUM STRENGTH THREADLOCKER 50ML PART# LOC 1329467

LOCTITE 243 is a medium strength blue threadlocking adhesive that seals and secures metal nuts and bolts to prevent loosening due to shock and vibration

- Prevents loosening on vibrating assemblies (e.g. pumps, gear boxes or presses)
- Works on all metals, including passive substrates (e.g. stainless steel, aluminum, plated surfaces)
- Proven to tolerate minor contamination by industrial oils, (e.g. motor oils, corrosion prevention oils and cutting fluids)
- Permits disassembly with hand tools for servicing



CLICK HERE FOR A QUICK VIDEO ON LOCTITE THREADLOCKERS!

LOCTITE® 268 RED THREADLOCKER STICK PART# LOC 37686

High-strength threadlocker for maximum efficacy in the securing and sealing of bolts, nuts and studs to prevent loosening due to vibration

- High bond strength
- Convenient stick format prevents dripping
- Prevents loosening on vibrating assemblies, e.g. pumps, gear boxes or presses
- Works on all metals, including passive substrates (e.g. stainless steel, aluminum, plated surfaces)



LOCTITE® RED 263 HIGH-STRENGTH THREADLOCKER, 50ML BOTTLE PART# LOC 1330585

LOCTITE® 263 is a red, dual cure, acrylic dimethacrylate ester fluorescent threadlocker designed for the permanent locking and sealing of threaded fasteners

- Particularly suited for heavy duty applications such as studs into motor housings where high strength is required
- Prevents loosening and leakage from shock and vibration
- Designed for the permanent locking and sealing of threaded fasteners
- Provides robust curing performance
- Offers high temperature performance and oil tolerance



LOCTITE® 409™ SUPER BONDER® INSTANT ADHESIVE 3G PART# LOC 40904

Transparent, colorless ethyl-based instant adhesive gel with a fixture time of 20 - 60 secs.

- Solvent-free
- General purpose gel
- Ideal for metal and rubber
- Suited for plastics and polyolefins in combination with Primer LOCTITE 770 or LOCTITE 7239
- Fixture time of 20 - 60 secs.





LOCTITE® 135511 609™ GENERAL PURPOSE RETAINING COMPOUND, 10 ML BOTTLE


PART# LOC 60921

LOCTITE® 609 is a green, high strength methacrylate ester acrylic retaining compound designed for the bonding of cylindrical fitting parts

- Low viscosity
- Augments press fits
- Prevents loosening and leakage from shock and vibration



LOCTITE®



CLICK HERE FOR A QUICK VIDEO!

LOCTITE® 561™ GENERAL PURPOSE PIPE THREAD SEALANT, 19 G STICK, WHITE

PART# LOC 37127

White sealant, ideal toolbox product for all metal fittings that won't spill or leak

- Won't spill or leak
- Easily portable
- Provides instant low pressure seal
- Doesn't creep, shrink or block systems
- NSF approved



LOCTITE® 290™ LOW VISCOSITY MEDIUM HIGH STRENGTH WICKING GRADE THREADLOCKER, 10 ML BOTTLE

PART# LOC 29021

LOCTITE 290 is a medium/high strength, wicking grade threadlocking adhesive that is ideal for locking preassembled fasteners

- Works on metal only
- Requires heat for disassembly
- Ideal for locking preassembled fasteners, e.g. instrumentation fasteners, electrical connectors and set screws
- Proven to be tolerant of minor contamination due to industrial oils, e.g. motor oils, corrosion prevention oils and cutting fluids



CLICK HERE FOR A QUICK VIDEO!




LOCTITE® 567™ 2087069 INSTANT LOW PRESSURE SEAL THREAD SEALANT, 250 ML

PART# LOC 2087069

LOCTITE 567 is an off-white, UL approved, low disassembly strength methacrylate thread sealant, ideal for sealing coarse threads up to M80/R3"

- Single component - clean and easy to apply
- Doesn't creep, shrink or block systems
- Provides an instant low pressure seal
- Thixotropic and high/very high viscosity





SANDING SHEET 9X11 SC 1200, 50/PK

PART# NOR 66261139380

Black Ice T401 SC Fine Grit Paper WP Sheet

- Premium, JIS graded ultra fine silicon carbide abrasive provides the ultimate finish in wet applications
- Strong resin bond for longer life in wet applications
- High-strength B-weight waterproof latex paper backing is extremely flexible, environmentally stable, and resists humidity-caused curling
- Use this waterproof sandpaper as a best choice for finishing applications



CARTRIDGE ROLL 1/4X1-1/2X1/8 120, 100/BX

PART# NOR 66261194397

Blaze R920 CA Medium Grit Cartridge Roll

- Latest generation ceramic alumina provides 2X cut rate and 3X life over aluminum oxide
- Heavy, durable X-wt. cotton backing makes these points durable and flexible
- Valuable abrasive tool for reaching into corners, where larger diameter tools cannot work
- Excellent abrasive product for breaking edges




QUICK CHANGE DISC 3" 60, 25/PK

PART# NOR 66261162332

Blaze R980P CA Coarse Grit TR (Type III) Quick-Change Cloth Disc

- Our 100% ceramic grain constantly exposes sharper edges to deliver highest productivity at lowest overall costs vs. competitive lower-ratio ceramic discs
- Improved resin bond system maximizes grain retention for longer life
- Advanced self-lubricating grain treatment provides coolest cut and significantly faster cut rates; excels on hard-to-grind materials like 300 and 400 Series Stainless and exotic alloys
- Coarse grit provides the fastest stock removal, weld blending, and deburring rates




SANDING BELT BLUEFIRE 2-1/2X60 36G

PART# NOR 78072727235

BlueFire R801/R821P/R823P/R884P ZA Coarse Grit Cloth Narrow Benchstand Belt

- Strong, self-sharpening zirconia alumina abrasive for fast, aggressive cut and 30% longer life than competitive zirconia belts
- R823 has flexible X-weight polyester waterproof backing to excel on light- to moderate-pressure applications; R801 and R884P have durable Y-weight polyester waterproof cloth backing that excels on medium- to high pressure applications
- The lubricating grinding aid in R801 belts, means cooler cut, burn-free grinding of heat-sensitive materials, and minimized loading
- Better choice for demanding coarse grit stock removal applications





3" RINGLOCK WIRE WHEEL BRUSH PART# OSB 11093

Specially designed to brush down-hole, internal surfaces and other hard-to-reach areas

- Brush Diameter: 3 in
- Arbor Hole Size: 3/8 in
- Filament/Wire Diam: 0.014 in
- Fill Material: Stainless Steel
- Trim Length: 15/16 in
- Can be mounted, singly or in multiples, directly onto the shaft of a portable tool



3" SIBOT™ INTERNAL FINISHING BRUSH PART# OSB 11210

This hard-working square-trimmed brush features rugged crimped steel wire to efficiently brush both the bottom and sides of a hole in a single operation

- Square trimmed crimped wire brushes used in drill presses and portable tools for cleaning internal surfaces
- In a single operation, they brush both the bottom and sides of a hole
- Brush length: 13/16 in
- Overall length: 3-15/16 in
- Fill material: carbon steel



1-3/4" CRIMPED WIRE CUP BRUSH WITH SHANK PART# OSB 16440

Osborn's premium quality Crimped Wire Cup Brushes feature an attached 1/4" shank for use on air tools and electric portable tools

- The wheel brush with shank is engineered to operate at high speeds
- The steel wire brush is applicable for rust, scale, paint, dirt, weld spatter removal
- Light duty cleaning action on air tools or electric high speed portable tools




3" KNOT WIRE WHEEL BRUSH PART# OSB 26928

Featuring Osborn's proprietary TufWire™ wire strands and rugged knot-type construction, Osborn Knot Wire Wheel Brushes provide more brush flexibility to deliver more uniform results

- The most widely used design, the wheel brush can be mounted either horizontally or vertically, with the tips of the wires doing the actual work as they contact the workpiece
- Osborn Steel Wire is a proprietary product developed by Osborn and used exclusively for Osborn power brushes
- Steel bristle brush has outstanding cutting action and excellent fatigue resistance for long, efficient brush life
- Cleans grooves, t-connections, welded beads and surface preparation





1/2" CRIMPED WIRE END BRUSH PART# OSB 30053

Osborn's Crimped Wire End Brush features high-quality wire construction and a 1/4" shank for convenient mounting on hand-held power tools and CNC equipment



- Ideal for a variety of general uses, including surface blending, cleaning and polishing
- Suitable for use on CNC equipment
- Engineered to operate at high speeds up to 25000 Max RPM
- Comes with 1/4" shank, applicable for rubber and plastic mold cleaning, cleaning pipe ID, removing rust, weld scale and spatter, etc.



5/8" CRIMPED WIRE SPIRAL TUBE BRUSH PART# OSB 36724

This small diameter crimped wire brush is designed to tackle a wide variety of internal cleaning jobs



- Can be used as a hand tool, mounted in a drill press or on portable power tool
- 0.005" steel wire filament
- Single stem, single spiral
- Designed for optimal performance and longevity



1 1/2" CRIMPED WIRE WHEEL BRUSH WITH SHANK

PART# OSB 16504

Osborn Crimped Wire Wheel Brushes are designed for internal/external cleaning and deburring tasks



- Crimped wire wheel brush feature uniform, dense fill
- Wire wheel brush comes with 1/4" shank and is suitable for most drills and grinders
- Can be used offhand or on drill presses for internal and external cleaning and deburring
- Applicable for rust, scale, paint, dirt, weld spatter removal



6" KNOT WIRE WHEEL BRUSH WITH 5/8" BORE

PART# OSB 26043

Osborn Knot Wire Wheel Brushes provide more brush flexibility to deliver more uniform results



- The most widely used design, the wheel brush can be mounted either horizontally or vertically, with the tips of the wires doing the actual work as they contact the workpiece
- Cleans grooves, t-connections, welded beads and surface preparation
- 0.016" Filament, 1/2" face width
- The steel bristle brush has outstanding cutting action and excellent fatigue resistance for long, efficient brush life





POLAR PENGUIN WINTER GLOVE

PART# MAJ 3396HY

Polar Penguin Winter Lined Napped Terry Glove with Foam Latex Dipped Palm

- EN Cut Level 2
- ANSI Cut Level A2
- Available sizes: S-XXL
- Winter or freezer wear heavyweight napped terry knit glove
- High visibility yellow acrylic knit liner



MAJESTIC
RELIABILITY IN SAFETY

SUPERDEX FULL DIP NITRILE GLOVE PART# MAJ 3228F

SuperDex Full Dip Micro Foam Nitrile Palm Coated Glove on Nylon Shell

- Full dip micro foam nitrile palm coating
- Ultra cool, breathable coating keeps your hands cool and dry
- Super dexterity for added grip
- 15-gauge liner for lightweight comfort
- Available sizes: S-XXL



COWHIDE DRIVERS GLOVE

PART# MAJ 2510B

Industrial Grade Cowhide Leather Glove

- Keystone Thumb
- Color Coded Bias tape hem, indicates sizing
- Popular for industry
- Available sizes: S-XXL



HIGH VISIBILITY WATERPROOF JACKET

PART# MAJ 75-1300

High Visibility Waterproof Jacket with Quilted Liner, ANSI 3, R

- Economical high visibility yellow bomber jacket with fixed quilted liner
- PU coated polyester with fully taped seams and concealed attached hood
- Elastic ribbed waist, wrist, and collar to keep out the cold
- Outside slash pockets and a cell phone pocket
- Meets ANSI / ISEA 107-2015 Class 3, Type R
- Available sizes: S-5X, LT-2T





SUPER GRIP DISPOSABLE GLOVES PART# MAJ 3276AO



Super Grip Disposable Gloves with Embossed Fish Scale Pattern

- Embossed fish scale pattern on the outside and inside of the glove for ergonomic traction and exceptional wet grip on outside with reduced hand slippage on inside
- Orange chemical resistant 100% 6 mil nitrile
- Beaded cuff for secure fit around the arm
- CE level 5 dexterity for superior fit, feel, and comfort
- Available sizes: S-XXL



DYNEEMA® SEAMLESS KNIT GLOVE

PART# MAJ 34-1570

Winter Lined Cut-Less with Dyneema® Seamless Knit Glove with Latex Palm Coating

- Winter lined with soft terry loop acrylic
- Majestic gloves made with Dyneema® offers the leading combination of cut protection, comfort and durability
- EN Cut Level 5
- ANSI Cut Level A4
- Available sizes: S-XXL



WATCHDOG SEAMLESS KNIT GLOVE

PART# MAJ 35-1500

Cut-Less Watchdog Seamless Knit Glove with Polyurethane Palm Coating

- Seamless knit glove with KorPlex® cut resistant technology
- Polyurethane palm dipped
- EN Cut Level 5
- ANSI Cut Level A4
- Available sizes: XS-XXXL



WHITE EAGLE MECHANICS GLOVE

PART# MAJ 2153

White Eagle Mechanics Glove with Grain Goatskin Palm and Knit Back

- Neoprene knuckle
- Velcro closure
- Mechanics style
- Precurved design follows the contour of the hand
- Available sizes: XS-XXL





WIDIA™ MEANS COMPLETE QUALITY

WHEN YOU BUY WIDIA PRODUCTS, YOU ARE BUYING THE ULTIMATE IN PERFORMANCE AND TOOL LIFE.

At Industrial Supply, we have the inventory and expertise to support your cutting tool needs in any industry:

- Turning
- Milling
- Holemaking
- Threading
- Tooling Systems

WIDIA



CLICK HERE FOR A QUICK VIDEO!

Contact our Cutting Tool Specialists today!

CONTACT US FOR MORE INFO!

LEARN MORE



LEARN MORE



LEARN MORE



LEARN MORE



LEARN MORE






DAX CARBON FIBER FULL BRIM HARD HAT

MATTE BLACK | PART# LIFTS HDFM-17KG



The Carbon Fiber Hard Hat is a full brim, carbon fiber reinforced resin hard hat offering a six-point suspension system for superior comfort and impact protection

- Made from carbon fiber: a lighter material able to withstand heavier impacts
- Uses a six-point suspension system to provide superior impact absorption
- The ratcheting fitment dial allows for rapid dead size adjustment and is easy to grip and manipulate with gloves on
- Synthetic leather comfort dome • Brim grips and synthetic leather brow pad



CLICK HERE FOR A QUICK VIDEO!

DAX FULL BRIM HARD HAT NATURAL | PART# LIFTS HDF-15NG

The DAX Hard Hat is a full brim, fiber reinforced resin hardhat offering a six-point suspension system for superior comfort and impact protection

- DAX Fiber Resin Hard Hat is lightweight and weighs an average of 415 grams
- Fiber reinforced resin shell for superior impact protection • Brim grip, exclusive design provides a secure feel
- Perforated synthetic leather comfort dome with molded EVA foam insert for additional shock absorbing protection to the top of head
- Oversized ratcheting fitment dial to adjust size, easy to grip and use with gloves on



DAX CARBON FIBER FULL BRIM HARD HAT

ORANGE/BLACK | PART# LIFTS HDF50C-190C

The DAX FIFTY50 Carbon Fiber Hard Hat is a full brim, carbon fiber reinforced resin hard hat offering a six-point suspension system for superior comfort and impact protection

- Carbon fiber reinforced resin shell provides superior structural rigidity.
- Brim grip, exclusive design provides a secure feel
- Perforated synthetic leather comfort dome with molded EVA foam insert for additional shock absorbing protection to the top of head
- Oversized ratcheting fitment dial to adjust size, easy to grip and use with gloves on



CLICK HERE FOR A QUICK VIDEO!

DAX CARBON FIBER FULL BRIM HARD HAT

BLACK | PART# LIFTS HDC-15KG

The Carbon Fiber Hard Hat is a full brim, carbon fiber reinforced resin hard hat offering a six-point suspension system for superior comfort and impact protection

- Perforated synthetic leather comfort dome with molded EVA foam insert for additional shock absorbing protection to the top of head
- Carbon fiber reinforced resin shell provides superior structural rigidity
- Brim grip, exclusive design provides a secure feel
- Oversized ratcheting fitment dial to adjust size, easy to grip and use with gloves on



CLICK HERE FOR A QUICK VIDEO!



HELIX® 2065 GLOVES PART# HEXA 2065 (XS-XXXL)

Full flat nitrile coating offers 360-degrees of water resistance and ANSI/ISEA Level A3 cut protection

- Seamless construction of 13-gauge HPPE, fiberglass, and nylon blend shell for enhanced comfort and breathability
- Flexible sandy nitrile palm coating provides superior grip and abrasion resistance while also offering dexterity and tactility
- Knit wrist helps prevent dirt and debris from entering the glove
- Launderable for extended life



BUY NOW

HexArmor

RIG LIZARD® THIN LIZZIE™ 2095 GLOVES

PART# HEXA 2095 (S-XXXL)

The Rig Lizard® 2095 is HexArmor's latest glove innovation in the popular Rig Lizard® series

- Back-of-hand IR-X® Impact Exoskeleton™ with high-flex design keeps hands safe from smash and impact hazards; providing workers with ANSI/ISEA 138 Level 1 impact protection
- Reinforced thumb saddle • Launderable
- Coating: PU palm coating provides superior grip and abrasion resistance



BUY NOW



CLICK HERE FOR A QUICK VIDEO!

HELIX® 1070 GLOVES PART# HEXA 1070 (S-XXXL)

Helix® Series Gloves offer a wide variety of grip options to provide users with the appropriate grip for the task at hand

- Seamless construction for enhanced comfort and breathability
- Knit wrist helps prevent dirt and debris from entering the glove
- Silicone-free
- Microfoam nitrile palm coating provides superior grip and abrasion resistance



BUY NOW



CLICK HERE FOR A QUICK VIDEO!

HELIX® 2062 WITH CORE9™ TECHNOLOGY GLOVES


PART# HEXA 2062 (S-XL)

Core9™ 13-gauge HPPE, steel, and fiberglass blend shell for industry-leading 360-degree ANSI/ISEA Level A9 cut protection

- Hi-vis on back-of-hand enhances visibility and compliance
- Knit wrist helps prevent dirt and debris from entering the glove
- Seamless construction for enhanced comfort and breathability
- Flexible sandy nitrile palm coating provides superior grip and abrasion resistance



BUY NOW



CLICK HERE FOR A QUICK VIDEO!



RIG LIZARD® THIN LIZZIE™ THERMAL 2091 GLOVES PART# HEXA 2091 (XS-XXL)

The cold weather version of HexArmor's popular Thin Lizzie 2090, this glove is designed to offer protection from extreme cold, cuts, abrasions and impacts, while maintaining flexibility and dexterity



HexArmor

- 13-gauge acrylic and glass fiber blend shell offers 360° degree cut protection while allowing maximum dexterity
- Fleece lining for warmth and insulation
- Flexible sandy nitrile palm coating provides superior grip and abrasion resistance
- IR-X® Impact Exoskeleton™ with high-flex design protects against forceful blows to the back-of-hand; providing workers with ANSI/ISEA 138 Level 1 impact protection



CLICK HERE FOR A QUICK VIDEO!

HELIX® 2076 GLOVES PART# HEXA 2076 (S-XXXL)

Helix® Series Gloves offer a wide variety of grip options to provide users with the appropriate grip for the task at hand



- 13-gauge HPPE and steel fiber blend shell offering 360° cut protection
- Flexible polyurethane palm coating provides superior grip and abrasion resistance
- Knit wrist helps prevent dirt and debris from entering the glove
- Seamless construction for enhanced comfort and breathability
- ANSI/ISEA level A6 cut protection

CHROME SERIES® 4032 GLOVES PART# HEXA 4032 (S-XL)

Chrome Core™ 4032 has a SuperFabric® brand material interior palm layer with ANSI cut level A8 and CE Level 5 cut resistance, and a synthetic leather outer layer for increased grip in wet and dry situations



CLICK HERE FOR A QUICK VIDEO!

- Made with SuperFabric® brand launderable material for some of the highest cut-resistance available in the industry, with level A8 cut resistance
- Oil and abrasion-resistant synthetic leather palm enhances grip in dry and light oil applications, while providing dexterity to utilize tools and equipment



CHROME SERIES® 4080 GLOVES PART# HEXA 4080 (XS-XXXL)

SuperFabric® brand material palm provides ANSI/ISEA Level A8 cut resistance for some of the highest cut-resistance available in the industry (interior layer)



CLICK HERE FOR A QUICK VIDEO!

- Hi-vis back-of-hand impact protection system utilizes an advanced design to dissipate forceful blows over a large area; providing wearers with ANSI/ISEA 138 Level 1 impact protection
- Goatskin leather provides a traditional style of comfort and grip
- Velcro® cuff for a comfortable and precise fit





RIG LIZARD® FLUID 7102 GLOVES PART# HEXA 7102 (S-XXXL)


With a full double-dip for fluid and water resistance over an HPPE and fiberglass shell, this Rig Lizard® Series Glove is equipped for some of the toughest jobs on site

- 13-gauge high-performance polyethylene and glass fiber blend shell
- ANSI/ISEA Level A3 cut resistance
- Back-of-hand IR-X® Impact Exoskeleton™ with high-flex design provides workers with ANSI/ISEA 138 Level 1 impact protection
- Sandy nitrile palm dip provides superior grip and abrasion resistance



BUY NOW

HexArmor



CLICK HERE FOR A QUICK VIDEO!

BANDIT® 5043 HEAVY DUTY GLOVES

PART# HEXA 5043 (XS-XXL)

Built to handle the most extreme occupational hazards, HexArmor® Heavy Duty Gloves are built from the inside out, with technologies that provide industry-leading cut and industrial puncture resistance

- Critical seams reinforced along the thumb and bottom edge for extra protection
- Flexible extended canvas safety cuff with adjustable Velcro® closure on the palm side
- High-performance Corecept® technology provides industrial puncture protection from wires, metal, wood, and glass (interior layer)
- Surface-treated premium cowhide leather



BUY NOW



CLICK HERE FOR A QUICK VIDEO!

HEX1® 2131 GLOVES PART# HEXA 2131 (XS-XXXL)

Hex1® Gloves are made with the same high-quality materials as our high-performance safety gloves and perform better than any mechanic's glove you've ever worn

- Full back-of-hand impact protection against bumps and tool slips
- Reinforced index finger and thumb saddle
- Durable TP-X® palm with reinforced stitching
- Neoprene cuff with Velcro® closure
- Nametag on palm side of cuff for easy differentiation and identification



BUY NOW

HELIX® CORE 3020 GLOVES PART# HEXA 3020 (XXS-XXL)

Helix® Series Gloves are tightly-knit with strong yet extremely dexterous fibers that offer industry-leading cut protection and abrasion resistance

- 15-gauge HPPE, steel, fiberglass blend shell
- Flexible polyurethane palm coating provides superior grip and abrasion resistance
- Knit wrist helps prevent dirt and debris from entering the glove
- Seamless construction for enhanced comfort and breathability
- Touchscreen capabilities



MORE INFO HERE



LENS CLEANING WIPES

PART# HEXA 14-10008

Individually sealed, anti-static cleaning wipes for all lens types

BUY NOW

- 100 per box • Individually wrapped • Pre-moistened
- Recommended with HexArmor Eyewear for improved anti-fog/anti-scratch longevity



HexArmor

CEROS® XP450A SAFETY HELMET


PART# HEXA 16-14007 (BLACK)

The HexArmor® Ceros® family of safety helmets brings you a technologically advanced safety helmet for all workers.

- Type I, Class C Safety Helmet
- Constructed of premium HDPE material
- Pre-assembled six-point AirBridge® suspension system
- SwiftLock® one-hand-turn wheel ratchet
- Adjustable HexVent® airflow system with three vents for maximum ventilation



MORE INFO HERE



CLICK HERE FOR A QUICK VIDEO!

MX300 MODERN SAFETY EYEWEAR, CLEAR LENS

PART# HEXA 11-13001-02

Sleek, modern style with maximum protection and comfort

- Modern wraparound style offers a wide field of vision
- LTX® Lens Technology for premium optical clarity
- Dual-injection soft-grip side arms for slip-free, stable fit
- Innovative brow guard provides additional protection from flying particles, dirt, or dust



BUY NOW



CLICK HERE FOR A QUICK VIDEO!

9" CUT RESISTANT SLEEVE PART# HEXA AG10009S (S-L)

Innovative industrial puncture protection from wires, metal, wood, and glass over entire forearm

- Made with SuperFabric® brand material for some of the highest cut-resistance available on the market, ANSI/ISEA Level A7 and CE Level 5
- Won't fall down like knit sleeves, lightweight and cooler than knit or leather alternatives
- Lasts 13 times longer than competitive sleeves
- Spandex wrist insert with thumbhole

BUY NOW



CLICK HERE FOR A QUICK VIDEO!



SAFETY FACE SHIELD, CLEAR PART# CREWS 181640

MCR Safety's Headgear and Face Shields offer superior protection from liquid splashes and flying debris that would otherwise be damaging to the face

BUY NOW

- .042 inches thickness
- Aluminum bound for adjustability
- Face shield - clear PETG material
- Measure 8 Inches x 16 Inches



DOUBLE MATRIX SERIES ADJUSTABLE HEADGEAR WITH SUSPENSION PART# USSS 483000

Headgear for Double Matrix Face Shields (FACE SHIELD NOT INCLUDED)

BUY NOW

- Head Gear for Double Matrix face shields
- Ratchets to fit
- Rugged polycarbonate material



BEARKAT® BK1 SERIES SAFETY GLASSES WITH CLEAR LENS

PART# CREWS BK110

The BearKat® BK1's super well-thought-out construction combines the best in safety, comfort, and affordability

- ANSI Z87+ and CSA Z94.3
- Exclusive Duramass® scratch resistant coating
- Lightweight frames (25 grams) are comfortable and easy to wear
- Non-Slip soft temple material
- Rugged polycarbonate lens filters 99.9% of harmful UV rays



BUY NOW

TC1 SERIES CLEAR WRAP AROUND LENS SAFETY GLASSES

PART# CREWS TC110

With the MCR Safety TC1 Series you get low cost protection without giving up quality, safety, comfort or durability.

BUY NOW

- Clear lens with black temples
- Single lens design
- Spatula temple with extendable adjustment
- Wrap around lens offers excellent coverage





SWAGGER® RP1 SERIES BLACK SAFETY GOGGLE WITH GRAY LENSES PART# CREWS RP112AF

AV-AF® Anti-Fog Coated Lenses Foam Lined with Adjustable Strap

BUY NOW



CLICK HERE FOR A QUICK VIDEO!



- Elastic Strap is Latex Free
- Soft, secure TRP nose piece
- UV-AF® Anti-Fog Coating
- Hook and Loop adjustable strap for a secure fit
- Removable foam gasket blocks debris and small particles

HK3 SERIES CLEAR MAX6® ANTI-FOG FOAM LINED LENSES PART# CREWS HK310PF

Generous lens offers an outstanding orbital seal and prevents hazards from threatening one of your most treasured belongings - your eyesight

BUY NOW



CLICK HERE FOR A QUICK VIDEO!

- Excellent orbital seal for eye protection
- Foam lining is latex-free
- Lightweight, contoured frameless design
- Non-slip soft bayonet temple
- Passes ANSI Z87.1 anti-fog test

KLONDIKE® KD3 SERIES BIFOCAL READERS SAFETY GLASSES, 2.5 DIOPTR CLEAR PART# CREWS K3H25

The KD3 Magnifier temples feature a five-position ratcheting system for a personal custom fit and will also adjust to become longer or shorter as you need

BUY NOW



- Adjustable, five-position, ratchet-action, spatula temple
- Black matte finish for great look
- Clear, gray, and amber lens options
- Soft comfortable nose piece

LAW® LW3 SERIES CLEAR SAFETY GLASSES W/ GRAY ANTI-FOG LENS PART# CREWS LW312AF

This lightweight and fashionable wrap-around lens design offers an excellent orbital seal and a higher level of protection from side impacts due to its greater coverage area

BUY NOW



- Anti-fog lens coating
- Dielectric, no metal parts
- Provides increased protection from small particles and debris
- Thermal Plastic Rubber (TPR) temple inserts and nose pads enhance grip and comfort
- Single lens design with integral side shields for greater orbital seal



NINJA® ICE INSULATED WORK GLOVES PART# MEM N9690

The Ninja® Ice N9690 features a 15 gauge black nylon shell with a 7 gauge acrylic terry interior liner and black HPT-coated palm and fingertips

- Encapsulated Air Molecules provide a cushioning effect to minimize impact
- HPT Coating provides an anti-wet treatment that keeps the liquids away from the glove
- Coating remains soft in temperatures as low as -4° F
- The porous HPT coating with Anti-Wet treatment repels liquid for an unprecedented firm grip in wet or dry conditions
- Treated with ActiFresh® to help control bacteria and odor



BUY NOW



CLICK HERE FOR A QUICK VIDEO!

NINJA® LITE WORK GLOVES

PART# MEM N9696

The Ninja® Lite features an 18 gauge blue nylon shell and black PU coated palm and fingertips

- 18 gauge athletic grade nylon shell
- 30% lighter for greater tactile sensitivity
- Excellent dexterity • Latex-free • Feather-light, second skin feeling



BUY NOW



CLICK HERE FOR A QUICK VIDEO!

CUT PRO® DYNEEMA® CUT RESISTANT WORK GLOVES

PART# MEM 9672HVG | Size Large

The 9672HVG features a 13 gauge salt and pepper color DSM Dyneema® Diamond Technology shell with a hi-vis green latex coating on the palm and fingertips

- 13 Gauge Dyneema® Diamond Technology salt & pepper shell
- Cool and comfortable • Excellent dexterity and grip
- Hi-vis green Latex coated palm and fingertips • Treated with ActiFresh®



BUY NOW

COTTON STRING KNIT WORK GLOVES

PART# MEM 9660 | Size Large

The 9660 features a 7 gauge bleached white cotton/polyester shell with PVC dots on both sides of the glove

- 7 gauge bleached white • 70% Cotton / 30% polyester shell
- Color coded hem to identify sizes
- PVC coatings provide more abrasion resistance and grip



BUY NOW



CUT PRO® ARX® ARAMID SHELL WORK GLOVES

PART# MEM 9828PU

The 9828PU features a seamless 18 gauge green ARX® aramid shell with a durable gray PU coated palm and fingertips

- Good abrasion resistance and grip
- Gray PU palm and finger coating
- Light weight glove with excellent cut resistance



CUT PRO® ORANGE KEVLAR® SHELL CUT RESISTANT WORK GLOVES

PART# MEM 9178NFO

The 9178NFO features a patent-protected, high-visibility orange DuPont™ Kevlar® engineered yarn

- High Visibility orange enhances safety awareness
- Light weight seamless shell provides dexterity and comfort
- Orange nitrile foam coating allows for tacky grip and sense of touch
- Patent-protected, high visibility orange DuPont™ Kevlar® engineered yarn
- Touchscreen glove



WHITE INSPECTORS GLOVES

PART# MEM 8620C

The 8620C is medium weight 100% cotton, reversible and hemmed

- Breathable fabric helps hands cool
- Comfortable and light weight
- Medium weight 100% cotton
- Reversible and hemmed
- Straight thumb



CUT PRO® DYNEEMA® CUT RESISTANT SLEEVES WITH THUMB SLOT

PART# MEM 9318D10T

The 9318D10T is a 10 gauge Dyneema® cut resistant sleeve with thumb hole and is 18 inches in length

- Cool and comfortable
- Good abrasion resistance
- Launderable
- Upper arm gusset
- Made with FDA-accepted materials for use in food processing applications





45" NAVY WESTEX™ ULTRASOFT® LAB COAT PART# STEG NBU7 9376-45 A



STEEL GRIP INC.

7oz. Navy Blue 88/12 Material Construction

- Hazard risk category 2
- 8 cal arc rating
- 45" length with split tail
- Covered snap front closures



NAVY BLUE WESTEX™ ULTRASOFT® COVERALL

PART# STEG NBU9 9300 B01

9oz. Navy Blue WESTEX™ UltraSoft® Plain Back Coverall

- Hazard risk category 2
- Arc rating 12.4 cal/cm²
- Covered two-way zipper closure
- Lay down collar
- NOMEX® wristlets



HRC2 FR COTTON KNIT HOOD

PART# STEG CTK 2310 N

Cotton Knit Hood Available in Multiple Sizes

- Hazard risk category 2
- 12 cal arc rating
- 100% cotton FR hood
- FR and launderable
- 1-ply top with 1-ply bib



ARC GEAR HOOD WITH COOLING SYSTEM

PART# STEG AGW40H-A

40 cal/cm² Hood w/ Cooling System

- Hazard risk category 4
- Double-layer WESTEX UltraSoft® construction
- Patented battery powered cooling system (8 AA batteries included) produces 80 cfm of air for comfort in hot environments and decreases lens fogging
- Hood may be used with or without cooling system
- Replaceable tinted lens with anti-fog coating





ENDURA® WINTER DRIVERS GLOVE

PART# SUPA 378GOBTKL | Size Large

Endura® Kevlar®-Lined Waterstop™/Oilbloc™ Winter Goat-Grain Drivers Glove

- Goatskin is exceptionally tough and abrasion resistant with a high strength-to-weight ratio
- Seamless-knit, cut-resistant Kevlar® lining for excellent cut protection
- Goat-grain leather treated with Oilbloc™ for unbeatable oil and water resistance
- 100 gram Thinsulate™ lining for excellent warmth to -15°C (5°F) without the bulk
- Arc flash testing placed these gloves at level 4, with an Arc Thermal Performance Value (ATPV) of 52 cal/cm²



CLUTCH GEAR® MECHANICS GLOVE PART# SUGW MXGKGHV | Size Large

Hi-Viz Mechanics Glove with Goat-Grain Palms

- Goat-grain palms provide amazing abrasion resistance and added durability
- Leather wraps around finger tips to eliminate seam placement in traditional wear areas for increased lifespan
- Kevlar® and composite filament fiber lining for 2412 grams (ANSI level A5) of cut protection
- Wide elastic wrists with hook and loop closure tabs at the back means you can adjust these gloves for a snug, comfortable fit that keeps debris out



COOL GRIP® STRING-KNIT GLOVE

PART# SUGW SPFGSS | Size X-Large

Salt and Pepper String-Knit Glove with Heat-Resistant Silicone Strips

- This 7-gauge, single-layer glove is the perfect balance between high-heat resistance and dexterity
- Blend of polyester and composite filament fiber for excellent heat and cut resistance
- Silicone strips along the palm increase grip and heat resistance
- Rated for time to pain of 19 seconds at 315°C (600°F)



COOL GRIP® PLASTIC-INJECTION SAFETY GLOVE PART# SUGW SPGRK/A | Size Large

Cut and Heat-Resistant Plastic-Injection Molding Trimming Glove

- High heat protection up to 260°C or 500°F
- Designed specifically for the plastic-injection molding industry
- Glove-within-a-glove design traps air, insulates better, longer
- Featuring a blend of yarns that deliver extended thermal-heat resistance, plus 360° cut protection





TENACTIV™ COMPOSITE-KNIT CUT-RESISTANT GLOVE PART# SUGW STACXPNT | Size 8

Composite-Knit Cut-Resistant Glove with Reinforced Thumb and Micropore Nitrile Grip

- TenActiv™/HPPE/steel/composite filament fiber blend provides excellent cut resistance
- Micropore nitrile coating does not absorb oils and liquids so hands stay dry
- Craters act like tiny suction cups to improve grip in wet and oily conditions
- Contains spandex in its composition for impressive comfort and tactile sensitivity



TENACTIV™ CUT-RESISTANT SLEEVE PART# SUGW KTAG1T18

Stay-Cool Cut-Resistant Sleeves with STAYz-UP™ Armbands

- 18" without thumbhole
- Sleeves protect entire arm against cut, abrasion and dirt
- Sleeves stay cool for all-day comfort
- STAYz-UP™ armbands hold sleeves in place for full arm coverage



ENDURA® TIG WELDER GLOVE

PART# SUGW 370GFKLL | Size Large

Goatskin TIG Welder with Kevlar® Lining

- Hand portion of glove is lined with cut-and-sewn fine-gauge Kevlar® interlock knit for 360° cut protection and a precise fit that won't interfere with touch sensitivity
- Fully Kevlar® sewn throughout for heat resistance and seam integrity
- Wide-fitting split-cowhide gauntlet cuffs are gusseted for easier donning
- Goatskin is incredibly durable and tough, while still maintaining the highest tensile strength



ENDURA® CUT-RESISTANT DRIVER GLOVES

PART# SUPA 378GOBKL | Size Large

Cut-Resistant Oilbloc™ Goat-Grain Arc-Flash Driver Gloves

- High tensile strength goatskin provides outstanding abrasion resistance
- Treated with Oilbloc™ for unbeatable oil and water resistance
- Made with DuPont™ Kevlar® fiber for 360° cut protection
- Driver style slips on easily and has elastic backs for snug fit





CHEMSTOP™ PVC GLOVES

PART# SUGW S15KGV30N | Size 9

Extreme Comfort PVC Gloves with Aramid Fiber Liner and Full Nitrile Coating

- Black nitrile coating with texturized surface provides excellent grip by displacing oil on slippery surfaces
- Fully aramid-lined for 360° cut protection
- Red PVC base coating resists a wide variety of chemicals and solvents
- Unparalleled comfort, dexterity, and tactile sensitivity for a chemical-resistant glove



CLUTCH GEAR® MECHANICS GLOVE

PART# SUGW MXHVPB | Size Large

Aramid Cut and Flame-Resistant Hi-Viz Mechanics Glove Lined with Punkban™

- Punkban™ offers puncture protection in a woven material by spinning and weaving Dupont™ Kevlar® fiber
- PVC Sure Grip® palm patches
- Soft fabric patch on the thumb for wiping sweat
- Back of the cuffs are elasticized for a snug fit
- Tested for protection from hypodermic needles



EMERALD CX® COMPOSITE KNIT GLOVES

PART# SUPA S13CXPNT | Size Large

Kevlar® Composite Knit Gloves with Micropore Nitrile Palms

- 13-gauge blend of Kevlar® and stainless steel Wire-Core™
- Micropore nitrile palm coating does not absorb oils and liquids so hands stay dry
- Craters act like tiny suction cups to improve grip in wet and oily conditions
- Nitrile thumb crotch reinforcement to reduce wear in critical areas
- Touchscreen compatible



CONTENDER™ COMPOSITE-KNIT SLEEVE PART# SUGW K1T2E22TH | Size Medium

Aramid Cut-Resistant Composite-Knit Sleeves with Wide Bicep Elastic

- Abrasion resistant
- Tapered fit with thumbhole
- Aramid-encased, composite filament fiber yarn
- Tapered fit and wide elastic band at bicep increases comfort while preventing slippage





1005 DISPOSABLE GLOVES

PART# BEST 1005 | Size Large

These thin gloves are outstandingly strong without compromising on finger sensitivity or tactile precision

- 100% natural rubber latex
- Rolled Cuff
- Lightly powdered
- Thin palm material



SHOWA

BUY NOW

S-TEX® GENERAL PURPOSE GLOVES

PART# BEST 377 | Size Large

Designed for optimal cut and abrasion resistance, the S-TEX 377 Cut Protection Glove features a high-performance S-TEX® liner with Hagane Coil™ technology

- Hagane Coil® technology
- Fully coated, with an extra foamed nitrile finish on palm
- Ergonomic
- Foam grip

BUY NOW



4561 CUT PROTECTION GLOVE

PART# BEST 4561X | Size Large

The 4561 Cut Protection Glove is engineered to endure. Its DuPont™ Kevlar® cut-resistant liner offers cut, abrasion, and flame resistance without sacrificing comfort or precision

- Liner made with Kevlar®
- Ergonomic
- Elasticated wrist cuff

BUY NOW



540 CUT-RESISTANT GLOVE PART# BEST 540 | Size Large

Reinforced with HPPE, the 540 Cut-Resistant Glove is highly-durable yet fits and feels like a second skin

- HPPE reinforced
- Elasticated wrist cuff
- Polyurethane coating
- Soft liner
- Ergonomic

BUY NOW





6112PF BIODEGRADABLE SINGLE-USE GLOVE

PART# BEST 6112PF | Size Large

The versatile, 6112PF biodegradable single-use glove prioritizes sensitivity and dexterity

- Eco Best Technology® (EBT)
- Ergonomic
- Lightweight
- Unsupported
- Powder-free

BUY NOW



SHOWA

730 CHEMICAL-RESISTANT GLOVE PART# BEST 730 | Size Large

Prioritizing grip and comfort, the SHOWA 730 Chemical-Resistant Gloves are designed with performance in mind

- 100% Nitrile
- Forearm protection
- Chemical-resistant
- Oil-resistant
- Impermeable

BUY NOW



7500PF DISPOSABLE GLOVE PART# BEST 7500PF | Size Large

Engineered with SHOWA's revolutionary Eco Best Technology® (EBT), the SHOWA 7500PF Disposable Glove is biodegradable, achieving 82% biodegradation in 386 days in a laboratory

- Disposable
- Biodegradable
- Powder-free, latex-free, silicone-free
- Eco Best Technology® (EBT)
- 100% nitrile

BUY NOW



451 THERMAL-INSULATED GLOVE PART# PERF 451 | Size Large

Created with warmth in mind, our 451 thermal-insulated gloves are designed to be worn in cold weather

- Thermal insulation
- Abrasion-resistant
- Rough grip
- Elasticated wrist cuff
- Natural rubber palm coating

BUY NOW





S-TEX 581 CUT-RESISTANT GLOVE

PART# BEST S-TEX581 | Size Large

Durability meets comfort with SHOWA's S-TEX 581 Cut-Resistant Gloves

- Microporous nitrile coating
- Liner made with Kevlar®
- Cut-resistant, oil-resistant, abrasion-resistant
- Extra grip



SHOWA

910 CUT-RESISTANT GLOVE PART# BEST 910 | Size Large

Engineered with stainless steel and HPPE, the SHOWA 910 Cut-Resistant Glove provides high-performance protection from cuts

- Cut-resistant
- Machine washable
- Stainless steel reinforced
- Ambidextrous
- HPPE reinforced



341 GENERAL PURPOSE GLOVE

PART# BEST 341 | Size Large

The natural rubber coating on the palm is water-resistant to ensure these hard-wearing gloves are highly tactile, even in wet environments

- Rough grip
- Ergonomic
- Elasticated wrist cuff
- Latex palm dipped coating



747 CHEMICAL-RESISTANT GLOVE 19" PART# BEST 747 | Size Large

The SHOWA 747 Chemical-Resistant Glove features a 19"/480mm gauntlet to provide extended protection from a broad range of hazards

- Forearm protection
- Chemical-resistant
- Oil-resistant
- Impermeable
- 100% nitrile





TRADESMAN PRO™ ELECTRICIAN'S TOOL BELT, LARGE PART# KLN 55428

Removable pouches allow you to carry only the tools you need

- Wide open pockets for tools, drills and spare parts
- Padded belt with mesh interior is breathable and comfortable
- Fits a 35" to 39" (89cm to 99cm) waist
- Drill bit pocket, loop tape measure and hammer holders



KLEIN TOOLS
For Professionals... Since 1857™

BUY NOW

HARD HAT, PREMIUM KARBN™ PATTERN, NON-VENTED FULL BRIM, CLASS E, LAMP

PART# KLN 60346

Hard Hat has stylish, modern, durable hydro-dipped polymer film KARBN pattern on rugged PC/ABS composite

- Tested up to 20kV, this Class E Type 1 hard hat meets ANSI Z89.1-2014, CSA Z94.1-15, EN397:2012+A1:2012-5.2.4 (Lateral deformation-LD), EN 12492:2012-4.2.1.2, 4.2.1.3, 4.2.1.4 (Front/Back/Side Impact)
- Patent-pending accessory slots on front and back ensure optional Klein headlamps attach securely and precisely, every time — no straps or zip ties needed
- Machine washable breathable, padded sweat-wicking sweatband and top pad improve comfort with advanced evaporative technology — simply wet and shake, for hours of cooling
- Easy, one-handed adjustment with large knob ratchet mechanism even with gloves on, and soft neck pad that pivots to clear bandana knots and ponytails
- This model includes Klein Rechargeable Headlamp (Cat No. 56048) with charging cable

BUY NOW



CLICK HERE FOR A QUICK VIDEO!



HARD HAT, PREMIUM KARBN™ PATTERN, VENTED FULL BRIM, CLASS C, LAMP PART# KLN 60347

Hard Hat has stylish, modern, durable, hydro-dipped polymer film KARBN pattern on rugged PC/ABS composite

- Class C, Type 1 hard hat with large adjustable vents meets ANSI Z89.1-2014, CSA Z94.1-15; EN397:2012+A1:2012-5.2.4 (Lateral Deformation-LD); EN 12492:2012-4.2.1.2, 4.2.1.3, 4.2.1.4 (Front/Back/Side impact)
- Patent-pending accessory slots on front and back ensure optional Klein headlamps attach securely and precisely, every time — no straps or zip ties needed
- Adjustable vents can be opened or closed for maximum air circulation while meeting stringent safety standards
- This model includes Klein Rechargeable Headlamp (Cat. No. 56048) with charging cable

BUY NOW





18" ENVIRO-CONE® 3LB. W/ 6" REFLECTIVE COLLAR

PART# VIZCON 16018-HIWB-3

The Enviro-Cone® has outstanding performance in weather extremes vs. the standard PVC Cone

BUY NOW

- 80% recycled by weight • Nearly 80% of the weight is in the base
- Superior cold and hot weather performance
- Quality 3M reflective collars assure superior performance in low light and nighttime conditions
- Excellent "gription" for quick deployment and retrieval

VizCon

The Visibility Connection

A Division of **TraFFix Devices Inc.**



28" ENVIRO-CONE® 7LB. W/ 6" & 4" REFLECTIVE COLLARS

PART# VIZCON 16028-HIWB-7

The Enviro-Cone® is the future of traffic cones: MUTCD Compliant, 80% recycled by weight, and can easily be recycled again if the cone is damaged or destroyed

BUY NOW

- The Enviro-Cone® stands tall and vertical in the hottest road conditions
- Manufactured from low density polyethylene, the Enviro-Cone® provides superior cold weather performance. No cracking or breaking down to -25°F
- Quality 3M reflective collars assure superior performance in low light and nighttime conditions
- Excellent "gription" for quick deployment and retrieval



42" LOOPER-TUBE® W/ TWO 3" REFLECTIVE BANDS & 12" BASE

PART# VIZCON 46133-TRU12-HIP

The unique "loop" style handle makes grabbing and moving the Looper-Tube® a breeze!

- Made of flexible low density polyethylene
- Bright orange color molded throughout
- UV inhibitors to minimize fading
- Grabber handle patented design allows for easy movement

BUY NOW



TRAFFIX 24" x 24" STOP/SLOW PADDLE ALUMINUM 6' PLASTIC HANDLE

PART# VIZ 18024-SS-HI6P

Traffix Stop/Slow Paddles are made from durable, lightweight aluminum with no sharp edges

BUY NOW

- High-intensity prismatic reflective for greater visibility
- Ideal for use in short term work zones
- Meets MUTCD requirements





MX4® VENTIS

MULTI-GAS MONITOR

LEARN
MORE

The Ventis® MX4 is a four-gas monitor with the portability and size of a single-gas monitor. Eliminate the need for extra monitors and transition seamlessly from personal monitoring to confined space entry with the Ventis® Slide-on Pump—ideal for operators who wear their gas monitors primarily for personal protection but occasionally require a pump for confined space entries.

- Detect up to four gases with a wide range of sensor options
- Select alarm set points, set latch alarms, disable instrument shutdown while in alarm, and more
- Save time and reduce human error with maintenance and usage data available from iNet Control software
- Available with or without an integral pump, or with the Ventis Slide-on Pump for ultimate flexibility
- Non-pumped instruments compatible with 12-hour, 18-hour or 20-hour batteries



INDUSTRIAL SCIENTIFIC

SPECIFICATIONS*

WARRANTY

Monitor, pump (if applicable), CO, H₂S, O₂, and LEL sensors have a four-year warranty. All other sensors and batteries are warranted for two years.

CASE MATERIAL

Polycarbonate with protective rubber overmold

DIMENSIONS

103 x 58 x 30 mm (4.1 x 2.3 x 1.2 in) without Pump, Lithium-ion battery version
172 x 67 x 66 mm (6.8 x 2.6 x 2.6 in) with Pump, Lithium-ion battery version

WEIGHT

182 g (6.4 oz) without Pump, Lithium-ion battery version
380 g (13.4 oz) with Pump, Lithium-ion battery version

POWER SOURCE/RUN TIME

Rechargeable Slim Extended Lithium-ion Battery
(18 hours typical @ 20 °C) without Pump
Rechargeable lithium-ion battery
(12 hours typical @ 20 °C) without Pump
Rechargeable Extended-Range Lithium-ion Battery
(20 hours typical @ 20 °C) without Pump
(12 hours typical @ 20 °C) with Pump
Replaceable AAA Alkaline Battery
(8 hours typical @ 20 °C) without Pump
(4 hours typical @ 20 °C) with Pump

ALARMS

Ultra-bright LEDs, loud audible alarm (95 dB at 30 cm), and vibrating alarm

DISPLAY/READOUT

Backlit Liquid Crystal Display (LCD)

TEMPERATURE RANGE

-20 °C to 50 °C (-4 °F to 122 °F)**

HUMIDITY RANGE

15% to 95% non-condensing (continuous)

SENSORS AND MEASURING RANGES

Combustible Gases:	0-100% LEL in 1% increments
Methane (CH ₄):	0-5% of vol in 0.01% increments
Oxygen (O ₂):	0-30% of vol in 0.1% increments
Carbon Monoxide (CO):	0-1,000 ppm in 1 ppm increments
Hydrogen Sulfide (H ₂ S):	0-500 ppm in 0.1 ppm increments
Nitrogen Dioxide (NO ₂):	0-150 ppm in 0.1 ppm increments
Sulfur Dioxide (SO ₂):	0-150 ppm in 0.1 ppm increments

SUPPLIED WITH MONITOR

Calibration Cup (without Pump), Sample Tubing (with Pump)

*These specifications are based on performance averages and may vary by instrument.

** Operating temperatures above 50 °C (122 °F) may cause reduced instrument accuracy. Operating temperatures below -20 °C (-4 °F) may cause reduced instrument accuracy and affect display and alarm performance. See Product Manual for details.



FISH TAPE 200-FOOT PART# KLN 56059

Multi-Groove Fiberglass Fish Tape 200-Foot

- Multiple grooves molded into the fish tape provides less friction in conduit with or without wires for smoother tape feeding
- Non-conductive fish tape and eyelet tip offer added protection against shock from energized sources
- The 17" case diameter means you can reel in 10% more tape in a single revolution vs. a 16" case
- Raised finger grips help transfer 100% of the winding power from your hand and fingers



CLICK HERE FOR A QUICK VIDEO!

SOLID & STRANDED COPPER WIRE STRIPPER & CUTTER PART# KLN 11055

Cuts, strips and loops 10-18 AWG Solid and 12-20 AWG Stranded wire and cleanly shears 6-32 and 8-32 shears

- Precision ground stripping holes
- Made in the USA
- Holes for looping and bending wire
- Strong-gripping serrated nose for easy bending, shaping, and pulling of wire



CLICK HERE FOR A QUICK VIDEO!

SCREWDRIVER SET, SLOTTED & PHILLIPS, 5 PC.

PART# KLN 85075

These screwdrivers are a general-purpose selection of the most frequently used screwdriver tips and sizes

- Screwdriver Set includes two cabinet-tip, one Phillips-tip, and two keystone-tip screwdrivers
- Internal flanges inside handle provide solid, twist-resistant blade anchor
- Cushion-Grip handle for greater torque and comfort and premium chrome-plated for smooth feel and corrosion resistance



ALL-IN-1 PRECISION SCREWDRIVER SET WITH CASE PART# KLN 32717

Precision screwdriver set includes 39 bits for various applications including repair of most Apple® products

- Powerful magnets inside barrel to better retain bits, as well as pick-up and hold fasteners
- Reversible barrel has standard and extended-reach ends
- Compact carrying case features a stay-shut latch and extra-long bits for easier access
- Spin cap offers optimum and precise control
- Industrial-strength heat treated bits



CLICK HERE FOR A QUICK VIDEO!



8-IN-1 INSULATED INTERCHANGEABLE SCREWDRIVER SET PART# KLN 32288

Five interchangeable, insulated blades with carrying pouch

- Includes tip sizes: two #2 Phillips, two 1/4-Inch Slotted, one #1 Phillips, one #1 Square, one #2 Square, and one 3/16-Inch Slotted
- Handle and blade have 1000-Volt insulation rating and meet or exceed ASTM F1505 standard for insulation
- Interchangeable blades with a slim-tip to fit tight terminal blocks
- A layer of orange impact and flame resistant insulation protects from electric shock



CLICK HERE FOR A QUICK VIDEO!

1/2" RATCHETING CONSTRUCTION WRENCH, 15" PART# KLN 3238

Eliminates the need for carrying several fixed-size wrenches

- Accepts 1/2-Inch square-drive hex socket
- Reversible ratchet
- Industrial black finish for corrosion resistance
- Forged in the USA from select alloy steel with continuous-taper handle for aligning bolt holes



KLEIN-KURVE® WIRE STRIPPER/CUTTER, 8-20 AWG

PART# KLN K11095

Wire Stripper with six precision ground stripping holes for 8-18 AWG Solid and 10-20 AWG Stranded wire

- Dual wire looping holes
- Narrower head geometry gets into hard to reach places
- Screw shearing holes for 6-32 and 8-32 bolts and precision, shear-like blades that provide clean cuts



CLICK HERE FOR A QUICK VIDEO!

SLIM-HEAD IRONWORKER'S PLIERS COMFORT GRIP, AGGRESSIVE KNURL, 9-INCH PART# KLN M2017CSTA

Slim-Head Ironworker's Pliers twist and cut soft annealed rebar tie wire

- Soft, cushioned grip for repeated hardwire cutting



CLICK HERE FOR A QUICK VIDEO!

COMFORT GRIP KIT FOR SLIM-HEAD IRONWORKER'S PLIERS, 2-PACK

PART# KLN M200ST

Fits the straight handle of Klein's Slim-Head Ironworker's Pliers (Cat. No. 201-7CST)

- Heat shrink band keeps grip in place



- Extended ribs help maintain control by minimizing hand travel up the plier handle
- Grip extends beyond plier handle to provide air pocket for increased user comfort
- Textured grip for improved dexterity and quick grip placement
- Better overall hand-feel and ergonomics



PIPE SAW KIT WITH CUTTING HEAD & 1"– 6" CLAMP PART# RID 66388

From the fab shop to the field, this tool delivers quality cuts on 1"–12"

- Interchangeable cutting head works with 2 clamp sizes (1"–6" and 6"–12") to cut up to 12" pipe with a 1/2" wall thickness
- Powerful motor and optimal blades cut through carbon steel, stainless steel, plastic, cast iron and ductile iron with ease (10" Schedule 40 Pipe in just over a minute)
- Quick adjustment features and integrated alignment pad allow for mounting in seconds
- Pivot plunge design and speed monitoring with LED interface for optimal feed control
- Rigid three-point roller system with one directional bearings secure to the pipe ensuring quality cuts



TORQUE WRENCH 5/16" DRIVE MODEL 902 PART# RID 31410

Torque Wrench for no hub cast-iron soil pipe couplings (60 inch-pounds torque)

- The 5/16" drive tightens with a fast ratchet action until the wrench clicks for accurate 60 inch-pounds torque
- Preset to eliminate guesswork in No Hub® soil pipe installations
- Assures proper coupling tightness for strong, leak-free joints



SEEKTECH SR-60 LINE LOCATOR W/ BATTERIES PART# RID 22163

The RIDGID SeekTech SR-60 has the largest display and widest frequency range for quickly and easily locating underground cables and pipes

- Trace any frequency from 10 Hz to 490 kHz
- Trace energized lines and sondes (beacons) simultaneously
- Has all the ease of use and accuracy of the SR-20 but with ALL locatable frequencies



14" ALUMINUM STRAIGHT PIPE WRENCH PART# RID 31095

Aluminum Pipe Wrenches provide professional strength in lightweight aluminum

Aluminum Pipe Wrenches provide professional strength in lightweight aluminum



- Professional strength aluminum pipe wrench
- Plumbing wrench suitable for all types of pipe work
- Plumbing wrench has self-cleaning threads with easily replaceable hook jaw, heel jaw, and spring assembly





14-1/2" HEX WRENCH PART# RID 31275



Hex Jaw Design gives multi-sided, secure grip on all hex nuts, square nuts, unions and valve packing nuts



- The extra-wide opening offset model is ideal for securing drain nuts on sinks and tubs
- Thin, smooth jaws slip into the tightest places
- 5/8 – 1 1/4" pipe capacity




4-1/2" C-36 HEAVY DUTY CHAIN WRENCH

PART# RID 31330

Ideal for Projects with Multiple Pipe Sizes

- The light-duty model has a one-piece forged alloy steel handle and jaw. Ideal for use in close quarters
- The heavy-duty model has replaceable alloy steel jaws
- A double jaw gives fast, ratchet-like action in either direction



CLICK HERE FOR A QUICK VIDEO!

MODEL 2-A 1/8"-2" HEAVY DUTY PIPE CUTTER PART# RID 32820

Fast, Clean Pipe Cutting


- Extra-long shank protects adjustment threads, while an extra-large handle is provided for quick, easy adjustment
- Can be converted to three-wheel cutter by replacing rollers with cutter wheel. The 2A and 4S models can be ordered as a three-wheel model for use in areas where a complete turn is not possible
- Second handle on 3-S, 4-S and 6-S models makes two-man leverage possible on large pipe sizes



ALUMINUM STRAP WRENCH W/ 48" X 1 3/4" STRAP PART# RID 31365

Strap Wrenches are best for any polished pipe.

- Strong, woven nylon strap treated with a powdered rosin, which provides an extra tight grip
- Two models available with special strap for plastic pipe.
- 5" pipe capacity, 12" actual O.D. capacity



CLICK HERE FOR A QUICK VIDEO!



RATCHET LEVER HOIST

Featuring through-hardened load chain, these stamped steel ratchet lever hoists are lightweight, durable and ideal for construction and commercial applications.

The load limiter can be field-installed. Impact resistant, stamped steel housing withstands rigorous use. Compact design is portable and easy to rig. Optional load limiter alerts operator of a possible overload by allowing the handle to rotate without lifting the higher than capacity load. One reeving. Friction brake. Cushion grip handle. Hardened steel chain.



CLICK HERE FOR A QUICK VIDEO!

3 TON LOAD

- 16 ¹⁵/₁₆" minimum between hooks
- 75 lb pull to lift
- 14 ⁹/₁₆" lever Length



10' LIFT HT.

PART# COFF LSB-6000B-10



15' LIFT HT.

PART# COFF LSB-6000B-15

1.5 TON LOAD

- 13" minimum between hooks
- 59 lb pull to lift
- 14 ⁹/₁₆" lever length



10' LIFT HT.

PART# COFF LSB-3000B-10



15' LIFT HT.

PART# COFF LSB-3000B-15

3/4 TON LOAD

- 11 ⁷/₁₆" minimum between hooks
- 46 lb pull to lift
- 9 ¹/₄" lever length



10' LIFT HT.

PART# COFF LSB-1500B-10



15' LIFT HT.

PART# COFF LSB-1500B-15



20' LIFT HT.

PART# COFF LSB-1500B-20





HAND CHAIN HOIST

Stamped steel hand chain hoists are an excellent low-cost option in the Coffing line. The compact, lightweight design is ideal for construction and contractor applications where portability and easy rigging are critical.



Standard hand chain drop is two feet less than lift. Designed for portability and easy installation. Compact gear housing provides low headroom. Lubricated bearings and bushings, bearing-mounted options and heat treated. Spur gearing ensure smear and efficient operation with minimal effort.

2 TON LOAD

- 15" minimum between hooks • 1 3/8" hook opening • 74 lb pull to lift
- Mechanical load brake • 17 1/2" L x 8 47/64" W x 7 1/4" D



10' LIFT HT.

PART# COFF LHH-2B-10



15' LIFT HT.

PART# COFF LHH-2B-20

1/2 TON LOAD

- 10 1/4" minimum between hooks • 1 5/16" hook opening • 55 lb pull to lift
- Mechanical load brake • 11 1/2 in L x 5 7/16" W x 5 7/16" D



20' LIFT HT.

PART# COFF LHH-1/2B-20





HTP & HTG | PLAIN & GEARED TYPE TROLLEY

CM HTP and HTG Clevis Trolleys can easily be installed in seconds for exact positioning or seamless traversing of loads with manual or powered hoist



- Universal trolleys are compatible with nearly any Columbus McKinnon hoist brand or model
- Adjust the flange width in a matter of seconds by turning the trolley axle, eliminating the need for loose parts, including spacer washers, when installing the trolley
- Adjustable to fit a wide range of beam widths and profiles
- Pre-lubricated with encapsulated ball bearings for smooth rolling
- Rubber bumpers are available as optional equipment



CM™ ADJUSTABLE BEAM CLAMP, 4000 LB LOAD

PART# 09002W

Ideal as an anchor for rigging operations (vertical or horizontal), as a hoisting anchor, or as a tool for positioning and holding beams for welding



- Designed to fit flanges of most structured beams
- Load pin incorporated for load suspension with reduced headroom
- Acts as a semi-permanent attachment point for manual or electric hoists
- Threaded mechanism fits securely on a wide range of flange widths and beam sizes



CLICK HERE FOR A QUICK VIDEO!