

Check List
of the
Cicadellidae (Homoptera)
of
America, North of Mexico

By
Dwight M. DeLong
and
Dorothy J. Knull



COLUMBUS
THE OHIO STATE UNIVERSITY PRESS
1945

GRADUATE SCHOOL STUDIES
BIOLOGICAL SCIENCE SERIES No. 1

Copyright 1945



The Ohio State University
Columbus

The Ohio State University Press



Printed in
United States of America

CONTENTS

INTRODUCTION	<i>Page</i>
I. INTRODUCTION	3
CHECK LIST	
II. ARRANGEMENT OF SUBFAMILIES AND GENERA.....	7
Paropinae	9
Eurymelinae	9
Macropsinae	11
Agalliinae	13
Bythoscopinae	15
Tettigoniellidae	16
Evacanthinae	20
Gyponinae	21
Ledrinae	26
Dorydiinae	26
Aphrodinae	28
Athysaninae	29
Jassinae	64
Balcluthinae	66
Cicadellinae	66
KEY LIST OF PUBLICATIONS	
III. KEY LIST OF PUBLICATIONS.....	89
Suggested Generic Papers on North American Cicadellidae....	93
INDEX TO GENERA	

INTRODUCTION

IN 1937 a list of the North American Cicadellidae was prepared and published by DeLong and Caldwell. This was the first attempt to bring together the species of this group after the publication of the Van Duzee catalogue in 1917. The list as presented at this time is a revision of the list as published in 1937 which contained 145 genera and some 1800 species. The present list contains 175 genera and 2276 species, varieties, and subspecies occurring north of Mexico. Those species previously listed which occur only in Mexico have been omitted. Recent generic revisions and other work upon synonymy have been used in an attempt to arrange these species and genera more adequately in accordance with their structural characters.

As in the previous list synonymy of the Van Duzee catalogue has not been repeated, but recent synonymy has been indicated as far as possible by indenting and printing in italics the name placed in synonymy. Previous errors and omissions have been corrected and all described genera and species added to May, 1945.

Frequently a reference to the original description is desirable and as a consequence the authors have deemed it advisable to include such a reference in concise form after the name of each species. Publications are cited by number in order to save repetition in wording in names of journals, proceedings, and similar publications. The first number in the bibliography citation refers to the name of the publication, an alphabetically arranged list of which is serially numbered and placed at the rear of the list of species (see p. 89). This number is followed in sequence by number of volume, occasionally the number of the issue in parentheses, page number, and year when published. A colon is used between the volume and page numbers. For example, the reference 39, 25:789, 1932, indicates the species was described in the *Annals of the Entomological Society of America*, volume 25, page 789, in the year 1932.

It is apparent that the previous list has been used for the most part by persons who are not specialists in this group. For that reason the species under each genus have been alphabetized so as to render this list more useful for their work. Under this arrangement it has seemed desirable to use subgeneric or other groups in several genera.

The genotype is cited below the generic name according to its original designation, and the original genus under which a species was described is placed in parentheses after the citation in case the species has been placed in another genus.

An asterisk placed before a name indicates a new combination or arrangement not previously published.

Often it is desirable to refer to the generic treatment as well as the original description of a species. In view of this fact a list of many of the more recent generic papers have been cited, arranged according to the sequence of genera in the species list (see p. 93).

For assistance in collecting and checking references and arranging in the present form, special acknowledgment and appreciation are extended to Mildred C. Knopf and Ethel Melsheimer Miller.

CHECK LIST

II

ARRANGEMENT OF SUBFAMILIES AND GENERA

PAROPINAE	EVACANTHINAE
Koebelia	Evacanthus
Brenda	GYPONINAE
Tiaja	Penthimia
EURYMELINAE	Dragonana
Idiocerus	Gypona
MACROPSINAE	Gyponana
Macropsis	Acusana
Nionia	Rugosana
Oncopsis	Prairiana
AGALLIINAE	Hamana
Agalliopsis	Ponana
Agallia	Bulbana
Aceratagallia	Margana
Ceratagallia	Polana
Ionia	LEDRINAE
BYTHOSCOPINAE	Xerophloea
Pachyopsis	DORYDIINAE
Stragania	Dorycephalus
TETTIGONIELLIDAE	Neoslossonia
Aulacizes	Hecalus
Cuerna	Spangbergiella
Oncometopia	Parabolocratus
Homalodisca	Dorydiella
Ciminus	Dicyphonia
Kolla	Cochlorhinus
Hortensia	Calonia
Helochara	Huleria
Carneocephala	Penchuleria
Graphocephala	APHRODINAE
Plesiommata	Stroggylocephalus
Draeculacephala	Aphrodes
Neokolla	Memnonia
Sibovia	Xestocephalus
Pagaronia	ATHYSANINAE
Friscanus	Twiningia
Errhomus	Sanctanus
Thatuna	Scaphoideus
Lystridea	Lonenus

Osbornellus	Ollarianus
Prescottia	Norvellina
Platymetopius	Menosoma
Japananus	Spathanus
Scaphytopius	Omanana
Cloanthanus	Orientus
Tumeus	Dixianus
Hebenarus	Iowanus
Acurhinus	Texanus
Flexamia	Paraphlepsius
Alapus	Tropicanus
Secopennis	Josanus
Latalus	Fieberiella
Palus	Acinopterus
Polyamia	Idiodonus
Hebecephalus	Colladonus
Laevcephalus	Gloridonus
Amplicephalus	Friscananus
Deltocephalus	Doleranus
Unerus	Atanus
Unoka	Allygus
Lonatura	Allygianus
Amblysellus	Pasadenus
Gillettiella	Ballana
Amphipyga	Thamnotettix
Athysanella	Brazosa
Pectinopyga	Cicadula
Brachydella	Paluda
Pedumella	Elymana
Kinonia	Arundanus
Gladionura	Graminella
Driotura	Calanana
Doratara	Knollana
Athysanus	Chlorotettix
Exitianus	Baldulus
Limotettix	Davisonia
Euscelis	Sonronius
Ophiola	Macrosteles
Commellus	
Stirellus	JASSINAE
Penestirellus	Jassus
Remadosus	Neocoelidia
Aligia	Paracoelidia
Mesamia	Tinobregmus
Bandara	BALCLUTHINAE
Opsius	Balclutha
Eutettix	Nesosteles

CICADELLINAE

Protalebra	Idona
Alebra	Joruma
Dikrancuroidea	Cicadella
Dikraneura	Typhlocyba
Forcipata	Typhlocybella
Alconeura	Hymetta
Empoasca	Erythroneura

SUBFAMILY PAROPINAE (DOHRN), 30, p. 83, 1859

KOEBELIA Baker, 101, 8:76, 1897

Koebelia californica Baker

californica Baker. Calif. 101, 8:76, 1897.

coronata Ball. Calif. 19, 41:185, 1909.

grossa Ball. Calif. 19, 41:186, 1909.

irrorata Ball. Ariz., Calif. 19, 41:185, 1909.

BRENDA Oman, 132, 31:205, 1941

Paropulopa arborea Ball

arborea (Ball). Calif. 19, 41:184, 1909 (*Paropulopa*).

TIAJA Oman, 132, 31:207, 1941

Paropulopa californica Ball

californica (Ball). Calif. 19, 41:184, 1909 (*Paropulopa*).

friscana (Ball). Calif. 19, 41:183, 1909 (*Paropulopa*).

interrupta (Ball). Calif. 19, 34:21, 1902 (*Paropulopa*).

montara Oman. Calif. 132, 31:210, 1941.

ventura Oman. Calif. 132, 31:209, 1941.

SUBFAMILY EURYMELINAE KIRKALDY, 62, 1:350, 1906

IDIOCERUS Lewis, 40, 1:47, 1836

Idiocerus stigmatalis Lewis

alternatus Fitch. Eastern states and Calif., Colo., Utah. 52, p. 59, 1851.

amabilis Ball. Br. Col., Calif., Colo. 19, 34:306, 1902.

amoenus Van Duzee. Calif., Colo. 19, 26:89, 1894.

var. *depictus* Ball. Calif. 19, 34:313, 1902.

var. *pictus* Van Duzee. Calif. 17, 7:289, 1917.

borealis DeLong and Caldwell. Wis. 91, 37:161, 1937.

brunneus Osborn. Iowa, Nebr. 27, 7:72-73, 1898.

caliginosus DeLong and Caldwell. Texas. 91, 37:164, 1937.

- chisosus DeLong and Caldwell. Ariz., Texas. 91, 37:164, 1937.
 cinctus DeLong and Caldwell. Idaho, Oregon. 91, 37:163, 1937.
 cognatus Fieber. N. Y., Pa. 130, 18:455, 1868.
 concinnus Ball. Calif., Vanc. Is. 19, 34:306, 1902.
 crataegi Van Duzee. Colo., eastern Ia., Mo. 19, 22:110, 1890.
 distinctus Gillette and Baker. Colo. 22, 31:75, 1895.
 dolosus Ball. Colo. 19, 34:304, 1902.
 duzei Provancher. Eastern states and Colo., Kans. 100, 3:292, 1890.
 ensiger Ball. Calif., Colo. 19, 34:308, 1902.
 femoratus Ball. Calif., Colo. 19, 34:307, 1902.
 fitchi Van Duzee. Eastern states and Iowa. 19, 41:383, 1909.
 maculipennis Fitch. 52, p. 59, 1851 (homonym).
 formosus Ball. Calif., Colo., N. H. 19, 34:305, 1902.
 lachrymalis Fitch. Eastern states and Colo., N. Mex. 52, p. 58, 1851.
 levis DeLong and Caldwell. Maine. 91, 37:161, 1937.
 mimicus Gillette and Baker. Colo. 22, 31:76, 1895.
 moniliferae Osborn and Ball. Ia., Kans. 27, 7:71, 1898.
 morosus Ball. Colo. 19, 34:309, 1902.
 musteus Ball. Calif., Vanc. Is. 19, 34:308, 1902.
 nervatus Van Duzee. Eastern states and Ariz., Calif., Colo., Ia., Kans., Mo.
 15, 5:205, 1894.
 nigrens DeLong and Caldwell. Wash. 91, 37:163, 1937.
 obstinatus Ball. Ariz. 19, 34:310, 1902.
 pallidus Fitch. Eastern states and Calif., Colo., Iowa, Kans. 52, p. 59, 1851.
 productus Gillette and Baker. Colo., N. H. 22, 31:78, 1895.
 provancheri Van Duzee. Br. Col., Colo., Ia. 19, 22:111, 1890.
 pyramidatus DeLong and Caldwell. Ariz., Tex. 91, 37:162, 1937.
 ramentosus (Uhler). Ariz., Colo., Ia., Neb., Vanc. Is. 127, 3:465, 1877
 (*Bythoscopus*).
 rotundens DeLong and Caldwell. Wis. 91, 37:162, 1937.
 rufus Gillette and Baker. Colo. 22, 31:80, 1895.
 var. *cingulatus* Ball. Colo. 19, 34:312, 1902.
 scurra (Germar). N. Y. 57, 17:11, 1834 (*Jassus*).
 snowi Gillette and Baker. Calif., Colo., Kans., Mo., N. Y., Ohio, Utah.
 22, 31:79, 1895.
 solus DeLong and Caldwell. Pa., Tenn. 91, 37:161, 1937.
 stellaris DeLong and Caldwell. N. Y., Pa. 91, 37:162, 1937.
 striolus Fieber. Alaska. 130, 18:453, 1868.
 submitens Sanders and DeLong. Wis. 39, 10:82, 1917.
 suturalis Fitch. Colo., Kans., Maine, Manitoba, Mich., N. H., N. Y., Ohio.
 52, p. 59, 1851.
 var. *lunaris* Ball. Eastern and Colo., Kans., Manitoba, N. Mex.
 19, 34:311, 1902.
 var. *continuus* Ball. Eastern and Colo., Kans. 19, 34:312, 1902.
 var. *vagus* Ball. Eastern and Colo., Kans. 19, 34:312, 1902.
 taxodii DeLong. Fla. 87, 32:63, 1924.
 tenuens DeLong and Caldwell. Nev. 91, 37:163, 1937.
 verrucosus Ball. Calif., Colo. 19, 34:309, 1902.

SUBFAMILY MACROPSINAE EVANS, 1907, 1935:63, 1936

MACROPSIS Lewis, 40, 1:49, 1836

Cicada virescens Gmelin

- aurifera Breakey. Idaho. 39, 25:817, 1932.
 basalis (Van Duzee). Br. Col., Calif., Colo., Idaho, Iowa, Minn., Ont., Utah,
 Wis. 36, 5:171, 1889 (*Pediopsis*).
 bicolor (Osborn). Colo., Me., Mass., Ohio. 78, 238:90, 1915 (*Pediopsis*).
 bifasciata (Van Duzee). Colo., Ia., Me., Minn., N. Y., Ont., Pa., Que.,
 S. D., Wis. 36, 5:173, 1889 (*Pediopsis*).
 breakeiana Knull. Tex. 39, 37:123, 1944.
breakeyi Knull. 39, 33:371, 1940 (homonym).
 canadensis (Van Duzee). Br. Col., Calif., Colo., Idaho, Me., Mich., Minn.,
 N. Mex., N. Y., Ont., Que., Utah. 19, 22:111, 1890 (*Pediopsis*).
flavescens (Van Duzee). 36, 5:173, 1889 (*Pediopsis*), (homonym).
 cinerea Breakey. Ohio. 39, 25:816, 1932.
 confusa Breakey. Me., N. Y., Pa., Wis. 39, 25:827, 1932.
 davisi Knull. Texas. 39, 33:372, 1940.
 delongi Breakey. Idaho. 39, 25:816, 1932.
 erythrocephala (Gillette and Baker). Calif., Colo., Ill., Ind., Ia., Kans.,
 Minn., Nebr., N. Mex., Ohio, Wis. 22, 31:72, 1895 (*Pediopsis*).
 ferrugineoides (Van Duzee). Colo., Ind., Ia., Kans., Me., Minn., Mont.,
 Nebr., N. Mex., Ohio, S. D. 36, 5:171, 1889 (*Pediopsis*).
 fumipennis (Gillette and Baker). Colo., Ky., Mont., Ohio. 22, 31:73, 1895
 (*Pediopsis*).
crocea (Osborn and Ball). 27, 7:68, 1898 (*Pediopsis*).
 gerhardi Breakey. Ariz. 39, 25:796, 1932.
 gleditschiae (Osborn and Ball). Idaho, Ia., Kans., La., Mo., Nebr., Pa.,
 Tenn. 27, 7:67, 1898 (*Pediopsis*).
 hesperia Breakey. Idaho, N. Mex. 39, 25:805, 1932.
 insignis (Van Duzee). Colo., Ia., Kans., Minn., N. Y., Ohio, Ont., Pa.,
 S. D., Wis. 36, 5:171, 1889 (*Pediopsis*).
 nigricans Van Duzee. Colo., Ill., Ia., Neb., Ohio, S. D. 129, p. 64, 1916.
 nubila (Van Duzee). Calif. 36, 6:37, 1890 (*Pediopsis*).
 occidentalis (Van Duzee). Calif., Nev. 101, 5:238, 1889 (*Pediopsis*).
 osborni Breakey. Colo., Ill., Ia., Kans., Minn., Ohio, S. D. 39, 25:817, 1932.
 pallida Breakey. Calif., Idaho, Utah. 39, 25:815, 1932.
 punctifrons (Van Duzee). Ariz. 36, 5:174, 1889 (*Pediopsis*).
 quadrimaculata Breakey. Nebr., N. D., S. D. 39, 25:832, 1932.
 reversalis (Osborn and Ball). Ia., N. Y., Ohio, Pa. 27, 7:69, 123, 1898
 (*Pediopsis*).
 robusta Breakey. Me., N. Y., Ont., Pa. 39, 25:823, 1932.
 rufoccephala Osborn. Calif., Colo., Idaho, Mass., Ohio, Wis. 91, 32:513, 1932.
scutellatus Osborn. 90, 3:218, 1928 (homonym).
 sordida (Van Duzee). Colo., Conn., Idaho, Mass., N. J., Pa. 19, 26:89, 1894
 (*Pediopsis*).
 suturalis (Osborn and Ball). Ia., Kans., Me., Minn., N. Y., Ohio, Pa., Wis.
 27, 7:67, 119, 1898 (*Pediopsis*).

- trimaculata (Fitch). Colo., Ill., Ia., Kans., Minn., Wis. 52, p. 60, 1851
(*Pediopsis*).
- tristis (Van Duzee). Colo., Ill., Ia., Kans., Mo., Ohio, Pa. 19, 22:249, 1890
(*Pediopsis*).
- trivialis (Ball). Colo., Ill., Kans., Md., Mich., Ohio, Okla., Pa., S. D., Wis.
19, 34:304, 1902 (*Pediopsis*).
- ulmi (Scott). D. C., Pa. 44, 10:129, 1873 (*Pediopsis*).
- virescens (Gmelin). Me., Mass., N. Y., Pa., Wis. 75, edn. 13, pt. 4, p. 2111,
1788 (*Cicada*).
- var. graminea (Fabricius). N. Y., Pa., Wis. 45, Suppl. p. 521, 1798
(*Cicada*).
- var. latifasciata Breakey. N. Y., Ont., Pa. 39, 25:800, 1932.
- viridis (Fitch). Colo., Ill., Ind., Ia., Kans., Minn., Mo., N. Y., Ohio, Ont.,
Ore., Pa., Utah, Wis. 52, p. 59, 1851 (*Pediopsis*).

NIONIA Ball, 4, 28:165, 1915

Goniagnathus palmeri Van Duzee

- palmeri (Van Duzee). Southeastern states only. 19, 23:171, 1891
(*Goniagnathus*).

ONCOPSIS Burmeister, 16, 1:27, pl. 10, 1838

Cicada flavicollis Linnaeus

- abietis (Fitch). N. Y. 52, p. 60, 1851 (*Athysanus*).
- californicus Van Duzee. Calif. 17, 7:291, 1917.
- cognatus (Van Duzee). Maine, Manitoba, N. H., N. Y., Ont., Que.
36, 6:225, 1890 (*Bythoscopus*).
- coloradensis (Baker). Br. Col., Calif., Colo., Me., Mass., N. H., N. J.,
N. Y., N. C., Ont., Pa., Que. 101, 8:198, 1898 (*Bythoscopus*).
- fagi (Fitch). N. Y. 52, p. 61, 1851 (*Athysanus*).
- fitchi Van Duzee. Colo., Me., Mass., N. H., N. J., N. Y., N. C., Ont., Pa.,
Que. 129, p. 65, 1916.
- fenestratus* (Fitch). Eastern and Colo. 52, p. 60, 1851 (homonym),
(*Athysanus*).
- flavescens (Provancher). Me., Md., N. J., N. Y., N. C., Ont., Pa., Que.
86, 4:376, 1872 (*Pediopsis*).
- flavidorsum (Amyot and Serville). Pa. 7, p. 579, pl. 11, fig. 2, 1843
(*Zinneca*).
- minor (Fitch). Eastern states and Ont., Que. 52, p. 60, 1851 (*Athysanus*).
ocellatus (Provancher). 86, 4:377, 1872 (*Macropsis*).
- nigrinasi (Fitch). Eastern states. 52, p. 61, 1851 (*Athysanus*).
- pruni (Provancher). Eastern and Br. Col., Calif., Colo., Sask. 100, 3:290,
1890 (*Bythoscopus*).
- sobrius (Walker). Me., N. H., N. Y., Ont., Que. 131, 3:874, 1851
(*Bythoscopus*).
- truncatus (Baker). Mich. 101, 8:198, 1898 (*Bythoscopus*).
- tumidifrons DeLong. Conn. 32, 34:70, 1923.

- variabilis (Fitch). Eastern and Br. Col., Calif., Colo. 52, p. 60, 1851
(*Athysanus*).
*verticis (Say). Colo., Ia., Me., Mo., Tenn. 1, 6:308, 1831 (*Jassus*).
distinctus (Van Duzee). Eastern and Kan., Mo. 36, 6:224, 1890
(*Bythoscopus*).

SUBFAMILY AGALLIINAE, 61, 1:345, 1906

AGALLIOPSIS Kirkaldy. 62, 3:31, 1907

Jassus novella Say

- cervina Oman. Ariz., Fla., Kans., Tex. 126, 372:16, 1933.
cincta Oman. Fla. 126, 372:14, 1933.
dubiosa Oman. Ariz. 126, 372:18, 1933.
exilis Oman. Colo. 126, 372:21, 1933.
florida Oman. Fla. 71, 8:10, 1935.
fuscognata Oman. Ariz. 126, 372:15, 1933.
huachucae Oman. Ariz. 126, 372:14, 1933.
minor Oman. Ariz. 126, 372:16, 1933.
novella (Say). Eastern states. 1, 6:309, 1831 (*Jassus*).
nobilis (Forbes). 66, p. 22, 1885 (*Macropsis*).
novellina Oman. Ariz., Idaho, N. Mex., Ore., Utah. 71, 8:12, 1935.
oculata (Van Duzee). Calif. 36, 6:38, 1890 (*Agallia*).
peneoculata Oman. Conn., Mich., N. Y. 126, 372:17, 1933.
saxosa Ball. Ariz. 39, 29:649, 1936.
variabilis Oman. Ariz., Calif., Colo., Utah. 126, 372:22, 1933.
vellana Ball. Fla. 39, 29:649, 1936.

AGALLIA Curtis, 37, 1:193, 1833

Agallia consobrina Curtis = (*Jassus puncticeps* Germar)

- albidula Uhler. Brazil, Cuba, Is. of Pines, Jamaica, Me., Puerto Rico, Trini-
dad. 136, 6:83, 1895.
basiflava Van Duzee. 15, 8:55, 1907.
atra Oman. Ariz. 39, 27:454, 1934.
bidactylata Oman. Ariz. 126, 372:42, 1933.
constricta Van Duzee. Southeastern states, Ill., Ind., Ia., Nebr., Ohio, Okla.,
Tex. 19, 26:90, 1894.
deleta Van Duzee. Fla., Ga., Mass., N. J., N. Y., S. C., Va. 15, 9:210, 1909.
immaculata Lathrop. 91, 17:120, 1917.
excavata Oman. Ariz., N. Mex. 126, 372:41, 1933.
lingula Van Duzee. Canal Zone, Honduras, Jamaica, La., Mex., Salvador,
Tex. 15, 8:54, 1907.
lingulata Olsen. Fla., Md., N. J., N. Y. 13, 17:127, 1922.
obesa Oman. Ala., La., Miss. 126, 372:40, 1933.

* An asterisk placed before a name indicates a new combination or arrangement not previously published.

quadripunctata (Provancher). Br. Col., Calif., Canada, Colo., Idaho, Northeastern states, Ore., S. D., Vanc. 86, 4:376, 1872 (*Bythoscopus*).
canadensis (Van Duzee). 3, 19:301, 1892 (*Ulopa*).

ACERATAGALLIA Kirkaldy, 62, 3:11, 20, 1907

Bythoscopus sanguinolentus Provancher

abrupta Oman. Ariz. 126, 372:52, 1933.
 accola Oman. D. C., Md. 126, 372:57, 1933.
 arida Oman. Colo., Idaho, Mont., Texas, Utah. 126, 372:64, 1933.
 calcaris Oman. Ariz., Colo., Kans., N. Mex., Tex. 126, 372:50, 1933.
 californica (Baker). Calif., Oregon. 101, 8:199, 1898 (*Agallia*).
 cinerea (Osborn and Ball). Colo., Utah. 27, 7:62, 1898 (*Agallia*).
 compacta Oman. Calif. 126, 372:51, 1933.
 curta Oman. Ariz. 126, 372:64, 1933.
 curvata Oman. Calif., Nev., Ore., Utah. 126, 372:61, 1933.
 fuscscripta Oman. Br. Col., Colo., Idaho, Mont., Ore., Wash., Wyo. 126, 372:61, 1933.
 gillettei (Osborn and Ball). Ariz., Fla., Mex., Texas. 27, 7:60, 1898 (*Agallia*).
 helveola Oman. Calif., Nevada. 126, 372:54, 1933.
 humilis Oman. Ala., Kans. 126, 372:49, 1933.
 inconspicua (Baker). Ariz., Calif., Nev. 101, 8:198, 1898 (*Agallia*).
 lyrata (Baker). Calif., Nev., Ore., Utah. 101, 8:199, 1898 (*Agallia*).
 nana Oman. Ariz. 126, 372:55, 1933.
 nanella Oman. Ariz. 126, 372:56, 1933.
 nitidula Oman. Ariz. 126, 372:52, 1933.
 obscura Oman. Calif., Ore. 126, 372:63, 1933.
 pallida Oman. Ariz., Nevada, Utah. 126, 372:53, 1933.
 poudris Oman. Colo. 126, 372:57, 1933.
 robusta Oman. Ariz., Nevada. 126, 372:48, 1933.
 sanguinolenta (Provancher). Canada and Eastern states to Ariz., Utah. 86, 4:376, 1872 (*Bythoscopus*).
siccifolius (Uhler). 127, p. 359, 1876 (*Bythoscopus*).
 sordida Oman. Honduras, Mexico, Texas. 126, 372:58, 1933.
 texana Oman. Tex. 126, 372:51, 1933.
 truncata Oman. Calif. 71, 8:13, 1935.
 uhleri (Van Duzee). Colo., Kans. 19, 26:91, 1894 (*Agallia*).
 vulgaris Oman. Eastern and Colo., Miss. Valley, Tex. 126, 372:60, 1933.

CERATAGALLIA Kirkaldy, 62, 4:61, 1907

Agallia bigeloviae Baker

aplopappi (Oman). Ariz., N. Mex. 126, 372:67, 1933 (*Aceratagallia*).
 arroya Oman. Calif. 132, 29:540, 1939.
 artemisia Oman. Idaho, Utah. 132, 29:534, 1939.
 bigeloviae (Baker). Ariz., Colo., Kans., Idaho, N. Mex., Tex., Utah. 101, 7 Suppl. 12:26, 1896 (*Agallia*).

- califa Oman. Calif. 132, 29:541, 1939.
 canona Oman. Calif. 132, 29:539, 1939.
 delta Oman. Calif. 132, 29:538, 1939.
 dondia (Oman). Ariz., Calif., Colo., Nev., Utah. 126, 372:68, 1933
 (*Aceratagallia*).
 grisea (Oman). Ariz. 71, 8:13, 1935 (*Aceratagallia*).
 lobata (Oman). Ariz., Calif., Nev., Utah. 126, 372:67, 1933 (*Aceratagallia*).
 loca Oman. Calif. 132, 29:534, 1939.
 loma Oman. Calif. 132, 29:542, 1939.
 longipes Oman. Calif. 132, 29:537, 1939.
 ludora Oman. Calif. 132, 29:539, 1939.
 lupini Oman. Calif. 132, 29:543, 1939.
 neodona Oman. Nevada. 132, 29:541, 1939.
 neovata Oman. Calif. 132, 29:537, 1939.
 nubila Oman. Ariz. 132, 29:533, 1939.
 ovata (Oman). Ariz., Calif., 71, 8:14, 1935 (*Aceratagallia*).
 pera Oman. Calif. 132, 29:541, 1939.
 pudica Oman. Ariz. 132, 29:534, 1939.
 sociala Oman. Calif. 132, 29:536, 1939.
 tergata (Van Duzee). Ariz., Lower Calif. 17, 12:172, 1923 (*Agallia*).
 tristis Oman. Calif. 132, 29:540, 1939.
 vastitatis (Oman). Ariz., Nev., Utah. 126, 372:69, 1933 (*Aceratagallia*).

IONIA Ball, 13, 28:225, 1933

Ionia triunata Ball

triunata Ball. Ariz. 13, 28:226, 1933.

SUBFAMILY BYTHOSCOPIINAE DOHRN, 30, p. 84, 1859

PACHYOPSIS Uhler, 127, Art. xiv, 3:466, 1877

Pachyopsis laetus Uhler

- laetus Uhler. Colo., N. Mex. 127, Art. xiv, 3:466, 1877.
idioceroides (Baker). 101, 9:55, 1900 (*Macropsis*).
 var. *paetus* (Ball). 101, 9:130, 1900 (*Macropsis*).

STRAGANIA Staal, 118, 2:49, 1862

Gypona (*Stragania*) *ornatula* Staal

- acutistylata Beamer and Lawson. Calif. 71, 18:55, 1945.
 subsp. *gibbosa* Beamer and Lawson. 71, 18:55, 1945.
 alboscuteolata Beamer and Lawson. Calif. 71, 18:62, 1945.
 atra (Baker). Calif. 101, 9:56, 1900 (*Macropsis*).
 bisignata (Ball). Colo. 19, 34:303, 1902 (*Macropsis*).
 californica (Baker). Calif., Colo. 101, 9:57, 1900 (*Macropsis*).
 franciscana (Baker). Calif. 68, 1:12, 1903 (*Macropsis*).
 grandis (Ball). Ariz., Colo., Ut. 19, 41:186, 1909 (*Macropsis*).

hyalina Beamer and Lawson. Calif. 71, 18:60, 1945.
 longistylata Beamer and Lawson. Calif. 71, 18:56, 1945.
 magna (Baker). Calif. 71, 18:64, 1945 (*Macropsis*).
 major Beamer and Lawson. Calif. 71, 18:57, 1945.
 marginata Beamer and Lawson. Calif. 71, 18:54, 1945.
 oregonensis Beamer and Lawson. Oregon. 71, 18:57, 1945.
 pruinosa Beamer and Lawson. Calif. 71, 18:58, 1945.
 rubra Beamer and Lawson. Calif. 71, 18:56, 1945.
 rufoscutellata (Baker). Calif. 101, 9:58, 1900 (*Macropsis*).
 turgida Beamer and Lawson. Calif. 71, 18:66, 1945.

SUBGENUS PENESTRAGANIA BEAMER and LAWSON, 71, 18:54, 1945

Pachyopsis robustus Uhler, 127, 3:467, 1877

alabamensis (Baker). Ala., Ia., Kans., Mo., Nebr., Tenn. 101, 9:58, 1900
 (*Macropsis*).
 apicalis (Osborn and Ball). Ala., Colo., Ia., Kans., Nebr., O., Tenn.
 27, 7:64, 1898 (*Macropsis*).
 robusta (Uhler). Ala., Ariz., Calif., Colo., Fla., La., N. M., Tex. 127, 3:467,
 1877 (*Pachyopsis*).

*SUBFAMILY TETTIGONIELLIDAE JACOBI, 137, 19:778, 1904

AULACIZES Amyot and Serville, 7, p. 571, 1843

Tettigonia quadripunctata Germar

irrorata (Fabricius). Eastern and Mo., Texas. 45, 4:33, 1794 (*Cicada*).
 pollinosa Fowler. Fla. 10, 2:218, 1899.

CUERNA Melichar, 84, 21:199, 1924

Cercopis lateralis Fabricius

alba Oman and Beamer. N. Mex. 71, 17:126, 1944.
 alpina Oman and Beamer. Colo., Kans., Mont., N. M. 71, 17:124, 1944.
 alta Oman and Beamer. N. Mex. 71, 17:123, 1944.
 arida Oman and Beamer. Ariz. 71, 17:125, 1944.
 balli Oman and Beamer. Ariz. 71, 17:122, 1944.
 curvata Oman and Beamer. Calif. 71, 17:127, 1944.
 dixiana Oman and Beamer. Nev., Utah. 71, 17:128, 1944.
 gladiola Oman and Beamer. Ore. 71, 17:124, 1944.
 lateralis (Fabricius). Eastern and Ariz., Br. Col., Calif., Colo., Kans., N.
 Mex., Utah. 45, p. 524, 1798 (*Cicada*).
 limbata (Say). Calif., Colo., Dak., Ia., Mich., Mo. 1, 4:340, 1825
 (*Tettigonia*).
 obesa Oman and Beamer. N. Mex., Tex. 71, 17:123, 1944.
 obtusa Oman and Beamer. Ariz. 71, 17:120, 1944.
 occidentalis Oman and Beamer. Calif. 71, 17:119, 1944.
 yuccae Oman and Beamer. Ariz., Calif., Utah. 71, 17:121, 1944.

ONCOMETOPIA Staal, 119, 2:60, 1869

Cicada obtusa Fabricius

- alpha Fowler. Ariz. 10, 2:232, 1899.
 obtusa (Fabricius). N. A. 47, 2:269, 1787 (*Cicada*).
 var. funebris (Signoret). Calif. 115, 2:490, 1854 (*Tettigonia*).
 undata (Fabricius). Fla., Ga., Mass., N. J., N. Mex., N. C., Pa., Que., Tex.
 45, 4:32, 1794 (*Cicada*).

HOMALODISCA Staal, 119, 2:60, 63, 1869

Cicada triquetra Fabricius

- atrata (Fowler). Tex. 10, 2:222, 1899 (*Phera*).
 elongata Ball. Ariz. 4, 49:17, 1936.
 insolita (Walker). Ariz., Tex. 131, p. 227, 1858 (*Proconia*).
 liturata Ball. Ariz., Calif. 69, 8:48, 1901.
 triquetra (Fabricius). Ala., Fla., Ga., La., Miss., Mo., S. C., Tex. 48, p. 63,
 1803 (*Cicada*).

CIMINIUS Metcalf and Bruner, 103, 20:944, 1936

Tettigonia hartii Ball

- hartii (Ball). Fla., Ill., Miss., Mo., N. Mex., Ohio, Pa., Tenn., Tex. 69,
 8:61, 1901 (*Tettigonia*).
 sidana (Ball). Ariz. 11, 49:21, 1936 (*Cicadella*).
 taosa (Ball). N. Mex. 11, 49:20, 1936 (*Cicadella*).

KOLLA Distant, 29, 4:233, 1908

Kolla insignis Distant

- bifida (Say). Eastern and Kans., Mo., Neb. 1, 6:313, 1831 (*Tettigonia*).
 geometrica (Signoret). Ark., D. C., Fla., Ill., Ky., La., Mo., Ohio, Tenn.
 115, ser. 3, 2:12, 1854 (*Tettigonia*).
 var. plutoniella Ball. Fla. 11, 49:22, 1936.

HORTENSIA Metcalf and Bruner, 103, 20:928, 1936

Tettigonia similis Walker

- similis (Walker). Fla. (West Indies and Mexico). 131, 3:769, 1851
 (*Tettigonia*).

HELOCHARA Fitch, 52, p. 56, 1851

Helochara communis Fitch

- communis Fitch. Eastern states and Ariz., Calif., Colo., N. Mex., Texas.
 52, p. 56, 1851.
 delta Oman. Calif. 41, 45:74, 1943.

CARNEOCEPHALA Ball, 54, 11:33, 39, 1927

Draeculacephala floridana Ball

- balli* Knoll. Ariz. 38, 51:290, 1940.
flaviceps (Riley). Ala., Ariz., Ark., Calif., Fla., Ga., Kans., Ky., La., Miss., Mo., Neb., N. Mex., Okla., S. C., Tenn., Tex., Va., Wis. 4, 3:78, 1880 (*Diedrocephala*).
floridana (Ball). Fla., Ga., Tex. 69, 8:72, 1901 (*Draeculacephala*).
fulgida Nottingham. Calif. 71, 5:101, 1932.
gillettei (Ball). Colo. 69, 8:72, 1901 (*Draeculacephala*).
nuda Nottingham. Ariz. and Mexico. 71, 5:107, 1932.
sagittifera (Uhler). Calif., Colo., Puerto Rico, Tex., Trinidad, West Indies. 136, p. 76, 1895 (*Tettigonia*).
triguttata Nottingham. Ariz., Calif., Nev., Utah. 71, 5:108, 1932.

GRAPHOCEPHALA Van Duzee, 129, p. 66, 1916

Cicada coccinea Forster

- coccinea* (Forster). Eastern and Kans., Mo., Okla., Tex. 55, p. 69, 1771 (*Cicada*).
cythura (Baker). Ariz., Calif. 101, 8:286, 1898 (*Tettigonia*).
ignava Ball. Ariz. 11, 49:22, 1936.
luculenta (Fowler). Ariz. 10, 2:284, 1900 (*Tettigonia*).
versuta (Say). Southern states and Mo., Texas. 1, 6:311, 1831 (*Tettigonia*).
 var. *lineiceps* (Spinola). Texas. 56, 7:283, 1852 (*Tettigonia*).

PLESIOMMATA Provancher, 100, 3:263, 1889

Tettigonia tripunctata Fitch

- mollicula* (Fowler). Ariz. 10, 2:288, 1900 (*Tettigonia*).
tripunctata (Fitch). Eastern and Mo. 52, p. 55, 1851 (*Tettigonia*).

DRAECULACEPHALA Ball, 69, 8:39, 66, 1901

Tettigonia mollipes Say

- angulifera* (Walker). Colo., Manitoba, Ont. 131, 3:771, 1851 (*Tettigonia*).
manitobiana Ball. 69, 8:70, 1901.
antica (Walker). Eastern states. 131, 3:771, 1851 (*Tettigonia*).
balli Van Duzee. Fla., Ga., Miss. 38, 26:179, 1915.
bradleyi Van Duzee. Ga., Miss. 38, 26:178, 180, 1915.
constricta Davidson and DeLong. Alberta, Fla., Ill., Iowa, Kans., Ky., Me., Mich., Minn., Mo., Nebr., N. J., N. Y., Ohio, Okla., Pa., Que., Tex., Wis. 91, 43:193, 1943.
crassicornis Van Duzee. Calif., Colo., Ore., Utah, Wash. (high altitudes). 38, 26:178, 181, 1915.
inscripta Van Duzee. Ga., Ill., Ohio, Tenn. 38, 26:178, 180, 1915.
minerva Ball. Southwestern states. 54, 11:36, 1927.
minor (Walker). Calif., Colo., Fla., Wash. 131, 3:772, 1851 (*Tettigonia*).
mollipes (Say). Eastern and Ariz., Br. Col., Calif., Colo., Kans., Mo., N. Mex. 1, 6:312, 1831 (*Tettigonia*).

- pagoda Ball. Fla. 54, 11:37, 1927.
 paludosa Ball and China. Br. Col., Colo., Ia., Kans., Me., N. Y., Ohio, Ont.,
 Pa., Que., Utah, Wash. 71, 6:3, 1933.
 portola Ball. Fla. 54, 11:35, 1927.
 prasina (Walker). Northeast coast to West coast. 131, 3:768, 1851
 (*Tettigonia*).
 noveboracensis (Fitch). 52, p. 56, 1851 (*Aulacizes*).
 producta (Walker). Fla. 131, 3:772, 1851 (*Tettigonia*).
 acuta (Walker). 131, 3:773, 1851 (*Tettigonia*).
 7-guttata (Walker). Fla., Ga., Miss., N. C. 131, 3:773, 1851 (*Tettigonia*).

SIBOVIA China, 8, 20:283, 1927

Tettigonia sagata Signoret

- occatoria (Say). Fla., Miss., Mo., N. C., Tenn., Tex. 1, 6:311, 1831
 (*Tettigonia*).
 subsp. *compta* (Fowler). Fla., Mexico., Miss., Mo., N. C., Tex. 10,
 2:271, 1900 (*Tettigonia*).

NEOKOLLA Melichar, 84, 23:343, 1926

Tettigonia hieroglyphica Say

- barberi (Olsen). Ariz., Colo., Neb., N. Mex. 39, 15:361, 1922 (*Cicadella*).
 circumcellata (Baker). Ariz., Calif. 101, 8:285, 1898 (*Tettigonia*).
 confluens (Uhler). Br. Col., Calif. 2, 13:285, 1862 (*Proconia*).
 cucurbita (Ball). Ariz. 11, 49:20, 1936 (*Cicadella*).
 curta (Beamer). N. Mex. 71, 10:13, 1937 (*Cicadella*).
 dohrnii (Signoret). Ariz. 115, ser. 3, 3:792, 1855 (*Tettigonia*).
 dolobrata (Ball). West of the Mississippi. 69, 8:52, 1901.
 gothica (Signoret). Eastern and Kans., Mo. 115, ser. 3, 2:345, 1854
 (*Tettigonia*).
 hieroglyphica (Say). West of the Mississippi. 1, 6:313, 1831 (*Tettigonia*).
 huachucana (Ball). Ariz. 11, 49:19, 1936 (*Cicadella*).
 inscripta (Olsen). Ariz., Colo., N. Mex. 39, 15:362, 1922 (*Cicadella*).
 lutzi (Olsen). Ariz. 39, 15:360, 1922 (*Cicadella*).
 marathonensis (Olsen). Texas. 8, 38:3-5, 1918 (*Cicadella*).
 monticola (Fowler). Ariz. 10, 2:244, 1899 (*Tettigonia*).
 multilineata (Fowler). Ariz. 10, 2:241, 1899 (*Tettigonia*).
 uhleri (Ball). Ariz., Calif., Colo., Kans., Idaho, Ill., Ia., Mo., Neb., N. Mex.,
 Ore., Tenn., Tex., Utah, Vanc. Is., Wash., Wyo. 69, 8:52, 1901
 (*Tettigonia*).
 viridis (Linnaeus). Que. (Europe). 75, 1:438, 1758 (*Cicada*).

PAGARONIA Ball, 19, 34:19, 1902

Pagaronia 13-punctata Ball

- confusa Oman. Calif., Nev. 128, 85:167, 1938.
 furcata Oman. Calif. 128, 85:168, 1938.

13-punctata Ball. Calif. 19, 34:20, 1902.
 var. octopunctata Kirkaldy. 61, 2:70, 1909.
 triunata Ball. Calif. 19, 34:20, 1902.

FRISCANUS Oman, 128, 85:168, 1938

Errhomenellus friscanus Ball

friscanus (Ball). Calif. 19, 41:182, 1909 (*Errhomenellus*).
simplex (Van Duzee). 17, 7:294, 1917 (*Memnonia*).

ERRHOMUS Oman, 128, 85:169, 1938

Errhomenus lineatus Baker

lineatus (Baker). Id., Wash. 101, 8:261, 1898 (*Errhomenus*).
 montanus (Baker). Colo., Utah. 101, 8:262, 1898 (*Errhomenus*).
 oregonensis (Baker). Calif., Ore., Wash. 101, 8:262, 1898 (*Errhomenus*).

SUBGENUS CARSONUS OMAN, 128, 85:170, 172, 1938

Acocephalus maculatus Gillette and Baker

aridus (Ball). Colo., Nev., Wash. 19, 41:183, 1909 (*Errhomenellus*).
 subsp. furcatus Oman. Wash. 128, 85:175, 1938.
 subsp. incertus Oman. Calif. 128, 85:176, 1938.
 irroratus (Ball). Calif. 19, 34:18, 1902 (*Errhomenellus*).
 subsp. spicatus Oman. Wash. 128, 85:174, 1938.
 maculatus (Gillette and Baker). Calif., Colo., Utah. 22, p. 83, 1895
 (*Acocephalus*).

THATUNA Oman, 128, 85:176, 1938

Thatuna gilletti Oman

gilletti Oman. Idaho. 128, 85:177, 1938.

LYSTRIDEA Baker, 101, 8:261, 1898

Bathysmatophorus uhleri Baker

nuda Oman. Calif. 128, 85:179, 1938.
 uhleri (Baker). Calif. 101, 8:260, 1898 (*Bathysmatophorus*).
consersa Baker. 101, 8:261, 1898.

SUBFAMILY EVACANTHINAE BAKER, 98, 23:353, 362, 1923

EVACANTHUS LePeletier and Serville, 35, 10:612, 1827

acuminatus (Fabricius). Northeastern states and Iowa, Wash., Vanc. Is.
 45, 4:36, 1794.
 interruptus (Linnaeus). N. C., S. C., (Europe). 75, 1:438, 1758 (*Cicada*).

SUBFAMILY GYPONINAE STAAL

PENTHIMIA Germar, 77, 4:38, 46, 1821

Cercopis atra Fabricius = *Cicada nigra* GOEZEamericana Fitch. Eastern states and Colo., Dak., Minn., Mont. 52, p. 57,
1851.

floridana Lawson. Fla. 71, 6:34, 1933.

DRAGONANA Ball and Reeves, 39, 20:489, 1927

Gypona dracontea Gibsondracontea (Gibson). Ariz. 128, 56:100, 1919 (*Gypona*).

GYPONA Germar, 77, 4:38, 73, 1821

Cercopis glauca Fabricius

bimaculata Spaangberg. Ariz., Mex. 118, 5:23, 1878.

nixabunda Gibson. 128, 56:92, 1919.

contana DeLong. Ariz., Colo., N. Mex., Utah. 28, p. 20, 1942.

extrema DeLong. Texas. 28, p. 19, 1942.

melanota Spaangberg. Colo., Idaho, Ia., Nebr., N. Y., Ohio, Pa., Utah, W.
Va. 118, 5:19, 1878.*dorsalis* Spaangberg. 118, 5:30, 1878.*bipunctulata* Woodworth. 65, 3:30, 1887.*nigra* Woodworth. 65, 3:31, 1887.

mitana DeLong. Texas. 28, p. 20, 1942.

vexana DeLong. Colo., Idaho, Utah. 28, p. 19, 1942.

vilior Fowler. Ariz. 10, 2:301, 1903.

verticalis Staal. Ariz., Colo., N. Mex., Utah. 117, 25:84, 1864.

mexicana Spaangberg. 118, 5:18, 1878.*signoreti* var. *pilula* Ball and Reeves. 39, 20:494, 1927.

GYPONANA Ball, 39, 13:84-85, 1920

Tettigonia octolineata Say

accurata DeLong. Calif. 28, p. 43, 1942.

acia DeLong. Ohio, Pa. 28, p. 40, 1942.

aculeata DeLong. Calif., Nev., Utah, Wash., Wis. 28, p. 51, 1942.

amara DeLong. Ill., Ohio. 28, p. 32, 1942.

angula DeLong. D. C., Fla., Ga., Ill., N. J., Tex. 28, p. 54, 1942.

angulata (Spaangberg). Ariz., Colo., Id., Okla., Ore., Mo., Utah, Wash.
118, 5:32, 1878 (*Gypona*).

appressa DeLong. Fla., Miss., Tex. 28, p. 28, 1942.

arcta DeLong. Mich., N. Y., Pa. 28, p. 29, 1942.

avara DeLong. Conn., L. Isl., Pa., W. Va. 28, p. 25, 1942.

barda DeLong. Florida. 28, p. 34, 1942.

brevihama DeLong. Miss., Ohio, Pa. 28, p. 24, 1942.

brevita DeLong. Ill., Tenn., Wis. 28, p. 27, 1942.

- cacumina DeLong. Ariz., Me., N. Y., Pa. 28, p. 48, 1942.
 calamistra DeLong. Idaho. 28, p. 55, 1942.
 cana (Burmeister). Throughout the U. S. 16, 1:Heft 4, no. 10, 1838
 (*Gypona*).
 compressa DeLong. S. D. 28, p. 43, 1942.
 conferta DeLong. Texas. 28, p. 24, 1942.
 conspira DeLong. Me., Md., Ill. 28, p. 31, 1942.
 contractura DeLong. Ohio. 28, p. 29, 1942.
 cubita DeLong. Fla., Ohio. 28, p. 40, 1942.
 cunea DeLong. Calif. 28, p. 44, 1942.
 delta Ball. Ariz., N. Mex., Tex. 132, 25:500, 1935.
 var. alomogorda Ball. N. Mex. 132, 25:501, 1935.
 desa DeLong. Utah. 28, p. 33, 1942.
 dorsalis (Signoret). Southwestern states. 115, 3rd ser. 1:349, 1853
 (*Tettigonia*).
 elongata Ball. Calif. 132, 25:500, 1935.
 expanda DeLong. Ill., Ohio. 28, p. 38, 1942.
 extenda DeLong. Conn., Fla., Ill., Ia., Miss., N. Y., Ohio, Pa., Va. W. Va.
 28, p. 39, 1942.
 fagi DeLong. Tenn. 28, p. 39, 1942.
 fastiga DeLong. Fla., Miss., N. C., Okla. 28, p. 52, 1942.
 fimbriata DeLong. Calif. 28, p. 28, 1942.
 flavilineata (Fitch). Colo., D. C., Fla., Ga., Ill., Ia., Kans., Miss., Nebr.,
 Ohio, Okla., S. D., Tex., Utah, Wis. 52, p. 57, 1851 (*Gypona*).
 germari (Staal). U. S. and Mex. 117, 25:84, 1864 (*Gypona*).
 gibbera DeLong. Florida. 28, p. 43, 1942.
 gladia DeLong. Ala., D. C., Miss., Okla., Va. 28, p. 46, 1942.
 hasta DeLong. Ariz., Calif., Idaho, Mo., Ore., Tex., Utah. 28, p. 50, 1942.
 lamina DeLong. Mich., Mo., Ohio. 28, p. 47, 1942.
 librata DeLong. Okla., Tex. 28, p. 54, 1942.
 mali DeLong. Ill., Ohio. 28, p. 44, 1942.
 morosita DeLong. Kans., Ohio, Va. 28, p. 38, 1942.
 octolineata (Say). N. Y., Pa. 109, 2:257, 1824 (*Tettigonia*).
geminata (Osborn). 89, p. 513, 1905 (*Gypona*).
 var. serpenta DeLong. Colo., Id., Ill., Me., Md., Minn., N. J., N. D.,
 Tex., Wyo. 28, p. 53, 1942.
 offula DeLong. Fla., Miss., Pa. 28, p. 35, 1942.
 olivacea (Spangberg). "Am. Bor." N. J. 42, p. 24, 1881 (*Gypona*).
 omani DeLong. Tex. 28, p. 55, 1942.
 orientala DeLong. Conn., Pa., Tex. 28, p. 26, 1942.
 ortha DeLong. D. C., Ill., Ind., Ia., Kans., Me., Md., Neb., Ohio, Pa., Wis.
 28, p. 25, 1942.
 palma DeLong. Ark., Ohio. 28, p. 41, 1942.
 panda DeLong. Ill., Miss., Mo., Ohio, Okla., Ore., Tenn., Tex. 28, p. 32,
 1942.
 parallela DeLong. Pa. 28, p. 35, 1942.
 pingua DeLong. Fla., Me., Md., Tenn. 28, p. 37, 1942.

- praelonga DeLong. Fla. 28, p. 34, 1942.
 procera DeLong. Calif. 28, p. 45, 1942.
 producta DeLong. Florida. 28, p. 36, 1942.
 protenta DeLong. Ohio. 28, p. 41, 1942.
 pruinosa (Spaangberg). Fla., Ga., Okla., Tex. 118, 5:9, 1878 (*Gypona*).
 quebecensis (Provancher). Me., N. Y., Ont., Pa., Que. 86, 4:352, 1872
 (*Tettigonia*).
 salsa DeLong. Canada, Ohio, Pa. 28, p. 49, 1942.
 scrupulosa (Spaangberg). D. C., Fla., Ga., Ill., Kans., La., Me., Md., Mo.,
 N. H., N. J., N. Y., N. C., Ohio, Okla., Pa., S. C., Tenn., Tex., Va.,
 Wis. 118, 5:9, 1878 (*Gypona*).
 serrata DeLong. Idaho, Pa., Wis. 28, p. 48, 1942.
 var. fatena DeLong. Canada, Ia., Ohio. 28, p. 49, 1942.
 signoreti (Staal). Ariz., Mex., Tex., Utah. 117, 25:83, 1864 (*Gypona*).
 spissa DeLong. Me., N. Y., N. C., Pa. 28, p. 30, 1942.
 striata (Burmeister). Northern states, Can., Pacific Coast. 16, 1:10. 9, 1838
 (*Gypona*).
 tenella (Spaangberg). Fla., Ga., Va. 118, 5:34, 1876 (*Gypona*).
 trigona DeLong. Ohio. 28, p. 26, 1942.
 tubera DeLong. Ill., Mass., Neb., Ohio, Pa., S. D., Tenn. 28, p. 33, 1942.
 turbina DeLong. Canada, N. J., Ohio, Pa., Tex., Utah. 28, p. 37, 1942.
 unicolor (Staal). Ariz., Colo., Mex. 117, 25:84, 1864 (*Gypona*).
 vasta DeLong. D. C., Md., N. Y., Pa. 28, p. 31, 1942.
 vincula DeLong. Conn., Kans., Nebr., Pa., Tex, Utah, Wis. 28, p. 47, 1942.

ACUSANA DeLong, 28, p. 57, 1942

Acusana veprecula DeLong

- condensa DeLong. Ariz. 28, p. 62, 1942.
 frondosa DeLong. Ariz. 28, p. 63, 1942.
 generosa DeLong. Ariz., Colo., Tex. 28, p. 59, 1942.
 insignita DeLong. Ariz. 28, p. 60, 1942.
 var. fastigor DeLong. Calif. 28, p. 61, 1942.
 meditabunda (Spaangberg). Texas. 118, 5:39, 1878 (*Gypona*).
 prostrata DeLong. Ariz., Utah. 28, p. 59, 1942.
 rota DeLong. Ariz. 28, p. 60, 1942.
 teres DeLong. Calif. 28, p. 61, 1942.
 tympana DeLong. Ariz., Colo., N. Mex., Utah. 28, p. 63, 1942.
 veprecula DeLong. Ariz. 28, p. 58, 1942.

RUGOSANA DeLong, 28, p. 64, 1942

Gypona rugosa Spaangberg

- ampliata (Ball). Ariz. 132, 25:498, 1935 (*Gyponana*).
 chadana (Ball and Reeves). Ariz., Utah. 39, 20:493, 1927 (*Gyponana*).
 turbinella (Ball). 132, 25:499, 1935 (*Gyponana*).
 fibrata DeLong. Ariz. 28, p. 66, 1942.
 lora DeLong. Ariz. 28, p. 70, 1942.

manua DeLong. Ariz., Calif., Utah. 28, p. 70, 1942.
 pullata (Ball). Ariz., Miss. 132, 25:499, 1935 (*Gyponana*).
 querci DeLong. Ariz., Fla., Md., Mich., Miss., Ohio, Pa., Tex., Utah.
 28, p. 69, 1942.
 ramosa (Kirkaldy). Ariz., Tex. 62, 4:60, 1907 (*Gypona*).
 verrucosa DeLong. Ariz. 28, p. 72, 1942.

PRAIRIANA Ball, 39, 13:84, 90, 1920

Gypona cinerea Uhler

cinerea (Uhler). Colo., Dakota, Ill., Ia., Kans., Mont. 127, 3:460, 1877
 (*Gypona*).
 dualis DeLong. Texas. 28, p. 82, 1942.
 fraterna (Spaangberg). Fla., Tex. 118, 5(3):72, 1878 (*Gypona*).
 fraudulenta (Spaangberg). Md., Mex. 42, p. 108, 1883.
 globosa DeLong. Fla. 28, p. 84, 1942.
 hirsuta DeLong. Ariz. 28, p. 77, 1942.
 kansana Ball. Colo., Ia., Kans. 39, 13:91, 1920.
 var. angustens DeLong. Ia., Neb., S. D. 28, p. 83, 1942.
 latens DeLong. Ariz. 28, p. 80, 1942.
 milaris (Staal). Atlantic and Gulf Coast, Conn. to Tex. 117, 25:83, 1864
 (*Gypona*).
 moneta (Van Duzee). Ariz., Calif., Neb. 17, 12:174, 1923 (*Gypona*).
 negotiosa (Gibson). Fla., Md., N. C., Tex. 128, 56:97, 1919 (*Gypona*).
 orizaba Ball and Reeves. Mex., Tex. 39, 20:496, 1927.
 var. ro lenta DeLong. Texas. 28, p. 80, 1942.
 ponderosa Ball. Colo. 39, 13:91, 1920.
 var. longiora DeLong. Tex. 28, p. 79, 1942.
 sidana Ball. Ariz., Tex. 132, 25:501, 1935.
 subta Ball. Colo. 39, 13:92, 1920.

HAMANA DeLong, 28, p. 85, 1942

Gypona dictitoria Gibson

dictitoria (Gibson). Ariz. 128, 56:91, 1919 (*Gypona*).
 herbida DeLong. Ariz. 28, p. 88, 1942.
 incita (Van Duzee). Ariz., Mex. 17, 12:173, 1923 (*Gypona*).
 manifesta DeLong. Tex. 28, p. 86, 1942.
 marginifrons (Fowler). Southwestern states and Mex. 10, 2:302, 1903
 (*Gypona*).

PONANA Ball, 39, 13:84, 93, 1920

Gypona scarlatina Fitch

aenea DeLong. Kans., Md., Minn., Mo., N. C., Ohio, Pa., Va. 28, p. 94,
 1942.
 aquila (Gibson). Ariz. 128, 56:99, 1919 (*Gypona*).
 albosignata (Uhler). Mass. 136, p. 74, 1895 (*Gypona*).
 cacozela (Gibson). Texas. 128, 56:94, 1919 (*Gypona*).
 candida (Van Duzee). Ariz., Calif. 17, 12:175, 1923 (*Gypona*).

- citrina* (Spaangberg). Ohio, Texas. 118, 5:45, 1878 (*Gypona*).
dohrnii (Staal). Ariz., Colo. 117, 25:82, 1864 (*Gypona*).
floridana DeLong. Florida, Texas. 28, p. 102, 1942.
limbatipennis (Spaangberg). Ill., Ia., Ohio. 118, 5:47, 1878 (*Gypona*).
limonea Ball and Reeves. Ohio. 39, 20:498, 1927.
modesta (Spaangberg). Ill. 42, 4:107, 1883 (*Gypona*).
occlusa (Gibson). Ariz. 128, 56:94, 1919 (*Gypona*).
pauperata (Spaangberg). "Am. sept." 42, 1:33, 1881 (*Gypona*).
pectoralis (Spaangberg). D. C., Ill., Kans., Miss., Ohio, Tex. 118, 5:46, 1878 (*Gypona*).
 albimarginata (Woodworth). 65, 3:31, 1887 (*Gypona*).
 woodworthi (Van Duzee). 19, 46:389, 1914 (*Gypona*).
 bimaculata (Woodworth). 19, 3:32, 1887 (*Gypona*), (homonym).
 hullensis (Provancher). 100, 3:269, 1889.
puncticollis (Spaangberg). Fla., Ill. 118, 5:54, 1878 (*Gypona*).
sanguinolenta (Spaangberg). 118, 5:63, 1878 (*Gypona*).
grisea (Spaangberg). 118, 5:118, 1878 (*Gypona*).
proscripta (Fowler). 10, 2:309, 1903 (*Gypona*).
punctipennis (Staal). Ariz. 117, 25:82, 1864 (*Gypona*).
 curiata (Gibson). 128, 56:97, 1919 (*Gypona*).
quadralaba DeLong. Ariz., Nebr., N. J., Ohio, Tenn., Tex. 28, p. 98, 1942.
rubrapuncta DeLong. Fla. 28, p. 99, 1942.
rubida DeLong. Ia., Neb., Ohio, Pa., Wis. 28, p. 95, 1942.
scarlatina (Fitch). Fla., Ga., Kans., Mass., Miss., N. C., Ohio, Pa., Tex. 52, p. 57, 1851 (*Gypona*).
 irrorella (Spaangberg). Tex., Atlantic Coast to Mass. 118, 5:60, 1878 (*Gypona*).
 spadix (DeLong). D. C., N. J., Tenn. 91, 18:235, 1918 (*Gypona*).
 rodora (Ball). 39, 13:96, 1920 (*Gypona*).
sonora Ball. Ariz. 132, 25:502, 1935.
sparsa DeLong. Florida. 28, p. 103, 1942.

BULBANA DeLong, 28, p. 107, 1942

Bulbana pura DeLong

- extensa* DeLong. Calif. 28, p. 108, 1942.
inflata DeLong. Texas. 28, p. 109, 1942.
integra DeLong. Texas. 28, p. 109, 1942.
pura DeLong. Texas. 28, p. 108, 1942.

MARGANA DeLong, 28, p. 109, 1942

Ponana marginifrons var. *suilla* Ball

- suilla* (Ball). Ariz. 132, 25:503, 1935 (*Ponana marginifrons* var. *suilla* Ball)

POLANA DeLong, 28, p. 110, 1942

Gypona quadri-notata Spaangberg

- quadri-notata* (Spaangberg). Ga., S. C., Tex. 118, 5:56, 1878 (*Gypona*).

SUBFAMILY LEDRINAE STAAL, 120, 17:731, 1870

XEROPHLOEA Germar, 134, 1:190, 1839

Xerophloea grisea Germar = *Cercopis viridis* Fabricius

- brunnea Lawson. Calif. 96, 7:163, 1931.
 californica Lawson. Ariz., Calif., Tex. 96, 7:163, 1931.
 inflata Lawson. Ariz., Calif., Tex. 96, 7:164, 1931.
 majesta Lawson. Kans., Miss., S. C., Tex. 96, 7:165, 1931.
 major Baker. Kans., N. J., N. Y., Tenn., Va. 101, 8:285, 1898.
 minor Lawson. Ark., Fla., La., Miss., Tex. 96, 7:162, 1931.
 obtusa Lawson. Calif. 96, 7:162, 1931.
 oraclis Lawson. Ariz. 96, 7:165, 1931.
 robusta Lawson. Ariz., N. Mex., Tex. 96, 7:164, 1931.
 tenuata Lawson. Calif. 96, 7:165, 1931.
 vanduzeei Lawson. Calif. 96, 7:161, 1931.
 viridis (Fabricius). Eastern and Ariz., Calif., Colo., Kans., Mont., N. Mex.,
 Ore., Tex., Utah, Wash. 45, 4:50, 1794 (*Cercopis*).
 zionis Lawson. Utah. 96, 7:161, 1931.

SUBFAMILY DORYDIINAE VAN DUZEE, 3, 19:297, 1892

DORYCEPHALUS Kuschakéwitsch, 64, 4:102, 1866

Dorycephalus baeri Kuschakéwitsch

- brevis Beamer. N. Mex. 71, 15:55, 1942.
 delongi Knull. Ariz., N. M., Tex. 39, 34:437, 1941.
 knulli Sanders and DeLong. Fla. 41, 25:151, 1923.
 minor Osborn. N. Dak. 91, 20:154, 1920.
 omanae Beamer. Oregon. 71, 9:31, 1936.
 platyrhynchus Osborn. Colo., Ia., Kans., Neb. 19, 26:216, 1894.
 sinuatus Beamer. Ariz. 96, 18:135, 1942.
 vanduzeei Osborn and Ball. Colo., Fla., Kans., Neb. 27, 7:74, 1898.

NEOSLOSSONIA Van Duzee, 15, 9:218, 1909

Neoslossonia atra Van Duzee = *Dorycephalus putnami* Osborn*putnami* (Osborn). Fla., Ga. 27, 10:163, 1907 (*Dorycephalus*).

HECALUS Staal, 115, ser. 4, 4:65, 1864

Petalocephala paykulli Staal

- apicalis Van Duzee. Fla. 15, 9:217, 1909.
 balli Beamer. Ariz. 71, 10:12, 1937.
 bracteatus Ball. Ariz., Colo. 19, 33:4, 1901.
 lineatus (Uhler). Colo., Ia., Kans., Minn., Mo., Nebr., N. J., N. Y., N. D.,
 S. D. 127, 3:463, 1877 (*Glossocratus*).

SPANGBERGIELLA Signoret, 115, ser. 5, 9:273, 1879

Glossocratus vulneratus Uhler

- mexicana Baker. Ariz., Mexico. 19, 29:157, 1897.
 quadripunctata Lawson. Ala., Ark., D. C., Fla., Ill., Kans., La., Minn. 71, 5:120, 1932.
 vulnerata (Uhler). Ark., Fla., Kans., La., Md., Miss., N. J., N. Y., N. C., S. C., Tenn., Tex., Va. 127, 3:464, 1877 (*Glossocratus*).
 var. lativittata Lawson. Ark. 127, 5:118, 1932.
 var. convexa Lawson. Fla. 71, 5:118, 1932.

PARABOLOCRATUS Fieber, 130, 16:502, 1866

Paraboloccratus glaucescens Fieber

- atascaderus Ball. Calif. 13, 28:223, 1933.
 attenuatus Shaw. Ariz. 71, 5:40, 1932.
 var. purpureus Ball. Ariz. 13, 28:223, 1933.
 brunneus Ball. Colo., Kans., Neb., N. Mex. 70, p. 71, 1900.
 constrictus DeLong. Fla. 91, 38:302, 1938.
 continuus DeLong. Canada, Wyo. 91, 38:301, 1938.
 curtus Shaw. Kans. 71, 5:41, 1932.
 elongatus DeLong. S. D. 91, 38:302, 1938.
 fenestrellus Ball. Ariz., Calif. 11, 50:130, 1937.
 flavidus Signoret. Southeastern states and Ark., Kans. 115, ser. 5, 9:276, 1879.
 grandis Shaw. Ala., Fla., Kans., Tex. 71, 5:44, 1932.
 inflatus DeLong. Idaho, Wyo. 91, 38:301, 1938.
 kansiensis Shaw. Kans., Minn., Mo. 71, 5:47, 1932.
 major Osborn. Canada, Colo., Ind., Mass., Me., Mich., Wis. 78, 238:110, 1915.
 nigrifasciatus Beamer. Colo. 71, 11:82, 1938.
 nimbosus Ball. Ariz. 11, 50:129, 1937.
 planus Shaw. Calif. 71, 5:48, 1932.
 rotundus DeLong. Ill., Ohio. 91, 38:302, 1938.
 spadix Ball. Ariz., N. Mex. 11, 50:130, 1937.
 terminus DeLong. S. D. 91, 38:301, 1938.
 viridis (Uhler). Conn. and Mass. to Ore. and Wash. 127, 3:462, 1877 (*Glossocratus*).
 var. montanus Ball. Colo. 70, p. 71, 1900.

DORYDIELLA Baker, 19, 29:159, 1897

Dorydiella floridana Baker

- floridana Baker. Fla., Ill., Mass., Pa. 19, 29:159, 1897.
 kansana Beamer. Kans. 71, 18(1):48, 1945.

DICYPHONIA Ball, 70, p. 69, 1900

Dicyphonia ramentosa Ball = *Platymetopius ornatus* Baker

- cona (Shaw). N. Mex. 71, 5:45, 1932 (*Paraboloccratus*).
 minuta Beamer. Wyo. 71, 9:70, 1936.

- ornata (Baker). Colo., Kans., Neb., Utah. 19, 32:49, 1900 (*Platymetopius*).
ramentosa Ball. 70, p. 69, 1900.
 plana Beamer. Ariz. 71, 9:69, 1936.
 plura Beamer. Ariz. 71, 9:68, 1936.

COCHLORHINUS Uhler, 127, 1:358, 1876

Cochlorhinus pluto Uhler

- bidentatus Beamer. Calif. 71, 13:56, 1940.
 *niger (Ball). Calif., Ore. 11, 28:167, 1915 (*Drionia*).
 pasadenus (Ball). Calif. 11, 28:166, 1915 (*Uhleriella*).
 pluto Uhler. Calif. 32, 1:358, 1876.
 stygicus (Ball). Calif. 19, 34:55, 1902 (*Uhleriella*).
 unispinosus Beamer. Calif. 71, 13:54, 1940.
coquilletti (Van Duzee). 36, 6:95, 1890 (*Deltocephalus*), (homonym).
 ziczac (Ball). Calif. 11, 28:166, 1915 (*Uhleriella*).

CALONIA Beamer, 71, 13:56, 1940

Uhleriella signata Ball

- signata (Ball). Calif. 19, 34:56, 1902 (*Uhleriella*).

HULERIA Ball, 19, 34:57, 1902

Huleria 4-punctata Ball

- 4-punctata Ball. Calif. 19, 34:58, 1902.

PENEHULERIA Beamer, 96, 10:43, 1934

Penehuleria acuticephala Beamer

- acuticephala Beamer. Calif. 96, 10:43, 1934.

SUBFAMILY APHRODINAE KIRKALDY, 62, 1:307, 1906

STROGGYLOCEPHALUS Flor, 53, 2:198, 210, 1861

Cicada agrestis Fallén

- agrestis (Fallén). Colo., Conn., Ia., Mich., N. H., N. Y. 119, 27:23, 1806
 (*Cicada*).

APHRODES Curtis, 25, p. 193, 1831

Aphrodes testudo Curtis = *Cicada albifrons* Linnaeus

- albifrons (Linnaeus). D. C., Me., Mich., N. H., N. Y., Ont., Pa., Wis.
 75, 1:437, 1758 (*Cicada*).
 bicincta (Schrank). Me., N. Y., Ont. 110, p. 75, 1776 (*Cicada*).
nervosa (Schrank). 111, p. 252, 1781 (*Cicada*).
 flavostrigata (Donovan). N. Y., Ohio, Vt. 31, 8:28, 1799 (*Cicada*).
 fusco-fasciata (Goeze). N. J. 58, 2:161, 1778 (*Cicada*).
 placida (Provancher). Que. 100, 3:280, 1889.

MEMNONIA Ball, 70, p. 66, 1900

Memnonia consobrina Ball

- acuta Beamer. Colo. 71, 11:80, 1938.
 albolinea Ball. Arizona. 11, 50:131, 1937.
 consobrina Ball. Colo., Nebr. 70, p. 66, 1899.
 fossitia Ball. Arizona, N. Mex. 11, 50:132, 1937.
 fraterna Ball. Colo., Nebr. 70, p. 67, 1899.

XESTOCEPHALUS Van Duzee, 3, 19:298, 1889

Xestocephalus pulicarius Van Duzee

- brunneus Van Duzee. Mass., N. Y., Ohio, Pa., R. I. 15, 8:62, 1907.
 coronatus Osborn and Ball. Ia., Neb., Wis. 69, 4:184, 1897.
 fulvifrons Peters. Ariz., Texas. 71, 6:78, 1933.
 lunatus Peters. Fla. 71, 6:76, 1933.
 nigrifrons Osborn. Me., Tenn. 78, 238:109, 1915.
 piceus Osborn. Ohio. 90, 4:244, 1928.
 provancheri Knull. Fla., Miss., Ohio, Tex. 91, 44:239, 1944.
 pulicarius Van Duzee. Eastern and Ia., Kans., Mo., Utah. 15, 5:215, 1894.
 robustus Peters. Fla. 71, 6:74, 1933.
 similis Peters. Kans., Ohio, Tex. 71, 6:77, 1933.
 superbus (Provancher). Me., N. Y., Ohio, Pa., Que., Tenn. 100, 3:339, 1890
 (*Deltocephalus*).
 tessellatus Van Duzee. Ark., Fla., Kans., Miss., Mo., N. C., Pa., Tenn.
 15, 5:216, 1894.
 trimaculatus Peters. La. 71, 6:75, 1933.
 tucsoni Knull. Ariz. 91, 44:240, 1944.

SUBFAMILY ATHYSANINAE VAN DUZEE, 3, 19:297, 299, 1892

TWININGIA Ball, 13, 26:93, 1931

Scaphoideus blandus Ball

- acuta Beamer. Ariz., N. Mex. 41, 44:176, 1942.
 albocosta Beamer. Calif. 41, 44:174, 1942.
 areolata Beamer. Calif. 41, 44:177, 1942.
 bicolor (Ball). Calif. 38, 20:166, 1909 (*Scaphoideus*).
 blanda (Ball). Calif., Colo. 19, 33:7, 1901 (*Scaphoideus*).
 fasciata Beamer. Calif., Ore., Wash. 41, 44:171, 1942.
 fumida (Ball). Ariz., Colo. 19, 33:8, 1901 (*Scaphoideus*).
 grandis Beamer. N. Mex. 41, 44:175, 1942.
 irrorata (Osborn). Calif. 92, 11:257, 1910 (*Scaphoideus*).
 magnata Ball. Ariz. 13, 26:94, 1931.
 malvastra Ball. Ariz. 13, 26:94, 1931.
 pellucida (Ball). Calif. 19, 41:83, 1909 (*Scaphoideus*).
 planus (Van Duzee). 17, p. 414, 1925 (*Platymetopius*).
 permista Beamer. Calif. 41, 44:172, 1942.

pulla Beamer. Calif. 41, 44:174, 1942.
 reducta (Ball). Calif. 19, 41:84, 1909 (*Scaphoideus*).
 reticulata Beamer. Calif. 41, 44:178, 1942.
 rubrafusca Beamer. Calif. 41, 44:178, 1942.
 scrupulosa (Ball). Calif. 19, 34:14, 1902 (*Scaphoideus*).
 solitaria Ball. Ariz. 13, 31:18, 1936.
 tricolor Beamer. Calif. 71, 12:27, 1939.

SANCTANUS Ball, 132, 22:10, 1932

Scaphoideus sanctus Say

aestuarium (DeLong and Slesman). N. C. 39, 22:101, 1929 (*Polyamia*).
 balli Beamer. Ariz. 19, 70:224, 1938.
 cruciatus (Osborn). Fla., N. J., N. Y. 92, 11:253, 1910 (*Scaphoideus*).
 eburneus (DeLong). Miss. 87, 32:63, 1924 (*Deltiocephalus*).
 fasciatus (Osborn). Fla., N. J., West Indies. 21, 19:190, 1900 (*Scaphoideus*).
 neglectus (Osborn). 92, 11:252, 1910.
 fusconotatus (Osborn). La. 54, 6:17, 1922 (*Deltiocephalus*).
 limicolus (Osborn). Fla. 54, 6:17, 1922 (*Deltiocephalus*).
 orbiculatus Ball. Ariz. 132, 22:11, 1932.
 sanctus (Say). Ill., Ind., Ia., Ky., N. J., N. C., Ohio, Tenn. 1, 6:307, 1831
 (*Scaphoideus*).
 picturatus (Osborn). 69, 5:243, 1898 (*Scaphoideus*).
 tectus Oman. S. C., Va. 41, 36:75, 1934.

SCAPHOIDEUS Uhler, 79, 1:33, 1889

Jassus immistus Say

amplus DeLong and Mohr. Pa. 5, 17:973, 1936.
 angustatus DeLong and Beery. Pa. 91, 36:335, 1936.
 atlantus Ball. N. J. 132, 22:14, 1932.
 auctus DeLong and Mohr. Ill., Pa., Wis. 5, 17:970, 1936.
 baculus DeLong and Mohr. Ill., Ohio, Pa. 5, 17:970, 1936.
 bifurcatus DeLong and Mohr. Pa. 5, 17:974, 1936.
 camurus DeLong and Mohr. Ill., Pa. 5, 17:967, 1936.
 carinatus Osborn. Eastern states. 21, 19:201, 1900.
 chelus DeLong and Beery. Ill. 91, 36:339, 1936.
 cinerosus Osborn. Ill., Ia. 21, 19:208, 1900.
 crassus DeLong and Mohr. N. J. 5, 17:966, 1936.
 curvatus DeLong and Mohr. Ill. 5, 17:967, 1936.
 cylindratus DeLong and Beery. Ill., Me., N. Y., Pa. 91, 36:338, 1936.
 cyprius Ball. Ia. 132, 22:12, 1932.
 densus DeLong and Beery. Ill., Ohio, Quebec. 91, 36:340, 1936.
 dilatus DeLong and Mohr. Pa. 5, 17:966, 1936.
 diutius DeLong and Mohr. Ill., Pa. 5, 17:972, 1936.
 elongatus DeLong and Beery. D. C., Ill., Miss., Pa., Va. 91, 36:337, 1936.
 flexus DeLong and Mohr. Ill., Pa., Tenn. 5, 17:968, 1936.
 frisoni DeLong and Mohr. Me., Md., N. Y., Pa., Wis. 5, 17:975, 1936.

- immistus (Say). Eastern and Calif., Colo., Iowa, Kans., Mo., Tex. 1, 6:306, 1831 (*Jassus*).
inundatus Ball. 132, 22:15, 1932.
 incisus Osborn. Ala., Calif., Colo., D. C., Fla., Ill., Ia., Kans., Me., Mass., Mich., Mo., N. H., N. J., N. Y., N. C., Ohio, Ont., Pa., Que., Tenn., Tex., Vt., W. Va. 21, 19:206, 1900.
 littoralis Ball. Ill., La., Ohio, Pa., S. D., Tenn., Wis. 132, 22:15, 1932.
brevidens DeLong and Mohr. 5, 17:971, 1936.
 luteolus Van Duzee. Ill., Ia., Ohio. 15, 5:210, 1894.
 major Osborn. Ia. 21, 19:205, 1900.
 melanotus Osborn. Md., Pa., Tenn., Tex. 21, 19:206, 1900.
 merus DeLong and Beery. D. C., Pa. 91, 36:336, 1936.
 minor Osborn. Ia. 21, 19:205, 1900.
 nigrellus DeLong and Mohr. Ill. 5, 17:973, 1936.
 nigricans Osborn. N. C., Tenn. 92, 11:258, 1910.
 obtusus Osborn. Fla., Ill., Ia., N. Y. 21, 19:207-208, 1900.
 ochraceus Osborn. Ia., N. H., N. Y., Pa., Tenn. 69, 5:242, 1898.
 opalinus Osborn. Fla., N. J., N. Y. 89, 20:525, 1905.
 paludosus Ball. Fla. 132, 22:13, 1932.
 productus Osborn. Ia., Kans., Ky., Me., Mass., Mo., N. Y., N. C., Pa. 21, 19:200, 1900.
 pullus DeLong and Mohr. D. C., Ill., Pa., Wis. 5, 17:969, 1936.
 radix DeLong and Mohr. Ill. 5, 17:969, 1936.
 rubranotum DeLong. N. Y. 41, 41:39, 1939.
 scelestus DeLong and Mohr. Pa. 5, 17:974, 1936.
 sensibilis Ball. Fla. 132, 22:14, 1932.
 tergatus DeLong. Ill. 41, 41:45, 1939.
 titanus Ball. Ont., W. Va. 132, 22:12, 1932.
 torqus DeLong and Beery. Pa. 91, 36:337, 1936.
 transeus DeLong and Beery. D. C., Ill., Ia. 91, 36:339, 1936.
 triunatus Ball. Ariz. 132, 22:13, 1932.
 veterator DeLong and Beery. Pa. 91, 36:334, 1936.

LONENUS DeLong, 41, 41:33, 1939

Scaphoideus intricatus Uhler

- intricatus (Uhler). Eastern and Ia., Kans., Nebr. 79, 1:34, 1889 (*Scaphoideus*).

OSBORNELLUS Ball, 132, 22:17, 1932

Scaphoideus auronitens Provancher

- alatus Beamer. Conn., Md., Mex., Miss., Pa., Va. 71, 10:105, 1937.
 albonotatus (Van Duzee). Fla. 15, 9:226, 1909 (*Scaphoideus*).
 ater Beamer. Tex. 71, 10:108, 1937.
 auronitens (Provancher). Eastern states only. 100, 3:277, 1889 (*Scaphoideus*).
 bifasciatus Beamer. Ariz. 71, 10:97, 1937.

- borealis DeLong and Mohr. B. C. 5, 17:976, 1936.
 capitatus DeLong and Knull. Calif. 39, 34:177, 1941.
 clarus Beamer. Ala., Ariz., D. C., Fla., Ga., Kans., Ky., La., Md., Miss.,
 S. C. 71, 10:99, 1937.
 cocanus Ball. Fla. 132, 22:18, 1932.
 consors (Uhler). Eastern and Colo., Ill., Tex., Utah. 79, 1:36, 1889
 (*Scaphoideus*).
 corniger Beamer. Kans. 71, 10:102, 1937.
 curvatus Beamer. Calif. 71, 10:101, 1937.
 decorus Beamer. Calif. 71, 10:98, 1937.
 filamentus DeLong and Beery. Tex. 91, 37:266, 1937.
 fumidus Beamer. Ariz., Colo., N. M. 71, 10:104, 1937.
 ignavus Ball. Ariz. 13, 31:18, 1936.
 jucundus (Uhler). Eastern and Iowa, Mo. 79, 1:34, 1889 (*Scaphoideus*).
 knulli DeLong and Beery. Ariz. 91, 37:266, 1937.
 limosus DeLong. N. J., Pa., Tenn., Va. 39, 34:179, 1941.
 lineatus Beamer. Ariz. 71, 10:106, 1937.
 mirus (Van Duzee). Calif. 17, 14:419, 1925 (*Scaphoideus*).
 omani Beamer. Ariz. 71, 10:100, 1937.
 pallidus Beamer. Ariz. 71, 10:105, 1937.
 parallelus DeLong and Knull. Ariz. 39, 34:178, 1941.
 ritanus Ball. Ariz. 132, 22:17, 1932.
 rotundus Beamer. Ala., Conn., D. C., Fla., Ga., Miss., S. C. 71, 10:93, 1937.
 scalaris (Van Duzee). Eastern and Ariz., Calif., Iowa, Kans., Mo., Wash.
 36, 6:51, 1890 (*Scaphoideus*).
 spicatus Beamer. Ariz. 71, 10:103, 1937.
 tenuis Beamer. Ariz. 71, 10:97, 1937.
 unicolor (Osborn). Eastern and Texas. 21, 19:196, 1900.
 (*Scaphoideus consors* var. *unicolor*)

PRESCOTTIA Ball, 132, 22:16, 1932

Scaphoideus lobatus Van Duzee

- brickellia Ball. Ariz. 132, 22:16, 1932.
 lobata (Van Duzee). Eastern and Iowa. 15, 5:199, 1894 (*Scaphoideus*).

PLATYMETOPIUS Burmeister, 32, pl. 14, subg. 4, 1838

Jassus rostratus Herrich-Schaeffer

- palliolutus (Ball). Tex. 19, 34:13, 1902 (*Eutettix*).
 vitellina (Fitch). Eastern and Br. Col., Ia., Manitoba, Nebr., N. D., S. D.,
 Utah, Wash. 52, p. 57, 1851 (*Acocephalus*).
furcata (Osborn). N. Y. 89, p. 516, 1905 (*Paramesus*).
twiningi (Uhler). 127, 4:511, 1878 (*Jassus*).

JAPANANUS Ball, 19, 63:217, 218, 1931

Platymetopius hyalinus Osborn

- hyalinus (Osborn). D. C., Ill., Ohio, Pa. 38, 11:501, 1900 (*Platymetopius*).
cinctus (Matsumura). 123, 5:215, 1914 (*Platymetopius*).

SCAPHYTOPIUS Ball, 19, 63:217, 218, 1931

Platymetopius elegans Van Duzee

- elegans* (Van Duzee). Calif. 36, 6:94, 1890 (*Platymetopius*).
 var. *floridanus* Ball. Fla. 19, 63:220, 1931.
 var. *glennanus* Ball. Ariz. 19, 63:220, 1931.
 var. *roseus* Ball. Fla. 19, 63:221, 1931.

CLOANTHANUS Ball, 19, 63:217, 219, 1931

Platymetopius angustatus Osborn

- abbreviatus* (DeLong). Tenn. 100, 17:39, 1916 (*Platymetopius*).
abruptus (Ball). Ariz. 38, 20:165-66, 1909 (*Platymetopius*).
acutus (Say). Eastern states and Br. Col., Calif., Colo., Mo., Kans., Utah.
 1, 6:306, 1831 (*Jassus*).
analis (Van Duzee). Lower Calif. 17, 12:181, 1923 (*Platymetopius*).
 var. *castranus* (Ball). Ariz. 19, 63:228, 1931 (*Convelinus*).
andromus (Ball). Fla. 19, 63:221, 1931 (*Nasutoideus*).
angustatus (Osborn). Mo., N. Y. 89, p. 518, 1905 (*Platymetopius*).
anisacanus (Ball). Ariz. 19, 63:222, 1931 (*Nasutoideus*).
argutus DeLong. Ga. 91, 45:24, 1945.
atratus DeLong. Ill. 91, 45:27, 1945.
bicolor (DeLong). Tenn. 100, 17:38, 1916 (*Platymetopius*).
calliandrus (Ball). Ariz. 19, 63:222, 1931 (*Nasutoideus*).
carolinus (Lathrop). S. C. 91, 17:123, 1917 (*Platymetopius*).
celtidis (Ball). Ariz. 19, 63:224, 1931 (*Nasutoideus*).
cinereus (Osborn and Ball). Ariz., Fla., Ia., Kans., Neb., N. C., Tenn.
 69, 4:193, 1897 (*Deltocephalus*).
cinnamoneus (Osborn). Me. 78, 238:114, 1915 (*Platymetopius*).
collaris (Sanders and DeLong). Pa. 39, 12:232, 1919 (*Platymetopius*).
compactus (Ball). Calif. 38, 27:176, 1916 (*Platymetopius*).
cuprescens (Osborn). Colo., Me., N. Y., N. C., Ont., Que., Tenn., Utah.
 89, p. 517, 1905 (*Platymetopius*).
desertanus (Ball). Ariz. 19, 63:225, 1931 (*Nasutoideus*).
diabolus (Van Duzee). Calif. 17, 14:413, 1925 (*Platymetopius*).
dixianus (Ball). Calif., Utah. 38, 20:163, 1909 (*Platymetopius*).
dodonanus (Ball). Ariz. 19, 63:225, 1931 (*Nasutoideus*).
dorsalis (Ball). Kans. 38, 20:164, 1909 (*Platymetopius*).
 **dubius* (Van Duzee). Br. Col., Calif., Colo., Kans., Mo., Ohio, Tenn,
 Utah. 4, 3:220, 1910 (*Platymetopius*).
filamentus DeLong. Pa. 91, 45:22, 1945.
frontalis (Van Duzee). Eastern and Calif., Ia., Kans., Mo. 19, 22:112, 1890
 (*Platymetopius*).
fulvus (Osborn). N. Y., Ohio, Pa. 89, p. 519, 1905 (*Platymetopius*).
fuscifrons (Van Duzee). Ariz., Calif. 15, 5:206, 1894 (*Platymetopius*).
graneticus (Ball). Ariz. 19, 63:226, 1931 (*Platymoideus*).
guterranus (Ball). Ariz. 19, 63:227, 1931 (*Platymoideus*).
hastus DeLong. Ill., Mo., Ohio. 91, 45:24, 1945.
heldoranus (Ball). Ariz. 19, 63:226, 1931 (*Nasutoideus*).

- hymenocleae (Van Duzee). Gulf of Calif. 17, 12:178, 1923 (*Platymetopius*).
 irroratus (Van Duzee). Ariz., Calif. 39, 3:227, 1910 (*Platymetopius*).
 var. nogalinus (Ball). Ariz. 19, 63:226, 1931 (*Nasutoideus*).
 jocosus (Van Duzee). Gulf of Calif. 17, 12:179, 1923 (*Platymetopius*).
 lanceus DeLong. Ala. 91, 45:26, 1945.
 latus (Baker). Ont., Que. 19, 32:50, 1900 (*Platymetopius*).
 loricatus (Van Duzee). Calif., Colo., Fla. 15, 5:205, 1894 (*Platymetopius*).
 magdalensis (Provancher). Eastern states. 100, 3:275, 1889 (*Platymetopius*).
 nasutus (Van Duzee). Calif., Colo. 15, 8:64, 1907 (*Platymetopius*).
 nigricollis (Ball). Ariz., Calif., Utah. 38, 27:205, 1916 (*Platymetopius*).
 nigrifrons (DeLong). Conn. 23, 34:103, 1923 (*Platymetopius*).
 nigriviridis (Ball). Calif., Utah. 38, 20: 163, 1909 (*Platymetopius*).
 obscurus (Osborn). N. Y., Ohio, Pa. 92, 5:274, 1905 (*Platymetopius*).
 oregonensis (Baker). Calif., Colo., N. Mex., Ore., Utah. 19, 32:49, 1900
 (*Platymetopius*).
 ovioidus Ball. Fla. 19, 63:227, 1931 (*Platymoideus*).
 parvus (Lathrop). Ala., S. Car. 91, 17:122, 1917 (*Platymetopius*).
 var. niger DeLong. Ala. 91, 45:27, 1945.
 pexatus (Van Duzee). Calif. 17, 41:415, 1925 (*Platymetopius*).
 rubellus (Sanders and DeLong). Va. 39, 12:231, 1919 (*Platymetopius*).
 scriptus (Ball). Kans., Tenn. 38, 20:165, 1909 (*Platymetopius*).
 scutellatus (Van Duzee). Gulf of Calif. 17, 12:180, 1923 (*Platymetopius*).
 slossonae (Van Duzee). Calif., Fla. 39, 3:222, 1910 (*Platymetopius*).
 speciosus (Van Duzee). Gulf of Calif. 17, 12:179, 1923 (*Platymetopius*).
 tenuis DeLong. S. D., Utah. 91, 45:24, 1945.
 torridus (Ball). Calif., Nev., Utah. 38, 27:205, 1916 (*Platymetopius*).
 triangularis DeLong. Ill. 91, 45:27, 1945.
 trilineatus (Ball). Calif. 38, 27:204, 1916 (*Platymetopius*).
 vaccinii DeLong. Ill. 91, 45:27, 1945.
 varius DeLong. Ill. 91, 45:26, 1945.
 verecundus (Van Duzee). Fla., N. C. 39, 3:227, 1910 (*Platymetopius*).
 xanthanus (Ball). Ariz. 19, 63:225, 1931 (*Nasutoideus*).

TUMEUS DeLong, 13, 38:168, 1943

Platymetopius majestus Ball

- majestus (Ball). Calif. 38, 20:164, 1909 (*Platymetopius*).
 texanus DeLong. Tex. 13, 38:170, 1943.

HEBENARUS DeLong, 96, 20:42, 1944

Hebenarus pallidus DeLong

- *catalinus (Ball). Ariz. 19, 41:82, 1909 (*Scaphoideus*).
 huachucus DeLong. Ariz. 96, 22:41, 1944.
 ritanus (Ball). Ariz. 19, 43:221, 1931 (*Scaphytopius*).

ACURHINUS Osborn, 91, 20:158, 1920

Dorydium maculatus Osborn

- pyrops (Crumb). Md., N. C., Ohio, Pa., Tenn., Va. 39, 8:191, 1915
 (*Deltocephalus*).

FLEXAMIA DeLong, 94, 2:22, 1926

Deltocephalus reflexus Osborn and Ball

- abbreviata* (Osborn and Ball). Colo., Ia., Kans., Neb., N. D., S. D., Tex. 69, 4:206, 1897 (*Deltocephalus*).
- albida* (Osborn and Ball). Ia., Kans., Mo., Neb., S. D. 69, 4:201, 1897 (*Deltocephalus*).
- areolata* (Ball). Ariz., Kans., Mo., N. Y., S. C. to Miss. 19, 31:188, 1899 (*Deltocephalus*).
- atlantica* DeLong. Mass., N. J. 94, 2:29, 1926.
- bidentata* DeLong. Ill. 39, 28:155, 1935.
- curvata* DeLong. Kans. 94, 2:34, 1926.
- decora* Beamer and Tuthill. Colo. 71, 7:2, 1934.
- doeringae* Beamer and Tuthill. Ariz., Colo. 71, 7:3, 1934.
- flexulosa* (Ball). Colo., Kans., N. D., S. D. 19, 31:189, 1899 (*Deltocephalus*).
- funabula* (Crumb). Kans. 39, 8:189, 1915 (*Deltocephalus*).
- graminea* DeLong. Kans. 94, 2:30, 1926.
- grammica* (Ball). Colo., Nebr. 19, 32:204, 1900 (*Deltocephalus*).
- imputans* (Osborn and Ball). Ia., Kans., Wis. 27, 7:75, 1898 (*Deltocephalus*).
- inflata* (Osborn and Ball). Colo., Fla., Ia., Kans., N. J., Ohio, Pa., Wis. 69, 4:202, 1897 (*Deltocephalus*).
- modica* Beamer and Tuthill. N. Mex. 71, 7:3, 1934.
- pectinata* (Osborn and Ball). Ia., Kans., Neb., S. D., Wis. 69, 4:205, 1897 (*Deltocephalus*).
- picta* (Osborn). Kans., Md., Miss., N. Y., Ohio, Pa., Tenn., Va. 27, 10:165, 1907 (*Deltocephalus*).
- prairiana* DeLong. Ill. 96, 13:32, 1937.
- producta* (Walker). Me., Mo., Nova Scotia. 131, 3:891, 1851 (*Jassus*).
- reflexa* (Osborn and Ball). Colo., Ia., Kans., Minn., Miss., N. C., Tenn., Wis. 69, 4:203, 1897 (*Deltocephalus*).
- ritana* Beamer. Ariz. 19, 68:257, 1936.
- rubranura* DeLong. Ill. 39, 28:154, 1935.
- sandersi* (Osborn). Conn., Miss. to Gulf, Ohio, Pa., Tenn. 27, 10:164, 1907 (*Deltocephalus*).
- serrata* Beamer and Tuthill. Br. Col. 71, 7:4, 1934.
- stylata* (Ball). Ia., Neb. 19, 31:190, 1899 (*Deltocephalus*).
- surcula* DeLong and Slesman. Tex. 39, 22:99, 1929.
- visenda* (Crumb). Fla., Ga., Kans., N. J. 39, 8:189, 1915 (*Deltocephalus*).

ALAPUS DeLong and Slesman, 39, 22:86, 1929

Deltocephalus fraternus Ball

- acutus* Beamer and Tuthill. Fla. 72, 22:528, 1935.
- angulatus* Beamer and Tuthill. Ga. 72, 22:529, 1935.
- attenuatus* Lawson. Fla. 71, 5:29, 1932.
- elongatus* Beamer and Tuthill. Fla. 72, 22:531, 1935.
- fraternus* (Ball). Fla. 19, 43:201, 1911 (*Deltocephalus*).

marcidus Beamer and Tuthill. Fla. 71, 7:1, 1934.
 mendosus (Ball). Fla. 19, 43:202, 1911 (*Deltocephalus*).

SECOENNIS DeLong and Slesman, 39, 22:85, 1929

Deltocephalus slossonae Ball

slossonae (Ball). Fla. 11, 18:119, 1905 (*Deltocephalus*).

LATALUS DeLong and Slesman, 39, 22:87, 1929

Amblycephalus sayi Fitch

configuratus (Uhler). Colo., Me., Mont., Wyo. 127, 4:511, 1879
 (*Deltocephalus*).

curtus Beamer and Tuthill. Br. Col. 71, 7:5, 1934.

latidens (Sanders and DeLong). Wis. 41, 12:234, 1919 (*Deltocephalus*).

missellus (Ball). Colo., Me., Minn., Mo., N. H., N. Y., Pa., Utah, Wis.
 19, 31:191, 1899 (*Deltocephalus*).

mundus Beamer-Tuthill. Br. Col., Wyo. 71, 7:6, 1934.

occidentalis DeLong. Ore. 94, 2:41, 1926.

ocellaris (Fallén). Can., Colo., Kans., N. Y. 49, p. 33, 1826 (*Cicada*).

sayi (Fitch). Colo., Dak., Ia., Kans., Ky., Me., Mass., Miss., Mo., N. H.,
 N. J., N. Y., N. C., Ohio, Ont., Pa., Que., Tenn. 52, p. 61, 1851
 (*Amblycephalus*).

sobrinus DeLong and Slesman. Alberta. 39, 22:100, 1929.

uncinatus Beamer and Tuthill. Ariz., N. Mex. 71, 7:6, 1934.

vagus Beamer and Tuthill. N. Mex. 71, 7:7, 1934.

PALUS DeLong and Slesman, 39, 22:85, 1929

Deltocephalus delector Sanders and DeLong

acutus Beamer. Ind., Ia., Pa. 19, 70:226, 1938.

bilineatus (Gillette and Baker). Colo., Ia. 22, p. 85, 1895 (*Deltocephalus*).

delector (Sanders and DeLong). Me., N. H., N. Y., Ohio, Pa. 39, 12:233,
 1919 (*Deltocephalus*).

fasciatus Beamer. Manitoba, N. Dak. 19, 70:228, 1938.

luteocephalus (Sanders and DeLong). S. D., Wis. 39, 10:84, 1917
 (*Deltocephalus*).

marginatus (DeLong). Me., N. D., Wis. 91, 18:228, 1918 (*Deltocephalus*).

paludosus (Ball). Colo. 19, 31:307, 1899 (*Deltocephalus*).

POLYAMIA DeLong, 94, 2:20, 46, 1926

Deltocephalus weedi Van Duzee

alboneura (DeLong). Ill., Miss., Tenn. 91, 18:236, 1918 (*Deltocephalus*).

algosa DeLong and Davidson. Wis. 19, 67:165, 1935.

apicata (Osborn). Eastern and Md., Vt. 19, 32:285, 1900 (*Deltocephalus*).

arundinea (Crumb). Fla., Ill., Miss., N. C., Tenn. 39, 8:191, 1915
 (*Deltocephalus*).

brevipennis DeLong and Davidson. Ala. 19, 67:164, 1935.

- compacta (Osborn and Ball). Eastern and Ia., Kans., Wis. 69, 4:217, 1897
(*Deltocephalus*).
- decisus (DeLong). Fla. 94, 2:55, 1926 (*Deltocephalus*).
- dilata DeLong. Ill. 96, 13:33, 1937.
- gramma DeLong. Ill. 39, 28:156, 1935.
- herbida DeLong. Ill. 39, 28:155, 1935.
- incerta Beamer and Tuthill. Ariz. 71, 7:13, 1934.
- inimica (Say). Coast to coast. 1, 6:305, 1831 (*Deltocephalus*).
- interrupta (DeLong). Ill., Mass., N. Y., N. C., Ohio, Pa., Tenn. 100, 17:51,
1916 (*Deltocephalus*).
- kansiensis Tuthill. Kans. 71, 3:46, 1930.
- lassus (Ball). Calif., Mont., Wyo. 38, 27:175, 1916 (*Athysanus*).
- lobata Beamer and Tuthill. Fla. 71, 7:8, 1934.
- micaria (Ball). Fla., Ga., Miss., N. C., S. C. 19, 43:203, 1911
(*Deltocephalus*).
- montana DeLong and Slesman. Mont., Wash. 39, 22:101, 1929.
- multicella Beamer and Tuthill. Ariz. 71, 7:14-15, 1934.
- nana Beamer and Tuthill. Fla. 71, 7:9, 1934.
- nebulosa (Ball). Colo. 19, 32:341, 1900 (*Lonatura*).
- obtecta (Osborn and Ball). Eastern and Ia., Kans., Mo. 27, 7:78, 1898
(*Deltocephalus*).
- pulla Beamer and Tuthill. Fla. 71, 7:11, 1934.
- ritana Beamer and Tuthill. Ariz. 71, 7:11, 12, 1934.
- rossi DeLong. Ill. 96, 13:32, 1937.
- sabina Beamer and Tuthill. Ariz. 71, 7:15-16, 1934.
- santana Beamer and Tuthill. Ariz. 71, 7:12, 1934.
- satur (Ball). Colo., S. D., Tex. 19, 31:309, 1899 (*Deltocephalus*).
- saxosa DeLong. Ill. 39, 28:156, 1935.
- similaris DeLong and Davidson. Ill., Tenn. 19, 67:164, 1935.
- singularis Beamer and Tuthill. Ariz. 71, 7:13, 1934.
- tantilla Beamer and Tuthill. Ariz. 71, 7:10, 1934.
- texana (DeLong). Tex. 94, 2:50, 1926 (*Deltocephalus*).
- vinnulus (Crumb). Tenn. 39, 8:192, 1915 (*Deltocephalus*).
- weedi (Van Duzee). Eastern and Ia., Kans., Miss. 3, 19:306, 1892
(*Deltocephalus*).

HEBECEPHALUS DeLong, 94, 2:20, 58, 1926

Deltocephalus signatifrons Van Duzee

- accuratus Beamer. N. Mex. 71, 11:79, 1938.
- acutus Beamer. Manitoba. 71, 11:79, 1938.
- adversus Beamer and Tuthill. Oregon. 72, 22:536, 1935.
- algidus DeLong and Davidson. Alaska. 19, 67:166, 1935.
- balli Beamer. Ariz. 19, 68:252, 1936.
- blandus (Gillette). Colo. 22, 43:26, 1898 (*Deltocephalus*).
- borealis DeLong and Davidson. Alberta. 19, 67:166, 1935.
- caecus Beamer. Oregon. 19, 68:255, 1936.
- callidus (Ball). Washington. 19, 31:306, 1899 (*Deltocephalus*).

crassus DeLong. Wyo. 94, 2:61, 1926.
 cruciatus (Osborn and Ball). Ia., N. D. 27, 7:77, 1898 (*Deltocephalus*).
 discessus (Van Duzee). Calif. 17, 14:416, 1925 (*Deltocephalus*).
 firmus Beamer. Wyo. 19, 68:253, 1936.
 funestus Beamer. N. Mex. 71, 10:61, 1937.
 furcillatus Beamer and Tuthill. N. Mex. 72, 22:537, 1935.
 hilaris Beamer. Wyo. 19, 68:252, 1936.
 irritus Beamer. Nev. 19, 68:253, 1936.
 merus Beamer. Ariz. 71, 10:61, 1937.
 neomexicanus Tuthill. N. Mex. 71, 3:44, 1930.
 obliquus DeLong and Davidson. Idaho. 19, 67:165, 1935.
 occidentalis Beamer and Tuthill. Colo., Mont. 72, 22:535, 1935.
 pagosus Beamer. Colo. 71, 11:78, 1938.
 rostratus Beamer and Tuthill. Ariz. 72, 22:534, 1935.
 sagittatus Beamer and Tuthill. Ore. 72, 22:533, 1935.
 scriptanus Oman. Ariz. 41, 36:77, 1934.
 sexmaculatus (Gillette and Baker). Colo. 22, 31:88, 1895 (*Deltocephalus*).
 signatifrons (Van Duzee). Colo., Ia., Kans., Mont., Nebr., N. Mex., Utah,
 Wyo. 3, 19:305, 1892 (*Deltocephalus*).
 subitus Beamer. N. Mex. 71, 10:60, 1937.
 tener Beamer and Tuthill. Colo. 71, 7:16, 1934.
 truncatus Beamer and Tuthill. Saskatchewan. 72, 22:534, 1935.
 vinculatus (Ball). Colo., Labrador. 19, 31:191, 1899 (*Deltocephalus*).

LAEVICEPHALUS DeLong, 94, 2:21, 64, 1926

Deltocephalus sylvestris Osborn and Ball

abdominalis (Fabricius). Colo., Labr., Me., N. H., N. Y., Ont., Que.
 48, p. 98, 1803 (*Cercopis*).
 acus (Sanders and DeLong). Conn., N. Y., Pa., Wis. 97, 3(1):10, 1920
 (*Deltocephalus*).
 angelus Oman. Calif. 132, 27:478, 1937.
 aridus Oman. Ariz. 41, 36:77, 1934.
 auratus (Gillette and Baker). Colo., Mont., N. D., Wyo. 22, 31:85, 1895
 (*Deltocephalus*).
 austrinus DeLong and Davidson. Texas. 19, 67:169, 1935.
 bidentatus DeLong and Davidson. Colo. 19, 67:169, 1935.
 bimaculatus Gillette and Baker. Colo. 22, 31:86, 1895.
 bocanus Oman. Texas. 41, 36:78, 1934.
 canadensis (DeLong). Canada. 94, 2:71, 1926 (*Deltocephalus*).
 caricis (Gillette and Baker). Colo. 22, 31:95, 1895 (*Thamnoteitix*).
 cartwrighti Oman. Calif. 41, 34:90, 1932.
 cinerosus (Van Duzee). Calif. 3, 19:305, 1892 (*Deltocephalus*).
 collinus (Boheman). Colo., Ia., Kans., N. Mex., N. D., S. D., Wyo.
 119, p. 261, 1849 (*Deltocephalus*).
 concinnus (Sanders and DeLong). Wis. 39, 10:86, 1917 (*Deltocephalus*).
 convergens (DeLong). Colo. 94, 13:70, 1926 (*Deltocephalus*).
 cookei (Gillette). Colo., S. D. 22, 43:24, 1898 (*Deltocephalus*).

- debilis (Uhler). Colo., Wyo. 127, 1:360, 1876 (*Deltocephalus*).
cadyi Deay. 19, 59:55, 1927.
orbiculus DeLong and Sleesman. 39, 22:103, 1929.
emarginatus (Gillette and Baker). Colo. 22, 31:96, 1895 (*Thamnotettix*).
exectus DeLong. Colo., Mont. 94, 2:78, 1926.
flabellum DeLong. Calif. 91, 38:217, 1938.
flavo-virens (Gillette and Baker). Br. Col., Calif., Colo., N. Y., Que., Vanc.
Isd. 22, 31:87, 1895 (*Deltocephalus*).
helvinus (Van Duzee). Calif. 17, 7:300, 1917 (*Thamnotettix*).
helvus DeLong. N. D., Wyo. 94, 2:78, 1926.
hamatus Beamer. Texas. 71, 11:78, 1938.
hyalinus Beamer. Colo. 71, 11:77, 1938.
incisurus (DeLong). Manitoba, Wis. 94, 2:77, 1926 (*Deltocephalus*).
incongruus Oman. Calif. 132, 27:475, 1937.
joaquinus Oman. Calif. 132, 27:478, 1937.
labeculus DeLong. Mont., N. D., Wyo. 94, 2:76, 1926.
larrimeri DeLong. Mont. 94, 2:82, 1926.
lenis (Van Duzee). Calif. 17, 14:423, 1925 (*Thamnotettix*).
littoralis (Ball). Atlantic and Gulf coasts. 11, 18:120, 1905 (*Deltocephalus*).
melsheimerii (Fitch). Colo., Ia., Kans., and Me. to Gulf Coast. 52, p. 61,
1851 (*Amblycephalus*).
minimus (Osborn and Ball). Ia., Kans., Neb., S. D., Wis. 69, 4:211, 1897
(*Deltocephalus*).
monticolus (Gillette and Baker). Colo. 22, 31:88, 1895 (*Deltocephalus*).
ordinatus (Ball). Colo., N. D. 19, 31:307, 1899 (*Deltocephalus*).
orientalis DeLong and Davidson. Can., D. C., Ill., Pa., Tenn., Va.
19, 67:167, 1935.
pacificus Oman. Calif. 132, 27:477, 1937.
parvulus (Gillette). Colo., Kans., Neb. 22, 43:23, 1898 (*Deltocephalus*).
pascuellus (Fallén). Can., Me., N. Y., Pa. 49, p. 32, 1826 (*Cicada*).
perpusillus (Ball and DeLong). Mont. 87, 34:241, 1926 (*Deltocephalus*).
plagus (Ball and DeLong). Wis. 87, 34:241, 1926 (*Deltocephalus*).
poudris Tuthill. Colo., Wyo. 71, 3:44, 1930.
pravus DeLong. Ill. 96, 13:34, 1937.
pupa (Van Duzee). Utah. 17, 14:423, 1925 (*Lonatura*).
rotundens DeLong and Davidson. Maine. 19, 67:167, 1935.
saladurus (Ball and DeLong). Nevada. 87, 34:242, 1926 (*Deltocephalus*).
shingwauki Beamer and Tuthill. Ill., Minn. 71, 7:19-20, 1934.
siclus DeLong and Davidson. Idaho, S. D., Utah. 19, 67:169, 1935.
siskiyou Oman. Calif. 132, 27:478, 1937.
spicatus (DeLong). Kans. 94, 2:74, 1926 (*Deltocephalus*).
subrutilus DeLong and Sleesman. N. D. 39, 22:103, 1929.
sylvestris (Osborn and Ball). Ia., Me., and Gr. Lakes to Gulf Coast.
69, 4:213, 1897 (*Deltocephalus*).
tritrus Beamer and Tuthill. Ariz. 71, 7:17-18, 1934.
uhleri Oman. Colo., Ia., Kans., Me., Mo., N. H., N. Y., Ont., Pa., Tenn.
132, 21:432, 1931.

- unicoloratus (Gillette and Baker). Colo., Conn., Ia. to N. Y., Kans., Neb., N. H., Pa., S. D., Tenn., Tex. 22, 31:89, 1895 (*Deltocephalus*).
nominatus (Sanders and DeLong). 97, 3:9, 1920 (*Deltocephalus*).
oculatus (Osborn and Ball). 69, 4:212, 1897 (*Deltocephalus*),
 (homonym).
wilsoni Oman. Calif. 41, 34:91, 1932.

STRIATUS GROUP

- affinis* (Gillette and Baker). Br. Col., Calif., Colo., Ia., Kans., Me., N. H., N. J., N. Y., Ohio, Ont., Que. 22, 31:84, 1895 (*Deltocephalus*).
amplus DeLong and Davidson. Calif. 19, 67:171, 1935.
attenuens DeLong and Davidson. Wyo. 19, 67:170, 1935.
cahuillus (Van Duzee). Calif. 17, 14:417, 1925 (*Deltocephalus*).
cicatrix DeLong and Slesman. Alberta. 39, 22:102, 1929.
evansi (Ashmead). Alaska. 59, 8:132, 1904 (*Deltocephalus*).
excavatus Oman. Calif., Ore. 132, 21:430, 1931.
ferratus DeLong and Davidson. Pa. 19, 67:170, 1935.
harrimani (Ashmead). Alaska. 59, 8:132, 1904 (*Deltocephalus*).
shoshone DeLong and Davidson. Idaho. 87, 42:221, 1934.
striatus (Linnaeus). Coast to coast. 74, ed. 1, p. 642, 1746 (*Cicada*).
latipex DeLong and Davidson. Colo., Nebr. 19, 67:170, 1935.
totalus DeLong and Davidson. Idaho, Wyo. 19, 67:171, 1935.

AMPLICEPHALUS DeLong, 94, 2:20, 83, 1926

Deltocephalus osborni Van Duzee

- atascasus* Ball. Ariz. 13, 31:20, 1936.
concentricus (Van Duzee). Calif., Colo., Utah, Wyo. 15, 5:208, 1894
 (*Deltocephalus*).
escalantus (Ball). 38, 27:175, 1916 (*Athysanus*).
estacodus (Ball). Tenn., Tex. 38, 43:200, 1911 (*Athysanus*).
ozarcensis (Gibson). 19, 49:184, 1917 (*Euscelis*).
lawsoni DeLong. Kans., Miss. 3, 52:89, 1926.
osborni (Van Duzee). Colo. to Me., Mo., Nebr., N. Y. 3, 19:304, 1892
 (*Deltocephalus*).
simplarius (Osborn and Ball). Conn., Md., Mass., N. J., N. Y., Va.
 92, 2:249, 1902 (*Athysanus*).
simplex Van Duzee. 3, 19:304, 1892 (homonym).

DELTOCEPHALUS Burmeister, 16, 1:49, 1838

Cicada pulicarius Fallén

- artemesiae* (Gillette and Baker). Colo. 22, 31:91, 1895 (*Athysanus*).
australis DeLong. Fla., Miss. 94, 2:90, 1926.
balli Van Duzee. Ia., Ohio, Pa., Wis. 129, p. 71, 1916.
nigrifrons Van Duzee. 3, 21:293, 1894 (homonym).
caperatus Ball. Eastern and Colo., Fla. to Conn., Ia., Nebr. 19, 32:343, 1900.
castoreus Ball. Calif., Colo., Mont., Wyo. 19, 31:308, 1899.
giffardi (Van Duzee). 17, 7:293, 1917 (*Acocephalus*).

- chintinomy DeLong. Ore. 94, 2:92, 1926.
comesus DeLong and Sanders. Ariz., Tex. 39, 22:104, 1929.
dentatus (Osborn and Ball). Colo., Kans., Wyo. 27, 7:95, 1898 (*Athysanus*).
dorsti Oman. Ariz., Colo., Utah. 41, 42:202, 1940.
durus Beamer and Tuthill. Ariz. 71, 7:20, 1934.
flavicostus Staal. Eastern and Ia., Southern and Kans., Mo. 119, 2:53, 1862
(*Jassus*).
flavocostatus Van Duzee. 19, 24:116, 1892.
fumidus Sanders and DeLong. Wis. 39, 10:86, 1917.
fuscinervosus Van Duzee. Colo. to Pacific Coast. 15, 5:207, 1894.
gnarus Ball. Ia., S. D., Tenn. 19, 32:345, 1900.
grex Oman. Ariz., Calif., Colo., Idaho, Nev., N. Mex., Ore., Tex., Utah,
Wash. 41, 42:201, 1940.
infumatus Osborn. Maine. 78, 238:118, 1915.
laredanus Oman. Texas. 41, 36:78, 1934.
lineatifrons Oman. Colo. 132, 21:432, 1931.
luteoapicalis Beamer. Texas. 71, 11:81, 1938.
marinus Metcalf and Osborn. Fla., N. C. 39, 13:111, 1920.
megalopus Osborn and Ball. Ia. 27, 7:85, 1898.
minutus Van Duzee. Calif., Ia. 36, 6:96, 1890.
nigriventer Sanders and DeLong. N. Y., Que., S. D., Wis. 39, 10:85, 1917.
obesus Osborn and Ball. Ariz., Mex., Tex. 27, 7:81, 1898.
playensis Oman. Ariz., N. Mex. 41, 42:202, 1940.
pulicarius (Fallén). Me., N. Y. 50, p. 95, 1807 (*Cicada*).
punctatus (Osborn and Ball). Calif., Ia., Nebr. 27, 7:94, 1898 (*Athysanus*).
sonorus Ball. Ariz., Calif., Fla., Kans., Miss., N. Mex., N. C., S. D., Tenn.,
Tex. 19, 32:344, 1900.
valens Beamer and Tuthill. Colo., Wyo. 71, 7:20, 1934.
vanduzeei Gillette and Baker. Colo. to Pacific Coast. 22, 31:90, 1895.
yavapai Tuthill. Ariz., Tex. 71, 3:45, 1930.
zephyrius Van Duzee. Wash. 17, 14:418, 1925.

UNERUS DeLong, 91, 36:219, 1936

Deltocephalus colonus Uhler

- colonus (Uhler). Fla., Tenn. 136, p. 80, 1895 (*Deltocephalus*).
villicus (Crumb). 39, 8:194, 1915 (*Athysanus (Stirellus)*).

UNOKA Lawson, 39, 21:456, 1928

Athysanus ornatus Gillette

- ornata (Gillette). Ariz., Colo., Kans., Neb., N. Mex., Tex. 22, 43:29, 1898
(*Athysanus*).

LONATURA Osborn and Ball, 27, 7:83, 1898

Lonatura catalina Osborn and Ball

- balli DeLong. Fla. 3, 52:97, 1926.
bicolor Van Duzee. Ala., Fla. 15, 9:221, 1909.
var. mellea DeLong. Fla. 87, 32:64, 1924.

catalina Osborn and Ball. Ill., Ia., S. D., Tenn. 27, 7:83, 1898.
 delicata Beamer. N. Mex. 71, 11:32, 1938.
 melina DeLong. Colo., Utah. 3, 52:100, 1926.
 noctivaga Ball. Colo. 19, 32:342, 1900.
 notata Osborn. Fla., Miss. 54, 6:18, 1922.
 punctifrons Beamer. Colo. 71, 11:31, 1938.
 rotunda Beamer. Manitoba. 71, 12:26, 1939.
 salsura Ball. Colo., Neb., Utah. 19, 31:310, 1899.
 turbinea (DeLong and Davidson). Colo. 19, 67:171, 1935 (*Deltocephalus*).

AMBLYSELLUS Sleesman, 36, 10:93, 131, 1929

Amblycephalus curtisii Fitch

curtisii (Fitch). Northeastern states and Ia., Mo., Tenn. 52, p. 61, 1851
 (*Amblycephalus*).

GILLETTIELLA Osborn, 39, 23:689, 1930

Deltocephalus labiatus Gillette

atropuncta (Gillette). Colo., Kans., Nebr., Tex. 22, 43:28, 1898
 (*Deltocephalus*).

fasciata Ball and Beamer. N. Mex. 72, 26:69, 1940.
 labiata (Gillette). Colo. 22, 43:26, 1898 (*Deltocephalus*).

AMPHIPYGA Osborn, 90, 14:289, 1928

Amphipyga balli Osborn

acuticauda (Baker). Colo., Ill., Ia., Me., Mont., N. Y., N. D., S. D. 101,
 8:187, 1898 (*Athysanella*).

anzana Ball and Beamer. Calif. 72, 26:32, 1940.

ardua Ball and Beamer. Colo. 72, 26:27, 1940.

aridella Osborn. Ariz. 39, 23:693, 1930.

californica Osborn. 39, 23:696, 1930.

attenuata (Baker). Colo., N. M. 101, 8:188, 1898 (*Athysanella*).

alta Osborn. 39, 23:693, 1930.

extrusa Osborn. 39, 23:703, 1930.

balli Osborn. Ia., Ohio. 90, 14:289, 1928.

hamata Ball and Beamer. Colo., N. Mex., Wyo. 72, 26:37, 1940.

kansana Ball and Beamer. Kans. 72, 26:41, 1940.

minor Ball and Beamer. Calif. 72, 26:35, 1940.

var. major Ball and Beamer. Calif. 72, 26:36, 1940.

modesta Ball and Beamer. Calif. 72, 26:40, 1940.

nigrofascia DeLong and Davidson. Calif. 87, 42:222, 1934.

nimbata Ball and Beamer. Ariz. 72, 26:30, 1940.

obesa Ball and Beamer. Ariz., Colo., Texas. 72, 26:34, 1940.

occidentalis (Baker). Colo., N. D. 101, 8:186, 1898 (*Athysanella*).

minuta (Baker). Colo. 101, 8:189, 1898 (*Athysanella*).

playana Ball and Beamer. Ariz. 72, 26:27, 1940.

reticulata Osborn. Utah. 39, 23:691, 1930.

rubicunda Ball and Beamer. Colo., Kans., N. Mex., S. Dak. 72, 26:28, 1940.
 skullana Ball and Beamer. Ariz. 72, 26:28, 1940.
 stylata Osborn. Colo. 39, 23:694, 1930.
 triodana Ball and Beamer. Ariz. 72, 26:30, 1940.
 turgida Ball and Beamer. Ariz., Calif. 72, 26:36, 1940.
 wilburi Ball and Beamer. Kans. 72, 26:38, 1940.

ATHYSANELLA Baker, 101, 8:185, 1898

Athysanella magdalena Baker

aspera Ball and Beamer. Calif. 72, 26:17, 1940.
 bifida Ball and Beamer. Colo., Dak., N. Mex., Wyo. 72, 26:23, 1940.
 foeda Ball and Beamer. Wyo. 72, 26:19, 1940.
 fredonia Ball and Beamer. Ariz., Colo., N. Mex., Utah. 72, 26:12, 1940.
 gardenia Osborn. Colo. 39, 23:701, 1930.
 globosa Ball and Beamer. Ariz. 72, 26:18, 1940.
 incerta Ball and Beamer. Colo., Wyo. 72, 26:15, 1940.
 incongrua Baker. Colo. 101, 8:188, 1898.
 kanabana Ball and Beamer. Ariz., N. Mex., Utah. 72, 26:20, 1940.
 laeta Ball and Beamer. Ariz., N. Mex. 72, 26:16, 1940.
 magdalena Baker. Colo., N. Mex. 101, 8:185, 1898.
 parca Ball and Beamer. N. Mex. 72, 26:15, 1940.
 plana Ball and Beamer. Calif. 72, 26:13, 1940.
 planata Ball and Beamer. Calif. 72, 26:24, 1940.
 robusta Baker. Colo., Ia., Kans., Nebr. 101, 8:187, 1898.
montana Osborn. 39, 23:700, 1930.
 rostrata Ball and Beamer. Calif. 72, 26:21, 1940.
 salsa Ball and Beamer. Kans., Tex. 72, 26:20, 1940.
 supina Ball and Beamer. Texas. 72, 26:22, 1940.
 tenera Ball and Beamer. Nevada. 72, 26:17, 1940.
 terebrans (Gillette and Baker). Colo. 22, 31:102, 1895 (*Eutettix*).
 utahna Osborn. Id., Ore., Utah, Wash. 39, 23:705, 1930.
 yumana Osborn. Ariz. 39, 23:704, 1930.

PECTINOPYGA Osborn, 39, 23:697, 1930

Pectinopyga texana Osborn

texana Osborn. Kans., Tex. 39, 23:697, 1930.
aridicola (Osborn). 39, 23:707, 1930 (*Gladionura*).

BRACHYDELLA Ball and Beamer, 72, 26:9, 64, 1940

Brachydella abdominalis Ball and Beamer

abdominalis Ball and Beamer. Ariz. 72, 26:64, 1940.

PEDUMELLA Ball and Beamer, 72, 26:65, 1940

Pedumella spatulata Ball and Beamer

recurvata (Osborn). Ariz. 39, 23:706, 1930 (*Gladionura*).
 spatulata Ball and Beamer. Ariz., Colo., N. Mex., Utah. 72, 26:66, 1940.

KINONIA Ball, 13, 28:224, 1933

Kinonia elongata Ball

elongata Ball. Arizona. 13, 28:224, 1933.

GLADIONURA Osborn, 39, 23:706, 1930

Deltocephalus argenteolus Uhler

adunca Ball and Beamer. Ariz. 72, 26:53, 1940.
alsa Ball and Beamer. N. Mex. 72, 26:49, 1940.
arcana Ball and Beamer. Ariz., N. Mex., Tex. 72, 26:62, 1940.
argenteola (Uhler). Colo., Kans. 127, 3:473, 1877 (*Deltocephalus*).
blanda Ball and Beamer. Ariz., N. Mex. 72, 26:45, 1940.
 var. *vana* Ball and Beamer. Ariz. 72, 26:46, 1940.
callida Ball and Beamer. N. Mex. 72, 26:46, 1940.
casa Ball and Beamer. Ariz., Colo., N. Mex., Utah. 72, 26:48, 1940.
clavata Ball and Beamer. Ariz., N. Mex., Tex. 72, 26:57, 1940.
concava Ball and Beamer. N. Mex. 72, 26:55, 1940.
contracta Ball and Beamer. Ariz., Colo., Kans., Okla., N. Mex., Tex. 72, 26:61, 1940.
curtipennis (Gillette and Baker). Colo. 22, 31:92, 1895 (*Athysanus*).
curvata Ball and Beamer. Colo. 72, 26:60, 1940.
dentata Ball and Beamer. Colo. 72, 26:59, 1940.
directa Ball and Beamer. Tex. 72, 26:57, 1940.
diversa Ball and Beamer. Ariz. 72, 26:64, 1940.
dubia Ball and Beamer. Ariz. 72, 26:44, 1940.
emarginata Osborn. Tex. 39, 23:708, 1930.
excavata Osborn. Tex. 39, 23:704, 1930.
furculata Ball and Beamer. Ariz. 72, 26:50, 1940.
libera Ball and Beamer. Ariz., N. Mex. 72, 26:51, 1940.
lunata Ball and Beamer. N. Mex. 72, 26:55, 1940.
molesta Ball and Beamer. Tex. 72, 26:52, 1940.
nacazarana Osborn. Ariz. 39, 23:711, 1930.
nigroventralis Ball and Beamer. N. Mex., Tex. 72, 26:59, 1940.
rata Ball and Beamer. Colo., N. Mex. 72, 26:50, 1940.
sagittata Ball and Beamer. Ariz., N. Mex. 72, 26:62, 1940.
sinuata Osborn. Colo. 39, 23:707, 1930.
 subsp. *lobata* Ball and Beamer. N. Mex. 72, 26:54, 1940.
truncata Ball and Beamer. N. Mex. 72, 26:45, 1940.
uncinata Ball and Beamer. Ariz., Tex. 72, 26:47, 1940.
viridia Osborn. Kans. 39, 23:710, 1930.

DRIOTURA Osborn and Ball, 27, 7:87, 1898

Athysanus gammaroides Van Duzee

gammaroides (Van Duzee). East of Rockies. 15, 5:209, 1894 (*Athysanus*).
 var. *flava* Osborn and Ball. Ill., Ia., Miss., N. Y., Utah. 27, 7:90, 1898.
 var. *fulva* Ball. Colo., Ill., Kans., Tenn., Tex., Utah. 19, 35:231, 1903.

robusta Osborn and Ball. Colo., Ia., Kans., Miss., N. C., Tenn. 27, 7:87, 1898.

vittata Ball. Ariz., Colo., Kans., N. Mex., Tex. 19, 35:231, 1903.
var. nigra Lawson. Ariz., Colo., N. Mex. 39, 21:456, 1928.

DORATURA J. Sahlberg, 113, 12:291, 1871

Athysanus stylatus Bohemann

stylata (Bohemann). Minn., Wis. 119, p. 31, 1847 (*Athysanus*).

ATHYSANUS Burmeister, 16, 1:No. 21, p. 48, 1838-46

Cicada argentata Fabricius

almus (Van Duzee). Calif. 17, 14:421, 1925 (*Euscelis*).

argentatus (Fabricius). Me., Mass., N. H., Va. 45, 4:38, 1794 (*Cicada*).

frigidus Ball. Calif., Colo., Idaho, Nev., N. D., Utah. 38, 10:172, 1899.

EXITIANUS Ball, 3, 55:5, 1929

Cicadula exitiosa Uhler = *Thamnotettix obscurinervis* Staal

kinoanus Ball. Ariz., Mexico. 13, 31:72, 1936.

obscurinervis (Staal). Throughout U. S., Haiti, Mex. 116, 4:293, 1859
(*Thamnotettix*).

picatus (Gibson). 11, 32:26, 1919 (*Athysanus*).

LIMOTETTIX Sahlberg, 113, 12:224, 1871

Cicada striola Fallén

divaricatus (Sanders and DeLong). Idaho, Pa. 41, 25:151, 1923 (*Euscelis*).

frenatus (Germar). Calif., Colo., Ill., Ia., Me., N. J., N. Y., Ohio, Ont., Pa.,
Que., Vanc. Isd. 77, 4:86, 1821 (*Jassus*).

medianus (Lawson). Minn. 39, 24:588, 1931 (*Drylix*).

nigrax Medlar. Minn. 82, 155:82, 1942.

parallelus (Van Duzee). Northeastern states to Colo. 19, 23:169, 1891
(*Athysanus*).

striolus (Fallén). Northeastern states and Colo., N. D., S. D. 119, 27:31,
1806 (*Cicada*).

truncatus (Sleesman). Kans., Mo., Ohio. 36, 10:100, 1929 (*Drylix*).

uneolus (Ball). Utah. 3, 55:6, 1929 (*Drylix*).

utahus (Lawson). Utah. 39, 24:590, 1931 (*Drylix*).

EUSCELIS Brullé, 14, 3:109, 1832

Euscelis lineolatus Brullé

alpinus (Ball). Colo., N. H. 38, 10:173, 1899 (*Athysanus*).

extrusus (Van Duzee). Northeastern states. 19, 25:283, 1893 (*Athysanus*).

hyperboreus Van Duzee. Alaska. 92, 3:4F, 1919.

maculipennis DeLong and Davidson. Idaho. 87, 42:221, 1934.

obsoletus (Kirschbaum). U. S. 73, 5:7, 1858 (*Athysanus*).

ovatus Sanders and DeLong. Kans., Tex. 97, 3:16, 1920.

- relativus (Gillette and Baker). Northeastern states and Ill. 22, 31:93, 1895
(*Athysanus*).
sahlbergi (Reuter). Ill., Ia., New England, Ohio, S. D., Wis. 112, 5:209,
1880 (*Athysanus*).
deceptus Sanders and DeLong. 39, 10:87, 1917.

OPHIOLA Edwards, 37, 58:206-207, 1922

Cicada striatula Fallén

- angustata (Osborn). Me., N. Y. 74, 238:130, 1915 (*Athysanus*).
anthracina (Van Duzee). Northeastern states and Colo., Ia., Kans. 19,
26:136, 1894 (*Athysanus*).
gagates (Osborn). 69, 1:126, 1892 (*Euscelis*).
arctostaphyli (Ball). Colo., Conn., Me., N. H. 38, 10:172, 1899
(*Athysanus*).
bullata (Ball). Calif. 19, 34:17, 1902 (*Thamnotettix*).
calvata (Ball). Colo., Idaho, Utah. 38, 27:173, 1916 (*Athysanus*).
glomerosa (Ball). 19, 43:308, 1910 (*Thamnotettix*).
comptoniana Ball. N. J., N. Y., Pa. 13, 23:189, 1928.
cornicula (Marsh). Northeastern states. 37, 3:119, 1866 (*Jassus*).
plutonias (Uhler). 127, 3:470, 1877 (*Jassus*).
instabilis (Van Duzee). 19, 25:284, 1893 (*Athysanus*).
elongata (Osborn). 78, 238:129, 1915 (*Athysanus*).
cuneata (Sanders and DeLong). Eastern states. 97, 3:17, 1920 (*Euscelis*).
finitima (Van Duzee). B. C., Calif., Mont., Ore. 17, 14:422, 1925
(*Euscelis*).
gentilis (Van Duzee). Calif., Mont., Ore. 17, 14:420, 1925 (*Euscelis*).
humida (Osborn). Me., Wis. 74, 238:131, 1915 (*Athysanus*).
luteola Slesman. Mass. 36, 10:120, 1929.
osborni Ball. Me. to Mont., Colo., Ont., and south to Md. 13, 23:190, 1928.
shasta (Ball). Calif. 38, 28:174, 1916 (*Athysanus*).
striatula (Fallén). Me. to Iowa and Colorado. 49, p. 45, 1826 (*Cicada*).
var. cacheola Ball. Utah. 13, 23:189, 1928.
symphoricarpae (Ball). Colo., Mass., Wis. 19, 33:5, 1901 (*Athysanus*).
uhleri (Ball). Northeastern states and Colo., S. D. 19, 43:200, 1911
(*Athysanus*).
var. speculata Ball. N. Y. 13, 23:187, 1928.
vaccinii (Van Duzee). Me., Mass., N. J., N. Y., Ont., Pa., Que., R. I. 36,
6:135, 1890 (*Athysanus*).
vara (Ball). Colo. 19, 33:5, 1901 (*Athysanus*).

COMMELLUS Osborn and Ball, 92, 2:245, 1902

Athysanus comma Van Duzee

- colon (Osborn and Ball). Ia., Minn. 69, 4:223, 1897 (*Athysanus*).
comma (Van Duzee). Colo., Ia., Kans., Nebr., N. H., N. Y. 19, 24:114,
1892 (*Athysanus*).
planus Thomas. Utah. 71, 6:133, 1933.
sexvittatus (Van Duzee). Colo., Mont. 19, 26:93, 1894 (*Athysanus*).

STIRELLUS Osborn and Ball, 92, 2:250, 1902

Athysanus bicolor Van Duzee

- beameri Ball. Ariz. 13, 28:226, 1933.
 bicolor (Van Duzee). Kans., Miss., N. J., and Md. to Ia. and Nebr. and south. 19, 24:114, 1892 (*Athysanus*).
 convexus Thomas. Ia., Kans., La. 71, 6:130, 1933.
 dixianus Thomas. Miss., N. C. 71, 6:131, 1933.
 var. acutus Thomas. Ala., Fla., Miss. 71, 6:132, 1933.
 var. robustus Thomas. Kans., Miss., Tex. 71, 6:132, 1933.
 mexicanus Osborn and Ball. Ark., Tex. 92, 2:254, 1902.
 obtutus (Van Duzee). Miss., throughout South and Southwest. 19, 24:115, 1892 (*Athysanus*).
 osborni Knull. Florida. 91, 44:240, 1944.

PENESTIRELLUS Beamer and Tuthill, 71, 7:21, 1934

Penestirellus catalinus Beamer and Tuthill

- catalinus Beamer and Tuthill. Arizona. 71, 7:22, 1934.

REMADOSUS Ball, 3, 55:2, 3, 1929

Athysanus magnus Osborn and Ball

- drakei (Osborn). Fla. 54, 6:19, 1922 (*Euscelis*).
 fumidus (Osborn). Fla., Ga. 54, 6:19, 1922 (*Euscelis*).
 magnus (Osborn and Ball). Wyo., Colo. to Ia. and Minn., Fla., Kans., La., Miss., Nebr. 69, 4:225, 1897 (*Athysanus*).
 var. piccus (Osborn). Miss. 54, 6:20, 1922 (*Euscelis*).

ALIGIA Ball, 27, 12:31, 53, 75, 1907

Jassus jucunda Uhler

- acutata Hepner. Ariz., Kans. 71, 12:109, 1939.
 atrivena Hepner. Ariz., N. Mex. 71, 12:113, 1939.
 bifasciata Hepner. Ariz. 71, 12:112, 1939.
 bifurcata Hepner. Ariz., Kans. 71, 12:108, 1939.
 californica Van Duzee. Calif., Ore. 17, 14:411, 1925.
 chiricana Ball. Ariz. 96, 7:121, 1931.
 subsp. alta Hepner. Ariz. 71, 12:107, 1939.
 colei Van Duzee. Calif. 17, 14:412, 1925.
 curtipennis Hepner. Ariz., Colo., N. Mex., Utah. 71, 12:116, 1939.
 dellana Ball. Ariz. 96, 7:120, 1931.
 subsp. suffusca Hepner. Calif. 71, 12:105, 1939.
 descripta Ball. Ariz. 96, 7:119, 1931.
 falcata Hepner. Ariz. 71, 12:115, 1939.
 illumina (Ball). Ariz. 19, 41:80, 1909 (*Mesamia*).
 inscripta (Van Duzee). Calif. 36, 6:92, 1890 (*Allygus*).
 jucunda (Uhler). Ariz., Calif., Colo., Md., N. Mex., Tex., Utah. 127, 3:469, 1877 (*Jassus*).

lutea Hepner. Ariz. 71, 12:106, 1939.
 magna Hepner. Ariz. 71, 12:114, 1939.
 manitou (Ball). Colo., N. Mex. 19, 33:49, 1901 (*Eutettix*).
 meridiana Hepner. Kans., Miss., Tex. 71, 12:108, 1939.
 modesta (Osborn and Ball). D. C., Ia., N. C., Pa. 27, 7:98, 1898 (*Eutettix*).
 munda (Ball). Ariz., N. Mex. 19, 33:48, 1901 (*Eutettix*).
 obesa Hepner. N. M., Tex. 71, 12:110, 1939.
 obtusa Hepner. Ariz. 71, 12:114, 1939.
 occidentalis Van Duzee. Calif. 17, 14:413, 1925.
 oculea (Ball). Colo. 19, 33:50, 1901 (*Eutettix*).
 pallida Hepner. Ariz. 71, 12:106, 1939.
 pallidinota Hepner. Calif. 71, 12:110, 1939.
 reticulata Hepner. Calif. 71, 12:112, 1939.
 rotunda Hepner. Ariz. 71, 12:111, 1939.
 santana Ball. Ariz. 96, 7:121, 1931.
 turbinata Ball. Ariz. 96, 7:120, 1931.
 utahna Hepner. Utah. 71, 12:117, 1939.

MESAMIA Ball, 27, 12:31, 59, 75, 1907

Mesamia nigridorsum Ball

coloradensis (Gillette and Baker). Calif., Colo., Utah. 22, 31:91, 1895
 (*Allygus*).
 immaculata (Ball). 19, 37:211, 1905 (*Paramesus*).
 diana Van Duzee. Calif. 17, 14:410, 1925.
 infuscata Beamer. N. Mex. 19, 74:45, 1942.
 irrorella (Staal). Calif. 116, 4:295, 1858 (*Athysanus*).
 ludoviciana Ball. Wis. 13, 26:93, 1931.
 nervosa Osborn. Ala., La. 54, 6:20, 1922.
 nigridorsum Ball. Eastern states and Colo., Dak., Ia., Kans., Utah. 27,
 12:60, 1907.
 obtusa Beamer. Ariz., N. Mex. 19, 74:44, 1942.
 pagana Van Duzee. Utah. 17, 14:409, 1925.
 prescotia Ball. Ariz. 13, 26:92, 1931.
 retusa Beamer. Calif. 19, 74:45, 1942.
 straminea (Osborn). Calif., Colo., Dak., Ia., Kans., Neb., Utah. 69, 5:241,
 1898 (*Paramesus*).
 var. *dolosa* Ball. Colo. 13, 26:91, 1931.
 tarbela Ball. Ariz. 13, 26:91, 1931.
 vermiculata Beamer. Kans. 19, 74:44, 1942.
 visalia Ball. Calif. 19, 48:128, 1916.

BANDARA Ball, 19, 26:93, 1931

Eutettix johnsoni Van Duzee

animana (Ball). Colo. 19, 41:81, 1909 (*Mesamia*).
 aurata (Ball). D. C., Ohio, Pa. 19, 41:81, 1909 (*Mesamia*).
 johnsoni (Van Duzee). Eastern and Iowa. 19, 26:137, 1894 (*Eutettix*).

OPSIUS Fieber, 130, 16:505, 1866

Opsius stactogalus Fieber

stactogalus Fieber. Coast to coast. 130, 16:505, 1866.
osborni Ball. 27, 12:39, 1907.

EUTETTIX Van Duzee, 101, 6:306, 1892

Thamnotettix luridus Van Duzee

acutus Hepner. Ariz. 72, 28:259, 1942.
 aequalis Hepner. Ariz. Colo., N. Mex., Utah. 72, 28:265, 1942.
 subsp. eberneus Hepner. Ariz. 72, 28:267, 1942.
 apicalis Hepner. Ariz. 72, 28:268, 1942.
 bartschi Van Duzee. Fla. 15, 9:223, 1909.
 borealis Hepner. Mass. 72, 28:286, 1942.
 coronatus Ball. Calif. 19, 48:127, 1916.
 discolor Hepner. Kans., N. Mex. 72, 28:288, 1942.
 flavus Hepner. Fla. 72, 28:281, 1942.
 fulvous Hepner. Fla. 72, 28:284, 1942.
 glennanus Ball. Ariz. 54, 15:2, 1931.
 gonianus Ball. Ariz. 54, 15:1, 1931.
 grandis Hepner. Ariz. 72, 28:261, 1942.
 hibernus Hepner. Fla. 72, 28:285, 1942.
 insanus Ball. Calif., Colo., Utah. 19, 32:203, 1900.
 latus Hepner. Calif., Ore. 72, 28:264, 1942.
 luridus (Van Duzee). Eastern states only. 19, 22:250, 1890 (*Thamnotettix*).
 marmoratus Van Duzee. Eastern and Colo., N. D. 3, 19:302, 1892.
 brunneus Osborn. 93, 22:530, 1905.
 minutus Hepner. Okla., Tex. 72, 28:284, 1942.
 nitens Van Duzee. Fla. 15, 9:223, 1909.
 subsp. pellucidus Hepner. Fla. 72, 28:280, 1942.
 parvus Hepner. Fla. 72, 28:282, 1942.
 pauperculus Ball. Colo., Utah. 19, 35:228, 1903.
 pediculus Hepner. Fla., Kans., La., Tenn. 72, 28:273, 1942.
 pictus Van Duzee. Eastern and Ark. 3, 19:301, 1892.
 magnus Osborn. 38, 7:395, 1900.
 prinoides Hepner. N. Mex., Tex. 72, 28:272, 1942.
 planus Hepner. Ariz. 72, 28:260, 1942.
 querci Gillette and Baker. Colo., Utah. 22, 31:101, 1895.
 subsp. albus Hepner. N. Mex., Tex. 72, 28:270, 1942.
 rubianus (Ball). Ariz. 132, 26:432, 1936 (*Ollarianus*).
 rugosus Hepner. Ariz. 72, 28:262, 1942.
 slossonae Van Duzee. D. C., Fla., Mass., N. J., Tex. 15, 5:210, 1894.
 southwicki Van Duzee. Colo., D. C., Ia., Md., N. J., N. Y. 15, 5:209, 1894.
 subaeneus (Van Duzee). Calif., Colo. 36, 6:77, 1890 (*Thamnotettix*).
 subspinosus Hepner. Ariz. 72, 28:264, 1942.
 tenellus (Baker). Ariz., Calif., Colo., Fla., N. Mex., Utah. 101, 7:Suppl.,
 p. 24, 1896 (*Thamnotettix*).

tristis Ball. D. C., Fla., Ga., Md., N. J. 27, 12:34, 1907.
variabilis Hepner. Ark. 72, 28:269, 1942.

OLLARIANUS Ball, 13, 31:59, 1936

Eutettix balli Van Duzee

armus (Ball). Ariz. 13, 28:227, 1933 (*Exitianus*).
bullatus Ball. Ariz. 132, 26:433, 1936.
ollus Ball. Ariz. 132, 26:433, 1936.
rudiculus Ball. Ariz. 132, 26:434, 1936.
strictus (Ball). Ariz., Colo., Tex. 19, 32:204, 1900 (*Eutettix*).
minor (DeLong). 93, 23:6, 1919 (*Chlorotettix*).

NORVELLINA Ball, 54, 15:2, 1931

Eutettix mildredae Ball

apachana Ball. Ariz., N. Mex. 54, 15:4, 1931.
bicolorata (Ball). Ark., Utah. 19, 37:212, 1905 (*Eutettix*).
var. inflata Lindsay. Ariz., Calif., Nev., N. M. 71, 11:113, 1938.
chenopodii (Osborn). Eastern and Colo., Ia., Kans., Mo., Nebr. Utah. 91,
23:161, 1923 (*Eutettix*).
clarivida (Van Duzee). Colo., Mo., Utah. 19, 26:138, 1894 (*Eutettix*).
columbiana (Ball). Wash. 19, 48:125, 1916 (*Eutettix*).
curvata Lindsay. Wyo. 71, 11:121, 1938.
excavata Lindsay. Tex. 71, 11:119, 1938.
flavida Lindsay. Ariz., Mex., N. M., Tex. 71, 11:114, 1938.
glaucia Lindsay. Calif. 71, 11:122, 1938.
helenae Ball. Fla., Ky., Mo., Tex. 54, 15:3, 1931.
mildredae (Ball). Ariz., Colo., N. Mex. 19, 33:45, 1901 (*Eutettix*).
var. minuta Lindsay. Tex. 71, 11:114, 1938.
nevada (Ball). Nev. 19, 48:126, 1916 (*Eutettix*).
numerosa Lindsay. Ariz., Calif., Nev., N. Mex., Utah. 71, 11:117, 1938.
pannosa (Ball). Calif. 19, 34:12, 1902 (*Eutettix*).
perelegantis (Ball). Colo., Utah. 19, 33:46, 1901 (*Eutettix*).
pulchella (Baker). Ariz., Ia., N. Mex. 101, 7:24, 1896 (*Eutettix*).
pullata (Ball). Ariz., Colo., N. Mex., Utah. 19, 33:48, 1901 (*Eutettix*).
rostrata Lindsay. Calif. 71, 11:120, 1938.
rubida (Ball). Utah. 19, 48:126, 1916 (*Eutettix*).
oregona Ball. 54, 15:3, 1931.
saucia (Ball). Calif., Colo., Utah. 19, 33:46, 1901 (*Eutettix*).
scabra (Osborn and Ball). Ia. 27, 7:96, 1898 (*Eutettix*).
scitula (Ball). Ariz., Colo., N. Mex., Utah. 19, 33:47, 1901 (*Eutettix*).
seminuda (Say). Eastern and Ia., Kans., Mo., Tex. 1, 6:307, 1831
(*Eutettix*).
snowi (Ball). Ariz. 27, 12:49, 1907 (*Eutettix*).
texana (Ball). Tex. 27, 12:52, 1907 (*Eutettix*).
varia Lindsay. Calif., Utah. 71, 11:116, 1938.
vermiculata Lindsay. Colo., Idaho, Utah. 71, 11:115, 1938.

CHECK LIST

51

MENOSOMA Ball, 54, 15:4-5, 1931

Menosoma stonei Ball

cincta (Osborn and Ball). Eastern and Colo., Ia., Tex. 27, 7:97, 1898
(*Eutettix*).

var. binaria Ball. Fla. 54, 15:5, 1931.

stonei Ball. Fla. 54, 15:5, 1931.

SPATHANUS DeLong, 13, 39:158, 1944

Athysanus acuminatus Baker

acuminatus (Baker). Southwest. 101, 7:25, 1896 (*Athysanus*).

OMANANA DeLong, 76, 4:293, 1941

Athysanus litigiosa Ball

litigiosa (Ball). Ariz., Mex. 19, 33:51, 1901 (*Athysanus*).

tortolita (Ball). Ariz. 54, 15:6, 1931 (*Menosoma*).

ORIENTUS DeLong, 91, 38:217, 1938

Phlepsius ishidaei Matsumura

ishidaei (Matsumura). N. J. 80, 25:382, 1902 (*Phlepsius*).

tinctorius (Sanders and DeLong). 39, 12:235, 1919 (*Phlepsius*).

DIXIANUS Ball, 39, 11:381, 387, 1918

Phlepsius (Dixianus) utahnus Ball

amoenus (Van Duzee). Calif, Gulf. 17, 12:176, 1923 (*Aligia*).

condalianus Ball. Ariz. 96, 8:89, 1931.

var. ursinus Ball. Ariz. 96, 8:89, 1931.

loculatus Ball. Calif., Utah. 19, 48:128, 1916.

lycioides Ball. Ariz. 96, 8:88, 1931.

var. mohavensis Ball. Ariz. 96, 8:88, 1931.

nevadus Ball. Nev. 96, 8:87, 1931.

stellaris Ball. Utah. 19, 48:129, 1916.

utahnus (Ball). N. Mex., Utah. 19, 41:79, 1909 (*Phlepsius*).

ziczac (Crumb). Tex. 39, 8:195, 1915 (*Eutettix*).

arizonus Osborn and Lathrop. 39, 16:316, 1923.

*IOWANUS Ball, 39, 11:382, 1918

Phlepsius handlirshi Ball

borrori (DeLong). Minn., Ohio, Wis. 91, 39:237, 1939 (*Texananus*).

bullatus (DeLong). N. Mex. 91, 39:237, 1939 (*Texananus*).

caducus (DeLong). Ill., Okla., Tenn. 91, 39:238, 1939 (*Texananus*).

dicentrus (DeLong). Ill. 91, 39:236, 1939 (*Texananus*).

majestus (Osborn and Ball). Ia., N. J., N. C., Ohio, Tex. 69, 4:229, 1897
(*Phlepsius*).

TEXANANUS Ball, 39, 11:381, 384, 1918

Phlepsius (Texananus) mexicanus Ball

- angus DeLong. Okla., Tex. 91, 38:42, 1938.
 areolatus (Baker). Kansas. 19, 30:30, 1898 (*Phlepsius*).
 bialtus DeLong. Texas. 96, 14:185, 1938.
 cumulatus (Ball). Kans., Nebr., Wash. 19, 32:202, 1900 (*Phlepsius*).
 notatipes (Osborn and Lathrop). 39, 16:343, 1923 (*Phlepsius*).
 decorus (Osborn and Ball). Fla., Ill., Ia., Me., N. C., Ohio, Tenn. 69,
 4:230, 1897 (*Phlepsius*).
 delicatus (Osborn and Lathrop). Calif. 39, 16:347, 1923 (*Phlepsius*).
 denticulus (Osborn and Lathrop). Calif. 39, 16:345, 1923 (*Phlepsius*).
 distinctus (Lathrop). Fla., Miss., N. C., S. C. 91, 17:129, 1917 (*Phlepsius*).
 dolus DeLong. Utah. 96, 14:186, 1938.
 dorothyae DeLong. Arizona. 81, 1:387, 1939.
 excultus (Uhler). Eastern states. 127, 3:467, 1877 (*Jassus*).
 gladius DeLong. Ariz., Tex. 91, 38:41, 1938.
 graphicus (Ball). Colo., Nebr. 19, 32:201, 1900 (*Phlepsius*);
 incurvatus (Osborn and Lathrop). Ariz., Calif. 39, 16:346, 1923
 (*Phlepsius*).
 lathropi (Baker). Oregon. 98, 27:159, 1925 (*Phlepsius*).
 annulatus (Osborn and Lathrop). 39, 16:342, 1923 (*Phlepsius*),
 (homonym).
 latipex DeLong. Ariz., Idaho, Nev., Ore. 13, 38:124, 1943.
 marmor (Sanders and DeLong). Manitoba. 41, 25:152, 1923 (*Phlepsius*).
 monticolus DeLong. N. M., Utah. 13, 38:125, 1943.
 neomexicanus (Baker). N. M. 101, 7:13, 1895 (*Phlepsius*).
 oregonus Ball. Ariz., Calif., Ore., Wash. 96, 8:85, 1931.
 manus DeLong. 91, 38:42, 1938.
 ovatus (Van Duzee). Colo., Kans., Ore., Tex. 3, 19:79, 1892 (*Phlepsius*).
 pergradus DeLong. N. M., Tex., Utah. 96, 14:185, 1938.
 personatus (Baker). Arizona. 19, 30:30, 1898 (*Phlepsius*).
 rufusculus (Osborn and Lathrop). Mo., Ohio. 39, 16:340, 1923 (*Phlepsius*).
 sabinus (Sanders and DeLong). Arizona. 97, 3:15, 1920 (*Phlepsius*).
 sonorus (Ball). Arizona. 13, 31:19, 1936 (*Texananus*).
 spatulatus (Van Duzee). Calif., Colo., Kans., Tex. 3, 19:78, 1892
 (*Phlepsius*).
 cinerosus (Osborn and Lathrop). 39, 16:347, 1923 (*Phlepsius*).
 superbus (Van Duzee). Fla. to Calif., S. C. 3, 19:81, 1892 (*Phlepsius*).
 ultratus DeLong. Ariz., Ark. 13, 38:126, 1943.
 vermiculatus DeLong. Ariz., Tex. 91, 38:42, 1938.

*PARAPHLEPSIUS Baker, 19, 29:158, 1897

Paraphlepsius ramosus Baker

- abruptus (DeLong). Tenn. 76, 1:238, 1938 (*Phlepsius*).
 albidus (Ball). Ariz., Colo., Utah. 19, 32:203, 1900 (*Phlepsius*).
 altus (Osborn and Ball). Western prairies and plains. 69, 4:228, 1897
 (*Phlepsius*).

- apertinus (Osborn and Lathrop). Calif., Ore. 39, 16:329, 1923 (*Phlepsius*).
 apertus (Van Duzee). Northern states, Me. to Rocky Mts. 3, 19:76, 1892
 (*Phlepsius*).
 attractus (Ball). Ala., Fla., N. C., S. C. 19, 41:77, 1909 (*Phlepsius*).
 floridanus (Ball). 19, 41:78, 1909 (*Phlepsius*).
 graniticus (Osborn and Lathrop). 39, 16:317, 1923 (*Phlepsius*).
 bifidus (Sanders and DeLong). N. Y., Wis. 39, 10:89, 1917 (*Phlepsius*).
 bipartitus (DeLong). Fla. 3, 52:90, 1926 (*Phlepsius*).
 brunneus (DeLong). Each Sister Isd., Lake Erie, Tenn. 100, 17:74, 1916
 (*Phlepsius*).
 carolinus (Lathrop). S. C., Tenn. 91, 17:127, 1917 (*Phlepsius*).
 certus (DeLong). Wisconsin. 91, 38:44, 1938 (*Phlepsius*).
 cinereus (Van Duzee). Colo., Fla., Miss., Mo., N. C., Tenn., Tex. 3, 19:68,
 1892 (*Phlepsius*).
 collitus (Ball). Me. to Fla. and west to Ia. 19, 35:227, 1903 (*Phlepsius*).
 continuus (DeLong). Texas. 76, 1:239, 1938 (*Phlepsius*).
 dentatus (Baker). Md. 38, 9:65, 1898 (*Phlepsius*).
 denudatus (Ball). Ariz., Calif., N. M. 19, 33:11, 1901 (*Phlepsius*).
 var. *carpolus* (Ball). Ariz. 96, 8:87, 1931 (*Phlepsius* (*Dixianus*)).
 divergens (Oman). Texas. 132, 21:435, 1931 (*Phlepsius*).
 eburneolus (Osborn and Lathrop). Va. 39, 16:331, 1923 (*Phlepsius*).
 electus (DeLong). Ill., Mo. 91, 38:44, 1938 (*Phlepsius*).
 extremus (Ball). Calif., Colo., Ore. 19, 33:10, 1901 (*Phlepsius*).
 fastuosus (Ball). N. M. 19, 37:210, 1905 (*Phlepsius*).
 fulviceps (Osborn and Lathrop). La. 39, 16:333, 1923 (*Phlepsius*).
 fulvidorsum (Fitch). Eastern states to Rocky Mts. 52, p. 62, 1851 (*Jassus*).
 fuscipennis (Van Duzee). N. Y., eastern to Fla. 3, 19:70, 1892 (*Phlepsius*).
 var. *turpiculus* (Ball). Colo., Ga., Ill., Kans., La., Mo., Nebr., Tex.,
 S. C. 19, 32:200, 1900 (*Phlepsius*).
 var. *seminolus* (DeLong). Fla. 76, 1:237, 1938 (*Phlepsius*).
 hemicolor (Sanders and DeLong). S. D., Wis. 41, 25:152, 1923 (*Phlepsius*).
 humidus (Van Duzee). Conn., Me., Md., N. H., N. J., N. Y., Ohio, Pa.,
 Tenn. 3, 19:76, 1892 (*Phlepsius*).
 incisus (Van Duzee). Mass., Mich., N. Y., Ohio, Pa., Tenn. 3, 19:73, 1892
 (*Phlepsius*).
 irroratus (Say). Coast to coast. 1, 6:308, 1831 (*Jassus*).
 lascivius (Ball). Ariz., Colo., Mex., Mont., Nebr., N. D. 19, 32:200, 1900
 (*Phlepsius*).
 micronotatus (Osborn and Lathrop). 39, 16:321, 1923 (*Phlepsius*).
 latifrons (Van Duzee). Fla., Ga., N. C., Tenn. 3, 19:66, 1892 (*Phlepsius*).
 lippulus (Ball). Fla., Miss., Tex. 19, 35:227, 1903 (*Phlepsius*).
 lobatus (Osborn). Ia., Kans., Wis. 69, 5:247, 1898 (*Phlepsius*).
 maculellus (Osborn). Me., N. Y. 78, 238:141, 1915 (*Phlepsius*).
 maculosus (Osborn). Ohio. 39, 16:319, 1923 (*Phlepsius*).
 maculatus (Osborn). Ohio. 92, 5:276, 1905 (homonym), (*Phlepsius*).
 mimus (Baker). Fla., N. J., N. C. 38, 9:67, 1898 (*Phlepsius*).
 cottoni (Sanders and DeLong). 11, 24:98, 1922 (*Phlepsius*).
 nigrifrons (Ball). Ark. 19, 37:210, 1905 (*Phlepsius*).

- nudus (Ball). Fla. 19, 43:204, 1911 (*Phlepsius*).
 obvius (Oman). Texas. 132, 21:435, 1931 (*Phlepsius*).
 occidentalis (Baker). Calif., Ore., Wash. 38, 9:66, 1898 (*Phlepsius*).
 operculatus (Ball). Fla. 19, 59:265, 1927 (*Phlepsius*).
 optatus (Crumb). Tenn. 39, 8:194, 1915 (*Phlepsius*).
 pallidus (Van Duzee). Texas. 3, 19:69, 1892 (*Phlepsius*).
 palustris (Sanders and DeLong). Fla. 41, 25:153, 1923 (*Phlepsius*).
 particolor (Sanders and DeLong). Pa. 97, 3:15, 1920 (*Phlepsius*).
 planus (Sanders and DeLong). Fla. 41, 24:98, 1922 (*Phlepsius*).
 punctiscriptus (Van Duzee). Fla., Kans., Nebr., Tenn., Tex. 3, 19:75, 1892
 (*Phlepsius*).
 pusillus (Baker). D. C., Md., N. C. 38, 9:66, 1898 (*Phlepsius*).
 collinus (Osborn and Lathrop). 39, 16:324, 1923 (*Phlepsius*).
 ramosus Baker. Northeastern states. 19, 29:158, 1897.
 tenuifrons (Sanders and DeLong). 39, 12:235, 1919 (*Phlepsius*).
 rileyi (Baker). Texas. 19, 30:32, 1898 (*Phlepsius*).
 rossi (DeLong). Conn., Ill. 91, 38:43, 1938 (*Phlepsius*).
 siclus (DeLong). Fla. 76, 1:238, 1938 (*Phlepsius*).
 slossonae (Ball). Fla., N. C., S. C. 19, 37:209, 1905 (*Phlepsius*).
 solidaginis (Walker). Eastern states to Colo., Kans. 131, 3:847, 1851
 (*Acocephalus*).
 nebulosus (Van Duzee). 3, 19:77, 1892 (*Phlepsius*).
 strobi (Fitch). Md., N. H., N. Y., Ohio. 52, p. 58, 1851 (*Bythoscopus*).
 uhleri (Van Duzee). 3, 19:67, 1892 (*Phlepsius*).
 franconianus (Ball). 19, 35:228, 1903 (*Phlepsius*).
 supinus (DeLong). Va. 91, 38:217, 1938 (*Phlepsius*).
 tenensus (DeLong). D. C., N. C., Ohio, S. C. 100, 17:75, 1916 (*Phlepsius*).
 similis (Lathrop). 91, 17:128, 1917 (*Phlepsius*).
 texanus (Baker). Texas. 19, 30:31, 1898 (*Phlepsius*).
 tigrinus (Ball). D. C., Ohio. 19, 41:80, 1909 (*Phlepsius*).
 torridus (Lathrop). N. C., S. C., Va. 91, 17:126, 1917 (*Phlepsius*).
 truncatus (Van Duzee). Fla. to Ia., Pa. 3, 9:72, 1892 (*Phlepsius*).
 tubus (Ball). Ala., D. C., N. C. 19, 41:78, 1909 (*Phlepsius*).
 tullahomi (DeLong). Ala., Ohio, Tenn. 100, 17:73, 1916 (*Phlepsius*).
 vanduzeei (Ball). Colo. 19, 33:9, 1901 (*Phlepsius*).
 umbrosus (Sanders and DeLong). Wis. 39, 10:88, 1917 (*Phlepsius*).

TROPICANUS DeLong, 41, 46:87, 1944

Allygus costumaculatus Van Duzeecostumaculatus (Van Duzee). Texas. 15, 5:207, 1894 (*Allygus*).*pulchripennis* (Baker). 38, 9:65, 1898 (*Phlepsius*).

JOSANUS DeLong, 76, 1:244, 1938

Phlepsius josea Balljoseus (Ball). Colo. 19, 32:347, 1900 (*Phlepsius*).

FIEBERIELLA Signoret, 115, 10:67, 1880

Selenocephalus florii Staal

florii (Staal). Conn., Ill. 115, 4:67, 1864 (*Selenocephalus*).
atropunctata (DeLong). 23, 34:131, 1923 (*Phlepsius*).

ACINOPTERUS Van Duzee, 101, 6:307, 1892

Acinopterus acuminatus Van Duzee

acuminatus Van Duzee. Eastern states and Ariz., Calif., Colo., La., Utah.
 101, 6:308, 1892.
angulatus Lawson. Southwestern states. 72, 14:119, 1922.
spatiosus Lawson. 96, 6:136, 1930.
bakeri Lawson. Ariz. 39, 20:238, 1927.
inflatus Lawson. 39, 20:235, 1927.
brunneus Ball. Nevada. 19, 35:231, 1903.
corniger Beamer and Lawson. Calif. 39, 31:481, 1938.
excavatus Beamer and Lawson. Calif. 39, 31:482, 1938.
fuscifrons Lawson. Texas. 71, 4:59, 1931.
inornatus (Baker). Ariz., Calif., Nev., N. Mex. 101, 7:13, 1895 (*Phlepsius*).
aridellus Osborn. 96, 2:22, 1925.
arizonanus Lawson. 39, 20:234, 1927.
pruinus Lawson. 39, 20:235, 1927.
balli Lawson. 39, 20:236, 1927.
lactus Lawson. 39, 20:233, 1927.
catalinanus Lawson. 39, 20:237, 1927.
parvulus Lawson. 39, 20:237, 1927.
molestus Beamer and Lawson. Calif. 39, 31:484, 1938.
morongoensis Knull. Calif. 38, 55:62, 1944.
obtutus Lawson. Ariz., Nev. 72, 14:127, 1922.
parallelus Beamer. Calif. 71, 17:21, 1944.
pennatus Beamer and Lawson. Calif. 39, 31:481, 1938.
productus Lawson. Nev., Tex. 72, 14:122, 1922.
 var. *albidus* Lawson. Ariz. 39, 20:236, 1927.
 var. *fulvus* Lawson. Ariz. 39, 20:236, 1927.
doeringae Lawson. 39, 22:235, 1927.
pulchellus Lawson. Ariz. 39, 20:234, 1927.
quadricornis Beamer and Lawson. Calif. 39, 31:485, 1938.
rileyi Lawson. Texas. 39, 20:238, 1927.
rostratus Beamer and Lawson. Calif. 39, 31:481, 1938.
rubicundus Beamer and Lawson. Utah. 39, 31:477, 1938.
rubrus Lawson. Calif. 71, 4:59, 1931.
longipennis Lawson. 71, 4:60, 1931.
viridis Ball. Calif., Dak., Tex., Utah. 19, 35:231, 1903.
 var. *variegatus* Ball. Ariz., Colo. 19, 35:231, 1903.
 var. *pallidus* Lawson. 72, 14:124, 1922.
 var. *latus* Lawson. 39, 20:237, 1927.
elongatus Lawson. 39, 20:238, 1927.

IDIODONUS Ball, 13, 31:57, 1936

Jassus kennicotti Uhler

- aurantiacus (Provancher). Que. 86, 4:377, 1872 (*Jassus*).
 beameri Ball. Ariz. 13, 32:28, 1937.
 belli (Uhler). Eastern states and Ariz., Br. Col., Colo. 127, 3:471, 1877
 (*Jassus*).
 var. gillettii (Van Duzee). Colo. 19, 24:267, 1892 (*Thamnotettix*).
 var. brunneus (Osborn). Me. 78, 238:135, 1915 (*Thamnotettix*).
 brittoni (Osborn). Conn., N. C., Tenn. 27, 10:166, 1907 (*Thamnotettix*).
 cockerelli (Ball). Colo., Me. 19, 32:339, 1900 (*Thamnotettix*).
 coquilletti (Van Duzee). Calif., Colo. 36, 6:77, 1890 (*Thamnotettix*).
 delongi Ball. Fla. 13, 32:26, 1937.
 graeculus (Ball). Colo. 19, 33:6, 1901 (*Thamnotettix*).
 heidemanni (Ball). Calif., Colo. 19, 32:338, 1900 (*Thamnotettix*).
 var. chenonus Ball. Calif. 13, 32:26, 1937.
 kennicotti (Uhler). Eastern states and Br. Col., Colo. 3, 2:161, 1863
 (*Jassus*).
 kirkaldyi (Ball). Calif. 19, 43:197, 1911 (*Thamnotettix*).
 morsei (Osborn). Me. 78, 238:134, 1915 (*Thamnotettix*).
 osborni (Ball). Colo., Nebr. 19, 32:337, 1900 (*Thamnotettix*).
 rufescens (Osborn). Me. 78, 238:135, 1915 (*Thamnotettix*).
 schwartzi (Ball). Ariz., Utah. 19, 43:197, 1911 (*Thamnotettix*).
 snowi Ball. Ariz. 13, 32:26, 1937.
 subcupraeus (Provancher). East coast. 86, 4:277, 1872 (*Jassus*).
 taxodii (Sanders and DeLong). Fla. 41, 25:154, 1923 (*Thamnotettix*).
 terminalis Ball. Ariz. 13, 32:27, 1937.
 uhleri Ball. Calif. 13, 32:28, 1937.
 wickhami Ball. Ariz. 13, 32:27, 1937.

COLLADONUS Ball, 13, 31:57, 1936

Thamnotettix collaris Ball

- amandus (Ball). Ariz. 19, 41:82, 1909 (*Norvellina*).
 arculus Ball. Ore. 13, 32:31, 1937.
 atropunctatus (Van Duzee). Calif. 36, 6:91, 1890 (*Thamnotettix*).
 aureolus (Van Duzee). Calif. 15, 5:213, 1894 (*Thamnotettix*).
 cachellus Ball. Calif., Colo. 13, 32:30, 1937.
 citrinifrons (Gillette and Baker). Colo. 22, 31:95, 1895 (*Thamnotettix*).
 clitellarius (Say). Colo., Kans., eastern Mo. 1, 6:309, 1831 (*Jassus*).
 var. marcidus Ball. Ill., Ia., Ky., Wis. 13, 32:29, 1937.
 collaris (Ball). N. Y. 19, 34:15, 1902 (*Thamnotettix*).
 commissus (Van Duzee). Calif. 17, 7:299, 1917 (*Thamnotettix*).
 eburatus (Van Duzee). Me., N. Y., Ont., Pa. 19, 21:10, 1889
 (*Thamnotettix*).
 egenus Ball. Br. Col., Utah. 13, 32:30, 1937.
 flavocapitatus (Van Duzee). Calif., Colo. 36, 6:80, 1890 (*Thamnotettix*).
 furculatus (Osborn). Ohio, Pa. 92, 5:275, 1905 (*Thamnotettix*).

- geminatus (Van Duzee). Alaska, Calif., Colo., Wash. 36, 6:79, 1890
(*Thamnotettix*).
- incertus (Gillette and Baker). Colo., D. C., Fla., Mass., N. J., N. Y., N. C.,
N. D., Ohio, Tenn. 22, 31:100, 1895 (*Eutettix*).
- januatus (Ball). Calif. 19, 46:213, 1914 (*Thamnotettix*).
- mendicus (Ball). Calif., Colo. 19, 34:16, 1902 (*Thamnotettix*).
- montanus (Van Duzee). Br. Col., Calif., Colo., Idaho, Ore. 19, 24:268,
1892 (*Thamnotettix*).
- var. reductus (Van Duzee). Calif. 17, 7:298, 1917 (*Thamnotettix*).
- var. mulsus Ball. Calif., Colo., Nev. 13, 32:29, 1937.
- ponderosus Ball. Ariz. 13, 32:31, 1937.
- tahotus Ball. Calif. 96, 12:194, 1936.
- waldanus (Ball). Colo., Me., Manitoba, Ont. 19, 35:229, 1903
(*Thamnotettix*).

GLORIDONUS Ball, 13, 31:58, 1936

Thamnotettix gloriosus Ball

- gemellus (Ball). Calif. 19, 42:303, 1910 (*Thamnotettix*).
- generosus (Ball). Calif. 19, 42:304, 1910 (*Thamnotettix*).
- gerulus (Ball). Calif., Ore. 19, 42:304, 1910 (*Thamnotettix*).
- gladiolus (Ball). Colo. 19, 42:309, 1910 (*Thamnotettix*).
- gloriosus (Ball). Calif. 19, 42:303, 1910 (*Thamnotettix*).
- spatulatus Ball. Calif. 132, 26:430, 1936.

FRISCANANUS Ball, 13, 31:60, 1936

Thamnotettix intricatus Ball

- intricatus (Ball). Calif. 19, 43:198, 1911 (*Thamnotettix*).
- nugax (Van Duzee). Calif. 17, 14:419, 1925 (*Scaphoideus*).
- rupinatus (Ball). Calif. 19, 43:199, 1911 (*Thamnotettix*).

DOLERANUS Ball, 13, 31:58, 1936

Thamnotettix longulus Gillette and Baker

- longulus (Gillette and Baker). Colo., Ia., Kans., Pa., Tenn. 22, 31:97, 1895
(*Thamnotettix*).
- lucidus (Baker). Ariz., Calif., N. Mex. 101, suppl. 1, 7:12, 1895
(*Thamnotettix*).
- deltus* (Ball). 38, 27:205, 1916 (*Chlorotettix*).
- acus* DeLong and Davidson. 87, 42:223, 1934.
- vividus (Crumb). Kans., Ohio, S. C., Tenn. 39, 8:197, 1915 (*Chlorotettix*).

ATANUS Oman, 72, 24:381, 1938

Eutettix dentatus Osborn

- atascasus (Ball). Ariz. 132, 26:432, 1936 (*Doleranus*).
- perspicillatus (Osborn and Ball). Ia., Ohio, Tenn. 69, 4:227, 1897
(*Thamnotettix*).
- var. rubralineus (DeLong). Fla. 87, 32:64, 1924 (*Thamnotettix*).

ALLYGUS Fieber, 51, p. 13, 1872

Cicada mixtus Fabricius

mixtus (Fabricius). Mass. 45, 4:39, 1794 (*Cicada*).

ALLYGIANUS Ball, 13, 31:59, 1936

Thamnotettix gutturosus Ball

clathratus Ball. Calif. 132, 26:431, 1936.

gutturosus (Ball). Calif. 19, 42:307, 1910 (*Thamnotettix*).

merus Beamer. Calif. 96, 14:153, 1938.

varius Beamer. Calif. 96, 14:154, 1938.

PASADENUS Ball, 13, 31:60, 1936

Thamnotettix pasadenus Ball

anzanus Beamer. Calif. 96, 15:190, 1939.

bicolor Beamer. Calif. 96, 15:190, 1939.

chicanus Ball. Calif. 132, 26:431, 1936.

deltus Ball. Calif. 96, 12:193, 1936.

limbatus (Van Duzee). Calif. 36, 6:92, 1890 (*Thamnotettix*).

margaritae Ball. Calif. 132, 26:431, 1936.

omani Ball. Calif. 96, 12:192, 1936.

pasadenus (Ball). Calif. 19, 46:212, 1914 (*Thamnotettix*).

BALLANA DeLong, 91, 36:217, 1936

Thamnotettix vetula Ball

absenta DeLong. Nev., Utah. 91, 37:113, 1937.

adversa DeLong. Utah. 91, 37:107, 1937.

amplecta (DeLong). Calif. 39, 28:157, 1935 (*Laevicephalus*).

angula DeLong. Ariz. 91, 37:116, 1937.

antlera DeLong. Idaho. 91, 37:120, 1937.

aris DeLong. Idaho, Utah. 91, 37:120, 1937.

arma DeLong. Ariz. 91, 37:123, 1937.

atridorsum (Van Duzee). Colo., Mont., S. D. 19, 26:92, 1894
(*Thamnotettix*).

attenuata DeLong. Calif. 91, 37:108, 1937.

bicornis DeLong. Calif., Idaho, Utah. 91, 37:119, 1937.

bifida DeLong. Idaho. 91, 37:117, 1937.

brevidens DeLong. Idaho. 91, 37:106, 1937.

calcara DeLong. Nevada. 91, 37:111, 1937.

calcea DeLong. Nevada. 91, 37:106, 1937.

calipera DeLong. Calif., Idaho, Nevada, Utah. 91, 37:121, 1937.

callida DeLong. Calif. 91, 37:121, 1937.

chelata DeLong. Calif. 91, 37:121, 1937.

chiragrica (Ball). Ariz. 19, 32:337, 1900 (*Thamnotettix*).

chrysothamnum (DeLong and Davidson). Idaho. 87, 42:222, 1934
(*Thamnotettix*).

- coarcta DeLong. Calif. 91, 37:113, 1937.
 cuna DeLong. Calif. 91, 37:118, 1937.
 curvidens DeLong. Idaho. 91, 37:111, 1937.
 delea DeLong. Calif. 91, 37:105, 1937.
 dena DeLong. Calif. 91, 37:120, 1937.
 dira DeLong. Ariz. 91, 37:118, 1937.
 dissimilata (Ball). Calif. 19, 42:306, 1910 (*Thamnotettix*).
 diutia DeLong. Calif. 91, 37:115, 1937.
 elexa DeLong. Calif. 91, 37:108, 1937.
 filamenta DeLong. Calif. 91, 37:108, 1937.
 firma DeLong. Calif. 91, 37:107, 1937.
 glomerosa (Ball). Colo. 19, 42:308, 1910 (*Thamnotettix*).
 gruis DeLong. Calif. 91, 37:114, 1937.
 hama DeLong. Calif. 91, 37:115, 1937.
 hebea DeLong. Nevada, Utah. 91, 37:112, 1937.
 indens DeLong. Calif. 91, 37:114, 1937.
 latera DeLong. Calif. 91, 37:123, 1937.
 latula DeLong. Calif. 91, 37:122, 1937.
 mana DeLong. Calif. 91, 37:119, 1937.
 mera DeLong. Calif. 91, 37:109, 1937.
 nigridentis DeLong. N. Mex. 91, 37:109, 1937.
 occidentalis DeLong. Nev. 91, 37:112, 1937.
 ortha DeLong. Idaho, Nevada, Utah. 91, 37:111, 1937.
 parallela DeLong. Idaho. 91, 37:110, 1937.
 paridentis DeLong. Calif. 91, 37:123, 1937.
 plena DeLong. Calif. 91, 37:114, 1937.
 pleura DeLong. Calif. 91, 37:115, 1937.
 polica DeLong. Idaho. 91, 37:110, 1937.
 prava DeLong. Calif. 91, 37:107, 1937.
 quira DeLong. Ariz. 91, 37:109, 1937.
 recurvata DeLong. Idaho, Oregon. 91, 37:117, 1937.
 repa DeLong. Ariz. 91, 37:122, 1937.
 seca DeLong. Calif. 91, 37:118, 1937.
 sera DeLong. Calif. 91, 37:113, 1937.
 spinosa DeLong. Idaho. 91, 37:110, 1937.
 titusi (Ball). Calif., Idaho, Ore. 19, 42:267, 1910 (*Thamnotettix*).
 transea DeLong. Colo. 91, 37:106, 1937.
 ursina (Ball). Ore. 19, 42:307, 1910 (*Thamnotettix*).
 valga DeLong. Utah. 91, 37:116, 1937.
 vapidata (Ball). Calif. 19, 42:305, 1910 (*Thamnotettix*).
 vastula (Ball). Calif. 19, 42:268, 1910 (*Thamnotettix*).
 velosa DeLong. Idaho. 91, 37:119, 1937.
 venditaria (Ball). Idaho, Nevada, Utah. 19, 42:266, 1910 (*Thamnotettix*).
 veruta (Van Duzee). Calif. 17, 14:424, 1925 (*Thamnotettix*).
 vesca (Ball). Calif. 19, 42:302, 1910 (*Thamnotettix*).
 vespertina (Ball). Calif. 19, 42:301, 1910 (*Thamnotettix*).
 vetula (Ball). Calif., Utah. 19, 42:302, 1910 (*Thamnotettix*).
 viriosa (Ball). Calif. 19, 42:266, 1910 (*Thamnotettix*).

visalia (Ball). Calif. 19, 42:301, 1910 (*Mesamia*).
 vivata (Ball). Calif., Nev., Oregon. 19, 42:302, 1910 (*Thamnotettix*).

THAMNOTETTIX Zetterstedt, 135, col. 292, 1840
Cicada prasina Fallén

simplex (Herrich-Schaeffer). Colo., Me., Mich., N. H., N. Y., Que. 63,
 p. 125, 1829 (*Jassus*).
chlamydatus (Provancher). 100, 2:339, 1890 (*Deltocephalus*).
infuscatus Gillette and Baker. 22, 31:98, 1895.

BRAZOSA Oman, 72, 24:386, 1938
Thamnotettix picturellus Baker

sempunctata Beamer. Texas. 71, 12:27, 1939.

CICADULA Zetterstedt, 135, col. 296, 1838
Cicada quadrinotata Fabricius

ciliata (Osborn). Colo., Ia., Me. 69, 5:244, 1898 (*Thamnotettix*).
 cyperacea (Osborn). Ia., N. Y. 69, 5:245, 1898 (*Thamnotettix*).
 decipiens (Provancher). Br. Col., Me., N. Y., Que., Utah. 100, 3:285, 1890
 (*Thamnotettix*).
 eruca (DeLong). Calif., Idaho, S. D. 5, 18:231, 1937 (*Cyperana*).
 gesa (DeLong). Calif., Idaho. 5, 18:231, 1937 (*Cyperana*).
 longiseta (Van Duzee). Calif., Colo., Ia. 19, 24:266, 1892 (*Thamnotettix*).
 melanogaster (Provancher). Eastern states. 86, 4:378, 1872 (*Jassus*).
 montula (DeLong). Colo. 5, 18:232, 1937 (*Cyperana*).
 smithi (Van Duzee). Conn., Ill., Iowa, N. J., Pa., Wis. 19, 24:266, 1892
 (*Thamnotettix*).
 var. pollicaria (Ball). Calif. 96, 12:193, 1936 (*Cyperana*).
 straminea (Sanders and DeLong). Wis. 39, 10:90, 1917 (*Thamnotettix*).
 stylata (DeLong). Alberta, Idaho, Utah. 5, 18:230, 1937 (*Cyperana*).
 vittipennis (Sanders and DeLong). Wis. 39, 10:91, 1917 (*Thamnotettix*).
 wanakena (Ball). Mich., N. Y. 96, 12:194, 1936 (*Cyperana*).

PALUDA DeLong, 5, 18:233, 1937

Thamnotettix placidus Osborn = *Thamnotettix placata* Baker =
Thamnotettix mella Sanders and DeLong

languida (Ball). Calif. 19, 34:17, 1902 (*Thamnotettix*).
 mella (Sanders and DeLong). 39, 10:91, 1917 (*Thamnotettix*).
placata (Baker). Idaho, Me., N. Br., N. Y., Wis. 98, 24:367, 1924.
placida (Osborn). 89, 20:536, 1905 (*Thamnotettix*), (homonym).

ELYMANA DeLong, 91, 36:218, 1936
Thamnotettix inornata Van Duzee

acrita DeLong. Ill. 39, 29:637, 1936.
 acuma DeLong. Tenn. 39, 29:637, 1936.

- caduca DeLong. Wis. 39, 29:638, 1936.
 inornata (Van Duzee). Eastern and Br. Col., Colo., Iowa, Tenn. 3, 19:303,
 1892 (*Thamnotettix*).
 ovatina Ball. Ariz. 96, 12:195, 1936.
 ritana DeLong. 39, 29:638, 1936.

ARUNDANUS DeLong, 38, 46:180, 1935

Thamnotettix arundineus DeLong

- arundineus (DeLong). Ill., Tenn. 3, 52:91, 1926 (*Thamnotettix*).
 carolinus DeLong. N. C. 38, 46:181, 1935.
 crumbi (DeLong). Tenn. 100, 17:81, 1916 (*Thamnotettix*).
 duplus DeLong. Miss. 5, 25:634, 1941.
 fastigatus DeLong. N. C. 5, 25:635, 1941.
 flavotinctus (DeLong). Tenn. 100, 17:82, 1916 (*Thamnotettix*).
 latidens DeLong. N. C. 38, 46:182, 1935.
 marginellus DeLong. Ill., Tenn. 38, 46:181, 1935.
 nacreosus (Crumb). Ill., Tenn. 39, 8:196, 1915 (*Chlorotettix*).
 parvulus DeLong. N. C., S. C. 38, 46:182, 1935.
 proprius (DeLong). Tenn. 91, 18:238, 1918 (*Thamnotettix*).
 rubralineus DeLong. S. C. 38, 46:181, 1935.
 var. excavatus DeLong. Miss. 5, 25:639, 1941.
 sarissus DeLong. N. C. 5, 25:635, 1941.
 shermani (Ball). N. C. 19, 35:230, 1903 (*Thamnotettix*).

GRAMINELLA DeLong, 91, 36:218, 1936

Thamnotettix aureovittata Sanders and DeLong

- albovenosa (Sanders and DeLong). Fla. 41, 25:153, 1923 (*Thamnotettix*).
 ampla Beamer. N. Dak. 19, 70:229, 1938.
 aureovittata (Sanders and DeLong). Fla., Ill., Mass. 97, 3(2):16, 1920
 (*Thamnotettix*).
 bisignata (Sanders and DeLong). Del., Fla. 41, 25:154, 1923
 (*Thamnotettix*).
 fitchii (Van Duzee). Eastern and Ia., Kans. 36, 6:133, 1890 (*Thamnotettix*).
 floridana DeLong and Mohr. Fla., S. C. 5, 18:625, 1937.
 mohri DeLong. Ill., Kans., Pa. 38, 48:50, 1937.
 nigrifrons (Forbes). Eastern and Colo., Ia. 71, 14:67, 1885 (*Cicadula*).
 nigrinota DeLong and Mohr. Fla. 5, 18:628, 1937.
 oquauka DeLong. Ill. 38, 48:51, 1937.
 pallidula (Osborn). Ia., Pa. 69, 5:245, 1898 (*Thamnotettix*).
 plana (DeLong). Fla. 87, 32:65, 1924 (*Thamnotettix*).
 texana (Osborn and Ball). La., Tex. 27, 7:92, 1898 (*Athysanus*).
 virginiana (Sanders and DeLong). Fla., Va. 41, 24:99, 1922
 (*Thamnotettix*).

CALANANA DeLong, 91, 44:272, 1944

Thamnotettix umbraticus Ball

- bispinosa (Beamer). Calif. 71, 12:81, 1939 (*Calana*).
 rubralineata (Beamer). Calif. 71, 12:82, 1939 (*Calana*).
 umbratica (Ball). Calif. 19, 42:309, 1910 (*Thamnotettix*).

KNULLANA DeLong, 91, 41:86, 1941

Thamnotettix perexigua Ball

- huachuca DeLong. Ariz., Mex. 91, 41:87, 1941.

CHLOROTETTIX Van Duzee, 101, 6:306, 1892

Bythoscopus unicolor Fitch

- attenuatus Brown. Mo. 72, 21:241, 1933.
 auri DeLong. N. C. 91, 38:218, 1938.
 balli Osborn. Ia., Ohio, Tenn. 69, 5:246, 1898.
 borealis Sanders and DeLong. Wis. 39, 10:92, 1917.
 angustus Brown. 72, 21:241, 1933.
 brevidus DeLong. Ill. 38, 48:52, 1937.
 capensis Sanders and DeLong. Fla. 41, 24:95, 1922.
 convexus Brown. Miss. 72, 21:242, 1933.
 curvidens Osborn. Guatemala and Honduras, Mex., Tex. 93, 23:16, 1919.
 serratus DeLong. 38, 48:52, 1937.
 dentatus Sanders and DeLong. D. C., Md. 41, 25:154, 1923.
 distinctus DeLong. Tenn. 93, 23:23, 1919.
 divergens Sanders and DeLong. Va. 41, 24:94, 1922.
 dozieri Sanders and DeLong. Miss. 41, 24:93, 1922.
 durus Brown. Fla. 72, 21:242, 1933.
 excultus Sanders and DeLong. Fla., Jamaica. 41, 24:97, 1922.
 fallax Sanders and DeLong. Fla. 41, 24:94, 1922.
 latifrons Sanders and DeLong. 41, 24:95, 1922.
 filamentus DeLong. Ill. 38, 48:53, 1937.
 floridanus DeLong. Fla. 87, 32:66, 1924.
 rubidus Brown. 72, 21:246, 1933.
 fumidus Sanders and DeLong. Pa., Tenn. 39, 12:237, 1919.
 fuscus Brown. 72, 21:243, 1933.
 galbanatus Van Duzee. Eastern and Ia., Mont., N. D. 101, 6:310, 1892.
 iridescens DeLong. Md., Tenn. 100, 17:83, 86, 1916.
 latus Brown. Fla. 72, 21:244, 1933.
 limosus DeLong and Cartwright. Pa. 39, 19:506, 1926.
 lusorius (Osborn and Ball). Northeastern states and Colo., Ia., Utah. 69,
 4:226, 1897 (*Thamnotettix*).
 maculosus Brown. Ark., La. 72, 21:244, 1933.
 melanotus DeLong. Tenn. 100, 17:84, 1916.
 minimus Baker. Brazil, Fla., Haiti, Jamaica. 19, 30:220, 1898.
 lineatus Osborn. 93, 23:5, 1919.
 necopinus Van Duzee. Southeastern states. 19, 25:282, 1893.

- nudatus Ball. Ia., Tenn. 19, 32:340, 1900.
 obsenus DeLong. Ill. 38, 48:52, 1937.
 occidentalis DeLong. Oregon. 93, 23:11, 1919.
 orbonatus (Ball). Fla. and East coast. 19, 35:229, 1903 (*Thamnotettix*).
 productus Sanders and DeLong. 39, 12:236, 1919.
 rotundus Brown. Ala., Ark., Miss. 72, 21:246, 1933.
 rugicollis Ball. Fla., N. J., Tex. 19, 35:230, 1903.
 scutellatus Osborn. Texas. 93, 23:18, 1919.
 pallidus Brown. 72, 21:245, 1933.
 similis DeLong. Ore. and Western states. 93, 23:14, 1919.
 sinuosus Brown. Miss. 72, 21:247, 1933.
 sordidus Brown. Miss. 72, 21:248, 1933.
 spatulatus Osborn and Ball. Colo., Fla., Ia., Neb., Ohio, Tenn., Wis. 69,
 4:225, 1897.
 stolatus Ball. Colo. 19, 32:341, 1900.
 suturalis DeLong. Tenn. 100, 17:85, 1916.
 tergatus (Fitch). Eastern and Iowa, Wash. 52, p. 58, 1851 (*Bythoscopus*).
 tunicatus Ball. Ark., Fla., Kans., La., Mo., N. C., Tenn., Tex. 19, 32:340,
 1900.
 unicolor (Fitch). Northern coast to coast. 52, p. 58, 1851 (*Bythoscopus*).
 vacunus Crumb. Tenn. 39, 8:196, 1915.
 viridius Van Duzee. Ark., Mich., and N. Y. to Fla., and west to Kans. and
 Tex. 101, 6:309, 1892.

BALDULUS Oman, 41, 36:79, 1934

Baldulus montanus Oman

- elimatus (Ball). N. Mex. 19, 32:345, 1900 (*Deltocephalus*).
 montanus Oman. Ariz. 41, 36:79, 1934.

DAVISONIA Dorst, 125, 271:4, 1937

Cicadula major Dorst

- delongi Dorst. Canada, Ill., Ia., Md., Mass., N. Mex., N. Y., Ohio, Pa., Va.,
 Wis. 125, 271:6, 1937.
 major (Dorst). Colo., Ia., Kans., Manitoba, Minn., Mo., N. H., Pa., Tenn.,
 Utah. 71, 4:43, 1931 (*Cicadula*).
 punctifrons (Fallén). N. Y. 49, p. 42, 1826 (*Cicadula*).
 var. *repleta* (Fieber). N. Y. 105, p. 49, 1885 (*Cicadula*).
 var. *americana* (Van Duzee). N. Y. 19, 23:169, 1891 (*Cicadula*).
 snowi (Dorst). Colo., Kans., Mont., Neb., Wis. 71, 4:41, 1931 (*Cicadula*).

SONRONIUS Dorst, 125, 271:9, 1937

Cicadula dahlbomi Zetterstedt

- arcuatus (Gillette and Baker). Alberta, Br. Col., Colo., Mass., Ont., Que.,
 Sask., Utah. 22, 31:105, 1895 (*Cicadula*).
 clavatus (DeLong and Davidson). Ill., N. J. 87, 42:223, 1934 (*Cicadula*).

- dahlbomi (Zetterstedt). Alberta, Calif., Colo., Que., Utah. 135, col. 297,
1840 (*Cicadula*).
lactus (Uhler). 127, 1:360, 1876 (*Jassus*).
vanduzeei (Gillette and Baker). 22, 31:103, 1895 (*Eutettix*).

MACROSTELAS Fieber, 130, 16:504, 1866

Cicada sexnotata Fallén

- binotata (Sahlberg). Ill., Me., Ont. 113, 12:242, 1871 (*Limotettix*).
suffusa (Osborn). 78, 238:146, 1915 (*Cicadula*).
borealis (Dorst). Br. Col., Wash. 71, 4:45, 1931 (*Cicadula*).
divisa (Uhler). Alaska, Canada, Calif. to Me., Minn. to Tex. 127, 3:472,
1877 (*Jassus*).
quadrilineata Forbes. 71, 4:68, 1884.
fascifrons (Staal). Alaska, Calif., Wash. 117, 19:194, 1858 (*Thamnotettix*).
warioni (Lethierry). 114, 15:127, 1878 (*Cicadula*).
lepida (Van Duzee). Kans., N. Y., Ohio, Tenn., Wis. 19, 26:139, 1894
(*Cicadula*).
lineatifrons (Staal). Alaska, Que. 117, 19:195, 1858 (*Thamnotettix*).
obsoleta (Dorst). Kans., Tex. 71, 4:42, 1931 (*Cicadula*).
osborni (Dorst). Alaska. 71, 4:45, 1931 (*Cicadula*).
pallida (Osborn). Me. 78, 238:146, 1915 (*Cicadula*).
potoria (Ball). Ia., Me., N. Y. 19, 32:346, 1900 (*Cicadula*).
scripta (DeLong). Fla. 87, 32:67, 1924 (*Cicadula*).
slossonae (Van Duzee). Br. Col., Me., N. H., N. Y., N. C., Nova Scotia,
Ohio, Ont., Pa., Wis. 19, 25:281, 1893 (*Cicadula*).
ungae (Ashmead). Alaska, Me. 59, 8:134, 1904 (*Cicadula*).
variata (Fallén). Colo., Conn., Kans., Me., Man., N. H., N. J., N. Mex.,
N. Y., Ohio, Pa., Que., Tenn. 116, 27:34, 1806 (*Cicada*).
fumata (Herrich-Schaeffer). 63, fasc. 153, 5, 1838 (*Jassus*).
viridi-grisea (Edwards). Labr., Que. 37, 60:54, 1924 (*Cicadula*).
wilburii Dorst. Kans. 125, 271:19, 1937 (*Cicadula*).

SUBFAMILY JASSINAE AMYOT AND SERVILE, 7, p. 581, 1843

JASSUS Fabricius, 48, p. 12, 85, 1803

Jassus nervosus Fabricius

- borealis Spaangberg. Fla., Ga., S. C. 118, 36:24, 1879.
floridanus Lawson. Fla. 19, 59:173, 1927.
melanotus Spaangberg. Ga., Tenn. 120, 35:19, 1878.
olitorius Say. Ariz., Eastern and Kans., Mo. 1, 6:310, 1831.
subbifasciatus Say. 1, 6:310, 1831.
fuscipennis Spaangberg. 120, 35:20, 1878.
snowi Lawson. Ariz. 19, 59:171, 1927.

NEOCOELIDIA Gillette and Baker, 22, 31:103, 1895

Neocoelidia tumidifrons Gillette and Baker

- balli Knull. Ariz., Utah. 5, 28:685, 1942.
 barretti Baker. Calif. 19, 30:291, 1898.
 beameri Oman. Texas. 71, 4:63, 1931.
 candida Ball. Colo. 38, 20:166, 1909.
 compta Ball. N. Mex. 38, 20:167, 1909.
 diabola Knull. Ariz. 5, 28:683, 1942.
 distincta Oman. Ariz., Tex. 71, 4:67, 1931.
 fuscovittata Oman. Ariz. 71, 4:65, 1931.
 grandiosa Knull. Ariz. 5, 28:689, 1942.
 lactipennis (Van Duzee). Calif. 36, 6:49, 1890 (*Jassus*).
 lineata Baker. Calif., Colo., Ore. 19, 30:289, 1898.
 var. penelineata Oman. Calif., Nev. 71, 4:66, 1931.
 obscura Baker. Ariz., Calif., Tex. 19, 30:289, 1898.
 pentagona Ball. Ore. 38, 27:207, 1916.
 triunata Ball. Utah. 38, 27:207, 1916.
 orovila Ball. Calif. 38, 27:206, 1916.
 pallida Baker. Ariz., Calif. 19, 30:290, 1898.
 subsp. blanda Knull. Mex., Tex. 5, 28:682, 1942.
 subsp. acuta Knull. Ariz., Calif., Utah. 5, 28:683, 1942.
 pulchella Ball. Calif. 38, 20:168, 1909.
 ramona Ball. Calif. 38, 27:206, 1916.
 reticulata Ball. Calif., Colo., Utah. 38, 20:167, 1909.
 romantica Knull. Calif. 5, 28:684, 1942.
 texana Oman. Texas. 71, 4:62, 1931.
 tripunctata Ball. Ariz. 38, 20:168, 1909.
 tumidifrons Gillette and Baker. Colo., Fla., Ia., Me., N. J., Tenn., Tex.
 22, 31:104, 1895.
 var. vittipennis DeLong. Fla. 87, 32:66, 1924.

PARACOELIDIA Baker, 19, 30:292, 1898

Paracoelidia tuberculata Baker

- fusconeura Oman. Arizona. 71, 3:78, 1930.
 teretis Beamer. Arizona. 71, 9:31, 1936.
 tuberculata Baker. Eastern states. 19, 30:292, 1898.

TINOBRIGMUS Van Duzee, 15, 5:213, 1894

Tinobregmus vittatus Van Duzee

- invenustus Lawson. La. 39, 25:363, 1932.
 pallidus Osborn. Texas. 92, 11:261, 1910.
 var. elegans Lawson. Texas. 39, 25:363, 1932.
 viridescens DeLong. Ill., Md., Mich., Mo., Tenn. 100, 17:92, 1916.
 moodii Gibson. Mo. 19, 49:183, 1917.
 vittatus Van Duzee. Fla., La., N. C., Tex., Va. 15, 5:214, 1894.

SUBFAMILY BALCLUTHINAE BAKER, 98, 23:374, 1923

BALCLUTHA Kirkaldy, 43, 33:243, 1900

Cicada punctata Thunberg

- abdominalis (Van Duzee). Br. Col., Eastern and Calif., Colo. 19, 24:113, 1892 (*Gnathodus*).
- arizona Davidson and DeLong. Ariz. 41, 37:100, 1935.
- californica Davidson and DeLong. Calif. 41, 37:102, 1935.
- impicta (Van Duzee). Eastern and Calif., Kans., Mo., Wash. 19, 24:113, 1892 (*Gnathodus*).
- flava* (Baker). 19, 28:38, 1896 (*Gnathodus*).
- media* (Baker). 19, 28:38, 1896 (*Gnathodus*).
- var. *osborni* Van Duzee. Ill., N. Y., Ont., Que. 129, p. 75, 1916
- viridis* (Osborn). 89, p. 541, 1905 (*Gnathodus*).
- var. *maculata* Davidson and DeLong. Conn., D. C., Pa., Tenn., Wis. 41, 37:101, 1935.
- manitou (Gillette and Baker). Colo. 22, 31:105, 1895 (*Gnathodus*).
- punctata (Thunberg). Br. Col., Colo., eastern Mo. 122, 4:21, 1782 (*Cicada*).
- confusa* (Gillette and Baker). 22, 31:104, 1895 (*Gnathodus*).
- livingstoni* (Baker). 19, 28:42, 1896 (*Gnathodus*).
- occidentalis* (Baker). Wash. 19, 28:42, 1896 (*Gnathodus*).

NESOSTELES Kirkaldy, 62, 1:343, 1906

Nesosteles hebe Kirkaldy

- calcara (Davidson and DeLong). Fla. 91, 33:57, 1933 (*Eugnathodus*).
- floridana (Davidson and DeLong). Fla. 91, 33:56, 1933 (*Eugnathodus*).
- marquesana* (Osborn). 9, 114:265, 1934.
- hyalina (Osborn). Fla. 39, 19:352, 1926 (*Balclutha*).
- incisa (Matsumura). Fla. 80, 25:360, 1902 (*Gnathodus*).
- bisinuata* (DeLong). 102, 7:266, 1923 (*Eugnathodus*).
- pallida* (Osborn). 39, 19:352, 1926 (*Eugnathodus*).
- bifurcata* (DeLong and Davidson). 91, 33:58, 1933 (*Eugnathodus*).
- areolata* Osborn. 9, 114:226, 1934.
- tutuilana* Osborn. 67, part II, p. 188, 1934
- knulli (Davidson and DeLong). Tex. 41, 37:109, 1935 (*Agellus*).
- neglecta (DeLong and Davidson). U. S. 91, 33:55, 1933 (*Eugnathodus*).
- var. *pallidens*. Southern states. 91, 44:272, 1944.
- var. *pallida* (DeLong and Davidson). 91, 33:56, 1933 (homonym).
- nevadensis (Baker). Nev. 68, 1:1, 1903 (*Eugnathodus*).
- virescens (Osborn). Fla. 39, 19:351, 1926 (*Eugnathodus*).
- abbreviata* (DeLong and Davidson). 91, 33:57, 1933 (*Eugnathodus*).

SUBFAMILY CICADELLINAE VAN DUZEE, 129, p. 65, 1916

PROTALEBRA Baker, 101, 8:402, 1899

Alebra curvilinea Gillette

- brasilensis Baker. Fla., Texas. 101, 8:405, 1899.
- pardalis McAtee. Ariz. 87, 34:151, 1926.

ALEBRA Fieber, 130, 16:507, 1866

Cicada albostriella Fallén

- albostriella (Fallén). Eastern states. 49, p. 54, 1826 (*Cicada*).
 var. pallidula (Walsh). Ill., Kans., Mass., Mo., N. Y. 99, 10:149, 1862 (*Typhlocyba*).
 var. tincta McAtee. Kans. 87, 34:143, 1926.
 var. agresta McAtee. Md., Kans., Va. 87, 34:144, 1926.
 var. fulveola (Herrich-Schaeffer). D. C., Ill., Kans., Md., Minn., N. Y., Va. 63, p. 114, 1839 (*Typhlocyba*).
 var. rubrafrons DeLong. Ill., Tenn. 91, 18:240, 1918.
 bicincta DeLong. Ill., Miss., Tenn. 91, 18:240, 1918.
 binotata (Walsh). Ill. 99, 10:149, 1862 (*Typhlocyba*).
 eburnea DeLong. Tenn. 91, 18:241, 1918.
 fumida Gillette. Ill., Kans., Minn., Tenn. 128, 20:714, 1898.
 interrogata Knoll. Texas. 38, 51:291, 1940.
 scopa McAtee. Kans. 87, 34:145, 1926.

DIKRANEUROIDEA Lawson, 13, 24:307, 1929

Dikraneuroidea beameri Lawson

- beameri Lawson. Texas. 13, 24:307, 1929.

DIKRANEURA Hardy, 124, 1:423, 1850

Dikraneura variata Hardy

- abnormis (Walsh). Conn., D. C., Ga., Ill., Iowa, Kans., Mo., N. Y., Ohio, Pa., Wis., Texas. 12, 9:316, 1864 (*Chloroneura*).
 var. rufula Gillette. Calif. 128, 20:720, 1898.
 absenta DeLong and Caldwell. Ariz., B. C., Calif., Colo., Id., Ore., Utah. 41, 39:28, 1937.
 aegra Beamer. Calif. 96, 12:55, 1936.
 mera Beamer. 96, 12:7, 1936 (homonym).
 alta DeLong and Caldwell. Pa. 41, 39:31, 1937.
 angustata Ball and DeLong. Kans., S. C., Tenn., Tex. 39, 18:328, 1925.
 aperta Beamer. Calif. 71, 16:58, 1943.
 arcta DeLong and Caldwell. Ariz. 41, 39:29, 1937.
 arizona DeLong and Caldwell. Ariz., Colo. 41, 39:26, 1937.
 aurulenta Lawson. Texas. 19, 62:41, 1930.
 benedicti Beamer. Texas. 71, 16:59, 1943.
 bisagittata Beamer. Fla. 71, 16:63, 1943.
 californica Lawson. Calif. 19, 62:35, 1930.
 imbellis Lawson. 19, 62:37, 1930.
 carneola (Staal). B. C., Calif., Mex., Ore. 117, 19:196, 1858 (*Typhlocyba*).
 var. sitkana Ball and DeLong. Alaska. 39, 18:330, 1925.
 var. shoshone DeLong and Caldwell. Idaho. 41, 39:27, 1937.
 cockerellii Gillette. Ariz., Calif., N. Mex., Utah. 101, 7:14, 1896.
 communis Gillette. Colo., Ill., Mich., N. Y. 128, 20:718, 1898.
 cruentata Gillette. B. C., Calif., Colo., Kans., Me., Md., N. Y., Ohio, Tenn., Va. 128, 20:717, 1898.

- var. *lavata* McAtee. Md., Va. 41, 26:76, 1924.
 var. *rubricata* McAtee. Md., Va. 41, 26:76, 1924.
 var. *kansiensis* Lawson. Kans. 19, 62:38, 1930.
 var. *nevadensis* Lawson. Nev. 19, 62:38, 1930.
curiosa Beamer. Ariz. 71, 18(2):83-84, 1945.
debilis McAtee. Texas. 87, 34:162, 1926.
dubita DeLong and Caldwell. Colo. 41, 39:28, 1937.
elongata Ball and DeLong. Calif. 39, 18:327, 1925.
furcata Beamer. Texas. 71, 16:62, 1943.
hungerfordii Lawson. Mich., Ont. 19, 62:39, 1930.
hyalina Beamer. Calif. 71, 16:58, 1943.
kunzei Gillette. Ariz., Tex. 128, 20:721, 1898.
latacephala Beamer. Calif. 71, 16:57, 1943.
lenta McAtee. Texas. 87, 34:160, 1926.
lentana DeLong. Ariz. 91, 44:272, 1944.
 lenta DeLong. 91, 38:218, 1938 (homonym).
luna DeLong and Caldwell. Calif. 41, 39:24, 1937.
maculata Gillette. La., Md. 128, 20:716, 1898.
 celtidis Osborn. 90, 14:344, 1928.
mali (Provancher). Canada, Colo., Conn., Ill., Iowa, Mich., N. Y., Wis.
 100, 3:298, 1890 (*Chloroneura*).
marginella Baker. Canal Zone, Fla. 98, 27:160, 1925.
 marginata DeLong. 87, 32:68, 1924 (homonym).
mera McAtee. Md. 41, 26:76, 1924.
munda Beamer. Calif. 71, 16:62, 1943.
pusilla Lawson. Texas. 19, 62:37, 1930.
readionis Lawson. Ariz. 19, 62:39, 1930.
retusa Beamer. Calif. 71, 16:55, 1943.
robusta Lawson. Colo. 19, 62:41, 1930.
rubens Beamer. Ariz. 19, 66:16, 1934.
rubica DeLong and Caldwell. Ariz. 41, 39:28, 1937.
rubrala DeLong and Caldwell. Minn., Wis. 41, 39:26, 1937.
salicis Beamer. Ariz. 71, 16:63, 1943.
santana Beamer. Ariz. 96, 12:7, 1936.
serrata DeLong and Caldwell. Ariz. 41, 39:24, 1937.
sitka DeLong and Caldwell. Alaska. 41, 39:31, 1937.
tenera Beamer. Texas. 71, 16:61, 1943.
termina DeLong and Caldwell. Ariz. 41, 39:29, 1937.
texana Beamer. Texas. 71, 16:61, 1943.
torta DeLong and Caldwell. Ariz. 41, 39:25, 1937.
ungulata Beamer. Ariz. 71, 16:55, 1943.
urbana Ball and DeLong. Ill., Ia., Nebr., Ohio. 39, 18:329, 1925.

ALCONEURA Ball and DeLong, 39, 18:334, 1925

Alconeura rotundata Ball and DeLong

- balli* Beamer. Ariz. 19, 66:17, 1934.
beameri Griffith. Ariz., Calif. 72, 24:319, 1936.

cornigera Griffith. Ariz. 72, 24:332, 1936.
 directa Griffith. Fla., S. C. 72, 24:325, 1936.
 dodonana Beamer. Ariz. 19, 66:17, 1934.
 dorsalis (DeLong). Ala., Fla., Miss. 87, 32:67, 1924 (*Dikraneura*).
 fulminea Lawson. Texas. 13, 25:44, 1930.
 insulae Griffith. Fla. 72, 24:325, 1936.
 languida Griffith. Ariz. 72, 24:330, 1936.
 lappa Griffith. Ariz. 72, 24:327, 1936.
 luculenta Griffith. Ariz., N. M. 72, 24:331, 1936.
 macra Griffith. Ala., Fla., Kans., La., Miss., S. C. 72, 24:327, 1936.
 necopinata Griffith. Calif. 72, 24:318, 1936.
 nudata Ball and DeLong. Calif., Mont. 39, 18:336, 1925.
 planata Ball and DeLong. Utah. 39, 18:337, 1925.
 quadrimaculata Lawson. Ariz. 13, 25:45, 1930.
 rotundata Ball and DeLong. Iowa, Kansas. 39, 18:335, 1925.
 socorroana Knull. Ariz., N. Mex. 91, 45:103, 1945.
 tricolor (Van Duzee). Calif., N. Mex. 108, 2:56, 1914 (*Dikraneura*).
 unipuncta Gillette. Ala., Ariz., Calif., Fla., Miss., Ore. 128, 20:718, 1898.

FORCIPATA DeLong and Caldwell, 39, 29:70, 1936

Forcipata loca DeLong and Caldwell

acclina DeLong and Caldwell. Minn., N. Y., N. D., Pa., S. D., Vt. 39,
 29:74, 1936.
 ancantha DeLong and Caldwell. Ill. 39, 29:73, 1936.
 calipera DeLong and Caldwell. Minn., N. Y., Pa. 39, 29:74, 1936.
 lobata Beamer. Mich. 19, 70:229, 1938.
 loca DeLong and Caldwell. Eastern states and Can. 39, 29:71, 1936.
 magna DeLong and Caldwell. Wyo. 39, 29:71, 1936.
 ohioensis DeLong and Caldwell. Ill., Ohio. 39, 29:73, 1936.
 ortha DeLong and Caldwell. Me., Pa. 39, 29:74, 1936.
 sicala DeLong and Caldwell. Idaho, Oregon, Wash. 39, 29:72, 1936.
 triquetra DeLong and Caldwell. Ill., Iowa, Kans., Nebr., S. Dak. 39, 29:72,
 1936.

EMPOASCA Walsh, 99, 10:149, 1862

SUBGENUS KYBOS FIEBER, 130, 16:508, 1866

Empoasca smaragdula Fallén

acodens DeLong. Pa. 126, 231:16, 1931.
 adunca DeLong. Colo. 126, 231:31, 1931.
 albolinea Gillette. Ill., Kans. 128, 20:732, 1898.
 apata DeLong and Davidson. Ore., Utah. 91, 36:228, 1936.
 atrolabes Gillette. Colo., Ia., Mass., Mich., N. H., Pa., Wis. 128, 20:736,
 1898.
 aureoviridis (Uhler). Colo. 127, 3:474, 1877 (*Typhlocyba*).
 var. hartzelli Baker. Calif. 98, 27:160, 1925.
 var. vittata Hartzell. 69, 30:99, 1923 (homonym).

- carsona DeLong and Davidson. Ariz., Nev. 91, 36:229, 1936.
 chromata Davidson and DeLong. Ariz. 91, 42:123, 1942.
 clypeata Gillette and Baker. Calif., Colo. 22, 31:108, 1895.
 var. annella Hartzell. Colo., S. D. 69, 30:104, 1923.
 confusa DeLong and Davidson. Oregon. 91, 36:229, 1936.
 copula DeLong. Wis. 126, 231:27, 1931.
 digita DeLong. Manitoba. 126, 231:26, 1931.
 excava Davidson and DeLong. Ill., Okla., Tenn. 91, 38:94, 1938.
 gelbata DeLong and Davidson. Iowa. 91, 36:225, 1936.
 gleditsia DeLong and Davidson. Idaho. 91, 36:225, 1936.
 grosata DeLong and Davidson. Idaho, Utah. 91, 36:228, 1936.
 incida DeLong. Brit. Col. 126, 231:21, 1931.
 jacinta DeLong and Davidson. Calif. 91, 36:227, 1936.
 livingstonii Gillette. B. C., Colo., Wash. 128, 20:728, 1898.
 luda Davidson and DeLong. Ill., Ohio. 91, 38:94, 1938.
 maligna Walsh. Colo., Idaho, Mass., Pa., S. D. 12, 9:317, 1865.
 unicolor Gillette. 128, 20:731, 1898.
 denticula Gillette. 128, 20:734, 1898.
 mesolinea Davidson and DeLong. Ariz. 91, 39:114, 1939.
 obrudens DeLong. Ariz. 91, 32:393, 1932.
 obtusa Walsh. Ala., Colo., D. C., Ill., Ohio, Pa. 12, 9:316, 1865.
 incisa Gillette. 128, 20:735, 1898.
 osborni Hartzell. Ohio, Tenn. 69, 30:104, 1923.
 patula DeLong. Me., Pa., Tenn. 126, 231:22, 1931.
 var. magna DeLong. B. C. 126, 231:23, 1931.
 pectinata DeLong. Idaho, Utah. 126, 231:16, 1931.
 pergandei Gillette. Colo., Conn., Mass., Pa. 128, 20:735, 1898.
 rubrafacia DeLong. Ariz. 91, 32:394, 1932.
 rubrata DeLong and Davidson. Ariz., Can., Colo., Ia., N. M., N. Y., Vt.,
 Wis. 91, 36:227, 1936.
 salicis Wheeler. Va. 41, 39:148, 1937.
 saluta DeLong. Ariz. 126, 231:24, 1931.
 simplex DeLong and Davidson. Idaho, Kans. 91, 35:37, 1935.
 smaragdula (Fallén). Colo., Mich., Pa. 49, p. 53, 1826 (*Cicada*).
 viridipes Curtis. 24, 14:640, 1837.
 strangula Davidson and DeLong. Idaho, Ill. 91, 39:113, 1939.
 sublactea Van Duzee. Calif. 17, 7:302, 1917.
 trifasciata Gillette. Ill., Ia., Kans., Mass., Mo. 128, 20:726, 1898.
 trilobata DeLong. Mass., Pa. 126, 231:17, 1931.
 unica Provancher. Ala., Md., Pa., Tenn., Va. 100, 3:340, 1890.
 splendida Gillette. 128, 20:731, 1898.
 ziona DeLong and Davidson. Calif., Utah. 91, 36:227, 1936.

SUBGENUS HEBATA DE LONG, 126, 231:32, 1931

Empoasca nigra Gillette and Baker

- alboneura Gillette. Ala., Calif., Colo., D. C., Kans., Me., Miss., Ore., Va.
 128, 20:743, 1898.
 tumida Gillette. 128, 20:744, 1898.

- alboscripta* Van Duzee. Calif. 108, 2:56, 1914.
amblicantha Oman and Wheeler. Calif. 41, 40:140, 1938.
aspera Gillette and Baker. Calif., Colo., Utah. 22, 31:107, 1895.
bidens DeLong. Ariz. 91, 32:397, 1932.
bitubera DeLong. Ariz., Nev., Utah. 91, 32:395, 1932.
calyx Oman and Wheeler. Calif., Colo., Tex., Utah. 41, 40:140, 1938.
dactylata Davidson and DeLong. Texas. 91, 42:126, 1942.
decora DeLong and Davidson. Calif., Nev., N. Mex., Utah. 91, 35:33, 1935.
denaria Van Duzee. Calif. 96, 6:148, 1930.
ensiformis Oman and Wheeler. Ore. 41, 40:142, 1938.
fuscoviridis Oman and Wheeler. Colo. 41, 40:147, 1938.
indenta Oman and Wheeler. Utah. 41, 40:139, 1938.
kaibaba Davidson and DeLong. Ariz. 91, 39:115, 1939.
medora DeLong. Colo., Mont., N. D., S. Dak. 91, 32:397, 1932.
neaspersa Oman and Wheeler. Ariz., Calif., Colo., Mont., N. Mex., Ore., S. D., Utah, Wash. 41, 40:138, 1938.
nigra Gillette and Baker. Colo. 22, 31:108, 1895.
 robusta Gillette. 128, 20:739, 1898.
 var. *nigroscuta* Gillette and Baker. B. C., Colo., Nev., Utah. 22, 31:108, 1895.
 var. *pulchella* Gillette and Baker. Colo. 22, 31:109, 1895.
 var. *typhlocyboides* Gillette and Baker. Colo., Utah. 22, 31:110, 1895.
pelecana Oman and Wheeler. Colo. 41, 40:141, 1938.
similis DeLong and Davidson. Colo., Idaho. 91, 35:37, 1935.
sinuata Oman and Wheeler. Utah. 41, 40:140, 1938.
spiculata Oman and Wheeler. Utah. 41, 40:141, 1938.
stylata Wheeler. Calif. 132, 30:480, 1940.
varaspina Oman and Wheeler. Colo. 41, 40:141, 1938.
vastitatis Oman and Wheeler. N. Mex. 41, 40:136, 1938.
vermispina Oman and Wheeler. Calif. 41, 40:137, 1938.
xerophila Oman and Wheeler. Colo., Wyo. 41, 40:142, 1938.

SUBGENUS EMPOASCA WALSH, 99, 10:49, 1862

Empoasca fabae Walsh

- abrupta* DeLong. Ariz., Calif., Colo., Ore., Tex. 126, 231:48, 1931.
acuminata Wheeler. Ariz. 132, 29:295, 1939.
albonota DeLong. Calif. 126, 231:43, 1931.
amara Davidson and DeLong. Texas. 91, 39:114, 1939.
ancistrata Davidson and DeLong. Ariz. 91, 39:115, 1939.
arquua Davidson and DeLong. Calif. 39, 35:106, 1942.
arida DeLong. Calif., Utah. 126, 231:49, 1931.
arta DeLong and Davidson. Calif., Nev. 91, 35:32, 1935.
barbara Hartzell. Calif. 69, 30:107, 1923.
batatae Poos. Fla. 41, 35:176, 1932.
biarica Davidson and DeLong. Calif. 91, 38:92, 1938.
bicornata DeLong and Caldwell. Ohio. 39, 27:604, 1934.
bicuspidata Davidson and DeLong. Fla., Okla. 91, 38:91, 1938.

- bifurcata DeLong. Ala., Del., D. C., Fla., Kans., Mass., Miss., N. J., Pa., Wis. 126, 231:40, 1931.
- birdii Goding. B. C., Colo., Ill., Mass., Mo., N. H., N. Y., Ohio. 38, 1:123, 1890.
- infusca* DeLong. 91, 32:398, 1932.
- calcara DeLong. Ariz. 91, 32:398, 1932.
- calcea DeLong. Ariz. 91, 32:395, 1932.
- caverna Davidson and DeLong. Ill. 91, 38:93, 1938.
- cerea DeLong. Calif., Utah. 126, 231:46, 1931.
- chelata DeLong and Davidson. Miss. 91, 36:226, 1936.
- coccinea Fitch. Mass., Md., N. Y., Pa. 52, 4:63, 1851.
- convergens DeLong and Davidson. Can., Ohio. 91, 35:30, 1935.
- crepidula Wheeler. Ariz. 132, 29:294, 1939.
- crocostigmata Davidson and DeLong. Ariz., Mex. 91, 42:124, 1942.
- curvata Poos. Tenn., Va. 41, 35:177, 1933.
- curvatura Davidson and DeLong. Ill., Minn., Ohio. 91, 38:90, 1938.
- curvexa Davidson and DeLong. Fla. 91, 39:110, 1939.
- davidsoni DeLong. Ill., Ohio. 91, 44:272, 1944.
- mucronata* Davidson and DeLong. 91, 38:90, 1938 (homonym).
- decurvata Davidson and DeLong. Kans., Tenn. 91, 38:93, 1938.
- delongi Poos. Va. 41, 35:175, 1932.
- delta Wheeler. Calif. 132, 29:299, 1939.
- deluda DeLong. Manitoba. 126, 231:46, 1931.
- dentata DeLong and Davidson. Kans. 91, 35:30, 1935.
- dilitara DeLong and Davidson. N. Mex. 91, 35:36, 1935.
- distracta DeLong and Caldwell. Ohio. 39, 27:607, 1934.
- ditata DeLong and Caldwell. Ohio. 39, 27:606, 1934.
- diverta DeLong and Davidson. Ariz. 91, 35:31, 1935.
- dorothyae Davidson and DeLong. Ariz. 91, 34:111, 1939.
- ellisae Wheeler. Va. 41, 39:148, 1937.
- elongata DeLong. Calif., Utah, Wash. 126, 231:53, 1931.
- erigeron DeLong. D. C., Ohio, Tenn. 126, 231:48, 1931.
- erythrocephala Wheeler. Calif. 132, 29:295, 1939.
- rufa* DeLong. 126, 231:53, 1931 (homonym).
- fabae Harris. Ala., Ark., D. C., Fla., Ill., La., Mass., Mich., Pa., Va. 60, p. 186, 1841.
- mali* LeBaron. 99, 13:330, 1853.
- viridescens* Walsh. 12, 9:316, 1865.
- consobrina* Walsh. 12, 9:316, 1865.
- malefica* (Walsh). 12, 9:317, 1865 (*Chloroneura*).
- albopicta* (Forbes). 71, 13:181, 1884 (*Empoa*).
- flavescens* (Fabricius). American records cited in error (*Fulgora*).
- falca DeLong and Davidson. Calif. 91, 35:34, 1935.
- filamenta DeLong. Ore., Wash. 126, 231:43, 1931.
- var. abbreviata DeLong. Ore. 126, 231:44, 1931.
- galluxa Davidson and DeLong. Ariz. 91, 39:117, 1939.
- gampsoa Davidson and DeLong. Ariz. 91, 39:118, 1939.
- hama DeLong and Caldwell. Ohio. 39, 27:605, 1934.

- hamata DeLong. Calif. 126, 231:43, 1931.
 hecta Davidson and DeLong. Texas. 91, 39:116, 1939.
 junipera DeLong. Tenn. 126, 231:51, 1931.
 knulli Davidson and DeLong. Ariz. 91, 39:111, 1939.
 lata DeLong and Caldwell. Ohio. 39, 27:606, 1934.
 latarca Davidson and DeLong. D. C., Ill. 91, 38:91, 1938.
 lauta Davidson and DeLong. Ariz., Calif. 39, 35:105, 1942.
 madra Davidson and DeLong. Ariz. 91, 39:116, 1939.
 manda Davidson and DeLong. Fla. 91, 39:111, 1939.
 mexicana Gillette. Texas. 128, 20:738, 1898.
 morrisoni Hartzell. Calif. 69, 30:107, 1923.
 neclya Davidson and DeLong. Ill. 91, 39:110, 1939.
 nema Davidson and DeLong. Ill. 91, 39:112, 1939.
 ocala Davidson and DeLong. Fla. 91, 39:114, 1939.
 occidentalis DeLong and Davidson. Calif., Colo., Id., N. Mex., Utah. 91,
 35:32, 1935.
 omani Davidson and DeLong. Ariz. 91, 42:123, 1942.
 orthodoxus Davidson and DeLong. Ill. 91, 38:91, 1938.
 pallida Gillette. Fla., Kans., N. C., Ohio. 128, 20:741, 1898.
 constricta DeLong and Davidson. 91, 35:31, 1935.
 pallidula DeLong. Ariz. 126, 231:42, 1931.
 panda DeLong. B. C. 126, 231:51, 1931.
 pergrada Davidson and DeLong. Ga., Ill., Minn. 91, 38:93, 1938.
 perlonga Davidson and DeLong. Ohio. 91, 38:92, 1938.
 pinella Davidson and DeLong. Ariz. 91, 39:111, 1939.
 plebeia DeLong and Davidson. Ariz., Haiti. 91, 35:34, 1935.
 ponderosa DeLong and Davidson. Calif. 91, 35:29, 1935.
 pyramidata DeLong and Caldwell. Ohio. 39, 27:608, 1934.
 radiata Gillette. Colo., D. C., Tenn., Tex. 128, 20:738, 1898.
 ratio DeLong and Davidson. Wash. 91, 35:36, 1935.
 recta DeLong and Caldwell. Ohio. 39, 27:606, 1934.
 recurvata DeLong. Tenn. 126, 231:38, 1931.
 reflexa DeLong. Ariz. 91, 32:396, 1932.
 rubida DeLong. Calif. 126, 231:39, 1931.
 rubrarea Wheeler. Calif. 132, 29:295, 1939.
 var. *indistincta* Wheeler. Calif. 132, 29:297, 1939.
 ruficeps Van Duzee. Calif. 17, 7:304, 1917.
 sagitta Davidson and DeLong. Ill. 91, 39:112, 1939.
 sativae Poos. Kans., La., Tenn., Va. 41, 35:174, 1933.
 setata DeLong and Davidson. N. Mex. 91, 36:226, 1936.
 snowi Gillette. N. Mex. 128, 20:741, 1898.
 solana DeLong. La. 126, 231:50, 1931.
 spira DeLong and Caldwell. Ohio. 39, 27:605, 1934.
 tamiamia Davidson and DeLong. Fla. 91, 39:117, 1939.
 thela Davidson and DeLong. Texas. 91, 39:113, 1939.
 tinctoria DeLong. Utah. 126, 231:54, 1931.
 torqua DeLong and Davidson. Ill., Miss., Ohio. 91, 35:35, 1935.
 transversa Van Duzee. Calif. 17, 7:303, 1917.

ulusa Davidson and DeLong. Ariz., Calif. 39, 35:105, 1942.
 unca DeLong and Davidson. Ariz., Utah. 91, 35:35, 1935.
 utrica Davidson and DeLong. Colo. 91, 39:117, 1939.
 uvalda Davidson and DeLong. Texas. 91, 39:115, 1939.
 venusta DeLong and Davidson. Ohio. 91, 35:33, 1935.
 vergena DeLong and Caldwell. Ill., Ohio. 39, 27:607, 1934.
 vincula DeLong. Manitoba. 126, 231:44, 1931.

IDONA DeLong, 126, 231:50, 1931

Empoasca minuenda Ball

minuenda (Ball). Florida. 11, 34:23, 1921 (*Empoasca*).
 var. moznettei (Ball). Fla. 11, 34:24, 1921 (*Empoasca*).
 var. clavigerana (Ball). Fla. 11, 34:24, 1921 (*Empoasca*).

JORUMA McAtee, 54, 8:34, 1925

Joruma pisca McAtee

minuta Lawson. United States. 96, 6:136, 1930.
 pisca McAtee. Md. 54, 8:34, 1925.

CICADELLA Duméril, 32, pp. 266-67, 334, 1806

Cicada vittata Linneus

artemisiae (Kirshbaum). Mass. 85, 31:190, 1865 (*Eupteryx*).
 clavalis (McAtee). Ohio, Pa. 38, 30:185, 1919 (*Eupteryx*).
 concinna (Germar). Mass. 57, p. 14, 1834 (*Eupteryx*).
 flavoscuta (Gillette). Fla., N. H., N. J., N. Y., Ohio, Pa. 128, 20:749, 1898
 (*Eupteryx*).
 var. juvenis (McAtee). 38, 30:186, 1919 (*Eupteryx*).
 huachucae (Lawson). Ariz. 96, 6:135, 1930 (*Eupteryx*).
 melissae (Curtis). Calif., N. Y., Ohio. 24, Vol. 14, No. 640, p. 2, 1837
 (*Eupteryx*).
 collina (Flor). 53, 2:433, 1861 (*Typhlocyba*).
 quinquemaculata (Baker). 68, 1:8, 1903 (*Eupteryx*).
 nigra (Osborn). Me., N. Y., Ohio, Pa. 89, 20:543, 1905 (*Eupteryx*).
 stellulata (Burmeister). N. Y. 16, p. 16, 1838 (*Typhlocyba*).
 inscripta (Sanders and DeLong). 41, 24:99, 1922 (*Eupteryx*).
 vanduzeei (Gillette). N. Y., Pa. 128, 20:748, 1898 (*Eupteryx*).

TYPHLOCYBA Germar, 106, 1:180, 1833

Cicada quercu Fabricius

ULMI GROUP

foliosa Knull. Ohio. 91, 45:104, 1945.
 luculla Medlar. Ill., Minn. 82, 155:139, 1942.
 piscator McAtee. Ill. 128, 68:7, 1926.
 sciotoensis Knull. Ohio. 91, 45:103, 1945.

- tenerrima* Herrich-Schaeffer. Northeastern North America. 63, fasc. 164,
16:124, 1834.
ulmi Linnaeus. B. C., Calif., Mass., Mo., Ont. 74, p. 243, 1761.
unca McAtee. Ia., N. H., N. Y., Va. 128, 68:8, 1926.

ROSAE GROUP

- andromache* McAtee. N. Y. 128, 68:32, 1926.
ariadne McAtee. B. C. 128, 68:14, 1926.
ariste McAtee. N. M. 128, 68:13, 1926.
arsinoe McAtee. Mass. 128, 68:31, 1926.
athene McAtee. Ill. 128, 68:31, 1926.
aureotecta Sanders and DeLong. Ia., Pa., Wis. 39, 10:93, 1917.
candidula Kirschbaum. Conn., Minn. 73, p. 185, 1868.
cassiopeia Knull. Colo., Ont. 91, 44:269, 1944.
commissuralis Staal. B. C., Calif., Colo., Id., Wash. 117, 19:196, 1858.
 var. munda McAtee. B. C., Mo., N. Y. 128, 68:12, 1926.
crassa DeLong and Johnson. Pa. 38, 47:102, 1936.
cymba McAtee. Mich., Miss., N. H., N. Y., Nova Scotia, Ont. 19, 50:360,
1918.
 var. pallens McAtee. Mich., N. Y., Wis. 128, 68:22, 1926.
 var. unipuncta McAtee. Mich., Ont. 128, 68:23, 1926.
 var. grata McAtee. Mass., N. H., N. Y., Nova Scotia, Ont. 19, 51:226,
1919.
dorsti Ossiannilsson. Utah. 42, 57:10, 1936.
duplicata McAtee. Ont. 128, 68:16, 1926.
enascora DeLong and Johnson. Idaho. 38, 47:103, 1936.
euphrante McAtee. Utah. 128, 68:12, 1926.
expanda DeLong and Johnson. Colo. 38, 47:104, 1936.
flavomarginata Gillette and Baker. Colo., N. Mex., Utah. 22, 31:111, 1895.
 var. vesta McAtee. Utah. 128, 68:18, 1926.
 var. media McAtee. Colo. 128, 68:18, 1926.
 var. scorta McAtee. Utah. 51, 68:19, 1926.
froggatti Baker. Mass., N. Y., Ohio. 98, 27:537, 1925.
 australis Froggatt (homonym). Agric. Gazette, N. S. Wales. 29:568,
1918.
 xanthippe McAtee. 128, 68:14, 1926.
furcata Beamer. Calif. 19, 75:133, 1943.
gillettei Van Duzee. Colo., D. C., Ill., Ia., Kans., Nebr., N. H., N. Y., Ohio,
Wis. 19, 40:160, 1908.
 bifasciata Gillette and Baker. 22, 31: 111, 1895 (homonym).
 var. sincera McAtee. N. Y. 128, 68:25, 1926.
 var. fitchii McAtee. D. C., N. Y. 128, 68:25, 1926.
 var. apicata McAtee. Kans., Ont., Wis. 128, 68:25, 1926.
 var. saffrana McAtee. Kans., N. H., Va. 128, 68:26, 1926.
 var. russeola McAtee. Wis. 128, 68:26, 1926.
 var. casta McAtee. Ill., Ia., Md., Mass., N. Y., Ont., Va. 128, 68:26,
1926.

- var. *volans* McAtee. Nova Scotia. 19, 51:225, 1919.
 var. *scripta* McAtee. Nova Scotia. 19, 51:226, 1919.
 var. *venusta* McAtee. N. Y., Ont., Wis. 128, 68:29, 1926.
 var. *sellata* McAtee. N. Y., Ont., Wis. 128, 68:29, 1926.
 var. *vestita* McAtee. Kans., N. Y., Ohio. 128, 68:29, 1926.
 melanota Osborn. 90, 14:355, 1928.
 subsp. *oregonensis* Beamer. Oregon. 19, 75:133, 1943.
hippocastani Edwards. Mass. 44, 25:157, 1888.
 lethierryi Edwards. Mass. 44, 17:224, 1881.
hockingensis Knull. Ohio, Tenn. 91, 44:270, 1944.
lancifer McAtee. Ill., Mass. 128, 68:19, 1926.
melite McAtee. Colo., N. Y. 128, 68:32, 1926.
modesta Gibson. Ill., Ia., La., Mo. 19, 49:184, 1917.
niobe McAtee. Ia., Wis. 128, 68:20, 1926.
oneka Knull. N. Y. 91, 44:270, 1944.
persephone McAtee. Ia. 128, 68:11, 1926.
phryne McAtee. Ill., Ia. 128, 68:34, 1926.
 var. *subpulchra* McAtee. Ia., Minn. 128, 68:35, 1926.
pomaria McAtee. Eastern states and Ark., Colo., Kans. 128, 68:29, 1926.
pruniella DeLong. Idaho, Oregon. 91, 44:272, 1944.
 pruni DeLong and Davidson. 91, 34:161, 1934 (homonym).
putmani Knull. Ont. 91, 44:269, 1944.
rosae (Linnaeus). B. C., Calif., Ill., Mass., N. Y., Ohio, Pa., Utah, Wash.,
 Wis. 75, ed. 10, 1:439, 1758 (*Cicada*).
rubriocellata Malloch. Ill. 13, 15:48, 1920.
sexnotata Van Duzee. Calif. 108, 2:57, 1914.
shawneecana Knull. Ohio. 91, 44:270, 1944.
spinosa Beamer. Colo. 19, 75:130, 1943.
surcula DeLong and Johnson. Wis. 38, 47:103, 1936.
tunicarubra Gillette. Kans., Mich., N. Y., Ohio, Wis. 128, 20:752, 1898.

DANAE GROUP

- antigone* McAtee. Ill., Va. 128, 68:35, 1926.
appendiculata Malloch. D. C., Ill., Ia. 19, 52:95, 1920.
berenice McAtee. D. C., Ont. 128, 68:38, 1926.
clymene McAtee. N. Y. 128, 68:36, 1926.
danae McAtee. N. Y., Va. 128, 68:37, 1926.
eurydice McAtee. Md. 128, 68:37, 1926.
hermione McAtee. D. C., Va., Wis. 128, 68:38, 1926.
hinei Knull. Ohio. 91, 44:272, 1944.
nicarete McAtee. Ill., N. Y., Va. 128, 68:36, 1926.
quadrata DeLong and Johnson. Pa. 38, 47:103, 1936.

*HUBBARDI GROUP

- hubbardi* (McAtee). Ariz. 39, 8:35, 1924 (*Erythroneura*).
nigricephala Beamer. Texas. 19, 75:131, 1943.

TYPHLOCYBELLA Baker, 68, 1:3, 1903
 minuta (DeLong). Fla. 87, 32:68, 1924 (*Empoa*).

HYMETTA McAtee, 11, 32:121, 1919

Tettigonia trifasciata Say

anthisma McAtee. Md., Tex. 11, 32:123, 1928.
 arizoniana Fairbairn. Ariz. 71, 1:90, 1928.
 balteata McAtee. D. C., Kans., Md., Tex., Va. 11, 32:123, 1919.
 var. mediana Fairbairn. Kans. 71, 1:89, 1928.
 distincta Fairbairn. United States. 71, 1:87, 1928.
 kansasensis Fairbairn. Kans. 71, 1:90, 1928.
 trifasciata (Say). Mo. 1, 4:343, 1825 (*Tettigonia*).
 var. albata McAtee. 11, 32:123, 1919.

ERYTHRONEURA Fitch, 52, p. 62, 1851

Erythroneura tricincta Fitch

VULNERATA GROUP

atra Johnson. Ohio. 90, 31:96, 1935.
 atrata Johnson. Conn., Ohio, Pa., Tenn. 90, 31:97, 1935.
 bicolorata Beamer. Ill., Kans., Pa. 71, 10:11, 1937.
 gradata Robinson. Colo., Kans. 19, 56:58, 1924.
 nigra Gillette. Colo., Conn., Ill., Ia., Kans., Md., Neb., N. Y., Va. 128,
 20:765, 1898.
 var. nigerrima McAtee. Colo., Ill., Ia., Kans., Md., Va. 3, 46:275, 1920.
 var. decora McAtee. Md. 3, 46:274, 1920.
 pulchella Robinson. Kans. 19, 56:155, 1924.
 variabilis Beamer. Ariz. 39, 22:126, 1929.
 vulnerata Fitch. Canada and United States. 42, pp. 62, 63, 1851.
 var. fulmina McAtee. Kans., Md. 3, 46:274, 1920.

OBLIQUA GROUP

abolla McAtee. Calif., Ill., Kans., Md., Va. 3, 46:285, 1920.
 var. accensa McAtee. Ark. 3, 46:288, 1920.
 var. lemmisca McAtee. Ill. 65, 16:131, 1926.
 accurata Beamer. Tenn. 19, 66:18, 1934.
 pulchra Beamer. 19, 23:422, 1930 (homonym).
 acicularis Beamer. B. C., Ore. 71, 5:126, 1932.
 ador McAtee. Nova Scotia. 19, 50: 361, 1918.
 aenea Beamer. Kans., Ohio, Tenn. 39, 23:436, 1930.
 afflicta Beamer. Md. 71, 8:101, 1935.
 albescens Beamer. Ill., Kans., Ohio. 39, 23:443, 1930.
 alternata Johnson. Ill., Ohio. 90, 31:72, 1935.
 amabilis McAtee. D. C., Fla., L. Isd., Md., N. C. 11, 37:132, 1924.
 angularis Beamer. Kans. 39, 23:447, 1930.
 apta Beamer. Ark. 71, 8:102, 1935.

- aspera Beamer and Griffith. B. C., Id., Mont., Ore., Wash. 71, 8:18, 1935.
 atrimucronata Beamer. Ill. 39, 23:424, 1930.
 autenae Johnson. Ohio, Pa. 90, 31:73, 1935.
 bicornis Beamer. Ill., Md. 39, 23:450, 1930.
 bitincta McAtee. Ill., Kans. 65, 16:130, 1926.
 bifurca Beamer. 39, 23:422, 1930.
 brundusa Robinson. Kans. 19, 56:155, 1924.
 caerulea Beamer. Ark. 71, 10:10, 1937.
 caldwelli Johnson. Ohio, Tenn. 90, 31:69, 1935.
 cauta Beamer. D. C., La. 71, 8:100, 1935.
 cavena Auten and Johnson. Ga. 39, 29:61, 1936.
 celebrata Johnson. Ohio. 90, 31:82, 1935.
 clavata DeLong. Ill., Kans., Ohio, Tenn. 100, 17:105, 1916.
 torra Robinson. 19, 56:155, 1924.
 coarctata Beamer. Kans. 39, 23:436, 1930.
 complicata Johnson. Ohio. 90, 31:87, 1935.
 contrasta Auten and Johnson. Ga. 39, 29:62, 1936.
 cornipes Beamer. Kans., Ohio, Okla. 39, 23:449, 1930.
 cotidiana Beamer. Md., Okla. 39, 23:433, 1930.
 crataegi Johnston. Ohio. 90, 31:61, 1935.
 crevecoeuri (Gillette). Conn., Kans., N. Y., N. C., Ohio. 128, 20:767, 1898
 (*Typhlocyba*).
 cruciformis Beamer. Ill., Kans., Ohio. 39, 23:443, 1930.
 cuneata Beamer. Okla. 39, 23:433, 1930.
 decorata Auten and Johnson. Ga. 39, 29:63, 1935.
 diffusa Beamer. Kans., Ohio, Okla., Tenn. 39, 23:434, 1930.
 divisa McAtee. Md. 54, 8:37, 1924.
 dolosa Beamer and Griffith. B. C., Ore., Wash. 71, 8:19, 1935.
 var. *occidua* Beamer and Griffith. Calif. 71, 8:19, 1935.
 var. *interjecta* Beamer and Griffith. Calif. 71, 8:20, 1935.
 dowelli Beamer. Ark., Kans., Ohio, Pa. 71, 5:62, 1932.
 electa McAtee. Ill., Kans., Ohio, Va. 3, 46:282, 1920.
 eluta McAtee. Ill., Ind., Va. 3, 46:277, 1920.
 extima Beamer. Mich. 71, 12:29, 1939.
 falcata Beamer. Ill. 39, 23:432, 1930.
 fragilis Johnson. Ill., Ohio. 90, 31:93, 1935.
 fulvocephala Robinson. Kans. 19, 56:155, 1924.
 fumida (Gillette). Conn., Ill., Ind., Kans., Md., Va. 128, 20:758, 1898
 (*Typhlocyba*).
 funesta Beamer. Ill. 39, 23:441, 1930.
 furcillata Beamer. La., Tex. 39, 23:452, 1930.
 gleditsia Beamer. Ohio, Okla. 39, 23:437, 1930.
 hamata Beamer. Ill., Md., Ohio. 39, 23:446, 1930.
 harpax Beamer. D. C., Ohio, Tenn. 39, 23:432, 1930.
 iconica McAtee. Md., Va. 3, 46:287, 1920.
 *idonea Beamer. Ark. 71, 8:100, 1935.
 gargantua Johnson. 90, 31:81, 1935 (new synonymy).
 inconspicua Johnson. Ohio. 90, 31:90, 1935.

- infinita Beamer. Kans., Tenn. 39, 23:446-47, 1930.
 insigna Beamer and Griffith. B. C., Mont., N. C. 71, 8:17, 1935.
 intricata Johnson. Ohio. 90, 31:86, 1935.
 jocosa Beamer. La., Mo. 71, 8:101, 1935.
 juncea Beamer. Fla. 71, 10:10, 1937.
 juglandis Knull and Auten. Texas. 39, 31:532, 1938.
 kanza Robinson. Kans., Neb., Ohio. 19, 56:58, 1924.
 latapex Beamer. Kans., Ohio, Tenn. 39, 23:447-48, 1930.
 lawsoniana Baker. Calif., Conn., Ill., Kans., Md., Minn., Mo., Nebr., N. C.,
 Ont., Tenn., Va. 98, 28:347, 1926.
 lawsoni Baker. 98, 27:537, 1925 (homonym).
 dorsalis Gillette. 128, 20:757, 1898 (homonym).
 magnacalx Beamer. Ill., Kans., Ohio. 39, 23:451-52, 1930.
 malleiformis Beamer. Ill., Kans. 39, 23:449-50, 1930.
 mansueta Beamer. Ill., La., Miss. 71, 8:98, 1935.
 minima Johnson. Ohio. 90, 31:92, 1935.
 minuta Johnson. Ohio. 90, 31:93, 1935.
 mixta Beamer. Fla. 96, 8:183-84, 1932.
 modica Beamer. Ill., Ohio, Tex. 39, 23:448, 1930.
 nava Beamer. D. C., Ill., La. 71, 8:102, 1935.
 nitida Beamer. N. H. 71, 8:103, 1935.
 noeva (Gillette). Calif., Colo., Conn., Ill., Ind., Kans., Md., Nebr., Ont.,
 Tenn. 128, 20:757, 1898 (*Typhlocyba*).
 nondescripta Johnson. Ohio. 90, 31:92, 1935.
 obliqua (Say). Can., United States. 1, 4:342, 1825 (*Tettigonia*).
 var. *pelta* McAtee. Md. 3, 46:278, 1920.
 var. *parma* McAtee. Kans. 3, 46:280, 1920.
 obvia Beamer. Ark., Kans., Okla., Tenn. 39, 23:439, 1930.
 ohioensis Knull. Ohio. 91, 45:108, 1945.
 parvispicata Beamer. Ark., Okla. 39, 23:435, 1930.
 penelutea Beamer. Kans. 39, 23:427, 1930.
 penenoeva Beamer. Kans., Ohio. 39, 23:438, 1930.
 penobliqua Beamer. Ill. 39, 23:453, 1930.
 perita Beamer. D. C., Ga., Md., Ohio. 71, 8:99, 1935.
 extrema Auten and Johnson. 39, 29:64, 1936.
 plena Beamer. Ill., Kans. 39, 23:442, 1930.
 ponderosa Auten and Johnson. Ga. 39, 29:62, 1936.
 quadrata Beamer. Ill., Kans. 39, 23:435, 1930.
 repleta Johnson. Ill., Ohio, Pa. 90, 31:78, 1935.
 rubens Beamer. Ill. 39, 23:439, 1930.
 rubrataeniensis Beamer. Ill., Kans. 39, 23:440, 1930.
 rubricata (Van Duzee). Fla. 15, 9:229, 1909 (*Typhlocyba*).
 rubroscuta (Gillette). Ill., Kans., Ohio. 128, 20:755, 1898 (*Typhlocyba*).
 rubrotincta Johnson. Ill., Ohio. 90, 31:91, 1935.
 rufostigmata Beamer. Ark. 39, 23:429, 1930.
 var. *subnila* Beamer. Ill., Kans. 39, 23:429, 1930.
 sagittata Beamer. Ill. 39, 23:440, 1930.
 scissa Beamer. Ark., Ill. 39, 23:448-49, 1930.

- scytha Auten and Johnson. Ga. 39, 29:61, 1936.
 sincera Johnson. Ill., Ohio. 90, 31:94, 1935.
 sinua Johnson. Ohio. 90, 31:82, 1935.
 spatulata Beamer. Ill. 39, 23:444, 1930.
 spearca Auten and Johnson. Ga. 39, 29:818, 1936.
 nitida Auten and Johnson. 39, 29:65, 1936 (homonym).
 stolata McAtee. Kans. 3, 46:279, 1920.
 stulta Auten and Johnson. Ga. 39, 29:64, 1936.
 stylata Johnson. Ga., Ohio. 90, 31:78, 1935.
 tenuispica Beamer. Kans. 39, 23:444, 1930.
 torva Beamer. Conn., D. C., Md. 71, 8:98, 1935.
 tridens Beamer. Ill., Kans., Md. 39, 23:450, 1930.
 unicuspidis Beamer. Ill., Kans. 39, 23:452, 1930.
 varia McAtee. Va. 3, 46:287, 1920.
 vinaria Beamer. Kans. 39, 23:426, 1930.
 volucris Beamer. Ark., Ill., Kans. 39, 23:445, 1930.

WESTERN OBLIQUA GROUP

- abluta McAtee. Calif. 11, 37:132, 1924.
 agnata Knull and Auten. Ariz. 39, 31:537, 1938.
 ales Beamer. Ariz., Utah. 71, 5:124, 1932.
 apacha Baker. Ariz. 98, 27:536, 1925.
 bipunctata Gillette. 128, 20:751, 1898 (homonym), (*Typhlocyba*).
 aprica McAtee. Ariz. 11, 42:132, 1924.
 arida Beamer. N. Mex. 39, 30:31, 1937.
 arizonica Knull and Auten. Ariz. 39, 31:536, 1938.
 aucta McAtee. Calif. 3, 46:279, 1920.
 balli Beamer. Ariz. 1, 5:125, 1932.
 bilocularis Van Duzee. Calif. 17, 13:233, 1924.
 blanda Knull and Auten. Ariz. 39, 31:538, 1938.
 canyonensis Beamer. Ariz. 39, 22:120, 1929.
 casta Beamer. Ariz. 39, 22:118, 1929.
 ceonothana Beamer. Ariz. 87, 42:287, 1934.
 cimarroni Beamer. N. Mex. 39, 22:119, 1929.
 cornigera Beamer. Calif. 39, 30:31, 1937.
 davisii Beamer. Nevada. 71, 7:96, 1934.
 dentata (Gillette). Calif. 128, 20:765, 1898 (*Typhlocyba*).
 erosa McAtee. Calif. 54, 8:36, 1924.
 grandis Beamer. Ariz. 39, 22:127, 1929.
 huachucana Beamer. Ariz. 87, 42:287, 1934.
 inclita Beamer. Calif. 96, 10:44, 1934.
 inornata McAtee. Ariz., Colo. 11, 37:132, 1924.
 kiperi Beamer. Ariz., N. Mex. 39, 22:124, 1929.
 lusoria Van Duzee. Calif. 17, 13:234, 1924.
 merita Beamer. Calif. 72, 5:127, 1932.
 milleri Beamer. Ariz., Tex. 39, 22:125, 1929.
 *munda Knull and Auten. Ariz. 39, 31:534, 1938.
 modula Knull and Auten. 39, 31:535, 1938 (new synonymy).

nicholi Beamer. Ariz. 19, 59:30, 1927.
 novella Knull and Auten. Ariz. 39, 31:536, 1938.
 nuda Knull and Auten. Ariz. 39, 31:538, 1938.
 obscura Beamer. Ariz. 39, 22:117, 1929.
 oculata McAtee. Tex. 65, 15:39, 1924.
 pallenta Beamer. Ariz. 39, 22:117, 1929.
 penapacha Beamer. Tex. 71, 14:18, 1941.
 pinalensis Beamer. Ariz. 39, 22:119, 1929.
 quadricornis Beamer. Tex. 39, 23:431, 1930.
 ritana Beamer. Ariz. 87, 42:286, 1934.
 rubicunda Beamer. Ariz. 39, 22:126, 1929.
 sola Knull and Auten. Ariz. 39, 31:534, 1939.
 spectabilis Knull and Auten. Ariz. 39, 31:533, 1938.
 tergemina Van Duzee. Calif. 17, 13:235, 1924.
 ternaria Van Duzee. Calif. 17, 13:232, 1924.
 triceroprocta Beamer. Tex. 39, 22:118, 1929.
 tricolor Beamer. Ariz. 39, 22:124, 1929.
 tripunctata Beamer. Ariz., Tex. 39, 22:119, 1929.
 unicolor Beamer. Tex. 39, 22:120, 1929.
 utahna Beamer. Utah. 39, 30:32, 1937.

MACULATA GROUP

abjecta Beamer. Ill., Ohio. 19, 63:288, 1931.
 accola McAtee. Md., Ohio. 3, 46:299, 1920.
 aculeata Beamer. Ia., Ohio. 19, 64:161, 1932.
 adunca Beamer. D. C., Kans., Md., N. C., Ohio. 19, 64:46, 1932.
 aesculi Beamer. Miss., Ohio. 19, 64:46, 1932.
 affinis Fitch. Kans., Ohio. 52, p. 63, 1851.
 andersoni Beamer. Ark., Kans. 19, 64:86, 1932.
 arta Beamer. Ill., Ohio. 19, 63:287-88, 1931.
 ballista Beamer. Ark., Ill., Md. 19, 64:84, 1932.
 basilaris (Say). Conn., Ill., Ia., Kans., Neb., N. Y., Ohio, Ont., Tenn., Wis.
 1, 4:345, 1825 (*Tettigonia*).
 bella McAtee. Md., Ohio. 3, 46:300, 1920.
 bifida Beamer. La. 19, 63:134-35, 1931.
 bigemina McAtee. Ohio, Tenn. 3, 46:300, 1920.
apicalis (DeLong). 100, 17:108, 1916 (*Typhlocyba*), (homonym).
 biramosa Beamer. N. Mex. 71, 14:18, 1941.
 bispinosa Beamer. Ill., Kans., Md., Ohio, Tenn., Tex. 19, 63:241, 1931.
 brevipes Beamer. Okla. 19, 63:133-34, 1931.
 calamitosa Beamer. Ark., Ill., Kans., Ohio, Tenn. 19, 63:241, 1931.
 californica Beamer. Calif. 19, 64:143, 1932.
coryli Van Duzee. 17, 13:234, 1924 (homonym).
 campora Robinson. Ark., Kans., Nebr., N. Y., Ohio, Ont. 19, 56:59, 1924.
 carmini Beamer. Ariz., Colo., D. C., Ill., Ind., Ia., Kans., La., N. Mex.,
 Ohio, Okla., Utah. 39, 22:121, 1929.
 certa Beamer. Ill., Kans., Ohio. 19, 64:159, 1932.
 clara Beamer. Ark., Kans., Ill., Md. 19, 64:161-62, 1932.

- clavipes Beamer. Ark., Kans., Ohio, Tenn. 19, 63:269, 1931.
 compressa Knull and Auten. Ga. 39, 30:573, 1937.
 concisa Beamer. Ia., Kans. 19, 63:286, 1931.
 confirmata McAtee. Ohio, Va. 54, 8:37, 1924.
 mitella McAtee. 65, 16:132, 1926.
 consueta Beamer. Ark., D. C., Kans., Md. 19, 64:71, 1932.
 continua Knull and Auten. Ga. 39, 30:578, 1937.
 contracta Beamer. Ill., Kans., Ohio, Tenn. 19, 63:130, 1931.
 corylorubra Knull. Ohio. 91, 45:108, 1945.
 crinita Beamer. Ark., Ohio, Va. 19, 64:85, 1932.
 curta Beamer. Ia., Md., Ohio. 19, 64:86, 1932.
 curvata Beamer. Ill., Kans., Minn. 19, 63:132, 1931.
 delongi Knull and Auten. Ga. 39, 30:574, 1937.
 dira Beamer. Ark., Ill., Ia., Kans., Md., Ohio, Okla. 19, 63:286, 1931.
 distincta Knull and Auten. Ga. 39, 30:572, 1937.
 dumosa Beamer. Ark., Ill., Ia., Ohio, Okla. 19, 64:13-14, 1932.
 era McAtee. Va. 3, 46:299, 1920.
 externa Beamer. Kans. 19, 63:289, 1931.
 facota Beamer. Fla. 19, 64:70-71, 1932.
 firma Beamer. Ill., Kans., Md. 19, 64:12-13, 1932.
 forfex Beamer. Ark., Md., N. C. 19, 64:82, 1932.
 gemina McAtee. Ohio, Va. 3, 46:301, 1920.
 geronimoi Knull. Ark. 91, 45:108, 1945.
 gillettei Beamer. Ill. 19, 63:128, 1931.
 hartii (Gillette). Conn., Ill., Ind., Kans., Md., Mich., Miss., N. Y., N. C.,
 Ohio, Tenn., Va. 128, 20:754, 1898 (*Typhlocyba*).
 hyalina Knull and Auten. Ga. 39, 30:575, 1937.
 hymac Robinson. Kans., Ohio. 19, 56:60, 1924.
 illinoiensis (Gillette). Ill. 128, 20:758, 1898 (*Typhlocyba*).
 var. regalis Beamer. Ariz. 39, 22:125, 1929.
 var. spectra McAtee. Md., Ohio, Va. 3, 46:292, 1920.
 immota Beamer. Tex. 19, 64:16-17, 1932.
 impar Beamer. Ill., Kans. 19, 63:133, 1931.
 incondita Beamer. Ill. 19, 64:16, 1932.
 inepta Beamer. Ill., Ia., Kans., Md., Okla. 19, 64:162, 1932.
 ingrata Beamer. Ark., Ill., Okla. 19, 64:160, 1932.
 interna Beamer. Fla., Kans. 19, 63:285, 1931.
 kansana Baker. Conn., Kans., Md., Mo., Ohio, Tenn., Va. 98, 27:537, 1925.
 scutelleris (Gillette). 128, 20:764, 1898 (*Typhlocyba*), (homonym).
 var. ardens McAtee. Md. 3, 46:299, 1920.
 var. insolita McAtee. Ind. 65, 16:133, 1926.
 knighti Beamer. Ia., Ohio. 19, 64:87, 1932.
 lata Beamer. Ark., Md., S. C., Va. 19, 64:86-87, 1932.
 lawsoni Robinson. Ark., D. C., Ill., Ia., Kans., Md., Ohio, Okla. 19, 56:59,
 1924.
 mediana Robinson. 19, 56:156, 1924.
 lenta Beamer. Ill., Kans., La., Md. 19, 64:82, 1932.
 linea Beamer. Kans. 19, 64:47, 1932.

- lunata McAtee. Ill., Ohio, Okla., Texas. 65, 15:41, 1924.
 macra Beamer. Ill., Md. 19, 64:15, 1932.
 maculata (Gillette). Kans., Ohio. 128, 20:764, 1898 (*Typhlocyba*).
 manus Beamer. Ill., Ia., Kans., Md., N. C., Va. 19, 64:83, 1932.
 marra Beamer. D. C., Ohio. 19, 64:160, 1932.
 mensa Beamer. Ill., Ia., Kans. 19, 63:287, 1931.
 minor Beamer. Ia., Ohio. 19, 64:84, 1932.
 mira Beamer. Ark., D. C., Ill., Ia., Md., N. C., Ohio. 19, 64:45, 1932.
 mirifica Beamer. Ark., Ill., Iowa, La., Md., Ohio, Okla. 19, 64:159, 1932.
 misera Beamer. Ill., Md. 19, 64:158, 1932.
 morgani (DeLong). Ohio, Tenn. 100, 5:104, 1916 (*Typhlocyba*).
 nevadensis Beamer. Nev. 19, 64:72, 1932.
 nigriventer Beamer. Ill. 19, 63:134, 1931.
 noncuspidis Beamer. Ill., Ohio. 19, 63:129, 1931.
 omani Beamer. Ark., Kans. 71, 3:49, 1930.
 opulenta Beamer. Fla. 19, 64:48, 1932.
 osborni (DeLong). Ark., Ill., Ohio, Tenn. 100, 17:103, 1916 (*Typhlocyba*).
 var. *dulcis* McAtee. Md. 3, 46:296, 1920.
 pallida Knull and Auten. Ga. 39, 30:573, 1937.
 paraesculi Knull. Tenn. 91, 45:106, 1945.
 parallela McAtee. Mass., Ohio. 54, 8:38, 1924.
 parva Beamer. Fla., La., Md. 19, 64:70, 1932.
 parvipes Beamer. Kans., Tenn. 19, 63:242, 1931.
 penerostrata Beamer. Ark., Tex. 19, 64:85, 1932.
 penesica Beamer. Ark., D. C., Ga., Kans., Md., Ohio. 19, 63:269-70, 1931.
 perplexa Knull. Ga. 39, 37:123, 1944.
 simplex Knull and Auten. 39, 30:575, 1937 (homonym).
 ordinaria Knull and Auten. 39, 31:651, 1938 (homonym).
 propria Beamer. Fla., Kans., Ohio. 19, 64:13, 1932.
 pyra McAtee. Ia., Ohio. 11, 37:133, 1924.
 restricta Beamer. Ark., Ia., Md. 19, 64:45-46, 1932.
 retusa Beamer. Fla., Ohio. 19, 64:48, 1932.
 rostrata Beamer. Ind., Ia., Kans. 19, 63:270, 1931.
 rotunda Beamer. Ill., Md., Ohio, Tenn. 19, 63:288, 1931.
 rubranotata Beamer. Kans. 19, 59:30, 1927.
 rubraza Robinson. Kans. 19, 56:291, 1924.
 sancta Beamer. Ill., Ohio. 19, 64:15, 1932.
 separata Beamer. Ill., Ia., Kans., Ohio. 19, 64:12, 1932.
 solita Beamer. Ill. 19, 64:14, 1932.
 spinifera Beamer. Ill., Kans. 19, 63:240, 1931.
 stephensoni Beamer. Ill., Okla., Tex. 19, 63:130, 1931.
 stupkaorum Knull. Tenn. 91, 45:104, 1945.
 tantilla Beamer. Ill., Ia., Kans., Ohio. 19, 63:285, 1931.
 teres Beamer. Ill., Tenn. 19, 63:268-69, 1931.
 texana Beamer. Tex. 39, 22:121, 1929.
 torella Robinson. Kans., Ohio. 19, 56:156, 1924.
 trautmanae Knull. Mich., Tenn. 91, 45:106, 1945.
 triangulata Beamer. Ill., La., Ohio. 19, 63:241, 1931.

trivittata Robinson. Kans., Ohio. 19, 56:59, 1924.
 turgida Beamer. Ill., Kans. 19, 63:243, 1931.
 uncinata Beamer. Ill., Kans. 19, 63:242, 1931.
 ungulata Beamer. La., Tex. 19, 64:69, 1932.
 unica Beamer. Ark., D. C., Ia., Md., Ohio. 19, 64:83, 1932.
 univittata Robinson. Kans. 19, 56:156, 1924.
 usitata Beamer. D. C., Ill., Md., Ohio. 19, 64:14-15, 1932.
 ventura Knull and Auten. Ga. 39, 30:577, 1937.
 vittata Knull and Auten. Ga. 39, 30:577, 1937.
 zioni Beamer. Utah. 19, 64:71-72, 1932.

TECTA GROUP

bipentagona Beamer. Kans. 19, 59:31, 1927.
 caetra McAtee. B. C., Calif., Id., Ore. 11, 37:133, 1924.
 ligata McAtee. D. C., Kans., Ohio. 3, 46:301, 1920.
 var. pupillata McAtee. Ill. 65, 15:42, 1924.
 var. allecta McAtee. D. C. 3, 46:302, 1920.
 rosa Robinson. Ohio. 19, 56:58, 1924.
 var. repetita McAtee. Ill. 65, 16:131, 1926.
 mallochi McAtee. 65, 15:41, 1924.
 septima Beamer. Kans. 19, 59:30, 1927.
 tecta McAtee. Ohio. 3, 46:288, 1920.
 sexpunctata Malloch. 13, 16:27, 1920.
 var. carbonata McAtee. Md., Mass., N. H., Va. 3, 46:289, 1920.

COMES GROUP

aclys McAtee. Conn., Ill., Kans., Md., Mo., Neb., N. J., Ohio, S. C.
 3, 46:290, 1920.
 acuticephala Robinson. Kans. 19, 56:61, 1924.
 amanda McAtee. Kans., Mo. 3, 46:319, 1920.
 ancora Beamer. Tex. 39, 22:122, 1929.
 anfracta Beamer. Ariz. 39, 22:123, 1929.
 aza Robinson. Kans. 19, 56:291, 1924.
 beameri Robinson. Kans. 19, 56:61, 1924.
 bidens McAtee. Md., Va. 54, 8:39, 1924.
 suffusa McAtee. 54, 8:39, 1924.
 bistrata McAtee. Ill., Md. 3, 46:305, 1920.
fusco-clava Beamer. 19, 59:31, 1927.
 var. stricta McAtee. Colo., Ind., Ia., Kans., Md., Pa. 3, 46:305, 1920.
 rubranotum Robinson. 19, 56:60, 1924.
 calycula McAtee. Ill., Kans., Md., Neb. 3, 46:308, 1920.
 var. erasa McAtee. Md., Va. 3, 46:309, 1920.
 cancellata McAtee. Kans., Md. 3, 46:320, 1920.
 coloradensis Gillette. Calif., Colo., Ill., Neb., N. M. 99, 19:16, 1892.
 comes (Say). United States. 1, 55:259, 1825 (*Tettigonia*).
 compta McAtee. Ala., Ill., Ind., Kans., Md., Mich., Miss., Ohio, Ont. 3,
 46:267, 1920.
 var. rufomaculata McAtee. Ill., Ohio. 65, 15:43, 1924.

- nigroscuta* Johnson. 91, 34:258, 1934.
cherokeë Robinson. 19, 56:154, 1924.
corni Robinson. Kans., Neb., Ohio. 19, 56:60, 1924.
ornata Osborn. 90, 14:364, 1928.
cymbium McAtee. Kans., Mich., Neb., Ont., Pa., Tex. 3, 46:310, 1920.
 var. *disjuncta* McAtee. Kans., Pa. 3, 46:310, 1920.
delicata McAtee. Md. 3, 46:317, 1920.
lacta Robinson. 19, 56:62, 1924.
 var. *accepta* McAtee. Kans., Md., Va. 3, 46:317, 1920.
scripta Robinson. 19, 56:290, 1924.
tudella Robinson. 19, 56:291, 1924.
diva McAtee. Kans., Md., Va. 3, 46:308, 1920.
 var. *complementa* McAtee. Miss. 65, 16:135, 1926.
rubravitta Robinson. Kans. 19, 56:156, 1924.
elegans McAtee. Ark., Colo., Ill., Ind., Ia., Kans., Md., Miss., Nebr., Ont., Pa. 3, 46:315, 1920.
elegantula Osborn. Colo., Kans., Panama. 20, p. 289, 1928.
festiva Beamer. Ill. 72, 37:290, 1938.
fraxa Robinson. Kans. 19, 56:292, 1924.
gilensis Beamer. Ariz. 39, 22:123, 1929.
infusata (Gillette). Ill., Kans., Md., Miss. 128, 20:764, 1898 (*Typhlocyba*).
integra McAtee. Md., Ohio. 3, 46:309, 1920.
kanwakae Robinson. Kans., Neb., Ohio. 19, 56:292, 1924.
kennedyi Knull. Ohio. 91, 45:109, 1945.
noncincta Johnson. Ohio. 91, 34:261, 1934.
nudata McAtee. Md., Ohio. 3, 46:316, 1920.
attenuata Johnson. 91, 34:260, 1934.
octonotata Walsh. Calif., Ill., Kans., Md., Mich., Miss., N. Y., Ont. 99, p. 149, 1862.
omaska Robinson. Kans. 19, 56:62, 1924.
ontari Robinson. Ont. 19, 56:60, 1924.
palimpsesta McAtee. Ill., Ohio. 65, 15:43, 1924.
pontifex McAtee. Ill. 65, 16:136, 1926.
breakyi Johnson. 91, 34:261, 1934.
prima Beamer. N. H. 72, 37:283, 1938.
prosata Johnson. Ohio. 90, 31:108, 1935.
reflecta McAtee. Canada and United States. 65, 15:43, 1924.
portea Robinson. 19, 56:154, 1924.
rubra (Gillette). Ill., Ia., Kans., S. C., Tenn., Va. 128, 20:764, 1898 (*Typhlocyba*).
irrorata Robinson. 19, 56:154, 1924.
rubrella McAtee. Ark., Br. Col., Ill., Miss. 3, 46:316, 1920.
tacita Beamer. Colo., Ore., Wash. 72, 37:293, 1936.
tricincta Fitch. Eastern states and Colo., Kans., Neb., Tex. 52, 9:63, 1851.
vaga Johnson. Ohio. 91, 34:260, 1934.
vagabunda Knull. Ohio. 91, 45:109, 1945.
vitifex Fitch. Ill., Ind., Ia., Kans., Mich., N. Mex., N. Y., Ont., Va., Wis. 88, 21:392, 1856.

- vitis (Harris). Eastern states and Colo., Ia., Kans., Mo., Nebr. 34, 8:43,
1831 (*Tettigonia*).
var. corona McAtee. Ill., Kans., Md. 3, 46:304, 1920.
flava Robinson. 19, 56:62, 1924.
venusta McAtee. 3, 46:319, 1920.
- ziczac Walsh. Calif., Colo., Ill., Ia., Kans., Md., Mich., Miss., Neb., Ont.
99, 10:149, 1862.
var. walshi Beamer. Ia., Kans., Nebr., Ont. 72, 37:276, 1938.

KEY LIST OF PUBLICATIONS

III

KEY LIST OF PUBLICATIONS

1. Academy of Natural Sciences of Philadelphia—Journal
2. Academy of Natural Sciences of Philadelphia—Proceedings
3. American Entomological Society—Transactions
4. American Entomologist
5. American Midland Naturalist
6. American Museum of Natural History—Bulletin
7. Amyot, Charles J. B., and Serville, Jean G. A., *Histoire Naturelle des Insectes. Hémiptères*
8. *Annals and Magazine of Natural History*
9. Bernice Pauahi Bishop Museum of Polynesian Ethnology and Natural History, Honolulu—Bulletin
10. *Biologia Centrali-Americana*
11. Biological Society of Washington—Proceedings
12. Boston Society of Natural History—Proceedings
13. Brooklyn Entomological Society—Bulletin
14. Brullé, Auguste. *Expédition Scientifique de Morée. Insectes*
15. Buffalo Society of Natural Sciences—Bulletin
16. Burmeister, Hermann C. C. *Genera quaedam Insectorum iconibus illustravit et descripsit H. Burmeister*
17. California Academy of Sciences—Proceedings
18. Canadian Arctic Expedition—Report
19. Canadian Entomologist
20. Carnegie Museum—Annals
21. Cincinnati Society of Natural History—Journal
22. Colorado State Agricultural College—Agricultural Experiment Station Bulletin
23. Connecticut State Geological and Natural History Survey—Bulletin
24. Curtis, John. *British Entomology*
25. Curtis, John. *A Guide to an Arrangement of British Insects*
26. Cuvier, Georges Christian Leopold Dagobert. *Le Règne Animal*
27. Davenport Academy of Natural Sciences—Proceedings
28. DeLong, D. M. *A Monographic Study of the North American Species of the Subfamily Gyponinae (Homoptera Cicadellidae) Exclusive of the Xerophloea. The Ohio State University Graduate School Studies. Cont. in Zool. and Ent., No. 5*
29. Distant, William Lucas. *Fauna of British India. Rhynchota*
30. Dohrn, Felix Anton. *Catalogus Hemipterorum*
31. Donovan, Edward. *The Natural History of British Insects*
32. Duméril, André Marie Constant. *Zoologie analytique ou Méthode Naturelle de classification des Animaux*

33. Edwards, James. The Hemiptera-Homoptera of the British Islands
34. Encyclopedia Americana
35. Encyclopédie Methodique
36. Entomologica Americana
37. Entomological Magazine
38. Entomological News
39. Entomological Society of America—Annals
40. Entomological Society of London—Transactions
41. Entomological Society of Washington—Proceedings
42. Entomologisk Tidskrift
43. Entomologist
44. Entomologist's Monthly Magazine
45. Fabricius, Johann Christian. Entomologia Systematica
46. Fabricius, Johann Christian. Genera Insectorum
47. Fabricius, Johann Christian. Mantissa Insectorum
48. Fabricius, Johann Christian. Systema Rhyngotorum
49. Fallén, Carl Friedrich. Hemiptera Sueciae
50. Fallén, Carl Friedrich. Monographia Cimicum Sueciae
51. Fieber, Franz-Xavier. Katalog der Europäischen Cicadinen
52. Fitch, Asa. A Catalogue with references and descriptions of the Homopterous insects collected and arranged for the State Cabinet of Natural History (Reprinted Lintner's 9th Report of N. Y. State Entomologist)
53. von Flor, Gustav. Die Rhynchoten Livlands in systematischer Folge beschrieben
54. Florida Entomologist
55. Forster, Joanne Reinold. Novae Species Insectorum
56. Gay, Claude. Historia fisica y política de Chile
57. Germar, Ernst Friedrich. Fauna Insectorum Europae
58. Goeze, Johann August Ephriam. Entomologische Beiträge zu des Ritter Linné zwölften Ausgabe des Natursystems
59. Harriman Alaskan Expedition
60. Harris, Thaddeus William. A report on the Insects of Massachusetts injurious to vegetation
61. Hawaiian Entomological Society—Proceedings
62. Hawaiian Sugar Planters' Association Experiment Station. Division of Entomology—Bulletin
63. Herrich-Schaeffer, Gottlieb A. W. Die Fortsetzung von Panzer, Faunae Insectorum Germania initia
64. Horae Societatis Entomologicae Rossicae
65. Illinois State Natural History Survey—Bulletin
66. Illinois State Entomologist—Report
67. Insects of Samoa, Part II Hemiptera. British Museum of Natural History
68. Invertebrata Pacifica
69. Iowa Academy of Sciences—Proceedings
70. Iowa Academy of Sciences—Report

71. Kansas Entomological Society—Journal
72. Kansas University Science Bulletin
73. Kirschbaum, Carl Ludwig. Die Athysanus-Arten der Gegend von Wiesbaden
74. Linnaeus, Carl. Fauna Suecica sistens animalia Sueciae regni
75. Linnaeus, Carl. Systema Naturae
76. Lloydia
77. Magazin der Entomologie
78. Maine Agricultural Experiment Station—Bulletin
79. Maryland Academy of Sciences—Transactions
80. Matsumura, Shonen. Monographie der Jassinen Japans. Termézetrajzi Füzetek
81. Mexico. Escuela Nacional de Ciencias Biologicas—Anales
82. Minnesota Agricultural Experiment Station—Technical Bulletin
83. Moscow University. Science Proceedings
84. Museum Nationale Hungaricum. Annales historico-naturales
85. Nassauischer verein für naturkunde. Wiesbaden Jahrbücher
86. Naturaliste Canadien
87. New York Entomological Society—Journal
88. New York State Agricultural Society—Transactions
89. New York State Entomologist—Report
90. Ohio Biological Survey—Bulletin
91. Ohio Journal of Science
92. Ohio Naturalist
93. Ohio State University—Bulletin
94. Ohio State University Studies
95. Oshanin, Vasili Theodorovich. Katalog der Paläarktischen Hemipteren
96. Pan-Pacific Entomologist
97. Pennsylvania Department of Agriculture. Bureau of Plant Industry—Bulletin
98. Philippine Journal of Science
99. Prairie Farmer
100. Provancher, Leon. Petite Faune Entomologique du Canada
101. Psyche
102. Puerto Rico. Department of Agriculture—Journal
103. Puerto Rico. University—Journal of Agriculture
104. Puton, Auguste. Catalogue des Hémiptères de la Faune Paléarctique
105. Revue d'Entomologie
106. Revue Entomologique
107. Royal Society of Tasmania—Papers and Proceedings
108. San Diego Society of Natural History—Transactions
109. Say, Thomas. Complete writings of Thomas Say on the Entomology of North America by J. L. LeConte
110. Schrank, Franz von Paula. Beyträge zur Naturgeschichte
111. Schrank, Franz von Paula. Enumeratio Insectorum Austriae indigenorum
112. Societas pro Fauna et Flora Fennica. Meddelanden

113. Societas pro Fauna et Flora Fennica. Notiser
114. Société d'histoire naturelle de la Moselle—Bulletin
115. Société entomologique de France—Annales
116. Staal, Carl. Svenska Fregattens Eugenies Resa omkring Jordan
117. Stettiner Entomologische Zeitung
118. Svenska Vetenskapsakademien. Bihang til...Handlingar
119. Svenska Vetenskapsakademien Handlingar
120. Svenska Vetenskapsakademien. Öfversigt af...forhandlingar
121. Tennessee State Board of Entomology—Bulletin
122. Thunberg, Carl Peter. Dissertatio Entomologica novas Insectorum species sistens
123. Tôhoku Imperial University. College of Agriculture, Sapporo—Journal
124. Tyneside Naturalists' Field Club—Transactions
125. United States Department of Agriculture—Miscellaneous Publication
126. United States Department of Agriculture—Technical Bulletin
127. United States Geological and Geographical Survey of the Territories—Bulletin
128. United States National Museum—Proceedings
129. Van Duzee, E. P. Check List of the Hemiptera
130. Verhandlungen Zoologisch-Botanische Gesellschaft in Wien
131. Walker, Francis. List of the Specimens of Homopterous Insects in the Collection of the British Museum
132. Washington Academy of Sciences—Journal
133. Washington Academy of Sciences—Proceedings
134. Zeitschrift für die Entomologie
135. Zetterstedt, Johanne Wilhelm. Insecta Lapponica descripta
136. Zoological Society of London—Proceedings
137. Zoologische Jahrbücher

SUGGESTED GENERIC PAPERS ON NORTH
AMERICAN CICADELLIDAE

CITED UNDER THE GENUS NAME WITH AUTHOR AND LITERATURE REFERENCE

GENUS NAME	AUTHOR	REFERENCE
Tiaja	Oman	132, 31:207-210, 1941.
Macropsis	Breakey	39, 25:787-844, 1932.
Agalliopsis	Oman	126, 372:8-24, 1933.
Agallia	Oman	126, 372:24-45, 1933.
Acertagallia	Oman	126, 372:45-70, 1933.
Ceratagallia	Oman	132, 29:533-43, 1933.
Stragania	Beamer and Lawson	71, 18:54-66, 1945.
Cuerna	Oman and Beamer	71, 17:119-28, 1944.
Carneocephala	Nottingham	71, 5:97-115, 1932.
Draeculacephala	Van Duzee	38, 26:176-81, 1915.
	Ball and China	71, 6:1-4, 1933.
Pagaronia	Oman	128, 85:167-68, 1938.
Errhomus	Oman	128, 85:169-76, 1938.
Penthimia	DeLong	28, pp. 15-16, 1942.
Dragonana	DeLong	28, pp. 14-15, 1942.
Gypona	DeLong	28, pp. 16-22, 1942.
Gyponana	DeLong	28, pp. 22-57, 1942.
Acusana	DeLong	28, pp. 57-64, 1942.
Rugosana	DeLong	28, pp. 64-73, 1942.
Prairiana	DeLong	28, pp. 73-84, 1942.
Hamana	DeLong	28, pp. 85-90, 1942.
Ponana	DeLong	28, pp. 90-107, 1942.
Bulbana	DeLong	28, pp. 107-109, 1942.
Margana	DeLong	28, pp. 109-110, 1942.
Polana	DeLong	28, pp. 110-112, 1942.
Xerophloea	Lawson	96, 7:159-69, 1931.
Spangbergiella	Lawson	71, 5:116-22, 1932.
Parabolocratus	Shaw	71, 5:38-52, 1932.
	DeLong	91, 38:301-302, 1938.
Dicyphonia	Beamer	71, 9:66-71, 1936.
Cochlorhinus	Beamer	71, 13:51-57, 1940.
Xestocephalus	Peters	71, 6:73-80, 1933.
Twiningia	Beamer	41, 44:169-79, 1942.
Sanctanus	Oman	41, 36:75-76, 1934.
Scaphoideus	DeLong	41, 41:33-45, 1939.
Osbornellus	Beamer	71, 10:92-108, 1937.
Prescottia	DeLong	39, 34:181-82, 1941.
Scaphytopius	DeLong	76, 6:195, 1943.
Cloanthanus	DeLong	76, 6:157-94, 1943.
	DeLong	91, 45:22-28, 1945.
Tumeus	DeLong	13, 38:168-74, 1943.

GENUS NAME	AUTHOR	REFERENCE
Hebenarus	DeLong	96, 20:41-53, 1944.
Flexamia	DeLong	94, 2:22-38, 1926.
	DeLong and Slesman	39, 22:82-85, 1929.
Alapus	DeLong and Slesman	39, 22:86-87, 1929.
	Beamer and Tuthill	72, 22:527-31, 1935.
Latalus	DeLong and Slesman	39, 22:87-88, 1929.
Palus	DeLong and Slesman	39, 22:85-86, 1929.
Polyamia	DeLong	94, 2:46-58, 1926.
	DeLong and Slesman	39, 22:88, 1929.
Hebecephalus	DeLong	94, 2:61, 1926.
	Beamer and Tuthill	72, 22:531-39, 1935.
Laevcephalus	DeLong	94, 2:64-83, 1926.
	DeLong and Slesman	39, 22:92-96, 1929.
	Oman	132, 27:474-79, 1937.
Amplcephalus	DeLong	94, 2:83-85, 1926.
	DeLong and Slesman	39, 22:96-97, 1929.
Deltocephalus	DeLong	94, 2:85-97, 1926.
	DeLong and Slesman	39, 22:97-99, 1929.
Unoka	Lawson	39, 21:456-59, 1928.
Lonatura	DeLong	3, 52:93-102, 1926.
Gillettella	Osborn	39, 23:689-91, 1930.
	Ball and Beamer	72, 26:67-69, 1940.
Amphipyga	Osborn	39, 23:691-97, 1930.
	Ball and Beamer	72, 26:9-42, 1940.
Athysanella	Osborn	39, 23:698-706, 1930.
	Ball and Beamer	72, 26:12-24, 1940.
Pectinopyga	Osborn	39, 23:697-98, 1930.
Brachydella	Ball and Beamer	72, 26:64-65, 1940.
Pedumella	Ball and Beamer	72, 26:65-66, 1940.
Gladionura	Osborn	39, 23:706-712, 1930.
	Ball and Beamer	72, 26:42-64, 1940.
Driotura	Lawson	39, 21:449-56, 1928.
Doratura	Ball and Beamer	72, 26:69-70, 1940.
Athysanus	Ball	3, 55:5, 1929.
	Slesman	36, 10:95-97, 1930.
Exitianus	Ball	3, 55:5-6, 1929.
	Slesman	36, 10:97-98, 1930.
Limotettix	Ball	3, 55:6-7, 1929.
Drylix	Slesman	36, 10:98-102, 1930.
	Lawson	39, 24:587-90, 1931.
	Medlar	82, 155:80-81, 1942.
Euscelis	Ball	3, 55:7-8, 1929.
	Slesman	36, 10:102-107, 1930.
Ophiola	Ball	13, 23:185-90, 1928.
	Slesman	36, 10:107-121, 1930.
Commellus	Slesman	36, 10:122-24, 1930.
Stirellus	Thomas	71, 6:126-36, 1933.

KEY LIST OF PUBLICATIONS

95

GENUS NAME	AUTHOR	REFERENCE
Remadosus	Ball	3, 55:3-4, 1929.
	Sleesman	36, 10:93-95, 1930.
Aligia	Hepner	71, 12:106-117, 1939.
Mesamia	Beamer	19, 74:44-45, 1942.
Eutettix	Hepner	72, 28:259-88, 1942.
Ollarianus	DeLong	132, 34:391-98, 1944.
Norvellina	Lindsay	71, 11:113-22, 1938.
Menosoma	DeLong	13, 39:157-58, 1944.
Spathanus	DeLong	13, 39:159-60, 1944.
Omanana	DeLong	76, 4:293-99, 1941.
	DeLong	38, 55:151-58, 1944.
Iowanus	DeLong	91, 39:236-37, 1939.
Texanus	Osborn and Lathrop	39, 16:338-50, 1923.
	DeLong	132, 34:228-39, 1944.
Paraphlepsius	Osborn and Lathrop	39, 16:310-38, 1923.
	DeLong	76, 1:232-52, 1938.
Tropicanus	DeLong	41, 46:87-94, 1944.
Acinopterus	Lawson	39, 20:232-41, 1927.
	Beamer and Lawson	39, 31:476-88, 1938.
Idiodonus	Ball	13, 32:27-28, 1937.
Colladonus	Ball	13, 32:30-31, 1937.
Gloridonus	Ball	13, 32:31, 1937.
Friscanonus	Ball	13, 32:31, 1937.
Allygianus	Beamer	96, 14:153-54, 1938.
Pasadenus	Beamer	96, 15:190, 1939.
Ballana	DeLong	91, 37:105-124, 1937.
Cicadula (Cyperana)	DeLong	5, 18:225-33, 1937.
Paluda	DeLong	5, 18:233-34, 1937.
Elymana	DeLong	39, 29:636-39, 1936.
Arundanus	DeLong	5, 25:632-43, 1941.
Graminella	DeLong and Mohr	5, 18:622-30, 1937.
Calanana	Beamer	71, 12:81-82, 1939.
Knullana	DeLong	91, 51:86-88, 1941.
Chlorotettix	DeLong	93, 23:1-29, 1919.
	DeLong and Cartwright	39, 19:499-511, 1926.
	Brown	72, 21:235-55, 1933.
Baldulus	Oman	41, 36:79, 1934.
Davisonia	Dorst	125, 271:4-9, 1937.
Sonronius	Dorst	125, 271:9-11, 1937.
Macrosteles	Dorst	125, 271:11-22, 1937.
Jassus	Lawson	19, 59:171-73, 1937.
Neocoelidia	Oman	71, 4:62-68, 1931.
	Knull	5, 28:680-92, 1942.
Paracoelidia	Beamer	71, 9:31, 1936.
Tinobregmus	Lawson	39, 25:359-64, 1932.
Balclutha	DeLong and Davidson	41, 37:99-103, 1935.
Nesosteles	DeLong and Davidson	41, 37:103-112, 1935.

CHECK LIST OF THE CICADELLIDAE

GENUS NAME	AUTHOR	REFERENCE
Alebra	McAtee	87, 34:142-46, 1926.
Dikraneuroidea	Lawson	13, 24:307, 1929.
Dikraneura	DeLong and Caldwell	41, 39:17-34, 1937.
	Beamer	71, 16:54-63, 1943.
Alconeura	Ball and DeLong	39, 18:334-37, 1925.
	Griffith	72, 37:309-341, 1936.
Forcipata	DeLong and Caldwell	39, 29:70-77, 1936.
Empoasca	DeLong	126, 231:1-51, 1931.
	Oman and Wheeler	41, 40:133-47, 1938.
Idona	DeLong	126, 231:51-60, 1931.
Joruma	McAtee	54, 8:34, 1925.
Typhlocyba	McAtee	128, 68:1-47, 1926.
Hymetta	Fairbairn	71, 1:87-90, 1928.
Erythroneura	McAtee	3, 46:267-322, 1920.
	Robinson	72, 16:101-155, 1926.
	Beamer	19, 63:127-35, 240-44, 268-78, 285-89, 1931
		19, 64:12-17, 45-48, 69-72, 82-88, 134-44, 158-62, 174-81, 1932.
	Johnson	93, 31:51-122, 1935.

INDEX TO GENERA

INDEX TO GENERA

- Aceratagallia*, 14
Aceratagallia, 14, 15
Acinopterus, 55
Acocephalus, 20, 32, 40, 54
Acurhinus, 34
Acusana, 23
Agallia, 13
Agallia, 13, 14
Agalliopsis, 13
Agellus, 66
Alapus, 35
Alebra, 67
Alebra, 66
Alconeura, 68
Aligia, 47
Aligia, 51
Allygianus, 58
Allygus, 58
Allygus, 47, 48, 54
Amblycephalus, 36, 39, 42
Amblysellus, 42
Amphipyga, 42
Amplicephalus, 40
Aphrodes, 28
Arundanus, 61
Atanus, 57
Athysanella, 43
Athysanella, 42
Athysanus, 45, 46
Athysanus, 12, 13, 37, 40, 41, 44, 45, 46, 47, 48, 51, 61
Aulacizes, 16
Aulacizes, 19

Balclutha, 66
Balclutha, 66
Baldulus, 63
Ballana, 58
Bandara, 48
Bathysmatophorus, 20
Brachydella, 43
Brazosa, 60

Brenda, 9
Bulbana, 25
Bythoscopus, 10, 12, 14, 54, 63

Calana, 62
Calanana, 62
Calonia, 28
Carnecephala, 18
Carsonus, 20
Cercopis, 16, 21, 26, 38
Ceratagallia, 14
Chloroneura, 67, 68, 71, 72
Chlorotettix, 62
Chlorotettix, 50, 57, 61
Cicada, 11, 12, 16, 17, 18, 19, 20, 21, 28, 36, 39, 40, 41, 45, 46, 58, 60, 64, 66, 67, 70, 74, 76
Cicadella, 74
Cicadella, 17, 19
Cicadula, 60
Cicadula, 45, 61, 63, 64
Ciminius, 17
Cloanthanus, 33
Cochlorhinus, 28
Colladonus, 56
Commellus, 46
Convelinus, 33
Cuerna, 16
Cyperana, 60

Davisonia, 63
Deltocephalus, 40
Deltocephalus, 28, 29, 30, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 44, 60, 63
Dicyphonia, 27
Diedrocephala, 18
Dikraneura, 67
Dikraneura, 67, 69
Dikraneuroidea, 67
Dixianus, 51
Dixianus, 53

- Doleranus, 57
Doleranus, 57
 Doratura, 45
 Dorycephalus, 26
Dorycephalus, 26
 Dorydiella, 27
Dorydium, 34
 Draeculacephala, 18
Draeculacephala, 18
 Dragonana, 21
Drionia, 28
 Driotura, 44
Drylix, 45

 Elymana, 60
Empoa, 72, 77
 Empoasca, 69, 71, 74
Empoasca, 74
Errhomenellus, 20
Errhomenus, 20
 Errhomus, 20
 Erythroneura, 77
Erythroneura, 76
Eugnathodus, 66
Eupteryx, 74
 Euscelis, 45
Euscelis, 40, 45, 46, 47
 Eutettix, 49
Eutettix, 32, 43, 48, 50, 51, 57, 64
 Evacanthus, 20
 Exitianus, 45
Exitianus, 50

 Fieberiella, 55
 Flexamia, 35
 Forcipata, 69
 Friscanus, 20
 Friscanus, 57
Fulgora, 72

 Gillettiella, 42
 Gladionura, 44
Gladionura, 43
 Gloridonus, 57
Glossocratus, 26, 27
Gnathodus, 66
Goniagnathus, 12
 Graminella, 61

 Graphocephala, 18
 Gypona, 21
Gypona, 15, 21, 22, 23, 24, 25
 Gyponana, 21
Gyponana, 23, 24

 Hamana, 24
 Hebata, 70
 Hebecephalus, 37
 Hebenarus, 34
 Hecalus, 26
 Helochara, 17
 Homalodisca, 17
 Hortensia, 17
 Huleria, 28
 Hymetta, 77

 Idiocerus, 9
 Idiodonus, 56
 Idona, 74
 Ionia, 15
 Iowanus, 51

 Japananus, 32
 Jassus, 64
Jassus, 10, 13, 30, 31, 32, 33, 35, 41,
 45, 46, 47, 52, 53, 56, 60, 64, 65
 Joruma, 74
 Josanus, 54

 Kinonia, 44
 Knullana, 62
 Koebelia, 9
 Kolla, 17
 Kybos, 69

 Laevicephalus, 38
Laevicephalus, 38, 58
 Latalus, 36
 Limotettix, 45
Limotettix, 64
 Lonatura, 41
Lonatura, 37, 39
 Lonenus, 31
 Lystridea, 20

 Macropsis, 11
Macropsis, 12, 13, 15, 16

- Macrosteles, 64
 Margana, 25
 Memnonia, 29
Memnonia, 20
 Menosoma, 51
Menosoma, 51
 Mesamia, 48
Mesamia, 47, 48, 60

Nasutoideus, 33, 34
 Neocoelidia, 65
 Neokolla, 19
 Neoslossonia, 26
 Nesosteles, 66
 Nionia, 12
 Norvellina, 50
Norvellina, 56

 Ollarianus, 50
Ollarianus, 49
 Omanana, 51
 Oncometopia, 17
 Oncopsis, 12
 Ophiola, 46
 Opsius, 49
 Orientus, 51
 Osbornellus, 31

 Pachyopsis, 15
Pachyopsis, 16
 Pagaronia, 19
 Paluda, 60
 Palus, 36
 Parabolocratus, 27
Parabolocratus, 27
 Paracoelidia, 65
Paramesus, 32, 48
Paropulopa, 9
 Paraphlepsius, 52
 Pasadenus, 58
 Pectinopyga, 43
Pediopsis, 11, 12
 Pedumella, 43
 Penehuleria, 28
 Penestirellus, 47
 Penestragania, 16
 Penthimia, 21
Petalcephala, 26

Phera, 17
Phlepsius, 51, 52, 53, 54, 55
 Platymetopius, 32
Platymetopius, 27, 28, 29, 32, 33, 34
Platymoides, 34
 Plesiommata, 18
 Polana, 25
 Polyamia, 36
Polyamia, 30
 Ponana, 24
Ponana, 25
 Prairiana, 24
 Prescottia, 32
Proconia, 17, 19
 Protalebra, 66

 Remadosus, 47
 Rugosana, 23

 Sanctanus, 30
 Scaphoideus, 30
Scaphoideus, 29, 30, 31, 32, 34, 57
 Scaphytopius, 33
Scaphytopius, 34
 Secopennis, 36
Selenocephalus, 55
 Sibovia, 19
 Sonronius, 63
 Spangbergiella, 27
 Spathanus, 51
 Stirellus, 47
Stirellus, 41
 Stragania, 15
 Stroggylocephalus, 28

Tettigonia, 16, 17, 18, 19, 21, 22, 23,
 77, 79, 81, 84, 86
 Texananus, 52
Texananus, 51
 Thamnotettix, 60
Thamnotettix, 38, 39, 45, 46, 48, 49,
 56, 57, 58, 59, 60, 61, 62, 63, 64
 Thatuna, 20
 Tiaja, 9
 Tinobregmus, 65
 Tropicanus, 54
 Tumeus, 34
 Twiningia, 29

<i>Typhlocyba</i> , 74	<i>Unerus</i> , 41
<i>Typhlocyba</i> , 67, 69, 74, 78, 79, 80, 81, 82, 83, 85	<i>Unoka</i> , 41
<i>Typhlocybella</i> , 77	<i>Xerophloea</i> , 26
<i>Uhleriella</i> , 28	<i>Xestocephalus</i> , 29
<i>Ulopa</i> , 14	<i>Zinneca</i> , 12