

AUSTRALIAN MUSEUM SCIENTIFIC PUBLICATIONS

Iredale, T., and D. F. McMichael, 1962. A reference list of the marine Mollusca of New South Wales. *Australian Museum Memoir* 11: 1–109. [30 May 1962].

doi:10.3853/j.0067-1967.11.1962.426

ISSN 0067-1967

Published by the Australian Museum, Sydney

nature culture discover

Australian Museum science is freely accessible online at
www.australianmuseum.net.au/publications/
6 College Street, Sydney NSW 2010, Australia



THE AUSTRALIAN MUSEUM, SYDNEY

MEMOIR XI

A REFERENCE LIST
OF THE MARINE MOLLUSCA
OF NEW SOUTH WALES

By

TOM IREDALE* AND D. F. McMICHAEL†

* Honorary Zoologist, Australian Museum, Sydney

† Curator of Molluscs, Australian Museum, Sydney

Published by order of the Trustees

J. W. Evans, Sc.D.

Sydney, May 30, 1962

Registered in Australia for transmission by post as a book
PRINTED IN AUSTRALIA BY HALSTEAD PRESS, SYDNEY

A REFERENCE LIST OF THE MARINE MOLLUSCA OF NEW SOUTH WALES

by

TOM IREDALE* AND D. F. McMICHAEL†

* Honorary Zoologist, Australian Museum, Sydney.

† Curator of Molluscs, Australian Museum, Sydney.

In a young and progressive country like Australia, where knowledge of the fauna is increasing rapidly, it becomes necessary at least once in each generation to review progress in systematics with reference lists, which serve as a basis for future work. It is now over forty years since a Check-List of the New South Wales Marine Mollusca was issued (by Charles Hedley, 1918, *J. Roy. Soc. N.S.W.*, 51 Suppl., pp. M.1-M.120) and during that time a great deal of material has been collected and studied from almost every part of the New South Wales coastline, so that Hedley's list is quite obsolete.

Many workers have contributed to knowledge in this field during this century, but the principal changes are due to the studies of Hedley, Iredale, Laseron and Joyce Allan. The present work is an attempt to record the systematic classification and nomenclature of this fauna as it now stands. Work in progress will, no doubt, make it partly out of date as soon as it is published, but it is as complete as we have been able to make it up till the end of 1959. The changes from the old list are numerous, but these are indicated by the citation of the number of the species in Hedley's Check-List at the end of each reference. New records for the state have increased the number of species from about 1,200 to over 2,000. Only those records which have been published in a scientific journal and which are considered to be correctly identified, or those based on specimens in the Australian Museum are included. Several records reported by letter or verbally, but not verified or recorded elsewhere, have not been included.

The arrangement of the genera is in systematic order, the classification not following any particular authority, but being one which seems most satisfactory to us. Each genus is cited with the original reference, and any notable synonyms are indicated. In every case the type species of the genus is given. The letters used indicate the method by which the type species has been determined, following the priorities laid down in the International Rules of Zoological Nomenclature. Five different methods are used and are indicated, in order of preference, as follows:

O.T. Orthotype, or Type Species by Original Designation.

H.T. Haplotype, or Type Species by Monotypy.

T.T. Tautotype, or Type Species by Tautonymy (or by the use of the specific names *typicus* or *typus*).

L.T. Logotype, or Type Species by Subsequent Designation.

T.N.C. Type Species by determination of the Nomenclature Commission. (This latter method has only recently been introduced and covers cases not determinable by any of the above rules, or which are in dispute.)

All these methods of type species determination are quite straightforward, except the Logotypes. Here, the species first selected as Type Species (from among the originally included species) by any subsequent author, must be accepted. Unfortunately it has not always been the practice to give the full references to the works where type species have been subsequently designated. Many authors have cited type species, which they have presumed to be the type, or accepted on hearsay, but without indicating the source of their information. In a number of cases, it appears that these authors have been the first to clearly designate a type species, and so they have quite inadvertently become the selectors of Logotypes. In other cases, we have located early selections, but we cannot be sure that these are the first such selections, and it is quite likely that the whole concept of a genus may be upset by the discovery of an earlier type species selection. In either case, we have quoted in full the references to the earliest selections which we have found, and in a few cases, where no previous selection could be found, we have selected type species ourselves.

Each species is cited in full, with the original reference and figures (if any), the type locality, any important synonyms and references to them, and if the original description did not give a figure, then a later illustration has been cited. In the case of species described from localities beyond the boundaries of New South Wales, the reference to its first record from this State is given wherever possible, except in the cases where the species appeared on Hedley's list and where full details are given. Where an author in referring to a species has used an incorrect name, this misidentification is indicated in the following way "(*x-us*, not of Smith, 1900)". Where a name was originally introduced to replace a preoccupied name, the invalid name and its senior homonym are given. It should be noted

that the type localities of many species were not known at the time of description, or inadequately given (e.g. "Australia" or "South Seas"). Many of these have since been resolved by historical or zoogeographical research and the localities cited are, for the most part, restricted localities, the reasons for which may be found elsewhere.

This Reference List is intended for popular use as well as scientific study. Check-Lists of the Marine Molluscs of Victoria, Tasmania and South Australia have been issued in comparatively recent years, but old and imperfect lists only are available for Western Australia and Queensland. The State of New South Wales is not in itself a complete zoological unit, as political and zoogeographical boundaries seldom coincide. The marine fauna of Australia appears to be composed of two diverse elements, a northern and a southern one, and these are separable into smaller regional elements. As the state boundaries are not acceptable, special names have been introduced for these small regions, to clarify the study of the fauna, and these have now come into widespread use. Briefly outlined, the regions are as follows. The northern coast of Australia, from Shark's Bay in Western Australia, along the north coast and down the east coast of Queensland, has been named the SOLANDERIAN Region, and includes two sub-regions, the DAMPIERIAN (the north-western part) and the BANKSIAN (the Great Barrier Reef). The south-eastern coast from south Queensland to south Tasmania has been named the PERONIAN Region, with eastern Tasmania and southern Victoria forming a sub-region, the MAUGEAN. Southern Australia, reaching from western Victoria into Western Australia as far as Geraldton, has been named the FLINDERSIAN Region. These regions do not have precise boundaries, as the Mollusca are mobile animals which often overlap from one region to another, but the general outline has proven to be generally applicable. It may be stated that, as a rule, the species predominant in one region are not common in any other region. In many cases, genera are restricted to one or other of the regions.

The State of New South Wales almost, but not quite, coincides with the PERONIAN Region (minus the MAUGEAN Sub-Region) but many species characteristic of the SOLANDERIAN Region are found as stragglers in the north of the State, and vagrants from the FLINDERSIAN Region may reach to southern New South Wales. It should also be noted that, while the littoral and shallow water Mollusca agree well with the zoogeographical scheme here outlined, the deepwater Mollusca transgress the boundaries altogether, though they are still very inadequately known.

It should be mentioned here that the figures given in connection with each species are chosen because they best illustrate the species under consideration. However, many of these works will not be available to users of this list. The best source of illustrations available is *Australian Shells* by Joyce Allan (Georgian House, Melbourne, 2nd ed., 1959)

where many of the New South Wales shells are figured.

In the preface to Hedley's Check-List an account is given of a number of species, wrongly recorded from New South Wales, which were eliminated from Hedley's List. Among these were a number of species described in the reports of the *Challenger* Expedition, supposed to have been dredged from Station 164B, from a depth of 410 fathoms off Sydney. Hedley noted that some of these shells were apparently Atlantic Ocean species, and so they were not included, but a number of them, which were not known Atlantic species, were retained. Most of these have not been found since, and hence can be assumed to be from the Atlantic also, and should be eliminated from our faunal list. The species concerned are listed here for reference. Most were described by E. A. Smith, 1891, *Proc. Zool. Soc. London* for 1891, and the following are the page and figure references to them.

atkinsoni, *Solarium*, p. 441, pl. 35, figs. 19 a, b (H.1077)

australis, *Lima*, p. 444, pl. 35, fig. 27 (H.175)

brazieri, *Marginella*, p. 440, pl. 34, fig. 14 (H.776)

**carinata*, *Marginella*, p. 440, pl. 34, fig. 13 (H.777)

* Laseron (1948) recorded this form from 800 fathoms off Sydney and later proposed a new genus *Carinaginella* for it alone. However the figured specimen does not agree very well with Smith's description and figure.

challengeri, *Pecten*, p. 443, pl. 35, fig. 25 (H.64)

challengeri, *Pleurotoma (Drillia)*, p. 438, pl. 34, fig. 7 (H.883)

consanguinea, *Odostomia (Turbonilla)*, p. 441, pl. 35, fig. 17 (H.1046)

constricta, *Odostomia (Turbonilla)*, p. 441, pl. 35, fig. 18 (H.1047)

crossei, *Pleurotoma (Drillia)*, p. 439, pl. 34, fig. 8 (H.884)

directive, *Nucula*, p. 442, pl. 35, fig. 23 (H.5)

distincta, *Scalaria*, p. 441, pl. 35, fig. 15 (H.644)

exigua, *Cancellaria*, p. 439, pl. 34, fig. 11 (H.804)

fischeri, *Odostomia (Turbonilla)*, p. 441, pl. 35, fig. 16 (H.1048)

hoylei, *Pleurotoma (Drillia)*, p. 439, pl. 34, fig. 9 (H.882)

incommoda, *Bulla*, p. 442, pl. 35, fig. 20 (H.1105)

miranda, *Mitra*, p. 440, pl. 34, fig. 12 (H.897)

murrayi, *Lima*, p. 444, pl. 35, fig. 26 (H.81)

ordinaria, *Cylichna*, p. 442, pl. 35, fig. 21 (H.1099)

subacuminata, *Tellimya*, p. 442, pl. 35, fig. 22 (H.202)

umbonata, *Nucula*, p. 443, pl. 35, fig. 24 (H.6)

watsoni, *Pleurotoma (Drillia)*, p. 439, pl. 34, fig. 10 (H.885)

An additional species was described by Smith, 1894, *Proc. Malacol. Soc. Lond.*, 1, pp. 57 *et seq.*, pl. 7, figs. 1-7, the species being *alta*, *Lepeta* (H.478). At the same time, Smith discussed the occurrence of the Atlantic shells in deep water off Sydney, but did not reject them as exotic. Later Hedley (1901, *Proc. Linn. Soc. New South Wales*, 26, pp. 22-5) discussed the matter in detail, and rejected all the species but those listed above.

An additional six species were described from the

same station by Watson and Donald. These include one known to occur in New South Wales waters (*Nassaria kampyla* Watson = *Cymatona kampyla*) while the remainder, though not since confirmed, have the appearance of local species. Therefore these five species (*Trochus glyptus* Watson, *Trophon carduelis* Watson, *Fusus pagodooides* Watson, *Turritella smithiana* Donald and *Turritella crenulata* Donald) are for the time being placed in suspense as possible members of the fauna, awaiting confirmation.

They are included in the list, but placed between perpendicular rules to indicate their doubtful status.

Acknowledgments

We wish to acknowledge the assistance of Miss Helen Anderson in the preparation of the index of generic and family names, and of Mrs M. Whitelegg, who has patiently typed and retyped the manuscript.

PHYLUM MOLLUSCA

Class PELECYPODA (LAMELLIBRANCHIA)

Subclass PRIONODESMACEA

Order PALAEOBRANCHIA

Family SOLEMYIDAE

SOLEMARINA Iredale, 1931, Rec. Aust. Mus., 18, p. 202. O.T. *velesiana* Iredale.

1. *velesiana* Iredale, 1931, Rec. Aust. Mus., 18, p. 201. Sydney Harbour, N.S.W. Not figured. Cf. Iredale, 1929, Mem. Queensl. Mus., 9, p. 262, pl. 30, fig. 13 (*terraereginae*, Q'ld).

Order PROTOBRANCHIA

Family NUCULIDAE

ENNUCULA Iredale, 1931, Rec. Aust. Mus., 18, p. 202. O.T. *obliqua* Lamarck.

2. *obliqua* Lamarck, 1819, Hist. Anim. s. Vert., 6, (1), p. 59. South Tasmania. May, 1923, Illus. Index Tasm. Shells, pl. 1, fig. 5 (H.4).

3. *duritas* Iredale, 1931, Rec. Aust. Mus., 18, p. 202. Sydney Harbour, N.S.W. Not figured. Cf. *obliqua* Lamarck.

4. *consobrina* A. Adams and Angas, 1864, Proc. Zool. Soc. Lond., 1863, p. 427. Port Jackson, N.S.W. Hedley, 1913, Proc. Linn. Soc. N.S.W., 38, p. 263, pl. 16, figs. 1-3, type figured (H.3).

5. *astricta* Iredale, 1931, Rec. Aust. Mus., 18, p. 202. New name for *Nucula simplex* A. Adams, 1856, Proc. Zool. Soc. Lond., 1856, p. 52 (not *Nucula simplex* Deshayes, 1842). Sydney Harbour, N.S.W. Hedley, 1913, Proc. Linn. Soc. N.S.W., 38, p. 263, pl. 16, figs. 4, 5, 6.

PRONUCULA Hedley, 1902, Mem. Aust. Mus., 4, p. 290. O.T. *decorosa* Hedley.

6. *decorosa* Hedley, 1902, Mem. Aust. Mus., 4, p. 290, fig. 39. Off Port Kembla, N.S.W., 63-75 fm. (H.1).

7. *hedleyi* Pritchard and Gatliff, 1904, Proc. Roy. Soc. Vict., 17, (n.s.), p. 237. New name for *Nucula minuta* Tenison-Woods, 1877, Proc. Roy. Soc. Tasm., 1876, p. 106 (not *N. minuta* Owen, 1844). Tasmania. Hedley, 1902, Mem. Aust. Mus., 4, p. 291, fig. 40 (H.2).

8. *pusilla* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 177, pl. 26, fig. 26. Port Jackson, N.S.W. (H.5).

Family NUCULANIDAE

SCAEOLEDA Iredale, 1929, Rec. Aust. Mus., 17, p. 158. O.T. *crassa* Hinds.

9. *crassa* Hinds, 1843, Proc. Zool. Soc. Lond., 1843, p. 99. South Tasmania. Hanley, 1860, Thes. Conch. (Sowerby), 3, p. 120, pl. 228, fig. 69 (H.7).

10. *caloundra* Iredale, 1929, Mem. Queensl. Mus.,

9, p. 262, pl. 30, fig. 17. Caloundra, South Queensland.

11. *dohrni* Hanley, 1861, Proc. Zool. Soc. Lond., 1861, p. 242. Pacific Ocean. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 185, pl. 35, fig. 14. (Twofold Bay, N.S.W., 15-25 fm.) (H.8).

12. *tragulata* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 185, pl. 35, fig. 15. Off Green Cape, N.S.W., 50-70 fm.

TERETILEDA Iredale, 1924, Rec. Aust. Mus., 17, p. 158. O.T. *oculata* Iredale.

13. *oculata* Iredale, 1925, Rec. Aust. Mus., 14, p. 250, pl. 42, fig. 9. Off Narrabeen, N.S.W., 75-80 fm.

14. *fortis* Hedley, 1907, Rec. Aust. Mus., 6, p. 362, pl. 66, fig. 23. Off Sydney, N.S.W., 800 fm. (H.9).

MAGALEDA Iredale, 1929, Rec. Aust. Mus., 17, p. 158. O.T. *inopinata* Smith.

15. *inopinata* Smith, 1885, Rep. Sci. Res. Challenger, Zool., 13, p. 236, pl. 19, fig. 9a. Challenger St. 164, off Sydney, N.S.W., 950 fm. (H.10).

COMITILEDA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, pp. 181, 185. O.T. *miliacea* Hedley.

16. *miliacea* Hedley, 1902, Mem. Aust. Mus., 4, p. 295, fig. 43. Off Port Kembla, N.S.W., 63-75 fm. (H.11).

17. *pala* Hedley, 1907, Rec. Aust. Mus., 6, p. 361, pl. 65, fig. 1. Off Sydney, N.S.W., 800 fm. (H.12).

THESTYLEDIA Iredale, 1929, Rec. Aust. Mus., 17, p. 158. O.T. *ramsayi* Smith.

18. *ramsayi* Smith, 1885, Rep. Sci. Res. Challenger, Zool., 13, p. 241, pl. 20, fig. 3. Challenger St. 164, off Sydney, N.S.W., 950 fm. (H.13).

PROPELEDA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, pp. 181, 186. O.T. *ensicula* Angas.

19. *ensicula* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 177, pl. 26, fig. 27. Off Port Jackson, N.S.W., 45 fm. (H.14).

POROLEDA Hutton, 1893, Macleay Mem. Vol. Linn. Soc. N.S.W., p. 86. H.T. *lanceolata* Hutton.

20. *spathula* Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 696, pl. 78, figs. 17, 18. Off Port Kembla, N.S.W., 63-75 fm. (H.15).

OVALEDA Iredale, 1925, Rec. Aust. Mus., 14, pp. 248, 250. O.T. *tellinaeformis* Hedley.

21. *tellinaeformis* Hedley, 1901 Rec. Aust. Mus., 4, p. 26, fig. 8. Off Sydney, N.S.W., "95" (= 45) fm. (H.16).

Order FILIBRANCHIA

Family LIMOPSIDAE

PHRYNELIMA Iredale, 1929, Rec. Aust. Mus., 17, p. 160. O.T. *brazierii* Angas.

22. *brazierii* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 21, pl. 1, fig. 34. Dredged Port Jackson, N.S.W. (H.18).

- ASPALIMA** Iredale, 1929, Rec. Aust. Mus., 17, p. 160. O.T. *erecta* Hedley and Petterd.
23. *erecta* Hedley and Petterd, 1916, Rec. Aust. Mus., 6, p. 224, pl. 38, figs. 14, 15. Off Sydney, N.S.W., 250 fm. (H.19).
24. *soltator* Iredale, 1931, Rec. Aust. Mus., 18, p. 204. Off Cape Byron, N.S.W., 111 fm. Not figured. Cf. *erecta* Hedley and Petterd.
- LORINGELLA** Iredale, 1929, Rec. Aust. Mus., 17, p. 160. O.T. *lorungi* Angas.
25. *lorungi* Angas, 1873, Proc. Zool. Soc. Lond., 1873, p. 183, pl. 20, fig. 6. Off south coast, Queensland (H.20).
- VERSIPELLA** Iredale, 1931, Rec. Aust. Mus., 18, p. 203. O.T. *soboles* Iredale.
26. *soboles* Iredale, 1931, Rec. Aust. Mus., 18, p. 203. Off Sydney, N.S.W., 300 fm. Not figured. Cf. *tenisoni* Temison-Woods, 1877, Proc. Roy. Soc. Tas., 1877, p. 56; May, 1923, Illust. Ind. Tas. Shells, pl. 1, fig. 12 (H.21).
- SENECTIDENS**, Iredale, 1931, Rec. Aust. Mus., 18, p. 204. O.T. *dannevigi* Iredale.
27. *dannevigi* Iredale, 1931, Rec. Aust. Mus., 18, p. 204. Off south coast, N.S.W., 75 fm. Not figured.
- GLYCILIMA** Iredale, 1931, Rec. Aust. Mus., 18, p. 204. O.T. *paradoxa* Iredale.
28. *paradoxa* Iredale, 1931, Rec. Aust. Mus., 18, p. 204. Off Wollongong, N.S.W., 100 fm. Not figured.
- CYRILLONA** Iredale, 1929, Rec. Aust. Mus., 17, p. 160. O.T. *dalli* Hedley.
29. *dalli* Hedley, 1902, Mem. Aust. Mus., 4, p. 296, fig. 44. Off Port Kembla, N.S.W., 63-75 fm. (H.22).
- AUSTROSAREPTA** Hedley, 1899, Proc. Linn. Soc. N.S.W. 24, p. 430. O.T. *picta* Hedley.
30. *picta* Hedley, 1899, Proc. Linn. Soc. N.S.W., 24, p. 430, figs. 1, 2. Sydney Harbour, N.S.W. (H.23).
31. *elliptica* Laseron, 1953, Rec. Aust. Mus., 23, p. 51, figs. 41, 41a. Off Crookhaven, N.S.W., 30-35 fm.
- Family ARCIDAE*
- CUCULLAEA** Lamarck, 1801, Syst. Anim. s. Vert., p. 116. H.T. *labiata* Solander.
32. *vaga* Iredale, 1936, Rec. Aust. Mus., 19, p. 267, pl. 20, fig. 1. Shoalhaven Bight, N.S.W., 45 fm. (H.17).
- ABARBATIA** Dall, Bartsch and Rehder, 1938, B.P. Bishop Mus. Bull., 153, p. 29. O.T. *oahua* Dall Bartsch and Rehder.
33. *parvivillosa* Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, p. 256, pl. 2, figs. 4, 4a. Capricorn Group, Q'ld.
34. *prolatens* Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, p. 257, pl. 2, figs. 5, 5a. Keppel Bay, Q'ld.
35. *corallicola* Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, p. 253, pl. 2, figs. 2, 2a. Low Is., Queensland.
36. *pistachia* Lamarck, 1819, Hist. Anim. s. Vert., 6, (1), p. 41, King I., Bass Strait (= *fasciata* Reeve, 1844, Conch. Icon., 2, *Arca*, pl. 15, fig. 99. No loc.) (H.26).
37. *separata* Iredale, 1925, Rec. Aust. Mus., 14, p. 249. Off Narrabeen, N.S.W., 75-80 fm. Not figured. Cf. *pistachia* Lamarck.
- ACAR** Gray, 1857, Ann. Mag. Nat. Hist., (2), 19, p. 267. L.T. (Stoliczka, 1871, Palaeont. Indica, 3, p. xxxi) *divaricata* Sowerby.
38. *botanica* Hedley, 1917, Proc. Linn. Soc. N.S.W., 41, p. 680, pl. 51, figs. 33-35. Port Jackson, N.S.W. (H.25).
- ANADARA** Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 198. O.T. *antiquata* Linne.
39. *trapezia* Deshayes, 1839, Revue Zool. Soc. Cuv., 2, p. 358. "Mexico" (= Sydney, N.S.W.). Cf. Hedley, 1904 Proc. Linn. Soc. N.S.W., 29, p. 203, pl. 9, figs. 29-34 (*lischkei*, not of Dunker, 1868) (H.30).
- TEGILLARCA** Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, p. 281. O.T. *bessalis* Iredale.
40. *thackwayi* Iredale, 1927, Aust. Zool., 4, p. 332, pl. 46, fig. 45. Maroubra, near Sydney, N.S.W.
- GABINARCA** Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, p. 285. O.T. *pellita* Iredale.
41. *pellita* Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, p. 285, pl. 3, figs. 18, 18a. Low Is., Queensland (H.24).
- DESTACAR** Iredale, 1936, Rec. Aust. Mus., 19, pp. 268, 334. O.T. *metella* Hedley.
42. *metella* Hedley, 1917, Proc. Linn. Soc. N.S.W., 41, p. 681, pl. 51, figs. 36, 37. Off Wollongong, N.S.W., 100 fm. (H.28).
- SAMACAR** Iredale, 1936, Rec. Aust. Mus., 19, p. 268. O.T. *strabo* Hedley.
43. *strabo* Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 697, pl. 78, figs. 19, 20. Off Port Macquarie, N.S.W., 100 fm. (H.29).
- MICROCUCULLAEA** Iredale, 1929, Rec. Aust. Mus., 17, p. 159. O.T. *perversidens* Hedley.
44. *perversidens* Hedley, 1902, Mem. Aust. Mus., 4, p. 298, fig. 45. Off Port Kembla, N.S.W., 63-75 fm. (H.31).
- ARCA** Linne, 1758, Syst. Nat., ed. 10, p. 693, T.N.C. *noae* Linne.

45. *ventricosa* Lamarck, 1819, Hist. Anim. s. Vert., 6, (1), p. 38. Amboina. Rumph, 1741, Amboin. Rariteitk., pl. 44, fig. L. Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, p. 294, pl. 6, figs. 6, 6a. (Low Is., Queensland) (H.27).

Family GLYCYMERIDAE

- VELETUCETA Iredale, 1931, Rec. Aust. Mus., 18, p. 203. O.T. *flammea* Reeve.

46. *holoserica* Reeve, 1843, Conch. Icon., 4, *Pectunculus*, pl. 4, sp. & fig. 18. Sydney, N.S.W. (H.32).

47. *thackwayi* Iredale, 1931, Rec. Aust. Mus., 18, p. 203. Northern N.S.W. Not figured. Cf. *crebriliratus* Sowerby, 1889, J. Linn. Soc. Lond., Zool., 20, p. 399, pl. 25, fig. 20.

48. *fossa* Iredale, 1931, Rec. Aust. Mus., 18, p. 203. Twofold Bay, N.S.W. Not figured. Cf. *tenuicostatus* Reeve, 1843, Conch. Icon., 1, *Pectunculus*, pl. 6, fig. 35 (H.34).

49. *flammea* Reeve, 1843, Conch. Icon., 1, *Pectunculus*, pl. 2, fig. 7. Sydney, N.S.W. (H.32A).

50. *radians* Lamarck, 1819, Hist. Anim. s. Vert., 6, (1), p. 54. South Australia. May, 1923, Illust. Index Tasm. Shells, pl. 2, fig. 7.

51. *striatularis suspecta* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, pp. 181, 189, pl. 35, fig. 3. Twofold Bay, N.S.W.

- TUCETONA Iredale, 1931, Rec. Aust. Mus., 18, p. 202. O.T. *flabellata* Tenison-Woods.

52. *flabellata* Tenison-Woods, 1878, Proc. Roy. Soc. Vict., 14, 1877, p. 61. Victoria. May, 1923, Illust. Index. Tasm. Shells, pl. 2, fig. 6.

- GRANDAXINAEA Iredale, 1931, Rec. Aust. Mus., 18, p. 202. O.T. *magnificens* Iredale.

53. *gealei* Angas, 1873, Proc. Zool. Soc. Lond., 1873, p. 183, pl. 20, fig. 5. Dredged off Port Macquarie, N.S.W. (H.33).

54. *magnificens* Iredale, 1929 Rec. Aust. Mus., 17, p. 161, pl. 38, figs. 1, 2. Off Montagu I., N.S.W., 50-60 fm.

Family HOCHSTETTERIIDAE

- CRATIS Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 698. O.T. *progressa* Hedley.

55. *progressa* Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 698, pl. 78, figs. 21-23. Off Port Macquarie, N.S.W., 100 fm. (H.35).

- COSA Finlay, 1926, Trans. New Zeal. Inst., 57, p. 449. O.T. *costata* Bernard.

56. *inornata* Hedley, 1904, Proc. Linn. Soc. N.S.W., 29, p. 207, pl. 10, figs. 40-43. Off Wollongong, N.S.W., 100 fm. (H.36).

57. *parallelogramma* Hedley, 1906, Proc. Linn. Soc. N.S.W., 30, p. 544, pl. 32, figs. 14-16. Manly, N.S.W. (H.37).

58. *pectinata* Hedley, 1902, Mem. Aust. Mus., 4,

- p. 299, fig. 46. Off Cape Three Points, N.S.W., 41-50 fm. (H.38).

59. *sagana* Iredale, 1931, Rec. Aust. Mus., 18, p. 204. Off Wollongong, N.S.W., 100 fm. Not figured. Cf. *auriculata* Laseron, 1953.

60. *tatei* Hedley, 1901, Rec. Aust. Mus., 4, p. 24, fig. 6. Off Port Stephens, N.S.W., 35 fm. (H.39).

61. *pharetra* Iredale, 1931, Rec. Aust. Mus., 18, p. 204. Off Wollongong, N.S.W., 100 fm. Not figured.

62. *stephensiensis* Laseron, 1953, Rec. Aust. Mus., 23, p. 50, figs. 39, 39a. Port Stephens, N.S.W.

63. *auriculata* Laseron, 1953, Rec. Aust. Mus., 23, p. 50, figs. 40, 40a. Off Crookhaven, N.S.W., 30-35 fm.

- NOTOMYTILUS Hedley, 1916, Aust. Antarc. Exped., Moll., p. 20. O.T. *ruber* Hedley.

64. *ruber* Hedley, 1904, Proc. Linn. Soc. N.S.W., 29, p. 207, pl. 10, figs. 44-47. South Tasmania (H.41).

- ADACNARCA Pelseneer, 1903, Voy. Belgica, Moll., p. 24. O.T. *nitens* Pelseneer.

65. *squamata* Hedley, 1905, Rec. Aust. Mus., 6, p. 45, fig. 9. Off Cape Byron, north N.S.W., 111 fm. (H.42).

Order PALAEOLAMELLIBRANCHIA

Family TRIGONIIDAE

- [Ref.:—McMichael, 1956, Aust. Mus. Mag., 12, pp. 82-84, text figs.]

- NEOTRIGONIA Cossmann, 1912, Ann. Paleont., 7, p. 81. H.T. *margaritacea* Lamarck.

66. *margaritacea* Lamarck, 1804, Ann. Mus. Hist. Nat. Paris, 4, p. 355, pl. 67, fig. 2. South Tasmania (= *antarctica* Peron, 1807 = *pectinata* Lamarck, 1819) (H.56).

67. *lamarckii* Gray, 1838, Ann. Nat. Hist., (1), p. 482. Port Jackson, N.S.W. Chenu, 1845, Illust. Conch., *Trigonia*, pl. 1 (H.56b).

68. *strangei* A. Adams, 1854, Proc. Zool. Soc. Lond., 1852, p. 91, pl. 16, fig. 3. Sydney Harbour, N.S.W. (H.57).

69. *gemma* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 193, pl. 33, figs. 1, 2, pl. 35, fig. 1. Off Green Cape, N.S.W., 50-70 fm. (H.56a).

Order PSEUDOLAMELLIBRANCHIA

Suborder PINNIFORMES

Family PINNIDAE

- QUANTULOPINNA Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep. 5, pp. 308, 310. O.T. *delsa* Iredale.

70. *delsa* Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, p. 311, pl. 4, fig. 16. Low Is., Queensland.

SUBITOPINNA Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, pp. 308, 312. O.T. *menkei* Reeve.

71. *menkei* Reeve, 1858, Conch. Icon., 11, *Pinna*, pl. 18, fig. 34 (ex Hanley MS.) Port Jackson, N.S.W. (H.43).

ATRINA Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 199. O.T. *nigra* Dillwyn.

72. *gouldii banksiana* Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, p. 316, pl. 4, fig. 18. Low Is., Queensland. Iredale, 1936, Rec. Aust. Mus., 19, p. 268 (*vexillum*, not of Born, 1780). (Ballina, N.S.W.)

73. *tasmanica* Tenison-Woods, 1876, Proc. Roy. Soc. Tasm., 1875, p. 168. North Tasmania. Hedley, 1924, Rec. Aust. Mus., 14, p. 152, pl. 20, fig. 13. (Shoalhaven Bight and Norah Head, N.S.W.)

SERVATRINA Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, pp. 309, 317. O.T. *assimilis* Reeve.

74. *strangei* Reeve, 1858, Conch. Icon., 11, *Pinna*, pl. 27, fig. 52. Moreton Bay, Queensland. Hedley, 1924, Rec. Aust. Mus., 14, p. 152, pl. 20, fig. 10. (Off Norah Head, N.S.W.)

75. *serra* Reeve, 1858, Conch. Icon., 11, *Pinna*, pl. 23, fig. 43. Moreton Bay, Queensland.

STREPTOPINNA Martens, 1886, Beitr. Meeres. f. Maurit. (Möbius), p. 318. H.T. *saccata* Linne.

76. *saccata inusitata* Iredale, 1927, Aust. Zool., 4, p. 333, pl. 46, figs. 9-11. Michaelmas Cay, Queensland. Iredale, 1931, Rec. Aust. Mus., 18, p. 204. (Trial Bay, N.S.W.)

Suborder AVICULIFORMES

Family ISOGNOMONTIDAE

ISOGNOMON Solander, 1786, Cat. Portland Mus., pp. 9, 41. T.T. *isognomum* Linne.

77. *isognomum* Linne, 1758, Syst. Nat., 10 ed., p. 699. Amboina. Rumph, 1741, Amboin. Rariteitk., pl. 47, fig 1. Allan, 1950, Aust. Shells, p. 259, pl. 30, fig. 17.

ANISOPERNA Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, p. 322. O.T. *australiae* Reeve.

78. *australiae* Reeve, 1858, Conch. Icon., 11, *Perna*, pl. 3, fig. 12. Moreton Bay, Queensland (= *anomioides* Reeve, 1858, Conch. Icon., 11, *Perna*, pl. 3, fig. 11. Torres Strait).

MELINA Retzius, 1788, Diss. Hist. Nat. Nov. Test. Gen., p. 22. L.T. (Gray, 1847, Proc. Zool. Soc. Lond. 1847, p. 20) *ephippium* Linne.

79. *ephippium* Linne, 1758, Syst. Nat. 10th ed., p. 700. Amboina. Rumph, 1741, Amboin. Rariteitk., pl. 47, fig. B (= *cumingii* Reeve, 1858, Conch. Icon., 11, *Perna*, pl. 1, fig. 3). Allan, 1950, Aust. Shells, p. 259, text fig. 63, fig. 1 (H.44).

FORAMELINA Hedley, 1914, Biol. Results Endeavour, 2, p. 70. O.T. *exempla* Hedley.

80. *exempla* Hedley, 1914, Biol. Results Endeavour, 2, p. 70, pl. 11, 12, figs. 6-8. Off Gabo I., Victoria, 100-290 fm. (H.45).

Family PTERIIDAE

AUSTROPTERIA Iredale, 1931, Rec. Aust. Mus., 18, p. 205. O.T. *saltata* Iredale.

81. *saltata* Iredale, 1931, Rec. Aust. Mus., 18, p. 205. Reeve, 1857, Conch. Icon., 10, *Avicula*, pl. 16, fig. 67. Port Jackson, N.S.W. (*heteroptera*, not of Lamarck 1819) (H.46).

82. *maura* Reeve, 1857, Conch. Icon., 10, *Avicula*, pl. 17, fig. 72. Sydney, N.S.W. (H.47).

83. *sculpta* Reeve, 1857, Conch. Icon., 10, *Avicula*, pl. 11, fig. 38. Sydney, N.S.W.

PTERELECTROMA Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, p. 332. O.T. *zebra* Reeve.

84. *zebra* Reeve, 1859, Conch. Icon., 10, *Avicula*, pl. 11, fig. 36. Moreton Bay, Queensland (H.48).

PINCTADA Bolten-Roding, 1798, Mus. Bolten, pt. 2, p. 166. L.T. (Iredale, 1915, Proc. Malacol. Soc., 11, p. 305) *margaritifera* Linne.

85. *perviridis* Reeve, 1857, Conch. Icon., 10, *Avicula*, pl. 8, fig. 20. Moreton Bay, Queensland (H.49).

86. *panasesae* Jameson, 1907, Proc. Zool. Soc. Lond., 1907, p. 390, fig. in text. South-east New Guinea.

87. *perrutila* Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, p. 337, pl. 5, fig. 15. Capricorn Group, Q'dl.

88. *epitheca* Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, p. 336, pl. 5, figs. 14, 14c. Townsville, Queensland.

89. *sugillata* Reeve, 1857, Conch. Icon., 10, *Avicula*, pl. 9, fig. 27. Cape Hillsborough, mid-Queensland.

90. *reeveana* Dunker, 1872, Conch. Cab. (cont.), Bd. 7, Abth. 3, p. 45. New name for *Avicula fimbriata* Reeve, 1857, Conch. Icon., 10, *Avicula*, pl. 9, fig. 25 (not *A. fimbriata* Dunker, 1852). N.W. Aust.

91. *aerata* Reeve, 1857, Conch. Icon., 10, *Avicula*, pl. 10, fig. 32. Queensland.

Family VULSELLIDAE

MALLEUS Lamarck, 1799, Mem. Soc. Hist. Nat. Paris, p. 32. H.T. *malleus* Linne.

92. *novelesianus* Iredale, 1931, Rec. Aust. Mus., 18, p. 205. Broken Bay, N.S.W. Allan, 1950, Aust. Shells, p. 258, pl. 30, fig. 10 (H.50).

PARIMALLEUS Iredale, 1931, Rec. Aust. Mus., 18, p. 205. O.T. *cursator* Iredale.

93. *cursator* Iredale, 1931, Rec. Aust. Mus., 18, p. 205. Sydney, N.S.W. Allan, 1950, Aust. Shells, p. 259, fig. 6 (H.51).

VULSELLA Bolten-Roding, 1798, Mus. Bolten, pt. 2, p. 156. T.T. *vulsella* Linne.

94. *spongiarum* Lamarck, 1819, Hist. Anim. s. Vert., 6, (1), p. 222. Tasmania (Fig. reference below.) (H.52).

95. *ovata* Lamarck, 1819, Hist. Anim. s. Vert., 6, (1), p. 222. South Australia. Smith, 1911, Proc. Malacol. Soc., 9, pp. 306-312, pl. 11 (both types figured).

Order PECTINIFORMES

Family PECTINIDAE

MIMACHLAMYS Iredale, 1929, Rec. Aust. Mus., 17, p. 162. O.T. *asperrima* Lamarck.

96. *asperrima* Lamarck, 1819, Hist. Anim. s. Vert., 6, (1), p. 174. South Tasmania. Delessert, 1841, Rec. Coq. Lamarck, pl. 15, fig. 1 (H.61).

97. *blanda* Reeve, 1853, Conch. Icon., 8, *Pecten*, pl. 34, fig. 162. Port Jackson, N.S.W. (H.63).

98. *aktinos* Petterd, 1887, Proc. Roy. Soc. Tasm., 1886, p. 329. North-west Tasmania (= *bednalli* Hedley, 1900, Proc. Linn. Soc. N.S.W., 25, p. 495, pl. 25, figs. 10-13. Port Jackson, N.S.W.) (H.59).

99. *famigerator* Iredale, 1925, Rec. Aust. Mus., 14, p. 252, pl. 12, figs. 1, 2. Off Green Cape, N.S.W., 50-70 fm. (H.60).

SCAECHLAMYS Iredale, 1929, Rec. Aust. Mus., 17, p. 162. O.T. *livida* Lamarck.

100. *peroniana* Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, p. 355. Sydney Harbour, N.S.W. Allan, 1950, Aust. Shells, p. 280, pl. 37, fig. 9 (H.66).

NOTOCHLAMYS Cotton, 1930, Rec. South Aust. Mus., 4, p. 233. H.T. *anguinea* Finlay.

101. *anguinea* Finlay, 1927, Trans. New Zeal. Inst., 57, p. 527. New name for *Pecten undulatus* Sowerby, 1842, Thes. Conch., I, p. 60, pl. 19, figs. 206-207 (not *P. undulatus* Nilsson, 1827). No loc. = Western Australia. (Cotton and Godfrey). Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 194. (Two-fold Bay, N.S.W.)

EQUICHLAMYS Iredale, 1929, Rec. Aust. Mus., 17, p. 162. O.T. *bifrons* Lamarck.

102. *bifrons* Lamarck, 1819, Hist. Anim. s. Vert., 6, (1), p. 164. South Australia. Delessert, 1841, Rec. Coq. Lamarck, pl. 15, fig. 5 (H.62).

MESOPEPLUM Iredale, 1929, Rec. Aust. Mus., 17, p. 162. O.T. *caroli* Iredale.

103. *caroli* Iredale, 1929, Rec. Aust. Mus., 17, p. 162, pl. 38, figs. 7-9. Off N.S.W. coast, 40-80 fm.

104. *fenestratum* Hedley, 1901, Proc. Linn. Soc. N.S.W., 25, p. 730, pl. 48, figs. 17-19. Port Jackson,

N.S.W. (= *hedleyi* Dautzenberg, 1901, J. de Conch., 49, p. 348). (H.65).

DECATOPECTEN Sowerby, 1839, Conch. Man., 1st ed., p. 37. H.T. *plica* Linne.

105. *strangei* Reeve, 1852, Conch. Icon., 8, *Pecten*, pl. 4, fig. 22. Moreton Bay, Queensland. Iredale, 1936, Rec. Aust. Mus., 19, p. 269, pl. 20, fig. 2. (Sydney Harbour, N.S.W.)

NOTOVOLA Finlay, 1927, Trans. New Zeal. Inst., 57, p. 451. H.T. *novaezealandiae* Reeve.

106. *fumata* Reeve, 1852, Conch. Icon., 8, *Pecten*, pl. 9, fig. 32. Sydney Harbour, N.S.W. (H.58).

107. ? *byronensis* Fleming, 1955, Aust. Zool., 12, p. 108, text fig. 1. Byron Bay, N.S.W.

108. *meridionalis* Tate, 1887, Proc. Roy. Soc. Tasm., 1886, p. 115. Tasmania. May, 1903, Illus. Index Tasm. Shells, pl. 3, fig. 5.

Family AMUSIIDAE

AMUSIUM Bolten-Roding, 1798, Mus. Bolten, pt. 2, p. 165. T.T. *pleuronectes* Linne.

109. *balloti* Bernardi, 1861, J. de Conch., 9, p. 46, pl. 1, fig. 1. New Caledonia. Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 193. (Port Jackson, N.S.W.) (H.67).

CTENAMUSIUM Iredale, 1929, Rec. Aust. Mus., 17, p. 164. O.T. *thetidis* Hedley.

110. *salacon* Iredale, 1929, Rec. Aust. Mus., 17, p. 164. Off Sydney, N.S.W., 250-300 fm. Hedley and Petterd, 1906, Rec. Aust. Mus., 6, pl. 38, figs. 18, 19. (H.68).

111. *thetidis* Hedley, 1902, Mem. Aust. Mus., 4, p. 304, fig. 49. Off Port Kembla, N.S.W., 63-75 fm. (H.68).

CHLAMYDELLA Iredale, 1929, Rec. Aust. Mus., 17, p. 164. O.T. *fava* Hedley.

112. *favus* Hedley, 1902, Mem. Aust. Mus., 4, p. 305, fig. 50. Off Port Kembla, N.S.W., 63-75 fm. (H.69).

113. *obliqua* Hedley, 1902, Mem. Aust. Mus., 4, p. 306, fig. 51. Off Cape Three Points, N.S.W., 41-50 fm. (H.70).

Family SPONDYLIDAE

SONDYLYLUS Linne, 1758, Syst. Nat., 10 ed., p. 690. L.T. (Anton, 1839, Verz. Conch., p. 19) *gaederopus* Linne.

114. *tenellus* Reeve, 1856, Conch. Icon., 9, *Spondylus*, pl. 18, fig. 67. Port Jackson, N.S.W. (H.71).

115. *regillus* Iredale, 1929, Rec. Aust. Mus., 17, p. 165, pl. 38, figs. 3-5. Off Montagu I., N.S.W., 50-60 fm.

116. *prionifer* Iredale, 1931, Rec. Aust. Mus., 18, p. 205, pl. 24, fig. 1. Sydney Harbour, N.S.W.

117. *parocellatus* Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, p. 376. Lindeman I., Q'd. Not figured. Cf. *ocellatus* Reeve, 1856, Conch. Icon., 9, *Spondylus*, pl. 12, fig. 43.

Family PLICATULIDAE

PLICATULA Lamarck, 1801, Syst. Anim. s. Vert., p. 132. *H.T. gibbosa* Lamarck.

118. *essingtonensis elusa* Iredale, 1931, Rec. Aust. Mus., 18, p. 206, pl. 25, figs. 5-6. Sydney Harbour, N.S.W. (H.72).

Family LIMIDAE

AUSTROLIMA Iredale, 1929, Rec. Aust. Mus., 17, p. 165. *O.T. nimbifer* Iredale.

119. *nimbifer* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 195, pl. 34, figs. 1-4. Twofold Bay, N.S.W. (H.77).

120. *benthonimbifer* Iredale, 1925, Rec. Aust. Mus., 14, p. 250. Off Narrabeen, N.S.W., 75-80 fm. Hedley, 1904, Proc. Linn. Soc. N.S.W., 28, p. 201, pl. 9, fig. 28 (*bassi*, not of Tenison-Woods 1876) (H.76).

PROMANTELLUM Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, p. 385. *O.T. parafragile* Iredale.

121. *vigens* Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, p. 387, pl. 6, figs. 7-7a. Low Is., Queensland (H.74, 78).

122. *parafragile* Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, p. 386, pl. 6, figs. 10, 10a. Low Is., Queensland.

123. *sydneyense* Hedley, 1904, Proc. Linn. Soc. N.S.W., 29, p. 200. New name for *Lima brunnea* Hedley, 1901, Proc. Linn. Soc. N.S.W., 26, p. 21, pl. 2, figs. 7-9 (not *Lima brunnea* Cooke, 1886). Port Jackson, N.S.W. (H.80).

STABILIMA Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, p. 390. *O.T. tadena* Iredale.

124. *strangei* Sowerby, 1872, Conch. Icon. (Reeve), 18, *Lima*, pl. 3, fig. 15. Moreton Bay, Queensland (H.79).

125. *jacksonensis* Thiele, 1920, Conch. Cab. (cont.), 7, Abt. 2a, p. 51, pl. 9, fig. 26. Port Jackson, N.S.W.

ESCALIMA Iredale, 1929, Rec. Aust. Mus., 17, p. 165. *O.T. acclinis* Hedley.

126. *acclinis* Hedley, 1905, Rec. Aust. Mus., 6, p. 46, fig. 10. Off Cape Byron, north N.S.W., 111 fm. (H.81).

Suborder DIMYIFORMES

Family DIMYIDAE

DIMYARINA Iredale, 1936, Rec. Aust. Mus., 19, p. 269. *O.T. corrugata* Hedley.

127. *corrugata* Hedley, 1902, Mem. Aust. Mus., 4,

p. 308, fig. 52. Off Port Kembla, N.S.W., 63-75 fm. (H.73).

Suborder OSTREIFORMES

Family OSTREIDAE

OSTREA Linne, 1758, Syst. Nat., 10 ed., p. 696. L.T. (Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 201) *edulis* Linne.

128. *angasi* Sowerby, 1871, Conch. Icon. (Reeve), 18, *Ostrea*, pl. 13, fig. 27. Port Jackson, N.S.W. (H.53).

129. *bresia* Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, p. 396, pl. 7, fig. 4. Mackay, Queensland. Woolacott, 1957, Proc. Roy. Zool. Soc. N.S.W., 1955-6, p. 114, figs. 11-12. (Kurnell, N.S.W.)

130. *procles* Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, p. 396, pl. 7, fig. 2. Low Is., Queensland.

131. *nomades* Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, p. 395, pl. 7, figs. 1a, b. Stradbroke Is., Queensland.

132. *virescens* Angas, 1868, Proc. Zool. Soc. Lond., 1867, p. 911, pl. 44, fig. 13. Port Jackson, N.S.W. (H.55).

SAXOSTREA Iredale, 1936, Rec. Aust. Mus., 19, p. 269. *H.T. commercialis* Iredale and Roughley.

133. *commercialis* Iredale and Roughley, 1933, Proc. Linn. Soc. N.S.W., 58, p. 278. Port Jackson, N.S.W. Roughley, 1933, Proc. Linn. Soc. N.S.W., 58, pp. 279-333, pls. 10-27, 2 text figs. (H.54).

134. *amasa* Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, p. 399, pl. 7, fig. 8. Caloundra, South Queensland.

LOPHA Bolten-Roding, 1798, Mus. Bolten, pt. 2, p. 168. L.T. (Dall. 1896, Trans. Wagner Free Inst., 3, p. 672) *cristagalli* Linne.

135. *hyotis notina* Iredale, 1936, Rec. Aust. Mus., 19, p. 269, pl. 20, fig. 2. Sydney Harbour, N.S.W.

Order PARAFILIBRANCHIA

Family ANOMIIDAE

MONIA Gray, 1850, Proc. Zool. Soc. Lond., 1849, p. 121. L.T. (Kobelt, 1881, Illust. Conch., pt. 11, p. 376) *zelandica* Gray.

136. *ione* Gray, 1850, Proc. Zool. Soc. Lond., 1849, p. 123. Sydney, N.S.W. Reeve, 1859, Conch. Icon., 11, *Placunomia*, pl. 2, fig. 6 (H.82).

137. *deliciosa* Iredale, 1936, Rec. Aust. Mus., 19, p. 269, pl. 20, figs. 7, 7a. Off Cape Everard, Vic., 75 fm.

ANOMIA Linne, 1758, Syst. Nat., 10 ed., p. 700. L.T. (Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 201) *ephippium* Linne.

138. *descripta* Iredale, 1936, Rec. Aust. Mus., 19,

p. 270, pl. 20, fig. 6. Sydney Harbour, N.S.W. (H.83).

PATRO Gray, 1850, Proc. Zool. Soc. Lond., 1849, p. 118. H.T. *elyros* Gray (= *australis* Gray).

139. *australis* Gray, 1847, Narr. Voy. "Fly", 2, App. p. 362. Port Essington, N.A. (= *elyros* Gray, 1850, Proc. Zool. Soc. Lond., 1849, p. 118, Moll., pl. 4, figs. 1, 2. Port Essington, N.A.).

Order ISOFILIBRANCHIA

Family MYTILIDAE

[Ref.:—Laseron, 1956, Aust. Zool., 12, pp. 263-283, figs. 1-54.]

MYTILUS Linne, 1758, Syst. Nat., 10 ed., p. 704. L.T. (Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 198) *edulis* Linne.

140. *obscurus* Dunker, 1857, Proc. Zool. Soc. Lond., 1856, p. 360. Sydney, N.S.W. Reeve, 1857, Conch. Icon., 10, *Mytilus*, pl. 8, fig. 30. Laseron, 1956, loc. cit., p. 264, figs. 1-3 (*planulatus*, not of Lamarck, 1822) (H.84).

AUSTROMYTILUS Laseron, 1956, Aust. Zool., 12, p. 265. O.T. *rostratus* Dunker.

141. *rostratus* Dunker, 1857, Proc. Zool. Soc. Lond., 1856, p. 358. Tasmania. Reeve, 1857, Conch. Icon., 10, *Mytilus*, pl. 5, fig. 15. Laseron, 1956, loc. cit., p. 265, figs. 4, 5.

SEPTIFER Recluz, 1848, Rev. Zool. Soc. Cuv., 1848, p. 275. O.T. *bilocularis* Linne.

142. *australis* Laseron, 1956, Aust. Zool., 12, p. 266, figs. 6, 7. Long Reef, near Sydney, N.S.W., 14 fm. (H.101).

TRICHOMYA Ihering, 1900, Proc. Malacol. Soc., 4, p. 87. O.T. *hirsuta* Lamarck.

143. *hirsuta* Lamarck, 1819, Hist. Anim. s. Vert., 6, pt. 1, p. 120. South Australia. Reeve, 1857, Conch. Icon., 10, *Mytilus*, pl. 3, fig. 8. Laseron, 1956, loc. cit., p. 267, figs. 8-10. (Port Jackson, N.S.W.) (H.85).

MUSCULUS Bolten-Roding, 1798, Mus. Bolten, pt. 2, p. 156. L.T. (Dall, 1915, Nautilus 28, p. 138) *discors* Linne.

144. *cumingianus* Reeve, 1857, Conch. Icon., 10, *Mytilus*, pl. 9, fig. 50. Moreton Bay, Queensland. Iredale, 1936, Rec. Aust. Mus., 19, p. 270, pl. 21, fig. 1. Sydney, N.S.W. Laseron, 1956, loc. cit., p. 267, fig. 11 (H.93).

145. *ulmus* Iredale, 1936, Rec. Aust. Mus., 19, p. 271, pl. 21, fig. 10. Sydney, N.S.W. Laseron, 1956, loc. cit., p. 268, fig. 12 (H.94).

146. *alganus* Laseron, 1956, Aust. Zool., 12, p. 268, figs. 13, 14. Yamba, north N.S.W.

147. *varicosus* Gould, 1861, Proc. Boston Soc. Nat. Hist., 8, p. 37. Sydney, N.S.W. Smith, 1884, Rep. Zool. Coll. Alert, p. 109, pl. 7, fig. M. Laseron, 1956,

loc. cit., p. 268, fig. 15 (H.99).

TRICHOMUSCUS Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 196. O.T. *barbatus* Reeve.

148. *barbatus* Reeve, 1858, Conch. Icon., 10, *Lithodomus*, pl. 5, fig. 27. Sydney, N.S.W., 6 fm. (= *Modiolaria barbata* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 911, pl. 44, fig. 12. Botany Bay, N.S.W.). Laseron, 1956, loc. cit., p. 269, figs. 16-18 (H.92).

149. *splendidus* Dunker, 1857, Proc. Zool. Soc. Lond., 1856, p. 365. "California" (error = Sydney, N.S.W.). Reeve, 1858, Conch. Icon., 10, *Lithodomus*, pl. 5, fig. 21. Sydney. Hedley, 1902, Proc. Linn. Soc. N.S.W., 26, p. 706, pl. 34, fig. 1. Laseron, 1956, loc. cit., p. 269, figs. 19-21 (H.97).

MODIOLUS Lamarck, 1799, Mem. Soc. Nat. Hist. Paris, p. 87. H.T. *modiolus* Linne.

150. *peronianus* Laseron, 1956, Aust. Zool., 12, p. 269, figs. 22-24. Port Hacking, N.S.W.

151. *cottoni* Laseron, 1956, Aust. Zool., 12, p. 270, figs. 25-28. Off Twofold Bay, N.S.W., 30-50 fm.

152. *agripeta* Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, p. 412, pl. 6, fig. 21. Low Is., Queensland. Laseron, 1956, loc. cit., p. 271, figs. 29, 30. (Woolgoolga, N.S.W.)

153. *victoriae* Pritchard and Gatliff, 1903, Proc. Roy. Soc. Vic., 16, (n.s.), p. 93, pl. 15, figs. 1, 2. Western Port, Victoria. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 197. (Twofold Bay, N.S.W.) Laseron, 1956, loc. cit., p. 271, figs. 31, 32.

154. *delinificus* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 196, (based on) May, 1923, Illus. Index. Tasm. Shells, pl. 4, fig. 6. Tasmania. Laseron, 1956, loc. cit., p. 271, figs. 33, 35. (Brush Island, Bateman's Bay, N.S.W.) (H.86).

155. *pulex* Lamarck, 1819, Hist. Anim. s. Vert., 6, pt. 1, p. 112. King George's Sound, south-west Australia. Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 698, pl. 79, fig. 24 (South-east Tasmania.)

156. *confusus* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 21, pl. 1, fig. 33. Lane Cove River, Port Jackson, N.S.W. Laseron, 1956, Aust. Zool., p. 272, figs. 36, 38. New South Wales (*pulex*, not of Lamarck, 1819) (H.89).

157. *lineus* Hedley, 1906, Rec. Aust. Mus., 6, p. 300, pl. 56, figs. 23-25. Off Narrabeen, N.S.W., 80 fm. Laseron, 1956, loc. cit., p. 273, figs. 42-43 (under *Amygdalum*, position doubtful) (H.91).

AMYGDALUM Megerle-Muhlfeldt, 1811, Ges. Nat. Fr. Berlin Mag., 5, p. 69. H.T. *dendriticum* Megerle-Muhlfeldt.

158. *beddomei* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 197, pl. 35, fig. 21. Twofold Bay, dredged, N.S.W. Laseron, 1956, loc. cit., p. 272, figs. 39-41 (H.87).

159. *glaberrimum* Dunker, 1857, Proc. Zool. Soc. Lond., 1856, p. 363. Sydney, N.S.W. Reeve, 1857,

Conch. Icon., 10, *Modiola*, pl. 8, fig. 48. Laseron, 1956, loc. cit., p. 273, figs. 44-45 (H.90).

LITHOPHAGA Bolten-Roding, 1798, Mus. Bolten, pt. 2, p. 156. T.T. *lithophaga* Linne.

160. *calcifer* Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, p. 420, pl. 6, fig. 28. Low Is., Queensland. Woolacott, 1955, Proc. Roy. Zool. Soc. N.S.W., 1953-4, p. 99, pl. 2, fig. 4. (Woolgoolga, N.S.W.)

161. *obesa suspecta* Iredale, 1939, Gt. Barrier Reef Exped., Sci. Rep., 5, p. 421, pl. 6, fig. 30. Low Is., Queensland.

FLUVIOLANATUS Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 196. O.T. *subtortus* Dunker.

162. *amarus* Laseron, 1956, Aust. Zool., 12, p. 274, figs. 46, 49. Woolgoolga, N.S.W. (H.98).

EXOSIPERNA Iredale, 1929, Rec. Aust. Mus., 17, p. 166. O.T. *scapha* Verco.

163. *relata* Iredale, 1929, Rec. Aust. Mus., 17, p. 167. Off Narrabeen, N.S.W., 80 fm. Laseron, 1956, loc. cit., p. 274, figs. 50, 51 (type) (H.96).

SOLAMEN Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 198. O.T. *rex* Iredale.

164. *rex* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 198, pl. 34, fig. 5, pl. 35, fig. 2. Twofold Bay, N.S.W. Laseron, 1956, loc. cit., p. 275, figs. 52, 53 (H.95).

QUENDREDA Iredale, 1936, Rec. Aust. Mus., 19, p. 271. O.T. *fabalis* Hedley.

165. *fabalis* Hedley, 1904, Proc. Linn. Soc. N.S.W., 29, p. 199, pl. 10, fig. 39. Off Wollongong, N.S.W., 100 fm. (H.100).

Family GAIMARDIIDAE

GAIMARDIA Gould, 1852, United States Explor. Exped., 12, p. 460. H.T. *trapesina* Lamarck.

166. *tasmanica* Beddome, 1883, Proc. Roy. Soc. Tasm., 1882, p. 168. South Tasmania. Tate and May, 1901, Proc. Linn. Soc. N.S.W., 26, p. 439, fig. 12. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 198. (Twofold Bay, N.S.W.)

Subclass ANOMALODESMACEA

Order ANOMALOBRANCHIA

Suborder LATERNULIFORMES

Family LATERNULIDAE

LATERNULA Bolten-Roding, 1798, Mus. Bolten, pt. 2, p. 155. L.T. (Gray, 1847, Proc. Zool. Soc. Lond. 1847, p. 190) *anatina* Linne.

167. *creccina* Reeve, 1860, Conch. Icon., 14, *Anatina*, pl. 2, fig. 12. South Australia. Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 913. (Port Jackson, N.S.W.) (H.102).

168. *marilina* Reeve, 1860, Conch. Icon., 14, *Anatina*, pl. 2, fig. 10. Port Jackson, N.S.W.

169. *recta* Reeve, 1863, Conch. Icon., 14, *Anatina*, pl. 4, fig. 24. Port Phillip, Victoria.

170. *attenuata* Reeve, 1863, Conch. Icon., 14, *Anatina*, pl. 3, fig. 16. Sydney, N.S.W. (H.103).

171. *vagina* Reeve, 1863, Conch. Icon., 14, *Anatina*, pl. 4, fig. 26. Moreton Bay, Queensland.

PENDALOMA Iredale, 1930, Rec. Aust. Mus., 17, p. 387. O.T. *micans* Hedley.

172. *micans* Hedley, 1901, Rec. Aust. Mus., 4, p. 25, fig. 7. Off Sydney, N.S.W., "75" (= 45) fm. (H.104).

OFFADESMA Iredale, 1930, Rec. Aust. Mus., 17, p. 387. H.T. *angasi* Crosse and Fischer,

173. *angasi* Crosse and Fischer, 1864, J. de Conch., 12, p. 349. Spencer's Gulf, South Australia. Id., 1865, ib., 13, p. 427, pl. 11, fig. 1 (H.105).

Family THRACIIDAE

EXIMIOTHRACIA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 181. O.T. *speciosa* Angas.

174. *speciosa* Angas, 1869, Proc. Zool. Soc. Lond., 1869, p. 48, pl. 2, fig. 12. Port Jackson, N.S.W. (H.114).

175. *anatinoides* Reeve, 1859, Conch. Icon., 12, *Thracia*, pl. 3, fig. 12. Sydney, N.S.W. [Not yet discovered, probably foreign.] (H.106).

176. *angasiana* Smith, 1876, J. Linn. Soc. Lond., Zool., 12, p. 560, pl. 30, fig. 23. Port Jackson, N.S.W. (H.107, 109).

177. *modesta* Angas, 1868, Proc. Zool. Soc. Lond., 1867, p. 908, pl. 44, fig. 3. Port Jackson, N.S.W. (H.110).

CETOTHRAX Iredale, 1949, Proc. Roy. Zool. Soc. N.S.W. 1947-8, p. 19. O.T. *imperfecta* Lamarck.

178. *jacksonensis* Smith, 1876, J. Linn. Soc. Lond., Zool., 12, p. 561, pl. 30, fig. 24. Port Jackson, N.S.W. (= *brazieri* Sowerby, 1884, Proc. Zool. Soc. Lond. 1883, p. 465, Sydney, N.S.W.) (H.108).

THRACIDORA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, pp. 181, 200. H.T. *arenosa* Hedley.

179. *arenosa* Hedley, 1904, Proc. Linn. Soc. N.S.W., 29, p. 197, pl. 9, figs. 26, 27. Off Wollongong, N.S.W., 100 fm. (H.112).

THRACIOPSIS Tate and May, 1907, Trans. Roy. Soc. South Aust., 24, p. 103. O.T. *angustata* Angas.

180. *angustata* Angas, 1868, Proc. Zool. Soc. Lond., 1867, p. 908, pl. 44, fig. 1. Port Jackson, N.S.W. (H.111).

181. *elegantula* Angas, 1868, Proc. Zool. Soc. Lond., 1867, p. 905, pl. 44, fig. 2. Port Jackson, N.S.W. (H.113).

182. *peroniiana* Iredale, 1924, Proc. Linn. Soc.

N.S.W., 49, pp. 181, 199. Tasmania. May, 1923, Illus. Index Tasm. Shells, pl. 5, fig. 7 (*elegantula*, not of Angas, *supra*) (H.113 pt.).

183. *elongata* Stutchbury, 1830, Zool. Journ., 5, p. 100, Suppl., pl. 43, figs. 9, 10. Port Jackson, N.S.W.

184. *subalata* Gatliff and Gabriel, 1910, Proc. Roy. Soc. Vict., 23, (n.s.), p. 85, pl. 19, figs. 10-12. Port Phillip, Victoria.

Family MYOCHAMIDAE

MYOCHAMA Stutchbury, 1830, Zool. Journ., 5, p. 97. H.T. *anomiooides* Stutchbury.

185. *anomiooides* Stutchbury, 1830, Zool. Journ., 5, p. 97, Suppl., pl. 42, figs. 1-4. Port Jackson, N.S.W. (H.115).

186. *strangei* A. Adams, 1850, Proc. Zool. Soc. Lond., 1850, p. 23, pl. 8, fig. 2. Port Jackson, N.S.W. (H.116).

187. *tasmanica* Tenison-Woods, 1877, Proc. Roy. Soc. Tasm., 1876, p. 160. South Tasmania. Tate and May, 1901, Proc. Linn. Soc. N.S.W., 26, p. 461, fig. 13 (type figured).

MYADORA Gray, 1840, Ann. Nat. Hist., 4, p. 306. H.T. *brevis* Sowerby.

188. *brevis* Sowerby, 1829, Appendix Stutchbury Sale Cat., p. 3, fig. 2. Port Jackson, N.S.W. (H.119).

189. *crassa* Stutchbury, 1830, Zool. Journ., 5, p. 100, Suppl., pl. 43, figs. 5-6. Port Jackson, N.S.W. (H.120).

190. *ovalis* Stutchbury, 1830, Zool. Journ., 5, p. 100, Suppl., pl. 43, figs. 7, 8. Port Jackson, N.S.W. (H.121).

191. *complexa* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, pp. 181, 201, pl. 33, figs. 9, 10. Twofold Bay, N.S.W. (H.122).

192. *pandoriformis* Stutchbury, 1830, Zool. Journ., 5, p. 99, Suppl., pl. 43, figs. 3, 4. Port Jackson, N.S.W. (H.123).

193. *royana* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, pp. 181, 201, pl. 33, figs. 5, 6. Off Green Cape, N.S.W., 50-70 fm.

194. *albida* Tenison-Woods, 1876, Proc. Roy. Soc. Tasm., 1875, p. 160. South Tasmania. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 200, pl. 33, figs. 13, 14 (H.117).

195. *subalbida* Gatliff and Gabriel, 1914, Proc. Roy. Soc. Vic., 27, (n.s.), p. 96, pl. 15, fig. 14. Western Port, Victoria. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 200, pl. 33, figs. 3, 4 (New South Wales).

196. *elongata* May, 1915, Proc. Roy. Soc. Tasm., 1915, p. 98, pl. 8, figs. 40-40a. Tasmania. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 200 (N.S.W.).

197. *australis* Reeve, 1859, Conch. Icon., 12, Thracia, pl. 6, fig. 13. Moreton Bay, Queensland (H.118).

PHRAGMORISMA Tate, 1894, J. Roy. Soc. N.S.W., 27, p. 189. L.T. (here designated) *watsoni* Smith.

198. *watsoni* Smith, 1885, Rep. Sci. Res. Challenger, Zool., 13, p. 69, pl. 6, figs. 5, 5b. Bass Strait, 38-40 fm. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 201 (Twofold Bay, N.S.W., 15-25 fm.).

Suborder PANDORIFORMES

Family CLEIDOTHAERIDAE

CLEIDOTHAERUS Stutchbury, 1830, Zool. Journ., 5, p. 97. H.T. *chamoides* Stutchbury.

199. *chamoides* Stutchbury, 1830, Zool. Journ., 5, p. 98, Suppl., pl. 42, figs. 5-6. Port Jackson, N.S.W. (H.124).

Suborder BRECHITIFORMES

Family CLAVAGELLIDAE

DACOSTA Gray, 1858, Proc. Zool. Soc. Lond., 1858, p. 315. H.T. *australis* Sowerby.

200. *australis* Sowerby, 1829, Appendix Stutchbury Sale Cat., pl. 1, fig. 1. Port Jackson, N.S.W. (H.125).

HUMPHREYIA Gray, 1858, Ann. Mag. Nat. Hist., (3) 2, p. 16. H.T. *strangei* A. Adams.

201. *coxi* Brazier, 1872, Proc. Zool. Soc. Lond., 1872, p. 22, pl. 4, fig. 9. Port Stephens, N.S.W. (H.126).

202. *strangei* A. Adams, 1854, Proc. Zool. Soc. Lond., 1852, p. 91, pl. 15, fig. 5. Port Jackson, N.S.W. (H.127).

203. *multangularis* Tate, 1887, J. Roy. Soc. South Aust., 9, p. 64, pl. 4, figs. 4 a, b. St. Vincent Gulf, South Australia.

Order SEPTIBRANCHIA

Family VERTICORDIIDAE

VERTISPHAERA Iredale, 1930, Rec. Aust. Mus., 17, p. 388. O.T. *cambrica* Iredale.

204. *cambrica* Iredale, 1930, Rec. Aust. Mus., 17, p. 387. Off Narrabeen, N.S.W., 80 fm. Hedley, 1907, Rec. Aust. Mus., 6, p. 303, pl. 56, figs. 38-39 (*australiensis*, not of Smith, 1885) (H.128).

SPINOSIPELLA Iredale, 1930, Rec. Aust. Mus., 17, p. 388. O.T. *ericia* Hedley.

205. *ericia* Hedley, 1911, Biol. Res. Endeavour, I, p. 96, pl. 17, figs. 1-3. Off Cape Wiles, South Australia, 100 fm. (also from 80 fm., east of Narrabeen, N.S.W.) (H.129).

SETALIRIS Iredale, 1930, Rec. Aust. Mus., 17, p. 388. O.T. *accessa* Iredale.

206. *accessa* Iredale, 1930, Rec. Aust. Mus., 17, p. 388. 23 m. east of Sydney, N.S.W., 250-300 fm. Hedley, 1906, Rec. Aust. Mus., 6, p. 215 (*rhomboidea* Hedley, not of Tate 1887). Hedley, 1907, Rec. Aust. Mus., 6, p. 303 (*setosa*, not of Hedley 1907) (H.130).

VERTAMBITUS Iredale, 1930, Rec. Aust. Mus., 17, p. 388. O.T. *vadosus* Hedley.

207. *vadosus* Hedley, 1907, Rec. Aust. Mus., 6, p. 303, pl. 56, figs. 34-37. Off Narrabeen, N.S.W., 80 fm. (H.131).

Family POROMYIDAE

PROAGORINA Iredale, 1930, Rec. Aust. Mus., 17, p. 388. O.T. *quadrata* Hedley.

208. *quadrata* Hedley, 1907, Rec. Aust. Mus., 6, p. 302, pl. 56, figs. 31, 33. Off Narrabeen, N.S.W., 80 fm. (H.132).

QUESTIMYA Iredale, 1930, Rec. Aust. Mus., 17, p. 388. O.T. *undosa* Hedley and Petterd.

209. *undosa* Hedley and Petterd, 1906, Rec. Aust. Mus., 6, p. 224, pl. 38, figs. 16-17. Off Sydney, N.S.W., 250 fm. (H.133).

ECTORISMA Tate, 1892, Trans. Roy. Soc. South Aust., 15, p. 127. O.T. *granulata* Tate.

210. *granulata* Tate, 1892, Trans. Roy. Soc. South Aust., 15, p. 127, pl. 1, figs. 3, 3a. Hardwicke Bay, South Australia, 8-10 fm. (= *illevis* Hedley, 1913, Proc. Linn. Soc. N.S.W., 38, p. 265, nom. nov., error only) (H.134).

Family CUSPIDARIIDAE

CUSPIDARIA Nardo, 1840, Revue Zool. Soc. Cuv., 1840, p. 30. O.T. *cuspidata* Olivi.

211. *latesulcata* Tenison-Woods, 1878, Proc. Linn. Soc. N.S.W., 2, p. 123. Port Jackson, N.S.W. Hedley, 1901, Proc. Linn. Soc. N.S.W., 26, p. 20, pl. 2, figs. 11-13 (H.140).

212. *exarata* Verco, 1908, Trans. Roy. Soc. South Aust., 32, p. 199, pl. 12, figs. 6-7. South Australia, 104 fm. (H.139).

213. *brazieri* Smith, 1885, Rep. Sci. Res. Challenger, Zool., 13, p. 51, pl. 9, fig. 3. Port Jackson, N.S.W. (H.137).

214. *dorsirecta* Verco, 1908, Trans. Roy. Soc. South Aust., 32, p. 198, pl. 11, figs. 9-10. South Australia, 40-110 fm. (H.138).

215. *tasmanica* Tenison-Woods, 1876, Proc. Roy. Soc. Tasm., 1875, p. 27. Tasmania. Hedley, 1901, Proc. Linn. Soc. N.S.W., 26, p. 21, fig. 20, in text (H.141).

216. *alveata* Hedley, 1907, Rec. Aust. Mus., 6, p. 362, pl. 66, fig. 6. Off Sydney, N.S.W., 800 fm. (H.135).

217. *truncata* Hedley, 1905, Rec. Aust. Mus., 6, p. 47, fig. 11. Off Cape Byron, N.S.W., 111 fm. (H.142).

Subclass TELEODESMACEA

Order HETERODONTA

Family EUCRASSATELLIDAE

EUCRASSATELLA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, pp. 181, 202. O.T. *kingicola* Lamarck.

218. *kingicola* Lamarck, 1805, Ann. Mus. Hist. Nat. Paris, 6, p. 408. King I., Bass Strait. Lamy, 1917, J. de Conch., 62, pl. 6, fig. 1. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 202 (Twofold Bay, N.S.W.) (H.145).

219. *cumingii* A. Adams, 1854, Proc. Zool. Soc. Lond., 1852, p. 90, pl. 16, fig. 1. Moreton Bay, Queensland.

220. *genuina* Iredale, 1936, Rec. Aust. Mus., 19, p. 271, pl. 20, fig. 4. Sydney Harbour, N.S.W.

TALABRICA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, pp. 181, 204. O.T. *aurora* A. Adams and Angas.

221. *aurora* A. Adams and Angas, 1864, Proc. Zool. Soc. Lond., 1863, p. 426, pl. 37, fig. 15. Banks Strait, Tasmania. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 204. (Off Twofold Bay, N.S.W.)

SALAPUTIUM Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, pp. 182, 204. O.T. *fulvida* Angas.

222. *discus* Hedley, 1907, Rec. Aust. Mus., 6, p. 300, pl. 56, figs. 26-27. Off Narrabeen, N.S.W., 80 fm. (H.143).

223. *scabriliratum* Hedley, 1902, Mem. Aust. Mus., 4, p. 314, fig. 54. Off Port Stephens, N.S.W. (H.146).

224. *securiforme* Hedley, 1902, Mem. Aust. Mus., 4, p. 312, fig. 53. Off Port Kembla, N.S.W., 63-75 fm. (H.147).

225. *fulvidum* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 20, pl. 1, fig. 32. Port Jackson, N.S.W. (H.144).

Family CUNIDAE

[Ref.:—Laseron, 1953, Rec. Aust. Mus., 23, p. 33 et seq., figs.]

SALTOCUNA Iredale, 1936, Rec. Aust. Mus., 19, p. 272. O.T. *particula* Hedley.

226. *particula* Hedley, 1902, Mem. Aust. Mus., 4, p. 316, fig. 56. Off Port Kembla, N.S.W., 63-75 fm. Laseron, 1953, loc. cit., p. 35, figs. 5, 5a (H.151).

CUNA Hedley, 1902, Mem. Aust. Mus., 4, p. 315. O.T. *concentrica* Hedley.

227. *concentrica* Hedley, 1902, Mem. Aust. Mus., 4, p. 315, fig. 55. Off Port Kembla, N.S.W., 63-75 fm. Laseron, 1953, loc. cit., p. 34, figs. 1-1 a (Off Cape Byron, north N.S.W., 110 fm.) (H.149).

228. *littoralis* Laseron, 1953, Rec. Aust. Mus., 23, p. 34, figs. 2, 2a, 2b. Manly, N.S.W.

OVACUNA Laseron, 1953, Rec. Aust. Mus., 23, p. 34. O.T. *atkinsoni* Tenison-Woods.

229. *atkinsoni* Tenison-Woods, 1877, Proc. Roy. Soc. Tasm., 1876, p. 158. Tasmania. Laseron, 1953,

loc. cit., p. 35, figs. 3 a, b (Port Jackson, N.S.W.) (H.148).

VOLUPICUNA Iredale, 1936, Rec. Aust. Mus., 19, p. 272. O.T. *delta* Tate and May.

230. *novacambrica* Laseron, 1953, Rec. Aust. Mus., 23, p. 35, figs. 4, 4 a. Port Jackson, N.S.W. (H.150).

HAMACUNA Cotton, 1931, Rec. South Aust. Mus., 4, p. 350. H.T. *hamata* Hedley and May.

231. *radiata* Laseron, 1953, Rec. Aust. Mus., 23, p. 36, figs. 6, 6 a. Near Sydney, N.S.W., 14 fm.

MESOCUNA Laseron, 1953, Rec. Aust. Mus., 23, p. 36. O.T. *saza* Laseron.

232. *saza* Laseron, 1953, Rec. Aust. Mus., 23, p. 36, figs. 7, 7a. Near Sydney, N.S.W., 14 fm.

CUNANAX Iredale, 1936, Rec. Aust. Mus., 19, p. 272. O.T. *pisum* Hedley.

233. *pisum* Hedley, 1908, Proc. Linn. Soc. N.S.W., 33, p. 476, pl. 9, figs. 26, 27. Port Jackson, N.S.W. Laseron, 1953, loc. cit., p. 37, figs. 8 a, b (H.152).

Family CARDITELLIDAE

CARDITELLONA Iredale, 1936, Rec. Aust. Mus., 19, p. 272. O.T. *angasi* Smith.

234. *angasi* Smith, 1885, Rep. Sci. Res. Challenger, Zool., 13, p. 217, pl. 15, fig. 9. Off Port Jackson, N.S.W., 35 fm. (H.154).

CARDITELLOPSIS Iredale, 1936, Rec. Aust. Mus., 19, p. 272. O.T. *elegantula* Tate and May.

235. *elegantula* Tate and May, 1901, Proc. Linn. Soc. N.S.W., 26, p. 463, fig. 14. South Tasmania (H.155).

Family CARDITIDAE

CARDITA Bruguiere, 1792, Tabl. Ency. Meth., Vers, 2, p. 401. L.T. (Fleming, 1818, Conchology (Encycl. Brit., Suppl., 3) p. 305) *variegata* Bruguiere.

236. *excavata* Deshayes, 1854, Proc. Zool. Soc. Lond., 1852, p. 100, pl. 17, figs. 1-3. Sydney, N.S.W. (H.156).

237. *amabilis* Deshayes, 1854, Proc. Zool. Soc. Lond., 1852, p. 102, pl. 17, figs. 8, 9. "New Zealand" (error = Port Jackson, N.S.W.) (= *beddomiae* Smith, 1885, Rep. Sci. Res. Challenger, Zool., 13, p. 211, pl. 15, fig. 5. Bass Strait, 38-42 fm.) (H.157, 158).

VIMENTUM Iredale, 1925, Rec. Aust. Mus., 14, p. 248, 254. O.T. *dilectum* Smith.

238. *dilectum* Smith, 1885, Rep. Sci. Res. Challenger, Zool., 13, p. 213, pl. 15, figs. 4, 4 a. Bass Strait, 24-40 fm. (H.159).

239. *cavaticum* Hedley, 1902. Mem. Aust. Mus., 4, p. 318, fig. 58. Off Port Kembla, N.S.W., 63-75 fm. (H.160).

240. *legulejum* Iredale, 1925, Rec. Aust. Mus., 14, p. 255. Off Ulladulla, N.S.W., 74 fm. Not figured. Cf. *excelsior* Verco, 1908, Trans. Roy. Soc. South Australia, 32, p. 348, pl. 14, fig. 9.

241. *semotum* Iredale, 1925, Rec. Aust. Mus., 14, p. 255, pl. 42, fig. 8. Off Montagu I., N.S.W., 7-10 fm.

BATHYCARDITA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, pp. 182, 205. O.T. *raouli* Angas.

242. *raouli* Angas, 1872, Proc. Zool. Soc. Lond., 1872, p. 613, pl. 42, fig. 12. Off Cape Raoul, South Tasmania. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 205, pl. 33, figs. 11, 12. (Off Green Cape, N.S.W. 50-70 fm.) (H.161).

Family CONDYLOCARDIIDAE

[Ref.:—Laseron, 1953, Rec. Aust. Mus., 23, p. 37 et seq., figs.]

CONDYLOCUNA Iredale, 1936, Rec. Aust. Mus., 19, p. 272. O.T. *projecta* Hedley.

243. *ovata* Hedley, 1906, Proc. Linn. Soc. N.S.W., 30, p. 539, pl. 31, figs. 5, 6. Manly Beach, N.S.W. Laseron, 1953, loc. cit., p. 40, figs. 17, 17 a (H.162).

244. *projecta* Hedley, 1902, Mem. Aust. Mus., 4, p. 317, fig. 57. Port Jackson, N.S.W. Laseron, 1953, loc. cit., p. 40, fig. 16 (H.165).

245. *cambrica* Iredale, 1936, Rec. Aust. Mus., 19, p. 272. Port Jackson, N.S.W. Laseron, 1953, loc. cit., p. 41, figs. 13, 13 a (H.166).

246. *moringa* Laseron, 1953, Rec. Aust. Mus., 23, p. 40, figs. 18, 18 a. Port Jackson, N.S.W., 15 fm.

247. *minuta* Laseron, 1953, Rec. Aust. Mus., 23, p. 41, figs. 14, 14 a. Narrabeen, N.S.W.

CONDYLOCARDIA Bernard, 1896, Bull. Mus. Nat. Hist. Paris, 2, p. 195. O.T. *sanctipauli* Bernard.

248. *kunopia* Laseron, 1953, Rec. Aust. Mus., 23, p. 39, figs. 10, 10 a. Narrabeen, N.S.W.

249. *rotunda* Laseron, 1953, Rec. Aust. Mus., 23, p. 39, figs. 11, 11 a. Narrabeen, N.S.W.

RADIOCONDYLA Iredale, 1936, Rec. Aust. Mus., 19, p. 272. O.T. *arizela* Iredale.

250. *arizela* Iredale, 1936, Rec. Aust. Mus., 19, p. 272. Off Cape Pillar, S. Tasmania, 100 fm. Based on Hedley and May, 1908, Rec. Aust. Mus., 7, p. 125, pl. 25, figs. 41, 42 (*orrecta*, not of Hedley, 1906, South Queensland) (H.164).

251. *jacksonensis* Laseron, 1953, Rec. Aust. Mus., 23, p. 42, figs. 19, 19 a. Port Jackson, N.S.W., 6-9 fm. (H.163).

252. *ampla* Laseron, 1953, Rec. Aust. Mus., 23, p. 42, fig. 22. Near Sydney, N.S.W., 14 fm.

253. *rotunda* Laseron, 1953, Rec. Aust. Mus., 23, p. 42, fig. 9. Off Crookhaven, N.S.W., 30-35 fm.

- PARTICONDYLA Laseron, 1953, Rec. Aust. Mus., 23, p. 43. O.T. *cuneata* Laseron.
254. *cuneata* Laseron, 1953, Rec. Aust. Mus., 23, p. 43, figs. 20 a, b. Near Sydney, N.S.W., 14 fm.
- WARRANA Laseron, 1953, Rec. Aust. Mus., 23, p. 43. O.T. *dielasma* Laseron.
255. *dielasma* Laseron, 1953, Rec. Aust. Mus., 23, p. 43, fig. 23. Narrabeen, N.S.W.
256. *vitrea* Laseron, 1953, Rec. Aust. Mus., 23, p. 44, figs. 24, 24 a. Narrabeen, N.S.W.
257. *eccentrica* Laseron, 1953, Rec. Aust. Mus., 23, p. 44, figs. 25, 25 a. Off Shoalhaven, N.S.W., 20-25 fm.
- Family BENTHOCARDIELLIDAE*
- BENTHOCARDIELLA Powell, 1930, Trans. Proc. Roy. Soc. New Zeal., 61, p. 533. O.T. *pusilla* Powell.
258. *vitrea* Laseron, 1953, Rec. Aust. Mus., 23, p. 41, figs. 15, 15 a. Narrabeen, N.S.W.
- Family CHAMIDAE*
- CHAMA Linne, 1758, Syst. Nat., 10 ed., p. 691. L.T. (Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 193) *lazarus* Linne.
259. *nivalis* Reeve, 1846, Conch. Icon., 4, *Chama*, pl. 4, fig. 17. North Australia (H.167).
260. *reflexa* Reeve, 1846, Conch. Icon., 4, *Chama*, pl. 4, fig. 16. Darnley Is., Queensland (H.167 pt.).
261. *jukesii* Reeve, 1847, Conch. Icon., 4, *Chama*, pl. 7, fig. 39. Cape Upstart, Queensland (H.167 pt.).
- Family CODAKIIDAE*
- EPICODAKIA Iredale, 1930, Rec. Aust. Mus., 17, p. 390. O.T. *gunnamatta* Iredale.
262. *consettiana* Iredale, 1930, Rec. Aust. Mus., 17, p. 391. Badger I., Tasmania. New name for *Lucina minima*, Tenison-Woods, 1876, Proc. Roy. Soc. Tas., 1875, p. 162 (not *L. minima* Roemer, 1836). May, 1903, Proc. Roy. Soc. Tasmania, 1902, p. 14, figs. 12 in text.
263. *quadrata* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 176, pl. 26, fig. 24. Port Jackson, N.S.W. (H.170).
264. *tatei* Angas, 1879, Proc. Zool. Soc. Lond., 1878, p. 863, pl. 54, fig. 15. St. Vincent Gulf, South Aust.
265. *gunnamatta* Iredale, 1930, Rec. Aust. Mus., 17, p. 391, pl. 64, figs. 6, 7. Port Hacking, N.S.W. (H.168).
- TALOCODAKIA Iredale, 1936, Rec. Aust. Mus., 19, p. 273. O.T. *kennethi* Iredale.
266. *kennethi* Iredale, 1936, Rec. Aust. Mus., 19, p. 273, pl. 20, fig. 10. Narrabeen, N.S.W.
- PEXCODAKIA Iredale, 1930, Rec. Aust. Mus., 17, p. 389. O.T. *rugifera* Reeve.
267. *rugifera* Reeve, 1850, Conch. Icon., 6, *Lucina*, pl. 1, fig. 1. Sydney, N.S.W. (H.171).
- SYDLORINA Iredale, 1930, Rec. Aust. Mus., 17, p. 390. O.T. *symbolica* Iredale.
268. *symbolica* Iredale, 1930, Rec. Aust. Mus., 17, p. 390. Port Jackson, N.S.W. (based on) Hedley, 1914, Proc. Linn. Soc. N.S.W., 39, p. 699, pl. 79, figs. 25, 28 (*pisidium*, not of Dunker 1860) (H.169).
- MENDICULA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 206. H.T. *memorata* Iredale.
269. *memorata* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 206. Off Sydney, N.S.W., 800 fm. New name for *Lucina induta* Hedley, 1907, Rec. Aust. Mus., 6, p. 363, pl. 66, figs. 11-12 (not *L. induta* Stoliczka 1887) (H.173).
- CAVATIDENS Iredale, 1930, Rec. Aust. Mus., 17, p. 391. O.T. *omissa* Iredale.
270. *omissa* Iredale, 1930, Rec. Aust. Mus., 17, p. 391, pl. 63, figs. 3, 4. Port Hacking, N.S.W.
- WALLUCINA Iredale, 1930, Rec. Aust. Mus., 17, p. 390. O.T. *jacksoniensis* Smith.
271. *jacksoniensis* Smith, 1885, Rep. Sci. Res. Challenger, Zool., 13, p. 185, pl. 13, figs. 11 a, b. Port Jackson, N.S.W., 6-15 fm. (H.174).
- NEVENULORA Iredale, 1930, Rec. Aust. Mus., 17, p. 390. O.T. *hilaira* Hedley.
272. *hilaira* Hedley, 1917, Proc. Linn. Soc. N.S.W., 41, p. 683, pl. 51, figs. 38, 39. Off Montagu I., N.S.W., 7-10 fm. (H.175).
- MONITILORA Iredale, 1930, Rec. Aust. Mus., 17, p. 390. O.T. *ramsayi* Smith.
273. *ramsayi* Smith, 1885, Rep. Sci. Res. Challenger, Zool., 13, p. 174, pl. 13, fig. 2. Port Jackson, N.S.W., 6-7 fm. (H.176).
- NOTOMYRTEA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, pp. 182, 206. O.T. *botanica* Hedley.
274. *botanica* Hedley, 1918, J. Proc. Roy. Soc. N.S.W., 51, Suppl. M.18. Sydney, N.S.W. New name for *Tellina brazieri* Sowerby, 1883, Proc. Zool. Soc. Lond., 1883, p. 31, pl. 7, fig. 2 (not *T. brazieri* Sowerby 1869) (H.177).
- DIVALUCINA Iredale, 1936, Rec. Aust. Mus., p. 273. O.T. *cumingii* A. Adams and Angas.
275. *cumingii* A. Adams and Angas, 1864, Proc. Zool. Soc. Lond., 1863, p. 426, pl. 37, fig. 20. St. Vincent Gulf, South Aust. (H.178).
- BATHYCORBIS Iredale, 1930, Rec. Aust. Mus., 17, p. 392. O.T. *despecta* Hedley.
276. *despecta* Hedley, 1904, Proc. Linn. Soc. N.S.W., 29, p. 193, pl. 10, figs. 35-38. Off Wollongong, N.S.W., 100 fm. (H.179).

- NUMELLA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, pp. 182, 206. H.T. *adamsi* Angas.
277. *adamsi* Angas, 1868, Proc. Zool. Soc. Lond., 1867, p. 910, pl. 44, fig. 9. Port Jackson, N.S.W. (H.180).
278. *jacksoniensis* Angas, 1868, Proc. Zool. Soc. Lond., 1867, p. 910, pl. 44, fig. 10. Port Jackson, N.S.W. (H.181).
- Family UNGULINIDAE*
- ZEMYSIA Finlay, 1927, Trans. New Zeal. Inst., 57, p. 462. O.T. *zelandica* Gray.
279. *tasmanica* Tenison-Woods, 1877, Proc. Roy. Soc. Tasm., 1876, p. 158. South Tasmania. Tate and May, 1901, Proc. Linn. Soc. N.S.W., 26, p. 432, pl. 27, fig. 102 (H.183).
- ZEMYSINA Finlay, 1927, Trans. New Zeal. Inst., 57, p. 462. O.T. *globus* Finlay.
280. *globulosa* A. Adams, 1856, Proc. Zool. Soc. Lond., 1855, p. 226. Moreton Bay, Queensland. Allan, 1950, Aust. Shells, p. 312, text fig. 75, fig. 11 (H.182).
- TORALIMYSIA Iredale, 1936, Rec. Aust. Mus., 19, p. 273. O.T. *excentrica* Iredale.
281. *excentrica* Iredale, 1936, Rec. Aust. Mus., 19, p. 273. Sydney, N.S.W. Based on Hedley, 1906, Proc. Linn. Soc. N.S.W., 30, p. 544, pl. 32, figs. 18-21 (*sphaericula*, not of Deshayes, 1855) (H.184).
- Family THYASIRIDAE*
- GENAXINUS Iredale, 1930, Rec. Aust. Mus., 17, p. 363. O.T. *albigena* Hedley.
282. *albigena* Hedley, 1907, Rec. Aust. Mus., 6, p. 363, pl. 66, figs. 4-5. Off Sydney, N.S.W., 500 fm. (H.185).
- PARATHYASIRA Iredale, 1930, Rec. Aust. Mus., 17, p. 392. O.T. *resupina* Iredale.
283. *resupina* Iredale, 1930, Rec. Aust. Mus., 17, p. 392, pl. 63, fig. 5. Off Port Kembla, N.S.W., 63-75 fm. (H.186).
- PROTHYASIRA Iredale, 1930, Rec. Aust. Mus., 17, p. 393. O.T. *peroniana* Iredale.
284. *peroniana* Iredale, 1930, Rec. Aust. Mus., 17, p. 393, pl. 63, fig. 8. Off Port Kembla, N.S.W., 63-75 fm.
285. *benthicola* Iredale, 1930, Rec. Aust. Mus., 17, p. 394. Off Green Cape, N.S.W., 470 fm. Not figured. Cf. *adelaideana* Iredale, 1930, ibid., p. 394, pl. 63, figs. 6, 7.
- Family "LEPTONIDAE"*
- [Ref.:—Laseron, 1956, Rec. Aust. Mus., 24, pp. 7-21.]
- Subfamily MARIKELLIINAE*
- MARIKELLIA Iredale, 1936, Rec. Aust. Mus., 19, p. 274. O.T. *solida* Angas.
286. *rotunda* Deshayes, 1856, Proc. Zool. Soc. Lond., 1855, p. 181. Moreton Bay, Queensland. Laseron, 1956, loc. cit., p. 8, figs. 1 a, b, c (H.196).
287. *tumida* Laseron, 1956, Rec. Aust. Mus., 24, p. 8, figs. 4 a, b, c. Shark Is., Port Jackson, N.S.W.
288. *jacksoniana* Smith, 1884, Rep. Zool. Coll. Alert, p. 105, pl. 7, figs. F, FI. Port Jackson, N.S.W. Laseron, 1956, loc. cit., p. 8, figs. 2 a, b, c (H.194).
289. *solida* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 176, pl. 25, fig. 25. Port Jackson, N.S.W. Laseron, 1956, loc. cit., p. 8, figs. 3 a, b, c (H.195).
290. *adamsi* Angas, 1868, Proc. Zool. Soc. Lond., 1867, p. 910, pl. 44, fig. 11. Port Jackson, N.S.W. Laseron, 1956, loc. cit., p. 9, figs. 5 a, b, c (H.193).
- FRONSELLA Laseron, 1956, Rec. Aust. Mus., 24, p. 9. O.T. *adipata* Laseron.
291. *adipata* Laseron, 1956, Rec. Aust. Mus., 24, p. 9, figs. 6 a, b. Port Hacking, N.S.W.
292. *reversa* Laseron, 1956, Rec. Aust. Mus., 24, p. 9, fig. 7 a. North Harbour, Port Jackson, N.S.W.
- PARVIKELLIA Laseron, 1956, Rec. Aust. Mus., 24, p. 9. O.T. *isolata* Laseron.
293. *isolata* Laseron, 1956, Rec. Aust. Mus., 24, p. 11, fig. 8a. Burrill Lake, south N.S.W.
294. *depressa* Laseron, 1956, Rec. Aust. Mus., 24, p. 11, fig. 9, 9 a. Jervis Bay, N.S.W., 5 fm.
- PILEATONA Laseron, 1956, Rec. Aust. Mus., 24, p. 11. O.T. *compressa* Laseron.
295. *compressa* Laseron, 1956, Rec. Aust. Mus., 24, p. 11, figs. 10, 10 a. Off Twofold Bay, N.S.W. 40 fm.
- NOTOLEPTON Finlay, 1927, Trans. New Zeal. Inst., 57, p. 463. O.T. *antipoda* Filhol.
296. *novacambricum* Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 701, pl. 79, figs. 29-32. Off Narrabeen, N.S.W., 22 miles, 80 fm. Laseron, 1953, Rec. Aust. Mus., 23, p. 49, figs. 21 a, b (H.192).
- Subfamily LASAEINAE*
- LASAEA Brown, 1827, III. Conch. Gt. Brit., Expl. to pl. 20, fig. 18. H.T. *rubra* Montagu. (*Kellia* was used by Laseron, p. 15 through an error.)
297. *australis* Lamarck, 1818, Hist. Anim. s. Vert., 5, p. 560a.* Tasmania. Hedley, 1916, Moll. Aust. Antarct. Exped., p. 33, pl. 4, figs. 45-46 (H.203).
* The page numbers 551-560 in Lamarck's *Histoire Naturelle* are used twice in succession; *Cyclas australis* is described on the first page 560, referred to here as 560a.
298. *scalaris* Philippi, 1847, Zeitschr. fur Malak. (Menke), 1847, p. 72. Western Australia. Laseron, 1956, loc. cit., p. 15, figs. 19 a, b (*australis*, not of Lamarck, 1818) (Port Jackson, N.S.W.) (H.203).

CORIAREUS Hedley, 1907, Rec. Aust. Mus., 6, p. 301.
O.T. *vitreus* Hedley.

299. *vitreus* Hedley, 1907, Rec. Aust. Mus., 6, p. 301, pl. 56, figs. 28, 30. Off Narrabeen, N.S.W., 80 fm. Laseron, 1956, loc. cit., p. 12, figs. 11 a, b (H.204).

300. *jervisensis* Laseron, 1956, Rec. Aust. Mus., 24, p. 12, fig. 12 a. Jervis Bay, N.S.W., 15 fm. (H.205).

Subfamily MELLITERYCINAE

MELLITERYX Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, pp. 182, 207. O.T. *acupuncta* Hedley.

301. *acupuncta* Hedley, 1902, Mem. Aust. Mus., 4, p. 321, fig. 60. Off Cape Three Points, N.S.W., 41-50 fm. Laseron, 1956, loc. cit., p. 13, figs. 15 a, b, c (H.187).

302. *helmsi* Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 701, pl. 80, figs. 37-39. Dee Why Lagoon, near Sydney, N.S.W. Laseron, 1956, loc. cit., p. 13, figs. 16 a, b (Estuarine species, probably not congeneric) (H.188).

VERMITEXTA Laseron, 1956, Rec. Aust. Mus., 24, p. 13. O.T. *garrardi* Laseron.

303. *garrardi* Laseron, 1956, Rec. Aust. Mus., 24, p. 15, figs. 17 a, b, c. Twofold Bay, N.S.W.

CICATELLIA Laseron, 1956, Rec. Aust. Mus., 24, p. 15. O.T. *indentata* Laseron.

304. *indentata* Laseron, 1956, Rec. Aust. Mus., 24, p. 15, figs. 18, 18 a. Port Stephens, N.S.W.

Subfamily MYSELLINAE

MYSELLA Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 176. H.T. *anomala* Angas.

305. *anomala* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 176, pl. 26, fig. 22. Shark Is., Port Jackson, N.S.W. Laseron, 1956, loc. cit., p. 18, figs. 23 a, b (H.198).

306. *vitreata* Laseron, 1956, Rec. Aust. Mus., 24, p. 18, figs. 24 a, b. North Harbour, Port Jackson, N.S.W. (H.200).

307. *lactea* Hedley, 1902, Mem. Aust. Mus., 4, p. 320, fig. 59. Off Port Kembla, N.S.W., 63-75 fm. Laseron, 1956, loc. cit., p. 18, figs. 25 a, b (H.201).

308. *cretacea* Laseron, 1956, Rec. Aust. Mus., 24, p. 19, figs. 27 a, b. Crookhaven, south of Sydney, N.S.W.

VIRMYSELLA Iredale, 1930, Rec. Aust. Mus., 17, p. 394. O.T. *spernax* Iredale.

309. *spernax* Iredale, 1930, Rec. Aust. Mus., 17, p. 394, pl. 64, figs. 10-12. Manly, N.S.W. Laseron, 1956, loc. cit., p. 19, figs. 26 a, b (H.198).

The determination of the next species is in doubt:

310. *Lepton concentrica* Gould. Laseron, 1956, loc. cit., p. 19. Cf. Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 700, pl. 77, fig. 1 (H.199).

Family BORNIOLIDAE

BORNIOLA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, pp. 182, 207. O.T. *leptida* Hedley.

311. *leptida* Hedley, 1906, Proc. Linn. Soc. N.S.W., 30, p. 543, pl. 32, figs. 22, 23. Manly Beach, N.S.W. Laseron, 1956, loc. cit., p. 16, figs. 20 a, b (H.190).

312. *radiata* Hedley, 1905, Rec. Aust. Mus., 6, p. 48, fig. 12. East of Cape Byron, N.S.W., 111 fm. Laseron, 1956, loc. cit., p. 16, figs. 22 a, b (H.191).

BYSSOBORNIA Iredale, 1936, Rec. Aust. Mus., 19, p. 274. O.T. *filosa* Hedley.

313. *filosa* Hedley, 1902, Proc. Linn. Soc. N.S.W., 27, p. 7, pl. 2, figs. 15-17. Middle Harbour, Port Jackson, N.S.W. Laseron, 1956, loc. cit., p. 16, fig. 21 a (H.189).

Family MYLLITIDAE

MYLLITA Orbigny and Recluz, 1850, J. de Conch., 1, p. 288. H.T. *deshayesii* Orbigny and Recluz.

314. *tasmanica* Tenison-Woods, 1876, Proc. Roy. Soc. Tasm., 1875, p. 162. Tasmania. Tate, 1887, Trans. Roy. Soc. South Aust., 9, p. 98, pl. 5, fig. 12. Laseron, 1956, loc. cit., p. 12, figs. 13 a, b (Pt. Stephens, N.S.W.) (H.206).

315. *calva* Laseron, 1956, Rec. Aust. Mus., 24, p. 12, figs. 14, 14 a. Pt. Stephens, N.S.W. (*Myllitta errore*).

Family CYAMIOACTRIDAE

[Ref.:—Laseron, 1953, Rec. Aust. Mus., 23, p. 44 et seq. figs.]

CYAMIOACTRA Bernard, 1897, Bull. Mus. Hist. Nat. Paris, p. 311. O.T. *problematica* Bernard.

316. *balaustina* Gould, 1861, Proc. Bost. Soc. Nat. Hist., 8, p. 33. Sydney, N.S.W. Type figured, Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 699, pl. 27, figs. 2-3 (= *nitida* Hedley, 1908, id. ib. 33, p. 477, pl. 9, figs. 19-20. Off Wreck Bay, N.S.W., 20 fm.). Laseron, 1953, loc. cit., p. 46, figs. 31, 31 a (H.207).

317. *communis* Hedley, 1906, Proc. Linn. Soc. N.S.W., 30, p. 541, pl. 31, figs. 11-13. Manly, N.S.W. Laseron, 1953, loc. cit., p. 45, figs. 28 a, b (H.208).

318. *mactroides* Tate and May, 1900, Trans. Roy. Soc. South Aust., 24, p. 102. Tasmania. Hedley, 1906, Proc. Linn. Soc. N.S.W., 30, p. 541, pl. 31, figs. 9-10. Laseron, 1953, loc. cit., p. 45, figs. 27 a, b (Port Jackson, N.S.W.) (H.209).

319. *symmetrica* Laseron, 1953, Rec. Aust. Mus., 23, p. 45, figs. 29 a, b. Off Sydney, N.S.W., 30-35 fm.

320. *distorta* Laseron, 1953, Rec. Aust. Mus., 23, p. 45, figs. 30 a, b. Port Stephens, N.S.W.

321. *carina* Laseron, 1953, Rec. Aust. Mus., 23, p. 46, figs. 26 a, b. Manly, N.S.W.

CALVITIUM Laseron, 1953, Rec. Aust. Mus., 23, p. 46. O.T. *glabrum* Laseron.

322. *glabrum* Laseron, 1953, Rec. Aust. Mus., 23, p. 46, figs. 32 a, b. Port Hacking, N.S.W.

Family MICROPOLIIDAE

MICROPOLIA Laseron, 1953, Rec. Aust. Mus., 23, p. 48. O.T. *typica* Laseron.

323. *typica* Laseron, 1953, Rec. Aust. Mus., 23, p. 48, figs. 33 a, b. Off Crookhaven, N.S.W., 30-35 fm.

324. *jacksonensis* Laseron, 1953, Rec. Aust. Mus., 23, p. 48, figs. 34 a, b. Port Jackson, N.S.W.

325. *depressa* Laseron, 1953, Rec. Aust. Mus., 23, p. 48, figs. 35 a, b. Port Jackson, N.S.W.

326. *ovalis* Laseron, 1953, Rec. Aust. Mus., 23, p. 49, figs. 36 a, b. Off Crookhaven, N.S.W., 30-35 fm.

327. *concentrica* Laseron, 1953, Rec. Aust. Mus., 23, p. 49, figs. 37 a, b. Port Jackson, N.S.W.

328. *profundis* Laseron, 1953, Rec. Aust. Mus., 23, p. 49, figs. 38 a, b. Off Crookhaven, N.S.W., 30-35 fm.

Family SCINTILLIDAE

VAROTOGA Iredale, 1931, Rec. Aust. Mus., 18, p. 206. O.T. *cryptozoica* Hedley.

329. *cryptozoica* Hedley, 1917, Proc. Linn. Soc. N.S.W., 41, p. 684, pl. 51, fig. 40, and pl. 46, fig. 1. Port Jackson, N.S.W. (H.210).

LACTEMILES Iredale, 1931, Rec. Aust. Mus., 18, p. 206. O.T. *strangei* Deshayes.

330. *strangei* Deshayes, 1856, Proc. Zool. Soc. Lond., 1855, p. 181. Moreton Bay, Queensland. Hedley, 1913, Proc. Linn. Soc. N.S.W., 38, p. 268, pl. 16, figs. 17-19 (H.211).

AMBUSCINTILLA Iredale, 1936, Rec. Aust. Mus., 19, p. 275. O.T. *praemium* Iredale.

331. *praemium* Iredale, 1936, Rec. Aust. Mus., 19, p. 275, pl. 21, fig. 4. Port Jackson, N.S.W.

Family HEMIDONACIDAE

HEMIDONAX Mörch, 1871, Malak. Blatt., 17, p. 121. H.T. *pictus* Tryon.

332. *pictus* Tryon, 1870, Amer. J. Conch., 6, p. 23, pl. 1, fig. 1. Moreton Bay, Queensland. Allan, 1950, Aust. Shells, p. 319, col. pl. 34, fig. 10 (*australicense*, not of Reeve, 1844) (H.153).

333. *dactylus* Hedley, 1923, Proc. Linn. Soc. N.S.W., 48, p. 303, pl. 31, fig. 13. Kiama, N.S.W.

334. *chapmani* Gatliff and Gabriel, 1923, Vict. Naturalist, 40, p. 10, pl. 2. San Remo, Victoria.

Family CARDIIDAE

PRATULUM Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, pp. 182, 207. O.T. *thetidis* Hedley.

335. *thetidis* Hedley, 1902, Mem. Aust. Mus., 4, p. 322. Off Port Kembla, N.S.W., 63-75 fm. May,

1923, Illus. Index Tasm. Shells, pl. 9, fig. 14 (*pulchella*, not of Gray, 1843) (H.217).

336. *probatum* Iredale, 1927, Aust. Zool., 4, p. 333, pl. 46, fig. 8. Trial Bay, N.S.W. (H.212).

VEPRICARDIUM Iredale, 1929, Aust. Zool., 5, p. 338. O.T. *pulchricostatum* Iredale.

337. *pulchricostatum* Iredale, 1929, Aust. Zool., 5, p. 338, pl. 37, figs. 4, 5. Sydney Harbour, N.S.W. (H.216).

REGOZARA Iredale, 1936, Rec. Aust. Mus., 19, p. 275. O.T. *olivifer* Iredale.

338. *olivifer* Iredale, 1936, Rec. Aust. Mus., 19, p. 275. Sydney Harbour, N.S.W. Reeve, 1845, Conch. Icon., 2, *Cardium*, pl. 14, fig. 68 (H.214).

339. *foveolatum* Sowerby, 1840, Conch. Illust., *Cardium*, Cat., p. 3, no. 44, fig. 65. Swan River, W.A. (= *cognatum* Deshayes, 1855, Proc. Zool. Soc. Lond., 1854, p. 331. Swan River, Western Aust.). Hedley, 1917, Proc. Linn. Soc. N.S.W., 41, p. 686, pl. 52, fig. 41 (Montagu I., N.S.W.) (H.213).

340. *racketti* Donovan, 1825, Nat. Repository, 4, pl. 124. New South Wales. Reeve, 1845, Conch. Icon., 2, *Cardium*, pl. 18, figs. 89, 92 (H.218).

341. *oxygonum* Sowerby, 1840, Conch. Illust., *Cardium*, Cat. p. 4, no. 50, fig. 9. China. Hedley, 1923, Proc. Linn. Soc. N.S.W., 48, p. 304 (Trial Bay and Middle Harbour, N.S.W.).

342. *setosum* Redfield, 1846, Ann. New York Lyceum, 4, p. 168, pl. 11, fig. 1. China Seas. Smith, 1885, Rep. Sci. Res. Challenger, Zool., 13, p. 158 (H.219).

Family DOSINIIDAE

DOSINIA Scopoli, 1777, Intr. Hist. Nat., p. 399. L.T. (Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 183), *africana* Hanley.

343. *circinaria* Deshayes, 1853, Cat. Conch. Brit. Mus., p. 9. Sydney, N.S.W. Smith, 1885, Rep. Sci. Res. Challenger, Zool., 13, p. 150, pl. 1, fig. 2 (H.220).

344. *crocea* Deshayes, 1853, Cat. Conch. Brit. Mus., p. 8. Bass Strait. Roemer, 1862, Monog., *Venus*, p. 71, pl. 13, fig. 4 (H.221).

345. *caerulea* Reeve, 1850, Conch. Icon., 6, *Artemis*, pl. 4, fig. 25. Tasmania.

346. *victoriae* Gatliff and Gabriel, 1914, Proc. Roy. Soc. Vict., 27, (n.s.), p. 96, pl. 16, figs. 17-19. Western Port, Victoria, 5-10 fm.

FALLARTEMIS Iredale, 1930, Mem. Queensland Mus., 10, p. 75. O.T. *amina* Iredale.

347. *sculpta* Hanley, 1845, Proc. Zool. Soc. Lond., 1845, p. 12. Australia. Reeve, 1850, Conch. Icon., 6, *Artemis*, pl. 9, fig. 52. Sydney, N.S.W. (H.224).

MERIDOSINIA Iredale, 1930, Rec. Aust. Mus., 17 p. 394. O.T. *nedigna* Iredale.

348. *nedigna* Iredale, 1930, Rec. Aust. Mus., 17, p. 394, pl. 64, figs. 4-5. Port Hacking, N.S.W.

349. *puella* Angas, 1868, Proc. Zool. Soc. Lond., 1867, p. 909, pl. 44, fig. 4. Botany Bay, N.S.W. (H.222).

Family SUNETTIDAE

SUNEMEROE Iredale, 1930, Rec. Aust. Mus., 17, p. 395. O.T. *adelinae* Angas.

350. *adelinae* Angas, 1868, Proc. Zool. Soc. Lond., 1867, p. 909, pl. 54, fig. 5. Port Jackson, N.S.W. (Locality possibly incorrect). Cf. Fischer-Piette and Fischer, 1939, J. de Conch., 83, p. 192 (H.225).

Family CIRCIDAE

CIRCE Schumacher, 1817, Essai Nouv. Syst. Test., p. 152. H.T. *scripta* Linne.

351. *sugillata* Reeve, 1863, Conch. Icon., 14, *Circe*, pl. 3, fig. 11. Sydney, N.S.W. (H.227).

REDICIRCE Iredale, 1936, Rec. Aust. Mus., 19, p. 276. O.T. *mistura* Iredale.

352. *mistura* Iredale, 1936, Rec. Aust. Mus., 19, p. 276, pl. 21, fig. 3. Sydney, N.S.W.

353. *consola* Iredale, 1936, Rec. Aust. Mus., 19, p. 276, pl. 21, fig. 5. Newcastle, N.S.W., 45-55 fm.

FLUCTIGER Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 209. O.T. *royanus* Iredale.

354. *royanus* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 209, pl. 33, figs. 7-8. Twofold Bay, N.S.W.

GOULDIOPA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 209. O.T. *australis* Angas.

355. *australis* Angas, 1865, Proc. Zool. Soc. Lond., 1865, p. 459. Port Jackson, N.S.W., 5 fm. (= *angasi* Smith, 1885, Rep. Sci. Res. Challenger, Zool., 13, p. 148, pl. 2, fig. 4) (H.226).

Family LIOCONCHIDAE

NOTOCALLISTA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, pp. 182, 210. O.T. *kingii* Gray.

356. *laevigata* Sowerby, 1853, Thes. Conch., 2, p. 738, pl. 159, figs. 156-158. Moreton Bay, Queensland.

357. *kingii* Gray, 1826, Survey Coasts Austral. (King), 2, p. 476 ("1827" error). Tasmania. Reeve, 1863, Conch. Icon., 14, *Dione*, pl. 9, fig. 36 (H.229).

STRIACALLISTA Marwick, 1938, Trans. Proc. Roy. Soc. New Zeal., 68, p. 68. O.T. *multistriata* Sowerby.

358. *diemenensis* Hanley, 1844, Proc. Zool. Soc. Lond., 1844, p. 110. Tasmania. Marwick, 1938, Trans. Roy. Soc. New Zeal., 68, p. 70, pl. 12, figs. 6-8.

359. *disrupta* Sowerby, 1853, Thes. Conch., 2, p. 743, pl. 163, figs. 208-209. Moreton Bay, Queensland (H.228).

EUMARCIA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 211. O.T. *fumigata* Sowerby.

360. *fumigata* Sowerby, 1853, Thes. Conch., 2, p. 737, pl. 159, figs. 152-155. Sydney, N.S.W. (H.247).

GRANICORIUM Hedley, 1906, Proc. Linn. Soc. N.S.W., 31, p. 477. O.T. *indutum* Hedley.

361. *attonitum* Iredale, 1936, Rec. Aust. Mus., 23, p. 278, pl. 20, fig. 17. Off Sydney, N.S.W., 50-80 fm. PITARINA Jukes Browne, 1913, Proc. Malacol. Soc. Lond., 10, p. 339. O.T. *citrina* Lamarck.

362. *sophiae* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 176, pl. 26, fig. 23. Botany Bay, N.S.W. (H.230).

363. *osmunda* Iredale, 1936, Rec. Aust. Mus., 19, p. 277, pl. 20, figs. 9, 9 a. Sydney, N.S.W.

Family VENERIDAE

TIGAMMONA Iredale, 1930, Rec. Aust. Mus., 17, p. 396. O.T. *persimilis* Iredale.

364. *chemnitzii* Hanley, 1845, Proc. Zool. Soc. Lond., 1844, p. 160. Philippines. Reeve, 1863, Conch. Icon., 14, *Venus*, pl. 10, fig. 32 (H.231).

365. *persimilis* Iredale, 1930, Rec. Aust. Mus., 17, p. 396, pl. 62, figs. 1-2. Manly Beach, N.S.W.

PROXICHIONE Iredale, 1929, Aust. Zool., 5, p. 339. O.T. *materna* Iredale.

366. *materna* Iredale, 1929, Austr. Zool., 5, p. 339, pl. 37, figs. 2-3. Sydney Harbour, N.S.W. (H.232).

ANTIGONA Schumacher, 1817, Essai nouv. Syst. Test. H.T. *lamellaris* Schumacher.

367. *lamellaris moderata* Iredale, 1930, Rec. Aust. Mus., 17, p. 395. Sydney Harbour, N.S.W. Not figured. Cf. *lamellaris* Schumacher, Allan, 1950, Aust. Shells, p. 329, pl. 41, fig. 12 (H.233).

TAWERA Marwick, 1927, Trans. New Zeal. Inst., 57, pp. 597, 613. O.T. *spissa* Deshayes.

368. *gallinula* Lamarck, 1818, Hist. Anim. s. Vert., 5, p. 592. King I., Bass Strait. Delessert, 1841, Rec. Coq. Lam., pl. 10, fig. 1. Cotton and Godfrey, 1938, Moll. South Aust., pt. 1, Pelecypoda, p. 240, text fig. 266 (not 265) (H.234).

369. *lagopus* Lamarck, 1818, Hist. Anim. s. Vert., 5, p. 591. King George's Sound, Western Australia. Cotton and Godfrey, 1938, Moll. South Aust., pt. 1, Pelecypoda, p. 240, text fig. 265 (not 266) (H.235).

KATELYSIA Roemer, 1857, Krit. Unters. Vener., p. 17. L.T. (Dall, 1902, Proc. U.S. Nat. Mus., 26, p. 360) *scalarina* Lamarck.

370. *enigma* Iredale, 1936, Rec. Aust. Mus., 19, p. 278, pl. 20, fig. 13. Manly, N.S.W.

371. *scalarina* Lamarck, 1818, Hist. Anim. s. Vert., 5, p. 599. King George's Sound, West Aust. Delessert, 1841, Rec. Coq. Lam., pl. 10, fig. 12. (H.248).

GLYCYDONTA Cotton, 1936, Rec. South Aust. Mus., 5, p. 502. O.T. *marica* Linne.

372. *marica* Linne, 1758, Syst. Nat., 10 ed., p. 685. East Indies. Reeve, 1863, Conch. Icon., 14, *Venus*, pl. 22, fig. 104 a (H.236).

VEREMOLPA Iredale, 1930, Rec. Aust. Mus., 17, p. 397. O.T. *ethica* Iredale.

373. *ethica* Iredale, 1930, Rec. Aust. Mus., 17, p. 397, pl. 62, figs. 3-4. Port Stephens, N.S.W. (H.237).

CHIONERYX Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 210. H.T. *cardioides* Lamarck.

374. *cardioides* Lamarck, 1818, Hist. Anim. s. Vert., 5, p. 486. King George's Sound, W.A. (= *striatissima* Sowerby, 1853, Thes. Conch., 2, p. 718, pl. 157, figs. 103-105) (H.238).

PLACAMEN Iredale, 1925, Rec. Aust. Mus., 14, pp. 248, 255. O.T. *placidum* Philippi.

375. *placidum molimen* Iredale, 1925, Rec. Aust. Mus., 14, p. 256. Twofold Bay, N.S.W. Not figured. Cf. *placidum* Philippi, 1844, Abbild. Beschr. Conchyl., 1, p. 128, *Venus*, p. 6, pl. 2, fig. 2 (H.239).

376. *sidneyense* Menke, 1858, Zeit. Malak. (Menke), 1858, p. 15. Port Jackson, N.S.W. New name for *Venus dysera* Sowerby, 1853, Thes. Conch., 2, p. 723, pl. 157, fig. 119 (not *Venus dysera* Linne, 1758) (H.240).

CALLANAITIS Iredale, 1917, Proc. Malacol. Soc., 12, pp. 322, 329. O.T. *Venus yatei* Gray.

377. *disjecta* Perry, 1811, Conchology, pl. 58, fig. 3. Tasmania (H.241).

BASSINA Jukes Browne, 1914, Proc. Malacol. Soc., 11, p. 81. O.T. *pachyphylla* Jonas.

378. *pachyphylla* Jonas, 1838, Arch. fur Nat. (Wiegmann), 5, (1), p. 344, pl. 9, figs. 6-7. Western Australia (H.243).

379. *jacksoni* Smith, 1885, Rep. Sci. Res. Challenger, Zool., 13, p. 123, pl. 3, fig. 2. Port Jackson, N.S.W., 4-18 fm. (H.242).

GOMPHINA Moerch, 1853, Cat. Conch. Yoldi., 2, p. 19. H.T. *undulosa* Lamarck.

380. *fulgida* Hedley, 1918, J. Proc. Roy. Soc. N.S.W., 51, Suppl., M. 24. N.S.W. Sowerby, 1853, Thes. Conch., 5, pl. 158, fig. 145 (*undulosa*, not of Lamarck, 1818) (H.244).

CLEMENTIA Gray 1847, Proc. Zool. Soc. Lond., 1847, p. 184. O.T. *papyracea* Gray.

381. *strangei* Deshayes, 1854, Proc. Zool. Soc. Lond., 1853, p. 17. Moreton Bay, south Queensland. Allan, 1950, Aust. Shells, p. 331, pl. 37, fig. 11 (H.245).

382. *moretonensis* Deshayes, 1854, Proc. Zool. Soc. Lond., 1853, p. 18. Moreton Bay, south Queensland. Allan, 1950, Aust. Shells, p. 338, text fig. 78 (H.246).

Family PAPHIIDAE

ACRITOPAPHIA Iredale, 1936, Rec. Aust. Mus., 19, p. 280. O.T. *transfusa* Iredale.

383. *transfusa* Iredale, 1936, Rec. Aust. Mus., 19, p. 280, pl. 20, fig. 12. Sydney, N.S.W. (H.249).

PARATAPES Stoliczka, 1871, Cret. Pal. India, p. 144. H.T. *textile* Gmelin.

384. *scordalus* Iredale, 1936, Rec. Aust. Mus., 19, p. 279, pl. 20, fig. 11. Sydney, N.S.W. (H.251).

PAPHIA Bolten-Roding, 1798, Mus. Bolten, pt. 2, p. 175. L.T. (Dall, 1902, Proc. U.S. Nat. Mus., 26, p. 362) *alatapapilionis* Bolten-Roding.

385. *semirugata* Philippi, 1847, Zeit. Malak. (Menke), 4, p. 88. No loc. Philippi, 1848, Abbild. Beschr. Conchyl., 3, p. 76, *Venus*, p. 24, pl. 7, fig. 4. Allan, 1950, Aust. Shells, p. 334, col. pl. 39, fig. 11 (H.250).

TAPES Megerle-Muhlfeldt, 1811, Ges. Nat. Freund. Mag. Berlin, 5, p. 51. H.T. *literatus* Linne.

386. *wattingi* Iredale, 1958, Proc. Roy. Zool. Soc. N.S.W., 1956-7, p. 104. Port Hacking, N.S.W. Aust. Mus. Mag., 1925, 2, p. 287, fig. in text. Allan, 1950, Aust. Shells, p. 333, pl. 37, fig. 5 (*turgida*, not of Lamarck, 1822) (H.252).

387. *fabagella* Deshayes, 1853, Cat. Conch. Brit. Mus., p. 182. New Zealand. Reeve, 1864, Conch. Icon., 14, *Tapes*, pl. 13, fig. 66. Allan, 1950, Aust. Shells, p. 335, text fig. 78, fig. 3 (H.254).

388. *iridescent* Tate, 1889, Trans. Roy. Soc. South Aust., 2, p. 61, pl. 2, fig. 10. Kangaroo Island, South Australia. Kerslake, 1957, Proc. Roy. Zool. Soc. N.S.W., 1955-6, p. 112.

389. *galactites* Lamarck, 1818, Hist. Anim. s. Vert., 5, p. 599. King George's Sound, south-west Australia. Cotton and Godfrey, 1938, Moll. South Aust., pt. 1, Pelecypoda, p. 248, fig. 275, on p. 246 (H.255).

Family IRIDAE

NOTIRUS Finlay, 1928, Trans. New Zeal. Inst., 59, p. 278. O.T. *reflexus* Gray.

390. *crenatus* Lamarck, 1818, Hist. Anim. s. Vert., 5, p. 508. New Holland. Delessert, 1841, Rec. Coq. Lam., pl. 5, fig. 2. Allan, 1950, Aust. Shells, p. 335, text fig. 3, on p. 333 (H.253).

CLAUDICONCHA Fischer, 1887, Man. de Conchyl., p. 1087. H.T. *monstrosa* Dillwyn.

391. *cumingii* Sowerby, 1854, Thes. Conch., 2, p. 768, pl. 164, fig. 12. No loc. = South Australia (H.256).

VELARGILLA Iredale, 1931, Rec. Aust. Mus., 18, p. 207. O.T. *rubiginosa* A. Adams and Angas.

392. *rubiginosa* A. Adams and Angas, 1864, Proc. Zool. Soc. Lond., 1863, p. 425, pl. 37, fig. 17. Port Jackson, N.S.W. (H.257).

Family GLAUCONOMIDAE

- GLAUCONOMETTA Iredale, 1936, Rec. Aust. Mus., 19, p. 281. O.T. *plankta* Iredale.
393. *plankta* Iredale, 1936, Rec. Aust. Mus., 19, p. 281, pl. 20, fig. 6. Sydney, N.S.W. (H.258).

Family TELLINIDAE

- TELLINOTA Iredale, 1936, Rec. Aust. Mus., 19, p. 281. O.T. *roseola* Iredale.

394. *roseola* Iredale, 1936, Rec. Aust. Mus., 19, p. 281, pl. 20, fig. 18. Byron Bay, N.S.W. (H.259).

- PHARAONELLA Lamy, 1918, Bull. Mus. Hist. Nat. (Paris), 24, p. 31. T.T. *pharaonis* Hanley.

395. *astula* Hedley, 1917, Proc. Linn. Soc. N.S.W., 41, p. 691, pl. 52, figs. 42-43. Port Jackson, N.S.W. (H.260).

396. *beryllina* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 211. New name for *Tellina inaequivalvis* Sowerby, 1867, Conch. Icon. (Reeve), 17, *Tellina*, pl. 26, fig. 139 (not *T. inaequivalvis* Linne). Moreton Bay, Queensland (H.262).

- SEMELANGULUS Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 212. O.T. *tenuilirata* Sowerby.

397. *tenuiliratus* Sowerby, 1867, Conch. Icon. (Reeve), 17, *Tellina*, pl. 39, fig. 219. Port Jackson, N.S.W. (= *semitorta* Sowerby, 1867, Conch. Icon. (Reeve), 17, *Tellina*, pl. 39, fig. 221. Port Jackson, N.S.W.) (H.263, 264).

398. *unifasciatus* Sowerby, 1867, Conch. Icon. (Reeve), 17, *Tellina*, pl. 29, fig. 156. Port Jackson, N.S.W. (H.265).

399. *brazieri* Sowerby, 1867, Conch. Icon. (Reeve), 17, *Tellina*, pl. 55, fig. 323. Port Jackson, N.S.W. (H.261).

400. *lilium* Hanley, 1844, Proc. Zool. Soc. Lond., 1844, p. 147. Philippine Isles. Sowerby, 1846, Thes. Conch., 1, p. 308, pl. 58, fig. 35. Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 919 (Lane Cove, Port Jackson, N.S.W.) (H.267).

401. *subdilutus* Tate, 1887, Trans. Roy. Soc. South Aust., 9, p. 65, pl. 4, fig. 9. Encounter Bay, South Australia. Cotton and Godfrey, 1938, Moll. South Aust., pt. 1, Pelecypoda, p. 255, fig. 287. (Not Allan, 1950, Aust. Shells, p. 338, text fig. 79, fig. 7, which is *vincentiana* Tate) (H.263).

- QUADRANS Bertin, 1878, Nouv. Arch. Mus. Paris, (2), 1, pp. 229, 265. O.T. *gargadina* Linne.

402. *parvitas* Iredale, 1931, Rec. Aust. Mus., 18, p. 207, pl. 22, figs. 10-12. Sydney, N.S.W.

- OBTELLINA Iredale, 1929, Mem. Queensland Mus., 9, p. 266. O.T. *bougei* Sowerby.

403. *bougei* Sowerby, 1909, Proc. Malacol. Soc., 8, p. 200, fig. in text. Ile Monac, New Caledonia.

- PRISTIPAGIA Iredale, 1936, Rec. Aust. Mus., 19, p. 281. O.T. *gemonia* Iredale.

404. *gemonia* Iredale, 1936, Rec. Aust. Mus., 19, p. 281, pl. 21, fig. 6. Sydney, N.S.W. (H.272).

- PUNIPAGIA Iredale, 1930, Rec. Aust. Mus., 17, p. 398. O.T. *subelliptica* Sowerby (= *hypelliptica* Salisbury).

405. *hypelliptica* Salisbury, 1934, Proc. Malacol. Soc., 21, p. 89. New name for *Tellina subelliptica* Sowerby, 1867, Conch. Icon. (Reeve), 17, *Tellina*, pl. 39, fig. 220. Port Jackson, N.S.W., 3 fm. (not *T. subelliptica* Meek and Hayden, 1864) (H.273).

- PSEUDARCOPAGIA Bertin, 1879, Nouv. Arch. Mus. Paris, (2), 1, pp. 229, 264. L.T. (Martens, 1881, Zool. Record, 1879, Moll. p. 95) *decssussata* Lamarck (= *victoriae* Gatliff and Gabriel).

406. *botanica* Hedley, 1918, J. Proc. Roy. Soc. N.S.W., 51, suppl. M. 27. Port Jackson, N.S.W. Hedley, 1923, Proc. Linn. Soc. N.S.W., 48, p. 305, pl. 31, figs. 17, 19 (H.274).

- MACOMONA Finlay, 1927, Trans. New Zeal. Inst., 57, p. 466. O.T. *liliana* Iredale.

407. *tristis* Deshayes, 1855, Proc. Zool. Soc. Lond., 1854, p. 361. Sowerby, 1846, Thes. Conch., 1, pl. 64, fig. 299 (*deltoidalis*, not of Lamarck, 1818) (H.269).

408. *semifossilis* Sowerby, 1867, Conch. Icon. (Reeve), 17, *Tellina*, pl. 41, fig. 237. Port Jackson, N.S.W. (H.270).

409. *semiplana* Sowerby, 1867, Conch. Icon. (Reeve), 17, *Tellina*, pl. 39, fig. 222. New South Wales (H.271).

410. *tortuosa* Sowerby, 1867, Conch. Icon. (Reeve), 17, *Tellina*, pl. 39, fig. 224. Port Jackson, N.S.W. (H.268).

- PINGUIMACOMA Iredale, 1936, Rec. Aust. Mus., 19, p. 282. O.T. *hemicilla* Iredale.

411. *hemicilla* Iredale, 1936, Rec. Aust. Mus., 19, p. 282, pl. 21, fig. 7. Sydney, N.S.W.

Family STRIGILLIDAE

- AERETICA Dall, 1900, Trans. Wagner Free Inst., 3, p. 1038. O.T. *senegalensis* Hanley.

412. *euronia* Hedley, 1908, Proc. Linn. Soc. N.S.W., 33, p. 473, pl. 9, figs. 22-23. Moreton I., south Queensland (H.266).

Family SEMELIDAE

- THEORA H. and A. Adams, 1856, Gen. Rec. Moll., 2, p. 369. L.T. (Stoliczka, 1871, Cret. Pal. Indica, 3, p. xvii) *lata* Hinds.

413. *fragilis* A. Adams, 1856, Proc. Zool. Soc. Lond., 1855, p. 226. Moreton Bay, Queensland. Hedley, 1902, Proc. Linn. Soc. N.S.W., 26, p. 706, pl. 34, figs. 4, 5, 6 (H.275).

414. *pura* Angas, 1871, Proc. Zool. Soc. Lond.,

1871, p. 20, pl. 1, fig. 30. Lane Cove, Port Jackson, N.S.W. (H.276).

ABRANDA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, pp. 182, 212. H.T. *rex* Iredale.

415. *rex* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, pp. 182, 212. New name for *Tellina elliptica* Sowerby, 1867, Conch. Icon. (Reeve), 17, *Tellina*, pl. 39, fig. 223 (not *T. elliptica* Brocchi, 1814, nor Lamarck, 1818). Sydney, N.S.W. Smith, 1884, Zool. Coll. Alert, p. 99, pl. 7, fig. C (H.277).

416. *simplex* Sowerby, 1867, Conch. Icon. (Reeve), 17, *Tellina*, pl. 41, fig. 240. Sydney, N.S.W. (H.278).

Family GARIIDAE

MILLIGARETTA Iredale, 1936, Rec. Aust. Mus., 19, p. 282. O.T. *venta* Iredale.

417. *venta* Iredale, 1936, Rec. Aust. Mus., 19, p. 282, pl. 21, fig. 8. Sydney, N.S.W. (H.280).

418. *menkeana* Deshayes, 1855, Proc. Zool. Soc. Lond., 1854, p. 319. Moreton Bay, Queensland. Reeve, 1857, Conch. Icon., 10, *Psammobia*, pl. 6, fig. 43 (H.279).

419. *modesta* Deshayes, 1855, Proc. Zool. Soc. Lond., 1854, p. 319. Moreton Bay, Queensland. Reeve, 1857, Conch. Icon., 10, *Psammobia*, pl. 1, fig. 3 (H.282).

420. *togata* Deshayes, 1855, Proc. Zool. Soc. Lond., 1854, p. 319. Philippine Is. Reeve, 1856, Conch. Icon., 10, *Psammobia*, pl. 2, fig. 14. Allan, 1950, Aust. Shells, p. 342, text fig. 80, p. 341, fig. 7 (H.283).

421. *livida* Lamarck, 1818, Hist. Anim. s. Vert., 5, p. 515. "West Australia" = Tasmania. Dautzenberg and Fischer, 1914, J. de Conch., 61, p. 224, pl. 7, figs. 4-6 (type figured) (H.281).

FLAVOMALA Iredale, 1936, Rec. Aust. Mus., 19, p. 283. O.T. *biradiata* Wood.

422. *biradiata* Wood, 1815, General Conch., p. 135, pl. 33, fig. 1. Western Australia (H.284).

FLORISARKA Iredale, 1936, Rec. Aust. Mus., 19, p. 283. O.T. *onuphria* Iredale.

423. *onuphria* Iredale, 1936, Rec. Aust. Mus., 19, p. 283, pl. 20, fig. 14. Manly, N.S.W. (H.285).

HETEROGLYPTA Martens, 1880, Beitr. Meeresf. Maurit., p. 331. H.T. *contraria* Deshayes.

424. *hedleyi* Iredale, 1929, Mem. Queensland Mus., 9, p. 265. Nambucca River, north N.S.W. Based on Hedley, 1901, Proc. Linn. Soc. N.S.W., 1900, p. 731, pl. 48, figs. 4-8 (*contraria*, not of Deshayes, 1863) (H.286).

Family DONACIDAE

PLEBIDONAX Iredale, 1930, Rec. Aust. Mus., 17, p. 398. O.T. *deltoides* Lamarck.

425. *deltoides* Lamarck, 1818, Hist. Anim. s. Vert.,

5, p. 547. Kangaroo I., South Australia. Reeve, 1854, Conch. Icon., 8, *Donax*, pl. 1, fig. 4 (H.288).

LATONA Schumacher, 1817, Essai nouv. Syst. Test., pp. 52, 156. H.T. *cuneata* Linne.

426. *faba* Gmelin, 1791, Syst. Nat., pt. 6, p. 3264. Malabar Coast. Roemer, 1869, Conch. Cab. (cont.), 10, Abt. 3, p. 88, pl. 2, figs. 12-17 (= *radians* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 191) (H.289).

DELTACHION Iredale, 1930, Rec. Aust. Mus., 17, p. 398. O.T. *virilis* Iredale.

427. *brazieri* Smith, 1892, Proc. Zool. Soc. Lond., 1891, p. 491, pl. 40, fig. 10. Richmond River, N.S.W. (H.287).

428. *virilis* Iredale, 1930, Rec. Aust. Mus., 17, p. 398, pl. 62, figs. 5-6. Manly, N.S.W.

TENTIDONAX Iredale, 1930, Rec. Aust. Mus., 17, p. 398. O.T. *veruinus* Hedley.

429. *veruinus* Hedley, 1913, Proc. Linn. Soc. N.S.W., 38, p. 274. New name for *Donax nitida* Reeve, 1854, Conch. Icon., 8, *Donax*, pl. 6, fig. 34. Moreton Bay, Queensland (not *D. nitida* Lamarck, 1806) (H.290).

Family SOLECURTIDAE

SOLECURTUS Blainville, 1824, Dict. Sci. Nat. (Levr.), 32, p. 351. L.T. (Deshayes, Dict. Class. d'Hist. Nat., 1829, 15, p. 482) *strigilatus* Linne. (*Psammosolen* olim.)

430. *leone* Woolacott, 1954, Proc. Roy. Zool. Soc. N.S.W., 1952-3, p. 39, figs. 3-5. Off Ulladulla, N.S.W., 40-45 fm.

431. *australis* Deshayes, 1862, Proc. Zool. Soc. Lond., 1861, p. 424. Moreton Bay, Queensland. Sowerby, 1874, Conch. Icon. (Reeve), 19, *Solecurtus*, pl. 2, fig. 10.

Family SOLENIDAE

NEOSOLEN Ghosh, 1920, Rec. Ind. Mus., 19, p. 57. H.T. *aquaedulcioris* Ghosh.

432. *correctus* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 213. Sydney, N.S.W. Based on Hedley, 1899, Proc. Linn. Soc. N.S.W., 24, p. 432, fig. 3 in text (*sloanii*, not of Hanley, 1842) (H.291).

433. *vaginoides* Lamarck, 1818, Hist. Anim. s. Vert., 5, p. 451. South Tasmania. Delessert, 1841, Rec. Coq. Lamarck, pl. 2, fig. 3.

Family ENSIIDAE

ENSICULUS H. Adams, 1860, Proc. Zool. Soc. Lond., 1860, p. 369. H.T. *cultellus* Linne.

434. *hilaris* Iredale, 1936, Rec. Aust. Mus., 19, p. 284, pl. 20, fig. 15. Sydney, N.S.W. (H.292).

Family MACTRIDAE

AUSTROMACTRA Iredale, 1930, Rec. Aust. Mus., 17, p. 400. O.T. *caloundra* Iredale.

435. *contraria* Reeve, 1854, Conch. Icon., 8, *Mactra*, pl. 17, fig. 86. Tasmania (H.293).
436. *caloundra* Iredale, 1930, Rec. Aust. Mus., 17, p. 401, pl. 63, figs. 1-2. Caloundra, South Queensland.
437. *eximia* Reeve, 1854, Conch. Icon., 8, *Mactra*, pl. 8, fig. 31. Moreton Bay, Queensland (H.294).
- NANNOMACTRA Iredale, 1930, Rec. Aust. Mus., 17, p. 400. O.T. *jacksonensis* Smith.
438. *jacksonensis* Smith, 1885, Rep. Sci. Res. Challenger, Zool., 13, p. 62, pl. 5, fig. 9. Port Jackson, N.S.W., 2-10 fm. (H.295).
439. *pusilla* A. Adams, 1855, Proc. Zool. Soc. Lond., 1855, p. 226. Moreton Bay, Queensland. Smith, 1885, Rep. Sci. Res. Challenger, Zool., 13, p. 6, pl. 5, fig. 8 (H.298).
- ELECTOMACTRA Iredale, 1930, Rec. Aust. Mus., 17, p. 400. O.T. *parkesiana* Hedley (not *Electromactra* as cited in the Zool. Rec., 1930).
440. *antecedens* Iredale, 1930, Rec. Aust. Mus., 17, p. 401, pl. 64, figs. 1-3. Port Hacking, N.S.W. (H.296).
441. *parkesiana* Hedley, 1902, Proc. Linn. Soc. N.S.W., 27, p. 8, pl. 1, figs. 5-9. Port Jackson, N.S.W. (H.297).
- NOTOSPISULA Iredale, 1930, Rec. Aust. Mus., 17, p. 400. O.T. *parva* Petit.
442. *parva producta* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 909, pl. 44, fig. 7. Johnson Bay and Parramatta River, Port Jackson, N.S.W. (H.299).
443. *cretacea* Angas, 1868, Proc. Zool. Soc. Lond., 1867, p. 909, pl. 44, fig. 6. Port Stephens, N.S.W. (= *fluvialis*, id. ib., 1871, p. 20, pl. 1, fig. 31. Hawkesbury River, N.S.W., brackish 2 fm.).
- DISTUGONIA Iredale, 1936, Rec. Aust. Mus., 19, p. 283. O.T. *inopinata* Iredale.
444. *inopinata* Iredale, 1936, Rec. Aust. Mus., 19, p. 283, pl. 21, figs. 9, 9 a. Sydney, N.S.W.
- RAETA Gray, 1853, Ann. Mag. Nat. Hist., (2), 11, p. 43. O.T. *canaliculata* Gray.
445. *meridionalis* Tate, 1889, Trans. Roy. Soc. South Aust., 11, p. 61, pl. 11, fig. 3. Aldinga Bay, South Australia. Hedley, 1900, Proc. Linn. Soc. N.S.W., 25, p. 497, pl. 25, figs. 5-9 (H.300).
- LUTRARIA Lamarck, 1799, Mem. Soc. Nat. Hist. Paris, p. 85. O.T. *lutraria* Linne.
446. *rhynchaena* Jonas, 1844, Zeit. f. Malak., 1, p. 34. Western Australia. Reeve, 1854, Conch. Icon., 8, *Lutraria*, pl. 4, fig. 16 (H.301).
- MEROPESTA Iredale, 1929, Mem. Queensl. Mus., 9, p. 268. O.T. *meridiana* Iredale.
447. *meridiana* Iredale, Mem. Queensl. Mus., 9, p. 268. Lake Macquarie, N.S.W. Allan, 1950, Aust. Shells, p. 350, pl. 41, fig. 19 (opp. p. 400) (H.302).

VENATOMYA Iredale, 1930, Rec. Aust. Mus., 17, p. 403. O.T. *elliptica* A. Adams.

448. *elliptica* A. Adams, 1851, Proc. Zool. Soc. Lond., 1850, p. 88. Sydney, N.S.W., 4 fm. Hedley, 1913, Proc. Linn. Soc. N.S.W., 38, p. 275, pl. 17, figs. 40-44 (H.307).

ZENATIOPSIS Tate, 1879, Trans. Proc. Phil. Soc. South Aust., 2, p. 129. O.T. *angustata* Tate.

449. *victoriae* Pritchard and Gatliff, 1903, Proc. Roy. Soc. Vict., 16, (n.s.), p. 92, pl. 15, fig. 3. Port Albert, Victoria (H.303).

Family AMPHIDESMATIDAE

AMESODESMA Iredale, 1930, Rec. Aust. Mus., 17, p. 402. O.T. *perfuga* Iredale.

450. *angusta* Reeve, 1854, Conch. Icon., 8, *Amphidesma*, pl. 1, fig. 3. "North Australia" (= N.S.W.) (H.304).

451. *perfuga* Iredale, 1930, Rec. Aust. Mus., 17, p. 402, pl. 63, fig. 9. Port Hacking, N.S.W.

452. *cuneata vanidica*, 1930, Iredale, Rec. Aust. Mus., 17, p. 402. Port Hacking, N.S.W. Allan, 1950, Aust. Shells, p. 351, text fig. 83, fig. 2 (H.305).

SPONDERVILIA Iredale, 1930, Rec. Aust. Mus., 17, p. 402. O.T. *australis* Angas.

453. *australis* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 175, pl. 26, fig. 21. Port Jackson, N.S.W. Laseron, 1953, Rec. Aust. Mus., 23, p. 52, figs. 44 a, b (H.306).

454. *rubra* Laseron, 1953, Rec. Aust. Mus., 23, p. 52, figs. 42, 42 a, 42 b. Long Reef, Sydney, N.S.W.

455. *simplex* Laseron, 1953, Rec. Aust. Mus., 23, p. 53, figs. 43, 43 a. Manly, N.S.W.

BENTHOQUETIA Iredale, 1930, Rec. Aust. Mus., 17, p. 403. O.T. *integra* Hedley (= *Austroquetia* Cotton, 1930, Rec. South Aust. Mus., 4, p. 239. H.T. *integra* Hedley).

456. *integra* Hedley, 1907, Rec. Aust. Mus., 6, p. 364, pl. 66, figs. 7-10. Off Sydney, N.S.W., 250 fm. (H.308).

Family ALOOIDIDAE

NOTOCORBULA Iredale, 1930, Rec. Aust. Mus., 17, p. 404. O.T. *vicaria* Iredale.

457. *smithiana* Brazier, 1879, Proc. Linn. Soc. N.S.W., 4, p. 388. Port Jackson, N.S.W. New name for *Corbula venusta* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 20, pl. 1, fig. 29 (not *C. venusta* Gould, 1861) (H.309).

458. *coxi* Pilsbry, 1897, Proc. Acad. Nat. Sci. Philad., 1897, p. 363, pl. 9, figs. 1-3. Sydney, N.S.W.

459. *stolata* Iredale, 1930, Rec. Aust. Mus., 17, p. 405, pl. 65, figs. 1-2, 7. Port Albert, Victoria.

460. *vicaria* Iredale, 1930, Rec. Aust. Mus., 17, p. 404, pl. 65, figs. 8-9. Sydney, N.S.W. (H.310).

Family HIATELLIDAE

HIATELLA Bosc. 1801, Hist. Nat. (Buffon), ed. Derville, Moll., 3, p. 120. H.T. *arctica* Linne (= *Saxicava* olim).

461. *australis* Lamarck, 1818, Hist. Anim. s. Vert., 5, p. 502. Kangaroo I., S.A. (= *angasi* Angas, 1865, Proc. Zool. Soc. Lond., 1865, p. 643. Port Lincoln, South Australia). Sowerby, 1875, Conch. Icon. (Reeve), 20, *Saxicava*, pl. 2, fig. 11 (H.311, 311 a).

Family PANOPeidAE

PANOPE Menard, 1807, Nouv. Genre Coq. Biv., p. 31. H.T. *aldrovandi* Menard.

462. *australis* Sowerby, 1833, Genera Shells, pl. 32, fig. 2. New South Wales (= *angusta* Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 705, pl. 80, figs. 40-42. Queensland = *hedleyi* Finlay, 1927, Trans. New Zeal. Inst., 57, p. 332, aberration only) (H.312, 313).

Family GASTROCHAENIDAE

CUCURBITULA Gould, 1861, Proc. Bost. Soc. Nat. Hist., 8, p. 22. H.T. *lagenula* Gould.

463. *pupina* Deshayes 1855, Proc. Zool. Soc. Lond., 1854, p. 326. Moreton Bay, Queensland. Sowerby, 1878, Conch. Icon. (Reeve), 20, *Gastrochaena*, pl. 3, fig. 17.

464. *tasmanica* Tenison-Woods, 1876, Proc. Roy. Soc. Tasm., 1876, p. 159. South Tasmania. Id. 1881, Trans. Roy. Soc. South Aust., 4, p. 81, pl. 5, figs. 10 a, b. C. F. and J. Laseron, 1952, Proc. Roy. Zool. Soc. N.S.W., 1951-2, p. 49. Port Jackson, N.S.W.

Family PHOLADIDAE

BARNEA Risso, 1826, Hist. Nat. Europ. Merid., 4, p. 376. H.T. *spinosa* Risso.

465. *australasiae* Sowerby, 1849, Thes. Conch., 2, p. 488, pl. 106, fig. 73. Sydney, N.S.W. (H.314).

466. *obturamentum* Hedley, 1893, Rec. Aust. Mus., 2, p. 55, pl. 14, figs. 1-3. Sydney, N.S.W. (H.315).

MARTESIA Blainville, 1825, Man. Malac., p. 632. H.T. *clavata* Lamarck.

467. *striata* Linne, 1758, Syst. Nat., 10 ed., p. 669. Southern Europe. Sowerby, 1849, Thes. Conch., 2, p. 494, pl. 104, figs. 40-42 (H.316).

PHOLADOPSIS Conrad, 1849, Proc. Acad. Nat. Sci. Philad., 4, p. 156. H.T. *pectinata* Conrad.

468. *cumingii* Sowerby, 1849, Thes. Conch., 2, p. 502, pl. 106, figs. 56-57. Philippine Islands. Angas,

1877, Proc. Zool. Soc. Lond., 1877, p. 190. (Port Jackson, N.S.W.) (H.317).

Family TEREDINIDAE

TEREDO Linne, 1758, Syst. Nat., 10 ed., p. 651. L.T. (Anton, 1838, Verz. Conch., p. 1) *navalis* Linne.

469. *austini* Iredale, 1932, Destr. Timber Mar. Organ., p. 30, pl. 1, figs. 5-8. Port Jackson, N.S.W.

470. *shawi* Iredale, 1932, Destr. Timber Mar. Organ., p. 29, pl. 1, figs. 1-4. Port Jackson, N.S.W.

471. *balatrum* Iredale, 1932, Destr. Timber Mar. Organ., p. 31, pl. 2, figs. 4, 7. Port Jackson, N.S.W.

472. *pertingens* Iredale, 1932, Destr. Timber Mar. Organ., p. 31, pl. 2, figs. 8-11. Port Jackson, N.S.W.

NOTOTEREDO Bartsch, 1923, Proc. Biol. Soc. Wash., 36, p. 100. O.T. *edax* Hedley.

473. *edax* Hedley, 1894, Proc. Linn. Soc. N.S.W., 19, p. 501, pl. 32, figs. 1-5. Port Adelaide, South Australia. Iredale, 1932, Destr. Timber Mar. Organ., p. 32, pl. 2, figs. 1-3 (H.318).

474. *remifer* Iredale, 1932, Destr. Timber Mar. Organ., p. 32, pl. 3, figs. 1-4. Port Jackson, N.S.W.

BANKIA Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 188. O.T. *bipalmulata* Lamarck.

Subgenus *Deviobankia* Iredale, 1932, Destr. Timber Mar. Organ., p. 33. O.T. *debenhami* Iredale.

475. *debenhami* Iredale, 1932, Destr. Timber Mar. Organ., p. 34, pl. 3, figs. 5-8. Port Jackson, N.S.W.

476. *rosenthali* Iredale, 1932, Destr. Timber Mar. Organ., p. 35, pl. 3, figs. 9-12. Port Jackson, N.S.W.

477. *archimima* Iredale, 1932, Destr. Timber Mar. Organ., p. 35, pl. 4, figs. 5-8. Port Jackson, N.S.W.

478. *occasiuncula* Iredale, 1932, Destr. Timber Mar. Organ., p. 36, pl. 4, figs. 1-4. Port Jackson, N.S.W.

NAUSITORA Wright, 1864, Trans. Linn. Soc. Lond., 24, p. 452, pl. 46. H.T. *dunlopei* Wright.

Subgenus *Inequarista* Iredale, 1932, Destr. Timber Mar. Organ., p. 37. O.T. *messeli* Iredale.

479. *messeli* Iredale, 1932, Destr. Timber Mar. Organ., p. 37, pl. 4, figs. 9-12. Port Jackson, N.S.W. (H.319).

Class AMPHINEURA

Order LORICATA

[Ref.:—Iredale and Hull, 1927, Monograph Austr. Loricates. Figures of all species.]

Family ISCHNOCHITONIDAE

ISCHNOCHITON Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 126. L.T. (id. ib. p. 168) *textilis* Gray.

480. *elongatus crispus* Reeve, 1847, Conch. Icon., 4, *Chiton*, pl. 19, fig. 120. Port Jackson, N.S.W. (H.346).

481. *examinandus* Hull, 1923, Aust. Zool., 3, p. 160, pl. 25, figs. 1-4. Long Reef, near Sydney, N.S.W.

482. *versicolor* Sowerby, 1840, Mag. Nat. Hist. (Charles), 4, p. 292. Newcastle, N.S.W. Iredale and Hull, 1927, op. cit., p. 17, pl. 2, fig. 1b (H.349).

483. *tateanus paradisiacus* Iredale and Hull, 1924, Aust. Zool., 3, p. 236. Disaster Bay, N.S.W. Not figured. Cf. *tateanus* Bednall, 1897, Proc. Malacol. Soc., 2, p. 147, pl. 12, fig. 3 and text fig. (South Australia).

SUBTERENOCHITON Iredale and Hull, 1924, Aust. Zool., 3, p. 22. O.T. *gabrieli* Hull.

484. *gabrieli* Hull, 1912, Proc. Roy. Soc. Vict., 25, (n.s.), p. 120, pl. 8, fig. 1. Western Port, Victoria.

HETEROZONA Dall., 1878, Proc. U.S. Nat. Mus., 1878, p. 331. H.T. *cariosa* Pilsbry.

485. *fruticosa* Gould, 1846, Proc. Bost. Soc. Nat. Hist., 2, p. 142. Port Jackson, N.S.W. Gould, 1859, U.S. Expl. Exped. Moll., p. 319, Atlas, pl. 28, fig. 428 (H.347).

ISCHNORADSIA Shuttleworth, 1853, Mitt. Nat. Gesell. Berne, 1853, p. 65. H.T. *australis* Sowerby.

486. *australis* Sowerby, 1840, Mag. Nat. Hist. (Charles w.), 4, p. 290. Port Jackson, N.S.W. Id., 1840, Conch. Illust., *Chiton*, fig. 46 (H.345).

HAPLOPLAX Pilsbry, 1894, Proc. Acad. Nat. Sci. Philad., 1894, p. 71. O.T. *smaragdina* Angas.

487. *smaragdina* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 115, pl. 13, fig. 28. Port Jackson, N.S.W. (H.350).

488. *lentiginosa* Sowerby, 1840, Mag. Nat. Hist. (Charlesw.), 4, p. 293. Newcastle, N.S.W. Id., 1840, Conch. Illust., *Chiton*, fig. 120 (H.348).

489. *pura* Sykes, 1896, Proc. Malacol. Soc., 2, p. 88, pl. 6, figs. 3, 3 a. Port Phillip, Victoria.

Family LEPIDOLEPLEURIDAE

TERENOCHITON Iredale, 1914, Proc. Malacol. Soc., 11, p. 28. O.T. *subtropicalis* Iredale.

490. *badius* Hedley and Hull, 1909, Rec. Aust. Mus., 7, p. 260, pl. 73, figs. 1-2. Port Jackson, N.S.W. (H.342).

491. *sperandus* Iredale and Hull, 1925, Aust. Zool., 3, p. 342, pl. 39, fig. 6. Off Ulladulla, N.S.W., 70 fm.

PARACHITON Thiele, 1909, Rev. Chitonen (Chun's Zoologica, Heft 56), pt. 1, p. 14. H.T. *acuminatus* Thiele.

492. *puppis* Hull, 1923, Aust. Zool., 3, p. 158, pl. 24, figs. 1-5. Port Jackson, N.S.W.

Family LEPIDOCHITONIDAE

PARICOPLAX Iredale and Hull, 1929, Aust. Zool., 6, p. 87. O.T. *crocinus* Reeve.

493. *crocina* Reeve, 1847, Conch. Icon., 4, *Chiton*, pl. 22, fig. 146. Port Jackson, N.S.W. (Formerly *Callochiton* (= *Levicopla*) *platessa* Gould, Iredale and Hull, 1927, op. cit., p. 51) (H.344).

Family CALLISTOCHITONIDAE

CALLISTELASMA Iredale and Hull, 1925, Aust. Zool., 3, p. 351-2. O.T. *antiquus* Reeve.

494. *antiqua* Reeve, 1847, Conch. Icon., 4, *Chiton*, pl. 25, fig. 169. Port Jackson, N.S.W. (H.351).

Family LORICIDAE

LORICA H. and A. Adams, 1852, Ann. Mag. Nat. Hist., (2), 9, p. 355. H.T. *cimolius* Reeve.

495. *volvox* Reeve, 1847, Conch. Icon., 4, *Chiton*, pl. 6, fig. 31. Sydney, N.S.W. (H.370).

LORICELLA Pilsbry, 1893, Man. Conch. (Tryon), 14, p. 238. H.T. *angasi* H. Adams and Angas.

496. *angasi* H. Adams and Angas, 1864, Proc. Zool. Soc. Lond., 1864, p. 193. Rapid Bay, South Australia. Pilsbry, 1893, Man. Conch. (Tryon), 14, p. 238, pl. 51, figs. 9-13 (= *torri* Ashby, 1919, Trans. Roy. Soc. South Aust., 43, p. 62, pl. 10. Port Jackson, N.S.W.) (H.371).

Family CRYPTOCHITONIDAE

ACANTHOCHITONA Gray, 1821, London Med. Repository, 15, p. 234. H.T. *fascicularis* Linne.

497. *granostrigata* Pilsbry, 1894, Nautilus, 8, p. 119. Port Jackson, N.S.W. Id., Proc. Acad. Nat. Sci. Philad., 1894, p. 81, pl. 2, figs. 1-6, pl. 4, fig. 57 (H.356).

498. *thackwayi* Ashby, 1924, Trans. Roy. Soc. South Aust., 48, p. 318, pl. 31, figs. 1-2. Port Stephens, N.S.W.

499. *coxi* Pilsbry, 1894, Nautilus, 7, p. 119. Id., Proc. Acad. Nat. Sci. Philad., 1894, p. 80, pls. 3 and 4. Port Jackson, N.S.W. (H.355).

500. *kimberi* Torr, 1913, Trans. Roy. Soc. South Aust., 36, p. 167, pl. 6, fig. 5. Kangaroo I., South Australia. Iredale and Hull, 1925, Aust. Zool., 4, p. 83 (Port Jackson, N.S.W.)

501. *pilsbryi* Sykes, 1896, Proc. Malacol. Soc., 2, p. 91, pl. 6, figs. 6, 6 a. Port Phillip, Victoria (H.357).

502. *maughaneana* Ashby, 1919, Trans. Roy. Soc. South Aust., 43, p. 395, pl. 12, fig. 4. Sydney Harbour, N.S.W.

503. *purpurata* Hull, 1923, Aust. Zool., 3, p. 196, pl. 27, fig. 2. Twofold Bay, N.S.W. (H.360).

504. *crocodilus debilior* Iredale and Hull, 1925, Aust. Zool., 4, p. 87, pl. 10, fig. 14. Port Jackson, N.S.W.

505. *aenigma* Iredale and Hull, 1925, Aust. Zool., 4, p. 87, pl. 10, figs. 21-23. Off Ulladulla, N.S.W., 70 fm.
- METUROPLAX Pilsbry, 1894, Nautilus, 7, p. 107. O.T. *retrolecta* Pilsbry.
506. *retrolecta* Pilsbry, 1894, Nautilus, 7, p. 107. Id., Proc. Acad. Nat. Sci. Philad., 1894, p. 78, pl. 2, figs. 12-15. Port Jackson, N.S.W. (H.358).
- NOTOPLAX H. Adams, Proc. Zool. Soc. Lond., 1861, p. 385. H.T. *speciosa* H. Adams.
507. *speciosa* H. Adams, 1861, Proc. Zool. Soc. Lond., 1861, p. 385. Tasmania. Pilsbry, 1893, Man. Conch. (Tryon), 15, p. 32, pl. 1, figs. 23-26.
508. *macandrewi* Iredale and Hull, 1925, Aust. Zool., 4, p. 92, pl. 10, figs. 4, 7, 10, 13, pl. 11, fig. 1. Shellharbour, N.S.W.
509. *costata* H. Adams and Angas, 1864, Proc. Zool. Soc. Lond., 1864, p. 194. Sydney, N.S.W. Pilsbry, 1893, Man. Conch. (Tryon), 15, p. 40, pl. 3, fig. 74 (H.354).
- CRASPEDOPLAX Iredale and Hull, 1925, Aust. Zool., 4, p. 96. O.T. *variabilis* H. Adams and Angas.
510. *variabilis cambrica* Iredale and Hull, 1925, Aust. Zool., 4, p. 97. Port Jackson, N.S.W. Not figured. Cf. Iredale and Hull, 1925, Aust. Zool., 4, p. 97, pl. 11, figs. 29-34 (*variabilis* H. Adams and Angas) (H.359).
- CHORIPLAX Pilsbry, 1894, Nautilus, 7, p. 139. H.T. *grayi* H. Adams and Angas.
511. *grayi* H. Adams and Angas, 1864, Proc. Zool. Soc. Lond., 1864, p. 194. Sydney, N.S.W. Angas, 1865, Proc. Zool. Soc. Lond., 1865, p. 58, pl. 11, fig. 16 (H.343).
- Family CRYPTOPLACIDAE**
- CRYPTOPLAX Blainville, 1818, Dict. Sci. Nat. (Levr.), 12, p. 124. L.T. (Haddon, 1886, Rep. Sci. Res. Challenger, Zool., 15, p. 37) *larvaeformis* Burrow.
512. *mystica* Iredale and Hull, 1925, Aust. Zool., 4, p. 104, pl. 11, figs. 9, 19, 21, 22, 23, 27, 33. Port Jackson, N.S.W. (H.361).
513. *iredalei* Ashby, 1923, Trans. Roy. Soc. South Aust., 47, p. 238, pl. 19, fig. 4. Port Lincoln, South Australia.
- Family PLAXIPHORIDAE**
- PONEROPLAX Iredale, 1914, Proc. Malacol. Soc. 11, p. 32. O.T. *costatus* Blainville.
514. *paeiteliana* Thiele, 1909, Rev. Chiton. (Chun's Zoologica, Heft 56), pt. 1, p. 26, pl. 3, figs. 34-36. Port Jackson, N.S.W. (H.352, 353).
- Family CHITONIDAE**
- DELICATOPLAX Iredale and Hull, 1926, Aust. Zool., 4, p. 170. O.T. *translucens* Hedley and Hull.
515. *translucens* Hedley and Hull, 1909, Rec. Aust. Mus., 7, p. 263, pl. 74, figs. 14-18. Port Jackson, N.S.W. (H.365).
- RHYSSOPLAX Thiele, 1893, Das Gebiss der Schnecken (Troschel), 2, p. 368. H.T. *affinis* Issel.
516. *coxi* Pilsbry, 1894, Nautilus, 7, p. 119. Port Jackson, N.S.W. Hedley and Hull, 1909, Rec. Aust. Mus., 7, p. 261, pl. 73, figs. 3, 5 (H.362).
517. *jugosa* Gould, 1846, Proc. Bost. Soc. Nat. Hist., 2, p. 142. N.S.W. Id., 1852, U.S. Expl. Exped., Moll., p. 317, Atlas, pl. 28, fig. 430. Hedley and Hull, 1909, Rec. Aust. Mus., 7, p. 261, pl. 73, figs. 12-13. Port Jackson, N.S.W. (H.363).
518. *vauclusensis* Hedley and Hull, 1909, Rec. Aust. Mus., 7, p. 261, pl. 74, figs. 19-23. Port Jackson, N.S.W. (H.366).
- MUCROSQUAMA Iredale and Hull, 1926, Aust. Zool., 4, p. 182. O.T. *carnosa* Angas.
519. *carnosa* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 222 (= *Chiton muricatus* A. Adams, 1852, Proc. Zool. Soc. Lond., 1852, p. 91, pl. 16, fig. 6 (not *C. muricatus* Tilesius, 1824)). Port Jackson, N.S.W. (H.364).
- SYPHAROCHECITON Thiele, 1893, Das Gebiss der Schnecken (Troschel), 2, p. 365. H.T. *pelliserpentis* Quoy and Gaimard.
520. *septentriones* Ashby, 1925, Trans. Roy. Soc. South Aust., 48, p. 321. Port Stephens, N.S.W. Iredale and Hull, 1926, Aust. Zool., 4, p. 257, pl. 37, figs. 2, 4 and 29 (H.367).
- LIOLOPHURA Pilsbry, 1893, Nautilus, 6, p. 105. O.T. *japonicus* Lischke.
521. *gaimardi* Blainville, 1825, Dict. Sci. Nat. (Levr.), 36, p. 546. Port Jackson, N.S.W. Hull, 1923, Aust. Zool., 3, p. 198, pl. 28, figs. 1-4 (H.369).
522. *gaimardi queenslandica* Pilsbry, 1894, Proc. Acad. Nat. Sci. Philad., 1894, p. 87. Bundaberg, Queensland. Hull, 1923, Aust. Zool., 3, p. 199, pl. 28, figs. 5-8.
- ONITHOCHECITON Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 65. L.T. (Gray, id. ib., p. 169) *undulatus* Q. & G. (= *neglectus* Rochebrune).
523. *quercinus* Gould, 1846, Proc. Bost. Soc. Nat. Hist., 2, p. 142. Port Jackson, N.S.W. Id., 1852 U.S. Expl. Exped., Moll., p. 312, Atlas, pl. 12, fig. 437 (H.372).
- LUCILINA Dall, 1881, Proc. U.S. Nat. Mus., 4, pp. 284, 287. H.T. *confossus* Gould.
524. *carpenteri* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 116, pl. 13, fig. 30. Port Jackson, N.S.W. (Not since recognised!) (H.368).

Class GASTROPODA

Subclass PROSOBRANCHIA

Order ARCHAEOGASTROPODA

Suborder RHIPIDOGLOSSA

Family SCISSURELLIDAE

SCISSURELLA Orbigny, 1823, Mem. Soc. Hist. Nat. Paris, p. 340. L.T. (Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 146) *laevigata* Orbigny.

525. *ornata* May, 1908, Proc. Roy. Soc. Tasm., 1908, p. 57, pl. 4, figs. 4, 5. South Tasmania.

SCISSURONA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 215. O.T. *rosea* Hedley.

526. *remota* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 215. Twofold Bay, N.S.W.

SCHISMOPE Jeffreys, 1856, Ann. Mag. Nat. Hist., 18, p. 32. H.T. *cingulata* Costa (?= *Woodwardia* Crosse and Fischer, 1861, J. de Conch., 9, p. 160. H.T. *elegans* Orbigny).

527. *atkinsoni* Tenison-Woods, 1877, Proc. Roy. Soc. Tasm., 1876, p. 149. South Tasmania. May 1923, Illus. Index Tasm. Shells, pl. 17, fig. 1 (= *carinata* Watson, 1886, Rep. Sci. Res. Challenge Zool., 15, p. 119, pl. 8, fig. 6, Port Jackson, N.S.W.) (H.374).

528. *beddomei* Petterd, 1884, J. of Conch., 4, p. 139. North Tasmania. Tate and May, 1901, Proc. Linn. Soc. N.S.W., 26, p. 407, pl. 24, fig. 24 (H.375).

Family SCHIZOTROCHIDAE

SCHIZOTROCHUS Monterosato, 1887, Ann. Mus. Civ. Genova, 9, p. 416. H.T. *crispata* Fleming.

529. *australis* Hedley, 1903, Mem. Aust. Mus., 4, p. 329, fig. 63. Off Port Kembla, N.S.W., 63-75 fm. (H.373).

Family FISSURELLIDAE

SCUTUS Montfort, 1810, Conch. Syst., 2, p. 58. O.T. *antipodes* Montfort.

530. *antipodes* Montfort, 1810, Conch. Syst., 2, p. 58, pl. p. 57. N.S.W. Hedley, 1917, Proc. Linn. Soc. N.S.W., 41, p. 704, pl. 47, figs. 7-9 (H.376).

AVISCUTUM Iredale, 1940, Aust. Zool., 9, p. 430. O.T. *olunguis* Iredale.

531. *olunguis* Iredale, 1940, Aust. Zool., 9, p. 430, pl. 32, figs. 7-8. Port Curtis, Queensland.

TUGALI Gray, 1843, Dieffenbach's New Zealand, 2, p. 240. H.T. *elegans* Gray.

532. *parmophoidea* Quoy and Gaimard, 1834, Voy. Astrol., Zool., 3, p. 325, pl. 68, figs. 15-16. Port Jackson, N.S.W. Hedley, 1917, Proc. Linn. Soc. N.S.W., 41, p. 697, pl. 52, fig. 45 (H.377).

533. *tasmanica* Tenison-Woods, 1877, Proc. Roy. Soc. Tasm., 1876, p. 156. Tasmania. Hedley, 1917, Proc. Linn. Soc. N.S.W., 41, p. 698, pl. 52, fig. 46 (*cicatricosa*, not of A. Adams, 1852).

MONTFORTULA Iredale, 1915, Trans. New Zeal. Inst., 47, p. 433. O.T. *rugosa* Quoy and Gaimard.

534. *conoidea* Reeve, 1842, Proc. Zool. Soc. Lond., 1842, p. 50. Id., 1842, Conch. Syst., 2, pl. 140, fig. 7. Port Jackson, N.S.W. (H.378).

NOTOMELLA Cotton, 1957, Rec. Sth. Aust. Mus., 8, p. 127. New name for *Entomella* Cotton, 1945, South Aust. Naturalist, 23, p. 14 (not *Entomella* Cossmann, 1888). O.T. *candida* A. Adams.

535. *hedleyi* Thiele, 1915, Conch. Cab. (cont.), 2, Abth. 4a, p. 74, pl. 9, figs. 8, 9. Port Jackson, N.S.W. (H.380).

536. *superba* Hedley and Petterd, 1906, Rec. Aust. Mus., 6, p. 216, pl. 37, figs. 7-8. Off Sydney, N.S.W., 250 fm. (H.381).

537. *amitina* Iredale, 1925, Rec. Aust. Mus., 14, p. 257, pl. 43, figs. 12-13 (written *amitana* in error, p. 257). Off Ulladulla, N.S.W., 14 fm.

EMARGINELLA Pilsbry, 1891, Man. Conch. (Tryon), 12, pp. 249, 269. H.T. *cuvieri* Audouin.

538. *incisura* A. Adams, 1853, Proc. Zool. Soc. Lond., 1851, p. 84. South Queensland. Sowerby, 1863, Thes. Conch., 3, p. 211, pl. 10, fig. 2.

539. *bajula* Hedley, 1913, Proc. Linn. Soc. N.S.W., 38, p. 276. Maroubra, N.S.W. Hedley, 1906, Proc. Linn. Soc. N.S.W., 30, p. 521, pl. 33, figs. 37, 38 (*dilecta*, not of A. Adams 1852) (H.379).

SUBZEIDORA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 217. O.T. *connectens* Thiele.

540. *devota* Thiele, 1915, Conch. Cab. (cont.), 2, Abth. 4a, p. 81, pl. 9, figs. 27-28. Port Jackson, N.S.W.

ZEIDORA A. Adams, 1860, Ann. Mag. Nat. Hist., (3), 5, p. 301. H.T. *calceolina* A. Adams.

541. *lodderae* Tate and May, 1900, Trans. Roy. Soc. South Aust., 24, p. 101. North Tasmania. Hedley, 1900, Proc. Linn. Soc. N.S.W., 25, p. 93, fig. in text (*tasmanica*, not of Beddome, 1883) (H.387).

VACERRENA Iredale, 1958, Proc. Roy. Zool. Soc. N.S.W., 1956-57, p. 104. New name for *Vacerra* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 221 (not *Vacerra* Godman, 1900). O.T. *demissa* Hedley.

542. *menda* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 221. Off Narrabeen, N.S.W., 80 fm. Hedley, 1907, Rec. Aust. Mus., 6, p. 289, pl. 54, figs. 3-5 (*demissa*, not *Puncturella demissa* Hedley, 1904) (H.388).

543. *harrissoni* Beddome, 1883, Proc. Roy. Soc. Tasm., 1882, p. 168. South Tasmania. May, 1923, Illus. Index Tasm. Shells, pl. 17, fig. 20 (= *hen-niana* Henn and Brazier, 1894, Proc. Linn. Soc. N.S.W., 19, p. 177, pl. 14, fig. 14. Port Jackson, N.S.W.) (H.389).

544. *kesteveni* Hedley, 1900, Proc. Linn. Soc. N.S.W., 25, p. 499, pl. 25, figs. 15-17. Botany Bay, N.S.W. (H.390).

ELEGIDION Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 220. O.T. *audax* Iredale.

545. *audax* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 220, pl. 35, figs. 5-6. Two-fold Bay, N.S.W. Hedley, 1900, Proc. Linn. Soc. N.S.W., 25, p. 95, pl. 3, fig. 11 (*lineata*, not of Sowerby, 1835) (H.385).

546. *ticaonica* Reeve, 1850, Conch. Icon., 6, *Fissurella*, pl. 14, fig. 107. I. Ticao, Philippine Islands. ? Thornley 1954, Proc. Roy. Zool. Soc. N.S.W., 1952-3, pl. 1, fig. 7 (N.S.W.).

547. *lanceolata* Sowerby, 1862, Thes. Conch. 3, p. 200, pl. 242, fig. 182. Moreton Bay, Queensland.

RIXA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 220. O.T. *watsoni* Henn and Brazier.

548. *watsoni* Henn and Brazier, 1894, Proc. Linn. Soc. N.S.W., 19, p. 177, pl. 14, fig. 15. Port Jackson, N.S.W. (H.386).

COSMETALEPAS Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 218. O.T. *concatenatus* Crosse and Fischer.

549. *concatenatus* Crosse and Fischer, 1864, J. de Conch., 12, p. 348. South Australia. Id. ib., 1865, 13, p. 41, pl. 3, figs. 1-3 (H.382).

AMBLYCHILEPAS Pilsbry, 1890, Man. Conch. (Tryon), 14, p. 184. O.T. *javanicensis* Lamarck.

550. *javanicensis* Lamarck, 1822, Hist. Anim. s. Vert., 6, (2), p. 14. Java (error = Bass Straits). Delessert, 1841, Recueil Coq. Lamarck, pl. 24, fig. 8 (H.383).

SOPHISMALEPAS Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 219. O.T. *nigrita* Sowerby.

551. *nigrita* Sowerby, 1835, Proc. Zool. Soc. Lond., 1834, p. 127. South Tasmania. Id., 1862, Thes. Conch., 3, pl. 248, fig. 196. Hedley, 1917, Proc. Linn. Soc. N.S.W., 41, p. 706, pl. 47, fig. 10 (animal) (H.384).

552. *crucis* Beddome, 1883, Proc. Roy. Soc. Tasm., 1882, p. 169. North Tasmania. Tate and May, 1901, Proc. Linn. Soc. N.S.W., 25, p. 408, text fig. 1.

FOROLEPAS Iredale, 1940, Aust. Zool., 9, p. 431. O.T. *tasmaniae* Sowerby.

553. *tasmaniae* Sowerby, 1862, Thes. Conch., 3, p. 206, pl. 244 fig. 223. Tasmania.

Family HALIOTIDAE

NOTOHALIOTIS Cotton and Godfrey, 1933, South Aust. Nat., 15, p. 16. O.T. *ruber* Leach.

554. *ruber* Leach, 1814, Zool. Misc., 1, p. 54, pl. 23. Port Jackson, N.S.W. Martyn, 1784, Univ. Conch., pl. 63 (*naevosum*, non-binomial) (H.394).

555. *coccoradiatus* Reeve, 1846, Conch. Icon., 3, *Haliotis*, pl. 3, fig. 46. Port Jackson, N.S.W. (H.392).

MARINAURIS Iredale, 1927, Aust. Zool., 4, p. 334. L.T. *melculus* Iredale.

556. *brazieri* Angas, 1869, Proc. Zool. Soc. Lond., 1869, p. 45, pl. 2, fig. 1. Lake Macquarie, N.S.W. (H.391).

557. *hargravesi* Cox, 1869, Proc. Zool. Soc. Lond., 1869, pp. 49, 359, pl. 26, fig. 4. Broken Bay, N.S.W. (H.393).

SANHALIOTIS Iredale, 1929, Mem. Queensl. Mus., 9, p. 270. O.T. *varia* Linne.

558. *whitehousei* Colman, 1959, Proc. Roy. Zool. Soc. N.S.W., 1957-8, p. 56, figs. 1-4. Long Reef, near Manly, N.S.W.

Family STOMATIIDAE

PLOCAMOTIS Fischer, 1885, Man. de Conch., livr. 9, p. 840. H.T. *laevis* Pease.

560. *impertusa* Burrow, 1815, Elem. Conch., p. 162, pl. 21, fig. 2. Port Jackson, N.S.W. (= *strigosa* A. Adams, 1850, Proc. Zool. Soc. Lond., 1850, p. 37. Hedley, 1917, Proc. Linn. Soc. N.S.W., 41, p. 703, pl. 47, fig. 11, animal, *strigosa*) (H.396).

ROYA Iredale, 1912, Proc. Malacol. Soc., 10, p. 218. H.T. *kermadecensis* Iredale.

561. *nutata* Hedley, 1908, Proc. Linn. Soc. N.S.W., 33, p. 467, pl. 9, figs. 15-16. Sydney, N.S.W. (H.397).

Family TROCHIDAE

STOMATELLA Lamarck, 1816, Ency. Meth., Vers. Liste, p. 10. L.T. (Dujardin, 1845, Dict. Univ. Hist. Nat. (Orbigny), 12, p. 47, ante 1845) *imbricata* Lamarck.

559. *imbricata* Lamarck, 1816, Ency. Meth., Vers. Liste, p. 10, for pl. 450, fig. 2. Western Australia (H.395).

CLANCULUS Montfort, 1810, Conch. Syst., 2, p. 190. O.T. *pharaonius* Linne.

562. *albugo* Watson, 1885, J. Linn. Soc. Lond., Zool., 11, p. 94. Port Jackson, N.S.W. Id., 1886, Rep. Sci. Res. Challenger, Zool., 15, p. 75, pl. 6, fig. 8 (H.398).

ISOCLANCULUS Cotton and Godfrey, 1934, South Aust. Nat., 15, p. 78. O.T. *yatesi* Crosse.

563. *aloysii* Tenison-Woods, 1876, Proc. Roy.

- Soc. Tasm., 1875, p. 155. Tasmania. Pilsbry, 1889, Man. Conch. (Tryon), 11, p. 59, pl. 14, figs. 20-23 (H.399).
564. *clangulus* Wood, 1828, Suppl. Index Test., p. 17, pl. 5, fig. 31. Sydney, N.S.W. (H.400).
565. *brunneus* A. Adams, 1853, Proc. Zool. Soc. Lond., 1851, p. 161. Sydney, N.S.W. (= *omalomphalus* A. Adams, 1853, Proc. Zool. Soc. Lond., 1851, p. 162. Fischer, 1877, Coq. Vivants (Kiener), *Trochus*, p. 235, pl. 81, fig. 2) (H.403).
566. *undatoides* Tenison-Woods, 1879, Proc. Linn. Soc. N.S.W., 4, p. 22, pl. 4, fig. 7. Port Jackson, N.S.W. (H.406).
- EURICLANCULUS** Cotton and Godfrey, 1934, South Aust. Nat., 15, p. 78. O.T. *flagellatus* Philippi.
567. *floridus* Philippi, 1850, Zeit. Malak. (Menke), 6, p. 156. Western Australia. Id., 1852, Conch. Cab. (cont.), 2, Abt. 3, p. 243, pl. 36, fig. 15 (H.401).
- MESOCLANCULUS** Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 224. H.T. *plebejus* Philippi.
568. *plebejus* Philippi, 1851, Zeit. Malak. (Menke), 8, p. 41. Western Australia. Id., 1855, Conch. Cab. (cont.), 2, Abt. 3, p. 326, pl. 46, fig. 10 (= *multicarinatus* Tenison-Woods, 1877, Proc. Roy. Soc. Tasm., 1876, p. 142. North-west Tasmania. May, 1923, Illus. Index Tasm. Shells, pl. 18, fig. 13) (H.404).
- MACROCLANCULUS** Cotton and Godfrey, 1934, South Aust. Nat., 15, p. 78. O.T. *undatus* Lamarck.
569. *undatus* Lamarck, 1816, Ency. Meth., Vers. Liste, p. 10, for pl. 447, fig. 3. South Australia (H.405).
570. *maugeri* Wood, 1828, Suppl. Index Test., p. 17, pl. 5, fig. 27. Moreton Bay, Queensland (H.402).
- EUCHELUS** Philippi, 1847, Zeit. Malak. (Menke), 4, p. 20. L.T. (Herrmannsen, 1847, Ind. Gen. Malac., 1, p. 430) "quadricarinatus Chem" = *atratus* Gmelin.
571. *aspersus* Philippi, 1846, Zeit. Malak. (Menke), 3, p. 103. Western Australia. Id., 1853, Conch. Cab. (cont.), 2, Abt. 3, p. 173, pl. 27, fig. 13 (H.434).
- HERPETOPOMA** Pilsbry, 1890, Man. Conch. (Tryon), 11, p. 430. H.T. *scabriuscula* Angas.
572. *scabriuscula* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 215. Port Jackson, N.S.W. Fischer, 1879, Coq. Vivants (Kiener), *Trochus*, pl. 114, fig. 2 (H.435).
- BASILISSA** Watson, 1879, J. Linn. Soc. Lond., Zool., 14, p. 593. L.T. (Schepman, 1908, Siboga Exped., Monog., 49'a, p. 53) *lampra* Watson.
573. *bilix* Hedley, 1905, Rec. Aust. Mus., 6, p. 48, fig. 13. Off Cape Byron, northern N.S.W., 111 fm. (H.433).
- TALLORBIS** G. and H. Nevill, 1869, J. Asiatic Soc. Bengal, 38, p. 159. H.T. *roseola* G. and H. Nevill.
574. *ampullus* Tate, 1893, Trans. Roy. Soc. South Aust., 17, p. 197, pl. 1, fig. 5. South Australia (H.436).
- EURYTROCHUS** Fischer, 1880, Coq. Vivants (Kiener), *Trochus*, p. 417. L.T. (Tryon, 1889, Man. Conch., 11, p. 13) *danieli* Crosse.
575. *strangei* A. Adams, 1853, Proc. Zool. Soc. Lond., 1851, p. 177. Sydney, N.S.W. Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 707, pl. 81, fig. 45 (H.407).
- PHASIANOTROCHUS** Fischer, 1885, Man. de Conch., livr. 9, p. 9. H.T. *eximius* Perry.
576. *eximius* Perry, 1810, Conch., pl. 30, fig. 2. Tasmania (H.408).
577. *ocellatus* Gould, 1861, Proc. Bost. Soc. Nat. Hist., 8, p. 18. Sydney, N.S.W.
- BANKIVIA** Krauss, 1848, Die Sudafr. Mollusk., p. 105, pl. 6, fig. 1. H.T. *fasciata* Menke.
578. *fasciata* Menke, 1830, Synops. Meth. Moll., ed. 2, p. 141. "Cape of Good Hope" (error = South Australia). Pilsbry, 1889, Man. Conch. (Tryon), 11, p. 139, pl. 40, figs. 28-33 (H.409).
- LEIOPYRGA** H. and A. Adams, 1863, Ann. Mag. Nat. Hist., (3), 12, p. 19. H.T. *lineolaris* Gould.
579. *lineolaris* Gould, 1861, Proc. Bost. Soc. Nat. Hist., 8, p. 18. Sydney, N.S.W. (= *picturata* H. and A. Adams, 1863, Ann. Mag. Nat. Hist. (3), 11, p. 19. Smith, 1884, Zool. Coll. Alert, p. 75, pl. 6, fig. C) (H.410).
580. *problematica* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 226, pl. 36, fig. 2. Twofold Bay, N.S.W. Tate, 1891, Trans. Roy. Soc. South Aust., 15, p. 260, pl. 2, fig. 5 (*octona*).
- AUSTROCOCHLEA** Fischer, 1885, Man. de Conch., livr. 9, p. 820. H.T. *constricta* Lamarck.
581. *obtusa* Dillwyn, 1817, Descr. Cat. Rec. Shells, 2, p. 809. Botany Bay, N.S.W., for Chemnitz, 1795, Conch. Cab., 11, p. 167, pl. 196, figs. 1894-5 (H.412).
582. *porcata* A. Adams, 1853, Proc. Zool. Soc. Lond., 1851, p. 177. Sydney, N.S.W. (= *extenuatus* Fischer, 1878, Coq. Vivants (Kiener), *Trochus*, p. 330, pl. 103, fig. 1) (H.412 a).
583. *concamerata* Wood, 1828, Suppl. Index Test., p. 19, pl. 6, fig. 35. Western Australia. (= *striolata* Quoy and Gaimard, 1834, Voy. Astrol., Zool., 3, p. 253, pl. 63, figs. 18-22. Sydney, N.S.W.) (H.411).
- CANTHARIDELLA** Pilsbry, 1889, Man. Conch. (Tryon), 11, p. 197. O.T. *picturata* A. Adams and Angas.
584. *picturata* A. Adams and Angas, 1864, Proc. Zool. Soc. Lond., 1864, p. 36. Port Jackson, N.S.W.

- Fischer, 1878, Coq. Vivants (Kiener), *Trochus*, p. 283, pl. 90, fig. 2 (H.413).
585. *tiberiana* Crosse, 1863, J. de Conch., 11, p. 381, pl. 13, fig. 2. South Australia (H.414).
- MINOPA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 226. O.T. *legrandi* Petterd.
586. *legrandi* Petterd, 1879, J. of Conch., 2, p. 104. North Tasmania. Tate and May, 1901, Proc. Linn. Soc. N.S.W., 25, p. 404, pl. 24, figs. 21-22.
- NANULA Thiele, 1924, Mitt. Zool. Mus. Berlin, Bd. 11, Heft 1, pp. 54, 69. O.T. *tasmanica* Petterd.
587. *tasmanica* Petterd, 1879, J. of Conch., 2, p. 103. South Tasmania. Pilsbry, 1889, Man. Conch. (Tryon), 11, p. 237, pl. 40, fig. 20 (H.416).
588. *galbina* Hedley and May, 1908, Rec. Aust. Mus., 7, p. 114, pl. 22, fig. 2. Off Cape Pillar, Tasmania, 100 fm. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 226 (Twofold Bay, N.S.W.).
- NOTOGIBBULA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 226. O.T. *bicarinata* A. Adams.
589. *bicarinata* A. Adams, 1854, Thes. Conch. (Sowerby), 2, p. 839, pl. 175, figs. 39-40. Moreton Bay, Queensland. (= *coxi* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 115, pl. 13, fig. 26. Port Jackson, N.S.W.) (H.415).
- FOSSARINA A. Adams and Angas, 1864, Proc. Zool. Soc. Lond., 1863, p. 423. H.T. *patula* A. Adams and Angas.
590. *patula* A. Adams and Angas, 1864, Proc. Zool. Soc. Lond., 1863, p. 424, pl. 37, figs. 9-10. Port Jackson, N.S.W. (= *brazieri* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 18, pl. 1, fig. 24. Port Jackson, N.S.W.) (H.417).
- ETHMINOLIA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 228. O.T. *probabilis* Iredale.
591. *probabilis* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 228, pl. 35, figs. 7-9. Twofold Bay, N.S.W. Id., 1929, Rec. Aust. Mus., 17, p. 170, pl. 39, fig. 4 (H.418).
- TALOPIA Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 145. O.T. *callifera* Lamarck.
592. *morti* Iredale, 1929, Aust. Zool., 5, p. 339, pl. 37, fig. 9. Sydney Harbour, N.S.W. (H.419).
- ARCHIMINOLIA Iredale, 1929, Rec. Aust. Mus., 17, p. 170. O.T. *oleacea* Hedley and Petterd.
593. *oleacea* (*oleata*) Hedley and Petterd, 1906, Rec. Aust. Mus., 6, p. 215, pl. 37, fig. 1. Off Sydney, N.S.W., 300 fm. (H.420).
- TALOPENA Iredale, 1918, Proc. Malacol. Soc., 13, p. 30. H.T. *incerta* Iredale.
594. *gloriola* Iredale, 1929, Rec. Aust. Mus., 17, p. 170, pl. 39, fig. 7. Manly, N.S.W.
- MINOLOPS Iredale, 1929, Rec. Aust. Mus., 17, p. 169. O.T. *emendata* Iredale.
595. *emendata* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 229, pl. 35, fig. 12. Twofold Bay, N.S.W. Id., 1929, Rec. Aust. Mus., 17, p. 169, pl. 39, fig. 5.
596. *arata* Hedley, 1903, Mem. Aust. Mus., 4, p. 33, fig. 65. Off Botany Bay, N.S.W., 50-52 fm. (H.422).
597. *pulcherrima* Angas, 1869, Proc. Zool. Soc. Lond., 1869, p. 48, pl. 2, fig. 10. Broken Bay, N.S.W. Iredale, 1929, Rec. Aust. Mus., 17, p. 169, pl. 39, fig. 5 (H.425).
598. *rosulenta* Watson, 1886, Rep. Sci. Res. Challenger, Zool., 15, p. 136, pl. 8, fig. 12. Off Port Jackson, N.S.W., 35 fm. (H.426).
599. *gertruda* Iredale, 1936, Rec. Aust. Mus., 19, p. 285, pl. 21, fig. 11. Off Cape Hawke, N.S.W., 45-50 fm.
- SPECTAMEN Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 227. O.T. *philippense* Watson.
600. *philippense* Watson, 1881, J. Linn. Soc. Lond., Zool., 15, p. 92. Port Phillip, Victoria. Id., 1886, Rep. Sci. Res. Challenger, Zool., 15, p. 73, pl. 6, fig. 10. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 227, pl. 35, fig. 11. Id., 1929, Rec. Aust. Mus., 17, p. 167, pl. 39, fig. 2. N.S.W. (H.424).
601. *epitheca* Iredale, 1929, Rec. Aust. Mus., 17, p. 168, pl. 39, fig. 8. Twofold Bay, N.S.W., 24 fm.
602. *bellulum* Angas, 1869, Proc. Zool. Soc. Lond., 1869, p. 48, pl. 2, fig. 11. Broken Bay, N.S.W. Iredale, 1929, Rec. Aust. Mus., 17, p. 168, pl. 39, fig. 1 (H.423).
- SALSIPOTENS Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 230. O.T. *armillatus* Wood.
603. *armillatus* Wood, 1828, Suppl. Index Test., pl. 9, fig. 5. Tasmania (H.427).
- FAUTOR Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 230. O.T. *purpureocinctus* Hedley.
604. *purpureocinctus* Hedley, 1894, Proc. Linn. Soc. N.S.W., 19, p. 35, fig. in text. Sydney, N.S.W. (H.428).
605. *excultus* Iredale, 1931, Rec. Aust. Mus., 18, p. 208, pl. 22, fig. 5. Off Disaster Bay, N.S.W., 50 fm.
606. *legrandi tentabundus* Iredale, 1925, Rec. Aust. Mus., 14, p. 258. Off Twofold Bay, N.S.W., 25-30 fm. Pilsbry, 1890, Man. Conch. (Tryon), 11, p. 351, pl. 66, fig. 23 (*legrandi*).
607. *allporti* Tenison-Woods, 1876, Proc. Roy. Soc. Tasm., 1875, p. 155. Bass Strait, Tasmania. Pilsbry, 1890, Man. Conch. (Tryon), 11, p. 351, pl. 66, fig. 22.
- PROTHALOTIA Thiele, 1930, Die Fauna Sudwest Aust., 5, (8), p. 566. O.T. *flindersi* Fischer.

608. *comtessei* Iredale, 1931, Rec. Aust. Mus., 18, p. 208, pl. 23, fig. 8. Sydney Harbour, N.S.W. (H.429).
- PULCHRASTELE Iredale, 1929, Mem. Queensland Mus., 9, p. 271. O.T. *septenaria* Melville and Standen.
609. *speciosa* A. Adams, 1855, Proc. Zool. Soc. Lond., 1854, p. 38. Moreton Bay, Queensland. Reeve, 1863, Conch. Icon., 14, *Zyziphinus*, pl. 2, fig. 9 (H.430).
- ASTELENA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 230. O.T. *scitula* A. Adams.
610. *scitula* A. Adams, 1855, Proc. Zool. Soc. Lond., 1854, p. 38. Port Jackson, N.S.W. Reeve, 1863, Conch. Icon., 14, *Zyziphinus*, pl. 6, fig. 44 (H.431).
- BENTHASTELENA Iredale, 1936, Rec. Aust. Mus., 20, p. 285. O.T. *katherina* Iredale.
611. *katherina* Iredale, 1936, Rec. Aust. Mus., 19, p. 285, pl. 21, fig. 12. Off Sydney, N.S.W., 110 fm.
- MAZASTELE Iredale, 1936, Rec. Aust. Mus., 19, p. 286. H.T. *glypta* Watson.
612. *glypta* Watson, 1879, J. Linn. Soc. Lond., Zool., 14, p. 694. Off Sydney, N.S.W., 410 fm. Id., 1886, Rep. Sci. Res. Challenger, Zool., 15, p. 75, pl. 6, fig. 6 (H.432).
- ASTELE Swainson, 1854, Proc. Roy. Soc. Van Dieman's Land, 3, p. 36. H.T. *subcarinata* Swainson.
613. *subcarinata* Swainson, 1854, Proc. Roy. Soc. Van Dieman's Land, 3, p. 36, pl. 6, figs. 1-2. Tasmania.
- Family PHASIANELLIDAE**
- ORTHOMESUS Pilsbry, 1888, Man. Conch. (Tryon), 10, p. 163. O.T. *variegatus* Lamarck.
614. *rubens* Lamarck, 1822, Hist. Anim. s. Vert., 7, p. 53, for Ency. Meth., pl. 119, figs. 2 a, b. New Holland. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 231 (Sydney, N.S.W.).
- MIMELENCHUS Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 232. O.T. *ventricosus* Swainson.
615. *ventricosus* Swainson, 1822, Cat. Coll. Shells Bligh., App., p. 15. N.S.W. (= *perdix* Wood, 1828, Suppl. Index Test., p. 20, pl. 6, *Turbo*, fig. 46) (H.437).
- PELLAX Finlay, 1927, Trans. New Zeal. Inst., 57, p. 368. O.T. *huttoni* Pilsbry.
616. *rosea* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 114, pl. 13, fig. 24. Coogee Bay, near Sydney, N.S.W. (H.438).
617. *virgo* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 115, pl. 13, fig. 25. Coogee Bay, near Sydney, N.S.W. (H.439).
618. *gregaria* Laseron, 1955, Proc. Roy. Zool. Soc. N.S.W., 1953-4, p. 77, fig. 1. Near Sydney, N.S.W.
- GABRIELONA Iredale, 1917, Proc. Malacol. Soc., 12, p. 327. H.T. *nepeanensis* Gatliff and Gabriel.
619. *nepeanensis* Gatliff and Gabriel, 1908, Proc. Roy. Soc. Vict., 21, (n.s.), p. 366, pl. 21, figs. 9-10. Western Port, Victoria.
- Family TURBINIDAE**
- DINASSOVICA Iredale, 1937, Aust. Zool., 8, p. 247. O.T. *verconis* Iredale.
620. *militaris* Reeve, 1848, Conch. Icon., 4, *Turbo*, pl. 9, fig. 40. Moreton Bay, Queensland. Hedley, 1913, Proc. Linn. Soc. N.S.W., 38, p. 282 (H.441).
- LUNELLA Bolten-Roding, 1798, Mus. Bolten., 2, p. 103 L.T. (Powell, 1937, Shellfish of New Zealand ed. 1, p. 66) *versicolor* Mart. = *picta* Bolten-Roding.
621. *perspeciosa* Iredale, 1929, Mem. Queensland Mus., 9, p. 272. New name for *Turbo speciosus* Reeve, 1848, Conch. Icon., 4, *Turbo*, pl. 8, fig. 35. New Holland (Dring) (not *T. speciosus* Megerle, 1824). Woolacott, 1957, Proc. Roy. Zool. Soc. N.S.W., 1955-6, p. 113, figs. 2, 3, 4. Sydney Harbour, N.S.W.
- CARSWELLENA Iredale, 1931, Rec. Aust. Mus., 18, p. 209. O.T. *exquisita* Angas.
622. *exquisita* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 175, pl. 26, fig. 18. Botany Bay, N.S.W. Hedley, 1902, Proc. Linn. Soc. N.S.W., 26, p. 701, pl. 34, fig. 7 (operculum) (H.440).
- SUBNINELLA Thiele, 1929, Handb. Syst. Weicht., p. 68. O.T. *anguis* Gmelin.
623. *anguis* Gmelin, 1791, Syst. Nat., 6, p. 3602. Botany Bay, N.S.W. Martyn, 1784, Univ. Conch., pl. 70 (*anguis*, non-binomial) (H.443).
- NINELLA Gray, 1850, Figs. Moll. Anim., 4, p. 87. H.T. *torquata* Gmelin.
624. *torquata* Gmelin, 1791, Syst. Nat., 6, p. 3597. Botany Bay, N.S.W. Chemnitz, 1788, Conch. Cab., 10, pp. 295-6, Vign. 24, figs. A, B. Martyn, 1784, Univ. Conch., pl. 71 (*staminea* non-binomial) (H.442).
- BELLASTRAEA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 232. O.T. *kesteveni* Iredale.
625. *kesteveni* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 232. Port Jackson, N.S.W. Kesteven, 1902, Proc. Linn. Soc. N.S.W., 27, p. 2, text figs. 1, 3 (*fimbriatus*, not of Lamarck, 1822) (H.444).
626. *sirius* Gould, 1851, Proc. Bost. Soc. Nat. Hist., 3, p. 90 (1849). Sydney, N.S.W. Kesteven, 1902, Proc.

Linn. Soc. N.S.W., 27, p. 3, figs. 2, 4, 5 (*tentoriiformis*, not of Jonas, 1845) (H.445).

MICRASTRAEA Cotton, 1939, Proc. Roy. Soc. Vict., 51, (n.s.), p. 169. O.T. *aurea* Jonas.

627. *aurea* Jonas, 1844, Zeit. Malak. (Menke), 1844, p. 168. Western Australia. Philippi, 1846, Abbild. Beschr. Conchyl., 2, p. 14. *Trochus*, p. 26, pl. 6, fig. 2 (= *granulata* Swainson, 1855, Proc. Roy. Soc. Tasm., 3, p. 39, pl. 6, figs. 3, 4. Tasmania).

CALCAR Montfort, 1810, Conch. Syst., 2, pp. 134-135. O.T. *sporis* Montfort (= *calcar* Linne).

627A. *aureola* Hedley, 1907, Proc. Linn. Soc. N.S.W., 32, p. 491, pl. 21, figs. 56-58. Masthead Island, Queensland, 20 fm.

Family LIOTIIDAE

[Ref.:—Laseron, 1954, Aust. Zool., 12, pp. 1-25, figs. 1-49.]

AUSTROLIOTIA Cotton, 1945, Trans. Roy. Soc. South Aust., 72, (1), p. 31. O.T. *botanica* Hedley.

628. *botanica* Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 710, pl. 85, figs. 46-48. Sydney, N.S.W. Laseron, 1954, loc. cit., figs. 1, 1 a (H.466).

629. *saxa* Laseron, 1954, Aust. Zool., 12, p. 2, figs. 2, 2 a. Near Sydney, N.S.W., 14 fm.

630. *scalaris* Hedley, 1903, Mem. Aust. Mus., 4, p. 336. Off Crookhaven, N.S.W., 11-15 fm. Iredale, 1936, Rec. Aust. Mus., 20, p. 287, pl. 21, fig. 15. Off Sydney, N.S.W., 110 fm. (H.467).

PSEUDOLIOTIA Tate, 1893, Trans. Roy. Soc. South Aust., 22, p. 7. O.T. *micans* A. Adams.

631. *micans* A. Adams, 1850, Proc. Zool. Soc. Lond., 1850, p. 44. South Australia. (Sowerby), 1864, Thes. Conch., A. Adams, 3, pl. 255, figs. 7, 8, 27. Laseron, 1954, loc. cit., figs. 3, 3 a. Sydney Harbour, N.S.W. (H.464).

632. *speciosa* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 19, pl. 1, fig. 26. Port Jackson, N.S.W. Laseron, 1954, loc. cit., figs. 4, 4 a (H.464).

LODDERIA Tate, 1899, Trans. Roy. Soc. South Aust., 23, p. 215. O.T. *loddereae* Petterd.

633. *loddereae* Petterd, 1884, J. of Conch., 4, p. 135. North Tasmania. Hedley, 1899, Proc. Linn. Soc. N.S.W., 24, p. 802, figs. Laseron, 1954, loc. cit., figs. 5, 5 a. Near Sydney, N.S.W. (H.462).

LODDERENA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 233. O.T. *minima* Tenison-Woods.

634. *minima* Tenison-Woods, 1878, Trans. Roy. Soc. Vict., 14, 1877, p. 58. Tasmania. Hedley, 1900, Proc. Linn. Soc. N.S.W., 25, p. 94, pl. 3, figs. 1, 2. Sydney Harbour, N.S.W. Laseron, 1954, loc. cit., figs. 6, 6 a (H.463).

PARTUBIOLA Iredale, 1936, Rec. Aust. Mus., 19, p. 286. O.T. *blancha* Iredale.

635. *blancha* Iredale, 1936, Rec. Aust. Mus., 19, p. 286, pl. 21, fig. 13. Sydney, N.S.W. Laseron, 1954, loc. cit., figs. 7, 7 a.

Family BROOKULIDAE

BROOKULA Iredale, 1912, Proc. Malacol. Soc., 10, p. 219. O.T. *stibarochila* Iredale.

636. *obscura* Laseron, 1954, Aust. Zool., 12, p. 6, fig. 10. Port Stephens, N.S.W.

637. *jacksonensis* Laseron, 1954, Aust. Zool., 12, p. 6, fig. 11. Manly, N.S.W. (H.450).

638. *augeria* Laseron, 1954, Aust. Zool., 12, p. 6, fig. 12. Off Twofold Bay, N.S.W., 40-50 fm.

639. *turbinata* Laseron, 1954, Aust. Zool., 12, p. 7, fig. 13. Off Twofold Bay, N.S.W., 40-50 fm. (H.451).

640. *crospatia* Laseron, 1954, Aust. Zool., 12, p. 7, fig. 14. Off Twofold Bay, N.S.W., 40-50 fm.

641. *finesia* Laseron, 1954, Aust. Zool., 12, p. 7, fig. 15. Off Crookhaven, N.S.W., 30-35 fm.

642. *tumida* Laseron, 1954, Aust. Zool., 12, p. 8, fig. 16. Off Twofold Bay, N.S.W., 40-50 fm.

LIOTELLA Iredale, 1915, Trans. New Zeal. Inst., 47, p. 442. O.T. *polypleura* Hedley.

643. *princeps* Laseron, 1954, Aust. Zool., 12, p. 8, figs. 17, 17 a. Off Crookhaven, N.S.W., 15-25 fm.

644. *littoralis* Laseron, 1954, Aust. Zool., 12, p. 8, fig. 18. Port Stephens, N.S.W.

645. *parvirota* Laseron, 1954, Aust. Zool., 12, p. 9, figs. 19, 19 a. Broken Bay, N.S.W.

646. *pulcherrima* Henn and Brazier, 1894, Proc. Linn. Soc. N.S.W., 19, p. 175, pl. 14, fig. 13. Port Jackson, N.S.W. Laseron, 1954, loc. cit., figs. 20, 20 a (H.461).

647. *capitata* Hedley, 1907, Rec. Aust. Mus., 6, p. 357, pl. 67, figs. 13-14. Off Sydney, N.S.W., 800 fm. (H.457).

648. *patonga* Laseron, 1954, Aust. Zool., 12, p. 9, figs. 32 a, b. Broken Bay, N.S.W.

649. *gravicosta* Laseron, 1954, Aust. Zool., 12, p. 10, figs. 33, 33 a. Off Montagu Island, N.S.W., 55 fm.

LIOCARINIA Laseron, 1954, Aust. Zool., 12, p. 10. O.T. *disjuncta* Hedley.

650. *disjuncta* Hedley, 1903, Mem. Aust. Mus., 4, p. 366, fig. 6. Off Cape Three Points, N.S.W., 41-50 fm. Laseron, 1954, loc. cit., figs. 41, 41 a (H.459).

Family CALLOMPHALIDAE

CALLOMPHALA A. Adams and Angas, 1864, Proc. Zool. Soc., Lond., 1864, p. 35. H.T. *lucida* A. Adams and Angas.

651. *lucida* A. Adams and Angas, 1864, Proc. Zool. Soc. Lond., 1864, p. 35. Coogee Bay, N.S.W. Hedley, 1899, Proc. Linn. Soc. N.S.W., 24, p. 434, fig. 5. Laseron, 1954, loc. cit., figs. 23, 23 a (H.446).
652. *alta* Laseron, 1954, Aust. Zool., 12, p. 15, figs. 26, 26 a. Port Stephens, N.S.W.
- CIRSONELLA** Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 38. H.T. *australis* Angas.
653. *australis* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 38, pl. 5, fig. 16. Botany Bay, N.S.W. Laseron, 1954, loc. cit., figs. 27, 27 a (H.449).
654. *reflecta* Laseron, 1954, Aust. Zool., 12, p. 11, figs. 28, 28 a. Port Jackson, N.S.W.
655. *perplexa* Laseron, 1954, Aust. Zool., 12, p. 11, figs. 21, 21 a. Off Twofold Bay, N.S.W., 40-50 fm.
- LISSOTESTA** Iredale, 1915, Trans. New Zeal. Inst., 47, p. 442. O.T. *micra* Tenison-Woods.
656. *arenosa* Laseron, 1954, Aust. Zool., 12, p. 11, figs. 22, 22 a. Port Jackson, N.S.W.
- ZALIPAIIS** Iredale, 1915, Trans. New Zeal. Inst., 47, p. 442. O.T. *lissa* Suter
657. *inscripta* Tate, 1899, Trans. Roy. Soc. South Aust., 23, p. 216, pl. 7, figs. 3 a, b. South Australia (H.453).
- CONICELLA** Laseron, 1954, Aust. Zool. 12, p. 12. O.T. *porcellana* Tate and May.
658. *porcellana* Tate and May, 1900, Trans. Roy. Soc. South Aust., 24, p. 101. South Tasmania. Id. lb., 1901, 25, p. 397, pl. 27, fig. 98 (type). Laseron, 1954, loc. cit., fig. 38. (Off Crookhaven, N.S.W., 30-35 fm.) (H.455).
659. *lacuna* Laseron, 1954, Aust. Zool., 12, p. 12, figs. 39, 39 a. Port Jackson, N.S.W.
660. *lata* Laseron, 1954, Aust. Zool., 12, p. 12, figs. 37, 37 a. Manly, N.S.W.
- WANGANELLA** Laseron, 1954, Aust. Zool., 12, p. 13. O.T. *fissura* Laseron.
661. *fissura* Laseron, 1954, Aust. Zool., 12, p. 13, figs. 40, 40 a. Port Stephens, N.S.W.
- CHARISMA** Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 711. O.T. *compacta* Hedley.
662. *compacta* Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 712, pl. 81, fig. 49. Port Macquarie, N.S.W., 100 fm. Laseron, 1954, loc. cit. p. 14, fig. 29 (H.468).
663. *latebrosa* Hedley, 1907, Proc. Linn. Soc. N.S.W., 32, p. 498, pl. 16, fig. 2. Capricorn Group, south Queensland. [No local occurrence on record.] (H.469).
- CAVOSTELLA** Laseron, 1954, Aust. Zool., 12, p. 14. O.T. *radians* Laseron.
664. *radians* Laseron, 1954, Aust. Zool., 12, p. 14, figs. 30, 30 a. Port Jackson, N.S.W.
- CAVOTERA Laseron, 1954, Aust. Zool., 12, p. 14. O.T. *simplex* Laseron.
665. *simplex* Laseron, 1954, Aust. Zool., 12, p. 14, figs. 31, 31 a. Port Stephens, N.S.W.
- ROTOSTOMA** Laseron, 1954, Aust. Zool., 12, p. 15. O.T. *brazieri* Angas.
666. *brazieri* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 39, pl. 5, fig. 17. Port Jackson, N.S.W. Laseron, 1954, loc. cit., figs. 24, 24 a (H.447).
- CALLODIX** Laseron, 1954, Aust. Zool., 12, p. 16. O.T. *solida* Laseron.
667. *solida* Laseron, 1954, Aust. Zool., 12, p. 16, figs. 25 a, b. Near Sydney, N.S.W., 14 fm.
- PARISANDA** Laseron, 1954, Aust. Zool., 12, p. 19. O.T. *iredalei* Laseron.
668. *iredalei* Laseron, 1954, Aust. Zool., 12, p. 19, figs. 49, 49 a. Manly, N.S.W.
- Family MICRODISCULIDAE**
- MICRODISCULA** Thiele, 1912, Deutsch Sud-pol. Exped., 12, p. 199. H.T. *vanhoffeni* Thiele.
669. *vitrea* Laseron, 1954, Aust. Zool., 12, p. 4, figs. 8, 8 a. Port Jackson, N.S.W.
670. *pellucida* Laseron, 1954, Aust. Zool., 12, p. 5, figs. 9, 9 a. Botany Bay, N.S.W.
671. *fragilis* Laseron, 1954, Aust. Zool., 12, p. 5, figs. 48 a, b. Port Hacking, N.S.W.
- Family ORBITESTELLIDAE**
- ORBITESTELLA** Iredale, 1917, Proc. Malacol. Soc., 12, p. 327. O.T. *bastowi* Gatliff.
672. *decorata* Laseron, 1954, Aust. Zool., 12, p. 18, figs. 43 a, b. Port Jackson, N.S.W. (H.470).
673. *aura* Laseron, 1954, Aust. Zool., 12, p. 18, figs. 44 a, b. Manly, N.S.W.
- HELISALIA** Laseron, 1954, Aust. Zool., 12, p. 16. O.T. *liliputia* Laseron.
674. *liliputia* Laseron, 1954, Aust. Zool., 12, p. 16, figs. 45, 45 a. Port Jackson, N.S.W.
675. *pallida* Laseron, 1954, Aust. Zool., 12, p. 17, figs. 46, 46 a. Near Sydney, N.S.W.
676. *sucina* Laseron, 1954, Aust. Zool., 12, p. 17, figs. 47, 47 a. Port Jackson, N.S.W.
- MICROCARINA** Laseron, 1954, Aust. Zool., 12, p. 17. O.T. *surgea* Laseron.
677. *surgea* Laseron, 1954, Aust. Zool., 12, p. 17, figs. 42, a, b. Port Jackson, N.S.W.
- Family INDETERMINATE**
- ? **LIOTIA** Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 145. O.T. *cancellata* Gray.

678. *alazon* Hedley, 1905, Rec. Aust. Mus., 6, p. 49, fig. 14. Off Cape Byron, N.S.W., 111 fm. (H.465).

LACINIORBIS Martens, 1897, Arch. Nat. (Wiegmann), 63, (1), p. 175. H.T. *fimbratus* Martens.

679. *morti* Iredale, 1931, Rec. Aust. Mus., 18, p. 209, pl. 22, figs. 4-6. Sydney Harbour, N.S.W.

STARKEYNA Iredale, 1930, Aust. Zool., 6, p. 175. New name for *Stipator* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 233 (not *Stipator* Rehn, 1900). O.T. *starkeyae* Hedley.

680. *starkeyae* Hedley, 1899, Proc. Linn. Soc. N.S.W., 24, p. 453, fig. 4. Port Jackson, N.S.W. (? may be an estuarine form) (H.448).

Family NERITIDAE

NERITA Linne, 1758, Syst. Nat., 10 ed., p. 776. L.T. (Montfort, 1810, Conch. Syst., 2, p. 347) *peloronta* Linne.

681. *polita* Linne, 1758, Syst. Nat., 10 ed., p. 778. Amboina. Rumph, 1741, Amboin. Rariteitk., pl. 22, figs. 1, 2 (H.474).

THELIOSTYLA Murch, 1852, Cat. Conch. Yoldi, p. 167. L.T. (Baker, 1923, Proc. Acad. Nat. Sci. Philadelphia, 75, p. 165) *albicina* Linne.

682. *albicina* Linne, 1758, Syst. Nat., 10 ed., p. 778. Amboina (I. Hitoe). Rumph, 1741, Amboin. Rariteitk., pl. 22, fig. 8 (H.471).

RITENA Gray, 1858, Proc. Zool. Soc. Lond., 1858, p. 93. H.T. *plicata* Linne.

683. *plicata* Linne, 1758, Syst. Nat., 10 ed., p. 779. Amboina. Reeve, 1855, Conch. Icon., 9, *Nerita*, pl. 9, fig. 42 (H.473).

MELANERITA Martens, 1889, Conch. Cab. (cont.), Bd. 2, Abth. 11, p. 125. L.T. (Baker, 1923, Proc. Acad. Nat. Sci. Philad., 75, p. 164) "nigra" Gray (= *melanotragus* Smith = *atramentosa* Reeve).

684. *atramentosa* Reeve, 1855, Conch. Icon., 9, *Nerita*, pl. 6, fig. 25. Western Australia (= *melanotragus* Smith, 1884, Zool. Coll. Alert, p. 69. New Zealand. Hedley, 1917, Proc. Linn. Soc. N.S.W., 41, p. 706, pl. 48, figs. 13, 14 (animal)) (H.472).

SMARAGDELLA Baker, 1923, Proc. Acad. Nat. Sci. Philad., 75, p. 172. O.T. *souverbiana* Gassies.

685. *pulcherrima* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 19, pl. 1, fig. 25. Port Jackson, N.S.W. (H.475).

SMARAGDISTA Iredale, 1936, Rec. Aust. Mus., 19, p. 288. O.T. *tragenta* Iredale.

686. *tragenta* Iredale, 1936, Rec. Aust. Mus., 19, p. 288, pl. 21, fig. 14. Sydney Harbour, N.S.W.

Family COCCULINIDAE

NOTOCRATER Finlay, 1927, Trans. New Zeal. Inst., 57, p. 374. O.T. *craticulus* Suter.

687. *tasmanicus* Pilsbry, 1895, Nautilus, 8, p. 128. South Tasmania, 10 fm. Tate and May, 1901, Proc. Linn. Soc. N.S.W., 26, p. 411, pl. 27, figs. 89-90 (H.476).

688. *meridionalis* Hedley, 1903, Mem. Aust. Mus., 4, p. 331, fig. 64. Off Port Kembla, N.S.W., 63-75 fm. (H.476).

TECTISUMEN Finlay, 1927, Trans. New Zeal. Inst., 57, p. 374. O.T. *clypidelliformis* Suter.

689. *coercita* Hedley, 1907, Rec. Aust. Mus., 6, p. 289, pl. 54, figs. 1-2. Off Narrabeen, N.S.W., 80 fm. (H.477).

Family PHENACOLEPADIDAE

PHENACOLEPAS Pilsbry, 1891, Nautilus, 5, p. 89. New name for *Scutellina* Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 168 (not *Scutellina* Agassiz, 1841); new name for *Scutella* Broderip, 1834, Proc. Zool. Soc. Lond., 1834, 2, p. 47 (not *Scutella* Lamarck, 1816). O.T. *crenulata* Broderip.

690. *mirabilis* Sowerby, 1910, Proc. Malacol. Soc., 9, p. 66, text fig. South Queensland.

CINNALEPETA Iredale, 1929, Mem. Queensland Mus., 9, p. 274. O.T. *cinnamomea* Gould.

691. *cinnamomea* Gould, 1846, Proc. Boston Soc. Nat. Hist., 5, p. 151. Port Jackson, N.S.W. (= *ferruginea* H. and A. Adams, 1854, Gen. Rec. Moll., I, pl. 52, figs. 6, 6 a). Thiele, 1909, Conch. Cab., Bd. 2, Abth. 11 a, p. 35, pl. 6, fig. 5. Hedley, 1917, Proc. Linn. Soc. N.S.W., 41, p. 707, pl. 48, figs. 17-19 (animal) (H.479).

Suborder DOCOGLOSSA

Family PATELLOIDIDAE

[Ref.:—Thornley, 1945, Proc. Roy. Zool. Soc. N.S.W., 1944-45, pp. 22-30, pl. 2.]

PATELLOIDA Quoy and Gaimard, 1834, Voy. Astrol., Zool., 3, p. 349. L.T. (Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 158) *rugosa* Quoy and Gaimard.

692. *aliticostata antelia* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 234. Manly, N.S.W. Thornley, 1945, loc. cit., pl. 1, figs. 1 a, b (H.480).

693. *complanata* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 234. Manly, N.S.W. Thornley, 1945, loc. cit., pl. 1, figs. 2 a, b.

COLLISELLINA Dall, 1871, Amer. J. Conch., 6, p. 254. L.T. (Suter, 1907, Proc. Malacol. Soc. 7, p. 324) *saccharina* Linne.

694. *submarmorata* Pilsbry, 1891, Man. Conch. (Tryon), 13, p. 52, pl. 42, figs. 69-70. Port Jackson, N.S.W. Thornley, 1945, loc. cit., pl. 1, figs. 3 a, b.
- CHIAZACMEA** Oliver, 1926, Trans. New Zeal. Inst., 56, p. 558. O.T. *flammea* Quoy and Gaimard.
695. *flammea mimula* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 235. Sydney, N.S.W. Thornley, 1945, loc. cit., pl. 1, figs. 4 a, b (*mixta mimula*) (H.481).
- NOTOACMEA** Iredale, 1915, Trans. New Zeal. Inst., 47, pp. 194, 428. O.T. *pileopsis* Quoy and Gaimard.
696. *petterdi* Tenison-Woods, 1877, Proc. Roy. Soc. Tasm., 1876, p. 155. Tasmania. May, 1923, Illus. Index Tasm. Shells, pl. 22, fig. 10 (*septiformis*, not of Quoy and Gaimard, 1835). Thornley, 1945, loc. cit., pl. 1, figs. 5 a, b. (N.S.W.) (H.483).
697. *scabrilirata diminuta* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 236. Sydney, N.S.W. Thornley, 1945, loc. cit., pl. 1, figs. 6 b, c.
- CONACMEA** Oliver, 1926, Trans. New Zeal. Inst., 56, p. 577. O.T. *parviconoidea* Suter.
698. *subundulata* Angas, 1865, Proc. Zool. Soc. Lond., 1865, p. 155. Port Lincoln, South Australia. May, 1923, Illus. Index Tasm. Shells, pl. 22, fig. 11. (Tasmania.) Thornley, 1945, loc. cit., pl. 1, figs. 7 a, b. (N.S.W.) (H.484).
- ACTINOLEUCA** Oliver, 1926, Trans. New Zeal. Inst., 56, p. 567. O.T. *campbelli* Filhol.
699. *calamus* Crosse and Fischer, 1864, J. de Conch., 12, p. 348. South Australia. May, 1923, Illus. Index Tasm. Shells, pl. 22, fig. 2. (Tasmania.) Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 236. (Twofold Bay, N.S.W.) Thornley, 1945, loc. cit., pl. 2, figs. 9 a, b.
- RADIACMEA** Iredale, 1915, Trans. New Zeal. Inst., 48, p. 427. O.T. *cingulata* Hutton.
700. *mufria* Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 713, pl. 81, figs. 50-52. Port Jackson, N.S.W. Thornley, 1945, loc. cit., pl. 2, figs. 11 a, b, c, d (H.482).
701. *cavilla* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 235. Sydney, N.S.W. Thornley, 1945, loc. cit., pl. 2, figs. 12 a, b, c, d.
- ASTERACMEA** Oliver, 1926, Trans. New Zeal. Inst., 56, p. 563. O.T. *illibrata* Verco.
702. *mellila* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 242. Sydney, N.S.W. Thornley, 1945, loc. cit., pl. 2, figs. 13 a, b, c (H.487).
- Family PATELLIDAE**
- PATELLANAX** Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 239. O.T. *squamifera* Reeve.
703. *perplexa* Pilsbry, 1891, Man. Conch. (Tryon), 13, p. 50, pl. 36, figs. 69-71. Sydney beaches, N.S.W. Thornley, 1945, loc. cit., pl. 2, fig. 14 a (H.485).
704. *chapmani* Tenison-Woods, 1876, Proc. Roy. Soc. Tasm., 1875, p. 157. Tasmania (= *alba* Tenison-Woods, 1877, Proc. Roy. Soc. Tasm., 1876, p. 155. Pilsbry, 1889, Man. Conch. (Tryon), 11, p. 54, pl. 42, figs. 76-78).
705. *squamifera* Reeve, 1855, Conch. Icon., 8, *Patella*, pl. 32, fig. 94. New South Wales. Thornley, 1945, loc. cit., pl. 2, figs. 15 a, b, 16 (H.486).
706. *ustulata* Reeve, 1855, Conch. Icon., 8, *Patella*, pl. 31, fig. 59. Tasmania. Thornley, 1945, loc. cit., pl. 2, figs. 17 a, b (N.S.W.).
- CELLANA** A. Adams, 1869, Proc. Zool. Soc. Lond., 1869, p. 273. O.T. *cernica* H. Adams.
707. *tramoserica* Holten, 1806, Enum. Syst. Conch., Chemnitz, p. 85. Botany Bay, N.S.W. Based on Chemnitz, 1795, Conch. Cab., 11, pl. 197, figs. 1912-1913 (H.488).
- Order MESOGASTROPODA**
- Family LITTORINIDAE**
- MELARAPHA** Cristifori and Jan, 1832, Cat. Mus., sect. 2, pt. 1, p. 7. H.T. "glabrata" Megerle" (= *neritoides* L.).
708. *acutispira* Smith, 1892, Proc. Zool. Soc. Lond., 1891, p. 487, pl. 40, fig. 3. Port Jackson, N.S.W. (H.489).
709. *infans* Smith, 1892, Proc. Zool. Soc. Lond., 1891, p. 488, pl. 40, fig. 4. Port Jackson, N.S.W. (H.490).
710. *undulata* Gray, 1839, Zool. Beechey's Voy., p. 140. No loc. Reeve, 1857, Conch. Icon., 10, *Littorina*, pl. 13, fig. 67 (H.492).
711. *diemenensis* Quoy and Gaimard, 1833, Voy. Astrol., Zool., 2, p. 479, pl. 33, figs. 8-11. Tasmania (H.493).
712. *praetermissa* May, 1909, Proc. Roy. Soc. Tasm., 1908, p. 5, pl. 6, fig. 3. Tasmania.
713. *luteola* Quoy and Gaimard, 1833, Voy. Astrol., Zool., 2, p. 477, pl. 33, figs. 4-7. Port Jackson, N.S.W. (H.491).
714. *blanfordi* Dunker, 1869, Malak. Blatt., 18, p. 150. Rockhampton, Queensland.
- NODILITTORINA** Martens, 1897, Zool. Nederl. Ost-Indian (Weber), 4, p. 204. L.T. (Macpherson and Chapple, 1951, Mem. Nat. Mus. Melb., 17, p. 118) *nodulosus* Gmelin (= *pyramidalis* Quoy and Gaimard).
715. *pyramidalis* Quoy and Gaimard, 1833, Voy. Astrol., Zool. 2, p. 482, pl. 33, figs. 12-15. Jervis Bay, N.S.W. (H.494).
- BEMBICIUM** Philippi, 1846, Zeit. Malak. (Menke), p. 129. L.T. (Herrmannsen, 1846, Ind. Gen. Malac. 1, p. 111) *melanostoma* Gmelin.

716. *melanostoma* Gmelin, 1791, Syst. Nat., pt. 6, p. 3581. Botany Bay, N.S.W. Chemnitz, 1781, Conch. Cab., 5, p. 29, pl. 161, fig. 1526. Crosse, 1864, J. de Conch., 12, p. 229, pl. 11, fig. 1 (H.495).

717. *kielmannseggi* Frauenfeld, 1867, Reise Novara, Bd. 2, Abt. 3, Moll., p. 9, pl. 1, fig. 11. Botany Bay, N.S.W. (H.495).

PROBLITORA Iredale, 1931, Rec. Aust. Mus., 18, p. 26. O.T. *morchi* A. Adams and Angas.

718. *morchi* A. Adams and Angas, 1864, Proc. Zool. Soc. Lond., 1863, p. 423. Port Jackson, N.S.W. Hedley, 1902, Proc. Linn. Soc. N.S.W., 26, p. 700, pl. 34, figs. 19-20 (H.704).

LARINOPSIS Gatliff and Gabriel, 1916, Proc. Roy. Soc. Vict., 29, (n.s.), p. 104. O.T. *turbanatus* Gatliff and Gabriel.

719. *ostensus* Iredale, 1936, Rec. Aust. Mus., 19, p. 287, pl. 24, fig. 17. Off Jervis Bay, N.S.W., 65 fm.

LAEVILITORINA Pfeffer, 1886, Jahrb. Anst. Hamburg, 3, p. 81. H.T. *caliginosa* Gould.

720. *mariae* Tenison-Woods, 1876, Proc. Roy. Soc. Tasm., 1875, p. 147. King I., Tasmania. Tryon, 1887, Man. Conch., 4, p. 351, pl. 71, fig. 9. Laseron, 1950, Rec. Aust. Mus., 22, p. 284, fig. 86. (Northern N.S.W.) (H.532).

Family FOSSARIDAE

ANAFOSSARUS Iredale, 1936, Rec. Aust. Mus., 19, p. 289. O.T. *sydneyensis* Hedley.

721. *sydneyensis* Hedley, 1900, Proc. Linn. Soc. N.S.W., 25, p. 89, pl. 3, fig. 12. Sydney, N.S.W. (H.496).

Family PLANAXIDAE

PLANAXIS Lamarck, 1822, Hist. Anim. s. Vert., 7, p. 50. L.T. (Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 138) *sulcatus* Born.

722. *sulcata* Born, 1780, Test. Mus. Caes., p. 258, pl. 10, figs. 5-6. No locality (= Eastern Seas: Tranquebar). Martini, 1780, Conch. Cab., 4, p. 44, pl. 124, figs. 1170-1171. (Tranquebar.)

HINEA Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 138. O.T. *brasiliiana* Lamarck.

723. *brasiliiana* Lamarck, 1822, Hist. Anim. s. Vert., 7, p. 272. "Brasil" (= Sydney, N.S.W.) Kiener, 1834, Coq. Viv., Buccinum, p. 70, pl. 78, fig. 59 (= *mollis* Sowerby, 1823, Genera Shells, 2, pl. 208, fig. 2) (H.497).

Family RISSOINIDAE

[Ref.:—Laseron, 1950, Rec. Aust. Mus., 22, p. 259 et seq., figs.]

MOERCHIELLA G. Nevill, 1884, Handl. Moll. Indian Mus., pp. 73, 88. O.T. *gigantea* Deshayes.

724. *fasciata* A. Adams, 1853, Proc. Zool. Soc. Lond., 1851, p. 264. Port Jackson, N.S.W. Angas,

1867, Proc. Zool. Soc. Lond., 1867, p. 14, pl. 13, fig. 21 (H.535).

725. *usitata* Laseron, 1950, Rec. Aust. Mus., 22, p. 262, fig. 7. Off Clarence River, northern N.S.W., 15 fm.

726. *cincta* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 114, pl. 13, fig. 22. Port Jackson, N.S.W.

PERIPETELLA Laseron 1956, Aust. J. Mar. Freshw. Res., 7, p. 400. O.T. *queenslandica* Laseron.

727. *variegata* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 113, pl. 13, fig. 19. Port Jackson, N.S.W. Laseron, 1950, loc. cit., p. 259, fig. 1 (H.536).

728. *elegantula* Angas, 1880, Proc. Zool. Soc. Lond., 1880, p. 417, pl. 40, fig. 10. South Australia. Laseron, 1950, loc. cit., p. 261, fig. 2. Point Halliday, N.S.W. (H.534).

729. *linea* Hedley and May, 1908, Rec. Aust. Mus., 7, p. 117, pl. 23, fig. 11. Off Cape Pillar, Tasmania, 110 fm.

LASERONIA Cotton, 1959, South Aust. Moll., Archaeogastropoda, p. 355. O.T. *cretacea* Tenison-Woods. (Also spelled *Lasseronia* p. 332).

730. *cretacea* Tenison-Woods, 1878, Proc. Linn. Soc. N.S.W., 2, p. 265. Off Port Jackson, N.S.W., 45 fm. Hedley, 1903, Mem. Aust. Mus., 4, p. 353, fig. 76. Laseron, 1950, loc. cit., p. 261, fig. 3 (H.533).

PHINTORENE Iredale, 1955, Proc. Roy. Zool. Soc. N.S.W., 1953-4, p. 81. O.T. *allanae* Laseron.

731. *allanae* Laseron, 1950, Rec. Aust. Mus., 22, p. 261, fig. 5. Woolgoolga, N.S.W.

CAPORISTA Iredale, 1955, Proc. Roy. Zool. Soc. N.S.W., 1953-4, p. 81. O.T. *iredalei* Laseron.

732. *iredalei* Laseron, 1950, Rec. Aust. Mus., 22, p. 262, fig. 6. Port Jackson, N.S.W., 15 fm.

COSTALYNIA Laseron, 1956, Aust. J. Mar. Freshw. Res., 7, p. 395. O.T. *cardinalis* Brazier.

733. *crassa* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 17, pl. 1, fig. 16. Port Jackson, N.S.W. Laseron, 1950, loc. cit., p. 262, fig. 9 (H.538).

734. *angasi* Pease, 1872, Amer. J. Conch., 7, p. 20. Port Jackson, N.S.W. New name for *Rissoina turricula* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 114, pl. 13, fig. 20 (not *R. turricula* Eichwald, 1830). Laseron, 1950, loc. cit., p. 262, fig. 9 (H.537).

STIVA Hedley, 1904, Proc. Linn. Soc. N.S.W., 29, p. 192. O.T. *ferruginea* Hedley.

735. *ferruginea* Hedley, 1904, Proc. Linn. Soc. N.S.W., 29, p. 192, pl. 9, figs. 23-25. Off Wollongong, N.S.W., 100 fm. Laseron, 1950, loc. cit., p. 263, fig. 10 (H.540).

736. *royana* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 245, pl. 34, fig. 11. Twofold Bay, N.S.W., 10-25 fm. Laseron, 1950, loc. cit., p. 263, fig. 11.

737. *nielseni* Laseron, 1950, Rec. Aust. Mus., 22, p. 263, fig. 12. Off Crookhaven, N.S.W., 30-35 fm.

Family "RISSOIDAE"

[Ref.:—Laseron, 1950, Rec. Aust. Mus., 22, p. 263 et seq., figs.]

MERELINA Iredale, 1915, Trans. New Zeal. Inst., 47, p. 449. O.T. *chielostoma* Tenison-Woods.

738. *chielostoma* Tenison-Woods, 1877, Proc. Roy. Soc. Tasm., 1876, p. 152. South Tasmania. Tryon, 1887, Man. Conch., 4, p. 366, pl. 68, fig. 31. Laseron, 1950, loc. cit., p. 264, fig. 13 (H.502).

739. *elegans* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 174, pl. 26, fig. 15. Port Jackson, N.S.W. Laseron, 1950, loc. cit., p. 264, fig. 13. Manly, N.S.W.

740. *gracilis* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 174, pl. 26, fig. 16. Port Jackson, N.S.W. Laseron, 1950, loc. cit., p. 264, fig. 14 (H.503).

741. *strangei* Henn and Brazier, 1894, Proc. Linn. Soc. N.S.W., 19, p. 173, pl. 14, fig. 11 (not 12). Port Jackson, N.S.W. Laseron, 1950, loc. cit., p. 265, fig. 17 (H.505).

742. *ochroleuca* Henn and Brazier, 1894, Proc. Linn. Soc. N.S.W., 19, p. 174, pl. 14, fig. 12 (not 11). Port Jackson, N.S.W. Laseron, 1950, loc. cit., p. 265, fig. 18 (H.507).

743. *apicilirata* Tate and May, 1900, Trans. Roy. Soc. South Aust., 24, p. 99. South Tasmania. Id., 1901, Proc. Linn. Soc. N.S.W., 25, p. 391, pl. 26, fig. 61. Laseron, 1950, loc. cit., p. 265, fig. 19. Port Jackson, N.S.W.

744. *subreticulata* Laseron, 1950, Rec. Aust. Mus., 22, p. 264, fig. 15. Port Jackson, N.S.W.

745. *eminens* Laseron, 1950, Rec. Aust. Mus., 22, p. 264, fig. 16. Manly, N.S.W.

LINEMERA Finlay, 1924, Trans. New Zeal. Inst., 55, p. 483. O.T. *gradata* Hutton.

746. *filocincta* Hedley and Petterd, 1906, Rec. Aust. Mus., 6, p. 217, pl. 37, fig. 2. Off Sydney, N.S.W., 300 fm. Laseron, 1950, loc. cit., p. 266, fig. 25 (H.500).

747. *sculptilis* May, 1919, Proc. Roy. Soc. Tasm., 1919, p. 62, pl. 15, fig. 5. Off Thorn Bay, Tasmania, 50 fm. Laseron, 1950, loc. cit., p. 266, fig. 26. Off Crookhaven, N.S.W., 30-35 fm.

HAURAKIA Iredale, 1915, Trans. New Zeal. Inst., 47, (1914), p. 449. O.T. *hamiltoni* Suter.

748. *discrepans* Tate and May, 1900, Trans. Roy. Soc. South Aust., 24, p. 99. South Tasmania. Tate and May, 1901, Proc. Linn. Soc. N.S.W., 25, p. 391, pl. 26, fig. 65 (H.498).

749. *incompleta* Hedley, 1908, Proc. Linn. Soc. N.S.W., 33, p. 468, pl. 10, fig. 36. Port Jackson, N.S.W. Laseron, 1950, loc. cit., p. 266, fig. 23. Port Stephens, N.S.W. (H.498 pt.)

750. *praeda* Hedley, 1908, Proc. Linn. Soc. N.S.W., 33, p. 468, pl. 10, fig. 35. Port Jackson, N.S.W. Laseron, 1950, loc. cit., p. 266, fig. 27.

751. *novarensis* Frauenfeld, 1867, Reise Novara, Bd. 2, Abt. 3, Moll., p. 11, pl. 2, fig. 16. Port Jackson, N.S.W. Laseron, 1950, loc. cit., p. 266, fig. 22 (H.504).

[*lucida* Laseron, 1950, loc. cit., p. 265, fig. 20. Manly, N.S.W. is a *Linopyrga* (Family ODOSTOMIIDAE). (See page 84.)]

LIRONOBA Iredale, 1915, Trans. New Zeal. Inst., 47, (1914), p. 450. O.T. *suteri* Hedley.

752. *australis* Tenison-Woods, 1876, Proc. Roy. Soc. Tasm., 1875, p. 146. Badger Island, Tasmania. Hedley, 1900, Proc. Linn. Soc. N.S.W., 25, p. 505, pl. 25, fig. 4 (= *tenisoni* Tate, 1899, Trans. Roy. Soc. South Aust., 23, p. 233). Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 244. Twofold Bay, N.S.W. (Not in Laseron.)

753. *imbrex* Hedley, 1908, Proc. Linn. Soc. N.S.W. 33, p. 469, pl. 10, fig. 33. Port Jackson, N.S.W. Laseron, 1950, loc. cit., p. 267, fig. 29 (H.509).

754. *praetornatilis* Hedley, 1912, Rec. Aust. Mus., 8, p. 139, pl. 41, fig. 16. Off Broughton Island, N.S.W., 35 fm. Laseron, 1950, loc. cit., p. 267, fig. 30 (H.508).

755. *hebes* Laseron, 1950, Rec. Aust. Mus., 22, p. 267, fig. 28. Long Reef, near Sydney, N.S.W., 14 fm.

EUSETIA Cotton, 1944, Trans. Roy. Soc. South Aust., 68, p. 306. O.T. *expansa* Powell.

756. *brevis* May, 1919, Proc. Roy. Soc. Tasm., 1919, p. 63, pl. 16, fig. 19. Tasmania. Laseron, 1950, loc. cit., p. 283, fig. 83. Port Jackson, N.S.W.

757. *maccoyi* Tenison-Woods, 1877, Proc. Roy. Soc. Tasm., 1876, p. 154. South Tasmania. Henn, 1896, Proc. Linn. Soc. N.S.W., 21, p. 500. Sydney Harbour, N.S.W. Hedley, 1900, Proc. Linn. Soc. N.S.W., 24, p. 505, pl. 26, fig. 11.

HETERORISSOA Iredale, 1912, Proc. Malacol. Soc., 10, p. 221. O.T. *secunda* Iredale.

758. *wilfredi* Gatliff and Gabriel, 1911, Proc. Roy. Soc. Vict., 24, (n.s.), p. 188, pl. 46, fig. 3. Victoria. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 245. Twofold Bay, N.S.W.

759. *punicea* Laseron, 1950, Rec. Aust. Mus., 22, p. 283, fig. 82. Port Stephens, N.S.W.

PARONOBA Laseron, 1950, Rec. Aust. Mus., 22, p. 283. O.T. *subquadrata* Laseron.

760. *subquadrata* Laseron, 1950, Rec. Aust. Mus., 22, p. 253, fig. 84. Port Stephens, N.S.W.

MICROFOSSA Laseron, 1950, Rec. Aust. Mus., 22, p. 267. O.T. *incidata* Frauenfeld.

761. *incidata* Frauenfeld, 1867, Reise Novara, Bd. 2, Abt. 3, Moll., p. 12, pl. 2, fig. 19. Botany

- Bay, N.S.W. Laseron, 1950, loc. cit., p. 268, fig. 21 (H.514).
- ESTEA** Iredale, 1915, Trans. New Zeal. Inst., 47, (1914), p. 451. O.T. *zosterophila* Webster.
762. *pyramidata* Hedley, 1903, Mem. Aust. Mus., 4, p. 354, fig. 77. Off Watamooli, N.S.W., 54-59 fm. Laseron, 1950, loc. cit., p. 269, fig. 35 (H.518).
763. *tasmanica* Tenison-Woods, 1876, Proc. Roy. Soc. Tasm., 1875, p. 29. South Tasmania. May, 1903, ib., 1902, p. 110, fig. 6. Laseron, 1950, loc. cit., p. 269, fig. 37. Off Crookhaven, N.S.W., 30-35 fm.
764. *albizona* Laseron, 1950, Rec. Aust. Mus., 22, p. 270, fig. 38. Point Halliday, N.S.W.
765. *pulvilla* Hedley, 1906, Proc. Linn. Soc. N.S.W., 30, p. 526, pl. 32, fig. 25. Manly, N.S.W. Laseron, 1950, loc. cit., p. 270, fig. 40 (H.517).
766. *perpolita* May, 1919, Proc. Roy. Soc. Tasm., 1919, p. 61, pl. 15, fig. 13. Tasmania. Laseron, 1950, loc. cit., p. 270, fig. 42. Off Twofold Bay, N.S.W., 40-50 fm.
767. *gemma* Laseron, 1950, Rec. Aust. Mus., 22, p. 271, fig. 43. Crookhaven Heads, N.S.W.
768. *gregaria* Laseron, 1950, Rec. Aust. Mus., 22, p. 271, fig. 44. Port Jackson, N.S.W.
769. *alvea* Laseron, 1950, Rec. Aust. Mus., 22, p. 271, fig. 45. Port Jackson, N.S.W.
770. *bicolor* Petterd, 1884, J. of Conch., 4, p. 137. Northern Tasmania. Tate and May, 1901, Proc. Linn. Soc. N.S.W., p. 391, pl. 26, fig. 63. Gatliff and Gabriel 1913, Proc. Roy. Soc. Vict., 26, (n.s.), p. 69, pl. 8, figs. 5, 6. (Victoria.) Laseron, 1950, loc. cit., p. 271, fig. 46. Port Jackson, N.S.W. 15 fm. (H.511).
- DARDANULA** Iredale, 1915, Trans. New Zeal. Inst., 47, (1914), p. 452. (New name for *Dardania* Hutton, 1882 not *Dardania* Stal, 1866). H.T. *olivacea* Hutton.
771. *flammea* Frauenfeld, 1867, Reise Novara, Bd. 2, Abt. 3, Moll., p. 12, pl. 2, fig. 18. Sydney, N.S.W. Laseron, 1950, loc. cit., p. 273, fig. 47 (H.512).
772. *erratica* May, 1912, Proc. Roy. Soc. Tasm., 1912, p. 48, pl. 2, fig. 7. Off Cape Pillar, Tasmania. Laseron, 1950, loc. cit., p. 273, fig. 48. Manly, N.S.W.
773. *olivacea* Frauenfeld, 1867, Reise Novara, Bd. 2, Abt. 3, Moll., p. 11, pl. 2, fig. 14. Sydney, N.S.W. Laseron, 1950, loc. cit., p. 268, fig. 3 (H.515).
774. *salebrosa* Frauenfeld, 1867, Reise Novara, Bd. 2, Abt. 3, Moll., p. 11, pl. 2, fig. 15. Sydney, N.S.W. Laseron, 1950, loc. cit., p. 269, fig. 33. (H.519).
775. *frauenfeldi* Frauenfeld, 1867, Reise Novara, Bd. 2, Abt. 3, Moll., p. 10, pl. 2, fig. 13. Sydney, N.S.W. Laseron, 1950, loc. cit., p. 269, fig. 36 (H.513).
776. *narrabeenensis* Laseron, 1950, Rec. Aust. Mus., 22, p. 270, fig. 39. Near Sydney, N.S.W.
777. *jervisensis* Laseron, 1950, Rec. Aust. Mus., 22, p. 269, fig. 34. Jervis Bay, N.S.W.
778. *figula* Laseron, 1950, Rec. Aust. Mus., 22, p. 270, fig. 41. Twofold Bay, N.S.W., 20-25 fm.
- NODULETEA** Iredale, 1955, Proc. Roy. Zool. Soc. N.S.W., 1953-4, p. 81. O.T. *castella* Laseron.
779. *castella* Laseron, 1950, Rec. Aust. Mus., 22, p. 268, fig. 32. Off Crookhaven, N.S.W., 30-35 fm.
- SCROBS** Watson, 1886, Rep. Sci. Res. Challenger, Zool., 15, p. 611. O.T. *scrobiculator* Watson.
780. *scrobiculator* Watson, 1886, Rep. Sci. Res. Challenger, Zool., 15, p. 611, pl. 46, fig. 4. Port Jackson, N.S.W. Laseron, 1950, loc. cit., p. 273, fig. 49 (H.528).
781. *petterdi* Brazier, 1895, Proc. Linn. Soc. N.S.W., 19, p. 697. New name for *Rissoa pulchella* Petterd, 1884, J. of Conch., 4, p. 138 (not *R. pulchella* Risso, 1826). North Tasmania. Tate and May, 1901, Proc. Linn. Soc. N.S.W., 25, p. 392, pl. 26, fig. 73 (type, *pulchella* Petterd). Laseron, 1950, loc. cit., p. 274, fig. 50. Port Jackson, N.S.W. (H.527).
- OBESCROBS** Iredale, 1955, Proc. Roy. Zool. Soc. N.S.W., 1953-4, p. 81. O.T. *jacksoni* Brazier.
782. *jacksoni* Brazier, 1895, Proc. Linn. Soc. N.S.W., 19, p. 695. New name for *Rissoa badia* Watson, 1886, Rep. Sci. Res. Challenger, Zool., 15, p. 612, pl. 46, fig. 3 (not *R. badia* Petterd, 1884). Port Jackson, N.S.W. Laseron, 1950, loc. cit., p. 274, fig. 52 (H.526).
783. *vincula* Laseron, 1950, Rec. Aust. Mus., 22, p. 274, fig. 51. Port Jackson, N.S.W.
784. *delta* Laseron, 1950, Rec. Aust. Mus., 22, p. 274, fig. 53. Near Sydney, N.S.W.
785. *pyramis* Laseron, 1950, Rec. Aust. Mus., 22, p. 274, fig. 54. Manly, N.S.W.
- ULTISCROBS** Iredale, 1955, Proc. Roy. Zool. Soc. N.S.W., 1953-4, p. 81. O.T. *pluteus* Laseron.
786. *pluteus* Laseron, 1950, Rec. Aust. Mus., 22, p. 275, fig. 55. Port Jackson, N.S.W.
- ANABATHRON** Frauenfeld, 1867, Reise Novara, Bd. 2, Abt. 3, Moll., p. 13. H.T. *contabulatum* Frauenfeld.
787. *contabulatum* Frauenfeld, 1867, Reise Novara, Bd. 2, Abt. 3, Moll., p. 13, pl. 2, fig. 20 a. Botany Bay, N.S.W. Laseron, 1950, loc. cit., p. 275, fig. 56 (H.520).
- NANNOSCROBS** Finlay, 1927, Trans. New Zeal. Inst., 57, p. 377. O.T. *hedleyi* Suter.
788. *lene* Hedley, 1915, J. Roy. Soc. N.S.W., 51, Suppl. p. M.53, based on Frauenfeld, 1867, loc. cit., fig. 20 b (*contabulatum* in part). Botany Bay, N.S.W. Laseron, 1950, loc. cit., p. 275, fig. 27 (H.520a).

789. *nothus* Laseron, 1950, Rec. Aust. Mus., 22, p. 275, fig. 58. Point Halliday, N.S.W.
790. *semicinctus* May, 1915, Proc. Roy. Soc. Tasm., 1915, p. 96, pl. 7, fig. 36. South Tasmania. Laseron, 1950, loc. cit., p. 276, fig. 6. Off Crookhaven, N.S.W., 30-35 fm.
- EMBLANDA Iredale, 1955, Proc. Roy. Zool. Soc. N.S.W., 1953-4, p. 81. O.T. *emblematica* Hedley.
791. *emblematica* Hedley, 1906, Proc. Linn. Soc. N.S.W., 30, p. 526, pl. 32, fig. 24. Manly, N.S.W. Laseron, 1950, loc. cit., p. 276, fig. 59 (H.521).
- PIGRUS Hedley, 1903, Mem. Aust. Mus., 4, p. 355. O.T. *cylindraceus* Tenison-Woods.
792. *cylindraceus* Tenison-Woods, 1878, Proc. Linn. Soc. N.S.W., 2, p. 266. Port Jackson, N.S.W. Hedley, 1903, Mem. Aust. Mus., 4, p. 356, fig. 78. Laseron, 1950, loc. cit., p. 276, fig. 62 (spelled *cylindricus* in error) (H.523).
793. *dissimilis* Watson, 1886, Rep. Sci. Res. Challenger, Zool., 15, p. 522, pl. 37, fig. 5. Port Jackson, N.S.W. Hedley, 1903, loc. cit., p. 356, fig. 80. Laseron, 1950, loc. cit., p. 276, fig. 61 (H.524).
- BADEPIGRUS Iredale, 1955, Proc. Roy. Zool. Soc. N.S.W., 1953-4, p. 81. O.T. *badia* Petterd.
794. *badius* Petterd, 1884, J. of Conch., 4, p. 138. North Tasmania. Tate and May, 1901, Proc. Linn. Soc. N.S.W., 25, p. 392, pl. 27, fig. 86 (type, *badius*). Laseron, 1950, loc. cit., p. 277, fig. 64. Port Jackson, N.S.W. (H.522).
- LASERONULA Whitley, 1959, Proc. Roy. Zool. Soc. N.S.W., 1957-8, p. 60. New name for *Saltatricula* Laseron, 1956, Aust. J. Mar. Freshw. Res., 7, p. 445 (not *Saltatricula* Burmeister, 1861). New name for *Saltatrix* Laseron Rec. Aust. Mus., 22, p. 277 (not *Saltatrix* King, 1834). O.T. *protracta* Hedley.
795. *protracta* Hedley, 1904, Proc. Linn. Soc. N.S.W., 29, p. 185, pl. 8, figs. 8-11. Port Jackson, N.S.W. Laseron, 1950, loc. cit., p. 27, fig. 63 (H.525).
- MICRODRYAS Laseron, 1950, Rec. Aust. Mus., 22, p. 277. O.T. *australiae* Frauenfeld.
796. *australiae* Frauenfeld, 1867, Reise Novara, Bd. 2, Abt. 3, Moll., p. 14, pl. 2, fig. 28. Sydney, N.S.W. Laseron, 1950, loc. cit., p. 277, fig. 65 (H.501).
797. *elongata* Laseron, 1950, Rec. Aust. Mus., 22, p. 278, fig. 66. Narrabeen, near Sydney, N.S.W.
- ATTENUATA Hedley, 1918, J. Roy. Soc. N.S.W., 51, Suppl. p. M. 52. O.T. *integella* Hedley.
798. *integella* Hedley, 1904, Proc. Linn. Soc. N.S.W., 29, p. 185, pl. 9, fig. 20. Off Wollongong, N.S.W., 100 fm. Laseron, 1950, loc. cit., p. 278, fig. 67 (H.509).
- COENACULUM Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 244. H.T. *minutulum* Tate and May.
799. *minutulum* Tate and May, 1900, Trans. Roy. Soc. South Aust., 24, p. 95. Tasmania. Id., 1901, Proc. Linn. Soc. N.S.W., 25, p. 379, pl. 25, fig. 41. Hedley, 1905, Rec. Aust. Mus., 6, p. 52, fig. 19. Laseron, 1950, loc. cit., p. 278, fig. 68 (H.510).
- BOTELLOIDES Strand, 1926, Arch. Nat. (Wiegmann), 92, Abt. 8, p. 66. New name for *Botellus* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 244 (not *Botellus* Moniez, 1887). O.T. *bassiana* Hedley.
800. *bassiana* Hedley, 1911, Zool. Res. Endeavour, 1909-10, pt. I, p. 108, pl. 19, fig. 25. Off Davenport, Tasmania. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 244. Off Green Cape, N.S.W., 50-70 fm.
- NOTOSETA Iredale, 1915, Trans. New Zeal. Inst., 49, (1914), p. 452. O.T. *lubrica* Suter.
801. *fulva* Laseron, 1950, Rec. Aust. Mus., 22, p. 279, fig. 69. Near Sydney, N.S.W.
802. *pellucida* Laseron, 1950, Rec. Aust. Mus., 22, p. 280, fig. 72. Port Jackson, N.S.W.
803. *nitens* Frauenfeld, 1867, Reise Novara, Bd. 2, Abt. 3, Moll., p. 13, pl. 2, fig. 22. Botany Bay, N.S.W. Laseron, 1950, loc. cit., p. 279, fig. 71 (H.530).
804. *simillima* May, 1916, Proc. Roy. Soc. Tasm., 1915, p. 93, pl. 5, fig. 26. East Tasmania. Laseron, 1950, loc. cit., p. 280, fig. 73. Broken Bay, N.S.W.
805. *fusca* Laseron, 1950, Rec. Aust. Mus., 22, p. 280, fig. 74. Port Jackson, N.S.W.
806. *aethiopia* Laseron, 1950, Rec. Aust. Mus., 22, p. 280, fig. 75. Port Jackson, N.S.W.
807. *galbinia* Laseron, 1950, Rec. Aust. Mus., 22, p. 281, fig. 76. Port Jackson, N.S.W.
808. *castanea* Laseron, 1950, Rec. Aust. Mus., 22, p. 281, fig. 78. Port Jackson, N.S.W.
809. *atropurpurea* Frauenfeld, 1867, Reise Novara, Bd. 2, Abt. 3, Moll., p. 3, pl. 2, fig. 21. Botany Bay, N.S.W. Laseron, 1950, loc. cit., p. 281, fig. 77 (H.529).
- HEREWARDIA Iredale, 1955, Proc. Roy. Zool. Soc. N.S.W., 1953-4, p. 81. O.T. *kesteveni* Hedley.
810. *kesteveni* Hedley, 1907, Proc. Linn. Soc. N.S.W., 32, p. 497, pl. 17, fig. 25. Capricorn Group, S. Queensland.
811. *profundior* Hedley, 1907, Rec. Aust. Mus., 6, p. 358, pl. 67, fig. 15. Off Sydney, N.S.W., 800 fm. Laseron, 1950, loc. cit., p. 266, fig. 24 (H.499).

Family OBTORTIONIDAE

[Ref.—Laseron, 1950, Rec. Aust. Mus., 22, pp. 281-2, figs. 79-81.]

OBTORTIO Hedley, 1899, Mem. Aust. Mus., 3, p. 412. O.T. *pyrrhacme* Melvill and Standen.

812. *lutosus* Hedley, 1914, Proc. Linn. Soc. N.S.W., 39, p. 716, pl. 81, fig. 51. Port Jackson, N.S.W. Laseron, 1950, loc. cit., p. 281, fig. 79 (H.545).

813. *jacksonensis* Laseron, 1950, Rec. Aust. Mus., 22, p. 282, fig. 80. Port Jackson, N.S.W.

814. *reticulatus* Laseron, 1950, Rec. Aust. Mus., 22, p. 282, fig. 81. Port Jackson, N.S.W.

Family DIALIDAE

[Ref.:—Laseron, 1950, Rec. Aust. Mus. 22, pp. 283-286, figs. 85-94.]

DIALESSA Iredale, 1955, Proc. Roy. Zool. Soc. N.S.W., 1953-4, p. 81. O.T. *translucida* Hedley.

815. *phasianella* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 113, pl. 13, fig. 18. Port Jackson, N.S.W. Laseron, 1950, loc. cit., p. 285, figs. 87, 88 (H.543).

816. *translucida* Hedley, 1906, Proc. Linn. Soc. N.S.W., 30, p. 522, pl. 33, fig. 35. Port Jackson, N.S.W. Laseron, 1950, loc. cit., p. 285, fig. 89 (H.544).

817. *lauta* A. Adams, 1862, Ann. Mag. Nat. Hist., (3), 10, p. 298. South Australia. Hedley, 1913, Proc. Linn. Soc. N.S.W., 38, p. 286, pl. 18, fig. 58. Laseron, 1950, loc. cit., p. 286, figs. 91-93 (N.S.W.) (H.541).

DIFFALABA Iredale, 1936, Rec. Aust. Mus., 19, p. 290. O.T. *opiniosa* Iredale.

818. *opiniosa* Iredale, 1936, Rec. Aust. Mus., 19, p. 290, pl. 21, fig. 16. Sydney Harbour, N.S.W. (= *lirata* Laseron, 1950, Rec. Aust. Mus., 22, p. 285, fig. 90. Lake Macquarie, N.S.W.).

LAEVITESTA Laseron, 1950, Rec. Aust. Mus., 22, p. 286. O.T. *scobina* Laseron.

819. *scobina* Laseron, 1950, Rec. Aust. Mus., 22, p. 286, fig. 94. Broken Bay, N.S.W.

CITHNA A. Adams, 1863, Proc. Zool. Soc. Lond., 1863, p. 113. L.T. (Wenz, 1938, Handbuch d. Palaeozoöl. (Schindewolf), 6, p. 336) *globosa* A. Adams.

820. *angulata* Hedley, 1907, Rec. Aust. Mus., 6, p. 291, pl. 55, fig. 16. Off Narrabeen, N.S.W., 80 fm. Laseron, 1950, loc. cit., p. 284, fig. 85. Off Crookhaven, N.S.W., 25-30 fm. (H.546).

Family SCALIOLIDAE

SCALIOLA A. Adams, 1860, Ann. Mag. Nat. Hist., (3), 6, p. 120. H.T. *bella* A. Adams.

821. *caledonica* Crosse, 1870, J. de Conch., 18, p. 299. New Caledonia. Id. ib., 1871, 19, p. 200, pl. 6, fig. 3.

Family ASSIMINEIDAE

ASSIMINEA Fleming, 1828, Hist. Brit. Anim., p. 275. H.T. *grayana* Fleming.

822. *tasmanica* Tenison-Woods, 1876, Proc. Roy. Soc. Tasm., 1875, p. 79. Tasmania. Hedley, 1906, Proc. Linn. Soc. N.S.W., 30, p. 527, pl. 32, figs. 27-29 (H.548).

METASSIMINEA Thiele, 1927, Zool. Jahrb., Syst. 53, p. 126. O.T. *philippinica* O. Boettger.

823. *australis* Thiele, 1927, Zool. Jahrb., Syst. 53, p. 131, pl. 1, fig. 6. Sydney, N.S.W. (not *A. australis* Petterd, 1889) ?Thornley, 1951, Proc. Roy. Zool. Soc. N.S.W., 1949-50, p. 49, pl. 5, fig. 3.

Family TATEIDAE

TATEA Tenison-Woods, 1879, Proc. Roy. Soc. Tasm., 1878, p. 92. H.T. *huonensis* Tenison-Woods.

824. *paradisiaca* Pilsbry, 1897, Proc. Acad. Nat. Sci. Philad., 1897, p. 362, pl. 9, figs. 10-11. Twofold Bay, N.S.W. (H.549).

825. *kesteveni* Iredale, 1943, Aust. Zool., 10, p. 205. Manly, N.S.W. Id., 1944, Aust. Nat., 11, p. 115, fig. in text (H.550).

826. *ballina* Iredale, 1943, Aust. Zool., 10, p. 205. Ballina, northern N.S.W. Not figured. Cf. *paradisiaca* Pilsbry above.

Family POTAMOPYRGIDAE

POTAMOPYRGUS Stimpson, 1865, Amer. J. Conch., 1, p. 53. O.T. *corolla* Gould.

827. *pagodella* Hedley, 1903, Proc. Linn. Soc. N.S.W., 27, p. 603, pl. 29, fig. 6. Manly, N.S.W. (H.547).

828. *procinctus* Hedley, 1908, Proc. Linn. Soc. N.S.W., 33, p. 469, pl. 10, fig. 34. Port Jackson, N.S.W. Laseron, 1950, Rec. Aust. Mus., 22, p. 279, fig. 70 (= *ruppiiæ* Hedley, 1912, Rec. Aust. Mus., 8, p. 140, pl. 41, fig. 17. Dee Why Lagoon, near Sydney, N.S.W.) (H.531, 551).

Family LITIOPIDAE

LITIOPA Rang, 1829, Ann. Sci. Nat. Paris., 16, p. 303. H.T. *melanostoma* Rang.

829. *limnophysa* Melvill and Standen, 1896, J. of Conch., 8, p. 305, pl. 9, fig. 72. Loyalty Is. Hedley, 1908, Proc. Linn. Soc. N.S.W., 33, p. 462, pl. 10, figs. 30, 31. Sydney, N.S.W. (*melanostoma*, not of Rang, 1829) (H.552).

Family TRUNCATELLIDAE

TRUNCATELLA Risso, 1826, Hist. Nat. l'Eur. Merid., 4, p. 124. L.T. (Gude, 1921, Fauna Brit. Ind. Moll., 3, p. 360) *subcylindrica* Linne.

830. *brazieri* Cox, 1868, Monog. Aust. Land Shells, p. 93, pl. 15, fig. 12. Port Jackson, N.S.W. (H.553).

Family HIPPONICIDAE

ANTISABIA Iredale, 1937, Aust. Zool., 8, p. 253. O.T. *foliacea* Quoy and Gaimard.

831. *foliacea* Quoy and Gaimard, 1834, Voy. Astrol., Zool., 3, p. 439, pl. 72, figs. 41-45. Guam (H.554).

Family CHEILEIDAE

CHEILEA Modeer, 1793, K. Vetens. Acad. Nya Handl., 14, p. 110. H.T. *equestris* Linne.

832. *porosa* Reeve, 1858, Conch. Icon., 11, *Calyptraea*, pl. 5, fig. 20. Moreton Bay, Queensland (H.555).

Family CALYPTRAEIDAE

SIGAPATELLA Lesson, 1830, Zool. Voy. Coquille, 2, p. 389. L.T. (Dall, 1909, U.S. Geol. Surv. Prof. Pap., 59, p. 82) *calyptraeformis* Lamarck.

833. *calyptraeformis* Lamarck, 1822, Hist. Anim. s. Vert., 7, p. 12. King I., Bass Strait (= *tomentosa* Quoy and Gaimard, 1835, Voy. Astrol., Zool., 3, p. 419, pl. 72, figs. 1-5. Victoria) (H.556).

ZEGALERUS Finlay, 1927, Trans. New Zeal. Inst., 57, p. 392. O.T. *tenuis* Gray.

834. *hedleyi* Smith, 1915, Terra Nova Exped., Zool., 2, p. 84, pl. 1, figs. 23-25. South Australia (H.557).

Family CREPIDULIDAE

CREPIDULA Lamarck, 1799, Mem. Soc. Nat. Hist. Paris, p. 78. H.T. *fornicata* Linne.

835. *aculeata* Gmelin, 1791, Syst. Nat., pt. 6, p. 3693. American Seas. Chemnitz, 1788, Conch. Cab., 10, p. 334, pl. 168, figs. 1624-1625 (H.558).

ZEACRYPTA Finlay, 1927, Trans. New Zeal. Inst., 57, p. 393. H.T. *monoxyla* Lesson.

836. *immersa* Angas, 1865, Proc. Zool. Soc. Lond., 1865, p. 57, pl. 2, fig. 12. Port Lincoln, South Australia (H.559).

Family CAPULIDAE

CAPULONIX Iredale, 1929, Mem. Queensland Mus., 9, p. 277. H.T. *calyptra* Martyn (= *danieli* Crosse).

837. *violaceus* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 114, pl. 13, fig. 23. Near Sydney, N.S.W. (H.561).

838. *devotus* Hedley, 1904, Proc. Linn. Soc. N.S.W., 29, p. 190, pl. 8, figs. 15-16. Off Wollongong, N.S.W., 100 fm. (H.560).

839. *australis* Lamarck, 1819, Hist. Anim. s. Vert., 6, (1), p. 335. Tasmania. Quoy and Gaimard, 1835, Voy. Astrol., Zool., 3, p. 434, pl. 72, figs. 25-34.

Family CERITHIIDAE

CLYPEOMORUS Jousseaume, 1888, Mem. Soc. Zool. France, I, p. 171. T.T. *clipeomorus* Jousseaume (= *carbonarius* Sowerby).

840. *carbonarius* Sowerby, 1865, Conch. Icon. (Reeve), 15, *Cerithium*, pl. 9, fig. 59. Philippine Islands. Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 186. (North N.S.W.) (H.562).

ATAXOCERITHIUM Tate, 1894, J. Roy. Soc. N.S.W., 32, p. 179. O.T. *serotinum* A. Adams.

841. *conturbatum* Iredale, 1936, Rec. Aust. Mus., 19, p. 290, pl. 21, fig. 17. Sydney Harbour, N.S.W. (H.563).

842. *scruposum* Iredale, 1936, Rec. Aust. Mus., 19, p. 291, pl. 21, fig. 18. Off Green Cape, N.S.W., 70 fm. (H.563).

843. *appletonum* Iredale, 1936, Rec. Aust. Mus., 19, p. 291, pl. 21, fig. 19. Off Green Cape, N.S.W., 70 fm.

844. *gemmaulatum* Woolacott, 1957, Proc. Roy. Zool. Soc. N.S.W., 1955-6, p. 115, figs. 1-2. Gerrin-gong, N.S.W.

HYPOTROCHUS Cotton, 1932, Rec. South Aust. Mus., 4, p. 589. O.T. *monachus* Crosse and Fischer.

845. *monachus* Crosse and Fischer, 1864, J. de Conch., 12, p. 347. South Australia. Id. ib., 1865, 13, p. 45, pl. 3, fig. 17. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 246. Twofold Bay, N.S.W.

CACOZELIANA Strand, 1928, Arch. Nat. (Weigmann), 92, p. 66. New name for *Cacozelia* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 246 (not *Cacozelia* Grote, 1878). O.T. *lacertina* Gould.

846. *lacertina* Gould, 1861, Proc. Bost. Soc. Nat. Hist., 6, p. 386. Port Jackson, N.S.W. Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 718, pl. 77, fig. 6 (type) (H.566).

847. *fuscocapitula* Hedley and Petterd, 1906, Rec. Aust. Mus., 6, p. 217, pl. 38, figs. 10-11. Off Sydney, N.S.W., 300 fm.

848. *furva* Watson, 1886, Rep. Sci. Res. Challenger, Zool., 15, p. 566, pl. 38, fig. 5. Port Jackson, N.S.W. (H.567).

849. *variegata* Henn and Brazier, 1894, Proc. Linn. Soc. N.S.W., 19, p. 172, pl. 14, fig. 9. Port Jackson, N.S.W. (H.567).

Family POTAMIDIDAE

PYRAZUS Montfort, 1810 Conch. Syst., 2, p. 458. O.T. *ebeninus* Bruguire.

850. *ebeninus* Bruguire, 1792, Ency. Meth., Vers., p. 490. Botany Bay, N.S.W. Martyn, 1784, Univ. Conch., I, pl. 13 (*hercules* non-binomial) (H.570).

VELACUMANTUS Iredale, 1936, Rec. Aust. Mus., 19, p. 292. O.T. *australis* Quoy and Gaimard.

851. *australis* Quoy and Gaimard, 1834, Voy. Astrol., Zool., 3, p. 131, pl. 55, fig. 7. Port Jackson, N.S.W. (H.569).

ZEACUMANTUS Finlay, 1927, Trans. New Zeal. Inst., 57, p. 380. O.T. *subcarinatus* Sowerby.

852. *subcarinatus* Sowerby, 1855. Thes. Conch., 2, p. 889, pl. 36, fig. 287. New Zealand. Finlay, 1926, Trans. New Zeal. Inst., 67, p. 380 (Freshwater, nr. Manly, N.S.W.) Iredale, 1936, Rec. Aust. Mus., 19, pp. 291-292.

Family CERITHIOPSIDAE

[Ref.:—Laseron, 1951, Aust. Zool., 11, p. 351 et seq., pls. 35-37, text fig. Id., 1956, Aust. J. Mar. Freshw. Res., 7, pp. 151-182.]

SOCIENNA Finlay, 1927, Trans. New Zeal. Inst., 57, p. 382. O.T. *apicicostata* May.

853. *jacksonensis* Laseron, 1951, Aust. Zool., 11, p. 354, pl. 35, figs. 2, 2a. Yamba, northern N.S.W.

854. *quadrspiralis* Laseron, 1951, Aust. Zool., 11, p. 354, pl. 35, figs. 2, 2a. Yamba, northern N.S.W.

855. *cylindrica* Watson, 1886, Rep. Sci. Res. Challenger, Zool., 15, p. 550, pl. 39, fig. 5. Port Jackson, N.S.W., 2-10 fm. Laseron, 1951, loc. cit., p. 354 (H.564).

856. *gregaria* Laseron, 1951, Aust. Zool., 11, p. 354, pl. 35, figs. 3, 3a. Port Jackson, N.S.W.

857. *clathrata* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 16, pl. 1, fig. 12. Port Jackson, N.S.W. Laseron, 1951, loc. cit., p. 355, pl. 35, fig. 4 (= *angasi* Semper, 1874, new name for *Cerithium clathrata* Angas, 1871, not *Cerithiopsis clathrata* A. Adams, 1855) (H.571).

858. *clava* Laseron, 1951, Aust. Zool., 11, p. 355, pl. 35, figs. 6, 6a. Near Sydney, N.S.W., 14 fm.

859. *crassa* Laseron, 1951, Aust. Zool., 11, p. 356, pl. 35, figs. 7, 7a. Manly, N.S.W.

860. *hebes* Laseron, 1951, Aust. Zool., 11, p. 356, pl. 35, figs. 8, 8a. Off Point Halliday, N.S.W., 8-10 fm.

TUBERCLIOPSIS Laseron, 1956, Aust. J. Mar. Freshw. Res., 7, p. 156. O.T. *capricornia* Laseron.

861. *filofusca* Laseron, 1951, Aust. Zool., 11, p. 356, pl. 35, figs. 9, 9a. Near Sydney, N.S.W., 14 fm.

862. *quinquepilia* Laseron, 1951, Aust. Zool., 11, p. 357, pl. 35, figs. 10, 10a. Near Sydney, N.S.W., 14 fm.

863. *infracolor* Laseron, 1951, Aust. Zool., 11, p. 357, pl. 36, fig. 13. Near Sydney, N.S.W., 14 fm.

864. *septapilia* Laseron, 1951, Aust. Zool., 11, p. 358, pl. 36, fig. 14. Near Sydney, N.S.W., 14 fm.

865. *macalpinei* Laseron, 1951, Aust. Zool., 11, p. 359, pl. 36, figs. 17, 40. Near Sydney, N.S.W.

866. *georgensis* Laseron, 1951, Aust. Zool., 11, p. 359, pl. 36, figs. 18, 18a. Port Jackson, N.S.W.

867. *exigua* Laseron, 1951, Aust. Zool., 11, p. 359, pl. 36, figs. 19, 19a. Port Jackson, N.S.W.

868. *literalis* Laseron, 1951, Aust. Zool., 11, p. 360, pl. 36, figs. 20, 20a. Port Jackson, N.S.W.

CLATHROPSIS Laseron, 1956, Aust. J. Mar. Freshw. Res., 7, p. 159. O.T. *impedita* Laseron.

869. *tripilia* Laseron, 1951, Aust. Zool., 11, p. 355, pl. 35, fig. 5. Port Jackson, N.S.W.

870. *alternata* Laseron, 1951, Aust. Zool., 11, p. 357, pl. 35, fig. 12. Port Stephens, N.S.W.

871. *bicarinata* Laseron, 1951, Aust. Zool., 11, p. 358, pl. 36, fig. 16. Near Sydney, N.S.W., 14 fm.

SYNTHOPISTIS Laseron, 1956, Aust. J. Mar. Freshw. Res., 7, p. 156. O.T. *cylindrica* Laseron.

872. *cancellata* Laseron, 1951, Aust. Zool., 11, p. 357, pl. 35, fig. 11. Port Stephens, N.S.W.

873. *virgula* Laseron, 1951, Aust. Zool., 11, p. 360, pl. 37, figs. 26, 26a. Port Jackson, N.S.W.

874. *exilis* Laseron, 1951, Aust. Zool., 11, p. 360, pl. 36, fig. 23. Off Crookhaven, N.S.W., 30-35 fm.

JOCULATOR Hedley, 1909, Proc. Linn. Soc. N.S.W., 34, p. 442. O.T. *ridiculus* Watson.

875. *hedleyi* Laseron, 1951, Aust. Zool., 11, p. 362, pl. 37, fig. 27. Port Jackson, N.S.W.

876. *minor* Laseron, 1951, Aust. Zool., 11, p. 362, pl. 37, fig. 28. Botany Bay, N.S.W.

877. *gracilis* Laseron, 1951, Aust. Zool., 11, p. 363, pl. 37, figs. 30, 31. George's River, near Sydney, N.S.W., 6 fm.

POTENATOMUS Laseron, 1956, Aust. J. Mar. Freshw. Res., 7, p. 178. O.T. *caputumere* Laseron.

878. *nanus* Laseron, 1951, Aust. Zool., 11, p. 363, pl. 37, fig. 29. George's River, near Sydney, N.S.W., 6 fm.

BINDA Laseron, 1951, Aust. Zool., 11, p. 361. O.T. *tasmantis* Laseron.

879. *tasmantis* Laseron, 1951, Aust. Zool., 11, p. 362, pl. 37, fig. 25. Off Crookhaven, N.S.W., 30-35 fm.

880. *cacuminata* Hedley and Petterd, 1906, Rec. Aust. Mus., 6, p. 218, pl. 37, fig. 4. Off Sydney, N.S.W., 250 fm. Laseron, 1951, loc. cit., p. 362 (H.572).

PILAFLEXIS Laseron, 1951, Aust. Zool., 11, p. 361. O.T. *regularis* Laseron.

881. *regularis* Laseron, 1951, Aust. Zool., 11, p. 361, pl. 36, figs. 21, 21a. Off Point Halliday, N.S.W., 8-10 fm.

882. *oculis* Laseron, 1951, Aust. Zool., 11, p. 361, pl. 36, figs. 22, 22a. George's River, near Sydney, N.S.W., 6 fm.

NOTOSEILA Finlay, 1927, Trans. New Zeal. Inst., 57, p. 383. H.T. *terebelloides* Hutton.

883. *maculosa* Laseron, 1951, Aust. Zool., 11, p. 364, pl. 37, fig. 33. Jervis Bay, N.S.W.

884. *crocea* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 16, pl. 1, fig. 13. Port Jackson, N.S.W.

Laseron, 1951, loc. cit., p. 365, pl. 37, figs. 34, 34a (H.575).

885. *magna* Laseron, 1951, Aust. Zool., 11, p. 365, pl. 37, fig. 35. Wollongong, N.S.W.

886. *nigrofusca* Laseron, 1951, Aust. Zool., 11, p. 366, text fig. 37. Botany Bay, N.S.W.

887. *purpurea* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 36, pl. 5, fig. 7. Port Jackson, N.S.W. Laseron, 1951, loc. cit., p. 364 (*albosutura*, not of Tenison-Woods 1877) (H.574).

888. *tenuis* Laseron, 1951, Aust. Zool., 11, p. 366, text fig. 38. Port Jackson, N.S.W.

PARASEILA Laseron, 1951, Aust. Zool., 11, p. 367. O.T. *heronensis* Laseron (Queensland).

889. *halligani* Hedley, 1903, Rec. Aust. Mus., 6, p. 51, fig. 16. Off Cape Byron, northern N.S.W., 111 fm. Laseron, 1951, loc. cit., p. 365, pl. 37, fig. 36 (H.576).

SEILAREX Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 246. H.T. *attenuatus* Hedley (= *turritelliformis* Angas).

890. *turritelliformis* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 174 (not pl. 26, fig. 14). Port Jackson, N.S.W. (= *attenuatus* Hedley, 1900, Proc. Linn. Soc. N.S.W., 25, p. 91, pl. 3, figs. 9, 9a. Sydney Harbour, N.S.W.) Laseron, 1951, loc. cit., p. 364, pl. 37, fig. 32 (H.577).

Family TRIPHORIDAE

[Ref.:—Laseron, 1954, Rec. Aust. Mus., 3, pp. 139-158, figs. 1-30 and Laseron, 1958, Aust. J. Mar. Freshw. Res., 9, pp. 569-658, figs. 1-255.]

NOTOSINISTER Finlay, 1927, Trans. New Zeal. Inst., 57, p. 384. O.T. *fascelina* Suter.

891. *maculosus* Hedley, 1903, Proc. Linn. Soc. N.S.W., 27, p. 614, pl. 32, figs. 32, 33. Sydney, N.S.W. Laseron, 1954, loc. cit., p. 145, fig. 1 (H.587).

892. *tricolor* Laseron, 1954, Rec. Aust. Mus., 23, p. 146, fig. 4. Crookhaven Heads, N.S.W.

893. *sarcira* Laseron, 1954, Rec. Aust. Mus., 23, p. 146, fig. 5. Near Sydney, N.S.W., 14 fm.

894. *labiatus* A. Adams, 1853, Proc. Zool. Soc. Lond., 1851, p. 279. Sydney, N.S.W. Hedley, 1903, loc. cit., p. 617, pl. 33, figs. 42-44. Laseron, 1954, loc. cit., p. 147, fig. 6 (H.586).

895. *univitta* Laseron, 1954, Rec. Aust. Mus., 23, p. 145, fig. 2. Off Long Reef, near Sydney, N.S.W., 14 fm.

896. *robustus* Laseron, 1954, Rec. Aust. Mus., 23, p. 147, fig. 7. Port Jackson, N.S.W.

897. *pocula* Laseron, 1954, Rec. Aust. Mus., 23, p. 148, fig. 8. Clarence River, north N.S.W.

898. *ampulla* Hedley, 1903, Proc. Linn. Soc. N.S.W., 27, p. 615, pl. 33, figs. 38-39. Sydney, N.S.W. Laseron, 1954, loc. cit., p. 148, fig. 9 (H.579).

899. *granifer* Henn and Brazier, 1894, Proc. Linn. Soc. N.S.W., 19, p. 173, pl. 14, fig. 10. Port Jackson, N.S.W. Hedley, 1903, Proc. Linn. Soc. N.S.W., 27, p. 610, pl. 33, figs. 28-29. Laseron, 1954, loc. cit., p. 148, figs. 10, 10a (H.583).

900. *topazicus* Laseron, 1954, Rec. Aust. Mus., 23, p. 149, figs. 11, 11a. Cronulla, N.S.W.

901. *alborda* Laseron, 1954, Rec. Aust. Mus., 23, p. 149, figs. 12, 12a, 12b. Near Sydney, N.S.W., 14 fm.

902. *glacialis* Laseron, 1954, Rec. Aust. Mus., 23, p. 150, figs. 13, 13a. Port Jackson, N.S.W.

903. *jacksonensis* Laseron, 1954, Rec. Aust. Mus., 23, p. 150, figs. 14, 14a, 25, 25a. Port Jackson, N.S.W. Hedley, 1903, Proc. Linn. Soc. N.S.W., 27, p. 610 (*angasi*, not of Crosse and Fischer, 1865, from Sth. Australia). (?) = *nigrofusca* A. Adams, 1853, Proc. Zool. Soc. Lond., 1851, p. 278. Sydney, N.S.W., not determinable). Laseron, 1954, loc. cit., p. 151 (H.580).

904. *albovittatus* Hedley, 1903, Proc. Linn. Soc. N.S.W., 27, p. 609, pl. 32, figs. 26, 27. Sydney Harbour, N.S.W. Laseron, 1954, loc. cit., p. 151, figs. 15, 15a (H.578).

905. *innotabilis* Hedley, 1903, Proc. Linn. Soc. N.S.W., 27, p. 608, pl. 32, figs. 23-25. Sydney Harbour, N.S.W. Laseron, 1954, loc. cit., p. 152, figs. 16, 16a (H.584).

906. *regina* Hedley, 1903, Proc. Linn. Soc. N.S.W., 27, p. 608, pl. 32, fig. 21. Sydney Harbour, N.S.W. Laseron, 1954, loc. cit., p. 152, figs. 17, 29.

907. *fasciatus* Tenison-Woods, 1879, Proc. Roy. Soc. Tasm., 1878, p. 34. North Tasmania. Hedley, 1908, Proc. Linn. Soc. N.S.W., 27, p. 615, pl. 33, figs. 40, 41. Port Jackson, N.S.W. Laseron, 1954, loc. cit., p. 152, figs. 18, 18a (H.582).

908. *nocturnus* Hedley, 1903, Proc. Linn. Soc. N.S.W., 27, p. 614, pl. 32, figs. 30, 31. Sydney Harbour, N.S.W. Laseron, 1954, loc. cit., p. 153, figs. 19, 19a (H.589).

909. *fulvalinearis* Laseron, 1954, Rec. Aust. Mus., 23, p. 153, figs. 20, 20a. Near Sydney, N.S.W.

910. *stramentius* Laseron, 1954, Rec. Aust. Mus., 23, p. 154, fig. 22. Port Stephens, N.S.W.

NANAPHORA Laseron, 1958, Aust. J. Mar. Freshw. Res., 9, p. 614. O.T. *torquesa* Laseron.

911. *tricolor* Laseron, 1958, Aust. J. Mar. Freshw. Res., 9, p. 618, figs. 151 (152 Caloundra). Angourie, near Clarance River, N.S.W.

ACLOPHORA Laseron, 1958, Aust. J. Mar. Freshw. Res., 9, p. 627 (p. 623). O.T. *robusta* Laseron.

912. *cinerea* Hedley, 1903, Proc. Linn. Soc. N.S.W., 27, p. 612, pl. 33, figs. 36, 37. Sydney Harbour, N.S.W. Laseron, 1954, loc. cit., p. 154, figs. 21, 21a (H.581).

913. *conferta* Laseron, 1954, Rec. Aust. Mus., 23, p. 145, fig. 3. Broken Bay, N.S.W.

914. *grandiosa* Laseron, 1954, Rec. Aust. Mus., 23, p. 155, fig. 30. Woolgoolga, N.S.W.

ISOTRIPHORA Cotton and Godfrey, 1930. South Aust. Nat., 12, p. 52. O.T. *tasmanica* Tenison-Woods.

915. *tasmanica* Tenison-Woods, 1876, Proc. Roy. Soc. Tasm., 1875, p. 28. Tasmania. Hedley, 1903, Proc. Linn. Soc. N.S.W., 27, p. 612, pl. 32, fig. 22. Off Wollongong, N.S.W., 100 fm. Laseron, 1954, loc. cit., p. 156, fig. 24. Twofold Bay, N.S.W. (H.590).

916. *echina* Laseron, 1954, Rec. Aust. Mus., 23, p. 155, figs. 23, 23a. Near Sydney, N.S.W., 14 fm.

TERETRIPHORA Finlay, 1927, Trans. New Zeal. Inst., 57, p. 384. O.T. *huttoni* Suter.

917. *kesteveni* Hedley, 1903, Proc. Linn. Soc. N.S.W., 27, p. 618, pl. 33, fig. 45. Sydney Harbour, N.S.W. Laseron, 1954, loc. cit., p. 156, fig. 26. (H.585).

SOLOSINISTER Laseron, 1954, Rec. Aust. Mus., 23, p. 157. O.T. *pagoda* Laseron.

918. *pagoda* Laseron, 1954, Rec. Aust. Mus., 23, p. 157, figs. 27, 27a. Port Stephens, N.S.W.

MAGNOSINISTER Laseron, 1954, Rec. Aust. Mus., 23, p. 157. O.T. *hedleyi* Laseron.

919. *hedleyi* Laseron, 1954, Rec. Aust. Mus., 23, p. 158, fig. 28. Near Sydney, N.S.W.

Family TURRITELLIDAE

SPIROCOLPUS Finlay, 1927, Trans. New Zeal. Inst., 57, p. 388. O.T. *waihaiensis* Marwick.

920. *curialis* Hedley, 1907, Rec. Aust. Mus., 6, p. 357, pl. 67, fig. 19. Off Sydney, N.S.W., 800 fm. (H.592).

921. *joannae* Hedley, 1923, Proc. Linn. Soc. N.S.W., 48, p. 311. New name for *Turritella crenulata* Donald, 1900, Proc. Malacol. Soc., 4, p. 52, pl. 5, figs. 22 a, b (not *T. crenulata* Nyst, 1843). Off Sydney, N.S.W., 410 fm. (H.591).

GAZAMEDA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 247. O.T. *gunnii* Reeve.

922. *gunnii* Reeve, 1849, Conch. Icon., 5, *Turritella*, pl. 9, fig. 45. Tasmania. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 247, pl. 36, figs. 3, 12, 13. Twofold Bay, N.S.W. (H.593).

923. *decoramen* Iredale, 1936, Rec. Aust. Mus., 19, p. 292, pl. 21, fig. 20. Off Sydney, N.S.W., 65-70 fm.

924. *tasmanica* Reeve, 1849, Conch. Icon., 5, *Turritella*, pl. 9, fig. 42. Tasmania. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 250, pl. 36, figs. 11, 14. Twofold Bay, N.S.W., 25 fm. (= *subsquamosa* Dunker, 1871, Mal. Blatt. 18, p. 152. Bass Strait) (H.600).

COLPOSPIRA Donald, 1900, Proc. Malacol. Soc., 4, p. 51. O.T. *runcinata* Watson.

925. *runcinata* Watson, 1881, J. Linn. Soc. Lond., Zool., 15, p. 218. Bass Strait, 38-40 fm. Id. ib., 1886, Rep. Sci. Res. Challenger., Zool., 25, p. 475, pl. 30, fig. 3.

926. *sinuata* Reeve, 1849, Conch. Icon., 5, *Turritella*, pl. 11, fig. 62. Port Jackson, N.S.W. Donald, 1900, Proc. Malacol. Soc., 4, pl. 5, fig. 3 (= *sophiae* Brazier, 1883, Proc. Linn. Soc. N.S.W., 8, p. 227. Port Jackson, N.S.W. Iredale, 1925, Rec. Aust. Mus., 14, pl. 43, fig. 23) (H.597).

PLATYCOLPUS Donald, 1900, Proc. Malacol. Soc., 4, p. 54. O.T. *quadratus* Donald.

927. *quadratus* Donald, 1900, Proc. Malacol. Soc., 4, p. 54, pl. 5, figs. 8, 8a. Bass Strait, 45 fm. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 249, pl. 36, fig. 5. Twofold Bay, N.S.W., 25-70 fm.

928. *scitulus* Donald, 1900, Proc. Malacol. Soc., 4, p. 54, pl. 5, fig. 9. Port Jackson, N.S.W. (H.596).

929. *guilleaumei* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 248, pl. 36, figs. 4, 15. Twofold Bay, N.S.W., 15 fm.

STIRACOLPUS Finlay, 1927, Trans. New Zeal. Inst., 57, p. 389. H.T. *symmetricus* Hutton.

930. *smithianus* Donald, 1900, Proc. Malacol. Soc., 4, p. 52, pl. 5, fig. 1. Off Sydney, N.S.W., 410 fm. (H.598).

CTENOCOLPUS Iredale, 1925, Rec. Aust. Mus., 14, p. 266. O.T. *australis* Lamarck.

931. *diffidens* Iredale, 1925, Rec. Aust. Mus., 14, p. 266, pl. 43, fig. 17. Off Gabo I., Victoria, 8-15 fm.

GLYPTOZARIA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 248. H.T. *opulenta* Hedley.

932. *opulenta* Hedley, 1901, Rec. Aust. Mus., 6, p. 292, pl. 54, fig. 9. Off Cape Three Points, N.S.W., 41-50 fm. Laseron, 1951, Rec. Aust. Mus., 22, p. 333, fig. 91. Off Crookhaven, N.S.W., 30-35 fm. (H.594).

Family CAECIDAE

Subfamily CAECINAE

CAECUM Fleming, 1813, Edinb. Encycl. (Brewster), 7, p. 67. H.T. *trachea* Montagu.

933. *amputatum* Hedley, 1894, Proc. Linn. Soc. N.S.W., 18, p. 504, text fig. Port Jackson, N.S.W. (H.601).

934. *lilianum* Hedley, 1903, Proc. Linn. Soc. N.S.W., 27, p. 603, pl. 29, fig. 7. Near Sydney, N.S.W. (H.602).

Subfamily PEDUMICRINAE

PEDUMICRA Iredale and Laseron, 1957, Proc. Roy. Zool. Soc. N.S.W., 1955-6, p. 104, O.T. *cynicollis* Hedley.

935. *cygnicollis* Hedley, 1904, Proc. Linn. Soc. N.S.W., 28, p. 189, pl. 8, figs. 12-14. Sydney Harbour, N.S.W. Iredale and Laseron, 1957, loc. cit., p. 104, pl. 2, figs. 26, 27 (H.603).

Family CTILOCERATIDAE

CTILOCERA Watson, 1886, Rep. Sci. Res. Challenger, Zool., 15, p. 465. H.T. *cyclicum* Watson.

936. *variciferum* Iredale and Laseron, 1957, Proc. Roy. Zool. Soc. N.S.W., 1955-6, p. 100, pl. 1, figs. 6, 7. Hope I., Queensland (Id. ib. Angourie N.S.W.).

Family LIPPISTIDAE

SEPARATISTA Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 136. O.T. *helicina* Gmelin (based on *helicina* Chemnitz, 1788, Conch. Cab., 10 figs. 1589-90).

937. *fraterna* Iredale, 1936, Rec. Aust. Mus., 19, p. 293. Port Jackson, N.S.W. Not figured. Cf. Hedley, 1901, Rec. Aust. Mus., 4, p. 126, pl. 17, figs. 22, 23.

Family SIRIIDAE

SIRIUS Hedley, 1900, Proc. Linn. Soc. N.S.W., 25, p. 88. O.T. *badius* Tenison-Woods.

938. *badius* Tenison-Woods, 1878, Proc. Linn. Soc. N.S.W., 2, p. 264. Off Port Jackson, N.S.W., 45 fm. Hedley, 1900, Proc. Linn. Soc. N.S.W., 25, p. 88, pl. 3, fig. 8 (H.610).

939. *meracus* Iredale, 1936, Rec. Aust. Mus., 19, p. 292, pl. 21, fig. 21. Off Green Cape, N.S.W., 75 fm.

940. *desponsus* Iredale, 1936, Rec. Aust. Mus., 19, p. 293. Off Port Macquarie, N.S.W., 100 fm.

OPPOSIRIUS Iredale, 1931, Rec. Aust. Mus., 18, p. 210. O.T. *idoneus* Iredale.

941. *idoneus* Iredale, 1931, Rec. Aust. Mus., 18, p. 210, pl. 22, fig. 7. Sydney Harbour, N.S.W.

DOLICHOSIRIUS Iredale, 1931, Rec. Aust. Mus., 18, p. 211. O.T. *cupiens* Iredale.

942. *cupiens* Iredale, 1931, Rec. Aust. Mus., 18, p. 211, pl. 22, fig. 8. Sydney Harbour, N.S.W.

ICUNCULA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 251. O.T. *torcularis* Tenison-Woods.

943. *torcularis* Tenison-Woods, 1878, Proc. Linn. Soc. N.S.W., 2, p. 268. Off Port Jackson, N.S.W., 45 fm. Hedley, 1901, Rec. Aust. Mus., 4, p. 22, fig. 2 (H.608).

944. *zodiacus* Hedley, 1907, Proc. Linn. Soc. N.S.W., 32, p. 502, pl. 18, fig. 30. Capricorn Group, S. Queensland (H.609).

Family CROSSEOLIDAE

CROSSEOLA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 251. O.T. *concinna* Angas.

945. *concinna* Angas, 1868, Proc. Zool. Soc. Lond., 1867, p. 911, pl. 44, fig. 14. Port Jackson, N.S.W. (H.605).

946. *carinata* Hedley, 1903, Mem. Aust. Mus., 4, p. 345, fig. 71. Off Port Kembla, N.S.W., 63-75 fm. (H.604).

947. *naticoides* Hedley, 1907, Rec. Aust. Mus., 6, p. 290, pl. 54, figs. 6, 7. Off Narrabeen, N.S.W., 80 fm. (H.607).

DOLICROSSEA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 251. O.T. *labiata* Tenison-Woods.

948. *labiata* Tenison-Woods, 1876, Proc. Roy. Soc. Tasm., 1875, p. 151. Tasmania. Hedley, 1900, Proc. Linn. Soc. N.S.W., 25, p. 500, pl. 26, fig. 18 (H.606).

COUTHOUYIA A. Adams, 1860, Ann. Mag. Nat. Hist., (3), 5, p. 410. H.T. *decussata* Couthouy.

949. *gracilis* Henn and Brazier, 1894, Proc. Linn. Soc. N.S.W., 19, p. 169, pl. 14, fig. 4. Port Jackson, N.S.W. Hedley, 1900, Proc. Linn. Soc. N.S.W., 25, p. 506, pl. 26, fig. 13 (H.611).

HALOTAPADA Iredale, 1936, Rec. Aust. Mus., 19, p. 293. O.T. *nubila* Iredale.

950. *nubila* Iredale, 1936, Rec. Aust. Mus., 19, p. 293, pl. 21, fig. 22. Off Jervis Bay, N.S.W., 65 fm.

Family SILIQUARIIDAE

SILIQUARIA Bruguiere, 1789, Ency. Meth., Vers., 1, p. 25. L.T. (Herrmannsen, 1848, Ind. Gener. Malac., 2, p. 455) *anguina* Linne.

951. *weldii* Tenison-Woods, 1876, Proc. Roy. Soc. Tasm., 1875, p. 144. East Tasmania. Tryon, 1886, Man. Conch., 8, p. 181, pl. 58, fig. 28 (H.616).

952. *australis* Quoy and Gaimard, 1834, Voy. Astrol., Zool., 3, p. 302. Western Port, Victoria. Allan, 1950, Aust. Shells, p. 93, pl. 20, fig. 26 (N.S.W.).

STEPHOPOMA Mörch, 1860, J. de Conch., 8, p. 42. L.T. (Cossmann, 1912, Essais Pal. Comp., 9, p. 134) *rosea* Quoy and Gaimard.

953. *tricuspe* Mörch, 1861, Proc. Zool. Soc. Lond., 1861, p. 150, pl. 35, fig. 1. Port Jackson, N.S.W. Hedley, 1913, Proc. Linn. Soc. N.S.W., 38, p. 294, pl. 19, figs. 72-74 (H.615).

SERPULORBIS Sassi, 1827, Giorn. Ligustico, 1, p. 483. H.T. *polyphragma* Sassi.

954. *sipho* Lamarck, 1818, Hist. Anim. s. Vert., 5, p. 367. Timor. Quoy and Gaimard, 1834, Voy. Astrol., Zool., 3, p. 289, pl. 67, figs. 8-10. (King George's Sound, W.A.) (*arenarius*, not of Linne, 1758). Hedley, 1903, Proc. Linn. Soc. N.S.W., 27, p. 602. (N.S.W.) (H.613).

955. *waitei* Hedley, 1903, Mem. Aust. Mus., 4, p. 346, fig. 72. Off Port Kembla, N.S.W., 63-75 fm. (H.614).

956. *hedleyi* Finlay, 1927, Trans. New Zeal. Inst., 57, p. 495. New name for *Vermicularia nodosa* Hedley, 1907, Rec. Aust. Mus., 6, p. 292, pl. 54, fig. 8 (not *V. nodosa* Kaunhowen, 1897). Off Narrabeen, N.S.W. (H.612).

957. *constrictor* Murch, 1862, Proc. Zool. Soc. Lond., 1862, p. 63. Port Jackson, N.S.W. Hedley, 1913, Proc. Linn. Soc. N.S.W., 38, p. 294, pl. 18, fig. 71 (type).

MAGILINA Velain, 1877, Arch. Zool. Exper., 6, p. 106. H.T. *serpuliformis* Velain.

958. *caperata* Tate and May, 1900, Trans. Roy. Soc. South Aust., 24, p. 94. North Tasmania. Id., 1901, Proc. Linn. Soc. N.S.W., 26, p. 377, pl. 23, fig. 14 (H.617).

Family JANTHINIDAE

JANTHINA Bolten-Roding, 1798, Mus. Bolten., 2, p. 75. T.T. *violacea* Bolten-Roding.

959. *violacea* Bolten-Roding, 1798, Mus. Bolten., 2, p. 75. Atlantic Ocean. Knorr, 1764, Schnecken und Muscheln, Theil 2, pl. 30, figs. 2-3 (H.621).

960. *planospirata* A. Adams and Reeve, 1850, Zool. Voy. Samarang, p. 54, pl. 11, fig. 10. Atlantic Ocean.

VIOLETTA Iredale, 1929, Mem. Queensland Mus., 9, p. 279. H.T. *globosa* Swainson.

961. *globosa* Swainson, 1826, Zool. Illus., 2, pl. 85. Atlantic Ocean (H.619).

IODINA Murch, 1860, J. de Conch., 8, p. 282, L.T. (Powell, 1957, Shells New Zealand, p. 98) *exigua* Lamarck.

962. *capreolata* Montrouzier, 1859, J. de Conch., 8, p. 375. New Caledonia. Id. ib., 1860, 8, p. 114, pl. 2, fig. 4 (H.618).

963. *nitida* A. Adams, 1869, Proc. Zool. Soc. Lond., 1868, p. 620. Off Tahiti, Pacific Ocean. Not figured. Cf. *umbilicata* Orbigny, Tryon, 1887, Man. Conch., 9, pl. 10, fig. 21 (H.620).

Family RECLUZIIDAE

RECLUZIA Petit, 1863, J. de Conch., 4, p. 117. O.T. *jehennei* Petit.

964. *hargravesi* Cox, 1870, Proc. Zool. Soc. Lond., 1870, p. 172, pl. 16, fig. 8. Port Stephens, N.S.W. (H.622).

Family STRUTHIOLARIIDAE

TYLOSPIRA Harris, 1897, Cat. Tert. Moll. Brit. Mus., 1, p. 222. O.T. *scutulata* Gmelin.

965. *scutulata* Gmelin, 1791, Syst. Nat., pt. 6, p. 3498. Botany Bay, N.S.W. Martyn, 1784, Univ. Conch., pl. 55 (*scutulata*, non-binomial), Allan, 1950, Aust. Shells, p. 96, pl. 14, fig. 3 (H.623).

Family ZEMIRIDAE

ZEMIRA H. and A. Adams, 1853, Gen. Rec. Moll., p. 110. H.T. *australis* Sowerby.

966. *australis* Sowerby, 1841, Conch. Illus., p. 20, List, No. 8, *Eburna*, fig. 5. Port Jackson, N.S.W. Allan 1950, Aust. Shells, p. 96, text fig. 22, fig. 7, on p. 91 (H.624).

Family MERRIIDAE

MERRIA Gray, 1839, Zool. Beechey's Voy., p. 137. H.T. *cancellata* Lamarck (*Vanikoro* olim).

967. *foveolata* Souverbie and Montrouzier, 1866, J. de Conch., 25, p. 138, pl. 6, fig. 6. New Caledonia (*orbignyanana* Recluz is probably Western Australian, not eastern Australia or Tasmania) (H.625).

968. *sigaretiformis* Potiez and Michaud, 1838, Galerie de Douai, p. 508, pl. 35, figs. 21-22. No loc. (= Sydney, N.S.W.) (= *recluziana* A. Adams and Angas, 1864, Proc. Zool. Soc. Lond., 1863, p. 424. Port Jackson, N.S.W.). Hedley, 1912, Rec. Aust. Mus., 8, p. 142, pl. 42, figs. 21, 22 (H.626).

NARICAVA Hedley, 1913, Proc. Linn. Soc. N.S.W., 38, p. 294. O.T. *angasi* A. Adams and Angas.

969. *angasi* A. Adams and Angas, 1864, Proc. Zool. Soc. Lond., 1863, p. 424, pl. 37, figs. 11-12. Near Sydney, N.S.W. (H.627).

970. *angulata* Hedley, 1905, Rec. Aust. Mus., 6, p. 50, fig. 15. Off Cape Byron, north N.S.W., 111 fm. (H.628).

971. *vincentiana* Angas, 1880, Proc. Zool. Soc. Lond., 1880, p. 417, pl. 15, fig. 9. St. Vincent Gulf, South Australia.

TROPIDORBIS Iredale, 1936, Rec. Aust. Mus., 19, p. 294. O.T. *mendicus* Iredale.

972. *mendicus* Iredale, 1936, Rec. Aust. Mus., 19, p. 294, pl. 24, fig. 1. Off Jervis Bay, N.S.W., 65 fm.

Family XENOPHORIDAE

XENOPHORA G. Fischer, 1807, Mus. Demidoff., 3, p. 213. H.T. *laevigata* G. Fischer (= *conchyliophora* Born).

973. *peroniana* Iredale, 1929, Rec. Aust. Mus., 17, p. 172. Off coast N.S.W., 60-70 fm. Allan, 1927, Aust. Mus. Mag., 3, p. 57, photo (H.629).

973A. *helvacea* Philippi, 1851, Zeitsch. f. Malak., 8, p. 44. China Seas (?). Id., 1855, Conch. Cab. (cont.), Bd. 2, Abt. 3, p. 343, pl. 47, fig. 1.

Family STROMBIDAE

EUPROTOMUS Gill, 1870, Amer. J. Conch., 5, p. 130. H.T. *aurisdiænae* Linne.

974. *donnellyi* Iredale, 1931, Rec. Aust. Mus., 18,

p. 212, pl. 23, fig. 19. Sydney Harbour, N.S.W.

DOXANDER Iredale, 1931, Rec. Aust. Mus., 18, p. 212. O.T. *vittatus* Linne.

975. *vittatus* Linne, 1758, Syst. Nat., 10 ed., p. 745. Amboina. Rumph, 1741, Amboin. Rariteitk., pl. 36, fig. 0. Iredale, 1931, Rec. Aust. Mus., 18, p. 212. Sydney Harbour, N.S.W.

976. *campbellii* Griffith and Pidgeon, 1834, Anim. Kingd. (Cuvier), 12, p. 600, pl. 25, fig. 6. East Australia (H.630).

LABIOSTROMBUS Oostingh, 1925, Med. Landb. Wagen. (Ned.), Deel 29, (1), p. 58. O.T. *succinctus* Linne.

977. *dilatatus* Swainson, 1821, Zool. Illus., (1), pl. 71. East Indies. Iredale, 1929, Aust. Zool., 5, p. 344. Sydney Harbour, N.S.W.

CONOMUREX Fischer, 1884, Man. de Conch, livr. 72, p. 670. H.T. *luhuanus* Linne.

978. *luhuanus* Linne, 1758, Syst. Nat., 10 ed., p. 744. Amboina. Rumph, 1741, Amboin. Rariteitk., pl. 37, fig. V (H.632).

DOLOMENA Iredale, 1931, Rec. Aust. Mus., 18, pp. 212, 232. O.T. *fulchella* Reeve.

979. *fulchella* Reeve, 1851, Conch. Icon., 6, *Strombus*, pl. 19, fig. 52. I. Ticao, Philippine Islands. Iredale, 1931, Rec. Aust. Mus., 18, p. 212, pl. 23, fig. 12. Sydney Harbour, N.S.W.

CANARIUM Schumacher, 1817, Essai nouv. Syst. Test., pp. 66, 219. H.T. *ustulatum* Schumacher.

980. *flammeum* Link, 1807, Beschr. Nat. Samml. Rostock, (3), p. 108. No loc. = East Indies. (= *floridus* Lamarck, 1822, Hist. Anim. s. Vert., 7, p. 211. Kiener, 1843, Coq. Vivants, *Strombus*, pl. 32, fig. 18), (*urceus* of Hedley, 1918, not of Linne, 1758) (H.633).

981. *urceus* Linne, 1758, Syst. Nat., 10, ed., p. 745. Amboina. Rumph, 1741, Amboin. Rariteitk., pl. 37, fig. T. Iredale, 1929, Aust. Zool., 5, p. 344. Sydney Harbour, N.S.W.

982. *otiolum* Iredale, 1931, Rec. Aust. Mus., 18, p. 212, pl. 23, fig. 6. Sydney Harbour, N.S.W. (= *elegans* Angas 1877, Proc. Zool. Soc. Lond., 1877, p. 185. Sydney Harbour, N.S.W. (not *S. elegans* Sowerby, 1842)) (H.631).

Family PTEROTRACHEIDAE

FIROLOIDA Lesueur, 1817, J. Acad. Nat. Sci. Philad., 1, p. 38. O.T. *desmaresti* Lesueur.

983. *desmaresti* Lesueur, 1817, J. Acad. Nat. Sci. Philad., 1, p. 39, pl. 2, fig. 1. Atlantic Ocean. Hedley, 1902, Mem. Aust. Mus., 4, p. 402. Off Watamooli, N.S.W. (H.634).

984. *kowalewskyi* Vayssiere, 1904, Res. Camp. Sci. Monaco, 26, p. 45, pl. 4, figs. 61-65. Atlantic Ocean. Dakin and Colefax, 1940, Publ. Univ. Syd.

Zool., Mon. 1, p. 205, pl. 3, fig. 2. N.S.W.

PTEROTRACHEA Gmelin, 1791, Syst. Nat., pt. 6, p. 3137 (ex Forskal, 1775, non-binomial). L.T. (Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 163) *coronata* Forskal.

985. *mutabilis* Tesch, 1906, Siboga Exped., Mon. 51, livr. 29, p. 88, pl. 13, figs. 86-89. Moluccas. Dakin and Colefax, 1940, Publ. Univ. Syd. Zool., Mon. 1, p. 206. N.S.W.

Family CARINARIIDAE

CARINARIA Lamarck, 1801, Syst. Anim. s. Vert., p. 95. H.T. *vitrea* Lamarck.

986. *australis* Quoy and Gaimard, 1833, Voy. Astrol., Zool., 2, p. 394, pl. 29, figs. 9, 13. Tasman Sea. Hedley and Petterd, 1906, Rec. Aust. Mus., 6, p. 223. Off Sydney, N.S.W., 300 fm. (H.635).

Family PTEROSOMATIDAE

PTEROSOMA Lesson, 1827, Mem. Soc. Hist. Nat. Paris, 3, p. 414. O.T. *planum* Lesson.

987. *planum* Lesson, 1827, Mem. Soc. Hist. Nat. Paris, 3, p. 414, pl. 10, fig. A. New Guinea. Hedley, 1895, Proc. Malacol. Soc., I, p. 333, figs. 1-4. Sydney, N.S.W. (H.636).

Family ATLANTIDAE

ATLANTA Lesueur, 1817, J. de Phys. (Paris), 85, p. 390. L.T. (Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 149) *peronii* Lesueur.

988. *inflata* Eydoux and Souleyet, 1852, Voy. Bonite, Zool., 2, p. 378, pl. 19, figs. 21-28. Atlantic Ocean. Hedley, 1903, Mem. Aust. Mus., 4, p. 402. Off Port Kembla, N.S.W. Allan, 1950, Aust. Shells, p. 97, fig. 13 on p. 91 (*peronii*, not of Lesueur 1817) (H.638).

989. *rosea* Eydoux and Souleyet, 1852, Voy. Bonite, Zool., 2, p. 378, pl. 19, figs. 16-20. Atlantic Ocean. Hedley, 1903, Mem. Aust. Mus., 4, p. 402. Off Port Kembla and off Cape Three Points, N.S.W. (H.639).

990. *turriculata* Orbigny, 1836, Voy. Amer. Merid., 5, p. 173, Moll., p. 120, figs. 5-11. South Atlantic Ocean. Hedley, 1903, Mem. Aust. Mus., 4, p. 401. Off Port Kembla and off Cape Three Points, N.S.W. (H.640).

OXYGYRUS Benson, 1837, J. Asiatic. Soc. Bengal, 6, p. 316. L.T. (Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 148) *keraudrenii* Lesueur.

991. *keraudrenii* Lesueur, 1817, J. de Phys. (Paris), 85, p. 391, pl. 2. Atlantic Ocean. Hedley, 1907, Rec. Aust. Mus., 6, p. 299. Off Narrabeen, N.S.W. (H.637).

Family EPITONIIDAE

[Ref.:—Iredale, 1936, Rec. Aust. Mus., 19, pp. 294-306, pl. 22.]

- LAMELLISCALA** Boury, 1909, J. de Conch., 57, p. 258.
O.T. *fasciata* Sowerby.
992. *parspeciosa* Iredale, 1929, Aust. Zool., 5, p. 345, pl. 38, fig. 14. Sydney Harbour, N.S.W. Iredale, 1936, loc. cit., p. 295, pl. 22, fig. 1.
- MAZESCALA** Iredale, 1936, Rec. Aust. Mus., 19, p. 296. O.T. *thrasy* Iredale.
993. *thrasy* Iredale, 1936, Rec. Aust. Mus., 19, p. 296, pl. 22, fig. 2. Off Green Cape, N.S.W., 70 fm.
994. *heloris* Iredale, 1936, Rec. Aust. Mus., 19, p. 296, pl. 22, fig. 3. Sydney Harbour, N.S.W.
995. *bellicosa* Hedley, 1907, Rec. Aust. Mus., 6, p. 360, pl. 67, fig. 18. Off Sydney, N.S.W., 800 fm. Iredale, 1936, loc. cit., p. 296, pl. 22, fig. 4 (H.643).
- LAEVISCALA** Boury, 1909, J. de Conch., 57, p. 257. O.T. *subauriculata* Souverbie.
996. *tacita* Iredale, 1936, Rec. Aust. Mus., 19, p. 297, pl. 22, fig. 5. Sydney Harbour, N.S.W. (H.641).
- ACUTISCALA** Boury, 1909, J. de Conch., 57, p. 257. O.T. *philippinarum* Sowerby.
997. *minora* Iredale, 1936, Rec. Aust. Mus., 19, p. 297, pl. 22, fig. 6. Sydney Harbour, N.S.W. (H.657).
998. *ampacta* Iredale, 1936, Rec. Aust. Mus., 19, p. 298, pl. 22, fig. 7. Sydney Harbour, N.S.W. (H.647).
999. *fabia* Iredale, 1936, Rec. Aust. Mus., 19, p. 298, pl. 22, fig. 8. Sydney Harbour, N.S.W.
1000. *coreta* Iredale, 1936, Rec. Aust. Mus., 19, p. 298, pl. 22, fig. 9. Off Green Cape, N.S.W., 70 fm.
- PUDENTISCALA** Iredale, 1936, Rec. Aust. Mus., 19, p. 299. H.T. *christyi* Iredale.
1001. *christyi* Iredale, 1936, Rec. Aust. Mus., 19, p. 298, pl. 22, fig. 10. Sydney Harbour, N.S.W.
- LIMISCALA** Boury, 1909, J. de Conch., 57, p. 258. O.T. *lyra* Sowerby.
1002. *helicornua* Iredale, 1936, Rec. Aust. Mus., 19, p. 299, pl. 22, fig. 11. Sydney Harbour, N.S.W. (H.653).
- OBSTOPALIA** Iredale, 1936, Rec. Aust. Mus., 19, p. 299. O.T. *lixa* Iredale.
1003. *lixa* Iredale, 1936, Rec. Aust. Mus., 19, p. 299, pl. 22, fig. 12. Off Green Cape, N.S.W., 70 fm. (H.654).
- SOLVACLATHRUS** Iredale, 1936, Rec. Aust. Mus., 19, p. 299. O.T. *jacobiscala* Iredale.
1004. *jacobiscala* Iredale, 1936, Rec. Aust. Mus., 19, p. 299, pl. 22, fig. 14. Sydney Harbour, N.S.W. (H.646).
- FOLACEISCALA** Boury, 1912, J. de Conch., 60, p. 93. O.T. *dubia* Sowerby.
1005. *carchedon* Iredale, 1936, Rec. Aust. Mus., 19, p. 300, pl. 22, fig. 13. Sydney Harbour, N.S.W.
1006. *barissa* Iredale, 1936, Rec. Aust. Mus., 19, p. 300, pl. 22, fig. 15. Sydney Harbour, N.S.W.
1007. *antisoa* Iredale, 1936, Rec. Aust. Mus., 19, p. 300, pl. 22, fig. 16. Sydney Harbour, N.S.W.
- CRENULISCALA** Iredale, 1936, Rec. Aust. Mus., 19, p. 301. O.T. *pindasa* Iredale.
1008. *pindasa* Iredale, 1936, Rec. Aust. Mus., 19, p. 301, pl. 22, fig. 17. Sydney Harbour, N.S.W.
- NARVALISCALA** Iredale, 1936, Rec. Aust. Mus., 19, p. 301. O.T. *dorysa* Iredale.
1009. *dorysa* Iredale, 1936, Rec. Aust. Mus., 19, p. 301, pl. 22, fig. 18. Off Gabo I., Victoria, 150-200 fm.
- MURDOCHELLA** Finlay, 1927, Trans. New Zeal. Inst., 7, p. 402. O.T. *laevifoliata* Murdoch and Suter.
1010. *macrina* Iredale, 1936, Rec. Aust. Mus., 19, p. 302, pl. 22, fig. 19. Off Narrabeen, N.S.W., 80 fm. (H.648).
- DISSOPALIA** Iredale, 1936, Rec. Aust. Mus., 19, p. 302. O.T. *turrisphari* Hedley.
1011. *turrisphari* Hedley, 1905, Rec. Aust. Mus., 6, p. 52, fig. 18 in text. Off Cape Byron, north N.S.W., 111 fm. Iredale, 1936, loc. cit., p. 302, pl. 22, fig. 20 (H.655).
- PLASTISCALA** Iredale, 1936, Rec. Aust. Mus., 19, p. 302. O.T. *morchi* Angas.
1012. *morchi* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 15, pl. 1, fig. 7. Port Jackson, N.S.W. Iredale, 1936, loc. cit., p. 302, pl. 22, fig. 21 (H.649).
1013. *bentha* Iredale, 1936, Rec. Aust. Mus., 19, p. 303, pl. 22, fig. 23. Off Wattamolla, N.S.W., 54-59 fm.
1014. *profundior* Iredale, 1936, Rec. Aust. Mus., 19, p. 303, pl. 22, fig. 22. Off Sydney, N.S.W., 250 fm.
- POMISCALA** Iredale, 1936, Rec. Aust. Mus., 19, p. 303. O.T. *perpicata* Iredale.
1015. *perpicata* Iredale, 1929, Aust. Zool., 5, p. 344. Sydney, N.S.W. Id., 1936, loc. cit., p. 303, pl. 22, fig. 24 (H.650).
- DANNEVIGENA** Iredale, 1936, Rec. Aust. Mus., 19, p. 303. O.T. *martyr* Iredale.
1016. *martyr* Iredale, 1936, Rec. Aust. Mus., 19, p. 303, pl. 22, fig. 25. S. of Gabo I., Victoria, 115-145 fm.
- OPALIA** H. and A. Adams, 1853, Gen. Rec. Moll., 1, p. 222. O.T. *australis* Lamarck.

1017. *australis* Lamarck, 1822, Hist. Anim. s. Vert., 6, (2), p. 228. Port Jackson, N.S.W. Iredale, 1936, loc. cit., p. 304, pl. 22, fig. 26 (H.642).
- NODISCALA* Boury, 1889, Bull. Soc. Mal. Ital., 14, p. 161. O.T. *bicarinata* Sowerby.
1018. *apostolorum* Iredale, 1936, Rec. Aust. Mus., 19, p. 304, pl. 22, fig. 27. Sydney Harbour, N.S.W.
- RECTACIRSA* Iredale, 1936, Rec. Aust. Mus., 19, p. 305. O.T. *fregata* Iredale.
1019. *fregata* Iredale, 1936, Rec. Aust. Mus., 19, p. 305, pl. 22, fig. 28. Off Sydney, N.S.W., 250 fm.
- GRANULISCALA* Boury, 1909, J. de Conch., 57, p. 256. O.T. *granosa* Quoy and Gaimard.
1020. *ballinensis* Smith, 1891, Ann. Mag. Nat. Hist., (6), 7, p. 139. Ballina, north N.S.W. Hedley, 1901, Proc. Linn. Soc. N.S.W., 26, p. 701, pl. 34, fig. 21. Iredale, 1936, loc. cit., p. 306, pl. 22, fig. 30 (H.645). (Hedleys No. 656 *unilaterale* Martens was listed purely in error. No record from N.S.W.)
- GLOBOSCALA* Boury, 1909, J. de Conch., 57, p. 258. H.T. *bullata* Sowerby.
1021. *woolacottae* Kerslake, 1958, Proc. Roy. Zool. Soc. N.S.W., 1956-7, p. 157, fig. 1. Caloundra, Queensland (also from Long Reef, near Sydney and Botany Bay, N.S.W.).
- Family MELANELLIIDAE**
- [Ref.:—Laseron, 1955, Aust. Zool., 12, pp. 83-102, figs. 1-78.]
- KOLOONELLA* Laseron, 1959, Aust. J. Mar. Freshw. Res., 10, p. 246. O.T. *moniliformis* Hedley and Musson.
1022. *moniliformis* Hedley and Musson, 1894, Proc. Linn. Soc. N.S.W., 16, p. 247, pl. 19, figs. 1-3. Manly (= Curl Curl) Lagoon, N.S.W. Laseron, 1951, loc. cit., p. 235, fig. 67 (H.1074).
1023. *hasta* Laseron, 1951, Rec. Aust. Mus., 22, p. 325, figs. 66, 96. Port Jackson, N.S.W.
1024. *turrita* Petterd, 1884, J. of Conch., 4, p. 140. North Tasmania. Tate and May, 1901, Proc. Linn. Soc. N.S.W., 1901, p. 384, pl. 25, fig. 38. Laseron, 1951, loc. cit., p. 325, figs. 68, 97. Port Jackson, N.S.W. (H.1076).
1025. *coacta* Watson 1886, Rep. Sci. Res. Challenger, Zool., 15, p. 498, pl. 33, fig. 4. Torres Straits, 8 fm. May, 1923, Illus. Index Tasm. Shells, pl. 45, fig. 29. Laseron, 1951, Rec. Aust. Mus., 22, p. 326, fig. 69. Port Stephens, N.S.W.
1026. *tomacula* Laseron, 1951, Rec. Aust. Mus., 22, p. 326, fig. 70. Manly, N.S.W.
1027. *anabathron* Hedley, 1906, Proc. Linn. Soc. N.S.W., 30, p. 524, pl. 33, figs. 39, 40. Port Jackson, N.S.W. Laseron, 1951, loc. cit., p. 326, fig. 71 (H.1073).
1028. *minutissima* Laseron, 1951, Rec. Aust. Mus., 22, p. 326, fig. 72. Port Jackson, N.S.W.
- EULIMAUSTRA* Laseron, 1955, Aust. Zool., 12, p. 85. O.T. *proxima* Sowerby (spelt *Euliamaustra* p. 85 in error).
1029. *proxima* Sowerby, 1866, Conch. Icon. (Reeve), 15, *Eulima*, pl. 6, fig. 48. Port Jackson, N.S.W. Laseron, 1955, loc. cit., p. 85, pl. 1, figs. 1, 2 (H.1059).
1030. *anomala* Laseron, 1955, Aust. Zool., 12, p. 86, pl. 1, figs. 3, 4, 5. Woolgoolga, N.S.W.
- HYPERMASTUS* Pilsbry, 1899, Proc. Acad. Nat. Sci. Philad., 1899, p. 258. O.T. *coxi* Pilsbry.
1031. *coxi* Pilsbry, 1899, Proc. Acad. Nat. Sci. Philad., 1899, p. 258, pl. 11, figs. 3, 4. Port Stephens, N.S.W. Laseron, 1955, loc. cit., p. 86, pl. 1, figs. 6, 7, 8 (H.1055).
1032. *mucronatus* Sowerby, 1866, Conch. Icon. (Reeve), 15, *Eulima*, pl. 1, figs. 9, 10, 11. Port Jackson, N.S.W. Laseron, 1955, loc. cit., p. 86, pl. 1, figs. 9, 10, 11 (H.1057).
- CHRYSSEULIMA* Laseron, 1955, Aust. Zool., 12, p. 87. O.T. *brazieri* Angas.
1033. *brazieri* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 173, pl. 26, fig. 12. Sow and Pigs Reef, Port Jackson, N.S.W. Laseron, 1955, loc. cit., p. 87, pl. 1, figs. 14, 15 (H.1070).
1034. *solitaria* Laseron, 1955, Aust. Zool., 12, p. 88, pl. 1, figs. 16, 17. Long Reef, near Sydney, N.S.W.
- CURVEULIMA* Laseron, 1955, Aust. Zool., 12, p. 88. O.T. *cornuta* Laseron.
1035. *cornuta* Laseron, 1955, Aust. Zool., 12, p. 89, pl. 1, figs. 18, 19. Manly, N.S.W. (H.1061).
1036. *obtusa* Laseron, 1955, Aust. Zool., 12, p. 89, pl. 1, figs. 20, 21. Manly, N.S.W.
1037. *lata* Laseron, 1955, Aust. Zool., 12, p. 90, pl. 1, fig. 22. Long Reef, Sydney, N.S.W., 14 fm.
1038. *subobtusa* Laseron, 1955, Aust. Zool., 12, p. 90, pl. 1, fig. 23. Long Reef, near Sydney, N.S.W.
1039. *litoris* Laseron, 1955, Aust. Zool., 12, p. 90, pl. 1, figs. 24, 25. Manly, N.S.W. (H.1060).
1040. *abrupta* Laseron, 1955, Aust. Zool., 12, p. 90, pl. 1, figs. 26-27. Manly, N.S.W.
1041. *manifesta* Laseron, 1955, Aust. Zool., 12, p. 91, pl. 1, figs. 28-29. Crookhaven, N.S.W., 30-35 fm.
- STICTEULIMA* Laseron, 1955, Aust. Zool., 12, p. 91. O.T. *cameroni* Laseron.
1042. *cameroni* Laseron, 1955, Aust. Zool., 12, p. 91, pl. 2, figs. 30, 31. Angourie, Clarence River, north N.S.W.
- CUSPEULIMA* Laseron, 1955, Aust. Zool., 12, p. 91. O.T. *acutissima* Sowerby.

1043. *acutissima* Sowerby, 1866, Conch. Icon. (Reeve), 15, *Leiostraca*, pl. 2, fig. 10. Port Jackson, N.S.W. (= *Leiostraca lesbia*, Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 16, pl. 1, fig. 14. Port Jackson, N.S.W.). Laseron, 1955, Aust. Zool., 12, p. 92, pl. 2, figs. 32, 33 (H.1063).
1044. *lodderae* Lodder, 1900, Proc. Roy. Soc. Tasm., 1898-9, p. 135. New name for *Eulima vitrea* Petterd, 1884, J. of Conch., p. 136 (not *E. vitrea* A. Adams, 1864). N. Tasmania. Hedley, 1903, Mem. Aust. Mus., 4, p. 360, fig. 82. Laseron, 1955, Aust. Zool., 12, p. 92, pl. 2, fig. 34 (H.1065).
1045. *sobrina* Laseron, 1955, Aust. Zool., 12, p. 92, pl. 2, figs. 35-36. Port Stephens, N.S.W. (H.1062).
1046. *iredalei* Laseron, 1955, Aust. Zool., 12, p. 93, pl. 2, figs. 37, 38. Point Halliday, mid N.S.W.
1047. *portensis* Laseron, 1955, Aust. Zool., 12, p. 93, pl. 2, figs. 39, 40, 41. Port Hacking, N.S.W. (H. 1066).
1048. *incidenta* Laseron, 1955, Aust. Zool., 12, p. 94, pl. 2, figs. 42, 43. North Harbour, Port Jackson, N.S.W.
- EULIMITRA** Laseron, 1955, Aust. Zool., 12, p. 94. O.T. *vittata* Laseron.
1049. *vittata* Laseron, 1955, Aust. Zool., 12, p. 94, pl. 2, figs. 44, 45. North Harbour, Port Jackson, N.S.W.
1050. *waltersi* Laseron, 1955, Aust. Zool., 12, p. 94, pl. 2, figs. 46-47. Woollahra Point, Port Jackson, N.S.W., 4 fm.
- FUSCEULIMA** Laseron, 1955, Aust. Zool., 12, p. 95. O.T. *jacksonensis* Laseron.
1051. *jacksonensis* Laseron, 1958, Aust. Zool., 12, p. 95, pl. 2, figs. 48, 49. North Harbour, Port Jackson, N.S.W.
1052. *flava* Laseron, 1955, Aust. Zool., 12, p. 95, pl. 2, figs. 50, 51. Off Twofold Bay, south New South Wales, 40-50 fm.
1053. *sucina* Laseron, 1955, Aust. Zool., 12, p. 96, pl. 2, figs. 52, 53. Off Point Halliday, mid N.S.W., 8-10 fm.
- EULITOMA** Laseron, 1955, Aust. Zool., 12, p. 96. O.T. *nitens* Laseron.
1054. *nitens* Laseron, 1955, Aust. Zool., 12, p. 96, pl. 2, figs. 54, 55. Sow and Pigs Reef, Port Jackson, N.S.W., 6-9 fm.
1055. *castanea* Laseron, 1955, Aust. Zool., 12, p. 96, pl. 2, figs. 56, 57. Between Heads, Port Jackson, N.S.W., 15 fm.
- HEBEULIMA** Laseron, 1955, Aust. Zool., 12, p. 97. O.T. *inusta* Hedley.
1056. *inusta* Hedley, 1906, Proc. Linn. Soc. N.S.W., 30, p. 525, pl. 33, fig. 43. Manly, N.S.W. Laseron, 1955, loc. cit., p. 97, pl. 3, figs. 58-59 (H.1064).
1057. *tumere* Laseron, 1955, Aust. Zool., 12, p. 97, pl. 3, figs. 60-61. Port Stephens, N.S.W.
1058. *fricata* Hedley, 1907, Rec. Aust. Mus., 6, p. 290, pl. 55, fig. 14. Off Narrabeen, N.S.W., 80 fm. Laseron, 1955, Aust. Zool., 12, p. 97, pl. 3, fig. 62 (H.1056).
1059. *crassiceps* Laseron, 1955, Aust. Zool., 12, p. 97, pl. 3, figs. 63, 64. Off Point Halliday, mid N.S.W., 8-10 fm.
- PICTOBALCIS** Laseron, 1955, Aust. Zool., 12, p. 98. O.T. *articulata* Sowerby.
1060. *articulata* Sowerby, 1834, Proc. Zool. Soc. Lond., 1834, p. 8. Australian shores = Moreton Bay, Queensland. Sowerby, 1841, Conch. Illustr., *Eulima*, fig. 12. Laseron, 1955, loc. cit., p. 98, pl. 3, fig. 65 (H.1054).
- EULIMODA** Laseron, 1955, Aust. Zool., 12, p. 98. O.T. *munita* Hedley.
1061. *munita* Hedley, 1903, Mem. Aust. Mus., 4, p. 358, text fig. 61. Cape Three Points, N.S.W., 41-50 fm. Laseron, 1955, loc. cit., p. 98, pl. 3, figs. 66-67 (H.1058).
- MENON** Hedley, 1900, Proc. Linn. Soc. N.S.W., 25, p. 90. O.T. *anceps* Hedley.
1062. *anceps* Hedley, 1900, Proc. Linn. Soc. N.S.W., 25, p. 90, pl. 3, figs. 5, 6, 7. Little Coogee Beach, Sydney, N.S.W. Laseron, 1955, loc. cit., p. 99, pl. 3, figs. 68-70 (H.1069).
- STILAPEX** Iredale, 1925, Rec. Aust. Mus., 14, p. 270. O.T. *lactarius* Iredale.
1063. *lactarius* Iredale, 1925, Rec. Aust. Mus., 14, p. 270, pl. 43, fig. 20. Off Babel Is., Bass St., 70 fm. Laseron, 1955, loc. cit., p. 100, text fig. 78.
- SYNTHARELLA** Laseron, 1955, Aust. Zool., 12, p. 100. O.T. *topaziaca* Hedley.
1064. *topaziaca* Hedley, 1908, Proc. Linn. Soc. N.S.W., 33, p. 470, pl. 10, fig. 29. Port Jackson, N.S.W. Laseron, 1955, loc. cit., p. 100, pl. 3, fig. 71.
- STILIMELLA** Laseron, 1955, Aust. Zool., 12, p. 100. O.T. *lodderae* Petterd.
1065. *lodderae* Petterd, 1884, J. of Conch., 4, p. 140. North-west coast, Tasmania. Hedley, 1900, Proc. Linn. Soc. N.S.W., 25, p. 92, text figs (= *petterdi* Tate and May, 1900, Trans. Roy. Soc. South Aust., 24, p. 96. New name for *Styliifer robusta* Petterd, 1884, J. of Conch., 4, p. 140. Leven Heads, Tasmania (not *S. robusta* Pease, 1860)). Hedley, 1901, Proc. Linn. Soc. N.S.W., 25, p. 729, fig. 27. Laseron, 1955, loc. cit., p. 101, pl. 3, figs. 72, 73, 74 (72, 73 from Huskisson, N.S.W., 74 Long Reef, N.S.W.) (H.1071), (H.1072).
- MACERTEXTA** Laseron, 1955, Aust. Zool., 12, p. 101. O.T. *ovitesta* Laseron.
1066. *ovitesta* Laseron, 1955, Aust. Zool., 12, p.

101, pl. 3, fig. 75. Port Jackson, N.S.W. (Position uncertain).

(*Apicalia guentheri* Angas, 1877, was described from New South Wales, but was later shown to be from Lifu, Loyalty Is. (Hedley, 1913, Proc. Linn. Soc. N.S.W., 38, p. 296). Allan, 1950, Aust. Shells, p. 108, records the species as "living in waters of New South Wales". We have been unable to find any record, other than the original description of Angas.)

Family CYMATIIDAE

CHARONIA Gistel and Bromme, 1847, Handb. Naturg., p. 559. H.T. *tritonis* Linne.

1067. *euclia instructa* Iredale, 1929, Rec. Aust. Mus., 17, p. 172, pl. 41, fig. 5. South-east N.S.W. (H.657).

1068. *rubicunda* Perry, 1811, Conchology, pl. 14, fig. 4. Port Jackson, N.S.W. Hunter, 1793, Hist. Journ. N.S.W., p. 581, pls. 1, 2 (H.658).

VERNOTRITON Iredale, 1936, Rec. Aust. Mus., 19, p. 308. O.T. *pumilio* Hedley.

1069. *pumilio* Hedley, 1903, Mem. Aust. Mus., 4, p. 339, fig. 68. Off Manning River, N.S.W., 22 fm. (H.659).

DISTORSIO Bolten-Roding, 1798, Mus. Bolten., 2, p. 133. L.T. (Pilsbry, 1922, Proc. Acad. Nat. Sci. Philad., 73, p. 357) *anus* Linne.

1070. *francesae* Iredale, 1931, Rec. Aust. Mus., 18, p. 213, pl. 23, fig. 2. Sydney Harbour, N.S.W.

AUSTROSASSIA Finlay, 1931, Trans. New Zeal. Inst., 62, p. 7. O.T. *parkinsonia* Perry.

1071. *parkinsonia* Perry, 1811, Conchology, pl. 14, fig. 1. Port Jackson, N.S.W. (H.660).

1072. *basilica* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 253, pl. 35, fig. 4. Off Green Cape, N.S.W., 50-70 fm.

TRITONOCAUDA Dall, 1904, Smiths. Misc. Coll., 47, p. 133. O.T. *caudatus* Gmelin.

1073. *caudata vulticula* Iredale, 1936, Rec. Aust. Mus., 19, p. 308, pl. 23, fig. 1. Sydney Harbour, N.S.W. (H.661).

RANULARIA Schumacher, 1817, Essai nouv. Syst. Test., p. 253. L.T. (Gray 1847, Proc. Zool. Soc. Lond., 1847, p. 133) *clavator* L. = *formosa* Perry.

1074. *sinensis defrenata* Iredale, 1936, Rec. Aust. Mus., 19, p. 308, pl. 23, fig. 2. Sydney Harbour, N.S.W. (H.666).

CABESTANIMORPHA Iredale, 1936, Rec. Aust. Mus., 19, p. 307. O.T. *exarata* Reeve = *tabulata* Menke.

1075. *tabulata* Menke, 1843, Spec. Moll. Novae Holland., p. 25. South-west Australia. Iredale, 1949,

Proc. Roy. Zool. Soc. N.S.W., 1947-8, p. 20. (= *exarata* Reeve, 1844, Conch. Icon., 2, *Triton*, pl. 13, fig. 50) (H.662).

1076. *zimara* Iredale, 1929, Aust. Zool., 5, p. 345, pl. 38, fig. 11. Sydney Harbour, N.S.W.

SEPTA Perry, 1810, Arcana, pl. 2, H.T. *rubecula* Linne.

1077. *blacketi* Iredale, 1936, Rec. Aust. Mus., 19, p. 307, pl. 23, fig. 3. Sydney Harbour, N.S.W. (H.663).

1078. *rubecula* Linne, 1758, Syst. Nat., 10 ed., p. 749, based on Argenville, 1742, Conchyl., pl. 12, fig. K. East Indies.

LAMPUSIA Schumacher, 1817, Essai. nouv. Syst. Test., p. 250. O.T. *pilearis* Linne.

1079. *nicobarica* Bolten-Roding, 1798, Mus. Bolten., 2, p. 126. Martini, 1780, Conch. Cab., 4, pl. 132, figs. 1246-1247. Nicobar Islands. Iredale, 1929, Aust. Zool., 5, p. 345. Sydney Harbour, N.S.W.

1080. *aquatalis* Reeve, 1844, Conch. Icon., 2, *Triton*, pl. 7, fig. 24. Philippine Islands.

PARTICYMATIUM Iredale, 1936, Rec. Aust. Mus., 19, p. 307. O.T. *strangei* A. Adams and Angas.

1081. *strangei* A. Adams and Angas, 1864, Proc. Zool. Soc. Lond., 1864, p. 35. Port Jackson, N.S.W. Smith, 1878, Proc. Zool. Soc. Lond., 1878, p. 816, pl. 50, fig. 16. Moreton Bay, Queensland (H.664).

MONOPLEX Perry, 1811, Conchology, pl. 3, L.T. (Clench and Turner, 1957, Johnsonia, 3, p. 227) *australasiae* Perry.

1082. *australasiae* Perry, 1811, Conchology, pl. 3, fig. 3. Port Jackson, N.S.W. (H.665).

CYMATILESTA Iredale, 1936, Rec. Aust. Mus., 19, p. 307. O.T. *spengleri* Perry.

1083. *spengleri* Perry, 1811, Conchology, pl. 14, fig. 3. Port Jackson, N.S.W. Hunter, 1793, Hist. Journ. N.S.W., p. 583, pl. 3. Anderson, 1959, Proc. Linn. Soc. N.S.W., 84, pp. 232-237, text figs. 1-17, pl. 9. Long Reef, near Sydney, N.S.W. (H.667).

1084. *spengleri procera* Iredale, 1929, Rec. Aust. Mus., 17, p. 173, pl. 41, fig. 1. Off Montagu I., N.S.W., 55-60 fm.

1085. *waterhousei frigidula* Iredale, 1929, Rec. Aust. Mus., 17, p. 177, pl. 41, fig. 2. Off Montagu I., N.S.W., 55-60 fm.

1086. *waterhousei tepida* Iredale, 1936, Rec. Aust. Mus., 19, p. 308. Sydney Harbour, N.S.W.

1087. *bolteniana* A. Adams, 1855, Proc. Zool. Soc. Lond., 1854, p. 311. Port Jackson, N.S.W. Iredale, 1929, Rec. Aust. Mus., 17, p. 173, pl. 41, fig. 7.

CYMATIELLA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, pp. 253-4. O.T. *quoyi* Reeve.

1088. *peroniana* Iredale, 1929, Rec. Aust. Mus.,

17, p. 176, pl. 40, fig. 9. Montagu I., N.S.W., 50-60 fm.

CYMATONA Iredale, 1929, Rec. Aust. Mus., 17, p. 177. O.T. *kampyla* Watson.

1089. *kampyla* Watson, 1885, J. Linn. Soc. Lond., Zool., 16, p. 594. Off Sydney, N.S.W. Challenger St., 164B, 410 fm. Id., 1886, Rep. Sci. Res. Chall. Zool., 15, p. 405, pl. 14, fig. 12 (written *campyla* in error) (H.668).

PHANOZESTA Iredale, 1936, Rec. Aust. Mus., 19, p. 309. O.T. *remensa* Iredale.

1090. *remensa* Iredale, 1936, Rec. Aust. Mus., 19, p. 309, pl. 23, fig. 4. Off Sydney, N.S.W., 110 fm.

FUSITRITON Cossmann, 1903, Essais Pal. Comp., 5, p. 87. O.T. *cancellatus* Lamarck.

1091. *retiolus* Hedley, 1914, Biol. Results Endeavour, 2, p. 73, pl. 11, fig. 5. S. of Gabo Island, Victoria, 100-250 fm. (H.669).

NEGYRINA Iredale, 1929, Rec. Aust. Mus., 17, p. 177. O.T. *subdistorta* Lamarck.

1092. *subdistorta* Lamarck, 1822, Hist. Anim. s. Vert., 7, p. 186. Tasmania. Reeve, 1844, Conch. Icon., 2, *Triton*, pl. 1, fig. 2.

MAYENA Iredale, 1917, Proc. Malacol. Soc., 12, p. 324. O.T. *australasia* Perry.

1093. *australasia* Perry, 1811, Conchology, pl. 4, figs. 2, 4. Port Jackson, New South Wales (H.670).

1094. *australasia benthicola* Iredale, 1929, Rec. Aust. Mus., 17, p. 174, pl. 41, fig. 4. Off Montagu I., N.S.W., 55-60 fm.

GYRINEUM Link, 1807, Beschr. Samml. Univ. Rostock, 3, p. 123. L.T. (Rovereto, 1899, Atti Soc. Ligustica, 10, p. 62) *spinosum* Dillwyn (= *echinatum* Link).

1095. *pacator* Iredale, 1931, Rec. Aust. Mus., 18, p. 214, pl. 23, fig. 3. Sydney Harbour, N.S.W.

APOLLON Montfort, 1810, Conch. Syst., 2, p. 571. O.T. *gyrinus* Linne.

1096. *facetus* Iredale, 1936, Rec. Aust. Mus., 19, p. 309, pl. 24, fig. 3. Sydney Harbour, N.S.W. (H.671).

ANNAPERENNA Iredale, 1936, Rec. Aust. Mus., 19, pp. 310-11. O.T. *verrucosa* Sowerby.

1097. *verrucosa* Sowerby, 1825, Cat. Coll. Tankerville, App., p. XVIII. Norfolk Island (= *papilla* Wood, 1828, Suppl. Index Test., p. 14, pl. 5, *Murex*, fig. 2). Iredale, 1936, Rec. Aust. Mus., 19, p. 310. Sydney Harbour, N.S.W.

GELAGNA Schaufuss, 1869, Cat. Paetel Coll., p. 3. H.T. *succincta* Linne.

1098. *succincta* Linne, 1771, Mantissa Plant., 2, p. 551. No loc., based on Bonanno, 1684, Recreatio-

etc., p. 119, *Classis* 3, taf. 47. (= *clandestina* Lamarck, 1822, Hist. Anim. s. Vert., 7, p. 187. Mauritius).

Family BURSIDAE

TUTUFA Jousseaume, 1881, Bull. Soc. Zool. France, 6, p. 175. O.T. *lampas* Linne.

1099. *bufo* Bolten-Roding, 1798, Mus. Bolten., 2, p. 128. Amboina. Martini, 1780, Conch. Cab., 4, pl. 129, fig. 1238. (= *lissostoma* Smith, 1914, J. of Conch., 24, p. 230, pl. 4, fig. 3. Indian Ocean). Iredale, 1931, Rec. Aust. Mus., 18, p. 214, pl. 23, fig. 5. Sydney Harbour, N.S.W. (H.672).

DULCERANA Iredale, 1931, Rec. Aust. Mus., 18, p. 213. O.T. *granifera* Lamarck (= *granularis* Bolten-Roding).

1100. *granularis* Bolten-Roding, 1798, Mus. Bolten., 2, p. 127. East Indies. Martini, 1780, Conch. Cab., 4, pl. 127, figs. 1226, 1227. Jackson, 1952, Proc. Roy. Zool. Soc. N.S.W., 1951-2, p. 46 (*versigranulata* in error). Near Sydney, N.S.W. (H.673).

BURSA Bolten-Roding, 1798, Mus. Bolten., 2, p. 128. L.T. (Jousseaume, 1881, Bull. Soc. Zool. France, 6, p. 175) *bafonia* Gmelin.

1101. *mammata* Bolten-Roding, 1798, Mus. Bolten., 2, p. 128. East Indies. Martini, 1780, Conch. Cab., 4, pl. 129, figs. 1240, 1241 (= *venustula* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 180. Port Jackson, N.S.W. (H.674).

OBEX Iredale, 1925, Rec. Aust. Mus., 14, p. 259. O.T. *mulveyana* Iredale.

1102. *mulveyana* Iredale, 1925, Rec. Aust. Mus., 14, p. 259, pl. 63, fig. 22. Off Ulladulla, N.S.W., 74 fm.

GONDWANULA Finlay, 1927, Trans. New Zeal. Inst., 57, p. 399. O.T. *tumida* Dunker.

1103. *bassii* Angas, 1869, Proc. Zool. Soc. Lond., 1869, p. 45, pl. 11, fig. 2. Corner Inlet, Victoria.

Family CASSIDIDAE

[Ref.:—Iredale, 1927, Rec. Aust. Mus., 15, pp. 321-354, pls. 31, 32.]

PHALIUM Link, 1807, Beschr. Univ. Samml. Rostock, 3, p. 112. L.T. (Herrmannsen, 1852, Ind. Gen. Malac. Suppl., p. 104) *glaucum* Linne.

1104. *areola* Linne, 1758, Syst. Nat., 10 ed., p. 736. Amboina. Rumph, 1741, Amboin. Rariteitk., pl. 25, figs. 1 and B (H.675).

1105. *bandatum* Perry, 1811, Conchology, pl. 34, fig. 2. East Indies. (= *coronulata* Sowerby, 1825, Cat. Coll. Tankerville, App., p. XX. Reeve, 1848, Conch. Icon., 5, *Cassis*, pl. 12, fig. 31) (H.676).

SEMICASSIS Murch, 1852, Cat. Conch. Yoldi, (1), p. 112. L.T. (Harris, 1897, Cat. Tert. Moll. Brit. Mus., 1, p. 198) *japonica* Reeve.

1106. *diurna* Iredale, 1927, Rec. Aust. Mus., 15, p. 335, pl. 32, fig. 9. Port Stephens, N.S.W. (H.678).
- XENOGALEA** Iredale, 1927, Rec. Aust. Mus., 15, p. 339. O.T. *pyrum* Lamarck.
1107. *insperata* Iredale, 1927, Rec. Aust. Mus., 15, p. 349, pl. 31, fig. 8. Port Jackson, N.S.W.
1108. *labiata* Perry, 1811, Conchology, pl. 34, fig. 1. Sydney, N.S.W. Iredale, 1927, loc. cit., p. 347, pl. 31, fig. 1 (H.677).
1109. *nashi* Iredale, 1931, Rec. Aust. Mus., 18, p. 214, pl. 23, fig. 18. Sydney Harbour, N.S.W.
1110. *nivea* Brazier, 1872, Proc. Zool. Soc. Lond., 1872, p. 616, pl. 44, fig. 1. West Tasmania. Iredale, 1927, loc. cit., p. 344, pl. 32, fig. 12 (type).
1111. *sophia* Brazier, 1872, Proc. Zool. Soc. Lond., 1872, p. 617, pl. 44, fig. 2. Macleay River mouth, N.S.W. Iredale, 1927, loc. cit., p. 343, pl. 32, fig. 12 (type) (H.679).
1112. *angasi* Iredale, 1927, Rec. Aust. Mus., 15, p. 350, pl. 32, fig. 15. Moreton Bay, Queensland (= *angasi knighti* Thornley, 1954, Proc. Roy. Zool. Soc. N.S.W., 1952-3, p. 33, pl. 1, fig. 6. Near Bowen, Queensland) (= *Phalium (Antephaliump) denisi* Salmon, 1948, J. de Conch., 88, p. 161, fig. 2. No loc.).
1113. *stadialis* Hedley, 1914, Biol. Res. Endeavour, 2, p. 72, pl. 5, fig. 4. Off Green Cape, N.S.W., 50-100 fm. Iredale, 1927, loc. cit., p. 341, pl. 31, fig. 3 (H.680).
1114. *thomsoni* Brazier, 1875, Proc. Linn. Soc. N.S.W., 1, p. 8. Off Sydney, N.S.W., 45 fm. Hedley, 1903, Mem. Aust. Mus., 4, p. 341, pl. 36, figs. 2, 3, (fig. 2, type, fig. 3, off Cape Three Points, N.S.W., 41-50 fm.) Iredale 1927, loc. cit., p. 342, pl. 32, figs. 6, 7 (fig. 7, type) (H.681).
1115. *thomsoni palinodia* Iredale, 1931, Rec. Aust. Mus., 18, p. 215, pl. 23, fig. 20. Sydney Harbour, N.S.W.
1116. *spectabilis* Iredale, 1929, Rec. Aust. Mus., 17, p. 178, pl. 38, fig. 6. Off Montagu I., N.S.W., 50-60 fm.
1117. *pyrum* Lamarck, 1822, Hist. Anim. s. Vert., 7, p. 226. South Tasmania. Kiener, 1835, Coq. Vivants, *Cassis*, p. 39, pl. 13, fig. 25. Reeve, 1848, Conch. Icon., 5, *Cassis*, pl. 10, fig. 29. Iredale, 1927, loc. cit., p. 339, pl. 32, figs. 14, 16.
- CASMARIA** H. and A. Adams, 1853, Gen. Rec. Moll., 1, p. 216. L.T. (Harris 1897, Cat. Tert. Moll. Brit. Mus., I, p. 200) *vibex* Linne.
1118. *ponderosa* Gmelin, 1791, Syst. Nat., pt. 6, p. 3477. East Indies. Lister, 1770, Hist. Conch., pl. 1016, fig. 74 (= *torquata* Reeve, 1848, Conch. Icon., 5, *Cassis*, pl. 1, fig. 1). Iredale, 1927, loc. cit., p. 338 (H.682).
1119. *perryi* Iredale, 1912, Proc. Malacol. Soc., 10, p. 227, pl. 9, fig. 17. Kermadec Islands. Thornley, 1954, Proc. Roy. Zool. Soc. N.S.W., 1952-3, p. 33, pl. 1, fig. 8. Tuncurry, N.S.W.
- NANNOCASSIS** Iredale, 1927, Rec. Aust. Mus., 15, p. 328. O.T. *nana* Tenison-Woods.
1120. *nana* Tenison-Woods, 1879, Proc. Linn. Soc. N.S.W., 4, p. 108. Moreton Island, S. Queensland. Hedley, 1899, Proc. Linn. Soc. N.S.W., 24, p. 434, fig. 6. North N.S.W. (H.683).
- XENOPHALIUM** Iredale, 1927, Rec. Aust. Mus., 15, p. 333. O.T. *hedleyi* Iredale.
1121. *hedleyi* Iredale, 1927, Rec. Aust. Mus., 15, p. 333, pl. 31, figs. 4, 5. Off Kiama, N.S.W., 70 fm.
- ANTEPHALIUM** Iredale, 1927, Rec. Aust. Mus., 15, p. 350. O.T. *semigranosum* Lamarck.
1122. *semigranosum* Lamarck, 1822, Hist. Anim. s. Vert., 7, p. 228. South Tasmania. Kiener, 1835, Coq. Vivants, *Cassis*, p. 36, pl. 14, fig. 29. Reeve, 1848, Conch. Icon., 5, *Cassis*, pl. 2, fig. 3.

Family TONNIDAE

[Ref.:—Hedley, 1919, Rec. Aust. Mus., 12, pp. 329-336, pls. 39-44.]

TONNA Brunnich, 1772, Zool. Fund., p. 248. H.T. *galea* Linne.

1123. *allium* Dillwyn, 1817, Descr. Cat. Rec. Shells, p. 585. Tranquebar, India. Iredale, 1931, Rec. Aust. Mus., 18, p. 215, pl. 23, fig. 23. Sydney Harbour, N.S.W.

1124. *parvula* Tapparone-Canevari, 1878, Bull. Soc. Zool. France, p. 257, pl. 6, fig. 4. New Guinea. Iredale, 1931, Rec. Aust. Mus., 18, p. 215, pl. 23, fig. 24. Sydney Harbour, N.S.W.

1125. *canaliculata* Linne, 1758, Syst. Nat., 10 ed., p. 727. East Indies. Iredale, 1931, Rec. Aust. Mus., 18, p. 215, pl. 23, fig. 25. Sydney Harbour, N.S.W.

1126. *tetracotula* Hedley, 1919, Rec. Aust. Mus., 12, p. 332, pls. 42-43, figs. 4, 5. Off Green Cape, N.S.W., 40-80 fm. Iredale, 1931, Rec. Aust. Mus., 18, p. 215, pl. 23, fig. 26. Sydney Harbour, N.S.W.

1127. *cerevisina* Hedley, 1919, Rec. Aust. Mus., 12, p. 330, pls. 39-41, figs. 1-3. Port Jackson, N.S.W. (H.685).

PARVITONNA Iredale, 1931, Rec. Aust. Mus., 18, p. 216. O.T. *perselecta* Iredale.

1128. *perselecta* Iredale, 1931, Rec. Aust. Mus., 18, p. 216, pl. 23, fig. 17. Sydney Harbour, N.S.W.

1129. *testardi* Montrouzier, 1863, J. de Conch., 11, pp. 75, 166, pl. 5, fig. 6. New Caledonia.

CADUS Bolten-Roding, 1798, Mus. Bolten., 2, p. 150. L.T. (Woodring 1928, Carnegie Inst. Wash. Publ., 385, p. 310) *perdix* Linne.

1130. *rufus* Blainville, 1829, Dict. Sci. Nat. (Levr.), 54, p. 503. Queensland. Reeve, 1849, Conch. Icon., 5, *Dolium*, pl. 6, fig. 9 (*perdix*, not of Linne) (H.684).

QUIMALEA Iredale, 1929, Aust. Zool., 5, p. 345. O.T.
pomum Linne.

1131. *pomum macgregori* Iredale, 1931, Rec. Aust. Mus., 18, p. 215, pl. 23, fig. 22. Sydney Harbour, N.S.W.

EUDOLIUM Dall, 1889, Bull. Mus. Comp. Zool. (Harvard), 18, pp. 20, 232. New name for *Doliopsis* Monterosato, 1872, Notiz. Int. Conch. Medit., p. 49 (not *Doliopsis* Conrad, 1867). O.T. *crosseanum* Monterosato.

1132. *pyriforme* Sowerby, 1914, Ann. Mag. Nat. Hist., (8), 14, p. 37, pl. 2, fig. 14. Japan. Mayblom, 1951, Aust. Zool., 11, p. 281. (N.S.W., dredged.)

Family FICIDAE

FICUS Bolten-Roding, 1798, Mus. Bolten., 2, p. 148. T.T. *ficus* Gmelin.

1133. *margaretae* Iredale, 1931, Rec. Aust. Mus., 18, p. 216, pl. 23, fig. 4. Sydney Harbour, N.S.W. (H.686).

Family NATICIDAE

Subfamily NATICINAE

NOTOCOCHLIS Powell, 1933, Trans. New Zeal. Inst., 63, p. 166. O.T. *migratoria* Powell.

1134. *vafer* Finlay, 1930, Trans. New Zeal. Inst., 61, p. 232. Shellharbour, N.S.W. (H.689).

1135. *limpida* Smith, 1884, Rep. Zool. Coll. Alert, p. 57, pl. 5, fig. 50. Torres Strait.

1136. *cothurnata* Iredale, 1936, Rec. Aust. Mus., 19, p. 312, pl. 24, fig. 6. Botany Bay, N.S.W. (H.690, 688).

1137. *luculenta* Iredale, 1929, Rec. Aust. Mus., 17, p. 179, pl. 40, fig. 10. Off Montagu I., N.S.W., 50-60 fm. Woolacott, 1956, Proc. Roy. Zool. Soc. N.S.W., 1954-5, p. 75, figs. 2, 5.

TASMATICA Finlay and Marwick, 1937, Palaeont. Bull. New Zeal., 15, p. 51. O.T. *schoutanica* May.

1138. *schoutanica diatheca* Iredale, 1936, Rec. Aust. Mus., 19, p. 312, pl. 24, fig. 7. Off Crowdy Head, N.S.W., 45 fm.

NATICARIUS Dumeril, 1806, Zool. Analyt., p. 164 (ed. Froriep, p. 165). H.T. *canrena* Linne.

1139. *alapapilionis* Bolten-Roding, 1798, Mus. Bolten., 2, p. 146. East Indies. Chemnitz, 1781, Conch. Cab., 5, pl. 186, figs. 1868-71 (H.687).

QUANTONATICA Iredale, 1936, Rec. Aust. Mus., 19, p. 311. O.T. *subcostata* Tenison-Woods.

1140. *subcostata* Tenison-Woods, 1878, Proc. Linn. Soc. N.S.W., 2, p. 263. Off Port Jackson, N.S.W., 45 fm. Hedley, 1901, Rec. Aust. Mus., 4, p. 22, fig. 1 (H.691).

COCHLIS Bolten-Roding, 1798, Mus. Bolten., 2, p. 146. L.T. (Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 254) *albula* Bolten-Roding.

1141. *shorehami* Pritchard and Gatliff, 1900, Proc. Roy. Soc. Vict., 13, (n.s.), p. 131, pl. 20, fig. 4. Port Phillip, Victoria.

Subfamily MAMMILLINAE

MAMMILLA Schumacher, 1817, Essai nouv. Syst. Test., pp. 58, 190. H.T. *fasciata* Schumacher (= *mammata* Bolten-Roding).

1142. *propesimiae* Iredale, 1929, Aust. Zool., 5, p. 341, pl. 38, fig. 5. Sydney Harbour, N.S.W. (H.695).

1143. *simiae* Deshayes, 1838, Hist. Anim. s. Vert. (Lamarck), 8, p. 652. Queensland. Chemnitz, 1781, Conch. Cab., 5, p. 285, pl. 189, fig. 1938 (N.Z. error). Hedley, 1924, Rec. Aust. Mus., 14, p. 162, pl. 22, fig. 2.

1144. *plumatilis* Iredale, 1936, Rec. Aust. Mus., 19, p. 312, pl. 23, fig. 18. Sydney Harbour, N.S.W.

CONUBER Finlay and Marwick, 1937, Paleont. Bull. New Zeal., 15, p. 53. O.T. *conica* Lamarck.

1145. *conica* Lamarck, 1822, Hist. Anim. s. Vert., 6, (2), p. 198. No loc. (= Southern Australia). Reeve, 1855, Conch. Icon., 9, *Natica*, pl. 12, fig. 48 (H.693).

1146. *incei* Philippi 1853, Proc. Zool. Soc. Lond., 1851, p. 233. Raine Is., Torres Strait. Id., 1853, Conch. Cab. (cont.), Bd. 2, Abt. 1, p. 142, pl. 19, fig. 15 (= *baconi* Reeve, 1855, Conch. Icon., 9, *Natica*, pl. 10, fig. 37. Western Australia) (H.696).

1147. *melastoma* Swainson, 1821, Zool. Illust., (1), pl. 79. No loc. (= Port Jackson, N.S.W.) (H.697).

1148. *sordida* Swainson, 1821, Zool. Illust., (1), pl. 79. No loc. (= *plumbea* Lamarck, 1822, Hist. Anim. s. Vert., 6, (2), p. 198. No loc. = *strangei* Reeve, 1855, Conch. Icon., 9, *Natica*, pl. 18, fig. 81. Port Jackson, N.S.W.) (H.698).

GLOSSAULAX Pilsbry, 1929, Nautilus, 42, p. 113. O.T. *reclusiana* Petit.

1149. *aulacoglossa* Pilsbry and Vanatta, 1908, Proc. Acad. Nat. Sci. Philad., 55, p. 558, pl. 29, figs. 1-3, Victoria (H.692).

1150. *epheba* Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 720, pl. 82, figs. 62, 63. Hawkesbury River, N.S.W., 4 fm. (H.694).

FRIGINATICA Hedley, 1915, Aust. Antarc. Exped., 1911-14, Sci. Rep., 4, p. 57. O.T. *beddomei* Johnston.

1151. *beddomei* Johnston, 1885, Proc. Roy. Soc. Tasm., 1884, p. 222. South Tasmania (= *effossa* Watson, 1886, Rep. Sci. Res. Challenger, Zool., 15, p. 439, pl. 28, fig. 3. Victoria) (H.699).

Subfamily SININAE

GENNAEOSINUM Iredale, 1929, Mem. Queensland Mus., 9, p. 279. O.T. *peleum* Iredale.

1152. *intercismum* Iredale, 1931, Rec. Aust. Mus., 18, p. 217, pl. 23, figs. 13, 14. Sydney Harbour, N.S.W.

PERVISINUM Iredale, 1931, Rec. Aust. Mus., 18, p. 216. O.T. *dingeldeii* Iredale.

1153. *dingeldeii* Iredale, 1931, Rec. Aust. Mus., 18, p. 216, pl. 23, fig. 15. Sydney Harbour, N.S.W. (H.700).

ECTOSINUM Iredale, 1931, Rec. Aust. Mus., 18, p. 216. O.T. *pauloconvexum* Iredale.

1154. *pauloconvexum* Iredale, 1931, Rec. Aust. Mus., 18, p. 216, pl. 23, fig. 16. Sydney Harbour, N.S.W. (H.702).

1155. *zonale* Quoy and Gaimard, 1833, Voy. Astrol., Zool., 2, p. 221, pl. 66, figs. 1-3. King George's Sound, Western Australia. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 255. Twofold Bay, N.S.W.

PROPESINUM Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 256. H.T. *umbilicatum* Quoy and Gaimard.

1156. *umbilicatum minusculum* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 256. Twofold Bay, N.S.W. Not figured (H.703).

1157. *umbilicatum mimicum* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 256. Off Green Cape, N.S.W., 50-70 fm. Not figured. Cf. Quoy and Gaimard, 1833, Voy. Astrol., Zool., 2, p. 234, pl. 66, figs. 22-23.

Family LAMELLARIIDAE

MARSENIOPSIS Bergh, 1886, Reise Arch. Philipp. (Semper), 2, Bd. 2, Suppl. 3, p. 179. L.T. (Wenz, 1940, Handbuch d. Palaeozool. (Schindewolf) 6, p. 954) *pacificus* Bergh.

1158. *innominatus* Iredale, 1936, Rec. Aust. Mus., 19, p. 313, pl. 24, fig. 8. Sydney Harbour, N.S.W. (H.705).

Superfamily CYPRAEOIDEA

[Refs.:—Iredale, 1935, Aust. Zool., 8, pp. 96-135, pls. 8-9, Id. ib. 1939, 9, pp. 297-323, pls. 27-29.]

Family ERATOIDAE

ERATOENA Iredale, 1935, Aust. Zool., 8, p. 97. O.T. *corrugata* Hinds.

1159. *corrugata* Hinds, 1845, Zool. Voy. Sulphur, p. 47, pl. 16, figs. 5, 6. New Guinea (H.742).

LACHRYMA Sowerby, 1832, Conch. Illus., pt. 8, cat., p. 15. H.T. *lachryma* Sowerby.

1160. *lachryma* Sowerby, 1832, Conch. Illus., pt. 7, fig. 48. N.S.W. (H.741).

1161. *denticulata* Pritchard and Gatliff, 1900, Proc. Roy. Soc. Vict., 13, (n.s.), p. 133, pl. 20, fig. 5. Western Port, Victoria.

1162. *bisinventa* Iredale, 1931, Rec. Aust. Mus., 18, p. 223, pl. 22, fig. 16. Sydney Harbour, N.S.W.

Family TRIVIIDAE

TRIVIROSTRA Jousseaume, 1884, Le Naturaliste, 6th Year, p. 415. L.T. (Roberts, 1885, Man. Conch. (Tryon), 7, p. 161) *scabriuscula* Gray.

1163. *scabriuscula* Gray, 1827, Zool. Journ., 4, p. 364. Madagascar. Sowerby, Thes. Conch., 4, p. 46, pl. 326, figs. 472, 473 (H.739).

DOLICHUPIS Iredale, 1930, Mem. Queensland Mus., 10, p. 83. O.T. *producta* Gaskoin.

1164. *insecta* Mighels, 1845, Proc. Boston Soc. Nat. Hist., 2, p. 24. Oahu, Hawaiian Group. Edmondson, 1946, Reef and Shore Fauna Hawaii, pp. 148-149, figs. 65, 65 a (H.738).

CLEOTRIVIA Iredale, 1930, Mem. Queensland Mus., 10, p. 83. O.T. *pilula* Kiener.

1165. *pilula* Kiener, 1845, Coq. Vivants, *Cypraea*, p. 151, pl. 54, figs. 2, 2 a. No loc. (= Eastern Australia) (H.737).

ELLATRIVIA Iredale, 1931, Rec. Aust. Mus., 18, p. 221. O.T. *merces* Iredale.

1166. *merces* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 257, pl. 35, figs. 16-17. Port Jackson, N.S.W. (H.735).

1167. *merces addenda* Iredale, 1931, Rec. Aust. Mus., 18, p. 221. Off Montagu I., N.S.W., 50-70 fm. Not figured. Cf. *merces* above.

F OSSATRIVIA Iredale, 1931, Rec. Aust. Mus., 18, p. 222. O.T. *caelatura* Hedley.

1168. *caelatura* Hedley, 1918, J. Roy. Soc. N.S.W., 51, Suppl. p. M.71. Off Narrabeen, N.S.W., 80 fm. Hedley, 1907, Rec. Aust., Mus., 6, p. 293, pl. 55, figs. 17, 18 (*avellanoides*, not of McCoy 1867) (H.736).

TRIVELLONA Iredale, 1931, Rec. Aust. Mus., 18, p. 221. O.T. *excelsa* Iredale.

1169. *excelsa* Iredale, 1931, Rec. Aust. Mus., 18, p. 221, pl. 24, figs. 13, 14. Off Montagu I., N.S.W., 50-70 fm.

Family PEDICULARIIDAE

PEDICULARIONA Iredale, 1935, Aust. Zool., 8, p. 101. O.T. *stylasteris* Hedley.

1170. *stylasteris* Hedley, 1903, Mem. Aust. Mus., 4, p. 342, figs. 69-70. Off Wollongong, N.S.W., 55-66 fm (H.753).

Family OVULIDAE

OVULA Bruguiere, 1789, Ency. Meth., Vers, I, p. 15. L.T. (Anton, 1838, Verz. Conch., p. 98) *ovum* Linne (= *Amphiperas* Gronov, non-binomial).

1171. *ovum* Linne, 1758, Syst. Nat., 10 ed., p. 725. Amboina. Rumph, 1741, Amboin. Rariteitk., pl. 38, fig. Q (H.746).

MARGOVULA Iredale, 1935, Aust. Zool., 8, p. 103. O.T. *pyriformis* Sowerby.

1172. *pyriformis* Sowerby, 1828, Zool. Journ., 4, pp. 148, 151. Queensland, Id., 1830, Spec. Conch., Pt. 1, *Ovulum*, p. 5, figs. 21, 22 and 25. Id., 1849, Thes. Conch., 2, p. 470, pl. 101, figs. 72-73 (H.748).

DIMINOVULA Iredale, 1930, Mem. Queensland Mus., 10, p. 85. O.T. *verepunctata* Iredale.

1173. *verepunctata* Iredale, 1930, Mem. Queensland Mus., 10, p. 85. Caloundra, Queensland. Not figured. Cf. *punctata* Duclos, 1830, Mag. Zool., 1, p. 7, pl. 7, fig. 1 (H.747).

1174. *cavanaghi* Iredale, 1931, Rec. Aust. Mus., 18, p. 222, pl. 22, figs. 13, 14. Sydney Harbour, N.S.W.

1175. *manifesta* Iredale, 1936, Rec. Aust. Mus., 19, p. 313, pl. 24, fig. 10. Off Sydney, N.S.W., 55-60 fm.

PRIONOVOLVA Iredale, 1930, Mem. Queensland Mus., 10, p. 85. O.T. *brevis* Sowerby.

1176. *brevis* Sowerby, 1828, Zool. Journ., 4, pp. 145, 152. Queensland. Id., 1830, Spec. Conch., pt. 1, *Ovulum*, p. 5, figs. 26-27 (H.743).

VOLVA Bolten-Roding, 1798, Mus. Bolten., 2, p. 21. T.T. *volva* Linne.

1177. *volva cumulata* Iredale, 1931, Rec. Aust. Mus., 18, p. 222. Sydney Harbour, N.S.W. Id. ib., 1936, 19, p. 313, pl. 23, fig. 8 (H.749).

PHENACOVOLVA Iredale, 1930, Mem. Queensland Mus., 10, p. 85. O.T. *nectarea* Iredale.

1178. *nectarea* Iredale, 1930, Mem. Queensland Mus., 10, p. 85, pl. 9, fig. 6. Port Curtis, Queensland (H.751, 752).

PELLASIMNIA Iredale, 1931, Rec. Aust. Mus., 18, p. 222. O.T. *angasi* Reeve.

1179. *angasi* Reeve, 1865, Conch. Icon., 15, *Ovulum*, pl. 10, fig. 43. Port Curtis, Queensland (H.750).

PROCALPURNUS Thiele, 1929, Handb. Syst. Weicht., 1st Teil, p. 272. H.T. *lacteus* Lamarck.

1180. *lacteus* Lamarck, 1810, Ann. Mus. Hist. Nat. Paris, 16, p. 111. Timor. Iredale, 1935, Aust. Zool., 8, p. 103, pl. 8, figs. 3 a, b, c. Queensland.

Family UMBILIIDAE

UMBILIA Jousseaume, 1884, Le Naturaliste, 6th Year, p. 414. H.T. *umbilicata* Sowerby (= *hesitata* Iredale).

1181. *hesitata* Iredale, 1916, Proc. Malacol. Soc., 12, p. 93. Tasmania. New name for *Cypraea umbilicata* Sowerby, 1825, Cat. Shells Tankerville Coll., App., p. XXX, pl. (not C. *umbilicata* Dillwyn 1823) (= *beddomei* Schilder, 1930, Zool. Anzeig., Bd. 92, p. 77, Port Stephens, N.S.W.) (H.709).

1182. *hesitata howelli* Iredale, 1931, Rec. Aust. Mus., 18, p. 220, pl. 24, figs. 1, 2. S. of Cape Everard, Bass Strait, 90-108 fm.

Family CYPRAEIIDAE

Subfamily CYPRAEIINAE

MAURITIA Troschel, 1863, Das Gebiss der Schnecken, 1, p. 205. T.T. *mauritiana* Linne.

1183. *mauritiana* Linne, 1758, Syst. Nat., 10 ed., p. 721. Mauritius. Rumph, 1741, Amboin. Rariteitk., pl. 38, fig. E.

ARABICA Jousseaume, 1884, Le Naturaliste, 6th Year, p. 414. T.T. *arabica* Linne.

1184. *arabica* Linne, 1758, Syst. Nat., 10 ed., p. 718. Strait of Sunda. Rumph, 1741, Amboin. Rariteitk., pl. 38, fig. M (H.708).

1185. *scurra antelia* Iredale, 1939, Aust. Zool., 9, p. 302, pl. 28, figs. 5, 6. Lady Elliot Is., S. Queensland.

LYNCINA Troschel, 1863, Das Gebiss der Schnecken, 1, p. 205. T.T. *lynx* Linne.

1186. *lynx* Linne, 1758, Syst. Nat., 10 ed., p. 721. Based on Gaultier, 1742, Ind. test. Conch., pl. 14, fig. C. No. loc. (= *vanelli* Linne, 1758, Syst. Nat., 10 ed., p. 720) (H.725).

PONDA Jousseaume, 1884, Le Naturaliste, 6th Year, p. 415. L.T. (Jousseaume 1884, Bull. Soc. Zool. France, 9, p. 95) *ventriculus* Lamarck.

1187. *carneola thepalea* Iredale, 1939, Aust. Zool., 9, p. 303. Near Sydney, N.S.W. Not figured. Cf. *carneola* Linne, 1758, Syst. Nat., 10 ed., p. 719; Rumph, 1741, Amboin. Rariteitk., pl. 38, fig. K (H.712).

CYPRAEA Linne, 1758, Syst. Nat., 10 ed., p. 718. L.T. (Montfort, 1810, Conch. Syst., 2, p. 631) *tigris* Linne.

1188. *tigris* Linne, 1758, Syst. Nat., 10 ed., p. 721. Madagascar. Quoy and Gaimard, 1832, Voy. Astrolabe, Zool., Atlas, 2, pl. 47, fig. 1.

MYSTAPONDA Iredale, 1930, Mem. Queensland Mus., 10, p. 83. O.T. *vitellus* Linne.

1189. *vitellus* Linne, 1758, Syst. Nat., 10 ed., p. 721. Strait of Sunda. Rumph, 1741, Amboin. Rariteitk., p. 115, t. 38, fig. L (H.733).

1190. *orcina* Iredale, 1931, Rec. Aust. Mus., 18, p.

- 220, pl. 24, figs. 9, 10. Sydney Harbour, N.S.W.
- BASILITRONA Iredale, 1930, Mem. Queensland Mus., 10, p. 81. O.T. *isabella* Linne.
1191. *isabella* Linne, 1758, Syst. Nat., 10 ed., p. 722. Amboina. Rumph, 1741, Amboin. Rariteitk., pl. 39, fig. G (H.722).
- RAVITRONA Iredale, 1930, Mem. Queensland Mus., 10, p. 81. O.T. *caputserpentis* Linne.
1192. *caputserpentis* Linne, 1758, Syst. Nat., 10 ed., p. 720. Mauritius. Lister, 1685, Hist. Conch., Lib. 4, Sect. 9, cap. 6, t. 12 (fig. 50) (H.711).
- Subfamily EROSARIINAE*
- EROSARIA Troschel, 1863, Das Gebiss der Schnecken, 1, p. 205. T.T. (or L.T.) Jousseaume, 1884, Bull. Soc. Zool. France, 9, p. 96) *erosa* Linne.
1193. *erosa* Linne, 1758, Syst. Nat., 10 ed., p. 723. Mauritius. Lister, 1685, Hist. Conch., Lib. 4, Sect. 9, cap. 6, t. 2, fig. 1 (39) (H.715).
1194. *poraria theoreta* Iredale, 1939, Aust. Zool., 9, p. 305, pl. 27, figs. 11-12. Clarence River, north N.S.W. (H.728).
1195. *helvola* Linne, 1758, Syst. Nat., 10 ed., p. 924. Maldives Islands. Sowerby, 1870, Thes. Conch., 4, p. 39, pl. 316, figs. 214-215 (H.720).
1196. *nashi* Iredale, 1931, Rec. Aust. Mus., 18, p. 219, pl. 24, figs. 5, 6. Sydney Harbour, N.S.W. (H.719).
1197. *tomlini prodiga* Iredale, 1939, Aust. Zool., 9, p. 307, pl. 27, figs. 7, 8. Newcastle, N.S.W.
1198. *percomis* Iredale, 1931, Rec. Aust. Mus., 18, p. 219, pl. 24, figs. 15-16. Sydney Harbour, N.S.W.
1199. *metavona* Iredale, 1935, Aust. Zool., 8, p. 117. Keppel Island, Queensland. Iredale, 1939, Aust. Zool., 9, p. 307, pl. 27, figs. 15-16 (H.726).
1200. *eburnea mara* Iredale, 1939, Aust. Zool., 9, p. 308. New Caledonia (also north N.S.W.). Not figured. Cf. *eburnea* Barnes, 1824, Ann. Lyc. Nat. Hist. New York, p. 133. Fiji Is. Sowerby, 1870, Thes. Conch., 4, p. 36, pl. 308, fig. 108.
- MONETARIA Troschel, 1863, Das Gebiss der Schnecken, 1, p. 205. T.T. *moneta* Linne.
1201. *moneta* Linne, 1758, Syst. Nat., 10 ed., p. 723. Maldives Islands. Lister, 1685, Hist. Conch., Lib. 4, Sect. 9, cap. 8, t. 1, figs. 3, 4 (fig. 59). Cf. Schilder and Schilder, 1936, Proc. Zool. Soc. Lond., 1936, pp. 11, 13 et seq. (H.727).
- Subgen. *Ornamentaria* Schilder and Schilder, 1936, Proc. Zool. Soc. Lond., 1936, p. 1115. O.T. *annulus* Linne.
1202. *annulus* Linne, 1758, Syst. Nat., 10 ed., p. 723. Amboina. Rumph, 1741, Amboin. Rariteitk., pl. 39, fig. D (Cf. *isomeres* Iredale, 1939, Aust. Zool.,

9, p. 309, pl. 27, figs. 21, 22. Michaelmas Cay, Qld.) (H.707).

Subfamily STAPHYLAEINAE

STAPHYLAEA Jousseaume, 1884, Le Naturaliste, 6th Year, p. 76. T.T. *staphylaea* Linne.

1203. *staphylaea descripta* Iredale, 1935, Aust. Zool., 8, p. 119. Capricorn Group, Queensland. Iredale, 1939, Aust. Zool., 9, p. 310, pl. 27, figs. 23, 24.

PURPEROSA Iredale, 1935, Aust. Zool., 8, p. 119. O.T. *facifer* Iredale.

1204. *facifer* Iredale, 1935, Aust. Zool., 8, p. 119, pl. 8, figs. 6 a, b. Lindeman I., Queensland. Sowerby, 1870, Thes. Conch., 4, p. 138, pl. 316, figs. 223, 224 (*staphylaea* var.) (H.723).

Subfamily ERRONEINAE

ERRONEA Troschel, 1863, Das Gebiss der Schnecken, 1, p. 205. T.T. *errones* Linne.

1205. *nimirans* Iredale, 1935, Aust. Zool., 8, p. 130, pl. 9, figs. 1 a, b. Lindeman I., Queensland (H.716).

1206. *magerrones* Iredale, 1939, Aust. Zool., 9, p. 322, pl. 29, figs. 31, 32. Keppel Bay, Queensland (also North N.S.W.).

1207. *caurica longior* Iredale, 1935, Aust. Zool., 8, p. 130. Lindeman I., Queensland. Not figured. Cf. *blaesa* Iredale, 1939, Aust. Zool., 9, p. 322, pl. 29, figs. 3, 4. Western Australia (H.713).

OVATIPSA Iredale, 1931, Rec. Aust. Mus., 18, p. 219. O.T. *chinensis* Gmelin.

1208. *chinensis sydneyensis* Schilder and Schilder, 1938, Proc. Malacol. Soc., 23, p. 170. Sydney, N.S.W. Iredale, 1931, Rec. Aust. Mus., 18, p. 219, pl. 24, figs. 11, 20, not 19 (H.716a).

TALOSTOLIDA Iredale, 1931, Rec. Aust. Mus., 18, p. 219. O.T. *teres* Gmelin.

1209. *teres pentella* Iredale, 1939, Aust. Zool., 9, p. 311, pl. 28, figs. 15-16. Lady Elliot Is., Queensland (also Port Jackson, N.S.W.) (H.730).

1210. *subteres hermanni* Iredale, 1939, Aust. Zool., 9, p. 311, pl. 28, figs. 13, 14. Lady Elliot Is., Queensland. Iredale, 1935, Aust. Zool., 8, p. 122. N.S.W. (*subteres*).

CUPINOTA Iredale, 1939, Aust. Zool., 9, p. 312. O.T. *macula* Angas.

1211. *macula* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 206. Port Jackson, N.S.W. Iredale, 1935, Aust. Zool., 8, p. 123, pl. 9, figs. 7 a, b. Queensland (H.718a).

1212. *hammondae* Iredale, 1939, Aust. Zool., 9, p. 312, pl. 28, figs. 19-22. Clarence River, N.S.W.

OPPONARIA Iredale, 1939, Aust. Zool., 9, p. 312. O.T. *minoridens* Melvill.

1213. *minoridens blandita* Iredale, 1939, Aust.

Zool., 9, p. 312, pl. 28, figs. 17, 18. Port Jackson, N.S.W. (H.718).

EVENARIA Iredale, 1930, Mem. Queensland Mus., 10, p. 81. O.T. *asellus* Linne.

1214. *latefasciata* Schilder, 1930, Zool. Anzeig., 92, p. 78. W. Sunda Is. Iredale, 1939, Aust. Zool., 9, p. 313, pl. 28, fig. 26. Sydney, N.S.W. (H.710).

1215. *hirundo cameroni* Iredale, 1939, Aust. Zool., 9, p. 314, pl. 28, figs. 29, 31. Lindeman I., Queensland (H.721).

1216. *ursellus marcia* Iredale, 1939, Aust. Zool., 9, p. 314, pl. 28, figs. 23, 24. Clarence River, north N.S.W.

1217. *iredalei* Schilder and Schilder, 1938, Proc. Malacol. Soc., 23, p. 156. Lindeman I., Queensland. Based on Iredale, 1935, Aust. Zool., 8, p. 125, pl. 9, figs. 4 a, b, c (*atomaria*, not of Gmelin 1791). N.S.W.

PALMADUSTA Iredale, 1930, Mem. Queensland Mus., 10, p. 81. O.T. *clandestina* Linne.

1218. *clandestina extrema* Iredale, 1939, Aust. Zool., 9, p. 312, pl. 28, figs. 17, 18. Port Jackson, N.S.W. (H.714).

1219. *humphreyii* (*humphreysii* errore) Gray, 1825, Zool. Journ., 1, p. 489. Amboina. Iredale, 1939, Aust. Zool., 9, p. 316, pl. 29, fig. 11. N.S.W. (H.724).

1220. *ziczag signata* Iredale, 1939, Aust. Zool., 9, p. 317, pl. 29, fig. 11. N.S.W. (H.724).

GRATIADUSTA Iredale, 1930, Mem. Queensland Mus., 10, p. 82. O.T. *pyriformis* Gray.

1221. *walkeri merista* Iredale, 1939, Aust. Zool., 9, p. 318, pl. 29, figs. 20-21. Hayman I., Queensland. Cf. *walkeri* Sowerby, 1832, Conch. Illus., pt. 5, fig. 22. Persian Gulf. Iredale, 1935, Aust. Zool., 8, p. 127 (*walkeri*, from N.S.W.).

1222. *xanthodon* Sowerby, 1832, Conch. Illus., pt. 3, fig. 18. South Queensland (H.734).

SOLVADUSTA Iredale, 1935, Aust. Zool., 8, p. 217. O.T. *vaticina* Iredale.

1223. *vaticina* Iredale, 1931, Rec. Aust. Mus., 18, p. 219, pl. 24, figs. 19, 12. Sydney Harbour, N.S.W. (H.732).

MELICERONA Iredale, 1930, Mem. Queensland Mus., 10, p. 83. O.T. *melvilli* Hidalgo.

1224. *melvilli velesia* Iredale, 1939, Aust. Zool., 9, p. 320, pl. 29, figs. 22, 23. Clarence River, north N.S.W. (H.717).

Subfamily AUSTROCYPRAEINAE

NOTOCYPRAEA Schilder, 1927, Arch. fur Naturg. (Wiegmann), 91st Year, Abt. A, Heft 10, p. 110. O.T. *piperita* Gray.

1225. *piperita* Gray, 1825, Zool. Journ., 1, p. 498. South Australia. Sowerby, 1870, Thes. Conch., 4,

pl. 319, figs. 285-286. Beddome, 1898, Proc. Linn. Soc. N.S.W., 22, p. 574, pl. 21, figs. 17-18. Tasmania (H.706a).

1226. *dissecta* Iredale, 1931, Rec. Aust. Mus., 18, p. 220, pl. 24, figs. 7, 8. Off Twofold Bay, N.S.W., 45 fm.

1227. *declivis* Sowerby, 1870, Thes. Conch., 4, p. 31, pl. 319, figs. 287, 328, 329. Tasmania. Beddome, 1898, Proc. Linn. Soc. N.S.W., 22, p. 571, pl. 21, figs. 12-14.

1228. *emblema* Iredale, 1931, Rec. Aust. Mus., 18, p. 220, pl. 24, figs. 3, 4. Off Cape Everard, Vic., 70-90 fm.

1229. *bicolor* Gaskoin, 1849, Proc. Zool. Soc. Lond., 1848, p. 92. South Australia. Sowerby, 1870, Thes. Conch., 4, pl. 319, figs. 288-289. Beddome, 1898, Proc. Linn. Soc. N.S.W., 22, p. 570, pl. 21, figs. 4, 5. Tasmania (H.706).

1230. *verconis* Cotton and Godfrey, 1932, South Aust. Nat., 13, p. 41, pl. 1, fig. 8. St. Vincent Gulf, South Australia. Sowerby, 1870, Thes. Conch., 4, pl. 309, figs. 296-297 (*angustata*, not of Gmelin 1791). Beddome, 1898, Proc. Linn. Soc. N.S.W., 22, p. 568, pl. 21, fig. 1 (Tasmania, *angustata*, not of Gmelin).

THELXINOVUM Iredale, 1931, Rec. Aust. Mus., 18, p. 220. O.T. *mollerii* Iredale.

1231. *mollerii* Iredale, 1931, Rec. Aust. Mus., 18, p. 220, pl. 24, figs. 17, 18. Off Twofold Bay, N.S.W., 45 fm.

Order NEOGASTROPODA

Suborder RACHIGLOSSA

Family VOLUTIDAE

LIVONIA Gray, 1855, List. Moll. Brit. Mus., Volutidae, p. 8. L.T. (Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 723) *mamilla* Sowerby. (= *Mamillana* Crosse, 1871, J. de Conch., 19, p. 308. T.T. *mamilla* Sowerby). (= *Pterospira* Harris, 1897, Cat. Tert. Moll. Brit. Mus., 1, p. 100. O.T. *hannafordi* McCoy).

1232. *mamilla* Sowerby, 1844, Thes. Conch., 1, p. 257, pl. 1, figs. 57-58. N.S.W. Dautzenburg and Bouge, 1901, J. de Conch., 49, p. 10, pl. 2 (H.762).

1233. *mamilla leucostoma* Mayblom, 1951, Aust. Zool., 11, p. 283, pl. 26, fig. 3. Off southern New South Wales, below 80 fm.

1234. *quisqualis* Iredale, 1957, Proc. Roy. Zool. Soc. N.S.W., 1955-6, p. 123, fig. 1. Bass Strait, 100 fm.

1235. *roadknightae* McCoy, 1881, Ann. Mag. Nat. Hist., (5), 8, p. 88, pl. 7. Gippsland, Victoria (H.763).

CYMBIOLENA Iredale, 1929, Rec. Aust. Mus., 17, p. 181. O.T. *magnifica* Gebauer.

1236. *magnifica* Gebauer, 1802, Syst. Verz. Conchyl. nach Linne, p. 26. Botany Bay, N.S.W. Chemnitz, 1795, Conch. Cab., 11, p. 8, pls. 174-175 (H.757).
1237. *magnifica altispira* Mayblom, 1951, Aust. Zool., 11, p. 282, pl. 26, fig. 1. East coast N.S.W., 60 fm.
- CYMBIOLISTA** Iredale, 1929, Rec. Aust. Mus., 17, p. 181. O.T. *hunteri* Iredale.
1238. *hunteri* Iredale, 1931, Rec. Aust. Mus., 18, p. 223. Port Jackson, N.S.W. New name for *Voluta marmorata* Swainson, 1821, Exotic Conch., pl. 1 (not *V. marmorata* Shaw and Nodder, 1808) (H.758).
- CYMBIOLACCA** Iredale, 1929, Rec. Aust. Mus., 17, p. 181. O.T. *complexa* Iredale.
1239. *complexa* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 258. New South Wales. New name for *Voluta punctata* Swainson, 1823, Zool. Illus., (1), pl. 161. (Not *V. punctata* Allan, 1818) (H.759).
- ERICUSA** H. and A. Adams, 1858, Gen. Rec. Moll., 2, p. 619. L.T. (Cotton and Godfrey, 1932, South Aust. Nat., 13, p. 49) *fulgetrum* Sowerby.
1240. *papillosa* Swainson, 1822, Cat. Shells. Coll. Bligh, App., p. 10. South Australia. Sowerby, 1844, Thes. Conch., I, p. 207, pl. 48, fig. 30. (Feejeees, errore.)
1241. *papillosa kenyoniana* Brazier, 1898, Proc. Linn. Soc. N.S.W., 22, p. 779. Off Cape Everard, Victoria. Verco, 1912, Trans. Roy. Soc. South Aust., 36, p. 228, pl. 14, figs. 1-3. Great Australian Bight (H.760).
1242. *sericata* Thornley, 1951, Proc. Roy. Zool. Soc., N.S.W., 1949-50, p. 53, fig. in text. Off Broughton Is., N.S.W.
- MESERICUSA** Iredale, 1929, Rec. Aust. Mus., 17, p. 181. O.T. *sowerbyi perspecta* Iredale.
1243. *sowerbyi perspecta* Iredale, 1929, Rec. Aust. Mus., 17, p. 181, pl. 41, fig. 9. Off Montagu I., N.S.W., 50-60 fm. (H.761).
1244. *sowerbyi porcellana* Jackson, 1954, Proc. Roy. Zool. Soc. N.S.W., 1952-3, p. 37, pl. 2, fig. 2. Off N.S.W. coast, below 70 fm.
- NANNAMORIA** Iredale, 1929, Rec. Aust. Mus., 17, p. 181. O.T. *amicula* Iredale.
1245. *amicula* Iredale, 1929, Rec. Aust. Mus., 17, p. 181, pl. 40, fig. 4. Off Montagu I., N.S.W., 50-60 fm.
- AMORENA** Iredale, 1929, Rec. Aust. Mus., 17, p. 180. O.T. *undulata* Lamarck. Cf. Ludbrook, 1954, Proc. Malacol. Soc., 30, pp. 131-153, pls. 14-18.
1246. *undulata* Lamarck, 1804, (*ondulata* errore), Ann. Mus. Hist. Nat. Paris, 5, p. 157, pl. 12, fig. 1. Bass Strait (H.755).
1247. *moslemica* Hedley, 1912, Rec. Aust. Mus., 8, p. 145, pl. 43, figs. 29-30. Off Sydney, N.S.W., 250 fm. (H.754).
1248. *australiae* Cox, 1871, Proc. Zool. Soc. Lond., 1871, p. 643, pl. 52, figs. 1, 1 a. Bass Strait.
- RELEGAMORIA** Iredale, 1936, Rec. Aust. Mus., 19, p. 314. O.T. *mollerii* Iredale.
1249. *mollerii* Iredale, 1936, Rec. Aust. Mus., 19, p. 314, pl. 23, fig. 10. Off Manly, N.S.W., 85 fm.
- ZEBRAMORIA** Iredale, 1929, Rec. Aust. Mus., 17, p. 180. O.T. *zebra* Leach.
1250. *zebra* Leach, 1814, Zool. Miscell., 1, p. 31, pl. 12, fig. 1. Broken Bay, N.S.W. (H.756).
1251. *lineata* Leach, 1814, Zool. Miscell., 1, p. 31, pl. 12, fig. 2. South Queensland. Ludbrook, 1953, Proc. Malacol. Soc., 30, pp. 145-149, pl. 18, figs. 1-4.
- VOLUTOCONUS** Crosse, 1871, J. de Conch., 19, p. 396. H.T. *coniformis* Cox.
1252. *grossi* Iredale, 1927, Aust. Zool., 4, p. 336, pl. 46, fig. 2. Caloundra, Queensland. Allan, 1956, Proc. Roy. Zool. Soc. N.S.W., 1954-5, p. 48, text fig. 1. Off Wooli, north N.S.W., 35 fm.
- TERNIVOLUTA** Martens, 1897, Arch. Nat. (Wiegmann), 63, p. 177. L.T. (Maxwell Smith, 1942, Review of the Volutidae, p. 15) *studerii* Martens.
1253. *studerii* Martens 1897, Arch. Nat. (Wiegmann) 63, pp. 177-8, pl. 17, fig. 2. East Australia (= N. of Cape Moreton, Queensland). McMichael, 1959, Proc. Roy. Zool. Soc. N.S.W., 1957-8, pp. 60-62, fig. 1.
- LYRENETA** Iredale, 1937, Rec. Aust. Mus., 20, p. 128. O.T. *laseronii* Iredale.
1254. *laseronii* Iredale, 1937, Rec. Aust. Mus., 20, p. 128, pl. 29. Point Halliday, N.S.W. New name for *Voluta brazieri* Cox, 1873, Proc. Zool. Soc. Lond., 1873, p. 568, pl. 48, fig. 8 (not *V. brazieri* Brazier, 1869). Sowerby, 1887, Thes. Conch., 5, p. 303, pl. 517, fig. 168. Smith, 1904, Proc. Malacol. Soc., 6, p. 178, text fig. Thornley, 1951, Proc. Roy. Zool. Soc. N.S.W., 1949-50, p. 51, fig. 13 (H.764).
- LYRIA** Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 141. O.T. *nucleus* Lamarck.
1255. *peroniana* Iredale, 1940, Aust. Zool., 9, p. 435. Newcastle N.S.W. Not figured. Cf. *pattersonia* Perry, 1811, Conch., pl. 17, fig. 1 (Norfolk I.) and *howensis* Iredale, 1940, Aust. Zool., 9, p. 435, pl. 32, fig. 3 (H.765).
- Family MICROVOLUTIDAE*
- MICROVOLUTA** Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 34. H.T. *australis* Angas.
1256. *australis* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 35, pl. 5, fig. 2. Off Sydney, N.S.W., 25 fm. (H.904).

1257. *royana* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 269, pl. 35, fig. 13. Off Twofold Bay, N.S.W., 20-25 fm.

Family MITRIDAE

[Ref.:—Laseron, 1951, Rec. Aust. Mus., 22, pp. 339-343, figs.]

VICIMITRA Iredale, 1929, Aust. Zool., 5, p. 343. H.T. *prosphora* Iredale.

1258. *prosphora* Iredale, 1929, Aust. Zool., 5, p. 343, pl. 38, fig. 17. Sydney Harbour, N.S.W. (H.901).

1259. *contermina* Iredale, 1936, Rec. Aust. Mus., 19, p. 320, pl. 23, fig. 15. Sydney Harbour, N.S.W. (H.895).

1260. *exposita* Iredale, 1936, Rec. Aust. Mus., 19, p. 320, pl. 23, fig. 14. Sydney Harbour, N.S.W. (H.893).

1261. *cooki* Sowerby, 1874, Thes. Conch., 4, p. 7, pl. 354, fig. 228. Moreton Bay, Queensland (H.894).

1262. *rhodia* Reeve, 1845, Conch. Icon., 2, *Mitra*, pl. 28, fig. 225. Port Jackson, N.S.W. (H.900).

1263. *jervisensis* Laseron, 1951, Rec. Aust. Mus., 22, p. 341, fig. 4. Jervis Bay, N.S.W., 15 fm.

1264. *tasmaniensis* Laseron, 1951, Rec. Aust. Mus., 22, p. 341, fig. 3. Off Twofold Bay, N.S.W., 50-70 fm.

1265. *sinusigera* Laseron, 1951, Rec. Aust. Mus., 22, p. 339, figs. 2, 2 a. Near Sydney, N.S.W.

AUSTROMITRA Finlay, 1927, Trans. New Zeal. Inst., 57, p. 410. O.T. *rubiginosa* Hutton.

1266. *acromialis* Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 730, pl. 84, fig. 85. Off Port Stephens, N.S.W., 35 fm. (H.892).

1267. *cericosta* Laseron, 1951, Rec. Aust. Mus., 22, p. 342, fig. 9. Off Crookhaven, N.S.W., 30-35 fm.

1268. *volucra* Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 730, pl. 84. Woolgoolga, N.S.W. (H.903).

1269. *legrandi* Tenison-Woods, 1876, Proc. Roy. Soc. Tasm., 1875, p. 140. Bass Strait. Hedley, 1900, Rec. Aust. Mus., 3, p. 219, text figs. (H.896).

CANCILLA Swainson, 1840, Treat. Malac., pp. 130, 320. L.T. (Herrmannsen, 1846, Ind. Gen. Malac., 1, p. 166) *isabella* Swainson.

1271. *strangei* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 110, pl. 13, fig. 4. Port Jackson, N.S.W. (H.902).

1272. *nodostaminea* Hedley, 1912, Rec. Aust. Mus., 8, pl. 50, pl. 43, fig. 35. Off Port Kembla, N.S.W., 63-75 fm. (H.898).

MITROPIFEX Iredale, 1929, Aust. Zool., 5, p. 346. O.T. *quasillus* Iredale.

1273. *quasillus* Iredale, 1929, Aust. Zool., 5, p. 346, pl. 38, fig. 18. Sydney Harbour, N.S.W.

SCABRICOLA Swainson, 1840, Treat. Malac., pp. 130, 319. L.T. (Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 141) "serpentina Lamarck" (= *scabriuscula* Gmelin).

1274. *eximia* A. Adams, Proc. Zool. Soc. Lond., 1851, p. 135. Mauritius. Sowerby, 1844, Thes. Conch., 4, p. 3, pl. 366, fig. 266.

PUSIA Swainson, 1840, Treat. Malac., pp. 130, 320. H.T. *microzonias* Lamarck.

1275. *tuberosa* Reeve, 1844, Conch. Icon., 2, *Mitra*, pl. 30, fig. 237. Philippines. Laseron, 1951, loc. cit., p. 343. N.S.W.

CHRYSAME H. and A. Adams, 1853, Gen. Rec. Moll., 1, p. 171. L.T. (Cox, 1927, Rept. Palaeont. Zanzibar Protect., p. 91) *coronata* Lamarck.

1276. *lemma* Iredale, 1929, Aust. Zool., 5, p. 343, pl. 38, fig. 6. Sydney Harbour, N.S.W.

1277. *crassa* Swainson, 1822, Zool. Illus., 1, (2), pl. 88. Philippine Islands. Reeve, 1844, Conch. Icon., 2, *Mitra*, pl. 2, fig. 7.

1278. *lugubris* Swainson, 1821, Zool. Illus., 1, (2), pl. 66, fig. No locality. Sowerby, 1844, Thes. Conch., 4, p. 20, pl. 364, figs. 199-201. Laseron, 1951, loc. cit., p. 343. N.S.W.

1279. *peregrina* Reeve, 1844, Conch. Icon., 2, *Mitra*, pl. 24, fig. 186. Philippine Islands. Laseron, 1951, loc. cit., p. 343. N.S.W.

ARENIMITRA Iredale, 1929, Mem. Queensland Mus., 9, p. 206. O.T. *arenosa* Lamarck.

1280. *arenosa* Lamarck, 1811, Ann. Mus. Nat. Hist. Paris, 17, p. 219. Philippine Islands. Id., 1822, Hist. Anim. s. Vert., 7, p. 321. Kiener, 1838, Coq. Vivants, *Mitra*, p. 91, pl. 25, fig. 80 (*torulosa* var. not of Lamarck, 1811).

1281. *contempta* Dautzenberg and Bouge, 1923, J. de Conch., 67, p. 213. Philippine Is. New name for *Mitra exasperata* Reeve, 1844, Conch. Icon., 2, *Mitra*, pl. 21, fig. 162 (not *M. exasperata* Gmelin, 1791) (= *michaelis* Iredale, 1929, Mem. Queensland Mus., 9, p. 286. Michaelmas Cay, Queensland) (H.899).

STRIGATELLA Swainson, 1840, Treat. Malac., pp. 30, 319. L.T. (Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 141) "zebra Lamarck" (= *paupercula* Gmelin).

1282. *scutulata* Gmelin, 1791, Syst. Nat., pt. 6, p. 3452. East Indies. Chemnitz, 1888, Conch. Cab., 10, pl. 151, figs. 1428-1429 (= *discolor* Bolten-Roding, 1798, Mus. Bolten., 2, p. 137. Iredale, 1929, Mem. Queensland Mus. 9, p. 286).

1283. *litterata* Lamarck, 1811, Ann. Mus. Nat.

Hist. Paris, 17, p. 220. Indian Ocean. Kiener, 1838, Coq. Vivants, *Mitra*, p. 50, pl. 16, fig. 50.

Family PECULATORIDAE

PECULATOR Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 269. O.T. *verconis* Iredale.

1284. *verconis* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 269, pl. 34, fig. 5. Off Twofold Bay, N.S.W., 15-25 fm.

Family HARPIDAE

PALAMHARPA Iredale, 1931, Rec. Aust. Mus., 18, p. 230. O.T. *exquisita* Iredale.

1285. *exquisita* Iredale, 1931, Rec. Aust. Mus., 18, p. 230, pl. 22, fig. 8. Off Twofold Bay, N.S.W., 45 fm.

Family OLIVIDAE

OLIVA Bruguiere, 1789, Ency. Meth., Vers., 1, p. 15. T.T. *oliva* Linne.

1286. *sericea miniacea* Bolten-Roding, 1798, Mus. Bolten., 2, p. 33. East Indies. Martini, 1777, Conch. Cab., 2, pl. 45, figs. 476, 477 (H.766).

BELLOLIVA Peile, 1922, Proc. Malacol. Soc., 15, p. 18. O.T. *brazieri* Angas.

1287. *leucozona* A. Adams and Angas, 1864, Proc. Zool. Soc. Lond., 1863, p. 422, pl. 37, fig. 23. Port Jackson, N.S.W. (H.768).

1288. *leucozona brazieri* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 172, pl. 26, fig. 6. "Newcastle" (error = Jervis Bay, N.S.W.) (H.768a).

1289. *exquisita* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 13, pl. 1, fig. 2. Near Sydney, N.S.W. (H.767).

GEMMOLIVA Iredale, 1924, Proc. Linn. N.S.W., 49, pp. 183, 259. H.T. *triticea* Duclos.

1290. *triticea* Duclos, 1835, Monog., *Oliva*, pl. 1, figs. 5-6. Port Jackson, N.S.W. (= *pardalis* A. Adams and Angas, 1864, Proc. Zool. Soc. Lond., 1863, p. 422, pl. 39, fig. 3) (H.770).

CUPIDOLIVA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 259. O.T. *nymphæ* A. Adams and Angas.

1291. *nymphæ* A. Adams and Angas, 1864, Proc. Zool. Soc. Lond., 1863, p. 422. Port Stephens, N.S.W. Marrat, 1871, Thes. Conch. (Sowerby), 4, p. 39 bis, pl. 350, fig. 426 (H.769).

Family ANCILLIDAE

ANCILLISTA Iredale, 1936, Rec. Aust. Mus., 19, p. 314. O.T. *velesiana* Iredale.

1292. *velesiana* Iredale, 1936, Rec. Aust. Mus., 19, p. 314, pl. 23, fig. 9. Off Cape Hawke, N.S.W., 45-50 fm. (H.771).

ALOCOSPIRA Cossmann, 1899, Essais Pal. Comp., livr. 3, p. 92. O.T. *papillata* Tate.

1293. *oblonga* Sowerby, 1830, Spec. Conch., *Ancillaria*, p. 7, pl. 13, figs. 38-39. Port Jackson, N.S.W. (H.773).

1294. *marginata tasmanica* Tenison-Woods, 1878, Proc. Roy. Soc. Tasm., 1877, p. 30. Tasmania. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 260. Southern N.S.W.

1295. *dyspetes* Iredale, 1929, Aust. Zool., 5, p. 341, pl. 38, fig. 12. Sydney Harbour, N.S.W.

1296. *fusiformis* Petterd, 1886, Proc. Roy. Soc. Tasm., 1885, p. 342. Tasmania. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 261, pl. 36, fig. 10. Southern N.S.W.

1297. *fusiformis gaza* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 261, pl. 36, fig. 9. Off Merimbula, N.S.W., 18 fm.

AUSTRANCILLA Habe, 1959, J. Malacol. Soc. Aust., 3, p. 38. O.T. *edithae* Pritchard and Gatliff.

1298. *edithae* Pritchard and Gatliff, 1899, Proc. Roy. Soc. Vict., 11, (n.s.), p. 181, pl. 20, fig. 5. Victoria (H.772).

Family MARGINELLIDAE

[Ref.:—Laseron, 1948, Rec. Aust. Mus., 22, pp. 135-148, pls. 5, 6, and Laseron, 1957, Aust. J. Mar. Freshw. Res., 8, pp. 274-311, 84 figs.]

OVAGINELLA Laseron, 1957, Aust. J. Mar. Freshw. Res., p. 280. O.T. *ovulum* Sowerby.

1299. *ovulum* Sowerby, 1846, Thes. Conch., 1, p. 401, pl. 78, fig. 188. Port Jackson, N.S.W. Laseron, 1948, loc. cit., p. 44, pl. 6, fig. 37 (H.792).

1300. *whani* Pritchard and Gatliff, 1900, Proc. Roy. Soc. Vict., 13, (n.s.), p. 137, pl. 21, figs. 5, 6. Victoria. Laseron, 1948, loc. cit., p. 45, pl. 6, fig. 38. Port Jackson, N.S.W. (H.800).

1301. *nielseni* Laseron, 1948, Rec. Aust. Mus., 22, p. 45, pl. 6, fig. 40. Off Bateman's Bay, N.S.W., 25-60 fm.

1302. *stiria* Cotton, 1949, Rec. South Aust. Mus., 9, p. 209. New name for *Marginella rotunda* Laseron, 1948, loc. cit., 22, p. 45, pl. 6, fig. 48 (not *M. rotunda* May, 1922). Off Crookhaven, N.S.W., 30-35 fm.

MICROGINELLA Laseron, 1957, Aust. J. Mar. Freshw. Res., 8, p. 280. O.T. *anxia* Hedley.

1303. *nymphæ* Henn and Brazier, 1894, Proc. Linn. Soc. N.S.W., 19, p. 168, pl. 14, fig. 2. Port Jackson, N.S.W. Laseron, 1948, loc. cit., p. 45, fig. 39 (H.788).

1304. *multidentata* May, 1920, Proc. Roy. Soc. Tasm., 1919, p. 59, pl. 14, fig. 6. South Tasmania. Laseron, 1948, loc. cit., p. 46, pl. 6, fig. 44. Off Twofold Bay, N.S.W., 60 fm.

- TRIGINELLA Laseron, 1957, Aust. J. Mar. Freshw. Res., 8, p. 280. O.T. *malina* Hedley.
1305. *malina* Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 725, pl. 82, fig. 65. Off Narrabeen, N.S.W., 80 fm. Laseron, 1948, loc. cit., p. 44, pl. 6, fig. 36 (H.783).
- EULIGINELLA Laseron, 1957, Aust. J. Mar. Freshw. Res., 8, p. 282. O.T. *angasi* Crosse.
1306. *angasi* Crosse, 1870, J. de Conch., 18, p. 304. Port Jackson, N.S.W. Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 726, pl. 82, fig. 66. Laseron, 1948, loc. cit., p. 45, pl. 6, fig. 41 (H.775).
1307. *melandia* Laseron, 1948, Rec. Aust. Mus., 22, p. 46, pl. 6, fig. 42. Port Jackson, N.S.W.
1308. *amphora* Laseron, 1948, Rec. Aust. Mus., 22, p. 46, pl. 6, fig. 43. Off Point Halliday, N.S.W., 8-10 fm.
1309. *subauriculata* May, 1916, Proc. Roy. Soc. Tasm., 1915, p. 86, pl. 2, fig. 7. South Tasmania, 40 fm. Laseron 1948, loc. cit., p. 46, pl. 6, fig. 45. Port Stephens, N.S.W.
- MESOGINELLA Laseron, 1957, Aust. J. Mar. Freshw. Res., 8, p. 282. O.T. *turbinata* Sowerby.
1310. *turbinata* Sowerby, 1846, Thes. Conch., 1, p. 385, pl. 75, figs. 70-71. Port Jackson, N.S.W. Laseron, 1948, loc. cit., p. 37, pl. 5, fig. 1 (H.798).
1311. *pusilla* Laseron, 1948, Rec. Aust. Mus., 22, p. 37, pl. 5, fig. 2. Twofold Bay, N.S.W., 60 fm.
- SINUGINELLA Laseron, 1957, Aust. J. Mar. Freshw. Res., 8, p. 282. O.T. *inconspicua* Sowerby.
1312. *inconspicua* Sowerby, 1846, Thes. Conch., 1, p. 387, pl. 75, fig. 80. Port Jackson, N.S.W. Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 726, pl. 82, fig. 64. Laseron, 1948, loc. cit., p. 37, pl. 5, fig. 5 (H.780).
1313. *olivella* Reeve, 1865, Conch. Icon., 15, *Marginella*, pl. 25, fig. 140. Port Jackson, N.S.W. Laseron, 1948, loc. cit., p. 37, pl. 5, fig. 3 (H.790).
1314. *infelix* Jousseaume, 1875, Rev. Mag. Zool., (3), 3, p. 238. Port Jackson, N.S.W. = *procella* May, 1915, Proc. Roy. Soc. Tasm., 1915, p. 87, pl. 2, fig. 10. Storm Bay, S. Tasmania, 24 fm. Laseron, 1948, loc. cit., p. 37, pl. 5, fig. 4 (H.791).
1315. *strangei* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 172, pl. 26, fig. 8. Port Jackson, N.S.W. Hedley, 1902, Proc. Linn. Soc. N.S.W., 27, p. 18, text fig. Laseron, 1948, loc. cit., p. 38, pl. 5, fig. 9 (H.795).
1316. *frequens* Laseron, 1948, Rec. Aust. Mus., 22, p. 39, pl. 5, fig. 10. Off Sydney, N.S.W., 30-50 fm.
1317. *sinuata* Laseron, 1948, Rec. Aust. Mus., 22, p. 39, pl. 5, fig. 13. Off Point Halliday, N.S.W., 8-10 fm.
1318. *translucida* Sowerby, 1846, Thes. Conch., 1, p. 376, pl. 75, figs. 62-63. Port Jackson, N.S.W.
- Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 725, pl. 82, fig. 67. Laseron, 1948, loc. cit., p. 41, pl. 5, fig. 16 (H.797).
1319. *humerica* Laseron, 1948, Rec. Aust. Mus., 22, p. 41, pl. 5, fig. 17. Off Port Macquarie, N.S.W., 12 fm.
1320. *schoutanica* May, 1913, Proc. Roy. Soc. Tasm., 1912, p. 45, pl. 2, fig. 2. Tasmania. Laseron, 1948, loc. cit., p. 38, pl. 5, fig. 6. Twofold Bay, N.S.W., 5-25 fm.
1321. *punicea* Laseron, 1948, Rec. Aust. Mus., 22, p. 38, pl. 5, fig. 7. Jervis Bay, N.S.W., 15 fm.
1322. *pipire* Laseron, 1948, Rec. Aust. Mus., 22, p. 38, pl. 5, fig. 8. Off Twofold Bay, N.S.W., 60 fm. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 261 (*caducocincta*, not of May, 1916).
1323. *biniuita* Laseron, 1948, Rec. Aust. Mus., 22, p. 39, pl. 5, fig. 11. Jervis Bay, N.S.W., 15 fm.
1324. *sinapi* Laseron, 1948, Rec. Aust. Mus., 22, p. 40, pl. 5, fig. 15. Port Jackson, N.S.W.
1325. *parsobrina* Laseron, 1948, Rec. Aust. Mus., 22, p. 40, text fig. 1. Off Crookhaven, N.S.W., 30-35 fm.
- KOGOMEA Habe, 1951, Illus. Cat. Japanese Shells (ed. T. Kuroda), p. 103, fig. 11. O.T. *novem-provincialis* Yokoyama.
1326. *royana* Laseron, 1957, Aust. J. Mar. Freshw. Res., 8, p. 306. New name for *Marginella quinque-plicata* Laseron, 1948, Rec. Aust. Mus., 22, p. 41, pl. 5, fig. 22. Twofold Bay, N.S.W., 5 fm. (not *M. quinqueplicata* Lamarck, 1822).
1327. *stilla* Hedley, 1903, Mem. Aust. Mus., 4, p. 367, fig. 90. Off Port Kembla, N.S.W., 63-75 fm. Laseron, 1948, loc. cit., p. 41, pl. 5, fig. 21 (H.794).
1328. *subbulbosa* Tate, 1878, Trans. Roy. Soc. South Aust., 1, p. 86. Spencer's Gulf, South Australia. Hedley, 1902, Proc. Linn. Soc. N.S.W., 27, p. 18, text fig. (H.796).
- DEVIGINELLA Laseron, 1957, Aust. J. Mar. Freshw. Res., 8, p. 283. O.T. *brachia* Watson.
1329. *victoriae* Gatliff and Gabriel, 1908, Proc. Roy. Soc. Vict., 21, (n.s.), p. 365, pl. 21, fig. 5. Victoria. Laseron, 1948, loc. cit., p. 39, pl. 5, fig. 12. Port Jackson, N.S.W. (H.799).
- HALOGINELLA Laseron, 1957, Aust. J. Mar. Freshw. Res., 8, p. 284. O.T. *mustelina* Angas.
1330. *mustelina* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 14, pl. 1, fig. 5. Port Jackson, N.S.W. Hedley, 1917, Proc. Linn. Soc. N.S.W., 41, p. 709, pl. 50, fig. 31 (animal). Laseron, 1948, loc. cit., p. 42, pl. 5, fig. 23 (*mustellina* errore) (H.787).
1331. *haswelli* Laseron, 1948, Rec. Aust. Mus., 22, p. 42, pl. 5, fig. 24. Off Narrabeen, N.S.W., 80 fm.
- AUSTROGINELLA Laseron, 1957, Aust. J. Mar. Freshw. Res., 8, p. 285. O.T. *muscaria* Lamarck.

1332. *muscaria* Lamarck, 1822, Hist. Anim. s. Vert., 7, p. 359. South Tasmania. Chenu, 1850, Illus. Conch., *Marginella*, pl. 2, fig. 3. Laseron, 1948, loc. cit., p. 42, pl. 5, fig. 25. Cronulla, N.S.W. (H.786).

1333. *johnstoni* Petterd, 1884, J. of Conch., 4, p. 143. North Tasmania. May, 1923, Illus. Index Tasm. Shells, pl. 31, fig. 2. Laseron, 1948, loc. cit., p. 42, pl. 6, fig. 47. Cronulla, N.S.W. (H.781).

1334. *tasmanica* Tenison-Woods, 1876, Proc. Roy. Soc. Tasm., 1875, p. 28. South Tasmania. Tryon, 1883, Man. Conch., 5, p. 23, pl. 7, fig. 6. Laseron, 1948, loc. cit., p. 42, pl. 6, fig. 26. Port Jackson, N.S.W.

PROTGINELLA Laseron, 1957, Aust. J. Mar. Freshw. Res., 8, p. 285. O.T. *lavigata* Brazier.

1335. *geminata* Hedley, 1912, Rec. Aust. Mus., 8, p. 145, pl. 42, fig. 28. Off Wollongong, N.S.W., 100 fm. Laseron, 1948, loc. cit., p. 43, pl. 6, fig. 32 (H.779).

ALAGINELLA Laseron, 1957, Aust. J. Mar. Freshw. Res., 8, p. 286. O.T. *ochracea* Angas.

1336. *ochracea* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 14, pl. 1, fig. 6. Shellsand, coast of New South Wales (= *crescere* Laseron, 1948, loc. cit., p. 44, pl. 6, fig. 34, off Point Halliday, N.S.W., 8-10 fm.) (H.789).

1337. *metcalfei* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 173, pl. 26, fig. 9. Port Jackson, N.S.W. Laseron, 1948, loc. cit., p. 44, pl. 6, fig. 33 (*ochracea*, not of Angas 1871) (H.789 pt.).

1338. *laeviplicata* Laseron, 1948, Rec. Aust. Mus., 22, p. 44, pl. 6, fig. 35. Off Crookhaven, N.S.W., 30-35 fm.

LONGINELLA Laseron, 1957, Aust. J. Mar. Freshw. Res., 8, p. 286. O.T. *maugeana* Hedley.

1339. *maugeana* Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 727. New name for *Marginella gracilis* May, 1911, Proc. Roy. Soc. Tasm., 1910, p. 383, pl. 13, fig. 4. Off Cape Pillar, Tasmania, 100 fm. (not *M. gracilis* C. B. Adams, 1852). Laseron, 1948, loc. cit., p. 43, pl. 6, fig. 30. Jervis Bay, N.S.W., 15 fm.

1340. *gabrieli* May, 1911, Proc. Roy. Soc. Tasm., 1910, p. 386, pl. 13, fig. 9. Off Cape Pillar, Tasmania, 100 fm. Laseron, 1948, loc. cit., p. 43, pl. 6, fig. 29. Off Sydney, N.S.W., 30-50 fm.

1341. *cuneata* Laseron, 1948, Rec. Aust. Mus., 22, p. 43, pl. 6, fig. 31. Twofold Bay, N.S.W., 50-70 fm. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 261 (*dentiens*, not of May, 1910).

1342. *kemblensis* Hedley, 1903, Mem. Aust. Mus., 4, p. 365, fig. 88. Off Port Kembla, N.S.W., 63-75 fm. Laseron, 1948, loc. cit., p. 43, pl. 6, fig. 27 (H.782).

VOLVARINELLA Habe, 1951, Illus. Cat. Japanese Shells (ed. T. Kuroda), p. 101, fig. 10. O.T. *makiyamai* Habe.

1343. *mayii* Tate and May, 1900, Trans. Roy. Soc. South Aust., 24, p. 93. Tasmania. Id., 1901, Proc. Linn. Soc. N.S.W., 26, p. 362, pl. 27, fig. 84. Laseron, 1948, loc. cit., p. 43, pl. 6, fig. 28. Off Twofold Bay, N.S.W., 60 fm. (H.784).

DOUBTFUL NEW SOUTH WALES RECORDS

1344. *agapeta* Watson, 1886, Rep. Sci. Res. Challenger, Zool., 15, p. 266, pl. 16, fig. 9. Off Port Jackson, N.S.W., 35 fm. (Not since recorded) (H.774).

1345. *multiplicata* Tate and May, 1900, Trans. Roy. Soc. South Aust., 24, p. 91. Tasmania. Hedley, 1918, Proc. Roy. Soc. N.S.W., 51, Suppl., p. M.75. (Doubtful record, based on inadequate material) (H.785).

1346. *pumilio* Tate and May, 1901, Proc. Linn. Soc. N.S.W., 26, p. 363, pl. 26, fig. 79. Long Bay, Tasmania. Hedley, 1903, Mem. Aust. Mus., 4, p. 368. Off Port Kembla, N.S.W., 63-75 fm. (Doubtful record, based on inadequate material) (H.793).

Family CANCELLARIIDAE

[Ref.:—Laseron, 1955, Rec. Aust. Mus., 23, pp. 267-272, figs. 1-13a.]

SYDAPHERA Iredale, 1929, Aust. Zool., 5, p. 341. O.T. *renovata* Iredale.

1347. *renovata* Iredale, 1929, Aust. Zool., 5, p. 341, pl. 38, fig. 3. Sydney Harbour, N.S.W. Laseron, 1955, loc. cit., p. 267, fig. 1, 1 a, 2. Iredale, 1931, Rec. Aust. Mus., 18, pl. 23, fig. 7 (H.802).

1348. *obnixa* Iredale, 1936, Rec. Aust. Mus., 19, p. 318, pl. 23, fig. 6. Richmond River, north N.S.W. Laseron, 1955, loc. cit., p. 269, figs. 3, 3 a (not fig. 4, *undulata*) (H.802).

1349. *deliciosa* Laseron, 1955, Rec. Aust. Mus., 23, p. 269, figs. 5, 5 a. Woolgoolga, N.S.W.

1350. *anxifer* Iredale, 1925, Rec. Aust. Mus., 14, p. 264, pl. 43, fig. 24. Off Eden, N.S.W., 25-30 fm. Laseron, 1955, loc. cit., p. 269, figs. 6, 6 a.

1351. *scobia* Hedley and Petterd, 1906, Rec. Aust. Mus., 6, p. 222, pl. 38, fig. 12. Off Sydney, N.S.W., 300 fm. Laseron, 1955, loc. cit., p. 270, fig. 7 (H.805).

TRIGONAPHERA Iredale, 1936, Rec. Aust. Mus., 19, p. 319. O.T. *vinnula* Iredale.

1352. *vinnula* Iredale, 1925, Rec. Aust. Mus., 14, p. 263, pl. 43, fig. 18. Off Twofold Bay, N.S.W., 25 fm. Laseron, 1955, loc. cit., p. 270, fig. 8, 8 a (H.803).

1353. *interlaevis* Laseron, 1955, Rec. Aust. Mus., 23, p. 270, figs. 9, 9 a. Port Stephens, N.S.W. (H.801).

ARIZELOSTOMA Iredale, 1936, Rec. Aust. Mus., 19, p. 318. O.T. *laseroni* Iredale.

1354. *laseroni* Iredale, 1936, Rec. Aust. Mus., 19, p. 318, pl. 24, fig. 9. Shellharbour, N.S.W. Laseron, 1955, loc. cit., p. 271, fig. 10.

MICROSVELTIA Iredale, 1925, Rec. Aust. Mus., 14, p. 265. O.T. *recessa* Iredale.

1355. *recessa* Iredale, 1925, Rec. Aust. Mus., 14, p. 265, pl. 43, fig. 16. Off Bateman's Bay, N.S.W., 75 fm. Laseron, 1955, loc. cit., p. 271, fig. 11.

PEPTA Iredale, 1925, Rec. Aust. Mus., 14, p. 266. H.T. *stricta* Hedley.

1356. *stricta* Hedley, 1907, Rec. Aust. Mus., 6, p. 295, pl. 54, fig. 10. Off Narrabeen, N.S.W., 80 fm. Laseron, 1955, loc. cit., p. 272, fig. 12 (H.906).

PALLIDONIA Laseron, 1955, Rec. Aust. Mus., 23, p. 272. O.T. *simplex* Laseron.

1357. *simplex* Laseron, 1955, Rec. Aust. Mus., 23, p. 272, figs. 13, 13 a. Off Point Halliday, N.S.W., 8-10 fm. (Note: This is of uncertain classification.)

Family VASIDAE

TUDICULA H. and A. Adams, 1864, Proc. Zool. Soc. Lond., 1863, p. 429. L.T. (Wenz, 1943, Handbuch d. Palaeozool. (Schindewolf), 6, p. 1303) *armigera* A. Adams.

1358. *rasilistoma* Abbott, 1959, Indo-Pacific Mollusca, 1, p. 29, pl. 4, fig. 2, pl. 10, figs. A-C. Off Tweed Heads, N.S.W., 30 fm. Macpherson, 1959, Mem. Nat. Mus. Melb., 24, p. 55, pl. figs. 6, 6 a, 6 b, 6 c.

Family NASSARIIDAE

NASSARIUS Dumeril, 1806, Zool. Analyt., p. 167. Id. ib. (ed. Froriep), 1806, p. 167. New name for *Nassa* Lamarck, 1799 (not *Nassa* Bolten-Roding 1798). H.T. *mutabilis* Linne.

1359. *particeps* Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 738. Port Jackson, N.S.W. Id. 1917, ib., 41, p. 712, pl. 49, fig. 20 (H.925).

1360. *spiratus* A. Adams, 1853, Proc. Zool. Soc. Lond., 1851, p. 106. Swan River, Western Australia. Reeve, 1853, Conch. Icon., 8, *Nassa*, pl. 2, fig. 13 (H.930).

TARAZEUXIS Iredale, 1936, Rec. Aust. Mus., 19, p. 322. O.T. *mucronatus* A. Adams.

1361. *mucronatus* A. Adams, 1853, Proc. Zool. Soc. Lond., 1851, p. 105. I. Negros, Philippine Islands. Reeve, 1853, Conch. Icon., 8, *Nassa*, pl. 2, fig. 8. Iredale, 1936, Rec. Aust. Mus., 19, p. 322. Long Reef, near Sydney, N.S.W.

PARCANASSA Iredale, 1936, Rec. Aust. Mus., 19, p. 322. O.T. *ellana* Iredale.

1362. *ellana* Iredale, 1936, Rec. Aust. Mus., 19, p. 322. Sydney Harbour, N.S.W. Not figured. Cf. Philippi, 1849, Abbild Beschr. Conch., 3, p. 69, *Buccinum*, p. 17, pl. 2, fig. 14 (*burchardi*, from S.A.) (H.919).

1363. *mangelioides* Reeve, 1853, Conch. Icon., 8, *Nassa*, pl. 23, fig. 152. Moreton Bay, Queensland.

1364. *jonasii* Dunker, 1846, Zeit. Malak. (Menke), 3, p. 171. New South Wales. Philippi, 1849, Abbild.

Beschr. Conch., 3, p. 66, *Buccinum*, p. 14, pl. 2, fig. 10 (H.923).

RETICUNASSA Iredale, 1936, Rec. Aust. Mus., 19, p. 322. O.T. *pauperata* Gould.

1365. *tringa* Souverbie and Montrouzier, 1864, J. de Conch., 12, pl. 10, fig. 7. New Caledonia (H.926).

1366. *dipsacoides* Hedley, 1907, Rec. Aust. Mus., 6, p. 359, pl. 67, fig. 21. Off Sydney, N.S.W., 800 fm. (H.921).

1367. *mobilis plankta* Iredale, 1936, Rec. Aust. Mus., 19, p. 322. Off Newcastle Heads, N.S.W., 40 fm. Not figured. Cf. Hedley and May, 1908, Rec. Aust. Mus., 7, p. 121, pl. 23, fig. 16 (*mobilis*, from South Tasmania).

NIOTHA H. and A. Adams, 1853, Gen. Rec. Moll., 1, p. 117. L.T. (Wenz, 1943, Handbuch d. Palaeozool., (Schindewolf), 6, p. 1238) *cumingi* A. Adams.

1368. *bicolor* Hombron and Jacquinot, 1853, Voy. Pole Sud, Atlas, Moll., pl. 21, figs. 41-42. Vavao, Fiji Is. Laseron, 1937, Proc. Roy. Zool. Soc. N.S.W., 1936-7, p. 17 (*albescens*, not of Dunker, 1849, West Indies).

1369. *comtessei* Iredale, 1929, Aust. Zool., 5, p. 347, pl. 38, fig. 13. Sydney Harbour, N.S.W. (H.922).

1370. *hawleyi* Iredale, 1936, Rec. Aust. Mus., 19, p. 322, pl. 24, fig. 11. Sydney Harbour, N.S.W.

TAVANIOTHA Iredale, 1936, Rec. Aust. Mus., 19, p. 321. O.T. *optata* Gould.

1371. *peritrema* Tenison-Woods, 1880, Proc. Linn. Soc. N.S.W., 4, p. 21, pl. 4, fig. 5. Port Jackson, N.S.W. (H.928).

1372. *nigella* Reeve, 1854, Conch. Icon., 8, *Buccinum*, pl. 26, fig. 173. Port Jackson, N.S.W. (H.929A).

1373. *nigella tasmanica* Tenison-Woods, 1876, Proc. Roy. Soc. Tasm., 1875, p. 150. North Tasmania. Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 737, pl. 84, fig. 91.

1374. *optata* Gould, 1860, Proc. Boston. Soc. Nat. Hist., 7, p. 331. Port Jackson, N.S.W. Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 736, pl. 83, fig. 78 (type figured) (H.929).

1375. *optata munieriiana* Crosse and Fischer, 1864, J. de Conch., 12, p. 345, pl. 13, fig. 6. South Australia. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 270. Twofold Bay, N.S.W.

1376. *pauperata* Lamarck, 1822, Hist. Anim. s. Vert., 7, p. 278. Grand Ocean (= South Australia (Cotton)). Kiener, 1834, Coq. Vivants, *Buccinum*, p. 90, pl. 29, fig. 118. May, 1923, Illus. Index Tasm. Shells, pl. 38, fig. 15. Tasmania (H.927).

AUSTRONASSARIA C.F. and J. Laseron, 1956, Proc. Roy. Zool. Soc. N.S.W., 1954-5, p. 71. O.T. *simplex* C.F. and J. Laseron.

1377. *simplex* C.F. and J. Laseron, 1956, ibid.,

p. 71, text figs. 1, 2. Port Jackson, N.S.W., 6-9 fm.

Family ARCHITECTONICIDAE

ARCHITECTONICA Bolten-Roding 1798, Mus. Bolten., 2, p. 78. L.T. (Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 151) *perspectiva* L. (misspelt *Architectoma*).

1378. *perspectiva fressa* Iredale, 1936, Rec. Aust. Mus., 19, p. 325, pl. 23, fig. 20. Sydney Harbour, N.S.W. (H.1081).

1379. *grandiosa* Iredale, 1931, Rec. Aust. Mus., 18, p. 228, pl. 25, figs. 19-20. Sydney Harbour, N.S.W. (H.1080).

1380. *offlexa* Iredale, 1931, Rec. Aust. Mus., 18, p. 229, pl. 25, figs. 15-16. Sydney Harbour, N.S.W. (H.1078).

1381. *relata* Iredale, 1936, Rec. Aust. Mus., 19, p. 326, pl. 23, fig. 19. Off Bateman's Bay, N.S.W., 75-85 fm.

PHILIPPIA Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 146. O.T. *lutea* Lamarck.

1382. *stipator* Iredale, 1931, Rec. Aust. Mus., 18, p. 229, pl. 25, figs. 17-18. Sydney Harbour, N.S.W.

1383. *lutea* Lamarck, 1822, Hist. Anim. s. Vert., 7, p. 5. Sydney, N.S.W. Kiener, 1839, Coq. Vivants, *Solarium*, p. 9, pl. 4, fig. 9 (H.1079).

1384. *manifesta* Iredale, 1931, Rec. Aust. Mus., p. 18, pl. 25, figs. 9-10. Sydney Harbour, N.S.W.

SOLATISONAX Iredale, 1931, Rec. Aust. Mus., 18, p. 229. O.T. *injussa* Iredale.

1385. *injussa* Iredale, 1931, Rec. Aust. Mus., 18, p. 229, pl. 25, figs. 7-8. Off Gabo Is., Victoria, 100 fm.

Family TORINIIDAE

TORINISTA Iredale, 1936, Rec. Aust. Mus., 19, p. 327. O.T. *popula* Iredale.

1386. *popula* Iredale, 1936, Rec. Aust. Mus., 19, p. 327, pl. 24, fig. 15. Sydney Harbour, N.S.W. Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 92 (*stramineus*, not of Gmelin 1791) (H.1085).

1387. *laseronorum* Iredale, 1936, Rec. Aust. Mus., 19, p. 327. Port Jackson, N.S.W. Not figured. Cf. *foveolata* Tate, 1893, Trans. Roy. Soc. South Aust., 17, p. 191, pl. 1, fig. 13, South Australia (H.1084).

1388. ? *dorsuosa* Hinds, 1844, Proc. Zool. Soc. Lond., 1844, p. 23. Mindoro, Philippine Is. Hanley, 1857, Thes. Conch. (Sowerby), 3, p. 238, pl. 254, figs. 73-74. Thornley, 1951, Proc. Roy. Zool. Soc. N.S.W., 1949-50, p. 52, fig. 9. Forster, N.S.W.

1389. *crenellus* Linne, 1767, Syst. Nat., 12 ed., p. 1236. No loc. (= *chemnitzi* Kiener, 1834, Coq. Vivants, *Solarium*, p. 12, pl. 4, fig. 8. Indian Ocean) (= *infundibuliformis* Gmelin, 1791, Syst. Nat., pt. 6, p. 3575. Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 184. Newcastle, N.S.W.) (H.1083).

CLARAXIS Iredale, 1936, Rec. Aust. Mus., 19, p. 327. O.T. *illustris* Iredale.

1390. *illustris* Iredale, 1936, Rec. Aust. Mus., 19, p. 327, pl. 24, fig. 16. Off Crowdy Head, Manning River, N.S.W., 45 fm.

Family MANGONUIDAE

MANGONUIA Mestayer, 1930, Trans. New Zeal. Inst., 61, p. 144. O.T. *bollonsi* Mestayer.

1391. *meridionalis* Hedley, 1903, Mem. Aust. Mus., 4, p. 351, fig. 4 in text. Port Stephens, N.S.W., dredged (H.1086).

Family FASCIOLARIIDAE

PLEIA Finlay, 1930, Trans. New Zeal. Inst., 61, p. 60. O.T. *decipiens* Tate.

1392. *coronata* Lamarck, 1822, Hist. Anim. s. Vert., 7, p. 120. Bass Strait. Kiener, 1840, Coq. Vivants, *Fasciolaria*, pl. 9, fig. 1 (H.886).

1393. *bakeri* Gatliff and Gabriel, 1912, Vict. Nat., 29, p. 47, pl. 13, figs. 3, 4 (error, = 1, 2). Victoria (H.886A).

FRACTOLATIRUS Iredale, 1936, Rec. Aust. Mus., 19, p. 317. O.T. *normalis* Iredale.

1394. *normalis* Iredale, 1936, Rec. Aust. Mus., 19, p. 317, pl. 24, fig. 19. Sydney Harbour, N.S.W. (H.887).

LATIRUS Montfort, 1810, Conch. Syst., 2, pp. 530, 531. O.T. *gibbulus* Gmelin.

1395. *turritus* Gmelin, 1791, Syst. Nat., pt. 6, p. 3456. No loc. Martini, 1781, Conch. Cab., 4, pl. 141, figs. 1317-1318.

PERISTERIA Mörch, 1852, Cat. Conch. Yoldi, p. 99. L.T. (Martens, 1868, Zool. Rec. for 1867, p. 530) *nassatula* Lamarck.

1396. *marieii* Crosse, 1869, J. de Conch., 17, p. 177: ibid, p. 279, pl. 8, fig. 2, New Caledonia.

CLIVIOPOLLIA Iredale, 1929, Aust. Zool., 5, p. 347. O.T. *imperita* Iredale.

1397. *imperita* Iredale, 1929, Aust. Zool., 5, p. 347, pl. 38, fig. 10. Sydney Harbour, N.S.W.

NODOPELAGIA Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 731. O.T. *brazieri* Angas.

1398. *brazieri* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 171, pl. 26, fig. 4. Northern N.S.W. (H.908).

Family FUSINIDAE

FUSINUS Rafinesque, 1815, Analyse Natur., p. 145. New name for *Fusus* Lamarck, 1799 (not *Fusus* Hebling, 1779). H.T. *colus* Linne.

1399. *novaehollandiae* Reeve, 1848, Conch. Icon., 4, *Fusus*, pl. 18, fig. 70. Bass Strait (H.889).

1400. *novaehollandiae grandiculus* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 267, pl. 34, fig. 9. Off Green Cape, N.S.W., 50 fm.
1401. *sinovellus* Iredale, 1929, Aust. Zool., 5, p. 342, pl. 38, fig. 15. Sydney Harbour, N.S.W.
1402. *genticus* Iredale, 1936, Rec. Aust. Mus., 19, p. 316, pl. 23, fig. 5. Sydney Harbour, N.S.W.
1403. *consetti* Iredale, 1929, Aust. Zool., 5, p. 342, pl. 38, fig. 19. Bulli, New South Wales.
- PROPEFUSUS** Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 268. H.T. *pyrulatus* Reeve.
1404. *pyrulatus* Reeve, 1847, Conch. Icon., 4, *Fusus*, pl. 3, figs. 50, 50 a. Tasmania. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 268. Twofold Bay, N.S.W.
1405. *compositis* Maybloom, 1951, Aust. Zool., 11, p. 283, pl. 26, fig. 4. Southern N.S.W., 75 fm.
- SAGINAFUSUS** Iredale, 1931, Rec. Aust. Mus., 18, p. 227. O.T. *pricei* Smith.
1406. *pricei perficus* Iredale, 1931, Rec. Aust. Mus., 18, p. 227, pl. 23, fig. 1. Sydney Harbour, N.S.W.
- Family AUSTROSIPHONIDAE*
- LARGISIPHO** Iredale, 1929, Rec. Aust. Mus., 17, p. 182. O.T. *spectandus* Iredale.
1407. *spectandus* Iredale, 1929, Rec. Aust. Mus., 17, p. 182, pl. 41, fig. 6. Off Montagu I., N.S.W., 50-60 fm.
1408. *maximus* Tryon, 1881, Man. Conch., 3, p. 135, pl. 54, fig. 355. New South Wales. Hedley, 1903, Mem. Aust. Mus., 4, p. 374, pl. 38 (H.888).
- BERYLSMA** Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 267. O.T. *waitei* Hedley.
1409. *waitei* Hedley, 1903, Mem. Aust. Mus., 4, p. 373, pl. 37. Off Botany Bay, N.S.W., 78-80 fm. (H.891).
1410. *grandis* Gray, 1839, Zool. Beechey's Voyage, p. 116. Bass Strait. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 267, pl. 35, fig. 10 (type) (= *tasmaniensis* A. Adams and Angas, 1864, Proc. Zool. Soc. Lond., 1863, p. 424, pl. 37, fig. 1. Tasmania).
1411. *levifida* Iredale, 1925, Rec. Aust. Mus., 14, p. 261. Off Twofold Bay, N.S.W., 30 fm. Not figured. Cf. *grandis* Gray, 1839.
- Family PHOTIDAE*
- PHOS** Montfort, 1810, Conch. Syst., 2, pp. 194-195. O.T. *senticosus* Linne.
1412. *senticosus* Linne, 1758, Syst. Nat., 10 ed., p. 751. No loc. Kiener, 1834, Coq. Vivants, *Buccinum*, p. 26, pl. 9, fig. 31. Moluccas.
1413. *sculptilis* Watson, 1886, Rep. Sci. Res. Challenger, Zool., 15, p. 221, pl. 11, fig. 1. Albany Passage, north Queensland, 3-12 fm.
- Family COLUBRARIIDAE*
- RATIFUSUS** Iredale, 1929, Rec. Aust. Mus., 17, p. 183. O.T. *adjunctus* Iredale.
1419. *adjunctus* Iredale, 1929, Rec. Aust. Mus., 17, p. 183, pl. 40, fig. 5. Off Montagu I., N.S.W., 50-60 fm.
1420. *brazieri* Angas, 1869, Proc. Zool. Soc. Lond., 1869, p. 46, pl. 2, fig. 3. Lake Macquarie, N.S.W. (H.912).
1421. *schoutanicus* May, 1910, Proc. Roy. Soc. Tasm., 1910, p. 389, pl. 14, fig. 14. Tasmania (H.913).
1422. *conterminus* Iredale, 1925, Rec. Aust. Mus., 14, p. 260. Off Gabo I., Victoria. 200-250 fm. Not figured. Cf. *schoutanicus* May, 1910.
1423. *bednalli volaticus* Iredale, 1925, Rec. Aust. Mus., 14, p. 260. N.S.W. Not figured. Cf. *bednalli* Brazier, 1875, Proc. Zool. Soc. Lond., 1875, p. 6; Tryon, 1881, Man. Conch., 3, pl. 85, fig. 576.
- MACULOTRITON** Dall, 1904, Smithson. Miscell. Coll., 47, p. 136. O.T. *bracteatus* Hinds.
1424. *australis* Pease, 1872, Amer. J. Conch., 7, p. 21. Port Jackson, N.S.W. Hedley, 1917, Proc. Linn. Soc. N.S.W., 41, p. 711, pl. 50, figs. 28-30 (H.914).
1425. *waterhouseae* Brazier, 1896, Proc. Linn. Soc. N.S.W., 21, p. 345. Botany Bay, N.S.W. Hedley, 1899, Proc. Linn. Soc. N.S.W., 24, p. 434, fig. 7 (H.915).

1426. *gracilis* Sowerby, 1859, Thes. Conch., 3, p. 91, pl. 222, fig. 33. Sydney, N.S.W. Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 733, pl. 84, fig. 79 (H.916).

1427. *unicolor* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 110, pl. 13, fig. 2. Port Jackson, N.S.W. (H.917).

FASCINUS Hedley, 1903, Mem. Aust. Mus., 4, p. 375. O.T. *typicus* Hedley.

1428. *typicus* Hedley, 1903, Mem. Aust. Mus., 4, p. 376, fig. 91 in text. Off Port Kembla, N.S.W., 63-75 fm. (H.918).

BENTHINDSIA Iredale, 1936, Rec. Aust. Mus., 19, p. 317. O.T. *problematica* Iredale.

1429. *problematica* Iredale, 1936, Rec. Aust. Mus., 19, p. 318, pl. 23, fig. 7. Off Sydney, N.S.W., 110 fm.

Family PYRENIDAE

EUPLICA Dall, 1889, Bull. Mus. Comp. Zool. Harv., 17, p. 187. O.T. *turturina* Deshayes.

1430. *versicolor atladona* Duclos, 1835, Hist. Nat. Coq. Univ., Colomb., pl. 1, figs. 11-12. No loc. Hedley, 1918, J. Roy. Soc. N.S.W., 51, p. M.90. Sydney, N.S.W. (H.946).

1431. *souverbiei* Crosse, 1865, J. de Conch., 13, p. 161, pl. 5, fig. 9. New Caledonia.

1432. *amirantium* Smith, 1884, Zool. Coll. Alert, p. 494, pl. 44, fig. K. Amirantes I., West Indian Ocean, 12 fm.

1433. *deshayesii* Crosse, 1859, J. de Conch., 7, p. 382, pl. 14, fig. 4. Oceanie.

1434. *tylerae* Griffith and Pidgeon, 1834, Anim. Kingd. (Cuvier), 12, p. 596, pl. 37, fig. 1. No loc. Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 181. Port Jackson, N.S.W. (H.945).

PYRENE Bolten-Roding, 1798, Mus. Bolten., 2, p. 134. H.T. *rhombiferum* Bolten-Roding.

1435. *opulens* Woolacott, 1957, Proc. Roy. Zool. Soc. N.S.W., 1955-6, p. 113, fig. 10. Angourie, N.S.W. Hedley, 1913, Proc. Linn. Soc. N.S.W., 38, p. 319 (*filmerae*, not of Sowerby, 1900). (H.936).

1436. *zelina* Duclos, 1835, Hist. Nat. Coq. Univ., Colomb., pl. 4, figs. 5-6. No loc. Reeve, 1859, Conch. Icon., 11, *Columbella*, pl. 24, fig. 152.

DENTIMITRELLA Ludbrook, 1958, Trans. Roy. Soc. South Aust., 81, p. 61. O.T. *lincolnensis* Reeve.

1437. *lincolnensis* Reeve, 1859, Conch. Icon., 11, *Columbella*, pl. 29, fig. 184. Port Lincoln, South Australia (H.939).

1438. *pulla* Gaskoin, 1852, Proc. Zool. Soc. Lond., 1851, p. 6. No loc. = Port Jackson, N.S.W. Reeve, 1858, Conch. Icon., 11, *Columbella*, pl. 19, fig. 106 (H.942).

1439. *tayloriana* Reeve, 1859, Conch. Icon., 11, *Columbella*, pl. 35, fig. 225. North-west Australia (error = New South Wales), (= *albomaculata* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 111, pl. 13, fig. 5. Port Jackson, N.S.W. Hedley, 1913, Proc. Linn. Soc. N.S.W., 38, p. 320) (H.944).

1440. *semiconvexa* Lamarck, 1822, Hist. Anim. s. Vert., 7, p. 272. No loc. Kiener, 1834, Coq. Vivants, *Buccinum*, p. 49, pl. 17, fig. 60 (H.943).

1441. *australis* Gaskoin, 1852, Proc. Zool. Soc. Lond., 1851, p. 5. Sydney, N.S.W. Reeve, 1858, Conch. Icon., 11, *Columbella*, pl. 15, fig. 78 (H.933).

1442. *peroniana* Hedley, 1913, Proc. Linn. Soc. N.S.W., 38, p. 318. New name for *Columbella bicincta* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 14, pl. 1, fig. 3. Port Jackson, N.S.W. (not *C. bicincta* Gould, 1860) (H.940).

1443. *intexta* Gaskoin, 1852, Proc. Zool. Soc. Lond., 1851, p. 7. Australia. Reeve, 1859, Conch. Icon., 11, *Columbella*, pl. 17, fig. 88 (H.937).

1444. *leucostoma* Gaskoin, 1852, Proc. Zool. Soc. Lond., 1851, p. 4. No loc. Reeve, 1859, Conch. Icon., 11, *Columbella*, pl. 34, fig. 220 (H.938).

LAVESOPUS Iredale, 1929, Mem. Queensland Mus., 9, p. 289. O.T. *cumingii* var. *queenslandica* Hedley.

1445. *queenslandicus* Hedley, 1913, Proc. Linn. Soc. N.S.W., 38, p. 324. Caloundra, S. Queensland. Not figured. Cf. *cumingi* Reeve, 1859, Conch. Icon., 11, *Columbella*, pl. 25, fig. 156. Philippine Is.

1446. *plurisulcatus* Reeve, 1859, Conch. Icon., 11, *Columbella*, pl. 36, fig. 233. Port Jackson, N.S.W. (H.949).

1447. *cassandra* Hedley, 1904, Proc. Linn. Soc. N.S.W., 29, p. 187, pl. 8, fig. 17. Port Jackson, N.S.W. (H.948A).

1448. *pallidulus* Hedley, 1906, Proc. Linn. Soc. N.S.W., 30, p. 534, pl. 32, fig. 26. Manly, New South Wales (H.948B).

1449. *australis* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 172, pl. 26, fig. 5. Port Jackson, N.S.W. (H.948).

PSEUDAMYCLA Pace, 1902, Proc. Malacol. Soc., 5, p. 255. O.T. *dermestoidea* Lamarck.

1450. *dermestoidea* Lamarck, 1822, Hist. Anim. s. Vert., 7, p. 275. No loc. Kiener, 1834, Coq. Vivants, *Buccinum*, p. 52, pl. 25, fig. 100. Angas, 1865, Proc. Zool. Soc. Lond., 1865, p. 167. Port Jackson, N.S.W. Pace, 1902, op. cit., p. 255, figs. 1-11 (H.947).

GRAPHICOMASSA Iredale, 1929, Mem. Queensland Mus., 9, p. 289. O.T. *ligula* Duclos.

1451. *ligula* Duclos, 1840, Illus. Conch. (Chenu), *Columbella*, pl. 11, fig. 16. No loc.

1452. *conspersa* Gaskoin, 1852, Proc. Zool. Soc. Lond., 1851, p. 11. No loc. Reeve, 1858, Conch. Icon., 11, *Columbella*, pl. 19, fig. 99.

- METANACHIS Thiele, 1924, Arch. fur Moll., Jahr. 56, p. 207. O.T. *jaspidea* Sowerby (= *acleonta* Duclos).
1453. *acleonta* Duclos, 1840, Illus. Conch. (Chenu), *Columbella*, pl. 11, figs. 3, 4. No loc. (= *jaspidea* Sowerby, 1844, = *plicaria* Montrouzier, 1862). Cf. Hedley, 1913, Proc. Linn. Soc. N.S.W., 38, p. 321 (H.931).
- PARATILIA Thiele, 1924, Arch. fur Moll., Jahr. 56, p. 204. H.T. *alizonae* Melvill and Standen.
1454. *alizonae* Melvill and Standen, 1901, Proc. Zool. Soc. Lond., 1901, p. 402, pl. 21, fig. 5. Persian Gulf. Hedley, 1913, Proc. Linn. Soc. N.S.W., 38, p. 321. Port Stephens, N.S.W. (H.932).
- ZELLA Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 271. H.T. *beddomei* Petterd.
1455. *beddomei* Petterd, 1884, J. of Conch., 4, p. 142. Brown's R., Tasmania (= *Columbella attenuata* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 14, pl. 1, fig. 4. Sydney Harbour, N.S.W.) (not *C. attenuata* Beyrich, 1854) (H.935).
1456. *puella* Sowerby, 1844, Proc. Zool. Soc. Lond., 1844, p. 52. Philippine Islands. Reeve, 1858, Conch. Icon., 11, *Columbella*, pl. 13, fig. 65 (H.941).
- PYRENEOLA Iredale, 1918, Proc. Malacol. Soc., 13, pp. 28, 31. H.T. *abyssicola* Brazier.
1457. *abyssicola* Brazier, 1877, Proc. Linn. Soc. N.S.W., 1, p. 232. Percy Isles No. 2, Queensland. Hedley, 1907, Proc. Linn. Soc. N.S.W., 27, p. 509, pl. 19, figs. 40-43.
- ANTIZAFRA Finlay, 1927, Trans. New Zeal. Inst., 57, p. 431. O.T. *pisanioptis* Hutton.
1458. *plexa* Hedley, 1902, Proc. Linn. Soc. N.S.W., 26, p. 702, fig. 25. Sydney Harbour, N.S.W. (H.955).
- MACROZAFRA Finlay, 1927, Trans. New Zeal. Inst., 57, p. 431. O.T. *subabnormis* Suter.
1459. *atkinsoni* Tenison-Woods, 1875, Proc. Roy. Soc. Tasm., 1875, p. 141. East Tasmania. Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 744, pl. 83, fig. 72 (H.950).
1460. *speciosa* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 35, pl. 5, fig. 3. Port Jackson, N.S.W. (H.950A).
1461. *lurida* Hedley, 1907, Proc. Linn. Soc. N.S.W., 32, p. 510, pl. 17, fig. 19. Sydney Harbour, N.S.W. Id., 1915, ib. 39, p. 745, pl. 83, fig. 73. (H.953).
- ZAFRA A. Adams, 1860, Ann. Mag. Nat. Hist., (3), 6, p. 331. H.T. *mitriformis* A. Adams.
1462. *avicennia* Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 742, pl. 83, figs. 68-69. Port Jackson, N.S.W. (H.951).
1463. *smithi* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 72, pl. 26, fig. 7. Port Jackson, N.S.W.
- Hedley, 1915, loc. cit., p. 742, pl. 83, fig. 75 (H.954).
1464. *fulgida* Reeve, 1859, Conch. Icon., 11, *Columbella*, pl. 28, fig. 178. Port Lincoln, South Australia (= *angasi* Brazier, 1871, Proc. Zool. Soc. Lond., 1871, p. 322. Port Jackson, N.S.W. New name for *Columbella interrupta* Angas, 1865, Proc. Zool. Soc. Lond., 1865, p. 56, pl. 5, figs. 9-10. South Australia (not *C. interrupta* Gaskoin, 1852)) (H.952).
1465. *babylonica* Hedley, 1907, Rec. Aust. Mus., 6, p. 358, pl. 67, fig. 16. Off Sydney, N.S.W., 300 fm. (H.934).

Family MURICIDAE

- PTEROCHELUS Jousseaume, 1879, Le Naturaliste, 1, (42), p. 335. O.T. *acanthopterus* Lamarck.
1466. *duffusi* Iredale, 1936, Rec. Aust. Mus., 19, p. 323, pl. 23, fig. 11. Broken Bay, N.S.W. (H.956).
1467. *damicornis* Hedley, 1903, Mem. Aust. Mus., 4, p. 378, fig. 92. Off Coogee, N.S.W., 40-50 fm. (H.959).
- MINNIMUREX Woolacott, 1957, Proc. Roy. Zool. Soc. N.S.W., 1955-6, p. 115. O.T. *phantom* Woolacott.
1468. *phantom* Woolacott, 1957, Proc. Roy. Zool. Soc. N.S.W., 1955-6, p. 115, fig. 8. Off Gerringong, N.S.W.
1469. *brazierii* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 171, pl. 26, fig. 3. Off Port Jackson, N.S.W., 20 fm. (H.958).
- HAUSTELLUM Schumacher, 1817, Essai nouv. Syst. Test., pp. 64, 213. T.T. *haustellum* Linne.
1470. *espinosus* Macpherson, 1959, Mem. Nat. Mus. Melb., 24, p. 51, pl. on p. 56, figs. 1, 1 a. Tweed Heads, N.S.W., 15-30 fm.
- POROPTERON Jousseaume, 1879, Le Naturaliste, 1, (42), p. 335. O.T. *uncinarius* Lamarck.
1471. *angasi* Crosse, 1863, J. de Conch., 11, p. 86, pl. 1, fig. 2. Port Jackson, N.S.W. (H.957).
- TORVAMUREX Iredale, 1936, Rec. Aust. Mus., 19, p. 323. O.T. *denudatus* Perry.
1472. *denudatus immunitus* Iredale, 1936, Rec. Aust. Mus., 19, p. 324, pl. 23, fig. 14. Off Sydney, N.S.W., 70 fm.
1473. *extraneus* Iredale, 1936, Rec. Aust. Mus., 19, p. 324, pl. 23, fig. 12. Sydney Harbour, N.S.W. (H.960).
1474. *patagiatus* Hedley, 1912, Rec. Aust. Mus., 8, p. 151, pl. 43, fig. 36. Port Jackson, N.S.W. (H.961).

Family TROPHONIDAE

- ENIXOTROPHON Iredale, 1929, Rec. Aust. Mus., 17, p. 185. O.T. *carduelis* Watson.
1475. *carduelis* Watson, 1886, Rep. Sci. Res. Challenger, Zool., 15, p. 167, pl. 10, fig. 7. Off Sydney, N.S.W., 410 fm. (H.962).
- BENTHOXYSTUS Iredale, 1929, Rec. Aust. Mus., 17, p. 185. O.T. *columnarius* Hedley and May.
1476. *columnarius* Hedley and May, 1908, Rec. Aust. Mus., 7, p. 121, pl. 24, fig. 22. Off Cape Pillar, Tasmania, 100 fm. (H.963).
1477. *petterdi* Crosse, 1870, J. de Conch., 18, p. 303. Id. ib., 1871, 19, p. 324, pl. 12, fig. 2. North Tasmania (H.967).
- LITOZAMIA Iredale, 1929, Rec. Aust. Mus., 17, p. 185. O.T. *rudolphi* Brazier.
1478. *goldsteini* Tenison-Woods, 1876, Proc. Roy. Soc. Tasm., 1875, p. 136. South Tasmania. Verco, 1895, Trans. Roy. Soc. South Aust., 19, p. 97, pl. 1, figs. 4, 4 a, 5 (H.964).
1479. *rudolphi* Henn and Brazier, 1894, Proc. Linn. Soc. N.S.W., 19, p. 166, pl. 14, fig. 1. Port Jackson, N.S.W. (H.968).
- GEMIXYSTUS Iredale, 1929, Rec. Aust. Mus., 17, p. 185. O.T. *laminatus* Petterd.
1480. *laminatus* Petterd, 1884, J. of Conch., 4, p. 136. Tasmania. Tate and May, 1901, Proc. Linn. Soc. N.S.W., 26, pp. 352, 453, pl. 22, fig. 3 (type figured) (H.965).
- APIXYSTUS Iredale, 1929, Rec. Aust. Mus., 17, p. 185. O.T. *stimuleus* Hedley.
1481. *stimuleus* Hedley, 1907, Rec. Aust. Mus., 6, p. 293, pl. 55, fig. 19. Off Narrabeen, N.S.W., 80 fm. (H.970).
- EMOZAMIA Iredale, 1929, Rec. Aust. Mus., 17, p. 185. O.T. *licina* Hedley and Petterd.
1482. *licina* Hedley and Petterd, 1906, Rec. Aust. Mus., 6, p. 219, pl. 37, fig. 6. Off Sydney, N.S.W., 250 fm. (H.966).
- ENATIMENE Iredale, 1929, Rec. Aust. Mus., 17, p. 185. O.T. *simplex* Hedley.
1483. *simplex* Hedley, 1903, Mem. Aust. Mus., 4, p. 380, fig. 93. Off Port Kembla, N.S.W., 63-75 fm. (H.969).
- XENOTROPHON Iredale, 1929, Rec. Aust. Mus., 17, p. 184. O.T. *euschema* Iredale.
1484. *euschema* Iredale, 1929, Rec. Aust. Mus., 17, p. 184, pl. 40, fig. 3. Off Montagu I., N.S.W., 50-60 fm.

FAMILY POSITION UNCERTAIN

- GALFRIDUS Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 271. H.T. *speciosus* Angas.
1485. *speciosus* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 13, pl. 1, fig. 1. Port Jackson, N.S.W. (H.971).
- ASPELLA Murch, 1877, Malak. Blatt., 24, p. 24. H.T. *anceps* Lamarck.
1486. *anceps* Lamarck, 1822, Hist. Anim. s. Vert., 7, p. 154. No loc. Kiener, 1842, Coq. Vivants, *Ranella*, p. 36, pl. 4, fig. 2. Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 180. Port Stephens, N.S.W. (H.972).
1487. *undata* Hedley, 1907, Rec. Aust. Mus., 6, p. 294, pl. 55, fig. 15. Off Narrabeen, N.S.W., 80 fm. (H.973).
- Family TYPHIDAE*
- TYPHINA Jousseaume, 1880, Le Naturaliste, 1, (42), p. 335. O.T. *belcheri* Broderip.
1488. *philippensis interpres* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 272, pl. 34, fig. 10. Two-fold Bay, N.S.W.
- CYPHONOCHELUS Jousseaume, 1882, Rev. Mag. Zool., 1879, p. 337. O.T. *arcuatus* Hinds. Valid emendation of *Siphonochelus* Jousseaume, 1880, Le Naturaliste, 1, (42), p. 335 (an invalid original spelling). O.T. "avenatus" Hinds".
1489. *syringianus* Hedley, 1903, Mem. Aust. Mus., 4, p. 381, fig. 94. Off Cape Three Points, N.S.W., 41-50 fm. (H.976).
1490. *generosus* Iredale, 1936, Rec. Aust. Mus., 19, p. 325, pl. 24, fig. 13. Off Green Cape, N.S.W., 70-85 fm.
- CHOREOTYPHIS Iredale, 1936, Rec. Aust. Mus., 19, p. 324. O.T. *pavlova* Iredale.
1491. *pavlova* Iredale, 1936, Rec. Aust. Mus., 19, p. 324, pl. 24, fig. 12. Off Sydney, N.S.W., 110 fm.
- Family CORALLIOPHILIDAE*
- TOLEMA Iredale, 1929, Rec. Aust. Mus., 17, p. 186. O.T. "sertata" Hedley". = *australis* Laseron.
1492. *australis* Laseron, 1955, Proc. Roy. Zool. Soc. N.S.W., 1953-4, p. 72, figs. 1, 2. Off Sydney, N.S.W., 110 fm. Iredale, 1929, Rec. Aust. Mus., 17, p. 186, pl. 41, figs. 3, 8 (*sertata*, not of Hedley, 1903).
- LINAXIAS Laseron, 1955, Proc. Roy. Zool. Soc. N.S.W., 1953-4, p. 72. O.T. *elongata* Laseron.
1493. *elongata* Laseron, 1955, Proc. Roy. Zool. Soc. N.S.W., 1953-4, p. 73, figs. 3-6. Off Crookhaven, N.S.W., 30-35 fm.
1494. *sertata* Hedley, 1903, Mem. Aust. Mus., 4, p. 382, figs. 95-96. Off Port Kembla, N.S.W., 63-75 fm. Laseron, 1955, loc. cit., p. 73, figs. 7-8 (H.987).

1495. *nodosa* A. Adams 1854, Proc. Zool. Soc. Lond., 1853, p. 98. "Philippine Is." (error, = Port Jackson, N.S.W.). Hedley, 1913, Proc. Linn. Soc. N.S.W., 38, p. 331, pl. 19, fig. 80. Laseron, 1955, loc. cit., p. 73, figs. 9, 10 (H.986).

RHOMBOTHAIIS Woolacott, 1954, Proc. Roy. Zool. Soc., N.S.W., 1952-3, p. 37. O.T. *arbutum* Woolacott.

1496. *arbutum* Woolacott, 1954, Proc. Roy. Zool. Soc. N.S.W., 1952-3, p. 38, pl. 3, figs. 1-2. Clarence River Heads, N.S.W. Laseron, 1955, loc. cit., p. 72, figs. 11-12.

LATAXIENA Jousseaume, 1883, Bull. Soc. Zool. France, 8, p. 183. T.T. *lataxiene* Jousseaume.

1497. *lataxiene* Jousseaume, 1883, Bull. Soc. Zool. France, 8, p. 183, pl. 10, fig. 1. Japan (= *imbricata* Smith, 1876, J. Linn. Soc. Lond. Zool., 12, p. 540, pl. 30, fig. 3). New Caledonia (not *L. imbricata* Smith, 1841). Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 271. Allan, 1950, Aust. Shells, p. 148, text fig. 33, fig. 4 (H.974).

Family COMINELLIDAE

RADULPHUS Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 270. O.T. *royanus* Iredale.

1498. *royanus* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 270, pl. 34, fig. 8. Twofold Bay, N.S.W., 15-25 fm.

1499. *lacteus* A. Adams and Angas, 1864, Proc. Zool. Soc. Lond., 1863, p. 422. Port Stephens, N.S.W. Hedley, 1901, Proc. Linn. Soc. N.S.W., 26, p. 19, pl. 2, fig. 10 (H.910).

COMINULA Finlay, 1926, Trans. New Zeal. Inst., 56, p. 239. O.T. *quoyana* A. Adams.

1500. *alveolata* Kiener, 1834, Coq. Vivants, *Buccinum*, p. 31, pl. 10, fig. 34. Western Port, Victoria (H.906).

1501. *eburnea* Reeve, 1846, Conch. Icon., 3, *Buccinum*, pl. 12, fig. 93. South West Australia. Swan, 1952, Proc. Roy. Zool. Soc. N.S.W., 1951-2, p. 45, fig. 13. Narooma, N.S.W.

1502. *filicea* Crosse and Fischer, 1864, J. de Conch., 12, p. 346. "South Australia" (error = Port Jackson, N.S.W.). Id., 1865, J. de Conch., 13, p. 49, pl. 3, figs. 15, 16 (H.907).

ERGALATAX Iredale, 1931, Rec. Aust. Mus., 18, p. 231. O.T. *recurrens* Iredale.

1503. *recurrens* Iredale, 1931, Rec. Aust. Mus., 18, p. 231, pl. 23, fig. 10. Sydney Harbour, N.S.W. (H.977).

BEDEVA Iredale, 1936, Rec. Aust. Mus., 19, p. 273. O.T. *hanleyi* Angas.

1504. *hanleyi* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 110, pl. 13, fig. 1. Port Jackson, N.S.W. (H.978).

Family COLUMBARIIDAE

COLUMBARIUM Martens, 1881, Conch. Mittheil., 2, p. 105. H.T. *spinicinctum* Martens.

1505. *pagodooides* Watson, 1882, J. Linn. Soc. Lond., Zool., 16, p. 383. Off Sydney, N.S.W., 410 fm. Id., 1886, Rep. Sci. Res. Challenger, Zool., 15, p. 197, pl. 14, fig. 3 (H.825).

1506. *hedleyi* Iredale, 1936, Rec. Aust. Mus., 19, pp. 315-316, pl. 24, figs. 18, 18 a. Off Sydney, N.S.W., 250 fm. (= *trabeatum* Iredale, 1936, Rec. Aust. Mus., 19, pp. 315-316, pl. 23, fig. 17. Off Sydney, N.S.W., 110 fm).

Family THAISIDAE

DICATHAIS Iredale, 1936, Rec. Aust. Mus., 19, p. 325. O.T. *orbita* Gmelin.

1507. *orbita* Gmelin, 1791, Syst. Nat., pt. 6, p. 3490. Botany Bay, N.S.W. (= *succincta* Martyn, 1784, Univ. Conch., pl. 45 non-binomial). Allan, 1950, Aust. Shells, pl. 23, fig. 11 (H.980).

1508. *vector* Thornley, 1952, Proc. Roy. Zool. Soc. N.S.W., 1951-2, p. 43, fig. 1, p. 44. Port Stephens, N.S.W.

AGNEWIA Tenison-Woods, 1878, Proc. Roy. Soc. Tasm., 1877, p. 29. New name for *Adamsia* Dunker, 1860, Proc. Zool. Soc. Lond., 1860, p. 421 (not *Adamsia* Forbes, 1840). O.T. *typica* Dunker = *tritoniformis* Blainville 1832.

1509. *tritoniformis* Blainville, 1832, Nouv. Ann. Mus. Hist. Nat. Paris, (3), 1, p. 221, pl. 10, fig. 10. Port Jackson, N.S.W. (= *levidensis* Kesteven, 1902, Proc. Linn. Soc. N.S.W., 26, p. 53, pl. 29, figs. 2-7. Port Jackson, N.S.W. = *nautica* Thornley, 1952, Proc. Roy. Zool. Soc. N.S.W., 1951-2, p. 43, fig. 2, p. 44. Port Stephens, N.S.W.) (H.982).

CRONIA H. and A. Adams, 1853, Gen. Rec. Moll., 1, p. 128. H.T. *amygdala* Kiener.

1510. *pseudamygdala* Hedley, 1903, Proc. Linn. Soc. N.S.W., 27, p. 599, pl. 29, figs. 4, 5. Sydney Harbour, N.S.W. (H.981).

LEPSIELLA Iredale, 1912, Proc. Malacol. Soc., 10, p. 223. O.T. *scobina* Quoy and Gaimard.

1511. *botanica* Hedley, 1918, J. Roy. Soc. N.S.W., 51, Suppl. M. 93. New name for *Purpura neglecta* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 110, pl. 13, fig. 3. Port Jackson, N.S.W. (not *P. neglecta* Michelotti, 1847) (H.983).

1512. *vinosa propinqua* Tenison-Woods, 1877, Proc. Roy. Soc. Tasm., 1876, p. 135. North-west coast Tasmania. Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 746, pl. 85, fig. 88 (H.984).

MANCINELLA Link, 1807, Besch. Samml. Univ. Rostock, 3, p. 115. T.T. *aculeata* Link (= *mancinella* Linne).

1513. *mancinella* Linne, 1758, Syst. Nat., 10 ed., p. 751. Rumph, 1741, Amboin. Rariteitk., pl. 24, fig. 5. No loc. (= Amboina). Woolacott, 1957, Proc. Roy. Zool. Soc. N.S.W., 1955-6, p. 113, fig. 7. Angourie, north N.S.W.
- MENATHAIS Iredale, 1937, Aust. Zool., 8, p. 256. O.T. *pica* Blainville, 1832 (= *Galeodes tuberosa* Bolten-Roding).
1514. *tuberosa* Bolten-Roding, 1798, Mus. Bolten, 2, p. 53, for Martini, 1777, Conch. Cab., 3, pl. 100, fig. 956b.
1515. *ambustulata* Hedley, 1912, Rec. Aust. Mus., 8, p. 152, pl. 44, fig. 37. Caloundra, Q'ld. (H.979).
- VEKILLA Swainson, 1840, Treat. Malac., p. 300. T.T. *vexillum* Gmelin (= *Provexillum* Hedley, 1918, J. Roy. Soc. N.S.W., 51, Suppl., M. 93, new name only).
1516. *vexillum* Gmelin, 1791, Syst. Nat., pt. 6, p. 520. East Indies. Chemnitz, 1788, Conch. Cab., 10, p. 222, pl. 157, figs. 1504-1505. Allan, 1950, Aust. Shells, p. 146, fig. 5 (H.985).
- PINAXIA H. and A. Adams, 1853, Gen. Rec. Moll., 1, p. 132. H.T. *coronata* H. and A. Adams (= *versicolor* Gray).
1517. *versicolor* Gray, 1839, Zool. Beechey's Voy., p. 114. Pacific Ocean (= *coronata* H. and A. Adams, 1853, Gen. Rec. Moll., 1, p. 132, pl. 14, fig. 1).
- NASSA Bolten-Roding, 1798, Mus. Bolten., 2, p. 132. L.T. (Dall, 1909, U.S. Geol. Surv. Prof. Pap., 59, p. 47) *picta* Bolten-Roding (= *seratum* Bruguiere) (= *Iopas* H. and A. Adams, 1853, Gen. Rec. Moll., 1, p. 128).
1518. *francolinus* Bruguiere, 1789, Ency. Meth. Vers., 1, p. 261. No loc. Kiener, 1835, Coq. Vivants, *Purpura*, pp. 133-134, pl. 41, fig. 96 (not figs. 96 a, 96 b) (*seratum*, not of Bruguiere, 1789).
1519. *seratum* Bruguiere, 1789, Ency. Meth. Vers., 1, p. 262. No loc. Kiener, 1835, Coq. Vivants, *Purpura*, pp. 133-134, pl. 41, fig. 96 a. Allan, 1950, Aust. Shells, p. 146, col. pl. 22, fig. 3.
- DRUPA Bolten-Roding, 1798, Mus. Bolten., 2, p. 55. L.T. (Wenz, 1941, Handbuch d. Palaeozool., (Schindewolf), 6, p. 1112) *ricinus* Linne.
1520. *ricinus* Linne, 1758, Syst. Nat., 10 ed., p. 750. Rumph, 1741, Amboin. Rariteitk., pl. 24, fig. E. Amboina. Allan, 1950, Aust. Shells, p. 147, fig. 10.
- MORULA Schumacher, 1817, Essai nouv. Syst. Test., pp. 68, 227. O.T. *papillosa* Schumacher (= *uva* Bolten-Roding).
1521. *uva* Bolten-Roding, 1798, Mus. Bolten, 2, p. 56. East Indies, for Martini, 1777, Conch. Cab., 3, pl. 101, fig. 970. Allan, 1950, Aust. Shells, p. 147, pl. 23, fig. 16.
1522. *anaxares* Kiener, 1835, Coq. Vivants, *Purpura*, p. 26, pl. 7, fig. 17. Loc. unknown. Thornley, 1954, Proc. Roy. Zool. Soc. N.S.W., 1952-3, p. 32, pl. 1, fig. 1. Angourie, north N.S.W.
1523. *marginalba* Blainville, 1832, Nouv. Ann. Mus. Hist. Nat. Paris, (3), 1, p. 209, pl. 10, fig. 6. South Seas (= Port Jackson, N.S.W.). Kiener, 1835, Coq. Vivants, *Purpura*, p. 24, pl. 5, fig. 11. Allan, 1950, Aust. Shells, p. 148, fig. 9 (H.989).
- OPPOMORUS Iredale, 1937, Aust. Zool., 8, p. 258. H.T. *noduliferus* Menke.
1524. *noduliferus* Menke 1829, Conch. Samml. Malsb., p. 33. No loc. (= Tonga) (= *chaidea* Duclos, 1832, Ann. Sci. Nat. Paris, 26, p. 106, pl. 1, fig. 4) (H.988).
- DRUPELLA Thiele, 1925, Wiss. d. Tiefsee Exp. "Valdivia", 17, (2), p. 137 (171). O.T. *siderea* Reeve.
1525. *ochrostoma* Blainville, 1832, Nouv. Ann. Mus. Hist. Nat. Paris, (3), 1, p. 205. Tonga. Based on Quoy and Gaimard, 1833, Voy. Astrol., Zool., pl. 38, fig. 8 (vernacular only). Thornley, 1954, Proc. Roy. Zool. Soc. N.S.W., 1952-3, p. 32, pl. 1, fig. 4. Woody Head, north N.S.W.
- SEMIRICINULA Martens, 1903, Wiss. d. Tiefsee Exp. "Valdivia", 7, (1), pp. 95, 137. L.T. (Iredale, 1918, Proc. Mal. Soc., 13, p. 38) *muricina* Blainville.
1526. *margariticola* Broderip, 1833, Proc. Comm. Zool. Soc. Lond., 2, p. 177. Lord Hood I., Pacific Ocean. Allan, 1950, Aust. Shells, p. 148, fig. 1.
1527. *biconica* Blainville, 1832, Nouv. Ann. Mus. Hist. Nat. Paris, (3), 1, p. 203, pl. 9, fig. 1. No loc. Thornley, 1954, Proc. Roy. Zool. Soc. N.S.W., 1952-3, p. 32, pl. 1, fig. 2. Ballina, north N.S.W.
1528. *spinosa* H. and A. Adams, 1853, Gen. Rec. Moll., 1, p. 130. Philippine Islands. Based on Reeve, 1846, Conch. Icon., 3, *Ricinula*, pl. 2, fig. 12b (*chrysostoma*, not of Deshayes, 1844) (= *ambusta* Dall, 1924, Proc. Acad. Nat. Sci. Philad., 75, p. 304, new name for fig. 12b above).
- Suborder TOXOGLOSSA*
- Family TEREBRIDAE*
- TEREBRA Lamarck, 1799, Mem. Soc. Hist. Nat. Paris, 1799, p. 71. H.T. *subulata* Linne.
1529. *fictilis* Hinds, 1844, Thes. Conch. (Sowerby), 1, p. 183, pl. 45, figs. 109-110. Port Jackson, N.S.W. Hedley, 1900, Proc. Linn. Soc. N.S.W., 25, p. 509, pl. 26, fig. 14 (H.809).
1530. *assimilis* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 111, pl. 13, fig. 8. Port Jackson, N.S.W.
1531. *bicolor* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 11, pl. 13, fig. 7. Port Jackson, N.S.W. (H.807).
- ACUMINIA Dall, 1908, Nautilus, 21, pp. 124-125. O.T. *lanceata* Linne.

1532. *lauretanae* Tenison-Woods, 1878, Proc. Linn. Soc. N.S.W., 2, p. 262. Off Port Jackson, N.S.W., 45 fm. Cf. May, 1923, Illus. Index Tasm. Shells, pl. 34, fig. 12. Off Schouten Is., Tasmania, 40 fm. (H.810).
1533. *lauretanae tabifica* Iredale, 1925, Rec. Aust. Mus., 14, p. 268. Off Sydney, N.S.W., 300 fm. Hedley and Petterd, 1906, Rec. Aust. Mus., 6, p. 222, pl. 37, fig. 9.
1534. *marmorata* Deshayes, 1859, Proc. Zool. Soc. Lond., 1859, p. 279. Port Curtis, Queensland. Reeve, 1860, Conch. Icon., 12, *Terebra*, pl. 19, fig. 91 (H.811).
1535. *venila* Tenison-Woods, 1879, Proc. Linn. Soc. N.S.W., 4, p. 23, pl. 4, fig. 2. Port Jackson, N.S.W. (H.813).
1536. *brazieri* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 16, pl. 1, fig. 15. Broken Bay, N.S.W. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 262, pl. 37, figs. 6, 7 (H.808).
- DIMIDACUS** Iredale, 1929, Aust. Zool., 5, p. 341. O.T. *melamans* Iredale.
1537. *exultus* Iredale, 1931, Rec. Aust. Mus., 18, p. 224, pl. 25, fig. 3. Sydney Harbour, N.S.W.
1538. *albomarginatus* Deshayes, 1859, Proc. Zool. Soc. Lond., 1859, p. 314. Port Jackson, N.S.W. Reeve, 1860, Conch. Icon., 12, *Terebra*, pl. 15, fig. 65.
1539. *melamans* Iredale, 1929, Aust. Zool., 5, p. 341, pl. 38, fig. 7. Sydney Harbour, N.S.W.
- TRIPLOSTEPHANUS** Dall, 1908, Nautilus, 21, pp. 124-125. O.T. *triseriatus* Gray.
1540. *praelongus* Deshayes, 1859, Proc. Zool. Soc. Lond., 1859, p. 315. Port Curtis, Queensland. Reeve, 1860, Conch. Icon., 12, *Terebra*, pl. 8, fig. 28 (H.812).
- PERVICACIA** Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 262. O.T. *ustulata* Deshayes.
1541. *ustulata* Deshayes, 1857, J. de Conch., 6 p. 97, pl. 3, fig. 12. Tasmania. Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 262. Disaster Bay, N.S.W., 10-25 fm.
1542. *assecla* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 263, pl. 36, fig. 16. Twofold Bay, N.S.W., 10-25 fm.
- DIPLOMERIZA** Dall, 1919, Nautilus, 33, p. 32. O.T. *duplicata* Lamarck.
1543. *ballina* Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 729, pl. 84, fig. 86. Trial Bay, N.S.W. (H.814).
1544. *vallesia* Hedley, 1912, Rec. Aust. Mus., 8, p. 147, pl. 43, fig. 31. Trial Bay, N.S.W. (H.815).
- PARVITEREBRA** Pilsbry, 1904, Proc. Acad. Nat. Sci. Philad., 56, p. 5. O.T. *pauciovulis* Pilsbry.
1545. *trilineata* A. Adams and Angas, 1864, Proc. Zool. Soc. Lond., 1863, p. 418, pl. 37, fig. 13. Port Jackson, N.S.W. (H.817).
1546. *brazieri* Angas, 1875, Proc. Zool. Soc. Lond., 1875, p. 390, pl. 45, fig. 5, 5 a. Off Port Jackson, N.S.W., 25 fm. (= *angasi* Tryon, 1884, Man. Conch., 7, p. 38, new name only) (H.816).
- Family CONIDAE**
- CYLINDRUS** Deshayes, 1824, Dict. Class. Hist. Nat., 5, p. 236. Emendation of *Cylinder* Montfort, 1810, Conch. Syst., 2, p. 390. O.T. *textile* Linne (not *Cylinder* Voet, 1796) (= *Darioconus* Iredale, 1930, Mem. Queensland Mus., 10, p. 79. O.T. *omaria* Bruguiere).
1547. *textile* Linne, 1758, Syst. Nat., 10 ed., p. 717. I. Banda, Moluccas. Rumph, 1741, Amboin. Rariteitk., pl. 32, figs. O, P.
1548. *osullivani* Iredale, 1931, Rec. Aust. Mus., 18, p. 224, pl. 25, fig. 13. Northern N.S.W.
- RHIZOCONUS** Murch, 1852, Cat. Conch. Yoldi, p. 68. L.T. (Iredale, 1930, Mem. Q'd. Mus., 10, p. 80) *miles* Linne.
1549. *capitaneus* Linne, 1758, Syst. Nat., 10 ed., p. 713. Amboina. Rumph, 1741, Amboin. Rariteitk., pl. 33, fig. X. Reeve, 1843, Conch. Icon., 1, *Conus*, pl. 11, fig. 54 (H.820).
- VIRROCONUS** Iredale, 1930, Mem. Queensland Mus., 10, p. 80. O.T. *ebraeus* Linne.
1550. *ebraeus* Linne, 1758, Syst. Nat., 10 ed., p. 715. Amboina. Rumph, 1741, Amboin. Rariteitk., pl. 33, fig. BB.
1551. *chaldaeus* Bolten-Roding, 1798, Mus. Bolten., 2, p. 42. Mauritius. Martini, 1773, Conch. Cab., 2, pl. 63, figs. 699, 700 (= *vermiculatus* Lamarck, 1822).
1552. *coronatus* Gmelin, 1791, Syst. Nat., pt. 6, p. 3389. No loc. Gualtier, 1742, Index Test. Conchyl., pl. 20, fig. R (H.821).
1553. *imperator* Woolacott, 1956, Proc. Roy. Zool. Soc. N.S.W., 1954-5, p. 72, p. 74, fig. 3. Cairns, Queensland.
- CLEOBULA** Iredale, 1930, Mem. Queensland Mus., 10, p. 78. O.T. *figulinus* Linne.
1554. *livida* Bruguiere, 1792, Ency. Meth. Vers., 1, p. 630. Based on D'Argenville, 1780, La Conchyl., ed. 3 (Favanne), p. 441, pl. 15, fig. M. Mauritius.
- FLORACONUS** Iredale, 1930, Mem. Queensland Mus., 10, p. 80. O.T. *anemone* Lamarck.
1555. *papilliferus* Sowerby, 1834, Conch. Illus., pt. 56, List., fig. 79. Port Jackson, N.S.W. Hedley, 1918, J. Roy. Soc. N.S.W., 51, Suppl., p. M.79 (*maculosus*, not of Sowerby 1833) (H.823).
1556. *jukesii* Reeve, 1848, Conch. Icon., 1, *Conus*, Suppl., pl. 2, fig. 278. North Australia.

1557. *peronianus* Iredale, 1931, Rec. Aust. Mus., 18, p. 224, pl. 25, fig. 12. Sydney Harbour, N.S.W.

1558. *aplustre* Reeve, 1843, Conch. Icon., I, *Conus*, pl. 30, fig. 170. Botany Bay, N.S.W. (= *cockii* Brazier, 1870, Proc. Zool. Soc. Lond., 1870, p. 109. Botany Bay, N.S.W.) (H.819).

1559. *angasi* Tryon, 1884, Man. Conch., 6, p. 62, pl. 19, fig. 99. Port Jackson, N.S.W. New name for *Conus metcalfei* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 173, pl. 26, fig. 13 (not *C. metcalfei* Reeve 1843) (= *sydneyensis* Sowerby, 1887, Thes. Conch., 5, p. 260, pl. 510, fig. 694, new name as above) (H.818).

1560. *innotabilis* Smith, 1891, Proc. Zool. Soc. Lond., 1891, p. 487, pl. 40, fig. 1. Richmond River, northern N.S.W. (H.822).

PARVICONUS Cotton and Godfrey, 1932, South Aust. Nat., 13, p. 68. O.T. *rutilus* Cotton and Godfrey (not of Menke, 1843, Spec. Moll. Nov. Holl., p. 27. Western Australia).

1561. *smithi* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 36, pl. 5, fig. 8. Botany Bay, N.S.W. (H.824).

ENDEMOCONUS Iredale, 1931, Rec. Aust. Mus., 18, p. 225. O.T. *howelli* Iredale.

1562. *howelli* Iredale, 1929, Rec. Aust. Mus., 17, p. 182, pl. 40, figs. 1, 8. Off Montagu Island, N.S.W., 50-60 fm.

VIRGICONUS Cotton, 1945, Rec. South Aust. Mus., 8, p. 253. O.T. *virgo* Linne.

1563. *rufimaculosus* Macpherson, 1959, Mem. Nat. Mus. Melb., 24, p. 54, pl. on p. 56, figs. 5 a-c. Tweed Heads, N.S.W., 15-30 fm.

Family TURRIDAE

[Ref.:—Laseron, 1954, Revision of New South Wales Turridae, Aust. Zool. Handbook, Roy. Zool. Soc. N.S.W., pp. -56, pls. 1-12, figs. 1-264.]

Subfamily TURRINAE

XENUROTURRIS Iredale, 1929, Mem. Queensl. Mus., 9, p. 285. O.T. *legitima* Iredale.

1564. *corona* Laseron, 1954, Revision N.S.W. Turridae, p. 6, pl. 1, figs. 1, 2. Off Green Cape, N.S.W., 50-70 fm.

AUSTROTURRIS Laseron, 1954, Revision N.S.W. Turridae, p. 6. O.T. *steira* Hedley.

1565. *steira* Hedley, 1922, Rec. Aust. Mus., 13, p. 224, pl. 42, fig. 11. Off Cape Three Points, N.S.W., 50 fm. Laseron, 1954, op. cit., p. 6, pl. 1, figs. 3, 4.

EUGEMMULA Iredale, 1931, Rec. Aust. Mus., 18, p. 226. O.T. *hawleyi* Iredale.

1566. *hawleyi* Iredale, 1931, Rec. Aust. Mus., 18, p. 226, pl. 25, figs. 11, 14. Sydney Harbour, N.S.W. Laseron, 1954, op. cit., p. 7, pl. 1, figs. 5-7.

EPIDIRELLA Iredale, 1931, Rec. Aust. Mus., 18, p. 226. H.T. *tasmanica* May (= *Austrogemmula* Laseron, 1954, Revision N.S.W. Turridae, p. 7. O.T. *tasmanica* May).

1567. *tasmanica* May, 1910, Proc. Roy. Soc. Tasm., 1910, p. 391, pl. 12, fig. 16. Off Schouten I., Tasmania, 40 fm. Laseron, 1954, op. cit., pl. 1, figs. 8-9. Disaster Bay, N.S.W., 5 fm.

CLAMTURRIS Iredale, 1931, Rec. Aust. Mus., 18, p. 226. O.T. *incredula* Iredale.

1568. *incredula* Iredale, 1931, Rec. Aust. Mus., 18, p. 226, pl. 25, fig. 21. Sydney Harbour, N.S.W. Laseron, 1954, op. cit., p. 7, pl. 1, fig. 10.

MICANTAPEX Iredale, 1936, Rec. Aust. Mus., 19, p. 319. O.T. *agnata* Hedley and Petterd.

1569. *agnata* Hedley and Petterd, 1906, Rec. Aust. Mus., 6, p. 220, pl. 37, fig. 3. Off Sydney, N.S.W., 250 fm. Laseron, 1954, op. cit., p. 8, pl. 1, figs. 11-12 (H.828).

1570. *profundis* Laseron, 1954, Revision N.S.W. Turridae, p. 8, pl. 1, fig. 13. Off Sydney, N.S.W., 300 fm.

1571. *lacertosus* Hedley, 1922, Rec. Aust. Mus., 13, p. 242, pl. 44, fig. 32. Off Point Plomer, N.S.W., 50 fm. Laseron, 1954, op. cit., p. 8, pl. 1, fig. 14.

LUCERAPEX Iredale, 1936, Rec. Aust. Mus., 19, p. 320. O.T. *casearia* Hedley and Petterd.

1572. *casearia* Hedley and Petterd, 1906, Rec. Aust. Mus., 6, p. 220, pl. 37, fig. 5. Off Sydney, N.S.W., 300 fm. Laseron, 1954, op. cit., p. 8, pl. 1, fig. 15 (H.826).

1573. *regilla* Iredale, 1936, Rec. Aust. Mus., 19, p. 320. Off Sydney, N.S.W., 110 fm. Not figured. Cf. *casearia* Hedley and Petterd above.

EPIDIRONA Iredale, 1931, Rec. Aust. Mus., 18, p. 225. O.T. *hedleyi* Iredale.

1574. *hedleyi* Iredale, 1931, Rec. Aust. Mus., 18, p. 225. New name for *Epideira striata* Hedley, 1922 (not *E. striata* Gray, 1827), Rec. Aust. Mus., 13, p. 230, pl. 43, figs. 18-20. Port Jackson, N.S.W. Laseron, 1954, op. cit., p. 9, pl. 1, fig. 16 (H.857).

1575. *gabensis* Hedley, 1922, Rec. Aust. Mus., 13, p. 228, pl. 43, fig. 16. Off Gabo Island, Victoria, 80 fm. Laseron, 1954, op. cit., p. 9, pl. 1, figs. 17-20. Disaster Bay, N.S.W., 5 fm.

1576. *philipineri* Tenison-Woods, 1877, Proc. Roy. Soc. Tasm., 1876, p. 136. North-west coast, Tasmania. May, 1923, Illus. Index Tasm. Shells, pl. 34, fig. 17 (*quoyi*, not of Des Moulins, 1842).

1577. *nodulosa* Laseron, 1954, Revision N.S.W. Turridae, p. 9, pl. 1, figs. 21-23. Off Crowdy Head, N.S.W., 50 fm.

1578. *carinata* Laseron, 1954, Revision N.S.W. Turridae, p. 9, pl. 2, figs. 24-26. Off Manning River, N.S.W., 40-50 fm.

1579. *tuberculata* Laseron, 1954, Revision N.S.W. Turridae, p. 10, pl. 2, figs. 27-28. Off Port Stephens, N.S.W., 30-35 fm.
1580. *costifera* Laseron, 1954, Revision N.S.W. Turridae, p. 10, pl. 2, fig. 29. Off Manning River, N.S.W., 40-50 fm.
1581. *candida* Laseron, 1954, Revision N.S.W. Turridae, p. 10, pl. 2, fig. 30. Off Cape Everard, N.S.W., 70-80 fm.
1582. *molleri* Laseron, 1954, Revision N.S.W. Turridae, p. 11, pl. 2, figs. 31-32. Off Crowdy Head, N.S.W., 50 fm.
- BENTHOFASCIS** Iredale, 1936, Rec. Aust. Mus., 19, p. 319. O.T. *biconica* Hedley.
1583. *biconica* Hedley, 1903, Mem. Aust. Mus., 4, p. 385, fig. 98. Shoalhaven Bight, N.S.W., 19-20 fm. Laseron, 1954, op. cit., p. 11, pl. 2, fig. 33 (H.829).
1584. *sarcinula* Hedley, 1905, Rec. Aust. Mus., 6, p. 53, fig. 21. Off Cape Byron, north N.S.W., 111 fm. Laseron, 1954, op. cit., p. 11, pl. 2, fig. 34 (H.831).
- VEXITOMINA** Powell, 1942, Bull. Auck. Inst. Mus., 2, p. 77. O.T. *metcalfei* Angas.
1585. *metcalfei* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 113, pl. 13, fig. 16. Port Jackson, N.S.W. Laseron, 1954, op. cit., p. 12, pl. 2, figs. 35-37 (H.849).
1586. *pilazona* Laseron, 1954, Revision N.S.W. Turridae, p. 12, pl. 2, figs. 38-39. Off Twofold Bay, N.S.W., 10-15 fm.
1587. *coxi* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 113, pl. 13, fig. 15. Port Jackson, N.S.W. Laseron, 1954, op. cit., pl. 2, figs. 40-41 (H.848).
1588. *garrardi* Laseron, 1954, Revision N.S.W. Turridae, p. 13, pl. 2, figs. 42-43. Twofold Bay, N.S.W.
1589. *coriorudis* Hedley, 1922, Rec. Aust. Mus., 13, p. 237, pl. 43, fig. 25. Off Sydney, N.S.W., 300 fm. Laseron, 1954, op. cit., p. 13, pl. 2, figs. 44-46.
1590. *suavis* Smith, 1888, Ann. Mag. Nat. Hist., (6), 2, p. 305. Off Cape Three Points, N.S.W. Hedley, 1903, Mem. Aust. Mus., 4, p. 489, fig. 103 (102 in error) (type figured). Laseron, 1954, op. cit., p. 13, pl. 2, fig. 47 (H.851).
1591. *torquata* Laseron, 1954, Revision N.S.W. Turridae, p. 13, pl. 3, figs. 48-49. Off Sydney, N.S.W., 30-35 fm.
- PARACUNEUS** Laseron, 1954, Revision N.S.W. Turridae, p. 14. O.T. *immaculatus* Tenison-Woods.
1592. *immaculatus peronianus* Laseron, 1954, Revision N.S.W. Turridae, p. 14, pl. 3, figs. 50-51. Port Jackson, N.S.W.
1593. *spadix* Watson, 1886, Rep. Sci. Res. Chal-
- lenger, Zool., 15, p. 310, pl. 26, fig. 6. Off Sydney, N.S.W., 35 fm. Laseron, 1954, op. cit., p. 14, pl. 3, figs. 52-53.
1594. *spadix tumulus* Laseron, 1954, Revision N.S.W. Turridae, p. 14, pl. 3, figs. 54-55. Off Twofold Bay, N.S.W., 50-70 fm.
1595. *kemblensis* Laseron, 1954, Revision N.S.W. Turridae, pl. 3, figs. 56-57. Off Port Kembla, N.S.W., 63-75 fm.
- CONTICOSTA** Laseron, 1954, Revision N.S.W. Turridae, p. 15. O.T. *petilinus* Hedley.
1596. *petilinus* Hedley, 1922, Rec. Aust. Mus., 13, p. 244, pl. 44, fig. 36. Jervis Bay, N.S.W. Laseron, 1954, op. cit., p. 15, pl. 3, fig. 58.
- Subfamily CLAVINAE*
- AUSTRODRILLIA** Hedley, 1918, J. Roy. Soc. N.S.W., 51, Suppl., p. M.79. O.T. *angasi* Crosse.
1597. *angasi* Crosse, 1863, J. de Conch., 11, p. 87, pl. 1, fig. 5. Port Jackson, N.S.W. Laseron, 1954, op. cit., p. 16, pl. 3, fig. 59 (H.844).
1598. *beraudiana* Crosse, 1863, J. de Conch., 11, p. 88, pl. 1, fig. 6. Port Jackson, N.S.W. Laseron, 1954, op. cit., p. 16, pl. 3, fig. 60 (H.845).
- SPLENDRILLIA** Hedley, 1922, Rec. Aust. Mus., 13, p. 250. O.T. *woodsi* Beddome.
1599. *woodsi* Beddome, 1883, Proc. Roy. Soc. Tasm., 1882, p. 167. South Tasmania. May, 1923, Illus. Index. Tasm. Shells, pl. 35, fig. 19. South Tasmania. Laseron, 1954, op. cit., pl. 3, figs. 61-63. Off Crookhaven, N.S.W., 30-35 fm. (H.847).
1600. *eburnea* Hedley, 1922, Rec. Aust. Mus., 13, p. 251, pl. 45, fig. 43. Off Gabo I., Victoria, 80 fm. Laseron, 1954, op. cit., p. 16, pl. 3, fig. 64.
1601. *nenia* Hedley, 1903, Mem. Aust. Mus., 4, p. 387, fig. 101. Off Cabbage Tree Is., Port Stephens, N.S.W., 24 fm. Laseron, 1954, op. cit., p. 16, pl. 3, figs. 65-67 (H.846).
1602. *spadicina* Hedley, 1922, Rec. Aust. Mus., 13, p. 252, pl. 45, fig. 45. Woolgoolga, N.S.W. Laseron, 1954, op. cit., p. 19, pl. 3, figs. 68-69.
1603. *lygdina* Hedley, 1922, Rec. Aust. Mus., 13, p. 252, pl. 45, fig. 44. Off Gabo I., Victoria, 150-200 fm. Laseron, 1954, op. cit., pl. 4, fig. 70.
1604. *molleri* Laseron, 1954, Revision N.S.W. Turridae, p. 17, pl. 4, fig. 71. Off Crowdy Head, N.S.W., 50 fm.
- MAORITOMELLA** Powell, 1942, Bull. Auck. Inst. Mus., 2, pp. 83, 113. O.T. *albula* Hutton.
1605. *dilecta* Hedley, 1903, Mem. Aust. Mus., 4, p. 387, fig. 100. Off Port Stephens, N.S.W., 24 fm. Laseron 1954, op. cit., p. 17, pl. 4, fig. 72 (H.864).
1606. *thola* Laseron, 1954, Revision N.S.W. Turridae, p. 18, pl. 4, fig. 73. Off Manning River, N.S.W., 40-50 fm.

1607. *foliacea* Laseron, 1954, Revision N.S.W. Turridae, p. 18, pl. 4, fig. 74. Off Twofold Bay, N.S.W., 40 fm.

MICRODRILLIA Casey, 1903, Proc. Acad. Nat. Sci. Philad., 55, p. 276. O.T. *cossmanni* Meyer.

1608. *fastosa* Hedley, 1907, Rec. Aust. Mus., 6, p. 295, pl. 55, fig. 21. Off Narrabeen, N.S.W., 80 fm. Laseron, 1954, op. cit., p. 19, pl. 4, fig. 75 (H.885).

1609. *stephensiensis* Laseron, 1954, Revision N.S.W. Turridae, p. 19, pl. 4, figs. 76-78. Off Port Stephens, N.S.W., 30-50 fm.

NARRAWEENA Laseron, 1954, Revision N.S.W. Turridae, p. 19. O.T. *subtilinea* Hedley.

1610. *subtilinea* Hedley, 1922, Rec. Aust. Mus., 13, p. 219, pl. 42, fig. 6. Port Jackson, N.S.W. (ex *subtilinea* Hedley, 1918, J. Roy. Soc. N.S.W., 51, Suppl., p. M.82. New name for *Pleurotoma violacea* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 92, not Hinds, 1845). Laseron, 1954, op. cit., p. 19, pl. 4, figs. 79-80 (H.865).

1611. *carrota* Laseron, 1954, Revision N.S.W. Turridae, p. 19, pl. 4, figs. 81-83. Off Port Stephens, N.S.W., 30-35 fm.

PULSARELLA Laseron, 1954, Revision N.S.W. Turridae, p. 20. O.T. *cognata* Smith.

1612. *cognata* Smith, 1877, Ann. Mag. Nat. Hist., (4), 19, p. 490. Australia. Hedley, Proc. Linn. Soc. N.S.W., 38, p. 487, pl. 10 bis, fig. 2 (type figured). Laseron, 1954, op. cit., pl. 4, fig. 84. Woolgoolga, N.S.W. (H.863).

Subfamily BORSONIINAE

TELEOCHILUS Harris, 1897, Cat. Tert. Moll. Brit. Mus., 1, p. 64. H.T. *gracillima* Tenison-Woods (= *Litachilus* Powell, 1944, Rec. Auck. Mus., 3, p. 64. O.T. *royanus* Iredale (not *Teleochilus* Harris as used by Hedley, 1922, Rec. Aust. Mus., 13, pp. 356, 357, which is *Benthofascis* Iredale, 1936)

1613. *royanus* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 264, pl. 34, fig. 67. Twofold Bay, N.S.W., 10-25 fm. Laseron, 1954, op. cit., p. 22, pl. 4, figs. 89-90.

MITRITHARA Hedley, 1922, Rec. Aust. Mus., 13, p. 233. O.T. *alba* Petterd.

1614. *probes* Hedley, 1922, Rec. Aust. Mus., 13, p. 236, pl. 43, fig. 22. Off Narrabeen, N.S.W., 80 fm. Laseron, 1954, op. cit., p. 21, pl. 4, fig. 85.

SCRINIUM Hedley, 1922, Rec. Aust. Mus., 13, p. 258. O.T. *brazieri* Smith.

1615. *brazieri* Smith, 1891, Proc. Zool. Soc. Lond., 1891, p. 487, pl. 40, fig. 2. Port Jackson, N.S.W. Laseron, 1954, op. cit., p. 21, pl. 4, fig. 86 (H.830).

1616. *furtivum* Hedley, 1922, Rec. Aust. Mus., 13, p. 259, pl. 45, fig. 53. Off Narrabeen, N.S.W., 80 fm. Laseron, 1954, op. cit., p. 21, pl. 4, fig. 87.

Subfamily MANGELIINAE

FILODRILLIA Hedley, 1922, Rec. Aust. Mus., 13, p. 220. O.T. *tricarinata* Tenison-Woods.

1617. *tricarinata* Tenison-Woods, 1878, Proc. Linn. Soc. N.S.W., 2, p. 265. Off Sydney Heads, N.S.W., 45 fm. Hedley, 1901, Rec. Aust. Mus., 4, p. 23, fig. 3 (type figured). Hedley, 1903, Mem. Aust. Mus., 4, p. 389, fig. 104 (adult specimen). Laseron, 1954, op. cit., p. 23, pl. 5, figs. 91-93 (H.852).

1618. *tricarinata intermissa* Laseron, 1954, Revision N.S.W. Turridae, p. 23, pl. 5, figs. 94-96. Off Green Cape, N.S.W., 50-70 fm.

1619. *mucronata* Hedley, 1922, Rec. Aust. Mus., 13, p. 222, pl. 42, fig. 8. Off Port Stephens, N.S.W., 24 fm. Laseron, 1954, op. cit., p. 23, pl. 5, figs. 97-99.

1620. *delicatula* Laseron, 1954, Revision N.S.W. Turridae, p. 23, pl. 5, fig. 100. Off Crookhaven, N.S.W., 30-35 fm.

1621. *stadialis* Hedley, 1922, Rec. Aust. Mus., 13, p. 224, pl. 42, fig. 10. Off Wollongong, N.S.W., 100 fm. Laseron, 1954, op. cit., p. 24, pl. 5, fig. 101.

1622. *haswelli* Hedley, 1907, Rec. Aust. Mus., 6, p. 297, pl. 55, fig. 22. Off Narrabeen, N.S.W., 80 fm. Laseron, 1954, op. cit., p. 24, pl. 5, fig. 102.

1623. *ordinata* Laseron, 1954, Revision N.S.W. Turridae, p. 24, pl. 5, fig. 103. Off Green Cape, N.S.W., 50-70 fm.

1624. *thornleyana* Laseron, 1954, Revision N.S.W. Turridae, p. 24, pl. 5, figs. 104, 105. Off Port Stephens, N.S.W., 30-35 fm.

1625. *vitrea* Laseron, 1954, Revision N.S.W. Turridae, p. 25, pl. 5, figs. 106-107. Off Cape Everard, N.S.W., 70-80 fm.

1626. *teres* Laseron, 1954, Revision N.S.W. Turridae, p. 25, pl. 5, figs. 108-109. Off Crookhaven, N.S.W., 20-25 fm.

AUSTROCARINA Laseron, 1954, Revision N.S.W. Turridae, p. 21. O.T. *recta* Hedley.

1627. *recta* Hedley, 1903, Mem. Aust. Mus., 4, p. 386, fig. 99. Off Cape Three Points, N.S.W., 41-50 fm. Laseron, 1954, op. cit., p. 22, pl. 4, fig. 88 (H.827).

AUSTROPUSILLA Laseron, 1954, Revision N.S.W. Turridae, p. 25. O.T. *hilum* Hedley.

1628. *hilum* Hedley, 1908, Proc. Linn. Soc. N.S.W., 33, p. 471, pl. 9, fig. 17. Sydney Harbour, N.S.W., 12 fm. Laseron, 1954, op. cit., p. 25, pl. 5, figs. 110-112 (H.880).

1629. *profundis* Laseron, 1954, Revision N.S.W.

- Turridae, p. 25, pl. 5, fig. 113. Off Green Cape, N.S.W., 70 fm.
- ETREMA** Hedley, 1918, J. Roy. Soc. N.S.W., 51, Suppl., p. M.79. O.T. *aliciae* Melvill and Standen.
1630. *bicolor* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 18, pl. 1, fig. 20. Port Jackson, N.S.W. Laseron 1954, op. cit., p. 26, pl. 6, figs. 114-115 (H.861).
1631. *alliterata* Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 728, pl. 82, figs. 56-57. Port Jackson, N.S.W. Laseron, 1954, op. cit., p. 26, pl. 6, figs. 116-118 (H.860).
1632. *nassoides* Reeve, 1845, Conch. Icon., 1, *Pleurotoma*, pl. 29, fig. 259. West Indies (error = Port Jackson, N.S.W.) (= *zonulata* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 113, pl. 13, fig. 17. Sydney Harbour.) Laseron, 1954, op. cit., p. 26, pl. 6, figs. 119-121 (H.862).
1633. *denseplicata tasmaniensis* Laseron, 1954, Revision N.S.W. Turridae, p. 27, pl. 6, figs. 122-124 (type 123). Off Crookhaven, N.S.W., 30-35 fm.
1634. *constricta* Laseron, 1954, Revision N.S.W. Turridae, p. 27, pl. 6, fig. 125-126. Port Jackson, N.S.W.
1635. *levicosta* Laseron, 1954, Revision N.S.W. Turridae, p. 27, pl. 6, figs. 127-128. Off Port Stephens, N.S.W., 30-35 fm.
1636. *pyramis* Laseron, 1954, Revision N.S.W. Turridae, p. 28, pl. 6, figs. 129-131. Shellharbour, N.S.W.
1637. *kitcheni* Laseron, 1954, Revision N.S.W. Turridae, p. 28, pl. 6, figs. 131-134. Off Eden, N.S.W., 8 fm.
1638. *kitcheni attenuata* Laseron, 1954, Revision N.S.W. Turridae, p. 28, pl. 6, figs. 135-136. Off Sydney, N.S.W., 30-50 fm.
- GURALEUS** Hedley, 1918, J. Roy. Soc. N.S.W., 51, Suppl., p. M.79. O.T. *pictus* A. Adams and Angas.
1639. *pictus* A. Adams and Angas, 1864, Proc. Zool. Soc. Lond., 1863, p. 419, pl. 37, fig. 7. Port Jackson, N.S.W. Laseron, 1954, op. cit., p. 29, pl. 7, figs. 137-140 (H.837).
1640. *fascinus* Hedley, 1922, Rec. Aust. Mus., 13, p. 314, pl. 52, fig. 141. Port Jackson, N.S.W. Laseron, 1954, op. cit., p. 30, pl. 7, fig. 142.
1641. *fascinus stephenensis* Hedley, 1922, Rec. Aust. Mus., 13, p. 314, pl. 52, fig. 142, Port Stephens, N.S.W. Laseron, 1954, op. cit., p. 30, pl. 7, fig. 141.
1642. *tasmaniensis* Laseron, 1954, Revision N.S.W. Turridae, p. 30, pl. 7, figs. 143-144. Off Green Cape, N.S.W., 70 fm.
1643. *tasmaniensis tritomus* Laseron, 1954, Revision N.S.W. Turridae, p. 30, pl. 7, figs. 145-146. Off Green Cape, N.S.W., 50-70 fm.
1644. *flavescens* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 37, pl. 5, fig. 11. Port Jackson, N.S.W. Laseron, 1954, op. cit., p. 30, pl. 7, fig. 147 (H.833).
1645. *brazieri* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 18, pl. 1, fig. 21. Port Jackson, N.S.W. Laseron, 1954, op. cit., p. 30, pl. 7, figs. 148-149 (H.832).
1646. *asper* Laseron, 1954, Revision N.S.W. Turridae, p. 31, pl. 7, figs. 150-151. Off Clarence River, N.S.W., 15 fm.
1647. *nanus* Laseron, 1954, Revision N.S.W. Turridae, p. 31, pl. 7, fig. 152. Manly, N.S.W.
1648. *fossa* Laseron, 1954, Revision N.S.W. Turridae, p. 31, pl. 7, fig. 153. Twofold Bay, N.S.W., 30 fm.
- MITRAGURALEUS** Laseron, 1954, Revision N.S.W. Turridae, p. 32. O.T. *mitralis* A. Adams and Angas.
1649. *mitralis* A. Adams and Angas, 1864, Proc. Zool. Soc. Lond., 1863, p. 420. Port Jackson, N.S.W. Hedley, 1913, Proc. Linn. Soc. N.S.W., 38, p. 310, pl. 19, fig. 75. Laseron, 1954, op. cit., p. 32, pl. 7, figs. 154-155 (H.836).
- EUGURALEUS** Cotton, 1947, South Aust. Naturalist, 24, p. 15. O.T. *anisus* Cotton.
1650. *thornleyanus* Laseron, 1954, Revision N.S.W. Turridae, p. 32, pl. 7, figs. 156-157. Off Port Stephens, N.S.W., 30-35 fm.
1651. *jacksonensis* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 37, pl. 5, fig. 10. Off Port Jackson, N.S.W., 25 fm. Laseron, 1954, op. cit., p. 32, pl. 8, figs. 158-159 (H.838 pt.).
1652. *tasmanicus peronianus* Laseron, 1954, Revision N.S.W. Turridae, p. 33, pl. 8, fig. 160. Off Montagu I., N.S.W., 7 fm. (H.838 pt.).
- PARAGURALEUS** Powell, 1944, Rec. Auck. Inst. Mus., 3, p. 49. O.T. *balcombensis* Powell.
1653. *eminus* Hedley, 1905, Rec. Aust. Mus., 6, p. 53, fig. 20. Off Port Kembla, N.S.W., 63-75 fm. Laseron, 1954, op. cit., p. 33, pl. 8, figs. 161-162 (H.834).
1654. *eminus brevostium* Laseron, 1954, Revision N.S.W. Turridae, p. 34, pl. 8, fig. 163. Off Crookhaven, N.S.W., 30-35 fm.
1655. *howelli* Laseron, 1954, Revision N.S.W. Turridae, p. 34, pl. 8, figs. 164-165. Off Cape Everard, N.S.W., 70-80 fm.
1656. *subitus* Laseron, 1954, Revision N.S.W. Turridae, p. 34, pl. 8, figs. 166-168. Off Green Cape, N.S.W., 50-70 fm.
1657. *tepidus* Laseron, 1954, Revision N.S.W. Turridae, p. 34, pl. 8, fig. 169. Off Port Stephens, N.S.W., 30-35 fm.
1658. *costatus* Hedley, 1922, Rec. Aust. Mus., 13, p. 313, pl. 52, fig. 140. Off Narrabeen, N.S.W., 80 fm. Laseron, 1954, op. cit., p. 35, pl. 8, figs. 170-171.

1659. *serpentis* Laseron, 1954, Revision N.S.W. Turridae, p. 35, pl. 8, fig. 172. Port Jackson, N.S.W.
1660. *alternatus* Laseron, 1954, Revision N.S.W. Turridae, p. 35, pl. 8, figs. 173-175. Off Manning River, N.S.W., 40-50 fm.
1661. *permutatus* Hedley, 1922, Rec. Aust. Mus., 13, p. 320, pl. 53, fig. 148. Off Port Kembla, N.S.W., 63-75 fm. Laseron, 1954, op. cit., p. 35, pl. 8, fig. 176.
1662. *lucidus* Laseron, 1954, Revision N.S.W. Turridae, p. 35, pl. 8, figs. 177-178. Off Long Reef, north of Sydney, N.S.W., 14 fm.
- TURRELLA** Laseron, 1954, Revision N.S.W. Turridae, p. 36. O.T. *tenuilirata* Angas.
1663. *tenuilirata* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 17, pl. 1, fig. 18. Port Jackson, N.S.W., 5 fm. Laseron, 1954, op. cit., p. 36, pl. 9, figs. 179-182 (H.841).
1664. *morologus* Hedley, 1922, Rec. Aust. Mus., 13, p. 319, pl. 52, fig. 146. Off Botany Heads, N.S.W., 50-52 fm. Laseron, 1954, op. cit., p. 36, pl. 9, figs. 183-184.
1665. *crassa* Laseron, 1954, Revision N.S.W. Turridae, p. 36, pl. 9, figs. 185-186. Off Crookhaven, N.S.W., 30-35 fm.
1666. *letourneuxiana* Crosse and Fischer, 1865, J. de Conch., 13, p. 425, pl. 11, fig. 7. Port Jackson, N.S.W. Laseron, 1954, op. cit., p. 37, pl. 9, figs. 187-188 (H.835).
1667. *gracilis* Laseron, 1954, Revision N.S.W. Turridae, p. 37, pl. 9, figs. 189-190. Off Green Cape, N.S.W., 70 fm.
1668. *subcostata* Laseron, 1954, Revision N.S.W. Turridae, p. 37, pl. 9, figs. 191-192. Crookhaven Heads, N.S.W.
1669. *asperrima* Laseron, 1954, Revision N.S.W. Turridae, p. 38, pl. 9, figs. 193-194. Off Port Hacking, N.S.W.
- MARITA** Hedley, 1922, Rec. Aust. Mus., 13, p. 312. O.T. *compta* A. Adams and Angas.
1670. *compta* A. Adams and Angas, 1864, Proc. Zool. Soc. Lond., 1863, p. 419, pl. 37, fig. 5. Port Jackson, N.S.W. Laseron, 1954, op. cit., p. 38, pl. 9, figs. 195-196 (H.853).
1671. *elongata* Laseron, 1954, Revision N.S.W. Turridae, p. 38, pl. 9, figs. 197-198. Port Jackson, N.S.W.
1672. *tumida* Laseron, 1954, Revision N.S.W. Turridae, p. 39, pl. 9, figs. 199-200. Off Port Stephens, N.S.W., 30-35 fm.
- HETEROCITHARA** Hedley, 1922, Rec. Aust. Mus., 13, p. 297. O.T. *bilineata* Angas.
1673. *bilineata* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 18, pl. 1, fig. 23. Port Jackson, N.S.W. Laseron, 1954, op. cit., p. 40, pl. 9, figs. 201-202 (H.866).
- APISPIRALIA** Laseron, 1954, Revision N.S.W. Turridae, p. 40. O.T. *albocincta* Angas.
1674. *albocincta* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 18, pl. 1, fig. 22. Port Jackson, N.S.W. Laseron, 1954, op. cit., p. 40, pl. 10, figs. 203-204 (H.873).
1675. *catena* Laseron, 1954, Revision N.S.W. Turridae, p. 40, pl. 10, figs. 205-206. Off Long Reef, north of Sydney, N.S.W., 14 fm.
1676. *maxima* Laseron, 1954, Revision N.S.W. Turridae, p. 40, pl. 10, fig. 207. Twofold Bay, N.S.W., 10-15 fm.
- PSEUDODAPHNELLA** Boettger, 1895, Nachr. d. Malak. Gesell., 27, p. 58. O.T. *philippinensis* Reeve.
1677. *pustulata* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 38, pl. 5, fig. 14. Port Jackson, N.S.W. Laseron, 1954, op. cit., p. 41, pl. 10, figs. 208, 209 (H.855).
- PARAMONTANA** Laseron, 1954, Revision N.S.W. Turridae, p. 41. O.T. *modesta* Angas.
1678. *modesta* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 38, pl. 5, fig. 15. Port Jackson, N.S.W. Laseron, 1954, op. cit., p. 41, pl. 10, figs. 210, 211 (H.854).
1679. *rufozonata* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 38, pl. 5, fig. 13. Port Jackson, N.S.W. Laseron, 1954, op. cit., p. 41, pl. 10, fig. 12 (H.856).
1680. *fusca* Laseron, 1954, Revision N.S.W. Turridae, p. 41, pl. 10, figs. 213-214. Off Eden, N.S.W.
- APITUA** Laseron, 1954, Revision N.S.W. Turridae, p. 42. O.T. *delicatula* Laseron.
1681. *delicatula* Laseron, 1954, Revision N.S.W. Turridae, p. 42, pl. 10, figs. 215-216. Port Jackson, N.S.W.
- MACTEOLA** Hedley, 1918, J. Roy. Soc. N.S.W., 51, Suppl., p. M.79. O.T. *anomala* Angas.
1682. *anomala* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 34, pl. 5, fig. 1. Off Port Jackson, N.S.W., 25 fm. Laseron, 1954, op. cit., p. 42, pl. 10, fig. 217 (H.859).
- PSEUDORHAPHITOMA** Boettger, 1895, Nachr. d. Malak. Gesell., 27, p. 56. O.T. *fairbanki* G. and H. Nevill.
1683. *alticostata* Sowerby, 1896, Proc. Malacol. Soc., 2, p. 31, pl. 3, fig. 16. St. Vincent Gulf, South Aust. Laseron, 1954, op. cit., p. 43, pl. 10, fig. 218. Cronulla, N.S.W. (H.839).
1684. *informis* Hedley, 1922, Rec. Aust. Mus., 13, p. 310, pl. 51, fig. 135. Broughton Island, N.S.W. Laseron, 1954, op. cit., p. 43, pl. 10, fig. 219.
1685. *pyramidalis* Laseron, 1954, Revision N.S.W. Turridae, p. 43, pl. 10, figs. 220-221. Port Jackson, N.S.W.

Subfamily DAPHNELLINAE

PARADAPHNE Laseron, 1954, Revision N.S.W. Turridae, p. 44. O.T. *botanica* Hedley.

1686. *botanica* Hedley, 1918, J. Roy. Soc. N.S.W., 51, Suppl., p. M.83. New name for *Pleurotoma fragilis* Reeve, 1845, Conch. Icon., 1, *Pleurotoma*, pl. 21, fig. 179. Port Jackson, N.S.W. (not *P. fragilis* Deshayes, 1834). Hedley, 1922, Rec. Aust. Mus., 13, p. 326, pl. 53, figs. 157-159. Laseron, 1954, op. cit., p. 44, pl. 11, figs. 222-223 (H.869).

1687. *bucklandi* Laseron, 1954, Revision N.S.W. Turridae, p. 44, pl. 11, figs. 224-225. Twofold Bay, N.S.W., 10-15 fm.

ISODAPHNE Laseron, 1954, Revision N.S.W. Turridae, p. 44. O.T. *garrardi* Laseron.

1688. *garrardi* Laseron, 1954, Revision N.S.W. Turridae, p. 44, pl. 11, figs. 226-227. Twofold Bay, N.S.W., 10-15 fm.

AUSTRODAPHNELLA Laseron, 1954, Revision N.S.W. Turridae, p. 45. O.T. *clathrata* Laseron.

1689. *clathrata* Laseron, 1954, Revision N.S.W. Turridae, p. 45, pl. 11, figs. 228-229. Broken Bay, N.S.W.

ASPERDAPHNE Hedley, 1922, Rec. Aust. Mus., 13, p. 338. (New name for *Scabrella* Hedley, 1918, J. Roy. Soc. N.S.W., 51, Suppl. p. M.79, not *Scabrella* Sacco, 1890.) O.T. *versivestita* Hedley.

1690. *versivestita* Hedley, 1912, Rec. Aust. Mus., 8, p. 148, pl. 43, fig. 33. Botany Heads, N.S.W. Laseron, 1954, op. cit., p. 45, pl. 11, fig. 230 (H.877).

1691. *brenchleyi* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 37, pl. 5, fig. 12. Port Stephens, N.S.W. Laseron, 1954, op. cit., p. 45, pl. 11, figs. 231, 232 (H.874).

1692. *hayesiana* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 17, pl. 1, fig. 17. Port Jackson, N.S.W. Laseron, 1954, op. cit., p. 45, pl. 11, figs. 233-234 (H.875).

1693. *rugosa* Laseron, 1954, Revision N.S.W. Turridae, p. 46, pl. 11, figs. 235-237. Off Crookhaven, N.S.W., 30-35 fm.

1694. *sepulta* Laseron, 1954, Revision N.S.W. Turridae, p. 46, pl. 11, figs. 238-239. Port Jackson, N.S.W.

1695. *vestalis* Hedley, 1903, Mem. Aust. Mus., 4, p. 390, fig. 105. Off Cape Three Points, N.S.W., 41-50 fm. Laseron, 1954, op. cit., p. 46, pl. 11, figs. 240, 241 (H.878).

TASMADAPHNE Laseron, 1954, Revision N.S.W. Turridae, p. 46. O.T. *spicula* Laseron.

1696. *spicula* Laseron, 1954, Revision N.S.W. Turridae, p. 47, pl. 11, figs. 242-243. Off Crookhaven, N.S.W., 30-35 fm.

1697. *aculeola* Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 728, pl. 82, fig. 58. Port Jackson, N.S.W. Laseron, 1954, op. cit., p. 47, pl. 11, figs. 244, 245 (H.867).

FUSIDAPHNE Laseron, 1954, Revision N.S.W. Turridae, p. 47. O.T. *bullata* Laseron.

1698. *bullata* Laseron, 1954, Revision N.S.W. Turridae, p. 47, pl. 12, figs. 246-247. Twofold Bay, N.S.W., 10-15 fm.

VEPUCULA Melvill, 1917, Proc. Malacol. Soc., 12, pp. 141, 188. O.T. *sykesii* Melvill and Standen.

1699. *vepratica* Hedley, 1903, Mem. Aust. Mus., 4, p. 384, fig. 97. Off Port Kembla, N.S.W., 63-75 fm. Laseron, 1954, op. cit., p. 48, pl. 12, figs. 248-250 (H.879).

EXOMILUS Hedley, 1918, J. Roy. Soc. N.S.W., 57, Suppl., p. M.79. O.T. *lutarius* Hedley.

1700. *lutarius* Hedley, 1907, Rec. Aust. Mus., 6, p. 296, pl. 54, figs. 11, 12. Off Narrabeen, N.S.W., 80 fm. Laseron, 1954, op. cit., p. 48, pl. 12, figs. 251, 252 (*lutarius* in error) (H.842).

1701. *cylindricus* Laseron, 1954, Revision N.S.W. Turridae, p. 48, pl. 12, figs. 253-254. Off Narrabeen, N.S.W., 80 fm.

1702. *spica* Hedley, 1907, Rec. Aust. Mus., 6, p. 297, pl. 55, fig. 20. Off Narrabeen, N.S.W., 80 fm. Laseron, 1954, op. cit., p. 48, pl. 12, fig. 255 (H.881).

NEPOTILLA Hedley, 1918, J. Roy. Soc. N.S.W., 51, Suppl., p. M.79. O.T. *bathentoma* Verco.

1703. *serrata* Laseron, 1954, Revision N.S.W. Turridae, p. 49, pl. 12, figs. 256-257. Port Stephens, N.S.W.

1704. *carinata* Laseron, 1954, Revision N.S.W. Turridae, p. 49, pl. 12, figs. 258-259. Off Crookhaven, N.S.W., 30-35 fm.

1705. *excavata* Gatliff, 1906, Proc. Roy. Soc. Vict., 19, (n.s.), p. 1, pl. 1, figs. 1, 2. Point Nepean, Victoria. Laseron, 1954, op. cit., p. 49, pl. 12, fig. 260. Port Stephens, N.S.W. (H.872).

MICROGENIA Laseron, 1954, Revision N.S.W. Turridae, p. 50. O.T. *edwini* Henn and Brazier.

1706. *edwini* Henn and Brazier, 1894, Proc. Linn. Soc. N.S.W., 19, p. 168, pl. 14, fig. 3. Port Jackson, N.S.W. Laseron, 1954, op. cit., p. 50, pl. 12, figs. 261, 262 (H.870).

SPECIES OF DOUBTFUL CLASSIFICATION

1707. *Asperdaphne compacta* Hedley, 1922, Rec. Aust. Mus., 13, p. 340, pl. 55, fig. 174. Off Narrabeen, N.S.W., 80 fm. Laseron, 1954, op. cit., p. 51, pl. 12, fig. 263 (copied). (The types are in bad condition, and doubtfully referred to *Asperdaphne*.)

1708. *Pleurotoma (Drillia) multilirata* Smith, 1877, Ann. Mag. Nat. Hist., (4), 19, p. 496, ? Port Jackson, N.S.W. Type figured. Hedley, 1903, Mem.

Aust. Mus., 4, p. 389, fig. 102 (not 103). Laseron, 1954, op. cit., p. 51, pl. 12, fig. 264 (copied). This species was referred to *Inquisitor* by Hedley (1922) but it does not belong there. It has not been recorded since (see Laseron, 1954) (H.850).

Fusus pagodoides Watson, 1882, is not a Turrid, but is dealt with above under *Columbarium*. *Aspella undata* Hedley, 1907, Rec. Aust. Mus., 6, p. 294, pl. 55, fig. 15 (H.973), is not a Turrid, fide Laseron, 1954, op. cit., p. 51 (see above after Family Trophonidae).

Two apparently alien species were recorded by Hedley, 1922, from Norah Head, New South Wales, and as these are still doubtfully from this state, must be held in suspense for confirmation. These are *Daphnella boholensis* Reeve, 1843, Conch. Icon., 1, *Daphnella*, pl. 13, fig. 112 (Bohol I., Philippine Islands) and *Pleurotoma carinulata* Souverbie, 1875, J. de Conch., 23, p. 289, pl. 13, fig. 6 (New Caledonia). *Hemilinardia homochroa* Hedley, 1922, is a Queensland species which was recorded from New South Wales on the basis of one immature shell from Coogee, near Sydney, which cannot be identified with certainty.

Subclass PULMONATA

Order BASOMMATOPHORA

Family PYTHIIDAE

Melosidula Iredale, 1936, Rec. Aust. Mus., 19, p. 328. O.T. *zonata* H. and A. Adams.

1709. *zonata* H. and A. Adams, 1855, Proc. Zool. Soc. Lond., 1854, p. 32. Sydney, N.S.W. Hedley, 1906, Proc. Linn. Soc. N.S.W., 30, p. 537, pl. 33, fig. 30. Allan, 1950, Aust. Shells, p. 364, text fig. 86, fig. 6 (H.990).

1710. *granosula* Iredale, 1936, Rec. Aust. Mus., 19, p. 328, pl. 24, fig. 22. Sydney Harbour, N.S.W.

1711. *nucleus* Gmelin, 1791, Syst. Nat., pt. 6, p. 3651. "Otaheite" (error, ex Martyn, 1784, Univ. Conch., pl. 67, cf. Hedley, 1912, Rec. Aust. Mus., 8, p. 152) = Cooktown, N. Queensland. Allan, 1950, Aust. Shells, p. 364, text fig. 86, fig. 8.

Mariptychia Iredale, 1936, Rec. Aust. Mus., 19, p. 328. O.T. *xanthostoma* H. and A. Adams.

1712. *xanthostoma* H. and A. Adams, 1855, Proc. Zool. Soc. Lond., 1854, p. 35. Moreton Bay, Queensland. Hedley, 1902, Proc. Linn. Soc. N.S.W., 26, p. 704, pl. 34, fig. 18 (H.991).

Ophicarulus Beck, 1838, Index Moll., p. 108. H.T. *ornatus* Ferussac. [Ref.:—Iredale, 1926, Vict. Naturalist, 42, pp. 268-270, figs. in text.]

1713. *ornatus* Ferussac, 1821, Tabl. Syst. Anim. Moll., p. 103. Tasmania. Iredale, 1926, loc. cit., p. 268, fig. 1 (H.992).

1714. *sulcatus* H. and A. Adams, 1855, Proc. Zool. Soc. Lond., 1854, p. 34. Sydney, N.S.W. Hedley, 1913, Proc. Linn. Soc. N.S.W., 38, p. 333, pl. 19, fig. 86 (= *stutchburyi* Pfeiffer, 1857, Proc.

Zool. Soc. Lond., 1856, p. 393. Port Curtis, Queensland. Hedley, 1913, loc. cit., p. 334, pl. 19, fig. 88. (H.993).

1715. *quoyi* H. and A. Adams, 1855, Proc. Zool. Soc. Lond., 1854, p. 34. Moreton Bay, Queensland. Hedley, 1913, loc. cit., p. 333, pl. 19, fig. 87.

Plecotrema H. and A. Adams, 1854, Proc. Zool. Soc. Lond., 1853, p. 120. T.T. *typica* H. and A. Adams.

1716. *lirata* H. and A. Adams, 1854, Proc. Zool. Soc. Lond., 1853, p. 121. Moreton Bay, Queensland. Sykes, 1895, Proc. Malacol. Soc., 1, p. 241. Allan, 1950, Aust. Shells, p. 364, text fig. 86, fig. 12 (H.994).

Family LEUCONOPSIDAE

Leuconopsis Hutton, 1884, Trans. New Zeal. Inst., 16, p. 213. H.T. *obsoleta* Hutton.

1717. *inermis* Hedley, 1901, Proc. Linn. Soc. N.S.W., 25, p. 722, pl. 48, fig. 15. Sydney Harbour, N.S.W. (H.995).

Family SIPHONARIIDAE

Ellsiphon Iredale, 1940, Aust. Zool., 9, p. 437. H.T. *marza* Iredale.

1718. *denticulatus* Quoy and Gaimard, 1833, Voy. Astrol., Zool., 2, p. 340, pl. 25, figs. 19-20. Western Port, Victoria. McAlpine, 1952, Proc. Roy. Zool. Soc. N.S.W., 1951-2, p. 41, fig. 1. Sydney, N.S.W. (H.999).

Hubendickula McAlpine, 1952, Proc. Roy. Zool. Soc. N.S.W., 1951-2, p. 42. O.T. *diemenensis* Quoy and Gaimard.

1719. *diemenensis* Quoy and Gaimard, 1833, Voy. Astrol., Zool., 2, p. 327, pl. 25, figs. 1-12. Tasmania. McAlpine, 1952, loc. cit., p. 41, fig. 2.

Planesiphon Iredale, 1940, Aust. Zool., 9, p. 437. L.T. (McAlpine, 1952, loc. cit., p. 42) *elegans* Iredale.

1720. *bifurcata* Reeve, 1856, Conch. Icon., 9, *Siphonaria*, pl. 5, fig. 22. Port Jackson, N.S.W. McAlpine, 1952, loc. cit., p. 41, fig. 3 (H.998).

Talisiphon Iredale, 1940, Aust. Zool., 9, p. 442. O.T. *virgulata* Hedley.

1721. *virgulata* Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 751, pl. 85, figs. 96-98. Sydney, N.S.W. (H.1000).

1722. *oblivirugulata* Hubendick, 1943, Arkiv. fur. Zool., Bd. 35a, p. 4, figs. 2, 6. Port Jackson, N.S.W.

Pugillaria Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 277. O.T. *stowae* Verco.

1723. *stowae comita* Iredale, 1924, Proc. Linn. Soc. N.S.W., 49, p. 277. Sydney beaches, N.S.W. Not figured. Cf. *stowae* Verco, 1906, Trans. Roy. Soc. Sth. Aust., 30, p. 223, pl. 8, figs. 3, 8 (H.1002).

Family GADINIIDAE

(*Trimusculidae*)

GADINALEA Iredale, 1940, Aust. Zool., 9, p. 437. O.T.
conica Angas.

1724. *conica* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 115, pl. 13, fig. 27. Coogee Bay, near Sydney, N.S.W. (H.1003).

Family AMPHIBOLIDAE

SALINATOR Hedley, 1900, Proc. Linn. Soc. N.S.W., 25, p. 511. O.T. *fragilis* Lamarck.

1725. *fragilis* Lamarck, 1822, Hist. Anim. s. Vert., 6, (2), p. 179. King George's Sound, Western Australia. Delessert, 1841, Rec. Coq. Lam., pl. 31, figs. 4 a, b, c. Woolacott, 1945, Proc. Roy. Zool. Soc. N.S.W., 1944-5, p. 36, pl. 3, figs. 3, 4, 5, 6, 10 (H.997).

1726. *solida* Schacko, 1878, Jahrb. deut. Malak. Gesell., 5, p. 1, pl. 1. Sydney, N.S.W. Woolacott, 1945, loc. cit., p. 36, pl. 3, figs. 1, 2, 7, 8, 9.

Order STYLOMMAТОPHORA

Family ONCHIDIIDAE

[Ref.:—Bretnall, 1919, Rec. Aust. Mus., 12, pp. 303-328, pl. 38.]

ONCHIDIUM Buchanan, 1800, Trans. Linn. Soc. Lond., 5, p. 132. H.T. *typhae* Buchanan.

1727. *verruculatum* Cuvier, 1830, Regne Anim., 2 ed., 3, p. 46. Red Sea. Semper, 1882, Reise Arch. Philipp., 3, Land Moll., 6, p. 255, pl. 21, fig. 1, pl. 22, figs. 3, 4. Philippines. Bretnall, 1919, loc. cit., p. 310. Broken Bay, N.S.W.

1728. *damelii* Semper, 1882, Reise Arch. Philipp., 3, Land Moll., 6, p. 270, pl. 22, fig. 2, pl. 21, fig. 9. Sydney, N.S.W. Bretnall, 1919, loc. cit., p. 318. Allan, 1950, Aust. Shells, p. 367, text fig. 86, fig. 11.

1729. *chameleon* Brazier, 1886, Proc. Linn. Soc. N.S.W., 10, p. 729. Port Jackson, N.S.W. Bretnall, 1919, loc. cit., p. 320, pl. 38, figs. 1-4 (H.996).

ONCHIDELLA Gray, 1850, Fig. Mollusc. Anim., 2, p. 117. L.T. (Winckworth, 1932, J. of Conch., 19, p. 235) *nigricans* Quoy and Gaimard.

1730. *patelloide* Quoy and Gaimard, 1832, Voy. Astrol., Zool., 2, p. 212, pl. 15, figs. 21-23. New Zealand. Bretnall, 1919, loc. cit., p. 324. Port Jackson, N.S.W. Allan, 1950, Aust. Shells, p. 368, text fig. 86, fig. 13.

1731. *reticulata* Semper, 1882, Reise Arch. Philipp., 3, Land Moll., 6, p. 278, pl. 20, fig. 6, pl. 21, figs. 16, 20, 23, pl. 23, fig. 1. Sydney, N.S.W.

ONCHIDINA Semper, 1882, Reise Arch. Philipp., 3, Land Moll., 6, p. 287. O.T. *australis* Semper.

1732. *australis* Semper, 1882, Reise Arch. Philipp., 3, Land Moll., 6, p. 287, pl. 19, figs. 14, 15, pl. 21,

fig. 27, pl. 23, fig. 10. Brisbane, Queensland. Bretnall, 1919, loc. cit., p. 325. Allan, 1950, Aust. Shells, p. 369. Sydney Harbour, N.S.W.

Subclass OPISTHOBRANCHIA

Order CEPHALASPIDEA

"PYRAMIDELLIDAE"

Family ODOSTOMIIDAE

Subfamily ODOSTOMIINAE

[Refs.:—Laseron, 1951, Rec. Aust. Mus., 22, pp. 298-330, figs. 1-98. Laseron, 1959, Aust. J. Mar. Freshw. Res., 10, pp. 177-267, figs. 1-23.]

SYRNOLA A. Adams, 1860, Ann. Mag. Nat. Hist., (3), 5, p. 405. H.T. *gracillima* A. Adams.

1733. *tincta* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 15, pl. 1, fig. 11. Port Jackson, N.S.W. Laseron, 1951, loc. cit., p. 301, figs. 1, 2 (H.1026).

1734. *aurantiaca* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 112, pl. 13, fig. 4. Port Jackson, N.S.W. Laseron, 1951, loc. cit., p. 301, fig. 4 (H.1022).

1735. *bifasciata* Tenison-Woods, 1876, Proc. Roy. Soc. Tasm., 1875, p. 145. South Tasmania. Laseron, 1951, loc. cit., p. 301, fig. 8 (= *jucunda* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 173, pl. 26, fig. 10. Port Jackson, N.S.W.) (H.1023).

1736. *lata* Laseron, 1951, Rec. Aust. Mus., 22, p. 301, fig. 3. Jervis Bay, N.S.W.

1737. *jacksonensis* Laseron, 1951, Rec. Aust. Mus., 22, p. 301, fig. 5. Port Jackson, N.S.W., 15 fm.

1738. *manifesta* Hedley, 1912, Rec. Aust. Mus., 8, p. 143, pl. 42, figs. 23, 24. Port Stephens, N.S.W. Laseron, 1951, loc. cit., p. 303, fig. 6 (H.1025).

1739. *angusta* Laseron, 1951, Rec. Aust. Mus., 22, p. 303, fig. 7. Shellharbour, N.S.W.

1740. *convexa* Laseron, 1951, Rec. Aust. Mus., 22, p. 303, figs. 11, 95. Cronulla, N.S.W.

1741. *macrocephala* Hedley, 1903, Mem. Aust. Mus., 4, p. 362, fig. 85. Off Port Kembla, N.S.W., 63-75 fm. Laseron, 1951, loc. cit., p. 304, fig. 10 (H.1024).

COLSYRNOLA Iredale, 1929, Aust. Zool., 5, p. 348. O.T. *sericea* Iredale.

1742. *sericea* Iredale, 1929, Aust. Zool., 5, p. 348, pl. 38, fig. 16. Sydney Harbour, N.S.W.

1743. *decolorata* Iredale, 1936, Rec. Aust. Mus., 19, p. 322, pl. 24, fig. 14. Sydney Harbour, N.S.W. Laseron, 1951, loc. cit., p. 304, fig. 9.

AGATHA A. Adams, 1860, Ann. Mag. Nat. Hist., (3), 6, p. 422. H.T. *virgo* A. Adams.

1744. *australis* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 15, pl. 1, fig. 9. Port Jackson, N.S.W. Laseron, 1951, loc. cit., p. 305, fig. 14 (H.1030).

1745. *angasi* Tryon, 1886, Man. Conch., 8, p. 362, pl. 79, fig. 68. New name for *Odostomia lactea* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 112, pl. 13, fig. 11. Port Jackson, N.S.W. (not *O. lactea* Dunker, 1860). Laseron, 1951, loc. cit., p. 306, fig. 17 (H.1029).
1746. *simplex* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 15, pl. 1, fig. 10. Port Jackson, N.S.W. Laseron, 1951, loc. cit., p. 306, fig. 16 (H.1039).
1747. *laevis* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 112, pl. 13, fig. 10. Port Jackson, N.S.W. Laseron, 1951, loc. cit., p. 305, fig. 15 (H.1034).
- ODOSTOMIA** Fleming, 1813, Edinb. Encycl., 7, p. 76. L.T. (Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 157) *plicatus* Montagu.
1748. *indistincta* Brazier, 1894, Proc. Linn. Soc. N.S.W., 19, p. 171, pl. 14, fig. 7. Port Jackson, N.S.W. Laseron, 1951, loc. cit., p. 306, fig. 18 (H.1033).
1749. *microlinea* Laseron, 1951, Rec. Aust. Mus., 22, p. 307, fig. 47. Port Jackson, N.S.W.
1750. *tumerea* Laseron, 1951, Rec. Aust. Mus., 22, p. 307, fig. 45. Port Hacking, N.S.W.
1751. *stricta* Laseron, 1951, Rec. Aust. Mus., 22, p. 307, fig. 20. Port Stephens, N.S.W.
1752. *leopardis* Laseron, 1951, Rec. Aust. Mus., 22, p. 308, fig. 23. Port Jackson, N.S.W.
1753. *proletare* Laseron, 1951, Rec. Aust. Mus., 22, p. 304, fig. 13. Off Crookhaven, N.S.W., 30-35 fm.
1754. *tasmanica* Tenison-Woods, 1877, Proc. Roy. Soc. Tasm., 1876, p. 151. South Tasmania. May, 1923, Illus. Index Tasm. Shells, pl. 44, fig. 13. Laseron, 1951, loc. cit., p. 305, fig. 12. Off Clarence River, N.S.W., 15 fm.
1755. *occultidens* May, 1915, Proc. Roy. Soc. Tasm., 1915, pl. 4, fig. 19. Tasmania, 40 fm. Laseron, 1951, loc. cit., p. 307, fig. 19. Port Jackson, N.S.W.
- PARODOSTOMIA** Laseron, 1959, Aust. J. Mar. Freshw. Res., 10, p. 200. O.T. *compta* Brazier.
1756. *subcarina* Laseron, 1951, Rec. Aust. Mus., 22, p. 308, figs. 21, 22. Port Jackson, N.S.W.
1757. *pyramidata* Laseron, 1951, Rec. Aust. Mus., 22, p. 309, fig. 24. Port Jackson, N.S.W.
- HERVIERA** Melvill and Standen, 1899, J. of Conch., 9, p. 185. O.T. *gliricella* Melvill and Standen (= *Rugadentia* Laseron, 1951, Rec. Aust. Mus., 22, p. 309. O.T. *ignava* Hedley).
1758. *opaca* Hedley, 1906, Proc. Linn. Soc. N.S.W., 31, p. 524, pl. 33, fig. 41. Port Jackson, N.S.W. Laseron, 1951, loc. cit., p. 310, fig. 30 (H.1036).
1759. *ignava* Hedley, 1908, Proc. Linn. Soc. N.S.W., 33, p. 470, pl. 10, fig. 32. Sydney Harbour, N.S.W. Laseron, 1951, loc. cit., p. 309, fig. 25 (H.1032).
1760. *doliae* Laseron, 1951, Rec. Aust. Mus., 22, p. 309, fig. 26. Port Jackson Heads, N.S.W., 15 fm.
- ELODIAMEA** Hoyle, 1886, Zool. Rec., 22, (1885), Moll., p. 94, footnote. New name for *Elodia Folin* and Perier, 1870, Fonds de la Mer, 2, p. 175 (not *Elodia Robineau-Desvoidy*, 1863). L.T. (Laseron, 1959, loc. cit., p. 212) *elegans* Folin and Perier.
1761. *caelatura* Laseron, 1951, Rec. Aust. Mus., 22, p. 310, fig. 28. Port Jackson, N.S.W.
1762. *vincula* Laseron, 1951, Rec. Aust. Mus., 22, p. 310, fig. 29. Port Jackson, N.S.W.
1763. *gunnamatta* Laseron, 1951, Rec. Aust. Mus., p. 310, fig. 44. Port Hacking, N.S.W.
- EGILA** Dall and Bartsch, 1904, Proc. Biol. Soc. Wash., 17, p. 11. O.T. *lacunata* Carpenter.
1764. *mayii* Tate, 1898, Trans. Roy. Soc. South Aust., 22, p. 84, pl. 4, fig. 6. South Tasmania. Laseron, 1951, loc. cit., p. 312, fig. 31. Port Stephens, N.S.W.
1765. *portseaensis* Gatliff and Gabriel, 1911, Proc. Roy. Soc. Vict., 24, (n.s.), p. 188, pl. 46, fig. 1. Portsea, Victoria. Laseron, 1951, loc. cit., p. 313, fig. 35. Manly, N.S.W. (H.1038).
- PAREGILA** Laseron, 1951, Rec. Aust. Mus., 22, p. 312. O.T. *hennii* Henn and Brazier.
1766. *hennii* Henn and Brazier, 1894, Proc. Linn. Soc. N.S.W., 19, p. 171, pl. 14, fig. 8. Port Jackson, N.S.W. Laseron, 1951, loc. cit., p. 312, fig. 32 (H.1031).
- LINOPYRGA** Laws, 1941, Trans. Proc. Roy. Soc. New Zeal., 71, pp. 6, 7. O.T. *rugata* Hutton.
1767. *pascoei* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 112, pl. 13, fig. 12. Port Jackson, N.S.W. Laseron, 1951, loc. cit., p. 313, fig. 34 (H.1037).
1768. *kreffti* Angas 1867, Proc. Zool. Soc. Lond., 1867, p. 112, pl. 13, fig. 13. Port Jackson, N.S.W. (H.1037).
1769. *fornix* Laseron, 1951, Rec. Aust. Mus., 22, p. 313, fig. 46. Broken Bay, N.S.W.
1770. *brevis* Pritchard and Gatliff, 1900, Proc. Roy. Soc. Vict., 13, (n.s.), p. 135, pl. 21, fig. 4. Western Port, Victoria. Laseron, 1951, loc. cit., p. 313, fig. 36 (typical juvenile, Eden), fig. 37 (adult, Broken Bay, association doubtful) (H.1045).
1771. *ceria* Laseron, 1951, Rec. Aust. Mus., 22, p. 315, fig. 38. Port Jackson Heads, N.S.W., 5 fm.
1772. *pegma* Laseron, 1951, Rec. Aust. Mus., 22, p. 315, fig. 40. Port Jackson Heads, N.S.W., 15 fm.
1773. *lucida* Laseron, 1950, Rec. Aust. Mus., 22, p. 265, fig. 20 (*Haurakia*). Manly, N.S.W. (= *Linopyrga bisculpta* Laseron, 1951, Rec. Aust. Mus., 22, p. 315, fig. 33, Port Stephens, N.S.W.).
1774. *nugatoria* Hedley, 1903, Mem. Aust. Mus., 4, p. 363, fig. 87. Off Cape Three Points, N.S.W.,

- 41-50 fm. Laseron, 1951, loc. cit., p. 314, fig. 39 (H. 1035).
- MIRALDA A. Adams, 1864, J. Linn. Soc. Lond., Zool., 7, p. 3. L.T. (Dall and Bartsch, 1904, Proc. Biol. Soc. Washington, 17, p. 11) *diadema* A. Adams.
1775. *suprasculpta* Tenison-Woods, 1877, Proc. Roy. Soc. Vict., 1877, p. 57. South Tasmania. Tate and May, 1901, Proc. Linn. Soc. N.S.W., 26, p. 383, pl. 25, fig. 53, pl. 26, fig. 68. Laseron, 1951, loc. cit., p. 315, fig. 41. Port Stephens, N.S.W. (H.1040).
1776. *montuosa* Laseron, 1951, Rec. Aust. Mus., 22, p. 315, fig. 42. Port Hacking, N.S.W.
- LATAVIA Laseron, 1951, Rec. Aust. Mus., 22, p. 315. O.T. *pulchra* Henn and Brazier.
1777. *pulchra* Henn and Brazier, 1894, Proc. Linn. Soc. N.S.W., 19, p. 170, pl. 14, fig. 6. Port Jackson, N.S.W. Laseron, 1951, loc. cit., p. 316, fig. 65 (H.1075).
1778. *tricarinata* Laseron, 1951, Rec. Aust. Mus., 22, p. 316, fig. 64. Long Reef, near Manly, N.S.W.
- LASERONELLA Whitley, 1959, Proc. Roy. Zool. Soc. N.S.W., 1957-8, p. 60. New name for *Pandorella* Laseron, 1951, Rec. Aust. Mus., 1951, p. 316. (not *Pandorella* Conrad, 1862). O.T. *declinata* Laseron.
1779. *declinata* Laseron, 1951, Rec. Aust. Mus., 1951, p. 316, fig. 43. Port Hacking, N.S.W.
- CINCTIUGA Laseron, 1951, Rec. Aust. Mus., 22, p. 317. O.T. *diaphana* Verco.
1780. *diaphana* Verco, 1906, Trans. Roy. Soc. South Aust., 30, p. 143, pl. 4, fig. 11. South Australia. Laseron, 1951, loc. cit., p. 317, fig. 77. Port Jackson, N.S.W.
- HINEMOA Oliver, 1915, Trans. New Zeal. Inst., 47, p. 531. O.T. *punicea* Oliver.
1781. *ligata* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 173, pl. 26, fig. 11. Port Jackson, N.S.W. Laseron, 1951, loc. cit., p. 317, fig. 48 (*tasmanica*, not of Tenison-Woods, 1877) (H.1027).
- MYXA Hedley, 1903, Mem. Aust. Mus., 4, p. 363. O.T. *exesa* Hedley.
1782. *exesa* Hedley, 1903, Mem. Aust. Mus., 4, p. 363, fig. 86. Off Cape Three Points, N.S.W., 41-50 fm. Laseron, 1951, loc. cit., p. 317, fig. 49 (H.1028).
- Subfamily TURBONILLINAE
- TURBONILLA Risso, 1826, Hist. Nat. Europ. merid., 4, p. 224. L.T. (Gray, 1847, Proc. Zool. Soc. Lond., p. 152) *striata* Montagu.
1783. *scalarina* Henn and Brazier, 1894, Proc. Linn. Soc. N.S.W., 19, p. 170, pl. 14, fig. 5. Port Jackson, N.S.W. Laseron, 1951, loc. cit., p. 319, fig. 51 (*beddomei*, not of Petterd 1884) (H.1044).
1784. *scalpidens* Watson, 1886, Rep. Sci. Res. Challenger, Zool., 15, p. 489, pl. 32, fig. 1. Port Jackson, N.S.W., 2-10 fm. Hedley, 1903, Mem. Aust. Mus., 4, p. 362, fig. 54. Laseron, 1951, loc. cit., p. 319, figs. 58, 58 a (H.1052).
1785. *thornleyana* Laseron, 1951, Rec. Aust. Mus., 22, p. 320, fig. 74. Broken Bay, N.S.W.
- CHEMNITZIA Orbigny, 1839, in Webb and Berthelot, Hist. Nat. îles Canaries, p. 77. L.T. (Dall & Bartsch, 1904, Proc. Biol. Soc. Washington, 17, p. 7) *campanellae* Philippi.
1786. *hofmani* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 183. New name for *Turbanilla nitida* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 112, pl. 13, fig. 9. Port Jackson, N.S.W. (not *T. nitida* A. Adams, 1860) (= *angasi* Tenison-Woods, 1878, Proc. Roy. Soc. Tasm., 1877, p. 34, also new name for *T. nitida* Angas, 1867, as above). Laseron, 1951, loc. cit., p. 320, fig. 52 (H.1050).
1787. *mariae* Tenison-Woods, 1876, Proc. Roy. Soc. Tasm., 1875, p. 144. King I., Tasmania. May, 1923, Illus. Index Tasm. Shells, pl. 44, fig. 29. Laseron, 1951, loc. cit., p. 320, figs. 53, 98 a, b, c. Jervis Bay, N.S.W. (H.1051).
1788. *gravis* Laseron, 1951, Rec. Aust. Mus., 22, p. 320, fig. 54. Broken Bay, N.S.W.
1789. *macleayana* Tenison-Woods, 1877, Proc. Roy. Soc. Tasmania for 1876, p. 151. Tasmania. May, 1923, Illus. Index Tasm. Shells, pl. 44, fig. 25 (*acicularis*, not of A. Adams, 1853). Laseron, 1951, loc. cit., p. 321, fig. 55 (*acicularis*, not of A. Adams). Port Jackson, N.S.W.
1790. *similis* Laseron, 1951, Rec. Aust. Mus., 22, p. 321, fig. 56. Port Jackson, N.S.W.
1791. *vana* Laseron, 1951, Rec. Aust. Mus., 22, p. 321, fig. 57. Port Jackson, N.S.W.
1792. *propingua* Laseron, 1951, Rec. Aust. Mus., 22, p. 321, fig. 63. Port Stephens, N.S.W.
- PYRGISCUS Philippi 1841, Archiv. Naturg., 7, p. 50. L.T. (Dall and Bartsch, 1904, Proc. Biol. Soc. Washington, 17, p. 8) *rufa* Philippi.
1793. *fuscus* A. Adams, 1855, Proc. Zool. Soc. Lond., 1853, p. 181. Port Lincoln, South Australia (= *Turbanilla festiva* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 35, pl. 5, fig. 4. Port Jackson, N.S.W. (not *T. festiva* Folin, 1867, Les Meleagrinicoles, p. 49)). Laseron, 1951, loc. cit., p. 322, fig. 59 (H.1049).
1794. *infans* Laseron, 1951, Rec. Aust. Mus., 22, p. 322, fig. 60. Port Hacking, N.S.W.
1795. *hedleyi* Laseron, 1951, Rec. Aust. Mus., 22, p. 322, fig. 61. Crookhaven Heads, N.S.W.
1796. *pinguis* Laseron, 1951, Rec. Aust. Mus., 22, p. 323, fig. 73. Botany Bay, N.S.W.
1797. *flexicosta* Laseron, 1951, Rec. Aust. Mus., 22, p. 323, fig. 92. Broken Bay, N.S.W.
1798. *varicifer* Tate, 1898, Trans. Roy. Soc.

South Aust., 22, p. 85, pl. 4 bis., fig. 7. South Tasmania. Laseron, 1951, loc. cit., p. 323, fig. 62. Jervis Bay, N.S.W. (H.1053).

1799. *gravicosta* Laseron, 1951, Rec. Aust. Mus., 22, p. 324, fig. 50. Broken Bay, N.S.W.

PYRGISCILLA Laws, 1937, (March), Trans. Proc. Roy. Soc. New Zeal., 66, p. 405. L.T. (id. ib., 67, (Sept.), p. 172) *chattonensis* Marwick.

1800. *kitcheni* Laseron, 1951, Rec. Aust. Mus., 22, p. 324, fig. 94. Port Jackson, N.S.W., 6 fm.

PSEUDORISSOINA Tate and May, 1900, Trans. Roy. Soc. South Aust., 24, p. 98. O.T. *tasmanica* Tenison-Woods.

1801. *elegans* Hedley, 1905, Rec. Aust. Mus., 6, p. 51, fig. 17. Off Cape Byron, N.S.W., 111 fm. Laseron, 1951, loc. cit., p. 327, fig. 89 (H.1067).

1802. *exigua* Hedley, 1903, Mem. Aust. Mus., 4, p. 361, fig. 83. Off Cape Three Points, N.S.W., 41-50 fm. Laseron, 1951, loc. cit., p. 327, fig. 88 (H.1068).

1803. *exserta* Laseron, 1951, Rec. Aust. Mus., 22, p. 329, fig. 27. Off Crookhaven, N.S.W., 30-35 fm.

CINGULINA A. Adams, 1860, Ann. Mag. Nat. Hist., (3), 6, p. 414. O.T. *circinata* A. Adams.

1804. *spina* Crosse and Fischer, 1864, J. de Conch., 12, p. 347. Id. ib. 1865, 13, p. 44, pl. 3, figs. 13-14. St. Vincent Gulf, South Australia. Laseron, 1951, loc. cit., p. 327, fig. 75 (H.1018).

1805. *brazieri* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 35, pl. 5, fig. 5. Port Jackson, N.S.W. (= *Terebra hedleyi* Smith, 1890, Proc. Linn. Soc. N.S.W., 29, p. 211. Laseron, 1951, loc. cit., p. 327, fig. 76 (*circinata*, not of A. Adams 1860) (H.1017).

Family MATHILDIDAE

[Ref.:—Laseron, 1951, Rec. Aust. Mus., 22, pp. 330-333, figs. 78-86 (not 91).]

EUCHARILDA Iredale, 1929, Rec. Aust. Mus., 17, p. 187. O.T. *elegantula* Angas.

1806. *elegantula* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 15, pl. 1, fig. 8. Port Jackson, N.S.W. (H.1021).

1807. *pleurorbis* Laseron, 1951, Rec. Aust. Mus., 22, p. 331, fig. 84. Manly, N.S.W.

OPIMILDA Iredale, 1929, Rec. Aust. Mus., 17, p. 187. O.T. *decorata* Hedley.

1808. *decorata* Hedley, 1903, Mem. Aust. Mus., 4, p. 352, fig. 75. Off Port Kembla, N.S.W., 63-75 fm. (H.1019).

1809. *protolineata* Laseron, 1951, Rec. Aust. Mus., 22, p. 331, fig. 81. Manly, N.S.W.

1810. *porrigata* Laseron, 1951, Rec. Aust. Mus., 22, p. 332, fig. 82. Off Point Halliday, N.S.W., 8-10 fm.

1811. *fastigia* Laseron, 1951, Rec. Aust. Mus., 22, p. 332, fig. 83. Port Stephens, N.S.W.

CHARILDA Iredale, 1929, Rec. Aust. Mus., 17, p. 187. O.T. *rosae* Hedley.

1812. *rosae* Hedley, 1901, Proc. Linn. Soc. N.S.W., 25, p. 721, pl. 48, figs. 13-14. Port Jackson, N.S.W. (H.1020).

MATHILDONA Iredale, 1929, Rec. Aust. Mus., 17, p. 186. O.T. *euglypta* Iredale.

1813. *euglypta* Iredale, 1929, Rec. Aust. Mus., 17, p. 186, pl. 40, fig. 6. Off Montagu I., N.S.W., 50-60 fm.

Family PUPIDAE (ACTEONIDAE)

ACTEON Montfort, 1810, Conch. Syst., 2, pp. 314-315. O.T. *tornatilis* Gmelin.

1814. *roseus* Hedley, 1906, Proc. Linn. Soc. N.S.W., 30, p. 535, pl. 33, fig. 42. Sydney Harbour, N.S.W. (H.1005).

1815. *subroseus* Iredale, 1936, Rec. Aust. Mus., 19, p. 330, pl. 24, fig. 25. Off Montagu I., N.S.W., 60-70 fm.

1816. *dolichoroseus* Iredale, 1936, Rec. Aust. Mus., 19, p. 330, pl. 24, fig. 27. Sydney Harbour, N.S.W.

1817. *fructuosus* Iredale, 1936, Rec. Aust. Mus., 19, p. 330, pl. 24, fig. 28. Off Green Cape, N.S.W., 70 fm.

PUPA Bolten-Roding, 1798, Mus. Bolten., 2, p. 110. L.T. (Suter 1913, Man. New Zeal. Moll., p. 518) *solidula* Linne (= *Solidula* Fischer as used by Allan, 1950, Aust. Shells, p. 201).

1818. *nitidula* Lamarck, 1816, Ency. Meth., Vers., 1, Liste, p. 11, for Ency. Meth., pl. 452, figs. 2 a, b, "Mauritius" fide Lamarck, 1822, Hist. Anim. s. Vert., 6, (2), p. 22.

1819. *fumata* Reeve, 1865, Conch. Icon., 15, *Tornatella*, pl. 3, fig. 10. Sydney Harbour, N.S.W. (= *affinis* Watson, 1886, Rep. Sci. Res. Challenger, Zool., 15, p. 630, pl. 47, fig. 1. Port Jackson, N.S.W. (H.1006).

1820. *roseomaculata* Iredale, 1936, Rec. Aust. Mus., 19, p. 331, pl. 24, fig. 29. Sydney Harbour, N.S.W. (H.1007).

1821. *nivea* Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 19, pl. 1, fig. 27. Port Jackson, N.S.W. (H.1008).

1822. *tragulata* Iredale, 1936, Rec. Aust. Mus., 19, p. 331, pl. 24, fig. 23. Off Sydney, N.S.W., 75-85 fm.

1823. *austrinus* Watson, 1883, J. Linn. Soc. Lond., Zool., 7, p. 286. Bass Strait, 38-40 fm. Id. 1886, Rep. Sci. Res. Challenger, Zool., 15, p. 628, pl. 47, fig. 2. ? juvenile, indeterminate (H.1004).

LEUCOTINA A. Adams, 1860, Ann. Mag. Nat. Hist., (3), 5, p. 406. H.T. *niphonensis* A. Adams.

1824. *amoena* A. Adams, 1853, Proc. Zool. Soc. Lond., 1851, p. 223. Bolinaeo, Philippine Islands, 10 fm. A. Adams, 1854, Thes. Conch. (Sowerby), 2, p. 818, pl. 172, fig. 21 (H.1009).

1825. *concinna* A. Adams, 1854, Thes. Conch. (Sowerby), 2, p. 819, pl. 172, fig. 3. Moreton Bay, Queensland (= *pura* id. ib., p. 820, pl. 172, fig. 23. "New Zealand" = Port Jackson, N.S.W.) (H.1011).

1826. *esther* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 116, pl. 13, fig. 31. Port Jackson, N.S.W. (H.1013).

1827. *speciosa* A. Adams, 1854, Thes. Conch. (Sowerby), 2, p. 818, pl. 172, figs. 24-25. Philippine Islands (H.1014).

1828. *micra* Pritchard and Gatliff, 1900, Proc. Roy. Soc. Vict., 13, (n.s.), p. 134, pl. 21, fig. 1. Victoria. May, 1923, Illus. Index Tasm. Shells, pl. 44, fig. 3. Tasmania (H.1012).

1829. *sinuata* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 39, pl. 5, fig. 18. Port Jackson, N.S.W. (H.1015).

Family RETUSIDAE

RETUSA Brown, 1827, Illus. Conch. Gt. Brit., expl. to pl. 38. H.T. *truncatula* Bruguiere.

1830. *apicina* Gould, 1859, Proc. Boston Soc. Nat. Hist., 7, p. 139. Port Jackson, N.S.W. (= *brenchleyi* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 40, pl. 5, fig. 20. Off Port Jackson Heads, N.S.W., 10 fm.; = *avenarius* Watson, 1886, Rep. Sci. Res. Challenger, Zool., 15, p. 658, pl. 9, fig. 5. Port Jackson, N.S.W.) (H.1087).

1831. *exserta* Hedley, 1903, Mem. Aust. Mus., 4, p. 393, fig. 108. Off Manning River, N.S.W., 22 fm. (H.1088).

1832. *hofmani* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 39, pl. 5, fig. 19. Port Jackson, N.S.W. (H.1089).

CYLICHNINA Monterosato, 1884, Nom. gen. e. spec. Medit., p. 143. L.T. (Bucquoy, Dautzenberg and Dollfuss, 1886, Moll. Rousillon, 1, p. 525) *umbilicata* Montagu.

1833. *atkinsoni* Tenison-Woods, 1877, Proc. Roy. Soc. Tasm., 1876, p. 152. South Tasmania. May, 1903, Proc. Roy. Soc. Tasm., 1902, p. 113, fig. 6 (type) (H.1090).

1834. *iredaleana* Hedley, 1915, Proc. Linn. Soc. N.S.W., 39, p. 752, pl. 85, figs. 93-94. Port Jackson, N.S.W. (H.1091).

VOLVULELLA Newton, 1891, Syst. List. Brit. Olig. Moll., p. 268. New name for *Volvula* A. Adams, 1850, Thes. Conch. (Sowerby), 2, p. 558 (not *Volvula* Gistel, 1848). L.T. (Bucquoy, Dautzenberg and Dollfuss, 1886, Moll. Rousillon, 1, p. 533) *rostrata* A. Adams.

1835. *parata* Iredale, 1936, Rec. Aust. Mus., 19, p. 332. Based on Hedley, 1903, Mem. Aust. Mus.,

4, p. 394, fig. 109. South Australia (*rostrata*, not of A. Adams, 1850 as above) (H.1092).

1836. *tragula* Hedley, 1903, Mem. Aust. Mus., 4, p. 395, fig. 110. Off Port Kembla, N.S.W., 63-75 fm. (H.1093).

Family RINGICULIDAE

RINGICULADDA Iredale, 1936, Rec. Aust. Mus., 19, p. 332. O.T. *semisculpta* Hedley.

1837. *semisculpta frigidula* Iredale, 1936, Rec. Aust. Mus., 19, p. 332. Off Sydney, N.S.W., 110 fm. Not figured. Cf. *semisculpta* Hedley, 1911, Zool. Res. Endeavour, 1909-10, 1, p. 113, pl. 20, figs. 39-40. South of Cape Wiles, South Australia, 100 fm.

1838. *denticulata* Gould, 1860, Proc. Bost. Soc. Nat. Hist., 7, p. 324. Hakodadi Bay, Japan. Watson, 1886, Rep. Sci. Res. Challenger, Zool., 15, p. 634, pl. 47, fig. 8. Port Jackson, N.S.W. (H.1094).

1839. *doliaris* Gould, 1860, Proc. Boston Soc. Nat. Hist., 7, p. 325. Hakodadi Bay, Japan. Watson, 1886, Rep. Sci. Res. Challenger, Zool., 15, p. 634, pl. 47, fig. 8. Port Jackson, N.S.W. (H.1095).

PUGNUS Hedley, 1896, Rec. Aust. Mus., 2, p. 106. O.T. *parvus* Hedley.

1840. *parvus* Hedley, 1896, Rec. Aust. Mus., 2, p. 106, pl. 23, fig. 1. Manly, N.S.W. (H.1096).

Family SCAPHANDRIDAE

SCAPHANDER Montfort, 1810, Conch. Syst., 2, p. 335. O.T. *lignarius* Linne.

1841. *illecebrosus* Iredale, 1925, Rec. Aust. Mus., 14, p. 269, pl. 42, fig. 14. E. of Babel I., Bass Strait, 65 fm.

ADAMNESTIA Iredale, 1936, Rec. Aust. Mus., 19, p. 333. O.T. *peroniana* Iredale (= *regularis* Gould).

1842. *regularis* Gould, 1859, Proc. Boston Soc. Nat. Hist., 7, p. 140. Port Jackson, N.S.W. (= *peroniana* Iredale, 1936, Rec. Aust. Mus., 19, p. 333. Port Jackson, N.S.W. Allan, 1950, Aust. Shells, p. 202, text fig. 45, fig. 6) (H.1097).

1843. *protumida* Hedley, 1903, Mem. Aust. Mus., 4, p. 396, fig. 112. Off Cape Three Points, N.S.W., 41-50 fm. (H.1100).

1844. *tenuis* Hedley, 1905, Rec. Aust. Mus., 6, p. 54, fig. 22. Off Cape Byron, New South Wales, 111 fm. (H.1101).

1845. *thetidis* Hedley, 1903, Mem. Aust. Mus., 4, p. 395, fig. 111. Off Manning River, N.S.W., 22 fm. (H.1102).

VENTOMNESTIA Iredale, 1936, Rec. Aust. Mus., 19, p. 333. O.T. *colorata* Iredale.

1846. *colorata* Iredale, 1936, Rec. Aust. Mus., 19, p. 333, pl. 24, fig. 21. Sydney Harbour, N.S.W.

Family ATYIDAE

ATYS Montfort, 1810, Conch. Syst., 2, p. 343. O.T.
cymbulus Montfort (= *naucum* Linne).

1847. *naucum* Linne, 1758, Syst. Nat., 10 ed., p. 726. Amboina. Rumph, 1741, Amboin. Rariteitk., pl. 27, f. H. A. Adams, 1850, Thes. Conch (Sowerby), 2, p. 584, pl. 124, figs. 107-109. (Philippine Is.) Iredale, 1929, Aust. Zool., 5, p. 348. Sydney Harbour, N.S.W.

SPISSITYDEUS Iredale, 1936, Rec. Aust. Mus., 19, p. 329. O.T. *pransus* Hedley.

1848. *pransus* Hedley, 1904, Proc. Linn. Soc. N.S.W., 29, p. 191, pl. 9, figs. 21-22. Off Wollongong, N.S.W., 100 fm.

LIMULATYS Iredale, 1936, Rec. Aust. Mus., 19, p. 328. O.T. *reliquus* Iredale.

1849. *reliquus* Iredale, 1936, Rec. Aust. Mus., 19, p. 328, pl. 24, fig. 20. Sydney Harbour, N.S.W.

1850. *elegans* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 175, pl. 26, fig. 19. Port Stephens, N.S.W. (H.1098).

TEPIDATYS Iredale, 1936, Rec. Aust. Mus., 19, p. 329. O.T. *tremens* Iredale.

1851. *tremens* Iredale, 1936, Rec. Aust. Mus., 19, p. 329. Sydney Harbour, N.S.W. (Not figured, compare with preceding).

Family BULLIDAE

BULLA Linne, 1758, Syst. Nat., 10 ed., p. 725. T.N.C. *ampulla* Linne.

1852. *selina* Iredale, 1929, Aust. Zool., 5, p. 349, pl. 38, fig. 1. Sydney Harbour, N.S.W. (H.1103).

QUIBULLA Iredale, 1929, Aust. Zool., 5, p. 349. O.T. *botanica* Hedley.

1853. *botanica* Hedley, 1918, J. Roy. Soc. N.S.W., 51, Suppl., p. M.104. New name for *Bulla australis* Gray, 1825, Ann. Philos. (Thomson), 25, p. 408. Sydney Harbour, N.S.W. (not *B. australis* Ferussac 1822). Iredale, 1929, Aust. Zool., 5, p. 349, pl. 38, fig. 4 (H.1104).

1854. *ovulum* Angas, 1867, Proc. Zool. Soc. Lond., 1867, p. 227, ex Gould Ms. Port Jackson, N.S.W. Sowerby, 1868, Conch. Icon (Reeve), 16, *Bulla*, pl. 2, fig. 5 (= *angasi* Pilsbry, 1893, Man. Conch. (Tryon), 15, p. 347, pl. 36, figs. 32-33. Port Jackson, N.S.W.) (H.1106).

CYLINDROBULLA Fischer, 1857, J. de Conch., 5, p. 275. H.T. *beauii* Fischer.

1855. *fischeri* A. Adams and Angas, 1864, Proc. Zool. Soc. Lond., 1864, p. 37. South Australia. Hedley, 1903, Proc. Linn. Soc. N.S.W., 27, p. 604, pl. 29, figs. 8-9 (H.1107).

Family AKERIDAE

AKERA Muller, 1776, Prod. Zool. Dan., 29, p. 242. H.T. *bullata* Muller.

1856. *soluta* Gmelin, 1791, Syst. Nat., pt. 6, p. 3434. Zanzibar. Chemnitz, 1788, Conch. Cab., 10, p. 123, pl. 46, figs. 1359-1361. Pilsbry, 1893, Man. Conch. (Tryon), 15, p. 378, pl. 42, fig. 18. Colman, 1958, Proc. Roy. Zool. Soc. N.S.W., 1956-7, p. 88, fig. 1. Botany Bay, N.S.W. (H.1108).

LILOA Pilsbry, 1921, Proc. Acad. Nat. Sci. Philad., 72, p. 367. O.T. *tomaculum* Pilsbry.

1857. *brevis* Quoy and Gaimard, 1833, Voy. Astrol., Zool., 2, p. 358, pl. 26, figs. 36-37. King George's Sound, Western Australia (H.1109).

1858. *cuticulifera* Smith, 1872, Ann. Mag. Nat. Hist., (4), 9, p. 350. Port Jackson, N.S.W. Id., 1884, Zool. Voy. Alert, p. 87, pl. 6, fig. 11 (H.1111).

1859. *tenera* A. Adams, 1850, Thes. Conch. (Sowerby), 2, p. 583, pl. 124, fig. 103. Indian Ocean. Angas, 1871, Proc. Zool. Soc. Lond., 1871, p. 98. Port Jackson, N.S.W. (H.1112).

PENTHOMINEA Iredale, 1929, Aust. Zool., 5, p. 351. O.T. *wallisii* Gray.

1860. *wallisii* Gray, 1825, Ann. Philos. (Thomson), 25, p. 408. Sydney Harbour, N.S.W. Allan, 1950, Aust. Shells, p. 200, text fig. 45, fig. 9 (H.1110).

Family HYDATINIDAE

HYDATINA Schumacher, 1817, Essai nouv. Syst. Test., p. 57. H.T. *physis* Linne.

1861. *physis* Linne, 1758, Syst. Nat., 10 ed., p. 727. West Indies. For Argenville, 1742, La Conchyl., p. 304, pl. 20, fig. 1. A. Adams, 1850, Thes. Conch. (Sowerby), 2, p. 565, pl. 120, figs. 9-11 (H.1117).

HYATORIA Iredale, 1936, Rec. Aust. Mus., 19, p. 334. O.T. *cinctoria* Perry.

1862. *cinctoria* Perry, 1811, Conchology, pl. 40, fig. 1. No loc. (= *albocincta* de Hoven, 1839, Tyds. nat. Gesch. Phys., Leyden, 6, p. 246, pl. 10. Japan). A. Adams, 1850, Thes. Conch. (Sowerby), 2, p. 566, pl. 120, figs. 17-20. China (H.1114).

1863. *zonata* Solander, 1786, Cat. Portland Mus., p. 164, lot 3661. Based on Born, 1780, Mus. Caes. Vindob., p. 204, pl. 9, fig. 1. Asia (= *circulata* Martyn, 1784, Univ. Conch., pl. 95 non binomial) (H.1115).

AUSTRODIAPHANA Pilsbry, 1895, Man. Conch. (Tryon), 15, p. 287. H.T. *brazierii* Angas.

1864. *brazierii* Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 175, pl. 26, fig. 20. Port Jackson, N.S.W. (H.1113).

NOALDA Iredale, 1936, Rec. Aust. Mus., 19, p. 334. O.T. *exigua* Hedley.

1865. *exigua* Hedley, 1912, Rec. Aust. Mus., 8, p. 158, pl. 45, fig. 46. Port Jackson, N.S.W. (H.1116).

BULLINA Ferussac, 1821, Tab. Syst. Anim. Moll., p. xxx. L.T. (Pilsbry, 1894, Man. Conch. (Tryon), 15, p. 175) *scabra* Gmelin 1791, (preocc. by *Bulla scabra* Muller, 1774) = *lineata* Gray (= *Bullinula* Sowerby, 1839, Conch. Man., 1st ed., p. 15. H.T. *lineata* Gray).

1866. *lineata* Gray, 1825, Ann. Philos. (Thomson), 25, p. 408. Sydney, N.S.W. Wood, 1828, Suppl. Index Test., p. 9, *Bulla*, pl. 3, fig. 1. New Holland (H.1118).

1867. *melior* Iredale, 1929, Aust. Zool., 5, p. 350, pl. 37, fig. 7. Sydney Harbour, N.S.W.

PERBULLINA Iredale, 1929, Aust. Zool., 5, p. 350. O.T. *errans* Iredale.

1868. *errans* Iredale, 1929, Aust. Zool., 5, p. 350, pl. 37, fig. 6. Sydney Harbour, N.S.W.

MICROMELO Pilsbry, 1893, Man. Conch. (Tryon), 15, p. 391. O.T. *undata* Bruguiere.

1869. *guamensis* Quoy and Gaimard, 1825, Voy. Uranie and Physic., Zool., p. 423, pl. 66, figs. 10-12. Guam. Henn 1896, Proc. Linn. Soc. N.S.W., 20, p. 520. Sydney Harbour, N.S.W. (H.1119).

APLUSTRUM Schumacher, 1817, Essai nouv. Syst. Test., pp. 63, 208. H.T. *fasciatum* Schumacher = *amplustre* Linne.

1870. *amplustre* Linne, 1758, Syst. Nat., 10 ed., p. 727. Based on Gaultier, 1742, Ind. test. conch., pl. 13, fig. FF. Asia. Allan, 1950, Aust. Shells, p. 201, fig. 2 a.

Family PHILINIDAE

PHILINE Ascanius, 1772, K. Vet. Acad. Handl. (Stockh.), 33, p. 331. H.T. *aperta* Linne.

1871. *angasi* Crosse and Fischer, 1865, J. de Conch., 13, p. 38, pl. 2, fig. 8. St. Vincent Gulf, South Australia (H.1120).

1872. *oscitans* Hedley, 1907, Rec. Aust. Mus., 6, p. 361, pl. 67, fig. 17. Off Sydney, N.S.W., 800 fm. (H.1121).

1873. *teres* Hedley, 1903, Mem. Aust. Mus., 4, p. 398, fig. 113. Off Cape Three Points, N.S.W., 41-50 fm. (H.1122).

1874. *trapezia* Hedley, 1902, Proc. Linn. Soc. N.S.W., 26, p. 704, pl. 34, figs. 22-24. Sydney Harbour, N.S.W. (H.1123).

1875. *columaria* Hedley and May, 1908, Rec. Aust. Mus., 7, p. 123, pl. 24, figs. 25-26. Off Cape Pillar, Tasmania, 100 fm.

1875a. *burrowsi* Burn, 1961, Proc. Roy. Zool. Soc. N.S.W., 1958-9, p. 131, figs. 1 a, b, 2 a, b, c, 3 a, b. Brisbane Water, Broken Bay, N.S.W.

Family DORIDIIDAE

DORIDIUM Meckel, 1809, Beytr. Vergl. Anat., 2, p. 33. L.T. (Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 161) *membranaceum* Meckel (= *Aglaia* Renier, 1804, non-binomial).

1876. *taronga* Allan, 1933, Rec. Aust. Mus., 18, p. 444, pl. 56, figs. 1-3. Sydney Harbour, N.S.W. Allan, 1950, Aust. Shells, p. 217.

1877. *cyanea* Martens, 1880, Monatsb. K. Akad. Wissens. Berlin, 1879, p. 738. Inhambane, East Africa. Allan, 1950, Aust. Shells, p. 217, figs. 3, 4, 5. Sydney, N.S.W.

PHILINOPSIS Pease, 1860, Proc. Zool. Soc. Lond., 1860, pp. 21, 28. L.T. (here designated) *speciosa* Pease.

1878. *sanguinea* Allan, 1933, Rec. Aust. Mus., 18, p. 445, pl. 56, figs. 6-8. Long Reef, near Sydney, N.S.W.

CHELIDONURA A. Adams, 1850, Thes. Conch. (Sowerby), 2, p. 561. H.T. *hirundinina* Quoy and Gaimard.

1879. *adamsi* Angas 1867, Proc. Zool. Soc. Lond., 1867, p. 116, pl. 13, fig. 32. Port Jackson, N.S.W. Allan, 1950, Aust. Shells, p. 217, col. pl. 28, fig. 3 (H.1143).

1880. *fulvipunctata* Baba, 1938, J. Dept. Agric. Kyushu Imp. Univ., 6, p. 3, fig. 1. Seto, Kii, Middle Japan. Allan, 1950, Aust. Shells, p. 218, fig. 1. Angourie, N. N.S.W.

Order PTEROPODA

Suborder THECOSOMATA

[Ref.:—Pelseneer, 1887, Rep. Sci. Res. Challenger, Zool., 23, pp. 1-132, pls. 1-2.]

Family CAVOLINIDAE

CAVOLINA Abildgaard, 1791, Skr. Nat. Selsk. (Kjobenhavn), 1, heft 2, p. 175. H.T. *natans* Abildgaard.

1881. *gibbosa* Orbigny, 1836, Voy. Amer. Merid., 5, p. 95, pl. 5, figs. 16, 20. Atlantic Ocean. Pelseneer, 1887, loc. cit., p. 82. Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 178. N.S.W. (H.1124).

1882. *globulosa* Gray, 1850, Cat. Moll. Brit. Mus., pt. 2, p. 8. Atlantic Ocean. Rang, 1850, Voy. Bonite, Moll., pl. 4, figs. 22-24. Indian Ocean (= *pisum* Mörch, 1850, Cat. Conch. Kierulf, p. 32, pl. 1, fig. 7. Philippine Is.). Pelseneer, 1887, loc. cit., p. 81. Melbourne to Sydney, Aust. Brazier, 1892, Cat. Mar. Shells Aust., Tas., pt. 2, p. 37. Port Jackson, N.S.W. (H.1125).

1883. *inflexa* Lesueur, 1813, Nouv. Bull. Soc. Philom. Paris, 3, pl. 5, fig. 3. All seas. Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 178. Port Jackson, N.S.W. May, 1923, Illus. Index Tasm. Shells, pl. 47, fig. 1 (H.1126).

1884. *longirostris* Blainville, 1821, Dict. Sci. Nat. (Levr.), 22, p. 81. Atlantic Ocean. Orbigny, 1836, loc. cit., 5, p. 100, pl. 6, figs. 6-10. Pelseneer, 1887, loc. cit., p. 79. Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 178. Port Jackson, N.S.W. (= *angulata* Souleyet, 1852, Voy. Bonite, Zool., 2, p. 152, pl. 5, figs. 1-6. Atlantic Ocean) (H.1127).

1885. *strangulata* Hedley, 1907, Rec. Aust. Mus., 6, p. 299, pl. 54, fig. 13. Off Narrabeen, N.S.W., 80 fm. (H.1128).

1886. *telemus* Linne, 1758, Syst. Nat., 10 ed., p. 635. Algeria. Pelseneer, 1887, loc. cit., p. 83 (*tridentata* Forskal, non-binomial). Melbourne to Sydney, Aust. May, 1923, Illus. Index Tasm. Shells, pl. 47, fig. 2. Allan, 1950, Aust. Shells, p. 205, fig. 5 (H.1129).

1887. *uncinata* Orbigny, 1836, Voy. Amer. Merid., 5, p. 93, pl. 5, fig. 11. Atlantic Ocean. Pelseneer, 1887, loc. cit. p. 84. Melbourne to Sydney, Aust. Dakin and Colefax, 1940, Publ. Syd. Univ. Zool., Mon. 1, p. 207, figs. 297 a, b. N.S.W. Allan, 1950, Aust. Shells, p. 205 (H.1130).

DIACRIA Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 203. O.T. *trispinosa* Blainville.

1888. *trispinosa* Blainville, 1821, Dict. Sci. Nat. (Levr.), 22, p. 82. West Indian Seas (= *mucronata* Quoy and Gaimard, 1827, Ann. Sci. Nat., (1), 10, p. 231, pl. 8B, figs. 1, 2). Orbigny, 1836, loc. cit., 5, p. 106, pl. 7, figs. 1-5, pl. 20, figs. 1-2. Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 178. Port Jackson, N.S.W. Pelseneer, 1887, loc. cit. p. 76. Melbourne to Sydney, Aust. May, 1923, Illus. Index Tasm. Shells, pl. 47, fig. 3. Allan, 1950, Aust. Shells, p. 205, text fig. 1 (H.1132).

1889. *quadridentata* Blainville, 1821, Dict. Sci. Nat. (Levr.), 22, p. 81. Atlantic Ocean. Orbigny, 1836, loc. cit., 5, p. 98, pl. 6, figs. 1-5 (= *costata* Pfeffer, 1879, Monatsb. K. Akad., Wiss. Berlin, p. 239. Indian Ocean). Pelseneer, 1887, loc. cit., p. 78. Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 178. Port Jackson, N.S.W. (H.1131).

Family SPIRATELLIDAE

SPIRATELLA Blainville, 1817, Dict. Sci. Nat. (Levr.), 9, p. 407. H.T. *helicina* Phipps (= *Limacina* Lamarck, 1819, Hist. Anim. s. Vert., 6, (1), p. 291. H.T. *helicinalis* (= *helicina* Gmelin (= Phipps).

1890. *bulimoides* Orbigny, 1836, Voy. Amer. Merid., 5, p. 179, pl. 12, figs. 36-38. Atlantic Ocean. Pelseneer, 1887, loc. cit., p. 30. Melbourne to Sydney, Aust. Angas, 1877, Proc. Zool. Soc. Lond., 1877, p. 99. Botany Bay, N.S.W. (H.1133).

1891. *lesueuri* Orbigny, 1836, Voy. Amer. Merid., 5, p. 179, pl. 20, figs. 12, 15. Atlantic Ocean. Pelseneer, 1887, loc. cit., p. 24. Melbourne to Sydney, Aust. Whitelegge, 1889, J. Roy. Soc. N.S.W., 23, p. 280. Broken Bay, etc., N.S.W. (H.1135).

1892. *trochiformis* Orbigny, 1836, Voy. Amer. Merid., 5, p. 177, pl. 12, figs. 29-31. Atlantic

Ocean. Pelseneer, 1887, loc. cit., p. 29. Melbourne to Sydney, Aust. Whitelegge, 1889, J. Roy. Soc. N.S.W., 23, p. 280. Broken Bay, etc., N.S.W.

1893. *retroversa* Fleming, 1823, Mem. Wern. Nat. Hist. Soc., 4, p. 498, pl. 15, fig. 2. Atlantic Ocean. Hedley, 1903, Mem. Aust. Mus., 4, p. 399 (*trochiformis*, not of Orbigny 1836) (H.1136).

1894. *inflata* Orbigny, 1836, Voy. Amer. Merid., 5, p. 17, pl. 12, figs. 16-17. Mid Atlantic Ocean. Pelseneer, 1887, loc. cit., p. 18, Melbourne to Sydney, Aust. May, 1923, Illus. Index Tasm. Shells, pl. 47, fig. 5. Whitelegge, 1889, J. Roy. Soc. N.S.W., 23, p. 280. Broken Bay, etc., N.S.W. (H.1134).

Family CLIOIDAE

CLIO Linne, 1767, Syst. Nat., 12 ed., p. 1094. L.T. (Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 203) *pyramidata* Linne.

1895. *pyramidata* Linne, 1767, 12 ed., p. 1094. Atlantic Ocean. Brown, 1756, Jam., p. 386, pl. 43, fig. 1. Pelseneer, 1887, loc. cit., p. 63. Off Sydney, N.S.W., 950 fm. May, 1923, Illus. Index Tasm. Shells, pl. 47, fig. 4. Allan, 1950, Aust. Shells, p. 205, text fig. 1 (H.1137).

HYALOCYLIS Fol, 1875, Arch. Zool. Exper. (Paris), 4, p. 177. O.T. *striata* Rang.

1896. *striata* Rang, 1828, Ann. Sci. Nat. Paris, 13, p. 315, pl. 17, fig. 3. Atlantic Ocean. Pelseneer, 1887, loc. cit., p. 55. N.S.W. Dakin and Colefax, 1940, Publ. Univ. Syd. Zool., Mon. 1, p. 207, fig. 294. N.S.W. (H.1140).

STYLIOLA Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 203 (ex "Styliola Lesueur" in Blainville, 1827, Man. Malac., Suppl., p. 655). O.T. *recta* Blainville.

1897. *subula* Quoy and Gaimard, 1827, Ann. Sci. Nat. Parris, (1), 10, p. 233, pl. 8d, figs. 1-3. Teneriffe. Pelseneer, 1887, loc. cit., p. 57. Off Sydney, N.S.W., 950 fm. (H.1141).

CRESEIS Rang, 1828, Ann. Sci. Nat. Paris, 13, p. 302. L.T. (Gray 1847, Proc. Zool. Soc. Lond., 1847, p. 203) *acus* Eschscholtz = *virgula* Rang.

1898. *virgula* Rang, 1828, Ann. Sci. Nat. Paris, 13, p. 316, pl. 17, fig. 2. Atlantic Ocean. Pelseneer, 1887, loc. cit., p. 48. Off Sydney, N.S.W., 950 fm. May, 1923, Illus. Index Tasm. Shells, pl. 47, fig. 6. Allan, 1950, Aust. Shells, p. 205 (H.1139).

1899. *acicula* Rang 1828, Ann. Sci. Nat. Paris, 13, p. 318, pl. 17, fig. 6. Indian Ocean. Pelseneer, 1887, loc. cit., p. 51. Off Sydney, N.S.W., 950 fm. Allan, 1950, Aust. Shells, p. 204, text fig. 3.

VAGINELLA Daudin, 1800, Bull. Soc. Philom. Paris, p. 145. H.T. *depressa* Daudin (= *Cuvierina* Boas, 1886, Spolia Atlantica, p. 131. New name for *Cuvieria* Rang, 1827, Ann. Sci. Nat. Paris, 12, p. 322. H.T. *columnella*

Rang (not *Cuvieria* Peron and Lesueur, 1807)).

1900. *urceolaris* Mörch, 1850, Cat. Conch. Kierulf, p. 32, pl. 1, fig. 8. Philippine Is. Allan, 1950, Aust. Shells, p. 205, text fig. 4 (? = *Triptera rosea* Quoy and Gaimard, 1825, Voy. Uranie and Physic., Zool., p. 416, pl. 66, fig. 6. Near Port Jackson, N.S.W.) (H.1142).

Suborder GYMNOSOMATA

Family NOTOBANCHAEIDAE

NOTOBANCHAEA Pelseneer, 1886, Bull. Soc. Nord., (2), 9, p. 224. H.T. *longicaudata* Verrill.

1901. *inopinata* Pelseneer, 1881, Rep. Sci. Res. Challenger, Zool., 19, p. 40, pl. 3, fig. 6. East of Japan. Whitelegge, 1887, Proc. Roy. Soc. N.S.W., 23, p. 280. Off Port Jackson Heads, N.S.W. (H.1154).

Family CLIONIDAE

CLIONE Pallas, 1774, Spic. Zool., 10, p. 28. H.T. *borealis* Pallas.

1902. *longicaudata* Souleyet, 1852, Voy. Bonite, Zool., 2, p. 286, pl. 14, figs. 17-21. Atlantic Ocean, lat. 10° N. by long. 23° W. Macdonald, 1861, Trans. Roy. Soc. Edinb., 23, p. 185, pl. 9, fig. 3. Off Port Jackson Heads, N.S.W. (H.1155).

Order ANASPIDEA

Family APLYSIIDAE

APLYSIA (Laplysia) Linne, 1767, Syst. Nat., 12 ed., p. 1082. T.N.C. *depilans* Linne.

1903. *angasi* Sowerby, 1869, Conch. Icon. (Reeve), 17, *Aplysia*, pl. 8, fig. 35. Port Jackson, N.S.W. Allan, 1950, Aust. Shells, p. 212, pl. 25, fig. 13 (H.1145).

1904. *excavata* Sowerby, 1869, Conch. Icon. (Reeve), 17, *Aplysia*, pl. 3, fig. 8. Port Jackson, N.S.W. (H.1146).

1905. *extraordinaria* Allan, 1932, Rec. Aust. Mus., 18, p. 319, pl. 35, figs. 7-8. Sydney Harbour, N.S.W.

1906. *hyalina* Sowerby, 1869, Conch. Icon. (Reeve), 17, *Aplysia*, pl. 4, fig. 13. Port Jackson, N.S.W. Allan, 1950, Aust. Shells, p. 213 (H.1147).

1907. *norfolkensis* Sowerby 1869, Conch. Icon. (Reeve), 17, *Aplysia*, pl. 10, fig. 42. Norfolk Island. Allan, 1950, Aust. Shells, p. 212, fig. 3 (H.1148).

1908. *sowerbyi* Pilsbry, 1895, Man. Conch. (Tryon), 16, p. 101, pl. 57, figs. 20-21. Port Jackson, N.S.W. Allan, 1950, Aust. Shells, p. 213 (H.1149).

1909. *sydneyensis* Sowerby, 1869, Conch. Icon. (Reeve), 17, *Aplysia*, pl. 7, fig. 31. Port Jackson, N.S.W. Hedley, 1906, Proc. Linn. Soc. N.S.W., 30, p. 536, pl. 33, figs. 33-34. Allan, 1950, Aust. Shells, p. 213 (H.1150).

PARAPLYSIA Pilsbry, 1895, Man. Conch. (Tryon), 16, pp. 64, 115. H.T. *piperata* Smith.

1910. *piperata* Smith, 1884, Zool. Coll. Alert, p. 89. Torres St., 4-5 fm. Gilchrist, 1895, Ann. Mag. Nat. Hist., (6), 15, p. 403, pl. 18, figs. 2, 4. Allan, 1950, Aust. Shells, p. 214, fig. 4.

RAMOSACLESIA Iredale, 1929, Aust. Zool., 5, p. 352. H.T. *glauca* Cheeseman.

1911. *rex* Allan, 1932, Rec. Aust. Mus., 18, p. 317, pl. 35, figs. 1-6. Manly, N.S.W. (= *Bursatella leachii* subsp. *rex* Allan, 1950, Aust. Shells, p. 215, fig. 5) (H.1151).

STYLOCHEILUS Gould, 1852, U.S. Expl. Exped. (Wilkes), 12, Moll., p. 224. H.T. *longicauda* Quoy and Gaimard.

1912. *longicauda* Quoy and Gaimard, 1825, Voy. Uranie and Physic., Zool., p. 421, pl. 66, fig. 8. Near New Guinea. Allan, 1950, Aust. Shells, p. 214, fig. 1. Long Reef, near Sydney, N.S.W.

NOTARCHUS Cuvier, 1816, Regne Anim., 2, p. 398. H.T. *indicus* Schweigger.

1913. *petaurista* Iredale, 1929, Aust. Zool., 5, p. 351, pl. 37, fig. 1. Port Jackson, N.S.W. (= *Notarchus indicus* subsp. *petaurista* Iredale. Allan, 1950, Aust. Shells, p. 215).

DOLABELLA Lamarck, 1801, Syst. Anim. s. Vert., p. 62. H.T. *callosa* Lamarck.

1914. *andersoni* Iredale, 1929, Mem. Queensland Mus., 9, p. 292. Port Hacking, N.S.W. Dakin, 1953, Aust. Seashores, 2 ed., p. 265, pl. 67, top fig. (H.1152).

DOLABRIFERA Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 162. O.T. *dolabrina* Cuvier.

1915. *brazieri* Sowerby, 1870, Proc. Zool. Soc. Lond., 1870, p. 250. Botany Bay, N.S.W. Hedley, 1917, Proc. Linn. Soc. N.S.W., 41, p. 717, pl. 49, fig. 25 (= *jacksoniensis* Pilsbry, 1896, Man. Conch. (Tryon), 16, p. 120, pl. 44, figs. 38, 41. Port Jackson, N.S.W.). Allan, 1950, Aust. Shells, p. 216, figs. 2, 5 (H.1153).

Order SACCOGLOSSA

Family BERTHELINIIDAE

EDENTELLINA Gatliff and Gabriel, 1911, Proc. Roy. Soc. Vict., 24, (n.s.), p. 190. O.T. *typica* Gatliff and Gabriel.

1916. *typica* Gatliff and Gabriel, 1911, Proc. Roy. Soc. Vict., 24, (n.s.), p. 190, pl. 46, figs. 5, 6. Ocean Beach, Point Nepean, Victoria. Burn, 1960, Nature, 187, No. 4731, pp. 44-45, figs. 1-7. Id., 1960, Nature, 188, No. 4751, pp. 680-681. Gunnamatta Bay, Port Hacking, N.S.W.

MIDORIGAI Burn, 1960, Nature, 187, No. 4731, p. 45. O.T. *australis* Burn.

1917. *australis* Burn, 1960, Nature, 187, No. 4731, p. 46, figs. 8-14. Torquay, Victoria. Id., 1960,

Nature, 188, No. 4751, pp. 680-681. Fairlight, Sydney Harbour, N.S.W.

Family OXYNOEIDAE

OXYNOE Rafinesque, 1819, Analyse Nat., p. 143.
H.T. *olivacea* Rafinesque. (= *Lophocercus* Krohn, 1847, Ann. Sci. Nat. Paris, (3), 7, p. 55. Same type).

1918. *delicatula* G. and H. Nevill, 1869, J. Asiat. Soc. Bengal, 38, p. 67, pl. 18, fig. 5. Ceylon. Allan, 1950, Aust. Shells, p. 226, fig. 7, text fig. 50, p. 212. Lord Howe I. (H.1144).

Family CALIPHYLLIDAE

CYERCE Bergh, 1871, Reise Arch. Philipp. (Semper), 2, p. 2, 98. L.T. (Allan, 1947, Rec. Aust. Mus., 21, p. 438) *elegans* Bergh.

1919. *nigra ocellata* Bergh, 1873, J. Mus. Godefroy, 1, pp. 83-86, pl. 9, figs. 8, 9, pl. 11, figs. 13-26, pl. 12, figs. 2, 3. Samoa. Allan, 1947, Rec. Aust. Mus., 21, p. 438, pl. 41, figs. 1-3. Clarence River, north New South Wales.

Family ELYSIIDAE

ELYRIA Risso, 1818, J. de Physique, 87, p. 375. H.T. *timida* Risso.

1920. *australis* Quoy and Gaimard, 1832, Voy. Astrol., Zool., 2, p. 317, pl. 24, figs. 18-20. Sydney Harbour, N.S.W. Allan, 1950, Aust. Shells, p. 255 (H.1199).

1921. *coodegensis* Angas, 1864, J. de Conch., 12, p. 69, pl. 6, fig. 4. Coogee, near Sydney, N.S.W. (H.1199 pt.).

1922. *marginata* Pease, 1871, Amer. J. Conch., 6, p. 304. Society Is. Allan, 1947, Rec. Aust. Mus., 21, p. 439, pl. 41, fig. 7. Angourie, north N.S.W. Allan, 1950, Aust. Shells, p. 225, pl. 28, fig. 6.

Order NOTASPIDEA

Family PLEUROBRANCHIDAE

PLEUROBRANCHUS Cuvier, 1804, Ann. Hist. Nat. Paris, 5, p. 275. H.T. *peroni* Cuvier.

1923. *punctatus* Quoy and Gaimard, 1832, Voy. Astrol., Zool., 2, p. 299, pl. 22, figs. 15-19. Jervis Bay, N.S.W. Allan, 1950, Aust. Shells, p. 206, pl. 28, figs. 4-5 (H.1158).

1924. *angasi* Smith, 1884, Rep. Zool. Coll. Alert, p. 88, pl. 6, figs. K, K1. Port Jackson, N.S.W. (H.1156).

OSCANIUS Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 163. O.T. *membranacea* Montagu.

1925. *testudinarius* Cantraine, 1835, Bull. Acad. Roy. Brux., 2, p. 385. Mediterranean. Allan, 1950, Aust. Shells, p. 207, text fig. 48, fig. 5. Long Reef, near Sydney, N.S.W.

1926. *mamillatus* Quoy and Gaimard, 1832, Voy. Astrol., Zool., 2, p. 294, pl. 22, figs. 1-6. Mauritius. Allan, 1950, Aust. Shells, p. 208. Gunnamatta Bay, near Sydney, N.S.W.

1927. *hilli* Hedley, 1896, Proc. Linn. Soc. N.S.W., 19, p. 127, pl. 7. Port Jackson, N.S.W. Allan, 1950, Aust. Shells, p. 207, fig. 3 (H.1159).

EUSELENOPS Pilsbry, 1896, Man. Conch. (Tryon), 16, p. 228. H.T. *luniceps* Cuvier.

1928. *luniceps* Cuvier, 1830, Regne Anim., 2 ed., 3, p. 59, pl. 14, fig. 2. No loc. Hedley, 1896, Proc. Linn. Soc. N.S.W., 21, p. 816. Pace, 1901, Proc. Malacol. Soc., 4, p. 202, fig. on p. 203, Allan, 1950, Aust. Shells, p. 208, fig. 4 (H. 1160).

Family PLEUROBRANCHAEIDAE

PLEUROBRANCHAEA Leue, 1813, De Pleurobranchaea, p. 11 (= *Pleurobranchidium* Blainville, 1826, Dict. Sci. Nat. (Levr.), 41, p. 372). H.T. *meckelii* Blainville.

1929. *maculata* Quoy and Gaimard, 1832, Voy. Astrol., Zool., 2, p. 301, pl. 22, figs. 11-14. Western Port, Victoria (= *dorsalis* Allan, 1933, Rec. Aust. Mus., 18, p. 445, pl. 56, fig. 4, 5. Botany Bay, N.S.W. Allan, 1950, Aust. Shells, p. 208, text fig. 1) (H.1157).

Family UMBRACULIDAE

UMBRAKULUM Schumacher, 1817, Essai. nouv. Syst. Test., pp. 55, 177. H.T. *sinicum* Gmelin (= *umbraculum* Solander).

1930. *botanicum* Hedley, 1913, Proc. Linn. Soc. N.S.W., 48, p. 315, pl. 32, fig. 20. Port Jackson, N.S.W. (H.1161).

1931. ? *indicum* Lamarck, 1819, Hist. Anim. s. Vert., 6, p. 343. Indian Ocean. Blainville, 1825, Man. Malac., pl. 44, fig. 1. Allan, 1950, Aust. Shells, p. 206, pl. 28, fig. 8.

TYLODINA Rafinesque, 1819, J. Phys. Chim. Hist. Nat. Paris, 89, p. 152. H.T. *punctulata* Rafinesque.

1932. *corticalis* Tate, 1889, Trans. Roy. Soc. South Aust., 11, p. 65, pl. 11, fig. 11. Port Phillip, Victoria. Burn, 1959, J. Malac. Soc. Aust., 3, pp. 29-30, text fig. Id., 1960, J. Malac. Soc. Aust., 4, pp. 64-69, text figs. 1-9. Sydney, N.S.W.

Order NUDIBRANCHIA

Suborder DORIDIACEA

Family DORIDIDAE

Subfamily DORIDINAE

DORDIGITATA Orbigny, 1839, in Webb and Berthelot, Hist. Nat. iles Canaries, Moll., p. 39. H.T. *bertheloti* Orbigny (= *Staurodoris* Bergh, 1878, Reise Arch. Philipp. (Semper),

- Mal., 2, 2, 13, 1878, p. 578. H.T. *januarii* Bergh (= *verrucosa* Cuvier).
1933. *pustulata* Abraham, 1877, Proc. Zool. Soc. Lond., 1877, p. 256. Australian seas. Allan, 1947, Rec. Aust. Mus., 21, p. 446, pl. 42, figs. 1, 2.
- Subfamily ARCHIDORIDINAE*
- ARCHIDORIS** Bergh, 1878, Reise Arch. Philipp. (Semper), Mal., Bd. 1, p. 616. O.T. *britannica* Johnston.
1934. *cameroni* Allan, 1947, Rec. Aust. Mus., 21, p. 450, pl. 13, figs. 6, 7. Angourie, northern New South Wales.
- Family GLOSSODORIDIDAE*
- GLOSSODORIS** Ehrenberg, 1831, Symb. Phys. Anim. (pls. 1828), sign. f. L.T. (Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 164) *xantholeuca* Ehrenberg.
1935. *bennetti* Angas, 1864, J. de Conch., 12, p. 51, pl. 4, fig. 10. Port Jackson, N.S.W. Allan, 1947, Rec. Aust. Mus., 21, p. 440, pl. 41, fig. 4. Allan, 1950, Aust. Shells, p. 220, pl. 28, fig. 7 (H.1177).
1936. *daphne* Angas, 1864, J. de Conch., 12, p. 54, pl. 5, fig. 3. Port Jackson, N.S.W. Allan, 1947, Rec. Aust. Mus., 21, p. 440, pl. 4, figs. 11-13 (H.1179).
1937. *geometrica* Risbec, 1923, Contr. l'Etude Nudib. Neo-Caled., p. 148, fig. 41, pl. 6, fig. 10. New Caledonia. Allan, 1947, Rec. Aust. Mus., 21, p. 441, pl. 41, fig. 14. Angourie, northern New South Wales.
1938. *decora* Pease, 1860, Proc. Zool. Soc. Lond., 1860, p. 29. Sandwich Islands. Allan, 1947, Rec. Aust. Mus., 21, p. 441, pl. 41, figs. 8-10. Angourie, northern New South Wales.
1939. *inornata* Pease, 1871, Amer. J. Conch., 7, p. 18. Society Islands. Allan, 1947, Rec. Aust. Mus., 21, p. 442, pl. 4, figs. 5-6. Angourie, N. N.S.W.
1940. *crossei* Angas, 1864, J. de Conch., 12, p. 54, pl. 5, fig. 1. Port Jackson, N.S.W. Allan, 1950, Aust. Shells, p. 221 (H.1176b).
1941. *mariei* Crosse, 1872, J. de Conch., 20, p. 73. Noumea, New Caledonia. Id. ib., p. 153, pl. 7, fig. 5. Allan, 1947, Rec. Aust. Mus., 21, p. 443, pl. 41, fig. 15. Angourie, northern New South Wales.
1942. *reticulata* Pease, 1866, Amer. J. Conch., 2, p. 205, Pacific Islands (= *alderi* Collingwood, 1881, Trans. Linn. Soc. Lond., Zool., 2, p. 132. North Formosa). Allan, 1947, Rec. Aust. Mus., 21, p. 444, pl. 41, figs. 18-20. Angourie, northern N.S.W.
1943. *lineolata* Hasselt, 1824, Bull. Sci. Nat., 3, p. 258. Java. Allan, 1947, Rec. Aust. Mus., 21, p. 444, pl. 41, figs. 16-17. Angourie, northern N.S.W.
- DORIPRISMATICA** Orbigny, 1839, in Webb and Berthelot, Hist. Nat. iles Canaries, Moll., p. 40. H.T. *atromarginata* Cuvier (= *Casella* H. and A. Adams, 1854, Gen. Rec. Moll., 2, p. 57. H.T. *gouldii* H. and A. Adams).
1944. *atromarginata* Cuvier, 1804, Ann. Mus. Nat. Hist. Paris, 4, pp. 452 and 473, pl. 74, (*Doris*, pl. 2), fig. "5" (= 6). Mers des Indes (= *gouldii* H. and A. Adams, 1854, Gen. Rec. Moll., 2, p. 57, pl. 63, fig. 5. Australia) (H.1185).
- CERATOSOMA** A. Adams and Reeve, 1850, Zool. Voy. Samarang, p. 67. H.T. *cornigerum* A. Adams and Reeve.
1945. *brevicaudatum* Abraham, 1876, Ann. Mag. Nat. Hist., (4), 18, p. 142, pl. 8, fig. 6. Australia. Basedow and Hedley, 1905, Trans. Roy. Soc. South Aust., 29, p. 143, pl. 1. Allan, 1950, Aust. Shells, p. 222, pl. 28, fig. 14 (H.1186).
- ROSTANGA** Bergh 1879, Arch. f. Nat. (Weigmann), 45, (1), p. 353. H.T. *Doris coccinea* Alder and Hancock, 1846 (not *D. coccinea* Forbes 1843) (= *rufescens* Iredale and O'Donoghue).
1946. *arbutus* Angas, 1864, J. de Conch., 12, p. 47, pl. 4, fig. 4. Coogee Bay, Sydney, N.S.W. Allan, 1950, Aust. Shells, p. 221 (H.1200).
- TRIPPA** Bergh, 1877, Jahrb. deut. Malak. Gesell., 4, p. 63. O.T. *ornata* Ehrenberg.
1947. *erinacea* Angas, 1864, J. de Conch., 12, p. 57, pl. 5, fig. 5. Port Jackson, N.S.W. Allan, 1947, Rec. Aust. Mus., 21, p. 450, pl. 13, figs. 8-10 (H.1178).
- PERONODORIS** Bergh, 1904, Reise Arch. Philipp. (Semper), Bd. 9, (6), p. 44. H.T. *cancellata* Bergh (= *Sclerodoris* Eliot, 1904, Proc. Zool. Soc. Lond., 1903 b, pp. 355-361, O.T. *osseosa* Kelaart).
1948. *apiculata* Alder and Hancock, 1864, Trans. Zool. Soc. Lond., 5, p. 122, pl. 30, fig. 8. E. coast India. Allan, 1947, Rec. Aust. Mus., 21, p. 452, pl. 41, figs. 22, 23. Northern N.S.W.
1949. *tuberculata* Eliot, 1904, Proc. Zool. Soc. Lond., 1903 b, p. 381. Zanzibar. Allan, 1947, Rec. Aust. Mus., 21, p. 453, pl. 42, figs. 11-14. Northern N.S.W.
- ASTERONOTUS** Ehrenberg, 1831, Symb. Phys. Anim. (pls. 1828), sign. h. H.T. *hemprichii* Ehrenberg.
1950. *mabilla* Abraham, 1877, Proc. Zool. Soc. Lond., 1877, p. 249, pl. 28, figs. 1-4. Seychelles (H.1175).
1951. *varius* Abraham, 1877, Proc. Zool. Soc. Lond., 1877, p. 209. New name for *Doris variabilis* Angas, 1864, J. de Conch., 12, p. 44, pl. 4, fig. 1. Port Jackson, N.S.W. (not *D. variabilis* Kelaart, 1859) (= *praetenera* Abraham, 1877, Proc. Zool. Soc. Lond., 1877, p. 211, pl. 30, figs. 10-12. New South Wales).
- HYPSELODORIS** Stimpson, 1855, Proc. Acad. Nat. Sci. Philad., 7, p. 389. H.T. *obscura* Stimpson.
1952. *obscura* Stimpson, 1855, Proc. Acad. Nat.

Sci. Philad., 7, p. 388. Port Jackson, N.S.W. (H.1176).

CHROMODORIS Alder and Hancock, 1854, Mon. Brit. Nud. Moll., pt. 7, App. p. xvii. O.T. *magnifica* Quoy and Gaimard.

1953. *festiva* Angas, 1864, J. de Conch., 12, p. 53, pl. 4, fig. 12. Port Jackson, N.S.W. (H.1180).

1954. *loringi* Angas, 1864, J. de Conch., 12, p. 52, pl. 4, fig. 11. Port Jackson, N.S.W. (H.1181).

1955. *splendida* Angas, 1864, J. de Conch., 12, p. 55, pl. 5, fig. 2. Port Jackson, N.S.W. (H.1183).

1956. *verrucosa* Angas, 1864, J. de Conch., 12, p. 56, pl. 5, fig. 4. Port Jackson, N.S.W. (ex Crosse Ms.) (H.1184).

1957. *runcinata* Bergh, 1877, Reise Arch. Philipp. (Semper), 2, pt. 2, p. 479, pl. 51, figs. 32-33, pl. 53, figs. 5-12. Philippine Is. (H.1182).

Family HEXABRANCHIDAE

HEXABRANCHUS Ehrenberg, 1831, Symb. Phys. Anim., (pls. 1828), sign. h. H.T. *praetextus* Ehrenberg.

1958. *flammulatus* Quoy and Gaimard, 1832, Voy. Astrol. Zool., 2, p. 257, pl. 7, figs. 6-10. Friendly Is. Wild, 1895, Trans. Nat. Hist. Soc. Q'ld., 1, p. 90. Tweed Heads, N.S.W. Basedow and Hedley, 1905, Trans. Roy. Soc. South Aust., 29, p. 139. Cf. Roughley, 1936, Wonders of the Great Barrier Reef, pl. 39, opp. p. 130 (no scientific name). From Heron or Hayman Is., Queensland. Allan, 1950, Aust. Shells, p. 223, pl. 28, fig. 2. Queensland (*imperialis*, not of Kent, 1897; same species as that figured by Roughley). Cf. *Pseudoceros kenti* Kent, 1893, The Great Barrier Reef, p. 362, pl. 13, fig. 1. Great Barrier Reef, Queensland, ex Graff Ms. (= *Doris (Hexabranchus) marginatus* Quoy and Gaimard, 1832, Voy. Astrol., Zool., 2, p. 255, pl. 17, figs. 1-5. Amboina. Hedley, 1909, Proc. Linn. Soc. N.S.W., 34, p. 464. Cairns Reef, N. Queensland. Bergh, 1905, Siboga Expeditie (Weber), 27, livr. 50, p. 90, pl. 1, figs. 1-2, var. pl. 5, fig. 8. Timor. Allan, 1950, Aust. Shells, p. 223. Clarence River, N.S.W. (Young)) (H.1174).

Family DISCODORIDIDAE

DISCODORIS Bergh, 1877, Jahrb. deut. Malak. Gesell., 4, p. 61. L.T. (O'Donoghue, 1926, Trans. Roy. Canad. Inst., 15, p. 207) *boholiensis* Bergh.

1959. *nobilosa* Pease, 1871, Amer. J. Conch., 7, p. 13, pl. 6. Society Islands. Allan, 1947, Rec. Aust. Mus., 21, p. 455, pl. 42, figs. 17-21. Angourie, northern New South Wales.

1960. *palma* Allan, 1933, Rec. Aust. Mus., 18, p. 448, pl. 56, figs. 11, 12. Botany Bay, N.S.W. Allan, 1950, Aust. Shells, p. 222, fig. 5.

KENTRODORIS Bergh, 1876, Reise Arch. Philipp. (Semper), 2, pt. 2, p. 413. L.T. (Donoghue,

1929, Trans. Zool. Soc. Lond., 22, p. 722) *rubescens* Bergh.

1961. *funebris* Kelaart, 1859, Ann. Mag. Nat. Hist., (3), 3, p. 293. Ceylon. Alder and Hancock, 1864, Trans. Zool. Soc. Lond., 5, p. 122, pl. 30, figs. 9-10. Allan, 1947, Rec. Aust. Mus., 21, p. 454, pl. 43, figs. 10-12. Angourie, northern N.S.W.

Family DENDRODORIDIDAE

DENDRODORIS Ehrenberg, 1831, Symb. Phys. Anim., (plates 1828), sign. g. L.T. (Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 164) *lugubris* Ehrenberg (= *Doridopsis* Alder and Hancock, 1864, Trans. Zool. Soc. Lond., 5, p. 125. O.T. *gemmaea* Alder and Hancock = *denisoni* Angas; = *Haustellodoris* Pease, 1871, Amer. J. Conch., 6, p. 300, new name for preceding).

1962. *aurea* Quoy and Gaimard, 1832, Voy. Astrol. Zool., 2, p. 265, pl. 19, figs. 4-7. Jervis Bay, N.S.W. (H.1187).

1963. *australiensis* Abraham, 1877, Proc. Zool. Soc. Lond., 1877, p. 263, pl. 30, figs. 25-26. N.S.W. (H.1188).

1964. *australis* Angas, 1864, J. de Conch., 12, p. 49, pl. 4, fig. 8. Port Jackson, N.S.W. (H.1189).

1965. *carneola* Angas, 1864, J. de Conch., 12, p. 48, pl. 4, fig. 7. Port Jackson, N.S.W. (H.1190).

1966. *nodulosa* Angas, 1864, J. de Conch., 12, p. 48, pl. 4, fig. 6. Port Jackson, N.S.W. (H.1192).

1967. *pantherina* Angas, 1864, J. de Conch., 12, p. 47, pl. 4, fig. 5. Coogee, Sydney, N.S.W. (H.1193).

1968. *violacea* Quoy and Gaimard, 1832, Voy. Astrol. Zool., 2, p. 264, pl. 19, figs. 1-3. Jervis Bay, N.S.W. (H.1194).

1969. *denisoni* Angas, 1864 (Jan.), J. de Conch., 12, p. 45, pl. 4, fig. 2. Port Jackson, N.S.W. (= *gemmaea* Alder and Hancock, 1864 (April), Trans. Zool. Soc. Lond., 5, p. 125). Allan, 1947, Rec. Aust. Mus., 21, p. 457, pl. 42, fig. 16. Allan, 1950, Aust. Shells, p. 222 (H.1191).

1970. *guttata* Odhner, 1917, Kungl. Svensk. Vetensk. Handl., 52, (16), p. 162. North-western Australia. Allan, 1947, Rec. Aust. Mus., 21, p. 458, pl. 42, fig. 15. Angourie, northern N.S.W.

1971. *nigra* Stimpson, 1855, Proc. Acad. Nat. Sci. Philad., 7, p. 380. Loo Choo Is. Alder and Hancock, 1864, Trans. Zool. Soc. Lond., 5, p. 128, pl. 31, figs. 13, 16. India. Allan, 1947, Rec. Aust. Mus., 21, p. 458. Angourie, N. N.S.W. Baba, 1949, Opisthobranchia, Sugami Bay, pp. 69, 154, pl. 26, figs. 98, 99. Japan.

1972. *melaena* Allan, 1932, Aust. Zool., 7, p. 98, pl. 5, fig. 11. Long Reef, near Sydney, N.S.W.

1973. *gunnamatta* Allan, 1932, Aust. Zool., 7, p. 97, pl. 5, figs. 4, 7. Port Hacking, N.S.W.

1974. *chrysoderma* Angas, 1864, J. de Conch., 12, p. 46, pl. 4, fig. 3. Port Jackson, N.S.W. (H.1201).

Family EUPHURIDAE

EUPHURUS Rafinesque, 1815, Analyse Nature, p. 142.
H.T. *clavigera* Muller.

1975. *yatesi* Angas, 1864, J. de Conch., 12, p. 60,
pl. 5, fig. 8. Port Jackson, N.S.W. (H.1195).

PALIO Gray, 1857, Guide Syst. Distr. Moll. Brit.
Mus., pt. 1, p. 213. H.T. *ocellata* Alder and
Hancock.

1976. *cooki* Angas, 1864, J. de Conch., 12, p. 58,
pl. 5, fig. 6. Botany Bay, N.S.W. (H.1196).

POLYCERA Cuvier, 1816, Regne Anim., 2, p. 389.
L.T. (Gray, 1847, Proc. Zool. Soc. Lond.,
1847, p. 165) *quadrilineata* Muller.

1977. *conspicua* Allan, 1932, Aust. Zool., 7, p.
101, pl. 4, figs. 12, 13, pl. 5, fig. 15. Sydney Harbour,
N.S.W. Allan, 1950, Aust. Shells, p. 223, figs. 3, 7.

ANGASIELLA Angas, 1864, J. de Conch., 12, p. 49 (ex
Crosse Ms.). H.T. *edwardsi* Angas.

1978. *edwardsi* Angas, 1864, J. de Conch., 12, p.
49, pl. 4, fig. 9. Port Jackson, N.S.W. (H.1197).

PLOCAMOPHERUS Leuckart, 1828, Rueppell, Atlas,
Reise nord Afrika, p. 17. H.T. *ocellatus*
Rueppell.

1979. *imperialis* Angas, 1864, J. de Conch., 12, p.
59, pl. 5, fig. 7. Port Jackson, N.S.W. Allan, 1950,
Aust. Shells, p. 223, fig. 4 (= *naevatus* Abraham,
1876, Ann. Mag. Nat. Hist., (4), 18, p. 139, pl. 6,
figs. 4, 4 a, New South Wales) (H.1198).

1980. *davisi* Allan, 1933, Rec. Aust. Mus., 18, p.
447, pl. 56, figs. 13, 14. Bulli, N.S.W.

Family DORIOPSIDAE

DORIOPSIS Pease, 1860, Proc. Zool. Soc. Lond., 1860,
p. 32. H.T. *granulosa* Pease (= *Ctenodoris*
Eliot, 1907, Proc. Malacol. Soc., 7, p. 338.
L.T. (here designated) *pecten* Eliot. =
Guyonia Risbec, 1928, Contr. l'Etude Nudib.
Neo-Caled., p. 102. L.T. (here designated)
flava Risbec).

1981. *flava* Risbec, 1928, Contr. l'Etude Nudib.
Neo-Caled., pp. 103-104, pl. 1. Ile-Nou, New Caledonia.
Allan, 1947, Rec. Aust. Mus., 21, p. 448, pl.
42, figs. 3, 4. Angourie, northern N.S.W.

1982. *viridis* Pease, 1861, Proc. Zool. Soc. Lond.,
1861, p. 244. Sandwich Islands. Allan, 1947, Rec.
Aust. Mus., 21, p. 449, pl. 42, fig. 5. Angourie,
northern N.S.W.

Suborder AEOLIDACEA

Family AEOLIDIIDAE

CORYPHELLA Gray, 1850, Fig. Moll. Anim., 4, p. 109.
L.T. (Alder and Hancock, 1855, Mon. Brit.
Nudib. Moll., pt. 7, App., p. xxiv) *rufibranchialis* Johnston.

1983. *foulisi* Angas, 1864, J. de Conch., 12, p. 64,
pl. 6, fig. 3. Port Jackson, N.S.W. (H.1162).

1984. *macleayi* Angas, 1864, J. de Conch., 12, p.
65, pl. 6, fig. 4. Port Jackson, N.S.W. (H.1163).

RIZZOLIA Trinchese, 1877, Rend. Acad. Bologna, p.
62. H.T. *peregrina* Gmelin.

1985. *australis* Bergh, 1884, Rep. Sci. Res. Challenger,
Zool., 10, p. 27, pl. 9, figs. 1-5. Port Jackson,
N.S.W. (H.1164).

BAEOLIDIA Bergh, 1888, Reise Arch. Philipp. (Sem-
per), 2, 2, p. 777, pl. 9, figs. 1-5. H.T.
moebii Bergh.

1986. *major* Eliot, 1903, Proc. Zool. Soc. Lond.,
1903, p. 252. Chuaka, Zanzibar. Allan, 1947, Rec.
Aust. Mus., 21, p. 460, pl. 43, figs. 1-7. Angourie,
northern N.S.W.

Family FLABELLINIDAE

FLABELLINA Griffith and Pidgeon, 1833, Anim. King-
dom (Cuvier), 12, p. 40. H.T. *affinis* Gmelin.

1987. *ianthina* Angas, 1864, J. de Conch., 12, p.
66, pl. 6, fig. 6. Port Jackson, N.S.W. Allan, 1950,
Aust. Shells, p. 224 (H.1165).

1988. *newcombi* Angas, 1864, J. de Conch., 12, p.
68, pl. 6, fig. 8. Coogee, near Sydney, N.S.W.
(H.1166).

1989. *ornata* Angas, 1864, J. de Conch., 12, p. 67,
pl. 6, fig. 7. Port Jackson, N.S.W. Allan, 1950,
Aust. Shells, p. 224, pl. 28, fig. 1 (H.1167).

Family FIONIDAE

FIONA Forbes and Hanley, 1851, Hist. Brit. Moll., 3,
p. x, footnote. H.T. *nobilis* Forbes and
Hanley (ex Alder and Hancock Ms.).

1990. *pinnata* Eschscholtz, 1831, Zool. Atlas, 4,
p. 14, pl. 19, fig. 1. Sitka, north-west America
(H.1168).

Family CUTHONIDAE

NARRAEOLIDA Burn, 1961, Proc. Roy. Zool. Soc.
N.S.W., 1958-9, p. 134. O.T. *colmani* Burn.

1990a. *colmani* Burn, 1961, Proc. Roy. Zool. Soc.
N.S.W., 1958-9, p. 134, figs. 4 a, b, c. Long Reef,
near Narrabeen, N.S.W.

Family GLAUCIDAE

[Ref.:—Iredale, 1940, Proc. Roy. Zool. Soc. N.S.W.,
1939-40, p. 40. Id., 1940, Aust. Zool., 9, p. 428,
text figs.]

GLAUCUS Forster, 1777, Voy. round World, p. 49.
H.T. *atlanticus* Forster.

1991. *lineatus* Bergh, 1867, Dansk Vedensk. Selsk.
Skrift, (5), 7, p. 147. Southern Pacific (H.1169).

- GLAUCILLA Bergh, 1867, Dansk Vedensk. Selsk. Skrift, (5), 7, p. 105. H.T. *briarea* Bergh.
 1992. *briarea* Bergh, 1867, Dansk Vedensk. Selsk. Skrift, (5), 7, p. 151. Southern Pacific.

Suborder ARMINACEA

Family ARMINIDAE

- ARMINA Rafinesque, 1814, Precis decouv. trav. Somiol., p. 30. L.T. (Iredale and O'Donoghue, 1923, Proc. Malacol. Soc., 15, p. 217) *tigrina* Rafinesque (= *Pleurophylidia* Meckel, 1823, Archiv. Anat. Phys., 8, p. 190. H.T. *lineata*).

1993. *cygnea* Bergh, 1876, Malak. Blatt., 23, p. 9, pl. 1, figs. 1-7. Swan River, W.A. Basedow and Hedley, 1905, Trans. Roy. Soc. South Aust., 29, p. 149, pl. 10, figs. 1, 2, pl. 11, figs. 1-3, pl. 12, figs. 1-6 (H.1173).

Family BORNELLIDAE

- BORNELLA Gray, 1850, Fig. Moll. Anim., 4, p. 107. H.T. *adamsii* Gray.

1994. *adamsii* Gray, 1850, Fig. Moll. Anim., 4, p. 107, pl. 196, fig. 6. No loc. Allan, 1950, Aust. Shells, p. 224, fig. 2 (H.1172).

1995. *hermanni* Angas, 1864, J. de Conch., 12, p. 61, pl. 6, fig. 1. Port Jackson, N.S.W. (H.1172 pt.).

- PHYLLIROE Peron and Lesueur, 1810, Ann. Mus. Hist. Nat. Paris, 15, p. 65. H.T. *bucephalum* Peron and Lesueur.

1996. *bucephalum* Peron and Lesueur, 1810, Ann. Mus. Hist. Nat. Paris, 15, p. 65. Mediterranean Sea. Dakin and Colefax, 1936, Proc. Zool. Soc. Lond., 1936, pt. 1, p. 455, pl. 1. Id., 1940, Publ. Univ. Syd. Zool. Mon. 1, p. 207, fig. 299. N.S.W.

- CEPHALOPYGE Hanel, 1905, Zool. Jahrb. Syst., 21, pp. 451-466, pl. 23, fig. 24. H.T. *trematoides* Chun (= *Ctilopsis* Andre, 1906, Rev. Suisse Zool., 14, p. 72. H.T. *picteti* Andre = *trematoides* Chun).

1997. *trematoides* Chun, 1889, Sitzungsbl. preuss. Akad. Wiss., 1889, p. 547. Canary Is. (= *picteti* Andre, 1906, Rev. Suisse Zool., 14, p. 72. Amboina. = *orientalis* Baba, 1933, Annot. Zool. Jap., 14, pp. 157-160, pl. 7. Shimuzu Bay, Japan). Dakin and Colefax, 1936, Proc. Zool. Soc. Lond., 1936, pt. 1, p. 455, pls. 3, 4 (N.S.W., *picteti*). Id., 1937, Ann. Mag. Nat. Hist., (10), 19, pp. 266-271 (*orientalis*). Id., 1940, Publ. Univ. Syd. Zool. Mon. 1, p. 208, fig. 300. Steinberg, 1956, Proc. Linn. Soc. N.S.W., 81, pp. 184-192, text figs. 1-8. Port Jackson, N.S.W.

Family TETHYIDAE

- MELIBE Rang, 1829, Man. Moll., p. 129. O.T. *rosea* Rang.

1998. *australis* Angas, 1864, J. de Conch., 12, p.

- 62, pl. 6, fig. 2. Port Jackson, N.S.W. Allan, 1947, Rec. Aust. Mus., 21, p. 459, pl. 43, figs. 8, 9 (H.1171).

Family PROCTONOTIDAE

- JANOLUS Bergh, 1884, Rep. Sci. Res. Challenger, Zool., 10, p. 18. H.T. *australis* Bergh.

1999. *sanguineus* Angas, 1864, J. de Conch., 12, p. 63, pl. 6, fig. 5. Port Jackson, N.S.W. (H.1170).

Class SCAPHOPODA

Family DENTALIIDAE

- [Ref.:—Colman, 1958, Proc. Roy. Zool. Soc. N.S.W., 1956-7, pp. 140-147, figs. on p. 147.]

- DENTALIUM Linne, 1758, Syst. Nat., 10 ed., p. 758. L.T. (Montfort, 1810, Conch. Syst., 2, p. 23) *elephantinum* Linne.

- S.g. Dentalium Linne, 1758. Ibid.

2000. *tignum* Colman, 1958, Proc. Roy. Zool. Soc. N.S.W., 1956-7, p. 141, fig. 1. Off Sydney, N.S.W., 800 fm.

2001. *concretum* Colman, 1958, Proc. Roy. Zool. Soc. N.S.W., 1956-7, p. 141, fig. 2. Off Sydney, N.S.W., 300 fm.

2002. *thetidis* Hedley, 1903, Mem. Aust. Mus., 4, p. 327, fig. 61. Off Port Kembla, N.S.W., 63-75 fm. Colman, 1958, loc. cit., p. 141, fig. 3 (H.1205).

- S.g. ANTALIS H. and A. Adams, 1854, Gen. Rec. Moll., 1, p. 457. L.T. (Pilsbry and Sharp, 1897, Man. Conch. (Tryon), 17, p. 37) *entalis* Linne.

2003. *woolacottae* Colman, 1958, Proc. Roy. Zool. Soc. N.S.W., 1956-7, p. 142, fig. 4. Cronulla, N.S.W.

- S.g. LAEVIDENTALIUM Cossmann, 1888, Ann. Soc. Roy. Malac. Belg., 23, p. 7. O.T. *incertum* Deshayes.

2004. *lubricatum* Sowerby, 1860, Thes. Conch., 3, p. 97, pl. 225, fig. 56. Off Port Jackson, N.S.W., 45 fm. Colman, 1958, loc. cit., p. 142, fig. 5 (H.1203).

2005. *erectum* Sowerby, 1860, Thes. Conch., 3, p. 99, pl. 225, fig. 55. Sydney, N.S.W. Colman, 1958, loc. cit., p. 143, fig. 6 (H.1202).

2006. *laseroni* Colman, 1958, Proc. Roy. Zool. Soc. N.S.W., 1956-7, p. 143, fig. 7. Broken Bay, N.S.W., 100 fm.

2007. *pluteum* Colman, 1958, Proc. Roy. Zool. Soc. N.S.W., 1956-7, p. 143, fig. 8. Off Wollongong, N.S.W., 100 fm.

- S.g. COMPRESSIDENS Pilsbry and Sharp, 1897, Man. Conch. (Tryon), 17, p. 123. O.T. *pressum* Pilsbry and Sharp.

2008. *platyceras* Pilsbry and Sharp, 1897, Man. Conch. (Tryon), 17, p. 126, pl. 22, figs. 58-60. Port Stephens, N.S.W., 12 fm. Colman, 1958, loc. cit., p. 144, fig. 9 (H.1204).

S.g. **EPISIPHON** Pilsbry and Sharp, 1897, Man. Conch. (Tryon), 17, p. xxxi and p. 117. L.T. (Suter, 1913, Man. New Zeal. Moll., p. 821) *sowerbyi* Guilding.

2009. *virgula* Hedley, 1903, Mem. Aust. Mus., 4, p. 328, fig. 2. Off Port Kembla, N.S.W., 63-75 fm. Colman, 1958, loc. cit., p. 144, fig. 10 (H.1206).

S.g. **PSEUDANTALIS** Monterosato, 1884, Nomen. conch. Medit., p. 32. L.T. (Sacco, 1897, Moll. Terr. Terz. Piemontee Liguria, pt. 22, p. 111) *rubescens* Deshayes.

2010. *caesura* Colman, 1958, Proc. Roy. Zool. Soc. N.S.W., 1956-7, p. 145, fig. 11. Off Wollongong, N.S.W., 100 fm.

S.g. **BATHOXIPHUS** Pilsbry and Sharp, 1897, Man. Conch. (Tryon), 17, p. 121. O.T. *ensiculus* Jeffreys.

2011. *appplanatum* Colman, 1958, Proc. Roy. Zool. Soc. N.S.W., 1956-7, p. 145, fig. 12. Off Sydney, N.S.W., 800 fm.

Family SIPHONODENTALIIDAE

GADILA Gray, 1847, Proc. Zool. Soc. Lond., 1847, p. 159. O.T. *gadus* Montagu.

2012. *spretus* Tate and May, 1900, Trans. Roy. Soc. South Aust., 24, p. 102. Port Esperance, Tasmania, 24 fm. Id., 1901, Proc. Linn. Soc. N.S.W., 25, p. 420, pl. 25, fig. 52 (type figured) (H.1208).

2013. *acuminatus* Deshayes, 1871, Proc. Zool. Soc. Lond., 1871, p. 97. Middle Harbour, N.S.W. (not figured). Cf. *vincentiana* Cotton and Godfrey, 1940, Moll. South Aust., 2, p. 338, fig. 360. St. Vincent Gulf, South Aust. (H.1207).

Class CEPHALOPODA

Subclass DIBRANCHIA (= COLEOIDEA)

[Ref.:—Allan, 1945, Rec. Aust. Mus., 21, pp. 317-350, pls. 24-27. Allan, 1950, Aust. Shells, pp. 423-459, col. pl. 44, text figs. 106-112.]

Order DECACERATA (DECAPODA)

Suborder OEGOPSIDA (= TEUTHOIDEA)

Family ENOPLOTEUTHIDAE

ABRALIA Gray, 1849, Cat. Moll. Brit. Mus., pt. 1, Cephal., pp. 46-50. L.T. (Hoyle, 1909, Proc. Roy. Phys. Soc. Edinb., 17, p. 269) *armata* Quoy and Gaimard (= *Abraliopsis* Joubin, 1896, Bull. Soc. Sci. Med. Onest. Rennes, 5, pp. 19, 35. H.T. *hoylei* Pfeffer (= *armata* Quoy and Gaimard 1832)).

2014. ? *astrosticta* Berry, 1909, Proc. U.S. Nat. Mus., 37, pp. 412, 419. Hawaiian Islands. Allan, 1945, loc. cit., 21, p. 321, pl. 24, figs. 1-10. Off Coff's Harbour, northern N.S.W.

2015. ? *hoylei* Pfeffer, 1884, Abhand. Nat. wiss. Ver. Hamb., 8, (1), p. 171. Mascarene Is. Allan, 1945, loc. cit., 21, pp. 323-4, pl. 24, figs. 11-14. Jervis Bay, N.S.W.

PTERYGIOTEUTHIS H. Fischer, 1895, J. de Conch., 43, p. 205. H.T. *giardi* Fischer.

2016. *giardi* Fischer, 1895, J. de Conch., 43, p. 205, pl. 9, figs. 1-7. Morocco. Allan, 1945, loc. cit., 21, p. 324, pl. 24, figs. 15-20. 24m. E. of Sydney Heads, N.S.W.

ENOPLOTEUTHIS Orbigny, 1837 (in) Ferussac and Orbigny, Hist. Nat. Ceph. Acet., Atlas, *Onychoteuthis*, pl. 12. H.T. *leptura* Orbigny.

2017. *galaxias* Berry, 1918, Biol. Res. Endeavour, 4, p. 211, pls. 59, 60. Gabo Island to Everard Ground, Vict., 200-250 fm. Cotton and Godfrey, 1940, Moll. South Aust., 2, Cephalopoda, p. 280, figs. 375-379.

Family ONYCHOTEUTHIDAE

ONYCHOTEUTHIS Lichtenstein, 1818, Isis (Oken), 1818, p. 1591. O.T. *bergii* Lichtenstein (= *banksii* Leach).

2018. *rutilus* Gould, 1852, U.S. Expl. Exped. (Wilkes), 12, Moll., p. 482, fig. 595. Near Sydney, N.S.W. Allan, 1945, loc. cit., p. 325, pl. 25, figs. 6-11 (H.332).

Family OCTOPOTEUTHIDAE

(Ctenopterygidae Allan)

OCTOPOTEUTHIS E. Rueppell, 1844, Giorn. Gabin. Messina, (26). H.T. *sicula* Rueppell (= *Verania* Krohn, 1846, Rev. Zool. Soc. Cuv. 1846, p. 192. New name for above only; = *Ctenopteryx* Appelof, 1890, Bergens Museum Aarsb., 3, p. 3. H.T. *sicula* E. Rueppell (not *Ctenopteryx* Flach, 1899)).

2019. *sicula* E. Rueppell, 1844, Giorn. Gabin. Messina, (26). Sicily. Allan, 1945, loc. cit., 21, p. 329, pl. 25, figs. 6-7. Montagu I., N.S.W.

Family BRACHIOTEUTHIDAE

BRACHIOTEUTHIS Verrill, 1881, Trans. Conn. Acad. Sci., 5, p. 405. L.T. *beanii* Verrill.

2020. *riisei* Steenstrup, 1882, Videns. Med. Nat. Foren (Kjobenhavn), (4), 3, p. 29. North Sea. Allan, 1945, loc. cit., 21, p. 330, pl. 26, figs. 15-17, pl. 27, fig. 25. 24m. E. of Port Hacking, N.S.W.

Family OMMASTREPHIDAE

NOTOTODARUS Pfeffer, 1912, Ergeb. Plankton. Exped. Hamb., 2, p. 223. H.T. *insignis* Gould.

2021. *gouldi* McCoy, 1888, Prod. Zool. Victoria, Dec. 17, p. 255, pls. 169-170. Victoria. Berry, 1918, Biol. Res. Endeavour, 4, p. 228, pls. 63-66, text figs.

10-27. South-west Aust. Allan, 1933, Vict. Nat., 49, pl. 15, figs. 4-4 a. Cotton and Godfrey, 1940, Moll. South Aust., 2, Cephalopoda, p. 392, figs. 384-388. Allan, 1945, loc. cit., 21, p. 331, pl. 26, figs. 1-14 (H.331).

DOSIDICUS Steenstrup, 1857, Overs. K. Dansk. Vid. Selsk. Forh., p. 11. H.T. *eschrichtii* Steenstrup (Chile) = *gigas* Orbigny (Atlantic Ocean).

2022. *gigas* Orbigny 1835, Voy. Amer. Merid., p. 50, pl. 4. Atlantic Ocean. Berry, 1912, Bull. U.S. Bureau Fish., 30, p. 301, pls. 48, 49. California. Brazier, 1892, Cat. Mar. Shells Aust. Tas., pt. 1, p. 16. New South Wales (H.330).

Family HISTIOTEUTHIDAE

CALLITEUTHIS Verrill, 1880, Amer. Journ. Sci. and Arts, (3), 20, p. 393. H.T. *reversa* Verrill.

2023. *miranda* Berry, 1918, Biol. Res. Endeavour, 4, pp. 221-228, pls. 61-62, text figs. 5-9. Off Gabo I., Victoria, 270 fm. Allan, 1945, loc. cit., 21, p. 334, pl. 25, figs. 12-15.

Family CRANCHIIDAE

Subfamily TAONIINAE

MEGALOCRANCHIA Pfeffer, 1884, Abh. Nat. wiss. Ver. Hamb., 8, (1), p. 24. H.T. *maxima* Pfeffer.

2024. *pardus* Berry, 1916, Proc. Acad. Nat. Sci. Philad., 68, pp. 61, 64, pl. 9, fig. 2, figs. in text, 19-22. Kermadec Is. Allan, 1945, loc. cit., p. 336, pl. 27, figs. 1-4. Off Port Hacking, N.S.W.

Subfamily CRANCHIINAE

PYRCOPSIS Rochebrune, 1884, Bull. Soc. Philom. Paris, (7), 8, p. 23. H.T. *ryncophorus* Rochebrune.

2025. *pacificus* Issel, 1908, Pub. R. Inst. stud. Super. Firenze, p. 223. Tahiti. Allan, 1945, loc. cit., 21, p. 338, pl. 27, figs. 5-11. Off east coast, N.S.W.

PROCALISTES Lankester, 1884, Quart. J. micr. Sci., (n.s.), 24, p. 311. H.T. *suhmii* Lankester (= *Galiteuthis* Joubin, 1898, Ann. Sci. Nat. Zool., (8), 6, p. 279. H.T. *armata* Joubin (= *suhmii* Lankester)).

2026. *suhmii* Lankester, 1884, Quart. J. micr. Sci., (n.s.), 24, p. 311, text figs. Off Sydney, N.S.W. Hoyle, 1885, Rep. Sci. Res. Challenger, Zool., 16, p. 472, figs. 173-174 (H.333).

Suborder MYOPSIDA (= SEPIOIDEA)

Family SPIRULIDAE

SPIRULA Lamarck, 1799, Mem. Soc. Hist. Nat. Paris, 1799, p. 80. T.T. *spirula* Linne.

2027. *spirula* Linne, 1758, Syst. Nat., 10 ed., p.

710. America. Allan, 1950, Aust. Shells, p. 441, text fig. 107 (H.320).

Family SEPIOLIDAE

EUPRYMNA Steenstrup, 1887, Overs. K. Dansk. Vid. Selsk. Forh., p. 66. L.T. (Hoyle, 1910, Abh. Senckenb. Naturf. Gesell., 32, p. 409) *morsei* Verrill.

2028. *tasmanica* Pfeffer, 1884, Abh. Nat. wiss. Ver. Hamb., 8, (1), p. 6. Bass Strait. Cotton and Godfrey, 1940, Moll. South Aust., 2, Cephalopoda, p. 400, figs. 397-398. (South Aust.) Allan, 1945, loc. cit., 21, p. 341, pl. 27, figs. 20-21.

2029. *stenodactyla* Grant, 1833, Trans. Zool. Soc. Lond., 1, p. 84, pl. 11, figs. 1, 2, 6. Mauritius. Brazier, 1892, Cat. Mar. Shells Aust. Tas., pt. 1, p. 9. Port Jackson, N.S.W. (H.329).

HETEROTEUTHIS Gray, 1849, Cat. Moll. Brit. Mus., pt. 1, Cephal., p. 90. H.T. *dispar* Ruppell.

2030. *serventyi* Allan, 1945, Rec. Aust. Mus., 21, p. 340, pl. 27, figs. 22, 23. Off Jervis Bay, N.S.W.

AUSTROROSSIA Berry, 1918, Biol. Res. Endeavour, 4, p. 252. O.T. *australis* Berry.

2031. *australis* Berry, 1918, Biol. Res. Endeavour, 4, p. 253, text figs. 43-47, pl. 69, figs. 3, 4, pl. 70. Great Australian Bight, S. of Eucla, 250-300 fm. Also Gabo I. to Everard Ground, Vict., 200-250 fm.

Family SEPIIDAE

[Ref.:—Iredale, 1926, Aust. Zool., 4, pp. 186-196, pls. 21-23; id. ib., 1926, p. 237, pl. 35; id. ib., 1954, 12, pp. 63-82, pls. 4, 5.]

Subfamily SOLITOSEPIINAE

SOLITOSEPIA Iredale, 1926, Aust. Zool., 4, p. 188. H.T. *liliana* Iredale.

2032. *liliana* Iredale, 1926, Aust. Zool., 4, p. 188, pl. 21, figs. 1-3. Manly, N.S.W.

2033. *mestus* Gray, 1849, Cat. Moll. Brit. Mus., pt. 1, Ceph., p. 108. Port Jackson, N.S.W. Iredale, 1926, loc. cit., p. 189, pl. 21, figs. 4-5 (H.324).

2034. *rozella* Iredale, 1926, Aust. Zool., 4, p. 190, pl. 21, figs. 6-7. Manly, N.S.W.

2035. *plangon* Gray, 1849, Cat. Moll. Brit. Mus., pt. 1, Ceph., p. 104. Port Jackson, N.S.W. Iredale, 1926, loc. cit., p. 190, pl. 23, fig. 34 (H.325).

MESEMBRISEPIA Iredale, 1926, Aust. Zool., 4, p. 190. H.T. *macandrewi* Iredale.

2036. *macandrewi* Iredale, 1926, Aust. Zool., 4, p. 191, pl. 21, figs. 8-9. Shellharbour, N.S.W.

AMPLISEPIA Iredale, 1926, Aust. Zool., 4, p. 194. H.T. *apama* Gray.

2037. *verreauxi* Rochebrune, 1884, Bull. Soc.

Philom. Paris, (7), 8, p. 98. Sydney, N.S.W. Iredale, 1926, loc. cit., p. 194, pl. 23, figs. 1-2 (H.321).

DECORISEPIA Iredale, 1926, Aust. Zool., 4, p. 193. O.T. *rex* Iredale.

2038. *rex* Iredale, 1926, Aust. Zool., 4, p. 193, pl. 22, figs. 9-10. Manly, N.S.W.

GLYPTOSEPIA Iredale, 1926, Aust. Zool., 4, p. 191. O.T. *opipara* Iredale.

2039. *opipara* Iredale, 1926, Aust. Zool., 4, p. 191, pl. 22, figs. 7-8. Capricorn Group, Q. (also N.S.W.).

2040. *cultrata* Hoyle, 1885, Ann. Mag. Nat. Hist., (5), 16, p. 198. Off south-east coast Australia, "2200 fm." (in error = 150 fm.). Id., 1887, Rep. Sci. Res. Challenger, Zool., 16, p. 133, pl. 20 (= *macilenta* Iredale, 1924, Aust. Zool., 4, p. 192, pl. 22, figs. 3, 4. Manly, N.S.W. Iredale, 1955, Proc. Zool. Soc. N.S.W., 1953-4, pp. 78-79) (H.323).

2041. *gemellus* Iredale, 1926, Aust. Zool., 4, p. 192, pl. 22, figs. 1-2. Manly, N.S.W.

Subfamily DORATOSEPIONTINAE

ARCTOSEPIA Iredale, 1926, Aust. Zool., 4, p. 193. O.T. *limata* Iredale.

2042. *limata* Iredale, 1926, Aust. Zool., 4, p. 193, pl. 23, figs. 7, 8. Manly, N.S.W.

2043. *versuta* Iredale, 1926, Aust. Zool., 4, p. 193, pl. 23, figs. 5, 6. Manly, N.S.W.

2044. *braggi* Verco, 1907, Trans. Roy. Soc. South Aust., 31, p. 213, pl. 27, fig. 6. South Australia. Iredale, 1954, Aust. Zool., 12, p. 74. Narooma, southern N.S.W. (H.322).

Subfamily TENUISEPIINAE

TENUISEPIA Cotton, 1932, Rec. South Aust. Mus., 4, p. 546. O.T. *mira* Cotton.

2045. *mira* Cotton, 1932, Rec. South Aust. Mus., 4, p. 546, figs. 7, 9. Capricorn Group, South Queensland. Iredale, 1954, Aust. Zool., 12, p. 75, pl. 5, figs. 7-8. Trial Bay, N.S.W.

Subfamily ACANTHOSEPIONTINAE

ACANTHOSEPION Rochebrune, 1874, Bull. Soc. Philom. Paris, (7), 8, p. 100. L.T. (Mayer, 1885, Zool. Jahresb. Naples, 1884, p. 23) *aculeata* Hasselt.

2046. *whitleyanum* Iredale, 1926, Aust. Zool., 4, p. 195, pl. 23, figs. 9-10. Port Macquarie, N.S.W. Subgenus FISCISEPIA Iredale, 1926, Aust. Zool., 4, p. 239. O.T. *ellipticum adjacens* Iredale.

2047. *ellipticum adjacens* Iredale, 1926, Aust. Zool., 4, p. 239, pl. 35, figs. 5-6. Capricorn Group, South Q'ld.

Family SEPIOLOIDEIDAE

SEPIOLOIDEA Orbigny, 1839, Hist. Nat. Ceph. Acet., p. 240. H.T. *lineolata* Quoy and Gaimard.

2048. *lineolata* Quoy and Gaimard, 1832, Voy. Astrol., Zool., 2, p. 82, pl. 5, figs. 8-13. Jervis Bay, N.S.W. Allan, 1933, Vict. Nat., 49, p. 240, pl. 15, fig. 7. Dew, 1959, Proc. Roy. Zool. Soc. N.S.W., 1957-8, pp. 53-55, fig. 1 (H.328).

Family IDIOSEPIIDAE

IDIOSEPIUS Steenstrup, 1881, Dansk. Videns. Selsk. Skrft., (6), 1, p. 219. O.T. *pygmaeus* Steenstrup.

2049. *notoides* Berry, 1921, Rec. South Aust. Mus., 1, p. 361, fig. 67 in text. South Australia. Cotton and Godfrey, 1940, Moll. South Aust., pt. 2, p. 399, fig. 392. Allan, 1945, loc. cit., p. 342. Bass Strait.

Family LOLIGINIDAE

LOLIGO Lamarck, 1798, Bull. Sci. Soc. Philom. Paris, No. 17, p. 130. T.T. *loligo* Linne.

2050. *australis* Gray, 1849, Cat. Moll. Brit. Mus., pt. 1, Cephal., p. 71. Newcastle, N.S.W. Not figured. Cf. *etheridgei* Berry, 1918, Biol. Res. Endeavour, 4, p. 243, pl. 67-68, pl. 69, figs. 1-2. "Australian seas" (H.327).

SEPIOTEUTHIS Blainville, 1824, Dict. Sci. Nat. (Levr.), 32, p. 175. H.T. *sepiacea* Blainville.

2051. *australis* Quoy and Gaimard, 1832, Voy. Astrol., Zool., 2, p. 77, pl. 4, fig. 1. Western Port, Victoria. Allan, 1933, Vict. Naturalist, 49, pl. 15, figs. 3, 3 a. Cotton and Godfrey, 1940, Moll. South Aust. pt. 2, p. 414, figs. 402-405 (H.326).

Order OCTOPODA

Family OCTOPODIDAE

OCTOPUS Cuvier, 1798, Tabl. Elem. Hist. Nat., p. 380. T.T. *vulgare* Cuvier (= *Sepia octopus* Linne) (= *Octopus* Lamarck, 1798, Bull. Sci. Soc. Philom. Paris, No. 17, p. 130. T.T. *vulgaris* Lamarck).

2052. *australis* Hoyle, 1885, Ann. Mag. Nat. Hist., (5), 15, p. 224. Port Jackson, N.S.W. Id., 1886, Rep. Sci. Res. Challenger, Zool., 16, p. 88, pl. 3, figs. 4, 5 (H.334).

2053. *pallidus* Hoyle, 1885, Ann. Mag. Nat. Hist., (5), 15, p. 223. Bass Strait, 38 fm. Id., 1886, Rep. Sci. Res. Challenger, Zool., 16, p. 81, pl. 1, fig. 2. Allan, 1945, loc. cit., 21, p. 343, pl. 27, figs. 15-18. Allan, 1950, Aust. Shells, p. 456, fig. 2.

2054. *cyaneus* Gray, 1849, Cat. Moll. Brit. Mus., pt. 1, Cephal., p. 15. Coast of New Holland. Allan, 1950, Aust. Shells, p. 457, text fig. 110, fig. 7. Sydney Harbour, N.S.W. Le Souef and Allan, 1933, Aust. Zool., 7, pp. 373-376, pl. 20. Id., 1937, ib., 9, pp. 64-67, pls. 6, 7. Dew, 1959, Proc. Roy. Zool. Soc. N.S.W., 1957-8, pp. 44-47, figs. 1-2 (H.335).

2055. *duplex* Hoyle, 1885, Ann. Mag. Nat. Hist., (5), 15, p. 226. Off Twofold Bay, N.S.W. Id., 1886,

Rep. Sci. Res. Challenger, Zool., 16, p. 90, pl. 7, fig. 5 (H.336).

HAPALOCHLAENA Robson, 1920, Mon. Rec. Cephalop. Brit. Mus., 1, p. 209. O.T. *lunulatus* Quoy and Gaimard.

2056. *maculosa* Hoyle, 1883, Proc. Roy. Phys. Soc. Edinb., 7, p. 319, pl. 6. Australia (= *Octopus pictus* Brock, 1882, Zeit. wiss. Zool., 36, p. 603, pl. 37, fig. 3, not *O. pictus* Blainville, 1828). Hoyle, 1886, Rep. Sci. Res. Challenger, Zool., 16, p. 94, pl. 8, fig. 3 (= var. *fasciata*. Port Jackson, N.S.W.). Allan, 1933, Vict. Nat., 49, p. 238, pl. 15, fig. 1. Dew, 1959, Proc. Roy. Zool. Soc. N.S.W., 1957-8, pp. 47-50, fig. 3 (H.337).

2057. *tetrica* Gould, 1852, U.S. Expl. Exped. (Wilkes), 12, Moll., p. 474, pl. 47, fig. 588. Port Jackson, N.S.W. Allan, 1945, loc. cit., 21, p. 344, pl. 27, fig. 19 (H.339).

PINNOCTOPUS Quoy and Gaimard, 1832, Voy. Astrol., Zool., 2, p. 87. H.T. *cordiformis* Quoy and Gaimard.

2058. *cordiformis* Quoy and Gaimard, 1832, Voy. Astrol., Zool., 2, p. 87, pl. 6, fig. 3. Tasman Bay, New Zealand.

Family ELEDONELLIDAE

ELEDONELLA Verrill, 1884, Trans. Conn. Acad. Sci., 6, (1), p. 144. O.T. *pygmaea* Verrill.

2059. *sheardi*, Allan, 1945, Rec. Aust. Mus., 21, p. 345, pl. 26, figs. 22-27. Off Cape Byron, N.S.W.

Family ARGONAUTIDAE

ARGONAUTA Linne, 1758, 10 ed. p. 708. H.T. *argo* Linne.

2060. *grandiformis* Perry, 1811, Conchology, pl. 42, fig. 4. Cape of Good Hope. Allan, 1950, Aust. Shells, p. 458 (*argo*, not of Linne, 1758) (H.340).

2061. *nodosa* Solander, 1786, Cat. Portland Mus., p. 96. Amboina. Rumph, 1741, Amboin. Rariteitk., pl. 18, fig. 1. Allan, 1933, Vict. Nat., 49, pl. 15, figs. 8, 9. Allan, 1950, Aust. Shells, p. 458, pl. 44, fig. 1 (H.341).

2062. *boettgeri* Maltzan, 1881, J. de Conch., 29, p. 163, pl. 9, fig. 7. No loc. Hedley, 1923, Proc. Linn. Soc. N.S.W., 48, p. 306, pl. 31, fig. 11. Near Sydney, N.S.W.

2063. *nouryi* Lorois, 1852, Rev. Mag. Zool., (2), 4, p. 9, pl. 1, fig. 5. East of Marquesas Group, Pacific Ocean.

Subclass TETRABRANCHIATA

(= NAUTILOIDEA)

This subclass includes the well-known Pearly Nautilus shells, none of which lives on the New South Wales coast, but shells from the tropics sometimes drift down and may be found washed up on the beaches, usually in a battered condition. As means of identification, reference may be made to Iredale, 1944, Aust. Zool., 10, pp. 294-298, text figs., and Allan, 1950, Aust. Shells, pp. 438-440, coloured figure on pl. 44, fig. 10.

Index of Family Names

Acanthosepiontinae	99	Columbariidae	73	Glossodorididae	93
Acteonidae	86	Cominellidae	73	Glycymeridae	9
Aeolidiidae	95	Condylocardiidae	17				
Akeridae	88	Conidae	75	Haliotidae	31
Alloididae	26	Coralliophilidae	72	Harpidae	64
Amphibolidae	83	Cranchiidae	98	Hemidonacidae	21
Amphidesmatidae	26	Cranchiinae	98	Hexabranchidae	94
Amusiidae	11	Crepidulidae	44	Hiatellidae	27
Ancillidae	64	Crossocoridae	48	Hipponicidae	43
Anomiidae	12	Cryptochitonidae	28	Histioteuthidae	98
Aplysiidae	91	Cryptoplacidae	29	Hochstetteriidae	9
Archidoridinae	93	Ctenopterygiidae	97	Hydatinidae	88
Architectonicidae	68	Ctiloceratidae	48				
Arcidae	8	Cunidae	16	Idiosepiidae	99
Argonautidae	100	Cuspidariidae	16	Iridae	23
Arminidae	96	Cyamomactridae	20	Ischnochitonidae	27
Assimineidae	43	Cymatiidae	54	Isognomontidae	10
Atlantidae	50	Cypraeiidae	59				
Atyidae	88	Cypraeiinae	59	Janthinidae	49
Astrocypraeinae	61								
Austrosiphonidae	69	Daphnellinae	81	Lamelliariidae	58
Benthocardiellidae	18	Dendrodorididae	94	Lasacinae	19
Bertheliniidae	91	Dentaliidae	96	Laternulidae	14
Bornellidae	96	Dialidae	43	Lepidochitonidae	28
Bornioididae	20	Dimyidae	12	Lepidopleuridae	28
Borsoniinae	78	Discodorididae	94	Leptonidae	19
Brachioleuthidae	97	Donaciidae	25	Leuconopsidae	82
Brookulidae	35	Doratosepiontinae	99	Limidae	12
Bullidae	88	Dorididae	92	Limopsidae	7
Bursidae	55	Doridiidae	89	Lioconchidae	22
Caecidae	47	Doridinae	92	Liotiidae	35
Caliphyllidae	92	Doriopsidae	95	Lippistidae	48
Callistochitonidae	28	Dosiniidae	21	Litiopidae	43
Callomphalidae	35	Eledonellidae	100	Littorinidae	38
Calypteraeidae	44	Elysiidae	92	Loliginidae	99
Cancellariidae	66	Enoplateuthidae	97	Loricidae	28
Capulidae	44	Ensiidae	25				
Cardiidae	21	Epitoniidae	50	Mactridae	25
Carditellidae	17	Eratoidae	58	Mammillinae	57
Carditidae	17	Erosariinae	60	Mangeliinae	78
Carinariidae	50	Erroneinae	60	Mangonuidae	68
Cassididae	55	Eucrassatelliidae	16	Marginellidae	64
Cavolinidae	89	Euphoruriidae	95	Marikelliinae	19
Cerithiidae	44	Fasciolariidae	68	Mathildidae	86
Cerithiopsidae	45	Ficidae	57	Melanellidae	52
Chamidae	18	Fionidae	95	Melliteryicinae	20
Cheileidae	44	Fissurellidae	30	Merriidae	49
Chitonidae	29	Flabellinidae	95	Microdisculidae	36
Circidae	22	Fossaridae	39	Micropoliidae	21
Clavagellidae	15	Fusinidae	68	Microvolutidae	62
Clavinae	76	Gadiniidae	83	Mitridae	63
Cleidothaeridae	15	Gaimardiidae	14	Muricidae	71
Clioidea	90	Gariidae	25	Myllitidae	20
Clioniidae	91	Gastrochaenidae	27	Myochamidae	15
Cocculinidae	37	Glaucidae	95	Mysellinae	20
Codakiidae	18	Glauconomidae	24	Mytilidae	13
Colubrariidae	69					Nassariidae	67

Naticidae	57	Potamididae	44	Struthiolariidae	49
Naticinae	57	Potamopyrgidae	43	Sunettidae	22
Neritidae	37	Proctonotidae	96	Taoniinae	98
Notobranchaeidae	91	Pteriididae	10	Tateidae	43
Nuculanidae	7	Pterosomatidae	50	Tellinidae	24
Nuculidae	7	Pterotracheidae	50	Tenuisepiinae	99
Obortionidae	42	Pupidae	86	Terebridae	74
Octopodidae	99	Pyramidellidae	83	Teredinidae	27
Octopoteuthidae	97	Pyrenidae	70	Tethyidae	96
Odostomiidae	83	Pytiidae	82	Thaisidae	73
Odostominae	83	Recluziidae	49	Thracidae	14
Olividae	64	Retusidae	87	Thyasiridae	19
Ommastrephidae	97	Ringiculidae	87	Tonnidae	56
Onchidiidae	83	Rissoidae	40	Toriniidae	68
Onychoteuthidae	97	Rissoinidae	39	Trigoniidae	9
Orbitestellidae	36	Scallopidae	43	Trimusculidae	83
Ostreidae	12	Scaphandridae	87	Triphoridae	46
Ovulidae	59	Schizotrochidae	30	Triviidae	58
Oxynoecidae	92	Scintillidae	21	Trochidae	31
Panopeidae	27	Scissurellidae	30	Trophonidae	72
Paphiidae	23	Semelidae	24	Truncatellidae	43
Patellidae	38	Sepiidae	98	Turbinidae	34
Patelloididae	37	Sepiolidae	98	Turbanillinae	85
Pectinidae	11	Sepioloideidae	99	Turridae	76
Peculatoridae	64	Siliquariidae	48	Turrinae	76
Pediculariidae	58	Sininae	58	Turritellidae	47
Pedumicrinae	47	Siphonariidae	82	Typhidae	72
Phasianellidae	34	Siphonodontaliidae	97	Umbiliidae	59
Phenacolepadidae	37	Siriidae	48	Umbraculidae	92
Philinidae	89	Solecurtidae	25	Ungulinidae	19
Pholadidae	27	Solemyidae	7		
Photidae	69	Solenidae	25	Vasidae	67
Phylliroiidae	92	Solitosepiinae	98	Veneridae	22
Pinnidae	9	Spiratellidae	90	Verticordiidae	15
Planaxidae	39	Spirulidae	98	Volutidae	61
Plaxiphoridae	29	Spondylidae	11	Vulsellidae	10
Pleurobranchaeidae	92	Staphylaeinae	60		
Pleurobranchidae	92	Stomatidae	31	Xenophoridae	49
Plicatulidae	12	Strigillidae	24		
Poromyidae	16	Strombidae	49	Zemiridae	49

Index of Generic Names

Abarbatia	8	Aspella	72	Borniola	20
Abralia	97	Asperdaphne	81	Botelloides	42
Abraliopsis	97	Assiminea	43	Brachioteuthis	97
Abranda	25	Astele	34	Brookula	35
Acanthochitona	28	Astelena	34	Bulla	88
Acanthosepión	99	Asteracmea	38	Bullina	89
Acar	8	Asteronotus	93	Bullinula	89
Aclophora	46	Ataxocerithium	44	Bursa	55
Acritopaphia	23	Atlanta	50	Byssobernia	20
Acteon	86	Atrina	10	Cabestaniomorpha	54
Actinoleuca	38	Attenuata	42	Cacozelia	44
Acuminia	74	Atys	88	Cacozeliana	44
Acutiscala	51	Austrancilla	64	Cadus	56
Adacnarca	9	Austrocarina	78	Caecum	47
Adamnestia	87	Austrococlea	32	Calcar	35
Aeretica	24	Austrodaphnella	81	Callanaitis	23
Agatha	83	Austrodiaphana	88	Callistelasma	28
Agnewia	73	Austrodillria	77	Calliteuthis	98
Akera	88	Austrogemmula	76	Callodix	36
Alaginella	66	Austroginella	65	Callomphala	35
Alocospira	64	Austrolima	12	Calvitium	20
Amblychilepas	31	Austroliotia	35	Canarium	50
Ambuscinctilla	21	Austromactra	25	Cancilla	63
Amesodesma	26	Austumitra	63	Cantharidella	32
Amorena	62	Austumytillus	13	Caporista	39
Amplisepia	98	Austronassaria	67	Capulonix	44
Amusium	11	Austropteria	10	Cardita	17
Amygdalum	13	Austropusilla	78	Carditellona	17
Anabathron	41	Austroquetia	26	Carditellopsis	17
Anadara	8	Austrorossia	98	Carinaginella	4
Anafossarus	39	Austrosarepta	8	Carinaria	50
Ancillista	64	Austrosassia	54	Carswellena	34
Angasiella	95	Austroturris	76	Casmaria	56
Anisoperna	10	Aviscutum	30	Cavatidens	18
Annaperenna	55			Cavolina	89
Anomia	12	Badepigrus	42	Cavostella	36
Antalis	96	Baeolidia	95	Cavotera	36
Antephallium	56	Bankia	27	Cellana	38
Antigona	22	Bankivia	32	Cephalopyge	96
Antisabia	43	Barnea	27	Ceratosoma	93
Antizafra	71	Basilissa	32	Cetothrax	14
Apicalia	54	Basilitrona	60	Chama	18
Apisprialia	80	Bassina	23	Charilda	86
Apitua	80	Bathoxiphus	97	Charisma	36
Apixystus	72	Bathycardita	17	Charonia	54
Aplustrum	89	Bathycorbis	18	Cheilea	44
Aplysia	91	Bedeva	73	Chelidonura	89
Apollon	55	Bellastraea	34	Chemnitzia	85
Arabica	59	Belloliva	64	Chiazacmea	38
Arca	8	Bembicium	38	Chioneryx	23
Archidoris	93	Benthastelena	34	Chlamydella	11
Archiminolia	33	Benthindsia	70	Choreotyphis	72
Architectonica	68	Benthocardiella	18	Chorioplax	29
Arctosepia	99	Benthofascis	77	Chromodoris	94
Arenimitra	63	Benthocoletia	26	Chrysame	63
Argonauta	100	Benthoxystus	72	Chryseulima	52
Arizelostoma	66	Berylsma	69	Cicatellia	20
Armina	96	Binda	45	Cinctiuga	85
Aspalima	8	Bornella	96		

Cingulina	86	Cuspidaria	16	Ectorisma	16
Cinnalepeta	37	Cuvierina	90	Ectosinum	58
Circe	22	Cyamiomactra	20	Edentellina	91
Cirsonella	36	Cyerce	92	Egila	84
Cithna	43	Cyllichnina	87	Electomactra	26
Clamturris	76	Cylindrobulla	88	Eledonella	100
Clanculus	31	Cylindrus	75	Eligidion	31
Claraxis	68	Cymatiella	54	Ellatrivia	58
Clathropsis	45	Cymatilesta	54	Ellsiphon	82
Claudiconcha	23	Cymatona	55	Elodiamea	84
Cleidothaerus	15	Cymbiolacca	62	Elysia	92
Clementia	23	Cymbiolena	61	Emarginella	30
Cleobula	75	Cymbiolista	62	Embla	42
Cleotrvia	58	Cyphonochelus	72	Emozamia	72
Clio	90	Cyrillona	8	Enatimene	72
Cione	91			Endemoconus	76
Clivipollia	68	Dacosta	15	Enixotrophon	72
Clypeomorus	44	Dannevigena	51	Enoploteuthis	97
Cochlis	57	Dardanula	41	Ennucula	7
Coenaculum	42	Darioconus	75	Ensiculus	25
Collisellina	37	Decatopecten	11	Entomella	30
Colpospira	47	Decorisezia	99	Epicodakia	18
Colsyrnola	83	Delicatoplax	29	Epidirella	76
Columbarium	73	Deltachion	25	Epidirona	76
Cominula	73	Dendrodoris	94	Epigrus	42
Comitileda	7	Dentalium	96	Episiphon	97
Compressidens	96	Dentimittrella	70	Equichlamys	11
Conacmea	38	Destacar	8	Eratoena	58
Condylocardia	17	Devinella	65	Ergalatax	73
Condylocuna	17	Deviobankia	27	Ericusa	62
Conicella	36	Diacria	90	Erosaria	60
Conomurex	50	Dialessa	43	Erronea	60
Conticosta	77	Dicathais	73	Escalima	12
Conuber	57	Diffalaba	43	Estea	41
Coriareus	20	Dimidacus	75	Ethminolia	33
Coryphella	95	Diminovula	59	Etrema	79
Cosa	9	Dimyariana	12	Eucharilda	86
Cosmetalepas	31	Dinassovica	34	Euchelus	32
Costalynia	39	Diplomeriza	75	Eucrassatella	16
Couthouyia	48	Discodoris	94	Eudolium	57
Craspedoplax	29	Dissopalria	51	Eugemmula	76
Cratis	9	Distorsio	54	Euguraleus	79
Crenuliscala	51	Distugonia	26	Euliamaustra	52
Crepidula	44	Divalucina	18	Euliginella	65
Creseis	90	Dolabella	91	Eulimaaustra	52
Cronia	73	Dolabifera	91	Eulimitra	53
Crosseola	48	Dolichosirius	48	Eulimoda	53
Cryptoplax	29	Dolichopus	58	Eulitoma	53
Ctenamusium	11	Dolicossea	48	Eumarcia	22
Ctenocolpus	47	Dolomena	50	Euphorurus	95
Ctenodoris	95	Doridigitata	92	Euplica	70
Ctenopteryx	97	Doridium	89	Euprotomus	49
Ctiloceras	48	Doridopsis	94	Euprymna	98
Cucullaea	8	Doriopsis	95	Euriclanclus	32
Cucurbitula	27	Doriprismaticia	93	Eurytrochus	32
Cuna	16	Dosidicus	98	Euselenops	92
Cunanax	17	Dosinia	21	Eusetia	41
Cupidoliva	64	Doxander	50	Evenaria	61
Cupinota	60	Drupa	74	Eximiothracia	14
Curveulima	52	Drupella	74	Exomilus	81
Cuspeulima	52	Dulcerana	55	Exosiperna	14

Fallartemis	21	Gyrineum	55	Laevitesta	43
Fascinus	70	Haloginella	65	Lamelliscala	51
Fautor	33	Halotapada	48	Lampusia	54
Fax	69	Hamacuna	17	Laplysia	91
Ficus	57	Hapalochlaena	100	Largisipho	69
Filodrillia	78	Haploplax	28	Larinopsis	39
Fiona	95	Haurakia	40	Lasaea	19
Firoloida	50	Haustellum	71	Laseronella	85
Fiscisepia	99	Hebeulima	53	Laseronia	39
Flabellina	95	Helisalia	36	Laseronula	42
Flavomala	25	Hemidonax	21	Lataviria	85
Floraconus	75	Herewardia	42	Lataxirena	73
Florisarka	25	Herpetopoma	32	Laternula	14
Fluctiger	22	Herviera	84	Latirus	68
Fluviolanatus	14	Heterocithara	80	Latona	25
Folaceiscalta	51	Heteroglypta	25	Lavesopus	70
Foramelina	10	Heterorossoa	40	Leiopyrga	32
Forolepas	31	Heteroteuthis	98	Lepeta	4
Fossarina	33	Hexabranchus	94	Lepsiella	73
Fossatrivia	58	Hiatella	27	Leuconopsis	82
Fractolatirus	68	Hinea	39	Leucotina	86
Friginatica	57	Hinemoa	85	Liloa	88
Fronsella	19	Hubendickula	82	Limiscala	51
Fusceulima	53	Humphreyia	15	Limulatys	88
Fusidaphne	81	Hyalocylis	90	Linemera	40
Fusinus	68	Hydatina	88	Linixaxis	72
Fusitriton	65	Hydatoria	88	Linopyrga	84
Fusus	68	Hypermastus	52	Liocarinia	35
Gabinarca	8	Hypotrochus	44	Liophlora	29
Gabrielona	34	Hypselodoris	93	Liotella	35
Gadila	97	Icuncula	48	Liotia	36
Gadinalea	83	Idiosepius	99	Lironoba	40
Gaimardia	14	Inequarista	27	Lissotesta	36
Galfridus	72	Iodina	49	Litachilus	78
Galiteuthis	98	Iopas	74	Lithophaga	14
Gazameda	47	Ischnochiton	27	Litiopa	43
Gelagna	55	Ischnoradsia	28	Litzozamia	72
Gemixystus	72	Isoclanculus	31	Livonia	61
Gemmoliva	64	Isodaphne	81	Lodderena	35
Genaxinus	19	Isognomon	10	Lodderia	35
Gennaeosinum	58	Isotriphora	47	Loligo	99
Glaucilla	96	Janolus	96	Longinella	66
Glauconometta	23	Janthina	49	Lopha	12
Glaucus	95	Jeannea	69	Lophocercus	92
Globoscala	52	Joculator	45	Lorica	28
Glossaulax	57	Katelysia	22	Loricella	28
Glossodoris	93	Kentrodoris	94	Loringella	8
Glyciliima	8	Kogomea	65	Lucerapex	76
Glycydonta	23	Koloonella	52	Lucilina	29
Glyptosepia	99	Labiostrombus	50	Lunella	34
Glyptoziaria	47	Lachryma	58	Lutraria	26
Gomphina	23	Laciniorbis	37	Lyncina	59
Gondwanula	55	Lactemiles	21	Lyreneta	62
Gouldiopa	22	Laevidentalium	96	Lyria	62
Grandaxinaea	9	Laevilitorina	39	Macertexta	53
Granicorium	22	Laeviscala	51	Macromona	24
Granuliscala	52			Macroclanculus	32
Graphicomassa	70			Macrozafra	71
Gratiadusta	61			Macteola	80
Guraleus	79			Maculotriton	69
Guyonia	95			Magaleda	7

Magilina	49	Minnimurex	71	Notocrater	37
Magnosinister	47	Minolops	33	Notocypraea	61
Malleus	10	Minopa	33	Notogibbula	33
Mamillana	61	Miralda	85	Notohaliotis	31
Mammilla	57	Mitraguraleus	79	Notolepton	19
Mancinella	73	Mitrithara	78	Notomella	30
Mangonuia	68	Mitropifex	63	Notomyretea	18
Maoritomella	77	Modiolus	13	Notomytilus	9
Margovula	59	Moerchiella	39	Notoplax	29
Marikellia	19	Monetaria	60	Notoseila	45
Marinaurus	31	Monia	12	Notosetia	42
Maripythia	82	Monitilora	18	Notosinister	46
Marita	80	Monoplex	54	Notospisula	26
Marseniopsis	58	Montfortula	30	Nototeredo	27
Martesia	27	Morula	74	Nototodarus	97
Mathildona	86	Mucrosquama	29	Notovola	11
Mauritia	59	Murdochella	51	Numella	19
Mayena	55	Musculus	13	Obescrobs	41
Mazastele	34	Myadora	15	Obex	55
Mazescala	51	Myllita	20	Obstopalia	51
Megalocranchia	98	Myochama	15	Obtellina	24
Melanerita	37	Mysella	20	Obtortio	42
Melarapha	38	Mystaponda	59	Octopoteuthis	97
Melibe	96	Mytilus	13	Octopus	99
Meliceronia	61	Myxa	85	Odostomia	84
Melina	10	Nanaphora	46	Offadesma	14
Melliteryx	20	Nannamoria	62	Oliva	64
Melosidula	82	Nannocassis	56	Onchidella	83
Menathais	74	Nannomactra	26	Onchidina	83
Mendicula	18	Nannoscrobs	41	Onchidium	83
Menon	53	Nanula	33	Onithochiton	29
Merelina	40	Naricava	49	Onychoteuthis	97
Meridosinia	21	Narreaolida	95	Opalia	51
Meropesta	26	Narraweena	78	Ophicardelus	82
Merria	49	Narvaliscala	51	Opimilda	86
Mesembrisezia	98	Nassa	74	Oppomorus	74
Mesericusa	62	Nassarius	67	Opponaria	60
Mesoclanculus	32	Naticarius	57	Opposirius	48
Mesocuna	17	Nausitora	27	Orbitestella	36
Mesoginella	65	Negyrina	55	Ornamentaria	60
Mesopeplum	11	Neosolen	25	Orthomesus	34
Metanachis	71	Neotrigonia	9	Oscanius	92
Metassiminea	43	Nepotilla	81	Ostrea	12
Meturopax	29	Nerita	37	Ovacuna	16
Micantapex	76	Nevenulora	18	Ovaginella	64
Micrastraea	35	Ninella	34	Ovaleda	7
Microcarina	36	Niotha	67	Ovatipsa	60
Microcullacea	8	Nivitriton	69	Ovula	59
Microdiscula	36	Noalda	88	Oxygyrus	50
Microdrillia	78	Nodilittorina	38	Oxynoe	92
Microdryas	42	Nodiscala	52	Palamharpa	64
Microfossa	40	Nodopelagia	68	Palio	95
Microgenia	81	Nodulestea	41	Pallidonia	67
Microginella	64	Notarchus	91	Palmadusta	61
Micromelo	89	Notirus	23	Pandorella	85
Micropolia	21	Notoacmea	38	Panope	27
Microsveltia	66	Notobranchaea	91	Paphia	23
Microvoluta	62	Notocallista	22	Parachiton	28
Midorigai	91	Notochlamys	11	Paracuneus	77
Milligarettia	25	Notocochlis	57	Paradaphne	81
Mimachlamys	11	Notocorbula	26					

Paraguraleus	79	Placamen	23	Pupa	86
Paramontana	80	Planaxis	39	Purperosa	60
Paraplysia	91	Planesiphon	82	Pusia	63
Parascelia	46	Plastiscala	51	Pyrazus	44
Paratapes	23	Platycolpus	47	Pyrene	70
Parathyasira	19	Plebidonax	25	Pyreneola	71
Paratilia	71	Plecotrema	82	Pyrgiscilla	86
Parcanassa	67	Pleia	68	Pyrgiscus	85
Paregila	84	Pleurobranchaea	92	Pyrgopsis	98
Paricoplax	28	Pleurobranchidium	92		
Parimalleus	10	Pleurobranchus	92	Quadrans	24
Parisanda	36	Pleurophyllidia	96	Quantonatica	57
Parodostomia	84	Pleurotoma	81	Quantulopinna	9
Paronoba	41	Plicatula	12	Quendreda	14
Particondyla	18	Plocamopherus	95	Questimya	16
Particymatum	54	Plocamotis	31	Quibulla	88
Partubiola	35	Polycera	95	Quimalea	57
Parviconus	76	Pomiscala	51		
Parvikellia	19	Ponda	59	Radiacmea	38
Parviterebra	75	Poneroplax	29	Radiocondyla	17
Parvitonna	56	Poroleda	7	Radulphus	73
Patellanax	38	Poropteron	71	Raeta	26
Patelloidea	37	Potamopyrgus	43	Ramosaclesia	91
Patro	13	Potenatomus	45	Ranularia	54
Peculator	64	Pratulum	21	Ratifusus	69
Pediculariona	58	Prionovolva	59	Ravitrona	60
Pedumicra	47	Pristipagia	24	Recluzia	49
Pellasimnia	59	Proagorina	16	Rectacirsa	52
Pellax	34	Problitora	39	Redicirce	22
Pendaloma	14	Procalistes	98	Regozara	21
Penthominea	88	Procalpurnus	59	Relegamoria	62
Pepta	67	Prodotia	69	Reticunassa	67
Perbullina	89	Promantellum	12	Retusa	87
Peripetella	39	Pronucula	7	Rhizoconus	75
Peristernia	68	Propefusus	69	Rhombothais	73
Peronodoris	93	Propeleda	7	Rhyssoplax	29
Pervicacia	75	Propesinum	58	Ringiculadda	87
Pervisinum	58	Prothalotia	33	Ritena	37
Pexocodakia	18	Prothyasira	19	Rixa	31
Phalium	55	Protoginella	66	Rizzolia	95
Phanozesta	55	Provexillum	74	Rostanga	93
Pharaonella	24	Proxichione	22	Rotostoma	36
Phasianotrochus	32	Psammosolen	25	Roya	31
Phenacolepas	37	Pseudamycla	70	Rugadentia	84
Phenacovolva	59	Pseudantalidis	97		
Philine	89	Pseudarcopagia	24	Saginafusus	69
Philinopsis	89	Pseudodaphnella	80	Salaputium	16
Philippia	68	Pseudoliotia	35	Salinator	83
Phintorene	39	Pseudorhaphitoma	80	Salsipotens	33
Pholadopsis	27	Pseudorissoina	86	Saltatricula	42
Phos	69	Pterelectroma	10	Saltatrix	42
Phragmorisma	15	Pterochelus	71	Saltocuna	16
Phrynelima	7	Pterosoma	50	Samacar	8
Phylliroe	96	Pterospira	61	Sanhaliotis	31
Pictobalcis	53	Pterotrachea	50	Saxicava	27
Pilaflexis	45	Pterygioteuthis	97	Saxostrea	12
Pileatona	19	Pudentiscala	51	Scabrella	81
Pinaxia	74	Pugillaria	82	Scabricola	63
Pinctada	10	Pugnus	87	Scaeochlamys	11
Pinguimacoma	24	Pulchrastele	34	Scaeofax	69
Pinnoctopus	100	Pulsarella	78	Scaeoleda	7
Pitarina	22	Punipagia	24	Scaliola	43

Scaphander	87	Striacallista	22	Trivellona	58
Schismope	30	Strigatella	63	Trivirostra	58
Schizotrochus	30	Styliola	90	Tropidorbis	49
Scissurella	30	Stylocheilus	91	Truncatella	43
Scissurona	30	Subitopinna	10	Tuberclioipsis	45
Sclerodoris	93	Subnarella	34	Tucetona	9
Scrinium	78	Subterenochiton	28	Tudicula	67
Scrubs	41	Subzeidora	30	Tugali	30
Scutellina	37	Sunemeroe	22	Turbanilla	85
Scutus	30	Sydaphera	66	Turrela	80
Seilarex	46	Sydlorina	18	Tutufa	55
Semelangulus	24	Syntharella	53	Tylodina	92
Semicassis	55	Synthopsis	45	Tylospira	49
Semiricinula	74	Sypharochiton	29	Typhina	72
Senectidens	8	Syrnola	83	Ultiscrobs	41
Separista	48	Talabrica	16	Umbilia	59
Sepioloidea	99	Talisiphon	82	Umbraculum	92
Sepioteuthis	99	Tallorbis	32	Vacerra	30
Septa	54	Talocodakia	18	Vacerrena	30
Septifer	13	Talopena	33	Vaginella	90
Serpulorbis	48	Talopia	33	Vanikoro	49
Servatrina	10	Talostolida	60	Varotoga	21
Setaliris	15	Tapes	23	Velacumantus	44
Sigapatella	44	Tarazeuxis	67	Velargilla	23
Siliquaria	48	Tasmadaphne	81	Veletuceta	9
Sinuginella	65	Tasmatica	57	Venatomya	26
Siphonochelus	72	Tatea	43	Ventomnestia	87
Sirius	48	Tavaniota	67	Veprecula	81
Smaragdella	37	Tawera	22	Vepicardium	21
Smaragdista	37	Tectisumen	37	Verania	97
Socienna	45	Tegillarca	8	Veremolpa	23
Solamen	14	Teleochilus	98	Vermitexta	20
Solatisonax	68	Tellinota	24	Vernotriton	54
Solecurtus	25	Tentidonax	25	Versipella	8
Solemyarina	7	Tenuisepia	99	Vertambitus	16
Solidula	86	Tepidatys	88	Vertisphaera	15
Solitosepia	98	Terebra	74	Vexilla	74
Solosinister	47	Teredo	27	Vexitomina	77
Solvaclathrus	51	Terenochiton	28	Vicimitra	63
Solvadusta	61	Teretileda	7	Vimentum	17
Sophismalepas	31	Teretiphora	47	Violetta	49
Spectamen	33	Ternivolata	62	Virgiconus	76
Spinosipella	15	Theliostyla	37	Virmysella	20
Spiratella	90	Thelxonovum	61	Virroconus	75
Spirocolpus	47	Theora	24	Volupicuna	17
Spirula	98	Thestyleda	7	Volutoconus	62
Spissitydeus	88	Thracidora	14	Volva	59
Splendrillia	77	Thraciopsis	14	Volvarinella	66
Spondervilia	26	Tigammona	22	Volvula	87
Spondylus	11	Tolema	72	Volvulella	87
Stabilima	12	Tonna	56	Vulsella	11
Staphylaea	60	Toralimysia	19	Wallicina	18
Starkeyna	37	Torinista	68	Wanganella	36
Stephopoma	48	Torvamurex	71	Warrana	18
Sticteulima	52	Trichomusculus	13	Woodwardia	30
Stilapex	53	Trichomya	13	Xenogalea	56
Stiliimella	53	Triginella	65	Xenophalium	56
Stipator	37	Trigonaphera	66	Xenophora	49
Stiracolpus	47	Triplostephanus	75		
Stiva	39	Trippa	93		
Stomatella	31	Tritonocauda	54		
Streptopinna	10				

<i>Xenotrophon</i>	72	<i>Zeacrypta</i>	44	<i>Zella</i>	71
<i>Xenuroturris</i>	76	<i>Zeacumantus</i>	45	<i>Zemira</i>	49
<i>Zafra</i>	<i>Zebramoria</i>	62	<i>Zemysia</i>	19
<i>Zalipais</i>	<i>Zegalerus</i>	44	<i>Zemysina</i>	19
			36	<i>Zeidora</i>	30	<i>Zenatiopsis</i>	26