

Micronesica 35-36:456-513. 2003

The crustaceans and pycnogonids of the Mariana Islands

GUSTAV PAULAY¹

*Marine Laboratory
University of Guam
Mangilao, Guam 96923 USA*

ROY KROPP

*Battelle Marine Sciences Laboratory
1529 West Sequim Bay Road
Sequim WA 98382-9099 USA*

PETER K. L. NG

*Raffles Museum of Biodiversity Research
Department of Biological Sciences
National University of Singapore
Kent Ridge, Singapore 119260
Republic of Singapore*

LUCIUS G. ELDREDGE

*Pacific Science Association
Bishop Museum
1525 Bernice St.
Honolulu HI 96817 USA*

Abstract—The crustacean and pycnogonid fauna of the Mariana Islands is reviewed, and 839 crustacean and 15 pycnogonid species are documented from the archipelago based on literature records and new collections, including 272 new records. Voucher specimens are listed for 615 and photographic records (see <http://www.flmnh.ufl.edu/reefs>) for 358 species. The bulk of the fauna is marine, including 12 terrestrial and 12 freshwater decapods with marine larvae. Three copepods and 6 cladocerans comprise the known freshwater fauna, and 25 peracarids are currently documented on land. Coverage reflects a taxonomically uneven effort, and is strongly biased toward macrocrustaceans, with decapods accounting for 84% and crabs for 50% of the recorded marine crustacean diversity.

Introduction

The Mariana Islands form a chain of 15 major volcanic and limestone islands bordering the western margin of the Pacific plate between 13 and 21°N latitude

¹Current address: Florida Museum of Natural History, Gainesville FL 32611-7800 USA, email: paulay@flmnh.ufl.edu

(see Paulay 2003 for a more detailed description of the area). The archipelago is a classic island arc, formed by volcanic eruptions initiated by the subduction of the Pacific plate under the Philippine plate, on which the islands lie. The island group is composed of two geologically distinct chains, the volcanically-inactive and older islands of the Southern Mariana back-arc, extending from Guam to Farallon de Medinilla, and the volcanically-active, younger islands of the Northern Mariana fore-arc, extending from Anatahan to Uracas (Fig. 1). This geological separation should not be confused with the political division of the archipelago into the U.S. Territory of Guam, and the Commonwealth of the Northern Mariana Islands (CNMI) comprising all islands north of Guam. Thus, Rota, Tinian, Aguijan, Saipan and Farallon de Medinilla are part of the Southern Mariana back-arc but are under the jurisdiction of the CNMI.

The Southern Marianas were initiated ~43 Ma when the Pacific plate abruptly shifted spreading from NW to WNW. The archipelago has had a complex geological history since. The southern islands are composites of submarine and subaerial volcanics and marine sedimentary formations raised by uplift. Volcanic shorelines are uncommon while karstic shores of mostly Miocene to Pleistocene limestones dominate. Limestone cliffs line large tracks of shore, and reefs are generally narrow. Large sections of especially windward shores lack reef protection, with steep fore reefs abutting eroded cliffs, often fronted by supratidal limestone benches. Other areas have narrow, largely intertidal reef flats or shallow, moderately wide (100-1000 m) fringing reefs. Deep moat and lagoonal habitats are uncommon, the only significant ones being Apra Harbor and Cocos lagoon on Guam and Tanapag-Garapan lagoon on Saipan. Only Apra Harbor has substantial lagoonal habitats >10 m deep. Mangals are consequently poorly developed, and have undergone considerable reduction since the arrival of humans (Amesbury 1999). The main remaining mangals are in inner Apra Harbor and along the SW shore of Guam.

Subtidal habitats are dominated by oligotrophic reefs with interspersed sand pockets, with finer mobile sediments largely confined to small estuaries, Apra Harbor, and deep water. The fauna of soft bottoms remains poorly studied. The karstic limestones bordering and underlying reefs are riddled by caves and caverns both above and below water. Although marine caverns and crevices are fairly common, they are generally of limited horizontal extent. Large blocks fallen from cliff faces provide additional wall and crevice habitats. Rubble fields are also common, and have been the focus of considerable sampling that revealed a rich crustacean community, including many unusual, troglobitic forms living deep in rubble (e.g. Ng 2002b, Ng & Ng 2003, Ng & Takeda 2003).

The Northern Marianas are presently uninhabited, active, young volcanoes. They essentially lack reefs, having rocky shore and subtidal habitats with coral communities and incipient reefs growing on igneous outcrops and rubble. Consequently there are no lagoonal habitats except for the protected crater of Maug. Although poorly known, the biota of the Northern Marianas appears to be largely a less diverse version of that of the Southern Marianas, although some

species are clearly limited to the northern islands, likely specialized to uniquely northern habitats.




Figure 1. Map of the Mariana Islands.

CARCINOLOGICAL HISTORY

The first recorded collection of crustaceans from the Marianas was by Quoy & Gaimard (1824), who described the land crab *Thelphusa rotunda* (now *Discoplax rotundum*) and listed 5 additional species from Guam. In February 1900 the U.S.F.S. "Albatross" Expedition called on Guam, but only a single crab species (*Ocypode ceratophthalma*) was recorded from their visit (Rathbun 1907). William Edwin Safford, Assistant Botanist for the Department of Agriculture and Lieutenant U.S. Navy, was stationed on Guam between August 1899 to August 1900. He collected a number of crustaceans and wrote short notes on the crabs (Safford 1905). Alvin Seale of the U.S. War Department, spent several months on Guam in 1900, reported on the birds and fishes (Seale 1901), and deposited more than 30 lots of crustaceans in the Bishop Museum. Hans George Hornbostel, Lieutenant U.S. Naval Hospital, archaeologist, and collector for the Bishop Museum was on Guam between April 1922 and June 1928. He wrote primarily on archaeology, but also collected nearly 100 lots of crustaceans for the Bishop Museum. Naturalist Edwin H. Bryan Jr. collected extensively on Guam in 1936, his collections were also deposited at the Bishop Museum. In the wake of World War II Micronesia received considerable attention from the U.S. During 1951-1954, the U.S. Army Corps of Engineers and U.S. Geological Survey conducted field work on Guam for the "Military Geology of Guam", headed by Kenneth O. Emery. Substantial collections were made by several visitors at this time and deposited at the USNM; these served as the basis of subsequent studies on the marine biota (e.g. Stephenson & Rees 1967). A similar effort headed by Preston Cloud Jr. on Saipan in 1949 included an intensive survey of the marine biota. Cloud (1959) recorded 125 crustaceans, most identified to species by the authorities of the time, several of whom published papers based largely on this collection (Banner 1956, Holthuis 1953, 1981). Cloud's specimens, deposited at the USNM, have been the source of numerous Saipan records in subsequent taxonomic revisions as well (e.g. Chace & Bruce 1993, Clark & Galil 1993, Castro 2003).

Carcinological studies in the Marianas gained considerable momentum with the establishment of the University of Guam Marine Laboratory (UOGML) in 1970. Lu Eldredge was involved in a number of surveys focused both on shallow and deep water crustaceans, trained several M.S. students in carcinology, distributed material to specialists, and hosted visiting carcinologists. Deep-water marine resource surveys included an assessment of deep-water shrimp resources around Guam, funded by Sea Grant between 1973-1976 (Wilder 1977), and the Resource Assessment Investigation of the Mariana Archipelago (RAIOMA) of the National Marine Fisheries Service using the NOAA ship Townsend-Cromwell between May 1982 and June 1984 (Polovina et al. 1985). These efforts have led to a number of publications on the systematics and fisheries potential of deep-water crustaceans (Eldredge 1976, 1980, Wilder 1977, Moffitt 1983; King 1987, Williams & Moffitt 1991, Williams & Eldredge 1994). A visit by the submersible Alvin to the hydrothermal vents of the Mariana back arc resulted in

several papers on the crustacean biota of this isolated vent system (Hessler & Martin 1989, Humes 1990, Hessler & Lonsdale 1991, Child 1989), while a survey of the much shallower, hydrothermally-active volcano at Esmerelda Bank led to the record of two unusual decapods (Türkay & Sakai 1995).

Several graduate students have pursued carcinological theses at the University of Guam (Tseng 1972, Wortman 1976, Dickinson 1977, Wooster 1979, Kropp 1981, Donaldson 1981, Grimm 1983, Camacho 1997, Leberer 1997). Wooster's study culminated in a paper on the *Calcinus* fauna of Guam (Wooster 1982), while Leberer went on to review the taxonomy of the island's atyids (Leberer & Cai 2003). Roy Kropp and Jane Dominguez undertook an intensive collecting survey of the shallow water crustaceans of Guam; their large collection now at the USNM has been the basis of numerous publications (e.g. papers by Kropp and co-authors, Child 1991, Ahyong & Erdmann 2003, Tan & Ng 2003b).

During the 1990s the Gustav Paulay's laboratory has been active in marine biodiversity surveys on Guam. Material was collected during several organized surveys (see Paulay 2003), as well as incidentally by students, faculty, staff and friends of the University of Guam Marine Laboratory. Many specimens generated by these surveys have been sent to specialists for identification and study (e.g. McLay 2001, McLaughlin 2002a-b, Ng, 2002a-c). Harry Conley has contributed an especially large number of noteworthy specimens, collected from deep within rubble, a microhabitat whose exploration he pioneered. His collections have led to the discovery of numerous interesting new taxa (e.g. Kensley 2003, Ng et al. papers in this volume).

The Chiba Museum undertook an expedition to the Northern Marianas in 1992 and published a comprehensive checklist of their findings in a special volume, with several papers dealing with crustaceans (e.g. Asakura et al. 1994, Hayashi et al. 1994, Takeda et al. 1994, Asakura & Tachikawa 2000). Other visiting carcinologists also published on the fauna (e.g. Belk 1973, Odinetz 1984, Weissleader et al. 1989, Foster 1990, Asami & Yamaguchi 2001, Castro 2003). A visit by the third author and Chia-Hsiang Wang in 2000 led to a review of the crabs in the University of Guam's Invertebrate Collection, an effort that has already led to several papers that appear in this volume as well as many of the identifications listed in our checklist. A subsequent collecting visit by their team in 2001 together with ongoing studies of previously collected material (especially of the Grapsidae, Xanthidae and Parthenopidae) will undoubtedly lead to numerous studies on Guam's crustaceans in the future.

Methods

This paper is based on a compilation of records from the literature and identifications made on new collections. Both efforts are ongoing and certainly incomplete. Although we strove to check all papers dealing with the Micronesian fauna as well as major taxonomic revisions, additional records of the biota

undoubtedly appear in papers we did not consult. We did not include records listed in the voluminous gray literature of environmental surveys published on the area, as such records are usually difficult or impossible to verify. We have updated the nomenclature of literature records as much as possible; changes are given as notes in the Appendix. Numerous species listed here have not been previously recorded and comprise new additions to the Marianas' fauna. These are marked by the name of the identifier in the Appendix and identified with a specimen voucher and/or photograph.

New collections focused largely on stomatopods, decapods, and barnacles. Even among these groups efforts have been uneven, with larger species, crabs, hermit crabs, axiids, and lobsters receiving the greatest attention. Much of this material is housed at the Florida Museum of Natural History, University of Florida (UF), U.S. National Museum of Natural History, Smithsonian Institution (USNM), Zoological Reference Collection, Raffles Museum, National University of Singapore (ZRC), and the University of Guam (UGI). Most newly collected species were photo documented. Photo vouchers cited in the Appendix are available online at <http://www.flmnh.ufl.edu/reefs> and in the Marine Biodiversity of Guam CD-ROM co-publication.

In addition to the species listed here, numerous remain to be identified and the identification of many listed species improved. Work is ongoing on these and additions and modifications will be posted on the website as they are published. Major ongoing efforts include studies on barnacles (W. Newman, A. Ross), paguroids (P. McLaughlin), galatheoids (R. Kropp), and brachyurans (B. Galil, C. McLay, P. Ng et al.).

For the purposes of this checklist we define marine crustaceans as species that have at least one phase of their life cycle in the sea. These include all terrestrial and freshwater decapods in the Marianas, as all are known or presumed to have marine larvae. Truly terrestrial and freshwater crustaceans are listed below the marine taxa, and include isopods, talitrid amphipods, copepods, and cladocerans.

Results and Discussion

We documented 839 crustacean and 15 pycnogonid species from the Mariana Islands based on literature records and new collections supported by voucher specimens and/or photographic records (Tables 1, 2, Appendix). 483 species are based at least in part on literature records, 272 are recorded for the first time in this paper, while an additional 99 are new records from our recent biodiversity surveys that have been further documented in other papers in this volume, and in papers published recently or in press elsewhere.

358 species are photodocumented based on living or fresh specimens. 663 species are recorded from Guam, while the remainder only from the CNMI. Most of the species currently known only from the CNMI likely also occur on Guam, but remain undocumented there because of limited collecting or different

taxonomic emphasis. For example the alpheids of Saipan were reviewed in a substantial paper by Banner (1956), while those of Guam remain virtually unstudied.

Table 1. Diversity of marine arthropod taxa

Taxon	Number of spp.
Copepoda	4
Ostracoda	45
Amphipoda	17
Isopoda	3
Stomatopoda	36
Stenopodidea	1
Penaeoidea	4
Caridea	139
Palinura	11
Astacidea	2
Thalassinidea	16
Anomura	94
Brachyura	405
Ascothoracida	1
Cirripedia	27
Pycnogonida	15
TOTAL	820

The bulk (805 species) of the crustaceans are marine, including 12 species of land and hermit crabs with marine larvae and 12 species of anadromous decapods (Table 2). Three copepods and 6 cladocerans comprise the known freshwater fauna, and 25 species of peracarids are currently documented on land.

Taxonomic coverage is highly uneven, with macrocrustaceans comprising the vast majority of the records (Table 1). Thus decapods comprise 84% (674 species) and crabs 50% (405 species) of the marine crustaceans recorded. Other crustacean taxa remain poorly documented with the exception of stomatopods (36 species) and barnacles (27 species). For example only 20 peracarids and 4 copepods are currently recorded in the marine fauna. Even among decapods, coverage varies substantially among families, reflecting taxonomically focused collecting and study. Thus brachyurans have received much greater attention overall than carideans. Cryptochirids and porcellanids were intensively studied by Kropp, and are especially well known (see papers by Kropp et al.). The most species rich families are the Xanthidae (114 species), Alpheidae (61 species), Portunidae (55 species), Diogenidae (40 species), Palaemonidae (35 species), and Cryptochiridae (28 species).

Even groups that have been the focus of study harbor much undocumented diversity. Thus the known paguroid diversity of Guam has more than doubled (31 vs. 69 species) in the two decades following Wooster's (1979, 1982) thesis on the group, even though hermit crabs did not receive much specialized attention during this period.

It is difficult to estimate the actual diversity of marine arthropods in Guam or the Marianas, as even macrocrustaceans are but modestly known. Crabs are among the best studied overall, but the rapid rate of new encounters and backlog of unidentified material implies that perhaps not more than half of the crab diversity is currently documented. Decapod diversity as a whole will certainly much more than double with additional study and the diversity of microcrustaceans cannot be reliably estimated at present.

Table 2. Arthropod diversity by habitat

Habitat	Number of spp.
Shallow (<60m) marine	747
Deep (>60m) marine	49
Anadromous	12
Terrestrial with marine larvae	12
Freshwater	9
Terrestrial	25

Acknowledgements

We thank the students, faculty and staff at the UOG Marine Lab and naturalists from throughout the Marianas, especially Tim Allen, Scott Bauman, Ian Elliott, Bruce Henke, Lisa Kirkendale, Chris Meyer, Rob Myers, Raphael Ritson-Williams, Teina Rongo, John Starmer, and Linda Ward for bringing crustacean specimens, records, and photos to our attention. Special thanks to Harry Conley for his indefatigable collecting over the years. We thank Shane Ahyong, Kiyo Asami, Warren Blow, Yixiong Cai, Peter Castro, Tin-Yam Chan, Bill Dall, Mark Erdmann, Charles Fransen, Bella Galil, Yoshi Hisatsune, Brian Kensley, Hung-Chang Liu, Patsy McLaughlin, Colin McLay, Junji Okuno, John Starmer, Masatsune Takeda, and Chia-Hsiang Wang for help with identifications. We thank Rob Myers, Tim Allen, Hung-Chang Liu, and Ian Elliott for permission to use their photographs of species not otherwise recorded from Guam, and Alain Crosnier and Joseph Poupin for comments on the manuscript. Funding by the U.S. Dept. of Defense at COMNAVMARIANAS and NOAA Sea Grant (SG-NIS-35) to Gustav Paulay for biodiversity surveys is gratefully acknowledged. Contribution 485 of the University of Guam Marine Laboratory.

References

- Ahyong, S. T. & M. T. Erdmann. 2003. Stomatopoda from Guam. Micronesica 35-36: 315-352.
 Amesbury, S. S. 1980. Biological studies on the coconut crab (*Birgus latro*) in the Mariana Islands. University of Guam Marine Laboratory, Technical Report 66: 1-39.

- Amesbury, J. R. 1999. Changes in species composition of archaeological marine shell assemblages on Guam: human preference or environmental change? *Micronesica* 31: 347-366.
- Asakura, A. 1987. Unique shell utilization by reef-flat hermit crabs in Guam, Micronesia. *Researches on Crustacea* 16: 25-31.
- Asakura, A. & H. Tachikawa. 2000. A new hermit crab of the genus *Calcinus* from Micronesia, including new information on *C. revi* (Decapoda: Anomura: Diogenidae). *Journal of Crustacean Biology* 20 (Special Number 2): 266-280.
- Asakura, A., T. Kurozumi & T. Komai. 1994. Anomura (Crustacea: Decapoda) collected from the Northern Mariana Islands, Micronesia. *Natural History Research, Special Issue* 1: 275-283.
- Asami, K. & T. Yamaguchi. 2001. A new coral barnacle, *Trevathana paulayi* (Cirripedia; Pyrgomatidae), from Guam Island, Mariana Islands. *Sessile Organisms* 18: 19-26.
- Banner, A. H. 1956. Contributions to the knowledge of the alpheid shrimp of the Pacific Ocean. Part I. Collections from the Mariana Archipelago. *Pacific Science* 10: 318-373.
- Banner, A. H. & D. M. Banner. 1983. An annotated checklist of the alpheid shrimp from the western Indian Ocean. *Travaux et Documents de l'ORSTOM* 158: 1-164.
- Banner, D. M. & A. H. Banner. 1973. The alpheid shrimp of Australia. Part 1: The lower genera. *Records of the Australian Museum* 28: 291-382.
- Banner, D. M. & A. H. Banner. 1975. The alpheid shrimp of Australia. Part 2: The genus *Synalpheus*. *Records of the Australian Museum* 29: 267-389.
- Banner, D. M. & A. H. Banner. 1982. The alpheid shrimp of Australia. Part 3: the remaining alpheids, principally the genus *Alpheus*, and the family Ogyrididae. *Records of the Australian Museum* 34: 1-357.
- Banner, D. M. & A. H. Banner. 1985. The alpheid shrimp of Indonesia, based on J.G. De Man's "The Decapoda of the Siboga expedition, Part II. Family Alpheidae" (1911). *Marine Research in Indonesia* 25: 1-79.
- Belk, D. 1973. The Cladocera of Guam. *Crustaceana* 24: 146-147.
- Best, B. R. & C. E. Davidson. 1981. Inventory and atlas of the inland aquatic ecosystems of the Marianas Archipelago. University of Guam Marine Laboratory, Technical Report 75: 226 pp.
- Bruce, A. J. 1997. A new genus of hippolytid shrimp (Crustacea: Decapoda: Hippolytidae) for *Thor maldivensis* Borradaile. *Memoirs of the Queensland Museum* 42: 13-23.
- Bruce, A. J. 1998. A new name, *Thinora*, proposed for the preoccupied name *Thorina* Bruce (Crustacea: Decapoda: Hippolytidae). *Memoirs of the Queensland Museum* 42: 398.
- Bruce, A. J. & K. E. Coombes. 1995. The palaemonoid shrimp fauna (Crustacea: Decapoda: Caridea) of the Cobourg Peninsula, Northern Territory. *Beagle* 12: 101-144.

- Camacho, F. A. 1997. Size-specific predation by the prawn *Macrobrachium lar* on the freshwater snail *Thiara granifera*. M. S. thesis in Biology, University of Guam.
- Castro, P. 2003. The trapeziid crabs (Brachyura) of Guam and the Northern Mariana Islands, with the description of a new species of *Trapezia* Latreille, 1828. *Micronesica* 35-36: 440-455.
- Chace, F. A. Jr. 1988. The Caridean shrimps (Crustacea: Decapoda) of the Albatross Philippine Expedition 1907-1910, Part 5: Family Alpheidae. *Smithsonian Contributions to Zoology* 466: 1-99.
- Chace, F. A. Jr. 1997. The caridean shrimps (Crustacea: Decapoda) of the Albatross Philippine Expedition, 1907-1910, part 7: families Atyidae, Eugonatonotidae, Rhynchocinetidae, Bathypalaemonellidae, Processidae, and Hippolytidae. *Smithsonian Contributions to Zoology* 587: 1-106.
- Chace, F. A. Jr. & A. J. Bruce. 1993. The Caridean shrimps (Crustacea: Decapoda) of the Albatross Philippine Expedition 1907-1910, Part 6: Superfamily Palaemonoidea. *Smithsonian Contributions to Zoology* 543: 1-152.
- Child, C. A. 1983. Pycnogonida of the Western Pacific islands II. Guam and the Palau Islands. *Proceedings of the Biological Society of Washington* 96: 698-714.
- Child, C. A. 1989. Pycnogonida of the Western Pacific islands VI. *Sericosura cochleifovea*, a new hydrothermal vent species from the Marianas back-arc basin. *Proceedings of the Biological Society of Washington* 102: 732-737.
- Child, C. A. 1991. Pycnogonida of the Western Pacific islands, IX. A shallow-water Guam survey, 1984. *Proceedings of the Biological Society of Washington* 104: 138-146.
- Clark, P. F. & B. S. Galil. 1993. A revision of the xanthid genus *Pilodius* Dana, 1851 (Crustacea: Brachyura: Xanthoidea). *Journal of Natural History* 27: 1119-1206.
- Cloud, P. E. Jr. 1959. Geology of Saipan Mariana Islands Part 4. Submarine topography and shoal-water ecology. *Geological Survey Professional Paper* 280-K.
- Crosnier, A., 2002. Sur quelques Portunidae (Crustacea: Brachyura) de Polynésie française, principalement des îles Marquises. *Zoosystema* 24: 401-449.
- Crosnier, A. & P. K. L. Ng. 2003. Remarques sur le genre *Intesius* (Crustacea, Decapoda, Brachyura, Goneplacidae). Description de deux espèces nouvelles. *Zoosystema*, in press.
- Dickinson, R. E. 1977. The occurrence and natural habitat of the mangrove crab, *Scylla serrata* (Forsskål), on Ponape and Guam. M. S. thesis in Biology, University of Guam.
- Donaldson, T. J. 1981. Agonistic behavior of the freshwater prawn *Macrobrachium lar* in relation to size and sex. M. S. thesis in Biology, University of Guam.

- Dunn, D. F., D. M. Devaney & B. Roth. 1980. *Stylobates*: a shell-forming sea anemone (Coelenterata, Anthozoa, Actiniidae). Pacific Science 34: 379-388.
- Duris, Z. & A. J. Bruce. 1995. A revision of the '*petitthouarsii*' species-group of the genus *Periclimenes* Costa, 1844 (Crustacea: Decapoda: Palaemonidae). Journal of Natural History 29: 619-671.
- Edmondson, C. H. 1921. Stomatopoda in the Bernice P. Bishop Museum. Occasional Papers of the Bernice Pauahi Bishop Museum 7: 279-302.
- Edmondson, C. H. 1954. Hawaiian Portunidae. Occasional Papers of the Bernice P. Bishop Museum 21(12):217-274.
- Edmondson, C. H. 1959. Hawaiian Grapsidae. Occasional Papers of the Bernice Pauahi Bishop Museum 22: 153-202.
- Eldredge, L. G. 1976. Two new lithodid (Anomura, Paguridea, Lithodidae) crabs from Guam. Micronesica 12: 309-315.
- Eldredge, L. G. 1980. Two species of *Homola* (Dromiacea, Homolidae) from Guam. Micronesica 16: 271-277.
- Eldredge, L. G. 1994. Perspectives in aquatic exotic species management in the Pacific islands. Volume 1. Introductions of commercially significant aquatic organisms to the Pacific islands. South Pacific Commission Inshore Fisheries Research Project Technical Document 7: 1-127.
- El-Rashidy, H. & G. A. Boxshall. 2001. The mesoparasitic genera of the Ergasilidae (Copepoda): With descriptions of new species of *Paeonodes* Wilson and *Therodamas* Kroyer. Systematic Parasitology 50: 199-217.
- Forest, J. 1995. Crustacea Decapoda Anomura: Révision du genre *Trizopagurus* Forest, 1952 (Diogenidae), avec l'établissement de deux genres nouveaux. In: A. Crosnier (ed.), Résultats des campagnes MUSORSTOM volume 13. Mémoires du Muséum national d'Histoire naturelle, Paris 163: 9-149.
- Foster, B. A. 1990. A new species of *Euraphia* (Cirripedia, Chthamalidae) from Micronesia. Crustaceana 58: 309-313.
- Foster, B. A. & W. A. Newman. 1987. Chthamalid barnacles of Easter Island; peripheral Pacific isolation of Notochthamalinae new subfamily and hembeli-group of Euraphiinae (Cirripedia: Chthamaloidea). Bulletin of Marine Science 41: 322-336.
- Fransen, C. H. J. M. 2002. Taxonomy, phylogeny, historical biogeography, and historical ecology of the genus *Pontonia* Latreille (Crustacea: Decapoda: Caridea: Palaemonidae). Zoologische Verhandelingen 336: 1-433.
- Galil, B. S. 1997. Crustacea Decapoda: A revision of the Indo-Pacific species of the genus *Calappa* Weber, 1795 (Calappidae). In: A. Crosnier (ed.), Résultats des campagnes MUSORSTOM, volume 18. Mémoires du Muséum national d'Histoire naturelle, Paris 176: 271-335.
- Galil, B. S. & P. F. Clark. 1990. Crustacea Decapoda: notes on trapeziid crabs from New Caledonia including descriptions of two new species. In: A. Crosnier (ed.), Résultats des campagnes MUSORSTOM, volume 6. Mémoires du Muséum national d'Histoire naturelle, Paris, Série A, Zoologie 145: 369-388.

- Galil, B. & M. Takeda. 1986. Resurrection of the genus *Jonesius* and establishment of a new genus: commensal crabs associated with corals from the Indo-West Pacific. Bulletin of the National Science Museum, Series A (Zoology) 12: 163-171.
- Griffin, D. J. G. & H. A. Tranter. 1986. The Decapoda Brachyura of the Siboga Expedition. Part VIII. Majidae. Siboga-Expeditie 39(C4): 1-335.
- Grimm, G. R. 1983. Genetic variation in *Macrobrachium lar* on Guam. M. S. thesis in Biology, University of Guam.
- Grygier, M. J. 1990. A crustacean endoparasite (Ascothoracida: Synagogidae) of an antipatharian from Guam. Micronesica 23: 15-25.
- Guinot, D. & B. Richer de Forges. 1985. Crustacés Décapodes: Majidae (genres *Platymaia*, *Cyrtomaia*, *Pleistacantha*, *Sphenocarcinus* et *Naxioides*). In: Résultats des campagnes MUSORSTOM, Tome II. Mémoires du Muséum national d'Histoire naturelle, Paris, Série A, Zoologie 133: 83-177.
- Guinot, D. & B. Richer de Forges. 1995. Crustacea Decapoda Brachyura: Révision de la famille des Homolidae de Haan, 1839. In: A. Crosnier (ed.), Résultats des campagnes MUSORSTOM volume 13. Mémoires du Muséum national d'Histoire naturelle, Paris 163: 283-517.
- Haig, J. & R. K. Kropp. 1987. *Petrolisthes eldredgei*, a new porcellanid crab from the Indo-West Pacific, with redescription of two related species. Micronesica 20: 171-186.
- Hamano, T. 1994. Stomatopod crustaceans from the Northern Mariana Islands, Micronesia. Natural History Research, Special Issue 1: 291-292.
- Hayashi, K., T. Komai & A. Asakura. 1994. Macrura (Crustacea: Decapoda: Stenopodidea, Caridea and Palinuridea [sic]) collected from the Northern Mariana Islands, Micronesia. Natural History Research, Special Issue 1: 267-273.
- Hessler, R. R. & P. F. Lonsdale. 1991. Biogeography of Mariana Trough hydrothermal vent communities. Deep-Sea Research 38: 185-199.
- Hessler, R. T. & J. W. Martin. 1989. *Austinograea williamsi*, new genus, new species, a hydrothermal vent crab (Decapoda: Bythograeidae) from the Mariana Back-Arc Basin, western Pacific. Journal of Crustacean Biology 9: 645-661.
- Hiro, F. 1937. Cirripeds of the Palao Islands. Palao Tropical Biological Station Studies 1: 37-72.
- Holthuis, L. B. 1953. Enumeration of the decapod and stomatopod Crustacea from Pacific coral islands. Atoll Research Bulletin 24: 1-66.
- Holthuis, L. B. 1981. Description of three new species of shrimps (Crustacea: Decapoda: Caridea) from Pacific Islands. Proceedings of the Biological Society of Washington 94: 787-800.
- Humes, A. G. 1990. Copepods (Siphonostomatoida) from a deep-sea hydrothermal vent at the Mariana back-arc basin in the Pacific, including a new genus and species. Journal of Natural History 24: 289-304.

- Jones, D. S. 2000. Crustacea Cirripedia Thoracica: Chionelasmatoidea and Pachylasmatoidea (Balanomorpha) of New Caledonia, Vanuatu and Wallis and Futuna Islands, with a review of all currently assigned taxa. In: A. Crosnier (ed.), Résultats des campagnes MUSORSTOM volume 21. Mémoires du Muséum national d'Histoire naturelle, Paris [Résultats des Campagnes MUSORSTOM 21] 184: 141-283.
- Just, J. 1998. Siphonoecetinae (Crustacea: Amphipoda: Ischyroceridae). 7: Australian concholestids, *Ambicholestes* n. gen., with a description of six new species, and a new, restricted diagnosis for *Caribboecetes* Just, 1983. Records of the Australian Museum 50: 27-54.
- Kensley, B. 1996. New thalassinidean shrimp from the Pacific Ocean (Crustacea, Decapoda: Axiidae and Calocarididae). Bulletin of Marine Science 59: 469-489.
- Kensley, B. 2001. A new species of *Corallichirus* Manning, 1992 (Crustacea: Decapoda: Callianassidae) from Guam. Bulletin of the Biological Society of Washington 10: 328-333.
- Kensley, B. 2003. Axiod shrimps from Guam (Crustacea, Decapoda, Thalassinidea). Micronesica 35-36: 359-384.
- Kensley, B. & R. W. Heard. 1991. An examination of the shrimp family Callianideidae (Crustacea: Decapoda: Thalassinidea). Proceedings of the Biological Society of Washington 104: 493-537.
- Kesling, R. V. 1958. Fossil crabs from Guam. Journal of Paleontology 14: 207-263.
- Kikuchi, Y. 1994. The occurrence of a terrestrial harpacticoid copepod, *Phylloganthopushigueri* (Maupas, 1892) from Agrihan Island, the northern Mariana Islands, Micronesia. Natural History Research, Special Issue 1: 257.
- King, M. 1987. Distribution and ecology of deep-water caridean shrimps (Crustacea: Natantia) near tropical Pacific islands. Bulletin of Marine Science 41: 192-203.
- Koh, S. K. & P. K. L. Ng, 2000. A revision of the spiny crabs of the genus *Hypothalassia* Gistel, 1848 (Crustacea: Decapoda: Brachyura: Eriphiidae). Raffles Bulletin of Zoology 48: 123-141.
- Komai, T. 1994. Preliminary list of intertidal gammaridean Amphipoda (Crustacea: Peracarida) from the Northern Mariana Islands, Micronesia. Natural History Research, Special Issue 1: 265-266.
- Korovchinsky, N. M. 2001. Review of Sididae (Crustacea: Cladocera: Ctenopoda) of the Pacific Ocean Islands, with description of a new species of *Diaphanosoma* from West Samoa. Hydrobiologia 455: 171-181.
- Kropp, R. K. 1981. Feeding biology of three hapalocarcinid crab species. M. S. thesis in Biology, University of Guam.
- Kropp, R. K. 1983 [1984]. Three new species of Porcellanidae (Crustacea: Anomura) from the Mariana Islands and a discussion of Borradale's *Petrolisthes lamarckii* complex. Micronesica 19: 91-106.

- Kropp, R. K. 1984. *Tanaocheles stenochilus*, a new genus and species of crab from Guam, Mariana Islands (Brachyura: Xanthidae). Proceedings of the Biological Society of Washington 97: 744-747.
- Kropp, R. K. 1986. A neotype designation for *Petrolisthes tomentosus* (Dana), and description of *Petrolisthes heterochrous*, new species, from the Mariana Islands (Anomura: Porcellanidae). Proceedings of the Biological Society of Washington 99: 452-463.
- Kropp, R. K. 1987. Descriptions of some endolithis habitats for snapping shrimp (Alpheidae) in Micronesia. Bulletin of Marine Science 41: 204-213.
- Kropp, R. K. 1988a. The status of *Cryptochirus coralliodetes* Heller and *Lithoscaptus paradoxus* Milne Edwards (Brachyura: Cryptochiridae). Proceedings of the Biological Society of Washington 101: 872-882.
- Kropp, R. K. 1988b. The status of *Cryptochirus hongkongensis* Shen, 1936 (Brachyura: Cryptochiridae). Proceedings of the Biological Society of Washington 101: 866-871.
- Kropp, R. K. 1989. A revision of the Pacific species of gall crabs, genus *Opecarcinus* (Crustacea: Cryptochiridae). Bulletin of Marine Science 45: 98-129.
- Kropp, R. K. 1990. Revision of the genera of gall crabs (Crustacea: Cryptochiridae) occurring in the Pacific Ocean. Pacific Science 44: 417-448.
- Kropp, R. K. 1994. The gall crabs (Crustacea: Decapoda: Brachyura: Cryptochiridae) of the Rumphius Expeditions revisited, with descriptions of three new species. Raffles Bulletin of Zoology 42: 521-538.
- Kropp, R. K. & J. H. Dominguez. 1990. *Mesacturus dicrurus*, new species, and unusual stomatopod from Micronesia (Stomatopoda: Gonodactylidae). Proceedings of the Biological Society of Washington 103: 372-375.
- Kropp, R. K. & J. Haig. 1994. *Petrolisthes extremus*, a new porcelain crab (Decapoda: Porcellanidae) from the Indo-West Pacific. Proceedings of the Biological Society of Washington 107: 312-317.
- Kropp, R. K. & R. B. Manning. 1996. Crustacea Decapoda: Two new genera and species of deep water gall crabs from the Indo-west Pacific (Cryptochiridae). In: A. Crosnier (ed.), Résultats des campagnes MUSORSTOM volume 15. Mémoires du Muséum national d'Histoire naturelle 168: 531-539.
- Leberer, C. J. 1997. Factors affecting the abundance and distribution of atyid shrimps in two tropical insular rivers. M. S. thesis in Biology, University of Guam.
- Leberer, T. & Y. Cai. 2003. Shrimps of the family Atyidae from Guam, Mariana Islands. Micronesica 35-36: 353-358.
- Lemaitre, R. 1989. Revision of the genus *Parapagurus* (Anomura: Paguroidea: Parapaguridae), including redescriptions of the western Atlantic species. Zoologische Verhandelingen 253: 1-106.
- Lemaitre, R. 1998. Revisiting *Tylaspis anomala* Henderson, 1885 (Parapaguridae), with comments on its relationships and evolution. Zoosystema 20: 289-305.

- Manning, R. B. 1978. Synopses of the Indo-West Pacific species of *Lysiosquilla* Dana, 1852 (Crustacea: Stomatopoda: Lysiosquillidae). Smithsonian Contributions to Zoology 259: 1-16.
- Manning, R. B., R. K. Kropp & J. Dominguez. 1990. Biogeography of deep-sea Crustacea, family Bathysquillidae. Progress in Oceanography 24: 311-316.
- Martin, J. W. & R. R. Hessler. 1990. *Chorocaris vandoverae*, a new genus and species of hydrothermal vent shrimp (Crustacea, Decapoda, Bresiliidae) from the western Pacific. Contributions in Science, Natural History Museum of Los Angeles County 417: 1-11.
- McKenzie, K. G. 1967. Saipanellidae, a new family of podocopid Ostracoda. Crustaceana 13: 103-113.
- McKenzie, K. G. 1970. The 'soft parts' of *Saipanetta tumida* (Brady, 1890) (Ostracoda, Metacopina), with an expansion of the diagnosis of the Saipanettidae. Crustaceana 19: 104-105.
- McLaughlin, P. A. 2002a. *Pseudopaguristes*, a new and aberrant genus of hermit crab (Anomura: Paguridea: Diogenidae). Micronesica 34: 185-199.
- McLaughlin, P. A. 2002b. A new species of the genus *Catapaguroides* (Decapods: Anomura: Paguroidea: Paguridae) from Guam, Micronesia. Crustaceana 75: 495-504.
- McLaughlin, P. A. & J. Haig. 1984. A review of *Pagurixus* (Decapoda, Anomura, Paguridae) and descriptions of new species. Crustaceana 47: 120-148.
- McLaughlin, P. A. & J. Haig. 1989. On the status of *Pylopaguropsis zebra* (Henderson), *P. magnimanus* (Henderson), and *Galapagurus teevanus* Boone, with descriptions of seven new species of *Pylopaguropsis* (Crustacea: Anomura: Paguridae). Micronesica 22: 123-171.
- McLaughlin, P. A. & R. Lemaitre. 1993. A review of the hermit crab genus *Paguritta* (Decapoda: Anomura: Paguridae) with descriptions of three new species. Raffles Bulletin of Zoology 41: 1-29.
- McLay, C. L. 1993. Crustacea: Decapoda: The sponge crabs (Dromiidae) of New Caledonia and the Philippines with a review of genera. In: A. Crosnier (ed.), Résultats des campagnes MUSORSTOM, vol. 10. Mémoires du Muséum national d'Histoire naturelle, Paris 156: 111-251.
- McLay, C. L. 1999. Crustacea Decapoda: revision of the family Dynomenidae. In: A. Crosnier (ed.), Résultats des campagnes MUSORSTOM, vol. 20. Mémoires du Muséum national d'Histoire naturelle, Paris 180: 427-569.
- McLay, C. L. 2001. Dynomenidae and Dromiidae (Decapoda, Brachyura) from Guam, Philippine Islands, Tonga and Samoa. Zoosystema 23: 807-863.
- Moffitt, R. B. 1983. *Heterocarpus longirostris* MacGilchrist from the northern Mariana Islands. Fisheries Bulletin 81: 434-436.
- Moreira, G. S. & S. G. Nelson. 1990. The effects of temperature on the respiratory metabolism of *Calcinus laevimanus* (Randall, 1839) (Crustacea, Anomura) in different salinities. Journal of Thermal Biology 15:37-40.

- Morino, H. 1994. Talitridae (Crustacea: Amphipoda) from the Northern Mariana Islands, Micronesia. Natural History Research, Special Issue 1: 263-264.
- Nelson, S. G. & R. K. Kropp. 1985. Ammonia excretion and nitrogen assimilation by the tropical freshwater prawn *Macrobrachium lar* (Crustacea, Palaemonidae). Comparative Biochemistry and Physiology 81A: 699-704.
- Newman, W. A. & R. R. Hessler. 1989. A new abyssal hydrothermal verrucophan (Cirripedia: Sessilia): The most primitive living sessile barnacle. Transactions of the San Diego Society of Natural History 21: 259-273.
- Ng, N. K., H. C. Liu & P. H. Ho. 2000. *Plagusia speciosa* Dana, 1851, a new record for Taiwan (Crustacea: Decapoda: Brachyura: Plagusiinae) with a key to the genus for Taiwan. Journal of the National Taiwan Museum 53: 13-22.
- Ng, P. K. L. 1987. The Indo-Pacific Pilumnidae II. A revision of the genus *Rhizopa* Stimpson, 1858 and the status of the Rhizopinae Stimpson, 1858 (Crustacea: Decapoda: Brachyura). Indo-Malayan Zoology 4: 69-111, Pl. 1.
- Ng, P. K. L. 1998a. Crabs. In: FAO Species identification guide for fishery purposes. The living marine resources of the Western Central Pacific. Volume 2. Cephalopods, crustaceans, holothurians and sharks. K. E. Carpenter & V. H. Niem (editors), Food & Agriculture Organisation, Rome, pp. 1045-1155.
- Ng, P. K. L., 1998b. *Lamoha*, a replacement name for *Hypsophrys* Wood Mason & Alcock, 1891 (Brachyura, Homolidae), a junior synonym of *Hypsophrys* Agassiz, 1859 (Pisces, Teleostei, Cichlidae). Crustaceana 71: 121-125.
- Ng, P. K. L. 2002a. On the unusual swimming crab, *Coelocarcinus foliatus* Edmondson, 1930, with description of a new species from the Indian Ocean (Brachyura, Decapoda, Portunidae). Crustaceana 75: 51-60.
- Ng, P. K. L. 2002b. On the identity of *Pilumnus cristimanus* A. Milne Edwards, 1873, and the status of *Parapilumnus* Kossmann, 1877 (Crustacea: Decapoda: Brachyura), with description of a new species from rubble beds in Guam. Micronesica 34: 209-226.
- Ng, P. K. L. 2002c. *Olenothus*, a new genus of euxanthine crab (Crustacea: Decapoda: Brachyura: Xanthidae) from Guam. Micronesica 34: 201-208.
- Ng, P. K. L. 2002d. New species of cavernicolous crabs of the genus *Sesarmoides* from the western Pacific, with a key to the genus (Crustacea: Decapoda: Brachyura: Grapsidae). Raffles Bulletin of Zoology 50: 419-435.
- Ng, P. K. L. 2003. On a new species of *Epigrapsus* (Decapoda: Brachyura: Gecarcinidae) from a cave in Guam. Crustaceana in press.
- Ng, P. K. L. & P. F. Clark. 2000. The Indo-Pacific Pilumnidae XII. On the familial placement of *Chlorodiella bidentata* (Nobili, 1901) and *Tanaocheles stenochilus* Kropp, 1984 using adult and larval characters with the establishment of a new subfamily, Tanaochelinae (Crustacea: Decapoda: Brachyura). Journal of Natural History 34: 207-245.

- Ng, P. K. L. & P. F. Clark. 2002. The eumedonid file: a case study of systematic compatibility using larval and adult characters (Crustacea: Decapoda: Brachyura). *Invertebrate Reproduction and Development* 38: 225-252.
- Ng, P. K. L. & D. Guinot, 2001. On the land crabs of the genus *Discoplax* A. Milne Edwards, 1867 (Crustacea: Decapoda: Brachyura: Gecarcinidae), with description of a new cavernicolous species from the Philippines. *Raffles Bulletin of Zoology* 49: 311-338.
- Ng, P. K. L., D. Guinot & T. M. Ilyiffe. 1996. Revision of the anchialine varunine crabs of the genus *Orcovita* Ng & Tomascik, 1994 (Crustacea: Decapoda: Brachyura: Grapsidae), with descriptions of four new species. *Raffles Bulletin of Zoology* 44: 109-134.
- Ng, P. K. L. & L. Liao. 2002. On a new species of *Euryozius* (Crustacea: Decapoda: Brachyura: Pseudoziidae) from the Philippines, with notes on the taxonomy of the genus. *Proceedings of the Biological Society of Washington* 115: 585-593.
- Ng, P. K. L. & C. L. McLay. 2003. On the systematic position of *Lambrachaeus* Alcock, 1895 (Decapoda, Brachyura). *Crustaceana*, in press.
- Ng, P. K. L. & N. K. Ng. 2003. *Conleyus defodio*, a new genus and new species of carcinoplacine crab (Crustacea: Brachyura: Gonoplacidae) from deep rubble beds in Guam. *Micronesica* 35-36: 431-439.
- Ng, P. K. L. & M. Takeda. 1998. *Aethra edentata* Edmondson, 1951 (Crustacea, Decapoda, Brachyura, Parthenopidae), new records for the Izu-Mariana Arch [sic]. *Bulletin of the National Science Museum, Tokyo, Series A* 24: 7-10.
- Ng, P. K. L. & M. Takeda. 2003. *Atopportunus*, a remarkable new genus of cryptic swimming crab (Crustacea; Decapoda; Brachyura: Portunidae), with descriptions of two new species from the Indo-West Pacific. *Micronesica* 35-36: 417-430.
- Ng, P. K. L. & C.-H. Wang. 2001. Notes on two species of deep-water porter crabs of the genus *Lamoha* (Crustacea: Decapoda: Brachyura: Homolidae) from the Pacific. *Journal of the National Taiwan Museum* 54: 13-24.
- Nunomura, N. 1994. Preliminary list of terrestrial isopod crustaceans from the Northern Mariana Islands, Micronesia. *Natural History Research, Special Issue 1*: 259-261.
- Nunomura, N. 2001. Terrestrial isopod crustaceans from Saipan, Northern Mariana, Micronesia. *Bulletin of the Toyama Science Museum* 24: 1-17.
- Odinetz, O. 1984. Révision des *Trapezia* du groupe *cymodoce-ferruginea* (Crustacea, Decapoda, Brachyura) avec des notes complémentaires concernant *T. serenei* Odinetz, 1983 et *T. punctimanus* Odinetz, 1983. *Bulletin du Muséum national d'Histoire naturelle, Paris, 4ème série (A)*, 6: 431-452.
- Okuno, J. 1994. *Rhynchocinetes concolor*, a new shrimp (Caridea: Rhynchocinetidae) from the Indo-West Pacific. *Proceedings of the Japanese Society of Systematic Zoology* 52: 65-74.

- Paulay, G. 2003. Marine biodiversity of Guam and the Marianas: overview. *Micronesica* 35-36: 3-25.
- Paulay, G. & A. Ross. 2003. An annotated checklist of the shallow water Cirripedia of Guam. *Micronesica* 35-36: 303-314.
- Pérez Farfante, I. & B. Kensley. 1997. Penaeoid and sergestoid shrimps and prawns of the world. Keys and diagnoses for the families and genera. Mémoires du Muséum national d'Histoire naturelle, Paris 175: 1-233.
- Polovina, J. J., R. B. Moffitt, S. Ralston & P. M. Shiota. 1985. Results of the resource assessment investigation of the Mariana Archipelago, 1985. Southwest Fisheries Center, National Marine Fisheries Service, Administrative Report H-85-7: 1-22.
- Poupin, J. 1997. Les pagures du genre *Calcinus* en Polynésie française avec la description de trois nouvelles espèces (Decapoda, Anomura, Diogenidae). *Zoosystema* 19: 683-719.
- Quoy, J. R. C. & J. P. Gaimard. 1824. Zoologie. In: L. C. De Freycinet, S. Voyage autour du monde sur les corvettes l'Uranie et la Physicienne pendant les années 1817-1820, Paris 3(2): 1-712.
- Rahayu, D. L. & J. Forest. 1999. Sur le statut de *Calcinus gaimardii* (H. Milne Edwards, 1848) (Decapoda, Anomura, Diogenidae) et description de deux espèces nouvelles apparentées. *Zoosystema* 21: 461-472.
- Rathbun, M. J. 1907. Reports on the scientific results of the expedition to the tropical Pacific in charge of Alexander Agassiz, by the U.S. Fish Commission Steamer 'Albatross', from August 1899 to March 1900, Commander Jefferson F. Moser, U.S.N., commanding. Reports on the scientific results of the expedition to the eastern tropical Pacific, in charge of Alexander Agassiz, by the U.S. Fish Commission Steamer 'Albatross', from October 1904 to March 1905, Lieut. Commander L. M. Garrett, U.S.N., commanding. X. The Brachyura. Memoirs of the Museum of Comparative Zoology, Harvard University 35(2): 23-74.
- Safford, W. E. 1905. The useful plants of Guam. Contributions of the U.S. National Herbarium 9: 1-416.
- Schubart, C. & P. K. L. Ng. 2000. On the identities of the rafting crabs *Cancer depressus* Fabricius, 1775, *Cancer squamosus* Herbst, 1790, *Plagusia immaculata* Lamarck, 1818, and *Plagusia tuberculata* Lamarck, 1818 (Crustacea: Decapoda: Brachyura: Plagusiidae). *Raffles Bulletin of Zoology* 48: 327-336.
- Seale, A. 1901. Report of a mission to Guam. Occasional Papers of the Bernice Pauahi Bishop Museum 1: 17-128.
- Serène, R. 1984. Crustacés Décapodes Brachyoures de l'Océan Indien occidental et de la Mer Rouge. Xanthoidea: Xanthidae et Trapeziidae. Addendum: Carpiliidae et Menippidae (A. Crosnier). Faune Tropicale XXIV. Editions de l'ORSTOM, Paris.
- Smyth, M. J. 1986. *Cryptophialus coronophorus*, new species (Cirripedia: Acrothoracica), a boring barnacle from Guam, Mariana Islands, with new

- insights into cryptophialid ultrastructure. *Journal of Crustacean Biology* 6: 143-157.
- Smyth, M. J. 1989. Bioerosion of gastropod shells: with emphasis on effects of coralline algal cover and shell microstructure. *Coral Reefs* 8: 119-125.
- Smyth, M. J. 1990. Incidence of boring organisms in gastropod shells on reefs around Guam. *Bulletin of Marine Science* 46: 432-449.
- Southward, A. J., R. S. Burton, S. L. Coles, P. R. Dando, R. DeFelice, J. Hoover, P. E. Parnell, T. Yamaguchi & W. A. Newman. 1998. Invasion of Hawaiian shores by an Atlantic barnacle. *Marine Ecology Progress Series* 165: 119-126.
- Stephenson, W. & M. Rees. 1967. Some portunid crabs from the Pacific and Indian Oceans in the collections of the Smithsonian Institution. *Proceedings of the U.S. National Museum* 120: 1-114.
- Stevicic, Z., P. Castro & R. H. Gore. 1988. Re-establishment of the Family Eumedonidae Dana, 1853 (Crustacea: Brachyura). *Journal of Natural History* 22: 1301-1324.
- Stock, J. H. 1994. Indo-West Pacific Pycnogonida collected by some major oceanographic expeditions. *Beaufortia* 44: 18-77.
- Takeda, M. 1976. Studies on the Crustacea Brachyura of the Palau Islands III. Xanthidae (1). *Researches on Crustacea* 7: 69-99.
- Takeda, M. A. 1980. A small collection of crabs from the Kyushu-Palau submarine ridge, with a description of a new species of the Homolidae. *Micronesica* 16: 279-287.
- Takeda, M., Y. Fukui, K. Wada & A. Asakura. 1994. Brachyura (Crustacea: Decapoda) from the Northern Mariana Islands, Micronesia. *Natural History Research, Special Issue* 1: 285-290.
- Tan, C. G. S. & P. K. L. Ng. 1995. A revision of the Indo-Pacific genus *Oreophorus* Rüppell, 1830 (Crustacea: Decapoda: Brachyura: Leucosiidae). In: B. Richer de Forges (éd.), *Les fonds meubles des lagons de Nouvelle-Calédonie (Sédimentologie, Benthos)*, volume 2. Études & Thèses, pp. 101-89. ORSTOM, Paris.
- Tan, S. H. & P. K. L. Ng. 2003a. The Parthenopinae of Guam (Crustacea: Brachyura: Parthenopidae). *Micronesica* 35-36: 385-416.
- Tan, S. H. & P. K. L. Ng. 2003b. Revision of the genus *Daldorfia* Rathbun, 1904, with an appraisal of the subfamily Daldorfiinae Ng & Rodríguez, 1986 (Crustacea: Decapoda: Brachyura: Parthenopidae). *Mémoirs du Muséum national d'Histoire naturelle*, Paris, in press.
- Tseng, W.-Y. 1972. Development of the pelagic ostracod, *Euconchoecia elongata*. M. S. thesis in Biology, University of Guam.
- Türkay, M. & K. Sakai. 1995. Decapod crustaceans from a volcanic hot spring in the Marianas. *Senckenbergiana Maritima* 26: 25-35.
- Vermeij, G. J. 1978. Biogeography and adaptation, patterns of marine life. Cambridge, MA: Harvard University Press.

- Watkins, R. L. & D. Belk. 1975. The Copepoda of Guam. *Crustaceana* 28: 302-304.
- Wee, D. P. C. & P. K. L. Ng. 1995. Swimming crabs of the genera *Charybdis* De Haan, 1833, and *Thalamita* Latreille, 1829 (Crustacea: Decapoda: Brachyura: Portunidae) from Peninsular Malaysia and Singapore. *Raffles Bulletin of Zoology*, Supplement 1: 1-128.
- Weissleader, L. S., N. L. Gilinsky, R. M. Ross & T. M. Cronin. 1989. Biogeography of marine podocopid ostracodes in Micronesia. *Journal of Biogeography* 16: 103-114.
- Wilder, M. J. 1977. Biological aspects and fisheries potential of two deepwater shrimps, *Heterocarpus ensifer* and *Heterocarpus laevigatus* in waters surrounding Guam. M. S. thesis in Biology, University of Guam.
- Williams, A. B. & K. Baba. 1990. New squat lobsters (Galatheidae) from the Pacific Ocean: Mariana Back Arc Basin, East Pacific Rise, and Cascadia Basin. *Fishery Bulletin* 87: 899-910.
- Williams, A. B. & L. G. Eldredge. 1994. A new species of spider crab from Guam, *Rochinia decipiata* (Brachyura: Majidae). *Crustacean Research* 23: 1-4.
- Williams, A. B. & R. B. Moffitt. 1991. Crabs from the Mariana Archipelago: *Bothromaia griffini* new genus and species (Brachyura: Majidae), and remarks on *Poupina hirsuta* Guinot (Homoloidea, Poupinidae). *Proceedings of the Biological Society of Washington* 104: 569-82.
- Williams, E. H. Jr., L. Bunkley-Williams & T. Pitlik. 2000. Three new records for Micronesia of cymothoid isopods (Crustacea) parasitic on fishes. *Pacific Science* 54: 157-58.
- Wooster, D. S. 1979. The shallow-water hermit crabs of the Mariana Islands (Decapoda, Paguridea: Coenobitidae, Diogenidae, Paguridae). M. S. thesis in Biology, University of Guam.
- Wooster, D. S. 1982. The genus *Calcinus* (Paguridea, Diogenidae) from the Mariana Islands including three new species. *Micronesica* 18: 121-62.
- Wortman, C. G. 1976. Toxicity of five pesticides to the tropical hermit crab *Clibanarius humilis*. M. S. thesis in Biology, University of Guam.
- Yamaguchi, M. 1975. Sea level fluctuations and mass mortalities of reef animals in Guam, Mariana Islands. *Micronesica* 11: 227-243.

Received 3 March 2002

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas

Museum: vouchers specimens in AHF; Allan Hancock Foundation, now at Natural History Museum of Los Angeles County; AM: Australian Museum, Sidney; BMNH: The Natural History Museum (formerly British Museum of Natural History); BPBM: Bernice P. Bishop Museum, Honolulu; CBM: Natural History Museum and Institute, Chiba; KC: Roy Kropp Collection; to be deposited in an institutional collection in the future; MNHN: Muséum national d'Histoire naturelle, Paris; NNM: National Natuurhistorisch Museum, Leiden; NSMT: National Science Museum, Tokyo; SIO: Scripps Institution of Oceanography, La Jolla; SMF: Senckenberg Museum, Frankfurt; UF: Florida Museum of Natural History, University of Florida, Gainesville; UGI: University of Guam Invertebrate Collections; USNM: US National Museum of Natural History, Washington DC; USNPC: US National Parasite Collection, National Museum of Natural History, Washington; YPM: Yale University Peabody Museum of Natural History, New Haven; ZRC: National University of Singapore, UF/ZRC; specimen deposition undecided but will be UF and/or ZRC. Vouchers are from Guam unless parenthetically indicated otherwise; see under "Island" below for key to island name abbreviations.

Hab: Habitat: 1: marine, 0-60m, 2: marine, 60-200m, 3: marine, >200m, FW: freshwater, T: terrestrial

Island: Ag: Agrihan, Al: Alamagan, An: Anatahan, Ar: Arakane Reef, As: Asuncion, CNMI: Commonwealth of the Northern Mariana Islands, island unspecified, E: Esmeralda Bank, G: Guam, Gu: Guguan, M: Maug, MS: Mariana Islands, island unspecified, MTV: Mariana Trough vents, P: Pagan, R: Rota, S: Saipan, Sa: Sarigan, T: Tinian, U: Uracas.

Refs: References listed at end of Appendix

Notes: listed at end of Appendix

Taxon	Museum	Refs	Photo	Notes	Hab	Island
MARINE TAXA						
COPEPODA: DIRIVULTIDAE						
<i>Chasmopontius thescalus</i> Humes, 1990		1, 2		3	MTV	
<i>Stygiopontius pectinatus</i> Humes, 1987		2		3	MTV	
<i>Stygiopontius stabilitus</i> Humes, 1990		1, 2		3	MTV	
COPEPODA: ERGASILIDAE						
<i>Paeonodes subviridis</i> El-Rashidy & Boxshall, 2001	BMNH 1999.1529 (holotype)	140		1	G	
OSTRACODA: PODOCOPIDA						
<i>Bairdopilata cratericola</i> Maddocks, 1969		3		1	G	
<i>Bishopina timorensis</i> (Fyan, 1916)		3		1	G	
<i>Bosasella</i> cf. <i>macroloba</i> (Hu, 1981)		3		1	G	
<i>Bythocyparis</i> aff. <i>prolata</i> Maddocks, 1969		3		1	G	
<i>Callistocythere arcuata</i> Bonaduce et al., 1980		3		1	G	

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (continued)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
<i>Callistocythere cf. keiji</i> (Hartmann, 1978)		3			1	G
<i>Caudites eximouthensis</i> Hartmann, 1978		3			1	G
<i>Cletocythereis rastromarginata</i> (Brady, 1880)		3			1	G
<i>Cytherelloida</i> sp. B		3			1	G
<i>Cytherelloida</i> sp. E		3			1	G
<i>Hemicythere</i> sp. B		3			1	G
<i>Hemicythereura</i> sp. 1		3			1	G
<i>Hermanites delhoidea</i> (Brady, 1890)		3			1	G
<i>Hermanites transoceanica</i> Teeter, 1975		3			1	G
<i>Keijia foveata</i> (Hartmann, 1978)		3			1	G
<i>Loxoconcha heronislandensis</i> Hartmann, 1981		3			1	G
<i>Loxoconcha huahineensis</i> Hartmann, 1984		3			1	G
<i>Loxoconcha</i> sp. 1		3			1	G
<i>Loxoconcha turnerae</i> Watson, 1988		3			1	G
<i>Loxoconchella anomala</i> (Brady, 1880)		3			1	G
<i>Loxoconchella</i> cf. <i>malaysiana</i> Keij, 1978		3			1	G
<i>Morkhovenia inconspicua</i> (Brady, 1880)		3			1	G
<i>Mydinobairdia schyroconcha</i> (Maddocks, 1969)		3			1	G
<i>Neonesidea</i> cf. <i>arenigera</i> Maddocks, 1969		3			1	G
<i>Neonesidea lentifila</i> Hartmann, 1984		3			1	G
<i>Neonesidea schulzi</i> (Hartmann, 1964)		3			1	G
<i>Ornatolaberis</i> sp. 1		3			1	G
<i>Paracytheridea</i> cf. <i>dissecta</i> Hu, 1983		3			1	G
<i>Paracytheridea tschoppi</i> Bold, 1946		3			1	G
<i>Paranesidea</i> cf. <i>algicola</i> Maddocks, 1969		3			1	G
<i>Paranesidea</i> sp. A		3			1	G
<i>Paranesidea spongicola</i> Maddocks, 1969		3			1	G
<i>Ponticocythereis ichthyoderma</i> (Brady, 1890)		3			1	G
<i>Propontocypris</i> sp. A		3			1	G
<i>Propontocypris</i> sp. B		3			1	G
<i>Pterobairdia maddockae</i> McKenzie & Keij, 1977		3			1	G

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (*continued*)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
<i>Radimella</i> sp. A						
<i>Renaudocypris?</i> <i>natans</i> Hartmann, 1984		3		1	G	
<i>Saipanetta cloudi</i> (McKenzie, 1967)	USNM 113437 (holotype, S)	3		1	G	
<i>Semicytherura</i> cf. <i>cryptifera</i> (Brady, 1880)	132	68		1	S	
<i>Tanella</i> cf. <i>gracilis</i> Kingma, 1948	3			1	G	
<i>Triebelina bradyi</i> Triebel, 1948	3			1	G	
<i>Triebelina serrata</i> Triebel, 1948	3			1	G	
<i>Triebelina</i> sp. 1	3			1	G	
<i>Xestoleberis</i> spp.	3			1	G	
AMPHIPODA: AMPHILOCHIDAE						
<i>Gitanopsis</i> sp. 1	4			1	M	
AMPHIPODA: AMPITOIDAE						
<i>Ampithoe ramondii</i> Audouin, 1826	5			1	S	
<i>Ampithoe</i> sp. 1	4			1	M	
<i>Ampithoe</i> sp. 2	4			1	Gu	
<i>Ampithoe</i> sp. 3	4			1	M	
<i>Grubia filosa</i> (Savigny, 1826)	5			1	S	
<i>Paradusa</i> sp. 1	4			1	M	
AMPHIPODA: COLOPHIIDAE						
<i>Gammareopsis</i> sp. 1	4			1	M	
AMPHIPODA: GAMMARIDAE						
<i>Ceradocus rubromaculatus</i> (Stimpson, 1855)	5			1	S	
<i>Erasmops</i> sp. 1	4			1	M	
<i>Maera insignis</i> (Chevreux, 1901)	5			1	S	
<i>Maera</i> sp. 1	4			1	M	
AMPHIPODA: HYALIDAE						
<i>Hyale</i> sp. 1	4			1	M	
<i>Hyale</i> sp. 2	4			1	M	
<i>Hyale</i> sp. 3	4			1	M	
AMPHIPODA: ISCHYROCERIDAE						
<i>Ambicholestes squamiferus</i> (Just, 1984)	UGI (paratype)	6		1	G	

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (continued)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
AMPHIPODA: LEUCOTHOIDAE						
<i>Leucothoe</i> sp. 1		4			1	M
ISOPODA: CYMOTHOIDAE						
<i>Ceratothoa angulata</i> (Richardson, 1910)	USNPC 088995	7		1	G	
<i>Cymothoa hyrcanica</i> Avdeev, 1979	USNPC 088996	7		1	G	
<i>Eithusa raynaudi</i> (Milne-Edwards, 1840)	USNPC 088997	7		1	G	
STOMATOPODA: BATHYSQUILLIDAE						
<i>Bathysquilla microps</i> (Manning, 1961)	USNM 228146	8,9		3	G	
STOMATOPODA: CORONIDAE						
<i>Mortensenemus paulayi</i> Ahyong & Erdmann, 2003	AM P (holotype, M)	9		1	M	
<i>Neocoroniella martensi</i> Manning, 1978	AM P	9		1	M	
STOMATOPODA: EURYSQUILLIDAE						
<i>Manningia zehntneri</i> Manning, 1974	USNM 307137	9		1	G	
STOMATOPODA: GONODACTYLIDAE						
<i>Gonodactylaceus falcaus</i> (Forsskål, 1775)	UF 265, USNM 304400	5, 9, 10	GP694-14	5	1	G, S
<i>Gonodactylaceus ternatensis</i> (de Man, 1902)	USNM 304416	9		1	G	
<i>Gonodactylellus erdmanni</i> Ahyong, 2001	USNM 304403, USNM 304653 (R)	9		1	G, R	
<i>Gonodactylellus spinosus</i> (Borradaile 1898)	USNM 304445	9		1	G	
<i>Gonodactylellus micronesicus</i> (Manning, 1971)	USNM 304408	9		1	G	
<i>Gonodactylus childi</i> Manning, 1971	USNM 304444	9		1	G	
<i>Gonodactylus chiragra</i> (Fabricius, 1781)	UF 239, USNM 304489	9		RFM	1	
<i>Gonodactylus platysoma</i> Wood-Mason, 1895	UF 233, USNM 304455	5, 9, 10	GP359-21	1	G, S	
<i>Gonodactylus smithii</i> Pocock, 1893	UF 235, USNM 304453	9, 11	GP464-10	6	1	G
<i>Hoplosquilla saidi</i> Erdmann & Manning, 1998	USNM 306080	9	GP404-30	1	G	
STOMATOPODA: INDOSQUILLIDAE						
<i>Indosquilla manihinei</i> Ingle & Merrett, 1971	USNM 233477, USNM 228417 (P)	8, 9		3	G, P	
STOMATOPODA: LYSIOSQUILLIDAE						
<i>Lysiosquillina maculata</i> (Fabricius, 1793)	UF 232, USNM 304425	9	RFM 226	1	G	
<i>Lysiosquillina sulcata</i> (Manning, 1978)		12		1	G, S	

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (*continued*)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
STOMATOPODA: NANNOSQUILLIDAE						
<i>Pullosquilla littoralis</i> (Michel & Manning, 1971)	USNM 304502	9			1	G
<i>Pullosquilla malayensis</i> (Manning, 1968)	USNM 304529	9			1	G
<i>Pullosquilla thomassini</i> Manning, 1978	USNM 304500	9			1	G
STOMATOPODA: ODONTODACTYLIDAE						
<i>Odontodactylus scyllarus</i> (Linnaeus, 1758)	USNM 304435	9	RFM 98a		1	G
STOMATOPODA: PROTOSQUILLIDAE						
<i>Chorisquilla gyroosa</i> (Odhner, 1923)	USNM 304448	9	RK		1	G
<i>Chorisquilla kropfi</i> Ahyong & Erdmann, 2003	USNM 304499 (holotype)	9	RK		1	G
<i>Echinosquilla guerini</i> (White, 1861)	USNM 304424	9	GP467-33		1	G
<i>Haptosquilla gypiocercus</i> (Wood-Mason, 1875)	UF 237, USNM 120271	9			1	G
<i>Haptosquilla tanensis</i> (Fukuda, 1911)	Neotype: USNM 304475	9			1	G
STOMATOPODA: PSEUDOSQUILLIDAE						
<i>Pseudosquilla ciliata</i> (Fabricius, 1787)	USNM 304428	9	RFM 206b		1	G
<i>Pseudosquilla ornata</i> Miers, 1880		5, 10			1	S
<i>Pseudosquillana richeri</i> (Moosa, 1991)	USNM 304432	9			1	G
<i>Pseudosquillana hieroglyphica</i> (Manning, 1972)	USNM 304427	9			1	G
<i>Raoulserenea komaii</i> (Moosa, 1991)	UF 236, USNM 304430	9	GP650-32		1	G, AS, M, Ag
<i>Raoulserenea oxyrhyncha</i> (Borradaile, 1898)	USNM 304426	9			1	G
STOMATOPODA: SQUILLIDAE						
<i>Leptosquilla schnetzi</i> (A. Milne-Edwards, 1873)	USNM 304446	9			1	G
<i>Oratosquilla fabricii</i> (Holthuis, 1941)	USNM 304447	9	GP396-30		1	G
<i>Parvisquilla dominquez</i> Ahyong & Erdmann, 2003	USNM 304525 (holotype)	9			1	G
STOMATOPODA: TAKUIDAE						
<i>Mesacturus dicrurus</i> Kropp & Dominguez, 1990	USNM 244236 (holotype), USNM 244238 (paratype, S)	9, 13, 14			1	G, S, M
STENOPODIDEA: STENOPODIDAE						
<i>Stenopus hispidus</i> (Olivier, 1811)	USNM 171598, BPBM 2873	5, 10, 15	GP516-23		1	G, S, Gu, P, M

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (continued)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
PENAEOIDEA: PENAEIDAE						
<i>Metapenaeopsis commensis</i> Borradale, 1898	UF 891	D	GP264-14	1	G	
<i>Penaeus monodon</i> Fabricius, 1798		16	7	1	G	
<i>Litopenaeus stylirostris</i> (Stimpson, 1874)		16	7, 69	1	G	
<i>Litopenaeus vannaei</i> (Boone, 1931)		17	7	1	G	
CARIDEA: ALPHEIDAE						
<i>Alpheopsis diabolus</i> Banner, 1956	USNM (holotype, S)	18	8	1	S	
<i>Alpheopsis equals</i> Coutière, 1896	NNM D-48087 (As)	5, 18		1	As, S	
<i>Alpheopsis tetrarthri</i> Banner, 1956	USNM (holotype, S)	18		1	S	
<i>Alpheus bident?</i> (Olivier, 1811)		15		1	Gu	
<i>Alpheus brachypus</i> Coutière, 1905		18		1	S	
<i>Alpheus brevipes</i> Stimpson, 1860	USNM	5, 18		1	S	
<i>Alpheus bucephalus</i> Coutière, 1905	USNM	5, 18		1	S	
<i>Alpheus cf. crinitus</i> Dana, 1852		15		1	Ag	
<i>Alpheus chamorro</i> Banner, 1956	USNM (holotype, S)	18		1	S	
<i>Alpheus coetivensis</i> Coutière, 1908		18	9	1	S	
<i>Alpheus columbianus</i> Stimpson, 1860	NNM D-48070 (As), UGI 6629 (CNMI), NNM D-48068 (As), UGI 6628 (CNMI)	5, 18	10	1	As, S	
<i>Alpheus crockeri</i> (Armstrong, 1941)	UGI 6629 (CNMI), NNM D-48068 (As), UGI 6628 (CNMI)	18	11	1	As, S	
<i>Alpheus deuteronotus</i> Hilgendorf, 1878	UF 829, USNM 233401	5, 18	GP758-11	1	G, S	
<i>Alpheus diadema</i> Dana, 1852	NNM-D48076 (Ag)	5, 18		1	Ag, S	
<i>Alpheus dolorus</i> Banner, 1956	USNM (holotype, S)	18		1	S	
<i>Alpheus eulimene</i> de Man, 1911	USNM	5, 18		1	S	
<i>Alpheus frontalis</i> H. Milne Edwards, 1837	UF 825, NNM D-48074 (A1)	15, 18	GP454-17	1	G, Ag, S, P,	
<i>Alpheus gracilipes</i> Stimpson, 1860	USNM	5, 18		1	S	
<i>Alpheus gracilis</i> Heller, 1862		18	12	1	S	
<i>Alpheus haani</i> Ortmann, 1890		5		1	S	
<i>Alpheus idiochelus</i> Coutière, 1905	USNM 255980	5, 18, 19	13	1	G, S	
<i>Alpheus ladronis</i> Banner, 1956	USNM (holotype, S)	18		1	S	

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (continued)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
<i>Apheus leptochirus</i> Coutière, 1905	UF 939 (Al), UF 985 (As), UF 828, UGI 6627 (CNMI), NNM-D48064 (Ag), BPBM USNM	18 5, 15, 18	GP784-26	14	1	G, Ag, Al, An, As, S
<i>Apheus lotini</i> Guérin, 1829	UF 826, USNM 223423	5, 18, 19 5, 18	15	1	1	S, G, S
<i>Apheus latini</i> Coutière, 1905	USNM	18		1	1	S
<i>Apheus malleodigitus</i> (Bate, 1888)	USNM 255979	15, 19		1	1	S, M
<i>Apheus microstylus</i> (Bate, 1888)	USNM	18		1	1	S
<i>Apheus oahuensis</i> (Banner, 1953)	USNM	5, 18		1	1	S
<i>Apheus obesomanus</i> Dana, 1852	USNM	15, 18		1	1	S, Gu, Al, M
<i>Apheus ovaliceps</i> Coutière, 1905	USNM	5, 18		1	1	S
<i>Apheus pachycheirus</i> Stimpson, 1860	USNM	15, 18		1	1	S
<i>Apheus pacificus</i> Dana, 1852	USNM	5, 18		16	1	S
<i>Apheus paracrinitus</i> Miers, 1881	USNM	5, 18		1	1	S
<i>Apheus parvirostris</i> Dana, 1852	USNM	15		17	1	As
<i>Apheus percyi</i> Coutière, 1908	USNM (holotype, S)	18, 20		1	1	G, S
<i>Apheus perplexus</i> Banner, 1956	BPBM S6850	18		1	1	G
<i>Apheus rapax</i> Fabricius, 1798	UGI 6622 (CNMI)	18		19	1	CNMI
<i>Apheus stanleyi</i> Coutière, 1908	NNM D-48075 (Al)	F		1	1	Al
<i>Apheus staphylianus</i> Coutière, 1908	UF 962 (Ag), UF 961 (As), UF 960 (M), NNM D-48078 (As)	F		1	1	As, M, Ag
<i>Apheus superciliaris</i> Coutière, 1905						
<i>Apheus</i> sp. 1 (n. sp.)		18		1	1	S
<i>Apheus</i> sp. 2 (n. sp.)		18		1	1	S
<i>Apheus</i> sp. 3 (n. sp.)		18		1	1	S
<i>Apheus</i> sp. 4 (n. sp.)	USNM	5, 18	18	18	1	S
<i>Arete iphamassa</i> de Man, 1910	USNM	15, 18	20	1	1	M, S
<i>Athanas areiformis</i> Coutière, 1903		5, 18		1	1	S
<i>Athanas djiboutiensis</i> Coutière, 1897						

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (continued)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
<i>Athanas dorsalis</i> (Stimpson, 1861)	UF 968 (M), BPBM, NMM D-48088 (As) USNM (holotype, S), BPBM	F			1	G, As, M, Ag
<i>Athanas dubius</i> Banner, 1956		18			1	G, S
<i>Automate dolicognatha</i> de Man, 1888		5, 15, 18			1	Ag, S
<i>Automate johnsoni</i> Chace, 1955	USNM NMM D-48086 (M)	18			1	S
<i>Metaphene paragracilis</i> (Coutière, 1897)		5, 18			1	M, S
<i>Metaphene rostratipes</i> (Pocock, 1890)		5, 15, 18			1	M, U
<i>Racilius compressus</i> Paulson, 1875		15			1	Ag
<i>Synalpheus tumidomans</i> (Paulson, 1875)	USNM (holotype, S), BPBM BPBM, NMM D-48084 (Ag)	15			1	Gu, M
<i>Synalpheus anceps</i> Banner, 1956	USNM	18			1	G, S
<i>Synalpheus charon</i> (Heller, 1861)	NMM D-48082 (As)	15, 18			1	G, Ag, M, S
<i>Synalpheus exilipes</i> Coutière, 1905	NNMD-48085 (As)	18			1	S
<i>Synalpheus paraneomeris</i> Coutière, 1905	NNMD-48085 (As)	5, 15, 18			1	As, S, M
<i>Synalpheus stimpsonii</i> (de Man, 1888)	GP830-3				1	G, As
CARIDEA: ATYIDAE						
<i>Antecaridina lauenensis</i> Edmondson, 1935	UF/ZRC	21			FW	G
<i>Atyoida pilipes</i> (Newport, 1847)	UF 812	21			FW	G
<i>Caridina brachydactyla</i> (de Man, 1908)	UF/ZRC	21			FW	G
<i>Caridina mertoni</i> Roux, 1911	UF/ZRC	21			FW	G
<i>Caridina typus</i> H. Milne Edwards, 1837	UF/ZRC	21			FW	G
<i>Halocaridinides</i> sp. 1 (n. sp.)	UF/ZRC	21			FW	G
CARIDEA: BRESILIIDAE						
<i>Chorocaris vandoverae</i> Martin & Hessler, 1990					3	MTV
<i>Discisus musicus</i> Holthuis, 1981	USNM 94774 (holotype, S)	2, 22 5, 10, 24		26	1	S
CARIDEA: GNATHOPHYLLIDAE						
<i>Gnathophyllum americanum</i> Guérin-Méneville, 1855	UF 456, BPBM UF 808 NMM D-48092	5, 10 P F	GP363-27 GP415-18		1	G, S
<i>Gnathophyllum precipuum</i> Titjen, 1989					1	G
<i>Pycnocaris chagoae</i> Bruce, 1972					1	G
CARIDEA: HIPPOLYTIIDAE						
<i>Thinora maldiveensis</i> (Forradaile, 1915)		5, 10		1	S	
<i>Hippolyte edmondsoni</i> Hayashi, 1982		15		1	Gu	

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (*continued*)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
<i>Hippolyte</i> sp. 1	UF 819	F	RFM		1	G
<i>Lysmata amboinensis</i> (de Man, 1888)	UF 884	P	GP778-36		1	G
<i>Lysmata</i> sp. 1	UF 807	P	GP826-1		1	G
<i>Parhippolyte misticia</i> (Clark, 1989)	?UF 457		GP516-28		1	G, S
<i>Saron marmoratus</i> (Olivier, 1811)						
<i>Saron neglectus</i> de Man, 1902	USNM?					
<i>Saron</i> sp. 1	UF 821		RK		1	G
<i>Thor amboinensis</i> (de Man, 1888)			P		1	G
<i>Thor paschalidis</i> (Heller, 1862)			RFM-186a		1	G
			5, 10, 25		1	S
CARIDEA: HYMENOCERIDAE						
<i>Hymenocera picta</i> Dana, 1852	UF 822	P	GP653-31		1	G
CARIDEA: PALAEMONIDAE						
<i>Brachycarpus biunguiculatus</i> (Lucas, 1846)	UF 935, NNM D-48096 (As)	F			1	G, As
<i>Conchohytes meleagrinae</i> Peters, 1852	NNM D-48095	F			1	G
<i>Coralliocaris graminea</i> (Dana, 1852)	UF 842	F	GP821-37		1	G
<i>Coralliocaris superba</i> (Dana, 1852)					1	S
<i>Dactyloonia ascidicola</i> (Borradaile, 1898)	NNM D-48066	5, 10			1	G
<i>Exponitonia malleatrix</i> Bruce, 1988	NNM D-48065	134			1	G
<i>Harpiliopsis beauvoisi</i> (Audouin, 1826)	F				1	G
<i>Harpiliopsis depressa</i> (Stimpson, 1860)					1	M
<i>Harpiliopsis spinigera</i> (Ortmann, 1890)	NNM D-48079 (Ag)	15			1	M, Gu
<i>Ischnopontonia lophos</i> (Barnard, 1962)	F				1	Ag
<i>Jocaste lucina</i> (Nobili, 1901)					1	Ag
<i>Leander plumosus</i> Bruce, 1993	P	5, 10	TA 1999		1	S
<i>Leander tenuicornis</i> (Say, 1818)	UF 818, NNM D-48093 (S)	F	GP410-11		1	G, S
<i>Macrobrachium equidens</i> (Dana, 1852)	ZRC	N			1	G
<i>Macrobrachium lar</i> (Fabricius, 1798)	BPBM-S 117	27, 136			FW	G
<i>Macrobrachium rosenbergii</i> (de Man, 1879)					7	FW
<i>Macrobrachium</i> sp. 1					27	G
<i>Onycocaris quadratophthalma</i> (Bals, 1921)					1	M

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (continued)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
<i>Palaeomon debilis</i> Dana, 1852		28		1	G	
<i>Palaeomonella rotundata</i> (Borradaile, 1898)		5, 10		1	S	
<i>Palaeomonella spinulata</i> Yokoya, 1936		15		1	Ag	
<i>Periclimenes quadridentatus</i> (Rathbun, 1906)		5, 10		1	S	
<i>Periclimenes tridentatus</i> (Miers, 1884)		10, 29		1	S	
<i>Periclimenella spinifera</i> (de Man, 1902)	NNM D-48067, UGI 6064	5, 10	GP363-37	1	G, S	
<i>Periclimenes brevicarpalis</i> (Schenkel, 1902)	UF 905?	P	GP785-10	1	G	
<i>Periclimenes elegans/grandis</i> (Paulson, 1875)/(Stimpson, 1860)	NNM D-48073	F	GP513-23	1	G	
<i>Periclimenes imperator</i> (Schenkel, 1880)	UF 841, NNM D-48094	F	RFM 5-98	1	G	
<i>Periclimenes soror</i> Nobili, 1904	NNM D-48071, UF 3031	30	GP739-18	1	G	
<i>Periclimenes</i> sp. 1 (n. sp. aff. <i>holthuisi</i>)	UF 838	F	GP840-17	1	G	
<i>Phiononia furiva</i> Bruce, 1973	UF 843	F	GP741-19	1	G	
<i>Pontoniopsis comantii</i> Borradaile, 1915						
<i>Stegopontonia commensalis</i> Nobili, 1906						
<i>Urocaridella antonbrunni/cyrtorhyncha</i> (Bruce, 1967) /	UF 813	5, 10, 29		1	S	
<i>Vir orientalis</i> (Dana, 1852)				1	G	
CARIDEA: PANDALIDAE						
<i>Heterocarpus dorsalis</i> Bate, 1888		31		3	MS	
<i>Heterocarpus ensifer</i> A. Milne Edwards, 1881	USNM 233349	31, 32		3	G	
<i>Heterocarpus gibbosus</i> Bate, 1888		31		3	MS	
<i>Heterocarpus laevigatus</i> Bate, 1888		31, 32		3	G	
<i>Heterocarpus lepidus</i> de Man, 1917		31		3	MS	
<i>Heterocarpus longirostris</i> MacGilchrist, 1905		31, 33		3	MS	
<i>Heterocarpus sibogae</i> de Man, 1917		31		3	MS	
<i>Heterocarpus tricarinatus</i> Alcock & Anderson, 1894		31		3	MS	
<i>Plesionika edwardsii</i> (Brandt, 1851)		31		3	MS	
<i>Plesionika ensis</i> (A. Milne Edwards, 1881)		31		3	MS	
<i>Plesionika maritima</i> (A. Milne Edwards, 1883)		31		3	MS	
<i>Plesionika ocellus</i> (Bate, 1888)		31		3	MS	

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (continued)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
CARIDEA: PROCESSIDAE						
<i>Nikoides sibogae</i> de Man, 1918		5, 25		1	S	
<i>Nikoides sternii</i> (Edmondson, 1935)		5, 10	30	1	S	
CARIDEA: RHYNCHOCINETIDAE						
<i>Cinetorhynchus concolor</i> (Okuno, 1994)	O	GP815-21		1	G	
<i>Cinetorhynchus hawaiiensis</i> Okuno & Hoover, 1998	O	GP648-8		1	G	
<i>Cinetorhynchus hendersoni</i> (Kemp, 1925)	O	GP648-19		1	G	
<i>Cinetorhynchus hiatici</i> (Holthuis & Hayashi, 1967)	34	GP815-2		1	G	
<i>Cinetorhynchus reticulatus</i> Okuno, 1997	O	GP516-25		1	G	
<i>Cinetorhynchus striatus</i> (Nomura & Hayashi, 1992)	O	GP816-15		1	G	
PALINURA: PALINURIDAE						
<i>Justitia longimanus</i> (H Milne Edwards, 1837)	UF 563	P		2	G	
<i>Palibithus magnificus</i> Davie, 1990	UF 1003	P	GP422-26	2	G	
<i>Palinurellus wieneckii</i> (de Man, 1881)	UF 1234	P	GP826-10	1	G	
<i>Panulirus femoristriga</i> (Von Martens, 1872)	UF 894, UGI 2960	P	GP826-8	1	G	
<i>Panulirus longipes bispinosa</i> Borradaile, 1899	UF 705	P	IE	1	G	
<i>Panulirus ornatus</i> (Fabricius, 1798)		15	GP812-29	1	G	
<i>Panulirus penicillatus</i> (Olivier, 1791)	UGI 2959					
<i>Panulirus versicolor</i> (Latreille, 1804)	UGI 2961	P		1	G	
PALINURA: SCYLLARIDAE						
<i>Biauricus vitiensis</i> (Dana, 1852)						
<i>Galearchus aurora</i> Holthuis, 1981	UF 2282	C	GP818-9	1	G	
<i>Parribacus antarcticus</i> (Lund, 1793)	UF 2281	C	GP422-7	2	G	
ASTACIDEA: ENOPLOMETOPIDAE						
<i>Enoplometopus holthuisi</i> Gordon, 1968	P	GP826-5		1	G	
<i>Enoplometopus occidentalis</i> (Randall, 1840)	P	GP815-17		1	G	
THALASSINIDEA: AXIIDAE						
<i>Allaxius cyaneatus</i> (de Man, 1887)	USNM 243494	35	GP764-17	1	G	
<i>Allaxius picteti</i> (Zehntner, 1894)	UF 468, USNM 243502	35	GP574-25	1	G	
<i>Axiopsis pica</i> Kensley, 2003	USNM 296400 (holotype)	P	GP864-13	31	1	G
<i>Axiopsis</i> sp. 1 (aff. <i>pica</i> Kensley, 2003)	UF 59					

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (continued)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
<i>Axiopsis serratifrons</i> (A. Milne Edwards, 1873)	USNM 243362	35	GP249-38	1	G	
<i>Bouvieraxis springeri</i> Kensley, 1996	UF 58, USNM 296398	35	GP527-5	1	G	
<i>Manauxius piatucensis</i> (de Man, 1925)	USNM 243378	35		1	G	
<i>Marianauxius kroppi</i> Kensley, 1996	USNM 243530 (holotype)	35, 36		1	G	
<i>Parascylopus tridens</i> (Rathbun, 1906)	USNM 239352	35		1	G	
<i>Paraxiopsis bisquamosa</i> (de Man, 1905)	USNM 296395 (holotype)	5, 10, 35	GP543:12	1	S	
<i>Paraxiopsis paulayi</i> Kensley, 2003	USNM 296394 (holotype)	35		1	G	
<i>Paraxiopsis plumosimanus</i> Kensley, 2003	USNM 310677 (holotype), UF 1227	37		1	G	
<i>THALASSINIDEA: CALLIANASSIDAE</i>		38		1	E	
<i>Paraglypturus calderus</i> Türkay & Sakai, 1995	UF 470, USNM 243605, BPBM 39, 40	GP275-19		1	G, P	
<i>THALASSINIDEA: CALLIANIDEIDAE</i>						
<i>Callianidea typa</i> H. Milne Edwards, 1837	UF 142, USNM 243604	5, 10, 35	GP575-4	32	1	G, S
<i>THALASSINIDEA: STRATHLAXIIDAE</i>						
<i>Neaxius acanthus</i> (A. Milne Edwards, 1879)	UF 3117	P		1-2	G	
<i>ANOMURA: ALBUNEIDAE</i>	ZRC	5, 40, 41, 42, 93	GP575-9	73	T	G, S, M, As, P, Gu, T
<i>Albunea speciosa</i> Dana, 1852	UF 283, UF 586 (S)	40, 42	GP811-8	T	G, S, An,	
<i>ANOMURA: COENOBITIDAE</i>						
<i>Birgus latro</i> (Linnaeus, 1767)	UF 230	40, 42	GP811-3	T	G, An, Ag	
<i>Coenobita brevimanus</i> Dana, 1852	UF 583, UF 600 (S)	40, 42	GP809-18	T	G, S, An, S, Gu, Al, P, Ag, As, M	
<i>Coenobita purpureus</i> Stimpson 1858		40		1	M	
<i>Coenobita rugosus</i> H. Milne Edwards, 1837	UF 581, UF 603 (S)	40, 42		T	G, S, An, Gu, Al, P, Ag, M	

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (*continued*)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
ANOMURA: DIOGENIDAE						
<i>Aniculus aniculus</i> (Fabricius, 1787)	UF	40	GP584-31	33	1	G, An, G, Al, Ag, M, As
<i>Aniculus maximus</i> Edmondson, 1952	UF	42	GP469-15	1	G	
<i>Aniculus retipes</i> Lewinsohn, 1982	UF 430	42	GP453-13	1	G	
<i>Aniculus ursus</i> (Olivier, 1811)	USNM 152475, UF	42	GP615-7	34	1	G
<i>Aniculus</i> sp. 1	UF 953	P	GP770-29	1	G	
<i>Calcinus areolatus</i> Rahayu & Forest, 1999	UF 449	M		1	G	
<i>Calcinus angus</i> Wooster, 1984	BPBM-S 10589 (holotype)	42, 43		1	G	
<i>Calcinus elegans</i> (H. Milne Edwards, 1836)	UF 325	40, 42, 43	GP855-1	1	G, An, S, Gu, Al, P, Ag, As, M	
<i>Calcinus guamensis</i> Wooster, 1984	BPBM-S 10588 (holotype), UF	40, 42, 43	GP864-23	1	G, Gu, Ag,	
<i>Calcinus haigae</i> Wooster, 1984	AHF	42, 43		1	M	
<i>Calcinus isabellae</i> Poupin, 1997	UF 732	42, 43	GP737-5	35	1	G
<i>Calcinus kurozumii</i> Asakura & Tachikawa, 2000	CBM-ZC 4057 (holotype, P)	44		1	P	
<i>Calcinus laevimanus</i> (Randall, 1840)	UF 601	40, 42, 43, 135	GP850-20	1	G, S, An, Al, Cu, P, Ag, M	
<i>Calcinus latens</i> (Randall, 1840)	USNM 255985, UF 460	40, 42, 43, 45	GP770-36	1	G, An, Al, Gu, M	
<i>Calcinus lineapropodus</i> Morgan & Forest, 1991	UF 1322	42, 43	GP751-24	37	1	G
<i>Calcinus minutus</i> Buitendijk, 1937	UF 1321	42, 43	GP590-33	1	G	
<i>Calcinus morganii</i> Rahayu & Forest, 1999	UF	5, 10, 40,	GP588-11	38	1	G, S, An, Al, M
<i>Calcinus pulcher</i> Forest, 1958		42, 43				
<i>Calcinus revi</i> Poupin & McLaughlin, 1998	UF	M	GP519-26	1	G	
<i>Calcinus seurati</i> Forest, 1951	UF 562	44	GP854-28	1	M, A, G, An, S, Gu, P, Ag, M, U	

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (continued)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
<i>Ciliopagurus major</i> Forest, 1995		46			2	G
<i>Ciliopagurus pacificus</i> Forest, 1995	AHF 591-01, UF	46	42, 46	GP751-27	1	G
<i>Ciliopagurus strigatus</i> (Herbst, 1804)	USNM 270096, UF	42		GP753b-10	1	G
<i>Clibanarius corallinus</i> (H. Milne Edwards, 1848)	UF	42		GP850-25	1	G
<i>Clibanarius eurysternus</i> Hilgendorf, 1878	UF	40, 42		GP850-18	1	G, Gu, Al
<i>Clibanarius humilius</i> (Dana, 1851)	UF	42		GP759-11	1	G
<i>Clibanarius striolatus</i> Dana, 1852	UF	42		GP850-9	1	G
<i>Clibanarius virescens</i> (Krauss, 1843)	UF	42			1	G
<i>Dardanus crassimanus</i> (H. Milne Edwards, 1836)	UF	42			1	G
<i>Dardanus deformis</i> (H. Milne Edwards, 1836)	UF	42		GP413-28	1	G
<i>Dardanus gemmatus</i> (H. Milne Edwards, 1848)	UF	42		GP833-13	1	G
<i>Dardanus guttatus</i> (Oliver, 1811)	UF	42		GP517-26	1	G
<i>Dardanus lagopodes</i> (Forsskål, 1775)	UF 326	42		GP764-31	1	G
<i>Dardanus megestos</i> (Herbst, 1804)	UF 950	42		GP681-21	1	G
<i>Dardanus scutellatus</i> (H. Milne Edwards, 1848)	UF	42		GP413-38	1	G
<i>Diogenes pallescens</i> Whitelegge, 1897	UF 141.	M		GP770-25	1	G
<i>Paguristes jalur</i> Morgan, 1992	UF	M		GP544-30	1	G
<i>Paguristes monoporus</i> Morgan, 1987	UF	M		GP848-27	1	G
<i>Pseudopaguristes janekae</i> McLaughlin, 2002				GP754-9	2	G
<i>Pseudopaguristes</i> sp. 2 (n. sp.)				GP771-14	2	G
ANOMURA: GALATHEIDAE						
<i>Allgalathea elegans</i> (White, 1847)	UF 277	P		GP762-27	1	G
<i>Galathea amamiensis</i> Miyake & Baba, 1966					1	M
<i>Muniidopsis marianica</i> Williams & Baba, 1989					3	MTV
ANOMURA: HIPPIDAE						
<i>Hippa pacifica</i> Dana, 1852	UF 252	40		GP254-15	1	G, Ag
ANOMURA: LITHODIDAE						
<i>Lithodes</i> sp. 1 (n. sp.)	UF 2283	2, 55		GP527-27	3	G
<i>Paralomis haigae</i> Eldredge, 1976	BPBM-S 8524 (holotype)	48			3	G
<i>Paralomis seagranti</i> Eldredge, 1976	BPBM-S 8526 (holotype)	48			3	G

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (continued)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
ANOMURA: PAGURIDAE						
<i>Catapaguroides foresti</i> McLaughlin, 2002	UF 5	49	GP469-25	39	1	G
<i>Paguritta kroppi</i> McLaughlin & Lemaitre, 1993	USNM 259396 (holotype)	50	GP469-25	39	1	G
<i>Pagurixus anceps</i> (Forest, 1954)		40	GP846-18	36	1	Gu, Ag, M, Al
<i>Pagurixus boninensis</i> (Melin, 1939)	UF 645	40	GP859-33	1	1	G, P
<i>Pagurixus</i> cf. <i>laevimanus</i> (Ortmann, 1892)	AHF	5, 10	GP846-18	36	1	G
<i>Pagurixus</i> cf. <i>tweediei</i> (Forest, 1956)		40	GP751-32	1	1	M
<i>Pagurixus maorius</i> (Nobili, 1906)	UF	M	GP813-33	1	1	G
<i>Pagurixus</i> sp. 2 (n. sp. fast purple)	UF 432	M	GP820-10	1	1	G
<i>Pagurixus</i> sp. 3 (slate)	UF	M	GP860-8	40	1	G
<i>Pagurixus</i> sp. 8 (pale)	UF	51	GP860-21	1	1	G
<i>Pagurixus</i> sp. 9 (n. sp., purple claw)	UF	M	GP846-13	1	1	G
<i>Pagurus hirtimanus</i> Miers, 1880	UF 3077	M	GP867-2	1	1	G
<i>Pagurus?</i> sp. 1	RK	K	GP847-10	1	1	G
<i>Porellanopagurus</i> sp. 1 (n. sp.) Ktopp & Eldredge, MS						
<i>Pylopaguropsis fimbriata</i> McLauglin & Haig, 1989	USNM 231413 (holotype), UF 597	52	GP845-25	1	1	G
<i>Pylopaguropsis keiji</i> McLaughlin & Haig, 1989	USNM 231415 (paratype)	52	GP867-5	1	1	G
<i>Trichopagurus trichophthalmus</i> (Forest, 1954)	UF 644	M				
ANOMURA: PARAPAGURIDAE						
<i>Sympagurus dolfini</i> (Bals, 1912)						
<i>Tylaspis anomala</i> Henderson, 1885						
ANOMURA: PORCELLANIDAE						
<i>Neopetrolisthes maculatus</i> (H. Milne Edwards, 1837)	USNM 255986 USNM 255976	K K	GP776-24 RK GUM- 218I	1	1	G, M
<i>Pachycheles pisoides</i> (Heller, 1865)						
<i>Pachycheles spinipes</i> (A. Milne Edwards, 1873)	USNM 255959 USNM 255955 USNM 233491	K K 23		1	1	G
<i>Petrolisthes asiaticus</i> (Leach, 1820)				1	1	G, S

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (*continued*)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
<i>Petrolisthes bispinosus</i> Borradaile, 1900	USNM 257207	56	RK GUM-221C		1	G, S
<i>Petrolisthes borradalei</i> Kropf, 1984	Paratype: USNM 210633	23, 40	RK GUM-214A		1	G, S, An, Gu, P, M
<i>Petrolisthes carinipes</i> (Heller, 1861)	USNM 257238	K	GP750-28		1	G
<i>Petrolisthes coccineus</i> (Owen, 1839)	UF 477, USNM 257230	40	RK GUM-208P		1	G, M
<i>Petrolisthes decacanthus</i> Ortmann, 1897	USNM 210534	56			1	G, S
<i>Petrolisthes donanensis</i> Osawa, 1997	KC	K	RK GUM-208M		1	G
<i>Petrolisthes eldredgei</i> Haig & Kropf, 1988	Paratype: USNM 222328	56	RK GUM-221G		1	G
<i>Petrolisthes elegans</i> Haig, 1981	USNM 257218	K			1	G
<i>Petrolisthes extremus</i> Kropf & Haig, 1994	AHF	57			1	G
<i>Petrolisthes heterochrous</i> Kropf, 1986	USNM 222529 (holotype)	58			1	G, Gu, S
<i>Petrolisthes lamarckii</i> (Leach, 1820)	USNM 189361	23, 40	GP751-5		1	G, S, An
<i>Petrolisthes masakii</i> Miyake, 1943	USNM 210539	K			1	G
<i>Petrolisthes mesodactylus</i> Kropf, 1984	USNM 210624 (holotype, P)	23, 40			1	P, Gu, An, M
<i>Petrolisthes miyakei</i> Kropf, 1984	USNM 210628 (holotype)				1	G, M
<i>Petrolisthes pubescens</i> Stimpson, 1858	USNM 257240	23, 40			1	G, M, An
<i>Petrolisthes tomentosus</i> (Dana, 1852)	UF 334, USNM 257606	40, 58	GP751-6		1	G, P, S
BRACHYURA: AETHRIDAE						
<i>Aethra edentata</i> Edmondson, 1951	UF 481, ZRC	72	GP780-10		1	G
<i>Aethra scruposa</i> (Linnaeus, 1764)	USNM 282895	P	GP366-7		1	G
BRACHYURA: BYTHOGRAEIDAE						
<i>Austingraea williamsi</i> Hessler & Martin, 1989		2, 59			3	MTV
BRACHYURA: CALAPPIDAE						
<i>Calappa calappa</i> (Linnaeus, 1758)	UF 75, BPBM	N	GP856-7		1	G
<i>Calappa galathus</i> (Herbst, 1803)	UF 82, USNM 277628, UGI 2580	G	GP814-26		1	G

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (continued)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
<i>Calappa hepatica</i> (Linnaeus, 1758)	UF 81, BPBM, UCI 2575	68, 137	GP410-7	1	G, S	
<i>Calappa</i> cf. <i>matsuazawa</i> Galli, 1997	UF/ZRC	GP579-35	1	G		
<i>Calappa</i> sp. 1 (aff. <i>sebastiani</i> Galli, 1997)	USNM	N	RK	3	G	
<i>Calappa</i> sp. 2	UF 85	N	GP819-33	1	G	
<i>Calappa</i> sp. 3 (n. sp.) Ng et al., in prep.	UF 3094, ZRC	N	GP739-27	1	G	
<i>Cycloes granulosa</i> de Haan, 1837	USNM	K		1	G	
BRACHYURA: CARPILIIDAE						
<i>Carpilius convexus</i> (Forsskål, 1775)	UF 869, USNM	K	GP831-36	1	G	
<i>Carpilius maculatus</i> (Linnaeus, 1758)	UF 64, BPBM	81, 137	GP820-13	1	G	
BRACHYURA: CRYPTOCHIRIDAE						
<i>Cryptochirius coralliodites</i> Heller, 1861	USNM 257551	97		1	G	
<i>Dacryomia edmonsoni</i> (Fize & Serène, 1956)	USNM	98		1	G	
<i>Dacryomia japonica</i> (Takeda & Tamura, 1981)	KC	K		1	G	
<i>Dacryomia</i> sp. 1 (n. sp.) Kropp, MS	KC	K		1	G	
<i>Dacryomia</i> sp. 2 (n. sp.) Kropp, MS	KC	K		1	G	
<i>Fizeserenea heimi</i> (Fize & Serène, 1956)	USNM	98		1	G	
<i>Fizeserenea lanisella</i> Kropp, 1994	KC	99		1	G	
<i>Fizeserenea simpsoni</i> (Fize & Serène, 1956)	USNM 257250	K		1	G	
<i>Fungicola utinomii</i> (Fize & Serène, 1956)	USNM	K		1	G	
<i>Hapalocarcinus marsupialis</i> Stimpson, 1859	USNM 1004935	5, 98	GP644-23	1	G, S	
<i>Hiroia kremphi</i> (Fize & Serène, 1956)	USNM 257245	K		1	G	
<i>Lithoscapthus helleri</i> (Fize & Serène, 1957)	USNM 257345	K		1	G	
<i>Lithoscapthus paradoxus</i> A. Milne Edwards, 1862	USNM 257368	97		1	G	
<i>Lithoscapthus priodontus</i> Kropp, 1994	KC	99		1	G	
<i>Lithoscapthus tri</i> (Fize & Serène, 1956)	USNM 257336	K		1	G	
<i>Luciades agana</i> Kropp & Manning, 1996	USNM 268890 (holotype)	100		1	G	
<i>Neotroglocarcinus hongkongensis</i> (Shen, 1936)	USNM 257311	K		1	G	
<i>Opecarcinus aurantius</i> Kropp, 1989	USNM 234266 (holotype)	101		1	G	
<i>Opecarcinus crescentius</i> (Edmondson, 1925)	USNM 257478	101		1	G	
<i>Opecarcinus granulatus</i> (Shen, 1936)	USNM 234264	101		1	G	
<i>Opecarcinus lobifrons</i> Kropp, 1989	USNM 234269 (holotype)	101		1	G	

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (continued)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
<i>Opecarcinus pholetei</i> Kropp, 1989	USNM 234275 (holotype) USNM 234278 (holotype)	101 101			1	G
<i>Opecarcinus sierra</i> Kropp, 1989	USNM	K			1	G
<i>Pelycoaita minuta</i> (Edmondson, 1933)	USNM	102			1	G
<i>Pseudocryptochirus viridis</i> Hiro, 1938	USNM 257314	98			1	G
<i>Pseudohapalocarcinus ransonii</i> Fize & Serène, 1956	USNM 257285	98			1	G
<i>Utinomiella dimorpha</i> (Henderson, 1906)	USNM 257512	98			1	G
<i>Xynomaia sheni</i> (Fize & Serène, 1956)	USNM 257277	98			1	G
BRACHYURA: DAIRIDAE						
<i>Daira perlata</i> (Herbst, 1790)	UF 1933	5, 10, 62	GP845-4	1	G, S, Gu, P, Al	
BRACHYURA: DROMIIDAE						
<i>Cryptodromia fallax</i> (Lamarck, 1818)	ZRC 2000.0751	60, 61, 62		42	1	G, M
<i>Cryptodromia hilgendorfi</i> de Man, 1888	USNM 128571, ZRC 2000.2119	61			1	G
<i>Cryptodromia pentagonalis</i> Hilgendorf, 1879	ZRC 2000.2115	61			1	G
<i>Cryptodromia pitensis</i> McLay, 2001	MNHN-B27303 (holotype)	61			1	G
<i>Cryptodromia tumida</i> Simpson, 1858	ZRC 2000.2113	61			1	G
<i>Cryptodromiopsis plumosa</i> (Lewinsohn, 1984)	ZRC 2000.2112	61			1	G
<i>Cryptodromiopsis undidentata</i> (Rüppell, 1830)	UGI 6020	60, 61	GP380-32	1	G	
<i>Dromia dormia</i> (Linnaeus, 1763)	ZRC 2000.2121	60			1	S
<i>Dromidiopsis lethrinusae</i> (Takeda & Kurata, 1976)	ZRC 2000.0755	61			1	G
<i>Takedromia cristatipes</i> (Sakai, 1969)		61			1	G
BRACHYURA: DYNOMENIDAE						
<i>Dynomene guamensis</i> McLay, 2001	MNHN-B26474 (holotype)	61	RK GUM 221F	1	G	
<i>Dynomene hispida</i> Guérin-Méneville, 1832	MNHN-B26476 (holotype), UF 401	62	GP832-18	1	M G	
<i>Dynomene kroppi</i> McLay, 2001	ZRC 2000.0743	61, 63			1	G
<i>Dynomene praedator</i> Mihne Edwards, 1879	ZRC 2000.0745, UF 313	61, 63	GP532-31	1	G, AS	
<i>Hirsutodynemene spinosa</i> (Rathbun, 1911)	ZRC 2000.2122, UF 21	61, 63	GP819-25	1	G	
<i>Paradynomene tuberculata</i> Sakai, 1963						

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (*continued*)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
BRACHYURA: ERIPHIIDAE						
<i>Dacryopilumnus eremita</i> Nobili, 1906	USNM	62		1	M	
<i>Dacryopilumnus rathbunae</i> Balss, 1932	UF 70, USNM, ZRC	5, 10	RK-GUM	1	G, S	
<i>Epixanthoides anomalus</i> Balss, 1935		K	208G	1	G	
<i>Epixanthus corrosus</i> A. Milne Edwards, 1873	UF 113, USNM 154148, BPBM	62	GP403-2	1	M, A1	
<i>Eriphia sebana</i> (Shaw & Nodder, 1803)	USNM, ZRC	K	GP357-32	1	G	
<i>Eriphia sebana</i> (Shaw & Nodder, 1803)	UF/ZRC	N	GP829-20	1	G	
<i>Globopilumnus</i> sp. 1	USNM, UGI, UF 2842	128	RK	3	G	
<i>Hypothalassia armata</i> (de Haan, 1835)	UF 282, BPBM, ZRC	62	GP414-4	1	G, An, Ag	
<i>Lydia annulipes</i> (H. Milne Edwards, 1834)	UF 293, USNM 154842	K	GP463-37	1	G	
<i>Ozius rugulosus</i> Stimpson, 1858	UF 868, USNM, UGI	62	GP786-17	1	G, An, Gu, Ag, As	
<i>Ozius tuberculatus</i> H. Milne Edwards, 1834						
BRACHYURA: GECARCINIDAE						
<i>Cardisoma carnifex</i> (Herbst, 1796)	UF 114	92	GP791-29	1	G	
<i>Discoplax hiripes</i> (Dana, 1851)	UF 145, BPBM, ZRC	92	GP331-32	1	G	
<i>Discoplax longipes</i> A. Milne Edwards, 1867	UF 147, USNM 181977, ZRC	92, 133	GP809-1	1	G	
<i>Discoplax rotunda</i> (Quoy & Gaimard, 1824)	UF 144, USNM 155049, ZRC	62, 92, 93	GP275-29	64	T, G, M	
<i>Epigrapsus notatus</i> (Heller, 1865)	UF 89, ZRC	92	GP333-34	1	G	
<i>Epigrapsus</i> sp. 1 (n. sp.) Ng, 2003	ZRC	94	PKLN	1	G	
BRACHYURA: GRAPSIDAE						
<i>Geograpsus crinitipes</i> (Dana, 1851)	UF 111	62	GP810-7	1	G, Gu, M	
<i>Geograpsus grayi</i> (H. Milne Edwards, 1853)		62	GP811-20	1	An, Gu, U	
<i>Geograpsus stormi</i> de Man, 1895	UF 92	62		1	G, M	
<i>Grapsus albolineatus</i> Lamarek, 1818	ZRC	L		1	G	
<i>Grapsus longitarsis</i> Dana, 1851	UF 93	62	GP338-25	1	G, An, Ag	
<i>Grapsus tenuicrustatus</i> (Herbst, 1783)		5, 62	GP809-30	1	G, S, An, Gu, Sa, P, Ag, M, Al	
<i>Grapsus</i> sp. 1 (aff. <i>longitarsis</i> Dana, 1851)	UF 134	P	GP414-11	1	G	

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (*continued*)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
<i>Metopograpsus latifrons</i> (White, 1874)	UF 101	P	GP409-34	1	G	
<i>Metopograpsus oceanicus</i> (Jacquinot, 1852)	UF 103	P	GP526-28	1	G	
<i>Metopograpsus thukuhar</i> (Owen, 1839)	UF 95, UF 591 (S)	P	GP409-7	1	G, S	
<i>Pachygrapsus minutus</i> A. Milne Edwards, 1873	UF 123, UF 590 (S)	62	GP871-20	1	G, S, M, Al	
<i>Pachygrapsus planifrons</i> de Man, 1888	UF 129	127		1	G	
<i>Pachygrapsus plicatus</i> (H. Milne Edwards, 1837)	UF 130, UF 584 (S), BPBM	62	GP410-2	1	G, S, P	
BRACHYURA: HOMOLIDAE						
<i>Homola dickinsoni</i> Eldredge, 1980	BPBM-S 8595 (holotype), ZRC, 64, 65 UGI 6767	3	G			
<i>Homola orientalis</i> Henderson, 1888	BPBM S10479, UGI 6764	64		3	G	
<i>Lamoha personata</i> (Guinot & Richer de Forges, 1981)	ZRC	66		3	G	
<i>Lamoha williamsi</i> (Takeeda, 1980)	BPBM (paratype)	142	71	3	S	
BRACHYURA: GONEPLACIDAE						
<i>Conleyus defidio</i> Ng & Ng, 2003	UF 2098 (holotype), ZRC 2002.17	82	GP694-21	1	G	
<i>Intesius</i> sp. 1 (n. sp.) Crosnier & Ng, 2003	BPBM	143	GP469-33	3	G	
<i>Parapilumnus oryzetus</i> Ng, 2003	ZRC 2002.174 (holotype)	83		1	G	
BRACHYURA: HYMENOSOMATIDAE						
<i>Elamena</i> sp. 1	UF 628	T	GP391-9	1	G	
BRACHYURA: LEUCOSIIDAE						
<i>Alox rugosum</i> (Stimpson, 1858)	UF 729	P	GP408-24	1	G	
<i>Drachiella angulata</i> (Ihle, 1918)	UF 109	B	GP537-1	1	G	
<i>Ebalia</i> (?) sp. 1	UF 728	N	GP408-22	1	G	
<i>Ebaliospis erosa</i> (A. Milne Edwards, 1874)	UF 621	B	GP533-12	1	G	
<i>Heteronucia venusta</i> Nobili, 1906	UF 610	B	GP596-23	1	G	
<i>Leucosia</i> sp. 1	UF 67	B				
<i>Myra fugax</i> (Fabricius, 1798)	UF 2937	P				
New genus? sp. 1	UF 1021	B				
<i>Nucia speciosa</i> Dana, 1852	UF 670	5, 10	GP597-26	1	G, S	
<i>Nucia</i> ? sp. 1	UF 285	N	GP527-21	1	G	
<i>Nucia</i> ? sp. 2	UF/ZRC	N	GP818-20	1	G	

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (continued)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
<i>Oreotilos lagarodes</i> Tan & Ng, 1995	USNM 266801 (paratype) USNM 255984 (holotype), UF 530 UF 856	69 69			1 1	G G
<i>Oreotilos pala</i> Tan & Ng, 1995	N	GP733-24		3	G	
" <i>Randallia</i> " <i>serenei</i> Richer de Forges, 1983						
BRACHYURA: MAJIDAE						
<i>Achaeus lacertosus</i> ? Stimpson, 1907	UF 629	N	GP823-28	1	G	
<i>Achaeus laeviculus</i> (de Man, 1905)	UF 690	N	GP583-6	1	G	
<i>Bothromaiia griffini</i> Williams & Moffitt, 1991	USNM 250884 (holotype, S) USNM 282898, UF 2918	67 P	GP367-13	3	S, E	
<i>Camposcia retusa</i> Latreille, 1829	UF 855, ZRC, UGI 2945	N	GP692-22	1	G	
<i>Criocarcinus superciliosus</i> (Linnaeus, 1767)	UF 15, UGI	N	GP463-1	1	G, As	
<i>Cyclax suborbicularis</i> (Stimpson, 1858)	UF 857	70		3	G	
<i>Cyriomaia intermedia</i> Sakai, 1938	ZRC	N	GP357-12	1	G	
<i>Dumea</i> sp. 1 (aff. <i>taiwanicus</i> (Loh & Wu, 1998))	UF 394, UGI 2652	N	GP590-8	1	G	
<i>Huenia proteus</i> ? de Haan, 1839	UF 655	N		1	G	
<i>Hyastenus convexus</i> Miers, 1884	UF 850	N		1	G	
<i>Hyastenus hilgendorfi</i> de Man, 1887	UF 289, UGI	N	GP576-10	1	G	
<i>Hyastenus planatus</i> (Adams & White, 1848)	UF 79, USNM 134298, UGI 2646	5, 10, 62	GP814-13	1	G, S, Gu	
<i>Menaethius monoceros</i> (Latreille, 1825)						
<i>Micippa parca</i> Alcock, 1895	UF 666, UGI	5, 10	GP414-23	1	S	
<i>Micippa platipes</i> Rüppell, 1830	UF 665	5, 10		1	G, S	
<i>Perinia tumida</i> Dana, 1852	AHF (holotype), UF 425, ZRC USNM 251434 (holotype)	5, 10, 62 130	GP537-17	1	S, M	
<i>Pseudomicippa eldredgei</i> Griffin & Tranter, 1986	UF 667, ZRC, UGI	71	GP540-6	3	G	
<i>Rochinina decipiens</i> Williams & Eldredge, 1994	UF 287, UGI	N	GP826-31	1	G	
<i>Schizophroidea hilensis</i> (Rathbun, 1906)	UF 688, UGI	5, 10	GP405-3	43	G, S	
<i>Schizophrys aspera</i> (H. Milne-Edwards, 1834)	UF 312, UGI	N	GP837-22	1	G	
<i>Simocarcinus obtusirostris</i> (Miers, 1879)		62		1	Ag	
<i>Tiarinia cornigera</i> (Latreille, 1825)		5, 10		44	S	
<i>Tiarinia spinigera</i> Stimpson, 1907	N			1	G	
<i>Tylocarcinus styx</i> (Herbst, 1803)						
<i>Xenocarcinus depressus</i> Miers, 1874	UF 659					

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (*continued*)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
BRACHYURA: OCYPODIDAE						
<i>Macrocephthalmus convepus</i> Stimpson, 1858	UF 118, BPBM, UGI 6737	K	GP412-13	1	G	
<i>Macrocephthalmus latreillei</i> (Desmarest, 1822)	UF 2846	N	GP412-25	72	1	G
<i>Macrocephthalmus verreauxi</i> H. Milne Edwards, 1848	UF 98, BPBM, ZRC	K	GP409-17	1	G	
<i>Macrocephthalmus</i> sp. 1	UF 97	N	GP336-3	1	G, S, Ag	
<i>Ocyopode ceratophthalma</i> (Pallas, 1772)	UF 987, BPBM	5, 62	GP336-17	1	G, P	
<i>Ocyopode cordimana</i> Desmarest, 1825	UF 115, BPBM, USNM 168462, ZRC	62				
<i>Uca crassipes</i> (Adams & White, 1848)	UF 96	T	GP408-31	1	G	
<i>Uca vocans</i> (Linnaeus, 1758)	UF 119	T	GP412-34	1	G	
Ocypodidae sp. 2	UF/ZRC	P		1	G	
BRACHYURA: PALICIDAE						
<i>Crossotonous spinipes</i> (de Man, 1888)	UF 517	T	GP540-29	1	G	
<i>Exopalicus maculatus</i> (Edmondson, 1930)	UF 330	R	GP597-22	1	G	
BRACHYURA: PARTHENOPIDAE						
<i>Aulacolambrus hoplonotus</i> (Adams & White, 1848)	UF 2099, ZRC 2002.201 UF 2101 (holotype), ZRC 2002.204	73	GP414-12	1	G	
<i>Aulacolambrus hystericus</i> Tan & Ng, 2003	UF 9, ZRC 2002.206 UF 6, USNM	73 5, 10, 73,	GP836-3	1	G, S	
<i>Ceratolambrus pugillator</i> (A. Milne Edwards, 1873)						
<i>Daldorfia horrida</i> (Linnaeus, 1758)						
<i>Daldorfia leprosa</i> (Nobili, 1905)	UF/ZRC	74	73, 74	1	G	
<i>Furripodia gemma</i> Tan & Ng, 2003	ZRC 2002.211 (holotype), UF 2103	73		1	G	
<i>Furripodia petrosa</i> (Klunzinger, 1906)	UF 8, ZRC 2002.213	73	GP540-8	1	G	
<i>Lambrachaeus ramifer</i> Alcock, 1895	UF/ZRC	144		1	G	
<i>Neikolambrus polemistes</i> Tan & Ng, 2003	ZRC 2002.214 (holotype)	73	RK GUM- 221D	1	G	
<i>Parthenopoides carlei</i> Bouvier, 1914	UF 37	73, 74				
<i>Rhinolambrus nudis</i> (Rathbun, 1916)	UF 2102, ZRC 2002.215	73	GP250-35	1	G	
<i>Thyrolambrus efflorescens</i> (Alcock, 1895)	UF 419	73, 74	GP836-8	1	G	

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (continued)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
BRACHYURA: PILUMNIDAE						
<i>Actumnus</i> sp. 1 (n. sp.) Ng, in prep.	UF 358	N	GP534-2	1	G	
<i>Caecopilumnus hirsutus</i> (Borradaile, 1903)	UF/ZRC	P	GP580-3	1	G	
<i>Echinoecus pentagonus</i> (A. Milne Edwards, 1879)	USNM 154036	N	GP592-21	1	G	
<i>Glabropilumnus dispar</i> (Dana, 1852)	UF 715	N	?GP532-19	1	G	
<i>Lophopanax?</i> sp. 1	UF 716	N	GP858-15	1	G	
<i>Nanopilumnus corallophilus</i> (Takeda & Miyake, 1969)	UF 785	62	GP783-22	1	M	
<i>Permanotus purpurea</i> (Gordon, 1934)	UF 482	75	GP783-22	1	G	
<i>Pilumnus cursor</i> A. Milne Edwards, 1873	UF 723	5, 10		1	S	
<i>Pilumnus cf. oahuensis</i> Edmondson, 1931	UF/ZRC	N	GP393-31	1	G	
<i>Pilumnus cf. scabriusculus</i> Adams & White, 1849	UF 724	N		1	G	
<i>Pilumnus longicornis</i> Hilgendorf, 1898	UF 787	N	GP466-26	1	G	
<i>Pilumnus taeniola</i> Rathbun, 1906	UF 725	N	GP466-26	1	G	
<i>Pilumnus wespertilio</i> (Fabricius, 1798)	USNM, UF/ZRC	K	GP466-22	1	G	
<i>Pilumnus</i> sp. 1 (n. sp.) Ng, in prep.	UF/ZRC	N		1	G	
<i>Pseudolitochira integer</i> (Miers, 1884)	USNM 210636 (holotype)	5, 10	50	1	S	
<i>Tanaocheles stenochilus</i> Kröpp, 1984	USNM, UF/ZRC	89, 131	GP466-7	66	1	G
<i>Tiaramedon spinosum</i> (Miers, 1879)	R		GP814-17	45	1	S
<i>Viaderiana aranea</i> (Tesch, 1918)	UF 80, UGI	N	GP837-29	1	G	
<i>Viaderiana quadrispinosa</i> (Zehntner, 1894)	UF 310	N	GP528-2	1	G	
<i>Viaderiana</i> sp. 4	UF/ZRC	N	GP827-20	1	G	
<i>Viaderiana typica?</i> Ward, 1942	UF/ZRC					
<i>Viaderiana?</i> sp. 5						
BRACHYURA: PINNOTHERIDAE						
<i>Aphanodactylus</i> sp. 1 (terebellid commensal)	UF/ZRC	N	GP786-13	1	G	
BRACHYURA: PLAGUSIIDAE						
<i>Perenon abbreviatum</i> (Dana, 1851)	UF 106	P	GP808-21	1	G	
<i>Perenon affine</i> (H. Milne Edwards, 1853)	UF 88	P	GP512-24	1	G	
<i>Perenon guinotae</i> Crosnier, 1965	UF 104, ZRC	P	GP512-10	1	G	

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (*continued*)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
<i>Peronia planissimum</i> (Herbst, 1804)	BPPBM 1671	62	GP424-7	1	G, An, P, Ag, M	
<i>Plagusia immaculata</i> Lamarck, 1818	ZRC	62 ^a , 129	GP512-22	65	1	G, ?Ag
<i>Plagusia speciosa</i> Dana, 1851	UF 87, BPBM	125	GP583-36	65	1	G
<i>Plagusia squamosa</i> (Herbst, 1790)	ZRC	62 ^a , 129	GP583-36	65	1	G, ?Ag
BRACHYURA: PORTUNIDAE						
<i>Atoportunus gustavi</i> Ng & Takeda, 2003	UF 2091 (holotype), ZRC 2002.173	76	GP832-12	1	G	
<i>Caphyra rotundifrons</i> (A. Milne Edwards, 1869)	UF 167, UF 588 (S) UF 2538	5, 10	GP790-23	1	G, S	
<i>Caphyra sp.</i> 1 (on <i>Asterospicularia randalli</i>)	UF 411	S	GP834-34	1	G	
<i>Caphyra unidentata?</i> Lenz, 1910	UF 152	P	GP818-32	1	G	
<i>Carupa ohashii</i> Takeda, 1993	UF/ZRC	T	GP767-4	1	G	
<i>Carupa</i> sp. 2 (n. sp.) Ng & Takeda, in prep.	UF 54	P	GP694-24	1	G	
<i>Caroptris nitidus</i> A. Milne Edwards, 1870	UF 182, USNM	P	GP571-4	1	G	
<i>Charybdis erythrodactyla</i> (Lamarck, 1818)	UF 191 ^a	62	GP828-24	1	G, Ag	
<i>Charybdis hawaiiensis</i> Edmondson, 1954	UF 158	N	GP749-12	1	G	
<i>Charybdis hellieri</i> (A. Milne Edwards, 1867)	UF 151	N	GP597-18	1	G	
<i>Charybdis obusifrons</i> Leene, 1936	UF 192	P	GP513-19	1	G	
<i>Charybdis orientalis</i> Dana, 1852	UF 179	N				
<i>Charybdis paucidentata</i> (A. Milne Edwards, 1861)	UF 3149	P				
<i>Charybdis</i> sp. 1 (n. sp. aff. <i>omanensis</i> Leene, 1934)	UF/ZRC	N	GP422-1	2	G	
<i>Coelocarcinus foliatus</i> Edmondson, 1930	UF 472	77	GP617-15	1	G	
<i>Laleonectes nipponensis</i> (Sakai, 1938)	UF 2071, UF 972 (As)	P	GP592-12	1	G, As	
<i>Libystes nitidus?</i> A. Milne Edwards, 1867	UF	P	GP411-23	1	G	
<i>Libystes villosus</i> Rathbun, 1924	UF 163	P	GP410-14	1	G	
<i>Lissocarcinus laevis</i> Miers, 1886	UF 204	P	GP533-7	1	G	
<i>Lissocarcinus orbicularis</i> Dana, 1852	UF 169, BPBM	5, 10	GP693-10	1	G, S	
<i>Lupocycclus quinquedentatus</i> Rathbun, 1906	UF/ZRC	P	GP598-16	1	G	
<i>Podophthalmus vigil</i> (Weber, 1795)	UGI 6729	P	GP459-6	1	G	
<i>Portunus alcocki</i> (Nobili, 1905)	UF 241	N	GP397-25	1	G	

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (continued)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
<i>Portunus convexus</i> de Haan, 1833	UF 209	P	GP810-28	1	G	
<i>Portunus granulatus</i> (H. Milne Edwards, 1834)	UF 166, BPBM	P	GP847-19	1	G	
<i>Portunus longispinosus</i> Rathbun, 1906	UF 171	N	GP516-30	1	G	
<i>Portunus macrophthalminus</i> Rathbun, 1906	UF 183	N	GP387-19	1	G	
<i>Portunus petreus</i> (Alcock, 1899)	UF 188	N	GP580-16	1	G	
<i>Portunus sanguinolentus</i> (Herbst, 1783)	USNM	78	GP391-17	1	G	
<i>Portunus tuberculosus</i> (A. Milne Edwards, 1861)	UF 165	N	GP391-17	1	G	
<i>Scylla serrata</i> (Forsskål, 1775)		79		1	G	
<i>Thalamita admete</i> (Herbst, 1803)	UF 164, USNM 149616, BPBM	5, 10, 62,	GP414-36	1	G, S, Gu, M,	
		78, 141		U		
<i>Thalamita auauensis</i> Rathbun, 1906	USNM	78		1	G	
<i>Thalamita cf. cerasma</i> Wee & Ng, 1995	UF 218	P	GP467-24	1	G	
<i>Thalamita caeruleipes</i> Jacquinot, 1846	UF 149, USNM	78	GP850-30	1	G	
<i>Thalamita corrugata</i> Stephenson & Rees 1961	UF 180	P	GP356-25	1	G	
<i>Thalamita crenata</i> H. Milne Edwards, 1834	UF 205, BPBM	78	GP409-28	1	G	
<i>Thalamita dakini</i> Montgomery, 1931	USNM	78		1	G	
<i>Thalamita exetastica</i> Alcock, 1899	UF 206	N	GP412-30	1	G	
<i>Thalamita gatavakensis</i> Nobili, 1906		80		1	S	
<i>Thalamita integrata</i> Dana, 1852	UF 200, UF 587 (S), USNM	78	GP749-24	1	G	
<i>Thalamita medipacifica</i> Edmondson, 1954	UF 197	N		1	G	
<i>Thalamita mitsensis</i> Crosnier, 1962	UF 190	5, 10, 62	GP540-12	1	G	
<i>Thalamita picta</i> Stimpson, 1958	UF 177, UGI	5, 10	GP540-12	1	G, S, Al	
<i>Thalamita pilumnoidea</i> Borradaile, 1903	UF 221, BPBM	78	GP576-19	1	G	
<i>Thalamita prymna</i> (Herbst, 1803)	UF 156, UGI, ZRC	126	GP382-3	1	G	
<i>Thalamita pseudopelsartii</i> Crosnier, 2002	UF 201	N	GP544-13	1	G	
<i>Thalamita quadrilobata</i> Miers, 1884		141		1	G	
<i>Thalamita sima</i> H. Milne Edwards, 1834	UF 208, USNM 255982	N	GP813-19	1	G	
<i>Thalamita spinifera</i> Borradaile, 1902	USNM 112418 (holotype),	78	GP576-36	1	G	
<i>Thalamita spinimera</i> Stephenson & Rees, 1967	UF 173	5, 10		1	S	
<i>Thalamita woodmasoni</i> Alcock, 1899						

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (continued)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
<i>Thalamitooides quadridentis</i> A. Milne Edwards, 1869	UF 170, USNM 255987	5, 10	GP361-14	1	G, S	
BRACHYURA: POUPINIIDAE						
<i>Poupinia hirsuta</i> Guinot, 1991	USNM 250886	67		3	Ar	
BRACHYURA: PSEUDOZOZIDAE						
<i>Euryozius?</i> sp. 1	UF 302 UF 294, BPBM, ZRC	N 62	GP850-26 GP836-23	67 67	1 1	G, Sa, Gu, M, U
<i>Pseudozizus capistrus</i> (Adams & White, 1848)						
BRACHYURA: RANINIDAE						
Raninidae sp. 1	UF 1013	P		1	P	
BRACHYURA: SESARMIIDAE						
<i>Chiromantes obtusifrons</i> (Dana, 1852)	UF 90, ZRC UF/ZRC	N N	GP423-8 GP758-28	1 1	G G	
<i>Clistocoeloma</i> sp. 1	UF 91, ZRC	N	GP656-11	T	G	
<i>Labuanium rotundatum</i> (Hess, 1865)	UF 108, ZRC	5, 10	GP738-9	T	G, S	
<i>Measuresarma rousseauxii</i> H. Milne Edwards, 1853	UF 99, ZRC	N	GP810-12	1	G	
<i>Neosarmatium fourmanoiri</i> Serène, 1973	UF 107, ZRC	N		1	G	
<i>Neosarmatium meineri</i> (de Man, 1887)	ZRC	N	GP409-22	1	G	
<i>Neosarmatium trispinosum</i> Davie, 1994	UF 128	N	GP758-17	1	G	
<i>Parasesarma pictum</i> (De Haan, 1835)	UF/ZRC?	P		1	G	
<i>Sesarma</i> s.l. sp. 2	UF, ZRC	124	PKLN	1	G	
<i>Sesarmoides guamensis</i> Ng, 2002e	UF 125	N	HCL	1	G	
<i>Sielgistris stormi</i> de Man, 1895						
BRACHYURA: TRAPEZIIDAE						
<i>Quadrella</i> sp.						
<i>Tetralia cinctipes</i> Paulson, 1875	SMF 26927	85		1	G	
<i>Tetralia fulva</i> Serène, 1984	USNM (S)	85		1	G	
<i>Tetralia rubridactyla</i> Garth, 1971	USNM, SMF 26282	85		1	G, S	
<i>Tetralia vanninii</i> Gali & Clark, 1988	UF 911, SMF 26929	85	GP856-27	1	G	
<i>Tetraloides heterodactyla</i> (Heller, 1861)	USNM (S)	85		1	S	
<i>Tetraloides nigritrons</i> (Dana, 1852)	USNM 285980, SMF 26284	85		1	G, S	
<i>Trapezia cyathode</i> (Herbst, 1799)	BPBM 1629, SMF 25171	85, 90		1	G	
<i>Trapezia digitalis</i> Latreille, 1828	SMF 26285	85		1	G, M	

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / *(continued)*

Taxon	Museum	Refs	Photo	Notes	Hab	Island
<i>Trapezia ferruginea</i> Latreille, 1828	BPPM-S 11880, SMF 26289	85	GP656-20	1	G, S, AS, M	
<i>Trapezia flavopunctata</i> Eydoux & Souleyet, 1842	ZRC	85	GP656-22	1	G, M	
<i>Trapezia formosa</i> Smith, 1869	SMF 26286	85				
<i>Trapezia garthi</i> Galil, 1984	MNHN-B 26132	85				
<i>Trapezia guttata</i> Rüppell, 1830	USNM, SMF 25201, UGI 2607	85, 91	GP290-15	1	G, S	
<i>Trapezia lutea</i> Castro, 1997	BPPM S1629, USNM	85				
<i>Trapezia neglecta</i> Castro, 2003	SMF 26290 (holotype)	85				
<i>Trapezia plana</i> Ward, 1941	USNM 260835 (S)	85				
<i>Trapezia rufopunctata</i> (Herbst, 1799)	BPPM-S 11879, USNM	85	GP644-31	1	G, S	
<i>Trapezia septata</i> Dana, 1852	USNM 286485, MNHN-B 9714	85, 91				
<i>Trapezia serenei</i> Odinetz, 1984	MNHN B-9681 (holotype),	85, 91	GP656-26	1	G	
<i>Trapezia speciosa</i> Dana, 1852	USNM 285933	85				
<i>Trapezia speciosa</i> Dana, 1852	USNM	85		1	G, S	
BRACHYURA: VARUNIDAE						
<i>Cyclograpus integer</i> H. Milne Edwards, 1837		62	GP738-2	1	M	
<i>Cyclograpus</i> sp. 1	UF 133	P	GP738-30	1	G	
<i>Cyclograpus</i> sp. 2	UF/ZRC	P	GP738-30	1	G	
<i>Helice subquadrata</i> (Dana, 1851)	UF/ZRC	N				
<i>Orcovita mollitia</i> Ng, Guinot, Ilyiffe, 1996	UF 112, ZRC	95	GP733-22	1	G	
<i>Phychnognathus</i> sp. 1	UGI 2621	P				
<i>Phychnognathus</i> sp. 2 (cf. <i>barbatus</i> (A. Milne Edwards, 1873))	UF 126	N	GP738-18	1	G	
<i>Scutumara</i> sp. 1	UF/ZRC	N	PKLN	1	G	
<i>Varuna litterata</i> (Fabricius, 1798)	UGI 2626	P				
<i>Xenograpus novaeinsularis</i> Takeda & Kurata, 1977	SMF 22945	96	FW	1	G	
BRACHYURA: XANTHIDAE						
<i>Actaea polyacantha</i> (Heller, 1861)	UF 386	5, 10	GP858-23	1	G, S	
<i>Actaea spinissima</i> Borradale, 1902	UF 758	N				
<i>Actaeodes hirsutissimus</i> (Rüppell, 1830)	USNM 154036, UF 2991	5, 10	GP782-12	46	1	G, S
<i>Actaeodes tomentosus</i> (H. Milne Edwards, 1834)	UF 585, BPBM, UGI 2593	K				
<i>Atergatis dilatatus</i> de Haan, 1835	5, 10	47	1	S		
<i>Atergatis floridus</i> (Linnaeus, 1767)	UF 1977, BPBM 1616	5, 10, 137	GP366-27	1	G, S	

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (*continued*)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
<i>Atergatis granulatus</i> de Man, 1889	UF 874	P	GP598-31	1	G	
<i>Atergatis latissimus</i> (H. Milne Edwards, 1834)	UF 706	P	GP367-18	1	G	
<i>Atergatis nitidus</i> A. Milne Edwards, 1865	UF 714	N	48	1	G	
<i>Atergatis subdentatus</i> de Haan, 1835	UF 272	P	GP598-6	1	G	
<i>Atergatis granulatus</i> A. Milne Edwards, 1861	UF 3147	P		1	G	
<i>Atergatis lucasi</i> Montrouzier, 1865	UF 875, UGI 6753	N		1	G	
<i>Atergatis signatus</i> (Adams & White, 1848)	UF 880	P	GP819-16	1	G	
<i>Banarea cf. armata</i> A. Milne Edwards, 1869	UF 797	N		1	G	
<i>Chlorodiella barbata</i> (Borradaile, 1900)		5, 10		1	S	
<i>Chlorodiella cytherea</i> (Dana, 1852)	UF 391	5, 10, 62	GP859-21	1	G, S, P, M	
<i>Chlorodiella laevissima</i> (Dana, 1852)		5, 10		1	S	
<i>Cymo andreae</i> (Audouin, 1826)	UF 788	5, 10		1	G, S	
<i>Cymo quadrilobatus</i> Miers, 1884	UF 863	P	GP656-6	1	G	
<i>Domecia glabra</i> Alcock, 1899	UF 711	5, 10, 62		1	G, S, M	
<i>Domecia hispida</i> Eydoux & Souleyet, 1842		62		1	As	
<i>Etisus molokaiensis</i> (Rathbun, 1906)	UF 76, USNM	5, 10	GP827-25	1	S	
<i>Etisus anaglyptus</i> H. Milne Edwards, 1834	UF 804	N		1	G	
<i>Etisus bifrontalis</i> (Edmondson, 1935)	UF 341, UGI	N	GP808-9	1	G	
<i>Etisus demani</i> Odhner, 1925	UF 740, USNM 154153, BPBM	P	RFM-145N	1	G	
<i>Etisus dentatus</i> (Herbst, 1785)						
<i>Etisus electra</i> (Herbst, 1801)	USNM 154154	5, 10		1	G, S	
<i>Etisus frontalis</i> (Dana, 1852)	UF 757	N		1	G	
<i>Etisus laevimanus</i> Randall, 1840	UF 589 (S), UGI	P	GP597-33	1	G	
<i>Etisus splendidus</i> Rathbun, 1906	UF 871	P		1	G	
<i>Etisus utilis</i> Jacquinot, 1854	UF 3560, USNM	K	GP319-32	1	G	
<i>Euxanthus exsculptus</i> (Herbst, 1790)	UF 862, BPBM	K		1	P, M	
<i>Forrestia depressa</i> (White, 1847)	UF 861	62	GP414-17	1	G	
<i>Gaillardieus orientalis</i> (Odhner, 1925)		N	49	1	S	
<i>Hypocolpus abbotti</i> (Rathbun, 1894)	UF 726	5, 10	GP828-18	1	G	

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (continued)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
<i>Jonesius triunguiculatus</i> (Borradaile, 1902)	USNM	84, 85			1	G
<i>Juxtaxanthias lividus</i> (Lamarck, 1818)	USNM	K			1	G
<i>Juxtaxanthias tetrodon</i> (Heller, 1865)		86			1	G
<i>Kraussia rugulosa</i> (Krauss, 1843)	UF 886	5, 10, 62	GP814-28		1	G, S, Al
<i>Lachnopodus bidentatus</i> (A. Milne Edwards, 1867)	USNM 134551	K			1	G
<i>Lachnopodus rodgersi</i> Simpson, 1858	UF 62				1	M
<i>Lachnopodus subacutus</i> (Simpson, 1858)	UF 860	N			1	G
<i>Lepiodius exaratus</i> (H. Milne Edwards, 1834)	USNM, UGI	K			1	G
<i>Lepiodius nudipes</i> (Dana, 1852)	UF 423, USNM	K			1	G
<i>Lepiodius sanguineus</i> (H. Milne Edwards, 1834)	UF 292, USNM 134558, UGI	62	GP836-31		1	G, An, Gu, P, Ag, M, Al
<i>Liocarpilodes armiger pacificus</i> Balss, 1938	USNM 154716	5, 10		51	1	G, S
<i>Liocarpilodes harmsi</i> Balss, 1934		62		52	1	Gu, M
<i>Liocarpilodes integrermus</i> (Dana, 1852)	USNM 154732	5, 10			1	G, S
<i>Liomera bella</i> (Dana, 1852)	USNM 154139	5, 10		55	1	G, S
<i>Liomera cinctimana</i> (White, 1847)	UF 568, USNM	K	GP832-24		1	G
<i>Liomera monitculosa</i> (A. Milne Edwards, 1873)	5, 10		RK-GUM-208F	53	1	S
<i>Liomera rugata</i> (H. Milne Edwards, 1834)	62				1	G, P, M
<i>Liomera semigranosa</i> de Man, 1888		5, 10		54	1	S
<i>Liomera simpsoni</i> (A. Milne Edwards, 1865)	UF 718	N	GP456-26		1	G
<i>Liomera striolata</i> (Odhner, 1925)	USNM 155973	K			1	G
<i>Liomera tristis</i> (Dana, 1852)	UF 777, USNM 93940	5, 10	GP357-3	56	1	G, S
<i>Liomera?</i> sp. 1	UF/ZRC	N	GP865-5		1	G
<i>Liomera</i> sp. 2 (n. sp.? aff. <i>tristis</i> (Dana, 1852))	UF 779	N	GP615-9		1	G
<i>Lophozozymus bertoniinae</i> Guinot & Richer de Forges, 1981	UF 896	N	GP422-29	2		G
<i>Lophozozymus edwardsi</i> (Odhner, 1925)	UF 805	N	GP519-18	1		G
<i>Lophozozymus incisus</i> (H. Milne Edwards, 1834)	UF 803, USNM 286496	N	GP544-10	1		G
<i>Lophozozymus pictor</i> (Fabricius, 1798)	BPM S1615	K			1	G
<i>Lophozozymus pulchellus</i> A. Milne Edwards, 1867	5, 10, 62			1	S, Ag	

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / *(continued)*

Taxon	Museum	Refs	Photo	Notes	Hab	Island
<i>Lybia tessellata</i> (Latreille, 1812)	UF 770, BPBM	5, 10, 62	GP538-24	1	G, S, M	
<i>Lybia</i> sp. 1	UF 383	P	GP858-5	1	G	
<i>Macromedaeus crassimanus</i> (A. Milne Edwards, 1867)	UF/ZRC	N	GP467-18	1	G	
<i>Macromedaeus nudipes</i> (A. Milne Edwards, 1867)	UF 398	62	GP851-10	1	G, M	
<i>Medaeus?</i> <i>ornatus</i> Dana, 1852		5, 10	P	1	S	
<i>Neoliomera richtersoides?</i> Sakai, 1969	UF 495	P	GP402-32	1	G	
<i>Neoliomera</i> sp. 1 (pink-red)	UF 29	K	GP829-28	1	G	
<i>Neoliomera</i> sp. 2 (orange)	UF 2010	K	GP829-18	1	G	
<i>Neoliomera</i> sp. 3 (flesh)	UF 420	N	GP829-34	1	G	
<i>Neoliomera striata</i> Buitendijk, 1941	UF 500, USNM, ZRC	K		1	G	
New genus (aff. <i>Paramedaeus</i>) sp. 1 (n. sp.) Ng, in prep.	UF 42	N	GP832-22	1	G	
<i>Olenothrus uogi</i> Ng, 2003	UF 2096 (holotype), ZRC 2002.171	87	GP576-30	1	G	
<i>Palapedia</i> sp. 1	UF 396	P	GP851-16	1	G	
<i>Palapedia</i> sp. 2	UF 461	P	GP786-23	1	G	
<i>Paractaea rufopunctata</i> complex (H. Milne Edwards, 1834)	UF 3	N	GP847-13	1	G	
<i>Paramedaeus noelensis</i> (Ward, 1934)	UF 756	N	GP457-5	1	G	
<i>Paramedaeus simplex</i> (A. Milne Edwards, 1873)	UF 380	N	GP836-15	1	G	
<i>Paraxanthias notatus</i> (Dana, 1852)	UF 416, USNM 154846	5, 10, 62	GP751-16	1	G, S, M	
<i>Paraxanthias parvus</i> (Borradaile, 1900)	USNM	5, 10	57	1	G, S	
<i>Phymodius nitidus</i> (Dana, 1852)		5, 10		1	S	
<i>Phymodius ungulatus</i> (H. Milne Edwards, 1834)	UF 881, USNM 154954	5, 10		1	G, S	
<i>Pilodius areolatus</i> (H. Milne Edwards, 1834)	UF 36, USNM	K	GP273-22	1	G	
<i>Pilodius granulatus</i> Stimpson, 1859	UF 712	N	GP463-18	1	G	
<i>Pilodius melanospinus</i> (Rathbun, 1911)	UF 764	N		1	G	
<i>Pilodius paumotensis</i> Rathbun, 1907	USNM 134593	62, 88		1	G, M	
<i>Pilodius phiumnooides</i> (White, 1848)	UF/ZRC	5, 10, 88	58	1	G, S	
<i>Pilodius pubescens</i> Dana, 1852		5, 10, 88	59	1	S	
<i>Pilodius pugil</i> Dana, 1852		5, 10, 88	60	1	S	
<i>Pilodius scabriculus</i> Dana, 1852		88		1	S	
<i>Pilodius serenei</i> Miyake & Takeda, 1968	UF 780	N		61	1	G

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (continued)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
<i>Pilodius</i> sp. 1	UF/ZRC					
<i>Pilodius spinipes</i> Heller, 1861	UF 767, USNM	N	GP766-11	1	G	
<i>Platypodia anaglypta</i> (Heller, 1861)	UF 774	K	GP534-16	1	G	
<i>Platypodia semigranosa</i> (Heller, 1861)	UF 776	N	?GP791-11	1	G	
<i>Polydectes cupulifer</i> (Latreille, 1812)	UF 783	5, 10			G, S	
<i>Psamnis cavipes</i> (Dana, 1852)	UF 765	P	?GP859-24	62	1	G, S
<i>Pseudoliomera granosimana</i> (A. Milne Edwards, 1865)		5, 10			M	
<i>Pseudoliomera helleri</i> (A. Milne Edwards, 1865)		62			1	M, U
<i>Pseudoliomera lata</i> (Borradaile, 1902)		5, 10	63	1	S	
<i>Pseudoliomera remota</i> (Rathbun, 1907)	UF 864	62	GP533-8	1	G, M	
<i>Pseudoliomera ruppellioides</i> (Odhner, 1925)	UF 775	N	GP821-2	1	G	
<i>Pseudoliomera speciosa</i> (Dana, 1852)		62			M, U	
<i>Tweedieia taysani</i> (Rathbun, 1906)	UF 763	N	GP466-21	1	G	
<i>Xanthias aff. cherbonnierii</i> Guinot, 1964	UF/ZRC	N				
<i>Xanthias canaliculatus</i> Rathbun, 1906	UF 721	N				
<i>Xanthias glaberensis</i> (Balss, 1938)		62				
<i>Xanthias lamarcii</i> (H. Milne Edwards, 1834)	UF 717	5, 10	GP463-23	1	G	
<i>Xanthias latifrons</i> (de Man, 1888)	UF 792	N	GP456-19	1	G	
<i>Xanthias lividus</i> (Lamarck, 1818)		62			M	
<i>Xanthias punctatus</i> (H. Milne Edwards, 1834)	UF 865, USNM	5, 10	GP401-4	1	G, S	
<i>Zosimus aeneus</i> (Linnaeus, 1758)	USNM, UGI 2608	K	GP596-24	1	G	
ASCOPODORACIDA: SYNAGOGIDAE						
<i>Sessiloga elongata</i> Grygier, 1990	USNM 228258 (holotype)	103		1	G	
CIRRIPEDIA: ARCHAEOBALANIDAE						
<i>Conopea folliculus</i> Hiro, 1937		106, 110		1?	S	
CIRRIPEDIA: BALANIDAE						
<i>Balanus amphitrite</i> Darwin, 1854	UF 336	106	GP842-13	1	G	
<i>Balanus eburneus</i> Gould, 1841	UF 223	106		1	G	
CIRRIPEDIA: CHTHAMALIDAE						
<i>Chthamalus malayensis</i> Pilsbry, 1916	USNM, SIO	105, 106		1	G	
<i>Chthamalus proteus</i> Dando & Southward, 1980	UF 264, SIO	106, 107		1	G	

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (continued)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
<i>Euraphia hembeli</i> Conrad, 1837	USNM	106, 107, 108			1	G
<i>Pseudoeuraphia montgomeryi</i> (Foster, 1990)	USNM 237820 (holotype) UF 222	105, 106 107, 108		1	G	
<i>Nesocthamalus intertextus</i> (Darwin, 1854)				1	G	
CIRRIPEDIA: CRYPTOPHIALIDAE						
<i>Cryptophialus coronophorus</i> Smyth, 1986	USNM 222986 (holotype)	106, 112, 113		1	G	
<i>Cryptophialus</i> cf. <i>zulloi</i> Tomlinson, 1973		106, 113, 114		1	G	
CIRRIPEDIA: LITHOGLYPTIDAE						
<i>Lithoglyptes mitis</i> Tomlinson, 1969		106, 113, 114		1	G	
CIRRIPEDIA: NEOVERRUCIDAE						
<i>Neoverruca brachylepidoformis</i> Newman, 1989	USNM	2, 104		3	MTV	
CIRRIPEDIA: PACHYLASMATIDAE						
<i>Tetrapachylasma ornatum</i> Jones, 2000	YPM 9303 (holotype, S), SIO, UF 480	106, 109	GP768-2	1	G, S	
CIRRIPEDIA: PYRGOMATIDAE						
<i>Cantellius euspinulosum</i> (Broch, 1931)		106		1	G	
<i>Cantellius pallidus</i> (Broch, 1931)		106		1	S	
<i>Cantellius septimus</i> (Hiro, 1938)		106		1	G	
<i>Neotrevathania elongata</i> (Hiro, 1931)		106		1	G	
<i>Savignium crenatum</i> (Sowerby, 1823)		106		1	G	
<i>Trevathania dentata</i> (Darwin, 1854)		106, 111	GP263-2	1	G	
<i>Trevathania orientale</i> (Ren, 1986)		106	GP529-20	1	G	
<i>Trevathania paulayi</i> Asami & Yamaguchi, 2001	NSMT-Cr13681 (holotype)	106, 111	GP263-6	1	G	
<i>Wanella millepora</i> (Darwin, 1854)		106	GP263-9	1	G	
CIRRIPEDIA: SCALPELLIDAE						
<i>Lithotrypa nicobarica</i> Reinhardt, 1850	SIO	106		1	G	
CIRRIPEDIA: TETRACLITIDAE						
<i>Tetractitella divisa</i> (Nissen-Cantell, 1921)	USNM	105, 106		1	G	

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (continued)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
<i>Tesseropora pacifica</i> Pilsbry, 1928	USNM	105, 106 106	GP420-21	1	G	
<i>Tesseropora</i> sp. 1				1	G	
CIRRIPEDIA: VERRUCIDAE						
<i>Verruca cookei</i> Pilsbry, 1928	USNM	105, 106		1	G	
PYCGNOGONIDA: AMMOTHEIDAE						
<i>Achelia assimilis</i> (Haswell, 1884)	USNM	115		1	G	
<i>Ammothella</i> sp. indet.	USNM	115		1	G	
<i>Ammothella tippula</i> Child, 1983	USNM 195374 (holotype)	115, 116, 117		1	G	
<i>Anoplodactylus chamorus</i> Child, 1983	USNM 195376 (holotype)	115, 116, 117		1	G	
<i>Anoplodactylus glandulifer</i> Stock, 1954	USNM	115		1	G	
<i>Anoplodactylus longiceps</i> Stock, 1951	USNM	115		1	G	
<i>Anoplodactylus pycnosoma</i> (Helfer, 1938)	USNM	115, 117		1	G	
<i>Anoplodactylus tenuicorpus</i> Child, 1991	USNM	115		1	G	
Eurycyde serrula	USNM 234586 (holotype)	115		1	G	
Child, 1991	USNM 234505 (holotype)	2, 118		3	MTV	
<i>Sericosura cochleifovea</i> Child, 1989	USNM	115, 117		1	G	
<i>Tanystylum rehderi</i> Child, 1970						
PYCGNOGONIDA: CALLIPALLENIDAE						
<i>Callipallene novaezealandiae</i> (Thomson, 1884)	USNM	115		1	G	
<i>Seguapallene micronesica</i> Child, 1983	USNM	115		1	G	
PYCGNOGONIDA: ENDEIDAE						
<i>Endeis mollis</i> (Carpenter, 1904)	USNM	115		1	G	
PYCGNOGONIDA: NYMPHONIDAE						
<i>Nymphon diabolis</i> Child, 1988	USNM	115		1	G	
FRESHWATER TAXA						
COPEPODA: PHYLLOGNATHOPODIDAE						
<i>Phylloganthopis vigueri</i> (Maupas, 1892)		120		FW	G, Ag	
COPEPODA: CYCLOPIDAE						
<i>Bryocyclops ammiae</i> (Menzel, 1926)		139		FW	G	
<i>Mesocyclops leuckarti</i> (Claus, 1857)		139		FW	G	

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (*continued*)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
CLADOCERA: SIDIDAE						
<i>Diaphanosoma sarsi</i> Richard, 1894 s. l.	USNM 141128	138			FW	G
<i>Latonopsis australis</i> Sars, 1888	USNM 141128	119, 138			FW	G
CLADOCERA: MACROTHRICIDAE						
<i>Macrothrix laticornis</i> (Jurine, 1820)		119			FW	G
CLADOCERA: MOINIDAE						
<i>Moina australiensis</i> Sars, 1896		119			FW	G
<i>Moina macrocopa macrocopa</i> (Straus, 1820)		119			FW	G
<i>Moina weismanni</i> Ishikawa, 1896		119			FW	G
TERRESTRIAL TAXA						
AMPHIPODA: TALITRIDAE						
<i>Floresorchezia anomala</i> (Chevreux, 1901)	121				T	Ag, Al
<i>Floresorchezia</i> sp. 1	121				T	Sa
ISOPODA: ARMADILLIDAE						
<i>Cubaris</i> sp. 1	122				T	S
<i>Hybodillo</i> sp. 1	123				T	P, An, Gu
<i>Sphaerillo</i> sp. 1	123				T	P
<i>Sphaerillo</i> sp. 2	123				T	M, As, Ag, Sa, An
<i>Sphaerillo</i> sp. 3	123				T	Gu
<i>Sphaerillo</i> sp. 4	123				T	P, An
ISOPODA: LIGIIDAE						
<i>Ligia</i> sp. 1 (aff. <i>yamaniishi</i>) Nunomura, 1990	123				T	Ag
ISOPODA: ONISCIDAE						
<i>Oniscidae</i> sp. 1	123				T	P
ISOPODA: PHILOSCUDIDAE						
<i>Burmoniscus bicolor</i> Nunomura, 2001	122				T	S
<i>Philosciidae</i> sp. 1	123				T	Ag
<i>Setaphora</i> sp. 1	123				T	As, Ag, P, Al, Gu, Sa

Appendix: Checklist of the crustaceans and pycnogonids of the Marianas / (continued)

Taxon	Museum	Refs	Photo	Notes	Hab	Island
<i>Setaphora</i> sp. 2		123			T	M, Ag, Al,
<i>Setaphora</i> sp. 3		123			Sa	
ISOPODA: PORCELLIONIDAE					Ag	
<i>Porcellionides pruinosis</i> (Brandt, 1833)		123			M, As	
ISOPODA: SCYPHACIDAE						
<i>Alloniscus</i> sp. 1 (aff. <i>bominensis</i>) Nunomura, 1984		123			T	As
<i>Alloniscus</i> sp. 2		123			T	M, Al
<i>Alloniscus scapanensis</i> Nunomura, 2001		122			T	S
ISOPODA: TRACHELIPIDAE					T	S
<i>Nagurus</i> sp. 1		123			T	M, Ag, Gu
<i>Nagurus</i> sp. 2		123			T	M, An
<i>Nagurus</i> sp. 3		123			T	M
<i>Nagurus</i> sp. 4		123			T	Al
ISOPODA: TRICHONISCIDAE						
<i>Trichonisidae</i> sp. 1		123			T	Ag, Al, An,
					P	

References: Literature records listed by numeric code, while identifier of species not previously documented from the Marianas listed by alphabetic code as follows. B) W. Blow, C) T.-Y. Chan, D) W. Dall, F) C. Fransen, G) B. Galil, K) R. Kiopp, L) H.-C. Liu, M) P. McLaughlin, N) P. Ng, O) J. Okuno, P) G. Paulay, R) P. Castro, S) J. Starmer, T) M. Takeda. 1) Humes 1990, 2) Hessler & Lonsdale 1991, 3) Weissleader et al. 1989, 4) Konai 1994, 5) Cloud 1959, 6) Just 1998, 7) Williams et al. 2000, 8) Manning et al. 1990, 9) Ahyong & Erdmann 2003, 10) Holthuis 1953, 11) Edmondson 1921, 12) Manning 1978, 13) Kiopp & Dominguez 1990, 14) Hamano 1994, 15) Hayashi et al. 1994, 16) Eldredge 1994, 17) Vic Camacho, Univ. of Guam, pers. comm. 2000, 18) Banner 1956, 19) Kiopp 1987, 20) Banner & Banner 1985, 21) Leberer & Cai 2003, 22) Martin & Hessler 1990, 23) Kiopp 1983[1984], 24) Holthuis 1981, 25) Chace 1997, 26) Camacho 1997, 27) Grimm 1983, 28) Best & Davidson 1981, 29) Chace & Bruce 1993, 30) Bruce & Coombes 1995, 31) King 1987, 32) Wilder 1977, 33) Moffitt 1983, 34) Okuno 1994, 35) Kensley 2003, 36) Kensley 1996, 37) Kensley 2001, 38) Türkay & Sakai 1995, 39) Kensley & Heard 1991, 40) Asakura et al. 1994, 41) Amesbury 1980, 42) Wooster 1979, 43) Wooster 1982, 44) Asakura & Tachikawa 2000, 45) Asakura 1987, 46) Forest 1995, 47) McLaughlin 2002a, 48) Eldredge 1976, 49) McLaughlin 2002b, 50) McLaughlin & Lemaitre 1993, 51) McLaughlin & Haig 1984, 52) McLaughlin & Haig 1989, 53) Dunn et al. 1980, 54) Lemaitre 1998, 55) Williams & Baba 1990, 56) Haig & Kiopp 1987, 57) Kiopp & Haig 1994, 58) Kiopp 1986, 59) Hessler & Martin 1989, 60) McLay 1993, 61) McLay 2001, 62) Takeda et al. 1994, 63) McLay 1999, 64) McLay 1980, 65) Guinot &

- Richer de Forges 1995, 66) Ng & Wang 2001, 67) Williams & Moffitt 1991, 68) Galil 1997, 69) Tan & Ng 1995, 70) Guinot & Richer de Forges 1985, 71) Williams & Eldredge 1994, 72) Ng & Takeda 1998, 73) Tan & Ng 2003a, 74) Tan & Ng 2003b, 75) Stevčić et al. 1988, 76) Ng & Takeda 2003, 77) Ng 2002a, 78) Stephenson & Rees 1967, 79) Dickinson 1977, 80) Wee & Ng 1995, 81) Vermeij 1978, 82) Ng & Ng 2003, 83) Ng 2002b, 84) Galil & Takeda 1986, 85) Castro 2003, 86) Takeda 1976, 87) Ng 2002c, 88) Clark & Galil 1993, 89) Kröpp 1984, 90) Galil & Clark 1990, 91) Odinetz 1984, 92) Ng & Guinot 2001, 93) Quoy & Gaimard 1824, 94) Ng 2003, 95) Ng et al. 1996, 96) Türkay & Sakai 1995, 97) Kröpp 1988a, 98) Kröpp 1990, 99) Kröpp 1994, 100) Kröpp & Manning 1996, 101) Kröpp 1989, 102) Kröpp 1988b, 103) Grygier 1990, 104) Newman & Hessler 1989, 105) Foster 1990, 106) Paulay & Ross 2003, 107) Southward et al. 1998, 108) Foster & Newman 1987, 109) Jones 2000, 110) Hiro 1937, 111) Asami & Yamaguchi 2001, 112) Smyth 1986, 113) Smyth 1989, 114) Smyth 1990, 115) Child 1991, 116) Child 1983, 117) Stock 1994, 118) Child 1989, 119) Belk 1973, 120) Kikuchi 1994, 121) Morino 1994, 122) Nunomura 2001, 123) Nunomura 1994, 124) Ng 2002d, 125) Ng et al. 2000, 126) Crosnier 2002, 127) Edmondson 1959, 128) Koh & Ng 2000, 129) Schubart & Ng 2000, 130) Griffin & Tranter 1986, 131) Ng & Clark 2000, 132) McKenzie 1967, 133) Ng 1998a, 134) Fransen 2002, 135) Moreira & Nelson 1990, 136) Nelson & Kröpp 1985, 137) Yamaguchi 1975, 138) Konovchinsky 2001, 139) Watkins & Belk 1975, 140) El-Rashidi & Boxshall 2001, 141) Edmondson 1954, 142) Takeda 1980, 143) Crosnier & Ng 2003, 144) Ng & McIay 2003.

Notes:

- 1) as *H. poorei* Cronin in Weissleider et al. (1989), a nomen nudum (T. M. Cronin pers. comm. 2001)
- 2) as *L. henryi* Cronin in Weissleider et al. (1989), a nomen nudum (T. M. Cronin pers. comm. 2001)
- 3) as *O. rossi* Cronin in Weissleider et al. (1989), a nomen nudum (T. M. Cronin pers. comm. 2001)
- 4) as *T. weissleiderae* Cronin in Weissleider et al. (1989), a nomen nudum (T. M. Cronin pers. comm. 2001)
- 5) as *Gonodactylus f.* in Holthuis (1953) and Cloud (1959), see Ahyong & Erdmann (2003) for generic reassignment
- 6) as *G. chiragra* var. *acutus* in Edmondson (1921), see Ahyong & Erdmann (2003) for reidentification
- 7) introduced to Guam in fish ponds
- 8) Original spelling as *A. diabulus* in Banner (1956) as a result of typographical error, see Chace (1988)
- 9) as *A. edmondsoni* in Banner (1956), see Banner & Banner (1983) for synonymy
- 10) as *A. c. inermis*, *A. c. medius*, and *A. c. probabilitis* in Banner (1956), see Banner & Banner (1982) for synonymy
- 11) as *A. tuithilli* in Banner (1956), see Banner & Banner (1982) for synonymy
- 12) as *A. gracilis* var. *simplex* in Banner (1956), see Banner & Banner (1982) for synonymy
- 13) as *Thunor i.* in Banner (1956), see Banner & Banner (1982) for generic reassignment
- 14) as *A. ventrosus* in Banner (1956) and Cloud (1959), see Banner & Banner (1982) for synonymy
- 15) as *A. phrygianus* in Banner (1956) and Cloud (1959), see Banner & Banner (1982) for synonymy
- 16) as *A. p. bengalensis* in Banner (1956) and Cloud (1959), see Banner & Banner (1982) for synonymy
- 17) misspelled as *A. pearcyi* in Hayashi et al. (1994)
- 18) as *Thunor* sp. 1 (n. sp.) in Banner (1956), see Banner & Banner (1982) for synonymy
- 19) as *A. claudii* in Banner (1956), see Chace (1988) for synonymy
- 20) as *A. dubius* in Banner (1956), see Banner & Banner (1973) for synonymy

- 21) as *A. gardineri* in Cloud (1959) and as *A. johnsoni* in Banner (1956), see Banner & Banner (1973) for synonymy
- 22) as *Alpheus p.* in Cloud (1959), see Banner & Banner (1982) for generic reassignment
- 23) as *A. manus* in Banner (1956) and Cloud (1959), see Banner & Banner (1982) for synonymy
- 24) as *A. c. obscurus* in Banner (1956), see Banner & Banner (1975) for synonymy
- 25) as *A. coutierei exilipes* in Banner (1956), see Banner & Banner (1975) for synonymy
- 26) as *D. n. sp.* in Cloud (1959), described in Holthuis (1981)
- 27) as *M. latimanus* in Camacho 1997, reidentified by Cai & Ng (unpublished data)
- 28) as *P. vestigialis* in Holthuis (1953) and Cloud (1959), see Chace & Bruce (1993) for generic reassignment
- 29) as *Periclimenes s.* in Holthuis (1953) and Cloud (1959), see Duris & Bruce (1995) for generic reassignment
- 30) as *Nikoides manus* in Holthuis (1953) and Cloud (1959), see Chace & Bruce (1993) for synonymy
- 31) This is a third color form of *Axiopsis* on Guam that likely represents yet another sibling species in the *A. serratifrons*-complex, so separated by Paulay
- 32) as *Axius a.* in Holthuis (1953) and Cloud (1959), see Kensley (2003) for generic reassignment
- 33) erroneously recorded in Wooster (1979); Wooster's *Aniculus* corresponds to *A. ursus*, checked and corrected by Paulay
- 34) as *A. aniculus* in Wooster (1979), checked and corrected by Paulay
- 35) as *Calcinus imperialis* in Wooster (1982), see Poupin (1997) for reidentification
- 36) as *Pagurus laevimanus* in Holthuis (1953) and Cloud (1959); see McLaughlin & Haig (1984) for generic reassignment. Identification of Cloud's specimens need to be verified, as *Pagurixus* is a diverse genus in the Marianas; see comment 40. McLaughlin's current concept of this species is known on Guam, see photo and specimen vouchers.
- 37) as *Calcinus* sp. 1 in Wooster (1982), checked and corrected by Paulay
- 38) as *C. gaimardi* in all refs. cited, separated out by Rahayu & Forest (1999); Guam material reidentified by McLaughlin
- 39) as *Orthopagurus harmsi* in Wooster (1979), see McLaughlin & Lemaire (1993) for description of new species
- 40) as *Pagurixus laevimanus* in McLaughlin & Haig (1984), reidentified by McLaughlin
- 41) as *Parpagurus d.* in Dunn et al. (1980), see Lemaire (1989) for generic reassignment; associated with the deep water shell-forming anemone *Sylobates aeneus*
- 42) as *Cryptodormia canaliculata* in Takeda et al. (1994), see McLay (1993) for synonymy
- 43) as *Trigonothr o.* in Holthuis (1953) and Cloud (1959), see Griffin & Tranter (1986) for synonymy
- 44) identification of Cloud's specimens not checked; potentially *Tiarinia cornigera*
- 45) as *Litocheira aranea* in Holthuis (1953), Cloud (1959), generic reassignment by Ng (1987)
- 46) as *Actaea h.* in Cloud (1959), see Serène (1984) for generic reassignment
- 47) likely corresponds to *Atergatis subdentatus* recorded here
- 48) may be juvenile of *A. granulosus*
- 49) as *Actaea s.* in Holthuis (1953) and Cloud (1959), see Serène (1984) for generic reassignment
- 50) as *Heieroplumus i.* in Holthuis (1953), Cloud (1959), generic reassignment by Ng (1987)

- 51) as *L. a.* in Holthuis (1953) and Cloud (1959), subspecific identification by Kropf (unpublished data)
- 52) as *Pilodius h.* in Takeda et al. (1994), see Clark & Galil, 1993 for generic reassignment
- 53) as *Carpiliodes m.* in Holthuis (1953) and Cloud (1959), see Serène (1984) for generic reassignment
- 54) as *Carpiliodes s.* in Holthuis (1953) and Cloud (1959), see Serène (1984) for generic reassignment
- 55) as *Carpiliodes b.* in Holthuis (1953) and Cloud (1959), see Serène (1984) for generic reassignment
- 56) as *Carpiliodes t.* in Holthuis (1953) and Cloud (1959), see Serène (1984) for generic reassignment
- 57) spelling corrected from *P. parvus* in Cloud (1959)
- 58) as *Chlorodopsis p.* in Holthuis (1953) and Cloud (1959), see Clark & Galil, 1993 for generic reassignment
- 59) as *Chlorodopsis melanodactyla* in Holthuis (1953) and Cloud (1959), see Clark & Galil, 1993 for synonymy and generic reassignment
- 60) as *Chlorodopsis p.* in Holthuis (1953) and Cloud (1959), see Clark & Galil, 1993 for generic reassignment
- 61) considered a syn. of *P. granulatus* by Clark & Galil (1993), but not Ng
- 62) as *Actaea caripes* in Holthuis (1953) and Cloud (1959), see Serène (1984) for generic reassignment
- 63) as *Actaea l.* in Holthuis (1953) and Cloud (1959), see Serène (1984) for generic reassignment
- 64) as *Thelephusa r.* in Quoy & Gaimard (1924) and as *Cardisoma r.* in Takeda et al. (1994), see Ng & Guinot (2001) for generic reassignment
- 65) Takeda et al. (1994) record *P. tuberculata*, now considered a species complex of *P. immaculata* and *P. squamosa* (Ng et al. 2000)
- 66) The Eumenedonidae has been synonymised with the Pilumnidae by Ng & Clark (2002) and now regarded only as a subfamily within it.
- 67) Ng & Liao (2002) recently recognised the Pseudozoidiae as a distinct family and formally transferred *Euryozzius* to this taxon as well.
- 68) as *Saipanella clonai* in McKenzie (1967), generic reassignment by McKenzie (1970)
- 69) as *Pentaeus s.* in Eldredge (1994), generic reassignment by Pérez Farfante & Kensley (1997)
- 70) as *Thor maldivensis* in Cloud (1959) and Holthuis (1953), generic reassignment by Bruce (1997, 1998)
- 71) describe as *Hypsophrys williamsi*, generic reassignment by Ng (1998b)
- 72) This species is common in Pleistocene deposits in Apra Harbor (Kesling 1958), but was never seen by us alive. However a single, unlabeled specimen (UF 2846) of this species was found in the UOGML teaching collection. This specimen likely came from Guam, but additional specimens are needed to ascertain this. The crustacean fauna of Apra harbor is still poorly sampled.
- 73) as *Pagurus latro* in Quoy & Gaimard (1824), now in monotypic *Birgus* (Amesbury 1980)