



TIJDSCHRIFTARTIKELLEN JOURNAL PAPERS

W. Faber

Artikelen over mariene weekdieren in andere tijdschriften. *Buikpotigen en tweekleppigen per familie in alfabetische volgorde.* □ redactionele opmerkingen.

Papers about marine molluscs in other magazines. *Gastropods and bivalves per family in alphabetical order.* □ editorial notes.

GENERAL / ALGEMEEN

- * VAUGHAM, B. & T. EICHHORST, 2006. – Thoughts on Species & Speciation. – Plenoplasticity. – *Amer. Conchologist* 34(3): 26-29.

REGIONAL / REGIONAAL

- * BOGI, C. & B.S. GALIL, 2006. – Nuovi ritrovamenti lungo le coste Israeliane. [with English abstract] – *Notizario S.I.M.* 24(5-8): 16-18.
- * KOULOURI, P. ET AL., 2006. – Molluscan diversity along a Mediterranean soft bottom sublittoral ecotone. – *Scientia Marina* 70(4): 573-583.
- * ZAVODNIK, D., M. LEGAC & T. GLUHAK, 2006. – An account on the marine fauna of Pag Island (Adriatic Sea, Croatia). – *Natura Croatica* 15(3): 65-107.

POLYPLACOPHORA (Class)

- * DELEMARRE, J.-L., 2006. – *Lepidochitona furtiva* (Monterosato, 1879), un Chiton peut-être moins furtif qu'il n'y paraît. – *Xenophora* No. 117: 25.

GASTROPODA

REGIONAL / REGIONAAL

- * CUNEO, F., A. MARGELLI, E. CAMPANI & M. COPPINI, 2006. – Gastropoda e Scaphopoda dei fanghi litorali di Livorno. – *Moll. Malacol.* 42(1-4): 5-12.
- * HUF., 2007. – Gastropod biodiversity in the waters of Sabah (Malaysian Borneo) – *Tentacle* No. 15: 23-24.
- * KIRSCH, D., 2006. – New Shell Records for Florida. – *Amer. Conchologist* 34(3): 17-19.

ACMAEIDAE

- * NAKANO, T. & T. OZAWA, 2006. – Habitat of *Erginus sybariticus* (Dall, 1871) and *Lepeta caeca pacifica* Moskalev, 1978. [in Japanese] – *Chiribotan* 37(3): 109-111.

BUCCINIDAE

- * HERTZ, J. & K.L. KAISER, 2007. – New El Salvador distributional record for *Solenosteira anomala* (Reeve, 1847). – *The Festivus* 39(1): 3-6.
- * YAMAZAKI, T., R. MIZUSAWA, K. NAKAYA & S. GOSHIMA, 2006. – A sinistral *Nepetunea intersculpta* with notes on the morphology of the radula. [in Japanese with English abstract] – *Chiribotan* 37(3): 147-151.

CAECIDAE

- * PIZZINI, M. & B. RAINES, 2006. – *Caecum*


maori, new name for *Caecum solitarium* Oliver, 1915 (non Meyer, 1886) [with English abstract] – *Boll. Malacol.* 42(1-4): 13-14.

CALLIOSTOMATIDAE

- * TRIGO, J. & E. ROLAN, 2006. *Calliostoma conulum* (Linnaeus, 1758) in Galicia, northwest Spain. – *Novapex* 7(4): 111-114.

CERITHIIDAE

- * GARILLI, V. & L. GALETTI, 2006. – Taxonomical characters for distinguishing *Cerithium lividulum* Risso, 1826 and *C. renovatum* Monterosato, 1884. – *Basteria* 70(4-6): 109-122.



a. *Cerithium lividulum*, h. 17.5 mm; f. *C. renovatum*, h. 22 mm. — *Basteria* 70(4-6): 110.

CERITHIOIDEA (Order)

- * SALGEBAK, J. & E.SAVAZZI, 2006. – Constructional morphology of cerithiform gastropods. – *Paleont. Res.* 10(3): 233-259.

CONIDAE

- * MARAIS, J.P. & A.P., 2006. – Conotoxin "10,000 times more potent than morphin". – *The Strandloper* No. 281-282: 18-20.
- * TOVE, M., 2006. – A First Look at *Conus milneedwardsi* Jousseaume, 1894, and *Conus bengalensis* (Okutani, 1968). – *Amer. Conchologist* 34(2): 4-9.

CORALLIOPHILIDAE

- * See under Muricidae.

CYPRAEIDAE

- * CRAM, D., 2006. – *Notocypraea*: the *piperita-comptonii* complex. – *Amer. Conchologist* 34(2): 8-13.
- * HEIMAN, E., 2006. – About *Luria isabella controversa* (Gray, 1824). – *Amer. Conchologist* 34(3): 4-8.

* HEIMAN, E.L., 2006. – *Staphylaea limacina* (Lam., 1810). – *The Strandloper* No. 283: 4-8.


- * OMI, Y., 2006. – Comparison between a variety of *Mauritia maculifera* (Schilder, 1932) that lacks basal blotches and *Mauritia depressa* (Gray, 1824) collected from Yonaguni Island, Japan. [in Japanese with English abstract] – *Chiribotan* 37(3): 120-123.
- * POULIQUEN, C., 2006. – A propos de Coquilles aberrantes. [also in English] [*Mauritia mauritiana*] – *Xenophora* No. 117: 24.
- * ROBIN, A., 2006. – Le peuplement du Golfe de Gabès par *Erosaria turdus*. [also in English] – *Xenophora* No. 117: 28-29.

CYSTISCIDAE

- * FABER, M.J., 2006. – Marine gastropods from the ABC islands and other localities 11. The genera *Pachybatron* and *Pesicula*. – *Miscellanea Malac.* 2(2): 25-39.

ELLOBIIDAE

- * MARTINS, A.M.F., 2007. – Morphological and anatomical diversity within the Ellobiidae. – *Vita Malacologica* No. 4: 1-28.
- * RAVEN, H. & J.J. VERMEULEN, 2-7. – Notes on molluscs from NW Borneo and Singapore. 2. A synopsis of the Ellobiidae. – *Vita Malacologica* No. 4: 29-62.



Cassidula nucleus (Gmelin, 1791). Brunei. H 21.9 mm. Collectie Han Raven. — *Vita Malacologica* No. 4: plate 4, fig. 35a-b.

EPITONIIDAE

- * GARCÍA, E.F., 2006. – *Gyroskala xenicima* (Melvill & Sanden, 1903) found in Texas. – *Amer. Conchologist* 34(2): 3.
- * GARCÍA, E.F., 2006. – A southern extension of *Gyroskala xenicima* (Melvill & Sanden, 1903). – *Amer. Conchologist* 34(3): 25.

EULIMIDAE

- * NISHIMURA, K., 2006. – Notes on *Thyca crystallina* from the Ogasawara Islands. [in Japanese] – *Chiribotan* 37(3): 132-134.

FASCIOLARIIDAE

- * POWER, A.J. & R.L. WALKER, 2007. – Laboratory Growth of Hatchling Florida Banded Tulips, *Fasciolaria lilium hunteria* (G. Perry, 1811) in Georgia. – The Veliger 48(4): 309-312.

FISSURELLIDAE

- * ELS, M., 2006. – A scarce endemic fissurellid. – The Strandloper No. 283: 18-19.
- * ROLÁN, E., 2006. – Nueva información sobre *Cranopsis asturiana*. – Noticiario SEM No. 46: 23-26.

HALIOTIDAE

- * ROACH, J., 2007. – Black abalone withering towards extinction, scientists say. – Tentacle No. 15: 4-5.

HARPIDAE

- * WIERSMA, J., 2006. – Review of the recent species of the genus *Morum*. – Gloria Maris 45(5): 122-139.

JULIIDAE

- * MARAIS, J. & A., 2006. – A gastropod bivalve or a bivalved gastropod. – The Strandloper No. 283: 12-13.
- * ROBERTSON, R., 2006. – Bivalved Gastropods: *Berthelinia* and *Julia*. – Am. Conchologist 34(2): 4-6.

LITTORINIDAE

- * ANDRADE, S.C.S. & V.N. SOLFERINI, 2006. – The influence of size on the radula of *Littoraria angulifera*. – Malacologia 49(1): 1-5.
- * JOHNSON, M.S. & R. BLACK, 2006. – Effects of mode of reproduction on genetic divergence over large spatial and temporal scales in intertidal snails of the genus *Bembicium* Philippi. – Biol. J. Linnæan Soc. 89(4): 689-704.

LOTTIIDAE

- * GILMAN, S.E., 2007. – Shell Microstructure of the Patellid Gastropod *Collisella scabra* (Gould): Ecological and Phylogenetic Implications. – The Veliger 48(4): 235-242.
- * See under Acmaeidae.

MARGINELLIDAE


- * GARCIA, E.F., 2006. – Report of left-handed *Dentimargo eburneolus* (Conrad, 1834) from Bahía de Campeche, Mexico. – Amer. Conchologist 34(3): 25.

MURICIDAE

- * CECALUPO, A., M. VIANELLO & L. PERINI, 2006. – Alcune forme aberranti rinvenuto nel Mare Adriatico di *Hexaplex trunculus* (Linnaeus, 1758) e *Bolinus brandaris* (Linnaeus, 1758). [with English abstract] – Notizario S.I.M. 24(5-8): 13-15.
- * GARRIGUES, B., 2006. – Les formes géographiques de *Pteryarchia martineta*. – Xenophora No. 117: 9-12.
- * GARRIGUES, B., 2006. – En complément des *Vokesimurex* du Nouveau Monde. [also in English] – Xenophora No. 117: 12.
- * GRATECAP, D., 2006. – La chasse aux

typhis. [*Typhis labiatus*] – Xenophora No. 117: 30.

- * GUERRA, J. & E. ROLÁN, 2006. – Casos extremos de variabilidad en la protoconcha de *Nucella lapillus* en Galicia. – Noticiario SEM No. 46: 27-30.
- * KARTAVTSEV, Y.P., N.I. ZASLAVSKAYA, O.V. SVINYNA & A. KUJMA, 2006. – Allozyme and morphometric variability in the dogwhelk, *Nucella heyseana* from Russian and Japanese waters: evidence for a single species under different names. – Invertebrate Systematics 20(6): 771-782.
- * MARGELLI, A. & E. CAMPANI, 2006. – *Coralliophila trigoi* Marottini, Smriglio & Rolán, 2005 in acqua italiana. [with English abstract] – Boll. Malacol. 42(1-4): 15-16.
- * MERLE, D. & D. FILIPOZZI, 2006. – *Trunculariopsis trunculus* (Linné, 1758) une nouvelle espèce invasive sur la côte atlantique française (Bassin d'Arcachon, Gironde). [with English abstract] – Xenophora No. 117: 7-8.
- * SMRIGLIO, C., F. SWINNEN & P. MARIOTTINI, 2006. – *Coralliophila juliamoralesae* Smriglio, Mariottini & Engl, 2002, from the Eastern Atlantic Ocean. – Basteria 70(4-6): 129-130.



Caralliophila juliamoralesae Smriglio, Mariottini & Engl, 2002, E. Atlantic. Scale bars 1 cm. – Basteria 70(4-6): 130.

NASSARIIDAE

- * BRUNETTI, M.M. & S. SOCCIO, 2006. – Osservazioni su *Nassarius strobilianus* (Cocconi, 1873), specie poco nota del Pliocene italiano. [with English abstract] – Boll. Malacol. 41(9-12): 85-88.

NATICIDAE

- * GREY, M., P.G. LELIÈVRE & E.G. BOULDING, 2007. – Selection for Prey Shell Thickness by the Naticid Gastropod *Euspira lewisii* on the Bivalve *Protothaca staminea*. – The Veliger 48(4): 317-322.
- * OKUTANI, T., Y. FUJIWARA, T. SASAKI, M. KAWATO, T. YAMAMOTO & K. KUBOKAWA, 2006. – *Tanea magnifluctulata* collected near whale carcasses dumped off the Satsuma Peninsula, Kyushu. [in Japanese with English abstract] – Chiribotan 37(3): 124-129.

NERITILIIDAE

- * FABER, M.J., 2006. – Marine gastropods from the ABC islands and other localities 13. The family Neritiliidae. – Miscellanea Malac. 2(2): 44.

- * KANO, Y., 2006. – Diversity, ecology and evolution of the Neritilidae. [in Japanese] – Chiribotan 37(3): 135-146.

OLIVIDAE

- * TERZER, G. & P. RYALL, 2006. – Riscoperta e posizione sistematica di *Oliva ancillarioides* Reeve, 1850 ed *Oliva zenopira* Ductlos, 1835. [with English abstract] – Boll. Malacol. 41(9-12): 111-113.

OVULIDAE

- * SASAKI, T. & Y. OMI, 2006. *Phenacovolva hirasei* (Pilsbry, 1913) collected from off Osezaki, Suruga Bay, Japan. [in Japanese] – Chiribotan 37(3): 118-119.

PYRAMIDELLIDAE

- * AARTSEN, J.J. VAN & J. GOUD, 2006. – Indo-Pacific migrants into the Mediterranean. 6. *Syrnola lendix* (A.A. Adams, 1863). – Basteria 70(4-6): 164-166.
- * ROBERTSON, R., 2006. – Bloodsucking pyramidellids. – Am. Conchologist 43(4): 407.

SKENEIDAE

- * BUZZURRO, G. & A. CECALUPO, 2006. – I Molluschi lessepsiani di Taşucu (Turchia sud-orientale): de *Parviturbo dibellari*. [with English abstract] – Boll. Malac. 42(1-4): 27-32.

STROMBIDAE

- * MONSECOUR, D. & K., 2006. – A further distributional record for *Dolomena hickeyi* (Willan, 2000) – Miscellanea Malac. 2(2): 41-43.
- * PRELLE, G., 2006. – Descrizione di una nuova varietà di colore di *Strombus (Canarium) mutabilis* Swainson, 1821. – Malacologia No. 53: 16.
- * YOUNG, L.A., 2006. – Expansion of the distribution of *Strombus persicus*, first documentation from Saronikos Gulf (E. Mediterranean) [aussi en français] – Xenophora No. 117: 26-27.

TEREBRIDAE

- * WIENRICH, G., 2006. – The Genus *Strioterebrum* Sacco, 1891 in the Hemmoorian and Reinbekian (Middle Miocene) of the North Sea basin. – Cainozoic Res. 5(1-2): 3-12.

TONNIDAE

- * VOS, C., 2006. – *Tonna berthae*, Vos 2005. A new *Tonna* from South Africa. – The Strandloper No. 281-282: 4.

TURBINIDAE

- * DEVRIES, Th.J., 2006. – The Neogene history of *Prisogaster* Mörch, 1850 in South America. – The Nautilus 120(4): 139-149.
- * FABER, M.J., 2006. – Marine gastropods from the ABC islands and other localities 8. On the distribution of "*Bothropoma*" *rubrostriatum* (Rolán, Rubia & Fernández-García, 1997), with the introduction of *Emiliotica* n. gen. – Miscellanea Malac. 2(1): 13-18.
- * FABER, M.J., 2006. – Marine gastropods


from the ABC islands and other localities
12. Additional notes on the distribution of
Emiliotica rubrostriatum (Rolán, Rubia &
Fernández-García, 1997) – *Miscellanea*
Malac. 2(2): 40.

TURRIDAE

- * GARCÍA, E.F., 2006. – On *Daphnella* (*Paradaphne*) *retifera* Dall, 1889. – *Amer. Conchologist* 34(2): 23.
- * LI, B. & X., 2007. – An account of the Genus *Turris* species from the East and South China Sea. – *Zootaxa* No. 1397: 63-68.

VOLUTIDAE

- * LUZZATTO, D.C., 2006. – The biology and ecology of the giant free eggs capsules of *Adelomelon brasiliana* Lamarck, 1811. – *Malacologia* 49(1): 107-119.



Embryonic developmental stages of *Adelomelon brasiliana*. – *Malacologia* 49(1): 110.

BIVALVIA

GENERAL / ALGEMEEN

- * BIELER, R. & P.M. MIKKELSEN, 2006. – Bivalvia – a look at the Branches. – *Zool. J. Linnean Soc.* 148(3): 223-235.

REGIONAL / REGIONAAL

- * ŠILETIĆ, T., 2006. – Marine Fauna of Mljet National Park (Adriatic Sea, Croatia). 5. Mollusca: Bivalvia. – *Natura Croatica* 15(3): 109-169.

ANOMALODESMATA (Underclass)

- * HARPER, E.M., H. DREYER & G. STEINER, 2006. – Reconstructing the Anomalodesmata: morphology and molecules. – *Zool. J. Linnean Soc.* 148(3): 395-420.

ARCOIDEA (Order)

- * OLIVER, P.G. & A.M. HOLMES, 2006. – The Arcoidea: a review of the current phenetic-based systematics. – *Zool. J. Linnean Soc.* 148(3): 237-251.

CARDIIDAE

- * BERGAYOU, H. & A. MOUKRIM, 2006. – *Cerastoderma edule* (Linné, 1758) et *Scrobicularia plana* (da Costa, 1778): étude comparative de la croissance et des générations annuelles dans l'estuaire de l'Oued Souss (sud-ouest du Maroc), sous climat aride. – *Haliotis* 35: 19-28.

CORBULIDAE

- * WESSELENGH, E.P., 2006. – Evolutionary ecology of the Pachydontinae in the Pebas lake/wetland system (Miocene, western Amazonia). – *Scripta Geol.* No. 133: 395-417

CUSPIDARIIDAE

- * ZELAYA, D.G. & C. ITUARTE, 2006. – Redescription of Two Antarctic Species of *Cuspidaria*: *C. concentrica* Thiele, 1912 and *C. minima* (Egorova, 1993). – *The Veliger* 48(3): 170-177.

ICANOTIIDAE

- * See under Mytilidae.

LITTORINIDAE

- * HOLLANDER, J., D.C. ADAMS & K. JOHANNESSON, 2006. – Evolution of adaptation through allometric shifts in a marine shell. – *Evolution* 60(12): 2490-2497.

LUCINIDAE

- * COSEL, R. VON, 2006. – Taxonomy of tropical West African bivalves. VI. Remarks on Lucinidae *Zoosystema* 28(4): 805-851.
- * TAYLOR, J.D. & E.A. GLOVER, 2006. – Lucinidae – the most diverse group of chemosymbiotic molluscs. – *Zool. J. Linnean Soc.* 148(3): 421-438.

MONTACUTIDAE

- * HOLMES, A.M., J. GALLICHAN & H. WOOD, 2006. – *Coracuta obliquata* n. gen. (Chaster, 1897) – First British record for 100 years. – *J. Conch.* 39(2): 151-158.

MYIDAE

- * HOLMES, A., 2006. – Variation in *Sphenia binghami*. – *Mollusc World* No. 12: 20-21.

MYTILIDAE

- * BENBRAHIM, S., S. HADMI, M. TAHIRI, A. CHAFIK & F.Z. BOUTHIR, 2005. – Études des paramètres généraux de qualité des eaux marines et évolution des concentrations des métaux lourds chez la moule *Mytilus galloprovincialis* du littoral de Safi (Maroc). [with English abstract] – *Haliotis* 35: 39-48.
- * DOEKSEN, G. & B. FEENSTRA, 2007. – Gemarmerde streepschelpen (*Modiolarca subpicta*) in Tunicaten (*Synoicum pulmonaria*) van Terschelling. – *Het Zeepaard* 67(1): 14-16.
- * ID HALLA, M., A. ORBI & A. MOUKRIM, 2005. – Croissance des deux moules *Perna perna* et *Mytilus galloprovincialis* en élevage sur filières sub-flottantes en mer ouverte dans la baie d'Agadir. [with English abstract] – *Haliotis* 34: 49-64.

- * ÖZTÜRK, B., J.-M. POUTIERS, M. ÖNEN & A. DOĞAN, 2006. – On the Occurrence of *Rhomboidella prideaux* (Leach, 1815) in the Eastern Mediterranean. – *The Veliger* 48(3): 215-219.

- * PIMENOVA, E.A. & A.A. VARAKSIN, 2006. – Putative nitroxidergic cells in the digestive system of some mytilids revealed by NADPH-diaphorase histochemistry. – *Malacologia* 49(1): 61-77.

- * SIMONE, L.R.L. & E.P. GONÇALVES, 2006. – Anatomical study on *Myoforceps aristatus*, an invasive boring bivalve in S.E. Brazilian coast. – *Papéis Avulsos de Zoologia* 46(6): 57-65.

- * SQUIRES, R.L. & L.R. SAUL, 2006. – New Late Cretaceous Mytilid and Tellinoidean Bivalves from California. – *The Veliger* 48(3): 121-135.

OSTREIDAE

- * JONCKHEERE, I., 2006. – Nieuwe vestigingsplaats voor Japanse oesters *Crassostrea gigas* (Thunberg, 1793) [with English summary] – *De Strandvlo* Vol. 26: 135-139.

PECTINOIDEA (Order)

- * WALLER, T.R., 2006. – Phylogeny of families in the Pectinoidea: importance of the fossil record. – *Zool. J. Linnean Soc.* 148(3): 313-242.

PHARIDAE

- * ALBANO, P.G., 2006. – Apporti antropici di *Ensis directus* sulle spiagge del Medio Adriatico. [with English abstract]. – *Notiziario S.I.M.* 24(5-8): 11-12.

PINNIDAE

- * COSENTINO, A. & S. GIACOBBE, 2006. – Shell ornament in *Pinna nobilis* and *Pinna rudis*. – *J. Conch.* 39(2): 135-140.

PTERIIDAE

- * KIMANI, E.N., K.M. MAVUTI & T. MUKIAMA, 2006. – The reproductive activity of the pearl oyster *Pinctada imbricata* Röding 1798 in Gazi Bay, Kenya. – *Tropical Zool.* 19(2): 159-174.

PTERIOIDEA (Order)

- * TEMKIN, I., 2006. – Morphological perspective on the classification and evolution of Recent Pterioidea. – *Zool. J. Linnean Soc.* 148(3): 252-312.

PULVINITIDAE

- * TEMKIN, I., 2006. – Anatomy, shell morphology, and microstructure of the living fossil *Pulvinites exempla* (Hedley, 1914). – *Zool. J. Linnean* 148(3):523-552.

SOLENIIDAE

- * GASPAR, M.B. & R. CONSTANTINO, 2006. – Impacte da pesca de longueirão com sal nas comunidades bentónicas da Ria Formosa (Projecto SHARE). – *Portugala* No. 7: 5-6.


TELLINIDAE

- * VANHAELEN, M.-T., 2006. – Een buitenge-

wone zomerstranding van levende nonnetjes *Macoma baltica* te Koksijde en Oostduinkerke in 2006. [with English summary] – De Strandvlo Vol. 26: 135-144-146.

TRIGONIIDAE

- * CLODE, D., 2006. – The case of the missing mollusc. – In: Continent of curiosities. A journey Through Australian Natural History, chapter 7: 87-100.



Neotrigonia margaritacea, the first living trogonia to be described. – In: Continent of curiosities.

VENERIDAE

- * EL MOUSSAOUI, N., A. BERRAHO, A. ORBI & H. LABBARDI, 2005. – Cartographie du stock naturel et biologie de la palourde *Ruditapes decussatus* (L., 1758) dans la lagune de Moulay Bousseham (Maroc). [with English abstract] – *Haliotis* 34: 1-18.
- * LABBARDI, H., O. ETTAHIRI, A. BERRAHO, S. LAZAR, N. EL MOUSSAOUI & S. EL ELANTRI, 2005. – Influence des facteurs environnementaux sur la reproduction de la palourde européenne *Ruditapes decussatus* (L., 1758) dans une lagune côtière du nord-ouest africain: Moulay Bousseham, Maroc. [with English abstract] – *Haliotis* 34: 19-32.
- * LABBARDI, H., A. DONVAL, O. ETTAHIRI, S. LAZAR, A. BERRAHO, A. HMYENE & S. EL ELANTRI, 2005. – Étude de l'activité alimentaire chez la palourde européenne *Ruditapes decussatus* (Linné, 1758) dans une lagune côtière du nord-ouest africain: Moulay Bousseham, Maroc. [with English abstract] – *Haliotis* 34: 33-48.
- * SEMENIKHINA, O.YA., N.K. KOLOTUKHINA & G.A. EVSEEV, 2006. – Morphology of venerid larval shells from the Sea of Japan. [in Russian with English abstract] – *Zoologichesky Zhurnal* 85(9): 1043-1059.
- * TUROLLA, E., 2006. – Considerazioni sul ritrovamento di esemplari adulti di *Mercenaria mercenaria* (Linnaeus, 1758) in due laguna del Delta del Po. [with English abstract] – *Moll. Malacol.* 42(1-4): 1-4.
- * See also at Naticidae.

VENEROIDEA (Order)

- * MIKKELSEN, P.M., R. BIELER, I. KAPPNER & T.A. RAWLINGS, 2006. – Phylogeny of Veneroidea based on morphology and molecules. – *Zool. J. Linnean Soc.* 148(3): 439-521.

VESICOMYIDAE

- * KRYLOVA, E.M. & R. JANSSEN, 2006. – Vesicomylidae from Edison Seamount (South West Pacific: Papua New Guinea: New Ireland fore-arc basin). [mit deut-

scher Kurzfassung] – *Arch. Molluskenkunde* 135(2): 231-261.

SLUGS / NAAKTSLAKKEN

- * CHAN, J.M. & T.M. GOSLINER, 2007. – Preliminary Phylogeny of *Thordisa* with Descriptions of Five New Species. – *The Veliger* 48(4): 284-308.
- * DOMÍNGUEZ, M., F.J.GARCÍA & J.S. TRONCOSO, 2006. – A new species of *Hoplostoria* Bergh, 1880 from the Atlantic Ocean [*H. hansrosaorum*]. – *The Nautilus* 120(4): 150-155.
- * DOMÍNGUEZ, M., F.J.GARCÍA & J.S. TRONCOSO, 2006. – Some aspects of the family Chromodorididae from Brazil, with description of a new species. [*Chromodoris paulomarcioi*]. – *Scientia Marina* 70(4): 621-634.
- * FISCHER, M.A., G. VAN DER VELDE & E.W. ROUBOS, 2006. – Morphology, anatomy and histology of *Doto uva* Marcus, 1955) from the Chilean coast. – *Contr. to Zool.* 75(3-4): 145-159.
- * GOSLINER, T. & D.W. BEHRENS, 2006. – Anatomy of an Invasion: Systematics and Distribution of the Introduced Opisthobranch Snail, *Haminoea japonica* Pilsbry, 1895. – *Proc. Calif. Aca. Sci.* (4th series) 57(30): 1003-1010.
- * MALAQUIAS, M.A.E., 2006. – *Flabellina ilidioi*: una espécie em homenagem a Ildio Félix-Alves. – *Portugala* No. 7: 7.
- * MILLEN, S. & J. HAMANN, 2006. – A New Nudibranch Species, Genus *Flabellina* from the Caribbean with Redescriptions of *F. verta* (Marcus, 1970) and *F. dushia* (Marcus & Marcus, 1963). [*F. dana*] – *Proc. Calif. Aca. Sci.* (4th series) 57(30): 925-936.
- * SMITH, V.G. & T.M. GOSLINER, 2007. – Two New Species of *Marionia* from the Indo-Pacific Region. – *The Veliger* 48(4): 260-275.
- * VALLÈS, Y. & T.M. GOSLINER, 2006. – Shedding Light onto the Genera *Kaloplocamus* and *Plocamopherus* with Description of New Species Belonging to These Unique Bioluminescent Dorids. – *The Veliger* 48(3): 178-205.
- * WYETH, R.C., 2006. – Nudibranch Navigation: The Natural History of *Tritonia dionedeae*. – *Am Conchologist* 34(40): 8-11.

SCAPHOPODA (Class)

- * CUNEO, F., A. MARGELLI, E. CAMPANI & M. COPPINI, 2006. – Gastropoda e Scaphopoda dei fanghi litorali di Livorno. – *Moll. Malacol.* 42(1-4): 5-12.
- * PEEL, J.S., 2006. – Scaphopodization in palaeozoic molluscs. – *Paleontology* 49(6): 1357-1364.

CEPHALOPODA

- * ALVES, C. & A.-S. DARMAILLACQ, 2007. – Field and Laboratory Observations of *Sepia (Doratotsepion) elongata* d'Orbigny, 1845.
- * BET-SAYAD, W.V. & G.R. PARSONS, 2007. – Records of the Giant North Pacific Squid *Onykia robusta*. – *The Veliger* 48(4): 243-246.

- * HOVING, H.J.T., J. GOUD, E. GITTENBERGER & J.J. VIDELER, 2006. – A male giant squid, *Architeuthis* spec. from the Fladen Ground in the northern North Sea. – *Bacteria* 70(4-6): 153-160.



An arm of the *Architeuthis* species showing the biseriate distribution of the suckers. – *Bacteria* 70(4-6): 155

- * MARAIS, J. & A., 2006. – *Nautilus* a master of buoyancy control. – *The Strandloper* No. 283:14-16.

FOSSILS / FOSSIELEN

GENERAL/ ALGEMEEN


- * PAL, T. K., S.K. RAY, B. TALUKDER & A.K. JAITLEY, 2006. On the Megainvertebrate fauna of Cenozoic and Mesozoic of Kachchh, Gujarat stratigraphic implications. – *Rec. Zool. Surv. India, Occ. paper* No. 247: 1-46, 5 plates.

CEPHALOPODA

- * BÉCAUD, 2006. – Les Harpoceratinae, Hildoceratinae et Paroniceratinae du Toarcien de la Vendée et des Deux-Sèvres (France). [with English abstract] – *Docum. Lab. Géol. Lyon* No. 162: 3-245.
- * BERT, D., G. DELANOY & S. BERSAC, 2006. – Description de représentants nouveaux ou peu connus de la famille des Hemihoplitidae Spath, 1924 (Barrémien supérieur, Sud-est de la France): conséquences taxinomiques et phylétiques. [with English abstract] – *Ann. Mus. Hist. Nat. Nice* Vol.21: 179-253.
- * BERT, D., V. PERES & D. MARCHAND, 2006. – Nouvelles données stratigraphiques sur le Turonien moyen (Crétacé supérieur) du versant septentrional du seuil du Poitou (Centre-Ouest de la France): description de *Pseudotissotia faustinleybachae* sp. nov., et des Pseudotissotinae Hyatt, 1903 (Ammonoidea) ouest-européens. [with English abstract] – *Ann. Mus. Hist. Nat. Nice* Vol.21: 297-317.
- * DELANOY, G. & D. BERT, 2006. – Nouvelles unités taxinomiques de la famille des Heteroceratidae Spath, 1924. [with English abstract] – *Ann. Mus. Hist. Nat. Nice* Vol.21: 255-295.
- * EHIRO, M., 2006. – A new species of *Stacheoceras* (Permian ammonoid) from the Upper Permian in the South Kitakami Belt, Northeast Japan. – *Paleont. Res.* 10(3): 261-264.
- * GUEX, J., A. HUNGERBÜHLER, J. JENKS, D. TYOR & H. BUCHER, 2005. – Dix-huit nouveaux genres d'ammonites du Spathien (Trias inférieur) de l'Ouest américain

(Idaho, Nevada, Utah et Californie): note préliminaire. Bull. Soc. Vaudoise Sci. Nat. 89(3-4): 113-143.

- * GUEX, J., A. HUNGERBÜHLER, J. JENKS, D. TYOR & H. BUCHER, 2005. – Dix-neuf nouvelles espèces d'ammonites du Spathien (Trias inférieur) de l'Ouest américain (Idaho, Nevada, Utah et Californie): note préliminaire. – Bull. Soc. Vaudoise Sci. Nat. 89(3-4): 145-169.
- * KAPLAN, U., W.J. KENNEDY & U. SCHEER, 2006. – Ammoniten der Bottrop-Formation, Campanium, westliches Münsterland. – [with English abstract] – Geol. Paläont. Westf. No 67: 5-71.
- * LANDMAN, N.H., K. POLIZZOTTO, R.H. MAPES & K. TANABE, 2006. – Cameral membranes in prolecanitid and goniatitid ammonoids from the Permian Arcturus Formation, Nevada, USA. – Lethaia 39(4): 365-379.
- * LEBRUN, P., 2007. – *Crioceratites*. Une ammonite hétéromorphe. – Minéraux & Fossiles 33(357): 46-47.




Crioceratites cumieri. Lower Hauterivien, France. — Minéraux et Fossiles No. 357: 47.

- * SCHWEIGERT, G., V. DIETZE, H. KEUPP & R.B. CHANDLER, 2006. – Die Laus im Pelz. Ein Ammonit mit Parasitenbefall. – Fossilien 2006(6): 332-336.
- * SABATTINI, N., A.C. RICCARDI & M.A. PAGANI, 2006. – Cisuralian cephalopods from Patagonia, Argentina. – J. Paleont. 80(6): 1142-1151.
- * SHIGETA, Y. & H. MAEDA (eds), 2005. – The Cretaceous System in the Makarov Area, Southern Sakhalin, Russian Far East. – Nat. Sci. Mus. Tokyo Monographs No. 31: 1-135.
- * STUWE, Th., 2007. – Neuer Riesenammonit mit Mundsäum. [with English abstract] – Fossilien 2007(1): 21-24.
- * VERMEULEN, J., 2006. – Nouvelle classification à fondement phylogénétique des ammonites hétéromorphes du Crétacé inférieur. [with English abstract] – Ann. Mus. Hist. Nat. Nice Vol. XXI: 137-178.

OTHER FOSSILS

- * ANELLI, L.E., A.C. ROCHA-CAMPOS & M. SIMÕES, 2006. – Pennsylvanian pteriomorphian bivalves from the Piauí Formation, Parnaíba Basin, Brazil. – J. Paleont. 80(6): 1125-1141.
- * HÄGELE, G., 2006. – Die Sytematik fosiler Gastropoden. – Fossilien 2006(6): 355-358.
- * KRAUSE, K., 2006. – Zweiklappig überlifert Fossile Muscheln aus dem Astium Italiens. – Fossilien 2006(6): 371-373.
- * LANDAU, B., R. LA PERNA & R. MARQUET, 2006. – The Early Pliocene Gastropoda of Estepona, Southern Spain. Part 6: Triphorida, Epetonioidea, Eulimoidea. – Palaeontos No. 10: 1-96.
- * LAZO, D.G., 2006. – The occurrence of *Neocomiceramus curacoensis* (Weaver) in the Argio Formation, Neuquén Basin, Argentina. – J. Paleont. 80(6): 1113-1124.
- * MARQUET, R. & B. LANDAU, 2006. – The gastropod fauna of the Luchtbal Sand Member (Lillo Formation, Zamclean, Early Pliocene) of Antwerp region (Belgium). – Cainozoic Res. 5(1-2): 13-49.
- * PAPAIONOPOL, I., 2006. – Les Mollusques Méotiens de la zone des plis diapirs externes de Munténie (Bassin Dacique, Roumanie). [with English abstract] – Rom. J. Paleont. Vol 78A: 21-44, pls. 1-12.
- * PAPAIONOPOL, I., 2006. – Les Mollusques Romaniens des secteurs central et oriental de la plate-forme Moesienne (Bassin Dacique, Roumanie). [with English abstract] – Rom. J. Paleont. Vol 78A: 56-74, pls. 1-6.
- * PERRILLIAT, M.C., J. AVENDAÑO, F.J. VEGA & J. SOLÉ, 2006. – Lower Eocene Gastropods from El Bosque Formation, Central Chiapas, Mexico. – The Veliger 48(3): 151-169.
- * ROGALLA, N.S., & R.W. AMLER, 2006. – Taxonomie und Systematik der Hippocardioidea Pojeta & Runnegar, 1976 (n. superfam.) (Mollusca; Rostroconchia). [with English abstract] – Paleontologische Zeitschrift 80(4): 344-383.



Reproduction of the original figure of *Pleurorhynchus koninckii* Bailey, 1873. – Paleontologische Zeitschrift 80(4): 367.

- * SQUIRES, R.L., L.T. GROVES & J.T. SMITH, 2006. – New Information on Molluscan Paleontology and Depositional Environments of the Upper Pliocene Pico Formation, Valencia Area, Los Angeles County, Southern California. – Contributions in Science Nr. 511: 1-24.
- * WESSELIINGH E.P., 2006. – Molluscs from the Miocene Pebas Formation of Peruvian and Columbian Amazonia. [many new

species] – Scripta Geol. No. 133: 19-290.


- * See also Gastropoda: Cerithioidea, Nassariidae, Terebridae, Turbinidae; Bivalvia: Corbulidae, Mytilidae.

FIELD TRIPS / VELDWERK

- * GRATECAP, D., 2006. – Faune des îles Kerkennah (Tunisie). – Xenophora No. 117: 31-33.
- * SASAKI, T., 2006. – Molluscs collected from the intertidal zone in Manazuru, Kanagawa Prefecture, Japan. [in Japanese] – Chiribotan 37(3):100-108.
- * STEINEGGER, E., 2006. – Sur une île chinoise à la recherche des «Hai Luo». – Xenophora No. 117: 14-21.
- * WOLF, P.W., 2007. – Schnecken, Muscheln und Haizähne Florida im Januar 2006. [with English abstract] – Fossilien 2007(1): 52-55.
- * YKEMA, T. – 2007. – Nieuwe schelpenavonturen in Ierland, juli 2006. – Jaarverslag Schelpenwerkgroep Friesland.

MISCELANEA / VARIA

- * DANCE, S.P., 2006. – Japanese Shell-matching Game. – Amer. Conchologist 34(3): 12-13.
- * OKUTANI, T., 2006. – Seashells carried by octopuses in Morocco. [in Japanese with English abstract] – Chiribotan 37(3): 93-99.
- * SAITO, H. & R. UESHIMA, 2006. – Anthropomorphic chitons on a jar of the Nasca-people – the oldest figure of chitons? [in Japanese] – Chiribotan 37(3): 130-131.



A jar of the Nasca-people - the oldest figure of chitons? — Chiribotan 37(3): 130.

- * TIETZ, R.M., 2006. – Marine Mythology: some stories associated with sea creatures. – The Strandloper No. 281-282: 5-7.

