

END LOADING SIMPLE, SAFER & MORE EFFICIENT



TLH MODEL HORIZONTAL STORING DOCK LEVELER

THE ULTIMATE END LOAD SOLUTION

AN ENERGY EFFICIENT ALTERNATIVE TO VERTICAL STORING DOCK LEVELERS

NORDOCK® TELESCOPING-LIP™ Dock Levelers are installed in a pit behind an insulated dock door and level with the building floor. The insulated door closes to the pit floor in front of the leveler for optimum sealing and climate control. Unlike vertical storing levels, the TELESCOPING-LIP™ leveler eliminates the likelihood of a moving forklift impacting the stored leveler and provides additional and valuable floor space between and in front of the dock doors.

[CLICK HERE TO VIEW OUR ANIMATED TLH VIDEO](#)



TELESCOPING-LIP™ FEATURES & BENEFITS

- **TELESCOPING-LIP™ Eliminates End Load Issues** with Precise Lip Control, Avoiding Cargo Damage Forever
- Flush Storing Improves Sight lines and **Increases Floor Space** for Safe Cross Traffic Operation and Staging Area
- Inside Storage Allow Overhead Dock Doors to Close Tightly to the Pit Floor for an **Optimum Seal**
- Allows Swinging Trailer Doors to Open within Facility Walls
- **Continuous Fixed Rear Hinge** Provides Smooth Transfer with No Pinch Point
- **No Run-Off Guards** Eliminate Impact and Damage to Fork Lift Tires and Improves Maneuvering
- **Eliminates “Stuck Truck”** – Forklift becoming Stuck between Trailer Bed and Loading Dock
- **Eliminates Costly Installation** of Bollards, Stanchions and Guardrails
- NEMA 12 Control Panel Enclosure with Operator Instructions Printed on Cover
- 20” High **Laminated Dock Bumpers Included**

IMPROVE SIGHTLINES, INCREASE FLOOR SPACE & SAVINGS



Inside Storage Allow Overhead Dock Doors to Close to the Pit Floor

The TLH horizontal storing TELESCOPING-LIP™ dock leveler stores flush to the dock floor, improving driver sight lines and creating a clear open space for cross traffic operation and reduces installation costs by eliminating the need for guardrails, burying conduits, bollards and stanchions.

SPECIFICATIONS

The TLH comes with a standard 40" lip extension on 10' units and a 12" above/below service range. TLH models are available in load capacities of 30,000 to 100,000 lbs.

OPERATION

Simple push button controls enable the operator to raise and lower the ramp as well as control the extending and retracting of the lip at any time during operation for quick cycles and end load access. Dual maintenance stands for the decks are provided for added security & convenience.



REDUCED DAMAGE, LABOR COSTS & PERSONAL INJURY



The TLH provides infinite end load access with precise lip extension control, safely bridging the gap between deck and trailer bed for forklift access. Completely avoids all damage to cargo and/or forklift.

Hand unloading is eliminated forever – resulting in labor savings & a safer working environment.



TELESCOPING-LIP™ levelers come standard with the first true 360 degree BUMPER-TO-BUMPER™ 4-Sided Pit Seal

ELECTRICAL

External wall or stand-mounted totally enclosed non-ventilated 1.5 HP power unit available in all voltages. NEMA 12 dust tight control panel with motor starter, push button controls, emergency stop and operator instructions on hinged cover.

SYSTEM INTEGRATION

Various equipment integration systems are available to provide a safe sequence of operation. The dock leveler, door, vehicle restraint, air seal and communication lights should all be integrated to ensure an optimum safety system.

SUBMITTAL

PROJECT INFORMATION

Job Name: _____

Address: _____

General Contractor: _____

Distributor: _____

Model: _____

Quantity: _____

Capacity: 30K 40K 50K 60K 80K 100K

Voltage: Single Phase Three Phase 120V 208V

240V 480V 600V Other: _____

Integrated Control: Yes No

CERTIFIED BY CONSTRUCTION

Date: _____

Company: _____

Address: _____

MODELS & NOMINAL DIMENSIONS

MODEL*	WIDTH	LENGTH
TLH-610	6' 0"	10' 0"
TLH-710	7' 0"	10' 0"

*Add capacity required from 30,000 to 100,000 lbs. Example: TLH-78-40.

Contact a sales representative at **1-866-885-4276** or email **sales@nordockinc.com** for more information.

OPTIONS, ACCESSORIES & WARRANTIES

ADDITIONAL OPTIONS & ACCESSORIES

- Automatic Return to Dock Level
- Curb Angle Sets
- Dock Lights
- Wheel Based & PIT-HOOK™ Vehicle Restraints

WARRANTY

NORDOCK® guarantees the TLH TELESCOPING-LIP™ hydraulic dock levelers will perform as described and to the full satisfaction of the purchaser for one-year from date of receipt.

In addition, under specified guidelines a 10-Year structural and 20-Year hinge warranty are included.

Consult your NORDOCK® representative for assistance in choosing the correct capacity and options for your application.



**SMART-HOOK® & TRUCK-LOCK®
VEHICLE RESTRAINTS**



**LOGI-SMART® & INTEGRATED
CONTROL PANEL**



10-YEAR STRUCTURAL WARRANTY



**WEARTOUGH®
DOCK SEALS & SHELTERS**



**FALL-STOP™
SAFETY BARRIER GATES**



**BRUSH & ALL-SEAL™
WEATHER SEAL SYSTEMS**

SUPERIOR WARRANTIES

20 Full Width Rear Hinge
YEAR

10 Structural
YEAR

5 Hydraulic
YEAR

www.nordockinc.com – sales@nordockinc.com – Toll Free: 1-866-885-4276

NORDOCK® Inc. reserves the right to make changes to specifications without notice or obligation. NORDOCK® products are covered by numerous U.S. and foreign patents and pending applications.