

2018

PRODUCT LINE



W I T H   O V E R



O F   E X P E R I E N C E

in engineering quality source units, sound systems, and navigation systems for the mobile environment, Alpine knows how to overcome the challenges of optimizing the in-dash infotainment experience, and reproducing great sound in a vehicle. Elements like human-to-vehicle interaction, display viewing angle, outdoor environments, smartphone and factory integration, digital signal transfer, and speaker design affect the total driving experience. Only Alpine can provide a unique way to enjoy your vehicle and impact the human senses in sight, sound, and touch. No matter which Alpine upgrade you choose, you will enjoy unparalleled innovation backed by Alpine's expertise and technology.





JEEP  
WRANGLER  
SYSTEMS

**ALPINE RESTYLE**

**X209-WRA-OR** **NEW**

9-INCH WEATHER RESISTANT RESTYLE  
IN-DASH SYSTEM WITH OFF-ROAD MODE



**androidauto**

2011-2018 | JEEP WRANGLER JK

- 9" Large WVGA high-visibility display with capacitive touch screen and swipe graphical user interface
- Premium Quality OEM-Fit Weather Resistant dash system (rated at IP53)
- Off-Road Mode: on-screen vehicle tilt, tire pressure, trail recording and optimized camera view
- Plug and Play Installation with Factory-Compatible Wiring Harness
- DVD/CD/MP3/WMA/MPEG2 AAC/MPEG4 AAC/AW/DVD-Video/DVD-VR/FLAC
- Works with Apple CarPlay™
- The Google Assistant is available on Android Auto™
- 1.0m USB Cable Included
- My Favorites function
- Works with Pandora® Music for iPhone and Android™
- Built-in HD Radio™
- SiriusXM™-Ready
- Bluetooth® built-in for hands-free calling and audio streaming
- 50W x 4 High Power Amp
- 3 PreOuts (4V)
- Turn-by-Turn Navigation with built-in HERE® maps of the entire United States (including Alaska & Hawaii), Canada, and Puerto Rico
- Natural Sounding Guidance Instructions and Text-to-Speech (TTS)
- 3D City Map
- High Resolution Maps with anti-aliasing and 3D Landmark
- Lifetime HERE® Traffic Information Service for Major Metro Areas in the USA and Canada Included
- Retains factory steering wheel controls, Uconnect® and other factory features with iDataLink® Maestro® integration
- FLAC/MP3/WMA/AAC/HE-AAC music playback and AVI/MPEG4 video playback via USB
- Bass Engine SQ
- 9-band parametric Dual EQ
- 6-channel time correction
- MediaXpander® HD
- 1 HDMI output/1 HDMI input with optional KCX-630HD HDMI Switcher
- KCX-250MC Multi-Camera Switcher Ready
- Rearview Camera Distance Guide Display
- KAC-001 Accessory Controller Ready
- Alpine TuneIt App for iPhone® and Android™
- Compatible with Alpine Connect for Alpine Go!, MyQ®, Yelp®, iHeartRadio and Glympse® (subject to availability)



**i209-WRA** 2011-2018 | JEEP WRANGLER JK

9-INCH WEATHER RESISTANT RESTYLE MECH-LESS IN-DASH SYSTEM WITH APPLE CARPLAY & ANDROID AUTO

- 9" Large WVGA high-visibility display with capacitive touch screen and swipe graphical user interface
- Premium Quality OEM-Fit Weather Resistant dash system (rated at IP53)
- Plug and Play Installation with Factory-Compatible Wiring Harness
- Works with Apple CarPlay™
- The Google Assistant is available on Android Auto™
- 1.0m USB Cable Included
- My Favorites function
- Works with Pandora® Music for iPhone and Android™
- Built-in HD Radio™
- SiriusXM™-Ready
- Bluetooth® built-in for hands-free calling and audio streaming
- 50W x 4 High Power Amp
- 3 PreOuts (4V)
- Retains factory steering wheel controls, Uconnect® and other factory features with iDataLink® Maestro® integration
- FLAC/MP3/WMA/AAC/HE-AAC music playback and AVI/MPEG4 video playback via USB
- Bass Engine SQ
- 9-band parametric Dual EQ
- 6-channel time correction
- MediaXpander® HD
- 1 HDMI output/1 HDMI input
- KCX-630HD HDMI Switcher Ready
- KCX-250MC Multi-Camera Switcher Ready
- Rearview Camera Distance Guide Display
- KAC-001 Accessory Controller Ready
- Alpine TuneIt App for iPhone® and Android™



**i207-WRA** 2011-2018 | JEEP WRANGLER JK

7-INCH RESTYLE MECH-LESS IN-DASH SYSTEM WITH APPLE CARPLAY & ANDROID AUTO

- 7" WVGA display with capacitive touch screen and swipe graphical user interface
- Premium Quality OEM-Fit dash system
- Plug and Play Installation with Factory-Compatible Wiring Harness
- Works with Apple CarPlay™
- The Google Assistant is available on Android Auto™
- 1.0m USB Cable Included
- My Favorites function
- Works with Pandora® Music for iPhone and Android™
- Built-in HD Radio™
- SiriusXM™-Ready
- Bluetooth® built-in for hands-free calling and audio streaming
- 50W x 4 High Power Amp
- 3 PreOuts (4V)
- Retains factory steering wheel controls, Uconnect® and other factory features with iDataLink® Maestro® integration
- FLAC/MP3/WMA/AAC/HE-AAC music playback and AVI/MPEG4 video playback via USB
- Bass Engine SQ
- 9-band parametric Dual EQ
- 6-channel time correction
- MediaXpander® HD
- 1 HDMI output/1 HDMI input
- KCX-630HD HDMI Switcher Ready
- KCX-250MC Multi-Camera Switcher Ready
- Rearview Camera Distance Guide Display
- KAC-001 Accessory Controller Ready
- Alpine TuneIt App for iPhone® and Android™



**HCE-TCAM1-WRA**

SPARE TIRE MOUNT  
REAR-VIEW CAMERA

2007-UP | JEEP WRANGLER

- Compatible with most Aftermarket and OEM wheels using spare tire mount
- Works with Aftermarket or OEM in-dash display
- IP66 waterproof and dust-proof rugged camera system design
- Built-in brake and reverse lights for increased visibility
- Lug nut mounting for easy removal and wheel locking
- Optimized camera angle for near and far objects
- 3 mounting posts included for wheel/tire depth

**PSS-21WRA**

JEEP WRANGLER JK  
UNLIMITED DIRECT FIT  
SOUND SYSTEM

2015-2018 | JEEP WRANGLER JK UNLIMITED

- Direct fit speaker package for non-amplified 2015-2018 Jeep Wrangler JK Unlimited
- 50W X 4 + 120W RMS System Power
- 6.5" SPT-71 Front Dash 2-Way Component Speakers
- 6.5" SPT-70 Rear/Soundbar 2-Way Component Speakers
- 8" Powered Subwoofer (PWE-58)
- Under Passenger seat installation, plug & play
- MRV-F300 V-Power Amplifier
- Compatible with aftermarket head unit, or with the factory Jeep radio
- Bass Knob included
- Factory Speaker mounting brackets included
- Vehicle specific wiring harnesses





**PSS-22WRA** NEW

JEEP WRANGLER JK UNLIMITED WEATHER RESISTANT SOUND SYSTEM

2007-2018 | JEEP WRANGLER JK UNLIMITED

Direct fit water resistant (IP55) speaker package for non-amplified 2007 - 2018 4-door Jeep Wrangler JK Unlimited • 600W RMS System • SPV-65X-WRA - 6.5-inch Convertible Component/Coax water resistant speaker kit • SBV-10-WRA - 10-inch under passenger seat water resistant enclosed subwoofer • KTA-30FW - 75W X 4ch Water Resistant Amplifier • KTA-30MW - 300W Water Resistant Mono Amplifier • Plug & play sound system • Compatible with an Alpine Restyle In-Dash system, aftermarket head unit, or with the factory Jeep radio • Includes remote bass knob, vehicle specific harnesses and mounting brackets



**PSS-20WRA**

JEEP WRANGLER UNLIMITED DIRECT FIT SOUND SYSTEM

2007-2014 | JEEP WRANGLER JK UNLIMITED

Direct fit Sound System for Non-amplified 2007 - 2014 4-door Jeep Wrangler JK Unlimited • 320W RMS • SPT-71C-WRA - 6.5-inch 2-way component speakers with 1-inch premium silk dome tweeters • SPT-70-WRA - 6.5-inch coaxial speakers • PWE-S8 - 8-inch under passenger seat powered subwoofer • MRV-F300 - V-Power 4-channel amplifier • Plug & Play sound system • Compatible with an Alpine Restyle In-Dash system, aftermarket head unit, or with the factory Jeep radio • Includes remote bass knob, vehicle specific harnesses and mounting brackets



**PWE-S8-WRA**

COMPACT POWERED 8" SUBWOOFER SOUND SYSTEM

2011-2018 | JEEP WRANGLER JK UNLIMITED

120 Watts bass upgrade for 2011-2018 4-door Jeep Wrangler JK Unlimited (without factory equipped subwoofer system) • Mounts under driver seat • Works with Alpine or aftermarket head unit, or factory Jeep radio • Frequency Response: 32Hz- 150Hz • Dimensions 13-1/2" Wide x 9" Long x 3" Deep • Bass Knob included

**SBV-10-WRA** NEW

PRE-LOADED 10" SUBWOOFER SYSTEM

2011-2018 | JEEP WRANGLER JK UNLIMITED

10" Pre-loaded Sealed Custom-fit Enclosure • Weatherproof (IP66 rating) • Power Handling: 350W RMS/1050W Peak (CTA-2031 compliant) • Nominal Impedance 2Ω • Frequency Response: 45-200Hz • OEM-grade Molex 2-pin connector w/ pigtail wire harness



**SPV-65X-WRA** NEW

2-WAY SPEAKER SYSTEM

2011-2018 | JEEP WRANGLER JK

6.5" Component or Coaxial 2-Way Speaker System w/ Convertible Design • Weatherproof (IP55 rating) • Power Handling: 75W RMS/225W Peak (CTA-2031 compliant) • Nominal Impedance 4Ω • Frequency Response: 65-22kHz • 1" Teteron Dome Tweeter • Custom Steel Frame w/ factory speaker mounting tabs • OEM speaker connectors



**ALP-HRN-CAMCH**

CAMERA INPUT HARNESS FOR FACTORY JEEP/CHRYSLER RADIO WITH DISPLAY

2007-2018 | JEEP WRANGLER JK

4' RCA Camera Input Cable • Compatible with radio for 2007-Up 430 REN, 430 RBZ, 430 RHB, 730N RER or 730N RHR



**KAC-001**

EXTERNAL ACCESSORY CONTROL MODULE

(8) 250mA (-) accessory outputs • Pulsed, latched, or momentary output selection • Compatible with X110 series, X209 series, i207, X208U, X108U, INE-W977HD, INE-W967HD, iLX-107, iLX-207 and iLX-F309



**KCX-C250MC**

MULTI CAMERA SELECTOR INTERFACE

Allows up to 3 cameras to be added to X110 series, INE-W967HD, INE-W977HD, X108U, X208U, X109-WRA, X209-WRA, i209-WRA, and iLX-207 • 3M direct camera input cable included



**KCX-630HD**

HDMI SELECTOR INTERFACE


2 HDMI In / 1 HDMI Out • 1.5M HDMI Cable Included • Needed when adding DVD Player (DVE-5300) to X208U, X108U, INE-W977HD, INE-W967HD and iLX-207 to retain HDMI input • Needed to add HDMI to X110 series, X109 and X209



**KCX-C2600B** NEW

FRONT AND REAR CAMERA SELECTOR

Front and Rear Camera with view mode selection by external control button (included) • 2 Direct Inputs for front and rear cameras • 1 RCA Input for other cameras (Exclusive with Direct Input Rear Camera) • Universal RCA Output for other display devices • Compatible with all Alpine direct and universal cameras (sold separately)



**SGS-CH01** NEW

FACTORY RADIO CAMERA INTERFACE WITH ACTIVE GUIDE LINE SYSTEM FOR JEEP®/CHRYSLER®/DODGE®

2007-2018 | JEEP WRANGLER JK

Displays camera input on compatible factory radio screen • No reprogramming necessary • Overlay Active Guide lines on camera view • On-demand trigger wire for camera • Factory radio camera input harness for Jeep®/Chrysler®/Dodge® MyGIG Included • Works with HCE-TCAM1-WRA Spare Tire Rear-view Camera for Jeep Wrangler (sold separately) • Works with KCX-C2600B Front & Rear Camera Selector • Calibration guideline setting with ON/OFF function • Provides ACC power (12V 3A) for other add-on accessories • 3-ft RCA Video Cable Included • For Jeep®, Chrysler®, Dodge® models with MyGIG radio including: RER / REN / RHB / RBZ / RHR





**i209-GM** **NEW**  
 9-INCH RESTYLE MECH-LESS IN-DASH SYSTEM WITH APPLE CARPLAY & ANDROID AUTO™



androidauto

2014-2018 | GM FULL-SIZE TRUCKS

- 9" Large WXGA high-visibility display with capacitive touch screen and swipe graphical user interface
- Premium Quality OEM-fit dash bezel with integrated color matched control keys for Chevrolet & GMC
- Plug and play installation with factory-compatible wiring harness
- Works with Apple CarPlay™
- The Google Assistant is available on Android Auto™
- Alpine tuned (time correction, Dual HD EQ, MediaXpander® HD and crossover) for compatible Chevrolet® Silverado® and GMC® Sierra®
- 1.0m USB Cable Included
- My Favorites function
- Works with Pandora® Music for iPhone® and Android™
- Built-in HD Radio™
- SiriusXM™ Ready
- Built-in Bluetooth® for hands-free calling and audio streaming
- 50W x 4 high power amp
- 3 PreOuts (4V)
- Retains factory steering wheel controls, warning tones, OnStar® (with embedded phone and Wi-Fi Hotspot), and other factory features with iDataLink® Maestro®
- Displays performance gauges, vehicle information, visual parking assistance and climate status screens with iDataLink® Maestro®
- FLAC/MP3/WMA/AAC/HE-AAC music playback and AVI/MPEG4 video playback via USB
- Bass Engine SQ
- 9-band parametric Dual HD EQ
- 6-channel time correction
- MediaXpander® HD
- Retain factory BOSE® sound system with interface module (KCX-BOSE-GM sold separately)
- 1 HDMI Input / Expand to 2 HDMI inputs via HDMI selector (KCX-630HD sold separately)
- 1 HDMI Output
- 1 camera input for Alpine direct camera or universal camera. Expand to 3 camera inputs via multi-camera selector (KCX-C250MC sold separately)
- Adjustable guideline for rearview camera
- KAC-001 Accessory Controller Ready
- Alpine Tunelt App for iPhone® and Android™



**X110-SLV**  
 10-INCH RESTYLE DASH SYSTEM

2014-2018 | CHEVROLET SILVERADO

- 10" Large WXGA Capacitive Touch Screen Display with LED Backlighting
- DVD±R/±RW/CD-R/RW/MP3/WMA/AAC/FLAC playback
- Bluetooth Built-in for Hands-free Phone and Audio Streaming
- HD Radio with Smart Reception Management
- 50W x 4 High Power Amp
- High Accuracy Navigation System Built-in Hybrid Positioning Sensor System
- Voice Guidance and Text to Speech (TTS)
- High Resolution Maps with Anti-aliasing and 3D Landmark Icons



**X110-SRA**  
 10-INCH RESTYLE DASH SYSTEM

2014-2018 | GMC SIERRA

- 3D City Map
- USB Connection (Music/Video Playback Compatible)
- 1.5m USB Cable Included
- Made for iPod and iPhone
- Siri Eyes Free Mode
- My Favorites Setup
- SiriusXM™-Ready
- Automatic Personal Setting Change Function
- 24-bit DAC
- 9 Band Parametric Dual EQ
- 6-Channel Digital Time Correction
- High Pass Filter & Low Pass Filter



**X110-SRA-BLU**  
 10-INCH RESTYLE DASH SYSTEM

2014-2018 | GMC SIERRA

- MediaXpander™
- Preset Equalizer (10 modes)
- Subwoofer Control Functions
- 3 PreOuts (4V High Voltage)
- VisualEQ Function
- HDMI input and output
- Rearview Camera Distance Guide Display
- 8 Color Wallpaper Selection (Blue/Light Blue/Turquoise/Green/Red/Amber/Dark Yellow/Black)
- Multi Language Menu Display (Thai, Arabic, and Chinese Included)
- Wireless Remote Control Ready
- Steering Wheel Remote Control Ready
- Alpine Tunelt App Ready
- iDataLink® Maestro® Included
- KAC-001 Accessory Controller ready
- KCX-C250MC Multi-camera Switcher Ready
- KCX-630HD HDMI Switcher Ready
- Compatible with Alpine Connect for Alpine Go!, MyO®, Yelp®, iHeartRadio and Glympse® (subject to availability)



**X009-GM2** 2007-2013 GM TRUCKS

**9-INCH RESTYLE DASH SYSTEM**

9" Large WVGA Touch Screen Display with LED Backlighting • DVD±R/±RW/CD-R/RW/MP3/WMA/AAC/DivX Playback • Bluetooth Built-in for Hands-free Phone and Audio Streaming • HD Radio with Smart Reception Management • 50W x 4 High Power Amp • High Accuracy Navigation System Built-in • Hybrid Positioning Sensor System • Voice Guidance and Text to Speech (TTS) • High Resolution Maps with Anti-aliasing and 3D Landmark Icons • 3D City Map • USB Connection (Music/Video Playback Compatible) • 1.5m USB Cable Included • Made for iPod and iPhone • Siri Eyes Free Mode • My Favorites Setup • Automatic Personal Setting Change Function • Easy Sound Setup by Car Type • 24-bit DAC • 9-Band Parametric EQ • 6-Channel Digital Time Correction • High Pass Filter & Low Pass Filter • MediaXpander™ • Preset Equalizer (10 modes) • Subwoofer Control Functions • 3 PreOuts (4V High Voltage) • Live Contrast Function • VisualEQ Function • 2 AUX Inputs / 1 AUX Output • 1 HDMI Input • Optical Digital Output • Rearview Camera Distance Guide Display • 5 Color Wallpaper Selection (Blue/Red/Amber/Green/Black) • Multi Language Menu Display (Thai, Arabic, and Chinese Included) • Wireless Remote Control Ready • Steering Wheel Remote Control Ready • Alpine Tunelt App Ready • iDataLink® Maestro® Module Included

**X009-GM** 2007-2013 GM TRUCKS 2007-2014 GM SUVs

**9-INCH RESTYLE DASH SYSTEM**

9" Large WVGA Touch Screen Display with LED Backlighting • DVD±R/±RW/CD-R/RW/MP3/WMA/AAC/DivX Playback • Bluetooth Built-in for Hands-free Phone and Audio Streaming • HD Radio with Smart Reception Management • 50W x 4 High Power Amp • High Accuracy Navigation System Built-in • Hybrid Positioning Sensor System • Voice Guidance and Text to Speech (TTS) • High Resolution Maps with Anti-aliasing and 3D Landmark Icons • 3D City Map • USB Connection (Music/Video Playback Compatible) • 1.5m USB Cable Included • Made for iPod and iPhone • Siri Eyes Free Mode • My Favorites Setup • Automatic Personal Setting Change Function • Easy Sound Setup by Car Type • 24-bit DAC • 9-Band Parametric EQ • 6-Channel Digital Time Correction • High Pass Filter & Low Pass Filter • MediaXpander™ • Preset Equalizer (10 modes) • Subwoofer Control Functions • 3 PreOuts (4V High Voltage) • Live Contrast Function • VisualEQ Function • 2 AUX Inputs / 1 AUX Output • 1 HDMI Input • Optical Digital Output • Rearview Camera Distance Guide Display • 5 Color Wallpaper Selection (Blue/Red/Amber/Green/Black) • Multi Language Menu Display (Thai, Arabic, and Chinese Included) • Wireless Remote Control Ready • Steering Wheel Remote Control Ready • Alpine Tunelt App Ready • iDataLink® Maestro® Module Included

**HCE-TG130GM**

**TAILGATE HANDLE CAMERA**

2007-2013 GM TRUCKS

Direct bolt-in installation for 2007-2013 GM trucks • replaces stock tailgate surround bezel • integrated LED lighting for better low-light reverse visibility • High quality hair-line, chrome finish • Angle of field: horizontal 185 degree, vertical 144 degree • 4 viewing modes: corner view, ground view, panorama view, rear view • Codeable tailgate lock for use with your ignition key



**PSS-31GM**

**3-WAY SOUND SYSTEM**

2014-UP GM TRUCKS



Direct-fit sound system package bolts in to 2014+ GMC Sierra or Chevy Silverado crew cab trucks • Front 3-way speaker set: 8" Door Woofer, Dash mounted 2.5" midrange + 1" silk dome tweeter for optimum imaging/staging • Rear: 6.5" Coaxial Speaker • Subwoofer: Zero-Space Subwoofer and GM truck-specific enclosure provides deep bass and takes up zero under-seat space • 5-Channel V-Power System Amplifier provides a clean 40W x 4 + 150W x 1 RMS System Power • All factory speaker location mounting adapters included • Vehicle specific wiring harness included • not compatible with Bose factory-equipped trucks

**KAC-001**

**EXTERNAL ACCESSORY CONTROL MODULE**

(8) 250mA (-) accessory outputs • Pulsed, latched, or momentary output selection • Compatible with X110 series, X209 series, i209 series, i207, X208U, X108U, INE-W977HD, INE-W967HD, iLX-107, iLX-207 and iLX-F309



**KCX-C250MC**

**MULTI CAMERA SELECTOR INTERFACE**

Allows up to 3 cameras to be added to X110 series, INE-W967HD, INE-W977HD, X108U, X208U, X109-WRA, X209-WRA, i209-WRA, and iLX-207 • 3M direct camera input cable included



**KCX-630HD**

**HDMI SELECTOR INTERFACE**

2 HDMI In / 1 HDMI Out • 1.5M HDMI Cable Included • Needed when adding DVD Player (DVE-5300) to X208U, X108U, INE-W977HD, INE-W967HD and iLX-207 to retain HDMI input • Needed to add HDMI to X110 series, X109 and X209



**KCX-BOSE-GM**

**BOSE® SOUND SYSTEM INTERFACE**

2014-UP GM TRUCKS

Retain Bose® OEM amplifier for Alpine 10-Inch Restyle Dash System • USB Mounting Adapter Included • Plug and Play Easy connection



9"

9 - INCH  
RESTYLE  
SYSTEMS



## X009-U

### 9-INCH IN-DASH RESTYLE RECEIVER

- 9" Large WVGA Touch Screen Display with LED Backlighting
- DVD±R/±RW/CD-R/RW/MP3/WMA/ AAC/DivX Playback
- Bluetooth Built-in for Hands-free Phone and Audio Streaming
- HD Radio with Smart Reception Management
- 50W x 4 High Power Amp
- High Accuracy Navigation System Built-in
- Hybrid Positioning Sensor System
- Voice Guidance and Text to Speech (TTS)
- High Resolution Maps with Anti-aliasing and 3D Landmark Icons
- 3D City Map
- USB Connection (Music/Video Playback Compatible)
- 1.5m USB Cable Included
- Made for iPod and iPhone
- Siri Eyes Free Mode
- My Favorites Setup
- Automatic Personal Setting Change Function
- Easy Sound Setup by Car Type
- 24-bit DAC
- 9-Band Parametric EQ
- 6-Channel Digital Time Correction
- High Pass Filter & Low Pass Filter
- MediaXpander™
- Preset Equalizer (10 modes)
- Subwoofer Control Functions
- 3 PreOuts (4V High Voltage)
- Live Contrast Function
- VisualEQ Function
- 2 AUX Inputs / 1 AUX Output
- 1 HDMI Input
- Optical Digital Output
- Rearview Camera Distance Guide Display
- 5 Color Wallpaper Selection (Blue/ Red/ Amber/Green/Black)
- Multi Language Menu Display (Thai, Arabic, and Chinese Included)
- Wireless Remote Control Ready
- Steering Wheel Remote Control Ready
- Alpine TuneIt App Ready
- iDataLink® Maestro® Ready®



**X009-RAM** 2013-UP RAM TRUCKS



**X009-FD1** 2009-2014 SELECT FORD F-150



**X009-TND** 2007-2013 TOYOTA TUNDRA



**X009-FD2** 2013-2014 FORD F-150



**8"** 8-INCH  
RESTYLE  
SYSTEMS

**X208U** Works with Apple CarPlay **androidauto**  
8-INCH IN-DASH RESTYLE RECEIVER



- 8" WVGA display with capacitive touch screen and swipe graphical user interface
- Works with Apple CarPlay™
- The Google Assistant is available on Android Auto™
- 1.0m USB Cable Included
- My Favorites function
- Works with Pandora® Music for iPhone and Android™
- Built-in HD Radio™
- SiriusXM™-Ready
- Bluetooth® built-in for hands-free calling and audio streaming
- 50W x 4 High Power Amp
- 3 PreOuts (4V)
- Turn-by-Turn Navigation with built-in HERE® maps of the entire United States (including Alaska & Hawaii), Canada, and Puerto Rico
- Natural Sounding Guidance Instructions and Text-to-Speech (TTS)
- 3D City Map
- High Resolution Maps with anti-aliasing and 3D Landmark
- Lifetime HERE® Traffic Information Service for Major Metro Areas in the USA and Canada Included
- iDataLink connectivity for vehicle information and parking assist display on compatible vehicles
- FLAC/MP3/WMA/AAC/HE-AAC music playback and AVI/MPEG4 video playback via USB
- Bass Engine SQ
- 9-band parametric Dual EQ
- 6-channel time correction
- MediaXpander® HD
- 1 HDMI input & 1 HDMI output
- KCX-250MC Multi-Camera Switcher Ready
- Rearview Camera Distance Guide Display
- KAC-001 Accessory Controller Ready
- Alpine TuneIt App for iPhone® and Android™
- Compatible with Alpine Connect for Alpine Go!, MyQ®, Yelp®, iHeartRadio and Glympe® (subject to availability)



**KTX-GM8K2** 2014-2018 GM FULL SIZE TRUCK




**KTX-RPU8** 2013-UP RAM



**KTX-GM8-0** 2007-2014 GM TRUCK & SUV



**KTX-ALT-58** 2013-UP NISSAN ALTIMA



**KTX-CMY8-S** 2012-UP TOYOTA CAMRY



**KTX-FDB8** SELECT FORD VEHICLES



**KTX-UTB8**  
UNIVERSAL TRIM BEZEL  
Bezel designed specifically for X208U and X108U



## PWD-CB1

### ALPINE ICE, IN-COOLER ENTERTAINMENT SYSTEM



**LARGE & DURABLE:** 56 Quart roto-molded, heavy-duty water resistant (IPX5) ice chest cooler with Alpine embossed logo (inside lid and on back)



**MUSIC CONTROL:** Illuminated control panel with Bluetooth® Wireless Audio Streaming



**DESIGNED FOR ADVENTURES:** All components are water resistant, including the built-in 180 Watt Sound System

- Premium, roto-molded, heavy-duty ice chest cooler, with built in water resistant (IPX5) Alpine sound system
- 56 quart drink capacity or 72 12oz. cans
- 90 Watts x 2 (RMS) stereo sound, 2 Way component speaker system with water resistant 3/4" Tweeter, 5-1/4" speakers and 4" x 8" passive radiators
- Bluetooth® wireless audio streaming
- Illuminated control panel with volume up/down and power/pairing/source buttons.

- Grizzly molded-in heavy duty handles and hinges with BearClaw™ latching system
- Nylon rope handles with sleeve rubber grips
- Water drainage system with 2" plug & drain channel on the back of the cooler
- 3.5mm audio input (SOURCE Line in) & 3.5mm audio output (AUX line-out) to connect multiple cooler sound systems together for bigger sound
- 16.4' 12 Volt cigarette lighter power adapter included

- Vehicle battery low voltage monitoring system prevents vehicle's battery from completely discharging
- 10 Amp and 15 Amp selectable depending on cigarette lighter's output rating
- Dimensions: 34" (L) x 16-3/4" (W) x 17-7/8" (H)
- Weight: 48lbs. (dry weight, power cable not included)

APPLE  
CARPLAY

ANDROID  
AUTO

2D

APPLE CARPLAY &  
ANDROID AUTO / 2  
DIN SOLUTIONS

UNIVERSAL  
SOLUTIONS



## iLX-F309 **NEW**

ALPINE HALO9 9-INCH MECH-LESS AUDIO/VIDEO RECEIVER

9" WVGA display with capacitive touch screen and swipe graphical user interface • Halo style display with adjustable height, depth, and angle mounting bracket • Works with Apple CarPlay™ • The Google Assistant is available on Android Auto™ • 1.0m USB Cable Included • My Favorites function • Works with Pandora® Music for iPhone and Android™ • Built-in HD Radio™ • SiriusXM™-Ready • iDataLink connectivity for vehicle information and parking assist display on compatible vehicles • Bluetooth® built-in for hands-free calling and audio streaming • 50W x 4 High Power Amp • 3 PreOuts (4V) • FLAC/MP3/WMA/AAC/HE-AAC music playback and AVI/MPEG4 video playback via USB • Bass Engine SQ • 9-band parametric Dual EQ • 6-channel time correction • MediaXpander® HD • 1 HDMI input • KCX-630HD HDMI Switcher Ready • KCX-C2600B Multi-Camera Switcher Ready • Rearview Camera Distance Guide Display • KAC-001 Accessory Controller Ready • Alpine Tunelt App for iPhone® and Android®



androidauto



## iLX-107

7-INCH MECH-LESS IN-DASH RECEIVER WITH WIRELESS APPLE CARPLAY



Works with Apple CarPlay® over Wireless • 7" VGA display with capacitive touch screen • LED backlighting technology • Compatible with the Alpine Tunelt App for iPhone • 9-band parametric EQ • 6-channel time correction set by Alpine Tunelt App • MediaXpander® • 3 PreOuts with subwoofer level control • KAC-001 Accessory Controller Ready • Keep the Factory Controls with an iDataLink® Maestro® Module (sold separately) • Steering wheel remote control ready • Universal camera (RCA) option • KAC-001 Accessory Controller Ready



## iLX-207

7-INCH MECH-LESS AUDIO/VIDEO RECEIVER



androidauto

7" WVGA display with capacitive touch screen and swipe graphical user interface • Works with Apple CarPlay™ • The Google Assistant is available on Android Auto™ • 1.0m USB Cable Included • My Favorites function • Works with Pandora® Music for iPhone and Android™ • Built-in HD Radio™ • SiriusXM™-Ready • iDataLink connectivity for vehicle information and parking assist display on compatible vehicles • Bluetooth® built-in for hands-free calling and audio streaming • 50W x 4 High Power Amp • 3 PreOuts (4V) • FLAC/MP3/WMA/AAC/HE-AAC music playback and AVI/MPEG4 video playback via USB • Bass Engine SQ • 9-band parametric Dual EQ • 6-channel time correction • MediaXpander® HD • 1 HDMI input • KCX-630HD HDMI Switcher Ready • KCX-250MC Multi-Camera Switcher Ready • Rearview Camera Distance Guide Display • KAC-001 Accessory Controller Ready • Alpine Tunelt App for iPhone® and Android®

## INE-W977HD

7-INCH MECH-LESS NAVIGATION RECEIVER



androidauto



7" WVGA display with capacitive touch screen and swipe graphical user interface • Works with Apple CarPlay™ • The Google Assistant is available on Android Auto™ • Android Auto™ compatible • 1.0m USB Cable Included • My Favorites function • Works with Pandora® Music for iPhone and Android™ • Built-in HD Radio™ • SiriusXM™-Ready • Bluetooth® built-in for hands-free calling and audio streaming • 50W x 4 High Power Amp • 3 PreOuts (4V) • Turn-by-Turn Navigation with built-in HERE® maps of the entire United States (including Alaska & Hawaii), Canada, and Puerto Rico • Natural Sounding Guidance Instructions and Text-to-Speech (TTS) • 3D City Map • High Resolution Maps with anti-aliasing and 3D Landmark • Lifetime HERE® Traffic Information Service for Major Metro Areas in the USA and Canada Included • iDataLink connectivity for vehicle information and parking assist display on compatible vehicles • FLAC/MP3/WMA/AAC/HE-AAC music playback and AVI/MPEG4 video playback via USB • Bass Engine SQ • 9-band parametric Dual EQ • 6-channel time correction • MediaXpander® HD • 1 HDMI input & 1 HDMI output • KCX-250MC Multi-Camera Switcher Ready • Rearview Camera Distance Guide Display • KAC-001 Accessory Controller Ready • Alpine Tunelt App for iPhone® and Android™ • Compatible with Alpine Connect for Alpine Go!, MyQ®, Yelp®, iHeartRadio and Glympe® (subject to availability)

## INE-W957HD

7-INCH AUDIO/VIDEO/NAVIGATION RECEIVER



7" WVGA Touch Screen Display with LED Backlighting • DVD±R/±RW/CD-R/RW/MP3/WMA/AAC/DivX Playback • Bluetooth Built-in for Hands-free Phone and Audio Streaming • HD Radio with Smart Reception Management • 50W x 4 High Power Amp • High Accuracy Navigation System Built-in • Hybrid Positioning Sensor System • Voice Guidance and Text to Speech (TTS) • High Resolution Maps with Anti-aliasing and 3D Landmark Icons • 3D City Map • USB Connection (Music/Video Playback Compatible) • 1.5m USB Cable Included • Made for iPod and iPhone • Siri Eyes Free Mode • App Direct Mode • My Favorites Setup • Automatic Personal Setting Change Function • Easy Sound Setup by Car Type • 24-bit DAC • 9-Band Parametric EQ • 6-Channel Digital Time Correction • High Pass Filter & Low Pass Filter • MediaXpander™ • Preset Equalizer (10 modes) • Subwoofer Control Functions • 3 PreOuts (4V High Voltage) • Live Contrast Function • VisualEQ Function • 2 AUX Inputs / 1 AUX Output • 1 HDMI Input • Dual Zone Video Ready • Optical Digital Output • Rearview Camera Distance Guide Display • 5 Color Wallpaper Selection (Blue/Red/Amber/Green/Black) • Multi Language Menu Display (Thai, Arabic, and Chinese Included) • Wireless Remote Control Ready • Steering Wheel Remote Control Ready • Alpine Tunelt App Ready • iDataLink® Maestro® Ready

## INE-W960HDMI

6.1-INCH NAVIGATION RECEIVER WITH SIRIUSXM TUNER

6.1" High Resolution WVGA Touch Screen Display • 3 PreOuts (4V) with subwoofer level control for sound system expansion • SXV300 SiriusXM Tuner and antenna Included, plus 3 months free SiriusXM subscription • Works with Pandora® Music for iPhone, Android™, and Blackberry® • HDMI input • Built-in Navigation with 3D & 2D mapping • Voice guidance with Text-to-Speech (TTS), select from 3 languages (English, Spanish & French) • Bluetooth® built-in for hands-free calling and audio streaming • Compatible with Alpine Tunelt App for iPhone and Android™ • USB connection for iPod and iPhone or USB memory devices • MP3/WMA/AAC music playback • DivX Certified® to play DivX® video, including premium content • 9-band Parametric EQ • High-pass & Low-pass filter • 6-channel Digital time correction • MediaXpander® • Steering wheel remote control ready



**CDE-172BT** **NEW**

ADVANCED BLUETOOTH® CD RECEIVER

- 50W x 4 High Power Amp
- Built-in Bluetooth Module
- BT Audio Streaming
- Works with Pandora® Music
- SiriusXM SXV300 Ready
- FLAC/CD-R/RW/MP3/WMA/AAC Playback
- Front USB port
- Made for iPod and iPhone (requires KCU-445i)
- Siri Eyes Free Mode
- Android Open Accessory 2.0
- Front AUX Input (3.5mm mini jack)
- 3-Band Parametric EQ
- High-pass/Low-pass Filter
- 24-Bit DAC
- Steering Wheel Remote Control Ready
- KTP-445A Power Pack Ready
- 3 PreOuts (4V)
- Hands-free Microphone Included
- RGB Lighting
- Bass Engine S0
- Radio Broadcast Data System (RBDS) Text Information



**CDE-170** **NEW**

ADVANCED CD RECEIVER

50W x 4 High Power Amp • FLAC/CD-R/RW/MP3/WMA Playback • Front USB port • Android Open Accessory 2.0 • Front AUX Input (3.5mm mini jack) • 3-Band Parametric EQ • High-pass/Low-pass Filter • 24-Bit DAC • Steering Wheel Remote Control Ready • KTP-445A Power Pack Ready • 2PreOuts (2V) • Bass Engine S0 • Radio Broadcast Data System (RBDS) Text Information



**UTE-73BT** **NEW**

ADVANCED BLUETOOTH® MECH-LESS DIGITAL RECEIVER

50W x 4 High Power Amp • Built-in Bluetooth Module • BT Audio Streaming • Works with Pandora® Music • Mech-less • FLAC/MP3/WMA/AAC Playback • Front USB port • Made for iPod and iPhone (requires KCU-445i) • Siri Eyes Free Mode • Android Open Accessory 2.0 • Front AUX Input (3.5mm mini jack) • 3-Band Parametric EQ • High-pass/Low-pass Filter • 24-Bit DAC • Steering Wheel Remote Control Ready • KTP-445A Power Pack Ready • 3 PreOuts (2V) • Hands-free Microphone Included • RGB Lighting • Bass Engine S0 • Radio Broadcast Data System (RBDS) Text Information



**CDE-SXM145BT**

ADVANCED BLUETOOTH® CD/SIRIUSXM RECEIVER

50W x 4 High Power Amp • Built-in Bluetooth Module • BT Audio Streaming • SiriusXM SXV300 included with Tune Start and Tune Scan • CD-R/RW/MP3/WMA Playback • Front USB port • Made for iPod and iPhone (requires KCU-445i) • Siri Eyes Free Mode • App Direct Mode • Front AUX Input (3.5mm mini jack) • 3-Band Parametric EQ • High pass Filter • 24-Bit DAC • Steering Wheel Remote Control Ready • Remote Control Ready • KTP-445A Power Pack Ready • 2 PreOuts (2V) • Hands-free Microphone Included



**CDE-W265BT**

ADVANCED BLUETOOTH® CD RADIO RECEIVER

50W x 4 High Power Amp • Built-in Bluetooth Module • Advanced Bluetooth Functions (BT Plus) • BT Audio Streaming • SiriusXM SXV300 Ready • CD-R/RW/MP3/WMA Playback • Front USB port • Made for iPod and iPhone • Siri Eyes Free Mode • App Direct Mode • Front AUX Input (3.5mm mini jack) • 9-Band Parametric EQ • Preset EQ (10 modes) • 6-channel Time Correction • 3-way Crossover • Steering Wheel Remote Control Ready • Remote Control Ready • KTP-445A Power Pack Ready • 3 PreOuts (4V) • 2-Line Large LCD Display • Separate RGB Illumination for buttons and display • Clock • Hands-free Microphone Included • Radio Broadcast Data System (RBDS) Text Information • Alpine TuneIt App Ready



**CDE-163BT**

ADVANCED BLUETOOTH® CD RECEIVER

50W x 4 High Power Amp • Alpine TuneIt App Ready • Built-in Bluetooth Module • Advanced Bluetooth Functions (BT Plus) • BT Audio Streaming • SiriusXM SXV300 Ready • FLAC/CD-R/RW/MP3/WMA Playback • Front USB port • Made for iPod and iPhone (requires KCU-445i) • Siri Eyes Free Mode • Front AUX Input (3.5mm mini jack) • App Direct Mode • 9-Band Parametric EQ • 3-way Crossover • 24-Bit DAC • Steering Wheel Remote Control Ready • KTP-445A Power Pack Ready • 3 PreOuts (4V) • Hands-free Microphone Included • RGB Lighting • Bass Engine S0 • Opening Screen Customization



**CDE-HD149BT**

ADVANCED BLUETOOTH® CD/HD RADIO RECEIVER

• 50W x 4 High Power Amp • Alpine TuneIt App Ready • Android Pandora Control • HD Radio with Smart Reception Management • Advanced Bluetooth Functions (BT Plus) • BT Audio Streaming • SiriusXM SXV300 ready • CD-R/RW/MP3/WMA/AAC Playback • Rear USB with included USB extension Cable • Made for iPod and iPhone • App Direct Mode • 9-Band Graphic EQ • 6-channel Time Correction • 3-way Crossover • MediaXpander • 24-Bit DAC • Steering Wheel Remote Control Ready • KTP-445A Power Pack Ready • 3 PreOuts (4V) • Hands-free Microphone Included • Quad-Illumination • 3-Line Display



## X-SERIES SPEAKERS

### X-S69C Hi-Res Audio

6X9" COMPONENT 2-WAY SPEAKER  
CTA-2031 Speaker rating: 120W RMS, 360W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response 60Hz-40kHz • 1" Carbon Graphite Tweeter

### X-S65C Hi-Res Audio

6-1/2" COMPONENT 2-WAY SPEAKER  
CTA-2031 Speaker specifications: 120W RMS, 360W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response 60Hz-40kHz • 1" Carbon Graphite Tweeter

### X-S65 Hi-Res Audio

6-1/2" COAXIAL 2-WAY SPEAKER  
CTA-2031 Speaker rating: 110W RMS, 330W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response 60Hz-40kHz • 1" Carbon Graphite Tweeter


## X-SERIES SUBWOOFERS

### X-W12D4

12" SUBWOOFER (4Ω+4Ω)  
CTA-2031 Speaker Specifications: 900W RMS, 2700W Peak Power Handling • Frequency Response: 23Hz-200Hz • Mounting Depth 7-1/4"

### X-W10D4

10" SUBWOOFER (4Ω+4Ω)  
CTA-2031 Speaker Specifications: 900W RMS, 2700W Peak Power Handling • Frequency Response: 26Hz-200Hz • Mounting Depth 7-3/8"



## X-SERIES AMPLIFIERS

### X-A90V Hi-Res Audio

5-CHANNEL POWER DENSITY AMPLIFIER  
100W RMS x4 + 500W RMS x1 (2Ω, 14.4V, ≤ 1% THD+N) | 75W RMS x4 + 300W x1 (4Ω, 14.4V, ≤ 1% THD+N) • 87dB S/N (ref. 1W into 4Ω)

### X-A90M Hi-Res Audio

MONO POWER DENSITY AMPLIFIER  
900W RMS x1 (2Ω, 14.4V, ≤ 1% THD+N) | 600W RMS x1 (4Ω, 14.4V, ≤ 1% THD+N) • 83dB S/N (ref. 1W into 4Ω)

### X-A70F Hi-Res Audio

4/3/2 CHANNEL POWER DENSITY AMPLIFIER  
175W RMS x4 (2Ω, 14.4V, ≤ 1% THD+N) | 120W RMS x4 (4Ω, 14.4V, ≤ 1% THD+N) • 87dB S/N (ref. 1W into 4Ω)



### PDX-V9

5-CHANNEL POWER DENSITY AMPLIFIER  
100W RMS x 4 + 500 RMS x 1 (4Ω / 2Ω, 14.4V, ≤ 1% THD+N) • 92dB S/N (ref: 1W into 4Ω)

### PDX-F6

4/3/2 CHANNEL POWER DENSITY AMPLIFIER  
150W RMS x 4 (4Ω / 2Ω, 14.4V, ≤ 1% THD+N) • 96dB S/N (ref: 1W into 4Ω)

### PDX-M12

MONO POWER DENSITY AMPLIFIER  
1200W RMS x 1 (4Ω / 2Ω, 14.4V, ≤ 1% THD+N) • 92dB S/N (ref: 1W into 4Ω)



## R-SERIES SPEAKERS

### R-S65C

6-1/2" COMPONENT  
2-WAY SPEAKER  
CTA-2031 Speaker rating:  
100W RMS, 300W Peak Power  
Handling, Nominal Impedance  
4Ω • Frequency Response  
65Hz-29kHz • 1" Silk Tweeter

### R-S65

6-1/2" COAXIAL 2-WAY  
SPEAKER  
CTA-2031 Speaker rating:  
100W RMS, 300W Peak Power  
Handling, Nominal Impedance  
4Ω • Frequency Response  
65Hz-29kHz • 1" Silk Tweeter

### R-S69

6X9" COAXIAL 2-WAY  
SPEAKER  
CTA-2031 Speaker rating:  
100W RMS, 300W Peak Power  
Handling, Nominal Impedance  
4Ω • Frequency Response  
60Hz-29kHz • 1" Silk Tweeter

### R-S68

6X8" COAXIAL 2-WAY  
SPEAKER  
CTA-2031 Speaker rating:  
100W RMS, 300W Peak Power  
Handling, Nominal Impedance  
4Ω • Frequency Response  
63Hz-29kHz • 1" Silk Tweeter

### SPR-50C

5-1/4" COMPONENT  
2-WAY SPEAKER  
CTA-2031 Speaker rating:  
100W RMS, 300W Peak Power  
Handling, Nominal Impedance  
4Ω • Frequency Response:  
70Hz-29kHz • 1" Silk Tweeter

### SPR-50

5-1/4" COAXIAL 2-WAY  
SPEAKER  
CTA-2031 Speaker rating:  
90W RMS, 270W Peak Power  
Handling, Nominal Impedance  
4Ω • Frequency Response:  
70Hz-29kHz



**R** SERIES

## R-SERIES SUBWOOFERS

### R-W12D2\*/R-W12D4\*\*

12" SUBWOOFER (\*2Ω+2Ω) (\*\*4Ω+4Ω)  
CTA-2031 Speaker Specifications: 750W RMS, 2250W Peak Power Handling • Frequency Response:  
24Hz-200Hz • Mounting Depth 6-3/8"

### R-W10D2\*/R-W10D4\*\*

10" SUBWOOFER (\*2Ω+2Ω) (\*\*4Ω+4Ω)  
CTA-2031 Speaker Specifications: 750W RMS, 2250W Peak Power Handling • Frequency Response:  
26Hz-200Hz • Mounting Depth 5-7/8"

### SWR-8D2\*/SWR-8D4\*\*

8" SUBWOOFER (\*2Ω+2Ω) (\*\*4Ω+4Ω)  
CTA-2031 Speaker Specifications: 350W RMS, 1000W Peak Power Handling • Frequency Response  
30Hz-200Hz • Mounting Depth 4-1/2"

## R-SERIES SUBWOOFER GRILLES

### KTE-8G

8" WOOFER GRILLE SYSTEM  
Compatible with 8" R-Series and 8" S-Series  
Subwoofers

### KTE-10G

10" WOOFER GRILLE SYSTEM  
Compatible with 10" Type-R and Type-S subwoofers

### KTE-10G.2 **NEW**

10" WOOFER GRILLE SYSTEM  
Compatible with 10" R-Series and 10" S-Series  
Subwoofers

### KTE-12G

12" WOOFER GRILLE SYSTEM  
Compatible with 12" Type-R and Type-S subwoofers

### KTE-12G.2 **NEW**

12" WOOFER GRILLE SYSTEM  
Compatible with 12" R-Series and 12" S-Series  
Subwoofers



## R-SERIES THIN SUBWOOFERS

### SWR-T12

12" THIN SUBWOOFER (4Ω)  
CTA-2031 Speaker Specifications: 600W RMS, 1800W Peak Power Handling • Frequency  
Response: 26Hz-200Hz • Mounting Depth 3-1/2"

### SWR-T10

10" THIN SUBWOOFER (4Ω)  
CTA-2031 Speaker Specifications: 600W RMS, 1800W Peak Power Handling • Frequency  
Response: 28Hz-200Hz • Mounting Depth 3-1/4"

## R-SERIES AMPLIFIERS

### PDR- V75

5-CHANNEL POWER DENSITY  
REFERENCE AMPLIFIER  
100W RMS x 4 + 350 RMS x 1 (2Ω, 14.4V, ≤ 1%  
THD+N) • 75W RMS x 4 + 250 RMS x 1 (4Ω, 14.4V,  
≤ 1% THD+N) • 87dB S/N (ref: 1W into 4Ω)

### PDR-F50

4/3/2 CHANNEL POWER DENSITY  
REFERENCE AMPLIFIER  
125W RMS x 4 (2Ω, 14.4V, ≤ 1% THD+N) • 85W  
RMS x 4 (4Ω, 14.4V, ≤ 1% THD+N) • 87dB S/N (ref:  
1W into 4Ω)


### PDR-M65

MONO POWER DENSITY AMPLIFIER  
650W RMS x 1 (2Ω, 14.4V, ≤ 1% THD+N) • 450W  
RMS x 1 (4Ω, 14.4V, ≤ 1% THD+N) • 87dB S/N (ref:  
1W into 4Ω)





S - SERIES  
SOUND  
SYSTEMS



## S-SERIES SPEAKERS

### S-S65C **NEW**

6-1/2" COMPONENT 2-WAY SPEAKER SET  
Power Handling: 80W RMS/240W Peak (CTA-2031 compliant) • Nominal Impedance 4Ω • Frequency Response: 70-22kHz • 1" Silk Dome Tweeter • CFRP (Carbon Fiber Reinforced Plastic) Cone • H.A.M.R. Surround • Custom Stamped Steel Frame • 35mm voice coil • Optional grille sold separately (KTE-S65G)

### S-S65 **NEW**

6-1/2" COAXIAL 2-WAY SPEAKER SET  
Power Handling: 80W RMS/240W Peak (CTA-2031 compliant) • Nominal Impedance 4Ω • Frequency Response: 70-22kHz • 1" Silk Dome Tweeter • CFRP (Carbon Fiber Reinforced Plastic) Cone • H.A.M.R. Surround • Custom Stamped Steel Frame • 35mm voice coil • Optional grille sold separately (KTE-S65G)

### S-S69C **NEW**

COMPONENT 2-WAY SPEAKER SET  
Power Handling: 85W RMS/260W Peak (CTA-2031 compliant) • Nominal Impedance 4Ω • Frequency Response: 65-22kHz • 1" Silk Dome Tweeter • CFRP (Carbon Fiber Reinforced Plastic) Cone • H.A.M.R. Surround • Custom Stamped Steel Frame • 35mm voice coil • Optional grille sold separately (KTE-S69G)

### S-S69 **NEW**

6X9" COAXIAL 2-WAY SPEAKER SET  
Power Handling: 85W RMS/260W Peak (CTA-2031 compliant) • Nominal Impedance 4Ω • Frequency Response: 65-22kHz • 1" Silk Dome Tweeter • CFRP (Carbon Fiber Reinforced Plastic) Cone • H.A.M.R. Surround • Custom Stamped Steel Frame • 35mm voice coil • Optional grille sold separately (KTE-S69G)

### S-S57 **NEW**

5X7" COAXIAL 2-WAY SPEAKER SET  
Power Handling: 75W RMS/230W Peak (CTA-2031 compliant) • Nominal Impedance 4Ω • Frequency Response: 73-22kHz • 1" Silk Dome Tweeter • CFRP (Carbon Fiber Reinforced Plastic) Cone • H.A.M.R. Surround • Custom Stamped Steel Frame • 30mm voice coil

### S-S50 **NEW**

5-1/4" COAXIAL 2-WAY SPEAKER SET  
Power Handling: 55W RMS/170W Peak (CTA-2031 compliant) • Nominal Impedance 4Ω • Frequency Response: 80-22kHz • 1" Silk Dome Tweeter • CFRP (Carbon Fiber Reinforced Plastic) Cone • H.A.M.R. Surround • Custom Stamped Steel Frame • 25mm voice coil • Optional grille sold separately (KTE-S50G)

### S-S40 **NEW**

4" COAXIAL 2-WAY SPEAKER SET  
Power Handling: 45W RMS/140W Peak (CTA-2031 compliant) • Nominal Impedance 4Ω • Frequency Response: 97-22kHz • 3/4" Silk Dome Tweeter • CFRP (Carbon Fiber Reinforced Plastic) Cone • H.A.M.R. Surround • Custom Stamped Steel Frame • 25mm voice coil



## S-SERIES SPEAKER GRILLES

### KTE-S69G **NEW**

6X9" S-SERIES SPEAKER GRILLE  
Detachable steel mesh grille • Speaker grille pair for S-S69C and S-S69 speakers

### KTE-S65G **NEW**

6-1/2" S-SERIES SPEAKER GRILLE  
Detachable steel mesh grille • Speaker grille pair for S-S65C and S-S65 speakers

### KTE-S50G **NEW**

5-1/4" S-SERIES SPEAKER GRILLE  
Detachable steel mesh grille • Speaker grille pair for S-S50 speakers

## S-SERIES SUBWOOFERS

### S-W12D2\*/S-W12D4\*\* **NEW**

12" SUBWOOFER (\*2Ω+2Ω) (\*\*4Ω+4Ω)  
12" DVC High Performance Subwoofer • Power Handling: 600W RMS/1800W Peak (CTA-2031 compliant) • Push-type Insert Terminals with DVC jumper system • Concealed Mount Gasket/Grille\* System (\*Grille sold separately) • Frequency Response: 24Hz-200Hz • Mounting Depth 5-1/16"

### S-W10D2\*/S-W10D4\*\* **NEW**

10" SUBWOOFER (\*2Ω+2Ω) (\*\*4Ω+4Ω)  
10" DVC High Performance Subwoofer • Power Handling: 600W RMS/1800W Peak (CTA-2031 compliant) • Push-type Insert Terminals with DVC jumper system • Concealed Mount Gasket/Grille\* System (\*Grille sold separately) • Frequency Response: 26Hz-200Hz • Mounting Depth 4-11/16"

### S-W8D2\*/S-W8D4\*\* **NEW**

8" SUBWOOFER (\*2Ω+2Ω) (\*\*4Ω+4Ω)  
8" DVC High Performance Subwoofer • Power Handling: 300W RMS/900W Peak (CTA-2031 compliant) • Push-type Insert Terminals with DVC jumper system • Concealed Mount Gasket/Grille\* System (\*Grille sold separately) • Frequency Response: 34Hz-200Hz • Mounting Depth 3-3/4"

### SWS-12D2\*/SWS-12D4\*\*

15" SUBWOOFER (\*2Ω+2Ω) (\*\*4Ω+4Ω)  
CTA-2031 Speaker Specification: 500W RMS, 1500W Peak Power Handling • Frequency Response: 24Hz-200Hz • Mounting Depth 7"

### SWS-10D2\*/SWS-10D4\*\*

15" SUBWOOFER (\*2Ω+2Ω) (\*\*4Ω+4Ω)  
CTA-2031 Speaker Specification: 500W RMS, 1500W Peak Power Handling • Frequency Response: 24Hz-200Hz • Mounting Depth 7"



## S-SERIES AMPLIFIERS



### MRV-M1200

MONO V-POWER AMPLIFIER  
1200W RMS x 1 (2Ω, 14.4V, ≤ 1% THD+N) • 600W RMS x 1 (4Ω, 14.4V, ≤ 1% THD+N) • 85dB S/N (ref: 1W into 4Ω)

### MRV-M500

MONO V-POWER AMPLIFIER  
500W RMS x 1 (2Ω, 14.4V, ≤ 1% THD+N) • 300W RMS x 1 (4Ω, 14.4V, ≤ 1% THD+N) • 85dB S/N (ref: 1W into 4Ω)

### MRV-M250

MONO V-POWER AMPLIFIER  
250W RMS x 1 (2Ω, 14.4V, ≤ 1% THD+N) • 150W RMS x 1 (4Ω, 14.4V, ≤ 1% THD+N) • 85dB S/N (ref: 1W into 4Ω)

### MRV-F300

4/3/2 CHANNEL V-POWER AMPLIFIER  
75W RMS x 4 (2Ω, 14.4V, ≤ 1% THD+N) • 50W RMS x 4 (4Ω, 14.4V, ≤ 1% THD+N) • 81dB S/N (ref: 1W into 4Ω)

### MRV-V500

5-CHANNEL V-POWER AMPLIFIER  
60W RMS x 4 + 250W RMS x 1 (2Ω, 14.4V, ≤ 1% THD+N) • 40W RMS x 4 + 150W RMS x 1 (4Ω, 14.4V, ≤ 1% THD+N) • 81dB S/N (ref: 1W into 4Ω)

## E-SERIES SPEAKERS

### SPE-6000

6-1/2" COAXIAL 2-WAY SPEAKER  
CTA-2031 Speaker rating: 60W Maximum RMS, 200W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 68Hz-20kHz

### SPE-5000

5-1/4" COAXIAL 2-WAY SPEAKER  
CTA-2031 Speaker rating: 50W RMS, 200W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 82Hz-20kHz

### SPE-6090

6X9" COAXIAL 2-WAY SPEAKER  
CTA-2031 Speaker rating: 75W RMS, 300W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 65Hz-18kHz



## SUBWOOFER GRILLES

### KTE-10PG

10" WOOFER GRILLE SYSTEM  
Compatible with W10S4 subwoofers

### KTE-12PG

12" WOOFER GRILLE SYSTEM  
Compatible with W12S4 subwoofers

## BASS SERIES SUBS

### W12S4

12" SUBWOOFER (4Ω)  
CTA-2031 Speaker Specification: 250W RMS, 750W Peak Power Handling • Frequency Response: 22Hz-200Hz • Mounting Depth 5-5/16"

### W10S4

10" SUBWOOFER (4Ω)  
CTA-2031 Speaker Specification: 250W RMS, 750W Peak Power Handling • Frequency Response: 24Hz-200Hz • Mounting Depth 5-1/16"

## BASS



## SUBWOOFER BOXES/POWERED SUBS



### SBR-S8-4

PRE-LOADED TYPE-R 8" SUBWOOFER ENCLOSURE  
Includes SWR-8D2 Wired In Series • Ported Enclosure Design • Frequency Response: 28Hz-200Hz • Dimensions 11-1/8" Wide x 19" Long x 5-5/16" Deep



### SBT-S10V

PRE-LOADED SWT-10S2 FOR TRUCKS  
2Ω Impedance • Ported Enclosure Design • Frequency Response: 24Hz-200Hz • Dimensions 21-5/8" Wide x 15-1/4" Tall x 7-1/4" Deep 1 x 3-15/16" Deep 2



### PWA-S10V

POWERED BASSLINE 10" SUBWOOFER ENCLOSURE  
Loaded with 2Ω Bassline Sub • Ported Enclosure Design • Frequency Response: 26Hz-400Hz • MRV-M250 Mounted on Box (250W RMS) • RUX-KNOB.2 Compatible • Dimensions 21-11/16" Wide x 13-13/16" Tall x 11-13/16" Deep 1 x 9-1/16" Deep 2



### PWE-S8

COMPACT POWERED 8" SUBWOOFER  
RCA and speaker level inputs • 120 Watt amp  
Frequency Response: 32Hz-150Hz • Dimensions 13- 7/16" Wide x 9-1/16" Long x 2-13/16" Deep

## TRUCK SUBWOOFERS

### SWT-10S4

10" SHALLOW MOUNT SUBWOOFER (4Ω)  
CTA-2031 Speaker Specification: 350 RMS, 1000W Peak Power Handling • Frequency Response: 26Hz-200Hz • Mounting Depth 4-3/16"

### SWT-10S2

10" SHALLOW MOUNT SUBWOOFER (2Ω)  
CTA-2031 Speaker Specification: 350 RMS, 1000W Peak Power Handling • Frequency Response: 26Hz-200Hz • Mounting Depth 4-3/16"



## POWER PACK AMPLIFIERS

### POWERPACK

### KTA-30FW **NEW**

4/2 CHANNEL TOUGH POWER PACK AMPLIFIER

Alpine's Class D amplifier circuit w/ Dynamic Pulse Power (DPP) • 75W RMS x 4 @ 2Ω/4Ω, 14.4V, ≤ 1% THD+N (CTA-2006-B compliant) • 150W DPP x 4 @ 2Ω/4Ω, 14.4V, ≤ 1% THD+N • >85dB S/N (ref. 1W into 4Ω) • < 0.1% THD (ref. 1W into 4Ω) • 20-20kHz Frequency response (+/- 1dB) • Weather resistant (IP66 rating) OEM-grade connector wire harness • Speaker/RCA inputs (selectable, High range=0.5-10V, Low range=0.2-4V) • Sound control: Crossovers - Off/HP/LP, Fc=50-400Hz @ -12dB/Oct. (variable); Input gain settings (variable); 2ch/4ch input (selectable)



### KTA-30MW **NEW**

MONO TOUGH POWER PACK AMPLIFIER

Alpine's Class D amplifier circuit with Dynamic Pulse Power (DPP) • 300W RMS x 1 @ 2Ω, 14.4V, ≤ 1% THD+N (CTA-2006-B compliant) • 600W DPP x 1 @ 2Ω, 14.4V, ≤ 1% THD+N • >83dB S/N (ref. 1W into 4Ω) • < 0.1% THD (ref 1W into 4Ω) • 20-400Hz Frequency response (+/- 1dB) • Cast Aluminum chassis • Weather resistant (IP66 rating) OEM-grade connector wire harness • Speaker/RCA inputs (selectable, High range=0.5-10V, Low range=0.2-4V) • Sound control: LP filter - Off/LP, Fc=50-400Hz @ -24dB/Oct. (variable); Subsonic filter: Fc=5-40Hz (variable); Input gain settings (variable); Bass EQ: 0 to +12dB, Fc=50Hz (variable)

### KTP-445U

4/2 CHANNEL UNIVERSAL HEAD UNIT POWER PACK

45W RMS x 4 (4Ω/2Ω, 14.4V, ≤ 1% THD+N) • 82dB S/N (ref: 1W into 4Ω) • Compact size (fits easily inside dashboard of most vehicles) • Works with any aftermarket and most OEM head units • Bridgeable • Gain, high-pass crossovers and input select



### KTP-445A

ALPINE HEAD UNIT POWER PACK

45W RMS x 4 (4Ω/2Ω, 14.4V, ≤ 1% THD+N) • 84dB S/N (ref: 1W into 4Ω) • Compact size (fits easily inside dashboard of most vehicles) • Works with select 2005+ Alpine head units



### KTP-190U

UNIVERSAL MONO HEAD UNIT POWER PACK

90W RMS x 1 (1Ω, 14.4V, ≤ 1% THD+N) • 60W RMS x 1 (2Ω, 14.4V, ≤ 1% THD+N) • 30W RMS x 1 (4Ω, 14.4V, ≤ 1% THD+N) • 80dB S/N (ref: 1W into 1Ω) • Compact size (fits easily inside dashboard of most vehicles) • Speaker level inputs with L+R summing • Auto Turn-on • selectable low-pass crossover 80Hz, 100Hz, 120Hz






## DRIVE ASSIST

### HCE-C2600FD **NEW**

MULTI-VIEW FRONT VIEW HDR CAMERA

### HCE-C2600FD4 **NEW**

CAMERA SYSTEM FOR SMITTYBILT FRONT BUMPER




### HCE-C2100RD **NEW**

MULTI-VIEW REAR VIEW HDR CAMERA

### HCE-C2100RD4 **NEW**

CAMERA SYSTEM FOR SMITTYBILT REAR BUMPER



HDR (High Dynamic Range) technology enhances detail in light and dark conditions • Selectable 4 view modes (Rear/Panorama/Corner/Ground) by select Alpine head units via Direct Connection and Multi-Camera Selector • 180 degree horizontal, 70 degree vertical viewing angles • Automatic exposure and white balance adjustment • Wide Illumination Range (1.5 to 100,000 Lux) • 1/4 inch CMOS Image Sensor (1280 x 960, 1.2M pixels) • IP 68 Water and Dust-proof • Universal Mounting Bracket and 33ft Direct Extension Cable Included • Compatible with multi-camera Selector (KCX-C250MC or KCX-C2600B sold separately) • Compatible with License Plate Camera Mounting Kit (KTX-C10LP sold separately) • Mounting bracket included for direct fit into compatible Smittybilt bumper (HCE-C2100RD4 and HCE-C2600FD4)

### HCE-C1100 **NEW**

REAR VIEW HDR CAMERA


HDR (High Dynamic Range) technology enhances detail in light and dark conditions • Direct Connection to select Alpine head units and Universal RCA Video Output • 131 degree horizontal, 103 degree vertical viewing angles • Automatic exposure and white balance adjustment • Wide Illumination Range (1.5 to 100,000 Lux) • 1/3.7 inch CMOS Image Sensor (640 x 480, 0.3M pixels) • IP 67 Water and Dust-proof • Universal Mounting Bracket and 23ft Direct Extension Cable Included • Compatible with Multi-Camera Selector (KCX-C250MC or KCX-C2600B sold separately) • Compatible with License Plate Camera Mounting Kit (KTX-C10LP sold separately)



### HCE-C114

REAR VIEW CAMERA

Automatic imaging function: metering and white balance adjustment • Works with KTX-C10LP • 1.5-100,000 LUX luminance range • 21FT RCA cable included • Standard RCA connectivity • Angle of field: Horizontal 132degree, vertical 105degree



### HCE-C305R

ACTIVE VIEW- REAR CAMERA SYSTEM

Ultra-wide angle, multi-view camera with mounting kit • Active obstacle warning system that detects moving objects such as pedestrians and vehicles • Visual and acoustic driver warning • Adjustable multi-color distance guides • 4 viewing modes: corner view, ground view, panorama view, rear view • Includes control switch, warning sound module and black-box • Angle of field: horizontal 190 degree, vertical 150degree • Automatic imaging function: metering and white balance adjustment • Mirror image (NTSC) • Includes direct camera connection and standard RCA connectivity



### KTX-C10LP

LICENSE PLATE CAMERA MOUNTING KIT

High quality cast metal frame with rust free coating • Adjustable Tilt Angle up to 45 degree • Built-in LEDs increase visibility • Mounts using factory screw holes • Works with all Alpine cameras



### KCX-C2600B **NEW**

FRONT AND REAR CAMERA SELECTOR

Front and Rear Camera with view mode selection by external control button (included) • 2 Direct Inputs for front and rear cameras • 1 RCA Input for other cameras (Exclusive with Direct Input Rear Camera) • Universal RCA Output for other display devices • Compatible with all Alpine direct and universal cameras (sold separately)



### KCX-C250MC

MULTI CAMERA SELECTOR INTERFACE

Allows up to 3 cameras to be added to X110 series, INE-W967HD, INE-W977HD, X108U, X208U, X109-WRA, X209-WRA, i209-WRA, and iLX-207 • 3M direct camera input cable included



## REAR SEAT ENTERTAINMENT

### PKG-RSE3HDMI

10.1" DVD/HDMI/USB REAR SEAT ENTERTAINMENT SYSTEM

10.1" High Definition WSVGA Display 1024 x 600 • Built-In durable, automotive-grade DVD/CD Player • Dual HDMI Inputs • Dual USB Inputs (one for charging, one for media playback) • Built-in FM and IR Transmitter • 2 Pair of Wireless IR Headphones (SHS-N107) Included • 1 Aux Input / 1 Aux Out • Universal Remote Control Included • 3 High-Gloss Color Options (Gun Metal Black, Bright Gray, Champagne Gold) Included • MPEG-1/2, MP4V, Xvid, H.263, RMVB, MP3, WMA, AAC, JPEG Playback • DVD+R/RW, DVD-R/RW, CD-R/RW Disc Media Supported



### PKG-RSE3DVD

10.1" DVD REAR SEAT ENTERTAINMENT SYSTEM

10.1" High Definition WSVGA Display 1024 x 600 • Built-In durable, automotive-grade DVD/CD Player • Built-in FM and IR Transmitter • 2 Pair of Wireless IR Headphones (SHS-N107) Included • 2 Aux Input / 1 Aux Out • Universal Remote Control Included • 3 Color Options (Black, Grey, Tan) Included • DVD-Video, CD-DA, MP3, JPEG Playback • DVD+R/ RW, DVD-R/RW, CD-R/RW Disc Media Supported



### KCU-315UH

HDMI/USB EXTENSION CONNECTOR

15ft. • Extension for PKG-RSE3HDMI



### SHS-N207

DUAL SOURCE FOLD-FLAT WIRELESS HEADPHONES

Dual Source selection for use with PKG-RSE3HDMI or PKG-RSE3DVD • Fold flat design • Auto Shut-off • Comfort fit



### SHS-N107

SINGLE SOURCE FOLD-FLAT WIRELESS HEADPHONES

Additional headphone • For use with PKG-RSE3HDMI or PKG-RSE3DVD • Fold flat design • Auto Shut-off • Comfort fit



**MS****SC****MARINE SOUND /  
SYSTEM  
COMPONENTS****SWR-M100**

10" MARINE SUBWOOFER

CTA-2031 Speaker rating: 300W Maximum RMS, 900W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 35Hz-1kHz • Infinite baffle design • Gold-plated 2-way spade/insert terminals • IPx5 water resistant design • Salt/Fog (ASTM B117) Tested; UV (ASTM D4329) Tested

**SPS-M601**

6-1/2" COAXIAL 2-WAY MARINE SPEAKER

CTA-2031 speaker rating: 35W Maximum RMS, 110W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 50Hz-20kHz • Ultra UV Resistant Grill • Water Resistant Cone • Rubber Surround • IPx5 water resistant design • Salt/Fog (ASTM B117) Tested; UV (ASTM D4329) Tested • Silver Grilles

**SPS-M601W**

6-1/2" COAXIAL 2-WAY MARINE SPEAKER

CTA-2031 speaker rating: 35W Maximum RMS, 110W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 50Hz-20kHz • Ultra UV Resistant Grill • Water Resistant Cone • Rubber Surround • IPx5 water resistant design • Salt/Fog (ASTM B117) Tested; UV (ASTM D4329) Tested • White Grilles

**RUE-M1RF**

RF REMOTE CONTROL FOR MARINE APPLICATIONS

Includes transmitter and receiver • IPx6 waterproof design • Up to 100ft range • Compatible with all steering wheel remote ready HU's • Controls up to 8 remotes • Salt/Fog (ASTM B117) Tested; UV (ASTM D4329) Tested

**RUE-M1EX**

EXTRA REMOTE FOR RUE-M1RF

IPx6 waterproof design • Up to 100ft range • Salt/Fog (ASTM B117) Tested; UV (ASTM D4329) Tested

**SYSTEM COMPONENTS****PXA-H800**

SYSTEM INTEGRATION AUDIO PROCESSOR

New ImprintEQ sound tuning technology • Euphony/RoadEQ/MX+ Sound Processing • 6-Channel High/Low Voltage Inputs for both OEM and Aftermarket Installation • 24-Bit Sigma-Delta D/A Converter • 2 x 32-Bit Floating-Point DSP • 31/10 Band (Graphic/ Parametric) EQ • 8-Channel Full-Range 4V Pre-Outs • 2 x Optical Input • S/N: 105dB/110dB (Analog/Digital)

**PXE-0850S** **NEW**

ADVANCED WIRELESS DIGITAL SOUND PROCESSOR

Wireless sound tuning by PC or Smartphone • 6-Channel High/Low Voltage Inputs for both OEM and AFT installation • 24-bit Sigma-Delta D/A converter • 32-bit floating point DSP • 31 Band (Graphic/ Parametric) EQ • High-pass/Low-pass Crossovers per channel • Up to 20ms Delay per channel • 12-Channel Full-Range 4V Pre-outs • S/PDIF Optical input • 8 X 25W Output Configuration • Bluetooth Audio streaming • Remote Controller included (volume, store, store/recall, source selection)

**DVE-5300**

ACCESSORY DVD PLAYER

Adds DVD playback to X208U, X108U, i209 series, i207-WRA, iLX-207, INE-W977HD, INE-W957HD • HDMI Output • Works in Stand-Alone situations for system expansion • Optical output for optional processor (Note: does not control processor)

**RUX-C800**

CONTROLLER FOR PXA-H800

Use this unit to perform PXA-H800 configuration and setup.

**KCX-630HD**

HDMI SELECTOR INTERFACE

2 HDMI In / 1 HDMI Out • 1.5M HDMI Cable Included • Needed when adding DVD Player (DVE-5300) to X208U, X108U, INE-W977HD, INE-W967HD and iLX-207 to retain HDMI input • Needed to add HDMI to X110 series, X109 and X209

**KCE-SP2R**

SPEAKER TO RCA ADAPTER

Speaker to RCA adapter for PDR amplifiers • 2-channel capability

**KCU-610HD**

USB MICRO HDMI CABLE

1.5m HDMI to HDMI Type-D / MiniUSB Cable

**KCU-610MH**

USB MICRO HDM SAMSUNG CABLE

HDMI to MHL+MiniUSB conversion cable

**KAC-001**

EXTERNAL ACCESSORY CONTROL MODULE

(8) 250mA (-) accessory outputs • Pulsed, latched, or momentary output selection • Compatible with X110 series, X209 series, i209 series, i207, X208U, X108U, INE-W977HD, INE-W967HD, iLX-107, iLX-207 and iLX-F309

**KCU-315UH**

HDMI/USB EXTENSION CONNECTOR

15ft. • Extension for PKG-RSE3HDMI

**KCU-445i**

USB IPOD/IPHONE CABLE

Connect your iPod or iPhone to the CDA-105 for USB iPod Connection • 1-Amp charging capability compatible with all 2012 models.

**RUE-4202**

AUDIO REMOTE CONTROL

Remote control for any "Remote Ready" 2005 - current model Alpine head unit or AVN head unit.

**KCA-121B**

VERSATILE LINK AUDIO ADAPTER

For Versatile Link compatible Ai-NET head-units • makes RCA audio signal input from any audio source possible (TV tuner, game, etc.)

**KCU-461iV**

USB IPOD/IPHONE AV CABLE

USB iPod/iPhone AV cable for use with INE-S920HD, IVE-W535HD, and IVE-W530 • 1-Amp charging capability

**RUE-4190**

UNIVERSAL REMOTE CONTROL

Universal Audio/Nav/DVD/TV Tuner Multi Remote Control.

**KCE-220UB**

USB EXTENSION CABLE

**KCU-471i**

USB TO LIGHTNING CABLE

USB iPod/iPhone AV cable for use with INE-S920HD, IVE-W535HD, and IVE-W530 • 1-Amp charging capability

**RUX-KNOB.2**

REMOTE BASS KNOB FOR X-SERIES\*, PDX, PDR, &amp; MRV AMPLIFIERS

Add on remote bass level control for X-A90M, X-A90V, PDX-M12, PDX-V9, PDR-M65, PDR-V75, MRV-M1200, MRV-M500, MRV-M250, PWA-S10V, & KTP-190U \*Also compatible with X-A70F in 3 channel mode, for level control on Channel 3/4 when bridged



# HEAD UNIT STEP CHART



	CDE-172BT (NEW)	CDE-170 (NEW)	UTE-73BT (NEW)	CDE-HD149BT
Power	18W RMS X 4	18W RMS X 4	18W RMS X 4	18W RMS X 4
Display	1 Line LCD	1 Line LCD	1 Line LCD	3 Line LCD
Bluetooth	Built-In	No	Built-In	Built-In
BT Audio Streaming	Yes	No	Yes	Yes
HD Radio	No	No	No	Built-In
TuneIt App Ready*	No	No	No	Yes
Works with iPhone	Yes	No	Yes	Yes
Smartphone Voice Control Operation	Yes	No	Yes	Yes
App Direct Mode	No	No	No	Yes
USB Input	Front Panel	Front Panel	Front Panel	Rear Panel
Flac Playback	Yes	Yes	Yes	No
Full Android Pandora Control	Yes	No	Yes	Yes
Full iPhone Pandora Control	Yes	No	Yes	Yes
Wireless Remote Ready	Ready	Ready	Ready	Ready
Steering Wheel Remote Ready	Yes	Yes	Yes	Yes
Preset Button Illumination	RGB	Red	RGB	Quad-Illumination
Main Illumination	RGB	Red	RGB	Quad-Illumination
Pre-Outs	3-Pre-Out (4V)	2 Pre-Out (2V)	3 Pre-Out (2V)	3 Pre-Out (4V)
DAC	24 Bit	24 Bit	24 Bit	24 Bit
EQ	3-Band Parametric	3-Band Parametric	3-Band Parametric	9-Band Parametric
Crossover	High Pass/Low Pass	High Pass/Low Pass	High Pass/Low Pass	High Pass/Low Pass
Time Correction	No	No	No	Yes
MediaXpander	No	No	No	Yes
Bass Engine SQ	Yes	Yes	Yes	No
iPod Cable Included	No	No	No	No
Aux In	Front Panel	Front Panel	Front Panel	Rear Panel
KTP-445 Ready	Yes	Yes	Yes	Yes
SiriusXM Ready (SXV300)	Yes	No	No	Yes

# HEAD UNIT

# STEP CHART



	CDE-W265BT	CDE-SXM145BT	CDE-163BT
Power	18W RMS X 4	18W RMS X 4	18W RMS X 4
Display	2 Line LCD	1 Line LCD	1 Line LCD
Bluetooth	Built-In	Built-In	Built-In
BT Audio Streaming	Yes	Yes	Yes
HD Radio	No	No	No
TuneIt App Ready*	Yes	No	Yes
Works with iPhone	Yes	Yes	Yes
Smartphone Voice Control Operation	Yes	Yes	Yes
App Direct Mode	Yes	Yes	Yes
USB Input	Front Panel	Front Panel	Front Panel
Flac Playback	No	No	Yes
Full Android Pandora Control	Yes	No	Yes
Full iPhone Pandora Control	Yes	No	Yes
Wireless Remote Ready	Ready	Ready	Ready
Steering Wheel Remote Ready	Yes	Yes	Yes
Preset Button Illumination	RGB	Blue	RGB
Main Illumination	RGB	Blue	RGB
Pre-Outs	3 Pre-Out (4V)	2 Pre-Out (2V)	3-Pre-Out (4V)
DAC	24 Bit	24 Bit	24 Bit
EQ	9-Band Parametric	3-Band Parametric	9-Band Parametric
Crossover	3-Way	High Pass	3-Way
Time Correction	Yes	No	Yes
MediaXpander	Yes	No	Yes
Bass Engine SQ	Yes	No	Yes
iPod Cable Included	No	No	No
Aux In	Front Panel	Front Panel	Front Panel
KTP-445 Ready	Yes	Yes	Yes
SiriusXM Ready (SXV300)	Yes	Included	Yes

\* TuneIt App features may vary with model

# CARPLAY AV/AVN

## STEP CHART



	INE-W977HD	INE-W957HD	INE-W960HDMI	ILX-107	ILX-207	ILX-F309 (NEW)
Power	16W RMS X 4	18W RMS X 4	18W RMS X 4	18W RMS X 4	16W RMS X 4	18W RMS X 4
Display	7" WVGA	7" WVGA	6.1" WVGA	7" WVGA	7" WVGA	9" WVGA
Wireless	Bluetooth	Bluetooth	Bluetooth	Wi-Fi	Bluetooth	Bluetooth
Wireless Audio Streaming	Bluetooth	Bluetooth	Bluetooth	Wi-Fi	Bluetooth	Bluetooth
HD Radio	Yes	Yes	No	No	Yes	Yes
TuneIt App Ready*	Yes	Yes	Yes	Yes	Yes	Yes
Alpine Connect App Ready	Yes	No	No	No	No	No
Works with iPhone	Yes	Yes	Yes	Yes	Yes	Yes
Siri Eyes Free Mode	Yes	Yes	Yes	Yes	Yes	Yes
USB Input	Yes	Yes	Yes	Yes	Yes	Yes
FLAC Playback	Yes	No	No	No	Yes	Yes
Weatherproof & Dustproof (IP53)	No	No	No	No	No	No
USB Video Playback	Yes (AVI/MKV/MP4)	Yes (DivX)	Yes (DivX)	No	Yes (AVI/MKV/MP4)	Yes (AVI/MKV/MP4)
Apple CarPlay and Android Auto	Yes	No	No	CarPlay Only	Yes	Yes
Basic iPhone App Control	Yes	Yes	Yes	Yes	Yes	Yes
Full Android Pandora Control	Yes	Yes	Yes	No	Yes	Yes
Full iPhone Pandora Control	Yes	Yes	Yes	No	Yes	Yes
Wireless Remote Ready	Yes	Yes	Yes	No	Yes	No
Steering Wheel Remote Ready	Yes	Yes	Yes	Yes	Yes	Yes
Button Illumination	7 Color Selectable*	White	White	White	7 Color Selectable*	White
Color Wallpaper Selection	8 theme Selectable*	5 Color Selectable*	8 Color Selectable*	No	8 theme Selectable*	8 Color Selectable**
Pre-Outs	3 Pre-Outs (4V)	3 Pre-Outs (4V)	3 Pre-Outs (4V)	3 Pre-Outs (2V)	3 Pre-Outs (4V)	3 Pre-Outs (4V)
DAC	24 Bit	24 Bit	24 Bit	24 Bit	24 Bit	24 Bit
EQ	F/R 9-Band Parametric	9-Band Parametric	9-Band Parametric	9-Band Parametric	F/R 9-Band Parametric	F/R 9-Band Parametric
Crossover	High Pass/Low Pass	High Pass/Low Pass	High Pass/Low Pass	High Pass/Low Pass	High Pass/Low Pass	High Pass/Low Pass
Album Artwork	Yes	Yes	Yes	Yes	Yes	Yes
iPod Cable Included	No	No	No	No	No	No
Aux In	1 Aux In*	2 Aux In	1 Aux In	1 Aux In	1 Aux In*	1 Aux In*
DVD	DVE-5300 Ready	Yes	Yes	No	DVE-5300 Ready	DVE-5300 Ready*
KTP-445 Ready	Yes	Yes	Yes	Yes	Yes	Yes
SiriusXM Ready (SXV300)	Yes	Yes	Tuner Included	No	Yes	Yes
On board GPS Navigation	Yes	Yes	Yes	No	No	No
Aux Out	No	1 Aux Out	1 Aux Out	No	No	No
Rear View Camera Input	Yes	Yes	Yes	Yes	Yes	Yes
Rear View Camera Input	Direct	Direct/RCA	RCA	RCA	Direct	RCA
iDataLink Integration	Yes	Yes	No	Yes	Yes	Yes
HDMI Input	Yes	Yes	Yes	No	Yes	Yes
HDMI Output	Yes	No	No	No	Yes	No
KCX-C250MC Compatible	Yes	No	No	No	Yes	No
KCX-C2600B Compatible	No	No	Yes	Yes	No	Yes
KAC-001 Compatible	Yes	No	No	Yes	Yes	Yes
KCX-630HD Compatible	Yes	No	No	No	Yes	Yes

7 Color Selectable\*: Blue/Light Blue/Aqua/Red/Green/Amber/Yellow; 5 Color Selectable\*: Blue/Red/Green/Amber/Black; 8 Color Selectable\*: Blue/Light Blue/Turquoise/Green/Red/Amber/Dark Yellow/Black; 8 color Selectable\*\*: Blue/Light Blue/Aqua Blue/Red/Green/Light Green/Amber/White; 8 Theme Selectable\*: Glass Blue/Glass Green/Glass Light Blue/Glass Red/Steel White/Steel Green/Steel Light Blue/Steel Red TuneIt App Ready\*: TuneIt App features may vary with model; 1 Aux In\*: No Aux In when using iDataLink; DVE-5300 Ready\*: Remote only. No HU control

# RESTYLE STEP CHART



	X110	X209-WRA-OR (NEW)	i209-WRA
Power	18W RMS X 4	16W RMS X 4	16W RMS X 4
Display	10" WXGA	9" WVGA	9" WVGA
Wireless	Bluetooth	Bluetooth	Bluetooth
Wireless Audio Streaming	Bluetooth	Bluetooth	Bluetooth
Off-Road Mode	No	Yes	No
HD Radio	Yes	Yes	Yes
TuneIt App Ready****	Yes	Yes	Yes
Alpine Connect App Ready	Yes	Yes	No
Works with iPhone	Yes	Yes	Yes
Siri Eyes Free Mode	Yes	Yes	Yes
USB Input	Yes	Yes	Yes
FLAC Playback	Yes	Yes	Yes
Weatherproof & Dustproof (IP53)	No	Yes	Yes
USB Video Playback	Yes (AVI/MKV/MP4)	Yes (AVI/MKV/MP4)	Yes (AVI/MKV/MP4)
Apple CarPlay and Android Auto	No	Yes	Yes
Basic iPhone App Control	Yes	Yes	Yes
Full Android Pandora Control	Yes	Yes	Yes
Full iPhone Pandora Control	Yes	Yes	Yes
Wireless Remote Ready	Yes	Yes	Yes
Steering Wheel Remote Ready	Yes	Yes	Yes
Button Illumination	Vehicle Specific	Vehicle Specific	Vehicle Specific
Color Wallpaper Selection	8 color Selectable*	8 theme Selectable*	8 theme Selectable*
Pre-Outs	3 Pre-Outs (4V)	3 Pre-Outs (4V)	3 Pre-Outs (4V)
DAC	24 Bit	24 Bit	24 Bit
EQ	F/R 9-Band Parametric	F/R 9-Band Parametric	F/R 9-Band Parametric
Crossover	High Pass/Low Pass	High Pass/Low Pass	High Pass/Low Pass
Album Artwork	Yes	Yes	Yes
iPod Cable Included	No	No	No
Aux In	1 Aux In*	1 Aux In*	1 Aux In*
DVD	Yes	Yes	DVE-5300 Ready
KTP-445 Ready	Yes	Yes	Yes
SiriusXM Ready (SXV300)	Yes	Yes	Yes
On board GPS Navigation	Yes	Yes	No
Aux Out	No	No	No
Rear View Camera Input	Yes	Yes	Yes
Rear View Camera Input	Direct	Direct	Direct
iDataLink Integration	Yes	Yes	Yes
HDMI Input	Yes**	Yes**	Yes
HDMI Output	Yes	Yes	Yes
Optical Out (KWE-610A)	Yes	Yes	No
KCX-C250MC Compatible	Yes	Yes	Yes
KCX-C2600B Compatible	No	No	No
KAC-001 Compatible	Yes	Yes	Yes
KCX-630HD Compatible	Yes	Yes	Yes

# RESTYLE STEP CHART



	<b>i209-GM (NEW)</b>	<b>i207-WRA</b>	<b>X208U</b>
Power	16W RMS X 4	16W RMS X 4	16W RMS X 4
Display	9" WVGA	7" WVGA	8" WVGA
Wireless	Bluetooth	Bluetooth	Bluetooth
Wireless Audio Streaming	Bluetooth	Bluetooth	Bluetooth
HD Radio	Yes	Yes	Yes
Tunelt App Ready****	Yes	Yes	Yes
Alpine Connect App Ready	No	No	Yes
Works with iPhone	Yes	Yes	Yes
Siri Eyes Free Mode	Yes	Yes	Yes
USB Input	Yes	Yes	Yes
FLAC Playback	Yes	Yes	Yes
Weatherproof & Dustproof (IP53)	Yes	Yes	No
USB Video Playback	Yes (AVI/MKV/MP4)	Yes (AVI/MKV/MP4)	Yes (AVI/MKV/MP4)
Apple CarPlay and Android Auto	Yes	Yes	Yes
Basic iPhone App Control	Yes	Yes	Yes
Full Android Pandora Control	Yes	Yes	Yes
Full iPhone Pandora Control	Yes	Yes	Yes
Wireless Remote Ready	Yes	Yes	Yes
Steering Wheel Remote Ready	Yes	Yes	Yes
Button Illumination	Vehicle Specific	7 Color Selectable*	7 Color Selectable*
Color Wallpaper Selection	8 theme Selectable**	8 theme Selectable*	8 theme Selectable*
Pre-Outs	3 Pre-Outs (4V)	3 Pre-Outs (4V)	3 Pre-Outs (4V)
DAC	24 Bit	24 Bit	24 Bit
EQ	F/R 9-Band Parametric	F/R 9-Band Parametric	F/R 9-Band Parametric
Crossover	High Pass/Low Pass	High Pass/Low Pass	High Pass/Low Pass
Album Artwork	Yes	Yes	Yes
iPod Cable Included	No	No	No
Aux In	1 Aux In*	1 Aux In*	1 Aux In*
DVD	DVE-5300 Ready	DVE-5300 Ready	DVE-5300 Ready
KTP-445 Ready	Yes	Yes	Yes
SiriusXM Ready (SXV300)	Yes	Yes	Yes
On board GPS Navigation	No	No	Yes
Aux Out	No	No	No
Rear View Camera Input	Yes	Yes	Yes
Rear View Camera Input	Direct	Direct	Direct
iDataLink Integration	Yes	Yes	Yes
HDMI Input	Yes	Yes	Yes
HDMI Output	Yes	Yes	Yes
Optical Out (KWE-610A)	No	No	No
KCX-C250MC Compatible	Yes	Yes	Yes
KCX-C2600B Compatible	No	No	No
KAC-001 Compatible	Yes	Yes	Yes
KCX-630HD Compatible	Yes	Yes	Yes

7 Color Selectable\*: Blue/Light Blue/Aqua/Red/Green/Amber/Yellow; 8 Color Selectable\*: Blue/Light Blue/Aqua/Red/Green/Amber/Yellow/White; 8 Theme Selectable\*: Glass Blue/Glass Green/Glass Light Blue/Glass Red/Steel White/Steel Green/Steel Light Blue/Steel Red; 8 Theme Selectable\*\*: Ethereal Blue/Ethereal Green/Ethereal Aqua Blue/Ethereal Red/Steel White/Steel Green/Steel Aqua Blue/Steel Red; Tunelt App Ready\*: Tunelt App features may vary with model; 1 Aux In\*: No Aux In when using iDataLink; \*\*KCX-630HD required



#AlpineUSA  
#AlpineRestyle

Web: [alpine-usa.com/restyle](http://alpine-usa.com/restyle)  
Twitter: [alpine-usa.com/twitter](http://alpine-usa.com/twitter)  
Instagram: [alpine-usa.com/instagram](http://alpine-usa.com/instagram)  
Facebook: [alpine-usa.com/facebook](http://alpine-usa.com/facebook)  
YouTube: [alpine-usa.com/youtube](http://alpine-usa.com/youtube)

[www.alpine-usa.com](http://www.alpine-usa.com)

  
Driving Mobile Media Innovation

Alpine Electronics of America, Inc. is solely responsible for the design and marketing of Alpine Restyle products. Alpine, Alpine Restyle IMPRINT, V-Power, i-Personalize, MediaXpander, and Alpine Tunelt App are registered trademarks of Alpine Electronics, Inc. All rights reserved. iPod®, iPhone®, and Made for iPod® and iPhone® are trademarks of Apple, Inc, registered in the U.S. and other countries. SiriusXM and all related marks and logos are trademarks of SIRIUS XM Radio Inc. and its subsidiaries. "HD Radio" and HD Radio logos are registered trademarks of iBiquity Digital Corporation. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Alpine Electronics, Inc. is under license. Windows Media and the Windows logo are registered trademarks of Microsoft Corporation in the United States and/or other countries. PANDORA, the PANDORA logo, and the Pandora trade dress are trademarks or registered trademarks of Pandora Media, Inc., used with permission. Android and Android Auto and the Google Assistant are trademarks of Google Inc. Jeep and Wrangler are registered trademarks of FCA USA, LLC. Chevrolet, GMC, Silverado, GMC, Avalanche, Sierra, Yukon, and OnStar are registered trademark of General Motors Corporation. Ford and F-150 are registered trademarks of Ford Motors Corporation. Toyota, Camry, and Tundra are registered trademarks of Toyota Motor Corporation. Altima is a registered trademark of Nissan. iDataLink and Maestro are registered trademarks of Automotive Data Solutions, Inc. HERE is a registered trademark of HERE Global B.V. The zero space subwoofer has been developed based on Blueprint Acoustics fresh air speaker technology. Other trademarks and trade names are those of their respective owners. Product information listed in this brochure is based upon current information at the time of printing, but cannot be guaranteed. All designs, features, specifications, and delivery dates are subject to change without notice. For updated product information, please visit [www.alpine-usa.com](http://www.alpine-usa.com).  
Printed in the United States of America.