



**Type of *Areca kinabaluensis* Furtado [family
ARECACEAE]**

<http://plants.jstor.org/specimen/bm001040839>

<http://www.jstor.org>

Your use of the JSTOR archive indicates your acceptance of JSTOR's Terms and Conditions of Use, available at <http://www.jstor.org/page/info/about/policies/terms.jsp>. JSTOR's Terms and Conditions of Use provides, in part, that unless you have obtained prior permission, you may not download an entire issue of a journal or multiple copies of articles, and you may use content in the JSTOR archive only for your personal, non-commercial use.

Please contact the contributing partner regarding any further use of this work. Partner contact information may be obtained at <http://plants.jstor.org/page/about/plants/PlantsProject.jsp>.

Each copy of any part of a JSTOR transmission must contain the same copyright notice that appears on the screen or printed page of such transmission.

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact plants@jstor.org.

Type of *Areca kinabaluensis* Furtado [family ARECACEAE]

Herbarium	Natural History Museum (BM), BM001040839
Collection	Type Specimens
Resource Type	Specimens
Collector	J & M.S. Clemens, No# 28761
Collection date	1932-04-01
Country	Malaysia (Malaysia)
Identifications	Type of <i>Areca kinabaluensis</i> Furtado [family ARECACEAE] (stored under name); Verified, Not On Sheet
Notes	Sheet 2.
Data last modified	2010-09-30

<http://plants.jstor.org/specimen/bm001040839>



Herb. no. 38761 Sheet 2.
1/4/32
Lumma-lumma, in dense jungle
in wetish places - Cameroon.
Bisanga Area
Solitary, erect, 2-4 meters tall,
fls white. Young fruits
greenish, then cream, eventually
red, 2.5 cms long, 2 cms through.
C.H.