

**Homología efectiva y sucesiones espectrales**

Ana Romero Ibáñez

**INDICE**

**Contents**

**Introduction**

**1 Preliminaries**

- 1.1 Basics on Homological Algebra
  - 1.1.1 Chain complexes
  - 1.1.2 Spectral sequences
- 1.2 Simplicial Topology
  - 1.2.1 Simplicial sets
  - 1.2.2 Homotopy groups
  - 1.2.3 Eilenberg-MacLane spaces
- 1.3 Effective Homology
  - 1.3.1 Definitions and fundamental results
  - 1.3.2 Perturbation theorems
  - 1.3.3 The Kenzo program

**2 Effective homology and spectral sequences of filtered complexes: algorithms and programs**

- 2.1 Filtrations and spectral sequences
- 2.2 Main theoretical results
- 2.3 An algorithm computing spectral sequences of filtered complexes
  - 2.3.1 Effective chain complexes
    - 2.3.1.1 Groups
    - 2.3.1.2 Differential maps
    - 2.3.1.3 Convergence level
    - 2.3.1.4 Filtration of the homology groups
  - 2.3.2 Locally effective chain complexes
- 2.4 Bicomplexes
  - 2.4.1 Effective homology of a bicomplex
  - 2.4.2 Spectral sequence of a bicomplex
  - 2.4.3 Examples
    - 2.4.3.1 A didactic example
    - 2.4.3.2 The Bar construction
- 2.5 Implementation
  - 2.5.1 A new module for the Kenzo system
  - 2.5.2 Examples
    - 2.5.2.1 Bicomplexes
    - 2.5.2.2 The Bar construction

### **3 Effective homology and spectral sequences of filtered complexes: applications**

- 3.1 Serre spectral sequence
  - 3.1.1 Introduction
  - 3.1.2 Effective homology of a twisted product
  - 3.1.3 An algorithm computing the Serre spectral sequence
  - 3.1.4 Implementation and examples
    - 3.1.4.1  $K(\mathbb{Z}, 1) \times S_2$
    - 3.1.4.2 Postnikov tower
- 3.2 Eilenberg-Moore spectral sequence
  - 3.2.1 Introduction
  - 3.2.2 Effective homology of the fiber space of a fibration
  - 3.2.3 An algorithm computing the Eilenberg-Moore spectral sequence
  - 3.2.4 Loop spaces
  - 3.2.5 Implementation and examples
    - 3.2.5.1  $(S_3)$
    - 3.2.5.2  $(S_3) [{}_2 D_3]$

### **4 Effective homology of free simplicial Abelian groups**

- 4.1 Previous definitions and results
  - 4.1.1 The Dold-Kan correspondence
  - 4.1.2 Some remarks about Eilenberg-MacLane spaces
    - 4.1.2.1 Effective homology of Eilenberg-MacLane spaces
    - 4.1.2.2 Another model for Eilenberg-MacLane spaces
- 4.2 The free simplicial Abelian group  $RX$
- 4.3 Effective homology of  $RX$ 
  - 4.3.1 Left equivalence
  - 4.3.2 Right equivalence
  - 4.3.3 Final result
- 4.4 Implementation
  - 4.4.1 The simplicial Abelian group  $RX$
  - 4.4.2 Effective homology of  $RX$

### **5 Effective homology and Bousfield-Kan spectral sequence**

- 5.1 Some algorithms for cosimplicial structures
  - 5.1.1 Cosimplicial objects
  - 5.1.2 Cosimplicial Abelian groups
  - 5.1.3 Cosimplicial simplicial Abelian groups
    - 5.1.3.1 Definitions and fundamental results
    - 5.1.3.2 Homotopy spectral sequence of a cosimplicial simplicial Abelian group
  - 5.1.4 Cosimplicial simplicial sets
    - 5.1.4.1 Definitions and examples
    - 5.1.4.2 Homotopy spectral sequence of a cosimplicial space
- 5.2 Construction of the Bousfield-Kan spectral sequence
  - 5.2.1 Study of the first level of the spectral sequence
  - 5.2.2 Algorithms computing  $E_1$  and  $E_2$
  - 5.2.3 Toward an algorithm computing the Bousfield-Kan spectral sequence

- 5.2.3.1 Homotopy spectral sequence of a tower of fibrations
- 5.2.3.2 Another definition for the homotopy spectral sequence of a cosimplicial space
- 5.2.3.3 Sketch of the algorithm

## **Conclusions and further work**

## **Bibliography**