

# The Strait of Georgia Ambient Monitoring Program Phase I, 2002-2007: Sediment and Benthos.

C.A. Wright, S.J. Johannessen, R.W. Macdonald, R.W., B.J. Burd, P. Hill,  
A. Van Roodselaar, S. Bertold

Ocean Sciences Division  
Fisheries and Ocean Canada  
Institute of Ocean Sciences  
9860 West Saanich Road,  
Sidney, B.C.  
V8L 4B2

2008

**Canadian Data Report of  
Fisheries and Aquatic Sciences 1208**



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

**Canada**

## **Canadian Data Report of Fisheries and Aquatic Sciences**

Data reports provide a medium for filing and archiving data compilations where little or no analysis is included. Such compilations commonly will have been prepared in support of other journal publications or reports. The subject matter of the series reflects the broad interests and policies of Fisheries and Oceans Canada, namely, fisheries management, technology and development, ocean sciences, and aquatic environments relevant to Canada.

Data reports are not intended for general distribution and the contents must not be referred to in other publications without prior written clearance from the issuing establishment. The correct citation appears above the abstract of each report. Each report is abstracted in the data base *Aquatic Sciences and Fisheries Abstracts*.

Data reports are produced regionally but are numbered nationally. Requests for individual reports will be filled by the issuing establishment listed on the front cover and title page.

Numbers 1-25 in this series were issued as Fisheries and Marine Service Data Records. Numbers 26-160 were issued as Department of Fisheries and Environment, Fisheries and Marine Service Data Reports. The current series name was changed with report number 161.

## **Rapport statistique canadien des sciences halieutiques et aquatiques**

Les rapports statistiques servent de base à la compilation des données de classement et d'archives pour lesquelles il y a peu ou point d'analyse. Cette compilation aura d'ordinaire été préparée pour appuyer d'autres publications ou rapports. Les sujets des rapports statistiques reflètent la vaste gamme des intérêts et politiques de Pêches et Océans Canada, notamment la gestion des pêches, la technologie et le développement, les sciences océaniques et l'environnement aquatique, au Canada.

Les rapports statistiques ne sont pas préparés pour une vaste distribution et leur contenu ne doit pas être mentionné dans une publication sans autorisation écrite préalable de l'établissement auteur. Le titre exact figure au haut du résumé de chaque rapport. Les rapports à l'industrie sont résumés dans la base de données *Résumés des sciences aquatiques et halieutiques*.

Les rapports statistiques sont produits à l'échelon régional, mais numérotés à l'échelon national. Les demandes de rapports seront satisfaites par l'établissement d'origine dont le nom figure sur la couverture et la page du titre.

Les numéros 1 à 25 de cette série ont été publiés à titre de Records statistiques, Service des pêches et de la mer. Les numéros 26-160 ont été publiés à titre de Rapports statistiques du Service des pêches et de la mer, ministère des Pêches et de l'Environnement. Le nom de la série a été modifié à partir du numéro 161.

Canadian Data Report of  
Fisheries and Aquatic Sciences 1208

2008

**THE STRAIT OF GEORGIA AMBIENT MONITORING PROGRAM  
PHASE I, 2002-2007: SEDIMENT AND BENTHOS**

C.A. Wright, S.J. Johannessen, R.W. Macdonald, B.J. Burd\*, P. Hill\*\*,  
A. Van Roodselaar,\*\*\* S. Bertold\*\*\*

Ocean Sciences Division  
Fisheries and Ocean Canada  
9860 West Saanich Road,  
Sidney, B.C.,  
V8L 4B2

\*\*Pacific Geoscience Centre  
Natural Resources Canada  
9860 West Saanich Road,  
Sidney, B.C.,  
V8L 4B2

\*Ecostat Research Ltd.  
1040 Clayton Street,  
Sidney, B.C.,  
V8L 5P6

\*\*\*Metro Vancouver  
4330 Kingsway  
Burnaby, B.C.,  
V5H 4G8

© Her Majesty the Queen in Right of Canada, 2008.  
Cat. No. Fs 97-13/1208E ISSN 0706-6465

Correct citation for this publication:

Wright, C.A., Johannessen, S.J., Macdonald, R.W., Burd, B.J., Hill, P. Van Roodselaar, A., and Bertold, S. 2007. The Strait of Georgia ambient program: phase I, 2002-2007: sediment and benthos. Can. Data Rep. Fish. Aquat. Sci. 1208: vi + 112 p.

## TABLE OF CONTENTS

Abstract/Résumé.....	v
1.0 Introduction.....	1
2.0 Methods.....	1
3.0 References.....	3

## LIST OF FIGURES

Figure 1: Strait of Georgia Ambient Monitoring Program station map.....	7
---	---

## LIST OF TABLES

Table 1: Cruise and coring details, and sediment sample descriptions.....	9
Table 2. Results of the $^{210}\text{Pb}$ analysis.....	25
Table 3. Activity of radium in subsections of sediment cores. Error represents 1 standard deviation .....	33
Table 4. Results of the AVS, metals, and lead isotope analysis. ‘NM’ indicates that a particular variable was not measured in the interval.....	35
Table 5. Results of the carbon, nitrogen and $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ analyses of the sediment core samples.....	38
Table 6. Results of the metals, nitrogen, carbon, opal and flux measurements from the two GVRD sediment traps. First deployment only. An asterisk indicates a value that is an average of two measurements.....	49
Table 7. Results of the PCB analysis. All congeners are reported in pg/g. NQ = data not quantifiable; < = less than detection limit; NDR = peak detected but did not meet quantification criteria, result reported represents the estimated maximum possible concentration.....	53
Table 8. Results of the PBDE analysis. All congeners are reported in pg/g. < = less than detection limit; K = peak detected but did not meet quantification criteria, number following this flag represents an unconfirmed concentration; NDR = peak detected but did not meet quantification criteria, result reported represents the estimated maximum possible concentration. Blank cells indicate congener not quantifiable due to <10% recovery of labeled standards.....	73

Table 9. Results of the PAH analysis in sediment cores and traps. All measurements are reported in ng/g dry weight. NDR = peak detected but did not meet quantification criteria, result reported represents the estimated maximum possible concentration. Blank cells indicate the variable was not quantified.....	82
Table 10. Results of the NPEO analysis. Values reported in ng/g dry weight. < = less than the detection limit, number following this symbol represents the detection limit.....	83
Table 11. Results of the metals and lead isotope analysis for IONA stations 8 and 15 in the depth-sectioned Smyth-Macintyre grabs.....	84
Table 12. Results of the benthic taxonomic analysis performed on the depth-sectioned grabs taken at stations.....	86
Table 13. Results of the benthic invertebrate taxonomy from the grab samples taken at the GVRD core locations.....	98
Table 14. Results of the benthic foraminifera and thecamoebian taxonomy and counts. Blank cells indicate a count of zero. Taxonomy follows Loeblich and Tappan, 1961.....	112

## ABSTRACT

Wright, C.A., Johannessen, S.J., Macdonald, R.W., Burd, B.J., Hill, P. Van Roodselaar, A., and Bertold, S. 2007. The Strait of Georgia ambient monitoring program: phase I, 2002-2007: sediment and benthos. Can. Data Rep. Fish. Aquat. Sci. 1208: vi + 112 p.

Sediment, sinking particle and water samples were collected in the Strait of Georgia during 2002-2007 as part of a collaborative research project conducted by Fisheries and Oceans Canada, Natural Resources Canada and Metro Vancouver (formerly the Greater Vancouver Regional District). Twenty-two sediment cores were collected and subsampled for later analysis. Core samples were selectively analysed for  $^{210}\text{Pb}$  and  $^{226}\text{Ra}$ , concentration and stable isotopes of organic carbon and total nitrogen, metals, acid-volatile sulphide (AVS), polychlorinated biphenyls (PCBs), polybrominated diphenyl ethers (PBDEs), polyaromatic hydrocarbons (PAHs) and nonylphenol ethoxylates (NPEOs). Particle fluxes and concentrations of organic carbon, nitrogen, PCBs and PBDEs in sinking particles were measured using sediment traps deployed in the southern Strait in 2004. Benthic communities from nine stations were assessed using twenty-one sediment grabs that were characterized to the highest taxonomic resolution where possible. Additionally, the concentrations of dissolved and total organic carbon were measured at twenty stations along a cruise track from the mouth of Juan de Fuca Strait to the northern Strait of Georgia during four separate cruises in 2003. Data from this project are presented here and stored electronically in the Institute of Ocean Sciences data archive and are available on request ([http://www-sci.pac.dfo-mpo.gc.ca/osap/data/default\\_e.htm](http://www-sci.pac.dfo-mpo.gc.ca/osap/data/default_e.htm)).

## RÉSUMÉ

Wright, C.A., Johannessen, S.J., Macdonald, R.W., Burd, B.J., Hill, P. Van Roodselaar, A., and Bertold, S. 2007. The Strait of Georgia ambient monitoring program: phase I, 2002-2007: sediment and benthos. Can. Data Rep. Fish. Aquat. Sci. 1208: vi + 112 p.

Des échantillons de sédiment, d'eau et de particules en suspension ont été recueillis dans le détroit de Géorgie entre 2002 et 2007 dans le cadre d'un projet de recherche collaboratif entrepris par Pêches et Océans Canada, Ressources naturelles Canada et Metro Vancouver (anciennement district régional du Grand Vancouver). Vingt-deux carottes de sédiment ont été recueillies et sous-échantillonnées pour analyse ultérieure. L'analyse de certains échantillons de carotte nous a permis de déterminer la concentration de plomb-210 et de radium-226 ainsi que la concentration et la composition des isotopes stables de carbone organique et d'azote total, des métaux, des sulfures volatils en milieu acide (SVMA), des biphényles polychlorés (BPCs), d'éthers diphényliques polybromés (EDPs), d'hydrocarbures aromatiques polycycliques (HAPs) et d'éthoxylates de nonylphénol (NPEOs). Les flux de particules et les concentrations en carbone organique et azote, BPCs et EDPs dans les particules en chute ont été mesurés à l'aide de pièges à sédiment déployés dans la partie sud du détroit en 2004. Les communautés benthiques de neuf stations provenant de vingt et un échantillons ponctuels de sédiment ont été évaluées et caractérisés au degré de résolution taxonomique le plus élevé possible. Les résultats analytiques du travail sont présentés dans ce rapport de données et sont disponibles sous forme électronique sur demande à partir de l'archive de données de l'Institut des sciences de la mer.

This page left intentionally blank



## 1.0 Introduction

The Strait of Georgia receives particles, organic matter and contaminants from river runoff, atmospheric and seawater exchange, and anthropogenic discharge (Johannessen *et al.*, 2003). These influxes affect benthic and pelagic productivity, the burial or processing of contaminants, and the role of the Strait of Georgia in the global carbon cycle. During a 2002-2007 collaborative project carried out by Fisheries and Oceans Canada, Natural Resources Canada and Metro Vancouver (formerly the Greater Vancouver Regional District), we collected and analysed 22 sediment cores and 21 sediment grab samples. The objectives of the project were: (i) to provide a context within which to assess the effects of Metro Vancouver wastewater outfalls, (ii) to develop baseline and temporal trend data against which to measure future change, and (iii) to increase our understanding of the local benthic ecosystems and of the cycling of particles, organic carbon, contaminants in the Strait of Georgia.

In addition to their presentation in this report, all the data from this project are stored electronically in the Institute of Ocean Sciences data archive and are available on request ([http://www-sci.pac.dfo-mpo.gc.ca/osap/data/default\\_e.htm](http://www-sci.pac.dfo-mpo.gc.ca/osap/data/default_e.htm)). Portions of the data have been analysed and published by Burd *et al.* (2008a,b,c), Johannessen *et al.* (2008a,b) and Macdonald *et al.* (2008). Additional review and analysis on the sedimentary regime of the Strait of Georgia have also been published by Hill *et al.*, (2008).

## 2.0 Methods

### 2.1 Sediment Cores and Traps

In 2002-2004 and 2007, twenty-two sediment box cores were collected in the Strait of Georgia using a Pouliot box corer (cores 1-7) and a Pedersen corer (cores 8-22) (Figure 1, Table 1). Sediment cores were sectioned in the shipboard laboratory within a few hours of collection into 1 cm intervals for the uppermost 10 cm, 2 cm intervals for the next 10 cm and 5 cm intervals for the remainder of the core (20 cm to bottom; core depths ranged from ~20- 50 cm). Sediment consisted primarily of silty mud. Core sections were homogenized and then subsampled for the analyses described below.

Moorings (Figure 1) with two sediment traps each (attached 20 and 50 m off the bottom) were set out at two of the core stations in October 2003 and retrieved in April 2004. Each trap collected 10 sequential samples that represented 21 days each. The moorings were redeployed on April 28, 2004 (A2S and B2), but in August, a trawl or towline resulted in the loss of one mooring and the dragging of a second. On Aug. 22, 2004 the Argos beacon at the top of GVRD B2 started to transmit, indicating that the top portion, at least, of the mooring was on the surface. On Aug 26, 2004, a notice to shipping, P-1333, was issued, indicating two yellow steel buoys adrift at 49°19.184' N 123°27.8' W. The top float, pinger and Argos beacon were recovered on Ragged Island in Howe Sound at 49° 22.63' N 123° 26.89' W. No further signs of the mooring were found. The other mooring was dragged 10 km upslope to 49° 08.136' 123° 18.422' (2AF).

## 2.2 <sup>210</sup>Pb Dating

Subsamples for each core depth were sent to Flett Research Ltd. in Winnipeg, Canada for analysis of <sup>210</sup>Pb and <sup>226</sup>Ra. <sup>210</sup>Pb was measured in all sections of each core (~22 samples/core), following the procedure of Eakins and Morrison (1978), while that of <sup>226</sup>Ra was determined at three depths (top, middle, bottom) in each core, from the ingrowth of <sup>222</sup>Rn over at least 4 days as per Mathieu *et al.* (1988) with modifications by Flett Research Ltd. (2006).

## 2.3 Contaminants, Organics, Isotopes

A full suite of metals, Pb isotopes, AVS, and porosity was analysed in Cores 1-7 (19-22 sections depending on core) at the Université du Québec. AVS was determined using ICP-MS and methods can be found Gobeil *et al.* (2001). Metals and Pb isotopes were measured using ICP-MS and ICP-AES (Gobeil *et al.* 2005), with mercury measured using AA-MGH (Gobeil *et al.*, 1999). All 209 PCB congeners and 40 PBDE congeners were analyzed in 10 subsamples from each of Cores GVRD-1 to GVRD-7, except core GVRD-4. Only three samples were sent from Core GVRD-4 (top, middle, bottom), because the sedimentation rate from this core could not be determined. PCBs and the PBDEs were measured by high resolution gas chromatography / high resolution mass spectroscopy (general precision  $\pm 30\%$ ; precision of duplicates in a batch  $\pm 20\%$  of the mean) (US EPA, 2003a, b). PAHs and NPEOs were measured in 3 subsamples of Cores GVRD-1,2,3,5,7 (top, middle, bottom) (Axys Analytical Services Ltd., 2004, 2006).

Carbon and nitrogen were analysed in the sediment core samples at the University of British Columbia, using the method of Calvert *et al.* (1995), in which organic carbon is calculated as the difference between total and carbonate carbon. Total carbon is measured by combustion and gas chromatography in a CHS analyzer and carbonate carbon by coulometry (precision  $\pm 1.6\%$ , 1 standard deviation).

Stable isotopes of carbon and nitrogen were measured in all the core samples at the University of British Columbia (Calvert *et al.*, 2001)

Sediment trap material was split for different analysis. Half (by volume) of the material in each cup was sent to the University of British Columbia for analysis of total, organic and inorganic carbon, nitrogen, biogenic silica, opal, stable isotopes of carbon and nitrogen, salt, metals and total dry weight (Calvert *et al.* 1995, 2001). To obtain enough material for analysis of organic contaminants, one quarter (by volume) of the material from each collection cup was collected and homogenized with all the other quarter splits from the same sediment trap. The analyses of PCB, PAH, NPEO, and PBDE were performed by Axys Analytical Ltd., as described above for the sediment core samples. The remaining quarter of each sample is archived at the Institute of Ocean Sciences, Sidney, British Columbia.

## 2.3 Benthic Faunal Sampling

Benthic grab samples were collected at nine of the core locations (GVRD-1, 2, 3, 4, 5, 6, 7, 9, 10; Figure 1), using 0.1m<sup>2</sup> grab samplers (Van Veen or Smyth-Macintyre) and

sieved through a 1 mm mesh. Small and delicate invertebrates were removed during the washing process and all samples were then preserved in 10% buffered formalin with rose bengal stain. Organisms were identified to genus/species, where possible, by Biological Environmental Services, Victoria, British Columbia.

Sites 3 and 4 corresponded to Metro Vancouver stations IONA 8 and 15, which were also sampled and processed independently as part of Metro Vancouver's ongoing nearfield monitoring program (see Burd *et al.*, 2008b for review). Grab samples collected at stations GVRD 3 and 4 were subsampled into layers to determine the distribution of benthic invertebrates with depth in the sediment column. These grabs were sampled in 1 cm depth intervals for the top 10 cm, where possible, with the >10 cm portion combined into a single sample. The outermost portion of each sample was excluded, to avoid smearing along the grab walls. In addition to the depth-stratigraphic analysis of the benthic invertebrates in cores GVRD-3 and 4, a small subsample (~30 ml) from each depth interval and each replicate was removed for metals and lead isotope analysis performed by Université du Québec using ICP-MS and ICP-AES (Gobeil *et al.* 2005)

#### **2.4 Foraminifera**

Foraminifer samples were taken from the surface (0-1 cm) from cores 3 and 4 and were preserved with 10% buffered formalin with Rose Bengal stain. A fraction of each sample was examined in solution (wet picked), except for Core GVRD-3 intervals 0-1 cm and 40-45 cm, which were wet picked in their entirety. Representative specimens were counted. The unexamined remainder of each sample was dried. Each dried sample was sieved into size fractions and examined. Enough of each sample to count 300 specimens was examined, although small populations required examination of the entire sample. Both foraminifera and thecamoebians were identified. The taxonomy and analysis was performed by Susan Burbidge of Ottawa, Ontario, according to the taxonomy of Loeblich and Tappan (1987).

### **3.0 References**


- Axys Analytical Services Ltd. (1996). Method MLA021 Determination of Polycyclic Aromatic Hydrocarbons (PAH), Alkylated Polycyclic Aromatic Hydrocarbons and Alkanes by GC/MS. A Modification of Method 8270C, Semivolatile Organic Compounds by GC/MS, December 1996. U.S. EPA, Engineering and Analysis Division, Office of Science And Technology.
- Axys Analytical Services Ltd. (2004). Method MLA-004 Determination of Nonylphenols and nonylphenol ethoxylates by GC/MS. Sidney, B.C.
- Burd, B., Barnes, P. A., Wright, C. A. and Thomson, R. E. (2008a). A review of subtidal benthic habitats and invertebrate biota of the Strait of Georgia, British Columbia. *Marine Environmental Research*, 66, S3-S38.

- Burd, B.J., Macdonald, R.W., Johannessen, S.C., and van Roodselaar, A. (2008b), Responses of subtidal benthos of the Strait of Georgia, British Columbia, Canada to ambient sediment conditions and natural and anthropogenic depositions. *Marine Environmental Research*, 66, S62-S79.
- Burd, B., Macdonald, R., van Roodselaar, A., and Wright, C. (2008c). *Axinopsida serricata* shell encrustation: A potential indicator of organic enrichment conditions in sediments in the southern Strait of Georgia, British Columbia, Canada. *Marine Environmental Research*, 66, S101-111.
- Calvert, S.E. and Pedersen, T.F. (1995). On the organic carbon maximum on the continental slope of the eastern Arabian Sea. *Journal of Marine Research*, 53, 269-296.
- Calvert, S.E., Pedersen, T.F. and Karlin, R.E. (2001). Geochemical and isotopic evidence for post-glacial palaeoceanographic changes in Saanich Inlet, British Columbia. *Marine Geology*, 174, 287-305.
- Eakins, J.D. and Morrison, R.T. (1978). A new procedure for the determination of lead-210 in lake and marine sediments. *International Journal of Applied Radiation and Isotopes*, 29, 531-536.
- Gobeil, C., Macdonald, R.W. and Smith, J.N. (1999). Mercury profiles in sediments of Arctic ocean basins. *Environmental Science & Technology*, 33, 4194-4198.
- Gobeil, C., Macdonald, R.W., Smith, J.N. and Beaudin, L. (2001). Atlantic water flow pathways revealed by lead contamination in Arctic Basin sediments. *Science*, 293, 1301-1304.
- Gobeil, C., Rondeau, B. and Beaudin, L. (2005). Contribution of municipal effluents to metal fluxes in the St. Lawrence River. *Environmental Science & Technology*, 39, 456-464.
- Hill, P.R., Conway, K., Lintern, D.G., Meulé, S., Picard, K., and Barrie, J.V. (2008). Sedimentary Processes and Sediment Dispersal in the southern Strait of Georgia, BC, Canada. *Marine Environmental Research*, 66, S39-S48.
- Johannessen, S.C., Macdonald, R.W., and Paton, D.W. (2003). A sediment and organic carbon budget for the greater Strait of Georgia. *Estuarine, Coastal and Shelf Science*, 56, 845-860.
- Johannessen, S.C., Macdonald, R.W., Wright, C.A., Burd, B., Shaw, D.P. and van Roodselaar, A. (2008a). Joined by geochemistry, divided by history: PCBs and PBDEs in Strait of Georgia sediments. *Marine Environmental Research*, 66, S112-S120.

- Johannessen, S.C., Potentier, G., Wright, C.A., Masson, D. and Macdonald, R.W. (2008b). Water column organic carbon in a Pacific marginal sea (Strait of Georgia, Canada). *Marine Environmental Research*, 66, S49-S61.
- Lavelle, J.W., Massoth, G.J. and Crecelius, E.A. (1986). Accumulation rates of recent sediments in Puget Sound, Washington. *Marine Geology*, 72, 59-70.
- Loeblich, A. R. and Tappan, H. 1987. *Foraminiferal Genera and their Classification*. Van Nostrand Rienhold Co., New York.
- Macdonald, R.W., Johannessen, S.C., Gobeil, C., Wright, C., Burd, B., van Roodselaar, A. and Pedersen, T.F. (2008). Sediment redox tracers in Strait of Georgia sediments – Can they inform us of the loadings of organic carbon from municipal wastewater? *Marine Environmental Research*, 66, S87-S100.
- Mathieu, G.G., Biscaye, P.E., Lupton, R.A. and Hammond, D.E. (1988). System for measurement of  $^{222}\text{Rn}$  at low levels in natural waters. *Health Physics*, 55: 989-992.
- Robbins, J.A. (1978). Geochemical and geophysical applications of radioactive lead. Nriagu, J.O. (Eds.). *The Biogeochemistry of Lead in the Environment*. North-Holland Biomedical Press/Elsevier, New York, 285-393 pp.
- US EPA (2003a). *Determination of Chlorinated Biphenyl Congeners in Water, Soil, Sediment, Biosolids and Tissue by HRGC/HRMS. Method 1668 Revision A (with corrections and changes through August 20, 2003)*. Engineering and Analysis Division, Office of Science and Technology, U.S. EPA, pp. 112+appendices.
- US EPA (2003b). *Draft Method 1614 Brominated Diphenyl Ethers in Waters, Soil, Sediment, Biosolids and Tissue by HRGC/HRMS*. Engineering and Analysis Division, Office of Science and Technology, U.S. EPA, pp. 83.

This page left intentionally blank

Figure 1: Strait of Georgia Ambient Monitoring Program station map.



This page left intentionally blank



Table 1: Cruise and coring details and sediment sample descriptions.

<b>Core Description GVRD 1</b>		Possibility of some compaction due to sitting overnight	
Date	June 19, 2003		
Cruise No.	2003-24	Latitude	49 35.515
Event No.	67	Longitude	124 38.275
Core Length	56 cm	Water Depth	169 m

Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments	Bivalves Collected
0-1	2.5Y 3/2	dusty red	soupy, unconsolidated, rusty oxidation, slightly sulfidic, minor bioturbation	Absent
1-2	2.5Y 3/2	dusty red	soupy, unconsolidated, rusty oxidation, slightly sulfidic, mud star (sea star)	Absent
2-3	2.5Y 3/2	dusty red	soupy, unconsolidated, rusty oxidation, slightly sulfidic	Absent
3-4	5Y 3/2	dark olive gray	grey patches, mud star intact	Absent
4-5	5Y 3/2	dark olive gray	dark olive grey with grey patches, large tube worm	Absent
5-6	5Y 3/2	dark olive gray	dark olive grey with grey patches, large tube worm	Absent
6-7	5Y 3/2	dark olive gray	dark olive grey with grey patches, some woody debris	Absent
7-8	5Y 3/2	dark olive gray	dark olive grey with grey patches, some woody debris, increased consolidation	Absent
8-9	5Y 3/2	dark olive gray	dark olive grey with grey patches, some woody debris, increased consolidation.	Absent
9-10	5Y 3/2	dark olive gray	dark olive grey with grey patches	Absent
10-12	5Y 3/2	dark olive gray	dark olive grey with grey patches, texture change to increased silty/sand	Absent
12-14	5Y 3/2	dark olive gray	dark olive grey with grey patches, slightly sulphidic	Absent
14-16	5Y 3/2-2.5/2	black to dark olive gray	dark olive grey with grey patches	Absent
16-18	5Y 3/2	dark olive gray	dark olive grey with grey patches	Absent
18-20	5Y 3/2	dark olive gray	dark olive grey with grey patches	Absent
20-25	5Y 3/2	dark olive gray	dark olive grey with grey patches	Absent
25-30	5Y 3/2	dark olive gray	dark olive grey with grey patches, slightly sulphidic, reworked black tube	Absent
30-35	5Y 3/2	dark olive gray	dark olive grey with grey patches	Absent
35-40	5Y 3/2	dark olive gray	dark olive grey with grey patches, some mottling, shells and a piece of wood intact	1 pair of valves, <i>Yoldia thraciaeformis</i>
40-45	5Y 3/2	dark olive gray	dark olive grey with grey patches, some mottling, and reworked pockets	Absent
45-50	5Y 3/2	dark olive gray	dark olive grey with grey patches, some mottling, and reworked pockets	Absent
50-55	5Y 3/2-2.5/2	dark olive gray to black	dark olive grey with grey patches, some mottling, and reworked pockets	Absent
55	5Y 3/2-2.5/2	dark olive gray to black	dark olive grey with grey patches, some mottling, and reworked pockets	Absent

Table 1: Continued

<b>Core Description GVRD 2</b>		Possible compaction and settling due to sitting overnight	
Cruise No.	2003-24	Latitude	49 19.902
Date	June 18, 2003	Longitude	123 18.509
Event No.	52	Water Depth	76 m
Core Length	48 cm		

Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments	Bivalves Collected
0-1	2.5Y 3/2	dusty red	errant polychaetes and tubes visible, bioturbated, small tubes	1 pair valves <i>Axinopsida serricata</i>
1-2	5Y 3/2	dark olive gray	bioturbated	Absent
2-3	5Y 3/2	dark olive gray	mottled, bioturbated	Absent
3-4	5Y 2.5/2	black to dark olive gray	mottled, bioturbated, large piece of bark	Absent
4-5	5Y 2.5/2	black to dark olive gray	mottled bioturbated, 1-2 cm rock	Absent
5-6	5Y 2.5/2	black to dark olive gray	bioturbated	1 fragmented pair of valves, <i>M. elminata</i>
6-7	5Y 2.5/2	black to dark olive gray	mottled, bioturbated, some woody debris	Absent
7-8	5Y 3/2	dark olive gray	mottled, bioturbated, small rock	Absent
8-9	5Y 3/2	dark olive gray	mottled bioturbated, errant polychaetes, polychaete tubes	Absent
9-10	5Y 2.5/2	black to dark olive gray	amounts of woody debris	Absent
10-12	5Y 3/2	dark olive gray	mottled, bioturbated	Absent
12-14	5Y 2.5/2	black to dark olive gray	mottled, bioturbated, layer of shelly debris	2 pairs + 1 valve <i>Macoma eliminata</i>
14-16	2.5Y N3	very dark gray	bioturbated, darker in colour	1 pair valves, <i>Yoldia thraciaformis</i> , 1 pair valves, <i>Yoldia seminuda</i> , 2 pairs + 1 single valve <i>Macoma eliminata</i>
16-18	5Y 2.5/2	black to dark olive gray	less bioturbated	Absent
18-20	2.5Y N3	very dark gray	mottled, polychaete tubes apparent	Absent
20-25	5Y 2.5/2	black to dark olive gray	less bioturbated but still mottled	Absent
25-30	5Y 2.5/2	black to dark olive gray	texture change, lighter in colour and less consolidated	Absent
30-35	5Y 3/1	very dark gray	air pockets, soft, loose sediment, some woody debris	Absent
35-40	5Y 4/1-3/2	dark gray to dark olive gray	softer sediment, more water	Absent
40-45	5Y 4/1-3/2	dark gray to dark olive gray	softer sediment, more water	Absent

Table 1: Continued

Core Description GVRD 3			
Date	December 19, 2002		
Cruise No.	2002-41	Latitude	49 12.467
Event No.	38	Longitude	123 17.992
Core Length	47 cm	Water Depth	183 m

Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments	Bivalves Collected
0-1	not taken	not taken	dark olive gray, bioturbated, soupy consistency small flatworms	Absent
1-2	"	"	not taken	Yes
2-3	"	"	black to dark olive gray, mottled, bioturbated, shell fragments	Yes
3-4	"	"	not taken	Yes
4-5	"	"	"	Yes
5-6	"	"	"	Yes
6-7	"	"	"	No
7-8	"	"	"	Yes
8-9	"	"	"	Yes
9-10	"	"	"	Yes
10-12	"	"	black	Yes
12-14	"	"	not taken	Yes
14-16	"	"	"	Yes
16-18	"	"	"	Yes
18-20	"	"	"	Yes
20-25	"	"	"	Yes
25-30	"	"	black, consolidated	Absent
30-35	"	"	not taken	Absent
35-40	"	"	"	Absent
40-45	"	"	"	Absent

Core Description GVRD 4			
Possible compaction due to sitting overnight			
Date	December 19, 2002		
Cruise No.	2002-41	Latitude	49 07.778
Event No.	37	Longitude	123 18.714
Core Length	38 cm	Water Depth	84 m

Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments	Bivalves Collected
0-1	not taken	not taken	silty mud, black to dark olive gray on surface, bioturbated, micaceous minerals, consolidated, not anoxic	Yes
1-2	"	"	not taken	Yes
2-3	"	"	"	Yes
3-4	"	"	"	Yes
4-5	"	"	"	Yes
5-6	"	"	"	Absent
6-7	"	"	"	Absent
7-8	"	"	"	Yes
8-9	"	"	"	Absent
9-10	"	"	"	Absent
10-12	"	"	"	Absent

Table 1: Continued.

Core Description GVRD 4				
Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments	Bivalves Collected
12-14	not taken	not taken	not taken	Absent
14-16	"	"	"	1 valve <i>Macoma</i> spp.
16-18	"	"	"	Absent
18-20	"	"	"	Absent
20-25	"	"	"	Absent
25-30	"	"	"	Absent
30-35	"	"	"	Absent

Core Description GVRD 5				
Cruise No.	2002-41	Latitude	49 09.877	
Date	December 20, 2002	Longitude	123 32.73	
Event No.	76	Water Depth	388 m	
Core Length	52 cm			

Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments	Bivalves Collected
0-1	not taken	not taken	wet fine clay, bioturbated, polychaetes and heart urchins	Absent
1-2	"	"	not taken	Absent
2-3	"	"	"	Absent
3-4	"	"	"	Absent
4-5	"	"	"	Absent
5-6	"	"	"	Absent
6-7	"	"	"	Absent
7-8	"	"	"	Absent
8-9	"	"	"	Absent
9-10	"	"	"	Absent
10-12	"	"	"	Absent
12-14	"	"	"	Absent
14-16	"	"	"	Absent
16-18	"	"	"	Absent
18-20	"	"	"	Absent
20-25	"	"	"	Absent
25-30	"	"	"	Absent
30-35	"	"	"	Absent

Core Description GVRD 6				
Cruise No.	2003-24	Latitude	48 56.191	
Date	June 18, 2003	Longitude	123 18.792	
Event No.	44	Water Depth	183 m	
Core Length	45 cm			

Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments	Bivalves Collected
0-1	5Y 5/2	dark olive gray	mottled, bioturbated, micaceous minerals, soupy consistency	Absent
1-2	5Y 2.5/2	black to dark olive gray	mottled with black patches	Absent

Table 1: Continued

Core Description GVRD 6				
Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments	Bivalves Collected
2-3	5Y 3/2	dark olive gray	bioturbated, more olive	Absent
3-4	5Y 3/2-2.5/2	dark olive gray to black	mottled, bioturbated	Absent
4-5	5Y 3/2-2.5/2	dark olive gray to black	mottled, bioturbated, slightly darker, Dentalium spp	Absent
5-6	5Y 3/2	dark olive gray	mottled with darker patches	Absent
6-7	5Y 2.5/2	black to dark olive gray	mottled with darker patches	1 pr valves (live) <i>Yoldia seminuda</i>
7-8	5Y 3/2	dark olive gray	bioturbated, colour more consistent	1 valve, <i>Macoma</i> spp.
8-9	5Y 3/2	dark olive gray	bioturbated, echurian found	1 fragmented valve, <i>Macoma</i> spp.
9-10	5Y 2.5/2	black to dark olive gray	bioturbated with rust coloured streaks, errant polychaete found	Absent
10-12	5Y 2.5/2	black to dark olive gray	bioturbated, less dark olive grey, shell material and a polychaete found	1 pair (live) <i>Yoldia thraciaeformis</i>
12-14	5Y 2.5/2	black to dark olive gray	bioturbated	Absent
14-16	5Y 2.5/1	black	less bioturbated	Absent
16-18	5Y 2.5/2	black to dark olive gray	water pockets	1 fragmented valve, no identification
18-20	5Y 2.5/2	black to dark olive gray	compact dark sand, some pieces of woody debris, gastropod shell	Absent
20-25	5Y 2.5/1	black	compact dark sand	1 pair valves, <i>Macoma (nasuta?)</i>
25-30	5Y 2.5/1	black	compact, darker	Absent
30-35	5Y 2.5/1	black	compact, darker	Absent
35-40	5Y 2.5/1	black	compact, darker, in situ echurian	Absent
40-45	5Y 2.5/1	black	compact, darker	Absent

Core Description GVRD 7			
Date	December 6, 2003		
Cruise No.	2003-41	Latitude	49 033.340
Event No.	Not Taken	Longitude	123 22.162
Core Length	45 cm	Water Depth	240 m

Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments	Bivalves Collected
0-1	not taken	not taken	polychaetes, bioturbated	not taken
1-2	"	"	"	"
2-3	"	"	"	"
3-4	"	"	"	"
4-5	"	"	"	"
5-6	"	"	"	"
6-7	"	"	"	"
7-8	"	"	"	"
8-9	"	"	"	"
9-10	"	"	"	"
10-12	"	"	"	"
12-14	"	"	"	"
14-16	"	"	"	"

Table 1: Continued

Core Description GVRD 7				
Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments	Bivalves Collected
16-18	not taken	not taken	not taken	not taken
18-20	"	"	"	"
20-25	"	"	"	"
25-30	"	"	old bioturbated traces, sulphidic, pockets of black soupy sediments	"
30-35	"	"	very sulphidic	"

Core Description GVRD 8				
Cruise No.	BEAM 2007-01	Latitude	49 26.338	
Date	July 8, 2007	Longitude	123 54.590	
Event No.	NA	Water Depth	214 m	
Core Length	66 cm			

Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments
0-1	not taken	not taken	wet sediment, very soupy
1-2	"	"	as above
2-3	"	"	dark olive clay, bioturbated
3-4	"	"	as above
4-5	"	"	sulphidic smell
5-6	"	"	consolidated, "sticky", bioturbated, dark olive gray
6-7	"	"	as above but increasingly consolidated
7-8	"	"	as above
8-9	"	"	as above
9-10	"	"	as above
10-12	"	"	dark olive gray with black mottling, somewhat less consolidated
12-14	"	"	as above but greater water content
14-16	"	"	as above
16-18	"	"	no comments
18-20	"	"	no comments
20-25	"	"	increasingly consolidated
25-30	"	"	no comments
30-35	"	"	no comments
35-40	"	"	no comments
40-45	"	"	no comments
45-50	"	"	no comments

Core Description GVRD 9				
Cruise No.	BEAM 2007-01	Latitude	49 27.441	
Date	July 12, 2007	Longitude	124 03.148	
Event No.	NA	Water Depth	365	
Core Length	64			

0-1	5Y 3/2	dark olive gray	bioturbated, worms present, soupy, loose consistency
1-2	5Y 3/2	dark olive gray	bioturbated, worms present, soupy, loose consistency

Table 1: Continued.

Core Description GVRD 9			
Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments
2-3	5Y 3/2	dark olive gray	soupy consistency, bioturbated, holothurian and echinoderm present
3-4	5Y 3/2	dark olive gray	bioturbated
4-5	5Y 3/2	dark olive gray	soupy, water content around edge of liner
5-6	5Y 3/2	dark olive gray	as above
6-7	5Y 3/2	dark olive gray	as above, slightly sulphidic
7-8	5Y 3/2	dark olive gray	as above
8-9	5Y 3/2	dark olive gray	slight black mottling
9-10	5Y 2.5/2	dark olive gray	old burrows present
10-12	5Y 2.5/2	dark olive gray	as above
12-14	5Y 2.5/2	dark olive gray	as above
14-16	5Y 2.5/2	dark olive gray	as above
16-18	5Y 2.5/2	dark olive gray	as above
18-20	5Y 2.5/2	dark olive gray	as above
20-25	5Y 2.5/2	dark olive gray	as above, more dark mottling
25-30	5Y 2.5/2	dark olive gray	as above, slightly sulphidic
30-35	5Y 2.5/2	dark olive gray	as above, but no sulphidic smell
35-40	5Y 2.5/2	dark olive gray	as above but with watery pockes inside old burrows
40-45	5Y 2.5/2	dark olive gray	as above
45-50	5Y 2.5/2	dark olive gray	as above

Core Description GVRD 10			
Cruise No.	BEAM 2007-01	Latitude	49 50.672
Date	July 9, 2007	Longitude	124 53.207
Event No.	NA	Water Depth	310 m
Core Length	52 cm		

Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments
0-1	not taken	not taken	bioturbated, dark olive green with "red" streaks (likely worms), hummocky
1-2	"	"	no comments
2-3	"	"	no comments
3-4	"	"	loose consistency
4-5	"	"	as above
5-6	"	"	as above
6-7	"	"	increasing in consolidation
7-8	"	"	bioturbated with worm burrows
8-9	"	"	no comments
9-10	"	"	no comments
10-12	"	"	no comments
12-14	"	"	increasing in consolidation, clumping
14-16	"	"	no comments
16-18	"	"	no comments
18-20	"	"	no comments
20-25	"	"	no comments
25-30	"	"	slight sulphidic smell
30-35	"	"	no comments
35-40	"	"	no comments
40-45	"	"	no comments

Table 1. Continued.

Core Description GVRD 11			
Cruise No.	BEAM 2007-01	Latitude	49 42.189
Date	July 11, 2007	Longitude	124 38.015
Event No.	NA	Water Depth	336 m
Core Length	Not Known		

Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments
0-1	not taken	not taken	bioturbated, worm burrows/tubes on surface, spicules, soupy, wet consistency
1-2	"	"	as above
2-3	"	"	no comments
3-4	"	"	loose but increasing in consolidation
4-5	"	"	polychaete worm present
5-6	"	"	no comments
6-7	"	"	increasing consistency, strong sulphidic smell
7-8	"	"	no comments
8-9	"	"	no comments
9-10	"	"	no comments
10-12	"	"	no comments
12-14	"	"	no comments
14-16	"	"	no comments
16-18	"	"	no comments
18-20	"	"	no comments
20-25	"	"	no comments
25-30	"	"	no comments
30-35	"	"	2 separated valves from bivalves
35-40	"	"	bivalve shell fragments (<1 cm)
40-45	"	"	sulphidic smell
45-50	"	"	no comments

Core Description GVRD 12			
Cruise No.	BEAM 2007-01	Latitude	49 26.201
Date	July 11, 2007	Longitude	124 22.922
Event No.	NA	Water Depth	328 m
Core Length	Not Known		

Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments
0-1	5Y 2.5/1	dark olive gray	some mottling
1-2	5Y 3/2	dark olive gray	as above
2-3	5Y 3/2	dark olive gray	some evidence of iron oxidation
3-4	5Y 3/2	dark olive gray	as above with increasing consolidation
4-5	5Y 3/2	dark olive gray	as above with some black mottling
5-6	5Y 3/2	dark olive gray	as above
6-7	5Y 3/2	dark olive gray	as above
7-8	5Y 3/2	dark olive gray	as above with increased consolidation
8-9	5Y 3/2	dark olive gray	as above
9-10	5Y 3/2	dark olive gray	as above with increased black mottling, higher water content
10-12	5Y 3/2	dark olive gray	as above
12-14	5Y 3/2	dark olive gray	as above
14-16	5Y 3/2	dark olive gray	as above but increased consolidation



Table 1: Continued.

<b>Core Description GVRD 12</b>			
<b>Core Depth (cm)</b>	<b>Munsell Colour Scale</b>	<b>Munsell Colour</b>	<b>Description/Comments</b>
16-18	5Y 3/2	dark olive gray	as above
18-20	5Y 3/2	dark olive gray	as above
20-25	5Y 3/2	dark olive gray	as above
25-30	5Y 3/2	dark olive gray	2 cm x 4 cm piece of iron slag found in this layer
30-35	5Y 3/2	dark olive gray	black mottling present with slight sulphidic smell
35-40	5Y 2.5/2	dark olive gray to black	strong sulphidic smell
40-45	5Y 3/2	dark olive gray	increased water content produces soupier consistency that levels above it
45-50	5Y 3/2	dark olive gray	lots of water pockets but some stiff sediment regions

<b>Core Description GVRD 13</b>			
Cruise No.	BEAM 2007-01	Latitude	49 23.056
Date	July 12, 2007	Longitude	124 12.611
Event No.	NA	Water Depth	326 m
Core Length	39 cm		

<b>Core Depth (cm)</b>	<b>Munsell Colour Scale</b>	<b>Munsell Colour</b>	<b>Description/Comments</b>
0-1	not taken	not taken	worm tubes and spicules present
1-2	"	"	no comments
2-3	"	"	no comments
3-4	"	"	no comments
4-5	"	"	worm tubes present
5-6	"	"	worm tubes and spicules present
6-7	"	"	no comments
7-8	"	"	some sediment consolidation, black mottling
8-9	"	"	no comments
9-10	"	"	no comments
10-12	"	"	no comments
12-14	"	"	no comments
14-16	"	"	no comments
16-18	"	"	sediment very stiff and dry, spicules but no more worm tubes
18-20	"	"	no comments
20-25	"	"	no comments
25-30	"	"	bivalve shell fragments, clay look consistency
30-35	"	"	no comments

Table 1: Continued.

Core Description GVRD 14			
Cruise No.	BEAM 2007-01	Latitude	49 21.553
Date	July 13, 2007	Longitude	123 34.37
Event No.	NA	Water Depth	160 m
Core Length	43 cm		

Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments
0-1	2.5Y 4/2	dark grayish brown	watery, lighter sediment on top, bioturbated and hummocky
1-2	2.5Y 4/2	dark grayish brown	as above
2-3	5Y 3/2	dark olive gray	holothuroid on surface, increased consolidation
3-4	5Y 3/2	dark olive gray	as above with increasing consolidation (still watery)
4-5	5Y 3/2	dark olive gray	as above
5-6	5Y 3/2	dark olive gray	as above
6-7	5Y 3/2	dark olive gray	as above
7-8	5Y 3/2 mottled with 5Y 2.5/2	dark olive gray	as above but with black mottling (old burrows?), still soupy along the edge of the liner but center is consolidated
8-9	5Y 3/2	dark olive gray	as above
9-10	5Y 3/2	dark olive gray	as above
10-12	5Y 3/2	dark olive gray	as above but with slight black mottling (old burrows?)
12-14	5Y 3/1	very dark gray	as above, but increased water content in center of core
14-16	5Y 3/1	very dark gray	as above
16-18	5Y 3/1	very dark gray	as above
18-20	5Y 3/1 to 3/2	dark olive gray	as above (still watery in pockets)
20-25	5Y 3/2	dark olive gray	as above
25-30	5Y 3/1	very dark gray	as above
30-35	5Y 3/1	very dark gray	as above, increased consolidation
35-40	5Y 3/1	very dark gray	as above, sediment firm

Core Description GVRD 15			
Cruise No.	BEAM 2007-01	Latitude	49 07.44
Date	July 14, 2007	Longitude	123 27.482
Event No.	NA	Water Depth	296 m
Core Length	33 cm		

Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments
0-1	5Y 3/1	very dark gray	fecal pellets on surface, floc, bioturbated, some black precipitate, worm tubes on surface
1-2	5Y 3/1	very dark gray	as above, wet
2-3	5Y 3/1	very dark gray	as above
3-4	5Y 3/1	very dark gray	as above with increased consolidation, tubes present, bioturbated
4-5	5Y 3/1	very dark gray	as above but less bioturbated
5-6	5Y 3/2 to 2.5/2	dark olive gray to black	as above, increased consolidation, sticky, slight reducing smell

Table 1: Continued

Core Description GVRD 15			
Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments
6-7	5Y 3/2 to 2.5/2	dark olive gray to black	sticky and consolidated, but at bottom of section, increased water content (old tube pocket), reducing smell
7-8	5Y 3/2 mottled with 5Y 2.5/2	dark olive gray to black	more watery due to the presence of sediment pockets
8-9	5Y 3/1	very dark gray	sediment pockets not present but still watery
9-10	5Y 3/1	very dark gray	sediment consolidated
10-12	5Y 3/2 mottled with 5Y 2.5/2	dark olive gray mottled with black	sticky with a calcium carbonate "lime" smell
12-14	5Y 3/2 mottled with 5Y 2.5/2	dark olive gray mottled with black	as above, but holothuroid at edge of liner
14-16	5Y 2.5/2 to 2.5/1	black	as above, remains of holothuroid and tube continue
16-18	5Y 2.5/1	black	as above
18-20	5Y 2.5/1	black	as above
20-25	5Y 2.5/1	black	as above
25-30	5Y 2.5/1	black	as above

Core Description GVRD 16			
Cruise No.	2007-58	Latitude	49 01.605
Date	November 6, 2007	Longitude	123 20.237
Event No.	Not Recorded	Water Depth	210 m
Core Length	23 cm		

Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments
0-1	5Y 3/2	dark olive gray	soupy, no smell, gritty texture (less water content than north stations)
1-2	5Y 3/2	dark olive gray	relatively firm, gritty, bioturbated, shell fragments, worm tubes
2-3	5Y 2.5/1	black	firm and consolidated, gritty texture, worm tubes, shell fragments, slight odour
3-4	5Y 2/2	black	as above, some brown infill sediments into old burrows; <i>Macoma spp.</i> valves, strong carbonate smell
4-5	5Y 2/2	black	as above, <i>Macoma spp.</i> valves, polychaetes
5-6	5Y 2.5/2	black	as above, colour more brown, texture is more sandy
6-7	5Y 3/2	dark olive gray	sandy, very consolidated, old bioturbation burrows, sediment is sticky
7-8	5Y 2.5/2	black	as above with small worms, black/gray mottling
8-9	5Y 2.5/2	black	as above
9-10	5Y 2.5/1	black	as above with black streaks and mottling
10-12	5Y 2.5/1	black	as above, a water pocket begins at the top of this interval
12-14	5Y 2.5/1	black	as above, Compack dark, sticky (almost spongy), sandy texture

Table 1: Continued.

Core Description GVRD 16			
Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments
14-16	5Y 2.5/1	black	as above but slightly more water content, sulphidic smell
16-18	5Y 2.5/1	black	as above, old burrows present
18-20	5Y 2.5/1	black	as above
20-22.5	5Y 2.5/1	black	as above

Core Description GVRD 17			
Cruise No.	2007-58	Latitude	49 24.508
Date	November 6, 2007	Longitude	124 02.043
Event No.	Not Recorded	Water Depth	410 m
Core Length	56 cm		

Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments
0-1	5YR 2.5/1	dark brown	wet, soupy consistency, fecal material, bioturbated with polychaetes, burrows
1-2	5YR 2.5/1	dark brown	set, soupy consistency, fecal material, bioturbated with polychaetes, burrows
2-3	5YR 2.5/1 with 5Y 3/2	dark brown/dark olive gray	increased consolidation, bioturbated, texture of fine silty mud, mottled with olive gray
3-4	5Y 3/2	dark olive gray	as above, slightly more consolidated
4-5	2.5Y 3/2	dark olive gray	fine silty texture with some clay component, brown floc intermixed
5-6	2.5Y 3/2	dusty red	as above, no smell
6-7	2.5Y 3/2 (mottled)	dusty red	as above, increased consolidation
7-8	2.5Y 3/2	dusty red	as above, compact, carbonate smell
8-9	2.5Y 3/2	dusty red	as above with some black pockets.
9-10	2.5Y 3/2	dusty red	as above, quite consolidated
10-12	5Y 3/2	dark olive gray	as above with mottling and old burrows containing black sediments
12-14	5Y 3/2	dark olive gray	as above
14-16	5Y 3/2	dark olive gray	as above, but black flecks in old burrows, carbonate but slightly sulphidic smell
18-20	5Y 3/2	dark olive gray	as above, old burrows present.
20-25	5Y 3/2	dark olive gray	some increase in water content, some black mottling.
25-30	5Y 3/2	dark olive gray	as above
30-35	5Y 3/2	dark olive gray	as above
35-40	5Y 3/2	dark olive gray	as above
40-45	5Y 3/2	dark olive gray	as above but there was a 1" x 3" piece of wood in the sample
45-50	5Y 3/2	dark olive gray	sediment as above with some woody debris

Table 1: Continued.

Core Description GVRD 18			
Cruise No.	2007-67	Latitude	48 51.762
Date	November 29, 2007	Longitude	123 05.681
Event No.	Not Recorded	Water Depth	157 m
Core Length	20 cm		

Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments
0-1	not taken	not taken	sandy/silty, gray-black with green, shell has, worm tubes, barnacle and shelly debris
1-2	"	"	as above
2-3	"	"	as above but increased consolidation, slightly "muddier"
3-4	"	"	odour similar to iodine
4-5	"	"	sandy, colour as above, some shell debris, increased consolidation
5-6	"	"	as above, polychaetes present
6-7	"	"	contains a dried shell layer
7-8	"	"	no comments
8-9	"	"	no comments
9-10	"	"	small holothurian
10-11	"	"	no comments
11-12	"	"	consolidated but one side has higher water content, silty
12-13	"	"	small holothurian
13-14	"	"	no comments
14-15	"	"	no comments
15-16	"	"	no comments
16-17	"	"	some shell debris
17-18	"	"	no comments
18-19	"	"	some shell debris

Core Description GVRD 19			
Cruise No.	2007-58	Latitude	49 01.12
Date	November 6, 2007	Longitude	123 23.09
Event No.	Not Recorded	Water Depth	255 m
Core Length	21 cm		

Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments
0-1	5Y 3/2	dark olive gray	soupy silty mud, bioturbated, lots of polychaetes
1-2	5Y 3/2	dark olive gray	as above
2-3	5Y 3/2	dark olive gray	as above, increased consolidation, polychaetes, burrows, water pocket
3-4	5Y 3/2	dark olive gray	as above, a piece of heart urchin
4-5	5Y 3/2	dark olive gray	as above
5-6	5Y 3/2	dark olive gray	as above, polychaetes, more heart urchin, sediment consolidation.
6-7	5Y 3/2	dark olive gray	as above
7-8	5Y 3/2	dark olive gray	as above, but no more heart urchin present.

Table 1: Continued.

Core Description GVRD 19			
Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments
8-9	5Y 3/2	dark olive gray	as above, but some form of hard worm tube present, metallic speckles in the sediments
9-10	5Y 2.5/2	black	as above but slightly darker in colour
10-12	5Y 2.5/2	black	as above but increased water content around the tube
12-14	5Y 2.5/2	black	as above with some brownish mottling
14-16	5Y 2.5/2	black	as above, old burrows infilled with brown deposits
16-18	5Y 2.5/2	black	as above, increased water content
18-20	5Y 2.5/2	black	as above.

Core Description GVRD 20			
Cruise No.	2007-67	Latitude	49 19.162
Date	November 29, 2007	Longitude	123 48.092
Event No.	Not Taken	Water Depth	365 m
Core Length	57 cm		

Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments
0-1	not taken	not taken	dark olive gray with brown mottling, bioturbated, soupy
1-2	"	"	as above, bioturbated
2-3	"	"	some brown staining, manganese?
3-4	"	"	porous, muddy texture
4-5	"	"	as above with small piece of wood
5-6	"	"	no comments
6-7	"	"	no comments
7-8	"	"	slightly more consolidated with some sulphidic smell
8-9	"	"	no comments
9-10	"	"	no comments
10-12	"	"	no comments
12-14	"	"	no comments
16-18	"	"	no comments
18-20	"	"	no comments
20-25	"	"	no comments
25-30	"	"	no comments
30-35	"	"	uniform consistency, no sulphidic smell
35-40	"	"	no comments
40-45	"	"	slightly drier sediments, consolidated
45-50	"	"	some black mottling.
50-55	"	"	very stiff and consolidated, small piece of shell debris

Table 1: Continued.

Core Description GVRD 21			
Cruise No.	2007-67	Latitude	49 58.8
Date	December 1, 2007	Longitude	125 04.30
Event No.	Not Taken	Water Depth	260 m
Core Length	45.3 cm		

Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments
0-1	not taken	not taken	surface has brown (Mn-oxide?) on surface with dark olive green below, soupy consistency
1-2	"	"	soupy, some black speckles on surface
2-3	"	"	no comments
3-4	"	"	small heart urchin
4-5	"	"	silty mud, slightly sulphidic, small piece of shell debris
5-6	"	"	no comments
6-7	"	"	increased consolidation
7-8	"	"	no comments
8-9	"	"	stronger sulphidic smell
9-10	"	"	no comments
10-12	"	"	no comments
12-14	"	"	no comments
14-16	"	"	piece of shell debris in sample
16-18	"	"	no comments
18-20	"	"	Increased consolidation
20-25	"	"	sulphidic
25-30	"	"	no comments
30-35	"	"	sediments dry and sulphidic
35-40	"	"	no comments

Core Description GVRD 22			
Cruise No.	2007-67	Latitude	49 38.192
Date	December 1, 2007	Longitude	124 13.642
Event No.	Not Taken	Water Depth	373 m
Core Length	69 cm		

Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments
0-1	not taken	not taken	top is dark (Mn?), small worms, soupy consistency
1-2	"	"	olive green and soupy
2-3	"	"	gel-like consistency
3-4	"	"	as above
4-5	"	"	no comments
5-6	"	"	no comments
6-7	"	"	no comments
7-8	"	"	possibly this is the base of the mixed layer, changed to a sticky consistency
8-9	"	"	no comments
9-10	"	"	no comments
10-12	"	"	no comments
12-14	"	"	some varving, with alternating green and black layers

Table 1: Continued.

Core Description GVRD 22			
Core Depth (cm)	Munsell Colour Scale	Munsell Colour	Description/Comments
16-18	"	"	no varves, sulphidic smell
18-23	"	"	mottling
23-28	"	"	dry, no mottling
28-33	"	"	slight watery content, old burrow?
33-38	"	"	no comments
38-43	"	"	woody debris and shell debris
43-48	"	"	no comments
48-53	"	"	increased consolidation



Table 2: Results of the <sup>210</sup>Pb analysis.

Core Depth (cm)	Upper Depth	Lower Depth	Extrapolated Upper Section Depth (cm)	Extrapolated Lower Section Depth (cm)	Volume of wet sample (ml)	Weight of wet sample (g)	Weight of dry sample (g)	Dry Wt./Wet cc. (g/cm <sup>3</sup> )	Mass in extrapolated section (g/cm <sup>2</sup> )	Cumulative Mass to Bottom of Section (g/cm <sup>2</sup> )	Plot-point of cumulative mass in current section (g/cm <sup>2</sup> )	Po-209 counts	Detector Po-209 Back-ground Counts	Po-209 counts less detector back-ground	Po-210 counts	Detector Po-210 Back-ground Counts	Po-210 counts less detector back-ground	Weight of Sample Counted (g)	Weight of Sample Counted- Salt (g)	Count Time (sec)	Spike Size (ml)	Spike Activity (DPM/ml)	Po-210 Total Activity (DPM/g) (salt corrected)	Error Po-210 (DPM/g)
<b>Core 1</b>																								
0-1	0	1	0	1	4.92	5.58	1.10	0.19	0.22	0.22	0.11	2786	8	2778	726	5	721.00	0.497	0.430	30000	1.01	17.57	10.3601	0.4024
1-2	1	2	1	2	4.92	5.69	1.37	0.25	0.28	0.50	0.36	2384	9	2385	737	3	734.00	0.527	0.472	30000	1.01	17.57	11.2204	0.4287
2-3	2	3	2	3	4.92	5.56	1.13	0.20	0.23	0.73	0.62	2658	13	2660	868	5	863.00	0.559	0.487	30000	1.01	17.57	11.7914	0.4132
3-4	3	4	3	4	4.92	5.59	1.18	0.21	0.24	0.97	0.85	2167	7	2160	673	3	670.00	0.562	0.493	30000	1.01	17.57	10.8282	0.4349
4-5	4	5	4	5	4.92	5.70	1.30	0.23	0.26	1.24	1.11	2124	11	2124	568	12	556.00	0.517	0.459	30000	1.01	17.57	9.8603	0.4416
5-6	5	6	5	6	4.92	5.66	1.26	0.23	0.26	1.49	1.37	2702	4	2698	677	4	673.00	0.496	0.439	30000	1.01	17.57	9.7819	0.3923
6-7	6	7	6	7	4.92	5.71	1.34	0.24	0.27	1.77	1.63	2116	12	2104	602	4	598.00	0.523	0.467	30000	1.01	17.57	10.4828	0.4461
7-8	7	8	7	8	4.92	5.72	1.34	0.24	0.27	2.04	1.90	1996	11	1985	492	4	488.00	0.522	0.466	30000	1.01	17.57	9.0898	0.4288
8-9	8	9	8	9	4.92	5.71	1.34	0.24	0.27	2.31	2.17	2073	8	2065	497	5	492.00	0.553	0.494	30000	1.01	17.57	8.1088	0.3912
9-10	9	10	9	10	4.92	5.72	1.36	0.25	0.28	2.59	2.45	2107	9	2098	470	3	467.00	0.531	0.475	30000	1.01	17.57	8.0742	0.3986
10-12	10	12	10	12	4.92	5.76	1.42	0.26	0.58	3.16	2.88	1889	13	1876	308	5	303.00	0.548	0.493	30000	1.01	17.57	5.6461	0.3406
12-14	12	14	12	14	4.92	5.81	1.50	0.28	0.61	3.78	3.47	2119	7	2112	316	3	313.00	0.530	0.480	30000	1.01	17.57	5.3217	0.3136
14-16	14	16	14	16	4.92	5.86	1.52	0.28	0.62	4.39	4.08	1990	4	1986	207	4	203.00	0.524	0.475	30000	1.01	17.57	3.7121	0.2743
16-18	16	18	16	18	4.92	5.83	1.52	0.28	0.62	5.01	4.70	1868	11	1857	185	4	181.00	0.520	0.471	30000	1.01	17.57	3.5651	0.2786
18-20	18	20	18	20	4.92	5.89	1.53	0.28	0.62	5.63	5.32	2586	8	2578	196	5	191.00	0.537	0.487	30000	1.01	17.57	2.6204	0.2008
20-25	20	25	20	25	4.92	5.89	1.63	0.30	1.66	7.29	6.46	2032	9	2023	114	3	111.00	0.533	0.487	30000	1.01	17.57	1.9427	0.1954
25-30	25	30	25	30	4.92	5.84	1.63	0.30	1.66	8.95	8.12	2046	13	2033	85	5	84.00	0.544	0.502	30000	1.01	17.57	1.3511	0.1486
30-35	30	35	30	35	4.92	5.83	1.62	0.30	1.65	10.59	9.77	2276	7	2269	87	3	80.00	0.549	0.497	30000	1.01	17.57	1.2837	0.1683
35-40	35	40	35	40	4.92	5.77	1.59	0.30	1.62	12.21	11.40	2029	11	2018	88	12	76.00	0.578	0.528	30000	1.01	17.57	1.2300	0.1561
40-45	40	45	40	45	4.92	5.89	1.69	0.32	1.72	13.93	13.07	1851	12	1839	64	4	60.00	0.557	0.511	30000	1.01	17.57	1.1006	0.1670
45-50	45	50	45	50	4.92	6.03	1.85	0.35	1.88	15.82	14.87	2370	11	2359	70	4	66.00	0.565	0.523	30000	1.01	17.57	0.9233	0.1241
50-55	50	55	50	55	4.92	5.81	1.77	0.33	1.80	17.61	16.71	2463	8	2455	71	5	66.00	0.550	0.508	30000	1.01	17.57	0.9125	0.1243
12-14 Dup	12	14	12	14	4.92	5.81	1.50	0.28	0.61	3.78	3.47	2143	11	2132	262	12	250.00	0.479	0.434	30000	1.01	17.57	4.6590	0.2895
35-40 Dup	35	40	35	40	4.92	5.77	1.59	0.30	1.62	12.21	11.40	1334	4	1330	42	4	38.00	0.520	0.475	30000	1.01	17.57	1.0372	0.1745
<b>Core 2</b>																								
0-1	0	1	0	1	4.92	6.39	2.30	0.44	0.47	0.47	0.23	807	7	800	251	4	247.00	0.572	0.539	30000	1.01	17.57	9.9038	0.6505
1-2	1	2	1	2	4.92	6.76	2.80	0.54	0.57	1.04	0.75	728	5	728	258	3	255.00	0.594	0.566	30000	1.01	17.57	10.8942	0.6973
2-3	2	3	2	3	4.92	6.84	2.94	0.57	0.60	1.63	1.34	738	14	734	230	13	217.00	0.509	0.487	30000	1.01	17.57	10.8498	0.7872
3-4	3	4	3	4	4.92	7.17	3.55	0.70	0.72	2.36	1.99	990	8	985	287	3	284.00	0.537	0.519	30000	1.01	17.57	9.6143	0.5928
4-5	4	5	4	5	4.92	6.88	3.11	0.61	0.63	2.99	2.67	1162	8	1154	335	7	328.00	0.582	0.559	30000	1.01	17.57	8.7987	0.5104
5-6	5	6	5	6	4.92	6.89	3.08	0.60	0.63	3.61	3.30	796	6	789	236	7	229.00	0.542	0.520	30000	1.01	17.57	9.6561	0.6763
6-7	6	7	6	7	4.92	6.85	3.11	0.61	0.63	4.24	3.93	520	8	516	168	4	164.00	0.528	0.507	30000	1.01	17.57	9.5468	0.7854
7-8	7	8	7	8	4.92	6.98	3.17	0.62	0.65	4.89	4.57	1259	5	1254	347	3	344.00	0.535	0.514	30000	1.01	17.57	9.2340	0.7544
8-9	8	9	8	9	4.92	6.24	3.31	0.65	0.67	5.56	5.23	958	7	951	177	4	173.00	0.553	0.537	30000	1.01	17.57	9.4368	0.7544
9-10	9	10	9	10	4.92	7.01	3.25	0.64	0.66	6.22	5.89	954	5	949	291	3	288.00	0.542	0.505	30000	1.01	17.57	10.3956	0.6366
10-12	10	12	10	12	4.92	7.10	3.41	0.67	0.66	7.61	6.92	703	13	699	183	13	180.00	0.542	0.523	30000	1.01	17.57	8.6480	0.7092
12-14	12	14	12	14	4.92	7.35	3.90	0.75	1.25	9.16	8.38	679	14	674	182	3	179.00	0.562	0.545	30000	1.01	17.57	8.6909	0.8712
14-16	14	16	14	16	4.92	7.87	4.36	0.84	1.73	10.89	10.02	932	8	934	181	7	174.00	0.508	0.495	30000	1.01	17.57	6.3841	0.5171
16-18	16	18	16	18	4.92	7.13	3.72	0.71	1.47	12.38	11.62	723	7	716	93	7	86.00	0.516	0.499	30000	1.01	17.57	4.1615	0.4976
18-20	18	20	18	20	4.92	7.32	3.72	0.73	1.51	13.87	13.11	612	8	604	77	4	73.00	0.567	0.549	30000	1.01	17.57	3.6105	0.4831
20-25	20	25	20	25	4.92	7.20	3.58	0.70	3.63	17.50	15.69	1203	5	1198	142	3	139.00	0.532	0.514	30000	1.01	17.57	3.9044	0.3478
25-30	25	30	25	30	4.92	7.17	3.49	0.69	3.55	21.05	19.28	911	14	897	76	13	63.00	0.585	0.565	30000	1.01	17.57	2.1519	0.3314
30-35	30	35	30	35	4.92	7.10	3.42	0.67	3.47	24.52	22.79	1263	7	1256	100	4	96.00	0.560	0.540	30000	1.01	17.57	2.4486	0.2675
35-40	35	40	35	40	4.92	7.22	3.51	0.69	3.57	26.09	26.31	1303	5	1298	88	3	85.00	0.516	0.498	30000	1.01	17.57	2.2749	0.2626
40-45	40	45	40	45	4.92	7.15	3.63	0.71	3.68	31.78	29.94	996	5	991	73	3	70.00	0.580	0.560	30000	1.01	17.57	2.1813	0.2794
35-40 Duplicate	30	35	30	35	4.92	7.10	3.42	0.69	3.57	24.52	22.79	1380	14	1366	105	13	92.00	0.575	0.555	30000	1.01	17.57	2.0310	0.2550
40-45 Duplicate	40	45	40	45	4.92	7.35	3.63	0.74	3.68	31.78	29.94	671	8	663	62	7	55.00	0.569	0.540	30000	1.01	17.57	2.6980	0.4128
<b>Core 3</b>																								
0-1	0	1	0	1	4.92	7.43	3.54	0.69	0.69	0.69	0.35	2268	7	2261	254	4	250.00	0.543	0.523	30000	1.02	17.62	3.6604	0.2432
1-2	1	2																						

Table 2: Continued.

Core 3																								
Core Depth (cm)	Upper Depth	Lower Depth	Extrapolated Upper Section Depth (cm)	Extrapolated Lower Section Depth (cm)	Volume of wet sample (ml)	Weight of wet sample (g)	Weight of dry sample (g)	Dry Wt./Wet cc. (g/cc corrected)	Mass in extrapolated section (g/cm <sup>2</sup> )	Cumulative Mass to Bottom of Section (g/cm <sup>2</sup> )	Plot-point of cumulative mass in current section (g/cm <sup>2</sup> )	Po-209 counts	Detector Po-209 Back-ground Counts	Po-209 counts less back-ground	Po-210 counts	Detector Po-210 Back-ground Counts	Po-210 counts less back-ground	Weight of Sample Counted (g)	Weight of Sample Counted - Salt (g)	Count Time (sec)	Spike Size (ml)	Spike Activity (DPM/ml)	Po-210 Total Activity (DPM/g corrected)	Error Po-210 +/- 1 S.D. (DPM/g)
14-16	14	16	14	16	4.92	8.23	5.09	1.01	2.03	15.61	14.60	1766	7	1769	141	134.00	0.509	0.499	30.000	1.02	17.62	2.8469	0.2485	
16-18	16	18	16	18	4.92	8.17	5.04	1.00	2.01	17.62	16.62	1815	8	1807	109	105.00	0.506	0.496	30.000	1.02	17.62	2.4354	0.2580	
18-20	18	20	18	20	4.92	7.96	4.78	0.95	1.87	19.49	18.55	1814	5	1809	128	125.00	0.512	0.500	30.000	1.02	17.62	2.3927	0.2586	
20-25	20	25	20	25	4.92	7.96	4.78	0.95	1.87	24.24	21.86	1721	7	1714	106	102.00	0.505	0.494	30.000	1.02	17.62	2.0874	0.2220	
25-30	25	30	25	30	4.92	8.01	4.75	0.94	1.86	28.95	26.60	2179	5	2174	138	135.00	0.531	0.519	30.000	1.02	17.62	2.0729	0.1886	
30-35	30	35	30	35	4.92	8.26	5.02	1.00	2.03	33.95	31.45	2138	5	2133	117	114.00	0.532	0.521	30.000	1.02	17.62	1.7782	0.1767	
35-40	35	40	35	40	4.92	8.22	5.09	1.01	2.03	39.02	36.49	2056	7	2049	119	112.00	0.520	0.509	30.000	1.02	17.62	1.6867	0.1927	
40-45	40	45	40	45	4.92	8.15	4.91	0.98	1.97	43.90	41.46	1439	5	1434	80	77.00	0.551	0.539	30.000	1.02	17.62	1.7259	0.2120	
6-7 Duplicate	6	7	6	7	4.92	7.97	4.71	0.93	1.84	5.94	5.47	2355	5	2350	197	194.00	0.456	0.446	30.000	1.02	17.62	3.2098	0.2420	
8-9 Duplicate	8	9	8	9	4.92	8.43	5.44	1.09	2.18	8.03	7.49	2913	8	2905	186	179.00	0.545	0.535	30.000	1.02	17.62	2.3134	0.1857	
30-35 Duplicate	30	35	30	35	4.92	8.26	5.02	1.00	2.03	33.95	31.45	1501	8	1493	88	81.00	0.555	0.543	30.000	1.02	17.62	1.7303	0.2153	
40-45 Duplicate	40	45	40	45	4.92	8.15	4.91	0.98	1.97	43.90	41.46	1566	7	1559	90	86.00	0.530	0.518	30.000	1.02	17.62	1.8434	0.2149	
Core 4																								
0-1	0	1	0	1	4.92	7.77	4.47	0.89	1.82	0.89	0.44	2430	14	2416	202	189.00	0.525	0.512	30.000	1.02	17.62	2.6460	0.2123	
1-2	1	2	1	2	4.92	7.75	4.34	0.86	1.75	1.75	1.32	2467	5	2462	220	217.00	0.541	0.527	30.000	1.02	17.62	2.8976	0.2062	
2-3	2	3	2	3	4.92	7.77	4.40	0.87	1.82	2.62	2.18	1976	8	1968	180	173.00	0.516	0.503	30.000	1.02	17.62	3.0281	0.2476	
3-4	3	4	3	4	4.92	7.87	4.53	0.90	1.91	3.52	3.07	1767	7	1760	141	134.00	0.509	0.497	30.000	1.02	17.62	2.6559	0.2484	
4-5	4	5	4	5	4.92	7.91	4.58	0.91	1.91	4.42	3.97	1628	8	1620	144	140.00	0.546	0.533	30.000	1.02	17.62	2.8096	0.2505	
5-6	5	6	5	6	4.92	8.11	4.81	0.92	1.92	5.34	4.88	1619	5	1614	133	130.00	0.524	0.512	30.000	1.02	17.62	2.7273	0.2550	
6-7	6	7	6	7	4.92	8.23	5.04	1.00	2.03	6.34	5.84	2047	7	2040	163	159.00	0.519	0.508	30.000	1.02	17.62	2.6571	0.2254	
7-8	7	8	7	8	4.92	8.19	5.05	1.00	2.03	7.35	6.85	1700	14	1686	156	143.00	0.537	0.526	30.000	1.02	17.62	2.7937	0.2627	
8-9	8	9	8	9	4.92	8.19	5.05	1.03	2.03	8.38	7.86	2551	3	2546	221	218.00	0.520	0.510	30.000	1.02	17.62	2.9089	0.2066	
9-10	9	10	9	10	4.92	8.32	5.25	1.05	2.10	9.42	8.90	1201	8	1193	174	167.00	0.559	0.548	30.000	1.02	17.62	2.9214	0.2101	
10-12	10	12	10	12	4.92	8.37	5.37	1.07	2.14	11.57	10.64	1694	4	1686	146	142.00	0.511	0.502	30.000	1.02	17.62	3.0068	0.2595	
12-14	12	14	12	14	4.92	8.40	5.39	1.08	2.15	13.72	12.64	2029	5	2024	193	190.00	0.488	0.488	30.000	1.02	17.62	2.6290	0.2685	
14-16	14	16	14	16	4.92	8.20	5.12	1.02	2.04	14.76	14.74	1492	7	1485	114	110.00	0.510	0.501	30.000	1.02	17.62	2.6290	0.2685	
16-18	16	18	16	18	4.92	8.36	5.34	1.07	2.13	17.89	16.83	1852	14	1838	161	148.00	0.502	0.494	30.000	1.02	17.62	2.7552	0.2366	
18-20	18	20	18	20	4.92	8.44	5.44	1.08	2.17	20.06	18.96	2120	5	2115	201	198.00	0.521	0.512	30.000	1.02	17.62	2.8242	0.2436	
20-25	20	25	20	25	4.92	8.54	5.65	1.13	2.26	25.70	22.88	2248	8	2242	184	180.00	0.484	0.486	30.000	1.02	17.62	2.7552	0.2366	
25-30	25	30	25	30	4.92	8.46	5.51	1.10	2.22	28.45	26.49	2232	8	2224	184	180.00	0.502	0.493	30.000	1.02	17.62	2.8434	0.2436	
30-35	30	35	30	35	4.92	8.34	5.31	1.06	2.15	33.85	31.85	2115	7	2108	189	185.00	0.484	0.485	30.000	1.02	17.62	3.1369	0.2436	
20-25 Duplicate	20	25	20	25	4.92	8.54	5.65	1.13	2.26	25.70	22.88	2080	5	2075	210	207.00	0.523	0.514	30.000	1.02	17.62	2.6246	0.2445	
25-30 Duplicate	25	30	25	30	4.92	8.46	5.51	1.10	2.22	31.20	28.45	2080	5	2075	210	207.00	0.557	0.547	30.000	1.02	17.62	3.1587	0.2303	
Core 5																								
0-1	0	1	0	1	4.92	6.12	1.91	0.36	0.36	0.36	0.18	1728	7	1721	653	649.00	0.543	0.503	30.000	1.01	17.62	12.1615	0.4861	
1-2	1	2	1	2	4.92	6.13	2.00	0.38	0.38	0.74	0.55	1672	5	1607	668	665.00	0.532	0.496	30.000	1.01	17.62	13.5272	0.5370	
2-3	2	3	2	3	4.92	6.29	2.13	0.41	0.41	1.14	0.94	2365	14	2351	1009	1009.00	0.517	0.484	30.000	1.01	17.62	14.9495	0.4661	
3-4	3	4	3	4	4.92	6.36	2.22	0.42	0.42	1.57	1.36	1509	5	1504	533	530.00	0.531	0.498	30.000	1.01	17.62	11.6213	0.5188	
4-5	4	5	4	5	4.92	6.39	2.05	0.39	0.39	1.96	1.76	2134	8	2126	859	852.00	0.518	0.482	30.000	1.01	17.62	13.5478	0.4786	
5-6	5	6	5	6	4.92	6.45	2.33	0.45	0.45	2.40	2.18	1982	7	1975	759	752.00	0.528	0.497	30.000	1.01	17.62	12.6281	0.4704	
6-7	6	7	6	7	4.92	6.49	2.40	0.46	0.46	2.86	2.63	2430	8	2422	866	862.00	0.528	0.498	30.000	1.01	17.62	12.0776	0.4134	
7-8	7	8	7	8	4.92	6.54	2.56	0.49	0.49	3.36	3.11	1339	5	1334	390	387.00	0.506	0.480	30.000	1.01	17.62	10.0398	0.5205	
8-9	8	9	8	9	4.92	6.57	2.59	0.50	0.50	3.86	3.61	2865	7	2858	1041	1037.00	0.551	0.524	30.000	1.01	17.62	12.1489	0.3833	
9-10	9	10	9	10	4.92	6.88	2.80	0.54	0.54	4.40	4.13	2763	4	2758	1059	1056.00	0.551	0.524	30.000	1.01	17.62	12.1489	0.3833	
10-12	10	12	10	12	4.92	6.73	2.52	0.57	0.57	5.48	4.94	1762	14	1738	618	605.00	0.534	0.510	30.000	1.01	17.62	11.4153	0.4977	
12-14	12	14	12	14	4.92	6.43	2.06	0.45	0.45	6.05	5.62	2568	14	2564	865	842.00	0.521	0.500	30.000	1.01	17.62	11.0809	0.3924	
14-16	14	16	14	16	4.92	6.43	2.06	0.45	0.45	7.65	7.14	2135	8	2127	696	689.00	0.504	0.479	30.000	1.01	17.62	11.2549	0.3483	
16-18	16	18	16	18	4.92	6.65	2.22	0.55	0.55	8.74	8.20	1941	7	1934	565	578.00	0.521	0.497	30.000	1.01	17.62	10.0451	0.4279	
18-20	18	20	18	20	4.92	6.74	2.77	0.64	0.64	9.81	9.19	1306	8	1298	360	356.00	0.514	0.489	30.000	1.01	17.62	9.3440	0.5088	
20-25	20	25	20	25	4.92	6.80	2.78	0.54	0.54	12.50	11.16	1404	5	1399	461	458.00	0.545	0.520	30.000	1.01	17.62	10.5190	0.5017	
25-30	25	30	25	30	4.92	6.89	2.39	0.46	0.46	14.79	13.64	1260	3	1253	301	297.00	0.573	0.539	30.000	1.01	17.62	7.2439	0.4311	
30-35	30	35	30	35	4.92	6.74	2.95	0.73	0.73	16.41	16.60	1121	5	1116	224	221.00	0.508	0.508	30.000	1.01	17.62	6.6263	0.4710	
35-40	35	40	35	40	4.92	6.76	2.95	0.60	0.60	21.41	19.91	1942	14	1928	184	177.00	0.516	0.516	30.000	1.01	17.62	6.7329	0.3487	
40-45	40	45	40	45	4.92	6.76	2.95	0.60	0.60	25.27	22.84	1256	8	1248	184	177.00	0.516	0.516	30.000	1.01	17.62	4.8132	0.3803	
45-50	45	50	45	50	4.92	6.78	2.89	0.61	0.61	30.14	27.31	1255	8	1247	193	189.00	0.506	0.506	30.000	1.01	17.62	5.2453	0.3942	
35-40 Duplicate	35	40	35	40	4.92	6.74	2.95	0.60	0.60	21.41	19.91	1174	5	1169	214	211.00	0.501	0.501						

Table 2: Continued.

Core 6																								
Core Depth (cm)	Upper Depth	Lower Depth	Extrapolated Upper Section Depth (cm)	Extrapolated Lower Section Depth (cm)	Volume of wet sample (ml)	Weight of wet sample (g)	Weight of dry sample (g)	Dry Wt./Wet cc. (g/g)	Mass in extrapolated section (g/cm <sup>2</sup> )	Cumulative Mass to Bottom of Section (g/cm <sup>2</sup> )	Plot-point of mass in current section (g/cm <sup>2</sup> )	Po-209 counts	Detector Back-ground Counts	Po-209 counts less detector back-ground	Po-210 counts	Detector Back-ground Counts	Po-210 counts less detector back-ground	Weight of Sample Counted (g)	Weight of Sample Counted - Salt (g)	Count Time (sec)	Spike Size (ml)	Spike Activity (DPM/ml)	Po-210 Total Activity (DPM/g) (corrected)	Error Po-210 +/- 1 S.D. (DPM/g)
0-1	0	1	0	1	4.92	6.10	0.36	0.36	0.36	0.36	0.36	138.3	8	1375	963	948.00	0.514	0.514	30000	1.01	17.57	23.1367	0.758	
1-2	1	2	1	2	4.92	6.50	2.63	0.40	0.81	0.49	0.65	151.0	9	1510	984	984.00	0.542	0.542	30000	1.01	17.57	20.7084	0.698	
2-3	2	3	2	3	4.92	6.90	2.98	0.55	1.36	0.95	1.06	163.7	10	1637	1136	1136.00	0.576	0.576	30000	1.01	17.57	22.7084	0.693	
3-4	3	4	3	4	4.92	7.30	3.35	0.65	1.84	1.32	1.48	167.7	11	1677	1136	1136.00	0.566	0.566	30000	1.01	17.57	22.1492	0.743	
4-5	4	5	4	5	4.92	7.65	3.65	0.72	2.32	1.72	1.65	165.7	12	1657	1136	1136.00	0.531	0.531	30000	1.01	17.57	21.8634	0.743	
5-6	5	6	5	6	4.92	7.95	3.90	0.77	2.80	2.02	1.78	173.0	13	1730	1136	1136.00	0.540	0.540	30000	1.01	17.57	22.4434	0.743	
6-7	6	7	6	7	4.92	8.25	4.15	0.84	3.28	2.44	1.94	178.0	14	1780	1136	1136.00	0.568	0.568	30000	1.01	17.57	22.4434	0.743	
7-8	7	8	7	8	4.92	8.55	4.40	0.91	3.76	2.72	2.10	183.0	15	1830	1136	1136.00	0.575	0.575	30000	1.01	17.57	22.1311	0.743	
8-9	8	9	8	9	4.92	8.85	4.65	0.98	4.24	3.20	2.22	188.0	16	1880	1136	1136.00	0.582	0.582	30000	1.01	17.57	21.9036	0.743	
9-10	9	10	9	10	4.92	9.15	4.90	1.05	4.72	3.68	2.34	193.0	17	1930	1136	1136.00	0.590	0.590	30000	1.01	17.57	21.9036	0.743	
10-12	10	12	10	12	4.92	9.70	5.48	1.20	5.64	4.32	2.64	203.0	18	2030	1136	1136.00	0.600	0.600	30000	1.01	17.57	21.9036	0.743	
12-14	12	14	12	14	4.92	10.25	6.06	1.35	6.52	4.96	2.86	213.0	19	2130	1136	1136.00	0.610	0.610	30000	1.01	17.57	21.9036	0.743	
14-16	14	16	14	16	4.92	10.80	6.64	1.50	7.40	5.40	3.08	223.0	20	2230	1136	1136.00	0.620	0.620	30000	1.01	17.57	21.9036	0.743	
16-18	16	18	16	18	4.92	11.35	7.22	1.65	8.24	6.04	3.20	233.0	21	2330	1136	1136.00	0.630	0.630	30000	1.01	17.57	21.9036	0.743	
18-20	18	20	18	20	4.92	11.90	7.80	1.80	9.08	6.54	3.32	243.0	22	2430	1136	1136.00	0.640	0.640	30000	1.01	17.57	21.9036	0.743	
20-25	20	25	20	25	4.92	12.45	8.38	1.95	9.92	7.04	3.44	253.0	23	2530	1136	1136.00	0.650	0.650	30000	1.01	17.57	21.9036	0.743	
25-30	25	30	25	30	4.92	13.00	8.96	2.10	10.76	7.54	3.56	263.0	24	2630	1136	1136.00	0.660	0.660	30000	1.01	17.57	21.9036	0.743	
30-35	30	35	30	35	4.92	13.55	9.54	2.25	11.60	8.04	3.68	273.0	25	2730	1136	1136.00	0.670	0.670	30000	1.01	17.57	21.9036	0.743	
35-40	35	40	35	40	4.92	14.10	10.12	2.40	12.44	8.54	3.80	283.0	26	2830	1136	1136.00	0.680	0.680	30000	1.01	17.57	21.9036	0.743	
40-45	40	45	40	45	4.92	14.65	10.70	2.55	13.28	9.04	3.92	293.0	27	2930	1136	1136.00	0.690	0.690	30000	1.01	17.57	21.9036	0.743	
45-50	45	50	45	50	4.92	15.20	11.28	2.70	14.12	9.54	4.04	303.0	28	3030	1136	1136.00	0.700	0.700	30000	1.01	17.57	21.9036	0.743	
50-55	50	55	50	55	4.92	15.75	11.86	2.85	14.96	10.04	4.16	313.0	29	3130	1136	1136.00	0.710	0.710	30000	1.01	17.57	21.9036	0.743	
55-60	55	60	55	60	4.92	16.30	12.44	3.00	15.80	10.54	4.28	323.0	30	3230	1136	1136.00	0.720	0.720	30000	1.01	17.57	21.9036	0.743	
60-65	60	65	60	65	4.92	16.85	13.02	3.15	16.64	11.04	4.40	333.0	31	3330	1136	1136.00	0.730	0.730	30000	1.01	17.57	21.9036	0.743	
65-70	65	70	65	70	4.92	17.40	13.60	3.30	17.48	11.54	4.52	343.0	32	3430	1136	1136.00	0.740	0.740	30000	1.01	17.57	21.9036	0.743	
70-75	70	75	70	75	4.92	17.95	14.18	3.45	18.32	12.04	4.64	353.0	33	3530	1136	1136.00	0.750	0.750	30000	1.01	17.57	21.9036	0.743	
75-80	75	80	75	80	4.92	18.50	14.76	3.60	19.16	12.54	4.76	363.0	34	3630	1136	1136.00	0.760	0.760	30000	1.01	17.57	21.9036	0.743	
80-85	80	85	80	85	4.92	19.05	15.34	3.75	20.00	13.04	4.88	373.0	35	3730	1136	1136.00	0.770	0.770	30000	1.01	17.57	21.9036	0.743	
85-90	85	90	85	90	4.92	19.60	15.92	3.90	20.84	13.54	5.00	383.0	36	3830	1136	1136.00	0.780	0.780	30000	1.01	17.57	21.9036	0.743	
90-10	90	10	90	10	4.92	20.15	16.50	4.05	21.68	14.04	5.12	393.0	37	3930	1136	1136.00	0.790	0.790	30000	1.01	17.57	21.9036	0.743	
10-12	10	12	10	12	4.92	20.70	17.08	4.20	22.52	14.54	5.24	403.0	38	4030	1136	1136.00	0.800	0.800	30000	1.01	17.57	21.9036	0.743	
12-14	12	14	12	14	4.92	21.25	17.66	4.35	23.36	15.04	5.36	413.0	39	4130	1136	1136.00	0.810	0.810	30000	1.01	17.57	21.9036	0.743	
14-16	14	16	14	16	4.92	21.80	18.24	4.50	24.20	15.54	5.48	423.0	40	4230	1136	1136.00	0.820	0.820	30000	1.01	17.57	21.9036	0.743	
16-18	16	18	16	18	4.92	22.35	18.82	4.65	25.04	16.04	5.60	433.0	41	4330	1136	1136.00	0.830	0.830	30000	1.01	17.57	21.9036	0.743	
18-20	18	20	18	20	4.92	22.90	19.40	4.80	25.88	16.54	5.72	443.0	42	4430	1136	1136.00	0.840	0.840	30000	1.01	17.57	21.9036	0.743	
20-25	20	25	20	25	4.92	23.45	20.00	4.95	26.72	17.04	5.84	453.0	43	4530	1136	1136.00	0.850	0.850	30000	1.01	17.57	21.9036	0.743	
25-30	25	30	25	30	4.92	24.00	20.60	5.10	27.56	17.54	5.96	463.0	44	4630	1136	1136.00	0.860	0.860	30000	1.01	17.57	21.9036	0.743	
30-35	30	35	30	35	4.92	24.55	21.20	5.25	28.40	18.04	6.08	473.0	45	4730	1136	1136.00	0.870	0.870	30000	1.01	17.57	21.9036	0.743	
35-40	35	40	35	40	4.92	25.10	21.80	5.40	29.24	18.54	6.20	483.0	46	4830	1136	1136.00	0.880	0.880	30000	1.01	17.57	21.9036	0.743	
40-44	40	44	40	44	4.92	25.65	22.40	5.55	30.08	19.04	6.32	493.0	47	4930	1136	1136.00	0.890	0.890	30000	1.01	17.57	21.9036	0.743	
10-12 Duplicate	10	12	10	12	4.92	26.20	23.00	5.70	30.92	19.54	6.44	503.0	48	5030	1136	1136.00	0.900	0.900	30000	1.01	17.57	21.9036	0.743	
18-20 Duplicate	18	20	18	20	4.92	26.75	23.60	5.85	31.76	20.04	6.56	513.0	49	5130	1136	1136.00	0.910	0.910	30000	1.01	17.57	21.9036	0.743	
30-35 Duplicate	30	35	30	35	4.92	27.30	24.20	6.00	32.60	20.54	6.68	523.0	50	5230	1136	1136.00	0.920	0.920	30000	1.01	17.57	21.9036	0.743	

Core 7																								
Core Depth (cm)	Upper Depth	Lower Depth	Extrapolated Upper Section Depth (cm)	Extrapolated Lower Section Depth (cm)	Volume of wet sample (ml)	Weight of wet sample (g)	Weight of dry sample (g)	Dry Wt./Wet cc. (g/g)	Mass in extrapolated section (g/cm <sup>2</sup> )	Cumulative Mass to Bottom of Section (g/cm <sup>2</sup> )	Plot-point of mass in current section (g/cm <sup>2</sup> )	Po-209 counts	Detector Back-ground Counts	Po-209 counts less detector back-ground	Po-210 counts	Detector Back-ground Counts	Po-210 counts less detector back-ground	Weight of Sample Counted (g)	Weight of Sample Counted - Salt (g)	Count Time (sec)	Spike Size (ml)	Spike Activity (DPM/ml)	Po-210 Total Activity (DPM/g) (corrected)	Error Po-210 +/- 1 S.D. (DPM/g)
0-1	0	1	0	1	4.92	7.32	3.72	0.73	0.73	0.73	0.37	117.8	11	1167	436	424.00	0.502	0.502	30000	0.51	19.53	7.4779	0.3733	
1-2	1	2	1	2	4.92	7.66	4.20	0.83	0.83	1.56	1.15	111.6	4	1112	420	416.00	0.559	0.544	30000	0.51	19.53	6.8807	0.3406	
2-3	2	3	2	3	4.92	7.94	5.02	1.00	1.00	2.56	2.06	98.1	12	939	350	346.00	0.620	0.608	30000	0.51	19.53	6.0603	0.3295	
3-4	3	4	3	4	4.92	8.38	5.49	1.10	1.10	3.66	3.11	93.9	305	4	301.00	0.663	0.650	30000	0.51	19.53	4.9210	0.2874		
4-5	4	5	4	5	4.92	8.17	5.08	1.01	1.01	4.67	4.17	77.2	8	764	252	248.00	0.600	0.588	30000	0.51	19.53	5.5223	0.3577	
5-6	5	6	5	6	4.92	8.30	5.20	1.04	1.04	5.71	5.19	92.5	9	916	252	249.00	0.605	0.593	30000	0.51	19.53	4.1983	0.2692	
6-7	6	7	6	7	4.92	8.36	5.27	1.05	1.05	6.76	6.23	85.5	13	842	230	225.00	0.588	0.567	30000	0.51	19.53	4.983	0.2694	
7-8	7	8	7	8	4.92	8.45	5.52	1.10	1.10	7.86	7.31	129.4	7	1287	383	320.00	0.599	0.586	30000	0.51	19.53	5.0180	0.2584	
8-9	8	9	8	9	4.92	8.78	6.03	1.21	1.21	9.07</														

Table 2: Continued.

Core 8		Upper Depth (cm)	Lower Depth (cm)	Extrapolated Upper Section Depth (cm)	Extrapolated Lower Section Depth (cm)	Volume of wet sample (ml)	Weight of wet sample (g)	Weight of dry sample (g)	Dry/Wet (g/g)	Mass in extrapolated section (g/cm <sup>2</sup> )	Cumulative Mass to Bottom of Section (g/cm <sup>2</sup> )	Plot-point of mass in current section (g/cm <sup>2</sup> )	Po-209 counts	Detector Back-Ground Counts	Po-209 counts less detector back-ground	Po-210 counts	Detector Back-Ground Counts	Po-210 counts less detector back-ground	Weight of Sample Counted-Salt (g)	Weight of Sample Counted-Salt (g)	Count Time (sec)	Spike Size (ml)	Spike Activity (DPM/ml)	Po-210 Total Activity (DPM/g) (corrected)	Error Po-210 +/-1 S.D. (DPM/g)
30-35	30	35	4.92	6.47	2.44	0.47	2.44	0.47	15.23	15.23	15.23	1632	21	1611	262	262	262	1.270	1.270	60000	0.51	19.95	14.275	0.0859	
35-40	35	40	4.92	6.44	2.41	0.46	2.41	0.46	16.38	17.54	16.38	2166	17	2172	241	241	241	1.222	1.222	60000	0.51	19.95	14.275	0.0751	
40-45	40	45	4.92	6.44	2.39	0.46	2.39	0.46	17.54	19.33	17.54	1936	17	1942	264	264	264	1.131	1.131	60000	0.51	19.95	14.275	0.0750	
45-50	45	50	4.92	6.46	2.43	0.47	2.43	0.47	20.00	22.87	20.00	2387	26	2393	307	307	307	1.152	1.152	60000	0.51	19.95	14.275	0.0698	
7 & 8 Duplicate	7	8	4.92	6.32	2.18	0.39	2.18	0.39	21.00	23.87	21.00	2330	16	2333	213	2098	6	0.650	0.650	60000	0.51	19.95	10.3541	0.2308	
14-16 Duplicate	14	16	4.92	6.35	2.26	0.43	2.26	0.43	5.66	6.29	5.66	2408	22	2386	1573	23	1517.79	1.395	1.312	60000	0.50	19.92	4.9170	0.1268	

Core 9		Upper Depth (cm)	Lower Depth (cm)	Extrapolated Upper Section Depth (cm)	Extrapolated Lower Section Depth (cm)	Volume of wet sample (ml)	Weight of wet sample (g)	Weight of dry sample (g)	Dry/Wet (g/g)	Mass in extrapolated section (g/cm <sup>2</sup> )	Cumulative Mass to Bottom of Section (g/cm <sup>2</sup> )	Plot-point of mass in current section (g/cm <sup>2</sup> )	Po-209 counts	Detector Back-Ground Counts	Po-209 counts less detector back-ground	Po-210 counts	Detector Back-Ground Counts	Po-210 counts less detector back-ground	Weight of Sample Counted-Salt (g)	Weight of Sample Counted-Salt (g)	Count Time (sec)	Spike Size (ml)	Spike Activity (DPM/ml)	Po-210 Total Activity (DPM/g) (corrected)	Error Po-210 +/-1 S.D. (DPM/g)
2-3	2	3	0	4.92	6.09	1.87	0.35	1.87	1.05	1.05	0.88	2353	17	2336	4030	5	3995.08	1.203	1.113	60000	0.51	19.95	15.4800	0.2461	
3-4	3	4	3	4.92	6.09	1.88	0.36	1.88	0.36	1.41	1.41	2.265	22	2663	4226	23	4168.90	1.185	1.098	60000	0.51	19.95	14.3642	0.2246	
4-5	4	5	4	4.92	6.20	2.01	0.38	2.01	0.38	1.79	1.60	2510	7	2503	4001	8	3960.94	1.233	1.148	60000	0.51	19.95	13.8902	0.2220	
5-6	5	6	5	4.92	6.15	1.96	0.37	1.96	0.37	2.16	1.97	2551	25	2526	3913	9	3871.65	1.228	1.142	60000	0.51	19.95	13.5289	0.2188	
6-7	6	7	6	4.92	6.15	1.93	0.36	1.93	0.36	2.52	2.34	1957	23	1934	2808	8	2773.23	1.219	1.131	60000	0.51	19.95	12.7733	0.2443	
7-8	7	8	7	4.92	6.09	2.03	0.38	2.03	0.38	2.91	2.71	2243	19	2243	3014	7	2978.27	1.208	1.128	60000	0.51	19.95	11.8601	0.2218	
8-9	8	9	8	4.92	6.23	2.08	0.40	2.08	0.40	3.30	3.10	1952	16	1936	2585	6	2554.21	1.273	1.189	60000	0.51	19.95	10.9946	0.2228	
9-10	9	10	9	4.92	6.29	2.19	0.42	2.19	0.42	3.72	3.51	2340	21	2340	3110	7	3073.03	1.283	1.204	60000	0.51	19.95	10.9946	0.1967	
10-12	10	12	10	4.92	6.36	2.34	0.45	2.34	0.45	4.17	3.96	1599	17	1592	1737	5	1711.74	1.221	1.152	60000	0.51	19.95	8.4674	0.2308	
12-14	12	14	12	4.92	6.18	1.98	0.37	1.98	0.37	5.36	4.99	1552	22	1530	1580	23	1557.41	1.284	1.194	60000	0.51	19.94	8.4674	0.2008	
14-16	14	16	14	4.92	6.22	2.03	0.38	2.03	0.38	6.13	5.74	464	7	457	424	8	410.15	1.283	1.196	60000	0.51	19.94	7.0007	0.3834	
16-18	16	18	16	4.92	6.34	2.27	0.43	2.27	0.43	6.99	6.56	2386	25	2361	1902	8	1862.76	1.207	1.136	60000	0.51	19.94	5.7000	0.1643	
18-20	18	20	18	4.92	6.22	2.10	0.40	2.10	0.40	7.79	7.39	1813	23	1790	1203	8	1172.08	1.231	1.151	60000	0.51	19.94	4.7304	0.1701	
20-25	20	25	20	4.92	6.22	2.04	0.39	2.04	0.39	8.76	8.76	1217	19	1198	677	7	654.66	1.206	1.125	60000	0.51	19.94	3.2431	0.2277	
25-30	25	30	25	4.92	6.21	2.04	0.39	2.04	0.39	10.69	10.69	589	16	573	234	6	220.66	1.229	1.149	60000	0.51	19.94	2.3477	0.1956	
30-35	30	35	30	4.92	6.24	2.10	0.40	2.10	0.40	13.66	12.66	1420	21	1399	444	7	419.08	1.229	1.149	60000	0.51	19.94	2.3477	0.1331	
35-40	35	40	35	4.92	6.22	2.05	0.39	2.05	0.39	15.58	14.63	951	22	929	265	23	230.10	1.223	1.147	60000	0.51	19.94	2.1761	0.1605	
40-44	40	44	40	4.92	6.31	2.19	0.42	2.19	0.42	17.67	16.63	877	22	852	242	23	230.10	1.223	1.147	60000	0.51	20.05	1.6030	0.0827	
45-50	45	50	45	4.92	6.31	2.18	0.42	2.18	0.42	19.66	18.77	2089	7	2082	449	8	414.34	1.335	1.257	60000	0.51	20.05	1.6030	0.0827	
8-9 Duplicate	8	9	8	4.92	6.23	2.08	0.40	2.08	0.40	3.30	3.10	2035	23	2012	2929	8	2895.23	1.325	1.238	60000	0.51	19.94	11.7130	0.2192	
14-16 Duplicate	14	16	14	4.92	6.22	2.03	0.38	2.03	0.38	6.13	5.74	633	19	614	517	7	502.14	1.239	1.154	60000	0.51	19.94	7.1383	0.3254	

Core 10		Upper Depth (cm)	Lower Depth (cm)	Extrapolated Upper Section Depth (cm)	Extrapolated Lower Section Depth (cm)	Volume of wet sample (ml)	Weight of wet sample (g)	Weight of dry sample (g)	Dry/Wet (g/g)	Mass in extrapolated section (g/cm <sup>2</sup> )	Cumulative Mass to Bottom of Section (g/cm <sup>2</sup> )	Plot-point of mass in current section (g/cm <sup>2</sup> )	Po-209 counts	Detector Back-Ground Counts	Po-209 counts less detector back-ground	Po-210 counts	Detector Back-Ground Counts	Po-210 counts less detector back-ground	Weight of Sample Counted-Salt (g)	Weight of Sample Counted-Salt (g)	Count Time (sec)	Spike Size (ml)	Spike Activity (DPM/ml)	Po-210 Total Activity (DPM/g) (corrected)	Error Po-210 +/-1 S.D. (DPM/g)
1-2	1	2	0	4.92	5.65	1.17	0.21	1.17	0.42	0.42	0.31	2113	25	2088	2784	9	2747.89	1.184	1.017	60000	0.5085	19.84	13.1150	0.2523	
2-3	2	3	2	4.92	5.72	1.29	0.23	1.29	0.23	0.65	0.65	2366	23	2362	2542	8	2505.33	1.116	1.043	60000	0.5085	19.84	12.1515	0.2586	
3-4	3	4	3	4.92	5.90	1.43	0.26	1.43	0.26	0.91	0.91	1069	19	1040	2505	7	2575.70	1.226	1.102	60000	0.5085	19.84	13.1515	0.2698	
4-5	4	5	4	4.92	5.74	1.36	0.25	1.36	0.25	1.16	1.03	2053	16	2039	2505	6	2575.70	1.226	1.121	60000	0.5085	19.84	12.5253	0.2423	
5-6	5	6	5	4.92	5.51	1.40	0.25	1.40	0.25	1.46	1.28	1862	21	1866	2179	7	2156.80	1.279	1.146	60000	0.5085	19.84	12.5253	0.2510	
6-7	6	7	6	4.92	5.73	1.47	0.26	1.47	0.26	1.68	1.51	1906	22	1889	2417	5	2487.40	1.274	1.151	60000	0.5085	19.84	10.9743	0.2586	
7-8	7	8	7	4.92	5.53	1.44	0.26	1.44	0.26	1.94	1.81	1278	22	1266	2179	5	2487.40	1.274	1.121	60000	0.5085	19.84	10.9743	0.2608	
8-9	8	9	8	4.92	5.66	1.51	0.28	1.51	0.28	2.26	2.08	2029	23	2024	2520	6	2571.89	1.256	1.129	60000	0.5085	19.84	9.1456	0.1816	
9-10	9	10	9	4.92	5.86	1.57	0.28	1.57	0.28	2.60	2.42	1463	25	1461	2424	6	2571.89	1.256	1.129	60000	0.5085	19.84	9.1456	0.1816	
10-12	10	12	10	4.92	5.89	1.62	0.28	1.62	0.28	3.07	2.79	1819	23	1819	2424	6	2571.89	1.256	1.129	60000	0.5085	19.84	9.1456	0.1816	
12-14	12	14	12	4.92	5.82	1.62	0.28	1.62	0.28	3.57	3.29	1919	23	1919	2424	6	2571.89	1.256	1.129	60000	0.5085	19.84	9.1456	0.1816	
14-16	14	16	14	4.92	5.88	1.69	0.29	1.69	0.29	4.23	3.96	1392	21	1345	312	7	3658.71	1.211	1.086	60000	0.5085	19.84	6.4068	0.1593	
16-18	16	18	16	4.92	5.88	1.69	0.29	1.69	0.29	4.94	4.59	1182	21	1182	312	7	3658.71	1.211	1.086	60000	0.5085	19.84	6.4068	0.1593	
18-20	18	20	18	4.92	5.89	1.69	0.29	1.69	0.29	5.74	5.14	2103	21	2086	411	5	437.67	1.176	1.071	60000	0.5085	19.84	3.1200	0.1403	
20-25	20	25	20	4.92	5.85	1.73	0.31	1.73	0.31	6.62	6.02	1626	22	1616	370	23	1626.11	1.281	1.189	60000	0.5085	19.84	2.3086	0.1403	
25-30	25	30	25	4.92	5.94	1.85	0.31	1.85	0.31	7.69	7.09	1182	21	1182	312	7	3658.71	1.211	1.086	60000	0.5085	19.84	2.3086	0.1403	
30-35	30	35	30	4.92	5.92	1.73	0.31	1.73	0.31	8.81	8.21	959	25	956	184	8	165.70	1.207	1.106	60000	0.5085	19.84	1.7300	0.0858	
35-40	35	40	35	4.92	5.92	1.73	0.31	1.73	0.31	10.21	9.41	1071	26	1066	184	8	165.70	1.207	1.106	60000	0.5085	19.84	1.7300	0.0858	
40-45	40	45	40	4.92	6.11	1.88	0.35	1.88	0.35	12.83	11.84	2262	23	2262	288	6	271.41	1.257	1.130	60000	0.5085	19.84	0.8768	0.0858	
45-50	45	50	45	4.92	5.88	1.66	0.28	1.66	0.28	14.4	13.33	2262	23	2262	288	6	271.41	1.257	1.130	60000	0.5085	19.84	0.8768	0.0858	
14-16 Duplicate	14	16	14	4.92	5.88	1.66	0.28	1.66	0.28	3.69	3.69	1892	19	1873	674	5	624.61	1.258	1.125	60000	0.5082	19.84	3.1692	0.1945	

Table 2: Continued.

Core 11		Upper Depth (cm)	Lower Depth (cm)	Extrapolated Upper Section Depth (cm)	Extrapolated Lower Section Depth (cm)	Volume of wet sample (ml)	Weight of wet sample (g)	Weight of dry sample (g)	Dry/Wet (g/gms corrected)	Mass in extrapolated section (g/cm <sup>2</sup> )	Cumulative Mass to Bottom of Section (g/cm <sup>2</sup> )	Plot-point of cumulative mass in current section (g/cm <sup>2</sup> )	Po-209 counts	Detector Back-Ground Counts	Po-209 counts less detector back-ground	Po-210 counts	Detector Back-Ground Counts	Po-210 counts less detector back-ground	Weight of Sample Counted (g)	Weight of Sample Counted-Salt (g)	Count Time (sec)	Spike Size (ml)	Spike Activity (DPM/ml)	Po-210 Total Activity (DPM/g corrected)	Error Po-210 +/-1 (S.D./PM/g)
10-12	10	12	4.92	12	4.92	5.92	1.88	0.31	0.37	3.21	2465	2715	9	2675.39	1.240	1.137	60000	0.5082	19.84	9.8982	0.1917				
12-12	12	12	4.92	12	4.92	5.92	2.08	0.40	0.30	4.01	2614	2942	8	2011.60	1.365	1.282	60000	0.5082	19.84	9.9510	0.1675				
14-16	14	16	4.92	14	4.92	6.06	2.63	0.50	0.30	5.21	2686	3042	7	1871.84	1.482	1.437	60000	0.5082	19.84	9.9300	0.2141				
16-18	16	18	4.92	16	4.92	6.75	3.25	0.56	0.32	5.92	2850	3236	6	1321.74	1.296	1.170	60000	0.5082	19.84	9.9100	0.1609				
18-20	18	20	4.92	18	4.92	7.44	3.90	0.61	0.31	6.53	2925	3342	5	781.76	1.300	1.185	60000	0.5082	19.84	9.9420	0.1824				
20-20	20	20	4.92	20	4.92	8.13	4.55	0.66	0.31	7.14	3000	3468	4	236.24	1.288	1.155	60000	0.5082	19.84	9.9780	0.1378				
20-20	20	20	4.92	20	4.92	8.82	5.20	0.71	0.31	7.75	3075	3504	3	68.24	1.286	1.155	60000	0.5082	19.84	9.9600	0.1453				
20-20	20	20	4.92	20	4.92	9.51	5.85	0.76	0.31	8.36	3150	3540	2	16.24	1.284	1.155	60000	0.5082	19.84	9.9420	0.1453				
20-20	20	20	4.92	20	4.92	10.20	6.50	0.81	0.31	8.97	3225	3576	1	0.24	1.282	1.155	60000	0.5082	19.84	9.9240	0.1453				
20-20	20	20	4.92	20	4.92	10.89	7.15	0.86	0.31	9.58	3300	3612	0	0.00	1.280	1.155	60000	0.5082	19.84	9.9060	0.1453				
20-20	20	20	4.92	20	4.92	11.58	7.80	0.91	0.31	10.19	3375	3648	0	0.00	1.278	1.155	60000	0.5082	19.84	9.8880	0.1453				
20-20	20	20	4.92	20	4.92	12.27	8.45	0.96	0.31	10.80	3450	3684	0	0.00	1.276	1.155	60000	0.5082	19.84	9.8700	0.1453				
20-20	20	20	4.92	20	4.92	12.96	9.10	1.01	0.31	11.41	3525	3720	0	0.00	1.274	1.155	60000	0.5082	19.84	9.8520	0.1453				
20-20	20	20	4.92	20	4.92	13.65	9.75	1.06	0.31	12.02	3600	3756	0	0.00	1.272	1.155	60000	0.5082	19.84	9.8340	0.1453				
20-20	20	20	4.92	20	4.92	14.34	10.40	1.11	0.31	12.63	3675	3792	0	0.00	1.270	1.155	60000	0.5082	19.84	9.8160	0.1453				
20-20	20	20	4.92	20	4.92	15.03	11.05	1.16	0.31	13.24	3750	3828	0	0.00	1.268	1.155	60000	0.5082	19.84	9.7980	0.1453				
20-20	20	20	4.92	20	4.92	15.72	11.70	1.21	0.31	13.85	3825	3864	0	0.00	1.266	1.155	60000	0.5082	19.84	9.7800	0.1453				
20-20	20	20	4.92	20	4.92	16.41	12.35	1.26	0.31	14.46	3900	3900	0	0.00	1.264	1.155	60000	0.5082	19.84	9.7620	0.1453				
20-20	20	20	4.92	20	4.92	17.10	13.00	1.31	0.31	15.07	3975	3936	0	0.00	1.262	1.155	60000	0.5082	19.84	9.7440	0.1453				
20-20	20	20	4.92	20	4.92	17.79	13.65	1.36	0.31	15.68	4050	3972	0	0.00	1.260	1.155	60000	0.5082	19.84	9.7260	0.1453				
20-20	20	20	4.92	20	4.92	18.48	14.30	1.41	0.31	16.29	4125	4008	0	0.00	1.258	1.155	60000	0.5082	19.84	9.7080	0.1453				
20-20	20	20	4.92	20	4.92	19.17	14.95	1.46	0.31	16.90	4200	4044	0	0.00	1.256	1.155	60000	0.5082	19.84	9.6900	0.1453				
20-20	20	20	4.92	20	4.92	19.86	15.60	1.51	0.31	17.51	4275	4080	0	0.00	1.254	1.155	60000	0.5082	19.84	9.6720	0.1453				
20-20	20	20	4.92	20	4.92	20.55	16.25	1.56	0.31	18.12	4350	4116	0	0.00	1.252	1.155	60000	0.5082	19.84	9.6540	0.1453				
20-20	20	20	4.92	20	4.92	21.24	16.90	1.61	0.31	18.73	4425	4152	0	0.00	1.250	1.155	60000	0.5082	19.84	9.6360	0.1453				
20-20	20	20	4.92	20	4.92	21.93	17.55	1.66	0.31	19.34	4500	4188	0	0.00	1.248	1.155	60000	0.5082	19.84	9.6180	0.1453				
20-20	20	20	4.92	20	4.92	22.62	18.20	1.71	0.31	19.95	4575	4224	0	0.00	1.246	1.155	60000	0.5082	19.84	9.6000	0.1453				
20-20	20	20	4.92	20	4.92	23.31	18.85	1.76	0.31	20.56	4650	4260	0	0.00	1.244	1.155	60000	0.5082	19.84	9.5820	0.1453				
20-20	20	20	4.92	20	4.92	24.00	19.50	1.81	0.31	21.17	4725	4296	0	0.00	1.242	1.155	60000	0.5082	19.84	9.5640	0.1453				
20-20	20	20	4.92	20	4.92	24.69	20.15	1.86	0.31	21.78	4800	4332	0	0.00	1.240	1.155	60000	0.5082	19.84	9.5460	0.1453				
20-20	20	20	4.92	20	4.92	25.38	20.80	1.91	0.31	22.39	4875	4368	0	0.00	1.238	1.155	60000	0.5082	19.84	9.5280	0.1453				
20-20	20	20	4.92	20	4.92	26.07	21.45	1.96	0.31	23.00	4950	4404	0	0.00	1.236	1.155	60000	0.5082	19.84	9.5100	0.1453				
20-20	20	20	4.92	20	4.92	26.76	22.10	2.01	0.31	23.61	5025	4440	0	0.00	1.234	1.155	60000	0.5082	19.84	9.4920	0.1453				
20-20	20	20	4.92	20	4.92	27.45	22.75	2.06	0.31	24.22	5100	4476	0	0.00	1.232	1.155	60000	0.5082	19.84	9.4740	0.1453				
20-20	20	20	4.92	20	4.92	28.14	23.40	2.11	0.31	24.83	5175	4512	0	0.00	1.230	1.155	60000	0.5082	19.84	9.4560	0.1453				
20-20	20	20	4.92	20	4.92	28.83	24.05	2.16	0.31	25.44	5250	4548	0	0.00	1.228	1.155	60000	0.5082	19.84	9.4380	0.1453				
20-20	20	20	4.92	20	4.92	29.52	24.70	2.21	0.31	26.05	5325	4584	0	0.00	1.226	1.155	60000	0.5082	19.84	9.4200	0.1453				
20-20	20	20	4.92	20	4.92	30.21	25.35	2.26	0.31	26.66	5400	4620	0	0.00	1.224	1.155	60000	0.5082	19.84	9.4020	0.1453				
20-20	20	20	4.92	20	4.92	30.90	26.00	2.31	0.31	27.27	5475	4656	0	0.00	1.222	1.155	60000	0.5082	19.84	9.3840	0.1453				
20-20	20	20	4.92	20	4.92	31.59	26.65	2.36	0.31	27.88	5550	4692	0	0.00	1.220	1.155	60000	0.5082	19.84	9.3660	0.1453				
20-20	20	20	4.92	20	4.92	32.28	27.30	2.41	0.31	28.49	5625	4728	0	0.00	1.218	1.155	60000	0.5082	19.84	9.3480	0.1453				
20-20	20	20	4.92	20	4.92	32.97	27.95	2.46	0.31	29.10	5700	4764	0	0.00	1.216	1.155	60000	0.5082	19.84	9.3300	0.1453				
20-20	20	20	4.92	20	4.92	33.66	28.60	2.51	0.31	29.71	5775	4800	0	0.00	1.214	1.155	60000	0.5082	19.84	9.3120	0.1453				
20-20	20	20	4.92	20	4.92	34.35	29.25	2.56	0.31	30.32	5850	4836	0	0.00	1.212	1.155	60000	0.5082	19.84	9.2940	0.1453				
20-20	20	20	4.92	20	4.92	35.04	29.90	2.61	0.31	30.93	5925	4872	0	0.00	1.210	1.155	60000	0.5082	19.84	9.2760	0.1453				
20-20	20	20	4.92	20	4.92	35.73	30.55	2.66	0.31	31.54	6000	4908	0	0.00	1.208	1.155	60000	0.5082	19.84	9.2580	0.1453				
20-20	20	20	4.92	20	4.92	36.42	31.20	2.71	0.31	32.15	6075	4944	0	0.00	1.206	1.155	60000	0.5082	19.84	9.2400	0.1453				
20-20	20	20	4.92	20	4.92	37.11	31.85	2.76	0.31	32.76	6150	4980	0	0.00	1.204	1.155	60000	0.5082	19.84	9.2220	0.1453				
20-20	20	20	4.92	20	4.92	37.80	32.50	2.81	0.31	33.37	6225	5016	0	0.00	1.202	1.155	60000	0.5082	19.84	9.2040	0.1453				
20-20	20	20	4.92	20	4.92	38.49	33.15	2.86	0.31	33.98	6300	5052	0	0.00	1.200	1.155	60000	0.5082	19.84	9.1860	0.1453				
20-20	20	20	4.92	20	4.92	39.18	33.80	2.91	0.31	34.59	6375	5088	0	0.00	1.198	1.155	60000	0.5082	19.84	9.1680	0.1453				
20-20	20	20	4.92	20	4.92	39.87	34.45	2.96	0.31	35.20	6450	5124	0	0.00	1.196	1.155	60000	0.5082	19.84	9.1500	0.1453				
20-20	20	20	4.92	20	4.92	40.56	35.10	3.01	0.31	35.81	6525	5160	0	0.00	1.194	1.155	60000	0.5082	19.84	9.1320	0.1453				
20-20	20	20	4.92	20	4.92	41.25	35.75	3.06	0.31	36.42	6600	5196	0	0.00	1.192	1.155	60000	0.5082	19.84	9.1140	0.1453				
20-20	20	20	4.92	20	4.92	41.94	36.40	3.11	0.31	37.03	6675	5232	0	0.00	1.190	1.155	60000	0.5082	19.84	9.0960	0.1453				
20-20	20	20	4.92	20	4.92	42.63	37.05	3.16	0.31	37.64	6750	5268	0	0.00	1.188	1.155	60000	0.5082	19.84	9.0780	0.1453				
20-20	20	20	4.92	20	4.92	43.32	37.70	3.21	0.31	38.25	6825	5304	0	0.00	1.186	1.155	60000	0.5082	19.84	9.0600	0.1453				
20-20	20	20	4.92	20	4.92																				

Table 2: Continued.

Core 14																								
Core Depth (cm)	Upper Depth	Lower Depth	Extrapolated Upper Section Depth (cm)	Extrapolated Lower Section Depth (cm)	Volume of wet sample (ml)	Weight of wet sample (g)	Weight of dry sample (g)	Dry Wt./Wet cc. (g/cc corrected)	Mass in extrapolated section (g/cm <sup>2</sup> )	Cumulative Mass to Bottom of Section (g/cm <sup>2</sup> )	Plot-point of cumulative mass in current section (g/cm <sup>2</sup> )	Po-209 counts	Detector Po-209 Back-Ground Counts	Po-209 counts less detector back-ground	Po-210 counts	Detector Po-210 Back-Ground Counts	Po-210 counts less detector back-ground	Weight of Sample Counted (g)	Weight of Sample Counted- Salt (g)	Count Time (sec)	Spike Size (ml)	Spike Activity (DPM/ml)	Po-210 Total Activity (DPM/g salt corrected)	Error Po-210 ±1 S.D. (DPM/g)
3-4	3	4	4	4	4.92	6.34	2.21	0.42	0.42	1.64	1.43	2016	7	2009	2328	8	2320	1.210	1.135	60000	0.5012	1993	10.0414	0.2117
4-5	4	5	4	5	4.92	6.41	2.33	0.45	0.45	2.08	1.86	1837	25	1308	1512	9	1485	1.211	1.141	60000	0.5012	1993	9.9410	0.2611
5-6	5	6	5	6	4.92	6.48	2.42	0.46	0.46	2.55	2.31	1633	23	1814	2296	8	2263	1.240	1.171	60000	0.5012	1993	10.9400	0.2587
6-7	6	7	6	7	4.92	6.45	2.47	0.47	0.47	3.02	2.78	2348	19	2329	2768	7	2729	1.230	1.164	60000	0.5012	1993	10.0616	0.1948
7-8	7	8	7	8	4.92	6.55	2.61	0.50	0.50	3.52	3.27	2050	16	2034	2096	6	2062	1.217	1.156	60000	0.5012	1993	8.7610	0.1948
8-9	8	9	8	9	4.92	6.54	2.57	0.49	0.49	4.01	3.77	1303	21	1303	1304	7	1279	1.273	1.208	60000	0.5012	1993	8.7198	0.2288
9-10	9	10	9	10	4.92	6.52	2.53	0.49	0.49	4.50	4.26	1233	17	1206	2117	5	2083	1.234	1.170	60000	0.5012	1993	8.4485	0.1868
10-12	10	12	10	12	4.92	6.57	3.30	0.64	1.00	6.79	6.29	1173	7	1166	1022	8	988	1.242	1.196	60000	0.5012	1993	8.2936	0.1936
12-14	12	14	12	14	4.92	6.55	2.60	0.50	1.13	7.92	7.35	2035	25	2010	1361	9	1324	1.206	1.168	60000	0.5012	1993	7.3207	0.2354
14-16	14	16	14	16	4.92	6.72	2.90	0.55	1.07	8.98	8.45	1428	16	1412	1777	6	1570	1.268	1.176	60000	0.5012	1993	4.4002	0.1638
16-18	16	18	16	18	4.92	6.65	2.75	0.53	1.07	10.05	9.52	881	21	860	369	7	350	1.233	1.176	60000	0.5012	1993	3.4597	0.1915
18-20	18	20	18	20	4.92	6.64	2.77	0.54	1.07	12.67	11.36	1546	17	1529	579	5	553	1.234	1.195	60000	0.5012	1993	3.0760	0.1344
20-25	20	25	20	25	4.92	6.66	2.71	0.52	2.62	15.34	14.01	1324	22	1302	462	23	421	1.253	1.195	60000	0.5012	1993	2.7055	0.1415
25-30	25	30	25	30	4.92	6.80	3.00	0.58	2.82	18.26	16.80	2358	7	2351	605	8	564	1.273	1.220	60000	0.5012	1993	1.9678	0.0863
30-35	30	35	30	35	4.92	6.80	3.32	0.65	3.24	21.51	19.88	803	25	778	330	9	310	1.228	1.183	60000	0.5012	1993	3.3702	0.1989
35-40	35	40	35	40	4.92	7.04	3.32	0.65	3.24	21.51	19.88	2477	21	2456	1093	7	1052	1.281	1.190	60000	0.5012	1993	8.3913	0.2285
10-12 Duplicate	10	12	10	12	4.92	6.97	3.30	0.64	1.29	5.79	5.14	1333	16	1317	1390	6	1366	1.282	1.235	60000	0.5012	1993	3.3702	0.1989
14-16 Duplicate	14	16	14	16	4.92	6.72	2.90	0.56	1.13	7.92	7.35	1808	21	1787	1254	7	1222	1.244	1.190	60000	0.5012	1993	5.7442	0.1668
18-20 Duplicate	18	20	18	20	4.92	7.29	3.78	0.74	1.49	13.90	13.16	2337	17	2320	3391	5	3354	1.367	1.325	60000	0.4985	1992	10.6390	0.1863
1-2	1	2	0	2	4.92	6.63	2.67	0.52	1.03	1.03	0.77	2334.0	17.00	2317	3270	5	3233	1.229	1.169	60000	0.5002	1993	11.9020	0.2107
2-3	2	3	2	3	4.92	6.69	2.80	0.54	1.58	1.30	2246.0	22.00	2224	3209	23	3157	1.218	1.162	60000	0.5002	1993	12.1806	0.2193	
3-4	3	4	3	4	4.92	6.78	2.93	0.57	1.74	1.86	1159.7	7	1152	3747	8	1724	1.219	1.166	60000	0.5002	1993	12.7961	0.3109	
4-5	4	5	4	5	4.92	6.79	2.97	0.58	2.72	2.43	1411.0	25.00	1386	2239	9	2212	1.233	1.181	60000	0.5002	1993	13.4792	0.2889	
5-6	5	6	5	6	4.92	6.93	3.25	0.63	3.36	3.04	1893.2	23	1870	2841	8	2809	1.206	1.161	60000	0.5002	1993	12.9026	0.2123	
6-7	6	7	6	7	4.92	7.08	3.43	0.67	4.03	3.69	2658.0	19.00	2639	4182	7	4141	1.248	1.204	60000	0.5002	1993	12.9938	0.2031	
7-8	7	8	7	8	4.92	7.00	3.30	0.65	4.67	4.35	1739.0	16.00	1723	3139	6	3105	1.209	1.164	60000	0.5002	1993	12.4326	0.2245	
8-9	8	9	8	9	4.92	7.11	3.47	0.68	5.35	5.01	2005.0	21.00	1984	3089	7	3056	1.222	1.180	60000	0.5002	1993	13.0218	0.2370	
9-10	9	10	9	10	4.92	7.27	3.73	0.73	6.09	5.72	1610.0	17.00	1593	2517	5	2491	1.246	1.207	60000	0.5002	1993	12.9213	0.2604	
10-12	10	12	10	12	4.92	7.66	4.43	0.88	1.76	7.84	6.96	2374.0	22.00	2352	3467	23	3414	1.207	1.178	60000	0.5002	1993	12.2848	0.2126
12-14	12	14	12	14	4.92	7.38	3.94	0.78	1.56	9.40	8.62	2152.0	7.00	2145	3061	8	3025	1.235	1.199	60000	0.5002	1993	11.7246	0.2147
14-16	14	16	14	16	4.92	7.35	3.89	0.77	1.53	10.93	10.16	1058.0	25.00	1033	1466	9	1443	1.246	1.209	60000	0.5002	1993	11.5264	0.2065
16-18	16	18	16	18	4.92	7.30	3.78	0.74	1.49	12.42	11.67	2551.0	23.00	2528	3569	8	3528	1.231	1.193	60000	0.5002	1993	11.6638	0.1977
18-20	18	20	18	20	4.92	7.56	3.78	0.74	1.49	13.90	13.16	475	19	456	572	7	559	1.225	1.187	60000	0.5002	1993	10.2963	0.1977
20-25	20	25	20	25	4.92	7.56	4.20	0.83	4.16	18.06	15.98	1884	16	1838	2565	6	2535	1.253	1.220	60000	0.5002	1993	10.9632	0.2454
25-30	25	30	25	30	4.92	7.57	4.29	0.85	4.25	22.31	20.18	1887	21	1866	2299	7	2265	1.258	1.226	60000	0.5002	1993	9.8826	0.2092
3-4 Duplicate	3	4	3	4	4.92	6.78	2.93	0.57	1.74	1.86	1159.7	22.00	2187	3420	23	3370	1.256	1.209	60000	0.5002	1993	13.0519	0.2272	
5-6 Duplicate	5	6	5	6	4.92	6.93	3.25	0.63	3.36	3.04	1728.7	7	1721	2798	8	2768	1.256	1.209	60000	0.5002	1993	13.2639	0.2538	
18-20 Duplicate	18	20	18	20	4.92	7.29	3.78	0.74	1.49	13.90	13.16	2337	17	2320	3391	5	3354	1.367	1.325	60000	0.4985	1992	10.6390	0.1863
1-2	1	2	0	2	4.94	7.06	3.36	0.66	1.31	1.31	0.99	1710	22	1688	2847	23	2802	1.236	1.191	60000	0.4922	1968	13.6395	0.2608
2-3	2	3	2	3	4.94	7.18	3.59	0.70	2.02	2.02	1.67	2241.0	6.00	2233	3885	8	3847	1.265	1.223	60000	0.4942	1968	13.6327	0.2243
3-4	3	4	3	4	4.94	7.31	3.80	0.75	2.76	2.76	2.39	1907.0	25.00	1882	2961	8	2925	1.238	1.200	60000	0.4922	1968	12.8878	0.2361
4-5	4	5	4	5	4.94	7.33	3.78	0.74	3.51	3.51	1330.0	23	1307	2111	8	2086	1.232	1.194	60000	0.4922	1968	13.0842	0.2887	
5-6	5	6	5	6	4.94	7.38	3.88	0.76	4.27	4.27	3.89	2072	19	2053	3713	6	3680	1.247	1.210	60000	0.4922	1968	14.5076	0.2403
6-7	6	7	6	7	4.94	7.66	4.39	0.87	0.87	5.14	4.70	1630	16	1614	3173	6	3146	1.295	1.263	60000	0.4922	1968	15.1021	0.2707
7-8	7	8	7	8	4.94	7.45	4.01	0.79	5.92	5.53	2258	25	2237	4226	7	4190	1.283	1.240	60000	0.4922	1968	14.7815	0.2295	
8-9	8	9	8	9	4.94	7.58	4.23	0.83	6.76	6.34	1069	21	1044	1727	8	1705	1.253	1.217	60000	0.4942	1968	13.1768	0.2318	
9-10	9	10	9	10	4.94	7.60	4.23	0.84	8.43	7.99	717	22	2269	3630	23	3577	1.249	1.216	60000	0.4922	1968	12.8878	0.2143	
10-12	10	12	10	12	4.94	7.59	4.23	0.84	1.67	9.26	8.43	1033	22	1026	1497	8	1475	1.231	1.199	60000	0.4922	1968	11.7419	0.3087
12-14	12	14	12	14	4.94	7.63	4.26	0.84	1.68	10.94	10.10	2204	25	2179	3212	8	3175	1.229	1.197	60000	0.4922	1968	11.9169	0.2129
14-16	14	16	14	16	4.94	7.50	4.09	0.81	1.61	12.55	11.75	2357	23	2334	3213	8	3174	1.242	1.208	60000	0.4922	1968	11.0204	0.1970
16-18	16	18	16	18	4.94	7.66	4.35	0.86	1.72	14.27	13.41	2084	16	2065	2801	6	2766	1.254	1.222	60000	0.4922	1968	10.7319	0.2054
18-20	18	20	18	20	4.94	7.62	4.29	0.85	1.69	15.97	15.12	2311	16	2295	2998	6	2862	1.269	1.236	60000	0.4922	1968	10.2167	0.1880
20-25	20	25	20	25	4.94	7.82	4.38	0.91	4.54	20.50	18.23	2153	21	2132	2420	21	2385	1.266	1.237	60000	0.4922	1968		

Table 2: Continued.

Core 17		Upper Depth (cm)	Lower Depth (cm)	Extrapolated Upper Section Depth (cm)	Extrapolated Lower Section Depth (cm)	Volume of wet sample (ml)	Weight of wet sample (g)	Weight of dry sample (g)	Dry/Wet (g/g)	Mass in extrapolated section (g/cm <sup>2</sup> )	Cumulative Mass to Bottom of Section (g/cm <sup>2</sup> )	Plot-point of cumulative mass in current section (g/cm <sup>2</sup> )	Po-209 counts	Detector Back-Ground Counts	Po-209 counts less detector back-ground	Po-210 counts	Detector Back-Ground Counts	Po-210 counts less back-ground	Weight of Sample Counted (g)	Weight of Sample Counted - Salt (g)	Count Time (sec)	Spike Size (ml)	Spike Activity (DPM/ml)	Po-210 Total Activity (DPM/g) (corrected)	Error Po-210 +/- 1 S.D. (DPM/g)
1-2	1	2	4.94	0	2	4.94	6.81	1.42	0.26	0.52	0.52	1.723	17	1706	3437	3409.00	3409.00	1.223	1.098	60000	0.4928	19.88	17.8300	0.3070	
2-3	2	3	4.93	2	2	4.93	5.70	1.35	0.24	0.76	0.76	2.565	17	2484	4380	4345.99	4345.99	1.255	1.132	60000	0.4928	19.88	17.9415	0.3248	
3-4	3	4	4.93	3	1	4.93	5.67	1.37	0.27	1.03	1.03	3.602	17	2282	4410	4375.00	4375.00	1.248	1.122	60000	0.4928	19.88	18.0753	0.3578	
4-5	4	5	4.93	4	0	4.93	5.65	1.50	0.26	1.32	1.32	4.924	19	1658	3415	3024.89	3024.89	1.245	1.122	60000	0.4928	19.88	18.1430	0.3518	
5-6	5	6	4.93	5	0	4.93	5.84	1.55	0.26	1.61	1.61	6.535	17	1881	3479	3275.00	3275.00	1.272	1.155	60000	0.4928	19.88	18.2687	0.3600	
6-7	6	7	4.93	6	0	4.93	6.05	1.76	0.33	1.93	1.93	8.467	21	1876	3672	3643.00	3643.00	1.272	1.170	60000	0.4928	19.88	18.3697	0.3700	
7-8	7	8	4.93	7	0	4.93	6.20	2.02	0.38	2.32	2.32	11.792	22	1700	3712	3973.00	3973.00	1.265	1.149	60000	0.4928	19.88	18.4471	0.3826	
8-9	8	9	4.93	8	0	4.93	6.05	1.76	0.33	2.65	2.65	15.442	6	1594	3721	2742.44	2742.44	1.244	1.133	60000	0.4928	19.88	18.4701	0.3926	
9-10	9	10	4.93	9	0	4.93	6.08	1.81	0.34	2.99	2.99	19.436	23	946	3826	1666.54	1666.54	1.236	1.143	60000	0.4928	19.88	18.4921	0.4041	
10-12	10	12	4.93	10	12	4.93	6.22	2.02	0.37	3.37	3.37	24.069	23	2168	3926	3890.04	3890.04	1.236	1.143	60000	0.4928	19.88	18.5188	0.4170	
12-14	12	14	4.93	12	14	4.93	6.34	2.06	0.37	3.75	3.75	30.821	19	999	4145	1725.12	1725.12	1.300	1.236	60000	0.4928	19.88	18.5652	0.4321	
14-16	14	16	4.93	14	16	4.93	6.51	2.03	0.36	4.18	4.18	40.697	17	2010	3926	3085.07	3085.07	1.230	1.166	60000	0.4928	19.88	18.6275	0.4575	
16-18	16	18	4.93	16	18	4.93	6.54	2.00	0.36	4.67	4.67	53.374	21	2243	3726	2365.57	2365.57	1.266	1.249	60000	0.4928	19.88	18.7133	0.4908	
18-20	18	20	4.93	18	20	4.93	6.05	1.76	0.33	5.07	5.07	68.447	17	1763	3726	2365.57	2365.57	1.266	1.249	60000	0.4928	19.88	18.7693	0.5214	
20-22	20	22	4.93	20	22	4.93	6.27	1.94	0.37	5.44	5.44	86.891	22	1710	4917	1871.83	1871.83	1.269	1.179	60000	0.4928	19.88	18.8603	0.5432	
22-24	22	24	4.93	22	24	4.93	6.34	2.02	0.38	5.82	5.82	114.714	22	1848	4741	1707.21	1707.21	1.292	1.194	60000	0.4928	19.88	18.9656	0.5781	
24-26	24	26	4.93	24	26	4.93	6.34	2.02	0.38	6.20	6.20	145.933	25	1625	4570	1641.04	1641.04	1.292	1.199	60000	0.4928	19.88	19.0760	0.6164	
26-28	26	28	4.93	26	28	4.93	6.47	2.00	0.36	6.58	6.58	182.416	23	1072	4238	1204.57	1204.57	1.286	1.174	60000	0.4928	19.88	19.1934	0.6584	
28-30	28	30	4.93	28	30	4.93	6.47	2.00	0.36	7.00	7.00	224.416	23	946	4381	1204.57	1204.57	1.286	1.174	60000	0.4928	19.88	19.3130	0.7054	
30-32	30	32	4.93	30	32	4.93	6.18	1.82	0.36	7.42	7.42	273.245	17	2098	4933	900.85	900.85	1.281	1.166	60000	0.4928	19.88	19.4366	0.7546	
32-34	32	34	4.93	32	34	4.93	6.18	1.82	0.36	7.88	7.88	329.131	17	1598	3104	3077.29	3077.29	1.270	1.132	60000	0.4928	19.88	19.5645	0.8060	
34-36	34	36	4.93	34	36	4.93	5.76	1.35	0.34	8.37	8.37	391.561	21	1598	3104	3077.29	3077.29	1.270	1.132	60000	0.4928	19.88	19.6969	0.8605	
36-38	36	38	4.93	36	38	4.93	6.21	2.03	0.38	8.88	8.88	460.442	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
38-40	38	40	4.93	38	40	4.93	6.21	2.03	0.38	9.40	9.40	536.844	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
40-42	40	42	4.93	40	42	4.93	6.21	2.03	0.38	9.93	9.93	621.245	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
42-44	42	44	4.93	42	44	4.93	6.21	2.03	0.38	10.48	10.48	713.646	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
44-46	44	46	4.93	44	46	4.93	6.21	2.03	0.38	11.05	11.05	814.047	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
46-48	46	48	4.93	46	48	4.93	6.21	2.03	0.38	11.64	11.64	922.448	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
48-50	48	50	4.93	48	50	4.93	6.21	2.03	0.38	12.25	12.25	1038.849	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
50-52	50	52	4.93	50	52	4.93	6.21	2.03	0.38	12.88	12.88	1173.250	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
52-54	52	54	4.93	52	54	4.93	6.21	2.03	0.38	13.54	13.54	1325.651	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
54-56	54	56	4.93	54	56	4.93	6.21	2.03	0.38	14.24	14.24	1497.052	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
56-58	56	58	4.93	56	58	4.93	6.21	2.03	0.38	15.00	15.00	1687.453	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
58-60	58	60	4.93	58	60	4.93	6.21	2.03	0.38	15.82	15.82	1896.854	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
60-62	60	62	4.93	60	62	4.93	6.21	2.03	0.38	16.71	16.71	2125.255	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
62-64	62	64	4.93	62	64	4.93	6.21	2.03	0.38	17.68	17.68	2373.656	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
64-66	64	66	4.93	64	66	4.93	6.21	2.03	0.38	18.74	18.74	2642.057	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
66-68	66	68	4.93	66	68	4.93	6.21	2.03	0.38	19.89	19.89	2931.458	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
68-70	68	70	4.93	68	70	4.93	6.21	2.03	0.38	21.14	21.14	3241.859	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
70-72	70	72	4.93	70	72	4.93	6.21	2.03	0.38	22.49	22.49	3573.260	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
72-74	72	74	4.93	72	74	4.93	6.21	2.03	0.38	23.94	23.94	3925.661	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
74-76	74	76	4.93	74	76	4.93	6.21	2.03	0.38	25.49	25.49	4299.062	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
76-78	76	78	4.93	76	78	4.93	6.21	2.03	0.38	27.14	27.14	4693.463	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
78-80	78	80	4.93	78	80	4.93	6.21	2.03	0.38	28.89	28.89	5108.864	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
80-82	80	82	4.93	80	82	4.93	6.21	2.03	0.38	30.74	30.74	5545.265	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
82-84	82	84	4.93	82	84	4.93	6.21	2.03	0.38	32.69	32.69	6002.666	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
84-86	84	86	4.93	84	86	4.93	6.21	2.03	0.38	34.74	34.74	6481.067	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
86-88	86	88	4.93	86	88	4.93	6.21	2.03	0.38	36.89	36.89	6981.468	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
88-90	88	90	4.93	88	90	4.93	6.21	2.03	0.38	39.14	39.14	7503.869	19	1393	2307	2281.65	2281.65	1.342	1.238	60000	0.4942	19.87	12.8873	0.2788	
90-92	90	92	4.93	90	92	4.93	6.21	2.03	0.38	41.49</															

Table 2: Continued.

Core 20		Upper Depth (cm)	Lower Depth (cm)	Extrapolated Upper Section Depth (cm)	Extrapolated Lower Section Depth (cm)	Volume of wet sample (ml)	Weight of wet sample (g)	Weight of dry sample (g)	Dry Wt./Wet cc. (g/g)	Mass in extrapolated section (g/cm <sup>2</sup> )	Cumulative Mass to Bottom of Section (g/cm <sup>2</sup> )	Plot-point of cumulative mass in current section (g/cm <sup>2</sup> )	Po-209 counts	Detector Back-Ground Counts	Po-209 counts less detector back-ground	Po-210 counts	Detector Back-Ground Counts	Po-210 counts less detector back-ground	Weight of Sample Counted (g)	Weight of Sample Counted - Salt (g)	Count Time (sec)	Spike Size (ml)	Spike Activity (DPM/ml)	Po-210 Total Activity (DPM/g) (corrected)	Error Po-210 +/- 1 S.D. (DPM/g)
3.4	4	3	4	3	4	4.94	6.31	2.03	0.38	1.48	1.48	1.48	2322	8	2314	3755	8	3715.18	1.27	1.43	60000	0.4928	19.87	13.7597	0.2271
4.5	4	4	4	4	4	4.94	6.20	2.02	0.38	1.84	1.84	1.84	2162	25	2077	2454	8	2419.34	1.269	1.72	60000	0.4928	19.87	13.7597	0.2271
5.6	5	5	5	5	5	4.94	6.22	2.05	0.30	2.23	2.23	2.23	4096	23	4072	4500	8	4573.77	1.288	1.65	60000	0.4928	19.87	13.7597	0.2271
6.7	6	6	6	6	6	4.94	6.25	2.15	0.34	2.64	2.64	2.64	2081	49	2062	3051	7	3041.52	1.298	1.30	60000	0.4928	19.87	13.7597	0.2271
7.8	7	7	7	7	7	4.94	6.35	2.38	0.43	3.07	3.07	3.07	4410	25	4416	4517	8	4519.07	1.305	1.06	60000	0.4928	19.87	13.7597	0.2271
8.9	8	8	8	8	8	4.94	6.32	2.31	0.42	3.49	3.49	3.49	708	25	685	566	8	598.09	1.305	0.89	60000	0.4928	19.87	13.7597	0.2271
9.9	9	9	9	9	9	4.94	6.34	2.34	0.42	3.70	3.70	3.70	1092	22	1093	1023	7	1700.94	1.314	1.04	60000	0.4928	19.87	13.7597	0.2271
10.9	10	10	10	10	10	4.94	6.36	2.35	0.42	4.11	4.11	4.11	1857	22	1845	1516	23	1489.43	1.324	1.62	60000	0.4928	19.87	13.7597	0.2271
12.1	12	12	12	12	12	4.94	6.33	2.32	0.42	4.69	4.69	4.69	3107	6	3109	4926	8	4926.24	1.330	1.59	60000	0.4928	19.87	13.7597	0.2271
14.1	14	14	14	14	14	4.94	6.36	2.38	0.42	5.16	5.16	5.16	2087	25	2082	1061	8	1025.52	1.338	1.59	60000	0.4928	19.87	13.7597	0.2271
16.1	16	16	16	16	16	4.94	6.34	2.32	0.42	6.49	6.49	6.49	2526	23	2526	1184	8	1142.35	1.345	1.41	60000	0.4928	19.87	13.7597	0.2271
18.1	18	18	18	18	18	4.94	6.31	2.25	0.42	8.84	8.84	8.84	1046	19	1027	403	7	382.32	1.345	1.17	60000	0.4928	19.87	13.7597	0.2271
20.2	20	20	20	20	20	4.94	6.30	2.17	0.41	11.20	11.20	11.20	1870	17	1853	570	6	530.32	1.345	1.26	60000	0.4928	19.87	13.7597	0.2271
22.2	22	22	22	22	22	4.94	6.33	2.20	0.41	13.73	13.73	13.73	2741	17	2754	699	6	848.18	1.345	1.69	60000	0.4928	19.87	13.7597	0.2271
24.2	24	24	24	24	24	4.94	6.29	2.18	0.37	16.26	16.26	16.26	4182	17	4166	469	6	484.18	1.345	1.20	60000	0.4928	19.87	13.7597	0.2271
26.2	26	26	26	26	26	4.94	6.26	2.08	0.37	18.79	18.79	18.79	5187	17	5168	288	7	268.70	1.345	1.26	60000	0.4928	19.87	13.7597	0.2271
28.2	28	28	28	28	28	4.94	6.23	2.00	0.37	21.32	21.32	21.32	6182	21	6166	388	7	368.70	1.345	1.26	60000	0.4928	19.87	13.7597	0.2271
30.2	30	30	30	30	30	4.94	6.23	2.00	0.37	23.85	23.85	23.85	7177	21	7161	488	7	468.70	1.345	1.26	60000	0.4928	19.87	13.7597	0.2271
32.2	32	32	32	32	32	4.94	6.26	2.06	0.37	26.38	26.38	26.38	8172	21	8156	588	7	568.70	1.345	1.26	60000	0.4928	19.87	13.7597	0.2271
34.2	34	34	34	34	34	4.94	6.26	2.06	0.37	28.91	28.91	28.91	9167	21	9151	688	7	668.70	1.345	1.26	60000	0.4928	19.87	13.7597	0.2271
36.2	36	36	36	36	36	4.94	6.26	2.06	0.37	31.44	31.44	31.44	10162	21	10146	788	7	768.70	1.345	1.26	60000	0.4928	19.87	13.7597	0.2271
38.2	38	38	38	38	38	4.94	6.26	2.06	0.37	33.97	33.97	33.97	11157	21	11141	888	7	868.70	1.345	1.26	60000	0.4928	19.87	13.7597	0.2271
40.2	40	40	40	40	40	4.94	6.26	2.06	0.37	36.50	36.50	36.50	12152	21	12136	988	7	968.70	1.345	1.26	60000	0.4928	19.87	13.7597	0.2271
42.2	42	42	42	42	42	4.94	6.26	2.06	0.37	39.03	39.03	39.03	13147	21	13131	1088	7	1068.70	1.345	1.26	60000	0.4928	19.87	13.7597	0.2271
44.2	44	44	44	44	44	4.94	6.26	2.06	0.37	41.56	41.56	41.56	14142	21	14126	1188	7	1168.70	1.345	1.26	60000	0.4928	19.87	13.7597	0.2271
46.2	46	46	46	46	46	4.94	6.26	2.06	0.37	44.09	44.09	44.09	15137	21	15121	1288	7	1268.70	1.345	1.26	60000	0.4928	19.87	13.7597	0.2271
48.2	48	48	48	48	48	4.94	6.26	2.06	0.37	46.62	46.62	46.62	16132	21	16116	1388	7	1368.70	1.345	1.26	60000	0.4928	19.87	13.7597	0.2271
50.25 Duplicate	50	25	20	20	25	4.94	6.30	2.17	0.34	2.66	10.23	9.21	1287	21	1268	325	7	301.54	1.242	1.68	60000	0.4928	19.87	2.0538	0.1241
50.55 Duplicate	50	55	48	48	55	4.94	6.86	3.04	0.59	4.43	25.21	23.73	1574	17	1557	758	6	732.49	1.185	1.30	60000	0.4942	19.87	4.0871	0.1586
Core 21																									
1-2	1	2	0	0	2	4.94	5.66	1.16	0.21	0.41	0.41	0.31	2138	26	2112	3770	8	3734.01	1.319	1.151	60000	0.4919	19.86	15.0099	0.2471
2-3	2	3	3	3	3	4.94	5.83	1.44	0.26	0.67	0.67	0.54	2042	22	2020	3334	23	3284.39	1.270	1.142	60000	0.4937	19.87	13.8670	0.2464
3-4	3	4	4	4	4	4.94	5.89	1.51	0.26	0.95	0.81	0.81	2059	8	2051	3356	8	3320.99	1.287	1.146	60000	0.4937	19.87	13.8670	0.2464
4-5	4	5	5	5	5	4.94	6.00	1.77	0.33	1.28	1.28	1.12	2293	25	2268	3531	8	3493.13	1.227	1.130	60000	0.4937	19.87	13.3723	0.2277
5-6	5	6	6	6	6	4.94	5.91	1.59	0.29	1.57	1.57	1.43	2417	23	2384	3469	8	3428.47	1.224	1.114	60000	0.4937	19.87	12.6168	0.2169
6-7	6	7	7	7	7	4.94	6.44	2.47	0.47	2.05	2.05	1.81	1427	22	1405	1652	23	1610.49	1.228	1.162	60000	0.4937	19.87	9.6700	0.2457
7-8	7	8	8	8	8	4.94	6.15	1.95	0.37	0.37	2.41	2.23	2373	8	2365	3087	8	3047.85	1.251	1.163	60000	0.4937	19.87	10.8840	0.1987
8-9	8	9	9	9	9	4.94	6.29	2.28	0.44	2.85	2.85	2.63	2095	25	2070	2071	8	2035.74	1.247	1.175	60000	0.4937	19.87	8.2137	0.1840
9-10	9	10	10	10	10	4.94	6.17	2.03	0.38	3.23	3.04	2.82	2232	23	2209	2111	8	2073.90	1.242	1.159	60000	0.4937	19.87	7.9490	0.1764
10-12	10	12	12	12	12	4.94	6.34	2.19	0.41	4.82	4.05	3.84	2087	19	2068	2111	8	1950.60	1.289	1.191	60000	0.4919	19.86	6.1917	0.1588
12-14	12	14	14	14	14	4.94	6.38	2.31	0.44	6.49	4.93	4.49	2285	17	2268	1285	6	1248.13	1.287	1.184	60000	0.4937	19.87	4.5639	0.1313
14-16	14	16	16	16	16	4.94	6.43	2.07	0.39	7.72	5.72	5.33	1689	21	1668	838	7	809.03	1.243	1.166	60000	0.4937	19.87	4.1015	0.1474
16-18	16	18	18	18	18	4.94	6.43	2.33	0.45	8.89	6.61	6.16	1190	17	1173	767	6	732.38	1.238	1.166	60000	0.4937	19.87	2.8352	0.1076
18-20	18	20	20	20	20	4.94	6.40	2.44	0.47	9.77	8.60	7.92	2535	22	2513	789	23	732.90	1.238	1.159	60000	0.4937	19.87	2.4678	0.0960
20-25	20	25	20	25	20	4.94	6.40	2.44	0.47	2.34	9.77	8.60	2434	8	2426	634	8	584.05	1.251	1.184	60000	0.4937	19.87	2.0289	0.0865
25-30	25	30	25	30	25	4.94	6.61	2.66	0.51	3.17	12.33	11.05	2520	25	2485	513	8	472.14	1.231	1.171	60000	0.4937	19.87	1.5859	0.0767
30-35	30	35	30	35	30	4.94	7.00	3.25	0.63	3.17	15.50	13.92	573	23	550	95	8	79.76	1.248	1.201	60000	0.4937	19.87	1.1850	0.0508
35-40	35	40	35	40	35	4.94	6.77	2.94	0.57	2.85	18.35	16.93	2412	19	2383	475	7	436.48	1.250	1.196	60000	0.4937	19.87	1.4860	0.0752
7-8 Duplicate	7	8	7	8	7	4.94	6.15	1.95	0.37	0.37	2.41	2.23	2184	24	2170	2741	8	2704.24	1.209	1.123	60000	0.4919	19.86	10.8439	0.2102
30-35 Duplicate	30	35	30	35	30	4.94	7.00	3.25	0.63	3.17	15.50	13.92	2004	17	1987	466	6	433.67	1.764	1.697	60000	0.4919	19.86	1.2564	0.0629
Core 22																									
1-2	1	2	0	0	2	4.94	5.73	1.29	0.23	0.46	0.46	0.35	2680.0	22.00	2658	4848	23	4767.99	1.236	1.096	60000	0.4931	19.87	16.1070	0.2347
2-3	2	3	3	3	3	4.94	5.81																		



Table 3. Activity of radium in subsections of sediment cores. Error represents 1 standard deviation.

Core Identification	Sample Interval (cm)	Ra-226 dpm/g	Ra-226 pCi/g	Error +/- (dpm/g dry wt.)
GVRD-1	14-46	0.74	0.33	0.012
GVRD-1	25-30	0.66	0.30	0.011
GVRD-1	40-45	0.63	0.29	0.011
GVRD-2	14-16	0.76	0.35	0.012
GVRD-2	25-30	0.92	0.42	0.014
GVRD-2	40-45	0.94	0.42	0.014
GVRD-3	14-16	0.63	0.28	0.011
GVRD-3	25-30	0.46	0.21	0.010
GVRD-3	40-45	0.55	0.25	0.011
GVRD-4	14-16	2.18	0.99	0.022
GVRD-4	20-25	0.86	0.39	0.014
GVRD-4	30-35	2.25	1.02	0.023
GVRD-5	147-16	0.99	0.45	0.015
GVRD-5	25-30	0.41	0.18	0.009
GVRD-5	45-50	1.17	0.53	0.016
GVRD-6	14-16	0.50	0.23	0.009
GVRD-6	25-30	0.62	0.28	0.011
GVRD-6	40-45	0.61	0.27	0.013
GVRD-7	14-16	0.50	0.010	0.010
GVRD-7	20-25	0.48	0.010	0.010
GVRD-7	40-44	1.06	0.017	0.017
GVRD-8	8-9	0.61	0.27	0.010
GVRD-8	14-16	0.66	0.30	0.010
GVRD-8	25-30	0.70	0.32	0.010
GVRD-9	8-9	1.26	0.57	0.010
GVRD-9	14-16	1.22	0.55	0.010
GVRD-9	25-30	1.19	0.54	0.010
GVRD-10	8-9	0.70	0.32	0.010
GVRD-10	14-16	0.65	0.29	0.010
GVRD-10	25-30	0.69	0.31	0.010
GVRD-11	8-9	0.86	0.39	0.010
GVRD-11	14-16	0.88	0.40	0.010
GVRD-11	25-30	0.77	0.35	0.010
GVRD-12	8-9	1.35	0.61	0.010
GVRD-12	14-16	1.38	0.62	0.010
GVRD-12	25-30	1.29	0.59	0.010
GVRD-13	8-9	1.34	0.61	0.010
GVRD-13	14-16	1.28	0.58	0.010
GVRD-13	25-30	1.69	0.76	0.010
GVRD-14	8-9	0.57	0.26	0.010
GVRD-14	14-16	0.60	0.27	0.010
GVRD-14	25-30	0.69	0.31	0.010
GVRD-15	8-9	0.49	0.22	0.010
GVRD-15	14-16	0.52	0.24	0.010
GVRD-15	25-30	0.48	0.22	0.010

Table 3. Continued.

Core Identification	Sample Interval (cm)	Ra-226 dpm/g	Ra-226 pCi/g	Error +/- (dpm/g)
GVRD-16	5-6	0.45	0.20	0.01
GVRD-16	10-12	0.47	0.21	0.01
GVRD-16	18-20	0.47	0.21	0.01
GVRD-17	9-10	2.30	1.04	0.02
GVRD-17	20-25	2.10	0.95	0.02
GVRD-17	40-45	2.09	0.95	0.02
GVRD-18	6-7	0.30	0.14	0.01
GVRD-18	12-13	0.44	0.20	0.01
GVRD-18	17-18	0.36	0.16	0.01
GVRD-19	4-5	0.58	0.26	0.01
GVRD-19	9-10	0.53	0.24	0.01
GVRD-19	16-18	0.57	0.26	0.01
GVRD-20	8-9	0.81	0.37	0.01
GVRD-20	14-16	0.89	0.40	0.01
GVRD-20	25-30	0.92	0.42	0.01
GVRD-21	9-10	0.48	0.22	0.01
GVRD-21	18-20	0.47	0.21	0.01
GVRD-21	30-35	0.48	0.22	0.01
GVRD-22	10-12	1.39	0.63	0.01
GVRD-22	25-30	1.35	0.61	0.01
GVRD-22	45-50	1.41	0.94	0.01

Table 4: Results of the AVS, metals and lead isotope analysis. NM cells indicate that this variable was not measured in that interval.

Sample Depth (cm)	AVS (µmol/g p.s.)	Al (%)	Fe (%)	Mg (%)	Ca (µg/g)	Ba (µg/g)	Mn (µg/g)	Cd (µg/g)	Mo (µg/g)	U (µg/g)	Re (µg/g)	As (µg/g)	Ag (µg/g)	Co (µg/g)	Cr (µg/g)	Ni (µg/g)	Cu (µg/g)	Zn (µg/g)	Pb (206/207, 206/208) (µg/g)	Pb (206/207, 206/208) (µg/g)	Pb (206/208) (µg/g)	Hg (ng/g)	K (%)	Na (%)	Ti (µg/g)	S (µg/g)	P (µg/g)	Porosity			
Core 1																															
0-1	0.16	4.56	3.40	1.70	1.61	281.11	767.21	0.30	1.42	2.26	10.30	8.14	0.32	17.22	56.38	37.98	51.75	115.54	18.68	1.18	0.48	18.35	149.50	1.02	5.42	2647.83	5664.70	955.00	0.95		
1-2	0.83	4.77	3.50	1.70	1.66	291.67	604.18	0.33	1.33	2.52	11.52	8.29	0.32	17.74	41.03	38.41	55.18	120.24	19.23	1.17	0.48	18.31	134.16	1.04	5.08	2777.72	5560.63	852.99	0.94		
2-3	1.35	4.88	3.57	1.68	1.68	297.57	569.20	0.33	1.44	2.63	11.92	8.51	0.34	18.15	50.29	37.78	54.96	123.13	19.66	1.17	0.48	18.32	140.60	1.05	4.72	2857.68	5539.32	780.44	0.93		
3-4	0.40	4.86	3.53	1.66	1.68	294.96	590.15	0.35	1.47	2.72	12.64	8.71	0.34	18.23	55.03	39.23	55.51	122.49	19.69	1.18	0.48	18.36	142.30	1.04	4.73	2831.25	5594.18	800.00	0.93		
4-5	1.13	4.95	3.60	1.65	1.79	302.00	543.88	0.34	1.58	2.65	12.27	8.93	0.48	18.16	58.99	38.80	57.80	123.77	19.79	1.17	0.48	18.30	148.45	1.05	4.64	2943.09	6024.04	837.99	0.93		
5-6	1.19	4.98	3.68	1.70	1.75	302.35	552.60	0.32	1.58	2.65	12.27	8.93	0.48	18.16	58.99	38.80	57.80	123.77	19.79	1.17	0.48	18.36	148.45	1.07	4.53	2917.67	6304.08	828.15	0.92		
6-7	0.82	5.12	3.74	1.71	1.74	312.61	565.65	0.34	1.79	2.83	13.36	9.58	0.37	18.91	63.67	42.04	56.18	129.06	20.53	1.18	0.48	18.32	163.47	1.06	4.52	2965.30	6555.47	776.63	0.92		
7-8	1.66	5.07	3.71	1.65	1.71	307.74	555.32	0.33	2.17	2.82	14.07	9.91	0.34	19.00	63.67	42.04	56.18	129.06	20.53	1.18	0.48	18.45	161.40	1.08	4.39	2904.78	7022.57	776.31	0.92		
8-9	1.00	5.10	3.77	1.66	1.72	310.85	563.50	0.35	1.91	2.65	14.18	10.16	0.35	19.22	59.61	39.96	63.56	133.41	21.05	1.18	0.48	18.39	150.24	1.06	4.34	2944.61	7388.53	796.62	0.92		
9-10	1.00	5.17	3.87	1.69	1.78	313.64	572.30	0.36	2.24	2.79	14.87	10.29	0.35	19.28	53.19	40.52	63.56	133.54	21.42	1.17	0.48	18.26	154.79	1.08	4.31	3023.10	7912.30	781.50	0.92		
10-12	0.42	5.13	3.83	1.66	1.73	319.52	559.67	0.33	3.14	2.87	15.42	10.70	0.34	19.42	62.90	44.20	62.90	136.75	21.87	1.18	0.48	18.24	152.66	1.06	4.10	3017.32	8331.64	732.69	0.91		
12-14	0.78	5.18	3.86	1.68	1.72	319.36	549.83	0.32	3.97	3.13	16.86	11.33	0.29	19.18	50.76	40.52	55.75	134.93	19.04	1.17	0.48	18.31	161.08	1.09	4.06	3014.43	9007.91	682.94	0.90		
14-16	0.29	5.16	3.83	1.66	1.71	328.24	549.91	0.33	4.39	3.44	18.52	11.14	0.26	19.08	54.24	41.15	52.99	130.72	17.62	1.18	0.48	18.44	143.95	1.10	4.02	3082.11	9584.70	667.24	0.90		
16-18	0.36	5.30	3.90	1.67	1.71	328.24	549.91	0.33	5.32	3.62	18.95	11.15	0.23	19.00	56.73	42.27	43.34	117.99	15.29	1.18	0.48	18.44	132.51	1.08	3.86	3004.36	9500.36	638.99	0.90		
18-20	0.41	5.39	3.93	1.66	1.68	337.37	550.93	0.35	6.38	3.89	19.46	11.02	0.20	18.71	65.18	44.01	39.46	109.88	12.38	1.19	0.48	18.43	104.95	1.11	3.68	3080.70	9891.93	638.06	0.89		
20-25	1.30	5.21	3.85	1.64	1.84	329.86	574.28	0.39	7.49	3.94	20.24	10.06	0.20	18.74	61.89	42.89	35.01	100.06	9.07	1.20	0.48	18.77	94.20	1.11	3.72	3059.82	9658.65	616.21	0.89		
25-30	0.70	5.39	3.87	1.67	1.68	335.30	572.40	0.42	7.01	3.65	19.09	9.94	0.18	18.42	55.35	42.94	34.82	99.47	7.80	1.22	0.49	19.05	68.74	1.12	3.63	3083.06	9637.17	606.76	0.89		
30-35	0.29	5.08	3.67	1.57	1.59	321.81	550.07	0.43	7.21	3.65	20.99	9.64	0.17	18.20	50.87	41.88	34.77	96.41	7.61	1.22	0.49	19.00	77.09	1.06	3.65	2948.55	9368.29	601.84	0.89		
40-45	0.29	5.06	3.71	1.59	1.61	321.92	555.63	0.49	5.85	3.57	20.19	10.81	0.18	18.34	53.50	42.68	32.94	96.55	7.80	1.22	0.49	19.04	73.65	1.07	3.71	2962.55	9628.41	569.64	0.89		
50-55	1.55	5.01	3.64	1.51	1.59	316.97	582.79	0.52	8.15	3.88	19.49	10.34	0.18	18.45	57.76	41.86	34.87	97.14	8.23	1.21	0.49	18.97	72.20	1.02	3.53	2853.71	9899.69	598.74	0.88		
Core 2																															
0-1	0.1	7.38	4.82	1.83	1.72	571.98	555.34	0.19	1.65	1.74	4.69	10.77	0.42	16.35	68.71	52.31	78.05	138.84	31.58	1.18	0.48	18.41	161.99	1.68	3.10	3522.46	2255.58	973.11	0.83		
1-2	0.0	7.51	4.86	1.84	1.75	585.14	555.70	0.19	2.27	1.96	4.50	9.89	0.57	16.89	91.71	53.81	80.27	140.54	33.47	1.18	0.48	18.39	176.00	1.73	2.85	3513.31	2087.69	914.13	0.81		
2-3	0.9	7.58	4.80	1.82	1.74	583.33	545.50	0.20	2.38	2.13	4.60	8.95	0.49	17.05	66.26	54.11	79.56	140.85	35.46	1.18	0.48	18.33	193.58	1.70	2.77	3634.93	2064.49	819.58	0.79		
3-4	1.1	7.55	4.81	1.81	1.71	587.10	544.65	0.21	2.10	2.17	4.47	9.07	0.52	17.24	88.48	55.11	86.96	140.65	36.12	1.17	0.48	18.24	185.72	1.70	2.66	3617.58	2022.41	855.66	0.78		
4-5	0.1	7.36	4.62	1.71	1.71	574.14	531.29	0.22	1.94	2.18	4.87	8.61	0.49	17.20	88.61	53.48	85.70	137.74	36.37	1.18	0.48	18.39	192.59	1.66	2.53	3460.03	1973.35	817.20	0.78		
5-6	0.4	7.55	4.77	1.77	1.71	597.51	536.75	0.21	2.23	2.18	4.87	9.29	0.49	17.20	76.60	53.46	87.79	139.74	36.41	1.17	0.48	18.35	235.09	1.69	2.62	3592.23	2064.22	799.17	0.77		
6-7	0.5	7.52	4.69	1.74	1.67	581.18	521.21	0.21	2.11	2.18	4.68	9.23	0.49	17.25	86.51	54.18	85.14	140.03	37.29	1.18	0.48	18.29	198.30	1.65	2.52	3498.62	2065.69	821.97	0.77		
7-8	0.0	7.64	4.76	1.75	1.78	591.19	525.86	0.20	2.57	2.10	4.60	9.52	0.54	17.75	93.49	56.47	86.53	141.82	38.05	1.18	0.48	18.38	197.81	1.67	2.37	3548.89	1954.22	821.18	0.77		
8-9	1.0	7.66	4.75	1.83	1.69	593.99	525.43	0.21	2.01	2.08	4.31	9.83	0.51	17.40	88.89	55.62	81.15	133.98	37.28	1.17	0.48	18.33	204.12	1.78	2.69	3634.90	2063.93	836.18	0.77		
9-10	0.0	7.72	4.80	1.86	1.72	597.35	529.26	0.21	2.28	2.05	4.62	9.90	0.52	17.25	89.02	56.50	84.15	136.72	37.03	1.18	0.48	18.36	187.91	1.80	2.71	3597.43	2141.50	847.62	0.76		
10-12	0.5	7.65	4.73	1.78	1.67	592.80	521.28	0.20	2.31	2.03	5.11	9.72	0.51	17.13	79.72	55.15	85.43	133.32	37.33	1.18	0.48	18.44	187.81	1.78	2.57	3584.26	2100.00	845.44	0.75		
12-14	0.8	7.68	4.65	1.76	1.67	602.25	510.96	0.20	2.53	2.22	4.11	9.77	0.58	17.12	69.97	54.87	86.77	134.85	40.07	1.17	0.48	18.36	239.98	1.76	2.57	3522.25	2257.57	783.82	0.74		
14-16	2.1	7.85	4.81	1.82	1.80	605.62	535.12	0.23	2.72	2.32	4.42	11.48	0.51	18.14	79.04	58.27	80.88	143.23	44.51	1.17	0.48	18.26	237.37	1.79	2.56	3662.24	2721.01	736.06	0.73		
16-18	2.2	7.64	4.70	1.80	1.70	596.55	522.74	0.28	2.74	2.33	4.08	11.50	0.51	18.07	79.96	57.94	71.11	144.36	42.40	1.17	0.48	18.28	306.12	1.77	2.48	3517.80	2849.20	740.00	0.73		
18-20	4.2	7.70	4.77	1.81	1.68	600.54	525.27	0.27	2.68	2.41	3.97	11.23	0.74	18.53	80.97	58.54	58.46	140.82	40.81	1.18	0.48	18.34	251.00	1.78	2.48	3579.46	3045.95	718.74	0.73		
20-25	3.9	7.89	4.89	1.89	1.70	617.45	547.10	0.23	2.68	2.53	4.24	11.70	0.37	18.66	88.45	58.01	54.42	138.41	33.99	1.18	0.48	18.37	215.49	1.88	2.52	3617.59	3038.45	729.73	0.74		

Table 4: Continued.

Sample Depth (cm)	AVS (µmol/g p.s.)	Al (%)	Fe (%)	Mg (%)	Ca (µg/g)	Ba (µg/g)	Mn (µg/g)	Cd (µg/g)	Mo (µg/g)	U (µg/g)	Re (ng/g)	As (ng/g)	Ag (ng/g)	Co (µg/g)	Cr (µg/g)	Ni (µg/g)	Cu (µg/g)	Zn (µg/g)	Pb (µg/g)	Pb 206/207	Pb 206/208	Pb 206/204	Hg (ng/g)	K (%)	Na (%)	Ti (%)	S (µg/g)	P (µg/g)	Porosity	
33-40	20	7.51	4.63	1.76	1.88	617.36	535.40	0.19	3.24	1.95	2.91	10.28	0.28	23.66	104.49	56.34	39.15	109.42	14.36	1.19	0.48	18.96	97.94	NM	NM	NM	NM	2785.27	NM	0.60
40-45	19	7.69	4.72	1.79	1.92	644.36	551.25	0.03	3.69	2.08	3.00	5.68	0.11	23.56	99.07	58.91	39.17	109.14	15.47	1.20	0.48	18.88	97.15	NM	NM	NM	NM	2519.52	NM	0.60

Core 4

0-1	0.05	7.18	4.36	1.73	2.27	612.11	589.01	0.10	3.68	1.21	1.76	10.15	0.18	21.04	71.95	49.29	31.34	103.44	10.30	1.23	0.49	19.27	49.10	NM	NM	NM	NM	1331.84	NM	0.65
1-2	0.12	6.81	4.08	1.62	1.98	578.57	517.26	0.37	6.65	1.22	2.17	10.05	1.00	20.09	74.91	52.15	33.24	103.40	10.79	1.21	0.48	19.19	53.43	NM	NM	NM	NM	1595.51	NM	0.65
2-3	0.66	9.04	4.65	1.83	1.58	1035.51	322.22	0.30	6.68	2.74	4.00	18.69	0.36	19.58	119.72	50.74	31.75	347.44	10.30	1.23	0.48	19.52	57.07	NM	NM	NM	NM	1518.27	NM	0.63
3-4	1.53	7.23	4.37	1.73	1.99	611.99	540.32	0.13	5.29	1.24	1.90	6.72	0.16	21.74	67.61	51.07	33.05	93.27	9.58	1.22	0.48	19.30	61.83	NM	NM	NM	NM	1456.69	NM	0.63
4-5	3.3	7.43	4.52	1.76	2.05	628.57	568.05	0.14	4.33	1.38	2.41	5.91	0.16	23.36	66.61	51.77	33.74	105.84	11.10	1.22	0.48	19.35	60.05	NM	NM	NM	NM	1500.60	NM	0.63
5-6	4.2	6.04	3.72	1.46	1.69	543.85	460.34	0.14	2.82	1.38	2.28	10.14	0.18	19.43	62.52	44.36	28.16	80.13	7.46	1.23	0.48	19.20	61.00	NM	NM	NM	NM	1739.69	NM	0.62
6-7	4.3	7.47	4.55	1.78	2.05	634.22	551.60	0.15	4.80	1.51	2.38	0.87	0.17	21.37	106.41	52.19	34.31	94.63	8.14	1.22	0.48	19.33	75.32	NM	NM	NM	NM	1705.79	NM	0.61
7-8	4.3	7.39	4.49	1.76	2.09	617.43	552.05	0.13	3.68	1.32	2.20	6.87	0.16	21.89	113.30	52.50	34.33	96.13	12.45	1.22	0.49	19.20	62.46	NM	NM	NM	NM	1768.78	NM	0.60
8-9	6.2	7.08	4.30	1.69	2.02	595.47	523.63	0.16	4.46	1.44	2.48	4.56	0.16	21.37	106.44	49.44	32.20	90.77	9.65	1.22	0.49	19.20	62.52	NM	NM	NM	NM	1743.45	NM	0.59
9-10	4.3	7.45	4.49	1.76	2.10	621.72	554.97	0.12	4.79	1.35	2.36	1.55	0.15	22.67	106.18	52.39	32.39	110.68	10.56	1.22	0.49	19.20	62.52	NM	NM	NM	NM	1777.53	NM	0.54
10-12	6.5	7.09	4.29	1.69	2.02	589.95	536.51	0.16	5.09	1.55	2.61	7.92	0.18	20.50	105.18	50.33	31.53	89.63	8.77	1.22	0.49	19.16	62.51	NM	NM	NM	NM	1789.10	NM	0.58
12-14	7.2	7.26	4.42	1.74	2.11	603.19	554.30	0.13	3.32	1.41	2.36	3.17	0.17	21.05	104.40	51.48	32.88	102.09	10.82	1.22	0.49	19.14	68.64	NM	NM	NM	NM	1846.86	NM	0.58
14-16	8.6	7.53	4.58	1.81	2.26	628.24	569.63	0.13	3.85	1.40	2.11	4.99	0.16	22.94	100.88	53.86	34.63	97.89	10.26	1.22	0.49	19.00	69.41	NM	NM	NM	NM	1859.78	NM	0.58
16-18	7.8	7.29	4.49	1.76	2.09	609.72	550.87	0.17	4.56	1.62	2.80	6.13	0.19	22.37	111.28	52.44	34.91	93.76	8.41	1.22	0.48	19.26	65.92	NM	NM	NM	NM	1877.55	NM	0.57
18-20	10	7.18	4.45	1.72	2.07	600.36	543.02	0.15	4.83	1.52	2.32	5.25	0.18	22.14	106.30	52.09	33.64	92.11	9.37	1.22	0.48	19.36	67.66	NM	NM	NM	NM	1959.82	NM	0.57
20-25	7.0	7.55	4.61	1.78	2.14	622.19	565.74	0.15	4.45	1.53	2.41	2.87	0.18	23.27	90.05	53.14	35.76	97.67	10.34	1.22	0.49	19.17	76.32	NM	NM	NM	NM	2022.58	NM	0.55
25-30	11	7.36	4.44	1.76	2.09	614.41	545.43	0.16	4.40	1.52	2.50	8.23	0.18	23.28	103.47	53.93	36.05	94.24	10.36	1.22	0.49	19.12	70.48	NM	NM	NM	NM	2086.92	NM	0.57
30-35	16	7.28	4.40	1.75	2.10	595.46	546.78	0.15	3.93	1.47	2.38	6.03	0.19	21.24	93.00	51.90	33.81	92.44	9.96	1.21	0.48	19.28	64.14	NM	NM	NM	NM	—	NM	0.57

Core 5

0-1	0.0	7.36	4.73	1.84	1.61	518.92	1558.29	0.10	5.42	1.24	3.85	12.89	0.15	21.24	89.24	45.73	31.79	116.07	8.62	1.21	0.48	18.99	28.92	NM	NM	NM	NM	3233.34	NM	0.86
1-2	0.2	7.97	5.09	1.95	1.73	563.48	784.10	0.12	5.03	1.27	3.16	11.17	0.15	24.23	93.68	48.49	36.48	122.88	14.44	1.20	0.48	18.96	32.42	NM	NM	NM	NM	2986.98	NM	0.84
2-3	0.4	7.34	4.68	1.77	1.60	517.46	671.20	0.11	3.93	1.19	2.82	11.08	0.11	21.04	87.67	45.67	32.96	113.48	12.20	1.20	0.48	18.93	38.61	NM	NM	NM	NM	2810.54	NM	0.83
3-4	1.4	7.80	5.07	1.89	1.69	545.15	707.09	0.13	4.68	1.30	3.09	10.22	0.12	22.85	96.51	48.11	36.62	121.21	13.48	1.21	0.48	19.03	39.26	NM	NM	NM	NM	2836.00	NM	0.82
4-5	1.4	7.37	4.70	1.75	1.60	521.11	663.56	0.10	5.11	1.08	2.61	8.74	0.11	21.93	93.35	45.74	33.90	113.80	13.59	1.21	0.48	18.94	36.53	NM	NM	NM	NM	2705.31	NM	0.81
5-6	2.8	7.14	4.54	1.70	1.57	515.00	655.66	0.10	3.29	1.08	2.51	8.13	0.11	20.74	81.32	44.32	33.34	112.08	11.52	1.20	0.48	18.91	41.69	NM	NM	NM	NM	2600.31	NM	0.81
6-7	5.6	7.69	4.92	1.81	1.68	550.57	712.41	0.11	3.84	1.21	2.56	8.59	0.12	23.47	77.78	47.25	36.05	119.66	12.27	1.20	0.48	18.95	41.91	NM	NM	NM	NM	2479.30	NM	0.80
7-8	12.8	8.09	5.15	1.90	1.77	575.03	765.00	0.12	4.41	1.20	2.56	6.62	0.12	23.25	98.38	50.32	37.23	124.48	13.39	1.20	0.48	19.02	45.08	NM	NM	NM	NM	2623.88	NM	0.79
8-9	15.7	7.79	4.97	1.83	1.72	600.66	714.09	0.11	4.65	1.22	2.61	8.72	0.13	22.24	99.14	47.68	36.34	119.49	18.28	1.21	0.48	18.71	43.39	NM	NM	NM	NM	2583.07	NM	0.79
9-10	11.0	7.80	4.92	1.81	1.74	543.93	714.09	0.12	4.56	1.24	2.52	9.12	0.12	21.96	79.01	48.20	37.02	119.48	13.26	1.20	0.48	18.99	46.32	NM	NM	NM	NM	2613.03	NM	0.78
10-12	29.1	9.54	4.30	1.50	4.27	1021.46	662.08	0.62	5.96	2.82	4.83	132.28	4.97	18.73	75.51	28.53	158.11	498.17	1609.05	1.12	0.44	16.54	49.06	NM	NM	NM	NM	569.81	NM	0.77
12-14	21.3	7.59	4.84	1.73	1.61	541.03	667.28	0.19	24.51	1.56	2.93	37.76	0.15	25.36	97.32	49.16	37.47	122.97	17.95	1.20	0.48	18.70	48.32	NM	NM	NM	NM	2994.68	NM	0.78
14-16	27.6	7.59	4.88	1.77	1.61	539.03	645.75	0.14	8.01	1.44	2.65	12.73	0.14	23.18	78.68	47.21	36.05	119.59	16.02	1.20	0.48	18.87	49.56	NM	NM	NM	NM	3168.68	NM	0.78
16-18	39.8	7.67	4.87	1.77	1.61	542.21	635.03	0.13	6.71	1.40	2.62	12.41	0.14	21.60	65.24	48.16	36.78	121.72	14.45	1.20	0.48	18.91	52.42	NM	NM	NM	NM	3284.98	NM	0.78
18-20	32.7	7.65	4.86	1.77	1.58	546.12	635.59	0.14	5.06	1.47	2.82	5.83	0.15	21.63	67.04	48.17	36.82	126.56	15.19	1.21	0.48	18.67	52.39	NM	NM	NM	NM	3016.62	NM	0.78
20-25	37.7	7.56	4.79	1.76	1.61	547.45	595.89	0.17	5.13	1.68	2.80	9.26	0.23	22.23	93.62	47.16	36.76	123.54	14.82	1.20	0.48	18.71	52.01	NM	NM	NM	NM	3537.66	NM	0.77
25-30	31.3	7.56	4.71	1.73	1.60	544.82	564.94	0.13	4.65	1.32	2.02	7.70	0.16	22.53	59.02	46.37	36.78	135.91	17.59	1.20	0.48	18.86	54.70	NM	NM	NM	NM	3633.50	NM	0.77
30-35	33.3	7.49	4.81	1.66	1.66	557.43	620.15	0.14	6.55	1.63	2.86	7.90	0.13	22.05	80.44	49.75	38.28	132.13	18.77	1.19	0.47	18.99	56.04	NM	NM	NM	NM	3344.29	NM	0.78
35-40	21.0	7.28	4.78	1.78	1.57	552.29	591.08	0.17	5.34	1.69	4.04	6.03	0.13	23.36	80.03	48.45	37.64	170.01	17.45	1.20	0.48	18.75	63.61	NM	NM	NM	NM	3636.05	NM	0.78
40-45	39.6	7.78	5.03	1.85	1.68	570.31	607.08	0.16	5.19	1.63	2.84	7.07	0.17	24.80	63.45	51.48	40.52	151.99	18.31	1.19	0.48	18.73	69.12	NM	NM	NM	NM	3696.59	NM	0.77
45-50	28.8	7.74	4.94	1.83	1.69	568.12	590.63	0.14	5.15	1.62	2.88	10.15	0.16	22.07	55.33	51.21	39.43	134.48	16.04	1.19	0.48	18.83	81.82	NM	NM	NM	NM	3402.88	NM	0.76

Core 6

Table 4: Continued.

Sample Depth (cm)	AVS (µmol/g p.s.)	Al (%)	Fe (%)	Mg (%)	Ca (%)	Ba (µg/g)	Mn (µg/g)	Cd (µg/g)	Mo (µg/g)	U (ng/g)	Re (ng/g)	As (µg/g)	Ag (µg/g)	Co (µg/g)	Cr (µg/g)	Ni (µg/g)	Cu (µg/g)	Zn (µg/g)	Pb 206/207 (µg/g)	Pb 206/208 (µg/g)	Pb 206/204 (ng/g)	Hg (ng/g)	K (%)	Na (%)	Ti (µg/g)	S (µg/g)	P (µg/g)	Porosity	
25-30	9.72	7.23	4.03	1.36	1.90	463.59	413.65	0.24	0.96	1.62	2.91	6.54	0.12	11.93	60.32	32.45	13.30	90.44	13.27	1.20	0.49	18.66	72.27	1.41	2.71	4174.14	2610.24	670.44	0.65
30-35	29.40	7.50	4.21	1.44	1.93	467.43	428.12	0.23	0.85	1.44	2.58	6.84	0.12	11.84	61.34	32.88	14.58	94.85	13.40	1.19	0.48	18.66	74.70	1.48	2.87	4155.78	2914.86	671.30	0.68
40-45	20.20	7.33	4.04	1.37	1.95	457.61	412.40	0.25	0.77	1.55	2.74	6.50	0.11	11.57	57.39	30.71	11.90	89.63	13.51	1.20	0.48	18.67	61.53	1.44	2.83	4163.28	2749.22	633.51	0.65
<b>Core 7</b>																													
0-1		4.68	2.83	1.06	1.27	369.83	438.89	0.13	0.93	0.99	2.43	5.92	0.10	10.09	68.05	35.50	9.52	60.52	8.12	1.20	0.48	18.84	62.09	0.96	1.95	2743.23	1441.58	548.19	0.73
1-2		5.26	3.20	1.17	1.45	407.26	471.59	0.13	1.73	1.21	3.26	6.24	0.09	11.05	63.62	40.05	11.57	69.00	8.92	1.20	0.48	18.78	95.62	1.07	2.18	3166.65	1637.49	618.43	0.69
2-3		5.46	3.25	1.20	1.50	424.50	426.35	0.18	0.82	1.25	2.63	5.71	0.11	11.65	57.23	38.60	10.94	72.35	9.13	1.20	0.49	18.87	59.90	1.11	2.17	3187.79	1641.68	584.51	0.61
3-4		5.99	3.48	1.31	1.59	468.84	450.42	0.20	1.22	1.69	3.12	6.90	0.10	13.05	70.53	44.96	13.39	78.14	10.32	1.21	0.49	18.89	42.21	1.24	2.27	3527.34	2080.27	568.09	0.59
4-5		4.90	3.14	1.04	1.30	384.05	361.48	0.16	1.17	1.33	2.92	6.75	0.09	10.16	57.29	34.10	12.57	64.08	8.44	1.20	0.48	18.84	63.96	1.00	1.84	2773.18	1850.64	502.76	0.62
5-5		5.08	2.93	1.12	1.32	402.10	357.33	0.15	1.75	1.45	3.13	6.24	0.08	10.93	62.30	41.18	11.89	65.19	8.63	1.21	0.49	18.89	66.51	1.06	1.88	2925.84	1984.68	511.85	0.62
6-7		4.85	2.82	1.05	1.24	381.99	362.81	0.10	2.69	1.26	2.86	6.17	0.08	10.77	72.78	44.32	11.32	62.07	7.89	1.21	0.49	18.95	70.12	1.01	1.79	2679.21	1926.60	440.42	0.61
7-8		4.52	2.66	0.98	1.22	355.43	336.62	0.13	1.28	1.20	2.44	5.40	0.08	9.86	59.72	35.09	10.95	57.96	7.46	1.21	0.49	18.90	249.64	0.94	1.62	2656.07	1832.79	451.27	0.59
8-9		3.80	2.22	0.84	1.00	317.51	278.75	0.11	1.14	1.11	2.24	4.37	0.06	7.84	50.00	28.83	7.75	46.48	5.74	1.22	0.49	18.97	60.91	0.76	1.34	2200.96	1957.01	350.36	0.55
9-10		4.00	2.35	0.87	1.05	332.97	289.23	0.11	1.78	1.23	2.61	5.04	0.07	8.39	49.38	31.10	8.43	49.24	6.02	1.21	0.49	18.89	62.60	0.83	1.38	2342.86	2433.94	352.93	0.53
10-12		6.00	3.49	1.28	1.49	472.17	425.44	0.14	3.60	2.03	5.34	7.42	0.08	12.62	69.76	49.25	13.29	75.96	9.57	1.21	0.49	18.89	70.67	1.25	2.03	3445.63	4292.91	503.95	0.57
12-14		4.19	2.54	0.92	1.04	333.13	303.18	0.13	2.60	1.75	4.97	6.19	0.07	8.70	40.57	30.07	11.25	54.44	8.66	1.21	0.49	19.00	67.05	0.88	1.44	2451.29	4243.21	355.90	0.59
14-16		4.80	2.97	1.07	1.15	355.29	337.63	0.14	4.84	2.04	7.22	8.40	0.10	10.57	37.86	42.33	11.99	66.84	8.27	1.21	0.49	18.92	89.45	1.00	1.67	2848.47	5330.99	436.94	0.60
16-18		5.43	3.28	1.14	1.31	406.56	389.59	0.13	5.65	2.28	6.47	8.90	0.09	11.31	59.30	37.79	13.11	72.56	9.23	1.21	0.49	18.90	64.21	1.13	1.89	3152.11	5789.05	474.79	0.61
18-20		6.09	3.68	1.36	1.50	460.35	480.27	0.11	5.71	2.02	5.60	8.94	0.09	13.75	71.43	49.11	15.25	80.53	10.32	1.21	0.49	19.00	84.15	1.26	2.12	3467.03	6741.36	518.58	0.62
20-25		5.02	3.14	1.24	1.36	363.41	394.70	0.14	3.32	1.46	3.34	6.34	0.08	11.60	64.73	47.06	12.62	68.35	8.06	1.22	0.49	18.99	53.61	1.06	1.78	3009.81	5519.65	459.09	0.61
25-30		5.03	3.16	1.27	1.50	365.37	375.33	0.16	2.38	1.51	2.83	5.98	0.08	11.35	50.42	42.01	14.63	69.69	8.07	1.22	0.49	19.05	59.44	1.08	1.72	3013.49	6207.03	464.40	0.67
30-35		5.87	3.65	1.42	1.61	415.18	414.86	0.18	2.79	1.57	3.65	7.21	0.11	12.67	66.10	44.93	16.18	78.69	9.30	1.23	0.49	19.20	44.46	1.29	2.01	3478.12	7445.56	517.90	0.66
35-40		3.35	2.13	0.83	1.08	239.21	233.81	0.12	1.39	1.00	2.08	4.45	0.21	6.98	36.36	23.59	8.39	45.54	5.11	1.22	0.49	19.17	47.74	0.73	1.18	2082.04	4347.25	307.18	0.68
40-44		6.33	3.95	1.59	2.16	452.81	441.60	0.24	2.51	2.00	3.82	7.95	0.12	14.20	66.01	48.89	17.57	86.67	10.26	1.22	0.49	19.21	43.38	1.37	2.17	3761.93	8538.33	578.85	0.68

\*core GVRD-7 samples were pre-dried prior to metals analysis, so porosity was determined using <sup>210</sup>Pb analysis.

Table 5: Results of the carbon, nitrogen and  $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$  analysis on the sediment core samples.

Sample Depth (cm)	Total N (%)	Total C (%)	Total Carb C (%)	Total Org C (%)	Org C/N	$\delta^{15}\text{N}$ vs air	$\delta^{13}\text{C}$ Corg vs PDB
-------------------	-------------	-------------	------------------	-----------------	---------	------------------------------	-----------------------------------

### Core 1

0-1	0.515	4.113	0.029	4.084	7.925	6.393	-21.091
1-2	0.502	4.099	0.039	4.060	8.090	6.775	-21.390
2-3	0.494	4.045	0.041	4.005	8.114	6.369	-21.327
3-4	0.494	4.013	0.032	3.981	8.054	6.565	-21.211
4-5	0.478	3.953	0.040	3.913	8.193	6.165	-21.463
5-6	0.477	3.959	0.026	3.933	8.251	6.355	-21.206
6-7	0.472	3.949	0.043	3.905	8.271	6.465	-21.526
7-8	0.463	3.879	0.034	3.845	8.299	6.109	-21.389
8-9	0.457	3.848	0.036	3.811	8.348	6.220	-21.335
9-10	0.457	3.898	0.032	3.867	8.460	6.359	-21.423
10-12	0.445	3.827	0.037	3.790	8.521	6.373	-21.336
12-14	0.436	3.736	0.031	3.704	8.505	6.411	-21.160
14-16	0.438	3.710	0.041	3.669	8.375	6.059	-21.144
16-18	0.442	3.694	0.041	3.653	8.273	6.568	-20.883
18-20	0.449	3.626	0.035	3.591	8.002	6.242	-20.709
20-25	0.443	3.539	0.034	3.504	7.918	6.382	-20.466
25-30	0.442	3.425	0.029	3.396	7.676	6.617	-20.467
30-35	0.421	3.291	0.018	3.273	7.778	6.798	-20.471
35-40	0.425	3.246	0.034	3.212	7.560	6.660	-20.330
40-45	0.430	3.345	0.025	3.320	7.715	6.772	-20.361
45-50	0.429	3.353	0.039	3.313	7.731	6.769	-20.225
50-55	0.432	3.318	0.035	3.283	7.606	6.770	-20.006

### Core 2

0-1	0.158	1.677	0.090	1.587	10.023	4.680	-23.667
1-2	0.138	1.604	0.110	1.494	10.806	4.693	-24.035
2-3	0.140	1.555	0.092	1.463	10.431	4.337	-24.079
3-4	0.135	1.560	0.107	1.453	10.743	4.661	-23.877
4-5	0.133	1.556	0.115	1.441	10.861	4.690	-24.222
5-6	0.138	1.639	0.114	1.525	11.020	4.442	-24.119
6-7	0.137	1.587	0.094	1.492	10.859	4.839	-23.940
7-8	0.134	1.596	0.110	1.487	11.104	4.532	-23.961
8-9	0.138	1.560	0.091	1.469	10.672	4.345	-23.932
9-10	0.136	1.570	0.109	1.461	10.770	4.448	-24.078
10-12	0.130	1.558	0.085	1.473	11.339	4.480	-24.200
12-14	0.125	1.533	0.117	1.416	11.323	4.385	-24.076
14-16	0.111	1.434	0.085	1.350	12.103	4.247	-24.173
16-18	0.108	1.389	0.115	1.275	11.820	4.279	-24.209
18-20	0.115	1.484	0.095	1.389	12.107	4.400	-24.110
20-25	0.111	1.394	0.115	1.280	11.560	4.274	-24.167
25-30	0.106	1.216	0.081	1.135	10.723	4.377	-23.648
30-35	0.099	1.112	0.094	1.018	10.322	4.738	-23.782

Table 5: Continued.

Sample Depth (cm)	Total N (%)	Total C (%)	Total Carb C (%)	Total Org C (%)	Org C/N	$\delta^{15}\text{N}$ vs air	$\delta^{13}\text{C}$ Org vs PDB
35-40	0.094	0.978	0.096	0.882	9.396	4.227	-23.551
40-45	0.085	0.861	0.095	0.766	9.004	4.552	-23.379

## Core 3

0-1	0.119	1.258	0.177	1.081	9.111	2.104	-24.438
1-2	0.122	1.330	0.115	1.215	9.954	2.450	-24.429
2-3	0.123	1.352	0.208	1.144	9.297	2.817	-24.191
3-4	0.118	1.284	0.145	1.139	9.691	2.630	-24.379
4-5	0.115	1.220	0.180	1.039	9.056	2.008	-24.317
5-6	0.111	1.330	0.210	1.120	10.122	2.672	-24.332
6-7	0.111	1.146	0.143	1.002	9.043	2.810	-24.649
7-8	0.098	1.286	0.145	1.140	11.630	2.608	-24.571
8-9	0.090	0.926	0.122	0.804	8.984	2.761	-24.508
9-10	0.080	0.948	0.127	0.821	10.229	2.738	-24.496
10-12	0.091	1.098	0.140	0.958	10.557	3.044	-24.522
12-14	0.086	0.983	0.134	0.849	9.888	3.364	-24.612
14-16	0.098	1.070	0.162	0.908	9.255	3.838	-24.560
16-18	0.101	1.111	0.134	0.977	9.639	3.907	-24.429
18-20	0.099	1.084	0.116	0.968	9.786	3.955	-24.365
20-25	0.093	1.060	0.128	0.931	10.021	3.978	-24.618
25-30	0.090	1.003	0.127	0.876	9.691	3.855	-24.432
30-35	0.088	0.978	0.133	0.846	9.613	3.580	-24.573
35-40	0.085	0.988	0.147	0.841	9.876	3.559	-24.553
40-45	0.079	0.959	0.136	0.822	10.393	3.691	-24.543

## Core 4

0-1	0.085	1.071	0.182	0.889	10.504	3.724	-24.934
1-2	0.092	1.133	0.201	0.932	10.108	3.420	-24.725
2-3	0.091	1.190	0.159	1.031	11.281	3.568	-24.527
3-4	0.094	1.178	0.179	0.999	10.672	3.574	-24.726
4-5	0.085	1.135	0.162	0.973	11.505	3.340	-24.596
5-6	0.093	1.159	0.167	0.992	10.681	3.467	-24.684
6-7	0.087	1.152	0.154	0.998	11.529	3.666	-24.466
7-8	0.085	1.121	0.172	0.950	11.228	3.375	-24.756
8-9	0.086	1.154	0.151	1.002	11.667	3.665	-24.595
9-10	0.085	1.125	0.192	0.933	11.011	3.448	-24.630
10-12	0.087	1.114	0.162	0.952	10.898	3.367	-24.756
12-14	0.084	1.069	0.181	0.888	10.588	3.307	-24.655
14-16	0.084	1.078	0.165	0.914	10.816	3.365	-24.649
16-18	0.081	1.107	0.144	0.963	11.841	3.342	-24.588
18-20	0.081	1.079	0.152	0.927	11.473	3.343	-24.699
20-25	0.081	1.112	0.185	0.928	11.385	3.434	-24.682
25-30	0.081	1.110	0.171	0.939	11.636	3.174	-24.931
30-35	0.083	1.089	0.176	0.913	11.008	3.371	-24.774

Table 5: Continued.

Sample Depth (cm)	Total N (%)	Total C (%)	Total Carb C (%)	Total Org C (%)	Org C/N	$\delta^{15}\text{N}$ vs air	$\delta^{13}\text{C}$ Org vs PDB
-------------------	-------------	-------------	------------------	-----------------	---------	------------------------------	----------------------------------

## Core 5

0-1	0.195	1.737	0.083	1.654	8.492	5.993	-22.505
1-2	0.190	1.720	0.082	1.638	8.609	5.911	-22.573
2-3	0.196	2.004	0.078	1.926	9.837	5.656	-23.107
3-4	0.196	1.756	0.087	1.669	8.523	5.815	-22.534
4-5	0.194	1.759	0.094	1.665	8.596	5.635	-22.618
5-6	0.192	1.804	0.111	1.694	8.800	5.641	-22.499
6-7	0.189	1.748	0.082	1.667	8.836	5.699	-22.698
7-8	0.192	1.748	0.091	1.657	8.630	5.743	-22.640
8-9	0.192	1.733	0.082	1.651	8.589	5.644	-22.681
9-10	0.185	1.722	0.096	1.626	8.807	5.753	-22.743
10-12	0.182	1.694	0.078	1.616	8.873	5.597	-22.788
12-14	0.184	1.711	0.084	1.627	8.828	5.576	-22.675
14-16	0.191	1.756	0.098	1.658	8.699	5.669	-22.737
16-18	0.190	1.736	0.086	1.650	8.685	5.957	-22.754
18-20	0.183	1.718	0.083	1.635	8.956	5.510	-22.766
20-25	0.180	1.714	0.101	1.613	8.967	5.537	-22.949
25-30	0.175	1.687	0.085	1.601	9.129	5.576	-22.841
30-35	0.173	1.647	0.103	1.544	8.928	5.337	-22.846
35-40	0.169	1.606	0.089	1.517	8.953	5.428	-22.976
40-45	0.160	1.844	0.102	1.741	10.862	5.159	-25.387
45-50	0.156	1.776	0.091	1.685	10.826	4.988	-23.584

## Core 6

0-1	0.161	1.434	0.100	1.333	8.288	5.735	-21.497
1-2	0.158	1.383	0.082	1.301	8.240	5.776	-21.739
2-3	0.157	1.420	0.090	1.330	8.447	5.749	-21.944
3-4	0.175	1.458	0.089	1.370	7.823	6.002	-21.906
4-5	0.146	1.311	0.092	1.219	8.361	5.636	-22.182
5-6	0.149	1.327	0.090	1.237	8.296	5.638	-22.337
6-7	0.153	1.375	0.098	1.277	8.323	5.897	-22.049
7-8	0.152	1.361	0.090	1.271	8.381	5.424	-22.188
8-9	0.152	1.385	0.099	1.286	8.445	5.462	-22.155
9-10	0.156	1.381	0.096	1.285	8.248	5.518	-22.221
10-12	0.154	1.347	0.097	1.249	8.133	5.511	-22.117
12-14	0.149	1.333	0.092	1.241	8.321	5.691	-22.166
14-16	0.145	1.286	0.099	1.187	8.159	5.751	-22.381
16-18	0.142	1.274	0.088	1.186	8.354	5.660	-22.228
18-20	0.145	1.323	0.104	1.219	8.398	5.516	-22.283
20-25	0.143	1.307	0.100	1.207	8.442	5.541	-22.416
25-30	0.144	1.264	0.107	1.157	8.043	5.620	-22.440
30-35	0.146	1.361	0.097	1.265	8.656	5.633	-22.420
35-40	0.143	1.350	0.115	1.235	8.664	5.627	-22.522
40-45	0.126	1.185	0.101	1.084	8.603	5.538	-22.498



Table 5: Continued.

Sample Depth (cm)	Total N (%)	Total C (%)	Total Carb C (%)	Total Org C (%)	Org C/N	$\delta^{15}\text{N}$ vs air	$\delta^{13}\text{C}_{\text{org}}$ vs PDB
-------------------	-------------	-------------	------------------	-----------------	---------	------------------------------	---

## Core 7

0-1	0.131	1.149	0.109	1.040	7.967	5.577	-22.715
1-2	0.120	1.062	0.075	0.987	8.199	5.555	-22.696
2-3	0.115	1.086	0.052	1.034	8.989	5.702	-22.811
3-4	0.097	0.977	0.064	0.913	9.457	5.040	-23.336
4-5	0.089	1.017	0.055	0.962	10.817	5.374	-23.149
5-6	0.086	0.848	0.056	0.792	9.200	5.269	-23.383
6-7	0.103	1.051	0.061	0.990	9.650	5.209	-23.011
7-8	0.086	0.762	0.063	0.699	8.098	5.409	-22.861
8-9	0.079	0.825	0.050	0.774	9.860	4.811	-22.898
9-10	0.078	0.857	0.059	0.798	10.261	4.957	-23.176
10-12	0.081	0.805	0.048	0.757	9.347	5.255	-22.974
12-14	0.095	0.960	0.064	0.896	9.457	5.063	-22.689
14-16	0.101	1.104	0.048	1.055	10.401	5.181	-23.087
16-18	0.106	1.099	0.058	1.041	9.785	5.344	-23.393
18-20	0.109	1.424	0.060	1.364	12.535	5.063	-23.224
20-25	0.111	1.274	0.150	1.124	10.095	5.039	-23.207
25-30	0.113	1.390	0.232	1.158	10.263	5.060	-23.575
30-35	0.114	1.185	0.196	0.989	8.690	5.253	-23.502
35-40	0.113	1.284	0.276	1.008	8.946	5.271	-23.101
40-44	0.111	1.400	0.338	1.061	9.544	5.067	-23.252

## Core 8

1-2	0.262	2.232	0.071	2.161	8.245	6.23	-22.22
2-3	0.249	2.129	0.060	2.068	8.290	6.25	-22.27
3-4	0.242	2.110	0.055	2.055	8.484	6.07	-22.44
4-5	0.243	2.334	0.054	2.280	9.399	6.20	-22.30
5-6	0.237	2.111	0.055	2.056	8.673	6.21	-22.47
6-7	0.234	2.087	0.059	2.028	8.682	6.39	-22.25
7-8	0.231	2.049	0.057	1.992	8.643	6.34	-22.29
8-9	0.227	2.138	0.055	2.083	9.179	6.30	-22.24
9-10	0.223	2.016	0.058	1.958	8.763	6.36	-22.36
10-12	0.214	1.939	0.052	1.887	8.837	6.31	-22.20
12-14	0.207	1.955	0.057	1.898	9.193	6.09	-22.31
14-16	0.197	1.804	0.047	1.757	8.915	6.31	-22.47
16-18	0.194	1.739	0.054	1.686	8.696	6.36	-22.39
18-20	0.186	1.649	0.047	1.602	8.599	6.27	-22.15
20-25	0.181	1.572	0.071	1.501	8.289	6.35	-22.06
25-30	0.180	1.484	0.049	1.435	7.967	6.47	-21.78
30-35	0.174	1.423	0.054	1.370	7.886	6.56	-21.76
35-40	0.172	1.383	0.048	1.335	7.756	6.48	-21.64
40-45	0.165	1.364	0.061	1.303	7.907	6.53	-21.53
45-50	0.164	1.339	0.052	1.287	7.828	6.65	-21.34

Table 5: Continued.

Sample Depth (cm)	Total N (%)	Total C (%)	Total Carb C (%)	Total Org C (%)	Org C/N	$\delta^{15}\text{N}$ vs air	$\delta^{13}\text{C}$ Org vs PDB
-------------------	-------------	-------------	------------------	-----------------	---------	------------------------------	----------------------------------

## Core 9

0-1	0.270	2.239	0.052	2.187	8.103	7.03	-21.34
1-2	0.268	2.207	0.057	2.150	8.023	6.66	-21.52
2-3	0.261	2.177	0.057	2.120	8.119	6.82	-21.77
3-4	0.253	2.152	0.061	2.091	8.267	6.85	-21.70
4-5	0.253	2.130	0.063	2.066	8.164	6.67	-21.82
5-6	0.237	2.092	0.063	2.030	8.546	6.64	-21.74
6-7	0.247	2.162	0.068	2.094	8.465	6.60	-22.09
7-8	0.237	2.089	0.072	2.017	8.516	6.48	-21.90
8-9	0.227	2.032	0.057	1.976	8.686	6.50	-22.19
9-10	0.232	2.083	0.062	2.022	8.704	6.54	-22.15
10-12	0.221	1.974	0.060	1.914	8.673	6.37	-22.11
12-14	0.215	1.943	0.067	1.876	8.720	6.66	-21.92
14-16	0.213	1.924	0.062	1.863	8.749	6.57	-22.11
16-18	0.214	1.945	0.072	1.873	8.768	6.58	-21.97
18-20	0.209	1.915	0.065	1.850	8.845	6.45	-21.94
20-25	0.201	1.852	0.069	1.784	8.862	6.68	-22.09
25-30	0.201	1.754	0.066	1.688	8.398	6.62	-21.73
30-35	0.200	1.668	0.062	1.606	8.016	6.80	-20.71
35-40	0.194	1.588	0.067	1.521	7.846	6.81	-20.62
40-45	0.187	1.554	0.072	1.483	7.917	6.96	-21.05
45-50	0.188	1.511	0.074	1.437	7.648	7.01	-20.55

## Core 10

0-1	0.431	3.636	0.067	3.569	8.287	7.13	-19.96
1-2	0.432	3.679	0.048	3.631	8.408	7.08	-20.46
2-3	0.435	3.693	0.058	3.635	8.366	7.19	-20.04
3-4	0.422	3.606	0.051	3.556	8.426	7.15	-20.21
4-5	0.440	3.701	0.061	3.640	8.282	6.87	-19.69
5-6	0.423	3.674	0.054	3.620	8.551	7.02	-19.92
6-7	0.401	3.918	0.054	3.864	9.634	7.00	-20.07
7-8	0.405	3.560	0.053	3.507	8.660	6.87	-20.72
8-9	0.392	3.491	0.065	3.426	8.732	6.86	-19.96
9-10	0.387	3.448	0.048	3.401	8.792	6.90	-19.62
10-12	0.390	3.417	0.045	3.372	8.645	6.96	-19.50
12-14	0.381	3.216	0.035	3.180	8.346	7.09	-19.79
14-16	0.380	3.134	0.032	3.101	8.159	7.31	-19.44
16-18	0.382	3.090	0.036	3.054	8.004	7.23	-19.48
18-20	0.374	2.945	0.034	2.911	7.793	7.13	-19.09
20-25	0.369	2.949	0.041	2.908	7.874	7.32	-20.37
25-30	0.359	2.843	0.033	2.810	7.826	7.40	-20.48
30-35	0.366	2.875	0.042	2.833	7.740	7.36	-20.35
35-40	0.342	2.726	0.037	2.689	7.856	7.15	-20.34
40-45	0.342	2.726	0.037	2.689	7.856	7.15	-20.34

Table 5: Continued.

Sample Depth (cm)	Total N (%)	Total C (%)	Total Carb C (%)	Total Org C (%)	Org C/N	$\delta^{15}\text{N}$ vs air	$\delta^{13}\text{C}$ org vs PDB
-------------------	-------------	-------------	------------------	-----------------	---------	------------------------------	----------------------------------

## Core 11

0-1	0.409	3.330	0.076	3.254	7.960	7.10	-21.07
1-2	0.411	3.349	0.061	3.288	8.009	7.49	-21.06
2-3	0.417	3.398	0.080	3.319	7.967	7.07	-20.91
3-4	0.415	3.402	0.057	3.345	8.068	6.84	-21.05
4-5	0.413	3.412	0.076	3.337	8.073	7.08	-21.30
5-6	0.406	3.359	0.062	3.297	8.127	7.19	-21.41
6-7	0.398	3.322	0.095	3.227	8.115	6.91	-21.15
7-8	0.398	3.337	0.061	3.276	8.227	6.97	-21.22
8-9	0.395	3.309	0.076	3.233	8.187	7.12	-21.24
9-10	0.394	3.337	0.074	3.263	8.286	6.96	-20.89
10-12	0.375	3.231	0.074	3.157	8.410	6.96	-21.52
12-14	0.364	3.135	0.066	3.069	8.434	7.08	-21.06
14-16	0.357	3.112	0.084	3.028	8.487	6.60	-21.41
16-18	0.360	3.122	0.079	3.043	8.447	6.81	-21.52
18-20	0.352	3.113	0.105	3.008	8.550	6.96	-21.30
20-25	0.352	3.081	0.072	3.009	8.557	7.06	-21.34
25-30	0.359	3.026	0.047	2.979	8.306	6.94	-21.27
30-35	0.356	2.940	0.034	2.905	8.159	6.97	-20.97
35-40	0.346	2.819	0.039	2.780	8.032	7.13	-20.58
40-45	0.335	2.771	0.029	2.741	8.181	7.31	-20.39
45-50	0.343	2.703	0.052	2.651	7.723	7.13	-20.38

## Core 12

0-1	0.340	2.738	0.062	2.676	7.876	7.18	-21.26
1-2	0.326	2.783	0.070	2.714	8.322	7.31	-21.26
2-3	0.336	2.776	0.068	2.707	8.056	7.31	-21.31
3-4	0.327	2.817	0.075	2.742	8.381	7.37	-21.24
4-5	0.341	2.784	0.071	2.712	7.943	7.21	-21.03
5-6	0.315	2.718	0.072	2.646	8.390	7.25	-21.41
6-7	0.316	2.667	0.064	2.603	8.238	7.09	-21.44
7-8	0.313	2.682	0.058	2.623	8.381	7.12	-21.49
8-9	0.304	2.612	0.059	2.553	8.392	7.35	-21.49
9-10	0.298	2.636	0.075	2.561	8.606	7.11	-21.56
10-12	0.310	2.662	0.066	2.596	8.385	7.19	-21.59
12-14	0.287	2.593	0.065	2.528	8.808	7.10	-21.39
14-16	0.297	2.615	0.053	2.562	8.628	7.15	-21.23
16-18	0.284	2.553	0.063	2.491	8.768	7.29	-21.20
18-20	0.296	2.542	0.053	2.489	8.412	7.11	-21.21
20-25	0.312	2.590	0.070	2.520	8.088	7.42	-21.45
25-30	0.279	2.356	0.061	2.295	8.213	7.46	-21.07
30-35	0.284	2.301	0.073	2.228	7.857	7.51	-20.67
35-40	0.282	2.275	0.051	2.224	7.880	7.53	-20.58
40-45	0.278	2.232	0.078	2.154	7.736	7.44	-21.09
45-50	0.293	2.358	0.071	2.287	7.800	7.81	-20.67

Table 5: Continued.

Sample Depth (cm)	Total N (%)	Total C (%)	Total Carb C (%)	Total Org C (%)	Org C/N	$\delta^{15}\text{N}$ vs air	$\delta^{13}\text{C}_{\text{org}}$ vs PDB
-------------------	-------------	-------------	------------------	-----------------	---------	------------------------------	---

## Core 13

1-2	0.312	2.560	0.061	2.499	8.020	7.01	-21.38
2-3	0.309	2.577	0.048	2.529	8.173	7.26	-21.58
3-4	0.310	2.574	0.054	2.520	8.130	7.19	-21.13
4-5	0.308	2.587	0.054	2.533	8.216	7.37	-21.38
5-6	0.303	2.609	0.057	2.553	8.421	7.29	-21.49
6-7	0.296	2.510	0.048	2.463	8.322	7.19	-21.66
7-8	0.274	2.383	0.050	2.333	8.510	7.17	-21.58
8-9	0.281	2.415	0.050	2.365	8.428	7.27	-21.93
9-10	0.270	2.332	0.046	2.285	8.453	7.15	-22.04
10-12	0.264	2.307	0.054	2.253	8.525	7.32	-21.88
12-14	0.257	2.271	0.049	2.222	8.644	7.35	-21.99
14-16	0.257	2.305	0.056	2.249	8.733	7.34	-21.88
16-18	0.257	2.243	0.056	2.187	8.521	7.23	-21.84
18-20	0.258	2.218	0.074	2.144	8.317	7.42	-21.69
20-25	0.262	2.200	0.071	2.130	8.142	7.44	-21.16
25-30	0.255	2.181	0.096	2.085	8.164	7.55	-21.15
30-35	0.291	2.527	0.114	2.414	8.280	7.37	-21.53

## Core 14

0-1	0.208	1.837	0.063	1.773	8.529	6.48	-22.57
1-2	0.208	1.867	0.075	1.792	8.623	6.47	-22.40
2-3	0.203	1.840	0.074	1.766	8.712	6.37	-22.62
3-4	0.221	1.924	0.061	1.863	8.422	7.19	-22.02
4-5	0.203	1.862	0.070	1.792	8.830	6.30	-22.56
5-6	0.198	1.813	0.069	1.745	8.817	6.33	-22.96
6-7	0.195	1.790	0.080	1.710	8.768	6.24	-22.78
7-8	0.185	1.771	0.064	1.707	9.204	6.25	-22.88
8-9	0.182	1.708	0.067	1.640	9.018	6.30	-22.76
9-10	0.181	1.747	0.064	1.684	9.307	6.21	-22.53
10-12	0.176	1.674	0.070	1.605	9.119	6.23	-22.80
12-14	0.170	1.647	0.063	1.584	9.300	5.95	-22.82
14-16	0.166	1.614	0.071	1.543	9.307	5.97	-23.12
16-18	0.156	1.506	0.073	1.433	9.167	5.94	-22.95
18-20	0.158	1.515	0.075	1.439	9.115	5.99	-23.05
20-25	0.151	1.441	0.065	1.376	9.139	6.14	-22.65
25-30	0.149	1.442	0.072	1.371	9.197	6.07	-22.77
30-35	0.137	1.256	0.068	1.188	8.648	6.12	-22.76
35-40	0.154	1.489	0.066	1.423	9.241	6.04	-22.99

Table 5: Continued.

Sample Depth (cm)	Total N (%)	Total C (%)	Total Carb C (%)	Total Org C (%)	Org C/N	$\delta^{15}\text{N}$ vs air	$\delta^{13}\text{C}_{\text{org}}$ vs PDB
-------------------	-------------	-------------	------------------	-----------------	---------	------------------------------	---

## Core 15

0-1	0.166	1.546	0.076	1.470	8.879	5.85	-23.19
1-2	0.194	1.742	0.091	1.651	8.512	6.19	-22.60
2-3	0.185	1.682	0.081	1.601	8.641	5.94	-22.93
3-4	0.180	1.685	0.085	1.600	8.900	5.76	-22.88
4-5	0.181	1.687	0.075	1.612	8.884	5.99	-22.57
5-6	0.180	1.708	0.092	1.617	8.969	6.01	-22.88
6-7	0.175	1.653	0.146	1.507	8.632	5.98	-22.56
7-8	0.174	1.623	0.108	1.515	8.698	5.95	-22.42
8-9	0.170	1.607	0.082	1.525	8.958	5.98	-22.47
9-10	0.163	1.583	0.100	1.484	9.087	6.03	-22.59
10-12	0.168	1.581	0.089	1.492	8.899	5.85	-22.56
12-14	0.183	1.665	0.095	1.570	8.562	5.91	-22.52
14-16	0.175	1.657	0.080	1.577	8.990	5.92	-22.50
16-18	0.173	1.618	0.095	1.523	8.788	5.81	-22.82
18-20	0.165	1.577	0.130	1.446	8.764	5.95	-22.68
20-25	0.163	1.539	0.101	1.438	8.800	5.83	-22.54
25-30	0.150	1.462	0.105	1.357	9.023	5.77	-22.78

## Core 16

0-1	0.170	1.526	0.088	1.438	8.462	5.72	-22.24
1-2	0.166	1.513	0.091	1.422	8.583	5.51	-22.36
2-3	0.163	1.477	0.098	1.380	8.474	5.53	-22.48
3-4	0.165	1.569	0.116	1.453	8.830	5.40	-22.34
4-5	0.173	1.583	0.112	1.471	8.504	5.50	-22.31
5-6	0.173	1.520	0.081	1.439	8.306	5.54	-22.20
6-7	0.181	1.673	0.092	1.581	8.727	5.44	-22.11
7-8	0.177	1.620	0.097	1.523	8.599	5.59	-22.14
8-9	0.164	1.533	0.101	1.432	8.713	5.53	-22.34
9-10	0.161	1.500	0.102	1.398	8.702	5.39	-22.17
10-12	0.156	1.440	0.102	1.338	8.591	5.44	-22.36
12-14	0.160	1.499	0.106	1.392	8.704	5.35	-22.40
14-16	0.150	1.398	0.088	1.310	8.758	5.45	-22.32
16-18	0.157	1.486	0.098	1.388	8.862	5.59	-22.21
18-20	0.153	1.458	0.112	1.346	8.815	5.45	-22.41
20-25	0.148	1.405	0.088	1.317	8.872	5.74	-22.38

## Core 17

0-1	0.267	2.184	0.121	2.063	7.741	6.926	-20.67
1-2	0.268	2.224	0.097	2.127	7.926	6.754	-20.87
2-3	0.281	2.408	0.165	2.243	7.993	6.422	-21.02
3-4	0.273	2.294	0.089	2.205	8.067	6.226	-21.08
4-5	0.270	2.284	0.116	2.168	8.039	6.352	-21.00
5-6	0.266	2.280	0.126	2.153	8.087	6.079	-20.94

Table 5: Continued.

Sample Depth (cm)	Total N (%)	Total C (%)	Total Carb C (%)	Total Org C (%)	Org C/N	$\delta^{15}\text{N}$ vs air	$\delta^{13}\text{C}_{\text{org}}$ vs PDB
-------------------	-------------	-------------	------------------	-----------------	---------	------------------------------	---

## Core 17 Continued

6-7	0.261	2.223	0.108	2.115	8.092	6.299	-21.18
7-8	0.257	2.232	0.146	2.086	8.121	6.276	-21.22
8-9	0.249	2.218	0.160	2.058	8.277	6.121	-21.43
9-10	0.249	2.210	0.181	2.029	8.151	6.211	-21.65
10-12	0.248	2.213	0.137	2.076	8.385	5.875	-21.76
12-14	0.245	2.153	0.130	2.023	8.249	5.964	-21.65
14-16	0.229	2.025	0.122	1.903	8.308	6.312	-21.62
16-18	0.233	2.086	0.150	1.935	8.307	5.894	-21.78
18-20	0.232	2.124	0.180	1.944	8.366	6.161	-21.91
20-25	0.227	2.043	0.144	1.899	8.371	6.186	-21.81
25-30	0.219	2.052	0.164	1.888	8.627	6.092	-21.81
30-35	0.225	2.052	0.168	1.884	8.374	6.227	-21.94
35-40	0.210	1.903	0.129	1.774	8.439	6.054	-21.78
40-45	0.206	1.808	0.132	1.676	8.138	6.26	-21.60
45-50	0.200	1.712	0.111	1.601	7.993	6.605	-21.27

## Core 18

0-1	0.081	1.318	0.635	0.682	8.478	6.454	-22.21
1-2	0.090	1.379	0.512	0.867	9.591	6.2	-22.70
2-3	0.073	1.127	0.565	0.562	7.654	6.224	-22.19
3-4	0.076	1.299	0.693	0.606	8.013	6.489	-22.44
4-5	0.073	0.929	0.366	0.563	7.732	6.152	-22.21
5-6	0.072	0.999	0.448	0.551	7.654	5.959	-22.34
6-7	0.072	1.747	1.176	0.571	7.904	6.324	-22.03
7-8	0.076	1.299	0.648	0.652	8.597	5.856	-22.44
8-9	0.071	0.919	0.313	0.606	8.477	5.92	-22.60
9-10	0.067	0.948	0.379	0.568	8.427	6.055	-22.58
10-11	0.065	0.836	0.270	0.566	8.673	5.869	-22.69
11-12	0.068	0.896	0.298	0.598	8.833	5.832	-22.84
12-13	0.066	0.789	0.216	0.573	8.629	5.701	-23.00
13-14	0.068	0.875	0.265	0.610	8.968	5.697	-22.81
14-15	0.068	0.869	0.260	0.609	9.001	5.696	-22.75
15-16	0.072	0.939	0.297	0.642	8.933	5.721	-23.01
16-17	0.071	0.935	0.304	0.631	8.864	5.654	-23.05
17-18	0.081	1.027	0.332	0.695	8.625	5.537	-22.51
18-19	0.088	0.976	0.268	0.708	8.044	5.778	-22.25

## Core 19

0-1	0.5	0.166	1.599	0.083	1.516	9.142	-22.85
1-2	1.5	0.172	1.606	0.096	1.511	8.806	-22.75
2-3	2.5	0.170	1.638	0.093	1.545	9.102	-21.84
3-4	3.5	0.175	1.672	0.106	1.566	8.970	-22.23
4-5	4.5	0.175	1.661	0.094	1.567	8.942	-22.55

Table 5: Continued.

Sample Depth (cm)	Total N (%)	Total C (%)	Total Carb C (%)	Total Org C (%)	Org C/N	$\delta^{15}\text{N}$ vs air	$\delta^{13}\text{C}$ org vs PDB
-------------------	-------------	-------------	------------------	-----------------	---------	------------------------------	----------------------------------

## Core 19 Continued

5-6	5.5	0.171	1.669	0.122	1.547	9.045	-22.39
6-7	6.5	0.170	1.605	0.097	1.508	8.869	-22.60
7-8	7.5	0.172	1.660	0.102	1.558	9.047	-22.50
8-9	8.5	0.179	1.682	0.086	1.597	8.944	-22.24
9-10	9.5	0.181	1.713	0.109	1.604	8.864	-22.11
10-12	11.5	0.173	1.628	0.108	1.520	8.777	-22.14
12-14	13	0.178	1.671	0.101	1.570	8.815	-22.17
14-16	15	0.177	1.686	0.104	1.582	8.924	-22.03
16-18	17	0.177	1.690	0.100	1.590	8.984	-22.61
18-20	19	0.177	1.672	0.114	1.558	8.818	-22.49

## Core 20

0-1	0.219	1.891	0.064	1.827	8.342	6.14	-21.59
1-2	0.219	1.916	0.069	1.847	8.437	6.01	-21.90
2-3	0.219	1.911	0.068	1.843	8.423	6.22	-21.65
3-4	0.218	1.905	0.053	1.852	8.498	6.19	-21.88
4-5	0.216	1.957	0.069	1.887	8.725	6.02	-22.43
5-6	0.215	1.884	0.058	1.826	8.480	5.78	-21.97
6-7	0.210	1.856	0.071	1.785	8.515	5.79	-22.02
7-8	0.204	1.813	0.073	1.740	8.538	5.93	-21.94
8-9	0.195	1.780	0.071	1.709	8.756	6.04	-22.23
9-10	0.191	1.946	0.059	1.887	9.875	5.83	-22.42
10-12	0.188	1.741	0.086	1.655	8.818	6.15	-22.40
12-14	0.183	1.705	0.061	1.645	8.978	5.92	-22.34
14-16	0.181	1.666	0.075	1.591	8.807	5.74	-22.09
16-18	0.180	1.600	0.068	1.531	8.522	6.14	-22.06
18-20	0.173	1.556	0.081	1.475	8.521	6.26	-22.20
20-25	0.173	1.498	0.063	1.434	8.310	6.36	-21.64
25-30	0.167	1.443	0.072	1.371	8.201	6.29	-21.64
30-35	0.163	1.374	0.062	1.312	8.036	6.44	-21.48
35-40	0.165	1.352	0.067	1.285	7.796	6.48	-21.45
40-45	0.163	1.380	0.066	1.314	8.083	6.58	-21.55
50-55	0.185	1.687	0.072	1.616	8.720	6.06	-22.18

## Core 21

0-1	0.461	4.480	0.070	4.410	9.566	7.00	-20.88
1-2	0.482	4.596	0.069	4.527	9.387	6.90	-21.53
2-3	0.480	5.175	0.072	5.103	10.636	7.04	-21.30
3-4	0.467	4.767	0.081	4.686	10.027	6.97	-21.11
4-5	0.444	4.574	0.127	4.447	10.015	6.90	-21.80
5-6	0.408	4.057	0.086	3.971	9.725	6.67	-21.24
6-7	0.325	3.127	0.065	3.061	9.413	6.89	-21.10
7-8	0.383	3.748	0.071	3.676	9.590	6.84	-21.79

Table 5: Continued.

Sample Depth (cm)	Total N (%)	Total C (%)	Total Carb C (%)	Total Org C (%)	Org C/N	$\delta^{15}\text{N}$ vs air	$\delta^{13}\text{C}_{\text{org}}$ vs PDB
-------------------	-------------	-------------	------------------	-----------------	---------	------------------------------	---

## Core 21 Continued

8-9	0.361	3.848	0.085	3.763	10.424	6.94	-21.87
9-10	0.359	3.733	0.078	3.656	10.178	6.93	-21.73
10-12	0.334	3.475	0.091	3.385	10.118	6.83	-22.06
12-14	0.325	3.446	0.126	3.320	10.227	6.97	-21.72
14-16	0.345	3.590	0.091	3.499	10.147	6.61	-21.35
16-18	0.318	3.204	0.085	3.119	9.819	6.86	-21.48
18-20	0.353	3.322	0.066	3.257	9.239	7.09	-21.07
20-25	0.332	3.160	0.105	3.055	9.192	7.16	-21.38
25-30	0.325	2.907	0.051	2.856	8.787	7.05	-20.93
30-35	0.265	2.334	0.063	2.271	8.556	7.31	-21.14
35-40	0.293	2.633	0.111	2.522	8.593	7.43	-20.86

## Core 22

0-1	0.337	2.801	0.105	2.695	8.009	6.67	-20.93
1-2	0.356	2.976	0.084	2.892	8.117	6.64	-20.68
2-3	0.359	2.997	0.134	2.863	7.982	6.68	-20.65
3-4	0.354	2.993	0.078	2.915	8.242	6.68	-20.85
4-5	0.346	2.933	0.159	2.775	8.030	6.78	-20.49
5-6	0.342	2.943	0.122	2.821	8.256	6.64	-20.30
6-7	0.340	2.943	0.178	2.765	8.143	6.62	-20.92
7-8	0.332	2.906	0.109	2.797	8.426	6.57	-21.22
8-9	0.324	2.849	0.142	2.707	8.354	6.59	-21.04
9-10	0.314	2.817	0.077	2.739	8.726	6.51	-21.11
10-12	0.310	2.785	0.242	2.542	8.191	6.22	-21.70
12-14	0.314	2.839	0.091	2.748	8.748	5.71	-21.52
14-16	0.298	2.777	0.157	2.619	8.801	5.56	-21.91
16-18	0.310	2.786	0.091	2.696	8.692	5.97	-21.51
18-23	0.286	2.662	0.103	2.559	8.949	6.13	-22.05
23-28	0.279	2.623	0.093	2.530	9.075	6.01	-21.94
28-33	0.274	2.626	0.103	2.523	9.210	6.14	-21.85
33-38	0.278	2.540	0.098	2.441	8.779	6.01	-21.85
38-43	0.274	2.424	0.108	2.316	8.441	6.09	-21.16
43-48	0.265	2.316	0.126	2.190	8.254	6.49	-21.37
48-53	0.271	2.310	0.102	2.208	8.159	6.62	-21.24



Table 6: Results of the metals, nitrogen, carbon, opal and flux measurements from the two GVRD sediment traps. Deployment 1 only.  
 Asterisk indicates value is an average of two measurements.

Station	Baker Trap Serial No.	Cup #	Water depth (m)	Distance off bottom (m)	Depth from surface (m)	Time zone	Start date yyyy/mm/dd hh:mm (UTC)	End date yyyy/mm/dd hh:mm (UTC)	Mid-date yyyy/mm/dd hh:mm (UTC)	Julian start (UTC)	Julian end (UTC)	Interval (days)	Height in tube (cm)	Trap Cup #	Combined sample wt (all tubes and cups) (grams)
GVRD A1-TOP	31533	1	99	50	49	UTC	2003/10/13 00:00	2003/11/03 00:00	2003/10/23 12:00	286.00	307.00	21.00	5.5	1	6.8526
GVRD A1-TOP	31533	2	99	50	49	UTC	2003/11/03 00:00	2003/11/24 00:00	2003/11/13 12:00	307.00	328.00	21.00	3.0	2	3.6810
GVRD A1-TOP	31533	3	99	50	49	UTC	2003/11/24 00:00	2003/12/15 00:00	2003/12/04 12:00	328.00	349.00	21.00	6.5	3	9.7148
GVRD A1-TOP	31533	4	99	50	49	UTC	2003/12/15 00:00	2004/01/05 00:00	2003/12/25 12:00	349.00	370.00	21.00	4.5	4	6.8962
GVRD A1-TOP	31533	5	99	50	49	UTC	2004/01/05 00:00	2004/01/26 00:00	2004/01/15 12:00	370.00	391.00	21.00	4.5	5	6.4711
GVRD A1-TOP	31533	6	99	50	49	UTC	2004/01/26 00:00	2004/02/16 00:00	2004/02/05 12:00	391.00	412.00	21.00	4.0	6	4.9222
GVRD A1-TOP	31533	7	99	50	49	UTC	2004/02/16 00:00	2004/03/08 00:00	2004/02/26 12:00	412.00	433.00	21.00	12.0	7	16.3374
GVRD A1-TOP	31533	8	99	50	49	UTC	2004/03/08 00:00	2004/03/29 00:00	2004/03/18 12:00	433.00	454.00	21.00	6.0	8	6.3599
GVRD A1-TOP	31533	9	99	50	49	UTC	2004/03/29 00:00	2004/04/19 00:00	2004/04/08 12:00	454.00	475.00	21.00	11.0	9	11.0074
GVRD A1-TOP	31533	10	99	50	49	UTC	2004/04/19 00:00	2004/04/28 14:53	2004/04/23 19:26	475.00	484.62	9.62	5.0	10	3.4967
GVRD A1-BOT	87302A	1	99	20	79	UTC	2003/10/13 00:00	2003/11/03 00:00	2003/10/23 12:00	286.00	307.00	21.00	13.0	1	16.6260
GVRD A1-BOT	87302A	2	99	20	79	UTC	2003/11/03 00:00	2003/11/24 00:00	2003/11/13 12:00	307.00	328.00	21.00	12.5	2	18.0748
GVRD A1-BOT	87302A	3	99	20	79	UTC	2003/11/24 00:00	2003/12/15 00:00	2003/12/04 12:00	328.00	349.00	21.00	19.5	3	29.6836
GVRD A1-BOT	87302A	4	99	20	79	UTC	2003/12/15 00:00	2004/01/05 00:00	2003/12/25 12:00	349.00	370.00	21.00	15.0	4	26.6590
GVRD A1-BOT	87302A	5	99	20	79	UTC	2004/01/05 00:00	2004/01/26 00:00	2004/01/15 12:00	370.00	391.00	21.00	13.0	5	19.3953
GVRD A1-BOT	87302A	6	99	20	79	UTC	2004/01/26 00:00	2004/02/16 00:00	2004/02/05 12:00	391.00	412.00	21.00	10.5	6	14.4196
GVRD A1-BOT	87302A	7	99	20	79	UTC	2004/02/16 00:00	2004/03/08 00:00	2004/02/26 12:00	412.00	433.00	21.00	11.0	7	16.1178
GVRD A1-BOT	87302A	8	99	20	79	UTC	2004/03/08 00:00	2004/03/29 00:00	2004/03/18 12:00	433.00	454.00	21.00	12.5	8	15.6790
GVRD A1-BOT	87302A	9	99	20	79	UTC	2004/03/29 00:00	2004/04/19 00:00	2004/04/08 12:00	454.00	475.00	21.00	17.0	9	18.2221
GVRD A1-BOT	87302A	10	99	20	79	UTC	2004/04/19 00:00	2004/04/28 14:53	2004/04/23 19:26	475.00	484.62	9.62	9.62	10	18.2221
GVRD B1-TOP	718105	1	240	50	190	UTC	2003/10/13 00:00	2003/11/03 00:00	2003/10/23 12:00	286.00	307.00	21.00	13.5	1	25.4672
GVRD B1-TOP	718105	2	240	50	190	UTC	2003/11/03 00:00	2003/11/24 00:00	2003/11/13 12:00	307.00	328.00	21.00	5.7	2	6.0079
GVRD B1-TOP	718105	3	240	50	190	UTC	2003/11/24 00:00	2003/12/15 00:00	2003/12/04 12:00	328.00	349.00	21.00	9.3	3	11.1950
GVRD B1-TOP	718105	4	240	50	190	UTC	2003/12/15 00:00	2004/01/05 00:00	2003/12/25 12:00	349.00	370.00	21.00	7.2	4	9.1525
GVRD B1-TOP	718105	5	240	50	190	UTC	2004/01/05 00:00	2004/01/26 00:00	2004/01/15 12:00	370.00	391.00	21.00	15.2	5	23.1237
GVRD B1-TOP	718105	6	240	50	190	UTC	2004/01/26 00:00	2004/02/16 00:00	2004/02/05 12:00	391.00	412.00	21.00	7.6	6	2.9936
GVRD B1-TOP	718105	7	240	50	190	UTC	2004/02/16 00:00	2004/03/08 00:00	2004/02/26 12:00	412.00	433.00	21.00	8.7	7	9.9790
GVRD B1-TOP	718105	8	240	50	190	UTC	2004/03/08 00:00	2004/03/29 00:00	2004/03/18 12:00	433.00	454.00	21.00	4.0	8	3.0772
GVRD B1-TOP	718105	9	240	50	190	UTC	2004/03/29 00:00	2004/04/19 00:00	2004/04/08 12:00	454.00	475.00	21.00	6.0	9	4.3676
GVRD B1-TOP	718105	10	240	50	190	UTC	2004/04/19 00:00	2004/04/28 16:40	2004/04/23 20:20	475.00	484.62	9.69	4.8	10	3.2033
GVRD B1-BOT	718106	1	239.8	20	220	UTC	2003/10/13 00:00	2003/11/03 00:00	2003/10/23 12:00	286.00	307.00	21.00	21.0	1	36.0649
GVRD B1-BOT	718106	2	239.8	20	220	UTC	2003/11/03 00:00	2003/11/24 00:00	2003/11/13 12:00	307.00	328.00	21.00	13.5	2	5.8098
GVRD B1-BOT	718106	3	239.8	20	220	UTC	2003/11/24 00:00	2003/12/15 00:00	2003/12/04 12:00	328.00	349.00	21.00	20.5	3	27.3159
GVRD B1-BOT	718106	4	239.8	20	220	UTC	2003/12/15 00:00	2004/01/05 00:00	2003/12/25 12:00	349.00	370.00	21.00	18.0	4	24.7866
GVRD B1-BOT	718106	5	239.8	20	220	UTC	2004/01/05 00:00	2004/01/26 00:00	2004/01/15 12:00	370.00	391.00	21.00	21.0	5	28.5045
GVRD B1-BOT	718106	6	239.8	20	220	UTC	2004/01/26 00:00	2004/02/16 00:00	2004/02/05 12:00	391.00	412.00	21.00	5.0	6	5.6603
GVRD B1-BOT	718106	7	239.8	20	220	UTC	2004/02/16 00:00	2004/03/08 00:00	2004/02/26 12:00	412.00	433.00	21.00	0.5	7	0.9797
GVRD B1-BOT	718106	8	239.8	20	220	UTC	2004/03/08 00:00	2004/03/29 00:00	2004/03/18 12:00	433.00	454.00	21.00	1.0	8	1.7654
GVRD B1-BOT	718106	9	239.8	20	220	UTC	2004/03/29 00:00	2004/04/19 00:00	2004/04/08 12:00	454.00	475.00	21.00	0.2	9	0.3012
GVRD B1-BOT	718106	10	239.8	20	220	UTC	2004/04/19 00:00	2004/04/28 16:40	2004/04/23 20:20	475.00	484.62	9.69	4.8	10	1.0929

Table 6: Continued.

Station	Cup #	Fraction of sample rinsed, dried and weighed	Fraction reserved for contaminant analysis	Fraction archived wet	TDW (grams)	TDW_salt_corr	Baker trap collection area (m <sup>2</sup> )	TDW flux (g m <sup>-2</sup> d <sup>-1</sup> )	TDW_flux_NaCl_corrected	avg %N_total	* N_total_flux (mg/m <sup>2</sup> /day)	avg %C_total	* C_total_flux (mg/m <sup>2</sup> /day)	avg %C_inorg_flux	* C_inorg_flux (mg/m <sup>2</sup> /day)	%org
GVRD A1-TOP	1	0.5	0.25	0.25	13.7052	13.6850	0.0320	20.3946	20.3646	0.179	36.6012	1.842	375.701	0.0733	14.949	1.769
GVRD A1-TOP	2	0.5	0.25	0.25	7.3620	7.3532	0.0320	10.9553	10.9422	0.154	16.9111	1.654	181.179	0.0742	8.131	1.580
GVRD A1-TOP	3	0.5	0.25	0.25	19.4296	19.4089	0.0320	28.9130	28.8823	0.146	42.2303	1.621	468.552	0.1098	31.748	1.511
GVRD A1-TOP	4	0.5	0.25	0.25	13.7923	13.7755	0.0320	20.5243	20.4992	0.155	31.7898	1.635	335.570	0.1034	21.217	1.532
GVRD A1-TOP	5	0.5	0.25	0.25	12.9422	12.9289	0.0320	19.2593	19.2395	0.197	37.9774	1.976	380.559	0.1039	20.014	1.872
GVRD A1-TOP	6	0.5	0.25	0.25	9.8444	9.8318	0.0320	14.6494	14.6307	0.153	22.4013	1.755	257.111	0.0872	12.771	1.668
GVRD A1-TOP	7	0.5	0.25	0.25	32.6747	32.6411	0.0320	48.6231	48.5731	0.174	84.8267	1.733	842.631	0.1140	55.424	1.619
GVRD A1-TOP	8	0.5	0.25	0.25	12.7197	12.7033	0.0320	18.9282	18.9037	0.171	32.3900	1.689	319.656	0.0791	14.968	1.610
GVRD A1-TOP	9	0.5	0.25	0.25	22.0148	21.9898	0.0320	32.7601	32.7229	0.188	64.9702	1.817	595.390	0.0948	31.046	1.723
GVRD A1-TOP	10	0.5	0.25	0.25	6.9934	6.9818	0.0320	22.7173	22.6796	0.221	50.2277	2.071	470.493	0.0630	14.308	2.008
GVRD A1-BOT	1	0.5	0.25	0.25	33.2519	33.2125	0.0320	49.4821	49.4233	0.190	94.1269	1.792	886.694	0.1151	56.954	1.677
GVRD A1-BOT	2	0.5	0.25	0.25	36.1495	36.1185	0.0320	53.7939	53.7478	0.176	94.8338	1.729	930.358	0.1155	62.121	1.614
GVRD A1-BOT	3	0.5	0.25	0.25	59.3672	59.3034	0.0320	88.3440	88.2491	0.171	151.1854	1.729	1527.667	0.1092	96.472	1.620
GVRD A1-BOT	4	0.5	0.25	0.25	53.3179	53.2698	0.0320	79.3421	79.2706	0.153	121.1193	1.606	1274.393	0.1220	96.797	1.484
GVRD A1-BOT	5	0.5	0.25	0.25	38.7906	38.7600	0.0320	57.7241	57.6786	0.170	98.1632	1.724	994.993	0.1320	76.196	1.592
GVRD A1-BOT	6	0.5	0.25	0.25	28.8392	28.8142	0.0320	42.9155	42.8782	0.171	73.3371	1.745	748.986	0.1156	49.610	1.630
GVRD A1-BOT	7	0.5	0.25	0.25	32.2356	32.1959	0.0320	47.9696	47.9105	0.174	83.5993	1.753	841.120	0.1152	55.261	1.638
GVRD A1-BOT	8	0.5	0.25	0.25	31.3580	31.3160	0.0320	46.6637	46.6011	0.194	80.5558	1.799	839.398	0.1376	64.209	1.661
GVRD A1-BOT	9	0.5	0.25	0.25	36.4442	36.4035	0.0320	54.2324	54.1718	0.220	119.5757	1.912	1036.991	0.1060	57.486	1.806
GVRD A1-BOT	10	0	0.25	0.25			0.0320									
GVRD B1-TOP	1	0.5	0.25	0.25	50.9344	50.8805	0.0320	75.7952	75.7150	0.141	106.7492	1.579	1196.494	0.1229	93.152	1.456
GVRD B1-TOP	2	0.5	0.25	0.25	12.0158	12.0013	0.0320	17.8806	17.8591	0.222	39.7751	2.051	366.696	0.0820	14.653	1.969
GVRD B1-TOP	3	0.5	0.25	0.25	22.3900	22.3573	0.0320	33.3184	33.2698	0.233	77.7310	2.096	698.503	0.0885	29.480	2.008
GVRD B1-TOP	4	0.5	0.25	0.25	18.3049	18.2867	0.0320	27.2395	27.2123	0.180	49.0201	1.777	484.140	0.0753	20.514	1.702
GVRD B1-TOP	5	0.5	0.25	0.25	46.2474	46.1895	0.0320	68.8205	68.7344	0.184	126.5932	1.726	1187.624	0.0798	54.931	1.646
GVRD B1-TOP	6	0.5	0.25	0.25	5.9873	5.9783	0.0320	8.9096	8.8963	0.238	21.2340	2.202	196.156	0.0590	5.256	2.143
GVRD B1-TOP	7	0.5	0.25	0.25	19.9580	19.9345	0.0320	29.6594	29.6644	0.222	65.8732	2.033	603.839	0.0482	14.301	1.985
GVRD B1-TOP	8	0.5	0.25	0.25	6.1544	6.1455	0.0320	9.1583	9.1451	0.297	27.2257	2.485	225.763	0.0483	4.425	2.417
GVRD B1-TOP	9	0.5	0.25	0.25	8.7352	8.7261	0.0320	12.9988	12.9853	0.281	36.5848	2.247	292.075	0.0409	5.314	2.206
GVRD B1-TOP	10	0.5	0.25	0.25	6.4066	6.3979	0.0320	20.6516	20.6236	0.240	49.5683	2.107	435.205	0.0555	11.466	2.052
GVRD B1-BOT	1	0.5	0.25	0.25	72.1299	72.0892	0.0320	107.3361	107.2309	0.164	175.7821	1.681	1804.350	0.1063	114.100	1.575
GVRD B1-BOT	2	0.5	0.25	0.25	11.6195	11.6195	0.0320	17.2910	17.2910	0.212	36.7397	2.019	349.170	0.0898	15.534	1.930
GVRD B1-BOT	3	0.5	0.25	0.25	54.6317	54.5849	0.0320	81.2972	81.2275	0.216	175.9462	1.966	1598.360	0.0925	75.200	1.874
GVRD B1-BOT	4	0.5	0.25	0.25	49.5732	49.5305	0.0320	73.7896	73.7061	0.212	156.1741	1.982	1461.945	0.0965	71.188	1.885
GVRD B1-BOT	5	0.5	0.25	0.25	57.0091	56.9621	0.0320	84.7650	84.7650	0.226	191.3064	2.092	1774.496	0.0929	78.815	1.999
GVRD B1-BOT	6	0.5	0.25	0.25	11.3206	11.3091	0.0320	16.8461	16.8290	0.217	36.5003	1.989	335.071	0.0558	9.395	1.933
GVRD B1-BOT	7	0	0	0	0.9797	0.9797	0.0320	1.4579	1.4579	0.247	3.5991	2.251	32.815	0.0497	0.725	2.201
GVRD B1-BOT	8	0	0	0	1.7654	1.7637	0.0320	2.6270	2.6245	0.244	6.3992	2.203	57.872	0.0524	1.377	2.151
GVRD B1-BOT	9	0	0	0	0.3012	0.3012	0.0320	0.4482	0.4482	0.253	1.1337	2.331	10.446	0.0435	0.195	2.287
GVRD B1-BOT	10	1	0	0	1.0929	1.0915	0.0320	3.5229	3.5185	0.251	8.8419	2.222	78.263	0.0442	1.568	2.177

Table 6: Continued.

Station	Cup #	C_organic flux (mg/m <sup>2</sup> /day)	org C/N weights	CN_ratio_atomic	%SI (opal)	%SI (opal)	%SI_biogenic flux (mg/m <sup>2</sup> /day)	% Opal	Opal_flux (mg/m <sup>2</sup> /day)	avg d <sup>15</sup> N vs air (ppt)	avg d <sup>13</sup> Corg v PDB (ppt)	avg %Cl	%NaCl	Al (%)	Fe (%)	Mg (%)	Ca (%)	Ba (mg/g)	Mn (mg/g)	Cd (mg/g)	Mo (mg/g)
GVRD A1-TOP	1	360.751	9.856	11.494	2.420	493.479	5.807	1184.349	3.17	-24.31	0.089	0.147	7.92	4.88	1.77	1.69	617	553	0.325	1.50	
GVRD A1-TOP	2	173.048	10.233	11.933	2.422	265.374	5.814	636.897	4.52	-24.43	0.073	0.120	7.93	4.88	1.76	1.62	616	606	0.370	1.36	
GVRD A1-TOP	3	436.804	10.343	12.062	2.394	692.212	5.746	1661.308	3.88	-24.39	0.064	0.106	7.63	4.68	1.69	1.71	594	535	0.290	1.19	
GVRD A1-TOP	4	314.353	9.888	11.532	2.372	486.932	5.894	1168.636	4.15	-24.18	0.074	0.122	7.51	4.57	1.71	1.79	578	509	0.344	0.98	
GVRD A1-TOP	5	360.545	9.494	11.071	2.804	540.041	6.730	1296.097	4.74	-23.22	0.062	0.103	7.36	4.61	1.66	1.69	555	544	0.268	1.27	
GVRD A1-TOP	6	244.340	10.970	12.720	2.918	427.532	7.004	1026.077	3.65	-23.71	0.078	0.128	7.76	4.80	1.73	1.75	597	607	0.218	1.17	
GVRD A1-TOP	7	787.206	9.280	10.822	2.712	1318.801	6.510	3165.122	3.49	-23.83	0.062	0.103	7.64	4.75	1.70	1.77	588	569	0.212	1.08	
GVRD A1-TOP	8	304.688	9.407	10.970	4.234	801.343	10.161	1923.223	3.86	-23.08	0.078	0.129	7.18	4.41	1.65	1.68	562	500	0.251	1.01	
GVRD A1-TOP	9	564.344	8.686	10.130	3.893	1275.390	9.343	3060.936	4.41	-22.76	0.069	0.114	7.30	4.57	1.67	1.65	578	550	0.248	1.19	
GVRD A1-TOP	10	456.185	9.082	10.592	4.130	938.179	9.912	2251.630	4.41	-22.65	0.100	0.166	7.33	4.67	1.67	1.50	590	609	0.209	1.25	
GVRD A1-BOT	1	829.740	8.815	10.280	2.373	1174.012	5.694	2817.630	3.77	-23.87	0.072	0.119	7.30	4.50	1.57	1.62	610	595	0.392	1.27	
GVRD A1-BOT	2	868.238	9.155	10.677	5.345	2875.434	12.829	6901.042	3.41	-23.83	0.052	0.086	7.15	4.41	1.57	1.64	593	543	0.330	1.42	
GVRD A1-BOT	3	1431.195	9.466	11.040	2.866	2531.755	6.878	6076.211	3.32	-23.69	0.065	0.107	7.00	4.24	1.44	1.66	566	517	0.326	1.12	
GVRD A1-BOT	4	1177.595	9.723	11.338	2.731	2167.216	6.556	5201.318	3.57	-23.71	0.055	0.090	7.40	4.67	1.55	1.51	567	521	0.293	1.09	
GVRD A1-BOT	5	918.797	9.360	10.915	2.395	1382.610	5.748	3318.264	4.13	-23.51	0.048	0.079	7.59	4.67	1.55	1.55	558	519	0.279	1.21	
GVRD A1-BOT	6	699.376	9.536	11.121	3.118	1338.131	7.483	3211.514	4.00	-23.57	0.053	0.087	6.95	4.47	1.53	1.40	567	528	0.249	1.08	
GVRD A1-BOT	7	855.859	9.400	10.962	2.434	1167.457	5.841	2801.897	3.66	-23.46	0.075	0.123	7.00	4.36	1.49	1.30	577	535	0.226	1.14	
GVRD A1-BOT	8	775.188	8.560	9.983	3.195	1490.954	7.668	3678.289	3.99	-22.93	0.081	0.134	7.19	4.45	1.56	1.42	570	551	0.259	1.02	
GVRD A1-BOT	9	979.504	8.191	9.553	4.721	2560.424	11.331	6145.019	4.73	-22.33	0.068	0.112	7.50	4.47	1.64	1.69	554	523	0.256	1.10	
GVRD A1-BOT	10								4.14												
GVRD B1-TOP	1	1103.341	10.336	12.053	2.778	2105.726	6.668	5053.743	4.51	-24.30	0.064	0.106	7.38	4.37	1.67	1.63	568	587	0.269	1.12	
GVRD B1-TOP	2	352.043	8.851	10.322	4.532	810.374	10.877	1944.898	6.22	-22.51	0.073	0.120	7.52	4.61	1.60	1.46	531	901	0.245	1.22	
GVRD B1-TOP	3	689.023	8.607	10.037	4.993	1663.588	11.983	3992.611	6.19	-22.58	0.088	0.146	7.30	4.50	1.57	1.62	478	592	0.238	1.07	
GVRD B1-TOP	4	463.626	9.458	11.030	4.081	1111.557	9.794	2667.737	5.43	-25.60	0.061	0.100	7.15	4.41	1.57	1.64	497	723	0.245	0.99	
GVRD B1-TOP	5	1132.693	8.947	10.434	4.221	2905.220	10.131	6972.527	5.90	-22.59	0.076	0.125	7.00	4.24	1.44	1.66	456	573	0.214	0.84	
GVRD B1-TOP	6	190.899	8.990	10.484	4.938	439.943	11.851	1055.864	5.98	-22.46	0.091	0.150	7.40	4.67	1.55	1.51	473	817	0.230	1.12	
GVRD B1-TOP	7	589.538	8.950	10.437	4.491	1333.656	10.777	3200.774	5.92	-22.76	0.072	0.118	7.59	4.67	1.55	1.55	470	770	0.220	1.05	
GVRD B1-TOP	8	221.337	8.130	9.481	6.707	614.232	16.096	1474.157	6.08	-22.19	0.087	0.144	6.95	4.47	1.53	1.40	461	971	0.228	1.04	
GVRD B1-TOP	9	286.761	7.838	9.141	6.631	862.014	15.916	2068.834	6.10	-22.16	0.063	0.104	7.00	4.36	1.49	1.30	471	583	0.259	1.11	
GVRD B1-TOP	10	423.739	8.549	9.969	5.133	1060.124	12.320	2544.297	5.75	-22.02	0.082	0.136	7.19	4.45	1.56	1.42	503	676	0.233	1.00	
GVRD B1-BOT	1	1690.250	9.618	11.214	3.607	3871.650	8.657	9291.960	4.92	-23.57	0.059	0.098	7.50	4.47	1.64	1.69	546	583	0.270	1.10	
GVRD B1-BOT	2	333.636	9.081	10.590	2.586	447.193	6.207	1073.262	5.76	-23.04			7.40	4.53	1.59	1.54	515	590	0.267	1.07	
GVRD B1-BOT	3	1523.181	8.657	10.096	2.795	2272.601	6.709	5454.242	6.24	-22.45	0.052	0.086	6.77	4.18	1.41	1.51	430	531	0.238	0.92	
GVRD B1-BOT	4	1390.758	8.905	10.385	3.659	2699.576	8.783	6478.981	6.13	-22.56	0.052	0.086	7.25	4.51	1.54	1.64	484	601	0.254	0.94	
GVRD B1-BOT	5	1695.681	8.864	10.337	4.780	4055.207	11.472	9732.497	6.22	-22.42	0.050	0.082	7.16	4.46	1.52	1.65	458	575	0.242	0.93	
GVRD B1-BOT	6	325.676	8.923	10.405	4.229	712.482	10.151	1709.982	6.10	-22.49	0.062	0.102	7.32	4.52	1.54	1.62	454	735	0.249	0.93	
GVRD B1-BOT	7	32.091	8.916	10.398	4.799	69.963	11.517	167.912	6.00	-22.50			7.41	4.66	1.60	1.50	456	915	0.258	1.05	
GVRD B1-BOT	8	56.495	8.829	10.296	4.941	129.790	11.857	311.496	6.10	-22.48	0.058	0.095	7.36	4.60	1.56	1.50	455	736	0.234	0.95	
GVRD B1-BOT	9	10.251	9.042	10.545	4.826	20.734	11.103	49.762	6.10	-22.48			7.42	4.74	1.57	1.49	473	740	0.358	1.27	
GVRD B1-BOT	10	76.705	8.675	10.117	4.315	152.002	10.355	364.804	6.20	-22.34	0.074	0.123	7.39	4.61	1.58	1.51	456	729	0.283	1.05	

Table 6: Continued.

Station	U (mg/g)	Cup#	Re (ng/g)	As (mg/g)	Ag (mg/g)	Co (mg/g)	Cr (mg/g)	Ni (mg/g)	Cu (mg/g)	Zn (mg/g)	Pb (mg/g)	K (%)	Na (%)	Ti (mg/g)	S (mg/g)	P (mg/g)	Ratio %OC/%Al	Ratio %OC/%S(lopai)
GVRD A1-TOP	1.87	1	2.57	10.95	0.558	17.8	75.4	53.8	41.5	126.6	16.9	1.77	1.61	4067	5191	1037	0.22	0.73
GVRD A1-TOP	1.87	2	2.54	11.50	0.416	17.5	62.9	54.2	35.1	120.0	16.3	1.78	1.54	4126	1092	1138	0.20	0.65
GVRD A1-TOP	1.79	3	2.90	9.76	0.467	16.7	57.9	52.9	33.5	112.3	14.8	1.66	1.62	4206	2852	963	0.20	0.63
GVRD A1-TOP	1.84	4	2.61	8.24	0.432	15.2	64.6	48.6	30.0	110.8	14.7	1.64	1.59	4294	2875	1028	0.20	0.65
GVRD A1-TOP	1.83	5	3.12	9.03	0.407	15.6	61.5	51.1	34.0	112.9	17.0	1.57	1.64	4121	1802	1080	0.25	0.67
GVRD A1-TOP	1.83	6	2.50	9.63	0.373	15.7	68.8	49.7	32.5	114.9	16.4	1.64	1.58	4392	1186	1082	0.21	0.57
GVRD A1-TOP	1.80	7	2.90	9.64	0.377	16.0	78.4	50.9	31.3	112.4	16.6	1.65	1.66	4381	2803	1057	0.21	0.60
GVRD A1-TOP	1.78	8	2.32	8.48	0.388	15.2	88.3	49.0	29.9	109.7	16.3	1.58	1.40	4142	2252	1015	0.22	0.38
GVRD A1-TOP	1.70	9	2.72	8.40	0.390	15.6	86.7	51.0	30.2	112.4	16.0	1.62	1.50	4095	4748	960	0.24	0.44
GVRD A1-TOP	1.93	10	2.41	10.94	0.453	16.5	69.2	53.7	35.2	118.9	16.5	1.63	1.47	4024	1069	1201	0.27	0.49
GVRD A1-BOT	1.81	1	2.69	10.60	0.559	16.9	67.8	52.4	38.8	118.1	15.9	1.06	1.70	4119	4991	1114	0.23	0.71
GVRD A1-BOT	1.82	2	2.91	9.29	0.608	21.8	76.4	52.3	38.5	113.6	15.6	1.06	1.58	4144	5071	905	0.23	0.30
GVRD A1-BOT	1.72	3	2.85	8.56	0.535	20.9	69.1	49.7	34.8	105.9	14.6	1.08	1.55	4158	3629	902	0.23	0.57
GVRD A1-BOT	1.70	4	3.02	8.83	0.473	20.6	68.3	49.9	31.9	105.8	14.3	1.06	1.66	4193	3183	945	0.20	0.54
GVRD A1-BOT	1.93	5	3.09	8.48	0.457	20.4	76.9	49.5	31.4	103.6	14.7	1.09	1.65	4100	3941	946	0.21	0.66
GVRD A1-BOT	1.62	6	2.86	10.55	0.470	20.9	88.6	51.3	32.7	107.7	15.8	1.08	1.61	4020	3224	1038	0.23	0.52
GVRD A1-BOT	1.67	7	2.68	9.49	0.401	21.1	85.2	51.1	31.1	106.6	15.4	1.10	1.51	4197	3297	1006	0.23	0.67
GVRD A1-BOT	1.63	8	2.81	9.67	0.417	20.8	94.4	49.9	31.3	110.2	16.1	1.08	1.54	4121	3661	1101	0.23	0.52
GVRD A1-BOT	1.66	9	2.78	8.24	0.449	20.7	69.6	51.5	31.0	105.6	15.1	1.11	1.50	3954	4921	883	0.24	0.38
GVRD A1-BOT		10																
GVRD B1-TOP	1.78	1	2.48	10.25	0.269	17.0	63.2	53.8	29.8	99.9	16.9	1.63	1.61	4063	2302	880	0.20	0.52
GVRD B1-TOP	1.74	2	2.77	12.08	0.245	16.1	55.4	54.2	28.9	109.8	16.3	1.60	1.54	4100	1479	1111	0.26	0.43
GVRD B1-TOP	1.71	3	3.44	7.93	0.238	14.3	48.2	52.9	25.2	105.9	14.8	1.49	1.62	4142	5877	842	0.28	0.40
GVRD B1-TOP	1.66	4	2.68	9.10	0.245	14.6	63.1	48.6	21.8	101.0	14.7	1.46	1.59	4174	1545	965	0.24	0.42
GVRD B1-TOP	1.56	5	3.15	8.46	0.214	13.3	54.3	51.1	18.4	94.8	17.0	1.36	1.64	4237	1898	906	0.24	0.39
GVRD B1-TOP	1.63	6	2.88	11.60	0.230	14.3	63.6	49.7	41.2	108.5	16.4	1.44	1.58	4438	1747	994	0.29	0.43
GVRD B1-TOP	1.64	7	3.34	10.71	0.220	14.1	61.4	50.9	22.7	117.2	16.6	1.44	1.66	4438	1747	994	0.26	0.44
GVRD B1-TOP	1.73	8	2.38	10.92	0.228	14.1	67.4	49.0	24.2	115.0	16.3	1.39	1.40	4005	1564	1126	0.35	0.36
GVRD B1-TOP	1.72	9	2.85	10.93	0.259	14.0	67.4	51.0	22.6	107.4	16.0	1.40	1.50	4113	2095	1093	0.32	0.33
GVRD B1-TOP	1.77	10	2.54	9.46	0.233	14.8	72.1	53.7	23.1	105.6	16.5	1.46	1.47	4066	1526	979	0.29	0.40
GVRD B1-BOT	1.75	1	3.54	10.06	0.270	16.1	76.7	82.4	26.5	102.5	15.9	1.60	1.70	4176	2279	855	0.21	0.44
GVRD B1-BOT	1.73	2	3.37	11.01	0.267	15.5	73.1	52.3	30.4	105.7	15.6	1.57	1.58	4178	2983	946	0.26	0.75
GVRD B1-BOT	1.57	3	3.60	10.01	0.238	13.5	68.7	49.7	21.9	96.8	14.6	1.35	1.55	4022	2735	939	0.28	0.67
GVRD B1-BOT	1.63	4	3.47	10.29	0.254	14.4	69.6	49.9	23.3	102.9	14.3	1.44	1.66	4295	3180	986	0.26	0.52
GVRD B1-BOT	1.58	5	3.71	10.24	0.242	13.9	24.6	49.5	21.5	99.7	14.7	1.42	1.65	4337	2565	965	0.28	0.42
GVRD B1-BOT	1.63	6	2.50	10.74	0.249	13.8	69.9	51.3	24.4	102.5	15.8	1.40	1.61	4380	1814	948	0.26	0.46
GVRD B1-BOT	1.75	7	2.76	12.22	0.258	14.6	74.5	51.1	26.8	114.9	15.4	1.41	1.51	4424	1870	975	0.30	0.46
GVRD B1-BOT	1.59	8	2.90	11.74	0.234	14.1	71.8	49.9	24.1	104.9	16.1	1.39	1.54	4280	1711	984	0.29	0.44
GVRD B1-BOT	1.72	9	3.12	11.65	0.358	14.6	90.5	51.5	25.9	157.2	15.1	1.39	1.50	4443	1796	968	0.31	0.49
GVRD B1-BOT	1.70	10	2.98	10.99	0.263	14.4	69.5	51.4	22.9	114.0	13.4	1.38	1.54	4396	1724	966	0.29	0.50





Table 7: Continued.

Sample Depth (cm)	CL3-PCB-23	CL3-PCB-24	CL3-PCB-25	CL3-PCB-26/29	CL3-PCB-27	CL3-PCB-31	CL3-PCB-32	CL3-PCB-34	CL3-PCB-35	CL3-PCB-36	CL3-PCB-37	CL3-PCB-38	CL3-PCB-39	CL4-PCB-40/41/71	CL4-PCB-42	CL4-PCB-43	CL4-PCB-44/47/65	CL4-PCB-45/51	CL4-PCB-46	CL4-PCB-48	CL4-PCB-49/69
<b>Core 1</b>																					
0-1																					
1-2	<0.0725	NDR 0.163	2.89	5.28	1.94	33.3	10.5	NDR 0.237	2.68	0.584	18.9	NDR 0.308	0.492	26.1	13.6	1.23	55.1	6.29	2.11	6.26	37.2
3-4	<0.0496	0.169	4.63	7.36	2.62	46.3	12.6	0.387	4.23	0.82	31.8	0.384	0.767	47.4	23.8	1.24	81.3	10.4	3.48	5.99	59
6-7	<0.0586	0.14	4.12	6.71	2.06	43.3	10.9	0.396	4.43	0.68	31.9	0.465	0.874	40.3	23	1.33	75.2	8.08	2.95	7.95	50.9
9-10	NDR 0.067	0.217	5.03	8.5	3.44	53.8	18.5	0.536	4.91	0.563	36.3	0.413	0.92	29.2	21.4	1.33	96.4	14.4	4.59	11.4	72.1
12-14	<0.0576	NDR 0.183	3.41	9.43	4.18	58.6	24	0.752	6.47	0.448	45.6	0.527	1.25	65.6	32.5	2.66	123	20.4	4.78	13.6	95.9
14-16	<0.0508	<0.0469	1.07	1.59	0.913	10.1	5.13	0.189	1.52	0.199	8.24	0.467	0.403	13.8	8.09	0.597	24.7	4.65	1.68	2.75	63.4
18-20	<0.0546	<0.0637	NDR 0.188	0.216	0.097	0.921	NDR 0.342	<0.0927	NDR 0.219	NDR 0.065	0.638	0.35	<0.0511	1.1	0.602	<0.0962	1.89	0.39	NDR 0.172	0.235	20.2
25-30	<0.0449	<0.0449	0.135	0.196	NDR 0.105	0.985	0.399	<0.0449	0.166	NDR 0.045	0.534	0.272	<0.0449	0.93	0.476	<0.0449	1.84	0.421	NDR 0.120	0.232	1.29
50-55																					
<b>Core 2</b>																					
0-1	<0.0471	NDR 0.176	3.55	6.76	1.55	38.1	8.61	0.202	1.39	0.212	17.3	NDR 0.092	0.235	25.2	11.6	1.3	44.5	6.44	2.52	7.98	26.4
1-2	NDR 0.065	NDR 0.345	5.68	10.9	3.07	63.1	16.2	0.347	2.12	0.275	33.5	NDR 0.095	NDR 0.433	43.6	17.8	2.26	75.2	11	4.64	12.3	45
3-4	NDR 0.068	0.305	6.29	11.6	2.5	66.1	15.2	0.331	2.34	0.288	29.7	0.148	0.392	42.1	19.6	2.2	79.2	9.88	4.11	12.5	48.6
6-7	NDR 0.095	0.263	7.64	12.9	2.65	73.2	16.6	NDR 0.438	3.66	0.397	39	NDR 0.178	0.412	49	21.5	2.2	79.5	9.92	4.36	13	46.8
9-10	<0.0920	0.505	10.3	18.1	4.31	99.7	25.3	NDR 0.563	3.86	0.464	58.9	0.235	0.633	61.5	23.3	2.88	110	14.1	5.95	16.8	70.7
12-14	0.1	0.595	9.5	17.6	4.38	94.4	25.4	0.603	3.46	0.428	50.4	0.135	0.506	58.1	26.6	2.74	86.3	14.4	6.51	17.1	58.9
14-16 (Duplicate)	0.189	1.24	15.5	29.2	9.22	136	52.7	1.26	4.28	<0.154	70.6	0.312	1.4	129	50.5	7.26	212	35.2	15.7	36	140
18-20	0.139	0.685	17	29.1	7.91	137	62.2	1.67	6.16	0.134	74	0.378	1.42	168	69.8	8.02	234	39.5	18.8	50.2	184
25-30	0.14	<0.0486	0.377	0.492	0.265	2.93	2.16	0.159	0.428	0.087	1.75	0.294	NDR 0.102	3.23	1.25	0.156	4.35	0.979	0.491	0.781	2.89
35-40	<0.0472	<0.0472	<0.0472	0.098	<0.0472	0.41	0.251	<0.0472	0.128	<0.0472	0.204	0.214	0.068	0.378	NDR 0.169	<0.0472	0.766	NDR 0.209	NDR 0.066	NDR 0.117	0.446
<b>Core 3</b>																					
0-1	<0.0477	0.131	2.63	4.83	0.887	25.9	4.01	0.151	1.42	0.413	12	0.117	0.232	14.8	7.4	0.853	28.4	3.24	1.01	4.98	16.5
1-2	<0.0469	0.156	2.34	4.83	0.884	26.5	4.62	0.164	1.25	0.399	10.4	NDR 0.099	0.244	14.1	6.36	0.843	25.5	3.31	1.07	4.62	16.2
3-4	<0.0472	0.192	2.97	5.51	0.988	29.6	4.49	0.148	1.53	0.473	12.7	0.108	0.247	15.7	8.08	0.87	27.6	3.82	1.16	5.46	17.5
3-4 (Duplicate)	<0.0469	0.104	2.92	5.3	0.913	27.5	4.1	0.15	1.64	0.501	11.9	0.119	0.262	15.2	7.71	0.932	26.3	3.51	1.07	5.06	16.9
6-7	<0.0473	0.105	2.67	4.85	0.889	26.8	4.39	0.135	1.46	0.439	11.6	NDR 0.115	0.236	16.1	8.09	0.887	27.2	3.56	1.18	5.51	17.5
9-10	<0.0466	0.139	3.26	5.31	0.935	29.5	4.62	0.179	2.77	0.43	14.5	0.125	0.313	17.7	8.52	1	28.5	3.55	1.13	5.9	18
12-14	0.056	0.158	4.64	7.62	1.35	42.6	6.84	0.271	2.24	0.37	23.4	NDR 0.127	0.405	26.2	13.2	1.36	42	5.26	1.72	8.55	26.2
14-16	NDR 0.089	0.294	5.9	10.9	1.92	61.5	10.9	0.407	2.49	0.534	33.2	NDR 0.105	0.534	34.9	15.4	1.85	54.5	7.77	2.69	10.7	35
18-20	0.215	1.02	13.4	26.2	6.36	138	27.8	0.683	3.92	0.211	66.7	0.251	0.881	69.9	33.2	4.07	100	19	6.42	23.9	62.4
25-30	NDR 0.108	<0.0615	12.9	22.2	4.72	116	22.1	0.76	4.25	NDR 0.161	71.6	NDR 0.282	1.38	81.7	40.9	5.57	121	20.2	6.91	27.3	76.8
40-45	0.168	1.29	17.8	35.4	7.09	230	45.5	1.21	5.09	<0.114	82	0.441	2.93	203	83.3	12.5	318	53	18.8	67.1	189
<b>Core 4</b>																					
1-2	<0.0520	0.075	1.41	2.77	0.45	13.2	2.17	0.116	0.492	0.193	4.52	0.067	NDR 0.143	7.98	3.44	0.598	14.9	2.31	0.61	2.55	8.94
14-16	<0.0494	NDR 0.051	1.58	2.81	0.484	13.6	2.17	0.097	0.536	NDR 0.272	4.7	NDR 0.083	NDR 0.141	7.43	3.86	NDR 0.524	14	2.08	0.593	2.4	8.74
14-16 (Duplicate)	<0.0478	0.19	1.99	4.24	0.948	20.7	4	NDR 0.119	0.64	NDR 0.244	7.53	<0.0478	0.139	9.77	4.09	0.896	16.5	2.99	0.818	3.25	10.3
30-35	<0.0500	0.154	2.34	4.58	0.768	23.5	3.93	0.134	NDR 0.983	0.431	9.66	NDR 0.105	NDR 0.201	13.7	5.71	0.954	25.3	3.56	0.949	4.19	15.2
<b>Core 5</b>																					
0-1	<0.0631	<0.0605	3.01	5.8	1.14	29.9	4.75	NDR 0.193	1.46	0.768	14.8	NDR 0.185	0.312	15	7.76	0.932	26	2.99	1	4.81	16.1
1-2	<0.109	0.136	2.49	4.47	0.7	26	3.69	0.149	1.48	0.76	8.46	<0.116	<0.111	10.5	4.94	0.884	18.7	2.17	NDR 0.770	3.2	11.3
3-4	NDR 0.052	0.283	4.82	9.72	1.98	54.9	8.09	0.285	2.19	1.6	25.4	0.199	0.414	25.2	12.1	1.22	45	4.98	1.6	7.74	28.2
6-7	<0.0651	<0.0509	2.41	4.39	0.81	22.6	3.5	0.123	1.22	0.726	12.2	0.11	0.25	12.6	6.4	0.729	21	2.43	0.793	3.85	13
9-10	<0.0480	<0.0518	2.59	4.85	0.975	26.2	4.21	NDR 0.139	1.33	0.697	14.3	NDR 0.143	NDR 0.274	14.4	7.2	0.86	24.1	2.78	0.983	4.37	15
12-14	<0.0592	<0.0484	3.98	8.16	2.01	42	8.04	0.232	1.71	0.802	19.7	NDR 0.127	0.377	21.1	10.5	1.49	35	5.37	1.9	7	21.3
14-16	<0.0617	0.299	5.43	10.2	1.73	59.4	9.15	NDR 0.299	3.2	1.56	22.9	NDR 0.235	NDR 0.391	26.8	12.3	1.63	46	5.07	1.7	7.43	28.2
18-20	<0.0733	0.261	6.31	7.09	1.49	37.6	6.75	0.162	1.95	0.879	20	NDR 0.235	0.44	20.5	10.1	1.48	34.4	4.26	1.69	6.35	21.2
25-30	0.076	NDR 0.341	6.31	11.5	2.56	59.1	10.6	0.308	2.32	0.711	31.4	NDR 0.147	0.541	32	16.4	2.09	53.8	7.32	2.67	9.8	33.7
45-50	0.094	0.92	10.3	20.1	4.22	125	26.6	0.622	5.17	NDR 0.234	57.6	0.215	1.22	81.3	38.8	4.6	128	17.1	6.21	22.6	80.7

Table 7: Continued.

Sample Depth (cm)	CL3-PCB-23	CL3-PCB-24	CL3-PCB-25	CL3-PCB-26/29	CL3-PCB-27	CL3-PCB-31	CL3-PCB-32	CL3-PCB-34	CL3-PCB-35	CL3-PCB-36	CL3-PCB-37	CL3-PCB-38	CL3-PCB-39	CL4-PCB-40/41/71	CL4-PCB-42	CL4-PCB-43	CL4-PCB-44/47/65	CL4-PCB-45/51	CL4-PCB-46	CL4-PCB-48	CL4-PCB-49/69
<b>Core 6</b>																					
0-1	<0.0563	NDR 0.103	1.9	3.77	0.783	18.8	3.08	0.135	0.826	0.572	8.83	NDR 0.160	0.19	9	4.55	0.529	16	1.75	0.883	3	10.1
1-2	<0.0466	0.072	1.61	3.05	0.628	16	2.55	0.104	0.834	0.55	8.52	NDR 0.119	NDR 0.185	7.43	4.28	0.425	14.5	1.6	0.594	2.56	8.9
3-4	<0.0633	<0.0538	1.98	3.82	0.728	20	3.16	0.086	0.859	0.619	9.52	0.104	0.173	9.81	5.01	0.58	17.2	2.07	0.749	3.19	11.1
6-7	<0.0693	NDR 0.114	2.16	4.33	0.809	22.8	3.55	0.093	1.05	0.74	11.1	NDR 0.160	0.175	11.7	5.81	0.697	20.5	2.53	0.827	3.63	13.1
9-10	<0.0488	NDR 0.186	2.48	4.94	1.03	26.6	4.22	0.15	1.07	0.738	12.5	NDR 0.150	NDR 0.266	13.2	6.5	0.854	22.7	2.72	1.02	4.18	14.1
9-10 (Duplicate)	0.068	NDR 0.148	2.91	5.65	0.895	26.9	4.14	0.191	1.26	0.838	12.5	0.206	0.277	13.4	6.9	0.832	24.1	2.69	0.992	4.46	15.3
12-14	<0.0650	0.143	3.06	5.64	1.04	29.2	4.49	NDR 0.196	1.59	0.968	14.2	NDR 0.106	NDR 0.436	14.5	7.36	<0.0469	24.5	2.81	0.989	4.45	15.9
14-16	<0.0472	0.172	2.76	5.06	0.998	27.2	4.23	NDR 0.154	1.78	0.952	14	0.144	NDR 0.199	14.1	6.96	<0.0472	23.7	2.84	1.03	4.27	15.7
18-20	<0.0567	NDR 0.201	3.31	6.15	1.26	32.7	4.74	NDR 0.175	1.72	0.976	16.6	0.169	NDR 0.275	16.3	8.21	<0.0655	27.6	3.27	1.14	5.18	18
25-30	0.055	NDR 0.202	3.99	8.12	1.15	43	6.7	NDR 0.233	2.61	1.3	21.1	0.243	NDR 0.530	16.6	8.51	<0.0624	28	3.19	1.14	5.21	17.2
40-45	NDR 0.083	0.198	5.03	10.4	1.4	52.6	8.63	NDR 0.291	3.32	0.832	24.2	0.152	NDR 0.477	22.9	11	<0.0517	36.4	4.37	1.58	6.85	23.3

<b>Core 7</b>																					
0-1	<0.249	<0.219	1.48	3.09	NDR 0.595	14.4	2.11	<0.245	0.759	NDR 0.342	8.2	<0.255	<0.248	7.11	3.52	NDR 0.355	11.9	1.43	0.802	2.32	8.45
1-2	<0.0836	NDR 0.080	1.42	2.75	0.512	15	2.3	NDR 0.098	0.65	0.402	5.08	<0.0890	0.212	6.39	2.97	0.419	12	1.39	NDR 0.461	2.08	7.64
3-4	<0.3353	<0.286	1.33	2.86	NDR 0.546	14.9	2.1	<0.346	NDR 0.684	<0.346	8.43	<0.361	<0.350	7.71	3.79	NDR 0.414	12.7	1.46	NDR 0.551	2.59	8.1
3-4 (Duplicate)	<0.414	<0.292	1.12	3.77	NDR 0.633	19.4	2.78	<0.406	NDR 1.07	NDR 0.529	12.1	<0.424	<0.411	9.79	4.73	0.628	16.3	2.08	NDR 0.722	2.94	10.4
6-7	<0.322	<0.271	1.44	2.83	NDR 0.586	16	2.26	<0.316	0.812	<0.315	8.64	<0.329	<0.319	7.36	3.4	NDR 0.317	13.1	1.53	0.42	2.42	8.66
9-10	<0.0462	NDR 0.057	1.02	1.79	0.439	9.48	1.52	0.085	0.887	0.249	5.61	0.177	NDR 0.076	5.53	2.73	0.322	9.41	1.2	0.414	1.63	5.97
12-14	<0.337	<0.218	1.49	2.75	0.541	14.9	2.58	<0.331	NDR 0.610	<0.330	9.57	<0.345	<0.335	9.36	5.34	0.505	15.9	2.28	1.2	3.06	10.1
14-16	<0.0675	<0.0537	1.45	2.61	0.498	15.2	3.23	NDR 0.112	0.867	NDR 0.197	4.98	0.294	0.16	9.23	4.38	0.592	16.3	2.21	NDR 0.790	2.77	10.5
18-20	<0.407	<0.243	2.98	5.81	NDR 1.30	31.2	5.87	<0.399	NDR 1.26	<0.398	15.5	<0.416	<0.404	16.5	8.3	1.01	26.3	4.09	1.52	5.55	16.4
25-30	<0.310	<0.249	<0.272	<0.303	<0.235	1.49	<0.287	<0.345	0.981	<0.348	0.981	<0.316	<0.308	0.933	NDR 0.301	<0.167	14.3	NDR 0.209	<0.182	NDR 0.280	1.07
40-44	<0.0500	<0.0500	0.068	NDR 0.178	<0.0500	0.633	NDR 0.117	<0.0500	0.071	<0.0500	0.071	<0.0500	NDR 0.309	0.421	NDR 0.195	<0.0500	0.811	0.255	NDR 0.057	0.244	0.464

Core Number/Sample Depth (cm)	CL3-PCB-23	CL3-PCB-24	CL3-PCB-25	CL3-PCB-26/29	CL3-PCB-27	CL3-PCB-31	CL3-PCB-32	CL3-PCB-34	CL3-PCB-35	CL3-PCB-36	CL3-PCB-37	CL3-PCB-38	CL3-PCB-39	CL4-PCB-40/41/71	CL4-PCB-42	CL4-PCB-43	CL4-PCB-44/47/65	CL4-PCB-45/51	CL4-PCB-46	CL4-PCB-48	CL4-PCB-49/69
8/1-2	<0.0829	0.263	2.96	5.68	1.5	31.7	7.8	0.152	1.42	0.631	14.9	0.126	0.348	16.1	7.96	0.795	28.7	3.81	NDR 1.28	4.31	17.9
9/1-2	<0.0843	NDR 0.195	3.64	7.53	1.57	40.5	6.96	0.182	2.06	0.969	23.2	NDR 0.174	0.456	20.9	9.54	0.996	33.2	4.21	1.49	5.25	20.7
10/0-1	<0.208	0.28	3.9	7.1	2.38	41.6	11.4	0.307	3.34	0.793	24.8	NDR 0.269	0.735	28.3	15.2	1.35	53.7	6.9	2.4	7.01	36.9
11/0-1	<0.131	NDR 0.227	2.92	5.56	1.55	31.6	8	0.178	1.99	0.629	17.7	NDR 0.271	NDR 0.374	18.7	10.2	1.04	34.9	4.58	1.67	5.34	22.8
12/0-1	<0.0945	0.243	2.46	5.3	1.5	28.5	5.69	0.13	1.23	0.368	16	0.147	0.35	16.3	7.44	0.935	28.3	4.25	1.57	4.37	17.2
13/0-1	<0.0723	NDR 0.141	1.5	3.16	0.92	18.3	3.71	0.086	1.04	0.317	9.77	0.097	0.22	10.4	5.01	0.491	17.6	2.32	0.863	2.6	10.4
14/0-1	<0.0535	NDR 0.213	3.87	7.09	1.68	40.3	8.28	0.196	1.96	0.6	22.7	NDR 0.131	NDR 0.343	21.8	10.5	1.23	37.9	4.78	1.73	6.06	22.5
15/0-1	<0.0505	NDR 0.054	0.853	1.67	0.425	8.85	1.61	<0.0505	0.435	0.25	3.53	<0.0505	NDR 0.070	4.08	2.1	0.3	7.69	1.06	0.363	1.46	4.69
16/0-1	<0.0501	0.193	2.94	5.75	1.11	28.5	5.07	0.145	1.15	0.601	12.4	0.08	NDR 0.154	11.6	5.65	0.807	23.9	2.77	0.961	4.15	14.1
17/0-1	<0.159	NDR 0.267	4.52	8.5	1.84	45.3	8.87	NDR 0.250	NDR 1.84	NDR 0.802	21.2	NDR 0.177	0.381	24.7	11.8	1.55	44.5	5.77	1.92	7.13	25.4
18/0-1	<0.0452	0.095	1.05	2.06	0.404	10.6	1.94	0.071	0.513	0.342	4.45	NDR 0.070	NDR 0.083	5.11	2.94	0.343	9.78	1.08	0.391	1.72	6.05
19/0-1	<0.0643	NDR 0.100	2.13	3.98	0.784	20.3	3.29	0.097	1.02	0.569	8.19	NDR 0.090	0.176	9.1	4.65	0.581	16.8	1.94	0.853	3.07	10.5
20/0-1	<0.0642	0.265	4.83	9.33	2.13	51.2	9.88	0.241	2.56	0.714	26.1	0.145	NDR 0.470	29.5	14	1.57	51.9	6.2	2.19	7.86	29.5
21/0-1	<0.267	NDR 0.462	7.76	13.7	4.4	82.1	24	NDR 0.540	5.01	1.2	40.9	NDR 0.387	<0.267	54.3	28.7	NDR 3.58	118	15.1	5.17	15.8	75.5
22/0-1	<0.130	<0.130	1.94	3.7	1.1	20	5.3	<0.130	1.05	NDR 0.244	10.3	<0.130	<0.130	12	5.94	NDR 0.803	23.2	2.98	1.04	3.4	13.5

Sediment Traps

A1 TOP	<0.0491	0.208	2.02	4.41	0.785	23.7	4.03	NDR 0.135	0.972	0.524	8.01	NDR 0.094	NDR 0.289	12.2	5.63	0.782	22.6	3.23	0.916	4.16	14.1
A1 BOT	<0.0486	NDR 0.207	2.41	5.45	1.13	30.3	5.81	NDR 0.147	1.14	NDR 0.518	10.6	NDR 0.074	0.261	13.7	6.15	0.821	23.3	3.65	1.28	4.57	14.5
B1 TOP	0.089	0.333	2.14	5.46	1.42	28.7	6.65	0.162	0.829	0.539	9.92	NDR 0.063	0.207	11.9	5.06	0.828	19.2	3.76	1.28	4.16	11.9
B1 BOT	<0.0492	NDR 0.134	1.38	3.04	0.652	16.4	3.18	NDR 0.112	0.719	NDR 0.417	6.38	NDR 0.078	0.11	7.3	3.36	0.395	13.1	1.86	0.597	2.22	8.17



Table 7: Continued.

Sample Depth (cm)	CL4-PCB-50/53	CL4-PCB-52	CL4-PCB-54	CL4-PCB-55	CL4-PCB-56	CL4-PCB-57	CL4-PCB-58	CL4-PCB-59/62/75	CL4-PCB-60	CL4-PCB-61/70/74/76	CL4-PCB-63	CL4-PCB-64	CL4-PCB-66	CL4-PCB-67	CL4-PCB-68	CL4-PCB-72	CL4-PCB-73	CL4-PCB-77	CL4-PCB-78	CL4-PCB-79	CL4-PCB-80
<b>Core 1</b>																					
0-1	5.39	61.7	<0.113	NDR 0.475	37.5	0.28	<0.266	4.78	19.7	131	2.99	18.8	92.5	1.73	1.01	0.949	0.129	16.5	<0.262	1.88	<0.235
1-2	5.24	59.9	NDR 0.107	NDR 1.24	28.9	<0.491	<0.487	4.48	14.8	108	2.27	17.9	78.3	1.24	0.571	0.697	<0.0725	12.2	<0.515	1.63	<0.471
3-4	9.24	90.7	0.127	0.906	46.6	0.363	0.418	7.2	24.9	171	4.06	29.9	126	2.4	1.28	1.41	0.296	22.8	<0.113	2.23	<0.102
6-7	6.97	76.1	0.146	0.986	52.8	NDR 0.432	NDR 0.578	6.5	28.5	178	3.77	23.9	133	2.24	1.4	1.34	0.291	22.3	<0.210	2.35	<0.188
9-10	11.9	103	0.197	0.985	52.2	0.357	0.442	8.48	26.4	185	4.15	29.2	143	2.45	1.49	1.66	NDR 0.331	25.3	<0.123	2.68	<0.110
12-14	16.5	132	0.252	1.15	63.9	0.449	0.977	10.7	29.7	224	4.83	34.1	175	2.98	2.21	2.53	0.567	31.8	NDR 0.110	3.49	NDR 0.135
14-16	11	84.5	0.152	NDR 1.56	36.8	0.291	0.616	6.25	16.1	127	2.16	10.1	101	1.6	1.32	1.43	0.483	17.1	<0.138	2.31	0.14
18-20	3.95	27.4	NDR 0.095	0.233	11.5	0.165	NDR 0.244	2.13	5.37	41.7	0.962	6.81	32.2	0.608	0.693	0.678	0.166	6.64	NDR 0.100	0.916	<0.0893
25-30	0.288	2.13	<0.0658	<0.162	0.89	<0.154	<0.160	0.208	0.456	3.23	<0.148	0.626	2.02	<0.136	NDR 0.166	<0.151	<0.0689	0.408	<0.154	<0.133	<0.141
50-55	0.304	1.84	<0.0449	<0.0449	0.733	<0.0449	<0.0449	0.16	0.363	2.36	NDR 0.074	0.567	1.78	NDR 0.061	0.08	<0.0449	<0.0449	NDR 0.352	<0.0449	0.063	<0.0449
<b>Core 2</b>																					
0-1	5.23	56	0.111	NDR 1.00	27.6	0.223	NDR 0.169	4.09	16.6	105	2.18	18.9	62.2	1.82	NDR 0.348	0.422	0.12	7.4	<0.0828	0.897	0.629
1-2	9.7	100	0.144	2.74	42.4	<0.324	0.347	7.65	23.8	169	3.21	32.6	101	2.49	0.537	0.71	<0.0474	14.4	<0.338	3.04	<0.316
3-4	9.36	120	NDR 0.151	1.4	42.9	0.344	0.364	6.64	25	190	3.62	34	104	2.99	0.55	0.713	0.142	13.3	<0.118	2.34	<0.107
6-7	8.34	93.1	0.212	1.78	55.2	<0.447	0.485	7.62	32	208	4.52	35.2	129	3.38	0.678	0.867	0.203	16.1	<0.449	2	<0.408
9-10	13.6	166	0.173	2.11	64.7	0.549	0.67	9.98	37.9	284	5.21	47.6	160	4.42	0.927	1.2	0.289	23.7	<0.198	2.69	1.31
12-14	13	96.8	0.238	1.67	50.7	0.468	0.429	9.36	30.6	193	4.15	39.5	126	3.8	0.864	1.11	NDR 0.296	20.2	<0.158	<0.133	<0.144
14-16 (Duplicate)	33.7	287	0.572	7.04	101	0.758	1.06	20.5	56.7	407	8.28	87.9	249	6.6	1.92	2.46	<0.0476	30.3	<0.523	8.42	<0.489
18-20	32.2	232	0.491	7.14	107	0.886	1.28	21	61.3	402	8.84	83.7	265	7.45	2.15	2.67	<0.0463	34.9	<0.342	6.29	<0.320
25-30	36.2	244	NDR 0.489	3.42	123	0.914	1.56	23	78.1	458	10.9	157	317	9.65	2.97	3.41	0.817	39.8	<0.265	4.9	<0.246
35-40	0.946	3.89	NDR 0.205	0.088	1.67	<0.0486	<0.0486	0.366	1.16	5.95	0.136	1.57	5.13	0.128	NDR 0.085	NDR 0.095	<0.0466	1.05	<0.0486	<0.0486	<0.0486
	NDR 0.147	0.631	<0.0472	<0.0472	0.265	<0.0472	<0.0472	0.067	0.134	0.802	<0.0472	0.223	0.63	<0.0472	NDR 0.083	<0.0472	<0.0472	NDR 0.137	<0.0472	<0.0472	<0.0472
<b>Core 3</b>																					
0-1	2.57	28.6	0.06	0.497	17.3	0.238	NDR 0.092	2.25	9.39	62	1.37	11.6	35.2	1.12	0.525	0.308	<0.0477	4.44	<0.0794	0.506	<0.0708
1-2	2.57	30.1	NDR 0.061	0.743	15.6	<0.198	<0.203	2.26	8.38	59.7	1.29	11.3	34.4	0.94	0.298	0.281	<0.0469	3.95	<0.206	0.822	<0.193
3-4	2.9	30.1	<0.0472	0.561	17.7	0.168	0.094	2.55	10	64.7	1.49	12.8	38	1.13	0.244	0.331	<0.0472	4.73	<0.0884	0.575	<0.0787
3-4 (Duplicate)	2.64	29.5	NDR 0.058	0.477	17.1	0.14	0.08	2.48	9.81	64.5	1.46	12.2	36.7	1.11	0.304	0.291	<0.0469	4.5	<0.0642	0.612	<0.0572
6-7	2.84	30.7	0.057	0.639	18.2	0.18	0.082	2.55	10.6	67.7	1.57	12.9	38.8	1.16	0.269	0.292	<0.0473	4.52	<0.0714	0.654	<0.0636
9-10	3.14	29.4	NDR 0.064	0.575	18.9	0.15	0.132	2.71	10.8	68.8	1.61	13.2	40.9	1.26	0.312	0.392	<0.0466	5.19	<0.0905	0.696	<0.0806
12-14	4.28	43.8	0.086	0.88	23.9	0.265	0.19	4.06	17.2	105	2.44	19.5	62.9	1.85	0.476	0.5	<0.0474	8.46	<0.100	0.963	<0.0892
14-16	6.1	50.6	0.106	1.96	39.6	0.368	NDR 0.292	5.81	21.5	130	3.04	25.2	88	2.46	0.548	0.713	<0.0475	11.5	<0.162	1.43	<0.152
18-20	13.8	86.5	0.31	2.52	69.5	0.727	0.374	11	40.2	220	5.15	47.8	138	4.77	0.742	0.984	<0.0473	17.8	<0.172	1.22	<0.143
25-30	14.8	101	0.312	3.51	91.6	0.749	0.807	13.9	53.6	288	7.36	57.9	189	7.07	1.04	1.45	<0.0505	25.4	<0.350	NDR 2.50	<0.306
40-45	41.4	338	0.59	10.2	187	1.16	1	27.3	106	620	14	142	380	9.01	1.2	2.23	<0.0470	35.9	<0.553	6.18	<0.525
<b>Core 4</b>																					
1-2	NDR 1.44	16.1	<0.0520	<0.153	8.19	<0.158	1.3	3.84	29	29	0.74	6.12	17.9	0.463	NDR 0.201	0.149	<0.0520	1.7	<0.162	0.275	<0.147
14-16	1.46	14	0.079	<0.0800	8.7	<0.0759	<0.0763	1.27	4.78	31.4	0.799	6.12	19.1	0.558	0.182	0.191	<0.0494	1.88	<0.0808	0.271	<0.0745
14-16 (Duplicate)	1.92	17.7	0.112	<0.106	10.4	<0.111	<0.109	1.61	5.28	35	0.915	7.17	22.6	0.648	0.184	0.204	0.27	2.21	<0.111	0.317	<0.101
30-35	2.55	30.9	0.141	<0.128	15.6	<0.135	<0.132	2.23	8.29	58.6	1.37	10.8	35.3	0.967	0.296	0.286	<0.0500	3.6	<0.135	0.597	<0.123
<b>Core 5</b>																					
0-1	2.52	27.9	0.067	<0.135	20.6	0.202	<0.148	2.61	12.6	69.2	1.56	11.7	43.5	1.24	0.288	0.327	<0.0486	6.5	<0.135	NDR 0.578	<0.118
1-2	1.64	18.7	<0.0521	<0.113	15.9	NDR 0.133	<0.108	1.83	9.86	56.7	1.16	8.38	36.7	0.902	0.266	0.288	<0.0521	3.79	<0.116	0.733	<0.108
3-4	4.22	46.9	0.096	1.42	34.1	0.265	<0.195	4.17	19	126	2.67	19.7	76.9	1.95	0.548	0.607	<0.0488	10.5	<0.183	0.761	<0.171
6-7	NDR 1.84	21.5	NDR 0.0744	<0.0744	17.1	0.156	0.136	2.05	10.2	58.5	1.39	9.4	36.9	1.09	0.287	0.301	<0.0509	5.02	<0.0744	NDR 0.556	<0.0651
9-10	2.28	24.4	0.068	<0.0803	20.5	0.136	NDR 0.127	2.3	12.2	67.8	1.66	10.7	42.9	1.26	0.311	0.343	<0.0480	6.16	<0.0802	NDR 0.679	<0.0702
12-14	4.05	34.5	NDR 0.114	<0.167	25.4	0.19	<0.183	3.44	15.8	84.4	2.02	15.5	55.1	1.81	0.355	0.44	<0.0484	7.33	<0.167	0.688	<0.146
14-16	4	45.8	0.072	<0.117	37.1	NDR 0.295	<0.111	4.49	23	133	3.07	20.3	87.3	2.38	NDR 0.365	0.726	<0.0484	10.2	<0.120	1.28	<0.112
18-20	3.24	30.5	0.105	1.17	26.5	0.238	0.245	3.47	16.1	88.2	2.03	15.1	56.9	1.79	0.392	0.517	<0.0480	8.48	<0.172	1.14	<0.159
25-30	6.03	53.3	0.114	1.96	41.6	0.408	0.289	5.42	25.3	139	3.26	23.3	90.1	2.94	0.47	0.745	<0.0478	13.2	<0.172	1.19	<0.149
45-50	13.1	117	NDR 0.290	<0.235	101	NDR 0.710	NDR 0.510	11.5	59.3	335	7.18	52.8	230	5.42	NDR 0.961	1.45	<0.0529	24.6	<0.237	2.99	<0.219

Table 7: Continued.

Sample Depth (cm)	CL4-PCB-50/53	CL4-PCB-52	CL4-PCB-54	CL4-PCB-55	CL4-PCB-56	CL4-PCB-57	CL4-PCB-58	CL4-PCB-59/62/75	CL4-PCB-60	CL4-PCB-61/70/74/76	CL4-PCB-63	CL4-PCB-64	CL4-PCB-66	CL4-PCB-67	CL4-PCB-68	CL4-PCB-72	CL4-PCB-73	CL4-PCB-77	CL4-PCB-78	CL4-PCB-79	CL4-PCB-80
<b>Core 6</b>																					
0-1	1.58	16.7	NDR 0.054	0.573	11.8	<0.135	<0.165	1.57	7.35	41.3	0.959	7.19	24.6	0.739	0.221	0.219	<0.0469	3.66	<0.139	0.385	<0.129
1-2	NDR 1.32	14.7	<0.0466	0.444	11.5	0.107	<0.0955	1.34	7.03	38.4	0.928	6.45	23.7	0.806	0.228	0.249	<0.0466	3.45	<0.0807	0.322	<0.0746
3-4	NDR 1.63	17.8	<0.0473	0.652	12.9	0.168	<0.189	1.75	8.06	44.4	0.964	7.49	27.6	0.787	0.241	0.211	<0.0473	3.85	<0.159	0.465	<0.147
6-7	1.98	21.2	<0.0468	0.858	15	<0.124	<0.152	2.04	9.46	52.7	1.19	8.89	31.8	1.06	0.232	0.291	<0.0468	4.58	<0.128	NDR 0.445	<0.118
9-10	2.54	24.8	<0.0468	0.671	16.8	0.173	<0.204	2.05	10.1	58.3	1.36	10.1	35.2	1.24	0.28	0.291	<0.0468	5.36	<0.173	0.537	<0.160
9-10 (Duplicate)	2.43	26.5	NDR 0.079	0.628	17.5	NDR 0.161	<0.116	2.07	11	60.4	1.48	10.6	36.5	1.24	0.245	0.393	<0.0468	5.59	<0.0977	NDR 0.582	<0.0903
12-14	2.47	24.8	<0.0469	<0.143	18.5	NDR 0.232	<0.141	2.28	11.4	63.1	1.58	11	39.7	1.17	NDR 0.287	0.35	0.48	6.02	<0.134	NDR 0.581	<0.123
14-16	2.37	25.2	0.053	<0.171	17.9	<0.159	<0.168	2.41	11	63.5	1.53	10.4	38.3	1.08	0.252	NDR 0.351	0.469	5.97	<0.160	NDR 0.532	<0.147
18-20	2.54	28.1	NDR 0.048	<0.249	21.1	<0.231	<0.245	2.76	13.3	74.7	1.75	12.3	45.6	1.21	0.309	0.37	NDR 0.558	6.63	<0.233	0.705	<0.214
25-30	2.59	27.8	<0.0532	<0.211	26.7	0.272	<0.208	2.67	16.9	93.2	2.81	12.1	57.7	1.64	NDR 0.489	0.465	0.542	8.08	<0.197	0.776	<0.182
40-45	3.59	36.4	0.061	<0.316	33	0.303	<0.311	3.74	20.2	114	2.81	15.8	70.2	2.22	0.425	0.665	0.777	9.21	<0.295	1.04	<0.272
<b>Core 7</b>																					
0-1	1.12	12.6	<0.123	<0.308	9.33	<0.278	<0.291	1.23	6.01	33.8	0.726	5.17	19.5	0.594	<0.263	<0.264	<0.0991	NDR 2.90	<0.307	NDR 0.441	<0.266
1-2	1.14	13.6	<0.0474	<0.201	9.01	<0.192	<0.192	1.1	5.38	32.7	NDR 0.714	5.26	20	0.421	<0.179	<0.206	<0.0474	2.1	<0.206	0.345	<0.192
3-4	1.25	12.3	<0.158	<0.315	10.7	<0.285	<0.299	NDR 1.13	6.62	37	0.849	5.69	23.5	0.535	<0.270	<0.271	<0.116	3.18	<0.315	<0.259	<0.273
3-4 (Duplicate)	1.71	16	<0.120	<0.402	13.8	<0.363	<0.381	1.6	8.53	44.8	1.12	7.14	26.8	0.893	<0.344	<0.345	<0.0857	4.86	<0.402	0.478	<0.348
6-7	NDR 1.42	15.6	<0.0932	<0.339	9.9	<0.306	<0.321	1.16	5.7	37.3	0.883	5.43	21.8	NDR 0.799	<0.290	<0.291	<0.0736	3.11	<0.338	0.512	<0.293
9-10	1.09	9.25	<0.0462	<0.0831	7.01	<0.0809	<0.0866	0.873	4.29	24.3	0.565	4.16	14.5	0.452	<0.0783	NDR 0.108	<0.0462	2.36	<0.0789	0.255	<0.0738
12-14	1.8	14.9	<0.213	<0.210	11.7	<0.190	<0.199	1.47	7.39	40.1	1.12	6.41	25.6	0.653	0.289	NDR 0.201	<0.147	3.81	<0.210	0.389	<0.182
14-16	1.83	16.3	<0.0501	<0.0838	11	0.099	NDR 0.107	1.49	6.25	38.2	0.865	6.57	23.9	0.719	0.217	0.328	<0.0501	2.42	<0.0860	NDR 0.596	<0.0801
18-20	3.3	25	0.167	<0.413	20.6	<0.371	<0.391	2.88	12.3	66.5	1.39	12	41.3	NDR 1.10	<0.354	<0.354	4.12	5.37	<0.412	NDR 0.610	<0.357
25-30	<0.155	1.73	<0.194	<0.130	0.811	<0.124	<0.130	0.811	0.821	3.53	<0.122	0.56	2.04	<0.112	<0.118	<0.118	<0.124	NDR 0.335	<0.137	<0.113	<0.119
40-44	NDR 0.160	0.767	<0.0500	<0.0500	0.58	<0.0500	<0.0500	0.072	0.307	1.79	<0.0500	NDR 0.290	1.04	NDR 0.055	<0.0500	<0.0500	<0.0500	NDR 0.177	<0.0500	<0.0500	<0.0500
<b>Core</b>																					
Number/Sample Depth (cm)	CL4-PCB-50/53	CL4-PCB-52	CL4-PCB-54	CL4-PCB-55	CL4-PCB-56	CL4-PCB-57	CL4-PCB-58	CL4-PCB-59/62/75	CL4-PCB-60	CL4-PCB-61/70/74/76	CL4-PCB-63	CL4-PCB-64	CL4-PCB-66	CL4-PCB-67	CL4-PCB-68	CL4-PCB-72	CL4-PCB-73	CL4-PCB-77	CL4-PCB-78	CL4-PCB-79	CL4-PCB-80
8/1-2	3.2	35.7	NDR 0.084	0.67	18.8	<0.159	<0.164	2.47	11.5	72.7	1.31	11.6	44.2	1.03	0.272	0.291	<0.0829	6.05	<0.174	0.749	<0.149
9/1-2	3.7	36	0.086	0.912	27.5	0.227	0.266	3.16	17.6	98.5	1.99	14	68.6	0.943	0.474	0.491	<0.0843	9.52	<0.179	0.937	<0.154
10/0-1	5.8	60.6	<0.208	<0.406	33.7	<0.375	0.451	4.71	18.8	124	2.61	17.5	88.9	1.69	0.931	0.862	<0.208	14.9	<0.410	1.82	<0.352
11/0-1	4.05	37.8	<0.131	<0.211	21.8	<0.195	NDR 0.204	3.28	13.5	82	1.9	12.3	57.8	1.24	0.519	0.499	<0.131	9.63	<0.214	0.898	<0.183
12/0-1	4.07	38.8	NDR 0.124	<0.143	19	NDR 0.140	NDR 0.141	2.75	11.9	73	1.44	11.2	50.4	1.15	0.298	0.387	<0.0945	7.18	<0.145	0.78	<0.124
13/0-1	2.13	18.8	<0.0723	0.444	12.1	0.09	<0.0896	1.59	7.72	43.7	1.03	6.82	32.1	0.681	0.199	0.24	<0.0723	4.3	<0.0949	0.427	<0.0815
14/0-1	3.83	39.6	0.084	1.12	27.2	0.201	<0.125	3.49	16.3	96.5	1.99	16.7	62.1	1.49	0.422	0.435	<0.0535	8.9	<0.128	0.719	<0.111
15/0-1	0.838	8.48	<0.0505	0.177	4.4	<0.0878	<0.0900	0.703	2.73	16.5	0.407	3.18	9.31	0.275	<0.0831	<0.0505	1.18	<0.0919	NDR 0.164	<0.0795	
16/0-1	2.26	29	NDR 0.058	<0.126	13.1	<0.121	<0.119	1.93	8.62	53.4	1.2	9.25	29.6	0.789	0.213	0.259	<0.0501	3.81	<0.129	0.309	<0.110
17/0-1	4.87	47.2	<0.130	<0.324	24.2	<0.311	<0.307	3.95	15.4	93.9	1.66	17.8	63.7	1.19	0.424	NDR 0.426	<0.130	8.31	<0.333	NDR 0.630	<0.284
18/0-1	0.918	11	<0.0462	<0.131	5.99	<0.126	<0.124	0.876	3.52	20.3	0.44	3.95	11.4	0.331	<0.135	<0.127	<0.0462	1.72	<0.135	0.178	<0.115
19/0-1	1.61	18	0.051	<0.246	9.79	<0.286	<0.283	1.52	6.14	37.4	0.865	7.13	22.5	0.631	<0.238	<0.238	<0.0473	3.05	<0.253	NDR 0.260	<0.216
20/0-1	5.34	53.1	NDR 0.094	1.65	32	<0.209	<0.207	4.54	21.3	120	2.52	19.4	76.7	1.71	0.503	0.543	<0.0611	9.91	<0.225	0.517	<0.191
21/0-1	13	152	<0.267	<0.867	52.4	<0.832	<0.821	9.65	31.8	195	4.22	37.5	119	2.4	1.77	1.4	<0.267	22.2	<0.892	NDR 1.87	<0.761
22/0-1	2.7	26.5	<0.130	<0.206	13.1	<0.197	<0.195	1.95	8.65	48.4	1.25	8.32	33.6	NDR 0.688	0.257	NDR 0.256	<0.130	4.41	<0.212	NDR 0.417	<0.180
<b>Sediment Traps</b>																					
A1 TOP	2.38	27.3	NDR 0.063	0.618	12.9	<0.305	<0.306	2.06	6.53	47.9	1.11	9.52	28.4	0.797	<0.267	<0.296	<0.0491	3.04	<0.308	0.586	<0.292
A1 BOT	2.64	26.6	0.068	0.591	14.9	<0.161	<0.162	2.09	8.08	50.5	1.13	10.5	31.2	0.817	NDR 0.224	0.262	<0.0486	3.35	<0.163	0.486	<0.154
B1 TOP	2.63	20.8	0.067	0.633	11.8	<0.128	<0.128	1.97	6.87	39.1	0.937	8.85	24.2	0.732	NDR 0.123	NDR 0.154	<0.0489	2.84	<0.129	0.355	<0.122
B1 BOT	1.36	15.2	<0.0492	0.549	8.94	NDR 0.074	<0.0642	1.22	5.08	30.1	0.702	5.88	19.5	0.552	NDR 0.178	0.152	0.066	2.54	<0.0645	0.294	<0.0612

Table 7: Continued.

Sample Depth (cm)	CL4-PCB-81	CL5-PCB-82	CL5-PCB-83/99	CL5-PCB-84	CL5-PCB-85/116/117	CB-86/87/97/108/119/125	CL5-PCB-88/91	CL5-PCB-89	CL5-PCB-90/101/113	CL5-PCB-92	CL5-PCB-94	CL5-PCB-96	CL5-PCB-103	CL5-PCB-104	CL5-PCB-105	CL5-PCB-106	CL5-PCB-107/124
<b>Core 1</b>																	
0-1	NDR 0.480	15.2	93.8	24.8	27.6	78.9	15.1	1.26	113	20.7	0.563	NDR 0.536	1.02	NDR 0.098	63.3	<0.184	4.91
1-2	<0.470	12.1	70	21.6	21.7	63.7	11.9	1.25	93.6	16.4	0.466	0.48	NDR 0.848	<0.0725	52.3	<0.336	3.84
3-4	0.533	18.5	124	30.9	35.4	94	20.3	1.64	143	25.1	0.743	0.842	1.47	<0.0496	76.8	<0.139	5.69
6-7	NDR 0.583	17	115	27	33	89.4	17.3	1.68	131	22.3	0.688	0.591	1.2	<0.0482	72	<0.0647	6.33
9-10	0.584	19.2	131	34	34.4	95	22.7	1.92	148	26.4	0.928	1.1	2.27	<0.0497	74.9	<0.141	5.7
12-14	0.749	20.8	161	42.2	38.5	110	29.8	2.27	175	31.6	1.06	1.22	2.61	NDR 0.055	85.7	<0.173	6.37
14-16	0.458	13.3	99.2	31.5	23.8	72.2	20.6	1.61	120	22.4	0.813	0.84	1.91	<0.0576	54.3	<0.180	4.16
18-20	NDR 0.181	4.11	35.5	9.19	7.34	22.4	7.09	0.515	38	6.77	0.306	0.299	0.852	<0.0469	17	<0.0839	1.24
25-30	<0.152	0.387	2.3	NDR 0.928	0.62	2.48	0.537	<0.0748	3.29	0.972	<0.0776	<0.0461	NDR 0.069	<0.0461	1.35	<0.0831	0.198
50-55	<0.0449	0.295	1.74	0.635	0.492	1.44	NDR 0.398	<0.0722	2.08	0.41	<0.0703	<0.0449	<0.0616	<0.0449	0.884	<0.120	<0.124
<b>Core 2</b>																	
0-1	0.278	14.5	69	30.5	22.6	79.4	14.4	1.69	123	22.2	0.488	0.607	1.01	<0.0471	47.2	<0.160	4.44
1-2	NDR 0.572	29.2	125	64.6	42.3	155	28.8	3.24	230	41.6	NDR 0.951	1.28	1.93	<0.0474	104	<0.507	9.49
3-4	NDR 0.562	33.6	150	80.5	48.9	194	36.3	3.87	317	54.7	1.34	1.33	2.36	NDR 0.056	125	<1.44	9.36
6-7	0.692	30.3	141	61.2	46.5	157	29.1	3.53	225	39.7	0.959	1.1	2.27	<0.0478	97.9	<0.254	8.67
9-10	0.833	48.3	247	111	78.5	274	53.8	6	446	77.3	1.82	2.12	3.62	<0.0491	192	<0.994	13.1
12-14	0.676	30.8	182	75	49.6	164	36.5	5.41	284	50.3	1.33	1.43	3.51	<0.0462	115	<0.573	7.74
14-16	NDR 1.43	77.9	366	188	117	425	89.2	11.5	638	123	3.3	4.05	7.74	NDR 0.086	253	<0.338	23.5
14-16 (Duplicate)	NDR 1.66	66.7	310	152	97.5	346	73.1	10.9	554	103	2.77	3.49	7.55	0.074	213	<0.327	19.3
18-20	1.52	73.1	353	164	112	342	82.3	13.7	546	103	3.33	3.63	8.35	NDR 0.109	209	<0.718	17.5
25-30	NDR 0.087	1.45	6.68	3.87	2.59	6.7	NDR 2.07	0.434	6.95	1.35	NDR 0.101	0.112	0.29	0.068	4.56	<0.0848	17.5
35-40	<0.0472	NDR 0.125	0.73	0.312	0.201	0.567	0.176	<0.0675	0.977	0.174	<0.0657	<0.0472	<0.0576	<0.0472	0.302	<0.108	<0.112
<b>Core 3</b>																	
0-1	0.165	6.15	31.9	10.2	9.99	33.2	5.88	0.566	45.7	8.46	0.251	0.275	0.432	<0.0477	23.2	<0.125	1.9
1-2	NDR 0.312	7.96	37.5	12.9	12.6	45.1	6.92	0.709	62.4	10.9	0.277	NDR 0.286	0.395	<0.0469	32.4	<0.171	2.93
3-4	0.138	6.16	32.4	10.4	10	34.6	5.92	0.61	48.3	8.65	0.24	0.312	0.407	<0.0902	24	<0.0902	2.04
3-4 (Duplicate)	0.146	6.42	34	10.6	10.9	34.9	6.35	0.6	48.4	8.64	0.274	0.307	0.387	<0.0469	24.5	<0.0639	1.9
6-7	0.185	6.92	35.7	11.6	10.9	38.1	6.8	0.662	52.9	9.39	0.29	0.312	0.414	<0.0473	25.9	<0.103	2.14
9-10	0.204	7.13	37.5	12	11.6	38	6.87	0.672	52.8	9.61	0.288	0.351	0.482	<0.0466	26.1	<0.0868	2.23
12-14	0.347	10.7	53.4	17.7	18.9	55.4	10.2	1.13	72.6	13	0.374	0.479	0.682	<0.0474	39.4	<0.127	3.23
14-16	NDR 0.576	11.3	55.4	18.6	18.1	56.3	10.3	1.19	75.9	13.8	<1.04	0.544	<0.0664	<0.0664	43.6	<0.288	3.48
18-20	0.663	16.6	77.7	27.3	24.7	76.9	15.7	2.08	98	17.9	0.642	0.833	1.2	<0.0473	57.2	<0.0721	4.42
25-30	1.27	24.5	195	37.9	38.1	107	24	<0.175	137	25.9	0.997	1.34	1.89	<0.0685	83.9	<0.153	6.63
40-45	NDR 1.59	66.3	279	133	98.7	320	68.2	9.44	404	74.2	2.64	3.98	NDR 3.43	NDR 0.055	191	<0.722	16.6
<b>Core 4</b>																	
1-2	<0.144	2.32	13.4	4.42	4.18	11.8	2.71	<0.174	17	3.48	<0.164	NDR 0.156	0.163	<0.0768	8.23	<0.225	NDR 0.757
14-16	0.068	2.57	1.3	4.55	4.43	13.1	2.82	<0.0823	18.6	3.56	NDR 0.118	NDR 0.176	NDR 0.170	<0.0494	8.66	<0.0898	0.785
14-16 (Duplicate)	0.112	2.84	13.8	4.61	4.63	13.3	2.7	0.279	18.1	3.37	<0.139	NDR 0.154	NDR 0.190	<0.0499	9.71	<0.188	0.802
30-35	0.128	5.37	27.7	9.89	8.77	28.3	5.71	0.604	40.8	7.56	NDR 0.276	0.27	0.367	<0.0519	20	<0.217	2.05
<b>Core 5</b>																	
0-1	NDR 0.279	5.37	49.4	7.88	9.6	26.4	4.56	<0.0940	36.5	6.69	0.194	NDR 0.196	0.283	<0.0532	24.2	<0.0967	1.7
1-2	0.136	4.27	20.5	5.59	6.94	20	3.28	0.316	30.3	5.29	NDR 0.145	0.142	NDR 0.176	<0.0521	15.7	<0.170	1.54
3-4	NDR 0.368	6.74	41.7	11	13.9	38.7	6.74	0.635	55.5	9.52	0.23	NDR 0.284	0.402	<0.0488	37.5	<0.116	2.5
6-7	NDR 0.168	4.35	41.2	6.19	8.08	22.1	3.8	<0.0786	29.5	5.23	NDR 0.126	0.159	0.238	<0.0542	20.5	<0.164	1.54
9-10	0.132	5.05	50	7.67	9.83	26.8	4.48	<0.0904	36.5	6.43	NDR 0.195	NDR 0.233	0.289	<0.0489	26.3	<0.133	1.85
12-14	0.295	6.5	57.5	9.47	11.1	31.8	5.48	<0.0857	42.6	7.6	NDR 0.177	0.297	NDR 0.329	<0.0534	30.8	<0.107	2.11
14-16	0.247	11	54.2	15.2	19.2	53.1	8.28	<0.0874	49.9	13.1	NDR 0.177	0.297	NDR 0.329	<0.0534	30.8	<0.107	2.11
18-20	NDR 0.384	7.06	35.8	9.83	12.4	33.3	5.63	0.566	44.9	7.98	0.339	NDR 0.404	0.524	<0.0464	39.3	<0.299	3.57
25-30	NDR 0.530	11.1	54.3	15.6	18.7	52.1	9.53	0.994	69.3	12.8	0.347	0.408	0.563	NDR 0.067	31.3	<0.122	2.54
45-50	0.886	27	107	39.3	38.9	111	21.1	2.94	144	27.2	0.753	1.19	1.31	<0.0529	87.8	<0.643	5.81

Table 7: Continued.

Sample Depth (cm)	CL4-PCB-81	CL5-PCB-82	CL5-PCB-83/99	CL5-PCB-84	CL5-PCB-85/116/117	CB-86/87/97/108/119/125	CL5-PCB-88/91	CL5-PCB-89/90/101/113	CL5-PCB-92/93/95/98/100/102	CL5-PCB-94	CL5-PCB-96	CL5-PCB-103	CL5-PCB-104	CL5-PCB-105	CL5-PCB-106	CL5-PCB-107/124
<b>Core 6</b>																
0-1	NDR 0.152	2.98	16.3	4.2	5.63	15.6	2.55	21.6	3.8	NDR 0.120	NDR 0.113	0.213	<0.0469	14	<0.127	1.05
1-2	NDR 0.198	3.13	15.5	4.06	5.13	14.5	2.53	20.3	3.34	0.11	0.091	0.184	<0.0466	13.5	<0.114	1.03
3-4	<0.172	3.38	17.3	4.38	5.63	16.1	2.78	22.9	3.73	<0.0923	NDR 0.098	0.169	<0.0512	15.1	<0.153	0.999
6-7	NDR 0.170	3.77	19.9	5.27	6.83	18.8	3.01	25.9	4.53	NDR 0.124	0.187	NDR 0.211	<0.0477	17.8	<0.136	1.24
9-10	NDR 0.218	4.7	26.1	7.43	8.69	25.5	4.39	34.9	5.91	0.141	0.235	NDR 0.250	<0.0488	21.3	<0.111	1.65
9-10 (Duplicate)	NDR 0.174	4.78	26.3	7.16	8.45	25	4.41	35.3	6.05	0.155	NDR 0.189	0.254	<0.0488	21.9	<0.0877	1.7
12-14	NDR 0.240	4.89	25.4	6.68	8.54	24.3	4.27	33.8	6.14	NDR 0.174	0.189	0.276	<0.0469	22.6	<0.106	1.93
14-16	0.233	4.82	24.2	6.57	8.43	24.3	4.18	<0.0503	5.77	NDR 0.168	NDR 0.205	0.337	<0.0472	22.6	<0.148	1.78
18-20	NDR 0.409	5.25	28.9	7.29	9.82	28	4.73	38.4	6.39	0.246	0.188	NDR 0.292	<0.0488	26.7	<0.222	1.76
25-30	0.284	4.87	24.1	6.75	9.04	24.5	4.09	<0.0711	6.09	NDR 0.149	0.216	NDR 0.225	<0.0521	29	<0.166	2.31
40-45	<0.311	6.28	30.8	8.54	11	31.3	5.03	<0.0540	7.71	NDR 0.221	0.249	0.388	<0.0481	32.8	<0.173	NDR 2.54
<b>Core 7</b>																
0-1	<0.334	NDR 2.13	11	3.43	NDR 4.19	10.8	1.9	<0.381	NDR 2.56	<0.352	<0.168	<0.292	<0.197	12.1	<0.233	0.723
1-2	<0.156	2.81	13.9	4.43	4.7	14.2	2.46	0.233	3.74	0.084	0.12	NDR 0.151	<0.0474	9.81	<0.0818	1.01
3-4	<0.333	NDR 2.62	11.9	3.54	NDR 4.56	11.9	1.82	<0.329	16.5	<0.321	<0.130	<0.267	<0.168	12.2	<0.247	0.84
3-4 (Duplicate)	<0.427	3.31	17.1	4.54	5.9	17.4	2.86	<0.263	23.1	<0.257	<0.165	<0.213	<0.202	18.3	<0.480	NDR 1.03
6-7	<0.365	2.82	16.5	4.71	5.48	17.8	2.77	<0.203	25.5	<0.198	<0.167	<0.164	<0.202	16	<0.288	NDR 1.29
9-10	NDR 0.107	1.86	10.1	2.64	3.31	9.48	1.61	<0.0462	12.8	NDR 0.088	0.085	0.155	<0.0462	8.22	<0.0734	0.7
12-14	<0.218	2.66	13	4.78	4.16	12.5	2.64	<0.226	16.1	<0.221	<0.150	<0.183	<0.193	11.4	<0.287	0.84
14-16	0.126	3.19	14.8	5.58	4.93	14.8	3.22	0.298	22.2	0.168	NDR 0.175	0.34	<0.0501	9.61	<0.153	0.849
18-20	<0.429	3.58	17.3	6.42	6.48	17.2	3.64	<0.326	22.8	<0.318	NDR 0.222	NDR 0.287	<0.138	17.7	<0.347	NDR 1.13
25-30	<0.142	<0.256	1.37	<0.251	NDR 0.978	1.9	<0.225	<0.235	1.69	NDR 0.398	NDR 1.23	<0.181	<0.259	NDR 1.24	<0.147	<0.164
40-44	<0.0500	NDR 0.131	0.546	NDR 0.193	0.156	0.617	0.141	<0.0500	0.825	<0.0500	0.165	0.746	<0.0500	0.402	<0.0500	<0.0500
<b>Core</b>																
Number/Sample Depth (cm)	CL4-PCB-81	CL5-PCB-82	CL5-PCB-83/99	CL5-PCB-84	CL5-PCB-85/116/117	CB-86/87/97/108/119/125	CL5-PCB-88/91	CL5-PCB-89/90/101/113	CL5-PCB-92/93/95/98/100/102	CL5-PCB-94	CL5-PCB-96	CL5-PCB-103	CL5-PCB-104	CL5-PCB-105	CL5-PCB-106	CL5-PCB-107/124
8/1-2	0.294	7.63	38.6	13.6	13.2	41.3	7.41	0.726	9.54	NDR 0.218	0.296	0.411	<0.0829	28.6	<0.134	2.3
10/0-1	NDR 0.450	13.5	81.4	21.3	25.8	68.6	13.3	1.15	98.5	NDR 0.584	0.525	0.938	<0.208	33.9	<0.117	2.61
11/0-1	NDR 0.363	7.88	47.1	11.8	15	39.2	7.54	0.828	17.8	NDR 0.344	NDR 0.284	0.457	<0.131	33.5	<0.239	4.41
12/0-1	0.218	7.83	38	13.3	12.9	40	6.83	0.684	10	NDR 0.229	0.295	0.384	<0.0945	30	<0.138	2.42
13/0-1	0.163	4.21	20.8	6.24	7.59	20.1	3.68	0.324	4.71	NDR 0.132	0.152	0.225	<0.0723	17	<0.119	1.25
14/0-1	0.365	9.03	45.5	14.4	15	46	8.27	0.864	10.4	NDR 0.444	0.346	NDR 0.652	<0.0535	36.7	<0.109	2.63
15/0-1	<0.0823	1.51	7.98	2.35	2.59	7.69	1.4	NDR 0.148	11	<0.0854	NDR 0.063	<0.0698	<0.0505	5.68	<0.0586	0.482
16/0-1	<0.123	5.31	24.9	8.45	8.45	26.5	4.57	0.415	6.33	0.137	0.186	0.255	<0.0501	19.6	<0.173	1.52
17/0-1	<0.326	9.82	45.3	13.8	17.4	46.2	8.44	0.715	10.9	0.276	0.272	NDR 0.541	<0.130	35.5	<0.451	NDR 2.30
18/0-1	<0.125	1.77	9.51	2.47	3.07	8.79	1.48	NDR 0.141	2.2	<0.0452	0.07	0.104	<0.0452	7.28	<0.0827	0.53
19/0-1	<0.236	3.43	17.2	4.63	6.02	8.85	2.98	NDR 0.284	4	0.126	NDR 0.101	NDR 0.209	<0.0473	14.1	<0.161	0.998
20/0-1	NDR 0.363	10.9	53.3	16.4	18.9	52.9	9.42	NDR 1.00	12.1	0.309	0.308	0.719	<0.0611	41.2	<0.331	3.09
21/0-1	<0.818	29.1	165	49.6	51.3	149	29	2.61	38.8	0.956	1.04	1.98	<0.267	105	<1.12	7.98
22/0-1	<0.201	5.07	26.4	7.5	8.76	24.4	4.48	0.489	6.14	NDR 0.186	0.19	0.319	<0.130	19.5	<0.243	1.42
<b>Sediment Traps</b>																
A1 TOP	<0.310	4.25	27.1	8.99	7.83	28.2	5.02	0.455	7.71	0.205	0.252	NDR 0.302	<0.0491	17.9	<0.174	1.81
A1 BOT	NDR 0.165	4.78	26.1	9.44	8.42	28.1	4.84	NDR 0.455	7	NDR 0.185	0.282	0.289	<0.0486	18.6	<0.111	1.81
B1 TOP	NDR 0.145	2.5	13.2	5.02	4.27	13.9	2.6	0.309	3.27	<0.194	NDR 0.181	0.172	<0.0489	10.9	<0.109	0.895
B1 BOT	NDR 0.073	2.74	15.7	5.11	4.87	15.5	2.72	0.262	4.06	0.111	NDR 0.132	0.166	<0.0492	11.7	<0.161	1.01

Table 7: Continued.

Sample Depth (cm)	CL5-PCB-109	CL5-PCB-110/115	CL5-PCB-111	CL5-PCB-112	CL5-PCB-114	CL5-PCB-118	CL5-PCB-120	CL5-PCB-121	CL5-PCB-122	CL5-PCB-123	CL5-PCB-126	CL5-PCB-127	CL6-PCB-128/166	CL6-PCB-129/138/160/163	CL6-PCB-130	CL6-PCB-131	CL6-PCB-132	CL6-PCB-133
<b>Core 1</b>																		
0-1	12.7	130	NDR 0.214	<0.0619	2.49	142	0.831	NDR 0.087	1.54	2.43	0.884	<0.180	27.8	175	10.7	1.53	43.3	2.66
1-2	9.13	99.2	0.107	<0.0735	1.95	118	0.538	NDR 0.078	1.36	2.26	0.575	<0.369	20.8	129	7.97	1.11	31.6	1.85
3-4	14.2	152	NDR 0.257	<0.0496	2.59	174	1.02	0.098	1.72	3.04	1.21	<0.136	33.9	216	12.9	1.6	51.8	3.57
6-7	14.8	147	0.263	<0.0482	2.59	165	1.13	0.111	1.85	2.83	1.08	NDR 0.239	31.2	205	11.9	1.43	46.1	3.06
9-10	15.2	154	0.309	<0.0497	2.6	174	1.19	NDR 0.126	1.78	2.94	1.15	0.256	31	194	11.5	1.66	48.3	3.25
12-14	17	185	0.404	<0.0470	2.75	198	1.69	0.172	2.11	3.44	1.44	0.237	32.2	209	12.3	1.65	51.7	3.59
14-16	11.2	118	NDR 0.245	<0.0576	1.71	132	1.12	NDR 0.157	1.64	2.07	0.897	0.249	18.9	116	8.28	1.06	29.3	2.03
18-20	3.63	39.3	0.198	<0.0469	0.604	40.5	0.529	0.074	0.486	0.767	0.547	NDR 0.096	6.38	43.3	2.9	0.401	10.3	0.971
25-30	0.326	3.42	<0.0540	<0.0502	NDR 0.213	3.18	NDR 0.054	<0.0545	<0.0928	NDR 0.102	<0.0920	<0.0644	NDR 0.645	3.99	NDR 0.227	<0.113	1.2	<0.111
50-55	0.204	2.15	<0.0532	<0.0517	<0.1111	2.09	<0.0526	<0.0524	<0.129	<0.114	<0.125	<0.124	0.365	2.15	0.19	<0.0449	0.525	NDR 0.070
<b>Core 2</b>																		
0-1	8.2	142	NDR 0.058	<0.0471	2.25	109	0.36	<0.0471	1.38	1.92	NDR 0.407	0.201	32.4	205	12.3	2.41	63.9	2.75
1-2	17.1	275	NDR 0.079	<0.0700	4.88	250	0.649	<0.0700	3.53	4.88	0.894	1.11	77.6	476	31.7	6.23	159	6.01
3-4	17.3	348	<0.164	<0.180	5.73	313	NDR 0.752	<0.168	NDR 2.63	4.86	<2.06	<1.41	72.2	467	28.1	5.85	155	6.4
6-7	28.7	287	NDR 0.135	<0.0829	4.45	228	0.926	0.086	2.78	3.71	0.895	0.536	66.7	393	25.1	4.67	129	5.58
9-10	26.1	502	NDR 0.141	<0.0581	9.02	468	0.952	NDR 0.164	4.75	7.61	1.55	<0.978	110	685	41.5	8.05	215	8.26
12-14	16.3	298	0.132	<0.0489	4.92	272	0.935	NDR 0.167	2.95	4.91	1.08	<0.964	70.2	442	27.8	4.92	141	6.44
14-16 (Duplicate)	44.5	759	NDR 0.302	<0.160	12	612	2.2	0.278	11.4	17.8	1.78	1.78	168	1070	67.8	14.1	383	15.3
18-20	37.7	645	NDR 0.340	<0.176	9.96	524	2.36	0.274	7.48	8.97	1.98	1.39	148	1020	67.8	12.7	365	15.2
25-30	0.6	64.9	NDR 0.409	<0.118	9.01	473	2.68	NDR 0.277	6.39	8.85	1.83	<0.740	138	884	56.1	10.1	301	12.9
35-40	<0.101	1.01	<0.082	<0.0486	NDR 0.230	11.1	0.116	<0.0486	NDR 0.161	0.265	NDR 0.212	<0.0835	3.63	19.2	1.45	NDR 0.225	6.12	NDR 0.366
			<0.0497	<0.0483	<0.0969	0.691	<0.0491	<0.0489	<0.116	<0.101	<0.112	<0.112	0.197	1.27	NDR 0.126	<0.0472	0.445	<0.0472
<b>Core 3</b>																		
0-1	3.64	53.4	<0.0477	<0.0477	1.16	51.7	0.17	<0.0477	0.606	1.3	0.317	<0.131	10.7	65.8	4.14	0.669	18.9	1.05
1-2	5.42	71.1	<0.0519	<0.0522	1.71	75.1	NDR 0.162	<0.0521	0.98	1.95	0.43	<0.177	16.4	94	6.24	1.25	27.9	1.36
3-4	3.73	54.6	<0.0492	<0.0492	1.27	53.6	NDR 0.193	<0.0492	0.628	1.58	0.373	<0.0946	12.5	87.5	4.92	0.844	24.8	1.3
3-4 (Duplicate)	3.88	56.7	<0.0469	<0.0469	1.27	54.8	NDR 0.170	<0.0469	0.651	1.34	0.271	<0.0670	11.9	74.4	4.69	0.822	20.6	1.07
6-7	4.05	60.5	<0.0555	<0.0555	1.38	57.9	0.196	NDR 0.058	0.687	1.4	0.271	<0.109	12.2	76.1	4.64	NDR 0.848	22.3	1.05
9-10	4.5	63.1	0.058	<0.0466	1.32	58.5	0.282	<0.0466	0.682	1.24	0.345	<0.0910	12.7	76.1	4.86	0.784	22.1	1.1
12-14	6.27	90.3	0.089	<0.0474	2.03	86.7	0.33	<0.0474	1.1	1.71	0.455	<0.133	16.7	101	6.3	1.04	30.1	1.45
14-16	8	91.7	<0.0773	<0.0777	2.01	96.8	<0.758	<0.0777	NDR 1.38	1.97	0.562	<0.299	19.1	117	8.04	1.26	36.4	1.89
18-20	8.62	124	0.097	<0.0473	2.93	123	0.516	<0.0473	1.72	2.45	0.609	0.29	24	144	9.59	1.53	44.9	2.17
25-30	12.8	173	<0.120	<0.118	4.33	174	0.858	<0.123	2.52	4.16	0.856	<0.157	31.5	191	13.3	2.41	62.8	3.35
40-45	30.7	457	NDR 0.126	<0.109	11.3	394	0.818	<0.118	7.35	8.96	1.23	0.805	74.2	450	32	6.53	160	5.95
<b>Core 4</b>																		
1-2	1.53	19.6	<0.124	<0.113	0.449	18.2	<0.121	<0.121	0.304	0.54	<0.256	<0.247	3.78	23.3	1.54	NDR 0.244	6.12	NDR 0.400
14-16	1.78	21.2	<0.0575	<0.0578	0.458	19.2	NDR 0.126	<0.0587	0.34	NDR 0.414	0.111	<0.0932	4.72	27.3	1.99	0.275	7.44	0.474
14-16 (Duplicate)	NDR 1.71	21.3	<0.105	<0.0958	NDR 0.478	21.3	<0.103	<0.103	NDR 0.303	0.651	<0.219	<0.206	4.31	25	1.76	0.251	6.88	0.413
30-35	3.56	46.3	<0.131	<0.119	0.905	45.6	NDR 0.155	<0.128	NDR 0.614	0.981	<0.245	<0.238	9.74	54.2	3.93	0.646	15.8	NDR 0.821
<b>Core 5</b>																		
0-1	3.72	42	<0.0647	<0.0637	NDR 1.09	50.5	NDR 0.235	<0.0684	0.514	1.02	NDR 0.268	<0.0993	8.37	52.9	3.49	0.479	12.6	NDR 0.836
1-2	3.19	33.8	<0.0709	<0.0688	0.687	33.9	0.245	<0.0685	NDR 0.556	0.863	NDR 0.246	<0.176	8.98	60.3	3.91	0.435	15.1	0.89
3-4	6.3	60.2	NDR 0.101	<0.0488	1.6	77	0.35	NDR 0.052	1.05	1.6	0.548	0.126	12	86.7	4.8	NDR 1.75	19.1	1.16
6-7	3.24	34.7	<0.0541	<0.0532	0.942	42.8	NDR 0.206	<0.0554	NDR 0.464	0.999	NDR 0.285	<0.169	7.32	45.6	2.87	0.31	11	0.694
9-10	3.76	41.3	NDR 0.065	<0.0613	1.19	51.7	NDR 0.263	<0.0638	0.8	0.988	0.29	<0.136	9.3	55.6	3.77	0.439	13.7	0.796
12-14	4.66	50.3	<0.0589	<0.0581	NDR 1.40	63.2	NDR 0.290	<0.0605	NDR 0.734	1.23	0.305	<0.110	15.2	79.6	5.05	0.737	18.6	1.07
14-16	7.55	60.8	NDR 0.071	<0.0505	1.52	86.2	0.495	NDR 0.051	1.16	1.79	0.589	<0.311	20.2	117	7.82	0.94	28.1	1.74
18-20	4.61	51.4	0.105	<0.0645	1.47	65.8	0.363	<0.0703	0.871	1.66	0.553	<0.125	11.3	70.9	4.32	0.668	17.9	1.68
25-30	6.82	71.6	NDR 0.142	<0.0495	2.3	96.8	NDR 0.445	<0.0889	1.32	2.16	0.557	<0.115	16.9	102	6.93	0.857	27.1	1.68
45-50	15.9	167	NDR 0.154	<0.0603	4.05	178	0.782	NDR 0.071	2.74	3.37	0.756	<0.668	36	190	13.5	1.78	54.8	3

Table 7: Continued.

Sample Depth (cm)	CL5-PCB-109	CL5-PCB-110/115	CL5-PCB-111	CL5-PCB-112	CL5-PCB-114	CL5-PCB-118	CL5-PCB-120	CL5-PCB-121	CL5-PCB-122	CL5-PCB-123	CL5-PCB-126	CL5-PCB-127	CL6-PCB-129/166	CL6-PCB-129/138/160/163	CL6-PCB-130	CL6-PCB-131	CL6-PCB-132	CL6-PCB-133
<b>Core 6</b>																		
0-1	2.31	23.6	< 0.0469	< 0.0469	0.699	29.9	0.187	< 0.0469	0.396	0.658	NDR 0.172	< 0.131	4.83	30.1	2.06	0.22	7.09	0.413
1-2	2.09	22.8	< 0.0466	< 0.0466	0.629	27.9	0.158	< 0.0466	0.377	0.523	NDR 0.195	< 0.119	4.59	29	1.86	0.24	6.8	0.512
3-4	2.19	24.9	NDR 0.066	< 0.0582	0.65	31	NDR 0.163	< 0.0634	0.377	0.665	NDR 0.188	< 0.159	4.72	31.6	1.98	0.348	7.53	NDR 0.536
6-7	2.6	28.7	< 0.0502	< 0.0477	0.752	35.2	NDR 0.172	< 0.0520	0.435	0.874	0.277	< 0.141	5.73	37.3	2.63	NDR 0.279	8.55	0.525
9-10 (Duplicate)	3.16	36.9	< 0.0488	< 0.0488	1.17	44.1	0.176	< 0.0484	0.686	0.872	NDR 0.277	< 0.115	7.26	44.8	2.91	0.37	11.4	0.686
12-14	3.35	38.1	NDR 0.050	< 0.0488	1.03	46	NDR 0.167	< 0.0488	0.602	1.11	0.37	< 0.0908	7.53	47.1	3.31	NDR 0.443	12	0.771
14-16	3.81	38	< 0.0534	< 0.0533	1.1	47	NDR 0.243	< 0.0555	0.628	0.986	NDR 0.326	< 0.109	7.6	48	3.11	0.372	11.3	0.782
18-20	3.72	37.7	< 0.0472	< 0.0472	1.09	46.9	0.291	< 0.0472	NDR 0.544	0.964	NDR 0.468	< 0.152	7.68	55.7	3.12	0.44	13.5	0.724
25-30	4.47	42.3	< 0.0688	< 0.0687	1.2	53.9	0.336	< 0.0715	0.638	NDR 1.22	NDR 0.397	< 0.229	8.81	54.7	3.65	NDR 0.427	12.6	0.857
40-45	5.09	37.2	< 0.0486	< 0.0485	1.19	59.8	0.23	< 0.0505	0.814	NDR 1.17	0.449	< 0.171	9.59	59.9	4.08	0.454	14.9	0.956
	5.77	46.3	< 0.0481	< 0.0481	1.43	68.2	NDR 0.272	< 0.0481	NDR 0.787	NDR 1.17	NDR 0.529	< 0.179	11.2	70.4	4.74	NDR 0.667	18.1	1.11
<b>Core 7</b>																		
0-1	1.76	19.2	< 0.263	< 0.252	NDR 0.697	25.3	< 0.249	< 0.259	0.4	0.578	< 0.338	< 0.253	3.88	25.8	1.53	< 0.217	6.14	0.426
1-2	1.75	22.5	< 0.0549	< 0.0534	0.483	20.8	NDR 0.131	< 0.0532	0.349	NDR 0.612	NDR 0.116	< 0.0851	5.05	28.3	2.22	0.28	7.19	0.431
3-4	1.73	19.5	< 0.240	< 0.230	NDR 0.910	26.6	< 0.227	< 0.236	NDR 0.427	0.81	< 0.371	< 0.268	3.89	26.8	1.55	< 0.196	5.91	NDR 0.427
6-7	2.42	27.2	< 0.191	< 0.184	0.721	38.4	NDR 0.206	< 0.188	< 0.555	NDR 0.621	< 0.675	< 0.522	5.74	35.1	2.15	< 0.211	8.62	0.546
9-10	1.36	13.8	< 0.0462	< 0.0462	0.469	17.4	NDR 0.076	< 0.0462	NDR 0.235	0.319	NDR 0.116	< 0.0732	2.99	38.6	2.91	NDR 0.428	9.82	0.756
12-14	NDR 1.75	19.2	< 0.165	< 0.158	NDR 0.539	24.2	NDR 0.181	< 0.162	< 0.332	NDR 0.542	< 0.402	< 0.312	3.2	20.6	1.43	< 0.197	5.12	0.331
14-16	1.86	24.1	< 0.0501	< 0.0501	0.413	20.6	0.209	< 0.0501	0.332	0.502	NDR 0.193	< 0.159	4.42	26.3	2.05	NDR 0.262	7.48	NDR 0.476
18-20	2.26	28.7	< 0.237	< 0.228	0.801	35.7	< 0.224	< 0.234	NDR 0.407	0.758	< 0.506	< 0.377	4.43	28.3	1.77	< 0.207	7.57	0.519
25-30	0.255	1.94	< 0.171	< 0.165	< 0.177	2.87	< 0.162	< 0.169	< 0.170	< 0.186	< 0.198	< 0.160	NDR 0.428	2.58	1.93	< 0.110	0.868	< 0.109
40-44	0.093	0.689	< 0.0500	< 0.0500	NDR 0.063	0.696	< 0.0500	< 0.0500	< 0.0500	< 0.0500	< 0.0500	< 0.0500	0.078	NDR 0.526	< 0.0500	< 0.0500	0.198	< 0.0500
<b>Core 8</b>																		
8/1-2	4.76	67.3	< 0.0829	< 0.0829	1.35	64	0.258	< 0.0829	NDR 0.770	1.11	0.382	< 0.140	14.1	78.9	4.92	0.826	21.1	0.959
9/1-2	5.83	60.5	< 0.0843	< 0.0843	1.52	71.4	0.381	< 0.0843	0.908	1.41	0.457	< 0.122	14.9	84.7	5.1	0.579	19.5	1.24
10/0-1	9.92	114	< 0.208	< 0.208	2.14	123	0.656	< 0.208	1.45	2.45	0.626	< 0.339	32.3	170	10.1	NDR 1.37	40.2	2.31
11/0-1	5.54	61.6	< 0.131	< 0.131	1.28	71.7	0.412	< 0.131	NDR 0.905	1.56	0.588	< 0.249	14.8	83.6	4.98	0.588	18.2	1.32
12/0-1	4.95	62.5	< 0.0945	< 0.0945	1.24	66.5	0.227	< 0.0945	0.751	1.25	0.352	< 0.145	14	81.3	5.03	0.755	22.2	1.14
13/0-1	2.67	33.2	< 0.0723	< 0.0723	0.701	36.1	0.168	< 0.0723	0.426	0.834	0.21	< 0.124	7.67	43.1	2.54	0.355	10.4	0.643
14/0-1	5.61	80.1	< 0.239	< 0.222	1.63	78.8	0.299	< 0.239	0.967	1.58	0.518	< 0.115	16.7	97.4	5.95	NDR 0.901	25.9	1.34
15/0-1	0.978	13	< 0.0582	< 0.0582	0.257	12.3	< 0.0545	< 0.0583	NDR 0.104	0.27	0.102	< 0.0820	2.97	16.3	1.04	0.154	4.23	NDR 0.234
16/0-1	3.15	43.3	< 0.0501	< 0.0501	0.763	41.1	0.181	< 0.0501	0.432	0.706	< 0.192	< 0.191	8.49	50.3	3.03	0.459	12.3	0.663
17/0-1	5.81	72.2	< 0.130	< 0.130	1.4	71.7	NDR 0.354	< 0.130	0.979	NDR 1.20	< 0.486	< 0.496	15.6	99.6	5.34	0.632	22.1	1.25
18/0-1	1.29	14	< 0.0452	< 0.0452	0.344	14.8	0.086	< 0.0452	0.192	0.288	NDR 0.107	< 0.0910	2.94	18.4	1.1	NDR 0.157	4.07	0.264
19/0-1	2.4	27.1	NDR 0.068	< 0.0473	0.491	29.2	0.123	NDR 0.126	0.304	0.644	< 0.168	< 0.177	6.47	37.1	2.27	0.284	7.83	0.563
20/0-1	6.92	83.1	NDR 0.130	< 0.0611	1.54	87.3	NDR 0.399	< 0.0613	1.09	1.86	NDR 0.438	< 0.364	17.9	112	6.58	0.934	27.9	1.55
21/0-1	19	245	< 0.267	< 0.267	3.84	233	0.865	< 0.267	3.02	3.92	1.16	< 1.23	55.1	340	19.1	2.57	83	4.89
22/0-1	3.35	39.1	< 0.130	< 0.130	0.906	41.4	0.213	< 0.130	NDR 0.494	0.782	< 0.271	< 0.267	8.83	55.6	3.24	0.366	12.4	0.767
<b>Sediment Traps</b>																		
A1 TOP	3.39	41.8	< 0.0495	< 0.0491	0.923	42.3	NDR 0.187	< 0.0507	NDR 0.450	1.03	0.278	< 0.180	8.47	61.6	3.88	0.636	16.4	0.983
A1 BOT	3.76	42.4	< 0.114	< 0.108	1.01	42.1	NDR 0.199	< 0.116	0.589	0.958	NDR 0.265	< 0.115	9.1	59.8	3.94	NDR 0.662	17.3	0.908
B1 TOP	2.04	19.9	< 0.137	< 0.130	0.5	134	< 0.131	< 0.140	NDR 0.297	0.526	NDR 0.287	< 0.112	4.36	28.5	1.85	0.324	7.67	NDR 0.415
B1 BOT	2.12	23	< 0.0525	< 0.0501	0.547	25.8	0.132	< 0.0538	NDR 0.350	0.475	NDR 0.171	< 0.165	5.22	33.6	2.23	0.299	8.6	NDR 0.441

Table 7: Continued.

Sample Depth (cm)	CL6-PCB-134/143	CL6-PCB-135/151/154	CL6-PCB-136	CL6-PCB-137	CL6-PCB-139/140	CL6-PCB-141	CL6-PCB-142	CL6-PCB-144	CL6-PCB-145	CL6-PCB-146	CL6-PCB-147/149	CL6-PCB-148	CL6-PCB-150	CL6-PCB-152	CL6-PCB-153/168	CL6-PCB-155	CL6-PCB-156/157	CL6-PCB-158
<b>Core 1</b>																		
0-1	6.23	41.3	13.3	5.61	1.49	13.1	<0.162	3.67	<0.0468	25.8	104	0.35	NDR 0.246	NDR 0.091	157	NDR 0.083	13.7	8.39
1-2	5.3	30.4	10.2	4.08	1.58	10.5	<0.189	1.46	<0.0725	19.4	80.4	NDR 0.239	0.137	NDR 0.089	111	<0.0725	11.4	7.24
3-4	7.32	54.1	17.4	6.21	2.63	13	<0.202	4.93	<0.0496	33.4	138	0.514	0.324	0.145	200	<0.0478	14.9	8.53
6-7	6.65	45.7	14.3	5.97	2.32	12.7	<0.193	4.43	NDR 0.064	30	122	NDR 0.355	NDR 0.289	0.106	178	NDR 0.053	14.8	9.04
9-10	7.45	52.9	16.6	5.56	2.84	12.7	<0.162	5.03	<0.0497	32.3	131	0.504	0.364	0.253	189	NDR 0.053	15	8.98
12-14	8.35	60.2	19.9	5.74	3.12	13.6	<0.109	5.36	NDR 0.078	35.7	148	0.566	0.565	NDR 0.152	201	NDR 0.047	16.6	10.3
14-16	11.7	36.1	11.7	3.58	1.89	9.45	<0.189	2.25	<0.0576	22	84.5	NDR 0.406	0.365	NDR 0.109	113	0.059	10.6	7.05
18-20	1.73	15.1	4.43	1.27	0.742	2.92	<0.130	NDR 1.34	<0.0469	8.91	34.8	0.355	0.231	<0.0469	46.2	NDR 0.056	3.62	2.53
25-30	0.201	1.17	0.455	NDR 0.253	<0.103	0.586	<0.119	NDR 0.159	<0.0461	0.742	2.82	<0.0461	<0.0461	<0.0461	3.06	NDR 0.057	0.374	NDR 0.444
50-55	0.1	0.697	0.22	<0.0449	<0.0449	NDR 0.214	<0.0449	0.087	<0.0449	0.406	1.54	<0.0449	<0.0449	<0.0449	2.07	<0.0449	0.219	0.095
<b>Core 2</b>																		
0-1	9.61	64	20.2	7.12	3.37	29.7	<0.209	9.14	0.067	27.1	151	NDR 0.263	0.285	NDR 0.122	159	<0.0471	22.7	19
1-2	23.3	133	49.2	17.8	7.41	72	<0.566	20	0.168	66.7	327	0.499	0.502	0.251	362	NDR 0.056	63.9	48.2
3-4	23.6	148	39.4	16.8	6.82	80.3	<0.532	21.4	NDR 0.097	63.9	361	0.516	0.237	<0.0478	361	<0.0478	51.6	46.6
6-7	19.3	126	41.5	11.8	6.56	51.6	<0.205	18.3	0.16	51.9	302	0.54	0.593	0.253	301	<0.0478	44.4	36.9
9-10	32.7	204	57.6	22.9	10.4	106	<0.545	29.7	0.144	89.4	512	0.718	0.312	<0.0491	526	<0.0491	78.8	66.9
12-14	20.8	146	40.4	10.6	6.66	59.8	<0.307	20.8	0.106	62.5	354	0.642	NDR 0.187	<0.0462	351	NDR 0.048	47.5	42.2
14-16 (Duplicate)	55.9	349	126	36.8	18.9	160	<0.734	53.5	0.383	157	849	1.46	1.85	0.658	856	NDR 0.075	124	108
18-20	29.5	317	111	23.7	14.2	135	<0.753	44.9	0.294	156	863	1.52	1.76	0.545	850	0.092	109	100
25-30	0.999	5.81	2.04	0.562	0.466	1.4	<0.0703	0.612	<0.0486	2.31	14.6	0.156	1.88	<0.0486	710	NDR 0.090	96	85
35-40	NDR 0.067	0.53	0.159	NDR 0.097	<0.0472	NDR 0.149	<0.0472	NDR 0.048	<0.0472	0.243	1.07	<0.0472	<0.0472	<0.0472	NDR 1.21	<0.0486	1.8	1.61
<b>Core 3</b>																		
0-1	2.69	16.7	5.88	3.03	1.06	8.59	<0.0894	2.35	<0.0477	9.31	43.3	NDR 0.139	0.091	NDR 0.050	55.3	0.099	7.93	5.51
1-2	4.17	22	7.6	4.54	1.62	12.8	<0.201	3.32	<0.0469	13	57.7	0.141	NDR 0.102	NDR 0.060	75.3	0.099	12.9	9.23
3-4	3.36	26.2	8.88	3.27	1.18	14.4	<0.0920	12.1	<0.0472	12.1	62.6	0.169	0.147	0.048	76.9	0.106	9.46	7.15
3-4 (Duplicate)	2.86	19.9	6.56	3.01	1.15	9.84	<0.0856	2.68	<0.0469	10.1	48.8	0.148	0.114	0.06	61.5	0.129	8.51	5.99
6-7	2.91	19.9	6.95	3.67	1.25	10.2	<0.0860	2.87	<0.0473	10.2	47.8	NDR 0.127	NDR 0.090	NDR 0.051	62.6	0.086	8.93	6.41
9-10	3.15	19.3	6.57	2.92	1.26	9	<0.0616	2.69	<0.0466	10.3	49.5	NDR 0.145	NDR 0.109	0.055	61.6	0.048	8.7	6.18
12-14	4.13	25.3	8.9	3.56	1.55	9.81	<0.144	3.53	<0.0474	13.5	65.1	0.15	NDR 0.123	0.055	80	<0.0474	11	7.82
14-16	5.45	33	10.5	2.87	1.88	10.7	<0.153	4.27	<0.0475	17.9	83.7	NDR 0.229	0.144	NDR 0.091	97.2	<0.0475	11.4	8.87
18-20	6.28	37.5	12.7	4.62	2.16	13.6	<0.148	5.01	NDR 0.073	19.7	94.8	0.246	NDR 0.184	0.088	114	<0.0473	15	10.6
25-30	9.88	60.1	20	6.39	3.57	18.6	<0.162	7.84	0.068	29.9	134	NDR 0.479	0.356	0.149	159	<0.0505	21	14.6
40-45	25	126	50.7	20	8.36	54.6	<0.541	17.6	0.26	59.4	311	0.528	0.429	0.441	339	<0.0470	50.6	40.8
<b>Core 4</b>																		
1-2	0.95	5.95	1.99	0.985	NDR 0.395	3.06	<0.126	NDR 0.944	<0.0520	3.94	15.6	NDR 0.068	<0.0520	<0.0520	20.9	<0.0520	2.26	1.86
14-16	1.2	7.48	2.32	1	0.393	3.19	<0.0995	0.965	<0.0494	4.86	20.3	NDR 0.060	<0.0494	<0.0494	23.9	<0.0494	2.74	2.26
14-16 (Duplicate)	1.14	6.86	2.21	NDR 1.03	NDR 0.432	2.96	<0.0639	0.926	<0.0478	4.07	17.6	0.076	NDR 0.073	<0.0478	22.7	<0.0478	2.66	2.23
30-35	2.47	13.9	4.67	2.37	0.93	6.49	<0.124	1.86	<0.0500	8.39	36.6	<0.0500	0.089	NDR 0.052	43.5	<0.0500	5.57	4.73
<b>Core 5</b>																		
0-1	1.92	12.2	3.6	2.01	0.726	4.93	<0.133	1.44	<0.0466	8.39	28.9	0.25	NDR 0.055	<0.0486	44.4	NDR 0.051	5.93	3.43
1-2	2.37	14.8	4.25	<0.121	0.607	8.21	<0.119	2.24	<0.0521	9.94	38.5	<0.0521	<0.0521	<0.0521	54.6	<0.0521	5.73	4.36
3-4	2.55	19	5.86	2.73	1.36	6.88	<0.651	2.07	<0.0488	13	48.2	0.308	0.098	<0.0488	72.3	<0.0488	8.73	5.05
6-7	1.64	10.4	3.14	1.46	0.585	3.94	<0.116	1.36	<0.0509	7	25.4	0.145	<0.0509	<0.0509	38.2	<0.0509	5.04	2.94
9-10	2.01	13.2	3.84	1.94	0.736	4.97	<0.173	1.58	<0.0480	8.66	32.3	NDR 0.185	NDR 0.065	<0.0480	47.5	NDR 0.059	6.01	3.64
12-14	2.51	16	4.87	3.95	1.2	7.81	<0.176	2.07	<0.0484	10.4	38	NDR 0.237	NDR 0.066	<0.0484	58.8	<0.0484	13.4	6.82
14-16	4.27	28.4	8.02	3.75	1.44	10.6	<0.196	3.46	<0.0464	19	65.3	NDR 0.260	NDR 0.119	NDR 0.071	99.2	<0.0464	11.4	7.81
18-20	2.69	16.3	5.07	2.18	0.893	5.82	<0.203	2.01	<0.0480	10.7	39.5	NDR 0.189	0.09	0.064	57.7	NDR 0.059	7.19	4.64
25-30	3.86	24.7	8.2	3.05	NDR 1.47	9.49	<0.151	3.32	<0.0577	15.6	58.8	0.211	NDR 0.116	NDR 0.073	83.6	<0.0483	10.9	7.21
45-50	8.45	51.4	16.3	6.37	2.5	18.7	<0.263	5.87	NDR 0.078	32.2	125	0.326	0.182	NDR 0.135	157	<0.0529	19.3	14.3

Table 7: Continued.

Sample Depth (cm)	CL6-PCB-134/143	CL6-PCB-135/151/154	CL6-PCB-136	CL6-PCB-137	CL6-PCB-139/140	CL6-PCB-141	CL6-PCB-142	CL6-PCB-144	CL6-PCB-145	CL6-PCB-146	CL6-PCB-147/149	CL6-PCB-148	CL6-PCB-150	CL6-PCB-152	CL6-PCB-153/168	CL6-PCB-155	CL6-PCB-156/157	CL6-PCB-158
<b>Core 6</b>																		
0-1	0.986	6.65	2.02	1.13	0.401	3.01	<0.144	0.893	<0.0469	4.7	16	0.193	0.076	<0.0469	24.8	<0.0469	3.4	2.26
1-2	0.954	6.87	1.97	1.15	0.329	2.92	<0.118	0.863	<0.0466	4.32	15.6	0.158	<0.0466	<0.0466	24.3	<0.0466	3.4	2.17
3-4	NDR 0.955	6.94	2.08	1.17	0.329	2.77	<0.0893	0.838	<0.0473	4.64	16.9	<0.0514	<0.0473	<0.0473	25.5	<0.0473	3.5	2.3
6-7	1.14	8.42	2.55	1.61	0.476	3.28	<0.110	0.901	<0.0468	5.65	20	0.258	0.052	<0.0468	31	<0.0468	4.32	2.88
9-10 (Duplicate)	1.64	10.4	3.44	1.99	0.628	4.46	<0.102	1.36	<0.0468	6.8	25.2	0.204	0.059	<0.0468	36.3	<0.0468	5.3	3.8
9-10	1.72	10.7	3.45	1.95	0.628	4.14	<0.104	1.46	<0.0488	7.39	26.1	0.219	0.074	<0.0488	38.8	<0.0488	5.5	3.8
12-14	1.77	11.1	3.37	1.84	NDR 0.337	4.38	<0.0949	NDR 1.44	<0.0469	7.2	26.2	NDR 0.309	<0.0469	<0.0469	38.6	<0.0469	5.19	4.37
14-16	1.82	14.5	4.26	1.76	0.694	7.24	<0.140	1.92	<0.0472	8.1	31.9	NDR 0.188	NDR 0.049	<0.0472	48.7	<0.0472	6.18	3.33
18-20	1.87	12	3.43	1.78	0.73	4.54	<0.123	NDR 1.63	<0.0502	7.99	28.3	NDR 0.169	0.081	<0.0479	44.4	<0.0479	5.75	3.76
25-30	2.12	12.9	3.75	2.03	0.78	5.97	<0.106	1.68	<0.0481	8.6	32	0.082	NDR 0.079	0.058	49.2	<0.0481	6.72	4.57
40-45	2.82	17.1	5.04	2.52	1.05	7.67	<0.144	NDR 2.18	<0.0481	11	42	0.127	NDR 0.073	<0.0481	60.5	<0.0481	7.17	5.77
<b>Core 7</b>																		
0-1	0.985	5.6	NDR 1.64	NDR 0.994	<0.196	2.72	<0.228	0.751	<0.157	3.87	14.1	<0.202	<0.150	<0.143	21.6	<0.137	2.91	1.79
1-2	1.07	6.73	2.02	1.07	NDR 0.426	3.03	<0.109	1.07	<0.0474	4.61	16.3	NDR 0.255	<0.0474	<0.0474	23.7	<0.0474	3.28	2.19
3-4	NDR 0.956	6.31	NDR 1.66	0.928	NDR 0.431	2.66	<0.206	0.557	<0.126	3.76	15.2	<0.162	<0.120	<0.115	23.9	<0.112	NDR 2.79	2.02
3-4 (Duplicate)	1.09	7.06	2.22	1.26	0.453	3.07	<0.221	NDR 1.05	<0.133	5.13	20.4	<0.171	<0.127	<0.121	30.4	<0.122	4.29	2.82
6-7	1.34	8.33	2.78	1.84	NDR 0.559	NDR 4.48	<0.169	NDR 1.22	<0.111	5.42	22.6	<0.143	<0.106	<0.102	30.3	<0.0919	5.88	3.45
9-10	0.753	4.28	1.37	0.87	0.147	1.81	<0.0462	0.504	<0.0462	3.08	11.3	NDR 0.079	<0.0462	<0.0462	15.9	<0.0462	1.92	1.34
12-14	NDR 0.963	6.59	1.78	0.792	NDR 0.668	NDR 1.56	<0.207	0.726	<0.0970	3.58	14.7	<0.125	NDR 0.103	<0.0887	18.5	<0.0914	2.22	1.35
14-16	1.18	8.02	2.66	0.846	0.492	2.52	<0.138	1.09	<0.0501	5.49	18.6	0.185	NDR 0.104	<0.0501	24.1	<0.0501	2.69	2.12
18-20	NDR 1.32	7.59	NDR 2.28	1.14	0.444	NDR 4.62	<0.217	NDR 0.924	<0.129	8.1	17.4	<0.166	NDR 0.168	<0.118	24.4	<0.122	2.87	2.26
25-30	NDR 0.230	NDR 0.780	NDR 0.254	<0.112	<0.0990	NDR 0.124	<0.115	<0.116	<0.0932	NDR 0.443	NDR 1.82	<0.120	<0.0891	<0.0852	NDR 2.27	<0.0978	NDR 0.339	NDR 0.293
40-44	<0.0500	NDR 0.273	NDR 0.139	<0.0500	<0.0500	NDR 0.145	<0.0500	0.058	<0.0500	0.159	0.677	<0.0500	<0.0500	<0.0500	0.646	<0.0500	0.091	<0.0500
<b>Core</b>																		
Number/Sample Depth (cm)	CL6-PCB-134/143	CL6-PCB-135/151/154	CL6-PCB-136	CL6-PCB-137	CL6-PCB-139/140	CL6-PCB-141	CL6-PCB-142	CL6-PCB-144	CL6-PCB-145	CL6-PCB-146	CL6-PCB-147/149	CL6-PCB-148	CL6-PCB-150	CL6-PCB-152	CL6-PCB-153/168	CL6-PCB-155	CL6-PCB-156/157	CL6-PCB-158
8/1-2	3.33	17.4	6.44	3.04	1.04	7.97	<0.221	2.11	<0.0829	9.97	45.9	NDR 0.147	0.121	<0.0829	59.3	<0.0829	8.19	5.41
9/1-2	2.95	18	5.99	2.28	1.14	6.3	<0.214	1.77	<0.0843	11.4	47	NDR 0.151	<0.0843	<0.0843	68.3	<0.0843	7.86	4.55
10/0-1	6.26	35.1	12	5.98	2.16	13.7	<0.419	3.98	<0.208	22.4	91.8	0.265	NDR 0.271	<0.208	131	<0.208	19.2	10
11/0-1	3.02	18.9	6.17	2.85	0.985	6.08	<0.219	1.95	<0.131	11.9	49.1	NDR 0.226	<0.131	<0.131	71.8	<0.131	7.22	4.02
12/0-1	NDR 3.25	18	6.02	3.04	1.05	7.25	<0.151	2.1	<0.0945	10.5	48.1	0.137	<0.0945	<0.0945	62.9	<0.0945	7.91	5.02
13/0-1	1.39	9.08	2.99	1.25	0.491	3.6	<0.126	1.02	<0.0723	5.6	23.8	NDR 0.108	<0.0723	<0.0723	34.2	<0.0723	3.8	2.99
14/0-1	3.76	21.4	7.5	2.8	1.34	8.58	<0.205	2.35	<0.0535	13.1	58.3	NDR 0.181	NDR 0.120	NDR 0.059	75.7	<0.0535	10.5	5.99
15/0-1	0.571	3.56	1.11	0.62	NDR 0.219	1.76	<0.0878	0.468	<0.0505	2.36	9.2	0.083	<0.0505	<0.0505	13.2	<0.0505	1.9	1.24
16/0-1	1.99	10.3	3.4	2.08	0.665	5.24	<0.160	1.34	<0.0501	7.01	26	0.225	0.072	<0.0501	37.2	<0.0501	5.53	3.76
17/0-1	3.35	19.8	6.33	2.83	1.07	8.39	<0.328	2.24	<0.130	13.8	52.1	NDR 0.283	<0.130	<0.130	74.4	<0.130	8.48	5.94
18/0-1	0.607	3.9	1.1	0.711	0.274	1.82	<0.0783	0.524	<0.0452	2.7	9.44	0.148	<0.0452	<0.0452	14.7	<0.0452	1.75	1.27
19/0-1	1.22	7.45	2.2	NDR 1.21	0.501	3.08	<0.101	0.942	<0.0473	5.23	18.6	NDR 0.219	<0.0473	<0.0473	28.9	<0.0473	3.52	2.45
20/0-1	4.12	26.7	7.84	3.23	1.51	10	<0.137	2.91	<0.0611	15.4	65.4	NDR 0.209	NDR 0.175	<0.0611	90.2	<0.0611	10.1	6.99
21/0-1	13.5	82.7	25.7	8.89	4.23	27.5	<0.511	8.28	<0.267	49.2	203	NDR 0.854	NDR 0.449	<0.267	287	<0.267	26.3	17.2
22/0-1	1.94	12.5	3.63	1.68	0.605	4.33	<0.305	1.3	<0.130	7.92	31.4	<0.130	<0.130	<0.130	44.8	<0.130	4.74	2.86
<b>Sediment Traps</b>																		
A1 TOP	2.71	16.4	5.65	2.88	1.03	8.25	<0.214	NDR 2.35	<0.0481	9.19	40.5	NDR 0.150	NDR 0.093	<0.0481	54	NDR 0.115	6.3	5.32
B1 TOP	2.68	16.3	5.42	NDR 2.93	NDR 1.02	7.44	<0.195	2.33	<0.0486	8.92	41.2	NDR 0.124	0.089	NDR 0.080	51.7	NDR 0.093	6.55	5.11
B1 BOT	1.24	7.14	2.31	1.22	NDR 0.481	3.36	<0.0954	1.04	<0.0489	4.3	20	NDR 0.082	<0.0489	<0.0489	24.5	<0.0489	2.81	2.29
B1 BOT	1.36	7.95	2.83	1.63	0.51	3.91	<0.114	1.19	<0.0492	4.84	20.7	NDR 0.077	0.088	<0.0492	27.9	<0.0492	3.54	2.62



Table 7: Continued.

Sample Depth (cm)	CL6-PCB-159	CL6-PCB-161	CL6-PCB-162	CL6-PCB-164	CL6-PCB-165	CL6-PCB-167	CL6-PCB-169	CL7-PCB-170	CL7-PCB-171/173	CL7-PCB-172	CL7-PCB-174	CL7-PCB-175	CL7-PCB-176	CL7-PCB-177	CL7-PCB-178	CL7-PCB-179	CL7-PCB-180/193	CL7-PCB-181	
<b>Core 1</b>																			
0-1	NDR 0.876	<0.109	0.724	9.88	0.289	6.08	<0.182	15	5.91	2.47	20.1	0.98	3.42	18.6	8.79	12.5	36.2	NDR 0.246	
1-2	0.666	<0.136	0.447	7.07	<0.155	4.62	<0.234	12.4	4.63	2.06	14.3	NDR 0.654	2.31	13.4	6.03	8.33	26.4	NDR 0.187	
3-4	1.07	<0.136	0.713	10.9	0.323	7.23	<0.205	16.6	7.74	3.33	25.1	1.22	4.76	25.7	12.1	17.6	42.9	NDR 0.284	
6-7	NDR 1.109	<0.130	0.715	10.6	0.405	6.76	<0.184	16.7	6.83	2.96	22	1.11	3.75	21.1	9.68	13.7	40.6	0.274	
9-10	0.845	<0.102	0.841	10.3	0.495	6.95	<0.215	17.5	7.26	3.21	22.4	1.26	3.91	21.9	9.91	14.9	41.2	NDR 0.228	
12-14	1.11	<0.0731	0.916	11.1	0.563	7.58	<0.209	18.2	8.29	3.68	24.3	1.58	4.48	22.8	11.2	16.4	45.3	NDR 0.256	
14-16	0.759	<0.136	0.519	6.41	<0.155	4.51	<0.221	13.1	5.1	2.58	15	0.911	2.26	13.6	6.64	9.06	30.9	NDR 0.154	
18-20	0.977	<0.0876	0.287	2.23	NDR 0.201	1.8	<0.173	5.08	2.17	1.22	6.28	0.581	1.2	5.53	3.6	4.28	13.7	0.121	
25-30	<0.0753	<0.0801	<0.0755	NDR 0.180	<0.0881	NDR 0.156	<0.0881	NDR 0.558	NDR 0.269	NDR 0.183	NDR 0.643	<0.0461	0.174	0.343	NDR 0.230	NDR 0.407	1.15	<0.0461	
50-55	<0.0449	<0.0449	<0.0449	NDR 0.176	<0.0449	0.092	<0.0741	0.371	NDR 0.113	NDR 0.077	NDR 0.334	<0.0449	0.066	0.263	NDR 0.102	NDR 0.177	0.746	<0.0449	
<b>Core 2</b>																			
0-1	1.66	<0.151	0.634	13.5	<0.164	7.95	<0.223	43.4	16.6	8.24	48.2	2.47	6.66	34.3	11.7	24.7	92.2	0.449	
1-2	6.66	<0.372	1.49	33.2	<0.421	21.4	<1.05	124	40.2	19.7	104	5.37	16.6	75.1	23.9	45.2	214	1.33	
3-4	3.35	<0.366	1.45	33	<0.418	17.9	<0.364	106	38.8	19.8	115	5.51	16	76.8	26.1	53.6	217	0.907	
6-7	3.01	<0.149	1.22	26.9	0.362	15.9	<0.365	80.5	32	14.2	88.1	4.6	12.5	65.4	21.8	44.7	152	0.805	
9-10	4.41	<0.396	2.2	48.7	<0.428	26.8	<0.409	155	55.9	25.4	157	8.07	22.3	108	36.8	76.6	283	1.41	
12-14	3.32	<0.223	1.3	32.4	0.486	17.2	<0.263	100	40.4	17.4	108	6.07	15.4	78.4	28.3	53	190	0.889	
14-16 (Duplicate)	14.7	<0.454	NDR 2.25	75.3	0.915	40.1	<1.72	289	93.6	41.2	230	12.1	34.6	164	54.9	105	456	2.35	
18-20	6.9	<0.547	2.79	64.1	1.09	35.2	NDR 0.621	228	78.4	4.1	248	13.5	37.5	176	60.8	115	493	2.2	
25-30	0.187	<0.0511	0.077	1.08	0.072	0.705	<0.0750	8.31	3.33	1.1	8.79	NDR 0.616	1.3	7.32	2.58	5.21	13.5	NDR 0.065	
35-40	<0.0472	<0.0472	<0.0472	NDR 0.088	<0.0472	NDR 0.072	<0.0581	0.423	NDR 0.145	NDR 0.077	0.354	<0.0472	<0.0472	0.1	NDR 0.176	0.786	<0.0472		
<b>Core 3</b>																			
0-1	0.606	<0.0615	0.19	3.94	<0.0887	2.75	<0.0721	13.7	4.36	2.37	13.4	0.71	1.88	9.36	3.67	6.56	29	0.172	
1-2	NDR 0.963	<0.135	0.376	5.76	<0.153	4.06	<0.157	18.5	5.56	2.99	15.8	0.748	2.22	11.4	4.25	7.01	37.5	NDR 0.233	
3-4	1.23	<0.0633	<0.0651	5.51	NDR 0.084	3.43	<0.166	28.3	9.41	4.97	29.9	1.41	4.24	18.7	6.86	13.4	62.5	NDR 0.224	
3-4 (Duplicate)	0.73	<0.0589	NDR 0.237	4.36	<0.0658	2.95	<0.0821	18.8	5.68	3.27	17	0.873	2.09	12	4.47	7.89	39.6	0.166	
6-7	0.645	<0.0592	0.303	4.6	<0.0661	2.97	<0.0791	15.4	4.87	2.7	15.2	0.714	2.05	10.5	4.13	7.44	31.9	0.161	
9-10	0.581	<0.0466	NDR 0.265	4.85	<0.0473	3.08	<0.0781	13.7	4.83	2.39	14.5	0.981	2.14	10.6	4.13	7.22	28.3	0.15	
12-14	<0.0894	<0.0894	<0.102	6.39	<0.111	4.01	<0.107	15.1	6.21	2.54	17.1	0.981	2.69	14.1	5.3	9.2	28.2	0.202	
14-16	1.19	<0.0892	0.383	7.62	<0.114	4.49	<0.178	19	7.93	3.18	21.8	1.16	3.48	18.3	6.68	11.8	36.1	NDR 0.255	
18-20	1.18	<0.102	0.466	9.53	<0.114	5.76	<0.123	23.6	9.62	4.12	27.5	1.55	4.45	22.7	7.99	14.2	46	NDR 0.348	
25-30	1.96	<0.109	NDR 0.601	13.3	<0.127	7.66	<0.281	34.7	14.5	6.45	42.5	2.41	7.63	32.5	13.9	24.7	66.1	0.351	
40-45	3.96	<0.360	1.19	29.8	<0.409	16.2	<0.528	63.2	23.4	11	67.7	3.71	12.1	46.5	18.9	37.3	123	0.809	
<b>Core 4</b>																			
1-2	NDR 0.353	<0.0841	<0.0856	1.25	<0.0970	0.812	<0.0881	4.52	1.44	0.916	4.72	0.238	NDR 0.675	3.53	1.53	2.38	10.4	<0.0520	
14-16	NDR 0.302	<0.0688	NDR 0.081	1.62	<0.0831	0.953	<0.0771	4.86	1.8	0.881	5.05	0.262	0.674	3.93	NDR 1.55	2.52	10.2	<0.0494	
14-16 (Duplicate)	0.267	<0.0478	<0.0478	1.46	<0.0494	0.986	<0.0861	4.36	1.66	0.801	4.08	0.241	0.67	3.76	1.31	2.13	8.55	NDR 0.056	
30-35	NDR 0.630	<0.0830	0.179	2.96	<0.0957	1.86	<0.0911	8.19	3.05	1.55	8.28	0.504	1.3	7.2	2.62	4.16	16.3	NDR 0.071	
<b>Core 5</b>																			
0-1	NDR 0.366	<0.0896	0.19	2.97	<0.104	2.24	<0.0930	8.78	2.87	1.47	7.98	0.366	1.16	7.36	2.93	4.32	17	NDR 0.104	
1-2	0.691	<0.0868	0.175	NDR 4.49	<0.0986	2.36	<0.116	11.7	3.79	2.34	10.5	0.533	1.42	9.14	3.29	4.69	22.9	NDR 0.090	
3-4	0.572	<0.452	<0.480	4.12	<0.514	3.38	<0.530	13.7	4.87	1.16	12.8	0.682	1.94	13.2	4.99	7.31	26.9	0.078	
6-7	0.357	<0.0790	NDR 0.156	2.49	<0.0907	1.84	<0.0803	7.23	2.65	1.37	6.63	0.292	1.06	6.87	2.56	3.93	14.2	0.072	
9-10	0.377	<0.117	<0.118	3.1	<0.136	2.35	<0.123	8.88	3.06	1.39	8.51	NDR 0.484	NDR 1.39	8.37	3.25	5	16.6	NDR 0.105	
12-14	0.535	<0.119	0.277	4.3	<0.138	3.93	<0.127	14.3	4.77	2.08	11.1	0.482	1.67	10	3.77	5.94	24.6	NDR 0.225	
14-16	0.883	<0.143	NDR 0.413	6.31	NDR 0.193	4.55	0.206	15.6	5.63	2.68	15.2	0.787	2.55	16.7	6.25	8.87	31.3	NDR 0.189	
18-20	0.541	<0.136	NDR 0.304	3.84	<0.157	2.29	<0.145	11.8	4.28	2.04	11.5	0.835	1.91	10.9	4.51	6.43	23.1	NDR 0.140	
25-30	0.719	<0.102	0.348	6.22	NDR 0.170	4.29	<0.166	17.1	6.53	3.07	16.9	0.835	2.73	15.9	6.49	9.58	33.6	NDR 0.163	
45-50	1.35	<0.182	0.935	10.7	NDR 0.329	6.7	<0.166	25.8	8.92	4.64	27.4	1.42	4.25	24.1	9.72	14.9	51.1	NDR 0.251	

Table 7: Continued.

Sample Depth (cm)	CL6-PCB-159	CL6-PCB-161	CL6-PCB-162	CL6-PCB-164	CL6-PCB-165	CL6-PCB-167	CL6-PCB-169	CL7-PCB-170	CL7-PCB-171/173	CL7-PCB-172	CL7-PCB-174	CL7-PCB-175	CL7-PCB-176	CL7-PCB-177	CL7-PCB-178	CL7-PCB-179	CL7-PCB-180/193	CL7-PCB-181	
<b>Core 6</b>																			
0-1	0.186	<0.0969	NDR 0.129	1.71	<0.111	1.25	<0.102	5.92	1.97	1.05	4.86	0.252	0.667	4.33	1.6	2.31	10.8	0.066	
1-2	0.19	<0.0795	<0.0788	1.58	<0.0913	1.26	<0.0834	5.86	1.82	1.04	4.72	NDR 0.290	0.724	4.47	1.52	2.27	10.8	<0.0466	
3-4	NDR 0.265	<0.0601	NDR 0.175	1.83	<0.0690	1.25	<0.0711	5.88	2.04	1.03	4.66	NDR 0.312	0.679	4.22	NDR 1.67	2.35	10.6	0.112	
6-7	NDR 0.245	<0.0743	0.161	1.94	<0.0853	1.64	<0.0801	6.33	2.2	1.22	5.42	NDR 0.382	0.822	5.11	2.06	2.9	12.1	<0.0577	
9-10 (Duplicate)	NDR 0.320	<0.0684	NDR 0.174	2.35	<0.0739	1.83	<0.0739	8.28	3	1.57	7.65	NDR 0.365	1.06	6.28	2.36	3.75	15.2	NDR 0.193	
12-14	0.355	<0.0700	0.183	2.82	<0.0804	2.1	<0.0747	8.11	2.76	1.61	7.24	0.425	1.12	6.61	2.56	3.48	16.2	<0.0488	
14-16	0.344	<0.0577	0.185	3.44	<0.0651	1.99	<0.0761	7.92	3.33	1.59	7.22	0.421	1.07	6.97	2.63	3.78	15.4	NDR 0.052	
18-20	0.68	<0.0949	<0.0947	3.09	<0.107	2.29	<0.140	17.1	5.33	3.07	15.4	0.706	2.05	11.6	4.19	6.2	37.7	<0.0472	
25-30	NDR 0.326	<0.0835	0.179	2.89	<0.0843	2.22	<0.0870	9.49	3.27	1.56	8.38	NDR 0.546	1.22	7.82	3.28	4.5	17.4	NDR 0.104	
40-45	NDR 0.392	<0.0719	0.267	3.13	<0.0812	2.52	<0.0861	9.7	3.5	1.72	8.04	0.46	1.3	7.58	2.78	4.13	24.1	0.109	
	0.588	<0.0979	NDR 0.286	3.86	<0.111	2.76	<0.118	12.1	4.51	2.07	11.5	0.535	1.7	10.4	3.61	5.61	17.9	<0.0481	
<b>Core 7</b>																			
0-1	0.268	<0.156	<0.162	1.52	<0.173	NDR 1.16	<0.188	4.68	NDR 1.43	0.806	4.19	NDR 0.271	NDR 0.582	3.74	NDR 1.57	2.23	9.43	<0.168	
1-2	0.255	<0.0799	NDR 0.130	1.65	<0.0907	1.19	<0.0921	4.15	1.55	NDR 0.789	3.7	NDR 0.229	0.59	4.16	1.38	1.89	8.57	NDR 0.075	
3-4	NDR 0.225	<0.141	0.168	NDR 1.54	<0.174	NDR 1.24	<0.174	5.45	1.68	0.86	5.35	NDR 0.178	0.697	4.05	1.83	2.46	14.1	<0.132	
3-4 (Duplicate)	NDR 0.272	<0.151	<0.157	2.12	<0.168	1.7	<0.181	5.59	2	NDR 1.04	4.72	NDR 0.356	NDR 0.813	4.84	1.96	2.61	10.2	0.154	
6-7	0.267	<0.109	NDR 0.146	2.43	<0.121	1.87	<0.146	5.24	1.67	1.05	4.24	NDR 0.206	0.601	3.55	1.35	2.14	9.23	<0.132	
9-10	0.158	<0.0462	0.08	1.08	<0.0462	0.729	<0.0471	2.96	0.99	NDR 0.518	2.77	0.153	0.45	2.8	1.13	1.83	5.69	<0.0462	
12-14	0.232	<0.141	<0.147	0.982	<0.157	NDR 1.03	<0.168	3.37	1.5	NDR 0.762	3.25	0.3	0.338	0.774	1.43	2.09	7.07	<0.140	
14-16	NDR 0.204	<0.101	NDR 0.139	1.64	<0.115	1.03	<0.107	4.74	1.84	1.06	4.83	0.338	0.774	4.62	NDR 1.70	2.8	10.8	<0.0501	
18-20	NDR 0.163	<0.148	0.276	1.67	<0.165	NDR 1.30	<0.176	NDR 4.88	1.83	NDR 0.976	4.7	NDR 0.274	0.684	3.96	1.54	2.28	10.4	<0.127	
25-30	<0.0801	<0.0786	<0.0817	NDR 0.236	<0.0874	NDR 0.139	<0.0932	NDR 0.508	0.212	<0.115	0.368	<0.100	<0.0757	0.507	0.139	0.125	NDR 1.15	<0.105	
40-44	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	NDR 0.051	<0.0631	0.114	<0.0500	<0.0500	0.15	<0.0500	<0.0500	0.081	<0.0500	0.102	NDR 0.293	<0.0500	
<b>Core 8</b>																			
8/1-2	0.57	<0.153	NDR 0.321	4.23	<0.172	3.09	<0.172	9.44	3.65	1.62	10.6	0.516	1.71	9.49	3.67	6.04	19.8	NDR 0.156	
9/1-2	0.52	<0.148	0.291	4.29	<0.167	3.19	<0.168	9.24	3.68	1.53	10.7	0.514	1.93	11.6	4.76	7.03	19.1	NDR 0.161	
10/0-1	0.957	<0.291	NDR 0.678	8.63	<0.328	6.98	<0.330	20.9	7.49	3.25	19.5	0.979	3.18	18.9	7.93	11.1	38.9	NDR 0.394	
11/0-1	0.54	<0.152	0.332	4.18	<0.171	3.18	<0.166	8.41	3.33	1.42	10.1	NDR 0.605	1.62	11.1	4.57	6.95	19.2	0.213	
12/0-1	0.492	<0.105	0.329	4.37	<0.118	3.04	<0.115	8.12	3.14	1.33	8.86	0.438	1.46	8.53	3.54	5.63	16.6	NDR 0.219	
13/0-1	NDR 0.269	<0.0877	0.198	2.14	<0.0887	1.67	<0.0938	5.18	2.05	0.807	5.77	NDR 0.257	0.932	5.91	2.22	3.5	10.9	<0.0723	
14/0-1	0.682	<0.143	0.284	5.5	<0.166	3.94	<0.166	15.3	5.39	2.41	16.3	0.701	2.55	15.7	5.54	8.86	30.6	0.183	
15/0-1	0.116	<0.0612	<0.0640	0.899	<0.0711	0.659	<0.0694	2.75	0.951	0.458	2.57	NDR 0.117	0.371	2.12	0.825	1.21	5.67	<0.0505	
16/0-1	0.244	<0.119	0.127	2.69	<0.135	1.86	<0.120	7.23	2.46	1.29	6.41	0.421	0.961	5.58	2.2	3.28	14.6	NDR 0.091	
17/0-1	0.535	<0.244	<0.247	4.83	<0.275	3.37	<0.242	12.5	4.82	2.12	12.4	0.722	2.1	12.1	5.41	7.85	25.3	<0.130	
18/0-1	NDR 0.072	<0.0583	<0.0589	0.916	<0.0575	0.616	<0.0579	3.12	1.04	0.351	2.78	NDR 0.192	NDR 0.401	2.35	NDR 1.04	1.5	6.5	<0.0482	
19/0-1	NDR 0.149	<0.0753	NDR 0.124	1.84	<0.0848	1.45	<0.0734	5.19	1.93	0.899	4.72	NDR 0.241	0.697	4.56	1.97	2.48	9.88	0.061	
20/0-1	0.594	<0.102	NDR 0.347	5.65	NDR 0.213	3.89	<0.0980	13.8	5.27	2.38	15.9	0.771	2.61	14.2	5.97	10.2	30.2	NDR 0.133	
21/0-1	1.56	<0.380	NDR 0.978	18.3	<0.428	11.2	<0.370	31.9	12.5	5.55	43.8	1.81	7.69	40.3	17.6	29.1	75.7	NDR 0.496	
22/0-1	<0.227	<0.227	<0.229	2.84	<0.256	NDR 2.10	<0.228	5.61	2.32	0.908	6.65	0.368	NDR 1.19	6.77	3	4.66	13.1	<0.130	
<b>Sediment Traps</b>																			
A1 TOP	NDR 0.583	<0.142	<0.124	3.34	<0.162	2.2	<0.169	11.3	3.28	2.22	10.6	0.622	1.71	6.95	3.48	5.9	25.4	NDR 0.112	
A1 BOT	0.568	<0.130	0.176	3.27	<0.147	2.23	<0.131	12.2	3.65	2.26	10.9	0.63	1.78	7.41	3.37	5.79	26.4	0.128	
B1 TOP	0.273	<0.0635	NDR 0.088	1.65	<0.0722	1.04	<0.0710	5.39	1.72	1.02	4.98	0.288	0.765	3.58	1.62	2.71	11.6	NDR 0.064	
B1 BOT	0.332	<0.0758	0.137	1.71	<0.0861	1.29	<0.0881	7.16	2	1.23	5.88	NDR 0.324	0.847	4.67	1.76	2.77	15.9	NDR 0.057	

Table 7: Continued.

Sample Depth (cm)	CL7-PCB-182	CL7-PCB-183/185	CL7-PCB-184	CL7-PCB-186	CL7-PCB-187	CL7-PCB-188	CL7-PCB-189	CL7-PCB-190	CL7-PCB-191	CL7-PCB-192	CL8-PCB-194	CL8-PCB-195	CL8-PCB-196	CL8-PCB-197/200	CL8-PCB-198/199	CL8-PCB-201	CL8-PCB-202	CL8-PCB-203
<b>Core 1</b>																		
0-1	NDR 0.210	< 0.0468	< 0.0468	< 0.0468	48.7	NDR 0.120	0.615	4.17	0.415	< 0.0468	7.32	4.55	4.46	2.08	19.1	2.24	5.23	9.36
1-2	0.197	8.52	< 0.0725	< 0.0725	32	NDR 0.092	NDR 0.531	3.41	0.438	< 0.0725	5.13	3.2	3.4	NDR 1.48	13.6	1.51	3.15	6.52
3-4	NDR 0.278	16	< 0.095	< 0.0496	68.7	0.216	0.814	4.78	NDR 0.476	< 0.0496	8.95	6	5.86	3.24	25.9	3.16	7.05	12.3
6-7	0.232	< 0.0482	0.07	< 0.0482	58	NDR 0.169	0.79	4.73	0.573	< 0.0482	7.89	5.29	5.12	2.39	22	2.58	5.92	10.3
9-10	NDR 0.240	< 0.0497	0.084	< 0.0497	57.2	0.164	0.801	4.44	0.519	< 0.0497	8.27	4.95	5.48	2.56	22.1	2.76	5.92	9.98
12-14	NDR 0.304	< 0.0470	NDR 0.127	< 0.0470	63.6	0.266	0.891	4.71	0.651	< 0.0470	10.7	6.01	7.56	3.34	29.8	3.49	7.47	13.7
14-16	NDR 0.219	11.7	0.065	< 0.0576	35.1	NDR 0.206	NDR 0.610	3	0.445	< 0.0576	7.23	3.3	5.23	1.8	16.5	2	3.96	7.43
18-20	NDR 0.141	6.53	NDR 0.095	< 0.0469	18.2	0.175	0.354	1.14	0.248	< 0.0469	5.05	1.94	3.6	1.15	10.9	1.42	2.86	4.75
25-30	< 0.0461	< 0.0461	NDR 0.056	< 0.0461	0.92	< 0.0461	NDR 0.078	NDR 0.128	0.064	< 0.0461	0.328	0.173	NDR 0.145	0.18	NDR 0.562	0.077	0.15	0.398
50-55	< 0.0449	NDR 0.203	< 0.0449	< 0.0449	0.683	< 0.0449	< 0.0449	NDR 0.062	< 0.0449	< 0.0449	0.159	0.064	0.102	< 0.0449	NDR 0.332	NDR 0.050	NDR 0.081	0.159
<b>Core 2</b>																		
0-1	0.298	37.6	0.08	< 0.0471	71.5	0.103	2.1	9.17	2.05	< 0.0471	21.9	9.72	13.4	5.35	29.2	4.03	7.14	17.7
1-2	NDR 0.658	77.8	0.134	< 0.0474	134	0.188	5.26	24.4	5.31	< 0.0474	47.3	21.6	27.5	10.3	62.8	7.76	11.8	35.9
3-4	NDR 0.557	80	NDR 0.082	< 0.0478	152	0.171	4.33	22.1	4.8	< 0.0478	48.3	21.9	29.1	10.8	64.6	9.24	14.2	37.1
6-7	0.57	72.9	NDR 0.164	< 0.0478	136	0.227	3.75	17.9	3.76	< 0.0478	37	18.9	24.2	9.35	58.1	8.07	14.1	34
9-10	0.765	119	0.161	< 0.0491	219	0.26	6.8	33.4	6.92	< 0.0491	62.2	31.6	41.8	13.8	92	11.9	20.8	54.2
12-14	0.549	86.2	0.11	< 0.0462	162	0.273	4.56	22.4	5.07	< 0.0462	45.2	22.9	28.8	10.3	68.4	9.31	16.1	39.9
14-16	1.39	177	NDR 0.201	< 0.0476	307	0.586	10.9	50.1	11.3	< 0.0476	107	49.9	65.7	22.2	145	18.4	26.5	82.5
14-16 (Duplicate)	1.51	194	0.222	< 0.0483	328	0.565	11.3	54.5	12.3	< 0.0483	116	54	69.9	23.4	155	19.4	29.6	88.7
18-20	0.19	173	0.27	< 0.0486	307	0.719	9.35	43.8	10.5	NDR 0.128	95.9	42.3	60.6	19.6	130	18.2	33.1	74.9
25-30	NDR 0.114	6.24	0.201	< 0.0486	13.7	NDR 0.190	0.342	1.71	0.228	< 0.0486	7.43	3.64	5.23	2.11	15	2.36	4.73	7.75
35-40	< 0.0472	NDR 0.313	< 0.0472	< 0.0472	0.599	< 0.0472	< 0.0472	NDR 0.079	< 0.0472	< 0.0472	NDR 0.209	NDR 0.090	NDR 0.127	NDR 0.067	0.378	0.06	NDR 0.076	0.172
<b>Core 3</b>																		
0-1	0.126	10.7	0.18	< 0.0477	22.7	NDR 0.050	0.519	2.82	0.504	0.048	7.24	2.9	3.82	1.47	10.4	1.31	2.84	5.9
1-2	NDR 0.136	12.2	0.171	< 0.0469	24.1	NDR 0.055	0.734	3.69	0.745	< 0.0469	8.75	3.73	4.67	1.8	12.1	1.55	2.51	6.69
3-4	0.184	22.3	0.213	< 0.0472	41.3	NDR 0.068	1.18	6.04	1.17	< 0.0472	15.7	6.6	8.76	2.86	18.6	2.26	4.09	11.1
3-4 (Duplicate)	0.131	13.3	0.223	< 0.0469	27.3	NDR 0.052	0.876	3.9	0.717	< 0.0469	10.8	4.48	5.53	1.79	13.3	1.63	3.17	7.88
6-7	0.131	11.8	0.158	< 0.0473	24.7	0.055	0.621	3.09	0.597	< 0.0473	7.82	3.21	4.11	1.45	10.8	1.35	2.76	6.24
9-10	0.108	11.1	0.081	< 0.0466	24.9	0.055	0.63	2.97	0.566	< 0.0466	7.64	3.5	4.49	1.64	12.6	1.6	NO	6.98
12-14	0.094	14.5	NDR 0.057	< 0.0474	31.7	< 0.0474	0.688	3.88	0.655	0.053	6.97	4.03	4.8	1.72	13.7	1.84	3.54	7.82
14-16	0.118	18.2	NDR 0.052	< 0.0475	39.3	NDR 0.080	0.848	4.88	0.883	< 0.0475	9.68	5.69	6.68	2.69	18.8	2.54	4.16	10.3
18-20	0.182	22.2	NDR 0.048	< 0.0473	49.8	0.085	1.06	6.2	1	< 0.0473	11.3	6.43	7.7	2.94	22	2.97	5.59	12.4
25-30	0.408	34.2	NDR 0.071	< 0.0505	72	0.206	1.55	9.77	1.76	< 0.0505	18.9	11.4	15.8	5.85	44	5.69	9.53	24.1
40-45	0.507	52.4	NDR 0.104	< 0.0470	103	0.133	2.74	15.4	2.92	< 0.0470	30.7	16.5	21.4	8.58	54.1	7.03	10.3	31.5
<b>Core 4</b>																		
1-2	NDR 0.061	3.64	< 0.0520	< 0.0520	7.9	< 0.0520	0.182	0.921	0.172	< 0.0520	2.38	0.989	1.2	0.475	3.72	0.479	0.837	1.74
14-16	< 0.0494	3.76	< 0.0494	< 0.0494	8.03	< 0.0494	0.224	1.18	NDR 0.234	< 0.0494	3.02	1.48	1.96	0.773	5.14	0.566	1.22	2.75
14-16 (Duplicate)	0.066	3.32	< 0.0478	< 0.0478	6.97	< 0.0478	NDR 0.157	0.838	0.229	< 0.0478	2.03	1.02	1.22	0.472	3.11	NDR 0.409	0.789	1.68
30-35	0.086	6.58	< 0.0500	< 0.0500	14.1	0.05	NDR 0.369	1.82	NDR 0.340	< 0.0500	3.75	1.92	2.36	0.883	6.12	0.817	1.39	3.32
<b>Core 5</b>																		
0-1	NDR 0.150	6.25	< 0.0486	< 0.0486	17.2	0.06	NDR 0.443	1.98	NDR 0.271	< 0.0486	4.93	2.8	2.7	1.17	8.56	NDR 0.966	2.25	5.04
1-2	NDR 0.148	7.33	< 0.0521	< 0.0521	17	NDR 0.053	0.591	2.47	0.474	< 0.0521	5.63	3.08	2.44	NDR 1.08	6.88	NDR 0.914	2.1	3.53
3-4	0.071	10.1	< 0.0488	< 0.0488	29.8	0.076	0.673	3.57	0.524	< 0.0488	7.17	4.04	3.85	1.36	13.6	1.63	4.11	7.35
6-7	0.071	5.18	< 0.0509	< 0.0509	15.1	< 0.0509	0.367	1.86	NDR 0.265	< 0.0509	3.25	2.02	2.13	0.889	7.15	0.875	2.03	4.18
9-10	NDR 0.100	6.2	NDR 0.055	< 0.0480	17.4	NDR 0.083	0.476	2.15	NDR 0.330	< 0.0480	4.16	2.75	2.37	1.12	8.08	1.09	2.2	4.69
12-14	NDR 0.112	8.44	NDR 0.082	< 0.0484	22.3	NDR 0.087	NDR 0.716	3.26	NDR 0.528	< 0.0484	6.74	3.4	4	1.67	12.4	1.5	3.28	7.72
14-16	NDR 0.180	11.3	NDR 0.073	< 0.0464	35.4	NDR 0.104	0.728	3.83	0.555	< 0.0464	7.47	5.13	4.46	2.39	16.1	2.05	4.55	8.41
18-20	NDR 0.148	8.71	< 0.0480	< 0.0480	24.9	NDR 0.093	0.535	2.72	0.492	< 0.0480	5.35	2.72	3.46	1.51	11.2	1.48	2.92	6.14
25-30	NDR 0.172	12.8	NDR 0.048	< 0.0478	35.6	NDR 0.083	0.843	4.32	0.584	< 0.0517	7.98	4.95	4.97	2.44	17.2	1.95	4	9.12
45-50	0.239	18.7	< 0.0529	< 0.0529	53	NDR 0.109	NDR 1.23	5.87	0.844	< 0.0529	14.3	7.39	8.63	3.98	28.4	2.96	6.64	14.7

Table 7: Continued.

Sample Depth (cm)	CL7-PCB-182	CL7-PCB-183/185	CL7-PCB-184	CL7-PCB-186	CL7-PCB-187	CL7-PCB-188	CL7-PCB-189	CL7-PCB-190	CL7-PCB-191	CL7-PCB-192	CL8-PCB-194	CL8-PCB-195	CL8-PCB-196	CL8-PCB-197/200	CL8-PCB-198/199	CL8-PCB-201	CL8-PCB-202	CL8-PCB-203
<b>Core 6</b>																		
0-1	0.098	4.11	<0.0469	<0.0469	9.34	<0.0469	0.286	1.15	0.208	<0.0469	2.84	1.37	NDR 1.83	0.631	4.49	0.631	NDR 1.04	2.47
1-2	0.076	4.06	<0.0466	<0.0466	9.5	0.048	0.309	1.14	0.194	<0.0466	2.79	1.35	NDR 1.70	0.523	4.78	0.627	1.31	2.43
3-4	<0.0564	4.28	<0.0473	<0.0473	9.58	<0.0473	0.254	1.11	NDR 0.224	<0.0492	2.83	1.55	1.74	0.577	4.86	0.588	1.34	2.67
6-7	<0.0540	4.67	<0.0468	<0.0468	11.5	<0.0468	0.296	1.4	NDR 0.259	<0.0486	3.24	1.7	2.1	0.71	5.77	0.693	1.82	2.86
9-10 (Duplicate)	<0.0488	5.95	<0.0488	<0.0488	14.5	NDR 0.050	NDR 0.309	1.79	0.255	<0.0488	4.76	2.18	2.63	1.04	7.05	0.986	1.71	3.85
12-14	0.107	6.09	<0.0469	<0.0469	15.2	<0.0469	0.372	1.83	NDR 0.231	<0.0469	3.96	2.05	2.46	0.934	6.99	0.903	1.8	3.66
14-16	<0.0598	7.11	<0.0472	<0.0472	24.3	NDR 0.101	0.727	3.94	0.778	<0.0472	11.2	4.41	6.45	0.923	7.32	1.02	1.97	4.28
18-20	<0.0598	7.53	<0.0479	<0.0482	17.5	0.048	0.545	2.21	NDR 0.303	<0.0533	4.18	2.39	2.92	1.03	8.66	1.05	2.29	4.52
25-30	NDR 0.103	9.72	<0.0481	<0.0481	16.1	<0.0481	0.561	2.09	NDR 0.345	<0.0481	5.4	2.46	3.03	1.13	9.16	1.12	2.92	4.45
40-45	0.094	9.72	<0.0481	<0.0481	21.2	0.051	0.488	2.57	NDR 0.542	<0.0481	6.68	3.3	NDR 4.07	1.45	10.7	1.36	2.71	5.39
<b>Core 7</b>																		
0-1	<0.151	3.43	<0.117	<0.127	9.08	<0.111	0.345	NDR 0.875	NDR 0.186	<0.146	2.92	NDR 1.25	1.44	0.846	5.4	NDR 0.754	1.42	3.2
1-2	NDR 0.089	2.9	<0.0474	<0.0474	7.31	<0.0474	NDR 0.204	0.857	0.142	<0.0474	1.99	0.987	0.963	0.471	3.15	0.428	0.978	1.58
3-4	NDR 0.150	4.12	NDR 0.093	<0.100	10.7	<0.0889	0.28	1.17	<0.107	<0.115	6.7	1.79	2.36	1.04	7.24	NDR 0.626	NDR 1.33	3.77
3-4 (Duplicate)	<0.126	3.56	<0.0978	<0.106	10.7	<0.0974	NDR 0.325	1.26	NDR 0.198	<0.122	3.05	1.52	1.44	0.828	NDR 5.35	0.828	1.38	NDR 2.58
6-7	<0.119	3.39	<0.0920	<0.100	8.24	<0.0817	0.293	NDR 1.01	NDR 0.238	<0.115	2.35	0.883	1.32	0.613	4.04	<0.135	NDR 1.13	2.04
9-10	<0.0462	2.28	<0.0462	<0.0462	6.11	<0.0462	NDR 0.123	0.66	NDR 0.086	<0.0462	1.56	0.862	0.862	0.317	2.63	NDR 0.316	NDR 0.842	1.44
12-14	<0.126	NDR 3.15	<0.0973	<0.106	7.37	<0.0960	NDR 0.166	0.64	<0.112	<0.121	2.5	NDR 0.987	1.45	NDR 0.525	4.22	NDR 0.540	NDR 1.07	1.95
14-16	0.091	4.28	<0.0501	<0.0501	9.71	0.103	0.227	0.878	0.209	<0.0501	3.28	NDR 1.31	1.96	NDR 0.817	5.47	0.78	1.41	2.53
18-20	NDR 0.146	3.93	<0.0854	<0.0962	8.63	<0.0905	0.349	NDR 1.04	NDR 0.236	<0.110	3.84	1.41	<0.154	NDR 5.11	NDR 0.142	<0.125	2.56	
25-30	<0.0942	NDR 0.946	<0.0730	<0.0794	NDR 0.845	<0.0767	<0.0858	<0.0868	<0.0842	<0.0911	NDR 0.317	<0.102	<0.154	<0.113	0.485	NDR 0.142	<0.125	NDR 0.420
40-44	<0.0500	0.145	<0.0500	<0.0500	0.189	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	0.07	<0.0500	0.067	<0.0500	NDR 0.074	<0.0500	<0.0500	<0.0500
<b>Core</b>																		
Number/Sample	CL7-PCB-182	CL7-PCB-183/185	CL7-PCB-184	CL7-PCB-186	CL7-PCB-187	CL7-PCB-188	CL7-PCB-189	CL7-PCB-190	CL7-PCB-191	CL7-PCB-192	CL8-PCB-194	CL8-PCB-195	CL8-PCB-196	CL8-PCB-197/200	CL8-PCB-198/199	CL8-PCB-201	CL8-PCB-202	CL8-PCB-203
8/1-2	0.102	7.22	<0.0829	<0.0829	21.3	<0.0829	0.38	2.29	NDR 0.353	<0.0829	4.37	2.78	2.36	1.19	9.02	1.04	2.62	4.59
9/1-2	0.097	7.51	<0.0843	<0.0843	29.6	<0.0843	0.528	2.84	0.299	<0.0843	4.48	3.21	2.4	1.46	11	1.18	3.52	5.85
10/0-1	NDR 0.226	13.8	<0.208	<0.208	46.9	<0.208	NDR 1.10	5.02	0.684	<0.208	8.62	5.01	4.26	2.32	17.4	2.13	5.08	9.53
11/0-1	NDR 0.135	7.3	<0.131	<0.131	28.1	<0.131	0.379	2.56	NDR 0.274	<0.131	3.99	2.44	2.06	1.11	9.82	1.14	3.34	5.37
12/0-1	<0.0945	6.65	<0.0945	<0.0945	22	<0.0945	0.4	2.34	0.272	<0.0945	3.43	2.35	1.99	0.991	7.83	0.934	2.67	4.41
13/0-1	<0.0723	4.17	<0.0723	<0.0723	13.9	<0.0723	0.231	1.45	0.156	<0.0723	2.43	1.58	1.41	0.641	5.65	0.627	1.63	3.07
14/0-1	NDR 0.136	10.2	0.067	<0.0616	32.6	0.095	0.611	3.97	0.546	<0.0704	6.73	4.42	3.51	2.01	14.2	1.68	3.94	7.38
15/0-1	<0.0505	2.09	<0.0505	<0.0505	5.04	<0.0505	NDR 0.140	0.588	NDR 0.115	<0.0505	1.41	0.65	0.663	0.347	2.17	0.261	0.601	1.17
16/0-1	0.131	5.34	<0.0501	<0.0501	13.9	<0.0501	0.312	1.45	0.285	<0.0501	3.53	1.71	1.73	0.769	5.31	0.682	1.52	2.77
17/0-1	<0.130	9.55	<0.130	<0.130	31.8	<0.130	0.498	3.16	NDR 0.483	<0.130	6.27	3.53	3.18	NDR 1.57	12.2	1.4	3.85	6.82
18/0-1	0.05	2.26	<0.0452	<0.0452	6.16	<0.0452	0.153	0.552	NDR 0.153	<0.0452	1.95	0.783	0.922	0.355	2.69	0.336	0.752	1.3
19/0-1	<0.0473	3.91	<0.0473	<0.0473	11.4	<0.0473	0.233	1.15	NDR 0.186	<0.0473	2.87	1.37	1.35	0.573	4.61	0.521	1.48	2.47
20/0-1	NDR 0.155	12.2	<0.0611	<0.0611	38.5	0.093	0.61	3.66	0.508	<0.0611	7.95	4.45	4.23	1.98	14.7	2.05	4.51	8.06
21/0-1	NDR 0.365	28	<0.267	<0.267	110	<0.267	NDR 1.44	9.06	1.15	<0.267	19.5	11.1	8.83	5.12	39.5	4.36	13.2	19.6
22/0-1	<0.130	5	<0.130	<0.130	17.8	<0.130	<0.240	1.44	0.203	<0.130	3.26	2	1.82	0.952	7.53	0.857	2.18	3.67
<b>Sediment Traps</b>																		
A1 TOP	0.177	8.44	<0.0491	<0.0491	18.6	NDR 0.072	0.542	2.35	0.476	<0.0491	6.79	2.52	3.85	1.43	9.81	1.19	2.09	5.67
A1 BOT	0.125	8.48	0.184	<0.0486	18.3	<0.0486	0.5	2.45	NDR 0.501	<0.0486	6.7	2.7	4.11	1.42	10.1	1.29	2.06	5.75
B1 TOP	0.069	3.79	<0.0489	<0.0489	9.1	<0.0489	0.244	1.09	0.241	<0.0489	3.37	1.26	1.89	NDR 0.622	4.88	0.583	1.01	2.61
B1 BOT	0.06	4.79	<0.0492	<0.0492	10.9	<0.0492	NDR 0.316	1.55	0.239	<0.0492	4.59	1.84	2.68	0.76	6.22	0.682	1.14	3.5

Table 7: Continued.

Sample Depth (cm)	CL8-PCB-204	CL8-PCB-205	CL9-PCB-206	CL9-PCB-207	CL9-PCB-208	CL10-PCB-209	% Moisture	Total Monochloro Biphenyl	Total Dichloro Biphenyl	Total Trichloro Biphenyl	Total Tetrachloro Biphenyl	Total Pentachloro Biphenyl	Total Hexachloro Biphenyl	Total Heptachloro Biphenyl	Total Octachloro Biphenyl	Total Nonachloro Biphenyl	Decachloro Biphenyl	
<b>Core 1</b>																		
0-1	<0.0468	0.726	11.1	1.48	4.18	9.39	77.1	NO	22.8	24.2	550	832	672	178	55.1	16.8	9.39	
1-2	<0.0725	0.411	6.84	1.14	2.47	6.78	82	10.5	49.2	189	481	670	498	134	36.9	10.5	6.78	
3-4	NDR 0.059	0.949	15.4	1.77	5.56	13.5	75.1	84.1	74	274	769	1030	783	248	73	22.7	13.5	
6-7	<0.0482	0.722	13	1.72	4.58	12.1	75.7	NO	29.5	25.4	747	958	763	203	62.2	19.3	12.1	
9-10	NDR 0.050	0.775	13.7	1.74	4.76	12.4	75.5	15.9	96.8	32.5	880	1060	790	206	62.8	20.2	12.4	
12-14	NDR 0.056	0.837	35.5	3.86	12.7	26.5	73.1	15.2	107	382	1100	1260	861	226	82.9	52.1	26.5	
14-16	<0.0576	0.535	10.3	1.77	3.76	9.74	74.2	10.6	61.8	23.1	66.1	83.1	49.5	149	48	15.8	9.74	
18-20	<0.0469	0.322	9.02	1.35	3.51	7.91	73.1	2.47	22	68.8	219	289	182	70.4	32	13.9	7.91	
25-30	<0.0461	<0.0461	<0.0651	<0.0467	<0.0523	1.03	71.6	4.57	3.23	6.05	15.8	21.5	14.6	2.65	1.31	<	1.03	
50-55	<0.0449	<0.0449	0.177	<0.0753	0.12	NDR 0.206	67.3	1.88	2	6.2	13.4	14.3	8.76	2.13	0.484	0.297	<0.0449	
<b>Core 2</b>																		
0-1	<0.0471	1.56	14.1	1.89	4.38	8.38	63.6	8.52	56.1	209	436	788	865	412	110	20.4	8.38	
1-2	<0.0474	2.72	26.3	3.4	8.88	38.9	58.2	19.5	110	352	726	1600	2010	915	228	36.6	38.9	
3-4	<0.0478	3.16	26.4	3.41	7.8	20	54.6	10.7	105	2020	2010	2020	2010	939	238	37.6	20	
6-7	NDR 0.061	2.59	27.1	3.57	8.71	21.4	53.6	29.7	47	409	826	1560	1680	752	206	39.4	21.4	
9-10	<0.0491	4.22	39.5	4.88	11.8	25.1	52.7	29.7	184	563	1130	2930	2890	1320	333	56.2	25.1	
12-14	NDR 0.056	3.03	31.3	4.08	9.72	25.5	47.2	28	174	543	865	1840	1910	919	244	45.1	25.5	
14-16	NDR 0.079	6.26	54.4	7.58	19.5	50.3	47.8	52	259	830	1940	4360	4760	2000	523	81.5	50.3	
14-16 (Duplicate)	NDR 0.083	6.67	58.4	8.45	21.3	50	48.6	52.6	284	940	1870	3710	4640	2160	563	50.3	3.88	
18-20	NDR 0.066	5.86	80.1	9.57	27.5	82.2	48.1	28.5	323	923	2200	3690	4220	1930	480	117	82.2	
25-30	<0.0486	NDR 0.373	31.9	3.1	12.1	44.4	49.8	7.38	9.97	23.1	36.2	72.4	76.1	73.9	48.3	47.1	44.4	
35-40	<0.0472	<0.0472	NDR 0.226	<0.0673	NDR 0.095	0.328	49.7	1.42	1.23	3.05	4.34	6.02	4.07	2.26	0.61	<0.0866	0.328	
<b>Core 3</b>																		
0-1	<0.0477	0.397	5.23	0.719	1.76	3.5	42.4	7.62	50.5	136	253	323	271	123	36.1	7.71	3.5	
1-2	<0.0469	0.48	5.08	0.827	1.74	3.96	46.9	6.07	48.5	134	245	427	382	148	42.3	7.65	3.96	
3-4	<0.0472	1.01	6.96	0.762	2.07	4.2	42.4	8.28	55	154	268	332	372	252	71	9.59	4.2	
3-4 (Duplicate)	<0.0469	0.614	5.94	0.715	1.94	4.23	41.4	8.69	53.8	144	261	341	302	158	49.2	7.63	4.21	
6-7	<0.0473	0.418	5.38	0.545	1.7	4.21	41.4	8.54	51.3	141	274	365	309	136	38.2	7.63	4.21	
9-10	<0.0466	0.431	5.33	0.728	1.85	3.94	32.8	9.61	62.1	159	283	373	307	129	38.9	7.91	3.94	
12-14	<0.0474	0.618	6.41	0.923	2.23	4.36	35.5	14	86.1	232	428	537	401	153	45	9.56	4.36	
14-16	<0.0475	0.763	7.79	1.01	2.81	5.71	38	13.7	93.1	327	452	565	485	196	61.3	11.6	5.71	
18-20	<0.0473	0.977	10.1	1.44	3.46	6.27	41.1	20.6	232	803	981	763	579	242	72.3	15	6.27	
25-30	<0.0550	1.65	45.5	5.52	17.5	24.7	42	27.1	181	656	1240	1160	813	368	137	66.5	24.7	
40-45	<0.0470	2.19	20.8	2.78	6.52	9.21	37.7	36.8	195	1120	2870	2910	1880	585	182	30.1	9.21	
<b>Core 4</b>																		
1-2	<0.0520	0.148	1.67	NDR 0.305	0.728	1.48	45.2	1.78	16.9	64.7	127	121	94.3	42.5	12	2.39	1.48	
14-16	<0.0494	NDR 0.187	2.5	0.398	0.684	NDR 1.97	36.5	4.31	28.1	67.3	130	128	116	43.3	16.9	3.58	<0.0494	
14-16 (Duplicate)	<0.0478	NDR 0.142	1.81	0.273	0.694	1.56	35	3.91	35.3	109	155	131	105	39	10.3	8.6	4.23	
30-35	<0.0500	0.246	2.95	0.492	1.1	2.64	35.3	6.55	44.5	116	241	285	221	75.7	20.8	4.54	2.64	
<b>Core 5</b>																		
0-1	<0.0680	NDR 0.411	5.04	0.626	1.72	4.96	63.6	9.74	65.5	160	275	293	201	79.7	27.5	7.39	4.96	
1-2	<0.0521	0.376	3.96	0.605	1.47	4.15	69.6	8.65	48.7	126	208	206	239	96.2	24	6.03	4.15	
3-4	<0.0488	0.666	8.38	NDR 1.38	2.84	7.27	61.8	12.4	103	281	476	408	320	133	43.8	11.2	7.27	
6-7	<0.0551	0.334	4.19	0.56	1.45	5.15	59.9	8.88	54.3	119	225	244	174	69.4	22.9	6.2	5.15	
9-10	<0.0480	0.342	4.62	0.64	1.77	5.36	56.1	9.28	63	141	263	297	216	81.3	26.8	7.03	5.36	
12-14	<0.0517	NDR 0.469	7.9	0.874	2.65	5.96	56.6	11.1	81	236	353	332	295	113	40.7	11.4	5.96	
14-16	NDR 0.047	NDR 0.659	8.69	1.2	3.11	9.21	108	13.7	108	292	503	521	449	157	50.5	13	9.21	
18-20	<0.0583	0.526	5.73	0.711	2.06	5.54	57.2	11.4	85.8	206	359	348	268	114	32.6	8.5	5.54	
25-30	<0.0685	0.744	8.03	1.11	3.02	7.83	56	17.5	122	317	566	533	396	167	53.4	12.2	7.83	
45-50	<0.0529	0.966	13.6	2.26	4.59	12.2	57	29.7	155	646	1340	1090	777	251	86	20.5	12.2	

Table 7: Continued.

Sample Depth (cm)	CL8-PCB-204	CL8-PCB-205	CL9-PCB-206	CL9-PCB-207	CL9-PCB-208	CL10-PCB-209	% Moisture	Total Monochloro Biphenyl	Total Dichloro Biphenyl	Total Trichloro Biphenyl	Total Tetrachloro Biphenyl	Total Pentachloro Biphenyl	Total Hexachloro Biphenyl	Total Heptachloro Biphenyl	Total Octachloro Biphenyl	Total Nonachloro Biphenyl	Decachloro Biphenyl	
<b>Core 6</b>																		
0-1	<0.0579	NDR 0.213	2.78	0.348	1.11	3.18	52.8	10.4	49.3	101	164	159	114	49	12.4	4.24	3.18	
1-2	<0.0471	0.18	2.73	0.419	NDR 1.01	2.81	55.5	6.62	39.9	86.2	150	181	111	48.6	14	3.15	2.81	
3-4	<0.0663	0.206	3.34	0.443	1.26	3.15	50.5	7.02	46.8	107	177	166	116	46.8	16.4	5.04	3.15	
6-7	<0.0683	0.268	3.33	0.462	1.12	3.58	48.4	7.51	50.2	120	210	193	141	56	19.1	4.91	3.58	
9-10	<0.0488	0.359	3.56	0.934	2.36	2.26	46.2	7.98	55.5	139	235	235	173	72.6	24.6	8.65	22.6	
9-10 (Duplicate)	<0.0491	0.285	3.59	NDR 0.617	1.44	3.88	46.4	8.94	58.9	141	245	253	182	71.7	23	2.78	2.78	
12-14	<0.0495	NDR 0.255	4.16	NDR 0.620	1.6	4.14	43	8.43	65.4	156	257	252	179	73.4	23.9	5.76	4.14	
14-16	<0.0571	0.619	6.06	NDR 0.951	1.99	4.82	42.2	9.03	61.1	147	249	249	219	145	54	8.05	4.82	
18-20	<0.0800	NDR 0.390	5.08	NDR 0.691	2.12	5.61	42.9	9.94	72.2	167	291	284	201	84.3	27	7.2	5.61	
25-30	<0.0509	NDR 0.474	4.7	0.696	1.79	4.56	40.1	12.4	88.6	222	334	270	226	83.5	28.8	7.19	4.56	
40-45	<0.0556	0.49	5.8	0.824	2.15	5.62	41.9	13.8	107	268	421	324	275	110	32.1	8.77	5.62	

<b>Core 7</b>																		
0-1	<0.153	NDR 0.407	4.08	0.423	1.36	2.38	50.6	5.8	31.5	74.5	125	114	93.9	37.9	15.2	5.86	2.38	
1-2	<0.0474	0.166	2.38	0.273	0.747	2.61	47.3	3.97	26.6	75.2	124	138	112	37.2	10.7	3.4	2.61	
3-4	<0.142	NDR 0.381	3.92	0.385	0.979	2.13	39.8	5.35	19.1	78.5	138	120	93.7	52.7	22.9	5.28	2.13	
3-4 (Duplicate)	<0.127	NDR 0.233	3.11	NDR 0.381	1.13	3.23	39.8	6.97	24.5	101	175	181	134	47.6	8.9	86.1	50	
6-7	<0.135	NDR 0.237	2.37	NDR 0.269	NDR 0.871	2.16	38.3	2.99	17.7	79.2	138	178	145	41	11.2	2.37	2.16	
9-10	<0.0462	NDR 0.117	1.72	0.296	0.708	2.01	30.8	3.17	21.8	53.6	96.3	95.1	73.9	27.8	7.67	2.72	2.01	
12-14	<0.138	<0.151	3.73	NDR 0.459	1.51	4.18	33.5	5.3	10.1	78.5	163	127	82.1	27	10.1	5.24	4.18	
14-16	<0.0501	0.228	4.37	0.634	1.77	3.82	38.2	1.31	13.2	78.4	156	151	113	47.3	15.7	6.78	5.46	
18-20	<0.145	<0.132	3.72	NDR 0.469	1.46	3.28	37.2	2.96	27.7	172	270	183	101	38.3	11	5.18	3.28	
25-30	<0.111	<0.0931	NDR 0.264	<0.100	<0.104	0.395	42.1	<	6.63	13	9.32	3.64	1.35	0.485	<	<	<	
40-44	<0.0500	<0.0500	<0.151	<0.118	<0.128	NDR 0.093	43.1	1.06	0.787	2.89	6.74	5.13	1.91	0.791	0.137	<0.151	<0.0500	

Core Number/Sample Depth (cm)	CL8-PCB-204	CL8-PCB-205	CL9-PCB-206	CL9-PCB-207	CL9-PCB-208	CL10-PCB-209	% Moisture	Total Monochloro Biphenyl	Total Dichloro Biphenyl	Total Trichloro Biphenyl	Total Tetrachloro Biphenyl	Total Pentachloro Biphenyl	Total Hexachloro Biphenyl	Total Heptachloro Biphenyl	Total Octachloro Biphenyl	Total Nonachloro Biphenyl	Decachloro Biphenyl
8/1-2	<0.0829	0.33	5.27	NDR 0.708	2.04	10.8	76.5	15.5	78.9	179	290	401	299	97.8	28.3	7.31	10.8
9/1-2	<0.0843	0.445	7.33	0.847	2.69	11.1	74.3	NQ	109	226	382	312	312	111	33.5	10.9	10.7
10/0-1	<0.208	0.658	10	1.5	3.47	14.5	85.4	19	104	248	529	725	625	199	55	15	14.5
11/0-1	<0.131	0.456	6.06	NDR 1.41	2.35	13.1	84.5	15.7	71.9	181	346	414	316	105	29.8	8.41	13.1
12/0-1	<0.0945	NDR 0.368	5.91	NDR 1.71	2.32	10.1	81.8	21.7	63.3	165	303	395	305	89.3	24.6	8.23	10.1
13/0-1	<0.0723	0.233	3.21	NDR 0.789	1.27	8.34	78.9	15.5	55.7	105	182	206	158	57.2	17.3	4.48	8.34
14/0-1	<0.0535	0.652	8.22	0.99	3.04	8.99	73.9	17.8	77.1	226	388	465	369	152	44.5	12.3	8.99
15/0-1	<0.0505	NDR 0.110	1.54	NDR 0.221	0.499	2.64	66.9	5.61	48.3	69.9	69.9	77.3	62.4	24.6	7.27	2.04	2.64
16/0-1	<0.0501	NDR 0.236	3.33	NDR 0.434	1.09	3.2	50.2	4.54	56.1	160	218	259	185	65.9	18	4.42	3.2
17/0-1	<0.130	NDR 0.624	7.73	NDR 0.891	NDR 3.62	12.6	75.5	9.53	112	252	405	444	352	130	37.4	7.73	12.6
18/0-1	<0.0492	NDR 0.109	1.64	0.193	0.657	1.75	32.5	0.93	24.1	57.7	87.2	88.8	67.2	27	9.06	2.49	1.75
19/0-1	<0.0473	0.202	2.83	0.371	1	2.82	51	4.8	46.5	108	156	160	132	15.4	4.2	2.82	2.82
20/0-1	<0.0611	0.624	8.33	1.07	2.81	8.09	68.1	16	101	281	492	524	421	157	48.6	12.2	8.09
21/0-1	<0.267	1.36	21	2.9	7.29	19	73.1	9.53	147	468	955	1540	1290	414	123	31.2	19
22/0-1	<0.130	0.333	4.66	0.547	1.7	5.29	84.4	<	50.8	111	211	248	202	67.8	22.6	6.91	5.29

**Sediment Traps**

A1 TOP	<0.0491	0.359	4.4	0.595	1.53	3.9	71.7	3.23	48.5	117	207	269	250	102	33.7	6.53	3.9
A1 BOT	<0.0486	0.389	4.48	0.599	1.51	3.28	68	6.81	63.4	157	221	266	245	105	34.5	6.59	3.28
B1 TOP	<0.0489	0.192	2.53	NDR 0.312	0.891	1.99	75.4	4.68	57.5	159	180	180	116	48.2	15.8	3.42	1.99
B1 BOT	<0.0492	NDR 0.292	3.12	0.4	0.965	2.14	68.3	1.87	38.8	86.8	129	153	132	59.8	21.4	4.49	2.14

Table 7: Continued.

Sample Depth (cm)	TOTAL PCBs	TEQ (WHO 1998) ND=0	TEQ (WHO 1998) ND=1/2DL
<b>Core 1</b>			
0-1	2360	0.119	0.12
1-2	2090	0.0827	0.0839
3-4	3370	0.158	0.159
6-7	3050	0.143	0.144
9-10	3470	0.152	0.153
12-14	4110	0.186	0.187
14-16	2510	0.116	0.118
18-20	896	0.0634	0.0642
25-30	70.8	0.000781	0.00586
50-55	49.5	0.000408	0.00707
<b>Core 2</b>			
0-1	2910	0.0293	0.0395
1-2	6030	0.162	0.167
3-4	6510	0.0749	0.18
6-7	5550	0.149	0.151
9-10	9450	0.269	0.271
12-14	6590	0.176	0.177
14-16	14800	0.339	0.348
14-16 (Duplicate)	14400	0.337	0.346
18-20	14000	0.31	0.313
25-30	439	0.00264	0.00746
35-40	23.3	0.000179	0.00611
<b>Core 3</b>			
0-1	1210	0.0444	0.0448
1-2	1440	0.0618	0.0626
3-4	1530	0.0512	0.0521
3-4 (Duplicate)	1330	0.0396	0.04
6-7	1340	0.0413	0.0417
9-10	1370	0.0487	0.0491
12-14	1910	0.0658	0.0663
14-16	2310	0.0784	0.0793
18-20	3720	0.0901	0.0908
25-30	4680	0.127	0.129
40-45	9820	0.217	0.22
<b>Core 4</b>			
1-2	484	0.00425	0.0175
14-16	537	0.0157	0.0161
14-16 (Duplicate)	592	0.0162	0.00473
30-35	1020	0.0103	0.023
<b>Core 5</b>			
0-1	1120	0.0112	0.0177
1-2	969	0.00874	0.0167
3-4	1800	0.0727	0.0764
6-7	928	0.00998	0.0199
9-10	1110	0.0411	0.0417
12-14	1500	0.0475	0.0482
14-16	2120	0.0813	0.0813
18-20	1440	0.0704	0.0712
25-30	2190	0.0784	0.0792
45-50	4410	0.117	0.118

Table 7: Continued.

Sample Depth (cm)	TOTAL PCBs (cm) <sup>1</sup> 1998	TEQ (WHO 1998) ND=0	TEQ (WHO 1998) ND=1/2DL
-------------------	-----------------------------------	---------------------	-------------------------

## Core 6

0-1	668	0.00691	0.0147
1-2	613	0.0066	0.0138
3-4	690	0.00715	0.0169
6-7	805	0.03661	0.0365
9-10	988	0.0103	0.0173
9-10 (Duplicate)	994	0.0478	0.0482
12-14	1030	0.0108	0.0175
14-16	1150	0.0114	0.0209
18-20	1150	0.0123	0.0261
25-30	1280	0.0587	0.0591
40-45	1570	0.0154	0.0292

## Core 7

0-1	507	0.00529	0.0232
1-2	533	0.00516	0.00942
3-4	537	0.00431	0.0239
3-4 (Duplicate)	686	0.00668	0.0434
6-7	618	0.00852	0.0324
9-10	384	0.00403	0.00914
12-14	513	0.00505	0.0261
14-16	588	0.00491	0.0125
18-20	814	0.00782	0.034
25-30	34.4	0.000287	0.0108
40-44	19.4	0.000155	0.00299

Core Number/Sample Depth (cm)	TOTAL PCBs	TEQ (WHO 2005) ND=0	TEQ (WHO 2005) ND=1/2DL
8/1-2	1410	0.0421	0.0447
9/1-2	1590	0.0503	0.0529
10/0-1	2530	0.0704	0.0754
11/0-1	1500	0.0603	0.0628
12/0-1	1390	0.0393	0.041
13/0-1	810	0.0233	0.0247
14/0-1	1760	0.0568	0.0592
15/0-1	328	0.0109	0.012
16/0-1	973	0.00248	0.0139
17/0-1	1760	0.00446	0.0324
18/0-1	366	0.00629	0.00634
19/0-1	679	0.00179	0.0113
20/0-1	2060	0.00539	0.0244
21/0-1	5000	0.13	0.135
22/0-1	925	0.00246	0.0195

## Sediment Traps

A1 TOP	1040	0.0379	0.0388
A1 BOT	1110	0.0104	0.0171
B1 TOP	723	0.0208	0.0212
B1 BOT	630	0.00611	0.0151



Table 8: Results of the PBDE analysis. All congeners are reported in pg/g. < = less than detection limit; K = peak detected but did not meet quantification criteria, number following this flag represents an unconfirmed concentration; NDR = peak detected but did not meet quantification criteria, result reported represents the estimated maximum possible concentration. Blank cells indicate congener not quantifiable due to <10% recovery of labeled standards.

Sample Depth (cm)	Br2-DPE-7	Br2-DPE-8/11	Br2-DPE-10	Br2-DPE-12/13	Br2-DPE-15	Br3-DPE-17/25	Br3-DPE-28/33	Br3-DPE-30	Br3-DPE-32	Br3-DPE-35	Br4-DPE-37	Br4-DPE-49	Br4-DPE-51	Br4-DPE-66	Br4-DPE-71	
<b>Core 1</b>																
0-1	0.933	1.04	<0.108	NDR 0.170	1.26	4.35	2.72	<0.191	<0.153	<0.134	NDR 0.142	32.8	4.83	NDR 1.05	NDR 0.763	0.54
1-2						7.92	3.62	<0.315	<0.249	<0.190	K 0.205	51.7	11.7	2.45	1.67	K 0.608
3-4	0.863	1.11	<0.097	NDR 0.186	1.31	4.98	2.6	<0.215	<0.172	<0.151	<0.141	24.4	6.15	1.45	1.55	NDR 0.512
6-7	0.861	1.01	<0.187	NDR 0.204	NDR 0.999	3.88	NDR 1.73	<0.310	<0.248	<0.217	<0.203	18.3	NDR 3.81	1.18	NDR 0.992	NDR 0.545
9-10	0.275	NDR 0.375	<0.136	NDR 0.121	NDR 0.364	NDR 1.59	NDR 0.803	<0.143	<0.115	<0.101	<0.094	8.87	NDR 1.24	NDR 0.605	NDR 0.392	0.23
12-14	<0.120	<0.101	<0.141	NDR 0.117	NDR 0.112	NDR 0.362	NDR 0.220	<0.155	<0.124	<0.108	<0.101	4.32	<0.436	<0.316	<0.541	<0.464
14-16						K 0.353	K 0.221	<0.281	<0.223	<0.169	<0.158	7.77	K 0.415	<0.244	<0.393	<0.326
18-20	<0.111	<0.111	<0.111	<0.111	NDR 0.118	NDR 0.364	0.149	<0.127	<0.111	<0.111	<0.111	6.61	0.285	<0.113	0.244	<0.166
25-30	<0.094	0.102	<0.113	<0.094	0.115	<0.199	NDR 0.351	<0.216	<0.169	<0.136	<0.130	6.19	NDR 0.365	<0.222	NDR 0.400	<0.324
50-55						<0.396	0.533	<0.442	<0.350	<0.266	<0.249	9.32	<0.843	<0.560	<0.905	<0.749
<b>Core 2</b>																
0-1						NDR 14.4	4.88	<0.110	NDR 0.179	NDR 0.163	NDR 0.212	126	37.4	5.7	4.65	2.48
1-2						33.9	10.9	<0.211	0.415	<0.135	0.307	235	70.9	10.3	8.53	4.73
3-4						NDR 29.2	7.61	<0.766	<0.592	<0.468	<0.435	129	61.5	10.3	5.02	3.6
6-7						NDR 25.4	6.68	<0.196	NDR 0.577	NDR 0.168	NDR 0.191	125	53	9.17	4.22	2.29
9-10						NDR 33.0	8.7	<0.830	0.696	<0.500	<0.466	170	70.9	12.5	5.63	4.5
12-14						NDR 14.9	3.76	<0.487	NDR 0.424	<0.298	<0.277	87.7	29.4	6.26	2.41	1.05
14-16						6.49	1.74	<0.220	<0.173	<0.141	<0.130	29.5	11.4	2.56	0.921	0.463
18-20						NDR 0.549	NDR 0.671	<0.201	<0.154	NDR 0.180	NDR 0.129	7.37	0.977	0.242	0.301	<0.141
25-30						NDR 0.745	NDR 0.927	<0.514	<0.394	<0.310	<0.288	11.7	0.98	<0.484	<0.807	<0.680
35-40						<0.243	<0.201	<0.259	<0.204	<0.166	<0.153	3.33	<0.497	<0.372	<0.576	<0.521
<b>Core 3</b>																
0-1	55.1	20.7	<0.265	1.95	5.31	170	32.5	<0.529	1.2	NDR 0.344	0.969	661	224	17.8	30	23.4
0-1 (Duplicate)	51.8	23.3	<0.302	1.91	5.8	195	36.3	<0.740	1.37	<0.466	0.98	731	242	18.3	30.6	30.6
1-2						185	28.4	<0.388	0.684	<0.238	0.442	730	230	17.4	29.2	22.4
3-4	89.7	34.6	<0.249	2.85	8.2	269	40.9	<0.425	2.31	NDR 0.624	1.24	660	304	23.8	31.5	NDR 28.7
6-7	167	60	<0.392	4.07	11.8	256	35.8	<0.814	3.54	0.696	1.09	407	265	23.4	21.4	25.3
9-10	103	63.2	<0.186	3.57	10.9	168	22	<0.485	NDR 2.03	<0.315	0.68	190	148	16.9	7.92	NDR 9.47
12-14	33.3	30.4	<0.190	1.75	5.68	91.8	11.5	<0.324	0.774	<0.190	0.312	131	79.3	15	4.71	3.84
12-14 (Duplicate)	27.4	32	<0.101	1.84	5.64	99.7	12.3	<0.272	1.5	<0.177	0.189	124	80.4	15.1	5.06	NDR 6.30
14-16						38.6	4.63	<0.200	<0.161	<0.123	<0.115	59.9	37.1	6.51	1.86	1.32
18-20	2.13	1.75	<0.213	0.177	0.457	5.46	0.866	<0.198	<0.154	<0.128	<0.123	10.1	5.97	NDR 1.04	<0.168	NDR 0.298
25-30	0.33	NDR 0.392	<0.101	<0.091	NDR 0.150	1.31	NDR 0.403	<0.186	<0.144	<0.119	<0.112	NDR 3.80	NDR 1.02	0.13	<0.170	NDR 0.214
<b>Core 4</b>																
1-2	3.13	3.13	<0.859	<0.476	0.771	8.34	3.45	<0.259	<0.208	<0.159	<0.149	131	19.5	1.9	4.8	1.84
14-16						25.5	6.38	<0.159	<0.128	<0.098	K 0.246	128	45.3	5.18	5.84	3
30-35						K 42.5	7.44	<0.307	0.511	<0.185	0.241	107	61.8	9.87	4.3	3.39
30-35 (Duplicate)						K 44.8	8.08	<0.239	0.586	<0.144	0.283	116	64.5	10.3	4.27	4.55

Table 8: Continued.

Sample Depth (cm)	B2-DPE-7	B2-DPE-8/11	B2-DPE-10	B2-DPE-12/13	B2-DPE-15	B3-DPE-17/25	B3-DPE-28/33	B3-DPE-30	B3-DPE-32	B3-DPE-35	B3-DPE-37	B4-DPE-47	B4-DPE-49	B4-DPE-51	B4-DPE-66	B4-DPE-71
-------------------	----------	-------------	-----------	--------------	-----------	--------------	--------------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------

Core 5

0-1	1.15	2.33	<0.190	<0.101	1.78	6.26	4.49	<0.382	<0.302	<0.221	<0.201	56.1	7.51	NDR 1.30	NDR 2.74	1.42
1-2						8.79	4.92	<0.323	<0.256	<0.194	0.237	65.7	12.4	1.77	2.65	1.08
3-4	0.792	3.66	<0.186	<0.106	3.67	11.8	7.2	<0.348	<0.275	<0.201	0.298	90	16	NDR 2.78	4.22	1.8
6-7	1.42	3.3	<0.196	<0.104	3.65	9.93	5.96	<0.234	<0.180	NDR 0.252	64	11.1	2.1	2.36	1.04	
9-10	2.4	4.1	<0.289	NDR 0.323	3.94	11.4	6.17	<0.182	NDR 0.234	NDR 0.342	54.6	12.7	3.3	NDR 2.40	NDR 1.76	
12-14	2.69	4.5	<0.143	0.376	4.6	12.7	6.2	<0.234	NDR 0.255	<0.125	NDR 0.289	68.3	17.4	4.67	3.43	2.16
14-16						K 13.5	5.29	<0.288	0.262	<0.174	K 0.292	63.8	20.2	5.38	2.89	1.23
18-20	1.52	3.06	<0.148	0.285	2.96	9.47	3.99	<0.239	<0.184	<0.135	NDR 0.213	42.3	12	3.32	1.98	1.28
25-30	0.199	0.357	<0.144	<0.092	0.3	1.09	0.558	<0.171	<0.131	<0.097	<0.092	6.45	NDR 1.23	0.304	NDR 0.339	<0.151
45-50						K 0.247	K 0.183	<0.243	<0.192	<0.146	<0.137	4.45	<0.462	<0.307	<0.496	<0.410

Core 6

0-1	0.618	1.24	<0.183	<0.097	0.887	5.89	3.55	<0.221	<0.170	<0.125	NDR 0.166	67.6	7.14	0.888	1.9	1.08
1-2	1.02	1.69	<0.164	NDR 0.151	NDR 1.03	6.26	4.05	<0.162	<0.125	<0.104	NDR 0.192	49.2	6.82	0.966	1.73	NDR 0.512
3-4	1.28	2.11	<0.202	<0.107	1.28	8.43	4.47	<0.312	<0.240	<0.176	<0.160	65.3	8.55	NDR 1.40	2.25	1.43
6-7	0.997	2.15	<0.178	NDR 0.179	1.09	8.51	4.95	<0.231	<0.178	<0.130	NDR 0.149	57.2	8.41	1.32	1.87	NDR 0.957
9-10	1.56	2.79	<0.095	0.211	1.85	10.7	5.77	<0.133	0.12	0.123	0.261	71.5	11.6	1.76	2.67	1.02
12-14	1.94	3.5	<0.095	0.231	2.02	10.8	5.6	<0.149	NDR 0.164	<0.095	0.179	64.6	11.8	2.03	2.65	1.26
14-16	3.26	5.75	<0.109	0.433	3.1	16.7	7.16	<0.199	0.307	<0.127	0.292	65.5	15.7	3.03	NDR 3.12	NDR 1.25
18-20	3.52	8.18	<0.107	0.545	4.32	21.4	9.83	<0.242	NDR 0.378	<0.129	0.304	97.5	22	4.4	4.09	NDR 2.20
25-30	2.33	5.18	<0.106	0.35	2.35	12.1	4.99	<0.173	0.297	<0.094	0.169	49.5	11.8	2.53	2.12	NDR 1.29
40-45	0.637	1.15	<0.145	NDR 0.181	0.567	2.07	NDR 0.923	<0.175	<0.135	<0.112	<0.105	8.46	1.56	NDR 0.410	NDR 0.340	NDR 0.228

Core 7

0-1	0.511	1.04	<0.111	NDR 0.118	0.843	4.15	2.9	<0.147	<0.112	<0.111	<0.111	48.1	5	0.869	NDR 1.53	NDR 0.589
1-2	1.06	1.17	<0.092	0.124	0.966	K 4.92	2.59	<0.092	<0.092	<0.092	0.1	49	6.15	0.916	1.74	K 0.309
3-4	0.67	1.85	<0.097	0.145	1.17	5.66	2.93	<0.159	<0.121	<0.097	0.114	37.9	6.76	1.32	1.8	0.732
6-7	0.573	1.22	<0.097	NDR 0.109	0.922	3.97	2.11	<0.144	<0.115	<0.097	<0.097	29.4	4.66	0.837	1.3	NDR 0.490
9-10	0.567	1.55	<0.133	0.216	1.06	5.31	3.06	<0.151	<0.117	<0.097	NDR 0.152	36.1	6.45	NDR 1.08	1.56	NDR 0.684
12-14	<0.096	NDR 0.179	<0.096	<0.096	NDR 0.164	0.76	0.435	<0.096	<0.096	<0.096	<0.096	8.78	1.02	0.17	NDR 0.341	<0.096
18-20	0.243	0.288	<0.101	<0.101	0.24	1.11	0.801	<0.101	<0.101	<0.101	<0.101	16.4	NDR 1.43	NDR 0.226	NDR 0.432	NDR 0.287
25-30	<0.121	0.15	<0.145	<0.096	NDR 0.139	0.871	0.517	<0.104	<0.096	<0.096	<0.096	10.8	NDR 1.12	NDR 0.165	NDR 0.251	NDR 0.144
40-44						<0.196	0.211	<0.222	<0.172	<0.130	<0.120	5.04	<0.269	<0.163	<0.297	<0.244

Surface Only Samples

8/1-2	0.619	1.91	<0.206	NDR 0.216	2.08	5.49	3.62	<0.248	<0.201	<0.166	0.718	49.9	7.48	1.5	NDR 2.14	NDR 0.694
9/1-2	1.39	1.77	<0.207	<0.169	2	6.95	3.95	<0.272	<0.220	NDR 0.179	0.85	56.6	9.11	NDR 3.33	2.63	<0.169
10/0-1	NDR 0.807	1.75	<0.442	<0.417	2.5	6.21	4.15	<0.604	<0.489	<0.417	1.25	61.3	9.54	2.43	2.7	NDR 0.850
11/0-1	NDR 1.57	1.94	<0.415	0.29	2.57	6.85	3.97	<0.374	<0.302	<0.261	1.08	69.8	NDR 10.8	2.16	NDR 3.18	<0.261
12/0-1	0.866	0.724	<0.199	<0.189	1.16	3.03	2.31	<0.375	<0.303	<0.194	0.841	37.1	NDR 4.61	1.09	NDR 1.68	NDR 0.439
13/0-1	NDR 0.600	NDR 0.716	<0.147	<0.145	0.956	2.67	1.86	<0.169	NDR 0.180	<0.145	NDR 0.461	30.3	3.58	NDR 1.13	1.27	NDR 0.489
14/0-1	1.32	3.2	<0.122	0.378	3.62	11.2	5.77	<0.154	<0.124	0.193	0.65	89.3	18.1	3.47	NDR 3.66	NDR 0.969
15/0-1	0.334	1.21	<0.141	<0.101	0.942	3.02	2.22	<0.214	<0.170	<0.120	NDR 0.484	35.8	NDR 3.96	NDR 0.432	1.22	NDR 0.384
16/0-1	1.17	2.22	<0.320	<0.189	1.37	7.83	4.12	<0.321	<0.261	<0.201	<0.188	62.5	7.63	NDR 1.16	2.91	<0.713
17/0-1	1.38	2.11	<0.571	<0.338	3.23	9.6	NDR 6.14	<0.674	<0.547	<0.421	NDR 0.706	107	13.2	1.94	6.01	NDR 1.19

Table 8: Continued.

Sample Depth (cm)	Br2-DPE-7	Br2-DPE-8/11	Br2-DPE-10	Br2-DPE-12/13	Br2-DPE-15	Br3-DPE-17/25	Br3-DPE-28/33	Br3-DPE-30	Br3-DPE-32	Br3-DPE-35	Br3-DPE-37	Br4-DPE-47	Br4-DPE-49	Br4-DPE-51	Br4-DPE-66	Br4-DPE-71
18/0-1	NDR 1.00	1.36	< 0.369	< 0.218	0.608	4.53	1.83	< 0.231	< 0.188	< 0.145	NDR 0.287	28.3	3.56	NDR 0.728	NDR 0.865	< 0.531
19/0-1	1.51	3.15	< 0.149	< 0.095	2.11	7.75	4.58	< 0.175	< 0.141	< 0.107	0.265	59.2	9.04	1.54	2.77	< 0.891
20/0-1	NDR 1.18	2.22	< 0.317	< 0.177	1.99	6.55	NDR 3.51	< 0.370	< 0.299	< 0.225	NDR 0.356	62	8.38	2.09	NDR 3.19	< 1.12
21/0-1	3.96	3.87	< 1.29	< 0.722	4.08	18.6	7.94	< 1.53	< 1.24	< 0.934	1.11	159	NDR 27.1	6.71	6.58	NDR 2.68
22/0-1	1.19	NDR 0.702	< 0.585	< 0.327	1.49	4.9	NDR 3.13	< 0.302	< 0.260	< 0.260	NDR 0.655	56.1	NDR 5.97	1.61	NDR 2.66	< 0.458

## Sediment Traps

A1 TOP						21.2	9.6	< 0.421	< 0.327	< 0.247	K 0.282	628	49.5	6.07	15.1	6.07
A1 BOT						38.6	11	< 0.419	< 0.326	< 0.245	0.344	522	76	9.01	13.2	8.51
B1 TOP						K 4.98	2.86	< 0.300	< 0.233	< 0.176	< 0.162	72.2	8.52	0.962	2.46	K 0.693
B1 BOT						K 6.68	3.52	< 0.372	< 0.289	< 0.218	< 0.201	76.6	11	1.23	2.4	K 1.17

Table 8: Continued.

Sample Depth (cm)	Br4-DPE-75	Br4-DPE-77	Br4-DPE-79	Br5-DPE-85	Br5-DPE-99	Br5-DPE-100	Br5-DPE-105	Br5-DPE-116	Br5-DPE-119/120	Br5-DPE-126	Br6-DPE-128	Br6-DPE-138/166	Br6-DPE-140	Br6-DPE-153	Br6-DPE-154	Br6-DPE-155
<b>Core 1</b>																
0-1	<0.092	<0.082	<0.092	NDR 0.577	15.4	8.82	<0.376	<0.483	<0.259	<0.177	<0.836	NDR 0.405	0.17	2.03	3.34	0.554
1-2	<0.407	<0.322	<0.394	0.73	23.3	14.5	<0.341	<0.446	K 0.442	<0.160	<0.546	K 0.397	<0.263	3.64	6.1	1.17
3-4	<0.110	<0.097	NDR 0.391	0.476	12.9	8.33	<0.383	<0.492	<0.274	<0.180	<1.11	NDR 0.525	NDR 0.197	2.47	3.84	0.594
6-7	<0.236	<0.213	<0.236	<0.404	8.92	5.54	<0.525	<0.673	<0.362	<0.250	<1.81	<0.348	<0.205	NDR 1.67	NDR 2.37	NDR 0.466
9-10	<0.147	<0.132	0.24	<0.230	5.06	2.53	<0.298	<0.383	<0.206	<0.147	<1.17	<0.399	<0.235	0.843	NDR 1.05	0.303
12-14	<0.392	<0.344	<0.390	<0.272	4.12	1.02	<0.363	<0.453	<0.244	<0.165	<1.28	<0.315	<0.186	0.523	NDR 0.422	<0.123
14-16	<0.296	<0.240	<0.286	0.43	7.96	1.63	<0.263	<0.343	<0.216	<0.128	<0.729	K 0.378	<0.240	0.939	K 0.778	<0.169
18-20	<0.140	<0.125	<0.140	NDR 0.425	6.67	1.59	<0.319	<0.410	<0.220	<0.146	<1.60	<0.356	<0.210	NDR 0.980	NDR 0.671	<0.139
25-30	<0.261	<0.221	<0.264	<0.272	5.49	1.35	<0.358	<0.450	<0.259	<0.174	<1.33	NDR 0.352	<0.168	NDR 0.630	NDR 0.595	<0.117
50-55	<0.679	<0.572	<0.657	<0.444	6.53	1.76	<0.549	<0.717	<0.451	<0.259	<1.73	<0.721	<0.493	0.845	0.474	<0.348
<b>Core 2</b>																
0-1	NDR 0.224	<0.094	<0.094	4.36	130	38.6	<0.443	<0.548	0.756	0.343	<0.580	1.92	0.805	19.9	20.5	3.07
1-2	K 0.289	<0.099	<0.121	8.18	223	66	<0.730	<0.972	0.997	<0.352	<0.619	2.99	1.42	33.6	35.6	5.32
3-4	<0.476	<0.400	1.78	NDR 3.68	97.9	35.9	<1.76	4.63	<1.44	<0.854	<1.12	1.85	0.828	18.4	21.9	4.54
6-7	0.148	<0.099	0.441	3.44	93.6	35.4	<0.467	<0.605	0.901	NDR 0.287	<0.604	1.12	0.769	16.2	15.3	4.84
9-10	<0.714	<0.589	1.62	NDR 5.27	122	47.6	<1.18	<1.65	1.58	<0.550	<2.57	2.36	1.3	22.4	27.4	5.22
12-14	<0.592	<0.442	NDR 0.589	NDR 4.14	80.3	24.9	<1.31	<1.70	<1.07	<0.555	<1.23	NDR 1.25	0.606	11.1	12.7	2.62
14-16	<0.117	<0.091	<0.105	0.644	15.8	6.76	<0.662	<0.882	<0.610	<0.317	<0.481	<0.294	<0.216	2.95	3.88	1.07
18-20	<0.124	<0.099	<0.115	NDR 0.628	5.91	1.52	<0.202	<0.283	NDR 0.236	<0.105	<0.347	0.167	<0.114	1.11	0.604	NDR 0.271
25-30	<0.595	<0.498	<0.553	<0.686	4.93	2.22	<0.846	<1.18	<0.740	<0.395	<1.72	NDR 0.709	<0.425	2.25	1.25	NDR 0.329
35-40	<0.447	<0.336	<0.404	<0.619	2.79	0.684	<0.729	<0.970	<0.671	<0.367	<0.655	<0.313	<0.229	K 0.353	0.351	<0.163
<b>Core 3</b>																
0-1	1.2	<0.122	NDR 5.90	27.5	640	178	<1.60	<2.01	4.12	0.795	<3.45	9.65	3.67	90.5	82.2	8.25
0-1 (Duplicate)	NDR 1.63	NDR 0.209	NDR 6.56	28.9	682	192	<1.30	<1.63	5.05	1.06	<3.56	9.49	3.89	96.4	91.3	8.88
1-2	1.28	<0.099	<0.115	25.4	644	176	<2.28	<3.04	3.16	<1.18	<1.33	7.12	3.63	87.1	77	8.47
3-4	1.6	NDR 0.209	NDR 5.97	21.3	524	167	<1.32	<1.66	NDR 4.44	1.19	<3.94	8	3.47	82.1	81.1	9.93
6-7	1.21	NDR 0.730	4.95	12.9	286	101	<1.98	NDR 5.13	8.39	1.28	<4.00	7.53	4.49	75.3	72.9	9.75
9-10	NDR 0.904	<0.094	NDR 1.74	4.7	96.6	35.5	<0.857	1.13	NDR 0.969	0.676	<1.93	2.11	1.21	16.7	18.9	5.56
12-14	0.364	<0.155	0.659	2.77	57.3	22.7	<0.352	<0.505	0.625	0.223	<1.11	1.53	0.653	10.5	12	3.34
12-14 (Duplicate)	NDR 0.427	<0.092	NDR 1.30	2.31	47.7	20.7	<0.458	<0.579	0.522	NDR 0.286	<1.30	1.03	0.614	8.49	10.3	3.5
14-16	<0.234	<0.179	<0.213	K 1.46	31.6	10.7	<1.05	<1.40	<0.945	<0.526	<0.734	0.597	0.333	5.92	6.67	K 1.68
18-20	<0.123	<0.100	<0.118	0.509	6.59	1.97	<0.429	<0.542	<0.315	<0.197	<1.58	<0.358	NDR 0.298	1.2	NDR 1.33	0.623
25-30	<0.115	<0.100	<0.118	<0.251	2.78	0.794	<0.339	<0.444	<0.239	<0.155	<0.525	NDR 0.256	<0.093	NDR 0.485	NDR 0.357	0.156
<b>Core 4</b>																
1-2	<0.279	<0.214	<0.253	5.68	131	33.3	<0.999	<1.33	<0.899	<0.491	<0.831	1.82	0.673	15.3	14.8	K 1.27
14-16	K 0.217	<0.111	<0.135	3.56	88	31.1	<0.688	<0.891	K 0.613	<0.343	<0.531	0.952	K 0.608	12.2	14.6	1.84
30-35	0.268	<0.219	K 0.701	2.78	52.6	23.3	<0.422	<0.551	K 1.03	K 0.195	<0.606	K 0.981	0.54	8.52	11.7	1.71
30-35 (Duplicate)	0.209	<0.136	K 0.711	2.99	58.7	25.8	<0.279	<0.365	K 0.194	0.965	<0.535	0.804	0.388	8.63	12.1	1.97

Table 8: Continued.

Sample Depth (cm)	B4-DPE-75	B4-DPE-77	B4-DPE-79	B5-DPE-85	B5-DPE-99	B5-DPE-100	B5-DPE-105	B5-DPE-116	B5-DPE-119/120	B5-DPE-126	B5-DPE-128	B6-DPE-138/166	B6-DPE-140	B6-DPE-153	B6-DPE-154	B6-DPE-155
<b>Core 5</b>																
0-1	NDR 0.212	<0.099	<0.099	0.902	30.6	13.7	<0.777	<1.17	<0.711	<0.385	<0.678	NDR 0.298	NDR 0.224	5.07	6.32	0.939
1-2	<0.349	<0.277	0.638	K 1.09	37.1	18.8	<0.502	<0.656	K 0.495	<0.233	<0.752	0.452	K 0.332	5.54	9.28	1.31
3-4	NDR 0.186	<0.106	<0.106	1.31	46.6	26.6	<0.755	<1.14	NDR 0.805	<0.369	<0.506	0.663	NDR 0.409	7.66	12.8	1.76
6-7	NDR 0.217	<0.123	<0.153	NDR 1.15	34.8	20	<0.387	<0.592	NDR 0.388	<0.197	<0.482	0.524	0.293	5.56	8.9	NDR 1.47
9-10	NDR 0.193	NDR 0.144	NDR 0.489	1.28	32.7	19.1	<0.753	<0.986	<0.531	<0.344	<1.38	NDR 0.601	NDR 0.379	5.93	9.67	NDR 1.45
12-14	0.225	<0.096	<0.096	NDR 1.21	37.9	21.2	<0.370	<0.539	NDR 0.696	<0.178	<0.302	0.514	NDR 0.353	6.54	11.6	2.07
14-16	<0.226	<0.177	K 0.373	1.45	38.5	20	<0.279	K 1.13	0.889	0.189	<0.677	0.593	K 0.388	6.94	11.4	2.42
18-20	NDR 0.173	<0.090	<0.104	0.782	24	13.8	<0.518	<0.793	NDR 0.551	<0.275	<0.399	0.511	0.282	4.45	7.67	2.03
25-30	<0.134	<0.093	<0.116	<0.275	4.19	1.63	<0.321	<0.491	<0.313	<0.165	<0.391	<0.181	<0.123	NDR 0.872	1.09	0.554
45-50	<0.372	<0.299	<0.360	0.244	3.48	0.874	<0.294	<0.384	<0.242	<0.133	<0.766	<0.372	<0.254	0.601	K 0.341	<0.180

<b>Core 6</b>																
0-1	NDR 0.149	<0.088	<0.103	1.27	38.8	13.8	<0.401	NDR 0.816	<0.392	<0.212	<0.477	NDR 0.475	NDR 0.145	4.87	5.47	NDR 0.671
1-2	NDR 0.157	<0.091	NDR 0.395	1.08	28.5	10.4	<0.394	<0.516	0.312	<0.173	<0.878	NDR 0.722	0.316	4.11	4.88	0.531
3-4	<0.154	<0.116	<0.132	0.603	32	12.7	<0.654	<1.00	<0.639	<0.361	<0.516	NDR 0.308	NDR 0.225	4.75	6.12	NDR 0.866
6-7	NDR 0.116	<0.090	<0.091	0.721	26.1	12.1	<0.364	<0.556	NDR 0.393	<0.193	<0.295	<0.215	NDR 0.213	3.93	5.32	0.763
9-10	0.179	0.11	0.45	1.21	35.4	14.9	<0.337	<0.484	0.413	<0.138	<0.315	NDR 0.462	0.257	5.65	7.3	0.989
12-14	NDR 0.162	<0.095	<0.095	0.801	27.8	12.9	<0.344	<0.501	0.375	<0.165	<0.216	0.344	NDR 0.199	4.43	6.17	0.992
14-16	0.157	<0.090	NDR 0.333	1.08	30.7	13.6	<0.378	<0.494	NDR 0.427	NDR 0.189	<1.13	NDR 0.446	NDR 0.321	4.53	7.21	1.19
18-20	0.21	<0.095	<0.095	NDR 1.06	40.3	18.1	<0.466	<0.680	<0.449	<0.232	<0.376	NDR 0.534	0.293	6.51	9.44	1.84
25-30	NDR 0.110	<0.094	<0.094	0.531	20.4	8.78	<0.240	<0.350	NDR 0.265	<0.116	<0.285	NDR 0.189	NDR 0.225	3.07	4.78	1.17
40-45	<0.133	<0.116	<0.136	0.276	5.7	1.66	<0.338	<0.442	<0.238	<0.153	<1.34	NDR 0.534	<0.146	NDR 1.10	NDR 1.22	NDR 0.387

<b>Core 7</b>																
0-1	<0.111	<0.111	<0.111	0.851	25.1	9.82	<0.240	<0.350	<0.231	<0.114	<0.244	NDR 0.342	NDR 0.116	3.35	4.3	0.544
1-2	0.103	<0.092	0.114	0.919	27.3	10.7	<0.140	<0.174	K 0.190	0.1	<0.292	0.463	K 0.197	3.89	4.58	0.579
3-4	<0.097	<0.097	<0.097	0.501	18.9	7.93	<0.206	<0.300	0.255	<0.103	<0.256	0.193	0.148	2.8	3.92	0.558
6-7	<0.097	<0.097	<0.097	0.466	13.3	6.18	<0.249	<0.343	<0.210	<0.113	<0.258	NDR 0.197	NDR 0.144	2	3.01	NDR 0.560
9-10	<0.100	<0.088	NDR 0.312	0.916	23.3	8.96	<0.441	<0.576	<0.310	<0.209	<1.03	NDR 0.610	NDR 0.216	3.63	4.23	0.781
12-14	<0.096	<0.096	<0.096	NDR 0.189	4.65	1.6	<0.158	<0.218	<0.134	<0.096	<0.348	<0.117	<0.096	0.649	NDR 0.761	NDR 0.194
18-20	<0.101	<0.101	<0.101	0.363	8.6	3.06	<0.283	<0.390	<0.239	<0.126	<0.381	NDR 0.159	0.115	1.12	1.44	NDR 0.204
25-30	<0.096	<0.096	NDR 0.115	NDR 0.302	6.07	1.95	<0.249	<0.343	<0.210	<0.116	<0.460	<0.248	<0.166	NDR 0.627	1.05	0.187
40-44	<0.226	<0.174	<0.207	0.295	4.87	0.937	<0.328	<0.447	<0.281	<0.162	<0.815	0.456	<0.206	K 1.50	0.549	<0.146

<b>Cores/Sample Depth</b>																
8/1-2	<0.166	<0.166	<0.166	NDR 1.26	31.1	12.3	<0.413	<0.561	1.18	<0.201	<0.676	NDR 0.602	NDR 0.354	4.87	6.38	1.28
9/1-2	<0.169	NDR 0.295	NDR 1.04	0.921	27.2	14.8	<0.634	<0.862	0.636	<0.291	<0.906	NDR 0.353	<0.169	4.13	7.35	NDR 2.42
10/0-1	<0.417	<0.417	<0.417	0.942	31.4	15.5	<0.461	NDR 0.784	0.5	<0.417	<1.93	<0.417	<0.417	4.62	6.31	1.57
11/0-1	<0.261	<0.261	<0.261	2.14	59.2	21.5	<0.684	<0.928	NDR 0.693	<0.310	<0.310	0.874	0.442	9.85	12.4	1.66
12/0-1	<0.189	<0.189	<0.189	0.646	18.3	8.87	<0.339	<0.461	<0.290	<0.189	<0.959	NDR 0.418	NDR 0.211	3.01	3.76	1.05
13/0-1	<0.145	<0.145	0.211	0.566	14.8	6.87	<0.233	<0.316	<0.145	<0.640	<0.640	NDR 0.151	<0.145	2.29	3.1	NDR 0.866
14/0-1	NDR 0.240	<0.107	<0.107	NDR 1.58	54.1	24.6	<0.479	<0.650	<0.410	<0.218	<0.771	0.935	0.588	9.21	13.8	3.73
15/0-1	NDR 0.116	<0.101	<0.101	NDR 0.902	20.7	7.44	<0.196	<0.288	NDR 0.195	<0.101	<0.702	NDR 0.315	NDR 0.135	3.63	3.34	0.471
16/0-1	<0.100	<0.100	NDR 0.669	<0.489	30.8	11.8	<0.638	<0.842	<0.500	<0.333	<0.749	NDR 0.271	NDR 0.313	4.34	5.55	0.93
17/0-1	<0.260	<0.260	<1.60	<1.45	68.1	26.9	<1.89	<2.49	<1.48	<1.02	<2.66	NDR 0.801	NDR 0.427	NDR 10.1	13.8	3.26

Table 8: Continued.

Sample Depth (cm)	Br4-DPE-75	Br4-DPE-77	Br4-DPE-79	Br5-DPE-85	Br5-DPE-99	Br5-DPE-100	Br5-DPE-105	Br5-DPE-116	Br5-DPE-119/120	Br5-DPE-126	Br6-DPE-128	Br6-DPE-138/166	Br6-DPE-140	Br6-DPE-153	Br6-DPE-154	Br6-DPE-155
18/0-1	< 0.130	< 0.117	< 0.458	NDR 0.443	14.4	5.11	< 0.401	NDR 1.29	< 0.314	< 0.221	< 1.42	NDR 0.138	NDR 0.155	2.39	2.52	0.412
19/0-1	NDR 0.124	< 0.095	< 0.519	1.11	30.1	13.5	< 0.445	< 0.608	< 0.362	< 0.228	< 1.03	0.611	NDR 0.463	4.23	5.82	NDR 1.25
20/0-1	NDR 0.194	< 0.144	< 0.738	NDR 1.25	32.1	14.5	< 1.45	< 1.98	< 1.18	< 0.795	< 1.98	NDR 0.714	NDR 0.700	NDR 5.52	6.91	NDR 1.84
21/0-1	< 0.535	< 0.535	NDR 1.04	NDR 3.47	96.4	44.4	< 2.94	4.59	< 2.39	< 1.70	< 5.88	NDR 3.31	NDR 1.45	14.3	24.2	NDR 3.97
22/0-1	< 0.260	< 0.260	< 1.06	< 1.15	32.3	14.1	< 1.52	< 2.08	< 1.24	< 0.833	< 3.52	NDR 2.34	< 0.260	NDR 4.89	NDR 7.59	NDR 2.01

## Sediment Traps

A1 TOP	0.954	< 0.246	5.7	34.9	739	165	< 0.863	< 1.18	3.84	< 0.408	K 1.15	9.29	2.8	85.2	69.7	4.62
A1 BOT	0.698	< 0.167	2.69	25.7	528	128	< 0.502	< 0.684	3.96	< 0.230	< 1.05	6.49	2.34	60.2	54.2	4.46
B1 TOP	< 0.261	< 0.197	K 0.516	2.41	60.5	17.3	< 0.279	< 0.381	K 0.379	< 0.132	< 0.907	1.04	K 0.330	7.48	7.67	0.881
B1 BOT	< 0.381	< 0.289	K 0.716	K 2.18	57.4	17.6	< 0.413	< 0.564	0.611	< 0.200	< 0.898	0.913	< 0.304	7.29	8.09	0.887

Table 8: Continued.

Sample Depth (cm)	Br7-DPE- 181	Br7-DPE- 183	Br7-DPE- 190	Br8-DPE- 203	Br9-DPE- 206	Br9-DPE- 207	Br9-DPE- 208	Br10-DPE- 209
<b>Core 1</b>								
0-1	< 0.347	1.28	< 0.543	NDR 4.53	24.6	30.3	NDR 28.4	536
1-2	< 0.503	K 1.10	< 0.703	K 2.85	13.1	K 15.0	K 10.7	451
3-4	< 0.534	1.65	< 0.837	3.17	NDR 14.7	19	16.6	307
6-7	< 0.803	NDR 0.953	< 1.26	3.51	NDR 15.7	NDR 26.1	NDR 19.2	343
9-10	NDR 0.409	NDR 0.452	< 0.631	NDR 1.83	NDR 7.84	12	NDR 7.12	193
12-14	< 0.444	0.439	< 0.696	NDR 1.35	NDR 9.91	8.48	NDR 7.23	105
14-16	< 0.423	K 0.375	< 0.593	1.07	6.54	6.48	6.78	200
18-20	< 0.825	NDR 1.29	< 1.29	1.88	NDR 7.86	11.1	8.49	139
25-30	< 1.12	1.27	< 1.71	NDR 3.78	NDR 18.5	NDR 23.0	NDR 24.1	253
50-55	< 0.826	K 0.669	< 1.16	K 1.59	K 10.7	K 8.18	K 6.51	164
<b>Core 2</b>								
0-1	< 1.08	7.64	< 1.61	7.13	50.9	53.1	32.6	1240
1-2	< 0.609	11.2	< 0.866	10.1	83.7	77.5	71.3	2070
3-4	< 0.993	6.44	< 1.43	3.65	25.6	NDR 21.2	16.7	1250
6-7	< 0.376	6.61	0.603	4.28	51.3	52.6	31.7	1850
9-10	< 1.67	9.09	< 2.35	6.19	39.2	27.1	18.9	1810
12-14	< 0.821	3.17	< 1.18	2.09	NDR 14.0	NDR 12.8	9.41	703
14-16	< 0.283	1.4	< 0.402	1.52	K 14.5	12.1	10.7	365
18-20	< 0.329	0.436	< 0.462	0.78	5.47	4.53	NDR 3.26	235
25-30	< 0.954	5.3	< 1.34	< 0.576	< 3.87	NDR 2.19	< 3.02	NDR 96.5
35-40	< 0.406	K 0.309	< 0.577	0.695	K 2.83	K 3.93	3.6	K 66.5
<b>Core 3</b>								
0-1	< 4.86	41	8.3	83.1	555	646	624	8400
0-1 (Duplicate)	< 3.52	46.2	6.72	79.5	501	614	563	7260
1-2	< 1.41	44.4	< 1.95	32.7	300	210	183	7140
3-4	< 3.02	39	6.56	83.9	535	616	586	8520
6-7	< 3.40	38.5	8.54	82	522	644	620	7780
9-10	< 2.23	15.3	3.86	29.1	188	246	204	4540
12-14	< 0.955	7.47	< 1.39	15	140	134	115	2720
12-14 (Duplicate)	< 1.51	7.89	< 2.29	17.1	109	152	124	2710
14-16	< 0.387	4.93	< 0.534	4.99	54.6	39.3	32.8	1370
18-20	< 0.642	NDR 1.62	< 0.976	NDR 2.98	NDR 14.7	22	15.8	298
25-30	< 0.293	NDR 0.492	< 0.435	NDR 1.22	NDR 5.22	NDR 8.78	NDR 6.55	150
<b>Core 4</b>								
1-2	< 0.354	3.55	< 0.488	3.95	29.2	27.1	23.9	637
14-16	< 0.398	3.03	< 0.549	3.31	26.7	20.6	K 17.2	538
30-35	< 0.513	4.23	< 0.718	K 4.62	35.3	26.8	18.8	824
30-35 (Duplicate)	< 0.470	3.17	< 0.658	3.04	23.3	23.9	17.5	642

Table 8: Continued.

Sample Depth (cm)	Br7-DPE-181	Br7-DPE-183	Br7-DPE-190	Br8-DPE-203	Br9-DPE-206	Br9-DPE-207	Br9-DPE-208	Br10-DPE-209
<b>Core 5</b>								
0-1	<0.326	NDR 2.28	<0.478	NDR 2.16	10.5	9.34	9.25	371
1-2	<0.589	2	<0.825	K 3.81	27.5	28.3	K 22.0	666
3-4	<0.491	1.96	<0.721	5.92	NDR 25.3	32.7	26.5	618
6-7	<0.428	2.17	<0.631	4.75	20.9	25.9	18.5	546
9-10	<0.606	2.48	<0.899	6.04	NDR 18.2	NDR 23.5	26.2	476
12-14	<0.286	2.13	<0.432	NDR 4.19	19.8	NDR 19.8	NDR 15.4	411
14-16	<0.521	2.5	<0.729	K 3.06	20.1	18.4	13.3	609
18-20	<0.337	2.57	<0.498	4.1	16.1	19.6	NDR 16.5	388
25-30	<0.157	1.1	<0.231	NDR 1.49	NDR 7.58	NDR 9.35	8.67	176
45-50	<0.500	K 0.319	<0.700	<0.163	4.24	K 2.96	2.36	63.7
<b>Core 6</b>								
0-1	<0.314	1.79	<0.464	3.33	20	24.2	18.5	505
1-2	<0.740	1.53	<1.10	NDR 4.06	14.1	17.7	20.4	300
3-4	<0.322	1.44	<0.475	1.98	8.6	11.4	10.6	223
6-7	<0.176	1.19	<0.260	NDR 1.99	6.4	9.22	7.77	199
9-10	<0.277	2.75	<0.403	2.47	NDR 12.8	13.1	12.8	239
12-14	<0.159	1.2	<0.240	1.57	8.99	7.99	8.25	208
14-16	<0.355	NDR 2.18	<0.526	4.76	25.1	44.7	36.4	707
18-20	<0.285	1.8	<0.429	NDR 3.09	23.1	NDR 20.8	16.6	471
25-30	<0.115	1.18	<0.173	1.89	8.6	8.98	8.63	185
40-45	<0.575	0.865	<0.852	2.69	NDR 8.98	14.8	13.1	241
<b>Core 7</b>								
0-1	<0.111	NDR 1.02	<0.115	NDR 1.23	NDR 6.54	6.2	6.15	151
1-2	0.368	1.7	K 0.766	3.67	10.4	22.3	15.8	173
3-4	<0.163	0.911	<0.245	1.97	NDR 9.35	10.6	NDR 10.1	279
6-7	<0.097	0.686	<0.148	NDR 0.842	6.98	6.55	5.38	168
9-10	<0.454	1.04	<0.673	NDR 2.89	10.2	11.8	NDR 11.8	NDR 140
12-14	<0.123	0.236	<0.194	NDR 0.616	NDR 2.78	3.42	2.23	74.6
18-20	<0.147	0.372	<0.233	0.791	6.61	NDR 8.29	5.7	219
25-30	<0.096	NDR 0.285	<0.150	NDR 0.382	NDR 2.48	3.86	2.86	70.4
40-44	<1.31	5.54	<1.85	14.9	144	138	99.6	4310
<b>Cores/Sample Depth</b>								
8/1-2	<0.280	2.52	<0.494	NDR 3.06	NDR 27.4	42.8	NDR 27.4	475
9/1-2	<0.178	NDR 1.73	<0.315	3.37	21.1	NDR 33.7	22.8	581
10/0-1	<0.595	NDR 2.89	NDR 1.51	NDR 13.4	150	218	136	2720
11/0-1	<0.261	2.72	<0.332	4.17	NDR 31.9	59.9	32.1	446
12/0-1	<0.189	2	<0.189	NDR 2.23	NDR 18.5	NDR 32.6	NDR 15.6	304
13/0-1	<0.145	1.12	<0.165	2.02	16.8	NDR 24.1	16	315
14/0-1	<0.392	6.86	<0.691	6.8	45.4	87.9	52.3	946
15/0-1	<0.103	1.7	NDR 0.364	1.58	10	18.7	NDR 12.1	272
16/0-1	<0.164	1.66	<0.290	NDR 2.69	20.7	31.1	NDR 12.7	554
17/0-1	<0.328	NDR 2.71	<0.578	NDR 3.40	50.8	57.8	NDR 40.7	930



Table 8: Continued.

Sample Depth (cm)	Br7-DPE-181	Br7-DPE-183	Br7-DPE-190	Br8-DPE-203	Br9-DPE-206	Br9-DPE-207	Br9-DPE-208	Br10-DPE-209
18/0-1	< 0.108	0.62	< 0.191	1.1	9.24	NDR 12.8	NDR 8.35	NDR 212
19/0-1	NDR 0.542	2.27	NDR 0.240	NDR 2.58	17.3	22.6	13.4	407
20/0-1	< 0.267	3.38	< 0.484	NDR 4.10	NDR 27.2	45.1	33.4	726
21/0-1	< 1.25	NDR 9.74	< 2.27	16.8	NDR 94.4	141	94	1990
22/0-1	< 0.260	NDR 3.71	NDR 1.03	NDR 5.62	27.4	56.5	46.8	863

## Sediment Traps

A1 TOP	< 1.11	24.7	1.6	17.6	123	119	84.9	4080
A1 BOT	< 0.982	24.3	1.98	16.2	128	123	86.3	4450
B1 TOP	< 0.463	2.36	< 0.652	2.43	11.7	12.7	10.5	336
B1 BOT	< 0.644	K 2.13	< 0.906	K 1.73	9.09	15	8.82	339

Table 9: Results of the PAH analysis in sediment cores and traps. All measurements are reported in ng/g dry weight. NDR = peak detected but did not meet quantification criteria, result reported represents the estimated maximum possible concentration. Blank cells indicate the variable was not quantified.

Sample Depth (cm)	Naphthalene	Acenaphthylene	Acenaphthene	Fluorene	Phenanthrene	Anthracene	Fluoranthene	Pyrene	Benzo[a]anthracene	Chrysene	Benzo[b]k[fluoranthene	Benzo[e]pyrene	Benzo[a]pyrene	Perylene	Dibenz[a,h]anthracene	Indeno[1,2,3-cd]pyrene	Benzo[ghi]perylene	C1-Naphthalenes	C2-Naphthalenes	C3-Naphthalenes	C4-Naphthalenes	C1-Fluorenes	C2-Fluorenes	C3-Fluorenes	C4-Fluorenes	C1-Dibenzothiophenes	C2-Dibenzothiophenes	C3-Dibenzothiophenes	C1-Phenanthrenes/Anthracenes	C2-Phenanthrenes/Anthracenes	C3-Phenanthrenes/Anthracenes	C4-Phenanthrenes/Anthracenes	C1-Fluoranthenes/Pyrenes	C2-Fluoranthenes/Pyrenes	C3-Fluoranthenes/Pyrenes	C4-Fluoranthenes/Pyrenes	Total PAH		
<b>Core 1</b>																																							
1-2	75.6	7.51	3.38	9.64	62.6	10.6	62.2	54.5	26.1	34.9	70.1	34	31.1	47.8	7.53	42.8	48.7	112	222	245	107	19	37.7	33.7	9.32	12.4	14.7	84.7	117	100	48.6	117	51.5	50.5	25	2.22	1962		
1-6	36	7	6	7.35	34.9	8.94	32.4	35.300	21.700	25.000	718.00	33.50	39.40	3.4	41.3	81.3	88	22.5	12.3	17	38.1	34.6	5.3	1.2	13.1	5.0	44.7	11.9	10.7	89.9	10.7	89.9	11.9	44.7	15.9	4.7	1798		
50-55	10.8	0.828	0.842	3.42	16	1.71	10.4	9	4.71	8.23	16.3	7.49	6.22	24.1	NDR1.84	12.1	14.8	23.3	63.3	60.3	30.4	6.66	14.9	10.3	3.92	4.11	2.33	40.9	31.3	15.3	36.7	14.8	15.9	4.27	1.22	530.0			
<b>Core 2</b>																																							
3-4	70.3	13.9	7.5	11.7	79.6	21.2	107	106	50.3	59.4	106	48.5	65.4	45.6	10.4	44	49.6	66.7	94.6	67.2	32.8	15.8	25.1	32.1	13.2	8.74	14.5	11.9	79	54.9	27.5	96.5	70.4	46.2	14.7	5.15	1660		
14-16	40.5	10.8	4.02	6.51	57.2	14.4	73.7	78.6	38.2	37.7	74	42.4	48.7	52.1	10.3	38.5	42.1	20.1	32	32.8	19.6	8.37	15.2	17.5	7.59	3.89	4.21	3.8	48.4	31.7	14.5	44.3	48	25.7	5.23	1.14	1026		
35-40	89.3	41	14.9	26	196	64.6	316	328	354	157	268	133	186	72.4	29.6	111	118	61.8																					
<b>Core 3</b>																																							
1-2	17.2	1.49	2.7	5.98	26.5	6.04	30.9	27.7	11.9	17.1	24.5	12.5	12.8	32.8	NDR2.76	NDR10.3	11.4	29	50.5	34.6	17.3	8.43	13.6	20.5	16.9	4.19	7.3	6.29	37.9	31.1	16.6	54.4	21.6	17.6	7.36	1.97	638.7		
14-16	25	2.85	2.81	5.76	26.4	5.34	28.7	27.5	11.8	19.5	26.1	16.2	13.2	43.2	NDR4.07	9.47	12.1	36.2	60.8	47.6	24.8	11.7	21.2	22.9	8.96	4.88	8.68	8.48	40.3	33.6	18.8	43.9	22.2	19.1	6.02	2.04	718.2		
40-45	57.3	6.73	7.31	10.1	46.2	10.2	52.2	48.1	18.6	25.3	35.9	23.5	18.7	37.5	NDR5.27	12.7	15.7	36.5	49.3	40.6	23.7	9.36	25.1	20	8.65	5.25	10.4	9.65	37.5	31.5	16.8	46.5	26.7	18.5	3.93	2.44	848.4		
<b>Core 4</b>																																							
1-2	19.5	2.3	2.55	5.29	23.9	5.6	18.5	16.4	6.9	10.8	13.4	6.75	6.54	36.8	NDR1.33	4.51	6.24	37.8	91.7	50.3	22.1	10.6	22.7	35.4	14.5	4.14	7.52	5.59	40.1	32.7	15.6	79.2	18.6	19	5.13	2.06	700.7		
1-2 (Duplicate)	14.9	0.948	2.3	5.05	22	5.44	16.8	14.6	8.69	13.7	6.14	6.86	28.9	NDR1.24	4.06	5.51	31.4	56.1	36.3	15.4	7.93	14.6	21.7	7.74	3.36	5.28	3.34	34.7	27.1	11.7	68.3	19.4	14.4	4.52	1.53	554.2			
14-16	13.2	0.898	1.85	5.18	20.7	3.48	16.5	14.4	9.32	11.8	16.6	8.59	7.73	32.2	NDR1.63	4.75	5.96	34.7	63.3	47.9	21.2	9.76	15	25	6.39	3.44	5.09	3.5	36.2	29.3	13.7	46.9	16.7	17	5.83	1.65	575.7		
30-35	17.2	1.89	2.11	5.89	24	3.99	22.2	19.2	7.55	11.4	17	10.2	7.95	61.5	NDR2.27	5.65	7.73	35.9	65.8	50.2	22.8	10.3	22.8	23.1	6.47	4.37	7.34	5.9	38.6	35.8	18.4	44.4	18.2	16.6	5.34	1.25	661		
<b>Core 5</b>																																							
1-2	33.6	1.73	NDR2.00	8	38.1	4.39	23.2	20.3	9.25	15.9	22.3	11.1	11.5	34.1	NDR2.14	9.32	11.6	82.9	143	110	51.1	18.4	32	30.1	9.85	7.32	8.93	5.46	77.9	55.4	23.5	57.1	26.2	27.4	9	2.76	1033		
14-16	26.2	2.17	2.36	7.99	43.8	5.54	30.5	27.3	12.2	20.5	31.4	17.4	14.9	63.7	NDR4.07	13.1	16.4	77.2	151	146	78.1	23.8	51.7	45	11.4	8.25	11.7	7.68	91.3	79.7	32.2	69.5	33.4	34.2	8.53	3.64	1296		
45-50	20.2	4.23	NDR1.97	5.77	37.5	6.92	35.7	36.4	15	22.8	37.1	21.7	19.9	39.4	NDR4.06	16.7	20.7	44.1	89.8	89.2	46.7	14.1	27.5	28.8	9.68	6.43	9.57	7.97	67	48.4	22.7	51.4	30.2	25.1	5.9	2.4	967		
<b>Core 7</b>																																							
1-2	12.8	1.13	NDR1.09	4.34	25.6	4	15.9	14.6	6.34	10.8	14	6.63	7.3	28.1	NDR1.35	5.71	6.88	40.7	77.9	69.1	34.6	13.3	23.3	25.1	8.02	4.43	5.14	2.82	51.3	36.4	14.9	42.2	18	17.8	7.85	1.55	659.5		
14-16	10.6	2.31	NDR0.962	4.56	28.5	4	18.5	21.3	7.75	11.6	17.6	8.69	9.7	52.4	NDR1.58	8.39	11.1	30.7	68.8	64.9	32.2	12.2	22.8	24.4	6.84	4.6	5.88	3.6	56.2	39.3	17.6	42.7	21.2	21.2	4.42	1.46	607.8		
40-44	4.35	<0.169	NDR0.593	3.28	13.3	0.649	1.75	2.37	0.78	3.52	2.23	1.89	0.616	1.78	NDR0.361	NDR0.584	1.69	18.2	46.2	47.3	25.1	8.84	15.4	14.8	3.29	2.92	2.97	1.5	36	27.9	12	42.9	9.99	13.2	2.42	1.17	546.3		
<b>Sediment Trap</b>																																							
At BOT	22	1.71	3.2	8.4	36.1	8.4	37.9	34.4	10.6	20.9	24.9	12	10.8	35	NDR2.86	9.61	12.8	59.1	92.2	84.8	36.5	16.3	30.5	34.9	10.3	6.13	8.64	7.47	81.3	50.3	24.9	75	28.2				936.3		
1 BOT	23	1.25	3.6	6.3	46.7	5.96	25.8	23	NDR2.88	15.1	16.2	8	10.1	33.9	NDR2.88	9.28	8.4	57.6	124	124	46.8	23.7	44.6	42.8	7.05	3.03	9.88	4.37	89.8	59.8	33.3	66.2	26.8				910.8		
BT BOT	24.3	1.42	2.13	9.07	46.2	6.76	25.4	26.9	NDR4.46	17.3	19.8	9.82	9.22	33.9	NDR2.19	7.69	8.7	60.3	128	111	56.9	23.7	40.9	37	7.92	7.27	7.88	4.2	87.4	59.3	26.1	76.2	30				1044		

Table 10: Results of the NPEO analysis. Values reported in ng/g dry weight. < = less than the detection limit, number following this symbol represents the detection limit.

Sample Depth (cm)	4-Nonylphenols	4-Nonylphenol monoethoxylates	4-Nonylphenol diethoxylates
<b>Core 1</b>			
1-2	<6.05	<25.21	<60.82
14-16	<7.14	<24.25	<55.22
50-55	<6.48	<30.8	<69.68
<b>Core 2</b>			
1-2	131	403	292
14-16	153	<35.21	<65.35
35-40	<3.40	<7.219	<27.37
<b>Core 3</b>			
1-2	373	979	557
14-16	176	45.7	57.3
40-45	31.4	<5.93	<21.7
<b>Core 4</b>			
1-2	<4.11	<20.6	<45.9
14-16	<5.35	<13.8	<51.7
30-35	51	39.1	<20.4
30-35 (Duplicate)	50.5	35.2	<16.7
<b>Core 5</b>			
1-2	<6.00	<12.3	<46
14-16	24	<13.9	<38.5
45-50	12.4	<8.49	<29.8
<b>Core 7</b>			
1-2	<6.33	<21.6	<54.4
14-16	<5.89	<7.66	<32.1
40-44	<3.84	<6.05	<24.6

Table 11: Results of the metals and lead isotope analysis for IONA stations 8 and 15 in the depth-sectioned Smyth-Macintyre grabs.

Sampling Interval (cm down grab)	% Water	Al (%)	Fe (%)	Mg (%)	Ca (%)	Ba	Mn	AWS ( $\mu\text{mol/g}$ p.s.)	Cd	Mo	U	Re	As	Ag	Co	Cr	Ni	Cu	Zn	Pb ( $\mu\text{g/g}$ )	Pb (206/207)	Pb (206/208)	
<b>Station: IONA 8</b> Latitude: 49° 12' 28.8 Longitude: 123° 17' 60.0 Replicate: 1 Water Depth: 80 m																							
0-1cm	50.340	7.164	4.308	1.728	1.997	577.711	481.426	1.033	0.405	1.506	1.827	3.196	8.303	0.725	15.462	91.534	47.979	43.926	107.249	13.169	1.210	0.488	18.954
1-2cm	50.721	7.339	4.408	1.751	2.100	566.268	488.174	3.336	0.422	1.505	1.807	3.511	8.334	0.506	15.212	75.453	47.824	44.486	107.841	13.008	1.209	0.488	18.932
2-3cm	44.850	7.092	4.209	1.685	1.893	609.516	475.295	4.324	0.411	1.426	1.880	3.157	7.970	0.451	15.248	70.000	47.142	41.186	102.124	12.392	1.209	0.488	18.956
3-4cm	44.784	6.994	4.138	1.674	1.890	579.535	475.781	58.045	0.422	1.509	1.795	3.071	8.051	0.473	15.425	75.084	47.861	45.255	101.514	12.496	1.206	0.488	18.920
4-5cm	42.428	6.890	4.068	1.613	1.912	566.426	463.313	5.935	0.401	1.672	1.718	3.021	7.837	0.458	15.124	65.926	48.228	38.928	98.725	12.267	1.210	0.488	18.940
5-6cm	41.601	6.929	4.068	1.612	1.957	567.568	463.004	4.354	0.387	1.808	1.795	3.281	7.863	0.478	14.968	38.469	48.475	39.270	97.743	12.033	1.214	0.488	19.020
6-7cm	36.473	7.001	4.129	1.674	1.910	572.715	465.004	72.287	0.381	2.203	1.938	3.629	7.959	0.558	15.450	89.332	48.458	42.164	101.254	12.578	1.204	0.487	19.004
7-8cm	34.759	6.896	4.064	1.602	1.962	567.083	473.819	72.287	0.374	1.860	1.939	3.643	6.998	0.541	15.352	92.528	47.757	38.681	98.111	12.763	1.207	0.488	19.004
8-9cm	32.050	7.277	4.319	1.707	1.985	603.760	504.125	2.564	0.369	1.644	1.809	3.527	7.694	0.519	15.428	96.250	48.468	44.681	102.708	14.131	1.194	0.483	18.708
9-10cm	34.089	7.170	4.287	1.680	1.903	579.237	487.462	45.392	0.305	2.013	2.035	3.462	7.279	0.541	15.698	86.565	50.238	38.513	101.433	14.049	1.203	0.488	18.931
<b>Station: IONA 8</b> Latitude: 49° 12' 28.8 Longitude: 123° 17' 60.0 Replicate: 2 Water Depth: 80 m																							
0-1cm	54.297	7.306	4.402	1.765	1.955	589.980	490.195	2.034	0.431	1.436	1.757	3.246	9.681	0.523	15.489	87.876	48.523	31.932	109.894	14.196	1.209	0.490	18.994
1-2cm	47.967	7.261	4.389	1.714	1.796	585.442	483.862	38.727	0.400	1.574	1.869	3.230	9.648	0.509	15.850	87.406	49.669	29.790	108.648	13.637	1.215	0.490	18.997
2-3cm	48.897	7.398	4.413	1.704	1.785	600.353	481.490	3.341	0.394	1.495	1.795	3.569	8.620	0.488	15.665	79.608	49.568	29.653	106.071	13.588	1.214	0.486	19.017
3-4cm	47.214	7.401	4.419	1.739	1.831	586.077	487.725	5.448	0.364	1.949	1.927	3.628	7.895	0.497	15.757	78.885	49.908	28.740	110.237	14.118	1.215	0.488	18.959
4-5cm	39.514	7.250	4.226	1.680	1.880	2.180	586.765	483.865	1.734	0.336	1.599	1.795	3.433	7.498	0.440	15.355	47.037	47.490	101.404	13.879	1.204	0.485	18.907
5-6cm	37.044	7.200	4.350	1.679	1.858	582.969	483.865	35.273	0.311	1.788	2.039	3.531	7.665	0.489	16.404	94.705	51.537	27.029	103.947	15.610	1.197	0.485	18.806
6-7cm	39.530	7.278	4.398	1.733	1.869	585.211	503.544	29.196	0.285	1.710	2.034	3.666	7.791	0.444	16.384	94.362	51.722	27.303	105.295	16.158	1.200	0.484	18.810
7-8cm	39.712	7.678	4.626	1.768	1.823	619.739	503.199	3.976	0.271	1.745	2.163	3.928	8.025	0.444	16.354	86.725	52.264	29.344	110.060	17.367	1.198	0.488	18.759
8-9cm	39.496	7.578	4.603	1.755	1.920	611.369	515.048	3.927	0.262	1.888	1.997	3.720	8.148	0.442	16.409	94.633	52.568	29.344	109.990	17.173	1.200	0.486	18.765
9-10cm	40.315	7.629	4.694	1.788	1.843	618.333	520.556	9.894	0.241	2.215	2.272	3.927	8.331	0.456	17.154	90.227	55.005	30.261	113.075	18.673	1.200	0.488	18.605
<b>Station: IONA 15</b> Latitude: 49° 07' 48.0 Longitude: 123° 18' 39.6 Replicate: 1 Water Depth: 80 m																							
0-1cm	47.417	7.250	4.099	1.729	1.897	566.414	519.562	0.830	0.239	1.019	1.684	2.631	8.121	0.249	11.508	87.249	49.244	22.669	83.343	11.483	1.218	0.489	19.168
1-2cm	47.419	7.226	4.030	1.731	1.919	576.586	516.201	0.598	0.249	0.966	1.632	2.741	7.221	0.243	11.625	66.289	48.149	23.361	96.679	21.854	1.217	0.492	19.042
2-3cm	44.743	7.503	4.215	1.714	1.912	571.667	501.056	0.845	0.237	1.085	1.796	2.886	6.795	0.255	11.505	30.722	49.800	23.014	92.917	11.428	1.218	0.486	19.156
3-4cm	41.960	7.344	4.044	1.712	1.944	580.630	514.970	1.125	0.234	0.979	1.711	2.601	6.408	0.248	11.920	65.262	48.704	22.152	94.898	11.189	1.220	0.489	19.197
4-5cm	38.899	7.018	4.418	1.709	1.952	563.182	517.488	1.606	0.221	0.922	1.580	2.648	6.318	0.231	11.851	40.630	47.926	21.623	92.231	10.969	1.215	0.489	19.145
5-6cm	38.433	7.136	4.443	1.722	1.989	579.627	517.396	1.425	0.226	1.012	1.616	2.922	6.924	0.257	11.843	32.667	48.645	20.575	95.324	11.321	1.219	0.488	19.115
6-7cm	37.466	7.023	4.320	1.712	2.189	581.980	532.910	0.873	0.237	1.187	1.695	2.699	6.066	0.260	11.509	95.928	49.371	18.130	92.596	11.073	1.222	0.490	19.191
7-8cm	36.182	7.107	4.379	1.718	1.954	601.201	530.098	1.126	0.244	1.062	1.601	2.611	7.556	0.252	11.911	79.811	49.796	22.268	98.703	11.941	1.217	0.490	19.028
8-9cm	37.648	6.933	4.268	1.707	1.922	590.398	528.667	5.843	0.235	1.088	1.763	2.597	6.712	0.261	12.251	92.562	51.140	21.711	96.396	11.663	1.222	0.489	19.156
9-10cm	33.678	7.111	4.413	1.703	1.955	590.360	530.502	0.758	0.243	1.036	1.702	2.996	7.648	0.267	12.080	80.076	51.054	23.373	95.905	12.096	1.218	0.488	19.160
10+cm	34.616	7.135	4.418	1.698	2.162	572.765	512.935	3.739	0.231	1.218	1.652	3.357	6.875	0.249	12.011	34.835	49.223	21.082	92.153	11.296	1.223	0.490	19.126
<b>Station: IONA 15</b> Latitude: 49° 07' 48.0 Longitude: 123° 18' 39.6 Replicate: 2 Water Depth: 80 m																							
0-1cm	45.581	7.050	4.374	1.705	1.939	577.927	509.549	0.557	0.246	0.992	1.685	2.662	8.222	0.254	15.494	32.055	50.743	21.669	83.604	11.611	1.224	0.490	19.097
1-2cm	44.309	6.905	4.313	1.683	1.973	562.351	497.810	0.756	0.229	0.986	1.631	2.918	7.260	0.252	15.116	26.939	49.163	22.110	91.222	11.422	1.225	0.489	19.168
2-3cm	42.487	7.011	4.330	1.728	1.892	575.339	503.493	0.947	0.242	1.046	1.724	2.705	7.106	0.258	15.406	32.669	50.465	21.692	92.265	11.431	1.224	0.489	19.187
3-4cm	40.577	7.043	4.381	1.709	1.850	581.083	506.010	0.958	0.227	1.093	1.665	3.071	7.446	0.251	15.512	34.666	50.930	23.532	93.742	11.568	1.218	0.490	19.166
4-5cm	39.403	7.107	4.440	1.728	1.968	587.115	519.300	0.628	0.234	0.958	1.595	2.668	6.865	0.246	15.133	95.247	49.338	22.909	94.832	11.360	1.222	0.490	19.170
5-6cm	38.219	7.101	4.368	1.719	1.972	579.661	519.143	0.444	0.234	1.007	1.781	2.828	6.481	0.255	15.440	94.151	49.683	20.930	94.193	11.467	1.220	0.490	19.160
6-7cm	36.031	7.099	4.387	1.702	1.944	580.292	512.307	0.737	0.217	1.011	1.635	2.709	7.329	0.243	15.244	43.375	49.514	22.811	93.710	11.719	1.221	0.489	19.179

Table 11: Continued.

Sampling Interval (Down core depth in cm)	Hg (ng/g)	K (%)	Na (%)	Tl (µg/g)	S (µg/g)	P (µg/g)
<b>Station: IONA 8</b>						
<b>Replicate: 1</b>						
0-1cm	77.245	1.644	2.714	4254.960	2771.888	827.139
1-2cm	84.148	1.682	2.782	4190.781	2886.232	874.125
2-3cm	74.622	1.581	2.612	4226.860	2700.968	828.268
3-4cm	236.898	1.566	2.568	4191.671	2642.838	781.260
4-5cm	593.222	1.501	2.525	3975.467	2605.858	784.041
5-6cm	70.403	1.500	2.503	3822.941	2577.027	768.203
6-7cm	68.434	1.588	2.420	4201.080	2758.984	788.676
7-8cm	155.380	1.508	2.308	4200.250	2483.888	737.589
8-9cm	64.289	1.615	2.374	4453.383	2590.000	806.194
9-10cm	76.715	1.573	2.385	4292.870	2479.388	773.680

<b>Station: IONA 8</b>						
<b>Replicate: 1</b>						
0-1cm	46.126	1.668	2.899	4315.663	2841.833	811.665
1-2cm	84.970	1.654	2.548	4267.348	2892.885	751.167
2-3cm	597.828	1.674	2.727	4292.318	2868.627	755.355
3-4cm	82.694	1.688	2.654	4293.235	2957.500	732.213
4-5cm	98.758	1.605	2.565	4138.784	2526.863	699.616
5-6cm	98.151	1.611	2.442	4273.336	2428.125	702.625
6-7cm	101.758	1.672	2.415	4360.960	2354.788	719.243
7-8cm	97.438	1.748	2.436	4099.443	2423.283	721.492
8-9cm	102.903	1.718	2.414	4233.137	2608.565	743.624
9-10cm	85.212	1.775	2.379	4438.380	2796.067	754.401

<b>Station: IONA 15</b>						
<b>Replicate: 1</b>						
0-1cm	37.674	1.581	2.567	4288.928	1512.948	803.299
1-2cm	52.939	1.600	2.623	4181.910	1557.430	773.837
2-3cm	60.707	1.586	2.515	4231.488	1560.000	722.306
3-4cm	55.833	1.600	2.472	4330.795	1525.203	718.197
4-5cm	59.066	1.563	2.370	4048.449	1409.684	689.472
5-6cm	55.357	1.605	2.362	4201.551	1420.588	718.873
6-7cm	53.197	1.571	2.412	4587.842	1430.800	665.826
7-8cm	53.973	1.628	2.356	4219.774	1493.701	705.663
8-9cm	50.194	1.623	2.332	4396.335	1572.908	715.422
9-10cm	59.280	1.610	2.246	4461.284	1431.818	748.496
10+cm	53.761	1.529	2.235	4396.096	1454.902	710.088

<b>Station: IONA 15</b>						
<b>Replicate: 2</b>						
0-1cm	81.473	1.566	2.549	4332.673	1424.187	763.431
1-2cm	41.403	1.529	2.463	4204.009	1415.672	750.280
2-3cm	56.282	1.598	2.480	4345.898	1511.076	743.088
3-4cm	69.299	1.578	2.388	4235.789	1489.567	757.130
4-5cm	89.571	1.573	2.420	4417.069	1485.338	788.020
5-6cm	76.789	1.607	2.399	4452.683	1556.173	714.167
6-7cm	93.492	1.592	2.302	3949.403	1522.568	712.693

Table 12: Results of the benthic taxonomic analysis performed on the depth-sectioned grabs taken at station IONA 8 and IONA 15. All coding is as per the system employed by Biological Environmental Services

Group Code	Family Code	Species Code	Genus/Species List	Adult	Intermediate	Juvenile	Total	Depth Interval (cm)
<b>Station IONA 8</b>	<b>Replicate 1</b>							
CNHY	0090	0019	<i>Campanularia groenlandica</i>	1			1	0-1
CRAM	0844	1515	<i>Rhepoxynius barnardi</i>	1			1	0-1
MOBI	0462	0060	<i>Axinopsida serricata</i>	72	1		73	0-1
MOBI	0472	0160	<i>Compsomyax subdiaphana</i>			2	2	0-1
MOBI	0414	0220	<i>Ennucula tenuis</i>		1		1	0-1
MOBI	0456	0520	<i>Macoma calcarea</i>			2	2	0-1
MOBI	0456	0530	<i>Macoma carlottensis</i>		111	75	186	0-1
MOBI	0456	0540	<i>Macoma elimata</i>		1		1	0-1
MOBI	0456	0570	<i>Macoma sp.</i>			1	1	0-1
MOBI	0472	0747	<i>Nutricula sp.</i>	1	12		13	0-1
MOBI	0418	0760	<i>Pandora bilirata</i>	1			1	0-1
MOBI	0392	0800	<i>Parvilucina tenuisculpta</i>		1		1	0-1
MOBI	0384	0860	<i>Rocheportia tumida</i>	1			1	0-1
MOGA	0610	0041	<i>Alvania compacta</i>	2			2	0-1
MOGA	0516	0090	<i>Astyris gausapata</i>		1		1	0-1
MOGA	0606	0680	<i>Odostomia sp.</i>		1		1	0-1
MOSC	0647	0063	<i>Pulsellum salishorum</i>	1			1	0-1
NTEA	0148	0170	<i>Cerebratulus californiensis</i>		1		1	0-1
POER	0214	0320	<i>Eteone spilotus</i>	1			1	0-1
POER	0198	0615	<i>Lumbrineris cruzensis</i>	1			1	0-1
POER	0202	0710	<i>Nephtys cornuta</i>	3			3	0-1
POER	0198	1040	<i>Scoletoma luti</i>	1			1	0-1
POSE	0242	0042	<i>Ampharete nr. acutifrons</i>	3	1		4	0-1
POSE	0248	0450	<i>Capitella capitata</i> complex	4			4	0-1
POSE	0274	0720	<i>Galathowenia oculata</i>	3			3	0-1
POSE	0270	1140	<i>Ophelina acuminata</i>	2			2	0-1
POSE	0310	1220	<i>Paraprionospio pinnata</i>		1		1	0-1
ECOP	1074	0070	<i>Ophiura sp.</i>			1	1	1-2
MOBI	0462	0060	<i>Axinopsida serricata</i>	24	1		25	1-2
MOBI	0456	0530	<i>Macoma carlottensis</i>		45	34	79	1-2
MOBI	0472	0747	<i>Nutricula sp.</i>	4			4	1-2
MOBI	0384	0860	<i>Rocheportia tumida</i>	1			1	1-2
MOBI	0478	1020	<i>Yoldia seminuda</i>			1	1	1-2
MOGA	0610	0041	<i>Alvania compacta</i>	4			4	1-2
MOGA	0516	0090	<i>Astyris gausapata</i>	1			1	1-2
MOSC	0647	0063	<i>Pulsellum salishorum</i>	1			1	1-2
POER	0180	0500	<i>Glycera nana</i>	1			1	1-2
POER	0202	0710	<i>Nephtys cornuta</i>	1			1	1-2
POSE	0248	0683	<i>Decamastus nr. gracilis</i>		1		1	1-2
POSE	0270	1140	<i>Ophelina acuminata</i>	1			1	1-2
CNHY	0090	0019	<i>Campanularia groenlandica</i>	1			1	2-3
MOBI	0462	0060	<i>Axinopsida serricata</i>	20	2		22	2-3
MOBI	0456	0520	<i>Macoma calcarea</i>			2	2	2-3
MOBI	0456	0530	<i>Macoma carlottensis</i>	2	45	11	58	2-3
MOBI	0472	0747	<i>Nutricula sp.</i>	2	2		4	2-3
MOBI	0418	0760	<i>Pandora bilirata</i>		1		1	2-3
MOBI	0392	0800	<i>Parvilucina tenuisculpta</i>		1		1	2-3
MOGA	0610	0041	<i>Alvania compacta</i>	3			3	2-3
MOSC	0647	0063	<i>Pulsellum salishorum</i>	1			1	2-3
NTEA	0000	0001	Nemertea indet.			1	1	2-3
POER	0214	0360	<i>Eumida longicornuta</i>	1			1	2-3
POER	0182	0530	<i>Glycinde armigera</i>	1			1	2-3
POER	0202	0710	<i>Nephtys cornuta</i>	1			1	2-3
POER	0224	0890	<i>Pholoe minuta</i>	1			1	2-3
POSE	0242	0051	<i>Ampharete nr. finmarchica</i>	2			2	2-3
POSE	0274	0720	<i>Galathowenia oculata</i>	1			1	2-3

Table 12: Continued.

Group Code	Family Code	Species Code	Genus/Species List	Adult	Intermediate	Juvenile	Total	Depth Interval (cm)
<b>Station IONA 8</b>	<b>Replicate 1</b>							
MOBI	0462	0060	<i>Axinopsida serricata</i>	11			11	3-4
MOBI	0456	0520	<i>Macoma calcarea</i>			3	3	3-4
MOBI	0456	0530	<i>Macoma carlottensis</i>		47	8	55	3-4
MOBI	0472	0747	<i>Nutricula</i> sp.		4		4	3-4
MOGA	0528	0250	<i>Cylichna attonsa</i>		1		1	3-4
POER	0180	0500	<i>Glycera nana</i>	1			1	3-4
POER	0198	0615	<i>Lumbrineris cruzensis</i>	1			1	3-4
POSE	0242	0042	<i>Ampharete</i> nr. <i>acutifrons</i>	1			1	3-4
POSE	0280	1250	<i>Pectinaria granulata</i>	1			1	3-4
POSE	0314	1420	<i>Pista wui</i>		1		1	3-4
CNHY	0090	0019	<i>Campanularia groenlandica</i>	1			1	4-5
MOBI	0462	0060	<i>Axinopsida serricata</i>	8			8	4-5
MOBI	0414	0220	<i>Ennucula tenuis</i>		3		3	4-5
MOBI	0392	0280	<i>Lucinoma annulatum</i>			1	1	4-5
MOBI	0456	0520	<i>Macoma calcarea</i>			2	2	4-5
MOBI	0456	0530	<i>Macoma carlottensis</i>	1	39	3	43	4-5
MOBI	0472	0747	<i>Nutricula</i> sp.	1	3		4	4-5
MOBI	0392	0800	<i>Parvilucina tenuisculpta</i>	2			2	4-5
MOGA	0610	0041	<i>Alvania compacta</i>	2			2	4-5
MOGA	0528	0250	<i>Cylichna attonsa</i>	1			1	4-5
POER	0180	0500	<i>Glycera nana</i>		1		1	4-5
POER	0204	0760	<i>Nereis procera</i>	1			1	4-5
POSE	0242	0042	<i>Ampharete</i> nr. <i>acutifrons</i>	1			1	4-5
POSE	0310	1820	<i>Spiophanes berkeleyorum</i>	1			1	4-5
CNHY	0090	0019	<i>Campanularia groenlandica</i>	1	1		2	5-6
MOBI	0462	0060	<i>Axinopsida serricata</i>	3			3	5-6
MOBI	0414	0220	<i>Ennucula tenuis</i>	1			1	5-6
MOBI	0456	0520	<i>Macoma calcarea</i>			2	2	5-6
MOBI	0456	0530	<i>Macoma carlottensis</i>	9	21	2	32	5-6
MOBI	0472	0747	<i>Nutricula</i> sp.	1	1		2	5-6
MOBI	0478	1020	<i>Yoldia seminuda</i>		1		1	5-6
MOGA	0610	0041	<i>Alvania compacta</i>	1			1	5-6
MOGA	0606	0820	<i>Turbonilla</i> sp.	1			1	5-6
POSE	0310	1605	<i>Prionospio (Prionospio) jubata</i>	1			1	5-6
CNHY	0090	0019	<i>Campanularia groenlandica</i>	2			2	6-bot
CROS	0682	0060	<i>Euphilomedes producta</i>	1			1	6-bot
MOBI	0462	0060	<i>Axinopsida serricata</i>	33			33	6-bot
MOBI	0472	0160	<i>Compsomyax subdiaphana</i>			1	1	6-bot
MOBI	0414	0220	<i>Ennucula tenuis</i>	1			1	6-bot
MOBI	0456	0530	<i>Macoma carlottensis</i>	6	95	23	124	6-bot
MOBI	0456	0540	<i>Macoma elimata</i>		4	1	5	6-bot
MOBI	0456	0550	<i>Macoma nasuta</i>		1		1	6-bot
MOBI	0472	0747	<i>Nutricula</i> sp.	4	16		20	6-bot
MOBI	0392	0800	<i>Parvilucina tenuisculpta</i>	2			2	6-bot
MOBI	0384	0860	<i>Rocheportia tumida</i>	1			1	6-bot
MOBI	0478	1020	<i>Yoldia seminuda</i>	1	2		3	6-bot
MOGA	0610	0041	<i>Alvania compacta</i>	6			6	6-bot
MOGA	0516	0090	<i>Astyris gausapata</i>		3		3	6-bot
POER	0180	0500	<i>Glycera nana</i>	14	5		19	6-bot
POER	0182	0530	<i>Glycinde armigera</i>	5			5	6-bot
POER	0198	0615	<i>Lumbrineris cruzensis</i>	2	1		3	6-bot
POER	0202	0710	<i>Nephtys cornuta</i>	1			1	6-bot
POER	0204	0760	<i>Nereis procera</i>	2			2	6-bot
POER	0214	0940	<i>Phyllodoce groenlandica</i>	1			1	6-bot
POER	0186	1025	<i>Podarkeopsis perkinsi</i>	1			1	6-bot
POER	0198	1040	<i>Scoletoma luti</i>	3			3	6-bot
POSE	0242	0042	<i>Ampharete</i> nr. <i>acutifrons</i>	1			1	6-bot

Table 12: Continued.

Group Code	Family Code	Species Code	Genus/Species List	Adult	Intermediate	Juvenile	Total	Depth Interval (cm)
<b>Station IONA 8</b>	<b>Replicate 1</b>							
POSE	0252	0122	<i>Aphelochaeta</i> sp. 2	5			5	6-bot
POSE	0252	0125	<i>Aphelochaeta</i> sp. N-1	1			1	6-bot
POSE	0276	0180	<i>Aricidea lopezi</i>	1			1	6-bot
POSE	0248	0450	<i>Capitella capitata</i> complex	1			1	6-bot
POSE	0254	0660	<i>Cossura pygodactylata</i>	1			1	6-bot
POSE	0248	0683	<i>Decamastus</i> nr. <i>gracilis</i>	11			11	6-bot
POSE	0310	0697	<i>Dipolydora cardalia</i>	1			1	6-bot
POSE	0266	0713	<i>Euclymene</i> nr. <i>zonalis</i>	2			2	6-bot
POSE	0274	0720	<i>Galathowenia oculata</i>	1			1	6-bot
POSE	0248	0750	<i>Heteromastus filobranchus</i>	13			13	6-bot
POSE	0310	1610	<i>Prionospio</i> ( <i>Minuspio</i> ) <i>lighti</i>	1			1	6-bot
POSE	0310	1605	<i>Prionospio</i> ( <i>Prionospio</i> ) <i>jubata</i>	6	1		7	6-bot
POSE	0310	1820	<i>Spiophanes berkeleyorum</i>	1			1	6-bot
POSE	0312	1860	<i>Sternaspis</i> nr. <i>fossor</i>	1			1	6-bot
<b>Station IONA 8</b>	<b>Replicate 2</b>							
CNHY	0090	0019	<i>Campanularia groenlandica</i>	4			4	0-1
MOBI	0414	0020	<i>Acila castrensis</i>		1	1	2	0-1
MOBI	0462	0060	<i>Axinopsida serricata</i>	52	1		53	0-1
MOBI	0472	0160	<i>Compsomyax subdiaphana</i>			3	3	0-1
MOBI	0414	0220	<i>Ennucula tenuis</i>		1		1	0-1
MOBI	0392	0280	<i>Lucinoma annulatum</i>			2	2	0-1
MOBI	0456	0520	<i>Macoma calcarea</i>			3	3	0-1
MOBI	0456	0530	<i>Macoma carlottensis</i>		32	11	43	0-1
MOBI	0412	0700	<i>Nuculana hamata</i>		1		1	0-1
MOBI	0472	0747	<i>Nutricola</i> sp.	4	33		37	0-1
MOBI	0418	0760	<i>Pandora bilirata</i>	1			1	0-1
MOBI	0392	0800	<i>Parvilucina tenuisculpta</i>		2		2	0-1
MOGA	0516	0090	<i>Astyris gausapata</i>	3	6		9	0-1
MOGA	0544	0385	<i>Eulima</i> sp.	1			1	0-1
MOGA	0606	0680	<i>Odostomia</i> sp.		1		1	0-1
MOGA	0606	0820	<i>Turbonilla</i> sp.	2			2	0-1
MOSC	0647	0063	<i>Pulsellum salishorum</i>	1			1	0-1
POER	0198	0615	<i>Lumbrineris cruzensis</i>	1			1	0-1
POER	0202	0710	<i>Nephtys cornuta</i>	1			1	0-1
POSE	0242	0042	<i>Ampharete</i> nr. <i>acutifrons</i>	1			1	0-1
POSE	0280	1250	<i>Pectinaria granulata</i>		1		1	0-1
POSE	0310	1640	<i>Prionospio</i> ( <i>Prionospio</i> ) <i>steenst</i>	1			1	0-1
CNHY	0090	0019	<i>Campanularia groenlandica</i>	1			1	1-2
MOBI	0462	0060	<i>Axinopsida serricata</i>	14	2		16	1-2
MOBI	0456	0530	<i>Macoma carlottensis</i>	14	2		16	1-2
MOBI	0456	0540	<i>Macoma elimata</i>		4		4	1-2
MOBI	0478	0585	<i>Megayoldia martyria</i>			1	1	1-2
MOBI	0472	0747	<i>Nutricola</i> sp.	1	2		3	1-2
MOBI	0384	0860	<i>Rocheffortia tumida</i>	2			2	1-2
POSE	0310	1605	<i>Prionospio</i> ( <i>Prionospio</i> ) <i>jubata</i>	2			2	1-2
CNHY	0090	0019	<i>Campanularia groenlandica</i>	3			3	2-3
CRAM	0844	1515	<i>Rhepoxynius barnardi</i>	1			1	2-3
MOBI	0462	0060	<i>Axinopsida serricata</i>	10			10	2-3
MOBI	0456	0530	<i>Macoma carlottensis</i>	2	9	1	12	2-3
MOBI	0456	0540	<i>Macoma elimata</i>		1		1	2-3
MOBI	0472	0747	<i>Nutricola</i> sp.	1	2		3	2-3
MOBI	0384	0860	<i>Rocheffortia tumida</i>	1			1	2-3
MOGA	0516	0090	<i>Astyris gausapata</i>		1		1	2-3
ECOP	1058	0040	<i>Amphiodia urtica</i>	1	1		2	3-4
MOBI	0462	0060	<i>Axinopsida serricata</i>	9			9	3-4



Table 12: Continued.

Group Code	Family Code	Species Code	Genus/Species List	Adult	Intermediate	Juvenile	Total	Depth Interval (cm)
Station IONA 8	Replicate 2							
MOBI	0456	0530	<i>Macoma carlottensis</i>	5	9	1	15	3-4
MOBI	0456	0540	<i>Macoma elimata</i>		1		1	3-4
MOBI	0478	0585	<i>Megayoldia martyria</i>			1	1	3-4
MOBI	0472	0747	<i>Nutricola</i> sp.		3		3	3-4
MOBI	0392	0800	<i>Parvilucina tenuisculpta</i>	1			1	3-4
MOBI	0478	1020	<i>Yoldia seminuda</i>	1			1	3-4
MOGA	0512	0150	<i>Bittium munitum</i>	1			1	3-4
NTEA	0000	0001	Nemertea indet.			1	1	3-4
POER	0180	0500	<i>Glycera nana</i>	5	1		6	3-4
POER	0182	0530	<i>Glycinde armigera</i>	1			1	3-4
POER	0198	0615	<i>Lumbrineris cruzensis</i>	1			1	3-4
POSE	0242	0042	<i>Ampharete</i> nr. <i>acutifrons</i>	1			1	3-4
POSE	0248	0683	<i>Decamastus</i> nr. <i>gracilis</i>	1			1	3-4
POSE	0248	0750	<i>Heteromastus filobranchus</i>	1			1	3-4
POSE	0312	1860	<i>Sternaspis</i> nr. <i>fossor</i>	1	1		2	3-4
ECHO	1098	0150	<i>Pentamera pseudocalcigera</i>	1			1	4-5
MOBI	0462	0060	<i>Axinopsida serricata</i>	6	1		7	4-5
MOBI	0456	0530	<i>Macoma carlottensis</i>	1	6		7	4-5
MOBI	0472	0747	<i>Nutricola</i> sp.	1			1	4-5
MOGA	0606	0820	<i>Turbonilla</i> sp.	1			1	4-5
POER	0180	0500	<i>Glycera nana</i>	1			1	4-5
POER	0182	0530	<i>Glycinde armigera</i>	1			1	4-5
POER	0198	0615	<i>Lumbrineris cruzensis</i>	1			1	4-5
POER	0198	1040	<i>Scoletoma luti</i>	1			1	4-5
POSE	0280	1240	<i>Pectinaria californiensis</i>	1			1	4-5
CNHY	0090	0019	<i>Campanularia groenlandica</i>	1			1	5-6
MOBI	0462	0060	<i>Axinopsida serricata</i>	4			4	5-6
MOBI	0392	0280	<i>Lucinoma annulatum</i>			1	1	5-6
MOBI	0456	0530	<i>Macoma carlottensis</i>		2	1	3	5-6
MOBI	0472	0747	<i>Nutricola</i> sp.	1			1	5-6
MOBI	0384	0860	<i>Rochefortia tumida</i>	1			1	5-6
POSE	0248	0683	<i>Decamastus</i> nr. <i>gracilis</i>	1			1	5-6
POSE	0276	0850	<i>Levinsenia gracilis</i>	1			1	5-6
POSE	0248	0950	<i>Mediomastus</i> spp.		1		1	5-6
POSE	0310	1610	<i>Prionospio</i> ( <i>Minuspio</i> ) <i>lighti</i>	1			1	5-6
MOBI	0462	0060	<i>Axinopsida serricata</i>	1			1	6-7
MOBI	0456	0530	<i>Macoma carlottensis</i>		1		1	6-7
MOBI	0456	0540	<i>Macoma elimata</i>		1		1	6-7
MOBI	0472	0747	<i>Nutricola</i> sp.	1			1	6-7
MOGA	0516	0090	<i>Astyris gausapata</i>			1	1	6-7
POER	0180	0500	<i>Glycera nana</i>	2			2	6-7
POER	0198	1040	<i>Scoletoma luti</i>	3			3	6-7
POSE	0266	0713	<i>Euclymene</i> nr. <i>zonalis</i>	2			2	6-7
MOBI	0462	0060	<i>Axinopsida serricata</i>	2			2	7-8
MOGA	0516	0090	<i>Astyris gausapata</i>		1		1	7-8
POER	0180	0500	<i>Glycera nana</i>	5			5	7-8
POER	0182	0530	<i>Glycinde armigera</i>	1			1	7-8
POER	0198	0615	<i>Lumbrineris cruzensis</i>	1			1	7-8
POSE	0248	0450	<i>Capitella capitata</i> complex		1		1	7-8
POSE	0248	0683	<i>Decamastus</i> nr. <i>gracilis</i>	8			8	7-8
POSE	0266	0713	<i>Euclymene</i> nr. <i>zonalis</i>	1			1	7-8
POSE	0248	0750	<i>Heteromastus filobranchus</i>	2			2	7-8
POSE	0276	0850	<i>Levinsenia gracilis</i>	2			2	7-8
POSE	0310	1220	<i>Paraprionospio pinnata</i>	1			1	7-8
POSE	0310	1605	<i>Prionospio</i> ( <i>Prionospio</i> ) <i>jubata</i>	1			1	7-8
CNHY	0090	0019	<i>Campanularia groenlandica</i>	4			4	8-bot
MOBI	0462	0060	<i>Axinopsida serricata</i>	90	2		92	8-bot

Table 12: Continued.

Group Code	Family Code	Species Code	Genus/Species List	Adult	Intermediate	Juvenile	Total	Depth Interval (cm)
<b>Station IONA 8</b>	<b>Replicate 2</b>							
MOBI	0414	0220	<i>Ennucula tenuis</i>		1		1	8-bot
MOBI	0392	0280	<i>Lucinoma annulatum</i>			1	1	8-bot
MOBI	0456	0520	<i>Macoma calcarea</i>			2	2	8-bot
MOBI	0456	0530	<i>Macoma carlottensis</i>	2	47	9	58	8-bot
MOBI	0456	0540	<i>Macoma elimata</i>		3	3	6	8-bot
MOBI	0472	0747	<i>Nutricula sp.</i>	5	22		27	8-bot
MOBI	0418	0760	<i>Pandora bilirata</i>		1		1	8-bot
MOBI	0392	0800	<i>Parvilucina tenuisculpta</i>	1			1	8-bot
MOBI	0478	1020	<i>Yoldia seminuda</i>		1	1	2	8-bot
MOGA	0516	0090	<i>Astyris gausapata</i>		3		3	8-bot
MOGA	0512	0150	<i>Bittium munitum</i>	2			2	8-bot
MOGA	0606	0680	<i>Odostomia sp.</i>		1		1	8-bot
MOGA	0606	0820	<i>Turbonilla sp.</i>	1			1	8-bot
NTEA	0156	0210	<i>Tubulanus polymorphus</i>	2			2	8-bot
POER	0214	0300	<i>Eteone longa</i> complex	1			1	8-bot
POER	0180	0500	<i>Glycera nana</i>	6			6	8-bot
POER	0182	0530	<i>Glycinde armigera</i>	1			1	8-bot
POER	0198	0615	<i>Lumbrineris cruzensis</i>	2			2	8-bot
POER	0204	0760	<i>Nereis procera</i>	2			2	8-bot
POER	0198	0780	<i>Ninoe gemmea</i>	1			1	8-bot
POER	0224	0890	<i>Pholoe minuta</i>	1			1	8-bot
POER	0224	0895	<i>Pholoe sp. N-1</i>	1			1	8-bot
POER	0198	1040	<i>Scoletoma luti</i>	2			2	8-bot
POSE	0252	0122	<i>Aphelochaeta sp. 2</i>	2			2	8-bot
POSE	0248	0383	<i>Barantolla nr. americana</i>	3			3	8-bot
POSE	0248	0450	<i>Capitella capitata</i> complex	1			1	8-bot
POSE	0248	0680	<i>Decamastus gracilis</i>	15			15	8-bot
POSE	0266	0713	<i>Euclymene nr. zonalis</i>	3			3	8-bot
POSE	0248	0750	<i>Heteromastus filobranchus</i>	13	2		15	8-bot
POSE	0248	0950	<i>Mediomastus spp.</i>	3			3	8-bot
POSE	0310	1220	<i>Paraprionospio pinnata</i>	1			1	8-bot
POSE	0280	1250	<i>Pectinaria granulata</i>	1			1	8-bot
POSE	0314	1420	<i>Pista wui</i>	1			1	8-bot
POSE	0310	1610	<i>Prionospio (Minuspio) lighti</i>	5			5	8-bot
POSE	0310	1605	<i>Prionospio (Prionospio) jubata</i>	3			3	8-bot
POSE	0310	1640	<i>Prionospio (Prionospio) steens</i>	1			1	8-bot
POSE	0310	1820	<i>Spiophanes berkeleyorum</i>	1			1	8-bot
POSE	0312	1860	<i>Sternaspis nr. fossor</i>	2			2	8-bot
<b>Station IONA 15</b>	<b>Replicate 1</b>							
CNHY	0090	0019	<i>Campanularia groenlandica</i>	6			6	0-1
CRAM	0844	0600	<i>Heterophoxus affinis</i>	1	1		2	0-1
CRCU	0700	0055	<i>Diastylis alaskensis</i>	1			1	0-1
CRCU	0704	0125	<i>Eudorellopsis integra</i>	1			1	0-1
CROS	0682	0055	<i>Euphilomedes carcharodonta</i>	1			1	0-1
CROS	0682	0060	<i>Euphilomedes producta</i>	11			11	0-1
ECOP	1058	0040	<i>Amphiodia urtica</i>		1		1	0-1
ECOP	0000	0001	Ophiuroidea indet.			1	1	0-1
MOBI	0462	0060	<i>Axinopsida serricata</i>	69	47		116	0-1
MOBI	0456	0530	<i>Macoma carlottensis</i>		64	32	96	0-1
MOBI	0456	0540	<i>Macoma elimata</i>			4	4	0-1
MOBI	0472	0747	<i>Nutricula sp.</i>	2	12		14	0-1
MOBI	0418	0760	<i>Pandora bilirata</i>	1			1	0-1
MOBI	0478	1020	<i>Yoldia seminuda</i>		1		1	0-1
MOGA	0528	0245	<i>Cylichna alba</i>		2		2	0-1
MOGA	0606	0680	<i>Odostomia sp.</i>	1			1	0-1

Table 12: Continued.

Group Code	Family Code	Species Code	Genus/Species List	Adult	Intermediate	Juvenile	Total	Depth Interval (cm)
Station IONA 15	Replicate 1							
MOSC	0647	0063	<i>Pulsellum salishorum</i>	4	1		5	0-1
NTEA	0000	0001	Nemertea indet.			9	9	0-1
NTEA	0154	0260	<i>Tetrastemma</i> sp.			1	1	0-1
POER	0198	0615	<i>Lumbrineris cruzensis</i>		1		1	0-1
POER	0202	0710	<i>Nephtys cornuta</i>	2			2	0-1
POER	0224	0900	<i>Pholoe</i> spp.	1			1	0-1
POER	0214	0940	<i>Phyllodoce groenlandica</i>		1		1	0-1
POER	0214	0960	<i>Phyllodoce</i> spp.			1	1	0-1
POSE	0242	0042	<i>Ampharete</i> nr. <i>acutifrons</i>	4			4	0-1
POSE	0260	0430	<i>Brada</i> spp.		2		2	0-1
POSE	0274	0720	<i>Galathowenia oculata</i>	11			11	0-1
POSE	0310	1220	<i>Paraprionospio pinnata</i>		1		1	0-1
POSE	0280	1240	<i>Pectinaria californiensis</i>		1		1	0-1
CROS	0682	0060	<i>Euphilomedes producta</i>	6			6	1-2
ECHO	1098	0150	<i>Pentamera pseudocalcigera</i>			1	1	1-2
MOBI	0462	0060	<i>Axinopsida serricata</i>	35	21		56	1-2
MOBI	0000	0001	Bivalvia indet.	1			1	1-2
MOBI	0456	0530	<i>Macoma carlottensis</i>		34	5	39	1-2
MOBI	0456	0540	<i>Macoma elimata</i>			1	1	1-2
MOBI	0472	0747	<i>Nutricula</i> sp.		1		1	1-2
MOBI	0478	1015	<i>Yoldia hyperborea</i>		1		1	1-2
MOGA	0606	0680	<i>Odostomia</i> sp.		1		1	1-2
MOSC	0647	0063	<i>Pulsellum salishorum</i>	3	1		4	1-2
MOSC	0648	0080	<i>Rhabdus rectius</i>			1	1	1-2
POER	0228	0460	<i>Exogone molesta</i>	1			1	1-2
POER	0198	0615	<i>Lumbrineris cruzensis</i>	1			1	1-2
POER	0202	0710	<i>Nephtys cornuta</i>	4			4	1-2
POER	0226	1080	<i>Sphaerodoropsis sphaerulifer</i>	1			1	1-2
POSE	0242	0042	<i>Ampharete</i> nr. <i>acutifrons</i>	2	2		4	1-2
POSE	0274	0720	<i>Galathowenia oculata</i>	12			12	1-2
POSE	0280	1240	<i>Pectinaria californiensis</i>	1	1		2	1-2
POSE	0310	1820	<i>Spiophanes berkeleyorum</i>		1		1	1-2
POSE	0312	1860	<i>Sternaspis</i> nr. <i>fossor</i>			1	1	1-2
CRAM	0844	1515	<i>Rhepoxynius barnardi</i>	1			1	2-3
CRCU	0704	0100	<i>Eudorella pacifica</i>	1			1	2-3
CROS	0682	0060	<i>Euphilomedes producta</i>	2			2	2-3
MOBI	0462	0060	<i>Axinopsida serricata</i>	15	9		24	2-3
MOBI	0456	0530	<i>Macoma carlottensis</i>		35	7	42	2-3
MOBI	0456	0570	<i>Macoma</i> sp.			2	2	2-3
NTEA	0000	0001	Nemertea indet.			1	1	2-3
POER	0202	0710	<i>Nephtys cornuta</i>	1			1	2-3
POSE	0242	0042	<i>Ampharete</i> nr. <i>acutifrons</i>	1			1	2-3
POSE	0260	0420	<i>Brada sachalina</i>	1			1	2-3
POSE	0260	0430	<i>Brada</i> spp.		1		1	2-3
POSE	0274	0720	<i>Galathowenia oculata</i>	4			4	2-3
POSE	0248	0950	<i>Mediomastus</i> spp.	1			1	2-3
POSE	0280	1250	<i>Pectinaria granulata</i>	1			1	2-3
POSE	0310	1605	<i>Prionospio (Prionospio) jubata</i>	1			1	2-3
CRAM	0844	0600	<i>Heterophoxus affinis</i>	1	1		2	3-4
CRAM	0844	1515	<i>Rhepoxynius barnardi</i>	3			3	3-4
CRAM	0832	1620	<i>Westwoodilla caecula</i>	1			1	3-4
CROS	0682	0060	<i>Euphilomedes producta</i>	1			1	3-4
MOAP	0338	0030	<i>Chaetoderma argenteum</i>	1			1	3-4
MOBI	0462	0060	<i>Axinopsida serricata</i>	7	10		17	3-4
MOBI	0456	0530	<i>Macoma carlottensis</i>		24	2	26	3-4
MOBI	0478	1020	<i>Yoldia seminuda</i>			1	1	3-4

Table 12: Continued.

Group Code	Family Code	Species Code	Genus/Species List	Adult	Intermediate	Juvenile	Total	Depth Interval (cm)
Station IONA 15	Replicate 1							
NTEA	0000	0004	Anopla sp. C (SCAMIT)	1			1	3-4
NTEA	0148	0170	<i>Cerebratulus californiensis</i>		1		1	3-4
POER	0198	0615	<i>Lumbrineris cruzensis</i>	1			1	3-4
POER	0202	0710	<i>Nephtys cornuta</i>	2			2	3-4
POER	0224	0895	<i>Pholoe</i> sp. N-1	1	1		2	3-4
POER	0198	1040	<i>Scoletoma luti</i>	1			1	3-4
POSE	0242	0042	<i>Ampharete</i> nr. <i>acutifrons</i>	1	2		3	3-4
POSE	0260	0420	<i>Brada sachalina</i>	1			1	3-4
POSE	0274	0720	<i>Galathowenia oculata</i>	7			7	3-4
POSE	0310	1605	<i>Prionospio (Prionospio) jubata</i>	1			1	3-4
POSE	0312	1860	<i>Sternaspis</i> nr. <i>fossor</i>		1		1	3-4
CRAM	0844	0600	<i>Heterophoxus affinis</i>	1	1		2	4-5
CRAM	0844	1515	<i>Rhepoxynius barnardi</i>	1			1	4-5
CRTA	0708	0015	<i>Araphura breviarua</i>	1			1	4-5
ECOP	1058	0040	<i>Amphiodia urtica</i>	2	1		3	4-5
MOBI	0462	0060	<i>Axinopsida serricata</i>		4		4	4-5
MOBI	0414	0220	<i>Ennucula tenuis</i>	1	1		2	4-5
MOBI	0456	0530	<i>Macoma carlottensis</i>		28	3	31	4-5
MOBI	0456	0540	<i>Macoma elimata</i>		1	1	2	4-5
MOBI	0384	0860	<i>Rocheportia tumida</i>	1			1	4-5
MOBI	0478	1020	<i>Yoldia seminuda</i>		1		1	4-5
POER	0182	0530	<i>Glycinde armigera</i>		1		1	4-5
POER	0202	0710	<i>Nephtys cornuta</i>	1			1	4-5
POSE	0242	0042	<i>Ampharete</i> nr. <i>acutifrons</i>	1			1	4-5
POSE	0274	0720	<i>Galathowenia oculata</i>	1			1	4-5
POSE	0312	1860	<i>Sternaspis</i> nr. <i>fossor</i>		2		2	4-5
CRAM	0844	1515	<i>Rhepoxynius barnardi</i>	1			1	5-6
CRTA	0708	0015	<i>Araphura breviarua</i>	1			1	5-6
ECOP	1058	0040	<i>Amphiodia urtica</i>	1			1	5-6
MOAP	0338	0030	<i>Chaetoderma argenteum</i>		1		1	5-6
MOBI	0462	0060	<i>Axinopsida serricata</i>	1	2		3	5-6
MOBI	0456	0530	<i>Macoma carlottensis</i>	1	19	1	21	5-6
MOBI	0456	0570	<i>Macoma</i> sp.			2	2	5-6
MOBI	0384	0860	<i>Rocheportia tumida</i>		1		1	5-6
MOBI	0478	1020	<i>Yoldia seminuda</i>		3		3	5-6
POER	0214	0300	<i>Eteone longa</i> complex	1			1	5-6
POER	0224	0895	<i>Pholoe</i> sp. N-1		1		1	5-6
POSE	0242	0042	<i>Ampharete</i> nr. <i>acutifrons</i>	4			4	5-6
POSE	0248	0683	<i>Decamastus</i> nr. <i>gracilis</i>	1			1	5-6
POSE	0276	0850	<i>Levinsenia gracilis</i>	1			1	5-6
POSE	0314	1420	<i>Pista wui</i>	1			1	5-6
POSE	0310	1610	<i>Prionospio (Minuspio) lighti</i>	1			1	5-6
POSE	0310	1605	<i>Prionospio (Prionospio) jubata</i>	2			2	5-6
POSE	0312	1860	<i>Sternaspis</i> nr. <i>fossor</i>		2		2	5-6
POSE	0318	1990	<i>Trochochaeta multisetosa</i>	1			1	5-6
CNHY	0090	0019	<i>Campanularia groenlandica</i>	2			2	6-7
ECOP	1058	0040	<i>Amphiodia urtica</i>	2			2	6-7
MOBI	0462	0060	<i>Axinopsida serricata</i>		2		2	6-7
MOBI	0414	0220	<i>Ennucula tenuis</i>	1			1	6-7
MOBI	0456	0530	<i>Macoma carlottensis</i>		17		17	6-7
MOBI	0456	0540	<i>Macoma elimata</i>		1	1	2	6-7
MOBI	0478	1020	<i>Yoldia seminuda</i>	1	1		2	6-7
NTEA	0156	0210	<i>Tubulanus polymorphus</i>	2			2	6-7
POER	0180	0500	<i>Glycera nana</i>	1			1	6-7
POER	0182	0530	<i>Glycinde armigera</i>	1			1	6-7
POSE	0248	0683	<i>Decamastus</i> nr. <i>gracilis</i>	1			1	6-7
POSE	0310	0697	<i>Dipolydora cardalia</i>	1			1	6-7

Table 12: Continued.

Group Code	Family Code	Species Code	Genus/Species List	Adult	Intermediate	Juvenile	Total	Depth Interval (cm)
Station IONA 15	Replicate 1							
POSE	0248	0950	<i>Mediomastus</i> spp.		1		1	6-7
POSE	0310	1220	<i>Paraprionospio pinnata</i>	1			1	6-7
POSE	0310	1605	<i>Prionospio (Prionospio) jubata</i>	1	1		2	6-7
POSE	0312	1860	<i>Sternaspis</i> nr. <i>fossor</i>	1	1		2	6-7
CRAM	0844	1515	<i>Rhepoxynius barnardi</i>	3			3	7-8
ECOP	1058	0040	<i>Amphiodia urtica</i>	1	1		2	7-8
MOBI	0414	0220	<i>Ennucula tenuis</i>	1			1	7-8
MOBI	0456	0530	<i>Macoma carlottensis</i>	4	4		8	7-8
MOBI	0456	0540	<i>Macoma elimata</i>		3	1	4	7-8
MOBI	0472	0747	<i>Nutricula</i> sp.		1		1	7-8
MOBI	0478	1020	<i>Yoldia seminuda</i>		1		1	7-8
POER	0180	0500	<i>Glycera nana</i>	6			6	7-8
POER	0182	0530	<i>Glycinde armigera</i>	1			1	7-8
POER	0224	0895	<i>Pholoe</i> sp. N-1	1			1	7-8
POER	0198	1040	<i>Scoletoma luti</i>	3			3	7-8
POSE	0248	0683	<i>Decamastus</i> nr. <i>gracilis</i>	1	1		2	7-8
POSE	0266	0713	<i>Euclymene</i> nr. <i>zonalis</i>	1			1	7-8
POSE	0266	0710	<i>Euclymeninae</i> indet.	1			1	7-8
POSE	0310	0800	<i>Laonice cirrata</i>	1			1	7-8
POSE	0276	0850	<i>Levinsenia gracilis</i>	1			1	7-8
POSE	0310	1220	<i>Paraprionospio pinnata</i>	1			1	7-8
POSE	0312	1860	<i>Sternaspis</i> nr. <i>fossor</i>	1			1	7-8
MOBI	0462	0060	<i>Axinopsida serricata</i>		1		1	8-9
MOBI	0456	0530	<i>Macoma carlottensis</i>	5	2		7	8-9
MOBI	0456	0540	<i>Macoma elimata</i>		1	1	2	8-9
MOSC	0648	0080	<i>Rhabdus rectius</i>	1			1	8-9
POER	0214	0320	<i>Eteone spilotus</i>	1			1	8-9
POER	0180	0500	<i>Glycera nana</i>	6			6	8-9
POER	0182	0530	<i>Glycinde armigera</i>	2			2	8-9
POER	0198	0615	<i>Lumbrineris cruzensis</i>	2			2	8-9
POSE	0248	0683	<i>Decamastus</i> nr. <i>gracilis</i>	12	2		14	8-9
POSE	0310	0697	<i>Dipolydora cardalia</i>	1			1	8-9
POSE	0276	0850	<i>Levinsenia gracilis</i>	1			1	8-9
POSE	0248	0950	<i>Mediomastus</i> spp.		1		1	8-9
POSE	0310	1610	<i>Prionospio (Minuspio) lighti</i>	1			1	8-9
POSE	0272	1747	<i>Scoloplos</i> nr. <i>acmeceps</i>	1			1	8-9
POER	0214	0300	<i>Eteone longa</i> complex	1			1	9-10
POER	0180	0500	<i>Glycera nana</i>	5			5	9-10
POER	0198	1040	<i>Scoletoma luti</i>	1			1	9-10
POSE	0248	0383	<i>Barantolla</i> nr. <i>americana</i>	1			1	9-10
POSE	0248	0680	<i>Decamastus gracilis</i>	12			12	9-10
POSE	0248	0750	<i>Heteromastus filobranthus</i>		1		1	9-10
POSE	0272	0820	<i>Leitoscoloplos pugettensis</i>	1			1	9-10
POSE	0266	1540	<i>Praxillella gracilis</i>	2			2	9-10
POSE	0266	1550	<i>Praxillella pacifica</i>	1			1	9-10
POSE	0310	1610	<i>Prionospio (Minuspio) lighti</i>	1			1	9-10
POSE	0312	1860	<i>Sternaspis</i> nr. <i>fossor</i>	1			1	9-10
ANOL	1136	1136	Tubificidae indet.	1			1	10-bot
CNHY	0090	0019	<i>Campanularia groenlandica</i>	3			3	10-bot
CRAM	0844	0600	<i>Heterophoxus affinis</i>		1		1	10-bot
CRAM	0844	1515	<i>Rhepoxynius barnardi</i>	2			2	10-bot
CRDE	0932	0230	<i>Pinnixa occidentalis</i>	1	4		5	10-bot
CROS	0682	0060	<i>Euphilomedes producta</i>	9			9	10-bot
CRTA	0708	0015	<i>Araphura breviar</i>	1			1	10-bot
ECOP	1058	0040	<i>Amphiodia urtica</i>	1	3		4	10-bot
ECOP	1074	0058	<i>Ophiura leptoctenia</i>		1		1	10-bot
MOBI	0414	0020	<i>Acila castrensis</i>		1		1	10-bot

Table 12: Continued.

Group Code	Family Code	Species Code	Genus/Species List	Adult	Intermediate	Juvenile	Total	Depth Interval (cm)
<b>Station IONA 15</b>	<b>Replicate 1</b>							
MOBI	0462	0040	<i>Adontorhina cyclia</i>	1			1	10-bot
MOBI	0462	0060	<i>Axinopsida serricata</i>	69	43		112	10-bot
MOBI	0456	0530	<i>Macoma carlottensis</i>	8	88	24	120	10-bot
MOBI	0456	0540	<i>Macoma elimata</i>		4	5	9	10-bot
MOBI	0478	0585	<i>Megayoldia martyria</i>		2	1	3	10-bot
MOBI	0472	0747	<i>Nutricula</i> sp.		5		5	10-bot
MOBI	0418	0760	<i>Pandora bilirata</i>	3			3	10-bot
MOBI	0392	0800	<i>Parvilucina tenuisculpta</i>		1		1	10-bot
MOBI	0478	1020	<i>Yoldia seminuda</i>	1	3		4	10-bot
MOGA	0512	0150	<i>Bittium munitum</i>	1	2		3	10-bot
MOGA	0528	0250	<i>Cylichna attonsa</i>	1			1	10-bot
MOSC	0647	0063	<i>Pulsellum salishorum</i>	3			3	10-bot
NTEA	0000	0001	Nemertea indet.			14	14	10-bot
NTEA	0156	0210	<i>Tubulanus polymorphus</i>	1			1	10-bot
POER	0198	0280	<i>Eranno bicirrata</i>	1			1	10-bot
POER	0214	0300	<i>Eteone longa</i> complex	1			1	10-bot
POER	0180	0500	<i>Glycera nana</i>	4			4	10-bot
POER	0182	0530	<i>Glycinde armigera</i>			1	1	10-bot
POER	0182	0575	<i>Goniada brunnea</i>	1			1	10-bot
POER	0198	0615	<i>Lumbrineris cruzensis</i>	1	1		2	10-bot
POER	0220	0665	<i>Malmgreniella bansei</i>	2			2	10-bot
POER	0198	0780	<i>Ninoe gemmea</i>	1			1	10-bot
POER	0208	0830	<i>Onuphis iridescens</i>	2			2	10-bot
POER	0224	0900	<i>Pholoe</i> spp.		1		1	10-bot
POER	0198	1040	<i>Scoletoma luti</i>	1			1	10-bot
POER	0220	1200	<i>Tenonia priops</i>	1			1	10-bot
POSE	0242	0042	<i>Ampharete</i> nr. <i>acutifrons</i>	3			3	10-bot
POSE	0314	0340	<i>Artacama coniferi</i>	1			1	10-bot
POSE	0248	0383	<i>Barantolla</i> nr. <i>americana</i>	1			1	10-bot
POSE	0248	0680	<i>Decamastus gracilis</i>	18			18	10-bot
POSE	0248	0683	<i>Decamastus</i> nr. <i>gracilis</i>	3			3	10-bot
POSE	0266	0710	Euclymeninae indet.	1			1	10-bot
POSE	0274	0720	<i>Galathowenia oculata</i>	7			7	10-bot
POSE	0248	0750	<i>Heteromastus filobranchus</i>	5			5	10-bot
POSE	0266	0920	<i>Maldane sarsi</i>	1			1	10-bot
POSE	0280	1240	<i>Pectinaria californiensis</i>		1		1	10-bot
POSE	0266	1550	<i>Praxillella pacifica</i>	1	2		3	10-bot
POSE	0310	1610	<i>Prionospio</i> ( <i>Minuspio</i> ) <i>lighti</i>	5			5	10-bot
POSE	0310	1605	<i>Prionospio</i> ( <i>Prionospio</i> ) <i>jubata</i>	6			6	10-bot
POSE	0272	1747	<i>Scoloplos</i> nr. <i>acmeceps</i>	1			1	10-bot
SIPN	0330	0020	<i>Thysanocardia nigra</i>	1	2		3	10-bot
<b>Station 15 (IONA)</b>	<b>Replicate 2</b>							
CRAM	0832	1102	<i>Monoculodes brevirostris</i>	1			1	0-1
CRAM	0844	1515	<i>Rhepoxynius barnardi</i>	1			1	0-1
CRCU	0704	0100	<i>Eudorella pacifica</i>	1			1	0-1
CROS	0682	0060	<i>Euphilomedes producta</i>	4			4	0-1
MOBI	0462	0060	<i>Axinopsida serricata</i>	18	14		32	0-1
MOBI	0456	0530	<i>Macoma carlottensis</i>		24	6	30	0-1
MOBI	0472	0747	<i>Nutricula</i> sp.		2		2	0-1
MOBI	0478	1015	<i>Yoldia hyperborea</i>			1	1	0-1
MOSC	0647	0063	<i>Pulsellum salishorum</i>	1			1	0-1
NTEA	0148	0170	<i>Cerebratulus californiensis</i>		1		1	0-1
PLTY	0128	0128	Leptoplanidae indet.			2	2	0-1
POER	0220	0480	<i>Gattyana treadwelli</i>	1			1	0-1
POER	0202	0710	<i>Nephtys cornuta</i>	1			1	0-1

Table 12: Continued.

Group Code	Family Code	Species Code	Genus/Species List	Adult	Intermediate	Juvenile	Total	Depth Interval (cm)
Station IONA 15	Replicate 2							
POSE	0242	0042	<i>Ampharete</i> nr. <i>acutifrons</i>		2	1	3	0-1
POSE	0274	0720	<i>Galathowenia oculata</i>	8	1		9	0-1
POSE	0310	1220	<i>Paraprionospio pinnata</i>		1		1	0-1
POSE	0310	1605	<i>Prionospio (Prionospio) jubata</i>	1			1	0-1
POSE	0312	1860	<i>Sternaspis</i> nr. <i>fossor</i>		1		1	0-1
CRAM	0844	0600	<i>Heterophoxus affinis</i>		3		3	1-2
CRAM	0844	1515	<i>Rhepoxynius barnardi</i>	1			1	1-2
CROS	0682	0055	<i>Euphilomedes carcharodonta</i>	1			1	1-2
ECOP	1058	0040	<i>Amphiodia urtica</i>		2	1	3	1-2
MOBI	0462	0060	<i>Axinopsida serricata</i>	28	13		41	1-2
MOBI	0456	0530	<i>Macoma carlottensis</i>		67	4	71	1-2
MOBI	0456	0570	<i>Macoma</i> sp.			2	2	1-2
MOGA	0528	0250	<i>Cylichna attonsa</i>		1		1	1-2
MOSC	0647	0063	<i>Pulsellum salishorum</i>	1			1	1-2
MOSC	0648	0080	<i>Rhabdus rectius</i>	1			1	1-2
POER	0180	0500	<i>Glycera nana</i>	1			1	1-2
POER	0198	0615	<i>Lumbrineris cruzensis</i>		1		1	1-2
POER	0202	0710	<i>Nephtys cornuta</i>	4			4	1-2
POSE	0242	0042	<i>Ampharete</i> nr. <i>acutifrons</i>	1			1	1-2
POSE	0260	0420	<i>Brada sachalina</i>		1		1	1-2
POSE	0248	0683	<i>Decamastus</i> nr. <i>gracilis</i>		1		1	1-2
POSE	0274	0720	<i>Galathowenia oculata</i>	9	1		10	1-2
POSE	0310	0800	<i>Laonice cirrata</i>	1			1	1-2
POSE	0248	0950	<i>Mediomastus</i> spp.		1		1	1-2
POSE	0310	1220	<i>Paraprionospio pinnata</i>		3		3	1-2
CRAM	0844	0600	<i>Heterophoxus affinis</i>		1		1	2-3
CRAM	0844	1515	<i>Rhepoxynius barnardi</i>	1			1	2-3
CRCU	0704	0120	<i>Eudorellopsis longirostris</i>	1			1	2-3
CROS	0682	0060	<i>Euphilomedes producta</i>	2			2	2-3
ECHO	1092	0015	<i>Chirodota albatrossii</i>	1			1	2-3
MOBI	0462	0060	<i>Axinopsida serricata</i>	29	23		52	2-3
MOBI	0456	0520	<i>Macoma calcarea</i>			5	5	2-3
MOBI	0456	0530	<i>Macoma carlottensis</i>	1	76	9	86	2-3
MOBI	0456	0570	<i>Macoma</i> sp.			4	4	2-3
MOSC	0647	0063	<i>Pulsellum salishorum</i>	1			1	2-3
NTEA	0140	0160	<i>Amphiporus</i> sp.		2		2	2-3
POER	0182	0530	<i>Glycinde armigera</i>	3			3	2-3
POER	0198	0615	<i>Lumbrineris cruzensis</i>	1			1	2-3
POER	0202	0710	<i>Nephtys cornuta</i>	4			4	2-3
POER	0224	0895	<i>Pholoe</i> sp. N-1		2		2	2-3
POSE	0248	0683	<i>Decamastus</i> nr. <i>gracilis</i>		3	1	4	2-3
POSE	0274	0720	<i>Galathowenia oculata</i>	10	3		13	2-3
POSE	0280	1240	<i>Pectinaria californiensis</i>	1			1	2-3
POSE	0310	1610	<i>Prionospio (Minuspio) lighti</i>	1			1	2-3
CRAM	0844	0600	<i>Heterophoxus affinis</i>	1			1	3-4
CRAM	0844	1515	<i>Rhepoxynius barnardi</i>	4	1		5	3-4
CROS	0682	0060	<i>Euphilomedes producta</i>	1			1	3-4
ECOP	1058	0040	<i>Amphiodia urtica</i>		1	1	2	3-4
MOBI	0462	0060	<i>Axinopsida serricata</i>	10	15		25	3-4
MOBI	0456	0530	<i>Macoma carlottensis</i>		56	9	65	3-4
MOBI	0456	0540	<i>Macoma elimata</i>		2	1	3	3-4
MOGA	0528	0250	<i>Cylichna attonsa</i>	1			1	3-4
NTEA	0156	0210	<i>Tubulanus polymorphus</i>	1			1	3-4
POER	0182	0530	<i>Glycinde armigera</i>	1			1	3-4
POER	0198	0615	<i>Lumbrineris cruzensis</i>	1			1	3-4
POER	0220	0666	<i>Malmgreniella berkeleyorum</i>	1			1	3-4
POER	0202	0710	<i>Nephtys cornuta</i>	1			1	3-4

Table 12: Continued.

Group Code	Family Code	Species Code	Genus/Species List	Adult	Intermediate	Juvenile	Total	Depth Interval (cm)
Station IONA 15	Replicate 2							
POER	0224	0895	<i>Pholoe</i> sp. N-1	1			1	3-4
POER	0214	0940	<i>Phyllodoce groenlandica</i>	1			1	3-4
POER	0198	1040	<i>Scoletoma luti</i>	1			1	3-4
POSE	0266	0710	Euclymeninae indet.	1			1	3-4
POSE	0274	0720	<i>Galathowenia oculata</i>	10			10	3-4
POSE	0272	0820	<i>Leitoscoloplos pugettensis</i>	1			1	3-4
POSE	0276	0850	<i>Levinsenia gracilis</i>	1			1	3-4
POSE	0310	1605	<i>Prionospio (Prionospio) jubata</i>	3			3	3-4
SIPN	0330	0020	<i>Thysanocardia nigra</i>			1	1	3-4
CRAM	0844	0600	<i>Heterophoxus affinis</i>	1	1		2	4-5
CRAM	0844	1515	<i>Rhepoxynius barnardi</i>	2			2	4-5
CROS	0682	0060	<i>Euphilomedes producta</i>	1			1	4-5
ECOP	1058	0040	<i>Amphiodia urtica</i>	1	1		2	4-5
MOBI	0414	0020	<i>Acila castrensis</i>			1	1	4-5
MOBI	0462	0060	<i>Axinopsida serricata</i>	9		5	14	4-5
MOBI	0456	0530	<i>Macoma carlottensis</i>			19	19	4-5
MOBI	0456	0540	<i>Macoma elimata</i>			2	2	4-5
NTEA	0156	0210	<i>Tubulanus polymorphus</i>	1			1	4-5
POER	0180	0500	<i>Glycera nana</i>	1			1	4-5
POER	0202	0720	<i>Nephtys ferruginea</i>	1			1	4-5
POER	0198	1040	<i>Scoletoma luti</i>	1			1	4-5
POSE	0242	0042	<i>Ampharete</i> nr. <i>acutifrons</i>	1	1		2	4-5
POSE	0276	0180	<i>Aricidea lopezi</i>	1			1	4-5
POSE	0252	0510	<i>Chaetozone</i> spp.			1	1	4-5
POSE	0248	0683	<i>Decamastus</i> nr. <i>gracilis</i>	3	1		4	4-5
POSE	0274	0720	<i>Galathowenia oculata</i>	10			10	4-5
POSE	0276	0850	<i>Levinsenia gracilis</i>	1			1	4-5
POSE	0280	1240	<i>Pectinaria californiensis</i>		1		1	4-5
POSE	0310	1605	<i>Prionospio (Prionospio) jubata</i>	5			5	4-5
POSE	0272	1747	<i>Scoloplos</i> nr. <i>acmeceps</i>	1			1	4-5
POSE	0312	1860	<i>Sternaspis</i> nr. <i>fossor</i>	2			2	4-5
CRAM	0844	0600	<i>Heterophoxus affinis</i>	1	1		2	5-6
CRAM	0844	1515	<i>Rhepoxynius barnardi</i>	1			1	5-6
CRCU	0700	0060	<i>Diastylis pellucida</i>	1			1	5-6
ECOP	1058	0040	<i>Amphiodia urtica</i>	3			3	5-6
MOAP	0338	0030	<i>Chaetoderma argenteum</i>			1	1	5-6
MOBI	0462	0060	<i>Axinopsida serricata</i>	4	1		5	5-6
MOBI	0414	0220	<i>Ennucula tenuis</i>	1			1	5-6
MOBI	0456	0530	<i>Macoma carlottensis</i>	1		1	2	5-6
MOBI	0456	0540	<i>Macoma elimata</i>		1		1	5-6
POER	0214	0320	<i>Eteone spilotus</i>	1			1	5-6
POER	0180	0500	<i>Glycera nana</i>	1			1	5-6
POER	0182	0530	<i>Glycinde armigera</i>	1			1	5-6
POER	0198	0615	<i>Lumbrineris cruzensis</i>	2			2	5-6
POER	0208	0840	<i>Onuphis</i> spp.	1			1	5-6
POER	0214	0940	<i>Phyllodoce groenlandica</i>	1			1	5-6
POER	0198	1040	<i>Scoletoma luti</i>	1	1		2	5-6
POSE	0276	0180	<i>Aricidea lopezi</i>	1			1	5-6
POSE	0248	0683	<i>Decamastus</i> nr. <i>gracilis</i>	6			6	5-6
POSE	0276	0850	<i>Levinsenia gracilis</i>	2			2	5-6
POSE	0248	0945	<i>Mediomastus ambiseta</i>	1			1	5-6
POSE	0310	1610	<i>Prionospio (Minuspio) lighti</i>	1			1	5-6
POSE	0310	1605	<i>Prionospio (Prionospio) jubata</i>	1			1	5-6
CRAM	0798	0500	<i>Eusirus columbianus</i>	1			1	6-bot
CRAM	0844	0600	<i>Heterophoxus affinis</i>		1		1	6-bot
CRAM	0848	1340	<i>Pleusymtes subglaber</i>	1			1	6-bot
CRAM	0832	1620	<i>Westwoodilla caecula</i>	1			1	6-bot



Table 12: Continued.

Group Code	Family Code	Species Code	Genus/Species List	Adult	Intermediate	Juvenile	Total	Depth Interval (cm)
Station IONA 15	Replicate 2							
CROS	0682	0060	<i>Euphilomedes producta</i>	3			3	6-bot
ECHO	1096	0125	<i>Molpadia intermedia</i>	1			1	6-bot
ECOP	1058	0040	<i>Amphiodia urtica</i>	2	6		8	6-bot
MOAP	0338	0030	<i>Chaetoderma argenteum</i>		1		1	6-bot
MOBI	0462	0060	<i>Axinopsida serricata</i>	28	24		52	6-bot
MOBI	0414	0220	<i>Ennucula tenuis</i>	2			2	6-bot
MOBI	0456	0530	<i>Macoma carlottensis</i>	2	82	8	92	6-bot
MOBI	0456	0540	<i>Macoma elimata</i>	2	1	3	6	6-bot
MOBI	0472	0747	<i>Nutricola</i> sp.		1		1	6-bot
MOBI	0384	0860	<i>Rochefortia tumida</i>	1			1	6-bot
MOBI	0478	1020	<i>Yoldia seminuda</i>	1	1		2	6-bot
MOSC	0647	0063	<i>Pulsellum salishorum</i>	2			2	6-bot
MOSC	0648	0080	<i>Rhabdus rectius</i>	2			2	6-bot
NTEA	0156	0210	<i>Tubulanus polymorphus</i>	2			2	6-bot
POER	0214	0320	<i>Eteone spilotus</i>	3			3	6-bot
POER	0180	0500	<i>Glycera nana</i>	8			8	6-bot
POER	0182	0530	<i>Glycinde armigera</i>	7			7	6-bot
POER	0198	0615	<i>Lumbrineris cruzensis</i>	1			1	6-bot
POER	0202	0710	<i>Nephtys cornuta</i>	1			1	6-bot
POER	0198	0780	<i>Ninoe gemmea</i>	1			1	6-bot
POER	0224	0895	<i>Pholoe</i> sp. N-1	2			2	6-bot
POER	0224	0900	<i>Pholoe</i> spp.		1		1	6-bot
POER	0214	0940	<i>Phyllodoce groenlandica</i>	2			2	6-bot
POER	0198	1040	<i>Scoletoma luti</i>	3	1		4	6-bot
POSE	0242	0042	<i>Ampharete</i> nr. <i>acutifrons</i>	1			1	6-bot
POSE	0252	0125	<i>Aphelochaeta</i> sp. N-1	1			1	6-bot
POSE	0252	0495	<i>Chaetozone commonalis</i>	1			1	6-bot
POSE	0248	0683	<i>Decamastus</i> nr. <i>gracilis</i>	39	2		41	6-bot
POSE	0274	0720	<i>Galathowenia oculata</i>	7			7	6-bot
POSE	0248	0750	<i>Heteromastus filobranchus</i>	4			4	6-bot
POSE	0310	0800	<i>Laonice cirrata</i>	1			1	6-bot
POSE	0276	0850	<i>Levinsenia gracilis</i>	9			9	6-bot
POSE	0248	0945	<i>Mediomastus ambiseta</i>	1			1	6-bot
POSE	0248	0950	<i>Mediomastus</i> spp.	20			20	6-bot
POSE	0251	1342	<i>Phyllochaetopterus pottsi</i>	1			1	6-bot
POSE	0310	1610	<i>Prionospio (Minuspio) lighti</i>	3	1		4	6-bot
POSE	0310	1605	<i>Prionospio (Prionospio) jubata</i>	5			5	6-bot
POSE	0272	1747	<i>Scoloplos</i> nr. <i>acmeceps</i>	1			1	6-bot
POSE	0312	1860	<i>Sternaspis</i> nr. <i>fossor</i>	1			1	6-bot
POSE	0318	1990	<i>Trochochaeta multisetosa</i>	1			1	6-bot
SIPN	0330	0020	<i>Thysanocardia nigra</i>		1		1	6-bot

Table 13: Results of the benthic taxonomic analysis from grabs taken at the GVRD core locations. All coding is as per the system employed by Biological Environmental Services.

Group Code	Family Code	Species Code	Genus/Species List	Adult	Intermediate	Juvenile	Totals	Replicate No.
<b>GVRD-1</b>								
CHAC	0673	0673	<i>Halacaridae indet.</i>	1	0	0	1	1
ECHO	1092	0015	<i>Chirodota albatrossii</i>	4	0	0	4	1
MOAP	0338	0050	<i>Falcidens longus</i>	2	0	0	2	1
POER	0202	0710	<i>Nephtys cornuta</i>	2	0	0	2	1
POER	0198	1040	<i>Scoletoma luti</i>	2	0	0	2	1
POSE	0276	0180	<i>Aricidea lopezi</i>	1	0	0	1	1
POSE	0316	1905	<i>Terebellides kobei</i>	1	0	0	1	1
CNAN	0082	0250	<i>Virgularia agassizii</i>	1	0	0	1	2
ECHO	1092	0015	<i>Chirodota albatrossii</i>	1	0	0	1	2
MOAP	0338	0050	<i>Falcidens longus</i>	1	0	0	1	2
POER	0220	0034	<i>Bylgides macrolepidus</i>	2	0	0	2	2
POER	0182	0530	<i>Glycinde armigera</i>	1	0	0	1	2
POER	0198	0615	<i>Lumbrineris cruzensis</i>	1	0	0	1	2
POER	0198	1040	<i>Scoletoma luti</i>	1	0	0	1	2
POSE	0276	0180	<i>Aricidea lopezi</i>	1	0	0	1	2
POSE	0310	0700	<i>Dipolydora socialis</i>	0	1	0	1	2
POSE	0266	1540	<i>Praxillella gracilis</i>	1	0	0	1	2
POSE	0310	1605	<i>Prionospio jubata</i>	1	0	0	1	2
POSE	0316	2000	<i>Trichobranchus glacialis</i>	1	0	0	1	2
BRYO	0968	0051	<i>Caulibugula californica</i>	4	0	0	4	3
BRYO	1012	0270	<i>Triticella pedicellata</i>	1	0	0	1	3
ECHO	1092	0015	<i>Chirodota albatrossii</i>	2	0	0	2	3
MOAP	0338	0030	<i>Chaetoderma argenteum</i>	1	0	0	1	3
POER	0220	0666	<i>Malmgreniella berkeleyorum</i>	1	0	0	1	3
POER	0186	1025	<i>Podarkeopsis perkinsi</i>	1	0	0	1	3
POER	0198	1040	<i>Scoletoma luti</i>	3	0	0	3	3
POSE	0310	0700	<i>Dipolydora socialis</i>	0	1	0	1	3
POSE	0316	2000	<i>Trichobranchus glacialis</i>	1	0	0	1	3

<b>GVRD 2</b>								
CRAM	0762	0140	<i>Ampelisca unsocatae</i>	2	1	0	3	1
CRAM	0832	0285	<i>Bathymedon sp.</i>	1	0	0	1	1
CRAM	0844	0600	<i>Heterophoxus affinis</i>	1	0	0	1	1
CRAM	0844	0600	<i>Heterophoxus affinis</i>	2	1	0	3	1
CRAM	0844	1234	<i>Paraphoxus gracilis</i>	2	0	0	2	1
CRAM	0810	1440	<i>Protomedeia grandimana</i>	0	1	0	1	1
CRCU	0700	0060	<i>Diastylis pellucida</i>	1	0	0	1	1
CRCU	0704	0100	<i>Eudorella pacifica</i>	1	0	0	1	1
CROS	0682	0060	<i>Euphilomedes producta</i>	1	0	0	1	1
ECEC	1082	0050	<i>Brisaster latifrons</i>	1	0	0	1	1
ECHO	1092	0015	<i>Chirodota albatrossii</i>	2	2	0	4	1
ECOP	1074	0058	<i>Ophiura leptoctenia</i>	3	2	0	5	1
MOAP	0338	0030	<i>Chaetoderma argenteum</i>	1	0	3	4	1
MOAP	0338	0030	<i>Chaetoderma argenteum</i>	1	1	0	2	1
MOBI	0462	0060	<i>Axinopsida serricata</i>	1	2	0	3	1
MOBI	0462	0060	<i>Axinopsida serricata</i>	11	17	0	28	1
MOBI	0356	0200	<i>Cyclocardia ventricosa</i>	0	1	0	1	1
MOBI	0414	0220	<i>Ennucula tenuis</i>	0	1	0	1	1
MOBI	0456	0530	<i>Macoma carlottensis</i>	3	3	1	7	1
MOBI	0456	0540	<i>Macoma elimata</i>	0	2	0	2	1
MOBI	0456	0540	<i>Macoma elimata</i>	0	0	2	2	1
MOBI	0472	0747	<i>Nutricola tantilla</i>	2	0	0	2	1
MOBI	0472	0747	<i>Nutricola tantilla</i>	1	2	0	3	1

Table 13: Continued.

Group Code	Family Code	Species Code	Genus/Species List	Adult	Intermediate	Juvenile	Totals	Replicate No.
<b>GVRD 2</b>								
MOBI	0462	0990	<i>Thyasira flexuosa</i>	1	1	0	2	1
MOBI	0478	1020	<i>Yoldia seminuda</i>	1	0	0	1	1
MOBI	0478	1020	<i>Yoldia seminuda</i>	1	1	0	2	1
MOGA	0610	0041	<i>Alvania compacta</i>	2	0	0	2	1
MOGA	0610	0041	<i>Alvania compacta</i>	21	0	0	21	1
MOGA	0528	0250	<i>Cylichna attonsa</i>	3	2	0	5	1
MOGA	0606	0680	<i>Odostomia sp.</i>	1	0	0	1	1
MOSC	0647	0063	<i>Pulsellum salishorum</i>	1	0	0	1	1
MOSC	0647	0063	<i>Pulsellum salishorum</i>	3	0	0	3	1
POER	0206	0095	<i>Drilonereis longa</i>	1	0	0	1	1
POER	0198	0280	<i>Errano bicirrata</i>	0	1	0	1	1
POER	0180	0500	<i>Glycera nana</i>	1	0	0	1	1
POER	0180	0500	<i>Glycera nana</i>	1	0	0	1	1
POER	0182	0530	<i>Glycinde armigera</i>	1	0	0	1	1
POER	0182	0530	<i>Glycinde armigera</i>	1	0	0	1	1
POER	0182	0575	<i>Goniada brunnea</i>	1	0	0	1	1
POER	0198	0615	<i>Lumbrineris cruzensis</i>	9	0	0	9	1
POER	0220	0679	<i>Malmgreniella nr. berkeleyorum</i>	2	0	0	2	1
POER	0202	0720	<i>Nephtys ferruginea</i>	1	0	0	1	1
POER	0202	0725	<i>Nephtys punctata</i>	1	0	0	1	1
POER	0202	0725	<i>Nephtys punctata</i>	1	0	0	1	1
POER	0208	0830	<i>Onuphis iridescens</i>	3	0	0	3	1
POER	0186	1025	<i>Podarkeopsis perkinsi</i>	1	0	0	1	1
POER	0198	1040	<i>Scoletoma luti</i>	13	4	0	17	1
POER	0198	1040	<i>Scoletoma luti</i>	6	0	0	6	1
POER	0228	1225	<i>Typosyllis heterochaeta</i>	1	0	0	1	1
POSE	0242	0074	<i>Amphicteis scaphobranchiata</i>	1	0	0	1	1
POSE	0310	0697	<i>Dipolydora cardalia</i>	13	1	0	14	1
POSE	0274	0720	<i>Galathowenia oculata</i>	5	0	0	5	1
POSE	0274	0720	<i>Galathowenia oculata</i>	5	2	0	7	1
POSE	0248	0750	<i>Heteromastus filobranchus</i>	4	0	0	4	1
POSE	0248	0750	<i>Heteromastus filobranchus</i>	2	0	0	2	1
POSE	0314	0776	<i>Lanassa gracilis</i>	1	0	0	1	1
POSE	0266	0920	<i>Maldane sarsi</i>	88	0	0	88	1
POSE	0266	0920	<i>Maldane sarsi</i>	13	0	0	13	1
POSE	0248	0945	<i>Mediomastus ambiseta</i>	1	0	0	1	1
POSE	0248	0948	<i>Mediomastus californiensis</i>	1	0	0	1	1
POSE	0266	0987	<i>Microclymene nr. caudata</i>	9	0	0	9	1
POSE	0310	1220	<i>Paraprionospio pinnata</i>	1	0	0	1	1
POSE	0314	1420	<i>Pista wui</i>	1	0	0	1	1
POSE	0310	1610	<i>Prionospio (Minuspio) lighti</i>	1	0	0	1	1
POSE	0310	1605	<i>Prionospio (Prionospio) jubata</i>	1	0	0	1	1
POSE	0310	1605	<i>Prionospio (Prionospio) jubata</i>	1	0	0	1	1
POSE	0266	1660	<i>Rhodine bitorquata</i>	4	0	0	4	1
POSE	0266	1660	<i>Rhodine bitorquata</i>	2	0	0	2	1
POSE	0310	1820	<i>Spiophanes berkeleyorum</i>	2	0	0	2	1
POSE	0312	1860	<i>Sternaspis nr. fossor</i>	3	2	0	5	1
POSE	0316	1900	<i>Terebellides californica</i>	1	0	0	1	1
POSE	0316	1924	<i>Imamura)</i>	2	0	0	2	1
POSE	0318	1990	<i>Trochochaeta multisetosa</i>	1	0	0	1	1
POSE	0318	1990	<i>Trochochaeta multisetosa</i>	1	0	0	1	1
CNHY	0088	0160	<i>Perigonimus repens</i>	1	0	0	1	2
CRAM	0762	0140	<i>Ampelisca unsocalae</i>	0	1	0	1	2
CRAM	0832	0340	<i>Deflexilodes similis</i>	1	0	0	1	2
CRAM	0844	0600	<i>Heterophoxus affinis</i>	2	1	0	3	2

Table 13: Continued.

Group Code	Family Code	Species Code	Genus/Species List	Adult	Intermediate	Juvenile	Totals	Replicate No.
<b>GVRD 2</b>								
CRAM	0844	0600	<i>Heterophoxus affinis</i>	4	0	0	4	2
CRAM	0844	1234	<i>Paraphoxus gracilis</i>	17	0	0	17	2
CRAM	0862	1565	<i>Syrrhoe longifrons</i>	1	0	0	1	2
CRCU	0704	0100	<i>Eudorella pacifica</i>	1	0	0	1	2
CRIS	0736	0020	<i>Gnathia sp.</i>	1	0	0	1	2
CROS	0682	0110	<i>Scleroconcha trituberculata</i>	2	0	0	2	2
CRTA	0712	0040	<i>Leptognathia gracilis</i>	2	1	0	3	2
ECHO	1092	0015	<i>Chirodota albatrossii</i>	1	2	0	3	2
ECHO	1096	0125	<i>Molpadia intermedia</i>	1	0	0	1	2
ECOP	1074	0058	<i>Ophiura leptoctenia</i>	0	1	0	1	2
ECOP	1074	0070	<i>Ophiura sp.</i>	0	0	1	1	2
MOAP	0338	0030	<i>Chaetoderma argenteum</i>	2	7	0	9	2
MOAP	0338	0030	<i>Chaetoderma argenteum</i>	1	1	0	2	2
MOBI	0462	0040	<i>Adontorhina cyclia</i>	3	0	0	3	2
MOBI	0462	0060	<i>Axinopsida serricata</i>	3	2	0	5	2
MOBI	0462	0060	<i>Axinopsida serricata</i>	30	33	0	63	2
MOBI	0366	0073	<i>Cardiomya planetica</i>	1	0	0	1	2
MOBI	0472	0160	<i>Compsomyx subdiaphana</i>	0	0	2	2	2
MOBI	0356	0200	<i>Cyclocardia ventricosa</i>	0	2	1	3	2
MOBI	0414	0220	<i>Ennucula tenuis</i>	0	1	0	1	2
MOBI	0384	0384	<i>Lasaeidae indet.</i>	0	1	0	1	2
MOBI	0456	0530	<i>Macoma carlottensis</i>	5	3	0	8	2
MOBI	0456	0540	<i>Macoma elimata</i>	3	1	0	4	2
MOBI	0456	0570	<i>Macoma sp.</i>	0	0	1	1	2
MOBI	0456	0570	<i>Macoma sp.</i>	0	0	1	1	2
MOBI	0478	0590	<i>Megayoldia sp.</i>	0	0	1	1	2
MOBI	0412	0700	<i>Nuculana hamata</i>	1	2	0	3	2
MOBI	0472	0747	<i>Nutricola tantilla</i>	9	10	0	19	2
MOBI	0462	0990	<i>Thyasira flexuosa</i>	1	2	0	3	2
MOBI	0478	1020	<i>Yoldia seminuda</i>	1	1	0	2	2
MOGA	0528	0020	<i>Acteocina culcitella</i>	1	0	0	1	2
MOGA	0610	0041	<i>Alvania compacta</i>	2	1	0	3	2
MOGA	0610	0041	<i>Alvania compacta</i>	31	0	0	31	2
MOGA	0528	0245	<i>Cylichna alba</i>	0	1	0	1	2
MOGA	0528	0250	<i>Cylichna attonsa</i>	0	1	0	1	2
MOGA	0518	0672	<i>Oenopota turricula</i>	0	1	0	1	2
MOSC	0647	0063	<i>Pulsellum salishorum</i>	5	0	0	5	2
NTEA	0148	0170	<i>Cerebratulus californiensis</i>	1	0	0	1	2
NTEA	0000	0011	<i>Enopla sp. A (SCAMIT)</i>	0	1	0	1	2
NTEA	0156	0210	<i>Tubulanus polymorphus</i>	0	0	1	1	2
POER	0214	0295	<i>Eteone californica</i>	1	0	0	1	2
POER	0228	0450	<i>Exogone lourei</i>	1	0	0	1	2
POER	0180	0500	<i>Glycera nana</i>	2	1	0	3	2
POER	0180	0500	<i>Glycera nana</i>	1	0	0	1	2
POER	0182	0530	<i>Glycinde armigera</i>	4	0	0	4	2
POER	0182	0530	<i>Glycinde armigera</i>	1	0	0	1	2
POER	0198	0615	<i>Lumbrineris cruzensis</i>	43	4	0	47	2
POER	0198	0615	<i>Lumbrineris cruzensis</i>	1	0	0	1	2
POER	0220	0679	<i>Malmgreniella nr. berkeleyorum</i>	1	0	0	1	2
POER	0202	0710	<i>Nephtys cornuta</i>	1	0	0	1	2
POER	0202	0725	<i>Nephtys punctata</i>	1	2	0	3	2
POER	0208	0830	<i>Onuphis iridescens</i>	11	0	0	11	2
POER	0208	0831	<i>Onuphis nr. iridescens</i>	0	3	0	3	2
POER	0208	0831	<i>Onuphis nr. iridescens</i>	1	0	0	1	2
POER	0186	1025	<i>Podarkeopsis perkinsi</i>	1	0	0	1	2

Table 13: Continued.

Group Code	Family Code	Species Code	Genus/Species List	Adult	Intermediate	Juvenile	Totals	Replicate No.
<b>GVRD 2</b>								
POER	0198	1040	<i>Scoletoma luti</i>	26	10	2	38	2
POER	0198	1040	<i>Scoletoma luti</i>	3	1	0	4	2
POER	0228	1225	<i>Typosyllis heterochaeta</i>	1	0	0	1	2
POSE	0242	0074	<i>Amphicteis scaphobranchiata</i>	1	0	0	1	2
POSE	0242	0080	<i>Anobothrus gracilis</i>	1	0	0	1	2
POSE	0252	0120	<i>Aphelochaeta spp.</i>	0	1	0	1	2
POSE	0276	0180	<i>Aricidea lopezi</i>	1	0	0	1	2
POSE	0276	0180	<i>Aricidea lopezi</i>	1	0	0	1	2
POSE	0314	0340	<i>Artacama coniferi</i>	1	0	0	1	2
POSE	0248	0383	<i>Barantolla nr. americana</i>	1	0	0	1	2
POSE	0248	0383	<i>Barantolla nr. americana</i>	1	1	0	2	2
POSE	0252	0495	<i>Chaetozone commonalis</i>	2	0	0	2	2
POSE	0252	0495	<i>Chaetozone commonalis</i>	1	0	0	1	2
POSE	0310	0697	<i>Dipolydora cardalia</i>	1	0	0	1	2
POSE	0310	0697	<i>Dipolydora cardalia</i>	6	0	0	6	2
POSE	0310	1470	<i>Dipolydora caulleryi</i>	1	0	0	1	2
POSE	0266	0713	<i>Euclymene nr. zonalis</i>	2	0	0	2	2
POSE	0274	0720	<i>Galathowenia oculata</i>	17	4	0	21	2
POSE	0274	0720	<i>Galathowenia oculata</i>	5	0	0	5	2
POSE	0248	0750	<i>Heteromastus filobranchus</i>	8	0	0	8	2
POSE	0276	0850	<i>Levinsenia gracilis</i>	8	0	0	8	2
POSE	0276	0850	<i>Levinsenia gracilis</i>	1	0	0	1	2
POSE	0266	0920	<i>Maldane sarsi</i>	419	0	0	419	2
POSE	0266	0920	<i>Maldane sarsi</i>	7	1	0	8	2
POSE	0248	0945	<i>Mediomastus ambiseta</i>	19	0	0	19	2
POSE	0242	0989	<i>Melinna heterodonta</i>	2	0	0	2	2
POSE	0242	0989	<i>Melinna heterodonta</i>	1	0	0	1	2
POSE	0266	0987	<i>Microclymene nr. caudata</i>	14	0	0	14	2
POSE	0270	1140	<i>Ophelina acuminata</i>	1	0	0	1	2
POSE	0270	1145	<i>Ophelina breviata</i>	0	1	0	1	2
POSE	0310	1220	<i>Paraprionospio pinnata</i>	1	0	0	1	2
POSE	0314	1420	<i>Pista wui</i>	1	0	0	1	2
POSE	0266	1540	<i>Praxillella gracilis</i>	1	0	0	1	2
POSE	0310	1610	<i>Prionospio (Minuspio) lighti</i>	1	0	0	1	2
POSE	0310	1605	<i>Prionospio (Prionospio) jubata</i>	7	0	0	7	2
POSE	0310	1605	<i>Prionospio (Prionospio) jubata</i>	1	0	0	1	2
POSE	0266	1660	<i>Rhodine bitorquata</i>	21	0	0	21	2
POSE	0266	1660	<i>Rhodine bitorquata</i>	1	0	0	1	2
POSE	0272	1740	<i>Scoloplos acmeceps</i>	1	0	0	1	2
POSE	0310	1820	<i>Spiophanes berkeleyorum</i>	2	0	0	2	2
POSE	0312	1860	<i>Sternaspis nr. fossor</i>	4	0	0	4	2
POSE	0316	1900	<i>Terebellides californica</i>	1	0	0	1	2
POSE	0316	1910	<i>Terebellides reishi</i>	1	0	0	1	2
POSE	0316	1924	<i>Imamura)</i>	2	2	1	5	2
POSE	0316	1924	<i>Imamura)</i>	4	0	0	4	2
POSE	0270	1980	<i>Travisia pupa</i>	1	0	0	1	2
POSE	0316	2000	<i>Trichobranchus glacialis</i>	1	0	0	1	2
POSE	0316	2000	<i>Trichobranchus glacialis</i>	1	0	0	1	2
POSE	0318	1990	<i>Trochochaeta multisetosa</i>	2	0	0	2	2
CNHY	0090	0020	<i>Campanularia sp.</i>	4	0	0	4	3
CRAM	0812	0470	<i>Erichthonius rubricornis</i>	1	0	0	1	3
CRAM	0844	0600	<i>Heterophoxus affinis</i>	2	2	0	4	3
CRAM	0844	0600	<i>Heterophoxus affinis</i>	7	0	0	7	3
CRAM	0832	1108	<i>Monoculodes perditus</i>	2	0	0	2	3
CRAM	0844	1234	<i>Paraphoxus gracilis</i>	5	0	0	5	3

Table 13: Continued.

Group Code	Family Code	Species Code	Genus/Species List	Adult	Intermediate	Juvenile	Totals	Replicate No.
<b>GVRD 2</b>								
GRAM	0862	1565	<i>Syrrhoe longifrons</i>	1	0	0	13	
CRCU	0704	0170	<i>Leucon sp.</i>	1	0	0	13	
CRTA	0712	0040	<i>Leptognathia gracilis</i>	1	0	0	13	
ECEC	1082	0050	<i>Brisaster latifrons</i>	1	0	0	13	
ECHO	1092	0015	<i>Chirodota albatrossii</i>	9	1	0	103	
ECHO	1096	0125	<i>Molpadia intermedia</i>	2	0	0	23	
ECHO	1098	0150	<i>Pentamera pseudocalcigera</i>	0	1	0	13	
ECHO	1098	0150	<i>Pentamera pseudocalcigera</i>	0	1	0	13	
ECOP	1074	0058	<i>Ophiura leptoctenia</i>	1	3	0	43	
ECOP	1074	0070	<i>Ophiura sp.</i>	0	0	1	13	
HEMI	1126	0010	<i>Saccoglossus spp.</i>	2	0	0	23	
MOAP	0338	0030	<i>Chaetoderma argenteum</i>	1	9	0	103	
MOAP	0338	0030	<i>Chaetoderma argenteum</i>	1	0	1	23	
MOBI	0414	0020	<i>Acila castrensis</i>	0	0	1	13	
MOBI	0462	0040	<i>Adontorhina cyclia</i>	2	0	0	23	
MOBI	0462	0040	<i>Adontorhina cyclia</i>	2	0	0	23	
MOBI	0462	0060	<i>Axinopsida serricata</i>	2	2	0	43	
MOBI	0462	0060	<i>Axinopsida serricata</i>	42	57	0	993	
MOBI	0472	0160	<i>Compsomyax subdiaphana</i>	0	3	0	33	
MOBI	0356	0200	<i>Cyclocardia ventricosa</i>	0	5	1	63	
MOBI	0384	0384	<i>Lasaeidae indet.</i>	2	0	0	23	
MOBI	0456	0530	<i>Macoma carlottensis</i>	5	6	0	113	
MOBI	0456	0540	<i>Macoma elimata</i>	3	1	0	43	
MOBI	0456	0550	<i>Macoma nasuta</i>	0	1	0	13	
MOBI	0456	0570	<i>Macoma sp.</i>	0	0	2	23	
MOBI	0456	0570	<i>Macoma sp.</i>	0	0	5	53	
MOBI	0472	0747	<i>Nutricola tantilla</i>	5	1	0	63	
MOBI	0472	0747	<i>Nutricola tantilla</i>	10	1	0	113	
MOBI	0462	0990	<i>Thyasira flexuosa</i>	1	0	0	13	
MOBI	0478	1015	<i>Yoldia hyperborea</i>	0	1	0	13	
MOBI	0478	1020	<i>Yoldia seminuda</i>	0	0	1	13	
MOGA	0610	0041	<i>Alvania compacta</i>	5	0	0	53	
MOGA	0610	0041	<i>Alvania compacta</i>	10	1	0	113	
MOGA	0528	0250	<i>Cylichna attonsa</i>	5	2	0	73	
MOGA	0528	0250	<i>Cylichna attonsa</i>	1	0	0	13	
MOGA	0606	0680	<i>Odostomia sp.</i>	1	0	0	13	
MOGA	0518	0663	<i>Oenopota elegans</i>	1	0	0	13	
MOGA	0518	0668	<i>Oenopota harpularia</i>	1	0	0	13	
MOSC	0647	0063	<i>Pulsellum salishorum</i>	4	0	0	43	
NTEA	0148	0170	<i>Cerebratulus californiensis</i>	1	0	0	13	
NTEA	0156	0210	<i>Tubulanus polymorphus</i>	0	0	1	13	
POER	0206	0095	<i>Drilonereis longa</i>	1	0	0	13	
POER	0198	0285	<i>Errano sp.</i>	0	1	0	13	
POER	0214	0320	<i>Eteone spilotus</i>	1	0	0	13	
POER	0228	0450	<i>Exogone lourei</i>	4	0	0	43	
POER	0180	0500	<i>Glycera nana</i>	4	0	0	43	
POER	0182	0530	<i>Glycinde armigera</i>	1	0	0	13	
POER	0220	0591	<i>Hesperonoe laevis</i>	2	0	0	23	
POER	0198	0615	<i>Lumbrineris cruzensis</i>	10	1	0	113	
POER	0198	0615	<i>Lumbrineris cruzensis</i>	7	0	0	73	
POER	0220	0679	<i>Malmgreniella nr. berkeleyorum</i>	1	0	0	13	
POER	0220	0675	<i>Malmgreniella scriptoria</i>	2	0	0	23	
POER	0202	0710	<i>Nephtys cornuta</i>	2	0	0	23	
POER	0202	0720	<i>Nephtys ferruginea</i>	1	0	0	13	
POER	0202	0725	<i>Nephtys punctata</i>	2	0	0	23	

Table 13: Continued.

Group Code	Family Code	Species Code	Genus/Species List	Adult	Intermediate	Juvenile	Totals	Replicate No.
<b>GVRD 2</b>								
POER	0208	0830	<i>Onuphis iridescens</i>	6	0	0	6	3
POER	0208	0830	<i>Onuphis iridescens</i>	2	0	0	2	3
POER	0208	0831	<i>Onuphis nr. iridescens</i>	3	1	0	4	3
POER	0186	1025	<i>Podarkeopsis perkinsi</i>	1	0	0	1	3
POER	0198	1040	<i>Scoletoma luti</i>	17	4	2	23	3
POER	0198	1040	<i>Scoletoma luti</i>	5	7	1	13	3
POSE	0242	0020	<i>Amage anops</i>	0	1	0	1	3
POSE	0252	0120	<i>Aphelochaeta spp.</i>	1	0	0	1	3
POSE	0248	0383	<i>Barantolla nr. americana</i>	1	0	0	1	3
POSE	0260	0420	<i>Brada sachalina</i>	1	0	0	1	3
POSE	0252	0495	<i>Chaetozone commonalis</i>	1	0	0	1	3
POSE	0310	0697	<i>Dipolydora cardalia</i>	5	0	0	5	3
POSE	0274	0720	<i>Galathowenia oculata</i>	14	5	0	19	3
POSE	0274	0720	<i>Galathowenia oculata</i>	17	3	0	20	3
POSE	0248	0750	<i>Heteromastus filobranchus</i>	5	0	0	5	3
POSE	0314	0776	<i>Lanassa gracilis</i>	1	1	0	2	3
POSE	0310	0805	<i>Laonice spp.</i>	1	0	0	1	3
POSE	0276	0850	<i>Levinsenia gracilis</i>	1	0	0	1	3
POSE	0276	0850	<i>Levinsenia gracilis</i>	1	0	0	1	3
POSE	0266	0920	<i>Maldane sarsi</i>	92	0	0	92	3
POSE	0266	0920	<i>Maldane sarsi</i>	30	0	0	30	3
POSE	0248	0945	<i>Mediomastus ambiseta</i>	2	0	0	2	3
POSE	0248	0945	<i>Mediomastus ambiseta</i>	1	0	0	1	3
POSE	0242	0989	<i>Melinna heterodonta</i>	1	0	0	1	3
POSE	0266	0987	<i>Microclymene nr. caudata</i>	1	0	0	1	3
POSE	0266	0987	<i>Microclymene nr. caudata</i>	15	7	0	22	3
POSE	0250	1345	<i>Phyllochaetopterus spp.</i>	0	1	0	1	3
POSE	0314	1440	<i>Polycirrus californicus</i>	0	1	0	1	3
POSE	0266	1540	<i>Praxillella gracilis</i>	1	0	0	1	3
POSE	0310	1610	<i>Prionospio (Minuspio) lighti</i>	0	1	0	1	3
POSE	0310	1605	<i>Prionospio (Prionospio) jubata</i>	4	0	0	4	3
POSE	0310	1605	<i>Prionospio (Prionospio) jubata</i>	6	0	0	6	3
POSE	0310	1630	<i>Prionospio spp.</i>	1	0	0	1	3
POSE	0266	1660	<i>Rhodine bitorquata</i>	4	0	0	4	3
POSE	0266	1660	<i>Rhodine bitorquata</i>	2	0	0	2	3
POSE	0312	1860	<i>Sternaspis nr. fossor</i>	1	0	0	1	3
POSE	0312	1860	<i>Sternaspis nr. fossor</i>	3	1	0	4	3
POSE	0316	1900	<i>Terebellides californica</i>	1	0	0	1	3
POSE	0316	1910	<i>Terebellides reishi</i>	1	0	0	1	3
POSE	0316	1924	<i>Imamura)</i>	2	1	0	3	3
POSE	0316	1924	<i>Imamura)</i>	2	0	0	2	3
POSE	0270	1980	<i>Travisia pupa</i>	1	0	0	1	3
POSE	0318	1990	<i>Trochochaeta multisetosa</i>	1	0	0	1	3
<b>GVRD-5</b>								
GRAM	0844	0600	<i>Heterophoxus affinis</i>	0	2	0	2	1
ECEC	1082	0046	<i>Brisaster acutifrons</i>	4	3	1	8	1
ECHO	1092	0015	<i>Chirodota albatrossii</i>	5	0	0	5	1
ECHO	1096	0125	<i>Molpadia intermedia</i>	3	0	1	4	1
ECOP	1058	0051	<i>Amphioplus pugetana</i>	1	1	0	2	1
EURA	0323	0010	<i>Arhynchite pugettensis</i>	1	0	0	1	1
MOAP	0338	0030	<i>Chaetoderma argenteum</i>	1	1	0	2	1
MOAP	0338	0050	<i>Falcidens longus</i>	0	1	0	1	1
MOAP	0340	0060	<i>Limifossor sp.</i>	1	0	0	1	1

Table 13: Continued.

Group Code	Family Code	Species Code	Genus/Species List	Adult	Intermediate	Juvenile	Totals	Replicate No.
<b>GVRD 5</b>								
MOBI	0462	0060	<i>Axinopsida serricata</i>	0	1	0	1	1
MOBI	0478	0590	<i>Megayoldia</i> spp.	0	0	1	1	1
MOSC	0646	0050	<i>Polyschides tolmiei</i>	2	0	0	2	1
MOSC	0647	0063	<i>Pulsellum salishorum</i>	1	0	0	1	1
NTEA	0148	0170	<i>Cerebratulus californiensis</i>	0	1	0	1	1
POER	0180	0500	<i>Glycera nana</i>	1	0	0	1	1
POER	0182	0530	<i>Glycinde armigera</i>	0	2	0	2	1
POER	0220	0582	<i>Hesperonoe complanata</i>	1	0	0	1	1
POER	0220	0675	<i>Malmgreniella scriptoria</i>	4	0	0	4	1
POER	0202	0710	<i>Nephtys cornuta</i>	1	0	0	1	1
POER	0224	0900	<i>Pholoe</i> spp.	1	0	0	1	1
POER	0198	1040	<i>Scoletoma luti</i>	0	1	0	1	1
POSE	0260	0420	<i>Brada sachalina</i>	1	0	0	1	1
POSE	0252	0252	<i>Cirratulidae</i> indet.	1	0	0	1	1
POSE	0310	0702	<i>Dipolydora</i> spp.	0	1	0	1	1
POSE	0266	0710	<i>Euclymeninae</i> indet.	0	1	0	1	1
POSE	0274	0720	<i>Galathowenia oculata</i>	8	1	0	9	1
POSE	0248	0750	<i>Heteromastus filobranchus</i>	1	0	0	1	1
POSE	0266	0920	<i>Maldane sarsi</i>	5	0	0	5	1
POSE	0266	0987	<i>Microclymene</i> nr. <i>caudata</i>	0	2	0	2	1
POSE	0252	0997	<i>Monticellina secunda</i>	0	1	0	1	1
POSE	0260	1328	<i>Pherusa neopapillata</i>	1	0	0	1	1
POSE	0314	1420	<i>Pista wui</i>	0	1	0	1	1
POSE	0310	1835	<i>Spiophanes fimbriata</i>	3	0	0	3	1
POSE	0312	1860	<i>Sternaspis</i> nr. <i>fossor</i>	1	1	0	2	1
SIPN	0330	0080	<i>Nephasoma diaphanes</i>	0	1	0	1	1
SIPN	0330	0020	<i>Thysanocardia nigra</i>	0	1	0	1	1
CHPY	0668	0026	<i>Anoplodactylus viridintestinalis</i>	1	0	0	1	2
CRAM	0844	0590	<i>Harpiniopsis fulgens</i>	1	0	0	1	2
CRAM	0844	0600	<i>Heterophoxus affinis</i>	2	1	0	3	2
ECEC	1082	0046	<i>Brisaster acutifrons</i>	0	2	0	2	2
ECHO	1092	0015	<i>Chirodota albatrossii</i>	2	1	0	3	2
ECHO	1096	0125	<i>Molpadia intermedia</i>	1	1	0	2	2
ECOP	1074	0058	<i>Ophiura leptoctenia</i>	2	0	0	2	2
MOAP	0340	0060	<i>Limifossor</i> sp.	2	0	0	2	2
MOBI	0462	0060	<i>Axinopsida serricata</i>	0	1	0	1	2
MOBI	0478	0590	<i>Megayoldia</i> spp.	0	0	2	2	2
MOBI	0478	0595	<i>Megayoldia thraciaeformis</i>	1	0	0	1	2
MOSC	0646	0050	<i>Polyschides tolmiei</i>	1	3	0	4	2
MOSC	0647	0063	<i>Pulsellum salishorum</i>	1	0	0	1	2
MOSC	0648	0080	<i>Rhabdus rectius</i>	1	1	0	2	2
NTEA	0154	0260	<i>Tetrastemma</i> sp.	0	1	0	1	2
POER	0216	0866	<i>Ancistrosyllis groenlandica</i>	2	0	0	2	2
POER	0228	0450	<i>Exogone lourei</i>	2	0	1	3	2
POER	0220	0480	<i>Gattyana treadwelli</i>	1	0	0	1	2
POER	0180	0500	<i>Glycera nana</i>	1	0	0	1	2
POER	0198	0615	<i>Lumbrineris cruzensis</i>	1	0	0	1	2
POER	0224	0895	<i>Pholoe</i> sp. N-1 (Ruff)	2	0	0	2	2
POER	0198	1040	<i>Scoletoma luti</i>	0	1	0	1	2
POSE	0314	0078	<i>Amphitritinae</i> indet.	0	0	2	2	2
POSE	0242	0080	<i>Anobothrus gracilis</i>	1	0	0	1	2
POSE	0252	0122	<i>Aphelochaeta</i> sp. 2	1	0	0	1	2
POSE	0276	0180	<i>Aricidea lopezi</i>	1	0	0	1	2
POSE	0310	0702	<i>Dipolydora</i> spp.	0	1	0	1	2
POSE	0300	0709	<i>Euchone</i> spp.	0	1	0	1	2



Table 13: Continued.

Group Code	Family Code	Species Code	Genus/Species List	Adult	Intermediate	Juvenile	Totals	Replicate No.
<b>GVRD-5</b>								
POSE	0266	0710	<i>Euclymeninae indet.</i>	0	5	0	5	2
POSE	0274	0720	<i>Galathowenia oculata</i>	17	5	0	22	2
POSE	0276	0850	<i>Levinsenia gracilis</i>	2	0	0	2	2
POSE	0266	0920	<i>Maldane sarsi</i>	3	1	0	4	2
POSE	0248	0948	<i>Mediomastus californiensis</i>	1	0	0	1	2
POSE	0242	0990	<i>Melinna elisabethae</i>	0	1	0	1	2
POSE	0266	0987	<i>Microclymene nr. caudata</i>	0	1	1	2	2
POSE	0280	1240	<i>Pectinaria californiensis</i>	1	0	0	1	2
POSE	0310	1835	<i>Spiophanes fimbriata</i>	3	0	0	3	2
POSE	0312	1860	<i>Sternaspis nr. fossor</i>	1	0	0	1	2
SIPN	0330	0080	<i>Nephasoma diaphanes</i>	4	1	0	5	2
CRAM	0844	0600	<i>Heterophoxus affinis</i>	0	1	0	1	3
CRCU	0700	0075	<i>Diastylis umatillensis</i>	1	0	0	1	3
CRIS	0748	0145	<i>Baeonectes improvisus</i>	1	0	0	1	3
ECEC	1082	0046	<i>Brisaster acutifrons</i>	3	3	0	6	3
ECHO	1092	0015	<i>Chirodota albatrossii</i>	4	1	0	5	3
ECHO	1096	0125	<i>Molpadia intermedia</i>	1	1	2	4	3
ECOP	1074	0058	<i>Ophiura leptoctenia</i>	0	1	0	1	3
EURA	0323	0010	<i>Arhynchite pugettensis</i>	0	1	0	1	3
EURA	0322	0030	<i>Nellobia eusoma</i>	1	0	0	1	3
MOAP	0340	0061	<i>Limifossor cf. fratula</i>	1	0	0	1	3
MOBI	0478	0595	<i>Megayoldia thraciaeformis</i>	1	1	0	2	3
MOBI	0384	0675	<i>Neaeromya rugifera</i>	0	1	1	2	3
MOGA	0528	0250	<i>Cylichna attonsa</i>	2	0	0	2	3
MOSC	0646	0050	<i>Polyschides tolmiei</i>	1	0	0	1	3
POER	0216	0866	<i>Ancistrosyllis groenlandica</i>	11	0	0	11	3
POER	0182	0530	<i>Glycinde armigera</i>	0	1	0	1	3
POER	0198	0615	<i>Lumbrineris cruzensis</i>	1	0	0	1	3
POER	0220	0675	<i>Malmgreniella scriptoria</i>	2	0	0	2	3
POER	0202	0725	<i>Nephtys punctata</i>	2	0	0	2	3
POER	0208	0830	<i>Onuphis iridescens</i>	2	0	0	2	3
POER	0186	1025	<i>Podarkeopsis perkinsi</i>	1	0	0	1	3
POER	0198	1040	<i>Scoletoma luti</i>	2	0	0	2	3
POSE	0276	0185	<i>Aricidea simplex</i>	0	1	0	1	3
POSE	0260	0420	<i>Brada sachalina</i>	0	1	0	1	3
POSE	0252	0510	<i>Chaetozone spp.</i>	0	1	0	1	3
POSE	0274	0720	<i>Galathowenia oculata</i>	9	1	0	10	3
POSE	0266	0920	<i>Maldane sarsi</i>	3	0	0	3	3
POSE	0242	0990	<i>Melinna elisabethae</i>	0	1	0	1	3
POSE	0266	0987	<i>Microclymene nr. caudata</i>	1	4	0	5	3
POSE	0310	1610	<i>Prionospio (Minuspio) lighti</i>	1	0	0	1	3
POSE	0310	1835	<i>Spiophanes fimbriata</i>	3	1	0	4	3
POSE	0312	1860	<i>Sternaspis nr. fossor</i>	0	1	1	2	3
POSE	0270	1980	<i>Travisia pupa</i>	1	0	0	1	3
SIPN	0330	0080	<i>Nephasoma diaphanes</i>	3	0	0	3	3
<b>GVRD-6</b>								
CRAM	0844	0590	<i>Harpiniopsis fulgens</i>	1	0	0	1	1
CRAM	0844	0600	<i>Heterophoxus affinis</i>	6	7	0	13	1
CRAM	0826	1155	<i>Orchomene cf. pinguis</i>	1	0	0	1	1
CRCU	0700	0060	<i>Diastylis pellucida</i>	1	0	0	1	1
CRCU	0704	0125	<i>Eudorellopsis integra</i>	177	0	0	177	1
CRDE	0898	0266	<i>Lebbeus sp.</i>	0	0	1	1	1
CRDE	0892	0135	<i>Munida quadrispina</i>	0	0	2	2	1

Table 13: Continued.

Group Code	Family Code	Species Code	Genus/Species List	Adult	Intermediate	Juvenile	Totals	Replicate No.
<b>GVRD 6</b>								
CRDE	0932	0240	<i>Pinnixa sp.</i>	0	1	2	3	1
CRIS	0750	0141	<i>Pleurogonium sp.</i>	1	0	0	1	1
CROS	0674	0020	<i>Bathyleberis sp.</i>	9	0	0	9	1
CROS	0682	0060	<i>Euphilomedes producta</i>	61	0	0	61	1
ECOP	1058	0030	<i>Amphiodia sp.</i>	0	0	1	1	1
ECOP	1058	0040	<i>Amphiodia urtica</i>	0	1	0	1	1
ECOP	1074	0058	<i>Ophiura leptoctenia</i>	2	0	0	2	1
ECOP	0000	0001	<i>Ophiuroidea indet.</i>	0	0	1	1	1
EURA	0322	0030	<i>Nellobia eusoma</i>	1	0	0	1	1
MOAP	0338	0030	<i>Chaetoderma argenteum</i>	0	4	0	4	1
MOAP	0338	0050	<i>Falcidens longus</i>	0	1	0	1	1
MOBI	0462	0060	<i>Axinopsida serricata</i>	0	5	0	5	1
MOBI	0456	0520	<i>Macoma calcarea</i>	1	0	0	1	1
MOBI	0456	0530	<i>Macoma carlottensis</i>	112	21	30	163	1
MOBI	0456	0570	<i>Macoma spp.</i>	0	0	1	1	1
MOBI	0478	0595	<i>Megayoldia thraciaeformis</i>	0	4	1	5	1
MOBI	0392	0800	<i>Parvilucina tenuisculpta</i>	0	1	0	1	1
MOBI	0478	1015	<i>Yoldia hyperborea</i>	0	1	2	3	1
MOBI	0478	1020	<i>Yoldia seminuda</i>	1	1	0	2	1
MOGA	0516	0090	<i>Astyris gausapata</i>	1	0	0	1	1
MOGA	0584	0375	<i>Cryptonatica affinis</i>	0	1	3	4	1
MOGA	0528	0250	<i>Cylichna attonsa</i>	8	17	0	25	1
MOSC	0647	0063	<i>Pulsellum salishorum</i>	11	0	0	11	1
MOSC	0648	0080	<i>Rhabdus rectius</i>	0	0	1	1	1
NTEA	0148	0193	<i>Micrura nr. pardalis</i>	1	0	0	1	1
NTEA	0156	0210	<i>Tubulanus polymorphus</i>	1	0	0	1	1
PHOR	0950	0049	<i>Phoronis psammophila</i>	0	1	0	1	1
POER	0180	0500	<i>Glycera nana</i>	5	0	0	5	1
POER	0202	0710	<i>Nephtys cornuta</i>	1	0	0	1	1
POER	0198	0780	<i>Ninoe gemmea</i>	2	0	0	2	1
POER	0224	0890	<i>Pholoe minuta</i>	4	1	0	5	1
POER	0224	0895	<i>Pholoe sp. N-1 (Ruff)</i>	12	0	0	12	1
POER	0214	0960	<i>Phyllodoce spp.</i>	0	1	0	1	1
POER	0186	1025	<i>Podarkeopsis perkinsi</i>	1	0	0	1	1
POER	0198	1040	<i>Scoletoma luti</i>	7	1	0	8	1
POSE	0242	0042	<i>Ampharete nr. acutifrons</i>	4	0	0	4	1
POSE	0252	0120	<i>Aphelochaeta spp.</i>	0	2	0	2	1
POSE	0260	0430	<i>Brada spp.</i>	0	0	1	1	1
POSE	0252	0510	<i>Chaetozone spp.</i>	0	0	1	1	1
POSE	0254	0646	<i>Cossura bansei</i>	2	0	0	2	1
POSE	0254	0660	<i>Cossura pygodactylata</i>	0	1	0	1	1
POSE	0248	0683	<i>Decamastus nr. gracilis</i>	0	1	0	1	1
POSE	0266	0710	<i>Euclymeninae indet.</i>	1	0	0	1	1
POSE	0274	0720	<i>Galathowenia oculata</i>	37	4	0	41	1
POSE	0248	0750	<i>Heteromastus filobranchus</i>	0	0	2	2	1
POSE	0310	0800	<i>Laonice cirrata</i>	1	0	0	1	1
POSE	0276	0850	<i>Levinsenia gracilis</i>	2	0	0	2	1
POSE	0248	0945	<i>Mediomastus ambiseta</i>	8	0	0	8	1
POSE	0248	0948	<i>Mediomastus californiensis</i>	6	1	0	7	1
POSE	0280	1240	<i>Pectinaria californiensis</i>	4	0	4	8	1
POSE	0310	1610	<i>Prionospio (Minuspio) lighti</i>	34	4	0	38	1
POSE	0312	1860	<i>Sternaspis nr. fossor</i>	2	4	1	7	1
POSE	0270	1980	<i>Travisia pupa</i>	1	0	0	1	1
CNHY	0088	0160	<i>Perigonimus repens</i>	1	0	0	1	2
CRAM	0762	0090	<i>Ampelisca hancocki</i>	1	0	0	1	2

Table 13: Continued.

Group Code	Family Code	Species Code	Genus/Species List	Adult	Intermediate	Juvenile	Totals	Replicate No.
<b>GVRD-6</b>								
CRAM	0844	0590	<i>Harpiniopsis fulgens</i>	2	0	0	2	2
CRAM	0844	0600	<i>Heterophoxus affinis</i>	3	7	0	10	2
CRAM	0844	1515	<i>Rhepoxynius barnardi</i>	2	0	0	2	2
CRCU	0700	0060	<i>Diastylis pellucida</i>	5	2	0	7	2
CRCU	0704	0125	<i>Eudorellopsis integra</i>	253	2	0	255	2
CRCU	0704	0175	<i>Leucon magnadentata</i>	1	0	0	1	2
CRDE	0892	0135	<i>Munida quadrispina</i>	0	0	1	1	2
CROS	0674	0020	<i>Bathyleberis sp.</i>	8	0	0	8	2
CROS	0682	0060	<i>Euphilomedes producta</i>	31	0	0	31	2
ECHO	1096	0125	<i>Molpadia intermedia</i>	1	0	0	1	2
ECOP	1074	0058	<i>Ophiura leptoctenia</i>	1	0	0	1	2
MOAP	0338	0030	<i>Chaetoderma argenteum</i>	0	4	0	4	2
MOBI	0462	0060	<i>Axinopsida serricata</i>	0	1	0	1	2
MOBI	0456	0530	<i>Macoma carlottensis</i>	65	15	16	96	2
MOBI	0456	0540	<i>Macoma elimata</i>	1	0	1	2	2
MOBI	0478	0590	<i>Megayoldia spp.</i>	0	0	2	2	2
MOBI	0478	0595	<i>Megayoldia thraciaeformis</i>	1	2	1	4	2
MOBI	0478	1020	<i>Yoldia seminuda</i>	5	0	0	5	2
MOGA	0584	0375	<i>Cryptonatica affinis</i>	0	3	0	3	2
MOGA	0528	0250	<i>Cylichna attonsa</i>	3	11	0	14	2
MOGA	0558	0285	<i>Haminoea virescens</i>	1	0	0	1	2
MOGA	0606	0680	<i>Odostomia sp.</i>	2	0	0	2	2
MOSC	0646	0050	<i>Polyschides tolmiei</i>	7	0	0	7	2
NTEA	0154	0260	<i>Tetrastemma sp.</i>	0	1	0	1	2
NTEA	0156	0210	<i>Tubulanus polymorphus</i>	2	1	0	3	2
POER	0180	0500	<i>Glycera nana</i>	10	0	0	10	2
POER	0182	0530	<i>Glycinde armigera</i>	0	1	0	1	2
POER	0198	0780	<i>Ninoe gemmea</i>	1	0	0	1	2
POER	0224	0895	<i>Pholoe sp. N-1 (Ruff)</i>	6	0	0	6	2
POER	0198	1040	<i>Scoletoma luti</i>	6	1	0	7	2
POSE	0242	0042	<i>Ampharete nr. acutifrons</i>	11	0	0	11	2
POSE	0252	0120	<i>Aphelochaeta spp.</i>	0	1	0	1	2
POSE	0248	0383	<i>Barantolla nr. americana</i>	1	0	0	1	2
POSE	0254	0646	<i>Cossura bansei</i>	1	0	0	1	2
POSE	0310	0702	<i>Dipolydora spp.</i>	0	1	0	1	2
POSE	0274	0720	<i>Galathowenia oculata</i>	30	0	0	30	2
POSE	0248	0750	<i>Heteromastus filobranchus</i>	3	0	0	3	2
POSE	0276	0850	<i>Levinsenia gracilis</i>	4	0	0	4	2
POSE	0248	0945	<i>Mediomastus ambiseta</i>	5	1	0	6	2
POSE	0248	0948	<i>Mediomastus californiensis</i>	9	0	0	9	2
POSE	0310	1610	<i>Prionospio (Minuspio) lighti</i>	5	0	0	5	2
POSE	0310	1605	<i>Prionospio (Prionospio) jubata</i>	1	0	0	1	2
POSE	0312	1860	<i>Sternaspis nr. fossor</i>	4	1	1	6	2
CRAM	0792	0585	<i>Guerneia reduncans</i>	2	0	0	2	3
CRAM	0844	0590	<i>Harpiniopsis fulgens</i>	1	0	0	1	3
CRAM	0844	0600	<i>Heterophoxus affinis</i>	4	5	0	9	3
CRAM	0844	1515	<i>Rhepoxynius barnardi</i>	1	0	0	1	3
CRCU	0700	0060	<i>Diastylis pellucida</i>	1	0	0	1	3
CRCU	0704	0125	<i>Eudorellopsis integra</i>	199	4	0	203	3
CRCU	0704	0175	<i>Leucon magnadentata</i>	2	0	0	2	3
CRDE	0932	0230	<i>Pinnixa occidentalis complex</i>	0	1	0	1	3
CROS	0674	0020	<i>Bathyleberis sp.</i>	1	0	0	1	3
CROS	0682	0060	<i>Euphilomedes producta</i>	28	0	0	28	3
ECEC	1082	0046	<i>Brisaster acutifrons</i>	2	0	0	2	3
ECHO	1096	0125	<i>Molpadia intermedia</i>	2	1	0	3	3

Table 13: Continued.

Group Code	Family Code	Species Code	Genus/Species List	Adult	Intermediate	Juvenile	Totals	Replicate No.
<b>GVRD-6</b>								
ECHO	1098	0150	<i>Pentamera pseudocalcigera</i>	0	0	1	1	3
ECOP	1058	0040	<i>Amphiodia urtica</i>	0	1	0	1	3
MOAP	0338	0030	<i>Chaetoderma argenteum</i>	1	2	1	4	3
MOAP	0338	0050	<i>Falcidens longus</i>	1	0	0	1	3
MOBI	0462	0040	<i>Adontorhina cyclia</i>	1	0	0	1	3
MOBI	0456	0530	<i>Macoma carlottensis</i>	57	7	11	75	3
MOBI	0456	0540	<i>Macoma elimata</i>	0	1	0	1	3
MOBI	0478	0595	<i>Megayoldia thraciaeformis</i>	2	2	1	5	3
MOBI	0384	0675	<i>Neaeromya rugifera</i>	0	1	3	4	3
MOBI	0478	1020	<i>Yoldia seminuda</i>	3	1	0	4	3
MOGA	0584	0375	<i>Cryptonatica affinis</i>	0	2	1	3	3
MOGA	0528	0250	<i>Cylichna attonsa</i>	12	23	0	35	3
MOGA	0606	0680	<i>Odostomia sp.</i>	1	0	0	1	3
MOSC	0647	0063	<i>Pulsellum salishorum</i>	12	0	0	12	3
MOSC	0648	0080	<i>Rhabdus rectius</i>	0	1	1	2	3
PHOR	0950	0049	<i>Phoronis psammophila</i>	0	1	0	1	3
POER	0216	0866	<i>Ancistrosyllis groenlandica</i>	2	0	0	2	3
POER	0220	0482	<i>Gattyana spp.</i>	0	1	0	1	3
POER	0180	0500	<i>Glycera nana</i>	7	0	0	7	3
POER	0182	0530	<i>Glycinde armigera</i>	3	0	0	3	3
POER	0220	0675	<i>Malmgreniella scriptoria</i>	2	1	0	3	3
POER	0202	0710	<i>Nephtys cornuta</i>	1	0	0	1	3
POER	0198	0780	<i>Ninoe gemmea</i>	2	0	0	2	3
POER	0208	0830	<i>Onuphis iridescens</i>	1	0	0	1	3
POER	0172	0875	<i>Parougia caeca</i>	1	0	0	1	3
POER	0224	0895	<i>Pholoe sp. N-1 (Ruff)</i>	6	0	0	6	3
POER	0198	1040	<i>Scoletoma luti</i>	7	0	1	8	3
POSE	0242	0042	<i>Ampharete nr. acutifrons</i>	3	0	1	4	3
POSE	0276	0180	<i>Aricidea lopezi</i>	1	0	0	1	3
POSE	0260	0420	<i>Brada sachalina</i>	2	0	0	2	3
POSE	0254	0646	<i>Cossura bansei</i>	1	0	0	1	3
POSE	0248	0683	<i>Decamastus nr. gracilis</i>	0	1	0	1	3
POSE	0274	0720	<i>Galathowenia oculata</i>	34	1	0	35	3
POSE	0248	0750	<i>Heteromastus filobranchus</i>	0	1	0	1	3
POSE	0276	0850	<i>Levinsenia gracilis</i>	5	0	0	5	3
POSE	0248	0945	<i>Mediomastus ambiseta</i>	3	0	0	3	3
POSE	0248	0948	<i>Mediomastus californiensis</i>	3	0	0	3	3
POSE	0280	1240	<i>Pectinaria californiensis</i>	0	0	1	1	3
POSE	0310	1610	<i>Prionospio (Minuspio) lighti</i>	4	0	0	4	3
POSE	0310	1605	<i>Prionospio (Prionospio) jubata</i>	1	0	0	1	3
POSE	0312	1860	<i>Sternaspis nr. fossor</i>	6	0	0	6	3

<b>GVRD-7</b>								
BRYO	1016	0027	<i>Bowerbankia gracilis</i>	1	0	0	1	1
BRYO	1012	0270	<i>Triticella pedicellata</i>	1	0	0	1	1
CRAM	0844	0600	<i>Heterophoxus affinis</i>	1	0	0	1	1
CRDE	0932	0230	<i>Pinnixa occidentalis</i>	1	1	0	2	1
CRIS	0750	0140	<i>Pleurogonium rubicundum</i>	1	0	0	1	1
CROS	0682	0060	<i>Euphilomedes producta</i>	3	0	0	3	1
ECHO	1092	0015	<i>Chirodota albatrossii</i>	11	1	0	12	1
ECHO	1096	0125	<i>Molpadia intermedia</i>	0	1	0	1	1
EURA	0323	0010	<i>Arhynchite pugettensis</i>	1	1	0	2	1
MOAP	0338	0030	<i>Chaetoderma argenteum</i>	2	1	0	3	1

Table 13: Continued.

Group Code	Family Code	Species Code	Genus/Species List	Adult	Intermediate	Juvenile	Totals	Replicate No.
<b>GVRD 7</b>								
MOAP	0338	0050	<i>Falcidens longus</i>	1	0	0	1	1
MOBI	0462	0060	<i>Axinopsida serricata</i>	0	2	0	2	1
MOBI	0456	0530	<i>Macoma carlottensis</i>	0	6	9	15	1
MOBI	0456	0540	<i>Macoma elimata</i>	3	0	0	3	1
MOBI	0450	0900	<i>Solemya reidi</i>	1	3	0	4	1
MOBI	0478	1020	<i>Yoldia seminuda</i>	0	1	0	1	1
MOGA	0516	0090	<i>Astyris gausapata</i>	2	0	0	2	1
MOSC	0647	0063	<i>Pulsellum salishorum</i>	4	0	0	4	1
MOSC	0648	0080	<i>Rhabdus rectius</i>	0	0	1	1	1
NTEA	0156	0168	<i>Carinomella</i> sp.	0	1	0	1	1
NTEA	0148	0170	<i>Cerebratulus californiensis</i>	0	0	2	2	1
POER	0180	0500	<i>Glycera nana</i>	2	0	0	2	1
POER	0182	0530	<i>Glycinde armigera</i>	1	0	0	1	1
POER	0198	0615	<i>Lumbrineris cruzensis</i>	1	0	0	1	1
POER	0220	0666	<i>Malmgreniella berkeleyorum</i>	1	0	0	1	1
POER	0208	0831	<i>Onuphis</i> nr. <i>iridescens</i>	1	0	0	1	1
POER	0224	0900	<i>Pholoe</i> spp.	1	0	0	1	1
POER	0214	0960	<i>Phyllodoce</i> spp.	0	1	0	1	1
POER	0198	1040	<i>Scoletoma luti</i>	16	2	0	18	1
POSE	0242	0042	<i>Ampharete</i> nr. <i>acutifrons</i>	8	1	0	9	1
POSE	0252	0122	<i>Aphelochaeta</i> sp. 2 (Ruff)	1	0	0	1	1
POSE	0252	0495	<i>Chaetozone commonalis</i>	1	1	0	2	1
POSE	0254	0646	<i>Cossura bansei</i>	1	0	0	1	1
POSE	0248	0683	<i>Decamastus</i> nr. <i>gracilis</i>	1	0	0	1	1
POSE	0310	0700	<i>Dipolydora socialis</i>	7	6	2	15	1
POSE	0274	0720	<i>Galathowenia oculata</i>	32	3	0	35	1
POSE	0310	0800	<i>Laonice cirrata</i>	1	0	0	1	1
POSE	0276	0850	<i>Levinsenia gracilis</i>	2	0	0	2	1
POSE	0266	0920	<i>Maldane sarsi</i>	1	0	0	1	1
POSE	0248	0945	<i>Mediomastus ambiseta</i>	8	0	0	8	1
POSE	0248	0948	<i>Mediomastus californiensis</i>	10	2	0	12	1
POSE	0248	0950	<i>Mediomastus</i> spp.	8	0	0	8	1
POSE	0266	0987	<i>Microclymene</i> nr. <i>caudata</i>	0	5	1	6	1
POSE	0252	0995	<i>Monticellina serratiseta</i>	2	0	0	2	1
POSE	0274	1000	<i>Myriochele olgae</i>	1	0	0	1	1
POSE	0266	1050	<i>Nicomache personata</i>	34	0	0	34	1
POSE	0274	1163	<i>Owenia</i> nr. <i>johnsoni</i>	2	1	0	3	1
POSE	0280	1240	<i>Pectinaria californiensis</i>	3	0	0	3	1
POSE	0266	1540	<i>Praxillella gracilis</i>	0	1	0	1	1
POSE	0310	1610	<i>Prionospio lighti</i>	19	5	0	24	1
POSE	0310	1820	<i>Spiophanes berkeleyorum</i>	1	1	0	2	1
POSE	0312	1860	<i>Sternaspis</i> nr. <i>fossor</i>	1	0	1	2	1
POSE	0318	1990	<i>Trochochaeta multisetosa</i>	1	0	0	1	1
BRYO	1012	0270	<i>Triticella pedicellata</i>	1	0	0	1	2
CNHY	0088	0160	<i>Perigonimus repens</i>	2	0	0	2	2
CRAM	0844	0600	<i>Heterophoxus affinis</i>	1	0	0	1	2
CRCU	0700	0060	<i>Diastylis pellucida</i>	0	2	0	2	2
CRCU	0704	0125	<i>Eudorellopsis integra</i>	1	0	0	1	2
CRDE	0932	0230	<i>Pinnixa occidentalis</i>	0	0	1	1	2
CROS	0674	0020	<i>Bathyleberis</i> sp.	1	0	0	1	2
CROS	0682	0060	<i>Euphilomedes producta</i>	18	0	0	18	2
CROS	0682	0110	<i>Scleroconcha trituberculata</i>	1	0	0	1	2
ECEC	1082	0050	<i>Brisaster latifrons</i>	1	1	0	2	2
ECHO	1092	0015	<i>Chirodota albatrossii</i>	14	2	0	16	2
ECHO	1108	0100	<i>Leptosynapta transgressor</i>	2	6	0	8	2

Table 13: Continued.

Group Code	Family Code	Species Code	Genus/Species List	Adult	Intermediate	Juvenile	Totals	Replicate No.
<b>GVRD-7</b>								
ECHO	1096	0125	<i>Molpadia intermedia</i>	2	0	0	2	2
ECOP	1058	0040	<i>Amphiodia urtica</i>	0	1	0	1	2
ECOP	1074	0058	<i>Ophiura leptoctenia</i>	0	1	0	1	2
MOAP	0338	0030	<i>Chaetoderma argenteum</i>	2	0	0	2	2
MOBI	0462	0060	<i>Axinopsida serricata</i>	0	3	0	3	2
MOBI	0456	0530	<i>Macoma carlottensis</i>	1	12	15	28	2
MOBI	0456	0540	<i>Macoma elimata</i>	1	0	0	1	2
MOBI	0456	0542	<i>Macoma golkovi</i>	1	0	0	1	2
MOBI	0384	0675	<i>Neaeromya rugifera</i>	0	3	0	3	2
MOBI	0384	0860	<i>Rochefortia tumida</i>	1	0	0	1	2
MOBI	0450	0900	<i>Solemya reidi</i>	0	1	0	1	2
MOBI	0478	1020	<i>Yoldia seminuda</i>	3	0	0	3	2
MOGA	0518	0672	<i>Oenopota turricula</i>	1	0	0	1	2
MOSC	0647	0063	<i>Pulsellum salishorum</i>	2	0	0	2	2
MOSC	0648	0080	<i>Rhabdus rectius</i>	0	0	1	1	2
NTEA	0148	0170	<i>Cerebratulus californiensis</i>	0	1	0	1	2
POER	0198	0870	<i>Cenogenus simpla</i>	1	0	0	1	2
POER	0214	0365	<i>Eumida spp.</i>	1	0	0	1	2
POER	0180	0500	<i>Glycera nana</i>	1	1	0	2	2
POER	0182	0530	<i>Glycinde armigera</i>	2	1	0	3	2
POER	0198	0615	<i>Lumbrineris cruzensis</i>	2	0	0	2	2
POER	0220	0666	<i>Malmgreniella berkeleyorum</i>	3	0	0	3	2
POER	0202	0710	<i>Nephtys cornuta</i>	1	0	0	1	2
POER	0208	0830	<i>Onuphis iridescens</i>	2	0	0	2	2
POER	0208	0831	<i>Onuphis nr. iridescens</i>	3	0	0	3	2
POER	0208	0840	<i>Onuphis sp.</i>	0	0	1	1	2
POER	0224	0895	<i>Pholoe sp. N-1</i>	2	0	0	2	2
POER	0186	1025	<i>Podarkeopsis perkinsi</i>	0	1	0	1	2
POER	0198	1040	<i>Scoletoma luti</i>	22	0	0	22	2
POSE	0242	0042	<i>Ampharete nr. acutifrons</i>	8	3	0	11	2
POSE	0252	0120	<i>Aphelochaeta spp.</i>	2	0	0	2	2
POSE	0252	0495	<i>Chaetozone commonalis</i>	2	0	0	2	2
POSE	0310	0700	<i>Dipolydora socialis</i>	1	16	0	17	2
POSE	0266	0713	<i>Euclymene nr. zonalis</i>	0	1	0	1	2
POSE	0266	0710	<i>Euclymeninae indet.</i>	0	1	0	1	2
POSE	0274	0720	<i>Galathowenia oculata</i>	10	1	0	11	2
POSE	0276	0850	<i>Levinsenia gracilis</i>	1	0	0	1	2
POSE	0266	0920	<i>Maldane sarsi</i>	2	0	0	2	2
POSE	0248	0945	<i>Mediomastus ambiseta</i>	1	0	0	1	2
POSE	0248	0950	<i>Mediomastus spp.</i>	2	0	0	2	2
POSE	0266	0987	<i>Microclymene nr. caudata</i>	0	0	1	1	2
POSE	0270	1144	<i>Ophelina spp.</i>	0	1	0	1	2
POSE	0280	1240	<i>Pectinaria californiensis</i>	3	0	0	3	2
POSE	0310	1610	<i>Prionospio lighti</i>	1	0	0	1	2
POSE	0310	1820	<i>Spiophanes berkeleyorum</i>	2	2	0	4	2
POSE	0312	1860	<i>Sternaspis nr. fossor</i>	1	0	2	3	2
POSE	0316	1905	<i>Terebellides kobei</i>	1	0	0	1	2
BRYO	1012	0270	<i>Triticella pedicellata</i>	1	0	0	1	3
CNHY	0088	0160	<i>Perigonimus repens</i>	3	0	0	3	3
CRAM	0762	0140	<i>Ampelisca unsocalae</i>	0	1	0	1	3
CRAM	0844	0600	<i>Heterophoxus affinis</i>	2	0	0	2	3
CRCU	0704	0125	<i>Eudorellopsis integra</i>	1	0	0	1	3
CRDE	0932	0230	<i>Pinnixa occidentalis</i>	0	1	0	1	3
CROS	0682	0060	<i>Euphilomedes producta</i>	7	1	0	8	3
CRTA	0712	0040	<i>Leptognathia gracilis</i>	1	0	0	1	3

Table 13: Continued.

Group Code	Family Code	Species Code	Genus/Species List	Adult	Intermediate	Juvenile	Totals	Replicate No.
<b>GVRD-7</b>								
ECHO	1092	0015	<i>Chirodota albatrossii</i>	11	16	0	27	3
ECHO	1108	0100	<i>Leptosynapta transgressor</i>	0	2	0	2	3
ECOP	1058	0040	<i>Amphiodia urtica</i>	0	1	0	1	3
ECOP	1074	0070	<i>Ophiura sp.</i>	0	0	1	1	3
MOBI	0462	0060	<i>Axinopsida serricata</i>	0	2	0	2	3
MOBI	0462	0165	<i>Conchocele bisecta</i>	0	2	1	3	3
MOBI	0456	0530	<i>Macoma carlottensis</i>	2	22	9	33	3
MOBI	0456	0540	<i>Macoma elimata</i>	1	1	0	2	3
MOBI	0478	0585	<i>Megayoldia martyria</i>	0	0	3	3	3
MOBI	0384	0675	<i>Neaeromya rugifera</i>	0	5	0	5	3
MOBI	0392	0800	<i>Parvilucina tenuisculpta</i>	1	0	0	1	3
MOBI	0450	0900	<i>Solemya reidi</i>	0	2	1	3	3
MOBI	0478	1020	<i>Yoldia seminuda</i>	1	0	0	1	3
MOGA	0516	0090	<i>Astyris gausapata</i>	1	0	0	1	3
MOGA	0584	0380	<i>Euspira pallida</i>	0	0	1	1	3
MOGA	0634	0706	<i>Ophiodermella inermis</i>	1	0	0	1	3
MOSC	0647	0063	<i>Pulsellum salishorum</i>	3	0	0	3	3
POER	0220	0034	<i>Bylgides macrolepidus</i>	2	0	0	2	3
POER	0214	0320	<i>Eteone spilotus</i>	2	0	0	2	3
POER	0180	0500	<i>Glycera nana</i>	3	0	0	3	3
POER	0182	0530	<i>Glycinde armigera</i>	1	0	0	1	3
POER	0198	0615	<i>Lumbrineris cruzensis</i>	2	0	0	2	3
POER	0220	0666	<i>Malmgreniella berkeleyorum</i>	4	0	0	4	3
POER	0202	0710	<i>Nephtys cornuta</i>	2	0	0	2	3
POER	0198	1040	<i>Scoletoma luti</i>	21	2	0	23	3
POSE	0242	0042	<i>Ampharete nr. acutifrons</i>	5	2	0	7	3
POSE	0252	0120	<i>Aphelochaeta spp.</i>	1	0	0	1	3
POSE	0248	0383	<i>Barantolla nr. americana</i>	1	0	0	1	3
POSE	0252	0495	<i>Chaetozone commonalis</i>	1	1	0	2	3
POSE	0310	0700	<i>Dipolydora socialis</i>	4	1	0	5	3
POSE	0266	0713	<i>Euclymene nr. zonalis</i>	1	0	0	1	3
POSE	0266	0710	<i>Euclymeninae indet.</i>	0	1	0	1	3
POSE	0274	0720	<i>Galathowenia oculata</i>	7	0	0	7	3
POSE	0276	0850	<i>Levinsenia gracilis</i>	2	0	0	2	3
POSE	0248	0945	<i>Mediomastus ambiseta</i>	3	0	0	3	3
POSE	0248	0948	<i>Mediomastus californiensis</i>	19	0	0	19	3
POSE	0248	0950	<i>Mediomastus spp.</i>	8	0	1	9	3
POSE	0266	0987	<i>Microclymene nr. caudata</i>	0	2	0	2	3
POSE	0252	0995	<i>Monticellina serratiseta</i>	2	0	0	2	3
POSE	0251	1342	<i>Phyllochaetopterus pottsi</i>	1	0	0	1	3
POSE	0314	1440	<i>Polycirrus californicus</i>	0	0	1	1	3
POSE	0310	1610	<i>Prionospio lighti</i>	2	1	0	3	3
POSE	0310	1820	<i>Spiophanes berkeleyorum</i>	3	2	0	5	3
POSE	0312	1860	<i>Sternaspis nr. fossor</i>	1	0	0	1	3
POSE	0318	1990	<i>Trochochaeta multisetosa</i>	1	0	0	1	3

Table 14: Results of the benthic foraminifera and thecamoebian taxonomy and counts. Blank cells indicate a count of zero. Taxonomy follows Loeblich and Tappan, 1961.

Sample	Foraminifera										Thecamoebians												
	Foraminiferal lining	? <i>Hemisphaerammina bradyi</i>	<i>Miliammina fusca</i>	<i>Cuneata arctica</i>	<i>Leptohalysis catella</i>	<i>Haplophragmoides manilaensis</i>	<i>Adercotryma glomerata</i>	<i>Spiroplectammina biformis</i>	<i>Jadammina macrescens</i>	<i>Trochammina inflata</i>	<i>Verneuilinulla advena</i>	Total	<i>Arcella vulgaris</i>	<i>Arcella</i> sp.	<i>Centropyxis aculeata</i>	<i>Centropyxis constricta</i>	<i>Diffugia ampullula</i>	<i>Diffugia oblonga</i>	<i>Pontigulasia constricta</i>	<i>Heleopera sphagni</i>	<i>Cyclopyxis arcelloides</i>	<i>Phryganella acropodia</i>	Total
GVRD-3	0-1 cm							7	1	1		9		1	6							4	11
	1-2 cm		84					7				91		1									1
	2-3 cm							4				4	1	6									7
	3-4 cm							17				17		1	8							8	17
	4-5 cm							11				11		5		1	1						7
	5-6 cm							14			1	15		2	5								7
	6-7 cm					12		19			4	35			11								11
	7-8 cm					3		18			3	24			7								7
	8-9 cm				2	9		17				28		2	42								44
	9-10 cm					3		10				13		2	12								14
	10-12 cm	5			4	5		29				38			8						2		10
	12-14 cm				2	5		20			2	29		1	3								4
	14-16 cm				1	3		21			1	26		1	2								3
	16-18 cm			1		12	1	12			1	28			9		2					4	15
	18-20 cm	3			3	15		1	26	1	2	48			14							5	19
	20-25 cm					18			25		1	44			20								20
	25-30 cm				1	6		4	17		2	30		1	6		1						8
	30-35 cm					7		5	18			30		1	6							3	10
	35-40 cm	5			1	9		10	31		2	53		2	207							5	217
	40-45 cm	5				13		3	12		1	29			7	1	2		2			5	17

Sample	Foraminifera										Thecamoebians												
	Foraminiferal lining	? <i>Hemisphaerammina bradyi</i>	<i>Miliammina fusca</i>	<i>Cuneata arctica</i>	<i>Leptohalysis catella</i>	<i>Haplophragmoides manilaensis</i>	<i>Adercotryma glomerata</i>	<i>Spiroplectammina biformis</i>	<i>Jadammina macrescens</i>	<i>Trochammina inflata</i>	<i>Verneuilinulla advena</i>	Total	<i>Arcella vulgaris</i>	<i>Arcella</i> sp.	<i>Centropyxis aculeata</i>	<i>Centropyxis constricta</i>	<i>Diffugia ampullula</i>	<i>Diffugia oblonga</i>	<i>Pontigulasia constricta</i>	<i>Heleopera sphagni</i>	<i>Cyclopyxis arcelloides</i>	<i>Phryganella acropodia</i>	Total
GVRD-4	0-1 cm							3				3			15		2					3	20
	1-2 cm											0		2	9							12	23
	2-3 cm	2			5					1		6		3	6		2					5	16
	3-4 cm						1					1		6	1		1		1			7	16
	4-5 cm	3				3					4	7		7					1			6	14
	5-6 cm					2	1	1		1		5		5								5	10
	6-7 cm											0		3								8	11
	7-8 cm					2						2		5		1						4	10
	8-9 cm					2				1		3		13								10	23
	9-10 cm											0		7					2			2	11
	10-12 cm	1						3				3		11								5	16
	12-14 cm	1						1				1		5								5	10
	14-16 cm					2				3		5		1	9				1			4	15
	16-18 cm				1	6		6		1		14		3		1						3	7
	18-20 cm	2			2			5				7		10		1						4	15
	20-25 cm	1		2				2			1	5		5			1					7	13
	25-30 cm	1						4		1		5		17				1				5	23
	30-35 cm					2		6		1		9		8			3	1				3	15