



FOSSILS OF THE NUWOK FORMATION OF DALL, *CHLAMYS NUWOKENSIS* ZONE, AT CARTER CREEK




FOSSILS OF THE NUWOK FORMATION OF DALL. *ARCTICA CARTERIANA* ZONE, CARTER CREEK







FOSSILS OF THE GUBIK FORMATION, NEPTUNEA LEFFINGWELLI FAUNULE, COLVILLE RIVER




FOSSILS OF THE GUBIK FORMATION, *NEPTUNEA LEFFINGWELLI* FAUNULE, COLVILLE RIVER, AND *NEPTUNEA VENTRICOSA COMMUNIS* FAUNULE, MEADE RIVER











FOSSILS OF THE GUBIK FORMATION, *NEPTUNEA VENTRICOSA COMMUNIS* FAUNULE, MEADE RIVER, AND *NEPTUNEA VENTRICOSA SOLUTA* FAUNULE, KUKPOWRUK RIVER



FOSSILS OF THE GUBIK FORMATION, *NEPTUNEA VENTRICOSA*(?) *SOLUTA* FAUNULE, PEARD BAY, AND *NEPTUNEA VENTRICOSA CLARKI* FAUNULE, SKULL CLIFF, PEARD BAY







FOSSILS OF THE GUBIK FORMATION, POINT BARROW TERRACE GRAVEL DEPOSITS, AND WESTERN AMERICA NEPTUNEA OF THE *N. LIRATA-N. VENTRICOSA* GROUP