

**Checklist  
of the  
Nemertean Fauna  
of  
Japan and Northeastern Asia**

**Excerpted from NEMERTES  
(the nemertean digital knowledge-base system)**

**Frank B. Crandall  
Jon L. Norenburg  
Alexei V. Chernyshev  
Svetlana Maslakova  
Megan Schwartz  
Hiroshi Kajihara**

**September 2002**

**DEPARTMENT OF SYSTEMATIC BIOLOGY  
NATIONAL MUSEUM OF NATURAL HISTORY  
WASHINGTON, DC 20560-0163**

## Preface

This Checklist was prepared from data excerpted from NEMERTEES, the nemertean digital knowledge base system. The NEMERTEES system is accessible through the NEMERTEES website (<http://nemertes.si.edu>) hosted by the Smithsonian Institution. Making this checklist available through the website will permit it to be updated on a frequent basis as new taxa are added and new distribution and habitat information becomes available. The authors will appreciate communications of new taxonomic and distribution information and any corrections by e-mail to: [nemertes@nemertes.si.edu](mailto:nemertes@nemertes.si.edu).

This work has been supported by a National Science Foundation grant (DEB9712463) under the Partnerships for Enhancement of Expertise in Taxonomy (P.E.E.T.) program.

September 2002

Smithsonian Institution  
Washington, D.C.

Frank B. Crandall  
Jon L. Norenburg  
Svetlana Maslakova  
Megan Schwartz

Institute of Marine Biology, RAS  
and Far Eastern State University  
Vladivostok, Russia

Alexei V. Chernyshev

National Institute for Environmental Studies  
Ibaraki, Japan

Hiroshi Kajihara

## Copyright Notice

**NEMERTEES**, the nemertean digital knowledge-base system, and the **NEMERTEES** website (<http://nemertes.si.edu/>) copyright © 2001 by the Smithsonian Institution, Washington, D.C.

**Checklist of the Nemertean Fauna of Japan and Northeastern Asia**, copyright © 2002, by the Smithsonian Institution, Washington, D.C. Individuals are permitted to download a single copy for personal use. Reproduction for sale or any commercial purpose is strictly prohibited.

## CONTENTS

Introduction .....	1
Notes in status column .....	3
Map of regions and key to locations in Japan and Northeastern Asia.....	6
Alphabetical listing.....	9
Listing by taxonomic group.....	16
Anopla, Paleonemertea.....	16
Anopla, Heteronemertea.....	16
Enopla, Hoplonemertea, Monostilifera .....	19
Enopla, Hoplonemertea, Polystilifera, Reptantia .....	22
Enopla, Hoplonemertea, Polystilifera, Pelagica .....	22
Enopla, Bdellonemertea .....	23
Occurrence by geographic region.....	24
Northern region .....	24
Central region.....	25
Southern region .....	30
Northern Pacific Ocean region.....	31
Distribution by habitat.....	33
Littoral.....	33
Benthic .....	37
Pelagic .....	42
Interstitial .....	43
Brackish water.....	43
Fresh water .....	43
Supralittoral/Terrestrial .....	43
Commensal.....	43
Parasitic .....	44

**Checklist of the Nemertean fauna of Japan and Northeastern Asia**  
**(Excerpted from NEMERTEES, the nemertean digital knowledge base)**

The 255 taxa listed in this report comprise the nemertean fauna of Japan and the coasts of northeastern Asia from the eastern side of the Bering Strait southward to the southern-most extent of coastal China (including Hainan Island). Most of the species are marine littoral or near-shore benthic; however there are a few pelagic, fresh water, and terrestrial species, which are so noted. Only pelagic forms occurring in waters reasonably near coastal shores are included. The habitat and geographic distribution herein reflect the present limited collection data. Thus, the actual geographic distribution and habitat range of listed taxa may be wider than given here. The lower case letter suffix on publication dates refers to a particular piece of literature where the author had more than one publication in that year and represent the corresponding entry in the NEMERTEES literature database. Although recent studies (notably those of Gibson, Sundberg, and Crandall) have proposed other schemes, the higher taxonomic categories used here are those of longest standing and widest use and reflect the work of Hubrecht, Verrill, Coe, Brinkmann, and Stiasny-Wijnhoff.

Over time, many of the species in this checklist have been transferred to genera with a different gender ending than that of their original genus. In a number of these cases the gender ending of the specific epithet was not changed to conform to the gender of the new genus name. In some instances, the gender ending of the specific epithet, as originally published, was incorrectly formed in that it was not in agreement with the gender of the generic name. In all such situations, the gender endings of specific epithets have been changed herein to conform with the gender of the generic name in accordance with Articles 31.2 and 34.2 of the International Code of Zoological Nomenclature (4<sup>th</sup> Ed., 1999).

In the tables below, taxa may appear in more than one category. Thus, marginal totals may be less than the sum of the row or column entries.

	TOTAL TAXA	ORDER AND SUBORDER BY REGION			
		Northern	Central	Southern	No. Pacific Ocean
Paleonemertea	27	4	14	11	-
Heteronemertea	83	8	57	27	-
Monostilifera	132	38	97	13	2
Reptantia	3	-	3	-	-
Pelagica	22	19	3	-	8
Bdellonemertea	2	-	2	-	-
TOTAL	269	69	176	51	10

	TOTAL TAXA	HABITAT BY REGION			
		Northern	Central	Southern	No. Pacific Ocean
Littoral	182	41	123	35	1
Benthic	159	31	129	36	-
Bathypelagic	22	19	3	-	8
Interstitial	2	-	2	-	-
Brackish	5	-	4	1	-
Fresh water	6	-	5	1	-
Supralitt/Terr	5	-	-	5	-
Commensal	4	1	3	-	-
Parasitic	3	-	2	1	1
TOTAL	269	92	271	79	10

	TOTAL TAXA	HABITAT BY TAXONOMIC GROUP					
		Paleo	Hetero	Mono	Rept	Pelag	Bdello
Littoral	186	22	59	100	-	-	-
Benthic	179	22	67	85	3	-	-
Bathypelagic	14	-	-	-	-	22	-
Interstitial	2	-	-	2	-	-	-
Brackish	5	-	2	3	-	-	-
Fresh water	6	-	1	5	-	-	-
SupLitt/Terr	5	-	1	4	-	-	-
Commensal	4	-	-	2	-	-	2
Parasitic	3	-	1	2	-	-	-
TOTAL	256	27	83	132	3	22	2

## NOTES IN STATUS COLUMN

The following notes appear in the 'status' column.

- + Indicates a taxon regarded as fully valid at the present time.
- ? Indicates a taxon name that has been reported from the area in the past but is now regarded as being of questionable validity.
- \*1 This taxon is regarded as a nomen dubium, because the description contains no information on internal morphology or characters in life.
- \*2 Korotkevich (1977) collected four species (*Amphiporus bicoloreus*, *A. dorsolineatus*, *A. obtusorostris*, and *Tetrastemma tridentatum*) from a littoral "puddle" with salinity of 17.94‰. However, these species are not brackish forms, since they do not occur in the brackish lagoons and estuaries of Shiashkotan Island.
- \*3 Gibson & Crandall (1989) regarded this taxon as a nomen dubium.
- \*4 Although referred to this name by Iwata, this form cannot be confirmed as identical with Stimpson's taxon.
- \*5 This record is of questionable validity, because Kulikova did not supply details on internal and external morphology.
- \*6 In his later works Coe regarded *Amphiporus similis* as synonymous with or as a variety of *Amphiporus imparispinosus*, but they are now known to constitute valid separate species.
- \*7 This record may not be correct. Takakura identified as *Amphiporus nebulosus* forms that Korotkevich (1977) described as *A. fuscosparus* and *A. matuanus*.
- \*8 Chernyshev (1999) listed this species as a junior synonym of *A. papilliformes*.
- \*9 Gibson (1995) regarded this species name as synonymous with *Baseodiscus delineata*, but such an identity has not yet been confirmed by definitive study of actual specimens from this area..
- \*10 This taxon is regarded as a nomen dubium, since Korotkevich's description was based on only a single preserved specimen which was not sectioned for study of internal morphology.
- \*11 The record for Sakhalin is dubious, because Korotkevich did not examine the internal morphology. *Cephalothrix linearis* sensu Yamaoka was synonymized with *Procephalothrix simulus* (see Iwata, 1954).
- \*12 Chernyshev's (1993) description, which cited *Amphiporus bimaculatus* Coe, 1901, as the type species, does not conform to Coe's type specimens, and the principal defining character appears to be a preservation artifact commonly found in many cratenemertid species. Other characters, taken at the time to be unique, are, in fact, common to most cratenemertids. Most workers now regard the name *Collarenemertes bimaculatus* as a junior synonym of *Nipponnemertes bimaculata* or as a *species inquirenda*.

- \*13 Kulikova & Kutischev (1984) listed this species from Peter the Great Bay. Later, Kulikova (1988) listed this form as *Lineus bicolor* Verrill, 1892.
- \*14 *Lineus longifissus* has been used by several different authors to refer to at least three different forms. The form thus identified by Takakura (1898) and Iwata (1952) requires a new name.
- \*15 Six different names have been used to designate forms with strikingly distinctive color patterns of remarkable similarity. *Micrura bella* and *M. impressa* were noted originally by Stimpson (1857) from the western Pacific rim, *M. festiva* by Takakura (1898), plus *Lineus striatus* by Griffin (1898) and *Micrura verrilli* by Coe (1901) from the eastern Pacific rim. The color pattern of all five is an off-white body with a deep vermillion, orange, or brownish tip to the head and a broad longitudinal band of purple, brownish, or grayish rectangles separated by hairline spaces down the dorsal surface. The only significant difference appears to be whether the marking of the head is on the dorsal half only or completely encircles the tip. When reported at all, the extent of the head marking seems to be dorsal in the eastern Pacific and complete in the western Pacific. In his later works, Coe regarded *L. striatus* as synonymous with *M. verrilli* and various authors have treated *M. festiva* and *M. impressa* as synonyms of *M. bella*. Kulikova & Kutishchev (1984) referred a form to *M. bella* with the color of the dorsal band more a dark burnt orange than a deep purple. Chernyshev (1992) regarded this form as distinct and renamed it *Micrura kulikovae* Chernyshev, 1992. Sun (1994) identified a form from Qingdao as *Micrura verrilli*; however, it is not certain that it was not *Micrura bella*. Unfortunately, very little is known of the comparative internal morphology of these various forms; therefore, it is not presently possible to determine whether they represent truly separate species or merely pattern variants as is found, for example, in *Tetrastemma nigrifrons*.
- \*16 Kulikova & Kutischev (1984) listed this species from Peter the Great Bay. Chernyshev (1996) listed the taxon from the Komandorskiye Islands. Manchenko & Kulikova (1996) regarded the "brown" and "cherry" morphs as different species.
- \*17 Past reports of this taxon in this area may have been the result of erroneous identifications.
- \*18 There are three *Nipponnemertes* species occurring around the northern Pacific rim having brown blotch color patterns so similar that they can only be conclusively distinguished by microscopic study of the internal morphology. *Nipponnemertes punctatula* occurs on both the eastern and western sides of the Pacific. Thus far, *N. occidentalis* has been reliably reported only from North America, while *N. arenaria* has been found in both Japanese and Russian waters. In the 1950s Iwata identified a number of specimens as *Amphiporus punctatus*, but his careful morphological notes indicated that some of them differed somewhat from Coe's (1905) form in internal morphology. We now know that these were almost certainly *Nipponnemertes arenaria* (Uschakov, 1927) (formerly *Amphiporus arenarius*), which coexists over much of the same western Pacific geographic range as *N. punctatula*.
- \*19 The form identified and figured by Iwata (1954) as *Amphiporus bimaculatus* Coe, 1901, appears identical with one found later in Alaska by Norenburg and sectioned and studied by Crandall. Although having a superficial resemblance to Coe's species, this form, which has a pair of quadrantic head markings rather than the long triangular markings of Coe's taxon and a quite different proboscis central armature, is not a cratenemertid, has not been definitively described, and at present, is regarded as having uncertain affinities.

- \*20 This taxon occurs in a number locations along the coasts of Japan and Russia and perhaps in more southerly locations as well. However, the specimens reported by Coe (1940) from the Sea of Japan and the Sea of Okhotsk are a quite different form of undetermined affinities but certainly not of the same family as *Nipponnemertes bimaculata* (formerly *Amphiporus bimaculatus*).
- \*21 There has been significant recent debate about whether the genera *Oerstediella*, *Paroerstedia*, and related genus group taxa should be subsumed within the genus *Oerstedia* or whether this assemblage should be divided into additional genera and subgenera. For purposes of this checklist, we have retained the generic placements of species that have been in use for some time and are familiar to the widest audience.
- \*22 *Mesarmaueria pellucida* Korotkevich, 1955, is not the same species as *Proarmaueria pellucida* Coe, 1926, thus Chernyshev, when he transferred the taxon, renamed it *Proarmauria korotkevitschae* Chernyshev, 1992.
- \*23 Several later workers have regarded *Prostoma grande* Ikeda, 1913, as probably synonymous with *P. lumbricoideum*, a European form. *Prostoma hokkaidoense* Stiasny-Wijnhoff, 1938, has been variously regarded as *P. gracense*, *P. lumbricoideum*, or *P. lacustre*. Gibson & Moore (1976) regarded it as a nomen invalidum.
- \*24 Chernyshev (1998) described *Tetrastemma coronatum* sensu Yamaoka as a new species, *T. psuedocoronatum* with Kunashir, Kurile Islands as the type locality. Older referrals to *T. coronatum* (Quatrefages, 1846) may be erroneous.
- \*25 Chernyshev has suggested that this form is sufficiently distinct from the rest of the genus *Tetrastemma* to warrant separate generic status. *Tetrastemma viridis* Kulikova, 1989, is neither a primary nor secondary homonym of *Tetrastemma viride* (= *Fasciola viridis* Müller, 1774, now *Lineus viridis*). Oersted (1844) listed *Tetrastemma* ? *viride* without description for the *Planaria viridis* of Müller (1776). Thus, Gibson's (1995) proposed name change is of questionable validity, and Kulikova's taxon requires additional investigation to establish proper nomenclatural status and taxonomic placement.
- \*26 Chernyshev (1992) regarded *Prostoma stigmatum* sensu Yamaoka, 1940, as distinct from *Tetrastemma stigmatum* (Stimpson, 1857) and, since both the latter and *T. yamaoki* were preoccupied, renamed the species as *Tetrastemma stimpsoni* Chernyshev, 1992
- \*27 Chernyshev regarded this taxon as a nomen dubium and suggested that Korotkevich's specimen might actually be a *Tetrastemma nigrifrons* variant.
- \*28 Chernyshev (1998) suggested that *Tetrastemma yamaokai* sensu Sun may actually be *Tetrastemma pimaculatum*.
- \*29 Sundberg & Hylbom (1994), based on cladistic analysis, suggest that this taxon is a hubrechtid paleonemertean.
- \*30 Chernyshev listed as *Cosmocephala beringiana* Stimpson, 1857 from Kommandorskiye Islands.

## MAP OF REGIONS AND KEY TO LOCATIONS IN JAPAN AND NORTHEASTERN ASIA

The area covered by this checklist encompasses a wide variety of climates and habitats. However, for convenience it can be divided into four main regions, viz Northern, Central, Southern, and North Pacific Ocean. The first three are largely defined by the various seas that lie between the continental land mass and the island chains that form the boundaries between them and the Pacific Ocean. Although it may be argued that the eastern and western sides of these island chains, most notably in the case of Japan, have substantial differences in climate and habitats, the divisions used here are useful generalizations. The regions are as shown on the map below and as follows:



**Northern Region:** The Bering Sea from the Bering Strait south to the Aleutian Islands and Komandorskiye Islands and west to the Russian Coast; the Kamchatka Peninsula and northern and central Kurile Islands; the Sea of Okhotsk and northeastern Sakhalin Island.

**Central Region:** The Russian continental coast from the Tatarskiy Strait (between Sakhalin Island and the mainland) southward, including the southwestern portion of Sakhalin Island; the southern Kurile Islands; Japan; the Sea of Japan (Eastern Sea); the Korean peninsula; the coast of China south to approximately Shanghai; the Bo Hai and Yellow Sea.

**Southern Region:** The continental coast of China south of Shanghai, exclusive of Hainan Island (the climate and habitats of which are more like southeast Asia); the Ryukyu Islands; Taiwan; the East China Sea and northern-most portion of the South China Sea.

**North Pacific Ocean:** The Pacific Ocean from the Aleutian and Komandorskiye Islands south to approximately latitude 20° N and up to 1000 Km east of the Asian island chains.

**ABBRV REG LOCATION**

(\* Indicates an eastern Pacific rim species that is believed to have been found at comparable latitudes on the western side of Pacific rim, but whose identity/occurrence has not been positively confirmed.)

Adak	N	Adak Is., Aleutian Islands
Aka	N*	Alaska
Ber	N	Western Bering Sea
Can	S	Canton (Guangzhou), So. China
CBS	N	Central Bering Sea
Dal	C	Dalian Peninsula, No. China
ECS	S	East China Sea
Fuk	C	Fukue Island (west of Kyushu)
Gladk	C	Gladkaya River, Russia
HK	S	Hong Kong, China
Hok	C	Hokkaido, Japan
Hon	C	Honshu, Japan
Jpn	C	Japan (multiple locations)
KI	N	Komandorskiye Islands
Kam	N	Kamchatka Peninsula, Russia
Kii	C	Kii Peninsula, Honshu, Japan
Kur	N	Kurile Islands
Kyu	C	Kyushu
LkBiw	C	Lake Biwa, Honshu, Japan
LkHin	C	Lake Hinuma, Honshu, Japan
Nai	C	Naikai (Inland Sea), Japan
NoChn	C	Northern China

**ABBRV REG LOCATION**

NPO	NPO	North Pacific Ocean
Okh	N	Sea of Okhotsk
PGB	C	Peter the Great Bay, Russia (Peter the Great Bay includes seven secondary bays: Possjet's, Amurskii, Ussuriiski, Uglovoyi, Strelok, Vostok, and Nakhodka.)
PNA	C*	Pacific North America
Pri	N	Priboloff Islands,
Qin	C	Qingdao, China
Rus	N&C	Russia (coast of main land mass)
Ryu	S	Ryuku Islands
Sag	C	Sagami Bay
Sak	N&C	Sakhalin
Shi	C	Shikoku
SJp	C	Sea of Japan (sometimes called the Eastern Sea)
SCS	S	South China Sea
SoChn	S	Southern China
Tai	S	Taiwan (Formosa)
Tat	C	Tatarskiy Strait (between Sakhalin Is. and Russian coast)
Tsu	C	Tsugaru Strait (between Hokkaido and Honshu)
Ura	C	Uruga Strait (east end of Sagami Bay)
WBS	N	Western Bering Sea
Xia	S	Xiamen, southern China
Yan	N	Yantai, No. China
YelS	N	Yellow Sea
Zha	S	Zhanjiang, China
ZhI	C	Zhoushan Islands, No. China Coast

## ALPHABETICAL LISTING

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<i>Amniclineus zhuijiangensis</i> Gibson & Qi, 1991	Hetero	S	SoChn	FW, Brack	+
<i>Amphiporus angulatus</i> (Müller, 1774)	Mono	NC	Jpn Kam Ber	Litt/Benth	+
<i>Amphiporus antifuscus</i> Iwata, 1954	Mono	C	Hok	Littoral	+
<i>Amphiporus beringianus</i> (Stimpson, 1857)	Mono	NC	Jpn KI	Littoral	*3,30
<i>Amphiporus bicoloreus</i> Korotkevich, 1977	Mono	NC	Kur Okh	Littoral	*1,2
<i>Amphiporus cervicalis</i> (Stimpson, 1857)	Mono	C	Hok Hon	Littoral	*3
<i>Amphiporus depressus</i> (Stimpson, 1857)	Mono	C	Hok Tsu	Litt/Benth	*3
<i>Amphiporus depressus</i> sensu Iwata, 1954a	Mono	C	Hok	Litt/Benth	*4
<i>Amphiporus dorsolineatus</i> Korotkevich, 1977	Mono	N	Kur Okh	Littoral	*1,2
<i>Amphiporus flavesiensis</i> Coe, 1905	Mono	C	PGB	Littoral	*5
<i>Amphiporus folcatus</i> Korotkevich, 1977	Mono	N	Kur Okh	Benthic	+
<i>Amphiporus formidabilis</i> Griffin, 1898	Mono	C	Hon Kyu Fuk KI	Littoral	+
<i>Amphiporus fuscosparsus</i> Korotkevich, 1977	Mono	N	Kur Okh	Littoral	+
<i>Amphiporus gelatinosus</i> Coe, 1905	Mono	C	Hon Ura	Benthic	+
<i>Amphiporus imparispinosus</i> Griffin, 1898	Mono	N	KI	Littoral	*6
<i>Amphiporus insolitus</i> Iwata, 1954b	Mono	C	Kii	Littoral	+
<i>Amphiporus japonicus</i> Stimpson, 1857	Mono	C	Hon	Littoral	*3
<i>Amphiporus lactifloreus</i> sensu Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Amphiporus matuanus</i> Korotkevich, 1977	Mono	N	Kur Okh	Benthic	+
<i>Amphiporus musculus</i> Iwata, 1954	Mono	C	Hok	Benthic	+
<i>Amphiporus nadtochiae</i> Chernyshev, 1998	Mono	C	PGB	Benthic	+
<i>Amphiporus nebulosus</i> Coe, 1901	Mono	NC	Jpn Kur	Littoral	*7
<i>Amphiporus obtusorostris</i> Korotkevich, 1977	Mono	N	Kur Okh	Littoral	*2
<i>Amphiporus parvus</i> Yamaoka, 1940	Mono	C	Hok	Littoral	+
<i>Amphiporus paulinus</i> Punnett, 1901	Mono	N	Ber Pri	Litt/Benth	+
<i>Amphiporus reduncus</i> Iwata, 1957	Mono	C	Hon	Litt/Benth ?	+
<i>Amphiporus regius</i> Iwata, 1954	Mono	C	Hok	Littoral	+
<i>Amphiporus retrotumidus</i> Iwata, 1957	Mono	C	Hon	Benthic	+
<i>Amphiporus similis</i> Coe, 1905	Mono	N	KI	Litt/Benth	*6
<i>Amphiporus sinuosus</i> Stimpson, 1857	Mono	S	HK	Benthic	*1
<i>Antarctonemertes dilutebasisae</i> (Kulikova, 1987)	Mono	NC	PGB Kur Tat	Litt/Benth	+
<i>Antarctonemertes papilliformis</i> (Korotkevich, 1977)	Mono	C	SJp Kur	Benthic	*8
<i>Antarctonemertes quasioculata</i> (Korotkevich, 1977)	Mono	NC	SJP Kur	Benthic	*8
<i>Antarctonemertes varvara</i> Chernyshev, 1998	Mono	C	SJp PGB	Litt/Benth	+
<i>Arctonemertes ussuricensis</i> Chernyshev, 1998	Mono	C	PGB	Benthic	+
<i>Asteronemertes commensalis</i> (Kyao, 1954)	Mono	N	Okh	Commensal	+
<i>Asteronemertes gibsoni</i> Chernyshev, 1991	Mono	C	SJp PGB	Commensal	+
<i>Baseodiscus curtus</i> (Hubrech, 1879)	Hetero	C	Shi Fuk Dal	Litt/Benth	*9
<i>Baseodiscus delineatus</i> (Delle Chiaje, 1825)	Hetero	C	Jpn	Litt/Benth	+

**Alphabetical Listing**
**TAXON**

	<b>GROUP</b>	<b>REG</b>	<b>LOCATION</b>	<b>HABITAT</b>	<b>STAT</b>
<i>Baseodiscus hemprichii</i> (Ehrenberg, 1831)	Hetero	NCS	SJp Kur Tai	Litt/Benth	+
<i>Baseodiscus nippensis</i> (Stimpson, 1857)	Hetero	C	Jpn	Benthic	+
<i>Baseodiscus princeps</i> (Coe, 1901)	Hetero	C	Hok PGB	Litt/Benth	+
<i>Baseodiscus quinquelineatus</i> (Quoy & Gaimard, 1833)	Hetero	C	Jpn	Litt/Benth	+
<i>Baseodiscus takakurai</i> Gibson, 1995	Hetero	C	Hon	Litt/Benth	+
<i>Callinera bergendali</i> Gibson & Sundberg, 1999	Paleo	S	HK	Benthic	+
<i>Carcinonemertes mitsukurii</i> Takakura, 1910	Mono	CS	HK Hon	Parasitic	+
<i>Carcinonemertes regicides</i> Shields, Wickham & Kuris, 1989	Mono	P	NPO	Parasitic	+
<i>Carinesta tubulanoides</i> Gibson, 1990	Paleo	S	HK	Benthic	+
<i>Carinesta uchidai</i> Iwata, 1952	Paleo	C	Fuk	Littoral	+
<i>Carinina littorea</i> Korotkevich, 1982	Paleo	N	Sak	Littoral	*10
<i>Carinina sinensis</i> Gibson & Sundberg, 1999	Paleo	S	HK	Litt/Benth	+
<i>Cephalomastax brevis</i> Iwata, 1957	Hetero	C	Hon	Benthic	+
<i>Cephalonema bruniceps</i> Stimpson, 1857	Mono	S	HK	Litt/Benth	?
<i>Cephalothrix linearis</i> (Rathke, 1799)	Paleo	NC	Hon Qin Yan Sak	Litt/Benth	*11
<i>Cephalothrix notabilis</i> Iwata 1954	Paleo	C	Hok	Littoral	+
<i>Cephalotrichella alba</i> Gibson & Sundberg, 1992	Paleo	CS	HK YelS	Benthic	+
<i>Cerebratulina natans</i> (Punnett, 1900)	Hetero	S	HK Tai	Mangroves	+
<i>Cerebratulus albocirculus</i> Iwata, 1957	Hetero	C	Hon	Benthic	+
<i>Cerebratulus albulus</i> (Stimpson, 1857)	Hetero	S	SCS	Benthic	+
<i>Cerebratulus arnosus</i> Takakura, 1898	Hetero	C	Hon	Littoral	+
<i>Cerebratulus communis</i> Takakura, 1898	Hetero	NC	Hon Kur Qin	Littoral	+
<i>Cerebratulus darvelli</i> Gibson, 1990	Hetero	S	HK	Benthic	+
<i>Cerebratulus fasciatus</i> Stimpson, 1857	Hetero	C	Hok	Benthic	+
<i>Cerebratulus formosus</i> Iwata, 1957	Hetero	C	Hon	Benthic	+
<i>Cerebratulus fuscus</i> Takakura, 1898	Hetero	C	Hon	Benthic	?
<i>Cerebratulus longiceps</i> Coe, 1901	Hetero	C	Hon	Benthic	+
<i>Cerebratulus marginatus</i> Renier, 1804	Hetero	NC	Hok Hon Kur PGB	Benthic	+
<i>Cerebratulus montgomeryi</i> Coe, 1901	Hetero	NC	Rus Jpn Ber	Litt/Benth	+
<i>Cerebratulus nigrus</i> (Stimpson, 1855)	Hetero	S	HK	Litt/Benth	+
<i>Cerebratulus paludicolus</i> Stimpson, 1857	Hetero	S	Can	Littoral	+
<i>Cerebratulus penniger</i> Iwata, 1957	Hetero	C	Hon	Benthic	+
<i>Cerebratulus rubellus</i> (Stimpson, 1855)	Hetero	S	HK	Benthic	+
<i>Cerebratulus signatus</i> Coe, 1905	Hetero	NC	Sak PGB	Benthic	+
<i>Cerebratulus sinensis</i> (Stimpson, 1855)	Hetero	S	HK	Benthic	+
<i>Cerebratulus subacutus</i> (Stimpson, 1857)	Hetero	S	Ryu	Littoral	+
<i>Cerebratulus superniger</i> Iwata, 1957	Hetero	C	Hon	Benthic	+
<i>Cerebratulus zebra</i> Punnett & Cooper, 1909	Hetero	C	Hon	Benthic	?
<i>Coeia ijimai</i> Takakura, 1922	Paleo	C	Hon	Littoral	+
<i>Collarenemertes bimaculata</i> Chernyshev, 1993, nec Coe	Mono	C	PGB	Litt/Benth	*12

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<i>Dendrorhynchus sinensis</i> Yin & Zeng, 1984	Hetero	S	Zha HK	Littoral	+
<i>Dendrorhynchus zhanjiangensis</i> Yin & Zeng, 1984	Hetero	S	Zha	Littoral	+
<i>Diopsonemertes acanthocephala</i> Kajihara et al, 2001	Mono	C	Hon	Littoral	+
<i>Diplopleura japonica</i> Stimpson, 1857	Hetero	C	Kyu	Benthic	+
<i>Emplectonema buergeri</i> Coe, 1901	Mono	NC	Jpn Ber Pri	Litt/Benth	+
<i>Emplectonema gracile</i> (Johnston, 1837)	Mono	NC	Hok Chn PGB Kam	Litt/Benth	+
<i>Emplectonema kandai</i> Kato, 1939	Mono	C	Hon	Benthic	+
<i>Emplectonema mitsuii</i> Yamaoka, 1947	Mono	C	Hon Dal	Littoral	+
<i>Emplectonema purpuratum</i> Coe, 1905	Mono	NP	NPO Adak KI	Litt/Benth	+
<i>Emplectonema rubea</i> Korotkevich, 1977	Mono	NC	Kur Rus Okh	Littoral	+
<i>Eonemertes macrophthalma</i> Gibson, 1990	Mono	S	HK	Littoral	+
<i>Eousia verticivaria</i> Gibson, 1990	Hetero	S	HK	Litt/Benth	+
<i>Euborlasia gotoensis</i> Iwata, 1952	Hetero	C	Fuk	Littoral	+
<i>Euborlasia proteres</i> Iwata, 1957	Hetero	C	Hon	Benthic	+
<i>Furugelmina heteromusclosa</i> Chernyshev, 1998	Mono	C	PGB	Benthic	+
<i>Hinumanemertes kikuchii</i> Iwata, 1970	Hetero	C	LkHin	Brackish	+
<i>Hirohitonemertes longiceps</i> (Iwata, 1957)	Eurept	C	Hon	Benthic	+
<i>Hubrechtella alba</i> Gibson, 1997	Paleo	S	HK	Litt/Benth	+
<i>Hubrechtella sinimarina</i> Gibson & Sundberg, 1999	Paleo	S	HK	Litt/Benth	+
<i>Iwatanemertes piperata</i> (Stimpson, 1855)	Hetero	CS	Hon Ryu HK Tai	Litt/Benth	+
<i>Kameginemertes parmiornata</i> (Iwata, 1957)	Eurept	C	Hon	Benthic	+
<i>Lineopselloides albilineus</i> Gibson, 1990	Hetero	S	HK	Litt/Benth	+
<i>Lineus alborostratus</i> Takakura, 1898	Hetero	CS	Hok Hon Fuk Qin	Litt/Benth	+
<i>Lineus albovittatus</i> (Stimpson, 1855)	Hetero	C	Fuk	Litt/Benth	+
<i>Lineus auripunctatus</i> (Grube, 1855)	Hetero	N	Okh	Litt/Benth	+
<i>Lineus bilineatus</i> sensu Iwata, 1954 nec Renier	Hetero	C	Hok Dal PGB	Litt/Benth	*13
<i>Lineus binigrilinaris</i> Gibson, 1990	Hetero	S	HK	Litt/Benth	+
<i>Lineus bipunctatus</i> Takakura, 1898	Hetero	C	Hon	Litt/Benth	?
<i>Lineus cancelli</i> Iwata, 1954	Hetero	C	Hon	Litt/Benth	+
<i>Lineus caputornatus</i> Takakura, 1898	Hetero	C	Hon	Litt/Benth	?
<i>Lineus cingulatus</i> (Stimpson, 1855)	Hetero	S	HK	Litt/Benth	+
<i>Lineus fulvus</i> Iwata, 1954	Hetero	C	Hok	Litt/Benth	+
<i>Lineus fuscoviridis</i> Takakura, 1898	Hetero	C	Shi Hon Qin Dal	Litt/Benth	+
<i>Lineus longifissus</i> sensu Takakura, 1898 nec Hubr.	Hetero	C	Kyu	Litt/Benth	*14
<i>Lineus nigrofuscus</i> (Stimpson, 1857)	Hetero	C	Jpn	Litt/Benth	+
<i>Lineus nigrostriatus</i> Iwata, 1954	Hetero	C	Fuk	Litt/Benth	+
<i>Lineus spatirosus</i> Iwata, 1954	Hetero	C	Hok	Litt/Benth	+
<i>Lineus striatus</i> Griffin, 1898	Hetero	C	PNA	Litt/Benth	*15
<i>Lineus subcingulatus</i> Takakura, 1898	Hetero	C	Hon	Litt/Benth	?
<i>Lineus torquatus</i> Coe, 1901	Hetero	C	Jpn Chn Kur PGB	Litt/Benth	*16

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<i>Malacobdella grossa</i> (Müller, 1776)	Bdello	C	Jpn PGB	Commensal	+
<i>Malacobdella japonica</i> Takakura, 1897	Bdello	C	Hok Hon Kur	Commensal	+
<i>Micconemertes orientalis</i> Gibson, 1997	Hetero	S	HK	Litt/Benth	+
<i>Micrura achrostocephala</i> Gibson, 1997	Hetero	S	HK	Litt/Benth	+
<i>Micrura akkeshiensis</i> Yamaoka, 1940	Hetero	C	Hok	Litt/Benth	+
<i>Micrura alaskensis</i> Coe, 1901	Hetero	C	Hok	Litt/Benth	+
<i>Micrura bella</i> (Stimpson, 1857)	Hetero	C	Hok Hon	Litt/Benth	*15
<i>Micrura dorsovittata</i> Takakura, 1898	Hetero	C	Hon	Litt/Benth	?
<i>Micrura festiva</i> Takakura, 1898	Hetero	C	Hon	Litt/Benth	*15
<i>Micrura formosana</i> Yamaoka, 1939	Hetero	S	Tai	Litt/Benth	+
<i>Micrura impressa</i> (Stimpson, 1857)	Hetero	N	Ber	Litt/Benth	*15
<i>Micrura japonica</i> Iwata, 1952	Hetero	C	Hon Fuk Kyu	Litt/Benth	+
<i>Micrura kulikovae</i> Chernyshev, 1992	Hetero	C	Rus SJp	Litt/Benth	*15
<i>Micrura magna</i> Yamaoka, 1940	Hetero	C	Hok	Litt/Benth	+
<i>Micrura multinotara</i> Iwata, 1957	Hetero	C	Hon	Benthic	+
<i>Micrura verrilli</i> Coe, 1901	Hetero	C	PNA Qin? Jpn?	Litt/Benth	*15
<i>Micrurimorpha rhynchocoelomaperta</i> Korotkevich, 1980	Hetero	N	Okh	Litt/Benth	+
<i>Nectonemertes acanthocephala</i> Korotkevich, 1955	Pelag	N	WBS	Pelagic	+
<i>Nectonemertes japonica</i> Foshay, 1912	Pelag	CP	PO Jpn	Pelagic	+
<i>Nectonemertes major</i> Korotkevich, 1955	Pelag	NP	Okh NPO Ber	Pelagic	+
<i>Nectonemertes mirabilis</i> Verrill, 1892	Pelag	P ?		Pelagic	*17
<i>Nemertellina minuta</i> nec Friedrich, 1935	Mono	C	Hok	Litt/Benth	*17
<i>Nemertellina yamaokai</i> Kajihara, Gibson & Mawatari, 2000	Mono	C	Hon	Littoral	+
<i>Nemertopsis gracilis</i> Coe, 1904	Mono	S	HK	Litt/Benth	+
<i>Nemertopsis quadripunctata</i> (Quoy & Gaimard, 1833)	Mono	CS	Jpn HK	Litt/Benth	+
<i>Nemertopsis tetriciphila</i> Gibson, 1990	Mono	S	HK	Litt/Benth	+
<i>Neoarmaueria angusta</i> (Korotkevich, 1955)	Pelag	N	Ber	Pelagic	+
<i>Neoarmaueria crassa</i> (Korotkevich, 1955)	Pelag	N	CBS	Pelagic	+
<i>Neoarmaueria divaricata</i> (Korotkevich, 1955)	Pelag	N	Okh	Pelagic	+
<i>Neoarmaueria laticeps</i> (Korotkevich, 1955)	Pelag	NP	PO	Pelagic	+
<i>Neoarmaueria tenuicauda</i> (Korotkevich, 1955)	Pelag	N	WBS	Pelagic	+
<i>Neoemplexonema campanoides</i> Korotkevich, 1977	Mono	N	Kur	Litt/Benth	+
<i>Neoemplexonema paramusirensis</i> Korotkevich, 1977	Mono	N	Kur	Littoral	+
<i>Neoemplexonema strabo</i> Korotkevich, 1977	Mono	N	Kur	Litt/Benth	+
<i>Nipponnemertes arenaria</i> (Uschakov, 1927)	Mono	C	Hon Kyu PGB	Litt/Benth	*18
<i>Nipponnemertes bimaculata</i> (sensu Iwata, 1954, nec Coe)	Mono	C	Hok	Litt/Benth	*19
<i>Nipponnemertes bimaculata</i> (Coe, 1901)	Mono	C	Jpn Rus	Litt/Benth	*20
<i>Nipponnemertes occidentalis</i> (Coe, 1905)	Mono	C*	PNA Jpn?	Litt/Benth	*18
<i>Nipponnemertes ogumai</i> (Yamaoka, 1947)	Mono	C	Hon Kyu	Litt/Benth	+
<i>Nipponnemertes punctatula</i> (sensu Iwata, 1951, partim)	Mono	C	Hok	Litt/Benth	*18

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<i>Nipponnemertes punctatula</i> (Coe, 1905)	Mono	NC	Kur Jpn NoChn	Litt/Benth	*18
<i>Nipponomicrura uchidai</i> (Yamaoka, 1940)	Hetero	C	Hok PGB	Litt/Benth	+
<i>Notospermus geniculatus</i> (Delle Chiaje, 1828)	Hetero	C	Dal Shi Kyu Hon	Litt/Benth	+
<i>Notospermus tricuspidatus</i> (Quoy & Gaimard, 1833)	Hetero	S	Ryu	Litt/Benth	+
<i>Oerstedia dorsalis</i> (Abildgaard, 1806)	Mono	C	Hok	Litt/Benth	+
<i>Oerstedia dorsalis</i> var. <i>aqualis</i> Iwata, 1954	Mono	C	Kok	Litt/Benth	+
<i>Oerstedia polyorbis</i> Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Oerstedia venusta</i> Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Oerstediella oculata</i> Kulikova, 1987	Mono	C	Rus SJp	Litt/Benth	*21
<i>Oerstediella phoresiae</i> Kulikova, 1987	Mono	C	Rus Sjp	Litt/Benth	*21
<i>Oerstediella valentinae</i> Chernyshev, 1993	Mono	C	PGB	Litt/Benth	*21
<i>Oerstediella verae</i> Chernyshev, 1993	Mono	N	Kur KI	Littoral	*21
<i>Oerstediella zebra</i> Chernyshev, 1993	Mono	C	PGB	Litt/Benth	*21
<i>Ototyphlonemertes martynovi</i> Chernyshev, 1993	Mono	C	PGB SJp	Interstitial	+
<i>Ototyphlonemertes nikolaii</i> Chernyshev, 1998	Mono	C	PGB SJp	Interstitial	+
<i>Pantinonemertes daguilarensis</i> Gibson & Sundberg, 1992	Mono	S	HK	Suplitt Terr	+
<i>Pantinonemertes fujianensis</i> Sun, 2001	Mono	S	Xia	Suplitt Terr	+
<i>Pantinonemertes mortoni</i> Gibson, 1990	Mono	S	HK Tai	Suplitt Terr	+
<i>Pantinonemertes spectacula</i> (Yamaoka, 1940)	Mono	S	Ryu HK	Suplitt Terr	+
<i>Parahubrechtia jillae</i> Gibson & Sundberg, 1999	Paleo	S	HK	Litt/Benth	+
<i>Paralinoepsis taki</i> Iwata, 1993	Hetero	C	Hon	Littoral	+
<i>Paramicrura borborophila</i> Gibson & Sundberg, 1992	Hetero	S	HK	Littoral	+
<i>Paranemertes cylindracea</i> Korotkevich, 1977	Mono	N	Kur	Littoral	+
<i>Paranemertes incola</i> Iwata, 1952	Mono	C	Hon	Litt/Benth	+
<i>Paranemertes incongruens</i> Korotkevich, 1977	Mono	N	Kur	Littoral	+
<i>Paranemertes katoi</i> Yamaoka, 1947	Mono	C	Hon Dal	Litt/Benth	+
<i>Paranemertes pallida</i> Coe, 1901a	Mono	N	KI Kam	Litt/Benth	+
<i>Paranemertes peregrina</i> Coe, 1901	Mono	NC	Jpn Chn Rus	Litt/Benth	+
<i>Paranemertes plana</i> Iwata, 1957	Mono	C	Hon	Benthic	+
<i>Paranemertes sinensis</i> Sun, 1995b	Mono	C	Zhi	Litt/Benth	+
<i>Pelagonemertes brinkmanni</i> Coe, 1926	Pelag	NP	Okh Ber NPO	Pelagic	+
<i>Pelagonemertes excisa</i> Korotkevich, 1955	Pelag	N	WBS	Pelagic	+
<i>Pelagonemertes laticauda</i> Korotkevich, 1955	Pelag	N	CBS	Pelagic	+
<i>Pelagonemertes moseleyi</i> Bürger, 1895	Pelag	CP	NPO Hon	Pelagic	+
<i>Pelagonemertes oviporus</i> Korotkevich, 1955	Pelag	N	WBS	Pelagic	+
<i>Pelagonemertes robusta</i> Korotkevich, 1955	Pelag	NP	NPO Okh	Pelagic	+
<i>Pelagonemertes rollestoni</i> Moseley, 1875	Pelag	NC	Jpn Kur	Pelagic	+
<i>Perissonemertes pyrrhocephala</i> Gibson, 1990	Hetero	S	HK	Benthic	+
<i>Plectonemertes sinensis</i> Gibson, 1990	Mono	S	HK	Benthic	+
<i>Polydendrorhynchus papillaris</i> Yin & Zeng, 1986	Hetero	S	Zha	Littoral	+

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<i>Proarmaueria korotkevitschae</i> Chernyshev, 1992	Pelag	N	Okh	Pelagic	*22
<i>Proarmaueria pellucida</i> Coe, 1926	Pelag	N	Okh	Pelagic	+
<i>Proarmaueriella caudata</i> (Korotkevich, 1955)	Pelag	N	Okh	Pelagic	+
<i>Procephalothrix arenaria</i> Gibson, 1990	Paleo	S	HK Tai	Litt/Benth	+
<i>Procephalothrix fascicula</i> Iwata, 1952	Paleo	C	Hon	Litt/Benth	+
<i>Procephalothrix filiformis</i> (Johnston, 1829)	Paleo	C	Hok	Litt/Benth	+
<i>Procephalothrix mokievskii</i> Korotkevich, 1982	Paleo	N	Sak	Litt/Benth	+
<i>Procephalothrix orientalis</i> Gibson, 1990	Paleo	S	HK	Litt/Benth	+
<i>Procephalothrix simula</i> Iwata, 1952	Paleo	C	Fuk Hok PGB	Litt/Benth	+
<i>Procephalothrix spiralis</i> (Coe, 1930)	Paleo	C	Qin Yan	Litt/Benth	+
<i>Prostoma gracense</i> (Böhmig, 1892)	Mono	C	Jpn	Fresh Water	+
<i>Prostoma grande</i> Ikeda, 1913	Mono	C	Hon	Fresh Water	*23
<i>Prostoma hokkaidoense</i> Stiasny-Wijnhoff, 1938	Mono	C	Hok	Fresh Water	*23
<i>Prostoma macradenum</i> Sun & Yin, 1995	Mono	C	Qin	Fresh Water	+
<i>Prostoma ohmiense</i> Chernyshev, et al, 1998	Mono	C	LkBiw	Fresh Water	+
<i>Protopelagonemertes beebei</i> Coe, 1936	Pelag	NP	NPO Kur	Pelagic	+
<i>Psammamphiporus microocelli</i> Sun, 1995a	Mono	C	ZhI	Littoral	+
<i>Quasilineus sinicus</i> Gibson, 1990	Hetero	S	HK Tai	Litt/Benth	+
<i>Ramphogordius sanguineus</i> (Rathke, 1799)	Hetero	C	Qin	Littoral	+
<i>Sacconemertella lutulenta</i> Iwata, 1970	Mono	C	LkHin	Brackish	+
<i>Sacconemertopsis belogurovi</i> Chernyshev, 1991	Mono	C	Gladk	Brackish	+
<i>Sacconemertopsis olivifera</i> Iwata, 1970	Mono	C	LkHin	Brackish	+
<i>Sagaminemertes nagaiensis</i> (Iwata, 1957)	Archirep	C	Hon	Benthic	+
<i>Statolithonemertes sachalinica</i> Korotkevich, 1982	Paleo	N	Sak	Benthic	+
<i>Tetramys ramicerebrus</i> Iwata, 1957	Paleo	C	Hon	Benthic	+
<i>Tetrastemma appendiculatum</i> Chernyshev, 1998	Mono	C	PGB	Litt/Benth	+
<i>Tetrastemma bicolor</i> Coe, 1901	Mono	N	Kam KI Pri	Litt/Benth	+
<i>Tetrastemma candidum</i> (Müller, 1774)	Mono	C	Hok	Litt/Benth	+
<i>Tetrastemma coronatum</i> (Quatrefages, 1846)	Mono	C	Hok	Litt/Benth	*24
<i>Tetrastemma insolens</i> Iwata, 1952	Mono	C	Hon Fuk	Litt/Benth	+
<i>Tetrastemma kulikovae</i> Gibson, 1995	Mono	C	Rus SJp	Litt/Benth	*25
<i>Tetrastemma nigrifrons</i> Coe, 1904	Mono	C	Jpn Rus Yan	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>aequicolor</i> Chernyshev, 1998	Mono	N	Kur	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>albino</i> Manchenko & Kulikova, 1996	Mono	C	Rus SJp	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>bilineatum</i> Iwata, 1954	Mono	C	Hok PBG	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>bimaculatum</i> Chernyshev, 1998	Mono	C	PGB	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>punctatum</i> Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>spadix</i> Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>trimaculatum</i> Chernyshev, 1998	Mono	N	Kur	Litt/Benth	+

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<i>Tetrastemma olgarum</i> Chernyshev, 1998	Mono	C	PGB SJp	Litt/Benth	+
<i>Tetrastemma pheobasisae</i> Kulikova, 1987	Mono	NC	PGB Kur	Litt/Benth	+
<i>Tetrastemma pimaculatum</i> Chernyshev, 1998	Mono	C	SJp PGB	Litt/Benth	+
<i>Tetrastemma pinnatum</i> Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Tetrastemma pseudocoronatum</i> Chernyshev, 1998	Mono	C	Hok SJp PGB Kur	Litt/Benth	*24
<i>Tetrastemma roseocephalum</i> (Yamaoka, 1947)	Mono	C	Hon	Litt/Benth	+
<i>Tetrastemma stigmatum</i> Stimpson, 1857	Mono	C	Hok	Litt/Benth	+
<i>Tetrastemma stimpsoni</i> Chernyshev, 1992	Mono	NC	Hok Rus Kur SJp	Litt/Benth	*26
<i>Tetrastemma tridentatum</i> Korotkevich, 1977	Mono	N	Kur	Litt/Benth	*2,27
<i>Tetrastemma verinigrum</i> Iwata, 1954	Mono	CS	Hok HK Qin	Litt/Benth	+
<i>Tetrastemma verinigrum</i> var. <i>meridianum</i> Iwata, 1954	Mono	C	Jpn	Litt/Benth	+
<i>Tetrastemma viridis</i> Kulikova, 1989	Mono	C	Rus SJp	Litt/Benth	*25
<i>Tetrastemma yamaokai</i> Iwata, 1954	Mono	C	Hok Hon PGB Qin	Litt/Benth	*28
<i>Tortus curilensis</i> Korotkevich, 1971	Mono	NC	Kur SJp	Littoral	+
<i>Tortus iturupensis</i> Korotkevich, 1977	Mono	N	Kur	Littoral	+
<i>Tortus tokmakovae</i> Chernyshev, 1991	Mono	C	PGB	Littoral	+
<i>Tubulanus capistratus</i> (Coe, 1901)	Paleo	C	Jpn	Litt/Benth	+
<i>Tubulanus ezoensis</i> Yamaoka, 1940	Paleo	C	Hok PGB	Litt/Benth	+
<i>Tubulanus hylbomi</i> Gibson & Sundberg, 1999	Paleo	S	HK	Litt/Benth	+
<i>Tubulanus longivasculus</i> Gibson & Sundberg, 1999	Paleo	S	HK	Litt/Benth	+
<i>Tubulanus lucidus</i> Iwata, 1952	Paleo	C	Fuk	Littoral	*29
<i>Tubulanus punctatus</i> (Takakura, 1898)	Paleo	C	Jpn Chn Rus	Litt/Benth	+
<i>Uchidana parasita</i> Iwata, 1967	Hetero	C	Hon	Parasitic	+
<i>Utolineus uberis</i> Gibson, 1990	Hetero	CS	HK Dal	Littoral	+
<i>Xenoarmaueria acoeca</i> (Korotkevich, 1955)	Pelag	N	KI	Pelagic	+
<i>Zinarmaueria platonovae</i> Chernyshev, 1992	Pelag	N	Okh	Pelagic	+
<i>Zygonemertes callaina</i> Korotkevich, 1977	Mono	N	Kur	Litt/Benth	+
<i>Zygonemertes glandulosa</i> Yamaoka, 1940	Mono	C	Hok Dal	Litt/Benth	+
<i>Zygonemertes tenuirostris</i> Korotkevich, 1977	Mono	N	Kur	Littoral	+
<i>Zygonemertes virescens</i> (Verrill, 1879)	Mono	C	Zhl,Chn	Litt/Benth	+
<i>Zygonemertes zhenylebedevi</i> Chernyshev, 1991	Mono	C	PGB	Litt/Benth	+

## LISTING BY TAXONOMIC GROUP

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Anopla, Paleonemertea</b>					
<i>Callinera bergendali</i> Gibson & Sundberg, 1999	Paleo	S	HK	Benthic	+
<i>Carinesta tubulanoides</i> Gibson, 1990	Paleo	S	HK	Benthic	+
<i>Carinesta uchidai</i> Iwata, 1952	Paleo	C	Fuk	Littoral	+
<i>Carinina littorea</i> Korotkevich, 1982	Paleo	N	Sak	Littoral	*10
<i>Carinina sinensis</i> Gibson & Sundberg, 1999	Paleo	S	HK	Litt/Benth	+
<i>Cephalothrix linearis</i> (Rathke, 1799)	Paleo	NC	Hon Qin Yan Sak	Litt/Benth	*11
<i>Cephalothrix notabilis</i> Iwata 1954	Paleo	C	Hok	Littoral	+
<i>Cephalotrichella alba</i> Gibson & Sundberg, 1992	Paleo	CS	HK YelS	Benthic	+
<i>Coeia ijimai</i> Takakura, 1922	Paleo	C	Hon	Littoral	+
<i>Hubrechtella alba</i> Gibson, 1997	Paleo	S	HK	Litt/Benth	+
<i>Hubrechtella sinimarina</i> Gibson & Sundberg, 1999	Paleo	S	HK	Litt/Benth	+
<i>Parahubrechtia jillae</i> Gibson & Sundberg, 1999	Paleo	S	HK	Litt/Benth	+
<i>Procephalothrix arenaria</i> Gibson, 1990	Paleo	S	HK Tai	Litt/Benth	+
<i>Procephalothrix fascicula</i> Iwata, 1952	Paleo	C	Hon	Litt/Benth	+
<i>Procephalothrix filiformis</i> (Johnston, 1829)	Paleo	C	Hok	Litt/Benth	+
<i>Procephalothrix mokievskii</i> Korotkevich, 1982	Paleo	N	Sak	Litt/Benth	+
<i>Procephalothrix orientalis</i> Gibson, 1990	Paleo	S	HK	Litt/Benth	+
<i>Procephalothrix simula</i> Iwata, 1952	Paleo	C	Fuk Hok PGB	Litt/Benth	+
<i>Procephalothrix spiralis</i> (Coe, 1930)	Paleo	C	Qin Yan	Litt/Benth	+
<i>Statolitonemertes sachalinica</i> Korotkevich, 1982	Paleo	N	Sak	Benthic	+
<i>Tetramys ramicerebrus</i> Iwata, 1957	Paleo	C	Hon	Benthic	+
<i>Tubulanus capistratus</i> (Coe, 1901)	Paleo	C	Jpn	Litt/Benth	+
<i>Tubulanus ezoensis</i> Yamaoka, 1940	Paleo	C	Hok PGB	Litt/Benth	+
<i>Tubulanus hylbomi</i> Gibson & Sundberg, 1999	Paleo	S	HK	Litt/Benth	+
<i>Tubulanus longivasculus</i> Gibson & Sundberg, 1999	Paleo	S	HK	Litt/Benth	+
<i>Tubulanus lucidus</i> Iwata, 1952	Paleo	C	Fuk	Littoral	*29
<i>Tubulanus punctatus</i> (Takakura, 1898)	Paleo	C	Jpn Chn Rus	Litt/Benth	+
<b>Anopla, Heteronemertea</b>					
<i>Amniclineus zhuijiangensis</i> Gibson & Qi, 1991	Hetero	S	SoChn	FW, Brack	+
<i>Baseodiscus curtus</i> (Hubrech, 1879)	Hetero	C	Shi Fuk Dal	Litt/Benth	*9
<i>Baseodiscus delineatus</i> (Delle Chiaje, 1825)	Hetero	C	Jpn	Litt/Benth	+
<i>Baseodiscus hemprichii</i> (Ehrenberg, 1831)	Hetero	NCS	SJp Kur Tai	Litt/Benth	+
<i>Baseodiscus nipponensis</i> (Stimpson, 1857)	Hetero	C	Jpn	Benthic	+
<i>Baseodiscus princeps</i> (Coe, 1901)	Hetero	C	Hok PGB	Litt/Benth	+
<i>Baseodiscus quinquelineatus</i> (Quoy & Gaimard, 1833)	Hetero	C	Jpn	Litt/Benth	+
<i>Baseodiscus takakurai</i> Gibson, 1995	Hetero	C	Hon	Litt/Benth	+

## Listing by Taxonomic Group

17

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Anopla, Heteronemertea (cont.)</b>					
<i>Cephalomastax brevis</i> Iwata, 1957	Hetero	C	Hon	Benthic	+
<i>Cerebratulina natans</i> (Punnett, 1900)	Hetero	S	HK Tai	Mangroves	+
<i>Cerebratulus albocirculus</i> Iwata, 1957	Hetero	C	Hon	Benthic	+
<i>Cerebratulus albulus</i> (Stimpson, 1857)	Hetero	S	SCS	Benthic	+
<i>Cerebratulus arnosus</i> Takakura, 1898	Hetero	C	Hon	Littoral	+
<i>Cerebratulus communis</i> Takakura, 1898	Hetero	NC	Hon Kur Qin	Littoral	+
<i>Cerebratulus darvelli</i> Gibson, 1990	Hetero	S	HK	Benthic	+
<i>Cerebratulus fasciatus</i> Stimpson, 1857	Hetero	C	Hok	Benthic	+
<i>Cerebratulus formosus</i> Iwata, 1957	Hetero	C	Hon	Benthic	+
<i>Cerebratulus fuscus</i> Takakura, 1898	Hetero	C	Hon	Benthic	?
<i>Cerebratulus longiceps</i> Coe, 1901	Hetero	C	Hon	Benthic	+
<i>Cerebratulus marginatus</i> Renier, 1804	Hetero	NC	Hok Hon Kur PGB	Benthic	+
<i>Cerebratulus montgomeryi</i> Coe, 1901	Hetero	NC	Rus Jpn Ber	Litt/Benth	+
<i>Cerebratulus nigrus</i> (Stimpson, 1855)	Hetero	S	HK	Litt/Benth	+
<i>Cerebratulus paludicolus</i> Stimpson, 1857	Hetero	S	Can	Littoral	+
<i>Cerebratulus penniger</i> Iwata, 1957	Hetero	C	Hon	Benthic	+
<i>Cerebratulus rubellus</i> (Stimpson, 1855)	Hetero	S	HK	Benthic	+
<i>Cerebratulus signatus</i> Coe, 1905	Hetero	NC	Sak PGB	Benthic	+
<i>Cerebratulus sinensis</i> (Stimpson, 1855)	Hetero	S	HK	Benthic	+
<i>Cerebratulus subacutus</i> (Stimpson, 1857)	Hetero	S	Ryu	Littoral	+
<i>Cerebratulus superniger</i> Iwata, 1957	Hetero	C	Hon	Benthic	+
<i>Cerebratulus zebra</i> Punnett & Cooper, 1909	Hetero	C	Hon	Benthic	?
<i>Dendrorhynchus sinensis</i> Yin & Zeng, 1984	Hetero	S	Zha HK	Littoral	+
<i>Dendrorhynchus zhanjiangensis</i> Yin & Zeng, 1984	Hetero	S	Zha	Littoral	+
<i>Diplopleura japonica</i> Stimpson, 1857	Hetero	C	Kyu	Benthic	+
<i>Eousia verticivaria</i> Gibson, 1990	Hetero	S	HK	Litt/Benth	+
<i>Euborlasia gotoensis</i> Iwata, 1952	Hetero	C	Fuk	Littoral	+
<i>Euborlasia proteres</i> Iwata, 1957	Hetero	C	Hon	Benthic	+
<i>Hinumanemertes kikuchii</i> Iwata, 1970	Hetero	C	LkHin	Brackish	+
<i>Iwatanemertes piperata</i> (Stimpson, 1855)	Hetero	CS	Hon Ryu HK Tai	Litt/Benth	+
<i>Lineopselloides albilineus</i> Gibson, 1990	Hetero	S	HK	Litt/Benth	+
<i>Lineus alborostratus</i> Takakura, 1898	Hetero	CS	Hok Hon Fuk Qin	Litt/Benth	+
<i>Lineus albovittatus</i> (Stimpson, 1855)	Hetero	C	Fuk	Litt/Benth	+
<i>Lineus auripunctatus</i> (Grube, 1855)	Hetero	N	Okh	Litt/Benth	+
<i>Lineus bilineatus</i> sensu Iwata, 1954 nec Renier	Hetero	C	Hok Dal PGB	Litt/Benth	*13
<i>Lineus binigrilinearis</i> Gibson, 1990	Hetero	S	HK	Litt/Benth	+
<i>Lineus bipunctatus</i> Takakura, 1898	Hetero	C	Hon	Litt/Benth	?
<i>Lineus cancelli</i> Iwata, 1954	Hetero	C	Hon	Litt/Benth	+
<i>Lineus caputornatus</i> Takakura, 1898	Hetero	C	Hon	Litt/Benth	?

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Anopla, Heteronemertea (cont.)</b>					
<i>Lineus cingulatus</i> (Stimpson, 1855)	Hetero	S	HK	Litt/Benth	+
<i>Lineus fulvus</i> Iwata, 1954	Hetero	C	Hok	Litt/Benth	+
<i>Lineus fuscoviridis</i> Takakura, 1898	Hetero	C	Shi Hon Qin Dal	Litt/Benth	+
<i>Lineus longifissus</i> sensu Takakura, 1898 nec Hubr.	Hetero	C	Kyu	Litt/Benth	*14
<i>Lineus nigrofuscus</i> (Stimpson, 1857)	Hetero	C	pn	Litt/Benth	+
<i>Lineus nigrostriatus</i> Iwata, 1954	Hetero	C	Fuk	Litt/Benth	+
<i>Lineus spatiostus</i> Iwata, 1954	Hetero	C	Hok	Litt/Benth	+
<i>Lineus striatus</i> Griffin, 1898	Hetero	C	PNA	Litt/Benth	*15
<i>Lineus subcingulatus</i> Takakura, 1898	Hetero	C	Hon	Litt/Benth	?
<i>Lineus torquatus</i> Coe, 1901	Hetero	C	Jpn Chn Kur PGB	Litt/Benth	*16
<i>Micconemertes orientalis</i> Gibson, 1997	Hetero	S	HK	Litt/Benth	+
<i>Micrura achrostocephala</i> Gibson, 1997	Hetero	S	HK	Litt/Benth	+
<i>Micrura akkeshiensis</i> Yamaoka, 1940	Hetero	C	Hok	Litt/Benth	+
<i>Micrura alaskensis</i> Coe, 1901	Hetero	C	Hok	Litt/Benth	+
<i>Micrura bella</i> (Stimpson, 1857)	Hetero	C	Hok Hon	Litt/Benth	*15
<i>Micrura dorsovittata</i> Takakura, 1898	Hetero	C	Hon	Litt/Benth	?
<i>Micrura festiva</i> Takakura, 1898	Hetero	C	Hon	Litt/Benth	*15
<i>Micrura formosana</i> Yamaoka, 1939	Hetero	S	Tai	Litt/Benth	+
<i>Micrura impressa</i> (Stimpson, 1857)	Hetero	N	Ber	Litt/Benth	*15
<i>Micrura japonica</i> Iwata, 1952	Hetero	C	Hon Fuk Kyu	Litt/Benth	+
<i>Micrura kulikovae</i> Chernyshev, 1992	Hetero	C	Rus SJp	Litt/Benth	*15
<i>Micrura magna</i> Yamaoka, 1940	Hetero	C	Hok	Litt/Benth	+
<i>Micrura multinotata</i> Iwata, 1957	Hetero	C	Hon	Benthic	+
<i>Micrura verrilli</i> Coe, 1901	Hetero	C	PNA Qin? Jpn?	Litt/Benth	*15
<i>Micrurimorpha rhynchocoelomaperta</i> Korotkevich, 1980	Hetero	N	Okh	Litt/Benth	+
<i>Nipponomicrura uchidai</i> (Yamaoka, 1940)	Hetero	C	Hok PGB	Litt/Benth	+
<i>Notospermus geniculatus</i> (Delle Chiaje, 1828)	Hetero	C	Dal Shi Kyu Hon	Litt/Benth	+
<i>Notospermus tricuspidatus</i> (Quoy & Gaimard, 1833)	Hetero	S	Ryu	Litt/Benth	+
<i>Paralinoepsis taki</i> Iwata, 1993	Hetero	C	Hon	Littoral	+
<i>Paramicrura borborophila</i> Gibson & Sundberg, 1992	Hetero	S	HK	Littoral	+
<i>Perissonemertes pyrrhocephala</i> Gibson, 1990	Hetero	S	HK	Benthic	+
<i>Polydendrorhynchus papillaris</i> Yin & Zeng, 1986	Hetero	S	Zha	Littoral	+
<i>Quasilineus sinicus</i> Gibson, 1990	Hetero	S	HK Tai	Litt/Benth	+
<i>Ramphogordius sanguineus</i> (Rathke, 1799)	Hetero	C	Qin	Littoral	+
<i>Uchidana parasita</i> Iwata, 1967	Hetero	C	Hon	Parasitic	+
<i>Utolineus uberis</i> Gibson, 1990	Hetero	CS	HK Dal	Littoral	+

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Enopla, Hoplonemertea, Monostilifera</b>					
<i>Amphiporus angulatus</i> (Müller, 1774)	Mono	NC	Jpn Kam Ber	Litt/Benth	+
<i>Amphiporus antifuscus</i> Iwata, 1954	Mono	C	Hok	Littoral	+
<i>Amphiporus beringianus</i> (Stimpson, 1857)	Mono	NC	Jpn KI	Littoral	*3,30
<i>Amphiporus bicoloreus</i> Korotkevich, 1977	Mono	NC	Kur Okh	Littoral	*1,2
<i>Amphiporus cervicalis</i> (Stimpson, 1857)	Mono	C	Hok Hon	Littoral	*3
<i>Amphiporus depressus</i> (Stimpson, 1857)	Mono	C	Hok Tsu	Litt/Benth	*3
<i>Amphiporus depressus</i> sensu Iwata, 1954a	Mono	C	Hok	Litt/Benth	*4
<i>Amphiporus dorsolineatus</i> Korotkevich, 1977	Mono	N	Kur Okh	Littoral	*1,2
<i>Amphiporus flavescentes</i> Coe, 1905	Mono	C	PGB	Littoral	*5
<i>Amphiporus folcatus</i> Korotkevich, 1977	Mono	N	Kur Okh	Benthic	+
<i>Amphiporus formidabilis</i> Griffin, 1898	Mono	C	Hon Kyu Fuk KI	Littoral	+
<i>Amphiporus fuscosparsus</i> Korotkevich, 1977	Mono	N	Kur Okh	Littoral	+
<i>Amphiporus gelatinosus</i> Coe, 1905	Mono	C	Hon Ura	Benthic	+
<i>Amphiporus imparispinosus</i> Griffin, 1898	Mono	N	KI	Littoral	*6
<i>Amphiporus insolitus</i> Iwata, 1954b	Mono	C	Kii	Littoral	+
<i>Amphiporus japonicus</i> Stimpson, 1857	Mono	C	Hon	Littoral	*3
<i>Amphiporus lactifloreus</i> sensu Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Amphiporus matuanus</i> Korotkevich, 1977	Mono	N	Kur Okh	Benthic	+
<i>Amphiporus musculus</i> Iwata, 1954	Mono	C	Hok	Benthic	+
<i>Amphiporus nadtochiae</i> Chernyshev, 1998	Mono	C	PGB	Benthic	+
<i>Amphiporus nebulosus</i> Coe, 1901	Mono	NC	Jpn Kur	Littoral	*7
<i>Amphiporus obtusorostris</i> Korotkevich, 1977	Mono	N	Kur Okh	Littoral	*2
<i>Amphiporus parvus</i> Yamaoka, 1940	Mono	C	Hok	Littoral	+
<i>Amphiporus paulinus</i> Punnett, 1901	Mono	N	Ber Pri	Litt/Benth	+
<i>Amphiporus redundans</i> Iwata, 1957	Mono	C	Hon	Litt/Benth ?	+
<i>Amphiporus regius</i> Iwata, 1954	Mono	C	Hok	Littoral	+
<i>Amphiporus retrotumidus</i> Iwata, 1957	Mono	C	Hon	Benthic	+
<i>Amphiporus similis</i> Coe, 1905	Mono	N	KI	Litt/Benth	*6
<i>Amphiporus sinuosus</i> Stimpson, 1857	Mono	S	HK	Benthic	*1
<i>Antarctonemertes dilutebasisae</i> (Kulikova, 1987)	Mono	NC	PGB Kur Tat	Litt/Benth	+
<i>Antarctonemertes papilliformis</i> (Korotkevich, 1977)	Mono	C	SJp Kur	Benthic	*8
<i>Antarctonemertes quasioculata</i> (Korotkevich, 1977)	Mono	NC	SJP Kur	Benthic	*8
<i>Antarctonemertes varvara</i> Chernyshev, 1998	Mono	C	SJp PGB	Litt/Benth	+
<i>Arctonemertes ussuriensis</i> Chernyshev, 1998	Mono	C	PGB	Benthic	+
<i>Asteronemertes commensalis</i> (Kyao, 1954)	Mono	N	Okh	Commensal	+
<i>Asteronemertes gibsoni</i> Chernyshev, 1991	Mono	C	SJp PGB	Commensal	+
<i>Carcinonemertes mitsukurii</i> Takakura, 1910	Mono	CS	HK Hon	Parasitic	+
<i>Carcinonemertes regicides</i> Shields, Wickham & Kuris, 1989	Mono	P	NPO	Parasitic	+
<i>Cephalonema bruniceps</i> Stimpson, 1857	Mono	S	HK	Litt/Benth	?

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Enopla, Hoplonemertea, Monostilifera (cont.)</b>					
<i>Collarenemertes bimaculata</i> Chernyshev, 1993, nec Coe	Mono	C	PGB	Litt/Benth	*12
<i>Diopsonemertes acanthocephala</i> Kajihara et al, 2001	Mono	C	Hon	Littoral	+
<i>Emplectonema buergeri</i> Coe, 1901	Mono	NC	Jpn Ber Pri	Litt/Benth	+
<i>Emplectonema gracile</i> (Johnston, 1837)	Mono	NC	Hok Chn PGB Kam	Litt/Benth	+
<i>Emplectonema kandai</i> Kato, 1939	Mono	C	Hon	Benthic	+
<i>Emplectonema mitsuii</i> Yamaoka, 1947	Mono	C	Hon Dal	Littoral	+
<i>Emplectonema purpuratum</i> Coe, 1905	Mono	NP	NPO Adak KI	Litt/Benth	+
<i>Emplectonema rubea</i> Korotkevich, 1977	Mono	NC	Kur Rus Okh	Littoral	+
<i>Eonemertes macrophthalma</i> Gibson, 1990	Mono	S	HK	Littoral	+
<i>Furugelmina heteromusculosa</i> Chernyshev, 1998	Mono	C	PGB	Benthic	+
<i>Nemertellina minuta</i> nec Friedrich, 1935	Mono	C	Hok	Litt/Benth	*17
<i>Nemertellina yamaokai</i> Kajihara, Gibson & Mawatari, 2000	Mono	C	Hon	Littoral	+
<i>Nemertopsis gracilis</i> Coe, 1904	Mono	S	HK	Litt/Benth	+
<i>Nemertopsis quadripunctata</i> (Quoy & Gaimard, 1833)	Mono	CS	Jpn HK	Litt/Benth	+
<i>Nemertopsis tetractitophila</i> Gibson, 1990	Mono	S	HK	Litt/Benth	+
<i>Neoemplectonema campanoides</i> Korotkevich, 1977	Mono	N	Kur	Litt/Benth	+
<i>Neoemplectonema paramusirensis</i> Korotkevich, 1977	Mono	N	Kur	Littoral	+
<i>Neoemplectonema strabo</i> Korotkevich, 1977	Mono	N	Kur	Litt/Benth	+
<i>Nipponnemertes arenaria</i> (Uschakov, 1927)	Mono	C	Hon Kyu PGB	Litt/Benth	*18
<i>Nipponnemertes bimaculata</i> (sensu Iwata, 1954, nec Coe)	Mono	C	Hok	Litt/Benth	*19
<i>Nipponnemertes bimaculata</i> (Coe, 1901)	Mono	C	Jpn Rus	Litt/Benth	*20
<i>Nipponnemertes occidentalis</i> (Coe, 1905)	Mono	C*	PNA Jpn?	Litt/Benth	*18
<i>Nipponnemertes ogumai</i> (Yamaoka, 1947)	Mono	C	Hon Kyu	Litt/Benth	+
<i>Nipponnemertes punctatula</i> (sensu Iwata, 1951, partim)	Mono	C	Hok	Litt/Benth	*18
<i>Nipponnemertes punctatula</i> (Coe, 1905)	Mono	NC	Kur Jpn NoChn	Litt/Benth	*18
<i>Oerstedia dorsalis</i> (Abildgaard, 1806)	Mono	C	Hok	Litt/Benth	+
<i>Oerstedia dorsalis</i> var. <i>aequalis</i> Iwata, 1954	Mono	C	Kok	Litt/Benth	+
<i>Oerstedia polyorbis</i> Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Oerstedia venusta</i> Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Oerstediella oculata</i> Kulikova, 1987	Mono	C	Rus SJp	Litt/Benth	*21
<i>Oerstediella phoresiae</i> Kulikova, 1987	Mono	C	Rus Sjp	Litt/Benth	*21
<i>Oerstediella valentinae</i> Chernyshev, 1993	Mono	C	PGB	Litt/Benth	*21
<i>Oerstediella verae</i> Chernyshev, 1993	Mono	N	Kur KI	Littoral	*21
<i>Oerstediella zebra</i> Chernyshev, 1993	Mono	C	PGB	Litt/Benth	*21
<i>Ototyphlonemertes martynovi</i> Chernyshev, 1993	Mono	C	PGB SJp	Interstitial	+
<i>Ototyphlonemertes nikolaii</i> Chernyshev, 1998	Mono	C	PGB SJp	Interstitial	+
<i>Pantinonemertes daguilarensis</i> Gibson & Sundberg, 1992	Mono	S	HK	Suplitt Terr	+
<i>Pantinonemertes fujianensis</i> Sun, 2001	Mono	S	Xia	Suplitt Terr	+
<i>Pantinonemertes mortoni</i> Gibson, 1990	Mono	S	HK Tai	Suplitt Terr	+

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Enopla, Hoplonemertea, Monostilifera (cont.)</b>					
<i>Pantinonemertes spectacula</i> (Yamaoka, 1940)	Mono	S	Ryu HK	Suplitt Terr	+
<i>Paranemertes cylindracea</i> Korotkevich, 1977	Mono	N	Kur	Littoral	+
<i>Paranemertes incola</i> Iwata, 1952	Mono	C	Hon	Litt/Benth	+
<i>Paranemertes incongruens</i> Korotkevich, 1977	Mono	N	Kur	Littoral	+
<i>Paranemertes katoi</i> Yamaoka, 1947	Mono	C	Hon Dal	Litt/Benth	+
<i>Paranemertes pallida</i> Coe, 1901a	Mono	N	KI Kam	Litt/Benth	+
<i>Paranemertes peregrina</i> Coe, 1901	Mono	NC	Jpn Chn Rus	Litt/Benth	+
<i>Paranemertes plana</i> Iwata, 1957	Mono	C	Hon	Benthic	+
<i>Paranemertes sinensis</i> Sun, 1995b	Mono	C	ZhI	Litt/Benth	+
<i>Plectonemertes sinensis</i> Gibson, 1990	Mono	S	HK	Benthic	+
<i>Prostoma gracense</i> (Böhmig, 1892)	Mono	C	Jpn	Fresh Water	+
<i>Prostoma grande</i> Ikeda, 1913	Mono	C	Hon	Fresh Water	*23
<i>Prostoma hokkaidoense</i> Stiasny-Wijnhoff, 1938	Mono	C	Hok	Fresh Water	*23
<i>Prostoma macradenum</i> Sun & Yin, 1995	Mono	C	Qin	Fresh Water	+
<i>Prostoma ohmiense</i> Chernyshev, et al, 1998	Mono	C	LkBiw	Fresh Water	+
<i>Psammamphiporus microocelli</i> Sun, 1995a	Mono	C	ZhI	Littoral	+
<i>Sacconemertella lutulenta</i> Iwata, 1970	Mono	C	LkHin	Brackish	+
<i>Sacconemertopsis belogurovi</i> Chernyshev, 1991	Mono	C	Gladk	Brackish	+
<i>Sacconemertopsis olivifera</i> Iwata, 1970	Mono	C	LkHin	Brackish	+
<i>Tetrastemma appendiculatum</i> Chernyshev, 1998	Mono	C	PGB	Litt/Benth	+
<i>Tetrastemma bicolor</i> Coe, 1901	Mono	N	Kam KI Pri	Litt/Benth	+
<i>Tetrastemma candidum</i> (Müller, 1774)	Mono	C	Hok	Litt/Benth	+
<i>Tetrastemma coronatum</i> (Quatrefages, 1846)	Mono	C	Hok	Litt/Benth	*24
<i>Tetrastemma insolens</i> Iwata, 1952	Mono	C	Hon Fuk	Litt/Benth	+
<i>Tetrastemma kulikovae</i> Gibson, 1995	Mono	C	Rus SJp	Litt/Benth	*25
<i>Tetrastemma nigrifrons</i> Coe, 1904	Mono	C	Jpn Rus Yan	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>aequicolor</i> Chernyshev, 1998	Mono	N	Kur	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>albino</i> Manchenko & Kulikova, 1996	Mono	C	Rus SJp	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>bilineatum</i> Iwata, 1954	Mono	C	Hok PBG	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>bimaculatum</i> Chernyshev, 1998	Mono	C	PGB	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>punctatum</i> Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>spadix</i> Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>trimaculatum</i> Chernyshev, 1998	Mono	N	Kur	Litt/Benth	+
<i>Tetrastemma olgarum</i> Chernyshev, 1998	Mono	C	PGB SJp	Litt/Benth	+
<i>Tetrastemma pheobasisae</i> Kulikova, 1987	Mono	NC	PGB Kur	Litt/Benth	+
<i>Tetrastemma pimaculatum</i> Chernyshev, 1998	Mono	C	SJp PGB	Litt/Benth	+
<i>Tetrastemma pinnatum</i> Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Tetrastemma pseudocoronatum</i> Chernyshev, 1998	Mono	C	Hok SJp PGB Kur	Litt/Benth	*24

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Enopla, Hoplonemertea, Monostilifera (cont.)</b>					
<i>Tetrastemma roseocephalum</i> (Yamaoka, 1947)	Mono	C	Hon	Litt/Benth	+
<i>Tetrastemma stigmatum</i> Stimpson, 1857	Mono	C	Hok	Litt/Benth	+
<i>Tetrastemma stimpsoni</i> Chernyshev, 1992	Mono	NC	Hok Rus Kur SJp	Litt/Benth	*26
<i>Tetrastemma tridentatum</i> Korotkevich, 1977	Mono	N	Kur	Litt/Benth	*2,27
<i>Tetrastemma verinigrum</i> Iwata, 1954	Mono	CS	Hok HK Qin	Litt/Benth	+
<i>Tetrastemma verinigrum</i> var. <i>meridianum</i> Iwata, 1954	Mono	C	Jpn	Litt/Benth	+
<i>Tetrastemma viridis</i> Kulikova, 1989	Mono	C	Rus SJp	Litt/Benth	*25
<i>Tetrastemma yamaokai</i> Iwata, 1954	Mono	C	Hok Hon PGB Qin	Litt/Benth	*28
<i>Tortus curilensis</i> Korotkevich, 1971	Mono	NC	Kur SJp	Littoral	+
<i>Tortus iturupensis</i> Korotkevich, 1977	Mono	N	Kur	Littoral	+
<i>Tortus tokmakovae</i> Chernyshev, 1991	Mono	C	PGB	Littoral	+
<i>Zygonemertes callaina</i> Korotkevich, 1977	Mono	N	Kur	Litt/Benth	+
<i>Zygonemertes glandulosa</i> Yamaoka, 1940	Mono	C	Hok Dal	Litt/Benth	+
<i>Zygonemertes tenuirostris</i> Korotkevich, 1977	Mono	N	Kur	Littoral	+
<i>Zygonemertes virescens</i> (Verrill, 1879)	Mono	C	ZhI,Chn	Litt/Benth	+
<i>Zygonemertes zhenylebedevi</i> Chernyshev, 1991	Mono	C	PGB	Litt/Benth	+
<b>Enopla, Hoplonemertea, Polystilifera, Reptantia</b>					
<i>Hirohitonemertes longiceps</i> (Iwata, 1957)	Eurept	C	Hon	Benthic	+
<i>Kameginemertes parmiornata</i> (Iwata, 1957)	Eurept	C	Hon	Benthic	+
<i>Sagaminemertes nagaiensis</i> (Iwata, 1957)	Archirep	C	Hon	Benthic	+
<b>Enopla, Hoplonemertea, Polystilifera, Pelagica</b>					
<i>Nectonemertes acanthocephala</i> Korotkevich, 1955	Pelag	N	WBS	Pelagic	+
<i>Nectonemertes japonica</i> Foshay, 1912	Pelag	CP	PO Jpn	Pelagic	+
<i>Nectonemertes major</i> Korotkevich, 1955	Pelag	NP	Okh NPO Ber	Pelagic	+
<i>Nectonemertes mirabilis</i> Verrill, 1892	Pelag	P ?		Pelagic	*17
<i>Neoarmaueria angusta</i> (Korotkevich, 1955)	Pelag	N	Ber	Pelagic	+
<i>Neoarmaueria crassa</i> (Korotkevich, 1955)	Pelag	N	CBS	Pelagic	+
<i>Neoarmaueria divaricata</i> (Korotkevich, 1955)	Pelag	N	Okh	Pelagic	+
<i>Neoarmaueria laticeps</i> (Korotkevich, 1955)	Pelag	NP	PO	Pelagic	+
<i>Neoarmaueria tenuicauda</i> (Korotkevich, 1955)	Pelag	N	WBS	Pelagic	+
<i>Pelagonemertes brinkmanni</i> Coe, 1926	Pelag	NP	Okh Ber NPO	Pelagic	+
<i>Pelagonemertes excisa</i> Korotkevich, 1955	Pelag	N	WBS	Pelagic	+
<i>Pelagonemertes laticauda</i> Korotkevich, 1955	Pelag	N	CBS	Pelagic	+
<i>Pelagonemertes moseleyi</i> Bürger, 1895	Pelag	CP	NPO Hon	Pelagic	+
<i>Pelagonemertes oviporus</i> Korotkevich, 1955	Pelag	N	WBS	Pelagic	+
<i>Pelagonemertes robusta</i> Korotkevich, 1955	Pelag	NP	NPO Okh	Pelagic	+

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Enopla, Hoplonemertea, Polystilifera, Pelagica (cont.)</b>					
<i>Pelagonemertes rollestoni</i> Moseley, 1875	Pelag	NC	Jpn Kur	Pelagic	+
<i>Proarmaueria korotkevitschae</i> Chernyshev, 1992	Pelag	N	Okh	Pelagic	*22
<i>Proarmaueria pellucida</i> Coe, 1926	Pelag	N	Okh	Pelagic	+
<i>Proarmaueriella caudata</i> (Korotkevich, 1955)	Pelag	N	Okh	Pelagic	+
<i>Protopelagonemertes beebei</i> Coe, 1936	Pelag	NP	NPO Kur	Pelagic	+
<i>Xenoarmaueria acoeca</i> (Korotkevich, 1955)	Pelag	N	KI	Pelagic	+
<i>Zinarmaueria platonovae</i> Chernyshev, 1992	Pelag	N	Okh	Pelagic	+
<b>Enopla, Bdellonemertea</b>					
<i>Malacobdella grossa</i> (Müller, 1776)	Bdello	C	Jpn PGB	Commensal	+
<i>Malacobdella japonica</i> Takakura, 1897	Bdello	C	Hok Hon Kur	Commensal	+

## OCCURRENCE BY REGION

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Northern Region</b>					
<i>Amphiporus angulatus</i> (Müller, 1774)	Mono	NC	Jpn Kam Ber	Litt/Benth	+
<i>Amphiporus beringianus</i> (Stimpson, 1857)	Mono	NC	Jpn KI	Littoral	*3,30
<i>Amphiporus bicoloreus</i> Korotkevich, 1977	Mono	NC	Kur Okh	Littoral	*1,2
<i>Amphiporus dorsolineatus</i> Korotkevich, 1977	Mono	N	Kur Okh	Littoral	*1,2
<i>Amphiporus folcatus</i> Korotkevich, 1977	Mono	N	Kur Okh	Benthic	+
<i>Amphiporus fuscosparus</i> Korotkevich, 1977	Mono	N	Kur Okh	Littoral	+
<i>Amphiporus imparispinosus</i> Griffin, 1898	Mono	N	KI	Littoral	*6
<i>Amphiporus matuanus</i> Korotkevich, 1977	Mono	N	Kur Okh	Benthic	+
<i>Amphiporus nebulosus</i> Coe, 1901	Mono	NC	Jpn Kur	Littoral	*7
<i>Amphiporus obtusorostris</i> Korotkevich, 1977	Mono	N	Kur Okh	Littoral	*2
<i>Amphiporus paulinus</i> Punnett, 1901	Mono	N	Ber Pri	Litt/Benth	+
<i>Amphiporus similis</i> Coe, 1905	Mono	N	KI	Litt/Benth	*6
<i>Antarctonemertes dilutebasisae</i> (Kulikova, 1987)	Mono	NC	PGB Kur Tat	Litt/Benth	+
<i>Antarctonemertes quasioculata</i> (Korotkevich, 1977)	Mono	NC	SJP Kur	Benthic	*8
<i>Asteronemertes commensalis</i> (Kyao, 1954)	Mono	N	Okh	Commensal	+
<i>Baseodiscus hemprichii</i> (Ehrenberg, 1831)	Hetero	NCS	SJp Kur Tai	Litt/Benth	+
<i>Carinina littorea</i> Korotkevich, 1982	Paleo	N	Sak	Littoral	*10
<i>Cephalothrix linearis</i> (Rathke, 1799)	Paleo	NC	Hon Qin Yan Sak	Litt/Benth	*11
<i>Cerebratulus communis</i> Takakura, 1898	Hetero	NC	Hon Kur Qin	Littoral	+
<i>Cerebratulus marginatus</i> Renier, 1804	Hetero	NC	Hok Hon Kur PGB	Benthic	+
<i>Cerebratulus montgomeryi</i> Coe, 1901	Hetero	NC	Rus Jpn Ber	Litt/Benth	+
<i>Cerebratulus signatus</i> Coe, 1905	Hetero	NC	Sak PGB	Benthic	+
<i>Emplectonema buergeri</i> Coe, 1901	Mono	NC	Jpn Ber Pri	Litt/Benth	+
<i>Emplectonema purpuratum</i> Coe, 1905	Mono	NP	NPO Adak KI	Litt/Benth	+
<i>Emplectonema rubea</i> Korotkevich, 1977	Mono	N	Kur Rus Okh	Littoral	+
<i>Lineus auripunctatus</i> (Grube, 1855)	Hetero	N	Okh	Litt/Benth	+
<i>Micrura impressa</i> (Stimpson, 1857)	Hetero	N	Ber	Litt/Benth	*15
<i>Micrurimorpha rhynchocoelomaperta</i> Korotkevich, 1980	Hetero	N	Okh	Litt/Benth	+
<i>Nectonemertes acanthocephala</i> Korotkevich, 1955	Pelag	N	WBS	Pelagic	+
<i>Nectonemertes major</i> Korotkevich, 1955	Pelag	NP	Okh NPO Ber	Pelagic	+
<i>Neoarmaueria angusta</i> (Korotkevich, 1955)	Pelag	N	Ber	Pelagic	+
<i>Neoarmaueria crassa</i> (Korotkevich, 1955)	Pelag	N	CBS	Pelagic	+
<i>Neoarmaueria divaricata</i> (Korotkevich, 1955)	Pelag	N	Okh	Pelagic	+
<i>Neoarmaueria laticeps</i> (Korotkevich, 1955)	Pelag	P	PO	Pelagic	+
<i>Neoarmaueria tenuicauda</i> (Korotkevich, 1955)	Pelag	N	WBS	Pelagic	+
<i>Neoemplectonema campanoides</i> Korotkevich, 1977	Mono	N	Kur	Litt/Benth	+
<i>Neoemplectonema paramusirensis</i> Korotkevich, 1977	Mono	N	Kur	Littoral	+

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Northern Region (cont.)</b>					
<i>Neoemplexonema strabo</i> Korotkevich, 1977	Mono	N	Kur	Litt/Benth	+
<i>Nipponnemertes punctatula</i> (Coe, 1905)	Mono	NC	Kur Jpn NoChn	Litt/Benth	*18
<i>Oerstediella verae</i> Chernyshev, 1993	Mono	N	Kur KI	Littoral	*21
<i>Paranemertes cylindracea</i> Korotkevich, 1977	Mono	N	Kur	Littoral	+
<i>Paranemertes incongruens</i> Korotkevich, 1977	Mono	N	Kur	Littoral	+
<i>Paranemertes pallida</i> Coe, 1901a	Mono	N	KI Kam	Litt/Benth	+
<i>Paranemertes peregrina</i> Coe, 1901	Mono	NC	Jpn Chn Rus	Litt/Benth	+
<i>Pelagonemertes brinkmanni</i> Coe, 1926	Pelag	NP	Okh Ber NPO	Pelagic	+
<i>Pelagonemertes excisa</i> Korotkevich, 1955	Pelag	N	WBS	Pelagic	+
<i>Pelagonemertes laticauda</i> Korotkevich, 1955	Pelag	N	CBS	Pelagic	+
<i>Pelagonemertes oviporus</i> Korotkevich, 1955	Pelag	N	WBS	Pelagic	+
<i>Pelagonemertes robusta</i> Korotkevich, 1955	Pelag	NP	NPO Okh	Pelagic	+
<i>Pelagonemertes rollestoni</i> Moseley, 1875	Pelag	NC	Jpn Kur	Pelagic	+
<i>Proarmaueria korotkevitschae</i> Chernyshev, 1992	Pelag	N	Okh	Pelagic	*22
<i>Proarmaueria pellucida</i> Coe, 1926	Pelag	N	Okh	Pelagic	+
<i>Proarmaueriella caudata</i> (Korotkevich, 1955)	Pelag	N	Okh	Pelagic	+
<i>Procephalothrix mokievskii</i> Korotkevich, 1982	Paleo	N	Sak	Litt/Benth	+
<i>Protopelagonemertes beebei</i> Coe, 1936	Pelag	NC	NPO Kur	Pelagic	+
<i>Statolithonemertes sachalinica</i> Korotkevich, 1982	Paleo	N	Sak	Benthic	+
<i>Tetrastemma bicolor</i> Coe, 1901	Mono	N	Kam KI Pri	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>aequicolor</i> Chernyshev, 1998	Mono	N	Kur	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>trimaculatum</i> Chernyshev, 1998	Mono	N	Kur	Litt/Benth	+
<i>Tetrastemma pheobasisae</i> Kulikova, 1987	Mono	NC	PGB Kur	Litt/Benth	+
<i>Tetrastemma stimpsoni</i> Chernyshev, 1992	Mono	NC	Hok Rus Kur SJp	Litt/Benth	*26
<i>Tetrastemma tridentatum</i> Korotkevich, 1977	Mono	N	Kur	Litt/Benth	*2,27
<i>Tortus curilensis</i> Korotkevich, 1971	Mono	NC	Kur SJp	Littoral	+
<i>Tortus iturupensis</i> Korotkevich, 1977	Mono	N	Kur	Littoral	+
<i>Xenoarmaueria acoeca</i> (Korotkevich, 1955)	Pelag	N	KI	Pelagic	+
<i>Zinarmaueria platonovae</i> Chernyshev, 1992	Pelag	N	Okh	Pelagic	+
<i>Zygonemertes callaina</i> Korotkevich, 1977	Mono	N	Kur	Litt/Benth	+
<i>Zygonemertes tenuirostris</i> Korotkevich, 1977	Mono	N	Kur	Littoral	+
<b>Central Region</b>					
<i>Amphiporus angulatus</i> (Müller, 1774)	Mono	NC	Jpn Kam Ber	Litt/Benth	+
<i>Amphiporus antifuscus</i> Iwata, 1954	Mono	C	Hok	Littoral	+
<i>Amphiporus beringianus</i> (Stimpson, 1857)	Mono	NC	Jpn KI	Littoral	*3,30
<i>Amphiporus bicoloreus</i> Korotkevich, 1977	Mono	NC	Kur Okh	Littoral	*1,2
<i>Amphiporus cervicalis</i> (Stimpson, 1857)	Mono	C	Hok Hon	Littoral	*3

## Occurrence by Region

26

## TAXON

GROUP REG LOCATION

HABITAT STAT

## Central Region (cont.)

<i>Amphiporus depressus</i> (Stimpson, 1857)	Mono	C	Hok Tsu	Litt/Benth	*3
<i>Amphiporus depressus</i> sensu Iwata, 1954a	Mono	C	Hok	Litt/Benth	*4
<i>Amphiporus flavescens</i> Coe, 1905	Mono	C	PGB	Littoral	*5
<i>Amphiporus formidabilis</i> Griffin, 1898	Mono	C	Hon Kyu Fuk KI	Littoral	+
<i>Amphiporus gelatinosus</i> Coe, 1905	Mono	C	Hon Ura	Benthic	+
<i>Amphiporus insolitus</i> Iwata, 1954b	Mono	C	Kii	Littoral	+
<i>Amphiporus japonicus</i> Stimpson, 1857	Mono	C	Hon	Littoral	*3
<i>Amphiporus lactifloreus</i> sensu Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Amphiporus musculus</i> Iwata, 1954	Mono	C	Hok	Benthic	+
<i>Amphiporus nadtochiae</i> Chernyshev, 1998	Mono	C	PGB	Benthic	+
<i>Amphiporus nebulosus</i> Coe, 1901	Mono	NC	Jpn Kur	Littoral	*7
<i>Amphiporus parvus</i> Yamaoka, 1940	Mono	C	Hok	Littoral	+
<i>Amphiporus redundus</i> Iwata, 1957	Mono	C	Hon	Litt/Benth ?	+
<i>Amphiporus regius</i> Iwata, 1954	Mono	C	Hok	Littoral	+
<i>Amphiporus retrotumidus</i> Iwata, 1957	Mono	C	Hon	Benthic	+
<i>Antarctonemertes dilutebasisae</i> (Kulikova, 1987)	Mono	NC	PGB Kur Tat	Litt/Benth	+
<i>Antarctonemertes papilliformis</i> (Korotkevich, 1977)	Mono	C	SJp Kur	Benthic	*8
<i>Antarctonemertes quasioculata</i> (Korotkevich, 1977)	Mono	NC	SJP Kur	Benthic	*8
<i>Antarctonemertes varvarae</i> Chernyshev, 1998	Mono	C	SJp PGB	Litt/Benth	+
<i>Arctonemertes ussuriensis</i> Chernyshev, 1998	Mono	C	PGB	Benthic	+
<i>Asteronemertes gibsoni</i> Chernyshev, 1991	Mono	C	SJp PGB	Commensal	+
<i>Baseodiscus curtus</i> (Hubrechets, 1879)	Hetero	C	Shi Fuk Dal	Litt/Benth	*9
<i>Baseodiscus delineatus</i> (Delle Chiaje, 1825)	Hetero	C	Jpn	Litt/Benth	+
<i>Baseodiscus hemprichii</i> (Ehrenberg, 1831)	Hetero	NCS	SJp Kur Tai	Litt/Benth	+
<i>Baseodiscus nipponensis</i> (Stimpson, 1857)	Hetero	C	Jpn	Benthic	+
<i>Baseodiscus princeps</i> (Coe, 1901)	Hetero	C	Hok PGB	Litt/Benth	+
<i>Baseodiscus quinquelineatus</i> (Quoy & Gaimard, 1833)	Hetero	C	Jpn	Litt/Benth	+
<i>Baseodiscus takakurai</i> Gibson, 1995	Hetero	C	Hon	Litt/Benth	+
<i>Carcinonemertes mitsukurii</i> Takakura, 1910	Mono	CS	HK Hon	Parasitic	+
<i>Carinesta uchidai</i> Iwata, 1952	Paleo	C	Fuk	Littoral	+
<i>Cephalomastax brevis</i> Iwata, 1957	Hetero	C	Hon	Benthic	+
<i>Cephalothrix linearis</i> (Rathke, 1799)	Paleo	NC	Hon Qin Yan Sak	Litt/Benth	*11
<i>Cephalothrix notabilis</i> Iwata 1954	Paleo	C	Hok	Littoral	+
<i>Cephalotrichella alba</i> Gibson & Sundberg, 1992	Paleo	CS	HK YelS	Benthic	+
<i>Cerebratulus albocirculus</i> Iwata, 1957	Hetero	C	Hon	Benthic	+
<i>Cerebratulus arnosus</i> Takakura, 1898	Hetero	C	Hon	Littoral	+
<i>Cerebratulus communis</i> Takakura, 1898	Hetero	NC	Hon Kur Qin	Littoral	+
<i>Cerebratulus fasciatus</i> Stimpson, 1857	Hetero	C	Hok	Benthic	+
<i>Cerebratulus formosus</i> Iwata, 1957	Hetero	C	Hon	Benthic	+

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Central Region (cont.)</b>					
<i>Cerebratulus fuscus</i> Takakura, 1898	Hetero	C	Hon	Benthic	?
<i>Cerebratulus longiceps</i> Coe, 1901	Hetero	C	Hon	Benthic	+
<i>Cerebratulus marginatus</i> Renier, 1804	Hetero	NC	Hok Hon Kur PGB	Benthic	+
<i>Cerebratulus montgomeryi</i> Coe, 1901	Hetero	NC	Rus Jpn Ber	Litt/Benth	+
<i>Cerebratulus penniger</i> Iwata, 1957	Hetero	C	Hon	Benthic	+
<i>Cerebratulus signatus</i> Coe, 1905	Hetero	NC	Sak PGB	Benthic	+
<i>Cerebratulus superniger</i> Iwata, 1957	Hetero	C	Hon	Benthic	+
<i>Cerebratulus zebra</i> Punnett & Cooper, 1909	Hetero	C	Hon	Benthic	?
<i>Coeia ijimai</i> Takakura, 1922	Paleo	C	Hon	Littoral	+
<i>Collarenemertes bimaculata</i> Chernyshev, 1993, nec Coe	Mono	C	PGB	Litt/Benth	*12
<i>Diopsonemertes acanthocephala</i> Kajihara et al, 2001	Mono	C	Hon	Littoral	+
<i>Diplopleura japonica</i> Stimpson, 1857	Hetero	C	Kyu	Benthic	+
<i>Emplectonema buergeri</i> Coe, 1901	Mono	NC	Jpn Ber Pri	Litt/Benth	+
<i>Emplectonema gracile</i> (Johnston, 1837)	Mono	NC	Hok Chn PGB Kam	Litt/Benth	+
<i>Emplectonema kandai</i> Kato, 1939	Mono	C	Hon	Benthic	+
<i>Emplectonema mitsuii</i> Yamaoka, 1947	Mono	C	Hon Dal	Littoral	+
<i>Emplectonema rubea</i> Korotkevich, 1977	Mono	NC	Kur Rus Okh	Littoral	+
<i>Euborlasia gotoensis</i> Iwata, 1952	Hetero	C	Fuk	Littoral	+
<i>Euborlasia proteres</i> Iwata, 1957	Hetero	C	Hon	Benthic	+
<i>Furugelmina heteromusculosa</i> Chernyshev, 1998	Mono	C	PGB	Benthic	+
<i>Hinumanemertes kikuchii</i> Iwata, 1970	Hetero	C	LkHin	Brackish	+
<i>Hirohitonemertes longiceps</i> (Iwata, 1957)	Eurept	C	Hon	Benthic	+
<i>Iwatanemertes piperata</i> (Stimpson, 1855)	Hetero	CS	Hon Ryu HK Tai	Litt/Benth	+
<i>Kameginemertes parmiornata</i> (Iwata, 1957)	Eurept	C	Hon	Benthic	+
<i>Lineus alborostratus</i> Takakura, 1898	Hetero	CS	Hok Hon Fuk Qin	Litt/Benth	+
<i>Lineus albovittatus</i> (Stimpson, 1855)	Hetero	C	Fuk	Litt/Benth	+
<i>Lineus bilineatus</i> sensu Iwata, 1954 nec Renier	Hetero	C	Hok Dal PGB	Litt/Benth	*13
<i>Lineus bipunctatus</i> Takakura, 1898	Hetero	C	Hon	Litt/Benth	?
<i>Lineus cancelli</i> Iwata, 1954	Hetero	C	Hon	Litt/Benth	+
<i>Lineus caputornatus</i> Takakura, 1898	Hetero	C	Hon	Litt/Benth	?
<i>Lineus fulvus</i> Iwata, 1954	Hetero	C	Hok	Litt/Benth	+
<i>Lineus fuscoviridis</i> Takakura, 1898	Hetero	C	Shi Hon Qin Dal	Litt/Benth	+
<i>Lineus longifissus</i> sensu Takakura, 1898 nec Hubr.	Hetero	C	Kyu	Litt/Benth	*14
<i>Lineus nigrofuscus</i> (Stimpson, 1857)	Hetero	C	Jpn	Litt/Benth	+
<i>Lineus nigrostriatus</i> Iwata, 1954	Hetero	C	Fuk	Litt/Benth	+
<i>Lineus spatiostus</i> Iwata, 1954	Hetero	C	Hok	Litt/Benth	+
<i>Lineus striatus</i> Griffin, 1898	Hetero	C	PNA	Litt/Benth	*15
<i>Lineus subcingulatus</i> Takakura, 1898	Hetero	C	Hon	Litt/Benth	?
<i>Lineus torquatus</i> Coe, 1901	Hetero	C	Jpn Chn Kur PGB	Litt/Benth	*16

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Central Region (cont.)</b>					
<i>Malacobdella grossa</i> (Müller, 1776)	Bdello	C	Jpn PGB	Commensal	+
<i>Malacobdella japonica</i> Takakura, 1897	Bdello	NC	Hok Hon Kur	Commensal	+
<i>Micrura akkeshiensis</i> Yamaoka, 1940	Hetero	C	Hok	Litt/Benth	+
<i>Micrura alaskensis</i> Coe, 1901	Hetero	C	Hok	Litt/Benth	+
<i>Micrura bella</i> (Stimpson, 1857)	Hetero	C	Hok Hon	Litt/Benth	*15
<i>Micrura dorsovittata</i> Takakura, 1898	Hetero	C	Hon	Litt/Benth	?
<i>Micrura festiva</i> Takakura, 1898	Hetero	C	Hon	Litt/Benth	*15
<i>Micrura japonica</i> Iwata, 1952	Hetero	C	Hon Fuk Kyu	Litt/Benth	+
<i>Micrura kulikovae</i> Chernyshev, 1992	Hetero	C	Rus SJp	Litt/Benth	*15
<i>Micrura magna</i> Yamaoka, 1940	Hetero	C	Hok	Litt/Benth	+
<i>Micrura multinotara</i> Iwata, 1957	Hetero	C	Hon	Benthic	+
<i>Micrura verrilli</i> Coe, 1901	Hetero	C	PNA Qin? Jpn?	Litt/Benth	*15
<i>Nectonemertes japonica</i> Foshay, 1912	Pelag	CP	PO Jpn	Pelagic	+
<i>Nemertellina minuta</i> nec Friedrich, 1935	Mono	C	Hok	Litt/Benth	*17
<i>Nemertellina yamaokai</i> Kajihara, Gibson & Mawatari, 2000	Mono	C	Hon	Littoral	+
<i>Nemertopsis quadripunctata</i> (Quoy & Gaimard, 1833)	Mono	CS	Jpn HK	Litt/Benth	+
<i>Nipponnemertes arenaria</i> (Uschakov, 1927)	Mono	C	Hon Kyu PGB	Litt/Benth	*18
<i>Nipponnemertes bimaculata</i> (sensu Iwata, 1954, nec Coe)	Mono	C	Hok	Litt/Benth	*19
<i>Nipponnemertes bimaculata</i> (Coe, 1901)	Mono	C	Jpn Rus	Litt/Benth	*20
<i>Nipponnemertes occidentalis</i> (Coe, 1905)	Mono	C*	PNA Jpn?	Litt/Benth	*18
<i>Nipponnemertes ogumai</i> (Yamaoka, 1947)	Mono	C	Hon Kyu	Litt/Benth	+
<i>Nipponnemertes punctatula</i> (sensu Iwata, 1951, partim)	Mono	C	Hok	Litt/Benth	*18
<i>Nipponnemertes punctatula</i> (Coe, 1905)	Mono	NC	Kur Jpn NoChn	Litt/Benth	*18
<i>Nipponomicrura uchidai</i> (Yamaoka, 1940)	Hetero	C	Hok PGB	Litt/Benth	+
<i>Notospermus geniculatus</i> (Delle Chiaje, 1828)	Hetero	C	Dal Shi Kyu Hon	Litt/Benth	+
<i>Oerstedia dorsalis</i> (Abildgaard, 1806)	Mono	C	Hok	Litt/Benth	+
<i>Oerstedia dorsalis</i> var. <i>aequalis</i> Iwata, 1954	Mono	C	Kok	Litt/Benth	+
<i>Oerstedia polyorbis</i> Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Oerstedia venusta</i> Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Oerstediella oculata</i> Kulikova, 1987	Mono	C	Rus SJp	Litt/Benth	*21
<i>Oerstediella phoresiae</i> Kulikova, 1987	Mono	C	Rus Sjp	Litt/Benth	*21
<i>Oerstediella valentinae</i> Chernyshev, 1993	Mono	C	PGB	Litt/Benth	*21
<i>Oerstediella zebra</i> Chernyshev, 1993	Mono	C	PGB	Litt/Benth	*21
<i>Ototyphlonemertes martynovi</i> Chernyshev, 1993	Mono	C	PGB SJp	Interstitial	+
<i>Ototyphlonemertes nikolaii</i> Chernyshev, 1998	Mono	C	PGB SJp	Interstitial	+
<i>Paralinoepsis taki</i> Iwata, 1993	Hetero	C	Hon	Littoral	+
<i>Paranemertes incola</i> Iwata, 1952	Mono	C	Hon	Litt/Benth	+
<i>Paranemertes katoi</i> Yamaoka, 1947	Mono	C	Hon Dal	Litt/Benth	+
<i>Paranemertes peregrina</i> Coe, 1901	Mono	NC	Jpn Chn Rus	Litt/Benth	+

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Central Region (cont.)</b>					
<i>Paranemertes plana</i> Iwata, 1957	Mono	C	Hon	Benthic	+
<i>Paranemertes sinensis</i> Sun, 1995b	Mono	C	ZhI	Litt/Benth	+
<i>Pelagonemertes moseleyi</i> Bürger, 1895	Pelag	CP	NPO Hon	Pelagic	+
<i>Pelagonemertes rollestoni</i> Moseley, 1875	Pelag	NC J	pn Kur	Pelagic	+
<i>Procephalothrix fascicula</i> Iwata, 1952	Paleo	C	Hon	Litt/Benth	+
<i>Procephalothrix filiformis</i> (Johnston, 1829)	Paleo	C	Hok	Litt/Benth	+
<i>Procephalothrix simula</i> Iwata, 1952	Paleo	C	Fuk Hok PGB	Litt/Benth	+
<i>Procephalothrix spiralis</i> (Coe, 1930)	Paleo	C	Qin Yan	Litt/Benth	+
<i>Prostoma gracense</i> (B<146>hmig, 1892)	Mono	C	Jpn	Fresh Water	+
<i>Prostoma grande</i> Ikeda, 1913	Mono	C	Hon	Fresh Water	*23
<i>Prostoma hokkaidoense</i> Stiasny-Wijnhoff, 1938	Mono	C	Hok	Fresh Water	*23
<i>Prostoma macradenum</i> Sun & Yin, 1995	Mono	C	Qin	Fresh Water	+
<i>Prostoma ohmiense</i> Chernyshev, et al, 1998	Mono	C	LkBiw	Fresh Water	+
<i>Psammamphiporus microocelli</i> Sun, 1995a	Mono	C	ZhI	Littoral	+
<i>Ramphogordius sanguineus</i> (Rathke, 1799)	Hetero	C	Qin	Littoral	+
<i>Sacconemertella lutulenta</i> Iwata, 1970	Mono	C	LkHin	Brackish	+
<i>Sacconemertopsis belogurovi</i> Chernyshev, 1991	Mono	C	Gladk	Brackish	+
<i>Sacconemertopsis olivifera</i> Iwata, 1970	Mono	C	LkHin	Brackish	+
<i>Sagaminemertes nagaiensis</i> Iwata, 1957)	Archirep	C	Hon	Benthic	+
<i>Tetramys ramicerebrus</i> Iwata, 1957	Paleo	C	Hon	Benthic	+
<i>Tetrastemma appendiculatum</i> Chernyshev, 1998	Mono	C	PGB	Litt/Benth	+
<i>Tetrastemma candidum</i> (M<129>ller, 1774)	Mono	C	Hok	Litt/Benth	+
<i>Tetrastemma coronatum</i> (Quatrefages, 1846)	Mono	C	Hok	Litt/Benth	*24
<i>Tetrastemma insolens</i> Iwata, 1952	Mono	C	Hon Fuk	Litt/Benth	+
<i>Tetrastemma kulikovae</i> Gibson, 1995	Mono	C	Rus SJp	Litt/Benth	*25
<i>Tetrastemma nigrifrons</i> Coe, 1904	Mono	C	Jpn Rus Yan	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>albino</i> Manchenko & Kulikova, 1996	Mono	C	Rus SJp	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>bilineatum</i> Iwata, 1954	Mono	C	Hok PGB	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>bimaculatum</i> Chernyshev, 1998	Mono	C	PGB	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>punctatum</i> Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>spadix</i> Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Tetrastemma olgarum</i> Chernyshev, 1998	Mono	C	PGB SJp	Litt/Benth	+
<i>Tetrastemma pheobasisae</i> Kulikova, 1987	Mono	NC	PGB Kur	Litt/Benth	+
<i>Tetrastemma pimaculatum</i> Chernyshev, 1998	Mono	C	SJp PGB	Litt/Benth	+
<i>Tetrastemma pinnatum</i> Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Tetrastemma pseudocoronatum</i> Chernyshev, 1998	Mono	C	Hok SJp PGB Kur	Litt/Benth	*24
<i>Tetrastemma roseocephalum</i> (Yamaoka, 1947)	Mono	C	Hon	Litt/Benth	+
<i>Tetrastemma stigmatum</i> Stimpson, 1857	Mono	C	Hok	Litt/Benth	+
<i>Tetrastemma stimpsoni</i> Chernyshev, 1992	Mono	NC	Hok Rus Kur SJp	Litt/Benth	*26

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Central Region (cont.)</b>					
<i>Tetrastemma verinigrum</i> Iwata, 1954	Mono	CS	Hok HK Qin	Litt/Benth	+
<i>Tetrastemma verinigrum var. meridianum</i> Iwata, 1954	Mono	C	Jpn	Litt/Benth	+
<i>Tetrastemma viridis</i> Kulikova, 1989	Mono	C	Rus SJp	Litt/Benth	*25
<i>Tetrastemma yamaokai</i> Iwata, 1954	Mono	C	Hok Hon PGB Qin	Litt/Benth	*28
<i>Tortus curilensis</i> Korotkevich, 1971	Mono	NC	Kur SJp	Littoral	+
<i>Tortus tokmakovae</i> Chernyshev, 1991	Mono	C	PGB	Littoral	+
<i>Tubulanus capistratus</i> (Coe, 1901)	Paleo	C	Jpn	Litt/Benth	+
<i>Tubulanus ezoensis</i> Yamaoka, 1940	Paleo	C	Hok PGB	Litt/Benth	+
<i>Tubulanus lucidus</i> Iwata, 1952	Paleo	C	Fuk	Littoral	*29
<i>Tubulanus punctatus</i> (Takakura, 1898)	Paleo	C	Jpn Chn Rus	Litt/Benth	+
<i>Uchidana parasita</i> Iwata, 1967	Hetero	C	Hon	Parasitic	+
<b>Southern Region</b>					
<i>Utolineus uberis</i> Gibson, 1990	Hetero	CS	HK Dal	Littoral	+
<i>Zygonemertes glandulosa</i> Yamaoka, 1940	Mono	C	Hok Dal	Litt/Benth	+
<i>Zygonemertes virescens</i> (Verrill, 1879)	Mono	C	ZhI,Chn	Litt/Benth	+
<i>Zygonemertes zhenylebedevi</i> Chernyshev, 1991	Mono	C	PGB	Litt/Benth	+
<i>Amniclineus zhuijiangensis</i> Gibson & Qi, 1991	Hetero	S	SoChn	FW, Brack	+
<i>Amphiporus sinuosus</i> Stimpson, 1857	Mono	S	HK	Benthic	*1
<i>Baseodiscus hemprichii</i> (Ehrenberg, 1831)	Hetero	NCS	SJp Kur Tai	Litt/Benth	+
<i>Callinera bergendali</i> Gibson & Sundberg, 1999	Paleo	S	HK	Benthic	+
<i>Carcinonemertes mitsukurii</i> Takakura, 1910	Mono	CS	HK Hon	Parasitic	+
<i>Carinesta tubulanoides</i> Gibson, 1990	Paleo	S	HK	Benthic	+
<i>Carinina sinensis</i> Gibson & Sundberg, 1999	Paleo	S	HK	Litt/Benth	+
<i>Cephalonema bruniceps</i> Stimpson, 1857	Mono	S	HK	Litt/Benth	?
<i>Cephalotrichella alba</i> Gibson & Sundberg, 1992	Paleo	CS	HK YelS	Benthic	+
<i>Cerebratulina natans</i> (Punnett, 1900)	Hetero	S	HK Tai	Mangroves	+
<i>Cerebratulus albulus</i> (Stimpson, 1857)	Hetero	S	SCS	Benthic	+
<i>Cerebratulus darvelli</i> Gibson, 1990	Hetero	S	HK	Benthic	+
<i>Cerebratulus nigrus</i> (Stimpson, 1855)	Hetero	S	HK	Litt/Benth	+
<i>Cerebratulus paludicolus</i> Stimpson, 1857	Hetero	S	Can	Littoral	+
<i>Cerebratulus rubellus</i> (Stimpson, 1855)	Hetero	S	HK	Benthic	+
<i>Cerebratulus sinensis</i> (Stimpson, 1855)	Hetero	S	HK	Benthic	+
<i>Cerebratulus subacutus</i> (Stimpson, 1857)	Hetero	S	Ryu	Littoral	+
<i>Dendrorhynchus sinensis</i> Yin & Zeng, 1984	Hetero	S	Zha HK	Littoral	+
<i>Dendrorhynchus zhanjiangensis</i> Yin & Zeng, 1984	Hetero	S	Zha	Littoral	+
<i>Eonemertes macrophtalma</i> Gibson, 1990	Mono	S	HK	Littoral	+
<i>Eousia verticivaria</i> Gibson, 1990	Hetero	S	HK	Litt/Benth	+

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Southern Region (cont.)</b>					
<i>Hubrechtella alba</i> Gibson, 1997	Paleo	S	HK	Litt/Benth	+
<i>Hubrechtella sinimarina</i> Gibson & Sundberg, 1999	Paleo	S	HK	Litt/Benth	+
<i>Iwatanemertes piperata</i> (Stimpson, 1855)	Hetero	CS	Hon Ryu HK Tai	Litt/Benth	+
<i>Lineopselloides albilineus</i> Gibson, 1990	Hetero	S	HK	Litt/Benth	+
<i>Lineus alborostratus</i> Takakura, 1898	Hetero	CS	Hok Hon Fuk Qin	Litt/Benth	+
<i>Lineus binigrilinaris</i> Gibson, 1990	Hetero	S	HK	Litt/Benth	+
<i>Lineus cingulatus</i> (Stimpson, 1855)	Hetero	S	HK	Litt/Benth	+
<i>Micconemertes orientalis</i> Gibson, 1997	Hetero	S	HK	Litt/Benth	+
<i>Micrura achrostocephala</i> Gibson, 1997	Hetero	S	HK	Litt/Benth	+
<i>Micrura formosana</i> Yamaoka, 1939	Hetero	S	Tai	Litt/Benth	+
<i>Nemertopsis gracilis</i> Coe, 1904	Mono	S	HK	Litt/Benth	+
<i>Nemertopsis quadripunctata</i> (Quoy & Gaimard, 1833)	Mono	CS	Jpn HK	Litt/Benth	+
<i>Nemertopsis tetraclitophila</i> Gibson, 1990	Mono	S	HK	Litt/Benth	+
<i>Notospermus tricuspidatus</i> (Quoy & Gaimard, 1833)	Hetero	S	Ryu	Litt/Benth	+
<i>Pantinonemertes daguilarensis</i> Gibson & Sundberg, 1992	Mono	S	HK	Suplitt Terr	+
<i>Pantinonemertes fujianensis</i> Sun, 2001	Mono	S	Xia	Suplitt Terr	+
<i>Pantinonemertes mortoni</i> Gibson, 1990	Mono	S	HK Tai	Suplitt Terr	+
<i>Pantinonemertes spectacula</i> (Yamaoka, 1940)	Mono	S	Ryu HK	Suplitt Terr	+
<i>Parahubrechtia jillae</i> Gibson & Sundberg, 1999	Paleo	S	HK	Litt/Benth	+
<i>Paramicrura borborophila</i> Gibson & Sundberg, 1992	Hetero	S	HK	Littoral	+
<i>Perissonemertes pyrrhocephala</i> Gibson, 1990	Hetero	S	HK	Benthic	+
<i>Plectonemertes sinensis</i> Gibson, 1990	Mono	S	HK	Benthic	+
<i>Polydendrorhynchus papillaris</i> Yin & Zeng, 1986	Hetero	S	Zha	Littoral	+
<i>Procephalothrix arenaria</i> Gibson, 1990	Paleo	S	HK Tai	Litt/Benth	+
<i>Procephalothrix orientalis</i> Gibson, 1990	Paleo	S	HK	Litt/Benth	+
<i>Quasilineus sinicus</i> Gibson, 1990	Hetero	S	HK Tai	Litt/Benth	+
<i>Tetrastemma verinigrum</i> Iwata, 1954	Mono	CS	Hok HK Qin	Litt/Benth	+
<i>Tubulanus hylbomi</i> Gibson & Sundberg, 1999	Paleo	S	HK	Litt/Benth	+
<i>Tubulanus longivasculus</i> Gibson & Sundberg, 1999	Paleo	S	HK	Litt/Benth	+
<i>Utolineus uberis</i> Gibson, 1990	Hetero	CS	HK Dal	Littoral	+

**Northern Pacific Ocean Region**

<i>Carcinonemertes regicides</i> Shields, Wickham & Kuris, 1989	Mono	P	NPO	Parasitic	+
<i>Emplectonema purpuratum</i> Coe, 1905	Mono	NP	NPO Adak	Littoral	+
<i>Nectonemertes japonica</i> Foshay, 1912	Pelag	CP	PO Jpn	Pelagic	+
<i>Nectonemertes major</i> Korotkevich, 1955	Pelag	NP	Okh NPO Ber	Pelagic	+
<i>Nectonemertes mirabilis</i> Verrill, 1892	Pelag	P ?		Pelagic	*17
<i>Neoarmaueria laticeps</i> (Korotkevich, 1955)	Pelag	P	PO	Pelagic	+

Occurrence by Region					32
TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Northern Pacific Ocean Region (cont.)</b>					
<i>Pelagonemertes brinkmanni</i> Coe, 1926	Pelag	NP	Okh Ber NPO	Pelagic	+
<i>Pelagonemertes moseleyi</i> Bürger, 1895	Pelag	CP	NPO Hon	Pelagic	+
<i>Pelagonemertes robusta</i> Korotkevich, 1955	Pelag	NP	NPO Okh	Pelagic	+
<i>Protopelagonemertes beebei</i> Coe, 1936	Pelag	NP	NPO Kur	Pelagic	+

## DISTRIBUTION BY HABITAT

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Littoral</b>					
<i>Amphiporus angulatus</i> (Müller, 1774)	Mono	NC	Jpn Kam Ber	Litt/Benth	+
<i>Amphiporus antifuscus</i> Iwata, 1954	Mono	C	Hok	Littoral	+
<i>Amphiporus beringianus</i> (Stimpson, 1857)	Mono	NC	Jpn KI	Littoral	*3,30
<i>Amphiporus bicoloreus</i> Korotkevich, 1977	Mono	NC	Kur Okh	Littoral	*1,2
<i>Amphiporus cervicalis</i> (Stimpson, 1857)	Mono	C	Hok Hon	Littoral	*3
<i>Amphiporus depressus</i> (Stimpson, 1857)	Mono	C	Hok Tsu	Litt/Benth	*3
<i>Amphiporus depressus</i> sensu Iwata, 1954a	Mono	C	Hok	Litt/Benth	*4
<i>Amphiporus dorsolineatus</i> Korotkevich, 1977	Mono	N	Kur Okh	Littoral	*1,2
<i>Amphiporus flavescentes</i> Coe, 1905	Mono	C	PGB	Littoral	*5
<i>Amphiporus formidabilis</i> Griffin, 1898	Mono	C	Hon Kyu Fuk KI	Littoral	+
<i>Amphiporus fuscosparsus</i> Korotkevich, 1977	Mono	N	Kur Okh	Littoral	+
<i>Amphiporus imparispinosus</i> Griffin, 1898	Mono	N	KI	Littoral	*6
<i>Amphiporus insolitus</i> Iwata, 1954b	Mono	C	Kii	Littoral	+
<i>Amphiporus japonicus</i> Stimpson, 1857	Mono	C	Hon	Littoral	*3
<i>Amphiporus lactifloreus</i> sensu Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Amphiporus nebulosus</i> Coe, 1901	Mono	NC	Jpn Kur	Littoral	*7
<i>Amphiporus obtusorostris</i> Korotkevich, 1977	Mono	N	Kur Okh	Littoral	*2
<i>Amphiporus parvus</i> Yamaoka, 1940	Mono	C	Hok	Littoral	+
<i>Amphiporus paulinus</i> Punnett, 1901	Mono	N	Ber Pri	Litt/Benth	+
<i>Amphiporus reduncus</i> Iwata, 1957	Mono	C	Hon	Litt/Benth ?	+
<i>Amphiporus regius</i> Iwata, 1954	Mono	C	Hok	Littoral	+
<i>Amphiporus similis</i> Coe, 1905	Mono	N	KI	Litt/Benth	*6
<i>Antarctonemertes dilutebasisae</i> (Kulikova, 1987)	Mono	NC	PGB Kur Tat	Litt/Benth	+
<i>Antarctonemertes varvara</i> Chernyshev, 1998	Mono	C	SJp PGB	Litt/Benth	+
<i>Baseodiscus curtus</i> (Hubrech, 1879)	Hetero	C	Shi Fuk Dal	Litt/Benth	*9
<i>Baseodiscus delineatus</i> (Delle Chiaje, 1825)	Hetero	C	Jpn	Litt/Benth	+
<i>Baseodiscus hemprichii</i> (Ehrenberg, 1831)	Hetero	NCS	SJp Kur Tai	Litt/Benth	+
<i>Baseodiscus princeps</i> (Coe, 1901)	Hetero	C	Hok PGB	Litt/Benth	+
<i>Baseodiscus quinquelineatus</i> (Quoy & Gaimard, 1833)	Hetero	C	Jpn	Litt/Benth	+
<i>Baseodiscus takakurai</i> Gibson, 1995	Hetero	C	Hon	Litt/Benth	+
<i>Carinesta uchidai</i> Iwata, 1952	Paleo	C	Fuk	Littoral	+
<i>Carinina littorea</i> Korotkevich, 1982	Paleo	N	Sak	Littoral	*10
<i>Carinina sinensis</i> Gibson & Sundberg, 1999	Paleo	S	HK	Litt/Benth	+
<i>Cephalonema bruniceps</i> Stimpson, 1857	Mono	S	HK	Litt/Benth	?
<i>Cephalothrix linearis</i> (Rathke, 1799)	Paleo	NC	Hon Qin Yan Sak	Litt/Benth	*11
<i>Cephalothrix notabilis</i> Iwata 1954	Paleo	C	Hok	Littoral	+
<i>Cerebratulus arnosus</i> Takakura, 1898	Hetero	C	Hon	Littoral	+
<i>Cerebratulus communis</i> Takakura, 1898	Hetero	NC	Hon Kur Qin	Littoral	+

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Littoral (cont.)</b>					
<i>Cerebratulus montgomeryi</i> Coe, 1901	Hetero	NC	Rus Jpn Ber	Litt/Benth	+
<i>Cerebratulus nigrus</i> (Stimpson, 1855)	Hetero	S	HK	Litt/Benth	+
<i>Cerebratulus paludicolus</i> Stimpson, 1857	Hetero	S	Can	Littoral	+
<i>Cerebratulus subacutus</i> (Stimpson, 1857)	Hetero	S	Ryu	Littoral	+
<i>Coeia ijimai</i> Takakura, 1922	Paleo	C	Hon	Littoral	+
<i>Collarenemertes bimaculata</i> Chernyshev, 1993, nec Coe	Mono	C	PGB	Litt/Benth	*12
<i>Dendrorhynchus sinensis</i> Yin & Zeng, 1984	Hetero	S	Zha HK	Littoral	+
<i>Dendrorhynchus zhanjiangensis</i> Yin & Zeng, 1984	Hetero	S	Zha	Littoral	+
<i>Diopsonemertes acanthocephala</i> Kajihara et al, 2001	Mono	C	Hon	Littoral	+
<i>Emplectonema buergeri</i> Coe, 1901	Mono	NC	Jpn Ber Pri	Litt/Benth	+
<i>Emplectonema gracile</i> (Johnston, 1837)	Mono	NC	Hok Chn PGB Kam	Litt/Benth	+
<i>Emplectonema mitsuii</i> Yamaoka, 1947	Mono	C	Hon Dal	Littoral	+
<i>Emplectonema purpuratum</i> Coe, 1905	Mono	NP	NPO Adak KI	Litt/Benth	+
<i>Emplectonema rubea</i> Korotkevich, 1977	Mono	N	Kur Rus Okh	Littoral	+
<i>Eonemertes macrophthalmia</i> Gibson, 1990	Mono	S	HK	Littoral	+
<i>Eousia verticivaria</i> Gibson, 1990	Hetero	S	HK	Litt/Benth	+
<i>Euborlasia gotoensis</i> Iwata, 1952	Hetero	C	Fuk	Littoral	+
<i>Hubrechtella alba</i> Gibson, 1997	Paleo	S	HK	Litt/Benth	+
<i>Hubrechtella sinimarina</i> Gibson & Sundberg, 1999	Paleo	S	HK	Litt/Benth	+
<i>Iwatanemertes piperata</i> (Stimpson, 1855)	Hetero	CS	Hon Ryu HK Tai	Litt/Benth	+
<i>Lineopselloides albilineus</i> Gibson, 1990	Hetero	S	HK	Litt/Benth	+
<i>Lineus alborostratus</i> Takakura, 1898	Hetero	CS	Hok Hon Fuk Qin	Litt/Benth	+
<i>Lineus albovittatus</i> (Stimpson, 1855)	Hetero	C	Fuk	Litt/Benth	+
<i>Lineus auripunctatus</i> (Grube, 1855)	Hetero	N	Okh	Litt/Benth	+
<i>Lineus bilineatus</i> sensu Iwata, 1954 nec Renier	Hetero	C	Hok Dal PGB	Litt/Benth	*13
<i>Lineus binigrilinaris</i> Gibson, 1990	Hetero	S	HK	Litt/Benth	+
<i>Lineus bipunctatus</i> Takakura, 1898	Hetero	C	Hon	Litt/Benth	?
<i>Lineus cancelli</i> Iwata, 1954	Hetero	C	Hon	Litt/Benth	+
<i>Lineus caputornatus</i> Takakura, 1898	Hetero	C	Hon	Litt/Benth	?
<i>Lineus cingulatus</i> (Stimpson, 1855)	Hetero	S	HK	Litt/Benth	+
<i>Lineus fulvus</i> Iwata, 1954	Hetero	C	Hok	Litt/Benth	+
<i>Lineus fuscoviridis</i> Takakura, 1898	Hetero	C	Shi Hon Qin Dal	Litt/Benth	+
<i>Lineus longifissus</i> sensu Takakura, 1898 nec Hubr.	Hetero	C	Kyu	Litt/Benth	*14
<i>Lineus nigrofuscus</i> (Stimpson, 1857)	Hetero	C	Jpn	Litt/Benth	+
<i>Lineus nigrostriatus</i> Iwata, 1954	Hetero	C	Fuk	Litt/Benth	+
<i>Lineus spatiostus</i> Iwata, 1954	Hetero	C	Hok	Litt/Benth	+
<i>Lineus striatus</i> Griffin, 1898	Hetero	C	PNA	Litt/Benth	*15
<i>Lineus subcingulatus</i> Takakura, 1898	Hetero	C	Hon	Litt/Benth	?

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Littoral (cont.)</b>					
<i>Lineus torquatus</i> Coe, 1901	Hetero	C	Jpn Chn Kur PGB	Litt/Benth	*16
<i>Micconemertes orientalis</i> Gibson, 1997	Hetero	S	HK	Litt/Benth	+
<i>Micrura achrostocephala</i> Gibson, 1997	Hetero	S	HK	Litt/Benth	+
<i>Micrura akkeshiensis</i> Yamaoka, 1940	Hetero	C	Hok	Litt/Benth	+
<i>Micrura alaskensis</i> Coe, 1901	Hetero	C	Hok	Litt/Benth	+
<i>Micrura bella</i> (Stimpson, 1857)	Hetero	C	Hok Hon	Litt/Benth	*15
<i>Micrura dorsovittata</i> Takakura, 1898	Hetero	C	Hon	Litt/Benth	?
<i>Micrura festiva</i> Takakura, 1898	Hetero	C	Hon	Litt/Benth	*15
<i>Micrura formosana</i> Yamaoka, 1939	Hetero	S	Tai	Litt/Benth	+
<i>Micrura impressa</i> (Stimpson, 1857)	Hetero	N	Ber	Litt/Benth	*15
<i>Micrura japonica</i> Iwata, 1952	Hetero	C	Hon Fuk Kyu	Litt/Benth	+
<i>Micrura kulikovae</i> Chernyshev, 1992	Hetero	C	Rus SJp	Litt/Benth	*15
<i>Micrura magna</i> Yamaoka, 1940	Hetero	C	Hok	Litt/Benth	+
<i>Micrura verrilli</i> Coe, 1901	Hetero	C	PNA Qin? Jpn?	Litt/Benth	*15
<i>Micrurimorpha rhynchocoelomaperta</i> Korotkevich, 1980	Hetero	N	Okh	Litt/Benth	+
<i>Nemertellina minuta</i> nec Friedrich, 1935	Mono	C	Hok	Litt/Benth	*17
<i>Nemertellina yamaokai</i> Kajihara, Gibson & Mawatari, 2000	Mono	C	Hon	Littoral	+
<i>Nemertopsis gracilis</i> Coe, 1904	Mono	S	HK	Litt/Benth	+
<i>Nemertopsis quadripunctata</i> (Quoy & Gaimard, 1833)	Mono	CS	Jpn HK	Litt/Benth	+
<i>Nemertopsis tetriclitophila</i> Gibson, 1990	Mono	S	HK	Litt/Benth	+
<i>Neoemplexonema campanoides</i> Korotkevich, 1977	Mono	N	Kur	Litt/Benth	+
<i>Neoemplexonema strabo</i> Korotkevich, 1977	Mono	N	Kur	Litt/Benth	+
<i>Nipponnemertes arenaria</i> (Uschakov, 1927)	Mono	C	Hon Kyu PGB	Litt/Benth	*18
<i>Nipponnemertes bimaculata</i> (sensu Iwata, 1954, nec Coe)	Mono	C	Hok	Litt/Benth	*19
<i>Nipponnemertes bimaculata</i> (Coe, 1901)	Mono	C	Jpn Rus	Litt/Benth	*20
<i>Nipponnemertes occidentalis</i> (Coe, 1905)	Mono	C*	PNA Jpn?	Litt/Benth	*18
<i>Nipponnemertes ogumai</i> (Yamaoka, 1947)	Mono	C	Hon Kyu	Litt/Benth	+
<i>Nipponnemertes punctatula</i> (sensu Iwata, 1951, partim)	Mono	C	Hok	Litt/Benth	*18
<i>Nipponnemertes punctatula</i> (Coe, 1905)	Mono	NC	Kur Jpn NoChn	Litt/Benth	*18
<i>Nipponomicrura uchidai</i> (Yamaoka, 1940)	Hetero	C	Hok PGB	Litt/Benth	+
<i>Notospermus geniculatus</i> (Delle Chiaje, 1828)	Hetero	C	Dal Shi Kyu Hon	Litt/Benth	+
<i>Notospermus tricuspidatus</i> (Quoy & Gaimard, 1833)	Hetero	S	Ryu	Litt/Benth	+
<i>Oerstedia dorsalis</i> (Abildgaard, 1806)	Mono	C	Hok	Litt/Benth	+
<i>Oerstedia dorsalis</i> var. <i>aqualis</i> Iwata, 1954	Mono	C	Kok	Litt/Benth	+
<i>Oerstedia polyorbis</i> Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Oerstedia venusta</i> Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Oerstediella oculata</i> Kulikova, 1987	Mono	C	Rus SJp	Litt/Benth	*21
<i>Oerstediella phoresiae</i> Kulikova, 1987	Mono	C	Rus Sjp	Litt/Benth	*21

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Littoral (cont.)</b>					
<i>Oerstediella valentinae</i> Chernyshev, 1993	Mono	C	PGB	Litt/Benth	*21
<i>Oerstediella verae</i> Chernyshev, 1993	Mono	N	Kur KI	Littoral	*21
<i>Oerstediella zebra</i> Chernyshev, 1993	Mono	C	PGB	Litt/Benth	*21
<i>Parahubrechtia jillae</i> Gibson & Sundberg, 1999	Paleo	S	HK	Litt/Benth	+
<i>Paralinoepsis taki</i> Iwata, 1993	Hetero	C	Hon	Littoral	+
<i>Paramicrura borborophila</i> Gibson & Sundberg, 1992	Hetero	S	HK	Littoral	+
<i>Paranemertes cylindracea</i> Korotkevich, 1977	Mono	N	Kur	Littoral	+
<i>Paranemertes incola</i> Iwata, 1952	Mono	C	Hon	Litt/Benth	+
<i>Paranemertes incongruens</i> Korotkevich, 1977	Mono	N	Kur	Littoral	+
<i>Paranemertes katoi</i> Yamaoka, 1947	Mono	C	Hon Dal	Litt/Benth	+
<i>Paranemertes pallida</i> Coe, 1901a	Mono	N	KI Kam	Litt/Benth	+
<i>Paranemertes peregrina</i> Coe, 1901	Mono	NC	Jpn Chn Rus	Litt/Benth	+
<i>Paranemertes sinensis</i> Sun, 1995b	Mono	C	ZhI	Litt/Benth	+
<i>Polydendrorhynchus papillaris</i> Yin & Zeng, 1986	Hetero	S	Zha	Littoral	+
<i>Procephalothrix arenaria</i> Gibson, 1990	Paleo	S	HK Tai	Litt/Benth	+
<i>Procephalothrix fascicula</i> Iwata, 1952	Paleo	C	Hon	Litt/Benth	+
<i>Procephalothrix filiformis</i> (Johnston, 1829)	Paleo	C	Hok	Litt/Benth	+
<i>Procephalothrix mokievskii</i> Korotkevich, 1982	Paleo	N	Sak	Litt/Benth	+
<i>Procephalothrix orientalis</i> Gibson, 1990	Paleo	S	HK	Litt/Benth	+
<i>Procephalothrix simula</i> Iwata, 1952	Paleo	C	Fuk Hok PGB	Litt/Benth	+
<i>Procephalothrix spiralis</i> (Coe, 1930)	Paleo	C	Qin Yan	Litt/Benth	+
<i>Psammamphiporus microocelli</i> Sun, 1995a	Mono	C	ZhI	Littoral	+
<i>Quasilineus sinicus</i> Gibson, 1990	Hetero	S	HK Tai	Litt/Benth	+
<i>Myioisophagus sanguineus</i> (Rathke, 1799)	Hetero	C	Qin	Littoral	+
<i>Tetrastemma appendiculatum</i> Chernyshev, 1998	Mono	C	PGB	Litt/Benth	+
<i>Tetrastemma bicolor</i> Coe, 1901	Mono	N	Kam KI Pri	Litt/Benth	+
<i>Tetrastemma candidum</i> (Müller, 1774)	Mono	C	Hok	Litt/Benth	+
<i>Tetrastemma coronatum</i> (Quatrefages, 1846)	Mono	C	Hok	Litt/Benth	*24
<i>Tetrastemma insolens</i> Iwata, 1952	Mono	C	Hon Fuk	Litt/Benth	+
<i>Tetrastemma kulikovae</i> Gibson, 1995	Mono	C	Rus SJp	Litt/Benth	*25
<i>Tetrastemma nigrifrons</i> Coe, 1904	Mono	C	Jpn Rus Yan	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>aequicolor</i> Chernyshev, 1998	Mono	N	Kur	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>albino</i> Manchenko & Kulikova, 1996	Mono	C	Rus SJp	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>bilineatum</i> Iwata, 1954	Mono	C	Hok PBG	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>bimaculatum</i> Chernyshev, 1998	Mono	C	PGB	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>punctatum</i> Iwata, 1954	Mono	C	Hok	Litt/Benth	+

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Littoral (cont.)</b>					
<i>Tetrastemma nigrifrons</i> var. <i>spadix</i> Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>trimaculatum</i> Chernyshev, 1998	Mono	N	Kur	Litt/Benth	+
<i>Tetrastemma olgarum</i> Chernyshev, 1998	Mono	C	PGB SJp	Litt/Benth	+
<i>Tetrastemma pheobasisae</i> Kulikova, 1987	Mono	NC	PGB Kur	Litt/Benth	+
<i>Tetrastemma pimaculatum</i> Chernyshev, 1998	Mono	C	SJp PGB	Litt/Benth	+
<i>Tetrastemma pinnatum</i> Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Tetrastemma pseudocoronatum</i> Chernyshev, 1998	Mono	C	Hok SJp PGB Kur	Litt/Benth	*24
<i>Tetrastemma roseocephalum</i> (Yamaoka, 1947)	Mono	C	Hon	Litt/Benth	+
<i>Tetrastemma stigmatum</i> Stimpson, 1857	Mono	C	Hok	Litt/Benth	+
<i>Tetrastemma stimpsoni</i> Chernyshev, 1992	Mono	NC	Hok Rus Kur SJp	Litt/Benth	*26
<i>Tetrastemma tridentatum</i> Korotkevich, 1977	Mono	N	Kur	Litt/Benth	*2,27
<i>Tetrastemma verinigrum</i> Iwata, 1954	Mono	CS	Hok HK Qin	Litt/Benth	+
<i>Tetrastemma verinigrum</i> var. <i>meridianum</i> Iwata, 1954	Mono	C	Jpn	Litt/Benth	+
<i>Tetrastemma viridis</i> Kulikova, 1989	Mono	C	Rus SJp	Litt/Benth	*25
<i>Tetrastemma yamaokai</i> Iwata, 1954	Mono	C	Hok Hon PGB Qin	Litt/Benth	*28
<i>Tortus curilensis</i> Korotkevich, 1971	Mono	NC	Kur SJp	Littoral	+
<i>Tortus iturupensis</i> Korotkevich, 1977	Mono	N	Kur	Littoral	+
<i>Tortus paramusirensis</i> Korotkevich, 1977	Mono	N	Kur	Littoral	+
<i>Tortus tokmakovae</i> Chernyshev, 1991	Mono	C	PGB	Littoral	+
<i>Tubulanus capistratus</i> (Coe, 1901)	Paleo	C	Jpn	Litt/Benth	+
<i>Tubulanus ezoensis</i> Yamaoka, 1940	Paleo	C	Hok PGB	Litt/Benth	+
<i>Tubulanus hylbomi</i> Gibson & Sundberg, 1999	Paleo	S	HK	Litt/Benth	+
<i>Tubulanus longivasculus</i> Gibson & Sundberg, 1999	Paleo	S	HK	Litt/Benth	+
<i>Tubulanus lucidus</i> Iwata, 1952	Paleo	C	Fuk	Littoral	*29
<i>Tubulanus punctatus</i> (Takakura, 1898)	Paleo	C	Jpn Chn Rus	Litt/Benth	+
<i>Utolineus uberis</i> Gibson, 1990	Hetero	CS	HK Dal	Littoral	+
<i>Zygonemertes callaina</i> Korotkevich, 1977	Mono	N	Kur	Litt/Benth	+
<i>Zygonemertes glandulosa</i> Yamaoka, 1940	Mono	C	Hok Dal	Litt/Benth	+
<i>Zygonemertes tenuirostris</i> Korotkevich, 1977	Mono	N	Kur	Littoral	+
<i>Zygonemertes virescens</i> (Verrill, 1879)	Mono	C	ZhI,Chn	Litt/Benth	+
<i>Zygonemertes zhenylebedevi</i> Chernyshev, 1991	Mono	C	PGB	Litt/Benth	+
<b>Benthic</b>					
<i>Amphiporus angulatus</i> (Müller, 1774)	Mono	NC	Jpn Kam Ber	Litt/Benth	+
<i>Amphiporus depressus</i> (Stimpson, 1857)	Mono	C	Hok Tsu	Litt/Benth	*3
<i>Amphiporus depressus</i> sensu Iwata, 1954a	Mono	C	Hok	Litt/Benth	*4
<i>Amphiporus folcatus</i> Korotkevich, 1977	Mono	N	Kur Okh	Benthic	+
<i>Amphiporus gelatinosus</i> Coe, 1905	Mono	C	Hon Ura	Benthic	+

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Benthic (cont.)</b>					
<i>Amphiporus lactifloreus</i> sensu Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Amphiporus matuanus</i> Korotkevich, 1977	Mono	N	Kur Okh	Benthic	+
<i>Amphiporus musculus</i> Iwata, 1954	Mono	C	Hok	Benthic	+
<i>Amphiporus nadtochiae</i> Chernyshev, 1998	Mono	C	PGB	Benthic	+
<i>Amphiporus paulinus</i> Punnett, 1901	Mono	N	Ber Pri	Litt/Benth	+
<i>Amphiporus redundus</i> Iwata, 1957	Mono	C	Hon	Litt/Benth ?	+
<i>Amphiporus retrotumidus</i> Iwata, 1957	Mono	C	Hon	Benthic	+
<i>Amphiporus similis</i> Coe, 1905	Mono	N	KI	Litt/Benth	*6
<i>Amphiporus sinuosus</i> Stimpson, 1857	Mono	S	HK	Benthic	*1
<i>Antarctonemertes dilutebasisae</i> (Kulikova, 1987)	Mono	NC	PGB Kur Tat	Litt/Benth	+
<i>Antarctonemertes papilliformis</i> (Korotkevich, 1977)	Mono	C	SJp Kur	Benthic	*8
<i>Antarctonemertes quasioculata</i> (Korotkevich, 1977)	Mono	NC	SJP Kur	Benthic	*8
<i>Antarctonemertes varvarae</i> Chernyshev, 1998	Mono	C	SJp PGB	Litt/Benth	+
<i>Arctonemertes ussuriensis</i> Chernyshev, 1998	Mono	C	PGB	Benthic	+
<i>Baseodiscus curtus</i> (Hubrechets, 1879)	Hetero	C	Shi Fuk Dal	Litt/Benth	*9
<i>Baseodiscus delineatus</i> (Delle Chiaje, 1825)	Hetero	C	Jpn	Litt/Benth	+
<i>Baseodiscus hemprichii</i> (Ehrenberg, 1831)	Hetero	NCS	SJp Kur Tai	Litt/Benth	+
<i>Baseodiscus nippensis</i> (Stimpson, 1857)	Hetero	C	Jpn	Benthic	+
<i>Baseodiscus princeps</i> (Coe, 1901)	Hetero	C	Hok PGB	Litt/Benth	+
<i>Baseodiscus quinquelineatus</i> (Quoy & Gaimard, 1833)	Hetero	C	Jpn	Litt/Benth	+
<i>Baseodiscus takakurai</i> Gibson, 1995	Hetero	C	Hon	Litt/Benth	+
<i>Callinera bergendali</i> Gibson & Sundberg, 1999	Paleo	S	HK	Benthic	+
<i>Carinesta tubulanoides</i> Gibson, 1990	Paleo	S	HK	Benthic	+
<i>Carinina sinensis</i> Gibson & Sundberg, 1999	Paleo	S	HK	Litt/Benth	+
<i>Cephalomastax brevis</i> Iwata, 1957	Hetero	C	Hon	Benthic	+
<i>Cephalonema bruniceps</i> Stimpson, 1857	Mono	S	HK	Litt/Benth	?
<i>Cephalothrix linearis</i> (Rathke, 1799)	Paleo	NC	Hon Qin Yan Sak	Litt/Benth	*11
<i>Cephalotrichella alba</i> Gibson & Sundberg, 1992	Paleo	CS	HK YelS	Benthic	+
<i>Cerebratulus albocirculus</i> Iwata, 1957	Hetero	C	Hon	Benthic	+
<i>Cerebratulus albulus</i> (Stimpson, 1857)	Hetero	S	SCS	Benthic	+
<i>Cerebratulus darvelli</i> Gibson, 1990	Hetero	S	HK	Benthic	+
<i>Cerebratulus fasciatus</i> Stimpson, 1857	Hetero	C	Hok	Benthic	+
<i>Cerebratulus formosus</i> Iwata, 1957	Hetero	C	Hon	Benthic	+
<i>Cerebratulus fuscus</i> Takakura, 1898	Hetero	C	Hon	Benthic	?
<i>Cerebratulus longiceps</i> Coe, 1901	Hetero	C	Hon	Benthic	+
<i>Cerebratulus marginatus</i> Renier, 1804	Hetero	NC	Hok Hon Kur PGB	Benthic	+
<i>Cerebratulus montgomeryi</i> Coe, 1901	Hetero	NC	Rus Jpn Ber	Litt/Benth	+
<i>Cerebratulus nigrus</i> (Stimpson, 1855)	Hetero	S	HK	Litt/Benth	+
<i>Cerebratulus penniger</i> Iwata, 1957	Hetero	C	Hon	Benthic	+

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Benthic (cont.)</b>					
<i>Cerebratulus rubellus</i> (Stimpson, 1855)	Hetero	S	HK	Benthic	+
<i>Cerebratulus signatus</i> Coe, 1905	Hetero	NC	Sak PGB	Benthic	+
<i>Cerebratulus sinensis</i> (Stimpson, 1855)	Hetero	S	HK	Benthic	+
<i>Cerebratulus superniger</i> Iwata, 1957	Hetero	C	Hon	Benthic	+
<i>Cerebratulus zebra</i> Punnett & Cooper, 1909	Hetero	C	Hon	Benthic	?
<i>Collarenemertes bimaculata</i> Chernyshev, 1993, nec Coe	Mono	C	PGB	Litt/Benth	*12
<i>Diplopleura japonica</i> Stimpson, 1857	Hetero	C	Kyu	Benthic	+
<i>Emplectonema buergeri</i> Coe, 1901	Mono	NC	Jpn Ber Pri	Litt/Benth	+
<i>Emplectonema gracile</i> (Johnston, 1837)	Mono	NC	Hok Chn PGB Kam	Litt/Benth	+
<i>Emplectonema kandai</i> Kato, 1939	Mono	C	Hon	Benthic	+
<i>Eousia verticivaria</i> Gibson, 1990	Hetero	S	HK	Litt/Benth	+
<i>Euborlasia proteres</i> Iwata, 1957	Hetero	C	Hon	Benthic	+
<i>Furugelmina heteromusculosa</i> Chernyshev, 1998	Mono	C	PGB	Benthic	+
<i>Hubrechtella alba</i> Gibson, 1997	Paleo	S	HK	Litt/Benth	+
<i>Hubrechtella sinimarina</i> Gibson & Sundberg, 1999	Paleo	S	HK	Litt/Benth	+
<i>Hirohitonemertes longiceps</i> (Iwata, 1957)	Eurept	C	Hon	Benthic	+
<i>Iwatanemertes piperata</i> (Stimpson, 1855)	Hetero	CS	Hon Ryu HK Tai	Litt/Benth	+
<i>Kameginemertes parmiornata</i> (Iwata, 1957)	Eurept	C	Hon	Benthic	+
<i>Lineopselloides albilineus</i> Gibson, 1990	Hetero	S	HK	Litt/Benth	+
<i>Lineus alborostratus</i> Takakura, 1898	Hetero	CS	Hok Hon Fuk Qin	Litt/Benth	+
<i>Lineus albovittatus</i> (Stimpson, 1855)	Hetero	C	Fuk	Litt/Benth	+
<i>Lineus auripunctatus</i> (Grube, 1855)	Hetero	N	Okh	Litt/Benth	+
<i>Lineus bilineatus</i> sensu Iwata, 1954 nec Renier	Hetero	C	Hok Dal PGB	Litt/Benth	*13
<i>Lineus binigrilinearis</i> Gibson, 1990	Hetero	S	HK	Litt/Benth	+
<i>Lineus bipunctatus</i> Takakura, 1898	Hetero	C	Hon	Litt/Benth	?
<i>Lineus cancelli</i> Iwata, 1954	Hetero	C	Hon	Litt/Benth	+
<i>Lineus caputornatus</i> Takakura, 1898	Hetero	C	Hon	Litt/Benth	?
<i>Lineus cingulatus</i> (Stimpson, 1855)	Hetero	S	HK	Litt/Benth	+
<i>Lineus fulvus</i> Iwata, 1954	Hetero	C	Hok	Litt/Benth	+
<i>Lineus fuscoviridis</i> Takakura, 1898	Hetero	C	Shi Hon Qin Dal	Litt/Benth	+
<i>Lineus longifissus</i> sensu Takakura, 1898 nec Hubr.	Hetero	C	Kyu	Litt/Benth	*14
<i>Lineus nigrofuscus</i> (Stimpson, 1857)	Hetero	C	Jpn	Litt/Benth	+
<i>Lineus nigrostriatus</i> Iwata, 1954	Hetero	C	Fuk	Litt/Benth	+
<i>Lineus spatiiosus</i> Iwata, 1954	Hetero	C	Hok	Litt/Benth	
<i>Lineus striatus</i> Griffin, 1898	Hetero	C	PNA	Litt/Benth	*15
<i>Lineus subcingulatus</i> Takakura, 1898	Hetero	C	Hon	Litt/Benth	?
<i>Lineus torquatus</i> Coe, 1901	Hetero	C	Jpn Chn Kur PGB	Litt/Benth	*16
<i>Micconemertes orientalis</i> Gibson, 1997	Hetero	S	HK	Litt/Benth	+
<i>Micrura achrostocephala</i> Gibson, 1997	Hetero	S	HK	Litt/Benth	+

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Benthic (cont.)</b>					
<i>Micrura akkeshiensis</i> Yamaoka, 1940	Hetero	C	Hok	Litt/Benth	+
<i>Micrura alaskensis</i> Coe, 1901	Hetero	C	Hok	Litt/Benth	+
<i>Micrura bella</i> (Stimpson, 1857)	Hetero	C	Hok Hon	Litt/Benth	*15
<i>Micrura dorsovittata</i> Takakura, 1898	Hetero	C	Hon	Litt/Benth	?
<i>Micrura festiva</i> Takakura, 1898	Hetero	C	Hon	Litt/Benth	*15
<i>Micrura formosana</i> Yamaoka, 1939	Hetero	S	Tai	Litt/Benth	+
<i>Micrura impressa</i> (Stimpson, 1857)	Hetero	N	Ber	Litt/Benth	*15
<i>Micrura japonica</i> Iwata, 1952	Hetero	C	Hon Fuk Kyu	Litt/Benth	+
<i>Micrura kulikovae</i> Chernyshev, 1992	Hetero	C	Rus SJp	Litt/Benth	*15
<i>Micrura magna</i> Yamaoka, 1940	Hetero	C	Hok	Litt/Benth	+
<i>Micrura multinotara</i> Iwata, 1957	Hetero	C	Hon	Benthic	+
<i>Micrura verrilli</i> Coe, 1901	Hetero	C	PNA Qin? Jpn?	Litt/Benth	*15
<i>Micrurimorpha rhynchocoelomaperta</i> Korotkevich, 1980	Hetero	N	Okh	Litt/Benth	+
<i>Nemertellina minuta</i> nec Friedrich, 1935	Mono	C	Hok	Litt/Benth	*17
<i>Nemertopsis gracilis</i> Coe, 1904	Mono	S	HK	Litt/Benth	+
<i>Nemertopsis quadripunctata</i> (Quoy & Gaimard, 1833)	Mono	CS	Jpn HK	Litt/Benth	+
<i>Nemertopsis tetraclitophila</i> Gibson, 1990	Mono	S	HK	Litt/Benth	+
<i>Neoempletonema campanoides</i> Korotkevich, 1977	Mono	N	Kur	Litt/Benth	+
<i>Neoempletonema strabo</i> Korotkevich, 1977	Mono	N	Kur	Litt/Benth	+
<i>Nipponnemertes arenaria</i> (Ussakov, 1927)	Mono	C	Hon Kyu PGB	Litt/Benth	*18
<i>Nipponnemertes bimaculata</i> (sensu Iwata, 1954, nec Coe)	Mono	C	Hok	Litt/Benth	*19
<i>Nipponnemertes bimaculata</i> (Coe, 1901)	Mono	C	Jpn Rus	Litt/Benth	*20
<i>Nipponnemertes occidentalis</i> (Coe, 1905)	Mono	C*	PNA Jpn?	Litt/Benth	*18
<i>Nipponnemertes ogumai</i> (Yamaoka, 1947)	Mono	C	Hon Kyu	Litt/Benth	+
<i>Nipponnemertes punctatula</i> (sensu Iwata, 1951, partim)	Mono	C	Hok	Litt/Benth	*18
<i>Nipponnemertes punctatula</i> (Coe, 1905)	Mono	NC	Kur Jpn NoChn	Litt/Benth	*18
<i>Nipponomicrura uchidai</i> (Yamaoka, 1940)	Hetero	C	Hok PGB	Litt/Benth	+
<i>Notospermus geniculatus</i> (Delle Chiaje, 1828)	Hetero	C	Dal Shi Kyu Hon	Litt/Benth	+
<i>Notospermus tricuspidatus</i> (Quoy & Gaimard, 1833)	Hetero	S	Ryu	Litt/Benth	+
<i>Oerstedia dorsalis</i> (Abildgaard, 1806)	Mono	C	Hok	Litt/Benth	+
<i>Oerstedia dorsalis</i> var. <i>aqualis</i> Iwata, 1954	Mono	C	Kok	Litt/Benth	+
<i>Oerstedia polyorbis</i> Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Oerstedia venusta</i> Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Oerstediella oculata</i> Kulikova, 1987	Mono	C	Rus SJp	Litt/Benth	*21
<i>Oerstediella phoresiae</i> Kulikova, 1987	Mono	C	Rus Sjp	Litt/Benth	*21
<i>Oerstediella valentinae</i> Chernyshev, 1993	Mono	C	PGB	Litt/Benth	*21
<i>Oerstediella zebra</i> Chernyshev, 1993	Mono	C	PGB	Litt/Benth	*21

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Benthic (cont.)</b>					
<i>Parahubrechtia jillae</i> Gibson & Sundberg, 1999	Paleo	S	HK	Litt/Benth	+
<i>Paranemertes incola</i> Iwata, 1952	Mono	C	Hon	Litt/Benth	+
<i>Paranemertes katoi</i> Yamaoka, 1947	Mono	C	Hon Dal	Litt/Benth	+
<i>Paranemertes pallida</i> Coe, 1901a	Mono	N	KI Kam	Litt/Benth	+
<i>Paranemertes peregrina</i> Coe, 1901	Mono	NC	Jpn Chn Rus	Litt/Benth	+
<i>Paranemertes plana</i> Iwata, 1957	Mono	C	Hon	Benthic	+
<i>Paranemertes sinensis</i> Sun, 1995b	Mono	C	ZhI	Litt/Benth	+
<i>Perissonemertes pyrrhocephala</i> Gibson, 1990	Hetero	S	HK	Benthic	+
<i>Plectonemertes sinensis</i> Gibson, 1990	Mono	S	HK	Benthic	+
<i>Procephalothrix arenaria</i> Gibson, 1990	Paleo	S	HK Tai	Litt/Benth	+
<i>Procephalothrix fascicula</i> Iwata, 1952	Paleo	C	Hon	Litt/Benth	+
<i>Procephalothrix filiformis</i> (Johnston, 1829)	Paleo	C	Hok	Litt/Benth	+
<i>Procephalothrix mokievskii</i> Korotkevich, 1982	Paleo	N	Sak	Litt/Benth	+
<i>Procephalothrix orientalis</i> Gibson, 1990	Paleo	S	HK	Litt/Benth	+
<i>Procephalothrix simula</i> Iwata, 1952	Paleo	C	Fuk Hok PGB	Litt/Benth	+
<i>Procephalothrix spiralis</i> (Coe, 1930)	Paleo	C	Qin Yan	Litt/Benth	+
<i>Quasilineus sinicus</i> Gibson, 1990	Hetero	S	HK Tai	Litt/Benth	+
<i>Sagaminemertes nagaiensis</i> (Iwata, 1957)	Archirep	C	Hon	Benthic	+
<i>Statolithonemertes sachalinica</i> Korotkevich, 1982	Paleo	N	Sak	Benthic	+
<i>Tetramys ramicerebrus</i> Iwata, 1957	Paleo	C	Hon	Benthic	+
<i>Tetrastemma appendiculatum</i> Chernyshev, 1998	Mono	C	PGB	Litt/Benth	+
<i>Tetrastemma bicolor</i> Coe, 1901	Mono	N	Kam KI Pri	Litt/Benth	+
<i>Tetrastemma candidum</i> (Müller, 1774)	Mono	C	Hok	Litt/Benth	+
<i>Tetrastemma coronatum</i> (Quatrefages, 1846)	Mono	C	Hok	Litt/Benth	*24
<i>Tetrastemma insolens</i> Iwata, 1952	Mono	C	Hon Fuk	Litt/Benth	+
<i>Tetrastemma kulikovae</i> Gibson, 1995	Mono	C	Rus SJp	Litt/Benth	*25
<i>Tetrastemma nigrifrons</i> Coe, 1904	Mono	C	Jpn Rus Yan	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>aequicolor</i> Chernyshev, 1998	Mono	N	Kur	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>albino</i> Manchenko & Kulikova, 1996	Mono	C	Rus SJp	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>bilineatum</i> Iwata, 1954	Mono	C	Hok PGB	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>bimaculatum</i> Chernyshev, 1998	Mono	C	PGB	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>punctatum</i> Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>spadix</i> Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Tetrastemma nigrifrons</i> var. <i>trimaculatum</i> Chernyshev, 1998	Mono	N	Kur	Litt/Benth	+
<i>Tetrastemma olgarum</i> Chernyshev, 1998	Mono	C	PGB SJp	Litt/Benth	+
<i>Tetrastemma pheobasisae</i> Kulikova, 1987	Mono	NC	PGB Kur	Litt/Benth	+

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Benthic (cont.)</b>					
<i>Tetrastemma pimaculatum</i> Chernyshev, 1998	Mono	C	SJp PGB	Litt/Benth	+
<i>Tetrastemma pinnatum</i> Iwata, 1954	Mono	C	Hok	Litt/Benth	+
<i>Tetrastemma pseudocoronatum</i> Chernyshev, 1998	Mono	C	Hok SJp PGB Kur	Litt/Benth	*24
<i>Tetrastemma roseocephalum</i> (Yamaoka, 1947)	Mono	C	Hon	Litt/Benth	+
<i>Tetrastemma stigmatum</i> Stimpson, 1857	Mono	C	Hok	Litt/Benth	+
<i>Tetrastemma stimpsoni</i> Chernyshev, 1992	Mono	NC	Hok Rus Kur SJp	Litt/Benth	*26
<i>Tetrastemma tridentatum</i> Korotkevich, 1977	Mono	N	Kur	Litt/Benth	*2,27
<i>Tetrastemma verinigrum</i> Iwata, 1954	Mono	CS	Hok HK Qin	Litt/Benth	+
<i>Tetrastemma verinigrum</i> var. <i>meridianum</i> Iwata, 1954	Mono	C	Jpn	Litt/Benth	+
<i>Tetrastemma viridis</i> Kulikova, 1989	Mono	C	Rus SJp	Litt/Benth	*25
<i>Tetrastemma yamaokai</i> Iwata, 1954	Mono	C	Hok Hon PGB Qin	Litt/Benth	*28
<i>Tubulanus capistratus</i> (Coe, 1901)	Paleo	C	Jpn	Litt/Benth	+
<i>Tubulanus ezoensis</i> Yamaoka, 1940	Paleo	C	Hok PGB	Litt/Benth	+
<i>Tubulanus hylbomi</i> Gibson & Sundberg, 1999	Paleo	S	HK	Litt/Benth	+
<i>Tubulanus longivasculus</i> Gibson & Sundberg, 1999	Paleo	S	HK	Litt/Benth	+
<i>Tubulanus punctatus</i> (Takakura, 1898)	Paleo	C	Jpn Chn Rus	Litt/Benth	+
<i>Zygonemertes callaina</i> Korotkevich, 1977	Mono	N	Kur	Litt/Benth	+
<i>Zygonemertes glandulosa</i> Yamaoka, 1940	Mono	C	Hok Dal	Litt/Benth	+
<i>Zygonemertes virescens</i> (Verrill, 1879)	Mono	C	ZhI,Chn	Litt/Benth	+
<i>Zygonemertes zhenylebedevi</i> Chernyshev, 1991	Mono	C	PGB	Litt/Benth	+
<b>Pelagic</b>					
<i>Nectonemertes acanthocephala</i> Korotkevich, 1955	Pelag	N	WBS	Pelagic	+
<i>Nectonemertes japonica</i> Foshay, 1912	Pelag	CP	PO Jpn	Pelagic	+
<i>Nectonemertes major</i> Korotkevich, 1955	Pelag	NP	Okh NPO Ber	Pelagic	+
<i>Nectonemertes mirabilis</i> Verrill, 1892	Pelag	P ?		Pelagic	*17
<i>Neoarmaueria angusta</i> (Korotkevich, 1955)	Pelag	N	Ber	Pelagic	+
<i>Neoarmaueria crassa</i> (Korotkevich, 1955)	Pelag	N	CBS	Pelagic	+
<i>Neoarmaueria divaricata</i> (Korotkevich, 1955)	Pelag	N	Okh	Pelagic	+
<i>Neoarmaueria laticeps</i> (Korotkevich, 1955)	Pelag	P	PO	Pelagic	+
<i>Neoarmaueria tenuicauda</i> (Korotkevich, 1955)	Pelag	N	WBS	Pelagic	+
<i>Pelagonemertes brinkmanni</i> Coe, 1926	Pelag	NP	Okh Ber NPO	Pelagic	+
<i>Pelagonemertes excisa</i> Korotkevich, 1955	Pelag	N	WBS	Pelagic	+
<i>Pelagonemertes laticauda</i> Korotkevich, 1955	Pelag	N	CBS	Pelagic	+
<i>Pelagonemertes moseleyi</i> Bürger, 1895	Pelag	CP	NPO Hon	Pelagic	+
<i>Pelagonemertes oviporus</i> Korotkevich, 1955	Pelag	N	WBS	Pelagic	+
<i>Pelagonemertes robusta</i> Korotkevich, 1955	Pelag	NP	NPO Okh	Pelagic	+
<i>Pelagonemertes rollestoni</i> Moseley, 1875	Pelag	NC	Jpn Kur	Pelagic	+

**Distribution by Habitat**

43

TAXON	GROUP	REG	LOCATION	HABITAT	STAT
<b>Pelagic (cont.)</b>					
<i>Proarmaueria korotkevitschae</i> Chernyshev, 1992	Pelag	N	Okh	Pelagic	*22
<i>Proarmaueria pellucida</i> Coe, 1926	Pelag	N	Okh	Pelagic	+
<i>Proarmaueriella caudata</i> (Korotkevich, 1955)	Pelag	N	Okh	Pelagic	+
<i>Protopelagonemertes beebei</i> Coe, 1936	Pelag	NP	NPO Kur	Pelagic	+
<i>Xenoarmaueria acoeca</i> (Korotkevich, 1955)	Pelag	N	KI	Pelagic	+
<i>Zinarmaueria platonovae</i> Chernyshev, 1992	Pelag	N	Okh	Pelagic	+
<b>Interstitial</b>					
<i>Ototyphlonemertes martynovi</i> Chernyshev, 1993	Mono	C	PGB SJp	Interstitial	+
<i>Ototyphlonemertes nikolaii</i> Chernyshev, 1998	Mono	C	PGB SJp	Interstitial	+
<b>Brackish Water</b>					
<i>Amniclineus zhujiangensis</i> Gibson & Qi, 1991	Hetero	S	SoChn	FW, Brack	+
<i>Hinumanemertes kikuchii</i> Iwata, 1970	Hetero	C	LkHin	Brackish	+
<i>Sacconemertella lutulenta</i> Iwata, 1970	Mono	C	LkHin	Brackish	+
<i>Sacconemertopsis belogurovi</i> Chernyshev, 1991	Mono	C	Gladk	Brackish	+
<i>Sacconemertopsis olivifera</i> Iwata, 1970	Mono	C	LkHin	Brackish	+
<b>Fresh Water</b>					
<i>Amniclineus zhujiangensis</i> Gibson & Qi, 1991	Hetero	S	SoChn	FW, Brack	+
<i>Prostoma gracense</i> (Böhmig, 1892)	Mono	C	Jpn	Fresh Water	+
<i>Prostoma grande</i> Ikeda, 1913	Mono	C	Hon	Fresh Water	*23
<i>Prostoma hokkaidoense</i> Stiasny-Wijnhoff, 1938	Mono	C	Hok	Fresh Water	*23
<i>Prostoma macradenum</i> Sun & Yin, 1995	Mono	C	Qin	Fresh Water	+
<i>Prostoma ohmiense</i> Chernyshev, et al, 1998	Mono	C	LkBiw	Fresh Water	+
<b>Supralittoral/Terrestrial</b>					
<i>Cerebratulina natans</i> (Punnett, 1900)	Hetero	S	HK Tai	Mangroves	+
<i>Pantinonemertes daguilarensis</i> Gibson & Sundberg, 1992	Mono	S	HK	Suplitt Terr	+
<i>Pantinonemertes fujianensis</i> Sun, 2001	Mono	S	Xia	Suplitt Terr	+
<i>Pantinonemertes mortoni</i> Gibson, 1990	Mono	S	HK Tai	Suplitt Terr	+
<i>Pantinonemertes spectacula</i> (Yamaoka, 1940)	Mono	S	Ryu HK	Suplitt Terr	+
<b>Commensal</b>					
<i>Asteronemertes commensalis</i> (Kyao, 1954)	Mono	N	Okh	Commensal	+
<i>Asteronemertes gibsoni</i> Chernyshev, 1991	Mono	C	SJp PGB	Commensal	+

Distribution by Habitat					44
TAXON	GROUP	REG	LOCATION	HABITAT	STAT

**Commensal (cont.)**

<i>Malacobdella grossa</i> (Müller, 1776)	Bdello	C	Jpn PGB	Commensal	+
<i>Malacobdella japonica</i> Takakura, 1897	Bdello	NC	Hok Hon Kur	Commensal	+

**Parasitic**

<i>Carcinonemertes mitsukurii</i> Takakura, 1910	Mono	CS	HK Hon	Parasitic	+
<i>Carcinonemertes regicides</i> Shields, Wickham & Kuris, 1989	Mono	P	NPO	Parasitic	+
<i>Uchidana parasita</i> Iwata, 1967	Hetero	C	Hon	Parasitic	+

¤